NUREG–0540
Vol. 18, No. 5

Title List of Documents Made Publicly Available

RECEIVED
AUG 05 1996
OSTI

May 1–31, 1996

U.S. Nuclear Regulatory Commission

Office of Administration



MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

RB

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

A year's subscription of this report consists of 12 monthly issues.

NUREG–0540
Vol. 18, No. 5

Title List of Documents Made Publicly Available

May 1–31, 1996

Date Published: July 1996

E. B. Morris, NRC Project Manager

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555–0001



DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

CONTENTS

Preface v
Arrangement of Items by Docket Number xi
Alphabetic Arrangement of Docket Items by Facility Name xix
Docketed Items 1
Low-Level Radwaste Disposal Sites — Docket 27 1
Domestic Licensing of Source Material — Docket 40 2
Domestic Licensing of Production and Utilization Facilities — Docket 50 13
Standardized Nuclear Power Plant Design — Docket 52 144
Domestic Licensing of Special Nuclear Material — Docket 70 147
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 157
Licensing of Independent Spent Fuel Storage — Docket 72 161
Nondocketed Items 165
10 CFR — Commission Meeting Records 165
ACNW — Advisory Committee on Nuclear Waste 165
ACRS — Advisory Committee on Reactor Safeguards 165
ADVCM — NRC Advisory Committee 166
COMMISSION — NRC Commissioners 166
CONTRACT — NRC Contracts and Modifications 168
FOIA — Freedom of Information Act Requests and Releases 171
GEN TECH IS — Generic Technical Issues 208
I&E — Inspection and Enforcement 208
MISC — Public Document Room Miscellaneous 210
NUREG — NUREG Reports and Related Correspondence 210
ORG — Correspondence with Other Organizations 212
PR — Proposed Rule 215
PRESS — Press Releases 216
PRM — Petition for Rulemaking 216
PROJ — Projects-Predocket Licensing 216
PT21 — Noncompliance Reports and Related Correspondence 217
QA999 — Quality Assurance Inspections 218
REG CERT Registry Certificate 218
REGGD — Regulatory Guides 218
REVIEW GROUP — NRC Research Review Groups 219
SECY — Position Papers Before the Commission 221
SPEECHES Speeches 222
STATE PROG — State Programs 222
TOPREP — Vendor Reports and Related Correspondence 229
WASTE MGT — Nuclear Waste Management 231
XPORTLIC — Export and Import Licenses 235
Personal Author Index 237
Corporate Source Index 259
Report Number Index 277
Cross Reference of Enclosures to Principal Documents 279
Appendix A — Definitions of Docket 50 Categories A-1
Appendix B — Definitions of Nondocketed Categories B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It describes the information received and published by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and published by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies in paper, microfiche, or (selectively) diskette, may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System (BRS), which is accessible both at the PDR and remotely. BRS also has some types of documents in full text. Other recent, selected documents, as well as information about the PDR, may be viewed/downloaded from an electronic bulletin board. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the database. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

Each utility or institution engaged in a nuclear activity licensed and regulated by the U.S. Nuclear Regulatory Commission (NRC) is assigned a docket number. As used by NRC, docket numbers refer to the particular system by which NRC maintains its regulatory records, not to law court dockets. The first two digits of a docket number identify the type of nuclear activity that NRC regulates. These docket categories are as follows:

- 27 – Low-Level Radioactive Waste Disposal Sites
- 30 – Nuclear or Byproduct Material Licenses
- 40 – Nuclear Source Material Facilities
- 50 – Nuclear Reactors and Fuel Reprocessing Plants
- 52 – Standard Design Certifications, Early Site Permits, and Combined Licenses for Nuclear Power Plants
- 70 – Special Nuclear Materials

71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

72 – Independent Spent Fuel Storage Installations

Except for Docket 27, these numbers correspond to the parts of Title 10 in the *Code of Federal Regulations* (10 CFR) that cover regulations pertaining to those types of licenses. The remaining digits of a docket number uniquely identify a specific facility or institution. For example, Docket 50–317 identifies the Calvert Cliffs Nuclear Power Plant, Unit 1.

① P. Operating license stage documents & correspondence

② 8907070172 ③ Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

④ DENTON, H.R. ⑤ Office of Governmental & Public Affairs (Post 870413). ⑥ 89/06/27

⑦ CLARK, P.R. ⑧ General Public Utilities Corp.—GPU Service Corp. ⑨ 2 pp. ⑩ 50442:181–⑪ ⑫ 50442:182 ⑬

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (job code) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are as follows:

10CFR 9.7—Commission Meeting Records

ACRS—Advisory Committee on Reactor Safeguards

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Releases

GEN TECH IS—Generic Technical Issues

IE—Inspection and Enforcement Issuances

MISC—Public Document Room Miscellaneous

NUREG—NRC-Issued Formal Reports and Related Correspondence

ORG—Organizational File

PR—Proposed Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections

RC—Registry Certificate SSD

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports

REVIEW GRP—Research Review Groups

RM—Rulemakings

SECY—Staff Position Papers Before the Commission

SPEECHES—Speeches

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Correspondence

WASH—AEC-Issued Formal Reports and Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Documents

XPORTLIC—Exports and Import Licenses

Appendix B lists these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are—

① NUREG—NRC-Issued Formal Reports and Related Correspondence

② 8910100307 ③ NUREG/CR-5340 ④ DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

⑤ OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. ⑥ Oak Ridge National Laboratory.

⑦ FIN B-0127. ⑧ ORNL/TM-11105. ⑨ 89/09/30. ⑩ Division of Systems Research (Post 880717). ⑪ 69 pp.

⑫ ⑬ ⑭ ⑮ 51409:065-51409:134.

NONDOCKETED ITEMS (cont.)

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

Ordering and Viewing Documents:

1. The address for GPO is:

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20402–9328

   To place orders, send a check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202–512–2249.

2. The address for NTIS is:

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

   To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at 703–487–4650. Specify the NRC report number and title when you place your order. You may charge publications to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is:

   2120 L Street, NW.
   Washington, DC

   The mailing address is:

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL–6
   Washington, DC 20555–0001

   Telefacsimile

   202–634–3343

   Telephone

   202–634–3273 or 1–800–397–4209

   Internet e-mail

   PDR@NRC.GOV

   For more information about PDR services, for reference assistance, to place an order for

documents, or to arrange for access to the PDR computer retrieval system, write, e-mail, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, may be obtained from the PDR.

To access the PDR electronic bulletin board on FedWorld, contact the FedWorld Help Desk at 703–487–4086.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27		
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1
DOCKET	UNKNOWN	1
Domestic Licensing of Source Material - Docket 40		
40-0017	DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),	2
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	2
40-0341	ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD	2
40-0534	GENERAL ELECTRIC CO., CLEVELAND, OH	2
40-0659	GENERAL ELECTRIC CO., CINCINNATI, OH	2
40-0672	NUCLEAR METALS, INC., CONCORD, MA	2
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	2
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	2
40-1790	WELLMAN DYNAMICS CORP., MIDLAND, MI	2
40-2253	WATERTOWN ARSENAL MALL, WATERTOWN, MA	3
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	3
40-2377	KAISER ALUMINUM SPECIALTY PRODUCTS	3
40-2384	RMI CO., ASHTABULA, OH	3
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	3
40-3453	ATLAS CORP., DENVER, CO	3
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	8
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	8
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	8
40-6897	AEROSPACE AMERICA, INC., BAY CITY, MI	8
40-6940	CABOT CORP., BOYERTOWN, PA	8
40-7004	ATLANTIC METALS CORP., PHILADELPHIA, PA	9
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	9
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	9
40-7982	HONEYWELL, INC., HOPKINS, MN	9
40-8027	SEQUOYAH FUELS CORP., GORE, OK	9
40-8035	WEST LAKE LANDFILL, BRIDGETON, ST. LOUIS COUNTY, MO	10
40-8084	RIO ALGOM MINING CORP., MOAB, UT	10
40-8102	EXXON CORP., HOUSTON, TX	10
40-8406	PESSES CO., SOLON, OH	10
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	10
40-8502	TOTAL MINERALS CORP., CASPER, WY	10
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	10
40-8681	UMETCO MINERALS CORP., BLANDING, UT	10
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	11
40-8724	CHEMETRON CORP., PROVIDENCE, RI	11
40-8767	LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	11
40-8778	MOLYCORP, INC., LOS ANGELES, CA	11
40-8794	MOLYCORP, INC., LOS ANGELES, CA	11
40-8833	MANLABS, INC., CAMBRIDGE, MA	11
40-8838	ARMY, DEPT. OF, MADISON, IN	11
40-8857	POWER RESOURCES, INC., GLENROCK, WY	11
40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	11
40-8903	HOMESTAKE MINING CO., GRANTS, NM	12
40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	12
40-8905	QUIVIRA MINING CO., GRANTS, NM	12
40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	12
40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	12
40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	12
40-8968	HYDRO RESOURCES, INC., DALLAS, TX	13
40-8974	BUDNEY CO., INC., BERLIN, CT	13
40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	13
40-9019	SMITHS INDUSTRIES AEROSPACE, GRAND RAPIDS, MI	13
40-9027	CABOT CORP. READING & REVERE	13
Domestic Licensing of Production and Utilization Facilities - Docket 50		
50-2	FORD NUCLEAR REACTOR	13
50-3	INDIAN POINT STATION, UNIT 1	13
50-4	NAVAL RESEARCH REACTOR	14
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	14

Docket	Name	Page
50-18	VALLECITOS BOILING WATER REACTOR	14
50-29	YANKEE-ROWE NUCLEAR POWER STATION	15
50-54	CINTICHEM	15
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	15
50-70	GENERAL ELECTRIC NUCLEAR TEST REACTOR	15
50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	16
50-83	UNIV. OF FLORIDA TRAINING REACTOR	16
50-89	GENERAL ATOMICS	16
50-123	UNIVERSITY OF MISSOURI RESEARCH REACTOR, ROLLA, MO	16
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	16
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	16
50-134	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	16
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	17
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	17
50-155	BIG ROCK POINT NUCLEAR PLANT	17
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	18
50-163	GENERAL ATOMICS	18
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	18
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	18
50-183	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	19
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	19
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	19
50-213	HADDAM NECK PLANT	19
50-219	OYSTER CREEK NUCLEAR POWER PLANT	20
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	21
50-223	UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	22
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	22
50-238	NUCLEAR SHIP SAVANNAH	24
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	24
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	25
50-247	INDIAN POINT STATION, UNIT 2	27
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	28
50-250	TURKEY POINT PLANT, UNIT 3	29
50-251	TURKEY POINT PLANT, UNIT 4	30
50-254	QUAD-CITIES STATION, UNIT 1	31
50-255	PALISADES NUCLEAR PLANT	32
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	34
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	35
50-261	H.B. ROBINSON PLANT, UNIT 2	35
50-263	MONTICELLO NUCLEAR GENERATING PLANT	36
50-264	DOW CHEMICAL CO.	37
50-265	QUAD-CITIES STATION, UNIT 2	37
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	38
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	40
50-269	OCONEE NUCLEAR STATION, UNIT 1	40
50-270	OCONEE NUCLEAR STATION, UNIT 2	41
50-271	VERMONT YANKEE NUCLEAR POWER STATION	42
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	43
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	45
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	46
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	47
50-280	SURRY POWER STATION, UNIT 1	47
50-281	SURRY POWER STATION, UNIT 2	48
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50
50-285	FORT CALHOUN STATION, UNIT 1	50
50-286	INDIAN POINT STATION, UNIT 3	52
50-287	OCONEE NUCLEAR STATION, UNIT 3	53
50-288	REED COLLEGE RESEARCH REACTOR	54
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	54
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	54
50-295	ZION NUCLEAR POWER STATION, UNIT 1	55
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	57
50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	58
50-298	COOPER NUCLEAR STATION	58
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	59
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	60

Docket	Name	Page
50-304	ZION NUCLEAR POWER STATION, UNIT 2	62
50-305	KEWAUNEE NUCLEAR POWER PLANT	63
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	64
50-309	MAINE YANKEE ATOMIC POWER PLANT	65
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	66
50-312	RANCHO SECO NUCLEAR GENERATING STATION	67
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	68
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	69
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	70
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	70
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	71
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	73
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	73
50-322	SHOREHAM NUCLEAR POWER STATION	74
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	74
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	75
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	77
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	78
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	79
50-329	MIDLAND PLANT, UNIT 1	80
50-330	MIDLAND PLANT, UNIT 2	80
50-331	DUANE ARNOLD ENERGY CENTER	80
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	81
50-334	BEAVER VALLEY POWER STATION, UNIT 1	83
50-335	ST. LUCIE PLANT, UNIT 1	84
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	84
50-338	NORTH ANNA POWER STATION, UNIT 1	86
50-339	NORTH ANNA POWER STATION, UNIT 2	86
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	87
50-344	TROJAN NUCLEAR PLANT	88
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	89
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	90
50-352	LIMERICK GENERATING STATION, UNIT 1	91
50-353	LIMERICK GENERATING STATION, UNIT 2	92
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	93
50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	94
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	94
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	95
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	97
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	98
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	98
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	100
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	101
50-373	LASALLE COUNTY STATION, UNIT 1	102
50-374	LASALLE COUNTY STATION, UNIT 2	103
50-382	WATERFORD GENERATING STATION, UNIT 3	104
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	105
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	106
50-389	ST. LUCIE PLANT, UNIT 2	108
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	108
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	110
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	110
50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	111
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	111
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	112
50-407	UNIV. OF UTAH RESEARCH REACTOR	113
50-409	LA CROSSE BOILING WATER REACTOR	113
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	113
50-412	BEAVER VALLEY POWER STATION, UNIT 2	114
50-413	CATAWBA NUCLEAR STATION, UNIT 1	115
50-414	CATAWBA NUCLEAR STATION, UNIT 2	118
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	120
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	121
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	121
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	122

Docket	Name	Page
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	123
STN-50-437	FLOATING NUCLEAR PLANT	124
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	124
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	124
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	124
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	125
50-443	SEABROOK NUCLEAR STATION, UNIT 1	126
50-444	SEABROOK NUCLEAR STATION, UNIT 2	126
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	127
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	127
STN-50-454	BYRON STATION, UNIT 1	128
STN-50-455	BYRON STATION, UNIT 2	129
STN-50-456	BRAIDWOOD STATION, UNIT 1	130
STN-50-457	BRAIDWOOD STATION, UNIT 2	131
50-458	RIVER BEND STATION, UNIT 1	133
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	134
50-461	CLINTON POWER STATION, UNIT 1	134
STN-50-482	WOLF CREEK GENERATING STATION	135
STN-50-483	CALLAWAY PLANT, UNIT 1	136
STN-50-486	CALLAWAY PLANT, UNIT 2	137
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	137
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	139
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	140
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	140
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	142
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	143
50-537	CLINCH RIVER BREEDER REACTOR	144
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	144
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	145
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	145
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	147
DOCKET	UNKNOWN	147

Domestic Licensing of Special Nuclear Material - Docket 70

70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	147
70-0025	ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA	147
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	147
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	148
70-0082	NUCLEAR METALS, INC., CONCORD, MA	148
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	148
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	148
70-0261	SCHLUMBERGER TECHNOLOGY CORP., RIDGEFIELD, CT	149
70-0310	SCHLUMBERGER TECHNOLOGY CORP., HOUSTON, TX	149
70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	152
70-0371	UNC, INC., UNCASVILLE, CT	152
70-0398	COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	152
70-0687	CINTICHEM, INC., TUXEDO, NY	152
70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	153
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	153
70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	153
70-0903	PAWLING, NY SITE, PAWLING, NY	153
70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	153
70-1067	MASSACHUSETTS COLLEGE OF PHARMACY, BOSTON, MA	153
70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	153
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	153
70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	154
70-1201	B&W FUEL CO., LYNCHBURG, VA	154
70-1227	ERIE MINING CO., MINNEAPOLIS, MN	154
70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	154
70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	154
70-1342	CORATOMIC, INC., INDIANA, PA	154
70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	154
70-2071	EDLOW INTERNATIONAL CO., WASHINGTON, DC	154

Docket	Name	Page
70-2131	EDLOW INTERNATIONAL CO., WASHINGTON, DC	154
70-2693	GENERAL ELECTRIC CO., SAN JOSE, CA	154
70-2801	ST. MARY'S HOSP., MILWAUKEE, WI	154
70-2872	RS HOLDING, INC., CLEVELAND, OH	155
70-2928	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	155
70-3021	BRIDGEPORT, UNIV. OF, BRIDGEPORT, CT	155
70-3045	FAIRLEIGH DICKENSON UNIV., TEANECK-HACKENSACK CAMPUS,	155
70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	155
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	156
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	156
DOCKET	UNKNOWN	157

Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71

71-0003	SIEMENS NUCLEAR POWER CORP.	157
71-0102	SOURCE PRODUCTION & EQUIPMENT CO., INC.	157
71-0164	MASSACHUSETTS INSTITUTE OF TECHNOLOGY	157
71-0250	TRANSNUCLEAR, INC.	157
71-0407	APV REFINERY PRODUCTS CORP.	157
71-0422	OKLAHOMA STEEL CASTINGS CO.	157
71-0428	BILL MILLER, INC.	157
71-0438	GENERAL MOTORS CORP.	157
71-0550	PHILIPS MEDICAL SYSTEMS, INC.	158
71-0592	BRAUN ENGINEERING TESTING, INC.	158
71-0593	TRI STATE INSPECTION & CONSULTANTS	158
71-0598	WOLF CREEK NUCLEAR OPERATING CORP.	158
71-0600	SHAFER VALVE CO.	158
71-0603	JAN X-RAY SERVICES, INC.	158
71-0639	WOS TESTING CO., INC.	158
71-0642	RTS TECHNOLOGY, INC.	158
71-0711	DU PONT BIOTECHNOLOGY SYSTEMS	158
71-0721	QUALITY SYSTEMS NDE, LTD.	158
71-0746	TECHNICAL WELDING LABORATORY, INC.	158
71-0782	INTERNATIONAL RADIOGRAPHY & INSPECTION SERVICES	158
71-0786	DOE	158
71-0850	COLLEGE OF WILLIAM AND MARY	158
71-0852	NUCLEAR INSTRUMENT COMPANY	158
71-0853	LAUREL TECHNOLOGIES	158
71-3031	MODEL: TN 6-4, TRANSPORTATION, DEPT OF	159
71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	159
71-5059	MODEL: NFS-URANYL NIT., NUCLEAR FUEL SERVICES, INC.	159
71-5450	MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC	159
71-5740	MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF	159
71-5950	MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY	159
71-5957	MODEL: BMI-1, CINTICHEM, INC.	159
71-5975	MODEL: 5975, SCHLUMBERGER WELL SERVICES	159
71-6078	MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	159
71-6294	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	159
71-6553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	159
71-6574	MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.	159
71-9011	MODEL: E-MEH-00-00004, ADVANCED MEDICAL SYSTEMS, INC.	159
71-9015	MODEL: TN-8, TRANSNUCLEAR, INC.	159
71-9016	MODEL: TN-9, TRANSNUCLEAR, INC.	159
71-9027	MODEL: 741 & 741E, AMERSHAM CORP.	159
71-9028	MODEL: 684 & 684E, AMERSHAM CORP.	160
71-9032	MODEL: 650, AMERSHAM CORP.	160
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	160
71-9081	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	160
71-9107	MODEL: 771, AMERSHAM CORP.	160
71-9145	MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC	160
71-9148	MODEL: 770, AMERSHAM CORP.	160
71-9150	MODEL: PAT-2, ENERGY, DEPT. OF	160
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	160
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	160
71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	160
71-9203	MODEL: DHTF, B&W FUEL CO.	160
71-9208	MODEL: 10-142, NUPAC SERVICES, INC.	160
71-9233	MODEL: TN-RAM, TRANSNUCLEAR, INC.	160
71-9242	MODEL: GAMMACELL 220, NORDION INTERNATIONAL, INC.	160
71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	161

Docket	Name	Page
71-9250	MODEL: NNFD 5X22, BABCOCK & WILCOX CO.	161
71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	161
71-9269	MODEL: 650L	161
Licensing of Independent Spent Fuel Storage - Docket 72		
72-001	MORRIS OPERATIONS, ISFSI	161
72-0002	SURRY ISFSI 50-280 & 50-281	161
72-0003	H.B. ROBINSON ISFSI, 50-261	161
72-0005	POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	161
72-0007	PALISADES ISFSI GEN LIC/VSC-24, 50-255	162
72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	162
72-0009	FORT ST. VRAIN ISFSI, 50-267	162
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	162
72-0011	RANCHO SECO ISFSI, 50-312	162
72-0013	ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368	162
72-0014	DAVIS BESSE ISFSI GEN LIC, 50-346	162
72-0015	OYSTER CREEK ISFSI GEN LIC, 50-219	162
72-0016	NORTH ANNA ISFSI - 50-338 & 50-339	163
72-0017	TROJAN ISFSI, 50-344	163
72-0018	PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	163
72-0020	DEPARTMENT OF ENERGY ISFSI	163
72-1004	CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	163
72-1007	CASK: VSC-24, SIERRA NUCLEAR, INC.	163
72-1008	CASK: HI-STAR 100, HOLTEC INTERNATIONAL	163
72-1009	CASK: DOE-MPC-21P, ENERGY, DEPT. OF	163
72-1016	CASK: ACTINIDE-ONLY BURNUP CREDIT, ENERGY, DEPT. OF	164
72-1021	CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC.	164

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27		
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1
Domestic Licensing of Source Material - Docket 40		
AEROSPACE AMERICA, INC., BAY CITY, MI	40-6897	8
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	3
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	8
ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD	40-0341	2
ARMY, DEPT. OF, MADISON, IN	40-8838	11
ATLANTIC METALS CORP., PHILADELPHIA, PA	40-7004	9
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	11
ATLAS CORP., DENVER, CO	40-3453	3
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	10
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	9
BUDNEY CO., INC., BERLIN, CT	40-8974	13
CABOT CORP. READING & REVERE	40-9027	13
CABOT CORP., BOYERTOWN, PA	40-6940	8
CHEMETRON CORP., PROVIDENCE, RI	40-8724	11
DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),	40-0017	2
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	13
EXXON CORP., HOUSTON, TX	40-8102	10
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	9
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	12
GENERAL ELECTRIC CO., CINCINNATI, OH	40-0659	2
GENERAL ELECTRIC CO., CLEVELAND, OH	40-0534	2
HOMESTAKE MINING CO., GRANTS, NM	40-8903	12
HONEYWELL, INC., HOPKINS, MN	40-7982	9
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	13
KAISER ALUMINUM SPECIALTY PRODUCTS	40-2377	3
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	10
LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	40-8767	11
MANLABS, INC., CAMBRIDGE, MA	40-8833	11
MOLYCORP, INC., LOS ANGELES, CA	40-8778	11
MOLYCORP, INC., LOS ANGELES, CA	40-8794	11
NUCLEAR METALS, INC., CONCORD, MA	40-0672	2
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	3
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	8
PESSES CO., SOLON, OH	40-8406	10
PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	8
PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	11
POWER RESOURCES, INC., GLENROCK, WY	40-8857	11
QUIVIRA MINING CO., GRANTS, NM	40-8905	12
RIO ALGOM MINING CORP., MOAB, UT	40-8084	10
RMI CO., ASHTABULA, OH	40-2384	3
SEQUOYAH FUELS CORP., GORE, OK	40-8027	9
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	12
SMITHS INDUSTRIES AEROSPACE, GRAND RAPIDS, MI	40-9019	13
SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	12
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	2
TOTAL MINERALS CORP., CASPER, WY	40-8502	10
UMETCO MINERALS CORP., BLANDING, UT	40-8681	10
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	2
UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	12
WATERTOWN ARSENAL MALL, WATERTOWN, MA	40-2253	3
WELLMAN DYNAMICS CORP., MIDLAND, MI	40-1790	2
WEST LAKE LANDFILL, BRIDGETON, ST. LOUIS COUNTY, MO	40-8035	10
WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	2
Domestic Licensing of Production and Utilization Facilities - Docket 50		
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	122
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	123
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	68
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	98
ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	18
BEAVER VALLEY POWER STATION, UNIT 1	50-334	83
BEAVER VALLEY POWER STATION, UNIT 2	50-412	114
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	124
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	124
BIG ROCK POINT NUCLEAR PLANT	50-155	17
BRAIDWOOD STATION, UNIT 1	STN-50-456	130
BRAIDWOOD STATION, UNIT 2	STN-50-457	131
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	34

Name	Docket	Page
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	35
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	57
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	77
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	75
BYRON STATION, UNIT 1	STN-50-454	128
BYRON STATION, UNIT 2	STN-50-455	129
CALLAWAY PLANT, UNIT 1	STN-50-483	136
CALLAWAY PLANT, UNIT 2	STN-50-486	137
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	70
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	71
CATAWBA NUCLEAR STATION, UNIT 1	50-413	115
CATAWBA NUCLEAR STATION, UNIT 2	50-414	118
CINTICHEM	50-54	15
CLINCH RIVER BREEDER REACTOR	50-537	144
CLINTON POWER STATION, UNIT 1	50-461	134
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	127
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	127
COOPER NUCLEAR STATION	50-298	58
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	60
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	89
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	45
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	74
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	69
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	70
DOW CHEMICAL CO.	50-264	37
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	14
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	22
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	28
DUANE ARNOLD ENERGY CENTER	50-331	80
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	73
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	98
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	87
FLOATING NUCLEAR PLANT	STN-50-437	124
FORD NUCLEAR REACTOR	50-2	13
FORT CALHOUN STATION, UNIT 1	50-285	50
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	40
GENERAL ATOMICS	50-163	18
GENERAL ATOMICS	50-89	16
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	16
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-70	15
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	18
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	120
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	121
H.B. ROBINSON PLANT, UNIT 2	50-261	35
HADDAM NECK PLANT	50-213	19
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	93
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	16
INDIAN POINT STATION, UNIT 1	50-3	13
INDIAN POINT STATION, UNIT 2	50-247	27
INDIAN POINT STATION, UNIT 3	50-286	52
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	81
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	90
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	97
KEWAUNEE NUCLEAR POWER PLANT	50-305	63
LA CROSSE BOILING WATER REACTOR	50-409	113
LASALLE COUNTY STATION, UNIT 1	50-373	102
LASALLE COUNTY STATION, UNIT 2	50-374	103
LIMERICK GENERATING STATION, UNIT 1	50-352	91
LIMERICK GENERATING STATION, UNIT 2	50-353	92
MAINE YANKEE ATOMIC POWER PLANT	50-309	65
MIDLAND PLANT, UNIT 1	50-329	80
MIDLAND PLANT, UNIT 2	50-330	80
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	25
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	84
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	121
MONTICELLO NUCLEAR GENERATING PLANT	50-263	36
NAVAL RESEARCH REACTOR	50-4	14
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	21
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	113
NORTH ANNA POWER STATION, UNIT 1	50-338	86
NORTH ANNA POWER STATION, UNIT 2	50-339	86

Name	Docket	Page
NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	58
NUCLEAR SHIP SAVANNAH	50-238	24
OCONEE NUCLEAR STATION, UNIT 1	50-269	40
OCONEE NUCLEAR STATION, UNIT 2	50-270	41
OCONEE NUCLEAR STATION, UNIT 3	50-287	53
OYSTER CREEK NUCLEAR POWER PLANT	50-219	20
PALISADES NUCLEAR PLANT	50-255	32
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	140
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	142
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	143
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	18
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	46
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	47
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	124
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	125
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	54
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	38
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	59
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	50
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	64
QUAD-CITIES STATION, UNIT 1	50-254	31
QUAD-CITIES STATION, UNIT 2	50-265	37
RANCHO SECO NUCLEAR GENERATING STATION	50-312	67
REED COLLEGE RESEARCH REACTOR	50-288	54
RIVER BEND STATION, UNIT 1	50-458	133
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	24
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	43
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	66
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	19
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	94
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	95
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	17
SEABROOK NUCLEAR STATION, UNIT 1	50-443	126
SEABROOK NUCLEAR STATION, UNIT 2	50-444	126
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	78
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	79
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	112
SHOREHAM NUCLEAR POWER STATION	50-322	74
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	137
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	139
ST. LUCIE PLANT, UNIT 1	50-335	84
ST. LUCIE PLANT, UNIT 2	50-389	108
SURRY POWER STATION, UNIT 1	50-280	47
SURRY POWER STATION, UNIT 2	50-281	48
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	105
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	106
TEXAS A&M UNIV. RESEARCH REACTOR	50-128	16
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	54
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	73
TROJAN NUCLEAR PLANT	50-344	88
TURKEY POINT PLANT, UNIT 3	50-250	29
TURKEY POINT PLANT, UNIT 4	50-251	30
UNIV. OF FLORIDA TRAINING REACTOR	50-83	16
UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	17
UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	94
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	19
UNIV. OF UTAH RESEARCH REACTOR	50-407	113
UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	111
UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	15
UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	50-223	22
UNIVERSITY OF MISSOURI RESEARCH REACTOR, ROLLA, MO	50-123	16
VALLECITOS BOILING WATER REACTOR	50-18	14
VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	50-183	19
VERMONT YANKEE NUCLEAR POWER STATION	50-271	42
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	110
WATERFORD GENERATING STATION, UNIT 3	50-382	104
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	108
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	110
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	100
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	101
WOLF CREEK GENERATING STATION	STN-50-482	135
WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	50-134	16
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	134

Name	Docket	Page
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	111
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	140
YANKEE-ROWE NUCLEAR POWER STATION	50-29	15
ZION NUCLEAR POWER STATION, UNIT 1	50-295	55
ZION NUCLEAR POWER STATION, UNIT 2	50-304	62
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	145
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	144
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	147
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	145
Domestic Licensing of Special Nuclear Material - Docket 70		
B&W FUEL CO., LYNCHBURG, VA	70-1201	154
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	148
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	147
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	152
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	147
BRIDGEPORT, UNIV. OF, BRIDGEPORT, CT	70-3021	155
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	153
CINTICHEM, INC., TUXEDO, NY	70-0687	152
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	148
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	153
COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	70-0398	152
CORATOMIC, INC., INDIANA, PA	70-1342	154
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-2131	154
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-2071	154
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	154
ERIE MINING CO., MINNEAPOLIS, MN	70-1227	154
FAIRLEIGH DICKENSON UNIV., TEANECK-HACKENSACK CAMPUS,	70-3045	155
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	153
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	153
GENERAL ELECTRIC CO., SAN JOSE, CA	70-2693	154
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	153
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	155
MASSACHUSETTS COLLEGE OF PHARMACY, BOSTON, MA	70-1067	153
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	148
NUCLEAR METALS, INC., CONCORD, MA	70-0082	148
PAWLING, NY SITE, PAWLING, NY	70-0903	153
ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA	70-0025	147
RS HOLDING, INC., CLEVELAND, OH	70-2872	155
SCHLUMBERGER TECHNOLOGY CORP., HOUSTON, TX	70-0310	149
SCHLUMBERGER TECHNOLOGY CORP., RIDGEFIELD, CT	70-0261	149
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	154
ST. MARY'S HOSP., MILWAUKEE, WI	70-2801	154
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2928	155
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	154
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	156
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	156
UNC, INC., UNCASVILLE, CT	70-0371	152
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	153
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	154
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
APV REFINERY PRODUCTS CORP.	71-0407	157
BILL MILLER, INC.	71-0428	157
BRAUN ENGINEERING TESTING, INC.	71-0592	158
COLLEGE OF WILLIAM AND MARY	71-0850	158
DOE	71-0786	158
DU PONT BIOTECHNOLOGY SYSTEMS	71-0711	158
GENERAL MOTORS CORP.	71-0438	157
INTERNATIONAL RADIOGRAPHY & INSPECTION SERVICES	71-0782	158
JAN X-RAY SERVICES, INC.	71-0603	158
LAUREL TECHNOLOGIES	71-0853	158
MASSACHUSETTS INSTITUTE OF TECHNOLOGY	71-0164	157
MODEL: 10-142, NUPAC SERVICES, INC.	71-9208	160
MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.	71-6574	159
MODEL: 5975, SCHLUMBERGER WELL SERVICES	71-5975	159
MODEL: 650, AMERSHAM CORP.	71-9032	160
MODEL: 650L	71-9269	161
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	160
MODEL: 684 & 684E, AMERSHAM CORP.	71-9028	160
MODEL: 741 & 741E, AMERSHAM CORP.	71-9027	159

Name	Docket	Page
MODEL: 770, AMERSHAM CORP.	71-9148	160
MODEL: 771, AMERSHAM CORP.	71-9107	160
MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	71-6078	159
MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY	71-5950	159
MODEL: BMI-1, CINTICHEM, INC.	71-5957	159
MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	71-9081	160
MODEL: DHTF, B&W FUEL CO.	71-9203	160
MODEL: E-MEH-00-00004, ADVANCED MEDICAL SYSTEMS, INC.	71-9011	159
MODEL: GAMMACELL 220, NORDION INTERNATIONAL, INC.	71-9242	160
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	161
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	160
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	160
MODEL: NFS-URANYL NIT., NUCLEAR FUEL SERVICES, INC.	71-5059	159
MODEL: NNFD 5X22, BABCOCK & WILCOX CO.	71-9250	161
MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC	71-9145	160
MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF	71-5740	159
MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	159
MODEL: PAT-2, ENERGY, DEPT. OF	71-9150	160
MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4986	159
MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC	71-5450	159
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	161
MODEL: TN 6-4, TRANSPORTATION, DEPT OF	71-3031	159
MODEL: TN-8, TRANSNUCLEAR, INC.	71-9015	159
MODEL: TN-9, TRANSNUCLEAR, INC.	71-9016	159
MODEL: TN-RAM, TRANSNUCLEAR, INC.	71-9233	160
MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	71-6294	159
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	160
NUCLEAR INSTRUMENT COMPANY	71-0852	158
OKLAHOMA STEEL CASTINGS CO.	71-0422	157
PHILIPS MEDICAL SYSTEMS, INC.	71-0550	158
QUALITY SYSTEMS NDE, LTD.	71-0721	158
RTS TECHNOLOGY, INC.	71-0642	158
SHAFER VALVE CO.	71-0600	158
SIEMENS NUCLEAR POWER CORP.	71-0003	157
SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-0102	157
TECHNICAL WELDING LABORATORY, INC.	71-0746	158
TRANSNUCLEAR, INC.	71-0250	157
TRI STATE INSPECTION & CONSULTANTS	71-0593	158
WOLF CREEK NUCLEAR OPERATING CORP.	71-0598	158
WOS TESTING CO., INC.	71-0639	158
Licensing of Independent Spent Fuel Storage - Docket 72		
ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368	72-0013	162
CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	162
CASK: ACTINIDE-ONLY BURNUP CREDIT, ENERGY, DEPT. OF	72-1016	164
CASK: DOE-MPC-21P, ENERGY, DEPT. OF	72-1009	163
CASK: HI-STAR 100, HOLTEC INTERNATIONAL	72-1008	163
CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	72-1004	163
CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC.	72-1021	164
CASK: VSC-24, SIERRA NUCLEAR, INC.	72-1007	163
DAVIS BESSE ISFSI GEN LIC, 50-346	72-0014	162
DEPARTMENT OF ENERGY ISFSI	72-0020	163
FORT ST. VRAIN ISFSI, 50-267	72-0009	162
H.B. ROBINSON ISFSI, 50-261	72-0003	161
MORRIS OPERATIONS, ISFSI	72-001	161
NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	163
OYSTER CREEK ISFSI GEN LIC, 50-219	72-0015	162
PALISADES ISFSI GEN LIC/VSC-24, 50-255	72-0007	162
POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	72-0005	161
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	162
PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	72-0018	163
RANCHO SECO ISFSI, 50-312	72-0011	162
SURRY ISFSI 50-280 & 50-281	72-0002	161
TROJAN ISFSI, 50-344	72-0017	163
UNKNOWN	DOCKET	1
UNKNOWN	DOCKET	157
UNKNOWN	DOCKET	147

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9604120151 Application for renewal of license 12-13536-01 in conjunction w/951010 amend request to incorporate changes implemented due to issuance of SC Dept of Health & Environ Control License 097,Amend 46.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 96/04/09. HARRIS,T.E. Office of Nuclear Material Safety & Safeguards. 3pp. 88436:005-88436:007.

9605070140 Grants variance from condition 1.c of license 12-13536-01 to dispose of five calibr sources from Applied Health Physics, Inc.Sources will be encapsulated in cement.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/12. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 88174:175-88174:176.

9605170532 Informs that NRC received & reviewed ltr dtd 960329 re License Condition 18.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/16. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 88332:308-88332:309.

9605170522 Discusses NRC completeness review of 960409 license renewal application for facility relative to requirements in 10CFR70.22.NRC determined that submitted info sufficient to initiate technical review.Addl info may be requested.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/17. HOUSE,W.B. Chem-Nuclear Systems, Inc. 2pp. 88336:356-88336:357.

9605170525 Informs that NRC determined that matl identified as being proprietary in 960410 license renewal application will be withheld from public disclosure per 10CFR2.790 & Section 103(b) of AEA of 1954,as amended.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/17. HOUSE,W.B. Chem-Nuclear Systems, Inc. 3pp. 88336:354-88336:355.

9605130394 Grants variance from condition 1.c of license 12-13536-01,to dispose of 0.02 uCi of Pu from NRC Region III through ADCO.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/23. STILL,J. Chem-Nuclear Systems, Inc. 1p. 88249:320-88249:320.

9605160376 Grants variance from condition 1.c of license 12-13536-01 to dispose of 0.0129 uCi of Pu from Chem-Nuclear Defense Consolidation Facility.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/23. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 88318:169-88318:170.

9605230116 Grants variance from license condition 1.c to dispose of one 55 gallon drum of dry active waste,containing Pu totalling 2,606 nanocuries from Clemson Technical Ctr,per 960425 request.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/10. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 88368:332-88368:333.

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9605310143 Forwards request for addl info as result of review of license renewal in area of health physics.W/o encl.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/17. PALMER,A.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 2pp. 88404:253-88404:255.

DOCKET DOCKET UNKNOWN

9605170461 Final response to FOIA request for documents.Forwards documents listed in App A.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/03. WHITE,W. Affiliation Not Assigned. 2pp. 88307:002-88307:201.

--9605170471 Application for AEC license to receive,possess,use & transfer of SNM.
* Affiliation Not Assigned. 63/11/14. Atomic Energy Commission (Pre 750119). 200pp. 88307:004-88307:133.

--9605170483 Forwards completed application for licenses to receive,use, possess & transfer source & SNMs.
MORNIN,B.L. . 64/01/23. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 3pp. 88307:134-88307:136.

--9605170485 Application for license to receive,store,possess & ship SNM.
* . 64/01/20. 67pp. 88307:137-88307:201.

9605010026 Forwards insp rept 40-05548/96-01 on 960325-27.No violations noted.Soil samples should be analyzed for licensed matls & results of analyses be provided to Region.
MCCORMICK-BARGE Region 3 (Post 820201). 96/04/19. MONDL,S. Affiliation Not Assigned. 2pp. 88092:002-88092:018.

--9605010029 Insp rept 40-5548/96-01 on 960325-27.No violations noted. Major areas inspected:facility where former North American Aviation Inc had been located & adequately decontaminated prior to terminating license.
MCCANN,G.M., HOUSE,J.E., MCCORMICK-BARGE Region 3 (Post 820201). 96/04/19. 15pp. 88092:004-88092:018.

9605010072 Forwards insp rept 40-7753/96-02 on 960226-27.No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 96/04/19. TRELOAR,C. BP America, Inc. 2pp. 88054:323-88054:349.

--9605010078 Insp rept 40-7753/96-02 on 960226-27.No violations noted. Major areas inspected:performance of radiological confirmatory surveys of labs.
KUZLER,E.L., MCCANN,G.M., MCCORMICK-BARGE Region 3 (Post 820201). 96/04/19. 25pp. 88054:325-88054:349.

9605060282 Advises that further review of file re docket 40008306 for terminated license SMC-1207 concerning ORNL identified site: Englehard Minerals & Chemical Corp,unnecessary.Forwards files for licenses SMC-1206 & SMC-1207.W/o encls.
BELLAMY,R.R. Region 1 (Post 820201). 96/04/26. MCCORMICK Region 3 (Post 820201). 2pp. 88102:038-88102:039.

9605070304 Forwards insp repts 40-1128/96-01 & 40-1962/96-01 on 960302. Some areas at sites contain residual radioactivity contamination above current NRC release criteria.
SCARANO,R.A. Region 4 (Post 820201). 96/05/03. BAILEY,E. California, State of. 4pp. 88114:123-88114:143.

--9605070311 Insp repts 40-1128/96-01 & 40-1962/96-01 on 960302.No violations or deviations noted.Major areas inspected: independent radiological surveys (surface & general area) in buildings & external areas where activities may take place.
WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 96/05/03. 17pp. 88114:127-88114:143.

9605080052 Forwards insp rept 40-2664/96-01 (City Terrace Towing) on 960229-0301.Bldgs & grounds located at stated addressees do not have apparent residual radioactive contamination.
SCARANO,R.A. Region 4 (Post 820201). 96/05/03. MARTINEZ,M. Affiliation Not Assigned. 6pp. 88136:256-88136:274.

--9605080055 Insp rept 40-2664/96-01 on 960229-0301.No violations noted. Major areas inspected:radiation surveys of buildings & external areas where licensee activities have taken place.
WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 96/05/03. 13pp. 88136:262-88136:274.

9605150178 Forwards insp rept 40-03641/96-01 on 960226.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/05/09. WANAMAKER,J. Affiliation Not Assigned. 3pp. 88266:245-88266:258.

--9605150190 Insp rept 40-03641/96-01 on 960226.No violations noted. Major areas inspected:determination if Quality Aircraft Corp adequately decommissioned prior to vacating premises &/or terminating AEC license.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/09. 11pp. 88266:248-88266:258.

9605160168 Forwards insp rept 40-3176/96-01 on 960228.No violations or deviations identified.
SCARANO,R.A. Region 4 (Post 820201). 96/05/10. TOSCANO,J. . 3pp. 88277:005-88277:018.

--9605160175 Insp rept 40-3176/96-01 on 960228.No violations or deviations identified.Major areas inspected:independent radiation surveys in buildings & external areas where licensees activities may have taken place.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/10. 11pp. 88277:008-88277:018.

9605160181 Forwards insp rept 40-6322/96-01 on 960228.No violations or deviations identified.
SCARANO,R.A. Region 4 (Post 820201). 96/05/10. MEGDAL,J. . 3pp. 88277:019-88277:032.

--9605160186 Insp rept 40-6322/96-01 on 960228.No violations or deviations identified.Major areas inspected:independent radiation surveys in buildings & external areas where licensees activities may have taken place.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/10. 11pp. 88277:022-88277:032.

9605160215 Forwards insp repts 40-0204/96-01,40-0663/96-01 & 70-0471-96-01 on 960301.No violations or deviations identified.
SCARANO,R.A. Region 4 (Post 820201). 96/05/10. TAMUSAITIS,J. Marquardt Corp. 3pp. 88277:060-88277:074.

--9605160219 Insp repts 40-0204/96-01,40-0663/96-01 & 70-0471/96-01.No violations or deviations identified.Major areas inspected: independent radiation surveys in buildings & external areas where licensees activities may have taken place.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/10. 12pp. 88277:063-88277:074.

9605160232 Forwards insp rept 40-3642/96-01 on 960226.No violations or deviations identified.
SCARANO,R.A. Region 4 (Post 820201). 96/05/10. MERSOLA,C. . 3pp. 88277:035-88277:048.

--9605160239 Insp rept 40-3642/96-01 on 960226.No violations or deviations identified.Major areas inspected:independent radiation surveys in buildings & external areas where licensees activities may have taken place.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/10. 11pp. 88277:038-88277:048.

9605160444 Requests assurances from state of CO regulatory (40001987) responsibility for radioactive matls at plant has been properly transferred to state before NRC removes plant from ORNL terminated license site list.
SCARANO,R.A. Region 4 (Post 820201). 96/05/14. QUILLIN,R.M. Colorado, State of. 9pp. 88277:051-88277:059.

9605200292 Forwards insp rept 40-4478/96-01 on 960229.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/05/14. SHIVELY,J. Affiliation Not Assigned. 3pp. 88291:163-88291:176.

--9605200322 Insp rept 40-4478/96-01 on 960229.No violations noted. Major areas inspected:building & external areas where licensee activities may have taken place.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/13. 11pp. 88291:166-88291:176.

9605200384 Forwards special insp rept 40-6456/96-01 on 960228.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/05/14. FAJARDO,P. Barmet Aluminum Corp. 3pp. 88292:072-88292:084.

--9605200393 Insp rept 40-6456/96-01 on 960228.No violations noted.Major areas inspected:determine whether site where former APEX Smelting Co located was adequately decommissioned prior to APEX vacating premises & terminating AEC license.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/14. 10pp. 88292:075-88292:084.

9605280015 Forwards insp rept 40-7694/96-01 on 960415.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/15. RUSSO,J.S. Affiliation Not Assigned. 3pp. 88350:004-88350:010.

--9605280025 Insp rept 40-7964/96-01 on 960415.No violations noted.Major areas inspected:facilities to identify radiation fields & radioactive matl remaining following license termination.
JACKSON,T.J., BELLAMY,R.R. Region 1 (Post 820201). 96/05/08. 4pp. 88350:007-88350:010.

9605310051 Forwards insp rept 40-2404/96-01 on 960417.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/15. COHEN,L . 3pp. 88392:058-88392:064.

--9605310057 Insp rept 40-2404/96-01 on 960417.No violations noted. Major areas inspected:observations of facilities & radiological survey.
JACKSON,T.J., BELLAMY,R.R. Region 1 (Post 820201). 96/05/13. 4pp. 88392:061-88392:064.

9605280182 Forwards insp rept 40-2095/96-01 on 960416-18.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/21. CYR,C. . 3pp. 88350:129-88350:182.

--9605280191 Insp rept 40-2095/96-01 on 960416-18.No violations noted. Major areas inspected:observations of facilities & radiological survey.
JACKSON,T.J., BELLAMY,R.R. Region 1 (Post 820201). 96/05/14. 67pp. 88350:132-88350:182.

9605290165 Forwards insp rept 40-5130/96-01 on 960422.No violations noted.
MCCORMICK Region 3 (Post 820201). 96/05/21. ESSENMACHER,R. Affiliation Not Assigned. 2pp. 88368:013-88368:020.

--9605290169 Insp rept 40-5130/96-01 on 960422.No violations noted.Major areas inspected:to determine whether facility where former Alliance Boring Co was located was adequately decontaminated prior to terminating of license.
KULZER,E.L., MCCORMICK Region 3 (Post 820201). 96/05/21. 6pp. 88368:015-88368:020.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0017 DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),

9605210002 Second final response to FOIA request for documents.Records in App B encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/10. NICKELS,L.A. Waste Management, Inc. 3pp. 88307:214-88307:348.

--9605210005 Forwards insp repts 40-1790/82-01 & 40-0017/82-02 on 820511- 14 & 19 & 0604 & 10.No items of noncompliance identified.
HIND,J.A. Region 3 (Post 820201). 82/06/30. RAMPY,L.W. Dow Chemical Co. 3pp. 88307:219-88307:221.

--9605210262 Insp repts 40-1790/82-01 & 40-0017/82-02 on 820511-0610.No violations noted.Major areas inspected:direct radiation & contamination surveys of areas used while licenses were in effect & of other adjacent areas.
OESTMANN,M.J., ROZAK,S., SCHUMACHER,M.C. Region 3 (Post 820201). 82/06/24. 22pp. 88307:222-88307:245.

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9605220174 Responds to NRC 950817 & encl requesting addl info re licensee 950314 LAR to dispose of non-ore source matl.
LYONS,R.J. UMETCO Minerals Corp. 96/05/10. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88359:116-88359:117.

9605210542 Forwards new organizational structure for gas hills U project,as conducted in conformance w/License SUA-648.
HAMRICK,J.S. UMETCO Minerals Corp. 96/05/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HAQUE,M.W. NRC - No Detailed Affiliation Given. 2pp.

DOCKET 40-0341 ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD

9605090258 Discusses review of groundwater data from Curtis Bay Depot site in Curtis Bay,MD.Portions of copies of 2 procedures for determination of gross alpha/beta activity in water encl.
LAUDEMAN,M. Oak Ridge Associated Universities. 96/04/17. ORLANDO,D. Division of Waste Management (NMSS 940403). 6pp. 88191:355-88191:359.

9605160462 Requests response to comments re FSSR of former Defense Logistics Agency facility in Curtis Bay,MD.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/03. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 3pp. 88318:355-88318:357.

DOCKET 40-0534 GENERAL ELECTRIC CO., CLEVELAND, OH

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

DOCKET 40-0659 GENERAL ELECTRIC CO., CINCINNATI, OH

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9605160072 PNO-I-96-033:on 960514,approx 1,800 gallons of water containing approx 380 grams U depleted in U-235 leaked from wastewater pipe.Caused by pipe being hit during excavation. Pump shut off & locked & tagged out of svc.
SHAFFER,S., MILLER,M. Region 1 (Post 820201). 96/05/15. 1p. 88326:231-88326:231.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9605060120 Forwards "Split Rock Mill Site Radiological Verification Program Response to NRC Questions."
BAKER,S.J. Western Nuclear, Inc. 96/05/01. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88224:001-88224:145.

--9605060121 "Split Rock Mill Site Radiological Verification Program Response to NRC Questions." W/four oversized drawings.
* Shepherd Miller, Inc. 96/05/31. 143pp. 88224:003-88224:145.

9605070333 Suggests that NRC call HW Shaver to arrange future time for pre-filing conference call prior to licensee transmittal of response to NRC request for follow-up info on Day Loma site & formal request for deletion of Day Loma site from license.
SHAVER,H.W. Affiliation Not Assigned. 96/05/01. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HAQUE,M. NRC - No Detailed Affiliation Given. 2pp. 88173:359-88173:360.

9605310081 Forwards draft site-specific insp plan.
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/05/03. BRUMMETT,E. Division of Waste Management (NMSS 940403). 5pp. 88418:317-88418:321.

9605090228 Forwards revised "Site-Specific Decommissioning Insp Plan for Western Nuclear,Inc (WNI) Split Rock U Mill Site Jeffrey City,WY," incorporating NRC comments.Site insp of WNI site scheduled for 960514 & 15.Spending plan also encl.
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/05/07. BRUMMETT,E. Division of Waste Management (NMSS 940403). 1p. 88210:224-88210:228.

--9605090231 Revised "Site-Specific Decommissioning Insp Plan for Western Nuclear,Inc (WNI) Split Rock U Mill Site Jeffrey City,WY."
* Oak Ridge Associated Universities. 96/05/07. 4pp. 88210:225-88210:228.

9605210539 Forwards anticipated schedule for licensing actions to be requested from NRC during next three yrs 1996-99.
BAKER,S.J. Western Nuclear, Inc. 96/05/07. INDALL,J.J. New Mexico, State of. 3pp. 88361:114-88361:116.

9605310076 Forwards document review response to NRC questions by Western Nuclear,Inc for review & comment.
ADAMS,W.C. Oak Ridge Associated Universities. 96/05/10. BRUMMETT,E. Division of Waste Management (NMSS 940403). 3pp. 88418:314-88418:316.

9605310153 Forwards "Split Rock Mill Site Radiological Verification Program Response to 960509 NRC Questions."
BAKER,S.J. Western Nuclear, Inc. 96/05/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88416:301-88416:357.

--9605310156 "Split Rock Mill Site Radiological Verification Program Response to 960509 NRC Questions."
* Shepherd Miller, Inc. 96/05/29. 55pp. 88416:303-88416:357.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9605030379 Forwards environ rept suppl info re Edgemont for NRC review.
BARON,R.R. Tennessee Valley Authority. 96/04/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 88148:355-88148:359.

DOCKET 40-1790 WELLMAN DYNAMICS CORP., MIDLAND, MI

9605210002 Second final response to FOIA request for documents.Records in App B encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/10. NICKELS,L.A. Waste Management, Inc. 3pp. 88307:214-88307:348.

--9605210005 Forwards insp repts 40-1790/82-01 & 40-0017/82-02 on 820511- 14 & 19 & 0604 & 10.No items of noncompliance identified.
HIND,J.A. Region 3 (Post 820201). 82/06/30. RAMPY,L.W. Dow Chemical Co. 3pp. 88307:219-88307:221.

--9605210262 Insp repts 40-1790/82-01 & 40-0017/82-02 on 820511-0610.No violations noted.Major areas inspected:direct radiation & contamination surveys of areas used while licenses were in effect & of other adjacent areas.
OESTMANN,M.J., ROZAK,S., SCHUMACHER,M.C. Region 3 (Post 820201). 82/06/24. 22pp. 88307:222-88307:245.

DOCKET 40-2253 WATERTOWN ARSENAL MALL, WATERTOWN, MA

9605280194 Forwards insp rept 40-2253/96-01 on 960304-08.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/21. WORTH,K.F. Army, Dept. of. 3pp. 88350:183-88350:191.

-9605280210 Insp rept 40-2253/96-01 on 960513.No violations noted. Major areas inspected:organization,staffing,facilities, equipment,posting,labeling,inaccessible areas,final survey rept & confirmatory survey.
BOUWENS,M.R., BELLAMY,R.R. Region 1 (Post 820201). 96/05/13. 5pp. 88350:187-88350:191.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9605310162 Forwards document review "Excerpts from Tailings Reclamation Plan Dealing w/Soils Decontamination," Lucky Mc Mine,Pathfinder Mines Corp,Gas Hills,WY.
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/05/08. BRUMMETT,E. Division of Waste Management (NMSS 940403). 3pp. 88404:245-88404:247.

9605220099 Provides proposed mods to soil cleanup program following telcon w/ NMSS.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/05/09. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88359:130-88359:131.

9605210536 Forwards sets of revised pages to App H,Vol II of Lucky Mc Mine tailings reclamation plan.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/05/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88361:098-88361:105.

-9605210537 "Pathfinder Mines Corp Lucky Mc Mill Site Radiation Safety & Environ Std Operating Procedure."
* Pathfinder Mines Corp. 96/05/10. 5pp. 88361:101-88361:105.

DOCKET 40-2377 KAISER ALUMINUM SPECIALTY PRODUCTS

9605170070 Forwards insp rept 40-2377/96-01 on 960305.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/05/13. ROMEO,S. Kaiser Aluminum Specialty Products. 4pp. 88284:185-88284:196.

-9605170079 Insp rept 40-2377/96-01 on 960305.No violations noted.Major areas inspected:residual radioactive contamination.
SPITZBERG,D.B. Region 4 (Post 820201). 96/05/06. 8pp. 88284:189-88284:196.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9605060295 Ack that NRC received responses to ltr dtd 960325 re RMI decommissioning plan & site characterization rept.
ULECK,R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/29. MARSH,E.R. RMI Co. 3pp. 88183:325-88183:327.

9605090131 Forwards NRC review comments on listed RMI decommissioning documents.
ULECK,R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/03. MARSH,E.P. RMI Co. 27pp. 88209:253-88209:280.

-9605090136 Informs of review of encl RMI documents.GM McCann concurs after recipient clarify question 21.B of HP plan as outlined on recipient voice mail.W/o encl.
MCCANN,G.M. NRC - No Detailed Affiliation Given. 96/04/09. NRC - No Detailed Affiliation Given. 1p. 88209:280-88209:280.

9605170390 Forwards NRC comments on RMI decommissioning plan,environ rept & supporting documents.
ULECK,R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/03. MARSH,E.P. RMI Co. 28pp. 88325:293-88325:320.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9605030386 Responds to NRC 960325 ltr re violation noted in insp rept 40-3392/96-01.Corrective actions:lapel sampling will be performed on representative employees working in feed matls bldg & lapel sampling added to HP routine work checklist.
KOSMIDER,M.D. Allied-Signal Corp. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88137:204-88137:205.

9605140476 Ack receipt of 960425 ltr informing NRC of steps taken to correct violations noted in insp rept 40-03392/96-01. CA will be examined during future insp.
SHEAR,G.L. Region 3 (Post 820201). 96/05/07. KOSMIDER,M. Allied-Signal Corp. 1p. 88243:167-88243:169.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9605010139 Forwards comments generated as result of review of 1996 draft EIS re reclamation of U mill tailings at Atlas site, Moab,UT & NRC draft TER.
SINCLAIR,W.J. Utah, State of. 96/04/26. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88076:001-88076:198.

-9605010143 "Comments on NRC 'DEIS Re Reclamation of U Mill Tailings at Atlas Site,Moab,UT' NUREG-1531."
* Utah, State of. 96/04/26. 81pp. 88076:003-88076:083.

-9605010148 "UT Geological Survey Comments on NRC Draft EIS,TER & Related Atlas Documents."
ASHLAND,F.X. Utah, State of. 96/04/10. 47pp. 88076:084-88076:132.

-9605010153 "US Natl Park Svc/Public Health Svc Rept on Evaluation of Environ Health Facilities at Arches Natl Park,UT."
SOUKUP,A.V. Utah, State of. 78/09/30. 18pp. 88076:133-88076:152.

-9605010160 "DRC Summary of Groundwater Quality Results:U Concentrations in Well ATP-3,Atlas Quarterly Monitoring Repts."
* Utah, State of. 88/11/30. 17pp. 88076:153-88076:171.

-9605010169 "UT Dept of Environ Quality CO River Water Quality Results: 950216-960118."
* Utah, State of. 96/01/18. 17pp. 88076:172-88076:189.

-9605010178 "Summary of CO River Water Quality Results:Both Above & Below Atlas Tailings Pile,Key Non-Radiologic Parameters Collected Between:950330-960118 & Summary of DEQ Field Parameter Tests."
* Utah, State of. 96/01/18. 8pp. 88076:190-88076:198.

9605020052 Forwards responses to DEIS & DTER noticed for public comment 960130 re reclamation of Atlas U tailings site near Moab,UT.
BLUBAUGH,R.E. Atlas Corp. 96/04/29. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 343pp. 88122:001-88122:343.

9605100025 Forwards Vols I & II of 960429 response of Atlas Corp to NRC DEIS,NUREG-1531 & DTER,NUREG-1532 re reclamation of U mill tailings at Atlas site Moab,UT,replacing vols submitted earlier.
GARCIA,A. NRC - No Detailed Affiliation Given. 96/05/07. FRIDLEY,S. NRC - No Detailed Affiliation Given. 300pp. 88232:001-88232:351.

9605090264 Submits comments for public record,in respond to DEIS re reclamation of U mill tailings at Atlas Site,Moab,UT.
WHITINGTON,J. Affiliation Not Assigned. 96/04/05. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 11pp. 88210:330-88210:340.

9605130001 Responds to 960307 ltr to D Rathbun,transmitting ltr from constituent RM Bradfield,commenting on DEIS (NUREG-1531) re reclamation of U mill tailings at Atlas site,Moab,UT.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/08. LUGAR,R.G. Senate. 6pp. 88279:084-88279:097.

-9605130003 Requests NRC consideration of encl ltr from constituent RM Bradfield,commenting on Jan 1996 DEIS re reclamation of U mill tailings at Atlas site,Moab,UT (NUREG-1531).
LUGAR,R.G. Senate. 96/03/07. RATHBUN,D. Office of Congressional Affairs (Post 911117). 8pp. 88279:090-88279:097.

9605010024 Expresses support to cap Moab U tailings pile in present place.Related new articles encl.
BYRD,D.E. Affiliation Not Assigned. 96/04/13. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 67pp. 88075:178-88075:248.

9605060112 Voices support for capping Atlas tailings pile near Moab,UT in place.
BYRD,D.E. Affiliation Not Assigned. 96/04/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 14pp. 88172:134-88172:147.

9605060199 Voices support for capping Atlas tailings pile near Moab,UT in place.
JOHNSTON,V.L. Affiliation Not Assigned. 96/04/18. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88180:351-88180:352.

9605010032 Expresses support to relocate tailings waste to more secure & safer area.Partial cover ltr & sample ltrs received from licensee encl.
TABBERER,F. Affiliation Not Assigned. 96/04/19. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 16pp. 88076:339-88076:354.

9605020405 Supports decision currently before NRC re Atlas mill tailing pile.
RANCH,D., ALLEN,M., ROBINSON,E. Affiliation Not Assigned. 96/04/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:178-88135:178.

9605020408 Urges NRC to let Atlas close tailings pile in place.
PHILLIPS,G.H., ROBINSON,E., FREEMAN,C. Affiliation Not Assigned. 96/04/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:180-88135:180.

9605030089 Discusses dismay over proposal to move Atlas tailings pile.
ONEAL,R., ONEAL,B.L., FREEMAN,C.C. Affiliation Not Assigned. 96/04/19. DEMETRICK,M. Senate. 1p. 88138:273-88138:273.

9605030115 Opposes moving tailings pile.
O'NEAL,R., O'NEAL,B.L., FREEMAN,C.C. Affiliation Not Assigned. 96/04/19. HANSON,J. Senate. 1p. 88137:146-88137:146.

9605030156 Supports Atlas idea to cap tailings in place as alternative to money needed to clean up & move tailings to another location.
PHILLIPS,G.G., ALLAN,M., STONE,A. Affiliation Not Assigned. 96/04/19. JOHNSON,K. Affiliation Not Assigned. 1p. 88159:333-88159:333.

9605030178 Supports Atlas spending its own money to cap tailings pile in place.
FREEMAN,C.C., PHILLIPS,G.H., BYRD,D.E. Affiliation Not Assigned. 96/04/19. HATCH,O.G. Senate. 1p. 88159:337-88159:337.

9605030182 Submits concerned re issue to move tailings pile & convinced would be far safer,take less time & more cost effective to cap in place.
ROBISON,E.D., RANCH,D., HAYES,J. Affiliation Not Assigned. 96/04/19. LEAUITT,M.O. NRC - No Detailed Affiliation Given. 1p. 88159:338-88159:338.

9605030223 Supports capping tailings pile in place as a safe solution for Moab citizens & CO River users.
PHILLIPS,G.H., ALLEN,M., STONE,O. Affiliation Not Assigned. 96/04/19. ORTON,B. Senate. 1p. 88159:342-88159:342.

9605030231 Opposes moving tailing pile for property development for Grand County.
PHILLIPS,E., PHILIPS,G.H., ONEAL,R. Affiliation Not Assigned. 96/04/19. BENNETT,R.F. Senate. 1p. 88159:343-88159:343.

9605020007 Comments on NUREG-1531,DEIS on alternative reclamation plans for Atlas Corp Moab Mill.
CHRISTIE,R.L. Grand County, UT. 96/04/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 88121:345-88121:350.

9605030072 Discusses opposition to moving tailings pile.
KEY,H.D., KEY,P.J. Affiliation Not Assigned. 96/04/20. NRC - No Detailed Affiliation Given. 1p. 88137:027-88137:027.

9605030167 Submits list of reasons why tailings pile should not be moved.
STOCKS,J. Affiliation Not Assigned. 96/04/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88139:352-88139:353.

9605010036 Expresses support to cap tailings pile in place.
NICOL,V.L. Affiliation Not Assigned. 96/04/21. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. 88079:287-88079:289.

9605010039 Expresses support to let licensee cover tailings pile in present place.
NOORLANDER,S. Affiliation Not Assigned. 96/04/21. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88079:285-88079:286.

9605010045 Expresses support to allow licensee to cap tailings pile in present place.
NOORLANDER,M. Affiliation Not Assigned. 96/04/21. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88079:292-88079:293.

9605010051 Expresses support to cap tailings pile near Moab,UT in place.
SULLIVAN,J.R. Affiliation Not Assigned. 96/04/21. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88079:294-88079:295.

9605020366 Supports leaving Atlas tailings pile where it is & securing the area.
STOCKS,M. Affiliation Not Assigned. 96/04/21. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:176-88135:176.

9605030207 Comments on Atlas mill tailings pile.
HOLYOAK,M., GATES,I., DAY,L. Affiliation Not Assigned. 96/04/21. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88156:348-88156:348.

9605030208 Comments on Atlas tailings pile.
WRIGHT,V., LEECH,E. Affiliation Not Assigned. 96/04/21. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88159:341-88159:341.

9605030288 Expresses dismay re proposal to move Atlas tailings pile.
SAGRILLO,A.W., EVERY,E. Affiliation Not Assigned. 96/04/21. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88159:344-88159:344.

9605030294 Advises that tailings should be capped in place.
FREEMAN,C., HAYES,J.K., BUCHANAN,B. Affiliation Not Assigned. 96/04/21. HOLONICH,J. NRC - No Detailed Affiliation Given. 1p. 88159:345-88159:345.

9605030301 Opposes removal of tailings pile.
JOHNSON,R., JACOBS,B., TAYLOR,E. Affiliation Not Assigned. 96/04/21. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88159:346-88159:346.

9605030306 Advises that tailings will be moved at taxpayers expense.
SPARKS,E., EARDLEY,M. Affiliation Not Assigned. 96/04/21. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88159:347-88159:347.

9605030308 Advises that tailings should be capped in place.
CASEY,L., GATES,I., TITE,S. Affiliation Not Assigned. 96/04/21. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88159:348-88159:348.

9605030333 Expresses concern re bill that will be left when tailing pile has been moved.
GATES,I., DAY,L., DAY,D.B. Affiliation Not Assigned. 96/04/21. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88137:156-88137:156.

9605030335 Opposes removal of tailings pile.
AVERY,O., MOORE,O.L. Affiliation Not Assigned. 96/04/21. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88137:157-88137:157.

9605060150 Voices support for capping Atlas tailings pile near Moab,UT in place.
DALTON,D. Affiliation Not Assigned. 96/04/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88172:192-88172:192.

9605010019 Comments on moving Atlas tailings in Grand County & acks impact move will have on tax paying citizens & transportation phase of operation.
TORRES,M. Affiliation Not Assigned. 96/04/22. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 2pp. 88079:281-88079:282.

9605010033 Submits comments on Atlas Mill site in Moab,UT.Atlas should proceed w/ plans of capping pond.
BEAUREGARD,D.J. Affiliation Not Assigned. 96/04/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88079:283-88079:284.

9605010042 Expresses supprt to allow licensee to cap tailings pile in present place.
DAY,L. Affiliation Not Assigned. 96/04/22. Division of Waste Management (NMSS 940403). 2pp. 88079:290-88079:291.

9605010048 Submits comments on Atlas Tailings Reclamation.Supports in-place reclamation.
KEOGH,J.E. Affiliation Not Assigned. 96/04/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88093:337-88093:338.

9605020046 Comments on DEIS re reclamation of U mill tailings at Atlas site,Moab,UT (NUREG-1531) & DTER for proposed revised reclamation plan for Atlas Corp Moab mill (NUREG-1532).
SHARPE,S. Affiliation Not Assigned. 96/04/22. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 88135:109-88135:115.

9605030190 Opposes Atlas tailing pile removed from current location to new location.
NELSON,C. Affiliation Not Assigned. 96/04/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:339-88159:339.

9605150262 Supports capping Atlas tailings pile in-place.
DALTON,N. Affiliation Not Assigned. 96/04/22. BLUBAUGH,R.E. Affiliation Not Assigned. 1p. 88288:350-88288:350.

9605020028 Expresses concern to proposed capping of Atlas Tailings pile in Moab,UT.
SIMONSON,E.R. . 96/04/23. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88131:360-88131:360.

9605020101 Provides comments on DEIS re reclamation of U Mill Tailings at Atlas Site,Moab,UT.
KLISH,M.W. Western Water Consultants, Inc. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88135:118-88135:120.

9605020120 Approves of capping tailings pile in place due to time & safety.
HUNT,V. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88123:355-88123:356.

9605020139 Informs that would be safer to cap tailings pile in place.
GREEN,V.L. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88123:357-88123:358.

9605020176 Concludes that tailings pile should be capped in place.
DOWD,J., DOWD,M. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:129-88135:129.

9605020188 Expresses that tailings pile should be capped in place.
DANIELS,T., DANIELS,B. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88131:356-88131:356.

9605020202 Opposes moving of tailings pile.
DULL,T. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:182-88135:182.

9605020203 Concludes that tailings pile should be capped in place.
ELLIS,D. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:183-88135:183.

9605020229 Supports capping of tailings pile in place.
HEITT,E., HEITT,B. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:184-88135:184.

9605020233 Submits comments supporting capping Moab Mill in place.
CHACON,B. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:185-88135:185.

9605020263 Supports capping of Atlas Corp tailings pile near Moab,UT.
ALVEY,F., ALVEY,L. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:143-88135:143.

9605020264 Supports capping of Atlas tailings pile in place as soon as possible.
HALSTEAD,R.D., HALSTEAD,B.L. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88135:144-88135:145.

9605020266 Supports leaving Atlas tailings in place.
DULL,D. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 88135:147-88135:147.

9605020407 Supports capping as safe solution for people of Moab & CO River users.
MARTIN,J. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:179-88135:179.

9605030003 Opposes moving tailings pile.
NOORLANDER,V.S. Affiliation Not Assigned. 96/04/23. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88143:309-88143:309.

9605030004 Supports capping of Atlas tailings.
HILL,M. Affiliation Not Assigned. 96/04/23. NRC - No Detailed Affiliation Given. 1p. 88143:310-88143:310.

9605030008 Supports capping of Atlas tailings.
HILL,Y. Affiliation Not Assigned. 96/04/23. NRC - No Detailed Affiliation Given. 1p. 88143:311-88143:311.

9605030024 Comments on Atlas Moab tailings pile DEIS.Tailings pile at old Moab mill should be stabilized & capped in place.
CHAVEZ,N. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88143:308-88143:308.

9605030054 Opposes moving Atlas tailings pile.
NOORLANDER,S.L. Affiliation Not Assigned. 96/04/23. NRC - No Detailed Affiliation Given. 1p. 88156:358-88156:358.

9605030135 Expresses disappointment re proposal to move Atlas tailings pile from current space.
HAWKS,K. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:329-88159:329.

9605030150 Expresses disappointment re proposal to move Atlas tailings pile.
DICKERSON,T. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:330-88159:330.

9605030155 Opposes removal of tailings pile.
BOHANNON,B., BOHANNON,B. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:332-88159:332.

9605030157 Expresses disappointment re proposal to move Atlas tailings pile.
DALTON,R. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:334-88159:334.

9605030160 Expresses disappointment re proposal to move Atlas tailings pile.
DEGNER,C. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88137:150-88137:150.

9605030165 Opposes removal of Atlas tailings pile.
BALDWIN,B. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:335-88159:335.

9605030175 Advises of extreme waste of money to relocate tailings.
MILLS,R. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:336-88159:336.

9605030203 Advises safest,smartest & most economical method of reclaiming tailings to reclaim in place.
STEELE,R., STEELE,M. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:340-88159:340.

9605030240 Supports leaving & covering Atlas tailings in place.
RAMSTETTER,M. Affiliation Not Assigned. 96/04/23. NRC - No Detailed Affiliation Given. 1p. 88156:349-88156:349.

9605030242 Requests that Atlas mill tailings be left undisturbed & buried.
RAMSTETTER,L.M. Affiliation Not Assigned. 96/04/23. NRC - No Detailed Affiliation Given. 1p. 88137:151-88137:151.

9605060137 Voices support for capping Atlas tailings pile near Moab,UT in place.
ENGSTROM,C., ENGSTROM,B.L. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88172:169-88172:170.

9605060225 Voices support for capping Atlas tailings pile near Moab,UT in place.
SOMERVILLE,S. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88183:328-88183:328.

9605100075 States that recommended capping in place does not meet NRC Health & Safety Criteria in "App A."
NELSON,K. Affiliation Not Assigned. 96/04/23. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 88243:308-88243:311.

9605140515 Voices support for capping Atlas tailings pile near Moab,UT in place.
MADSEN,S. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88272:081-88272:082.

9605150381 Voices support for capping Atlas tailings pile near Moab,UT in place.
MURRAY,R.O. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88290:309-88290:309.

9605020016 Discusses Atlas Corp tailings pile near Moab,UT.
TIBBETTS,R. . 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88121:357-88121:358.

9605020037 Forwards 940423 ltr to Commission commenting on reclamation of Atlas U mill tailings.Author more convinced after studying NUREG-1531 & NUREG-1532 dtd Jan 1996 that capping tailings pile in existing location most sensible solution.
HOLLOWAY,W.W. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88121:359-88121:360.

9605020040 Comments on Atlas tailings pile.
EVANS,D.M. Affiliation Not Assigned. 96/04/24. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88126:359-88126:359.

9605020095 Comments on capping Atlas tailings in place or transporting tailings to another location.
KEOGH,M. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88129:355-88129:356.

9605020125 Provides comments approving that tailings pile should be capped in place.
TANGREN,K., TANGREN,S. Affiliation Not Assigned. 96/04/24. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:122-88135:122.

9605020131 Discusses opposition to moving tailings pile & contaminating two locations,rather than capping in current position.
TAYLOR,P. Affiliation Not Assigned. 96/04/24. NRC - No Detailed Affiliation Given. 1p. 88135:123-88135:123.

9605020143 Provides comments supporting Atlas' recommendation to cap tailings pile near Moab,UT.Moving pile would create two contaminated locations & be fiscally irresponsible.
TAYLOR,B. Affiliation Not Assigned. 96/04/24. NRC - No Detailed Affiliation Given. 1p. 88135:124-88135:124.

9605020184 Supports capping of low level U tailings pile near Moab,UT.
OLIVER,J.A. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88131:355-88131:355.

9605020213 Opposes moving Atlas tailings to another site.
HAWKS,B.A. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88135:137-88135:138.

9605020269 Supports Atlas for capping tailings pile in place.
NEWMAN,F. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:148-88135:148.

9605020404 Disagrees w/Grand County councilmen on Atlas tailings.
HARDY,M.J. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:177-88135:177.

9605030030 Comments on Atlas Corp tailings pile issue.Author in favor of Atlas in-place reclamation plan.
GROFF,J.M. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88156:353-88156:353.

9605030146 Advises of safety to cap tailings pile.
TATMAN,K. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88137:149-88137:149.

9605030243 Urges NRC to decide to cap Atlas Corp tailings pile near Moab,UT in place.
BOWMAN,B. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88137:152-88137:152.

9605060146 Voices support for capping Atlas tailings pile near Moab,UT in place.
ROBINSON,T. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88172:187-88172:187.

9605070338 Notification of 960513 visit to Atlas Moab facility,Moab,UT to observe geologic features & characteristics re several open issues identified in draft TER NUREG-1532 published in Jan 1996.
FLIEGEL,M. Division of Waste Management (NMSS 940403). 96/04/24. Division of Waste Management (NMSS 940403). 1p. 88174:028-88174:028.

9605100085 Submits comments re Draft EIS concerning reclamation of U mill tailings at Atlas site.
BACHMAN,F. Affiliation Not Assigned. 96/04/24. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88243:330-88243:332.

9605010053 Forwards comments of DOI on draft EIS for reclamation of Atlas Mill tailings pile site,Moab,Grand County,UT.
TAYLOR,W.R. Interior, Dept. of. 96/04/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 32pp. 88079:248-88079:280.

9605020032 Discusses Atlas Mill tailings pile.
DAY,R. . 96/04/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88121:355-88121:356.

9605020065 Expresses concern re tourist attraction once mill site near Moab,UT capped.
HANSEN,W. . 96/04/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88133:357-88133:357.

9605020273 Opposes removal of Atlas tailings to another site.
WALDEN,A.R. Affiliation Not Assigned. 96/04/25. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 88135:149-88135:149.

9605020281 Suggests that decisions re Atlas mill tailings pile future be left to be made by Atlas & NRC experts.
STEVENS,D. Affiliation Not Assigned. 96/04/25. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:153-88135:153.

9605060067 Opposes removal of Atlas tailings to another site,because of public health risk.
WALDEN,A.R. Affiliation Not Assigned. 96/04/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88166:351-88166:351.

9605020026 Comments on DEIS re reclamation of U mill tailings at Atlas site,Moab,UT.
ZINN,B. Affiliation Not Assigned. 96/04/26. HOLONICH NRC - No Detailed Affiliation Given. 4pp. 88121:351-88121:354.

9605020161 Opposes moving tailings pile & believes capping pile in place is the better alternative.
SHATLEY,J.P. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88135:126-88135:127.

9605020170 Expresses that moving pile would be fiscally irresponsible.
TOWNSEND,F. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:128-88135:128.

9605020196 Expresses that moving tailings pile would be wasting taxpayers money.
KNIGHT,N.B. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:181-88135:181.

9605020277 Opposes proposal to move Atlas tailings pile to new location.
SHUMWAY,D., SHUMWAY,C. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:150-88135:150.

9605020278 Opposes moving tailings pile.
LANGFORD,T.L. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:151-88135:151.

9605020279 Supports licensee idea of capping tailings pile in place.
YOUNG,M.H. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:152-88135:152.

9605020285 Comments on matter of whether or not to move Atlas tailings pile at Moab.
TODD,T.F. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:154-88135:154.

9605020288 Concludes that tailings pile should be capped in place.
TUTTLE,D.R. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:155-88135:155.

9605020290 Supports capping of Atlas tailings pile in place.
MEADOWS,T. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:156-88135:156.

9605020291 Urges NRC to let licensee close tailings pile in place.
KILKER,D.E. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:157-88135:157.

9605020294 Suggests that decisions re Atlas mill tailings pile future be left to be made by Atlas & NRC experts.
GORDON,K.S. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:158-88135:158.

9605020295 Casts vote for leaving Atlas tailings pile in place.
DURAN,P. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:159-88135:159.

9605020301 Supports capping of Atlas tailings pile in place.
* Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:160-88135:160.

9605020304 Concludes that Atlas Corp tailings pile near Moab,UT should be capped in place.
SHEPHERD,C. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:186-88135:186.

9605020311 Comments on matter of whether or not to move Atlas tailings pile at Moab.
HOLYOAK,J. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:187-88135:187.

9605020312 Supports licensee idea to cap tailings pile in place.
BROX,D. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:161-88135:161.

9605020316 Opposes moving tailings pile.
RICHESON,P. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:163-88135:163.

9605020320 Suggests that decisions re Atlas mill tailings pile future be left to Atlas & NRC experts.
ELLIS,L. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:164-88135:164.

9605020323 Urges NRC to let licensee close tailings pile in place.
BLAKE,G.L. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:165-88135:165.

9605020326 Expresses dismay over proposal to move Atlas tailings pile.
BROX,C. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:166-88135:166.

9605020328 Opposes removal of tailings pile.
CATHER,S.M. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:167-88135:167.

9605060265 Voices support for capping Atlas tailings pile near Moab,UT in place.
EDWARDS,J.L. Affiliation Not Assigned. 96/04/26. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88183:308-88183:308.

9605100056 Voices support for capping Atlas tailings pile near Moab,UT in place.
DALTON,G. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88243:256-88243:257.

9605100090 Voices support for capping Atlas tailings pile near Moab,UT in place.
MAYS,E. Affiliation Not Assigned. 96/04/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88201:289-88201:290.

9605020206 Disagrees that tailings should be moved.
DOWNARD,R. Affiliation Not Assigned. 96/04/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88135:135-88135:136.

9605020315 Opposes moving Atlas tailings pile.
HAWKINS,S. Affiliation Not Assigned. 96/04/27. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:162-88135:162.

9605020330 Supports capping Atlas tailings pile near Moab,UT.
HAWKINS,G. Affiliation Not Assigned. 96/04/27. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:168-88135:168.

9605020333 Submits comments re whether or not to move Atlas tailings pile in Moab.
HAWKINS,J. Affiliation Not Assigned. 96/04/27. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:169-88135:169.

9605020335 Expresses dismay re proposal to move Atlas tailings pile.
ZEILER,B.L. Affiliation Not Assigned. 96/04/27. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:170-88135:170.

9605020339 Opposes removal of tailings pile.
* Affiliation Not Assigned. 96/04/27. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:171-88135:171.

9605060052 Expresses concern of risk to public during moving tailings pile.
* Affiliation Not Assigned. 96/04/27. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88159:353-88159:353.

9605060110 Voices support for capping Atlas tailings pile near Moab,UT in place.
EGELOND,L. Affiliation Not Assigned. 96/04/27. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88172:129-88172:129.

9605100078 Submits comments on DEIS re Atlas.
KING,D. Affiliation Not Assigned. 96/04/27. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 88243:317-88243:320.

9605100093 Informs format for DEIS difficult to follow & does not conform to normal format for Environ Assessment or EIS.
BUTTERFLY,O. Affiliation Not Assigned. 96/04/27. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 88201:295-88201:300.

9605020192 Informs of no problem w/moving or capping in place.Expresses that capping would block view of Moab.
GROFF,W.J. Affiliation Not Assigned. 96/04/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88131:357-88131:357.

9605020346 Supports licensee idea to cap tailings pile in place.
HOLYOAK,D. Affiliation Not Assigned. 96/04/28. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:173-88135:173.

9605020348 Registers dismay over proposal to move Atlas tailings pile.
LANCE,R. Affiliation Not Assigned. 96/04/28. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:174-88135:174.

9605030012 Opposses removal of tailings pile.
* Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88143:312-88143:312.

9605030020 Advises that NRC should be left to make decisions re tailings pile.
SHEPHERD,K.S. Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88143:313-88143:313.

9605030025 Opposes removal of tailings pile.
* Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88148:360-88148:360.

9605030039 Opposes removal of tailings pile.
DULL,D. Affiliation Not Assigned. 96/04/28. HOLONICH,J. NRC - No Detailed Affiliation Given. pp. 88156:354-88156:354.

9605030042 Advises tailings pile should be left at Moab due to lack of finances.
* Affiliation Not Assigned. 96/04/28. NRC - No Detailed Affiliation Given. 1p. 88156:355-88156:355.

9605030055 Agrees that tailings pile should be capped in place.
BROCK,S. Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88156:359-88156:359.

9605030063 Believes tailings pile should be capped in place.
* Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88137:025-88137:025.

9605030071 Determines govt would be wasting money to move tailings pile to another place.
* Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88139:351-88139:351.

9605030080 Notifies that NRC wants to move tailings pile at taxpayers expense.
DAY,L. Affiliation Not Assigned. 96/04/28. HOLONICH,J. NRC - No Detailed Affiliation Given. 1p. 88138:302-88138:302.

9605030087 Agrees that Atlas should cap tailings in place.
DAY,B.L. Affiliation Not Assigned. 96/04/28. HOLONICH,J. NRC - No Detailed Affiliation Given. 1p. 88138:274-88138:274.

9605030118 Opposes removal of tailings pile.
GEOFF,L. Affiliation Not Assigned. 96/04/28. NRC - No Detailed Affiliation Given. 1p. 88138:352-88138:352.

9605030123 Advises capping tailings pile would take less time & be cost effective.
BIRD,A. Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88138:351-88138:351.

9605060113 Urges NRC to let licensee close tailings pile in place.
SIMONS,G. Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88172:148-88172:148.

9605060116 Voices support for capping Atlas tailings pile near Moab,UT in place.
LISONLNE,E.J. Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88172:149-88172:149.

9605060124 Voices support for capping Atlas tailings pile near Moab,UT in place.
* Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88172:163-88172:163.

9605060132 Voices support for capping Atlas tailings pile near Moab,UT in place.
STOCKE,L. Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88172:168-88172:168.

9605060139 Voices support of licensee idea of capping tailings pile near Moab,UT in place.
STOCKS,E.J. Affiliation Not Assigned. 96/04/28. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88180:308-88180:308.

9605060189 Requests necessary action be taken to transfer site to DOE to study & handle problem re Atlas tailings pile.
CHALMERS,D. Affiliation Not Assigned. 96/04/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88172:220-88172:221.

9605060198 Voices concern that Atlas cap-in-place proposal for tailings pile in Moab,UT does not meet NRC requirements in essential areas such as proximity to population,ground water contamination,seismic activity & grade levels.
SANGREE,J. Affiliation Not Assigned. 96/04/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88180:349-88180:350.

9605090267 Comments on DEIS re reclamation of U mill tailings at Atlas Site,Moab,UT (NUREG-1531) & DTER (NUREG-1532).NRC should deny Atlas amend request to SUA-917 & not cap pile in place. Supports moving pile.
FURMAN,C.L. Affiliation Not Assigned. 96/04/28. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88210:222-88210:223.

9605100043 Voices support for moving Atlas tailings pile near Moab,UT. Ltr sent to President Clinton & elected representative in Washington from State of UT,attached.
POWERS,J.E. Affiliation Not Assigned. 96/04/28. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 6pp. 88237:344-88237:349.

9605100069 Requests that tailings pile be moved to Klondike Flats site.
MARTIN,R. Affiliation Not Assigned. 96/04/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88243:262-88243:264.

9605100070 Expresses concerns re inadequacies of DEIS for Atlas tailings pile reclamation plan.
CAMPBELL,J. Affiliation Not Assigned. 96/04/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88243:301-88243:302.

9605100076 Disagrees that tailings pile should be capped in place.
DROGIN,A.M. Affiliation Not Assigned. 96/04/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88243:312-88243:313.

9605100087 Expresses that capping tailings pile in place would not meet NRC technical criteria listed in App C.
BURNETT,J. Affiliation Not Assigned. 96/04/28. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88243:335-88243:335.

9605100089 Opposes capping tailings pile in place.
SWANSON,C. Affiliation Not Assigned. 96/04/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88201:287-88201:288.

9605150473 Requests NRC cooperation re moving Atlas Tailings pile from Round Mountain to proposed plateau site.
BRADFORD,D. Affiliation Not Assigned. 96/04/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88289:109-88289:110.

9605010105 Provides comments on DEIS re Atlas Site issued by NRC on 960130.DEIS in non-compliance w/NRC regulations & NEPA requirements.Statement must be reconsidered & revised before reclamation project at Atlas Site continues.
SIGEL,G. Grand County, UT. SIGEL,G. Jenner & Block. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 40pp. 88079:113-88079:152.

9605010130 Provides comments re DTER issued by NRC staff on 960130.DTER fails to meet basic technical licensing requirements applicable to final reclamation of U mill wastes.Revised reclamation plan required for NRC thorough technical review.
SIGEL,G. Grand County, UT. SIGEL,G. Jenner & Block. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 44pp. 88079:153-88079:196.

9605010227 Informs that NRC agrees to requested extension on condition, EPA comments be faxed &/or overnight mailed to NRC by 960506.
FLIEGEL,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/29. HESLA,L. Environmental Protection Agency. 1p. 88075:359-88075:359.

9605020072 Expresses belief that moving Atlas tailings waste of money.
MONTAGUE,C. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 1p. 88133:358-88133:358.

9605020075 Expresses belief that moving Atlas tailings unnecessary.
MONTAGUE,R. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 1p. 88133:359-88133:359.

9605020080 Expresses opinion that moving Atlas tailings pile waste of time & money.
STOCKS,P. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 1p. 88135:116-88135:116.

9605020097 Requests that comments be added to record as public comment re proposed disposal of Moab U tailings pile.
DUNN,R. Affiliation Not Assigned. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88131:352-88131:354.

9605020147 Opposes moving tailings pile in Moab,UT.
PATTISON,D. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 1p. 88135:125-88135:125.

9605020180 Expresses moving tailings pond would be mistake.
PARRIOTT,D.L. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 1p. 88135:130-88135:130.

9605020340 Supports capping Atlas tailings pile.
HALL Affiliation Not Assigned. 96/04/29. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 1p. 88135:172-88135:172.

9605020357 Supports leaving Atlas tailings pile in place.Moving pile would be unnecessary expense.
STOCKS,E.M. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 1p. 88135:175-88135:175.

9605030097 Recommends that tailings be contained in place.
THURLOW,V.L. Affiliation Not Assigned. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88137:028-88137:029.

9605030113 Comments on Atlas Corp tailings pile near Moab,UT.
JORDAN,A.H. Affiliation Not Assigned. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88138:353-88138:354.

9605030129 Requests that tailings pile be capped in place.
DIXON,C. Affiliation Not Assigned. 96/04/29. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88137:147-88137:148.

9605060009 Concludes tailings pile should be capped in place.
FRANCIS,C. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88147:356-88147:356.

9605060018 Concludes tailings pile should be capped in place.
BURRASTOM,L. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88147:350-88147:350.

9605060024 Advises NRC would be wasting time & money to remove tailings pile.
FULLMER,L. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88156:347-88156:347.

9605060029 Concludes tailings pile should be capped in place.
DICKERSON,L. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88147:349-88147:349.

9605060032 Expresses concern of danger re livestock due to delay in capping tailings pile.
DICKEN,M. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88147:348-88147:348.

9605060037 Advises NRC should be left to make decisions re tailings pile.
COATES,J. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88159:349-88159:349.

9605060062 Opposes removal of tailings pile.
GARDON,T. Affiliation Not Assigned. 96/04/29. HOLONICH,J. NRC - No Detailed Affiliation Given. 1p. 88159:357-88159:357.

9605060093 Expresses dismay re proposal to move Atlas tailings pile.
LENAMOND,C. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88166:357-88166:357.

9605060101 Requests Atlas be left alone & allowed to clean up pile.
CRESSWELL,J.M. Affiliation Not Assigned. 96/04/29. HOLONICH,J. NRC - No Detailed Affiliation Given. 1p. 88166:358-88166:358.

9605060106 Voices support for capping Atlas tailings pile near Moab,UT in place.
GORDON,K.L. Affiliation Not Assigned. 96/04/29. HOLONICH,J. NRC - No Detailed Affiliation Given. 1p. 88166:359-88166:359.

9605060117 Voices support for capping Atlas tailings pile near Moab,UT in place.
GRUFF,R. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88172:150-88172:150.

9605060119 Voices support for capping Atlas tailings pile near Moab,UT in place.
EVANS,R. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88172:151-88172:151.

9605060156 Voices support for capping Atlas tailings pile near Moab,UT in place.
PATTISON,R.S. Affiliation Not Assigned. 96/04/29. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88172:196-88172:197.

9605060179 Voices support to move Atlas tailings pile to Plateau site. Comments dtd 960227 delivered to NRC at public hearing in Moab,UT on 960228 encl.
KERKLING,D.W. Affiliation Not Assigned. 96/04/29. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88172:202-88172:212.

9605060193 Comments on DEIS re reclamation of U mill tailings at Atlas site,Moab,UT.UT Air Conservation Rule R307-12-6, Tailings Piles & Ponds" encl.
BARBER,B.T. Utah, State of. 96/04/29. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88180:346-88180:348.

9605060227 Voices support for capping Atlas tailings pile near Moab,UT in place.
FRANCIS,L. Affiliation Not Assigned. 96/04/29. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88180:356-88180:356.

9605090034 Requests thorough DEIS be prepared to include info re Plateau Site vs Cap-in-place options,health & safety criteria,unaddressed major open issues & groundwater contamination.
OLIVER,L.M. Affiliation Not Assigned. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88214:358-88214:359.

9605100018 Voices support for moving Atlas tailings pile near Moab,UT.
WELCH,W. Affiliation Not Assigned. 96/04/29. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88243:253-88243:255.

9605100067 Informs that DEIS was found to be technically inadequate.
CARTER,J.G. Affiliation Not Assigned. 96/04/29. Division of Waste Management (NMSS 940403). 4pp. 88243:258-88243:261.

9605100074 Expresses concern that inadequate justification has been presented in DEIS for removing tailings pile to another location.
JONES,P.C. Affiliation Not Assigned. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88243:305-88243:307.

9605100081 Expresses concern re tailings pile effects on natl parks.
PETERSON,M.R. Affiliation Not Assigned. 96/04/29. MULLINS High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88243:327-88243:329.

9605100086 Voices support for capping Atlas tailings pile near Moab,UT in place.
MODESTO,N. Affiliation Not Assigned. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88243:333-88243:334.

9605100092 Feels that Atlas did not adequately research realistic costs or options for moving pile.
CLARK,K. Affiliation Not Assigned. 96/04/29. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 88201:291-88201:294.

9605030360 Opposes removal of tailings pile.
PHILIPS,G.H., ROBINSON,E., ALLRED,K. Affiliation Not Assigned. 96/04/30. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88137:159-88137:159.

9605070230 Forwards responses to questions & comments re seismological aspects of final rept "Evaluation of Potential Seismic & Salt-Dissolution Hazards at Atlas U Mill Tailings Site,Moab, UT."
BLUBAUGH,R.E. Atlas Corp. 96/04/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88194:354-88194:359.

-9605070231 Submits responses to seismology questions,final rept re evaluation of potential seismic & salt-dissolution hazards at Atlas U mill tailings site,Moab,UT.
WONG,I.G. Woodward-Clyde Consultants, Inc. 96/05/01. IBRAHIM,B. NRC - No Detailed Affiliation Given. 5pp. 88194:355-88194:359.

9605100073 Comments on DEIS for proposal to reclaim Atlas Corp tailings pile in Moab,UT.
CASAMASSA,G.P. Affiliation Not Assigned. 96/04/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88243:303-88243:304.

9605020039 Comments on Draft EIS NUREG-1531,addressing reclamation of Atlas Minerals.
MAY,L. Affiliation Not Assigned. 96/05/01. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88126:357-88126:358.

9605060122 Approves of 1993 issuance of FONSI.
* Affiliation Not Assigned. 96/05/01. HOLONICH NRC - No Detailed Affiliation Given. 1p. 88172:152-88172:152.

9605150462 Voices support for capping Atlas tailings pile near Moab,UT in place.
CHURAMPI,J.H. Affiliation Not Assigned. 96/05/01. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88289:108-88289:108.

9605020109 Agrees that tailings pile should be capped in place.
CRESSWELL,C., CRESSWELL,W. Affiliation Not Assigned. 96/05/02. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88135:121-88135:121.

9605030154 Recommends Atlas finish capping U tailings pile in place.
WILSON,C. Affiliation Not Assigned. 96/05/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88159:331-88159:331.

9605060148 Voices support for capping Atlas tailings pile near Moab,UT in place.
MORGAN,J.F. Affiliation Not Assigned. 96/05/06. NRC - No Detailed Affiliation Given. 4pp. 88172:188-88172:191.

9605100059 Submits comments re Draft EIS at Atlas Site.
CAMPBELL,C. Environmental Protection Agency. 96/05/06. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 88238:326-88238:335.

9605170468 Forwards insp rept 40-3453/96-01 on 960313-14.No violations or deviations identified.
SCARANO,R.A. Region 4 (Post 820201). 96/05/14. GLUBAUGH,R. Atlas Corp. 6pp. 88284:093-88284:117.

-9605170475 Insp rept 40-3453/96-01 on 960313-14.No violations noted.Major areas inspected:site status,mgt organization & controls & licensee radiation protection,waste mgt & environ programs.
HOWELL,L.L. Region 4 (Post 820201). 96/05/14. 19pp. 88284:099-88284:117.

9605310008 Discusses 960513 visit to Atlas Moab facility to observe characteristics re several open issued identified in DTER, NUREG-1532 published in Jan 1996.
HANEY,P. Utah, State of. 96/05/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88404:310-88404:312.

9605310005 Transmits data from SENES Consultants Ltd which contains rev to licensee rept on 1995 annual radiation dose to nearest residence.
BLUBAUGH,R.E. Atlas Corp. 96/05/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 88404:313-88404:317.

9605290049 Provides info re potential impacts to Scott Matheson Wetland Preserve from groundwater migrating from Atlas Moab U mill site.
FLIEGEL,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/05/24. HESLA,L. Environmental Protection Agency. 2pp. 88397:292-88397:293.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9605290015 "Contract Documents & Specifications for American Nuclear Tailings Reclamation Phase II Tailings Pond 2 & Campsite Draw Diversion,BID 0277-C."
WALLA,C.L. AVI Professional Corp. 96/05/01. 191pp. 88387:001-88387:193.

9605130345 Forwards 1996 annual rept,including info required per license conditions 13 & 27.Annual surety review as required by license condition 16,excluded from rept,since State of WY forfeited licensee reclamation bond.
SALISBURY,W.C. American Nuclear Corp. 96/05/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 17pp. 88248:196-88248:212.

9605290243 Informs that WC Salisbury succeeded DA Eckerdt as President of American Nuclear Corp,effective 960430.Correspondence re license SUA-667 should be addressed to author at letterhead address.
SALISBURY,W.C. American Nuclear Corp. 96/05/06. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88397:323-88397:323.

9605130270 Forwards NRC technical evaluations supporting various license amends for disposal of 11e.(2) byproduct matl,as requested at 960410 meeting w/NRC.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/08. FERDINAND,B. Quivira Mining Co. 1p. 88247:339-88247:356.

9605290115 Recommends that fee exemption granted on 940906 to WY be considered applicable to all licensing actions & insp related to State reclamation of ANC site even though State may not become licensee.
RABIDEAU,P.J. Division of Accounting & Finance (Post 890205). 96/05/24. SCROGGINS,R.M. Division of Accounting & Finance (Post 890205). 3pp. 88397:335-88397:337.

9605290152 Responds to 960311 ltr to NMSS re certain fees assessed to American Nuclear Corp by license SUA-667.
RABIDEAU,P.J. Division of Accounting & Finance (Post 890205). 96/05/28. SALISBURY,W.C. American Nuclear Corp. 2pp. 88397:338-88397:339.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9605310012 Forwards rev to Pathfinder Shirley Basin Tailings Reclamation Plan.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/05/22. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 88441:121-88442:005.

--9605310014 "Shirley Basin Mine Tailings Reclamation Plan,Vol I." W/14 oversize drawings.
HOFFMAN,G.L., MICHEL,T.G. Hydro-Engineering. 96/05/20. 108pp. 88441:122-88442:005.

9605130270 Forwards NRC technical evaluations supporting various license amends for disposal of 11e.(2) byproduct matl,as requested at 960410 meeting w/NRC.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/08. FERDINAND,B. Quivira Mining Co. 1p. 88247:339-88247:356.

9605150133 Forwards amend 41 to license SUA-442 for Pathfinders Mines Corp & technical evaluation rept which contains staff assessment for subj licensing action.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 96/05/10. HARDGROVE,T.W. Pathfinder Mines Corp. 5pp. 88265:323-88265:336.

--9605150137 Amend 41 to license SUA-442 for Pathfinder Mines Corp.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 96/05/10. 9pp. 88265:328-88265:336.

9605150141 Forwards FR Notice of amend to include reclamation Milestone Dates in Pathfinder Mines Corp license SUA-442.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 96/05/10. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88269:352-88269:354.

--9605150144 Notice of amend to include reclamation Milestone dates in Pahtfinder Mines Corp license SUA-442.
GILLEN,D.M. Uranium Recovery Licensing Branch. 96/05/10. 2pp. 88269:353-88269:354.

9605150297 Forwards amend 40 to license SUA-442 & TER.Amend adds license condition 50 to include milestones for reclamation of site.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/10. HARDGROVE,T.W. Pathfinder Mines Corp. 4pp. 88289:333-88289:345.

--9605150298 Amend 40 to license SUA-442 for Pathfinder Mines Corp, adding license condition 50 to include milestones for reclamation of site.
HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 96/05/10. 9pp. 88289:337-88289:345.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9605090148 Informs that effective 960401,Texaco Inc,AERD,Natural Resources Denver office closed & assets & liabilities now being handled by Texaco Exploration & Production,Inc in Denver.Forward correspondences to listed address.
FRANKO,M.J. Affiliation Not Assigned. 96/04/19. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 88209:356-88209:356.

9605220085 Requests deletion of tailings water removal requirements so Rn barrier cover placement can be completed in order to continue reclamation activities.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 96/05/09. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. 88362:274-88362:276.

9605160408 Forwards amend 49 to license SUA-551,deleting vacuum enhanced tailing water removal requirement & authorizing licensee to stop pumping from all tailings wells by ref to 960423 submittal.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/13. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 1p. 88318:214-88318:222.

--9605160420 Amend 49 to license SUA-551 for Petrotomics Co,deleting Condition 47c requirement for vacuum enhanced tailings water removal & authorizing licensee to stop pumping from all tailings wells by ref to 960423 submittal.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/13. 8pp. 88318:215-88318:222.

9605240148 Forwards amend 50 to license SUA-551,extending restricted area boundary to expand borrow area in license condition 49B & increases surety amount by $19,334 to $5,617,639 in license condition 23.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/05/22. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 1p. 88371:352-88371:360.

--9605240149 Amend 50 to license SUA-551 for Petrotomics Co.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/05/22. 8pp. 88371:353-88371:360.

9605290076 Informs that NRC staff completed review of settlement data submitted by ltrs dtd 960219 & 0410.Licensee may proceed w/ const of radon barrier in all locations except in vicinity of Monument 6 until 90% primary consolidation demonstrated.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/05/23. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 1p. 88397:225-88397:225.

9605310171 Confirms that method of abandonment of tailings area wells shall be in accordance w/regulations & instructions from Wyoming State Engineer Office.
HOLOVICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/05/27. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 1p. 88404:273-88404:273.

DOCKET 40-6897 AEROSPACE AMERICA, INC., BAY CITY, MI

9605030028 FOIA request for documents re all info concerning Aerospace America NRC license number STB-821.
NICKELS,L.A. Waste Management, Inc. 96/04/12. MCCORMICK,C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88231:022-88231:023.

9605030031 First partial response to FOIA for documents.Records in App A encl & will be available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. NICKELS,L.A. Waste Management, Inc. 2pp. 88231:024-88231:043.

--9605030047 Informs that all source matl procured &/or possessed by licensee under source matl license STB-821 will be possessed under general license of section 40.22 & 10CFR40.
MATTSON,I.C. Atomic Energy Commission (Pre 750119). 68/02/12. Atomic Energy Commission (Pre 750119). 1p. 88231:026-88231:026.

--9605030061 Informs that no source matl has been or will be possessed &/or procured by licensee under general license of Section 40.22,10CFR40.
MILSTER,H.P. Atomic Energy Commission (Pre 750119). 73/04/02. Atomic Energy Commission (Pre 750119). 1p. 88231:027-88231:033.

--9605030070 Informs that license STB-821 expires on 680331.Encl form "Certification of Status of Source Matl Activities under US AEC SML STB-821," should be completed if licensee does not wish to renew license.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/01/26. MATTSON,I.C. Aerospace America, Inc. 1p. . 88231:034-88231:034.

--9605030091 Informs as condition of license,one can not receive more than 150 pounds of source matl in any one calendar yr. Info should be provided for license to be amended to increase quantity of source matl or Th content.License,encl.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/03/08. MATTSON,R.L. Aerospace America, Inc. 1p. 88231:035-88231:035.

--9605030124 License STB-821 for Magnesium Aerospace Products,Inc.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/03/08. 1p. 88231:036-88231:036.

--9605030132 Forwards application submitted in anticipation of possibly securing contract to mfg certain aerospace components for Natl Aeronautics & Space Administration,Cleveland,OH.
MATTSON,I.C. Aerospace America, Inc. 65/02/22. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 1p. 88231:037-88231:037.

--9605030158 Application for license,authorizing use of 15 lb thorium for fabrication of metal components of magnesium-sheet metal & forgings.
MATTSON,I.C. Aerospace America, Inc. 65/02/22. 2pp. 88231:038-88231:039.

--9605030173 Discusses application dtd 621015,requesting an AEC source matl license.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/10/25. MATTSON,I.C. Aerospace America, Inc. 2pp. 88231:040-88231:041.

--9605030180 Application for license to authorizing use of manufacturing parts & assemblies for aircraft,missile,aerospace & electronic equipment.
MATTSON,I.C. Aerospace America, Inc. 62/10/15. 2pp. 88231:042-88231:043.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9605060036 Forwards review of licensee financial instrument for Boyertown facility,including ltr sent to licensee identifying deficiencies in ltrs of credit for Reading & Revere sites.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/26. PIERSON,R.C. Licensing Branch. 5pp. 88154:314-88154:351.

--**9605060043** Forwards OGC & ICF Inc comments on licensee nonstandard financial assurance submittal.
BYKOSKI,L.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/02. GREENWALD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 88154:319-88154:321.

--**9605060047** Recommends that NRC require licensee to modify decommissioning funding plan & ltr of credit submission for Boyertown site in listed ways.
HUFFMAN,L. ICF, Inc. 96/02/15. BYKOSKI,L. Office of Nuclear Material Safety & Safeguards. 23pp. 88154:322-88154:351.

9605210532 Requests items on submitted page be revised in license renewal,per application for renewal.
HOLSOPPLE,K.L. Cabot Corp. 96/05/08. CASSANO,R.F. Licensing Branch. 2pp. 88361:120-88361:121.

9605210534 Forwards response to technical justification Items 2 & 3, contained in NRC request for info ltr dtd 960205.
HOLSOPPLE,K.L. Cabot Corp. 96/05/14. CASSANO,R.F. Licensing Branch. 3pp. 88361:117-88361:119.

DOCKET 40-7004 ATLANTIC METALS CORP., PHILADELPHIA, PA

9605200293 Forwards insp rept 40-7004/96-01 on 960411.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/14. SALL,H.L. . 3pp. 88291:177-88291:183.

--**9605200300** Insp rept 40-7004/96-01 on 960411.No violations noted:Major areas inspected:furnace area,outside storage & soil sample locations.
BELLAMY,R.R., SCHWARTZ,A.J. Region 1 (Post 820201). 96/05/13. 4pp. 88291:180-88291:183.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9605070322 Trip rept of 960422-23 visit to Fansteel NW Property in Muskogee,OK to conduct confirmatory survey.
HOGG,R. Licensing Branch. 96/05/03. PIERSON,R.C. Licensing Branch. 5pp. 88174:159-88174:163.

9605290022 Ack receipt of ltrs dtd 960311 & 14,providing addl info for review of renewal application submitted on 940620.Comments on Ffansteel non-standard financial assurance instrument encl.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/23. HUNTER,J. Fansteel, Inc. 4pp. 88397:208-88397:211.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9605200017 Responds to comments on draft environ assessment issued by NRC on 960125.
RUPERT,W.M. BP Chemicals International. 96/01/31. NALLUSWAMI,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 88441:114-88441:120.

9605200049 Submits comments & recommendations re draft environ assessment of license application for onsite disposal mixed waste pond closure project at BP Chemicals plant,Lima,OH.
VANDEGRIFT,R. Ohio, State of. 96/01/31. NALLUSWAMI,S. Office of Nuclear Material Safety & Safeguards. 3pp. 88351:237-88351:239.

9605200064 Comments on BP Chemicals mixed waste pond closure project, in response to NRC draft environ assessment.
ROSEBROCK,D.L. Ohio, State of. 96/02/07. NALLUSWAMI,S. NRC - No Detailed Affiliation Given. 1p. 88351:241-88351:241.

9605200044 Forwards comments on draft environ assessment for mixed waste closure project at BP Chemicals in lima,OH.
OTTARSON,J.M. Ohio, State of. 96/02/16. NALLUSWAMI,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 88351:235-88351:236.

9605060278 Forwards "EA of License Application for Onsite Disposal Mixed Waste Pond Closure Project at BP Chemicals Plant Lima, OH" for record purposes.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/01. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 88166:186-88166:243.

--**9605060288** "EA of License Application for Onsite Disposal Mixed Waste Pond Closure Project at BP Chemicals Plant Lima,OH."
* NRC - No Detailed Affiliation Given. 96/04/30. 56pp. 88166:188-88166:243.

9605060302 Forwards FR notice of issuance of EA of BP Chemical,Inc mixed waste pond closure project at facility in Lima,OH & FONSI.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/01. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 88183:309-88183:323.

--**9605060309** Concurs on FONSI re BP Chemical,Inc.
LAMBERT,K.J. Region 3 (Post 820201). 96/04/22. NALLUSWAMI,S.M. NRC - No Detailed Affiliation Given. 1p. 88183:316-88183:316.

--**9605060312** Notice of issuance of EA of BP Chemicals,Inc mixed waste pond closure project at facility in Lima,OH & FONSI.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/01. 7pp. 88183:317-88183:323.

9605160028 Requests submittal of listed info & changes to standby trust agreement required by NRC to execute amend between BPC & Natl City Bank.
NALLUSWAMI,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/06. RUPERT,W.M. BP Chemicals International. 7pp. 88318:340-88318:346.

DOCKET 40-7982 HONEYWELL, INC., HOPKINS, MN

9605160073 Authorizes NRC to release & deliver interview transcripts to Alliant Techsystems Inc & Honeywell Inc re NRC insp rept 040-07982/91-01 (DRSS) & investigation rept 3-91-003.
PERSOON,J. Alliant Techsystems, Inc. 95/01/13. GROBE,J.A. Region 3 (Post 820201). 1p. 88318:352-88318:354.

--**9605160081** Authorizes NRC to release & deliver 911204 interview transcript,re NRC insp rept 040-07982/91-01 (DRSS) & investigation rept 3-91-003,to Alliant Techsystems Inc & Honeywell Inc.
ZIMMER,D.L. Alliant Techsystems, Inc. 95/01/12. GROBE,J.A. Region 3 (Post 820201). 1p. 88318:353-88318:353.

--**9605160090** Authorizes NRC to release & deliver 910814 interview transcript re NRC insp rept 40-07982/91-01 & investigation rept 3-91-003 to Alliant Techsystems Inc & Honeywell Inc.
FITZSIMMONS,J. Alliant Techsystems, Inc. 95/01/12. GROBE,J.A. Region 3 (Post 820201). 1p. 88318:354-88318:354.

9605160048 Responds to NRC 950420 ltr requesting Alliant to clearly establish responsibility & authority of RSOs to take actions as necessary to assure compliance w/NRC requirements maintained at all times.
BUCK,J.D. Alliant Techsystems, Inc. 95/05/17. MARTIN,J.B. Region 3 (Post 820201). 5pp. 88318:347-88318:351.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9605060017 General Atomics response to intervenors brief on appeal of LBP-95-18 & State of Oklahoma Amicus Curiae Brief.* W/Certificate of Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #296 17585. 96/04/29. Commissioners (Post 750119). 26pp. 88095:001-88095:026.

9605060041 NRC Staff brief re Commission review of settlement agreement between Sequoyah Fuels Corp & NRC Staff.* W/Certificate of Svc.
HOM,S.R., UTTAL,S.L. Office of the General Counsel (Post 860701). #296 17582. 96/04/29. Commissioners (Post 750119). 30pp. 88095:067-88095:096.

9605060063 Sequoyah Fuels Corp response to briefs of Intervenors & State of OK on appeal of LBP-95-18.* Recommends that Commission affirm Licensing Board Memorandum & Order.
GUTTERMAN,A.H. Sequoyah Fuels Corp. GUTTERMAN,A.H. Morgan, Lewis & Bockius. #296 17586. 96/04/29. Commissioners (Post 750119). 30pp. 88101:247-88101:345.

--**9605060066** Affidavit of JH Ellis on administrative organization amendment.* Recommends that Sequoyah Fuels Corp license amend be approved.W/Certificate of Svc.
ELLIS,J.H. Commissioners (Post 750119). 95/08/22. 87pp. 88101:278-88101:345.

9605090066 Forwards "Ammonium Nitrate Fertilizer Application Program 1995 Completion Rept."
HARLIN,C.L. Sequoyah Fuels Corp. 96/05/01. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 88217:310-88217:337.

--**9605090069** "Ammonium Nitrate Fertilizer Application Program,1995 Completion Rept."
* Sequoyah Fuels Corp. 96/05/01. 28pp. 88217:311-88217:337.

9605130109 "NRC Staff & General Atomics Joint Motion for Extension of Stay of Discovery Through 960614."* Petitions Board to extend stay in interest of devoting attention to resolving proceeding through settlement.W/Certificate of Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. HOM,S.R. Office of the General Counsel (Post 860701). #296 17592. 96/05/06. Atomic Safety & Licensing Board Panel. 7pp. 88204:133-88204:139.

9605150426 Provides answers to questions posed in order,dtd 960422 re final plan for completion of decommissioning.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/07. GLEASON,J.P. Atomic Safety & Licensing Board Panel. 5pp. 88289:100-88289:104.

9605160076 Informs that intervenors do not object to NRC staff & GA joint motion for extension of stay of discovery through 960614 (960506).
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #296 17618. 96/05/07. GLEASON,J.P. Atomic Safety & Licensing Board Panel. 1p. 88275:127-88275:127.

9605160109 Order (granting addl stay of discovery).* Motion for extension of discovery stay granted.W/Certificate of Svc. Served on 960514.
GLEASON,J.P., GLEASON,J.P., MURPHY,T.D. Atomic Safety & Licensing Board Panel. #296 17622. 96/05/14. Office of the General Counsel (Post 860701). 6pp. 88275:246-88275:251.

9605210180 Intervenors reply brief on appeal of LBP-95-18.* Commission advised to reverse LBP-95-18 & remand it to Licensing Board for further proceedings.W/Certificate of Svc & affidavit of L Hughes.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #296 17630. 96/05/14. Commissioners (Post 750119). 14pp. 88305:142-88305:155.

9605230047 Comments on scope of licensee EIS on decommissioning of facility,in response to NRC 951020 request.
ELLIS,J.H. Sequoyah Fuels Corp. 96/05/17. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 4pp. 88368:339-88368:342.

9605230172 Comment on Scope of Environ Impact Statement Decommissioning of Sequoyah Fuels Corp U Conversion Facility.
* Native Americans for a Clean Environment. 96/05/17. Rules & Directives Review Branch (Post 920323). 4pp. 88333:025-88333:028.

9605300066 Informs of Sequoyah Fuels Corp objections to outrageous footnote in "Intervenors Reply Brief on Appeal of LBP-95-18." Note contains scandalous attack on character & integrity of Sequoyah Fuels mgt.W/Certificate of Svc.
GUTTERMAN,A.H. Sequoyah Fuels Corp. GUTTERMAN,A.H. Morgan, Lewis & Bockius. #296 17652. 96/05/24. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 5pp. 88381:355-88381:359.

9605300072 Informs that NRC completed acceptance review of SCR submitted 960202 & determined that submittal not complete. Schedule for providing addl info required within 60 days of date of ltr.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/29. ELLIS,J.H. Sequoyah Fuels Corp. 4pp. 88399:243-88399:247.

DOCKET 40-8035 WEST LAKE LANDFILL, BRIDGETON, ST. LOUIS COUNTY, MO

9605200061 Responds to appeal of denial of documents re transportation of hazardous waste matls from Mound Lab of Miamisburg,Ohio for disposal in Canon City,Colorado area.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 96/05/06. BUSH,M.C. Affiliation Not Assigned. 8pp. 88357:006-88358:120.

-9605200078 Informs of agreement w/RO III conclusion that attempts to recover seven tons of natural U under 100 ft of refuse & earth would serve no useful purpose,since U compound would not be identifiable.
ROY,W. Atomic Energy Commission (Pre 750119). 74/06/26. THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 2pp. 88357:043-88357:048.

-9605200084 Informs that license SUB-1022 terminated IAW licensee application dtd 740510.
ROUSE,L.C. Atomic Energy Commission (Pre 750119). 74/11/13. MARCOTT,D.P. Cotter Corp. 5pp. 88357:052-88357:117.

-9605200265 Summarizes 780922 meeting in Silver Spring,MD to establish criteria for decontaminating Ex-Cotter property on Latty Avenue in Hazelwood,Missouri.
CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 79/01/18. Fuel Process. & Fab. Branch (Pre 790727). 9pp. 88357:336-88357:347.

-9605200275 Trip rept of 770418 visit to St Louis,Missouri re sale of 9200 latty Avenue property.
PHILLIP,G.A. Region III, IE (720101-810228). 77/04/22. Region III, IE (720101-810228). 3pp. 88357:348-88357:351.

-9605200357 Summarizes 770908 & 0916 meetings between Cotter Corp & NRC re conditions at Latty Avenue Site.Lists attendees.
* NRC - No Detailed Affiliation Given. 77/09/19. NRC - No Detailed Affiliation Given. 2pp. 88358:074-88358:075.

-9605200369 Forwards meeting minutes of 770916 meeting.
MARTIN,J.B. Division of Fuel Cycle & Material Safety (Pre 870413). 77/09/19. RIFAKES,G. Commonwealth Edison Co. 1p. 88358:076-88358:078.

-9605210336 Forwards Certificate of Status WRT source matls license of Cotter Corp & constituting notification that corporation no longer possesses any radioactive matl subj to USAEC licensing requirements.
MCGRATH,E.J. McGrath, E. J. 74/05/10. BURKHARDT,W. Atomic Energy Commission (Pre 750119). 2pp. 88357:041-88357:042.

-9605210353 Discusses licensee request to terminate source matl license SUB-1022,by application dtd 740510.Approval of subj application recommended.
CROW,W.T. Atomic Energy Commission (Pre 750119). 74/11/13. Atomic Energy Commission (Pre 750119). 1p. 88357:049-88357:051.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9605090235 Forwards annual ALARA rept for Rio Algom Mining Corp Libson Operation for period of Jan-Dec 1995,per License Condition 40 & Section 5.1.4 of license renewal document.
FOSSEY,F.G. Rio Algom Mining Corp. 96/04/30. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 7pp. 88210:308-88210:314.

DOCKET 40-8102 EXXON CORP., HOUSTON, TX

9605290241 Forwards minor addition to work included in 1995 surety estimate,including trail in surety obligation to NRC to enable WY Dept of Quality to release mining permit surety on trail.Detailed info on surety amount also provided.
PATTON,J.D. Exxon Corp. 96/05/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 88397:318-88397:322.

DOCKET 40-8406 PESSES CO., SOLON, OH

9605310073 Forwards results of gamma spectrometry analysis of nine soil samples from Pesses/METCOA site provided by facility contractor,RF Weston,Inc.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/22. DODD,J. Environmental Protection Agency. 5pp. 88392:086-88392:090.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9605140304 Forwards "Bear Creek U Co Tailings Disposal Area 1995 Technical Evaluation."
CHASE,G. Bear Creek Uranium Co. CHASE,G. Union Pacific Resources Co. 96/05/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88290:146-88290:282.

-9605140312 "Bear Creek U Co Tailings Disposal Area 1995 Technical Evaluation." W/ two oversize drawings.
* Bear Creek Uranium Co. 96/05/31. 137pp. 88290:147-88290:282.

9605070310 Forwards correspondence to State of WY Dept of Environ Quality re Bear Creek U Co partnership name change resulting from spin off of natural resources business from Union Pacific Corp.W/one oversize drawing.
CHASE,G. Union Pacific Resources Co. CHASE,G. Bear Creek Uranium Co. 96/04/22. HOLONICH,J.J. Division of Waste Management (NMSS 940403). ABRAMS,C., TURTIL,R. NRC - No Detailed Affiliation Given. 16pp. 88218:001-88218:016.

DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9605290236 Forwards most recent correspondence (960202) to State of WY from COGEMA re COGEMA ltr of credit,as well as COGEMA ltr of credit (CCF 93/832) for surety amount stated,approved by NRC through Amend 42 issued on 960228,per license condition 39.
WICHERS,D.L. COGEMA, Inc. 96/05/02. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 4pp. 88397:312-88397:315.

9605130301 Ack that since NRC received original application containing Form 313 on 950228,NRC considered license SUA-1341 to be in timely renewal.License will retain expiration date of 950331 until renewal approved.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/07. WICHERS,D.L. COGEMA, Inc. 1p. 88247:359-88247:359.

9605210166 PNO-IV-96-024:on 960517,pipe rupture resulted in release of approx 60,000 gallons of well injection fluid.Repairs made to line & production resumed.
CAIN,C., HOWELL,L. Region 4 (Post 820201). 96/05/20. 1p. 88371:003-88371:003.

9605300042 Notifies that monitor well SSM40 removed from excursion status since well has not exceeded more than one UCL for last seven consecutive weeks.
VASELIN,J. COGEMA, Inc. 96/05/20. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88395:359-88395:360.

9605300078 Notifies of 960517 barren lixiviant spill at Christensen Ranch Mine due to failure of fusion well.Site vacuum truck collected total of 3,600 gallons of spill solution.Amend to license conditions 36 & 28 requested as described.
WICHERS,D.L. COGEMA, Inc. 96/05/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 88402:279-88402:285.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9605060185 Proposes to submit expanded annual review rept of field investigation of geohydrology of L-Bar U tailings facility by 960415.
CROUCH,D.B. SOHIO Western Mining Co. CROUCH,D.B. Kennecott Corp. 96/04/02. ABRAMS,C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88172:213-88172:213.

9605200360 Forwards annual surety update per license condition 9.16, reflecting new proposed bond in stated amount.Kennecott Corp proprietary info encl.Proprietary info withheld.
GIBSON,M.H. Kennecott Uranium Co. (formerly Minerals Exploration Co.). 96/04/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88369:250-88369:269.

-9605200371 Forwards annual surety update,per license condition 9.16
MASSEY,B.A. Kennecott Uranium Co. (formerly Minerals Exploration Co.). 95/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88369:252-88369:258.

-9605200388 Forwards amend to 911205 guarantee issued by Kennecott Corp.
BARUSCH,L.R. Parsons, Behle & Latimer. 96/04/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88369:259-88369:260.

-9605200404 Amends 911205 guarantee,reflecting guarantor new name & relationship to licensee.
STEVENSON,T.A., DONE,K.P. Kennecott Corp. 96/04/26. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 88369:261-88369:269.

9605130291 Informs that info requested to be withheld from public disclosure by 960426 application & affidavit will be withheld per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954,as amended.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/07. GIBSON,M. Kennecott Corp. 2pp. 88247:357-88247:358.

9605130270 Forwards NRC technical evaluations supporting various license amends for disposal of 11e.(2) byproduct matl,as requested at 960410 meeting w/NRC.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/08. FERDINAND,B. Quivira Mining Co. 1p. 88247:339-88247:356.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9605010090 Informs of yellowcake packaging incident on 960222.Mill foreman not wearing personal protective equipment.Foreman received a three-day unpaid suspension & required to submit bioassay sample for analysis.
DEAL,W.N. Energy Fuels Nuclear, Inc. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88073:347-88073:349.

9605150320 Identifies inaccuracies & provides corrections to summary of minutes & minutes of 960308 Radiation Control Board meeting in Salt Lake City,UT.
REHMANN,M.R. Energy Fuels Nuclear, Inc. 96/05/02. SINCLAIR,W.J. Utah, State of. 4pp. 88289:305-88289:308.

9605060249 Ack receipt of 960424 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8681/96-01.
HOWELL,L.L. Region 4 (Post 820201). 96/05/03. ROBERTS,H.R. Energy Fuels Nuclear, Inc. 4pp. 88103:041-88103:048.

9605080192 Informs Energy Fuels Nuclear,Inc should review White Mesa Plan to ensure Reclamation Plan up to date & make any necessary revs to address current guidance.NRC guidance documents issued since 1988 & SRP,encl.W/o encls.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 96/05/06. ROBERTS,H. Energy Fuels Nuclear, Inc. 1p. 88208:168-88208:168.

9605130270 Forwards NRC technical evaluations supporting various license amends for disposal of 11e.(2) byproduct matl,as requested at 960410 meeting w/NRC.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/08. FERDINAND,B. Quivira Mining Co. 1p. 88247:339-88247:356.

9605290174 Responds to 960507 ltr re invoice MM0105-96 for license SUA-1358.Advises that hours billed have been certified as accurate by both project manager & supervisor before invoice prepared.
JACKSON,G.C. Division of Accounting & Finance (Post 890205). 96/05/24. REHMANN,M.R. Energy Fuels Nuclear, Inc. 1p. 88397:340-88397:344.

--9605290186 Informs that invoice stated incorrect insp date which occurred on 960123-25 & invoice MM0105-96 has been paid.
REHMANN,M.R. Energy Fuels Nuclear, Inc. 96/05/07. MESSIER,M. Office of the Controller (Post 890205). 4pp. 88397:341-88397:344.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9605090135 Approves proposed license amend to increase surety in listed amount to reflect inflationary increases of 2.7% from Feb 1995 to 1996.License Conditions 16,18,25,29,31,33,37,38 & 39 revised.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/30. WEBBER,K. Plateau Resources, Ltd. 2pp. 88185:284-88185:294.

--9605090162 Amend 16 to license SUA-1371 for Plateau Resources Ltd Shootaring Canyon U Processing Facility.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/30. 9pp. 88185:286-88185:294.

9605150366 Application for amend to license SUA-1371,requesting five yr postponement of initiation of requirements of timeliness in decommissioning per 10CFR40.42(e).
WEBBER,K. Plateau Resources, Ltd. 96/05/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 88290:283-88290:292.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9605200040 Agenda for 960408 meeting w/NRC to discuss slope stability, groundwater monitoring,final cover slope & stormwater control plan for Bert Avenue site.
* Ohio, State of. 96/04/05. Ohio, State of. 14pp. 88351:001-88351:014.

9605080180 Ack receipt of 960402 ltr re Invoice MM0082-96 for license SUB-1357.
JACKSON,G.C. Division of Accounting & Finance (Post 890205). 96/05/06. SARGENT,D.R. Chemetron Corp. 1p. 88186:243-88186:243.

9605080238 Forwards 960402 ltr from Chemetron Corp requesting certain info for insp billed on Invoice MM0082-96.Info re licensee concern should be reviewed & provided.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 96/05/06. SEELIG,C. Program Analysis Branch. 2pp. 88292:230-88292:235.

--9605080241 Informs of concern re amount of charges for insps conducted at Chemetron Site in Newburgh Heights,OH between 941018 & 950505.
SARGENT,D.R. Chemetron Corp. 96/04/02. JACKSON,G.C. License Fee & Debt Collection Branch (Post 890827). 4pp. 88292:232-88292:235.

9605200062 Requests that license amend approving Harvard Avenue site remediation be issued as soon as possible,per 960426 telcon w/NRC.
SARGENT,D.R. Chemetron Corp. 96/05/07. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 88351:240-88351:240.

9605160357 Requests that attached ltr from Chemetron Corp,dtd 960402, requesting certain info for insps billed on Invoice MM0082-96,be reviewed & that info re licensee concern be submitted by 960524.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 96/05/14. KERLIN,M.J. Region 3 (Post 820201). 3pp. 88285:303-88285:307.

9605310003 Informs of NRC actions pertinent to petition under 10 CFR2.206 dated 890106,to compel Chemetron Corp to immediately commence decontamination of Harvard Avenue site & impose sanction should licensee fail to do so.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/05/23. WHITNEY,D.L. McGean-Rohco, Inc. (formerly McGean Chemical Co., Inc.). 5pp. 88402:354-88402:358.

DOCKET 40-8767 LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO

9605090207 Outlines licensee proposed schedule & basic methodology for decommissioning of Lake City Army Ammunition Plan.
SIMMONS,W.T. Army, Dept. of. 96/04/17. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 11pp. 88214:300-88214:357.

--9605090210 "Treatability Study Rept Soil Washing/Terramet Leaching for Depleted U/Lead-Soil Mixed Waste Remediation Lake City Army Ammunition Plant in Jackson County,MO."
FRISTAD,W.E. . 96/02/23. 33pp. 88214:311-88214:344.

--9605090213 "QA Program Manual."
* . 96/04/17. 13pp. 88214:345-88214:357.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9605090107 Forwards addl hydrogeology rept submitted on 960422.W/o encl.
DANIELS,J.C Molycorp, Inc. 96/04/25. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 88209:252-88209:252.

9605220184 Offers no objection to Apr 1995 (Project Work Plan to Remove Off-Site Contamination" from Findlay property adjacent to northern border of Washington site & approve of proposed action to cleanup off-site contamination on property.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/20. DANKMYER,B. Molycorp, Inc. 2pp. 88359:114-88359:115.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9605090117 Forwards 930115 ltr from RB Brown for files & UNOCAL Co hydrogeology rept.W/one oversize drawing.
MULLOY,T.P. Molycorp, Inc. 96/04/19. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 88258:001-88258:240.

--9605090122 "Hydrogeology in Vicinity of Proposed Interim Storage Area at Washingon,PA Facility" for Apr 1996.
* Molycorp, Inc. 96/04/30. 238pp. 88258:003-88258:240.

9605150332 Informs that GW Dawes will assume RSO responsibilities at York facility,effective 960601.T Mulloy,current RSO, transferring to another div within co.
DANKMYER,B.K. Molycorp, Inc. 96/05/07. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 88288:358-88288:358.

DOCKET 40-8833 MANLABS, INC., CAMBRIDGE, MA

9605210263 Responds to 960424 ltr re confirmatory survey performed on 960509 of facility located at 21 Erie Street,Cambridge,MA.
KINNEMAN,J.D. Region 1 (Post 820201). 96/05/10. STRAIN,J. Affiliation Not Assigned. 1p. 88306:090-88306:090.

9605240118 Amend 5 to license SUB-1427 for Altran Matl Engineering, Inc.Control:122986.
LANZISERZA,P.A. Region 1 (Post 820201). 96/05/13. 31pp. 88346:306-88346:336.

DOCKET 40-8838 ARMY, DEPT. OF, MADISON, IN

9605090151 Notifies that fence separating northern firing ranges & southern cantonment area at Jefferson Proving Ground completed.
NETT,D.M. Army, Dept. of. 96/04/03. EID,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 88191:352-88191:352.

9605060260 Forwards signed original of FRN for transmittal to Ofc of FR for publication.Signed Notice 3.5" diskette w/notice in WordPerfect attached also.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/30. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 88180:334-88180:345.

--9605060264 Informs that OGC has no legal objection to PPG EA & FONSI reviewed.
SCHWARTZ,M. NRC - No Detailed Affiliation Given. 96/04/04. EID,B. NRC - No Detailed Affiliation Given. 1p. 88180:337-88180:337.

--9605060273 Supports concurrence re FONSI.
BARGER,M.J. NRC - No Detailed Affiliation Given. 96/04/04. EID,B. NRC - No Detailed Affiliation Given. 1p. 88180:338-88180:340.

--9605060281 Finding of no significant impact associated w/amend to matls License SUB-1435 for release of area south of firing line for unrestricted use,US Army Jefferson Proving Ground, Madison,IN.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/30. 7pp. 88180:341-88180:345.

9605150402 Forwards amend 9 to license SUB-1435 & safety evaluation, authorizing transfer to US Army Test & Evaluation Command & release of area south of firing line from license for unrestricted use.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/08. KRIEBEL,J. Army, Dept. of. 2pp. 88289:240-88289:256.

--9605150415 Amend 9 to license SUB-1435 for US Dept of Army,authorizing transfer to TECOM & releasing area south of firing line from license for unrestricted use.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/08. 4pp. 88289:243-88289:246.

--9605150432 Safety evaluation accepting transfer of license to TECOM & releasing area south of firing line from license for unrestricted use.
* Office of Nuclear Material Safety & Safeguards. 96/05/08. 6pp. 88289:247-88289:252.

--9605150445 Informs JPG licensing responsibility to TECOM acceptable & concludes area south of firing line can be released for unrestricted use.
* Office of Nuclear Material Safety & Safeguards. 96/05/08. NRC - No Detailed Affiliation Given. 4pp. 88289:253-88289:256.

9605150108 Press release 96-68, "NRC Releases Cleaned-Up Area at Jefferson Proving Ground for Unrestricted Use."
* Office of Public Affairs (Post 911117). 96/05/13. 1p. 88292:262-88292:262.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9605080142 Forwards amend 1 to license SUA-1511 & TER.Amend accepts annual surety update w/reservations.Remaining outstanding issues noted in TER should be addressed & resolved in upcoming 1996-1997 surety estimate submittal to NRC.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/05/06. KEARNEY,W.F. Power Resources Corp. 9pp. 88187:333-88187:352.

--9605080147 Amend 1 to license SUA-1511 for Power Resources,Inc, accepting annual surety update w/reservations.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/06. 11pp. 88187:342-88187:352.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9605090092 Forwards Vols 1-4 of "Completion Rept for Reclamation of Bluewater Mill Site."
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 96/04/30. HOLONICH,J. NRC - No Detailed Affiliation Given. 2pp. 88233:001-88237:244.

–**9605090097** Vols 1-4 of "Completion Rept for Reclamation of Bluewater Mill Site." W/ 45 oversize drawings.
* Atlantic Richfield Co. (ARCO). 96/03/31. 1,696pp. 88233:005-88237:244.

9605010155 Forwards EPA proposed approval to land dispose polychlorinated biphenyls at Bluewater Mill site near Grants,NM.
PATEL,N. Affiliation Not Assigned. 96/04/25. HOOKS,K. NRC - No Detailed Affiliation Given. 12pp. 88079:303-88079:314.

9605090041 Intends to clarify situation re Disposal Area No 1 expansion liner required at Bluewater Mill Site to dispose of debris from remaining structures.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 96/04/29. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88225:353-88225:355.

9605130215 Forwards NRC comments on draft long-term surveillance plan for Bluewater mill site,transmitted by DOE 950816 ltr.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/09. VIRGONA,J.E. Energy, Dept. of. 4pp. 88247:332-88247:335.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9605020268 Informs that licensee reviewed spray sys & modifying pump station.Mod designed by professional engineer & since only mod to pump station should not require license amend. Drawings,specs & qualifications for engineer encl.
CRAFT,F.R. Homestake Mining Co. 96/04/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88223:264-88223:285.

–**9605020271** Rev A to Spec 40S3100, "Evaporation Pond #2 Pumps Tech Spec for Cast in Place Concrete."
* Affiliation Not Assigned. 96/04/08. 18pp. 88223:267-88223:285.

DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT

9605290116 Forwards insp rept 40-8904/96-01 on 960429 & NOV.
SCARANO,R.A. Region 4 (Post 820201). 96/05/23. CROUCH,D.B. SOHIO Western Mining Co. 4pp. 88368:128-88368:146.

–**9605290120** Notice of violation from insp on 960320 & 0429.Violation noted:written procedures not established for personnel monitoring & survey instrument calibr as of 960320.
* Region 4 (Post 820201). 96/05/23. 1p. 88368:132-88368:132.

–**9605290123** Insp rept 40-8904/96-01 on 960320 & 0429.Violations noted. Major areas inspected:site status,mgt organization & controls,site operations & licensee RP,waste mgt & environ programs.
* Region 4 (Post 820201). 96/05/23. 4pp. 88368:133-88368:146.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9605010087 Forwards groundwater monitoring rept & NRC monitor well analytical results for Jan-Mar 1996.
LUTHIGER,P. Quivira Mining Co. 96/04/23. OHRBOM,R. New Mexico, State of. 3pp. 88073:344-88073:346.

9605130270 Forwards NRC technical evaluations supporting various license amends for disposal of 11e.(2) byproduct matl,as requested at 960410 meeting w/NRC.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/08. FERDINAND,B. Quivira Mining Co. 1p. 88247:339-88247:356.

9605150130 Forwards clarification to items noted by NRC during public meeting of 960410 & NRC 960418 ltr.
FERDINAND,B. Quivira Mining Co. 96/05/09. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 14pp. 88290:293-88290:305.

9605310131 Urges NRC to demand more public info & input re licensee move to amend permit to take out-of-state nuclear waste for Ambrosia Lake.
SCHRADER,D. Affiliation Not Assigned. 96/05/24. HOLONICH,J. NRC - No Detailed Affiliation Given. 3pp. 88404:256-88404:256.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9605030181 Forwards comments on EPA five yr review rept for UNC Church Rock,NM Superfund site.
CURTISS,J. Navajo Nation. 96/03/27. HOOKS,K., HAMDEN,L., COLTEN-BRADLEY NRC - No Detailed Affiliation Given. 9pp. 88138:342-88138:350.

9605090014 Application for amend to license SUA-1475,reflecting mod of reclamation plan for Church Rock site approved on 910301,to change grading contours of area south of buried jetty. Technical support document encl.W/one oversize drawing.
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 96/04/10. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88263:289-88263:305.

–**9605090017** Notifies that Smith Environ Technologies Corp matl marked copyright 1996,contained in licensee 960410 amend request, not intended to preclude placing document in PDR.
HOOKS,K. NRC - No Detailed Affiliation Given. 96/05/01. NRC - No Detailed Affiliation Given. 1p. 88263:291-88263:291.

–**9605090020** "Technical Support for Proposed Mod to Church Rock Site Tailings Reclamation Plan." W/one oversize drawing.
* Affiliation Not Assigned. 96/02/29. 12pp. 88263:292-88263:305.

9605290160 Rev 2 to "Five-Yr Review Rept for United Nuclear Corp, Groundwater Operable Unit McKinley County,NM."
* Jacob Brothers, Inc. 96/04/23. 22pp. 88397:234-88397:255.

9605070201 Responds to 960305 request,approving proposed mods to surface reclamation plan for Church Rock U Mill & Tailings site.Forwards TER,discussing requested mods & amend 24 to matl license SUA-1475,incorporating subj mods.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 96/05/03. VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 2pp. 88114:340-88114:351.

–**9605070210** TER discussing amend request for license SUA-1475 to modify several features of current reclamation design re North Cell Drainage Channel & to permit proceeding w/const.Concludes that mods acceptable & that licensee can proceed w/ const.
HOOKS,K., JOHNSON,T.L. Uranium Recovery Licensing Branch. 96/04/18. 2pp. 88114:342-88114:343.

–**9605070212** Amend 24 to license SUA-1475 for UNC Mining & Milling.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 96/05/03. 8pp. 88114:344-88114:351.

9605130308 Informs that based on NRC review of 1996 annual financial surety update submitted by licensee 960330 ltr,need to revise either stated amount of surety or decision to accept UNC parent company guarantee not necessary.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/05/09. VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 1p. 88247:360-88247:360.

9605230041 Forwards "Annual Land Use Survey Rept UNC," in compliance w/ License SUA-1475,Condition 31.Survey complete on 960321.Rept submitted late due to oversight.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 96/05/17. Office of Nuclear Material Safety & Safeguards. 1p. 88366:356-88366:360.

–**9605230045** "Annual Land Use Survey Rept UNC."
* United Nuclear Corp. (subs. of UNC, Inc.). 96/05/17. 4pp. 88366:357-88366:360.

9605290127 Forwards revised & addl figures included in most recent rev of Jacob Engineering Group Inc rept to EPA on UNC-Churchrock 5-yr Review.
WARD,D. Jacobs Engineering Group, Inc. 96/05/23. HOOKS,K. NRC - No Detailed Affiliation Given. 11pp. 88402:307-88402:317.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9605030317 Submits correction to semiannual effluent monitoring rept as required by License Condition 40 of SUA-1534,per 10CFR40.65.
GRANTHAM,R. Affiliation Not Assigned. 96/04/22. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88137:155-88137:155.

9605080200 Notifies NRC of restricted area boundary change.Rev to license SUA-1534 condition 29,requested to revise submittal deadline for ALARA rept to Apr 30.
COLLINGS,S.P. Affiliation Not Assigned. 96/04/22. HOLONICH,J. Division of Waste Management (NMSS 940403). 3pp. 88208:163-88208:167.

9605030305 Provides various completion info on shallow wells drilled to date.Attached figure shows location of wells in relation to well I196-5.
BARTELS,C.S. Affiliation Not Assigned. 96/04/25. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 88143:303-88143:307.

9605280207 Forwards insp rept 40-8943/96-01 on 960408-11 & NOV.
SCARANO,R.A. Region 4 (Post 820201). 96/05/23. COLLINGS,S.P. . 4pp. 88356:083-88356:106.

–**9605280211** Notice of violation from insp on 960410.Violation noted: written procedures had not been established for all environ monitoring activities & approved & current copies of applicable SOPs had not been kept in reverse osmosis bldg.
* Region 4 (Post 820201). 96/05/23. 2pp. 88356:087-88356:088.

–**9605280215** Insp rept 40-8943/96-01 on 960408-11.Violations noted.Major areas inspected:site status,mgt & organizational controls, operations review,RP,environ monitoring,transportation & radwaste mgt.
HOWELL,L.L. Region 4 (Post 820201). 96/05/23. 18pp. 88356:089-88356:106.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9605090265 Forwards draft "Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge,OH,Vol V-Phase II,Ecological Risk Assessment," for review & comment.
SHIELDS,W.J. PTI Services, Inc. 96/04/18. ACKMAN,O. Ohio, State of. 215pp. 88210:001-88210:215.

–**9605090266** Draft "Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge,OH,Vol V-Phase II,Ecological Assessment."
* PTI Services, Inc. 96/04/30. 160pp. 88210:111-88210:215.

9605060234 Forwards comments on working copy of DEIS for site.Comments received from US Fish & Wildlife Service also encl.
THAGGARD,M. Division of Waste Management (Pre 870413). 96/04/12. WADE,M.C. Oak Ridge National Laboratory. 23pp. 88180:309-88180:333.

9605090261 Requests to revise draft work plan to correct deficiencies noted in attached comments.
ACKMAN,O. Ohio, State of. 96/04/15. VALENTI,J. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 60pp. 88218:244-88218:303.

9605060213 Responds to two updated ltrs to M Weber received on 960411, forwarding comments on working copy of DEIS by NRC to evaluate decommissioning alternatives for licensee Cambridge,OH facility.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/17. BAUMAN,S. Affiliation Not Assigned. 3pp. 88180:353-88180:355.

9605090178 "Notice of Proposed Order Per Section 327 & 328 of Bankruptcy Code Authorizing Amend of Prior Order Authorizing Retention of Deloitte & Touche LLP."
RAPISARDI,J.J. Weil, Gotshal & Manges. RAPISARDI,J.J. Shieldalloy Metallurgical Corp. RAPISARDI,J.J. Affiliation Not Assigned. 96/04/22. Shieldalloy Metallurgical Corp. 59pp. 88209:288-88209:346.

9605100008 "Notice of Suppl to Debtor Motion Dtd 960408 for Order per Section 502 of Bankruptcy Code to (A) Fix Amount of &/or Reclassify Portions of Claim Numbers 77,122,175,191,255,273, 276,352 & (B) Expunge Duplicate Claim Number 123,248 & 274."
RAPISARDI,J.J. Weil, Gotshal & Manges. RAPISARDI,J.J. Shieldalloy Metallurgical Corp. RAPISARDI,J.J. Affiliation Not Assigned. 96/04/22. 14pp. 88238:336-88238:349.

9605090116 Submits addl response to comments on feasibility study redline/strikeout PTI Contract CA38-10-01 & proposed language for discussion of ARARs re general comment 1 & listed specific comments.
SHIELDS,W.J. Shieldalloy Metallurgical Corp. 96/04/23. ACKMAN,O. Ohio, State of. 34pp. 88230:312-88230:349.

9605100005 "Debtors Status Rept on Environ Claims."
RAPISARDI,J.J. Weil, Gotshal & Manges. RAPISARDI,J.J Shieldalloy Metallurgical Corp. RAPISARDI,J.J. Affiliation Not Assigned. 96/04/24. 20pp. 88238:282-88238:301.

9605030374 Requests that licensee provide specific samples of slag & chemfix matl used in deriving source term info proviously provided & that licensee send at least 200 g (or remaining) of original sample to Oak Ridge Inst of Science & Education.
THAGGARD,M. Performance Assessment & Hydrology Branch (NMSS 940403). 96/04/26. EVES,C.S. Shieldalloy Metallurgical Corp. 2pp. 88137:160-88137:161.

9605060325 Forwards comments by S Bauman on working copy of EIS & remedial investigation/feasibility study for Shieldalloy Metallurgical Corp Cambridge,OH facility.
THAGGARD,M. Division of Waste Management (NMSS 940403). 96/04/26. SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. 2pp. 88172:021-88172:042.

9605090158 Forwards proposed changes to draft work plan & SMC maint shop area.Preparation should be made to discuss comments during conference call scheduled for 960501.
SHIELDS,W. PTI Services, Inc. 96/04/30. THAGGARD,M. NRC - No Detailed Affiliation Given. EVES,S. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 16pp. 88223:321-88223:336.

9605310190 Responds to 960426 ltr re decommissioning of Shieldalloy site in Guernsey County,Cambridge,OH.NRC preparing EIS & OH EPA preparing Remedial Investigation/Feasibility Study.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/14. GLENN,J. Senate. 8pp. 88404:216-88404:226.

–9605310210 Forwards ltr re request for assistance on environ issues surrounding Shieldalloy site in Guernsey County,OH.
GLENN,J. Senate. 96/04/26. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 3pp. 88404:224-88404:226.

9605240143 Forwards comments on DEIS for Shieldalloy Metallurgical Corp Cambridge,OH site & NRC Forms 335 & 426.Forms should be completed & returned w/revised document on or before 960520. W/o encls.
THAGGARD,M. Division of Waste Management (NMSS 940403). 96/05/15. WADE,M.C. Oak Ridge National Laboratory. 2pp. 88373:333-88373:334.

9605290047 Application for amend to license SMB-1507,extending expiration date from 960630 to 000630.
EVES,C.S. Shieldalloy Metallurgical Corp. 96/05/21. FEDERLINE,M. Division of Waste Management (NMSS 940403). 1p. 88397:222-88397:222.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9604260063 Forwards response to request for addl info for Vols 1 & 2 cost/benefit analysis for Hyro Resources,Inc (HRI) U solution mining license application,Crownpoint,NM.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/04/05. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1,200pp. 88244:001-88247:086.

9605080097 Forwards summary rept from L Heartfield,recapping work completed in response to NRC requests 22,23 & 24 dtd 960111 re Crownpoint project cultural resources issue.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/05/03. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 72pp. 88189:216-88189:287.

9605220200 Forwards Hopi Tribe 960425 response to HRI,Inc (HRI) notification re proposed in-situ U recovery facilities in McKinley County,NM,HRI 960516 response to Hopi Tribe & HRI Crownpoint project cultural resource mgt plan.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/05/16. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 15pp. 88359:099-88359:113.

DOCKET 40-8974 BUDNEY CO., INC., BERLIN, CT

9605060231 Forwards FR Notice ack receipt of site decommissioning plan for Molycorp York,PA Rare Earth Processing facility.
NELSON,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/19. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88183:302-88183:307.

–9605060233 Notice of receipt of amend request for temporary storage of decommissioning waste from Molycorp York,PA facility.
NELSON,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/19. 5pp. 88183:303-88183:307.

9605150495 Forwards notice of consideration of amend request for decommissioning Molycorp,Inc facility in York,PA & opportunity for hearing.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/06. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 88289:165-88289:175.

–9605150496 Notice of consideration of amend request for decommissioning of Molycorp,Inc facility in York,PA & opportunity for hearing.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/06. 7pp. 88289:169-88289:175.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9605310128 Discusses annual surety review & update of surety as required by license SMC-1559 license condition 9.12.Licensee proposes to maintain surety amount at current level. Spreadsheets for review encl.
HELLSTROM,G.W. Envirocare of Utah, Inc. 96/05/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 88404:257-88404:260.

DOCKET 40-9019 SMITHS INDUSTRIES AEROSPACE, GRAND RAPIDS, MI

9605160249 Forwards insp rept 40-9019/96-01 on 960423.No violations or deviations identified.
MCCORMICK-BARGE Region 3 (Post 820201). 96/05/10. ULMER,C. Smiths Industries. 2pp. 88276:047-88276:058.

–9605160254 Insp rept 40-9019/96-01 on 960423 & 0509.No violations or deviations identified.Major areas inspected:radiological confirmatory surveys of Central Laboratory (Rotor Room), Microelectronics Laboratory,Butler Building storage area.
KULZER,E.L., MCCORMICK-BARGE Region 3 (Post 820201). 96/05/10. 10pp. 88276:049-88276:058.

DOCKET 40-9027 CABOT CORP. READING & REVERE

9605090150 Forwards Rev 1 to "Decommissioning Plan for Cabot Performance Matls,Revere,PA," Rev 0 to "Risk Assessment for Decommissioning of Revere,PA Site" & Rev 0 to "Determination of ALARA for Revere Site."
CAMPITELLI,A.T. Cabot Corp. 96/04/25. GREENWALD,J.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 88215:001-88215:313.

–9605090152 Rev 1 to "Decommissioning Plan for Cabot Performance Matls, Revere,PA."
* Nuclear Energy Services, Inc. 82A8806 R01. 96/04/30. 45pp. 88215:005-88215:048.

–9605090153 Rev 0 to "Risk Assessment for Decommissioning of Revere,PA Site."
* Nuclear Energy Services, Inc. 82A8809 R00. 96/04/30. 163pp. 88215:049-88215:210.

–9605090154 Rev 0 to "Determination of ALARA for Revere Site."
* Nuclear Energy Services, Inc. 82A8810 R00. 96/04/30. 104pp. 88215:211-88215:313.

9605090233 Confirms 960418 telcon re Revere risk assessment & revised decommissioning plan & revs to Reading site characterization rept.
REIBER,W.M. Cabot Corp. 96/04/19. GREENWALD,J.M. Office of Nuclear Material Safety & Safeguards. 1p. 88209:357-88209:357.

9605090238 Forwards changes to Reading Characterization Rept to address questions re leach testing.
CRAIG,K. Nuclear Energy Services, Inc. 96/04/22. GREENWALD,J.M. Division of Waste Management (NMSS 940403). 16pp. 88210:315-88210:329.

9605060036 Forwards review of licensee financial instrument for Boyertown facility,including ltr sent to licensee identifying deficiencies in ltrs of credit for Reading & Revere sites.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/26. PIERSON,R.C. Licensing Branch. 5pp. 88154:314-88154:351.

9605300071 Notifies that initiated review of Revere site decommissioning plan & request for license amend dtd 960425. FR notice stating that NRC commencing review will be issued. Completeness review conducted.
GREENWALD,J.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/23. CAMPITELLI,A. Cabot Corp. 4pp. 88399:239-88399:242.

9605300141 Confirms meeting on 960620 in Rockville,MD to discuss final characterization rept (FCR) for Reading slag pile received on 960402 & corrected pages to FCR provided on 960422.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/29. CAMPITELLI,A. Cabot Corp. 6pp. 88396:353-88396:358.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

9605150232 Informs that review of Emergency Plan completed & that changes do not decrease effectiveness of Plan & can be implemented w/o prior NRC approval.
MICHAELS,T.S. . 96/05/10. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. 88258:339-88258:341.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605140440 Forwards Rev 15 to physical security plan.Rev withheld,per 10CFR2.790(d) & 73.21.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88262:358-88262:359.

9605140316 Revised EPIPs,including rev 11 to IAP-1, "Emergency Director" & rev 7 to IAP-5, "Survey Team Health Physicist." W/960507 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/05/07. 26pp. 88271:177-88271:202.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605280125 Requests extension to response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88386:176-88386:177.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605300184 Forwards insp rept 50-247/96-02 on 960303 & forwards NOV. Violation of concern because it involves failure to perform evolution by approved procedures & undocumented mod of equipment described in unit 1 FSAR.
COWGILL,C.J. Region 1 (Post 820201). 96/05/21. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 88384:153-88384:202.

--9605300187 Notice of violation from insp on 960303-0504.Violation noted:operators drained waste distillate storage tank to unit 1 chemical sys building floor drain sys w/o approved procedure.
* Region 1 (Post 820201). 96/05/21. 2pp. 88384:156-88384:157.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060074 "1995 Radiological Environ Operating Rept for Indian Point Nuclear Power Plants." W/960429 ltr.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/31. 120pp. 88154:194-88154:313.

9605070375 "Annual Environ Protection Plan Rept for CY95." W/960430 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/31. 9pp. 88174:010-88174:018.

9605100157 "Annual Effluent & Waste Disposal Rept for 1995." W/960501 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/31. 100pp. 88216:001-88216:146.

9605280300 Forwards discharge monitoring repts for Apr 1996 for Indian Point Units 1,2 & 3 & rept of noncompliance event at Indian Point Unit 3.
MCAVOY,J. Consolidated Edison Co. of New York, Inc. 96/05/21. New York, State of. 1p. 88384:346-88384:358.

--9605280303 NPDES discharge monitoring repts for Apr 1996 for Indian Point Station Units 1,2 & 3.
MCAVOY,J. Consolidated Edison Co. of New York, Inc. 96/04/30. 12pp. 88384:347-88384:358.

W. Decommissioning Stage Documents & Correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

DOCKET 50-4 NAVAL RESEARCH REACTOR

A. Application/construction stage documents & correspondence

9605030188 Summary of 960305-08 meeting w/GE,Ansaldo & Westinghouse to discuss topics related to QA practices of Ansaldo related to test on AP600 & SBWR designs.Agenda,presentation matl for combined portion of meeting & AP600 discussion,encl.
SCALETTI,D.C. . 96/05/01. . 49pp. 88100:284-88100:332.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605290156 Forwards insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329 & notice of violation.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. PERRY,J.S. Commonwealth Edison Co. 3pp. 88369:092-88369:128.

--9605290171 Insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329.No violations noted.Major areas inspected: operations,maint,engineering,plant support,fire protection & emergency preparedness.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. 32pp. 88369:097-88369:128.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605290156 Forwards insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329 & notice of violation.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. PERRY,J.S. Commonwealth Edison Co. 3pp. 88369:092-88369:128.

--9605290167 Notice of violation from insp on 960214-0329.Violation noted:during 1994 & 1995,47 emergency lighting units required by 10CFR50,App R not discharge-tested for 8 h as required by procedure DES 4153-04.
* Region 3 (Post 820201). 96/05/20. 2pp. 88369:095-88369:096.

--9605290171 Insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329.No violations noted.Major areas inspected: operations,maint,engineering,plant support,fire protection & emergency preparedness.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. 32pp. 88369:097-88369:128.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605170497 Monthly operating rept for Apr 1996 for Dresden Nuclear Power Station Units 1,2 & 3.W/960510 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/04/30. 13pp. 88332:293-88332:305.

W. Decommissioning Stage Documents & Correspondence

9605030344 Provides updated radiological environ evaluation.All items identified as part of Tritium Abatement Plan have been dispositioned.
BRONS,J.C. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88137:158-88137:158.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160102 Ltr contract:mod 6 to task order 20, "Individual Plant Exam Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/05/09. HAAS,P. Concord Associates, Inc. 2pp. 88273:152-88273:153.

9605200352 Staff requirements memo re briefing by CE on status of NPP operations,particularly progress of improvements at Dresden Station.
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/17. NRC - No Detailed Affiliation Given. 1p. 88296:355-88296:355.

DOCKET 50-18 VALLECITOS BOILING WATER REACTOR

I. Financial information

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

--**9605220345** Submits updated 1996 GE Self-Guarantee Rule.
SCHINDLER,W.J. General Electric Co. 96/03/29. WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 88351:104-88351:104.

--**9605220361** Supports use of financial test to demonstrate financial responsibility under Self-Guarantee Rule.
DAMMERMAN,D.D. General Electric Co. 96/03/25. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 52pp. 88351:105-88351:226.

R. Periodic operating reports & related correspondence

9605010120 "Vallecitos Boiling Water Reactor (Deactivated) Annual Rept No 31 for 1995." W/960422 ltr.
ARLT,F.A., CUNNINGHAM,G.E. General Electric Co. 95/12/31. 5pp. 88077:355-88077:359.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9605150483 Advises that 960306 Revs 6 & 7 re changes to defueled security plans consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/09. GRANT,J. Yankee Atomic Electric Co. 2pp. 88289:111-88289:112.

9605290146 Rev 11 to EPIP OP-3324, "Technical Support Ctr (TSC) Activation & Operations." W/Rev 114 to EPIPs table of contents.
* Yankee Atomic Electric Co. 96/06/22. 43pp. 88386:297-88386:342.

G. Adjudicatory correspondence

9605240031 Forwards ltr on behalf of CAN & NECNP re continued illegal decommissioning of Yankee Rowe.
BLOCK,J.M. Citizens Awareness Network. BLOCK,J.M. New England Coalition on Nuclear Pollution. BLOCK,J.M. Affiliation Not Assigned. #296 17639. 96/05/13. JULIAN,E. Docketing & Services Branch. 3pp. 88340:308-88340:310.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605210117 Advises for all activities not yet completed attached Table indicates data represents actual doses to date in response to NRC RAI,per Director's Decisions 96-01 & 96-02
MELLOR,R.A. Yankee Atomic Electric Co. 96/05/15. FAIRTILE,M.B. . 4pp. 88361:236-88361:239.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030126 "Yankee Nuclear Power Station Annual Radiological Environ Operating Rept Jan-Dec 1995." W/960430 ltr.
KAY,J.A. Yankee Atomic Electric Co. 95/12/31. 97pp. 88139:133-88139:229.

W. Decommissioning Stage Documents & Correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170173 Advises that Rev 26 to 10CFR50.54 QA program,acceptable based on NRC review & resubmittal which contains further clarification of alternative methods for meeting App B requirements.
RULAND,W.H. Region 1 (Post 820201). 96/05/03. CLARK,C.R. Yankee Atomic Electric Co. 3pp. 88284:005-88284:007.

9605160379 Forwards pre-notification of start of new planned activities re decommissioning.
MELLOR,R.A. Yankee Atomic Electric Co. 96/05/10. FAIRTILE,M.B. . 5pp. 88326:192-88326:196.

9605170211 Discusses licensee 960510 ltr informing NRC of four planned activities scheduled to begin 960524,per CLI-96-06 requirement.Addl info requested to continue assessment.
FAIRTILE,M.B. . 96/05/14. KAY,J.A. Yankee Atomic Electric Co. 3pp. 88297:353-88297:355.

9605280083 Responds to request for addl info re costs & dose exposure incurred from minor decommissioning activities.
MELLOR,R.A. Yankee Atomic Electric Co. 96/05/14. FAIRTILE,M.B. . 3pp. 88386:198-88386:200.

9605210117 Advises for all activities not yet completed attached Table indicates data represents actual doses to date in response to NRC RAI,per Director's Decisions 96-01 & 96-02
MELLOR,R.A. Yankee Atomic Electric Co. 96/05/15. FAIRTILE,M.B. . 4pp. 88361:236-88361:239.

DOCKET 50-54 CINTICHEM

I. Financial information

9605200450 Notifies of process for releasing site for unrestricted use as decommissioning completed,per licensee request.Process includes technical review by NRC staff & confirmatory surveys by NRC contractor,for which licensee will be billed.
WHITE,J.R. Region 1 (Post 820201). 96/05/13. MCGOVERN,J.J. Cintichem, Inc. 3pp. 88292:067-88292:069.

Q. Inspection reports, IE Bulletins & correspondence

9605280104 Forwards insp repts 50-054/96-01 & 70-0687/96-01 on 960429- 0501.No noncompliances noted.
WHITE,J.R. Region 1 (Post 820201). 96/05/21. MCGOVERN,J.J. Cintichem, Inc. 2pp. 88350:080-88350:086.

--**9605280120** Insp repts 50-054/96-01 & 70-0687/96-01 on 960429-0501.No violations noted.Major areas inspected:staffing & organization,Sr-90 in water,transportation of radioactive matl,conduct of final radiation surveys.
* Region 1 (Post 820201). 96/05/21. 5pp. 88350:082-88350:086.

R. Periodic operating reports & related correspondence

9605310080 Forwards results of NRC TLD direct radiation monitoring around Cintichem facility.
STRUCKMEYER,R. Region 1 (Post 820201). 96/05/20. MCGOVERN,J.J. Cintichem, Inc. 4pp. 88392:097-88392:100.

W. Decommissioning Stage Documents & Correspondence

9605090012 Requests listed info & clarification re interim survey rept for interior reactor building,pump room & access tunnel areas on site.
WHITE,J.R. Region 1 (Post 820201). 96/05/02. MCGOVERN,J.J. Cintichem, Inc. 4pp. 88190:003-88190:006.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9605220492 Rev 20 to EPIP 6, "Notification of Personnel," page 4 of 4. W/960517 ltr.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 96/05/17. 3pp. 88369:327-88369:329.

P. Operating license stage documents & correspondence

9605200356 Informs of change in US DOE Region II radiological assistance program telephone area code from 615 to 423.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 88291:319-88291:320.

9605310021 Forwards proposed TS amend,consisting of revised (or deleted) definitions for terms reactor secured,reactor shutdown,reactor operating,reference core condition & reactivity limits.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 96/05/28. ADAMS,A. . 5pp. 88404:295-88404:304.

--**9605310023** Proposed tech specs definitions.
* Virginia, Univ. of, Charlottesville, VA. 96/05/28. 5pp. 88404:300-88404:304.

DOCKET 50-70 GENERAL ELECTRIC NUCLEAR TEST REACTOR

I. Financial information

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

R. Periodic operating reports & related correspondence

9605010199 "General Electric Test Reactor (Deactivated) Annual Rept No 37 for 1995." W/960422 ltr.
ARLT,F.A., CUNNINGHAM,G.E. General Electric Co. 95/12/31. 5pp. 88073:339-88073:343.

DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

F. Security, medical, emergency & fire protection plans

9605150240 Forwards revised pages to security plan for protection of reactor facilities under License R-33.Encl withheld (ref 10CFR2.790(d)).
CUNNINGHAM,G., CHERB,J.H. General Electric Co. 96/04/25. MURRAY,B. Region 4 (Post 820201). 2pp. 88263:306-88263:307.

I. Financial information

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

P. Operating license stage documents & correspondence

9605200247 Informs of change in US DOE Region II radiological assistance program telephone area code from 615 to 423.New telephone numbers listed.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 2pp. 88305:041-88305:042.

DOCKET 50-89 GENERAL ATOMICS

I. Financial information

9605300115 Nonproprietary submittal re decommissioning financial assurance.Proprietary version of submittal encl.Proprietary version withheld (ref 10CFR2.790).
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/05/20. ADAMS,A., GASKIN,C.E. NRC - No Detailed Affiliation Given. 13pp. 88425:082-88425:094.

DOCKET 50-123 UNIVERSITY OF MISSOURI RESEARCH REACTOR, ROLLA, MO

R. Periodic operating reports & related correspondence

9605030100 "Progress Rept 1995-96 Univ of MO-Rolla Nuclear Reactor Facility." W/960425 ltr.
BOLON,A.E. Missouri, Univ. of, Rolla, MO. 96/03/31. 114pp. 88137:030-88137:145.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9605140521 "TX A&M Univ Nuclear Science Ctr 1995 Annual Rept." W/960508 ltr.
O'KELLY,S. Texas A&M Univ., College Station, TX. 95/12/31. 48pp. 88272:120-88272:167.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9605300131 Forwards rept of Rev 25 to Humboldt Bay Power Plant emergency plan.Updated emergency plan,Rev 25 sent to NRC Region IV,per plant procedures & not part of submittal.
MOULIA,T.A. Pacific Gas & Electric Co. 96/05/21. Document Control Branch (Document Control Desk). 8pp. 88399:221-88399:228.

G. Adjudicatory correspondence

9605030218 Comments opposing proposed coorporate restructuring of Pacific Gas & Electric Co.
DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). * Modesto,CA. 96/04/29. Office of Nuclear Regulatory Research (Post 941217). 262pp. 88092:035-88092:293.

9605060237 Comment opposing proposed coorporate restructing of Pacific Gas & Electric.
DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 96/04/29. NRC - No Detailed Affiliation Given. 22pp. 88103:014-88103:035.

9605060326 Comment opposing proposed corporate restructuring of Pacific Gas & Electric.
DAVIDSON,D.I. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 4pp. 88103:094-88103:097.

9605280031 Provides response to comments on util's proposed corporate restructuring.
WARNER,C.J. Pacific Gas & Electric Co. 96/05/23. Document Control Branch (Document Control Desk). 9pp. 88386:269-88386:277.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130063 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel in Reactor Core or Over Safety-Related Equipment."
WOMACK,L.F. Pacific Gas & Electric Co. 96/05/06. Document Control Branch (Document Control Desk). 3pp. 88249:316-88249:318.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

DOCKET 50-134 WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9605070214 Forwards initial exam rept 50-134/OL-96-01 administered during wk of 960415 IAW NUREG-1478.
WEISS,S.H. . 96/05/02. BOBEK,L.M. Worcester Polytechnic Institute, Worcester, MA. 3pp. 88144:241-88144:279.

-9605070223 Exam rept 50-134/OL-96-01 on 960416-17.Exam results:all candidates successfully passed exam.
ERESIAN,W.J. Region 1 (Post 820201). 96/04/25. 36pp. 88144:244-88144:279.

V. Operator Examinations

9605060168 Forwards results of Operator Initial Exam on 960416-17.W/o encl.
WEISS,S.H. . 96/05/02. BOBEK,L.M. Worcester Polytechnic Institute, Worcester, MA. 1p. 88113:359-88113:359.

9605070214 Forwards initial exam rept 50-134/OL-96-01 administered during wk of 960415 IAW NUREG-1478.
WEISS,S.H. . 96/05/02. BOBEK,L.M. Worcester Polytechnic Institute, Worcester, MA. 3pp. 88144:241-88144:279.

-9605070223 Exam rept 50-134/OL-96-01 on 960416-17.Exam results:all candidates successfully passed exam.
ERESIAN,W.J. Region 1 (Post 820201). 96/04/25. 36pp. 88144:244-88144:279.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9605090108 Summary of 960229 meeting w/SNEC re content of SNEF decommissioning plan.Licensee affirmed commitment to safety & discussed reactor vessel removal & shipment.List of attendees & viewgraphs encl.
ADAMS,A. . 96/05/02. . 91pp. 88185:087-88185:177.

9605160310 Forwards amend 13 to license DPR-4,Order transferring control of license & safety evaluation.Amend adds GPU Nuclear Corp as licensee for Saxton Nuclear Experimental Facility & transfers all mgt related responsibilities.
ADAMS,A. . 96/05/10. KUEHN,G.A. Saxton Nuclear Experimental Corp. 4pp. 88272:285-88272:324.

-9605160320 Amend 13 to license DPR-4,adding GPU Nuclear Corp as licensee for Saxton Nuclear Experimental Facility & transfering all mgt-related responsibilities.
WEISS,S.H. . 96/05/10. 12pp. 88272:289-88272:300.

-9605160326 Order approving transfer.Commission consents to proposed transfer of control of amended license DPR-4 to GPU Nuclear for listed purposes.
RUSSELL,W.T. . 96/05/10. Saxton Nuclear Experimental Corp. 5pp. 88272:301-88272:305.

-9605160330 Safety evaluation supporting amend 13 to license DPR-4.
* . 96/05/10. 15pp. 88272:306-88272:320.

-9605160332 Environ assessment & finding of no significant impact re proposed order approving license transfer & license amend.
WEISS,S.H. . 96/04/25. 4pp. 88272:321-88272:324.

9605170115 Forwards request for addl info to continue review of amend request for amended facility license DPR-4,submitted on 960202.
ADAMS,A. . 96/05/14. KUEHN,G.A. Saxton Nuclear Experimental Corp. 3pp. 88292:330-88292:333.

9605210440 Application for amend to License DPR-4,consisting of TS Change Request 58,revising decommissioning TS.
KUEHN,G.A. General Public Utilities Corp. - GPU Service Corp. 96/05/17. Document Control Branch (Document Control Desk). 25pp. 88481:305-88481:347.

-9606070086 Proposed decommissioning TS pages.
* General Public Utilities Corp. - GPU Service Corp. 96/05/17. 18pp. 88481:330-88481:347.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9605210293 Forwards Procedures NRLOP-10 & NRLHPP-33 re liquid effluent discharges to sanitary sewage.Procedures & sys design modified substantially since 950215 submittal.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 96/05/16. Document Control Branch (Document Control Desk). 1p. 88361:256-88361:266.

-9605210297 Mod of NRLOP-10, "Liquid Effluent Discharge Procedure."
* Illinois, Univ. of, Urbana, IL. 95/05/16. 3pp. 88361:257-88361:259.

-9605210300 Mod of HP Procedure NRLHPP-33, "Analysis of Radioactivity in Water."
KACZOR,M.A., RALSTON,J.M., HOLM,R.L. Illinois, Univ. of, Urbana, IL. 96/05/16. 7pp. 88361:260-88361:266.

9605300121 Forwards RAI re amend request for facility license submitted 960217.Response requested within 30 days.
ADAMS,A. . 96/05/28. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 4pp. 88390:071-88390:074.

S. Reportable occurrences, LERs & related correspondence

9605060355 RO:on 960411,discharged total of 0.084 uCi insoluble radioactivity to sanitary sewer sys.Caused by failure of 0.45 um process filter.Purchased & tested to satisfaction 0.4 um filter that will fit existing filter holder.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 96/05/01. Document Control Branch (Document Control Desk). 7pp. 88165:348-88165:354.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9605290134 Corrected Rev 170 to Vol 9A,EPIP-4B, "Operations Personnel," page 4 of 4.
* Consumers Power Co. 96/02/09. 2pp. 88397:228-88397:229.

9605160298 Rev 121 to Vol 9 to Site Emergency Plan & table of contents.
WOOSTER,K.A. Consumers Power Co. 96/05/06. 14pp. 88309:334-88309:347.

9605160018 Responds to violations noted in insp rept 50-155/96-02. Corrective actions:awareness of fire prevention activities heightened through pre-job briefing & instructions clarified to fire watch personnel.
DONNELLY,P.M. Consumers Power Co. 96/05/09. Document Control Branch (Document Control Desk). 5pp. 88313:350-88313:354.

9605220327 Rev 122 to "Site Emergency Plan," chapters 3 & 6.
WOOSTER,K.A. Consumers Power Co. 96/05/14. 44pp. 88359:014-88359:057.

P. Operating license stage documents & correspondence

9605020005 Forwards cross-reference to identify documentation that tracked resolution of SEP topics.
TRAN,L.N. . 96/04/23. DONNELLY,P.M. Consumers Power Co. 4pp. 88095:340-88095:344.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170298 Provides addl info re GL-87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors."
DONNELLY,P.M. Consumers Power Co. 96/05/13. Document Control Branch (Document Control Desk). 4pp. 88316:346-88316:349.

9605240178 Forwards RAI w/respect to licensee response to GL 95-07, concerning licensee ability to ensure safety-related power- operated gate valves susceptible to pressure locking or thermal binding are capable of performing safety functions.
TRAN,L.N. . 96/05/21. DONNELLY,P.M. Consumers Power Co. 4pp. 88344:091-88344:094.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130206 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
DONNELLY,P.M. Consumers Power Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88249:314-88249:315.

9605160018 Responds to violations noted in insp rept 50-155/96-02. Corrective actions:awareness of fire prevention activities heightened through pre-job briefing & instructions clarified to fire watch personnel.
DONNELLY,P.M. Consumers Power Co. 96/05/09. Document Control Branch (Document Control Desk). 5pp. 88313:350-88313:354.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060020 "1995 Annual Radiological Environ Monitoring Rept." W/960430 ltr.
ADDY,R.J. Consumers Power Co. 95/12/31. 178pp. 88155:153-88155:320.

9605060081 Forwards "Annual Radioactive Effluent Release Rept for 1995." Percent effluent concentration was generated using new concentrations as specified in revised 10CFR20.
ADDY,R.J. Consumers Power Co. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88148:001-88148:132.

-9605060083 "Annual Radioactive Effluent Release Rept for 1995."
* Consumers Power Co. 95/12/31. 131pp. 88148:002-88148:132.

9605100034 Monthly operating rept for Apr 1996 for Big Rock Point Nuclear Plant.W/ 960501 ltr.
JOHNSTON,J.R., DONNELLY,P.M. Consumers Power Co. 96/04/30. 5pp. 88237:350-88237:354.

S. Reportable occurrences, LERs & related correspondence

9605070172 LER 96-001-01:on 960105,discovered steam leakage from reactor cleanup sys piping during planned reactor shutdown. Caused by intergranular stress corrosion cracking.Repaired flaws by application of weld overlays.W/960502 ltr.
BOURASSA,M.D., ADDY,R.J. Consumers Power Co. 96/05/02. 12pp. 88197:344-88197:355.

9605280279 LER 96-006-00:on 960424,ladder discovered blocking roll-up fire barrier doorway.Caused by inattention to detail & program requirements.FP supervisor will heighten awareness of subj & other fire concerns.W/960521 ltr.
BOURASSA,M.D., DONNELLY,P.M. Consumers Power Co. 96/05/21. 4pp. 88418:043-88418:046.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. CHASENSKY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. 1p. 88243:192-88243:192.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

G. Adjudicatory correspondence

9605060008 Notice of Evidentiary Hearing.* Hearing will commence on 960520 in Atlanta,GA.W/Certificate of Svc.Served on 960429.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #296 17583. 96/04/24. 6pp. 88094:028-88094:033.

9605060100 Third prehearing conference order.* Exhibits to be marked, at time of identification for record,in numerical sequence for each party sponsoring exhibits.W/Certificate of Svc. Served on 960501.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #296 17584. 96/04/30. Office of the General Counsel (Post 860701). 9pp. 88094:350-88094:358.

9605130054 Georgians Against Nuclear Energy Proposed Exhibits.* W/Certificate of Svc.Related correspondence.
* Georgians Against Nuclear Energy. #296 17610. 96/05/08. 4pp. 88203:357-88203:360.

9605130103 Notifies Honorable Judges Bechhoefer,Kline & Lam of ASLB, that P Blockey-O'Brien will present testimony of min of 30 minutes on 960522,including but not limited to listed info. W/Certificate of Svc.Served on 960510.
BLOCKEY-O'BRIEN Affiliation Not Assigned. #296 17616. 96/05/08. Docketing & Services Branch. 2pp. 88324:002-88324:004.

9605130089 NRC Staff motion for issuance of protective Order.* Staff requests that ASLB issue Protective Order directing nondisclosure of any info contained in ref documents. W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #296 17614. 96/05/09. Atomic Safety & Licensing Board Panel. 14pp. 88204:114-88204:127.

9605130111 NRC Staff motion for issuance of protective Order.* Staff requests that ASLB issue Protective Order directing nondisclosure of any info contained in ref documents. Granted for ASLB on 960509.Served on 960510.
* Office of the General Counsel (Post 860701). #296 17615. 96/05/09. Atomic Safety & Licensing Board Panel. 1p. 88324:005-88324:016.

--9605130126 Protective Order (governing disclosure of certain NRC documents).* Disclosure by Staff of documents identified herein & other parties review & insp thereof,to be governed by terms of Protective Order.W/Certificate of Svc.
BECHHOEFER,C., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. 96/05/09. Office of the General Counsel (Post 860701). 11pp. 88324:006-88324:016.

9605210066 Discusses activities that occurred at Neely Nuclear Research Ctr during Winter of 1995 & lists unsatisfactory conditions witnessed re facility operations.Related correspondence.
GALLOWAY,J.H. Georgia Institute of Technology, Atlanta, GA. #296 17625. 96/05/13. NRC - No Detailed Affiliation Given. 5pp. 88306:001-88306:005.

9605210116 Motion to bar appearance as witness & to exclude any & all testimony by G Carroll.* Moves to bar testimony due to failure to comply w/Board direction that testimony be submitted in written form by 960503.
EVANS,A.L. Georgia, State of. #296 17633. 96/05/15. Atomic Safety & Licensing Board Panel. 2pp. 88306:073-88306:081.

--9605210122 Memorandum in support of motion to bar appearance as witness & to exclude any & all testimony by G Carroll.* Opposes filing 960222 suppl discovery responses in lieu of Board- ordered written testimony.W/Certificate of Svc.
EVANS,A.L. Georgia, State of. 96/05/15. Atomic Safety & Licensing Board Panel. 7pp. 88306:075-88306:081.

9605210156 Memorandum & order (telcon 960515),LBP-96-10.* Staff motion to exclude testimony of G Carroll granted.Georgia Tech motion to bar G Carroll appearance denied.W/Certificate of Svc.Served on 960516.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #296 17631. 96/05/16. Office of the General Counsel (Post 860701). 6pp. 88306:082-88306:087.

P. Operating license stage documents & correspondence

9605090101 Press release II-96-43, "NRC Licensing Board Sets Hearing on Georgia Tech Research Reactor."
* Region 2 (Post 820201). 96/05/07. 1p. 88212:202-88212:202.

9605200242 Informs of change in US DOE radiological assistance program telephone area code from 615 to 423.New telephone numbers listed.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 88291:015-88291:016.

Q. Inspection reports, IE Bulletins & correspondence

9605140299 Forwards insp rept 50-160/96-01 on 960117,18,24,25,29,30, 0205-07,09,15-18 & 0315.No violations or deviations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/04/19. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 88242:208-88242:232.

--9605140310 Insp rept 50-160/96-01 on 960117,18,24,25,29,30,0205-07,09, 15-18 & 0315.No violations noted.Major areas inspected: radiation protection program activities during removal of irradiated fuel from GTRR.
BASSETT,C.H., TOBIN,W.J., LENAHAN,J.J. Region 2 (Post 820201). 96/04/19. 22pp. 88242:211-88242:232.

T. Hearing transcripts on non-antitrust matters

9605130068 NRC Staff (Panel A) Testimony of DM Collins,PE Fredrickson, AF Gibson & GN Kuzo concerning Georgians Against Nuclear Energy Contention 9 (Mgt).* Related correspondence.
COLLINS,D.M., FREDRICKSON,P., GIBSON,A.F. Region 2 (Post 820201). #296 17611. 96/05/07. 48pp. 88204:059-88204:106.

9605130110 NRC Staff (Panel C) testimony of A Adams & MM Mendonca re Gane Contention 9 (Mgt).* W/Certificate of Svc.Related correspondence.
ADAMS,A., MENDONCA,M.M. . #296 17613. 96/05/07. 32pp. 88204:140-88204:171.

9605130116 NRC Staff (Panel B) testimony of CH Bassett,EJ McAlpine & MM Mendonca re Gane Contention 9 (Mgt).* W/Certificate of Svc.Related correspondence.
BASSETT,C.H., MCALPINE,E.J. Region 2 (Post 820201). MENDONCA,M.M. . #296 17612. 96/05/07. 44pp. 88204:184-88204:228.

9605130058 Testimony of G Carroll in support of Georgians against Nuclear Energy.* Related correspondence.
CARROLL,G. Georgians Against Nuclear Energy. #296 17609. 96/05/08. 4pp. 88204:052-88204:055.

9605160087 Motion in limine to exclude testimony of G Carroll.* Requests Licensing Board issue Order,in limine,excluding testimony of G Carroll from record of proceeding.
TURK,S.E. Office of the General Counsel (Post 860701). #296 17619. 96/05/10. Atomic Safety & Licensing Board Panel. 15pp. 88275:128-88275:188.

--9605160110 Transcript of 960326 interview w/G Carroll in Atlanta,GA. Pp1-188.W/Certificate of Svc.
* NRC - No Detailed Affiliation Given. 96/03/26. 46pp. 88275:143-88275:188.

9605210099 Transcript of 960515 telcon re "GA Institute of Technology GA Tech Research Reactor." Pp 915-962.
* Atomic Safety & Licensing Board Panel. #296 17634. 96/05/15. 50pp. 88306:023-88306:072.

9605240045 Transcript of 960520 hearing in Atlanta,GA re GIT research reactor renewal of license R-97.Pp 963-1,123.
* Atomic Safety & Licensing Board Panel. #296 17646. 96/05/20. 161pp. 88340:026-88340:188.

9605240072 Transcript of 960520 hearing in Atlanta,GA re GIT research reactor renewal of license R-97.Pp 77-102.
* Atomic Safety & Licensing Board Panel. #296 17645. 96/05/20. 29pp. 88340:274-88340:301.

9605300100 Transcript of 960521 Georgia Inst of Technology renewal of license R-97 hearing in Atlanta,GA.Pp 1,124-1,365.
* Atomic Safety & Licensing Board Panel. #296 17649. 96/05/21. 244pp. 88381:001-88381:245.

9605300075 Transcript of 960522 Georgia Inst of Technology renewal of license R-97 hearing in Atlanta,GA.Pp 1,366-1,507.
* Atomic Safety & Licensing Board Panel. #296 17656. 96/05/22. 143pp. 88382:165-88382:308.

9605300128 Transcript of 960522 hearing of Georgia Inst of Technology renewal of license R-97 in Atlanta,GA.Pp 103-177.W/related documentation.
* Atomic Safety & Licensing Board Panel. #296 17655. 96/05/22. 98pp. 88381:247-88381:344.

9605300087 Transcript of 960523 hearing in Atlanta,GA re Georgia Inst of Technology renewal of license R-97.Pp 1,500 - 1,748. Supporting documentation encl.W/Certificate of Svc.
* Atomic Safety & Licensing Board Panel. #296 17657. 96/05/23. 290pp. 88383:001-88383:291.

9605300090 Transcript of 960524 Georgia Inst of Technology renewal of license R-97 hearing in Atlanta,GA.Pp 1,749-1,910.
* Atomic Safety & Licensing Board Panel. #296 17658. 96/05/24. 164pp. 88382:001-88382:164.

DOCKET 50-163 GENERAL ATOMICS

I. Financial information

9605300115 Nonproprietary submittal re decommissioning financial assurance.Proprietary version of submittal encl.Proprietary version withheld (ref 10CFR2.790).
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/05/20. ADAMS,A., GASKIN,C.E. NRC - No Detailed Affiliation Given. 13pp. 88425:082-88425:094.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

R. Periodic operating reports & related correspondence

9605020124 Forwards corrected "1995 Annual Rept of AFRRI TRIGA Reactor."
MOORE,M. Armed Forces Radiobiological Research Institute. 96/05/02. Document Control Branch (Document Control Desk). 1p. 88126:132-88126:287.

--9605020129 Corrected "1995 Annual Rept of AFRRI TRIGA Reactor."
MOORE,M.L. Armed Forces Radiobiological Research Institute. 95/12/31. 155pp. 88126:133-88126:287.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605130216 Submits annual unit 1 decommissioning rept for 1995.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88248:335-88248:336.

V. Operator Examinations

9605170362 Forwards both forms of generic fundamentals exam section of written operator licensing exam including,answer keys, grading results for facility & individual answer sheet for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 88284:087-88284:088.

DOCKET 50-183 VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR

I. Financial information

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

R. Periodic operating reports & related correspondence

9605010157 "ESADA-Vallecitos Experimental Superheat Reactor (Deactivated) Annual Rept No 28 for 1995." W/960422 ltr.
ARLT,F.A., CUNNINGHAM,G.E. General Electric Co. 95/12/31. 5pp. 88073:334-88073:338.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

F. Security, medical, emergency & fire protection plans

9605090050 Forwards responses to request for addl info,dtd 960402, requesting clarification to evaluate emergency plan revs submitted on 951220.
MCKIBBEN,J.C. Missouri, Univ. of, Rolla, MO. 96/05/01. . 4pp. 88209:347-88209:350.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605070035 Ack receipt of 960311 ltr transmiting rev 49 to physical security plan.
GWYNN,T.P. Region 4 (Post 820201). 96/05/01. RAY,H.B. Southern California Edison Co. 3pp. 88114:035-88114:037.

9605280224 Revised EPIPs,including TCN 1 to Rev 1 to SO123-VIII-0.100, TCN to Rev 6 to SO123-VIII-0.201 & Rev 13 to SO123-VIII-40.1.W/960523 ltr.
MARSH,W.C. Southern California Edison Co. 96/05/23. 64pp. 88380:007-88380:071.

9605310004 Forwards rev 51 to physical security plan SONGS Units 1,2 & 3.Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 2pp. 88399:254-88399:255.

I. Financial information

9605280241 Forwards cash flow statement for yr ending 951231,in accordance w/ 10CFR140.21(e) plants.Edison Intl annual rept to Securities & Exchange Commission (Form 10-K) for yr ending 951231 also encl.
MARSH,W.C. Southern California Edison Co. 96/05/23. Document Control Branch (Document Control Desk). 49pp. 88384:261-88384:309.

P. Operating license stage documents & correspondence

9605060033 Forwards "SONGS Annual Radioactive Effluent Release Rept Jan-Dec 1995," Rev 11 to "SONGS Unit 1 ODCM" & Rev 28 to "SONGS Units 2 & 3 ODCM."
MARSH,W.C. Southern California Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88132:001-88133:120.

--9605060042 Rev 11 to "SONGS Unit 1 ODCM."
* Southern California Edison Co. 95/12/06. 378pp. 88132:107-88133:120.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020157 "1995 Annual Radiological Environ Operating Rept San Onofre Nuclear Generating Station Units 1,2 & 3." W/undated ltr.
HANSEN,N.A., MARSH,W.C. Southern California Edison Co. 95/12/31. 200pp. 88127:083-88127:202.

9605060033 Forwards "SONGS Annual Radioactive Effluent Release Rept Jan-Dec 1995," Rev 11 to "SONGS Unit 1 ODCM" & Rev 28 to "SONGS Units 2 & 3 ODCM."
MARSH,W.C. Southern California Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88132:001-88133:120.

--9605060039 "SONGS Annual Radioactive Effluent Release Rept Jan-Dec 1995."
* Southern California Edison Co. 95/12/31. 105pp. 88132:002-88132:106.

--9605060042 Rev 11 to "SONGS Unit 1 ODCM."
* Southern California Edison Co. 95/12/06. 378pp. 88132:107-88133:120.

S. Reportable occurrences, LERs & related correspondence

9605010101 LER 96-002-00:on 960411,missed surveillance of security sys tamper switches.Caused by inadequate communication between security & maint.C/A:reviewing testing program. W/960425 ltr.
KRIEGER,R.W. Southern California Edison Co. 96/04/25. 2pp. 88066:226-88066:227.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9605140347 Informs NRC that util scheduled annual emergency preparedness exercise at plant for 960814.Scope & objectives for emergency exercise encl.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88271:258-88271:264.

9605280035 Responds to 960229 ltr,informing that rev 30 acceptable for inclusion in plant Physical Security Plan.Advises that encl to subj ltr contained SG info & will be withheld from public disclosure.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/15. FEIGENBAUM,T.C. Northeast Utilities Service Co. 3pp. 88350:043-88350:045.

P. Operating license stage documents & correspondence

9605030134 Forwards "1995 Annual Radioactive Effluent Rept" & "1995 Radiological Effluent Monitoring & ODCM Changes."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88140:244-88140:323.

--9605030149 "1995 Radiological Effluent Monitoring & ODCM Changes."
LANDRY,L., CRANDALL-RAD,R. Connecticut Yankee Atomic Power Co. LANDRY,L. Northeast Utilities. 95/12/01. 57pp. 88140:245-88140:301.

9605140256 Expresses appreciation for opportunity to meet on 960326 to discuss concerns related to Davis-Besse dry cask unloading proceduure & issues raised in 960304 issue of Time Magazine re NRC oversight of Millstone plants.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/02. KAPTUR,M. House of Rep. 26pp. 88262:213-88262:242.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605080244 Ltr contract:task order 106, "Evaluation of Metal Vertical Tanks at Plant," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). FIN J-2397-6. 96/05/03. KNIGHT,D. SCIENTECH, Inc. 6pp. 88174:351-88174:356.

9605170085 Responds to NRC 960229 RAI re proposed license amends to Haddam Neck Plant TS involving extending TS calibration intervals for specified RTS,ESFAS,accident monitoring sys & RCS instrumentation channels from 18 to 24 months.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/08. Document Control Branch (Document Control Desk). 43pp. 88325:192-88325:234.

9605220135 Requests review of conclusions in 960408 response,in light of self-identified & NRC-identified issues re applicability of 7007 Rept issues at plant.Preliminary insp findings encl.
RUSSELL,W.T. . 96/05/17. BUSCH,R.E. Northeast Utilities Service Co. 7pp. 88326:340-88326:346.

Q. Inspection reports, IE Bulletins & correspondence

9605070086 Forwards insp rept 50-213/96-02 on 960221-0408.No violations noted.
ROGGE,J.F. Region 1 (Post 820201). 96/04/26. FEIGENBAUM,T.C. Northeast Utilities Service Co. 3pp. 88112:127-88112:160.

--9605070093 Insp rept 50-213/96-02 on 960221-0408.No violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
ROGGE,J.F. Region 1 (Post 820201). 96/04/26. 31pp. 88112:130-88112:160.

9605060298 Ack receipt of 960410 ltr informing NRC of steps taken to correct violations noted in insp rept 50-213/96-01.
ROGGE,J.F. Region 1 (Post 820201). 96/04/30. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities. 2pp. 88103:092-88103:093.

9605070021 Ack receipt of 960410 ltr informing NRC of steps taken to correct violations noted in insp rept 50-213/96-01.
ROGGE,J.F. Region 1 (Post 820201). 96/04/30. FEIGENBAUM,T.C. Northeast Utilities Service Co. 1p. 88112:045-88112:054.

--9605070024 Responds to NRC 960311 ltr re violations noted in insp rept 50-213/96-01 on 960122-26.Corrective actions:sys repaired & calibrated by maint & engineering & released to operations for unrestricted use.
DEBSRBA,E.A. Northeast Utilities Service Co. 96/04/10. Document Control Branch (Document Control Desk). 9pp. 88112:046-88112:054.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140274 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/05/10. Document Control Branch (Document Control Desk). 31pp. 88270:311-88270:341.

9605220135 Requests review of conclusions in 960408 response,in light of self-identified & NRC-identified issues re applicability of 7007 Rept issues at plant.Preliminary insp findings encl.
RUSSELL,W.T. . 96/05/17. BUSCH,R.E. Northeast Utilities Service Co. 7pp. 88326:340-88326:346.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030134 Forwards "1995 Annual Radioactive Effluent Rept" & "1995 Radiological Effluent Monitoring & ODCM Changes."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88140:244-88140:323.

--9605030149 "1995 Radiological Effluent Monitoring & ODCM Changes."
LANDRY,L., CRANDALL-RAD,R. Connecticut Yankee Atomic Power Co. LANDRY,L. Northeast Utilities. 95/12/01. 57pp. 88140:245-88140:301.

--9605030140 "1995 Annual Radioactive Effluent Rept."
* Connecticut Yankee Atomic Power Co. 95/12/31. 22pp. 88140:302-88140:323.

9605200367 Monthly operating rept for April 1996 for HNP.W/960515 ltr.
EMMONS,K.W., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 96/04/30. 7pp. 88343:238-88343:244.

S. Reportable occurrences, LERs & related correspondence

9605030277 LER 94-016-01:on 940707,entered TS 3.0.3 due to inverter high temps.Caused by inadequate design of over temp feature of inverters.Thermocouples installed to monitor temp inside inverter cabinets.W/960424 ltr.
LABARON,L., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 96/04/24. 7pp. 88164:345-88164:351.

9605220005 LER 96-007-00:on 960418,determined that existing station battery load profiles did not take into account required emergency loads & correct modeling of concurrent loads within first minute discharge.W/960516 ltr.
DEBERNARDO, LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 96/05/16. 7pp. 88389:083-88389:089.

V. Operator Examinations

9605200418 Requests that util furnish ref matls identified in attachment 2 re written & operating tests scheduled for wk of 960819,by 960605.
MEYER,G.W. Region 1 (Post 820201). 96/05/14. FEIGENBAUM,T.C. Northeast Utilities Service Co. 3pp. 88292:060-88292:062.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9605070006 Summarizes 960315 mgt meeting w/licensee in King of Prussia, PA re bases for protective action recommendation methodology currently in place at plant.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/24. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 24pp. 88112:017-88112:042.

9605070105 Summarizes 960315 mgt meeting held at Region I ofc to discuss bases for PAR for plants.Current PAR methodology & logic diagrams to be revised to be consistent w/new federal guidance.W/list of attendees,meeting notice & handout.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/24. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 23pp. 88112:161-88112:186.

9605080173 Forwards 960418 ltr from LG Canton which transmits final exercise rept for 951101,full-participation exercise at plant.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/01. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 88136:276-88136:331.

--9605080177 Forwards final exercise rept for 951101 full participation plume exposure pathway joint exercise of offsite radiological emergency response plans specific to plant.
CANTON,L.G. Federal Emergency Management Agency. 96/04/18. MARTIN,T.T. Region 1 (Post 820201). 2pp. 88136:278-88136:279.

--9605080184 "Exercise Rept Oyster Creek Nuclear Generating Station."
* Federal Emergency Management Agency. 96/03/01. 52pp. 88136:280-88136:331.

9605150142 Forwards notice of public hearing re NJ radiological emergency response plan.
TOSCH,K. New Jersey, State of. 96/05/07. CHAWAGA,D. Region 1 (Post 820201). CHRISTIANSEN,J., ECKER,N.D. New Jersey, State of. 6pp. 88290:318-88290:323.

9605200422 Revised EPIPs,including revs 4 & 5 to EPIP-OC-.10, "Emergency Radiological Surveys Onsite" & rev 0 to OEP-ADM-1319.02, "Emergency Response Facilities & Equipment Maint." W/960516 ltr
LEVIN,G. General Public Utilities Corp. - GPU Service Corp. 96/05/16. 109pp. 88328:224-88328:331.

I. Financial information

9605060345 Forwards "GPU Annual Rept for 1995" & 1995 uniform statistical rept.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88185:001-88185:086.

--9605070046 "GPU Annual Rept for 1995."
LEVA,J.R. General Public Utilities Corp. - GPU Service Corp. 95/12/31. 84pp. 88185:002-88185:086.

P. Operating license stage documents & correspondence

9605070105 Summarizes 960315 mgt meeting held at Region I ofc to discuss bases for PAR for plants.Current PAR methodology & logic diagrams to be revised to be consistent w/new federal guidance.W/list of attendees,meeting notice & handout.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/24. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 23pp. 88112:161-88112:186.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605080088 Forwards Biological Opinion & Incidental Take Statement re sea turtles at plant as set forth by NMFS dtd 950921.Encl effective immediately & subj to staff interpretations.
NEWBERRY,S.F. . 96/05/06. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 28pp. 88174:246-88174:273.

9605090179 Informs that effective 960428 RB Eaton will replace AW Dromerick as Project Manager for plant.
STOLZ,J.F. . 96/05/07. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 88198:348-88198:351.

9605130321 Forwards TS Change Request 247 to License DPR-16,revising TS to adopt provisions of STS,NUREG-1433,Rev 1,dtd 950407,which clarify SR applicability & allow max period of 24 h to complete SR upon discovery that surveillance missed.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/05/07. Document Control Branch (Document Control Desk). 2pp. 88248:254-88248:266.

--9605130325 TS Change Request 247 to License DPR-16,adopting provisions of STS NUREG-1433,Rev 1,dtd 950407 which clarify SR applicability & allow max period of 24 h to complete SR upon discovery that surveillance missed.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/05/07. 7pp. 88248:256-88248:262.

--9605130329 Proposed tech specs,adopting provisions of STS NUREG-1433, Rev 1,dtd 950407,Sections SR 3.0.1,3.0.3 & associated bases.
* General Public Utilities Corp. - GPU Service Corp. 96/05/07. 4pp. 88248:263-88248:266.

9605170128 Forwards Oyster Creek Nuclear Generating Station evaluation of GL 95-07, "Pressure Locking & Thermal Binding of Safety- Related Power-Operated Gate Valves."
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88315:334-88315:359.

--9605170139 "Response to NRC GL 95-07 Pressure Locking & Thermal Binding of Safety Related Power Operated Gate Valves."
TABONE,J.M. General Public Utilities Corp. - GPU Service Corp. TR-105 R0. 96/04/11. 24pp. 88315:336-88315:359.

9605170131 Summary of 960418 meeting w/licensees to discuss use of AT&T round cell batteries.Meeting attendees listed in encl 1.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605280049 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed util 960328 submittal of TS Change Request 234 re anticipatory scram signal bypass setpoint & has no comments.
TOSCH,K. New Jersey, State of. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88386:215-88386:216.

9605300083 Discusses AT&T Round Cell 960418 meeting w/NRC& listed utils & vendors re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

--9605300096 "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

Q. Inspection reports, IE Bulletins & correspondence

9605070238 Notice of violation from insp on 741119-22.Violation noted: permanent chart records recorded over one h period indicated recorded temp change of 110 F & 120 F per h for pump temp.
SNYDER,G. Region I, IE (720101-810228). 74/12/26. 4pp. 88577:353-88577:356.

--9605080137 Notice of violation from insp on 740327-28.Violation noted: drywell to suppression chamber vacuum breakers failed to meet operable limits during surveillance testing.
* Region I, IE (720101-810228). 74/04/19. 2pp. 88579:235-88579:239.

--9605080144 Forwards insp rept 50-219/74-02 on 740121-25 & NOV.W/o rept.
O'REILLY,J.P. Region I, IE (720101-810228). 74/04/02. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp. 88579:264-88579:265.

--9605080146 Notice of violation from insp on 740121-25.Violations noted: MSIVs failed to meet allowable leakage requirements as stated.
* Region I, IE (720101-810228). 74/04/02. 4pp. 88579:266-88579:275.

--9605100126 Notice of violation from insp on 751030-31 & 1105.Violation noted:high radiation area in which radiation levels in excess of one Rem per hour accessible to personnel not maintained locked.
* Region I, IE (720101-810228). 76/01/14. 1p. 88581:085-88581:085.

--9605100216 Amend 11 to license DPR-16,including change 27 in TS, revising provisions in TS re temp limits & surveillance requirements for pressure suppression pool water.
LEAR,G. Region I, IE (720101-810228). 75/12/11. 10pp. 88582:074-88582:083.

--9605100219 Notice of issuance of amend to provisional operating license DPR-16,modifying provisions in TS re temp limits for pressure suppression.
* Division of Reactor Licensing (NRR-1975 only). 75/12/11. 2pp. 88582:084-88582:085.

--9605140461 Notice of violation from insp on 750429-0501.Violation noted:failure to calibr monitor at any time during last quarter of 1974 & first quarter of 1975.
* Atomic Energy Commission (Pre 750119). 75/07/28. 1p. 88583:115-88583:115.

--9605150120 Notice of violation from insp on 750414-18.Violation noted: requirements of procedure 212 re refueling not met.
* Region I, IE (720101-810228). 75/05/22. 1p. 88584:036-88584:036.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605200454 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Safety-Related Equipment."
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/05/13. Document Control Branch (Document Control Desk). 1p. 88351:348-88351:348.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605300146 Forwards insp rept 50-219/95-21 on 951018-1117.No violations noted.
KELLY,E.M. Region 1 (Post 820201). 96/05/20. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 88382:309-88382:339.

--9605300153 Insp rept 50-219/95-21 on 951018-1117.No violations noted. Major areas inspected:operational performance insp of facility emergency svc water sys.
GREGG,H.I., KELLY,E.M. Region 1 (Post 820201). 96/01/26. 28pp. 88382:312-88382:339.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060090 "1995 Radiological Environ Monitoring Rept." W/960430 ltr.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 95/12/31. 161pp. 88148:133-88148:295.

9605210452 Monthly operating rept for Apr 1996 for Oyster Creek Nuclear Generating Station.W/960515 ltr.
EDELMANN,P.G., EGAN,D.M., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/30. 7pp. 88361:158-88361:164.

S. Reportable occurrences, LERs & related correspondence

9605030081 LER 96-002-00:on 960329,discovered low voltage alarm setpoint changed to value beyond TS limit.Caused by improper work practice.Battery charger surveillance procedure revised & low voltage sensing relays adjusted.W/960426 ltr.
AGRAWAL,A., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/26. 4pp. 88158:353-88158:356.

9605140478 LER 96-003-00:on 960409,determined certain 4160 VAC Emergency Electrical Bus Grid Undervoltage relay contacts not functionally tested required by TS Table 4.1-1,Items 28 a & b.Caused by inadequate testing.W/960509 ltr.
DISTEL,D.J., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/05/09. 6pp. 88288:074-88288:079.

9605170479 LER 96-004-00:on 960409,during leak testing of containment spray sys HX 1-1 tubes,1-2 HX thermal relief valve was found in open position,causing approx 100 gallons of torus water to leak.Leak isolated.W/960509 ltr.
HARTTRAFT,G., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/05/09. 5pp. 88396:106-88396:110.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605130128 Cancels request for exemption from schedular requirements of 10CFR72.82(e).
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88249:319-88249:319.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605030281 Forwards Rev 33 to "Site Emergency Plan" & revised EPIPs, including Rev 2 to EPIP-EPP-04,Rev 1 to EPIP-EPP-12,Rev 4 to EPIP-EPP-23,Rev 1 to EPIP-EPP-24,Rev 1 to EPIP-EPP-30 & Rev 5 to emergency plan maint procedure EPMP-EPP-02.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 96/04/25. Document Control Branch (Document Control Desk). 1p. 88134:001-88134:359.

--9605030284 Rev 33 to "Site Emergency Plan."
RADEMACHER,N.L., CONWAY,J.T. Niagara Mohawk Power Corp. 96/03/25. 147pp. 88134:002-88134:148.

--**9605030293** Revised EPIPs,including Rev 2 to EPIP-EPP-04,Rev 1 to EPIP-EPP-12,Rev 4 to EPIP-EPP-23,Rev 1 to EPIP-EPP-24,Rev 1 to EPIP-EPP-30,Rev 5 to emergency plan maint procedure (EPMP) EPMP-EPP-02 & cover page change to all EPMPs.
RADEMACHER,N.L., DAHLBERG,K.A. Niagara Mohawk Power Corp. 96/01/17. 100pp. 88134:149-88134:359.

9605210223 Advises that 960408 Revs 4 & 5,Issue 4 to changes to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/14. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 88361:224-88361:226.

9605230221 Forwards RAI re 951016 & 960213 responses to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves," for plant Units 1 & 2.
HOOD,D.S. . 96/05/21. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 88342:159-88342:163.

P. Operating license stage documents & correspondence

9605070004 Forwards proprietary & nonproprietary versions of "Core Shroud Repair 270 Degree Tie Rod Assembly Assessment," requested by NRC during 960325 & 26 telcons.Proprietary assessment withheld from public disclosure per 10CFR2.790.
TERRY,C.D. Niagara Mohawk Power Corp. 96/04/30. Document Control Branch (Document Control Desk). 3pp. 88174:040-88174:140.

--**9605070008** Nonproprietary "Core Shroud Repair 270 Degree Tie Rod Assembly Assessment."
GLEASON,T.E., RANGANATH,S. General Electric Co. B13-01739-25. 96/04/29. 98pp. 88174:043-88174:140.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160447 Submits response to request for addl info re potential corporate structure changes.
SYLVIA,B.R. Niagara Mohawk Power Corp. 96/05/03. RUSSELL,W.T. . 4pp. 88318:336-88318:339.

9605130415 Summary of 960502 telcon w/licensee re design/licensing basis questions on plant & turbine bldg blowout panels that were encl w/Insp Rept 50-220/96-05 & 50-410/96-05,dtd 960329.
HOOD,D.S. . 96/05/08. . 11pp. 88224:303-88224:313.

Q. Inspection reports, IE Bulletins & correspondence

9605020081 Forwards info requested in NRC 960328 RAI re util 951116 response to NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
TERRY,C.D. Niagara Mohawk Power Corp. 96/04/26. Document Control Branch (Document Control Desk). 9pp. 88122:344-88122:352.

9605060078 Suppl response to violations noted in insp repts 50-220/95-24 & 50-410/95-24.CAs:lessons learned transmittal issued for plant failure to properly evaluate operating experience concerns.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88166:355-88166:356.

9605060337 Notification of predecisional enforcement meeting w/util on 960510 to discuss licensee handling of termination of Unit 2 engineer.
CONTE,R.J. Region 1 (Post 820201). 96/04/29. Region 1 (Post 820201). 2pp. 88112:003-88112:004.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130415 Summary of 960502 telcon w/licensee re design/licensing basis questions on plant & turbine bldg blowout panels that were encl w/Insp Rept 50-220/96-05 & 50-410/96-05,dtd 960329.
HOOD,D.S. . 96/05/08. . 11pp. 88224:303-88224:313.

9605200232 Addresses issues re NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in RC,or Over Safety-Related Equipment."
TERRY,C.D. Niagara Mohawk Power Corp. 96/05/13. Document Control Branch (Document Control Desk). 9pp. 88351:060-88351:068.

9605280071 Forwards insp repts 50-220/96-201 & 50-410/96-201 on 960304-22.No violations noted.
GALLO,R.M. . 96/05/16. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 88375:034-88375:073.

--**9605280090** Insp repts 50-220/96-201 & 50-410/96-201 on 960304-22.No violations noted.Major areas inspected:safety assessment & corrective action,operations,engineering,maint & plant support.
MALUR,S.K., NORKIN,D.P., GALLO,R.M. . 96/05/16. 35pp. 88375:042-88375:073.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280202 Responds to violations noted in insp repts 50-220/96-01 & 50-410/96-01.Corrective actions:Procedure GAP-DES-03 revised.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/05/22. Document Control Branch (Document Control Desk). 5pp. 88380:356-88380:360.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060011 "Annual Radiological Environ Operating Rept Nine Mile Point Nuclear Station for Jan-Dec 1995." W/960429 ltr.
RADEMACHER,N.L., CONWAY,J.T. Niagara Mohawk Power Corp. 95/12/31. 152pp. 88155:001-88155:152.

9605200281 Monthly operating rept for April 1996 for NMPNS,Unit 1. W/960514 ltr.
COLEMAN,D.E., RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/04/30. 5pp. 88347:326-88347:330.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605200383 Special rept:on 960501,inoperability of 12 containment hydrogen monitoring sys identified.Cause unknown. Troubleshooting performed to determine location of loose connections.
RADEMACHER,N. Niagara Mohawk Power Corp. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88351:342-88351:343.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-223 UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9605230150 Informs position of health physics technician described in Section 8.3 of SAR filled by part-time students at recent insp on 960401-03.NRC should be informed when full-time professional will be assigned to position.
MICHAELS,T.S. . 96/05/21. HOGAN,W.T. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 3pp. 88333:013-88333:021.

Q. Inspection reports, IE Bulletins & correspondence

9605150266 Forwards Initial Exam rept 50-223/OL-96-01 administered during wk of 960422.W/o encl.
WEISS,S.H. . 96/05/10. KEGEL,G. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 3pp. 88258:327-88258:329.

9605230150 Informs position of health physics technician described in Section 8.3 of SAR filled by part-time students at recent insp on 960401-03.NRC should be informed when full-time professional will be assigned to position.
MICHAELS,T.S. . 96/05/21. HOGAN,W.T. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 3pp. 88333:013-88333:021.

V. Operator Examinations

9605150155 Forwards results of Operator Initial Exam conducted at Univ of Massachusets-Lowell on 960422-23.W/o encl.
WEISS,S.H. . 96/05/10. KEGEL,G. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 1p. 88269:340-88269:340.

9605150266 Forwards Initial Exam rept 50-223/OL-96-01 administered during wk of 960422.W/o encl.
WEISS,S.H. . 96/05/10. KEGEL,G. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 3pp. 88258:327-88258:329.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605290156 Forwards insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329 & notice of violation.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. PERRY,J.S. Commonwealth Edison Co. 3pp. 88369:092-88369:128.

--9605290167 Notice of violation from insp on 960214-0329.Violation noted:during 1994 & 1995,47 emergency lighting units required by 10CFR50,App R not discharge-tested for 8 h as required by procedure DES 4153-04.
* Region 3 (Post 820201). 96/05/20. 2pp. 88369:095-88369:096.

--9605290171 Insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329.No violations noted.Major areas inspected: operations,maint,engineering,plant support,fire protection & emergency preparedness.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. 32pp. 88369:097-88369:128.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605060187 Ltr contract:mod 5 to task order 20, "Individual Plant Exam (IPE) Reviews - Internal Events - Human Factors Only (Dresden 2 & 3)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HASS,P.M. Concord Associates, Inc. 2pp. 88104:025-88104:026.

9605030344 Provides updated radiological environ evaluation.All items identified as part of Tritium Abatement Plan have been dispositioned.
BRONS,J.C. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88137:158-88137:158.

9605100164 Forwards responses to NRC request for addl info on util licensing Topical Rept NFSR-0111.
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 23pp. 88226:301-88226:323.

9605200332 Rev 1.7 to Chapter 10 of ODCM,Dresden Annex.
* Commonwealth Edison Co. 96/04/30. 19pp. 88343:192-88343:210.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605160102 Ltr contract:mod 6 to task order 20, "Individual Plant Exam Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/05/09. HAAS,P. Concord Associates, Inc. 2pp. 88273:152-88273:153.

9605170499 Application for amends to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,closing out addl open items for SRM upscale,channel calibr,Item 3.b in Table 4.2.E-1.
PIET,P.L. Commonwealth Edison Co. 96/05/10. Document Control Branch (Document Control Desk). 11pp. 88325:235-88325:292.

--9605170501 Proposed tech specs,closing out addl open items for SRM upscale,channel calibr,Item 3.b in Table 4.2-E-1.
* Commonwealth Edison Co. 96/05/10. 47pp. 88325:246-88325:292.

9605200352 Staff requirements memo re briefing by CE on status of NPP operations,particularly progress of improvements at Dresden Station.
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/17. NRC - No Detailed Affiliation Given. 1p. 88296:355-88296:355.

9605240126 Notification of licensee meeting w/util on 960523 in Rockville,MD to discuss plant Unit 3 corner room steel operability evaluation & proposed license amend re continued operation until next refueling outage.
STANG,J. . 96/05/22. CAPRA,R.A. . 2pp. 88351:228-88351:229.

9605280058 Application for amend to license DPR-25 requesting emergency amend temporarily modifying description of certain corner room steel supports to match current configuraton until mod during next refueling outage.
PERRY,J.S. Commonwealth Edison Co. 96/05/22. Document Control Branch (Document Control Desk). 17pp. 88380:201-88380:294.

--9605280074 Commonwealth Edison Co calculation of functional evaluation for Units 2 & 3 LPCI corner room structural steel.
* Commonwealth Edison Co. 9389-04-D2-SW R00. 96/05/21. 64pp. 88380:231-88380:294.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

--9605310072 Rev 0 to "Pressure Locking Special Test Procedure."
KELLY,J.F., BUNTE,B. Commonwealth Edison Co. 95/06/28. 29pp. 88403:033-88403:061.

--9605310074 Rev 0 to "Westinghouse Valve Pressure Locking Special Test Procedure."
KELLY,J.F., GARZA,I. Commonwealth Edison Co. 95/09/12. 35pp. 88403:062-88403:096.

--9605310077 Rev 0 to "Pressure Locking Special Test Procedure Borg Warner Valve Procedure PL/TB-2."
BEDFORD,R.C., CHRISTIANA,D. Commonwealth Edison Co. 95/11/28. 98pp. 88403:097-88403:195.

9605300164 Advises that "Analysis of the Dresden & Quad Cities Shroud Repair Hardware Seismic Design w/Improved Tie Rod & Shroud Weld Crack Equivalent Rotational Stiffness" will be withheld from public disclosure pursuant to 10CFR 2.790(b)(5).
STANG,J.F. . 96/05/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88394:095-88394:097.

Q. Inspection reports, IE Bulletins & correspondence

9605290018 Confirms discussion w/R Rybak to change date of closed Enforcement Conference to 960501 in Lisle,IL.
RING,M.A. Region 3 (Post 820201). 96/04/18. WALLACE,M.J. Commonwealth Edison Co. 2pp. 88369:001-88369:002.

9605030389 Provides results of Unit 2 tests re NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
PERRY,J.S. Commonwealth Edison Co. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88156:351-88156:352.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170242 Forwards Predecisional Enforcement Conference repts 50-237/96-07,50-249/96-07,50-254/96-07 & 50-265/96-07 on 960501.Slides encl.
GRANT,G.E. Region 3 (Post 820201). 96/05/10. MAIMAN,T.J. Commonwealth Edison Co. 2pp. 88284:222-88284:300.

--9605170256 Predecisional Enforcement Conference repts 50-237/96-07, 50-249/96-07,50-254/96-07 & 50-265/96-07 on 960501. Violations identified.Major areas discussed:apparent violations,root causes & contributing factors.
RING,M.A. Region 3 (Post 820201). 96/05/10. 77pp. 88284:224-88284:300.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605210101 Ltr contract,definitizing task order 108, "Special Insp of Dresden Units 2 & 3 Engineering & Licensing Activities" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 96/05/14. KNIGHT,D. SCIENTECH, Inc. 2pp. 88385:162-88385:163.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605290156 Forwards insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329 & notice of violation.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. PERRY,J.S. Commonwealth Edison Co. 3pp. 88369:092-88369:128.

--9605290167 Notice of violation from insp on 960214-0329.Violation noted:during 1994 & 1995,47 emergency lighting units required by 10CFR50,App R not discharge-tested for 8 h as required by procedure DES 4153-04.
* Region 3 (Post 820201). 96/05/20. 2pp. 88369:095-88369:096.

--9605290171 Insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329.No violations noted.Major areas inspected: operations,maint,engineering,plant support,fire protection & emergency preparedness.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. 32pp. 88369:097-88369:128.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605170497 Monthly operating rept for Apr 1996 for Dresden Nuclear Power Station Units 1,2 & 3.W/960510 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/04/30. 13pp. 88332:293-88332:305.

S. Reportable occurrences, LERs & related correspondence

9605200154 Forwards Suppl 1 to LER 95-018,containing root cause & corrective actions for event.Double sealed gasket seal for number 8 shear lug insp hatch cover will be repaired (237180950180381).
PERRY,J.S. Commonwealth Edison Co. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88356:297-88356:307.

--9605200165 LER 95-018-01:on 950610,TS Type B & C leakage limit exceeded due to excessive leakage past HPCI check valve (CV).Caused by ineffective C/A implemented from previous LLRT failures. HPCI Turbine Exhaust CV 2-2301-45 replaced.
MCGIVERN,M. Commonwealth Edison Co. 96/05/14. 10pp. 88356:298-88356:307.

9605200176 Forwards Rev 1 to LER 96-001,providing root cause of event. Commitments in addition to commitments in original LER listed.
PERRY,J.S. Commonwealth Edison Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88347:235-88347:244.

--**9605200189** LER 96-001-01:on 960113,DG output breaker (15-2422) failed to close during testing due to inadequate technical documentation.Caused by mgt deficiency.New DEP procedure will be created for alignment of cubicle/breaker interface.
JACKSON,R. Commonwealth Edison Co. 96/05/14. 8pp. 88347:237-88347:244.

9605200193 Forwards Suppl 1 to LER 95-015,providing root cause & corrective actions for event.Suppl contains no new regulatory commitments.
PERRY,J.S. Commonwealth Edison Co. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88347:251-88347:255.

--**9605200200** LER 95-015-01:on 950607,leakage limit exceeded due to excessive leakage past MSIVs.MSIV performance improvement plan in place which entails refurbishment of min of two MSIVs each refuel outage until 8 MSIVs upgraded.
MCGIVERN,M. Commonwealth Edison Co. 96/05/14. 4pp. 88347:252-88347:255.

9605200337 Forwards LER 96-002 on 960418,Unit 2 shutdown performed because of inability to meet allowed LCO time for HPCI sys testing.
PERRY,J.S. Commonwealth Edison Co. 96/05/16. Document Control Branch (Document Control Desk). 1p. 88356:348-88356:356.

--**9605200361** LER 96-002-00:on 960418,Unit 2 commenced shutdown because of inability to meet LCO time requirements of TS 3.5.C.3.Caused by steam leakage impinging on HPCI discharge line piping. Steam leak from main steam drain bypass line repaired.
FENILI,R.M. Commonwealth Edison Co. 96/05/16. 8pp. 88356:349-88356:356.

9605210513 LER 95-021-01:on 951208,max thermal power exceeded due to inadequate mod safety evaluation & unanalyzed secondary containment bypass pathway created.Caused by personnel error.One MWT administrative derate initiated.W/ 960514 ltr.
FEREN,T.S., POPPE,W.A., PERRY,J.S. Commonwealth Edison Co. 96/05/17. 7pp. 88389:017-88389:023.

9605300004 LER 96-007-00:on 960426,HPCI sys declared inoperable due to through-wall hole in inlet drain pot line 2-2323-1"-LX.HPCI inlet drain pot line 2-2323-1"-LX repaired & steam inlet pot bypass valve replaced.W/960524 ltr.
TIETZ,G., PERRY,J.S. Commonwealth Edison Co. 96/05/24. 6pp. 88444:007-88444:012.

T. Hearing transcripts on non-antitrust matters

9605160481 Transcript of 960513 public meeting in Rockville,MD re briefing by Comm Ed.Pp 1-87.Viewgraphs & video encl.
* Commissioners (Post 750119). 96/05/13. 144pp. 88288:091-88288:235.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). KOTOWSKI,J.M., WALLACE,B.J. Commonwealth Edison Co. 1p. 88275:225-88275:225.

DOCKET 50-238 NUCLEAR SHIP SAVANNAH

R. Periodic operating reports & related correspondence

9605100113 Forwards summary of minutes of 960321 NS Savannah Review & Audit Committee Meeting.Minutes & annual radiation survey, prepared by General Health Physics submitted as annual rept for CY95.
LEVINE,Z. Transportation, Dept. of. 95/03/29. MCALPINE,E.J. Region 2 (Post 820201). 20pp. 88201:301-88201:320.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605060285 Discusses 951206 full-scale emergency preparedness exercise conducted at plant & subsequent activation of NRC headquarters news center in TWFN auditorium.Memo on lessons learned from exercise accompanies discussion.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 96/04/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). TAYLOR,J. Ofc of the Executive Director for Operations. 5pp. 88113:347-88113:351.

9605150125 Revised EPIPs,including Rev 26 to EPIP 1-5,Rev 23 to EPIP 3-6,Rev 7 to EPIP 4-3 & Rev 11 to EPIP 4-5.W/960508 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 96/05/08. JOHNSON,A. . 128pp. 88309:050-88309:177.

9605310084 Rev 2 to Technical Requirements Manual (TRM).
WROBEL,G.J. Rochester Gas & Electric Corp. 96/05/22. 5pp. 88418:322-88418:326.

P. Operating license stage documents & correspondence

9605010310 Summary of 960328 meeting w/NRC & utils re Combustion Engineering SG welded sleeves.Attendees listed in Encl 1.
SHIRAKI,C.Y. . 96/04/25. . 14pp. 88067:261-88067:274.

9605070120 Informs that representatives of Czech Republic visiting Region I for training as nuclear power industry regulators during wks of 960506 & 0617.Access to facility for listed individuals requested.
MCOSCAR,J.J. Region 1 (Post 820201). 96/04/26. MECREDY,R.C. Rochester Gas & Electric Corp. 2pp. 88112:187-88112:188.

9605100144 Forwards proprietary responses to NRC RAI requested during 960403 telcon w/RG&E re use of borated stainless steel as neutron absorber in high density racks,including brochure from BOHLER BLECHE.Encls withheld per 10CFR2.790.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/02. VISSING,G.S. . 1p. 88237:303-88237:304.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160192 Forwards excerpts from draft ASP Rept for 1982-83.Rept documents ASP Program analyses of operational events during period.
VISSING,G.S. . 96/05/07. MECREDY,R.C. Rochester Gas & Electric Corp. 27pp. 88273:060-88273:086.

9605100236 Forwards application for amend to license & TS,correcting typos.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/08. VISSING,G. . 2pp. 88216:307-88216:341.

--**9605100240** Application for amend to license DPR-18,correcting typos.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/08. 8pp. 88216:309-88216:316.

--**9605100242** Proposed tech specs,correcting typos.
* Rochester Gas & Electric Corp. 96/05/08. 25pp. 88216:317-88216:341.

9605140341 Requests that 960508 LAR,correcting typos discovered within improved TS be considered on exigent basis in accordance w/ 10CFR50.91 for listed reasons.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/10. VISSING,G.S. . 2pp. 88271:251-88271:252.

9605170376 Forwards notice of consideration of issuance of amend to license DPR-18,proposed NSHC determination & opportunity for hearing.Amend revises plant TSs to correct several typos implemented in improved TS per amend 61.
VISSING,G.S. . 96/05/14. MECREDY,R.C. Rochester Gas & Electric Corp. 4pp. 88301:304-88301:315.

--**9605170381** Notice of consideration of issuance of amend to license DRP-18 & proposed NSHC determination & opportunity for hearing.Amend revises TSs of plant to correct several typos implemented in Improved TSs per amend 61.
VISSING,G.S. . 96/05/14. 8pp. 88301:308-88301:315.

9605230195 Forwards amend 63 to license DPR-18 & safety evaluation. Amend changes TS setpoints for SG water level-high feedwater isolation function.
VISSING,G.S. . 96/05/20. MECREDY,R.C. Rochester Gas & Electric Corp. 4pp. 88327:350-88327:360.

--**9605230196** Amend 63 to license DPR-18,changing TS setpoints for SG water level-high feedwater isolation function.
MITCHELL,J.A. . 96/05/20. 4pp. 88327:354-88327:357.

--**9605230197** Safety evaluation supporting amend 63 to license DPR-18.
* . 96/05/20. 3pp. 88327:358-88327:360.

9605280095 Forwards SE accepting plant 920422 ltr & related correspondence re rev to RCS pressure temp limits rept for plant.
MITCHELL,J.A. . 96/05/23. MERCEDY,R.C. Rochester Gas & Electric Corp. 4pp. 88385:206-88385:217.

--**9605280099** Safety evaluation accepting plant 920422 ltr & related correspondence re rev to RCS pressure & temp limits rept.
* . 96/05/23. 8pp. 88385:210-88385:217.

9605290072 Forwards amend 64 to license DPR-18 & safety evaluation. Amend revises TS 5.5.6 to incorporate ref to methodology for determining pressure/temp protection limits.
VISSING,G.S. . 96/05/23. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 88375:299-88375:308.

--**9605290075** Amend 64 to license DPR-18,revising TS 5.5.6 to incorporate ref to methodology for determining pressure/temp protection limits.
MITCHELL,J.A. . 96/05/23. 4pp. 88375:302-88375:305.

--**9605290079** Safety evaluation supporting amend 64 to license DPR-18.
* . 96/05/23. 3pp. 88375:306-88375:308.

9605300215 Summary of 960515 meeting w/util concerning exchange of neutron fluence calculations to support amend that would change TSs re pressure/temp limits.W/list of attendees & section 6.0 of Westinghouse rept.
VISSING,G.S. . 96/05/24. . 55pp. 88389:213-88389:267.

9605310053 Forwards SE approving 960112 requests for relief,as supplemented,from requirements of Section XI of ASME Code during third 10-yr interval program for IST of pumps & valves.
MITCHELL,J.A. . 96/05/28. MECREDY,R.C. Rochester Gas & Electric Corp. 4pp. 88395:298-88395:314.

--**9605310064** Safety evaluation granting requests for relief from certain requirements of Section XI of ASME Code for pumps & valves for license DPR-18.
* . 96/05/28. 13pp. 88395:301-88395:314.

9605310028 Forwards pages of 960508 LAR that have been changed as result of 960528 & 29 telcons.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/29. VISSING,G.S. . 5pp. 88418:251-88418:261.

--**9605310042** Proposed tech specs pages 3.3-18 & 3.3-19,reflecting revs to LCO 3.3.1.
* Rochester Gas & Electric Corp. 96/05/29. 9pp. 88418:256-88418:261.

Q. Inspection reports, IE Bulletins & correspondence

9605060244 Discusses second semiannual Plant Performance Review of facility on 960319 & forwards planned insp effort through April 1997.
COOPER,R.W. Region 1 (Post 820201). 96/04/26. MECREDY,R.C. Rochester Gas & Electric Corp. 5pp. 88103:036-88103:040.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170142 Forwards insp rept 50-244/96-01 on 960128-0323 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/05/08. MECREDY,R.C. Rochester Gas & Electric Corp. 5pp. 88283:309-88283:359.

--9605170150 Notice of violation from insp on 960128-0323.Violation noted:on 960308,procedure A-601.3 not properly implemented & did not prevent authorization of work physically rendering both pressurizer PORUs inoperable.
* Region 1 (Post 820201). 96/05/08. 3pp. 88283:314-88283:316.

--9605170158 Insp rept 50-244/96-01 on 960128-0323.Violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/05/08. 43pp. 88283:317-88283:359.

9605140337 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/10. VISSING,G.S. . 2pp. 88271:249-88271:250.

9605170524 Forwards control rod drag testing results from spent fuel pool testing conducted between 960410 & 11,per NRC Bulletin 96-001.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/11. VISSING,G.S. . 3pp. 88316:249-88316:251.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605140277 Monthly operating rept for Apr 1996 for RE Ginna Nuclear Power Plant.W/ 960507 ltr.
WALDEN,J.V., WIDAY,J.A. Rochester Gas & Electric Corp. 96/04/30. 5pp. 88268:309-88268:313.

9605170523 Forwards "1995 Annual Radiological Environ Operating Rept" summarizing all analyses performed as part of Radiological Environ Monitoring Program described in RE Ginna ODCM.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88316:181-88316:248.

--9605170526 "1995 Annual Radiological Environ Operating Rept."
* Rochester Gas & Electric Corp. 95/12/31. 66pp. 88316:183-88316:248.

S. Reportable occurrences, LERs & related correspondence

9605300129 Forwards LER 96-003,Rev 1.HPES completed,root cause analysis completed & corrective actions identified.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/05/17. VISSING,G.S. . 1p. 88444:065-88444:075.

--9605300010 LER 96-003-01:on 960308,identified that both pressurizer PORVs inoperable concurrently due to disconnection of flex hose to both PORV actuators to install air-sets for benchset & limit switch activities.HPES completed.
ST MARTIN,J.T. Rochester Gas & Electric Corp. 96/05/17. 8pp. 88444:066-88444:075.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605210365 Submits Rev 13 to plant Suitability,Training & Qualification Plan.Encl withheld.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88316:357-88316:358.

9605230187 Change 4 to Rev 1 to emergency plan implementing procedure EPIP 4404, "Notifications & Communications."
* Northeast Nuclear Energy Co. 96/05/15. 4pp. 88369:340-88369:343.

G. Adjudicatory correspondence

9605240092 Responds to question licensee committed to address during 960408 informal public hearing on 10CFR2.206 petition filed in Aug 1995 on behalf of G Galatis & We The People,Inc re facility redundant shutdown cooling pump.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/05/17. ZWOLINSKI,J.A. . 3pp. 88371:349-88371:351.

H. General correspondence

9605030211 Documents understanding reached by 960423 telcon re mutually agreeable interview schedules.Interview process should be complete by early June.
HANNON,J.N. NRC - No Detailed Affiliation Given. 96/05/02. HADLEY,E.C. Affiliation Not Assigned. 3pp. 88098:353-88098:355.

9605170104 Responds to 960316 ltr addressing concerns of Time magazine article on Millstone,unit 1,fuel pool problems.
VARGA,S.A. . 96/05/03. ORNELAS,M. Affiliation Not Assigned. 5pp. 88298:337-88298:354.

--9605170120 Provides written testimony for record for 951214 hearing before Senate Energy & Natural Resources Committee on S. 1271, "Nuclear Waste Policy Act of 1995."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/20. MURKOWSKI,F.H. Senate, Energy & Natural Resources. 1p. 88298:342-88298:342.

--9605170143 "Statement for Record by NRC to Committee on Energy & Natural Resources US Senate Concerning S.1271,Nuclear Waste Policy Act of 1995."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/12/14. 10pp. 88298:343-88298:352.

--9605170156 Discusses safety concerns from citizen re nuclear plants.
ORNELAS,M. Affiliation Not Assigned. 96/03/16. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88298:353-88298:354.

9605100015 Responds to 960402 ltr forwarding ltr from constituent requesting that NRC address concerns re performance at facility.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/06. STARK,P. House of Rep. 50pp. 88207:221-88207:272.

--9605100022 Forwards 960228 ltr from constituent raising concerns re NRC performance after reading 960304 article published in TIME magazine.
STARK,P. House of Rep. 96/04/02. Office of Congressional Affairs (Post 911117). 2pp. 88207:271-88207:272.

9605210287 Forwards INTERNET mail received from P Blanch,for placement in PDR.
ZWOLINSKI,J.A. . 96/05/07. Freedom of Information & Local Public Document Room Branch. 3pp. 88324:253-88324:321.

--9605210467 Discusses importance of NRC policy development re NRC enforcement of regulations.Recommends that licensees consider dry cask storage as means of minimizing risk of high level storage.
BLANCH,V.M. Affiliation Not Assigned. 96/04/16. STRYKER,W.J. NRC - No Detailed Affiliation Given. 1p. 88324:256-88324:282.

--9605210520 Submits comments re licensee employees w/safety concerns.
BLANCH,V.M. Affiliation Not Assigned. 96/04/18. STRYKER,W.J. NRC - No Detailed Affiliation Given. 1p. 88324:283-88324:283.

--9605220002 Requests confirmation re NRC refusal to release info to DOJ concerning Wall Street Journal article about violations identified at Millstone plant.
BLANCH,V.M. Affiliation Not Assigned. 96/04/18. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 1p. 88324:284-88324:284.

--9605220010 Submits text from 960418 Wall Street Journal article re employee violation of procedures at Millstone plant.
BLANCH,V.M. Affiliation Not Assigned. 96/04/19. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 2pp. 88324:285-88324:286.

--9605220015 Submits text of 960418 news release re DOE action concerning whistleblowing cases.
BLANCH,V.M. Affiliation Not Assigned. 96/04/23. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 2pp. 88324:287-88324:288.

--9605220021 Submits text from 960429 Wall Street Journal article re NU offer to lower electric rates if New Hamshire regulators agree to delay plan to open competition for customers.
BLANCH,V.M. Affiliation Not Assigned. 96/04/29. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 2pp. 88324:289-88324:290.

--9605220033 Requests comment on encl 960422 ltr to Chairman Jackson from TS Kress of ACRS re proposed revs to 10CFR100.Comments that there would only be exposure limits for first 2 h after fuel failure & fuel pool could be released w/o violation.
BLANCH,V.M. Affiliation Not Assigned. 96/04/30. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 2pp. 88324:291-88324:292.

--9605220041 Submits correspondence to DP Sklarz,Superintedent of Schools Town of West Hartford,expressing concerns about amount of money needlessly spent on old & outdated lighting sys within West Hartford Schools.
BLANCH,V.M. Affiliation Not Assigned. 96/05/01. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 3pp. 88324:293-88324:295.

--9605220051 Informs of plans to be out of town on 960502 & requests that JA Zwolinski call on 960503.
BLANCH,V.M. Affiliation Not Assigned. 96/05/01. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 1p. 88324:296-88324:296.

--9605220064 Expresses hope for development of NRC policy that would outline NRC role in protecting whistleblowers.E-mail from JA Zwolinski to VM Blanch,submitting 960426 SRM also encl.
BLANCH,V.M. Affiliation Not Assigned. 96/05/01. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 3pp. 88324:297-88324:299.

--9605220081 Ack receipt of Mar 1995 SECY outlining NRC stance on Whistleblower Protection Policy & submits comments.
BLANCH,V.M. Affiliation Not Assigned. 96/05/01. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 1p. 88324:300-88324:300.

--9605220109 Expresses appreciation for being current on Millstone developments & comments on public statements made by NU.
BLANCH,V.M. Affiliation Not Assigned. 96/04/25. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 1p. 88324:301-88324:301.

--**9605220120** Expresses concern over ultimate consequences of failing to determine true risk re nuclear safety issues.
BLANCH,V.M. Affiliation Not Assigned. 96/04/26. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 2pp. 88324:302-88324:305.

--**9605220125** Submits 960423 news article discussing testimony of community activists & former employee of NU,PM Blanch,during public hearing held in wake of shutdowns at NU three Millstone NPP reactors which has sparked safety concerns.
BLANCH,V.M. Affiliation Not Assigned. 96/04/23. STRYKER,W.J. NRC - No Detailed Affiliation Given. 2pp. 88324:306-88324:309.

--**9605220148** Submits article from individual expressing concern over NRC slow response to potential nuclear safety issues.
BLANCH,V.M. Affiliation Not Assigned. 96/04/29. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 2pp. 88324:310-88324:311.

--**9605220171** Submits correspondence from individual to VM Blanch, expressing opinion that there is no way of realistically protecting whistleblowers w/nuclear safety concerns.Suggests that time should be spent informing public about concerns.
BLANCH,V.M. Affiliation Not Assigned. 96/05/03. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 1p. 88324:312-88324:312.

--**9605220206** Submits excerpts from speech given by Chairman Jackson before Japan Atomic Industrial Forum in Nagoya,Japan on 960417.Discusses public trust re nuclear energy & recently published articles concerning violations at Millstone plant.
BLANCH,V.M. Affiliation Not Assigned. 96/05/03. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 4pp. 88324:313-88324:316.

--**9605220228** Submits 960509 press release re reassignment of NRC regional administrators to be effective 960804.Informs that HJ Miller named as administrator of Region I & that TT Martin named as dir of Div of Reactor Programs Mgt in NRR.
BLANCH,V.M. Affiliation Not Assigned. 96/05/09. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 2pp. 88324:317-88324:318.

--**9605220238** Expresses opinion that nuclear power not failsafe,but reasonably & acceptably safe & preferable to alternatives.
BLANCH,V.M. Affiliation Not Assigned. 96/05/09. STRYKER,W.J., DAMBLY,D.C., LIEBERMAN,J.X. NRC - No Detailed Affiliation Given. 1p. 88324:319-88324:319.

--**9605220288** Submits excerpts from speech by Chairman Jackson before Korea Atomic Industrial Forum/Korean Nuclear Society in Seoul,Korea.Advises of future development of waste storage & disposal & discusses reexamination of NRC regulations.
BLANCH,V.M. Affiliation Not Assigned. 96/05/07. STRYKER,W.J. NRC - No Detailed Affiliation Given. 2pp. 88324:320-88324:321.

P. Operating license stage documents & correspondence

9605140445 Refers to 960221 ltr informing NRC that individuals decline from participating in case study.NRC hopes individuals will reconsider so that accurate record of how cases handled can be developed for selected case studies.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/20. HADLEY,E.C. Hadley, E.C. 5pp. 88249:348-88249:355.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . COOPER,R.W. Region 1 (Post 820201). MERSCHOFF,E.W. Region 2 (Post 820201). 3pp. 88082:344-88082:360.

--**9605020336** "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605060300 Application for amend to License DPR-21,changing TS Section 4.2, "Protective Instrumentation."
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/25. Document Control Branch (Document Control Desk). 7pp. 88172:115-88172:126.

--**9605060305** Proposed Tech Specs Section 4.2 re protective instrumentation.
* Northeast Nuclear Energy Co. 96/04/25. 4pp. 88172:123-88172:126.

9605090081 Informs that util no longer needs to maintain license for EH Pelish effective 960408.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/30. MARTIN,T.T. Region 1 (Post 820201). 1p. 88209:353-88209:353.

9605140106 Application for amend to license DPR-21,removing TS Figure 5.1 used in maintaining Keff values & substitutes in place defined requirement for maximum K-infinity for fuel placed in plant spent fuel pool.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/02. Document Control Branch (Document Control Desk). 11pp. 88268:236-88268:255.

--**9605140109** Proposed tech specs,removing TS Figure 5.1 used in maintaining Keff values & substitutes in place defined requirement for maximum K-infinity for fuel placed in plant spent fuel pool.
* Northeast Nuclear Energy Co. 96/05/02. 9pp. 88268:247-88268:255.

9605140256 Expresses appreciation for opportunity to meet on 960326 to discuss concerns related to Davis-Besse dry cask unloading proceduure & issues raised in 960304 issue of Time Magazine re NRC oversight of Millstone plants.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/02. KAPTUR,M. House of Rep. 26pp. 88262:213-88262:242.

--**9605140269** Expresses concerns re 960304 TIME magazine article re NRC responsibility.Would appreciate knowing what actions NRC has taken in response to facility revelations.
KAPTUR,M. House of Rep. 96/03/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 88262:240-88262:242.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140254 Responds to 960227 ltr discussing concerns re Millstone NPPs.Discusses NRC enforcement regulations & procedures. Forwards copy of enforcement policy & provides update on operation status of Millstone Units.
DEMBEK,S. . 96/05/07. SILVESTRI,S. Affiliation Not Assigned. 4pp. 88251:297-88251:300.

9605150443 Forwards SE accepting 951228 insp results & flaw evaluations in accordance w/GL 94-03.
ANDERSEN,J.W. . 96/05/07. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 4pp. 88264:320-88264:329.

--**9605150452** Safety evaluation supporting 951228 insp results & flaw evaluations in accordance w/GL 94-03.
* . 96/05/07. 6pp. 88264:324-88264:329.

9605160151 Forwards documents from senior Northeast Utils,Inc managers for distribution & to be placed in NUDOCS.
BLOUGH,A.R. Region 1 (Post 820201). 96/05/07. CHEN,E.E. NRC - No Detailed Affiliation Given. 1p. 88288:307-88288:335.

--**9605160176** Responds to 920406 ltr which transmitted Executive Summary of NRC Staff Special Review Group rept.
ELLIS,B. Northeast Utilities. 92/04/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 8pp. 88288:308-88288:316.

--**9605160197** Discusses 940913 meeting w/Commissioners re employee concerns & allegations.
OPEKA,J.F. Northeast Utilities. 94/10/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 88288:317-88288:318.

--**9605160208** Discusses 940905 meeting w/R Kacich re improving performance at Millstone Station.
OPEKA,J.F. Northeast Utilities. 94/10/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88288:319-88288:320.

--**9605160229** Discusses 940913 meeting w/R Kacich re observations on visit to Millstone Station.
OPEKA,J.F. Northeast Utilities. 94/10/05. RUSSELL,W.T. . 1p. 88288:321-88288:321.

--**9605160233** Discusses 940913 meeting w/R Kacich re employee concerns & allegations concerning plant.
OPEKA,J.F. Northeast Utilities. 94/10/05. VOLLMER,R.H. Office of Nuclear Regulatory Research (860720-941217). 1p. 88288:322-88288:322.

--**9605160245** Discusses 940913 meeting w/senior staff re reorganization of NRC mgt & impact that Congress has on NRC.
OPEKA,J.F. Northeast Utilities. 94/10/05. CALVO,J.A. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 88288:323-88288:324.

--**9605160257** Discusses 940913 meeting w/R Kacich re enforcement discretion topic & staff review nearing completion on notices of enforcement discretion.
OPEKA,J.F. Northeast Utilities. 94/10/05. ZIMMERMAN,R.P. . 2pp. 88288:325-88288:325.

--**9605160262** Discusses 940913 meeting w/R Kacich re proposed NRC Policy Statement on "Probabilistic Risk Assessment" & various initiatives underway within NRC on topic.
OPEKA,J.F. Northeast Utilities. 94/10/05. HOLAHAN,G.M. . 1p. 88288:326-88288:332.

--**9605160263** Response to 920603 ltr re ongoing efforts to improve performance at Millstone Station.
ELLIS,W.B. Northeast Utilities. 92/07/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88288:333-88288:335.

9605170091 Discusses meeting scheduled for 960510 re intergranular stress corrosion cracking in reactor coolant sys.Questions to be explored during meeting encl.
WIGGINS,J.T. Region 1 (Post 820201). 96/05/07. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 3pp. 88284:197-88284:199.

9605170339 Responds to 960501 ltr requesting meeting to discuss various topics re Northeast Utilities nuclear operations organization.
LANNING,W.D. Region 1 (Post 820201). 96/05/09. BROWN,R.C. Affiliation Not Assigned. 2pp. 88284:357-88284:360.

--**9605170342** Requests meeting to discuss various topics re Northeast Utilities nuclear operations organization for wk of 960513.
BROWN,R.C. Affiliation Not Assigned. 96/05/01. LANNING,W. Region 1 (Post 820201). 2pp. 88284:359-88284:360.

9605140287 Provides final accounting of resolution of Priority 1,2 & 3 human engineering discrepancies as part of CRDR & to respond to supplemental SE.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/10. Document Control Branch (Document Control Desk). 17pp. 88271:094-88271:110.

9605200492 Informs staff that Rev 10 to FSAR will be submitted within six months after current refueling outage,no later than 970630.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88351:350-88351:351.

9605280113 Discusses 960424 meeting held in King of Prussia,PA to discuss SRV performance issues w/BWR licensees.Ack presentation by B Smith of NENE & forwards presentation matls.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 79pp. 88349:156-88349:235.

9605290158 Responds to recent request re public release of Northeast Util Sys self-assessment repts submitted in 1991 & withdraws request that subj repts be withheld from public disclosure.
CUOCO,L.M. Northeast Utilities Service Co. 96/05/21. MOORE,J.E. Office of the General Counsel (Post 860701). 2pp. 88375:359-88375:362.

9605300039 Ltr contract,definitizing task order 211, "Technical Review of Licensing Basis for Millstone Unit 1," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. 96/05/21. KNIGHT,D. SCIENTECH, Inc. 2pp. 88400:109-88400:110.

9605300127 Requests detailed description of plans for completion of work required to respond to 951213,960307 & 0404 ltrs & provide comprehensive list of design & configuration deficiencies identified after 951213 ltr & after 7007 rept.
RUSSELL,W.T. . 96/05/21. BUSCH,R.E. Northeast Utilities Service Co. 5pp. 88390:064-88390:068.

Q. Inspection reports, IE Bulletins & correspondence

9605070002 Ack receipt of 960318 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-42, 50-336/95-42 & 50-423/95-42.
DURR,J. Region 1 (Post 820201). 96/04/24. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 88114:001-88114:023.

9605070005 Ack receipt of 960411 ltr informing NRC of steps taken to correct violations noted in insp rept 50-245/95-44 on 951227.
LANNING,W.D. Region 1 (Post 820201). 96/04/30. DACIMO,F.R., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 88114:024-88114:034.

9605070077 Ack receipt of 960110 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31.
LANNING,W.D. Region 1 (Post 820201). 96/04/30. MILLER,D.B. Northeast Nuclear Energy Co. 3pp. 88112:114-88112:126.

9605070160 Forwards corrected NOV for combined insp repts 50-245/95-42, 50-336/95-42 & 50-423/95-42 & meeting record summary of 951221 & 960212 drop-in meetings.
DURR,J.P. Region 1 (Post 820201). 96/04/30. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 4pp. 88114:116-88114:122.

--9605070164 Corrected notice of violation on 951105-951226.Violations noted:failure to establish measures at Unit One to assure that applicable deign basis for reactor pressure were correctly translated into procedures.
* Region 1 (Post 820201). 96/02/06. 3pp. 88114:120-88114:122.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140274 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/05/10. Document Control Branch (Document Control Desk). 31pp. 88270:311-88270:341.

9605210017 Ack receipt of 960110 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822.
DURR,J. Region 1 (Post 820201). 96/05/16. FEIGENBAUM,T.C., HARTSTER,T.L. Northeast Nuclear Energy Co. 2pp. 88305:272-88305:283.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030136 Forwards "Annual Radioactive Effluent Rept 1995." Rept includes summary of quantities of solid radwaste & liquid & gaseous effluents & summary of assessment of max individual & population dose from radioactive airborne.
DACIMO,F.R. Northeast Nuclear Energy Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88116:176-88116:343.

--9605030141 "Annual Radioactive Effluent Rept 1995."
* Northeast Nuclear Energy Co. 95/12/31. 166pp. 88116:178-88116:343.

9605220428 Forwards monthly operating repts for Apr 1996 for Millstone Units 1,2 & 3 & monthly operating rept correction for Mar 1996 for Unit 3.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88369:308-88369:325.

--9605220436 Monthly operating repts for Apr 1996 for Millstone Nuclear Power Station Units 1,2 & 3.
NEWBURGH,G., BORCHERT,R., HUDSON,I.R. Northeast Nuclear Energy Co. 96/04/30. 14pp. 88369:310-88369:324.

--9605220443 Monthly operating rept correction for Mar 1996 for Millstone Unit 3.
HUDSON,I.R. Northeast Nuclear Energy Co. 96/03/31. 1p. 88369:325-88369:325.

S. Reportable occurrences, LERs & related correspondence

9605090061 LER 96-025-00:on 960327,RPS power supplies did not meet physical separation criteria.Caused by inadequate design mod.Identified & corrected separation criteria design inadequacies of undervoltage trip circuitry.W/960426 ltr.
WALPOLE,R.W., NOOL,W.G. Northeast Nuclear Energy Co. 96/04/26. 4pp. 88243:343-88243:346.

9605090053 LER 96-027-00:on 960328,bolting matl installed on containment penetration did not meet design spec.Caused by personnel error.Removed incorrect bolting matl in Gibs manway prior to startup for operating cycle 16.W/960429 ltr.
WALPOLE,R.W., NOLL,W.G. Northeast Nuclear Energy Co. 96/04/29. 7pp. 88243:336-88243:342.

9605210378 LER 96-030-00:on 960417,radiation monitoring sys detector cables did not meet physical separation criterion of design basis.Caused by inadequate plant design mods.Cables physically separated.W/960516 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/05/16. 5pp. 88389:007-88389:011.

9605220013 LER 96-011-01:on 951212,SGTS & secondary containment requirements not met.Caused by personnel error.SGTS surveillance requirements reviewed w/ personnel.W/960516 ltr.
WALPOLE,R.W., NOLL,W.G. Northeast Nuclear Energy Co. NOLL,W.G. Northeast Utilities Service Co. 96/05/16. 6pp. 88389:094-88389:099.

9605220455 Forwards LER 96-002-00,LER 96-007-00 & LER 96-008-00.
RIFFER,W.J., NOLL,W.G. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/05/16. Document Control Branch (Document Control Desk). 2pp. 88389:120-88389:137.

--9605220465 LER 96-002-00:on 960125,reactor overpressure due to inadequate procedural control to maintain reactor operating pressures within appropriate limits.Reduced reactor pressure.W/960226 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. 96/02/23. 6pp. 88389:122-88389:127.

--9605220476 LER 96-007-00:on 960129,emergency gas turbine generator & emergency diesel generator inoperable simultaneously.Caused by improper interpretation of Tech Specs.Tech Spec clarification initiated.W/960227 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. 96/02/27. 5pp. 88389:128-88389:132.

--9605220479 LER 96-008-00:on 960125,ATWS low-water setpoints found outside of design basis limit.Caused by failure to recognize correlation between changes in fuel & effect on various sys setpoints in plant.Setpoint adjusted.W/960226 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. 96/02/23. 5pp. 88389:133-88389:137.

9605310152 LER 96-031-00:on 960425,ADS fuses improperly installed. Caused by lack of adequate procedural guidance for application & replacement of fuses in plant equipment.Fuses will be replaced.W/960523 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/05/23. 5pp. 88444:187-88444:191.

9605310161 LER 96-033-00:on 960424,control room exhaust fans failed to trip after high radiation control room isolation signal. Caused by inadequate design change.No immediate action necessary because plant in cold shutdown.W/960523 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/05/23. 5pp. 88444:203-88444:207.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605170371 Forwards both forms of generic fundamentals exam section of written operator licensing exam including,answer keys, grading results for facility & individual answer sheet for employees.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. HEIDECKER,R.W. Northeast Nuclear Energy Co. 2pp. 88284:091-88284:092.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605140440 Forwards Rev 15 to physical security plan.Rev withheld,per 10CFR2.790(d) & 73.21.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88262:358-88262:359.

9605140316 Revised EPIPs,including rev 11 to IAP-1, "Emergency Director" & rev 7 to IAP-5, "Survey Team Health Physicist." W/960507 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/05/07. 26pp. 88271:177-88271:202.

9605300184 Forwards insp rept 50-247/96-02 on 960303 & forwards NOV. Violation of concern because it involves failure to perform evolution by approved procedures & undocumented mod of equipment described in unit 1 FSAR.
COWGILL,C.J. Region 1 (Post 820201). 96/05/21. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 88384:153-88384:202.

P. Operating license stage documents & correspondence

9605070372 Submits annual 10CFR50.46 rept for facility.Westinghouse notifies util that 1995 ECCS evaluation model changes & error corrections would result in penalty of approx 20 degrees F.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88174:001-88174:001.

9605100024 Forwards excerpts from draft ASP Rept for 1982-83 which document ASP Program analyses of operational events which occurred during 1982-1983 period,for info.Section 2.0 & App A from Rept also encl.Rept will be revised around 960531.
HAROLD,J.F. . 96/05/02. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 27pp. 88207:140-88207:166.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170496 Notification of 960521 meeting w/util in New York,NY to discuss hydrogen recombiners.
HAROLD,J.F. . 96/05/09. SHANKMAN,S.F. . 4pp. 88300:355-88300:358.

Q. Inspection reports, IE Bulletins & correspondence

9605100192 Responds to NRC 960327 ltr re violations noted in insp rept 50-247/96-01 on 951231-960302.C/As:stop work order issued & revised for entire site.Temporary procedure change written to restrict OI evolutions.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/29. Document Control Branch (Document Control Desk). 7pp. 88237:325-88237:331.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160136 Discusses Plant Performance Review for period of 950917-960330 & advises of planned insp effort.
COOPER,R.W. Region 1 (Post 820201). 96/05/06. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 6pp. 88275:277-88275:282.

9605160144 Discusses insp rept 50-247/96-01 on 951231-960302 & forwards notice of violation.
MARTIN,T.T. Region 1 (Post 820201). 96/05/06. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 5pp. 88275:288-88275:295.

--9605160148 Notice of violation from insp on 951231-960302.Violation noted:licensee did not evaluate potential safety impact of temporary repair which was changed in facility,per safety analysis rept.
* Region 1 (Post 820201). 96/05/06. 3pp. 88275:293-88275:295.

9605280125 Requests extension to response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88386:176-88386:177.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605300184 Forwards insp rept 50-247/96-02 on 960303 & forwards NOV. Violation of concern because it involves failure to perform evolution by approved procedures & undocumented mod of equipment described in unit 1 FSAR.
COWGILL,C.J. Region 1 (Post 820201). 96/05/21. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 88384:153-88384:202.

--9605300187 Notice of violation from insp on 960303-0504.Violation noted:operators drained waste distillate storage tank to unit 1 chemical sys building floor drain sys w/o approved procedure.
* Region 1 (Post 820201). 96/05/21. 2pp. 88384:156-88384:157.

--9605300191 Insp rept 50-247/96-02 on 960303-0504.Violation noted. Major areas inspected:plant operations,maint,surveillance, engineering & plant support.
COWGILL,C.J. Region 1 (Post 820201). 96/05/21. 45pp. 88384:158-88384:202.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060074 "1995 Radiological Environ Operating Rept for Indian Point Nuclear Power Plants." W/960429 ltr.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/31. 120pp. 88154:194-88154:313.

9605070375 "Annual Environ Protection Plan Rept for CY95." W/960430 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/31. 9pp. 88174:010-88174:018.

9605100157 "Annual Effluent & Waste Disposal Rept for 1995." W/960501 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/31. 100pp. 88216:001-88216:146.

9605220348 Forwards monthly operating rept for Apr 1996 for Indian Point Unit 2 & monthly operating rept correction for Mar 1996.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88359:008-88359:013.

--9605220357 Monthly operating rept for Apr 1996 for Indian Point Unit 2.
REED,A. Consolidated Edison Co. of New York, Inc. 96/04/30. 3pp. 88359:009-88359:011.

--9605220363 Monthly operating rept correction for Mar 1996 for Indian Point Unit 2.
REED,A. Consolidated Edison Co. of New York, Inc. 96/03/31. 2pp. 88359:012-88359:013.

9605280300 Forwards discharge monitoring repts for Apr 1996 for Indian Point Units 1,2 & 3 & rept of noncompliance event at Indian Point Unit 3.
MCAVOY,J. Consolidated Edison Co. of New York, Inc. 96/05/21. New York, State of. 1p. 88384:346-88384:358.

--9605280303 NPDES discharge monitoring repts for Apr 1996 for Indian Point Station Units 1,2 & 3.
MCAVOY,J. Consolidated Edison Co. of New York, Inc. 96/04/30. 12pp. 88384:347-88384:358.

S. Reportable occurrences, LERs & related correspondence

9605070265 LER 96-007-00:on 960329,potential challenge of high/low pressure interface was discovered.Caused by change in normal operating position of block valves.Instituted one-h fire watches in plant areas.W/960429 ltr.
DAHL,G., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/29. 5pp. 88191:268-88191:272.

9605170261 LER 96-008-00:on 960409 w/unit operating at 100 percent power three fuses blew during replacement of valve status indicating light fixture,resulting in loss of 125 volt DC power supply.Fuses replaced.W/960509 ltr.
MAYLATH,J.J., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/05/09. 5pp. 88341:124-88341:128.

V. Operator Examinations

9605160145 Requests info re 960425 rept of NRC-licensed operator who tested positive for controlled substance following drug test.
MEYER,G.W. Region 1 (Post 820201). 96/05/01. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 88275:296-88275:299.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605290156 Forwards insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329 & notice of violation.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. PERRY,J.S. Commonwealth Edison Co. 3pp. 88369:092-88369:128.

--9605290167 Notice of violation from insp on 960214-0329.Violation noted:during 1994 & 1995,47 emergency lighting units required by 10CFR50,App R not discharge-tested for 8 h as required by procedure DES 4153-04.
* Region 3 (Post 820201). 96/05/20. 2pp. 88369:095-88369:096.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605060187 Ltr contract:mod 5 to task order 20, "Individual Plant Exam (IPE) Reviews - Internal Events - Human Factors Only (Dresden 2 & 3)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HASS,P.M. Concord Associates, Inc. 2pp. 88104:025-88104:026.

9605030344 Provides updated radiological environ evaluation.All items identified as part of Tritium Abatement Plan have been dispositioned.
BRONS,J.C. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88137:158-88137:158.

9605100164 Forwards responses to NRC request for addl info on util licensing Topical Rept NFSR-0111.
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 23pp. 88226:301-88226:323.

9605200332 Rev 1.7 to Chapter 10 of ODCM,Dresden Annex.
* Commonwealth Edison Co. 96/04/30. 19pp. 88343:192-88343:210.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605160102 Ltr contract:mod 6 to task order 20, "Individual Plant Exam Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/05/09. HAAS,P. Concord Associates, Inc. 2pp. 88273:152-88273:153.

9605170499 Application for amends to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,closing out addl open items for SRM upscale,channel calibr,Item 3.b in Table 4.2.E-1.
PIET,P.L. Commonwealth Edison Co. 96/05/10. Document Control Branch (Document Control Desk). 11pp. 88325:235-88325:292.

-9605170501 Proposed tech specs,closing out addl open items for SRM upscale,channel calibr,Item 3.b in Table 4.2-E-1.
* Commonwealth Edison Co. 96/05/10. 47pp. 88325:246-88325:292.

9605200295 Clarifies operability acceptance criteria for Units 2 & 3 LPCI corner room structural steel.
PERRY,J.S. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 8pp. 88351:300-88351:307.

9605200352 Staff requirements memo re briefing by CE on status of NPP operations,particularly progress of improvements at Dresdan Station.
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/17. NRC - No Detailed Affiliation Given. 1p. 88296:355-88296:355.

9605210301 Requests addl info re structural steel operability for plant.
PULSIFER,R.M. . 96/05/17. FARRAR,D.L. Commonwealth Edison Co. 2pp. 88308:178-88308:179.

9605240126 Notification of licensee meeting w/util on 960523 in Rockville,MD to discuss plant Unit 3 corner room steel operability evaluation & proposed license amend re continued operation until next refueling outage.
STANG,J. . 96/05/22. CAPRA,R.A. . 2pp. 88351:228-88351:229.

9605280058 Application for amend to license DPR-25 requesting emergency amend temporarily modifying description of certain corner room steel supports to match current configuraton until mod during next refueling outage.
PERRY,J.S. Commonwealth Edison Co. 96/05/22. Document Control Branch (Document Control Desk). 17pp. 88380:201-88380:294.

-9605280063 Proposed tech specs,requesting emergency amend temporarily modifying description of certain corner room steel support to match current configuration until mod during next refueling outage.
* Commonwealth Edison Co. 96/05/22. 13pp. 88380:218-88380:230.

-9605280074 Commonwealth Edison Co calculation of functional evaluation for Units 2 & 3 LPCI corner room structural steel.
* Commonwealth Edison Co. 9389-04-D2-SW R00. 96/05/21. 64pp. 88380:231-88380:294.

9605290070 Provides core shroud insp plan for Dresden Unit 3 to NRC per requirements of GL 94-03.
PERRY,J.S. Commonwealth Edison Co. 96/05/22. Document Control Branch (Document Control Desk). 5pp. 88387:352-88387:356.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

9605300164 Advises that "Analysis of the Dresden & Quad Cities Shroud Repair Hardware Seismic Design w/Improved Tie Rod & Shroud Weld Crack Equivalent Rotational Stiffness" will be withheld from public disclosure pursuant to 10CFR 2.790(b)(5).
STANG,J.F. . 96/05/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88394:095-88394:097.

Q. Inspection reports, IE Bulletins & correspondence

9605290018 Confirms discussion w/R Rybak to change date of closed Enforcement Conference to 960501 in Lisle,IL.
RING,M.A. Region 3 (Post 820201). 96/04/18. WALLACE,M.J. Commonwealth Edison Co. 2pp. 88369:001-88369:002.

9605030389 Provides results of Unit 2 tests re NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
PERRY,J.S. Commonwealth Edison Co. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88156:351-88156:352.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170242 Forwards Predecisional Enforcement Conference repts 50-237/96-07,50-249/96-07,50-254/96-07 & 50-265/96-07 on 960501.Slides encl.
GRANT,G.E. Region 3 (Post 820201). 96/05/10. MAIMAN,T.J. Commonwealth Edison Co. 2pp. 88284:222-88284:300.

-9605170256 Predecisional Enforcement Conference repts 50-237/96-07, 50-249/96-07,50-254/96-07 & 50-265/96-07 on 960501. Violations identified.Major areas discussed:apparent violations,root causes & contributing factors.
RING,M.A. Region 3 (Post 820201). 96/05/10. 77pp. 88284:224-88284:300.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605210101 Ltr contract,definitizing task order 108, "Special Insp of Dresden Units 2 & 3 Engineering & Licensing Activities" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 96/05/14. KNIGHT,D. SCIENTECH, Inc. 2pp. 88385:162-88385:163.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605290156 Forwards insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329 & notice of violation.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. PERRY,J.S. Commonwealth Edison Co. 3pp. 88369:092-88369:128.

-9605290167 Notice of violation from insp on 960214-0329.Violation noted:during 1994 & 1995,47 emergency lighting units required by 10CFR50,App R not discharge-tested for 8 h as required by procedure DES 4153-04.
* Region 3 (Post 820201). 96/05/20. 2pp. 88369:095-88369:096.

-9605290171 Insp repts 50-010/96-02,50-237/96-02 & 50-249/96-02 on 960214-0329.No violations noted.Major areas inspected: operations,maint,engineering,plant support,fire protection & emergency preparedness.
HILAND,P.L. Region 3 (Post 820201). 96/05/20. 32pp. 88369:097-88369:128.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605230109 Press release III-96-019, "NRC Special Insp Team to Present Findings of Review of 960515 Shutdown at Dresden Nuclear Plant."
* Region 3 (Post 820201). 96/05/22. 1p. 88389:173-88389:173.

9605290070 Provides core shroud insp plan for Dresden Unit 3 to NRC per requirements of GL 94-03.
PERRY,J.S. Commonwealth Edison Co. 96/05/22. Document Control Branch (Document Control Desk). 5pp. 88387:352-88387:356.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605170497 Monthly operating rept for Apr 1996 for Dresden Nuclear Power Station Units 1,2 & 3.W/960510 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/04/30. 13pp. 88332:293-88332:305.

S. Reportable occurrences, LERs & related correspondence

9605140142 LER 96-003-00:on 960415,12 h grab samples of SW effluent gross activity monitor not met during planned corrective maint on SW RM due to cognitive personnel error.Involved personnel disciplined.W/960510 ltr.
ZESZUTEK,J.W., PERRY,J.S. Commonwealth Edison Co. 96/05/10. 6pp. 88288:012-88288:017.

9605200178 Press release III-96-17, "NRC Dispatches Special Insp Team to Dresden Nuclear Plant to Review Reactor Shutdown on 960515."
* Region 3 (Post 820201). 96/05/16. 1p. 88356:308-88356:308.

9605210159 PNO-III-96-030:on 960515,unit 3 reactor scrammed as result of loss of water flow into reactor from normal feedwater sys.Cause under investigation.
HOPKINS,J., HILAND,P. Region 3 (Post 820201). 96/05/16. 1p. 88389:080-88389:080.

9605300009 PNO-III-96-032:on 960516,AIT formed to review circumstances surrounding 960515 reactor sram.Caused by failure of FW regulating valve.Issue being reviewed for possible generic implications.
HOPKINS,J., HILAND,P. Region 3 (Post 820201). 96/05/24. 2pp. 88444:015-88444:016.

T. Hearing transcripts on non-antitrust matters

9605160481 Transcript of 960513 public meeting in Rockville,MD re briefing by Comm Ed.Pp 1-87.Viewgraphs & video encl.
* Commissioners (Post 750119). 96/05/13. 144pp. 88288:091-88288:235.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9605100033 Forwards insp repts 50-250/96-03 & 50-251/96-03 on 960304-08.No violations or deviations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/03/30. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 88190:207-88190:215.

--9605100035 Insp repts 50-250/96-03 & 50-251/96-03 on 960304-08.No violations noted.Major areas inspected:security program plans & implementing procedures;testing,maintenance & compensatory measures;vital access control of personnel.
STRATTON,L.C., FREDRICKSON,P. Region 2 (Post 820201). 96/03/26. 6pp. 88190:210-88190:215.

9605030119 Forwards Rev 9 to physical security plan,including summary of changes,revised list of effective pages & completely retyped of Rev 9 of plan.Encl withheld,per 10CFR2.790(a)(3).
HOVEY,R.J. Florida Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88139:354-88139:354.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100199 Responds to RAI re proposed amend concerning thermal power uprate.
HOVEY,R.J. Florida Power & Light Co. 96/05/03. Document Control Branch (Document Control Desk). 40pp. 88226:261-88226:300.

9605140363 Forwards response to request for addl info re proposed licensee amends for SBLOCA re-analysis.
HOVEY,R.J. Florida Power & Light Co. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88271:273-88271:277.

--9605140367 Proposed tech specs re SBLOCA re-analysis.
* Florida Power & Light Co. 96/05/09. 2pp. 88271:276-88271:277.

9605170223 Application for amends to Licenses DPR-31 & DPR-41,revising TS to achieve consistency throughout document by removing outdated matl & incorporating administrative clarifications & corrections.
HOVEY,R.J. Florida Power & Light Co. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88316:276-88316:287.

--9605170230 Proposed tech specs re various administrative improvements.
* Florida Power & Light Co. 96/05/10. 5pp. 88316:283-88316:287.

9605170254 Forwards response to NRC request for addl info re proposed license amends relocation of radiological effluent TS,using guidance of GL 89-01.
HOVEY,R.J. Florida Power & Light Co. 96/05/13. Document Control Branch (Document Control Desk). 7pp. 88316:135-88316:141.

9605170503 Forwards amends 184 & 178 to licenses DPR-31 & DPR-41 & SE. Amends revise TS re pressurizer heater surveillance testing & containment sump insp.
CROTEAU,R.P. . 96/05/13. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88292:300-88292:313.

--9605170511 Amends 184 & 178 to licenses DPR-31 & DPR-41,respectively, revising TS re pressurizer heater surveillance testing & containment sump insp.
* . 96/05/13. 7pp. 88292:303-88292:309.

--9605170514 Safety evaluation supporting amends 184 & 178 to licenses DPR-31 & DPR-41,respectively.
* . 96/05/13. 4pp. 88292:310-88292:313.

9605210527 Responds to request for info on species protected by Endangered Species Act that may occurr in vicinity of plants.Revised species lists for areas adjacent to plant sites encl.
BROWN,J. Commerce, Dept. of, National Oceanic & Atmospheric Administration. 96/05/15. NEWBERRY,S.F. . 4pp. 88359:339-88359:342.

Q. Inspection reports, IE Bulletins & correspondence

9605100033 Forwards insp repts 50-250/96-03 & 50-251/96-03 on 960304-08.No violations or deviations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/03/30. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 88190:207-88190:215.

--9605100035 Insp repts 50-250/96-03 & 50-251/96-03 on 960304-08.No violations noted.Major areas inspected:security program plans & implementing procedures;testing,maintenance & compensatory measures;vital access control of personnel.
STRATTON,L.C., FREDRICKSON,P. Region 2 (Post 820201). 96/03/26. 6pp. 88190:210-88190:215.

9605140430 Forwards insp repts 50-250/96-02 & 50-251/96-02 on 960211-0323.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 96/04/22. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88243:056-88243:123.

--9605140433 Insp repts 50-250/96-02 & 50-251/96-02 on 960211-0323.No violations noted.Major areas inspected:plant operations, maint,engineering,plant support,summary of plant status, & operations.
JOHNSON,T.., LANDIS,K.D. Region 2 (Post 820201). 96/04/22. pp. 88243:059-88243:123.

9605030068 Responds to NRC 960325 ltr re violation noted in DOL Case 92-ERA-10.Predecisional enforcement conference requested at which util will offer info demonstrating that Secretary of Labor decision incorrect & that no violation occurred.
PLUNKETT,T.F. Florida Power & Light Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88137:026-88137:026.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170034 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOVEY,R.J. Florida Power & Light Co. 96/05/13. Document Control Branch (Document Control Desk). 9pp. 88341:092-88341:100.

9605170503 Forwards amends 184 & 178 to licenses DPR-31 & DPR-41 & SE. Amends revise TS re pressurizer heater surveillance testing & containment sump insp.
CROTEAU,R.P. . 96/05/13. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88292:300-88292:313.

--9605170511 Amends 184 & 178 to licenses DPR-31 & DPR-41,respectively, revising TS re pressurizer heater surveillance testing & containment sump insp.
* . 96/05/13. 7pp. 88292:303-88292:309.

--9605170514 Safety evaluation supporting amends 184 & 178 to licenses DPR-31 & DPR-41,respectively.
* . 96/05/13. 4pp. 88292:310-88292:313.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605170504 Monthly operating repts for Apr 1996 for Turkey Point Units 3 & 4.W/960513 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 96/04/30. 10pp. 88336:344-88336:353.

S. Reportable occurrences, LERs & related correspondence

9605030192 LER 96-007-00:on 960329,inadvertent ESF actuation occurred during refueling outage due to cognitive personnel error. Personnel involved counseled & integrated safeguards test procedures being revised.W/960429 ltr.
MOWREY,C.L., HOVEY,R.J. Florida Power & Light Co. 96/04/29. 5pp. 88158:357-88158:361.

9605170247 LER 96-004-01:on 960220,identified potential Tech Spec non-compliance associated w/surveillance testing of AFW actuation circuitry on SG.Caused by inadequate surveillance procedures.Procedures revised.W/960513 ltr.
HANEK,O., HOVEY,R.J. Florida Power & Light Co. 96/05/13. 8pp. 88341:116-88341:123.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9605100033 Forwards insp repts 50-250/96-03 & 50-251/96-03 on 960304-08.No violations or deviations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/03/30. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 88190:207-88190:215.

--9605100035 Insp repts 50-250/96-03 & 50-251/96-03 on 960304-08.No violations noted.Major areas inspected:security program plans & implementing procedures;testing,maintenance & compensatory measures;vital access control of personnel.
STRATTON,L.C. Region 2 (Post 820201). 96/03/26. 6pp. 88190:210-88190:215.

9605030119 Forwards Rev 9 to physical security plan,including summary of changes,revised list of effective pages & completely retyped of Rev 9 of plan.Encl withheld,per 10CFR2.790(a)(3).
HOVEY,R.J. Florida Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88139:354-88139:354.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100199 Responds to RAI re proposed amend concerning thermal power uprate.
HOVEY,R.J. Florida Power & Light Co. 96/05/03. Document Control Branch (Document Control Desk). 40pp. 88226:261-88226:300.

9605140363 Forwards response to request for addl info re proposed licensee amends for SBLOCA re-analysis.
HOVEY,R.J. Florida Power & Light Co. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88271:273-88271:277.

--9605140367 Proposed tech specs re SBLOCA re-analysis.
* Florida Power & Light Co. 96/05/09. 2pp. 88271:276-88271:277.

9605170223 Application for amends to Licenses DPR-31 & DPR-41,revising TS to achieve consistency throughout document by removing outdated matl & incorporating administrative clarifications & corrections.
HOVEY,R.J. Florida Power & Light Co. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88316:276-88316:287.

-9605170230 Proposed tech specs re various administrative improvements.
* Florida Power & Light Co. 96/05/10. 5pp. 88316:283-88316:287.

9605170254 Forwards response to NRC request for addl info re proposed license amends relocation of radiological effluent TS,using guidance of GL 89-01.
HOVEY,R.J. Florida Power & Light Co. 96/05/13. Document Control Branch (Document Control Desk). 7pp. 88316:135-88316:141.

9605170503 Forwards amends 184 & 178 to licenses DPR-31 & DPR-41 & SE. Amends revise TS re pressurizer heater surveillance testing & containment sump insp.
CROTEAU,R.P. . 96/05/13. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88292:300-88292:313.

-9605170511 Amends 184 & 178 to licenses DPR-31 & DPR-41,respectively, revising TS re pressurizer heater surveillance testing & containment sump insp.
* . 96/05/13. 7pp. 88292:303-88292:309.

-9605170514 Safety evaluation supporting amends 184 & 178 to licenses DPR-31 & DPR-41,respectively.
* . 96/05/13. 4pp. 88292:310-88292:313.

9605210527 Responds to request for info on species protected by Endangered Species Act that may occurr in vicinity of plants.Revised species lists for areas adjacent to plant sites encl.
BROWN,J. Commerce, Dept. of, National Oceanic & Atmospheric Administration. 96/05/15. NEWBERRY,S.F. . 4pp. 88359:339-88359:342.

Q. Inspection reports, IE Bulletins & correspondence

9605100033 Forwards insp repts 50-250/96-03 & 50-251/96-03 on 960304-08.No violations or deviations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/03/30. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 88190:207-88190:215.

-9605100035 Insp repts 50-250/96-03 & 50-251/96-03 on 960304-08.No violations noted.Major areas inspected:security program plans & implementing procedures;testing,maintenance & compensatory measures;vital access control of personnel.
STRATTON,L.C., FREDRICKSON,P. Region 2 (Post 820201). 96/03/26. 6pp. 88190:210-88190:215.

9605140430 Forwards insp repts 50-250/96-02 & 50-251/96-02 on 960211-0323.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 96/04/22. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88243:056-88243:123.

-9605140433 Insp repts 50-250/96-02 & 50-251/96-02 on 960211-0323.No violations noted.Major areas inspected:plant operations, maint,engineering,plant support,summary of plant status, & operations.
JOHNSON,T.., LANDIS,K.D. Region 2 (Post 820201). 96/04/22. pp. 88243:059-88243:123.

9605030068 Responds to NRC 960325 ltr re violation noted in DOL Case 92-ERA-10.Predecisional enforcement conference requested at which util will offer info demonstrating that Secretary of Labor decision incorrect & that no violation occurred.
PLUNKETT,T.F. Florida Power & Light Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88137:026-88137:026.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070247 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
HOVEY,R.J. Florida Power & Light Co. 96/05/01. Document Control Branch (Document Control Desk). 7pp. 88192:345-88192:351.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170034 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOVEY,R.J. Florida Power & Light Co. 96/05/13. Document Control Branch (Document Control Desk). 9pp. 88341:092-88341:100.

9605170503 Forwards amends 184 & 178 to licenses DPR-31 & DPR-41 & SE. Amends revise TS re pressurizer heater surveillance testing & containment sump insp.
CROTEAU,R.P. . 96/05/13. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88292:300-88292:313.

-9605170511 Amends 184 & 178 to licenses DPR-31 & DPR-41,respectively, revising TS re pressurizer heater surveillance testing & containment sump insp.
* . 96/05/13. 7pp. 88292:303-88292:309.

-9605170514 Safety evaluation supporting amends 184 & 178 to licenses DPR-31 & DPR-41,respectively.
* . 96/05/13. 4pp. 88292:310-88292:313.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605170504 Monthly operating repts for Apr 1996 for Turkey Point Units 3 & 4.W/ 960513 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 96/04/30. 10pp. 88336:344-88336:353.

S. Reportable occurrences, LERs & related correspondence

9605140093 LER 96-001-00:on 960409,manual RT occurred due to turbine governer control oil perturbation.Disassembled & inspected governor valve for cleanliness & corrosion products.W/960506 ltr.
HICKEY,J.A., HOVEY,R.J. Florida Power & Light Co. 96/05/06. 5pp. 88268:039-88268:043.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605060365 Rev 1 to EPIP QEP 120-T12, "Quad Cities Station Percent Clad Damage Versus Containment Radiation Readings (Uncorrected)."
* Commonwealth Edison Co. 92/09/21. 2pp. 88183:357-88183:358.

9605030387 Rev 2 to QEP 120-T7, "Quad Cities Station,Percent Core Damage Versus Containment Radiation Readings (Uncorrected)."
* Commonwealth Edison Co. 96/04/24. 2pp. 88155:326-88155:327.

9605060360 Revised EPIPs,including Rev 18 to QEP 0140-00, "Security Director" & Rev 10 to QEP 0140-S01, "Security Director Alert Checklist."
* Commonwealth Edison Co. 96/05/01. 9pp. 88184:259-88184:267.

9605070034 Replacement pages 7-88 to Rev 23 to QEP 0200-T01.
THIEDE,J. Commonwealth Edison Co. 96/05/01. 82pp. 88171:113-88171:195.

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

-9407180189 Discusses whether current NRC regulations require licensees to mitigate effects of LOCA during degraded voltage conditions in conjunction w/single failure & if further generic action needed.No addl action needed.
BERLINGER,C.H. Electrical Engineering Branch. 94/07/13. DYER,J.E. Project Directorate III-2. 2pp. 88137:280-88137:281.

-9407250133 Discusses documentation of generic safety issues on degraded voltage protection & recommends that JA Murphy take steps necessary to include assignment of priorities in NUREG-0933, "Prioritization of Generic Safety Issues."
SHERON,B.W. Division of Engineering (Post 921004). 94/07/13. MURPHY,J.A. Division of Safety Issue Resolution (880717-941217). 2pp. 88137:282-88137:283.

9605020402 Forwards safety evaluation re core spray internal piping for plant Unit 1.
PULSIFER,R.M. . 96/04/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88095:326-88095:334.

-9605020406 SER concluding Unit 1 can be safely operated for next fuel cycle w/o repairing flawed core spray elbows.Continued plant operation beyond next fuel cycle will depend on findings from next reinspection or by implementing acceptable repair.
* . 96/04/29. 6pp. 88095:330-88095:334.

9605100164 Forwards responses to NRC request for addl info on util licensing Topical Rept NFSR-0111.
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 23pp. 88226:301-88226:323.

9605100155 Provides updated schedule for licensing actions necessary to support transition of plants to fuel supplied by Siemens Power Corp.
HOSMER,J.B. Commonwealth Edison Co. 96/05/01. Document Control Branch (Document Control Desk). 5pp. 88237:339-88237:343.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140178 Documents implementation of new LCOs & SR re revs to TS for 10CFR50,App J,LRT.
KRAFT,E.S. Commonwealth Edison Co. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88255:325-88255:359.

--9605140181 Proposed tech specs,implementing new LCO & SR re revs to TS for 10CFR50,App J,LRT.
* Commonwealth Edison Co. 96/05/06. 33pp. 88255:327-88255:359.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605150194 Forwards safety evaluation re flaw evaluation of recirculation sys piping welds for plant,Unit 1.
PULSIFIER,R.M. . 96/05/10. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88269:341-88269:346.

--9605150199 Safety evaluation concluding that plant,Unit 1 can be safely operated for next fuel cycle w/o repairing welds 02AD-F12, 02AS-S4 & 02BS-F14.
* . 96/05/10. 3pp. 88269:344-88269:346.

9605170499 Application for amends to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,closing out addl open items for SRM upscale,channel calibr,Item 3.b in Table 4.2.E-1.
PIET,P.L. Commonwealth Edison Co. 96/05/10. Document Control Branch (Document Control Desk). 11pp. 88325:235-88325:292.

--9605170501 Proposed tech specs,closing out addl open items for SRM upscale,channel calibr,Item 3.b in Table 4.2-E-1.
* Commonwealth Edison Co. 96/05/10. 47pp. 88325:246-88325:292.

9605160467 Submits results of plant short term performance upgrade activities described in ltr dtd 951226.
KRAFT,E.S. Commonwealth Edison Co. 96/05/15. . 13pp. 88310:348-88310:360.

9605170451 Provides addl info re corner room steel operability evaluation.
KRAFT,E.S. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 11pp. 88325:345-88325:355.

9605280234 Transmits sample plan for snubber functional testing during Quad Cities Station (QCS) Unit 2 refuel outage Q2R14 & QCS Unit 1 refuel outage Q1R15,respectively.
KRAFT,E.S. Commonwealth Edison Co. 96/05/20. Document Control Branch (Document Control Desk). 4pp. 88386:235-88386:238.

9605290099 Forwards revs to COLR for Quad Cities Station Unit 1 Cycle 15 & Unit 2 Cycle 14,in accordance w/TS 6.6.A.1.
SMITH,J. Commonwealth Edison Co. 96/05/22. RUSSELL,W. . 1p. 88388:305-88388:347.

--9605290106 Revised "COLR for Quad Cities Unit 1,Cycle 15."
* Commonwealth Edison Co. 96/05/31. 20pp. 88388:306-88388:325.

--9605300015 Revised "COLR for Quad Cities Unit 2,Cycle 14."
* Commonwealth Edison Co. 96/05/31. 22pp. 88388:326-88388:347.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

9605300164 Advises that "Analysis of the Dresden & Quad Cities Shroud Repair Hardware Seismic Design w/Improved Tie Rod & Shroud Weld Crack Equivalent Rotational Stiffness" will be withheld from public disclosure pursuant to 10CFR 2.790(b)(5).
STANG,J.F. . 96/05/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88394:095-88394:097.

Q. Inspection reports, IE Bulletins & correspondence

9605290018 Confirms discussion w/R Rybak to change date of closed Enforcement Conference to 960501 in Lisle,IL.
RING,M.A. Region 3 (Post 820201). 96/04/18. WALLACE,M.J. Commonwealth Edison Co. 2pp. 88369:001-88369:002.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170242 Forwards Predecisional Enforcement Conference repts 50-237/96-07,50-249/96-07,50-254/96-07 & 50-265/96-07 on 960501.Slides encl.
GRANT,G.E. Region 3 (Post 820201). 96/05/10. MAIMAN,T.J. Commonwealth Edison Co. 2pp. 88284:222-88284:300.

--9605170256 Predecisional Enforcement Conference repts 50-237/96-07, 50-249/96-07,50-254/96-07 & 50-265/96-07 on 960501. Violations identified.Major areas discussed:apparent violations,root causes & contributing factors.
RING,M.A. Region 3 (Post 820201). 96/05/10. 77pp. 88284:224-88284:300.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605230062 Responds to violations noted in insp repts 50-254/96-02 & 50-265/96-02.Corrective actions:operating orders issued to SRO License holders.
KRAFT,E.S. Commonwealth Edison Co. 96/05/16. Document Control Branch (Document Control Desk). 7pp. 88366:345-88366:351.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605010066 "Quad Cities Station Annual Radiological Environ Operating Rept for 1995." W/960426 ltr.
PEARCE,L.W. Commonwealth Edison Co. 95/12/31. 124pp. 88077:146-88077:268.

9605220134 Forwards monthly operating repts for Apr 1996 for Quad Cities Nuclear Power Station Units 1 & 2 & revised rept for Mar 1996 for Unit 2.
PEARCE,L.W. Commonwealth Edison Co. 96/05/03. Document Control Branch (Document Control Desk). 1p. 88358:339-88358:359.

--9605220144 Monthly operating rept for Apr 1996 for Quad-Cities Nuclear Power Station Unit 1 & 2.
MOORE,K. Commonwealth Edison Co. 96/04/30. 19pp. 88358:340-88358:358.

--9605220157 Revised monthly operating rept for Mar 1996 for Quad Cities Unit 2.
MOORE,K. Commonwealth Edison Co. 96/03/31. 1p. 88358:359-88358:359.

S. Reportable occurrences, LERs & related correspondence

9605130055 PNO-III-96-029:on 960510,minor damage occurred to bldgs on plant site due to high winds or possible tornado touching down.Alert declared,TSC activated & off-site notifications made to appropriate state & local authorities.
CLAYTON,B., CALDWELL,J. Region 3 (Post 820201). 96/05/10. 2pp. 88267:308-88267:309.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

9605280134 Discusses administration of written & operating exams scheduled for wk of 960923.Staff must furnish ref matls identified in ES-201 by 960909.
BURDICK,T.M. Region 3 (Post 820201). 96/05/24. KRAFT,E. Commonwealth Edison Co. 3pp. 88354:357-88354:359.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9605070365 Rev 3 to EPIP EI-6.6, "Gamma E Determination," applicability review.
* Consumers Power Co. 96/04/22. 2pp. 88169:354-88169:355.

9605020087 Rev 3 to Emergency Implementing Procedure EI-6.4, "Release/ Potential Release Determination From Containment High-Range Monitors," reflecting cover-sheet applicability review.
MENNUCEI,M., BROTT,N.K., GROGAN,M.L. Consumers Power Co. 96/04/23. 2pp. 88122:359-88122:360.

9605020083 Temporary Change EI-96-003 to Rev to Emergency Implementing Procedure EI-7.5, "Boron;Chloride Ion Chromatography Method Post Accident."
CALLOWAY,A.A. Consumers Power Co. 96/04/24. 4pp. 88122:353-88122:356.

9605070377 Rev 3 to EPIP EI-5, "Reentry," reflecting editorial change.
BRUNET,J.R. Consumers Power Co. 96/04/24. 8pp. 88174:002-88174:009.

9605070168 Editorial changes & applicability review of Rev 8 to emergency implementing (EI) procedure EI-9, "Offsite Radiological Monitoring."
BRUNET,J.R. Consumers Power Co. 96/04/25. 26pp. 88199:127-88199:152.

9605070173 Editorial changes to Rev 4 to emergency implementing (EI) procedure EI-15.2, "Communications Tests."
BRUNET,J.R. Consumers Power Co. 96/04/25. 13pp. 88199:114-88199:126.

9605070368 Rev 8 to EPIP EI-4.1, "Technical Support Ctr Activation," reflecting editorial change.
BRUNET,J.R. Consumers Power Co. 96/04/25. 21pp. 88173:178-88173:198.

9605070374 Rev 11 to EPIP EI-4.2, "Operational Support Ctr Activation," reflecting editorial change.
BRUNET,J.R. Consumers Power Co. 96/04/25. 28pp. 88173:199-88173:228.

9605070376 Rev 11 to EPIP EI-8, "Onsite Radiological Monitoring," reflecting editorial changes.
BRUNET,J.R. Consumers Power Co. 96/04/25. 30pp. 88173:229-88173:258.

9605070378 Rev 19 to EPIP EI-2.1, "Emergency Actions/Notifications/ Responsibilities," reflecting editorial changes & applicability review.
BRUNET,J.R. Consumers Power Co. 96/04/25. 12pp. 88173:259-88173:270.

9605070380 Rev 7 to EPIP EI-4.3, "Emergency Operations Facility Activation," reflecting editorial change & applicability review.
BRUNET,J.R. Consumers Power Co. 96/04/25. 10pp. 88173:271-88173:280.

9605070166 Editorial changes to Rev 4 to EOF procedure EOF-12, "Logistics Support Team."
BRUNET,J.R. Consumers Power Co. 96/04/26. 11pp. 88199:103-88199:113.

9605070083 Rev 14 to EPIP EI-3, "Communications & Notifications."
BRUNET,J.R. Consumers Power Co. 96/04/30. 4pp. 88172:355-88172:358.

9605070065 Rev 6 to EPIP EI-6.7, "Plant site Meteorological Sys."
BRUNET,J.R. Consumers Power Co. 96/05/01. 11pp. 88173:312-88173:322.

9605070080 Temporary Change EI-96-004 to Rev 12 to EPIP EI-7.1, "Post Accident Sampling - PCS Liquid/Gas & Containment Air."
* Consumers Power Co. 96/05/02. 3pp. 88172:359-88172:361.

9605100049 Advises that 960415 rev 34 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/05/02. SMEDLEY,R.W. Consumers Power Co. 2pp. 88238:280-88238:281.

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605070366 Rev 45 to EOF procedure App G, "Emergency Telephone Numbers," reflecting editorial changes.
* Consumers Power Co. 96/05/03. 10pp. 88173:302-88173:311.

9605160421 Rev 8 to EPIP EI-6.13, "Protective Action Recommendations for Offsite Populations."
* Consumers Power Co. 96/05/03. 18pp. 88318:319-88318:335.

9605160453 Rev 5 to EPIP EI-6.3, "Release Rate Determination from High Range Effluent Monitors."
* Consumers Power Co. 96/05/03. 2pp. 88318:244-88318:245.

9605160429 Requests signature & return of rev 3 to EPIP EI-6.4, "Release/Potential Release Determination From Contamination High Range Monitors."
* Consumers Power Co. 96/05/08. MCKNIGHT,J. NRC - No Detailed Affiliation Given. 1p. 88318:246-88318:246.

9605160438 Requests signature & return of Rev 3 to EI-6.6, "Gamma E Determination."
* Consumers Power Co. 96/05/08. NRC - No Detailed Affiliation Given. 1p. 88318:252-88318:252.

9605160446 Requests signature & return of temporary change EI-96-003 to rev 7 to EI-7.5, "Boron;Chloride Ion Chromatography Method Post-Accident.
* Consumers Power Co. 96/05/08. MCKNIGHT,J. NRC - No Detailed Affiliation Given. 1p. 88318:280-88318:280.

9605240231 Rev 18 to Procedure Section 4, "Emergency Conditions."
BRUNET,J.R. Consumers Power Co. 96/05/13. 46pp. 88374:006-88374:051.

9605240224 Rev 5 to procedure EOF-1, "Emergency Officer," reflecting cancellation of procedure.
* Consumers Power Co. 96/05/14. 1p. 88373:351-88373:351.

9605240229 Rev 68 to Emergency Operations Facility Procedures Index.
* Consumers Power Co. 96/05/14. 2pp. 88373:352-88373:353.

9605240237 Temporary Change EI-96-005 to Rev 14 to Procedure EI-3-04, "Communications & Notifications."
BRUNET,J.R. Consumers Power Co. 96/05/15. 3pp. 88373:354-88373:356.

9605240240 Temporary Change EP-96-001 to Rev 8,Section 7 to "Palisades Site Emergency Plan."
BRUNET,J.R. Consumers Power Co. 96/05/15. 3pp. 88373:357-88373:359.

9605290104 Forwards insp rept 50-255/96-04 on 960318-0429.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/05/20. PALMISANO,T. Palisades Generating Co. 3pp. 88384:138-88384:152.

-9605290105 Insp rept 50-255/96-04 on 960318-0429.No violations noted. Major areas inspected:review special circumstances surrounding several fire protection conditions identified by licensee as being outside of design basis of facility.
GARDNER,R.N. Region 3 (Post 820201). 96/05/20. 11pp. 88384:141-88384:152.

9605310219 Rev 12 to EPIP EI-7.1, "Post-Accident Sampling - PCS Liquid/ Gas & Containment Air."
SULLIVAN,M., NICKLESS,B. Consumers Power Co. 96/05/21. 42pp. 88421:001-88421:042.

9605310244 Rev 9 to App H to EPIP "Emergency Planning," of EOF training matrix.
* Consumers Power Co. 96/05/21. 2pp. 88418:338-88418:339.

9605310245 Rev 2 to Section 9 to EPIP, "Recovery."
BRUNET,J.J. Consumers Power Co. 96/05/21. 2pp. 88418:340-88418:341.

9605310205 Rev 23 to EPIP EI-1, "Activation of Site Emergency Plan/ Emergency Classification."
BRUNET,J.R. Consumers Power Co. 96/05/23. 45pp. 88403:196-88403:241.

9605310229 Rev 4 to EPIP EOF-11, "Administrative Support Team."
PENROD,K.L. Consumers Power Co. 96/05/23. 2pp. 88418:333-88418:334.

9605310242 Rev 19 to EPIP EI-2.1, "Emergency Actions/Notifications/ Responsibilities," reflecting editorial changes.
BRUNET,R.R. Consumers Power Co. 96/05/23. 3pp. 88418:335-88418:337.

G. Adjudicatory correspondence

9605290242 Responds to request made during 960425 telcon for document re cask loading schedule for plant & other documents concerning 950919 2.206 petition field by Lake Michigan Federation.Forwards pertinent documents.
KUGLER,A.J. . 96/05/23. ROEMER,E. Lake Michigan Federation. 3pp. 88392:171-88392:186.

H. General correspondence

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

9605160350 Requests NRC inspection of areas of weakness brought out in hearings & documents re design,construction & handling of VSC-24 casks to be used at Point Beach.
SINCLAIR,M.P. Don't Waste Michigan. 96/05/06. LEU,K. Office of Nuclear Material Safety & Safeguards. 8pp. 88314:161-88314:168.

9605200069 Requests responses to questions re casks loading at Point Beach & Palisades.
SHILLINGLAW,F. Affiliation Not Assigned. 96/05/14. HANSEN NRC - No Detailed Affiliation Given. 1p. 88351:249-88351:249.

9605210339 Responds to 960228 ltr re WEPC annual results & data rept for 1995 & list of mods to cask design & handling procedures.Detailed response provides info re availability of all pertinent documents & how NRC keeps track of changes.
MARCUS,G.H. . 96/05/16. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 88321:301-88321:306.

-9605210352 Requests response to 950927 ltr,citing 960212 ltr to author noting that subsequent response would be forthcoming.Poses questions on casks & shield lids.
SHILLINGLAW,F. Affiliation Not Assigned. 96/02/28. MARCUS,G. . 3pp. 88321:304-88321:306.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

-9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

P. Operating license stage documents & correspondence

9605010209 Notification of 960515 meeting w/listed participants in Rockville,MD to discuss plant updated reactor vessel fluence values.
GAMBERONI,M. . 96/04/23. REINHART,M. . 4pp. 88068:354-88068:357.

9605060178 Ltr contract:mod 7 to task order 15, "IPE Reviews - Internal Events - Human Factors Only (Palisades)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88113:360-88113:361.

9605060204 Forwards errata to Palisades updated RV fluence submittal dtd 960404,correcting page 1 of Attachment 1 & AEA Technology Evaluation AEAT-0121,removing inappropriately proprietary & restricted-commercial data markings.
SMEDLEY,R.W. Consumers Power Co. 96/04/26. Document Control Branch (Document Control Desk). 4pp. 88165:275-88165:338.

-9605060210 Nonproprietary version of "Fluence Calculations for Palisades Plant."
WRIGHT,W.V., AVERY,A.F., COOPER,C. AEA Technology. AEAT-0121. 96/04/01. 59pp. 88165:279-88165:338.

9605060223 Withdraws submittal "Request for Approval of Change in Reactor Vessel Surveillance Coupon Removal Schedule," dtd 960110.
SMEDLEY,R.W. Consumers Power Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88172:127-88172:128.

9605080064 Forwards Apps A & B, "2D Thermal & Stress Analysis (T&SA) of Base Design Condition (BDC)" & "3D T&SA of BDC" of Section 1.7, "T&SA" of Section 1, "Thermal Annealing Operating Plan" of preliminary thermal annealing rept,respectively.
SMEDLEY,R.W. Consumers Power Co. 96/04/29. Document Control Branch (Document Control Desk). 407pp. 88188:001-88189:043.

9605020296 Forwards excerpts from draft ASP rept for 1982-83.Analyses performed primarily for historical purposes to obtain 2 yrs of previously missing data for NRC ASP program.Response by licensee voluntary.
GAMBERONI,M. . 96/04/30. SMEDLEY,R. Consumers Power Co. 40pp. 88095:193-88095:232.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100094 Informs that 960110 submittal requesting change in reactor vessel surveillance coupon removal schedule being treated as withdrawn.Change requested to permit early coupon withdrawal but withdrawn 960429 due to new fluence info.
GAMBERONI,M. . 96/05/06. SMEDLEY,R.W. Consumers Power Co. 3pp. 88207:180-88207:182.

9605100116 Notification of 960516 meeting w/CPC in Rockville,MD to discuss review status & completion schedule of currently active licensing issues.
SCHAAF,R. . 96/05/06. REINHART,M. . 4pp. 88207:212-88207:215.

9605170017 Summarizes 960416 meeting w/CPC in Rockville,MD to discuss CPC request for conversion from existing plant custom TSs to format consistent w/NUREG-1432,Rev 1, "STSs for Combustion Engineering Plants." List of attendees & NRC handouts encl.
SCHAAF,R.G. . 96/05/10. NRC - No Detailed Affiliation Given. 11pp. 88297:255-88297:265.

9605240186 Grants 960404 request for relief from requirement of plant IST program to perform flow measurement on boric acid pumps until unforseen calibration problem w/ newly installed instrumentation is corrected,per 10CFR50.55a.
REINHART,M. . 96/05/17. SMEDLEY,R.W. Consumers Power Co. 4pp. 88344:087-88344:090.

9605290154 Confirms discussion between EW Cobey & RW Smedley re 960621 closed Enforcement Conference re failure to provide operable alternative or dedicated shutdown capability where sys required for hot shutdown were not protected.
GARDNER,R.N. Region 3 (Post 820201). 96/05/20. PALMISANO,T. Consumers Power Co. 1p. 88368:010-88368:010.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170302 Forwards SE approving request to implement Code Case N-533 as alternative to Code requirements for plant re evaluation of third 10-yr interval ISI program plan.Technical ltr rept also encl.
REINHART,M. . 96/05/09. SMEDLEY,R.W. Consumers Power Co. 3pp. 88299:346-88299:354.

-9605170305 Safety evaluation approving request to implement Code Case N-533 as alternative to Code requirements for plant re evaluation of third 10-yr interval ISI program plan. Technical ltr rept encl.
* . 96/05/09. 6pp. 88299:349-88299:354.

9605200372 Forwards response to NRC Bulletin 96-002 "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
SMEDLEY,R.W. Consumers Power Co. 96/05/13. Document Control Branch (Document Control Desk). 8pp. 88341:290-88341:297.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605290104 Forwards insp rept 50-255/96-04 on 960318-0429.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/05/20. PALMISANO,T. Palisades Generating Co. 3pp. 88384:138-88384:152.

-9605290105 Insp rept 50-255/96-04 on 960318-0429.No violations noted. Major areas inspected:review special circumstances surrounding several fire protection conditions identified by licensee as being outside of design basis of facility.
GARDNER,R.N. Region 3 (Post 820201). 96/05/20. 11pp. 88384:141-88384:152.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070047 "1995 Annual Environ Operating Rept (Non-Radiological)." W/ 960429 ltr.
SMEDLEY,R.W. Consumers Power Co. 95/12/31. 9pp. 88173:342-88173:350.

9605060086 Forwards "Palisades Plant Annual Radiological Environ Operating Rept Jan-Dec 1995." All trending parameters continue to indicate that operation of plant has minimal environ impact.
SMEDLEY,R.W. Consumers Power Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88147:001-88147:227.

-9605060087 "Palisades Plant Annual Radiological Environ Operating Rept Jan-Dec 1995."
GROGAN,M.L. Consumers Power Co. 95/12/31. 227pp. 88147:002-88147:227.

9605080082 Monthly operating rept for Apr 1996 for Palisades Nuclear Plant.W/960502 ltr.
KOBIATA,K.A., WILLIAMS,A.L. Consumers Power Co. 96/04/30. 5pp. 88201:282-88201:286.

S. Reportable occurrences, LERs & related correspondence

9605070254 LER 95-001-01:on 950302,malfunction of left Channel DBA sequencer resulted in inadvertent actuation of left channel safeguards equipment.Replaced microprocessor.W/960501 ltr.
MATHEWS,C.M., SMEDLEY,R.W. Consumers Power Co. 96/05/01. 8pp. 88198:312-88198:319.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605030017 Notification of 960508 meeting w/licensee in Rockville,MD to discuss upgrade of plant App R Safe Shutdown Analysis.
WILLIAMS,J.F. . 96/05/01. HEBDON,F.J. . 3pp. 88104:007-88104:009.

9605300025 Rev 7 to Central Emergency Control Ctr EPIP-18, "Transportation & Staffing Under Abnormal Conditions." W/ 960520 ltr.
CATRON,N., MARKS,B.K., BARON,R.R. Tennessee Valley Authority. 96/05/20. 18pp. 88395:339-88395:356.

P. Operating license stage documents & correspondence

9605030017 Notification of 960508 meeting w/licensee in Rockville,MD to discuss upgrade of plant App R Safe Shutdown Analysis.
WILLIAMS,J.F. . 96/05/01. HEBDON,F.J. . 3pp. 88104:007-88104:009.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090096 Application for amends to licenses DPR-33,DPR-52 & DPR-68, withdrawing amend 219,temporary TS 343T,RV water level instrumentation & amend 228,temporary TS 347T,250 volt DC control power supply sys AOT for Unit 2 only.
SALAS,P. Tennessee Valley Authority. 96/05/03. Document Control Branch (Document Control Desk). 14pp. 88209:185-88209:236.

-9605090099 Proposed tech specs,withdrawing amend 219,temporary TS 343T, RV water level instrumentation & amend 228,temporary TS 347T,250 volt DC control power supply sys AOT for Unit 2.
* Tennessee Valley Authority. 96/05/03. 38pp. 88209:199-88209:236.

9605150148 Forwards SE related to revised IST program & requests for relief at plants,Units 1,2 & 3.
HEBDON,F.J. . 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 88270:280-88270:298.

-9605150208 Safety evaluation of changes relating to revised IST program & requests for relief at plants 1,2 & 3.Changes,acceptable.
* . 96/05/06. 15pp. 88270:284-88270:298.

9605200314 Summarizes 960429 meeting w/TVA in Atlanta,GA to discuss performance of Browns Ferry Unit 3.List of attendees & TVA meeting handouts encl.
LESSER,M.S. Region 2 (Post 820201). 96/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 30pp. 88291:192-88291:221.

9605280236 Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change 373,revising TS to implement guidance of GL 87-09 & NUREG-1433,Rev 1.
SALAS,P. Tennessee Valley Authority. 96/05/20. Document Control Branch (Document Control Desk). 8pp. 88385:332-88385:353.

-9605280239 Proposed tech specs implementing guidance of GL 87-09 & NUREG-1433,Rev 1.
* Tennessee Valley Authority. 96/05/20. 14pp. 88385:340-88385:353.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment." TVA currently has plans for only one licensing amend re NUREG-0612, "Control of Heavy...."
BARON,R.R. Tennessee Valley Authority. 96/05/13. Document Control Branch (Document Control Desk). 11pp. 88289:258-88289:268.

9605200433 Provides response to violations noted in Insp Repts 50-259/96-03,50-260/96-03 & 50-296/96-03.Corrective actions: appropriate steps of procedure signed.
MACHON,R.D. Tennessee Valley Authority. 96/05/14. Document Control Branch (Document Control Desk). 5pp. 88341:356-88341:360.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605220370 Monthly operating repts for Apr 1996 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/960515 ltr.
DAVENPORT,J.W., SALAS,P. Tennessee Valley Authority. 96/04/30. 13pp. 88369:270-88369:282.

S. Reportable occurrences, LERs & related correspondence

9605030229 LER 96-002-00:on 960328,EDG auto-started due to undervoltage condition as result of personnel error.Functional tests on breakers associated w/shutdown bus stopped & EDG shutdown & placed in standby readiness.W/960426 ltr.
HSIEH,C.S., MACHON,R.D. Tennessee Valley Authority. 96/04/26. 7pp. 88164:338-88164:344.

9605090164 LER 96-003-00:on 960403,Unit 2 received unplanned ESF actuation.Caused by electrician introduced fault into ECCS logic while preparing wires for termination in panel 2-9-81. Problem evaluation rept initiated.W/960503 ltr.
HSIEH,C.S., MACHON,R.D. Tennessee Valley Authority. 96/05/03. 8pp. 88243:352-88243:359.

9605230169 PNO-II-96-039:on 960523,fire identified in condenser circulating water cooling tower 3.Fire protection personnel immediately responded.Entire wooden structure,except for small portion at west end was destroyed.
LESSER,M.S. Region 2 (Post 820201). 96/05/23. 1p. 88389:170-88389:170.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605030017 Notification of 960508 meeting w/licensee in Rockville,MD to discuss upgrade of plant App R Safe Shutdown Analysis.
WILLIAMS,J.F. . 96/05/01. HEBDON,F.J. . 3pp. 88104:007-88104:009.

9605170269 Summary of 960508 meeting w/licensee in Rockville,MD re briefing staff on upgrade of plant 10CFR50 App R safe shutdown analysis for postulated fires.
WILLIAMS,J.F. . 96/05/16. . 18pp. 88323:312-88323:329.

9605300025 Rev 7 to Central Emergency Control Ctr EPIP-18, "Transportation & Staffing Under Abnormal Conditions." W/ 960520 ltr.
CATRON,N., MARKS,B.K., BARON,R.R. Tennessee Valley Authority. 96/05/20. 18pp. 88395:339-88395:356.

P. Operating license stage documents & correspondence

9605030017 Notification of 960508 meeting w/licensee in Rockville,MD to discuss upgrade of plant App R Safe Shutdown Analysis.
WILLIAMS,J.F. . 96/05/01. HEBDON,F.J. . 3pp. 88104:007-88104:009.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090096 Application for amends to licenses DPR-33,DPR-52 & DPR-68, withdrawing amend 219,temporary TS 343T,RV water level instrumentation & amend 228,temporary TS 347T,250 volt DC control power supply sys AOT for Unit 2 only.
SALAS,P. Tennessee Valley Authority. 96/05/03. Document Control Branch (Document Control Desk). 14pp. 88209:185-88209:236.

-9605090099 Proposed tech specs,withdrawing amend 219,temporary TS 343T, RV water level instrumentation & amend 228,temporary TS 347T,250 volt DC control power supply sys AOT for Unit 2.
* Tennessee Valley Authority. 96/05/03. 38pp. 88209:199-88209:236.

9605150148 Forwards SE related to revised IST program & requests for relief at plants,Units 1,2 & 3.
HEBDON,F.J. . 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 88270:280-88270:298.

-9605150208 Safety evaluation of changes relating to revised IST program & requests for relief at plants 1,2 & 3.Changes,acceptable.
* . 96/05/06. 15pp. 88270:284-88270:298.

9605200314 Summarizes 960429 meeting w/TVA in Atlanta,GA to discuss performance of Browns Ferry Unit 3.List of attendees & TVA meeting handouts encl.
LESSER,M.S. Region 2 (Post 820201). 96/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 30pp. 88291:192-88291:221.

9605170269 Summary of 960508 meeting w/licensee in Rockville,MD re briefing staff on upgrade of plant 10CFR50 App R safe shutdown analysis for postulated fires.
WILLIAMS,J.F. . 96/05/16. . 18pp. 88323:312-88323:329.

9605280236 Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change 373,revising TS to implement guidance of GL 87-09 & NUREG-1433,Rev 1.
SALAS,P. Tennessee Valley Authority. 96/05/20. Document Control Branch (Document Control Desk). 8pp. 88385:332-88385:353.

-9605280239 Proposed tech specs implementing guidance of GL 87-09 & NUREG-1433,Rev 1.
* Tennessee Valley Authority. 96/05/20. 14pp. 88385:340-88385:353.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment." TVA currently has plans for only one licensing amend re NUREG-0612, "Control of Heavy...."
BARON,R.R. Tennessee Valley Authority. 96/05/13. Document Control Branch (Document Control Desk). 11pp. 88289:258-88289:268.

9605200433 Provides response to violations noted in Insp Repts 50-259/96-03,50-260/96-03 & 50-296/96-03.Corrective actions: appropriate steps of procedure signed.
MACHON,R.D. Tennessee Valley Authority. 96/05/14. Document Control Branch (Document Control Desk). 5pp. 88341:356-88341:360.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605230210 Informs NRC of corrective actions taken by plant w/regard to slow five percent scram insertion times associated w/scram solenoid pilot valves equipped w/viton diaphragms,per NRC Info Notice 96-007.
SALAS,P. Tennessee Valley Authority. 96/05/20. Document Control Branch (Document Control Desk). 4pp. 88368:334-88368:337.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605220370 Monthly operating repts for Apr 1996 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/960515 ltr.
DAVENPORT,J.W., SALAS,P. Tennessee Valley Authority. 96/04/30. 13pp. 88369:270-88369:282.

S. Reportable occurrences, LERs & related correspondence

9605030187 LER 96-003-00:on 960328,determined that fuel movement performed w/inoperable refueling interlock.Caused by misinterpretation of TS requirements.Fuel movement activities discontinued.W/960426 ltr.
WETZEL,S.A., MACHON,R.D. Tennessee Valley Authority. 96/04/26. 7pp. 88164:321-88164:327.

9605090176 LER 96-002-00:on 960323 & 24,main steam isolation valve leak rates exceeded acceptance criteria.Caused by excessive leakage on A & C inboard MSIV line valves.Leaking valves investigated.W/960506 ltr.
WALLACE,J.E., MACHON,R.D. Tennessee Valley Authority. 96/05/06. 8pp. 88212:294-88212:301.

9605280266 LER 96-004-00:on 960425,SRV pilot cartridges failed setpoint acceptance tests.Caused by pilot disc/seat bonding.TVA implemented BWROG recommendation of replacing SRV pilot cartridges w/.3% pt alloyed stellite disc.W/960521 ltr.
HSIEH,C.S., MACHON,R.D. Tennessee Valley Authority. 96/05/21. 8pp. 88418:019-88418:026.

9605230169 PNO-II-96-039:on 960523,fire identified in condenser circulating water cooling tower 3.Fire protection personnel immediately responded.Entire wooden structure,except for small portion at west end was destroyed.
LESSER,M.S. Region 2 (Post 820201). 96/05/23. 1p. 88389:170-88389:170.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605140297 Forwards insp rept 50-261/96-03 on 960311-0404 & NOV. Violation concerns failure to handle & control safeguards info properly.
GIBSON,A.F. Region 2 (Post 820201). 96/04/25. HINNANT,C.S. Carolina Power & Light Co. 4pp. 88222:340-88222:357.

-9605140300 Notice of violation from insp on 960311-0404.Violation noted:from 951128 to 960309,licensee allowed access to protected area using hand geometry sys w/o having conducted tests to ensure equipment met 90% detection probability.
* Region 2 (Post 820201). 96/04/25. 2pp. 88222:344-88222:345.

--**9605140307** Insp rept 50-261/96-03 on 960311-0404.Violations noted. Major areas inspected:security program for power reactors, mgt support,security program plans & procedures;safeguards info,audits & security lighting.
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/04/23. 12pp. 88222:346-88222:357.

9605060186 Rev 8 to EPIP PEP-001, "Emergency Preparedness Program & Emergency Response Organization Responsibilities." W/960429 ltr.
KRICH,R.M. Carolina Power & Light Co. 96/04/29. 6pp. 88172:214-88172:219.

9605090045 Forwards three copies of Rev 32 to Industrial Security Plan. Encl withheld.
KRICH,R.M. Carolina Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88212:346-88212:347.

9605200326 Forwards insp rept 50-261/96-04 on 960303-0413.No violations or deviations noted.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/05/10. HINNANT,C.S. Carolina Power & Light Co. 3pp. 88291:293-88291:313.

--**9605200330** Insp rept 50-261/96-04 on 960303-0413.No violations noted. Major areas inspected:plant operations,effectiveness of licensee controls in identifying,resolving & preventing problems & close out of items & fire protection program.
ORDERS,W.T., SHYMLOCK,M.B. Region 2 (Post 820201). 96/05/10. 18pp. 88291:296-88291:313.

I. Financial information

9605020365 Forwards 1996 internal cash flow projection for Robinson Nuclear Power Plant,Brunswick Nuclear Power Plant & Harris Nuclear Power Plant & "CP&L 1995 Annual Rept."
CONLEY,D.T. Carolina Power & Light Co. 96/04/29. RUSSELL,W.T. . 5pp. 88127:302-88127:362.

--**9605020369** "CP&L 1995 Annual Rept."
FLEISHMAN,S. Carolina Power & Light Co. 95/12/31. 51pp. 88127:307-88127:362.

P. Operating license stage documents & correspondence

9604220188 Provides info requested in 960208 memo from J Stolz re review of SFP practices & current licensing basis.
MOZAFARI,B.L. . 96/04/10. SHEA,J.W. . 9pp. 88103:253-88103:261.

9605070236 Forwards responses to NRC questions re spent fuel & containment filter fans.
KRICH,R.M. Carolina Power & Light Co. 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88199:155-88199:158.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140150 Informs effective 960218,EV Imbro replaced DB Matthews as Director,Project Directorate II-1.
VARGA,S.A. . 96/05/06. ORSER,W.S. Carolina Power & Light Co. 4pp. 88249:356-88249:359.

9605140416 Requests addl info related to 960129 amend request re MSSV testing for plant.
MOZAFARI,B. . 96/05/08. HINNANT,C.S. Carolina Power & Light Co. 2pp. 88251:304-88251:305.

9605170169 Forwards excerpts from draft ASP Rept for 1982-83.
MOZAFARI,B. . 96/05/08. HINNANT,C.S. Carolina Power & Light Co. 27pp. 88297:309-88297:335.

9605170033 Notification of 960516 meeting w/CP&L in Rockville,MD to discuss changes to plant PRA model & revised core damage frequency values re relocation of Chemical & Volume Control Sys TSs.
MOZAFARI,B. . 96/05/09. IMBRO,E.V. . 4pp. 88297:349-88297:352.

9605280128 Responds to 960412 ltr requesting addl info re Tech Specs change on EDGs.
KRICH,R.M. Carolina Power & Light Co. 96/05/20. Document Control Branch (Document Control Desk). 6pp. 88386:170-88386:175.

9605240130 Notification of 960530 meeting w/util in Rockville,MD to discuss licensee activities for reviewing & improving FSARs at all facilities.
LE,N. . 96/05/21. IMBRO,E.V. . 6pp. 88344:139-88344:144.

Q. Inspection reports, IE Bulletins & correspondence

9605140315 Ack receipt of 960411 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/96-300.
PEEBLES,T.A. Region 2 (Post 820201). 96/04/23. HINNANT,C.S. Carolina Power & Light Co. 3pp. 88222:358-88222:359.

9605100162 Confirms 960419 telcon w/R Krich re predecisional enforcement conference scheduled for 960509.Purpose of meeting to discuss apparent failure to secure & maintain control of safeguards info.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/25. HINNANT,C.S. Carolina Power & Light Co. 5pp. 88190:046-88190:050.

9605140297 Forwards insp rept 50-261/96-03 on 960311-0404 & NOV. Violation concerns failure to handle & control safeguards info properly.
GIBSON,A.F. Region 2 (Post 820201). 96/04/25. HINNANT,C.S. Carolina Power & Light Co. 4pp. 88222:340-88222:357.

--**9605140300** Notice of violation from insp on 960311-0404.Violation noted:from 951128 to 960309,licensee allowed access to protected area using hand geometry sys w/o having conducted tests to ensure equipment met 90% detection probability.
* Region 2 (Post 820201). 96/04/25. 2pp. 88222:344-88222:345.

--**9605140307** Insp rept 50-261/96-03 on 960311-0404.Violations noted. Major areas inspected:security program for power reactors, mgt support,security program plans & procedures;safeguards info,audits & security lighting.
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/04/23. 12pp. 88222:346-88222:357.

9605140508 Confirms plans to conduct Integrated Performance Assessment Team insp at plant during period of 960603-14.
JAUDON,J.P. Region 2 (Post 820201). 96/04/30. HINNANT,C.S. Carolina Power & Light Co. 24pp. 88242:126-88242:150.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605200326 Forwards insp rept 50-261/96-04 on 960303-0413.No violations or deviations noted.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/05/10. HINNANT,C.S. Carolina Power & Light Co. 3pp. 88291:293-88291:313.

--**9605200330** Insp rept 50-261/96-04 on 960303-0413.No violations noted. Major areas inspected:plant operations,effectiveness of licensee controls in identifying,resolving & preventing problems & close out of items & fire protection program.
ORDERS,W.T., SHYMLOCK,M.B. Region 2 (Post 820201). 96/05/10. 18pp. 88291:296-88291:313.

9605170060 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
KRICH,R.M. Carolina Power & Light Co. 96/05/13. Document Control Branch (Document Control Desk). 6pp. 88341:070-88341:075.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605140271 Monthly operating rept for Apr 1995 for HB Robinson Steam Electric Plant Unit 2.W/960506 ltr.
SCARBOROUGH,J., KRICH,R.M. Carolina Power & Light Co. 96/04/30. 4pp. 88269:315-88269:318.

S. Reportable occurrences, LERs & related correspondence

9605030280 LER 96-003-00:on 960326,identified NRC required biennial medical exam expired on 960224 for licensed SRO.Caused by personnel error.Health screening status for operators licensed on Unit 2 reviewed.W/960425 ltr.
GARROU,A.L., YOUNG,D.E. Carolina Power & Light Co. 96/04/25. 4pp. 88164:352-88164:355.

V. Operator Examinations

9605100171 Forwards operator requalification operating exam matl,in response to NRC 960410 ltr.Requalification exams scheduled for week of 960520.W/o encl.
KRICH,R.M. Carolina Power & Light Co. 96/05/03. EBNETER,S.D. Region 2 (Post 820201). 1p. 88237:355-88237:355.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605020256 Forwards Rev 12 to "HB Robinson ISFSI SAR."
KRICH,R.M. Carolina Power & Light Co. 96/03/18. Office of Nuclear Material Safety & Safeguards. 1p. 88129:276-88129:310.

--**9605020370** Rev 12 to "HB Robinson ISFSI SAR."
* Carolina Power & Light Co. 96/03/18. 34pp. 88129:277-88129:310.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9605070241 Revised EPIPs,including Rev 73 to "A.2 Emergency Plan Implementing Procedures Index" & Rev 15 to A.2-414, "Large Vol Liquid Sample &/or Dissolved Gas Sample Obtained at Post Accident Sampling Sys." W/960430 ltr.
ANDERSON,R.O. Northern States Power Co. 96/04/30. 27pp. 88192:309-88192:335.

P. Operating license stage documents & correspondence

9605070289 Forwards GE proprietary rept, "GE12 LUA Fuel Bundle Description Rept for NSP MNGP" & NSP proprietary rept NSPNAD-96001,Rev 0, "Monticello Cycle 18 Final Reload Design Rept (Reload SE)." Proprietary GE & NSP repts withheld.
ANDERSON,R.O. Northern States Power Co. 96/05/01. Document Control Branch (Document Control Desk). 8pp. 88218:144-88218:151.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605060142 Notification of 960503 meeting w/util in Rockville,MD to discuss outage related issues at plant.
KIM,T. . 96/05/03. REINHART,F.M. . 4pp. 88104:042-88104:045.

9605100091 Summary of 960411 meeting w/NSP to discuss licensing issues including current effort to develop TS amend request package on power uprate.Some major plant equipment mods being done to support proposed amend;application expected Jun 1996.
KIM,T. . 96/05/06. . 5pp. 88207:135-88207:139.

9605160498 Forwards notice of consideration of transfer of control of licenses to Wisconsin Energy Corp,per 951020 request.
WETZEL,B.A. . 96/05/09. WATZL,E.L. Northern States Power Co. 3pp. 88287:342-88287:347.

--9605160501 Notice of consideration of transfer of control of licenses to Wisconsin Energy Corp (WEC).WEC will be renamed Primergy Corp.
CONNAUGHTON,K. . 96/05/09. 3pp. 88287:345-88287:347.

9605200453 Transmits Plan on Interim Recommendations of BWR Owners Group Regulatory Response Group re Viton CRD SSPV Response Time Delay.
HILL,W.J. Northern States Power Co. 96/05/10. Document Control Branch (Document Control Desk). 1p. 88351:347-88351:347.

9605200437 Forwards Rev 0 to "Monticello Nuclear Generating Plant COLR for Cycle 18."
HILL,W.J. Northern States Power Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88502:148-88502:159.

--9605200440 Rev 0 to "Monticello Nuclear Generating Plant COLR for Cycle 18."
SHILTS,D.W., PAUSTIAN,H.H., NELSON,H.O. Northern States Power Co. 96/05/14. 10pp. 88502:150-88502:159.

9605240170 Forwards EA & finding of no significant impact w/respect to 951020 licensee application for transfer of licenses & 951206 application for license amends.
WETZEL,B.A. . 96/05/17. ANDERSON,R.O. Northern States Power Co. 4pp. 88344:095-88344:102.

--9605240173 Environ assessment & finding of no significant impact re transfer of & issuance of amends to licenses DPR-22,DPR-42, DPR-60 & SNM-2506.
REINHART,M. . 96/05/17. 4pp. 88344:099-88344:102.

9605280275 Forwards Rev 1 to "Monticello Nuclear Generating Plant COLR for Cycle 18." Rev 1 issued to include addl MCPR adjustment for single recirculation loop operation.
HILL,W.J. Northern States Power Co. 96/05/20. Document Control Branch (Document Control Desk). 1p. 88376:341-88376:351.

--9605280282 Rev 1 to "Monticello Nuclear Generating Plant COLR for Cycle 18."
SHILTS,D.W., PAUSTIAN,H.H., BONNEAU,C.A. Northern States Power Co. 96/05/18. 10pp. 88376:342-88376:351.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140102 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HILL,W.J. Northern States Power Co. 96/05/08. Document Control Branch (Document Control Desk). 9pp. 88272:001-88272:009.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310147 Forwards final response to NRC Bulletin 95-002, "Unexpected Clogging of a Residual Heat Removal (RHR) Pump Strainer While Operating in Suppression Pool Cooling Mode."
HILL,W.J. Northern States Power Co. 96/05/24. Document Control Branch (Document Control Desk). 5pp. 88404:248-88404:252.

R. Periodic operating reports & related correspondence

9605010005 Forwards "Monticello Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1995."
ANDERSON,R.O. Northern States Power Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88077:269-88077:345.

--9605010009 "Monticello Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1995."
HUEBNER,L.G. Teledyne Isotopes. 95/12/31. 77pp. 88077:270-88077:345.

9605210008 Monthly operating rept for Apr 1996 for Monticello Nuclear Generating Plant.W/960514 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 96/04/30. 5pp. 88361:240-88361:244.

S. Reportable occurrences, LERs & related correspondence

9605140492 Forwards LER 96-003-00 re re-analysis of high energy line break,error found in existing analysis.Rept contains submitted new NRC commitments.
HILL,W. Northern States Power Co. 96/05/08. Document Control Branch (Document Control Desk). 1p. 88288:080-88288:090.

--9605140502 LER 96-003-00:on 960404,personnel identified error in current licensing basis analysis.Caused by improper analyzed ambient temps in vicinity.Mods will be installed during current outage.
PARKER,T. Northern States Power Co. 96/05/08. 10pp. 88288:081-88288:090.

9605200447 LER 96-004-00:on 960414,inboard main steam isolation valve leakage greater than allowed by Tech Specs.Caused by tipping of poppet.Valve poppets & stems replaced w/new design to reduce poppet tipping.W/960514 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 96/05/14. 9pp. 88343:124-88343:132.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605060324 Informs of arrangements made for administration of licensing exams at plant,scheduled for wk of 960909.Proposed exam outlines requested by 960726.
BURDICK,T.M. Region 3 (Post 820201). 96/05/02. WATZL,E. Northern States Power Co. 2pp. 88102:053-88102:054.

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

DOCKET 50-264 DOW CHEMICAL CO.

P. Operating license stage documents & correspondence

9605230189 Forwards RAI re amend request for FOL R-108 for Dow Chemical Co TRIGA Mark I Research Reactor submitted 940505.
ADAMS,A. . 96/05/21. BUTTS,S. Dow Chemical Co. 4pp. 88342:193-88342:196.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605060365 Rev 1 to EPIP QEP 120-T12, "Quad Cities Station Percent Clad Damage Versus Containment Radiation Readings (Uncorrected)."
* Commonwealth Edison Co. 92/09/21. 2pp. 88183:357-88183:358.

9605030387 Rev 2 to QEP 120-T7, "Quad Cities Station,Percent Core Damage Versus Containment Radiation Readings (Uncorrected)."
* Commonwealth Edison Co. 96/04/24. 2pp. 88155:326-88155:327.

9605060360 Revised EPIPs,including Rev 18 to QEP 0140-00, "Security Director" & Rev 10 to QEP 0140-S01, "Security Director Alert Checklist."
* Commonwealth Edison Co. 96/05/01. 9pp. 88184:259-88184:267.

9605070034 Replacement pages 7-88 to Rev 23 to QEP 0200-T01.
THIEDE,J. Commonwealth Edison Co. 96/05/01. 82pp. 88171:113-88171:195.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

--9407180189 Discusses whether current NRC regulations require licensees to mitigate effects of LOCA during degraded voltage conditions in conjunction w/single failure & if further generic action needed.No addl action needed.
BERLINGER,C.H. Electrical Engineering Branch. 94/07/13. DYER,J.E. Project Directorate III-2. 2pp. 88137:280-88137:281.

--**9407250133** Discusses documentation of generic safety issues on degraded voltage protection & recommends that JA Murphy take steps necessary to include assignment of priorities in NUREG-0933, "Prioritization of Generic Safety Issues."
SHERON,B.W. Division of Engineering (Post 921004). 94/07/13. MURPHY,J.A. Division of Safety Issue Resolution (880717-941217). 2pp. 88137:282-88137:283.

9605100164 Forwards responses to NRC request for addl info on util licensing Topical Rept NFSR-0111.
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 23pp. 88226:301-88226:323.

9605100155 Provides updated schedule for licensing actions necessary to support transition of plants to fuel supplied by Siemens Power Corp.
HOSMER,J.B. Commonwealth Edison Co. 96/05/01. Document Control Branch (Document Control Desk). 5pp. 88237:339-88237:343.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140178 Documents implementation of new LCOs & SR re revs to TS for 10CFR50,App J,LRT.
KRAFT,E.S. Commonwealth Edison Co. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88255:325-88255:359.

--**9605140181** Proposed tech specs,implementing new LCO & SR re revs to TS for 10CFR50,App J,LRT.
* Commonwealth Edison Co. 96/05/06. 33pp. 88255:327-88255:359.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605170499 Application for amends to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,closing out addl open items for SRM upscale,channel calibr,Item 3.b in Table 4.2.E-1.
PIET,P.L. Commonwealth Edison Co. 96/05/10. Document Control Branch (Document Control Desk). 11pp. 88325:235-88325:292.

--**9605170501** Proposed tech specs,closing out addl open items for SRM upscale,channel calibr,Item 3.b in Table 4.2-E-1.
* Commonwealth Edison Co. 96/05/10. 47pp. 88325:246-88325:292.

9605160467 Submits results of plant short term performance upgrade activities described in ltr dtd 951226.
KRAFT,E.S. Commonwealth Edison Co. 96/05/15. . 13pp. 88310:348-88310:360.

9605170451 Provides addl info re corner room steel operability evaluation.
KRAFT,E.S. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 11pp. 88325:345-88325:355.

9605210301 Requests addl info re structural steel operability for plant.
PULSIFER,R.M. . 96/05/17. FARRAR,D.L. Commonwealth Edison Co. 2pp. 88308:178-88308:179.

9605280234 Transmits sample plan for snubber functional testing during Quad Cities Station (QCS) Unit 2 refuel outage Q2R14 & QCS Unit 1 refuel outage Q1R15,respectively.
KRAFT,E.S. Commonwealth Edison Co. 96/05/20. Document Control Branch (Document Control Desk). 4pp. 88386:235-88386:238.

9605290099 Forwards revs to COLR for Quad Cities Station Unit 1 Cycle 15 & Unit 2 Cycle 14,in accordance w/TS 6.6.A.1.
SMITH,J. Commonwealth Edison Co. 96/05/22. RUSSELL,W. . 1p. 88388:305-88388:347.

--**9605300015** Revised "COLR for Quad Cities Unit 2,Cycle 14."
* Commonwealth Edison Co. 96/05/31. 22pp. 88388:326-88388:347.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

9605300164 Advises that "Analysis of the Dresden & Quad Cities Shroud Repair Hardware Seismic Design w/Improved Tie Rod & Shroud Weld Crack Equivalent Rotational Stiffness" will be withheld from public disclosure pursuant to 10CFR 2.790(b)(5).
STANG,J.F. . 96/05/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88394:095-88394:097.

Q. Inspection reports, IE Bulletins & correspondence

9605290018 Confirms discussion w/R Rybak to change date of closed Enforcement Conference to 960501 in Lisle,IL.
RING,M.A. Region 3 (Post 820201). 96/04/18. WALLACE,M.J. Commonwealth Edison Co. 2pp. 88369:001-88369:002.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170242 Forwards Predecisional Enforcement Conference repts 50-237/96-07,50-249/96-07,50-254/96-07 & 50-265/96-07 on 960501.Slides encl.
GRANT,G.E. Region 3 (Post 820201). 96/05/10. MAIMAN,T.J. Commonwealth Edison Co. 2pp. 88284:222-88284:300.

--**9605170256** Predecisional Enforcement Conference repts 50-237/96-07, 50-249/96-07,50-254/96-07 & 50-265/96-07 on 960501. Violations identified.Major areas discussed:apparent violations,root causes & contributing factors.
RING,M.A. Region 3 (Post 820201). 96/05/10. 77pp. 88284:224-88284:300.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605230062 Responds to violations noted in insp repts 50-254/96-02 & 50-265/96-02.Corrective actions:operating orders issued to SRO License holders.
KRAFT,E.S. Commonwealth Edison Co. 96/05/16. Document Control Branch (Document Control Desk). 7pp. 88366:345-88366:351.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605010066 "Quad Cities Station Annual Radiological Environ Operating Rept for 1995." W/960426 ltr.
PEARCE,L.W. Commonwealth Edison Co. 95/12/31. 124pp. 88077:146-88077:268.

9605220134 Forwards monthly operating repts for Apr 1996 for Quad Cities Nuclear Power Station Units 1 & 2 & revised rept for Mar 1996 for Unit 2.
PEARCE,L.W. Commonwealth Edison Co. 96/05/03. Document Control Branch (Document Control Desk). 1p. 88358:339-88358:359.

--**9605220144** Monthly operating rept for Apr 1996 for Quad-Cities Nuclear Power Station Unit 1 & 2.
MOORE,K. Commonwealth Edison Co. 96/04/30. 19pp. 88358:340-88358:358.

--**9605220157** Revised monthly operating rept for Mar 1996 for Quad Cities Unit 2.
MOORE,K. Commonwealth Edison Co. 96/03/31. 1p. 88358:359-88358:359.

S. Reportable occurrences, LERs & related correspondence

9605130055 PNO-III-96-029:on 960510,minor damage occurred to bldgs on plant site due to high winds or possible tornado touching down.Alert declared,TSC activated & off-site notifications made to appropriate state & local authorities.
CLAYTON,B., CALDWELL,J. Region 3 (Post 820201). 96/05/10. 2pp. 88267:308-88267:309.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

9605280134 Discusses administration of written & operating exams scheduled for wk of 960923.Staff must furnish ref matls identified in ES-201 by 960909.
BURDICK,T.M. Region 3 (Post 820201). 96/05/24. KRAFT,E. Commonwealth Edison Co. 3pp. 88354:357-88354:359.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605060259 Submits revs to Security Plan for plant.Encl withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88147:353-88147:353.

9605070157 Forwards Rev 1 to Point Beach ISFSI security plan sections 1.0,4.0,7.0 & C-2.0.Encl withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88137:212-88137:212.

9605070296 TS Change Request 173 to application for amends to Licenses DPR-24 & DPR-27,respectively,removing fire protection requirements from TSs & incorporating requirements into fire protection evaluation rept,per GL 88-12.
LINK,B. Wisconsin Electric Power Co. 96/04/29. Document Control Branch (Document Control Desk). 6pp. 88170:321-88170:351.

--**9605070302** Proposed tech specs re removal of fire protection requirements.
* Wisconsin Electric Power Co. 96/04/29. 25pp. 88170:327-88170:351.

9605070257 Forwards proprietary & nonproprietary versions of revised EPIPs,including Rev 13 to EPIP 2.1,Rev 4 to EPIP App C,Rev 31 to EPIP form index,Rev 0 to EPIP-04 & rev 36 to EPIP index.Proprietary version withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88218:152-88218:171.

--**9605070259** Revised EPIPs,including Rev 36 to EPIP index,Rev 13 to EPIP 2.1,Rev 4 to EPIP App C,Rev 31 to EPIP form index & Rev 0 to EPIP-04.
* Wisconsin Electric Power Co. 96/04/29. 19pp. 88218:153-88218:171.

H. General correspondence

9605080023 Responds to 960321 ltr to Chairman,concerning dry cask handling at plant.
MARCUS,G.H. . 96/05/03. SHILLINGLAW,F. Affiliation Not Assigned. 9pp. 88175:221-88175:232.

--**9605080026** Expresses concern re dry cask handling at plant.
DHILLINHLAW,F. Affiliation Not Assigned. 96/03/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 88175:230-88175:232.

9605140456 Expresses concerns re use of MTC to move fully loaded MSB from SFP to decontamination area w/o adequate load test.
SHILLINGLAW,F. Affiliation Not Assigned. 96/05/03. TAYLOR,J.M. NRC - No Detailed Affiliation Given. 2pp. 88268:357-88268:358.

9605160350 Requests NRC inspection of areas of weakness brought out in hearings & documents re design,construction & handling of VSC-24 casks to be used at Point Beach.
SINCLAIR,M.P. Don't Waste Michigan. 96/05/06. LEU,K. Office of Nuclear Material Safety & Safeguards. 8pp. 88314:161-88314:168.

9605150294 Responds to 960303 ltr to Senator H Kohl of WI re long-term storage of spent nuclear fuel.Ltr to J Taylor of NRC dtd 960303 was responded to on 960418.
RUSSELL,W.T. . 96/05/09. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 88258:309-88258:323.

9605200069 Requests responses to questions re casks loading at Point Beach & Palisades.
SHILLINGLAW,F. Affiliation Not Assigned. 96/05/14. HANSEN NRC - No Detailed Affiliation Given. 1p. 88351:249-88351:249.

9605210339 Responds to 960228 ltr re WEPC annual results & data rept for 1995 & list of mods to cask design & handling procedures.Detailed response provides info re availability of all pertinent documents & how NRC keeps track of changes.
MARCUS,G.H. . 96/05/16. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 88321:301-88321:306.

--**9605210352** Requests response to 950927 ltr,citing 960212 ltr to author noting that subsequent response would be forthcoming.Poses questions on casks & shield lids.
SHILLINGLAW,F. Affiliation Not Assigned. 96/02/28. MARCUS,G. . 3pp. 88321:304-88321:306.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--**9605240160** Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

9605310113 Responds to 960503 ltr to JM Taylor re dry cask handling at plant.
MARCUS,G.H. . 96/05/29. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 88395:322-88395:327.

I. Financial information

9605090221 Forwards 1995 annual rept to stockholders of Wisconsin Electric Power Co,including certified financial statements.
FEHRING,T.H. Wisconsin Electric Power Co. 96/04/26. . 58pp. 88214:241-88214:299.

P. Operating license stage documents & correspondence

9605020042 Application for amends to licenses DPR-24 & DPR-27,removing items identified in GLs 89-01 & 95-10 as being procedural details from PBNP RETS,Section 15.7 & relocating to appropriate documents.
LINK,B. Wisconsin Electric Power Co. 96/04/24. Document Control Branch (Document Control Desk). 10pp. 88121:001-88121:344.

--**9605020048** Proposed tech specs Section 15.7 RETS re removing items identified in GLs 89-01 & 95-10 as being procedural details & relocating items to appropriate documents.
* Wisconsin Electric Power Co. 96/04/24. 56pp. 88121:012-88121:069.

--**9605020057** "Radiological Effluent & Matls Control & Accountability Program (REMCAP) Manual," rev 0.
* Wisconsin Electric Power Co. 96/04/03. 7pp. 88121:070-88121:075.

--**9605020059** "Radiological Effluent Control Manual."
* Wisconsin Electric Power Co. 96/03/13. 36pp. 88121:076-88121:111.

--**9605020061** "Environ Manual."
* Wisconsin Electric Power Co. 96/03/13. 40pp. 88121:112-88121:151.

--**9605020068** "Offsite Dose Calculation Manual."
* Wisconsin Electric Power Co. 96/01/26. 193pp. 88121:152-88121:344.

9605070296 TS Change Request 173 to application for amends to Licenses DPR-24 & DPR-27,respectively,removing fire protection requirements from TSs & incorporating requirements into fire protection evaluation rept,per GL 88-12.
LINK,B. Wisconsin Electric Power Co. 96/04/29. Document Control Branch (Document Control Desk). 6pp. 88170:321-88170:351.

--**9605070302** Proposed tech specs re removal of fire protection requirements.
* Wisconsin Electric Power Co. 96/04/29. 25pp. 88170:327-88170:351.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605280082 Confirms discussion between TG Malanowski & MJ Farber re routine management meeting on 960524 in Lisle,IL to discuss UFSAR for plant.
FARBER,M.J. Region 3 (Post 820201). 96/05/09. LINK,R. Wisconsin Electric Power Co. 1p. 88350:071-88350:071.

9605280290 Forwards RAI re rept on verification of seismic adequacy of mechanical & electrical equipment in operating reactors for plant Units 1 & 2.Response requested within 90 days of ltr date.
HANSEN,A.G. . 96/05/23. LINK,R.E. Wisconsin Electric Power Co. 8pp. 88374:325-88374:332.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160391 Responds to NRC Bulletin 96-002 re movement of heavy loads over spent fuel,over fuel in reactor core or over safety- related equipment.
LINK,B. Wisconsin Electric Power Co. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88318:166-88318:168.

9605210484 Responds to NRC 960417 ltr re violations noted in insp repts 50-266/96-02 & 50-301/96-02.Corrective actions:scaffolding planks appropriately secured per procedures.
LINK,B. Wisconsin Electric Power Co. 96/05/17. Document Control Branch (Document Control Desk). 7pp. 88359:328-88359:334.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280166 Responds to NRC Bulletin 96-001, "Control Rod Test Data From Unit 1 Outage U1R23." Current & projected EOL burnup for Units 1 & 2 encl.
LINK,B. Wisconsin Electric Power Co. 96/05/22. Document Control Branch (Document Control Desk). 6pp. 88385:354-88385:359.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310056 Press release III-96-21, "NRC Sends Augmented Insp Team to Review Gaseous Ignition Incident in Spent Fuel Cask at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/05/29. 2pp. 88444:175-88444:176.

R. Periodic operating reports & related correspondence

9605140137 Monthly operating repts for Apr 1996 for Point Beach Nuclear Plant.W/ 960505 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/30. 10pp. 88268:290-88268:299.

S. Reportable occurrences, LERs & related correspondence

9605100195 LER 96-001-00:on 960405,inadvertent ESF actuation in Train B due to DC sys ground occurred.Caused by inadequate ground search technique.Site engineering personnel will be involved in ground detection needed on DC sys.W/960503 ltr.
CASTELL,C.A., LINK,B. Wisconsin Electric Power Co. 96/05/03. 6pp. 88247:302-88247:307.

9605280174 LER 96-002-00:on 960422,determined that steam-driven AFW valves were shut.Caused by poor communication.Crew discussion re valve misoperation occurred & test procedures reviewed.W/960521 ltr.
ADAMS,G., LINK,B. Wisconsin Electric Power Co. 96/05/21. 8pp. 88396:162-88396:169.

9605300006 PNO-III-96-033A:on 960528,unidentified gas ignited during VSC-24 spent fuel cask welding.Licensee continuously purged air space inside cask to prevent any accumulation of combustible gases.
FARBER,M., CANIANO,R. Region 3 (Post 820201). 96/05/29. 2pp. 88444:013-88444:014.

9605310243 PNO-III-96-033B:on 960529,unidentified gas ignited during spent fuel cask welding.Zinc-based coating applied to internal surfaces of cask may have reacted chemically w/ acidic water from SF storage pool,producing hydrogen.
CANIANO,R., GROBE,J. Region 3 (Post 820201). 96/05/31. 2pp. 88444:236-88444:237.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. CHASENSKY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. 1p. 88243:192-88243:192.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9605020096 Forwards draft ISFSI emergency plan,demonstrating compliance w/ 10CFR72.32.W/o encl.
BORST,F.J. Public Service Co. of Colorado. 96/02/08. GRIER,T. Colorado, State of. 2pp. 88129:357-88129:358.

Q. Inspection reports, IE Bulletins & correspondence

9605200212 Forwards final rept incorporating 960226 telcon comments supporting insp at FSV on 950925-27 re confirmatory survey activities.
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/03/21. FAUVER,D. Division of Waste Management (NMSS 940403). 16pp. 88347:293-88347:308.

9605030353 Forwards insp rept 50-267/96-02 on 960318-21 & notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 96/04/29. CRAWFORD,A.C. Public Service Co. of Colorado. 5pp. 88093:001-88093:025.

--9605030361 Notice of violation from insp on 960318-21.Violation noted: licensee did not follow QAP procedures,as evidenced by listed examples.
* Region 4 (Post 820201). 96/04/29. 3pp. 88093:006-88093:008.

--9605030365 Insp rept 50-267/96-02 on 960318-21.Violations noted.Major areas inspected:licensee implementation of QAP for Decommissioning Plan & Final Survey Plan activities.
SPITZBERG,D.B. Region 4 (Post 820201). 96/04/23. 17pp. 88093:009-88093:025.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605290065 Forwards insp rept 50-267/96-03 on 960422-25.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/05/21. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 88368:060-88368:069.

--9605290067 Insp rept 50-267/96-03 on 960422-25.No violations noted. Major areas inspected:routine,announced insp to assess licensee implementation of Final Survey Plan.
SPITZBERG,D.B. Region 4 (Post 820201). 96/05/21. 6pp. 88368:064-88368:069.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030110 Forwards "Radiological Environ Monitoring Program Summary Rept 1995 for FSVNGS."
BORST,F.J. Public Service Co. of Colorado. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88140:001-88140:120.

--9605030121 "Radiological Environ Monitoring Program Summary Rept 1995 for FSVNGS."
JOHNSON,J.E., MILLER,T. Colorado State Univ., Fort Collins, CO. SCHLEIGER,T.E. Public Service Co. of Colorado. 95/12/31. 118pp. 88140:003-88140:120.

S. Reportable occurrences, LERs & related correspondence

9605150051 Forwards non-compliance rept re FSV NPDES permit for info, per FSV non-radiological TS,Section 3.2.a.
BORST,F.J. Public Service Co. of Colorado. 96/05/07. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 1p. 88288:340-88288:342.

--9605150070 NPDES noncompliance notification:between 960416 & 24,30-day average & 7-day average for BOD5 results for samples for outfall 007 exceeded.Cause of increased BOD5 results unknown.Util plans to use increased aeration.
LINDT,E. Public Service Co. of Colorado. 96/05/02. SULLIVAN,K. Colorado, State of. 2pp. 88288:341-88288:342.

W. Decommissioning Stage Documents & Correspondence

9605200204 Forwards confirmatory survey activities plan for FSV Nuclear Station.
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/02/28. FAUCER,D. Division of Waste Management (NMSS 940403). 12pp. 88347:309-88347:320.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605200157 Summarizes final survey plan,extension of proposed embedded pipe treatment to include large diameter pipes & proposal to grout diamond wire saw kerfs.
BORST,F.J. Public Service Co. of Colorado. 96/05/13. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 19pp. 88351:069-88351:087.

9605240218 Requests NRC approval of proposed revs to FSV final survey plan,to use in-situ gamma spectroscopy to measure exposure rates & allowing exposure rates to be taken only for floors & lower wall surfaces per draft NUREG/CR-5849.
BORST,F.J. Public Service Co. of Colorado. 96/05/17. WEBER,M.F Office of Nuclear Material Safety & Safeguards. 4pp. 88371:295-88371:339.

--9605240221 "FSV Final Survey Exposure Rate Measurements."
* Public Service Co. of Colorado. 96/05/17. 41pp. 88371:299-88371:339.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605020096 Forwards draft ISFSI emergency plan,demonstrating compliance w/ 10CFR72.32.W/o encl.
BORST,F.J. Public Service Co. of Colorado. 96/02/08. GRIER,T. Colorado, State of. 2pp. 88129:357-88129:358.

9605020383 Submits completed 1995 Nuclear Fuel Data Survey Form RW-859.
BORST,F.J. Public Service Co. of Colorado. 96/02/15. Energy, Dept. of. 32pp. 88133:322-88133:351.

9605080035 Notifies of 960529 meeting w/licensee in Arlington,TX to discuss application for 10CFR72 ISFSI site-specific license for interim storage of TMI-2 fuel debris at INEL & application to accept transfer of Fort St Vrain license.
SCARANO,R.A. Region 4 (Post 820201). 96/05/06. Region 4 (Post 820201). 5pp. 88136:250-88136:254.

9605210179 Clarifies NRC response to 960430 ltrs re application of QA program to proposed DOE licensing projects under 10CFR72.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/16. HAGERS,J Energy, Dept. of. 3pp. 88361:227-88361:235.

--9605210226 Confirms QA program application for DOE licensing of FSV ISFSI (OPE-SFP-96-075).
HAGERS,J. Energy, Dept. of. 96/04/30. KOKAJKO,L. Office of Nuclear Material Safety & Safeguards. 3pp. 88361:230-88361:231.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605070109 Forwards public version of Rev 96-03 to Vol B of EPIPs, including cover sheet,table of contents page 1,change 7 to CP/1&2/A/2002/05 & change 6 to CP/3/A/2002/05.W/960502 ltr.
HAMPTON,J.W. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 88118:325-88118:351.

--9605070114 Public version of Rev 96-03 to Vol B of EPIPs,including cover sheet,table of contents page 1,change 7 to CP/1&2/A/2002/05 & change 6 to CP/3/A/2002/05.
FOSTER,W.W. Duke Power Co. 96/04/18. 25pp. 88118:327-88118:351.

9605080211 Forwards public version of Rev 96-05 to Vol C of EPIPs, including emergency telephone directory dtd March 1996 & change to RP/0/B/1000/20, "EOF Director Procedure."
HAMPTON,J.W. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88174:289-88174:350.

--9605080223 Public version of Rev 96-05 to Vol C of EPIPs,including emergency telephone directory dtd March 1996 & change to RP/0/B/1000/20, "EOF Director Procedure."
FOSTER,W.W. Duke Power Co. 96/04/18. 59pp. 88174:292-88174:350.

9605100012 Informs that NRC reviewed & reconfirmed info provided re state & county accreditation for FEMA exercise objectives re off-hour operations as result of actual disaster responses in Aug 1994.
BARR,K.P. Region 2 (Post 820201). 96/04/30. HAMPTON,J.W. Duke Power Co. 3pp. 88190:203-88190:205.

9605150121 Forwards insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. HAMPTON,J.W. Duke Power Co. 3pp. 88266:081-88266:084.

--9605150126 Partially deleted insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09 (ref 10CFR73.21).No violations identified.Major areas inspected:licensee implementation of land vehicle control measures,contains safeguards info.
THOMPSON,D.H. Region 2 (Post 820201). 96/05/07. 1p. 88266:084-88266:084.

9605220385 Responds to violations noted in insp repts 50-269/96-05, 50-270/96-05 & 50-287/96-05.Corrective actions:EOP changed on 960429 to include ref to NSD 202.
HAMPTON,J.W. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88369:289-88369:294.

P. Operating license stage documents & correspondence

9605010173 Forwards proprietary & nonproprietary Topical Repts DPC-NE-2007P-A & DPC-NE-2007A,respectively.Proprietary Topical Rept DPC-NE-2007P-A withheld.
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 88079:016-88079:112.

--9605010181 Forwards corrected nonproprietary version of Topical Rept DPC-NE-2007.
GEWEHR,S. Duke Power Co. 96/04/23. HOOVER,D. . 1p. 88079:018-88079:018.

--9605010186 Nonproprietary "DPC Fuel Reconstitution Analysis Methodology."
* Duke Power Co. DPC-NE-2007A. 95/10/31. 93pp. 88079:019-88079:112.

9605030060 Submits clarification of reporting requirements under 10CFR50.72(b)(2)(vi).
TUCKMAN,M.S. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88396:002-88396:004.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070186 Forwards safety evaluation re licensee third 10-yr interval ISI request for relief 95-94.
BERKOW,H.N. . 96/05/03. HAMPTON,J.W. Duke Power Co. 3pp. 88141:348-88141:358.

-9605070190 Safety evaluation granting request for relief 95-04 for Duke Power Co.
* . 96/05/03. 7pp. 88141:352-88141:358.

9605130416 Forwards revised listing of QA-1 commitments added since original licensing basis of plant established.
HAMPTON,J.W. Duke Power Co. 96/05/06. Document Control Branch (Document Control Desk). 10pp. 88243:216-88243:225.

9605240191 Discusses 960426 visit to Oconee Nuclear Power Station to review implementation of NEI Guideline 95-10,Rev 0, "Industry Guideline for Implementing 10CFR54 - License Renewal Rule."
NEWBERRY,S.F. . 96/05/21. HAMPTON,J. Duke Power Co. 39pp. 88344:001-88344:039.

Q. Inspection reports, IE Bulletins & correspondence

9605140400 Discusses insp repts 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128 & 0309 & violations.
EBNETER,S.D. Region 2 (Post 820201). 96/04/16. HAMPTON,J.W. Duke Power Co. 4pp. 88242:308-88242:311.

9605140267 Forwards insp repts 50-269/96-05,50-270/96-05 & 50-287/96-05 on 960316-23 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/17. HAMPTON,J.W. Duke Power Co. 3pp. 88242:189-88242:207.

-9605140279 Notice of violation from insp on 960316-23.Violation noted: automatic actuation of Oconee Unit Three reactor protection sys caused trip of unit from full power on 960316,but NRC notification did not occur until over eight hours later.
* Region 2 (Post 820201). 96/04/17. 1p. 88242:192-88242:192.

-9605140289 Insp repts 50-269/96-05,50-270/96-05 & 50-287/96-05 on 960316-23.Violations noted.Major areas inspected: circumstances surrounding Unit 3 reactor trip event on 960316.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/17. 15pp. 88242:193-88242:207.

9605100097 Forwards corrected ltr re insp repts 50-269/95-25, 50-270/95-25 & 50-287/95-25 on 951204-08 & 11-15.Correction due to administrative error.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/25. HAMPTON,J.W. Duke Power Co. 3pp. 88190:150-88190:155.

-9605100099 Corrected ltr re insp repts 50-269/95-25,50-270/95-25 & 50-287/95-25 on 951204-08 & 11-15.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/25. HAMPTON,J.W. Duke Power Co. 3pp. 88190:153-88190:155.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150121 Forwards insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. HAMPTON,J.W. Duke Power Co. 3pp. 88266:081-88266:084.

-9605150126 Partially deleted insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09 (ref 10CFR73.21).No violations identified.Major areas inspected:licensee implementation of land vehicle control measures,contains safeguards info.
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/05/07. 1p. 88266:084-88266:084.

9605140116 Requests to use alternative to ASME Code Section XI.Util requests approval to use code case N-533.
TUCKMAN,M.S. Duke Power Co. 96/05/07. Document Control Branch (Document Control Desk). 4pp. 88268:272-88268:275.

9605200142 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TUCKMAN,M.S. Duke Power Co. 96/05/14. Document Control Branch (Document Control Desk). 21pp. 88343:152-88343:173.

9605220385 Responds to violations noted in insp repts 50-269/96-05, 50-270/96-05 & 50-287/96-05.Corrective actions:EOP changed on 960429 to include ref to NSD 202.
HAMPTON,J.W. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88369:289-88369:294.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605210325 Forwards monthly operating repts for Apr 1996 for Oconee Nuclear Station & revised repts for Mar 1996.
WEBER,R.L. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88353:026-88353:043.

-9605210327 Monthly operating repts for Apr 1996 for Oconee Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/04/30. 15pp. 88353:028-88353:042.

-9605210334 Monthly operating rept for Mar 1996 for Oconee Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 1p. 88353:043-88353:043.

S. Reportable occurrences, LERs & related correspondence

9605210184 Grants permission not to rept minor exceedances of environ limits described in NUREG-1022 until final rev published. Final staff position must be determined & decision made whether request for relief appropriate.
TAM,P.S. . 96/05/17. TUCKMAN,M.S. Duke Power Co. 4pp. 88320:357-88320:360.

9605300017 LER 96-07-00:on 960421,containment hydrogen recombiner sys declared inoperable due to deficient design analysis.Caused by failure of drain pumps to operate due to corrosion.Pumps repaired & tested satisfactorily.W/960521 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 96/05/21. 10pp. 88444:026-88444:035.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605070109 Forwards public version of Rev 96-03 to Vol B of EPIPs, including cover sheet,table of contents page 1,change 7 to CP/1&2/A/2002/05 & change 6 to CP/3/A/2002/05.W/960502 ltr.
HAMPTON,J.W. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 88118:325-88118:351.

-9605070114 Public version of Rev 96-03 to Vol B of EPIPs,including cover sheet,table of contents page 1,change 7 to CP/1&2/A/2002/05 & change 6 to CP/3/A/2002/05.
FOSTER,W.W. Duke Power Co. 96/04/18. 25pp. 88118:327-88118:351.

9605080211 Forwards public version of Rev 96-05 to Vol C of EPIPs, including emergency telephone directory dtd March 1996 & change to RP/0/B/1000/20, "EOF Director Procedure."
HAMPTON,J.W. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88174:289-88174:350.

-9605080223 Public version of Rev 96-05 to Vol C of EPIPs,including emergency telephone directory dtd March 1996 & change to RP/0/B/1000/20, "EOF Director Procedure."
FOSTER,W.W. Duke Power Co. 96/04/18. 59pp. 88174:292-88174:350.

9605100012 Informs that NRC reviewed & reconfirmed info provided re state & county accreditation for FEMA exercise objectives re off-hour operations as result of actual disaster responses in Aug 1994.
BARR,K.P. Region 2 (Post 820201). 96/04/30. HAMPTON,J.W. Duke Power Co. 3pp. 88190:203-88190:205.

9605150121 Forwards insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. HAMPTON,J.W. Duke Power Co. 3pp. 88266:081-88266:084.

-9605150126 Partially deleted insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09 (ref 10CFR73.21).No violations identified.Major areas inspected:licensee implementation of land vehicle control measures,contains safeguards info.
THOMPSON,D.H. Region 2 (Post 820201). 96/05/07. 1p. 88266:084-88266:084.

9605220385 Responds to violations noted in insp repts 50-269/96-05, 50-270/96-05 & 50-287/96-05.Corrective actions:EOP changed on 960429 to include ref to NSD 202.
HAMPTON,J.W. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88369:289-88369:294.

P. Operating license stage documents & correspondence

9605010173 Forwards proprietary & nonproprietary Topical Repts DPC-NE-2007P-A & DPC-NE-2007A,respectively.Proprietary Topical Rept DPC-NE-2007P-A withheld.
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 88079:016-88079:112.

-9605010181 Forwards corrected nonproprietary version of Topical Rept DPC-NE-2007.
GEWEHR,S. Duke Power Co. 96/04/23. HOOVER,D. . 1p. 88079:018-88079:018.

-9605010186 Nonproprietary "DPC Fuel Reconstitution Analysis Methodology."
* Duke Power Co. DPC-NE-2007A. 95/10/31. 93pp. 88079:019-88079:112.

9605030060 Submits clarification of reporting requirements under 10CFR50.72(b)(2)(vi).
TUCKMAN,M.S. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88396:002-88396:004.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070186 Forwards safety evaluation re licensee third 10-yr interval ISI request for relief 95-94.
BERKOW,H.N. . 96/05/03. HAMPTON,J.W. Duke Power Co. 3pp. 88141:348-88141:358.

--9605070190 Safety evaluation granting request for relief 95-04 for Duke Power Co.
* . 96/05/03. 7pp. 88141:352-88141:358.

9605130437 Forwards Rev 0 to Calculation 32-1245901-00, "Oconee-2 S/G-A Weld WG58-1 Flaw Evaluation."
HAMPTON,J.W. Duke Power Co. 96/05/03. Document Control Branch (Document Control Desk). 3pp. 88224:198-88224:264.

--9605130443 Rev 0 to Calculation 32-1245901-00, "Oconee-2 S/G-A Weld WG58-1 Flaw Evaluation."
KILLIAN,D.E., YOON,K.K. FRAMATOME. 32-1245901-00 R00. 96/05/03. 63pp. 88224:201-88224:264.

9605150354 Forwards SE accepting rept dtd 960503 re evaluation of flaw indications in upper head-to-tubesheet weld in SG.
BERKOW,H.N. . 96/05/03. HAMPTON,J.W. Duke Power Co. 3pp. 88264:337-88264:341.

--9605150365 Safety evaluation finding licensees evaluation indicates flaw in upper head-to-tubesheet weld satisfies criteria from Paragraph IWB-3612 of Section XI of ASME Code.
* . 96/05/03. 2pp. 88264:340-88264:341.

9605130416 Forwards revised listing of QA-1 commitments added since original licensing basis of plant established.
HAMPTON,J.W. Duke Power Co. 96/05/06. Document Control Branch (Document Control Desk). 10pp. 88243:216-88243:225.

9605240191 Discusses 960426 visit to Oconee Nuclear Power Station to review implementation of NEI Guideline 95-10,Rev 0, "Industry Guideline for Implementing 10CFR54 - License Renewal Rule."
NEWBERRY,S.F. . 96/05/21. HAMPTON,J. Duke Power Co. 39pp. 88344:001-88344:039.

9605230178 Forwards proprietary & non-proprietary versions of Framatome Technologies,Inc calculation relevant to conclusions of engineering evaluation.Proprietary calculation withheld.
PALJUG,J.R. Babcock & Wilcox Co. PALJUG,J.R. FRAMATOME. 96/05/22. LABARGE,D.E. . 7pp. 88373:111-88373:149.

--9605230191 "Flaw Evaluation for Oconee-2 CRDM Nozzle No 23."
KILLIAN,D.E. Babcock & Wilcox Co. 32-1240855-00. 95/11/20. 32pp. 88373:118-88373:149.

Q. Inspection reports, IE Bulletins & correspondence

9605140400 Discusses insp repts 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128 & 0309 & violations.
EBNETER,S.D. Region 2 (Post 820201). 96/04/16. HAMPTON,J.W. Duke Power Co. 4pp. 88242:308-88242:311.

9605140267 Forwards insp repts 50-269/96-05,50-270/96-05 & 50-287/96-05 on 960316-23 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/17. HAMPTON,J.W. Duke Power Co. 3pp. 88242:189-88242:207.

--9605140279 Notice of violation from insp on 960316-23.Violation noted: automatic actuation of Oconee Unit Three reactor protection sys caused trip of unit from full power on 960316,but NRC notification did not occur until over eight hours later.
* Region 2 (Post 820201). 96/04/17. 1p. 88242:192-88242:192.

--9605140289 Insp repts 50-269/96-05,50-270/96-05 & 50-287/96-05 on 960316-23.Violations noted.Major areas inspected: circumstances surrounding Unit 3 reactor trip event on 960316.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/17. 15pp. 88242:193-88242:207.

9605100097 Forwards corrected ltr re insp repts 50-269/95-25, 50-270/95-25 & 50-287/95-25 on 951204-08 & 11-15.Correction due to administrative error.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/25. HAMPTON,J.W. Duke Power Co. 3pp. 88190:150-88190:155.

--9605100099 Corrected ltr re insp repts 50-269/95-25,50-270/95-25 & 50-287/95-25 on 951204-08 & 11-15.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/25. HAMPTON,J.W. Duke Power Co. 3pp. 88190:153-88190:155.

9605070069 Documents interim engineering evaluation of NDE results obtained during follow-up CRDM nozzle insp at ONS Unit 2 in Apr 1996.Nonproprietary "Interim Engineering Evaluation:ONS Unit 2 1996 CRDM Nozzle Insp" encl.
HAMPTON,J.W. Duke Power Co. 96/04/30. Document Control Branch (Document Control Desk). 4pp. 88172:299-88172:354.

--9605070072 Nonproprietary "Interim Engineering Evaluation:ONS Unit 2 1996 CRDM Nozzle Insp."
FYFITCH,S., CAMPBELL,C.A. Babcock & Wilcox Co. FYFITCH,S. FRAMATOME. 51-1245880-00. 96/04/23. 52pp. 88172:303-88172:354.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150121 Forwards insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. HAMPTON,J.W. Duke Power Co. 3pp. 88266:081-88266:084.

--9605150126 Partially deleted insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09 (ref 10CFR73.21).No violations identified.Major areas inspected:licensee implementation of land vehicle control measures,contains safeguards info.
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/05/07. 1p. 88266:084-88266:084.

9605140116 Requests to use alternative to ASME Code Section XI.Util requests approval to use code case N-533.
TUCKMAN,M.S. Duke Power Co. 96/05/07. Document Control Branch (Document Control Desk). 4pp. 88268:272-88268:275.

9605200142 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TUCKMAN,M.S. Duke Power Co. 96/05/14. Document Control Branch (Document Control Desk). 21pp. 88343:152-88343:173.

9605220385 Responds to violations noted in insp repts 50-269/96-05, 50-270/96-05 & 50-287/96-05.Corrective actions:EOP changed on 960429 to include ref to NSD 202.
HAMPTON,J.W. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88369:289-88369:294.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605210325 Forwards monthly operating repts for Apr 1996 for Oconee Nuclear Station & revised repts for Mar 1996.
WEBER,R.L. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88353:026-88353:043.

--9605210327 Monthly operating repts for Apr 1996 for Oconee Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/04/30. 15pp. 88353:028-88353:042.

--9605210334 Monthly operating rept for Mar 1996 for Oconee Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 1p. 88353:043-88353:043.

S. Reportable occurrences, LERs & related correspondence

9605210368 LER 96-001-00:on 960416,determined post-LOCA boron dilution design basis not being met.Caused by inadequate work practices.Procedures revised & personnel trained on procedure changes.W/960515 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 96/05/15. 6pp. 88389:001-88389:006.

9605210184 Grants permission not to rept minor exceedances of environ limits described in NUREG-1022 until final rev published. Final staff position must be determined & decision made whether request for relief appropriate.
TAM,P.S. . 96/05/17. TUCKMAN,M.S. Duke Power Co. 4pp. 88320:357-88320:360.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9605070165 Advises that 960202 rev 7 to VT Yankee guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/30. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 88194:332-88194:334.

9605280135 Requests exemption from 10CFR50,App R,Section 3.G, "Fire Protection of Safe Shutdown Capability" & Section 3.L, "Alternative & Dedicated Shutdown Capability."
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/05/21. Document Control Branch (Document Control Desk). 8pp. 88386:159-88386:166.

P. Operating license stage documents & correspondence

9603110030 Forwards response to request for addl info re anonymous allegation. "Investigation of Certain Anonymous Allegations Re Advanced Off-Gas Sys at Vermont Yankee Nuclear Power Station."
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/02/26. Document Control Branch (Document Control Desk). 4pp. 88191:321-88191:337.

--9603110033 "Investigation of Certain Anonymous Allegations Re Advanced Off-Gas Sys at Vermont Yankee Nuclear Power Station."
MCELWEE,D.K., GOSEKAMP,M.E., CLARK,C.R. Vermont Yankee Nuclear Power Corp. 95/01/17. 13pp. 88191:325-88191:337.

9605060031 Expresses appreciation for prompt response to 960209 ltr requesting results of staff followup of alleged concerns re AOG sys.Response,discussed.
COOPER,R.W. Region 1 (Post 820201). 96/04/18. REID,D.A. Vermont Yankee Nuclear Power Corp. 4pp. 88095:029-88095:032.

9605020276 Forwards SE accepting C/A plan to modify battery racks & masonry walls,rendering both battery racks & masonry wall in full conformance w/design basis requirements.
DORMAN,D.H. . 96/04/25. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 88095:263-88095:270.

--9605020284 Safety evaluation accepting commitment from licensee to modify battery racks which will render both battery racks & masonry wall in full conformance w/ design basis requirements.
* . 96/04/25. 5pp. 88095:266-88095:270.

9605010115 Application for amend to license DPR-28,deleting definitions of "Unrestricted Area," "Restricted Area" & "Controlled Area."
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88079:197-88079:247.

--9605010117 Proposed tech specs,deleting definitions od "Unrestricted Area," "Restricted Area" & "Controlled Area."
* Vermont Yankee Nuclear Power Corp. 96/04/26. 49pp. 88079:199-88079:247.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070171 Ack receipt of 960415 ltr requesting that plant core shroud repair design rept be withheld from public disclosure per 10CFR2.790.Plant rept will be withheld from public disclosure & marked as proprietary.
DORMAN,D.H. . 96/05/03. THAYER,J. Vermont Yankee Nuclear Power Corp. 4pp. 88141:336-88141:340.

9605170173 Advises that Rev 26 to 10CFR50.54 QA program,acceptable based on NRC review & resubmittal which contains further clarification of alternative methods for meeting App B requirements.
RULAND,W.H. Region 1 (Post 820201). 96/05/03. CLARK,C.R. Yankee Atomic Electric Co. 3pp. 88284:005-88284:007.

9605140444 Informs util will continue performing in-situ static & dynamic testing of MOVs in 1996 that will confirm performance of previously differential pressure tested valves following major mods & maint,per GL 89-10.
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88272:065-88272:066.

9605280070 Forwards RAI re GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," issued 950817.
DORMAN,D.H. . 96/05/23. REID,D.A. Vermont Yankee Nuclear Power Corp. 4pp. 88385:202-88385:205.

9605310068 Forwards RAI re 960415 submittal of planned repair of circumferential welds for plant reactor core shroud.
PHILLIPS,L.E. . 96/05/23. DORMAN,D.H. . 2pp. 88400:227-88400:228.

Q. Inspection reports, IE Bulletins & correspondence

9605070032 Ack receipt of 951116 ltr informing NRC of steps taken to correct violations noted in insp rept 50-271/95-22.
KELLY,E.M. Region 1 (Post 820201). 96/04/29. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 88112:083-88112:090.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605150058 Forwards insp repts 50-271/96-03 on 960202-0330 & 960303-0411.No violations noted.
CONTE,R.J. Region 1 (Post 820201). 96/05/03. REID,D. Vermont Yankee Nuclear Power Corp. 3pp. 88266:031-88266:064.

--9605150063 Insp rept 50-217/96-03 on 960202-0330.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
CONTE,R.J. Region 1 (Post 820201). 96/05/03. 21pp. 88266:034-88266:054.

--9605150068 Insp rept 50-271/96-03 on 960303-0411.No violations noted. Major areas inspected:current technical status of advanced off-gas sys.
CALVERT,J., RULAND,W. Region 1 (Post 820201). 96/04/26. 10pp. 88266:055-88266:064.

9605170129 Informs of insp using integrated performance assessment process scheduled for periods of 961021-25 & 1104-08.
CONTE,R.J. Region 1 (Post 820201). 96/05/03. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 88284:219-88284:221.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140409 Submits 30-day response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over SR Equipment."
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88272:045-88272:046.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020015 Forwards "Vermont Yankee Nuclear Power Station Annual Radiological Environ Surveillance Rept Jan-Dec 1995."
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88093:240-88093:336.

--9605020017 "Vermont Yankee Nuclear Power Station Annual Radiological Environ Surveillance Rept Jan-Dec 1995."
* Yankee Atomic Electric Co. 95/12/31. 95pp. 88093:241-88093:336.

9605140235 Monthly operating rept for Apr 1996 for VT Yankee Power Station.W/ 960510 ltr.
WALLIN,G.A., WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/04/30. 6pp. 88257:167-88257:172.

S. Reportable occurrences, LERs & related correspondence

9605070091 Special rept:on 960320,switchgear CO2 sys declared inoperable.Suppression sys remains capable of automatic initiation & compensatory measure will remain in effect until confirmatory testing completed.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/05/02. Document Control Branch (Document Control Desk). 2pp. 88170:358-88170:359.

9605100168 LER 96-009-00:on 960404,determined combustible polystyrene matl present in joints between turbine,radwaste,reactor & control bldgs.Caused by personnel error.Two h roving fire watch established in adjoining radwaste bldg.W/960503 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/05/03. 4pp. 88247:294-88247:297.

9605140406 LER 96-010-00:on 960411,failed to previously identify dependency between RHR minimum flow valve & cross powered RHR pumps.Caused by failure to recognize impact of power configuration on LOCA analysis.W/960509 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/05/09. 5pp. 88288:024-88288:028.

9605170201 Forwards excerpts from draft ASP rept for 1982-83.
DORMAN,D.H. . 96/05/10. REID,D.A. Vermont Yankee Nuclear Power Corp. 21pp. 88298:266-88298:286.

9605220009 LER 96-012-00:on 960416,determined LPCI flow could potentially be diverted due to inadequate design review prior to proceduralizing use of sys.Procedures revised. W/960516 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/05/16. 4pp. 88389:090-88389:093.

9605220412 LER 96-011-00:on 960416,check valves not included in IST Program.Caused by failure to perform comprehensive sys/ component reviews during past IST program scope reviews. Reviewed IST program & prepared basis document.W/960516 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/05/16. 4pp. 88389:116-88389:119.

9605300134 LER 96-013-00:on 960424,identified two fire suppression sys that do not meet design requirements due to personnel error. Two fire suppression sys will be modified.W/960523 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/05/23. 4pp. 88444:076-88444:079.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605070161 Advises that 960228 rev 3 to Salem-Hope Creek guard training & qualification plan is consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/30. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 88194:349-88194:351.

9605140437 Fowards revised EPIPs,including Rev 55 to table of contents & Rev 11 to EPIP 1003, "Review & Approval of Plan/Procedures ECG" & revised emergency plan & table of contents.
* Public Service Electric & Gas Co. of New Jersey. 96/05/08. Document Control Branch (Document Control Desk). 1p. 88256:001-88256:162.

--9605140470 Revised EPIPs,including Rev 55 to table of contents & Rev 11 to EPIP 1003, "Review & Approval of Plan/Procedures/ECG."
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/10. 25pp. 88256:002-88256:026.

--9605140474 Revised emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/10. 136pp. 88256:027-88256:162.

9605170108 Discusses 960506 mgt meeting re emergency preparedness & forwards meeting notice.List of attendees & handouts encl.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 88284:200-88284:206.

9605220292 Rev 34 to EPIP 1013, "Emergency Response Personnel Telephone List" & rev 56 to table of contents.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/20. 34pp. 88359:058-88359:090.

9605310246 Revised EPIPs,including Rev 49 to table contents,Rev 40 to signature page,Rev 17 to ECG Attachment 1,Rev 10 to ECG Attachment 2,Rev 10 to ECG Attachment 3,Rev 9 to ECG Attachment 4 & Rev 28 to ECG Attachment 6.
BANNER,C. Public Service Electric & Gas Co. of New Jersey. 96/05/21. 62pp. 88418:085-88418:146.

9605310120 Revised EPIPs,including rev 17 to EPIP TOC, "Emergency News Ctr,Table of Contents" & rev 9 to EPIP 801, "Company Spokesperson Response - ENC."
VONDRASAK,B. Public Service Electric & Gas Co. of New Jersey. 96/05/24. 8pp. 88404:280-88404:287.

9605310034 Revised EPIPs,including rev 58 to Table of Contents,rev 10 to EPIP 102S, "Alert," rev 11 to EPIP 103S, "Site Area Emergency," & rev 11 to EPIP 104S, "General Emergency."
* Public Service Electric & Gas Co. of New Jersey. 96/05/28. 42pp. 88418:209-88418:250.

P. Operating license stage documents & correspondence

9605280229 Rev 2 to Calculation ES-4.004(Q), "125 Volt DC Battery & Battery Charger Sizing Calculation."
VALERIO,L.A., SULKAR,S.V., KRVAVAC,J. Sargent & Lundy, Inc. ES-4.004(Q) R02. 96/01/19. 43pp. 88376:120-88376:254.

-9605280238 Rev 0 to Calculation ES-4.006(Q), "125 Volt DC Component & Voltage Drop Calculation."
NG,K.R., SULKAR,S.V., AHMED,K. Sargent & Lundy, Inc. ES-4.006(Q) R00. 96/01/19. 39pp. 88376:167-88376:205.

-9605280240 Change 2EC-3332 to Rev 0 to design analysis, "125 Vdc Battery Charger Replacement."
BATES,G.S. Public Service Electric & Gas Co. of New Jersey. 96/03/15. 48pp. 88376:206-88376:254.

9605220049 Requests proprietary WCAP-13651, "Westinghouse Revised Thermal Design Procedure Instruments Uncertainity Methodology for Salem Units 1 & 2," be withheld,per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. 96/03/25. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 88362:066-88362:163.

-9605220058 Non-proprietary "Westinghouse Revised Thermal Design Procedure Instrument Uncertainty Methodology for Salem Units 1 & 2."
CIOCCA,C.F. Westinghouse Electric Corp. WCAP-13652. 93/08/31. 35pp. 88362:075-88362:108.

-9605220065 Non-proprietary "Fuel Upgrade & Margin Recovery Program:LOCA Containment Integrity Analysis for Salem Nuclear Generating Station Units 1 & 2."
SPRYSHAK,J.J., KOLANO,J.A. Westinghouse Electric Corp. WCAP-13839. 93/08/31. 52pp. 88362:109-88362:163.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

-9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605060058 Ltr contract:mod 4 to task order 41, "IPE Reviews - Internal Events - Human Factors Only (Salem Units 1 & 2)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88116:354-88116:355.

9605020314 Forwards amends 182 & 163 to licenses DPR-70 & DPR-75, respectively & SE.Amends change TS 3/4.8.2.5,making unit 1 requirements similar to unit 2 by defining specific battery chargers required for each train.
OLSHAN,L.N. . 96/04/29. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 88095:287-88095:299.

-9605020321 Amends 182 & 163 to licenses DPR-70 & DPR-75,respectively, changing TS 3/4.8.2.5 to make unit 1 requirements similar to unit 2 by defining specific battery chargers.Both units require that 28 Vdc bus be energized to be OPERABLE.
STOLZ,J.F. . 96/04/29. 8pp. 88095:290-88095:297.

-9605020324 Safety evaluation supporting amends 182 & 163 to licenses DPR-70 & DPR-75,respectively.
* . 96/04/29. 2pp. 88095:298-88095:299.

9605070283 Forwards excerpts from draft ASP Rept for 1982-83, documenting analyses of operational events which occurred during period 1982-83.Revs to subj rept to begin about 960531 to be put in final form for publication.
OLSHAN,L.N. . 96/05/01. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 44pp. 88114:275-88114:318.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160255 Notification of significant licensee meeting 96-46 w/util on 960524 to discuss progress of plant Unit 2 process for restart.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/10. Region 1 (Post 820201). 1p. 88276:061-88276:061.

9605160308 Notification of significant licensee meeting 96-45 w/util on 960524 to discuss PSE&G understanding of design & licensing basis & corrective actions planned prior to restart of Unit 2.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/10. Region 1 (Post 820201). 1p. 88276:080-88276:080.

9605210402 Application for amends to licenses DPR-70 & DPR-75 re Sections:1.0 Definitions,2.0 Safety Limits & Limiting Safety Sys Settings,3/4 1.0 Reactivity Control Sys,3/4 2.0 Power Distribution Limits & 5.0 Design Features.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/10. Document Control Branch (Document Control Desk). 231pp. 88352:001-88352:345.

-9605210418 Proposed tech specs re Sections 1.0 Definitions,2.0 Safety Limits & Limiting Safety Sys Settings,3/4 1.0 Reactivity Control Sys,3/4 2.0 Power Distribution Limits,5.0 Design Features & 6.0 Administrative Controls.
* Public Service Electric & Gas Co. of New Jersey. 96/05/10. 113pp. 88352:232-88352:345.

9605170290 Notification of 960528 meeting w/licensee in Rockville,MD to discuss Salem SG issues.
OLSHAN,L.N. . 96/05/15. STOLZ,J.F. . 4pp. 88299:337-88299:340.

9605310091 Notification of licensee meeting 96-46 w/util in King of Prussia,PA to discuss util presentation discussing progress of plant,Unit 2 for restart.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/21. Region 1 (Post 820201). 2pp. 88392:132-88392:133.

9605280185 Submits request to change QA program for Salem & Hope Creek Stations.
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 96/05/22. Document Control Branch (Document Control Desk). 9pp. 88384:310-88384:328.

-9605280195 Proposed tech specs,requesting approval of changes to QA program.
* Public Service Electric & Gas Co. of New Jersey. 96/05/22. 10pp. 88384:319-88384:328.

9605310022 Notification of significant licensee meeting 96-45 w/util on 960611 to discuss PSE&G understanding of license design & licensing basis & corrective actions planned prior to restart of Unit 2.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/23. Region 1 (Post 820201). 2pp. 88392:007-88392:008.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605130349 Discusses plant plans to perform team insp scheduled for 960610-21.Listed dates should be used pending further determination of potential conflicts w/plant Unit 2 restart schedule.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/02. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 88211:258-88211:260.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140240 Ltr contract,definitizing task order 84, "Salem Licensing Basis Confirmation Insp."
WIGGIN,E.J. Division of Contracts (Post 940714). FIN J-2407-6. 96/05/06. LOFY,R.A. PARAMETER, Inc. 7pp. 88252:329-88252:335.

9605140390 Submits clarification to NOV response re insp repts 50-272/95-81 & 50-311/95-81.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88271:296-88271:297.

9605210478 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor or Over Safety-Related Equipment."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/05/13. Document Control Branch (Document Control Desk). 6pp. 88353:088-88353:093.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280220 Forwards response to NRC 960422 ltr re violation noted in insp repts 50-272/96-05 & 50-311/96-05 on 960225-0406. Corrective actions:Offsite Safety Review staff segregated & assigned into two separate groups on 960419.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/22. Document Control Branch (Document Control Desk). 7pp. 88378:346-88378:352.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605090037 "1995 Annual Environ Operating Rept (Non-Radiological)." W/960430 ltr.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 95/12/31. 8pp. 88223:286-88223:293.

9605070275 Forwards "Radiological Environ Monitoring Program for Salem & Hope Creek Generating Stations 1995 Annual Radiological Environ Operating Rept Jan-Dec 1995." Results of program for 1995 compared to results of preoperational program.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88169:008-88169:203.

–**9605070278** "Radiological Environ Monitoring Program for Salem & Hope Creek Generating Stations 1995 Annual Radiological Environ Operating Rept Jan-Dec 1995."
* Public Service Electric & Gas Co. of New Jersey. 95/12/31. 194pp. 88169:010-88169:203.

9605200474 "NPDES Monitoring Repts for Apr 1996 for Salem Generating Station." W/ 960516 ltr.
HOLDEN,J.J. Public Service Electric & Gas Co. of New Jersey. 96/04/30. CAPORALE,G. New Jersey, State of. 19pp. 88343:219-88343:237.

9605210322 Monthly operating rept for Apr 1996 for Salem Unit 1.W/ 960515 ltr.
PHILLIPS,R., HELLER,R., WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 96/04/30. 9pp. 88361:247-88361:255.

S. Reportable occurrences, LERs & related correspondence

9605060301 LER 96-005-01:on 960403,failed to perform channel checks for degraded voltage required by TS.Caused by lack of adequate controls for development & maint of TS surveillance procedures.Logged channel checks of Tavg.W/960501 ltr.
HASSLER,D.V., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/05/03. 6pp. 88171:224-88171:229.

9605140388 LER 95-018-01:on 950720,improper range gauges used for IST. Caused by inadequate IST program & lack of IST program maint & implementation processes & associated controls.Issued stop work order by QA 950731.W/960509 ltr.
HASSLER,D.V., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/05/10. 5pp. 88288:061-88288:065.

9605300126 LER 96-006-00:on 960421,missed independent verification of release lineup on waste gas decay tanks (WGDT) due to personnel.WGDT releases suspended pending rev of procedures. Procedures revised.W/960521 ltr.
HASSLSER,D.V., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/05/21. 7pp. 88444:058-88444:064.

V. Operator Examinations

9605160113 Requests exemption from 10CFR55.31(a)(5) requiring OL to perform min of 5 significant control manipulations affecting reactivity or power level on facility for which license is sought.Encl resumes withheld.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88309:211-88309:217.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605010248 Forwards public version of rev 3 to "Diablo Canyon Power Plant Units 1 & 2 Emergency Plan," Change 15.W/960501 ltr.
POWERS,R.P. Pacific Gas & Electric Co. 96/04/16. Document Control Branch (Document Control Desk). 21pp. 88069:001-88072:009.

–**9605010259** Public version of rev 3 "Diablo Canyon Power Plant Units 1 & 2 Emergency Plan," Change 15.
POWERS,R.P. Pacific Gas & Electric Co. 96/03/22. 1079pp. 88069:023-88072:009.

9605150250 Submits Change 8 to Rev 18 of physical security plan,per 10CFR50.54(p).Encl withheld.
RUEGER,R.G. Pacific Gas & Electric Co. 96/05/06. Document Control Branch (Document Control Desk). 1p. 88263:308-88263:308.

9605170494 Responds to violations noted in Insp Repts 50-275/96-01 & 50-323/96-01. Corrective Actions:access to individual involved suspended on 951009 & revoked on 951011.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88332:350-88332:355.

G. Adjudicatory correspondence

9605030218 Comments opposing proposed coorporate restructuring of Pacific Gas & Electric Co.
DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). * Modesto,CA. 96/04/29. Office of Nuclear Regulatory Research (Post 941217). 262pp. 88092:035-88092:293.

9605060237 Comment opposing proposed coorporate restructing of Pacific Gas & Electric.
DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 96/04/29. NRC - No Detailed Affiliation Given. 22pp. 88103:014-88103:035.

9605060326 Comment opposing proposed corporate restructuring of Pacific Gas & Electric.
DAVIDSON,D.I. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 4pp. 88103:094-88103:097.

9605280031 Provides response to comments on util's proposed corporate restructuring.
WARNER,C.J. Pacific Gas & Electric Co. 96/05/23. Document Control Branch (Document Control Desk). 9pp. 88386:269-88386:277.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605140124 Requests one-time exemption for 10CFR50.71(e)(4) to allow rev 11 of FSAR Update to be filed 9 months,rather than 6 months,after completion of Unit 2 7th refueling outage.Time needed to ensure FSAR Update complete & accurate.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/07. Document Control Branch (Document Control Desk). 2pp. 88272:019-88272:020.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090191 Offers no comments re hazardous waste facility permit class 3 mod.
BLOOM,S.D. . 96/05/08. SHAULIS,D.I. California, State of. 1p. 88175:359-88175:359.

9605170217 Forwards application for amends to licenses DPR-80 & DPR-82, revising TS 3/4.3.2, "ESFAS Instrumentation" & 3/4.6.2, "Containment Spray Sys."
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88316:252-88316:275.

–**9605170232** Application for amends to licenses DPR-80 & DPR-82,revising TS App A,3/4.3.2, "ESFAS Instrumentation" & TS 3/4.6.2, "Containment Spray Sys."
WARNER,C.J. Pacific Gas & Electric Co. 96/05/09. 8pp. 88316:254-88316:261.

–**9605170243** Proposed tech specs 3/4.3.2 & 3/4.6.2,clarifying description of initiation signal required for operation of CSS at DCNPP & correctly incorporate changes made in previous license amends.
* Pacific Gas & Electric Co. 96/05/09. 14pp. 88316:262-88316:275.

9605310087 Forwards amends 112 & 110 to licenses DPR-80 & DPR-82, respectively & SE.Amends delete requirements in TS 4.0.5a for NRC written approval prior to implementation of relief from ASME Code requirements.
BLOOM,S.D. . 96/05/28. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 88394:339-88394:354.

–**9605310102** Amends 112 & 110 to licenses DPR-80 & DPR-82,respectively, deleting requirements in TS 4.0.5a for written approval prior to implementation of relief from ASME Code.
BLOOM,S.D. . 96/05/28. 9pp. 88394:343-88394:351.

–**9605310106** Safety evaluation supporting amends 112 & 110 to licenses DPR-80 & DPR-82,respectively.
* . 96/05/28. 3pp. 88394:352-88394:354.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140385 Submits response to violations noted in Insp Repts 50-275/96-02 & 50-323/96-02.Corrective actions:operators performed STP 1-1D using PAMS panels 3 & 4 to verify operability of incore thermocouple channels.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/10. Document Control Branch (Document Control Desk). 8pp. 88271:288-88271:295.

9605170494 Responds to violations noted in Insp Repts 50-275/96-01 & 50-323/96-01. Corrective Actions:access to individual involved suspended on 951009 & revoked on 951011.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88332:350-88332:355.

9605170267 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
SHIFFER,J.D. Pacific Gas & Electric Co. 96/05/13. Document Control Branch (Document Control Desk). 8pp. 88316:327-88316:334.

9605210483 Forwards insp repts 50-275/96-10 & 50-323/96-10 on 960415-25.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/17. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88305:192-88305:205.

–**9605210490** Insp repts 50-275/96-10 & 50-323/96-10 on 960415-25.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
POWERS,D.A. Region 4 (Post 820201). 96/05/14. 9pp. 88305:197-88305:205.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605280208 Forwards insp repts 50-275/96-06 & 50-323/96-06 on 960303- 0413 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/05/20. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88356:107-88356:139.

–**9605280212** Notice of violation from insp on 960303-0413.Violation noted:on 960125 licensee failed to perform monthly channel check of remote shutdown instrument for RCS temp IAW written procedure & more.
* Region 4 (Post 820201). 96/05/20. 2pp. 88356:112-88356:113.

–**9605280217** Insp repts 50-275/96-06 & 50-323/96-06 on 960303-0413. Violations noted.Major areas inspected:operational safety verification,maint & surveillance observations,onsite engineering & plant support activities.
* Region 4 (Post 820201). 96/05/20. 26pp. 88356:114-88356:139.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605230219 Forwards insp repts 50-275/96-07 & 50-323/96-07 on 960415-19.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/21. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88333:053-88333:072.

--9605230220 Insp repts 50-275/96-07 & 50-323/96-07 on 960415-19.No violations noted.Major areas inspected:RP activities including,reviews of planning & preparation,training & qualifications,external & internal exposure controls.
MURRAY,B. Region 4 (Post 820201). 96/05/21. 15pp. 88333:058-88333:072.

9605280116 Forwards insp repts 50-275/96-03 & 50-323/96-03 on 960226-0301 & 0408-12.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/21. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88349:315-88349:337.

--9605280121 Insp repts 50-275/96-03 & 50-323/96-03 on 960226-0301 & 0408-12.No violations noted.Major areas inspected:licensee self assessment of engineering & corrective action program.
VANDENBURGH,C. Region 4 (Post 820201). 96/05/14. 18pp. 88349:320-88349:337.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060197 "1995 Annual Nonradiological Environ Operating Rept for Diablo Canyon Power Plant." W/960430 ltr.
RUEGER,G.M. Pacific Gas & Electric Co. 95/12/31. 19pp. 88172:081-88172:099.

9605070016 "Diablo Canyon Power Plant 1995 Annual Radioactive Effluent Release Rept." W/960426 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/12/31. 371pp. 88168:001-88169:007.

9605070043 "1995 Annual Radiological Environ Operating Rept Diablo Canyon Power Plant." W/960430 ltr.
ONG-CARRILLO,A., GEDNEY,E.A., FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/12/31. 158pp. 88167:001-88167:168.

9605200309 Monthly operating repts for April 1996 for DCNPP.W/960515 ltr.
EUBANK,T., COLEY,W.E., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/04/30. 13pp. 88351:329-88351:341.

S. Reportable occurrences, LERs & related correspondence

9605070036 LER 96-005-00:on 960213,containment fan cooler potentially susceptible to CCW flashing in CFCU cooling coils.Installed N pressurization sys on CCW sys for Unit 1.W/960426 ltr.
JOHNSON,R.L., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/04/26. 6pp. 88191:251-88191:256.

9605070237 Forwards Rev 1 to LER 96-001 re closure of charging pump recirculation flow path valves placing ECCS in unanalyzed condition.Rev provides cause analysis,safety significance & corrective action determination.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/05/06. Document Control Branch (Document Control Desk). 1p. 88198:302-88198:311.

--9605070243 LER 96-001-01:on 960201,determined that closure CCPs common recirculation flow path valves 8105 & 8106 placed ECCS in unanalyzed condition.Added valves 8105 & 8106 to list of valves required by TS to remain open in Modes 1,2 & 3.
JOHNSON,R.L. Pacific Gas & Electric Co. 96/05/06. 9pp. 88198:303-88198:311.

9605130196 Forwards LER 95-011-01 re Unit 1 main steam sys outside of design basis,due to high initial main steam safety valve lift points.Changes to LER noted by rev bars in right margin.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/05/06. Document Control Branch (Document Control Desk). 1p. 88268:016-88268:032.

--9605130199 LER 95-011-01:on 950914,MSSVs on SG lifted high.Caused by sticking phenomenon between MSSV nozzle & disc seats.All MSSVs retested,adjusted as required & left within TS required tolerance.
JOHNSON,R.L. Pacific Gas & Electric Co. 96/05/06. 16pp. 88268:017-88268:032.

9605170285 LER 83-040-00,on 960410,identified RHR & excess letdown HXs seismic supports not included in ISI program plan or routinely inspected per TS 4.0.5.Caused by personnel error. ISI program plan revised.W/960510 ltr.
JOHNSON,R.L., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/05/10. 6pp. 88341:136-88341:141.

9605310165 LER 96-006-00:on 960308,overcurrent relays failed pre-installation testing.Caused by vendor design error. Basler BE1-50/51B overcurrent relays stock code 95-3599,rev "H" returned for upgrade to rev "K." W/960524 ltr.
JOHNSON,R.L., FUJIMOTO,W. Pacific Gas & Electric Co. 96/05/24. 6pp. 88444:208-88444:213.

9605310172 LER 95-010-01:on 950906,Tech Spec 3.8.1.1 not met following inadequate surveillance testing of emergency diesel generators.Caused by personnel error.Revised & reviewed procedures.W/960524 ltr.
JOHNSON,R.L., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/05/24. 8pp. 88444:221-88444:228.

V. Operator Examinations

9605100181 Forwards Generic Fundamentals Exam Section of written operator licensing exam,administered on 960410,w/answer key. W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 88190:055-88190:056.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605070233 Rev 10 to ERP-620, "Health Physics Group (HPG)." W/960425 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/25. 15pp. 88193:325-88193:339.

9605130445 Submits response to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88243:208-88243:211.

9605280164 Revised EPIPs,including Rev 44 to App 1, "Emergency Notification Telephone List" of ERP-110 & Rev 1 to App 3, "Access Briefing Guide" of ERP-620.W/960523 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/23. 6pp. 88386:076-88386:081.

P. Operating license stage documents & correspondence

9605130445 Submits response to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88243:208-88243:211.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160267 Forwards "Seismic Safe Shutdown Equipment List for PBAPS Units 2 & 3," "USI A-46 Relay Evaluation Rept for PBAPS Units 2 & 3" & "Seismic Evaluation Rept for PBAPS," in response to GL 87-02/USI A-46.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/07. Document Control Branch (Document Control Desk). 3pp. 88333:073-88336:192.

--9605160271 "Seismic Safe Shutdown Equipment List for PBAPS Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/31. 204pp. 88333:077-88333:283.

--9605160275 "USI A-46 Relay Evaluation Rept for PBAPS Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/31. 554pp. 88333:284-88335:109.

--9605160277 "Seismic Evaluation Rept for PBAPS."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/31. 446pp. 88335:110-88336:192.

9605280203 Discusses 960424 meeting conducted in King of Prussia,PA re safety relief valve performance issues w/BWR licensees. List of attendees & slides encl.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 79pp. 88355:247-88355:325.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170121 Ack receipt of 960424 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/96-01 & 50-278/96-01.
PASCIAK,W.J. Region 1 (Post 820201). 96/05/07. MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 88284:207-88284:218.

9605140132 Forwards request for addl info re PECO response to NRC Bulletin 95-02 for Limerick Generating Station,Units 1 & 2 & Peach Bottom Atomic Power Station,Units 2 & 3.
RINALDI,F. . 96/05/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 88251:272-88251:278.

9605170262 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/10. Document Control Branch (Document Control Desk). 8pp. 88316:319-88316:326.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605200258 Monthly operating repts for April 1996 for PBAPS.W/960515 ltr.
HYDRICK,L.P., MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/30. 14pp. 88347:256-88347:269.

9605220500 Forwards "PBAPS Units 2 & 3 Annual Radiological Environ Operating Rept 53,Jan-Dec 1995." REMP found that plant effects on environ not measurable in any sample media except for small amount of Co-60 activity in one sediment sample.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88362:164-88362:273.

-9605220501 "PBAPS Units 2 & 3 Annual Radiological Environ Operating Rept 53,Jan-Dec 1995."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 107pp. 88362:166-88362:273.

S. Reportable occurrences, LERs & related correspondence

9605170154 Forwards excerpts from Draft 1982-83 precursor rept documenting ASP Program analyses of operational events occurring between 1982-83.
SHEA,J.W. . 96/05/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 39pp. 88301:256-88301:294.

9605230101 LER 96-004-00:on 960417,HPCI sys declared inoperable due to leak in cooling water relief valve.Caused by IGSCC.HPCI cooling water relief valve was replaced.W/undated ltr.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/17. 4pp. 88389:147-88389:150.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605170362 Forwards both forms of generic fundamentals exam section of written operator licensing exam including,answer keys, grading results for facility & individual answer sheet for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 88284:087-88284:088.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605070233 Rev 10 to ERP-620, "Health Physics Group (HPG)." W/960425 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/25. 15pp. 88193:325-88193:339.

9605130445 Submits response to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88243:208-88243:211.

9605280164 Revised EPIPs,including Rev 44 to App 1, "Emergency Notification Telephone List" of ERP-110 & Rev 1 to App 3, "Access Briefing Guide" of ERP-620.W/960523 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/23. 6pp. 88386:076-88386:081.

P. Operating license stage documents & correspondence

9605130445 Submits response to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88243:208-88243:211.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160267 Forwards "Seismic Safe Shutdown Equipment List for PBAPS Units 2 & 3," "USI A-46 Relay Evaluation Rept for PBAPS Units 2 & 3" & "Seismic Evaluation Rept for PBAPS," in response to GL 87-02/USI A-46.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/07. Document Control Branch (Document Control Desk). 3pp. 88333:073-88336:192.

-9605160271 "Seismic Safe Shutdown Equipment List for PBAPS Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/31. 204pp. 88333:077-88333:283.

-9605160275 "USI A-46 Relay Evaluation Rept for PBAPS Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/31. 554pp. 88333:284-88335:109.

-9605160277 "Seismic Evaluation Rept for PBAPS."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/31. 446pp. 88335:110-88336:192.

9605280203 Discusses 960424 meeting conducted in King of Prussia,PA re safety relief valve performance issues w/BWR licensees. List of attendees & slides encl.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 79pp. 88355:247-88355:325.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170121 Ack receipt of 960424 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/96-01 & 50-278/96-01.
PASCIAK,W.J. Region 1 (Post 820201). 96/05/07. MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 88284:207-88284:218.

9605140132 Forwards request for addl info re PECO response to NRC Bulletin 95-02 for Limerick Generating Station,Units 1 & 2 & Peach Bottom Atomic Power Station,Units 2 & 3.
RINALDI,F. . 96/05/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 88251:272-88251:278.

9605170262 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/10. Document Control Branch (Document Control Desk). 8pp. 88316:319-88316:326.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605200258 Monthly operating repts for April 1996 for PBAPS.W/960515 ltr.
HYDRICK,L.P., MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/30. 14pp. 88347:256-88347:269.

9605220500 Forwards "PBAPS Units 2 & 3 Annual Radiological Environ Operating Rept 53,Jan-Dec 1995." REMP found that plant effects on environ not measurable in any sample media except for small amount of Co-60 activity in one sediment sample.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88362:164-88362:273.

-9605220501 "PBAPS Units 2 & 3 Annual Radiological Environ Operating Rept 53,Jan-Dec 1995."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 107pp. 88362:166-88362:273.

S. Reportable occurrences, LERs & related correspondence

9605170154 Forwards excerpts from Draft 1982-83 precursor rept documenting ASP Program analyses of operational events occurring between 1982-83.
SHEA,J.W. . 96/05/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 39pp. 88301:256-88301:294.

9605140451 Special rept:on 960422,vent stack wide range gas radiation monitor sys was removed from svc for planned mod.Field survey teams would be dispatched to monitor radioactive effluents as defined in plant Emergency Plan.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88272:079-88272:080.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605170362 Forwards both forms of generic fundamentals exam section of written operator licensing exam including,answer keys, grading results for facility & individual answer sheet for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 88284:087-88284:088.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605060207 Submits Physical Security Plan for plant.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88147:351-88147:352.

9605200257 Forwards insp repts 50-280/96-04 & 50-281/96-04 on 960408-12.No violations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88291:025-88291:033.

--9605200264 Insp repts 50-280/96-04 & 50-281/96-04 on 960408-12.No violations noted.Major areas inspected:physical security of program of power reactors including;vital access control packages & personnel & vehicles.
STANSBERRY,W.W., FREDRICKSON,P. Region 2 (Post 820201). 96/05/09. 6pp. 88291:028-88291:033.

9605200177 Revised EPIPs,including Rev 11 to EPIP-1.02,Rev 15 to EPIP-1.03,Rev 15 to EPIP-1.04,Rev 17 to EPIP-1.05,Rev 23 to EPIP-2.01 & Rev 3 to EPIP-4.34.W/ 960515 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/05/15. 111pp. 88328:001-88328:110.

9605200379 Forwards emergency response data sys data base updates.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/05/15. Document Control Branch (Document Control Desk). 5pp. 88341:298-88341:302.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605060134 Rev 26 to "Updated FSAR for Surry Power Station." W/960423 ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/30. 296pp. 88153:061-88153:356.

P. Operating license stage documents & correspondence

9605030279 Forwards amends 209 & 209 to licenses DPR-32 & DPR-37 & safety evaluation.Amends modify TS requirements for sampling of reactor coolant for dissolved oxygen,chlorides & fluorides.
BUCKLEY,B.C. . 96/04/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88103:343-88103:356.

--9605030283 Amends 209 & 209 to licenses DPR-32 & DPR-37,respectively, modifying TS requirements for sampling of reactor coolant for dissolved oxygen,chlorides & fluorides.
IMBRO,E.V. . 96/04/29. 8pp. 88103:346-88103:353.

--9605030287 Safety evaluation supporting amends 209 & 209 to licenses DPR-32 & DPR-37,respectively.
* . 96/04/29. 3pp. 88103:354-88103:356.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090215 Discusses 960424 meeting w/facility re progress of spent fuel storage activities for plant.List of attendees & licensee presentation encl.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/05/06. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 15pp. 88185:309-88185:323.

9605100163 Forwards addl clarifications of IST anomalies noted in NRC 941020 SER for plant ASME Section XI IST program,per review of NRC 960212 ltr documenting NRC review & acceptance of util responses to anomalies.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/06. Document Control Branch (Document Control Desk). 3pp. 88226:331-88226:333.

9605140184 Informs that effective 960218,EV Imbro replaced DB Matthews as Director,Project Directorate II-1.BC Buckley will become Project Manager for plant,Units 1 & 2 & GE Edison will become Project Manager for plant,Units 1 & 2,on 960428.
VARGA,S.A. . 96/05/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88251:279-88251:281.

9605280057 Notifies of intent to convert Tech Specs from present form to improved Standard Tech Specs,per NUREG-1431,Rev 1.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/21. Document Control Branch (Document Control Desk). 2pp. 88386:262-88386:263.

Q. Inspection reports, IE Bulletins & correspondence

9605140486 Ack receipt of 960404 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/96-01 & 50-281/96-01.
BELISLE,G.A. Region 2 (Post 820201). 96/04/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88223:196-88223:198.

9605130385 Forwards insp repts 50-280/96-02 & 50-281/96-02 on 960211-0323 & notices of violation & deviation.Violation of concern to NRC because program deficiency allowed unit 2 to operate for period of approx five weeks.
BELISLE,G.A. Region 2 (Post 820201). 96/04/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 88211:299-88211:333.

--9605130393 Notice of violation from insp on 960211-0323.Violation noted:failure to follow written procedures for corrective maintenance operations & not reported on deviation rept.
* Region 2 (Post 820201). 96/04/19. 2pp. 88211:304-88211:305.

--9605130398 Notice of deviation from insp on 960211-0323.Deviation noted:failure to include provisions for internal insps of circulating water rubber expansion joints in formal preventive maint insp program.
* Region 2 (Post 820201). 96/04/19. 1p. 88211:306-88211:306.

--9605130401 Insp repts 50-280/96-02 & 50-281/96-02 on 960211-0323. Violation & deviation noted.Major areas inspected:plant operations which included plant status,unit 2 reactor shutdown due to loss of containment integrity.
BRANCH,M.W., BELISLE,G.A. Region 2 (Post 820201). 96/04/19. 27pp. 88211:307-88211:333.

9605020270 Forwards integrated performance assessment process insp repts 50-280/96-201 & 50-281/96-201 on 960226-0308.No violations noted.Reduced NRC insp resources recommended in areas of plant support.
GALLO,R.M. . 96/04/26. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88079:315-88079:355.

--9605020274 Integrated performance assessment process insp repts 50-280/96-201 & 50-281/96-201 on 960226-0308.No violations noted.Major areas inspected:reduced NRC insp resources recommended in areas of plant support.
KOLTAY,P.S., NORKIN,D.P., GALLO,R.M. . 96/04/25. 38pp. 88079:318-88079:355.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605100158 Documents commitments re PORV block valves & 96 inch Pratt butterfly valves discussed during GL 89-10 closeout insp on 960329.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88237:359-88237:360.

9605100186 Submits revised response to IE Bulletin 79-19 & notice of violation re radwaste packaging & shipment.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88237:335-88237:336.

9605200257 Forwards insp repts 50-280/96-04 & 50-281/96-04 on 960408-12.No violations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88291:025-88291:033.

--9605200264 Insp repts 50-280/96-04 & 50-281/96-04 on 960408-12.No violations noted.Major areas inspected:physical security of program of power reactors including;vital access control packages & personnel & vehicles.
STANSBERRY,W.W., FREDRICKSON,P. Region 2 (Post 820201). 96/05/09. 6pp. 88291:028-88291:033.

9605200144 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/13. Document Control Branch (Document Control Desk). 12pp. 88343:174-88343:185.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605230159 Responds to violations & deviations noted in Insp Repts 50-280/96-02 & 50-281/96-02.Corrective actions:deviation rept submitted on 960222.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/20. Document Control Branch (Document Control Desk). 8pp. 88386:279-88386:286.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020393 Forwards "Recorded Annual Whole Body Exposure Rept,Surry Power Station for Period Jan-Dec 1995."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/26. Office of Nuclear Regulatory Research (Post 941217). 3pp. 88129:348-88129:354.

--9605020395 "Recorded Annual Whole Body Exposure Rept,Surry Power Station for Period Jan-Dec 1995."
DORSEY,B.E., OLIN,M.R., ERICKSON,D.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 3pp. 88129:351-88129:354.

9605060212 Forwards "1995 Surry Power Station Units 1 & 2,Annual Radiological Environ Operating Rept."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/26. Document Control Branch (Document Control Desk). 1p. 88147:228-88147:347.

--9605060138 "Surry Power Station Radiological Environ Operating Rept, Jan-Dec 1995."
NOCE,C.D. Virginia Power (Virginia Electric & Power Co.). * Teledyne Brown Engineering Co. 95/12/31. 119pp. 88147:229-88147:347.

9605200391 Monthly operating repts for Apr 1996 for Surry Power Station Units 1 & 2.W/960513 ltr.
MASON,D., OLSEN,C., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/30. 22pp. 88329:321-88329:342.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605060207 Submits Physical Security Plan for plant.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88147:351-88147:352.

9605200257 Forwards insp repts 50-280/96-04 & 50-281/96-04 on 960408-12.No violations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88291:025-88291:033.

-9605200264 Insp repts 50-280/96-04 & 50-281/96-04 on 960408-12.No violations noted.Major areas inspected:physical security of program of power reactors including;vital access control packages & personnel & vehicles.
STANSBERRY,W.W. Region 2 (Post 820201). 96/05/09. 6pp. 88291:028-88291:033.

9605200177 Revised EPIPs,including Rev 11 to EPIP-1.02,Rev 15 to EPIP-1.03,Rev 15 to EPIP-1.04,Rev 17 to EPIP-1.05,Rev 23 to EPIP-2.01 & Rev 3 to EPIP-4.34.W/ 960515 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/05/15. 111pp. 88328:001-88328:110.

9605200379 Forwards emergency response data sys data base updates.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/05/15. Document Control Branch (Document Control Desk). 5pp. 88341:298-88341:302.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605060134 Rev 26 to "Updated FSAR for Surry Power Station." W/960423 ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/30. 296pp. 88153:061-88153:356.

P. Operating license stage documents & correspondence

9605030279 Forwards amends 209 & 209 to licenses DPR-32 & DPR-37 & safety evaluation.Amends modify TS requirements for sampling of reactor coolant for dissolved oxygen,chlorides & fluorides.
BUCKLEY,B.C. . 96/04/29. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88103:343-88103:356.

-9605030283 Amends 209 & 209 to licenses DPR-32 & DPR-37,respectively, modifying TS requirements for sampling of reactor coolant for dissolved oxygen,chlorides & fluorides.
IMBRO,E.V. . 96/04/29. 8pp. 88103:346-88103:353.

-9605030287 Safety evaluation supporting amends 209 & 209 to licenses DPR-32 & DPR-37,respectively.
* . 96/04/29. 3pp. 88103:354-88103:356.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090215 Discusses 960424 meeting w/facility re progress of spent fuel storage activities for plant.List of attendees & licensee presentation encl.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/05/06. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 15pp. 88185:309-88185:323.

9605100163 Forwards addl clarifications of IST anomalies noted in NRC 941020 SER for plant ASME Section XI IST program,per review of NRC 960212 ltr documenting NRC review & acceptance of util responses to anomalies.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/06. Document Control Branch (Document Control Desk). 3pp. 88226:331-88226:333.

9605140184 Informs that effective 960218,EV Imbro replaced DB Matthews as Director,Project Directorate II-1.BC Buckley will become Project Manager for plant,Units 1 & 2 & GE Edison will become Project Manager for plant,Units 1 & 2,on 960428.
VARGA,S.A. . 96/05/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88251:279-88251:281.

9605280057 Notifies of intent to convert Tech Specs from present form to improved Standard Tech Specs,per NUREG-1431,Rev 1.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/21. Document Control Branch (Document Control Desk). 2pp. 88386:262-88386:263.

Q. Inspection reports, IE Bulletins & correspondence

9605140486 Ack receipt of 960404 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/96-01 & 50-281/96-01.
BELISLE,G.A. Region 2 (Post 820201). 96/04/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88223:196-88223:198.

9605130385 Forwards insp repts 50-280/96-02 & 50-281/96-02 on 960211-0323 & notices of violation & deviation.Violation of concern to NRC because program deficiency allowed unit 2 to operate for period of approx five weeks.
BELISLE,G.A. Region 2 (Post 820201). 96/04/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 88211:299-88211:333.

-9605130393 Notice of violation from insp on 960211-0323.Violation noted:failure to follow written procedures for corrective maintenance operations & not reported on deviation rept.
* Region 2 (Post 820201). 96/04/19. 2pp. 88211:304-88211:305.

-9605130398 Notice of deviation from insp on 960211-0323.Deviation noted:failure to include provisions for internal insps of circulating water rubber expansion joints in formal preventive maint insp program.
* Region 2 (Post 820201). 96/04/19. 1p. 88211:306-88211:306.

-9605130401 Insp repts 50-280/96-02 & 50-281/96-02 on 960211-0323. Violation & deviation noted.Major areas inspected:plant operations which included plant status,unit 2 reactor shutdown due to loss of containment integrity.
BRANCH,M.W., BELISLE,G.A. Region 2 (Post 820201). 96/04/19. 27pp. 88211:307-88211:333.

9605020270 Forwards integrated performance assessment process insp repts 50-280/96-201 & 50-281/96-201 on 960226-0308.No violations noted.Reduced NRC insp resources recommended in areas of plant support.
GALLO,R.M. . 96/04/26. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88079:315-88079:355.

-9605020274 Integrated performance assessment process insp repts 50-280/96-201 & 50-281/96-201 on 960226-0308.No violations noted.Major areas inspected:reduced NRC insp resources recommended in areas of plant support.
KOLTAY,P.S., NORKIN,D.P., GALLO,R.M. . 96/04/25. 38pp. 88079:318-88079:355.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605100158 Documents commitments re PORV block valves & 96 inch Pratt butterfly valves discussed during GL 89-10 closeout insp on 960329.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88237:359-88237:360.

9605100186 Submits revised response to IE Bulletin 79-19 & notice of violation re radwaste packaging & shipment.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88237:335-88237:336.

9605200257 Forwards insp repts 50-280/96-04 & 50-281/96-04 on 960408-12.No violations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88291:025-88291:033.

-9605200264 Insp repts 50-280/96-04 & 50-281/96-04 on 960408-12.No violations noted.Major areas inspected:physical security of program of power reactors including;vital access control packages & personnel & vehicles.
STANSBERRY,W.W., FREDRICKSON,P. Region 2 (Post 820201). 96/05/09. 6pp. 88291:028-88291:033.

9605200144 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/13. Document Control Branch (Document Control Desk). 12pp. 88343:174-88343:185.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605230159 Responds to violations & deviations noted in Insp Repts 50-280/96-02 & 50-281/96-02.Corrective actions:deviation rept submitted on 960222.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/20. Document Control Branch (Document Control Desk). 8pp. 88386:279-88386:286.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020393 Forwards "Recorded Annual Whole Body Exposure Rept,Surry Power Station for Period Jan-Dec 1995."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/26. Office of Nuclear Regulatory Research (Post 941217). 3pp. 88129:348-88129:354.

-9605020395 "Recorded Annual Whole Body Exposure Rept,Surry Power Station for Period Jan-Dec 1995."
DORSEY,B.E., OLIN,M.R., ERICKSON,D.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 3pp. 88129:351-88129:354.

9605060212 Forwards "1995 Surry Power Station Units 1 & 2,Annual Radiological Environ Operating Rept."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/26. Document Control Branch (Document Control Desk). 1p. 88147:228-88147:347.

-9605060138 "Surry Power Station Radiological Environ Operating Rept, Jan-Dec 1995."
NOCE,C.D. Virginia Power (Virginia Electric & Power Co.). * Teledyne Brown Engineering Co. 95/12/31. 119pp. 88147:229-88147:347.

9605200391 Monthly operating repts for Apr 1996 for Surry Power Station Units 1 & 2.W/960513 ltr.
MASON,D., OLSEN,C., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/30. 22pp. 88329:321-88329:342.

S. Reportable occurrences, LERs & related correspondence

9605200389 LER 96-002-00:on 960408,EDG fire suppression sys declared inoperable due to personnel error.Submitted station deviation rept.W/960507 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 96/05/07. 6pp. 88343:101-88343:106.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

P. Operating license stage documents & correspondence

9605010310 Summary of 960328 meeting w/NRC & utils re Combustion Engineering SG welded sleeves.Attendees listed in Encl 1.
SHIRAKI,C.Y. . 96/04/25. . 14pp. 88067:261-88067:274.

9605010239 Notification of 960509 meeting w/listed participants in Rockville,MD to discuss issues re CE SG sleeves inatalled at plant,Unit 1.
WETZEL,B.A. . 96/04/26. REINHART,M. . 4pp. 88068:350-88068:353.

9605090252 Summary of 960424 meeting w/representatives from NSP & Excel Svcs re possible 1% power uprate of plant units.List of meeting attendees & slides encl.
WETZEL,B.A. . 96/05/02. . 27pp. 88199:323-88199:349.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100179 Forwards proprietary Rev 1 of rept CEN-628-P, "Verification of Structural Integrity of ABB CENO SG Welded Sleeve," providing SG tube sleeves metallurgical exam results.Rept withheld from public disclosure per 10CFR2.790.
WADLEY,M.D. Northern States Power Co. 96/05/03. Document Control Branch (Document Control Desk). 6pp. 88237:305-88237:310.

9605140074 Withdraws amend request re incorporation of L* SG tube repair criteria.
ANDERSON,R.O. Northern States Power Co. 96/05/03. Document Control Branch (Document Control Desk). 1p. 88269:329-88269:329.

9605080036 Forwards request for addl info in order to complete review of plant ABB/C-E SG tubes sleeves.
WETZEL,B. . 96/05/06. ANDERSON,R.O. Northern States Power Co. 5pp. 88175:114-88175:118.

9605160498 Forwards notice of consideration of transfer of control of licenses to Wisconsin Energy Corp,per 951020 request.
WETZEL,B.A. . 96/05/09. WATZL,E.L. Northern States Power Co. 3pp. 88287:342-88287:347.

--9605160501 Notice of consideration of transfer of control of licenses to Wisconsin Energy Corp (WEC).WEC will be renamed Primergy Corp.
CONNAUGHTON,K. . 96/05/09. 3pp. 88287:345-88287:347.

9605200290 Forwards annual radioactive effluent & waste disposal rept for Jan-Dec 1995,including composite results for Sr-89,Sr-90 & Fe-55.Revised semiannual rept for second semiannual period of 1994,Rev 13 to ODCM & Rev 6 to PCP also encl.
WADLEY,M.D. Northern States Power Co. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88327:001-88327:266.

--9605200316 Rev 13 to "ODCM."
* Northern States Power Co. 95/10/16. 227pp. 88327:040-88327:266.

9605230180 Forwards excerpts from draft ASP Rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during 1982-83.
WETZEL,B.A . 96/05/17. ANDERSON,R.O. Northern States Power Co. 21pp. 88342:118-88342:138.

9605240170 Forwards EA & finding of no significant impact w/respect to 951020 licensee application for transfer of licenses & 951206 application for license amends.
WETZEL,B.A. . 96/05/17. ANDERSON,R.O. Northern States Power Co. 4pp. 88344:095-88344:102.

--9605240173 Environ assessment & finding of no significant impact re transfer of & issuance of amends to licenses DPR-22,DPR-42, DPR-60 & SNM-2506.
REINHART,M. . 96/05/17. 4pp. 88344:099-88344:102.

9605300140 Forwards amends 123 & 116 to licenses DPR-42 & DPR-60, respectively & safety evaluation.Amends revise TS by changing pressurizer & main steam safety valve lift setting tolerance from +1 percent to +3 percent.
WETZEL,B.A. . 96/05/21. ANDERSON,R.O. Northern States Power Co. 4pp. 88390:001-88390:059.

--9605300147 Amends 123 & 116 to licenses DPR-42 & DPR-60,respectively, revising TS by changing pressurizer & main steam safety valve lift setting tolerance from +1 percent to +3 percent (as found only),revising safety limit curves.
WETZEL,B.A. . 96/05/21. 50pp. 88390:005-88390:054.

--9605300150 Safety evaluation supporting amends 123 & 116 to licenses DPR-42 & DPR-60,respectively.
* . 96/05/21. 5pp. 88390:055-88390:059.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170192 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
WADLEY,M.D. Northern States Power Co. 96/05/13. Document Control Branch (Document Control Desk). 8pp. 88316:309-88316:316.

9605280087 Ack receipt of 960307 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/95-14, 50-306/95-14 & 72-0010/95-14.Corrective actions will be examined at future insp.
JORDAN,M.J. Region 3 (Post 820201). 96/05/14. WATZL,E. Northern States Power Co. 2pp. 88350:072-88350:073.

9605280105 Forwards insp repts 50-282/96-04 & 50-306/96-04 on 960218-0411.No violations noted.
JORDAN,M.J. Region 3 (Post 820201). 96/05/14. WATZL,E. Northern States Power Co. 4pp. 88355:326-88355:345.

--9605280117 Insp repts 50-282/96-04 & 50-306/96-04 on 960218-0411.No violations noted.Major areas inspected:operations, engineering,maintenance,plant support,safety assessments & quality verification.
JORDAN,M.J. Region 3 (Post 820201). 96/05/14. 16pp. 88355:330-88355:345.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605240079 Summarizes results of Rod Drop testing performed at Prairie Island Nuclear Generating Plant following Unit 2 Reactor Trip which occurred on 960418,per NRC Bulletin 96-001.
WADLEY,M.D. Northern States Power Co. 96/05/20. Document Control Branch (Document Control Desk). 4pp. 88371:345-88371:348.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605140308 Monthly operating repts for Apr 1996 for Prairie Island Nuclear Generating Plant.W/960506 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 96/04/30. 9pp. 88271:160-88271:168.

9605130166 Forwards corrections to 10CFR50.46 annual rept of ECCS evaluation model changes & errors for CY95.
ANDERSON,R.O. Northern States Power Co. 96/05/01. Document Control Branch (Document Control Desk). 11pp. 88247:321-88247:331.

9605200290 Forwards annual radioactive effluent & waste disposal rept for Jan-Dec 1995,including composite results for Sr-89,Sr-90 & Fe-55.Revised semiannual rept for second semiannual period of 1994,Rev 13 to ODCM & Rev 6 to PCP also encl.
WADLEY,M.D. Northern States Power Co. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88327:001-88327:266.

--9605200302 Annual radioactive effluent & waste disposal rept for Jan- Dec 1995.
* Northern States Power Co. 95/12/31. 26pp. 88327:003-88327:028.

--9605200308 Rev 1 to "1994 Effluent Semiannual Rept."
* Northern States Power Co. 94/12/31. 8pp. 88327:029-88327:036.

--9605200316 Rev 13 to "ODCM."
* Northern States Power Co. 95/10/16. 227pp. 88327:040-88327:266.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605100134 Notification of 960521 meeting w/NSP in Rockville,MD to discuss status of siting process for potential off-site ISFSI near plant.
* NRC - No Detailed Affiliation Given. 96/05/07. NRC - No Detailed Affiliation Given. 2pp. 88212:331-88212:332.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605070203 Forwards revised EPIPs,including EPIPs index,Rev 13 to EPIP-RR-13, "Reactor Safety Coordinator Actions" & revised RERP index & Rev 11 to RERP-Section O to "Radiological Emergency Response Training."
PATTERSON,T.L. Omaha Public Power District. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88192:237-88192:253.

--9605070208 Revised EPIPs,including EPIPs index & Rev 13 to EPIP-RR-13, "Reactor Safety Coordinator Actions."
CHRISTENSEN,M. Omaha Public Power District. 96/04/30. 9pp. 88192:239-88192:247.

--9605070213 Revised RERPs,including RERP index & Rev 11 to RERP-Section O to "Radiological Emergency Response Training."
RELLER,M. Omaha Public Power District. 96/04/30. 6pp. 88192:248-88192:253.

9605280213 Forwards comments on SALP rept 50-285/96-99.
PATTERSON,T.L. Omaha Public Power District. 96/05/17. Document Control Branch (Document Control Desk). 7pp. 88378:353-88378:360.

9605290012 Forwards public & central files versions of revised EPIPs & radiological emergency response plan.Central files version revised EPIPs withheld.
PATTERSON,T.L. Omaha Public Power District. 96/05/21. Document Control Branch (Document Control Desk). 3pp. 88399:049-88399:203.

-9605290014 Revised EPIPs,including rev 26 to EPIP-EOF-6,rev 19 to EPIP-TSC-1,rev 17 to EPIP-RR-25,rev 15 to EPIP-OSC-15 & rev 6 EPIP-OSC-21.
CLAYTON,Q. Omaha Public Power District. 96/05/21. 80pp. 88399:052-88399:132.

-9605290235 Revised "Radiological Emergency Response Plan (RERP), including RERP index page 2 issued 960501,Rev 12 to RERP App A,RERP index page 2 issued 960509 & Rev 21 to RERP Section B.
CLAYTON,Q. Omaha Public Power District. 96/05/21. 71pp. 88399:133-88399:203.

P. Operating license stage documents & correspondence

9605010211 Forwards amend 173 to license DPR-40 & SE.Amend revises TS requirements for containment radiation high signal & SIRW tank low signal in TS 2.15,Tables 2-3 & 2.4.
WHARTON,L.R.,. 96/04/24. PATTERSON,T.L. Omaha Public Power District. 4pp. 88067:289-88067:307.

-9605010213 Amend 173 to license DPR-40,revising TS requirements for containment radiation high signal & SIRW tank low signal in TS 2.15,Tables 2-3 & 2-4.
WHARTON,L.R. . 96/04/24. 11pp. 88067:293-88067:303.

-9605010215 Safety evaluation supporting amend 173 to license DPR-40.
* . 96/04/24. 4pp. 88067:304-88067:307.

9605060013 Ltr contract:mod 5 to task order 40, "IPE Reviews - Internal Events - Human Factors Only (Ft Calhoun Unit 1)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88104:027-88104:028.

9605020379 Forwards "Annual Rept for Jan-Dec 1995" & Revs 6 & 7 to CH-ODCM-0001, "ODCM."
PATTERSON,T.L. Omaha Public Power District. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88110:001-88111:283.

-9605020386 Rev 6 to CH-ODCM-0001, "ODCM," incorporating new TS Amend 164.
SHIPMAN,J. Omaha Public Power District. 95/03/15. 111pp. 88111:036-88111:159.

-9605020389 Rev 7 to CH-ODCM-0001, "ODCM," incorporating TS Amend 171 for Section 3.1 update/reflect changing environ.
SHIPMAN,J. Omaha Public Power District. 95/12/19. 124pp. 88111:160-88111:283.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605150201 Forwards safety evaluation re revised response to Regulatory Guide 1.97.
WHARTON,L.R. . 96/05/10. PATTERSON,T.L. Omaha Public Power District. 3pp. 88258:334-88258:338.

-9605150206 Safety evaluation accepting revised response to Regulatory Guide 1.97.
* . 96/05/10. 2pp. 88258:337-88258:338.

9605280265 Forwards application for amend to license DPR-40 & TS, relocating operability requirements for shock suppressors (snubbers) from TS to USAR & or plant procedures & incorporating snubber exam & testing requirements in TS 3.3.
GATES,W.G. Omaha Public Power District. 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88380:295-88380:319.

-9605280269 Application for amend to license DPR-40,relocating operability requirements for shock suppressors (snubbers) from TS to USAR & or plant procedures & incorporating snubber exam & testing requirements into TS 3.3.
GATES,W.G. Omaha Public Power District. 96/05/17. 3pp. 88380:297-88380:299.

-9605280272 Proposed tech specs,relocating operability requirements for shock suppressors (snubbers) to USAR & or plant procedures & incorporating snubber exam & testing requirements into TS 3.3.
* Omaha Public Power District. 96/05/17. 20pp. 88380:300-88380:319.

9605290002 Discusses 960418 telcon involving NRC & util re util providing clarification of methodology involved in human reliability analyses portion of plant IPE.
PATTERSON,T.L. Omaha Public Power District. 96/05/20. Document Control Branch (Document Control Desk). 7pp. 88388:348-88388:354.

9605290059 Forwards application for amend to license DPR-40,revising TS to clarify surveillance test requirements in TS 3.1,Tables 3-1,3-2,3-3 & 3-3A,per GL 96-01 & NUREG-1432.
GATES,W.G. Omaha Public Power District. 96/05/20. Document Control Branch (Document Control Desk). 3pp. 88390:307-88390:346.

-9605290061 Application for amend to license DPR-40,clarifying surveillance test requirements in TS 3,1,Tables 3-1,3-2,3-3 & 3-3A.
GATES,W.G. Omaha Public Power District. 96/05/20. 3pp. 88390:310-88390:312.

-9605290062 Proposed tech specs,clarifying surveillance test requirements found in TS 3-1,Tables 3-1,3-2,3-3 & 3-3A.
* Omaha Public Power District. 96/05/20. 33pp. 88390:313-88390:346.

9605290001 Requests relief from ASME B&PV Code,Section III overpressure protection requirements for CCWS.
PATTERSON,T.L. Omaha Public Power District. 96/05/21. Document Control Branch (Document Control Desk). 8pp. 88397:304-88397:311.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605100244 Forwards response to violations noted in Insp Rept 50-285/96-01.Corrective actions:reminder added to operations dept night notes on requirement to initiate CR on 960412.
PATTERSON,T.L. Omaha Public Power District. 96/05/08. Document Control Branch (Document Control Desk). 7pp. 88226:324-88226:330.

9605100246 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
PATTERSON,T.L. Omaha Public Power District. 96/05/08. Document Control Branch (Document Control Desk). 5pp. 88243:288-88243:292.

9605220283 Forwards insp rept 50-285/96-02 on 960310-0420.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/05/17. PATTERSON,T.L. Omaha Public Power District. 4pp. 88314:007-88314:022.

-9605220286 Insp rept 50-285/96-02 on 960310-0420.No violations noted. Major areas inspected:operational safety verification, plant support activities,maintenance & surveillance observations & onsite engineering.
JOHNSON,W.D. Region 4 (Post 820201). 96/05/16. 2pp. 88314:011-88314:022.

9605280213 Forwards comments on SALP rept 50-285/96-99.
PATTERSON,T.L. Omaha Public Power District. 96/05/17. Document Control Branch (Document Control Desk). 7pp. 88378:353-88378:360.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605310035 Ack receipt of 960508 ltr informing NRC of steps taken to correct violations noted in insp rept 50-285/96-01.Standing order SO-R-2 required that condition rept be initiated when "unplanned" entry into TS LCO made.
DYER,J.E. Region 4 (Post 820201). 96/05/23. PATTERSON,T.L. Omaha Public Power District. 4pp. 88392:042-88392:052.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020379 Forwards "Annual Rept for Jan-Dec 1995" & Revs 6 & 7 to CH-ODCM-0001, "ODCM."
PATTERSON,T.L. Omaha Public Power District. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88110:001-88111:283.

-9605020384 "Annual Rept for Jan-Dec 1995."
* Omaha Public Power District. 95/12/31. 398pp. 88110:002-88111:035.

-9605020386 Rev 6 to CH-ODCM-0001, "ODCM," incorporating new TS Amend 164.
SHIPMAN,J. Omaha Public Power District. 95/03/15. 111pp. 88111:036-88111:159.

-9605020389 Rev 7 to CH-ODCM-0001, "ODCM," incorporating TS Amend 171 for Section 3.1 update/reflect changing environ.
SHIPMAN,J. Omaha Public Power District. 95/12/19. 124pp. 88111:160-88111:283.

9605070258 Forwards "FCS Performance Indicators Rept Mar 1996."
PATTERSON,T.L. Omaha Public Power District. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88171:001-88171:112.

-9605070268 "FCS Performance Indicators Rept Mar 1996."
* Omaha Public Power District. 96/03/31. 100pp. 88171:002-88171:112.

9605200321 Forwards MOR for April 1996 for FCS & revised rept for March 1996.
PATTERSON,T.L. Omaha Public Power District. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88347:281-88347:292.

-9605200396 Monthly operating rept for April 1996 for FCS.
LIPPY,D.L. Omaha Public Power District. 96/04/30. 9pp. 88347:282-88347:290.

-9605200400 Revised MOR for March 1996 for FCS.
LIPPY,D.L. Omaha Public Power District. 96/03/31. 2pp. 88347:291-88347:292.

S. Reportable occurrences, LERs & related correspondence

9605030198 LER 96-002-00:on 960329,reactor manually tripped due to partial loss of vacuum in main condenser.Condenser isolated, plant shutdown & leaking condenser tube plugged.PM Order WP-006820 will be revised.W/960429 ltr.
LEES,L.P., PATTERSON,T.L. Omaha Public Power District. 96/04/29. 6pp. 88164:328-88164:333.

V. Operator Examinations

9605070134 Forwards documentation associated w/license renewal application for RO assigned to plant.W/o encl.
PATTERSON,T.L. Omaha Public Power District. 96/04/30. CALLAN,L.J. Region 4 (Post 820201). 1p. 88192:227-88192:227.

9605100183 Informs of 960410 GFES of written operator licensing exam. Copy of master exam,w/answer key,forwarded for info as facility did not participate.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. PATTERSON,T.L. Omaha Public Power District. 2pp. 88190:019-88190:020.

9605280213 Forwards comments on SALP rept 50-285/96-99.
PATTERSON,T.L. Omaha Public Power District. 96/05/17. Document Control Branch (Document Control Desk). 7pp. 88378:353-88378:360.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605300232 "Indian Point 3 Nuclear Power Plant 1996 Full Participation Emergency Preparedness Exercise."
CHAUBARD,M.A. Power Authority of the State of New York (New York Power Authority). 96/04/10. Power Authority of the State of New York (New York Power Authority). 215pp. 88393:001-88393:215.

9605030108 Forwards Rev 15 to security plan,including summary of changes.Encl withheld,per 10CFR73.21.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/04/26. Document Control Branch (Document Control Desk). 3pp. 88139:356-88139:358.

9605080248 Forwards insp rept 50-286/96-04 on 960409-12.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/26. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. 88137:013-88137:024.

--9605080249 Insp rept 50-286/96-06 on 960409-12.No violations noted. Major areas inspected:biennial,full-participation emergency preparedness exercise.
SILK,D., KEIMIG,R. Region 1 (Post 820201). 96/04/24. 9pp. 88137:016-88137:024.

9605090060 Revised emergency plan (EP),including EP-Form 4 & EP-Form 46.
* Power Authority of the State of New York (New York Power Authority). 96/04/30. 4pp. 88223:303-88223:306.

J. Insurance & indemnity information

9605160488 Forwards certified cash flow for 1995-96 as required by 10CFR140.21(e).
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/13. Document Control Branch (Document Control Desk). 3pp. 88318:358-88318:360.

P. Operating license stage documents & correspondence

9605020092 Forwards application for amend to license DPR-64,revising TS Section 4.3 & basis,permitting RCS leak test to be performed at normal operating pressure following each refueling outage in lieu of hydrostatic test at 2,335 psig.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88123:344-88123:354.

--9605020093 Application for amend to license DPR-64,revising TS Section 3.4 & basis,permitting RCS leak test to be performed at normal operating pressure following each refueling outage in lieu of hydrostatic test at 2,335 psig.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/26. 2pp. 88123:346-88123:347.

--9605020099 Proposed tech specs Section 4.3, "RCS Integrity Testing," permitting RCS leak test to be performed at normal operating pressure following each refueling outage,in accordance w/ requirements of ASME Section XI.
* Power Authority of the State of New York (New York Power Authority). 96/04/26. 7pp. 88123:348-88123:354.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605080099 Forwards amend 165 to license DPR-64 & SE.Amend would allow one-time extension of intervals for pressurizer safety valve setpoint & snubber functional testing due in May 1996.
WUNDER,G.F. . 96/05/03. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 88175:190-88175:203.

--9605080101 Amend 165 to license DPR-64,allowing one-time extension of intervals for pressurizer safety valve setpoint & snubber functional testing due in May 1996.
SHANKMAN,S.F. . 96/05/03. 5pp. 88175:194-88175:198.

--9605080104 Safety evaluation supporting amend 165 to license DPR-64.
* . 96/05/03. 5pp. 88175:199-88175:203.

9605160049 Ltr contract:task order 36, "Technical Assistance in Initial Exam for Indian Point Nuclear Power Plant," to contract NRC-03-94-035,awarded to Sonalysts,Inc.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. 96/05/06. SANDERS,L. Sonalysts, Inc. 4pp. 88273:162-88273:165.

9605220123 Summarizes change to emergency core system (ECCS) evaluation model & effects of change on peak cladding temperature.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88359:121-88359:122.

Q. Inspection reports, IE Bulletins & correspondence

9605080248 Forwards insp rept 50-286/96-04 on 960409-12.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/26. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. 88137:013-88137:024.

--9605080249 Insp rept 50-286/96-06 on 960409-12.No violations noted. Major areas inspected:biennial,full-participation emergency preparedness exercise.
SILK,D., KEIMIG,R. Region 1 (Post 820201). 96/04/24. 9pp. 88137:016-88137:024.

9605070001 Ack receipt of 960322 ltr informing NRC of steps taken to correct violations noted in insp rept 50-286/95-17.
COWGILL,C.J. Region 1 (Post 820201). 96/04/29. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 4pp. 88112:005-88112:016.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605060341 Notification of SALP mgt meeting 96-43 w/util to discuss results of licensee self-assessement of recent startup on 960515.
COWGILL,C.J. Region 1 (Post 820201). 96/05/02. Region 1 (Post 820201). 2pp. 88112:001-88112:002.

9605130051 Responds to NRC 960327 ltr re violations noted in insp rept 50-286/96-01 on 960114-0302.C/A:Revise DC 95-3-028 to more clearly state purpose & prerequisites,defining applicability & rev 1 to DC 96-3-053 issued to remove pipe support.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/05/03. Document Control Branch (Document Control Desk). 13pp. 88248:277-88248:289.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160252 Provides response to violations noted in Insp Rept 50-286/96-02.Corrective actions:personnel involved in incidents counseled during critiques.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/05/09. Document Control Branch (Document Control Desk). 22pp. 88318:171-88318:192.

9605200430 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88341:333-88341:337.

9605280024 Ack receipt of 960503 ltr informing NRC of steps taken to correct violations noted in insp rept 50-286/96-01.
BARKELY,R.S. Region 1 (Post 820201). 96/05/16. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. 88350:021-88350:036.

9605280016 Forwards insp rept 50-286/96-03 on 960303-0420 & notice of violation.
COWGILL,C.J. Region 1 (Post 820201). 96/05/17. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 5pp. 88348:326-88348:360.

--9605280019 Notice of violation from insp on 960303-0420.Violation noted:all of actions required by SOP-RC-1,rev 12,step 4.9.2.5 were not performed by operators in response to drifting rod position indications.
* Region 1 (Post 820201). 96/05/17. 2pp. 88348:331-88348:332.

--9605280021 Insp rept 50-286/96-03 on 960303-0420.Violations noted.Major areas inspected:plant operations,maint,engineering,plant support & safety assessment & quality verification.
COWGILL,C.J. Region 1 (Post 820201). 96/05/17. 28pp. 88348:333-88348:360.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060074 "1995 Radiological Environ Operating Rept for Indian Point Nuclear Power Plants." W/960429 ltr.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/31. 120pp. 88154:194-88154:313.

9605070375 "Annual Environ Protection Plan Rept for CY95." W/960430 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/12/31. 9pp. 88174:010-88174:018.

9605200266 Monthly operating rept for April 1996 for Indian Point Station Unit 3.W/ 960514 ltr.
ORLANDO,T., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/04/30. 6pp. 88351:048-88351:053.

9605280300 Forwards discharge monitoring repts for Apr 1996 for Indian Point Units 1,2 & 3 & rept of noncompliance event at Indian Point Unit 3.
MCAVOY,J. Consolidated Edison Co. of New York, Inc. 96/05/21. New York, State of. 1p. 88384:346-88384:358.

--9605280303 NPDES discharge monitoring repts for Apr 1996 for Indian Point Station Units 1,2 & 3.
MCAVOY,J. Consolidated Edison Co. of New York, Inc. 96/04/30. 12pp. 88384:347-88384:358.

S. Reportable occurrences, LERs & related correspondence

9605070284 LER 96-009-00:on 960402,manual reactor trip initiated.Caused by differential temp for main generator stator.Procedure revised.W/960502 ltr.
FROEBRICH,A., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/05/02. 10pp. 88191:273-88191:282.

V. Operator Examinations

9605170348 Informs of individual exam results for applicants on initial exam conducted on 960415-17,which meets intent of section E.1 of Examiner Stds in NUREG-1021.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. SPOERRY,D. Power Authority of the State of New York (New York Power Authority). 2pp. 88291:007-88291:008.

9605170365 Forwards both forms of generic fundamentals exam section of written operator licensing exam including,answer keys, grading result for facility & individual answer sheet for employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. ROBENSTEIN,R. Power Authority of the State of New York (New York Power Authority). 2pp. 88284:089-88284:090.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605070109 Forwards public version of Rev 96-03 to Vol B of EPIPs, including cover sheet,table of contents page 1,change 7 to CP/1&2/A/2002/05 & change 6 to CP/3/A/2002/05.W/960502 ltr.
HAMPTON,J.W. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 88118:325-88118:351.

-9605070114 Public version of Rev 96-03 to Vol B of EPIPs,including cover sheet,table of contents page 1,change 7 to CP/1&2/A/2002/05 & change 6 to CP/3/A/2002/05.
FOSTER,W.W. Duke Power Co. 96/04/18. 25pp. 88118:327-88118:351.

9605080211 Forwards public version of Rev 96-05 to Vol C of EPIPs, including emergency telephone directory dtd March 1996 & change to RP/0/B/1000/20, "EOF Director Procedure."
HAMPTON,J.W. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88174:289-88174:350.

-9605080223 Public version of Rev 96-05 to Vol C of EPIPs,including emergency telephone directory dtd March 1996 & change to RP/0/B/1000/20, "EOF Director Procedure."
FOSTER,W.W. Duke Power Co. 96/04/18. 59pp. 88174:292-88174:350.

9605100012 Informs that NRC reviewed & reconfirmed info provided re state & county accreditation for FEMA exercise objectives re off-hour operations as result of actual disaster responses in Aug 1994.
BARR,K.P. Region 2 (Post 820201). 96/04/30. HAMPTON,J.W. Duke Power Co. 3pp. 88190:203-88190:205.

9605150121 Forwards insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. HAMPTON,J.W. Duke Power Co. 3pp. 88266:081-88266:084.

-9605150126 Partially deleted insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09 (ref 10CFR73.21).No violations identified.Major areas inspected:licensee implementation of land vehicle control measures,contains safeguards info.
THOMPSON,D.H. Region 2 (Post 820201). 96/05/07. 1p. 88266:084-88266:084.

9605220385 Responds to violations noted in insp repts 50-269/96-05, 50-270/96-05 & 50-287/96-05.Corrective actions:EOP changed on 960429 to include ref to NSD 202.
HAMPTON,J.W. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88369:289-88369:294.

P. Operating license stage documents & correspondence

9605010173 Forwards proprietary & nonproprietary Topical Repts DPC-NE-2007P-A & DPC-NE-2007A,respectively.Proprietary Topical Rept DPC-NE-2007P-A withheld.
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 88079:016-88079:112.

-9605010181 Forwards corrected nonproprietary version of Topical Rept DPC-NE-2007.
GEWEHR,S. Duke Power Co. 96/04/23. HOOVER,D. . 1p. 88079:018-88079:018.

-9605010186 Nonproprietary "DPC Fuel Reconstitution Analysis Methodology."
* Duke Power Co. DPC-NE-2007A. 95/10/31. 93pp. 88079:019-88079:112.

9605030060 Submits clarification of reporting requirements under 10CFR50.72(b)(2)(vi).
TUCKMAN,M.S. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88396:002-88396:004.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070186 Forwards safety evaluation re licensee third 10-yr interval ISI request for relief 95-94.
BERKOW,H.N. . 96/05/03. HAMPTON,J.W. Duke Power Co. 3pp. 88141:348-88141:358.

-9605070190 Safety evaluation granting request for relief 95-04 for Duke Power Co.
* . 96/05/03. 7pp. 88141:352-88141:358.

9605130416 Forwards revised listing of QA-1 commitments added since original licensing basis of plant established.
HAMPTON,J.W. Duke Power Co. 96/05/06. Document Control Branch (Document Control Desk). 10pp. 88243:216-88243:225.

9605240191 Discusses 960426 visit to Oconee Nuclear Power Station to review implementation of NEI Guideline 95-10,Rev 0, "Industry Guideline for Implementing 10CFR54 - License Renewal Rule."
NEWBERRY,S.F. . 96/05/21. HAMPTON,J. Duke Power Co. 39pp. 88344:001-88344:039.

Q. Inspection reports, IE Bulletins & correspondence

9605140400 Discusses insp repts 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128 & 0309 & violations.
EBNETER,S.D. Region 2 (Post 820201). 96/04/16. HAMPTON,J.W. Duke Power Co. 4pp. 88242:308-88242:311.

9605140267 Forwards insp repts 50-269/96-05,50-270/96-05 & 50-287/96-05 on 960316-23 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/17. HAMPTON,J.W. Duke Power Co. 3pp. 88242:189-88242:207.

-9605140279 Notice of violation from insp on 960316-23.Violation noted: automatic actuation of Oconee Unit Three reactor protection sys caused trip of unit from full power on 960316,but NRC notification did not occur until over eight hours later.
* Region 2 (Post 820201). 96/04/17. 1p. 88242:192-88242:192.

-9605140289 Insp repts 50-269/96-05,50-270/96-05 & 50-287/96-05 on 960316-23.Violations noted.Major areas inspected: circumstances surrounding Unit 3 reactor trip event on 960316.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/17. 15pp. 88242:193-88242:207.

9605100097 Forwards corrected ltr re insp repts 50-269/95-25, 50-270/95-25 & 50-287/95-25 on 951204-08 & 11-15.Correction due to administrative error.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/25. HAMPTON,J.W. Duke Power Co. 3pp. 88190:150-88190:155.

-9605100099 Corrected ltr re insp repts 50-269/95-25,50-270/95-25 & 50-287/95-25 on 951204-08 & 11-15.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/25. HAMPTON,J.W. Duke Power Co. 3pp. 88190:153-88190:155.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150121 Forwards insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. HAMPTON,J.W. Duke Power Co. 3pp. 88266:081-88266:084.

-9605150126 Partially deleted insp repts 50-269/96-06,50-270/96-06 & 50-287/96-06 on 960408-09 (ref 10CFR73.21).No violations identified.Major areas inspected:licensee implementation of land vehicle control measures,contains safeguards info.
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/05/07. 1p. 88266:084-88266:084.

9605140116 Requests to use alternative to ASME Code Section XI.Util requests approval to use code case N-533.
TUCKMAN,M.S. Duke Power Co. 96/05/07. Document Control Branch (Document Control Desk). 4pp. 88268:272-88268:275.

9605200142 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TUCKMAN,M.S. Duke Power Co. 96/05/14. Document Control Branch (Document Control Desk). 21pp. 88343:152-88343:173.

9605220385 Responds to violations noted in insp repts 50-269/96-05, 50-270/96-05 & 50-287/96-05.Corrective actions:EOP changed on 960429 to include ref to NSD 202.
HAMPTON,J.W. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88369:289-88369:294.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605210325 Forwards monthly operating repts for Apr 1996 for Oconee Nuclear Station & revised repts for Mar 1996.
WEBER,R.L. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88353:026-88353:043.

-9605210327 Monthly operating repts for Apr 1996 for Oconee Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/04/30. 15pp. 88353:028-88353:042.

–**9605210334** Monthly operating rept for Mar 1996 for Oconee Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 1p. 88353:043-88353:043.

S. Reportable occurrences, LERs & related correspondence

9605140378 Forwards excerpts from draft Accident Sequence Precursor Rept for 1982-83,documenting ASP Program analyses of operational events that occurred during 1982-83.
LABARGE,D.E. . 96/05/06. HAMPTON,J.W. Duke Power Co. 26pp. 88262:254-88262:281.

9605210184 Grants permission not to rept minor exceedances of environ limits described in NUREG-1022 until final rev published. Final staff position must be determined & decision made whether request for relief appropriate.
TAM,P.S. . 96/05/17. TUCKMAN,M.S. Duke Power Co. 4pp. 88320:357-88320:360.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9605220300 Advises that changes to Reed Reactor Emergency Plan,dtd Mar 1996,acceptable & informs of two minor corrections to be made.
MENDONCA,M.M. . 96/05/20. FRANTZ,S.G. Reed College, Portland, OR. 3pp. 88324:337-88324:339.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605060202 Rev 1 to EPIP TEP-ADM-1300.02, "Emergency Preparedness Training."
* General Public Utilities Corp. - GPU Service Corp. 96/04/23. 16pp. 88172:065-88172:080.

9605030102 Forwards response to violations noted in Insp Rept 50-289/96-57 for failure to mod amended physical security plan,Rev 31,dtd 950210.Response withheld.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88139:355-88139:355.

9605070006 Summarizes 960315 mgt meeting w/licensee in King of Prussia, PA re bases for protective action recommendation methodology currently in place at plant.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/24. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 24pp. 88112:017-88112:042.

9605070105 Summarizes 960315 mgt meeting held at Region I ofc to discuss bases for PAR for plants.Current PAR methodology & logic diagrams to be revised to be consistent w/new federal guidance.W/list of attendees,meeting notice & handout.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/24. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 23pp. 88112:161-88112:186.

9605070152 Advises that 960201 revs 33,8 & 14 to physical security plan safeguards contingency plan & guard training & qualification plan,respectively,are consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/30. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 88194:329-88194:331.

9605170087 Summary of 960416 meeting w/GPU Nuclear Corporation in Rockville,MD re Thermo-Lag Fire Barriers at Three Mile Island Nuclear Station.
HERNAN,R.W. . 96/05/13. . 32pp. 88297:223-88297:254.

9605240084 Rev 7 to EPIP-TMI-.27, "EOF."
BROWN,N., NELSON,M.A., GRISEWOOD,J. General Public Utilities Corp. - GPU Service Corp. 96/05/15. 77pp. 88373:150-88373:226.

I. Financial information

9605060345 Forwards "GPU Annual Rept for 1995" & 1995 uniform statistical rept.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88185:001-88185:086.

–**9605070046** "GPU Annual Rept for 1995."
LEVA,J.R. General Public Utilities Corp. - GPU Service Corp. 95/12/31. 84pp. 88185:002-88185:086.

P. Operating license stage documents & correspondence

9605020399 Forwards "1995 Annual Radioactive Effluent Releases Rept for TMI-1" & changes to process control program & ODCM during 1995.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88131:313-88131:351.

–**9605020403** Changes to process control program & ODCM during 1995.
* General Public Utilities Corp. - GPU Service Corp. 95/12/31. 20pp. 88131:331-88131:351.

9605070105 Summarizes 960315 mgt meeting held at Region I ofc to discuss bases for PAR for plants.Current PAR methodology & logic diagrams to be revised to be consistent w/new federal guidance.W/list of attendees,meeting notice & handout.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/24. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 23pp. 88112:161-88112:186.

9605030184 Summary of 960418 meeting w/util re active licensing issues at facility.List of attendees encl.
HERNAN,R.W. . 96/05/01. . 12pp. 88103:303-88103:314.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160469 Notification of 960530 meeting w/GPU in Rockville,MD to discuss reload analysis for Fall 1997 refueling outage.
NORRIS,J.A. . 96/05/10. STOLZ,J.F. . 4pp. 88272:276-88272:279.

9605160472 Forwards request for addl info in order to continue review of Topical Rept 087, "TMI-1 Core Thermal-Hydraulic Methodology using VIPRE-01 Computer Code."
NORRIS,J.A. . 96/05/10. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 5pp. 88272:280-88272:284.

Q. Inspection reports, IE Bulletins & correspondence

9605030102 Forwards response to violations noted in Insp Rept 50-289/96-57 for failure to mod amended physical security plan,Rev 31,dtd 950210.Response withheld.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88139:355-88139:355.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605200070 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/05/14. Document Control Branch (Document Control Desk). 5pp. 88351:250-88351:254.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020399 Forwards "1995 Annual Radioactive Effluent Releases Rept for TMI-1" & changes to process control program & ODCM during 1995.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88131:313-88131:351.

–**9605020401** "1995 Annual Radioactive Effluent Releases Rept for TMI-1."
* General Public Utilities Corp. - GPU Service Corp. 95/12/31. 16pp. 88131:315-88131:330.

–**9605020403** Changes to process control program & ODCM during 1995.
* General Public Utilities Corp. - GPU Service Corp. 95/12/31. 20pp. 88131:331-88131:351.

9605200407 Monthly operating rept for Apr 1996 for Three Mile Island Nuclear Station Unit 1.W/960513 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/30. 7pp. 88341:307-88341:313.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605080035 Notifies of 960529 meeting w/licensee in Arlington,TX to discuss application for 10CFR72 ISFSI site-specific license for interim storage of TMI-2 fuel debris at INEL & application to accept transfer of Fort St Vrain license.
SCARANO,R.A. Region 4 (Post 820201). 96/05/06. Region 4 (Post 820201). 5pp. 88136:250-88136:254.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605100051 Submits Rev 13,Issue 2 to Station Security Plan.Encl withheld.
BOULETTE,E.T. Boston Edison Co. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88212:350-88212:351.

9605200270 Rev 17 to emergency plan.W/960516 ltr.
BOULETTE,E., OHEIM,H.V. Boston Edison Co. 96/05/14. 134pp. 88329:001-88329:134.

9605280218 Forwards SALP rept 50-293/96-99 on 941010-960406.No violations noted.Overall performance at plant declined from prevoius SALP period.
MARTIN,T.T. Region 1 (Post 820201). 96/05/22. BOULETTE,E.T. Boston Edison Co. 4pp. 88350:192-88350:206.

–**9605280223** SALP rept 50-293/96-99 for 941010-960406.
* Region 1 (Post 820201). 96/05/22. 11pp. 88350:196-88350:206.

P. Operating license stage documents & correspondence

9605020364 Forwards draft ASP rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during period 1982-83.
EATON,R.B. . 96/04/24. BOULETTE,E.T. Boston Edison Co. 40pp. 88095:153-88095:192.

9605020345 Application for amend to License DPR-35,proposing part of overall effort to improve outage performance at plant.
BOULETTE,E.T. Boston Edison Co. 96/04/25. Document Control Branch (Document Control Desk). 25pp. 88126:288-88126:341.

-9605020349 Proposed tech specs re part of overall effort to improve outage performance at plant.
* Boston Edison Co. 96/04/25. 29pp. 88126:313-88126:341.

9605060126 Ltr contract,mod 6 to task order 13, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88111:359-88111:360.

9605060143 Application for amend to license DPR-35 re "Core Alteration" & LCO & surveillance conditions associated w/secondary containment.
BOULETTE,E.T. Boston Edison Co. 96/05/01. Document Control Branch (Document Control Desk). 6pp. 88172:171-88172:186.

-9605060153 Proposed tech specs re "Core Alteration" to LCO & surveillance conditions associated w/secondary containment.
* Boston Edison Co. 96/05/01. 10pp. 88172:177-88172:186.

9605060163 Application for amend to license DPR-35,relocating administrative controls re QA review & audit requirements of Section 6 from plant TS to util QA Manual.
BOULETTE,E.T. Boston Edison Co. 96/05/01. Document Control Branch (Document Control Desk). 4p. 88166:322-88166:350.

-9605060174 Proposed tech specs,relocating administrative controls re QA review & audit requirements of Section 6 from plant TS to Boston Edison QA Manual.
* Boston Edison Co. 96/05/01. 25pp. 88166:326-88166:350.

9605140407 Application for amend to license DPR-35,revising TS to reflect implementation of 10CFR50 App J,Option B.
BOULETTE,E.T. Boston Edison Co. 96/05/01. Document Control Branch (Document Control Desk). 8pp. 88271:309-88271:330.

-9605140410 Proposed tech specs,reflecting implementation of 10CFR50 App J,Option B.
* Boston Edison Co. 96/05/01. 14pp. 88271:317-88271:330.

9605160009 Application for amend to license DPR-35,revising Note 7 to Table 3.1.1,note 6 to Table 3.2.C.1 & Section 3/4.4, "Standby Liquid Control."
BOULETTE,E.T. Boston Edison Co. 96/05/01. Document Control Branch (Document Control Desk). 11pp. 88318:281-88318:318.

-9605160013 Proposed tech specs 3.1.1 re reactor protection sys (SCRAM) instrumentation,3.2.C.1 re instrumentation that initiates rod blocks & 3/4.4 re standby liquid control.
BOULETTE,E.T. Boston Edison Co. 96/05/01. 27pp. 88318:292-88318:318.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605220475 Summarizes 960424 SRV meeting w/listed attendees in King of Prussia,PA to discuss SRV performance issues w/BWR licensee. Emphasis placed on reviewing SRV leakage & SP drift. W/agenda,handouts & viewgraphs.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. BOULETTE,E.T. Boston Edison Co. 79pp. 88315:248-88315:326.

9605240127 Forwards RAI re response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves." Response required within 30 days.
WANG,A.B. . 96/05/21. BOULETTE,E.T. Boston Edison Co. 4pp. 88344:135-88344:138.

9605280077 Informs that review of proposed changes to TS & QA manual for plant will require more than 60 days to complete.
RULAND,W.H. Region 1 (Post 820201). 96/05/22. BOULETTE,E.T. Boston Edison Co. 2pp. 88350:058-88350:059.

9605280126 Forwards RAI re alternative reactor building response spectra.
WANG,A.B. . 96/05/23. BOULETTE,E.T. Boston Edison Co. 5pp. 88374:343-88374:347.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170054 Forwards insp rept 50-293/96-02 on 960228-0406 & notice of violation.
CONTE,R. Region 1 (Post 820201). 96/05/08. BOULETTE,E.T. Boston Edison Co. 4pp. 88284:139-88284:184.

-9605170057 Notice of violation from insp on 960228-0406.Violation noted:on 960227,inspector found 15,000 uCi Beta/Gamma source not locked & not in use.
* Region 1 (Post 820201). 96/05/08. 2pp. 88284:143-88284:144.

-9605170064 Insp rept 50-293/96-02 on 960228-0406.Violations noted.Major areas inspected:safety assessment/quality verification,plant operations,maint & surveillance,engineering & plant support.
CONTE,R. Region 1 (Post 820201). 96/05/08. 40pp. 88284:145-88284:184.

9605280029 Notification of 960604 meeting w/util in Plymouth,MA to discuss SALP management meeting.
CONTE,R.J. . 96/05/17. . 2pp. 88350:041-88350:042.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280218 Forwards SALP rept 50-293/96-99 on 941010-960406.No violations noted.Overall performance at plant declined from prevoius SALP period.
MARTIN,T.T. Region 1 (Post 820201). 96/05/22. BOULETTE,E.T. Boston Edison Co. 4pp. 88350:192-88350:206.

-9605280223 SALP rept 50-293/96-99 for 941010-960406.
* Region 1 (Post 820201). 96/05/22. 11pp. 88350:196-88350:206.

9605240200 Press release I-96-34, "NRC Staff Rates Pilgrim 'Good' in Operations,Maint & Plant Support & 'Excellent' in Engineering."
* Region 1 (Post 820201). 96/05/23. 2pp. 88391:305-88391:306.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030076 "Radiological Environ Monitoring Program Rept No 28,Jan-Dec 1995." W/960501 ltr.
SEJKORA,K.J., OLIVIER,L.J. Boston Edison Co. 95/12/31. 99pp. 88139:230-88139:329.

9605070187 "Marine Ecology Studies Re Operation of Pilgrim Station Semiannual Rept 47 Jan-Dec 1995." W/960425 ltr.
ANDERSON,R.D., OHEIM,H.V. Boston Edison Co. 95/12/31. 276pp. 88193:001-88193:276.

9605150416 Monthly operating rept for Apr 1996 for Pilgrim Nuclear Power Station.W/960510 ltr.
CANNON,R.L., OLIVIER,L.J. Boston Edison Co. 96/04/30. 5pp. 88289:078-88289:084.

9605200075 NPDES discharge monitoring rept for Apr 1996 for Pilgrim Nuclear Power Station.W/960515 ltr.
SULLIVAN,T.A., OHEIM,H.V. Boston Edison Co. 96/04/30. 14pp. 88351:261-88351:274.

S. Reportable occurrences, LERs & related correspondence

9605060338 Forwards LER 96-003-00 re RCICS made inoperable due to anomalies during testing.Util will evaluate failed speed control sys hydraulic actuator which was replaced to determine root cause & take addl action as necessary.
BOULETTE,E.T. Boston Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88171:237-88171:242.

-9605060342 LER 96-003-00:on 960403,RCICS made inoperable due to anomalies noted during testing.Caused by malfunctioning speed control sys hydraulic actuator (EG-R).EG-R replaced & RCICS declared operable on 960405.
CALFA,J.P. Boston Edison Co. 96/04/29. 5pp. 88171:238-88171:242.

9605160155 LER 96-004-00:on 960409,determined primary containment was inoperable & 24 hour technical specification LCO entered. Cause under investigation.Circuit breakers replaced.W/960509 ltr.
ELLIS,D.W., BOULETTE,E.T. Boston Edison Co. 96/05/09. 10pp. 88326:232-88326:241.

9605240065 LER 96-002-00:on 960205,loss of valve position indication for MO-1301-16 occurred.Caused by loose control power fuse in breaker B1864.Investigation & troubleshooting plan was implemented.W/960517 ltr.
CALFA,J.P., BOULETTE,E.T. Boston Edison Co. 96/05/17. 7pp. 88391:218-88391:224.

9605280291 LER 96-005-00:on 960419,automatic scram occurred due to turbine vibration during planned power reduction.Turbine vibration trip setting that initiates trip of turbine due to high vibration changed.W/960520 ltr.
ELLIS,D.W., BOULETTE,E.T. Boston Edison Co. 96/05/20. 19pp. 88418:049-88418:067.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605240122 Informs Rev 7K to Section 5 of Zion Nuclear Power Station Annex to Generating Stations Emergency Plan acceptable.
CREED,J.R. Region 3 (Post 820201). 96/04/04. TUETKEN,R. Commonwealth Edison Co. 2pp. 88340:332-88340:333.

9605160291 Revised CEPIPs,including 3000 series table of contents & Rev 2 to CEPIP 3220-01, "Dose Assessment B Model,Rev 1."
DAVIDSON,G.R. Commonwealth Edison Co. 96/05/01. 40pp. 88309:294-88309:333.

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605160318 Forwards ERDS implementation documents & DPL updates for North Anna,Hope Creek,Limerick & Zion.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 96/05/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 88282:135-88282:135.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

–9605020336 "Engineering Evaluation Rept ; Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605010310 Summary of 960328 meeting w/NRC & utils re Combustion Engineering SG welded sleeves.Attendees listed in Encl 1.
SHIRAKI,C.Y. . 96/04/25. . 14pp. 88067:261-88067:274.

9605060268 Provides addl info re application for amends to Licenses DPR-39 & DPR-48,incorporating guidance in NUREG-1431.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 3pp. 88166:001-88166:131.

–9605060277 Proposed tech specs,providing addl info necessary to facilitate NRC development of SE & to make minor document corrections identified during pre-implementation procedure rev process.
* Commonwealth Edison Co. 96/04/30. 128pp. 88166:004-88166:131.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070227 Forwards RAI to complete review of operability assessment & Tech Rept CEN-628-P,Rev O,pertaining to ABB Combustion Engineering Nuclear Operations (ABB/CENO) SG tube sleeve for plant.
SHIRAKI,C.Y. . 96/05/03. FARRAR,D.L. Commonwealth Edison Co. 5pp. 88143:337-88143:341.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605140326 Notification of 960509 meeting w/CECO in Rockville,MD to discuss CECO request for exemption from certain requirements of 10CFR55.
SHIRAKI,C.Y. . 96/05/08. CAPRA,R.A. . 3pp. 88251:301-88251:303.

9605140460 Suppls conversion to ITS,providing addl info clarifying appropriate controls for matls removed from TSs.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 3pp. 88255:001-88255:324.

–9605140465 Proposed tech specs,providing addl info clarifying appropriate controls for matl removed from TS & to make corrections identified during pre-implementation procedure rev process.
* Commonwealth Edison Co. 96/05/08. 323pp. 88255:004-88255:324.

9605210465 Forwards progress update of plans to improve performance at Zion Nuclear Power Station Units 1 & 2.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/15. . 8pp. 88361:142-88361:149.

9605210018 Summary of 960509 meeting w/licensee re request for exemptions from certain requirements of 10CFR55 submitted in 960508 ltr.
SHIRAKI,C.Y. . 96/05/16. . 4pp. 88314:337-88314:340.

9605210246 Forwards EA & FONSI re 960319 application for exemption to allow plant to utilize ASME Boiler & Pressure Vessel Code Case N-514,to determine low temp overpressure protection setpoints.
SHIRAKI,C.Y. . 96/05/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 88308:104-88308:112.

–9605210256 Environ assessment & finding of no significant impact re 960319 application for exemption to allow plant to utilize ASME Boiler & Pressure Vessel Code Case N-514,to determine low temp overpressure protection setpoints.
SHIRAKI,C.Y. . 96/05/16. 7pp. 88308:106-88308:112.

9605230212 Application for amends to licenses DPR-39 & DPR-48 re implementation of PTLR.Change will retain current RCS pressure & temp limits & LTOP limits in PTLR format.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/17. 4pp. 88376:266-88376:340.

–9605230216 Proposed tech specs revising TS to provide changes re implementation of PTLR to retain current RCS pressure & temp limits & LTOP limits in PTLR format.
* Commonwealth Edison Co. 96/05/17. 71pp. 88376:270-88376:277.

–9605240060 Zion Station "Pressure Temp Limits Rept."
* Commonwealth Edison Co. 96/05/17. 36pp. 88376:278-88376:313.

–9605240062 Zion Station "EC Probe Measurement Uncertainties & Qualification Methodology."
* Commonwealth Edison Co. 96/05/17. 27pp. 88376:314-88376:340.

9605240013 Informs that 960325 submittal of "Verification of Structural Integrity of ABB CENO SG Welded Sleeve," CEN-628-P,will be withheld from public disclosure per 10CFR2.790.
SHIRAKI,C.Y. . 96/05/21. RICKARD,I.C. Commonwealth Edison Co. 4pp. 88344:126-88344:129.

9605280112 Submits list of TS surveillance requirements & acceptance criteria more restrictive than current TSs re proposed improved TSs for Zion Station Units 1 & 2.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/21. Document Control Branch (Document Control Desk). 5pp. 88386:178-88386:182.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605090056 Forwards response to NRC 960408 ltr re violations noted in insp repts 50-295/96-05 & 50-304/96-05 on 960127-0308. Corrective actions:reviewed circumstances w/Operators in Cycle 6 of Licensed Operator Continuing Training.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/06. Document Control Branch (Document Control Desk). 8pp. 88223:294-88223:302.

9605100167 Submits required 30 day rept on timed rod drop testing,in response to NRC Bulletin 96-001, "Control Rod Insertion Problems," dtd 960308.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/07. Document Control Branch (Document Control Desk). 2pp. 88237:356-88237:358.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605290144 Forwards insp repts 50-295/96-06 & 50-304/96-06 on 960309- 0419 & NOV.Violation in operations of concern due to two new examples of inadequate control of mode changes occurred.
MILLER,L.F. Region 3 (Post 820201). 96/05/17. TUETKEN,R. Commonwealth Edison Co. 5pp. 88369:056-88369:089.

–9605290148 Notice of violation from insp on 960309-0419.Violation noted:B & C steam line upstream manual drain valves, containment isolation valves had not been closed & had not been operable.
* Region 3 (Post 820201). 96/05/17. 3pp. 88369:061-88369:063.

–9605290155 Insp repts 50-295/96-06 & 50-304/96-06 on 960309-0419. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
MILLER,L.F. Region 3 (Post 820201). 96/05/17. 26pp. 88369:064-88369:089.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605220302 Ack receipt of 960301 ltr & check for $50,000 in payment for civil penalty proposed by NRC in ltr dtd 951128.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/05/21. BRONS,J.C. Commonwealth Edison Co. 2pp. 88314:039-88314:040.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280110 Forwards RAI re licensee 960301 request for relief from third ten-year ISI interval,relief request CR-13 rev 1 & CR-23 for plant Units 1 & 2.
SHIRAKI,C.Y. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88375:008-88375:010.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605010106 "Zion Station Annual Radiological Environ Operating Rept for 1995." W/ 960419 ltr.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/12/31. 141pp. 88076:199-88076:338.

9605200364 Monthly operating repts for Apr 1996 for Zion Units 1 & 2. W/960515 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/30. 13pp. 88341:277-88341:289.

S. Reportable occurrences, LERs & related correspondence

9605130382 LER 96-012-00:on 960408,identified Unit 2 check valve configuration not consistent w/original intent of IST program check sample disassembly & insp plan.Caused by mgt deficiency.Check valves verified.W/960508 ltr.
THURSTON,D., SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/08. 6pp. 88268:033-88268:038.

9605170444 LER 96-013-00:on 960410,six valves found out of position. Caused by personnel error.Corrective actions included procedural enhancements and training.W/960514 ltr.
MANNING,M., SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/14. 4pp. 88341:169-88341:172.

9605200448 LER 96-014-00:on 960416,identified inability to maintain proper CR differential pressure while control room ventilation sys was aligned to accident mode placed plant outside design basis.W/960516 ltr.
BERCZYNSKI,S., SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/16. 4pp. 88343:133-88343:136.

9605210213 Forwards for info excerpts from draft ASP Rept for 1982-83. Rept performed for historial purposes to obtain 2 yrs of data missing from NRC ASP program.Licensee response not required.
SHIRAKI,C.Y. . 96/05/16. FARRAR,D.L. Commonwealth Edison Co. 36pp. 88308:040-88308:075.

9605220334 LER 96-015-00:on 960417,reactor tripped.Caused by entrained gas in instrument line resulting from insufficient procedural guidance.Reviewed & revised certain operating procedures re filling & venting.W/960517 ltr.
BONUCCI,J, SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/17. 5pp. 88389:100-88389:104.

9605280171 LER 96-016-00:on 960423,identified potential operating alignment problem associated w/safety injection accumulators.Caused by mgt deficiency.Standing Order 96-09 issued.W/960523 ltr.
BEINECKE,P., SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/23. 5pp. 88396:157-88396:161.

9605310157 LER 96-017-00:on 960426,unit 2 penetration pressurization air compressor was taken out-of-service for minor oil leak repairs & lubricant change.Caused by inadequate procedure. Testing revised.W/960528 ltr.
STONE,W., SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/28. 6pp. 88444:197-88444:202.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. CHASENSKY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. 1p. 88243:192-88243:192.

9605140512 Forwards exemption request to requirements set forth in 10CFR55.33(a)(2) for administration of written exam & operating test.
TUETKEN,R. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 7pp. 88268:349-88268:355.

9605210018 Summary of 960509 meeting w/licensee re request for exemptions from certain requirements of 10CFR55 submitted in 960508 ltr.
SHIRAKI,C.Y. . 96/05/16. . 4pp. 88314:337-88314:340.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605030017 Notification of 960508 meeting w/licensee in Rockville,MD to discuss upgrade of plant App R Safe Shutdown Analysis.
WILLIAMS,J.F. . 96/05/01. HEBDON,F.J. . 3pp. 88104:007-88104:009.

9605300025 Rev 7 to Central Emergency Control Ctr EPIP-18, "Transportation & Staffing Under Abnormal Conditions." W/ 960520 ltr.
CATRON,N., MARKS,B.K., BARON,R.R. Tennessee Valley Authority. 96/05/20. 18pp. 88395:339-88395:356.

P. Operating license stage documents & correspondence

9605100017 Confirms meeting scheduled for 960429 in Marietta,GA to discuss Unit 3 performance,per 960403 telcon between P Salas & MS Lesser.
LESSER,M.S. Region 2 (Post 820201). 96/04/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88190:144-88190:146.

9605030017 Notification of 960508 meeting w/licensee in Rockville,MD to discuss upgrade of plant App R Safe Shutdown Analysis.
WILLIAMS,J.F. . 96/05/01. HEBDON,F.J. . 3pp. 88104:007-88104:009.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090096 Application for amends to licenses DPR-33,DPR-52 & DPR-68, withdrawing amend 219,temporary TS 343T,RV water level instrumentation & amend 228,temporary TS 347T,250 volt DC control power supply sys AOT for Unit 2 only.
SALAS,P. Tennessee Valley Authority. 96/05/03. Document Control Branch (Document Control Desk). 14pp. 88209:185-88209:236.

-9605090099 Proposed tech specs,withdrawing amend 219,temporary TS 343T, RV water level instrumentation & amend 228,temporary TS 347T,250 volt DC control power supply sys AOT for Unit 2.
* Tennessee Valley Authority. 96/05/03. 38pp. 88209:199-88209:236.

9605150148 Forwards SE related to revised IST program & requests for relief at plants,Units 1,2 & 3.
HEBDON,F.J. . 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 88270:280-88270:298.

-9605150208 Safety evaluation of changes relating to revised IST program & requests for relief at plants 1,2 & 3.Changes,acceptable.
* . 96/05/06. 15pp. 88270:284-88270:298.

9605200314 Summarizes 960429 meeting w/TVA in Atlanta,GA to discuss performance of Browns Ferry Unit 3.List of attendees & TVA meeting handouts encl.
LESSER,M.S. Region 2 (Post 820201). 96/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 30pp. 88291:192-88291:221.

9605200424 Confirms telcon between P Salas & M Lesser re 960528 meeting to discuss Unit 3 performance.
LESSER,M.S. Region 2 (Post 820201). 96/05/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88292:063-88292:065.

9605280236 Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change 373,revising TS to implement guidance of GL 87-09 & NUREG-1433,Rev 1.
SALAS,P. Tennessee Valley Authority. 96/05/20. Document Control Branch (Document Control Desk). 8pp. 88385:332-88385:353.

-9605280239 Proposed tech specs implementing guidance of GL 87-09 & NUREG-1433,Rev 1.
* Tennessee Valley Authority. 96/05/20. 14pp. 88385:340-88385:353.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605090169 Provides response to NRC request for addl info re augmented reactor vessel weld exam.
SALAS,P. Tennessee Valley Authority. 96/05/06. Document Control Branch (Document Control Desk). 11pp. 88223:337-88223:347.

9605150073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment." TVA currently has plans for only one licensing amend re NUREG-0612, "Control of Heavy...."
BARON,R.R. Tennessee Valley Authority. 96/05/13. Document Control Branch (Document Control Desk). 11pp. 88289:258-88289:268.

9605200433 Provides response to violations noted in Insp Repts 50-259/96-03,50-260/96-03 & 50-296/96-03.Corrective actions: appropriate steps of procedure signed.
MACHON,R.D. Tennessee Valley Authority. 96/05/14. Document Control Branch (Document Control Desk). 5pp. 88341:356-88341:360.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605230210 Informs NRC of corrective actions taken by plant w/regard to slow five percent scram insertion times associated w/scram solenoid pilot valves equipped w/viton diaphragms,per NRC Info Notice 96-007.
SALAS,P. Tennessee Valley Authority. 96/05/20. Document Control Branch (Document Control Desk). 4pp. 88368:334-88368:337.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605220370 Monthly operating repts for Apr 1996 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/960515 ltr.
DAVENPORT,J.W., SALAS,P. Tennessee Valley Authority. 96/04/30. 13pp. 88369:270-88369:282.

S. Reportable occurrences, LERs & related correspondence

9605280262 LER 96-002-00:on 960421,unit scrammed following loss of reactor feed pump 3C.Caused by personnel error.Personnel stabilized reactor,reactor feed pump 3C isolated & reactor feed pump 3C oil tank refilled.W/960521 ltr.
MORRIS,B.C., MACHON,R.D. Tennessee Valley Authority. 96/05/21. 10pp. 88418:001-88418:010.

9605230169 PNO-II-96-039:on 960523,fire identified in condenser circulating water cooling tower 3.Fire protection personnel immediately responded.Entire wooden structure,except for small portion at west end was destroyed.
LESSER,M.S. Region 2 (Post 820201). 96/05/23. 1p. 88389:170-88389:170.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

P. Operating license stage documents & correspondence

9605200338 Informs of change in telephone area code for DOE Region 2 Radiological Assistance Program from 615 to 423.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. PEREZ,P.B. North Carolina State Univ., Raleigh, NC. 2pp. 88291:316-88291:317.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9605240252 Rev 31 to "Emergency Plan for Cooper Nuclear Station." W/960520 ltr.
KRUMLAND,K.M., MUELLER,J.H. Nebraska Public Power District. 96/05/20. 264pp. 88374:052-88374:315.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--**9605020336** "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605060141 Ltr contract:mod 5 to task order 19, "IPE Reviews-Internal Events-Human Factors Only (Cooper)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88111:343-88111:344.

9605010256 Forwards amend 175 to license DPR-46 & safety evaluation. Amend changes TS to verify that redundant DG is operable upon loss of one DG & incorporates provisions to allow modified start for DG.
WIGGINTON,D.L. . 96/04/29. HORN,G.R. Nebraska Public Power District. 3pp. 88067:308-88067:334.

--**9605010262** Amend 175 to license DPR-46,changing TSs to verify redundant DG is operable upon loss of one DG & incorporating provision to allow modified start of DG.
WIGGINTON,D.L. . 96/04/29. 14pp. 88067:311-88067:324.

--**9605010263** Safety evaluation supporting amend 175 to license DPR-46.
* . 96/04/29. 10pp. 88067:325-88067:334.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605150256 Notification of 960509 meeting w/util in Rockville,MD to review licensee plans & NRC actions for adoption of improved TS & update/replacement of Final Safety Analysis Rept.
WIGGINTON,D.L. . 96/05/08. BECKNER,W.D. . 4pp. 88264:348-88264:351.

9605220450 Summarizes 960424 meeting w/listed individuals in King of Prussia,PA to discuss SRV performance issues w/BWR licensees.Matls used in meeting encl.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. HORN,G.R. Nebraska Public Power District. 79pp. 88315:169-88315:247.

9605280225 Summarizes 960423 public meeting w/NPPD to discuss progress concerning Phase 3 of NPPD PIP.List of attendees,NPPD presentation & Rev 3 of Phase 3 PIP encl.
DYER,J.E. Region 4 (Post 820201). 96/05/18. HORN,G.R. Nebraska Public Power District. 320pp. 88354:001-88354:321.

9605220187 Summary of 960509 meeting w/util re progress on adoption of ITS & investigations by NPPD into revising FSAR.List of attendees,program plan for conversion to ITS & first seven packages provided at meeting,encl.
WIGGINTON,D.L. . 96/05/20. . 306pp. 88331:001-88331:306.

9605280165 Informs NRC that util will be revising commitment for submitting plant USI A-46 Seismic Evaluation Rept from 960531 to 960719.
MUELLER,J.H. Nebraska Public Power District. 96/05/21. Document Control Branch (Document Control Desk). 3pp. 88386:143-88386:145.

9605300178 Forwards RAI re response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." Response should be submitted within 30 days.
WIGGINTON,D.L. . 96/05/28. HORN,G.R. Nebraska Public Power District. 4pp. 88394:086-88394:089.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140436 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
HORN,G.R. Nebraska Public Power District. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88272:059-88272:064.

9605170315 Responds to notice of violations in insp rept 50-298/96-05. Corrective actions:condition reporting & operability assessment processes linked.
MUELLER,J.H. Nebraska Public Power District. 96/05/13. Ofc of Enforcement (Post 870413). 6pp. 88316:350-88316:355.

9605280097 Responds to violations noted in insp repts 50-298/96-04 & 50-298/96-08.Corrective actions:station mod performed,walk downs performed,evaluation assessed safety consequences of discrepant configuration & plant drawings upgraded.
HORN,G.R. Nebraska Public Power District. 96/05/17. Document Control Branch (Document Control Desk). 15pp. 88386:082-88386:096.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030315 "CNS Annual Operating Rept Radioactive Effluents Jan-Dec 1995." W/960429 ltr.
MUELLER,J.H. Nebraska Public Power District. 95/12/31. 391pp. 88128:001-88129:031.

9605030083 Forwards "NPPD CNS Annual Radiological Environ Operating Rept Environ Radiation Monitoring Program Jan-Dec 1995."
MUELLER,J.H. Nebraska Public Power District. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88138:001-88138:237.

--**9605030086** "NPPD CNS Annual Radiological Environ Operating Rept Environ Radiation Monitoring Program Jan-Dec 1995."
MARTIN,J.D. Teledyne Isotopes. MARTIN,J.D. Teledyne Brown Engineering Co. 95/12/31. 235pp. 88138:003-88138:237.

9605060228 Forwards "Cooper Nuclear Station Annual Operating Rept for Jan-Dec 1995." Util will submit summary of facility,changes, tests/experiments completed,per 10CFR50.59(b) along w/rev to USAR to be submitted in Jul 1996.
MUELLER,J.H. Nebraska Public Power District. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88183:292-88183:301.

--**9605060232** "Cooper Nuclear Station Annual Operating rept for Period of Jan-Dec 1995."
* Nebraska Public Power District. 95/12/31. 7pp. 88183:294-88183:301.

9605210447 Monthly operating rept for Apr 1996 for Cooper Nuclear Station.W/960515 ltr.
BALLINGER,P.L., HERRON,J.T. Nebraska Public Power District. 96/04/30. 6pp. 88361:165-88361:170.

9605100083 Forwards bound copies of "Annual Radioactive Matls Release Rept" & "Annual Radiological Environ Operating Rept."
CITTA,J.L. Nebraska Public Power District. 96/05/06. Document Control Branch (Document Control Desk). 1p. 88250:001-88251:271.

S. Reportable occurrences, LERs & related correspondence

9605130152 Forwards Rev 1 to LER 95-020,identifying conditions affecting originally reported cause & corrective actions,as result of further investigation.
HERRON,J.T. Nebraska Public Power District. 96/05/07. Document Control Branch (Document Control Desk). 1p. 88267:319-88267:325.

--**9605130157** LER 95-020-01:on 951125,found that drawing change process deficiency resulted in noncompliance w/1CFR50 App R.Design change process being revised & training will be presented to appropriate design personnel on process revs.
MOELLER,C.R. Nebraska Public Power District. 96/05/07. 5pp. 88267:320-88267:325.

9605140200 LER 96-004-00:on 960409,failed to perform surveillance within required surveillance interval.Caused by mgt/QA deficiency.Reviewed past surveillances for similar occurrences.W/960508 ltr.
MOELLER,C.R., HERRON,J.T. Nebraska Public Power District. 96/05/08. 4pp. 88268:093-88268:097.

9605220301 Forwards Draft 1982-83 precursor rept,documenting ASP Program analyses of operational events which occurred during 1982-83.
WIGGINGTON,D.L. . 96/05/20. HORN,G.R. Nebraska Public Power District. 21pp. 88326:261-88326:281.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605100190 Forwards results of GFES of written OL exam administered on 960410 to nominated employees.Training dept should forward individual answer sheets & results to appropriate individuals.W/o encls.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. HORN,G.R. Nebraska Public Power District. 4pp. 88190:021-88190:024.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605060259 Submits revs to Security Plan for plant.Encl withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88147:353-88147:353.

9605070157 Forwards Rev 1 to Point Beach ISFSI security plan sections 1.0,4.0,7.0 & C-2.0.Encl withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88137:212-88137:212.

9605070296 TS Change Request 173 to application for amends to Licenses DPR-24 & DPR-27,respectively,removing fire protection requirements from TSs & incorporating requirements into fire protection evaluation rept,per GL 88-12.
LINK,B. Wisconsin Electric Power Co. 96/04/29. Document Control Branch (Document Control Desk). 6pp. 88170:321-88170:351.

--9605070302 Proposed tech specs re removal of fire protection requirements.
* Wisconsin Electric Power Co. 96/04/29. 25pp. 88170:327-88170:351.

9605070257 Forwards proprietary & nonproprietary versions of revised EPIPs,including Rev 13 to EPIP 2.1,Rev 4 to EPIP App C,Rev 31 to EPIP form index,Rev 0 to EPIP-04 & rev 36 to EPIP index.Proprietary version withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88218:152-88218:171.

--9605070259 Revised EPIPs,including Rev 36 to EPIP index,Rev 13 to EPIP 2.1,Rev 4 to EPIP App C,Rev 31 to EPIP form index & Rev 0 to EPIP-04.
* Wisconsin Electric Power Co. 96/04/29. 19pp. 88218:153-88218:171.

H. General correspondence

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

9605080023 Responds to 960321 ltr to Chairman,concerning dry cask handling at plant.
MARCUS,G.H. . 96/05/03. SHILLINGLAW,F. Affiliation Not Assigned. 9pp. 88175:221-88175:232.

--9605080026 Expresses concern re dry cask handling at plant.
DHILLINHLAW,F. Affiliation Not Assigned. 96/03/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 88175:230-88175:232.

9605140456 Expresses concerns re use of MTC to move fully loaded MSB from SFP to decontamination area w/o adequate load test.
SHILLINGLAW,F. Affiliation Not Assigned. 96/05/03. TAYLOR,J.M. NRC - No Detailed Affiliation Given. 2pp. 88268:357-88268:358.

9605160350 Requests NRC inspection of areas of weakness brought out in hearings & documents re design,construction & handling of VSC-24 casks to be used at Point Beach.
SINCLAIR,M.P. Don't Waste Michigan. 96/05/06. LEU,K. Office of Nuclear Material Safety & Safeguards. 8pp. 88314:161-88314:168.

9605150294 Responds to 960303 ltr to Senator H Kohl of WI re long-term storage of spent nuclear fuel.Ltr to J Taylor of NRC dtd 960303 was responded to on 960418.
RUSSELL,W.T. . 96/05/09. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 88258:309-88258:323.

9605200069 Requests responses to questions re casks loading at Point Beach & Palisades.
SHILLINGLAW,F. Affiliation Not Assigned. 96/05/14. HANSEN NRC - No Detailed Affiliation Given. 1p. 88351:249-88351:249.

9605210339 Responds to 960228 ltr re WEPC annual results & data rept for 1995 & list of mods to cask design & handling procedures.Detailed response provides info re availability of all pertinent documents & how NRC keeps track of changes.
MARCUS,G.H. . 96/05/16. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 88321:301-88321:306.

--9605210352 Requests response to 950927 ltr,citing 960212 ltr to author noting that subsequent response would be forthcoming.Poses questions on casks & shield lids.
SHILLINGLAW,F. Affiliation Not Assigned. 96/02/28. MARCUS,G. . 3pp. 88321:304-88321:306.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

9605310113 Responds to 960503 ltr to JM Taylor re dry cask handling at plant.
MARCUS,G.H. . 96/05/29. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 88395:322-88395:327.

I. Financial information

9605090221 Forwards 1995 annual rept to stockholders of Wisconsin Electric Power Co,including certified financial statements.
FEHRING,T.H. Wisconsin Electric Power Co. 96/04/26. . 58pp. 88214:241-88214:299.

P. Operating license stage documents & correspondence

9605020042 Application for amends to licenses DPR-24 & DPR-27,removing items identified in GLs 89-01 & 95-10 as being procedural details from PBNP RETS,Section 15.7 & relocating to appropriate documents.
LINK,B. Wisconsin Electric Power Co. 96/04/24. Document Control Branch (Document Control Desk). 10pp. 88121:001-88121:344.

--9605020048 Proposed tech specs Section 15.7 RETS re removing items identified in GLs 89-01 & 95-10 as being procedural details & relocating items to appropriate documents.
* Wisconsin Electric Power Co. 96/04/24. 56pp. 88121:012-88121:069.

--9605020057 "Radiological Effluent & Matls Control & Accountability Program (REMCAP) Manual," rev 0.
* Wisconsin Electric Power Co. 96/04/03. 7pp. 88121:070-88121:075.

--9605020059 "Radiological Effluent Control Manual."
* Wisconsin Electric Power Co. 96/03/13. 36pp. 88121:076-88121:111.

--9605020061 "Environ Manual."
* Wisconsin Electric Power Co. 96/03/13. 40pp. 88121:112-88121:151.

--9605020068 "Offsite Dose Calculation Manual."
* Wisconsin Electric Power Co. 96/01/26. 193pp. 88121:152-88121:344.

9605070296 TS Change Request 173 to application for amends to Licenses DPR-24 & DPR-27,respectively,removing fire protection requirements from TSs & incorporating requirements into fire protection evaluation rept,per GL 88-12.
LINK,B. Wisconsin Electric Power Co. 96/04/29. Document Control Branch (Document Control Desk). 6pp. 88170:321-88170:351.

--9605070302 Proposed tech specs re removal of fire protection requirements.
* Wisconsin Electric Power Co. 96/04/29. 25pp. 88170:327-88170:351.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605280082 Confirms discussion between TG Malanowski & MJ Farber re routine management meeting on 960524 in Lisle,IL to discuss UFSAR for plant.
FARBER,M.J. Region 3 (Post 820201). 96/05/09. LINK,R. Wisconsin Electric Power Co. 1p. 88350:071-88350:071.

9605280290 Forwards RAI re rept on verification of seismic adequacy of mechanical & electrical equipment in operating reactors for plant Units 1 & 2.Response requested within 90 days of ltr date.
HANSEN,A.G. . 96/05/23. LINK,R.E. Wisconsin Electric Power Co. 8pp. 88374:325-88374:332.

Q. Inspection reports, IE Bulletins & correspondence

9604160377 Forwards Directorate of Regulatory Operations Bulletin 73-1, to provide info received from WEPC & RG&E concerning Point Beach & Ginna pressurized water reactor facilities.Action requested identified in section B of bulletin.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/23. SIMS,R.H. Jersey Central Power & Light Co. 3pp. 88575:176-88575:178.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160391 Responds to NRC Bulletin 96-002 re movement of heavy loads over spent fuel,over fuel in reactor core or over safety- related equipment.
LINK,B. Wisconsin Electric Power Co. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88318:166-88318:168.

9605210484 Responds to NRC 960417 ltr re violations noted in insp repts 50-266/96-02 & 50-301/96-02.Corrective actions:scaffolding planks appropriately secured per procedures.
LINK,B. Wisconsin Electric Power Co. 96/05/17. Document Control Branch (Document Control Desk). 7pp. 88359:328-88359:334.

9605280267 Requests relief from Section XI of ASME B&PV Code, "Rules for Inservice Exam of NPP Components," 1986 edition,no addenda.Relief Request RR-2-22 encl.
MAXFIELD,G. Wisconsin Electric Power Co. 96/05/17. Document Control Branch (Document Control Desk). 3pp. 88386:226-88386:228.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280166 Responds to NRC Bulletin 96-001, "Control Rod Test Data From Unit 1 Outage U1R23." Current & projected EOL burnup for Units 1 & 2 encl.
LINK,B. Wisconsin Electric Power Co. 96/05/22. Document Control Branch (Document Control Desk). 6pp. 88385:354-88385:359.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310056 Press release III-96-21, "NRC Sends Augmented Insp Team to Review Gaseous Ignition Incident in Spent Fuel Cask at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/05/29. 2pp. 88444:175-88444:176.

R. Periodic operating reports & related correspondence

9605140137 Monthly operating repts for Apr 1996 for Point Beach Nuclear Plant.W/ 960505 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/30. 10pp. 88268:290-88268:299.

S. Reportable occurrences, LERs & related correspondence

9605300006 PNO-III-96-033A:on 960528,unidentified gas ignited during VSC-24 spent fuel cask welding.Licensee continuously purged air space inside cask to prevent any accumulation of combustible gases.
FARBER,M., CANIANO,R. Region 3 (Post 820201). 96/05/29. 2pp. 88444:013-88444:014.

9605310243 PNO-III-96-033B:on 960529,unidentified gas ignited during spent fuel cask welding.Zinc-based coating applied to internal surfaces of cask may have reacted chemically w/ acidic water from SF storage pool,producing hydrogen.
CANIANO,R., GROBE,J. Region 3 (Post 820201). 96/05/31. 2pp. 88444:236-88444:237.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9605070196 Forwards revised response to deviation noted in insp rept 50-302/95-16 re TSC ventilation sys.Corrective actions:fan speed reduced to facilitate balancing & power removed from motorized balance dampers & dampers set to fixed positions.
BEARD,P.M. Florida Power Corp. 96/04/30. Document Control Branch (Document Control Desk). 8pp. 88192:229-88192:236.

9605060241 Forwards insp rept 50-302/96-02 on 960318-22 & 960403-05 & notice of violation.
GIBSON,A.F. Region 2 (Post 820201). 96/05/01. BEARD,P.M. Florida Power Corp. 4pp. 88102:016-88102:023.

--9605060247 Notice of violation from insp on 960318-22 & 960403-05. Violation noted:on 960321,Safeguards Info,to include Physical Security Plan,left unattended in unlocked security storage container.
* Region 2 (Post 820201). 96/05/01. 2pp. 88102:020-88102:021.

--9605060256 Partially withheld insp rept 50-302/96-02 on 960318-22 & 0403-05 (ref 10CFR73.21).Violation noted.Major areas inspected:Physical Security Program;including testing,maint & compensatory measures & training & qualification.
STRATTON,L.C., FREDRICKSON,P. Region 2 (Post 820201). 96/05/01. 2pp. 88102:022-88102:023.

9605140268 Rev 4 to EPIP EOP-03, "Inadequate Subcooling Margin."
* Florida Power Corp. 96/05/02. 56pp. 88269:257-88269:312.

9605140368 Rev 21 to EPIP AP-770, "EDG Actuation."
* Florida Power Corp. 96/05/02. 68pp. 88268:137-88268:200.

9605140376 Revised EPIPs,including rev 3 to EOP-02,rev 4 to EOP-03,rev 3 to EOP-04,rev 2 to EOP-05,rev 4 to EOP-06,rev 3 to EOP-07, rev 4 to EOP-08,rev 1 to EOP-09,rev 2 to EOP-10,rev 1 to EOP-12,rev 2 to EOP-13 & rev 1 to EOP-14.
* Florida Power Corp. 96/05/02. 400pp. 88253:001-88254:089.

9605140372 Rev 21 to EPIP VP-580, "Plant Safety Verification Procedure."
* Florida Power Corp. 96/05/03. 10pp. 88271:278-88271:287.

9605200082 Forwards response to NRC 960408 ltr re violations noted in insp rept 50-302/96-01.Corrective actions:replaced wide range HPI flow instrumentation w/instrumentation having appropriate accuracy & revised listed EOPs.
BOLDT,G.L. Florida Power Corp. 96/05/13. Document Control Branch (Document Control Desk). 6pp. 88351:291-88351:296.

G. Adjudicatory correspondence

9605170449 Responds to 960423 ltr,forwarding 960328 ltr from constituent L Putney on behalf of BL Bennett.Advises that constituent ltr re concerns about security deficiencies at plant being treated as petition under 10CFR2.206.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/14. GRAHAM,B. Senate. 4pp. 88299:310-88299:320.

--9605170465 Forwards ltr from constituent who has concerns that fall under NRC jurisdiction.
GRAHAM,B. Senate. 96/04/23. NRC - No Detailed Affiliation Given. 1p. 88299:317-88299:320.

I. Financial information

9605020309 Forwards "1994 Annual Rept for Kissimmee Util Authority" & "Comprehensive Annual Financial Rept for City of Ocala,for FY93-94."
BOLDT,G.L. Florida Power Corp. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88117:001-88117:239.

--9605020313 "Kissimmee Util Authority,1994 Annual Rept."
GANT,G.A., WELSH,J.C. Kissimmee Utility Authority. 94/12/31. 238pp. 88117:002-88117:239.

9605070097 Forwards annual financial rept for 1995 & annual financial repts for ten participating owners of Crystal River 3.
BOLDT,G.L. Florida Power Corp. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88181:001-88183:240.

--9605070098 "FL Progress Corp 1995 Annual Rept."
CRITCHFIELD,J., KORPAN,R. Florida Progress Corp. 95/12/31. 105pp. 88181:002-88181:106.

--9605070103 "1995 Gainesville Regional Utils Annual Rept."
* Gainesville Regional Utilities. 95/12/31. 98pp. 88181:107-88181:205.

--9605070107 "Comprehensive Annual Financial Rept FY95 Kissimmee Util Authority."
HOSTETLER,J., JOHNSTON,A. Kissimmee Utility Authority. 95/09/30. 56pp. 88181:206-88181:261.

--9605070126 "Orlando Util Commission 1995 Annual Rept."
MARTINEZ,M.R., HAVEN,R.C. Orlando Utilities Commission. 95/12/31. 48pp. 88181:262-88181:309.

--9605070112 "City of Leesburg Conprehensive Annual Financial Rept FY95."
WILLIAMS,J.A. Leesburg, FL. 95/09/30. 163pp. 88181:310-88182:108.

--9605070118 "Util Commission City of New Smyrna Beach,FL Comprehensive Annual Financial Rept 950930 & 1994."
MARTIN,J.U. Affiliation Not Assigned. 95/09/30. 67pp. 88182:109-88182:175.

--9605070121 "City of Ocala,FL Conprehensive Annual Financial Rept for Yr Ending 950930."
BAKER,G.L. Ocala, FL. 95/09/30. 224pp. 88182:176-88183:035.

--9605070127 "City of Tallahasee,FL Conprehensive Annual Financial Rept for FY Ending 950930."
* Tallahassee, FL. 95/09/30. 205pp. 88183:036-88183:240.

P. Operating license stage documents & correspondence

9605100011 Summarizes 960416 meeting in Atlanta,GA re status of progress on Corrective Action Program.List of attendees & licensee presentation handbook encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/17. BEARD,P.M. Florida Power Corp. 75pp. 88190:064-88190:131.

9605020179 Forwards 960414 corrected SE re request for relief 95-020, 95-030 & 95-040.Correction needed due to administrative error.
RAGHAVAN,L. . 96/04/26. BEARD,P.M. Florida Power Corp. 3pp. 88093:339-88093:342.

--9605020200 Corrected SE re second ten-year interval insp program plan request for relief 95-020,95-030 & 95-040.
* . 96/04/26. 1p. 88093:342-88093:342.

9605020215 Forwards amend 154 to license DPR-72 & safety evaluation. Amend applies only to outside diameter volumetric intergranular attack indication located below first tube support plate.
RAGHAVAN,L. . 96/04/30. BEARD,P.M. Florida Power Corp. 4pp. 88081:322-88081:348.

--9605020226 Amend 154 to license DPR-72,applying to outside diameter volumetric intergranular attack indications located below first tube support plate & secondary face of lower tubesheet & allowing dispositioning.
HEBDON,F.J. . 96/04/30. 11pp. 88081:326-88081:336.

--9605020228 Safety evaluation supporting amend 154 to license DPR-72.
* . 96/04/30. 12pp. 88081:337-88081:348.

9605070015 Informs of errors in info provided to NRC in App B to facility four yr simulator certification rept submitted by util 950919 ltr.
BOLDT,G.L. Florida Power Corp. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88169:356-88169:357.

9605070020 Forwards Rev 0 of F96-0001, "FPC Crystal River Unit 3 Cycle 11 COLR,Referencing Revised STS." Facility in final stages of Refuel 10 & operating limits in COLR will govern core operations at restart.
BOLDT,G.L. Florida Power Corp. 96/05/01. Document Control Branch (Document Control Desk). 1p. 88174:186-88174:212.

--9605070027 "FPC Crystal River Unit 3 Cycle 11 COLR,Referencing Revised STS."
* Florida Power Corp. F96-0001 R00. 96/05/01. 26pp. 88174:187-88174:212.

9605070191 Withdraws 940930 LAR to operate at 2,568 MWt.
BEARD,P.M. Florida Power Corp. 96/05/01. Document Control Branch (Document Control Desk). 1p. 88192:228-88192:228.

9605030285 Forwards SE re 930827 submittal,as supplemented,re plant- specific criteria for verifying seismic adequacy of equipment for resolution of safety issue USI A-46.Review finds program adequate to resolve primary concern.
RAGHAVAN,L. . 96/05/02. BEARD,P.M. Florida Power Corp. 2pp. 88100:333-88100:344.

--9605030295 Safety evaluation finding licensee program adequate,in general,to resolve primary concern of USI A-46,demonstrating seismic adequacy of certain equipment in plant constructed prior to 1972 according to 1980-81 licensing criteria.
* . 96/05/02. 10pp. 88100:335-88100:344.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140121 Provides interpretation of status of exemption from 10CFR70.24, "Criticality Accident Requirements."
BEARD,P.M. Florida Power Corp. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88272:017-88272:018.

9605070271 Forwards excerpts from draft ASP Rept for 1982-83, documenting analyses of operational events which occured during period 1982-83.Revs to subj rept to begin about 960531 to be put in final form for publication.
RAGHAVAN,L. . 96/05/06. BEARD,P.M. Florida Power Corp. 27pp. 88119:323-88119:352.

9605140173 Corrects info provided by util 940328 ltr re reactor coolant pump oil collection sys.
BEARD,P.M. Florida Power Corp. 96/05/08. Document Control Branch (Document Control Desk). 2pp. 88272:043-88272:044.

9605210527 Responds to request for info on species protected by Endangered Species Act that may occurr in vicinity of plants.Revised species lists for areas adjacent to plant sites encl.
BROWN,J. Commerce, Dept. of, National Oceanic & Atmospheric Administration. 96/05/15. NEWBERRY,S.F. . 4pp. 88359:339-88359:342.

9605220183 Forwards SE authorizing proposed alternative to ASME Code requirements contained in request for relief 95-010,based on NRC review of BWOG topical rept BAW-2228P,rev 1.
HEBDON,F.J. . 96/05/21. BEARD,P.M. Florida Power Corp. 1p. 88324:326-88324:333.

--9605220281 Safety evaluation authorizing proposed alternative to ASME Code requirements contained in request for relief 95-010 per 10CFR50.55a(a)(3)(i).
* . 96/05/21. 7pp. 88324:327-88324:333.

9605280232 Informs NRC that FPC completed new SBLOCA analyses in support of efforts re improved HPI instrumentation & change as stated in PCT in accordance w/ 10CFR50.46 requirements.
BEARD,P.M. Florida Power Corp. 96/05/22. Document Control Branch (Document Control Desk). 5pp. 88386:239-88386:243.

Q. Inspection reports, IE Bulletins & correspondence

9605200289 Forwards OI rept 2-94-036 on 950524 & insp rept 50-302/95-13 on 940905-950705.Four apparent violations identified & being considered for escalated enforcement action.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/07/07. BEARD,P.M. Florida Power Corp. 6pp. 88291:115-88291:162.

--9605200299 Insp rept 50-302/95-13 on 940905-0705.Violations noted.Major areas inspected:documents insps conducted which summarize related findings of insp repts 50-302/94-22,50-302/95-02, 50-302/95-07,50-302/95-08 & 50-302/95-09.
BUTCHER,R. Region 2 (Post 820201). 95/07/07. 42pp. 88291:121-88291:162.

9605090054 Forwards redacted mgt investigation rept performed in Aug 1995 after discovery of 940904 MUT evolution,as follow-up to 960327 predecisional enforcement conference re possible misconduct.
BEARD,P.M. Florida Power Corp. 96/04/22. Document Control Branch (Document Control Desk). 59pp. 88341:008-88341:066.

9605100044 Forwards exam rept 50-302/96-300 administered on 960322-29.
PEEBLES,T.A. Region 2 (Post 820201). 96/04/26. BEARD,P.M. Florida Power Corp. 3pp. 88190:263-88191:137.

--9605100064 Exam rept 50-302/96-300 on 960326-29.Exam results:10 candidates from facility participated in generic fundamentals exam.All 10 passed w/100% pass rate.
HOPPER,G.T., PEEBLES,T.A. Region 2 (Post 820201). 96/04/26. 236pp. 88190:266-88191:137.

9605070196 Forwards revised response to deviation noted in insp rept 50-302/95-16 re TSC ventilation sys.Corrective actions:fan speed reduced to facilitate balancing & power removed from motorized balance dampers & dampers set to fixed positions.
BEARD,P.M. Florida Power Corp. 96/04/30. Document Control Branch (Document Control Desk). 8pp. 88192:229-88192:236.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605060241 Forwards insp rept 50-302/96-02 on 960318-22 & 960403-05 & notice of violation.
GIBSON,A.F. Region 2 (Post 820201). 96/05/01. BEARD,P.M. Florida Power Corp. 4pp. 88102:016-88102:023.

--9605060247 Notice of violation from insp on 960318-22 & 960403-05. Violation noted:on 960321,Safeguards Info,to include Physical Security Plan,left unattended in unlocked security storage container.
* Region 2 (Post 820201). 96/05/01. 2pp. 88102:020-88102:021.

--9605060256 Partially withheld insp rept 50-302/96-02 on 960318-22 & 0403-05 (ref 10CFR73.21).Violation noted.Major areas inspected:Physical Security Program;including testing,maint & compensatory measures & training & qualification.
STRATTON,L.C., FREDRICKSON,P. Region 2 (Post 820201). 96/05/01. 2pp. 88102:022-88102:023.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140157 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Vessel or Over Safety-Related Equipment."
BEARD,P.M. Florida Power Corp. 96/05/08. Document Control Branch (Document Control Desk). 3pp. 88272:036-88272:038.

9605200082 Forwards response to NRC 960408 ltr re violations noted in insp rept 50-302/96-01.Corrective actions:replaced wide range HPI flow instrumentation w/instrumentation having appropriate accuracy & revised listed EOPs.
BOLDT,G.L. Florida Power Corp. 96/05/13. Document Control Branch (Document Control Desk). 6pp. 88351:291-88351:296.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605200219 "1995 Annual Radiological Environ Operating Rept." W/960514 ltr.
EZZELL,P.F., BOLDT,G.L. Florida Power Corp. 95/12/31. 57pp. 88329:135-88329:191.

9605070033 Forwards "Radioactive Effluent Release Rept 1995 FPC Crystal River - Unit 3." Rept includes summary of quantities of radioactive liquid & gaseous effluents & solid waste released from facility.No revs made to ODCM or PCP.
BOLDT,G.L. Florida Power Corp. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88173:323-88173:338.

--9605070039 "Radioactive Effluent Release Rept 1995 FPC Crystal River - Unit 3."
* Florida Power Corp. 95/12/31. 15pp. 88173:324-88173:338.

9605170487 Monthly operating rept for Apr 1996 for Crystal River Unit 3.W/960510 ltr.
DAO,T.V., BOLDT,G.L. Florida Power Corp. 96/04/30. 5pp. 88332:356-88332:360.

S. Reportable occurrences, LERs & related correspondence

9605020077 LER 96-009-00:on 960327,failure to re-attach instrument tubing to seismic supports after mod leads to operation outside design basis occurred.Caused by personnel error. Instrument tubing properly supported.W/960426 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 96/04/26. 8pp. 88158:304-88158:311.

9605020085 Special Rept 96-02:on 960313,fire detection zones required by fire protection plan out of svc for greater than fourteen days.Hourly fire watch established.
BEARD,P.M. Florida Power Corp. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88122:357-88122:358.

9605020172 LER 95-008-01:on 950519,personnel concluded not all of oil leakage from reactor coolant pump motors being collected by lube oil collection sys.Caused by two primary leakage pathway.Thermocouple replaced.W/960426 ltr.
FRIJOUF,J.A., HICKLE,B.J. Florida Power Corp. 96/04/26. 7pp. 88158:329-88158:335.

9605020265 Confirms notification made via ENS on 960419 retracting notification made on 960322 for Reportable Event 30152 re suspected design basis issue involving charcoal filtration efficiency & air in-leakage (dose) for CREVS.
HICKLE,B.J. Florida Power Corp. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88135:146-88135:146.

9605070313 LER 96-005-01:on 960130,inadequate failure modes review created possibility of CW flow outside design limits.Caused by error by architect-engineer personnel.Restored SW sys & EDG A loading.W/960501 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 96/05/01. 10pp. 88191:240-88191:250.

9605140381 LER 93-002-03:on 930329,switchyard cable failure caused degraded voltage of class 1E electrical busses & actuation of EDGs.Replaced damaged cables,tested & replaced other cables as necessary.W/960510 ltr.
FRIJOUF,J.A., HICKLE,B.J. Florida Power Corp. 96/05/10. 5pp. 88288:056-88288:060.

9605200090 LER 96-011-00:on 960412,identified circuits not being appropriately tested per improved TS.Caused by human error. Applicable surveillance procedure revised to incorporate testing of ESFAS logic for circuits.W/960513 ltr.
FRIJOUF,J.A., HICKLE,B.J. Florida Power Corp. 96/05/13. 6pp. 88356:257-88356:262.

9605200126 LER 96-010-00:on 960412,components required to perform safety function determined to have "as-found" flow rates less than required values.Caused by procedure deficiency. Valves adjusted by throttling.W/960513 ltr.
FRIJOUF,J.A., HICKLE,B.J. Florida Power Corp. 96/05/13. 8pp. 88356:263-88356:270.

9605200140 LER 96-012-00:on 960411,declared old battery chargers outside facility design basis & inoperable.Caused by failure of mfg to translate util requirements into mfg test program. Four old battery chargers replaced.W/960513 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 96/05/13. 13pp. 88356:284-88356:296.

9605200463 LER 96-013-00:on 960414,improper switch alignment resulted in auto start of decay heat closed cycle cooling water pump DCP-1A.Caused by personnel error.Affected switches placed in correct position & DCP-1A secured.W/960514 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 96/05/14. 10pp. 88350:346-88350:355.

9605280263 LER 96-014-00:on 960325,discovered that ASME Section XI Category B-K-1 exam not performed.Caused by personnel error. All Category B-K-1 insps identified & completed during Refuel 10.W/960520 ltr.
CECILIA,L.V., HICKLE,B.J. Florida Power Corp. 96/05/20. 7pp. 88418:011-88418:017.

9605280277 LER 96-015-00:on 960408,determined that cables routed improperly due to personnel error.Cables routed to MCB-SSR replaced w/appropriate cables & mods of circuits associated w/toxic gas monitors completed.W/960520 ltr.
FRIJOUF,J.A., HICKLE,B.J. Florida Power Corp. 96/05/20. 6pp. 88418:037-88418:042.

V. Operator Examinations

9605100044 Forwards exam rept 50-302/96-300 administered on 960322-29.
PEEBLES,T.A. Region 2 (Post 820201). 96/04/26. BEARD,P.M. Florida Power Corp. 3pp. 88190:263-88191:137.

--9605100064 Exam rept 50-302/96-300 on 960326-29.Exam results:10 candidates from facility participated in generic fundamentals exam.All 10 passed w/100% pass rate.
HOPPER,G.T., PEEBLES,T.A. Region 2 (Post 820201). 96/04/26. 236pp. 88190:266-88191:137.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605240122 Informs Rev 7K to Section 5 of Zion Nuclear Power Station Annex to Generating Stations Emergency Plan acceptable.
CREED,J.R. Region 3 (Post 820201). 96/04/04. TUETKEN,R. Commonwealth Edison Co. 2pp. 88340:332-88340:333.

9605160291 Revised CEPIPs,including 3000 series table of contents & Rev 2 to CEPIP 3220-01, "Dose Assessment B Model,Rev 1."
DAVIDSON,G.R. Commonwealth Edison Co. 96/05/01. 40pp. 88309:294-88309:333.

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605160318 Forwards ERDS implementation documents & DPL updates for North Anna,Hope Creek,Limerick & Zion.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 96/05/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 88282:135-88282:135.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605010310 Summary of 960328 meeting w/NRC & utils re Combustion Engineering SG welded sleeves.Attendees listed in Encl 1.
SHIRAKI,C.Y. . 96/04/25. . 14pp. 88067:261-88067:274.

9605060268 Provides addl info re application for amends to Licenses DPR-39 & DPR-48,incorporating guidance in NUREG-1431.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 3pp. 88166:001-88166:131.

--9605060277 Proposed tech specs,providing addl info necessary to facilitate NRC development of SE & to make minor document corrections identified during pre-implementation procedure rev process.
* Commonwealth Edison Co. 96/04/30. 128pp. 88166:004-88166:131.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070227 Forwards RAI to complete review of operability assessment & Tech Rept CEN-628-P,Rev O,pertaining to ABB Combustion Engineering Nuclear Operations (ABB/CENO) SG tube sleeve for plant.
SHIRAKI,C.Y. . 96/05/03. FARRAR,D.L. Commonwealth Edison Co. 5pp. 88143:337-88143:341.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605140326 Notification of 960509 meeting w/CECO in Rockville,MD to discuss CECO request for exemption from certain requirements of 10CFR55.
SHIRAKI,C.Y. . 96/05/08. CAPRA,R.A. . 3pp. 88251:301-88251:303.

9605140460 Suppls conversion to ITS,providing addl info clarifying appropriate controls for matls removed from TSs.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 3pp. 88255:001-88255:324.

--9605140465 Proposed tech specs,providing addl info clarifying appropriate controls for matl removed from TS & to make corrections identified during pre-implementation procedure rev process.
* Commonwealth Edison Co. 96/05/08. 323pp. 88255:004-88255:324.

9605210465 Forwards progress update of plans to improve performance at Zion Nuclear Power Station Units 1 & 2.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/15. . 8pp. 88361:142-88361:149.

9605210246 Forwards EA & FONSI re 960319 application for exemption to allow plant to utilize ASME Boiler & Pressure Vessel Code Case N-514,to determine low temp overpressure protection setpoints.
SHIRAKI,C.Y. . 96/05/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 88308:104-88308:112.

--9605210256 Environ assessment & finding of no significant impact re 960319 application for exemption to allow plant to utilize ASME Boiler & Pressure Vessel Code Case N-514,to determine low temp overpressure protection setpoints.
SHIRAKI,C.Y. . 96/05/16. 7pp. 88308:106-88308:112.

9605230212 Application for amends to licenses DPR-39 & DPR-48 re implementation of PTLR.Change will retain current RCS pressure & temp limits & LTOP limits in PTLR format.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/17. 4pp. 88376:266-88376:340.

--9605230216 Proposed tech specs revising TS to provide changes re implementation of PTLR to retain current RCS pressure & temp limits & LTOP limits in PTLR format.
* Commonwealth Edison Co. 96/05/17. 71pp. 88376:270-88376:277.

--9605240060 Zion Station "Pressure Temp Limits Rept."
* Commonwealth Edison Co. 96/05/17. 36pp. 88376:278-88376:313.

--9605240062 Zion Station "EC Probe Measurement Uncertainties & Qualification Methodology."
* Commonwealth Edison Co. 96/05/17. 27pp. 88376:314-88376:340.

9605240013 Informs that 960325 submittal of "Verification of Structural Integrity of ABB CENO SG Welded Sleeve," CEN-628-P,will be withheld from public disclosure per 10CFR2.790.
SHIRAKI,C.Y. . 96/05/21. RICKARD,I.C. Commonwealth Edison Co. 4pp. 88344:126-88344:129.

9605280112 Submits list of TS surveillance requirements & acceptance criteria more restrictive than current TSs re proposed improved TSs for Zion Station Units 1 & 2.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/21. Document Control Branch (Document Control Desk). 5pp. 88386:178-88386:182.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605090056 Forwards response to NRC 960408 ltr re violations noted in insp repts 50-295/96-05 & 50-304/96-05 on 960127-0308. Corrective actions:reviewed circumstances w/Operators in Cycle 6 of Licensed Operator Continuing Training.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/06. Document Control Branch (Document Control Desk). 8pp. 88223:294-88223:302.

9605100167 Submits required 30 day rept on timed rod drop testing,in response to NRC Bulletin 96-001, "Control Rod Insertion Problems," dtd 960308.
TUETKEN,R.P. Commonwealth Edison Co. 96/05/07. Document Control Branch (Document Control Desk). 2pp. 88237:356-88237:358.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605290144 Forwards insp repts 50-295/96-06 & 50-304/96-06 on 960309- 0419 & NOV.Violation in operations of concern due to two new examples of inadequate control of mode changes occurred.
MILLER,L.F. Region 3 (Post 820201). 96/05/17. TUETKEN,R. Commonwealth Edison Co. 5pp. 88369:056-88369:089.

--9605290148 Notice of violation from insp on 960309-0419.Violation noted:B & C steam line upstream manual drain valves, containment isolation valves had not been closed & had not been operable.
* Region 3 (Post 820201). 96/05/17. 3pp. 88369:061-88369:063.

--9605290155 Insp repts 50-295/96-06 & 50-304/96-06 on 960309-0419. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
MILLER,L.F. Region 3 (Post 820201). 96/05/17. 26pp. 88369:064-88369:089.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605220302 Ack receipt of 960301 ltr & check for $50,000 in payment for civil penalty proposed by NRC in ltr dtd 951128.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/05/21. BRONS,J.C. Commonwealth Edison Co. 2pp. 88314:039-88314:040.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280110 Forwards RAI re licensee 960301 request for relief from third ten-year ISI interval,relief request CR-13 rev 1 & CR-23 for plant Units 1 & 2.
SHIRAKI,C.Y. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88375:008-88375:010.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605010106 "Zion Station Annual Radiological Environ Operating Rept for 1995." W/ 960419 ltr.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/12/31. 141pp. 88076:199-88076:338.

9605200364 Monthly operating repts for Apr 1996 for Zion Units 1 & 2. W/960515 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/30. 13pp. 88341:277-88341:289.

S. Reportable occurrences, LERs & related correspondence

9605210213 Forwards for info excerpts from draft ASP Rept for 1982-83. Rept performed for historial purposes to obtain 2 yrs of data missing from NRC ASP program.Licensee response not required.
SHIRAKI,C.Y. . 96/05/16. FARRAR,D.L. Commonwealth Edison Co. 36pp. 88308:040-88308:075.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. MOWERY,J.D Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280150 Part 21 rept re development of cracks compromising integrity of DVH.Recommended corrective actions listed.
MOWERY,J.D. Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88396:145-88396:151.

9605310154 LER 96-004-00:on 960426,containment inner air lock door declared inoperable.Caused by mgt deficiency.Containment inner air lock door repaired & trained station personnel re problem identification.W/960528 ltr.
STONE,W., SCHWARTZ,G.K. Commonwealth Edison Co. 96/05/28. 5pp. 88444:192-88444:196.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

9605140512 Forwards exemption request to requirements set forth in 10CFR55.33(a)(2) for administration of written exam & operating test.
TUETKEN,R. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 7pp. 88268:349-88268:355.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9605170102 Rev L to EP-TSC-1, "Technical Support Ctr Organization & Responsibilities." W/960513 ltr.
MARCHI,M.L. Wisconsin Public Service Corp. 96/05/13. 15pp. 88339:318-88339:332.

9605310114 Revised EPIPs,including Rev AP to APP-A-3, "Off-Site,On-Site & Co Support Telephone Numbers" & Rev 0 to APPX-A-6, "WPSC Emergency Response Facility Telephone Listing." W/960528 ltr.
MARCHI,M.L. Wisconsin Public Service Corp. 96/05/28. 13pp. 88404:227-88404:239.

I. Financial information

9605100214 Forwards "Madison Gas & Electric Co,1995 Annual Rept," "WPL Holdings,Inc,1995 Annual Rept" & "WPS Resources Corp,1995 Annual Rept."
MARCHI,M.L. Wisconsin Public Service Corp. 96/05/07. Document Control Branch (Document Control Desk). 1p. 88290:001-88290:145.

-9605100215 "Madison Gas & Electric Co,1995 Annual Rept."
MEBANE,D.C. Madison Gas & Electric Co. 95/12/31. 35pp. 88290:002-88290:039.

-9605100218 "WPL Holdings,Inc,1995 Annual Rept."
DAVIS,E.B. WPL Holdings, Inc. 95/12/31. 60pp. 88290:040-88290:099.

-9605100221 "WPS Resources Corp,1995 Annual Rept."
BOLLOM,D.A., WEYERS,L.L. Affiliation Not Assigned. 95/12/31. 45pp. 88290:100-88290:145.

P. Operating license stage documents & correspondence

9605010310 Summary of 960328 meeting w/NRC & utils re Combustion Engineering SG welded sleeves.Attendees listed in Encl 1.
SHIRAKI,C.Y. . 96/04/25. . 14pp. 88067:261-88067:274.

9605060299 Application for amend to license DPR-43,modifying TS 3.1.b.1 & Figure TS 3.1-4 re LTOP for RCP boundary,extending requirements through end of operating cycle 33 or 33.41 effective full power years.
STEINHARDT,C.R. Wisconsin Public Service Corp. 96/04/30. Document Control Branch (Document Control Desk). 12pp. 88172:043-88172:060.

-9605060304 Proposed tech specs 3.1.b.1 & Figure TS 3.1-4,extending LTOP requirements through end of operating cycle 33 or 33.41 effective full power years.
* Wisconsin Public Service Corp. 96/04/30. 6pp. 88172:055-88172:060.

9605070078 Application for proposed amend 136a to license DPR-43, modifying TS Section 4.2 to redefine pressure boundary applicability to parent tube of upper HEJ sleeve point. Westinghouse nonproprietary rept WCAP-14641 encl.
STEINHARDT,C.R. Wisconsin Public Service Corp. 96/05/01. Document Control Branch (Document Control Desk). 17pp. 88173:053-88173:109.

-9605070082 Proposed tech specs Section 4.2,redefining pressure boundary applicability to parent tube of upper HEJ sleeve point.
* Wisconsin Public Service Corp. 96/05/01. 7pp. 88173:070-88173:076.

-9605070084 Nonproprietary "HEJ Sleeved Tube Structural Integrity Criteria...Diametral Interference at PTIs."
CULLEN,W.K., KEATING,R.F. Westinghouse Electric Corp. WCAP-14641. 96/04/30. 34pp. 88173:077-88173:109.

9605060157 Summary of 960425 meeting w/utils in Rockville,MD re proposed license amend on SG tube repair criteria & schedule for amend.List of participants & meeting handouts, encl.
LAUFER,R.J. . 96/05/02. . 51pp. 88104:055-88104:105.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100063 Requests that addl info required to complete review of plant sleeves.
LAUFER,R.J. . 96/05/07. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. 88207:273-88207:276.

9605140038 Forwards request for addl info related to licensee NDE program intended to support proposed amend to redefine pressure boundary for SG tubes w/W hybrid expansion joint sleeves.
LAUFER,R.J. . 96/05/08. MARCHI,M.L. Wisconsin Public Service Corp. 5pp. 88226:342-88226:346.

9605140285 Application for amend to license DPR-43,clarifying storage requirements for fuel at plant & incorporating provisions of improved TS.
STEINHARDT,C.R. Wisconsin Public Service Corp. 96/05/08. Document Control Branch (Document Control Desk). 7pp. 88270:342-88270:351.

-9605140288 Proposed tech specs,clarifying storage requirements for fuel at plant & incorporating provisions of improved TS.
* Wisconsin Public Service Corp. 96/05/08. 3pp. 88270:349-88270:351.

9605210232 Forwards second RAI re proposed amend to redefine pressure boundary for SG tubes w/W hybrid expansion joint sleeves. Responses to encl questions w/ response to 960508 RAI requested.
LAUFER,R.J. . 96/05/16. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 88308:083-88308:085.

Q. Inspection reports, IE Bulletins & correspondence

9605060215 Forwards response to request for addl info re NRC Bulletin 96-001, "Control Rod Insertion Problems."
STEINHARDT,C. Wisconsin Public Service Corp. 96/04/30. Document Control Branch (Document Control Desk). 8pp. 88183:329-88183:336.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605220018 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel Pool,Over Fuel in Reactor Core or Over Safety-Related Equipment."
STEINHARDT,C.R. Wisconsin Public Service Corp. 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88359:184-88359:185.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030320 "KNPP Radioactive Effluent Release Rept Jan-Dec 1995." W/ 960429 ltr.
MARCHI,M.L. Wisconsin Public Service Corp. 95/12/31. 123pp. 88141:203-88141:325.

9605030144 Forwards annual radiological environ monitoring rept for KNPP for Jan-Dec 1995.Results of 1995 land use census,in accordance w/KNPP ODCM,Section 3/4.7.1 included in rept.
MARCHI,M.L. Wisconsin Public Service Corp. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88141:001-88141:202.

--9605030148 Annual radiological environ monitoring rept for KNPP for Jan-Dec 1995.
HUEBNER,L.G. Teledyne Isotopes Midwest Laboratory. 95/12/31. 200pp. 88141:002-88141:202.

9605100031 Monthly operating rept for Apr 1996 for Kewaunee Nuclear Power Plant.W/ 960506 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 96/04/30. 5pp. 88238:350-88238:354.

S. Reportable occurrences, LERs & related correspondence

9605060201 LER 96-002-00:on 960331,2 RTs occurred.Caused by spring loaded check valve failure & not recognizing impact of changing plant conditions.Valve replaced & training module addressing operations instituted.W/960430 ltr.
DRESSEN,J.D., MARCHI,M.L. Wisconsin Public Service Corp. 96/04/30. 10pp. 88171:196-88171:205.

9605060297 LER 96-003-00:on 960402,spurious RT occurred during surveillance testing.Caused by set of electrically open contacts located on Train A Positive Rate trip matrix. Replaced relay.W/960502 ltr.
GUNDERSON,L.M., MARCHI,M.L. Wisconsin Public Service Corp. 96/05/02. 11pp. 88171:213-88171:223.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

P. Operating license stage documents & correspondence

9605010239 Notification of 960509 meeting w/listed participants in Rockville,MD to discuss issues re CE SG sleeves inatalled at plant,Unit 1.
WETZEL,B.A. . 96/04/26. REINHART,M. . 4pp. 88068:350-88068:353.

9605090252 Summary of 960424 meeting w/representatives from NSP & Excel Svcs re possible 1% power uprate of plant units.List of meeting attendees & slides encl.
WETZEL,B.A. . 96/05/02. . 27pp. 88199:323-88199:349.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140074 Withdraws amend request re incorporation of L* SG tube repair criteria.
ANDERSON,R.O. Northern States Power Co. 96/05/03. Document Control Branch (Document Control Desk). 1p. 88269:329-88269:329.

9605160498 Forwards notice of consideration of transfer of control of licenses to Wisconsin Energy Corp,per 951020 request.
WETZEL,B.A. . 96/05/09. WATZL,E.L. Northern States Power Co. 3pp. 88287:342-88287:347.

--9605160501 Notice of consideration of transfer of control of licenses to Wisconsin Energy Corp (WEC).WEC will be renamed Primergy Corp.
CONNAUGHTON,K. . 96/05/09. 3pp. 88287:345-88287:347.

9605200290 Forwards annual radioactive effluent & waste disposal rept for Jan-Dec 1995,including composite results for Sr-89,Sr-90 & Fe-55.Revised semiannual rept for second semiannual period of 1994,Rev 13 to ODCM & Rev 6 to PCP also encl.
WADLEY,M.D. Northern States Power Co. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88327:001-88327:266.

--9605200316 Rev 13 to "ODCM."
* Northern States Power Co. 95/10/16. 227pp. 88327:040-88327:266.

9605220107 Requests extension until on or before 960731 for submittal of summary technical rept,per 10CFR50,App H,Section II(A) for Prairie Island Unit 2 RV matl surveillance capsule "P" removed from RV on 950529.
WADLEY,M.D. Northern States Power Co. 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88359:128-88359:129.

9605240170 Forwards EA & finding of no significant impact w/respect to 951020 licensee application for transfer of licenses & 951206 application for license amends.
WETZEL,B.A. . 96/05/17. ANDERSON,R.O. Northern States Power Co. 4pp. 88344:095-88344:102.

--9605240173 Environ assessment & finding of no significant impact re transfer of & issuance of amends to licenses DPR-22,DPR-42, DPR-60 & SNM-2506.
REINHART,M. . 96/05/17. 4pp. 88344:099-88344:102.

9605300140 Forwards amends 123 & 116 to licenses DPR-42 & DPR-60, respectively & safety evaluation.Amends revise TS by changing pressurizer & main steam safety valve lift setting tolerance from +1 percent to +3 percent.
WETZEL,B.A. . 96/05/21. ANDERSON,R.O. Northern States Power Co. 4pp. 88390:001-88390:059.

--9605300147 Amends 123 & 116 to licenses DPR-42 & DPR-60,respectively, revising TS by changing pressurizer & main steam safety valve lift setting tolerance from +1 percent to +3 percent (as found only),revising safety limit curves.
WETZEL,B.A. . 96/05/21. 50pp. 88390:005-88390:054.

--9605300150 Safety evaluation supporting amends 123 & 116 to licenses DPR-42 & DPR-60,respectively.
* . 96/05/21. 5pp. 88390:055-88390:059.

9605310086 Informs request for schedule extension from reporting requirements of 10CFR50,App H,Section III.A,dtd 960520, granted until 960731.
REINHART,R.M. . 96/05/29. ANDERSON,R.O. Northern States Power Co. 3pp. 88395:315-88395:317.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170192 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
WADLEY,M.D. Northern States Power Co. 96/05/13. Document Control Branch (Document Control Desk). 8pp. 88316:309-88316:316.

9605280087 Ack receipt of 960307 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/95-14, 50-306/95-14 & 72-0010/95-14.Corrective actions will be examined at future insp.
JORDAN,M.J. Region 3 (Post 820201). 96/05/14. WATZL,E. Northern States Power Co. 2pp. 88350:072-88350:073.

9605280105 Forwards insp repts 50-282/96-04 & 50-306/96-04 on 960218-0411.No violations noted.
JORDAN,M.J. Region 3 (Post 820201). 96/05/14. WATZL,E. Northern States Power Co. 4pp. 88355:326-88355:345.

--9605280117 Insp repts 50-282/96-04 & 50-306/96-04 on 960218-0411.No violations noted.Major areas inspected:operations, engineering,maintenance,plant support,safety assessments & quality verification.
JORDAN,M.J. Region 3 (Post 820201). 96/05/14. 16pp. 88355:330-88355:345.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605240079 Summarizes results of Rod Drop testing performed at Prairie Island Nuclear Generating Plant following Unit 2 Reactor Trip which occurred on 960418,per NRC Bulletin 96-001.
WADLEY,M.D. Northern States Power Co. 96/05/20. Document Control Branch (Document Control Desk). 4pp. 88371:345-88371:348.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605140308 Monthly operating repts for Apr 1996 for Prairie Island Nuclear Generating Plant.W/960506 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 96/04/30. 9pp. 88271:160-88271:168.

9605130166 Forwards corrections to 10CFR50.46 annual rept of ECCS evaluation model changes & errors for CY95.
ANDERSON,R.O. Northern States Power Co. 96/05/01. Document Control Branch (Document Control Desk). 11pp. 88247:321-88247:331.

9605200290 Forwards annual radioactive effluent & waste disposal rept for Jan-Dec 1995,including composite results for Sr-89,Sr-90 & Fe-55.Revised semiannual rept for second semiannual period of 1994,Rev 13 to ODCM & Rev 6 to PCP also encl.
WADLEY,M.D. Northern States Power Co. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88327:001-88327:266.

--9605200302 Annual radioactive effluent & waste disposal rept for Jan- Dec 1995.
* Northern States Power Co. 95/12/31. 26pp. 88327:003-88327:028.

--9605200308 Rev 1 to "1994 Effluent Semiannual Rept."
* Northern States Power Co. 94/12/31. 8pp. 88327:029-88327:036.

S. Reportable occurrences, LERs & related correspondence

9605240047 LER 96-002-00:on 960418,reactor trip occurred.Caused by failure of 122 Air Dryer purge exhaust to close.Valves were inspected.W/960520 ltr.
LEVEILLE,J., WADLEY,M.D. Northern States Power Co. 96/05/20. 4pp. 88391:214-88391:217.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605100134 Notification of 960521 meeting w/NSP in Rockville,MD to discuss status of siting process for potential off-site ISFSI near plant.
* NRC - No Detailed Affiliation Given. 96/05/07. NRC - No Detailed Affiliation Given. 2pp. 88212:331-88212:332.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9605080250 Forwards RAI re 950927 request for exemption for Thermo-Lag shields installed on conduits containing cabling associated w/flux monitoring instrumentation inside containment crane wall.
TROTTIER,E.H. . 96/04/01. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 88191:348-88191:351.

9605070235 Replacement page 11 to Rev 4 to EPIP 2-50-14, "Off-Site Radiological Coordination."
* Maine Yankee Atomic Power Co. 96/05/02. 2pp. 88199:153-88199:154.

9605200359 Forwards six copies of revised pages of plant Security Plan. Encl withheld.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88306:353-88306:353.

9605280017 Notification of 960605 meeting w/util in King of Prussia,PA to discuss status of security program.
ROGGE,J.F. . 96/05/17. . 2pp. 88350:011-88350:012.

G. Adjudicatory correspondence

9605170517 Ack receipt of 960120 Petition submitted on behalf of Friends of Coast-Opposing Nuclear Polution.Petition to suspend MYAP license because of susceptibility of piping welds to microfissures denied.Receipt of Petition encl.
RUSSELL,W.T. . 96/05/13. BURT,A.D. Affiliation Not Assigned. 6pp. 88306:306-88306:315.

--9605170519 Notice of receipt of Petition for Director's Decision under 10CFR2.206.Denied Petition filed by Friends of Coast - Opposing Nuclear Pollution to suspend MYAP license because of susceptibility of piping welds to microfissures.
RUSSELL,W.T. . 96/05/13. 3pp. 88306:313-88306:315.

H. General correspondence

9605070178 Responds to 960404 ltr to Chairman Jackson re concerns over safety & mgt of plant.
VARGA,S.A. . 96/05/01. FULLER,B.N. Affiliation Not Assigned. 5pp. 88141:341-88141:347.

--9605070181 Expresses concerns about safety & mgt of Maine Yankee Nuclear Power Plant.
FULLER,B.N. Affiliation Not Assigned. 96/04/04. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88141:346-88141:347.

9605170276 Responds to 960416 ltr to Chairman Jackson re plant compliance w/existing regulations.Reply to Governor ofc encl.
RUSSELL,W.T. . 96/05/14. DICKSTEIN,C. Affiliation Not Assigned. 2pp. 88299:326-88299:334.

--9605170280 Requests confirmation of whether or not Maine Yankee complies w/current regulations re small break loss of coolant accidents.
DICKSTEIN,C. Affiliation Not Assigned. 96/04/16. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 1p. 88299:334-88299:334.

9605170425 Responds to 960504 ltr re anonymous whistle blowers.
ZWOLINSKI,J.A. . 96/05/15. GANNON,F.B. Affiliation Not Assigned. 3pp. 88304:345-88304:348.

--9605170435 Discusses concerns about praising of unidentified "whistle blowers" at NRC public meeting re Maine Yankee.
GANNON,F.B. Affiliation Not Assigned. 96/05/04. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 2pp. 88304:348-88304:348.

9605210240 Responds to 960401 & 15 ltrs to Chairman Jackson re plant compliance w/certain requirements re SBLOCA.Ltr dtd 960426 to Governor King,addressing issue of plant compliance encl.
RUSSELL,W.T. . 96/05/16. MYERS,H.R. Affiliation Not Assigned. 1p. 88306:281-88306:294.

--9605210245 Informs that commissioners have reviewed & concurred in proposed response to H Myers 960401 & 15 ltrs.
MOSSBURG,D. Office of the Secretary of the Commission. 96/05/16. Ofc of the Executive Director for Operations. 1p. 88306:282-88306:282.

--9605210255 Responds to 960418 ltr to Chairman Jackson,forwarding HR Myers 960321 ltr to Governor King.Myers expressing concern about plant compliance w/certain NRC requirements.
RUSSELL,W.T. NRC - No Detailed Affiliation Given. 96/04/26. HEWETT,C.E. Maine, State of. 6pp. 88306:283-88306:288.

--9605210260 Expresses concern as to whether plant currently complies w/ specific requirements pertaining to SBLOCAs.
MYERS,H.R. Affiliation Not Assigned. 96/04/01. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 3pp. 88306:289-88306:291.

--9605210271 Discusses concerns of ltrs sent to NRC & going unanswered about SBLOCA requirements neglect.
MYERS,H.R. Affiliation Not Assigned. 96/04/15. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 88306:292-88306:294.

9605310119 Responds to 960401 ltr forwarding 960314 ltr from H Myers re NRC requirements concerning small-break loss-of-coolant accidents.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/28. COHEN,W.S. Senate. 5pp. 88395:194-88395:247.

--9605310122 Concurs w/proposed response to Senator Cohen ltr of 960401 addressing H Myers concerns re facility.
MOSSBURG,D. Office of the Secretary of the Commission. 96/05/28. Ofc of the Executive Director for Operations. 1p. 88395:199-88395:233.

--9604160130 Responds to 960315 ltr which requested that NRC clarify regulatory status of Maine Yankee Atomic Power Plant w/regard to compliance w/10CFR50.46 & NUREG-0737, "TMI Action Plan," items II.K.3.30 & II.K.3.31.
RUSSELL,W.T. . 96/04/10. MYERS,H.R. Maine, State of. 2pp. 88395:234-88395:235.

--9605310185 Forwards ltr recently received from H Myers re concerns about safety of plant.
COHEN,W.S. Senate. 96/04/01. RATHBUN,D. Office of Congressional Affairs (Post 911117). 5pp. 88395:236-88395:247.

P. Operating license stage documents & correspondence

9605080250 Forwards RAI re 950927 request for exemption for Thermo-Lag shields installed on conduits containing cabling associated w/flux monitoring instrumentation inside containment crane wall.
TROTTIER,E.H. . 96/04/01. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 88191:348-88191:351.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605020012 Responds to 960418 ltr to Chairman Jackson forwarding ltr from HR Meyers to Governor King re concerns about plant compliance w/certain NRC requirements.
RUSSELL,W.T. . 96/04/26. HEWETT,C.E. Maine, State of. 6pp. 88095:345-88095:358.

--9605020014 Forwards 960321 ltr from HR Meyers expressing concern about plant compliance w/certain NRC requirements.Response requested.
HEWETT,C.E. Maine, State of. 96/04/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 88095:353-88095:358.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605130035 Final response to FOIA request for documents.Records in App A available in PDR.App B records being made available in PDR & App C records being withheld in part (ref Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/08. BRACK,H.G. Center for Biological Monitoring, Inc. 6pp. 88231:102-88231:349.

--9501110438 Requests FR publication of notice of consideration of issuance of amend to license DPR-36 & proposed NSHC determination & opportunity for hearing on 941206 request re revising TS to allow CE sleeving process to repair SG tube.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/01/04. NRC - No Detailed Affiliation Given. 7pp. 88231:191-88231:197.

--9503170124 Forwards safety evaluation accepting licensee proposed sleeving method for SG tubes.
STROSNIDER,J. . 95/03/12. BUTLER,W. Project Directorate I-3 (PD1-3) (Post 941001). 1p. 88231:198-88231:198.

--9504180099 Requests FR publication of notice of issuance of amend 149 to license DPR-36.Amend revises TS to allow use of C-E sleeving process for repairing SG tube.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/14. NRC - No Detailed Affiliation Given. 3pp. 88231:205-88231:207.

--9505250201 Requests FR publication of notice of issuance of Amend 150 to License DPR-36.Amend revises TS to allow use of Westinghouse sleeving process for repairing SG tubes.
TROTTIER,E.H. . 95/05/22. NRC - No Detailed Affiliation Given. 2pp. 88231:208-88231:209.

--9512280106 Informs that SG sleeve insp program has been reviewed. Comments submitted.
STROSNIDER,J.R. . 95/12/06. MCKEE,P.F. . 3pp. 88231:210-88231:212.

--9605130119 "Radiological Survey of Area Surrounding Maine Yankee Atomic Power Plant,Wiscasset,ME."
DOYLE,J.F., JUPITER,C. EG&G, Inc. EGG-1183-1605. 73/08/10. 28pp. 88231:110-88231:190.

--9605130162 SER accepting review & evaluation of info & data presented in CEN-618-P, "MYAP SG Tube Repair Using Leak Tight Sleeves."
* . 95/03/12. 6pp. 88231:199-88231:204.

--9605130200 Partially withheld final rept, "SG Tube Repair Using Leak Tight Sleeves."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CEN-618-P R00. 94/10/31. 100pp. 88231:213-88231:349.

9605150104 Forwards Rev 3 to YAEC-1907, "Maine Yankee Cycle 15 Core Performance Analysis."
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/05/08. Document Control Branch (Document Control Desk). 2pp. 88325:001-88325:191.

--9605150111 Rev 3 to "Maine Yankee Cycle 15 Core Performance Analysis."
PALMER,S., SOLAN,G.M., HARVEY,R.C. Maine Yankee Atomic Power Co. YAEC-1907 R03. 96/04/15. 189pp. 88325:003-88325:191.

9605170382 Forwards excerpts from draft ASP rept for 1982-83.
TROTTIER,E.H. . 96/05/10. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 26pp. 88323:335-88323:360.

9605170292 Requests info on primary coolant,emergency core cooling & other large primary sys piping welds.
TROTTIER,E.H. . 96/05/15. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 5pp. 88299:341-88299:345.

9605300210 Requests documentation developed & in place each time mod implemented,focusing especially on containment response pressure changes.
TROTTIER,E.H. . 96/05/21. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 2pp. 88390:167-88390:168.

Q. Inspection reports, IE Bulletins & correspondence

9605030056 Forwards response to NRC 960401 ltr re violations noted in insp rept 50-309/96-04.Corrective actions:provided verbal reinforcement to supervisors of mgt expectations re pre-job briefing requirements.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/25. Document Control Branch (Document Control Desk). 7pp. 88138:253-88138:259.

9605060065 Forwards response to NRC 960328 ltr re violation noted in insp rept 50-309/96-05.Corrective actions:initiated root cause evaluations of contributing factors for violation. Activity ongoing & expected to be completed in June 1996.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/29. Document Control Branch (Document Control Desk). 4pp. 88159:358-88159:361.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605080174 Forwards insp rept 50-309/96-02 on 960201-0323.No violations noted.
ROGGE,J.F. Region 1 (Post 820201). 96/05/02. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 88136:332-88136:355.

--9605080175 Insp rept 50-309/96-02 on 960211-0323.No violations noted. Major areas inspected:plant activities,including plant operations,maint,engineering & plant support.
ROGGE,J.F. Region 1 (Post 820201). 96/05/03. 21pp. 88136:335-88136:355.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170453 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 96/05/13. Document Control Branch (Document Control Desk). 4pp. 88325:356-88325:359.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030234 Forwards three 1995 radiological repts,including annual radioactive effluent release rept,estimated dose & meteorological summary rept & annual radiological environ operating rept.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88306:103-88306:235.

--9605210229 "MYAP Annual Radioactive Effluent Release Rept, Jan-Dec 1995."
* Maine Yankee Atomic Power Co. 95/12/31. 19pp. 88306:104-88306:122.

--9605210235 "MYAP Estimated Dose & Meteorological Summary Rept for 1995."
* Maine Yankee Atomic Power Co. 95/12/31. 22pp. 88306:123-88306:144.

--9605210250 "MYAP Annual Radiological Environ Operating Rept for 1995."
* Maine Yankee Atomic Power Co. 95/12/31. 91pp. 88306:145-88306:235.

9605200432 Monthly operating rept for Apr 1996 for Maine Yankee. W/960513 ltr.
BAILEY,S.J., HERBERT,J.R. Maine Yankee Atomic Power Co. 96/04/30. 5pp. 88341:351-88341:355.

S. Reportable occurrences, LERs & related correspondence

9605140211 LER 96-004-00:on 960410,discovered turbine bldg HELB. Investigated original design basis evaluation.W/960506 ltr.
NICHOLS,S.E., HEBERT,J.R. Maine Yankee Atomic Power Co. 96/05/06. 3pp. 88268:105-88268:107.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605070161 Advises that 960228 rev 3 to Salem-Hope Creek guard training & qualification plan is consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/30. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 88194:349-88194:351.

9605140437 Fowards revised EPIPs,including Rev 55 to table of contents & Rev 11 to EPIP 1003, "Review & Approval of Plan/Procedures ECG" & revised emergency plan & table of contents.
* Public Service Electric & Gas Co. of New Jersey. 96/05/08. Document Control Branch (Document Control Desk). 1p. 88256:001-88256:162.

--9605140470 Revised EPIPs,including Rev 55 to table of contents & Rev 11 to EPIP 1003, "Review & Approval of Plan/Procedures/ECG."
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/10. 25pp. 88256:002-88256:026.

--9605140474 Revised emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/10. 136pp. 88256:027-88256:162.

9605170108 Discusses 960506 mgt meeting re emergency preparedness & forwards meeting notice.List of attendees & handouts encl.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 88284:200-88284:206.

9605220292 Rev 34 to EPIP 1013, "Emergency Response Personnel Telephone List" & rev 56 to table of contents.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/20. 34pp. 88359:058-88359:090.

9605310246 Revised EPIPs,including Rev 49 to table contents,Rev 40 to signature page,Rev 17 to ECG Attachment 1,Rev 10 to ECG Attachment 2,Rev 10 to ECG Attachment 3,Rev 9 to ECG Attachment 4 & Rev 28 to ECG Attachment 6.
BANNER,C. Public Service Electric & Gas Co. of New Jersey. 96/05/21. 62pp. 88418:085-88418:146.

9605310120 Revised EPIPs,including rev 17 to EPIP TOC, "Emergency News Ctr,Table of Contents" & rev 9 to EPIP 801, "Company Spokesperson Response - ENC."
VONDRASAK,B. Public Service Electric & Gas Co. of New Jersey. 96/05/24. 8pp. 88404:280-88404:287.

9605310034 Revised EPIPs,including rev 58 to Table of Contents,rev 10 to EPIP 102S, "Alert," rev 11 to EPIP 103S, "Site Area Emergency," & rev 11 to EPIP 104S, "General Emergency."
* Public Service Electric & Gas Co. of New Jersey. 96/05/28. 42pp. 88418:209-88418:250.

P. Operating license stage documents & correspondence

9605280229 Rev 2 to Calculation ES-4.004(Q), "125 Volt DC Battery & Battery Charger Sizing Calculation."
VALERIO,L.A., SULKAR,S.V., KRVAVAC,J. Sargent & Lundy, Inc. ES-4.004(Q) R02. 96/01/19. 43pp. 88376:120-88376:254.

--9605280238 Rev 0 to Calculation ES-4.006(Q), "125 Volt DC Component & Voltage Drop Calculation."
NG,K.R., SULKAR,S.V., AHMED,K. Sargent & Lundy, Inc. ES-4.006(Q) R00. 96/01/19. 39pp. 88376:167-88376:205.

--9605280240 Change 2EC-3332 to Rev 0 to design analysis, "125 Vdc Battery Charger Replacement."
BATES,G.S. Public Service Electric & Gas Co. of New Jersey. 96/03/15. 48pp. 88376:206-88376:254.

9605220049 Requests proprietary WCAP-13651, "Westinghouse Revised Thermal Design Procedure Instruments Uncertainity Methodology for Salem Units 1 & 2," be withheld,per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. 96/03/25. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 88362:066-88362:163.

--9605220058 Non-proprietary "Westinghouse Revised Thermal Design Procedure Instrument Uncertainty Methodology for Salem Units 1 & 2."
CIOCCA,C.F. Westinghouse Electric Corp. WCAP-13652. 93/08/31. 35pp. 88362:075-88362:108.

--9605220065 Non-proprietary "Fuel Upgrade & Margin Recovery Program:LOCA Containment Integrity Analysis for Salem Nuclear Generating Station Units 1 & 2."
SPRYSHAK,J.J., KOLANO,J.A. Westinghouse Electric Corp. WCAP-13839. 93/08/31. 52pp. 88362:109-88362:163.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605060058 Ltr contract:mod 4 to task order 41, "IPE Reviews - Internal Events - Human Factors Only (Salem Units 1 & 2)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88116:354-88116:355.

9605020314 Forwards amends 182 & 163 to licenses DPR-70 & DPR-75, respectively & SE.Amends change TS 3/4.8.2.5,making unit 1 requirements similar to unit 2 by defining specific battery chargers required for each train.
OLSHAN,L.N. . 96/04/29. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 88095:287-88095:299.

--**9605020321** Amends 182 & 163 to licenses DPR-70 & DPR-75,respectively, changing TS 3/4.8.2.5 to make unit 1 requirements similar to unit 2 by defining specific battery chargers.Both units require that 28 Vdc bus be energized to be OPERABLE.
STOLZ,J.F. . 96/04/29. 8pp. 88095:290-88095:297.

--**9605020324** Safety evaluation supporting amends 182 & 163 to licenses DPR-70 & DPR-75,respectively.
* . 96/04/29. 2pp. 88095:298-88095:299.

9605070283 Forwards excerpts from draft ASP Rept for 1982-83, documenting analyses of operational events which occurred during period 1982-83.Revs to subj rept to begin about 960531 to be put in final form for publication.
OLSHAN,L.N. . 96/05/01. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 44pp. 88114:275-88114:318.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160450 Application for amend to license DPR-75,revising TS to modify on one-time basis Spec 3.7.6, "CR Energency AC Sys." Change includes only Modes 1,2,3 & 4.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/07. Document Control Branch (Document Control Desk). 16pp. 88318:225-88318:243.

--**9605160458** Proposed tech spec 3.7.6, "CR Emergency AC Sys," modifying on one-time basis Modes 1,2,3 & 4.
* Public Service Electric & Gas Co. of New Jersey. 96/05/07. 2pp. 88318:242-88318:243.

9605160255 Notification of significant licensee meeting 96-46 w/util on 960524 to discuss progress of plant Unit 2 process for restart.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/10. Region 1 (Post 820201). 1p. 88276:061-88276:061.

9605160308 Notification of significant licensee meeting 96-45 w/util on 960524 to discuss PSE&G understanding of design & licensing basis & corrective actions planned prior to restart of Unit 2.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/10. Region 1 (Post 820201). 1p. 88276:080-88276:080.

9605210402 Application for amends to licenses DPR-70 & DPR-75 re Sections:1.0 Definitions,2.0 Safety Limits & Limiting Safety Sys Settings,3/4 1.0 Reactivity Control Sys,3/4 2.0 Power Distribution Limits & 5.0 Design Features.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/10. Document Control Branch (Document Control Desk). 231pp. 88352:001-88352:345.

--**9605210418** Proposed tech specs re Sections 1.0 Definitions,2.0 Safety Limits & Limiting Safety Sys Settings,3/4 1.0 Reactivity Control Sys,3/4 2.0 Power Distribution Limits,5.0 Design Features & 6.0 Administrative Controls.
* Public Service Electric & Gas Co. of New Jersey. 96/05/10. 113pp. 88352:232-88352:345.

9605170290 Notification of 960528 meeting w/licensee in Rockville,MD to discuss Salem SG issues.
OLSHAN,L.N. . 96/05/15. STOLZ,J.F. . 4pp. 88299:337-88299:340.

9605310091 Notification of licensee meeting 96-46 w/util in King of Prussia,PA to discuss util presentation discussing progress of plant,Unit 2 for restart.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/21. Region 1 (Post 820201). 2pp. 88392:132-88392:133.

9605280185 Submits request to change QA program for Salem & Hope Creek Stations.
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 96/05/22. Document Control Branch (Document Control Desk). 9pp. 88384:310-88384:328.

--**9605280195** Proposed tech specs,requesting approval of changes to QA program.
* Public Service Electric & Gas Co. of New Jersey. 96/05/22. 10pp. 88384:319-88384:328.

9605310022 Notification of significant licensee meeting 96-45 w/util on 960611 to discuss PSE&G understanding of license design & licensing basis & corrective actions planned prior to restart of Unit 2.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/23. Region 1 (Post 820201). 2pp. 88392:007-88392:008.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605130349 Discusses plant plans to perform team insp scheduled for 960610-21.Listed dates should be used pending further determination of potential conflicts w/plant Unit 2 restart schedule.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/02. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 88211:258-88211:260.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140240 Ltr contract,definitizing task order 84, "Salem Licensing Basis Confirmation Insp."
WIGGIN,E.J. Division of Contracts (Post 940714). FIN J-2407-6. 96/05/06. LOFY,R.A. PARAMETER, Inc. 7pp. 88252:329-88252:335.

9605140390 Submits clarification to NOV response re insp repts 50-272/95-81 & 50-311/95-81.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88271:296-88271:297.

9605210478 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor or Over Safety-Related Equipment."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/05/13. Document Control Branch (Document Control Desk). 6pp. 88353:088-88353:093.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280220 Forwards response to NRC 960422 ltr re violation noted in insp repts 50-272/96-05 & 50-311/96-05 on 960225-0406. Corrective actions:Offsite Safety Review staff segregated & assigned into two separate groups on 960419.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/22. Document Control Branch (Document Control Desk). 7pp. 88378:346-88378:352.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605090037 "1995 Annual Environ Operating Rept (Non-Radiological)." W/960430 ltr.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 95/12/31. 8pp. 88223:286-88223:293.

9605070275 Forwards "Radiological Environ Monitoring Program for Salem & Hope Creek Generating Stations 1995 Annual Radiological Environ Operating Rept Jan-Dec 1995." Results of program for 1995 compared to results of preoperational program.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88169:008-88169:203.

--**9605070278** "Radiological Environ Monitoring Program for Salem & Hope Creek Generating Stations 1995 Annual Radiological Environ Operating Rept Jan-Dec 1995."
* Public Service Electric & Gas Co. of New Jersey. 95/12/31. 194pp. 88169:010-88169:203.

9605200474 "NPDES Monitoring Repts for Apr 1996 for Salem Generating Station." W/960516 ltr.
HOLDEN,J.J. Public Service Electric & Gas Co. of New Jersey. 96/04/30. CAPORALE,G. New Jersey, State of. 19pp. 88343:219-88343:237.

9605210392 Monthly operating rept for Apr 1996 for Salem Unit 2.W/ 960515 ltr.
PHILLIPS,R, HELLER,R., WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 96/04/30. 7pp. 88361:184-88361:190.

V. Operator Examinations

9605160113 Requests exemption from 10CFR55.31(a)(5) requiring OL to perform min of 5 significant control manipulations affecting reactivity or power level on facility for which license is sought.Encl resumes withheld.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88309:211-88309:217.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9605090035 Forwards revised emergency plan EPIPs,incorporating emergency planning requirements necessary for ISFSI related activities,including SF removal from storage bldg,SF cask transport to ISFSI & SF canister storage at ISFSI.
REDEKER,S.J. Sacramento Municipal Utility District. 96/04/29. Office of Nuclear Material Safety & Safeguards. 3pp. 88209:001-88209:184.

--**9605090042** Change 4 to emergency plan.
* Sacramento Municipal Utility District. 96/04/29. 58pp. 88209:004-88209:061.

--**9605090046** Revised EPIPs,including Rev 7 to EPIP-5001,Rev 9 to EPIP-5002,Rev 10 to EPIP-5010,Rev 10 to EPIP-5200,Rev 4 to EPIP-5210,Rev 8 to EPIP-5220,Rev 5 to EPIP-5330,Rev 9 to EPIP-5430,Rev 10 to EPIP-5600 & Rev 10 to EPIP-5660.
* Sacramento Municipal Utility District. 96/04/29. 123pp. 88209:062-88209:184.

Q. Inspection reports, IE Bulletins & correspondence

9605060358 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
REDEKER,S.J. Sacramento Municipal Utility District. 96/04/26. Document Control Branch (Document Control Desk). 4pp. 88172:107-88172:110.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

S. Reportable occurrences, LERs & related correspondence

9605300142 LER 96-001-00:on 960424,violated Tech Specs D6.2.2d.Caused by human error.Operations department trained fuel insp team on improper fuel movement that occured.W/960506 ltr.
MANNHEIMER,R., REDEKER,S.J. Sacramento Municipal Utility District. 96/05/06. 6pp. 88444:080-88444:085.

W. Decommissioning Stage Documents & Correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605150261 Forwards RAI re proposed license amend 192,updated cask drop design basis analysis.Response requested within 45 days.
DUDLEY,R.F. . 96/05/10. REDEKER,S.J. Sacramento Municipal Utility District. 4pp. 88258:342-88258:345.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9605030251 Forwards Rev 36 to industrial security plan,including changes to reflect addition of vehicle barrier sys to site. Rev withheld,per 10CFR73.21.
MIMS,D.C. Entergy Operations, Inc. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88139:359-88139:360.

9605170403 Rev 19 to Procedure/Work Plan 1903.004, "Admin & Maint of Emergency Plan & Implementing Procedures."
HARE,J. Entergy Operations, Inc. 96/05/08. 7pp. 88316:128-88316:134.

9605170396 Rev 11 to Procedure/Work Plan 1903.067, "Emergency Response Facility - Emergency Operations Facility (EOF)."
HARE,J. Entergy Operations, Inc. 96/05/09. 92pp. 88316:001-88316:092.

9605170409 Rev 2 to Procedure/Work Plan 1903.068, "Emergency Response Facility - Emergency News Ctr (ENC)."
HARE,J. Entergy Operations, Inc. 96/05/09. 35pp. 88316:093-88316:127.

9605200276 Approves changes in Rev 36 to Industrial Security Plan. Changes consistent w/provisions of 10CFR50.54(o) & acceptable for inclusion in plan on condition rev conform to design & const of required vehicle barrier sys.
GWYNN,T.P. Region 4 (Post 820201). 96/05/15. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 88291:111-88291:114.

H. General correspondence

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

P. Operating license stage documents & correspondence

9605060308 Application for amend to license DPR-51,relocating variable low RCS pressure trip setpoint & associated protective limits to COLR.
DEWEASE,J.G. Entergy Operations, Inc. 96/04/29. Document Control Branch (Document Control Desk). 8pp. 88166:287-88166:321.

--9605060311 Proposed tech specs,relocating variable low RCS pressure trip setpoint & associated protective limits to COLR.
* Entergy Operations, Inc. 96/04/29. 27pp. 88166:295-88166:321.

9605070286 Application for amend to license DPR-51,revising as-found setpoint tolerance for pressurizer code safety described by Bases associated w/Specs 2.2 & 3.1.1 from +1/-3% to +3%.
DEWEASE,J.G. Entergy Operations, Inc. 96/04/29. Document Control Branch (Document Control Desk). 4pp. 88172:237-88172:298.

--9605070290 Proposed tech specs,revising as-found setpoint tolerance for pressurizer code safeties described by Bases associated w/ Specs 2.2 & 3.1.1 from +1/-3% to +3%.
* Entergy Operations, Inc. 96/04/29. 58pp. 88172:241-88172:298.

9605060235 Application for amends to licenses DPR-51 & NPF-6,revising ANO-1 TS 3.7.2 & ANO-2 TS 3.4.4 & 3.8.1.1 to extend allowed outage time for EDGs from 7 days to include once per cycle extension of addl 7 days per machine.
HINTZ,D.C. Entergy Operations, Inc. 96/05/02. 14pp. 88166:244-88166:286.

--9605060248 Proposed tech specs ANO-1 TS 3.7.2 & ANO-2 TS 3.4.4 & 3.8.1.1,extending allowed outage time from 7 days to include once per cycle extension of addl 7 days per machine.
* Entergy Operations, Inc. 96/05/02. 29pp. 88166:258-88166:286.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090257 Notification of 960509 meeting in Rockville,MD w/industry participants re feasibility study for using SGML for TSs.
GRIMES,C.I. . 96/05/07. ZIMMERMAN,R.P. . 2pp. 88184:337-88184:338.

9605210025 Application for amend to license DPR-51,revising battery requirements specified in NUREG-1430, "STS - B&W Plants."
DEWEASE,J.G. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 21pp. 88359:196-88359:233.

--9605210029 Proposed tech specs,revising battery requirements specified in NUREG-1430, "STS - B&W."
* Entergy Operations, Inc. 96/05/09. 17pp. 88359:217-88359:233.

9605210107 Application for amends to Licenses DPR-51 & NPF-6,changing name in order to improve customer identification by establishing consistent,well-recognized name "Entergy," for business in region served.
DEWEASE,J.G. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 8pp. 88359:234-88359:256.

--9605210128 Proposed tech specs re change in Co name from Arkansas Power & Light Co to Entergy Arkansas,Inc.
* Entergy Operations, Inc. 96/05/09. 15pp. 88359:242-88359:256.

9605230231 Forwards responses to NRC 951201 RAI re ANO Unit 1 IPE.
MIMS,D.C. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 87pp. 88367:275-88367:361.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130426 Responds to NRC ltr re violations noted in insp repts 50-313/96-01 & 50-368/96-01 on 960121-0302.C/A:MDPI units for HPSI valves removed & reinstalled.EFIC heat trace controllers,contactors & alarm relay repaired.
MIMS,D.C. Entergy Operations, Inc. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88224:278-88224:283.

9605200224 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
MIMS,D.C. Entergy Operations, Inc. 96/05/17. Document Control Branch (Document Control Desk). 14pp. 88351:088-88351:101.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290125 Forwards insp repts 50-313/96-02 & 50-368/96-02 on 960303-0413 & forwards NOV.Violation of concern because process for positioning,locking & independently verifying proper configuration failed to ensure valve properly locked.
DYER,J.E. Region 4 (Post 820201). 96/05/22. Entergy Operations, Inc. 5pp. 88369:141-88369:170.

--9605290142 Notice of violation from insp on 960522.Violation noted: on 960316,operator failed to adequately lock valve 2BS-5602 & second operator,while performing independent verification.
* Region 4 (Post 820201). 96/05/22. 2pp. 88369:146-88369:147.

--9605290129 Insp repts 50-313/96-02 & 50-368/96-02 on 960303-0413. Violations noted.Major areas inspected:onsite review of events,operational safety verification,maint,surveillance observations & onsite engineering.
* Region 4 (Post 820201). 96/05/22. 24pp. 88369:148-88369:170.

9605240201 Press release IV-96-34, "NRC Augmented Insp Team Continues Work During ANO Unit 1 Restart."
* Region 4 (Post 820201). 96/05/23. 2pp. 88391:303-88391:304.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310043 Press release IV-96-35, "NRC to Meet W/ENTERGY to Discuss Augmented Insp Team Findings."
* Region 4 (Post 820201). 96/05/29. 1p. 88444:111-88444:111.

R. Periodic operating reports & related correspondence

9605030273 "AR Nuclear One - Units 1 & 2 Annual Radiological Environ Operating Rept for 1995." W/960430 ltr.
MIMS,D.C. Entergy Operations, Inc. 95/12/31. 145pp. 88133:121-88133:265.

9605200336 Monthly operating rept for April 1996 for ANO,Unit 1. W/960515 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 96/04/30. 7pp. 88347:354-88347:360.

S. Reportable occurrences, LERs & related correspondence

9605160425 LER 96-004-00:on 960306,determined that Tech Spec violation occurred when crane load in excess of 2,000 lb positioned briefly over fuel stored in spent fuel pool. Caused by inadequate procedures.W/960506 ltr.
SCHEIDE,R.H., MIMS,D.C. Entergy Operations, Inc. 96/05/06. 6pp. 88326:255-88326:260.

9605210173 PNO-IV-96-025:on 960519,unit 1 tripped from 100% power on high reactor pressure.Caused by prompt decrease in speed of main feed pump A due to fault in control sys.
REIS,T. Region 4 (Post 820201). 96/05/20. 2pp. 88389:081-88389:082.

9605230002 PNO-IV-96-027:on 960522,NRC augmented insp team arrived to develop detailed sequence of events of 960519 plant transient that resulted in loss of inventory of one of two SGs.
GWYNN,P., REIS,T. Region 4 (Post 820201). 96/05/22. 1p. 88389:174-88389:174.

9605240021 Press release IV-96-33, "NRC Sends Augmented Insp Team to ANO-1 Following Reactor Trip."
* Region 4 (Post 820201). 96/05/22. 2pp. 88392:141-88392:142.

9605280056 PNO-IV-96-027A:on 960519,reactor trip w/complications occurred.Power operation resumed 960524 after AIT insp completed.Trip resulted from fault to ground on digital speed sensor common to power supply.
GWYNN,P., REIS,T. Region 4 (Post 820201). 96/05/24. 2pp. 88396:124-88396:125.

V. Operator Examinations

9605100227 Forwards results of GFES of written OL exam administered 960410 to nominated employees.Training dept should forward individual answer sheets to appropriate individuals. W/o encls.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 88190:035-88190:037.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605070342 Forwards responses to questions in NRC 950628 ltr re Sierra Nuclear Corp (SNC) VSC-24 cask certificate amend,Rev 3 of SNC Design Calculation ANO-109.001.006,Rev 1 to SNC Design Calculation WEP-109.001.22 & proposed amended pages of SAR.
THOMPSON,T.C. Sierra Nuclear, Inc. 96/04/30. STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 12pp. 88167:169-88167:363.

--9605070346 Rev 3 to design calculation, "Required Boron Concentrations for Various Assembly Types & Fuel Enrichments in VSC-24 MSB."
HOPF,J.E., THOMPSON,T.C. Sierra Nuclear, Inc. ANO-109.001.006 R03. 96/04/19. 108pp. 88167:181-88167:288.

--9605070348 Rev 1 to design calculation, "VSC-24 Air Scattered Dose at Calculations Using MCNP Computer Code."
HOPF,J.E., THOMPSON,T.C. Sierra Nuclear, Inc. WEP-109.001.22 R01. 96/03/05. 62pp. 88167:289-88167:351.

9605200252 Forwards ISFSI preoperational test results for spent storage installation.
MIMS,D.C. Entergy Operations, Inc. 96/05/17. CALLAN,L.J. Region 4 (Post 820201). 7pp. 88347:338-88347:344.

9605240153 Submits notification of 960604 meeting w/Pajerito Scientific Corp/BNFL Instruments Ltd & util in Rockville,MD to discuss results of fuel assembly burnup measurements performed at plant & potential use of meter for storage & transportation.
* Office of Nuclear Material Safety & Safeguards. 96/05/21. Office of Nuclear Material Safety & Safeguards. 3pp. 88373:337-88373:339.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170404 Forwards SE approving request for relief for RCSBCW re IMPR ISI Program.Technical ltr rept also encl.
REINHART,M. . 96/05/10. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 88292:314-88292:329.

--9605170410 Safety evaluation approving request for relief for RCSBCW re IMPC ISI Program.Technical ltr rept encl.
* . 96/05/10. 13pp. 88292:317-88292:329.

Q. Inspection reports, IE Bulletins & correspondence

9605060344 Forwards addl info in support of augmented RV insp relief request submitted 950728.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/30. Document Control Branch (Document Control Desk). 9pp. 88165:339-88165:347.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130260 Provides rev to original relief request for augmented reactor vessel insp.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/05/06. Document Control Branch (Document Control Desk). 7pp. 88248:337-88248:343.

9605140108 Provides 30-day response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88272:010-88272:011.

9605170404 Forwards SE approving request for relief for RCSBCW re IMPR ISI Program.Technical ltr rept also encl.
REINHART,M. . 96/05/10. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 88292:314-88292:329.

--9605170410 Safety evaluation approving request for relief for RCSBCW re IMPC ISI Program.Technical ltr rept encl.
* . 96/05/10. 13pp. 88292:317-88292:329.

9605280088 Ack receipt of 960424 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/96-02 & 50-316/96-02.
KROOP,W.J. Region 3 (Post 820201). 96/05/15. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 88350:074-88350:075.

9605290161 Forwards insp repts 50-315/96-04 & 50-316/96-04 on 960227- 0408 & NOV.Violation of concern due to intent of two plant procedures changed w/o required safety reviews being performed.
KROPP,W.J. Region 3 (Post 820201). 96/05/16. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 88369:171-88369:205.

--9605290170 Notice of violation from insp on 960227-0408.Violation noted:on 960322,licensee utilized temporary change process & did not perform safety review prior to issuing listed changes to procedures which changed intent of procedure.
* Region 3 (Post 820201). 96/05/16. 3pp. 88369:176-88369:178.

--9605290182 Insp repts 50-315/96-04 & 50-316/96-04 on 960227-0408. Violations noted.Major areas inspected:operations,maint, engineering,preparation for refueling,plant support & review of UFSAR commitments performed.
KROPP,W.J. Region 3 (Post 820201). 96/05/17. 27pp. 88369:179-88369:205.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605140290 Monthly operating rept for Apr 1996 for DC Cook Nuclear Plant Unit 1.W/960501 ltr.
TURNER,D.G., SAMPSON,J.R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/30. 6pp. 88268:329-88268:334.

S. Reportable occurrences, LERs & related correspondence

9605240056 Forwards notification of oil spill that resulted from oil vapor from unit 2 H seal oil vapor extractors accumulating on turbine bldg roof & being washed down roof drains to storm water sys.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/05/17. Document Control Branch (Document Control Desk). 3pp. 88371:340-88371:342.

V. Operator Examinations

9605020238 Discusses program specific licensee comments re final RG 1.149,Rev 2, "NPP Simulation Facilities for use in Operator License Exams."
RICHARDS,S.A. . 96/04/22. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 88093:354-88093:357.

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). KOTOWSKI,J.M., WALLACE,B.J. Commonwealth Edison Co. 1p. 88275:225-88275:225.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

P. Operating license stage documents & correspondence

9605030339 Forwards Rev 4 to "DC Cook Nuclear Plant Unit 2 Cycle 11 COLR."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88155:346-88155:359.

--9605030342 Rev 4 to "DC Cook Nuclear Plant Unit 2 Cycle 11 COLR."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/30. 12pp. 88155:348-88155:359.

9605090123 Forwards amend 194 to license DPR-74 & safety evaluation. Amend removes TSs re shutdown & control rod position indication while in modes 3,4 & 5.
HICKMAN,J.B. . 96/05/02. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 4pp. 88201:321-88201:334.

--9605090127 Amend 194 to license DPR-74,removing TSs re shutdown & control rod position indication while in modes 3,4 & 5.
HICKMAN,J.B. . 96/05/02. 7pp. 88201:325-88201:331.

--9605090129 Safety evaluation supporting amend 194 to license DPR-74.
* . 96/05/02. 3pp. 88201:332-88201:334.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170404 Forwards SE approving request for relief for RCSBCW re IMPR ISI Program.Technical ltr rept also encl.
REINHART,M. . 96/05/10. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 88292:314-88292:329.

--9605170410 Safety evaluation approving request for relief for RCSBCW re IMPC ISI Program.Technical ltr rept encl.
* . 96/05/10. 13pp. 88292:317-88292:329.

Q. Inspection reports, IE Bulletins & correspondence

9605060344 Forwards addl info in support of augmented RV insp relief request submitted 950728.
FITZPATRICK.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/30. Document Control Branch (Document Control Desk). 9pp. 88165:339-88165:347.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140108 Provides 30-day response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88272:010-88272:011.

9605170404 Forwards SE approving request for relief for RCSBCW re IMPR ISI Program.Technical ltr rept also encl.
REINHART,M. . 96/05/10. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 88292:314-88292:329.

--9605170410 Safety evaluation approving request for relief for RCSBCW re IMPC ISI Program.Technical ltr rept encl.
* . 96/05/10. 13pp. 88292:317-88292:329.

9605280088 Ack receipt of 960424 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/96-02 & 50-316/96-02.
KROOP,W.J. Region 3 (Post 820201). 96/05/15. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 88350:074-88350:075.

9605290161 Forwards insp repts 50-315/96-04 & 50-316/96-04 on 960227- 0408 & NOV.Violation of concern due to intent of two plant procedures changed w/o required safety reviews being performed.
KROPP,W.J. Region 3 (Post 820201). 96/05/16. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 88369:171-88369:205.

--9605290170 Notice of violation from insp on 960227-0408.Violation noted:on 960322,licensee utilized temporary change process & did not perform safety review prior to issuing listed changes to procedures which changed intent of procedure.
* Region 3 (Post 820201). 96/05/16. 3pp. 88369:176-88369:178.

--9605290182 Insp repts 50-315/96-04 & 50-316/96-04 on 960227-0408. Violations noted.Major areas inspected:operations,maint, engineering,preparation for refueling,plant support & review of UFSAR commitments performed.
KROPP,W.J. Region 3 (Post 820201). 96/05/17. 27pp. 88369:179-88369:205.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605140286 Monthly operating rept for Apr 1996 for DC Cook Nuclear Plant Unit 2.W/ 960501 ltr.
TURNER,D.G., SAMPSON,J.R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/30. 5pp. 88268:324-88268:328.

S. Reportable occurrences, LERs & related correspondence

9605240056 Forwards notification of oil spill that resulted from oil vapor from unit 2 H seal oil vapor extractors accumulating on turbine bldg roof & being washed down roof drains to storm water sys.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/05/17. Document Control Branch (Document Control Desk). 3pp. 88371:340-88371:342.

V. Operator Examinations

9605020238 Discusses program specific licensee comments re final RG 1.149,Rev 2, "NPP Simulation Facilities for use in Operator License Exams."
RICHARDS,S.A. . 96/04/22. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 88093:354-88093:357.

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). KOTOWSKI,J.M., WALLACE,B.J. Commonwealth Edison Co. 1p. 88275:225-88275:225.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605070013 Notifies of visit by listed representatives from Czech Republic for training as NP regulator.Informs of planned visit to plant during week of 960603 to work w/ resident inspectors & requests granting of unescorted access.
MCOSCAR,J.J. Region 1 (Post 820201). 96/04/26. CRUSE,C.H. Baltimore Gas & Electric Co. 2pp. 88112:043-88112:044.

9605280027 Notification of significant licensee meeting 96-47 w/util on 960605 to discuss status of security program.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/05/16. Region 1 (Post 820201). 2pp. 88350:037-88350:038.

9605300144 Revised EPIPs,including rev 0 to ERPIP-104,rev 2 to ERPIP-107,rev 1 to ERPIP-109,rev 2/change 3 to ERPIP-201,rev 2 ERPIP-207,rev 1 to ERPIP-208,rev 18/ change 5 to ERPIP-3.0, rev 1 to ERPIP-302 & rev 1 to ERPIP-403.W/960521 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 96/05/21. 590pp. 88463:001-88464:226.

P. Operating license stage documents & correspondence

9605160036 Notification of 960416 meeting w/Nuclear Energy Inst in Rockville,MD to discuss license renewal demonstration program site visit of Calvert Cliffs NPP & other scheduled site visits.
PRATO,R.J. . 96/04/09. NEWBERRY,S.F. . 2pp. 88273:166-88273:168.

9605090193 Forwards suppl to "QA Policy for (App 1B of Calvert Cliffs UFSAR)."
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/01. Document Control Branch (Document Control Desk). 7pp. 88210:229-88210:307.

--9605090198 Revised "QA Policy for Calvert Cliffs Nuclear Power Plant (App 1B of Calvert Cliffs UFSAR)."
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/01. 72pp. 88210:236-88210:307.

9605090013 Requests authorization to use Code Case N-389 of ASME B&PV Code.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/02. Document Control Branch (Document Control Desk). 2pp. 88212:354-88212:355.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160204 Forwards excerpts from draft ASP Rept for 1982-83.Rept documents ASP Program analyses of operational events during period 1982-83.
DROMERICK,A.W. . 96/05/08. CRUSE,C.H. Baltimore Gas & Electric Co. 23pp. 88273:037-88273:059.

9605140346 Notification of 960522 meeting w/util in Rockville,MD to discuss NRC review schedule & approach for util "topical" (system) rept & other license renewal issues.
FLANDERS,S.C. . 96/05/09. NEWBERRY,S.F. . 3pp. 88278:111-88278:113.

9605160364 Advises that util 960301 request for approval to use Code Case N-389 of ASME Boiler & Pressure Vessel Code for plant SG repair work acceptable.
MCDONALD,D.G. . 96/05/10. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 88282:139-88282:142.

9605170537 Provides replacement pages for marked-up TS pages & type proposed TS pages provided as attachments 4,5 & 6 to 950315 LAR re administrative control section 6.0 upgrade & QA policy change.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88332:277-88332:292.

--**9605170538** Proposed tech specs Section 6.0, "Administrative Controls."
* Baltimore Gas & Electric Co. 96/05/15. 15pp. 88332:278-88332:292.

9605210535 Discusses schedule for conversion to improved TS (ITS),per NUREG-1432.Util actively developing ITS conversion license amend & anticipate submittal of amend in Oct 1996.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/16. Document Control Branch (Document Control Desk). 1p. 88361:107-88361:107.

9605280012 Informs that review of proposed changes to QA Policy for plant will require more than 60 days.
RULAND,W.H. Region 1 (Post 820201). 96/05/17. CRUSE,C.H. Baltimore Gas & Electric Co. 2pp. 88349:359-88349:360.

9605240101 Forwards first five integrated plant assessment (IPA) sys & commodity repts for review & approval in accordance w/ 10CFR54,license renewal rule.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/22. Document Control Branch (Document Control Desk). 57pp. 88363:001-88366:340.

--**9605240129** Rev 1 to "Aging Mgt Review Rept for Containment Sys (059)."
TILDEN,B.M., TUCKER,R.L., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/09. 66pp. 88363:058-88363:122.

--**9605240134** Rev 2 to "Aging Mgt Review Rept for Component Supports."
TILDEN,B.M., DIBELLO,D.J., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/21. 83pp. 88363:123-88363:206.

--**9605240123** Rev 2 to "Aging Mgt Review Rept for Auxiliary Bldg," final rept.
TUCKER,R.L., BOWMAN,M.E., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/21. 100pp. 88363:207-88363:359.

--**9605240124** Rev 3 to "Aging Mgt Review Rept for Containment Structure (Sys 059)," final rept.
TILDEN,B.M., TUCKER,R.L., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88364:001-88364:143.

--**9605240119** Rev 2 to "Aging Mgt Review Rept for Turbine Bldg," final rept.
TUCKER,R.L., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88364:144-88364:265.

--**9605240121** Rev 2 "Aging Mgt Review Rept for Intake Structure," final rept.
TUCKER,R.L., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88364:266-88365:043.

--**9605240115** Rev 2 to "Aging Mgt Review Rept for Fuel Oil Storage Tank 21 Enclosure," final rept.
TUCKER,R.L., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88365:044-88365:157.

--**9605240111** Rev 2 to "Aging Mgt Review Rept for Condensate Storage Tank 12 Enclosure," final rept.
TUCKER,R.L., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88365:158-88365:278.

--**9605240110** Rev 1 to "Aging Mgt Review Rept for MFW Sys."
HOTCHKISS,M.W., PENN,P.A., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/01. 100pp. 88365:279-88366:027.

--**9605240109** Rev 1 to "Aging Mgt Review Rept for RMS (077/079)."
SCOGGIN,D.B., HATCH,T.R., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/21. 170pp. 88366:028-88366:237.

--**9605240108** Rev 1 to "Aging Mgt Review Rept for Diesel Fuel Oil Sys (023)."
HATCH,T.R., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/01. 104pp. 88366:238-88366:340.

9605300174 Notification of 960530 meeting w/BG&E,in Rockville,MD to discuss technical reports & staff review approach.
FLANDERS,S.C. . 96/05/28. NEWBERRY,S.F. . 3pp. 88389:357-88389:359.

9605310002 Application for amend to license DPR-53 & DPR-69,requesting exigent amends to allow installation of proposed modification of Unit 1 & 2 Service Water (SRW) Systems.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/28. 14pp. 88402:340-88402:353.

Q. Inspection reports, IE Bulletins & correspondence

9605060333 Forwards insp repts 50-317/96-02 & 50-318/96-02 on 960211-0330.No violations noted.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/04/29. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 88103:098-88103:133.

--**9605060339** Insp repts 50-317/96-02 & 50-318/96-02 on 960211-0330.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
* Region 1 (Post 820201). 96/04/29. 32pp. 88103:102-88103:133.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160382 Notification of 960515 meeting w/Baltimore Gas & Electric in Lusby,MD to discuss matters re plant SG insp.
DROMERICK,A.W. . 96/05/10. SHANKMAN,S.F. . 4pp. 88290:333-88290:336.

9605170082 Provides 30-day response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/13. Document Control Branch (Document Control Desk). 6pp. 88339:348-88339:353.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030137 "Radiological Environ Monitoring Program Annual Rept Mar 1996 Calvert Cliffs Nuclear Power Plants Units 1 & 2 & ISFSI Jan-Dec 1995."
BAINES,W.W., BARLEY,G.K., EARLS,C.E. Baltimore Gas & Electric Co. 95/12/31. 120pp. 88140:121-88140:243.

9605200428 Monthly operating repts for Apr 1996 for Calvert Cliffs Nuclear Power Plant Units 1 & 2.W/960515 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 96/04/30. 13pp. 88341:320-88341:332.

S. Reportable occurrences, LERs & related correspondence

9605090039 Special rept:on 960330,RCP Motor Bay was disabled due to temporary alteration to support removal of 12B RCP Motor during Unit 1 refueling outage.Containment air being monitored once per h at location listed in SR 4.6.1.5.
MARTIN,T.T. Baltimore Gas & Electric Co. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88225:351-88225:352.

9605090043 Special rept:on 960326,fire detection instrumentation in Unit 1 SW water pump room was disabled via temporary alteration to permit work activities.Hourly fire watch patrol was initiated to inspect affected fire zone.
KATZ,P.E. Baltimore Gas & Electric Co. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88225:356-88225:357.

9605170101 LER 96-002-00:on 960410,required fire watch missed.Caused by lack of fire watch ownership.Circumstances of event will be reviewed w/appropriate groups.W/960514 ltr.
MUTH,D.W., KATZ,P.E. Baltimore Gas & Electric Co. 96/05/14. 6pp. 88341:101-88341:106.

9605170536 Special rept:on 960404,fire hose stations inside Unit 1 containment disabled to permit work activities.Temporary fire hose in place until fire main restored to operable status on 960507.
KATZ,P.E. Baltimore Gas & Electric Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88351:233-88351:234.

9605300082 LER 96-003-00:on 960423,discovered holes in containment sump screen larger than described in UFSAR.Holes most likely installed during plant const.Sump screens visually inspected & repaired.W/960524 ltr.
SLY,C., KATZ,P.E. Baltimore Gas & Electric Co. 96/05/24. 9pp. 88444:037-88444:045.

V. Operator Examinations

9605310001 Informs that Mark Wisniewski,55-61410 will be reassigned within organization & will no longer require NRC license.
NIETMANN,K.J. Baltimore Gas & Electric Co. 96/05/23. MARTIN,T.T. Region 1 (Post 820201). 2pp. 88402:359-88402:360.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605240144 Submits notification of 960605 meeting w/VECTRA Technologies Inc in Rockville,MD to discuss BG&E assessment of implications of licensee CAL on plant independent spent fuel storage installation cannister wall thinning issues.
* Office of Nuclear Material Safety & Safeguards. 96/05/22. Office of Nuclear Material Safety & Safeguards. 2pp. 88373:335-88373:336.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605070013 Notifies of visit by listed representatives from Czech Republic for training as NP regulator.Informs of planned visit to plant during week of 960603 to work w/ resident inspectors & requests granting of unescorted access.
MCOSCAR,J.J. Region 1 (Post 820201). 96/04/26. CRUSE,C.H. Baltimore Gas & Electric Co. 2pp. 88112:043-88112:044.

9605280027 Notification of significant licensee meeting 96-47 w/util on 960605 to discuss status of security program.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/05/16. Region 1 (Post 820201). 2pp. 88350:037-88350:038.

9605300144 Revised EPIPs,including rev 0 to ERPIP-104,rev 2 to ERPIP-107,rev 1 to ERPIP-109,rev 2/change 3 to ERPIP-201,rev 2 ERPIP-207,rev 1 to ERPIP-208,rev 18/change 5 to ERPIP-3.0, rev 1 to ERPIP-302 & rev 1 to ERPIP-403.W/960521 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 96/05/21. 590pp. 88463:001-88464:226.

P. Operating license stage documents & correspondence

9605160036 Notification of 960416 meeting w/Nuclear Energy Inst in Rockville,MD to discuss license renewal demonstration program site visit of Calvert Cliffs NPP & other scheduled site visits.
PRATO,R.J. . 96/04/09. NEWBERRY,S.F. . 2pp. 88273:166-88273:168.

9605090193 Forwards suppl to "QA Policy for (App 1B of Calvert Cliffs UFSAR)."
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/01. Document Control Branch (Document Control Desk). 7pp. 88210:229-88210:307.

--9605090198 Revised "QA Policy for Calvert Cliffs Nuclear Power Plant (App 1B of Calvert Cliffs UFSAR)."
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/01. 72pp. 88210:236-88210:307.

9605090013 Requests authorization to use Code Case N-389 of ASME B&PV Code.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/02. Document Control Branch (Document Control Desk). 2pp. 88212:354-88212:355.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160204 Forwards excerpts from draft ASP Rept for 1982-83.Rept documents ASP Program analyses of operational events during period 1982-83.
DROMERICK,A.W. . 96/05/08. CRUSE,C.H. Baltimore Gas & Electric Co. 23pp. 88273:037-88273:059.

9605140346 Notification of 960522 meeting w/util in Rockville,MD to discuss NRC review schedule & approach for util "topical" (system) rept & other license renewal issues.
FLANDERS,S.C. . 96/05/09. NEWBERRY,S.F. . 3pp. 88278:111-88278:113.

9605160364 Advises that util 960301 request for approval to use Code Case N-389 of ASME Boiler & Pressure Vessel Code for plant SG repair work acceptable.
MCDONALD,D.G. . 96/05/10. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 88282:139-88282:142.

9605170537 Provides replacement pages for marked-up TS pages & type proposed TS pages provided as attachments 4,5 & 6 to 950315 LAR re administrative control section 6.0 upgrade & QA policy change.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88332:277-88332:292.

--9605170538 Proposed tech specs Section 6.0, "Administrative Controls."
* Baltimore Gas & Electric Co. 96/05/15. 15pp. 88332:278-88332:292.

9605210535 Discusses schedule for conversion to improved TS (ITS),per NUREG-1432.Util actively developing ITS conversion license amend & anticipate submittal of amend in Oct 1996.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/16. Document Control Branch (Document Control Desk). 1p. 88361:107-88361:107.

9605280012 Informs that review of proposed changes to QA Policy for plant will require more than 60 days.
RULAND,W.H. Region 1 (Post 820201). 96/05/17. CRUSE,C.H. Baltimore Gas & Electric Co. 2pp. 88349:359-88349:360.

9605240101 Forwards first five integrated plant assessment (IPA) sys & commodity repts for review & approval in accordance w/ 10CFR54,license renewal rule.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/22. Document Control Branch (Document Control Desk). 57pp. 88363:001-88366:340.

--9605240129 Rev 1 to "Aging Mgt Review Rept for Containment Sys (059)."
TILDEN,B.M., TUCKER,R.L., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/09. 66pp. 88363:058-88363:122.

--9605240134 Rev 2 to "Aging Mgt Review Rept for Component Supports."
TILDEN,B.M., DIBELLO,D.J., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/21. 83pp. 88363:123-88363:206.

--9605240123 Rev 2 to "Aging Mgt Review Rept for Auxiliary Bldg," final rept.
TUCKER,R.L., BOWMAN,M.E., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/21. 100pp. 88363:207-88363:359.

--9605240124 Rev 3 to "Aging Mgt Review Rept for Containment Structure (Sys 059)," final rept.
TILDEN,B.M., TUCKER,R.L., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88364:001-88364:143.

--9605240119 Rev 2 to "Aging Mgt Review Rept for Turbine Bldg," final rept.
TUCKER,R.L., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88364:144-88364:265.

--9605240121 Rev 2 "Aging Mgt Review Rept for Intake Structure," final rept.
TUCKER,R.L., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88364:266-88365:043.

--9605240115 Rev 2 to "Aging Mgt Review Rept for Fuel Oil Storage Tank 21 Enclosure," final rept.
TUCKER,R.L., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88365:044-88365:157.

--9605240111 Rev 2 to "Aging Mgt Review Rept for Condensate Storage Tank 12 Enclosure," final rept.
TUCKER,R.L., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/20. 100pp. 88365:158-88365:278.

--9605240110 Rev 1 to "Aging Mgt Review Rept for MFW Sys."
HOTCHKISS,M.W., PENN,P.A., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/01. 100pp. 88365:279-88366:027.

--9605240109 Rev 1 to "Aging Mgt Review Rept for RMS (077/079)."
SCOGGIN,D.B., HATCH,T.R., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/21. 170pp. 88366:028-88366:237.

--9605240108 Rev 1 to "Aging Mgt Review Rept for Diesel Fuel Oil Sys (023)."
HATCH,T.R., TILDEN,B.M., DOROSHUK,B.W. Baltimore Gas & Electric Co. 96/05/01. 104pp. 88366:238-88366:340.

9605300174 Notification of 960530 meeting w/BG&E,in Rockville,MD to discuss technical reports & staff review approach.
FLANDERS,S.C. . 96/05/28. NEWBERRY,S.F. . 3pp. 88389:357-88389:359.

9605310002 Application for amend to license DPR-53 & DPR-69,requesting exigent amends to allow installation of proposed modification of Unit 1 & 2 Service Water (SRW) Systems.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/28. 14pp. 88402:340-88402:353.

Q. Inspection reports, IE Bulletins & correspondence

9605060333 Forwards insp repts 50-317/96-02 & 50-318/96-02 on 960211-0330.No violations noted.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/04/29. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 88103:098-88103:133.

--9605060339 Insp repts 50-317/96-02 & 50-318/96-02 on 960211-0330.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
* Region 1 (Post 820201). 96/04/29. 32pp. 88103:102-88103:133.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01..Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160382 Notification of 960515 meeting w/Baltimore Gas & Electric in Lusby,MD to discuss matters re plant SG insp.
DROMERICK,A.W. . 96/05/10. SHANKMAN,S.F. . 4pp. 88290:333-88290:336.

9605170082 Provides 30-day response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/13. Document Control Branch (Document Control Desk). 6pp. 88339:348-88339:353.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030137 "Radiological Environ Monitoring Program Annual Rept Mar 1996 Calvert Cliffs Nuclear Power Plants Units 1 & 2 & ISFSI Jan-Dec 1995."
BAINES,W.W., BARLEY,G.K., EARLS,C.E. Baltimore Gas & Electric Co. 95/12/31. 120pp. 88140:121-88140:243.

9605200428 Monthly operating repts for Apr 1996 for Calvert Cliffs Nuclear Power Plant Units 1 & 2.W/960515 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 96/04/30. 13pp. 88341:320-88341:332.

V. Operator Examinations

9605310001 Informs that Mark Wisniewski,55-61410 will be reassigned within organization & will no longer require NRC license.
NIETMANN,K.J. Baltimore Gas & Electric Co. 96/05/23. MARTIN,T.T. Region 1 (Post 820201). 2pp. 88402:359-88402:360.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605240144 Submits notification of 960605 meeting w/VECTRA Technologies Inc in Rockville,MD to discuss BG&E assessment of implications of licensee CAL on plant independent spent fuel storage installation cannister wall thinning issues.
* Office of Nuclear Material Safety & Safeguards. 96/05/22. Office of Nuclear Material Safety & Safeguards. 2pp. 88373:335-88373:336.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605060202 Rev 1 to EPIP TEP-ADM-1300.02, "Emergency Preparedness Training."
* General Public Utilities Corp. - GPU Service Corp. 96/04/23. 16pp. 88172:065-88172:080.

9605070152 Advises that 960201 revs 33,8 & 14 to physical security plan safeguards contingency plan & guard training & qualification plan,respectively,are consistent w/ provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/30. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 88194:329-88194:331.

9605240084 Rev 7 to EPIP-TMI-.27, "EOF."
BROWN,N., NELSON,M.A., GRISEWOOD,J. General Public Utilities Corp. - GPU Service Corp. 96/05/15. 77pp. 88373:150-88373:226.

I. Financial information

9605060345 Forwards "GPU Annual Rept for 1995" & 1995 uniform statistical rept.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88185:001-88185:086.

--9605070046 "GPU Annual Rept for 1995."
LEVA,J.R. General Public Utilities Corp. - GPU Service Corp. 95/12/31. 84pp. 88185:002-88185:086.

P. Operating license stage documents & correspondence

9605020399 Forwards "1995 Annual Radioactive Effluent Releases Rept for TMI-1" & changes to process control program & ODCM during 1995.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88131:313-88131:351.

--9605020403 Changes to process control program & ODCM during 1995.
* General Public Utilities Corp. - GPU Service Corp. 95/12/31. 20pp. 88131:331-88131:351.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020399 Forwards "1995 Annual Radioactive Effluent Releases Rept for TMI-1" & changes to process control program & ODCM during 1995.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88131:313-88131:351.

--9605020401 "1995 Annual Radioactive Effluent Releases Rept for TMI-1."
* General Public Utilities Corp. - GPU Service Corp. 95/12/31. 16pp. 88131:315-88131:330.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605030258 Notification of 960514 meeting w/NRC & DOE in Rockville,MD to discuss technical issues re criticality analysis & safeguards DOE will perform as part of licensing of ISFSI to house TMI-2 fuel drebris.
* Office of Nuclear Material Safety & Safeguards. 96/05/02. Office of Nuclear Material Safety & Safeguards. 1p. 88137:153-88137:153.

9605060313 Revised notice of 960514 meeting w/DOE to discuss technical issues re to safeguard to be performed as part of ISFSI to house TMI-2 field debris.
* Office of Nuclear Material Safety & Safeguards. 96/05/02. Office of Nuclear Material Safety & Safeguards. 1p. 88183:324-88183:324.

9605080035 Notifies of 960529 meeting w/licensee in Arlington,TX to discuss application for 10CFR72 ISFSI site-specific license for interim storage of TMI-2 fuel debris at INEL & application to accept transfer of Fort St Vrain license.
SCARANO,R.A. Region 4 (Post 820201). 96/05/06. Region 4 (Post 820201). 5pp. 88136:250-88136:254.

9605220440 Forwards proposed outline for Environ Rept prepared as part of DOE-ID application for 10CFR72 ISFSI license for TMI Interim Storage Sys.Any comments re outline requested as soon as possible.
HAGERS,J. Energy, Dept. of. 96/05/08. RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 4pp. 88359:004-88359:007.

9605130217 Summary of 960418 meeting w/DOE & contractors from INEL re licensing of ISFSI that will house TMI-2 fuel debris.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 96/05/09. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 41pp. 88249:267-88249:307.

9605210179 Clarifies NRC response to 960430 ltrs re application of QA program to proposed DOE licensing projects under 10CFR72.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/16. HAGERS,J Energy, Dept. of. 3pp. 88361:227-88361:235.

--9605210251 Confirms QA program application for DOE licensing of Three Mile Island Unit 2 Spent Fuel Storage Installations (OPE-SFP-96-076).
HAGERS,J. Energy, Dept. of. 96/04/30. RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 3pp. 88361:232-88361:235.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

P. Operating license stage documents & correspondence

9605080213 Forwards response to NRC RAI re util 960221 request to revise TS to change drywell air temp LCO.
BECKHAM,J.T. Georgia Power Co. 96/05/01. Document Control Branch (Document Control Desk). 5pp. 88208:312-88208:316.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140100 Forwards rev 0 to "El Hatch Nuclear Plant Unit 1,Cycle 17 COLR."
BECKHAM,J.T. Georgia Power Co. 96/05/07. Document Control Branch (Document Control Desk). 1p. 88268:213-88268:235.

--9605140104 "El Hatch Nuclear Plant Unit 1,Cycle 17 COLR."
* Southern Nuclear Operating Co. 96/05/07. 22pp. 88268:214-88268:235.

9605140215 Responds to 960417 ltr to D Rathbun,which forwarded 960410 ltr from R Bassilakis expressing concerns re level of tritium releases for plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/09. DODD,C.J. Senate. 1p. 88262:243-88262:253.

--9605140229 Responds to 960309 ltr to A Wang,which expressed concerns about health of family & community,related to release of tritium.
WILLIS,C.A. NRC - No Detailed Affiliation Given. 96/04/16. BASSILAKIS,R. Affiliation Not Assigned. 7pp. 88262:244-88262:250.

--9605140237 Discusses inquiry from R Bassilakis re high level of tritium releases from plant.R Bassilakis concerns based on 1992 Nuclear Regulatory Annual Rept, "Radioactive Matls Released from Nuclear Power Plants."
DODD,C.J. Senate. 96/04/07. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 3pp. 88262:251-88262:253.

9605140334 Forwards Rev 1 to "El Hatch Nuclear Plant Unit 1 Cycle 17 COLR." Rev reflects analysis & associated min critical power ratio penalties,would be imposed for operation w/inoperable main turbine bypass valves.
BECKHAM,J.T. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 1p. 88271:223-88271:248.

--9605140338 Rev 1 to "El Hatch Nuclear Plant Unit 1 Cycle 17 COLR."
* Georgia Power Co. 96/05/10. 25pp. 88271:224-88271:248.

9605280040 Application for amends to licenses DPR-57 & NPF-5,revising TSs re CST level indication to ensure water level sufficient to provide 50,000 gallons of water for core spray makeup to reactor pressure vessel.
BECKHAM,J.T. Georgia Power Co. 96/05/21. Document Control Branch (Document Control Desk). 6pp. 88386:111-88386:125.

--9605280045 Proposed tech specs 3.5.2,ECCS - Shutdown & 3.5.2.2.b SR for Units 1 & 2 revise to change Unit 1 CST water level requirement from 12 feet to 13 feet & change Unit 2 CST water level requirement from 12 feet to 15 feet.
* Georgia Power Co. 96/05/21. 9pp. 88386:117-88386:125.

9605240183 Requests addl info re proposed license amend to change plant TS re drywell air temp limiting condition for operation.
JABBOUR,K.N. . 96/05/22. BECKHAM,J.T. Georgia Power Co. 4pp. 88344:131-88344:134.

9605280227 Forwards request for addl info re GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
JABBOUR,K.N. . 96/05/23. BECKHAM,J.T. Georgia Power Co. 5pp. 88374:338-88374:342.

Q. Inspection reports, IE Bulletins & correspondence

9605140323 Forwards insp repts 50-321/96-04 & 50-366/96-04 on 960218-0330 & NOV.
SKINNER,P.H. Region 2 (Post 820201). 96/04/25. BECKHAM,J.T. Georgia Power Co. 4pp. 88223:147-88223:195.

–**9605140325** Notice of violation from insp on 960218-0330.Violation noted:surveillance procedure 34SV-T22-002-OS,Secondary Containment Integrity Demonstration,Rev 1 not performed since 960102 until 960223 which exceeded grace period.
* Region 2 (Post 820201). 96/04/25. 3pp. 88223:151-88223:153.

–**9605140329** Insp repts 50-321/96-04 & 50-366/96-04 on 960218-0330. Violations noted.Major areas inspected:normal operations & testing,Unit one shutdown for limited condition for operations & missed TS surveillance.
HOLBROOK,B.L., CHRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201). 96/04/25. 42pp. 88223:154-88223:195.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140110 Forwards description of util insp plan,results of initial & expanded scope insps & evaluation of findings of augmented ISI of core shroud vertical welds.
BECKHAM,J.T. Georgia Power Co. 96/05/07. Document Control Branch (Document Control Desk). 5pp. 88272:012-88272:016.

9605140344 Responds to NRC Bulletin 96-001, "Movement of Heavy Loads Over Spent,Over Fuel in Reactor Core or Over Safety- Related Equipment."
BECKHAM,J.T. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 5pp. 88271:253-88271:257.

9605150458 Discusses GPC determination to follow "BWR Vessel & Internals Project:Guidelines for Reinspection of BWR Core Shrouds (BWRVIP-07)" for Hatch Units 1 & 2.
BECKHAM,J.T. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88289:106-88289:107.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605280068 Responds to violations noted in insp repts 50-321/96-04 & 50-366/96-04.Corrective actions:personnel counseled re inappropiate actions & rev history for procedure 31RS-OPS-001-1S reviewed.
BECKHAM,J.T. Georgia Power Co. 96/05/21. Document Control Branch (Document Control Desk). 8pp. 88386:201-88386:208.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030244 "El Hatch Nuclear Plant Annual Radioactive Effluent Release Rept for Jan-Dec 1995." W/960430 ltr.
BECKHAM,J.T. Georgia Power Co. 95/12/31. 324pp. 88118:001-88118:324.

9605140126 Forwards MOR for April 1996 for El Hatch Nuclear Plant & revised rept for Mar 1996.
BECKHAM,J.T. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88268:276-88268:289.

–**9605140130** Monthly operating repts for April 1996 for El Hatch Nuclear Plant.
ROGERS,S.B. Georgia Power Co. 96/04/30. 10pp. 88268:278-88268:287.

–**9605140134** Revised pages E2-4 for March 1996 for El Hatch Nuclear Plant Unit 2.
ROGERS,S.B. Georgia Power Co. 96/03/31. 2pp. 88268:288-88268:289.

S. Reportable occurrences, LERs & related correspondence

9605240036 PNO-II-96-036:on 960502,Intl Brotherhood of Electrical Workers Union notified of intent to strike on 960701 if new contract not approved.Region II will inplement pre-strike insp activities at plants.
SKINNER,P. Region 2 (Post 820201). 96/05/03. 1pp. 88391:357-88391:358.

9605200001 Forwards excerpts from draft ASP Rept,documenting ASP Program analyses of operational events that occurred during period 1982-83.Twelve of subj events occurred at plant Units 1 & 2.Rept to be revised around 960531 for publication.
JABBOUR,K.N. . 96/05/09. BECKHAM,J.T. Georgia Power Co. 62pp. 88301:158-88301:219.

9605140455 LER 96-005-00:on 960414,supply breaker for 4160V/600V station svc transformer "1D" opened de-energizing 600V bus 1R23-S004.Caused by personnel error.Personnel involved counseled.W/960510 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 96/05/10. 7pp. 88288:049-88288:055.

9605230181 LER 96-006-00:on 960421,withdrawal of inoperable control rod occurred.Caused by inadequate procedure & lack of work coordination.Procedure 3460-OPS-066-05 revised & TSs associated w/event explained.W/960521 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 96/05/21. 6pp. 88389:158-88389:163.

9605280002 LER 96-007-00:on 960424,failed component results in inadvertent EDG start.Caused by relay momentarily binding in actuated position.Relay replaced & surveillance completed. W/960521 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 96/05/24. 6pp. 88396:111-88396:116.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

W. Decommissioning Stage Documents & Correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605010248 Forwards public version of rev 3 to "Diablo Canyon Power Plant Units 1 & 2 Emergency Plan," Change 15.W/960501 ltr.
POWERS,R.P. Pacific Gas & Electric Co. 96/04/16. Document Control Branch (Document Control Desk). 21pp. 88069:001-88072:009.

–**9605010259** Public version of rev 3 "Diablo Canyon Power Plant Units 1 & 2 Emergency Plan," Change 15.
POWERS,R.P. Pacific Gas & Electric Co. 96/03/22. 1079pp. 88069:023-88072:009.

9605150250 Submits Change 8 to Rev 18 of physical security plan,per 10CFR50.54(p).Encl withheld.
RUEGER,R.G. Pacific Gas & Electric Co. 96/05/06. Document Control Branch (Document Control Desk). 1p. 88263:308-88263:308.

9605170494 Responds to violations noted in Insp Repts 50-275/96-01 & 50-323/96-01. Corrective Actions:access to individual involved suspended on 951009 & revoked on 951011.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88332:350-88332:355.

G. Adjudicatory correspondence

9605030218 Comments opposing proposed coorporate restructuring of Pacific Gas & Electric Co.
DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). * Modesto,CA. 96/04/29. Office of Nuclear Regulatory Research (Post 941217). 262pp. 88092:035-88092:293.

9605060237 Comment opposing proposed coorporate restructing of Pacific Gas & Electric.
DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 96/04/29. NRC - No Detailed Affiliation Given. 22pp. 88103:014-88103:035.

9605060326 Comment opposing proposed corporate restructuring of Pacific Gas & Electric.
DAVIDSON,D.I. Affiliation Not Assigned. 96/04/29. NRC - No Detailed Affiliation Given. 4pp. 88103:094-88103:097.

9605280031 Provides response to comments on util's proposed corporate restructuring.
WARNER,C.J. Pacific Gas & Electric Co. 96/05/23. Document Control Branch (Document Control Desk). 9pp. 88386:269-88386:277.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605140124 Requests one-time exemption for 10CFR50.71(e)(4) to allow rev 11 of FSAR Update to be filed 9 months,rather than 6 months,after completion of Unit 2 7th refueling outage.Time needed to ensure FSAR Update complete & accurate.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/07. Document Control Branch (Document Control Desk). 2pp. 88272:019-88272:020.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090191 Offers no comments re hazardous waste facility permit class 3 mod.
BLOOM,S.D. . 96/05/08. SHAULIS,D.I. California, State of. 1p. 88175:359-88175:359.

9605170217 Forwards application for amends to licenses DPR-80 & DPR-82, revising TS 3/4.3.2, "ESFAS Instrumentation" & 3/4.6.2, "Containment Spray Sys."
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88316:252-88316:275.

-9605170232 Application for amends to licenses DPR-80 & DPR-82,revising TS App A,3/4.3.2, "ESFAS Instrumentation" & TS 3/4.6.2, "Containment Spray Sys."
WARNER,C.J. Pacific Gas & Electric Co. 96/05/09. 8pp. 88316:254-88316:261.

-9605170243 Proposed tech specs 3/4.3.2 & 3/4.6.2,clarifying description of initiation signal required for operation of CSS at DCNPP & correctly incorporate changes made in previous license amends.
* Pacific Gas & Electric Co. 96/05/09. 14pp. 88316:262-88316:275.

9605200457 Forwards Rev 0 "COLR for Diablo Canyon Unit 2 Cycle 8."
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88341:338-88341:350.

-9605200459 Rev 0 to "COLR for Diablo Canyon Unit 2 Cycle 8."
* Pacific Gas & Electric Co. COLR 2-8 R00. 96/05/11. 11pp. 88341:340-88341:350.

9605310087 Forwards amends 112 & 110 to licenses DPR-80 & DPR-82, respectively & SE.Amends delete requirements in TS 4.0.5a for NRC written approval prior to implementation of relief from ASME Code requirements.
BLOOM,S.D. . 96/05/28. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 88394:339-88394:354.

-9605310102 Amends 112 & 110 to licenses DPR-80 & DPR-82,respectively, deleting requirements in TS 4.0.5a for written approval prior to implementation of relief from ASME Code.
BLOOM,S.D. . 96/05/28. 9pp. 88394:343-88394:351.

-9605310106 Safety evaluation supporting amends 112 & 110 to licenses DPR-80 & DPR-82,respectively.
* . 96/05/28. 3pp. 88394:352-88394:354.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140385 Submits response to violations noted in Insp Repts 50-275/96-02 & 50-323/96-02.Corrective actions:operators performed STP 1-1D using PAMS panels 3 & 4 to verify operability of incore thermocouple channels.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/10. Document Control Branch (Document Control Desk). 8pp. 88271:288-88271:295.

9605170494 Responds to violations noted in Insp Repts 50-275/96-01 & 50-323/96-01. Corrective Actions:access to individual involved suspended on 951009 & revoked on 951011.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88332:350-88332:355.

9605170267 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
SHIFFER,J.D. Pacific Gas & Electric Co. 96/05/13. Document Control Branch (Document Control Desk). 8pp. 88316:327-88316:334.

9605200486 Submits Special Rept 96-03 re SG tube plugging during 2R7. Inservice insp & tube plugging completed on 960506.
RUEGER,G.M. Pacific Gas & Electric Co. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88351:349-88351:349.

9605210483 Forwards insp repts 50-275/96-10 & 50-323/96-10 on 960415-25.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/17. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88305:192-88305:205.

-9605210490 Insp repts 50-275/96-10 & 50-323/96-10 on 960415-25.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
POWERS,D.A. Region 4 (Post 820201). 96/05/14. 9pp. 88305:197-88305:205.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605280208 Forwards insp repts 50-275/96-06 & 50-323/96-06 on 960303- 0413 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/05/20. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88356:107-88356:139.

-9605280212 Notice of violation from insp on 960303-0413.Violation noted:on 960125 licensee failed to perform monthly channel check of remote shutdown instrument for RCS temp IAW written procedure & more.
* Region 4 (Post 820201). 96/05/20. 2pp. 88356:112-88356:113.

-9605280217 Insp repts 50-275/96-06 & 50-323/96-06 on 960303-0413. Violations noted.Major areas inspected:operational safety verification,maint & surveillance observations,onsite engineering & plant support activities.
* Region 4 (Post 820201). 96/05/20. 26pp. 88356:114-88356:139.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605230219 Forwards insp repts 50-275/96-07 & 50-323/96-07 on 960415-19.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/21. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88333:053-88333:072.

-9605230220 Insp repts 50-275/96-07 & 50-323/96-07 on 960415-19.No violations noted.Major areas inspected:RP activities including,reviews of planning & preparation,training & qualifications,external & internal exposure controls.
MURRAY,B. Region 4 (Post 820201). 96/05/21. 15pp. 88333:058-88333:072.

9605280116 Forwards insp repts 50-275/96-03 & 50-323/96-03 on 960226-0301 & 0408-12.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/21. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88349:315-88349:337.

-9605280121 Insp repts 50-275/96-03 & 50-323/96-03 on 960226-0301 & 0408-12.No violations noted.Major areas inspected:licensee self assessment of engineering & corrective action program.
VANDENBURGH,C. Region 4 (Post 820201). 96/05/14. 18pp. 88349:320-88349:337.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060197 "1995 Annual Nonradiological Environ Operating Rept for Diablo Canyon Power Plant." W/960430 ltr.
RUEGER,G.M. Pacific Gas & Electric Co. 95/12/31. 19pp. 88172:081-88172:099.

9605070016 "Diablo Canyon Power Plant 1995 Annual Radioactive Effluent Release Rept." W/960426 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/12/31. 371pp. 88168:001-88169:007.

9605070043 "1995 Annual Radiological Environ Operating Rept Diablo Canyon Power Plant." W/960430 ltr.
ONG-CARRILLO,A., GEDNEY,E.A., FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/12/31. 158pp. 88167:001-88167:168.

9605200309 Monthly operating repts for April 1996 for DCNPP.W/960515 ltr.
EUBANK,T., COLEY,W.E., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/04/30. 13pp. 88351:329-88351:341.

S. Reportable occurrences, LERs & related correspondence

9605170266 LER 96-003:on 960426,0501 & 04,SG tubes 2-2,2-1 found to be defective.Caused by stress corrosion cracking.All defective tubes plugged & program implemented to minimize tube degradation.W/960513 ltr.
JOHNSON,R.L., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/05/13. 7pp. 88341:129-88341:135.

9605280005 LER 96-002-00,on 960420,TS 3.9.12 not met when fuel handling bldg ventilation sys configuration reduced to single train w/o automatic source of emergency power.Caused by personnel error.Individual involved counseled.W/960520 ltr.
JOHNSON,R.L., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/05/20. 7pp. 88396:117-88396:123.

V. Operator Examinations

9605100181 Forwards Generic Fundamentals Exam Section of written operator licensing exam,administered on 960410,w/answer key. W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 88190:055-88190:056.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605010011 Forwards Rev 0 to physical security & safeguards contingency plan,incorporating vehicle measures,based on 960229 implementation date for land vehicle intrusion barrier sys at CP&L nuclear plants.Encl withheld (ref 10CFR73.21).
WALT,T.D. Carolina Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88075:357-88075:358.

9605140145 Revised EPIPs,including rev 17 to OPEP-01.0,rev 0 to OPEP-02.06.29,rev 11 to OPEP-03.8.2,rev 11 to OPEP-04.3 & rev 3 to OPEP-04.5.
NEWTON,R. Carolina Power & Light Co. 96/05/07. 94pp. 88271:001-88271:093.

9605140136 Advises that listed procedures voided & replaced by OPSCP, "Physical Security & Safeguards Contingency Plan."
HANNA,D. Carolina Power & Light Co. 96/05/08. Public Document Branch. 2pp. 88272:021-88272:022.

9605150055 Revised EPIPs,including rev 55 to 0PEP-App A, "Emergency Response Resources," rev 3 to 0PEP-02.6.27, "Activation & Operation of EOF," rev 7 to 0PEP-03.1.3, "Use of Communication Equipment" & rev 12 to 0PEP-04.2.
* Carolina Power & Light Co. 96/05/08. 137pp. 88297:001-88297:137.

9605170197 Notification of 960523 meeting w/CP&L in Rockville,MD to discuss plant FP analysis & exemption related issues.
MOZAFARI,B. . 96/05/09. IMBRO,E.V. . 4pp. 88297:356-88297:359.

9605200079 Rev 44 to Plant Operating Manual Vol XIII Radiological Emergency Response Plan (ERP).
NEWTON,R.R. Carolina Power & Light Co. 96/05/09. 45pp. 88329:243-88329:287.

I. Financial information

9605020365 Forwards 1996 internal cash flow projection for Robinson Nuclear Power Plant,Brunswick Nuclear Power Plant & Harris Nuclear Power Plant & "CP&L 1995 Annual Rept."
CONLEY,D.T. Carolina Power & Light Co. 96/04/29. RUSSELL,W.T. . 5pp. 88127:302-88127:362.

--9605020369 "CP&L 1995 Annual Rept."
FLEISHMAN,S. Carolina Power & Light Co. 95/12/31. 51pp. 88127:307-88127:362.

P. Operating license stage documents & correspondence

9605130002 Submits info re forthcoming shipment of radioactive matl in IF-300 series shipping casks to New Hill,NC,IAW 10CFR73.37.
LEVIS,W. Carolina Power & Light Co. 96/04/12. STROUD,T.C. North Carolina, State of. 3pp. 88203:354-88203:356.

9605060327 Ltr contract,mod 4 to task order 29, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88111:354-88111:355.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140150 Informs effective 960218,EV Imbro replaced DB Matthews as Director,Project Directorate II-1.
VARGA,S.A. . 96/05/06. ORSER,W.S. Carolina Power & Light Co. 4pp. 88249:356-88249:359.

9605140169 Informs of relocation of joint info ctr.
HICKS,G.D. Carolina Power & Light Co. 96/05/08. Document Control Branch (Document Control Desk). 2pp. 88272:041-88272:042.

9605170431 Forwards excerpts from draft ASP Rept for 1982-83 which documents program analyses of operational events which occurred during period.Section 2.0 & App A from rept,encl.
MOZAFARI,B. . 96/05/08. CAMPBELL,W.R. Carolina Power & Light Co. 53pp. 88294:193-88294:245.

9605170172 Notification of 960523 meeting w/CP&L in Rockville,MD to discuss plant current power upgrade,imminent conversion to revised STSs & future plans for 24-month surveillances,as indicated on encl agenda.
MOZAFARI,B. . 96/05/09. IMBRO,E.V. . 5pp. 88297:339-88297:343.

9605170022 Forwards notice of withdrawal of amend request for licenses DPR-71 & DPR-62.Proposed amend would have provided exception to TS 3.0.4. that would have permitted operational mode change of unit if second unit in cold shutdown or refueling.
MOZAFARI,B.L . 96/05/14. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88297:344-88297:348.

--9605170026 Notice of withdrawal of application for amend to licenses DPR-71 & DPR-62 that would have provided exception to TS 3.0.4 that would have permitted operational mode change of unit if second unit in cold shutdown or refueling.
MOZAFARI,B.L . 96/05/14. 2pp. 88297:347-88297:348.

9605200153 Requests approval by NRC for plant to use portion of ASME Code,Section XI,1987 Edition,w/Operational & Maint Code OM-10a-1988,Addenda Part 10.
HICKS,G.D. Carolina Power & Light Co. 96/05/14. Document Control Branch (Document Control Desk). 6pp. 88343:186-88343:191.

9605210175 Requests addl info re GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for plant Units 1 & 2.
MOZAFARI,B. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88314:358-88314:360.

9605210202 Forwards request for addl info re GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46."
MOZAFARI,B. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 88320:351-88320:354.

9605220036 Forwards SE authorizing licensee 950807 relief request related to guage range & accuracy for use in implementing inservice testing program for pumps & valves.
IMBRO,E.V. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 2pp. 88329:346-88329:353.

--9605220043 Safety evaluation authorizing licensee 950807 request for relief related to guage range & accuracy for use in implementing inservice testing program for pumps & valves.
* . 96/05/16. 6pp. 88329:348-88329:353.

9605240207 Forwards notice of withdrawal of application for amend to licenses DPR-71 & DPR-62,which would have modified facility TS,Units 1 & 2.
MOZAFARI,B.L . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88344:213-88344:217.

--9605240208 Notice of withdrawal of application for amend to licenses DPR-71 & DPR-62,which would have modified facility TS pertaining to plant Units 1 & 2.
MOZAFARI,B.L . 96/05/16. 2pp. 88344:216-88344:217.

9605240130 Notification of 960530 meeting w/util in Rockville,MD to discuss licensee activities for reviewing & improving FSARs at all facilities.
LE,N. . 96/05/21. IMBRO,E.V. . 6pp. 88344:139-88344:144.

Q. Inspection reports, IE Bulletins & correspondence

9605060088 Forwards insp results & evaluation for Brunswick Steam Electric Plant,Unit 2,in response to GL 94-03.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88146:292-88146:363.

--9605060097 "Evaluate Results of U2 Core Shroud B212R1 Insps."
GORE,P.S. Carolina Power & Light Co. ESR 96-00154 R0. 96/02/08. 66pp. 88146:294-88146:363.

9605140471 Discusses insp repts 50-324/96-04 & 50-325/96-04 on 960218-0330.Violation noted.Violation of concern because operators did not respond in time to prevent exceeding cooldown rate limit.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/29. CAMPBELL,W.R. Carolina Power & Light Co. 5pp. 88243:124-88243:166.

--9605140483 Notice of violation from insp on 960218-0330.Violation noted:on 960203,licensee failed to limit cooldown rate to less than 100 degrees F.
* Region 2 (Post 820201). 96/04/29. 3pp. 88243:129-88243:131.

--9605140485 Insp repts 50-324/96-04 & 50-325/96-04 on 960218-0330. Violations noted.Major areas inspected:plant operations, maintenance,engineering & plant support.
PATTERSON,C.A., SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/29. 32pp. 88243:132-88243:166.

9605140510 Ack receipt of 960417 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/96-01 & 50-325/96-01.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/30. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 88243:182-88243:185.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605200243 Responds to NRC 960404 ltr re violations noted in insp rept 50-324/96-01 & 50-325/96-01.C/A:CP&L audit on performance via reconciliation of lab records.
ORSER,W.S. Carolina Power & Light Co. 96/05/03. Document Control Branch (Document Control Desk). 6pp. 88350:356-88350:361.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
CAMPBELL,W.R. Carolina Power & Light Co. 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88339:354-88339:359.

9605220036 Forwards SE authorizing licensee 950807 relief request related to guage range & accuracy for use in implementing inservice testing program for pumps & valves.
IMBRO,E.V. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 2pp. 88329:346-88329:353.

--9605220043 Safety evaluation authorizing licensee 950807 request for relief related to guage range & accuracy for use in implementing inservice testing program for pumps & valves.
* . 96/05/16. 6pp. 88329:348-88329:353.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605280149 Forwards "Form NIS-2 Owner Rept for Repairs or Replacements," as required by provisions of ASME Code Section XI.
HICKS,G.D. Carolina Power & Light Co. 96/05/20. Document Control Branch (Document Control Desk). 3pp. 88386:146-88386:154.

--9605280153 "Form NIS-2 Owner Rept for Repair or Replacements."
* Carolina Power & Light Co. 96/05/08. 6pp. 88386:149-88386:154.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605240175 Forwards SE accepting licensee 941005 request for relief from ASME B&PV Code Case N-532,Section XI, "Rules for ISI of NPP Components," IAW 10CFR50.55a(a)(3),for Units 1 & 2.
IMBRO,E.V. . 96/05/21. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88344:158-88344:165.

--9605240192 Safety evaluation accepting licensee 941005 request for relief from provisions of ASME B&PV Code Case N-532, Section XI, "Rules for ISI of NPP Components," IAW 10CFR50.55a(a)(3),for Units 1 & 2.
* . 96/05/21. 5pp. 88344:161-88344:165.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030354 Vols I,II & III "1995 Environ Operating Rept for Brunswick Steam Electric Plant,Units 1 & 2." W/960429 ltr.
LEVIS,W. Carolina Power & Light Co. 95/12/31. 282pp. 88145:001-88145:282.

9605200261 Monthly operating repts for April 1996 for BSEP.W/960514 ltr.
HARRISON,F., HICKS,G.D. Carolina Power & Light Co. 96/04/30. 11pp. 88347:270-88347:280.

S. Reportable occurrences, LERs & related correspondence

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605280158 Requests license SOP-20542-2 be terminated because individual has changed job functions within company.
CAMPBELL,W.R. Carolina Power & Light Co. 96/05/17. Document Control Branch (Document Control Desk). 1p. 88386:158-88386:158.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605010011 Forwards Rev 0 to physical security & safeguards contingency plan,incorporating vehicle measures,based on 960229 implementation date for land vehicle intrusion barrier sys at CP&L nuclear plants.Encl withheld (ref 10CFR73.21).
WALT,T.D. Carolina Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88075:357-88075:358.

9605140145 Revised EPIPs,including rev 17 to OPEP-01.0,rev 0 to OPEP-02.06.29,rev 11 to OPEP-03.8.2,rev 11 to OPEP-04.3 & rev 3 to OPEP-04.5.
NEWTON,R. Carolina Power & Light Co. 96/05/07. 94pp. 88271:001-88271:093.

9605140136 Advises that listed procedures voided & replaced by OPSCP, "Physical Security & Safeguards Contingency Plan."
HANNA,D. Carolina Power & Light Co. 96/05/08. Public Document Branch. 2pp. 88272:021-88272:022.

9605150055 Revised EPIPs,including rev 55 to 0PEP-App A, "Emergency Response Resources," rev 3 to 0PEP-02.6.27, "Activation & Operation of EOF," rev 7 to 0PEP-03.1.3, "Use of Communication Equipment" & rev 12 to 0PEP-04.2.
* Carolina Power & Light Co. 96/05/08. 137pp. 88297:001-88297:137.

9605170197 Notification of 960523 meeting w/CP&L in Rockville,MD to discuss plant FP analysis & exemption related issues.
MOZAFARI,B. . 96/05/09. IMBRO,E.V. . 4pp. 88297:356-88297:359.

9605200079 Rev 44 to Plant Operating Manual Vol XIII Radiological Emergency Response Plan (ERP).
NEWTON,R.R. Carolina Power & Light Co. 96/05/09. 45pp. 88329:243-88329:287.

I. Financial information

9605020365 Forwards 1996 internal cash flow projection for Robinson Nuclear Power Plant,Brunswick Nuclear Power Plant & Harris Nuclear Power Plant & "CP&L 1995 Annual Rept."
CONLEY,D.T. Carolina Power & Light Co. 96/04/29. RUSSELL,W.T. . 5pp. 88127:302-88127:362.

-9605020369 "CP&L 1995 Annual Rept."
FLEISHMAN,S. Carolina Power & Light Co. 95/12/31. 51pp. 88127:307-88127:362.

P. Operating license stage documents & correspondence

9605130002 Submits info re forthcoming shipment of radioactive matl in IF-300 series shipping casks to New Hill,NC,IAW 10CFR73.37.
LEVIS,W. Carolina Power & Light Co. 96/04/12. STROUD,T.C. North Carolina, State of. 3pp. 88203:354-88203:356.

9605060327 Ltr contract,mod 4 to task order 29, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88111:354-88111:355.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140150 Informs effective 960218,EV Imbro replaced DB Matthews as Director,Project Directorate II-1.
VARGA,S.A. . 96/05/06. ORSER,W.S. Carolina Power & Light Co. 4pp. 88249:356-88249:359.

9605140169 Informs of relocation of joint info ctr.
HICKS,G.D. Carolina Power & Light Co. 96/05/08. Document Control Branch (Document Control Desk). 2pp. 88272:041-88272:042.

9605170431 Forwards excerpts from draft ASP Rept for 1982-83 which documents program analyses of operational events which occurred during period.Section 2.0 & App A from rept,encl.
MOZAFARI,B. . 96/05/08. CAMPBELL,W.R. Carolina Power & Light Co. 53pp. 88294:193-88294:245.

9605170172 Notification of 960523 meeting w/CP&L in Rockville,MD to discuss plant current power upgrade,imminent conversion to revised STSs & future plans for 24-month surveillances,as indicated on encl agenda.
MOZAFARI,B. . 96/05/09. IMBRO,E.V. . 5pp. 88297:339-88297:343.

9605170022 Forwards notice of withdrawal of amend request for licenses DPR-71 & DPR-62.Proposed amend would have provided exception to TS 3.0.4. that would have permitted operational mode change of unit if second unit in cold shutdown or refueling.
MOZAFARI,B.L. . 96/05/14. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88297:344-88297:348.

-9605170026 Notice of withdrawal of application for amend to licenses DPR-71 & DPR-62 that would have provided exception to TS 3.0.4 that would have permitted operational mode change of unit if second unit in cold shutdown or refueling.
MOZAFARI,B.L. . 96/05/14. 2pp. 88297:347-88297:348.

9605200153 Requests approval by NRC for plant to use portion of ASME Code,Section XI,1987 Edition,w/Operational & Maint Code OM-10a-1988,Addenda Part 10.
HICKS,G.D. Carolina Power & Light Co. 96/05/14. Document Control Branch (Document Control Desk). 6pp. 88343:186-88343:191.

9605210175 Requests addl info re GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," for plant Units 1 & 2.
MOZAFARI,B. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88314:358-88314:360.

9605210202 Forwards request for addl info re GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46."
MOZAFARI,B. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 88320:351-88320:354.

9605220036 Forwards SE authorizing licensee 950807 relief request related to guage range & accuracy for use in implementing inservice testing program for pumps & valves.
IMBRO,E.V. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 2pp. 88329:346-88329:353.

-9605220043 Safety evaluation authorizing licensee 950807 request for relief related to guage range & accuracy for use in implementing inservice testing program for pumps & valves.
* . 96/05/16. 6pp. 88329:348-88329:353.

9605240207 Forwards notice of withdrawal of application for amend to licenses DPR-71 & DPR-62,which would have modified facility TS,Units 1 & 2.
MOZAFARI,B.L. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88344:213-88344:217.

-9605240208 Notice of withdrawal of application for amend to licenses DPR-71 & DPR-62,which would have modified facility TS pertaining to plant Units 1 & 2.
MOZAFARI,B.L. . 96/05/16. 2pp. 88344:216-88344:217.

9605240130 Notification of 960530 meeting w/util in Rockville,MD to discuss licensee activities for reviewing & improving FSARs at all facilities.
LE,N. . 96/05/21. IMBRO,E.V. . 6pp. 88344:139-88344:144.

Q. Inspection reports, IE Bulletins & correspondence

9605140471 Discusses insp repts 50-324/96-04 & 50-325/96-04 on 960218-0330.Violation noted.Violation of concern because operators did not respond in time to prevent exceeding cooldown rate limit.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/29. CAMPBELL,W.R. Carolina Power & Light Co. 5pp. 88243:124-88243:166.

-9605140483 Notice of violation from insp on 960218-0330.Violation noted:on 960203,licensee failed to limit cooldown rate to less than 100 degrees F.
* Region 2 (Post 820201). 96/04/29. 3pp. 88243:129-88243:131.

-9605140485 Insp repts 50-324/96-04 & 50-325/96-04 on 960218-0330. Violations noted.Major areas inspected:plant operations, maintenance,engineering & plant support.
PATTERSON,C.A., SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/29. 32pp. 88243:132-88243:166.

9605140510 Ack receipt of 960417 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/96-01 & 50-325/96-01.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/30. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 88243:182-88243:185.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605200243 Responds to NRC 960404 ltr re violations noted in insp rept 50-324/96-01 & 50-325/96-01.C/A:CP&L audit on performance via reconciliation of lab records.
ORSER,W.S. Carolina Power & Light Co. 96/05/03. Document Control Branch (Document Control Desk). 6pp. 88350:356-88350:361.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
CAMPBELL,W.R. Carolina Power & Light Co. 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88339:354-88339:359.

9605220036 Forwards SE authorizing licensee 950807 relief request related to guage range & accuracy for use in implementing inservice testing program for pumps & valves.
IMBRO,E.V. . 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 2pp. 88329:346-88329:353.

--9605220043 Safety evaluation authorizing licensee 950807 request for relief related to guage range & accuracy for use in implementing inservice testing program for pumps & valves.
* . 96/05/16. 6pp. 88329:348-88329:353.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605240175 Forwards SE accepting licensee 941005 request for relief from ASME B&PV Code Case N-532,Section XI, "Rules for ISI of NPP Components," IAW 10CFR50.55a(a)(3),for Units 1 & 2.
IMBRO,E.V. . 96/05/21. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88344:158-88344:165.

--9605240192 Safety evaluation accepting licensee 941005 request for relief from provisions of ASME B&PV Code Case N-532, Section XI, "Rules for ISI of NPP Components," IAW 10CFR50.55a(a)(3),for Units 1 & 2.
* . 96/05/21. 5pp. 88344:161-88344:165.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030354 Vols I,II & III "1995 Environ Operating Rept for Brunswick Steam Electric Plant,Units 1 & 2." W/960429 ltr.
LEVIS,W. Carolina Power & Light Co. 95/12/31. 282pp. 88145:001-88145:282.

9605200261 Monthly operating repts for April 1996 for BSEP.W/960514 ltr.
HARRISON,F., HICKS,G.D. Carolina Power & Light Co. 96/04/30. 11pp. 88347:270-88347:280.

S. Reportable occurrences, LERs & related correspondence

9605160268 LER 96-005-00:on 960410,six chlorine sensors failed to meet response time requirements.Caused by decreased sensor sensitivity.Failed sensors replaced by 960411.W/960509 ltr.
TABOR,S., LEVIS,W. Carolina Power & Light Co. 96/05/09. 6pp. 88326:249-88326:254.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605280158 Requests license SOP-20542-2 be terminated because individual has changed job functions within company.
CAMPBELL,W.R. Carolina Power & Light Co. 96/05/17. Document Control Branch (Document Control Desk). 1p. 88386:158-88386:158.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605150030 Forwards insp repts 50-327/96-06 & 50-328/96-06 on 960410-11.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88266:002-88266:005.

--9605150036 Partially withheld insp repts 50-327/96-06 & 50-328/96-06 on 960410-11 (ref 10CFR73.21).No violations noted.Major areas inspected:licensee implementation of land vehicle control measures.Contains safeguards info.
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/05/07. 1p. 88266:005-88266:005.

9605300025 Rev 7 to Central Emergency Control Ctr EPIP-18, "Transportation & Staffing Under Abnormal Conditions." W/ 960520 ltr.
CATRON,N. Tennessee Valley Authority. 96/05/20. 18pp. 88395:339-88395:356.

P. Operating license stage documents & correspondence

9605010085 Provides addl info for ASME Section XI relief request.
SHELL,R.H. Tennessee Valley Authority. 96/04/24. Document Control Branch (Document Control Desk). 4pp. 88073:350-88073:353.

9605010304 Forwards amends 221 & 212 to licenses DPR-77 & DPR-79, respectively & safety evaluation.Amends revise allowable value for RCS LOF RT SP from greater than or equal to 89.4% to greater than or equal to 89.6%.
LABARGE,D.E. . 96/04/26. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 88067:275-88067:288.

--9605010306 Amends 221 & 212 to licenses DPR-77 & DPR-79 revising allowable value for RCS loss of flow reactor trip setpoint from greater than or equal to 89.4% to greater than or equal to 89.6%.
HEBDON,F.J. . 96/04/26. 9pp. 88067:276-88067:284.

--9605010309 Safety evaluation supporting amends 221 & 212 to licenses DPR-77 & DPR-79,respectively.
* . 96/04/26. 4pp. 88067:285-88067:288.

9605100026 Requests insps or investigations as necessary to reasonably prove or disprove concerns re allegation RII-96-A-0036.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/26. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 88190:042-88190:045.

9605030300 Forwards "Annual Radioactive Effluent Release Rept for Period of Jan-Dec 1995," "Radiological Impact Assessment Rept Sequoyah Nuclear Plant Jan-Dec 1995" & Rev 37 to "Sequoyah Nuclear Plant ODCM."
SHELL,R.H. Tennessee Valley Authority. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88144:001-88144:240.

--9605030310 Rev 37 to "Sequoyah Nuclear Plant ODCM."
ADAMS,D. Tennessee Valley Authority. 95/11/03. 166pp. 88144:075-88144:240.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605130412 Confirms telephone conversation between R Shell & M Lesser on 960329,concerning meeting scheduled for 960529 to discuss operational performance of plant.Meeting to be held at region II ofc.
LESSER,M.S. Region 2 (Post 820201). 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88212:076-88212:078.

9605130314 Documents completion of mods associated w/TS Amends 182,188, 207 & 219 for SNP Unit 1 & Amends 174,180,197 & 209 for SNP Unit 2.Mods associated w/ amends completed on 960401.
SHELL,R.H. Tennessee Valley Authority. 96/05/07. Document Control Branch (Document Control Desk). 2pp. 88249:312-88249:313.

Q. Inspection reports, IE Bulletins & correspondence

9605140052 Forwards insp repts 50-327/96-02 & 50-328/96-02 on 960218-0330 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/04/22. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 88222:036-88222:098.

--9605140055 Notice of violation from insp on 960218-0330.Violations noted:failure to provide approved procedure for operating "B" train component cooling sys return isolation valve.
* Region 2 (Post 820201). 96/04/22. 3pp. 88222:042-88222:044.

--9605140061 Insp repts 50-327/96-02 & 50-328/96-02 on 960218-0330. Violations noted.Major areas inspected:plant operations, maintenance observations,engineering,plant support & effectiveness of licensee controls in identifying problems.
HOLLAND,W.E., LESSES,M.S. Region 2 (Post 820201). 96/04/22. 53pp. 88222:045-88222:098.

9605100026 Requests insps or investigations as necessary to reasonably prove or disprove concerns re allegation RII-96-A-0036.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/26. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 88190:042-88190:045.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150030 Forwards insp repts 50-327/96-06 & 50-328/96-06 on 960410-11.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88266:002-88266:005.

--9605150036 Partially withheld insp repts 50-327/96-06 & 50-328/96-06 on 960410-11 (ref 10CFR73.21).No violations noted.Major areas inspected:licensee implementation of land vehicle control measures.Contains safeguards info.
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/05/07. 1p. 88266:005-88266:005.

9605150263 Forwards response to NRC request for addl info on "Second 10-Yr Interval ISI Program Plan," reflecting info discussed w/NRC staff & ID Natl Engineering Lab staff during 960304 & 18 telcons.
SHELL,R.H. Tennessee Valley Authority. 96/05/09. Document Control Branch (Document Control Desk). 350pp. 88322:001-88323:146.

9605150073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment." TVA currently has plans for only one licensing amend re NUREG-0612, "Control of Heavy...."
BARON,R.R. Tennessee Valley Authority. 96/05/13. Document Control Branch (Document Control Desk). 11pp. 88289:258-88289:268.

9605170314 Forwards SE accepting inservice insp program relief request for snubber insp.
HEBDON,F.J. . 96/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 88301:355-88301:360.

--9605170323 Safety evaluation accepting proposed alternatives re snubber insp program.
* . 96/05/16. 4pp. 88301:357-88301:360.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280172 Forwards response to violations noted in Insp Repts 50-327/96-02 & 50-328/96-02.Corrective actions:equipment damaged by overflow through relief valve repaired & returned to svc.
ADNEY,R.J. Tennessee Valley Authority. 96/05/22. Document Control Branch (Document Control Desk). 8pp. 88386:135-88386:142.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020117 "Annual Radiological Environ Operating Rept Sequoyah Nuclear Plant 1995." W/960426 ltr.
SHELL,R.H. Tennessee Valley Authority. 95/12/31. 123pp. 88083:227-88083:349.

9605030300 Forwards "Annual Radioactive Effluent Release Rept for Period of Jan-Dec 1995," "Radiological Impact Assessment Rept Sequoyah Nuclear Plant Jan-Dec 1995" & Rev 37 to "Sequoyah Nuclear Plant ODCM."
SHELL,R.H. Tennessee Valley Authority. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88144:001-88144:240.

--9605030302 "Annual Radioactive Effluent Release Rept for Period of Jan- Dec 1995."
* Tennessee Valley Authority. 95/12/31. 26pp. 88144:003-88144:028.

--9605030307 "Radiological Impact Assessment Sequoyah Nuclear Plant Jan- Dec 1995."
* Tennessee Valley Authority. 95/12/31. 46pp. 88144:029-88144:074.

--9605030310 Rev 37 to "Sequoyah Nuclear Plant ODCM."
ADAMS,D. Tennessee Valley Authority. 95/11/03. 166pp. 88144:075-88144:240.

9605220003 Monthly operating rept for Apr 1996 for Sequoyah Unit 1 & 2. W/960515 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 96/04/30. 10pp. 88359:186-88359:195.

S. Reportable occurrences, LERs & related correspondence

9605300221 Forwards excerpts from draft Accident Sequence Precursor (ASP) rept re ASP Program analyses of operational events which occurred during period 1982-83.
HERNAN,R.W. . 96/05/28. KINGSLEY,O.D. Tennessee Valley Authority. 37pp. 88389:176-88389:212.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605150030 Forwards insp repts 50-327/96-06 & 50-328/96-06 on 960410-11.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88266:002-88266:005.

--9605150036 Partially withheld insp repts 50-327/96-06 & 50-328/96-06 on 960410-11 (ref 10CFR73.21).No violations noted.Major areas inspected:licensee implementation of land vehicle control measures.Contains safeguards info.
THOMPSON,D.H. Region 2 (Post 820201). 96/05/07. 1p. 88266:005-88266:005.

9605300025 Rev 7 to Central Emergency Control Ctr EPIP-18, "Transportation & Staffing Under Abnormal Conditions." W/ 960520 ltr.
CATRON,N. Tennessee Valley Authority. 96/05/20. 18pp. 88395:339-88395:356.

P. Operating license stage documents & correspondence

9605010085 Provides addl info for ASME Section XI relief request.
SHELL,R.H. Tennessee Valley Authority. 96/04/24. Document Control Branch (Document Control Desk). 4pp. 88073:350-88073:353.

9605010304 Forwards amends 221 & 212 to licenses DPR-77 & DPR-79, respectively & safety evaluation.Amends revise allowable value for RCS LOF RT SP from greater than or equal to 89.4% to greater than or equal to 89.6%.
LABARGE,D.E. . 96/04/26. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 88067:275-88067:288.

--9605010306 Amends 221 & 212 to licenses DPR-77 & DPR-79 revising allowable value for RCS loss of flow reactor trip setpoint from greater than or equal to 89.4% to greater than or equal to 89.6%.
HEBDON,F.J. . 96/04/26. 9pp. 88067:276-88067:284.

--9605010309 Safety evaluation supporting amends 221 & 212 to licenses DPR-77 & DPR-79,respectively.
* . 96/04/26. 4pp. 88067:285-88067:288.

9605100026 Requests insps or investigations as necessary to reasonably prove or disprove concerns re allegation RII-96-A-0036.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/26. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 88190:042-88190:045.

9605030300 Forwards "Annual Radioactive Effluent Release Rept for Period of Jan-Dec 1995," "Radiological Impact Assessment Rept Sequoyah Nuclear Plant Jan-Dec 1995" & Rev 37 to "Sequoyah Nuclear Plant ODCM."
SHELL,R.H. Tennessee Valley Authority. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88141:001-88141:240.

--9605030310 Rev 37 to "Sequoyah Nuclear Plant ODCM."
ADAMS,D. Tennessee Valley Authority. 95/11/03. 166pp. 88144:075-88144:240.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605130412 Confirms telephone conversation between R Shell & M Lesser on 960329,concerning meeting scheduled for 960529 to discuss operational performance of plant.Meeting to be held at region II ofc.
LESSER,M.S. Region 2 (Post 820201). 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88212:076-88212:078.

9605130314 Documents completion of mods associated w/TS Amends 182,188, 207 & 219 for SNP Unit 1 & Amends 174,180,197 & 209 for SNP Unit 2.Mods associated w/ amends completed on 960401.
SHELL,R.H. Tennessee Valley Authority. 96/05/07. Document Control Branch (Document Control Desk). 2pp. 88249:312-88249:313.

9605280167 Forwards Rev 0 to "Sequoyah Nuclear Plant Unit 2,Cycle 8 COLR."
SHELL,R.H. Tennessee Valley Authority. 96/05/21. Document Control Branch (Document Control Desk). 3pp. 88384:329-88384:345.

--9605280169 Rev 0 to "Sequoyah Nuclear Plant Unit 2,Cycle 8 COLR."
* Tennessee Valley Authority. 96/05/03. 14pp. 88384:332-88384:345.

Q. Inspection reports, IE Bulletins & correspondence

9605140052 Forwards insp repts 50-327/96-02 & 50-328/96-02 on 960218-0330 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/04/22. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 88222:036-88222:098.

--9605140055 Notice of violation from insp on 960218-0330.Violations noted:failure to provide approved procedure for operating "B" train component cooling sys return isolation valve.
* Region 2 (Post 820201). 96/04/22. 3pp. 88222:042-88222:044.

--9605140061 Insp repts 50-327/96-02 & 50-328/96-02 on 960218-0330. Violations noted.Major areas inspected:plant operations, maintenance observations,engineering,plant support & effectiveness of licensee controls in identifying problems.
HOLLAND,W.E., LESSES,M.S. Region 2 (Post 820201). 96/04/22. 53pp. 88222:045-88222:098.

9605100026 Requests insps or investigations as necessary to reasonably prove or disprove concerns re allegation RII-96-A-0036.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/26. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 88190:042-88190:045.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150030 Forwards insp repts 50-327/96-06 & 50-328/96-06 on 960410-11.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88266:002-88266:005.

--9605150036 Partially withheld insp repts 50-327/96-06 & 50-328/96-06 on 960410-11 (ref 10CFR73.21).No violations noted.Major areas inspected:licensee implementation of land vehicle control measures.Contains safeguards info.
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/05/07. 1p. 88266:005-88266:005.

9605150263 Forwards response to NRC request for addl info on "Second 10-Yr Interval ISI Program Plan," reflecting info discussed w/NRC staff & ID Natl Engineering Lab staff during 960304 & 18 telcons.
SHELL,R.H. Tennessee Valley Authority. 96/05/09. Document Control Branch (Document Control Desk). 350pp. 88322:001-88323:146.

9605150073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment." TVA currently has plans for only one licensing amend re NUREG-0612, "Control of Heavy...."
BARON,R.R. Tennessee Valley Authority. 96/05/13. Document Control Branch (Document Control Desk). 11pp. 88289:258-88289:268.

9605170314 Forwards SE accepting inservice insp program relief request for snubber insp.
HEBDON,F.J. . 96/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 88301:355-88301:360.

–**9605170323** Safety evaluation accepting proposed alternatives re snubber insp program.
*. 96/05/16. 4pp. 88301:357-88301:360.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280172 Forwards response to violations noted in Insp Repts 50-327/96-02 & 50-328/96-02.Corrective actions:equipment damaged by overflow through relief valve repaired & returned to svc.
ADNEY,R.J. Tennessee Valley Authority. 96/05/22. Document Control Branch (Document Control Desk). 8pp. 88386:135-88386:142.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020117 "Annual Radiological Environ Operating Rept Sequoyah Nuclear Plant 1995." W/960426 ltr.
SHELL,R.H. Tennessee Valley Authority. 95/12/31. 123pp. 88083:227-88083:349.

9605030300 Forwards "Annual Radioactive Effluent Release Rept for Period of Jan-Dec 1995," "Radiological Impact Assessment Rept Sequoyah Nuclear Plant Jan-Dec 1995" & Rev 37 to "Sequoyah Nuclear Plant ODCM."
SHELL,R.H. Tennessee Valley Authority. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88144:001-88144:240.

–**9605030302** "Annual Radioactive Effluent Release Rept for Period of Jan- Dec 1995."
* Tennessee Valley Authority. 95/12/31. 26pp. 88144:003-88144:028.

–**9605030307** "Radiological Impact Assessment Sequoyah Nuclear Plant Jan- Dec 1995."
* Tennessee Valley Authority. 95/12/31. 46pp. 88144:029-88144:074.

9605220003 Monthly operating rept for Apr 1996 for Sequoyah Unit 1 & 2. W/960515 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 96/04/30. 10pp. 88359:186-88359:195.

S. Reportable occurrences, LERs & related correspondence

9605230144 LER 96-001-00:on 960418,inadvertent ESF actuation & loss of power signal & load sequencing occurred during maint. Caused by personnel error.Individual involved in event was counseled & lessons were discussed.W/960517 ltr.
BAJRASZCWSKI,J., ADNEY,R.J. Tennessee Valley Authority. 96/05/17. 7pp. 88389:151-88389:157.

9605210503 Informs that four pumps uncoupled & backseated during Unit 2 Cycle 7 refueling outage on 960424.Licensee & pump vendor,W, concluded that shaft failure to backseat properly most likely caused by lodged debris or backseat damage.
* NRC - No Detailed Affiliation Given. 96/05/20. 8pp. 88308:344-88308:351.

9605300221 Forwards excerpts from draft Accident Sequence Precursor (ASP) rept re ASP Program analyses of operational events which occurred during period 1982-83.
HERNAN,R.W. . 96/05/28. KINGSLEY,O.D. Tennessee Valley Authority. 37pp. 88389:176-88389:212.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9605020173 Notification of 960508 meeting w/util in Rockville,MD to discuss revised EALs.
KELLY,G.B. . 96/05/01. MARCUS,G.H. . 2pp. 88098:351-88098:352.

9605160205 Forwards FEMA correspondence dtd 960419 transmitting to State of Iowa two deficiencies re 960409-10 Emergency Preparedness Exercise at Duane Arnold Energy Ctr.
CREED,J.R. Region 3 (Post 820201). 96/05/06. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 4pp. 88275:357-88275:360.

9605280142 Forwards insp rept 50-331/96-03 on 960309-0419.No violations noted.
LANKSBURY,R.D. Region 3 (Post 820201). 96/05/14. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 88349:338-88349:358.

–**9605280144** Insp rept 50-331/96-03 on 960309-0419.No violations noted. Major areas inspected:plant operations,maint,surveillance, onsite engineering,plant support,fire protection & evaluation of emergency exercise.
LANKSBURY,R.D. Region 3 (Post 820201). 96/05/14. 19pp. 88349:340-88349:358.

9605290021 Summary of 960508 meeting w/IES Utilities Inc to discuss revs to plant EALs.List of attendees & draft responses to RAI encl.
KELLY,G.B. . 96/05/21. . 25pp. 88392:145-88392:169.

I. Financial information

9605140190 Forwards 1995 annual financial repts for owners of Duane Arnold Energy Ctr,including IES Utils,Inc,Corn Belt Power Cooperative & Central IA Power Cooperative.
BESSETTE,P.M. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/05/07. RUSSELL,W.T. . 2pp. 88277:220-88277:336.

–**9605140198** "1995 Annual Rept Corn Belt Power Cooperative."
DRAGER,E. Corn Belt Power Cooperative. 95/12/31. 32pp. 88277:222-88277:253.

–**9605140201** "Central IA Power Cooperative 1995 Annual Rept."
NEWMAN,D.R. Central Iowa Power Cooperative. 95/12/31. 33pp. 88277:254-88277:286.

–**9605140209** "IES Industries 1995 Annual Rept."
LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/12/31. 50pp. 88277:287-88277:336.

P. Operating license stage documents & correspondence

9605060158 Ltr contract:mod 6 to task order 14, "IPE Reviews - Internal Events - Human Factors Only (Duane Arnold)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88116:356-88116:357.

9605070267 Submits info supporting util application for partial exemption from 10CFR171 Annual Fee for FY96.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 9pp. 88174:177-88174:185.

9605020166 Discusses request for relief for pump inservice testing program for Duane Arnold Energy Ctr.
KELLY,G.B. . 96/04/30. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 1p. 88096:360-88096:360.

9605020169 Notification of 960506 meeting w/IES Util,Inc in Rockville, MD to discuss possible noble netals injection into Duane Arnold Energy Ctr reactor coolant sys.
KELLY,G.B. . 96/04/30. MARCUS,G.H. . 2pp. 88083:350-88083:351.

9605030385 Revised notification of 960508 meeting w/util in Rockville,MD to discuss revised EALs.
KELLY,G.B. . 96/05/01. MARCUS,G.H. . 4pp. 88098:356-88098:359.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100110 Advises that util 960219 request for postponement of recalibr of ECP measurements acceptable & plant does not have to calibr external ECP measurements against in situ ECP measurements for fuel cycle 14.
KELLY,G.B. . 96/05/07. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 88207:277-88207:278.

9605210394 Ack receipt of 10CFR50.54(a) submittal dtd 960318,which proposed changes to quality assurance program description. Informs that NRC approval required prior to implementation of proposed changes.
GARDNER,R.N. Region 3 (Post 820201). 96/05/15. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 1p. 88305:219-88305:219.

9605230199 Forwards SE accepting license proposed implementation of Option 1-D at plant.
PHILLIPS,L.E. . 96/05/20. KELLY,G. . 1p. 88326:347-88326:353.

-9605230201 SER accepting methodology used & movement of exclusion region to COLR.
* . 96/05/20. 6pp. 88326:348-88326:353.

9605290101 Summary of 960506 meeting w/IES Utils & GE Nuclear Energy to discuss injection of noble metals into DAEC RCS to enhance HWC.W/handout.
KELLY,G.B. . 96/05/22. . 22pp. 88375:309-88375:330.

Q. Inspection reports, IE Bulletins & correspondence

9605030372 Forwards Rev 0 to "Third Ten-Yr Insp Interval ISI Plan for DAEC Palo,IA." Util request approval of relief requests & plan by 961010.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/26. RUSSELL,W.T. . 12pp. 88130:001-88131:089.

-9605030375 Rev 0 to "Third Ten-Yr Insp Interval ISI Plan for DAEC Palo, IA."
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/03/15. 439pp. 88130:014-88131:089.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170252 Responds to notice of violations from Insp Rept 50-331/96-02.Corrective actions taken:special order issued on 960313 to provide guidance to personnel involved w/planning,scheduling & implementation of EMAs.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/05/09. Document Control Branch (Document Control Desk). 6pp. 88316:288-88316:293.

9605170273 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/05/10. Document Control Branch (Document Control Desk). 8pp. 88316:335-88316:342.

9605280142 Forwards insp rept 50-331/96-03 on 960309-0419.No violations noted.
LANKSBURY,R.D. Region 3 (Post 820201). 96/05/14. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 88349:338-88349:358.

-9605280144 Insp rept 50-331/96-03 on 960309-0419.No violations noted. Major areas inspected:plant operations,maint,surveillance, onsite engineering,plant support,fire protection & evaluation of emergency exercise.
LANKSBURY,R.D. Region 3 (Post 820201). 96/05/14. 19pp. 88349:340-88349:358.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605200088 Monthly operating rept for Apr 1996 for Duane Arnold Energy Center.W/ 960510 ltr.
WOODWARD,R., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/30. 6pp. 88351:054-88351:059.

S. Reportable occurrences, LERs & related correspondence

9605100194 LER 96-002-00:on 960408,PCIS Half Group III isolation occurred due to blown fuse during maint.Reviewed event w/ maint technicians to reinforce need to secure loose cables during maint activities.W/960506 ltr.
KERR,J., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/05/06. MILLER,H.J. Region 3 (Post 820201). 4pp. 88247:298-88247:301.

9605140280 LER 96-002-00:on 960408,PCIS half group III isolation occurred due to blown fuse during maint.Fuse was replaced & radiation monitor was tested.W/960506 ltr.
KERR,J., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/05/06. 4pp. 88288:034-88288:037.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9605090031 Forwards revised emergency plan & EPIPs.
* Power Authority of the State of New York (New York Power Authority). 96/04/30. NRC - No Detailed Affiliation Given. 1pp. 88396:005-88396:105.

-9605090036 Revised EPIPs,including rev 12 to SAP-6 & rev 11 to SAP-20.
* Power Authority of the State of New York (New York Power Authority). 96/04/30. 57pp. 88396:006-88396:052.

-9605090040 Revised emergency plan.
* Power Authority of the State of New York (New York Power Authority). 96/04/30. 42pp. 88396:053-88396:077.

-9605090044 "Oswego County Emergency Planning for 1996."
JERRETT,T. Oswego County, NY. 96/04/30. 27pp. 88396:078-88396:105.

9605080242 Forwards insp rept 50-333/96-04 on 960415-18.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/01. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 2pp. 88137:001-88137:009.

-9605080246 Insp rept 50-333/96-04 on 960415-18.No violations noted. Major areas inspected:site access authorization program, including,program administration & organization & denial/ revocation of unescorted access.
* Region 1 (Post 820201). 96/05/01. 7pp. 88137:003-88137:009.

9605130304 Forwards insp rept 50-333/96-02 on 960218-0406 & NOV.
COWGILL,C.J. Region 1 (Post 820201). 96/05/03. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 4pp. 88204:274-88204:296.

-9605130313 Insp rept 50-333/96-02 on 960218-0406.Violations noted.Major areas inspected:plant operations,maint,engineering,plant support & QA/Safety verification.
COWGILL,C.J. Region 1 (Post 820201). 96/05/03. 17pp. 88204:280-88204:296.

9605220172 Advises that Rev 17 to physical sercurity plan & Rev 4 to safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
SMITH,G. Region 1 (Post 820201). 96/05/14. JOSIGER,W. Power Authority of the State of New York (New York Power Authority). 3pp. 88359:118-88359:120.

9605230048 Forwards application for amend to Tech Specs re PORC review of Fire Protection Program & implementing prodedures.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/16. Document Control Branch (Document Control Desk). 4pp. 88362:342-88362:357.

-9605230050 Application for amend to License DPR-59,deleting requirement for PORC to review fire protection program & implementing procedures.Addl deletion of insp & audit requirements of Specs 6.14.A & 6.14.B.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/16. 11pp. 88362:344-88362:354.

--9605230052 Proposed tech specs re deletion of requirement for PORC to review fire protection program & implementing procedures. Addl deletion of insp & audit requirements of specs 6.14.A & 6.14.B.
* Power Authority of the State of New York (New York Power Authority). 96/05/16. 3pp. 88362:355-88362:357.

9605240075 Forwards revised emergency plan & EPIPs.
* Power Authority of the State of New York (New York Power Authority). 96/05/17. NRC - No Detailed Affiliation Given. 1p. 88372:300-88372:353.

--9605240078 Revised emergency plan,including update list,Rev 29 to Section 5 & Rev 18 to Section 6.
* Power Authority of the State of New York (New York Power Authority). 96/05/17. 19pp. 88372:301-88372:319.

--9605240082 Revised EPIPs,including Rev 31 to EAP-8,Rev 69 to EAP-17,Rev 31 to EAP-43,Rev 48 to SAP-3 & Rev 29 to SAP-7.
* Power Authority of the State of New York (New York Power Authority). 96/05/17. 34pp. 88372:320-88372:353.

J. Insurance & indemnity information

9605160488 Forwards certified cash flow for 1995-96 as required by 10CFR140.21(e).
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/13. Document Control Branch (Document Control Desk). 3pp. 88318:358-88318:360.

P. Operating license stage documents & correspondence

9605070276 Forwards application for amend to license & TS re changes to TS,incorporating Option B to 10CFR50,App J.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88171:243-88171:314.

--9605070280 Application for amend to license DPR-59,supporting adoption of primary containment LRT requirements of Option B to 10CFR50,App J & clarifying numerical value of allowable containment leakage rate as 1.5% per day.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/24. 1p. 88171:246-88171:246.

--9605070282 Proposed tech specs,supporting adoption of primary containment LRT requirements of Option B to 10CFR50,App J & clarifying numerical value of allowable containment leakage rate as 1.5% per day.
* Power Authority of the State of New York (New York Power Authority). 96/04/24. 68pp. 88171:247-88171:314.

9605020205 Informs of extension of second 10-yr ISI & IST intervals by period of nine months.Extension being applied to third period of second interval currently scheduled to end Sept 1996.Addl nine months extends interval through June 1997.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88135:133-88135:134.

9605020267 Forwards response to NRC 960418 RAI re proposed T Change Request (JPTS-95-007) dtd 960125,proposing to revise allowed out-of-service times for single inoperable EDGs to accommodate on-line maint of EDGs.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/26. Document Control Branch (Document Control Desk). 8pp. 88126:342-88126:349.

9605070301 Submits revised response to Rev 1,Suppl 1 GL 92-01, "RV Structural Integrity."
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/02. Document Control Branch (Document Control Desk). 7pp. 88174:168-88174:174.

9605150430 Forwards Demand for Info resulting from investigation by NRC OI,which concluded that recipient knowingly directed another employee to falsify site entry log & provide dosimeter to employee assigned to someone else.
MARTIN,T.T. Region 1 (Post 820201). 96/05/02. Affiliation Not Assigned. 5pp. 88267:176-88267:189.

--9605160297 Demand for Info.* Demands that specified info be submitted under oath or affirmation within 30 days of date of demand.
MARTIN,T.T. Region 1 (Post 820201). 96/05/02. 4pp. 88267:181-88267:189.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170389 Forwards notice of consideration of issuance of amend to license DPR-59,proposed NSHC determination & opportunity for hearing.Amend revises plant TSs to allow RCS pressure tests to be performed while remaining in Cold Shutdown Mode.
COTTON,K.R. . 96/05/15. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 88301:344-88301:354.

--9605170392 Notice of consideration of issuance of amend to license DPR-59 & proposed NSHC determination & opportunity for hearing.Amend revises plant TSs to allow RCS pressure tests to be performed while remaining in Cold Shutdown Mode.
COTTON,K.R. . 96/05/14. 8pp. 88301:347-88301:354.

9605230048 Forwards application for amend to Tech Specs re PORC review of Fire Protection Program & implementing prodedures.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/16. Document Control Branch (Document Control Desk). 4pp. 88362:342-88362:357.

--9605230050 Application for amend to License DPR-59,deleting requirement for PORC to review fire protection program & implementing procedures.Addl deletion of insp & audit requirements of Specs 6.14.A & 6.14.B.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/16. 11pp. 88362:344-88362:354.

--9605230052 Proposed tech specs re deletion of requirement for PORC to review fire protection program & implementing procedures. Addl deletion of insp & audit requirements of specs 6.14.A & 6.14.B.
* Power Authority of the State of New York (New York Power Authority). 96/05/16. 3pp. 88362:355-88362:357.

9605280123 Discusses 960424 meeting held in King of Prussia,PA to discuss SRV performance issues w/BWR licensees.Ack presentations by G Ottman & S Anderson of PASNY & forwards presentation matls.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 79pp. 88349:236-88349:314.

Q. Inspection reports, IE Bulletins & correspondence

9605020205 Informs of extension of second 10-yr ISI & IST intervals by period of nine months.Extension being applied to third period of second interval currently scheduled to end Sept 1996.Addl nine months extends interval through June 1997.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88135:133-88135:134.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605030220 Informs that review of augmented ISI program has not been completed.Proposed test program for hot rolled XM-19 matls have adequate resistance to IGSCC,provided that listed conditions incorporated into test program.
COTTON,K.R. . 96/05/01. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 88102:351-88102:355.

9605080242 Forwards insp rept 50-333/96-04 on 960415-18.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/01. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 2pp. 88137:001-88137:009.

--9605080246 Insp rept 50-333/96-04 on 960415-18.No violations noted. Major areas inspected:site access authorization program, including,program administration & organization & denial/ revocation of unescorted access.
* Region 1 (Post 820201). 96/05/01. 7pp. 88137:003-88137:009.

9605140418 Discusses investigation rept 1-95-005 on 960120-960213 & forwards notice of violation.Violation demonstrates importance of maintaining complete & accurate info & assuring individuals entering areas have proper dosimetry.
MARTIN,T.T. Region 1 (Post 820201). 96/05/02. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 4pp. 88242:312-88242:317.

--9605140429 Notice of violation from insp on 950120-960213.Violation noted:on 950117,info required by Commission regulations & license conditions to be maintained by licensee,not accurate in all matl aspects.
* Region 1 (Post 820201). 96/05/02. 2pp. 88242:316-88242:317.

9605140442 Discusses investigation rept 1-95-005 on 950120-960213 which had been conducted to determine if licensee & Project Manager for NAB Construction Corp,deliberately violated radiation work permit program procedures at facility.
MARTIN,T.T. Region 1 (Post 820201). 96/05/02. BRABSON,D. Affiliation Not Assigned. 7pp. 88242:344-88242:350.

9605130304 Forwards insp rept 50-333/96-02 on 960218-0406 & NOV.
COWGILL,C.J. Region 1 (Post 820201). 96/05/03. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 4pp. 88204:274-88204:296.

--9605130310 Notice of violation from insp on 960218-0406.Violation noted:requirements for maintaining sys & component cleanliness not met in that matl found in pneumatic supply lines & maint for solenoid valves for SRVs not performed.
* Region 1 (Post 820201). 96/05/03. 2pp. 88204:278-88204:279.

--9605130313 Insp rept 50-333/96-02 on 960218-0406.Violations noted.Major areas inspected:plant operations,maint,engineering,plant support & QA/Safety verification.
COWGILL,C.J. Region 1 (Post 820201). 96/05/03. 17pp. 88204:280-88204:296.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150074 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment," dtd 960411.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88289:269-88289:275.

9605200456 Requests NRC approval of proposed changes to insp program for reactor vessel feedwater nozzles at plant.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/16. Document Control Branch (Document Control Desk). 8pp. 88342:010-88342:017.

9605230048 Forwards application for amend to Tech Specs re PORC review of Fire Protection Program & implementing prodedures.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/16. Document Control Branch (Document Control Desk). 4pp. 88362:342-88362:357.

--9605230050 Application for amend to License DPR-59,deleting requirement for PORC to review fire protection program & implementing procedures.Addl deletion of insp & audit requirements of Specs 6.14.A & 6.14.B.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/05/16. 11pp. 88362:344-88362:354.

--9605230052 Proposed tech specs re deletion of requirement for PORC to review fire protection program & implementing procedures. Addl deletion of insp & audit requirements of specs 6.14.A & 6.14.B.
* Power Authority of the State of New York (New York Power Authority). 96/05/16. 3pp. 88362:355-88362:357.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070154 "JA FitzPatrick Nuclear Power Plant,Radiological Environ Operating Rept for 1995." W/960429 ltr.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 95/12/31. MARTIN,T.T. Region 1 (Post 820201). 199pp. 88194:118-88194:316.

9605140278 Monthly operating status rept for Apr 1996 for JA FitzPatrick Nuclear Power Plant.W/960506 ltr.
FLAGG,R., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/04/30. 5pp. 88268:314-88268:318.

S. Reportable occurrences, LERs & related correspondence

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605130404 Forwards excerpts from draft Accident Sequence Precursor Rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during period 1982-83.
BRINKMAN,D.S. . 96/05/07. CROSS,J.E. Duquesne Light Co. 27pp. 88224:314-88224:340.

P. Operating license stage documents & correspondence

9605020168 Forwards RAI re elimination of insp of reactor coolant pump flywheels (WCAP-14535).
BRINKMAN,D.S. . 96/05/01. CROSS,J.E. Duquesne Light Co. 5pp. 88098:346-88098:350.

9605060144 Forwards SE accepting flaw indication in RCS cold leg pipe weld.
BRINKMAN,D.S. . 96/05/01. CROSS,J.E. Duquesne Light Co. 4pp. 88104:046-88104:054.

--9605060152 Safety evaluation accepting flaw indication in RCS cold leg pipe weld.
* . 96/05/01. 5pp. 88104:050-88104:054.

9605060190 Forwards amends 199 & 81 to licenses DPR-66 & NPF-73 & SE, respectively.Amends modify Tables 3.3-11 & 4.3-7 of BVPS-1 & BVPS-2 TS 3.3.3.8.
BRINKMAN,D.S. . 96/05/01. CROSS,J.E. Duquesne Light Co. 3pp. 88111:326-88111:342.

--9605060194 Amends 199 & 81 to licenses DPR-66 & NPF-73,respectively, modifying Tables 3.3-11 & 4.3-7 of BVPS-1 & BVPS-2 TS 3.3.3.8.
STOLZ,J.F. . 96/05/01. 11pp. 88111:329-88111:339.

--9605060196 Safety evaluation supporting amends 199 & 81 to licenses DPR-66 & NPF-73,respectively.
* . 96/05/01. 3pp. 88111:340-88111:342.

9605070251 Forwards "Beaver Valley Unit 1 Cycle 12 COLR."
JAIN,S.C. Duquesne Light Co. 96/05/01. Document Control Branch (Document Control Desk). 4pp. 88199:159-88199:168.

--9605070253 "Beaver Valley Unit 1 Cycle 12 COLR."
* Duquesne Light Co. 96/05/01. 6pp. 88199:163-88199:168.

9605080195 Submits follow-up info re util evaluation of indication identified during NDE of Class 1 austenitic piping.
JAIN,S.C. Duquesne Light Co. 96/05/01. Document Control Branch (Document Control Desk). 2pp. 88210:358-88210:359.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100040 Forwards amend 200 to license DPR-66 & safety evaluation. Amend revises TS 4.6.2.2.d to delete ref to specific test acceptance criteria for Containment Recirculation Spray Pumps.
BRINKMAN,D.S. . 96/05/07. CROSS,J.E. Duquesne Light Co. 3pp. 88207:167-88207:179.

--9605100045 Amend 200 to license DPR-66,revising TS 4.6.2.2.d to delete ref to specific test acceptance criteria for Containment Recirculation Spray Pumps.
STOLZ,J.F. . 96/05/07. 7pp. 88207:170-88207:176.

--9605100055 Safety evaluation supporting amend 200 to license DPR-66.
* . 96/05/07. 3pp. 88207:177-88207:179.

9605130404 Forwards excerpts from draft Accident Sequence Precursor Rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during period 1982-83.
BRINKMAN,D.S. . 96/05/07. CROSS,J.E. Duquesne Light Co. 27pp. 88224:314-88224:340.

9605160475 Documents info requested by NRC staff during 960416 conference call re SG pulled tube eddy current profiles.
JAIN,S.C. Duquesne Light Co. 96/05/10. Document Control Branch (Document Control Desk). 21pp. 88313:329-88313:349.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605090121 Submits special rept submitted re TS 4.4.5.5.c for SG.Rept required to document,prior to resumption of plant operation, results of SG tube insps,fall into TS Category C-3.
NOONAN,T.P. Duquesne Light Co. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88223:307-88223:309.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170318 Advises of planned insp efforts resulting from plant performance review.Reviews conducted for all operating NPPs to develop integrated understanding of safety performance.
COOPER,R.W. Region 1 (Post 820201). 96/05/09. CROSS,J.E. Duquesne Light Co. 5pp. 88291:002-88291:006.

9605170281 Responds to NRC Bulletin 96-002 re movement of heavy loads over spent fuel,over fuel in reactor core or over safety- related equipment.
JAIN,S. Duquesne Light Co. 96/05/10. Document Control Branch (Document Control Desk). 3pp. 88316:343-88316:345.

9605170045 Submits special rept re SG tubes plugged during ISI.
NOONAN,T.P. Duquesne Light Co. 96/05/13. Document Control Branch (Document Control Desk). 4pp. 88341:081-88341:084.

9605280013 Notification of significant licensee meeting 96-49 w/util on 960531 to discuss results of Safety Sys Functional Insp of Unit 1 Safety Injection Sys,conducted Nov 1995.
ESELGROTH,P.W. Region 1 (Post 820201). 96/05/16. Region 1 (Post 820201). 3pp. 88350:001-88350:003.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020237 "NPDES Monthly Discharge Monitoring Rept for Beaver Valley Power Station,Units 1 & 2." W/960425 ltr.
NOONAN,T.P. Duquesne Light Co. 96/03/31. 36pp. 88129:311-88129:347.

9605020217 Forwards "1995 Annual Radiological Environ Rept" & "1995 Annual Non-Radiological Environ Rept," for Beaver Valley Power Station,Units 1 & 2.
NOONAN,T.P. Duquesne Light Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88125:001-88125:268.

--9605020227 "1995 Annual Radiological Environ Rept for Beaver Valley Units 1 & 2."
* Duquesne Light Co. 95/12/31. 150pp. 88125:003-88125:176.

--9605020232 "1995 Annual Non-Radiological Environ Rept for Beaver Valley Power Units 1 & 2."
SHEMA,R.L., CODY,W.R., KENDERES,G.J. Aquatic Systems Corp. 95/12/31. 93pp. 88125:177-88125:268.

9605140294 Monthly operating repts for Apr 1995 for Beaver Valley Power Station.W/960507 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 96/04/30. 9pp. 88270:352-88270:360.

S. Reportable occurrences, LERs & related correspondence

9605060182 LER 96-005-00:on 960401,core alterations performed without required radiation monitors being in svc occurred.Caused by contradiction between refueling procedure & reactor vessel head removal.Procedures revised.W/960430 ltr.
NOONAN,T.P. Duquesne Light Co. 96/04/30. 5pp. 88164:357-88164:361.

9605200451 LER 96-008-00:on 960415,failure to test safety injection relays identified.Caused by inadequate implementation of administrative controls.Operating surveillance tests revised & SI automatic recirculation latch tested.W/960515 ltr.
NOONAN,T.P. Duquesne Light Co. 96/05/15. 5pp. 88343:137-88343:141.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605130418 Forwards insp repts 50-335/96-04 & 50-389/96-04 on 960218-960330 & NOV.Violations indicate that personnel performance re procedure compliance & usage & attention to detail persist even after corrective actions completed.
LANDIS,K.D. Region 2 (Post 820201). 96/04/29. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 88212:001-88212:072.

--**9605130425** Notice of violation from insp on 960218-960330.Violation noted:failure of health physics technician to return valve three to open position & rendered monitor inoperable,failure to perform adequate reviews of logs.
* Region 2 (Post 820201). 96/04/29. 3pp. 88212:005-88212:008.

--**9605130430** Insp repts 50-335/96-04 & 50-389/96-04 on 960218-0330. Violations noted.Major areas inspected:operations, maintenance,engineering,plant support.
MILLER,M., LANDIS,K. Region 2 (Post 820201). 96/04/29. 63pp. 88212:009-88212:072.

9605230232 Revised EPIPs,including Rev 70 to 3100023E,Rev 25 to 3100024E & Rev 9 to HP-206.W/960514 ltr.
BOHLKE,W.H. Florida Power & Light Co. 96/05/14. 54pp. 88362:288-88362:341.

P. Operating license stage documents & correspondence

9605020224 Forwards SE accepting licensee 951107 ltr requesting approval of ASME Code Case N416-1 as alternative to required hydrostatic pressure test.
IMBRO,E.V. . 96/04/29. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 88095:240-88095:249.

--**9605020241** Safety evaluation accepting license 951107 request for approval of ASME Code Case N416-1 as alternative to required hydrostatic pressure test.
* . 96/03/23. 6pp. 88095:243-88095:249.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605060317 Forwards excerpts from draft ASP rept for 1982-83. Appropriate sections being provided to every plant which had event during noted time period.Analyses performed to obtain 2 yrs data missing from NRC ASP Program.
WIENS,L.A. . 96/05/03. PLUNKETT,T.F. Florida Power & Light Co. 26pp. 88111:299-88111:325.

9605210538 Forwards 10CFR50.61 evaluation of PTS of RV beltline matls, completing commitment in 951124 ltr.Proprietary & nonproprietary versions of CEOG rept, "Application of RV Surveillance Data..." also encl.Proprietary rept withheld.
BOHLKE,W.H. Florida Power & Light Co. 96/05/14. Document Control Branch (Document Control Desk). 24pp. 88373:001-88373:110.

--**9605210540** Nonproprietary version of "Application of Reactor Vessel Surveillance Data for Embrittlement Mgt."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. CEN-405-NP. 93/07/31. 86pp. 88373:025-88373:110.

9605210527 Responds to request for info on species protected by Endangered Species Act that may occurr in vicinity of plants.Revised species lists for areas adjacent to plant sites encl.
BROWN,J. Commerce, Dept. of, National Oceanic & Atmospheric Administration. 96/05/15. NEWBERRY,S.F. . 4pp. 88359:339-88359:342.

9605290053 Forwards response to NRC 960319 RAI re IPE for severe accident vulnerabilities,per GL 88-20.
STALL,J.A. Florida Power & Light Co. 96/05/23. Document Control Branch (Document Control Desk). 138pp. 88388:001-88388:138.

9605290113 Forwards request for addl info re SG insp & repair criteria for plant Unit 1.
WIENS,L.A. . 96/05/24. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 88385:229-88385:232.

Q. Inspection reports, IE Bulletins & correspondence

9605130418 Forwards insp repts 50-335/96-04 & 50-389/96-04 on 960218-960330 & NOV.Violations indicate that personnel performance re procedure compliance & usage & attention to detail persist even after corrective actions completed.
LANDIS,K.D. Region 2 (Post 820201). 96/04/29. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 88212:001-88212:072.

--**9605130425** Notice of violation from insp on 960218-960330.Violation noted:failure of health physics technician to return valve three to open position & rendered monitor inoperable,failure to perform adequate reviews of logs.
* Region 2 (Post 820201). 96/04/29. 3pp. 88212:005-88212:008.

--**9605130430** Insp repts 50-335/96-04 & 50-389/96-04 on 960218-0330. Violations noted.Major areas inspected:operations, maintenance,engineering,plant support.
MILLER,M., LANDIS,K. Region 2 (Post 820201). 96/04/29. 63pp. 88212:009-88212:072.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605170219 Summarizes 960422 meeting between NRC & FPL in Rockville,MD. FPL outlined plans for SG insp program to be implemented during refueling outage,scheduled to start on 960429.List of attendees & handouts used to present program encl.
NORRIS,J.A. . 96/05/01. NRC - No Detailed Affiliation Given. 3pp. 88298:287-88298:310.

--**9605170228** "FPL St Lucie Unit 1 SG Program."
* Florida Power & Light Co. 96/04/22. 21pp. 88298:290-88298:310.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170432 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over SR Equipment."
BOHLKE,W.H. Florida Power & Light Co. 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88325:339-88325:344.

9605150395 Forwards supplemental info re SG tube insp for Unit 1.
BOHLKE,W.H. Florida Power & Light Co. 96/05/14. Document Control Branch (Document Control Desk). 8pp. 88289:220-88289:227.

9605210304 Notification of 960523 meeting w/FP&L in Rockville,MD to address NRC staff questions re licensee SG insp plans & repair criteria.Meeting agenda encl.
WIENS,L.A. . 96/05/16. HEBDON,F.J. . 4pp. 88308:352-88308:355.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605200436 Monthly operating repts for Apr 1996 for St Lucie Units 1 & 2.W/960510 ltr.
ROGERS,J.A., BOHLKE,W.H. Florida Power & Light Co. 96/04/30. 9pp. 88342:001-88342:009.

S. Reportable occurrences, LERs & related correspondence

9605210273 Forwards preliminary ASP analysis of conditions discovered at plant on 950802 & reported in encl LERs 50-335/96-004 50-335/95-005 & 50-335/95-006,for review & comment.
WIENS,L.A. . 96/05/16. PLUNKETT,T.F. Florida Power & Light Co. 27pp. 88321:204-88321:251.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605210365 Submits Rev 13 to plant Suitability,Training & Qualification Plan.Encl withheld.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88316:357-88316:358.

9605230187 Change 4 to Rev 1 to emergency plan implementing procedure EPIP 4404, "Notifications & Communications."
* Northeast Nuclear Energy Co. 96/05/15. 4pp. 88369:340-88369:343.

H. General correspondence

9605100015 Responds to 960402 ltr forwarding ltr from constituent requesting that NRC address concerns re performance at facility.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/06. STARK,P. House of Rep. 50pp. 88207:221-88207:272.

--**9605100022** Forwards 960228 ltr from constituent raising concerns re NRC performance after reading 960304 article published in TIME magazine.
STARK,P. House of Rep. 96/04/02. Office of Congressional Affairs (Post 911117). 2pp. 88207:271-88207:272.

P. Operating license stage documents & correspondence

9605140445 Refers to 960221 ltr informing NRC that individuals decline from participating in case study.NRC hopes individuals will reconsider so that accurate record of how cases handled can be developed for selected case studies.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/20. HADLEY,E.C. Hadley, E.C. 5pp. 88249:348-88249:355.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

–**9605020336** "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605020047 Forwards official transcript w/written matl received during 960408 informal public hearing.W/o encl.
DEMBEK,S. . 96/04/24. HADLEY,E.C. Affiliation Not Assigned. 5pp. 88098:341-88098:345.

9605140256 Expresses appreciation for opportunity to meet on 960326 to discuss concerns related to Davis-Besse dry cask unloading proceduure & issues raised in 960304 issue of Time Magazine re NRC oversight of Millstone plants.
THE CHAIRMAN Commissioners (Post 750119). 96/05/02. KAPTUR,M. House of Rep. 26pp. 88262:213-88262:242.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070054 Withdraws exception proposed for SR 4.8.1.2,per NRC request following review of 950526 & 1020 applications for amend to license DPR-65.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88173:351-88173:356.

–**9605070058** Proposed tech specs,modifying TS 3.8.1.1,TS 3.8.1.2 & TS 3.8.2.2 to provide operational flexibility as well as consistency between action statements & to eliminate certain Mode 5 & 6 SR.
* Northeast Nuclear Energy Co. 96/05/03. 4pp. 88173:353-88173:356.

9605130451 Withdraws request for exception proposed for surveillance requirement 4.8.1.2 from 950526 & 1020 applications for amend to license DPR-65.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88224:272-88224:277.

–**9605130452** Proposed Tech Specs 3.8.1.1 re electrical power sys,AC sources.
* Northeast Nuclear Energy Co. 96/05/03. 4pp. 88224:274-88224:277.

9605090188 Forwards amend 197 to license DPR-65 & safety evaluation. Amend modifies TS 3.8.1.2,3.8.2.2 & 3.8.2.4 to provide operational flexibility as well as consistency between action statements.
MCDONALD,D.G. . 96/05/06. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 2pp. 88198:335-88198:347.

–**9605090192** Amend 197 to license DPR-65,modifying TS 3.8.1.2,3.8.2.2 & 3.8.2.4 to provide operational flexibility as well as consistency between action statements.
MCKEE,P.F. . 96/05/06. 6pp. 88198:339-88198:344.

–**9605090195** Safety evaluation supporting amend 197 to license DPR-65.
* . 96/05/06. 3pp. 88198:345-88198:347.

9605140193 Responds to questions & concerns raised on behalf on Cooperative Citizens Monitoring Network,Inc on 960319 re placement of neutron-absorbing rodlets in fuel assemblies within plant spent fuel pool.Related info encl.
RUSSELL,W.T. . 96/05/06. MARUCCI,M.E. Co-Operative Citizen's Monitoring Network, Inc. (CCMN). 9pp. 88229:001-88230:049.

9605140254 Responds to 960227 ltr discussing concerns re Millstone NPPs.Discusses NRC enforcement regulations & procedures. Forwards copy of enforcement policy & provides update on operation status of Millstone Units.
DEMBEK,S. . 96/05/07. SILVESTRI,S. Affiliation Not Assigned. 4pp. 88251:297-88251:300.

9605160151 Forwards documents from senior Northeast Utils,Inc managers for distribution & to be placed in NUDOCS.
BLOUGH,A.R. Region 1 (Post 820201). 96/05/07. CHEN,E.E. NRC - No Detailed Affiliation Given. 1p. 88288:307-88288:335.

9605170339 Responds to 960501 ltr requesting meeting to discuss various topics re Northeast Utilities nuclear operations organization.
LANNING,W.D. Region 1 (Post 820201). 96/05/09. BROWN,R.C. Affiliation Not Assigned. 2pp. 88284:357-88284:360.

–**9605170342** Requests meeting to discuss various topics re Northeast Utilities nuclear operations organization for wk of 960513.
BROWN,R.C. Affiliation Not Assigned. 96/05/01. LANNING,W. Region 1 (Post 820201). 2pp. 88284:359-88284:360.

9605220182 Forwards contractor TERs & evaluation rept of plant Unit 2 931230,940531 & 950920 submittals for IPE severe accident vulnerabilities.Intent of GL 88-20 fully met.
MCDONALD,D.G. . 96/05/21. FEIGENBAUM,T.C. Northeast Utilities Service Co. 4pp. 88331:307-88332:075.

–**9605220196** Safety evaluation approving licensee IPE submittal in response to GL 88-20, "IPE Exams for Severe Accident Vulnerabilities."
* . 96/05/21. 6pp. 88331:311-88331:316.

–**9604050381** "Millstone 2 NPP TER on IPE Front End Analysis."
THOMAS,W. Science & Engineering Associates, Inc. NRC-94-91-066. SEA-94-2335-010-A:3. 95/11/27. NRC - No Detailed Affiliation Given. 44pp. 88331:317-88331:360.

–**9604050396** "Millstone Unit 2 TER on IPE - Back-End Analysis."
MOIENI,P. SCIENTECH, Inc. NRC-04-91-068-36. SCIE-NRC-232-94. 95/11/30. NRC - No Detailed Affiliation Given. 41pp. 88332:001-88332:042.

–**9604050389** "Millstone Nuclear Power Station-Unit 2-TER on IPE Submittal Human Reliability Analysis - Final Rept."
HAAS,P.M. Concord Associates, Inc. NRC-04-91-069. CA/TR-94-019-36. 95/11/30. NRC - No Detailed Affiliation Given. 35pp. 88332:043-88332:075.

9605290158 Responds to recent request re public release of Northeast Util Sys self-assessment repts submitted in 1991 & withdraws request that subj repts be withheld from public disclosure.
CUOCO,L.M. Northeast Utilities Service Co. 96/05/21. MOORE,J.E. Office of the General Counsel (Post 860701). 2pp. 88375:359-88375:362.

9605300127 Requests detailed description of plans for completion of work required to respond to 951213,960307 & 0404 ltrs & provide comprehensive list of design & configuration deficiencies identified after 951213 ltr & after 7007 rept.
RUSSELL,W.T. . 96/05/21. BUSCH,R.E. Northeast Utilities Service Co. 5pp. 88390:064-88390:068.

Q. Inspection reports, IE Bulletins & correspondence

9605070002 Ack receipt of 960318 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-42, 50-336/95-42 & 50-423/95-42.
DURR,J. Region 1 (Post 820201). 96/04/24. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 88114:001-88114:023.

9605070104 Discusses response to NRC Insp Rept 50-336/94-80 on 940627-0708.
DURR,J. Region 1 (Post 820201). 96/04/26. FEIGENBAUM,T. Northeast Utilities Service Co. 3pp. 88173:339-88173:341.

9605070077 Ack receipt of 960110 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31.
LANNING,W.D. Region 1 (Post 820201). 96/04/30. MILLER,D.B. Northeast Nuclear Energy Co. 3pp. 88112:114-88112:126.

9605070160 Forwards corrected NOV for combined insp repts 50-245/95-42, 50-336/95-42 & 50-423/95-42 & meeting record summary of 951221 & 960212 drop-in meetings.
DURR,J.P. Region 1 (Post 820201). 96/04/30. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 4pp. 88114:116-88114:122.

–**9605070164** Corrected notice of violation on 951105-951226.Violations noted:failure to establish measures at Unit One to assure that applicable deign basis for reactor pressure were correctly translated into procedures.
* Region 1 (Post 820201). 96/02/06. 3pp. 88114:120-88114:122.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605170164 Requests response in writing in 60 days of receipt of ltr to encl deficiencies re insp rept 50-336/95-201 on 950508-0609.
DURR,J.P. Region 1 (Post 820201). 96/05/03. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 4pp. 88284:001-88284:004.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140274 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/05/10. Document Control Branch (Document Control Desk). 31pp. 88270:311-88270:341.

9605210017 Ack receipt of 960110 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822.
DURR,J. Region 1 (Post 820201). 96/05/16. FEIGENBAUM,T.C., HARTSTER,T.L. Northeast Nuclear Energy Co. 2pp. 88305:272-88305:283.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030136 Forwards "Annual Radioactive Effluent Rept 1995." Rept includes summary of quantities of solid radwaste & liquid & gaseous effluents & summary of assessment of max individual & population dose from radioactive airborne.
DACIMO,F.R. Northeast Nuclear Energy Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88116:176-88116:343.

–**9605030141** "Annual Radioactive Effluent Rept 1995."
* Northeast Nuclear Energy Co. 95/12/31. 166pp. 88116:178-88116:343.

9605220428 Forwards monthly operating repts for Apr 1996 for Millstone Units 1,2 & 3 & monthly operating rept correction for Mar 1996 for Unit 3.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88369:308-88369:325.

–**9605220436** Monthly operating repts for Apr 1996 for Millstone Nuclear Power Station Units 1,2 & 3.
NEWBURGH,G., BORCHERT,R., HUDSON,I.R. Northeast Nuclear Energy Co. 96/04/30. 14pp. 88369:310-88369:324.

S. Reportable occurrences, LERs & related correspondence

9605090091 LER 96-020-00:on 960401,discovered potential loss of RBCCW inventory through primary water make-up line.Caused by original design deficiency.Reestablished RBCCW operability by closing PMW isolation valve.W/ 960501 ltr.
NOORDENNEN,G.P., WILSON,M.J. Northeast Nuclear Energy Co. WILSON,M.J. Northeast Utilities Service Co. 96/05/01. 4pp. 88212:198-88212:201.

9605210412 LER 96-021-00:on 960227,snubber failure in pressurizer spray line occurred.Caused by corrosion.Replaced snubber serial 12883 w/identical model PSA-1 snubber.W/960515 ltr.
VAN NOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/05/15. 5pp. 88389:012-88389:016.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605060207 Submits Physical Security Plan for plant.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88147:351-88147:352.

9605160318 Forwards ERDS implementation documents & DPL updates for North Anna,Hope Creek,Limerick & Zion.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 96/05/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 88282:135-88282:135.

9605300139 Rev 11 to EPIP-4.02, "Radiation Protection Supervisor Controlling Procedure." W/960523 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/05/23. 18pp. 88396:335-88396:352.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605070217 Rev 30 to Updated FSAR for North Anna Power Station Units 1 & 2.W/ 960415 ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/15. 1,754pp. 88176:001-88180:298.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090215 Discusses 960424 meeting w/facility re progress of spent fuel storage activities for plant.List of attendees & licensee presentation encl.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/05/06. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 15pp. 88185:309-88185:323.

9605130450 Provides notification of plans to load four lead test fuel assemblies supplied by Framatome Cogema Fuels (FCF),formerly B&W Fuel Co,into Unit 1 Cycle 13,currently scheduled to begin in June,1997.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/06. Document Control Branch (Document Control Desk). 7pp. 88224:265-88224:271.

9605140184 Informs that effective 960218,EV Imbro replaced DB Matthews as Director,Project Directorate II-1.BC Buckley will become Project Manager for plant,Units 1 & 2 & GE Edison will become Project Manager for plant,Units 1 & 2,on 960428.
VARGA,S.A. . 96/05/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88251:279-88251:281.

9605240174 Forwards excerpts from draft ASP Rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during 1982-83.
BUCKLEY,B.C. . 96/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 21pp. 88344:040-88344:060.

9605280057 Notifies of intent to convert Tech Specs from present form to improved Standard Tech Specs,per NUREG-1431,Rev 1.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/21. Document Control Branch (Document Control Desk). 2pp. 88386:262-88386:263.

Q. Inspection reports, IE Bulletins & correspondence

9605140319 Ack receipt of 960415 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/96-01 & 50-339/96-01.
BELISLE,G.A. Region 2 (Post 820201). 96/04/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88223:141-88223:143.

9605140490 Forwards errata to insp repts 50-338/96-02 & 50-339/96-02.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/30. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88243:178-88243:181.

--9605140493 Errata to insp repts 50-338/96-02 & 50-339/96-02 on 960315.
* Region 2 (Post 820201). 96/04/30. 1p. 88243:181-88243:181.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605140045 Forwards insp repts 50-338/96-03 & 50-339/96-03 on 960225-0406 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 96/05/03. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 88222:001-88222:035.

--9605140046 Notice of violation from insp on 960225-0406.Violation noted:seismic tubing support frame for 01-RC-FT-1414,1415 & 1416 not disassembled & reassembled IAW appropriate procedures or work instructions.
* Region 2 (Post 820201). 96/05/03. 2pp. 88222:006-88222:007.

--9605140048 Insp repts 50-338/96-03 & 50-339/96-03 on 960225-0406. Violations noted.Major areas inspected:plant operations, maintenance,engineering,plant support.
MCWHORTER,R., BELISLE,G.A. Region 2 (Post 820201). 96/05/03. 28pp. 88222:008-88222:035.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605200251 Forwards correction to insp repts 50-338/96-03 & 50-339/96-03 issued on 960503.Error made by not including enforcement action number on insp rept cover page.
BELISLE,G.A. Region 2 (Post 820201). 96/05/10. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88291:021-88291:024.

--9605200263 Corrected cover page to insp repts 50-338/96-03 & 50-339/96-03.Enforcement action number EA-96-126 omitted.
* Region 2 (Post 820201). 96/05/03. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 1p. 88291:024-88291:024.

9605200144 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/13. Document Control Branch (Document Control Desk). 12pp. 88343:174-88343:185.

9605230035 Forwards "1996 Unit 1 Refueling Outage ISI Summary Rept." Rept summary of exams performed during NAPS Unit 1 outage to satisfy requirements for third period of second 10-yr ISI interval.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/05/16. Document Control Branch (Document Control Desk). 1p. 88391:090-88391:205.

--9605230037 "1996 Unit 1 Refueling Outage ISI Summary Rept."
* Virginia Power (Virginia Electric & Power Co.). 96/04/11. 114pp. 88391:091-88391:205.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070010 "North Anna Power Station 1995 Annual Radiological Environ Operating Rept." W/960422 ltr.
BOWLING,M.L., BREEDEN,J.B., DREYER,E.W. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 136pp. 88169:204-88169:339.

9605160347 Monthly operating rept for Apr 1996 for North Anna Power Station Units 1 & 2.
MATTHEW,W.R., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/30. 12pp. 88314:223-88314:234.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605240152 Requests R Wood review financial info provided by applicant to determine financial qualifications per 10CFR72.22.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/22. NEWBERRY,S.F. . 1p. 88373:331-88373:331.

9605310089 Requests for addl info re license application submitted by VEPCO & Old Dominion Electric Cooperative to construct & operate Independent Spent Fuel Storage Installation at North Anna reactor facility.
WOOD,R.S. . 96/05/29. LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 2pp. 88395:335-88395:336.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605060207 Submits Physical Security Plan for plant.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88147:351-88147:352.

9605160318 Forwards ERDS implementation documents & DPL updates for North Anna,Hope Creek,Limerick & Zion.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 96/05/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 88282:135-88282:135.

9605300139 Rev 11 to EPIP-4.02, "Radiation Protection Supervisor Controlling Procedure." W/960523 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/05/23. 18pp. 88396:335-88396:352.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605070217 Rev 30 to Updated FSAR for North Anna Power Station Units 1 & 2.W/ 960415 ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/15. 1,754pp. 88176:001-88180:298.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090215 Discusses 960424 meeting w/facility re progress of spent fuel storage activities for plant.List of attendees & licensee presentation encl.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/05/06. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 15pp. 88185:309-88185:323.

9605130450 Provides notification of plans to load four lead test fuel assemblies supplied by Framatome Cogema Fuels (FCF),formerly B&W Fuel Co,into Unit 1 Cycle 13,currently scheduled to begin in June,1997.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/06. Document Control Branch (Document Control Desk). 7pp. 88224:265-88224:271.

9605140184 Informs that effective 960218,EV Imbro replaced DB Matthews as Director,Project Directorate II-1.BC Buckley will become Project Manager for plant,Units 1 & 2 & GE Edison will become Project Manager for plant,Units 1 & 2,on 960428.
VARGA,S.A. . 96/05/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88251:279-88251:281.

9605240174 Forwards excerpts from draft ASP Rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during 1982-83.
BUCKLEY,B.C. . 96/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 21pp. 88344:040-88344:060.

9605280057 Notifies of intent to convert Tech Specs from present form to improved Standard Tech Specs,per NUREG-1431,Rev 1.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/21. Document Control Branch (Document Control Desk). 2pp. 88386:262-88386:263.

Q. Inspection reports, IE Bulletins & correspondence

9605140319 Ack receipt of 960415 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/96-01 & 50-339/96-01.
BELISLE,G.A. Region 2 (Post 820201). 96/04/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88223:141-88223:143.

9605140490 Forwards errata to insp repts 50-338/96-02 & 50-339/96-02.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/30. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88243:178-88243:181.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605140045 Forwards insp repts 50-338/96-03 & 50-339/96-03 on 960225-0406 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 96/05/03. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 88222:001-88222:035.

-9605140048 Insp repts 50-338/96-03 & 50-339/96-03 on 960225-0406. Violations noted.Major areas inspected:plant operations, maintenance,engineering,plant support.
MCWHORTER,R., BELISLE,G.A. Region 2 (Post 820201). 96/05/03. 28pp. 88222:008-88222:035.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605200251 Forwards correction to insp repts 50-338/96-03 & 50-339/96-03 issued on 960503.Error made by not including enforcement action number on insp rept cover page.
BELISLE,G.A. Region 2 (Post 820201). 96/05/10. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 88291:021-88291:024.

-9605200263 Corrected cover page to insp repts 50-338/96-03 & 50-339/96-03.Enforcement action number EA-96-126 omitted.
* Region 2 (Post 820201). 96/05/03. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 1p. 88291:024-88291:024.

9605200144 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/05/13. Document Control Branch (Document Control Desk). 12pp. 88343:174-88343:185.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070010 "North Anna Power Station 1995 Annual Radiological Environ Operating Rept." W/960422 ltr.
BOWLING,M.L., BREEDEN,J.B., DREYER,E.W. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 136pp. 88169:204-88169:339.

9605160347 Monthly operating rept for Apr 1996 for North Anna Power Station Units 1 & 2.
MATTHEW,W.R., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/30. 12pp. 88314:223-88314:234.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605240152 Requests R Wood review financial info provided by applicant to determine financial qualifications per 10CFR72.22.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/22. NEWBERRY,S.F. . 1p. 88373:331-88373:331.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605030382 Rev 6 to RERP Implementing Procedures index.
* Detroit Edison Co. 96/04/29. 15pp. 88137:184-88137:198.

9605150241 Forwards SALP 15 rept 50-341/96-01 for period 940402-960330.
MILLER,H.J. Region 3 (Post 820201). 96/05/08. GIPSON,D.R. Detroit Edison Co. 4pp. 88266:137-88266:145.

-9605150246 SALP rept 50-341/96-01 for 940402-960330.
* Region 3 (Post 820201). 96/05/08. 5pp. 88266:141-88266:145.

9605210237 Requests to limit distribution of documents & withhold from public disclosure to prevent disclosure of scenario info to participants.Util would like to complete final scenario programming on simulator during wk of 960610.
GOODMAN,L.S. Detroit Edison Co. 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88361:220-88361:221.

I. Financial information

9605070075 "1995 Annual Financial Rept for Detroit Edison Co." W/960501 ltr.
LOBBIA,J.E. Detroit Edison Co. 95/12/31. 47pp. 88183:241-88183:291.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

-9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605100108 Forwards SE re relief requests submitted 850920 & unreviewed by staff.Also includes relief requests revised 950714 & rev submitted 950719.Requests relate to IST program for pumps & valves including requests for relief from ASME Code.
REINHART,M. . 96/05/02. GIPSON,D.R. Detroit Edison Co. 4pp. 88207:184-88207:211.

-9605100109 Safety evaluation supporting IST program relief requests for pumps & valves for license NPF-43.
* . 96/05/02. 24pp. 88207:188-88207:211.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100229 Provides response to 960322 ltr re util request to increase allowed out-of-service time for 1 onsite AC electrical power division.
GIPSON,D.R. Detroit Edison Co. 96/05/03. Document Control Branch (Document Control Desk). 16pp. 88237:287-88237:302.

9605150150 Requests NRC review & approval of proposed QA program change for audit program,deleting frequencies from audits specified by regulations & deleting requirement to perform annual audit of fitness for duty lab.
GIPSON,D.R. Detroit Edison Co. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88290:324-88290:330.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605090132 Submits response to violations noted in Insp Rept 50-341/96-02.Corrective actions:increased frequency surveillance performance form for E1150-F603B revised to currently include cautionary step.
GIPSON,D.R. Detroit Edison Co. 96/05/03. Document Control Branch (Document Control Desk). 11pp. 88223:310-88223:320.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150241 Forwards SALP 15 rept 50-341/96-01 for period 940402-960330.
MILLER,H.J. Region 3 (Post 820201). 96/05/08. GIPSON,D.R. Detroit Edison Co. 4pp. 88266:137-88266:145.

-9605150246 SALP rept 50-341/96-01 for 940402-960330.
* Region 3 (Post 820201). 96/05/08. 5pp. 88266:141-88266:145.

9605150098 Press release III-96-016, "Fermi Plant Rated "Superior" in One Area, "Good" in Two Areas, "Adequate" in One Area in Latest SALP."
* Region 3 (Post 820201). 96/05/09. 2pp. 88292:257-88292:258.

9605140494 Responds to NRC Bulletin 96-002 re movement of heavy loads.
GIPSON,D.R. Detroit Edison Co. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88268:342-88268:348.

9605280284 EN-96-029:on 960522,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on violation involving failure to promptly identify & correct potential for common mode failure of UHS SW pumps.
HARRIS,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/05/17. 1p. 88418:048-88418:048.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605290128 Forwards insp rept 50-341/96-03 on 960330.No violations noted.
JORDAN,M.J. Region 3 (Post 820201). 96/05/21. GIPSON,D.R. Detroit Edison Co. 2pp. 88369:034-88369:052.

-9605290131 Insp rept 50-341/96-03 on 960319-30.No violations noted. Major areas inspected:operations,engineering,maint & plant support.
JORDAN,M. Region 3 (Post 820201). 96/05/21. 17pp. 88369:036-88369:052.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605230115 Press release III-96-020, "NRC Staff Proposes $50,000 Fine Against Detroit Edison Co for Violation of NRC Requirements at Fermi 2 Nuclear Plant."
* Region 3 (Post 820201). 96/05/22. 1p. 88389:172-88389:172.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020297 "Fermi 2 1995 Annual Radiological Environ Operating Rept." W/960430 ltr.
GIPSON,D.R. Detroit Edison Co. 95/12/31. 170pp. 88124:182-88124:349.

9605060154 "Annual Non-Radiological Environ Operating Rept 1995." W/ 960430 ltr.
GIPSON,D.R. Detroit Edison Co. 95/12/31. 3pp. 88172:193-88172:195.

9605210347 Forwards monthly operating rept for Apr 1996 for Fermi 2 & revised rept for Jul 1995.
GOODMAN,L.S. Detroit Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88359:291-88359:296.

-9605210351 Monthly operating rept for Apr 1996 for Fermi 2.
GILES,H.B. Detroit Edison Co. 96/04/30. 3pp. 88359:293-88359:295.

-9605210355 Revised monthly operating rept for Jul 1995 for Fermi 2.
STONE,B.J. Detroit Edison Co. 95/07/31. 1p. 88359:296-88359:296.

S. Reportable occurrences, LERs & related correspondence

9605230098 LER 96-007-00:on 960419,RCIC sys declared inoperable due to turbine shaft gland leakage.Caused by steam leakage past seat of RCIC turbine steam admission valve.W/960520 ltr.
PETERSON,N.K., GIPSON,D.R. Detroit Edison Co. 96/05/20. 8pp. 88389:139-88389:146.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9605170041 Forwards insp rept 50-344/96-01 on 960401-12.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/05/13. QUENNOZ,S.M. Portland General Electric Co. 4pp. 88284:120-88284:138.

-9605170048 Insp rept 50-344/96-01 on 960401-12.No violations noted. Major areas inspected:activities re health physics practices re planned decontamination of several areas of plant & evaluation of employee concern program.
SPITZBERG,D.B. Region 4 (Post 820201). 96/05/07. 15pp. 88284:124-88284:138.

9605210422 Rev 1 to EPIP 4, "Emergency Dose Extension." W/960514 ltr.
QUENNOZ,S.M. Portland General Electric Co. 96/05/14. 5pp. 88361:179-88361:183.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170041 Forwards insp rept 50-344/96-01 on 960401-12.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/05/13. QUENNOZ,S.M. Portland General Electric Co. 4pp. 88284:120-88284:138.

-9605170048 Insp rept 50-344/96-01 on 960401-12.No violations noted. Major areas inspected:activities re health physics practices re planned decontamination of several areas of plant & evaluation of employee concern program.
SPITZBERG,D.B. Region 4 (Post 820201). 96/05/07. 15pp. 88284:124-88284:138.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020149 "Trojan Nuclear Plant Radioactive Effluent Release Rept for 1995." W/ 960430 ltr.
QUENNOZ,S.M. Portland General Electric Co. 95/12/31. 100pp. 88127:203-88127:301.

S. Reportable occurrences, LERs & related correspondence

9605070309 Forwards Rev 4 to NPE-39, "Evaluation of Safety Significance of Undersized Raychem Splices on Containment Electrical Penetration Assemblies." Rept supports util original determination presented in 10CFR21 rept dtd 910820.
QUENNOZ,S.M. Portland General Electric Co. 96/05/02. Document Control Branch (Document Control Desk). 1p. 88191:138-88191:239.

-9605070316 "Evaluation of Safety Significance of Undersized Raychem Splices on Containment Electrical Penetration Assemblies."
PETTY,K.A., KROON,K.A., HOULIHAN,J. Stone & Webster Engineering Corp. NPE-39 R04. 95/03/21. 101pp. 88191:139-88191:239.

W. Decommissioning Stage Documents & Correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605020354 Submits non-proprietary rev of design drawings to be included in SAR rev.
YUNDT,C.P. Portland General Electric Co. 96/04/29. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 88140:324-88140:343.

9605280299 Forwards changes to draft to PGE-1070, "Trojan ISFSI Environ Rept." Attachment I to ltr,provides description of changes, in addition to discussion of reasons for making changes.
QUENNOZ,S.M. Portland General Electric Co. 96/05/22. TRAVERS,W.T. Office of Nuclear Material Safety & Safeguards. 4pp. 88378:318-88378:345.

-9605280302 Changes to draft to PGE-1070, "ISFSI Environ Rept."
* Portland General Electric Co. PGE-1070 DRFT. 96/05/15. 24pp. 88378:322-88378:345.

9605280304 Documents util intent & position re license transition for portion of TNP site that will be used for ISFSI.NRC concurrence requested for described approach for transition of area of facility from 10CFR50 to 10CFR72 license.
QUENNOZ,S.M. Portland General Electric Co. 96/05/23. Document Control Branch (Document Control Desk). 2pp. 88386:229-88386:230.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605170416 Rev 0 to EPIP RA-EP-02870, "Emergency Plan Offnormal Occurrence Procedure."
* Centerior Energy. 96/04/30. 21pp. 88316:142-88316:162.

9605280160 Forwards insp rept 50-346/96-02 on 960209-0410 & NOV. Two violations identified & being considered for escalated enforcement action.
AXELSON,W.L. Region 3 (Post 820201). 96/05/07. STETZ,J.P. Centerior Energy. 3pp. 88350:107-88350:128.

-9605280168 Notice of violation from insp on 960209-0410.Violation noted:licensee moved spent fuel in spent fuel pool on several occasions over six-wk period from 951006-1110.
* Region 3 (Post 820201). 96/05/07. 1p. 88350:110-88350:110.

-9605280175 Insp rept 50-346/96-02 on 960209-0410.Violations noted. Major areas inspected:operations,maintenance,engineering, plant support & insp of fire protection.
LANKSBURY,R.D. Region 3 (Post 820201). 96/05/03. 18pp. 88350:111-88350:128.

9605280181 Forwards Rev 18 to "DBNPS Emergency Plan." Plant emergency plan Rev 18,App C,sample ltrs of agreement,contains both mutual assistance agreement & Inst of Nuclear Power Operations (INPO) assistance agreement.
STETZ,J.P. Centerior Energy. 96/05/24. Document Control Branch (Document Control Desk). 3pp. 88386:042-88386:058.

-9605280184 Rev 18 to "DBNPS Emergency Plan."
* Centerior Energy. 96/05/24. 14pp. 88386:045-88386:058.

G. Adjudicatory correspondence

9605060082 Confirms that as discussed during conversation last week, City of Cleveland,OH will respond to NRC offer of informal public hearing promptly after receipt & review of util response to City of Cleveland 10CFR2.206 petition.
STRAUS,D.R., STRAUS,S.H. Cleveland, OH. STRAUS,D.R. Spiegel & McDiarmid. 96/05/01. HOPKINS,J.B. . 1p. 88180:305-88180:305.

9605090137 Submits response to 2.206 petition of City of Cleveland,OH for expedited issuance of NOV,enforcement of license conditions & imposition of appropriate fines.
REGULINSKI,M.C. Centerior Energy. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88249:001-88249:101.

-9605090146 CEI response to City of Cleveland 2.206 petition.NRC should deny petition.
O'REILLY,M.E. Centerior Energy. 96/05/03. 99pp. 88249:003-88249:101.

H. General correspondence

9605020299 Responds to 960423 telcon request for info re releases at plants for CY95.
HOPKINS,J.B. . 96/04/30. GANNIS,S. Affiliation Not Assigned. 1p. 88072:091-88072:091.

I. Financial information

9605130248 Provides written confirmation of plant electronic transfer to NRC on 960412,for submitted invoice for plant.
STETZ,J.P. Centerior Energy. 96/04/26. Division of Accounting & Finance (Post 890205). 1p. 88247:309-88247:309.

P. Operating license stage documents & correspondence

9605280244 Forwards Rev 0 to "TOED Davis-Besse Unit 1 Cycle 11 COLR" & Addendum 1 to Rev 1 to BAW-2271, "Davis-Besse Nuclear Power Station Unit 1, Cycle 11 -- Reload Rept & Addendum."
STETZ,J.P. Centerior Energy. 96/03/22. Document Control Branch (Document Control Desk). 1p. 88378:223-88378:317.

-9605280250 Rev 0 to "TOED Davis-Besse Unit 1 Cycle 11 COLR."
* Centerior Energy. 96/05/22. 24pp. 88378:224-88378:247.

-9605280257 Addendum 1 to Rev 1 to "Davis-Besse Nuclear Power Station Unit 1,Cycle 11 -- Reload Rept & Addendum."
* Framatome Cogema Fuels (formerly B&W Fuel Co.),. BAW-2271 R01 ADD 01. 96/05/31. 70pp. 88378:248-88378:317.

9605020261 Forwards results of Water Supply Performance Evaluation Study 37 (WS 037) for lab at Davis-Besse Nuclear Power Station.
WOOD,J.K., MCCLOSKEY,P.J. Toledo Edison Co. 96/04/23. MURFF,N. Environmental Protection Agency. 9pp. 88125:351-88125:359.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605080106 Forwards for info,excerpts from draft ASP Rept for 1992-1993,which documents ASP program analyses of operational events that occurred at plant Unit 1 during 1992-1993.
GUNDRUM,L.L. . 96/05/06. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 26pp. 88137:326-88137:351.

9605210305 Ack receipt of 10CFR50.54(a) submittal dtd 960410,which proposed changes to quality assurance program description. Informs that review will be completed within 60 days.
GARDNER,R.N. Region 3 (Post 820201). 96/05/15. STETZ,J.P. Centerior Energy. 1p. 88305:206-88305:206.

9605310027 Submits changes to independent safety assessment process at Davis-Besse Nuclear Power Station & Perry Nuclear Power Plant.
SHELTON,D.C. Centerior Energy. 96/05/28. Document Control Branch (Document Control Desk). 2pp. 88416:358-88416:359.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605280160 Forwards insp rept 50-346/96-02 on 960209-0410 & NOV. Two violations identified & being considered for escalated enforcement action.
AXELSON,W.L. Region 3 (Post 820201). 96/05/07. STETZ,J.P. Centerior Energy. 3pp. 88350:107-88350:128.

-9605280168 Notice of violation from insp on 960209-0410.Violation noted:licensee moved spent fuel in spent fuel pool on several occasions over six-wk period from 951006-1110.
* Region 3 (Post 820201). 96/05/07. 1p. 88350:110-88350:110.

-9605280175 Insp rept 50-346/96-02 on 960209-0410.Violations noted. Major areas inspected:operations,maintenance,engineering, plant support & insp of fire protection.
LANKSBURY,R.D. Region 3 (Post 820201). 96/05/03. 18pp. 88350:111-88350:128.

9605140079 Informs that util will provide complete results of SG tube ISI per TSs 4.4.5.5b & 6.9.1.5b by 970331.
STETZ,J.P. Centerior Energy. 96/05/08. Document Control Branch (Document Control Desk). 1p. 88269:331-88269:331.

9605170090 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
STETZ,J.P. Centerior Energy. 96/05/13. Document Control Branch (Document Control Desk). 4pp. 88339:344-88339:347.

9605280147 Confirms pre-decisional enforcement conference to be held on 960523 in Lisle,IL to discuss circumstances related to high pressure injection sys operability issue documented in insp rept 50-346/96-02.
LANKSBURY,R.D. Region 3 (Post 820201). 96/05/15. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 2pp. 88356:056-88356:057.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605280132 Responds to violations noted in insp rept 50-346/95-10. Corrective actions:revised Procedure IS-AC-00018, "Drug & Alcohol Testing Process."
STETZ,J.P. Centerior Energy. 96/05/20. Document Control Branch (Document Control Desk). 3pp. 88386:167-88386:169.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070049 Forwards replacement pages 128-137 to "Davis-Besse Nuclear Power Station 1995 Annual Radiological Environ Operating Rept."
BONKER,L.A. Toledo Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 1p. 88173:281-88173:301.

-9605070051 Replacement pages 128-137 of "Davis-Besse Nuclear Power Station 1995 Annual Radiological Environ Operating Rept."
* Toledo Edison Co. 95/12/31. 20pp. 88173:282-88173:301.

9605240088 Wastewater rept for Apr 1996 for DBNPS,Unit 1.W/960515 ltr.
WASCH,T., WOOD,J.K. Toledo Edison Co. 96/04/30. WICK,E. Ohio, State of. 7pp. 88373:323-88373:329.

9605290093 Monthly operating rept for Apr 1996 for Davis-Besse Unit 1. W/960514 ltr.
WOLF,G.M., WOOD,J.K. Toledo Edison Co. 96/04/30. 5pp. 88387:347-88387:351.

S. Reportable occurrences, LERs & related correspondence

9605290038 NPDES noncompliance notification:on 960419 discovered that hydrazine concentration in north settling basin exceeded. Internal outfall 602 & external Outfall 001 closely monitored for hydrazine.
WOOD,J.K. Toledo Edison Co. 96/04/25. PLOTTS,R. Ohio, State of. 4pp. 88387:357-88387:360.

9605060133 LER 96-003-00:on 960328,discovered discrepancy in SRs for testing of absorbent matl in EVS.Caused by deficiencies in testing of nuclear-grade activated charcoal.Submitted emergency amend request to revise SRs.W/960429 ltr.
SMITH,P.W., WOOD,J.K. Toledo Edison Co. 96/04/29. 6pp. 88165:029-88165:034.

9605240083 LER 96-004-00:on 960417,PCAQR 96-0512 document failure to initiate required compensatory actions for Thermo-Lag for radiant energy shields.Caused by personnel error.Util plans to replace Thermo-Lag.W/960517 ltr.
MILLER,D.L., WOOD,J.K. Toledo Edison Co. 96/05/17. 6pp. 88391:225-88391:230.

9605280156 LER 96-005-00:on 960416,inadequate control of heavy loads in containment bldg.RVHLT was incorrectly perceived as rigging rather than load that constituted heavy load.PC was reviewed.W/960523 ltr.
MILLER,D.L., WOOD,J.K. Toledo Edison Co. 96/05/23. 5pp. 88396:152-88396:156.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605140256 Expresses appreciation for opportunity to meet on 960326 to discuss concerns related to Davis-Besse dry cask unloading proceduure & issues raised in 960304 issue of Time Magazine re NRC oversight of Millstone plants.
THE CHAIRMAN Commissioners (Post 750119). 96/05/02. KAPTUR,M. House of Rep. 26pp. 88262:213-88262:242.

--9605140269 Expresses concerns re 960304 TIME magazine article re NRC responsibility.Would appreciate knowing what actions NRC has taken in response to facility revelations.
KAPTUR,M. House of Rep. 96/03/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 88262:240-88262:242.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605100255 Forwards public version of rev 2 to Emergency Phone Directory Quarterly Up-date to be filed w/controlled copy of FNP-0-EIP-8.1.W/960509 release memo.
HUDSPETH,J.B. Southern Nuclear Operating Co. 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88207:281-88207:339.

--9605100256 Public version of rev 2 to "Emergency Phone Directory Quarterly Update."
VANDERBYE,R.J. Southern Nuclear Operating Co. 96/04/19. 57pp. 88207:283-88207:339.

9605070176 Rev 0 to FNP-0-EIP-8.2, "Plant Notification Roster." W/960429 ltr.
HUDSPETH,J. Southern Nuclear Operating Co. 96/04/29. 100pp. 88192:127-88192:226.

9605070225 Forwards sets of reproductions of current rev to project drawings ref in plant UFSAR,Rev 13.Ensure one set of project drawings forwarded to LPDR.W/507 oversize drawings.
MOREY,D. Southern Nuclear Operating Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88174:244-88174:245.

9605060353 Ack receipt of 951005 ltr transmitting Rev 27A to Farley Nuclear Plant Security Plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/30. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 88103:150-88103:151.

I. Financial information

9605170411 Resubmits annual rept re retrospective premiun guarantee required under Price-Anderson Act,as amended,applicable to JM Farley Nuclear Plant.
DERIEUX,J.R. Alabama Power Co. 96/05/10. Document Control Branch (Document Control Desk). 1p. 88336:285-88336:342.

--9605170423 Forwards 1995 Annual Rept including financial statements for unaudited financial statements for quarter ended 960331 & cash flow projections for period covering 960101-1231.
DERIEUX,J.R. Alabama Power Co. 96/04/26. SALTZMAN,J. . 4pp. 88336:286-88336:289.

--9605170436 "AL Power Co Annual Rept for 1995."
HARRIS,E.B. Alabama Power Co. 95/12/31. 46pp. 88336:290-88336:342.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605070221 Forwards rev 13 to updated FSAR for JM Farley Nuclear Plant & 10CFR50.59 rept.
MOREY,D. Southern Nuclear Operating Co. 96/04/29. Document Control Branch (Document Control Desk). 28pp. 88160:001-88164:320.

--9605070222 Rev 13 to updated FSAR for JM Farley Nuclear Plant.
* Southern Nuclear Operating Co. 96/04/30. 1776pp. 88160:029-88164:320.

P. Operating license stage documents & correspondence

9605060246 Ltr contract,mod 4 to task order 25, "IPE Reviews - Internal Events - Human Factors Only (Farley Units 1 & 2)."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88104:130-88104:131.

9605070225 Forwards sets of reproductions of current rev to project drawings ref in plant UFSAR,Rev 13.Ensure one set of project drawings forwarded to LPDR.W/507 oversize drawings.
MOREY,D. Southern Nuclear Operating Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88174:244-88174:245.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070206 Revises TS amend requests submitted by 951219 & 960105 ltrs re CREVS,to include expiration date for one-time extension to AOTs for CR recirculation filtration sys,per discussions w/NRC.Revised TS page encl.
MOREY,D. Southern Nuclear Operating Co. 96/05/03. Document Control Branch (Document Control Desk). 1p. 88192:356-88192:359.

--9605070209 Proposed tech specs pages,including expiration date for one- time extension for CR recirculation filtration sys.
* Southern Nuclear Operating Co. 96/05/03. 3pp. 88192:357-88192:359.

9605200415 Discusses spent fuel pool cooling for plant.
MOREY,D. Southern Nuclear Operating Co. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88351:344-88351:344.

9605240155 Forwards amends 119 & 111 to licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends replace requirements associated w/control room emergency ventilation sys contained in TS section 3/4.7.7.
SIEGEL,B.L. . 96/05/21. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 88344:061-88344:086.

--9605240157 Amends 119 & 111 to licenses NPF-2 & NPF-8,respectively, replacing requirements associated w/control room emergency ventilation sys contained in TS section 3/4.7.7 w/ requirements re operation of control room emergency.
BERKOW,H.N. . 96/05/21. 18pp. 88344:064-88344:081.

--9605240158 Safety evaluation supporting amends 119 & 111 to licenses NPF-2 & NPF-8,respectively.
* . 96/05/21. 5pp. 88344:082-88344:086.

Q. Inspection reports, IE Bulletins & correspondence

9605140317 Ack receipt of 960318 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/96-01 & 50-364/96-01.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/17. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 88223:139-88223:140.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150085 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over SR Equipment."
MOREY,D. Southern Nuclear Operating Co. 96/05/10. Document Control Branch (Document Control Desk). 3pp. 88290:310-88290:312.

9605200416 Confirms arrangement made on 960510 re enforcement conference scheduled for 960522.Purpose of conference to discuss apparent violation of TS 3.4.6,SGs.
SKINNER,P.H. Region 2 (Post 820201). 96/05/10. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 88291:359-88291:360.

9605200317 Forwards insp repts 50-348/96-03 & 50-364/96-03 on 960317-0427 & forwards NOV.Violation identified & being considered for escalated enforcement action.
SKINNER,P. Region 2 (Post 820201). 96/05/15. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 88291:223-88291:261.

--9605200331 Notice of violation from insp on 960317-0427.Violation noted:licensee never installed radiation monitoring sys in unit 1 or 2 new fuel storage areas capable of alarming should accidental criticality occur.
* Region 2 (Post 820201). 96/05/15. 2pp. 88291:227-88291:228.

--9605200347 Insp repts 50-348/96-03 & 50-364/96-03 on 960317-0427. Violations noted.Major areas inspected:plant operations, maint,engineering & status.
ROSS,T.M., SKINNER,P.H. Region 2 (Post 820201). 96/05/15. 30pp. 88291:229-88291:261.

9605200185 Press release II-96-46, "NRC Staff to Hold Enforcement Conference in Atlanta to Discuss Farley Nuclear Plant Concerns W/SNOC."
* Region 2 (Post 820201). 96/05/16. 1p. 88356:311-88356:311.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605170476 Monthly operating rept for Apr 1996 for JM Farley Plant Units 1 & 2.W/ 960513 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 96/04/30. 9pp. 88339:335-88339:343.

S. Reportable occurrences, LERs & related correspondence

9605140362 Forwards excerpts from draft Accident Sequence Precursor Rept for 1982-83,documenting ASP Program analyses of operational events that occurred during 1982-83.Rev to be made about 960531.
SIEGEL,B.L. . 96/05/07. MOREY,D.N. Southern Nuclear Operating Co. 26pp. 88251:309-88251:334.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605130445 Submits response to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88243:208-88243:211.

9605160318 Forwards ERDS implementation documents & DPL updates for North Anna,Hope Creek,Limerick & Zion.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 96/05/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 88282:135-88282:135.

P. Operating license stage documents & correspondence

9605030254 Requests that chemical additive Betz Deposi-Trol 855D added to plant NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/23. GARG,S. Pennsylvania, Commonwealth of. 13pp. 88139:330-88139:342.

9605130445 Submits response to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88243:208-88243:211.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090204 Forwards FR notice re 960425 application to relocate TS traversing In-Core Probe Sys Limiting Condition for Operation 3/4.3.7.7 & Bases 3/4.3.7.7 to plant Technical Requirements manual & modify Note of TS Table 4.3.1.1-1.
RINALDI,F. Office of International Programs (Post 911117). 96/05/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 88175:338-88175:349.

-9605090212 Notice of consideration of issuance of amend to license NPF-39 & NPF-85 & proposed NSHC consideration & opportunity for hearing.Amend would relocate TS TIP Sys LCO 3/4.3.7.7,& Bases 3/4.3.7.7,to LGS Technical Requirements Manual.
RINALDI,F. . 96/05/03. 9pp. 88175:341-88175:349.

9605140217 Application for amends to licenses NPF-39 & NPF-85,revising TS SRs to change surveillance test frequency for performing flow testing of SGTS & RERS from monthly to quarterly.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/03. Document Control Branch (Document Control Desk). 7pp. 88257:155-88257:166.

-9605140275 Proposed tech specs,revising TS SRs to change surveillance test frequency for performing flow testing of SGTS & RERS from monthly to quarterly.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/03. 5pp. 88257:162-88257:166.

9605140394 Forwards response to NRC request for addl info re deletion of standby liquid control sys pump min flow requirements from TSs Section 3/4.1.5.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/08. Document Control Branch (Document Control Desk). 8pp. 88271:298-88271:305.

9605210004 Requests addl info to suppl response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," within 30 days.
RINALDI,F. . 96/05/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 88306:300-88306:303.

9605280203 Discusses 960424 meeting conducted in King of Prussia,PA re safety relief valve performance issues w/BWR licensees. List of attendees & slides encl.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 79pp. 88355:247-88355:325.

9605220502 Requests review & approval of encl computer-generated discharge monitoring rept form developed by licensee.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/17. O'NEIL,S.J. Pennsylvania, Commonwealth of. 3pp. 88359:001-88359:003.

9605240251 "Limerick Generating Station Unit 1,Startup Rept Cycle 7." W/960517 ltr.
GALLAGHER,M.P., GARDNER,P.A., MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/17. 46pp. 88368:284-88368:329.

9605280115 TS Change Request 96-12-0 to Licenses NPF-39 & NPF-85, revising TS Sections 3/4.4.9.2,3/4.9.11.1,3/4.9.11.2 & associated TS Bases 3/4.4.9 & 3/4.9.11 to more clearly describe,RHR sys shutdown cooling mode of operation.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/20. Document Control Branch (Document Control Desk). 14pp. 88384:224-88384:260.

-9605280124 Proposed Tech Specs Sections 3/4.4.9.2,3/4.9.11.1,3/4.9.11.2 & associated TS Bases 3/4.4.9 & 3/4.9.11 to more clearly described RHR sys shutdown cooling mode operation.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/20. 22pp. 88384:238-88384:260.

9605280107 Forwards PA Dept of Environ Protection ltr approving change to plant NPDES Permit PA0051926.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/22. Document Control Branch (Document Control Desk). 3pp. 88386:185-88386:187.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140132 Forwards request for addl info re PECO response to NRC Bulletin 95-02 for Limerick Generating Station,Units 1 & 2 & Peach Bottom Atomic Power Station,Units 2 & 3.
RINALDI,F. . 96/05/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 88251:272-88251:278.

9605170262 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/10. Document Control Branch (Document Control Desk). 8pp. 88316:319-88316:326.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605240244 Forwards response to violation noted in Insp Repts 50-352/96-01 & 50-353/96-01.Corrective actions:alternate method of decay heat removal verified available.
MACFARLAND,W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/21. Document Control Branch (Document Control Desk). 5pp. 88374:001-88374:005.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070211 "LGS Units 1 & 2 1995 Annual Environ Operating Rept (Non- Radiological) Jan-Dec 1995." W/960430 ltr.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 10pp. 88192:295-88192:304.

9605060025 Forwards "Limerick Generating Station Units 1 & 2 Annual Radiological Environ Operating Rept 12 Jan-Dec 1995." Concluded operation of plant has no adverse impact on environ.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/28. Document Control Branch (Document Control Desk). 1p. 88156:169-88156:282.

-9605060028 "Limerick Generating Station Units 1 & 2 Annual Radiological Environ Operating Rept 12 Jan-Dec 1995."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 12. 95/12/31. 113pp. 88156:170-88156:282.

9605150399 Monthly operating repts for Apr 1996 for Limerick Generating Station Units 1 & 2.W/960513 ltr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/30. 12pp. 88289:228-88289:239.

S. Reportable occurrences, LERs & related correspondence

9605020242 NPDES noncompliance notification:on 960314,personnel observed sewage overflowing from MH-07 & into storm drain W-4.Caused by blockage of pipe section between MH-07 & MH-08.Sewer contract svc pressure cleaned.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/28. O'NEIL,S.J. Pennsylvania, Commonwealth of. 3pp. 88126:350-88126:352.

9605020253 NPDES noncompliance notification:on 960223,identified seven issues of administrative non-compliance/ambiguity w/permits. Caused by inadequate administration.Individuals gained better understanding w/guidance.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/28. O'NEIL,S.J. Pennsylvania, Commonwealth of. 4pp. 88135:139-88135:142.

9605280119 LER 96-009-01:on 960422,main steam system safety relief valve setpoint drift occurred.Caused by corrosion induced bonding between pilot disc & seat.Installed special modified pilot disc in several SRVs.W/960520 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/20. 8pp. 88396:137-88396:144.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605170354 Forwards both forms of generic fundamentals exam section of written operator licensing exam,including answer keys, grading results & individual answer sheets for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. HOPKINS,L. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 88291:009-88291:010.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605130445 Submits response to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88243:208-88243:211.

9605160318 Forwards ERDS implementation documents & DPL updates for North Anna,Hope Creek,Limerick & Zion.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 96/05/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 88282:135-88282:135.

P. Operating license stage documents & correspondence

9605030254 Requests that chemical additive Betz Deposi-Trol 855D added to plant NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co.; (formerly Philadelphia Electric Co.). 96/04/23. GARG,S. Pennsylvania, Commonwealth of. 13pp. 88139:330-88139:342.

9605130445 Submits response to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/02. Document Control Branch (Document Control Desk). 4pp. 88243:208-88243:211.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090204 Forwards FR notice re 960425 application to relocate TS traversing In-Core Probe Sys Limiting Condition for Operation 3/4.3.7.7 & Bases 3/4.3.7.7 to plant Technical Requirements manual & modify Note of TS Table 4.3.1.1-1.
RINALDI,F. Office of International Programs (Post 911117). 96/05/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 88175:338-88175:349.

--9605090212 Notice of consideration of issuance of amend to license NPF-39 & NPF-85 & proposed NSHC consideration & opportunity for hearing.Amend would relocate TS TIP Sys LCO 3/4.3.7.7,& Bases 3/4.3.7.7,to LGS Technical Requirements Manual.
RINALDI,F. . 96/05/03. 9pp. 88175:341-88175:349.

9605140217 Application for amends to licenses NPF-39 & NPF-85,revising TS SRs to change surveillance test frequency for performing flow testing of SGTS & RERS from monthly to quarterly.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/03. Document Control Branch (Document Control Desk). 7pp. 88257:155-88257:166.

--9605140275 Proposed tech specs,revising TS SRs to change surveillance test frequency for performing flow testing of SGTS & RERS from monthly to quarterly.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/03. 5pp. 88257:162-88257:166.

9605140394 Forwards response to NRC request for addl info re deletion of standby liquid control sys pump min flow requirements from TSs Section 3/4.1.5.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/08. Document Control Branch (Document Control Desk). 8pp. 88271:298-88271:305.

9605210004 Requests addl info to suppl response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," within 30 days.
RINALDI,F. . 96/05/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 88306:300-88306:303.

9605280203 Discusses 960424 meeting conducted in King of Prussia,PA re safety relief valve performance issues w/BWR licensees. List of attendees & slides encl.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 79pp. 88355:247-88355:325.

9605220502 Requests review & approval of encl computer-generated discharge monitoring rept form developed by licensee.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/17. O'NEIL,S.J. Pennsylvania, Commonwealth of. 3pp. 88359:001-88359:003.

9605280115 TS Change Request 96-12-0 to Licenses NPF-39 & NPF-85, revising TS Sections 3/4.4.9.2,3/4.9.11.1,3/4.9.11.2 & associated TS Bases 3/4.4.9 & 3/4.9.11 to more clearly describe,RHR sys shutdown cooling mode of operation.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/20. Document Control Branch (Document Control Desk). 14pp. 88384:224-88384:260.

--9605280124 Proposed Tech Specs Sections 3/4.4.9.2,3/4.9.11.1,3/4.9.11.2 & associated TS Bases 3/4.4.9 & 3/4.9.11 to more clearly described RHR sys shutdown cooling mode operation.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/20. 22pp. 88384:238-88384:260.

9605280107 Forwards PA Dept of Environ Protection ltr approving change to plant NPDES Permit PA0051926.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/22. Document Control Branch (Document Control Desk). 3pp. 88386:185-88386:187.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140132 Forwards request for addl info re PECO response to NRC Bulletin 95-02 for Limerick Generating Station,Units 1 & 2 & Peach Bottom Atomic Power Station,Units 2 & 3.
RINALDI,F. . 96/05/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 88251:272-88251:278.

9605170262 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/10. Document Control Branch (Document Control Desk). 8pp. 88316:319-88316:326.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605240244 Forwards response to violation noted in Insp Repts 50-352/96-01 & 50-353/96-01.Corrective actions:alternate method of decay heat removal verified available.
MACFARLAND,W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/21. Document Control Branch (Document Control Desk). 5pp. 88374:001-88374:005.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070211 "LGS Units 1 & 2 1995 Annual Environ Operating Rept (Non- Radiological) Jan-Dec 1995." W/960430 ltr.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 10pp. 88192:295-88192:304.

9605060025 Forwards "Limerick Generating Station Units 1 & 2 Annual Radiological Environ Operating Rept 12 Jan-Dec 1995." Concluded operation of plant has no adverse impact on environ.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/28. Document Control Branch (Document Control Desk). 1p. 88156:169-88156:282.

--9605060028 "Limerick Generating Station Units 1 & 2 Annual Radiological Environ Operating Rept 12 Jan-Dec 1995."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 12. 95/12/31. 113pp. 88156:170-88156:282.

9605150399 Monthly operating repts for Apr 1996 for Limerick Generating Station Units 1 & 2.W/960513 ltr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/30. 12pp. 88289:228-88289:239.

S. Reportable occurrences, LERs & related correspondence

9605020242 NPDES noncompliance notification:on 960314,personnel observed sewage overflowing from MH-07 & into storm drain W-4.Caused by blockage of pipe section between MH-07 & MH-08.Sewer contract svc pressure cleaned.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/28. O'NEIL,S.J. Pennsylvania, Commonwealth of. 3pp. 88126:350-88126:352.

9605020253 NPDES noncompliance notification:on 960223,identified seven issues of administrative non-compliance/ambiguity w/permits. Caused by inadequate administration.Individuals gained better understanding w/guidance.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/28. O'NEIL,S.J. Pennsylvania, Commonwealth of. 4pp. 88135:139-88135:142.

9605160064 PNO-I-96-034:on 960514,unit 2 experienced main turbine trip followed by reactor scram.Caused by generator protection relay miscalibrated low.
PASCIAK,W., PERRY,N. Region 1 (Post 820201). 96/05/15. 2pp. 88326:229-88326:230.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605170354 Forwards both forms of generic fundamentals exam section of written operator licensing exam,including answer keys, grading results & individual answer sheets for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. HOPKINS,L. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 88291:009-88291:010.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605070106 Forwards insp rept 50-354/96-03 on 960211-0330 & notice of violation.
COOPER,R.W. Region 1 (Post 820201). 96/04/26. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 88114:042-88114:093.

–9605070113 Insp rept 50-354/96-03 on 960211-0330.Violations noted. Major areas inspected:operations,radiological controls, maint & surveillance testing,EP,security & engineering/ technical support.
NICHOLSON,L.E. Region 1 (Post 820201). 96/04/26. 49pp. 88114:048-88114:093.

9605070161 Advises that 960228 rev 3 to Salem-Hope Creek guard training & qualification plan is consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/30. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 88194:349-88194:351.

9605160318 Forwards ERDS implementation documents & DPL updates for North Anna,Hope Creek,Limerick & Zion.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 96/05/06. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 88282:135-88282:135.

9605140361 Rev 4 to ECG Section 14.
* Public Service Electric & Gas Co. of New Jersey. 96/05/07. 2pp. 88268:359-88268:360.

9605140437 Fowards revised EPIPs,including Rev 55 to table of contents & Rev 11 to EPIP 1003, "Review & Approval of Plan/Procedures ECG" & revised emergency plan & table of contents.
* Public Service Electric & Gas Co. of New Jersey. 96/05/08. Document Control Branch (Document Control Desk). 1p. 88256:001-88256:162.

–9605140470 Revised EPIPs,including Rev 55 to table of contents & Rev 11 to EPIP 1003, "Review & Approval of Plan/Procedures/ECG."
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/10. 25pp. 88256:002-88256:026.

–9605140474 Revised emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/10. 136pp. 88256:027-88256:162.

9605170108 Discusses 960506 mgt meeting re emergency preparedness & forwards meeting notice.List of attendees & handouts encl.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 88284:200-88284:206.

9605220292 Rev 34 to EPIP 1013, "Emergency Response Personnel Telephone List" & rev 56 to table of contents.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/05/20. 34pp. 88359:058-88359:090.

9605290006 Revised EPIPs,including rev 57 to EPIPs table of contents, Rev 9 to EPIP 102H, "Alert," Rev 9 to EPIP 103H, "Site Area Emergency" & Rev 9 to EPIP 104H, "General Emergency."
FAWCETT,D. Public Service Electric & Gas Co. of New Jersey. 96/05/20. 36pp. 88397:256-88397:291.

9605310247 Revised EPIPs,including Rev 47 to table of contents,Rev 41 to signature page,Rev 16 to ECG Attachment 1,Rev 10 to ECG Attachment 2,Rev 11 to ECG Attachment 3,Rev 10 to ECG Attachment 4 & Rev 27 to ECG Attachment 6.
BANNER,C. Public Service Electric & Gas Co. of New Jersey. 96/05/21. 62pp. 88418:147-88418:208.

9605310120 Revised EPIPs,including rev 17 to EPIP TOC, "Emergency News Ctr,Table of Contents" & rev 9 to EPIP 801, "Company Spokesperson Response - ENC."
VONDRASAK,B. Public Service Electric & Gas Co. of New Jersey. 96/05/24. 8pp. 88404:280-88404:287.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9605210143 Summary of 425th ACRS meeting on 951005-07 in Rockville,MD re proposed final rev 1 to RG 1.152,meeting w/RES Director, NAS & engineering study on application of digital I&C technology to NPPs & 950707 SDC bypass event at Hope Creek.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/11/04. ACRS - Advisory Committee on Reactor Safeguards. 34pp. 88370:272-88370:305.

P. Operating license stage documents & correspondence

9605060292 Withdraws request for exemption from requirements of 10CFR50,App J,Section III.D.3 for plant.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88172:061-88172:062.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605210331 Requests addl info re util 960213 response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related PORV." Response should be submitted within 30 days.
JAFFE,D.H. . 96/05/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 88308:327-88308:331.

9605280185 Submits request to change QA program for Salem & Hope Creek Stations.
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 96/05/22. Document Control Branch (Document Control Desk). 9pp. 88384:310-88384:328.

–9605280195 Proposed tech specs,requesting approval of changes to QA program.
* Public Service Electric & Gas Co. of New Jersey. 96/05/22. 10pp. 88384:319-88384:328.

9605280089 Notification of 960607 meeting w/PSEG in Rockville,MD to discuss issues associated w/Hope Creek degraded Decay Heat Removal event.
JAFFE,D.H. . 96/05/23. STOLZ,J.F. . 4pp. 88374:351-88374:354.

9605310026 Notification of significant licensee meeting 96-44 w/util on 960611 to discuss inadequate post maint testing of control rods & inadequate corrective actions for excessive contol rod speeds.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/23. Region 1 (Post 820201). 2pp. 88392:040-88392:041.

Q. Inspection reports, IE Bulletins & correspondence

9605070106 Forwards insp rept 50-354/96-03 on 960211-0330 & notice of violation.
COOPER,R.W. Region 1 (Post 820201). 96/04/26. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 88114:042-88114:093.

–9605070111 Notice of violation from insp on 960211-0330.Violation noted:on 960303-14 individuals entered RCA on RWPs 0010, 0164,0277 & 0015 w/o adhering to requirements of RWPs by not properly using personnel dosimetry.
* Region 1 (Post 820201). 96/04/26. 2pp. 88114:046-88114:047.

–9605070113 Insp rept 50-354/96-03 on 960211-0330.Violations noted. Major areas inspected:operations,radiological controls, maint & surveillance testing,EP,security & engineering/ technical support.
NICHOLSON,L.E. Region 1 (Post 820201). 96/04/26. 49pp. 88114:048-88114:093.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605130349 Discusses plant plans to perform team insp scheduled for 960610-21.Listed dates should be used pending further determination of potential conflicts w/plant Unit 2 restart schedule.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/02. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 88211:258-88211:260.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130448 Submits response to violations noted in Insp Rept 50-354/95-19.Corrective actions:need for questioning attitude has been repeatedly communicated to plant personnel & created heightened awareness of importance at station.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/07. Document Control Branch (Document Control Desk). 12pp. 88243:196-88243:207.

9605210034 Notification of significant licensee meeting 96-44 w/util on 960611 to discuss inadequate post maint testing of CRs,inadequate corrective actions for excessive CR speeds & untimely corrective actions.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/13. Region 1 (Post 820201). 2pp. 88305:156-88305:157.

9605210471 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor or Over Safety-Related Equipment."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/05/13. Document Control Branch (Document Control Desk). 6pp. 88353:082-88353:087.

9605200480 Submits response to violations noted in Insp Repts 50-354/96-80 & 50-354/96-03.Corrective actions:weekly check of five work packages has been recently initiated to monitor & enforce procedural compliance until demonstrated.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/14. Document Control Branch (Document Control Desk). 7pp. 88347:331-88347:337.

9605280043 Ack receipt of 960514 ltr informing NRC of steps taken to correct violations noted in insp repts 50-354/96-03.
NICHOLSON,L.E. Region 1 (Post 820201). 96/05/17. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 88384:128-88384:137.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280220 Forwards response to NRC 960422 ltr re violation noted in insp repts 50-272/96-05 & 50-311/96-05 on 960225-0406. Corrective actions:Offsite Safety Review staff segregated & assigned into two separate groups on 960419.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/22. Document Control Branch (Document Control Desk). 7pp. 88378:346-88378:352.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310046 Forwards response to NRC 960426 ltr re violation noted in insp rept 50-354/96-03.Corrective actions:in depth root cause investigation & rept completed & individuals involved in events re-indoctrined in RP program & ALNOR use.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/05/28. Document Control Branch (Document Control Desk). 9pp. 88418:299-88418:307.

R. Periodic operating reports & related correspondence

9605070028 "Hope Creek Generating Station Annual Radioactive Effluent Release Rept HCGS RERR-18." W/960430 ltr.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. RERR-18. 95/12/31. 100pp. 88170:248-88170:320.

9605140357 "1995 Annual Environ Operating Rept (Nonradiological) Jan-Dec 1995." W/960430 ltr.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 95/12/31. 8pp. 88271:265-88271:272.

9605060331 NPDES discharge monitoring rept for Hope Creek Generating Station for month of Mar 1996.W/960419 ltr.
REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/03/31. CORPORALE,G. New Jersey, State of. 22pp. 88184:281-88184:302.

9605070275 Forwards "Radiological Environ Monitoring Program for Salem & Hope Creek Generating Stations 1995 Annual Radiological Environ Operating Rept Jan-Dec 1995." Results of program for 1995 compared to results of preoperational program.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88169:008-88169:203.

-9605070278 "Radiological Environ Monitoring Program for Salem & Hope Creek Generating Stations 1995 Annual Radiological Environ Operating Rept Jan-Dec 1995."
* Public Service Electric & Gas Co. of New Jersey. 95/12/31. 194pp. 88169:010-88169:203.

9605160248 Monthly operating rept for Apr 1996 for Hope Creek Generating Station Unit 1.W/960510 ltr.
LYONS,D.W., REDDEMANN,M. Public Service Electric & Gas Co. of New Jersey. 96/04/30. 19pp. 88309:256-88309:274.

S. Reportable occurrences, LERs & related correspondence

9605020216 LER 96-012-00:on 960320,missed offgas sample resulting in condition prohibited by TS.Caused by defective needle luer lock adapter.Needle luer lock adapter on backup sample apparatus replaced.W/960425 ltr.
KEPLEY,L., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/25. 7pp. 88114:146-88114:152.

9605020145 Forwards Rev 5 to LER 95-033 re TS requirement implementation deficiencies,documenting discovery of TS surveillance implementation deficiency identified by TS surveillance improvement program.
REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88158:313-88158:328.

-9605020164 LER 95-033-05:on 960329,determined that APRM sys not appropriately tested due to inadequate review & approval of surveillance activities.Administrative controls placed in effect for APRMs.
PRIEST,J. Public Service Electric & Gas Co. of New Jersey. 96/04/29. 14pp. 88158:315-88158:328.

9605140202 LER 96-013-00:on 960406,ESFA occurred due to isolation of MSL drain inboard isolation valve.Replaced & tested circuit board.W/960506 ltr.
RITZMAN,R., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/05/06. 7pp. 88268:098-88268:104.

9605160209 Forwards LER 96-015-00 re potential to operate in unanalyzed condition due to design deficiency in overboard discharge line.Commitments listed as submitted.
REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88326:242-88326:248.

-9605160242 LER 96-015-00:on 960410,potential to operate in unanalyzed condition occurred.Caused by original design calculation deficiency.Appropriate maximum UHS temp will be re-evaluated.
RITZMAN,R. Public Service Electric & Gas Co. of New Jersey. 96/05/10. 5pp. 88326:244-88326:248.

9605200129 Forwards LER 96-014-00 re non-conservative safety limit min critical power ratio calculation methodology error discovery.Commitments listed as submitted.
REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88347:229-88347:234.

-9605200139 LER 96-014-00:on 960416,non-conservative safety limit min critical power ratio calculation methodology error discovery occurred.Caused by less than adequate design assumptions. MCPR controlled at interim value.
KEENAN,J. Public Service Electric & Gas Co. of New Jersey. 96/05/14. 4pp. 88347:231-88347:234.

9605280289 Forwards proprietary GE rept, "HCGS Shutdown Cooling Analyses." Encl analyses performed as result of HCGS shutdown cooling bypass event on 950707-08.Encl withheld per 10CFR2.790(a)(4) & 10CFR2.790(d)(1).
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/05/22. Document Control Branch (Document Control Desk). 8pp. 88390:193-88390:200.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

9605310166 LER 96-016-00:on 960427,unplanned high pressure coolant injection sys inoperability due to blown fuse & trip unit card failure.Caused by shorted capacitor.Trip unit card & fuse were replaced.W/960528 ltr.
KARRICK,J.W., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/05/28. 7pp. 88444:214-88444:220.

DOCKET 50-356 UNIV. OF ILLINOIS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9605210293 Forwards Procedures NRLOP-10 & NRLHPP-33 re liquid effluent discharges to sanitary sewage.Procedures & sys design modified substantially since 950215 submittal.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 96/05/16. Document Control Branch (Document Control Desk). 1p. 88361:256-88361:266.

-9605210297 Mod of NRLOP-10, "Liquid Effluent Discharge Procedure."
* Illinois, Univ. of, Urbana, IL. 95/05/16. 3pp. 88361:257-88361:259.

-9605210300 Mod of HP Procedure NRLHPP-33, "Analysis of Radioactivity in Water."
KACZOR,M.A., RALSTON,J.M., HOLM,R.L. Illinois, Univ. of, Urbana, IL. 96/05/16. 7pp. 88361:260-88361:266.

S. Reportable occurrences, LERs & related correspondence

9605060355 RO:on 960411,discharged total of 0.084 uCi insoluble radioactivity to sanitary sewer sys.Caused by failure of 0.45 um process filter.Purchased & tested to satisfaction 0.4 um filter that will fit existing filter holder.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 96/05/01. Document Control Branch (Document Control Desk). 7pp. 88165:348-88165:354.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605070035 Ack receipt of 960311 ltr transmiting rev 49 to physical security plan.
GWYNN,T.P. Region 4 (Post 820201). 96/05/01. RAY,H.B. Southern California Edison Co. 3pp. 88114:035-88114:037.

9605140360 Forwards amend applications 160 & 144 to licenses NPF-10 & NPF-15,respectively,consisting of proposed TS change number 467,adding requirement to maintain barrier control program to Section 5 of TS.
NUNN,D.E. Southern California Edison Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88256:163-88257:009.

-9605140366 Amend applications 160 & 144 to licenses NPF-10 & NPF-15, consisting of proposed TS change number 467,adding section 5.5.2.14, "Barrier Control Program."
NUNN,D.E. Southern California Edison Co. 96/05/09. 9pp. 88256:165-88256:173.

-9605140370 Proposed tech specs section 5.5.2.14, "Barrier Control Program."
* Southern California Edison Co. 96/05/09. 199pp. 88256:174-88257:009.

9605290078 Forwards insp repts 50-361/96-04 & 50-362/96-04 on 960429-0503.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/22. RAY,H.B. Southern California Edison Co. 5pp. 88368:079-88368:099.

-9605290082 Insp repts 50-361/96-04 & 50-362/96-04 on 960429-0503.No violations noted.Major areas inspected:operational status of emergency preparedness program including changes to emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 96/05/16. 16pp. 88368:084-88368:099.

9605280224 Revised EPIPs,including TCN 1 to Rev 1 to SO123-VIII-0.100, TCN to Rev 6 to SO123-VIII-0.201 & Rev 13 to SO123-VIII-40.1.W/960523 ltr.
MARSH,W.C. Southern California Edison Co. 96/05/23. 64pp. 88380:007-88380:071.

9605310004 Forwards rev 51 to physical security plan SONGS Units 1,2 & 3.Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 2pp. 88399:254-88399:255.

H. General correspondence

9605060319 Responds to 960325 ltr addressed to Chairman Jackson requiring that licensee immediately construct leakproof containment around all spent fuel storage facilities on site.
ROE,J.W. . 96/04/30. MILLS,G.R. Affiliation Not Assigned. 2pp. 88111:356-88111:358.

-9605060322 Requests that NRC require licensee to immediately construct leak-proof containment around all spent fuel storage facilities.
MILLS,G.R. Affiliation Not Assigned. 96/03/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88111:358-88111:358.

I. Financial information

9605280241 Forwards cash flow statement for yr ending 951231,in accordance w/ 10CFR140.21(e) plants.Edison Intl annual rept to Securities & Exchange Commission (Form 10-K) for yr ending 951231 also encl.
MARSH,W.C. Southern California Edison Co. 96/05/23. Document Control Branch (Document Control Desk). 49pp. 88384:261-88384:309.

P. Operating license stage documents & correspondence

9605060161 Ltr contract,mod 4 to task order 26, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). FIN L-1934. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88113:352-88113:353.

9605060033 Forwards "SONGS Annual Radioactive Effluent Release Rept Jan-Dec 1995," Rev 11 to "SONGS Unit 1 ODCM" & Rev 28 to "SONGS Units 2 & 3 ODCM."
MARSH,W.C. Southern California Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88132:001-88133:120.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605080058 Confirms mutual understanding that NRC granted,during 960422 telcon,util request for extension until 960603 to respond to WT Russel 960404 ltr to HB Ray re restructuring issues.Util comments on plan for voluntary divestiture encl.
NUNN,D.E. Southern California Edison Co. 96/05/03. Document Control Branch (Document Control Desk). 44pp. 88189:161-88189:204.

9605100159 Forwards application for amend & TS,consisting of proposed change number 458,revising Unit 2 amend 127 & Unit 3 amend 116,changing TS 3.9.4 & 3.9.5.
NUNN,D.E. Southern California Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 3pp. 88223:199-88223:263.

-9605100161 Application for amends to licenses NPF-10 & NPF-15, consisting of change number 458,revising Unit 2 amend 127 & Unit 3 amend 116 changing TS 3.9.4 & 3.9.5.
NUNN,D.E. Southern California Edison Co. 96/05/08. 24pp. 88223:202-88223:225.

-9605100176 Proposed tech specs,consisting of change number 458,revising Unit 2 amend 127 & Unit 3 amend 116 changing TS 3.9.4 & 3.9.5.
* Southern California Edison Co. 96/05/08. 38pp. 88223:226-88223:263.

9605140066 Notification of 960521 meeting w/licensee in Rockville,MD to discuss licensee plans for restructuring & deregulation & potential for direct or indirect transfer of control of NRC license for plant.
FIELDS,M.B. . 96/05/08. BATEMAN,W.H. . 4pp. 88226:347-88226:350.

9605140360 Forwards amend applications 160 & 144 to licenses NPF-10 & NPF-15,respectively,consisting of proposed TS change number 467,adding requirement to maintain barrier control program to Section 5 of TS.
NUNN,D.E. Southern California Edison Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88256:163-88257:009.

-9605140366 Amend applications 160 & 144 to licenses NPF-10 & NPF-15, consisting of proposed TS change number 467,adding section 5.5.2.14, "Barrier Control Program."
NUNN,D.E. Southern California Edison Co. 96/05/09. 9pp. 88256:165-88256:173.

-9605140370 Proposed tech specs section 5.5.2.14, "Barrier Control Program."
* Southern California Edison Co. 96/05/09. 199pp. 88256:174-88257:009.

9605310169 Forwards Amends 162 & 146 to Licenses NPF-10 & NPF-15, respectively,consisting of Proposed Change Number 465, revising Unit 2 Amend 27 & Unit 3 Amend 116 approved TS 3.5.1, "Safety Injection Tanks."
NUNN,D.E. Southern California Edison Co. 96/05/29. Document Control Branch (Document Control Desk). 2pp. 88404:192-88404:215.

-9605310176 Amends 162 & 146 to Licenses NPF-10 & NPF-15,respectively, consisting of Proposed Change Number 465,changing Unit 2 Amend 127 & Unit 3 Amend 116 approved TS 3.5.1, "Safety Injection Tanks."
NUNN,D.E. Southern California Edison Co. 96/05/29. 9pp. 88404:194-88404:203.

-9605310178 Proposed Tech Specs 3.5.1 re safety injection tanks.
* Southern California Edison Co. 96/05/29. 12pp. 88404:204-88404:215.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150382 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety Related Equipment."
MARSH,W.C. Southern California Edison Co. 96/05/14. Document Control Branch (Document Control Desk). 8pp. 88289:207-88289:214.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605240253 Forwards response to NRC 960411 ltr re violations noted in insp repts 50-361/96-02 & 50-362/96-02 on 960211-0323. Corrective actions:Operations Procedure SO23-5-1.7 & Station Procedure SO123-VI-1.0.1 revised.
KRIEGER,R.W. Southern California Edison Co. 96/05/20. Document Control Branch (Document Control Desk). 21pp. 88368:160-88368:283.

-9605240254 Temporary Change Notice 6-36 to Rev 6 to Operating Instruction SO23-5-1.7, "Power Operations."
GROVICH,F. Southern California Edison Co. 95/10/16. 103pp. 88368:181-88368:283.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290078 Forwards insp repts 50-361/96-04 & 50-362/96-04 on 960429-0503.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/22. RAY,H.B. Southern California Edison Co. 5pp. 88368:079-88368:099.

-9605290082 Insp repts 50-361/96-04 & 50-362/96-04 on 960429-0503.No violations noted.Major areas inspected:operational status of emergency preparedness program including changes to emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 96/05/16. 16pp. 88368:084-88368:099.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310083 Forwards insp repts 50-361/96-03 & 50-362/96-03 on 960324- 0504 & NOV.Violation of concern because it reflected shortcoming in monitoring plant equipment,allowing charging pump to be inoperable w/o being detected.
DYER,J.E. Region 4 (Post 820201). 96/05/24. RAY,H.B. Southern California Edison Co. 5pp. 88392:101-88392:131.

-9605310094 Notice of violation from insp on 960324-0504.Violation noted:insp identified that unit 3 charging pump 3P192 crankcase oil level not visible in viewing port.
* Region 4 (Post 820201). 96/05/24. 1p. 88392:106-88392:106.

-9605310100 Insp repts 50-361/96-03 & 50-362/96-03 on 960324-0504. Violations noted.Major areas inspected:operation,maint, engineering & plant support.
* Region 4 (Post 820201). 96/05/24. 25pp. 88392:107-88392:131.

R. Periodic operating reports & related correspondence

9605020157 "1995 Annual Radiological Environ Operating Rept San Onofre Nuclear Generating Station Units 1,2 & 3." W/undated ltr.
HANSEN,N.A., MARSH,W.C. Southern California Edison Co. 95/12/31. 200pp. 88127:083-88127:202.

9605060033 Forwards "SONGS Annual Radioactive Effluent Release Rept Jan-Dec 1995," Rev 11 to "SONGS Unit 1 ODCM" & Rev 28 to "SONGS Units 2 & 3 ODCM."
MARSH,W.C. Southern California Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88132:001-88133:120.

-9605060039 "SONGS Annual Radioactive Effluent Release Rept Jan-Dec 1995."
* Southern California Edison Co. 95/12/31. 105pp. 88132:002-88132:106.

9605210011 Forwards monthly operating rept for Apr 1996 for SONGS Units 2 & 3.No challenges to safety valves & no changes to ODCM occurred during reporting period.
MARSH,W.C. Southern California Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88352:346-88352:360.

-9605210042 Monthly operating rept for Apr 1996 for SONGS Units 2 & 3.
WILLIAMS,C.E. Southern California Edison Co. 96/04/30. 14pp. 88352:347-88352:360.

S. Reportable occurrences, LERs & related correspondence

9605070110 Part 21 rept re potential instrumentation decalibr at low power.Affected utils should ensure that log power channels properly calibr & cross-correlated to linear power channels at 100% reactor power.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 96/04/15. Document Control Branch (Document Control Desk). 8pp. 88191:258-88191:265.

9605200118 LER 96-004-00:on 960411,AF sys turbine drive pump relatch occurred.Caused by EFAS signal present.Appropriate procedures revised.W/960513 ltr.
KRIEGER,R.W. Southern California Edison Co. 96/05/13. 6pp. 88343:095-88343:100.

V. Operator Examinations

9605100193 Forwards master exam,w/answer key,re GFES administered on 960410 of written OL exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. RAY,H.B. Southern California Edison Co. 2pp. 88190:025-88190:026.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605070035 Ack receipt of 960311 ltr transmiting rev 49 to physical security plan.
GWYNN,T.P. Region 4 (Post 820201). 96/05/01. RAY,H.B. Southern California Edison Co. 3pp. 88114:035-88114:037.

9605140360 Forwards amend applications 160 & 144 to licenses NPF-10 & NPF-15,respectively,consisting of proposed TS change number 467,adding requirement to maintain barrier control program to Section 5 of TS.
NUNN,D.E. Southern California Edison Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88256:163-88257:009.

-9605140366 Amend applications 160 & 144 to licenses NPF-10 & NPF-15, consisting of proposed TS change number 467,adding section 5.5.2.14, "Barrier Control Program."
NUNN,D.E. Southern California Edison Co. 96/05/09. 9pp. 88256:165-88256:173.

-9605140370 Proposed tech specs section 5.5.2.14, "Barrier Control Program."
* Southern California Edison Co. 96/05/09. 199pp. 88256:174-88257:009.

9605290078 Forwards insp repts 50-361/96-04 & 50-362/96-04 on 960429-0503.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/22. RAY,H.B. Southern California Edison Co. 5pp. 88368:079-88368:099.

-9605290082 Insp repts 50-361/96-04 & 50-362/96-04 on 960429-0503.No violations noted.Major areas inspected:operational status of emergency preparedness program including changes to emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 96/05/16. 16pp. 88368:084-88368:099.

9605280224 Revised EPIPs,including TCN 1 to Rev 1 to SO123-VIII-0.100, TCN to Rev 6 to SO123-VIII-0.201 & Rev 13 to SO123-VIII-40.1.W/960523 ltr.
MARSH,W.C. Southern California Edison Co. 96/05/23. 64pp. 88380:007-88380:071.

9605310004 Forwards rev 51 to physical security plan SONGS Units 1,2 & 3.Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 2pp. 88399:254-88399:255.

H. General correspondence

9605060319 Responds to 960325 ltr addressed to Chairman Jackson requiring that licensee immediately construct leakproof containment around all spent fuel storage facilities on site.
ROE,J.W. . 96/04/30. MILLS,G.R. Affiliation Not Assigned. 2pp. 88111:356-88111:358.

--9605060322 Requests that NRC require licensee to immediately construct leak-proof containment around all spent fuel storage facilities.
MILLS,G.R. Affiliation Not Assigned. 96/03/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88111:358-88111:358.

I. Financial information

9605280241 Forwards cash flow statement for yr ending 951231,in accordance w/ 10CFR140.21(e) plants.Edison Intl annual rept to Securities & Exchange Commission (Form 10-K) for yr ending 951231 also encl.
MARSH,W.C. Southern California Edison Co. 96/05/23. Document Control Branch (Document Control Desk). 49pp. 88384:261-88384:309.

P. Operating license stage documents & correspondence

9605060161 Ltr contract,mod 4 to task order 26, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). FIN L-1934. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88113:352-88113:353.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605080058 Confirms mutual understanding that NRC granted,during 960422 telcon,util request for extension until 960603 to respond to WT Russel 960404 ltr to HB Ray re restructuring issues.Util comments on plan for voluntary divestiture encl.
NUNN,D.E. Southern California Edison Co. 96/05/03. Document Control Branch (Document Control Desk). 44pp. 88189:161-88189:204.

9605100159 Forwards application for amend & TS,consisting of proposed change number 458,revising Unit 2 amend 127 & Unit 3 amend 116,changing TS 3.9.4 & 3.9.5.
NUNN,D.E. Southern California Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 3pp. 88223:199-88223:263.

--9605100161 Application for amends to licenses NPF-10 & NPF-15, consisting of change number 458,revising Unit 2 amend 127 & Unit 3 amend 116 changing TS 3.9.4 & 3.9.5.
NUNN,D.E. Southern California Edison Co. 96/05/08. 24pp. 88223:202-88223:225.

--9605100176 Proposed tech specs,consisting of change number 458,revising Unit 2 amend 127 & Unit 3 amend 116 changing TS 3.9.4 & 3.9.5.
* Southern California Edison Co. 96/05/08. 38pp. 88223:226-88223:263.

9605140066 Notification of 960521 meeting w/licensee in Rockville,MD to discuss licensee plans for restructuring & deregulation & potential for direct or indirect transfer of control of NRC license for plant.
FIELDS,M.B. . 96/05/08. BATEMAN,W.H. . 4pp. 88226:347-88226:350.

9605140360 Forwards amend applications 160 & 144 to licenses NPF-10 & NPF-15,respectively,consisting of proposed TS change number 467,adding requirement to maintain barrier control program to Section 5 of TS.
NUNN,D.E. Southern California Edison Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88256:163-88257:009.

--9605140366 Amend applications 160 & 144 to licenses NPF-10 & NPF-15, consisting of proposed TS change number 467,adding section 5.5.2.14, "Barrier Control Program."
NUNN,D.E. Southern California Edison Co. 96/05/09. 9pp. 88256:165-88256:173.

--9605140370 Proposed tech specs section 5.5.2.14, "Barrier Control Program."
* Southern California Edison Co. 96/05/09. 199pp. 88256:174-88257:009.

9605310169 Forwards Amends 162 & 146 to Licenses NPF-10 & NPF-15, respectively,consisting of Proposed Change Number 465, revising Unit 2 Amend 27 & Unit 3 Amend 116 approved TS 3.5.1, "Safety Injection Tanks."
NUNN,D.E. Southern California Edison Co. 96/05/29. Document Control Branch (Document Control Desk). 2pp. 88404:192-88404:215.

--9605310176 Amends 162 & 146 to Licenses NPF-10 & NPF-15,respectively, consisting of Proposed Change Number 465,changing Unit 2 Amend 127 & Unit 3 Amend 116 approved TS 3.5.1, "Safety Injection Tanks."
NUNN,D.E. Southern California Edison Co. 96/05/29. 9pp. 88404:194-88404:203.

--9605310178 Proposed Tech Specs 3.5.1 re safety injection tanks.
* Southern California Edison Co. 96/05/29. 12pp. 88404:204-88404:215.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150382 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety Related Equipment."
MARSH,W.C. Southern California Edison Co. 96/05/14. Document Control Branch (Document Control Desk). 8pp. 88289:207-88289:214.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605240253 Forwards response to NRC 960411 ltr re violations noted in insp repts 50-361/96-02 & 50-362/96-02 on 960211-0323. Corrective actions:Operations Procedure SO23-5-1.7 & Station Procedure SO123-VI-1.0.1 revised.
KRIEGER,R.W. Southern California Edison Co. 96/05/20. Document Control Branch (Document Control Desk). 21pp. 88368:160-88368:283.

--9605240254 Temporary Change Notice 6-36 to Rev 6 to Operating Instruction SO23-5-1.7, "Power Operations."
GROVICH,F. Southern California Edison Co. 95/10/16. 103pp. 88368:181-88368:283.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290078 Forwards insp repts 50-361/96-04 & 50-362/96-04 on 960429-0503.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/22. RAY,H.B. Southern California Edison Co. 5pp. 88368:079-88368:099.

--9605290082 Insp repts 50-361/96-04 & 50-362/96-04 on 960429-0503.No violations noted.Major areas inspected:operational status of emergency preparedness program including changes to emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 96/05/16. 16pp. 88368:084-88368:099.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310083 Forwards insp repts 50-361/96-03 & 50-362/96-03 on 960324- 0504 & NOV.Violation of concern because it reflected shortcoming in monitoring plant equipment,allowing charging pump to be inoperable w/o being detected.
DYER,J.E. Region 4 (Post 820201). 96/05/24. RAY,H.B. Southern California Edison Co. 5pp. 88392:101-88392:131.

--9605310094 Notice of violation from insp on 960324-0504.Violation noted:insp identified that unit 3 charging pump 3P192 crankcase oil level not visible in viewing port.
* Region 4 (Post 820201). 96/05/24. 1p. 88392:106-88392:106.

--9605310100 Insp repts 50-361/96-03 & 50-362/96-03 on 960324-0504. Violations noted.Major areas inspected:operation,maint, engineering & plant support.
* Region 4 (Post 820201). 96/05/24. 25pp. 88392:107-88392:131.

R. Periodic operating reports & related correspondence

9605020157 "1995 Annual Radiological Environ Operating Rept San Onofre Nuclear Generating Station Units 1,2 & 3." W/undated ltr.
HANSEN,N.A., MARSH,W.C. Southern California Edison Co. 95/12/31. 200pp. 88127:083-88127:202.

9605060033 Forwards "SONGS Annual Radioactive Effluent Release Rept Jan-Dec 1995," Rev 11 to "SONGS Unit 1 ODCM" & Rev 28 to "SONGS Units 2 & 3 ODCM."
MARSH,W.C. Southern California Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88132:001-88133:120.

--9605060039 "SONGS Annual Radioactive Effluent Release Rept Jan-Dec 1995."
* Southern California Edison Co. 95/12/31. 105pp. 88132:002-88132:106.

9605210011 Forwards monthly operating rept for Apr 1996 for SONGS Units 2 & 3.No challenges to safety valves & no changes to ODCM occurred during reporting period.
MARSH,W.C. Southern California Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88352:346-88352:360.

--9605210042 Monthly operating rept for Apr 1996 for SONGS Units 2 & 3.
WILLIAMS,C.E. Southern California Edison Co. 96/04/30. 14pp. 88352:347-88352:360.

S. Reportable occurrences, LERs & related correspondence

9605070110 Part 21 rept re potential instrumentation decalibr at low power.Affected utils should ensure that log power channels properly calibr & cross-correlated to linear power channels at 100% reactor power.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 96/04/15. Document Control Branch (Document Control Desk). 8pp. 88191:258-88191:265.

9605070218 Forwards supplemental LER 96-001-01,providing addl info on safety significance of occurrence involving inadvertent ESFs actuation.
KRIEGER,R.W. Southern California Edison Co. 96/05/02. Document Control Branch (Document Control Desk). 1p. 88198:299-88198:301.

--9605070224 LER 96-001-01:on 960304,voltage signal actuation loss due to inadvertent relay trip.Enhanced turbine startup sequence by slowing (from 2.5 seconds to 8 seconds) operation of trip/ throttle valve.
KRIEGER,R.W. Southern California Edison Co. 96/05/02. 2pp. 88198:300-88198:301.

V. Operator Examinations

9605100193 Forwards master exam,w/answer key,re GFES administered on 960410 of written OL exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. RAY,H.B. Southern California Edison Co. 2pp. 88190:025-88190:026.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605100255 Forwards public version of rev 2 to Emergency Phone Directory Quarterly Up-date to be filed w/controlled copy of FNP-0-EIP-8.1.W/960509 release memo.
HUDSPETH,J.B. Southern Nuclear Operating Co. 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88207:281-88207:339.

-9605100256 Public version of rev 2 to "Emergency Phone Directory Quarterly Update."
VANDERBYE,R.J. Southern Nuclear Operating Co. 96/04/19. 57pp. 88207:283-88207:339.

9605070176 Rev 0 to FNP-0-EIP-8.2, "Plant Notification Roster." W/960429 ltr.
HUDSPETH,J. Southern Nuclear Operating Co. 96/04/29. 100pp. 88192:127-88192:226.

9605070225 Forwards sets of reproductions of current rev to project drawings ref in plant UFSAR,Rev 13.Ensure one set of project drawings forwarded to LPDR.W/507 oversize drawings.
MOREY,D. Southern Nuclear Operating Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88174:244-88174:245.

9605060353 Ack receipt of 951005 ltr transmitting Rev 27A to Farley Nuclear Plant Security Plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/30. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 88103:150-88103:151.

I. Financial information

9605170411 Resubmits annual rept re retrospective premiun guarantee required under Price-Anderson Act,as amended,applicable to JM Farley Nuclear Plant.
DERIEUX,J.R. Alabama Power Co. 96/05/10. Document Control Branch (Document Control Desk). 1p. 88336:285-88336:342.

-9605170423 Forwards 1995 Annual Rept including financial statements for unaudited financial statements for quarter ended 960331 & cash flow projections for period covering 960101-1231.
DERIEUX,J.R. Alabama Power Co. 96/04/26. SALTZMAN,J. . 4pp. 88336:286-88336:289.

-9605170436 "AL Power Co Annual Rept for 1995."
HARRIS,E.B. Alabama Power Co. 95/12/31. 46pp. 88336:290-88336:342.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605070221 Forwards rev 13 to updated FSAR for JM Farley Nuclear Plant & 10CFR50.59 rept.
MOREY,D. Southern Nuclear Operating Co. 96/04/29. Document Control Branch (Document Control Desk). 28pp. 88160:001-88164:320.

-9605070222 Rev 13 to updated FSAR for JM Farley Nuclear Plant.
* Southern Nuclear Operating Co. 96/04/30. 1776pp. 88160:029-88164:320.

P. Operating license stage documents & correspondence

9605010071 Responds to 960423 request that NRC exercise discretion not to enforce compliance w/actions required in TS 4.4.6.4, "F* Distance." Informs of intention not to enforce compliance for period from 960423,until issuance of amend to license.
BERKOW,H.N. . 96/04/25. MOREY,D.N. Southern Nuclear Operating Co. 6pp. 88072:355-88072:360.

9605060246 Ltr contract,mod 4 to task order 25, "IPE Reviews - Internal Events - Human Factors Only (Farley Units 1 & 2)."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88104:130-88104:131.

9605070225 Forwards sets of reproductions of current rev to project drawings ref in plant UFSAR,Rev 13.Ensure one set of project drawings forwarded to LPDR.W/507 oversize drawings.
MOREY,D. Southern Nuclear Operating Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88174:244-88174:245.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070199 Revises SG F* TS amend requested by 960422 ltr,to include location where eddy current uncertainty documented,per NRC request.Revised TS page encl.
MOREY,D. Southern Nuclear Operating Co. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88192:352-88192:355.

-9605070200 Proposed tech specs page 3/4 4-12b,including location where eddy current uncertainty documented.
* Southern Nuclear Operating Co. 96/05/03. 2pp. 88192:354-88192:355.

9605070206 Revises TS amend requests submitted by 951219 & 960105 ltrs re CREVS,to include expiration date for one-time extension to AOTs for CR recirculation filtration sys,per discussions w/NRC.Revised TS page encl.
MOREY,D. Southern Nuclear Operating Co. 96/05/03. Document Control Branch (Document Control Desk). 1p. 88192:356-88192:359.

-9605070209 Proposed tech specs pages,including expiration date for one- time extension for CR recirculation filtration sys.
* Southern Nuclear Operating Co. 96/05/03. 3pp. 88192:357-88192:359.

9605080112 Forwards proprietary Rev 1 to Westinghouse ltr rept NSD-JLH-6114 & non-proprietary version of Westinghouse ltr rept NSD-JLH-6136 re L* criterion for facility,in support of util 960422 TS amend request.Proprietary rept withheld.
MOREY,D. Southern Nuclear Operating Co. 96/05/03. Document Control Branch (Document Control Desk). 4pp. 88218:172-88218:241.

-9605080122 Requests that proprietary rev 1 to ltr rept NSD-JLH-6114 re L* criterion for Farley Unit 2 be withheld from public disclosure (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. 96/05/01. RUSSELL,W.T. Document Control Branch (Document Control Desk). 8pp. 88218:176-88218:183.

-9605080127 Nonproprietary version of "Development of L* Criteria for Farley Unit 2."
HALL,J.M., NELSON,L.A., TAYLOR,R.A. Westinghouse Electric Corp. 96/04/19. 58pp. 88218:184-88218:241.

9605200415 Discusses spent fuel pool cooling for plant.
MOREY,D. Southern Nuclear Operating Co. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88351:344-88351:344.

9605220140 Forwards amend 110 to license NPF-8 & safety evaluation. Amend allows SG tubes to remain in svc w/bands of axial degradation in tube sheet region,for remainder of Cycle 11.
SIEGEL,B.L. . 96/05/20. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 88326:282-88326:302.

-9605220149 Amend 8 to license NPF-8,allowing SG tubes to remain in svc w/bands of axial degradation in tube sheet region,for remainder of Cycle 11.
BERKOW,H.N. . 96/05/20. 11pp. 88326:285-88326:295.

-9605220152 Safety evaluation supporting amend 110 to license NPF-08.
* . 96/05/20. 7pp. 88326:296-88326:302.

9605230208 Advises that info contained in 960501 application re rept NSD-JLH-6114,Rev 1, "L Criterion for Farley Unit 2," will be withheld from public disclosure ref 10CFR2.790,per request.
SIEGEL,B.L. . 96/05/21. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 88326:356-88326:360.

9605240155 Forwards amends 119 & 111 to licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends replace requirements associated w/control room emergency ventilation sys contained in TS section 3/4.7.7.
SIEGEL,B.L. . 96/05/21. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 88344:061-88344:086.

-9605240157 Amends 119 & 111 to licenses NPF-2 & NPF-8,respectively, replacing requirements associated w/control room emergency ventilation sys contained in TS section 3/4.7.7 w/ requirements re operation of control room emergency.
BERKOW,H.N. . 96/05/21. 18pp. 88344:064-88344:081.

-9605240158 Safety evaluation supporting amends 119 & 111 to licenses NPF-2 & NPF-8,respectively.
* . 96/05/21. 5pp. 88344:082-88344:086.

Q. Inspection reports, IE Bulletins & correspondence

9605140317 Ack receipt of 960318 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/96-01 & 50-364/96-01.
FREDRICKSON,P. Region 2 (Post 820201). 96/04/17. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 88223:139-88223:140.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150085 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over SR Equipment."
MOREY,D. Southern Nuclear Operating Co. 96/05/10. Document Control Branch (Document Control Desk). 3pp. 88290:310-88290:312.

9605200416 Confirms arrangement made on 960510 re enforcement conference scheduled for 960522.Purpose of conference to discuss apparent violation of TS 3.4.6,SGs.
SKINNER,P.H. Region 2 (Post 820201). 96/05/10. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 88291:359-88291:360.

9605200317 Forwards insp repts 50-348/96-03 & 50-364/96-03 on 960317-0427 & forwards NOV.Violation identified & being considered for escalated enforcement action.
SKINNER,P. Region 2 (Post 820201). 96/05/15. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 88291:223-88291:261.

-9605200331 Notice of violation from insp on 960317-0427.Violation noted:licensee never installed radiation monitoring sys in unit 1 or 2 new fuel storage areas capable of alarming should accidental criticality occur.
* Region 2 (Post 820201). 96/05/15. 2pp. 88291:227-88291:228.

-9605200347 Insp repts 50-348/96-03 & 50-364/96-03 on 960317-0427. Violations noted.Major areas inspected:plant operations, maint,engineering & status.
ROSS,T.M., SKINNER,P.H. Region 2 (Post 820201). 96/05/15. 30pp. 88291:229-88291:261.

9605200185 Press release II-96-46, "NRC Staff to Hold Enforcement Conference in Atlanta to Discuss Farley Nuclear Plant Concerns W/SNOC."
* Region 2 (Post 820201). 96/05/16. 1p. 88356:311-88356:311.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605170476 Monthly operating rept for Apr 1996 for JM Farley Plant Units 1 & 2.W/ 960513 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 96/04/30. 9pp. 88339:335-88339:343.

S. Reportable occurrences, LERs & related correspondence

9605140362 Forwards excerpts from draft Accident Sequence Precursor Rept for 1982-83,documenting ASP Program analyses of operational events that occurred during 1982-83.Rev to be made about 960531.
SIEGEL,B.L. . 96/05/07. MOREY,D.N. Southern Nuclear Operating Co. 26pp. 88251:309-88251:334.

9605140101 LER 96-001-00:on 960408,2B DG experienced reduction followed by re-sumption in speed during auto start surveillance test. Caused by procedural inadequacy.DG test procedures revised to ensure relay actuated/reset w/proper delays.W/960508 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 96/05/08. 4pp. 88268:044-88268:047.

9605290088 LER 96-002-00:on 960422,discovered misapplication of TS 4.4.6 requirements re F*.Caused by inadequate surveillance test procedure.Surveillance test procedure will be revised. W/960522 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 96/05/22. 7pp. 88427:351-88427:357.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

P. Operating license stage documents & correspondence

9605080213 Forwards response to NRC RAI re util 960221 request to revise TS to change drywell air temp LCO.
BECKHAM,J.T. Georgia Power Co. 96/05/01. Document Control Branch (Document Control Desk). 5pp. 88208:312-88208:316.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605280040 Application for amends to licenses DPR-57 & NPF-5,revising TSs re CST level indication to ensure water level sufficient to provide 50,000 gallons of water for core spray makeup to reactor pressure vessel.
BECKHAM,J.T. Georgia Power Co. 96/05/21. Document Control Branch (Document Control Desk). 6pp. 88386:111-88386:125.

--9605280045 Proposed tech specs 3.5.2,ECCS - Shutdown & 3.5.2.2.b SR for Units 1 & 2 revise to change Unit 1 CST water level requirement from 12 feet to 13 feet & change Unit 2 CST water level requirement from 12 feet to 15 feet.
* Georgia Power Co. 96/05/21. 9pp. 88386:117-88386:125.

9605240183 Requests addl info re proposed license amend to change plant TS re drywell air temp limiting condition for operation.
JABBOUR,K.N. . 96/05/22. BECKHAM,J.T. Georgia Power Co. 4pp. 88344:131-88344:134.

9605280227 Forwards request for addl info re GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
JABBOUR,K.N. . 96/05/23. BECKHAM,J.T. Georgia Power Co. 5pp. 88374:338-88374:342.

Q. Inspection reports, IE Bulletins & correspondence

9605140323 Forwards insp repts 50-321/96-04 & 50-366/96-04 on 960218-0330 & NOV.
SKINNER,P.H. Region 2 (Post 820201). 96/04/25. BECKHAM,J.T. Georgia Power Co. 4pp. 88223:147-88223:195.

--9605140325 Notice of violation from insp on 960218-0330.Violation noted:surveillance procedure 34SV-T22-002-OS,Secondary Containment Integrity Demonstration,Rev 1 not performed since 960102 until 960223 which exceeded grace period.
* Region 2 (Post 820201). 96/04/25. 3pp. 88223:151-88223:153.

--9605140329 Insp repts 50-321/96-04 & 50-366/96-04 on 960218-0330. Violations noted.Major areas inspected:normal operations & testing,Unit one shutdown for limited condition for operations & missed TS surveillance.
HOLBROOK,B.L., CHRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201). 96/04/25. 42pp. 88223:154-88223:195.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140344 Responds to NRC Bulletin 96-001, "Movement of Heavy Loads Over Spent,Over Fuel in Reactor Core or Over Safety- Related Equipment."
BECKHAM,J.T. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 5pp. 88271:253-88271:257.

9605150458 Discusses GPC determination to follow "BWR Vessel & Internals Project:Guidelines for Reinspection of BWR Core Shrouds (BWRVIP-07)" for Hatch Units 1 & 2.
BECKHAM,J.T. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88289:106-88289:107.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605280068 Responds to violations noted in insp repts 50-321/96-04 & 50-366/96-04.Corrective actions:personnel counseled re inappropiate actions & rev history for procedure 31RS-OPS-001-1S reviewed.
BECKHAM,J.T. Georgia Power Co. 96/05/21. Document Control Branch (Document Control Desk). 8pp. 88386:201-88386:208.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030244 "El Hatch Nuclear Plant Annual Radioactive Effluent Release Rept for Jan-Dec 1995." W/960430 ltr.
BECKHAM,J.T. Georgia Power Co. 95/12/31. 324pp. 88118:001-88118:324.

9605140126 Forwards MOR for April 1996 for El Hatch Nuclear Plant & revised rept for Mar 1996.
BECKHAM,J.T. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88268:276-88268:289.

--9605140130 Monthly operating repts for April 1996 for El Hatch Nuclear Plant.
ROGERS,S.B. Georgia Power Co. 96/04/30. 10pp. 88268:278-88268:287.

--9605140134 Revised pages E2-4 for March 1996 for El Hatch Nuclear Plant Unit 2.
ROGERS,S.B. Georgia Power Co. 96/03/31. 2pp. 88268:288-88268:289.

S. Reportable occurrences, LERs & related correspondence

9605240036 PNO-II-96-036:on 960502,Intl Brotherhood of Electrical Workers Union notified of intent to strike on 960701 if new contract not approved.Region II will inplement pre-strike insp activities at plants.
SKINNER,P. Region 2 (Post 820201). 96/05/03. 1pp. 88391:357-88391:358.

9605200001 Forwards excerpts from draft ASP Rept,documenting ASP Program analyses of operational events that occurred during period 1982-83.Twelve of subj events occurred at plant Units 1 & 2.Rept to be revised around 960531 for publication.
JABBOUR,K.N. . 96/05/09. BECKHAM,J.T. Georgia Power Co. 62pp. 88301:158-88301:219.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9605030251 Forwards Rev 36 to industrial security plan,including changes to reflect addition of vehicle barrier sys to site. Rev withheld,per 10CFR73.21.
MIMS,D.C. Entergy Operations, Inc. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88139:359-88139:360.

9605170403 Rev 19 to Procedure/Work Plan 1903.004, "Admin & Maint of Emergency Plan & Implementing Procedures."
HARE,J. Entergy Operations, Inc. 96/05/08. 7pp. 88316:128-88316:134.

9605170396 Rev 11 to Procedure/Work Plan 1903.067, "Emergency Response Facility - Emergency Operations Facility (EOF)."
HARE,J. Entergy Operations, Inc. 96/05/09. 92pp. 88316:001-88316:092.

9605170409 Rev 2 to Procedure/Work Plan 1903.068, "Emergency Response Facility - Emergency News Ctr (ENC)."
HARE,J. Entergy Operations, Inc. 96/05/09. 35pp. 88316:093-88316:127.

9605200276 Approves changes in Rev 36 to Industrial Security Plan. Changes consistent w/provisions of 10CFR50.54(o) & acceptable for inclusion in plan on condition rev conform to design & const of required vehicle barrier sys.
GWYNN,T.P. Region 4 (Post 820201). 96/05/15. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 88291:111-88291:114.

H. General correspondence

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605300076 Forwards Amend 13 to ANO Unit 2 (ANO-2) SAR.Summary of 10CFR50.59 evaluations associated w/Amend 13 of ANO-2 SAR will be provided under separate cover ltr within 30 days as part of ANO-2 10CFR50.59 rept.
YELVERTON,J.W. Entergy Operations, Inc. 96/05/20. Document Control Branch (Document Control Desk). 13pp. 88491:001-88500:260.

--9605300084 Amend 13 to ANO Unit 2 SAR.
* Entergy Operations, Inc. 96/05/20. 1,800pp. 88491:016-88500:260.

P. Operating license stage documents & correspondence

9605010310 Summary of 960328 meeting w/NRC & utils re Combustion Engineering SG welded sleeves.Attendees listed in Encl 1.
SHIRAKI,C.Y. . 96/04/25. . 14pp. 88067:261-88067:274.

9605030093 Responds to NRC questions re containment air lock TS change request.
* Entergy Operations, Inc. 96/04/25. Document Control Branch (Document Control Desk). 5pp. 88138:275-88138:283.

--9605030094 Proposed tech specs re response to NRC questions for containment airlock.
* Entergy Operations, Inc. 96/04/25. 2pp. 88138:282-88138:283.

9605060235 Application for amends to licenses DPR-51 & NPF-6,revising ANO-1 TS 3.7.2 & ANO-2 TS 3.4.4 & 3.8.1.1 to extend allowed outage time for EDGs from 7 days to include once per cycle extension of addl 7 days per machine.
HINTZ,D.C. Entergy Operations, Inc. 96/05/02. 14pp. 88166:244-88166:286.

--9605060248 Proposed tech specs ANO-1 TS 3.7.2 & ANO-2 TS 3.4.4 & 3.8.1.1,extending allowed outage time from 7 days to include once per cycle extension of addl 7 days per machine.
* Entergy Operations, Inc. 96/05/02. 29pp. 88166:258-88166:286.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605210107 Application for amends to Licenses DPR-51 & NPF-6,changing name in order to improve customer identification by establishing consistent,well-recognized name "Entergy," for business in region served.
DEWEASE,J.G. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 8pp. 88359:234-88359:256.

--9605210128 Proposed tech specs re change in Co name from Arkansas Power & Light Co to Entergy Arkansas,Inc.
* Entergy Operations, Inc. 96/05/09. 15pp. 88359:242-88359:256.

9605220208 Requests addl info re Arkansas Nuclear One,unit 2 steam generator tube sleeves.
KALMAN,G. . 96/05/20. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 88324:352-88324:356.

Q. Inspection reports, IE Bulletins & correspondence

9605020222 Responds to 951228 request to use code case N-533 during second 10-year inservice insp program.SE & Technical Ltr encl concludes that proposed alternative exam provides acceptable level of quality & safety.
BECKNER,W.D. . 96/04/29. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 88072:082-88072:090.

--9605020231 Safety evaluation supporting second 10-year interval inservice insp program plan request to use code case N-533.
* . 96/04/29. 6pp. 88072:085-88072:090.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130426 Responds to NRC ltr re violations noted in insp repts 50-313/96-01 & 50-368/96-01 on 960121-0302.C/A:MDPI units for HPSI valves removed & reinstalled.EFIC heat trace controllers,contactors & alarm relay repaired.
MIMS,D.C. Entergy Operations, Inc. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88224:278-88224:283.

9605200224 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
MIMS,D.C. Entergy Operations, Inc. 96/05/17. Document Control Branch (Document Control Desk). 14pp. 88351:088-88351:101.

9605280052 Determines that six addl walls for ANO-2 should have been included in final rept required by 180 day response to IE Bulletin 80-11.
MIMS,D.C. Entergy Operations, Inc. 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88386:260-88386:261.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290125 Forwards insp repts 50-313/96-02 & 50-368/96-02 on 960303-0413 & forwards NOV.Violation of concern because process for positioning,locking & independently verifying proper configuration failed to ensure valve properly locked.
DYER,J.E. Region 4 (Post 820201). 96/05/22. Entergy Operations, Inc. 5pp. 88369:141-88369:170.

--9605290142 Notice of violation from insp on 960522.Violation noted: on 960316,operator failed to adequately lock valve 2BS-5602 & second operator,while performing independent verification.
* Region 4 (Post 820201). 96/05/22. 2pp. 88369:146-88369:147.

--9605290129 Insp repts 50-313/96-02 & 50-368/96-02 on 960303-0413. Violations noted.Major areas inspected:onsite review of events,operational safety verification,maint,surveillance observations & onsite engineering.
* Region 4 (Post 820201). 96/05/22. 24pp. 88369:148-88369:170.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030273 "AR Nuclear One - Units 1 & 2 Annual Radiological Environ Operating Rept for 1995." W/960430 ltr.
MIMS,D.C. Entergy Operations, Inc. 95/12/31. 145pp. 88133:121-88133:265.

9605200327 Monthly operating rept for April 1996 for ANO,Unit 2. W/960515 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 96/04/30. 7pp. 88343:211-88343:217.

S. Reportable occurrences, LERs & related correspondence

9605070110 Part 21 rept re potential instrumentation decalibr at low power.Affected utils should ensure that log power channels properly calibr & cross-correlated to linear power channels at 100% reactor power.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 96/04/15. Document Control Branch (Document Control Desk). 8pp. 88191:258-88191:265.

9605140089 LER 96-002-00:on 960409,RAS surveillance test not performed. Caused by inadequate testing procedures.Revise procedures prior to next scheduled surveillance test.Mgt expectations re TS compliance reinforced w/ANO personnel.W/960509 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 96/05/09. 8pp. 88288:001-88288:008.

V. Operator Examinations

9605100227 Forwards results of GFES of written OL exam administered 960410 to nominated employees.Training dept should forward individual answer sheets to appropriate individuals. W/o encls.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 88190:035-88190:037.

Y. Dry Cask Independent Spent Fuel Storage Installations

9605070342 Forwards responses to questions in NRC 950628 ltr re Sierra Nuclear Corp (SNC) VSC-24 cask certificate amend,Rev 3 of SNC Design Calculation ANO-109.001.006,Rev 1 to SNC Design Calculation WEP-109.001.22 & proposed amended pages of SAR.
THOMPSON,T.C. Sierra Nuclear, Inc. 96/04/30. STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 12pp. 88167:169-88167:363.

--9605070346 Rev 3 to design calculation, "Required Boron Concentrations for Various Assembly Types & Fuel Enrichments in VSC-24 MSB."
HOPF,J.E., THOMPSON,T.C. Sierra Nuclear, Inc. ANO-109.001.006 R03. 96/04/19. 108pp. 88167:181-88167:288.

--**9605070348** Rev 1 to design calculation, "VSC-24 Air Scattered Dose at Calculations Using MCNP Computer Code."
HOPF,J.E., THOMPSON,T.C. Sierra Nuclear, Inc. WEP-109.001.22 R01. 96/03/05. 62pp. 88167:289-88167:351.

9605200252 Forwards ISFSI preoperational test results for spent storage installation.
MIMS,D.C. Entergy Operations, Inc. 96/05/17. CALLAN,L.J. Region 4 (Post 820201). 7pp. 88347:338-88347:344.

9605240153 Submits notification of 960604 meeting w/Pajerito Scientific Corp/BNFL Instruments Ltd & util in Rockville,MD to discuss results of fuel assembly burnup measurements performed at plant & potential use of meter for storage & transportation.
* Office of Nuclear Material Safety & Safeguards. 96/05/21. Office of Nuclear Material Safety & Safeguards. 3pp. 88373:337-88373:339.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605010232 Forwards TERs on IPE of external events fire review,which consists of ERI/NRC 95-506 & ERI/NRC 95-502 portions.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88072:314-88072:354.

9605170255 Rev 1 to RP/0/A/5700/07, "Earthquake." W/960509 ltr.
BEAVER,A.L., MCMEEKIN,T.C. Duke Power Co. 96/05/09. 12pp. 88316:294-88316:306.

9605210144 Revised EPIPs,including rev 1 to RP/0/A/5700/01-04,rev 1 to RP/0/A/5700/10,rev 7 to OP/0/B/6200/90,rev 0 to RP/0/A/5700/03,rev 0 to RP/0/A/5700/04 & RP Manual Sections 18.1 & 18.2.W/960515 ltr.
REAVIS,J., MCMEEKIN,T.C. Duke Power Co. 96/05/15. 275pp. 88360:001-88360:275.

9605280170 Notification of 960604 meeting w/DPC in Rockville,MD to discuss plants specific issues re IPEEE fire analysis. Meeting agenda encl.
NERSES,V. . 96/05/23. BERKOW,H.N. . 5pp. 88374:333-88374:337.

P. Operating license stage documents & correspondence

9605010173 Forwards proprietary & nonproprietary Topical Repts DPC-NE-2007P-A & DPC-NE-2007A,respectively.Proprietary Topical Rept DPC-NE-2007P-A withheld.
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 88079:016-88079:112.

--**9605010181** Forwards corrected nonproprietary version of Topical Rept DPC-NE-2007.
GEWEHR,S. Duke Power Co. 96/04/23. HOOVER,D. . 1p. 88079:018-88079:018.

--**9605010186** Nonproprietary "DPC Fuel Reconstitution Analysis Methodology."
* Duke Power Co. DPC-NE-2007A. 95/10/31. 93pp. 88079:019-88079:112.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--**9605020336** "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605030060 Submits clarification of reporting requirements under 10CFR50.72(b)(2)(vi).
TUCKMAN,M.S. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88396:002-88396:004.

9605010232 Forwards TERs on IPE of external events fire review,which consists of ERI/NRC 95-506 & ERI/NRC 95-502 portions.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88072:314-88072:354.

--**9605010252** "Submittal-Only Review of Catawba Nuclear Station Individual Plant Exam of External Events," draft rept.
RAHBAR,M.K., SHOLLY,S.C., SEWELL,R.T. Affiliation Not Assigned. ERI/NRC 95-506 DRF. 96/02/29. Office of Nuclear Regulatory Research (Post 941217). 18pp. 88072:319-88072:335.

--**9605010265** "Submittal-Only Review of McGuire Nuclear Station Individual Plant Exam of External Events," draft rept.
* Affiliation Not Assigned. ERI/NRC 95-502 DRF. 96/02/29. Office of Nuclear Regulatory Research (Post 941217). 19pp. 88072:336-88072:354.

9605010234 Forwards SE which addresses proposed change to Topical Rept DPE-NE-3002-A re opening characteristics of safety valves for Catawba Station,Units 1 & 2 & McGuire Station, Units 1 & 2.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88065:302-88065:311.

--**9605010237** Safety evaluation re proposed change of safety valve opening characteristics in DPC-NE-3002-A.Rept acceptable.
* . 96/04/26. 5pp. 88065:307-88065:311.

9605070321 Forwards proprietary & nonproprietary versions of App C to DPC-NE-2005P-A, "DPC Thermal-Hydraulic Statistical Core Methodology." App C addresses licensing issues for BWU-Z use by util.Proprietary version of App C withheld.
TUCKMAN,M.S. Duke Power Co. 96/04/26. Document Control Branch (Document Control Desk). 8pp. 88218:017-88218:044.

--**9605070326** Nonproprietary App C, "McGuire/Catawba Plant Specific Data Mark-BW Fuel BWU-Z CHF Correlation" to "DPC Thermal- Hydraulic Statistical Core Design Methodology."
* Duke Power Co. DPC-NE-2005P-A APP C. 96/04/30. 20pp. 88218:025-88218:044.

9605100071 Revised "McGuire Nuclear Station Selected Licensee Commitments Manual" & list of effective pages.
CRANE,K.L. Duke Power Co. 96/04/29. 16pp. 88238:302-88238:317.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100006 Forwards review of responses to SE action items re plant, Units 1 & 2 in-service testing program.No evaluation of changes,other than responses to action items,required.
NERSES,V. . 96/05/06. MCMEEKIN,T.C. Duke Power Co. 7pp. 88207:128-88207:134.

9605150269 Forwards RAI to complete review re proposed use of CREST methodology for performing seismic analysis of coupled structural sys at plant.
NERSES,V. . 96/05/07. TUCKMAN,M.S. Duke Power Co. 6pp. 88264:342-88264:347.

9605170131 Summary of 960418 meeting w/licensees to discuss use of AT&T round cell batteries.Meeting attendees listed in encl 1.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605200445 Submits completion of current order timing mods & trace surveillances,per GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."
MCMEEKIN,T.C. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 1p. 88343:218-88343:218.

9605230165 Rev to selected licensee commitments manual.
CRANE,K.L. Duke Power Co. 96/05/13. 16pp. 88369:344-88369:358.

9605200449 Submits response to 950522 SE,review of responses to NRC SE actions items & revised relief request for plant inservice testing program.
MCMEEKIN,T.C. Duke Power Co. 96/05/15. Document Control Branch (Document Control Desk). 15pp. 88328:332-88328:346.

9605210494 Forwards Rev 13 to "DPC MNS PCP."
TUCKMAN,M.S. Duke Power Co. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88361:129-88361:134.

--**9605210497** Rev 13 to "DPC MNS PCP."
HAACK,E.J. Duke Power Co. 96/04/22. 5pp. 88361:130-88361:134.

9605300083 Discusses AT&T Round Cell 960418 meeting w/NRC& listed utils & vendors re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

--**9605300096** "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

9605210510 Withdraws initial proposed change to TS Surveillance 4.8.1.1.2.e.3.Attachment 1 documents response to staff request for addl info.
MCMEEKIN,T.C. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88372:277-88372:299.

--**9605210515** Proposed Tech Specs 3/4.8 re surveillance requirements.
* Duke Power Co. 96/05/16. 17pp. 88372:283-88372:299.

9605210526 Discusses 960514 conference call re feedwater sys pipe breaks.
TUCKMAN,M.S. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 2pp. 88353:094-88353:095.

Q. Inspection reports, IE Bulletins & correspondence

9605060340 Forwards response to request for addl info re NRC Bulletin 96-001.
TUCKMAN,M.S. Duke Power Co. 96/04/30. Document Control Branch (Document Control Desk). 5pp. 88172:007-88172:011.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070274 Forwards response to NRC 960402 ltr re violations noted in insp repts 50-369/96-01 & 50-370/96-01.Corrective actions: Sys Engineering supervision discussed inadequacy of evaluation w/Engineering personnel.
MCMEEKIN,T.C. Duke Power Co. 96/05/01. Document Control Branch (Document Control Desk). 4pp. 88174:164-88174:167.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140116 Requests to use alternative to ASME Code Section XI.Util requests approval to use code case N-533.
TUCKMAN,M.S. Duke Power Co. 96/05/07. Document Control Branch (Document Control Desk). 4pp. 88268:272-88268:275.

9605200245 Ack receipt of 960501 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/96-01 & 50-370/96-01.
CRLENJAK,R.V. Region 2 (Post 820201). 96/05/08. MCMEEKIN,T.C. Duke Power Co. 2pp. 88291:017-88291:018.

9605200343 Discusses insp repts 50-369/96-02 & 50-370/96-02 on 960311-0401 & forwards NOV.Violation involves failure of licensee to provide adequate procedural guidance to assure Unit 2 RWST level transmitters would not freeze.
EBNETER,S.D. Region 2 (Post 820201). 96/05/09. MCMEEKIN,T.C. Duke Power Co. 7pp. 88292:001-88292:054.

--**9605200349** Notice of violation from insp on 960311-0401.Violation noted:between Dec 1995 & Mar 1996,Unit 2 EDG became inoperable due to design weakness combined w/low ambient temp & was not restored to operable status within 72 h.
* Region 2 (Post 820201). 96/05/09. 47pp. 88292:008-88292:054.

9605210468 Informs that proposed service water sys operational performance inspection self assessment scheduled for July 1996 has been canceled.
MCMEEKIN,T.C. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88361:140-88361:141.

9605200142 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TUCKMAN,M.S. Duke Power Co. 96/05/14. Document Control Branch (Document Control Desk). 21pp. 88343:152-88343:173.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605210399 Forwards monthly operating repts for Apr 1996 for McGuire Nuclear Station & revised rept for Mar 1996.
WEBER,R.L. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88353:044-88353:056.

--9605210407 Monthly operating rept for Apr 1996 for McGuire Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/04/30. 9pp. 88353:046-88353:055.

--9605210421 Revised monthly operating repts for Mar 1996 for McGuire Nuclear Station Units 1 & 2.
* Duke Power Co. 96/03/31. 1p. 88353:056-88353:056.

S. Reportable occurrences, LERs & related correspondence

9605020391 Forwards LER 96-001-01 re manual reactor trip.Rev due to determination that event not NPRDS reportable & not considered significant re public health & safety.
MCMEEKIN,T.C. Duke Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88158:295-88158:303.

--9605020394 LER 96-001-01:on 960203,manual reactor tripped when 1A RCP upper thrust bearing reached administrative limit of 195 degrees.Caused by unknown equipment failure.Associated sys & components evaluated/tested.Unit returned to svc on 960205.
PITESA,J.W. Duke Power Co. 96/03/04. 7pp. 88158:297-88158:303.

9605210184 Grants permission not to rept minor exceedances of environ limits described in NUREG-1022 until final rev published. Final staff position must be determined & decision made whether request for relief appropriate.
TAM,P.S. . 96/05/17. TUCKMAN,M.S. Duke Power Co. 4pp. 88320:357-88320:360.

9605290109 Forwards exerpts from draft ASP Rept for 1982-83,documenting ASP Program analyses of operational events that occurred during 1982-83.
NERSES,V. . 96/05/22. MCMEEKIN,T.C. Duke Power Co. 22pp. 88375:331-88375:352.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605010232 Forwards TERs on IPE of external events fire review,which consists of ERI/NRC 95-506 & ERI/NRC 95-502 portions.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88072:314-88072:354.

9605170255 Rev 1 to RP/0/A/5700/07, "Earthquake." W/960509 ltr.
BEAVER,A.L., MCMEEKIN,T.C. Duke Power Co. 96/05/09. 12pp. 88316:294-88316:306.

9605210144 Revised EPIPs,including rev 1 to RP/0/A/5700/01-04,rev 1 to RP/0/A/5700/10,rev 7 to OP/0/B/6200/90,rev 0 to RP/0/A/5700/03,rev 0 to RP/0/A/5700/04 & RP Manual Sections 18.1 & 18.2.W/960515 ltr.
REAVIS,J., MCMEEKIN,T.C. Duke Power Co. 96/05/15. 275pp. 88360:001-88360:275.

9605280170 Notification of 960604 meeting w/DPC in Rockville,MD to discuss plants specific issues re IPEEE fire analysis. Meeting agenda encl.
NERSES,V. . 96/05/23. BERKOW,H.N. . 5pp. 88374:333-88374:337.

P. Operating license stage documents & correspondence

9605010173 Forwards proprietary & nonproprietary Topical Repts DPC-NE-2007P-A & DPC-NE-2007A,respectively.Proprietary Topical Rept DPC-NE-2007P-A withheld.
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 88079:016-88079:112.

--9605010181 Forwards corrected nonproprietary version of Topical Rept DPC-NE-2007.
GEWEHR,S. Duke Power Co. 96/04/23. HOOVER,D. . 1p. 88079:018-88079:018.

--9605010186 Nonproprietary "DPC Fuel Reconstitution Analysis Methodology."
* Duke Power Co. DPC-NE-2007A. 95/10/31. 93pp. 88079:019-88079:112.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605030060 Submits clarification of reporting requirements under 10CFR50.72(b)(2)(vi).
TUCKMAN,M.S. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88396:002-88396:004.

9605010232 Forwards TERs on IPE of external events fire review,which consists of ERI/NRC 95-506 & ERI/NRC 95-502 portions.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88072:314-88072:354.

--9605010252 "Submittal-Only Review of Catawba Nuclear Station Individual Plant Exam of External Events," draft rept.
RAHBAR,M.K., SHOLLY,S.C., SEWELL,R.T. Affiliation Not Assigned. ERI/NRC 95-506 DRF. 96/02/29. Office of Nuclear Regulatory Research (Post 941217). 18pp. 88072:319-88072:335.

--9605010265 "Submittal-Only Review of McGuire Nuclear Station Individual Plant Exam of External Events," draft rept.
* Affiliation Not Assigned. ERI/NRC 95-502 DRF. 96/02/29. Office of Nuclear Regulatory Research (Post 941217). 19pp. 88072:336-88072:354.

9605010234 Forwards SE which addresses proposed change to Topical Rept DPE-NE-3002-A re opening characteristics of safety valves for Catawba Station,Units 1 & 2 & McGuire Station, Units 1 & 2.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88065:302-88065:311.

--9605010237 Safety evaluation re proposed change of safety valve opening characteristics in DPC-NE-3002-A.Rept acceptable.
* . 96/04/26. 5pp. 88065:307-88065:311.

9605070321 Forwards proprietary & nonproprietary versions of App C to DPC-NE-2005P-A, "DPC Thermal-Hydraulic Statistical Core Methodology." App C addresses licensing issues for BWU-Z use by util.Proprietary version of App C withheld.
TUCKMAN,M.S. Duke Power Co. 96/04/26. Document Control Branch (Document Control Desk). 8pp. 88218:017-88218:044.

--9605070326 Nonproprietary App C, "McGuire/Catawba Plant Specific Data Mark-BW Fuel BWU-Z CHF Correlation" to "DPC Thermal- Hydraulic Statistical Core Design Methodology."
* Duke Power Co. DPC-NE-2005P-A APP C. 96/04/30. 20pp. 88218:025-88218:044.

9605020331 Forwards revised TS pages B3/4 4-5 & 5-7 re total SG tube eakage limit & total water & steam vol of RCS,respectively.
TUCKMAN,M.S. Duke Power Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88126:353-88126:356.

--9605020334 Proposed tech specs pages B3/4 4-5 & 5-7.
* Duke Power Co. 96/04/29. 2pp. 88126:355-88126:356.

9605100071 Revised "McGuire Nuclear Station Selected Licensee Commitments Manual" & list of effective pages.
CRANE,K.L. Duke Power Co. 96/04/29. 16pp. 88238:302-88238:317.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100006 Forwards review of responses to SE action items re plant, Units 1 & 2 inservice testing program.No evaluation of changes,other than responses to action items,required.
NERSES,V. . 96/05/06. MCMEEKIN,T.C. Duke Power Co. 7pp. 88207:128-88207:134.

9605150269 Forwards RAI to complete review re proposed use of CREST methodology for performing seismic analysis of coupled structural sys at plant.
NERSES,V. . 96/05/07. TUCKMAN,M.S. Duke Power Co. 6pp. 88264:342-88264:347.

9605170131 Summary of 960418 meeting w/licensees to discuss use of AT&T round cell batteries.Meeting attendees listed in encl 1.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605200445 Submits completion of current order timing mods & trace surveillances,per GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Assemblies."
MCMEEKIN,T.C. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 1p. 88343:218-88343:218.

9605230165 Rev to selected licensee commitments manual.
CRANE,K.L. Duke Power Co. 96/05/13. 16pp. 88369:344-88369:358.

9605200449 Submits response to 950522 SE,review of responses to NRC SE actions items & revised relief request for plant inservice testing program.
MCMEEKIN,T.C. Duke Power Co. 96/05/15. Document Control Branch (Document Control Desk). 15pp. 88328:332-88328:346.

9605210494 Forwards Rev 13 to "DPC MNS PCP."
TUCKMAN,M.S. Duke Power Co. 96/05/15. Document Control Branch (Document Control Desk). 1p. 88361:129-88361:134.

--9605210497 Rev 13 to "DPC MNS PCP."
HAACK,E.J. Duke Power Co. 96/04/22. 5pp. 88361:130-88361:134.

9605300083 Discusses AT&T Round Cell 960418 meeting w/NRC& listed utils & vendors re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

--9605300096 "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

9605210510 Withdraws initial proposed change to TS Surveillance 4.8.1.1.2.e.3.Attachment 1 documents response to staff request for addl info.
MCMEEKIN,T.C. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88372:277-88372:299.

--9605210515 Proposed Tech Specs 3/4.8 re surveillance requirements.
* Duke Power Co. 96/05/16. 17pp. 88372:283-88372:299.

9605210526 Discusses 960514 conference call re feedwater sys pipe breaks.
TUCKMAN,M.S. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 2pp. 88353:094-88353:095.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070274 Forwards response to NRC 960402 ltr re violations noted in insp repts 50-369/96-01 & 50-370/96-01.Corrective actions: Sys Engineering supervision discussed inadequacy of evaluation w/Engineering personnel.
MCMEEKIN,T.C. Duke Power Co. 96/05/01. Document Control Branch (Document Control Desk). 4pp. 88174:164-88174:167.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140116 Requests to use alternative to ASME Code Section XI.Util requests approval to use code case N-533.
TUCKMAN,M.S. Duke Power Co. 96/05/07. Document Control Branch (Document Control Desk). 4pp. 88268:272-88268:275.

9605200245 Ack receipt of 960501 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/96-01 & 50-370/96-01.
CRLENJAK,R.V. Region 2 (Post 820201). 96/05/08. MCMEEKIN,T.C. Duke Power Co. 2pp. 88291:017-88291:018.

9605200343 Discusses insp repts 50-369/96-02 & 50-370/96-02 on 960311-0401 & forwards NOV.Violation involves failure of licensee to provide adequate procedural guidance to assure Unit 2 RWST level transmitters would not freeze.
EBNETER,S.D. Region 2 (Post 820201). 96/05/09. MCMEEKIN,T.C. Duke Power Co. 7pp. 88292:001-88292:054.

--9605200349 Notice of violation from insp on 960311-0401.Violation noted:between Dec 1995 & Mar 1996,Unit 2 EDG became inoperable due to design weakness combined w/low ambient temp & was not restored to operable status within 72 h.
* Region 2 (Post 820201). 96/05/09. 47pp. 88292:008-88292:054.

9605200096 Provides info on actions taken during McGuire Unit 2 current refueling outage (2EOC10) in response to NRC Bulletin 96-001.Facility control rod drive line performance evaluation analysis encl.
MCMEEKIN,T.C. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 8pp. 88351:040-88351:047.

9605210468 Informs that proposed service water sys operational performance inspection self assessment scheduled for July 1996 has been canceled.
MCMEEKIN,T.C. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88361:140-88361:141.

9605200142 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TUCKMAN,M.S. Duke Power Co. 96/05/14. Document Control Branch (Document Control Desk). 21pp. 88343:152-88343:173.

9605200217 Submits rept re insp of SGs for EOC-10 refueling outage.
MCMEEKIN,T.C. Duke Power Co. 96/05/14. Document Control Branch (Document Control Desk). 66pp. 88327:267-88327:331.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605210399 Forwards monthly operating repts for Apr 1996 for McGuire Nuclear Station & revised rept for Mar 1996.
WEBER,R.L. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88353:044-88353:056.

--9605210407 Monthly operating rept for Apr 1996 for McGuire Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/04/30. 9pp. 88353:046-88353:055.

--9605210421 Revised monthly operating repts for Mar 1996 for McGuire Nuclear Station Units 1 & 2.
* Duke Power Co. 96/03/31. 1p. 88353:056-88353:056.

S. Reportable occurrences, LERs & related correspondence

9605030015 Forwards LER 50-370/96-01,rev 1,re Unit 2 RWST level instrumentation inoperability during cold weather conditions Revised to include editorial changes.
MCMEEKIN,T.C. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88158:337-88158:352.

--9605030029 LER 96-001-01:on 960208,RWST level transmitter frozen.Caused by insufficient equipment monitoring.Integrity & proper operation of refueling water level transmitter panels verified during routine maint & periodically checked.
PITESA,J.W. Duke Power Co. 96/04/18. 14pp. 88158:339-88158:352.

9605210184 Grants permission not to rept minor exceedances of environ limits described in NUREG-1022 until final rev published. Final staff position must be determined & decision made whether request for relief appropriate.
TAM,P.S. . 96/05/17. TUCKMAN,M.S. Duke Power Co. 4pp. 88320:357-88320:360.

9605230174 PNO-II-96-040:on 960522,unit 2 experienced reactor trip from 99% power when reactor coolant pump 2B tripped from apparent electrical fault.Reactor trip proceeded normally w/all sys functioning as required.
CARROLL,R.E. Region 2 (Post 820201). 96/05/23. 1p. 88389:169-88389:169.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605170264 Ack receipt of 960419 ltr requesting info re physical security concern at plant.
CREED,J.R. Region 3 (Post 820201). 96/05/09. QUERIO,R.E. Commonwealth Edison Co. 2pp. 88284:324-88284:326.

--9605170270 Forwards investigation conducted w/respect to security concerns.W/o encl.
QUERIO,R.E. Commonwealth Edison Co. 96/04/19. CREED,J.R. Region 3 (Post 820201). 1p. 88284:326-88284:326.

9605280186 Rev 7 to LZP-1440-1 deleting procedure from index.
* Commonwealth Edison Co. 96/05/15. 9pp. 88386:126-88386:134.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605060167 Forwards errata to Rev 11 to LaSalle County Station Units 1 & 2 UFSAR,including revised listing of effective pages page 1 & index of changes page 3.
QUERIO,R.E. Commonwealth Edison Co. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88172:198-88172:201.

--9605060169 Errata to Rev 11 to LaSalle County Station Units 1 & 2 UFSAR,including revised listing of effective pages page 1 & index of changes page 3.
* Commonwealth Edison Co. 96/04/24. 2pp. 88172:200-88172:201.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605100164 Forwards responses to NRC request for addl info on util licensing Topical Rept NFSR-0111.
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 23pp. 88226:301-88226:323.

9605100155 Provides updated schedule for licensing actions necessary to support transition of plants to fuel supplied by Siemens Power Corp.
HOSMER,J.B. Commonwealth Edison Co. 96/05/01. Document Control Branch (Document Control Desk). 5pp. 88237:339-88237:343.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605140154 Revises util 960205 response to NRC RAI Question 2.C.1, addressing degree of compliance w/augmented exam established by NRC when added assurance of structural integrity deemed necessary.
QUERIO,R.E. Commonwealth Edison Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88272:034-88272:035.

9605210389 Forwards RAI re 960213 response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
SKAY,D.M. . 96/05/20. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88308:280-88308:282.

9605280122 Advises that "Boiling Water Reactor Licensing Methodology Summary," EMF-94-217(P) will be withheld from public disclosure ref 10CFR2.790,per 960408 & 951113 request.
SKAY,D.M. . 96/05/24. FARRAR,D. Commonwealth Edison Co. 3pp. 88374:348-88374:350.

9605290045 Advises that "Application of ANFB Critical Power Correlation to Coresident GE Fuel for LaSalle Unit 2,Cycle 8," EMF-96-021(P) will be withheld from public disclosure ref 10CFR2.790,per 960308 request.
SKAY,D.M. . 96/05/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88375:283-88375:285.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070246 "LaSalle County Station Environ Protection Plan 1995 Annual Operating Rept." W/960429 ltr.
RAY,D.J. Commonwealth Edison Co. 95/12/31. 5pp. 88192:340-88192:344.

9605140115 Monthly operating repts for April 1996 for LaSalle County Station Units 1 & 2.W/960508 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 96/04/30. 16pp. 88268:256-88268:271.

S. Reportable occurrences, LERs & related correspondence

9605060258 LER 96-003-00:on 960327,scram signal received causing single control rod,50-43 to fully insert.Caused by spurious spike of H IR neutron monitor channel & degraded signal cable shield & connector.Scram reset & H IRM bypassed.W/960426 ltr
PFISTER,E.R., RAY,D.J. Commonwealth Edison Co. 96/04/26. 5pp. 88171:208-88171:212.

9605150177 Forwards excerpts from draft Accident Sequence Precursor Rept for 1982-83,documenting ASP Program analyses of operational events occurring in 1982-83.
SKAY,D.M. . 96/05/10. FARRAR,D.L. Commonwealth Edison Co. 37pp. 88258:272-88258:308.

9605210040 LER 96-004-00:on 960412,Unit 1 "B" RPS MG set assembly & inadvertently set breaker.Caused by personnel error.All onsite painting & event was explained to painters.W/960510 ltr.
PATTERSON,R., RAY,D.J. Commonwealth Edison Co. 96/05/12. 4pp. 88370:356-88370:359.

9605280109 LER 96-005-00:on 960423,missed Tech Spec surveillance LOS-PP-W1.Caused by human performance error.Issued directive to Control Room supervisors requiring use of Predefined Detail Report.W/960520 ltr.
ARNOLD,J., RAY,D.J. Commonwealth Edison Co. 96/05/23. 5pp. 88396:132-88396:136.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

9605140146 Informs that JE Tabler employment w/util at plant terminated & Tabler RO license no longer required.
QUERIO,R.E. Commonwealth Edison Co. 96/05/08. BIES,M.A. Region 3 (Post 820201). 1p. 88268:300-88268:300.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605170264 Ack receipt of 960419 ltr requesting info re physical security concern at plant.
CREED,J.R. Region 3 (Post 820201). 96/05/09. QUERIO,R.E. Commonwealth Edison Co. 2pp. 88284:324-88284:326.

-9605170270 Forwards investigation conducted w/respect to security concerns.W/o encl.
QUERIO,R.E. Commonwealth Edison Co. 96/04/19. CREED,J.R. Region 3 (Post 820201). 1p. 88284:326-88284:326.

9605280186 Rev 7 to LZP-1440-1 deleting procedure from index.
* Commonwealth Edison Co. 96/05/15. 9pp. 88386:126-88386:134.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605060167 Forwards errata to Rev 11 to LaSalle County Station Units 1 & 2 UFSAR,including revised listing of effective pages page 1 & index of changes page 3.
QUERIO,R.E. Commonwealth Edison Co. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88172:198-88172:201.

-9605060169 Errata to Rev 11 to LaSalle County Station Units 1 & 2 UFSAR,including revised listing of effective pages page 1 & index of changes page 3.
* Commonwealth Edison Co. 96/04/24. 2pp. 88172:200-88172:201.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

-9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605100164 Forwards responses to NRC request for addl info on util licensing Topical Rept NFSR-0111.
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 23pp. 88226:301-88226:323.

9605100155 Provides updated schedule for licensing actions necessary to support transition of plants to fuel supplied by Siemens Power Corp.
HOSMER,J.B. Commonwealth Edison Co. 96/05/01. Document Control Branch (Document Control Desk). 5pp. 88237:339-88237:343.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605140154 Revises util 960205 response to NRC RAI Question 2.C.1, addressing degree of compliance w/augmented exam established by NRC when added assurance of structural integrity deemed necessary.
QUERIO,R.E. Commonwealth Edison Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88272:034-88272:035.

9605210389 Forwards RAI re 960213 response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
SKAY,D.M. . 96/05/20. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88308:280-88308:282.

9605280122 Advises that "Boiling Water Reactor Licensing Methodology Summary," EMF-94-217(P) will be withheld from public disclosure ref 10CFR2.790,per 960408 & 951113 request.
SKAY,D.M. . 96/05/24. FARRAR,D. Commonwealth Edison Co. 3pp. 88374:348-88374:350.

9605290045 Advises that "Application of ANFB Critical Power Correlation to Coresident GE Fuel for LaSalle Unit 2,Cycle 8," EMF-96-021(P) will be withheld from public disclosure ref 10CFR2.790,per 960308 request.
SKAY,D.M. . 96/05/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88375:283-88375:285.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070246 "LaSalle County Station Environ Protection Plan 1995 Annual Operating Rept." W/960429 ltr.
RAY,D.J. Commonwealth Edison Co. 95/12/31. 5pp. 88192:340-88192:344.

9605140115 Monthly operating repts for April 1996 for LaSalle County Station Units 1 & 2.W/960508 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 96/04/30. 16pp. 88268:256-88268:271.

S. Reportable occurrences, LERs & related correspondence

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605160095 Forwards master BWR/PWR GFES exam w/answer key & individual answer sheets for each person who took exam on 960410.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. LOOPE,D.C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 88275:225-88275:225.

9605140146 Informs that JE Tabler employment w/util at plant terminated & Tabler RO license no longer required.
QUERIO,R.E. Commonwealth Edison Co. 96/05/08. BIES,M.A. Region 3 (Post 820201). 1p. 88268:300-88268:300.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605020163 Rev 22 to EPIP EP-002-102, "EOF Activation,Operation & Deactivation." W/960429 ltr.
FISICARO,J.J. Entergy Operations, Inc. 96/04/29. 127pp. 88082:195-88082:321.

9605150047 Approves changes to plant Emergency Classification Procedure & Emergency Plan.
GWYNN,T.P. Region 4 (Post 820201). 96/05/03. SELLMAN,M.B. Entergy Operations, Inc. 4pp. 88266:015-88266:018.

9605140432 Forwards rev 17 to physical security plan,reflecting exemption from 10CFR73.55(d)(5) issued per NRC 950811 ltr allowing contractors to remove keycard badges offsite & use of hand geometry access control sys.Rev withheld.
FISICARO,J.J. Entergy Operations, Inc. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88262:356-88262:357.

9605170458 Rev 23 to EPIP EP-002-100, "Technical Support Ctr (TSC) Activation,Operation & Deactivation." W/960515 ltr.
FISICARO,J.J. Entergy Operations, Inc. 96/05/15. 92pp. 88336:193-88336:284.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605080153 Forwards rev 8 to Waterford Steam Electric Station Unit 3 FSAR.Submittal reflects update status of FSAR for period from 940601-960501.Changes made per 10CFR50.59 will be reported to NRC by separate submittal.
SELLMAN,M.B. Entergy Operations, Inc. 96/05/06. Document Control Branch (Document Control Desk). 14pp. 88195:001-88197:295.

-9605080157 Rev 8 to Waterford Steam Electric Station Unit 3 FSAR.
* Entergy Operations, Inc. 96/05/31. 1,009pp. 88195:015-88197:295.

P. Operating license stage documents & correspondence

9605020141 Forwards request for addl info re IPE submittal.
FISICARO,J.J. Entergy Operations, Inc. 96/04/30. Document Control Branch (Document Control Desk). 226pp. 88083:001-88083:226.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605080063 Forwards revs to "Waterford 3 QA Program Manual" from 941008-960501.
SELLMAN,M.B. Entergy Operations, Inc. 96/05/06. Document Control Branch (Document Control Desk). 5pp. 88189:044-88189:160.

-9605080071 Revised "Waterford 3 QA Program Manual."
* Entergy Operations, Inc. 96/05/06. 112pp. 88189:049-88189:160.

9605080096 Advises that 950502 application for amend to license NPF-38 being treated as withdrawn,per 960417 licensee request for withdrawal of amend.Notice of Consideration of Issuance of proposed amend had not been published in FR.
PATEL,C.P. . 96/05/07. SELLMAN,M.B. Entergy Operations, Inc. 3pp. 88175:187-88175:189.

9605160358 Forwards correction to amend 116 to license NPF-38.Amend changed App A TS to make consistent w/revised 10CFR20,Stds for Protection Against Radiation.
PATEL,C.P. . 96/05/13. SELLMAN,M.B. Entergy Operations, Inc. 3pp. 88273:017-88273:021.

-9605160365 Amend 116 to license NPF-38,changing App A TSs to make consistent w/revised 10CFR20,Stds for Protection Against Radiation.
* . 96/05/13. 2pp. 88273:020-88273:021.

9605150486 Proposes to conduct self-assessment at facility to examine effectiveness of engineering activities & programs & controls established for identification,resolution & prevention of problems.Assessment encl.Encl withheld.
FISICARO,J.J. Entergy Operations, Inc. 96/05/14. Document Control Branch (Document Control Desk). 20pp. 88309:178-88309:197.

9605200002 Notification of licensee meeting w/util on 960611 in Arlington,TX to discuss facility Revitalization Plan.
DYER,J.E. Region 4 (Post 820201). 96/05/15. Region 4 (Post 820201). 5pp. 88305:001-88305:005.

9605280001 Identifies team members for engineering self assessment & forwards resumes of team members.
FISICARO,J.J. Entergy Operations, Inc. 96/05/23. Document Control Branch (Document Control Desk). 9PP. 88386:217-88386:225.

Q. Inspection reports, IE Bulletins & correspondence

9605030352 Discusses arrangements which had been made for administration of licensing exams at plant during wk of 960909.Pilot exam guidelines,encl.
GWYNN,T.P. Region 4 (Post 820201). 96/04/26. SELLMAN,M.B. Entergy Operations, Inc. 8pp. 88092:340-88092:347.

9605030062 Forwards response to violations noted in insp rept 50-382/95-23.Corrective *actions:ultrasonic exams & acoustic surveys performed from 951211-14 to quantify* rate of intrusion,if any,into ACCWS.
FISICARO,J.J. Entergy Operations, Inc. 96/04/29. LEIBERMAN,J. Ofc of Enforcement (Post 870413). 15pp. 88138:238-88138:252.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605090222 Informs of team insp of facility using modified IPAP.On-site phase of insp scheduled for period of 960930-1011.
PATEL,C.P. . 96/05/08. SELLMAN,M.B. Entergy Operations, Inc. 4pp. 88199:357-88199:360.

9605140447 Responds to NRC re violations noted in insp rept 50-382/95-22.C/A:Mandatory Preventive Maint tasks 021727 & 021728 generated & assigned to Operations to test ACC-138 A&B on quarterly basis.
FISICARO,J.J. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 12pp. 88272:067-88272:078.

9605150389 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Fuel in Reactor Core or Over Safety-Related Equipment."
FISICARO,J.J. Entergy Operations, Inc. 96/05/13. Document Control Branch (Document Control Desk). 3pp. 88289:215-88289:218.

9605200006 Ack receipt of 960425 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/95-20 on 960320.
GWYNN,T.P. Region 4 (Post 820201). 96/05/13. SELLMAN,M.B. Entergy Operations, Inc. 4pp. 88305:013-88305:023.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290117 Forwards insp rept 50-382/96-04 on 960317-0427.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/05/23. SELLMAN,M.B. Entergy Operations, Inc. 5pp. 88369:017-88369:033.

--9605290124 Insp rept 50-382/96-04 on 960317-0427.No violations noted. Major areas inspected:onsite response to events,plant operations,maint & surveillance observations,onsite engineering & plant support activities.
HARRELL,P.H. Region 4 (Post 820201). 96/05/21. 12pp. 88369:022-88369:033.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310025 Forwards insp rept 50-382/96-07 on 960401-29 & notice of violation.Previous CA from escalated enforcement associated w/Dec 1990 control room envelope inoperability did not prevent present degradation of control room envelope.
DYER,J.E. Region 4 (Post 820201). 96/05/28. SELLMAN,M.B. Entergy Operations, Inc. 5pp. 88392:009-88392:037.

--9605310029 Notice of violation from insp on 960401-29.Violation noted: postmaintenance test not performed as required by Procedure UNT-005-020,to ensure that CR air conditioning sys capable of performing intended function after corrected deficiency.
* Region 4 (Post 820201). 96/05/28. 3pp. 88392:014-88392:016.

--9605310030 Insp rept 50-382/96-07 on 960401-29.Violations noted.Major areas inspected:breach of control room envelope which resulted in total leakage being in excess of design allowable leakage of 200 scfm.
HARRELL,R.H. Region 4 (Post 820201). 96/05/24. 21pp. 88392:017-88392:037.

R. Periodic operating reports & related correspondence

9605080065 "Rept of Facility Changes,Tests & Experiments Per 10CFR50.59 June 1994 - Nov 1995." W/960506 ltr.
FISICARO,J.J. Entergy Operations, Inc. 95/11/30. 263pp. 88187:001-88187:267.

9605020182 "Waterford 3 1995 Annual Environ Operating Rept." W/960430 ltr.
FISICARO,J.J. Entergy Operations, Inc. 95/12/31. 3pp. 88124:357-88124:359.

9605020298 "Annual Radioactive Effluent Release Rept Jan-Dec 1995 Waterford 3 SES." W/960430 ltr.
FISICARO,J.J. Entergy Operations, Inc. 95/12/31. 362pp. 88120:001-88120:363.

9605200068 Monthly operating rept for Apr 1996 for Waterford Unit 3.W/ 960515 ltr.
FREEMAN,D.S., FISICARO,J.J. Entergy Operations, Inc. 96/04/30. 7pp. 88351:242-88351:248.

S. Reportable occurrences, LERs & related correspondence

9605070110 Part 21 rept re potential instrumentation decalibr at low power.Affected utils should ensure that log power channels properly calibr & cross-correlated to linear power channels at 100% reactor power.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/04/15. Document Control Branch (Document Control Desk). 8pp. 88191:258-88191:265.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

V. Operator Examinations

9605030352 Discusses arrangements which had been made for administration of licensing exams at plant during wk of 960909.Pilot exam guidelines,encl.
GWYNN,T.P. Region 4 (Post 820201). 96/04/26. SELLMAN,M.B. Entergy Operations, Inc. 8pp. 88092:340-88092:347.

9605100172 Forwards Generic Fundamentals Exam Section of written operator licensing exam & answer key for info.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. SELLMAN,M.B. Entergy Operations, Inc. 2pp. 88190:053-88190:054.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605010057 Responds to RAI 2 dtd June 1995 & RAI 3 dtd 951206 re SSES App R safe shutdown analysis documented in Rev 4 to SSES fire protection review rept,per GL 86-10 & INs 85-009 & 92-018.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 13pp. 88074:001-88074:362.

--9605010074 Rev 3 to "App R:Safe Shutdown Path 2 Analysis for Fires in Control Room Fire Zones."
GORMAN,T.A., JEBSEN,E.R., BUTLER,F.G. Pennsylvania Power & Light Co. EC-013-0859 R03. 96/04/04. 57pp. 88074:014-88074:070.

--9605010079 Rev 0 to "Safe Shutdown Paths for Fires Outside & Inside Control Room."
WHITE,A.J., DETAMORE,M.B. Pennsylvania Power & Light Co. EC-013-0979 R00. 95/01/13. 200pp. 88074:071-88074:274.

--9605010096 Rev 0 to "Flow Diversion - Valves:HV-B21-1F016,HV-B21-1F019, HV-B21-2F016 & HV-B21-2F019."
DETAMORE,M.B. Pennsylvania Power & Light Co. EC-013-0964 R00. 94/12/19. 17pp. 88074:275-88074:291.

--9605010102 Rev 0 to "Coordination Calculation for DG Sync Ckt ELI:App R Calcs,EMI."
BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0624 R00. 94/11/16. 11pp. 88074:292-88074:302.

--9605010107 Rev 0 to "App R:Safe Shutdown Path 2 Analysis in Control Room Fire Zones (Addl Components)."
DEANGELIS,K., BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0814 R00. 94/12/19. 8pp. 88074:303-88074:310.

--9605010110 Rev 0 to "Verification of Equipment Isolation at Remote Shutdown Panel in Event of Control Room Fire."
BACKENSTOE,K. Pennsylvania Power & Light Co. EC-013-0854 R00. 94/11/09. 16pp. 88074:311-88074:326.

--9605010112 Rev 0 to "Evaluation to Ensure Isolation of RCS Flow Diversion in Event of Plant Fire."
DUNN,D.P. Pennsylvania Power & Light Co. EC-013-0873 R00. 94/11/04. 10pp. 88074:327-88074:332.

--9605010121 Rev 0 to "App R Required Cables for MSIVs."
BACKENSTOE,K. Pennsylvania Power & Light Co. EC-013-0858 R00. 94/11/04. 8pp. 88074:333-88074:344.

--9605010118 Rev 1 to "Disposition of EDR G10122 - App R Flow Diversion."
GORMAN,T.A., JEBSEN,E.R., BUTLER,F.G. Pennsylvania Power & Light Co. EC-013-0788 R01. 96/04/04. 5pp. 88074:345-88074:349.

--9605010126 Rev 0 to "App R ADS/SRV Spurious Operation & Cable Analysis."
BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0845 R00. 94/12/16. 13pp. 88074:350-88074:362.

9605060336 Forwards Change JJ to physical security plan.Encl withheld.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88147:354-88147:355.

9605150484 Advises that 960213 & 0430 Revs II & JJ re changes to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/09. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 88289:113-88289:114.

P. Operating license stage documents & correspondence

9605010057 Responds to RAI 2 dtd June 1995 & RAI 3 dtd 951206 re SSES App R safe shutdown analysis documented in Rev 4 to SSES fire protection review rept,per GL 86-10 & INs 85-009 & 92-018.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 13pp. 88074:001-88074:362.

--9605010074 Rev 3 to "App R:Safe Shutdown Path 2 Analysis for Fires in Control Room Fire Zones."
GORMAN,T.A., JEBSEN,E.R., BUTLER,F.G. Pennsylvania Power & Light Co. EC-013-0859 R03. 96/04/04. 57pp. 88074:014-88074:070.

--9605010079 Rev 0 to "Safe Shutdown Paths for Fires Outside & Inside Control Room."
WHITE,A.J., DETAMORE,M.B. Pennsylvania Power & Light Co. EC-013-0979 R00. 95/01/13. 200pp. 88074:071-88074:274.

--9605010096 Rev 0 to "Flow Diversion - Valves:HV-B21-1F016,HV-B21-1F019, HV-B21-2F016 & HV-B21-2F019."
DETAMORE,M.B. Pennsylvania Power & Light Co. EC-013-0964 R00. 94/12/19. 17pp. 88074:275-88074:291.

--9605010102 Rev 0 to "Coordination Calculation for DG Sync Ckt ELI:App R Calcs,EMI."
BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0624 R00. 94/11/16. 11pp. 88074:292-88074:302.

--9605010107 Rev 0 to "App R:Safe Shutdown Path 2 Analysis in Control Room Fire Zones (Addl Components)."
DEANGELIS,K., BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0814 R00. 94/12/19. 8pp. 88074:303-88074:310.

--9605010110 Rev 0 to "Verification of Equipment Isolation at Remote Shutdown Panel in Event of Control Room Fire."
BACKENSTOE,K. Pennsylvania Power & Light Co. EC-013-0854 R00. 94/11/09. 16pp. 88074:311-88074:326.

--9605010112 Rev 0 to "Evaluation to Ensure Isolation of RCS Flow Diversion in Event of Plant Fire."
DUNN,D.P. Pennsylvania Power & Light Co. EC-013-0873 R00. 94/11/04. 10pp. 88074:327-88074:332.

--9605010121 Rev 0 to "App R Required Cables for MSIVs."
BACKENSTOE,K. Pennsylvania Power & Light Co. EC-013-0858 R00. 94/11/04. 8pp. 88074:333-88074:344.

--9605010118 Rev 1 to "Disposition of EDR G10122 - App R Flow Diversion."
GORMAN,T.A., JEBSEN,E.R., BUTLER,F.G. Pennsylvania Power & Light Co. EC-013-0788 R01. 96/04/04. 5pp. 88074:345-88074:349.

--9605010126 Rev 0 to "App R ADS/SRV Spurious Operation & Cable Analysis."
BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0845 R00. 94/12/16. 13pp. 88074:350-88074:362.

9605020190 Requests use of Code Case N-71-16 at Susquehanna SES to procure "Unistrut" pipe straps for control rod drive hydraulic sys.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88135:131-88135:132.

9605020287 Responds to 960423 ltr requesting relief from performing ASME Code Section XI repairs on facility RWCS Regenerative Heat Exchanger.SE encl concludes that requirements of code impractical & temporary repair acceptable until Sept 1996.
STOLZ,J.F. . 96/04/29. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 88095:271-88095:277.

-9605020292 Safety evaluation approving temporary non-ASME Code repair provided permanent Code repair done during next scheduled refueling outage beginning Sept 1996.
* . 96/04/29. 3pp. 88095:275-88095:277.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605280003 Discusses 960424 public meeting in King of Prussia,PA re safety relief valve performance issues w/BWR licensees.List of attendees,agenda,licensee presentations & NRC presentations encl.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. BYRAM,R.G. Pennsylvania Power & Light Co. 79pp. 88348:002-88348:080.

9605300133 Notification of 960530 meeting w/SSES in Rockville,MD to discuss status of licensing actions for plant.
POSLUSNY,C. . 96/05/29. STOLZ,J. . 4pp. 88390:060-88390:063.

9605310032 Forwards SE re review of TR PL-NF-90-001, "Application of Reactor Analysis Methods for BWR Design & Analysis," Suppl 2,which documents two updates to current licensing methodology.
POSLUSNY,C. . 96/05/29. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 88395:282-88395:290.

-9605310047 Safety evaluation partially approving Topical Rept PL-NF-90-001,Suppl 2 Benchmark of CASMO-3G/ANF-B.
* . 96/05/29. 6pp. 88395:285-88395:290.

Q. Inspection reports, IE Bulletins & correspondence

9605010057 Responds to RAI 2 dtd June 1995 & RAI 3 dtd 951206 re SSES App R safe shutdown analysis documented in Rev 4 to SSES fire protection review rept,per GL 86-10 & INs 85-009 & 92-018.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 13pp. 88074:001-88074:362.

-9605010074 Rev 3 to "App R:Safe Shutdown Path 2 Analysis for Fires in Control Room Fire Zones."
GORMAN,T.A. Pennsylvania Power & Light Co. EC-013-0859 R03. 96/04/04. 57pp. 88074:014-88074:070.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130316 Provides response to NRC ltr dtd 950426,containing SE of inservice testing program relief requests for pumps & valves for second 10-Yr interval.Rev 13 to ISI-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational..." encl.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/05/06. Document Control Branch (Document Control Desk). 25pp. 88248:001-88248:195.

-9605130331 Rev 13 to ISI-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational Testing."
MATTERN,B. Pennsylvania Power & Light Co. 96/04/23. 136pp. 88248:026-88248:195.

9605170039 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
BYRAM,R.G. Pennsylvania Power & Light Co. 96/05/13. Document Control Branch (Document Control Desk). 7pp. 88341:085-88341:091.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605240019 Provides partial response to NRC ltr dtd 960223,containing SE for revs 12 for unit 1 & 9 for unit 2 & also included SE for relief request 23.Rev 14 to ISI-T-100.0 & rev 11 to ISI-T-200.0 also encl.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/05/20. Document Control Branch (Document Control Desk). 3pp. 88373:258-88373:274.

-9605240022 Rev 14 to ISI-T-100.0, "Susquehanna Steam Electric Station Unit 1 ISI Program Plan for Pump & Valve Operational Testing."
MATTERN,B. Pennsylvania Power & Light Co. 96/05/10. 7pp. 88373:261-88373:267.

-9605240026 Rev 11 to ISI-T-200.0, "Susquehanna Steam Electric Station Unit 2 ISI Program Plan for Pump & Valve Operational Testing."
MATTERN,B. Pennsylvania Power & Light Co. ISI-T-200.0 R11. 96/05/10. 7pp. 88373:268-88373:274.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280133 Forwards insp repts 50-387/96-04 & 50-388/96-04 on 960319- 0429 & notice of violation.
PASCIAK,W.J. Region 1 (Post 820201). 96/05/23. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 88356:001-88356:054.

-9605280136 Notice of violation from insp on 960319-0429.Violation noted:on 960104-0201 high radiation area in decontamination bldg on refueling floor w/dose rates up to 0.800 rem not posted as high radiation area.
* Region 1 (Post 820201). 96/05/23. 2pp. 88356:005-88356:006.

-9605280141 Insp repts 50-387/96-04 & 50-388/96-04 on 960319-0429. Violations noted.Major areas inspected:engineering,maint & plant support.
* Region 1 (Post 820201). 96/05/23. 48pp. 88356:007-88356:054.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020010 Forwards "1995 Annual Environ Operating Rept (Nonradiological)" & "1995 Annual Rept Radiological Monitoring Program."
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88081:001-88081:269.

-9605020013 "1995 Annual Environ Operating Rept (Nonradiological)."
FIELDS,J.S. Pennsylvania Power & Light Co. 95/12/31. 60pp. 88081:002-88081:062.

-9605020025 "1995 Annual Rept,Radiological Environ Monitoring Program."
* Pennsylvania Power & Light Co. 95/12/31. 207pp. 88081:063-88081:269.

9605210003 Monthly operating repts for Apr 1996 for plant.W/960515 ltr.
MATTERN,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/30. 9pp. 88351:352-88351:360.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605280078 LER 94-015-01:on 940912,postulated failures of SGTS components occurred.Caused by dampers failing in open position.Mod performed to add time delay relay to SGTS Outside Air Damper circuitry.W/960520 ltr.
SGARRO,R.R., KUCZYNSKI,G.T. Pennsylvania Power & Light Co. 96/05/20. 6pp. 88396:126-88396:131.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280150 Part 21 rept re development of cracks compromising integrity of DVH.Recommended corrective actions listed.
MOWERY,J.D. Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88396:145-88396:151.

V. Operator Examinations

9605170361 Forwards both forms of generic fundamentals exam section of written operator licensing exam,including answer keys, grading results & individual answer sheets for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. LOWTHERT,W. Pennsylvania Power & Light Co. 2pp. 88291:013-88291:014.

9605280044 Informs that individual exam results for applicants on initial exam conducted on 960415-19.W/o stated encls.
MEYER,G.W. Region 1 (Post 820201). 96/05/21. LOTHERT,W.H. Pennsylvania Power & Light Co. 2pp. 88350:047-88350:048.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605010057 Responds to RAI 2 dtd June 1995 & RAI 3 dtd 951206 re SSES App R safe shutdown analysis documented in Rev 4 to SSES fire protection review rept,per GL 86-10 & INs 85-009 & 92-018.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 13pp. 88074:001-88074:362.

-9605010074 Rev 3 to "App R:Safe Shutdown Path 2 Analysis for Fires in Control Room Fire Zones."
GORMAN,T.A. Pennsylvania Power & Light Co. EC-013-0859 R03. 96/04/04. 57pp. 88074:014-88074:070.

-9605010079 Rev 0 to "Safe Shutdown Paths for Fires Outside & Inside Control Room."
WHITE,A.J. Pennsylvania Power & Light Co. EC-013-0979 R00. 95/01/13. 200pp. 88074:071-88074:274.

-9605010096 Rev 0 to "Flow Diversion - Valves:HV-B21-1F016,HV-B21-1F019, HV-B21-2F016 & HV-B21-2F019."
DETAMORE,M.B. Pennsylvania Power & Light Co. EC-013-0964 R00. 94/12/19. 17pp. 88074:275-88074:291.

--**9605010102** Rev 0 to "Coordination Calculation for DG Sync Ckt ELI:App R Calcs,EMI."
BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0624 R00. 94/11/16. 11pp. 88074:292-88074:302.

--**9605010107** Rev 0 to "App R:Safe Shutdown Path 2 Analysis in Control Room Fire Zones (Addl Components)."
DEANGELIS,K. Pennsylvania Power & Light Co. EC-013-0814 R00. 94/12/19. 8pp. 88074:303-88074:310.

--**9605010110** Rev 0 to "Verification of Equipment Isolation at Remote Shutdown Panel in Event of Control Room Fire."
BACKENSTOE,K. Pennsylvania Power & Light Co. EC-013-0854 R00. 94/11/09. 16pp. 88074:311-88074:326.

--**9605010112** Rev 0 to "Evaluation to Ensure Isolation of RCS Flow Diversion in Event of Plant Fire."
DUNN,D.P. Pennsylvania Power & Light Co. EC-013-0873 R00. 94/11/04. 10pp. 88074:327-88074:332.

--**9605010121** Rev 0 to "App R Required Cables for MSIVs."
BACKENSTOE,K. Pennsylvania Power & Light Co. EC-013-0858 R00. 94/11/04. 8pp. 88074:333-88074:344.

--**9605010118** Rev 1 to "Disposition of EDR G10122 - App R Flow Diversion."
GORMAN,T.A. Pennsylvania Power & Light Co. EC-013-0788 R01. 96/04/04. 5pp. 88074:345-88074:349.

--**9605010126** Rev 0 to "App R ADS/SRV Spurious Operation & Cable Analysis."
BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0845 R00. 94/12/16. 13pp. 88074:350-88074:362.

9605060336 Forwards Change JJ to physical security plan.Encl withheld.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88147:354-88147:355.

9605150484 Advises that 960213 & 0430 Revs II & JJ re changes to physical security plans consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/09. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 88289:113-88289:114.

P. Operating license stage documents & correspondence

9605010057 Responds to RAI 2 dtd June 1995 & RAI 3 dtd 951206 re SSES App R safe shutdown analysis documented in Rev 4 to SSES fire protection review rept,per GL 86-10 & INs 85-009 & 92-018.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 13pp. 88074:001-88074:362.

--**9605010074** Rev 3 to "App R:Safe Shutdown Path 2 Analysis for Fires in Control Room Fire Zones."
GORMAN,T.A., JEBSEN,E.R., BUTLER,F.G. Pennsylvania Power & Light Co. EC-013-0859 R03. 96/04/04. 57pp. 88074:014-88074:070.

--**9605010079** Rev 0 to "Safe Shutdown Paths for Fires Outside & Inside Control Room."
WHITE,A.J., DETAMORE,M.B. Pennsylvania Power & Light Co. EC-013-0979 R00. 95/01/13. 200pp. 88074:071-88074:274.

--**9605010096** Rev 0 to "Flow Diversion - Valves:HV-B21-1F016,HV-B21-1F019, HV-B21-2F016 & HV-B21-2F019."
DETAMORE,M.B. Pennsylvania Power & Light Co. EC-013-0964 R00. 94/12/19. 17pp. 88074:275-88074:291.

--**9605010102** Rev 0 to "Coordination Calculation for DG Sync Ckt ELI:App R Calcs,EMI."
BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0624 R00. 94/11/16. 11pp. 88074:292-88074:302.

--**9605010107** Rev 0 to "App R:Safe Shutdown Path 2 Analysis in Control Room Fire Zones (Addl Components)."
DEANGELIS,K., BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0814 R00. 94/12/19. 8pp. 88074:303-88074:310.

--**9605010110** Rev 0 to "Verification of Equipment Isolation at Remote Shutdown Panel in Event of Control Room Fire."
BACKENSTOE,K. Pennsylvania Power & Light Co. EC-013-0854 R00. 94/11/09. 16pp. 88074:311-88074:326.

--**9605010112** Rev 0 to "Evaluation to Ensure Isolation of RCS Flow Diversion in Event of Plant Fire."
DUNN,D.P. Pennsylvania Power & Light Co. EC-013-0873 R00. 94/11/04. 10pp. 88074:327-88074:332.

--**9605010121** Rev 0 to "App R Required Cables for MSIVs."
BACKENSTOE,K. Pennsylvania Power & Light Co. EC-013-0858 R00. 94/11/04. 8pp. 88074:333-88074:344.

--**9605010118** Rev 1 to "Disposition of EDR G10122 - App R Flow Diversion."
GORMAN,T.A., JEBSEN,E.R., BUTLER,F.G. Pennsylvania Power & Light Co. EC-013-0788 R01. 96/04/04. 5pp. 88074:345-88074:349.

--**9605010126** Rev 0 to "App R ADS/SRV Spurious Operation & Cable Analysis."
BRADY,P.W. Pennsylvania Power & Light Co. EC-013-0845 R00. 94/12/16. 13pp. 88074:350-88074:362.

9605020190 Requests use of Code Case N-71-16 at Susquehanna SES to procure "Unistrut" pipe straps for control rod drive hydraulic sys.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88135:131-88135:132.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605280003 Discusses 960424 public meeting in King of Prussia,PA re safety relief valve performance issues w/BWR licensees.List of attendees,agenda,licensee presentations & NRC presentations encl.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. BYRAM,R.G. Pennsylvania Power & Light Co. 79pp. 88348:002-88348:080.

9605280242 Revised proposed amend 157 to license NPF-22,revising TS re ANFB critical power correlation & MCPR safety limits.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/05/20. Document Control Branch (Document Control Desk). 11pp. 88385:313-88385:331.

--**9605280247** Proposed tech specs reflecting substitution of ANFB critical power correlation in place of XN-3 correlation to compute MCPR.
* Pennsylvania Power & Light Co. 96/05/20. 8pp. 88385:324-88385:331.

9605300133 Notification of 960530 meeting w/SSES in Rockville,MD to discuss status of licensing actions for plant.
POSLUSNY,C. . 96/05/29. STOLZ,J. . 4pp. 88390:060-88390:063.

9605310032 Forwards SE re review of TR PL-NF-90-001, "Application of Reactor Analysis Methods for BWR Design & Analysis," Suppl 2,which documents two updates to current licensing methodology.
POSLUSNY,C. . 96/05/29. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 88395:282-88395:290.

--**9605310047** Safety evaluation partially approving Topical Rept PL-NF-90-001,Suppl 2 Benchmark of CASMO-3G/ANF-B.
* . 96/05/29. 6pp. 88395:285-88395:290.

Q. Inspection reports, IE Bulletins & correspondence

9605010057 Responds to RAI 2 dtd June 1995 & RAI 3 dtd 951206 re SSES App R safe shutdown analysis documented in Rev 4 to SSES fire protection review rept,per GL 86-10 & INs 85-009 & 92-018.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 13pp. 88074:001-88074:362.

--**9605010074** Rev 3 to "App R:Safe Shutdown Path 2 Analysis for Fires in Control Room Fire Zones."
GORMAN,T.A. Pennsylvania Power & Light Co. EC-013-0859 R03. 96/04/04. 57pp. 88074:014-88074:070.

9605140149 Rev 10 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."
MATTERN,B. Pennsylvania Power & Light Co. 96/04/23. 135pp. 88257:010-88257:144.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605130316 Provides response to NRC ltr dtd 950426,containing SE of inservice testing program relief requests for pumps & valves for second 10-Yr interval.Rev 13 to ISI-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational..." encl.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/05/06. Document Control Branch (Document Control Desk). 25pp. 88248:001-88248:195.

9605140395 Forwards response to NRC 960409 ltr re violations noted in insp rept 50-388/96-01.C/A:status of damper was investigated & damper was adjusted.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88271:306-88271:308.

9605170039 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
BYRAM,R.G. Pennsylvania Power & Light Co. 96/05/13. Document Control Branch (Document Control Desk). 7pp. 88341:085-88341:091.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605240019 Provides partial response to NRC ltr dtd 960223,containing SE for revs 12 for unit 1 & 9 for unit 2 & also included SE for relief request 23.Rev 14 to ISI-T-100.0 & rev 11 to ISI-T-200.0 also encl.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/05/20. Document Control Branch (Document Control Desk). 3pp. 88373:258-88373:274.

--**9605240026** Rev 11 to ISI-T-200.0, "Susquehanna Steam Electric Station Unit 2 ISI Program Plan for Pump & Valve Operational Testing."
MATTERN,B. Pennsylvania Power & Light Co. ISI-T-200.0 R11. 96/05/10. 7pp. 88373:268-88373:274.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280075 Ack receipt of 960509 ltr informing NRC of steps taken to correct violations noted in insp rept 50-388/96-01.
PASCIAK,W.J. Region 1 (Post 820201). 96/05/22. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 88350:052-88350:057.

9605280133 Forwards insp repts 50-387/96-04 & 50-388/96-04 on 960319- 0429 & notice of violation.
PASCIAK,W.J. Region 1 (Post 820201). 96/05/23. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 88356:001-88356:054.

--9605280136 Notice of violation from insp on 960319-0429.Violation noted:on 960104-0201 high radiation area in decontamination bldg on refueling floor w/dose rates up to 0.800 rem not posted as high radiation area.
* Region 1 (Post 820201). 96/05/23. 2pp. 88356:005-88356:006.

--9605280141 Insp repts 50-387/96-04 & 50-388/96-04 on 960319-0429. Violations noted.Major areas inspected:engineering,maint & plant support.
* Region 1 (Post 820201). 96/05/23. 48pp. 88356:007-88356:054.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020010 Forwards "1995 Annual Environ Operating Rept (Nonradiological)" & "1995 Annual Rept Radiological Monitoring Program."
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 1p. 88081:001-88081:269.

--9605020013 "1995 Annual Environ Operating Rept (Nonradiological)."
FIELDS,J.S. Pennsylvania Power & Light Co. 95/12/31. 60pp. 88081:002-88081:062.

--9605020025 "1995 Annual Rept,Radiological Environ Monitoring Program."
* Pennsylvania Power & Light Co. 95/12/31. 207pp. 88081:063-88081:269.

9605210003 Monthly operating repts for Apr 1996 for plant.W/960515 ltr.
MATTERN,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/30. 9pp. 88351:352-88351:360.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280150 Part 21 rept re development of cracks compromising integrity of DVH.Recommended corrective actions listed.
MOWERY,J.D. Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88396:145-88396:151.

V. Operator Examinations

9605170361 Forwards both forms of generic fundamentals exam section of written operator licensing exam,including answer keys, grading results & individual answer sheets for each employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. LOWTHERT,W. Pennsylvania Power & Light Co. 2pp. 88291:013-88291:014.

9605280044 Informs that individual exam results for applicants on initial exam conducted on 960415-19.W/o stated encls.
MEYER,G.W. Region 1 (Post 820201). 96/05/21. LOTHERT,W.H. Pennsylvania Power & Light Co. 2pp. 88350:047-88350:048.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605230232 Revised EPIPs,including Rev 70 to 3100023E,Rev 25 to 3100024E & Rev 9 to HP-206.W/960514 ltr.
BOHLKE,W.H. Florida Power & Light Co. 96/05/14. 54pp. 88362:288-88362:341.

P. Operating license stage documents & correspondence

9605020224 Forwards SE accepting licensee 951107 ltr requesting approval of ASME Code Case N416-1 as alternative to required hydrostatic pressure test.
IMBRO,E.V. . 96/04/29. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 88095:240-88095:249.

--9605020241 Safety evaluation accepting license 951107 request for approval of ASME Code Case N416-1 as alternative to required hydrostatic pressure test.
* . 96/03/23. 6pp. 88095:243-88095:249.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605060317 Forwards excerpts from draft ASP rept for 1982-83. Appropriate sections being provided to every plant which had event during noted time period.Analyses performed to obtain 2 yrs data missing from NRC ASP Program.
WIENS,L.A. . 96/05/03. PLUNKETT,T.F. Florida Power & Light Co. 26pp. 88111:299-88111:325.

9605210538 Forwards 10CFR50.61 evaluation of PTS of RV beltline matls, completing commitment in 951124 ltr.Proprietary & nonproprietary versions of CEOG rept, "Application of RV Surveillance Data..." also encl.Proprietary rept withheld.
BOHLKE,W.H. Florida Power & Light Co. 96/05/14. Document Control Branch (Document Control Desk). 24pp. 88373:001-88373:110.

9605210527 Responds to request for info on species protected by Endangered Species Act that may occurr in vicinity of plants.Revised species lists for areas adjacent to plant sites encl.
BROWN,J. Commerce, Dept. of, National Oceanic & Atmospheric Administration. 96/05/15. NEWBERRY,S.F. . 4pp. 88359:339-88359:342.

9605290053 Forwards response to NRC 960319 RAI re IPE for severe accident vulnerabilities,per GL 88-20.
STALL,J.A. Florida Power & Light Co. 96/05/23. Document Control Branch (Document Control Desk). 138pp. 88388:001-88388:138.

Q. Inspection reports, IE Bulletins & correspondence

9605130418 Forwards insp repts 50-335/96-04 & 50-389/96-04 on 960218-960330 & NOV.Violations indicate that personnel performance re procedure compliance & usage & attention to detail persist even after corrective actions completed.
LANDIS,K.D. Region 2 (Post 820201). 96/04/29. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 88212:001-88212:072.

--9605130430 Insp repts 50-335/96-04 & 50-389/96-04 on 960218-0330. Violations noted.Major areas inspected:operations, maintenance,engineering,plant support.
MILLER,M., LANDIS,K. Region 2 (Post 820201). 96/04/29. 63pp. 88212:009-88212:072.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170432 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over SR Equipment."
BOHLKE,W.H. Florida Power & Light Co. 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88325:339-88325:344.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605200436 Monthly operating repts for Apr 1996 for St Lucie Units 1 & 2.W/960510 ltr.
ROGERS,J.A., BOHLKE,W.H. Florida Power & Light Co. 96/04/30. 9pp. 88342:001-88342:009.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605300025 Rev 7 to Central Emergency Control Ctr EPIP-18, "Transportation & Staffing Under Abnormal Conditions." W/ 960520 ltr.
CATRON,N. Tennessee Valley Authority. 96/05/20. 18pp. 88395:339-88395:356.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9605210163 Summary of ACRS Subcommittee on Watts Bar 951101 meeting in Rockville,MD re TVA application for OL for Watts Bar Nuclear Plant Unit 1.
WYLIE,C. ACRS - Advisory Committee on Reactor Safeguards. 95/12/07. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 88370:328-88370:333.

9605210177 Summary of 426th ACRS meeting on 951102-04 in Rockville,MD re Watts Bar Unit 1 OL application,BWR core power stability/ ATWS,advanced CR design review guidelines,reliability of sys & proposed final RG 1.164.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/21. ACRS - Advisory Committee on Reactor Safeguards. 33pp. 88371:011-88371:043.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499,Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . COOPER,R.W. Region 1 (Post 820201). MERSCHOFF,E.W. Region 2 (Post 820201). 3pp. 88082:344-88082:360.

--**9605020336** "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605100007 Notifies that meeting scheduled for 960419 to discuss plant Ascension Test Program Status & Associated On-going Activities,per 960417 telcon between P Pace & F Hebdon.
JULIAN,C.A. Region 2 (Post 820201). 96/04/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88190:061-88190:063.

9605100156 Confirms 960424 telcon w/P Pace re 960510 meeting to be held at plant.Meeting scheduled to discuss power ascension test program status & associated ongoing activities.
JULIAN,C.A. Region 2 (Post 820201). 96/04/24. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88190:016-88190:018.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605130232 Notifies NRC of decision to terminate contract TV-68699A re acoustic emission monitoring sys.Encl provides complete discussion on review & conclusion supporting decision to terminate contract.
KEHOE,D.V. Tennessee Valley Authority. 96/05/07. Document Control Branch (Document Control Desk). 4pp. 88248:357-88248:360.

9605090076 Press release II-96-44, "NRC Officials to Meet W/TVA at Watts Bar Nuclear Plant on 960510."
* Region 2 (Post 820201). 96/05/08. 1p. 88212:186-88212:186.

9605200324 Summarizes 960510 mgt meeting re power ascension test program status & associated on-going activities.List of attendees & presentation matl encl.
JULIAN,C.A. Region 2 (Post 820201). 96/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 31pp. 88291:262-88291:292.

9605280103 Informs that util has no objection to providing copy of polygraph exam to counsel & placing copy in Public Document Room.
BARON,R.R. Tennessee Valley Authority. 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88386:183-88386:184.

Q. Inspection reports, IE Bulletins & correspondence

9605210215 Summary of ACRS 426th meeting on 951102-04 re application for OL for Watts Bar Nuclear Plant Unit 1,proposed mods to BWR Owners Group emergency procedure guidelines to address reactor core instabilities & NUREG-0700,rev 1.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/12/04. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 88389:073-88389:078.

9605100042 Forwards insp rept 50-390/96-05 on 960318-22.No violations or deviations identified.
GIBSON,A.F. Region 2 (Post 820201). 96/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 88190:217-88190:262.

--**9605100047** Insp rept 50-390/96-05 on 960318-22.No violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
CASTO,C.A., JAUDON,J.P. Region 2 (Post 820201). 96/04/25. 42pp. 88190:221-88190:262.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605080187 Responds to 960320 ltr requesting that NRC provide to Secretary of Labor,OI rept of investigation 2-94-026S, specifically,results of polygraph exam given to TVA & contained in one of exhibits to rept.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/05/02. BARON,P.R. Tennessee Valley Authority. 2 pp. 88136:001-88136:249.

--**9605080196** Investigation rept 2-94-026S on 960327.No violations noted. Interviewed several employees re discrimination of employee who raised safety concerns.
VORSE,J.Y., MCNULTY,W.J. Ofc of Investigations (Post 880201). 96/03/27. 247pp. 88136:003-88136:249.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140411 Forwards insp repts 50-390/96-04 & 50-391/96-04 on 960225-0406 & NOV.Violations of concern because of failure to adequately control component configuration which led to portions of sys being inoperable.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 88243:001-88243:055.

--**9605140414** Notice of violation from insp on 960225-0406.Violation noted:licensee failed to follow configuration control procedures in listed examples.
* Region 2 (Post 820201). 96/05/06. 2pp. 88243:007-88243:008.

--**9605140417** Insp repts 50-390/96-04 & 50-391/96-04 on 960225-0406. Violations noted.Major areas inspected:plant operations, review of water hammer event,locked valves,operator performance,configuration control & assessment activities.
DOORN,P.K., JULIAN,C.A. Region 2 (Post 820201). 96/05/03. 45pp. 88243:009-88243:055.

9605160170 Submits WBNP ISI Program for review & approval IAW ASME Code Section XI, "Rules for ISI of Nuclear Power Components," Article IWA-1400(c).
KEHOE,D.V. Tennessee Valley Authority. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88326:001-88326:191.

--**9605160193** "Site Standard Practice ASME Section XI ISI/NDE & Augmented Nondestructive Exam Programs."
CASEY,K.E. Tennessee Valley Authority. 96/05/13. 30pp. 88326:005-88326:032.

--**9605160202** "Technical Requirements Instruction 1-TR-0-10 ASME Section XI ISI/NDE Program."
CASEY,K.E. Tennessee Valley Authority. 96/05/13. 99pp. 88326:033-88326:132.

--**9605160210** "ASME Sys Pressure Testing Program Basis Document."
* Tennessee Valley Authority. 96/04/25. 37pp. 88326:133-88326:170.

--**9605160227** "Surveillance Instruction 1-SI-68-907 SG Tubing ISI & Augmented Insp."
JAMES,W.D. Tennessee Valley Authority. 96/05/10. 21pp. 88326:171-88326:191.

9605150073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment." TVA currently has plans for only one licensing amend re NUREG-0612, "Control of Heavy...."
BARON,R.R. Tennessee Valley Authority. 96/05/13. Document Control Branch (Document Control Desk). 11pp. 88289:258-88289:268.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605300055 Forwards Vols 1 & 2 of "Watts Bar Unit 1 ASME Section XI NIS-1 Owners Rept for Preservice Insp."
SCALICE,J.A. Tennessee Valley Authority. 96/05/23. Document Control Branch (Document Control Desk). 3pp. 88406:001-88416:040.

--**9605300056** Vols 1 & 2 of "Watts Bar Unit 1 ASME Section XI NIS-1 Owners Rept for Preservice Insp."
CASSEY,K.E., BRIGGS,R.D., ELLIOTT,W.L. Tennessee Valley Authority. 96/01/10. 4,404pp. 88406:004-88416:040.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020302 NPDES discharge monitoring rept for month of Mar 1996, including groundwater monitoring results & toxicity test results.W/960426 ltr.
SHANKS,V.J. Tennessee Valley Authority. 96/03/31. 76pp. 88123:268-88123:343.

9605150373 Forwards "Annual Radiological Environ Operating Rept for 1995 Watts Bar Nuclear Plant & Data Suppl." Rept describes & summarizes results of radioactivity measurements made in vicinity of plant.
KEHOE,D.V. Tennessee Valley Authority. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88324:017-88324:252.

--**9605150377** "Annual Radiological Environ Operating Rept for 1995 Watts Bar Nuclear Plant & Data Suppl."
* Tennessee Valley Authority. 95/12/31. 231pp. 88324:019-88324:252.

9605220389 Forwards monthly operating rept for Apr 1996 for Watts Bar Nuclear Plant Unit 1 & monthly operating rept correction for Mar 1996.
KEHOE,D.V. Tennessee Valley Authority. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88369:295-88369:307.

--**9605220390** Monthly operating rept for Apr 1996 for Watts Bar Nuclear Plant Unit 1.
TOLLEY,R. Tennessee Valley Authority. 96/04/30. 10pp. 88369:297-88369:306.

--**9605220397** Monthly operating rept correction for Mar 1996 for Watts Bar Nuclear Plant Unit 1.
PARSCALE,L. Tennessee Valley Authority. 96/03/31. 2pp. 88369:307-88369:307.

S. Reportable occurrences, LERs & related correspondence

9605060054 Forwards LER 96-010-00 re misposition of emergency gas treatment sys (EGTS) handswitches.
KEHOE,D.V. Tennessee Valley Authority. 96/04/25. Document Control Branch (Document Control Desk). 3pp. 88165:001-88165:012.

--**9605060061** LER 96-010-00:on 960326,discovered handswitches for trains of EGTS in A-Auto standby position.Caused by misposition of handswitches.Operator counseled regarding event.
STOCKTON,R. Tennessee Valley Authority. 96/04/25. 9pp. 88165:004-88165:012.

9605080135 LER 96-012-00:on 960331,reactor manually tripped due to group demand position indicator deviation.Caused by malfunctioning step counter for Control Bank A,Group 2 rods. Malfunctioning step counter replaced.W/960430 ltr.
LEWELLYN,W., KEHOE,D.V. Tennessee Valley Authority. 96/04/25. 8pp. 88197:336-88197:343.

9605060071 LER 96-011-00:on 960327,manual actuation of AF occurred. Caused by isolation of intermediate pressure feedwater heater strings at low power levels after rapid load reduction.Procedures revised.W/960426 ltr.
BROWN,R.M., KEHOE,D.V. Tennessee Valley Authority. 96/04/26. 10pp. 88165:013-88165:022.

9605240025 PNO-II-96-034:on 960428,automatic reactor trip from 72% power occurred when main turbine automatic trip signal was received due to loss of both main feed pumps.Licensee investigating root cause of event.
LESSER,M.S. Region 2 (Post 820201). 96/04/29. 1p. 88391:359-88391:360.

9605070215 LER 96-013-00:on 960402,TS 3.6.9 entered due to concern re EGTS pressure controller design.Caused by incorrect EGTS controller setpoint.Design Change Notice M-38766-A implemented to revise controller setpoint.W/960501 ltr.
STOCKTON,R., KEHOE,D.V. Tennessee Valley Authority. 96/05/01. 9pp. 88198:290-88198:298.

9605220343 LER 96-014-00:on 960416,manual turbine trip/automatic reactor trip occurred.Caused by improper design interface between self-testing circuit of AMSAC sys & main turbine OPC.Disabled AMSAC self-test circuitry.W/960516 ltr.
STOCKTON,R., SCALICE,J.A. Tennessee Valley Authority. 96/05/14. 11pp. 88389:105-88389:115.

9605240006 LER 96-015-00:on 960421,main feedwater pump trip occurred. Caused by low main feedwater pump turbine condenser vacuum. Placard placed on temporary gauges indicating actual scale & oncoming crews briefed re event.W/960520 ltr.
LEWELLYN,W., SCALICE,J.A. Tennessee Valley Authority. 96/05/21. 8pp. 88391:206-88391:213.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . COOPER,R.W. Region 1 (Post 820201). MERSCHOFF,E.W. Region 2 (Post 820201). 3pp. 88082:344-88082:360.

-9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605100007 Notifies that meeting scheduled for 960419 to discuss plant Ascension Test Program Status & Associated On-going Activities,per 960417 telcon between P Pace & F Hebdon.
JULIAN,C.A. Region 2 (Post 820201). 96/04/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88190:061-88190:063.

9605100156 Confirms 960424 telcon w/P Pace re 960510 meeting to be held at plant.Meeting scheduled to discuss power ascension test program status & associated ongoing activities.
JULIAN,C.A. Region 2 (Post 820201). 96/04/24. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 88190:016-88190:018.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605200324 Summarizes 960510 mgt meeting re power ascension test program status & associated on-going activities.List of attendees & presentation matl encl.
JULIAN,C.A. Region 2 (Post 820201). 96/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 31pp. 88291:262-88291:292.

9605280103 Informs that util has no objection to providing copy of polygraph exam to counsel & placing copy in Public Document Room.
BARON,R.R. Tennessee Valley Authority. 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88386:183-88386:184.

F. Security, medical, emergency & fire protection plans

9605300025 Rev 7 to Central Emergency Control Ctr EPIP-18, "Transportation & Staffing Under Abnormal Conditions." W/ 960520 ltr.
CATRON,N. Tennessee Valley Authority. 96/05/20. 18pp. 88395:339-88395:356.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605080187 Responds to 960320 ltr requesting that NRC provide to Secretary of Labor,OI rept of investigation 2-94-026S, specifically,results of polygraph exam given to TVA & contained in one of exhibits to rept.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/05/02. BARON,P.R. Tennessee Valley Authority. 2 pp. 88136:001-88136:249.

-9605080196 Investigation rept 2-94-026S on 960327.No violations noted. Interviewed several employees re discrimination of employee who raised safety concerns.
VORSE,J.Y., MCNULTY,W.J. Ofc of Investigations (Post 880201). 96/03/27. 247pp. 88136:003-88136:249.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140411 Forwards insp repts 50-390/96-04 & 50-391/96-04 on 960225-0406 & NOV.Violations of concern because of failure to adequately control component configuration which led to portions of sys being inoperable.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/05/06. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 88243:001-88243:055.

-9605140417 Insp repts 50-390/96-04 & 50-391/96-04 on 960225-0406. Violations noted.Major areas inspected:plant operations, review of water hammer event,locked valves,operator performance,configuration control & assessment activities.
DOORN,P.K., JULIAN,C.A. Region 2 (Post 820201). 96/05/03. 45pp. 88243:009-88243:055.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020302 NPDES discharge monitoring rept for month of Mar 1996, including groundwater monitoring results & toxicity test results.W/960426 ltr.
SHANKS,V.J. Tennessee Valley Authority. 96/03/31. 76pp. 88123:268-88123:343.

9605150373 Forwards "Annual Radiological Environ Operating Rept for 1995 Watts Bar Nuclear Plant & Data Suppl." Rept describes & summarizes results of radioactivity measurements made in vicinity of plant.
KEHOE,D.V. Tennessee Valley Authority. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88324:017-88324:252.

-9605150377 "Annual Radiological Environ Operating Rept for 1995 Watts Bar Nuclear Plant & Data Suppl."
* Tennessee Valley Authority. 95/12/31. 231pp. 88324:019-88324:252.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

I. Financial information

9605210088 Forwards SCEG's 1995 Annual Financial Rept & SC Public Svc Authority 1995 Annual Financial Rept.
LIPPARD,G.A. South Carolina Electric & Gas Co. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88400:001-88400:108.

-9605210105 "Sante Cooper 1995 Annual Rept."
EDWARDS,T.G. Santee Cooper. 95/12/31. 58pp. 88400:002-88400:059.

-9605210115 "SCANA 1995 Annual Rept."
TIMMERMAN,W.B., GRESSETTE,L.M. SCANA Corp. 95/12/31. 42pp. 88400:060-88400:108.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170047 Forwards amend 134 to license NPF-12 & SE.Amend revises TS to reflect listed changes.
JOHNSON,A.R. . 96/05/10. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 88297:285-88297:306.

-9605170050 Amend 134 to license NPF-12,revising TS to reflect listed changes.
IMBRO,E.V. . 96/05/10. 13pp. 88297:288-88297:300.

-9605170052 Safety evaluation supporting amend 134 to license NPF-12.
* . 96/05/10. 6pp. 88297:301-88297:306.

9605200421 Forwards Rev 0 to "VC Summer Nuclear Station,COLR for Cycle 10."
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/05/13. Document Control Branch (Document Control Desk). 1p. 88329:288-88329:320.

-9605200425 Rev 0 to "VC Summer Nuclear Station COLR for Cycle 10."
* South Carolina Electric & Gas Co. 96/05/07. 32pp. 88329:289-88329:320.

9605220111 Forwards Rev. 1 to "COLR for Cycle 10." Rev replaces figure 2, "Rod Group Insertion Limits vs Thermal Power for Three Loop Operation" to add notation for control banks A & B rod insertion limits.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/05/16. Document Control Branch (Document Control Desk). 1p. 88359:123-88359:127.

-9605220113 Rev 1 to "COLR for Cycle 10."
* South Carolina Electric & Gas Co. 96/05/16. 4pp. 88359:124-88359:127.

Q. Inspection reports, IE Bulletins & correspondence

9605100009 Discusses SALP rept 50-395/95-99 sent on 950317.Util 950526 response evaluated re completion of steam generator project & magnitute of overall engineering effort during SALP cycle. SALP narrative & rating in engineering function unchanged.
EBNETER,S.D. Region 2 (Post 820201). 95/12/08. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. 88190:007-88190:010.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140083 Forwards response to NRC ltr re violations noted in insp rept 50-395/96-02.Corrective actions:technician involved was removed from shift until counseling was conducted.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/05/08. Document Control Branch (Document Control Desk). 4pp. 88257:145-88257:148.

9605170213 Submits special rept SPR 960004 re completion of ISI of SG tubes,indicating number tubes plugged or repaired in generator.No tubes plugged during insp interval.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/05/13. JOHNSON,A.R. Document Control Branch (Document Control Desk). 2pp. 88316:317-88316:318.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605300086 Provides beginning of cycle (BOC) & end of cycle (EOC) control rod test info in accordance w/actions delineated in NRC Bulletin 96-001.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/05/24. Document Control Branch (Document Control Desk). 3pp. 88396:359-88396:361.

R. Periodic operating reports & related correspondence

9605140298 Monthly operating rept for Apr 1996 for VC Summer Nuclear Station.W/ 960509 ltr.
BELL,W.H., TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/30. 5pp. 88268:337-88268:341.

S. Reportable occurrences, LERs & related correspondence

9605030200 LER 96-003-00:on 960206,identified discrepancy in test methodologies between TS required testing & actual testing performed.Caused by recognize discrepancy in test methodologies.Emergency TS change requested.W/960426 ltr.
LIPPARD,G.A., TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/26. 4pp. 88164:334-88164:337.

9605280143 Special rept:on 960425,fire door DRIB/310 inoperable for more than 7 days.Caused by high energy electrical arc when speed switch on operating pump opened.New door ordered & fire barrier will be restored within week of door arrival.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/05/20. Document Control Branch (Document Control Desk). 1p. 88386:157-88386:157.

DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR

F. Security, medical, emergency & fire protection plans

9605220492 Rev 20 to EPIP 6, "Notification of Personnel," page 4 of 4. W/960517 ltr.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 96/05/17. 3pp. 88369:327-88369:329.

P. Operating license stage documents & correspondence

9605200356 Informs of change in US DOE Region II radiological assistance program telephone area code from 615 to 423.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 88291:319-88291:320.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605060049 Revised EPIPs,including rev 23 to 13.1.1, "Classifying Emergency" & rev 1 to 13.1.1A, "Classifying Emergency- Technical Basis."
* Washington Public Power Supply System. 96/04/26. 193pp. 88154:001-88154:193.

9605090217 Withdraws request for exemption from requirement in 10CFR73.55(e)(1), "Detection Aid Requirements."
PARRISH,J.V. Washington Public Power Supply System. 96/05/03. Document Control Branch (Document Control Desk). 1p. 88209:358-88209:358.

9605100013 Informs that schedule for resolution has been updated to reflect recent changes in methodology,available fire barrier matls & levelization of available resources,per GL 92-08.
PARRISH,J.V. Washington Public Power Supply System. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88238:355-88238:356.

9605100224 Forwards Rev 31 to physical security plan.Rev withheld,per 10CFR73.21.
PARRISH,J.V. Washington Public Power Supply System. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88212:352-88212:353.

9605200339 Revised EPIPs,including rev 11 to procedure 13.9.5,rev 15 to procedure 13.10.3,rev 11 to procedure 13.11.3 & rev 14 to procedure 13.11.12.
SAENZ,K.D. Washington Public Power Supply System. 96/05/06. 51pp. 88329:192-88329:242.

H. General correspondence

9605210370 Provides revised std distribution list for correspondence being sent to Washington Nuclear Project.
SWANK,D.A. Washington Public Power Supply System. 96/05/16. Document Control Branch (Document Control Desk). 2pp. 88361:193-88361:194.

P. Operating license stage documents & correspondence

9605060175 Ltr contract,mod 4 to task order 46, "IPE Reviews-Internal Event-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88113:354-88113:355.

9605020255 Forwards notice of consideration of issuance of amend to license NPF-21 & proposed NSHC determination & opportunity for hearing.Amend modifies TS to reflect use of new fuel obtained from ABB/Combustion Engineering.
CLIFFORD,J.W. . 96/04/29. PARRISH,J.V. Washington Public Power Supply System. 2pp. 88095:253-88095:262.

-9605010047 Notice of consideration of issuance of amend to license NPF-21 & proposed NSHC determination & opportunity for hearing.Amend modifies TS to reflect use of new fuel obtained from ABB/Combustion Engineering.
BATEMAN,W.H. . 96/04/29. 8pp. 88095:255-88095:262.

9605020388 Discusses 951208 application for amend to license NPF-21 re conversion to improved TS.Lists issues to be addressed as part of conversion.
CLIFFORD,J.W. . 96/04/30. PARRISH,J.V. Washington Public Power Supply System. 7pp. 88095:233-88095:239.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100013 Informs that schedule for resolution has been updated to reflect recent changes in methodology,available fire barrier matls & levelization of available resources,per GL 92-08.
PARRISH,J.V. Washington Public Power Supply System. 96/05/03. Document Control Branch (Document Control Desk). 2pp. 88238:355-88238:356.

9605150044 Notification of licensee meeting w/util on 960515 in Richland,WA to discuss plant performance issues.
DYER,J.E. Region 4 (Post 820201). 96/05/07. Region 4 (Post 820201). 4pp. 88266:011-88266:014.

9605130294 Submits formal responses provided verbally to NRC in discussions conducted on 960425 re reactor recirculation sys adjustable speed drive upgrade.
PARRISH,J.V. Washington Public Power Supply System. 96/05/08. Document Control Branch (Document Control Desk). 13pp. 88248:344-88248:356.

9605160335 Forwards amend 144 to license NPF-21 & safety evaluation. Amend modifies TS for leak test of containment isolation valve.
CLIFFORD,J.W. . 96/05/08. PARRISH,J.V. Washington Public Power Supply System. 3pp. 88273:022-88273:036.

-9605160339 Amend 144 to license NPF-21,modifying TS for leak tests of containment isolation valves.
CLIFFORD,J.W. . 96/05/08. 8pp. 88273:025-88273:032.

-9605160342 Safety evaluation supporting amend 144 to license NPF-21.
* . 96/05/08. 4pp. 88273:033-88273:036.

9605170160 Forwards safety evaluation re second 10-yr interval inservice insp program plan request for relief 2ISI-17.
BATEMAN,W.H. . 96/05/09. PARRISH,J.V. Washington Public Power Supply System. 4pp. 88292:336-88292:345.

-9605170165 Safety evaluation granting second 10-yr interval ISI program plant request for relief 2ISI-17.
* . 96/05/09. 6pp. 88292:340-88292:345.

9605150103 Press release IV-96-30, "NRC Regional Administrator to Hold News Conference in Richland."
* Region 4 (Post 820201). 96/05/10. 1p. 88292:259-88292:259.

9605210391 Forwards results of exam & evaluation of flaw in recirculation piping weld 20RRC(6)-8 in ltrs dtd 950526 & 15.Procedure encl.
PARRISH,J.V. Washington Public Power Supply System. 96/05/14. Document Control Branch (Document Control Desk). 4pp. 88359:302-88359:319.

-9605210397 Rev 0 to UT-WNP2-208V0, "Exam Summary Sheet."
PASZKOWSKI,R., VAN HECKE,C. General Electric Co. 96/04/25. 14pp. 88359:306-88359:319.

9605170263 Notification of 960520-23 meeting w/WPPSS in Richland,WA to review calculations as described in encl agenda.
WAMBACH,T.V. . 96/05/15. BATEMAN,W.H. . 5pp. 88323:330-88323:334.

9605210464 Responds to verbal questions from NRC staff re proposed amend,revising TS to reflect replacement of existing reactor recirculation flow control sys w/adjustable speed drive sys.
PARRISH,J.V. Washington Public Power Supply System. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88361:150-88361:155.

9605240166 Informs that TG Colburn will assume project mgr responsibilities for util Nuclear Project 2.
BATEMAN,W.H. . 96/05/21. PARRISH,J.V. Washington Public Power Supply System. 3pp. 88351:230-88351:232.

9605310101 Informs scheduled exam of weld 2ORRC(6)-8 during spring 1999 refueling outage,acceptable due to insp period previously approved by staff,per 960514 request being met.
COLBURN,T.G. . 96/05/30. PARRISH,J.V. Washington Public Power Supply System. 4pp. 88395:318-88395:321.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070142 Forwards insp rept 50-397/96-04 on 960318-22.No violations noted.Insp involved review of activities performed by staff to complete commitments made in response to GL-89-10.
GWYNN,T.P. Region 4 (Post 820201). 96/05/02. BEMIS,P.R. Washington Public Power Supply System. 5pp. 88114:094-88114:115.

--9605070148 Insp rept 50-397/96-04 on 960318-22.No violations noted. Major areas inspected:activities re completion of licensee commitments to GL 89-10.
VANDENBURGH,C. Region 4 (Post 820201). 96/04/29. 17pp. 88114:099-88114:115.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150131 Forwards insp rept 50-397/96-03 on 960218-0330 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/05/09. PARRISH,J.V. Washington Public Power Supply System. 5pp. 88266:085-88266:116.

--9605150134 Notice of violation from insp on 960218-0330.Violations noted:on 960301,power change of greater than 15% in 1 h occurred.Reactor coolant not sampled nor isotopic analysis for iodine performed between 2-6 h after power level change.
* Region 4 (Post 820201). 96/05/09. 3pp. 88266:090-88266:092.

--9605150145 Insp rept 50-397/96-03 on 960218-0330.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/05/09. 24pp. 88266:093-88266:116.

9605170160 Forwards safety evaluation re second 10-yr interval inservice insp program plan request for relief 2ISI-17.
BATEMAN,W.H. . 96/05/09. PARRISH,J.V. Washington Public Power Supply System. 4pp. 88292:336-88292:345.

--9605170165 Safety evaluation granting second 10-yr interval ISI program plant request for relief 2ISI-17.
* . 96/05/09. 6pp. 88292:340-88292:345.

9605170521 Forwards SE approving 951219 request for approval of alternative to provisions of ASME Boiler & Pressure Vessel Code, "Rules for Inservice Insp of Nuclear Power Plant Components."
BATEMAN,W.H. . 96/05/10. PARRISH,J.V. Washington Public Power Supply System. 4pp. 88301:295-88301:303.

--9605170527 Safety evaluation approving 951219 request for approval of alternative to provisions of ASME Boiler & Pressure Vessel Code, "Rules for Inservice Insp of Nuclear Power Plant Components."
* . 96/05/10. 5pp. 88301:299-88301:303.

9605200452 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
PARRISH,J.V. Washington Public Power Supply System. 96/05/10. Document Control Branch (Document Control Desk). 1p. 88351:346-88351:346.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310101 Informs scheduled exam of weld 2ORRC(6)-8 during spring 1999 refueling outage,acceptable due to insp period previously approved by staff,per 960514 request being met.
COLBURN,T.G. . 96/05/30. PARRISH,J.V. Washington Public Power Supply System. 4pp. 88395:318-88395:321.

R. Periodic operating reports & related correspondence

9605060016 "WPPSS 2 1995 Annual Rept Jan-Dec 1995 of Radiological Environ Monitoring Program." W/960426 ltr.
WEBRING,R.L. Washington Public Power Supply System. 95/12/31. 89pp. 88165:036-88165:124.

9605060364 "Operational Ecological Monitoring Program for Nuclear Plant 2,1995 Annual Rept." W/960430 ltr.
WEBRING,R.L. Washington Public Power Supply System. 95/12/31. ZELLER,J.J. Washington, State of. 50pp. 88166:132-88166:185.

9605200397 Monthly operating rept for Apr 1996 for WPPSS.W/960513 ltr.
EMBREE,D.G., SMITH,G.O. Washington Public Power Supply System. 96/04/30. 4pp. 88341:303-88341:306.

S. Reportable occurrences, LERs & related correspondence

9605150136 Part 21 rept re capscrews supplied to WPPSS by now defunct Cardinal Industrial Products,LP (CIP) having nonconforming hardness.Failed lots & any remaining product found to have been heat treated by CIP scrapped & removed from premises.
REINDL,R.P. B&G Manufacturing Co. 96/05/08. Document Control Branch (Document Control Desk). 2pp. 88292:281-88292:282.

V. Operator Examinations

9605100173 Notifies that NRC administered GFES of written operator licensing exam on 960410 & forwards copy of master exam, w/answer key.W/o encls.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. PARRISH,J.V. Washington Public Power Supply System. 2pp. 88190:162-88190:163.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605140262 Informs SALP rept 50-400/96-99 performed from 940403-960316 has been completed for plant.Evaluation discussed.
EBNETER,S.D. Region 2 (Post 820201). 96/04/22. ROBINSON,W.R. Carolina Power & Light Co. 7pp. 88222:313-88222:319.

9605010011 Forwards Rev 0 to physical security & safeguards contingency plan,incorporating vehicle measures,based on 960229 implementation date for land vehicle intrusion barrier sys at CP&L nuclear plants.Encl withheld (ref 10CFR73.21).
WALT,T.D. Carolina Power & Light Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88075:357-88075:358.

I. Financial information

9605020365 Forwards 1996 internal cash flow projection for Robinson Nuclear Power Plant,Brunswick Nuclear Power Plant & Harris Nuclear Power Plant & "CP&L 1995 Annual Rept."
CONLEY,D.T. Carolina Power & Light Co. 96/04/29. RUSSELL,W.T. . 5pp. 88127:302-88127:362.

--9605020369 "CP&L 1995 Annual Rept."
FLEISHMAN,S. Carolina Power & Light Co. 95/12/31. 51pp. 88127:307-88127:362.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605020258 Forwards Amend 47 to FSAR for SHNPP,incorporating addl engineering evaluations as indicated in 960412 submittal of Amend 46 to FSAR.Info in Amend 47 update completes amend scope as defined in 960412 submittal of Amend 46.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88140:344-88140:358.

--9605020259 Amend 47 to FSAR for SHNPP.
* Carolina Power & Light Co. 96/04/26. 14pp. 88140:345-88140:358.

P. Operating license stage documents & correspondence

9605130002 Submits info re forthcoming shipment of radioactive matl in IF-300 series shipping casks to New Hill,NC,IAW 10CFR73.37.
LEVIS,W. Carolina Power & Light Co. 96/04/12. STROUD,T.C. North Carolina, State of. 3pp. 88203:354-88203:356.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140150 Informs effective 960218,EV Imbro replaced DB Matthews as Director,Project Directorate II-1.
VARGA,S.A. . 96/05/06. ORSER,W.S. Carolina Power & Light Co. 4pp. 88249:356-88249:359.

9605240130 Notification of 960530 meeting w/util in Rockville,MD to discuss licensee activities for reviewing & improving FSARs at all facilities.
LE,N. . 96/05/21. IMBRO,E.V. . 6pp. 88344:139-88344:144.

Q. Inspection reports, IE Bulletins & correspondence

9605140262 Informs SALP rept 50-400/96-99 performed from 940403-960316 has been completed for plant.Evaluation discussed.
EBNETER,S.D. Region 2 (Post 820201). 96/04/22. ROBINSON,W.R. Carolina Power & Light Co. 7pp. 88222:313-88222:319.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140174 Forwards response to NRC 960409 ltr re violations noted in insp rept 50-400/96-02.Corrective actions:completed review of implementation procedures for complying TS action statements re ESFA sys & reactor protection sys.
ROBINSON,W.R. Carolina Power & Light Co. 96/05/09. Document Control Branch (Document Control Desk). 4pp. 88257:185-88257:188.

9605170053 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
ROBINSON,W.R. Carolina Power & Light Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88341:076-88341:080.

9605200467 Summary of 960503 meeting w/licensee to discuss SALP for plant.Attendees listed in encl.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/05/14. ROBINSON,W.R. Carolina Power & Light Co. 14pp. 88305:027-88305:040.

9605200260 Ack receipt of 960509 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/96-02.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/05/16. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 88291:099-88291:101.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020244 "1995 Annual Radiological Environ Operating Rept,Vols I- III." W/960429 ltr.
LANGDON,S.P., ROBINSON,W.R. Carolina Power & Light Co. 95/12/31. 360pp. 88080:001-88080:360.

9605020305 "Annual Radioactive Effluent Release Rept Jan-Dec 1995." W/ 960430 ltr.
ROBINSON,W.R. Carolina Power & Light Co. 95/12/31. 267pp. 88123:001-88123:267.

9605060335 "Shearon Harris Nuclear Power Plant,Unit 1 Annual Environ (Nonradiological) Operating Rept,App B for Jan-Dec 1995." W/960430 ltr.
ROBINSON,W.R. Carolina Power & Light Co. 95/12/31. 9pp. 88172:012-88172:020.

9605160282 Monthly operating rept for Apr 1996 for Harris Nuclear Plant.W/960513 ltr.
ROGERS,S., DONAHUE,J.W. Carolina Power & Light Co. 96/04/30. 4pp. 88318:193-88318:196.

S. Reportable occurrences, LERs & related correspondence

9605020155 LER 96-002-04:on 960117,failure to perform required surveillance testing during planned maint outage in Oct 1994 identified.Caused by personnel error.Personnel involved in procedure counseled.W/960425 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/04/25. 9pp. 88109:351-88109:359.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605210247 LER 96-002-05:on 960117,failure to perform required surveillance testing during planned maint outage in Oct 1994 identified.Caused by personnel error.Personnel involved counseled.W/960516 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/05/16. 11pp. 88371:049-88371:059.

9605300093 LER 96-002-06:on 960423,failure to properly perform Tech Spec surveillance testing during outage in Oct 1994 identified.Caused by personnel error.Slave relay testing satisfactorily completed & personnel counseled.W/960523 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/05/23. 12pp. 88444:046-88444:057.

9605310228 LER 96-008-00:on 960425,turbine/trip reactor trip occurred due to main generator lockout.Caused by failure of output breaker disconnect.Failed A phase disconnect switch on Breaker 52-7 replaced.W/960528 ltr.
CHAPLIN,S., DONAHUE,J.W. Carolina Power & Light Co. 96/05/28. 7pp. 88444:229-88444:235.

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9605220160 Requests Rev 4,Emergency Plan for Univ of Utah Ctr for Excellence in Nuclear Technology,Engineering & Research, submitted 960327,w/changes from Rev 3 clearly indicated,per 10CFR50.54(q).
MENDONCA,M.M. . 96/05/20. SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 3pp. 88329:343-88329:345.

V. Operator Examinations

9605150118 Forwards Rev 3 to "Reactor Operator Requalification Plan," reflecting editorial changes.
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/05/08. Document Control Branch (Document Control Desk). 1p. 88290:313-88290:317.

-9605150127 Editorial changes to "Reactor Operator Requalification Plan."
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/02/28. 4pp. 88290:314-88290:317.

9605300114 Concludes that proposed changes to reactor operator requalification plan acceptable.
MENDONCA,M.M. . 96/05/23. SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 3pp. 88390:075-88390:077.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

9605220497 Revised emergency plan procedures (EPP),including Issue 10 to EPP-11, "Radiological Medical Emergencies,First Aid, Initial Medical Assistance & Emergency Ambulance" & Issue 8 to EPP-12, "Personnel Decontamination Procedure."
HANSEN,A. Dairyland Power Cooperative. 96/04/26. 10pp. 88369:330-88369:339.

I. Financial information

9605140523 Forwards LACBWR annual financial rept & certified financial statements for yrs 1994 & 95.
MUELLER,R.C. Dairyland Power Cooperative. 96/05/08. Document Control Branch (Document Control Desk). 15pp. 88277:337-88277:351.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

W. Decommissioning Stage Documents & Correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605210286 Ack receipt of 10CFR50.54(e) submittal,dtd 960410 which incorporates changes in Quality Assurance Program description.More than 60 days will be required to complete review.
GARDNER,R.N. Region 3 (Post 820201). 96/05/15. BERG,W.L. Dairyland Power Cooperative. 1p. 88305:158-88305:158.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605030281 Forwards Rev 33 to "Site Emergency Plan" & revised EPIPs, including Rev 2 to EPIP-EPP-04,Rev 1 to EPIP-EPP-12,Rev 4 to EPIP-EPP-23,Rev 1 to EPIP-EPP-24,Rev 1 to EPIP-EPP-30 & Rev 5 to emergency plan maint procedure EPMP-EPP-02.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 96/04/25. Document Control Branch (Document Control Desk). 1p. 88134:001-88134:359.

-9605030284 Rev 33 to "Site Emergency Plan."
RADEMACHER,N.L., CONWAY,J.T. Niagara Mohawk Power Corp. 96/03/25. 147pp. 88134:002-88134:148.

-9605030293 Revised EPIPs,including Rev 2 to EPIP-EPP-04,Rev 1 to EPIP-EPP-12,Rev 4 to EPIP-EPP-23,Rev 1 to EPIP-EPP-24,Rev 1 to EPIP-EPP-30,Rev 5 to emergency plan maint procedure (EPMP) EPMP-EPP-02 & cover page change to all EPMPs.
RADEMACHER,N.L., DAHLBERG,K.A. Niagara Mohawk Power Corp. 96/01/17. 100pp. 88134:149-88134:359.

9605210223 Advises that 960408 Revs 4 & 5,Issue 4 to changes to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/14. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 88361:224-88361:226.

9605230221 Forwards RAI re 951016 & 960213 responses to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves," for plant Units 1 & 2.
HOOD,D.S. . 96/05/21. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 88342:159-88342:163.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605160447 Submits response to request for addl info re potential corporate structure changes.
SYLVIA,B.R. Niagara Mohawk Power Corp. 96/05/03. RUSSELL,W.T. . 4pp. 88318:336-88318:339.

9605130415 Summary of 960502 telcon w/licensee re design/licensing basis questions on plant & turbine bldg blowout panels that were encl w/Insp Rept 50-220/96-05 & 50-410/96-05,dtd 960329.
HOOD,D.S. . 96/05/08. . 11pp. 88224:303-88224:313.

9605200303 Forwards application for amend to License NPF-69,revising TS Section 3/4.3.2, "Isolation Actuation Instrumentation."
SYLVIA,B.R. Niagara Mohawk Power Corp. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88351:308-88351:328.

-9605200311 Application for amend to License NPF-69,revising TS Section 3/4.3.2, "Isolation Actuation Intrumentation."
SYLVIA,B.R. Niagara Mohawk Power Corp. 96/05/15. 1p. 88351:310-88351:310.

-9605200318 Proposed Tech Specs Section 3/4.3.2 re isolation actuation instrumentation.
* Niagara Mohawk Power Corp. 96/05/15. 18pp. 88351:311-88351:328.

9605280059 Provides supplemental info re "Power Uprate Power Ascension Test Program Interim Startup Report."
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88386:213-88386:214.

Q. Inspection reports, IE Bulletins & correspondence

9605070026 Notifies of predecisional enforcement conference scheduled for 960510 in King of Prussia,PA to discuss apparent violation of employee discrimination requirements.
COOPER,R.W. Region 1 (Post 820201). 96/04/24. SYLVIA,B.R. Niagara Mohawk Power Corp. 29pp. 88112:055-88112:082.

9605060078 Suppl response to violations noted in insp repts 50-220/95-24 & 50-410/95-24.CAs:lessons learned transmittal issued for plant failure to properly evaluate operating experience concerns.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88166:355-88166:356.

9605060337 Notification of predecisional enforcement meeting w/util on 960510 to discuss licensee handling of termination of Unit 2 engineer.
CONTE,R.J. Region 1 (Post 820201). 96/04/29. Region 1 (Post 820201). 2pp. 88112:003-88112:004.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605280264 EN-96-026:on 960508,notice of proposed exercise of enforcement discretion issued to licensee.Matter involves submission of inaccurate info on facility compliance w/SPDES permit in discharge of detoxifying substance in Aug 1993.
GRAY,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/05/01. 1p. 88418:018-88418:018.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605090106 Press release I-96-29, "NRC Staff to Hold Predecisional Enforcement Conference W/NMP Corp."
* Region 1 (Post 820201). 96/05/07. 1p. 88212:203-88212:203.

9605130415 Summary of 960502 telcon w/licensee re design/licensing basis questions on plant & turbine bldg blowout panels that were encl w/Insp Rept 50-220/96-05 & 50-410/96-05,dtd 960329.
HOOD,D.S. . 96/05/08. . 11pp. 88224:303-88224:313.

9605160140 Discusses investigation rept 1-95-029 on 940222 re submittal of inaccurate info to NRC w/semi-annual, "Rept on Status of Plant SPDES Discharge Permit & Any Occurrence of Noncompliance."
MARTIN,T.T. Region 1 (Post 820201). 96/05/08. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 88275:283-88275:287.

9605200232 Addresses issues re NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in RC,or Over Safety-Related Equipment."
TERRY,C.D. Niagara Mohawk Power Corp. 96/05/13. Document Control Branch (Document Control Desk). 9pp. 88351:060-88351:068.

9605280071 Forwards insp repts 50-220/96-201 & 50-410/96-201 on 960304-22.No violations noted.
GALLO,R.M. . 96/05/16. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 88375:034-88375:073.

-9605280090 Insp repts 50-220/96-201 & 50-410/96-201 on 960304-22.No violations noted.Major areas inspected:safety assessment & corrective action,operations,engineering,maint & plant support.
MALUR,S.K., NORKIN,D.P., GALLO,R.M. . 96/05/16. 35pp. 88375:042-88375:073.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280202 Responds to violations noted in insp repts 50-220/96-01 & 50-410/96-01.Corrective actions:Procedure GAP-DES-03 revised.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/05/22. Document Control Branch (Document Control Desk). 5pp. 88380:356-88380:360.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060011 "Annual Radiological Environ Operating Rept Nine Mile Point Nuclear Station for Jan-Dec 1995." W/960429 ltr.
RADEMACHER,N.L., CONWAY,J.T. Niagara Mohawk Power Corp. 95/12/31. 152pp. 88155:001-88155:152.

9605070226 "Annual Environ Operating Rept for Jan-Dec 1995." W/960430 ltr.
CONWAY,J.T. Niagara Mohawk Power Corp. 95/12/31. 4pp. 88192:305-88192:308.

9605200274 Monthly operating rept for April 1996 for NMPNS Unit 2.W/ 960515 ltr.
FERRER,I.B., CONWAY,J.T. Niagara Mohawk Power Corp. 96/04/30. 5pp. 88347:321-88347:325.

S. Reportable occurrences, LERs & related correspondence

9605060085 LER 96-410-00:on 960328,identified full core offloads to spent fuel pool performed during refueling outages outside design bases of plant.Cause analysis performed.No immediate corrective actions required.W/960429 ltr.
DEAN,R.J., ABBOTT,R.B. Niagara Mohawk Power Corp. 96/04/29. 6pp. 88165:023-88165:028.

9605170190 LER 96-004-00,on 960410,unit experienced multiple ESFAs. Caused by spurious trip of electrical protection assembly 2VBS*ACB2A.Loads fed by assembly isolated & restored,breaker reclosed & addl training provided.W/960510 ltr.
WARD,K., CONWAY,J.T. Niagara Mohawk Power Corp. 96/05/10. 9pp. 88341:107-88341:115.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605200408 LER 96-005-00:on 960415,Div 3 DG had not been declared operable as required by TSs.Caused by inadequate work practices.SSS & assistant SSS counseled.W/960515 ltr.
SMITH,R.G., CONWAY,J.T. Niagara Mohawk Power Corp. 96/05/15. 5pp. 88343:107-88343:111.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. MOWERY,J.D Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280150 Part 21 rept re development of cracks compromising integrity of DVH.Recommended corrective actions listed.
MOWERY,J.D. Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88396:145-88396:151.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605130404 Forwards excerpts from draft Accident Sequence Precursor Rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during period 1982-83.
BRINKMAN,D.S. . 96/05/07. CROSS,J.E. Duquesne Light Co. 27pp. 88224:314-88224:340.

G. Adjudicatory correspondence

9605210093 Informs that time provided by NRC regulation within which Commission may act to review DD-96-03 for docket has expired.Decision became final on 960506.W/Certificate of Svc.Served on 960515.
HOYLE,J.C. Office of the Secretary of the Commission. #296 17629. 96/05/15. JOHNSTON,C. Toledo Coalition for Safe Energy. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. OCHS,R. Maryland Safe Energy Coalition. 10pp. 88306:012-88306:021.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605060128 Forwards rev 8 to "Beaver Valley Power Station Unit 2 Updated FSAR." Rev includes changes identified in annual rept of facility changes,tests & experiments,changes resulting from TS amends & changes to QA program.
JAIN,S.C. Duquesne Light Co. 96/04/23. Document Control Branch (Document Control Desk). 3pp. 88159:001-88159:328.

--9605060130 Rev 8 to "Beaver Valley Power Station Unit 2 Updated FSAR." W/30 oversize encls.
* Duquesne Light Co. 96/04/23. 325pp. 88159:004-88159:328.

P. Operating license stage documents & correspondence

9605070270 Application for amend to license NPF-73,consisting of change request 106,modifying Design Feature Section 5.3.1 to allow use of ZIRLO as fuel rod clad matl.
JAIN,S.C. Duquesne Light Co. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88173:121-88173:131.

--9605070273 Proposed tech specs,consisting of change request 106, modifying Design Feature Section 5.3.1 to allow use of ZIRLO as fuel rod clad matl.
* Duquesne Light Co. 96/04/29. 10pp. 88173:123-88173:131.

9605020168 Forwards RAI re elimination of insp of reactor coolant pump flywheels (WCAP-14535).
BRINKMAN,D.S. . 96/05/01. CROSS,J.E. Duquesne Light Co. 5pp. 88098:346-88098:350.

9605060190 Forwards amends 199 & 81 to licenses DPR-66 & NPF-73 & SE, respectively.Amends modify Tables 3.3-11 & 4.3-7 of BVPS-1 & BVPS-2 TS 3.3.3.8.
BRINKMAN,D.S. . 96/05/01. CROSS,J.E. Duquesne Light Co. 3pp. 88111:326-88111:342.

--9605060194 Amends 199 & 81 to licenses DPR-66 & NPF-73,respectively, modifying Tables 3.3-11 & 4.3-7 of BVPS-1 & BVPS-2 TS 3.3.3.8.
STOLZ,J.F. . 96/05/01. 11pp. 88111:329-88111:339.

--9605060196 Safety evaluation supporting amends 199 & 81 to licenses DPR-66 & NPF-73,respectively.
* . 96/05/01. 3pp. 88111:340-88111:342.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100127 Approves 960212 proposal for changes to bases for TS 4.6.2.2.d & to Index page XI of plant TS.Change defines term "required developed head" for CRSS pump developed head at specific flow point.Subj changes encl.
BRINKMAN,D.S. . 96/05/07. CROSS,J.E. Duquesne Light Co. 3pp. 88212:315-88212:320.

--9605130130 Proposed change to bases for TS 4.6.2.2.d & to Index page XI of plant TSs.
* Duquesne Light Co. 96/05/07. 3pp. 88212:318-88212:320.

9605130404 Forwards excerpts from draft Accident Sequence Precursor Rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during period 1982-83.
BRINKMAN,D.S. . 96/05/07. CROSS,J.E. Duquesne Light Co. 27pp. 88224:314-88224:340.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605170318 Advises of planned insp efforts resulting from plant performance review.Reviews conducted for all operating NPPs to develop integrated understanding of safety performance.
COOPER,R.W. Region 1 (Post 820201). 96/05/09. CROSS,J.E. Duquesne Light Co. 5pp. 88291:002-88291:006.

9605170281 Responds to NRC Bulletin 96-002 re movement of heavy loads over spent fuel,over fuel in reactor core or over safety- related equipment.
JAIN,S. Duquesne Light Co. 96/05/10. Document Control Branch (Document Control Desk). 3pp. 88316:343-88316:345.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020237 "NPDES Monthly Discharge Monitoring Rept for Beaver Valley Power Station,Units 1 & 2." W/960425 ltr.
NOONAN,T.P. Duquesne Light Co. 96/03/31. 36pp. 88129:311-88129:347.

9605020217 Forwards "1995 Annual Radiological Environ Rept" & "1995 Annual Non-Radiological Environ Rept," for Beaver Valley Power Station,Units 1 & 2.
NOONAN,T.P. Duquesne Light Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88125:001-88125:268.

--9605020227 "1995 Annual Radiological Environ Rept for Beaver Valley Units 1 & 2."
* Duquesne Light Co. 95/12/31. 150pp. 88125:003-88125:176.

--9605020232 "1995 Annual Non-Radiological Environ Rept for Beaver Valley Power Units 1 & 2."
SHEMA,R.L., CODY,W.R., KENDERES,G.J. Aquatic Systems Corp. 95/12/31. 93pp. 88125:177-88125:268.

9605140294 Monthly operating repts for Apr 1995 for Beaver Valley Power Station.W/ 960507 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 96/04/30. 9pp. 88270:352-88270:360.

S. Reportable occurrences, LERs & related correspondence

9605300002 LER 96-002-00:on 960220,containment penetration not isolated within time limit.Caused by breakdown in administrative controls governing document updates during initial plant const in 1985.Manual isolation valves shut.W/960524 ltr.
NOONAN,T.P. Duquesne Light Co. 96/05/24. 6pp. 88444:001-88444:006.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605010232 Forwards TERs on IPE of external events fire review,which consists of ERI/NRC 95-506 & ERI/NRC 95-502 portions.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88072:314-88072:354.

9605140021 Forwards insp repts 50-413/96-04 & 50-414/96-04 on 960311-15.No violations or deviations identified.
BARR,K.P. Region 2 (Post 820201). 96/04/26. MCCOLLUM,W.R. Duke Power Co. 3pp. 88221:179-88221:202.

--9605140026 Insp repts 50-413/96-04 & 50/414/96-04 on 960311-15.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 96/04/26. 21pp. 88221:182-88221:202.

9605280170 Notification of 960604 meeting w/DPC in Rockville,MD to discuss plants specific issues re IPEEE fire analysis. Meeting agenda encl.
NERSES,V. . 96/05/23. BERKOW,H.N. . 5pp. 88374:333-88374:337.

G. Adjudicatory correspondence

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

--9605080107 Notice of receipt of petition for Director's Decision under 10CFR2.206 re 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.
RUSSELL,W.T. . 96/04/02. 4pp. 88137:220-88137:223.

--9605080116 Forwards unresolved DPV/DPO dtd 940728 which has been written re order to accept plant proposal to change FSAR so plant could continue to operate w/ uncoordinated safety circuit breakers.Requests that NRC suspend license of plant.
MORRIS,C. Affiliation Not Assigned. 96/02/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 88137:224-88137:227.

--9605080119 Responds to 940506 memo re differing professional view on resolution of breaker coordination issue identified during electrical distribution sys functional insp conducted at plant.Result of review encl.W/o review.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/07/22. MORRIS,C. Electrical Engineering Branch. 1p. 88137:228-88137:228.

--9605080124 Responds to 940506 memo re differing professional view on uncoordinated breakers at plant identified during electrical distribution sys functional insp.NRR Standing Panel submits listed recommended actions that licensee should take.
THADANI,A.C. Associate Director for Inspection & Technical Assessment (Post 870411). 94/07/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 88137:229-88137:234.

--9605080154 Discusses DPV uncoordinated breakers at plant.Policy statement needed from higher level than branch that argument so generally applicable to all plant safety sys acceptable to NRC.
MORRIS,C. Electrical Engineering Branch. 94/05/06. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 88137:235-88137:236.

--9605080158 Forwards safety evaluation accepting licensee proposal to revise FSAR rather than change circuit breaker coordination, based on review of util response to electrical distribution sys functional insp finding of 920214.
BERLINGER,C.H. Electrical Engineering Branch. 94/05/09. MATHEWS,D.B. Project Directorate II-3. 5pp. 88137:237-88137:242.

--9605080162 Safety evaluation accepting licensee proposal to update FSAR in lieu of modifying 600 volt ac breakers that might be uncoordinated in event of improbable initiating events,per util response to electrical distribution sys insp.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/05/09. 12pp. 88137:243-88137:254.

--9605080165 Advises that meeting should be held to discuss plant breaker coordination safety evaluation.
MORRIS,C. Electrical Engineering Branch. 93/10/27. BERLINGER,C. Electrical Engineering Branch. 3pp. 88137:255-88137:257.

--9605080168 Informs that electrical distribution sys functional insp at plant found 125 volt dc instrument & control breakers not in conformance w/FSAR.
MORRIS,C. Electrical Engineering Branch. 93/09/21. WEISS,E. Electrical Engineering Branch. 5pp. 88137:258-88137:262.

--9605080171 Responds to E Merschoff 930512 memo requesting review & concurrence in util response to electricl distribution sys functional insp finding of 920214.Branch does not agree w/ licensee conclusion for reasons given in encl SE.
BERLINGER,C.H. Electrical Engineering Branch. 93/08/16. MATHEWS,D.B. Project Directorate II-3. 2pp. 88137:263-88137:264.

--9605080176 Safety evaluation re electrical circuit breaker coordination deficiency at plant.Util should fulfill FSAR commitments & coordinate subj breakers.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. 6pp. 88137:265-88137:272.

--9605080186 Discusses 930512 memo re Region II ofc request that NRR to review util response to finding from 920214 electrical distribution sys functional insp at plant.Util should show
BERLINGER,C.H. Electrical Engineering Branch. 94/06/22. MATTHEWS,D.B. Project Directorate II-3. 4pp. 88137:273-88137:276.

--9605080193 Discusses differing professional opinion re uncoordinated circuit breakers at plant.
MORRIS,C.E. Electrical Engineering Branch. 94/07/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 88137:277-88137:279.

--9407180189 Discusses whether current NRC regulations require licensees to mitigate effects of LOCA during degraded voltage conditions in conjunction w/single failure & if further generic action needed.No addl action needed.
BERLINGER,C.H. Electrical Engineering Branch. 94/07/13. DYER,J.E. Project Directorate III-2. 2pp. 88137:280-88137:281.

--9407250133 Discusses documentation of generic safety issues on degraded voltage protection & recommends that JA Murphy take steps necessary to include assignment of priorities in NUREG-0933, "Prioritization of Generic Safety Issues."
SHERON,B.W. Division of Engineering (Post 921004). 94/07/13. MURPHY,J.A. Division of Safety Issue Resolution (880717-941217). 2pp. 88137:282-88137:283.

--9605080205 Informs that recipients selected to carry-out independent differing professional opinion panel review of generic safety concerns in CE Morris 940728 memo to JM Taylor re uncoordinated circuit breakers at plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/08/10. KING,T. Division of Systems Research (880717-941217). BARANOWSKY,P. Division of Safety Programs (Post 870413). VORA,J. Electrical & Mechanical Engineering Branch (870717-941217). 4pp. 88137:284-88137:287.

--9605080209 Submits comments on author differing professional opinion on plant circuit breaker coordination for comments on DPV-SP rept of 940721,per request.
MORRIS,C. Electrical Engineering Branch. 94/08/09. KING,T. NRC - No Detailed Affiliation Given. 1p. 88137:288-88137:288.

--9605080215 Provides rept on review of differing professional opinion re uncoordinated circuit breakers at plant,in response to 940810 memo.
KING,T.L. Division of Systems Research (880717-941217). 94/09/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 88137:289-88137:295.

9605070087 Submits addendum to 10CFR2.206 petition of 960213 due to deficiencies in NRC 960402 reply.
MORRIS,C. Affiliation Not Assigned. 96/05/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88173:110-88173:120.

9605140291 Requests that listed documents be reclassified as public documents.
TAM,P.S. . 96/05/09. COLLINS,M. Office of Information Resources Management (Post 890205). 2pp. 88257:359-88257:360.

P. Operating license stage documents & correspondence

9605010173 Forwards proprietary & nonproprietary Topical Repts DPC-NE-2007P-A & DPC-NE-2007A,respectively.Proprietary Topical Rept DPC-NE-2007P-A withheld.
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 88079:016-88079:112.

--9605010181 Forwards corrected nonproprietary version of Topical Rept DPC-NE-2007.
GEWEHR,S. Duke Power Co. 96/04/23. HOOVER,D. . 1p. 88079:018-88079:018.

--9605010186 Nonproprietary "DPC Fuel Reconstitution Analysis Methodology."
* Duke Power Co. DPC-NE-2007A. 95/10/31. 93pp. 88079:019-88079:112.

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

--9605080154 Discusses DPV uncoordinated breakers at plant.Policy statement needed from higher level than branch that argument so generally applicable to all plant safety sys acceptable to NRC.
MORRIS,C. Electrical Engineering Branch. 94/05/06. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 88137:235-88137:236.

--9605080165 Advises that meeting should be held to discuss plant breaker coordination safety evaluation.
MORRIS,C. Electrical Engineering Branch. 93/10/27. BERLINGER,C. Electrical Engineering Branch. 3pp. 88137:255-88137:257.

--9605080168 Informs that electrical distribution sys functional insp at plant found 125 volt dc instrument & control breakers not in conformance w/FSAR.
MORRIS,C. Electrical Engineering Branch. 93/09/21. WEISS,E. Electrical Engineering Branch. 5pp. 88137:258-88137:262.

--9605080193 Discusses differing professional opinion re uncoordinated circuit breakers at plant.
MORRIS,C.E. Electrical Engineering Branch. 94/07/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 88137:277-88137:279.

--9605080205 Informs that recipients selected to carry-out independent differing professional opinion panel review of generic safety concerns in CE Morris 940728 memo to JM Taylor re uncoordinated circuit breakers at plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/08/10. KING,T. Division of Systems Research (880717-941217). BARANOWSKY,P. Division of Safety Programs (Post 870413). VORA,J. Electrical & Mechanical Engineering Branch (870717-941217). 4pp. 88137:284-88137:287.

--9605080209 Submits comments on author differing professional opinion on plant circuit breaker coordination for comments on DPV-SP rept of 940721,per request.
MORRIS,C. Electrical Engineering Branch. 94/08/09. KING,T. NRC - No Detailed Affiliation Given. 1p. 88137:288-88137:288.

--9605080215 Provides rept on review of differing professional opinion re uncoordinated circuit breakers at plant,in response to 940810 memo.
KING,T.L. Division of Systems Research (880717-941217). 94/09/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 88137:289-88137:295.

9605030060 Submits clarification of reporting requirements under 10CFR50.72(b)(2)(vi).
TUCKMAN,M.S. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88396:002-88396:004.

9605010232 Forwards TERs on IPE of external events fire review,which consists of ERI/NRC 95-506 & ERI/NRC 95-502 portions.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88072:314-88072:354.

--9605010252 "Submittal-Only Review of Catawba Nuclear Station Individual Plant Exam of External Events," draft rept.
RAHBAR,M.K., SHOLLY,S.C., SEWELL,R.T. Affiliation Not Assigned. ERI/NRC 95-506 DRF. 96/02/29. Office of Nuclear Regulatory Research (Post 941217). 18pp. 88072:319-88072:335.

--9605010265 "Submittal-Only Review of McGuire Nuclear Station Individual Plant Exam of External Events," draft rept.
* Affiliation Not Assigned. ERI/NRC 95-502 DRF. 96/02/29. Office of Nuclear Regulatory Research (Post 941217). 19pp. 88072:336-88072:354.

9605010234 Forwards SE which addresses proposed change to Topical Rept DPE-NE-3002-A re opening characteristics of safety valves for Catawba Station,Units 1 & 2 & McGuire Station, Units 1 & 2.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88065:302-88065:311.

--9605010237 Safety evaluation re proposed change of safety valve opening characteristics in DPC-NE-3002-A.Rept acceptable.
* . 96/04/26. 5pp. 88065:307-88065:311.

9605070321 Forwards proprietary & nonproprietary versions of App C to DPC-NE-2005P-A, "DPC Thermal-Hydraulic Statistical Core Methodology." App C addresses licensing issues for BWU-Z use by util.Proprietary version of App C withheld.
TUCKMAN,M.S. Duke Power Co. 96/04/26. Document Control Branch (Document Control Desk). 8pp. 88218:017-88218:044.

--9605070326 Nonproprietary App C, "McGuire/Catawba Plant Specific Data Mark-BW Fuel BWU-Z CHF Correlation" to "DPC Thermal- Hydraulic Statistical Core Design Methodology."
* Duke Power Co. DPC-NE-2005P-A APP C. 96/04/30. 20pp. 88218:025-88218:044.

9605020185 Requests for addl info re breaker coordination for plant, units 1 & 2.Response should be provided within 14 days of ltr receipt.
MARTIN,R.E. . 96/04/30. MCCOLLUM,W.R. Duke Power Co. 6pp. 88093:343-88093:348.

9605150153 Revised "Selected License Commitment Manual," new selected license commitment.
ASBURY,B.S. Duke Power Co. 96/05/02. 140pp. 88323:147-88323:287.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070180 Forwards encl "Condensed Project Manager Rept" for placement in PDR.Informs that subj document lists all actions being handled by NRR as of 960506 & was faxed to DPC to prepare plant personnel for conference call.
TAM,P.S. . 96/05/06. Document Control Branch (Document Control Desk). 3pp. 88119:353-88119:355.

9605080139 Submits suppl to 960126 TS change request for one time rev to TS 3.6.1.1,3.6.1.2,3.6.1.8 & 3.6.1.9,informing of addl compensatory action to be taken to provide addl protection to CR personnel in event of significant RCS leakage.
MCCOLLUM,W.R. Duke Power Co. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88187:327-88187:328.

9605150269 Forwards RAI to complete review re proposed use of CREST methodology for performing seismic analysis of coupled structural sys at plant.
NERSES,V. . 96/05/07. TUCKMAN,M.S. Duke Power Co. 6pp. 88264:342-88264:347.

9605210233 Forwards amends 144 & 138 to licenses NPF-35 & NPF-52, respectively & safety evaluation.Amends revise TS so that containment integrated leak rate Type A testing will be performed consistent w/revised 10CFR50,App J,Option B.
MARTIN,R.E. . 96/05/13. MCCOLLUM,W.R. Duke Power Co. 3pp. 88308:086-88308:103.

–**9605210236** Amends 144 & 138 to licenses NPF-35 & NPF-52,respectively, revising TS so containment integrated leak rate Type A testing will be performed consistent w/ revised 10CFR50,App J,Option B.
BERKOW,H.N. . 96/05/13. 11pp. 88308:089-88308:099.

–**9605210241** Safety evaluation supporting amends 144 & 138 to licenses NPF-35 & NPF-52,respectively.
* . 96/05/13. 4pp. 88308:100-88308:103.

9605310182 Advises that util intends to reduce frequency of sampling of RCS & analysis of boron concentration to once-daily,per Reg Guide 1.97.
MCCOLLUM,W.R. Duke Power Co. 96/05/15. Document Control Branch (Document Control Desk). 6pp. 88404:265-88404:270.

9605210510 Withdraws initial proposed change to TS Surveillance 4.8.1.1.2.e.3.Attachment 1 documents response to staff request for addl info.
MCMEEKIN,T.C. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88372:277-88372:299.

–**9605210515** Proposed Tech Specs 3/4.8 re surveillance requirements.
* Duke Power Co. 96/05/16. 17pp. 88372:283-88372:299.

9605210526 Discusses 960514 conference call re feedwater sys pipe breaks.
TUCKMAN,M.S. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 2pp. 88353:094-88353:095.

9605310017 Responds to request for additional information breaker coordination.
MCCOLLUM,W.R. Duke Power Co. 96/05/17. Document Control Branch (Document Control Desk). 35pp. 88403:289-88403:323.

9605300074 Forwards response to NRC 960426 RAI re util 960126 one time TS change request that would allow operation of containment purge ventilation sys during Modes 3 & 4 following startup from SG replacement outage.
MCCOLLUM,W.R. Duke Power Co. 96/05/20. Document Control Branch (Document Control Desk). 16pp. 88396:319-88396:334.

Q. Inspection reports, IE Bulletins & correspondence

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

–**9605080119** Responds to 940506 memo re differing professional view on resolution of breaker coordination issue identified during electrical distribution sys functional insp conducted at plant.Result of review encl.W/o review.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/07/22. MORRIS,C. Electrical Engineering Branch. 1p. 88137:228-88137:228.

–**9605080124** Responds to 940506 memo re differing professional view on uncoordinated breakers at plant identified during electrical distribution sys functional insp.NRR Standing Panel submits listed recommended actions that licensee should take.
THADANI,A.C. Associate Director for Inspection & Technical Assessment (Post 870411). 94/07/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 88137:229-88137:234.

–**9605080158** Forwards safety evaluation accepting licensee proposal to revise FSAR rather than change circuit breaker coordination, based on review of util response to electrical distribution sys functional insp finding of 920214.
BERLINGER,C.H. Electrical Engineering Branch. 94/05/09. MATHEWS,D.B. Project Directorate II-3. 5pp. 88137:237-88137:242.

–**9605080162** Safety evaluation accepting licensee proposal to update FSAR in lieu of modifying 600 volt ac breakers that might be uncoordinated in event of improbable initiating events,per util response to electrical distribution sys insp.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/05/09. 12pp. 88137:243-88137:254.

–**9605080171** Responds to E Merschoff 930512 memo requesting review & concurrence in util response to electricl distribution sys functional insp finding of 920214.Branch does not agree w/ licensee conclusion for reasons given in encl SE.
BERLINGER,C.H. Electrical Engineering Branch. 93/08/16. MATHEWS,D.B. Project Directorate II-3. 2pp. 88137:263-88137:264.

–**9605080176** Safety evaluation re electrical circuit breaker coordination deficiency at plant.Util should fulfill FSAR commitments & coordinate subj breakers.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. 6pp. 88137:265-88137:272.

–**9605080186** Discusses 930512 memo re Region II ofc request that NRR to review util response to finding from 920214 electrical distribution sys functional insp at plant.Util should show
BERLINGER,C.H. Electrical Engineering Branch. 94/06/22. MATTHEWS,D.B. Project Directorate II-3. 4pp. 88137:273-88137:276.

9605140443 Ack receipt of 960412 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/96-03 & 50-414/96-03.
GIBSON,A.F. Region 2 (Post 820201). 96/04/16. MCCOLLUM,W.R. Duke Power Co. 3pp. 88242:352-88242:354.

9605140386 Forwards insp repts 50-413/96-02 & 50-414/96-02 on 960211-0323 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/22. MCCOLLUM,W.R. Duke Power Co. 4pp. 88242:239-88242:307.

–**9605140393** Notice of violation from insp on 960211-0323.Violation noted:licensee failed on 960229 to maintain keys to Extra High Radiation Areas in locked storage box.
* Region 2 (Post 820201). 96/04/22. 2pp. 88242:243-88242:244.

–**9605140405** Insp repts 50-413/96-02 & 50-414/96-02 on 960211-0323. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FREUDENBERGER, CRLENJAK,R.V. Region 2 (Post 820201). 96/04/22. 63pp. 88242:245-88242:307.

9605140519 Ack receipt of 960412 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/96-03 & 50-414/96-03.
GIBSON,A.F. Region 2 (Post 820201). 96/04/24. MCCOLLUM,W.R. Duke Power Co. 3pp. 88243:189-88243:191.

9605140021 Forwards insp repts 50-413/96-04 & 50-414/96-04 on 960311-15.No violations or deviations identified.
BARR,K.P. Region 2 (Post 820201). 96/04/26. MCCOLLUM,W.R. Duke Power Co. 3pp. 88221:179-88221:202.

–**9605140026** Insp repts 50-413/96-04 & 50/414/96-04 on 960311-15.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 96/04/26. 21pp. 88221:182-88221:202.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140116 Requests to use alternative to ASME Code Section XI.Util requests approval to use code case N-533.
TUCKMAN,M.S. Duke Power Co. 96/05/07. Document Control Branch (Document Control Desk). 4pp. 88268:272-88268:275.

9605200142 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TUCKMAN,M.S. Duke Power Co. 96/05/14. Document Control Branch (Document Control Desk). 21pp. 88343:152-88343:173.

9605200465 Forwards SE approving relief request CN-SRP-CA-01 for pumps re plant,units 1 & 2,second 10-yr IST Program.
BERKOW,H.N. . 96/05/16. MCCOLLUM,W.R. Duke Power Co. 3pp. 88301:220-88301:225.

–**9605200472** Safety evaluation approving relief request CN-SRP-CA-01 for second 10-yr IST intervals for plant,Units 1 & 2.
* . 96/05/16. 3pp. 88301:223-88301:225.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605280286 Responds to violations noted in insp repts 50-413/96-02 & 50-414-96-02.Corrective actions:FSAR section 9.1.3.1.3 revised to clarify connections to Spent Fuel Pool & FSAR section 11.5.1.2.2 reviewed to ensure wording consistency.
MCCOLLUM,W.R. Duke Power Co. 96/05/21. Document Control Branch (Document Control Desk). 10pp. 88385:293-88385:302.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020262 Annual environ operating rept CY95,including summaries & analysis of results of activities required by environ protection plan & non-routine event repts sent to SC Dept of Health & Environ Control.W/960425 ltr.
MCCOLLUM,W.R. Duke Power Co. 95/12/31. 131pp. 88126:001-88126:131.

9605070040 "Annual Radioactive Effluent Release Rept 1995." W/960429 ltr.
MCCOLLUM,W.R. Duke Power Co. 95/12/31. 49pp. 88173:001-88173:052.

9605030164 Forwards groundwater monitoring rept for Catawba Nuclear Station conventional wastewater treatment ponds from samples collected on 960304.
CARTER,J. Duke Power Co. 96/04/23. HURSEY,S. South Carolina, State of. 5pp. 88138:355-88138:359.

9605210015 Forwards monthly operating repts for Apr 1996 for Catawba Nuclear Station,Units 1 & 2 & revised monthly operating status rept for Mar 1996.
WEBER,R.L. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88353:001-88353:013.

–**9605200466** Monthly operating repts for Apr 1996 for Catawba Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/04/30. 10pp. 88353:003-88353:012.

–**9605210039** Revised monthly operating status rept for Mar 1996 for Catawba Nuclear Station.
* Duke Power Co. 96/03/31. 1p. 88353:013-88353:013.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605210184 Grants permission not to rept minor exceedances of environ limits described in NUREG-1022 until final rev published. Final staff position must be determined & decision made whether request for relief appropriate.
TAM,P.S. . 96/05/17. TUCKMAN,M.S. Duke Power Co. 4pp. 88320:357-88320:360.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605010232 Forwards TERs on IPE of external events fire review,which consists of ERI/NRC 95-506 & ERI/NRC 95-502 portions.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88072:314-88072:354.

9605140021 Forwards insp repts 50-413/96-04 & 50-414/96-04 on 960311-15.No violations or deviations identified.
BARR,K.P. Region 2 (Post 820201). 96/04/26. MCCOLLUM,W.R. Duke Power Co. 3pp. 88221:179-88221:202.

--9605140026 Insp repts 50-413/96-04 & 50/414/96-04 on 960311-15.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M. Region 2 (Post 820201). 96/04/26. 21pp. 88221:182-88221:202.

9605280170 Notification of 960604 meeting w/DPC in Rockville,MD to discuss plants specific issues re IPEEE fire analysis. Meeting agenda encl.
NERSES,V. . 96/05/23. BERKOW,H.N. . 5pp. 88374:333-88374:337.

G. Adjudicatory correspondence

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

--9605080107 Notice of receipt of petition for Director's Decision under 10CFR2.206 re 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.
RUSSELL,W.T. . 96/04/02. 4pp. 88137:220-88137:223.

--9605080116 Forwards unresolved DPV/DPO dtd 940728 which has been written re order to accept plant proposal to change FSAR so plant could continue to operate w/ uncoordinated safety circuit breakers.Requests that NRC suspend license of plant.
MORRIS,C. Affiliation Not Assigned. 96/02/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 88137:224-88137:227.

9605070087 Submits addendum to 10CFR2.206 petition of 960213 due to deficiencies in NRC 960402 reply.
MORRIS,C. Affiliation Not Assigned. 96/05/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88173:110-88173:120.

9605140291 Requests that listed documents be reclassified as public documents.
TAM,P.S. . 96/05/09. COLLINS,M. Office of Information Resources Management (Post 890205). 2pp. 88257:359-88257:360.

P. Operating license stage documents & correspondence

9605010173 Forwards proprietary & nonproprietary Topical Repts DPC-NE-2007P-A & DPC-NE-2007A,respectively.Proprietary Topical Rept DPC-NE-2007P-A withheld.
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 88079:016-88079:112.

--9605010181 Forwards corrected nonproprietary version of Topical Rept DPC-NE-2007.
GEWEHR,S. Duke Power Co. 96/04/23. HOOVER,D. . 1p. 88079:018-88079:018.

--9605010186 Nonproprietary "DPC Fuel Reconstitution Analysis Methodology."
* Duke Power Co. DPC-NE-2007A. 95/10/31. 93pp. 88079:019-88079:112.

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

--9605080154 Discusses DPV uncoordinated breakers at plant.Policy statement needed from higher level than branch that argument so generally applicable to all plant safety sys acceptable to NRC.
MORRIS,C. Electrical Engineering Branch. 94/05/06. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 88137:235-88137:236.

--9605080165 Advises that meeting should be held to discuss plant breaker coordination safety evaluation.
MORRIS,C. Electrical Engineering Branch. 93/10/27. BERLINGER,C. Electrical Engineering Branch. 3pp. 88137:255-88137:257.

--9605080168 Informs that electrical distribution sys functional insp at plant found 125 volt dc instrument & control breakers not in conformance w/FSAR.
MORRIS,C. Electrical Engineering Branch. 93/09/21. WEISS,E. Electrical Engineering Branch. 5pp. 88137:258-88137:262.

--9605080193 Discusses differing professional opinion re uncoordinated circuit breakers at plant.
MORRIS,C.E. Electrical Engineering Branch. 94/07/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 88137:277-88137:279.

--9605080205 Informs that recipients selected to carry-out independent differing professional opinion panel review of generic safety concerns in CE Morris 940728 memo to JM Taylor re uncoordinated circuit breakers at plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/08/10. KING,T. Division of Systems Research (880717-941217). BARANOWSKY,P. Division of Safety Programs (Post 870413). VORA,J. Electrical & Mechanical Engineering Branch (870717-941217). 4pp. 88137:284-88137:287.

--9605080209 Submits comments on author differing professional opinion on plant circuit breaker coordination for comments on DPV-SP rept of 940721,per request.
MORRIS,C. Electrical Engineering Branch. 94/08/09. KING,T. NRC - No Detailed Affiliation Given. 1p. 88137:288-88137:288.

--9605080215 Provides rept on review of differing professional opinion re uncoordinated circuit breakers at plant,in response to 940810 memo.
KING,T.L. Division of Systems Research (880717-941217). 94/09/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 88137:289-88137:295.

9605030060 Submits clarification of reporting requirements under 10CFR50.72(b)(2)(vi).
TUCKMAN,M.S. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88396:002-88396:004.

9605010232 Forwards TERs on IPE of external events fire review,which consists of ERI/NRC 95-506 & ERI/NRC 95-502 portions.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88072:314-88072:354.

--9605010252 "Submittal-Only Review of Catawba Nuclear Station Individual Plant Exam of External Events," draft rept.
RAHBAR,M.K. Affiliation Not Assigned. ERI/NRC 95-506 DRF. 96/02/29. Office of Nuclear Regulatory Research (Post 941217). 18pp. 88072:319-88072:335.

--9605010265 "Submittal-Only Review of McGuire Nuclear Station Individual Plant Exam of External Events," draft rept.
* Affiliation Not Assigned. ERI/NRC 95-502 DRF. 96/02/29. Office of Nuclear Regulatory Research (Post 941217). 19pp. 88072:336-88072:354.

9605010234 Forwards SE which addresses proposed change to Topical Rept DPE-NE-3002-A re opening characteristics of safety valves for Catawba Station,Units 1 & 2 & McGuire Station, Units 1 & 2.
BERKOW,H.N. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 5pp. 88065:302-88065:311.

--9605010237 Safety evaluation re proposed change of safety valve opening characteristics in DPC-NE-3002-A.Rept acceptable.
* . 96/04/26. 5pp. 88065:307-88065:311.

9605070321 Forwards proprietary & nonproprietary versions of App C to DPC-NE-2005P-A, "DPC Thermal-Hydraulic Statistical Core Methodology." App C addresses licensing issues for BWU-Z use by util.Proprietary version of App C withheld.
TUCKMAN,M.S. Duke Power Co. 96/04/26. Document Control Branch (Document Control Desk). 8pp. 88218:017-88218:044.

--9605070326 Nonproprietary App C, "McGuire/Catawba Plant Specific Data Mark-BW Fuel BWU-Z CHF Correlation" to "DPC Thermal- Hydraulic Statistical Core Design Methodology."
* Duke Power Co. DPC-NE-2005P-A APP C. 96/04/30. 20pp. 88218:025-88218:044.

9605020185 Requests for addl info re breaker coordination for plant, units 1 & 2.Response should be provided within 14 days of ltr receipt.
MARTIN,R.E. . 96/04/30. MCCOLLUM,W.R. Duke Power Co. 6pp. 88093:343-88093:348.

9605150153 Revised "Selected License Commitment Manual," new selected license commitment.
ASBURY,B.S. Duke Power Co. 96/05/02. 140pp. 88323:147-88323:287.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070180 Forwards encl "Condensed Project Manager Rept" for placement in PDR.Informs that subj document lists all actions being handled by NRR as of 960506 & was faxed to DPC to prepare plant personnel for conference call.
TAM,P.S. . 96/05/06. Document Control Branch (Document Control Desk). 3pp. 88119:353-88119:355.

9605150388 Ack receipt of 960313 ltr to RJ Barrett transmitting INES event rating form re declaration of unusual event on 960206. NRC participation in INES,discussed.
TAM,P.S. . 96/05/08. MCCOLLUM,W.R. Duke Power Co. 4pp. 88264:333-88264:336.

9605210233 Forwards amends 144 & 138 to licenses NPF-35 & NPF-52, respectively & safety evaluation.Amends revise TS so that containment integrated leak rate Type A testing will be performed consistent w/revised 10CFR50,App J,Option B.
MARTIN,R.E. . 96/05/13. MCCOLLUM,W.R. Duke Power Co. 3pp. 88308:086-88308:103.

--9605210236 Amends 144 & 138 to licenses NPF-35 & NPF-52,respectively, revising TS so containment integrated leak rate Type A testing will be performed consistent w/ revised 10CFR50,App J,Option B.
BERKOW,H.N. . 96/05/13. 11pp. 88308:089-88308:099.

--9605210241 Safety evaluation supporting amends 144 & 138 to licenses NPF-35 & NPF-52,respectively.
* . 96/05/13. 4pp. 88308:100-88308:103.

9605310182 Advises that util intends to reduce frequency of sampling of RCS & analysis of boron concentration to once-daily,per Reg Guide 1.97.
MCCOLLUM,W.R. Duke Power Co. 96/05/15. Document Control Branch (Document Control Desk). 6pp. 88404:265-88404:270.

9605210510 Withdraws initial proposed change to TS Surveillance 4.8.1.1.2.e.3.Attachment 1 documents response to staff request for addl info.
MCMEEKIN,T.C. Duke Power Co. 96/05/16. Document Control Branch (Document Control Desk). 6pp. 88372:277-88372:299.

--**9605210515** Proposed Tech Specs 3/4.8 re surveillance requirements.
* Duke Power Co. 96/05/16. 17pp. 88372:283-88372:299.

9605310017 Responds to request for additional information breaker coordination.
MCCOLLUM,W.R. Duke Power Co. 96/05/17. Document Control Branch (Document Control Desk). 35pp. 88403:289-88403:323.

Q. Inspection reports, IE Bulletins & correspondence

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

--**9605080119** Responds to 940506 memo re differing professional view on resolution of breaker coordination issue identified during electrical distribution sys functional insp conducted at plant.Result of review encl.W/o review.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/07/22. MORRIS,C. Electrical Engineering Branch. 1p. 88137:228-88137:228.

--**9605080124** Responds to 940506 memo re differing professional view on uncoordinated breakers at plant identified during electrical distribution sys functional insp.NRR Standing Panel submits listed recommended actions that licensee should take.
THADANI,A.C. Associate Director for Inspection & Technical Assessment (Post 870411). 94/07/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 88137:229-88137:234.

--**9605080158** Forwards safety evaluation accepting licensee proposal to revise FSAR rather than change circuit breaker coordination, based on review of util response to electrical distribution sys functional insp finding of 920214.
BERLINGER,C.H. Electrical Engineering Branch. 94/05/09. MATHEWS,D.B. Project Directorate II-3. 5pp. 88137:237-88137:242.

--**9605080162** Safety evaluation accepting licensee proposal to update FSAR in lieu of modifying 600 volt ac breakers that might be uncoordinated in event of improbable initiating events,per util response to electrical distribution sys insp.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/05/09. 12pp. 88137:243-88137:254.

--**9605080171** Responds to E Merschoff 930512 memo requesting review & concurrence in util response to electricl distribution sys functional insp finding of 920214.Branch does not agree w/ licensee conclusion for reasons given in encl SE.
BERLINGER,C.H. Electrical Engineering Branch. 93/08/16. MATHEWS,D.B. Project Directorate II-3. 2pp. 88137:263-88137:264.

--**9605080176** Safety evaluation re electrical circuit breaker coordination deficiency at plant.Util should fulfill FSAR commitments & coordinate subj breakers.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/08/16. 6pp. 88137:265-88137:272.

--**9605080186** Discusses 930512 memo re Region II ofc request that NRR to review util response to finding from 920214 electrical distribution sys functional insp at plant.Util should show
BERLINGER,C.H. Electrical Engineering Branch. 94/06/22. MATTHEWS,D.B. Project Directorate II-3. 4pp. 88137:273-88137:276.

9605140443 Ack receipt of 960412 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/96-03 & 50-414/96-03.
GIBSON,A.F. Region 2 (Post 820201). 96/04/16. MCCOLLUM,W.R. Duke Power Co. 3pp. 88242:352-88242:354.

9605140386 Forwards insp repts 50-413/96-02 & 50-414/96-02 on 960211-0323 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/22. MCCOLLUM,W.R. Duke Power Co. 4pp. 88242:239-88242:307.

--**9605140393** Notice of violation from insp on 960211-0323.Violation noted:licensee failed on 960229 to maintain keys to Extra High Radiation Areas in locked storage box.
* Region 2 (Post 820201). 96/04/22. 2pp. 88242:243-88242:244.

--**9605140405** Insp repts 50-413/96-02 & 50-414/96-02 on 960211-0323. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FREUDENBERGER, CRLENJAK,R.V. Region 2 (Post 820201). 96/04/22. 63pp. 88242:245-88242:307.

9605140519 Ack receipt of 960412 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/96-03 & 50-414/96-03.
GIBSON,A.F. Region 2 (Post 820201). 96/04/24. MCCOLLUM,W.R. Duke Power Co. 3pp. 88243:189-88243:191.

9605140021 Forwards insp repts 50-413/96-04 & 50-414/96-04 on 960311-15.No violations or deviations identified.
BARR,K.P. Region 2 (Post 820201). 96/04/26. MCCOLLUM,W.R. Duke Power Co. 3pp. 88221:179-88221:202.

--**9605140026** Insp repts 50-413/96-04 & 50/414/96-04 on 960311-15.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 96/04/26. 21pp. 88221:182-88221:202.

9605060340 Forwards response to request for addl info re NRC Bulletin 96-001.
TUCKMAN,M.S. Duke Power Co. 96/04/30. Document Control Branch (Document Control Desk). 5pp. 88172:007-88172:011.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140116 Requests to use alternative to ASME Code Section XI.Util requests approval to use code case N-533.
TUCKMAN,M.S. Duke Power Co. 96/05/07. Document Control Branch (Document Control Desk). 4pp. 88268:272-88268:275.

9605200142 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TUCKMAN,M.S. Duke Power Co. 96/05/14. Document Control Branch (Document Control Desk). 21pp. 88343:152-88343:173.

9605200465 Forwards SE approving relief request CN-SRP-CA-01 for pumps re plant,units 1 & 2,second 10-yr IST Program.
BERKOW,H.N. . 96/05/16. MCCOLLUM,W.R. Duke Power Co. 3pp. 88301:220-88301:225.

--**9605200472** Safety evaluation approving relief request CN-SRP-CA-01 for second 10-yr IST intervals for plant,Units 1 & 2.
* . 96/05/16. 3pp. 88301:223-88301:225.

9605210087 Forwards SE authorizing proposed alternative to use snubber insp programs specified in TS 3/4.7.8 in lieu of requirements of ASME Code,section XI,1989 edition for ISI program re snubber insp frequencies.
BERKOW,H.N. . 96/05/16. MCCOLLUM,W.R. Duke Power Co. 3pp. 88306:255-88306:259.

--**9605210095** SE authorizing proposed alternative to use snubber insp programs specified in TS 3/4.7.8 in lieu of requirements of ASME Code,section XI,1989 edition for ISI program re snubber insp frequencies.
* . 96/05/16. 2pp. 88306:258-88306:259.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605280286 Responds to violations noted in insp repts 50-413/96-02 & 50-414-96-02.Corrective actions:FSAR section 9.1.3.1.3 revised to clarify connections to Spent Fuel Pool & FSAR section 11.5.1.2.2 reviewed to ensure wording consistency.
MCCOLLUM,W.R. Duke Power Co. 96/05/21. Document Control Branch (Document Control Desk). 10pp. 88385:293-88385:302.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605020262 Annual environ operating rept CY95,including summaries & analysis of results of activities required by environ protection plan & non-routine event repts sent to SC Dept of Health & Environ Control.W/960425 ltr.
MCCOLLUM,W.R. Duke Power Co. 95/12/31. 131pp. 88126:001-88126:131.

9605070040 "Annual Radioactive Effluent Release Rept 1995." W/960429 ltr.
MCCOLLUM,W.R. Duke Power Co. 95/12/31. 49pp. 88173:001-88173:052.

9605030164 Forwards groundwater monitoring rept for Catawba Nuclear Station conventional wastewater treatment ponds from samples collected on 960304.
CARTER,J. Duke Power Co. 96/04/23. HURSEY,S. South Carolina, State of. 5pp. 88138:355-88138:359.

9605210015 Forwards monthly operating repts for Apr 1996 for Catawba Nuclear Station,Units 1 & 2 & revised monthly operating status rept for Mar 1996.
WEBER,R.L. Duke Power Co. 96/05/13. Document Control Branch (Document Control Desk). 2pp. 88353:001-88353:013.

--**9605200466** Monthly operating repts for Apr 1996 for Catawba Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/04/30. 10pp. 88353:003-88353:012.

--**9605210039** Revised monthly operating status rept for Mar 1996 for Catawba Nuclear Station.
* Duke Power Co. 96/03/31. 1p. 88353:013-88353:013.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605210184 Grants permission not to rept minor exceedances of environ limits described in NUREG-1022 until final rev published. Final staff position must be determined & decision made whether request for relief appropriate.
TAM,P.S. . 96/05/17. TUCKMAN,M.S. Duke Power Co. 4pp. 88320:357-88320:360.

9605240171 Forwards review of preliminary accident sequence precursor analysis of loss of offsite power event at Catawba Unit 2 on 960206.
TAM,P.S. . 96/05/22. MCMOLLUM,W.R. Duke Power Co. 26pp. 88343:334-88343:359.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605210357 Rev 30 to "Grand Gulf Nuclear Station Emergency Plan Non-Safety Related." W/960517 ltr.
MEISNER,M.J. Entergy Operations, Inc. 96/04/29. 21pp. 88361:046-88361:066.

H. General correspondence

9605240076 Forwards corrected affirmation previously sent which contained wrong year.
MOORE,R.R. Affiliation Not Assigned. 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88371:343-88371:344.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605070240 Rev 10 to updated FSAR for Grand Gulf Nuclear Station.
* Entergy Operations, Inc. 96/04/29. 94pp. 88199:169-88199:266.

P. Operating license stage documents & correspondence

9605020181 Forwards "Annual Radioactive Effluent Release Rept for Jan-Dec 1995" & Rev 17 to "ODCM."
MEISNER,M.J. Entergy Operations, Inc. 96/05/02. Document Control Branch (Document Control Desk). 3pp. 88082:001-88082:194.

--9605020195 Rev 17 to "ODCM "
* Entergy Operations, Inc. 95/03/10. 160pp. 88082:034-88082:194.

9605070264 Requests for rev to reactor vessel matl surveillance program schedule,per 10CFR50,App H,Section III.B.3.Rev 1 to GE-NE-B1301807-01 rept encl.
MEISNER,M.J. Entergy Operations, Inc. 96/05/02. Document Control Branch (Document Control Desk). 5pp. 88171:315-88171:361.

--9605070269 "Surveillance Specimen Program Evaluation for Grand Gulf Nuclear Station."
FREW,B.D., CHU,C.L., BRANLUND,B.J. General Electric Co. GE-NE-1301807-01 R01. 96/04/30. 42pp. 88171:320-88171:361.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605100201 Application for amend to License NPF-29,changing name from Mississippi Power & Light to Entergy Mississippi,Inc.
HUTCHINSON,C. Entergy Operations, Inc. 96/05/06. Document Control Branch (Document Control Desk). 8pp. 88237:311-88237:324.

--9605100203 Proposed tech specs re change in Co name from Mississipi Power & Light to Entergy Mississippi,Inc.
* Entergy Operations, Inc. 96/05/06. 6pp. 88237:319-88237:324.

9605090226 Summary of 960404 meeting w/util in Rockville,MD re licensee appeal on proposed audit topic-frequency changes to QA Program.
DONOHEW,J. . 96/05/08. . 60pp. 88175:237-88175:304.

9605140302 Application for amend to license NPF-29,placing containment purge valves w/resilient seals on performance based leakage testing frequency.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/05/08. Document Control Branch (Document Control Desk). 14pp. 88271:135-88271:153.

--9605140305 Proposed tech specs,placing containment purge valves w/ resilient seals on performance based leakage testing frequency.
* Entergy Operations, Inc. 96/05/08. 5pp. 88271:149-88271:153.

9605140139 Application for amend to license NPF-29,revising TSs to support unit 1,cycle 9 including changes to SLMCPR & ref for analytical methods used to determine core operating limits.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 15pp. 88309:020-88309:047.

--9605140153 Proposed tech specs required to support Unit 1 Cycle 9, including changes to SLMCPR & ref for analytical methods used to determine core operating limits.Addl methodology ref in various TS Bases revised to reflect GE methodologies.
* Entergy Operations, Inc. 96/05/09. 13pp. 88309:035-88309:047.

9605170424 Application for amend to license NPF-29,modifying SRV surveillance test for relief mode of operation.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 15pp. 88332:310-88332:341.

--9605170429 Proposed tech specs,modifying SRV surveillance test for relief mode of operation.
* Entergy Operations, Inc. 96/05/09. 17pp. 88332:325-88332:341.

9605210424 Informs of identification of typo in new TSs promulgated by Amend 120.Error in number of channels required to be operable for main steam tunnel ambient temp trip sys.Revised TS page 3.3-54 encl.
DONOHEW,J.N. . 96/05/17. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 88321:296-88321:300.

--9605220314 Errata to amend 120 to license NPF-29,correcting page 3.3-54.Corrects number of channels for main steam tunnel ambient temp trip sys in Table 3.3.6.1-1 to 2.
* . 96/05/17. 1p. 88321:300-88321:300.

9605290112 Responds to ltrs dtd 941109,950804 & 960424 re proposed amend to license for plant.
DONOHEW,J.N. . 96/05/24. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 88385:225-88385:228.

9605300154 Forwards RAI re 951011 & 960213 response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power- Operated Gate Valves." Response should be submitted within 30 days.
DONOHEW,J.N. . 96/05/29. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 88390:163-88390:166.

9605310055 Provides comments re application of graded QA program at plant Unit 1,per 960411 meeting.Meeting to discuss QA issue requested at earliest convienience.
DONOHEW,J.N. . 96/05/29. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 88400:229-88400:232.

Q. Inspection reports, IE Bulletins & correspondence

9605070242 Identifies challenges during SALP period,including earlier identification & resolution of plant matl conditions that may have implications for plant safety or availability.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/04/29. Document Control Branch (Document Control Desk). 4pp. 88192:336-88192:339.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605030367 Forwards insp rept 50-416/96-07 on 960225-0413.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/05/02. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 88094:011-88094:027.

--9605030370 Insp rept 50-416/96-07 on 960225-0413.No violations noted. Major areas inspected:operational safety verification,maint observations,surveillance observations,onsite engineering, plant support activities,followup of maint & review of LER.
HARRELL,P.H. Region 4 (Post 820201). 96/05/01. 12pp. 88094:016-88094:027.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605100038 Ack 960419 ltr responding to 960321 NOV from insp rept 50-416/96-06.Approves corrective actions which will be examined during future insp.
DYER,J.E. Region 4 (Post 820201). 96/05/06. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 88190:132-88190:143.

9605170063 Submits response to violations noted in Insp Rept 50-416/96-08.Corrective actions:MNCR 0045-96 initiated to document failure of pressure indicators SZ51R002A & SZ51R002B.
HUTCHINSON,C. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88341:067-88341:069.

9605170125 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
HUTCHINSON,C.R. Entergy Operations, Inc. 96/05/09. Document Control Branch (Document Control Desk). 11pp. 88325:321-88325:331.

9605210384 Responds to weakness noted in insp rept 50-416/96-02.Plan to resolve stem corrosion issue provided.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/05/15. Document Control Branch (Document Control Desk). 5pp. 88359:297-88359:301.

9605210476 Ack receipt of 960429 ltr in response to 960325 SALP rept 50-416/96-99.Performance will be monitored by implementing insp plan for plant throughout current SALP period.
CALLAN,L.J. Region 4 (Post 820201). 96/05/17. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 88305:183-88305:191.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605280038 Requests relief from requirements of ASME Section XI,per 10CFR50a(g)(5)(iv) & 10CFR50.55a(g)(6)(i).Summary of changes attached for review.
HUTCHINSON,C. Entergy Operations, Inc. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88380:125-88380:200.

--9605280042 Rev 3 to "Grand Gulf Nuclear Station ISI for 10-Yr Program."
* Entergy Operations, Inc. 96/05/21. 69pp. 88380:132-88380:200.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605140281 Monthly operating rept for Apr 1996 for Grand Gulf Nuclear Station Unit 1.W/960508 ltr.
LIN,S.D., HUTCHINSON,C.R. Entergy Operations, Inc. 96/04/30. 5pp. 88268:319-88268:323.

9605020181 Forwards "Annual Radioactive Effluent Release Rept for Jan-Dec 1995" & Rev 17 to "ODCM."
MEISNER,M.J. Entergy Operations, Inc. 96/05/02. Document Control Branch (Document Control Desk). 3pp. 88082:001-88082:194.

--9605020187 "Annual Radioactive Effluent Release Rept for Jan-Dec 1995."
* Entergy Operations, Inc. 95/12/31. 29pp. 88082:004-88082:033.

--9605020195 Rev 17 to "ODCM "
* Entergy Operations, Inc. 95/03/10. 160pp. 88082:034-88082:194.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

V. Operator Examinations

9605100169 Forwards,for info purposes only,copy of master generic fundamentals exam section of written operator licensing exam w/answer key.Exam administered 960410 at other facilities.W/out encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. Entergy Operations, Inc. 2pp. 88190:051-88190:052.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605060330 Rev 1 to EPOP 4450, "Unit 3 Vent & Containment Air PASS."
MORRIS,T. Northeast Nuclear Energy Co. 96/04/24. 13pp. 88184:268-88184:280.

9605210365 Submits Rev 13 to plant Suitability,Training & Qualification Plan.Encl withheld.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88316:357-88316:358.

9605230187 Change 4 to Rev 1 to emergency plan implementing procedure EPIP 4404, "Notifications & Communications."
* Northeast Nuclear Energy Co. 96/05/15. 4pp. 88369:340-88369:343.

H. General correspondence

9605100015 Responds to 960402 ltr forwarding ltr from constituent requesting that NRC address concerns re performance at facility.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/06. STARK,P. House of Rep. 50pp. 88207:221-88207:272.

--9605100022 Forwards 960228 ltr from constituent raising concerns re NRC performance after reading 960304 article published in TIME magazine.
STARK,P. House of Rep. 96/04/02. Office of Congressional Affairs (Post 911117). 2pp. 88207:271-88207:272.

P. Operating license stage documents & correspondence

9605140445 Refers to 960221 ltr informing NRC that individuals decline from participating in case study.NRC hopes individuals will reconsider so that accurate record of how cases handled can be developed for selected case studies.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/20. HADLEY,E.C. Hadley, E.C. 5pp. 88249:348-88249:355.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605030066 Requests relief for safety & relief valves in inservice testing program for Unit 3.Relief request will change hold time between successive actuations during set pressure testing of safety/relief valves.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/24. Document Control Branch (Document Control Desk). 9pp. 88139:343-88139:350.

9605140256 Expresses appreciation for opportunity to meet on 960326 to discuss concerns related to Davis-Besse dry cask unloading proceduure & issues raised in 960304 issue of Time Magazine re NRC oversight of Millstone plants.
THE CHAIRMAN Commissioners (Post 750119). 96/05/02. KAPTUR,M. House of Rep. 26pp. 88262:213-88262:242.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140254 Responds to 960227 ltr discussing concerns re Millstone NPPs.Discusses NRC enforcement regulations & procedures. Forwards copy of enforcement policy & provides update on operation status of Millstone Units.
DEMBEK,S. . 96/05/07. SILVESTRI,S. Affiliation Not Assigned. 4pp. 88251:297-88251:300.

9605160151 Forwards documents from senior Northeast Utils,Inc managers for distribution & to be placed in NUDOCS.
BLOUGH,A.R. Region 1 (Post 820201). 96/05/07. CHEN,E.E. NRC - No Detailed Affiliation Given. 1p. 88288:307-88288:335.

9605170339 Responds to 960501 ltr requesting meeting to discuss various topics re Northeast Utilities nuclear operations organization.
LANNING,W.D. Region 1 (Post 820201). 96/05/09. BROWN,R.C. Affiliation Not Assigned. 2pp. 88284:357-88284:360.

--9605170342 Requests meeting to discuss various topics re Northeast Utilities nuclear operations organization for wk of 960513.
BROWN,R.C. Affiliation Not Assigned. 96/05/01. LANNING,W. Region 1 (Post 820201). 2pp. 88284:359-88284:360.

9605290158 Responds to recent request re public release of Northeast Util Sys self-assessment repts submitted in 1991 & withdraws request that subj repts be withheld from public disclosure.
CUOCO,L.M. Northeast Utilities Service Co. 96/05/21. MOORE,J.E. Office of the General Counsel (Post 860701). 2pp. 88375:359-88375:362.

9605300127 Requests detailed description of plans for completion of work required to respond to 951213,960307 & 0404 ltrs & provide comprehensive list of design & configuration deficiencies identified after 951213 ltr & after 7007 rept.
RUSSELL,W.T. . 96/05/21. BUSCH,R.E. Northeast Utilities Service Co. 5pp. 88390:064-88390:068.

9605290189 Application for amend to License NPF-49,incorporating TS Tables 2.2-1 & 3.3-4 to replace current equal sign w/notation that indicates direction of conservatism associated w/each constant.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/05/23. Document Control Branch (Document Control Desk). 7pp. 88386:343-88386:357.

--9605290193 Proposed Tech Specs Tables 2.2-1 & 3.3-4.
* Northeast Nuclear Energy Co. 96/05/23. 8pp. 88386:350-88386:357.

Q. Inspection reports, IE Bulletins & correspondence

9605030051 Forwards revised response to request for addl info re ISI program request for relief from ASME Section XI.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/24. Document Control Branch (Document Control Desk). 13pp. 88138:260-88138:272.

9605070002 Ack receipt of 960318 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-42, 50-336/95-42 & 50-423/95-42.
DURR,J. Region 1 (Post 820201). 96/04/24. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 88114:001-88114:023.

9605070077 Ack receipt of 960110 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31.
LANNING,W.D. Region 1 (Post 820201). 96/04/30. MILLER,D.B. Northeast Nuclear Energy Co. 3pp. 88112:114-88112:126.

9605070160 Forwards corrected NOV for combined insp repts 50-245/95-42, 50-336/95-42 & 50-423/95-42 & meeting record summary of 951221 & 960212 drop-in meetings.
DURR,J.P. Region 1 (Post 820201). 96/04/30. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 4pp. 88114:116-88114:122.

--9605070164 Corrected notice of violation on 951105-951226.Violations noted:failure to establish measures at Unit One to assure that applicable deign basis for reactor pressure were correctly translated into procedures.
* Region 1 (Post 820201). 96/02/06. 3pp. 88114:120-88114:122.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140274 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/10. Document Control Branch (Document Control Desk). 31pp. 88270:311-88270:341.

9605210017 Ack receipt of 960110 ltr informing NRC of steps taken to correct violations noted in insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822.
DURR,J. Region 1 (Post 820201). 96/05/16. FEIGENBAUM,T.C., HARTSTER,T.L. Northeast Nuclear Energy Co. 2pp. 88305:272-88305:283.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605090084 "Millstone Nuclear Power Station,Unit 3 1995 Annual Environ Protection Plan Operating Rept." W/960426 ltr.
FOERTCH,J., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 95/12/31. 15pp. 88209:237-88209:251.

9605030136 Forwards "Annual Radioactive Effluent Rept 1995." Rept includes summary of quantities of solid radwaste & liquid & gaseous effluents & summary of assessment of max individual & population dose from radioactive airborne.
DACIMO,F.R. Northeast Nuclear Energy Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88116:176-88116:343.

--9605030141 "Annual Radioactive Effluent Rept 1995."
* Northeast Nuclear Energy Co. 95/12/31. 166pp. 88116:178-88116:343.

9605220428 Forwards monthly operating repts for Apr 1996 for Millstone Units 1,2 & 3 & monthly operating rept correction for Mar 1996 for Unit 3.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/14. Document Control Branch (Document Control Desk). 2pp. 88369:308-88369:325.

--9605220436 Monthly operating repts for Apr 1996 for Millstone Nuclear Power Station Units 1,2 & 3.
NEWBURGH,G., BORCHERT,R., HUDSON,I.R. Northeast Nuclear Energy Co. 96/04/30. 14pp. 88369:310-88369:324.

--9605220443 Monthly operating rept correction for Mar 1996 for Millstone Unit 3.
HUDSON,I.R. Northeast Nuclear Energy Co. 96/03/31. 1p. 88369:325-88369:325.

S. Reportable occurrences, LERs & related correspondence

9605090078 LER 96-006-00:on 960330,plant shutdown required by TS for AFW containment isolation valves declared inoperable.Caused by opened valves outside containment.Unit was shutdown in orderly manner.W/960426 ltr.
TEMPLE,W.J., BROTHERS,M.H. Northeast Nuclear Energy Co. 96/04/26. 5pp. 88243:347-88243:351.

9605140311 LER 96-007-00:on 960403,CRS & QS sys found outside design basis due to design errors.Restored sys to appropriate design basis requirements prior to declaring sys inoperable. W/960502 ltr.
TEMPLE,W.J., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities. 96/05/02. 5pp. 88288:029-88288:033.

9605200455 LER 96-008-00:on 960412,reactor protection sys lead/lag time constants found non-conservative.Caused by failure of vendor to identify conservative calibr requirements.TSs changed to correctly identify direction of conservatism.W/960510 ltr.
TEMPLE,W.J. Northeast Nuclear Energy Co. BROTHER,M.H. Northeast Utilities Service Co. 96/05/10. 4pp. 88343:142-88343:145.

9605280253 LER 96-009-00:on 960423,discovered that channels of shutdown margin monitors (SMM) inoperable due to low count rate. Caused by inadequate design control.Reduced setpoint at which SMM alarms.W/960521 ltr.
TEMPLE,W.J., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/05/21. 5pp. 88417:343-88417:347.

9605280270 LER 96-010-00:on 960425,determined that potential failure mode of rod control sys Acopian power supplies could create unanalyzed condition.Caused by inadequate design review. Reset feature will be deleted.W/960523 ltr.
TEMPLE,W.J., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/05/23. 4pp. 88418:027-88418:030.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605010015 Forwards Amend 30 to physical security & contingency plan, incorporating protection methodology in response to new rule re malevolent use of vehicles at nuclear facilities.Encl withheld (ref 10CFR73.21).
MCCOY,C.K. Georgia Power Co. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88075:355-88075:356.

9605060320 Rev 12 to EPIP 91102-C, "Duties of Emergency Director."
MAYO,L.E., BEASLEY,J.B. Georgia Power Co. 96/04/29. 19pp. 88183:337-88183:355.

9605100248 Submits rev 23 to VEGP Units 1 & 2 Emergency Plan.Plan incorporates editorial,plant equipment,organizational & other changes that improve emergency preparedness program.
MCCOY,C.K. Georgia Power Co. 96/05/01. Document Control Branch (Document Control Desk). 11pp. 88264:117-88264:221.

--9605100252 "VEGP Unit 1 & 2 Emergency Plan," Rev 23.
* Georgia Power Co. 96/04/30. 92pp. 88264:128-88264:221.

9605140408 Revised EPIPs,including Rev 17 to EPIP 91001-C, "Emergency Classification & Implementing Instructions" & Rev 32 to EPIP 91002-C, "Emergency Notifications." W/960506 ltr.
BEASLEY,J.B. Georgia Power Co. 96/05/06. 25pp. 88306:316-88306:342.

9605160455 Submits Amend 31 to plant physical security & contingency plan.Encls withheld per 10CFR73.21.
MCCOY,C.K. Georgia Power Co. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88290:331-88290:332.

9605230001 Forwards withheld Operational SGs Response Evaluation conducted on 960205-08 (ref 10CFR73.21(c)(2)).Security force demonstrated effective contingency response capability. W/o encl.
CUNNINGHAM,L.J. . 96/05/21. MCCOY,K. Georgia Power Co. 2pp. 88342:018-88342:019.

G. Adjudicatory correspondence

9605240050 Forwards request for hearing dated 960428 & submitted by ES McDaniel in response to ltr from NRC dtd 960404, sustaining denial of reactor operators license application.
HOYLE,J.C. Office of the Secretary of the Commission. #296 17642. 96/05/17. COTTER,B.P. Atomic Safety & Licensing Board Panel. 13pp. 88340:337-88340:349.

9605210059 Notice of withdrawal.* Informs that appearance in proceeding will be withdrawn effective 960520.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #296 17635. 96/05/20. 3pp. 88305:356-88305:358.

9605240043 Establishment of ASLB.* To preside over proceeding of ES McDaniels denial of reactor operator application.W/ Certificate of Svc.Served on 960523.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #269 17643. 96/05/23. 3pp. 88340:302-88340:304.

9605300065 Notice of Reconstitution of Judges.* W/Certificate of Svc. Served on 960529.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #296 17650. 96/05/28. 3pp. 88382:340-88382:342.

P. Operating license stage documents & correspondence

9605060012 Ltr contract:mod 4 to task order 42, "Individual Plant Exam Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88104:029-88104:030.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090248 Summary of 960422 meeting w/util in Rockville,MD re util proposal for TS change which would provide for 14-day AOT for plant EDG.List of attendees,slides & charts,encl.
WHEELER,L.L. . 96/05/06. . 20pp. 88184:339-88184:358.

9605130378 Forwards marked-up TS,revising proposed extended DG AOT to 14 days from discovery of failure to meet LCO,provided standby auxiliary transformer available,in response to NRC RAI.
MCCOY,C.K. Georgia Power Co. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88224:146-88224:197.

--9605130384 Proposed tech specs,incorporating extended DG AOT to 14 days from discovery of failure to meet LCO,provided standby auxiliary transformer available.
* Georgia Power Co. 96/05/06. 50pp. 88224:148-88224:197.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140162 Submits follow-up response to NRC Bulletin 96-001 re control rod insertion problems,including facility Cycle 7 rod drop test results.
MCCOY,C.K. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 2pp. 88272:039-88272:040.

9605140167 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
MCCOY,C.K. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 5pp. 88257:180-88257:184.

9605200259 Forwards insp repts 50-424/96-02 & 50-425/96-02 on 960303- 0413 & notice of violation.
SKINNER,P.H. Region 2 (Post 820201). 96/05/13. MCCOY,C.K. Georgia Power Co. 7pp. 88291:034-88291:098.

--9605200283 Notice of violation from insp on 960303-0413.Violation noted:on 960329,technician failed to properly replace wire for AFP discharge to SG & failed to detect error,inadequate corrective actions taken w/respect to SRV,more.
* Region 2 (Post 820201). 96/05/13. 3pp. 88291:038-88291:040.

--9605200298 Insp repts 50-424/96-02 & 50-425/96-02 on 960303-0413. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
OGLE,C.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 96/05/13. 55pp. 88291:041-88291:098.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060176 "Vogtle Electric Generating Plant 1995 Annual Rept - Part 2" W/960501 ltr.
MCCOY,C.K. Georgia Power Co. 95/12/31. 150pp. 88165:125-88165:274.

9605140295 Monthly operating repts for Apr 1996 for Vogtle Electric Generating Plant Units 1 & 2.W/960509 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 96/04/30. 12pp. 88271:111-88271:122.

S. Reportable occurrences, LERs & related correspondence

9605240036 PNO-II-96-036:on 960502,Intl Brotherhood of Electrical Workers Union notified of intent to strike on 960701 if new contract not approved.Region II will inplement pre-strike insp activities at plants.
SKINNER,P. Region 2 (Post 820201). 96/05/03. 1pp. 88391:357-88391:358.

9605140185 LER 96-003-00:on 960425,determined that accumulator crosstie could have prevented fulfillment of safety function of sys needed to mitigate consequences of accident.Caused by inadequate procedures.Procedures changed.W/960510 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 96/05/10. 4pp. 88288:039-88288:042.

9605200420 LER 96-004-00:on 960420,surveillance test not performed for neutron flux channel.Caused by personnel error.Operations personnel counseled,event reviewed in training & procedures will be modified.W/960514 ltr.
SHEIBANI,M., MCKOY,C.K. Georgia Power Co. 96/05/14. 5pp. 88343:112-88343:116.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605300014 PNO-II-96-041:on 960529,Unit SD due to detection of foreign object in SG 4.Preliminary evaluation indicates that object on primary side & weighs approx .75 lb.Licensee continuing cooldown & plans to return to mode 2 by 960604.
SKINNER,P. Region 2 (Post 820201). 96/05/29. 1p. 88444:025-88444:025.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605010015 Forwards Amend 30 to physical security & contingency plan, incorporating protection methodology in response to new rule re malevolent use of vehicles at nuclear facilities.Encl withheld (ref 10CFR73.21).
MCCOY,C.K. Georgia Power Co. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88075:355-88075:356.

9605060320 Rev 12 to EPIP 91102-C, "Duties of Emergency Director."
MAYO,L.E., BEASLEY,J.B. Georgia Power Co. 96/04/29. 19pp. 88183:337-88183:355.

9605100248 Submits rev 23 to VEGP Units 1 & 2 Emergency Plan.Plan incorporates editorial,plant equipment,organizational & other changes that improve emergency preparedness program.
MCCOY,C.K. Georgia Power Co. 96/05/01. Document Control Branch (Document Control Desk). 11pp. 88264:117-88264:221.

--9605100252 "VEGP Unit 1 & 2 Emergency Plan," Rev 23.
* Georgia Power Co. 96/04/30. 92pp. 88264:128-88264:221.

9605140408 Revised EPIPs,including Rev 17 to EPIP 91001-C, "Emergency Classification & Implementing Instructions" & Rev 32 to EPIP 91002-C, "Emergency Notifications." W/960506 ltr.
BEASLEY,J.B. Georgia Power Co. 96/05/06. 25pp. 88306:316-88306:342.

9605160455 Submits Amend 31 to plant physical security & contingency plan.Encls withheld per 10CFR73.21.
MCCOY,C.K. Georgia Power Co. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88290:331-88290:332.

9605230001 Forwards withheld Operational SGs Response Evaluation conducted on 960205-08 (ref 10CFR73.21(c)(2)).Security force demonstrated effective contingency response capability. W/o encl.
CUNNINGHAM,L.J. . 96/05/21. MCCOY,K. Georgia Power Co. 2pp. 88342:018-88342:019.

G. Adjudicatory correspondence

9605240050 Forwards request for hearing dated 960428 & submitted by ES McDaniel in response to ltr from NRC dtd 960404, sustaining denial of reactor operators license application.
HOYLE,J.C. Office of the Secretary of the Commission. #296 17642. 96/05/17. COTTER,B.P. Atomic Safety & Licensing Board Panel. 13pp. 88340:337-88340:349.

9605210059 Notice of withdrawal.* Informs that appearance in proceeding will be withdrawn effective 960520.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #296 17635. 96/05/20. 3pp. 88305:356-88305:358.

9605240043 Establishment of ASLB.* To preside over proceeding of ES McDaniels denial of reactor operator application.W/ Certificate of Svc.Served on 960523.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #269 17643. 96/05/23. 3pp. 88340:302-88340:304.

P. Operating license stage documents & correspondence

9605060012 Ltr contract:mod 4 to task order 42, "Individual Plant Exam Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88104:029-88104:030.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090248 Summary of 960422 meeting w/util in Rockville,MD re util proposal for TS change which would provide for 14-day AOT for plant EDG.List of attendees,slides & charts,encl.
WHEELER,L.L. . 96/05/06. . 20pp. 88184:339-88184:358.

9605130378 Forwards marked-up TS,revising proposed extended DG AOT to 14 days from discovery of failure to meet LCO,provided standby auxiliary transformer available,in response to NRC RAI.
MCCOY,C.K. Georgia Power Co. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88224:146-88224:197.

--9605130384 Proposed tech specs,incorporating extended DG AOT to 14 days from discovery of failure to meet LCO,provided standby auxiliary transformer available.
* Georgia Power Co. 96/05/06. 50pp. 88224:148-88224:197.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140167 Responds to NRC Bulletin 96-002; "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
MCCOY,C.K. Georgia Power Co. 96/05/10. Document Control Branch (Document Control Desk). 5pp. 88257:180-88257:184.

9605200259 Forwards insp repts 50-424/96-02 & 50-425/96-02 on 960303- 0413 & notice of violation.
SKINNER,P.H. Region 2 (Post 820201). 96/05/13. MCCOY,C.K. Georgia Power Co. 7pp. 88291:034-88291:098.

--9605200283 Notice of violation from insp on 960303-0413.Violation noted:on 960329,technician failed to properly replace wire for AFP discharge to SG & failed to detect error,inadequate corrective actions taken w/respect to SRV,more.
* Region 2 (Post 820201). 96/05/13. 3pp. 88291:038-88291:040.

--9605200298 Insp repts 50-424/96-02 & 50-425/96-02 on 960303-0413. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
OGLE,C.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 96/05/13. 55pp. 88291:041-88291:098.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060176 "Vogtle Electric Generating Plant 1995 Annual Rept - Part 2" W/960501 ltr.
MCCOY,C.K. Georgia Power Co. 95/12/31. 150pp. 88165:125-88165:274.

9605140295 Monthly operating repts for Apr 1996 for Vogtle Electric Generating Plant Units 1 & 2.W/960509 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 96/04/30. 12pp. 88271:111-88271:122.

S. Reportable occurrences, LERs & related correspondence

9605240036 PNO-II-96-036:on 960502,Intl Brotherhood of Electrical Workers Union notified of intent to strike on 960701 if new contract not approved.Region II will inplement pre-strike insp activities at plants.
SKINNER,P. Region 2 (Post 820201). 96/05/03. 1pp. 88391:357-88391:358.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605030388 Advises that 960221 rev 21 to security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/04/29. SHELTON,D.C. Centerior Service Co. 2pp. 88155:324-88155:325.

9605070159 Forwards four copies of Rev 22 to PNPP Security Plan.Encl withheld.
SHELTON,D.C. Centerior Energy. 96/05/03. Document Control Branch (Document Control Desk). 1p. 88137:213-88137:213.

9605230167 Forwards RAI re 960216 submittal re proposed emergency levels (EALs) to replace current EALs.
HOPKINS,J.B. . 96/05/21. SHELTON,D.C. Cleveland Electric Illuminating Co. 26pp. 88342:064-88342:089.

9605280283 Responds to NRC 960429 ltr re violations noted in insp rept 50-443/96-02.Corrective actions:initiated Adverse Condition Report (ACR) 96-308 & reduced access level to prevent unescorted access.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/05/24. Document Control Branch (Document Control Desk). 10pp. 88385:303-88385:312.

G. Adjudicatory correspondence

9605060034 Licensee brief on review of Licensing Board decision LBP-95-17.* Recommends that Commission reverse Board Memorandum & Order issued 951004.W/Certificate of Svc & Svc list.
SILBERG,J.E. Cleveland Electric Illuminating Co. SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #296 17581. 96/04/26. Commissioners (Post 750119). 33pp. 88095:033-88095:065.

9605060070 Staff brief in support of Commission reversal of LBP-95-17.* Brief discusses reasons to support reversal of memo & order, granting summary disposition in favor of listed Intervenors. W/Certificate of Svc.
TURK,S.E. Commissioners (Post 750119). #296 17580. 96/04/26. Cleveland Electric Illuminating Co. 38pp. 88094:312-88094:349.

9605060082 Confirms that as discussed during conversation last week, City of Cleveland,OH will respond to NRC offer of informal public hearing promptly after receipt & review of util response to City of Cleveland 10CFR2.206 petition.
STRAUS,D.R., STRAUS,S.H. Cleveland, OH. STRAUS,D.R. Spiegel & McDiarmid. 96/05/01. HOPKINS,J.B. . 1p. 88180:305-88180:305.

9605090137 Submits response to 2.206 petition of City of Cleveland,OH for expedited issuance of NOV,enforcement of license conditions & imposition of appropriate fines.
REGULINSKI,M.C. Centerior Energy. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88249:001-88249:101.

-9605090146 CEI response to City of Cleveland 2.206 petition.NRC should deny petition.
O'REILLY,M.E. Centerior Energy. 96/05/03. 99pp. 88249:003-88249:101.

H. General correspondence

9605020299 Responds to 960423 telcon request for info re releases at plants for CY95.
HOPKINS,J.B. . 96/04/30. GANNIS,S. Affiliation Not Assigned. 1p. 88072:091-88072:091.

P. Operating license stage documents & correspondence

9605020186 Application for amend to license NPF-58,revising improved Tech Specs.Changes either administrative in nature or reflect minor technical errors discovered during implementation process.
SHELTON,D.C. Centerior Energy. 96/04/26. Document Control Branch (Document Control Desk). 9pp. 88081:270-88081:321.

--**9605020193** Proposed improved Tech Specs.
* Centerior Energy. 96/04/26. 43pp. 88081:279-88081:321.

9605020249 Withdraws 930618 LAR involving rev to TS Figure 5.1.1-1 & various refs to figure throughout current TS,due to anticipated implementation of Amend 69 (improved TS) changes when implemented will obviate need to process subj LAR.
SHELTON,D.C. Centerior Energy. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88140:359-88140:359.

9605030238 Forwards Rev 6 to "Process Control Program" & Rev 5 to "ODCM," reflecting changes incorporated as result of License Amend 72.
SHELTON,D.C. Centerior Energy. 96/04/29. Document Control Branch (Document Control Desk). 2pp. 88129:032-88129:275.

--**9605030239** Rev 6 to "Process Control Program."
DOTY,M. Centerior Energy. 95/03/29. 42pp. 88129:034-88129:076.

--**9605030241** Rev 5 to "Offsite Dose Calculation Manual."
MACK,J.C. Centerior Energy. 95/11/22. 197pp. 88129:077-88129:275.

9605070198 Forwards notice of transfer of 12.58% ownership of Plant, Unit 1 to OES Nuclear,Inc.
HOPKINS,J.B. . 96/05/02. SHELTON,D.C. Centerior Service Co. 2pp. 88143:328-88143:334.

--**9605070204** Notice of transfer of 12.58% ownership of Plant NPP to OES Nuclear,Inc.
MARCUS,G.H. . 96/05/02. 2pp. 88143:330-88143:331.

--**9605070202** Forwards notice of transfer of ownership of plant NPP.
* . 96/05/02. Rules & Directives Review Branch (Post 920323). 1p. 88143:332-88143:334.

9605070349 Forwards notice of transfer of ownership as described in license NPF-58 related to request for consideration of approval under 10CFR50.80 of transfer of 12.58 percent ownership of plant.
HOPKINS,J.B. . 96/05/02. SHELTON,D.C. Centerior Service Co. 4pp. 88137:206-88137:211.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605080029 Forwards notice of consideration of issuance of amend to license & proposed NSHC determination & opportunity for hearing.Amend to correct minor technical & administrative errors in Improved TS before implementation.
HOPKINS,J.B. . 96/05/03. SHELTON,D.C. Centerior Service Co. 2pp. 88175:098-88175:108.

--**9605080032** Notice of consideration of issuance of amend to license NPF-58 & proposed NSHC determination & opportunity for hearing.Amend would correct minor technical & administrative errors in Improved TS prior to implementation.
HOPKINS,J.B. . 96/05/03. 8pp. 88175:100-88175:108.

9605090138 Fowrards notice of withdrawal of application for amend to license NPF-58 for plant,Unit 1.
HOPKINS,J.B. . 96/05/07. SHELTON,D.C. Centerior Service Co. 2pp. 88198:355-88198:360.

--**9605090168** Forwards notice of withdrawal of amend to license NPF-58.
* . 96/05/08. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88198:357-88198:357.

--**9605090140** Notice of withdrawal of application for amend to license NPF-58.Amend would modify facility TSs re Figure 5.1.1-1, "Exclusion Area,Unrestricted Area for Liquid Effluents & Site Boundary for Gaseous Effluents."
HOPKINS,J.B. . 96/05/07. 3pp. 88198:358-88198:360.

9605140097 Notifies of completion of GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance" activities.
SHELTON,D.C. Centerior Energy. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88271:358-88271:360.

9605170151 Forwards revised "Summary of Perry Nuclear Power Plant Totally & Partially Relocated TS" table reflecting work performed during rev of site documents in preparation for Amend 69 implementation.
SHELTON,D.C. Centerior Energy. 96/05/14. Document Control Branch (Document Control Desk). 7pp. 88325:332-88325:338.

9605240163 Requests addl info re 951016 response to GL 95-07, "Pressure Locking & Thermal Binding Power-Operated Gate Valves."
HOPKINS,J.B. . 96/05/21. SHELTON,D.C. Centerior Service Co. 3pp. 88344:151-88344:153.

9605240132 Notification of 960530 meeting w/licensee in Rockville,MD to discuss elimination of MSIV control sys & revised accident source terms.
HOPKINS,J.B. . 96/05/22. MARCUS,G.H. . 2pp. 88344:145-88344:146.

9605310027 Submits changes to independent safety assessment process at Davis-Besse Nuclear Power Station & Perry Nuclear Power Plant.
SHELTON,D.C. Centerior Energy. 96/05/28. Document Control Branch (Document Control Desk). 2pp. 88416:358-88416:359.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160189 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
SHELTON,D.C. Centerior Energy. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88313:355-88313:359.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605200122 NPDES monthly rept forms for month of Apr 1996.W/960515 ltr.
TIZZANO,D.G., , SHELTON,D.C. Centerior Energy. 96/04/30. 5pp. 88351:019-88351:023.

9605200411 Monthly operating rept for Apr 1996 for Perry Nuclear Power Plant Unit 1.W/960515 ltr.
NEUMAN,G.M., SHELTON,D.C. Centerior Energy. 96/04/30. 6pp. 88341:314-88341:319.

S. Reportable occurrences, LERs & related correspondence

9605210442 Confirms 960514 telcon rept of unauthorized discharge due to leak in expansion joint in plant cooling tower basin wall.
SHELTON,D.C. Centerior Energy. 96/05/17. Ohio, State of. 2pp. 88353:060-88353:061.

9605240073 NPDES noncompliance notification:on 960514,unauthorized discharge of plant circulating water discharged to ground due to leak in expansion joint in plant cooling tower basin wall.All leakage being evaluated for repair.
SHELTON,D.C. Centerior Energy. 96/05/17. Ohio, State of. 2pp. 88373:308-88373:309.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605200122 NPDES monthly rept forms for month of Apr 1996.W/960515 ltr.
TIZZANO,D.G., SHELTON,D.C. Centerior Energy. 96/04/30. 5pp. 88351:019-88351:023.

S. Reportable occurrences, LERs & related correspondence

9605210442 Confirms 960514 telcon rept of unauthorized discharge due to leak in expansion joint in plant cooling tower basin wall.
SHELTON,D.C. Centerior Energy. 96/05/17. Ohio, State of. 2pp. 88353:060-88353:061.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605030079 Rev 16 to emergency response manual procedure ER 3.5, "Media Center/ Joint Telephone Info Ctr." W/960430 ltr.
BAER,J.W., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/04/30. 57pp. 88133:266-88133:321.

I. Financial information

9605140293 Requests NRC consent to indirect transfer of control of Great Bay interest in license NPF-86,as result of Great Bay proposed corporate restructuring.Supporting info encl.
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 96/05/08. Document Control Branch (Document Control Desk). 192pp. 88254:090-88254:281.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605090170 Forwards amend 47 to license NPF-86 & safety evaluation. Amend revises App A TS 3.3.2, "Engineered Safety Features Actuation Sys Instrumentation."
DE AGAZIO,A.W. . 96/05/07. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 4pp. 88199:267-88199:278.

--9605090173 Amend 47 to license NPF-86,revising App A TS 3.3.2, "Engineered Safety Features Actuation Sys Instrumentation."
MCKEE,P.F. . 96/05/07. 5pp. 88199:271-88199:275.

--9605090175 Safety evaluation supporting amend 47 to license NPF-86.
* . 96/05/07. 3pp. 88199:276-88199:278.

9605140293 Requests NRC consent to indirect transfer of control of Great Bay interest in license NPF-86,as result of Great Bay proposed corporate restructuring.Supporting info encl.
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 96/05/08. Document Control Branch (Document Control Desk). 192pp. 88254:090-88254:281.

Q. Inspection reports, IE Bulletins & correspondence

9605060356 Forwards insp rept 50-443/96-02 on 960213-0401 & NOV.
ROGGE,J.F. Region 1 (Post 820201). 96/04/29. FEIGENBAUM,T.C. Northeast Utilities Service Co. 4pp. 88103:152-88103:174.

--9605060359 Notice of violation from insp on 960213-0401.Violation noted:on 960227,inspector identified that temporary jumpers used to perform surveillance test of instrument air check valves did not have foreign matl exclusion covers installed.
* Region 1 (Post 820201). 96/04/29. 2pp. 88103:156-88103:157.

--9605060362 Insp rept 50-443/96-02 on 960213-0401.Violations noted.Major areas inspected:plant activities including plant operations, maint,engineering & plant support.
ROGGE,J. Region 1 (Post 820201). 96/04/29. 17pp. 88103:158-88103:174.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140274 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/05/10. Document Control Branch (Document Control Desk). 31pp. 88270:311-88270:341.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280189 Responds to 960430 ltr expressing concerns re indications reported by C-10 Research & Education,Inc re radiation monitoring network surrounding Seabrook Nuclear Power Station.
MARTIN,T.T. Region 1 (Post 820201). 96/05/23. MILKEY,J.R. Massachusetts, Commonwealth of. 7pp. 88384:001-88384:127.

--9605280192 Expresses concern re elevated levels of radiation on 951129 & requests that NRC conduct independent investigation of matter.Monitors located in Amesbury,West Newbury & Newburyport,MA,not far from Seabrook plant.
MILKEY,J.R. Massachusetts, Commonwealth of. 96/04/30. MARTIN,T.T. Region 1 (Post 820201). 3pp. 88384:125-88384:127.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605280283 Responds to NRC 960429 ltr re violations noted in insp rept 50-443/96-02.Corrective actions:initiated Adverse Condition Report (ACR) 96-308 & reduced access level to prevent unescorted access.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/05/24. Document Control Branch (Document Control Desk). 10pp. 88385:303-88385:312.

R. Periodic operating reports & related correspondence

9605030096 "Seabrook Annual Environ Operating Rept Jan-Dec 1995." W/ 960430 ltr.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 95/12/31. 666pp. 88142:001-88143:302.

9605140147 Monthly operating rept for Apr 1996 for Seabrook Station.W/ 960510 ltr.
NARDONE,P.E., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/04/30. 5pp. 88272:023-88272:027.

9605070248 Forwards annual radioactive effluent release rept for 1995, per RG 1.21,joint frequency distributions of wind speed,wind direction & atmospheric stability,radiation dose assessment & corrections to 1993 & 1994 effluent release data.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/05/01. Document Control Branch (Document Control Desk). 2pp. 88184:001-88184:258.

--9605070250 "Effluent & Waste Disposal Annual Rept 1995."
* North Atlantic Energy Service Corp. (NAESCO). 95/12/31. 251pp. 88184:003-88184:253.

--9605070252 Corrections to "Effluent & Waste Disposal Annual Rept 1993," Tables 2A,2B & 3.
* North Atlantic Energy Service Corp. (NAESCO). 93/12/31. 4pp. 88184:254-88184:257.

--9605070255 Corrected "Effluent & Waste Disposal Annual Rept 1994," Table 1A.
* North Atlantic Energy Service Corp. (NAESCO). 94/12/31. 1p. 88184:258-88184:258.

V. Operator Examinations

9605170358 Forwards both forms of generic fundamentals exam section of written operator licensing exam,including answer keys, grading results & individual answer sheet for employee.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. CARLSEN,L.S. Northeast Utilities Service Co. 2pp. 88291:011-88291:012.

9605230072 Notifies change in licensed operator status for CE Deeck. CE Deeck terminated employment & license no longer required.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88366:354-88366:355.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280189 Responds to 960430 ltr expressing concerns re indications reported by C-10 Research & Education,Inc re radiation monitoring network surrounding Seabrook Nuclear Power Station.
MARTIN,T.T. Region 1 (Post 820201). 96/05/23. MILKEY,J.R. Massachusetts, Commonwealth of. 7pp. 88384:001-88384:127.

-9605280192 Expresses concern re elevated levels of radiation on 951129 & requests that NRC conduct independent investigation of matter.Monitors located in Amesbury,West Newbury & Newburyport,MA,not far from Seabrook plant.
MILKEY,J.R. Massachusetts, Commonwealth of. 96/04/30. MARTIN,T.T. Region 1 (Post 820201). 3pp. 88384:125-88384:127.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605220020 Forwards rev 24 & errata to rev 24 of CPSES Emergency Plan.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/16. Document Control Branch (Document Control Desk). 8pp. 88359:132-88359:183.

-9605220028 "CPSES Emergency Plan," Rev 24.
WILKERSON,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/15. 39pp. 88359:140-88359:178.

-9605220034 Errata to Rev 24 to "CPSES Emergency Plan."
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/04/25. 5pp. 88359:179-88359:183.

9605210466 Transmits replacement copies of CPSES physical security plan rev 24 to NRC Region IV.Without encl.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88361:245-88361:246.

9605240228 Forwards Rev 8 to security training & qualification plan (ST&QP)," reflecting rewrite/reorganization of ST&QP.Encl withheld.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/05/21. Document Control Branch (Document Control Desk). 1p. 88385:197-88385:197.

9605280226 Revised emergency plan procedures (EPP),including Revs 242 & 243 to procedure index,PCN EPP-304-R13-3 to Rev 13 to EPP-304,PCN EPP-314,R5-1 to Rev 5 to EPP-314 & Revs 132 & 133 to form index.W/960522 ltr.
FULLER,D.W., TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/05/22. 16pp. 88386:026-88386:041.

9605300051 Forwards SE & SNL Technical Evaluation Rept re Thermo-Lag fire barriers.
POLICH,T,J. . 96/05/22. TERRY,L.C. Oregon, State of. 4pp. 88394:001-88394:085.

-9605300058 Safety evaluation accepting configurations evaluated in Section 3.2.2 of fire test acceptance criteria approved in NRC 921029 ltr.
* . 96/05/22. 41pp. 88394:005-88394:045.

-9605300070 "Assessment of Cable Functionality Performance Issues for TUE Comanche Peak Unit 1 Thermo-Lag Fire Endurance Tests," technical evaluation rept.
NOWLEN,S.P. Sandia National Laboratories. 95/11/13. . 40pp. 88394:046-88394:085.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9605010014 Forwards insp repts 50-445/96-04 & 50-446/96-04 on 960218- 0330 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/26. TERRY,C.L. Texas Utilities Co. 5pp. 88054:286-88054:317.

-9605010018 Notice of violation from insp on 960218-0330.Violation noted:listed examples of failure to follow component configuration control procedures,identified.
* Region 4 (Post 820201). 96/04/26. 2pp. 88054:291-88054:292.

-9605010021 Insp repts 50-445/96-04 & 50-446/96-04 on 960218-0330. Violations noted.Major areas inspected:plant operations, maint & surveillance observations,engineering,plant support & operations followup.
JOHNSON,W.D. Region 4 (Post 820201). 96/04/16. 25pp. 88054:293-88054:317.

9605070167 Provides suppl response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/30. Document Control Branch (Document Control Desk). 5pp. 88193:356-88193:360.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605200074 Submits response to NRC Bulletin 96-002, "Movement of Heavy loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88351:255-88351:260.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290089 Forwards omitted page 25 of insp repts 50-445/96-04 & 50-446/96-04.
DYER,J.E. Region 4 (Post 820201). 96/05/23. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 88382:353-88382:357.

-9605300171 Errata to insp repts 50-445/96-04 & 50-446/96-04.Page 25 inadvertently omitted from issuance of subj rept.
* Region 4 (Post 820201). 96/05/30. 1p. 88382:357-88382:357.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605280259 Forwards supplemental response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/24. Document Control Branch (Document Control Desk). 4pp. 88386:231-88386:234.

R. Periodic operating reports & related correspondence

9605030064 "TUEC CPSES Units 1 & 2 1995 Annual Environ Operating Rept (Nonradiological)." W/960429 ltr.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/12/31. 18pp. 88138:284-88138:301.

9605070055 "Comanche Peak Steam Electric Station Radiological Environ Monitoring Program 1995 Annual Rept." W/960430 ltr.
WOODLAN,D.R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/12/31. 100pp. 88199:001-88199:102.

9605070018 Forwards "Comanche Peak Steam Electric Station Units 1 & 2 Annual Radioactive Effluent Release Rept Jan-Dec 1995." Tabular summaries of radioactive liquid & gaseous releases provided in format defined in Reg Guide 1.21.
WOODLAN,D.R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/30. Document Control Branch (Document Control Desk). 1p. 88170:001-88170:247.

-9605070019 "Comanche Peak Steam Electric Station Units 1 & 2 Annual Radioactive Effluent Release Rept Jan-Dec 1995."
FLOYD,E.T. Pacific Gas & Electric Co. 95/12/31. 246pp. 88170:002-88170:247.

9605200340 Monthly operating repts for April 1996 for CPSES.W/960515 ltr.
REIBLE,B., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 96/04/30. 9pp. 88341:268-88341:276.

S. Reportable occurrences, LERs & related correspondence

9605140163 LER 96-005-00:on 960310,entry into TS 3.0.3 occurred due to cracked weld in SI sys piping.Removed & replaced cracked weldment w/new weld.W/960506 ltr.
BUSCHBAUM,D.E., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/06. 6pp. 88288:018-88288:023.

9605140168 LER 96-006-00:on 960411,rod control malfunction resulted in manual RT.Replaced bank overlap counter circuit board. W/960507 ltr.
FLORES,R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/07. 6pp. 88288:043-88288:048.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

V. Operator Examinations

9605100187 Forwards Generic Fundamental Exam Section of written operator licensing exam,administered on 960410,w/answer key. W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 2pp. 88190:057-88190:058.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605220020 Forwards rev 24 & errata to rev 24 of CPSES Emergency Plan.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/16. Document Control Branch (Document Control Desk). 8pp. 88359:132-88359:183.

--9605220028 "CPSES Emergency Plan," Rev 24.
WILKERSON,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/15. 39pp. 88359:140-88359:178.

--9605220034 Errata to Rev 24 to "CPSES Emergency Plan."
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/04/25. 5pp. 88359:179-88359:183.

9605210466 Transmits replacement copies of CPSES physical security plan rev 24 to NRC Region IV.Without encl.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/17. Document Control Branch (Document Control Desk). 2pp. 88361:245-88361:246.

9605240228 Forwards Rev 8 to security training & qualification plan (ST&QP),"..reflecting rewrite/reorganization of ST&QP.Encl withheld.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/05/21. Document Control Branch (Document Control Desk). 1p. 88385:197-88385:197.

9605280226 Revised emergency plan procedures (EPP),including Revs 242 & 243 to procedure index,PCN EPP-304-R13-3 to Rev 13 to EPP-304,PCN EPP-314,R5-1 to Rev 5 to EPP-314 & Revs 132 & 133 to form index.W/960522 ltr.
FULLER,D.W., TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/05/22. 16pp. 88386:026-88386:041.

P. Operating license stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9605010014 Forwards insp repts 50-445/96-04 & 50-446/96-04 on 960218- 0330 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/26. TERRY,C.L. Texas Utilities Co. 5pp. 88054:286-88054:317.

--9605010018 Notice of violation from insp on 960218-0330.Violation noted:listed examples of failure to follow component configuration control procedures,identified.
* Region 4 (Post 820201). 96/04/26. 2pp. 88054:291-88054:292.

--9605010021 Insp repts 50-445/96-04 & 50-446/96-04 on 960218-0330. Violations noted.Major areas inspected:plant operations, maint & surveillance observations,engineering,plant support & operations followup.
JOHNSON,W.D. Region 4 (Post 820201). 96/04/16. 25pp. 88054:293-88054:317.

9605070167 Provides suppl response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/30. Document Control Branch (Document Control Desk). 5pp. 88193:356-88193:360.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605200074 Submits response to NRC Bulletin 96-002, "Movement of Heavy loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/10. Document Control Branch (Document Control Desk). 6pp. 88351:255-88351:260.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290089 Forwards omitted page 25 of insp repts 50-445/96-04 & 50-446/96-04.
DYER,J.E. Region 4 (Post 820201). 96/05/23. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 88382:353-88382:357.

--9605300171 Errata to insp repts 50-445/96-04 & 50-446/96-04.Page 25 inadvertently omitted from issuance of subj rept.
* Region 4 (Post 820201). 96/05/30. 1p. 88382:357-88382:357.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605280259 Forwards supplemental response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/05/24. Document Control Branch (Document Control Desk). 4pp. 88386:231-88386:234.

R. Periodic operating reports & related correspondence

9605030064 "TUEC CPSES Units 1 & 2 1995 Annual Environ Operating Rept (Nonradiological)." W/960429 ltr.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/12/31. 18pp. 88138:284-88138:301.

9605070055 "Comanche Peak Steam Electric Station Radiological Environ Monitoring Program 1995 Annual Rept." W/960430 ltr.
WOODLAN,D.R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/12/31. 100pp. 88199:001-88199:102.

9605070018 Forwards "Comanche Peak Steam Electric Station Units 1 & 2 Annual Radioactive Effluent Release Rept Jan-Dec 1995." Tabular summaries of radioactive liquid & gaseous releases provided in format defined in Reg Guide 1.21.
WOODLAN,D.R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/30. Document Control Branch (Document Control Desk). 1p. 88170:001-88170:247.

--9605070019 "Comanche Peak Steam Electric Station Units 1 & 2 Annual Radioactive Effluent Release Rept Jan-Dec 1995."
FLOYD,E.T. Pacific Gas & Electric Co. 95/12/31. 246pp. 88170:002-88170:247.

9605200340 Monthly operating repts for April 1996 for CPSES.W/960515 ltr.
REIBLE,B., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 96/04/30. 9pp. 88341:268-88341:276.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

V. Operator Examinations

9605100187 Forwards Generic Fundamental Exam Section of written operator licensing exam,administered on 960410,w/answer key. W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 2pp. 88190:057-88190:058.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605130150 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS section 3/4.7.1, "Turbine Cycle Safety Valves" & associated Bases.
GRAESSER,K.L. Commonwealth Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 11pp. 88248:290-88248:324.

--9605130208 Proposed tech specs 3.7-2 revising Table 3.7-2 to increase as-found MSSV lift setpoint,TS 3.7.1.1,Action a.,to require unit in hot SD for consistency w/rev 1 of NUREG-1431 & max allowable PR NF high trip setpoints in Table 3.7-1.
* Commonwealth Edison Co. 96/04/29. 24pp. 88248:301-88248:324.

9605070341 Forwards nonproprietary Rev 1 to WCAP-14560 & proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture..." for review & approval.Proprietary rept withheld (ref 10CFR2.790).
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. . 3pp. 88218:045-88218:143.

--9605070347 Requests that proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. 96/04/25. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 88218:048-88218:057.

--9605070354 Nonproprietary "Technical Justificaton for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants."
BHOWMICK,D.C., VORA,V.V., HSU,K.R. Westinghouse Electric Corp. WCAP-14560 R01. 96/04/30. 89pp. 88218:058-88218:143.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605070007 Notification of 960506 meeting in Rockville,MD to discuss ComEd proposed program to evaluate potential circumferential crack indications in plant SG tubes.
LYNCH,M.D. . 96/05/03. CAPRA,R.A. . 2pp. 88144:329-88144:332.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605150398 Notification of 960514 meeting w/util in Rockville,MD to discuss initial evaluation of circumferential crack indications in plant SG tubes at top of tube sheet.
LYNCH,D.M. . 96/05/08. CAPRA,R.A. . 3pp. 88264:330-88264:332.

9605240156 Advises that Westinghouse rept, "Technical Justification for Eliminating Large Primary Loop Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," will be withheld from public disclosure.
DICK,G.F. . 96/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88344:154-88344:157.

9605240180 Requests that util review abbreviated analyses & conclusions presented in encl & verify accuracy or provide comments as appropriate.
ASSA,R.R. . 96/05/22. FARRAR,D.L. Commonwealth Edison Co. 15pp. 88344:198-88344:212.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070239 Forwards safety evaluation of ISI program relief for request for insp of pressure surge nozzle-to-vessel weld.
CAPRA,R.A. . 96/05/03. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88143:314-88143:327.

–9605070244 Safety evaluation authorizing ISI program relief request for insp of pressure surge nozzle-to-vessel weld.
* . 96/05/03. 10pp. 88143:318-88143:327.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140303 Forwards rept on timed rod drop testing & drag force testing in response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
GRAESSER,K.L. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88271:154-88271:159.

9605140314 Informs staff of SG tubes repaired during B1R07 insp conducted from Apr-May 1996.
KOFRON,K.L. Commonwealth Edison Co. 96/05/08. . 2pp. 88271:175-88271:176.

9605280179 Forwards insp repts 50-454/96-03 & 50-455/96-03 on 960223- 0404 & notice of violation.
MILLER,L.F. Region 3 (Post 820201). 96/05/10. GRAESSER,K. Commonwealth Edison Co. 7pp. 88354:322-88354:356.

–9605280187 Notice of violation from insp on 960223-0404.Violation noted:on listed dates,operators failed to follow written procedures covering activities recommended in App A of RG 1.33,Rev 2,1978.
* Region 3 (Post 820201). 96/05/10. 3pp. 88354:329-88354:331.

–9605280190 Insp repts 50-454/96-03 & 50-455/96-03 on 960223-0404. Violations noted.Major areas inspected:operations, engineering,maint & plant support,including safety assessment & quality verification activities.
MILLER,L.F. Region 3 (Post 820201). 96/05/10. 25pp. 88354:332-88354:356.

9605240117 Forwards "Byron Nuclear Power Station Units 1 & 2 Second Interval ISI Program Plan," for Apps E,F & D.W/oversize drawings.
LESNIAK,M.T. Commonwealth Edison Co. 96/05/12. Document Control Branch (Document Control Desk). 1p. 88541:001-88543:020.

–9605240120 "Byron Nuclear Power Station Units 1 & 2,Second Interval ISI Program Plan," for Apps E,F & D.W/oversize drawings.
* Vectra Technologies, Inc. 96/05/12. 1,000pp. 88541:002-88543:020.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605280178 Ack receipt of 960417 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/95-13 & 50-455/95-13.
MILLER,L.F. Region 3 (Post 820201). 96/05/14. GRAESSER,K. Commonwealth Edison Co. 2pp. 88356:081-88356:082.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290037 Summary of 960506 meeting with licensee in Rockville,MD re util lookback program to reevaluate data from prior eddy current insps of plant SG tubes.Attendees listed in encl 1.
LYNCH,D.M. . 96/05/23. . 15pp. 88375:260-88375:274.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605210457 Monthly operating repts for Apr 1996 for Byron Nuclear Power Station Units 1 & 2.W/960508 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 96/04/30. 14pp. 88353:062-88353:075.

S. Reportable occurrences, LERs & related correspondence

9605200443 LER 96-003-00:on 960417,results of insp classified each of four Model D-4 SGs as category C-3 based on 3,855 tubes being defective as defined in TSSR 4.4.5.2.Cause not determined.W/960513 ltr.
LONIGRO,J.K., KOFRON,K.L. Commonwealth Edison Co. 96/05/13. 7pp. 88343:117-88343:123.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605310146 LER 96-005-00:on 960423,identified potential operating alignment problem associated w/safety injection accumulators.Caused by mgt deficiency.Procedures revised.W/ 960522 ltr.
NYMAN,D., KOFRON,K.L. Commonwealth Edison Co. 96/05/22. 5pp. 88444:182-88444:186.

9605240064 PNO-III-96-031:on 960523,unit 1 station auxiliary transformer failed,causing complete loss of offsite power & unit 2 reactor trip.Caused by lightning strike.
JONES,D., MILLER,L. Region 3 (Post 820201). 96/05/23. 1p. 88392:144-88392:144.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605130150 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS section 3/4.7.1, "Turbine Cycle Safety Valves" & associated Bases.
GRAESSER,K.L. Commonwealth Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 11pp. 88248:290-88248:324.

–9605130208 Proposed tech specs 3.7-2 revising Table 3.7-2 to increase as-found MSSV lift setpoint,TS 3.7.1.1,Action a.,to require unit in hot SD for consistency w/rev 1 of NUREG-1431 & max allowable PR NF high trip setpoints in Table 3.7-1.
* Commonwealth Edison Co. 96/04/29. 24pp. 88248:301-88248:324.

9605070341 Forwards nonproprietary Rev 1 to WCAP-14560 & proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture..." for review & approval.Proprietary rept withheld (ref 10CFR2.790).
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. . 3pp. 88218:045-88218:143.

–9605070347 Requests that proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. 96/04/25. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 88218:048-88218:057.

–9605070354 Nonproprietary "Technical Justificaton for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants."
BHOWMICK,D.C., VORA,V.V., HSU,K.R. Westinghouse Electric Corp. WCAP-14560 R01. 96/04/30. 89pp. 88218:058-88218:143.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605240156 Advises that Westinghouse rept, "Technical Justification for Eliminating Large Primary Loop Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," will be withheld from public disclosure.
DICK,G.F. . 96/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88344:154-88344:157.

9605240180 Requests that util review abbreviated analyses & conclusions presented in encl & verify accuracy or provide comments as appropriate.
ASSA,R.R. . 96/05/22. FARRAR,D.L. Commonwealth Edison Co. 15pp. 88344:198-88344:212.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070239 Forwards safety evaluation of ISI program relief for request for insp of pressure surge nozzle-to-vessel weld.
CAPRA,R.A. . 96/05/03. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88143:314-88143:327.

--9605070244 Safety evaluation authorizing ISI program relief request for insp of pressure surge nozzle-to-vessel weld.
* . 96/05/03. 10pp. 88143:318-88143:327.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140303 Forwards rept on timed rod drop testing & drag force testing in response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
GRAESSER,K.L. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88271:154-88271:159.

9605280179 Forwards insp repts 50-454/96-03 & 50-455/96-03 on 960223- 0404 & notice of violation.
MILLER,L.F. Region 3 (Post 820201). 96/05/10. GRAESSER,K. Commonwealth Edison Co. 7pp. 88354:322-88354:356.

--9605280187 Notice of violation from insp on 960223-0404.Violation noted:on listed dates,operators failed to follow written procedures covering activities recommended in App A of RG 1.33,Rev 2,1978.
* Region 3 (Post 820201). 96/05/10. 3pp. 88354:329-88354:331.

--9605280190 Insp repts 50-454/96-03 & 50-455/96-03 on 960223-0404. Violations noted.Major areas inspected:operations, engineering,maint & plant support,including safety assessment & quality verification activities.
MILLER,L.F. Region 3 (Post 820201). 96/05/10. 25pp. 88354:332-88354:356.

9605240117 Forwards "Byron Nuclear Power Station Units 1 & 2 Second Interval ISI Program Plan," for Apps E,F & D.W/oversize drawings.
LESNIAK,M.T. Commonwealth Edison Co. 96/05/12. Document Control Branch (Document Control Desk). 1p. 88541:001-88543:020.

--9605240120 "Byron Nuclear Power Station Units 1 & 2,Second Interval ISI Program Plan," for Apps E,F & D.W/oversize drawings.
* Vectra Technologies, Inc. 96/05/12. 1,000pp. 88541:002-88543:020.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605280178 Ack receipt of 960417 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/95-13 & 50-455/95-13.
MILLER,L.F. Region 3 (Post 820201). 96/05/14. GRAESSER,K. Commonwealth Edison Co. 2pp. 88356:081-88356:082.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605210457 Monthly operating repts for Apr 1996 for Byron Nuclear Power Station Units 1 & 2.W/960508 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 96/04/30. 14pp. 88353:062-88353:075.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605240064 PNO-III-96-031:on 960523,unit 1 station auxiliary transformer failed,causing complete loss of offsite power & unit 2 reactor trip.Caused by lightning strike.
JONES,D., MILLER,L. Region 3 (Post 820201). 96/05/23. 1p. 88392:144-88392:144.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605210495 Responds to violations noted in insp repts 50-456/96-07 & 50-457/96-07.Corrective actions:operations & fire watch personnel counseled on expectations re importance of doors being in proper position by 960630.
KAUP,K.L. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 4pp. 88359:335-88359:338.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605030050 Submits clarification of 951116 ltr to NRC on interim cycle length for facility.
KAUP,K.L. Commonwealth Edison Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88156:356-88156:357.

9605130150 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS section 3/4.7.1, "Turbine Cycle Safety Valves" & associated Bases.
GRAESSER,K.L. Commonwealth Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 11pp. 88248:290-88248:324.

--9605130208 Proposed tech specs 3.7-2 revising Table 3.7-2 to increase as-found MSSV lift setpoint,TS 3.7.1.1,Action a.,to require unit in hot SD for consistency w/rev 1 of NUREG-1431 & max allowable PR NF high trip setpoints in Table 3.7-1.
* Commonwealth Edison Co. 96/04/29. 24pp. 88248:301-88248:324.

9605070341 Forwards nonproprietary Rev 1 to WCAP-14560 & proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture..." for review & approval.Proprietary rept withheld (ref 10CFR2.790).
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. . 3pp. 88218:045-88218:143.

--9605070347 Requests that proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. 96/04/25. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 88218:048-88218:057.

--9605070354 Nonproprietary "Technical Justificaton for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants."
BHOWMICK,D.C., VORA,V.V., HSU,K.R. Westinghouse Electric Corp. WCAP-14560 R01. 96/04/30. 89pp. 88218:058-88218:143.

9605060166 Informs that revision of 960223 & 0416 ltrs which modified previous commitment in 951116 ltr re operating interval between plant Unit 1,SG tube eddy current insps, unacceptable.
ROE,J.W. . 96/05/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88113:356-88113:358.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605170131 Summary of 960418 meeting w/licensees to achieve a better understanding of the AT&T round cell batteries.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605300083 Discusses AT&T Round Cell 960418 meeting w/NRC& listed utils & vendors re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

–9605300096 "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

9605280096 Provides NRC w/updated info re Station's progress toward resolution of long & short term items re Unit 1 Safety Related Battery 112 concerns.
KAUP,K.L. Commonwealth Edison Co. 96/05/16. Document Control Branch (Document Control Desk). 5pp. 88386:191-88386:195.

9605240029 Forwards "Braidwood Unit 1 Cycle Length Assessment Rept Suppl."
KAUP,K. Commonwealth Edison Co. 96/05/17. . 3pp. 88373:275-88373:304.

–9605240033 "Braidwood Unit 1 Cycle Length Assessment Rept Suppl."
* Commonwealth Edison Co. 96/05/17. 27pp. 88373:278-88373:304.

9605240128 Approves extension of operating interval between eddy current insp for circumferential indications w/listed conditions.
LYNCH,M.D. . 96/05/22. FARRAR,D.L. Commonwealth Edison Co. 5pp. 88344:121-88344:125.

9605240156 Advises that Westinghouse rept, "Technical Justification for Eliminating Large Primary Loop Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," will be withheld from public disclosure.
DICK,G.F. . 96/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88344:154-88344:157.

9605240180 Requests that util review abbreviated analyses & conclusions presented in encl & verify accuracy or provide comments as appropriate.
ASSA,R.R. . 96/05/22. FARRAR,D.L. Commonwealth Edison Co. 15pp. 88344:198-88344:212.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605060166 Informs that revision of 960223 & 0416 ltrs which modified previous commitment in 951116 ltr re operating interval between plant Unit 1,SG tube eddy current insps, unacceptable.
ROE,J.W. . 96/05/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88113:356-88113:358.

9605070239 Forwards safety evaluation of ISI program relief for request for insp of pressure surge nozzle-to-vessel weld.
CAPRA,R.A. . 96/05/03. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88143:314-88143:327.

–9605070244 Safety evaluation authorizing ISI program relief request for insp of pressure surge nozzle-to-vessel weld.
* . 96/05/03. 10pp. 88143:318-88143:327.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605200442 Advises that util intends to conduct midcycle insp at Braidwood Unit 1 no later than 960713.
KAUP,K. Commonwealth Edison Co. 96/05/07. Document Control Branch (Document Control Desk). 1p. 88351:345-88351:345.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605280278 EN-96-028:on 960516,notice of proposed imposition of civil penalty in amount of $100,000 issued to licensee.Action based on violations associated w/station configuration control & equipment out of service programs.
BURGESS,B., MILLER,H. Region 3 (Post 820201). 96/05/13. 1p. 88418:047-88418:047.

9605280237 Forwards enforcement conference repts 50-456/95-10 & 50-457/96-10 conducted on 960426.
AXELSON,W.L. Region 3 (Post 820201). 96/05/14. KAUP,K. Commonwealth Edison Co. 4pp. 88356:165-88356:205.

–9605280252 Enforcement conference repts 50-456/96-10 & 50-457/96-10 on 960123-0321.Areas discussed:apparent violations identified during insp & C/As taken by licensee or planned by licensee.
MILLER,L.F. Region 3 (Post 820201). 96/05/14. 37pp. 88356:169-88356:205.

9605210453 Submits response to violations noted in Insp Repts 50-456/96-06 & 50-457/96-06.Corrective actions:individual who believed he had appropriate authority to sign rework PIPs as "Immediate Supervisor" counseled on issue.
KAUP,K.L. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 8pp. 88359:320-88359:327.

9605210495 Responds to violations noted in insp repts 50-456/96-07 & 50-457/96-07.Corrective actions:operations & fire watch personnel counseled on expectations re importance of doors being in proper position by 960630.
KAUP,K.L. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 4pp. 88359:335-88359:338.

9605210501 Forwards NOV & proposed imposition of civil penalty in amount of $100,000 for violations noted in insp repts 50-456/96-05 & 50-457/96-05.Enforcement conference conducted on 960426 to discuss apparent violation.
MILLER,H.J. Region 3 (Post 820201). 96/05/16. MAIMAN,T.J. Commonwealth Edison Co. 5pp. 88305:239-88305:247.

–9605210509 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Noncompliance noted:on 960123 & 24, operators manipulated valves V-4 & V-5 on 2A & 2B hydrogen monitors w/o using instructions or procedures.
* Region 3 (Post 820201). 96/05/16. 4pp. 88305:244-88305:247.

9605210133 Press release III-96-18, "NRC Staff Proposes $100,000 Fine Against Commonwealth Edison Co for Violations of NRC Safety Requirements at Braidwood Plant."
* Region 3 (Post 820201). 96/05/17. 2pp. 88370:270-88370:271.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605310177 List conditions for util proposal to operate Unit 1 to date no later than 961015,prior to initiating mid-cycle SG tube insp outage.
STANLEY,H.G. Commonwealth Edison Co. 96/05/24. . 2pp. 88404:274-88404:275.

R. Periodic operating reports & related correspondence

9605130428 Forwards annual environ operating rept for period Jan-Dec 1995.
TULON,T.J. Commonwealth Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 4pp. 88243:212-88243:215.

9605140166 Monthly operating repts for Apr 1995 for Braidwood Nuclear Power Station Units 1 & 2.W/960506 ltr.
PERSHEY,C., TULON,T.J. Commonwealth Edison Co. 96/04/30. 10pp. 88254:350-88254:359.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280254 LER 96-005-00:on 960423,identified operation of safety injection accumulators outside design basis.Caused by mgt deficiency.Operating procedures revised.W/960523 ltr.
HUSTON,D.S., TULON,T.J. Commonwealth Edison Co. 96/05/23. 5pp. 88417:348-88417:352.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605100066 Advises that revs to ref security plans consistent w/provisions of 10CFR50.54(p) & acceptable,except for Section 5.2.1.1 of plans.
CREED,J.R. Region 3 (Post 820201). 96/05/02. JOHNSON,I. Commonwealth Edison Co. 8pp. 88238:318-88238:325.

9605210495 Responds to violations noted in insp repts 50-456/96-07 & 50-457/96-07.Corrective actions:operations & fire watch personnel counseled on expectations re importance of doors being in proper position by 960630.
KAUP,K.L. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 4pp. 88359:335-88359:338.

9605280274 Forwards RAI re util 950105 request for approval of consolidation of four near-site Emergency Operations Facilities (EOFs) & Corp EOF into one single,Central EOF.
DICK,G.F. . 96/05/23. FARRAR,D.L. Commonwealth Edison Co. 7pp. 88375:001-88375:007.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

--9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605130150 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS section 3/4.7.1, "Turbine Cycle Safety Valves" & associated Bases.
GRAESSER,K.L. Commonwealth Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 11pp. 88248:290-88248:324.

--9605130208 Proposed tech specs 3.7-2 revising Table 3.7-2 to increase as-found MSSV lift setpoint,TS 3.7.1.1,Action a.,to require unit in hot SD for consistency w/rev 1 of NUREG-1431 & max allowable PR NF high trip setpoints in Table 3.7-1.
* Commonwealth Edison Co. 96/04/29. 24pp. 88248:301-88248:324.

9605070341 Forwards nonproprietary Rev 1 to WCAP-14560 & proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture..." for review & approval.Proprietary rept withheld (ref 10CFR2.790).
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. . 3pp. 88218:045-88218:143.

--9605070347 Requests that proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. 96/04/25. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 88218:048-88218:057.

--9605070354 Nonproprietary "Technical Justificaton for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants."
BHOWMICK,D.C. Westinghouse Electric Corp. WCAP-14560 R01. 96/04/30. 89pp. 88218:058-88218:143.

9605090086 Advises NRC of review of Cycle 6 reload per 10CFR50.59. Transmits COLR for upcoming cycle consistent w/GL 88-16, "Removal of Cycle-Specific Parameter Limits from TS."
KAUP,K.L. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88209:281-88209:287.

--9605090088 "Braidwood Unit Cycle 6 Operating Limits Rept."
STEVENS,T.L., THOMASEN,J.P., REDDEN,D.R. Commonwealth Edison Co. 96/03/11. 4pp. 88209:283-88209:287.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140196 Requests exemption from requirements of 10CFR50.4(b)(6) re distribution of addl copies of UFSAR for Com Ed sites. Justification for exemption from requirements of 10CFR50.4(b)(6) encl.
BRONS,J.C. Commonwealth Edison Co. 96/05/08. Document Control Branch (Document Control Desk). 6pp. 88257:149-88257:154.

9605170131 Summary of 960418 meeting w/licensees to achieve a better understanding of the AT&T round cell batteries.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605300083 Discusses AT&T Round Cell 960418 *meeting w/NRC& listed utils & vendors* re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

--9605300096 "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

9605240156 Advises that Westinghouse rept, "Technical Justification for Eliminating Large Primary Loop Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," will be withheld from public disclosure.
DICK,G.F. . 96/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88344:154-88344:157.

9605240180 Requests that util review abbreviated analyses & conclusions presented in encl & verify accuracy or provide comments as appropriate.
ASSA,R.R. . 96/05/22. FARRAR,D.L. Commonwealth Edison Co. 15pp. 88344:198-88344:212.

9605310060 Responds to RAI for GL 95-07, "Pressure Locking & Thermal Binding of *SR Power-Operated Gate Valves.*"
HOSMER,J.B. Commonwealth Edison Co. 96/05/24. Document Control Branch (Document Control Desk). 32pp. 88403:001-88403:195.

Q. Inspection reports, IE Bulletins & correspondence

9605070344 Submits SG ISI rept for Braidwood Station Unit 2.
TULON,T.J. Commonwealth Edison Co. 96/04/23. Document Control Branch (Document Control Desk). 3pp. 88174:029-88174:032.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070239 Forwards safety evaluation of ISI program relief for request for insp of pressure surge nozzle-to-vessel weld.
CAPRA,R.A. . 96/05/03. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88143:314-88143:327.

--9605070244 Safety evaluation authorizing ISI program relief request for insp of pressure surge nozzle-to-vessel weld.
* . 96/05/03. 10pp. 88143:318-88143:327.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605160276 Submits response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOSMER,J.B. Commonwealth Edison Co. 96/05/13. Document Control Branch (Document Control Desk). 5pp. 88309:280-88309:284.

9605280278 EN-96-028:on 960516,notice of proposed imposition of civil penalty in amount of $100,000 issued to licensee.Action based on violations associated w/*station configuration control & equipment out of service programs.*
BURGESS,B., MILLER,H. Region 3 (Post 820201). 96/05/13. 1p. 88418:047-88418:047.

9605280237 Forwards enforcement conference repts 50-456/95-10 & 50-457/96-10 conducted on 960426.
AXELSON,W.L. Region 3 (Post 820201). 96/05/14. KAUP,K. Commonwealth Edison Co. 4pp. 88356:165-88356:205.

--9605280252 Enforcement conference repts 50-456/96-10 & 50-457/96-10 on 960123-0321.Areas discussed:apparent violations identified during insp & C/As taken by licensee or planned by licensee.
MILLER,L.F. Region 3 (Post 820201). 96/05/14. 37pp. 88356:169-88356:205.

9605210453 Submits response to violations noted in Insp Repts 50-456/96-06 & 50-457/96-06.Corrective actions:individual who believed he had appropriate authority to sign rework PIPs as "Immediate Supervisor" counseled on issue.
KAUP,K.L. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 8pp. 88359:320-88359:327.

9605210495 *Responds to violations noted in insp repts 50-456/96-07 & 50-457/96-07.*Corrective actions:operations & fire watch personnel counseled on expectations re importance of doors being in proper position by 960630.
KAUP,K.L. Commonwealth Edison Co. 96/05/15. Document Control Branch (Document Control Desk). 4pp. 88359:335-88359:338.

9605210501 Forwards NOV & proposed imposition of civil penalty in amount of $100,000 for violations noted in insp repts 50-456/96-05 & 50-457/96-05.Enforcement conference conducted on 960426 to discuss apparent violation.
MILLER,H.J. Region 3 (Post 820201). 96/05/16. MAIMAN,T.J. Commonwealth Edison Co. 5pp. 88305:239-88305:247.

--9605210509 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Noncompliance noted:on 960123 & 24, operators manipulated valves V-4 & V-5 on 2A & 2B hydrogen monitors w/o using instructions or procedures.
* Region 3 (Post 820201). 96/05/16. 4pp. 88305:244-88305:247.

9605210133 Press release III-96-18, "NRC Staff Proposes $100,000 Fine Against Commonwealth Edison Co for Violations of NRC Safety Requirements at Braidwood Plant."
* Region 3 (Post 820201). 96/05/17. 2pp. 88370:270-88370:271.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605130428 Forwards annual environ operating rept for period Jan-Dec 1995.
TULON,T.J. Commonwealth Edison Co. 96/04/29. Document Control Branch (Document Control Desk). 4pp. 88243:212-88243:215.

9605140166 Monthly operating repts for Apr 1995 for Braidwood Nuclear Power Station Units 1 & 2.W/960506 ltr.
PERSHEY,C., TULON,T.J. Commonwealth Edison Co. 96/04/30. 10pp. 88254:350-88254:359.

S. Reportable occurrences, LERs & related correspondence

9605130122 LER 96-003-00:on 960408,contract laborer contaminated by radioactive matl.Cause unknown.Contaminated area isolated & decontaminated.Worker's access to radiologically protected area restricted until after investigation.W/960507 ltr.
THACKER,R., TULON,T.J. Commonwealth Edison Co. 96/05/08. 8pp. 88267:310-88267:318.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605020317 Revised EPIPs,including Rev 14 to EIP-2-002,Rev 21 to EIP-2-006,Rev 9 to EIP-2-015,Rev 15 to EIP-2-018,Rev 17 to EIP-2-020,Rev 15 to EIP-2-024 & Rev 11 to EIP-2-026.W/960424 ltr.
FISICARO,J.J. Entergy Operations, Inc. 96/04/24. 181pp. 88124:001-88124:181.

9605090047 Provides temporary addendum to Rev 17 of plant Physical Security Plan.Encl withheld.
MCGAHA,J.R. Entergy Operations, Inc. 96/05/02. Document Control Branch (Document Control Desk). 2pp. 88212:348-88212:349.

9605170274 Forwards insp rept 50-458/96-07 on 960415-19.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/13. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 88284:327-88284:350.

–9605170282 Insp rept 50-458/96-07 on 960415-19.No violations noted. Major areas inspected:licensee performance & capabilities during full-scale exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 96/05/09. 20pp. 88284:331-88284:350.

9605200004 Requests assistance to offsite officials w/corrective actions as necessary & track State corrective actions for deficiencies identified by FEMA during 960417 plant exercise.
GWYNN,T.P. Region 4 (Post 820201). 96/05/14. MCGAHA,J.R. Entergy Operations, Inc. 7pp. 88305:006-88305:012.

9605280163 Revised EPIPs,including Rev 15 to EIP-2-002, "Classification Actions" & Rev 9A to EIP-2-009, "Medical Emergencies." W/960521 ltr.
LOVE,R.L., SWANZY,K.Y., KING,R.J. Entergy Operations, Inc. 96/05/21. 36pp. 88380:320-88380:355.

G. Adjudicatory correspondence

9605210252 Informs of expiration of time w/which Commission may act to review decision of ASLB re Order granting motion to terminate proceeding.Decision became final agency action on 960508.Served on 960515.W/Certificate of Svc.
HOYLE,J.C. Office of the Secretary of the Commission. #296 17628. 96/05/15. Atomic Safety & Licensing Board Panel. 2pp. 88306:088-88306:089.

P. Operating license stage documents & correspondence

9605060015 Forwards 1995 radioactive effluent release rept & "Offsite Dose Calculation Manual (ODCM) Procedure," for River Bend Station.
FISICARO,J.J. Entergy Operations, Inc. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88146:087-88146:291.

–9605030366 Rev 5A to "River Bend Station Offsite Dose Calculation Manual Procedure."
* Entergy Operations, Inc. 95/10/01. 126pp. 88146:165-88146:291.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140161 Forwards summary of startup physics testing conducted on Cycle 7 core reload.
KING,R.J. Entergy Operations, Inc. 96/05/07. Document Control Branch (Document Control Desk). 8pp. 88268:301-88268:308.

9605220142 Forwards request for addl info re 951026 application to amend OL to revise TS for 16 editorial changes & for deletion of requirement for Corbicula prevention & detection program.
WIGGINTON,D.L. . 96/05/20. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 88326:303-88326:307.

9605220162 Requests addl info from review of util response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power- Operated Gate Valves," within 30 days.
WIGGINTON,D.L. . 96/05/20. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 88324:322-88324:325.

9605280157 License Amend Request (LAR) 96-29 to License NPF-29, reflecting change in name from Gulf States Utils Co to Entergy Gulf States,Inc.
MCGAHA,J.R. Entergy Operations, Inc. 96/05/20. Document Control Branch (Document Control Desk). 8pp. 88386:059-88386:075.

–9605280159 Proposed tech specs re change in co name from Gulf States Utils Co to Entergy Gulf States,Inc.
* Entergy Operations, Inc. 96/05/20. 9pp. 88386:067-88386:075.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605080037 Ack receipt of 960422 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/96-02 on 960321.
DYER,J.E. Region 4 (Post 820201). 96/05/06. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 88189:205-88189:215.

9605170274 Forwards insp rept 50-458/96-07 on 960415-19.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/13. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 88284:327-88284:350.

–9605170282 Insp rept 50-458/96-07 on 960415-19.No violations noted. Major areas inspected:licensee performance & capabilities during full-scale exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 96/05/09. 20pp. 88284:331-88284:350.

9605220012 Forwards corrected page 19 to insp rept 50-458/96-01,mailed on 960418.
GWYNN,T.P. Region 4 (Post 820201). 96/05/17. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 88315:140-88315:144.

–9605220016 Corrected page 19 to insp rept 50-458/96-01.
* Region 4 (Post 820201). 96/05/17. 1p. 88315:144-88315:144.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280243 Forwards insp rept 50-458/96-03 on 960225-0406 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/05/23. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 88356:206-88356:237.

–9605280251 Notice of violation from insp on 960225-0406.Violation noted:on 951025 EDG LC panel alarm improperly disabled & on listed dates,entries were made into radiological controlled area w/o proper dosimetry.
* Region 4 (Post 820201). 96/05/23. 2pp. 88356:212-88356:213.

–9605280256 Insp rept 50-458/96-03 on 960225-0406.Violations noted.Major areas inspected:plant operations,maint & surveillance observations,plant support activities,ref leg backfill mod, followup-engineering,follow-up previously identified items.
HARRELL,P.H. Region 4 (Post 820201). 96/05/17. 24pp. 88356:214-88356:237.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060108 "Radiological Environ Operating Rept,River Bend Station for Operating Period,Jan-Dec 1995."
REED,M., ODELL,W.H., HOLMES,J. Entergy Operations, Inc. 95/12/31. 53pp. 88148:296-88148:348.

9605060015 Forwards 1995 radioactive effluent release rept & "Offsite Dose Calculation Manual (ODCM) Procedure," for River Bend Station.
FISICARO,J.J. Entergy Operations, Inc. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88146:087-88146:291.

–9605030356 "River Bend Station,Unit 1,Annual Radioactive Effluent Release Rept Jan-Dec 1995."
* Entergy Operations, Inc. 95/12/31. 76pp. 88146:089-88146:164.

–9605030366 Rev 5A to "River Bend Station Offsite Dose Calculation Manual Procedure."
* Entergy Operations, Inc. 95/10/01. 126pp. 88146:165-88146:291.

9605220376 Monthly operating rept for Apr 1996 for River Bend Station. W/960515 ltr.
BOLKE,T.J., KING,R.J. Entergy Operations, Inc. 96/04/30. 6pp. 88369:283-88369:288.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605210411 Special rept:on 951205,failure of div 1 DG air admission valves occurred during maint runs.Caused by mechanical malfunction.All admission valve pistons/cap assemblies replaced.
KING,R.J. Entergy Operations, Inc. 96/05/16. Document Control Branch (Document Control Desk). 2pp. 88353:057-88353:059.

9605290042 NPDES noncompliance notification:on 960515,unanticipated bypass of clarifier A occurred.Caused by isolation valve leaking by seat.Temporary diesel pump set up to divert water from valve pit to clarifier splitter box.
CHAPMAN,P.W. Entergy Operations, Inc. 96/05/22. LEVY,L. Louisiana, State of. 3pp. 88386:358-88386:360.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605100180 Forwards master exam & answer key for 960410 NRC administered Generic Fundamentals Exam Section of written operator licensing exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. Entergy Operations, Inc. 2pp. 88190:164-88190:165.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605030227 Notification of 960516 meeting w/util in Rockville,MD to discuss fire modeling & resolution of Thermo-Lag installations.
PICKETT,D.V. . 96/05/02. MARCUS,G.H. . 3pp. 88100:354-88100:356.

9605150216 Notification of 960516 meeting w/util in Rockville,MD to discuss fire modeling & resolution of Thermo-Lag installations at facility.
PICKETT,D.V. . 96/05/10. MARCUS,G.H. . 2pp. 88258:357-88258:358.

I. Financial information

9605070144 Forwards "Illinova Corp 1995 Annual Rept" & "Soyland Power Cooperative 1995 Annual Rept."
LYON,M.W. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/05/02. Document Control Branch (Document Control Desk). 1p. 88207:001-88207:127.

-9605070188 "Illinova Corp 1995 Annual Rept."
HAAB,L.D. Illinois Power Co. 95/12/31. 61pp. 88207:002-88207:081.

-9605070192 "Soyland Power Cooperative 1995 Annual Rept."
SMITH,R., COLEMAN,J., FIRLIT,J. Soyland Power Cooperative, Inc. 95/12/31. 45pp. 88207:082-88207:127.

P. Operating license stage documents & correspondence

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

-9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605060057 Ltr contract:mod 4 to task order 43, "IPE Reviews-Internal Events-Human Factors Only (Clinton)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88116:352-88116:353.

9605060255 Requests authorization to utilize ASME Section XI Code Case N-524 to fulfill ASME Section XI nondestructive exam requirements for longitudinal welds on piping components in reactor recirculation sys & on elbows in MSS at CPS.
LYON,M.W. Illinois Power Co. 96/04/26. Document Control Branch (Document Control Desk). 5pp. 88165:355-88165:359.

9605060251 Ack receipt of 960308 10CFR50.54(a) submittal,which incorporates changes in QA Program description.Submittal proposed change to Shift Technical Advisor Training Program.
GARDNER,R.N. Region 3 (Post 820201). 96/05/01. CONNELL,W. Illinois Power Co. 2pp. 88102:040-88102:049.

9605070205 Application for amend to license NPF-62,implementing 10CFR50,App J-Option B.
CONNELL,W. Illinois Power Co. 96/05/01. Document Control Branch (Document Control Desk). 14pp. 88192:254-88192:294.

-9605070216 Proposed tech specs,implementing 10CFR50,App J - Option B.
* Illinois Power Co. 96/05/01. 27pp. 88192:268-88192:294.

9605030227 Notification of 960516 meeting w/util in Rockville,MD to discuss fire modeling & resolution of Thermo-Lag installations.
PICKETT,D.V. . 96/05/02. MARCUS,G.H. . 3pp. 88100:354-88100:356.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605280131 Forwards RAI w/respect to GL 95-07,which requires licensees to take action to ensure that valves susceptible to pressure locking or thermal binding,capable of performing safety functions.Response requested within 30 days.
PICKETT,D.V. . 96/05/23. LYON,M.W. Illinois Power Co. 4pp. 88385:198-88385:201.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605140454 Forwards insp rept 50-461/96-04 on 960409-26 & notice of violation.Violation of NRC concern because current procedural guidance does not contain mechanism for identifying vulnerabilities during maint process.
AXELSON,W.A. Region 3 (Post 820201). 96/05/02. CONNELL,W. Illinois Power Co. 3pp. 88242:318-88242:342.

-9605140458 Notice of violation from insp on 960409-26.Violation noted: on 960409,instructions for defeating reactor core isolation cooling suction transfer logic not appropriate.
* Region 3 (Post 820201). 96/05/02. 2pp. 88242:321-88242:322.

-9605140462 Insp rept 50-461/96-04 on 960409-26.Violations noted.Major areas inspected:circumstances involved in partial loss of offsite power & subsequent reactor scram event on 960409.
CLAYTON,B. Region 3 (Post 820201). 96/05/02. 20pp. 88242:323-88242:342.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605060022 "Clinton Power Station 1995 Radiological Environ Monitoring Rept." W/960426 ltr.
LYON,M.W. Illinois Power Co. 95/12/31. 168pp. 88156:001-88156:168.

9605060060 "Clinton Power Station Annual Radioactive Effluent Release Rept Jan-Dec 1995." W/960426 ltr.
LYON,M.W. Illinois Power Co. 95/12/31. 64pp. 88156:283-88156:346.

9605140301 Monthly operating rept for Apr 1996 for Clinton Power Station Unit 1.W/960508 ltr.
DEMARK,W.E., LYON,M.W. Illinois Power Co. 96/04/30. 12pp. 88271:123-88271:134.

S. Reportable occurrences, LERs & related correspondence

9605070295 Part 21 rept re failure of pump assembly for ITT Barton series NH95 hydramotor actuator.Did not develop pressure because was not fitted properly.Pump assembly has been returned to ITT Barton for insp.
CONNELL,W. Illinois Power Co. 96/05/01. Document Control Branch (Document Control Desk). 2pp. 88191:283-88191:284.

9605070306 Part 21 rept re Ideal generators installed w/EDGs having greater generator rotor mass than originally calculated. Evaluated impact of issue of generator frequency & torsional vibration prior to interim rept.
CONNELL,W. Illinois Power Co. 96/05/02. Document Control Branch (Document Control Desk). 2pp. 88191:285-88191:286.

9605160033 LER 96-004-00:on 960409,inadequate job preparation for preventive maint task on switchyard breaker caused MSIV closure & reactor scram.Plant procedures revised.W/960508 ltr.
BEDFORD,R.B., CONNELL,W. Illinois Power Co. 96/05/08. 9pp. 88326:197-88326:205.

9605230188 LER 96-005-00:on 960411,failure to follow procedures during completion of one-rod-out interlock test results in reactor mode switch not locked in Refuel during control rod exercising as required by TS.W/960510 ltr.
BEDFORD,R.B., CONNELL,W. Illinois Power Co. 96/05/10. 5pp. 88389:164-88389:168.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

V. Operator Examinations

9605140491 Forwards master BWR/PWR GFES exam w/answer key for info.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 96/05/03. BOGUE,E.A. Consumers Power Co. 1p. 88243:192-88243:192.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9605020207 Submits copies of rev 27 to WCGS Physical Security Plan, Safeguards Contingency Plan & Security Training & Qualification Plan.Plans withheld.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88131:358-88131:358.

9605150041 Advises that based on review of licensee 960305 ltr & changes to plant Radiological Emergency Response Plan,Rev 47,all but two of changes acceptable & do not appear to degrade effectiveness of plan.
GWYNN,T.P. Region 4 (Post 820201). 96/05/03. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 88266:006-88266:009.

9605210326 Rev 12 to EPIP EPP 02-1.3, "Drills & Exercises." W/960515 ltr.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/05/15. 16pp. 88361:082-88361:097.

9605220403 Advises that changes in revs 48 & 49 to plant radiological emergency response plan,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/05/20. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 88314:041-88314:045.

I. Financial Information

9605010123 Forwards 1995 Annual Financial Reports for Kansas Electric Power Cooperative,Kansas City Power & Light & Western Resources.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/04/23. Document Control Branch (Document Control Desk). 1p. 88091:233-88091:355.

--9605010129 "1995 Annual Rept for Western Resources,Inc."
* Affiliation Not Assigned. 95/12/31. 50pp. 88091:234-88091:290.

--9605010131 "1995 Annual Rept for KS Electric Power Cooperative Inc."
* Kansas Electric Power Corp, Inc. 95/12/31. 20pp. 88091:291-88091:314.

--9605010132 "KS City Power & Light Co Annual Rept 1995."
* Kansas City Power & Light Co. 95/12/31. 36pp. 88091:315-88091:355.

J. Insurance & indemnity information

9605030236 Provides documentation of licensee ability to pay deferred premiums in listed amount,per 10CFR140.21(e) requirements.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/04/23. RUSSELL,W.T. . 8pp. 88092:300-88092:307.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9605200478 Summary of 419th meeting of ACRS on 950309-10 in Rockville, MD re proposed final amend to 10CFR54,rulemaking to obtain equipment reliability data from licensees decommissioning of nuclear power reactors & Wolf Creek event on 940917.
* ACRS - Advisory Committee on Reactor Safeguards. 95/06/08. ACRS - Advisory Committee on Reactor Safeguards. 36pp. 88341:199-88341:234.

P. Operating license stage documents & correspondence

9605150189 Summary of 960327 meeting w/B&WOG & CEOG to discuss staff concerns re high burnup fuel & stuck control rods.
SCALETTI,D. . 96/04/16. . 18pp. 88270:262-88270:279.

9605060334 Ltr contract,mod 4 to task order 45, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88111:352-88111:353.

9605070174 Application for amend to license NPF-42,revising TS section 6.0 to reflect position title changes within WCNOC organization.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/05/01. Document Control Branch (Document Control Desk). 9pp. 88193:340-88193:355.

--9605070183 Proposed tech specs revising TS section 6.0 to reflect position title changes within WCNOC organization.
* Wolf Creek Nuclear Operating Corp. 96/05/01. 7pp. 88193:349-88193:355.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605140324 Forwards Rev 0 to "Wolf Creek Generating Station Cycle 9 COLR."
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/05/09. Document Control Branch (Document Control Desk). 1p. 88271:208-88271:222.

--9605140327 Rev 0 to "Wolf Creek Generating Station Cycle 9 COLR."
BLAIR,J.T., KENNAMORE,P., FLANNIGAN,R.D. Wolf Creek Nuclear Operating Corp. 96/02/29. 14pp. 88271:209-88271:222.

9605170131 Summary of 960418 meeting w/licensees to achieve a better understanding of the AT&T round cell batteries.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605300083 Discusses AT&T Round Cell 960418 meeting w/NRC& listed utils & vendors re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

--9605300096 "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

9605210332 Application for amend to License NPF-42,revising Tech Spec Surveillance Requirements 4.7.6.e.4 to reflect proposed design change to output rating of charcoal filter adsorber unit heater in pressurization sys portion CREVS.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/05/16. Document Control Branch (Document Control Desk). 13pp. 88361:195-88361:217.

--9605210341 Proposed Tech Specs Surveillance Requirement 4.7.6.e.4 to reflect design change to output rating of charcoal filter adsorber unit heater in pressurization sys portion of CREVS.
* Wolf Creek Nuclear Operating Corp. 96/05/16. 4pp. 88361:209-88361:212.

--9605210346 Rev 1 to GK-474, "CR Pressurization Sys Filtration Unit Heater Output."
* Wolf Creek Nuclear Operating Corp. GK-474 R01. 96/03/27. 5pp. 88361:213-88361:217.

9605310031 Forwards SE authorizing relief from requirements of ASME Code,Section III,Article NC-7153 for plant,per 950601 request.
BATEMAN,W.H. . 96/05/24. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 2pp. 88400:233-88400:240.

--9605310036 Safety evaluation authorizing relief from requirements of ASME Code,Section III,Article NC-7153 for plant,per 950601 request.
* . 96/05/24. 4pp. 88400:237-88400:240.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605060290 Forwards insp rept 50-482/96-08 on 960408-12.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/02. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 88103:070-88103:089.

--9605060294 Insp rept 50-482/96-08 on 960408-12.No violations noted. Major areas inspected:audits & appraisals,training & qualifications of personnel internal exposure control,plant areas unusable as result of operational occurrences.
MURRAY,B. Region 4 (Post 820201). 96/05/01. 15pp. 88103:075-88103:089.

9605070307 Responds to RAI re Second 10-yr ISI interval.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 96/05/03. Document Control Branch (Document Control Desk). 32pp. 88173:132-88173:163.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605090080 Press release IV-96-29, "NRC Staff to Hold Open Predecisional Enforcement Conference 960510 W/Wolf Creek."
* Region 4 (Post 820201). 96/05/08. 1p. 88212:187-88212:187.

9605140318 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 96/05/09. Document Control Branch (Document Control Desk). 5pp. 88271:203-88271:207.

9605160200 Forwards response to violations noted in Insp Rept 50-482/96-04.Corrective actions:posting for duct opening on ventilation riser replaced immediately.
JOHANNES,R.N. Wolf Creek Nuclear Operating Corp. 96/05/10. Document Control Branch (Document Control Desk). 9pp. 88309:351-88309:359.

9605310061 Forwards insp rept 50-482/96-06 on 960221-0404.No violations noted.Insp confirmed that staff adequately addressed rod cluster control assembly to permit plant restart.
GWYNN,T.P. Region 4 (Post 820201). 96/05/13. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 88392:067-88392:085.

--9605310070 Insp rept 50-482/96-06 on 960221-0404.No violations noted. Major areas inspected:nonroutine,announced insp of development & performance of licensee test program to determine root cause for failure of five rod cluster.
POWERS,D.A. Region 4 (Post 820201). 96/05/09. 14pp. 88392:072-88392:085.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605220434 Summarizes 960510 Predecisional Enforcement Conference held to discuss apparent violations associated w/frazil ice event of 960130.W/list of attendees & viewgraphs.
DYER,J.E. Region 4 (Post 820201). 96/05/20. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 64pp. 88314:046-88314:109.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605290200 Ack ltr of 960510 responding to NOV of 960411 resulting from insp rept 50-482/96-04.Approves corrective actions pending future insp.
DYER,J.E. Region 4 (Post 820201). 96/05/23. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 88369:214-88369:226.

9605290215 Forwards insp rept 50-482/96-09 on 960324-0504 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/05/23. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 6pp. 88369:227-88369:249.

--9605290227 Notice of violation from insp on 960324-0504.Violation noted:on 960330 licensee procedures failed to contain requirement for operators to ensure that maint activities be complete prior to starting safety-related equipment & more.
* Region 4 (Post 820201). 96/05/23. 2pp. 88369:233-88369:234.

--9605290230 Insp rept 50-482/96-09 on 960324-0504.Violations noted. Major areas inspected:plant status,operational safety verification,maint & surveillance observations,onsite engineering & plant support activities.
JOHNSON,W.D. Region 4 (Post 820201). 96/05/20. 15pp. 88369:235-88369:249.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030324 "Annual Radioctive Effluent Release Rept,Rept 19 for Jan-Dec 1995." W/ 960429 ltr.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 19. 95/12/31. 223pp. 88131:090-88131:312.

9605140261 Monthly operating rept for Apr 1996 for Wolf Creek Generating Station.W/ 960509 ltr.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/30. 7pp. 88257:173-88257:179.

S. Reportable occurrences, LERs & related correspondence

9605280108 Forwards preliminary ASP analysis of operational event which occurred at plant on 960130 & reported in LER 482/96-001,for review & comment.
STONE,J.C. . 96/05/16. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 27pp. 88353:324-88353:363.

V. Operator Examinations

9605100200 Forwards master exam,w/answer key,re GFES administered of written OL exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 2pp. 88190:029-88190:030.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605140265 Revised EPIPs,including rev 24 to EIP-ZZ-00201, "Notifications" & rev 14 to EIP-ZZ-00212, "Protective Action Recommendations."
FAULKNER,M. Union Electric Co. 96/04/15. 37pp. 88254:313-88254:349.

9605070256 Revised EPIPs,including Rev 2 to EIP-ZZ-00226, "Fire Response Procedure For Callaway Plant" & Rev 4 to EIP-ZZ-03010, "Hazardous Chemical/Oil Spill Response Implementing Procedure."
STUHLMAN,H.L., RIGGS,C.A. Union Electric Co. 96/04/29. 48pp. 88193:277-88193:324.

9605150409 Revised EPIPs,including Rev 15 to EIP-ZZ-00102,Rev 13 to EIP-ZZ-00213,Rev 0 to EIP-ZZ-00217 & Rev 17 to EIP-ZZ-00240.
* Union Electric Co. 96/05/09. 77pp. 88289:001-88289:077.

P. Operating license stage documents & correspondence

9605060021 Ltr contract:mod 4 to task order 44, "IPE Reviews - Internal Events - Human Factors Only (Callaway)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88116:350-88116:351.

9605100205 Forwards "Callaway Plant Annual Radioactive Effluent Release Rept for Jan-Dec 1995" & Rev 5 to Administrative Procedure APA-ZZ-01003, "ODCM."
SCHNELL,D.F. Union Electric Co. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88216:147-88216:306.

--9605100210 Rev 5 to Administrative Procedure APA-ZZ-01003, "ODCM."
* Union Electric Co. 96/02/16. 112pp. 88216:195-88216:306.

9605140225 Forwards amend 110 to license NPF-30 & SE.Amend revises TS 5.3.1 to allow use of ZIRLO clad fuel rods & ZIRLO filler rods.
THOMAS,K.M. . 96/04/30. SCHNELL,D. Union Electric Co. 4pp. 88251:285-88251:296.

--9605140232 Amend 110 to license NPF-30,revising TS 5.3.1 to allow use of ZIRLO clad fuel rods & ZIRLO filler rods.
THOMAS,K.M. . 96/04/30. 5pp. 88251:289-88251:293.

--9605140236 Safety evaluation supporting amend 110 to license NPF-30.
* . 96/04/30. 3pp. 88251:294-88251:296.

9605140384 Forwards amend 109 to license NPF-30 & SE.Amend revises TS 5.3.1 to reflect change in max initial enrichment for reload fuel,subject to IFBA requirements & not change in fuel not requiring IFBAs.TS Figure 3.9-1,revised.
THOMAS,K.M. . 96/04/30. SCHNELL,D. Union Electric Co. 3pp. 88249:325-88249:340.

--9605140396 Amend 109 to license NPF-30,changing TS 5.3.1 w/regard to max initial enrichment for reload fuel subject to IFBA requirements & change in max fuel enrichment not requiring IFBA.TS Figure 3.9-1,revised.
THOMAS,K.M. . 96/04/30. 7pp. 88249:328-88249:334.

--9605140402 Safety evaluation supporting amend 109 to license NPF-30.
* . 96/04/30. 6pp. 88249:335-88249:340.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170484 Notification of 960521 meeting w/util in Rockville;MD to discuss mgt issues pertaining to licensee operation of plant,Unit 1.Meeting agenda encl.
THOMAS,K.M. . 96/05/13. BATEMAN,W.H. . 5pp. 88300:350-88300:354.

9605210222 Informs that licensee 960412 request to withhold info contained in WCAP-14596, "Laser Welded Elevated Tubesheet Sleeves for W Model F SG," dtd Mar 1996 from public disclosure per 10CFR2.790,granted.
THOMAS,K.M. . 96/05/15. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 88308:080-88308:082.

9605240142 Notification of 960528 meeting w/licensee in Rockville,MD to discuss topical rept submitted by util in support of proposed TS amend that would allow electrosleeving of SG tubes.
KENNEDY,J.L. . 96/05/21. BATEMAN,W.H. . 4pp. 88344:147-88344:150.

9605310054 Forwards Staff Evaluation Rept for plant IPE submittal for internal events & internal flood.IPE complete & NRC finds IPE meets intent of GL 88-20.Contractors Technical Evaluation Repts,also encl.
THOMAS,K.M. . 96/05/21. SCHNELL,D. Union Electric Co. 2pp. 88395:001-88395:118.

--9605310063 SER noting licensee IPE complete,results reasonable & IPE has met intent of GL 88-20.
* . 96/05/21. 3pp. 88395:003-88395:006.

--9605310065 "Technical Evaluation Rept on IPE Front End Analysis."
DARBY,J.L., THOMAS,W.R. Science & Engineering Associates, Inc. NRC-04-91-066. SEA 92-2343-010-A:3. 95/12/21. NRC - No Detailed Affiliation Given. 47pp. 88395:007-88395:054.

--9605310066 "Technical Evaluation Rept on IPE Back End Analysis."
WAGAGE,H.A., MEYER,J.F. SCIENTECH, Inc. NRC-05-91-068. SCIE-NRC-238-95. 95/12/31. NRC - No Detailed Affiliation Given. 34pp. 88395:055-88395:088.

--9605310069 "Technical Evaluation Rept on IPE Submittal Human Reliability Analysis," final rept.
SWANSON,P.J. Concord Associates, Inc. NRC-04-91-069. CA/TR-95-019-44. 96/01/15. Division of Systems Technology (Post 941217). 38pp. 88395:089-88395:118.

9605280061 Informs of implementation of Amend 109 & Amend 110 to license NPF-30.
PASSWATER,A.C. Union Electric Co. 96/05/22. Document Control Branch (Document Control Desk). 2pp. 88386:211-88386:212.

9605290054 Forwards resolution of each action item from TER Section 5.0 & Rev 15 of IST program.
SCHNELL,D.F. Union Electric Co. 96/05/22. Document Control Branch (Document Control Desk). 12pp. 88388:139-88388:304.

--9605290066 Rev 15 of "IST Program for Callaway Nuclear Plant."
DERNER,C.J. Union Electric Co. 96/02/06. 120pp. 88388:151-88388:304.

9605310129 Forwards new NPDES permit for plant.
PASSWATER,A.C. Union Electric Co. 96/05/24. Document Control Branch (Document Control Desk). 22pp. 88403:324-88403:345.

9605310085 Forwards amend 111 to license NPF-30 & SE.Amend revises TS 1.7,4.6.1.1,3.6.1.3,4.6.1.3,6.8.4 & associated bases section to directly ref RG 1.163 as required by 10CFR50, App J,Option B for Type A CILRT & type B & C LLRT.
THOMAS,K.M. . 96/05/28. SCHNELL,D. Union Electric Co. 4pp. 88400:241-88400:259.

--9605310096 Amend 111 to license NPF-30,revising TS 1.7,4.6.1.1,3.6.1.3, 4.6.1.3,6.8.4 & associated bases section to directly ref RG 1.163 as required by 10CFR50,App J,Option B for Type A CILRTs & Type B & C LLRTs.
THOMAS,K.M. . 96/05/28. 12pp. 88400:245-88400:256.

--9605310099 Safety evaluation supporting amend 111 to license NPF-30.
* . 96/05/28. 3pp. 88400:257-88400:259.

Q. Inspection reports, IE Bulletins & correspondence

9605060306 Forwards response to NRC 960402 ltr re violations noted in insp rept 50-483/96-02 on 960204-0316.Corrective actions: completed PMs within acceptable time.
SCHNELL,D.F. Union Electric Co. 96/04/30. Document Control Branch (Document Control Desk). 4pp. 88172:111-88172:114.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150371 Forwards insp rept 50-483/96-03 on 960317-0427.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/05/06. SCHNELL,D.F. Union Electric Co. 4pp. 88266:329-88266:350.

--**9605150379** Insp rept 50-483/96-03 on 960317-0427.No violations noted. Major areas inspected:onsite response to events,operational safety verification,plant support,maint,surveillance,onsite engineering & followup engineering.
JOHNSON,W.D. Region 4 (Post 820201). 96/05/03. 18pp. 88266:333-88266:350.

9605100189 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems."
SCHNELL,D.F. Union Electric Co. 96/05/07. Document Control Branch (Document Control Desk). 3pp. 88237:332-88237:334.

9605170135 Responds to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipment."
SCHNELL,D.F. Union Electric Co. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88315:327-88315:333.

9605200378 Ack receipt of 960430 ltr informing NRC of steps taken to correct violations noted in insp rept 50-483/96-02.
DYER,J.E. Region 4 (Post 820201). 96/05/15. SCHNELL,D.F. Union Electric Co. 4pp. 88291:338-88291:345.

9605200469 Informs that Relief Request ISI-09 amended to state,primary reactor containment integrity periodically verified by performing leakage tests in accordance w/ 10CFR50,App J.
SCHNELL,D.F. Union Electric Co. 96/05/15. Document Control Branch (Document Control Desk). 9pp. 88347:345-88347:353.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280091 Responds to RAI re relief request E-6 to ISI program plan.
SCHNELL,D.F. Union Electric Co. 96/05/22. Document Control Branch (Document Control Desk). 9pp. 88376:255-88376:265.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605100223 "Callaway Plant Annual Environ Operating Rept for 1995." W/960430 ltr.
SCHNELL,D.F. Union Electric Co. 95/12/31. 114pp. 88264:001-88264:116.

9605100205 Forwards "Callaway Plant Annual Radioactive Effluent Release Rept for Jan-Dec 1995" & Rev 5 to Administrative Procedure APA-ZZ-01003, "ODCM."
SCHNELL,D.F. Union Electric Co. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88216:147-88216:306.

--**9605100207** "Callaway Annual Radioactive Effluent Release Rept for Jan-Dec 1995."
* Union Electric Co. 95/12/31. 45pp. 88216:149-88216:194.

--**9605100210** Rev 5 to Administrative Procedure APA-ZZ-01003, "ODCM."
* Union Electric Co. 96/02/16. 112pp. 88216:195-88216:306.

9605140309 Monthly operating rept for Apr 1996 for Callaway Plant Unit 1.W/960507 ltr.
HOLMES,M.A., AFFILTER,R.D. Union Electric Co. 96/04/30. 6pp. 88271:169-88271:174.

S. Reportable occurrences, LERs & related correspondence

9605060316 LER 96-001-00:on 960402,licensed operators initiated manual reactor trip after failed fuse caused closure of 'B' feedwater isolation valve.Caused by mechanical failure of thermal link inside fuse.Fuses replaced.W/960429 ltr.
BONO,H.D., AFFOLTER,R.D. Union Electric Co. 96/04/25. 7pp. 88171:230-88171:236.

V. Operator Examinations

9605100234 Forwards results of Generic Fundamentals Examiation Section of written operator licensing examination administered 960410.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. SCHNELL,D.F. Union Electric Co. 4pp. 88190:038-88190:041.

DOCKET STN-50-486 CALLAWAY PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9605060021 Ltr contract:mod 4 to task order 44, "IPE Reviews - Internal Events - Human Factors Only (Callaway)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88116:350-88116:351.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9605060347 Forwards SALP repts 50-498/96-99 & 50-499/96-99 for period 940925-960323.Public meeting to discuss rept scheduled for 960516.
CALLAN,L.J. Region 4 (Post 820201). 96/05/01. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 88103:138-88103:149.

--**9605060349** SALP repts 50-498/96-99 & 50-499/96-99 for 940925-960323.
* Region 4 (Post 820201). 96/05/01. 6pp. 88103:144-88103:149.

J. Insurance & indemnity information

9605130278 Forwards Endorsements 18,16,55 & 14 to Certificates N-113, N-116,N-307 & NW-199 & Endorsements 20,19,46 & 19 to MAELU Certficates M-113,M-116,MF-130 & MW-100.
ROSEN,S.L. Houston Lighting & Power Co. 96/05/06. Document Control Branch (Document Control Desk). 10pp. 88248:267-88248:276.

P. Operating license stage documents & correspondence

9605210044 FOIA request for documents re plant,including repts issued by & correspondence to,from or concerning OIG re plant & employee concerns or complaints to NRC or to util.
WHINSTON,S.A. Berger & Montague. 96/04/02. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88358:187-88358:188.

9605150189 Summary of 960327 meeting w/B&WOG & CEOG to discuss staff concerns re high burnup fuel & stuck control rods.
SCALETTI,D. . 96/04/16. . 18pp. 88270:262-88270:279.

9605020236 Advises that revised SPDS SAR meets requirements of SPDS Analysis Report re South Texas Project. specified in NUREG-0737,suppl 1.
ALEXION,T.W. . 96/04/30. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 88095:250-88095:252.

9605030202 Ack receipt of 960328 operations QA plan for plant. Methodology for graded QA & notification that due to extensive changes proposed staff review anticipated to take more than 60 days to complete,provided.
BLACK,S.C. . 96/05/01. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 88100:357-88100:361.

9605070260 Application for amends to licenses NPF-76 & NPF-80, incorporating Option B of 10CFR50,App J for both units & proposing to amend TS 4.6.1.1,3.6.1.2,4.6.1.2,3.6.1.3, 4.6.1.3,4.6.1.7.2,4.6.1.7.3 & Bases 3/4.6.1.2 & 3/4.6.1.3.
CLONINGER,T.H. Houston Lighting & Power Co. 96/05/01. Document Control Branch (Document Control Desk). 21pp. 88174:213-88174:243.

--**9605070262** Proposed tech specs,incorporating Option B of 10CFR50,App J for both units & proposing to amend TS 4.6.1.1,3.6.1.2, 4.6.1.2,3.6.1.3,4.6.1.3,4.6.1.7.2,4.6.1.7.3,Bases 3/4.6.1.2, 3/4.6.1.3 & adding administrative controls.
* Houston Lighting & Power Co. 96/05/01. 10pp. 88174:234-88174:243.

9605070369 Forwards responses to questions re 960208 LAR concerning increase in spent fuel pool heat loads.
THOMAS,S.E. Houston Lighting & Power Co. 96/05/01. Document Control Branch (Document Control Desk). 7pp. 88174:019-88174:025.

9605060147 Forwards responses to questions asked by Matls & Chemical Engineering Branch & Emergency Preparedness & Radiation Protection Branch re SG voltage-based repair criteria submittal.
THOMAS,S.E. Houston Lighting & Power Co. 96/05/02. Document Control Branch (Document Control Desk). 44pp. 88225:001-88225:270.

--**9605060159** "Main Steam Line Break Doses for Alternate Plugging Criteria." W/15 oversized drawings.
BLUMBERG,W.M. Houston Lighting & Power Co. NC-6061 R01. 96/04/03. 223pp. 88225:048-88225:270.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605150075 Notification of licensee meeting w/util on 960513 to discuss Auxiliary Feedwater Sys Function.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. Region 4 (Post 820201). 2pp. 88266:065-88266:066.

9605140056 Summary of 960425 meeting w/licensee re schedular aspects of licensee 960328 submittal on revised OQAP.
ALEXION,T.W. . 96/05/08. . 6pp. 88226:336-88226:341.

9605140076 Forwards SE accepting licensee 951227 request for approval of alternative related to Inservice Testing Program for Pumps & Valves.
BECKNER,W.D. . 96/05/08. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 88226:351-88226:359.

--**9605140082** Safety evaluation accepting licensee 951227 request for approval of alternative related to Inservice Testing Program for Pumps & Valves.
* . 96/05/08. 6pp. 88226:354-88226:359.

9605140177 Provides supporting info re operations QA plan change QA-026.
MARTIN,L.E. Houston Lighting & Power Co. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88257:189-88257:191.

9605170535 Informs that UFSAR Section 7A.II.K.3.17 requirement to report ECCS outages will be removed from UFSAR & change will be submitted during biennial 10CFR50.59 summary rept to NRC.
MARTIN,L.E. Houston Lighting & Power Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88332:306-88332:307.

9605170307 Forwards amend 82 to license NPF-76 & SE.Amend revises TS re SG tube plugging criteria & associated bases to allow implementation of alternate SG tube plugging criteria for tube-to-tubesheet joints for Unit 1.
ALEXION,T.W. . 96/05/14. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 88300:325-88300:344.

--**9605170327** Amend 82 to license NPF-76 revising TS re SG tube plugging criteria & associated bases to allow implementation of alternate SG tube plugging criteria for tube-to-tubesheet joints for Unit 1.
* . 96/05/14. 10pp. 88300:328-88300:337.

--**9605170332** Safety evaluation supporting amend 82 to license NPF-76.
* . 96/05/14. 7pp. 88300:338-88300:344.

9605200460 Application for amends to licenses NPF-76 & NPF-80, incorporating SG tube repair by sleeving in TS 3/4.4.5 & 3.4.6.2.Rev 2 to Westinghouse nonproprietary & proprietary generic sleeving repts encl.Proprietary rept withheld.
CLONINGER,T.H. Houston Lighting & Power Co. 96/05/17. Document Control Branch (Document Control Desk). 20pp. 88372:001-88372:248.

--**9605200462** Proposed tech specs 3/4.4.5 & 3.4.6.2,incorporating SG tube repair by sleeving.
* Houston Lighting & Power Co. 96/05/17. 18pp. 88372:021-88372:039.

--**9605200464** Requests that proprietary Rev 2 of WCAP-13698, "Laser Welded Sleeves for 3/4 Inch Diameter Tube,Feedring-Type & Westinghouse Preheater SGs," generic sleeving rept be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 96/05/17. RUSSELL,W.T. Document Control Branch (Document Control Desk). 12pp. 88372:040-88372:246.

--**9605200468** Forwards proprietary ltr rept SG-96-05-013, "Specific Application of Laser Welded Sleeves for South Texas Power Plant SGs." Proprietary ltr rept withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 96/05/16. SHERON,B. . 2pp. 88372:247-88372:248.

9605240177 Forwards amend 83 to license NPF-76 & safety evaluation. Amend modifies SG tube plugging criteria in TS 3/4.4.5,SG, allowable primary-to-secondary leakage in TS 3/4.4.6.2, Operation Leakage & associated bases.
ALEXION,T.W. . 96/05/22. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 88344:166-88344:197.

--**9605240181** Amend 83 to license NPF-76,modifying SG tube plugging criteria in TS 3/4.4.5,SG,allowable primary-to-secondary leakage in TS 3/4.4.6.2,Operational Leakage & associated bases.
* . 96/05/22. 16pp. 88344:169-88344:184.

--**9605240182** Safety evaluation supporting amend 83 to license NPF-76.
* . 96/05/22. 13pp. 88344:185-88344:197.

9605290029 Forwards notice of consideration of issuance of amends to licenses NPF-76 & NPF-80 & proposed NSHC determination & opportunity for hearing.
KENNEDY,J.L. . 96/05/22. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 88375:248-88375:259.

--**9605290033** Notice of consideration of issuance of amends to licenses NPF-76 & NPF-80 & proposed NSHC determination & opportunity for hearing.Amends would revise TS to allow installation of tube sleeves as alternative to plugging defective SG tubes.
KENNEDY,J.L. . 96/05/22. 9pp. 88375:251-88375:259.

9605290185 Notification of 960524 meeting w/util in Training Conference Room of NRC Region IV ofc to discuss licensee plan for addressing failure of rod cluster control assemblies to fully insert.
GWYNN,T.P. Region 4 (Post 820201). 96/05/23. Region 4 (Post 820201). 2pp. 88369:206-88369:207.

Q. Inspection reports, IE Bulletins & correspondence

9605060188 Ack receipt of 960404 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-12 & 50-499/96-12.
GWYNN,T.P. Region 4 (Post 820201). 96/04/26. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88102:004-88102:015.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605030350 Forwards insp repts 50-498/96-02 & 50-499/96-02 on 960211- 0323.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/05/01. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88093:028-88093:061.

--**9605030355** Insp repts 50-498/96-02 & 50-499/96-02 on 960211-0323.No violations noted.Major areas inspected:plant status,onsite followup events,operational safety verification,maint & surveillance observations & plant support activities review.
PELLET,J.L. Region 4 (Post 820201). 96/04/26. 29pp. 88093:033-88093:061.

9605060347 Forwards SALP repts 50-498/96-99 & 50-499/96-99 for period 940925-960323.Public meeting to discuss rept scheduled for 960516.
CALLAN,L.J. Region 4 (Post 820201). 96/05/01. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 88103:138-88103:149.

--**9605060349** SALP repts 50-498/96-99 & 50-499/96-99 for 940925-960323.
* Region 4 (Post 820201). 96/05/01. 6pp. 88103:144-88103:149.

9605090253 Provides recommended wording for Section 2.0,Items 6 & 8 re South TX SE for NRC Bulletin 88-008 for proprietary aspects.
LIPARULO,N.J. Westinghouse Electric Corp. 96/05/02. Document Control Branch (Document Control Desk). 2pp. 88201:280-88201:281.

9605060274 Notification of licensee meeting w/util on 960516 to discuss results of systematic assessment of licensee performance for STP.
DYER,J.E. Region 4 (Post 820201). 96/05/03. Region 4 (Post 820201). 5pp. 88103:057-88103:061.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140080 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel in Reactor Core or Over Safety-Related Equipment."
CLONINGER,T.H. Houston Lighting & Power Co. 96/05/08. Document Control Branch (Document Control Desk). 8pp. 88269:332-88269:339.

9605150105 Press release IV-96-31, "South TX Rated "Superior" in Two Areas "Good" in Two Areas in Latest NRC SALP Rept."
* Region 4 (Post 820201). 96/05/13. 2pp. 88292:260-88292:261.

9605210111 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 7).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/13. WHINSTON,S.A. Berger & Montague. 7pp. 88358:189-88358:228.

--**9605210141** Informs of closeout of case 4-93-016.Evaluation of facts & circumstances surrounding issues & coordination w/staff indicates no violations exist.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/27. CALLAN,L.J. Region 4 (Post 820201). 20pp. 88358:199-88358:220.

--**9605210186** Informs of closeout of case 4-93-029.OI evaluation of surrounding facts & circumstances indicates that further investigation may be warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/11/29. MILHOAN,J.L. Region 4 (Post 820201). 1p. 88358:221-88358:223.

--**9605210243** Informs of closeout of case 4-93-042.Coordination has been effected w/ regional counsel & no addl investigative effort warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/20. CALLAN,L.J. Region 4 (Post 820201). 1p. 88358:224-88358:224.

--**9605210249** Informs of closeout of case 4-93-044.Coordination effected w/regional counsel & no addl investigative efforts warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/23. CALLAN,L.J. Region 4 (Post 820201). 4pp. 88358:225-88358:228.

9605200387 Forwards corrected pages to Insp Repts 50-498/96-02 & 50-499/96-02.Year of insp & exit meeting inadvertently given incorrectly.
DYER,J.E. Region 4 (Post 820201). 96/05/14. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88291:346-88291:352.

--**9605200394** Corrected pages to Insp Repts 50-498/96-02 & 50-499/96-02.
PELLET,J.L. Region 4 (Post 820201). 96/04/26. 2pp. 88291:351-88291:352.

9605220285 Forwards insp repts 50-498/96-10 & 50-499/96-10 on 960408- 12.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/16. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88350:207-88350:345.

--**9605220293** Insp repts 50-498/96-10 & 50-499/96-10 on 960408-12.No violations noted.Major areas inspected:qualifications of applicants for operator license at plant.
PELLET,J.L. Region 4 (Post 820201). 96/05/14. 134pp. 88350:212-88350:345.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030103 "1995 Annual Environ & Annual Radiological Environ Repts STP Electric Generating Station." W/960430 ltr.
SHERWOOD,J.D., TRAVIS,P.L., LOGAN,R.V. Houston Lighting & Power Co. 95/12/31. 91pp. 88135:001-88135:100.

9605200348 Monthly operating repts for April 1996 for STP.W/960515 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 96/04/30. 14pp. 88328:347-88328:360.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

V. Operator Examinations

9605100196 Discusses Generic Fundamentals Exam administered on 960410.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 88190:027-88190:028.

9605220285 Forwards insp repts 50-498/96-10 & 50-499/96-10 on 960408- 12.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/16. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88350:207-88350:345.

--**9605220293** Insp repts 50-498/96-10 & 50-499/96-10 on 960408-12.No violations noted.Major areas inspected:qualifications of applicants for operator license at plant.
PELLET,J.L. Region 4 (Post 820201). 96/05/14. 134pp. 88350:212-88350:345.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9605060347 Forwards SALP repts 50-498/96-99 & 50-499/96-99 for period 940925-960323.Public meeting to discuss rept scheduled for 960516.
CALLAN,L.J. Region 4 (Post 820201). 96/05/01. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 88103:138-88103:149.

--9605060349 SALP repts 50-498/96-99 & 50-499/96-99 for 940925-960323.
* Region 4 (Post 820201). 96/05/01. 6pp. 88103:144-88103:149.

J. Insurance & indemnity information

9605130278 Forwards Endorsements 18,16,55 & 14 to Certificates N-113, N-116,N-307 & NW-199 & Endorsements 20,19,46 & 19 to MAELU Certficates M-113,M-116,MF-130 & MW-100.
ROSEN,S.L. Houston Lighting & Power Co. 96/05/06. Document Control Branch (Document Control Desk). 10pp. 88248:267-88248:276.

P. Operating license stage documents & correspondence

9605210044 FOIA request for documents re plant,including repts issued by & correspondence to,from or concerning OIG re plant & employee concerns or complaints to NRC or to util.
WHINSTON,S.A. Berger & Montague. 96/04/02. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88358:187-88358:188.

9605020236 Advises that revised SPDS SAR meets requirements of SPDS Analysis Report re South Texas Project. specified in NUREG-0737,suppl 1.
ALEXION,T.W. . 96/04/30. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 88095:250-88095:252.

9605030202 Ack receipt of 960328 operations QA plan for plant. Methodology for graded QA & notification that due to extensive changes proposed staff review anticipated to take more than 60 days to complete,provided.
BLACK,S.C. . 96/05/01. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 88100:357-88100:361.

9605070260 Application for amends to licenses NPF-76 & NPF-80, incorporating Option B of 10CFR50,App J for both units & proposing to amend TS 4.6.1.1,3.6.1.2,4.6.1.2,3.6.1.3, 4.6.1.3,4.6.1.7.2,4.6.1.7.3 & Bases 3/4.6.1.2 & 3/4.6.1.3.
CLONINGER,T.H. Houston Lighting & Power Co. 96/05/01. Document Control Branch (Document Control Desk). 21pp. 88174:213-88174:243.

--9605070262 Proposed tech specs,incorporating Option B of 10CFR50,App J for both units & proposing to amend TS 4.6.1.1,3.6.1.2, 4.6.1.2,3.6.1.3,4.6.1.3,4.6.1.7.2,4.6.1.7.3,Bases 3/4.6.1.2, 3/4.6.1.3 & adding administrative controls.
* Houston Lighting & Power Co. 96/05/01. 10pp. 88174:234-88174:243.

9605070369 Forwards responses to questions re 960208 LAR concerning increase in spent fuel pool heat loads.
THOMAS,S.E. Houston Lighting & Power Co. 96/05/01. Document Control Branch (Document Control Desk). 7pp. 88174:019-88174:025.

9605060147 Forwards responses to questions asked by Matls & Chemical Engineering Branch & Emergency Preparedness & Radiation Protection Branch re SG voltage-based repair criteria submittal.
THOMAS,S.E. Houston Lighting & Power Co. 96/05/02. Document Control Branch (Document Control Desk). 44pp. 88225:001-88225:270.

--9605060159 "Main Steam Line Break Doses for Alternate Plugging Criteria." W/15 oversized drawings.
BLUMBERG,W.M. Houston Lighting & Power Co. NC-6061 R01. 96/04/03. 223pp. 88225:048-88225:270.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605150075 Notification of licensee meeting w/util on 960513 to discuss Auxiliary Feedwater Sys Function.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. Region 4 (Post 820201). 2pp. 88266:065-88266:066.

9605140056 Summary of 960425 meeting w/licensee re schedular aspects of licensee 960328 submittal on revised OQAP.
ALEXION,T.W. . 96/05/08. . 6pp. 88226:336-88226:341.

9605140076 Forwards SE accepting licensee 951227 request for approval of alternative related to Inservice Testing Program for Pumps & Valves.
BECKNER,W.D. . 96/05/08. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 88226:351-88226:359.

--9605140082 Safety evaluation accepting licensee 951227 request for approval of alternative related to Inservice Testing Program for Pumps & Valves.
* . 96/05/08. 6pp. 88226:354-88226:359.

9605140177 Provides supporting info re operations QA plan change QA-026.
MARTIN,L.E. Houston Lighting & Power Co. 96/05/09. Document Control Branch (Document Control Desk). 3pp. 88257:189-88257:191.

9605170535 Informs that UFSAR Section 7A.II.K.3.17 requirement to report ECCS outages will be removed from UFSAR & change will be submitted during biennial 10CFR50.59 summary rept to NRC.
MARTIN,L.E. Houston Lighting & Power Co. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88332:306-88332:307.

9605200460 Application for amends to licenses NPF-76 & NPF-80, incorporating SG tube repair by sleeving in TS 3/4.4.5 & 3.4.6.2.Rev 2 to Westinghouse nonproprietary & proprietary generic sleeving repts encl.Proprietary rept withheld.
CLONINGER,T.H. Houston Lighting & Power Co. 96/05/17. Document Control Branch (Document Control Desk). 20pp. 88372:001-88372:248.

--9605200462 Proposed tech specs 3/4.4.5 & 3.4.6.2,incorporating SG tube repair by sleeving.
* Houston Lighting & Power Co. 96/05/17. 18pp. 88372:021-88372:039.

--9605200468 Forwards proprietary ltr rept SG-96-05-013, "Specific Application of Laser Welded Sleeves for South Texas Power Plant SGs." Proprietary ltr rept withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 96/05/16. SHERON,B. . 2pp. 88372:247-88372:248.

9605290029 Forwards notice of consideration of issuance of amends to licenses NPF-76 & NPF-80 & proposed NSHC determination & opportunity for hearing.
KENNEDY,J.L. . 96/05/22. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 88375:248-88375:259.

--9605290033 Notice of consideration of issuance of amends to licenses NPF-76 & NPF-80 & proposed NSHC determination & opportunity for hearing.Amends would revise TS to allow installation of tube sleeves as alternative to plugging defective SG tubes.
KENNEDY,J.L. . 96/05/22. 9pp. 88375:251-88375:259.

Q. Inspection reports, IE Bulletins & correspondence

9605060188 Ack receipt of 960404 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-12 & 50-499/96-12.
GWYNN,T.P. Region 4 (Post 820201). 96/04/26. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88102:004-88102:015.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605030350 Forwards insp repts 50-498/96-02 & 50-499/96-02 on 960211- 0323.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/05/01. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88093:028-88093:061.

--9605030355 Insp repts 50-498/96-02 & 50-499/96-02 on 960211-0323.No violations noted.Major areas inspected:plant status,onsite followup events,operational safety verification,maint & surveillance observations & plant support activities review.
PELLET,J.L. Region 4 (Post 820201). 96/04/26. 29pp. 88093:033-88093:061.

9605060347 Forwards SALP repts 50-498/96-99 & 50-499/96-99 for period 940925-960323.Public meeting to discuss rept scheduled for 960516.
CALLAN,L.J. Region 4 (Post 820201). 96/05/01. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 88103:138-88103:149.

--9605060349 SALP repts 50-498/96-99 & 50-499/96-99 for 940925-960323.
* Region 4 (Post 820201). 96/05/01. 6pp. 88103:144-88103:149.

9605090253 Provides recommended wording for Section 2.0,Items 6 & 8 re South TX SE for NRC Bulletin 88-008 for proprietary aspects.
LIPARULO,N.J. Westinghouse Electric Corp. 96/05/02. Document Control Branch (Document Control Desk). 2pp. 88201:280-88201:281.

9605060274 Notification of licensee meeting w/util on 960516 to discuss results of systematic assessment of licensee performance for STP.
DYER,J.E. Region 4 (Post 820201). 96/05/03. Region 4 (Post 820201). 5pp. 88103:057-88103:061.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605140080 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel in Reactor Core or Over Safety-Related Equipment."
CLONINGER,T.H. Houston Lighting & Power Co. 96/05/08. Document Control Branch (Document Control Desk). 8pp. 88269:332-88269:339.

9605150105 Press release IV-96-31, "South TX Rated "Superior" in Two Areas "Good" in Two Areas in Latest NRC SALP Rept."
* Region 4 (Post 820201). 96/05/13. 2pp. 88292:260-88292:261.

9605210111 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 7).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/13. WHINSTON,S.A. Berger & Montague. 7pp. 88358:189-88358:228.

--9605210141 Informs of closeout of case 4-93-016.Evaluation of facts & circumstances surrounding issues & coordination w/staff indicates no violations exist.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/27. CALLAN,L.J. Region 4 (Post 820201). 20pp. 88358:199-88358:220.

--9605210186 Informs of closeout of case 4-93-029.OI evaluation of surrounding facts & circumstances indicates that further investigation may be warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/11/29. MILHOAN,J.L. Region 4 (Post 820201). 1p. 88358:221-88358:223.

--9605210243 Informs of closeout of case 4-93-042.Coordination has been effected w/ regional counsel & no addl investigative effort warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/20. CALLAN,L.J. Region 4 (Post 820201). 1p. 88358:224-88358:224.

--9605210249 Informs of closeout of case 4-93-044.Coordination effected w/regional counsel & no addl investigative efforts warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/23. CALLAN,L.J. Region 4 (Post 820201). 4pp. 88358:225-88358:228.

9605200387 Forwards corrected pages to Insp Repts 50-498/96-02 & 50-499/96-02.Year of insp & exit meeting inadvertently given incorrectly.
DYER,J.E. Region 4 (Post 820201). 96/05/14. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88291:346-88291:352.

--**9605200394** Corrected pages to Insp Repts 50-498/96-02 & 50-499/96-02.
PELLET,J.L. Region 4 (Post 820201). 96/04/26. 2pp. 88291:351-88291:352.

9605220285 Forwards insp repts 50-498/96-10 & 50-499/96-10 on 960408- 12.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/16. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88350:207-88350:345.

--**9605220293** Insp repts 50-498/96-10 & 50-499/96-10 on 960408-12.No violations noted.Major areas inspected:qualifications of applicants for operator license at plant.
PELLET,J.L. Region 4 (Post 820201). 96/05/14. 134pp. 88350:212-88350:345.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605030103 "1995 Annual Environ & Annual Radiological Environ Repts STP Electric Generating Station." W/960430 ltr.
SHERWOOD,J.D., TRAVIS,P.L., LOGAN,R.V. Houston Lighting & Power Co. 95/12/31. 91pp. 88135:001-88135:100.

9605200348 Monthly operating repts for April 1996 for STP.W/960515 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 96/04/30. 14pp. 88328:347-88328:360.

S. Reportable occurrences, LERs & related correspondence

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

V. Operator Examinations

9605100196 Discusses Generic Fundamentals Exam administered on 960410.
GWYNN,T.P. Region 4 (Post 820201). 96/05/07. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 88190:027-88190:028.

9605220285 Forwards insp repts 50-498/96-10 & 50-499/96-10 on 960408- 12.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/05/16. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 88350:207-88350:345.

--**9605220293** Insp repts 50-498/96-10 & 50-499/96-10 on 960408-12.No violations noted.Major areas inspected:qualifications of applicants for operator license at plant.
PELLET,J.L. Region 4 (Post 820201). 96/05/14. 134pp. 88350:212-88350:345.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9605060284 Ack receipt of 960301 ltr transmitted rev 40 to Palo Verde nuclear generating station physical security plan.Informs that rev will not be completed during 60 days normally allowed for review of 10CFR50.51 submittals.
GWYNN,T.P. Region 4 (Post 820201). 96/05/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88103:062-88103:065.

9605280268 Rev 15 to EPIP-02,"Emergency Classification." W/960517 ltr.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/17. 25pp. 88386:001-88386:025.

9605290103 Provides info on issues re PVNGS procedure 2-DP-OSK29,Rev 4 & comments on PVNGS security plan,in reply to NRC 960422 ltr responding to util 960228 response to violations noted in insp repts 50-528/95-24,50-529/95-24 & 50-530/95-24.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88397:226-88397:227.

I. Financial information

9605280241 Forwards cash flow statement for yr ending 951231,in accordance w/ 10CFR140.21(e) plants.Edison Intl annual rept to Securities & Exchange Commission (Form 10-K) for yr ending 951231 also encl.
MARSH,W.C. Southern California Edison Co. 96/05/23. Document Control Branch (Document Control Desk). 49pp. 88384:261-88384:309.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605310013 Provides "use-as-original" copy of original notarized submittal of Rev 7 of PVNGS UFSAR,dtd 950323.Util recently discovered that UFSAR,Rev 7 submittal shipped to NRC in Mar 1995 not received by NRC headquarters office.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 1p. 88503:001-88507:329.

--**9605310015** Forwards Rev 7 to PVNGS UFSAR.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/03/23. Document Control Branch (Document Control Desk). 3pp. 88503:002-88503:004.

--**9605310018** Rev 7 to PVNGS UFSAR.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/03/31. 3,000pp. 88503:005-88507:329.

P. Operating license stage documents & correspondence

9605030159 Forwards self-assessment overview,detailed plan & team member qualifications for NRC review & approval.Encl 1 outlines objectives,scope,method,schedule,resources & team composition.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/12. CALLAN,L.J. Region 4 (Post 820201). 39pp. 88138:303-88138:341.

9605030163 Forwards supplemental info on proposed self-assessment.Encl 2 contains resumes of consultants will be members of self-assessment team along w/resumes of recently added team members.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/19. CALLAN,L.J. Region 4 (Post 820201). 18pp. 88155:328-88155:345.

9605010242 Forwards safety evaluation re first ten-yr interval insp program plan,rev 1 & associated request for relief for plant,Units 1,2 & 3.
BATEMAN,W.H. . 96/04/22. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88065:312-88065:321.

--**9605010260** SER accepting first ten-yr interval inservice insp program plan,rev 1 & associated request for relief for plant,Units 1,2 & 3.
* . 96/04/22. 6pp. 88065:316-88065:321.

9605090234 Forwards amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74 & SE.Amends revise TS Sections 3/4.1.1.1,6.9.1.9 & 6.9.1.10 to relocate shutdown margin (reactor trip breakers open) to COLR.
THOMAS,C.R. . 96/04/30. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 88185:178-88185:259.

--**9605090242** Amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising TS Sections 3/4.1.1.1,6.9.1.9 & 6.9.1.10 to relocate shutdown margin (reactor trip breakers open) to COLR.
THOMAS,C.G. . 96/04/30. 73pp. 88185:181-88185:253.

--**9605090245** Safety evaluation supporting amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/30. 6pp. 88185:254-88185:259.

9605140373 Forwards responses to questions related to power uprate amend request,Suppl 1.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/01. Document Control Branch (Document Control Desk). 6pp. 88269:322-88269:327.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170131 Summary of 960418 meeting w/licensees to achieve a better understanding of the AT&T round cell batteries.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605210165 Forwards NRC questions & util responses re power update.Encl 2 calculation summary of radiological doses for SG tube rupture w/loss of offsite power & stuck open atmospheric dump valve responses to questions.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/10. Document Control Branch (Document Control Desk). 9pp. 88359:272-88359:289.

--**9605210182** "Calculation Summary of Radiological Doses for SG Tube Rupture w/Loss of Offsite Power & Stuck Open ADV."
GOLBABI,M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/08. 9pp. 88359:281-88359:289.

9605210139 Application for amends to Licenses NPF-41,NPF-51 & NPF-74, revising TS Section 3/4.5.2, "ECCS subsystems-T Greater Than or Equal to 350 F," under emergency circumstances.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/15. Document Control Branch (Document Control Desk). 8pp. 88359:257-88359:271.

--**9605210145** Proposed Tech Specs Section 3/4.5.2 re ECCS subsystems-T.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/15. 7pp. 88359:265-88359:271.

9605220128 Forwards amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends revise SR 4.5.2.d.2 in TS 3/4 5.2 to state that TSP contained in storage baskets containment in form of anhydrous TSP,not dodecahydrate TSP.
THOMAS,C.R. . 96/05/15. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 88326:308-88326:335.

--**9605220138** Amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising SR 4.5.2.d.2 in TS 3/4 5.2 to state that TSP contained in storage baskets containment in form of anhydrous TSP,rather than dodecahydrate TSP,as specified.
BATEMAN,W.H. . 96/05/15. 20pp. 88326:311-88326:330.

--**9605220153** Safety evaluation supporting amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/05/15. 5pp. 88326:331-88326:335.

9605300083 Discusses AT&T Round Cell 960418 meeting w/NRC& listed utils & vendors re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

--**9605300096** "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

9605300162 Forwards formal calculation to analyze RSB 5-1 natural circulation CD as part of work needed to support LAR to raise rated thermal power from 3800 to 3876 Mwt.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/21. Document Control Branch (Document Control Desk). 3pp. 88425:043-88425:081.

--**9605300170** "Palo Verde RSB 5-1 Summary Engineering Rept."
PALO,W.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). V-WEST-ER-001 R00. 95/11/28. 25pp. 88425:046-88425:070.

--**9605300175** "RSB 5-1 SD Cooling Analysis for 102% Stretch Power Using DESCENT Code PVNGS,Units 1,2 & 3."
LEROUX,K.M. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). V-PENG-CALC-007 R01. 95/12/01. 10pp. 88425:071-88425:081.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070052 Forwards insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420 & NOV.
DYER,J.E. Region 4 (Post 820201). 96/05/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88112:091-88112:113.

--**9605070056** Notice of violation from insp on 960310-0420.Violation noted:reactor operator failed to close 4.16 kV Bus S02 supply breaker & closed 4.16 kV Bus S04 alternative supply breaker,resulting in momentary loss-of-offsite power.
* Region 4 (Post 820201). 96/05/02. 2pp. 88112:095-88112:096.

--**9605070063** Insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/05/02. 17pp. 88112:097-88112:113.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605210192 Requests for extension to response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/10. Document Control Branch (Document Control Desk). 1p. 88359:290-88359:290.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605290103 Provides info on issues re PVNGS procedure 2-DP-OSK29,Rev 4 & comments on PVNGS security plan,in reply to NRC 960422 ltr responding to util 960228 response to violations noted in insp repts 50-528/95-24,50-529/95-24 & 50-530/95-24.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88397:226-88397:227.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280222 Forwards response to NRC 960502 ltr re violations noted in insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420.Corrective actions:SDC restored by placing Train B LPSI pump into svc.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 8pp. 88386:244-88386:251.

9605280260 Forwards response to NRC 960423 ltr re violations noted in insp repts 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22.C/A:RP mgt will evaluate process used for authorization of protective clothing downgrades in field.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 9pp. 88376:352-88376:360.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070088 "Palo Verde Nuclear Generating Station Annual Environ Operating Rept for 1995." W/960430 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 6pp. 88170:352-88170:357.

9605200080 Monthly operating repts for Apr 1996 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/960514 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/30. 16pp. 88351:275-88351:290.

S. Reportable occurrences, LERs & related correspondence

9605070110 Part 21 rept re potential instrumentation decalibr at low power.Affected utils should ensure that log power channels properly calibr & cross-correlated to linear power channels at 100% reactor power.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/04/15. Document Control Branch (Document Control Desk). 8pp. 88191:258-88191:265.

9605130182 Forwards LER 96-001-00 re identification of condition resulting in being outside design basis of plant,could have adversely affected ability to achieve & maintain safe shutdown conditions,per PVNGS fire protection program.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/06. Document Control Branch (Document Control Desk). 1p. 88268:007-88268:015.

--**9605130193** LER 96-001-00:on 960404,smoke discovered in back boards area of CR by security officer,performing hourly fire watch tour. Caused by improperly grounded circuit.Investigation for inappropriate grounding of low voltage power sys initiated.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/06. 8pp. 88268:008-88268:015.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. MOWERY,J.D Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280150 Part 21 rept re development of cracks compromising integrity of DVH.Recommended corrective actions listed.
MOWERY,J.D. Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88396:145-88396:151.

V. Operator Examinations

9605100208 Forwards results of GFES of written operator licensing exam administered on 960410.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88190:031-88190:034.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9605060284 Ack receipt of 960301 ltr transmitted rev 40 to Palo Verde nuclear generating station physical security plan.Informs that rev will not be completed during 60 days normally allowed for review of 10CFR50.51 submittals.
GWYNN,T.P. Region 4 (Post 820201). 96/05/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88103:062-88103:065.

9605280268 Rev 15 to EPIP-02,"Emergency Classification." W/960517 ltr.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/17. 25pp. 88386:001-88386:025.

9605290103 Provides info on issues re PVNGS procedure 2-DP-OSK29,Rev 4 & comments on PVNGS security plan,in reply to NRC 960422 ltr responding to util 960228 response to violations noted in insp repts 50-528/95-24,50-529/95-24 & 50-530/95-24.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88397:226-88397:227.

I. Financial information

9605280241 Forwards cash flow statement for yr ending 951231,in accordance w/ 10CFR140.21(e) plants.Edison Intl annual rept to Securities & Exchange Commission (Form 10-K) for yr ending 951231 also encl.
MARSH,W.C. Southern California Edison Co. 96/05/23. Document Control Branch (Document Control Desk). 49pp. 88384:261-88384:309.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605310013 Provides "use-as-original" copy of original notarized submittal of Rev 7 of PVNGS UFSAR,dtd 950323.Util recently discovered that UFSAR,Rev 7 submittal shipped to NRC in Mar 1995 not received by NRC headquarters office.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 1p. 88503:001-88507:329.

--9605310015 Forwards Rev 7 to PVNGS UFSAR.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/03/23. Document Control Branch (Document Control Desk). 3pp. 88503:002-88503:004.

--9605310018 Rev 7 to PVNGS UFSAR.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/03/31. 3,000pp. 88503:005-88507:329.

P. Operating license stage documents & correspondence

9605030159 Forwards self-assessment overview,detailed plan & team member qualifications for NRC review & approval.Encl 1 outlines objectives,scope,method,schedule,resources & team composition.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/12. CALLAN,L.J. Region 4 (Post 820201). 39pp. 88138:303-88138:341.

9605030163 Forwards supplemental info on proposed self-assessment.Encl 2 contains resumes of consultants will be members of self-assessment team along w/resumes of recently added team members.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/19. CALLAN,L.J. Region 4 (Post 820201). 18pp. 88155:328-88155:345.

9605010242 Forwards safety evaluation re first ten-yr interval insp program plan,rev 1 & associated request for relief for plant,Units 1,2 & 3.
BATEMAN,W.H. . 96/04/22. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88065:312-88065:321.

--9605010260 SER accepting first ten-yr interval inservice insp program plan,rev 1 & associated request for relief for plant,Units 1,2 & 3.
* . 96/04/22. 6pp. 88065:316-88065:321.

9605090234 Forwards amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74 & SE.Amends revise TS Sections 3/4.1.1.1,6.9.1.9 & 6.9.1.10 to relocate shutdown margin (reactor trip breakers open) to COLR.
THOMAS,C.R. . 96/04/30. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 88185:178-88185:259.

--9605090242 Amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising TS Sections 3/4.1.1.1,6.9.1.9 & 6.9.1.10 to relocate shutdown margin (reactor trip breakers open) to COLR.
THOMAS,C.G. . 96/04/30. 73pp. 88185:181-88185:253.

--9605090245 Safety evaluation supporting amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/30. 6pp. 88185:254-88185:259.

9605140373 Forwards responses to questions related to power uprate amend request,Suppl 1.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/01. Document Control Branch (Document Control Desk). 6pp. 88269:322-88269:327.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170131 Summary of 960418 meeting w/licensees to achieve a better understanding of the AT&T round cell batteries.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605210165 Forwards NRC questions & util responses re power update.Encl 2 calculation summary of radiological doses for SG tube rupture w/loss of offsite power & stuck open atmospheric dump valve responses to questions.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/10. Document Control Branch (Document Control Desk). 9pp. 88359:272-88359:289.

--9605210182 "Calculation Summary of Radiological Doses for SG Tube Rupture w/ Loss of Offsite Power & Stuck Open ADV."
GOLBABI,M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/08. 9pp. 88359:281-88359:289.

9605210139 Application for amends to Licenses NPF-41,NPF-51 & NPF-74, revising TS Section 3/4.5.2, "ECCS subsystems-T Greater Than or Equal to 350 F," under emergency circumstances.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/15. Document Control Branch (Document Control Desk). 8pp. 88359:257-88359:271.

--9605210145 Proposed Tech Specs Section 3/4.5.2 re ECCS subsystems-T.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/15. 7pp. 88359:265-88359:271.

9605220128 Forwards amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends revise SR 4.5.2.d.2 in TS 3/4 5.2 to state that TSP contained in storage baskets containment in form of anhydrous TSP,not dodecahydrate TSP.
THOMAS,C.R. . 96/05/15. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 88326:308-88326:335.

--9605220138 Amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising SR 4.5.2.d.2 in TS 3/4 5.2 to state that TSP contained in storage baskets containment in form of anhydrous TSP,rather than dodecahydrate TSP,as specified.
BATEMAN,W.H. . 96/05/15. 20pp. 88326:311-88326:330.

--9605220153 Safety evaluation supporting amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/05/15. 5pp. 88326:331-88326:335.

9605300083 Discusses AT&T Round Cell 960418 meeting w/NRC& listed utils & vendors re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

--9605300096 "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

9605300162 Forwards formal calculation to analyze RSB 5-1 natural circulation CD as part of work needed to support LAR to raise rated thermal power from 3800 to 3876 Mwt.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/21. Document Control Branch (Document Control Desk). 3pp. 88425:043-88425:081.

--9605300170 "Palo Verde RSB 5-1 Summary Engineering Rept."
PALO,W.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). V-WEST-ER-001 R00. 95/11/28. 25pp. 88425:046-88425:070.

--9605300175 "RSB 5-1 SD Cooling Analysis for 102% Stretch Power Using DESCENT Code PVNGS,Units 1,2 & 3."
LEROUX,K.M. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). V-PENG-CALC-007 R01. 95/12/01. 10pp. 88425:071-88425:081.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070052 Forwards insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420 & NOV.
DYER,J.E. Region 4 (Post 820201). 96/05/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88112:091-88112:113.

--9605070056 Notice of violation from insp on 960310-0420.Violation noted:reactor operator failed to close 4.16 kV Bus S02 supply breaker & closed 4.16 kV Bus S04 alternative supply breaker,resulting in momentary loss-of-offsite power.
* Region 4 (Post 820201). 96/05/02. 2pp. 88112:095-88112:096.

--9605070063 Insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/05/02. 17pp. 88112:097-88112:113.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605210192 Requests for extension to response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/10. Document Control Branch (Document Control Desk). 1p. 88359:290-88359:290.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605290103 Provides info on issues re PVNGS procedure 2-DP-OSK29,Rev 4 & comments on PVNGS security plan,in reply to NRC 960422 ltr responding to util 960228 response to violations noted in insp repts 50-528/95-24,50-529/95-24 & 50-530/95-24.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88397:226-88397:227.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280222 Forwards response to NRC 960502 ltr re violations noted in insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420.Corrective actions:SDC restored by placing Train B LPSI pump into svc.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 8pp. 88386:244-88386:251.

9605280260 Forwards response to NRC 960423 ltr re violations noted in insp repts 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22.C/A:RP mgt will evaluate process used for authorization of protective clothing downgrades in field.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 9pp. 88376:352-88376:360.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070088 "Palo Verde Nuclear Generating Station Annual Environ Operating Rept for 1995." W/960430 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 6pp. 88170:352-88170:357.

9605200080 Monthly operating repts for Apr 1996 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/960514 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/30. 16pp. 88351:275-88351:290.

S. Reportable occurrences, LERs & related correspondence

9605070110 Part 21 rept re potential instrumentation decalibr at low power.Affected utils should ensure that log power channels properly calibr & cross-correlated to linear power channels at 100% reactor power.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/04/15. Document Control Branch (Document Control Desk). 8pp. 88191:258-88191:265.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605280258 LER 96-003-00:on 960122,missed surveillance for logic check of logs 1 & 2 safety excore bypasses.Caused by procedural error.Log power functional test revised to check Logs 1 & 2 bypasses regardless of power level.W/960517 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/17. 5pp. 88417:354-88417:358.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280150 Part 21 rept re development of cracks compromising integrity of DVH.Recommended corrective actions listed.
MOWERY,J.D. Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88396:145-88396:151.

9605290100 Forwards Event Rating Form for fire at plant.Event considered "below scale/level 0."
BARRETT,R.J. Incident Response Branch. 96/05/23. THOMAS,B. International Atomic Energy Agency. 4pp. 88385:263-88385:266.

V. Operator Examinations

9605100208 Forwards results of GFES of written operator licensing exam administered on 960410.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88190:031-88190:034.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9605060284 Ack receipt of 960301 ltr transmitted rev 40 to Palo Verde nuclear generating station physical security plan.Informs that rev will not be completed during 60 days normally allowed for review of 10CFR50.51 submittals.
GWYNN,T.P. Region 4 (Post 820201). 96/05/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88103:062-88103:065.

9605280268 Rev 15 to EPIP-02,"Emergency Classification." W/960517 ltr.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/17. 25pp. 88386:001-88386:025.

9605290103 Provides info on issues re PVNGS procedure 2-DP-OSK29,Rev 4 & comments on PVNGS security plan,in reply to NRC 960422 ltr responding to util 960228 response to violations noted in insp repts 50-528/95-24,50-529/95-24 & 50-530/95-24.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88397:226-88397:227.

I. Financial information

9605280241 Forwards cash flow statement for yr ending 951231,in accordance w/ 10CFR140.21(e) plants.Edison Intl annual rept to Securities & Exchange Commission (Form 10-K) for yr ending 951231 also encl.
MARSH,W.C. Southern California Edison Co. 96/05/23. Document Control Branch (Document Control Desk). 49pp. 88384:261-88384:309.

K. Utility Final Safety Analysis Report (FSAR) & amends

9605310013 Provides "use-as-original" copy of original notarized submittal of Rev 7 of PVNGS UFSAR,dtd 950323.Util recently discovered that UFSAR,Rev 7 submittal shipped to NRC in Mar 1995 not received by NRC headquarters office.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 1p. 88503:001-88507:329.

--9605310015 Forwards Rev 7 to PVNGS UFSAR.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/03/23. Document Control Branch (Document Control Desk). 3pp. 88503:002-88503:004.

--9605310018 Rev 7 to PVNGS UFSAR.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/03/31. 3,000pp. 88503:005-88507:329.

P. Operating license stage documents & correspondence

9605030159 Forwards self-assessment overview,detailed plan & team member qualifications for NRC review & approval.Encl 1 outlines objectives,scope,method,schedule,resources & team composition.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/12. CALLAN,L.J. Region 4 (Post 820201). 39pp. 88138:303-88138:341.

9605030163 Forwards supplemental info on proposed self-assessment.Encl 2 contains resumes of consultants will be members of self-assessment team along w/resumes of recently added team members.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/01/19. CALLAN,L.J. Region 4 (Post 820201). 18pp. 88155:328-88155:345.

9605010242 Forwards safety evaluation re first ten-yr interval insp program plan,rev 1 & associated request for relief for plant,Units 1,2 & 3.
BATEMAN,W.H. . 96/04/22. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88065:312-88065:321.

--9605010260 SER accepting first ten-yr interval inservice insp program plan,rev 1 & associated request for relief for plant,Units 1,2 & 3.
* . 96/04/22. 6pp. 88065:316-88065:321.

9605090234 Forwards amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74 & SE.Amends revise TS Sections 3/4.1.1.1,6.9.1.9 & 6.9.1.10 to relocate shutdown margin (reactor trip breakers open) to COLR.
THOMAS,C.R. . 96/04/30. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 88185:178-88185:259.

--9605090242 Amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising TS Sections 3/4.1.1.1,6.9.1.9 & 6.9.1.10 to relocate shutdown margin (reactor trip breakers open) to COLR.
THOMAS,C.G. . 96/04/30. 73pp. 88185:181-88185:253.

--9605090245 Safety evaluation supporting amends 106,98 & 78 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/30. 6pp. 88185:254-88185:259.

9605140373 Forwards responses to questions related to power uprate amend request,Suppl 1.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/01. Document Control Branch (Document Control Desk). 6pp. 88269:322-88269:327.

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

9605170131 Summary of 960418 meeting w/licensees to achieve a better understanding of the AT&T round cell batteries.
THOMAS,C.R. . 96/05/09. . 82pp. 88298:183-88298:265.

9605210165 Forwards NRC questions & util responses re power update.Encl 2 calculation summary of radiological doses for SG tube rupture w/loss of offsite power & stuck open atmospheric dump valve responses to questions.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/10. Document Control Branch (Document Control Desk). 9pp. 88359:272-88359:289.

--9605210182 "Calculation Summary of Radiological Doses for SG Tube Rupture w/ Loss of Offsite Power & Stuck Open ADV."
GOLBABI,M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/08. 9pp. 88359:281-88359:289.

9605210139 Application for amends to Licenses NPF-41,NPF-51 & NPF-74, revising TS Section 3/4.5.2, "ECCS subsystems-T Greater Than or Equal to 350 F," under emergency circumstances.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/15. Document Control Branch (Document Control Desk). 8pp. 88359:257-88359:271.

--9605210145 Proposed Tech Specs Section 3/4.5.2 re ECCS subsystems-T.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/15. 7pp. 88359:265-88359:271.

9605220128 Forwards amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends revise SR 4.5.2.d.2 in TS 3/4 5.2 to state that TSP contained in storage baskets containment in form of anhydrous TSP,not dodecahydrate TSP.
THOMAS,C.R. . 96/05/15. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 88326:308-88326:335.

--9605220138 Amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising SR 4.5.2.d.2 in TS 3/4 5.2 to state that TSP contained in storage *baskets containment in form of anhydrous TSP,rather than dodecahydrate TSP,as* specified.
BATEMAN,W.H. . 96/05/15. 20pp. 88326:311-88326:330.

--9605220153 Safety evaluation supporting amends 107,99 & 79 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/05/15. 5pp. 88326:331-88326:335.

9605300083 Discusses AT&T Round Cell 960418 meeting w/NRC& listed utils & vendors re AT&T Round Cell batteries. "AT&T Round Cell Nuclear Utility User's Council Charter" encl.
MATTHEWS,W.N. . 96/05/15. Document Control Branch (Document Control Desk). 3pp. 88402:286-88402:304.

--9605300096 "AT&T Round Cell Nuclear Util User's Council Charter."
* . 96/05/08. 16pp. 88402:289-88402:304.

9605300162 Forwards formal calculation to analyze RSB 5-1 natural circulation CD as part of work needed to support LAR to raise rated thermal power from 3800 to 3876 Mwt.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/21. Document Control Branch (Document Control Desk). 3pp. 88425:043-88425:081.

--9605300170 "Palo Verde RSB 5-1 Summary Engineering Rept."
PALO,W.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). V-WEST-ER-001 R00. 95/11/28. 25pp. 88425:046-88425:070.

--9605300175 "RSB 5-1 SD Cooling Analysis for 102% Stretch Power Using DESCENT Code PVNGS,Units 1,2 & 3."
LEROUX,K.M. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). V-PENG-CALC-007 R01. 95/12/01. 10pp. 88425:071-88425:081.

9605300099 Informs that 960112 submittal of "Safety Analysis Rept for Use of Advanced Zirconium Based Cladding Matl in PVNGS Unit 2 Batch J Demonstration Fuel Assemblies," CEN-426-P, will be withheld from public disclosure per 10CFR2.790.
THOMAS,C.R. . 96/05/24. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 5pp. 88392:354-88392:358.

Q. Inspection reports, IE Bulletins & correspondence

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605070052 Forwards insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420 & NOV.
DYER,J.E. Region 4 (Post 820201). 96/05/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88112:091-88112:113.

--9605070056 Notice of violation from insp on 960310-0420.Violation noted:reactor operator failed to close 4.16 kV Bus S02 supply breaker & closed 4.16 kV Bus S04 alternative supply breaker,resulting in momentary loss-of-offsite power.
* Region 4 (Post 820201). 96/05/02. 2pp. 88112:095-88112:096.

--9605070063 Insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/05/02. 17pp. 88112:097-88112:113.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605210192 Requests for extension to response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/10. Document Control Branch (Document Control Desk). 1p. 88359:290-88359:290.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605290103 Provides info on issues re PVNGS procedure 2-DP-OSK29,Rev 4 & comments on PVNGS security plan,in reply to NRC 960422 ltr responding to util 960228 response to violations noted in insp repts 50-528/95-24,50-529/95-24 & 50-530/95-24.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/20. Document Control Branch (Document Control Desk). 2pp. 88397:226-88397:227.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605280222 Forwards response to NRC 960502 ltr re violations noted in insp repts 50-528/96-05,50-529/96-05 & 50-530/96-05 on 960310-0420.Corrective actions:SDC restored by placing Train B LPSI pump into svc.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 8pp. 88386:244-88386:251.

9605280260 Forwards response to NRC 960423 ltr re violations noted in insp repts 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22.C/A:RP mgt will evaluate process used for authorization of protective clothing downgrades in field.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/05/22. Document Control Branch (Document Control Desk). 9pp. 88376:352-88376:360.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

R. Periodic operating reports & related correspondence

9605070088 "Palo Verde Nuclear Generating Station Annual Environ Operating Rept for 1995." W/960430 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 6pp. 88170:352-88170:357.

9605200080 Monthly operating repts for Apr 1996 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/960514 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/30. 16pp. 88351:275-88351:290.

S. Reportable occurrences, LERs & related correspondence

9605070110 Part 21 rept re potential instrumentation decalibr at low power.Affected utils should ensure that log power channels properly calibr & cross-correlated to linear power channels at 100% reactor power.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/04/15. Document Control Branch (Document Control Desk). 8pp. 88191:258-88191:265.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280150 Part 21 rept re development of cracks compromising integrity of DVH.Recommended corrective actions listed.
MOWERY,J.D. Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88396:145-88396:151.

V. Operator Examinations

9605100208 Forwards results of GFES of written operator licensing exam administered on 960410.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/05/06. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88190:031-88190:034.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

9605010177 Rev 2 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
CRUTCHFIELD,D. . 96/05/03. Consolidated Edison Co. of New York, Inc. 12pp. 88212:149-88212:160.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9605080030 Forwards marked up proposed changes to ABWR design description resulting from info developed in course of ABWR First-Of-A-Kind Engineering program.
QUIRK,J.F. General Electric Co. 96/04/03. CRUTCHFIELD,D. . 5pp. 88175:109-88175:113.

9605080090 Responds to staff ltr re ABWR DCD change package which recommends that GE submit all changes identified by FOAKE program.Ltr contrary to previous understandings.
QUIRK,J. General Electric Co. 96/04/26. GRIMES,B. . 2pp. 88175:185-88175:186.

9605020308 Forwards submittal from GE Nuclear Energy dtd 960416 re proposed changes to ABWR design control document that resulted from ABWR first-of-a-kind engineering program.
WILSON,J.N. . 96/04/30. HIATT,S.L. Ohio Citizens for Responsible Energy. 2pp. 88072:092-88072:093.

9605100060 Informs that staff will review proposed changes to design certification rulemakings for ABWR & Sys 80+ designs & will determine whether GE has taken adequate corrective action to assure that errors not present in design control document. TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/30. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 88207:349-88207:355.

9605150239 Summary of 960501 meeting w/util re changes to design control document for GE ABWR.
BOYCE,T.H. . 96/05/08. . 116pp. 88270:163-88270:261.

9605230198 Submits answer for question on Section 5(c)(13)(iii) of rules which NRC staff was unable to answer at 960502 public meeting on design certification rules for Advanced BWR & Sys 80+ std plant designs.
QUAY,T.R. . 96/05/16. SIMARD,R. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88326:354-88326:355.

9605300226 Forwards transcript of 960502 public meeting on design certification for advanced BWR & Sys 80+ designs.
SCALETTI,D. . 96/05/28. QUAY,T.R. . 2pp. 88392:187-88392:322.

--9605300228 Transcript of 960502 public workshop in Rockville,MD on design certification for advanced BWR & Sys 80+ designs. Pp 1-132.W/Certificate.
* NRC - No Detailed Affiliation Given. 96/05/02. 136pp. 88392:189-88392:322.

DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

9605100060 Informs that staff will review proposed changes to design certification rulemakings for ABWR & Sys 80+ designs & will determine whether GE has taken adequate corrective action to assure that errors not present in design control document. TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/30. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 88207:349-88207:355.

9605170020 Discusses preparation of final design control document for Sys 80+ std plant design.
GRIMES,B.K. . 96/05/15. BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 88297:307-88297:308.

9605230198 Submits answer for question on Section 5(c)(13)(iii) of rules which NRC staff was unable to answer at 960502 public meeting on design certification rules for Advanced BWR & Sys 80+ std plant designs.
QUAY,T.R. . 96/05/16. SIMARD,R. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88326:354-88326:355.

9605300226 Forwards transcript of 960502 public meeting on design certification for advanced BWR & Sys 80+ designs.
SCALETTI,D. . 96/05/28. QUAY,T.R. . 2pp. 88392:187-88392:322.

--9605300228 Transcript of 960502 public workshop in Rockville,MD on design certification for advanced BWR & Sys 80+ designs. Pp 1-132.W/Certificate.
* NRC - No Detailed Affiliation Given. 96/05/02. 136pp. 88392:189-88392:322.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9605020165 Forwards RAI re June 1992 application for design certification of AP600.Advises that portions of submitted info being withheld from public disclosure for 30 days, pending staff final determination per 10CFR2.790.
SEBROSKY,J.M. . 96/03/07. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 88081:355-88081:359.

9605020223 Submits RAI re AP600 repts on PCS.Request response to questions & comments within sixty days.
JACKSON,D.T. . 96/03/20. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 88095:335-88095:339.

9605020162 Requests for addl info to complete review of June 1992 application for design certification of AP600.
KENYON,T.J. . 96/03/26. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88095:316-88095:319.

9605020300 Forwards updates to open items & followon questions re various SSAR sections in Chapters 9 & 10 & up to & including Rev 4.Informs that portions of info submitted in June 1992 application for design certification withheld for 30 days.
JACKSON,D.T. . 96/03/26. LIPARULO,N.J. Westinghouse Electric Corp. 9pp. 88095:278-88095:286.

9605060200 Forwards RAI to complete review of June 1992 application for design certification of AP600.
SEBROSKY,J.M. . 96/03/27. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 88104:037-88104:041.

9605060221 Requests that portions of info submitted in June 1992,re application for design certification be exempt from mandatory public disclosure.
SEBROSKY,J.M. . 96/04/01. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. 88104:120-88104:125.

9605290025 Forwards request for addl info related to AP600 probabilistic risk assessment Chapter 42 & Std Safety Analysis Rept Section 3.8.2.
JACKSON,D.T. . 96/04/04. LIPARULO,N.J. Westinghouse Electric Corp. 7pp. 88375:241-88375:247.

9605290043 Requests for addl info re June 1992 application for design certificate of AP600 to complete review.
HUFFMAN,W.C. . 96/04/23. LIPARULO,N.J. Westinghouse Electric Corp. 8pp. 88375:275-88375:282.

9605020332 Forwards draft rept, "Piping Benchmark Problems for Westinghouse AP600 Standardized Plant," documenting results of NRC independent confirmatory piping stress analyses.Staff requests meeting to discuss criteria not met.
JACKSON,D.T. . 96/04/25. LIPARULO,N.J. Westinghouse Electric Corp. 340pp. 88098:001-88098:340.

9605070041 Forwards nonproprietary & proprietary Westinghouse responses to NRC RAI on AP600 Design Certification Program.Proprietary response withheld per 10CFR9.17(a)(4).
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/26. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 88174:141-88174:154.

--9605070059 Submits application for withholding proprietary info from public disclosure re W responses to NRC RAI on AP600 per 10CFR2.790(b)(1).
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/26. QUAY,T.R. Document Control Branch (Document Control Desk). 10pp. 88174:145-88174:154.

9605290024 Forwards RAI re application for design certification of AP600.Formal response required concerning interface of various reactor sys codes w/containment codes & analyses.
HUFFMAN,W.C. . 96/04/26. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88375:237-88375:240.

9605020144 Notification of 960503 meeting w/W in Rockville,MD to discuss AP600 MAAP4 benchmarking progress.
HUFFMAN,W.C. . 96/05/01. QUAY,T.R. . 2pp. 88079:359-88079:360.

9605030014 Forwards W draft-markup of AP600 SSAR Section 18.7.
HUFFMAN,W.C. . 96/05/01. . 9pp. 88104:010-88104:018.

9605030023 Notification of 960508 meeting w/W in Rockville,MD to discuss level 1 probabilistic risk assessment for AP600.
SEBROSKY,J.M. . 96/05/01. QUAY,T.R. . 2pp. 88104:005-88104:006.

9605030188 Summary of 960305-08 meeting w/GE,Ansaldo & Westinghouse to discuss topics related to QA practices of Ansaldo related to test on AP600 & SBWR designs.Agenda,presentation matl for combined portion of meeting & AP600 discussion,encl.
SCALETTI,D.C. . 96/05/01. . 49pp. 88100:284-88100:332.

9605140152 Forwards draft TSs 5.1,5.2 & 5.3 for use in preliminary review of SSAR Section 18.7.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/01. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 88272:028-88272:033.

--9605140155 Proposed tech specs 5.1,5.2 & 5.3.
* Westinghouse Electric Corp. 96/05/01. 5pp. 88272:029-88272:033.

9605030296 Notification of 960521 & 22 meeting w/W in Rockville,MD to discuss W proposed resolution to issues re AP600 Human Factors Engineering Program.Meeting agenda encl.
HUFFMAN,W.C. . 96/05/02. QUAY,T.R. . 4pp. 88104:001-88104:004.

9605060170 Notification of 960508 meeting w/W in Rockville,MD to discuss design certification issues for AP600.
HUFFMAN,W.C. . 96/05/02. QUAY,T.R. . 4pp. 88111:345-88111:348.

9605060214 Responds to licensee ltr dtd 951113,re reduced staff review effort for AP600 advanced reactor design.
JACKSON,D.T. . 96/05/02. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88104:126-88104:129.

9605060230 Informs of 960617-21 meeting in San Francisco,CA to review final design & seismic analysis for nuclear island structures & foundation mat.
JACKSON,D.T. . 96/05/02. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 88104:117-88104:119.

9605060239 Summary of 960422-23 meeting w/Westinghouse in Rockville,MD to discus WGOTHIC computer code & PCS design review status.
JACKSON,E.T. . 96/05/02. . 10pp. 88104:107-88104:116.

9605170491 Submits info updating aspects of AP600 LBB analysis program, which supports confirmatory analysis being performed for NRC,including bounding analysis curves & input parameters. Proprietary portion withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/02. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 88368:345-88368:360.

--9605170502 Requests that proprietary AP600 design certification program leak before break info be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/02. QUAY,T.R. Document Control Branch (Document Control Desk). 12pp. 88368:349-88368:360.

9605060118 Forwards draft marked-up sections to AP600 PRA.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/03. QUAY,T.R. Document Control Branch (Document Control Desk). 1516pp. 88149:001-88153:060.

9605070189 Summarizes 960418 meeting w/W in Rockville,MD to discuss AP600 initial test program.List of attendees & presentation handouts encl.
SEBROSKY,J.M. . 96/05/03. NRC - No Detailed Affiliation Given. 32pp. 88117:315-88117:346.

9605090038 Forwards suppl to DSER for AP600 design.Suppl represents staff evaluation of submittals through 960131 & focuses on three areas:acceptability of testing program,quality of analysis codes & acceptability of analysis codes.W/o encl.
GRIMES,B.K. . 96/05/03. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88185:355-88185:358.

9605130207 Forwards matl presented to NRC technical staff on 960503 at meeting to further discuss thermal hydraulic uncertainty issue.Matl suppls presentation matl from 960229 meeting & written submittal of 960412.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/03. QUAY,T.R. Document Control Branch (Document Control Desk). 62pp. 88257:274-88257:335.

9605130211 Responds to NRC 950707 ltr re Westinghouse AP600 TS, documenting Westinghouse approach to completing AP600 TS,per discussion during 960419 meeting w/NRC.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/03. QUAY,T.R. Document Control Branch (Document Control Desk). 10pp. 88248:325-88248:334.

9605130220 Forwards Westinghouse response to NRC requests for addl info on AP600 design certification program.Encl 1 contains responses to 69 follow-on questions pertaining to Level 2 PRA modeling & severe accident issues.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/03. QUAY,T.R. Document Control Branch (Document Control Desk). 82pp. 88257:192-88257:273.

9605080087 Forwards preliminary test matrix to be used by NRC to evaluate performance of passive autocatalytic recombiners, per request.
HUFFMAN,W.C. . 96/05/06. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 88175:182-88175:184.

9605080092 Requests specific response for closure of DSER Open Item 17.1.3-1 by including or referencing in Chapter 17 of AP600 SSAR QA criteria intending to apply to RTNSS-identified SSCs during initial design & construction phase of AP600 plant.
HUFFMAN,W.C. . 96/05/06. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 88174:357-88174:359.

9605150158 Forwards nonproprietary & proprietary versions of responses to NRC RAI 440.258 on AP600 design certification test program,including revised drawings used to build RELAP 5 input model.Proprietary responses & drawings withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/06. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 88323:288-88329:311.

-9605150162 Requests that proprietary responses to NRC RAIs on AP600 be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/06. QUAY,T.R. Document Control Branch (Document Control Desk). 20pp. 88323:292-88323:311.

9605090120 Transmits info to enable W to better answer one of RAI in 960422 ltr.Info re AP600 probabilistic risk assessment.
SEBROSKY,J.M. . 96/05/07. LIPARULO,N.J. Westinghouse Electric Corp. 12pp. 88201:348-88201:359.

9605170117 Advises that matl encl in W affidavit,AW-96-927,will be withheld from public disclosure re 10CFR2.790,per 960215 request.
JACKSON,D.T. . 96/05/09. MCINTYRE,B. Westinghouse Electric Corp. 3pp. 88297:336-88297:338.

9605170345 Forwards non-proprietary Rev 0 to WCAP-14606 & proprietary Rev 0 to WCAP-14605, "Westinghouse Setpoint Methodology for AP600 Protection Sys." Proprietary rept withheld,per 10CFR9.17(a)(4).
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/09. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 88391:005-88391:089.

-9605170350 Requests that proprietary Rev 0 to WCAP-14605, "Westinghouse Setpoint for AP600 Protection Sys," be withheld,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/09. QUAY,T.R. Document Control Branch (Document Control Desk). 9pp. 88391:008-88391:018.

-9605170356 Non-proprietary "Westinghouse Setpoint Methodology for AP600 Protection Sys."
NYDES,R., WINTERS,J.W. Westinghouse Electric Corp. WCAP-14606 R00. 96/05/08. 70pp. 88391:019-88391:089.

9605210033 Provides three copies of licensee responses to NRC RAI on AP600 topics,including LOFTRAN computer code & FSAR section 10.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/13. QUAY,T.R. Document Control Branch (Document Control Desk). 10pp. 88353:014-88353:023.

9605210310 Forwards non-proprietary & proprietary versions of responses to NRC requests for addl info on AP600 topics & LOFTRAN computer code.Proprietary responses withheld,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/13. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 88372:249-88372:276.

-9605210318 Requests that proprietary responses to NRC requests for addl info on AP600 topics & LOFTRAN computer code,be withheld,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/13. QUAY,T.R. Document Control Branch (Document Control Desk). 24pp. 88372:253-88372:276.

9605210292 Summary of 960503 meeting w/W in Rockville,MD to discuss progress W made in MAAP4 benchmarking & refinement of key phenomena identification for benchmarking process re resolution of AP600 T/H uncertainty.
ARCHITZEL,R.E. . 96/05/14. . 65pp. 88308:113-88308:177.

9605210323 Forwards listed documents in support of 960521-22 meeting w/ Human Factors Branch re SSAR Chapter 18.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/14. Document Control Branch (Document Control Desk). 6pp. 88347:001-88347:228.

-9605210324 Nonproprietary "Designer's Input for Training of Human Factors Engineering Verification & Validation Personnel."
KERCH,S.P., MUMAW,R. Westinghouse Electric Corp. WCAP-14655. 96/05/31. 14pp. 88347:007-88347:021.

-9605210328 Nonproprietary draft of "Integration of Human Reliability Analysis W/ Human Factors Engineering Design Implementation Plan."
KERCH,S.P., ROTH,E.M., SANCAKTAR,S. Westinghouse Electric Corp. WCAP-14651 DRFT. 96/05/31. 16pp. 88347:022-88347:037.

-9605210329 Nonproprietary draft "Human Factors Engineering Operating Experience Review Rept for AP600 Nuclear Power Plant."
KERCH,S.P., SPAN,R.M. Westinghouse Electric Corp. WCAP-14645 DRFT. 96/05/10. 86pp. 88347:038-88347:123.

-9605210333 Nonproprietary draft "AP600 Functional Requirements Analysis & Function Allocation."
BROCKHOFF,C.S., MUMAW,R.J., ROTH,E.M. Westinghouse Electric Corp. WCAP-14644 DRFT. 96/05/31. 115pp. 88347:124-88347:228.

9605170258 Notification of 960521-22 meeting w/W in Monroeville,PA to discuss issues re AP600 Level 1 PRA.Meeting agenda encl.
HUFFMAN,W.C. . 96/05/15. QUAY,T.R. . 3pp. 88298:324-88298:326.

9605210211 Submits AP600 sample problems.Westinghouse will provide details of benchmarking of PIPESTRESS code during meeting w/NRC wk of 960603.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88353:024-88353:025.

9605220295 Errata to notification of 960521-22 meeting w/W in Monroeville,PA to discuss issues re AP600 Level 1 PRA. Meeting rescheduled for 960528,29 & 30.
HUFFMAN,W.C. . 96/05/15. QUAY,T.R. . 3pp. 88324:334-88324:336.

9605220490 Ack receipt of test matrix of NRC sponsored tests of passive autocatalytic recombiners at SNL.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/15. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 88369:326-88369:326.

9605280285 Errata to notification of 960516 meeting w/W in Monroeville,PA to discuss issues re AP600 Level 1 PRA,which was subsequently rescheduled for 960528,29 & 30.Meeting cancelled.
HUFFMAN,W.C. . 96/05/15. QUAY,T.R. . 3pp. 88374:318-88374:320.

9605280085 Forwards three copies of Westinghouse response to NRC RAI on AP600 topics.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/20. QUAY,T.R. Document Control Branch (Document Control Desk). 53pp. 88380:072-88380:124.

9605230184 Forwards comments on draft rev to AP600 std safety analysis rept re determination of staffing.
HUFFMAN,W.C. . 96/05/21. LIPARULO,N.J. Westinghouse Electric Corp. 15pp. 88342:139-88342:153.

9605230200 Forwards request for addl info re W plan for MAAP4 benchmarking & thermal-hydraulic uncertainty.
QUAY,T.R. . 96/05/21. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 88342:154-88342:158.

9605240185 Summarizes 960419 meeting w/W in Rockville,MD to discuss proposed resolution of AP600 TS issues identified in 950707 ltr from NRC to W.List of attendees & W presentation handouts encl.
HUFFMAN,W.C. . 96/05/21. NRC - No Detailed Affiliation Given. 47pp. 88343:287-88343:333.

9605280193 Forwards nonproprietary & proprietary versions of draft chapter to WGOTHIC applications rept scheduled for completion in June.Draft chapter describes AP600 PCS film coverage model.Proprietary draft chapter withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/21. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 88378:040-88378:107.

-9605280196 Requests that proprietary version of preliminary draft chapter to WGOTHIC applications rept re AP600 PCS film coverage model be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/21. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 88378:044-88378:050.

-9605280199 Nonproprietary preliminary draft of chapter, "Method for Calculating PCS Film Coverage Input for AP600 Containment DBA Evaluation Model" to WGOTHIC applications rept.
OFSTUN,R.P., SPENCER,D.R., WOODCOCK,J. Westinghouse Electric Corp. 96/05/15. 57pp. 88378:051-88378:107.

9605280065 Provides clarification on topical repts supporting NRC review of WGOTHIC computer code as part of AP600 review.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/22. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 88386:267-88386:267.

9605300031 Ltr contract:mod 4 to task order 201, "Review of W WGOTHIC Code for AP600 PCCS DBA Evaluations," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. 96/05/23. KNIGHT,D.A. SCIENTECH, Inc. 2pp. 88390:156-88390:157.

9605300123 Notice of 960605-06 meeting w/W to discuss issues related to AP600 containment SDSER open items & containment water coverage model.
HUFFMAN,W.C. . 96/05/24. QUAY,T.R. . 2pp. 88390:069-88390:070.

9605310095 Forwards addl info re AP600 instrumentation & control software architecture & operation description.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/05/24. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 88418:328-88418:330.

9605310038 Requests W provide NRC w/revised schedule for submittal of info in late W submittals & identify actions to be taken to resolve concern,in writing.
GRIMES,B.K. . 96/05/29. BRUSCHI,H.J. Westinghouse Electric Corp. 7pp. 88395:291-88395:297.

9605020400 Forwards suppl to draft SER on AP600 Computer Codes & Testing Program.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/29. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 88093:358-88093:360.

9605170474 Requests that JE Leatherman be removed from svc list & RH Buchholz be added.
NEGUS,P.T. General Electric Co. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88336:360-88336:360.

9605200491 Summary of 420 ACRS meeting on 950406-07 in Rockville,MD re Westinghouse test & analysis program associated w/AP600 passive containment sys & proposed final rulemaking to define scope of TS.
* ACRS - Advisory Committee on Reactor Safeguards. 95/05/04. ACRS - Advisory Committee on Reactor Safeguards. 33pp. 88341:235-88341:267.

9605210031 Summary of ACRS Westinghouse Std Plant Designs Subcommittee 950531 meeting in Rockville,MD re draft Commission paper on status of technical issues associated w/AP600 design review.
LINDBLAD,W.J. ACRS - Advisory Committee on Reactor Safeguards. 95/07/14. ACRS - Advisory Committee on Reactor Safeguards. 8pp. 88370:052-88370:059.

9605210070 Summary of 422nd ACRS meeting on 950608-10 in Rockville,MD re ethics training,proposed final PRA policy statement, proposed final rule on RV annealing & status of issues associated w/AP600 design certification review.
* ACRS - Advisory Committee on Reactor Safeguards. 95/07/25. ACRS - Advisory Committee on Reactor Safeguards. 34pp. 88370:070-88370:103.

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9605060072 Requests addl review of repts by NRC,per input provided by domestic & intl utils to go further than indicated in GE 960304 & 13 ltrs w/efforts on TRACG qualification for SBWR application.Utils,EPRI & GE desire to meet w/NRC on 960528.
HUCIK,S.A. General Electric Co. 96/04/26. RUSSELL,W.T. . 2pp. 88166:352-88166:353.

9605130147 SCIENTIFIC DESIGN OF PURDUE UNIVERSITY MULTI-DIMENSIONAL INTEGRAL TEST ASSEMBLY (PUMA) FOR GE SBWR.
ISHII,M., REVANKAR,S.T., DOWLATI,R. Purdue Univ., West Lafayette, IN. FIN L-2202. NUREG/CR-6309. 96/04/30. Division of Systems Technology (Post 941217). 279pp. 88238:001-88238:279.

9605080197 Forwards nonproprietary SBWR PANDA Transient Tests M3,M3A, M3B & M7 apparent test repts,per item 12 of attachment to GE 950724 ltr.
QUINN,J.E. General Electric Co. 96/05/06. QUAY,T.E. . 1p. 88208:169-88208:255.

-9605080203 "PANDA Transient Tests M3 Integral Sys Test Apparent Test Results."
AUBERT,C. Paul Scherrer Institute. ALPHA-601 R00. 96/03/18. 20pp. 88208:170-88208:189.

-9605080206 "PANDA Transient Tests M3A Integral Sys Test Apparent Test Results."
AUBERT,C. Paul Scherrer Institute. ALPHA-604 R00. 96/03/29. 22pp. 88208:190-88208:211.

-9605080208 "PANDA Transient Tests M3B Integral Sys Test Apparent Test Results."
AUBERT,C. Paul Scherrer Institute. ALPHA-605 R00. 96/04/11. 22pp. 88208:212-88208:233.

-9605080214 "PANDA Transient Tests M7 Integral Sys Test Apparent Test Results."
AUBERT,C. Paul Scherrer Institute. ALPHA-607 R00. 96/04/17. 22pp. 88208:234-88208:255.

9605090068 Forwards proprietary SBWR PANDA transient tests M3,M3A,M3B & M7 apparent test results repts.Proprietary repts withheld (ref 10CFR2.790).
QUINN,J.E. General Electric Co. 96/05/06. QUAY,T.E. . 7pp. 88237:245-88237:251.

9605170249 Informs that meeting w/NRC not necessary re 960426 request that NRC perform addl reviews of TRACG repts.
QUAY,T.R. . 96/05/14. HUCIK,W.A. General Electric Co. 2pp. 88298:311-88298:312.

9605280201 Clarifies charges for TAC M84214,GE SBWR - RAI - Initial Test Program (Chapter 14) on invoice XM0439-96,dtd 960429.
QUINN,J.E. General Electric Co. 96/05/22. JACKSON,G. Division of Accounting & Finance (Post 890205). 2pp. 88384:359-88384:360.

9605170474 Requests that JE Leatherman be removed from svc list & RH Buchholz be added.
NEGUS,P.T. General Electric Co. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88336:360-88336:360.

9605160158 Forwards insp rept 99900403/96-01 on 960305-08. Nonconformance identified.Unresolved items of concern noted because level of GE Quality Assurance oversight.
GALLO,R.M. . 96/05/10. QUINN,J.E. General Electric Co. 3pp. 88287:318-88287:341.

-9605160179 Notice of nonconformance from insp on 960305-08. Nonconformance noted:test results repts & data transmittal repts not prepared & issued IAW procedures.
* . 96/05/10. 3pp. 88287:321-88287:323.

-9605160226 Insp rept 99900403/96-01 on 960305-08.Noncompliance noted.Major areas inspected:activities performed to support design of SBWR & testing activities performed at PANDA test facility conducted under May 1990 GE NEDG-31831 provisions.
CWALINA,G.C., CWALINA,G.C., GALLO,R.M. . 96/05/08. 17pp. 88287:324-88287:341.

DOCKET DOCKET UNKNOWN

9605170461 Final response to FOIA request for documents.Forwards documents listed in App A.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/03. WHITE,W. Affiliation Not Assigned. 2pp. 88307:002-88307:201.

-9605170471 Application for AEC license to receive,possess,use & transfer of SNM.
* Affiliation Not Assigned. 63/11/14. Atomic Energy Commission (Pre 750119). 200pp. 88307:004-88307:133.

-9605170485 Application for license to receive,store,possess & ship SNM.
* . 64/01/20. 67pp. 88307:137-88307:201.

9605090059 Transmits for docket 70003085,table of hydrogeologic parameters for SLDA,tables presenting summary of 4 inch TWSP data organized by trench & tables presenting U-235 concentrations.
ROSENTHAL,P.R. Babcock & Wilcox Co. 96/04/30. ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 14pp. 88216:343-88216:357.

9605160215 Forwards insp repts 40-0204/96-01,40-0663/96-01 & 70-0471-96-01 on 960301.No violations or deviations identified.
SCARANO,R.A. Region 4 (Post 820201). 96/05/10. TAMUSAITIS,J. Marquardt Corp. 3pp. 88277:060-88277:074.

-9605160219 Insp repts 40-0204/96-01,40-0663/96-01 & 70-0471/96-01.No violations or deviations identified.Major areas inspected: independent radiation surveys in buildings & external areas where licensees activities may have taken place.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/10. 12pp. 88277:063-88277:074.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),

9605140050 Forwards technical review performed by Battelle-Columbus staff of March 1996 draft rept, "Evaluation for Existence of Blast Waves Following Licenseing Basis Double-Ended Guillotine Pipe Breaks." Review of comments,recommended.
SERKIZ,A.W. Generic Safety Issues Branch (Post 941217). 96/04/26. SGARRO,R. Pennsylvania Power & Light Co. 2pp. 88270:141-88270:162.

-9605140090 Forwards comments re review of draft document entitled "Evaluation for Existence of Blast Waves Following Licensing Basis Double-Ended Guillotine Pipe Breaks," dated March 1996.
SCOTT,P., WILKOWSKI,G., PAUL,D. Battelle Memorial Institute, Columbus Laboratories. 96/04/23. SERKIZ,A. NRC - No Detailed Affiliation Given. 2pp. 88270:142-88270:143.

-9605140096 "Evaluation for Existence of Blast Waves Following Licensing Basis Double-Ended Guillotine Pipe Breaks."
SCOTT,P., PAUL,D., OLSON,R. Battelle Memorial Institute, Columbus Laboratories. 96/04/11. 18pp. 88270:144-88270:162.

DOCKET 70-0025 ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA

9605140296 Informs of intent to dispose of two lots of structural matls from RIHL at conventional disposal facility.
BARNES,J.G. Rockwell International Corp. 96/04/18. HOOKER,C. Region 4 (Post 820201). 2pp. 88268:335-88268:336.

9605200098 Transmits addl info to suppl request for termination of license SNM-21.
RUTHERFORD,P.D. Rockwell International Corp. 96/04/24. TURTIL,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 16pp. 88351:024-88351:039.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9605030090 Ack receipt of 960318 ltr re Invoice MM0064-96 & payment in listed amount.Issues raised in ltr will be considered & response will be available in near future.
JACKSON,G.C. Division of Accounting & Finance (Post 890205). 96/04/02. RODGERS,W.R. Babcock & Wilcox Co. 1p. 88104:251-88104:253.

-9605030116 Advises NRC to refund monies B&W previously paid under 960222 ltr & refrain from sending any other late billings for NRC insps.
RODGERS,W.R. Babcock & Wilcox Co. 96/03/18. SCROGGINS,R.M. Office of the Controller (Post 890205). 2pp. 88104:252-88104:253.

9605030292 Submits NRC window request/notification of shipment to Brookhaven Natl Lab from 960425-30.
CAMPLIN,W.F. Babcock & Wilcox Co. 96/04/02. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. NRC - No Detailed Affiliation Given. 2pp. 88094:002-88094:003.

9605150230 Forwards changes to physical security plan,per 10CFR70.34. Encl withheld.
NOEL,J.L. Babcock & Wilcox Co. 96/04/19. PIERSON,R. Licensing Branch. 2pp. 88288:338-88288:339.

9605100209 Responds to 960318 ltr re concerns of constituent WG Wade re B&W facilities in Lynchburg,VA.Supplemental EA for renewal of SNM-42 encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/24. ROBB,C.S. Senate. 6pp. 88249:102-88249:162.

9605030289 Notifies of shipment of 6300 lbs of Solid (Al Clad Fuel Elements) to Brookhaven Natl Lab in NY.
CAMPLIN,W.F. Babcock & Wilcox Co. 96/04/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. NRC - No Detailed Affiliation Given. 2pp. 88092:318-88092:319.

9605100125 Discusses NRC insp rept 70-0027/96-04 & forwards notice of violation.
MCALPINE,E.J. Region 2 (Post 820201). 96/04/29. CONNER,J.A. Babcock & Wilcox Co. 3pp. 88190:185-88190:201.

-9605100130 Notice of violation from insp on 960217-0330.Violation noted:operations personnel left fuel container unattended in location not approved for fuel storage for 45 minutes.
MCALPINE,E.J. Region 2 (Post 820201). 96/04/29. 2pp. 88190:188-88190:189.

-9605100138 Insp rept 70-0027/96-04 on 960217-0330.Violations noted. Major areas inspected:selected records,interviews w/ personnel,direct observation of work activities in areas of organization,facility operations & nuclear criticality.
HUGHEY,C.A., TROUP,G.L., MCALPINE,E.J. Region 2 (Post 820201). 96/04/29. 12pp. 88190:190-88190:201.

9605070361 Forwards amend 7 to license SNM-42 & safeguards evaluation rept.Amend includes rev 26 to physical security plan dtd 960419.
PIERSON,R.C. Licensing Branch. 96/05/01. OLSEN,A.F. Babcock & Wilcox Co. 2pp. 88169:340-88169:353.

-9605070363 Amend 7 to license SNM-42 for B&W,including rev 26 to physical plan dtd 960419.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/01. 10pp. 88169:342-88169:351.

-9605070364 Safeguards evaluation rept supporting amend 7 to license SNM-42.
* NRC - No Detailed Affiliation Given. 96/05/01. 2pp. 88169:352-88169:353.

9605090009 Submits affidavit in order for info w/pages dtd 960412 to be withheld from public disclosure.
OLSEN,A.F. Babcock & Wilcox Co. 96/05/02. PIERSON,R.C. Licensing Branch. 5pp. 88212:356-88212:360.

9605140034 Forwards insp rept 70-0027/96-05 on 960401-05.No violations or deviations identified.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/02. CONNER,J.A. Babcock & Wilcox Co. 2pp. 88221:203-88221:209.

--9605140037 Insp rept 70-0027/96-05 on 960401-05.No violations noted. Major areas inspected:program for controlling vehicles, protection of classified matl,training,qualification, tactical exercises & contingency plans assessed.
TOBIN,W.J., MCALPINE,E.J. Region 2 (Post 820201). 96/04/30. 5pp. 88221:205-88221:209.

9605090048 Requests that license SNM-42 be amended to incorporate changes to Fundamental Nuclear Matl Control Plan.Encl withheld.
OLSEN,A.F. Babcock & Wilcox Co. 96/05/03. PIERSON,R.C. Licensing Branch. 1p. 88316:356-88316:356.

9605140518 Informs that customers reviewing proposed revs & estimate addl 60 days will be required to complete activities necessary to provide NRC w/documentation clarifying RTRFE financial assurance.
OLSEN,A.F. Babcock & Wilcox Co. 96/05/06. FLACK,E.D. Licensing Branch. 1p. 88268:356-88268:356.

9605280198 Notifies of shipment of solid aluminum clad fuel elements to Brookhaven Natl Lab.
CAMPLIN,W. Babcock & Wilcox Co. 96/05/06. BENNINGTON,G. Commissioners (Post 750119). 2pp. 88355:359-88355:360.

9605200380 Discusses change in US DOE region II radiological assistance program telephone area code.New telephone numbers listed.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. CONNER,J.A. Babcock & Wilcox Co. 2pp. 88292:070-88292:071.

9605140399 Informs that B&W chosen to demonstrate that delaying decommissioning in public interest,in response to NRC 960311 ltr.B&W intend to submit demonstration by 960524.
OLSEN,A.F. Babcock & Wilcox Co. 96/05/09. PIERSON,R.C. Licensing Branch. 1p. 88269:328-88269:328.

9605150193 Notifies vendor 960415 ltr requesting description of U recovery process & nuclear criticality safety evaluations should be withheld.Info reviewed & determined to contain proprietary commercial info & will be withheld.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/09. OLSEN,A.F. Babcock & Wilcox Co. 3pp. 88288:347-88288:349.

9605210426 Grants extension until 960524 to respond to NRC 960311 ltr re postponement of B&W industrial waste landfills decommissioning.
FLACK,E.D. Licensing Branch. 96/05/14. OLSEN,A.F. Babcock & Wilcox Co. 2pp. 88359:349-88359:350.

9605210434 Grants 60 day extension until 960701 to complete activities necessary to provide documentation clarifying Research & Test Reactor Fuel Element program financial assurance,in response to 960506 ltr.
FLACK,E.D. Licensing Branch. 96/05/14. OLSEN,A.F. Babcock & Wilcox Co. 2pp. 88359:347-88359:348.

9605220139 Forwards 14 NRC Form 327's giving matl balance statements representing HEU,LEU & Pu plants & total facility for HEU, LEU,Pu & U-233.ID's for all plants & total facilities within limits.Encl withheld.
ROWLAND,D.S. Babcock & Wilcox Co. 96/05/14. PIERSON,R.C. Licensing Branch. 1p. 88351:227-88351:227.

9605210343 Forwards amend 9 to license SNM-42 & safeguards evaluation rept.Amend incorporates revs to FNMCP.
PIERSON,R.C. Licensing Branch. 96/05/16. OLSEN,A.F. Babcock & Wilcox Co. 2pp. 88361:067-88361:081.

--9605210395 Amend 9 to license SNM-42 for B&W,incorporating revs to FNMCP.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/16. 10pp. 88361:070-88361:079.

--9605210396 Safeguards evaluation rept supporting amend 9 to license SNM-42.
* NRC - No Detailed Affiliation Given. 96/05/16. 2pp. 88361:080-88361:081.

9605290027 Transmits results of work on criticality of U(100)- Be-water mixtures.Work investigated effects on criticality for different U-235 concentrations in various amounts of beryllium & water.
HRABAL,C.A. Licensing Branch. 96/05/20. PIERSON,R.C. Licensing Branch. 10pp. 88397:212-88397:221.

9605280235 Responds to 960318 ltr re late invoices received by licensee for certain insps conducted by NRC during 1991-1995 & protesting debt under 10CFR15.31.
SCROGGINS,R.M. Office of the Controller (Post 890205). 96/05/23. RODGERS,W.R. Babcock & Wilcox Co. 4pp. 88396:209-88396:216.

9605300043 Responds to 960311 ltr re delay of decommissioning activities in industrial waste landfills.Basis for delay in decommissioning activities being in public interest encl.
OLSEN,A.F. Babcock & Wilcox Co. 96/05/24. PIERSON,R.C. Licensing Branch. 6pp. 88399:229-88399:234.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9605010022 Provides results of Licensee Performance Review of ABB Combustion Engineering Hematit Facility.
MILLER,H.J. Region 3 (Post 820201). 96/04/22. KAISER,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 88054:319-88054:322.

9605070358 Requests addl info to support conclusion that source of Tc-99 in Well #4 evaporation ponds,in response to C-E 950714 & 1030 ltrs.Licensee also requested to revise ground water monitoring program as stated.
PIERSON,R.C. Licensing Branch. 96/04/30. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 88174:033-88174:036.

9605080067 Provides 781124 J Keppler ltr re U fuel fabrication plant at Hematite,MO.Copies of any & all licensee correspondence concerning ref licensee contract w/NRC on subj matter, requested to be provided.
KUCERA,R. Missouri, State of. 96/05/03. TOKAR,M. Office of Nuclear Material Safety & Safeguards. 2pp. 88187:268-88187:279.

--9605080070 Responds to 781013 & 18 ltrs which requested addl info re insp program for CE U fuel fabrication plant at Hematite,MO. Recent confirmatory measurements insp of 780920 & 1017 & final Environ Impact Appraisal,encl.
KEPPLER,J.G. Region 3 (Post 820201). 78/11/24. DREY,L. Affiliation Not Assigned. 10pp. 88187:270-88187:279.

9605150080 Provides updated listing of individuals authorized to make license commitments & perferred distribution of correspondence from NRC.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 96/05/08. PIERSON,R.C. Licensing Branch. 2pp. 88288:343-88288:344.

9605210461 Provides updated listing of individuals authorized to make license commitments.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 96/05/08. SHEAR,G.L. Region 3 (Post 820201). 2pp. 88361:156-88361:157.

9605210444 Forwards NUREG/CR-3387, "Radiological Survey of C-E Burial Site Hematite,MO" published Jul 1983 & Mallinckrodt Chemical Works 560515 license application for NRC issued license SNM-33 on 560718,per request during 960501 telcon.W/o encls.
SOONG,S. Licensing Branch. 96/05/14. LANGE,T. Missouri, State of. 2pp. 88359:345-88359:346.

9605210408 Requests licensee consent to incorporate encl USA/IAEA S Safeguards Agreement dtd 951204 into license SNM-33,per 10CFR75.8.Encl withheld (ref 10CFR2.790).
SOONG,S. Licensing Branch. 96/05/15. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 88359:356-88359:357.

9605280233 Forwards insp rept 70-0036/96-02 on 960422-26. Violations noted.
SHEAR,G.L. Region 3 (Post 820201). 96/05/17. KAISER,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 88356:144-88356:164.

--9605280245 Insp rept 70-0036/96-02 on 960422-26.No violations noted. Major areas inspected:mgt organization & control,operations, waste shipments,operator training,security program,fire protection & emergency preparedness.
SHEAR,G.L. Region 3 (Post 820201). 96/05/17. 17pp. 88356:146-88356:164.

DOCKET 70-0082 NUCLEAR METALS, INC., CONCORD, MA

9605280048 Informs that supplemental info provided re decontamination activities conducted by Controls for Radiation,Inc,provides sufficient basis for closure of review of license SNM-0065.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/03. MASSE,F.S. Nuclear Metals, Inc. 3pp. 88350:049-88350:051.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9605170473 Forwards "Apollo Facility Post Radiological Remediation Soils & Groundwater Sampling Final Rept" & "Post-Remediation Non-Radiological Health Risk Assessment B&W Apollo,PA Site."
SGARLATA,D.K. Babcock & Wilcox Co. 96/05/10. MATVIYA,J.J. Pennsylvania, Commonwealth of. 1p. 88337:001-88339:086.

--9605170481 "Apollo Facility Post Radiological Remediation Soils & Groundwater Sampling Final Rept."
* Babcock & Wilcox Co. 96/05/10. 450pp. 88337:002-88338:287.

--9605170490 "Post-Remediation Non-Radiological Health Risk Assessment B&W Apollo,PA Site."
FISHMAN,B.E. Affiliation Not Assigned. 96/05/08. 150pp. 88338:288-88339:086.

9605280046 Forwards "B&W Nuclear Environ Svcs Inc effluent Summary Rept Jul-Dec 1995." Effluent monitoring data provided herein confirms air & liquid discharges from each of Apollo & Parks Township sites well below limits specified in 10CFR20,App B.
SGARLATA,D.K. Babcock & Wilcox Co. 96/04/09. MARTIN,T.T. Region 1 (Post 820201). 1p. 88386:256-88386:258.

--9605280047 "B&W Nuclear Environ Svcs Inc Effluent Summary Rept Jul-Dec 1995."
* Babcock & Wilcox Co. 95/12/31. 3pp. 88386:257-88386:258.

9605310092 Forwards results of NRC TLD direct radiation monitoring around facility for first quarter 1996.
STRUCKMEYER,R. Region 1 (Post 820201). 96/05/20. CEPICKA,J.J. Babcock & Wilcox Co. 4pp. 88392:134-88392:137.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9605090155 Forwards RCRA facility investigation workplan for groundwater investigation & groundwater risk assessment. W/four oversize drawings.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/05/02. FARMER,G.A. Environmental Protection Agency. TIESLER,T. Tennessee, State of. 1p. 88263:001-88263:288.

--9605090157 "RCRA Facility Investigation Workplan for Groundwater Investigation & Groundwater Risk Assessment at NFS in Erwin, TN."
* Nuclear Fuel Services, Inc. 96/04/30. 96pp. 88263:002-88263:097.

--9605090166 "Final Project Rept Groundwater Flow & Constituent Transport Modeling at NFS Facility in Erwin,TN."
* Nuclear Fuel Services, Inc. 96/04/25. 191pp. 88263:098-88263:288.

9605010054 Application for renewal of license SNM-124 for period of 10 yrs.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/04/26. PIERSON,R.C. Licensing Branch. 4pp. 88079:296-88079:299.

9605070367 Forwards amend 28 to license SNM-124 & safeguards evaluation rept.Amend includes rev 10 to physical safeguards plan,rev 14 to site security training plan & rev 6 to physical security plan.W/o encls.
PIERSON,R.C. Licensing Branch. 96/04/26. MAXIN,A.M. Nuclear Fuel Services, Inc. 3pp. 88174:037-88174:039.

9605090262 Forwards proprietary Rev 1 of "NFS FNMCP." FNMCP revised in response to TH Cox 960329 ltr.Encl withheld from public disclosure per 10CFR2.790(d).
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/04/30. COX,T.H. Licensing Branch. 1p. 88237:253-88237:253.

9605090232 Forwards 30-day written notification of event on 960402,fire occurred in ductwork above bldg 302 incinerator & spread to main ventilation sys located on 300 Complex roof & main scrubber bldg 306.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/05/02. Document Control Branch (Document Control Desk). 6pp. 88210:216-88210:221.

9605140002 Forwards insp rept 70-0143/96-04 on 960415-18.No violations or deviations identified.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/03. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 88221:107-88221:113.

-9605140003 Insp rept 70-0143/96-04 on 960415-18.No violations or deviations noted.Major areas inspected:program & procedures for controlling access & egress of personnel,vehicles & packages re protected & matl access areas.
TOBIN,W.J., MCALPINE,E.J. Region 2 (Post 820201). 96/05/02. 5pp. 88221:109-88221:113.

9605140321 Confirms telcon between N Newman & T Decker on 960426 re meeting requested by NRC scheduled for 960529 to discuss results of analysis of recent event involving Bldg 302 incinerator.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/03. FERGUSON,D. Nuclear Fuel Services, Inc. 3pp. 88223:144-88223:146.

9605150165 Advises revised HEU FNMCP to cover Rocky Flats scrap recovery project reviewed & acceptable.Matls license SNM-124 amended to incorporate plan.
PIERSON,R.C. Licensing Branch. 96/05/08. MAXIN,A.M. Nuclear Fuel Services, Inc. 3pp. 88289:282-88289:304.

-9605150173 Amend 29 to SNM-0124 for Nuclear Fuel Svcs,Inc.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/08. 20pp. 88289:285-88289:302.

-9605150255 SER approving revised FNMC Plan.
* Office of Nuclear Material Safety & Safeguards. 96/05/08. 2pp. 88289:303-88289:304.

9605200346 Informs of change in telephone area code for DOE Region 2 Radiological Assistance Program from 615 to 423.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 88291:357-88291:358.

9605150139 Forwards proprietary "Operational Readiness Review Plan for Rocky Flats UNH Project," as agreed during 960419 meeting w/ NRC.Plan provides overview of high enriched uranyl nitrate hexahydrate conversion process.Plan withheld per 10CFR2.790.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/05/09. PIERSON,R.C. Licensing Branch. 5pp. 88309:205-88309:209.

9605210531 Commits to proposed revs of emergency plan as identified in encl,per 960510 telcon w/T Cox.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/05/14. PIERSON,R.C. Licensing Branch. 3pp. 88361:122-88361:124.

9605210448 Ack receipt of 960426 application for renewal of license SNM-124.License shall not expire until application for renewal finally determined by Commission,since application received 30 days prior to license expiration date of 960630.
COX,T.H. Licensing Branch. 96/05/16. MAXIN,A.M. Nuclear Fuel Services, Inc. 2pp. 88359:343-88359:344.

9605210403 Informs that in area of physical protection NRC determined that licensee met requirements & demonstrated performance necessary to operate at Category I level of physical protection,per NRC visit to site on 960506-11.
PIERSON,R.C. Licensing Branch. 96/05/20. MAXIN,A.M. Nuclear Fuel Services, Inc. 2pp. 88359:358-88359:359.

9605280066 Forwards insp rept 70-0143/96-05 on 960403-11.No violations noted.
EBNETER,S.D. Region 2 (Post 820201). 96/05/21. FERGUSON,D. Nuclear Fuel Services, Inc. 4pp. 88355:170-88355:246.

-9605280072 Insp rept 70-0143/96-05 on 960403-11.No violations noted. Major areas inspected:review of facts & circumstances that led to fire in ventilation ducting of 300 Complex on 960402.
COX,T., DATTA,A., GLOERSEN,W. Region 2 (Post 820201). 96/05/16. 73pp. 88355:174-88355:246.

9605280076 Responds to 960312 ltr re late invoices for insp in 1991-95. Insps were billed late due to late entry of invoices in NRC tracking sys & NRC taken steps to correct errors.Fees cannot be waived & due & payable.
SCROGGINS,R.M. Office of the Controller (Post 890205). 96/05/23. NEWMAN,N.J. Nuclear Fuel Services, Inc. 15pp. 88396:192-88396:208.

-9605280094 Responds to 960222 ltr forwarding 10 invoices for payment. Billings were sent "substantially late" & author argues to pay them now would constitute inequitable burden on licensee.Requests that NRC therefore withdraw invoices.
NEWMAN,N.J. Nuclear Fuel Services, Inc. 96/03/12. SCROGGINS,R.M. Office of the Controller (Post 890205). 1p. 88396:207-88396:207.

-9605280100 Ack receipt of 960312 ltr re invoice MM0073-96 for license SNM-124.Interest waiver extended until NRC responds to requests.
JACKSON,G.C. Division of Accounting & Finance (Post 890205). 96/03/14. NEWMAN,N.J. Nuclear Fuel Services, Inc. 1p. 88396:208-88396:208.

9605300192 Forwards revised "Nuclear Fuel Svcs,Inc Emergency Plan."
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/05/23. PIERSON,R.C. Licensing Branch. 2pp. 88402:318-88402:339.

-9605300195 Revised "Nuclear Fuel Svcs,Inc Emergency Plan."
* Nuclear Fuel Services, Inc. 95/10/31. 18pp. 88402:320-88402:339.

DOCKET 70-0261 SCHLUMBERGER TECHNOLOGY CORP., RIDGEFIELD, CT

9605130027 Third & partial response to FOIA request.App D records available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. LEVENTHAL,D. Affiliation Not Assigned. 41pp.

-9605140015 Responds to 620511 ltr requesting clarification of info required in order to accept guarantee of obligations to AEC for use & possession of matls.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/05/22. WELLS,M.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605140073 Notice to AEC PDR & others that "Schlumberger 1962 Annual Rept," available for review.
* Atomic Energy Commission (Pre 750119). 63/04/12. 1p.

-9605150009 Informs of initiation of investigation of nondiscrimination complaint against Shlumberger Well Surveying Corp.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 63/08/27. LOW,L.D. Atomic Energy Commission (Pre 750119). 1p.

-9605160369 Forwards 1962 annual rept of Schlumberger Ltd.
WELLS,H.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/04/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p.

DOCKET 70-0310 SCHLUMBERGER TECHNOLOGY CORP., HOUSTON, TX

9605130027 Third & partial response to FOIA request.App D records available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. LEVENTHAL,D. Affiliation Not Assigned. 41pp.

-8206300436 Agrees that separate licenses should be issued to Schlumberger companies,as separate licenses would ensure appropriate control over radioactive matls & facilitate regulation.
DORIAN,T.F. Regulations Division. 82/04/21. MILLER,V.L. Materials Licensing Branch. 1p. 66153:066-66153:066.

-8902210236 Amend 22,terminating License SNM-287 for Schlumberger Technology Corp.
WHITTEN,J.E. Region 4 (Post 820201). 87/12/15. 1p. 48795:315-48795:317.

-9605130214 Forwards three copies of pamphlet "Radioactive Sources Abandoned in Oil or Gas Wells."
CHEETHAM,O.C. Schlumberger Well Services. 68/01/05. Atomic Energy Commission (Pre 750119). 1p.

-9605130218 "Schlumberger Radiation Sources & Controls Second Edition."
* Schlumberger Well Services. 67/05/03. 192pp.

-9605130297 Forwards SNM License SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/03/18. BLANCHARD,A. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130302 License SNM-0287 for Schlumberger Well Surveying Corp, authorizing possession & use of 240 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/03/18. 2pp.

-9605130306 Advises of allocation of 160 grams ofPu as Pu-Be neutron sources.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/11/17. LUNN,W.D. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605130318 Forwards amend to license SNM-287.W/o encl.
KIRK,R.L. Atomic Energy Commission (Pre 750119). 60/05/03. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130322 Advises that 600204 application for amend to license SNM-287 meets requirements of act & regulations of AEC.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/04/25. Atomic Energy Commission (Pre 750119). 1p.

-9605130326 Amend 2 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing 12,000 grams Pu as Pu-Be neutron sources.
KIRK,R.L. Atomic Energy Commission (Pre 750119). 60/05/03. 2pp.

-9605130332 Advises of allocation of 7,920 grams Pu under license SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/10/21. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605130337 Ack teletype of 601025,confirming 601020 telcon,authorizing postponement of performance of wipe tests of Pu source for 30 days.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/11/07. WELLS,H.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130339 Authorizes transport of Pu-Be neutron sources under license SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/10. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130341 Forwards SNM license SNM-287 as amended.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/03/19. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130358 Amend 6 to license SNM-0287 for Schlumberger Well Surveying Corp.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/03/19. 1p.

-9605130362 Advises of lost source containing 5 Ci Pu-Be neutron source.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 62/04/27. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 4pp.

-9605130368 Confirms 620427 loss of 5 Ci Pu-Be neutron source in oil well near Bakersfield,CA.
RUDDICK,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/04/27. Atomic Energy Commission (Pre 750119). 3pp.

--**9605130373** Discusses 620427 rept of loss of 5 Ci Pu-Be neutron source in oil well in Kern County,CA.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 62/05/01. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p.

--**9605130376** Forwards 620427 TWX reporting loss of 5 Ci Pu-Be neutron source.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/05/01. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605130380** Forwards rept of loss of 5 Ci Pu-Be neutron source in oil well in CA.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/05/08. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605140006** Ack receipt of 620329 ltr & 620327 & 0402 telcons,informing AEC of corrections to deficiencies in licensed program.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/05/15. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140015** Responds to 620511 ltr requesting clarification of info required in order to accept guarantee of obligations to AEC for use & possession of matls.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/05/22. WELLS,M.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140016** Forwards License SNM-287 as amended.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/06/28. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140022** Amend 7 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams of Pu.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/06/28. 1p.

--**9605140027** Answers questions contained in 620628 ltr re request to have drawings H-48576 & H-48620 withheld from public insp.
RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/07/09. Atomic Energy Commission (Pre 750119). 1p.

--**9605140031** Forwards license SNM-287 as amended.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/08/17. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140033** Amend 8 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
* Atomic Energy Commission (Pre 750119). 62/08/17. 2pp.

--**9605140036** Provides addl info re 5 Ci Pu neutron source lost in El Paso Natural Gas Co well near Deming,WA.
RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/11/13. Atomic Energy Commission (Pre 750119). 2pp.

--**9605140059** Confirms 621110 telcon re loss of 5 Ci Pu neutron source in El Paso Natural Gas Co well.
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/11/10. Atomic Energy Commission (Pre 750119). 2pp.

--**9605140063** Ack receipt of 621113 ltr informing AEC of loss of 5 Ci Pu source.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/11/21. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

--**9605140067** Advises that items 8 & 10 to license SNM-287 amended as listed & item 12 added.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/12/14. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140070** Ack receipt of 630226 ltr advising of error in 630129 ltr. Neutron source cemented in place in oil & gas test well in Whatcom County,WA was contained in well logging tool identified NLS-C H-48576.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/03/01. Atomic Energy Commission (Pre 750119). 1p.

--**9605140073** Notice to AEC PDR & others that "Schlumberger 1962 Annual Rept," available for review.
* Atomic Energy Commission (Pre 750119). 63/04/12. 1p.

--**9605150009** Informs of initiation of investigation of nondiscrimination complaint against Shlumberger Well Surveying Corp.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 63/08/27. LOW,L.D. Atomic Energy Commission (Pre 750119). 1p.

--**9605150014** Amend 4 to License SNM-287 for Schlumberger Well Surveying Corp,revising items 8 & 11 as listed.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/09. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150020** Confirms telcon re loss of 5 Ci Pu source in Gulf of Mexico in Hurricane Hilda.
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/10/06. Atomic Energy Commission (Pre 750119). 1p.

--**9605150023** Confirms 641006 telcon re loss of 1 5-Ci Pu source in Gulf of Mexico in Hurricane Hilda.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/10/06. MCFALL,E.D. Atomic Energy Commission (Pre 750119). 3pp.

--**9605150025** Forwards amended license SNM-287.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/11/06. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150029** Amend 11 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/11/06. 2pp.

--**9605150040** Forwards licenses 42-00090-03 & SNM-287 & pertinent backup info.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 65/03/12. NELSON,P.R. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150065** Discusses assist compliance insp of New Orleans Div of Schlumberger Well Surveying Corp.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 65/05/26. BROWN,G.T. Atomic Energy Commission (Pre 750119). 9pp.

--**9605150069** Requests response within 20 days to noncompliances noted in insp.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/06/22. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150076** Safety insp on 650419-21,0503,04,05,10 & 13 & 650608-09 of license SNM-287.Insp findings:SNM used in State of WA not authorized by license & storage containers not labeled to indicate quantities & kinds of radioactive matls.
SANDEL,P.S. Atomic Energy Commission (Pre 750119). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/04/19. 13pp.

--**9605150079** Responds to noncompliances noted in insp of license SNM-287. Corrective actions:license amended to authorize use in any state within continental US.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/29. Atomic Energy Commission (Pre 750119). 1p.

--**9605150083** Amend 12 to license SNM-0287 for Schlumberger Well Surveying Corp,renewing license.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/07/16. 3pp.

--**9605150088** Advises that drawings H-48620,H-48576 & H-124510 should be withheld per 10CFR2.790.
ANDERSON,R.A. Atomic Energy Commission (Pre 750119). 65/07/30. SHAPAR,H.K. Atomic Energy Commission (Pre 750119). 1p.

--**9605150091** Forwards licensee response to Form AEC-592.Response adequate.
WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 65/07/02. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605150217** Repts loss of 1.5 Ci Cs-137 sealed source in well +/- 12 miles off coast of OR.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/08/06. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150224** Advises that drawings H-48620,H-124510 & H-48576 withheld from public insp per 10CFR2.790.
MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 65/08/16. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150235** Discusses licensee request for withholding drawings H-48620, H-124510 & H-48576 from public insp per 10CFR2.790.
MACDONALD,C.E. Atomic Energy Commission (Pre 750119). 65/08/16. Atomic Energy Commission (Pre 750119). 1p.

--**9605150244** Ack receipt of 650806 ltr informing AEC of loss of 1.5 Ci Cs-137 source in well located approx 12 miles off coast of OR.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 65/08/20. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150264** Repts loss of 5 Ci Pu-Be neutron source in well in LA on 660325.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 66/05/02. Atomic Energy Commission (Pre 750119). 1p.

--**9605150267** Documents 660430 telcon re loss of 5 Ci Pu-Be well-logging source.Retrieval attempts unsuccessful.
WARD,J.J. Atomic Energy Commission (Pre 750119). 66/05/02. Atomic Energy Commission (Pre 750119). 1p.

--**9605150268** Repts loss of 5 Ci Pu-Be neutron source on 660507 in well in LA.
CHEATHAM,O.C. Schlumberger Well Services. 66/05/18. Atomic Energy Commission (Pre 750119). 1p.

--**9605150275** Discusses plans if any to place permanent marker on Glasscock Chapman,Inc well in which 5 Ci Pu-Be neutron source lost.No marker necessary.
CHEATHAM,O.C. Schlumberger Well Services. 66/05/23. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150278** Ack receipt of 660502 ltr reporting loss of 5 Ci Pu-Be neutron source in well.Plans re permanent marking requested.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/05/16. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150280** Ack receipt of 660518 ltr reporting loss of 5 Ci Pu-Be neutron source in well.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/05/27. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150281** Advises that LA well will be permanently identified w/metal warning sign.
CHEATHAM,O.C. Schlumberger Well Services. 66/06/07. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150283** Ack receipt of 660523 ltr.Well need not be permanently marked since well casing cut off below ground level & surface returned to original condition.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/06/14. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150286** Documents 660609 telcon re loss of 5 Ci Pu-Be neutron source in well owned by Glasscock-Chapman,Inc.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/06/15. Atomic Energy Commission (Pre 750119). 1p.

--**9605150288** Ack receipt of 660609 ltr in response to AEC 660527 ltr.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/06/15. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150291** Advises that Glasscock Chapman well in LA identified in error.Well to be permanently identified is Texas Gulf Sulfur Roane 1 well.
CHEATHAM,O.C. Schlumberger Well Services. 66/06/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150292** Forwards safety insp of licenses 42-00090-03 & SNM-287.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/09/18. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150312** Safety insp on 670717 & 0913 of license SNM-287.Insp findings:no items of noncompliance noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Schlumberger Well Services. 67/09/13. 2pp.

--9605150314 Advises that reinspections of licenses 42-00090-03 & SNM-287 performed on 670717.No items of nonconformance noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/11/09. Atomic Energy Commission (Pre 750119). 6pp.

--9605150317 Amend 18 to license SNM-287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/07/02. 19pp.

--9605150323 Forwards rept to LA Board of Nuclear Energy re abandonment of 80 gram PuBe neutron source in Chevron Oil Co CJ Freeland 2 well.
CHEATHAM,O.C. Schlumberger Well Services. 69/06/09. Atomic Energy Commission (Pre 750119). 1p.

--9605150326 Discusses abandonment of 5 Ci Pu-Be well logging source on 690520.
WARD,J.J. Atomic Energy Commission (Pre 750119). 69/06/12. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 2pp.

--9605150331 Advises of abandonment of 80 gram Pu-Be source in well in OK.
WARD,J.J. Atomic Energy Commission (Pre 750119). 69/11/24. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--9605150336 Ack receipt of 691110 ltr reporting loss of Pu source in well located in Major County,OK.
LOW,L.D. Atomic Energy Commission (Pre 750119). 69/12/03. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--9605150342 Repts abandonment of 80 gram Pu-239 Be source in well in OK.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 69/11/10. Atomic Energy Commission (Pre 750119). 2pp.

--9605150346 Discusses insp of license 42-00090-03 & SNM-287 on 691208.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 70/01/29. Atomic Energy Commission (Pre 750119). 1p.

--9605150350 Safety insp on 961208 of license SNM-0287.Insp findings: no noncompliance found.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Schlumberger Well Services. 69/12/08. 7pp.

--9605160190 Repts alpha contamination on 80 gram PuBe neutron source possessed under license SNM-287.
CHEATHAM,O.C. Schlumberger Well Services. 70/05/04. Atomic Energy Commission (Pre 750119). 1p.

--9605160196 Documents 700504 telcon re leaking 5 Ci Pu-Be source in Houston,TX.Source reported to be leaking since 1961 & was sealed in logging tool by two O-rings.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 70/05/05. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--9605160206 Ack receipt of 700504 ltr reporting detection of removable contamination on Pu-Be neutron source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 70/05/14. CHEATHAM,O.C. Schlumberger Well Services. 3pp.

--9605160214 Advises that on 700520 licensee returned leaking 76 gram Pu-239-Be source to Mound Lab for cancellation of lease w/ AEC.
CHEATHAM,O.C. Schlumberger Well Services. 71/02/08. CRAIG,P.A. Atomic Energy Commission (Pre 750119). 1p.

--9605160220 Advises that Directorate of Licensing has no objections to 730330 application for amend to License SNM-287.
WIRFS,L.F. Atomic Energy Commission (Pre 750119). 73/04/09. ROUSE,L.C. Atomic Energy Commission (Pre 750119). 1p.

--9605160224 Amend 20 to license SNM-0287 for Schlumberger Technology Corp & Schlumberger Ltd,renewing license in entirety.
ROUSE,L.C. Atomic Energy Commission (Pre 750119). 73/05/29. 3pp.

--9605160231 Discusses insp of licenses 42-00090-03 & SNM-0287 on 740513 in Woodward,OK & 740514-15 in Houston,TX.Violations noted.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/05/22. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

--9605160234 RO Inquiry Rept 70-0310/73-01Q.After unsuccessful attempts 80 gram Pu-239 sealed neutron source cemented in place & abandoned.
WARD,J.J. Atomic Energy Commission (Pre 750119). 73/06/19. 9pp.

--9605160240 Ack receipt of 740611 ltr,informing of steps taken to correct violations of AEC requirements.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/06/20. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--9605160241 Responds to AEC 740522 ltr re violations noted in insp of licenses 42-00090-03 & SNM-0287 on 740513 & 14-15.C/A: trucks now placarded as required by DOT & wipe tests on Pu sources will be current within 10 days of ltr date.
CHEATHAM,O.C. Schlumberger Well Services. 74/06/11. Atomic Energy Commission (Pre 750119). 6pp.

--9605160247 Advises of loss of ten sealed sources on well platform 100 miles offshore in Gulf of Mexico.Source recovery undertaken.
PAAS,H.J. Region IV, IE (720101-810228). 75/03/21. Region IV, IE (720101-810228). 1p.

--9605160264 Confirms 750527 telcon re TLD badge exposure rept on Linton, IN employee for fourth quarter.
RACSTER,C.E. Schlumberger Well Services. 75/05/27. HOWARD,E.M. Region IV, IE (720101-810228). 1p.

--9605160265 Provides status rept re loss of 10 sealed sources in well platform on Gulf of Mexico.
PAAS,H.J. Region IV, IE (720101-810228). 75/12/01. Region IV, IE (720101-810228). 1p.

--9605160269 Discusses 750806 ltr re sources permanently abandoned in Patrick Petroleum Co well in Renville County,ND.Source is 16 Ci neutron source Am-Be rather than Pu-238-Be source.
RACSTER,C.E. Schlumberger Well Services. 75/12/10. Region IV, IE (720101-810228). 2pp.

--9605160274 Forwards rept of insp of licenses 42-00090-03 & SNM-287 on 760701 & notice of violation.
BROWN,G.D. Fuel Facility & Materials Safety Branch, R4. 76/07/13. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--9605160278 Notice of violation from insp on 760701.Violations noted: nine individuals received whole body doses ranging from 1.254 rems to 3.309 rems per calendar quarter during period 740701-751231.
* Fuel Facility & Materials Safety Branch, R4. 76/07/13. 6pp.

--9605160281 Draft insp of licenses 42-00090-03 & SNM-287 on 760701. Violarions noted.
* Fuel Facility & Materials Safety Branch, R4. 76/07/01. 9pp.

--9605160285 Forwards repts of nine incidents of exposure per 760713 ltr & notice of violation.
RACSTER,C.E. Schlumberger Well Services. 76/08/04. BROWN,G.D. Region IV, IE (720101-810228). 21pp.

--9605160294 Ack receipt of 760804 ltr in response to 760713 ltr & notice of violation.
BROWN,G.D. Region IV, IE (720101-810228). 76/08/11. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--9605160296 Application for renewal of license SNM-0287.
RACSTER,C.E. Schlumberger Well Services. 78/05/30. Radioisotopes Licensing Branch (Pre 790501). 2pp.

--9605160300 Confirms 790705 telcon re 780530 application for renewal of license SNM-0287.
CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 79/07/12. RACSTER,C.E. Schlumberger Well Services. 1p.

--9605160302 Forwards IE Bulletin 79-19.W/o encl.
SEYFRIT,K.V. Region IV, IE (720101-810228). 79/08/10. Schlumberger Well Services. 1p.

--9605160306 Responds to request for rept in writing re packaging of low-level radwaste for transport & burial,per IE Bulletin 79-19.
RACSTER,C.E. Schlumberger Well Services. 79/08/28. Region IV, IE (720101-810228). 1p.

--9605160312 Discusses insp of licenses 42-00090-03 & SNM-287 on 810204. No violations noted.
BROWN,G.D. Region IV, IE (720101-810228). 81/02/18. STRECKER,I. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 15pp.

--9605160315 Requests completed application for renewal of license SNM-287.
GUINN,P. Materials Licensing Branch. 81/06/11. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--9605160325 Requests that GD Brown determine all sources abandoned in non-Agreement States have been reported to NRC.
MEYER,R. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 80/09/30. BROWN,G.D. Region IV, IE (720101-810228). 1p.

--9605160341 Requests response to request for addl info re application for renewal of license SNM-287 within 30 days of ltr date.
GUINN,P.R. Materials Licensing Branch. 81/11/30. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--9605160345 Application for renewal of license SNM-287.
RACSTER,C.E. Schlumberger Well Services. 81/12/30. Radioisotopes Licensing Branch (Pre 790501). 8pp.

--9605160362 Advises of error in manner licenses 42-00090-03 & SNM-287 issued to Schlumberger Technology Corp & Schlumberger Ltd.
MILLER,V.L. Materials Licensing Branch. 82/04/15. OLMSTEAD,W.J. Regulations Division. 1p.

--9605160369 Forwards 1962 annual rept of Schlumberger Ltd.
WELLS,H.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/04/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p.

--9605170035 Requests response to listed questions re complete up-to-date application for renewal of license SNM-287.
GUINN,P.R. Materials Licensing Branch. 82/04/23. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

--9605170037 Discusses concerns re renewal of license SNM-287.
MILLER,V.L. Materials Licensing Branch. 82/05/27. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--9605170040 Requests listed fees for application for amends to licenses 42-00090-03 & SNM-287.
JACKSON,G. License Fee Management Branch (Pre 861124). 82/06/03. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--9605170042 Application for amends to licenses 42-00090-03 & SNM-287, authorizing radiation sources & control manual.Fee paid.
RACSTER,C.E. Schlumberger Well Services. 82/06/10. JACKSON,G. Radioisotopes Licensing Branch (Pre 790501). 2pp.

--9605170049 Discusses application for renewal of licenses 42-00090-03 & SNM-287.Licensee feels renewal should be handled as previous policy to issue one license not separate licenses.
MARKS,R.P. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 82/06/29. MILLER,V.L. Materials Licensing Branch. 25pp.

--9605170051 Advises that licensee performs no radiation surveys during use of sealed sources for well logging purposes.NRC will insist on surveys.
GUINN,P. NRC - No Detailed Affiliation Given. 82/07/21. HICKEY,J. NRC - No Detailed Affiliation Given. 1p.

--9605170075 Requests response to listed questions re renewal of license SNM-287.
GUINN,P.R. Materials Licensing Branch. 82/12/13. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 3pp.

–9605170077 Responds to 821213 ltr re renewal of license SNM-287.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/01/07. Radioisotopes Licensing Branch (Pre 790501). 2pp.

–9605170092 Application for amend to License SNM-287,adding source H-207947.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/01/31. GUINN,P. Materials Licensing Branch. 1p.

–9605170103 Corrected amend 21 to license SNM-287 for Schlumberger Technology Corp,authorizing possession & use of 100 grams Pu-233.
GUINN,P.R. Materials Licensing Branch. 83/02/10. 3pp.

–9605170145 Certificate of disposition of matls:matls transferred to Monsanto Research Corp on or before 780807 or to Nuclear Sources & Svcs Inc on or before 870807.
RACSTER,C.E. Schlumberger Well Services. 87/11/10. 1p.

–9605170149 "Radiation Protection Handbook."
* Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/01/30. 66pp.

–9605170508 Informs that no items of compliances noted as result of investigation on 610419-21 & insp of byproduct matl License 42-90-1.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/03/21. BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 4pp.

–9605200197 Responds to NRC 620321 ltr,listing items of noncompliance w/conditions of byproduct matl 42-00090-03 & SNM-287.
BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/03/29. Atomic Energy Commission (Pre 750119). 2pp.

–9605200203 Discusses 620329 ltr,0327 & 0402 telcons,informing NRC that licensee corrected or will correct deficiencies in licensed program.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/05/15. BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

–9605220078 Advises that announced reinspections of license SNM-0287 & 35-00090-03 conducted on 670717 at Houston ofc & 670913 at Casper,WY ofc.No noncompliances noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/11/09. Atomic Energy Commission (Pre 750119). 6pp.

–9605220112 Submits addl info,requested in 630114 ltr re lost 5-Ci plutonium neutron in El Paso Natural Gas Co Ross 1 well, located in Whatcom County,Washington.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/29. Atomic Energy Commission (Pre 750119). 10pp.

–9605220216 Ack receipt of 630129 ltr,in response to 630114 ltr re loss of neutron source in well logging tool NCS-C H-48714.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 63/02/26. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

–9605220252 Discusses 700117 accident involving truck transporting radioactive sources.
WARD,J.J. Atomic Energy Commission (Pre 750119). 70/05/06. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

–9605220255 Discusses insp of licenses SNM-287 & 35-00090-03 on 740513 at Woodward,OK & 740514 & 15 at Houston,TX.Violations noted.
HOWARD,E.M. Region IV, IE (720101-810228). 74/05/22. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 8pp.

–9605220258 Ack receipt of 740611 ltr informing AEC of steps taken to correct violations noted in insp of licenses SNM-287 & 42-00090-03.
HOWARD,E.M. Region IV, IE (720101-810228). 74/06/20. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

–9605220260 Responds to violations noted in insp of licenses SNM-287 & 35-00090-03.Corrective actions:trucks in Woodward now placarded as required by DOT & wipe tests on Pu sources will be current within 10 days of ltr date.
CHEATHAM,O.C. Schlumberger Well Services. 74/06/11. Region IV, IE (720101-810228). 6pp.

–9605220261 Forwards listed documents for placement in PDR.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/06/20. Atomic Energy Commission (Pre 750119). 4pp.

–9605220269 Notice of violation from insp on 760701.Violation noted:nine individuals received whole body doses ranging from 1.254 rems to 3.309 rems in calendar quarter during period Jul-Dec 1975 & reports of overexposure to radiation not made.
* Region IV, IE (720101-810228). 76/07/13. 21pp.

–9605220333 Forwards certificate of compliance 5975 for source shield shipping container.
MACDONALD,C.E. Transportation Certification Branch. 75/08/11. RACSTER,C.E. Schlumberger Well Services. 1p.

–9605220457 Forwards Licenses 42-00090-03 & SNM-287 & backup matl & requests assist insp.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/03/12. SUTHERLAND,J. Atomic Energy Commission (Pre 750119). 1p.

–9605220477 Informs that there is no use of licenses 42-00090-03 & SNM-287 at CT location.
NELSON,P.R. Atomic Energy Commission (Pre 750119). 65/04/14. BROWN,G.T. Atomic Energy Commission (Pre 750119). 1p.

–9605220494 Forwards assist insps conducted by Region III of Schlumberger Well Surveying Corp at Columbus & Wooster,OH during wk of 650419.
ALLEN,J.M. Atomic Energy Commission (Pre 750119). 65/05/12. BROWN,G.T. Atomic Energy Commission (Pre 750119). 1p.

–9605230103 Announces assist insp of licensee use of licensed matls in New Orlrans area conducted on 650510 & 13.
SUTHERLAND,J. Atomic Energy Commission (Pre 750119). 65/05/26. BROWN,G.T. Atomic Energy Commission (Pre 750119). 10pp.

–9605230122 Discusses assist insps of Schlumberger Well Surveying Corp.
SANDEL,P.S. Atomic Energy Commission (Pre 750119). 65/07/12. Atomic Energy Commission (Pre 750119). 10pp.

–9605220267 Discusses insp on 760701 of licenses SNM-287 & 42-00090-03 & forwards NOV.
BROWN,G.D. Region IV, IE (720101-810228). 76/07/13. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

–9605160383 Ack receipt for 760804 ltr,in response to ltr & attached notice of violation dtd 760713.
BROWN,G.D. NRC - No Detailed Affiliation Given. 76/08/11. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9605070228 Forwards rev 0 to "Parks Facilities Characterization Rept" & App A-I.W/six oversize drawings.
SGARLATA,D.K. Babcock & Wilcox Co. 96/05/03. MATVIYA,J.J. Pennsylvania, Commonwealth of. 1p. 88259:001-88262:119.

–9605070229 Rev 0 to "Parks Facilities Characterization Rept," & App A- I.
* Babcock & Wilcox Co. 96/04/30. 1,210pp. 88259:002-88262:119.

9605280046 Forwards "B&W Nuclear Environ Svcs Inc effluent Summary Rept Jul-Dec 1995." Effluent monitoring data provided herein confirms air & liquid discharges from each of Apollo & Parks Township sites well below limits specified in 10CFR20,App B.
SGARLATA,D.K. Babcock & Wilcox Co. 96/04/09. MARTIN,T.T. Region 1 (Post 820201). 1p. 88386:256-88386:258.

–9605280047 "B&W Nuclear Environ Svcs Inc Effluent Summary Rept Jul-Dec 1995."
* Babcock & Wilcox Co. 95/12/31. 3pp. 88386:257-88386:258.

9605310092 Forwards results of NRC TLD direct radiation monitoring around facility for first quarter 1996.
STRUCKMEYER,R. Region 1 (Post 820201). 96/05/20. CEPICKA,J.J. Babcock & Wilcox Co. 4pp. 88392:134-88392:137.

DOCKET 70-0371 UNC, INC., UNCASVILLE, CT

9605280010 Requests permission to perform radiological scoping survey on 960530 to evaluate bldgs 19H & 9H & environs.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/15. TYLER,D. Affiliation Not Assigned. 4pp. 88348:244-88348:247.

9605310093 Discusses former United Nuclear Corp & later Gulf General Atomics Co facility,collectively known as H-tract,of which buildings currently owned by ELMATCO.
BELLAMY,R.R. Office of Nuclear Material Safety & Safeguards. 96/05/21. CHISHOLM,J. . 3pp. 88392:138-88392:140.

9605310078 Request permission to perform radiological scoping survey on 960529 to evaluate bldgs at listed address.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/22. JARMAN,A. United Nuclear Corp. (subs. of UNC, Inc.). 4pp. 88392:093-88392:096.

DOCKET 70-0398 COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &

9605170187 Requests corrective actions taken in response to NRC 960314 ltr re insp rept 70-0398/96-01.
KINNEMAN,J.D. Region 1 (Post 820201). 96/05/07. PEVEY,L.E. Commerce, Dept. of. 2pp. 88284:008-88284:009.

9605300049 Application for renewal of license SNM-362 that has expiration date of 960731.Request filed pending NRC determination of eligibility of licensee for one-time extension.
PEVEY,L.E. National Institute of Standards & Technology (formerly National Bureau of Standa. 96/05/14. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88399:235-88399:238.

–9605300050 Submits notification of expiration of license SNM-362 on 960731.Renewal application should be filed at least 30 days before expiration.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. National Institute of Standards & Technology (formerly National Bureau of Standa. 3pp. 88399:236-88399:238.

9605280067 Responds to NRC 960507 ltr re violations noted in insp repts 30-22202/96-01 & 70-00398/96-01 on 960130-0201.C/A:non- compensated survey meters have been marked w/words not for dose rate measurement.
PEVEY,L.E. National Institute of Standards & Technology (formerly National Bureau of Standa. 96/05/24. Document Control Branch (Document Control Desk). 2pp. 88386:209-88386:210.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9605090012 Requests listed info & clarification re interim survey rept for interior reactor building,pump room & access tunnel areas on site.
WHITE,J.R. Region 1 (Post 820201). 96/05/02. MCGOVERN,J.J. Cintichem, Inc. 4pp. 88190:003-88190:006.

9605200450 Notifies of process for releasing site for unrestricted use as decommissioning completed,per licensee request.Process includes technical review by NRC staff & confirmatory surveys by NRC contractor,for which licensee will be billed.
WHITE,J.R. Region 1 (Post 820201). 96/05/13. MCGOVERN,J.J. Cintichem, Inc. 3pp. 88292:067-88292:069.

9605310080 Forwards results of NRC TLD direct radiation monitoring around Cintichem facility.
STRUCKMEYER,R. Region 1 (Post 820201). 96/05/20. MCGOVERN,J.J. Cintichem, Inc. 4pp. 88392:097-88392:100.

9605280104 Forwards insp repts 50-054/96-01 & 70-0687/96-01 on 960429- 0501.No noncompliances noted.
WHITE,J.R. Region 1 (Post 820201). 96/05/21. MCGOVERN,J.J. Cintichem, Inc. 2pp. 88350:080-88350:086.

--9605280120 Insp repts 50-054/96-01 & 70-0687/96-01 on 960429-0501.No violations noted.Major areas inspected:staffing & organization,Sr-90 in water,transportation of radioactive matl,conduct of final radiation surveys.
* Region 1 (Post 820201). 96/05/21. 5pp. 88350:082-88350:086.

DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9605230053 PNO-I-96-040:on 960521,Telcon w/Congressman FR Mascara occurred re waste storage at Westinghouse Waltz Mill Facility.Confirms that site does not routinely receive wastes from other Westinghouse facilities.
MADDEN,T., ROBERTS,M. Region 1 (Post 820201). 96/05/22. 1p. 88389:175-88389:175.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9605080232 Forwards proprietary changes to FNMCP,Sections 2,5,7 & table of contents.Encl withheld.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/04/24. Office of Nuclear Material Safety & Safeguards. 2pp. 88218:242-88218:243.

9605070325 Forwards amend 35 to license SNM-696 & SER.Amend includes interim approval of hot cell decommissioning plan.
PIERSON,R.C. Licensing Branch. 96/05/01. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 88173:164-88173:177.

--9605070329 Amend 35 to license SNM-696 for General Atomics,including interim approval of hot cell decommissioning plan.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/01. 10pp. 88173:166-88173:175.

--9605070331 SER supportng amend 35 to license SNM-696.
* NRC - No Detailed Affiliation Given. 96/05/01. 2pp. 88173:176-88173:177.

9605210054 Forwards insp rept 70-0734/96-02 on 960422-26. No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/05/13. EDWARDS,J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 88305:287-88305:300.

--9605210083 Insp rept 70-0734/96-02 on 960422-26.No violations noted. Major areas inspected:mgt controls,operations,review, operator training,transportation & radwaste storage & disposal.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/05/13. 11pp. 88305:290-88305:300.

9605210420 Notifies that proprietary info re decommissioning cost estimates will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(a) of AEA of 1954,as amended, in response to 960329 request.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/13. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 88359:351-88359:353.

9605290130 Forwardsamend 36 to license SNM-696 & safeguards evaluation rept.Amend incorporates revs to FNMCP to reflect termination of TRIGA fuel fabrication operations & other miscellaneous changes.
PIERSON,R.C. Licensing Branch. 96/05/20. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 88390:347-88390:361.

--9605290132 Amend 36 to license SNM-696 for General Atomics, incorporating revs to FNMCP.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/20. 10pp. 88390:350-88390:359.

--9605290133 Safeguards evaluation rept supporting amend 36 to license SNM-696.
* NRC - No Detailed Affiliation Given. 96/05/20. 2pp. 88390:360-88390:361.

9605300115 Nonproprietary submittal re decommissioning financial assurance.Proprietary version of submittal encl.Proprietary version withheld (ref 10CFR2.790).
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/05/20. ADAMS,A., GASKIN,C.E. NRC - No Detailed Affiliation Given. 13pp. 88425:082-88425:094.

9605240216 Forwards Rev 3 to PC-000423, "General Atomics Hot Cell Facility Decommissioning Plan."
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/05/22. GASKIN,C.E. Licensing Branch. 2pp. 88373:342-88373:350.

--9605240220 Rev 3 to PC-000423, "General Atomics Hot Cell Facility Decommissioning Plan."
SILLS,J.M., NICOLAYEFF,V., BRAMBLETT,G.C. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). PC-000423 R03. 96/05/15. 6pp. 88373:344-88373:350.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

DOCKET 70-0903 PAWLING, NY SITE, PAWLING, NY

9605280010 Requests permission to perform radiological scoping survey on 960530 to evaluate bldgs 19H & 9H & environs.
BELLAMY,R.R. Region 1 (Post 820201). 96/05/15. TYLER,D. Affiliation Not Assigned. 4pp. 88348:244-88348:247.

9605310093 Discusses former United Nuclear Corp & later Gulf General Atomics Co facility,collectively known as H-tract,of which buildings currently owned by ELMATCO.
BELLAMY,R.R. Office of Nuclear Material Safety & Safeguards. 96/05/21. CHISHOLM,J. . 3pp. 88392:138-88392:140.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9605200029 Forwards updated financial test info & certification as of 951231,in support of Kerr-McGee guarantee of payment.
LARSEN,J. Cimarron Corp. 96/03/29. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 88351:015-88351:018.

--9605200034 Certifies that Kerr-McGee Corp meets Part (2) of financial test as 951231.
RAUH,J.M. Kerr-McGee Corp. 96/03/22. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 88351:016-88351:018.

9605060219 Provides explanation of why expiration date of 950630 of license SNM-928 not extended,per J Kegin 960328 telcon request.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/17. LARSEN,J. Cimarron Corp. 4pp. 88180:357-88180:360.

9605290239 Describes minor procedural change required in order to allow site decommissioning work to continue efficiently,in accordance w/request during 960327 telcon.
LARSEN,J. Cimarron Corp. 96/04/25. KALMAN,K. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 88397:316-88397:317.

DOCKET 70-1067 MASSACHUSETTS COLLEGE OF PHARMACY, BOSTON, MA

9605200334 Safety insp on 960425 of license SNM-1020.Insp findings: no violations noted.
KIRKWOOD,A.S. Region 1 (Post 820201). * Massachusetts College of Pharmacy & Allied Health Sciences, Boston, MA. 96/05/11. 1p. 88291:315-88291:315.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9605060250 Advises that six ltrs addressing issue that arose in course of private contractual relationship between CE & contractor will be withheld from public disclosure ref 10CFR2.790,per 950428 request.
HEHL,C.W. Region 1 (Post 820201). 96/05/02. CONANT,J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 88102:028-88102:030.

9605290063 Informs that NRC reviewed supplemental application dtd 960308,describing proposed method of determining environ monitoring program action levels.Addl info necessary before further action can be taken on requested listed.
SOONG,S. Licensing Branch. 96/05/20. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 88397:223-88397:224.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9605170397 Forwards "1996 Suppl to Environ Rept." Suppl supplied to assist in NRC review of 960405 license renewal request & includes details NRC indicated would be needed for review.
REDA,R.J. General Electric Co. 96/05/02. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 88339:087-88339:317.

--9605170400 "1996 Suppl to Environ Rept."
* General Electric Co. 96/05/31. 228pp. 88339:089-88339:317.

9605170406 Forwards suppl info to application for renewal of license SNM-1097,dtd 960405.
REDA,R.J. General Electric Co. 96/05/14. PIERSON,R.C. Licensing Branch. 123pp. 88330:240-88330:362.

9605030111 Ack receipt of 960320 ltr re invoice MM0070-96 & payment of fees.
JACKSON,G.C. Division of Accounting & Finance (Post 890205). 96/04/03. SEPENDA,W.J. General Electric Co. 1p. 88104:271-88104:271.

9605030142 Requests verification of GE hours billed in question re invoice MM0070-96.
DANDOIS,D.B. Division of Accounting & Finance (Post 890205). 96/04/03. SEELIG,C. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 88104:270-88104:270.

9605100077 Forwards corrected Semi-Annual Effluent Rept for July-Dec 1995.
REDA,R.J. General Electric Co. 96/04/16. EBNETER,S.D. Region 2 (Post 820201). 1p. 88243:314-88243:316.

--9605100080 Corrected "Semi-Annual Effluent Rept Jul-Dec 1995."
* General Electric Co. 95/12/31. 1p. 88243:315-88243:316.

9605140509 Forwards supporting info re radiological programs & trends to facilitate NRC review of license renewal submittal.
REDA,R.J. General Electric Co. 96/05/06. FLACK,E.D. Licensing Branch. 17pp. 88272:103-88272:119.

9605200358 Informs of change in telephone area code for DOE Region 2 Radiological Assistance Program from 615 to 423.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. KIPP,C.P. General Electric Co. 2pp. 88291:321-88291:322.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

9605210086 Forwards insp rept 70-1113/96-203 on 960415-19.No violations noted.
TING,P. Operations Branch. 96/05/16. KIPP,C.P. General Electric Co. 1p. 88361:267-88361:278.

--9605210114 Insp rept 70-1113/96-203 on 960415-19.No violations noted. Major areas inspected:Dry Conversion Process facility,ash dissolver pilot plant,U recovery unit Oberlin filter & modified ADU slab tanks.
STOUT,D.E., KASNICKI,D.A., OUTLAW,D.A. Operations Branch. 96/05/15. 11pp. 88361:268-88361:278.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9605080138 Forwards CSE summary & fault tree info for ADU conversion process.
SANDERS,C.F. Westinghouse Electric Corp. 96/04/30. FLACK,E.D. Licensing Branch. 68pp. 88201:212-88201:279.

9605210062 Discusses change in US DOE region II radiological assistance program telephone area code.New telephone numbers listed.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. FICI,J.A. Westinghouse Electric Corp. 2pp. 88305:359-88305:360.

9605150429 Notification of 960515 meeting w/Westinghouse Electric Corporation in Rockville,MD to discuss planned process changes.
* Licensing Branch. 96/05/09. Licensing Branch. 1p. 88289:105-88289:105.

9605150084 Forwards proprietary SNM physical inventory rept for matl balance period 950810-960410.Encl withheld.
SANDERS,C.F. Westinghouse Electric Corp. 96/05/10. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 88309:210-88309:210.

9605280093 Responds to violations noted in Insp Rept 70-1151/96-202. Corrective actions:TAF-500-1,Docket 96-042,issued 960227 & signed off by Regulatory Affairs Mgt 960320.
FICI,J.A. Westinghouse Electric Corp. 96/05/24. Document Control Branch (Document Control Desk). 3pp. 88386:188-88386:190.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9605140007 Forwards insp rept 70-1201/96-02 on 960325-29.No violations or deviations identified.
MCALPINE,E.J. Region 2 (Post 820201). 96/04/24. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. 88221:121-88221:128.

--9605140009 Insp rept 70-1201/96-02 on 960325-29.(No) violations or deviations identified.Major areas inspected:management controls,reviews & audits,nuclear criticality safety, calibrations & testing & review of previous insp findings.
TROUP,G.L., MCALPINE,E.J. Region 2 (Post 820201). 96/04/23. 6pp. 88221:123-88221:128.

9605280246 EN-96-003A:on 960429,notice of proposed imposition of civil penalty in amount of $12,500 issued to licensee.Action based on problem involving use of shipping packages not constructed in accordance w/certificate of compliance.
STEIN,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/29. 1p. 88417:339-88417:339.

9605210080 Discusses change in US DOE region II radiological assistance program telephone area code.New telephone numbers listed.
MCALPINE,E.J. Region 2 (Post 820201). 96/05/08. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. 88306:006-88306:007.

9605300038 Remits payment of civil monetary penalty in amount of $12,500.Clarification of circumstances under which licensee paying penalty w/o further discussion listed.
CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/05/15. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 88395:357-88395:358.

9605310230 Provides response to NRC 950927 request for further info re wet-weather stream release.
KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/05/15. LAMASTRA,M. Licensing Branch. 28pp. 88416:271-88416:300.

DOCKET 70-1227 ERIE MINING CO., MINNEAPOLIS, MN

9605080217 Provides followup to meeting at Siemens Power Co on 960417 re performance of integrated safety analyses.Key aspects of position,submitted.
VAUGHAN,R.E. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/05/03. PIERSON,R.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 88208:317-88208:319.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9605160324 Provides advance notification of import shipment of 44,436 kg of UF6 from Moscow,Russia to Piketon,OH.
* Edlow International Co. 96/02/26. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88277:076-88277:076.

9605160321 Rev 1 of ltr which submits advanced notification of shipment of 44,436 kgs UF6 from Moscow,Russia to Piketon,OH.Carriers & transfer points changed.
* Edlow International Co. 96/03/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88277:075-88277:075.

9605170010 Notification of upcoming shipment of UF6,fissle contained in five 30B cylinders & PSPs & two x 1S sample bottles to Piketon,OH.
* Edlow International Co. 96/03/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88283:044-88283:044.

9605170012 Notification of upcoming shipment of UF6,fissle contained in sixteen 30B cylinders & PSPs to Piketon,OH.
CADREY,D. Edlow International Co. 96/03/21. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88283:232-88283:232.

9605170003 Notification of upcoming shipment of UF6,fissle contained in two cylinders & PSPs to Piketon,OH.
* Edlow International Co. 96/03/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88283:027-88283:027.

9605170001 Notification of upcoming shipment of UF6,fissle contained in eleven cylinders & PSPs to Piketon,OH.
AUMULLER,J.N. Edlow International Co. 96/03/29. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88283:026-88283:026.

9605170310 Submits list of deliveries made between 960410-0513,provided IAW requirements of Convention on Physical Protection of Nuclear Matls.
CONDREY,D. Edlow International Co. 96/05/13. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88291:001-88291:001.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9605020044 Forwards application from Siemens Power Corp for license to import from Germany matl to be incinerated w/ash sold & exported for U recovery.Recipient assistance requested.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/29. DELABARRE,R. State, Dept. of. 2pp. 88097:356-88097:359.

--9605020058 Application for license to import combustible matl contaminated w/low enriched U for conversion to UF6 & UO2. Shipments planned from June 1996 - Dec 2006 totaling 1,200 Kg U & 36 Kg U235.
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/02. 2pp. 88097:358-88097:359.

9605030195 Notification of 960508 meeting w/util in Rockville,MD to discuss nuclear monitoring sys.
RICHINGS,H. . 96/05/02. JONES,R.C. . 2pp. 88103:315-88103:316.

9605080103 Responds to NRC 960405 ltr re violations noted in insp rept 70-1257/96-201.Corrective actions:evaluation which confirmed no possibility of criticality,even if SNM had been present in tanks,has been performed.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/05/03. Document Control Branch (Document Control Desk). 3pp. 88187:319-88187:321.

9605290073 Forwards initial Licensee Performance Review on 960510 covering period of 940201-960131.
CALLAN,L.J. Region 4 (Post 820201). 96/05/23. FEMREITE,B.N. Siemens Corp. 7pp. 88368:071-88368:077.

DOCKET 70-1342 CORATOMIC, INC., INDIANA, PA

9605310024 Ack receipt of 960426 annual NRC rept per Condition 15 of license SNM-1319 & reminds licensee that annual repts to be submitted within 90 days of twelve month period ending Aug 31.Two previous repts not received on timely basis.
KINNEMAN,J.D. Region 1 (Post 820201). 96/05/20. PURDY,D.L. Biocontrol Technology, Inc. (formerly Coratomic, Inc.). 2pp. 88392:038-88392:039.

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9605280162 Submits advance notification of import shipment of nuclear matl from countries not party to Convention on Physical Protection of Nuclear Matl.Lists details of shipment as required in 10CFR73.74(a)(1)(2).
MCLAUGHLIN,J. Transnuclear, Inc. 96/03/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88356:062-88356:063.

DOCKET 70-2071 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9605020329 First partial response to FOIA request for documents.Records in App A encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. BATTLE,J. Affiliation Not Assigned. 2pp. 88097:005-88097:204.

--9605020361 Notice of hearing re Edlow Intl Co acting as agent for Govnt of India to export special nuclear matl.
CHILK,S.J. Office of the Secretary of the Commission. 76/05/14. 102pp. 88097:084-88097:204.

DOCKET 70-2131 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9605020329 First partial response to FOIA request for documents.Records in App A encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. BATTLE,J. Affiliation Not Assigned. 2pp. 88097:005-88097:204.

--9605020361 Notice of hearing re Edlow Intl Co acting as agent for Govnt of India to export special nuclear matl.
CHILK,S.J. Office of the Secretary of the Commission. 76/05/14. 102pp. 88097:084-88097:204.

DOCKET 70-2693 GENERAL ELECTRIC CO., SAN JOSE, CA

9605170293 Submits advance notice of export shipment of special nuclear matl of low strategic significance (Category III).
KIRKLAND,M.W. General Electric Co. 96/04/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88284:353-88284:354.

DOCKET 70-2801 ST. MARY'S HOSP., MILWAUKEE, WI

9605160280 Refers to 960503 telephone contact re exam of activities conducted under license in relation to radiation safety & compliance w/Commission rules & regulations & conditions of license.No regulatory concerns identified.
HOLT,B.J. Region 3 (Post 820201). 96/05/08. SCHULTZ,S. St. Marys Hosp., Milwaukee, WI. 1p. 88276:064-88276:064.

DOCKET 70-2872 RS HOLDING, INC., CLEVELAND, OH

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88351:102-88351:226.

DOCKET 70-2928 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9605060191 Application for amend to License SNM-1873,deleting up to 100 loose fuel rods as provision not required.
KEHOE,D.V. Tennessee Valley Authority. 96/04/23. Document Control Branch (Document Control Desk). 15pp. 88172:222-88172:236.

9605080225 Application for amend to License SNM-1873,deleting loose fuel rods refs on pp 1,2 & 4-8 of sections 1 & 2.
KEHOE,D.V. Tennessee Valley Authority. 96/04/23. 12pp. 88208:320-88208:334.

DOCKET 70-3021 BRIDGEPORT, UNIV. OF, BRIDGEPORT, CT

9605240112 Amend 2 to license SNM-1952 for Univ of Bridgeport. Control:122341.
COSTELLO,F.M. Region 1 (Post 820201). 96/04/16. 21pp. 88353:096-88353:121.

DOCKET 70-3045 FAIRLEIGH DICKENSON UNIV., TEANECK-HACKENSACK CAMPUS,

9605170434 Responds to violations noted in insp on 960320 of licenses 29-07094-03 & SNM-1970.Corrective actions:appointed new RSO, AD Schielke & examined container housing cesium source for structural integrity on 960429.
SCHIELKE,A.D. Fairleigh Dickinson Univ., Teaneck, NJ. 96/05/13. Document Control Branch (Document Control Desk). 3pp. 88329:355-88329:358.

9605170442 Certificate of disposition of matls:239 PuBe source donated to LANL in 6m Type B 30 gallon container.
SCHIELKE,A.D. Fairleigh Dickinson Univ., Teaneck, NJ. 96/05/13. 1p. 88329:358-88329:358.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9605010166 Forwards State of LA opinion re air & water permits for Louisiana Energy Svcs.
WASCOM,R. Louisiana, State of. 96/04/22. MOORE,T.S., SHON,F.J., COLE,R.F. Atomic Safety & Licensing Board Panel. 9pp. 88077:346-88077:354.

9605070141 Press release IV-96-28, "NRC Issues Partial Initial Decision on Louisiana Energy Svcs License Application."
* Region 4 (Post 820201). 96/04/30. 1p. 88197:358-88197:358.

9605170185 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. GUSTAVIS,E.N. Affiliation Not Assigned. 2pp. 88292:348-88292:349.

9605170193 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svc facilities.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. GILLIARD,D.J. Affiliation Not Assigned. 2pp. 88292:346-88292:347.

9605170203 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facilities.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. DREW,L. Affiliation Not Assigned. 2pp. 88292:355-88292:356.

9605170210 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. COOPER,V. Affiliation Not Assigned. 2pp. 88292:357-88292:358.

9605170216 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate actions.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. COOPER,K. Affiliation Not Assigned. 2pp. 88292:359-88292:360.

9605170222 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. HAMILTON,R. Affiliation Not Assigned. 2pp. 88294:246-88294:247.

9605170227 Ack receipt of encl postcard sent to Chairman Jacskon re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. JACOBS,T.B. Affiliation Not Assigned. 2pp. 88294:248-88294:249.

9605170233 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. HASTEN,A.D. Affiliation Not Assigned. 2pp. 88294:250-88294:251.

9605170237 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. JONES,K.L. Affiliation Not Assigned. 2pp. 88294:252-88294:253.

9605170240 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy facilities.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. KENNEDY,J. Affiliation Not Assigned. 2pp. 88294:254-88294:255.

9605170349 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. COBBS,Y.B. Affiliation Not Assigned. 2pp. 88298:329-88298:330.

9605170355 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. CLARK,S. Affiliation Not Assigned. 2pp. 88298:327-88298:328.

9605170359 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. CAREY,M.C. Affiliation Not Assigned. 2pp. 88298:331-88298:332.

9605170368 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. CAREY,D. Affiliation Not Assigned. 2pp. 88298:333-88298:334.

9605170377 Ack receipt of encl postcard sent to chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. BILBERRY,S.A. Affiliation Not Assigned. 2pp. 88298:335-88298:336.

9605170384 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. AUIL,N. Affiliation Not Assigned. 2pp. 88301:342-88301:343.

9605170391 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. SMITH,A.R. Affiliation Not Assigned. 2pp. 88298:355-88298:356.

9605170395 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. NUNN,G.M. Affiliation Not Assigned. 2pp. 88298:359-88298:360.

9605170401 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. MALONE,K. Affiliation Not Assigned. 2pp. 88299:357-88299:358.

9605170408 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. LEE,L.B. Affiliation Not Assigned. 2pp. 88304:356-88304:357.

9605170413 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/15. KENNEDY,S.M. Affiliation Not Assigned. 2pp. 88304:359-88304:360.

9605170373 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/16. HILL,P. Affiliation Not Assigned. 2pp. 88287:358-88287:359.

9605170383 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/16. BREAUV,G.J. Affiliation Not Assigned. 2pp. 88287:356-88287:357.

9605170398 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/16. BREANFUS,L. Affiliation Not Assigned. 2pp. 88287:360-88287:361.

9605170399 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/16. WILLS,L. Affiliation Not Assigned. 2pp. 88299:355-88299:356.

9605170402 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/16. MILLER,L.M. Affiliation Not Assigned. 2pp. 88299:359-88299:360.

9605170405 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/16. MCKINNEY,Q.E. Affiliation Not Assigned. 2pp. 88300:359-88300:360.

9605170417 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/16. JAMES,J. Affiliation Not Assigned. 2pp. 88306:304-88306:305.

9605170421 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/05/16. JACOBS,M. Affiliation Not Assigned. 2pp. 88294:256-88294:257.

9605240116 Intervenor Petition for Review of LBP-96-7.* Seeks Commission review of decision denying intervenor challenge of adequacy of emergency plan for Claiborne Enrichment Ctr. W/Certificate of Svc.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #296 17640. 96/05/16. Commissioners (Post 750119). 14pp. 88340:318-88340:331.

9605210094 Notifies Board that President signed "USEC Privatization Act" section 3113 of which deals w/disposal of LLRW, including depleted U,into law on 960426.
HOLLER,E. Office of the General Counsel (Post 860701). #296 17632. 96/05/17. MOORE,T.S., SHON,F.J., COLE,R.F. Atomic Safety & Licensing Board Panel. 1p. 88306:022-88306:022.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9605030230 Forwards documents listed in encl for NRC info in response to NRC questions/comments dtd 960301 on Rev 1 (950915) application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/03/20. HICKEY,J.W. Enrichment Branch. 3pp. 88115:001-88116:175.

-9605030232 "Seismic Evaluation of Process Bldgs & Associated Piping & Equipment at Paducah Gaseous Diffusion Plant Paducah,KY."
* Engineering Decision Analysis Co., Inc. EDAC-180-030.02. 81/05/01. 249pp. 88115:004-88115:252.

-9605030233 "Seismic Evaluation of UF6 Handling Facilities & Associated Piping & Equipment at Paducah Gaseous Diffusion Plant Paducah,KY."
* Engineering Decision Analysis Co., Inc. EDAC-180-040.04. 81/12/04. 161pp. 88115:253-88116:059.

-9605030235 "Seismic Evaluation of High Pressure Fire Protection Sys at Paducah Gaseous Diffusion Plant."
* Engineering Decision Analysis Co., Inc. EDAC-180-050.01. 82/04/26. 68pp. 88116:060-88116:127.

-9605030237 "Seismic Evaluation of Process Piping Expansion Joints at Paducah Gaseous Diffusion Plant Paducah,KY."
* Engineering Decision Analysis Co., Inc. EDAC-180-060.01. 82/10/12. 48pp. 88116:128-88116:175.

9605030327 Forwards response to NRC/comments on plans for achieving compliance.Responses to remaining questions/comments will be submitted at later date.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/30. HICKEY,J.W. Enrichment Branch. 5pp. 88154:357-88154:361.

9605030322 Notifies NRC of change in due dates for compliance plan items.Changes will be reflected on next rev of compliance plan.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/01. HICKEY,J.W. Enrichment Branch. 5pp. 88154:352-88154:356.

9605130390 Responds to 960409 ltr,providing proposed approach for justification for continued operation of Paducah Gaseous Diffusion Plant,pending completion of seismic capacity improvements.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/01. PARKS,J.W. Energy, Dept. of. 3pp. 88248:213-88248:253.

-9605130396 Forwards Paducah Gaseous Diffusion Plant seismic approach for Bldgs C-331 & C-335,in response to NRC 960226 ltr which stressed need for rigorous JCO for interval in which mods to subj bldgs in progress.
PARLS,J.W. Energy, Dept. of. 96/04/09. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 3pp. 88248:216-88248:218.

-9602290281 Discusses 950922 Directive for Info from DOE to US Enrichment Corp re need to upgrade seismic capacities at Paducah Gaseous Diffusion Plant.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/02/26. PARKS,J.W. Energy, Dept. of. 7pp. 88248:219-88248:225.

-9605130417 Forwards findings & responses to NRC questions provided in 960226 ltr re seismic capacities at Paducah Gaseous Diffusion Plant.W/o encl.
PARKS,J.W. Energy, Dept. of. 96/03/07. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 88248:226-88248:231.

-9605130421 Forwards response to NRC comments provided in 960311 ltr re structural response of Paducah Gaseous Diffusion Plant to seismic events.
PARKS,J.W. Energy, Dept. of. 96/04/08. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 22pp. 88248:232-88248:253.

9605080202 Forwards revised responses to NRC questions/comments from 951004,25 & 960129 ltrs on Group A & B sections of applicant Rev 1 (950915) application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/02. HICKEY,J.W. Enrichment Branch. 56pp. 88208:256-88208:311.

9605130391 Forwards proprietary responses to NRC questions/comments on plans for achieving compliance from 960220 ltr.Responses to remaining questions/comments will be submitted at later date.Responses withheld (ref 10CFR.790(d)(1) & 9.17(a)(4)).
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/06. HICKEY,J.W. Enrichment Branch. 4pp. 88309:014-88309:017.

9605100254 Responds to 960408 ltr,requesting to provide projected schedule for submitting final revised certification applications & compliance plans for Paducah & Portsmouth gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/08. TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 8pp. 88243:293-88243:300.

9605140221 Provides responses to 960220 ltr re NRC questions/comments on plans for achieving compliance w/NRC regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/09. HICKEY,J.W. Enrichment Branch. 24pp. 88254:282-88254:305.

9605200382 Provides responses to NRC questions/comments on Group A & B sections of USEC's Rev 1 application for COC for Paducah Gaseous Diffussion Plant,from 960129 & 960215 ltrs.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/16. HICKEY,J.W. Enrichment Branch. 25pp. 88343:245-88343:269.

9605230228 Forwards responses to questions/comments on Group A & B sections of applicant Rev 1 (950915) application for COC for Portsmouth Gaseous Diffusion Plant,forwarded by NRC 960129 & 0215 ltrs.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/22. HICKEY,J.W. Enrichment Branch. 79pp. 88367:196-88367:274.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9605300026 Requests NRC review & approval of encl desciptions of areas within US Enrichment Corp leased areas at plant,licensee proposes be excluded from criticality accident alarm sys monitoring.Table summarizing repts conclusions also encl.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/22. HICKEY,J.W. Enrichment Branch. 2pp. 88401:001-88402:267.

-9605300030 "Criticality Accident Alarm sys Coverage & Exclusions."
D'AQUILA,D.M., RAPP,J.A. Affiliation Not Assigned. POEF-LMUS-10. 96/04/30. 86pp. 88401:003-88401:088.

-9605300047 "Analysis of Proposed Relocation of Neutron Criticality Clusters in Process Bldgs for Portsmouth Gaseous Diffusion Plant."
NEGRON,S.B., TAYLOE,R.W. Affiliation Not Assigned. POEF-SH-12. 94/01/31. 35pp. 88401:089-88401:123.

-9605300053 "Verification of Criticality Accident Alarm Sys Detector Locations for X-326 Process Cell Floor."
DOBELBOWER,C., WOOLLARD,J., LEE,B.L. Battelle Memorial Institute, Columbus Laboratories. POEF-SH34. 95/08/31. 77pp. 88401:124-88401:200.

-9605300057 "Analysis of Criticality Accident Alarm Sys Coverage in X-700,X-705 & X-720 Facilities at Portsmouth Gaseous Diffusion Plant."
SKAPIK,C.W., DOBELBOWER,M., WOOLLARD,J.E. Battelle Memorial Institute, Columbus Laboratories. POEF-SH-39. 95/12/31. 72pp. 88401:201-88401:272.

-9605300059 "Analysis of Criticality Accident Alarm Sys Coverage of X-744H,X-774H,X-342/344A & X-343 Facilities at Portsmouth Gaseous Diffusion Plant."
DOBELBOWER,M., WOOLLARD,J., LEE,B.L. Battelle Memorial Institute, Columbus Laboratories. POEF-SH-35. 95/09/30. 86pp. 88401:273-88401:358.

-9605300060 "Analysis of Criticality Alarm Sys Response to Accidental Criticality Outside Cascade Process Bldgs at Portsmouth Gaseous Diffusion Plant."
NEGRON,S.B., TAYLOE,R.W., DOBELBOWER,M. Battelle Memorial Institute, Columbus Laboratories. POEF-SH-19. 94/07/31. 67pp. 88402:001-88402:067.

-9605300061 "Exam of Criticality Accident Alarm Coverage on Operating Floors of X-333,X-330 & X-326 Facilities at Portsmouth Gaseous Diffusion Plant."
LEE,B.L., DOBELBOWER,M., WOOLLARD,J. Battelle Memorial Institute, Columbus Laboratories. POEF-SH-38. 95/01/31. 96pp. 88402:068-88402:164.

-9605300062 "Exam of Criticality Accident Alarm Coverage of X-710,X-760 Bldgs & North Half of X-7745-R Storage Pad."
SKAPIK,C.W., DOBELBOWER,M.C., WOOLLARD,J. Battelle Memorial Institute, Columbus Laboratories. POEF-SH-40. 96/01/31. 102pp. 88402:165-88402:267.

9605030327 Forwards response to NRC/comments on plans for achieving compliance.Responses to remaining questions/comments will be submitted at later date.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/30. HICKEY,J.W. Enrichment Branch. 5pp. 88154:357-88154:361.

9605030322 Notifies NRC of change in due dates for compliance plan items.Changes will be reflected on next rev of compliance plan.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/01. HICKEY,J.W. Enrichment Branch. 5pp. 88154:352-88154:356.

9605060261 Confirms 960430 telcon between JH Miller & G Shear re 960516 meeting between US Enrichment Corp & NRC in Pinketon,OH to discuss gaseous diffusion plant observation & NRC assessments.
PEDERSON,C.D. Region 3 (Post 820201). 96/05/01. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 88102:050-88102:050.

9605080247 Provides response to one of NRC questions/comments on "Group A & B" sections of licensee Rev 1 application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/02. HICKEY,J.W. Enrichment Branch. 22pp. 88208:338-88208:359.

9605080181 Forwards revs to responses to NRC questions/comments from 960129 ltr on Group A & B sections of applicant Rev 1 (950915) application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/06. HICKEY,J.W. Enrichment Branch. 15pp. 88210:341-88210:355.

9605100251 Forwards response to questions/comments from 951026 ltr. Responses to remaining questions/comments will be submitted at later date.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/08. HICKEY,J.W. Enrichment Branch. 17pp. 88237:270-88237:286.

9605100254 Responds to 960408 ltr,requesting to provide projected schedule for submitting final revised certification applications & compliance plans for Paducah & Portsmouth gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/08. TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 8pp. 88243:293-88243:300.

9605140221 Provides responses to 960220 ltr re NRC questions/comments on plans for achieving compliance w/NRC regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/09. HICKEY,J.W. Enrichment Branch. 24pp. 88254:282-88254:305.

9605160461 Forwards responses to NRC Questions/comments on Group A & B sections from 960215 ltr re gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/15. HICKEY,J.W. Enrichment Branch. 15pp. 88318:265-88318:279.

9605200398 Provides responses to NRC 951025 ltr re various questions/ comments on Group A & B sections of rev 1 to application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/17. HICKEY,J.W. Enrichment Branch. 17pp. 88343:270-88343:286.

9605230227 Forwards responses to questions/comments on Group A & B sections of applicant Rev 1 (950915) application for COC for Paducah Gaseous Diffusion Plant,forwarded by NRC 951025 & 960215 ltrs.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/22. HICKEY,J.W. Enrichment Branch. 83pp. 88367:113-88367:195.

9605280069 Forwards revs to US Enrichment Corp responses to NRC questions/comments from 951025 & 0215 ltrs.Encl provides status of response to Group A & B questions/comments.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/05/23. HICKEY,J.W. Enrichment Branch. 21pp. 88384:203-88384:223.

DOCKET DOCKET UNKNOWN

9605090024 Requests for docket 71003034,review of encl French Certificate of Approval F/313/B(U)F-85,Rev Ca for Model TN-BGC1.Nonproprietary & proprietary versions of certificate & SAR encl.Proprietary certificate & SAR withheld.
BOYLE,R.W. Transportation, Dept. of. 96/05/01. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 2pp. 88293:001-88294:192.

--9605090027 Requests that proprietary SAR 9990-Z-P,Rev 6 & French Republic Certificate F/313/B(U)F-85 be withheld from public disclosure per 10CFR2.790.
KONIRSCH,O. Transnuclear, Inc. 96/03/22. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 85pp. 88293:003-88293:087.

--9605090029 Nonproprietary Rev 6 of SAR, "Type B(U) Fissile Class II Package Constituted by TN-BGC1 Model Packaging Loaded W/ Various Contents."
FORTIER,P., BRACHET,Y., CHANZY,Y. Transnuclear, Inc. 999-Z-P R06. 93/03/04. 400pp. 88293:088-88294:192.

9605300023 Forwards requests to register as user for docket 71000855 & Model IR-50 USA/9156/B(U),Model 650L USA/9269/B(U),Model IR 100 USA/9157/B(U) & Model 660A & 660B USA/9033/B(U) packages.
SMITH,J.A. . 96/02/05. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 88402:269-88402:277.

--9605300035 For docket 71000855, "QA Program for Use,Maint & Repair of Packages Designed to Transport Radiographic Exposure Devices."
CUTHBERTSON,T.W . 96/03/25. 7pp. 88402:270-88402:277.

9605150270 Requests & submits info for QA program application for docket 71-0854.
SPENCER,R.W. X-CEL NDE, Inc. 96/05/02. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 4pp. 88309:198-88309:204.

--9605150284 Submits QA Program for Transportation of Radioactive Matl Form requiring completion within 30 days of date of NRC Bulletin 95-001.
SPENCER,R.W. X-CEL NDE, Inc. 96/05/02. NRC - No Detailed Affiliation Given. 3pp. 88309:202-88309:204.

9605150347 Forwards "QA Program for 71000852 for Shipment of Technical Operations Model CDV-794 Calibr." Fee paid.
BORSARI,C.J. Affiliation Not Assigned. 96/05/08. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88289:354-88289:360.

--9605150360 "10CFR71 QA Program for Shipment of Technical Operations Model CDV-794 Calibr," for docket 71000852.
BORSARI,C.J. Affiliation Not Assigned. 96/05/08. 6pp. 88289:355-88289:360.

9605300016 Application for NRC approval of 71000856 Croft Assoc QA program against QA requirements of 10CFR.QA manual & general company info encl.Fee paid.
WALKER,T.N. Croft Associates (United Kingdom). 96/05/20. JANKOVICH,J. NRC - No Detailed Affiliation Given. 3pp. 88396:280-88396:318.

--9605300018 Revised "Croft Assoc QA Manual."
WALKER,T.N. Croft Associates (United Kingdom). 96/05/20. 36pp. 88396:283-88396:318.

9605310111 Forwards QA program for 71000855 for radioactive matl package:0855,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/30. SMITH,J.A. Affiliation Not Assigned. 1p. 88404:290-88404:291.

--9605310115 QA program approval for 71000855 for radioactive matl package:0855,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/30. 1p. 88404:291-88404:291.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0003 SIEMENS NUCLEAR POWER CORP.

9605010055 Forwards Rev 11 to EMF-439, "Siemens Power Corp QA Program for Nuclear Fuel Shipping Containers." Changes made in rev mainly organizational & editorial & described under "Summary of Changes" on signature page.Fee paid.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/19. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88075:302-88075:354.

--9605010060 Rev 11 to EMF-439, "QA Program for Nuclear Fuel Shipping Containers."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/02. 52pp. 88075:303-88075:354.

9605310195 Forwards Quality Assurance Program Approval for Radioactive Material Packages 0003,Rev 13.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/29. EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 88404:261-88404:262.

--9605310196 QA program approval for radioactive matl package:0003,Rev 13.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/29. 1p. 88404:262-88404:262.

DOCKET 71-0102 SOURCE PRODUCTION & EQUIPMENT CO., INC.

9605070315 Advises that QA program approval for radioactive matl package:0102 expires on 960731.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/03. DICHARRY,R. Source Production & Equipment Co., Inc. 1p. 88174:157-88174:157.

9605280050 Application to renew Quality Assurance Program Approval for Radioactive Material Packages 0102.
DICHARRY,R.D. Source Production & Equipment Co., Inc. 96/05/13. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88386:259-88386:259.

DOCKET 71-0164 MASSACHUSETTS INSTITUTE OF TECHNOLOGY

9605010109 Application for renewal of QA program for radioactive matl package 0164.
NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 96/04/25. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88079:300-88079:300.

9605230065 Forwards Quality Assurance Program Approval for Radioactive Material Packages 0164,Rev 6.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/10. NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 1p. 88366:352-88366:353.

--9605230068 QA program approval for radioactive matl package:0164,Rev 6.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/10. 1p. 88366:353-88366:353.

DOCKET 71-0250 TRANSNUCLEAR, INC.

9605010063 Forwards draft rept documenting raw data measured during drop tests conducted by LLNL during Feb 1996.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/04/17. MASON,M. Transnuclear, Inc. 1p. 88068:114-88068:311.

--9605010068 Forwards draft rept documenting data measured during drop tests conducted by LLNL during Feb 1996.
CARLSON,R.W. Lawrence Livermore National Laboratory. 96/03/01. TANG,D. NRC - No Detailed Affiliation Given. 1p. 88068:116-88068:117.

--9605010076 "Low-Velocity Impact Testing of Solid Steel Billet onto Concrete Pads," draft.
* Lawrence Livermore National Laboratory. 96/03/01. 194pp. 88068:118-88068:311.

DOCKET 71-0407 APV REFINERY PRODUCTS CORP.

9605280062 Advises that QA program approval for radioactive matl package:0407 expires on 960430.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/23. WARDEN,L.J. APV Refinery Products Corp. 1p. 88386:265-88386:265.

DOCKET 71-0422 OKLAHOMA STEEL CASTINGS CO.

9605310216 Application for renewal of QA program approval for radioactive matl package:0422.Fee paid.
CRUCE,C. American Foundry Group, Inc. 96/03/28. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88418:331-88418:331.

9605280060 Advises that QA program approval for radioactive matl package:0422 expires on 960430.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/23. JONES,R. American Foundry Group, Inc. 1p. 88386:264-88386:264.

9605310221 Suppls address of 960328 ltr.Address should be changed to 1200 North Peoria Avenue,Tulsa,OK 74106.
CRUCE,C. American Foundry Group, Inc. 96/05/29. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88418:332-88418:332.

DOCKET 71-0428 BILL MILLER, INC.

9605140266 Application for renewal of QA program for radioactive matl package:0428.Fee paid.
MILLER,W.A. Bill Miller, Inc. 96/05/09. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88269:314-88269:314.

DOCKET 71-0438 GENERAL MOTORS CORP.

9605150328 Application for renewal of QA program approval for radioactive matl package:0438.QA program & procedures CO 30-1,CO 30-6,LG-1,LG2-1,TO-1 & TO-6 encl.Fee paid.
PREZKOP,M. General Motors Corp. 96/05/15. Office of Nuclear Material Safety & Safeguards. 1p. 88289:309-88289:332.

--9605150334 "General Motors,Powertrain Div Defiance Plant 10CFR71 QA Program for Industrial Radiography."
CHAPUT,W., PREZKOP,M. General Motors Corp. 96/05/15. 2pp. 88289:310-88289:311.

--9605150340 Reliability Procedure CO 30-1, "Organizational Structure & Internal Insp Sys of Radiography Program."
* General Motors Corp. 96/03/15. 4pp. 88289:312-88289:315.

--**9605150344** Reliability Procedure CO 30-6, "Survey of Incoming & Outgoing Radioactive Sources."
* General Motors Corp. 96/03/15. 3pp. 88289:316-88289:318.

--**9605150349** Reliability Procedure LG-1, "Organizational Structure & Internal Insp Sys for Cupola Level Gauge Program."
* General Motors Corp. 96/03/15. 4pp. 88289:319-88289:322.

--**9605150355** Reliability Procedure LG2-1, "Organizational Structure & Internal Insp Sys for Cupola Level Gauge Program."
* General Motors Corp. 96/03/15. 3pp. 88289:323-88289:325.

--**9605150356** Reliability Procedure TO-1, "Organizational Structure & Internal Insp Sys of Tomography Program."
* General Motors Corp. 96/03/15. 4pp. 88289:326-88289:329.

--**9605150359** Reliability Procedure TO-6, "Survey of Incoming & Outgoing Radioactive Sources."
* General Motors Corp. 96/03/15. 3pp. 88289:308-88289:332.

9605310179 Forwards Quality Assurance Program Approval for Radioactive Material Packages 0438,Rev 4.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/30. PREZKOP,M. General Motors Corp. 1p. 88404:271-88404:272.

--**9605310183** QA program approval for radioactive matl package:0438,Rev 4.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/30. 1p. 88404:272-88404:272.

DOCKET 71-0550 PHILIPS MEDICAL SYSTEMS, INC.

9605060051 Informs that licensee closed teletherapy program at end of 1995.NRC matls License 06-1008-02 voluntarily terminated on 951122.
BALTER,S. Philips Medical Systems, Inc. 96/04/21. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88159:350-88159:352.

9605070320 Informs that QA program approval 0550 has been terminated.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/03. BALTER,S. Philips Medical Systems, Inc. 1p. 88174:158-88174:158.

DOCKET 71-0592 BRAUN ENGINEERING TESTING, INC.

9605010146 Forwards QA program re use of radioactive matls in industrial radiography for review.Resume of FA Bohnsack also encl.Fee paid.
BOHNSACK,F.A. Braun Intertec Engineering, Inc. (formerly Braun Engineering Testing, Inc.). 96/04/26. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 5pp. 88076:355-88076:359.

9605300003 Package consisting of Braun Intertec Corp structure.
* Braun Intertec Engineering, Inc. (formerly Braun Engineering Testing, Inc.). 96/05/22. 1p. 88402:268-88402:268.

9605310188 Forwards Quality Assurance Program Approval for Radioactive Material Packages 0592,Rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/30. BOHNSACK,F.A. Braun Intertec Engineering, Inc. (formerly Braun Engineering Testing, Inc.). 1p. 88404:263-88404:264.

--**9605310191** QA program approval for radioactive matl package:0592,Rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/30. 1p. 88404:264-88404:264.

DOCKET 71-0593 TRI STATE INSPECTION & CONSULTANTS

9605140348 Application for renewal of QA program approval for radioactive matl package:0593.Fee paid.
STIGER,M.H. Tri State Inspection & Consultants. 96/05/07. JANKOVICH,J.P. NRC - No Detailed Affiliation Given. 1p. 88269:319-88269:319.

DOCKET 71-0598 WOLF CREEK NUCLEAR OPERATING CORP.

9605300041 Requests registration as user of model CNSI 1-13C shipping container.Shipping container will be inspected & have operating status maintained under approved 10CFR71 QA program 71-0598.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/05/17. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88402:278-88402:278.

DOCKET 71-0600 SHAFER VALVE CO.

9605240232 Forwards "10CFR71 QA Program" for NRC approval.Fee paid.
MCCOMBS,C. Shafer Valve Co. 96/05/16. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88373:310-88373:322.

--**9605240233** "10CFR71 QA Program."
KURTZ,J.H. Shafer Valve Co. 96/05/16. 12pp. 88373:311-88373:322.

DOCKET 71-0603 JAN X-RAY SERVICES, INC.

9605290247 Application for renewal of QA program approval for radioactive matl package:0603.Fee paid.
NEWLAND,J.A. Jan X-Ray Services, Inc. 96/05/24. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88397:324-88397:324.

DOCKET 71-0639 WOS TESTING CO., INC.

9605310088 Informs that amend to QA program indicating change of address & any other changes should be requested,since facility address for WOS Testing,Inc as shown on QA program approval for radioactive matl package 0639,Rev 1 changed.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/29. Wos Testing Co., Inc. 1p. 88418:327-88418:327.

DOCKET 71-0642 RTS TECHNOLOGY, INC.

9605070025 Application for amend to QA program approval for radioactive matl package:0642.
READER,D.B. CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.). 96/05/01. MATULA,T. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88169:358-88169:358.

9605290004 Forwards QA program,Rev 7 & QA policy statement,per 960520 telcon w/P Tyree & J Munro re addl QA program requirements in order for 960501 amend to authorize use of transportation packaging for radioactive matl not in special form.
READER,D.B. CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.). 96/05/23. MATULA,T. Source Containment & Devices Branch (Post 911213). 2pp. 88397:294-88397:303.

--**9605290005** Rev 7 to "QA Program,Procurement/Use/Maint/Repair of Transport Packaging for Radioactive Matl."
READER,D.B. CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.). 96/05/23. 8pp. 88397:296-88397:303.

DOCKET 71-0711 DU PONT BIOTECHNOLOGY SYSTEMS

9605280053 Forwards application to amend Quality Assurance Program Approval 0711 in entirety to accommodate change of ownership & name of licensee.
SMITH,L.R. E.I. du Pont de Nemours & Co., Inc. 96/05/22. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 2pp. 88386:097-88386:110.

--**9605280054** Application for amend to QA program approval 0711, reflecting change of ownership & name of licensee.
SMITH,L.R. E.I. du Pont de Nemours & Co., Inc. 96/05/22. 12pp. 88386:099-88386:110.

DOCKET 71-0721 QUALITY SYSTEMS NDE, LTD.

9605140364 Advises that QA program approval for radioactive matl package:0721 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/16. SERAPHIM,A.F. QSL Inspection, Inc. 2pp. 88269:320-88269:321.

DOCKET 71-0746 TECHNICAL WELDING LABORATORY, INC.

9605060332 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
COOPER,K.S. Technical Welding Laboratories, Inc. 96/05/12. Document Control Branch (Document Control Desk). 7pp. 88184:303-88184:309.

DOCKET 71-0782 INTERNATIONAL RADIOGRAPHY & INSPECTION SERVICES

9605310117 Forwards QA program approval for radioactive matl package: 0782,Rev 1.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/30. CHARTER,J.T. Affiliation Not Assigned. 1p. 88404:288-88404:289.

--**9605310121** QA program approval for radioactive matl package:0782,Rev 1.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/30. 1p. 88404:289-88404:289.

DOCKET 71-0786 DOE

9605210179 Clarifies NRC response to 960430 ltrs re application of QA program to proposed DOE licensing projects under 10CFR72.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/16. HAGERS,J Energy, Dept. of. 3pp. 88361:227-88361:235.

--**9605210251** Confirms QA program application for DOE licensing of Three Mile Island Unit 2 Spent Fuel Storage Installations (OPE-SFP-96-076).
HAGERS,J. Energy, Dept. of. 96/04/30. RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 3pp. 88361:232-88361:235.

DOCKET 71-0850 COLLEGE OF WILLIAM AND MARY

9605080198 Provides correct serial number for 0.2g PuBe source listed on 10CFR1 Quality Assurance Program for shipment of 239 Plutonium-Beryllium Neutron Sources.
FUNSTEN,H.O. William & Mary, College of, Williamsburg, VA. 96/04/29. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 88208:162-88208:162.

DOCKET 71-0852 NUCLEAR INSTRUMENT COMPANY

9605230058 Forwards Quality Assurance Program Approval for Radioactive Material Packages 0852,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/14. BORSARI,C.J. Nuclear Instruments Co. 1p. 88368:343-88368:344.

--**9605230061** QA program approval for radioactive matl package:0852,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/05/14. 1p. 88368:344-88368:344.

DOCKET 71-0853 LAUREL TECHNOLOGIES

9605140401 Application for issuance of QA program approval to authorize design,fabrication,repair & use of packaging used for transporting radioactive matls.
BORLAND,V.A. Affiliation Not Assigned. 96/05/09. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 12pp. 88268:201-88268:212.

--**9605140453** "QA Program for Shipping Packages for Radioactive Matl."
* Affiliation Not Assigned. 96/03/22. 11pp. 88268:202-88268:212.

DOCKET 71-3031 MODEL: TN 6-4, TRANSPORTATION, DEPT OF

9605090209 Forwards RAI re Japanese package design certificate J/85/B(U)F-85 for TN 6-4 package.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/05/06. BOYLE,R. Transportation, Dept. of. 3pp. 88185:306-88185:308.

DOCKET 71-4986 MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.

9605080140 Amends COC 4986,for models RA-2 & RA-3 packages to authorize contents & transport index for criticality control as listed,as requested by 951109 application.Approval record encl.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/04. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 88187:329-88187:332.

DOCKET 71-5059 MODEL: NFS-URANYL NIT., NUCLEAR FUEL SERVICES, INC.

9605030383 Forwards certificate of compliance 5059,rev 12,for model NFS Uranly Nitrate Tank Trailer package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/26. MAXIN,A.M. Nuclear Fuel Services, Inc. 1p. 88137:199-88137:203.

--9605030384 Certificate of compliance 5059,rev 12,for model NFS Uranly Nitrate Tank Trailer.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/26. 4pp. 88137:200-88137:203.

9605240162 Advises certificate of Compliance 5059 expires on 960831. Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/22. MAXIN,A.M. Nuclear Fuel Services, Inc. 1p. 88373:340-88373:340.

DOCKET 71-5450 MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC

9605150308 Advises that COC 5450 expires on 960930.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. NARDI,A.J. Westinghouse Electric Corp. 1p. 88288:336-88288:336.

9605150419 Forwards list of requested packages Commonwealth Edison registered to use,per 10CFR71.12.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. BELL,S. Commonwealth Edison Co. 14pp. 88289:085-88289:098.

DOCKET 71-5740 MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF

9605150404 Advises that Certificate of Compliance 5740 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal is not desired,NRC should be notified.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. WANGLER,M.E. Energy, Dept. of. 1p. 88289:257-88289:257.

9605170459 Application for renewal of certificate of compliance 5740 for model ORNL TRU californium shipping container.
WANGLER,M.E. Energy, Dept. of. 96/05/13. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 88339:333-88339:334.

DOCKET 71-5950 MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY

9605150305 Advises that COC 5950 expires on 960831.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. CLUM,D. Battelle Memorial Institute, Columbus Laboratories. 1p. 88288:357-88288:357.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9605130024 Notification of registration as user of certificate of compliance 5957,in response to 960320 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/08. KHOUAJA,H. Missouri, Univ. of, Rolla, MO. 1p. 88247:308-88247:308.

DOCKET 71-5975 MODEL: 5975, SCHLUMBERGER WELL SERVICES

9605130027 Third & partial response to FOIA request.App D records available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. LEVENTHAL,D. Affiliation Not Assigned. 41pp.

--9605220333 Forwards certificate of compliance 5975 for source shield shipping container.
MACDONALD,C.E. Transportation Certification Branch. 75/08/11. RACSTER,C.E. Schlumberger Well Services. 1p.

--9605220338 Certificate of compliance 5975,rev 0,for model 5975.
MACDONALD,C.E. Transportation Certification Branch. 75/08/11. 6pp.

DOCKET 71-6078 MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.

9605210485 Forwards discussion of inaccurate info in application for models 927A1 & 927C1 new fuel assembly shipping container (USA/6078/AF).
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 96/05/15. Document Control Branch (Document Control Desk). 5pp. 88361:135-88361:139.

DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

9605310187 Forwards application for rev to COC 6294 for Model UNC-2901 fuel pellet/power shipping container.Changes result from need to ship fuel & poison pellets in corrugated trays versus covered pans as application currently describes.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ABB Atom, Inc. (formerly ASEA Atom, Inc.). 96/05/30. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 9pp. 88403:242-88403:288.

--9605310192 Application for rev to COC 6294 for model UNC-2901 fuel pellet/power shipping container.
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/05/30. 39pp. 88403:250-88403:288.

DOCKET 71-6553 MODEL: PADUCAH TIGER, ENERGY, DEPT. OF

9605060127 Forwards COC 6553,Rev 8 for Paducah Tiger package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/30. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 88172:164-88172:167.

--9605060129 Certificate of compliance 6553,rev 8,for Paducah Tiger package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/30. 3pp. 88172:165-88172:167.

9605310124 Forwards certificate of compliance 6553,rev 9 for model Paducah Tiger package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/30. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 88404:276-88404:279.

--9605310126 Certificate of compliance 6553,rev 9,for model Paducah Tiger.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/30. 3pp. 88404:277-88404:279.

DOCKET 71-6574 MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.

9605310198 Forwards Certificate of Compliance 6574,Rev 23,for Model 3-82B package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/30. MCCARTER,J.F. Scientific Ecology Group, Inc. 1p. 88436:152-88436:156.

--9605310199 Certificate of compliance 6574,rev 23,for model 3-82B.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/29. 4pp. 88436:153-88436:156.

DOCKET 71-9011 MODEL: E-MEH-00-00004, ADVANCED MEDICAL SYSTEMS, INC.

9605150303 Advises that COC 9011 expires on 960831.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. STEIN,S.J. Advanced Medical Systems, Inc. 1p. 88288:356-88288:356.

DOCKET 71-9015 MODEL: TN-8, TRANSNUCLEAR, INC.

9605020004 Application for renewal of certificate of compliance 9015 for models TN-8 & TN-8L shipping packages.
MASON,M. Transnuclear, Inc. 96/04/22. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 88131:359-88131:359.

9605210423 Forwards Rev 19 to certificate of compliance 9015 for models TN-8 & TN-8L & approval record.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/15. MANGUSI,J. Transnuclear, Inc. 1p. 88361:171-88361:178.

--9605210427 Certificate of compliance 9015,rev 19 for models TN-8 and TN-8L.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/15. 7pp. 88361:172-88361:178.

DOCKET 71-9016 MODEL: TN-9, TRANSNUCLEAR, INC.

9605020035 Requests renewal of COC 9016,Rev 10.
MASON,M. Transnuclear, Inc. 96/04/22. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 88133:356-88133:356.

9605210437 Forwards Rev 11 to certificate of compliance 9016 for model TN-9 & approval record.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/15. MANGUSI,J. Transnuclear, Inc. 1p. 88360:352-88360:358.

--9605210443 Certificate of compliance 9016,rev 11 for model TN-9.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/15. 6pp. 88360:353-88360:358.

DOCKET 71-9027 MODEL: 741 & 741E, AMERSHAM CORP.

9605150310 Notification of registration as user of certificate of compliance 9027,in response to 960423 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. RAGLAND,N. Affiliation Not Assigned. 1p. 88288:337-88288:337.

9605230218 Requests registration as user of Amersham Corp Models 650L, USA/9269/B(U),660A & 660B,USA/9033/B(U),684A,USA/9028/B(U), 741A,USA/9027/B(U),770,USA/9148/B(U) & 771,USA/9107/B(U).
LOUCKS,L.E. Duke Power Co. 96/05/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88368:330-88368:330.

9605310098 Notification of registration as user of certificates of compliance 9027,9028,9033,9107,9148 & 9269,in response to 960515 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/29. LOUCKS,L.E. Duke Power Co. 1p. 88404:293-88404:293.

DOCKET 71-9028 MODEL: 684 & 684E, AMERSHAM CORP.

9605230218 Requests registration as user of Amersham Corp Models 650L, USA/9269/B(U),660A & 660B,USA/9033/B(U),684A,USA/9028/B(U), 741A,USA/9027/B(U),770,USA/9148/B(U) & 771,USA/9107/B(U).
LOUCKS,L.E. Duke Power Co. 96/05/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88368:330-88368:330.

9605310098 Notification of registration as user of certificates of compliance 9027,9028,9033,9107,9148 & 9269,in response to 960515 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/29. LOUCKS,L.E. Duke Power Co. 1p. 88404:293-88404:293.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9605150422 Advises that records indicate that KC Insp,Inc previously registered as user of COCs 9032,9156 & 9157,in response to 960415 ltr.Model IR-52 listed on 960415 ltr should be Model IR-50.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. GASTON,K. KC Inspection, Inc. 1p. 88289:099-88289:099.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9605300023 Forwards requests to register as user for docket 71000855 & Model IR-50 USA/9156/B(U),Model 650L USA/9269/B(U),Model IR 100 USA/9157/B(U) & Model 660A & 660B USA/9033/B(U) packages.
SMITH,J.A. . 96/02/05. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 88402:269-88402:277.

-9605300035 For docket 71000855, "QA Program for Use,Maint & Repair of Packages Designed to Transport Radiographic Exposure Devices."
CUTHBERTSON,T.W . 96/03/25. 7pp. 88402:270-88402:277.

9605230218 Requests registration as user of Amersham Corp Models 650L, USA/9269/B(U),660A & 660B,USA/9033/B(U),684A,USA/9028/B(U), 741A,USA/9027/B(U),770,USA/9148/B(U) & 771,USA/9107/B(U).
LOUCKS,L.E. Duke Power Co. 96/05/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88368:330-88368:330.

9605310098 Notification of registration as user of certificates of compliance 9027,9028,9033,9107,9148 & 9269,in response to 960515 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/29. LOUCKS,L.E. Duke Power Co. 1p. 88404:293-88404:293.

DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.

9605300041 Requests registration as user of model CNSI 1-13C shipping container.Shipping container will be inspected & have operating status maintained under approved 10CFR71 QA program 71-0598.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/05/17. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88402:278-88402:278.

9605240141 Notification of registration as user of certificate of compliance 9081,in response to 960517 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/21. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 1p. 88373:332-88373:332.

DOCKET 71-9107 MODEL: 771, AMERSHAM CORP.

9605230218 Requests registration as user of Amersham Corp Models 650L, USA/9269/B(U),660A & 660B,USA/9033/B(U),684A,USA/9028/B(U), 741A,USA/9027/B(U),770,USA/9148/B(U) & 771,USA/9107/B(U).
LOUCKS,L.E. Duke Power Co. 96/05/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88368:330-88368:330.

9605310098 Notification of registration as user of certificates of compliance 9027,9028,9033,9107,9148 & 9269,in response to 960515 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/29. LOUCKS,L.E. Duke Power Co. 1p. 88404:293-88404:293.

DOCKET 71-9145 MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC

9605030380 Forwards Rev 11 to COC 9145 for models NUPAC 50-1.5L, NUPAC 50-2.5L,NUPAC 50-3.0L & NUPAC 50-4.0L.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/01. PATKO,A. Vectra Technologies, Inc. 1p. 88137:178-88137:183.

-9605030381 Certificate of compliance 9145,rev 11,for models NUPAC 50-1.5L,NUPAC 50-2.5L,NUPAC 50-3.0L & NUPAC 50-4.0L.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/02. 5pp. 88137:179-88137:183.

DOCKET 71-9148 MODEL: 770, AMERSHAM CORP.

9605230218 Requests registration as user of Amersham Corp Models 650L, USA/9269/B(U),660A & 660B,USA/9033/B(U),684A,USA/9028/B(U), 741A,USA/9027/B(U),770,USA/9148/B(U) & 771,USA/9107/B(U).
LOUCKS,L.E. Duke Power Co. 96/05/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88368:330-88368:330.

9605310098 Notification of registration as user of certificates of compliance 9027,9028,9033,9107,9148 & 9269,in response to 960515 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/29. LOUCKS,L.E. Duke Power Co. 1p. 88404:293-88404:293.

DOCKET 71-9150 MODEL: PAT-2, ENERGY, DEPT. OF

9605150301 Advises that COC 9150 expires on 960731.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. WANGLER,M.E. Energy, Dept. of. 1p. 88288:355-88288:355.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9605300023 Forwards requests to register as user for docket 71000855 & Model IR-50 USA/9156/B(U),Model 650L USA/9269/B(U),Model IR 100 USA/9157/B(U) & Model 660A & 660B USA/9033/B(U) packages.
SMITH,J.A. . 96/02/05. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 88402:269-88402:277.

-9605300035 For docket 71000855, "QA Program for Use,Maint & Repair of Packages Designed to Transport Radiographic Exposure Devices."
CUTHBERTSON,T.W . 96/03/25. 7pp. 88402:270-88402:277.

9605150422 Advises that records indicate that KC Insp,Inc previously registered as user of COCs 9032,9156 & 9157,in response to 960415 ltr.Model IR-52 listed on 960415 ltr should be Model IR-50.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. GASTON,K. KC Inspection, Inc. 1p. 88289:099-88289:099.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9605300023 Forwards requests to register as user for docket 71000855 & Model IR-50 USA/9156/B(U),Model 650L USA/9269/B(U),Model IR 100 USA/9157/B(U) & Model 660A & 660B USA/9033/B(U) packages.
SMITH,J.A. . 96/02/05. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 88402:269-88402:277.

-9605300035 For docket 71000855, "QA Program for Use,Maint & Repair of Packages Designed to Transport Radiographic Exposure Devices."
CUTHBERTSON,T.W . 96/03/25. 7pp. 88402:270-88402:277.

9605150422 Advises that records indicate that KC Insp,Inc previously registered as user of COCs 9032,9156 & 9157,in response to 960415 ltr.Model IR-52 listed on 960415 ltr should be Model IR-50.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. GASTON,K. KC Inspection, Inc. 1p. 88289:099-88289:099.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9605080145 Forwards COC 9196,Rev 9 for model UX-30 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/04. ROLLINS,J. Vectra Technologies, Inc. 1p. 88208:148-88208:151.

-9605080150 Certificate of compliance 9196,rev 9,for model UX-30.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/04. 3pp. 88208:149-88208:151.

DOCKET 71-9203 MODEL: DHTF, B&W FUEL CO.

9605030378 Summary of 960419 meeting w/Framatome Cogema Fuels in Rockville,MD re Model DHTF transport package.
OSGOOD,N.L. Office of Nuclear Material Safety & Safeguards. 96/04/26. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 16pp. 88137:162-88137:177.

DOCKET 71-9208 MODEL: 10-142, NUPAC SERVICES, INC.

9605150393 Advises that Certificate of Compliance 9208 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/13. PATKO,A.L. Vectra Technologies, Inc. 1p. 88289:219-88289:219.

9605230222 Application for renewal of certificate of compliance 9208, Rev 7,for expiration of 960630.
PATKO,A.L. Vectra Technologies, Inc. 96/05/16. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 88368:331-88368:331.

DOCKET 71-9233 MODEL: TN-RAM, TRANSNUCLEAR, INC.

9605130223 Requests registration as user of model TN-RAM radioactive matls shipping package USA/9233/B(U).
MUELLER,J.H. Nebraska Public Power District. 96/04/30. Office of Nuclear Material Safety & Safeguards. 2pp. 88247:336-88247:338.

9605240165 Notification of registration as user of certificate of compliance 9233,in response to 960430 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/21. BEILKE,R.L. Nebraska Public Power District. 1p. 88373:341-88373:341.

DOCKET 71-9242 MODEL: GAMMACELL 220, NORDION INTERNATIONAL, INC.

9605170466 Responds to concerns re licensing of Gammacell 220 for COC, per request during 960422 telcon.
GOVINDAPILLAI Nordion International, Inc. 96/05/03. CHAPPELL,C.R. Transportation Branch (Post 930207). 2pp. 88336:358-88336:359.

9605280008 Advises of termination of review of Model GC-220 package, per 960221 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/22. GOVINDAPILLAI Nordion International, Inc. 1p. 88386:278-88386:278.

DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9605090244 Application for amend to COC 9248,adding fuel assembly types as submitted.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/30. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 88199:355-88199:356.

9605080172 Forwards COC 9248,Rev 9 for models SP-1 & SP-2 packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/04. EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 88208:152-88208:161.

-9605080179 Certificate of compliance 9248,rev 9 for models SP-1 & SP-2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/04. 9pp. 88208:153-88208:161.

DOCKET 71-9250 MODEL: NNFD 5X22, BABCOCK & WILCOX CO.

9605060123 Forwards COC 9250,Rev 4 for model NNFD 5X22 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/26. SUWALA,M.C. Babcock & Wilcox Co. 1p. 88172:153-88172:162.

-9605060125 Certificate of compliance 9250,rev 4,for model NNFD 5X22.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/26. 9pp. 88172:154-88172:162.

9605130028 Provides resolution of Part 21 rept re possible defects in model NNFD 5X22 transport package (Log No 96-003).
OSGOOD,N. Office of Nuclear Material Safety & Safeguards. 96/05/07. RAMSEY,K. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88247:310-88247:320.

DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9605240138 Summary of 960423 meeting w/Holtec Intl Corp,requesting clarifications on specific items in RAI.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/05/21. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 31pp. 88373:227-88373:257.

DOCKET 71-9269 MODEL: 650L

9605300023 Forwards requests to register as user for docket 71000855 & Model IR-50 USA/9156/B(U),Model 650L USA/9269/B(U),Model IR 100 USA/9157/B(U) & Model 660A & 660B USA/9033/B(U) packages.
SMITH,J.A. . 96/02/05. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 88402:269-88402:277.

-9605300035 For docket 71000855, "QA Program for Use,Maint & Repair of Packages Designed to Transport Radiographic Exposure Devices."
CUTHBERTSON,T.W . 96/03/25. 7pp. 88402:270-88402:277.

9605030246 Notification of registration as user of Certificate of Compliance 9269,as requested by ltr dtd 960415.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/01. MCCARTHY,K.F. Public Service Co. of Colorado. 1p. 88156:350-88156:350.

9605060073 Notification of registration as user of certificate of compliance 9269,in response to 960415 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/01. HUBER,R. Carondelet Foundry Co. 1p. 88166:354-88166:354.

9605170385 Requests registration as user of Amersham Corp Model 650L container,package USA/9269/B(U).
WILEY,W.A. Affiliation Not Assigned. 96/05/08. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 88329:354-88329:354.

9605230218 Requests registration as user of Amersham Corp Models 650L, USA/9269/B(U),660A & 660B,USA/9033/B(U),684A,USA/9028/B(U), 741A,USA/9027/B(U),770,USA/9148/B(U) & 771,USA/9107/B(U).
LOUCKS,L.E. Duke Power Co. 96/05/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88368:330-88368:330.

9605310098 Notification of registration as user of certificates of compliance 9027,9028,9033,9107,9148 & 9269,in response to 960515 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/29. LOUCKS,L.E. Duke Power Co. 1p. 88404:293-88404:293.

9605310107 Notification of registration as user of certificate of compliance 9269,in response to 960508 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/05/29. WILEY,W.A. Affiliation Not Assigned. 1p. 88404:292-88404:292.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-001 MORRIS OPERATIONS, ISFSI

9605150077 Submits response to 960226 ltr re circumstances under which GEMO shall report tornadic events.
DENIO,L.L. General Electric Co. 96/05/07. MCGINTY,T.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 6pp. 88289:276-88289:281.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605210315 Informs that self-guarantee financial assurance documents submitted 960325,reviewed & in compliance w/10CFR30 App C, "Criteria re Use of Financial Tests & Self-Guarantees for Providing Reasonable Assurance of Funds...."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/14. SCHINDLER,W.H. General Electric Co. 2pp. 88360:359-88360:360.

9605310241 Informs of changes/revs to license SNM-2500,as indicated during recent telcons.
DENIO,L.L. General Electric Co. 96/05/24. MCGINTY,T.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 24pp. 88418:262-88418:285.

DOCKET 72-0002 SURRY ISFSI 50-280 & 50-281

9605060207 Submits Physical Security Plan for plant.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88147:351-88147:352.

9605020393 Forwards "Recorded Annual Whole Body Exposure Rept,Surry Power Station for Period Jan-Dec 1995."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/26. Office of Nuclear Regulatory Research (Post 941217). 3pp. 88129:348-88129:354.

-9605020395 "Recorded Annual Whole Body Exposure Rept,Surry Power Station for Period Jan-Dec 1995."
DORSEY,B.E., OLIN,M.R., ERICKSON,D.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 3pp. 88129:351-88129:354.

9605090215 Discusses 960424 meeting w/facility re progress of spent fuel storage activities for plant.List of attendees & licensee presentation encl.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/05/06. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 15pp. 88185:309-88185:323.

9605310089 Requests for addl info re license application submitted by VEPCO & Old Dominion Electric Cooperative to construct & operate Independent Spent Fuel Storage Installation at North Anna reactor facility.
WOOD,R.S. 96/05/29. LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 2pp. 88395:335-88395:336.

DOCKET 72-0003 H.B. ROBINSON ISFSI, 50-261

9605020256 Forwards Rev 12 to "HB Robinson ISFSI SAR."
KRICH,R.M. Carolina Power & Light Co. 96/03/18. Office of Nuclear Material Safety & Safeguards. 1p. 88129:276-88129:310.

-9605020370 Rev 12 to "HB Robinson ISFSI SAR."
* Carolina Power & Light Co. 96/03/18. 34pp. 88129:277-88129:310.

DOCKET 72-0005 POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

9605070157 Forwards Rev 1 to Point Beach ISFSI security plan sections 1.0,4.0,7.0 & C-2.0.Encl withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88137:212-88137:212.

9605080023 Responds to 960321 ltr to Chairman,concerning dry cask handling at plant.
MARCUS,G.H. . 96/05/03. SHILLINGLAW,F. Affiliation Not Assigned. 9pp. 88175:221-88175:232.

-9605080026 Expresses concern re dry cask handling at plant.
DHILLINHLAW,F. Affiliation Not Assigned. 96/03/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 88175:230-88175:232.

9605140456 Expresses concerns re use of MTC to move fully loaded MSB from SFP to decontamination area w/o adequate load test.
SHILLINGLAW,F. Affiliation Not Assigned. 96/05/03. TAYLOR,J.M. NRC - No Detailed Affiliation Given. 2pp. 88268:357-88268:358.

9605160350 Requests NRC inspection of areas of weakness brought out in hearings & documents re design,construction & handling of VSC-24 casks to be used at Point Beach.
SINCLAIR,M.P. Don't Waste Michigan. 96/05/06. LEU,K. Office of Nuclear Material Safety & Safeguards. 8pp. 88314:161-88314:168.

9605150294 Responds to 960303 ltr to Senator H Kohl of WI re long-term storage of spent nuclear fuel.Ltr to J Taylor of NRC dtd 960303 was responded to on 960418.
RUSSELL,W.T. . 96/05/09. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 88258:309-88258:323.

9605200069 Requests responses to questions re casks loading at Point Beach & Palisades.
SHILLINGLAW,F. Affiliation Not Assigned. 96/05/14. HANSEN NRC - No Detailed Affiliation Given. 1p. 88351:249-88351:249.

9605210339 Responds to 960228 ltr re WEPC annual results & data rept for 1995 & list of mods to cask design & handling procedures.Detailed response provides info re availability of all pertinent documents & how NRC keeps track of changes.
MARCUS,G.H. . 96/05/16. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 88321:301-88321:306.

-9605210352 Requests response to 950927 ltr,citing 960212 ltr to author noting that subsequent response would be forthcoming.Poses questions on casks & shield lids.
SHILLINGLAW,F. Affiliation Not Assigned. 96/02/28. MARCUS,G. . 3pp. 88321:304-88321:306.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

9605310113 Responds to 960503 ltr to JM Taylor re dry cask handling at plant.
MARCUS,G.H. . 96/05/29. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 88395:322-88395:327.

DOCKET 72-0007 PALISADES ISFSI GEN LIC/VSC-24, 50-255

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

9605160350 Requests NRC inspection of areas of weakness brought out in hearings & documents re design,construction & handling of VSC-24 casks to be used at Point Beach.
SINCLAIR,M.P. Don't Waste Michigan. 96/05/06. LEU,K. Office of Nuclear Material Safety & Safeguards. 8pp. 88314:161-88314:168.

9605200069 Requests responses to questions re casks loading at Point Beach & Palisades.
SHILLINGLAW,F. Affiliation Not Assigned. 96/05/14. HANSEN NRC - No Detailed Affiliation Given. 1p. 88351:249-88351:249.

9605210339 Responds to 960228 ltr re WEPC annual results & data rept for 1995 & list of mods to cask design & handling procedures.Detailed response provides info re availability of all pertinent documents & how NRC keeps track of changes.
MARCUS,G.H. . 96/05/16. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 88321:301-88321:306.

--9605210352 Requests response to 950927 ltr,citing 960212 ltr to author noting that subsequent response would be forthcoming.Poses questions on casks & shield lids.
SHILLINGLAW,F. Affiliation Not Assigned. 96/02/28. MARCUS,G. . 3pp. 88321:304-88321:306.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

9605290242 Responds to request made during 960425 telcon for document re cask loading schedule for plant & other documents concerning 950919 2.206 petition field by Lake Michigan Federation.Forwards pertinent documents.
KUGLER,A.J. . 96/05/23. ROEMER,E. Lake Michigan Federation. 3pp. 88392:171-88392:186.

DOCKET 72-0008 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9605300144 Revised EPIPs,including rev 0 to ERPIP-104,rev 2 to ERPIP-107,rev 1 to ERPIP-109,rev 2/change 3 to ERPIP-201,rev 2 ERPIP-207,rev 1 to ERPIP-208,rev 18/change 5 to ERPIP-3.0, rev 1 to ERPIP-302 & rev 1 to ERPIP-403.W/960521 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 96/05/21. 590pp. 88463:001-88464:226.

9605030137 "Radiological Environ Monitoring Program Annual Rept Mar 1996 Calvert Cliffs Nuclear Power Plants Units 1 & 2 & ISFSI Jan-Dec 1995."
BAINES,W.W., BARLEY,G.K., EARLS,C.E. Baltimore Gas & Electric Co. 95/12/31. 120pp. 88140:121-88140:243.

9605240144 Submits notification of 960605 meeting w/VECTRA Technologies Inc in Rockville,MD to discuss BG&E assessment of implications of licensee CAL on plant independent spent fuel storage installation cannister wall thinning issues.
* Office of Nuclear Material Safety & Safeguards. 96/05/22. Office of Nuclear Material Safety & Safeguards. 2pp. 88373:335-88373:336.

DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267

9605020096 Forwards draft ISFSI emergency plan,demonstrating compliance w/ 10CFR72.32.W/o encl.
BORST,F.J. Public Service Co. of Colorado. 96/02/08. GRIER,T. Colorado, State of. 2pp. 88129:357-88129:358.

9605020383 Submits completed 1995 Nuclear Fuel Data Survey Form RW-859.
BORST,F.J. Public Service Co. of Colorado. 96/02/15. Energy, Dept. of. 32pp. 88133:322-88133:351.

9605080035 Notifies of 960529 meeting w/licensee in Arlington,TX to discuss application for 10CFR72 ISFSI site-specific license for interim storage of TMI-2 fuel debris at INEL & application to accept transfer of Fort St Vrain license.
SCARANO,R.A. Region 4 (Post 820201). 96/05/06. Region 4 (Post 820201). 5pp. 88136:250-88136:254.

9605210179 Clarifies NRC response to 960430 ltrs re application of QA program to proposed DOE licensing projects under 10CFR72.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/16. HAGERS,J Energy, Dept. of. 3pp. 88361:227-88361:235.

--9605210226 Confirms QA program application for DOE licensing of FSV ISFSI (OPE-SFP-96-075).
HAGERS,J. Energy, Dept. of. 96/04/30. KOKAJKO,L. Office of Nuclear Material Safety & Safeguards. 3pp. 88361:230-88361:231.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9605100134 Notification of 960521 meeting w/NSP in Rockville,MD to discuss status of siting process for potential off-site ISFSI near plant.
* NRC - No Detailed Affiliation Given. 96/05/07. NRC - No Detailed Affiliation Given. 2pp. 88212:331-88212:332.

9605160498 Forwards notice of consideration of transfer of control of licenses to Wisconsin Energy Corp,per 951020 request.
WETZEL,B.A. . 96/05/09. WATZL,E.L. Northern States Power Co. 3pp. 88287:342-88287:347.

--9605160501 Notice of consideration of transfer of control of licenses to Wisconsin Energy Corp (WEC).WEC will be renamed Primergy Corp.
CONNAUGHTON,K. . 96/05/09. 3pp. 88287:345-88287:347.

9605280087 Ack receipt of 960307 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/95-14, 50-306/95-14 & 72-0010/95-14.Corrective actions will be examined at future insp.
JORDAN,M.J. Region 3 (Post 820201). 96/05/14. WATZL,E. Northern States Power Co. 2pp. 88350:072-88350:073.

9605240170 Forwards EA & finding of no significant impact w/respect to 951020 licensee application for transfer of licenses & 951206 application for license amends.
WETZEL,B.A. . 96/05/17. ANDERSON,R.O. Northern States Power Co. 4pp. 88344:095-88344:102.

--9605240173 Environ assessment & finding of no significant impact re transfer of & issuance of amends to licenses DPR-22,DPR-42, DPR-60 & SNM-2506.
REINHART,M. . 96/05/17. 4pp. 88344:099-88344:102.

DOCKET 72-0011 RANCHO SECO ISFSI, 50-312

9605090035 Forwards revised emergency plan EPIPs,incorporating emergency planning requirements necessary for ISFSI related activities,including SF removal from storage bldg,SF cask transport to ISFSI & SF canister storage at ISFSI.
REDEKER,S.J. Sacramento Municipal Utility District. 96/04/29. Office of Nuclear Material Safety & Safeguards. 3pp. 88209:001-88209:184.

--9605090042 Change 4 to emergency plan.
* Sacramento Municipal Utility District. 96/04/29. 58pp. 88209:004-88209:061.

--9605090046 Revised EPIPs,including Rev 7 to EPIP-5001,Rev 9 to EPIP-5002,Rev 10 to EPIP-5010,Rev 10 to EPIP-5200,Rev 4 to EPIP-5210,Rev 8 to EPIP-5220,Rev 5 to EPIP-5330,Rev 9 to EPIP-5430,Rev 10 to EPIP-5600 & Rev 10 to EPIP-5660.
* Sacramento Municipal Utility District. 96/04/29. 123pp. 88209:062-88209:184.

DOCKET 72-0013 ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

9605200252 Forwards ISFSI preoperational test results for spent storage installation.
MIMS,D.C. Entergy Operations, Inc. 96/05/17. CALLAN,L.J. Region 4 (Post 820201). 7pp. 88347:338-88347:344.

9605240153 Submits notification of 960604 meeting w/Pajerito Scientific Corp/BNFL Instruments Ltd & util in Rockville,MD to discuss results of fuel assembly burnup measurements performed at plant & potential use of meter for storage & transportation.
* Office of Nuclear Material Safety & Safeguards. 96/05/21. Office of Nuclear Material Safety & Safeguards. 3pp. 88373:337-88373:339.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

DOCKET 72-0014 DAVIS BESSE ISFSI GEN LIC, 50-346

9605140256 Expresses appreciation for opportunity to meet on 960326 to discuss concerns related to Davis-Besse dry cask unloading proceduure & issues raised in 960304 issue of Time Magazine re NRC oversight of Millstone plants.
THE CHAIRMAN Commissioners (Post 750119). 96/05/02. KAPTUR,M. House of Rep. 26pp. 88262:213-88262:242.

--9605140269 Expresses concerns re 960304 TIME magazine article re NRC responsibility.Would appreciate knowing what actions NRC has taken in response to facility revelations.
KAPTUR,M. House of Rep. 96/03/07. THE CHAIRMAN Commissioners (Post 750119). 3pp. 88262:240-88262:242.

DOCKET 72-0015 OYSTER CREEK ISFSI GEN LIC, 50-219

9605130128 Cancels request for exemption from schedular requirements of 10CFR72.82(e).
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88249:319-88249:319.

9605150142 Forwards notice of public hearing re NJ radiological emergency response plan.
TOSCH,K. New Jersey, State of. 96/05/07. CHAWAGA,D. Region 1 (Post 820201). CHRISTIANSEN,J., ECKER,N.D. New Jersey, State of. 6pp. 88290:318-88290:323.

DOCKET 72-0016 NORTH ANNA ISFSI - 50-338 & 50-339

9605060207 Submits Physical Security Plan for plant.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88147:351-88147:352.

9605090215 Discusses 960424 meeting w/facility re progress of spent fuel storage activities for plant.List of attendees & licensee presentation encl.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/05/06. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 15pp. 88185:309-88185:323.

9605240152 Requests R Wood review financial info provided by applicant to determine financial qualifications per 10CFR72.22.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/22. NEWBERRY,S.F. . 1p. 88373:331-88373:331.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9605020354 Submits non-proprietary rev of design drawings to be included in SAR rev. YUNDT,C.P. Portland General Electric Co. 96/04/29. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 88140:324-88140:343.

9605280299 Forwards changes to draft to PGE-1070, "Trojan ISFSI Environ Rept." Attachment I to ltr,provides description of changes, in addition to discussion of reasons for making changes.
QUENNOZ,S.M. Portland General Electric Co. 96/05/22. TRAVERS,W.T. Office of Nuclear Material Safety & Safeguards. 4pp. 88378:318-88378:345.

-9605280302 Changes to draft to PGE-1070, "ISFSI Environ Rept."
* Portland General Electric Co. PGE-1070 DRFT. 96/05/15. 24pp. 88378:322-88378:345.

9605280304 Documents util intent & position re license transition for portion of TNP site that will be used for ISFSI.NRC concurrence requested for described approach for transition of area of facility from 10CFR50 to 10CFR72 license.
QUENNOZ,S.M. Portland General Electric Co. 96/05/23. Document Control Branch (Document Control Desk). 2pp. 88386:229-88386:230.

DOCKET 72-0018 PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306

9605100134 Notification of 960521 meeting w/NSP in Rockville,MD to discuss status of siting process for potential off-site ISFSI near plant.
* NRC - No Detailed Affiliation Given. 96/05/07. NRC - No Detailed Affiliation Given. 2pp. 88212:331-88212:332.

DOCKET 72-0020 DEPARTMENT OF ENERGY ISFSI

9605030258 Notification of 960514 meeting w/NRC & DOE in Rockville,MD to discuss technical issues re criticality analysis & safeguards DOE will perform as part of licensing of ISFSI to house TMI-2 fuel drebris.
* Office of Nuclear Material Safety & Safeguards. 96/05/02. Office of Nuclear Material Safety & Safeguards. 1p. 88137:153-88137:153.

9605060313 Revised notice of 960514 meeting w/DOE to discuss technical issues re to safeguard to be performed as part of ISFSI to house TMI-2 field debris.
* Office of Nuclear Material Safety & Safeguards. 96/05/02. Office of Nuclear Material Safety & Safeguards. 1p. 88183:324-88183:324.

9605080035 Notifies of 960529 meeting w/licensee in Arlington,TX to discuss application for 10CFR72 ISFSI site-specific license for interim storage of TMI-2 fuel debris at INEL & application to accept transfer of Fort St Vrain license.
SCARANO,R.A. Region 4 (Post 820201). 96/05/06. Region 4 (Post 820201). 5pp. 88136:250-88136:254.

9605220440 Forwards proposed outline for Environ Rept prepared as part of DOE-ID application for 10CFR72 ISFSI license for TMI Interim Storage Sys.Any comments re outline requested as soon as possible.
HAGERS,J. Energy, Dept. of. 96/05/08. RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 4pp. 88359:004-88359:007.

9605130217 Summary of 960418 meeting w/DOE & contractors from INEL re licensing of ISFSI that will house TMI-2 fuel debris.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 96/05/09. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 41pp. 88249:267-88249:307.

9605210179 Clarifies NRC response to 960430 ltrs re application of QA program to proposed DOE licensing projects under 10CFR72.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/16. HAGERS,J Energy, Dept. of. 3pp. 88361:227-88361:235.

DOCKET 72-1004 CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.

9605020280 Forwards rept, "Suppl Response USNRC CAL Docket 72-1004 Item 2 DSC Weld Seam Thinning" & Rev 0 to Calculation NUH004.0223, "NUHOMS DSC Shell Min Acceptable Thickness at Circumferential & Longitudinal Welds."
ROLLINS,J.D. Vectra Technologies, Inc. 96/04/25. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 88119:001-88119:301.

-9605020286 "Suppl Response to USNRC CAL Docket 72-1004 Item 2 DSC Weld Seam Thinning."
* Vectra Technologies, Inc. 9-354.0023.03. 96/04/25. 113pp. 88119:004-88119:114.

-9605020289 "NUHOMS DSC Shell Min Acceptable Thickness at Circumferential & Longitudinal Welds."
* Vectra Technologies, Inc. NUH004.0223 R00. 96/04/24. 188pp. 88119:115-88119:301.

9605210339 Responds to 960228 ltr re WEPC annual results & data rept for 1995 & list of mods to cask design & handling procedures.Detailed response provides info re availability of all pertinent documents & how NRC keeps track of changes.
MARCUS,G.H. . 96/05/16. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 88321:301-88321:306.

-9605210352 Requests response to 950927 ltr,citing 960212 ltr to author noting that subsequent response would be forthcoming.Poses questions on casks & shield lids.
SHILLINGLAW,F. Affiliation Not Assigned. 96/02/28. MARCUS,G. . 3pp. 88321:304-88321:306.

9605280006 Discusses 960424 public meeting in King of Prussia,PA re safety relief valve performance issues w/BWR licensees.List of attendees,agenda & presentations encl.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. HOERMAN,K.R. Vectra Technologies, Inc. 78pp. 88348:082-88348:159.

9605240144 Submits notification of 960605 meeting w/VECTRA Technologies Inc in Rockville,MD to discuss BG&E assessment of implications of licensee CAL on plant independent spent fuel storage installation cannister wall thinning issues.
* Office of Nuclear Material Safety & Safeguards. 96/05/22. Office of Nuclear Material Safety & Safeguards. 2pp. 88373:335-88373:336.

DOCKET 72-1007 CASK: VSC-24, SIERRA NUCLEAR, INC.

9605070342 Forwards responses to questions in NRC 950628 ltr re Sierra Nuclear Corp (SNC) VSC-24 cask certificate amend,Rev 3 of SNC Design Calculation ANO-109.001.006,Rev 1 to SNC Design Calculation WEP-109.001.22 & proposed amended pages of SAR.
THOMPSON,T.C. Sierra Nuclear, Inc. 96/04/30. STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 12pp. 88167:169-88167:363.

-9605070346 Rev 3 to design calculation, "Required Boron Concentrations for Various Assembly Types & Fuel Enrichments in VSC-24 MSB."
HOPF,J.E., THOMPSON,T.C. Sierra Nuclear, Inc. ANO-109.001.006 R03. 96/04/19. 108pp. 88167:181-88167:288.

-9605070348 Rev 1 to design calculation, "VSC-24 Air Scattered Dose at Calculations Using MCNP Computer Code."
HOPF,J.E., THOMPSON,T.C. Sierra Nuclear, Inc. WEP-109.001.22 R01. 96/03/05. 62pp. 88167:289-88167:351.

-9605070350 Proposed amended pages of "SAR for Ventilated Storage Cask Sys."
* Sierra Nuclear, Inc. 96/04/30. 13pp. 88167:352-88167:363.

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

9605160270 Comments on unclear terms used to describe revs & amends to VSC-24 SAR.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/29. LEU,K.C. NRC - No Detailed Affiliation Given. 5pp. 88309:275-88309:279.

9605160350 Requests NRC inspection of areas of weakness brought out in hearings & documents re design,construction & handling of VSC-24 casks to be used at Point Beach.
SINCLAIR,M.P. Don't Waste Michigan. 96/05/06. LEU,K. Office of Nuclear Material Safety & Safeguards. 8pp. 88314:161-88314:168.

9605150294 Responds to 960303 ltr to Senator H Kohl of WI re long-term storage of spent nuclear fuel.Ltr to J Taylor of NRC dtd 960303 was responded to on 960418.
RUSSELL,W.T. . 96/05/09. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 88258:309-88258:323.

9605210339 Responds to 960228 ltr re WEPC annual results & data rept for 1995 & list of mods to cask design & handling procedures.Detailed response provides info re availability of all pertinent documents & how NRC keeps track of changes.
MARCUS,G.H. . 96/05/16. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 88321:301-88321:306.

-9605210352 Requests response to 950927 ltr,citing 960212 ltr to author noting that subsequent response would be forthcoming.Poses questions on casks & shield lids.
SHILLINGLAW,F. Affiliation Not Assigned. 96/02/28. MARCUS,G. . 3pp. 88321:304-88321:306.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

-9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

9605290242 Responds to request made during 960425 telcon for document re cask loading schedule for plant & other documents concerning 950919 2.206 petition field by Lake Michigan Federation.Forwards pertinent documents.
KUGLER,A.J. . 96/05/23. ROEMER,E. Lake Michigan Federation. 3pp. 88392:171-88392:186.

DOCKET 72-1008 CASK: HI-STAR 100, HOLTEC INTERNATIONAL

9605240138 Summary of 960423 meeting w/Holtec Intl Corp,requesting clarifications on specific items in RAI.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/05/21. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 31pp. 88373:227-88373:257.

DOCKET 72-1009 CASK: DOE-MPC-21P, ENERGY, DEPT. OF

9605210179 Clarifies NRC response to 960430 ltrs re application of QA program to proposed DOE licensing projects under 10CFR72.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/05/16. HAGERS,J Energy, Dept. of. 3pp. 88361:227-88361:235.

DOCKET 72-1016 CASK: ACTINIDE-ONLY BURNUP CREDIT, ENERGY, DEPT. OF

9605080131 Notification of 960531 meeting w/DOE in Rockville,MD to discuss DOE response to NRC RAI re DOE TR on actinide-only burnup credit for PWR spent nuclear fuel packages.
* NRC - No Detailed Affiliation Given. 96/05/06. NRC - No Detailed Affiliation Given. 5pp. 88187:322-88187:326.

DOCKET 72-1021 CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC.

9605030290 Forwards request for addl info re TN-32 structural evaluation in light of new information gained from tests.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/04/29. MASON,M. Transnuclear, Inc. 3pp. 88155:321-88155:323.

9605280161 Informs NRC has assigned TN-32 Cask file new Docket (72-1021).Addl info encl re QA program for TN-32.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 96/05/23. MASON,M. Transnuclear, Inc. 2pp. 88386:155-88386:156.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

9605020115 Staff requirements memo re SECY-96-056 - policy statement, "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns W/o Fear of Retaliation."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 88072:077-88072:080.

9605100152 Staff requirements memo re SECY-96-035 Final Rulemaking on, "Environ Review for Renewal of NPP Operating Licenses."
HOYLE,J.C. Office of the Secretary of the Commission. M960503A. 96/05/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88207:216-88207:217.

9605140138 Unofficial transcript of public meeting w/ACMUI & R Adler in Rockville,MD re recommendations of NAS rept on review of medical use program.Pg 1-63.W/related documentation.
* Commissioners (Post 750119). 96/05/03. 93pp. 88262:120-88262:212.

9605150439 Transcript of 960510 public meeting in Rockville,MD re breifing on severe accident master integration plan.Pp 1-65. Supporting documentation & video encl.
* Commissioners (Post 750119). 96/05/10. 105pp. 88272:170-88272:275.

9605160366 Staff requirements memo re, "Briefing on PRA Implementation Plan."
HOYLE,J.C. Office of the Secretary of the Commission. M960404A. 96/05/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88282:137-88282:138.

9605160481 Transcript of 960513 public meeting in Rockville,MD re briefing by Comm Ed.Pp 1-87.Viewgraphs & video encl.
* Commissioners (Post 750119). 96/05/13. 144pp. 88288:091-88288:235.

9605170422 Staff requirements memo re meeting w/ACMUI & R Adler on recommendation of NAS rept on review of medical use program.
HOYLE,J.C. Office of the Secretary of the Commission. M960503B. 96/05/15. SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 1p. 88304:358-88304:358.

9605200352 Staff requirements memo re briefing by CE on status of NPP operations,particularly progress of improvements at Dresden Station.
HOYLE,J.C. Office of the Secretary of the Commission. M960513. 96/05/17. NRC - No Detailed Affiliation Given. 1p. 88296:355-88296:355.

9605200375 Staff requirements memo re SECY-96-078, "Withdrawal of Proposed Amends to 10CFR150.15,Reasserting NRC Authority for Approving Onsite Low-Level Waste Disposal in Agreement States."
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88296:336-88296:336.

9605200429 Staff requirements memo re SECY-96-085, "NRC Drug Testing Program." Commission approved maintaining current 50% testing rate for all NRC testing designated positions.
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88296:335-88296:335.

9605210381 Transcript of 960515 public meeting in Rockville,MD re briefing on performance assessment program in HLW,LLW & SDMP.Pp 1-37.Supporting documentation encl.
* Commissioners (Post 750119). 96/05/15. 72pp. 88308:180-88308:251.

9605210499 Staff requirements memo re briefing on severe accident master integration plan on 960510 in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M960510. 96/05/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88308:357-88308:357.

9605300007 Transcript of 960524 public meeting w/ACRS in Rockville,MD. Pp 1-63.W/viewgraphs and video.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/24. 115pp. 88393:216-88393:330.

9605300048 Staff requirements memo re SECY-96-080, "Issuance of Final Amend to 10CFR50.55a to Incorporate by Ref ASME BPV Code, Section XI,Div 1,Subsection IWE & Subsection IWL."
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 17pp. 88390:085-88390:101.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9605140170 Forwards transcript of 960503 ACMUI meeting for placement in NUDOCS.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 96/05/10. Document Control Branch (Document Control Desk). 1p. 88230:050-88230:311.

--9605140180 Transcript of 960503 ACMUI meeting in Rockville,MD.Pp 1-221.
* Advisory Committee on Medical Uses of Isotopes. 96/05/03. 261pp. 88230:051-88230:311.

9605200279 Transcript of ACNW 83rd meeting on 960515 in Rockville,MD. Pp 1-110.
* Advisory Committee on Nuclear Waste. 96/05/15. 113pp. 88328:111-88328:223.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9605090073 Press release 96-64, "NRC ACRS to Meet 960523-25."
* Office of Public Affairs (Post 911117). 96/05/07. 3pp. 88212:183-88212:185.

9605130141 NUREG-1125 V17 A COMPILATION OF REPORTS OF THE ADVISORY COMMITTEE ON REACTOR SAFEGUARDS.1995 Annual.
* ACRS - Advisory Committee on Reactor Safeguards. 96/04/30. 118pp. 88226:142-88226:260.

9605160108 Transcript of ACRS Thermal Hydraulic Phenomena Subcommittee open session meeting on 960510 in Rockville,MD.Pp 687-774. Pp 353-686 closed pages.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/10. 91pp. 88318:074-88318:165.

9605160180 Transcript of ACRS Thermal Hydraulic Phenomena Subcommittee open session meeting on 960509 in Rockville,MD.Pp 1-118. Closed pages 119-352.Certificate & meeting objectives/agenda encl.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/09. 239pp. 88330:001-88330:239.

9605200478 Summary of 419th meeting of ACRS on 950309-10 in Rockville, MD re proposed final amend to 10CFR54,rulemaking to obtain equipment reliability data from licensees decommissioning of nuclear power reactors & Wolf Creek event on 940917.
* ACRS - Advisory Committee on Reactor Safeguards. 95/06/08. ACRS - Advisory Committee on Reactor Safeguards. 36pp. 88341:199-88341:234.

9605200485 Summary of ACRS Planning & Procedures Subcommittee 950405 meeting in Rockville,MD re natl performance review,use of consultants/budget,review team rept on ACRS/ACNW support functions & staffing changes.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/05/10. ACRS - Advisory Committee on Reactor Safeguards. 16pp. 88358:309-88358:324.

9605200491 Summary of 420 ACRS meeting on 950406-07 in Rockville,MD re Westinghouse test & analysis program associated w/AP600 passive containment sys & proposed final rulemaking to define scope of TS.
* ACRS - Advisory Committee on Reactor Safeguards. 95/05/04. ACRS - Advisory Committee on Reactor Safeguards. 33pp. 88341:235-88341:267.

9605200496 Summary of ACRS Thermal Hydraulic Phenomena Subcommittee 950502 meeting in Rockville,MD re RG 1.157 & comparison of W LBLOCA method to RG 1.157 & review of W code qualification for best-estimate LOCA analysis.
CATTON,I. ACRS - Advisory Committee on Reactor Safeguards. 95/05/26. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 88358:325-88358:330.

9605200497 Summary of ACRS Reactor Fuels Subcommittee 950503 meeting in Rockville,MD.
POWERS,D. ACRS - Advisory Committee on Reactor Safeguards. 95/06/08. ACRS - Advisory Committee on Reactor Safeguards. 8pp. 88358:331-88358:338.

9605210007 Summary of ACRS Planning & Procedures Subcommittee 950503 meeting in Rockville,MD re financial disclosure for special government employees,review team rept on ACRS/ACNW support functions & natl performance review Phase II.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/06/08. ACRS - Advisory Committee on Reactor Safeguards. 20pp. 88370:001-88370:020.

9605210013 Summary of 421st ACRS meeting on 950504-06 in Rockville,MD re regulatory reform initiatives & natl performance review Phase II & proposed final GL, "Voltage-Based Repair Criteria for Westinghouse SG Tubes."
* ACRS - Advisory Committee on Reactor Safeguards. 95/06/22. ACRS - Advisory Committee on Reactor Safeguards. 31pp. 88370:021-88370:051.

9605210031 Summary of ACRS Westinghouse Std Plant Designs Subcommittee 950531 meeting in Rockville,MD re draft Commission paper on status of technical issues associated w/AP600 design review.
LINDBLAD,W.J. ACRS - Advisory Committee on Reactor Safeguards. 95/07/14. ACRS - Advisory Committee on Reactor Safeguards. 8pp. 88370:052-88370:059.

9605210036 Summary of ACRS Planning & Procedures Subcommittee 950607 meeting in Rockville,MD re Review Team recommendations on office use of home & use of BankCard,use of consultants,PRA research needs & reporting of grants & contracts.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/07/11. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 88370:060-88370:062.

9605210052 Summary of ACRS Auxiliary & Secondary Sys Subcommittee 950607 meeting in Rockville,MD re status of NRC fire protection plan,Nuclear Energy Inst petition for rulemaking, fire models & ACRS tours of Narora in India.
CATTON,I. ACRS - Advisory Committee on Reactor Safeguards. 95/08/09. ACRS - Advisory Committee on Reactor Safeguards. 7pp. 88370:063-88370:069.

9605210070 Summary of 422nd ACRS meeting on 950608-10 in Rockville,MD re ethics training,proposed final PRA policy statement, proposed final rule on RV annealing & status of issues associated w/AP600 design certification review.
* ACRS - Advisory Committee on Reactor Safeguards. 95/07/25. ACRS - Advisory Committee on Reactor Safeguards. 34pp. 88370:070-88370:103.

9605210076 Summary of ACRS Subcommittee on Technical Training Programs 950712 meeting in Rockville,MD re existing & proposed curricula in technical subjects presented through NRC Technical Training Ctr.
SEALE,R. ACRS - Advisory Committee on Reactor Safeguards. 95/09/07. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 88370:104-88370:109.

9605210090 Summary of ACRS Planning & Procedures Subcommittee 950712 meeting in Rockville,MD re Review Team recommendations on ACRS/ACNW support functions & budget reductions proposed for FY96.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/07/14. ACRS - Advisory Committee on Reactor Safeguards. 18pp. 88370:110-88370:127.

9605210097 Summary of 423rd ACRS meeting on 950713-14 in Rockville,MD re revised health effects valuation,meeting w/EDO & Ofc Directors,NRC Technical Training Ctr curricula & proposed resolution of GSI 83, "CR Habitability."
* ACRS - Advisory Committee on Reactor Safeguards. 95/09/15. ACRS - Advisory Committee on Reactor Safeguards. 35pp. 88370:128-88370:162.

9605210112 Summary of ACRS Planning & Procedures Subcommittee 950906 meeting in Rockville,MD re 950823 meeting between TS Kress and SA Jackson on meeting between SA Jackson & Full Committee in Dec & SA Jackson review of agency activities.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/09/13. ACRS - Advisory Committee on Reactor Safeguards. 40pp. 88370:163-88370:202.

9605210119 Summary of 424th ACRS meeting on 950907-08 in Rockville,MD re action plan associated w/metal fatigue,maint rule insp procedures,activities associated w/development of improved NDE techniques & operation licensing exam process.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/11/04. ACRS - Advisory Committee on Reactor Safeguards. 32pp. 88370:203-88370:234.

9605210131 Summary of ACRS Planning & Procedures Subcommittee 951004 meeting in Rockville,MD re matters related to conduct of ACRS business.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/11/11. ACRS - Advisory Committee on Reactor Safeguards. 24pp. 88370:246-88370:269.

9605210143 Summary of 425th ACRS meeting on 951005-07 in Rockville,MD re proposed final rev 1 to RG 1.152,meeting w/RES Director, NAS & engineering study on application of digital I&C technology to NPPs & 950707 SDC bypass event at Hope Creek.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. GL-88-20. 95/11/04. ACRS - Advisory Committee on Reactor Safeguards. 34pp. 88370:272-88370:305.

9605210157 Summary of ACRS joint meeting of Subcommittees on IPEs/PRA on 951026-27 re risk-based & performance-based regulations.
APOSTOLAKIS,G. ACRS - Advisory Committee on Reactor Safeguards. 96/02/29. ACRS - Advisory Committee on Reactor Safeguards. 22pp. 88370:306-88370:327.

9605210163 Summary of ACRS Subcommittee on Watts Bar 951101 meeting in Rockville,MD re TVA application for OL for Watts Bar Nuclear Plant Unit 1.
WYLIE,C. ACRS - Advisory Committee on Reactor Safeguards. 95/12/07. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 88370:328-88370:333.

9605210167 Summary of ACRS Planning & Procedures Subcommittee 951101-02 meeting in Rockville,MD re matters related to conduct of ACRS business,including issue for Dec meeting w/NRC Chairman prepaid airline tickets & budget impact on ACRS meetings.
KRESS,T. ACRS - Advisory Committee on Reactor Safeguards. 95/11/29. ACRS - Advisory Committee on Reactor Safeguards. 8pp. 88370:334-88370:341.

9605210174 Summary of 430th meeting on 960411-13 re US Membership in NEA,Recommendations for Appointment of ACRS Members, Westinghouse Best-Estimate Loss-of-Coolant Accident Analysis Methodology & other repts.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/05/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 7pp. 88371:004-88371:010.

9605210177 Summary of 426th ACRS meeting on 951102-04 in Rockville,MD re Watts Bar Unit 1 OL application,BWR core power stability/ ATWS,advanced CR design review guidelines,reliability of sys & proposed final RG 1.164.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/21. ACRS - Advisory Committee on Reactor Safeguards. 33pp. 88371:011-88371:043.

9605210185 Summary of ACRS Planning & Procedures Subcommittee 951206 meeting in Rockville,MD re matters related to conduct of ACRS business,including budget impact,intl activities,member issues & election of officers.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/12/08. ACRS - Advisory Committee on Reactor Safeguards. 4pp. 88370:342-88370:345.

9605210189 Summary of ACRS IPE Subcommittee 960126 meeting in Rockville,MD re review & usefulness of IPEs in regulatory process.
APOSTOLAKIS,G. ACRS - Advisory Committee on Reactor Safeguards. 96/04/05. ACRS - Advisory Committee on Reactor Safeguards. 10pp. 88370:346-88370:355.

9605210195 Summary of ACRS Planning & Procedures Subcommittee 960207 meeting in Rockville,MD re matters related to conduct of ACRS business,including Larkins meeting w/Chairman Jackson on 960206,candidates for ACRS membership & intl meetings.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/03/08. ACRS - Advisory Committee on Reactor Safeguards. 15pp. 88371:120-88371:134.

9605210200 Summary of ACRS Subcommittee on Severe Accidents 960301 meeting in Rockville,MD re status of severe accident research program & progress of implementing severe accident mgt programs at operating nuclear reactors.
FONTANA,M. ACRS - Advisory Committee on Reactor Safeguards. 96/03/19. ACRS - Advisory Committee on Reactor Safeguards. 8pp. 88371:135-88371:142.

9605210206 Summary of ACRS Planning & Procedures Subcommittee 960306 meeting in Rockville,MD re matters related to conduct of ACRS business,including Larkins meeting w/Chairman Jackson on 960206,candidate for ACRS membership intl meetings.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/03/08. ACRS - Advisory Committee on Reactor Safeguards. 13pp. 88371:143-88371:155.

9605210212 Summary of ACRS Planning & Procedures Subcommittee 960410 meeting in Rockville,MD re matters related to conduct of ACRS business,including candidates for ACRS membership & intl meetings.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/04/30. ACRS - Advisory Committee on Reactor Safeguards. 9pp. 88371:156-88371:164.

9605210215 Summary of ACRS 426th meeting on 951102-04 re application for OL for Watts Bar Nuclear Plant Unit 1,proposed mods to BWR Owners Group emergency procedure guidelines to address reactor core instabilities & NUREG-0700,rev 1.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/12/04. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 88389:073-88389:078.

9605210220 Summary of 427th meeting on 951207-08 re Proposed Final GL, "Testing of SR Logic Circuits," proposed final rev 2 to Reg Guide 1.149,adequacy of IPEs,human performance program plan & implementation guidance for license renewal.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/01/16. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 88371:044-88371:048.

9605210253 Summary of 428th meeting on 960208-10 re Proposed Final NRC Bulletin 96-XX, "Potential Plugging of ECC Suction Strainers by Debris in BWRs," Westinghouse best-estimate LOCA Analysis methodology & rev 2 to Reg Guide 1.149.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/03/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 7pp. 88371:060-88371:066.

9605210258 Summary of 429th meeting on 960307-09 re "Use of Individual Plant Exams in Regulatory Process," review of recent fire PRA repts by BNL,resolution of Generic Issue 78,adequacy of RELAP5/MOD3 code & rev 8 to NUREG-1021.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/04/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 7pp. 88371:067-88371:073.

9605280032 Transcript of ACRS Plant Operations Subcommittee 960521 meeting in Rockville,MD.Pp 1-282.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/21. 403pp. 88377:001-88378:039.

9605280036 Transcript of ACRS Instrumentation & Control Sys & Computers Subcommittee 960522 meeting in Rockville,MD.Pp 1-272.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/22. 370pp. 88379:001-88380:006.

9605290232 Transcript of ACRS 431st meeting on 960523 in Rockville,MD. Pp 1-306.Certificate & individual plant exam insights encl.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/23. 400pp. 88398:001-88399:042.

9605300007 Transcript of 960524 public meeting w/ACRS in Rockville,MD. Pp 1-63.W/ viewgraphs and video.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/24. 115pp. 88393:216-88393:330.

ADVCM NRC ADVISORY COMMITTEE

9605140170 Forwards transcript of 960503 ACMUI meeting for placement in NUDOCS.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 96/05/10. Document Control Branch (Document Control Desk). 1p. 88230:050-88230:311.

--9605140180 Transcript of 960503 ACMUI meeting in Rockville,MD.Pp 1-221.
* Advisory Committee on Medical Uses of Isotopes. 96/05/03. 261pp. 88230:051-88230:311.

9605200192 Press release 96-71, "NRC Names JF Williamson to ACMUI."
* Office of Public Affairs (Post 911117). 96/05/17. 2pp. 88347:249-88347:250.

COMMISSION NRC COMMISSIONERS

9605010103 Informs NRC does not have funds available to contribute financially to work proposed to be done at CNWRA re 960219 ltr.Staff will discuss project w/Ctr & communicate results of discussions to G Johansson.
ROGERS,K.C. Commissioners (Post 750119). 96/04/17. JOHANSSON,G. Sweden, Govt. of. 1p. 88103:240-88103:241.

--9605010104 Forwards presentation of Swedish Radiation Protection Institute acceptance criteria for HLW repository,per meeting in Sweden.Cooperation project will be started w/Russian nuclear safety & radiation protection authority.
JOHANSSON,G. Sweden, Govt. of. 96/02/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88103:241-88103:241.

9605020134 Notation vote approving w/comments SECY-96-056 policy statement, "Freedom for Employees in Nuclear Industry to Raise Safety & Compliance Concerns W/o Fear of Retaliation."
DICUS,G.J. Commissioners (Post 750119). 96/04/16. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88072:081-88072:081.

9605020146 SECY-96-083 Weekly info rept for wk ending 960419.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/04/24. 22pp. 88082:322-88082:343.

9605020175 Notation vote approving w/comments SECY-96-056, "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns w/o Fear of Retaliation."
ROGERS,K.C. Commissioners (Post 750119). 96/04/10. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88083:355-88083:355.

9605020177 Notation vote approving w/comments SECY-96-056, "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns Without Fear of Retaliation."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 88083:356-88083:358.

9605060192 Notation vote approving w/comment SECY-96-060, "Final Amends to 10CFR re to Frequency of Emergency Planning Exercises at Nuclear Power Plants."
ROGERS,K.C. Commissioners (Post 750119). 96/04/17. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 88104:132-88104:133.

9605060206 Responds to staff requirements - SECY-96-035 - Final Rulemaking on "Enviro Review For Renewal of NPP Operating Licenses," 10CFR51.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/29. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. 88113:111-88113:231.

9605060208 Appoves issuance of rulemaking,SECY-96-035 - Final Rulemaking on "Enviro Review for Renewal of Nuclear Power Plant Operating Licenses," 10CFR51.
DICUS,G.J. Commissioners (Post 750119). 96/04/29. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. 88104:036-88104:036.

9605060211 Affirmation vote approving SECY-96-060, "Final Amends to 10CFR re Frequency of Emergency Planning Exercises at Nuclear Power Plants.
DICUS,G.J. Commissioners (Post 750119). 96/04/16. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88104:106-88104:106.

9605060236 Responds to 960320 ltr,informing that Commission considers use of psychological testing to harass,punish or discourage employees from raising safety concerns as form of discrimination & treats it as such.
ROGERS,K.C. Commissioners (Post 750119). 96/04/22. MARKEY,E.J. House of Rep. 3pp. 88113:323-88113:346.

--9605060240 Expresses concern over allegations reported in "Wall Street Journal" that employees at NRC licensed NPPs may have been forced to undergo psychological testing or counseling sessions in retaliation for raising safety concerns re NPPs.
MARKEY,E.J. House of Rep. 96/03/20. THE CHAIRMAN Commissioners (Post 750119). 4pp. 88113:343-88113:346.

9605060242 Affirmation vote approving w/edits,SECY-96-060, "Final Amends to 10CFR50 Relating to Frequency of Emergency Planning Exercises at Nuclear Power Plants."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 88111:349-88111:351.

9605090085 Speech S-96-06, "Nuclear Regulation in US:Policy Directions & Future Prospects," by SA Jackson,Chairman NRC before Korea Atomic Industrial Forum/ Korean Nuclear Society Seoul, Republic of Korea 960412.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/12. 10pp. 88212:188-88212:197.

9605100060 Informs that staff will review proposed changes to design certification rulemakings for ABWR & Sys 80+ designs & will determine whether GE has taken adequate corrective action to assure that errors not present in design control document.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/30. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 88207:349-88207:355.

9605130099 Informs of staff plans to form Agreement State & NRC Working Group to analyze regulatory implications of recent incident in Larpen,TX involving theft of four radiography exposure devices from bankrupt radiography licensee.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/05. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 13pp. 88204:314-88204:327.

-9605130156 Informs that Region IV concurs w/document,per request.
CALLAN,L.J. Region 4 (Post 820201). 96/03/15. BOLLING,V.M. NRC - No Detailed Affiliation Given. 1p. 88204:327-88204:327.

9605140256 Expresses appreciation for opportunity to meet on 960326 to discuss concerns related to Davis-Besse dry cask unloading procedure & issues raised in 960304 issue of Time Magazine re NRC oversight of Millstone plants.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post, 750119). 96/05/02. KAPTUR,M. House of Rep. 26pp. 88262:213-88262:242.

-9605140269 Expresses concerns re 960304 TIME magazine article re NRC responsibility.Would appreciate knowing what actions NRC has taken in response to facility revelations.
KAPTUR,M. House of Rep. 96/03/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 88262:240-88262:242.

9605150112 Speech S-96-05, "Nuclear Regulation:Challenges of Change" by SA Jackson,Chairman NRC before Japan Atomic Industrial Forum Nagoya,Japan 960417.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/17. 11pp. 88292:263-88292:273.

9605150123 Speech S-96-07, "Designing for & Achieving Safety in Digital Instrumentation & Controls," by SA Jackson,Chairman NRC at ANS Topical Meeting on Nuclear Plant Instrumentation,Control & Human-Machine Interface Technologies at PSU 960508.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/08. 7pp. 88292:274-88292:280.

9605150383 Recommends Dept of Environmental Quality provide public notice of decision to relinquish authority to regulate sealed source & device evaluations.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. SINCLAIR,W. Utah, State of. 3pp. 88266:351-88266:356.

-9605150392 Informs of Commission decision to reassume regulatory authority for sealed source & device evaluations in UT, effective 960601.FRN announcing change encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. LEAVITT,M.O. Utah, State of. 4pp. 88266:354-88266:354.

9605160001 Recommends that state provide public notice of action re decision to relinquish authority to regulate sealed source & device evaluations,per SA Jackson 960504 notification.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. FLATER,D.A. Iowa, State of. 3pp. 88275:001-88275:009.

-9605160004 Notifies of Commission decision to reassume regulatory authority for sealed source & device evaluations in Iowa, effective 960601.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. BRANSTAD,T.E. Iowa, State of. 4pp. 88275:004-88275:009.

9605160017 Recommends that state provide public notice of action to licensees re decision to relinquish authority to regulate sealed source & device evaluations,per SA Jackson 960504 notification.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. MOUNT,D.K. North Dakota, State of. 3pp. 88275:032-88275:040.

9605160131 SECY-96-094 Weekly info rept for wk ending 960426.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/05/02. 25pp. 88273:087-88273:110.

9605160133 Expresses appreciation for comments in 960328 ltr re perceived differences in regulatory philosophy between NRC & Agreement States.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. HILL,T.E. Georgia, State of. 6pp. 88277:352-88277:355.

-9605160146 Expresses appreciation for opportunity for OAS to brief Commission on 960226 meeting & folow up on issue raised during briefing.Inform that issue of NRC acceptance of & willingness to work w/differing regulatory philosophy.
HILL,T.E. Georgia, State of. 96/03/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 88277:354-88277:355.

9605160235 Informs that Commission recently completd review of two DOE technology transfer cases to authorize US industry participation in Korea Peninsula Energy Development Organization reactor project in North Korea.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/07. O'LEARY,H.R. Energy, Dept. of. DAVIS,L.E. State, Dept. of. SCHEINMAN,L. Army, Dept. of. 6pp. 88282:143-88282:148.

9605160286 Ack receipt of 960412 ltr forwarding amicus brief filed in DOL case RR Diaz-Robainas vs Florida Power & Light Co,case 92-ERA-10.OGC & staff requested to meet w/NEI to discuss concerns.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/07. BAYNE,P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 88277:358-88277:360.

-9605160290 Forwards for info, "Motion for Leave to File Brief Amicus Curiae & Brief Amicus Curiae of NEI in Support of Respondent Motion for Reconsideration." W/o encl.
BAYNE,P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 88277:359-88277:360.

9605160304 Responds to 960328 ltr re proposed agreement between NRC & Commonwealth of MA.MA would assume regulatory authority over acquisition,possession,use,transfer & disposal of source matl & byproduct matl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/07. WELD,W.F. Massachusetts, Commonwealth of. 1p. 88282:133-88282:134.

9605160388 Responds to 960327 request for meeting to discuss Intl Monitored Retrievable Storage Sys & informs of meeting scheduled for 960503 at NRC Headquarters.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/02. STARR,C. Electric Power Research Institute. 1p. 88273:001-88273:016.

-9605160399 Requests meeting on 960502-03 to discuss Intl Monitored Retrievable Storage Sys.
STARR,C. Electric Power Research Institute. HAFELE,W. Germany, Democratic Republic. 96/03/27. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 12pp. 88273:002-88273:016.

9605160451 Responds to 960305 request for info re costs of regulation & administrative procedures promulgated by NRC.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/02. BLILEY,T.J. House of Rep. 26pp. 88272:325-88272:350.

9605170104 Responds to 960316 ltr addressing concerns of Time magazine article on Millstone,unit 1,fuel pool problems.
VARGA,S.A. . 96/05/03. ORNELAS,M. Affiliation Not Assigned. 5pp. 88298:337-88298:354.

-9605170120 Provides written testimony for record for 951214 hearing before Senate Energy & Natural Resources Committee on S. 1271, "Nuclear Waste Policy Act of 1995."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/20. MURKOWSKI,F.H. Senate, Energy & Natural Resources. 1p. 88298:342-88298:342.

-9605170143 "Statement for Record by NRC to Committee on Energy & Natural Resources US Senate Concerning S.1271,Nuclear Waste Policy Act of 1995."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/12/14. 10pp. 88298:343-88298:352.

9605200286 Notation vote approving SECY-96-078, "Withdrawal of Proposed Amends to 10CFR150.15,Reasserting NRC Authority for Approving Onsite Low-Level Waste Disposal in Agreement States," w/o comments.
ROGERS,K.C. Commissioners (Post 750119). 96/05/07. Office of the Secretary of the Commission. 1p. 88296:352-88296:352.

9605200350 Notation vote approving SECY-96-078, "Withdrawal of Proposed Amends to 10CFR150.15,Reasserting NRC Authority for Approving Onsite LLW Disposal in Agreement States."
DICUS,G.J. Commissioners (Post 750119). 96/04/30. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88301:231-88301:231.

9605200363 Notation vote approving SECY-96-085, "NRC Drug Testing Program."
ROGERS,K.C. Commissioners (Post 750119). 96/04/26. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88301:232-88301:232.

9605200370 Notation vote approving SECY-96-078, "Withdrawal of Proposed Amends to 10CFR150.15,Reasserting NRC Authority for Approving Onsite Low-Level Waste Disposal in Agreement States," w/o comment.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88296:356-88296:356.

9605200438 Notation vote approving SECY-96-085, "NRC Drug Testing Program."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/02. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88301:233-88301:233.

9605200441 Notation vote approving SECY-96-085, "NRC Drug Testing Program."
DICUS,G.J. Commissioners (Post 750119). 96/05/03. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88301:234-88301:234.

9605210123 Speech S-96-09, "New Energy in Pacific Rim," by SA Jackson Chairman NRC at Asian/Pacific American Heritage Month Observance NRC Auditorium 960515.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/15. 8pp. 88370:235-88370:242.

9605210127 Speech S-96-08, "Commencement Address by SA Jackson Chairman NRC at Cheyney Univ Cheyney,PA 960511."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/11. 3pp. 88370:243-88370:245.

9605210302 Expresses appreciation for invitation to participate in annual Global Game exercise at Naval War College.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/13. LAKE,A. President of U.S. & Executive Offices. 4pp. 88320:347-88320:350.

-9605220243 Informs of Dept of Navy sponsored annual Global Game exercise at Naval War College in Newport,RI on 960715-26.
LAKE,A. President of U.S. & Executive Offices. 96/04/24. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 88320:349-88320:350.

9605210314 Responds to 960213 ltr commenting on NRC staff ltr to DOE, dtd 960106 stating position w/respect to assured storage concept for long-term mgt of low-level radioactive waste.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/09. LEROY,D.H. Affiliation Not Assigned. 2pp. 88308:311-88308:326.

-**9605210320** Forwards copy of article from RADWASTE magazine re "assured storage" concept for long-term mgt of low-level radioactive waste & submits comments re staff ltr to DOE on 960106.
LEROY,D.H. Affiliation Not Assigned. 96/02/13. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 13pp. 88308:313-88308:326.

9605230136 SECY-96-099 Weekly info rept for wk ending 960503.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/05/09. 18pp. 88327:332-88327:349.

9605230173 SECY-96-108 Weekly info rept for wk ending 960510.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/05/15. 23pp. 88342:094-88342:117.

9605300037 SECY-96-113 Weekly info rept for wk ending 960517.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/05/23. 20pp. 88390:105-88390:124.

9605300132 Comment opposing Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
SHALALA,D.E. Health & Human Services, Dept. of. 61FR1648 00050. 96/05/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88381:345-88381:345.

9605310050 Speech S-96-10, "Low-Level Radwaste Disposal in US" by SA Jackson,Chairman NRC to Low-Level Radwaste Forum Annapolis,MD 960529.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/29. 6pp. 88444:169-88444:174.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9605010065 Informs all actions have been completed & contract NRC-02-84-002,closed.Total payment has been accomplished & all obligations have been met by parties.
WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/30. SINGH,M.M. Engineers International, Inc. 1p. 88065:285-88065:285.

9605010081 Informs of closeout of contract NRC-05-74-036.
WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/29. DORNSIFE,W.P. Pennsylvania, Commonwealth of. 1p. 88073:354-88073:354.

9605010084 Mod 12 to contract NRC-10-87-214.
MCCUTCHEN,P. Scottsboro, AL. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/26. 3pp. 88073:355-88073:357.

9605010091 Ltr contract:mod 3 to task order 80 under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2062-6. 96/04/19. LOFY,R.A. PARAMETER, Inc. 7pp. 88067:347-88067:353.

9605010098 Ltr contract:mod 1 to task order 79 under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-22586. 96/04/23. LOFY,R.A. PARAMETER, Inc. 8pp. 88067:354-88067:361.

9605010108 Mod 11 to contract NRC-10-87-340.
CONABLE,C.M. Monroe, MI. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-24165. 96/04/23. 3pp. 88073:358-88073:360.

9605010122 Mod 3 to contract NRC-04-95-046.
WEELER,J. Arizona, Univ. of, Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). 96/04/24. 17pp. 88068:323-88068:339.

9605010301 Mod 1 to contract NRC-04-95-078.
METZGER,R.L. Radiation Safety Engineering, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/04/25. 6pp. 88068:344-88068:349.

9605020130 Mod 11 to contract NRC-10-87-335.
BALDWIN,J. Toledo, Univ. of, Toledo, OH. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/04/24. 3pp. 88079:356-88079:358.

9605020153 Mod 13 to contract NRC-10-87-344.
ANDERSON,E. Illinois, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/22. 3pp. 88083:352-88083:354.

9605020220 Forwards minutes from 960403 kick-off meeting w/AccuWeather, which include milestone schedule & deliverables.Requests that mod be made to contract accordingly.
CONGEL,F.J. Office for Analysis & Evaluation of Operational Data, Director. NRC-26-96-266. 96/04/18. MACE,M.H. Division of Contracts (Post 940714). 5pp. 88093:349-88093:353.

9605020325 Mod 1 to contract NRC-10-96-143.
* McCormack Levitis Chartered, Bethesda, MD. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/29. 4pp. 88095:320-88095:323.

9605020396 Mod 12 to contract NRC-33-92-172.
MAHER,J.W. Data Base, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1871. 96/04/29. 2pp. 88095:324-88095:325.

9605030016 Mod 2 to contract NRC-06-94-300.
SPRINGER,R. Food & Drug Administration. WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-2337. 96/04/29. 6pp. 88102:356-88102:361.

9605030018 Mod 1 to contract NRC-10-95-143.
HALL,E.S. Ford Motor Co. WIGGINS,R.B. Division of Contracts (Post 940714). 96/05/01. 2pp. 88103:357-88103:358.

9605030022 Ltr contract:task order 15 to contract NRC-02-95-003, "Technical Assistance in Review of Vectra Technologies,Inc License Amend of Standardized NUHOMS Horizontal Modular Storage Sys."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-02-95-003. FIN J-5073. 96/04/30. HOFT,N. Science Applications International Corp. (formerly Science Applications, Inc.). 4pp. 88100:345-88100:349.

9605060012 Ltr contract:mod 4 to task order 42, "Individual Plant Exam Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88104:029-88104:030.

9605060013 Ltr contract:mod 5 to task order 40, "IPE Reviews - Internal Events - Human Factors Only (Ft Calhoun Unit 1)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88104:027-88104:028.

9605060021 Ltr contract:mod 4 to task order 44, "IPE Reviews - Internal Events - Human Factors Only (Callaway)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88116:350-88116:351.

9605060057 Ltr contract:mod 4 to task order 43, "IPE Reviews-Internal Events-Human Factors Only (Clinton)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88116:352-88116:353.

9605060058 Ltr contract:mod 4 to task order 41, "IPE Reviews - Internal Events - Human Factors Only (Salem Units 1 & 2)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88116:354-88116:355.

9605060126 Ltr contract,mod 6 to task order 13, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88111:359-88111:360.

9605060141 Ltr contract:mod 5 to task order 19, "IPE Reviews-Internal Events-Human Factors Only (Cooper)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88111:343-88111:344.

9605060158 Ltr contract:mod 6 to task order 14, "IPE Reviews - Internal Events - Human Factors Only (Duane Arnold)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. FIN L-1934. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88116:356-88116:357.

9605060161 Ltr contract,mod 4 to task order 26, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). FIN L-1934. NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88113:352-88113:353.

9605060172 Ltr contract:mod 6 to task order 35, "IPE Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). FIN L-1934. NRC-04-91-069. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88104:034-88104:035.

9605060175 Ltr contract,mod 4 to task order 46, "IPE Reviews-Internal Event-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88113:354-88113:355.

9605060178 Ltr contract:mod 7 to task order 15, "IPE Reviews - Internal Events - Human Factors Only (Palisades)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88113:360-88113:361.

9605060187 Ltr contract:mod 5 to task order 20, "Individual Plant Exam (IPE) Reviews - Internal Events - Human Factors Only (Dresden 2 & 3)," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. FIN L-1934. 96/04/26. HASS,P.M. Concord Associates, Inc. 2pp. 88104:025-88104:026.

9605060246 Ltr contract,mod 4 to task order 25, "IPE Reviews - Internal Events - Human Factors Only (Farley Units 1 & 2)."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. FIN L-1934. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88104:130-88104:131.

9605060327 Ltr contract,mod 4 to task order 29, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. FIN L-1934. 96/04/26. HAAS,P.M. Concord Associates, Inc. 2pp. 88111:354-88111:355.

9605060334 Ltr contract,mod 4 to task order 45, "IPE Reviews-Internal Events-Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/04/26. HAAS,P. Concord Associates, Inc. 2pp. 88111:352-88111:353.

9605070029 Contract NRC-04-96-058,awarded to R Steeel.
STEEL,R. Affiliation Not Assigned. MACE,M. Division of Contracts (Post 940714). 96/05/03. 33pp. 88144:297-88144:328.

9605070042 Mod 3 to contract NRC-04-94-050.
KHATIB-RAHBAR Energy Research, Inc. MACE,M. Division of Contracts (Post 940714). 96/04/26. 4pp. 88118:354-88118:357.

9605070044 Mod 3 to contract NRC-26-95-276.
* Westinghouse Electric Corp. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/03. 2pp. 88118:352-88118:353.

9605070050 Mod 6 to contract NRC-26-95-261.
* NUS Corp. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/03. 21pp. 88114:319-88114:339.

9605070057 Mod 7 to contract NRC-04-94-052.
MAGRUM,E.M. Maryland, Univ. of, College Park, MD. MACE,M.H. Division of Contracts (Post 940714). 96/04/30. 17pp. 88144:280-88144:296.

9605070071 Mod 14 to contract NRC-33-93-201.
* Small Business Administration. SHRIVASTAVA,S. Anstec, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/03. 2pp. 88117:351-88117:352.

9605070073 Mod 7 to contract NRC-04-95-038.
NEUMAN,S. Arizona, Univ. of, Tucson, AZ. MACE,M. Division of Contracts (Post 940714). 96/05/02. 2pp. 88117:353-88117:354.

9605070074 Mod 2 to contract NRC-04-94-045.
KNIGHT,D.A. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/04/30. 5pp. 88117:355-88117:359.

9605070115 Mod 2 to contract NRC-26-95-264.
* . MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8277. 96/05/03. 2pp. 88114:352-88114:353.

9605070132 Mod 4 to contract NRC-04-92-046.
KHATIB-RAHBAR Energy Research, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/04/26. 5pp. 88114:354-88114:358.

9605070151 Mod 3 to contract NRC-06-94-300.
* Food & Drug Administration. WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-2337. 96/05/03. 2pp. 88114:359-88114:360.

9605070305 Contract NRC-10-96-141, "Upgrades of Publications Computer Sys," awarded to RGII Technologies.
SMITH,L.P. Small Business Administration. FREELANN,K.B. . WEBBER,R.B. Division of Contracts (Post 940714). 96/05/01. 52pp. 88114:223-88114:274.

9605070323 Mod 6 to contract NRC-04-95-041.
WHEELER,J.T. Arizona, Univ. of, Tucson, AZ. MACE,M. Division of Contracts (Post 940714). FIN J-5136. 96/05/02. 2pp. 88141:359-88141:360.

9605070334 Mod 5 to contract NRC-04-92-045.
KHATIB-RAHBAR Energy Research, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/04/26. 5pp. 88144:333-88144:337.

9605080010 Mod 15 to contract NRC-02-91-007.
BROWN,J.F. Colorado State Univ., Fort Collins, CO. MACE,M.H. Division of Contracts (Post 940714). FIN L-1410. 96/04/29. 19pp. 88175:001-88175:019.

9605080011 Mod 3 to contract NRC-38-94-282.
MENDELSON,I. BEMW, Inc. (formerly Binder, Elster, Mendelson & Wheeler, Inc.). WIGGINS,E.J. Division of Contracts (Post 940714). FIN T-8410. 96/04/30. 7pp. 88175:020-88175:027.

9605080013 Mod 1 to contract NRC-04-96-041.
KNIGHT,D.A. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6460. 96/05/06. 18pp. 88175:028-88175:045.

9605080021 Ltr contract:task order 302, "New Thermal Hydraulics Code Planning," to contract NRC-03-95-026,awarded to Scientech,Inc.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN W-6618. 96/05/02. KNIGHT,D. SCIENTECH, Inc. 8pp. 88175:077-88175:083.

9605080235 Mod 5 to contract NRC-04-94-077.
MCKENZIE,P.C. Boston College, Chestnut Hill, MA. MACE,M.H. Division of Contracts (Post 940714). 96/04/26. 15pp. 88174:274-88174:288.

9605080244 Ltr contract:task order 106, "Evaluation of Metal Vertical Tanks at Plant," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). FIN J-2397-6. NRC-03-95-026. 96/05/03. KNIGHT,D. SCIENTECH, Inc. 6pp. 88174:351-88174:356.

9605090201 Ltr contract:mod 6 to task order 3, "Rulemaking Support for Decommissioning Nuclear Facilities," under contract NRC-04-93-058.
MACE,M.H. Division of Contracts (Post 940714). FIN L-1985. NRC-04-93-058. 96/05/06. COHEN,S. S. Cohen & Associates, Inc. 4pp. 88185:302-88185:305.

9605100030 Ltr contract:task order 208, "Support for Part 1 of PRA Implementation Plan-Review of Pilot Plant Risk-Based Prioritization," to contract NRC-03-95-026,awarded to Scientech,Inc.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN J-2313-5. 96/05/02. KNIGHT,D. SCIENTECH, Inc. 10pp. 88212:321-88212:330.

9605100072 Mod 10 to contract NRC-33-94-197.
DEASY,B.J. . MATTIA,M.J. Division of Contracts (Post 940714). 96/05/03. 5pp. 88207:356-88207:360.

9605100185 Mod 7 to contract NRC-10-92-142.
STEWART,R. Ford Motor Co. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2324. 96/05/02. 2pp. 88207:279-88207:280.

9605100197 Informs of closeout of contract NRC-04-95-053.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-04-95-053. 96/05/09. TABATABAI,H. Construction Technology Laboratories, Inc. 1p. 88216:342-88216:342.

9605100211 Mod 9 to contract NRC-10-92-168.
* Tracor Technology Resources, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2375. 96/05/09. 2pp. 88207:218-88207:219.

9605100213 Informs all actions re contract NRC-10-95-148 have been completed & total payments in listed amount accomplished. Contract officially closed.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-148. 96/05/09. KRAUSE,R.F. Simplex Time Recorder Co. 1p. 88207:220-88207:220.

9605140203 Mod 2 to contract NRC-03-95-025.
WHEELER,J.R. Small Business Administration. WHEELER,J.R. . WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2269. 96/04/01. 6pp. 88228:331-88228:336.

9605140206 Mod 15 to contract NRC-10-94-145.
DEITZ,J.H. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/18. 3pp. 88251:282-88251:284.

9605140216 Mod 4 to contract NRC-04-95-049.
RYAN,J. . MACE,M.H. Division of Contracts (Post 940714). 96/05/07. 2pp. 88257:357-88257:358.

9605140240 Ltr contract,definitizing task order 84, "Salem Licensing Basis Confirmation Insp."
WIGGIN,E.J. Division of Contracts (Post 940714). FIN J-2407-6. NRC-03-93-026. 96/05/06. LOFY,R.A. PARAMETER, Inc. 7pp. 88252:329-88252:335.

9605150004 Ltr contract:task order 8 to contract NRC-04-92-045,awarded to Energy Research,Inc.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-92-045. FIN L-1972. 96/05/07. KHATIB-RAHBAR Energy Research, Inc. 2pp. 88270:299-88270:300.

9605150005 Mod 12 to contract NRC-10-87-343.
LETSON,C.G. Greenfield Community College, Greenfield, MA. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416-5. 96/05/08. 3pp. 88265:354-88265:357.

9605150007 Mod 6 to contract NRC-04-95-038.
WHEELER,J.T. Arizona, Univ. of, Tucson, AZ. MACE,M. Division of Facility & Property Management (Post 940714). 96/05/06. 16pp. 88265:337-88265:353.

9605150008 Ltr contract:mod 40 to task order 1, "Agency Upgrade of Technology for Ofc Sys (AUTOS) Overall & Task-Specific Project Plan & Mgt," under contract NRC-33-90-178.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-90-178. FIN D-1926. 96/05/13. LIN,B.T. CEXEC, Inc. 3pp. 88269:358-88269:360.

9605150010 Mod 27 to contract NRC-33-90-178.
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/06. 2pp. 88269:356-88269:357.

9605150016 Ltr contract:mod 21 to task order 4, "Agency Upgrade of Technology for Ofc Sys (AUTOS) Ofc Plans,Integration & Implementation Network Mgt & Administration," under contract NRC-33-90-178.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-90-178. FIN L-1954. 96/05/13. LIN,B.T. CEXEC, Inc. 3pp. 88265:358-88265:359.

9605150021 Ltr contract:mod 18 to task order 3, "Agency Upgrade of Technology for Ofc Sys (AUTOS) Ofc Plans,Integration & Implementation," under contract NRC-33-90-178.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-90-178. FIN L-1794. 96/05/13. LIN,B.T. CEXEC, Inc. 3pp. 88265:315-88265:317.

9605150024 Mod 2 to contract NRC-04-95-045.
* Maryland, Univ. of, College Park, MD. WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-2219. 96/05/10. 2pp. 88264:359-88264:360.

9605150028 Ltr contract:mod 4 to task order 2 under contract NRC-02-95-002.
MACE,M. Division of Contracts (Post 940714). NRC-02-95-002. FIN J-5054. 96/05/01. BAILEY,P.E., HALL,A.D. ICF, Inc. 2pp. 88264:357-88264:358.

9605150033 Ltr contract:mod 4 to task order 2 under contract NRC-02-95-002.
MACE,M. Division of Contracts (Post 940714). NRC-02-95-002. FIN J-5054. 96/05/01. BAILEY,P.E., HALL,A.D. ICF, Inc. 2pp. 88264:355-88264:356.

9605150045 Ltr contract,mod 1,task order 5 to NRC-02-95-022.
MACE,M. Division of Contracts (Post 940714). 96/05/01. HALL,A.D. ICF, Inc. 2pp. 88272:168-88272:169.

9605150049 Forwards mod 21 to contract NRC-09-92-202.
WIGGINS,E.Q Division of Contracts (Post 940714). NRC-09-92-202. 96/05/13. WASHINGTON,G.K. Affiliation Not Assigned. 1p. 88258:346-88258:349.

9605150054 Mod 21 to contract NRC-09-92-202.
* Small Business Administration. * Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/10. 2pp. 88258:348-88258:349.

9605160034 Ltr contract:mod 7 to task order 3, "Ofc of Personnel Sys Integration - Phase II," under contract NRC-33-93-196/ SB-0303-93-1-00076.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-196. 96/05/03. JONES,N. Affiliation Not Assigned. 3pp. 88273:169-88273:171.

9605160049 Ltr contract:task order 36, "Technical Assistance in Initial Exam for Indian Point Nuclear Power Plant," to contract NRC-03-94-035,awarded to Sonalysts,Inc.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. FIN J-2073-6. 96/05/06. SANDERS,L. Sonalysts, Inc. 4pp. 88273:162-88273:165.

9605160054 Mod 31 to contract NRC-10-85-264.
KELLY,W.P. Government Printing Office. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-1872-6. 96/05/25. 2pp. 88273:160-88273:161.

9605160082 Mod 3 to contract NRC-26-93-289.
ATHEY,G.F. Athey Consulting. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/09. 3pp. 88273:157-88273:159.

9605160086 Mod 17 to contract NRC-29-83-621.
THOMPSON,F.E. Mississippi, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2366. 96/03/18. 3pp. 88273:154-88273:156.

9605160102 Ltr contract:mod 6 to task order 20, "Individual Plant Exam Reviews - Internal Events - Human Factors Only," under contract NRC-04-91-069.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 96/05/09. HAAS,P. Concord Associates, Inc. 2pp. 88273:152-88273:153.

9605160104 Mod 21 to contract NRC-33-94-185.
CLARY,J.R. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1081-6. FIN E-1783-6. 96/05/09. 2pp. 88273:150-88273:151.

9605160115 Mod 8 to contract NRC-04-94-055.
WESTBROOK,D. National Academy of Sciences. MACE,M.H. Division of Contracts (Post 940714). 96/05/09. 17pp. 88273:133-88273:149.

9605160121 Mod 4 to contract NRC-04-94-036.
PERKI,R.H. Wisconsin, Univ. of, Madison, WI. MACE,M.H. Division of Contracts (Post 940714). 96/05/06. 5pp. 88273:128-88273:132.

9605160126 Mod 10 to task order 23, "Agency Upgrade of Technology for Ofc Sys,Ofc Plans,Integration & Implementation Relocation of NRC Ofcs to Two White Flint North Facility," under contract NRC-33-90-178.
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1004. 96/05/06. 3pp. 88272:358-88272:360.

9605160338 Forwards copy of mod 15,which establishes final indirect rates & final total cost to govt.W/o encl.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-04-88-086. 96/05/13. GORE MPR Associates, Inc. 1p. 88282:136-88282:136.

9605160351 Mod 5 to contract NRC-33-92-338.
* Municipal Leasing Co. WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/10. 2pp. 88277:356-88277:357.

9605160367 Forwards executed copy of contract NRC-33-96-192 & names Project Officer,Contracting Officer & Contract Specialist.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-96-192. 96/05/13. MAHER,J.W. . 1p. 88281:001-88282:132.

-9605160373 Contract NRC-33-96-192, "Archival Record Storage & Related Svcs," awarded to Data Base Co,Inc.
MAHER,J.W. . MATTIA,M.J. Division of Contracts (Post 940714). 96/05/13. 495pp. 88281:002-88282:132.

9605160456 Mod 1 to grant NRC-G-04-95-063.
SMITH,H. National Academy of Sciences. WIGGINS,E.J. Division of Contracts (Post 940714). FIN G-4110. 96/05/02. 2pp. 88287:354-88287:355.

9605160468 Ltr contract:task order 3, "Enhancement to Controller Cost Ctr Resource Database Sys," to contract NRC-09-94-202, awarded to Cox & Assoc CPAs.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN E-7046. NRC-09-94-202. 96/05/13. COX,D. Cox & Associates, P.C. 6pp. 88287:348-88287:353.

9605170445 Mod 4 to contract NRC-04-95-042.
COLINA,I.R. Science & Engineering Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/05/09. 2pp. 88299:335-88299:336.

9605170454 Ltr contract,task order 7 to contract NRC-26-94-263,awarded to Conger & Elsea,Inc.
MATTIA,M. Division of Contracts (Post 940714). FIN U-7012. 96/05/13. CONGER,D.S. Affiliation Not Assigned. 5pp. 88300:345-88300:349.

9605170462 Ltr contract,mod 4,task order 1 to contract NRC-04-90-071, awarded to S Cohen & Assoc,Inc.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2053. 96/05/09. COHEN,S. S. Cohen & Associates, Inc. 2pp. 88304:349-88304:350.

9605200015 Mod 16 to contract NRC-10-93-133.
BAKER,L.J. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/14. 6pp. 88301:152-88301:157.

9605200048 Mod 2 to task order 18, "Assistance w/Reevaluation of Exemptions Program," under contract NRC-04-91-047.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-91-047. 96/05/13. KNOX,I.H. Advanced Systems Technology, Inc. 2pp. 88299:308-88299:309.

9605200051 Ltr contract,mod 16 to task order 3 under contract NRC-33-92-203.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 96/05/16. HUTCHISON,M. Applied Management Systems, Inc. 1p. 88296:347-88296:347.

9605200067 Mod 12 to contract NRC-10-87-333.
PARTON,B. Arkansas Tech Univ., Russellville, AR. WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/06. 3pp. 88296:344-88296:346.

9605200076 Mod 5 to contract NRC-04-93-067.
MCCOY,K.O. South Carolina, Univ. of, Columbia, SC. MACE,M.H. Division of Contracts (Post 940714). 96/05/13. 2pp. 88301:235-88301:236.

9605200081 Mod 2 to contact NRC-10-95-142.
* Diplomat Limousine & Livery Services, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/16. 2pp. 88296:359-88296:360.

9605200179 Mod 7 to contract NRC-26-93-288.
* Chem-Nuclear Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8210. 96/05/17. 2pp. 88296:333-88296:334.

9605200195 Mod 1 to contract NRC-10-96-142.
FOSNAUGHT,W. Graphics Visions Associates, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/16. 3pp. 88301:226-88301:228.

9605200205 Mod 2 to contract NRC-10-96-143.
* McCormack Levitis Chartered, Bethesda, MD. WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/16. 2pp. 88301:229-88301:230.

9605210022 Mod 2 to task order 12 under contract NRC-33-92-203.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 96/05/16. HUTCHINSON,M. Applied Management Systems, Inc. 1p. 88306:295-88306:295.

9605210079 Mod 1 to contract NRC-38-95-284.
* Affiliation Not Assigned. WEBBER,R.B. Division of Contracts (Post 940714). FIN A-8410. 96/05/10. 2pp. 88314:335-88314:336.

9605210098 Ltr contract,definitizing mod 1 to task order 12, "Rulemaking Support:Reliability Info Collection Rule Rule."
MACE,M.H. Division of Contracts (Post 940714). 96/05/10. COHEN,S. . 2pp. 88306:296-88306:297.

9605210101 Ltr contract,definitizing task order 108, "Special Insp of Dresden Units 2 & 3 Engineering & Licensing Activities" under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. FIN E-2413-6. 96/05/14. KNIGHT,D. SCIENTECH, Inc. 2pp. 88385:162-88385:163.

9605210102 Mod 1 to grant NRC-G-04-95-063.
WESTBROOK,D.P. National Academy of Sciences. WIGGINS,E.J. Division of Contracts (Post 940714). FIN G-6508. 96/05/15. 2pp. 88306:298-88306:299.

9605210104 Mod 6 to contract NRC-04-93-061.
KILLOREN,R. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). FIN J-6030. 96/05/15. 17pp. 88314:341-88314:357.

9605210110 Mod 7 to contract NRC-04-93-058.
COHEN,S. S. Cohen & Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/05/10. 2pp. 88320:355-88320:356.

9605210118 Forwards mod 1 to contract NRC-33-96-180.
MATTIA,M. Division of Contracts (Post 940714). NRC-33-96-180. 96/05/17. WILLIAMS,D.G. Affiliation Not Assigned. 1p. 88306:260-88306:263.

-9605210120 Mod 1 to contract NRC-33-96-180.
* . MATTIA,M.J. Division of Contracts (Post 940714). 96/05/17. 3pp. 88306:261-88306:263.

9605210218 Mod 89 to contract NRC-02-93-005.
* Southwest Research Institute. MEEHAN,B.D. Division of Contracts (Post 940714). 96/05/17. 4pp. 88308:076-88308:079.

9605210477 Ltr contract:task order 3,under contract NRC-26-93-289.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-93-289. FIN E-9211. 96/05/17. ATHEY,G. Athey Consulting. 10pp. 88308:301-88308:310.

9605210481 Ltr contract,definitizing mod 3 to task order 2 under contract NRC-26-93-289.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-93-289. 96/05/16. ATHEY,G. Affiliation Not Assigned. 4pp. 88308:340-88308:343.

9605210491 Ltr contract,mod 1 to task order 4,under contract NRC-04-95-065.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-95-065. 96/05/01. BAILEY,P.E. ICF, Inc. 1p. 88308:356-88308:356.

9605220131 Mod 3 to contract NRC-10-96-143.
MCCORMACK,J.A. McCormack Levitis Chartered, Bethesda, MD. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2375. 96/05/21. 2pp. 88324:357-88324:358.

9605230170 Mod 3 to contract NRC-04-96-043.
WIGGINS,E. Canberra Industries, Inc. HEGARTY,J.M. Division of Contracts (Post 940714). NRC-04-96-043. 96/05/14. 4pp. 88342:090-88342:093.

9605230211 Mod 9 to contract NRC-33-93-186.
* Small Business Administration. LIN,B. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/17. 2pp. 88342:208-88342:209.

9605230213 Ltr contract,mod 10 to task order 1, "Transmission/Internet Protocol (TCP/IP) implementation" under contract NRC-33-93-186.
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1000. NRC-33-93-186. 96/05/17. LIN,B. CEXEC, Inc. 2pp. 88342:210-88342:211.

9605230217 Mod 14 to contract NRC-04-94-053.
* Science Applications International Corp. (formerly Science Applications, Inc.). MACE,M.H. Division of Contracts (Post 940714). 96/05/22. 2pp. 88342:212-88342:213.

9605240016 Ltr contract,mod 12 to task order 2, "Unix Sys Support," to contract NRC-33-93-186.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-186. 96/05/17. LIN,B. Affiliation Not Assigned. 2pp. 88344:103-88344:104.

9605280026 Mod 3 to contract NRC-04-94-046.
HECHT,H. SoHaR, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6208. 96/05/20. 12pp. 88375:074-88375:085.

9605280033 Mod 16 to contract NRC-03-91-032.
MCGUFFIN,J.C. Commerce, Dept. of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-2063. 96/05/22. 6pp. 88375:028-88375:033.

9605280034 Ltr contract:mod 4 to task order 4 under contract NRC-33-93-225.
MATTIA,M.J. Division of Contracts (Post 940714). FIN B-8173. NRC-33-93-225. 96/05/24. COOR-BARRY,S. Adsytech, Inc. 3pp. 88375:025-88375:027.

9605280037 Mod 3 to contract NRC-04-95-047.
COLINA,I.R. Science & Engineering Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/05/10. 5pp. 88375:018-88375:024.

9605280039 Contract NRC-10-96-144, "Urine Specimen Testing & Storage of Split Specimens," awarded to Northwest Toxicology,Inc.
SMITH,S.D. . WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/16. 47pp. 88375:086-88375:132.

9605280055 Mod 15 to contract NRC-33-93-201.
SHRIVASTAVA,S. Anstec, Inc. MATTIA,M.J. Division of Contracts (Post 940714). SBA-0353-93-3-0. 96/05/21. 3pp. 88374:355-88374:357.

9605280292 Submits closeout of contract NRC-G-94-84-002,advising that total payment for listed amount accomplished.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-G-04-84-002. 96/05/22. BACKMAN,D. Central Florida, Univ. of, Orlando, FL. 1p. 88374:324-88374:324.

9605280294 Mod 43 to contract NRC-02-76-311.
* Army, Dept. of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-7082. 96/05/20. 2pp. 88374:316-88374:317.

9605280296 Submitting closeout of contract NRC-04-94-087,advising that total payment for listed amount accomplished.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-04-94-087. 96/05/22. REGER,J.P. Maryland, State of. 1p. 88374:321-88374:321.

9605280297 Forwards mod 35 to contract,Abandonment of Govt Property, which unilaterally exercises Govt right to abandon Govt owned property listed on Exhibit A of mod.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-39-88-211. 96/05/21. Statistica, Inc. 1p. 88375:011-88375:017.

-9605280298 Mod 35 to contract NRC-39-88-211.
* Statistica, Inc. WEBBER,R. Division of Contracts (Post 940714). 96/05/21. 6pp. 88375:012-88375:017.

9605280301 Mod 2 to contract NRC-04-92-060.
ANSTINE,L. Advanced Process Technology. WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/17. 2pp. 88374:322-88374:323.

9605290183 Informs all obligations have been met by parties & grant officially closed out.
WIGGINS,E.J. Division of Contracts (Post 940714). NRCG-04-91-092. 96/05/24. OPPERMANN,K.R. Texas, Univ. of, Houston, TX. 1p. 88392:170-88392:170.

9605290184 Mod 87 to contract NRC-02-93-005.
CHATTEN,R.E. Southwest Research Institute. MEEHAN,B.D. Division of Contracts (Post 940714). 96/05/20. 9pp. 88376:072-88376:080.

9605290188 Mod 86 to contract NRC-02-93-005.
CHATTEN,R.E. Southwest Research Institute. MEEHAN,B.D. Division of Contracts (Post 940714). 96/05/23. 20pp. 88376:081-88376:100.

9605290194 Ltr contract:task order 5, "Insp Accompaniment to St Petersburg Institute for Nuclear Physics," to contract NRC-02-95-009,awarded to Ogden Environ & Energy Svcs.
MACE,M.H. Division of Contracts (Post 940714). FIN R-9506. NRC-02-95-009. 96/05/24. SKANSE,G. Ogden Environmental & Energy Services (Formerly Multiple Dynamics Corp). 5pp. 88385:267-88385:271.

9605290195 Mod 8 to contract NRC-26-94-261.
SUNDERLIN,W.J. Pulau Electronics Corp. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/23. 6pp. 88375:353-88375:358.

9605290196 Task order 18 to contract NRC-02-95-003 awarded to Science Applications International Corp.
HOFT,N. Science Applications International Corp. (formerly Science Applications, Inc.). WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-5073. 96/05/16. 1p. 88376:001-88376:001.

9605290204 Ltr contract:task order 4, "Kazakstani Matl Protection Control & Accounting (MPCA) Regulatory Follow-on Consultations." under contract NRC-02-95-009.
MACE,M.H. Division of Contracts (Post 940714). FIN J-5118. NRC-02-95-009. 96/05/24. SKANSE,G. Ogden Environmental & Energy Services (Formerly Multiple Dynamics Corp). 5pp. 88385:272-88385:276.

9605290209 Forwards contract NRC-33-92-203 to Mod 10.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-203. 96/05/29. ENGER,N.L. Applied Management Systems, Inc. 1p. 88376:101-88376:104.

-9605290216 Mod 10 to contract NRC-33-92-203.
ENGER,N.L. Applied Management Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/29. 3pp. 88376:102-88376:104.

9605290211 Mod 6 to contract NRC-03-91-027.
MANN,S. Florida, Univ. of, Gainesville, FL. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2368. 96/03/22. 3pp. 88385:277-88385:279.

9605290221 Forwards mod 11 to NRC-33-92-203.
MATTIA,M.J. Division of Contracts (Post 940714). 96/05/29. ENGER,N.L. Applied Management Systems, Inc. 1p. 88376:110-88376:113.

-9605290226 Mod 11 to contract NRC-33-92-203.
ENGER,N.L. Applied Management Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/05/29. 3pp. 88376:111-88376:113.

9605290222 Mod 6 to contract NRC-04-94-041, "Age Dating Geologic Matls."
LETTIS,W.R. . MACE,M.H. Division of Contracts (Post 940714). FIN L-2211. 96/05/15. 4pp. 88376:116-88376:119.

9605290223 Mod 7 to contract NRC-04-95-065.
BAILLY,P.B. ICF, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/05/24. 6pp. 88385:280-88385:285.

9605300011 Mod 10 to contract NRC-04-92-051.
WALCH,J.V. MITRE Corp. MACE,M.H. Division of Contracts (Post 940714). 96/05/23. 2pp. 88392:359-88392:360.

9605300031 Ltr contract:mod 4 to task order 201, "Review of W WGOTHIC Code for AP600 PCCS DBA Evaluations," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN J-2314-6. 96/05/23. KNIGHT,D.A. SCIENTECH, Inc. 2pp. 88390:156-88390:157.

9605300032 Mod 12 to contract NRC-39-88-182.
MAKI,T. Wisconsin, Univ. of, Green Bay, WI. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/05/21. 3pp. 88393:357-88393:359.

9605300036 Mod 7 to contract NRC-10-95-149.
GUIDICE,W.J. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 96/05/28. 5pp. 88394:098-88394:102.

9605300039 Ltr contract,definitizing task order 211, "Technical Review of Licensing Basis for Millstone Unit 1," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. 96/05/21. KNIGHT,D. SCIENTECH, Inc. 2pp. 88400:109-88400:110.

9605300044 Task Order 21 to contract NRC-02-95-003 awarded to Science Applications International Corp.
HOFT,N. Science Applications International Corp. (formerly Science Applications, Inc.). WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-5073. 96/05/21. 1p. 88390:102-88390:102.

9605300052 Mod 12 to contract NRC-10-87-332.
* . WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416-5. 96/05/23. 3pp. 88390:179-88390:181.

9605310006 Submits closeout of grant NRC-04-92-087.Payment in listed amount accomplished.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-G-04-92-087. 96/05/29. ETHEREDGE,R.S. South Carolina, Univ. of, Columbia, SC. 1p. 88400:192-88400:192.

9605310007 Mod 20 to contract NRC-10-94-141, "White Flint Parking Procedures."
GILCHRIST,J.R. . FIELDS,J.A. Division of Contracts (Post 940714). 96/05/22. 26pp. 88400:201-88400:226.

9605310009 Mod 21 to contract NRC-10-94-141.
GILCHRIST,J.R. . FIELDS,J.A. Division of Contracts (Post 940714). 96/05/22. 5pp. 88400:193-88400:197.

9605310108 Mod 5 to contract NRC-03-95-025.
* Small Business Administration. WHEELER,J.R. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2269. 96/05/23. 5pp. 88394:355-88394:359.

9605310134 Submits closeout of grant NRC-G-04-86-302.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-G-04-86-302. 96/05/28. HALL,A. National Academy of Sciences. 1p. 88400:191-88400:191.

9605310225 Ltr contract:mod 1 to task order 17, "PC Codes for Calculating Public Dose," under NRC-04-91-047.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-91-047. FIN J-6039. 96/05/29. KNOX,I.H. Advanced Systems Technology, Inc. 3pp. 88400:114-88400:116.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9605020282 "Instruction Manual for Handling Radioactive Tracer Matls."
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 67/05/31. 36pp. 88100:248-88100:283.

9605150120 Notice of violation from insp on 750414-18.Violation noted: requirements of procedure 212 re refueling not met.
* Region I, IE (720101-810228). 75/05/22. 1p. 88584:036-88584:036.

-9604160256 Insp rept 50-219/71-02 on 710622-25-0702.Violations noted. Major areas inspected:log & records,facility staffing & operator retraining programs,reactivity control & core physics.
MCDEROTT,W.H., YOUNG,T., CARLSON,R.T. Region I, IE (720101-810228). 71/09/02. 18pp.. 88576:213-88576:230.

-9604160377 Forwards Directorate of Regulatory Operations Bulletin 73-1, to provide info received from WEPC & RG&E concerning Point Beach & Ginna pressurized water reactor facilities.Action requested identified in section B of bulletin.
O'REILLY,J.P. Region I, IE (720101-810228). IEB-73-01. 73/02/23. SIMS,R.H. Jersey Central Power & Light Co. 3pp. 88575:176-88575:178.

-9604170121 Insp rept 50-363/70-02 on 701102-03.No violations noted. Major areas inspected:QA program.
HEISHMAN,R.F., WESTERMAN,T.F., HOWARD,E.M. Region I, IE (720101-810228). 70/12/23. 86pp. 88577:157-88577:241.

-9604230198 Insp rept 50-219/75-07 on 750310-14.Violations noted.Major areas inspected:QA implementation.
RUHLMAN,W.A., SMITH,J.T., BRUNNER,E.J. Region I, IE (720101-810228). 75/11/21. 55pp. 88582:143-88582:198.

-9604240044 Insp rept 50-219/75-22 on 750826-29.Violations noted.Major areas inspected:personnel changes,audit findings,training & util nonconformance & corrective action sys.
GREENMAN,E.G., BRUNNER,E.J., MCCABE,E.C. Region I, IE (720101-810228). 75/09/09. 6pp. 88583:026-88583:031.

-9605070238 Notice of violation from insp on 741119-22.Violation noted: permanent chart records recorded over one h period indicated recorded temp change of 110 F & 120 F per h for pump temp.
SNYDER,G. Region I, IE (720101-810228). 74/12/26. 4pp. 88577:353-88577:356.

-9605080137 Notice of violation from insp on 740327-28.Violation noted: drywell to suppression chamber vacuum breakers failed to meet operable limits during surveillance testing.
* Region I, IE (720101-810228). 74/04/19. 2pp. 88579:235-88579:239.

-9605080144 Forwards insp rept 50-219/74-02 on 740121-25 & NOV.W/o rept.
O'REILLY,J.P. Region I, IE (720101-810228). 74/04/02. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp. 88579:264-88579:265.

-9605080146 Notice of violation from insp on 740121-25.Violations noted: MSIVs failed to meet allowable leakage requirements as stated.
* Region I, IE (720101-810228). 74/04/02. 4pp. 88579:266-88579:275.

-9605100126 Notice of violation from insp on 751030-31 & 1105.Violation noted:high radiation area in which radiation levels in excess of one Rem per hour accessible to personnel not maintained locked.
* Region I, IE (720101-810228). 76/01/14. 1p. 88581:085-88581:085.

-9605100216 Amend 11 to license DPR-16,including change 27 in TS, revising provisions in TS re temp limits & surveillance requirements for pressure suppression pool water.
LEAR,G. Region I, IE (720101-810228). 75/12/11. 10pp. 88582:074-88582:083.

-9605100219 Notice of issuance of amend to provisional operating license DPR-16,modifying provisions in TS re temp limits for pressure suppression.
* Division of Reactor Licensing (NRR-1975 only). 75/12/11. 2pp. 88582:084-88582:085.

-9605140461 Notice of violation from insp on 750429-0501.Violation noted:failure to calibr monitor at any time during last quarter of 1974 & first quarter of 1975.
* Atomic Energy Commission (Pre 750119). 75/07/28. 1p. 88583:115-88583:115.

9605020322 FOIA request for documents re open hearing held in late Jul of 1976 to discuss fuel license applications for India Tarapur NPP.
BATTLE,J. Affiliation Not Assigned. 960209 NRC002. 96/03/23. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88097:003-88097:004.

9605020329 First partial response to FOIA request for documents.Records in App A encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. BATTLE,J. Affiliation Not Assigned. 2pp. 88097:005-88097:204.

-9605020341 Ack receipt of Attachment I of fact sheets for JCAE which directs NMSS to furnish info for authorization hearing to EDO by 760429.
BECK,R.L. NRC - No Detailed Affiliation Given. 76/04/26. BUILDER,C.H. Division of Safeguards (Pre 870413). CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 5pp. 88097:007-88097:083.

-9605020361 Notice of hearing re Edlow Intl Co acting as agent for Govnt of India to export special nuclear matl.
CHILK,S.J. Office of the Secretary of the Commission. 76/05/14. 102pp. 88097:084-88097:204.

9605020397 FOIA request for documents re deliberations & discussions by Advisory Committee on Medical Use of Isotopes members.
ROSE,C.H. Institute for Nuclear Medical Education, Inc. 96/04/17. REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88097:001-88097:001.

9605020398 Final response to FOIA request for documents.No agency records subj to request located.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. ROSE,C.H. Institute for Nuclear Medical Education, Inc. 1p. 88097:002-88097:002.

9605030002 FOIA request for documents re current contracts awarded for air freight svcs to all intl points & points in continental US.Partially withheld info encl.
LYONS,L. Affiliation Not Assigned. 96/04/06. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88231:001-88231:001.

9605030005 Final response to FOIA request for documents.Record in App A being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/29. Affiliation Not Assigned. 2pp. 88231:002-88231:021.

-9605030019 Purchase Orders re current contracts w/air freight svcs to all intl points & points in continental US.
*. FIN D-19096. 95/10/16. 18pp. 88231:004-88231:021.

9605030028 FOIA request for documents re all info concerning Aerospace America NRC license number STB-821.
NICKELS,L.A. Waste Management, Inc. 96/04/12. MCCORMICK,C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88231:022-88231:023.

9605030031 First partial response to FOIA for documents.Records in App A encl & will be available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. NICKELS,L.A. Waste Management, Inc. 2pp. 88231:024-88231:043.

-9605030047 Informs that all source matl procured &/or possessed by licensee under source matl license STB-821 will be possessed under general license of section 40.22 & 10CFR40.
MATTSON,I.C. Atomic Energy Commission (Pre 750119). 68/02/12. Atomic Energy Commission (Pre 750119). 1p. 88231:026-88231:026.

-9605030061 Informs that no source matl has been or will be possessed &/or procured by licensee under general license of Section 40.22,10CFR40.
MILSTER,H.P. Atomic Energy Commission (Pre 750119). 73/04/02. Atomic Energy Commission (Pre 750119). 1p. 88231:027-88231:033.

-9605030070 Informs that license STB-821 expires on 680331.Encl form "Certification of Status of Source Matl Activities under US AEC SML STB-821," should be completed if licensee does not wish to renew license.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/01/26. MATTSON,I.C. Aerospace America, Inc. 1p. . 88231:034-88231:034.

-9605030091 Informs as condition of license,one can not receive more than 150 pounds of source matl in any one calendar yr. Info should be provided for license to be amended to increase quantity of source matl or Th content.License,encl.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/03/08. MATTSON,R.L. Aerospace America, Inc. 1p. 88231:035-88231:035.

-9605030124 License STB-821 for Magnesium Aerospace Products,Inc.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/03/08. 1p. 88231:036-88231:036.

-9605030132 Forwards application submitted in anticipation of possibly securing contract to mfg certain aerospace components for Natl Aeronautics & Space Administration,Cleveland,OH.
MATTSON,I.C. Aerospace America, Inc. 65/02/22. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 1p. 88231:037-88231:037.

-9605030158 Application for license,authorizing use of 15 lb thorium for fabrication of metal components of magnesium-sheet metal & forgings.
MATTSON,I.C. Aerospace America, Inc. 65/02/22. 2pp. 88231:038-88231:039.

-9605030173 Discusses application dtd 621015,requesting an AEC source matl license.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/10/25. MATTSON,I.C. Aerospace America, Inc. 2pp. 88231:040-88231:041.

-9605030180 Application for license to authorizing use of manufacturing parts & assemblies for aircraft,missile,aerospace & electronic equipment.
MATTSON,I.C. Aerospace America, Inc. 62/10/15. 2pp. 88231:042-88231:043.

9605030069 FOIA request for documents re Shippingport Nuclear Power Station for 1953-1964.
KINGSLEY,P.R. Affiliation Not Assigned. KINGSLEY,P.R. Duquesne Light Co. 96/04/03. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 88231:044-88231:046.

9605030074 Final response to FOIA request for documents.Records in App A available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/29. KINGSLEY,P.R. Affiliation Not Assigned. 2pp. 88231:047-88231:048.

9605100232 FOIA request for documents re electronic version of NUREG/CR-6386.
WILLIAMS,O.G. JRA Associates. OGW-96-079. 96/04/05. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88231:049-88231:049.

9605100237 Final response to FOIA request for documents.Forwards two computer disks.W/o encl.
* Division of Freedom of Information & Publications Services (Post 940714). 96/05/07. WILLIAMS,O.G. JRA Associates. 1p. 88231:050-88231:050.

9605130021 FOIA request for documents re all epidemiological repts, opinions,studies &/or scientific bases relied upon &/or reviewed by NRC in promulgating 10CFR40.13.
JOSEPH,L.H. Jaeckle, Fleischman & Mugel. 96/03/12. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88231:051-88231:052.

9605130025 Final response to FOIA request for documents.Records in App A available from US Govt Printing Ofc.Forwards app B documents.App C documents copyrighted.App D documents available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/07. JOSEPH,L.H. Jaeckle, Fleischman & Mugel. 5pp. 88231:053-88231:101.

-9605130067 Package consisting of documents re FOIA request,including "Assessment of Thorium Exposure Due to Grinding of Thoriated Tungsten Electrodes."
* Affiliation Not Assigned. 96/05/07. 23pp. 88231:058-88231:101.

9605130027 Third & partial response to FOIA request.App D records available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. LEVENTHAL,D. Affiliation Not Assigned. 41pp.

-9605130235 Confirms abandonment of irretrievable sealed radioactive source containing 1.7 Ci Cs-137 & 16 Ci Am-241 beryllium in well offshore LA on 920111.Fishing attempts held until 920114.Plaque identification attached to well.
TURNER,K.W. Schlumberger Well Services. 92/03/13. Region 4 (Post 820201). 14pp.

-9605160234 RO Inquiry Rept 70-0310/73-01Q.After unsuccessful attempts 80 gram Pu-239 sealed neutron source cemented in place & abandoned.
WARD,J.J. Atomic Energy Commission (Pre 750119). 73/06/19. 9pp.

-7906010180 IE Insp Findings & Licensee Ack dtd 790327 of License 42-00090-03.Insp findings:current copy of 10CFR20,10CFR19, copy of license or copy of operating procedures not properly posted or available.
HARRISON,H.C. Region IV, IE (720101-810228). 79/04/11. 4pp. 02290:288-02290:288.

-7908090463 Requests amend of Matl/Byproduct License 42-00090-83 to add sources Am-241,sealed sources Schlumberger Drawing H-251207 (3M Model 4P6U) & no single source to exceed 10 mCi.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger,.Ltd.). 00460. 79/06/22. Materials Licensing Branch. 1p. 67052:001-67052:001.

-7908160072 Submits correction to 790622 ltr.Requests use of Cs-137 in sealed source for use in instrument calibr.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 79/06/29. Materials Licensing Branch. 1p. 67052:001-67052:001.

-7908160089 Requests renewal/amend of Matl/Byproduct License 42-00090-03 to add Am-241 as a sealed source for measurement of liquid samples.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 00522. 79/07/03. Materials Licensing Branch. 1p. 67052:001-67052:001.

-7908230271 Requests amend of Matl/Byproduct License 35-00389-01 to authorize purchase & operation of Texas Nuclear Model 5185 & 5197 source holders & source Model 570-57157C for use in measuring density of cement slurry.Oversized plans encl.
HEARD,L.L. Dow Chemical Co. 00611. 79/07/10. GUINN,P.R. Materials Licensing Branch. 2pp. 67052:001-67052:001.

-7909130044 Ack receipt of 790710 application for amend of Matl/ Byproduct License 35-00389-01.Requests addl info re TX Nuclear Model 5185 device & max amount of Cs-137 to be in any source used in TX Nuclear Model 5197.
BASSIN,N. Materials Licensing Branch. 00611. 79/08/15. HEARD,L.L. Dow Chemical Co. 1p. 67052:001-67052:001.

-7912040174 Ack receipt of 790822 application for amend of Matl/ Byproduct License 35-00389-01.Requests addl info re description of source holder including installation,maint & testing.
GUINN,P.R. Materials Licensing Branch. 00611. 79/11/09. HEARD,L.L. Dow Chemical Co. 2pp. 67052:001-67052:001.

-8002290174 Addl info requested on 791109 by NRC re application for matl/byproduct license has not been received.If requested info is not received within 30 days,NRC will consider application abandoned.
GUINN,P.R. Materials Licensing Branch. 80/02/11. HEARD,L.L. Dow Chemical Co. 1p. 67052:001-67052:001.

-8004020081 Ack receipt of NRC 800211 ltr reminding of pending amend to Matl/Byproduct License 35-00389-01.TX Nuclear is awaiting approval from State of TX on source holder 5185. Reapplication for amend will occur upon approval.
HEARD,L.L. Dow Chemical Co. 00611. 80/02/19. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8007150188 Requests amend of Matl/Byproduct License 42-00090-03, authorizing Cs-137 sealed source for well logging.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 04035. 80/05/22. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8009020397 Confirms 800516 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source & one 16 Ci americium-beryllium sealed source at 13,508 ft of Conoco West Cameron 34 D7 well in federal waters offshore State of LA.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 80/07/14. Region IV, IE (720101-810228). 1p. 67052:001-67052:001.

-8010030020 Second request for amend of Matl/Byproduct License 35-00389-01 to authorize possession & use of TX Nuclear Model 5185 source holder containing 60 mCi Cs-137.Safety & training programs will be updated to cover use of Cs-137.
HEARD,L.L. Dow Chemical Co. 00611. 80/09/08. GUINN,P.R. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8010030073 Requests amend of Matl/Byproduct License 42-00090-03 to authorize use of Cs-137 for instrument calibr.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 05134. 80/09/05. Radioisotopes Licensing Branch (Pre 790501). 1p. 67052:001-67052:001.

-8010070204 Submits fee for 800908 application for amend of Matl/ Byproduct License 35-00389-01.
HEARD,L.L. Dow Chemical Co. 2006. 80/09/10. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8010080645 Requests amend of Matl/Byproduct License 42-00090-03 to add Am-241,sealed source in Schlumberger Part P-194693,not to exceed 300 mCi,for calibr.Documentation encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 05075. 80/08/27. Radioisotopes Licensing Branch (Pre 790501). 15pp. 67052:001-67052:001.

-8010080650 Confirms 800807 telcon re permanent abandonment of 1.5 Ci cesium,sealed source,in well.Location of source & description of abandonment procedures encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1877. 80/08/27. Region IV, IE (720101-810228). 2pp. 67052:001-67052:001.

-8010150302 Confirms 800905 & 18 telcons re abandonment of two Cs-137 & two Am:beryllium sealed sources in Marathon Oil Co Well OCS-G-4137.On 800826,sources became stuck & irretrievable at 11,600 ft.On 800831,other sources became stuck.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2101. 80/09/24. Region IV, IE (720101-810228). 3pp. 67052:001-67052:001.

-8010150339 Matl/Byproduct License 35-00389-01 for Dow Chemical Co is amended per 800908 ltr.Amend 33 authorizes use in TX Nuclear Models 5192,5193,5914 or 5915 source holders for density measurements.
JONES,J.A. Materials Licensing Branch. 80/10/06. 1p. 67052:001-67052:001.

-8010300392 Confirms 800825 & 0904 telcon re permanent abandonment of 1.5 Ci Cs-137 & 16 Ci Am:beryllium sealed sources,in well.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 02156. 80/09/30. Region IV, IE (720101-810228). 1p. 67052:001-67052:001.

-8011260039 Requests amend of Matl/Byproduct License 35-00389-01 to allow for purchase,installation,operation & maint of TX Nuclear source holder Model 5166 containing 100 mCi Cs-137.
HEARD,L.L. Dow Chemical Co. 05737. 80/10/28. GUINN,P. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8012020829 Requests clarification of whether or not application for registration of sealed source Model H-245258 automatically becomes part of License 42-00090-03.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2335. 80/10/28. Radioisotopes Licensing Branch (Pre 790501). 1p. 67052:001-67052:001.

-8012240128 Advises of permanent abandonment of 1.5 Ci Cs-137 & 16 Ci Am/beryllium sealed sources in well,per 790213 telcon.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2492. 80/11/12. Region IV, IE (720101-810228). 5pp. 67052:001-67052:001.

-8012240203 Matl/Byproduct License 35-00389-01 for Dow Chemical Co is amended per 801028 ltr.Amend 34 authorizes use of Cs-137 sealed sources in TX Nuclear Model 5166 source holders for density measurements.
GUINN,P.R. Materials Licensing Branch. 80/11/19. 2pp. 67052:001-67052:001.

-8101130627 Confirms 801125 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source & 16 Ci AmBe sealed source in well at depth of 11,425 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2609. 80/12/04. Region IV, IE (720101-810228). 1p. 67052:001-67052:001.

-8102040712 Requests amend to License 42-00090-03 to add Am:beryllium 241 not to exceed 10 Ci for well logging.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 06322. 80/12/19. Materials Licensing Branch. 2pp. 67052:001-67052:001.

-8102230147 Requests amend of Matl/Byproduct License 35-00389-01 authorizing BR Thomas as radiation safety officer.Resume encl.
HEARD,L.L. Dow Chemical Co. 06576. 81/01/19. GUINN,P.R. Materials Licensing Branch. 2pp. 67052:001-67052:001.

-8103120055 Requests amend to encl rept of proposed activities in non- agreement states to add 150 mCi Cs-137.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 0054. 81/01/12. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8103120117 Advises that no abandonment will be made of sealed sources down hole,per 801224 telcon.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 0087. 81/01/13. Region IV, IE (720101-810228). 1p. 67052:001-67052:001.

-8104220176 Confirms 810219 telcon w/G Brown.Permanent abandonment of 1.5 Ci Cs-137 sealed source in well reported.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 0609. 81/03/30. Region 4, Ofc of the Director (810301-820201). 1p. 67052:001-67052:001.

-8202160462 Advises of permanent abandonment of 16-Ci AmBe sealed source (NSR-F-A1207) in well of Nova Energy Corp at 17,900 ft.Two Cement plugs & whipstock shoe placed & plaque to be attached to wellhead.
RACSTER,C.E. Schlumberger Well Services. 82/01/13. Region 4, Ofc of the Director (810301-820201). 1p. 65880:075-65880:075.

-8202190282 Informs that 811009 ltr listed 16 Ci Am beryllium source serial number incorrectly.Correct number is NSR-F-A-2330.
RACSTER,C.E. Schlumberger Well Services. 81/12/10. Region 4, Ofc of the Director (810301-820201). 32pp. 65891:037-65891:037.

-8206300436 Agrees that separate licenses should be issued to Schlumberger companies,as separate licenses would ensure appropriate control over radioactive matls & facilitate regulation.
DORIAN,T.F. Regulations Division. 82/04/21. MILLER,V.L. Materials Licensing Branch. 1p. 66153:066-66153:066.

-8301110431 Discusses fire on offshore platform on which radioactive sources present,as follow up to conversations of 821021 & 28.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 82/12/09. Region 4 (Post 820201). 3pp. 16745:279-16745:285.

-8304120393 IE Insp Findings & Licensee Ack dtd 830324 of License 42-00090-03.Insp findings:no violations observed.
CAIN,C.L. Region 4 (Post 820201). 83/03/24. 10pp. 17937:317-17937:318.

-8309020319 IE Insp Findings & Licensee Ack dtd 830721 of License 42-00090-03.Insp of findings:no violations observed.
HOOKER,C.A. Region 4 (Post 820201). 83/07/21. 10pp. 20251:224-20251:224.

-8403260033 IE Insp Rept 30-05899/84-01 on 840111.No violations or deviations identified.Major areas inspected:well tracer operations,per allegation of well site contamination.
CAIN,C.L. Region 4 (Post 820201). 84/01/23. 3pp. 22750:152-22750:154.

-8407250051 Amend 38 to Matls License 35-00389-01 for Dowell Schlumberger,Inc,reflecting change in licensee name, increasing Cs-137 to 100 mCi & authorizing use of Ronan Model GS200 source holder,per 840328,0406 & 0413 ltrs.
WHITTEN,J.E. Region 4 (Post 820201). 84/06/20. 2pp. 25755:003-25755:013.

-8407250069 Application for amend to Matls License 35-00389-01,changing licensee name to Dowell Schlumberger,Inc,effective 840413. Fee & record of 840413 telcon encl.
MCDONALD,O.F. Dow Chemical Co. 17457. 84/04/13. 2pp. 25755:008-25755:012.

-8410310300 Amend 39 to License 35-00389-01 for Dowell Schlumberger,Inc, renewing authorization for use of licensed matls for industrial purpose.
WHITTEN,J.E. Region 4 (Post 820201). 84/09/19. 7pp. 27222:097-27222:281.

-8410310353 Ack receipt of application for renewal of License 35-00389-01.
HICKEY,J.W. Materials Licensing Branch. 13136. 83/01/04. THOMAS,B.R. Dow Chemical Co. 1p. 27222:228-27222:228.

-8410310357 Requests addl fee for renewal application for License 35-00389-01.
JACKSON,G. License Fee Management Branch (Pre 861124). 13136. 82/12/08. THOMAS,B.R. Dow Chemical Co. 1p. 27222:229-27222:229.

-8410310363 Application for renewal of License 35-00389-01,authorizing use of Ir-192,I-131,Cs-137,Fe-59,Zr/Nb-95,Co-60 & tritium.
THOMAS,B.R. Dow Chemical Co. 13136. 82/11/20. 82pp. 27222:230-27222:281.

-8412280247 Amend 40 to License 35-00389-01 for Dowell Schlumberger,Inc, changing mailing address.
WHITTEN,J.E. Region 4 (Post 820201). 84/11/30. 1p. 28127:357-28127:361.

-8412280252 Application for amend to License 35-00389-01,changing mailing address.Fee paid.
MCDONALD,O.F. Dow Chemical Co. 60444. 84/10/24. WHITTEN,J.E. Region 4 (Post 820201). 1p. 28127:361-28127:361.

-8502070235 Amend 44 to License 42-00090-03 for Schlumberger Technology Corp,amending Condition 18 re possession & use of licensed matl.
WHITTEN,J.E. Region 4 (Post 820201). 85/01/17. 2pp. 28807:218-28807:232.

-8502220285 Notice of violation & proposed imposition of civil penalty in amount of $250.Violation noted:tracer matl transported in injection tool,rept of lost I-131 package not reported & I-131 package not properly secured.
MARTIN,R.D. Region 4 (Post 820201). EA-85-006. 85/02/12. 4pp. 29072:010-29072:013.

-8502220290 Insp Rept 30-06388/84-01 on 841203.Violations noted:failure to transport tracer matl in proper DOT packaging,failure to follow company procedures re loss of radioactive matl & failure to properly secure package of radioactive matl.
SPITZBERG,D.B. Region 4 (Post 820201). 85/01/08. 11pp. 29072:014-29072:019.

-8502220295 Enforcement Conference Rept 30-06388/84-02 on 841219.Major areas discussed:three apparent violations identified as result of special insp.
SPITZBERG,D.B. Region 4 (Post 820201). 85/01/07. 5pp. 29072:020-29072:020.

-8503140177 Forwards payment of proposed civil penalties in amount of $250.Instructions for use of 7A packages distributed to all field facilities.Next rev to operating & emergency procedures manual will contain 7A package instructions.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/03/07. Ofc of Inspection & Enforcement, Director (820201-870413). 2pp. 29357:176-29357:177.

-8506110636 Amend 45 to License 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 1-Ci Cs-137 sealed source in well logging.
CAIN,C.L. Region 4 (Post 820201). 85/04/16. 1p. 30831:160-30831:161.

-8508080503 Certifies that Schlumberger Technology Corp licensed under License 42-00090-03 to receive,process,package & offer for transportation radioactive matls regulated by NRC.
EVERETT,R.J. Region 4 (Post 820201). 85/07/31. SALAME,M. Air France. 1p. 32064:154-32064:154.

-8508220511 Application for renewal of License 42-00090-03,authorizing CE Racster as user of listed matl for monitoring or surveying.Supporting documentation re training & experience encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 94904. 78/05/24. 10pp.

-8510240200 Amend 41 to License 35-00389-01 for Dowell Schlumberger,Inc, amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 85/08/09. 7pp. 33159:265-33159:277.

-8510240203 Forwards fee for amend to License 35-00389-01.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 460669. 85/07/08. JACKSON,G. License Fee Management Branch (Pre 861124). 1p. 33159:272-33159:272.

-8510240208 Requests addl fee for 850603 application for amend to License 35-00389-01.Fee required prior to issuance of amend.
JACKSON,G. License Fee Management Branch (Pre 861124). 460669. 85/06/25. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 33159:273-33159:274.

-8510240211 Application for amend to License 35-00389-01,adding Ronan Engineering Co Model GS300 for measuring densities of slurries & changing address of radiation protection officer, as listed.Fee paid.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 460669. 85/06/03. WHITTEN,J.E. Region 4 (Post 820201). 3pp. 33159:275-33159:277.

-8510240653 Amend 47 to License 42-00090-03 for Schlumberger Technology Corp,Schlumberger Ltd,authorizing use of I-131,Zr-95,Ir-192, Sb-124,Au-198,Na-24,Br-82,Co-60,Am-241,Cs-137 & H-3 for studies in wells & well logging.
WHITTEN,J.E. Region 4 (Post 820201). 85/08/21. 6pp. 33157:204-33157:213.

-8510240659 Informs that fee of $170 required for 850625 application for amend to license,authorizing 30 day reporting period for Condition 13.C.
JACKSON,G. License Fee Management Branch (Pre 861124). 460700. 85/07/19. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p. 33157:211-33157:212.

-8512200337 Confirms 851112 telcon w/C Cain reporting permanent abandonment of 16 Ci Am/Be sealed source & 1.5 Ci Cs-137 in well of Union Oil of California.Well plugged.Appropriate plaque will be attached to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/12/12. Region 4 (Post 820201). 4pp. 68215:114-68215:114.

-8603070514 Amend 48 to License 42-00090-03 for Schlumberger Technology Corp,amending license in entirety.
CAIN,C.L. Region 4 (Post 820201). 460847. 86/01/10. 7pp. 34855:308-34855:320.

-8605010320 Amend 49 to License 42-00090-03 for Schlumberger Technology Corp,authorizing use of Sc-46 in tracer studies in well logging.
WHITTEN,J.E. Region 4 (Post 820201). 460991. 86/03/31. 2pp. 35799:302-35799:304.

-8607020433 Amend 42 to License 35-00389-01 for Dowell Schlumberger,Inc, amending Conditions 12 & 20.
WHITTEN,J.E. Region 4 (Post 820201). 86/05/22. 1p. 36857:268-36857:290.

-8607020439 Advises that unless response to 860210 request for fee re 851216 application for amend to License 35-00389-01 received within 30 days,application will be considered abandoned.
JACKSON,G. License Fee Management Branch (Pre 861124). 86/03/21. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 36857:269-36857:269.

-8607020444 Requests payment of addl fee re 851216 application for amend to License 35-00389-01.Addl fee required prior to issuance of amend.
JACKSON,G. License Fee Management Branch (Pre 861124). 460910. 86/02/10. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp. 36857:270-36857:271.

-8607020448 Application for amend to License 35-00389-01,deleting OF McDonald & adding DA Miller as radiation protection officer.Fee paid.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 460910. 85/12/16. WHITTEN,J.E. Region 4 (Post 820201). 19pp. 36857:272-36857:290.

-8609220163 Forwards Insp Findings & Licensee Ack on 860828 for License 42-00090-03.No violations noted.W/o encl.
RICKETSON,L.T. Region 4 (Post 820201). 86/09/18. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p. 37918:063-37918:063.

-8609220181 Insp Findings & Licensee Ack on 860828 of License 42-00090-03.Insp findings:no violations observed.
RICKETSON,L. Region 4 (Post 820201). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/09/16. 1p. 37952:149-37952:149.

-8610160053 Discusses Safety Insp 30-05899/86-01 on 860828 & forwards notice of violation.
FISHER,W.L. Region 4 (Post 820201). 86/10/07. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp. 38271:088-38271:091.

-8610160059 Notice of violation from insp on 860828.Violations noted: sealed sources,containing 50 mCi Cs-137 not tested for contamination or leakage since June 1982 & physical inventory not performed since Oct 1985.
* Region 4 (Post 820201). 86/10/07. 14pp. 38271:090-38271:091.

-8611250015 Amend 43 to License 35-00389-01 for Dowell Schlumberger,Inc, amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 86/09/09. 5pp. 38701:327-38701:334.

-8611250018 Requests remittance of fee for 860702 request for changes to License 35-00389-01.License fee transmittal form encl.
JACKSON,G. License Fee Management Branch (Pre 861124). 461151. 86/07/29. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp. 38701:332-38701:333.

-8611250022 Application for amend to License 35-00389-01,reinstating author as radiation safety officer & deleting tracer matls used in wells.Fee paid.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 461151. 86/07/02. WHITTEN,J.E. Region 4 (Post 820201). 2pp. 38701:334-38701:334.

-8612090301 Confirms 861022 telcon & repts permanent abandonment of 1.5-Ci Cs-137 & 16-Ci AmBe sealed sources in described well. Well to be sidetracked at 10,470 ft & new hole will be no closer than 100 ft from source.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86-1362. 86/11/24. Region 4 (Post 820201). 4pp. 97041:032-97041:032.

-8612190273 Ack receipt of 861124 ltr in response to violations noted in Insp 30-05899/86-01.Response acceptable.Corrective actions will be reviewed during future insp.
FISHER,W.L. Region 4 (Post 820201). 86/12/16. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 39042:181-39042:183.

-8612190282 Responds to violations noted in Insp 30-05899/86-01. Corrective actions:leak tests for each source will be reviewed by div of safety & technical manager & physical inventories will be conducted every 6 months.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 86/11/24. FISHER,W.L. Region 4 (Post 820201). 2pp. 39042:182-39042:183.

-8709140314 Confirms arrangements for 870918 meeting to discuss pending application for license for use of byproduct matl in well logging & response to NRC 870826 ltr,per 870910 telcon.
CAIN,C.L. Region 4 (Post 820201). 87/09/11. MARIENBACH,E. Anadrill, Inc. 1p. 42630:317-42630:318.

-8709280338 Forwards summary of 870918 meeting w/recipient & Schlumberger Technology in Arlington,TX re pending application for license to use byproduct matl in well logging & proposed response to NRC 870826 ltr.
CAIN,C.L. Region 4 (Post 820201). 87/09/22. MARIENBACH,E. Anadrill, Inc. 2pp. 42803:076-42803:077.

-8710060546 Amend 44 to License 35-00389-01 for Dowell Schlumberger,Inc, revising Condition 18 re conduct of program.
WHITTEN,J.E. Region 4 (Post 820201). 87/05/11. 1p. 42918:089-42918:093.

-8710060554 Informs of overpayment of amend fee for 870324 application for amend to License 35-00389-01.Refund now being processed & will be sent as soon as possible.
JACKSON,G. License Fee Management Branch. 461462. 87/04/15. SCHLUMBERGER,D. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 42918:090-42918:091.

-8712280223 Forwards Form NRC-591, "Insp Findings & Licensee Ack" for signature.Violations observed during insp of License 35-00389-01 on 871201-04 noted.By signing form,company agrees to correct violations within 30 days.
RICKETSON,L.T. Region 4 (Post 820201). 87/12/21. SCHLUMBERGER,D. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 43814:291-43814:291.

-8801130104 Safety insp on 871201-04 of License 35-00389-01.Insp findings:sealed sources inventories not performed at proper frequencies & special form matls performance test records not on file for sealed sources in gauges.
RICKETSON,L. Region 4 (Post 820201). 87/12/18. 14pp. 44029:270-44029:270.

-8801220322 Corrected Amend 43 to License 35-00389-01 for Dowell Schlumberger,Inc,amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 87/08/27. 5pp. 44095:287-44095:292.

-8801220326 Forwards corrected Amend 43 to License 35-00389-01. Condition 12 changed.
WHITTEN,J.E. Region 4 (Post 820201). 87/08/27. BURKETT,E.L. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 44095:292-44095:292.

-8809070196 Forwards response to questionnaire encl w/880804 ltr based on guidelines & policies in effect throughout company. Records re licensed radioactive matl maintained at district ofc for 3-yr period.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/08/25. POWERS,D.A. Region 4 (Post 820201). 5pp. 46784:239-46784:243.

-8810170250 Forwards Safety Insp 30-06388/88-01 on 880825-26 & notice of violation.Concerns raised re implementation of mgt control sys that permitted violations to occur.
FISHER,W.L. Region 4 (Post 820201). 88/10/13. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 47167:313-47167:321.

-8810170327 Notice of violation from insp on 880825-26.Violations noted: three of four members of field team conducting well logging not wearing badges & operating & emergency procedures unavailable while well logging underway.
* Region 4 (Post 820201). 88/10/13. 2pp. 47167:315-47167:316.

-8810170328 Insp Rept 30-06388/88-01 on 880825-26.Violations noted.Major areas inspected:radiation safety program on offshore oil platform "Hermosa" located outside 3-mile limit near Santa Maria,CA.
PANG,J.F. Region 4 (Post 820201). 88/09/21. 21pp. 47167:317-47167:321.

-8810180497 Amend 50 to License 42-00090-03 for Schlumberger Technology Corp,Schlumberger Ltd,amending Items 6,7,8 & 9 as listed.
WHITTEN,J.E. Region 4 (Post 820201). 461964. 88/05/26. 2pp. 47187:310-47187:313.

-8811080295 Forwards safety insp on 881019 of License 42-00090-03.No violations noted.Unresolved items noted re verification of compliance w/training requirements & annual safety reviews of logging personnel.
POWERS,D.A. Region 4 (Post 820201). 88/11/01. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 47494:195-47494:196.

-8811080296 Safety insp on 881019 of License 42-00090-03.Insp findings: no violations noted.
SPITZBERG,D.B. Region 4 (Post 820201). 88/10/27. 12pp. 47494:196-47494:196.

-8812150211 Responds to violations noted in Insp 30-06388/88-01 on 881019.Corrective actions:program for certification of employees other than engineers currently under development & annual safety reviews conducted.
CLOUD,R.H. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/12/06. SPITZBURG,D.B. Region 4 (Post 820201). 5pp. 47828:326-47828:330.

-8902150445 Advises that 890120 rept of well logging source abandonment meets requirements of 10CFR39.77,except for brief description of attempted recovery effort described to WL Holley on 881222.
POWERS,D.A. Region 4 (Post 820201). 89/02/09. ACCARDO,A.J. ...obsolete code... 1p. 48504:274-48504:274.

-8902210236 Amend 22,terminating License SNM-287 for Schlumberger Technology Corp.
WHITTEN,J.E. Region 4 (Post 820201). 420363. 87/12/15. 1p. 48795:315-48795:317.

-8903130400 Amend 45 to License 35-00389-01 for Dowell Schlumberger,Inc, amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 461818. 88/02/18. 6pp. 49135:327-49135:337.

-8903130408 Application for amend to License 35-00389-01,amending Item 10.A re locations of radioactive sources & adding source Model SA-8 from Ronan Engineering for density measurements of matls.
BURKETT,E.L. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 461818. 88/01/15. WHITTEN,J.E. Region 4 (Post 820201). 4pp. 49135:333-49135:337.

-8903200221 Discusses 890222 meeting w/D Powers & L Kasner re License 42-00090-03.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 89/02/24. POWERS,D. Region 4 (Post 820201). 2pp. 48983:149-48983:150.

-8903230256 Discusses Insp 30-05899/89-01 on 890109 & 13 & forwards notice of violation.Concerns expressed re quality of NRC- licensed program in that program allowed matl to become lost in one instance & loss could not be verified by licensee.
FISHER,W.L. Region 4 (Post 820201). 89/03/13. SELLER,M.J. Dow Chemical Co. 2pp. 49029:285-49029:288.

-8903230261 Notice of violation from insp on 890109 & 13.Violation noted:licensee did not perform required 6-month physical inventory for sealed sources for 1987 through 1988 & required 3-yr leak test for sealed sources not performed.
* Region 4 (Post 820201). 89/03/13. 2pp. 49029:287-49029:288.

-8904260410 Notice of significant licensee meeting on 890428 in Region IV for enforcement conference.Enforcement conference agenda encl.
FISHER,W.L. Region 4 (Post 820201). EA-89-084. 89/04/21. Region 4 (Post 820201). 2pp. 49551:207-49551:209.

-8904270374 Forwards Insp Rept 30-06388/89-01 on 890110.Violation noted. Telcon between DA Powers & CE Racster re 890428 enforcement conference confirmed.
BEACH,A.B. Region 4 (Post 820201). EA-89-084. 89/04/20. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 49527:108-49527:115.

-8904270376 Insp Rept 30-06388/89-01 on 890110-0222.Apparent violations noted:failure to perform adequate physical inventory, maintain control of licensed matl in unrestricted areas & leak test certain imported sealed sources.
SPITZBERG,D.B., KASNER,L.L., POWERS,D.A. Region 4 (Post 820201). 89/04/05. 21pp. 49527:110-49527:115.

-8904280124 Responds to NRC 890313 ltr re violations noted in Insp 30-05899/89-01.New radiation records sys tracks history of each source & functions as tickler for physical inventories & wipe tests.
SELLER,M.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/04/10. FISHER,W.L. Region 4 (Post 820201). 21pp. 49545:317-49545:331.

-8906140090 Safety insp on 890510 of License 42-00090-03.Violations noted:annual insp of logging supervisors improperly maintained & repts or notifications of abandoned irretrievable sealed source not made per 10CFR39.77(d).
KASNER,L. Region 4 (Post 820201). 89/05/19. 1p. 50172:336-50172:336.

-8906150180 Ack receipt of 890410 ltr informing NRC of steps taken to correct violations noted in Insp Rept 30-05899/89-01 dtd 890313.
FISHER,W.L. Region 4 (Post 820201). 89/06/05. SELLER,M.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 4pp. 50187:112-50187:135.

-8906200382 Notice of violation from insp on 890110 & 0222.Violations noted:licensee failed to inventory 300 logging tools containing Am-241 sealed sources received since 1980.
MARTIN,R.D. Region 4 (Post 820201). EA-89-084. 89/06/14. 3pp. 50234:140-50234:143.

-8907100243 Insp Rept 30-06388/89-03 on 890616-17.No violations or deviations noted.Major areas inspected:byproduct matl use in well logging activities conducted on offshore platform.
KASNER,L.L., GAINES,A.D., CAIN,C.L. Region 4 (Post 820201). 89/06/29. 20pp. 50457:296-50457:299.

-8907190068 Amend 46 to License 35-00389-01 for Dowell Schlumberger,Inc, amending license in entirety.G Jackson 880623 ltr requesting amend fee encl.
WHITTEN,J.E. Region 4 (Post 820201). 462009. 88/08/15. 24pp. 50540:198-50540:207.

-8907190075 Application for amend to License 35-00389-01,authorizing replacement of EL Burkett w/CE Ellig as radiation safety officer.CE Ellig resume encl.Fee paid.
SELLER,M.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 462009. 88/06/09. WHITTEN,J.E. Region 4 (Post 820201). 3pp. 50540:205-50540:207.

-8907240240 Responds to NRC 890614 ltr re violations noted in Insp 30-06388/89-01 on 890110.Corrective actions:vendor instructed to document any future shipments on shipping papers.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 89/06/26. Document Control Branch (Document Control Desk). 3pp. 50649:024-50649:026.

-8909080101 Insp Rept 30-06388/89-04 on 890725,26,31 & 0801.No violations noted.Major areas inspected:byproduct matl use in well logging activities,including training records,matls & equipment,radiation exposure control & transportation.
GAINES,A.D., CAIN,C.L. Region 4 (Post 820201). 89/08/31. 27pp. 51150:022-51150:025.

-8910020141 Safety insp on 890819 of License 42-00090-03.Insp findings: no violations observed.
ZURAKOWSKI,P.R. Region 5 (820201 - 940403). * Region 4 (Post 820201). 89/09/01. 13pp. 51369:162-51369:162.

-8910300138 Radiation Safety Insp Rept 30-06388/89-07 on 890921 & 22.No violations noted.Major areas inspected:byproduct matls use in well logging activities conducted on offshore platform, including review of training & matls & equipment.
KASNER,L.L. Region 4 (Post 820201). 89/10/18. 17pp. 51635:355-51635:359.

-8911060221 Forwards safety insp on 891016-17.No violations observed.
GAINES,A.D. Region 4 (Post 820201). 89/10/27. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p. 51717:359-51717:360.

-8911060224 Safety insp on 891016 & 17 of License 42-00090-03.Insp findings:no violations observed.
GAINES,A.D. Region 4 (Post 820201). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 89/10/26. 2pp. 51717:360-51717:360.

-9001310345 Amend 51 to License 42-00090-03 for Schlumberger Technology Corp,amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 462252. 88/12/13. 5pp. 52477:107-52477:115.

-9003260231 Matls licensing package for Amend 48 to License 35-00389-01 for Dowell Schlumberger,Inc.Control:462703.
EVERETT,R.J. Region 4 (Post 820201). 462703. 89/11/29. 4pp. 53114:254-53114:297.

-9004130008 Matls licensing package for Amend 52 to License 42-00090-03 for Schlumberger Technology Corp.Control:462725.
EVERETT,R.J. Region 4 (Post 820201). 462725. 89/10/17. 5pp. 53375:055-53375:069.

-9004200032 Matls licensing package for Amend 47 to License 35-00389-01 for Dowell Schlumberger,Inc.Control:462454.
CAIN,C.L. Region 4 (Post 820201). 462454. 89/03/27. 18pp. 53435:277-53435:294.

-9006040174 Discusses Radiation Safety Insp 30-06388/90-01 on 900318-19. No violations noted.
BEACH,A.B. Region 4 (Post 820201). 90/05/24. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 10pp. 54001:067-54001:068.

-9006060224 Matls licensing package for Amend 53 to License 42-00090-03 for Schlumberger Technology Corp.Control:462894.
WHITTEN,J.E. Region 4 (Post 820201). 462894. 90/01/30. 5pp. 54002:148-54002:157.

-9007130092 Requests addl info re Dowell Schlumerger,Inc,per technical assistance request for amend to License 35-00389-01. Extremes of environ & operating conditions should be identified.
DESCHAMPS,F. Medical, Academic & Commercial Use Safety Branch. 462727. 90/07/10. WHITTEN,J.E. Region 4 (Post 820201). 2pp. 70337:047-70337:048.

-9008170248 Matls licensing package for corrected Amend 48 to License 35-00389-01 for Dowell Schlumberger,Inc.
CAMPBELL,V.H. Region 4 (Post 820201). 90/05/18. 5pp. 54962:281-54962:285.

-9010300343 Matls licensing package for Amend 54 to License 42-00090-03 for Schlumberger Technology Corp.Control:463035.
WHITTEN,J.E. Region 4 (Post 820201). 463035. 90/07/25. 5pp. 55570:074-55570:086.

-9011210165 Matls licensing package for Amend 49 to License 35-00389-01 for Dowell Schlumberger,Inc.Control:462727.
WHITTEN,J.E. Region 4 (Post 820201). 462727. 90/09/28. 4pp. 55792:209-55792:331.

-9101030339 Matls licensing package for Amend 55 to License 42-00090-03 for Schlumberger Technology Corp.Control:463339.
WHITTEN,J.E. Region 4 (Post 820201). 463339. 90/10/30. 5pp. 56265:308-56265:319.

-9101240422 Matls licensing package for corrected Amend 56 to License 42-00090-03 for Schlumberger Technology Corp.Control:463405.
WHITTEN,J.E. Region 4 (Post 820201). 463405. 91/01/04. 6pp. 56513:276-56513:298.

-9104090284 Matls licensing package for license 42-27055-01 for Dowell Schlumberger,Inc.Control:463452.
WHITTEN,J.E. Region 4 (Post 820201). 463452. 91/01/22. 22pp. 57340:173-57340:194.

-9104100104 Matls licensing package for amend 50 to license 35-00389-01 for Dowell Schlumberger,Inc.Control:463349.
WHITTEN,J.E. Region 4 (Post 820201). 463349. 91/01/22. 18pp. 57342:342-57342:359.

-9107220123 Responds to decommissioning financial assurance submittal dtd 900725 for license 42-00090-03 & requests addl info.
FISHER,W.L. Region 4 (Post 820201). 463650. 91/07/15. RACSTER,C.E. Schlumberger Well Services. 3pp. 70878:007-70878:009.

-9108230004 Documents 910814 telcon w/K Turner requesting extension of time allowed for preparation of decommissioning financial assurance plan.Extension granted to 910914.
FISHER,W.L. Region 4 (Post 820201). 463650. 91/08/16. TURNER,K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p. 70935:018-70935:018.

-9112170149 Discusses insp rept 30-06388/91-02 on 911119.No violations or deviations noted.
CAIN,C.L. Region 4 (Post 820201). 91/12/12. TURNER,K.W. Schlumberger, Ltd. 21pp. 59996:276-59996:278.

-9112170238 Discusses insp rept 30-32023/91-01 on 911118 & forwards notice of violation.Inspectors observed that changes in personnel & corporate reorganization had contributed,in part to violation identified.
CALLAN,L.J. Region 4 (Post 820201). 91/12/12. JOYCE,V. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 3pp. 59997:050-59997:055.

-9112170246 Notice of violation from insp on 911118.Violations noted: licensee failed to provide required 2-yr followup training during 1990 & 1991 & to notify NRC within 7 days of closing of five branch ofcs.
* Region 4 (Post 820201). 91/12/12. 2pp. 59997:054-59997:055.

-9201240212 Responds to NRC 911212 ltr re violations noted in Insp Rept 30-32023/91-01.Corrective actions:followup training scheduled during First Quarter 1992 to permit all current employees to be on same retraining schedule.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 92/01/09. CALLAN,L.J. Region 4 (Post 820201). 2pp. 60379:008-60379:009.

-9201290217 Ack receipt of 920109 ltr informing NRC of steps taken to correct violations noted in Insp Rept 30-32023/91-01.
CAIN,C.L. Region 4 (Post 820201). 92/01/24. ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 60453:303-60453:306.

-9202130152 Matls licensing package for amend 1 to license 42-27055-01 for Dowell Schlumberger,Inc.Control:463924.
CAMPBELL,V.H. Region 4 (Post 820201). 463924. 91/12/31. 4pp. 60598:054-60598:067.

-9211020225 Matls licensing package for amend 57 to license 42-00090-03 for Schlumberger Technology Corp,Schlumberger Ltd. Control:464348.
WHITTEN,J.E. Region 4 (Post 820201). 464348. 92/08/19. 5pp. 63756:038-63756:066.

-9605130032 Confirms 890915 telcon & repts permanent abandonment of 1.5 Ci Cs-137 & 10 Ci Am/Be sealed sources.Plaque not supplied since no structure onsite.
ACCARDO,A.J. Schlumberger Well Services. 89/10/13. SPITZBERG,B. Region 4 (Post 820201). 2pp.

-9605130036 Forwards amend 52 to license 42-00090-03.NRC requirements listed.
EVERETT,R.J. Region 4 (Post 820201). 89/10/17. RACSTER,C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130037** Follow up on 750527 telegram & telcons w/HJ Pass on 750527 & 30.Field operating procedures correct re radioactivity & should not cause any great exposure.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 75/06/04. HOWARD E.M. Region IV, IE (720101-810228). 16pp.

--**9605130039** Advises that listed facilities closed.
RACSTER,C.E. Schlumberger Well Services. 89/10/23. Region 4 (Post 820201). 1p.

--**9605130040** Amend to license 42-00090-03 for Schlumberger Well Corp, authorizing possession & use of 250 Ci Po-210.
* Atomic Energy Commission (Pre 750119). 57/01/02. 1p.

--**9605130041** Amend 1 to license 42-00090-03 for Schlumberger Well Surveying Corp,changing name & address as listed.
* Atomic Energy Commission (Pre 750119). 57/04/25. 1p.

--**9605130045** Amend 2 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising Conditions 11 & 14 & Item 3 as listed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/10/07. 1p.

--**9605130048** Amend 3 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 250 Ci Po-210 at listed temporary jobsites.
* Atomic Energy Commission (Pre 750119). 58/12/29. 2pp.

--**9605130049** Confirms 890929 telcon & repts permanent abandonment of 1.5 Ci Cs-137,16 Ci AmBe & 2.7 uCi Am-241 source.
ACCARDO,A.J. Schlumberger Well Services. 89/10/29. CAIN,C. Region 4 (Post 820201). 2pp.

--**9605130053** Advises that listed facilities closed.All sources removed, exit survey performed,storage pits filled & cemented & all radioactive signs removed.
RACSTER,C.E. Schlumberger Well Services. 90/01/17. Region 4 (Post 820201). 1p.

--**9605130057** Amend 5 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 500 Ci Po-210,50 Ci Cs-137 & 500 mCi Tantalum 182.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/02/25. 2pp.

--**9605130059** Amend 4 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 50 Ci Cs-137 for well logging.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/04/10. 2pp.

--**9605130062** Amend 6 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 500 Ci Po-210,50 Ci Cs-137 & 500 mCi Tantalum 182.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/04/26. 3pp.

--**9605130065** Amend 7 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,revising Condition 13 as listed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/10/21. 1p.

--**9605130066** Confirms 891227 telcon & repts abandonment of minitron tool in listed well.
ACCARDO,A.J. Schlumberger Well Services. 90/01/23. KASNER,L. Region 4 (Post 820201). 2pp.

--**9605130070** Forwards amend 53 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 90/01/30. RACSTER,C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130071** Amend 8 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 500 Ci Po-210,50 Ci Cs-137,500 mCi Tantalum 182 & 500 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/11/23. 3pp.

--**9605130072** Advises of addl facilities for storage & use of radioactive matl.
RACSTER,C.E. Schlumberger Well Services. 90/02/01. Region 4 (Post 820201). 1p.

--**9605130074** Application for amend to license 42-00090-03,permitting proposed rev procedure for disposal of radwaste in lieu of method presently described in license.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/01/07. Division of Fuel Cycle & Material Safety (Pre 870413). 3pp.

--**9605130077** Amend 9 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 500 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/01/31. 2pp.

--**9605130078** Confirms 900418 telcon re permanent abandonment of 16 Ci AmBe & 1.5 Ci Cs-137 sealed sources in well 75 miles offshore of Japan.Fishing attempts unsuccessful.Cement plug placed above logging tool.
RACSTER,C.E. Schlumberger, Ltd. 90/04/18. CAIN,C. Region 4 (Post 820201). 2pp.

--**9605130080** Requests fee for 900426 application for amend to license 42-00090-03,changing radiation safety officer.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 463035. 90/05/14. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130081** Submits incidents of apparent exposure exceeding 1250 mr/ quarter.All exposure monitoring provided by NSSI,Houston using TLD for gamma & for neutron measurements.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/08/04. Region IV, IE (720101-810228). 32pp.

--**9605130082** Advises that licensee 820811 notification of rev to Radiation Sources & Control Manual will be filed as "info only" & not become part of matl licenses,unless response to J Hickey 821122 ltr received within 30 days from 830107 ltr.
JACKSON,G. License Fee Management Branch (Pre 861124). 83/01/07. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130083** Amend 10 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 500 Ci Po-210,50 Ci Cs-137,500 mCi Tantalum 182 & 584 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/06/05. 4pp.

--**9605130084** Amend 11 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 50 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/09/13. 1p.

--**9605130088** Amend 12 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 100 Ci Cs-137,500 mCi Tantalum 182 & 584 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 62/01/31. 3pp.

--**9605130091** Remits fee for amend to license 42-00090-03.
RACSTER,C.E. Schlumberger Well Services. 463035. 90/05/25. License Fee & Debt Collection Branch (Post 890827). 1p.

--**9605130093** Amend 13 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising Item 8.E as listed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 62/02/23. 1p.

--**9605130094** Requests that licensee take immediate actions to comply w/ 10CFR30.35.
VASQUEZ,G.M. Region 4 (Post 820201). IEIN-90-016. 90/07/18. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130095** Amend 14 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising items 4,6,7,8 & 9 & conditions 15.C & 16 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 62/06/05. 2pp.

--**9605130096** Forwards amend 54 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 90/07/25. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 3pp.

--**9605130097** Confirms 830121 telcon w/C Cain re permanent abandoned of 16 Ci AmBe sealed source & 1.5 Ci Cs-137 sealed source in listed well.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/03/02. Region 4 (Post 820201). 3pp.

--**9605130098** Amend 15 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising Condition 11 & adding condition 18 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 62/08/20. 1p.

--**9605130102** Notifies that listed facilities deactivated & removed from list of active facilities on file.
TURNER,K.W. Schlumberger Well Services. 90/08/22. Region 4 (Post 820201). 3pp.

--**9605130106** Amend 41 to license 42-00090-03 for Schlumberger Technology Corp Schlumberger Ltd,amending condition 18 as listed.
GUINN,P.R. Materials Licensing Branch. 83/03/08. 1p.

--**9605130107** Application for amend to license 42-00090-03,authorizing exemption to 10CFR39.41.
TURNER,K.W. Schlumberger Well Services. 90/10/10. Region 4 (Post 820201). 2pp.

--**9605130108** Confirms 841121 telcon re 841129 loss & subsequent recovery of radioactive matl contained in tracer tool.Complete investigation conducted on 841203.Listed surveys performed on tool.No removable contamination found.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/12/20. Region 4 (Post 820201). 2pp.

--**9605130117** Submits followup to 871030 telcon rept re excess TLD badge readings.Investigation of RF Nelson activities during months badge worn did not reveal any particular incident that would have caused excessive exposure.
CLOUD,R.H. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/01/07. Region 4 (Post 820201). 5pp.

--**9605130129** Amend 42 to license 42-00090-03 for Schlumberger Technology Corp Schlumberger Ltd,revising condition 18 as listed.
HICKEY,J.W. Materials Licensing Branch. 83/04/05. 2pp.

--**9605130136** Informs that licensee evaluation of exposure received during visits revealed exposure to be minimal.Licensee utilization logs support contention not routine user of radioactive matl.
CLINE,W.E. Region 2 (Post 820201). 88/04/20. FISHER,W.L. Region 4 (Post 820201). 19pp.

--**9605130137** Amend 16 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 100 uCi Co-60.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 63/01/30. 1p.

--**9605130139** Amend 17 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 3.1 Ci Cs-137,100 uCi Tantalum 182 & 702.5 uCi Co-60.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/06/19. 3pp.

--**9605130143** Amend 18 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 60 Ci H-3 & 35 sources of 200 uCi each Am-241.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 65/03/29. 1p.

--**9605130144** Amend 19 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 35 sources of 200 mCi Am-241 each.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 65/12/27. 1p.

--**9605130145** Amend 20 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising items 1 & 2 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 66/06/10. 1p.

--**9605130153** Forwards telegram sent to div of compliance,Region IV,per 10CFR20.405(c),requires names of individuals be stated in separate part of rept.
CHEATHAM,O. Schlumberger Well Services. 66/06/08. Atomic Energy Commission (Pre 750119). 3pp.

--**9605130165** Application for amend to license 42-00090-03,authorizing exemption to 10CFR39.41.
RACSTER,C.E. Schlumberger Well Services. 90/04/10. Region 4 (Post 820201). 2pp.

--**9605130167** Forwards amend 55 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 90/10/29. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130175** Application for amend to license 42-00090-03,authorizing logging while drilling svcs.
TURNER,K.W. Schlumberger Well Services. 90/12/04. Region 4 (Post 820201). 4pp.

--**9605130179** Application for amend to license 42-00090-03,authorizing 165 mCi Cs-137 in sealed sources Amersham-Tech Ops Model 77032.
TURNER,K.W. Schlumberger Well Services. 91/01/03. WHITTEN,J.E. Region 4 (Post 820201). 2pp.

--**9605130184** Forwards amend 56 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 91/01/04. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130187** Amend 56 to license 42-00090-03 for Schlumberger Technology Corp.
WHITTEN,J.E. Region 4 (Post 820201). 91/01/04. 6pp.

--**9605130189** Forwards corrected copy of amend 56 to license 43-00090-03, changing items 7.Z & 7.BB.
WHITTEN,J.E. Region 4 (Post 820201). 91/01/08. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130192** Confirms abandonment of irretrievable sealed radioactive sources in well offshore LA on 900114.
TURNER,K.W. Schlumberger Well Services. 91/03/04. Region 4 (Post 820201). 6pp.

--**9605130194** Confirms abandonment of irretrievable sealed sources in well offshore TX on 910528.
TURNER,K.W. Schlumberger Well Services. 91/06/07. Region 4 (Post 820201). 2pp.

--**9605130201** Informs that listed facility closed.
TURNER,K.W. Schlumberger Well Services. 91/08/08. WHITTEN,J. Region 4 (Post 820201). 1p.

--**9605130204** Forwards amend 57 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 92/08/19. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130205** Forwards insp rept 30-06388/89-07.
PATE,R.J. Region 4 (Post 820201). 91/08/27. CAIN,C.L. Region 4 (Post 820201). 12pp.

--**9605130209** Amend 21 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 5 Ci Am-241 & adding Condition 16 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 66/07/31. 1p.

--**9605130210** Confirms abandonment of irretrievable sealed 4.5 mCi Am-241 offshore LA.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 91/09/06. Region 4 (Post 820201). 35pp.

--**9605130212** Amend 22 to license 42-00090-03 for Schlumberger Technology Corp,adding authorization of 2 Ci I-131,Zr-95,Ir-192, Antimony 124,Gold 198,S-24 & Br-24 & revising conditions 12 & 15 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/06/22. 2pp.

--**9605130214** Forwards three copies of pamphlet "Radioactive Sources Abandoned in Oil or Gas Wells."
CHEETHAM,O.C. Schlumberger Well Services. 68/01/05. Atomic Energy Commission (Pre 750119). 1p.

--**9605130218** "Schlumberger Radiation Sources & Controls Second Edition."
* Schlumberger Well Services. 67/05/03. 192pp.

--**9605130221** Amend 23 to license 42-00090-03 for Schlumberger Technology Corp,revising items 1 & 2 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 68/06/25. 1p.

--**9605130224** Updates list of active facilities in non-agreement states.
TURNER,K.W. Schlumberger Well Services. 91/10/31. WHITTEN,J.E. Region 4 (Post 820201). 3pp.

--**9605130226** Forwards closing documents for Gillette,WY facility.W/o encl.
TURNER,K.W. Schlumberger Well Services. 91/11/20. WHITTEN,J.E. Region 4 (Post 820201). 1p.

--**9605130227** Application for amend to license 42-00090-03,authorizing possession & use of marker bullets containing Co-60 for depth control purposes.
CHEATHAM,O.C. Schlumberger Well Services. 70/02/02. Atomic Energy Commission (Pre 750119). 2pp.

--**9605130228** Application for amend to license 42-00090-03,authorizing listed reorganization.
TURNER,K.W. Schlumberger Well Services. 464027. 91/12/11. WHITTEN,J.E. Region 4 (Post 820201). 1p.

--**9605130230** Amend 24 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 3 Ci Cs-137,642 uCi Co-60,2 Ci H-3,200 mCi Am-241 & 1 Ci each I-131,Zr-95, Ir-192,An-124,Fe-198,S-24 & Br-82.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 70/02/26. 4pp.

--**9605130231** Informs of intent to close & vacate listed facility.
TURNER,K.W. Schlumberger Well Services. 92/01/30. WHITTEN,J. Region 4 (Post 820201). 1p.

--**9605130233** Application for amend to license 42-00090-03,authorizing distribution of Co-60 metal as collar or phenolic ring markers as generally licensed quantities per Section 31.4 & 31.00.
CHEATHAM,O.C. Schlumberger Well Services. 71/02/08. Atomic Energy Commission (Pre 750119). 1p.

--**9605130234** Amend 25 to license 42-00090-03 for Schlumberger Technology Corp,deleting items 6.C,7.C,8.C & 9.C.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 71/03/23. 1p.

--**9605130237** Application for amend to license 42-00090-03,authorizing possession & use of 50 16-Ci Am Be-241 Neutron Sources in nonagreement states.
CHEATHAM,O.C. Schlumberger Well Services. 72/03/24. Atomic Energy Commission (Pre 750119). 1p.

--**9605130241** Amend 26 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 16 Ci Am-241.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 72/04/07. 1p.

--**9605130243** Amend 27 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 600 uCi Co-60.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 72/06/20. 1p.

--**9605130245** Confirms abandonment of irretrievable sealed sources containing 4.5 uCi Am-241,50 uCi Am-241 & 0.9 uCi Cs-137 in well offshore LA.Multiple recovery attempts conducted from 920214-19.Plaque attached to well per Part 39.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/03/20. Region 4 (Post 820201). 9pp.

--**9605130246** Application for amend to license 42-00090-03,authorizing increase in activity of two sources already licensed.
CHEATHAM,O.C. Schlumberger Well Services. 73/05/23. Atomic Energy Commission (Pre 750119). 1p.

--**9605130252** Application for amend to license 42-00090-03,authorizing increase in Co-60.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 72/06/07. Atomic Energy Commission (Pre 750119). 2pp.

--**9605130253** Amend 28 to license 42-00090-03 for Schlumberger Technology Corp,revising item 4,subitems 8.A & 8.H & condition 14 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/06/26. 1p.

--**9605130254** Forwards application for amend to license 42-00090-03.
CHEATHAM,O.C. Schlumberger Well Services. 74/08/15. Atomic Energy Commission (Pre 750119). 1p.

--**9605130257** Application for amend to license 42-00090-03,authorizing increase in Cs-137.
CHEATHAM,O. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 74/08/20. 2pp.

--**9605130262** Informs of retirement from Schlumberger Well Svcs on 741130.
CHEATHAM,O.C. Schlumberger Well Services. 74/11/27. Atomic Energy Commission (Pre 750119). 2pp.

--**9605130263** Amend 29 to license 42-00090-03 for Schlumberger Technology Corp,revising condition 12 as listed.
BASSIN,N. Atomic Energy Commission (Pre 750119). 75/01/06. 1p.

--**9605130264** Confirms 741224 telcon re abandonment of Am Be-16 Ci source in well in Pennsylvania on 741224.
RACSTER,C.E. Schlumberger Well Services. 75/01/09. Atomic Energy Commission (Pre 750119). 2pp.

--**9605130266** Application for amend to license 42-00090-03,authorizing increase in Am-241.
RACSTER,C.E. Schlumberger Well Services. 75/10/17. Atomic Energy Commission (Pre 750119). 1p.

--**9605130271** Amend 30 to license 42-00090-03 for Schlumberger Technology Corp,revising subitem 8.Q as listed.
BASSIN,N. NRC - No Detailed Affiliation Given. 75/11/21. 1p.

--**9605130274** Application for amend to license 42-00090-03,authorizing addition of Am-241 to conditions 6,7,8 & 9.
RACSTER,C.E. Schlumberger Well Services. 76/08/02. Division of Fuel Cycle & Material Safety (Pre 870413). 3pp.

--**9605130277** Confirms abandonment of sealed radioactive sources, containing 4.5 uCi Am-241,50 uCi Am-241 & 0.9 mCi Cs-137 in well OCS-G 8678 A-11,offshore LA.Plaque ordered as required by 10CFR39 will be attached to well.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/04/28. Region 4 (Post 820201). 8pp.

--**9605130280** Discusses Drawing number H-239681.
* Atomic Energy Commission (Pre 750119). 76/08/19. Atomic Energy Commission (Pre 750119). 4pp.

--**9605130283** Forwards closure documents for listed facility.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/06/15. WHITTEN,J.E. Region 4 (Post 820201). 12pp.

--**9605130285** Application for amend to license 42-00090-03,authorizing listed rev to condition 8I.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/08/12. WHITTEN,J. Region 4 (Post 820201). 19pp.

--**9605130286** Informs of investigation initiated re high reading on 770105 of badge assigned to one employee.
RACSTER,C.E. Schlumberger Well Services. 77/04/18. Region IV, IE (720101-810228). 5pp.

--**9605130287** Forwards copy of TLD rept for Anchorage,AL which shows high readings for one employee (6288 MR).
RACSTER,C.E. Schlumberger Well Services. 77/04/20. Region IV, IE (720101-810228). 2pp.

--**9605130292** Confirms abandonment of irretrievable sealed radiation sources in well containing 50 mCi Am-241,0.9 mCi Cs-137 in offshore LA.Well abandoned & hardware removed at mud line below sea level.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/12/07. Region 4 (Post 820201). 7pp.

--**9605130295** Advises long term exposure of badge while not being worn caused high readings.
RACSTER,C.E. Schlumberger Well Services. 77/05/05. Atomic Energy Commission (Pre 750119). 3pp.

--**9605130297** Forwards SNM License SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/03/18. BLANCHARD,A. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130298** Discusses Zapata TOPPER III Platform which sank in Gulf of Mexico on 750320.
RACSTER,C.E. Schlumberger Well Services. 77/07/11. Atomic Energy Commission (Pre 750119). 1p.

--**9605130302** License SNM-0287 for Schlumberger Well Surveying Corp, authorizing possession & use of 240 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/03/18. 2pp.

--**9605130303** Provides Forms 766 & 766-S & insp rept re assist insp of 5.987 rem exposure at Schlumberger Technology Corp in Fairmont,WV on 770804 & 05.
SUTHERLAND,J.T. Region II, IE (720101-810228). 77/08/23. BROWN,G.D. Region IV, IE (720101-810228). 1p.

--**9605130306** Advises of allocation of 160 grams ofPu as Pu-Be neutron sources.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/11/17. LUNN,W.D. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130309** Insp rept 30-06388/77-01 on 770804-05.No violations noted. Major areas inspected:training & instructions to employees, radiation protection procedures,facilities,instruments, receipt & transfer matls,effluent control & waste disposal.
WOODRUFF,R.L., POTTER,J. Region II, IE (720101-810228). 77/08/18. 9pp.p.

--**9605130318** Forwards amend to license SNM-287.W/o encl.
KIRK,R.L. Atomic Energy Commission (Pre 750119). 60/05/03. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130322** Advises that 600204 application for amend to license SNM-287 meets requirements of act & regulations of AEC.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/04/25. Atomic Energy Commission (Pre 750119). 1p.

--**9605130326** Amend 2 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing 12,000 grams Pu as Pu-Be neutron sources.
KIRK,R.L. Atomic Energy Commission (Pre 750119). 60/05/03. 2pp.

--**9605130332** Advises of allocation of 7,920 grams Pu under license SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/10/21. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130337** Ack teletype of 601025,confirming 601020 telcon,authorizing postponement of performance of wipe tests of Pu source for 30 days.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/11/07. WELLS,H.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130339** Authorizes transport of Pu-Be neutron sources under license SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/10. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130341** Forwards SNM license SNM-287 as amended.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/03/19. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130358** Amend 6 to license SNM-0287 for Schlumberger Well Surveying Corp.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/03/19. 1p.

--**9605130362** Advises of lost source containing 5 Ci Pu-Be neutron source.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 62/04/27. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 4pp.

--**9605130368** Confirms 620427 loss of 5 Ci Pu-Be neutron source in oil well near Bakersfield,CA.
RUDDICK,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/04/27. Atomic Energy Commission (Pre 750119). 3pp.

--**9605130373** Discusses 620427 rept of loss of 5 Ci Pu-Be neutron source in oil well in Kern County,CA.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 62/05/01. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p.

--**9605130376** Forwards 620427 TWX reporting loss of 5 Ci Pu-Be neutron source.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/05/01. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605130380** Forwards rept of loss of 5 Ci Pu-Be neutron source in oil well in CA.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/05/08. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605130405** Forwards Form NRC 591, "Insp Findings & Licensee Acknowledgement."
EVERETT,R.J. NRC - No Detailed Affiliation Given. 77/10/04. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130410** Safety insp on 770804-5 of license 42-00090-03.Insp findings:current copy of Part 19 & 20 not posted & current copy of ref documents not posted.
EVERETT,J. NRC - No Detailed Affiliation Given. PACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 77/10/10. 5pp.

--**9605130442** Record of telcon w/G Brown on 830422 re abandonment of two in exploratory offshore well off coast of CA.Well to be capped within 60 days.
SPITZBURY,D.B. Region 4 (Post 820201). 83/04/22. 1p.

--**9605140006** Ack receipt of 620329 ltr & 620327 & 0402 telcons,informing AEC of corrections to deficiencies in licensed program.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/05/15. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140015** Responds to 620511 ltr requesting clarification of info required in order to accept guarantee of obligations to AEC for use & possession of matls.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/05/22. WELLS,M.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140016** Forwards License SNM-287 as amended.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/06/28. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140022** Amend 7 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams of Pu.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/06/28. 1p.

--**9605140027** Answers questions contained in 620628 ltr re request to have drawings H-48576 & H-48620 withheld from public insp.
RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/07/09. Atomic Energy Commission (Pre 750119). 1p.

--**9605140031** Forwards license SNM-287 as amended.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/08/17. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140033** Amend 8 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
* Atomic Energy Commission (Pre 750119). 62/08/17. 2pp.

--**9605140036** Provides addl info re 5 Ci Pu neutron source lost in El Paso Natural Gas Co well near Deming,WA.
RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 4106. 62/11/13. Atomic Energy Commission (Pre 750119). 2pp.

--**9605140059** Confirms 621110 telcon re loss of 5 Ci Pu neutron source in El Paso Natural Gas Co well.
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/11/10. Atomic Energy Commission (Pre 750119). 2pp.

--**9605140063** Ack receipt of 621113 ltr informing AEC of loss of 5 Ci Pu source.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/11/21. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

--**9605140067** Advises that items 8 & 10 to license SNM-287 amended as listed & item 12 added.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/12/14. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140070** Ack receipt of 630226 ltr advising of error in 630129 ltr. Neutron source cemented in place in oil & gas test well in Whatcom County,WA was contained in well logging tool identified NLS-C H-48576.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/03/01. Atomic Energy Commission (Pre 750119). 1p.

--**9605140073** Notice to AEC PDR & others that "Schlumberger 1962 Annual Rept," available for review.
* Atomic Energy Commission (Pre 750119). 63/04/12. 1p.

--**9605150009** Informs of initiation of investigation of nondiscrimination complaint against Shlumberger Well Surveying Corp.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 63/08/27. LOW,L.D. Atomic Energy Commission (Pre 750119). 1p.

--**9605150014** Amend 4 to License SNM-287 for Schlumberger Well Surveying Corp,revising items 8 & 11 as listed.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/09. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150020** Confirms telcon re loss of 5 Ci Pu source in Gulf of Mexico in Hurricane Hilda.
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/10/06. Atomic Energy Commission (Pre 750119). 1p.

--**9605150023** Confirms 641006 telcon re loss of 1 5-Ci Pu source in Gulf of Mexico in Hurricane Hilda.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/10/06. MCFALL,E.D. Atomic Energy Commission (Pre 750119). 3pp.

--**9605150025** Forwards amended license SNM-287.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/11/06. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150029** Amend 11 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/11/06. 2pp.

--**9605150040** Forwards licenses 42-00090-03 & SNM-287 & pertinent backup info.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 65/03/12. NELSON,P.R. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150065** Discusses assist compliance insp of New Orleans Div of Schlumberger Well Surveying Corp.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 65/05/26. BROWN,G.T. Atomic Energy Commission (Pre 750119). 9pp.

--**9605150069** Requests response within 20 days to noncompliances noted in insp.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/06/22. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150076** Safety insp on 650419-21,0503,04,05,10 & 13 & 650608-09 of license SNM-287.Insp findings:SNM used in State of WA not authorized by license & storage containers not labeled to indicate quantities & kinds of radioactive matls.
SANDEL,P.S. Atomic Energy Commission (Pre 750119). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/04/19. 13pp.

--**9605150079** Responds to noncompliances noted in insp of license SNM-287. Corrective actions:license amended to authorize use in any state within continental US.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/29. Atomic Energy Commission (Pre 750119). 1p.

--**9605150083** Amend 12 to license SNM-0287 for Schlumberger Well Surveying Corp,renewing license.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/07/16. 3pp.

--**9605150088** Advises that drawings H-48620,H-48576 & H-124510 should be withheld per 10CFR2.790.
ANDERSON,R.A. Atomic Energy Commission (Pre 750119). 65/07/30. SHAPAR,H.K. Atomic Energy Commission (Pre 750119). 1p.

--**9605150091** Forwards licensee response to Form AEC-592.Response adequate.
WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 65/07/02. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605150140** Informs two sealed sources 1.5 Ci Cs-137 & 16 Ci AmBe have been permanently abandonded in well offshore,TX in Federal Waters API #4271140281.
RACSTER,C.E. Schlumberger Well Services. 78/02/02. Region IV, IE (720101-810228). 5pp.

--**9605150149** Informs 1.5 Ci Cs-137 sealed source has been permanently abandoned in well,Amoco Production OCS-G 3068#1 Mustang Island Block A-111 Offshore,TX API #4271240026.
RACSTER,C.E. Schlumberger Well Services. 78/03/20. Region IV, IE (720101-810228). 1p.

--**9605150154** Informs Nuclear Energy Division recently approved plans for abandonment of two 1.5 Ci Cs-137 sources in two separate wells Kerr-McGee OCS-G-1528 #2 & Gulf Exploration & Production Co OCS-G-2313 #2.
SPELL,W.H. Louisiana, State of. 78/03/23. HOWARD,E.M. Region IV, IE (720101-810228). 2pp.

--**9605150159** Informs on 780424 Nuclear Energy Division granted authorization for abandonment of 1.5 Ci Cs-137 source in Shell Oil Co Well OCS-G-3289 # JA4 in East Cameron Block #57.
SPELL,W.H. Louisiana, State of. 78/04/28. BROWN,G. Region IV, IE (720101-810228). 1p.

--**9605150163** Requests complete up-to-date application for renewal of license 42-00090-03.
COMBS,F. NRC - No Detailed Affiliation Given. 78/06/12. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150168** "Schlumberger Well Svcs Instruction Manual for Handling Radioactive Tracer Matls."
* Schlumberger Well Services. 78/07/31. 11pp.

--**9605150171** Approves abandonment of 16 Ci Am-Be source & 1.5 Cs-137 source in offshore well designated OCS-G-072 #22.
SPELL,W.H. Schlumberger Well Services. 78/08/21. BROWN,G. Region IV, IE (720101-810228). 1p.

--**9605150174** Amend 32 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of listed matls in well instruments.
COMBS,F. Radioisotopes Licensing Branch (Pre 790501). 78/08/29. 4pp.

--**9605150176** Amend 31 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 19.99 Ci Am-241.
BROWN,J. Radioisotopes Licensing Branch (Pre 790501). 78/09/08. 1p.

--**9605150179** Informs sealed sources have been permanently abandoned in well, Terrapet Sherman #1 in Richland,MO API #25-083-21247.
RACSTER,C.E. Schlumberger Well Services. 78/09/19. Region IV, IE (720101-810228). 3pp.

--**9605150182** Informs two sealed sources located in GHK Co Estes 1-25 in Roger Mills Co,OK API # 35-129-20346 abandoned.
RACSTER,C.E. Schlumberger Well Services. 78/10/26. Region IV, IE (720101-810228). 1p.

--**9605150186** Amend 33 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 100 mCi Am-241 & 10 mCi Cs-137.
GUINN,P.R. Radioisotopes Licensing Branch (Pre 790501). 79/10/15. 2pp.

--**9605150192** Amend 34 to license 42-00090-03 for Schlumberger Technology Corp,revising condition 18 as listed.
BROWN,J.M. Radioisotopes Licensing Branch (Pre 790501). 80/05/13. 1p.

--**9605150198** Submits follow up to 781228 & 29 telcons re gas escaping threw logging tools & tools being severely damaged due to falling to ground.
RACSTER,C.E. Schlumberger Well Services. 79/01/11. Region IV, IE (720101-810228). 2pp.

--**9605150202** Discusses loss of 4.5 Ci Cs-137 logging source in well in Campbell County,WY at 9,200 feet.
MURRAY,B. Region IV, IE (720101-810228). 79/02/20. BROWN,G.D. Region IV, IE (720101-810228). 1p.

--**9605150205** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source in well,Marathon Oil Co OCS-G 1874 Well #B-23 West Delta Block in Offshore,LA API #1771940149.
RACSTER,C.E. Schlumberger Well Services. 79/03/13. Region IV, IE (720101-810228). 2pp.

--**9605150210** Informs as of 790213 Nuclear Energy Division gave approval for abandonment of 1.5 Ci Cs-137 source & 16 Ci Am-Be source in Conoco,OCS-G 2820#2 well.
SPELL,W.H. Louisiana, State of. 79/03/27. BROWN,G.D. Region IV, IE (720101-810228). 1p.

--**9605150215** Requests signature on Form NRC-591, "Insp Findings & Licensee Acknowledgement."
HARRISON,H.C. Region IV, IE (720101-810228). 79/04/04. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150217** Repts loss of 1.5 Ci Cs-137 sealed source in well +/- 12 miles off coast of OR.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/08/06. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150223** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source in well,Superior Oil Co OCS-G-3381 Well A-6 in West Cameron, #264 in Offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/05/03. Region IV, IE (720101-810228). 1p.

--**9605150224** Advises that drawings H-48620,H-124510 & H-48576 withheld from public insp per 10CFR2.790.
MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 65/08/16. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150233** Repts permanent abandonment of two sealed sources in well, Hunt Oil Co OCS-G-0425 #4 Eugene Island Block 63 in Offshore,LA API #17-709-403-40-01.
RACSTER,C.E. Schlumberger Well Services. 79/05/17. Region IV, IE (720101-810228). 1p.

--**9605150235** Discusses licensee request for withholding drawings H-48620, H-124510 & H-48576 from public insp per 10CFR2.790.
MACDONALD,C.E. Atomic Energy Commission (Pre 750119). 65/08/16. Atomic Energy Commission (Pre 750119). 1p.

--**9605150244** Ack receipt of 650806 ltr informing AEC of loss of 1.5 Ci Cs-137 source in well located approx 12 miles off coast of OR.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 65/08/20. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150264** Repts loss of 5 Ci Pu-Be neutron source in well in LA on 660325.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 66/05/02. Atomic Energy Commission (Pre 750119). 1p.

--**9605150267** Documents 660430 telcon re loss of 5 Ci Pu-Be well-logging source.Retrieval attempts unsuccessful.
WARD,J.J. Atomic Energy Commission (Pre 750119). 66/05/02. Atomic Energy Commission (Pre 750119). 1p.

--**9605150268** Repts loss of 5 Ci Pu-Be neutron source on 660507 in well in LA.
CHEATHAM,O.C. Schlumberger Well Services. 66/05/18. Atomic Energy Commission (Pre 750119). 1p.

--**9605150275** Discusses plans if any to place permanent marker on Glasscock Chapman,Inc well in which 5 Ci Pu-Be neutron source lost.No marker necessary.
CHEATHAM,O.C. Schlumberger Well Services. 66/05/23. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150278** Ack receipt of 660502 ltr reporting loss of 5 Ci Pu-Be neutron source in well.Plans re permanent marking requested.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/05/16. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150280** Ack receipt of 660518 ltr reporting loss of 5 Ci Pu-Be neutron source in well.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/05/27. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150281** Advises that LA well will be permanently identified w/metal warning sign.
CHEATHAM,O.C. Schlumberger Well Services. 66/06/07. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150283** Ack receipt of 660523 ltr.Well need not be permanently marked since well casing cut off below ground level & surface returned to original condition.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/06/14. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150286** Documents 660609 telcon re loss of 5 Ci Pu-Be neutron source in well owned by Glasscock-Chapman,Inc.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/06/15. Atomic Energy Commission (Pre 750119). 1p.

--**9605150288** Ack receipt of 660609 ltr in response to AEC 660527 ltr.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/06/15. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150291** Advises that Glasscock Chapman well in LA identified in error.Well to be permanently identified is Texas Gulf Sulfur Roane 1 well.
CHEATHAM,O.C. Schlumberger Well Services. 66/06/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150292** Forwards safety insp of licenses 42-00090-03 & SNM-287.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/09/18. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150300** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source & 16 Ci AmBe sealed source in well,Northeast Exploration Fortenelle #1 Lincoln County,WY API #49023700287B.
RACSTER,C.E. Schlumberger Well Services. 79/05/25. Region IV, IE (720101-810228). 1p.

--**9605150302** Repts permanent abandonment of two sealed sources in well, Atlantic Richfield OCS-G-3019 Well #3 Mustang Island,Block 757 in Federal Waters of Offshore,TX total depth 4,520'.
RACSTER,C.E. Schlumberger Well Services. 79/06/19. Region IV, IE (720101-810228). 1p.

--**9605150312** Safety insp on 670717 & 0913 of license SNM-287.Insp findings:no items of noncompliance noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Schlumberger Well Services. 67/09/13. 2pp.

--**9605150314** Advises that reinspections of licenses 42-00090-03 & SNM-287 performed on 670717.No items of nonconformance noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/11/09. Atomic Energy Commission (Pre 750119). 6pp.

--**9605150315** Requests fee of $110 re application for amend to license 42-00090-03 to add sealed source.
JACKSON,G. License Fee Management Branch (Pre 861124). 79/07/09. RACSTER,C.E. Schlumberger Well Services. 1p.

--**9605150317** Amend 18 to license SNM-287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/07/02. 19pp.

--**9605150322** Requests fee of $110 for application for amend to license 42-00090-03 to add source.
JACKSON,G. License Fee Management Branch (Pre 861124). 00522. 79/07/13. RACSTER,C.E. Schlumberger Well Services. 1p.

--**9605150323** Forwards rept to LA Board of Nuclear Energy re abandonment of 80 gram PuBe neutron source in Chevron Oil Co CJ Freeland 2 well.
CHEATHAM,O.C. Schlumberger Well Services. 69/06/09. Atomic Energy Commission (Pre 750119). 1p.

--**9605150326** Discusses abandonment of 5 Ci Pu-Be well logging source on 690520.
WARD,J.J. Atomic Energy Commission (Pre 750119). 69/06/12. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150331** Advises of abandonment of 80 gram Pu-Be source in well in OK.
WARD,J.J. Atomic Energy Commission (Pre 750119). 69/11/24. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150336** Ack receipt of 691110 ltr reporting loss of Pu source in well located in Major County,OK.
LOW,L.D. Atomic Energy Commission (Pre 750119). 69/12/03. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150342** Repts abandonment of 80 gram Pu-239 Be source in well in OK.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 69/11/10. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150346** Discusses insp of license 42-00090-03 & SNM-287 on 691208.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 70/01/29. Atomic Energy Commission (Pre 750119). 1p.

--**9605150350** Safety insp on 961208 of license SNM-0287.Insp findings: no noncompliance found.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Schlumberger Well Services. 69/12/08. 7pp.

--**9605150413** Covers fee for requests of 790622,29 & 0703 which G Jackson agreed to combine into one amend.
RACSTER,C.E. Schlumberger Well Services. 79/07/27. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605160039** Forwards Rev 5 to radiation sources & controls.W/o encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 15361. 83/07/08. NRC - No Detailed Affiliation Given. 1p.

--**9605160041** Notifies of 790724 loss of pallet containing two 1.5-Ci Cs sealed sources & two 0.5-Ci Am/Be sealed sources.Pallet lost overboard during storm near Grand Isle,LA.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 79/08/14. Region IV, IE (720101-810228). 4pp.

--**9605160043** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source in well,Marathon Oil Co OCS-G 1677 F-5 Permit # 17-724-40140 in Offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/10/24. Region IV, IE (720101-810228). 1p.

--**9605160047** Informs of permanent abandonment of 1.5 Ci Cs-137 sealed source & 16 Ci Am/Be sealed source in well,Transco Exploration Co OCS-G-3520 #A-18 Permit # 17-702-40568 in Offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/10/25. Region IV, IE (720101-810228). 2pp.

--**9605160050** Responds to 830708 ltr & encl Rev 5 to "Radiation Sources & Controls." Rev requires amend to license 42-00090-03.Amend fee in stated amount required as specified in encl 10CFR170.31(5A).W/o encl.
JACKSON,G. License Fee Management Branch (Pre 861124). 15361. 83/08/03. RASCTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605160051** Informs of permanent abandonment of 1.5 Ci Cs-137 sealed source & 16 Ci Am/Be sealed source in well,Gulf Oil Co OCS-G-0982 #H-2 Permit # 17-709-40369 in Offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/10/25. Region IV, IE (720101-810228). 1p.

--**9605160055** Notifies of permanent abandonment of 16 Ci Am/Be sealed source & 1.5 Ci Cs-137 sealed source in well,Tenneco Oil Co OCS-G-3584 #A-2 offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/12/06. Region IV, IE (720101-810228). 1p.

--**9605160057** Forwards ltr from Prudhoe Bay,AL,describing alternate method of securing radioactive sources in storage.
RACSTER,C.E. Schlumberger Well Services. 80/01/30. BROWN,G. Radioisotopes Licensing Branch (Pre 790501). 2pp.

--**9605160059** Application for amend to license 42-00090-03,adding rev 5 to license,ref NRC 830803 ltr.Fee paid.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 15361. 83/08/08. JACKSON,G. License Fee Management Branch (Pre 861124). 1p.

--**9605160060** Provides fee of $110 for application for amend to license 42-00090-03.
JACKSON,G. License Fee Management Branch (Pre 861124). 02427. 80/01/27. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605160067** Confirms 830603,20 & 22 telcon re abandonment of 16 Ci AmBe sealed sources (NSR-F-1264) & 1.C Ci Cs-137 sealed source (GSR-J-6176) in listed well.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/08/16. Region 4 (Post 820201). 1p.

--**9605160079** Submits check for $110 in ref to request for amend to license 42-00090-03.
RACSTER,C.E. Schlumberger Well Services. 80/01/31. JACKSON,G. License Fee Management Branch (Pre 861124). 1p.

--**9605160080** Confirms 830812 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-6470) & 16 Ci AmBe sealed source (NSR-F-1099) in listed well.Appropriate plaque will be provided to Pennzoil for attachment to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/09/20. Region 4 (Post 820201). 1p.

--**9605160088** Confirms 830812 telcon re abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-5398) & 16 Ci AmBe sealed source (NSR-L-3012) in listed well.Appropriate plaque will be provided to CNG for attachment to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/09/20. Region 4 (Post 820201). 1p.

--**9605160091** Amend 43 to license 42-00090-03 for Schlumberger Technology Corp Schlumberger Ltd.
HICKEY,J.W. Materials Licensing Branch. 83/09/26. 1p.

--**9605160092** Informs of permanent abandonment of 16 Ci Am/Be sealed source & 1.5 Ci Cs-137 sealed source in well.
RACSTER,C.E. Schlumberger Well Services. 80/02/27. Region IV, IE (720101-810228). 1p.

--**9605160096** Confirms 830916 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-6172) in listed well.Appropriate plaque will be provided to Chevron USA,Inc for attachment to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/09/27. Region 4 (Post 820201). 2pp.

--**9605160097** Amend 34 to license 42-00090-03 for Schlumberger Technology Corp,revising condition 18.
BROWN,J.M. Materials Licensing Branch. 80/05/13. 2pp.

--**9605160100** Repts permanent abandonment of neutron generator in well.
RACSTER,C.E. Schlumberger Well Services. 80/05/22. Region IV, IE (720101-810228). 1p.

--**9605160103** Confirms 830930 telcon reporting permanent abandonment of 16 Ci AmBe sealed source (NSR-F-1509) & 1.5 Ci Cs-137 sealed source (GSR-J-5338) in listed well.Warning plaque placed on well.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/10/27. Region 4 (Post 820201). 3pp.

--**9605160107** Amend 35 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 5 Ci Cs-137.
GUINN,P.R. Materials Licensing Branch. 80/07/11. 1p.

--**9605160112** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source located below 15,958 feet.
RACSTER,C.E. Schlumberger Well Services. 80/07/14. Region IV, IE (720101-810228). 1p.

--**9605160114** Repts permanent abandonment of two sealed sources in well, Transco Exploration Co OCS-G-3462 in Federal Waters in Offshore,TX API 427-1340011.
RACSTER,C.E. Schlumberger Well Services. 80/07/14. Region IV, IE (720101-810228). 1p.

--**9605160127** Notifies that because of reduced drilling activity in USA, licensee experiencing reduction in wells logged & entered into contract w/Nuclear Sources & Svcs,Inc,Houston,TX to store number of sealed source not presently needed.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/12/16. Division of Fuel Cycle & Material Safety (Pre 870413). 2pp.

--**9605160143** Confirms 840521 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-8052) & 16 Ci AmBe sealed source (NSR-F-A2467) in Sohio Exploration Co OSC-G-6280 Well #1. Appropriate plaque will attached to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/06/22. Region 4 (Post 820201). 1p.

--**9605160147** Confirms 840430 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2510) & 1.5 Ci Cs-137 sealed source (GSR-J-7131) in Union Oil Co of CA Leffingwell #1-E-EE-K.Appropriate plaque will be attached to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/06/22. Region 4 (Post 820201). 2pp.

--**9605160149** Requests IE investigate matter re planting of 12 well logging sources in 1979 at "Gas & Oil Well Logging for Regulatory Personnel."
NUSSBAUMER,D.A. Assistant Director for Material Safety & Licensing. 80/07/24. HIGGINBOTHAM,L. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 1p.

--**9605160156** Confirms 840720 telcon re discovery & disposition of surface contaminated 1.5 Ci Cs-137 sealed source (GSR-J-5339).Source isolated & arrangements made for proper shipping container for transportation to Nuclear Sources & Svcs,Inc,Houston,TX.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/08/20. Region 4 (Post 820201). 2pp.

--**9605160167** Confirms 840814 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2475) & 1.5 Ci Cs-137 sealed source (GSR-J-0008) in listed well w/casing cut off three ft below ground level & appropriate plaque attached to casing.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/09/28. Region 4 (Post 820201). 2pp.

--**9605160174** Confirms 840910 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A1245) & 1.5 Ci Cs-137 sealed source (GSR-J-5332) in listed well.Appropriate plaque will be provided to Exxon Co USA.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/09/28. Region 4 (Post 820201). 3pp.

--**9605160178** Confirms 840918 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2680) in listed well.Cement plug placed from 14,492 to 14,412 ft & 1/2 inch thick steel ring placed on top of cement plug.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/11/05. Region 4 (Post 820201). 2pp.

--**9605160187** Confirms 841031 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A1497) & 1.5 Ci Cs-137 sealed source (GSR-J-6276) in listed well.Cement plug placed from 13,426 to 13,053 ft & well will be sidetracked at 13,150 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/11/05. Region 4 (Post 820201). 3pp.

--**9605160190** Repts alpha contamination on 80 gram PuBe neutron source possessed under license SNM-287.
CHEATHAM,O.C. Schlumberger Well Services. 70/05/04. Atomic Energy Commission (Pre 750119). 1p.

--**9605160196** Documents 700504 telcon re leaking 5 Ci Pu-Be source in Houston,TX.Source reported to be leaking since 1961 & was sealed in logging tool by two O-rings.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 70/05/05. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

-9605160199 Confirms 841213 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2623) & 1.5 Ci Cs-137 sealed source (GSR-J-6594) in listed well.Well will be plugged & abandoned w/pipe cut off below Gulf of Mexico.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/01/18. Region 4 (Post 820201). 3pp.

-9605160206 Ack receipt of 700504 ltr reporting detection of removable contamination on Pu-Be neutron source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 70/05/14. CHEATHAM,O.C. Schlumberger Well Services. 3pp.

-9605160214 Advises that on 700520 licensee returned leaking 76 gram Pu-239-Be source to Mound Lab for cancellation of lease w/ AEC.
CHEATHAM,O.C. Schlumberger Well Services. 71/02/08. CRAIG,P.A. Atomic Energy Commission (Pre 750119). 1p.

-9605160220 Advises that Directorate of Licensing has no objections to 730330 application for amend to License SNM-287.
WIRFS,L.F. Atomic Energy Commission (Pre 750119). 73/04/09. ROUSE,L.C. Atomic Energy Commission (Pre 750119). 1p.

-9605160224 Amend 20 to license SNM-0287 for Schlumberger Technology Corp & Schlumberger Ltd,renewing license in entirety.
ROUSE,L.C. Atomic Energy Commission (Pre 750119). 73/05/29. 3pp.

-9605160231 Discusses insp of licenses 42-00090-03 & SNM-0287 on 740513 in Woodward,OK & 740514-15 in Houston,TX.Violations noted.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/05/22. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

-9605160236 Confirms 850219 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2686) & 1.5 Ci Cs-137 sealed source (GSR-J-6908) in Ocean Drilling Program Well 627B. Cement plug placed from 1553 to 1533 meters.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/03/25. Region 4 (Post 820201). 2pp.

-9605160240 Ack receipt of 740611 ltr,informing of steps taken to correct violations of AEC requirements.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/06/20. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160241 Responds to AEC 740522 ltr re violations noted in insp of licenses 42-00090-03 & SNM-0287 on 740513 & 14-15.C/A: trucks now placarded as required by DOT & wipe tests on Pu sources will be current within 10 days of ltr date.
CHEATHAM,O.C. Schlumberger Well Services. 74/06/11. Atomic Energy Commission (Pre 750119). 6pp.

-9605160244 Confirms 850321 telcon re abandonment of 16 Ci AmBe sealed source (NSR-F-A1259) & 1.5 Ci Cs-137 sealed source (GSR-J-5465) in listed well.Cement plug placed 10,770 to 10,687 ft & cast iron bridge plug placed 10,687 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/04/19. Region 4 (Post 820201). 7pp.

-9605160247 Advises of loss of ten sealed sources on well platform 100 miles offshore in Gulf of Mexico.Source recovery undertaken.
PAAS,H.J. Region IV, IE (720101-810228). 75/03/21. Region IV, IE (720101-810228). 1p.

-9605160253 Forwards plot plans for two new facilities where radioactive matls will be stored & used.Addresses of new facilities listed.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/06/25. Region 4 (Post 820201). 7pp.

-9605160256 Informs that facility at listed address will move to new location on 850915 & close out survey of facility done. Address of new location listed.Plot plan showing layout of source pits in new bldg encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/07/17. Region 4 (Post 820201). 7pp.

-9605160258 Confirms 850626 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2049) & 1.5 Ci Cs-137 sealed source (GSR-J-6394) in listed well.Cast iron cement retainer placed at 13,606 ft.No plaque will be installed.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/07/17. Region 4 (Post 820201). 1p.

-9605160261 Confirms 850620 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-6686) in listed well.Cement plug placed from 11,600 to 9,250 ft,well sidetracked at 9,250 ft & will be drilled to total depth of 11,600 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/07/19. Region 4 (Post 820201). 2pp.

-9605160264 Confirms 750527 telcon re TLD badge exposure rept on Linton, IN employee for fourth quarter.
RACSTER,C.E. Schlumberger Well Services. 75/05/27. HOWARD,E.M. Region IV, IE (720101-810228). 1p.

-9605160265 Provides status rept re loss of 10 sealed sources in well platform on Gulf of Mexico.
PAAS,H.J. Region IV, IE (720101-810228). 75/12/01. Region IV, IE (720101-810228). 1p.

-9605160266 Submits check for $110 for application fee for amend to license 42-00090-03.
JACKSON,G. License Fee Management Branch (Pre 861124). 80/09/15. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160269 Discusses 750806 ltr re sources permanently abandoned in Patrick Petroleum Co well in Renville County,ND.Source is 16 Ci neutron source Am-Be rather than Pu-238-Be source.
RACSTER,C.E. Schlumberger Well Services. 75/12/10. Region IV, IE (720101-810228). 2pp.

-9605160274 Forwards rept of insp of licenses 42-00090-03 & SNM-287 on 760701 & notice of violation.
BROWN,G.D. Fuel Facility & Materials Safety Branch, R4. 76/07/13. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605160278 Notice of violation from insp on 760701.Violations noted: nine individuals received whole body doses ranging from 1.254 rems to 3.309 rems per calendar quarter during period 740701-751231.
* Fuel Facility & Materials Safety Branch, R4. 76/07/13. 6pp.

-9605160279 Provides check for $110 in ref to request for amend to license 42-00090-03.
DOMINGUEZ,M. Schlumberger Well Services. 80/09/23. JACKSON,G. NRC - No Detailed Affiliation Given. 1p.

-9605160281 Draft insp of licenses 42-00090-03 & SNM-287 on 760701. Violarions noted.
* Fuel Facility & Materials Safety Branch, R4. 76/07/01. 9pp.

-9605160285 Forwards repts of nine incidents of exposure per 760713 ltr & notice of violation.
RACSTER,C.E. Schlumberger Well Services. 76/08/04. BROWN,G.D. Region IV, IE (720101-810228). 21pp.

-9605160294 Ack receipt of 760804 ltr in response to 760713 ltr & notice of violation.
BROWN,G.D. Region IV, IE (720101-810228). 76/08/11. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160296 Application for renewal of license SNM-0287.
RACSTER,C.E. Schlumberger Well Services. 09520. 78/05/30. Radioisotopes Licensing Branch (Pre 790501). 2pp.

-9605160300 Confirms 790705 telcon re 780530 application for renewal of license SNM-0287.
CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 79/07/12. RACSTER,C.E. Schlumberger Well Services. 1p.

-9605160302 Forwards IE Bulletin 79-19.W/o encl.
SEYFRIT,K.V. Region IV, IE (720101-810228). IEB-79-19. 79/08/10. Schlumberger Well Services. 1p.

-9605160306 Responds to request for rept in writing re packaging of low-level radwaste for transport & burial,per IE Bulletin 79-19.
RACSTER,C.E. Schlumberger Well Services. IEB-79-19. 79/08/28. Region IV, IE (720101-810228). 1p.

-9605160312 Discusses insp of licenses 42-00090-03 & SNM-287 on 810204. No violations noted.
BROWN,G.D. Region IV, IE (720101-810228). 81/02/18. STRECKER,I. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 15pp.

-9605160315 Requests completed application for renewal of license SNM-287.
GUINN,P. Materials Licensing Branch. 09520. 81/06/11. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160325 Requests that GD Brown determine all sources abandoned in non-Agreement States have been reported to NRC.
MEYER,R. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 80/09/30. BROWN,G.D. Region IV, IE (720101-810228). 1p.

-9605160333 Submits investigation rept for radiation exposure to employee film badge.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 66/06/14. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p.

-9605160340 Amend 36 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 300 mCi Am-241.
BROWN,J.M. Materials Licensing Branch. 80/10/01. 1p.

-9605160341 Requests response to request for addl info re application for renewal of license SNM-287 within 30 days of ltr date.
GUINN,P.R. Materials Licensing Branch. 09520. 81/11/30. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160343 Forwards rept of investigation on "Assist Investigation - Compliance Region IV," for period 660531-0603.
RADELOFF,W.A. Atomic Energy Commission (Pre 750119). 66/06/08. WALKER,D.I. Atomic Energy Commission (Pre 750119). 1p.

-9605160345 Application for renewal of license SNM-287.
RACSTER,C.E. Schlumberger Well Services. 09520. 81/12/30. Radioisotopes Licensing Branch (Pre 790501). 8pp.

-9605160353 Forwards commitments from two facility managers & div manager,per 820224 ltr.
RACSTER,C.E. Schlumberger Well Services. 0473. 82/03/19. Region 4 (Post 820201). 1p.

-9605160356 Advises that assignment of engineer to monitor wipe tests made on 820310.
RACSTER,C.E. Schlumberger Well Services. 0536. 82/04/02. Region 4 (Post 820201). 1p.

-9605160359 Informs offshore rig drilling for Cities Svc Oil Co in Federal waters Offshore,TX caught fire & burned.
RACSTER,C.E. Schlumberger Well Services. 80/10/08. Region IV, IE (720101-810228). 2pp.

-9605160360 "Assist Investigation - Compliance Region IV," for period 660531-0603.
RADELOFF,W.A., MORETTI,E.J. Atomic Energy Commission (Pre 750119). 66/06/08. 36pp.

-9605160362 Advises of error in manner licenses 42-00090-03 & SNM-287 issued to Schlumberger Technology Corp & Schlumberger Ltd.
MILLER,V.L. Materials Licensing Branch. 82/04/15. OLMSTEAD,W.J. Regulations Division. 1p.

-9605160369 Forwards 1962 annual rept of Schlumberger Ltd.
WELLS,H.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/04/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p.

-9605160371 Application for amend to license 42-00090-03,adding listed address to license for recently established depot in Indiana,PA.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/08/14. Region 4 (Post 820201). 8pp.

-9605160377 Informs that on 850818,tool pallet (containing sources listed in encl ltr dtd 790814) recovered & returned to licensee.Shrimp fisherman caught & tore net on pallet. Sources in transport container & showed no leakage.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/11/21. Region 4 (Post 820201). 1p.

-9605160378 Informs of permanent abandonment of 16 Ci Am/Be sealed source & 1.5 Ci Cs-137 sealed source in well.
RACSTER,C.E. Schlumberger Well Services. 80/11/12. Region IV, IE (720101-810228). 1p.

-9605160383 Ack receipt for 760804 ltr,in response to ltr & attached notice of violation dtd 760713.
BROWN,G.D. NRC - No Detailed Affiliation Given. 76/08/11. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160386 Confirms 860102 telcon rept re abandonment of 16 Ci AmBe sealed source (NSR-F-A1414) & 1.5 Ci Cs-137 sealed source (GSR-J-6680) in listed well.Cement plug (dyed red) placed from 13,180 to 13,680 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/02/03. Region 4 (Post 820201). 2pp.

-9605160396 Forwards investigations of nine incidents & applicable notice to employee.
RACSTER,C.E. Schlumberger Well Services. 76/08/04. BROWN,G.D. Region IV, IE (720101-810228). 2pp.

-9605160401 Amend 37 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 3 mCi Cs-137.
* Materials Licensing Branch. 80/12/15. 2pp.

-9605160412 Confirms 801114 telcon re temporary abandonment of 2 Ci Tritium Neutron generator in well total depth 10,525 feet.
RACSTER,C.E. Schlumberger Well Services. 80/12/22. Region IV, IE (720101-810228). 1p.

-9605160415 Submits incidents of apparent exposure exceeding 1250 mr/ quarter.
RACSTOR,E. Schlumberger Well Services. 76/08/04. Region IV, IE (720101-810228). 19pp.

-9605160416 Repts TLD personnel dosimeter reading was in excess of regulatory limits.
RACSTER,C.E. Schlumberger Well Services. 80/12/23. Region IV, IE (720101-810228). 1p.

-9605160435 Forwards close out survey of cold Gillette;WY district at listed address,in ref to encl ltr dtd 850717.Survey revealed no outstanding radioactive readings.Wipe tests performed on four source pits & sent for readings.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/03/14. Region 4 (Post 820201). 2pp.

-9605160471 Discusses abandonment of sealed sources at Chevron USA,Inc Well OCS-G-3577 #12.Encl sketch shows final conventional abandonment.Found that setting pipe to total depth not needed.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/03/24. Region 4 (Post 820201). 3pp.

-9605160485 Informs of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2625) & 1.5 Ci Cs-137 sealed source (GSR-J-7063) in listed well.Steel retainer set at 14,426 ft & cement plug set from 14,634 to 14,425 ft & appropriate plaque provided.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/08/08. Region 4 (Post 820201). 6pp.

-9605160490 Informs that licensee closed facility at listed address. Close out survey & list of licensee facilities located in NRC states encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/09/29. Region 4 (Post 820201). 8pp.

-9605160497 Confirms 860902 telcon rept of permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-7186) & 16 Ci AmBe sealed source (NSR-F-A2268) in listed well.Cement plug,dyed red placed from 12,957 to 13,057 feet.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/09/29. Region 4 (Post 820201). 2pp.

-9605160503 Confirms 861120 telcon rept of permanent abandonment of 1.5 Ci sealed source (GSR-J-7159) in described well.Cement plug placed from 14,960 to 14,760 ft.Hole will be sidetracked at 14,760 ft & casing will be set through sidetracked section.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/01/13. Region 4 (Post 820201). 3pp.

-9605170035 Requests response to listed questions re complete up-to-date application for renewal of license SNM-287.
GUINN,P.R. Materials Licensing Branch. 09520. 82/04/23. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

-9605170037 Discusses concerns re renewal of license SNM-287.
MILLER,V.L. Materials Licensing Branch. 09520. 82/05/27. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605170040 Requests listed fees for application for amends to licenses 42-00090-03 & SNM-287.
JACKSON,G. License Fee Management Branch (Pre 861124). 82/06/03. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605170042 Application for amends to licenses 42-00090-03 & SNM-287, authorizing radiation sources & control manual.Fee paid.
RACSTER,C.E. Schlumberger Well Services. 82/06/10. JACKSON,G. Radioisotopes Licensing Branch (Pre 790501). 2pp.

-9605170049 Discusses application for renewal of licenses 42-00090-03 & SNM-287.Licensee feels renewal should be handled as previous policy to issue one license not separate licenses.
MARKS,R.P. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 82/06/29. MILLER,V.L. Materials Licensing Branch. 25pp.

-9605170051 Advises that licensee performs no radiation surveys during use of sealed sources for well logging purposes.NRC will insist on surveys.
GUINN,P. NRC - No Detailed Affiliation Given. 82/07/21. HICKEY,J. NRC - No Detailed Affiliation Given. 1p.

-9605170059 Insp rept 30-06388/81-01 on 810204.No violations noted.Major areas inspected:organization,licenseee internal audits, training & instructions to employees,radiation protection procedures,shipping & shipping incidents.
SPITZBERG,D.B., BROWN,G.D. Region IV, IE (720101-810228). 81/03/05. 10pp.

-9605170061 Confirms 820706 & 07 telcons re accidental release of 100-200 mCi I-131 in controlled area.Tracer injector tool came apart & splattered employee right shoulder of coveralls,right arm,face & glasses.
RACSTER,C.E. Schlumberger Well Services. 82/07/26. Region 4 (Post 820201). 4pp.

-9605170066 Requests confirmation if 820811 & 31 ltr forwarding operating & emergency procedures considered addl amend or addl info to existing amend application.
HICKEY,J.W. Materials Licensing Branch. 12508. 82/09/22. RACSTER,C.E. Schlumberger Well Services. 1p.

-9605170067 Expresses interest in knowing status of request for amend to license 42-00090-03.
RACSTER,C.E. Schlumberger Well Services. 81/04/13. Radioisotopes Licensing Branch (Pre 790501). 1p.

-9605170069 Submits amend fee of $110 for license 42-00090-03.
RACSTER,C.E. Schlumberger Well Services. 81/04/13. Radioisotopes Licensing Branch (Pre 790501). 1p.

-9605170072 Rev 4 to "Radiation Sources & Controls Manual."
RACSTER,C.E. Schlumberger Well Services. 82/09/27. 28pp.

-9605170074 Informs application will be sent to licensing staff for processing upon receipt of fee.
JACKSON,G. License Fee Management Branch (Pre 861124). 81/04/22. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605170075 Requests response to listed questions re renewal of license SNM-287.
GUINN,P.R. Materials Licensing Branch. 09520. 82/12/13. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 3pp.

-9605170076 Amend 38 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 10 Ci Am-241.
GUINN,P.R. Materials Licensing Branch. 81/04/24. 1p.

-9605170077 Responds to 821213 ltr re renewal of license SNM-287.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 09520. 83/01/07. Radioisotopes Licensing Branch (Pre 790501). 2pp.

-9605170080 Informs increase in possession limit for Model H-123515 sealed source appears to be action that should be evaluated vt State of TX.
GUINN,P.R. Materials Licensing Branch. 81/06/02. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605170086 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of (Device/Sealed Source) for model H-142525. Certificate:TX-586-S-103-S.
* Texas, State of. TX-586-S-103-S. 83/01/04. 5pp.

-9605170089 Requests possession limit be changed from "200 mCi" to "500 mCi" & number from H-142108 to H-218733.
RACSTER,C.E. Schlumberger Well Services. 81/04/10. Division of Fuel Cycle & Material Safety (Pre 870413). 1p.

-9605170092 Application for amend to License SNM-287,adding source H-207947.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/01/31. GUINN,P. Materials Licensing Branch. 1p.

-9605170094 Approves request for possession to be changed to 500 mCi.
RACSTER,C.E. Schlumberger Well Services. 81/06/15. Materials Licensing Branch. 5pp.

-9605170095 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of (Device/Sealed Source) for model H-207947. Certificate:TX-586-S-104-S.
* Texas, State of. TX-586-S-104-S. 83/01/04. 4pp.

-9605170103 Corrected amend 21 to license SNM-287 for Schlumberger Technology Corp,authorizing possession & use of 100 grams Pu-233.
GUINN,P.R. Materials Licensing Branch. 83/02/10. 3pp.

-9605170109 Amend 39 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of listed matls in well logging.
GUINN,P.R. Division of Fuel Cycle & Material Safety (Pre 870413). 81/07/21. 3pp.

-9605170118 Requests amend for license 42-00090-03 & temporary reciprocity until amend issued.
RACSTER,C.E. Schlumberger Well Services. 08867. 81/08/27. Division of Fuel Cycle & Material Safety (Pre 870413). 3pp.

-9605170132 Informs application for amend to license 42-00090-03 will sent to Licensing staff for processing upon receipt of fee for $110.
JACKSON,G. License Fee Management Branch (Pre 861124). 08867. 81/09/11. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605170137 Submits second check for $110 due to other check being lost.
DOMINGUEZ,M. Schlumberger Well Services. 81/09/21. JACKSON,G. Materials Licensing Branch. 1p.

-9605170144 Returns check 013522 & informs that NRC has received check 011966 for payment of $110 re application for amend to license 42-00090-03.
JACKSON,G. License Fee Management Branch (Pre 861124). 81/10/02. DOMINQUEZ,M. Schlumberger Well Services. 1p.

-9605170145 Certificate of disposition of matls:matls transferred to Monsanto Research Corp on or before 780807 or to Nuclear Sources & Svcs Inc on or before 870807.
RACSTER,C.E. Schlumberger Well Services. 87/11/10. 1p.

--**9605170147** Amend 40 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 3 uCi Th-232 in calibr of logging tools.
GUINN,P. Materials Licensing Branch. 81/11/24. 1p.

--**9605170149** "Radiation Protection Handbook."
* Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/01/30. 66pp.

--**9605170153** Repts loss of two Am241Be calibr sources.
RACSTER,C.E. Schlumberger Well Services. 82/01/10. Region 4, Ofc of the Director (810301-820201). 3pp.

--**9605170155** Forwards license 42-27055-01 for Dowell Schlumberger,Inc.
WHITTEN,J.E. Region 4 (Post 820201). 463349. 91/01/22. GUNN,R.A. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605170157** Informs two Am341Be calibr sources lost overboard 811221 have been recovered.
RACSTER,C.E. Schlumberger Well Services. 82/02/08. Region 4 (Post 820201). 1p.

--**9605170159** Application for amend to license 42-27055-01,authorizing W Wilson as radiation safety officer.Fee paid.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 463714. 91/07/01. WHITTEN,J.E. Region 4 (Post 820201). 1p.

--**9605170163** Repts incident involving truck operating from Shawnee,OK facility.
RACSTER,C.E. Schlumberger Well Services. 82/03/08. Region 4 (Post 820201). 5pp.

--**9605170167** Requests listed fee for 910701 application for amend to license 42-27055-01.
RODRIGUEZ,J.M. Office of the Controller (Post 890205). 91/08/05. ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605170168** Forwards revised copy of Radiation Sources & Control Manual. Requests that old copy be destroyed.
RACSTER,C.E. Schlumberger Well Services. 11373. 82/05/06. NRC - No Detailed Affiliation Given. 1p.

--**9605170170** "Radiation Sources & Controls Manual."
* Schlumberger Well Services. 91/12/31. 54pp.

--**9605170174** Application for amend to license 42-27055-01,authorizing AJ Accardo as radiation safety officer.
JOYCE,V. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 463924. 91/10/10. WHITTEN,J.E. Region 4 (Post 820201). 3pp.

--**9605170176** Informs equipment & sources recovered from well.
RACSTER,C.E. Schlumberger Well Services. 82/06/10. Region 4 (Post 820201). 2pp.

--**9605170178** Requests listed fee for 911010 application for amend to license 42-27055-01.
RODRIGUEZ,J.M. Office of the Controller (Post 890205). 463924. 91/10/25. JOYCE,V. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605170181** Informs that rev IV-9 should be inserted before current IV-9 & revised IV-12 before corrent IV-12 into radiation sources & control manual.
RACSTER,C.E. Schlumberger Well Services. 82/08/25. NRC - No Detailed Affiliation Given. 1p.

--**9605170184** Discusses not returned note on SD Kettner RDC badge rept for period 910401-0630.Summary of interview w/SD Kettner provided.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 91/12/02. KASNER,L.L. Region 4 (Post 820201). 1p.

--**9605170188** Informs another rev will be issued shortly showing corrections of data & page numbers to radiation sources & controls manual.
RACSTER,C.E. Schlumberger Well Services. 82/08/31. NRC - No Detailed Affiliation Given. 17pp.

--**9605170191** Provides copy of current revs to Radiation Sources & Control manual.
RACSTER,C.E. Schlumberger Well Services. 12508. 82/08/11. NRC - No Detailed Affiliation Given. 1p.

--**9605170198** Insp rept 30-32023/91-01 on 911118.Violations noted.Major areas inspected:licensed activities.
KASNER,L. Region 4 (Post 820201). 91/11/18. 19pp.

--**9605170206** Forwards amend 1 to license 42-27055-01.
CAMPBELL,V.H. Region 4 (Post 820201). 91/12/31. JOYCE,V. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605170207** "Schlumberger Safety Policy."
* Schlumberger Well Services. 12508. 82/01/31. 12pp. 88300:325-88300:327.

--**9605170214** Confirms 870106 telcon rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A1356) & 1.5 Ci Cs-137 sealed source (GSR-J-7244) in listed well offshore LA.Cement plug, dyed red placed from 12,250 to 11,000 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/02/06. Region 4 (Post 820201). 4pp.

--**9605170215** Discusses 820929 application for amend to license 37-16268-01 to add new source model to license & to increase approved Ci content of source & two others.
GUINN,P.R. Materials Licensing Branch. 82/11/16. PRATT,T.E. Fairchild Weston Systems, Inc. 1p.

--**9605170220** Informs that licensee closed listed facilities.Close out survey of facilities & list of licensee facilities in NRC states encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/04/23. Region 4 (Post 820201). 6pp.

--**9605170238** Confirms 870912 abandonment of 16 Ci AmBe sealed source (NSR-L-3114) & 1.5 Ci Cs-137 sealed source (GSR-J-6437) in listed well.Well plugged w/ cement & topped w/casing shoe which will act as mechanical stop.
ACCARDO,A.J. Schlumberger, Ltd. 87/10/09. Region 4 (Post 820201). 1p.

--**9605170245** Confirms 870911 telcon re abandonment of 16 Ci AmBe source (NSR-F A2555) & 1.5 Ci Cs-136 source (GSR-J 6988) in Exxon Co,USA Well H-32.Sidetracked hole drilled at top of cement plug that provided hydraulic seal across borehole.
CLOUD,R.H. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/10/21. SPITZBERG,D.B. Region 4 (Post 820201). 8pp.

--**9605170251** Confirm 871103 telcon re loss of logging tool containing 2 Ci of tritium in ocean due to equipment failure on 871101. Approval to leave tool on ocean botton requested.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/11/12. Region 4 (Post 820201). 5pp.

--**9605170277** Informs of recovery of well logging sources.Proposal re possible abandonment of sources should be disregarded,per 871204 conversation.
ACCARDO,A.J. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/12/08. HOLLEY,W. Region 4 (Post 820201). 1p.

--**9605170284** Forwards 880107 rept of apparent 7099 mrem quarterly overexposure at Schlumberger in Fairmont,WV.Licensee unable to explain exposure.Special insp to investigate exposure recommended.
FISHER,W.L. Region 4 (Post 820201). 88/03/02. CLINE,W.E. Region 2 (Post 820201). 1p.

--**9605170294** Confirms 880425 telcon rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-2657) & 1.5 Ci Cs-137 sealed source in listed well Offshore LA.No plaque will be provided since there will be no surface wellhead.
ACCARDO,A.J. Schlumberger, Ltd. 88/05/24. FISHER,B. Region 4 (Post 820201). 1p.

--**9605170295** Advises that due to recent downturn in domestic oil & gas industry,some locations closed or relocated.List of closings & relocation encl.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 92/12/02. CALLAN,L.J. Region 4 (Post 820201). 3pp.

--**9605170303** Advises that due to recent downturn in domestic gas & oil industry some locations closed or relocated.List of closures or relocations encl.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 92/12/09. CALLAN,L.J. Region 4 (Post 820201). 62pp.

--**9605170311** License 35-00389-01 for Dowell,Inc,authorizing possession & use of 1,500 mCi I-131.
ROGER,R.E. Atomic Energy Commission (Pre 750119). 56/05/10. 1p.

--**9605170322** Informs that licensee in process of insuring that licensee possesses current radiation licenses & regulations for areas in which licensee operates.
NORDQUIST,M.B. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/05/26. Region 4 (Post 820201). 2pp.

--**9605170328** Confirms 880708 telcon & rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A1049) & 1.5 Ci Cs-137 sealed source (GSR-J-7343) in listed well.Appropriate plaque will be provided for attachment to well head.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/08/08. Region 4 (Post 820201). 3pp.

--**9605170331** Amend 2,renewing license 35-00389-01 for Dowell,Inc.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/05/29. 1p.

--**9605170333** Amend 3 to license 35-00389-01 for Dowell Inc,authorizing possession & use of 1,800 mCi I-131.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/08/04. 2pp.

--**9605170336** Amend 4 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 1,800 mCi I-131.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/03/16. 2pp.

--**9605170338** Confirms 880808 telcon & rept of permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-7025) & 16 Ci AmBe sealed source (NSR-F-A2787) in listed well.Expects that hole sources down,which not cased,will heal over shortly.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/08/12. Region 4 (Post 820201). 2pp.

--**9605170346** Confirms 880722 telcon & rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-1614) & 1.5 Ci Cs-137 sealed source (GSR-J-7152) in listed well.Cement plug located from 3,600 to 3,900 ft.Plaque will not be provided.
ACCARDO,A.J. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/08/21. Region 4 (Post 820201). 2pp.

--**9605170351** Confirms 880822 telcon w/W Holley & rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-FA-2652) & 1.5 Ci Cs-127 sealed source (GSR-J-7111) in listed well.Well cemented from 15,500 back to 14,056 ft.
ACCARDO,A.J. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/09/14. Region 4 (Post 820201). 2pp.

--**9605170363** Informs of recovery of two well logging sources for client Sante Fe Minerals,per 880912 call re imminent abandonment of sources.
ACCARDO,A.J. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/09/14. HOLLEY,W. Region 4 (Post 820201). 1p.

--**9605170387** Forwards amend 51 to license 42-00090-03.W/o encl.
CAIN,C.L. Region 4 (Post 820201). 88/12/03. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605170488** Informs that Co disposition of leaking sources will be checked during next trip to area by Region IV personnel.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 62/01/23. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p.

--**9605170508** Informs that no items of compliances noted as result of investigation on 610419-21 & insp of byproduct matl License 42-90-1.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/03/21. BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 4pp.

--**9605200016** Matls licensing package for amend 37 to license 35-00389-01 for Dow Chemical Co,amending conditions 12 & 19 as listed.
HICKEY,J.W. Materials Licensing Branch. 83/10/03. 1p.

--**9605200023** Amend 5 to license 35-00389-01 for Dow Chemical Co,amending condition 17 & adding condition 18 as listed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/09/09. 2pp.

--**9605200026** Amend 6 to license 35-00389-01 for Dow Chemical Co, authorizing 2,300 mCi I-131,500 mCi Ir-192,505 mCi Co-60 & 1 mCi any byproduct matl between atomic numbers 3 & 83, inclusive.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/04/04. 3pp.

--9605200030 Amend 7 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/08/17. 2pp.

--9605200033 Amend 8 to license 35-00389-01 for Dow Chemical Co,revising Condition 13 re authorized users.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/12/28. 1p.

--9605200036 Amend 9 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 1,800 mCi I-131.
* Atomic Energy Commission (Pre 750119). 62/03/02. 4pp.

--9605200038 Amend 10 to license 35-00389-01 for Dow Chemical Co,amending conditions 9B & 9C as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 62/03/16. 1p.

--9605200042 Amend 11 to license 35-00389-01 for Dow Chemical Co,revising conditions 11,13,15 & 16 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 62/05/25. 1p.

--9605200045 Amend 12 to license 35-00389-01 for Dow Chemical Co,adding 250 mCi H-3,amending condition 13 & adding conditions 18 & 19 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 63/01/28. 1p.

--9605200047 Amend 13 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/01/28. 4pp.

--9605200050 Amend 14 to license 35-00389-01 for Dow Chemical Co,revising item 2,subitems 6D,7D,8D & 9D & condition 19.C.5 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/02/27. 1p.

--9605200052 Amend 15 to license 35-00389-01 for Dow Chemical Co,revising item 7E as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/12/22. 1p.

--9605200055 Amend 16 to license 35-00389-01 for Dow Chemical Co,revising Conditions 13,16 & 19.C.5 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 65/10/11. 1p.

--9605200057 Amend 17 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
* Atomic Energy Commission (Pre 750119). 66/02/04. 4pp.

--9605200123 Amend 18 to license 35-00389-01 for Dow Chemical Co,revising Subitems 6.E,7.E,8.E,9.E & condition 15 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 66/04/13. 1p.

--9605200124 Amend 19 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 1 mCi Co-60 & revising Condition 17.B as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/10/19. 1p.

--9605200128 Amend 20 to license 35-00389-01 for Dow Chemical Co,revising subitem 8.E as listed.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 68/06/03. 1p.

--9605200131 Amend 21 to license 35-00389-01 for Dow Chemical Co,revising Condition 13 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 69/10/31. 1p.

--9605200133 Amend 22 to license 35-00389-01 for Dow Chemical Co,revising subitem 9.E as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 70/10/07. 1p.

--9605200137 Amend 23 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 100 uCi Fe-59.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 71/09/08. 1p.

--9605200197 Responds to NRC 620321 ltr,listing items of noncompliance w/conditions of byproduct matl 42-00090-03 & SNM-287.
BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/03/29. Atomic Energy Commission (Pre 750119). 2pp.

--9605200203 Discusses 620329 ltr,0327 & 0402 telcons,informing NRC that licensee corrected or will correct deficiencies in licensed program.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/05/15. BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--9605200207 Rev 24 to license 35-00389-01 for Dow Chemical Co,changing expiration date to 771031.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 72/08/09. 1p.

--9605200208 Informs of error in licensee 880812 ltr.Serial number for 16 Ci AmBe sealed source NSR-F-A2682 not NSR-F-A2787.
RACSTER,C.E. Schlumberger Well Services. 88/12/19. Region 4 (Post 820201). 2pp.

--9605200209 Amend 25 to license 35-00389-01 for Dow Chemical Co,adding 20 mCi Co-60.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/02/28. 1p.

--9605200210 Informs that effective 890101,licensee will be using Tech/ OPS Landauer,Inc for personnel monitoring.Licensee will monitor gamma & neutron radiation.Badges will be exchanged on quarterly basis.
RACSTER,C.E. Schlumberger Well Services. 88/12/19. Region 4 (Post 820201). 1p.

--9605200211 Amend 26 to license 35-00389-01 for Dow Chemical Co,adding Condition 17.B.7.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/08/10. 1p.

--9605200213 Amend 27 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 74/09/06. 4pp.

--9605200214 Informs of abandonment of Am-241 source containing 4.5 uCi in well OSC-G-0823 #7,offshore LA on 881125,per 881122 telcon w/C Racster.Cement plug set 100 ft above fish,second kickoff plug set & sidetrack kicked off at 12,860 ft.
MARIENBACH,E. Schlumberger Well Services. 88/12/19. CAIN,C.L. Region 4 (Post 820201). 2pp.

--9605200215 Amend 28 to license 35-00389-01 for Dow Chemical Co,revising Subitem 9.K as listed.
BASSIN,N. Materials Licensing Branch. 75/04/24. 1p.

--9605200216 Amend 29 to license 35-00389-01 for Dow Chemical Co,revising subitem 7.J as listed.
BASSIN,N. Materials Licensing Branch. 75/11/24. 1p.

--9605200220 Informs that MNTR-D-3251 containing 1.0 Ci of tritium,stuck in hole in 1986.Well located in Main Pass 297 federal waters Offshore LA.Chevron planning remedial work on well.
RACSTER,C.E. Schlumberger Well Services. 89/01/05. Region 4 (Post 820201). 1p.

--9605200221 Discusses deficiencies discovered as result of special physical inventory of neutron generators.
RACSTER,C.E. Schlumberger Well Services. 89/01/06. Region 4 (Post 820201). 2pp.

--9605200223 Amend 30 to license 35-00389-01 for Dow Chemical Co,revising Subitem 8.K & Condition 16 & adding Condition 17 as listed.
BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 76/01/05. 2pp.

--9605200226 Forwards documents missing at time of insp.Ltr dtd 780721 missing.W/o encls.
RACSTER,C.E. Schlumberger Well Services. 89/01/19. Region 4 (Post 820201). 2pp.

--9605200227 Amend 31 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 50 mCi Cs-137,revising subitem 9.K & Condition 13.A as listed.
BROWN,J.M. Atomic Energy Commission (Pre 750119). 77/04/19. 1p.

--9605200229 Forwards application for renewal of license 35-00389-01.
HEARD,L.L. Dow Chemical Co. 77/09/08. Radioisotopes Licensing Branch (Pre 790501). 1p.

--9605200233 Application for amend,renewing license 35-00389-01.
HEARD,L.L. Dow Chemical Co. 90465. 77/09/08. 38pp.

--9605200235 Requests complete up to date application for renewal of license 35-00389-01.
GUINN,P.R. Radioisotopes Licensing Branch (Pre 790501). 90465. 77/10/18. HEARD,L.L. Dow Chemical Co. 2pp.

--9605200236 Forwards application for renewal of license 35-00389-01.
HEARD,L.L. Dow Chemical Co. 90465. 77/11/09. GUINN,P.R. Materials Licensing Branch. 1p.

--9605200238 Application for amend,renewing license 35-00389-01.
HEARD,L.L. Dow Chemical Co. 77/11/09. 36pp.

--9605200241 Confirms 881222 telcon w/W Holley & rept of permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-7228) & 16 Ci AmBe sealed source (NSR-F-2663) in listed well.Several plugs placed in well.
ACCARDO,A.J. Schlumberger Well Services. 89/01/20. Region 4 (Post 820201). 4pp.

--9605200244 Submits requested info on documentation of losses of minitrons & internal reporting records.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 89/02/14. Region 4 (Post 820201). 2pp.

--9605210046 Corrected amend 32 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
GUINN,P.R. Radioisotopes Licensing Branch (Pre 790501). 77/12/01. 4pp.

--9605210049 Advises of refund of license fee for 790710 application for amend to license 35-00389-01.
JACKSON,G. License Fee Management Branch (Pre 861124). 79/07/24. HEARD,L.L. Dow Chemical Co. 1p.

--9605210057 Responds to 790815 ltr requesting addl info re application for amend to license 35-00389-01,Texas Nuclear Model 5185 source holder fully described in 790710 drawing.
HEARD,L.L. Dow Chemical Co. 00611. 79/08/22. BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 1p.

--9605210061 Requests listed info re review of TX Nuclear Model 5185 source holder.
WRIGHT,E.G. Materials Certification & Procedures Branch. 79/10/29. GUINN,P.R. Materials Licensing Branch. 2pp.

--9605210266 Forwards three abnormal occurrence descriptions re gauging devices & stolen densiometer source.
LACKER,D.K. Texas, State of. 88/04/08. DODA,R. NRC - No Detailed Affiliation Given. 14pp.

--9605210270 Informs application will be processed by Region IV staff once amend fee of $60 has been received.
JACKSON,G. License Fee Management Branch. 88/06/23. SELLER,M.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--9605210358 Corrected amend 34 to license 35-00389-01 for Dow Chemical Co,authorizing possession & use of 100 mCi Cs-137 & revising Conditions 13 & 19 as listed.
GUINN,P.R. Materials Licensing Branch. 80/12/08. 2pp.

--9605210362 Forwards check for amend to license 35-00389-01.
PATTERSON,P.A. Dow Chemical Co. 81/03/16. JACKSON,G. License Fee Management Branch (Pre 861124). 1p.

--9605210364 Amend 35 to license 35-00389-01 for Dow Chemical Co,amending Conditions 12 & 19 as listed.
GUINN,P.R. Materials Licensing Branch. 81/04/23. 1p.

--9605210367 Application for amend to license 35-00389-01,authorizing change of name to Dowell,Inc.
THOMAS,B.R. Dow Chemical Co. 10877. 82/03/23. GUINN,P. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605210373** Advises that TX Nuclear Model 5192 source head transferred to Dowell Div of Dow Chemical under license 35-00389-01 on 820617.
THOMAS,B.R. Dow Chemical Co. 82/06/24. Division of Fuel Cycle & Material Safety (Pre 870413). 1p.

--**9605210376** Advises that incorporation reflected in application for amend to license 35-00389-01 delayed until 830101.
THOMAS,B.R. Dow Chemical Co. 1039. 82/07/01. GUINN,P. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605210382** Application for amend to license 35-00389-01,authorizing possession & use of Nucleus,Inc model Cs-137-S-10 source, Hewlett Packard 18803-60520 gas chromatograph & Krohne- America Model DH-80 instrument.
THOMAS,B.R. Dow Chemical Co. 82/10/20. BAGGETT,S.L. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605210401** Forwards amend 36 to license 35-00389-01.
CARRICO,J.B. Materials Licensing Branch. 83/01/24. THOMAS,B.R. Dow Chemical Co. 1p.

--**9605210404** Amend 36 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 10 uCi Cs-137 & 15 mCi Ni-63,amending condition 19 & adding conditions 20 & 21 as listed.
HICKEY,J.W. Materials Licensing Branch. 83/01/24. 2pp.

--**9605210409** Application for amend to license 35-00389-01,authorizing OF McDonald as radiation protection officer.
MCDONALD,O.F. Dow Chemical Co. 15257. 83/07/01. HICKEY,J.W. Materials Licensing Branch. 2pp.

--**9605210414** Requests listed addl info re 830701 application for amend to license 35-00389-01.
MARTIN,I.C. Materials Licensing Branch. 15257. 83/09/07. MCDONALD,O.F. Dow Chemical Co. 1p.

--**9605210417** Provides addl info re application for amend to license 35-00389-01,Resume encl.
MCDONALD,O.F. Dow Chemical Co. 1261. 83/09/14. MARTIN,I.C. Materials Licensing Branch. 10pp.

--**9605220006** Requests amend to license 35-00389-01,reflecting BK Davis as RSO.
ELLIG,C.E. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/03/10. WHITTEN,J.E. Region 4 (Post 820201). 3pp.

--**9605220007** Amend 1 to license 35-00389-01 for Dowell,Inc authorizing possession & use of 505 mCi Co-60 & 1 Ci Po-210.
* Atomic Energy Commission (Pre 750119). 57/02/13. 1p.

--**9605220022** Confirms that AEC does not plan to correspond w/licensee on investigation conducted 660531-0603 re 42 rem exposure to film badge.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/06/23. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220024** Discusses 660730 telcon,advising that Sun Oil Co will continue attempts to retrieve lodged source by wash-out method.
WARD,J.J. Atomic Energy Commission (Pre 750119). 66/08/01. Atomic Energy Commission (Pre 750119). 5pp.

--**9605220025** Discusses Schlumberger Well Surveying Corp attempts to recover lost source.
WARD,J.J. Atomic Energy Commission (Pre 750119). 66/09/13. Atomic Energy Commission (Pre 750119). 1p.

--**9605220026** Informs of temporary abandonment of logging tool containing 1.0 Ci tritium sealed source in listed well,per 890105 ltr & addl telcons w/D Powers.Appropriate plaque will be provided to well owner to attach to well head.
RACSTER,C.E. Schlumberger Well Services. 89/02/24. POWERS,D. Region 4 (Post 820201). 1p.

--**9605220027** Advises that lost source from Schlumberger Well Surveying Corp not recovered.
MCFALL,E.D. Atomic Energy Commission (Pre 750119). 66/11/07. Atomic Energy Commission (Pre 750119). 1p.

--**9605220030** Advises licensee must conduct program involving radioactive matls per conditions of NRC license,representations made in license application & NRC regulations.
CAIN,C.L. Region 4 (Post 820201). 89/03/27. DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220032** Informs that sources proposed for abandonment for Union Texas Petroleum recovered,intact on 890409 after fourth fishing attempt,per 890407 conversation.
ACCARDO,A.J. Schlumberger Well Services. 89/04/17. POWERS,D. NRC - No Detailed Affiliation Given. 3pp.

--**9605220037** Forwards enforcement conference summary,describing subjects discussed at meeting in Region IV office on 890428.
FISHER,W.L. Region 4 (Post 820201). EA-89-84. 89/05/17. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 20pp.

--**9605220046** Submits addl Certification of Training to incorporated in request for amend.
DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/05/31. WHITTEN,J.E. Region 4 (Post 820201). 3pp.

--**9605220050** Informs that licensee discovered that tool string described in 840622 ltr also contained 50 uCi Am-241 sealed source.
RACSTER,C.E. Schlumberger Well Services. 89/06/28. Region 4 (Post 820201). 1p.

--**9605220052** Advises that 1.5 Ci sealed source recovered from well in Gulf of Mexico & undamaged.
ROY,G.W. Atomic Energy Commission (Pre 750119). 67/01/12. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605220054** Advises of insp of licenses SNM-287 & 35-00090-03 on 670717.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 67/07/10. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220061** Ack receipt of 670921 ltr,informing of loss of 1.5 Ci Cs-137 sealed source in well in Harper County,OK.
LOW,L.D. Atomic Energy Commission (Pre 750119). 67/10/04. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220066** Advises of loss of 1.5 Ci Cs-137 sealed source in shielded container.Source recovered approx 3 h after lost.
WARD,J.J. Atomic Energy Commission (Pre 750119). 67/10/17. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220069** Forwards repts to LA Board of Nuclear Energy re incident reported on 671013.
CHEATHAM,O.C. Schlumberger Well Services. 67/10/23. Atomic Energy Commission (Pre 750119). 3pp.

--**9605220071** Responds to NRC 890810 ltr re 10CFR39041(A)(3) temporary generic exemption & 890913 telcon w/B Carrico.Listed sources calibr sources used at surface & not run downhole.Sources not well logging sources.
RACSTER,C.E. Schlumberger Well Services. 89/09/14. CARRICO,B. NRC - No Detailed Affiliation Given. 2pp.

--**9605220073** Forwards draft pamphlet being prepared for distribution to oil & gas companies & depts of health of states where licensee operates.
CHEATHAM,O.C. Schlumberger Well Services. 67/10/31. MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 5pp.

--**9605220075** Application for amend to license 42-00090-03,changing license as listed,per 890913 & 14 telcons w/C Cain.
RACSTER,C.E. Schlumberger Well Services. 89/09/15. Region 4 (Post 820201). 2pp.

--**9605220078** Advises that announced reinspections of license SNM-0287 & 35-00090-03 conducted on 670717 at Houston ofc & 670913 at Casper,WY ofc.No noncompliances noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/11/09. Atomic Energy Commission (Pre 750119). 6pp.

--**9605220080** Application for amend,renewing license 35-00389-01.
DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/09/07. 36pp.

--**9605220082** Responds to NRC 890810 ltr re 10CFR39041(A)(3) temporary generic exemption & 890913 telcon w/B. Carrico.Ltr deals w/ Minnesota Mining & Mfg 4F6H.Certification from 3M showing ANSI classification of 77C 57546 encl.
RACSTER,C.E. Schlumberger Well Services. 89/09/19. CARRICO,B. NRC - No Detailed Affiliation Given. 3pp.

--**9605220083** Offers no comments on proposed pamphlet, "Sources Abandoned in Oil or Gas Wells."
MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 67/11/22. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220084** Advises that 1.5 Ci Cs-137 sealed source containing logging tool lodged at depth of 12,000 ft in oil well.
SMITH,G.H. Atomic Energy Commission (Pre 750119). 68/01/08. Atomic Energy Commission (Pre 750119). 1p.

--**9605220086** Repts abandonment of 1.5 Ci Cs-137 source in well in AK.Well plugged off & abandoned on 680114.
CHEATHAM,O.C. Schlumberger Well Services. 68/02/08. Atomic Energy Commission (Pre 750119). 1p.

--**9605220087** Forwards ltr to AEC Denver ofc in event licensees misinterpreted existing regulations.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/11. Atomic Energy Commission (Pre 750119). 3pp.

--**9605220089** Ack receipt of 680208 ltr,reporting loss of 1.5 Ci Cs-137 source in Kenai County,Alaska.
LOW,L.D. Atomic Energy Commission (Pre 750119). 68/02/23. SHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220092** Advises that American Gilsonite in process of moving into bldg formerly occupied by Schlumberger in Grand Junction,CO found pit vault w/padlocked door & radiation caution sign.
WARD,J.J. Atomic Energy Commission (Pre 750119). 68/04/29. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220094** Informs of 630124 telcon re lost of Cobalt 60 source initially reported on 630124.
* Atomic Energy Commission (Pre 750119). 63/01/25. Atomic Energy Commission (Pre 750119). 1p.

--**9605220095** Discusses rept of lost 1.5 Ci Cs-137 sealed source stuck in well in PA.Attempted recovery yielded only cable & top of tool.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 69/11/21. Atomic Energy Commission (Pre 750119). 1p.

--**9605220101** Advises that cement plug placed in bore above source stuck in well in PA.
WARD,J.J. Atomic Energy Commission (Pre 750119). 69/12/12. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220103** Repts abandonment of 1.5 Ci Cs-137 source in well in PA. Source cemented in place on 691201.
CHEATHAM,O.C. Schlumberger Well Services. 69/12/08. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220105** Submits rept of lost Cobalt 60 source in oil well by Schlumberger Well Surveying Corp Houston,TX on 630123.
* Atomic Energy Commission (Pre 750119). 63/01/24. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220106** Discusses attempts to retrieve 1.5 Ci Cs-137 sealed source in well in PA.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 69/11/21. Atomic Energy Commission (Pre 750119). 1p.

--**9605220108** Safety insp on 691208 of license 42-00090-03.Insp findings: no noncompliance noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Schlumberger Well Services. 69/12/08. 8pp.

--**9605220112** Submits addl info,requested in 630114 ltr re lost 5-Ci plutonium neutron in El Paso Natural Gas Co Ross 1 well, located in Whatcom County,Washington.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/29. Atomic Energy Commission (Pre 750119). 10pp.

--**9605220118** Confirms 630124 & 25 telcon re 0.4 mCi Ci-60 sources in TX Co well in Lea County,NM.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 388. 63/01/29. Atomic Energy Commission (Pre 750119). 11pp.

--**9605220127** Submits Schlumberger Well Surveying Corp,Houston,TX lost of 150 mCi Cesium-137 sealed source.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 63/01/30. Atomic Energy Commission (Pre 750119). 1p.

--**9605220136** Confirms 630125 telcon,consisting of perforating gun,gamma ray detection equipment & 150 mCi Cesium-137 source accidently detached from cable dropped in well.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/29. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220143** Informs of listed districts in state of WY officially closed due to oilfield svc business not coming back.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/09/11. WHITTEN,J. Region 4 (Post 820201). 1p.

--**9605220145** Forwards license rept of lost 0.4 mCi Cobalt-60 sealed source in identified as State of Mexico.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 63/01/30. Atomic Energy Commission (Pre 750119). 1p.

--**9605220150** Requests that license condition 6G & 15 be removed from new license.
DAVID,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/09/11. WHITTEN,J. Region 4 (Post 820201). 1p.

--**9605220156** Requests amend to license 35-00389-01 to include Texas Nuclear Model 5176:Cs-137 50 mCi in 3M-4F6S or Amersham equivalent (6082) sealed source.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/09/12. WHITTEN,J. Region 4 (Post 820201). 4pp.

--**9605220158** Informs that licensees forwarding copy of ltr to AEC Denver ofc in event misinterpreted existing regulations.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/11. Atomic Energy Commission (Pre 750119). 1p.

--**9605220159** Ack receipt of application for renewal of license 35-00389-01.
EVERETT,R.J. Materials Licensing Branch. 462703. 89/09/13. DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220163** Requests registration of Ramsey device in order to complete process license renewal.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/10/04. RICH,T. Office of Nuclear Material Safety & Safeguards. 2pp.

--**9605220166** Notifies fees of $640 required to process appplication.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 462727. 89/10/19. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220167** Forwards amend 48 to license 35-00389-01,requesting renewal.
EVERETT,R.J. Materials Licensing Branch. 89/11/29. DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220169** Informs that Cesium-137 source reported in telegram of 630129,as being lost in humble well in Chamber County,TX recovered in tact.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/31. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220177** Provides check for $640 to be divided,$508 for evaluation & approval of Ramsey SGD 1000-000 & $60 for amend fee for license 35-00389-01.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 462727. 89/12/13. MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 72pp.

--**9605220178** Informs that lost cesium source recovered intact by licensee as noted in attached telegram.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 63/02/01. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220180** Provides corrected copy of amend 48 to license 35-00389-01, changing Conditions 6.C & 6.D.
CAMPBELL,V.H. Region 4 (Post 820201). 90/05/18. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220186** Informs licensee must provide info indicating capability to handle 20 mCi of Cs-137 in uncontained form.
WHITTEN,J.E. Region 4 (Post 820201). 90/06/19. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 7pp.

--**9605220192** Informs encl survey of general licensees being returned blank due to Dowell Schlumberger not operating radioactive device under general license.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/08/03. NRC - No Detailed Affiliation Given. 1p.

--**9605220193** Informs that Schlumberger Well Surveying Corp,Houston,TX recovered lost 150 mCi Cs-137 source on 630130.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 63/02/06. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220197** Discusses 900620 fax,indicating dislodged sources or leaking sources will be handled by "Recovery Team Members."
WHITTEN,J.E. Region 4 (Post 820201). 90/08/31. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220203** Forwards ltr dtd 630129,licensee supplied requested info, including article entitled "Perforating of Multiple Tubingless Completions."
OUTTEN,E.G. Atomic Energy Commission (Pre 750119). 63/02/07. BROWN,G.D. Atomic Energy Commission (Pre 750119). 1p.

--**9605220212** Ack receipt for 630111 & 29 ltrs re loss of 400 mCi Cobalt-60 sources in oil well in Lea County,NM.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 63/02/25. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220216** Ack receipt of 630129 ltr,in response to 630114 ltr re loss of neutron source in well logging tool NCS-C H-48714.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 63/02/26. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220222** Submits rept of loss of Cs-137 source.
PAULUS,R.C. Atomic Energy Commission (Pre 750119). 64/05/18. Atomic Energy Commission (Pre 750119). 1p.

--**9605220232** Requests permission,per 10CFR20,Section 20.302 to leave source in place,since recovery would be difficult & costly.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/06/22. Atomic Energy Commission (Pre 750119). 1p.

--**9605220235** Ack receipt of 691208 ltr reporting loss of 1.5 Ci Cs-137 source in well located in Cambria County,PA.
LOW,L.D. Atomic Energy Commission (Pre 750119). 69/12/30. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220237** Expresses appreciation for keeping state informed re recovered source dropped into gulf by Schlumberger Well Surveying Corp.
BARDEN,C.R. Texas, State of. 64/06/24. WALKER,D.L. Region IV, IE (720101-810228). 1p.

--**9605220239** Confirms telcon request for permission to possess & use 150 marker bullets containing 150 uCi Cs-137.
CHEATHAM,O.C. Schlumberger Well Services. 70/01/23. Atomic Energy Commission (Pre 750119). 1p.

--**9605220240** Confirms telcon re permission to possess & use 150 marker bullets containing 150 uCi Cs-137.
CHEATHAM,O.C. Schlumberger Well Services. 70/01/26. Atomic Energy Commission (Pre 750119). 1p.

--**9605220242** Forwards telegram from Schlumberger Well Svcs advising of use of 150 marker bullets containing Cs-137.
BOOK,H.E. Atomic Energy Commission (Pre 750119). 70/01/27. WAGNER,W.L. Alaska, State of. 2pp.

--**9605220245** Forwards rept from Schlumberger Offshore Svc re 1.5 Ci Cs-137 source lost down hole offshore LA on 691211.
PARKER,R.A. Louisiana, State of. 70/01/20. DAVIS,J. Atomic Energy Commission (Pre 750119). 3pp.

--**9605220246** Submits inquiry rept re allegation that licensee had well accident at 14,000 ft couple weeks ago at Buffalo,WY & lost Cs-137 & Am-Be sealed sources.Claims re licensee not substantive to have been violation of NRC regulations.
WARD,J.J. Region IV, IE (720101-810228). 75/08/28. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 5pp.

--**9605220247** Informs that source lost in Gulf by Schlumberger Well Surveying Corp on 640617,recovered next day,according to licensee,w/no significant exposures incurred.
WALKER,D.I. Region 4 (Post 820201). 64/06/22. BARDEN,C.R. Texas, State of. 1p.

--**9605220249** Discusses 691211 report of loss of abandonment of 1.5 Ci Cs-137 source in oil well in Gulf of Mexico,offshore LA.
WARD,J.J. Atomic Energy Commission (Pre 750119). 70/02/02. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220251** Discusses C Racster 750515 telcon rept,informing that 1.5 Ci Cs-137 sealed source located in broken logging tool at depth of 14,600 ft in Mountain Fuel Supply Well south of Gillette, WY.
PAAS,H.J. Region IV, IE (720101-810228). 75/05/16. Region IV, IE (720101-810228). 1p.

--**9605220252** Discusses 700117 accident involving truck transporting radioactive sources.
WARD,J.J. Atomic Energy Commission (Pre 750119). 70/05/06. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220253** Informs of abandonment of 1.5 Ci Cs-137 source in well in OK on 721013.
CHEATHAM,O.C. Schlumberger Well Services. 72/10/18. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220254** Ack receipt of 721018 ltr reporting abandonment of 1.5 Ci Cs-137 sealed source in well located in Blaine County,OK.
KRUESI,F.E. Atomic Energy Commission (Pre 750119). 72/11/03. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220255** Discusses insp of licenses SNM-287 & 35-00090-03 on 740513 at Woodward,OK & 740514 & 15 at Houston,TX.Violations noted.
HOWARD,E.M. Region IV, IE (720101-810228). 74/05/22. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 8pp.

--**9605220256** Forwards TWX dtd 640616 from Region IV re loss of 1 Ci Cs-137 source under license 42-00090-03.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/06/18. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605220257** Informs that AEC do not find,on basis of info related by ME Hutchinson re operations by licensee in WY,that violation of procedures submitted to NRC by licensee for control of radiation sources occurred.
HOWARD,E.M. Region IV, IE (720101-810228). 75/08/29. HUTCHINSON,M.E. Affiliation Not Assigned. 2pp.

--9605220258 Ack receipt of 740611 ltr informing AEC of steps taken to correct violations noted in insp of licenses SNM-287 & 42-00090-03.
HOWARD,E.M. Region IV, IE (720101-810228). 74/06/20. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--9605220259 Forwards inquiry rept re licensee & ltr addressed to ME Hutchinson,former Schlumberger employee.W/o encls.
BROWN,G.D. Region IV, IE (720101-810228). 75/08/29. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

--9605220260 Responds to violations noted in insp of licenses SNM-287 & 35-00090-03.Corrective actions:trucks in Woodward now placarded as required by DOT & wipe tests on Pu sources will be current within 10 days of ltr date.
CHEATHAM,O.C. Schlumberger Well Services. 74/06/11. Region IV, IE (720101-810228). 6pp.

--9605220261 Forwards listed documents for placement in PDR.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/06/20. Atomic Energy Commission (Pre 750119). 4pp.

--9605220262 Notifies of 640617 incident re lost of Cs-137 source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/06/17. Atomic Energy Commission (Pre 750119). 6pp.

--9605220263 Confirms permanent abandonment of 1.5 Cs-137 sealed source in listed well.Cement plug (dyed red) will be placed above source & whip stock shoe placed above cement plug.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 75/11/05. Region IV, IE (720101-810228). 1p.

--9605220264 Informs of abandonment of two radioactive logging sources in well on or about 740710 in OK.Tool & sources cemented in place.
CHEATHAM,O.C. Schlumberger Well Services. 74/07/24. Atomic Energy Commission (Pre 750119). 1p.

--9605220265 Forwards ltrs relating to incident reported in compliance inquiry memo to file dtd 640526.
WARD,J.J. Atomic Energy Commission (Pre 750119). 64/06/29. Atomic Energy Commission (Pre 750119). 1p.

--9605220266 Ack receipt of 740724 ltr reporting abandonment of two radioactive logging sources in well.
DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/08/06. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--9605220267 Discusses insp on 760701 of licenses SNM-287 & 42-00090-03 & forwards NOV.
BROWN,G.D. Region IV, IE (720101-810228). 76/07/13. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--9605220268 Advises that OC Cheatham will retire from Schlumberger Well Svcs on 741130.CE Racster will take over duties as radiation safety officer.
CHEATHAM,O.C. Schlumberger Well Services. 74/11/27. Radioisotopes Licensing Branch (Pre 790501). 2pp.

--9605220269 Notice of violation from insp on 760701.Violation noted:nine individuals received whole body doses ranging from 1.254 rems to 3.309 rems in calendar quarter during period Jul-Dec 1975 & reports of overexposure to radiation not made.
* Region IV, IE (720101-810228). 76/07/13. 21pp.

--9605220270 Discusses rept of loss of sealed source containing 16 Ci Am-Be & 1.5 Ci Cs-137 in well at Apexco field,Grady County, OK.
PAAS,H.J. Region IV, IE (720101-810228). 75/04/11. Region IV, IE (720101-810228). 1p.

--9605220271 Repts abandonment of Cs-137 1.5 Ci sealed source in oil & gas well in Grady County,OK.
RACSTER,C.E. Schlumberger Well Services. 75/04/18. Region IV, IE (720101-810228). 2pp.

--9605220272 Informs that source fallen from Humble Oil & Refining Co rig,offshore Plaquemines Parish,LA & embedded in soft mud & well cuttings.
WARD,J.J. Atomic Energy Commission (Pre 750119). 64/06/29. Atomic Energy Commission (Pre 750119). 3pp.

--9605220273 Discusses rept of overexposure of JE Gillihan.Gillihan received whole body exposures of 17.372 rem & 7.113 rem during fourth quarter 1974 & first quarter 1975.
PAAS,H.J. Region IV, IE (720101-810228). 75/05/27. Region IV, IE (720101-810228). 1p.

--9605220274 Forwards licensee 760723 ltr re request for amend to license 42-00090-03.Requests for licensing action should be sent to Director Nuclear Matl Safety & Safeguards as specified in 10CFR30.6, "Communications." W/o encl.
BROWN,G.D. Region IV, IE (720101-810228). 76/07/27. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 3pp.

--9605220275 Confirms 750515 telcon to H Paas & 750522 telcon to D Bangart re abandonment of 1.5 Ci Cs-137 sealed source in well in Johnson County,WY.
RACSTER,C.E. Schlumberger Well Services. 75/06/04. Region IV, ,IE (720101-810228). 2pp.

--9605220277 Confirms 760820 telcon to J Everett re permanent abandonment of 16 Ci AmBe & 1.5 Cs-137 sealed sources in listed well. Well abandoned & permanent plaque will be placed on top of casing cap containing trifoil warning symbol.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/08/24. Region IV, IE (720101-810228). 2pp.

--9605220280 Informs of recovery of 16 Ci AmBe sealed logging source lost off licensee truck on 760904,as follow up to 760905 & 06 telcons to DE Whitesell.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/09/07. Region IV, IE (720101-810228). 2pp.

--9605220284 Forwards file memo re lost source incident of 760905 & 06 involving licensee.
HAZLE,A.J. Colorado, State of. 76/09/09. HOWARD,E.M. Region IV, IE (720101-810228). 3pp.

--9605220291 Ack notification of loss of 0.4 mCi Co-60 sealed source in Gulf of Mexico.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/06/30. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--9605220305 Concurs w/proposal to leave 400 mCi Co-60 source in place.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/07/21. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--9605220310 Informs of recovery of T/N densitometer involved in fire,per 900905 telcon.No external evidence of damage to assembly. Device now stored in locked bldg.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/09/06. WHITTEN,J. Region 4 (Post 820201). 2pp.

--9605220312 Informs of enhanced 900620 Emergency Recovery Protocol for Ramsey Densitometer to complete registration process as custom device.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/09/13. WHITTEN,J. Region 4 (Post 820201). 6pp.

--9605220315 Informs that 1.5 Ci Co-60 source recovered safely on 640819.
WARD,J.J. Atomic Energy Commission (Pre 750119). 64/09/01. Atomic Energy Commission (Pre 750119). 4pp.

--9605220316 Forwards amend 49 to license 35-00389-01.
WHITTEN,J.E. Region 4 (Post 820201). 90/09/28. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--9605220319 Announces replacement of B Davis by W Wilson at listed address.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/10/23. GRIZINSKI,B. Region 4 (Post 820201). 2pp.

--9605220320 Notifies 901023 application for amend to license 35-00389-01 will be processed upon receipt of fee of $300.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 90/11/02. WILSON,W. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--9605220324 Advises that on 750701,commercial carpet cleaning company employee,found lead pig containing 20 mCi I-131 vial.
PAAS,H.J. Region IV, IE (720101-810228). 75/07/03. Region IV, IE (720101-810228). 2pp.

--9605220326 Advises of 16 Ci Pu-238 Be sealed source & 1.5 Ci Cs-137 sealed source permanently abandoned in well in Renville County,ND.
RACSTER,C.E. Schlumberger Well Services. 75/08/06. Region IV, IE (720101-810228). 2pp.

--9605220329 Forwards license 42-00090-03,in response to 760819 request. Amends preceding Amend 24 not reproduced since Amend 24 amended license iin entirety.W/o encl.
CHAPMAN,K.R. Office of Nuclear Material Safety & Safeguards. 76/09/16. TRENCHARD,L.B. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--9605220331 Informs of lost of 1.5 Curie Cs-137 source at surface at drilling site in Moffat County,CO & recovery operations unsuccessful.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 64/08/17. Atomic Energy Commission (Pre 750119). 2pp.

--9605220332 Informs of requirements licensee must have in order to possess certain sealed sources not specifically approved by NRC/Agreement States to be added to license under certain restrictions.
WHITTEN,J.E. Region 4 (Post 820201). 90/11/08. WILSON,W. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--9605220333 Forwards certificate of compliance 5975 for source shield shipping container.
MACDONALD,C.E. Transportation Certification Branch. 75/08/11. RACSTER,C.E. Schlumberger Well Services. 1p.

--9605220336 Provides check #390985 for amount of $300 for amend fee for Category (3P) of 10CFR170.
WILSON,W. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 463349. 90/11/13. MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 1p.

--9605220338 Certificate of compliance 5975,rev 0,for model 5975.
MACDONALD,C.E. Transportation Certification Branch. 75/08/11. 6pp.

--9605220340 Notifies that RA Gunn assuming duties as corporate RSO.
GUNN,R.A. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 91/01/17. GRIZINSKI,B. Region 4 (Post 820201). 4pp.

--9605220342 Informs that incident reported by 640814 telcon completed. Sealed source containing 1.5 Ci Cs-137 recovered 640819.
CHEATHAM,C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/08/20. Atomic Energy Commission (Pre 750119). 5pp.

--9605220344 Informs that on 760909,received quarterly rept of occupational exposure for Enid,OK location.Rept shows exposure for second quarter 1976 to exceed 1,250 mr for employee.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/10/07. Region IV, IE (720101-810228). 4pp.

--9605220352 Requests notification in writing that no transfers made during 1st,2nd,3rd & 4th quarters.
LUBINSKI,J.W. Medical, Academic & Commercial Use Safety Branch. 91/04/25. MCDONALD,O. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--9605220353 Submits rept of loss & recovery of 1 Ci Cs-137 source in Garrett County,MD.
WARD,J.J. Atomic Energy Commission (Pre 750119). 64/10/01. Atomic Energy Commission (Pre 750119). 1p.

--9605220354 PNO-76-184:on 761106,lost 16 Ci AmBe & 2.5 Ci Cs-137 sealed sources & approx seven small calibr sources when oil well drilling platform in Gulf of Mexico broke up & sank.Location in deep water & sources on sea bottom present no hazard.
WHITT,K., ROY,G.W., THOMPSON,D. Office of Inspection & Enforcement (750101-801210). 76/11/08. 4pp.

--**9605220359** Informs that one-curie Cs-137 source lost off Truck 3835 in Garrett County,MD,recovered & back in possession on 640913.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/09/28. Atomic Energy Commission (Pre 750119). 10pp.

--**9605220369** Ack receipt of 640928 ltr,informing of loss & subsequent recovery of Cs-137 source in Garrett County,MD.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/10/09. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220383** Forwards TWX to Region IV from Schlumberger Well Surveying Corp re loss 5 Ci Pu-Be neutron source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/10/13. Atomic Energy Commission (Pre 750119). 10pp.

--**9605220394** Informs that Schlumberger assist investigation returned for rev.Listed points discussed.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 96/01/05. CLEVELAND,R.S. Atomic Energy Commission (Pre 750119). 1p.

--**9605220400** Forwards rept of investigation conducted by Region I at Region IV request.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/02/23. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605220417** Forwards investigation rept for Schlumberger Well Surveying Corp for period 640915,16 & 17.
CLEVELAND,R.S. Atomic Energy Commission (Pre 750119). 65/01/29. BROWN,G.D. Atomic Energy Commission (Pre 750119). 1p.

--**9605220438** Investigation rept for Schlumberger Well Surveying Corp for period 640915,16 & 17.
KNAPP,P.J., CLEVELAND,R.S. Atomic Energy Commission (Pre 750119). 64/09/18. 15pp.

--**9605220457** Forwards Licenses 42-00090-03 & SNM-287 & backup matl & requests assist insp.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/03/12. SUTHERLAND,J. Atomic Energy Commission (Pre 750119). 1p.

--**9605220462** Forwards memo dtd 650311,Page to Roeder re Schlumberger Well Surveying Corp investigation rept.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 65/05/15. Atomic Energy Commission (Pre 750119). 1p.

--**9605220470** Informs that NRC does not plan to correspond w/licensee re compliance investigation rept re loss of 1 Ci Cs-137 source.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 65/03/11. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220477** Informs that there is no use of licenses 42-00090-03 & SNM-287 at CT location.
NELSON,P.R. Atomic Energy Commission (Pre 750119). 65/04/14. BROWN,G.T. Atomic Energy Commission (Pre 750119). 1p.

--**9605220480** Safety insp on 650608 & 09 of License 42-90-8.Insp findings: no item of noncompliance found.
* Atomic Energy Commission (Pre 750119). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/09. 2pp.

--**9605220485** Safety insp on 650608 & 09 of License 42-90-3.Insp findings: storage containers not labeled to show quantity,date of measurement or kind of radioactive matl in containers.
* Atomic Energy Commission (Pre 750119). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/09. 2pp.

--**9605220494** Forwards assist insps conducted by Region III of Schlumberger Well Surveying Corp at Columbus & Wooster,OH during wk of 650419.
ALLEN,J.M. Atomic Energy Commission (Pre 750119). 65/05/12. BROWN,G.T. Atomic Energy Commission (Pre 750119). 1p.

--**9605230100** Insp of License 42-90-3 on 650419-21.No items of noncompliance noted as result of field insp,other than labeling deficiencies discussed earlier.
ROY,G.W., MORETTI,E.J. Atomic Energy Commission (Pre 750119). 65/05/04. 9pp.

--**9605230103** Announces assist insp of licensee use of licensed matls in New Orlrans area conducted on 650510 & 13.
SUTHERLAND,J. Atomic Energy Commission (Pre 750119). 65/05/26. BROWN,G.T. Atomic Energy Commission (Pre 750119). 10pp.

--**9605230105** Informs that lost source could not be recovered & cemented in place,as reported in ltr to AEC dtd 650617 from licensee.
WARD,J.J. Atomic Energy Commission (Pre 750119). 65/06/21. Atomic Energy Commission (Pre 750119). 1p.

--**9605230108** Submits rept of loss of 1 Ci Cs-137 source in well in West VA.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/17. Atomic Energy Commission (Pre 750119). 2pp.

--**9605230113** Ack receipt of 650617 ltr,informing NRC of loss of one curie Cs-137 source in well located in Barbour County,WV.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 65/06/24. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605230122** Discusses assist insps of Schlumberger Well Surveying Corp.
SANDEL,P.S. Atomic Energy Commission (Pre 750119). 65/07/12. Atomic Energy Commission (Pre 750119). 10pp.

--**9605230132** Submits rept of loss of Schlumberger well logging source in std oil rig,twelve miles off OR coast.
WARD,J.J. Atomic Energy Commission (Pre 750119). 65/08/03. Atomic Energy Commission (Pre 750119). 1p.

--**9605230137** Confirms telcon & forwards 650105 notice of license expiration from div of matls licensing,pertaining to former License 42-90-7.
WARD,J.J. Atomic Energy Commission (Pre 750119). 65/11/04. DEWAN,J.T. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605230141** Confirms 660527 telcon,requesting assist investigation of reported exposure.Available info contained in attached TWX.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 66/05/27. Atomic Energy Commission (Pre 750119). 1p.

--**9605230145** Ack receipt of 660608 ltr,informing NRC of high badge exposure.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/06/15. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605230156** Informs that NRC have not placed copy of 660608 ltr in PDR as incident does not appear to be reportable,per 10CFR20.405.
HANDLER,R. Atomic Energy Commission (Pre 750119). 66/06/15. Atomic Energy Commission (Pre 750119). 1p.

--**9605230161** Forwards original & copies of TWX from licensee dtd 660526 re film badge exposure occurred at Evansville,IN facility.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/06/21. Atomic Energy Commission (Pre 750119). 1p.

--**9605230163** Forwards TWX dtd 660527 re film badge exposure of rem.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/05/27. Atomic Energy Commission (Pre 750119). 1p.

--**9606060089** Confirms telcons to H Paas on 750515 & to D Bangart on 750522,informing that 1.5 Ci Cs-137 sealed source permanently abandoned in listed well.Sketch showing position of source & abandonment procedure encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 75/06/04. Region IV, IE (720101-810228). 1p.

--**9605220339** Confirms 760911 telcon w/J Ward,informing of permanent abandonment of 1.5 Ci Cs-137 sealed source in listed well. Casing will be run to 14,450 ft depth & cemented in place. Running & cementing of casing should be completed by 760918.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/09/16. Region IV, IE (720101-810228). 1p.

--**9605160135** Confirms 840404 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2025) & 1.5 Ci Cs-137 sealed source (GSR-J-0004) in Texaco,Inc Well OSC-G-2937 A-15. Cement plug placed inside & outside drill pipe.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/04/18. Region 4 (Post 820201). 2pp.

--**7906010180** IE Insp Findings & Licensee Ack dtd 790327 of License 42-00090-03.Insp findings:current copy of 10CFR20,10CFR19, copy of license or copy of operating procedures not properly posted or available.
HARRISON,H.C. Region IV, IE (720101-810228). 79/04/11. 4pp. 02290:288-02290:288.

--**7908090463** Requests amend of Matl/Byproduct License 42-00090-83 to add sources Am-241,sealed sources Schlumberger Drawing H-251207 (3M Model 4P6U) & no single source to exceed 10 mCi.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 00460. 79/06/22. Materials Licensing Branch. 1p. 67052:001-67052:001.

--**7908160072** Submits correction to 790622 ltr.Requests use of Cs-137 in sealed source for use in instrument calibr.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 79/06/29. Materials Licensing Branch. 1p. 67052:001-67052:001.

--**7908160089** Requests renewal/amend of Matl/Byproduct License 42-00090-03 to add Am-241 as a sealed source for measurement of liquid samples.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 00522. 79/07/03. Materials Licensing Branch. 1p. 67052:001-67052:001.

--**7908230271** Requests amend of Matl/Byproduct License 35-00389-01 to authorize purchase & operation of Texas Nuclear Model 5185 & 5197 source holders & source Model 570-57157C for use in measuring density of cement slurry.Oversized plans encl.
HEARD,L.L. Dow Chemical Co. 00611. 79/07/10. GUINN,P.R. Materials Licensing Branch. 2pp. 67052:001-67052:001.

--**7909130044** Ack receipt of 790710 application for amend of Matl/ Byproduct License 35-00389-01.Requests addl info re TX Nuclear Model 5185 device & max amount of Cs-137 to be in any source used in TX Nuclear Model 5197.
BASSIN,N. Materials Licensing Branch. 00611. 79/08/15. HEARD,L.L. Dow Chemical Co. 1p. 67052:001-67052:001.

--**7912040174** Ack receipt of 790822 application for amend of Matl/ Byproduct License 35-00389-01.Requests addl info re description of source holder including installation,maint & testing.
GUINN,P.R. Materials Licensing Branch. 00611. 79/11/09. HEARD,L.L. Dow Chemical Co. 2pp. 67052:001-67052:001.

--**8002290174** Addl info requested on 791109 by NRC re application for matl/byproduct license has not been received.If requested info is not received within 30 days,NRC will consider application abandoned.
GUINN,P.R. Materials Licensing Branch. 80/02/11. HEARD,L.L. Dow Chemical Co. 1p. 67052:001-67052:001.

--**8004020081** Ack receipt of NRC 800211 ltr reminding of pending amend to Matl/Byproduct License 35-00389-01.TX Nuclear is awaiting approval from State of TX on source holder 5185. Reapplication for amend will occur upon approval.
HEARD,L.L. Dow Chemical Co. 00611. 80/02/19. Materials Licensing Branch. 1p. 67052:001-67052:001.

--**8007150188** Requests amend of Matl/Byproduct License 42-00090-03, authorizing Cs-137 sealed source for well logging.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 04035. 80/05/22. Materials Licensing Branch. 1p. 67052:001-67052:001.

--**8009020397** Confirms 800516 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source & one 16 Ci americium-beryllium sealed source at 13,508 ft of Conoco West Cameron 34 D7 well in federal waters offshore State of LA.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 80/07/14. Region IV, IE (720101-810228). 1p. 67052:001-67052:001.

-8010030020 Second request for amend of Matl/Byproduct License 35-00389-01 to authorize possession & use of TX Nuclear Model 5185 source holder containing 60 mCi Cs-137.Safety & training programs will be updated to cover use of Cs-137.
HEARD,L.L. Dow Chemical Co. 00611. 80/09/08. GUINN,P.R. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8010030073 Requests amend of Matl/Byproduct License 42-00090-03 to authorize use of Cs-137 for instrument calibr.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 05134. 80/09/05. Radioisotopes Licensing Branch (Pre 790501). 1p. 67052:001-67052:001.

-8010070204 Submits fee for 800908 application for amend of Matl/ Byproduct License 35-00389-01.
HEARD,L.L. Dow Chemical Co. 2006. 80/09/10. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8010080645 Requests amend of Matl/Byproduct License 42-00090-03 to add Am-241,sealed source in Schlumberger Part P-194693,not to exceed 300 mCi,for calibr.Documentation encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 05075. 80/08/27. Radioisotopes Licensing Branch (Pre 790501). 15pp. 67052:001-67052:001.

-8010080650 Confirms 800807 telcon re permanent abandonment of 1.5 Ci cesium,sealed source,in well.Location of source & description of abandonment procedures encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1877. 80/08/27. Region IV, IE (720101-810228). 2gp. 67052:001-67052:001.

-8010150302 Confirms 800905 & 18 telcons re abandonment of two Cs-137 & two Am:beryllium sealed sources in Marathon Oil Co Well OCS-G-4137.On 800826,sources became stuck & irretrievable at 11,600 ft.On 800831,other sources became stuck.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2101. 80/09/24. Region IV, IE (720101-810228). 3pp. 67052:001-67052:001.

-8010150339 Matl/Byproduct License 35-00389-01 for Dow Chemical Co is amended per 800908 ltr.Amend 33 authorizes use in TX Nuclear Models 5192,5193,5914 or 5915 source holders for density measurements.
JONES,J.A. Materials Licensing Branch. 80/10/06. 1p. 67052:001-67052:001.

-8010300392 Confirms 800825 & 0904 telcon re permanent abandonment of 1.5 Ci Cs-137 & 16 Ci Am:beryllium sealed sources,in well.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 02156. 80/09/30. Region IV, IE (720101-810228). 1p. 67052:001-67052:001.

-8011260039 Requests amend of Matl/Byproduct License 35-00389-01 to allow for purchase,installation,operation & maint of TX Nuclear source holder Model 5166 containing 100 mCi Cs-137.
HEARD,L.L. Dow Chemical Co. 05737. 80/10/28. GUINN,P. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8012020829 Requests clarification of whether or not application for registration of sealed source Model H-245258 automatically becomes part of License 42-00090-03.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2335. 80/10/28. Radioisotopes Licensing Branch (Pre 790501). 1p. 67052:001-67052:001.

-8012240128 Advises of permanent abandonment of 1.5 Ci Cs-137 & 16 Ci Am/beryllium sealed sources in well,per 790213 telcon.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2492. 80/11/12. Region IV, IE (720101-810228). 5pp. 67052:001-67052:001.

-8012240203 Matl/Byproduct License 35-00389-01 for Dow Chemical Co is amended per 801028 ltr.Amend 34 authorizes use of Cs-137 sealed sources in TX Nuclear Model 5166 source holders for density measurements.
GUINN,P.R. Materials Licensing Branch. 80/11/19. 2pp. 67052:001-67052:001.

-8101130627 Confirms 801125 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source & 16 Ci AmBe sealed source in well at depth of 11,425 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2609. 80/12/04. Region IV, IE (720101-810228). 1p. 67052:001-67052:001.

-8102040712 Requests amend to License 42-00090-03 to add Am:beryllium 241 not to exceed 10 Ci for well logging.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 06322. 80/12/19. Materials Licensing Branch. 2pp. 67052:001-67052:001.

-8102230147 Requests amend of Matl/Byproduct License 35-00389-01 authorizing BR Thomas as radiation safety officer.Resume encl.
HEARD,L.L. Dow Chemical Co. 06576. 81/01/19. GUINN,P.R. Materials Licensing Branch. 2pp. 67052:001-67052:001.

-8103120055 Requests amend to encl rept of proposed activities in non- agreement states to add 150 mCi Cs-137.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 0054. 81/01/12. Materials Licensing Branch. 1p. 67052:001-67052:001.

-8103120117 Advises that no abandonment will be made of sealed sources down hole,per 801224 telcon.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 0087. 81/01/13. Region IV, IE (720101-810228). 1p. 67052:001-67052:001.

-8104220176 Confirms 810219 telcon w/G Brown.Permanent abandonment of 1.5 Ci Cs-137 sealed source in well reported.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 0609. 81/03/30. Region 4, Ofc of the Director (810301-820201). 1p. 67052:001-67052:001.

-8202160462 Advises of permanent abandonment of 16-Ci AmBe sealed source (NSR-F-A1207) in well of Nova Energy Corp at 17,900 ft.Two Cement plugs & whipstock shoe placed & plaque to be attached to wellhead.
RACSTER,C.E. Schlumberger Well Services. 82/01/13. Region 4, Ofc of the Director (810301-820201). 1p. 65880:075-65880:075.

-8202190282 Informs that 811009 ltr listed 16 Ci Am beryllium source serial number incorrectly.Correct number is NSR-F-A-2330.
RACSTER,C.E. Schlumberger Well Services. 81/12/10. Region 4, Ofc of the Director (810301-820201). 32pp. 65891:037-65891:037.

-8206300436 Agrees that separate licenses should be issued to Schlumberger companies,as separate licenses would ensure appropriate control over radioactive matls & facilitate regulation.
DORIAN,T.F. Regulations Division. 82/04/21. MILLER,V.L. Materials Licensing Branch. 1p. 66153:066-66153:066.

-8301110431 Discusses fire on offshore platform on which radioactive sources present,as follow up to conversations of 821021 & 28.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 82/12/09. Region 4 (Post 820201). 3pp. 16745:279-16745:285.

-8304120393 IE Insp Findings & Licensee Ack dtd 830324 of License 42-00090-03.Insp findings:no violations observed.
CAIN,C.L. Region 4 (Post 820201). 83/03/24. 10pp. 17937:317-17937:318.

-8309020319 IE Insp Findings & Licensee Ack dtd 830721 of License 42-00090-03.Insp of findings:no violations observed.
HOOKER,C.A. Region 4 (Post 820201). 83/07/21. 10pp. 20251:224-20251:224.

-8403260033 IE Insp Rept 30-05899/84-01 on 840111.No violations or deviations identified.Major areas inspected:well tracer operations,per allegation of well site contamination.
CAIN,C.L. Region 4 (Post 820201). 84/01/23. 3pp. 22750:152-22750:154.

-8407250051 Amend 38 to Matls License 35-00389-01 for Dowell Schlumberger,Inc,reflecting change in licensee name, increasing Cs-137 to 100 mCi & authorizing use of Ronan Model GS200 source holder,per 840328,0406 & 0413 ltrs.
WHITTEN,J.E. Region 4 (Post 820201). 84/06/20. 2pp. 25755:003-25755:013.

-8407250069 Application for amend to Matls License 35-00389-01,changing licensee name to Dowell Schlumberger,Inc,effective 840413. Fee & record of 840413 telcon encl.
MCDONALD,O.F. Dow Chemical Co. 17457. 84/04/13. 2pp. 25755:008-25755:012.

-8410310300 Amend 39 to License 35-00389-01 for Dowell Schlumberger,Inc, renewing authorization for use of licensed matls for industrial purpose.
WHITTEN,J.E. Region 4 (Post 820201). 84/09/19. 7pp. 27222:097-27222:281.

-8410310353 Ack receipt of application for renewal of License 35-00389-01.
HICKEY,J.W. Materials Licensing Branch. 13136. 83/01/04. THOMAS,B.R. Dow Chemical Co. 1p. 27222:228-27222:228.

-8410310357 Requests addl fee for renewal application for License 35-00389-01.
JACKSON,G. License Fee Management Branch (Pre 861124). 13136. 82/12/08. THOMAS,B.R. Dow Chemical Co. 1p. 27222:229-27222:229.

-8410310363 Application for renewal of License 35-00389-01,authorizing use of Ir-192,I-131,Cs-137,Fe-59,Zr/Nb-95,Co-60 & tritium.
THOMAS,B.R. Dow Chemical Co. 13136. 82/11/20. 82pp. 27222:230-27222:281.

-8412280247 Amend 40 to License 35-00389-01 for Dowell Schlumberger,Inc, changing mailing address.
WHITTEN,J.E. Region 4 (Post 820201). 84/11/30. 1p. 28127:357-28127:361.

-8412280252 Application for amend to License 35-00389-01,changing mailing address.Fee paid.
MCDONALD,O.F. Dow Chemical Co. 60444. 84/10/24. WHITTEN,J.E. Region 4 (Post 820201). 1p. 28127:361-28127:361.

-8502070235 Amend 44 to License 42-00090-03 for Schlumberger Technology Corp,amending Condition 18 re possession & use of licensed matl.
WHITTEN,J.E. Region 4 (Post 820201). 85/01/17. 2pp. 28807:218-28807:232.

-8502220285 Notice of violation & proposed imposition of civil penalty in amount of $250.Violation noted:tracer matl transported in injection tool,rept of lost I-131 package not reported & I-131 package not properly secured.
MARTIN,R.D. Region 4 (Post 820201). EA-85-006. 85/02/12. 4pp. 29072:010-29072:013.

-8502220290 Insp Rept 30-06388/84-01 on 841203.Violations noted:failure to transport tracer matl in proper DOT packaging,failure to follow company procedures re loss of radioactive matl & failure to properly secure package of radioactive matl.
SPITZBERG,D.B. Region 4 (Post 820201). 85/01/08. 11pp. 29072:014-29072:019.

-8502220295 Enforcement Conference Rept 30-06388/84-02 on 841219.Major areas discussed:three apparent violations identified as result of special insp.
SPITZBERG,D.B. Region 4 (Post 820201). 85/01/07. 5pp. 29072:020-29072:020.

-8503140177 Forwards payment of proposed civil penalties in amount of $250.Instructions for use of 7A packages distributed to all field facilities.Next rev to operating & emergency procedures manual will contain 7A package instructions.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/03/07. Ofc of Inspection & Enforcement, Director (820201-870413). 2pp. 29357:176-29357:177.

-8506110636 Amend 45 to License 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 1-Ci Cs-137 sealed source in well logging.
CAIN,C.L. Region 4 (Post 820201). 85/04/16. 1p. 30831:160-30831:161.

-8508080503 Certifies that Schlumberger Technology Corp licensed under License 42-00090-03 to receive,process,package & offer for transportation radioactive matls regulated by NRC.
EVERETT,R.J. Region 4 (Post 820201). 85/07/31. SALAME,M. Air France. 1p. 32064:154-32064:154.

-8508220511 Application for renewal of License 42-00090-03,authorizing CE Racster as user of listed matl for monitoring or surveying.Supporting documentation re training & experience encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 94904. 78/05/24. 10pp.

-8510240200 Amend 41 to License 35-00389-01 for Dowell Schlumberger,Inc, amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 85/08/09. 7pp. 33159:265-33159:277.

-8510240203 Forwards fee for amend to License 35-00389-01.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 460669. 85/07/08. JACKSON,G. License Fee Management Branch (Pre 861124). 1p. 33159:272-33159:272.

-8510240208 Requests addl fee for 850603 application for amend to License 35-00389-01.Fee required prior to issuance of amend.
JACKSON,G. License Fee Management Branch (Pre 861124). 460669. 85/06/25. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 33159:273-33159:274.

-8510240211 Application for amend to License 35-00389-01,adding Ronan Engineering Co Model GS300 for measuring densities of slurries & changing address of radiation protection officer, as listed.Fee paid.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 460669. 85/06/03. WHITTEN,J.E. Region 4 (Post 820201). 3pp. 33159:275-33159:277.

-8510240653 Amend 47 to License 42-00090-03 for Schlumberger Technology Corp,Schlumberger Ltd,authorizing use of I-131,Zr-95,Ir-192, Sb-124,Au-198,Na-24,Br-82,Co-60,Am-241,Cs-137 & H-3 for studies in wells & well logging.
WHITTEN,J.E. Region 4 (Post 820201). 85/08/21. 6pp. 33157:204-33157:213.

-8510240656 Remits fee as requested of NRC 850719 ltr,for processing of request as soon as possible.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 60700. 85/07/26. JACKSON,G. License Fee Management Branch (Pre 861124). 1p. 33157:210-33157:210.

-8510240659 Informs that fee of $170 required for 850625 application for amend to license,authorizing 30 day reporting period for Condition 13.C.
JACKSON,G. License Fee Management Branch (Pre 861124). 460700. 85/07/19. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p. 33157:211-33157:212.

-8512200337 Confirms 851112 telcon w/C Cain reporting permanent abandonment of 16 Ci Am/Be sealed source & 1.5 Ci Cs-137 in well of Union Oil of California.Well plugged.Appropriate plaque will be attached to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/12/12. Region 4 (Post 820201). 4pp. 68215:114-68215:114.

-8603070514 Amend 48 to License 42-00090-03 for Schlumberger Technology Corp,amending license in entirety.
CAIN,C.L. Region 4 (Post 820201). 460847. 86/01/10. 7pp. 34855:308-34855:320.

-8605010320 Amend 49 to License 42-00090-03 for Schlumberger Technology Corp,authorizing use of Sc-46 in tracer studies in well logging.
WHITTEN,J.E. Region 4 (Post 820201). 460991. 86/03/31. 2pp. 35799:302-35799:304.

-8607020433 Amend 42 to License 35-00389-01 for Dowell Schlumberger,Inc, amending Conditions 12 & 20.
WHITTEN,J.E. Region 4 (Post 820201). 86/05/22. 1p. 36857:268-36857:290.

-8607020439 Advises that unless response to 860210 request for fee re 851216 application for amend to License 35-00389-01 received within 30 days,application will be considered abandoned.
JACKSON,G. License Fee Management Branch (Pre 861124). 86/03/21. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 36857:269-36857:269.

-8607020444 Requests payment of addl fee re 851216 application for amend to License 35-00389-01.Addl fee required prior to issuance of amend.
JACKSON,G. License Fee Management Branch (Pre 861124). 460910. 86/02/10. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp. 36857:270-36857:271.

-8607020448 Application for amend to License 35-00389-01,deleting OF McDonald & adding DA Miller as radiation protection officer.Fee paid.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 460910. 85/12/16. WHITTEN,J.E. Region 4 (Post 820201). 19pp. 36857:272-36857:290.

-8609220163 Forwards Insp Findings & Licensee Ack on 860828 for License 42-00090-03.No violations noted.W/o encl.
RICKETSON,L.T. Region 4 (Post 820201). 86/09/18. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p. 37918:063-37918:063.

-8609220181 Insp Findings & Licensee Ack on 860828 of License 42-00090-03.Insp findings:no violations observed.
RICKETSON,L. Region 4 (Post 820201). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/09/16. 1p. 37952:149-37952:149.

-8610160053 Discusses Safety Insp 30-05899/86-01 on 860828 & forwards notice of violation.
FISHER,W.L. Region 4 (Post 820201). 86/10/07. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp. 38271:088-38271:091.

-8610160059 Notice of violation from insp on 860828.Violations noted: sealed sources,containing 50 mCi Cs-137 not tested for contamination or leakage since June 1982 & physical inventory not performed since Oct 1985.
* Region 4 (Post 820201). 86/10/07. 14pp. 38271:090-38271:091.

-8611250015 Amend 43 to License 35-00389-01 for Dowell Schlumberger,Inc, amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 86/09/09. 5pp. 38701:327-38701:334.

-8611250018 Requests remittance of fee for 860702 request for changes to License 35-00389-01.License fee transmittal form encl.
JACKSON,G. License Fee Management Branch (Pre 861124). 461151. 86/07/29. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp. 38701:332-38701:333.

-8611250022 Application for amend to License 35-00389-01,reinstating author as radiation safety officer & deleting tracer matls used in wells.Fee paid.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 461151. 86/07/02. WHITTEN,J.E. Region 4 (Post 820201). 2pp. 38701:334-38701:334.

-8612090301 Confirms 861022 telcon & repts permanent abandonment of 1.5-Ci Cs-137 & 16-Ci AmBe sealed sources in described well. Well to be sidetracked at 10,470 ft & new hole will be no closer than 100 ft from source.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86-1362. 86/11/24. Region 4 (Post 820201). 4pp. 97041:032-97041:032.

-8612190273 Ack receipt of 861124 ltr in response to violations noted in Insp 30-05899/86-01.Response acceptable.Corrective actions will be reviewed during future insp.
FISHER,W.L. Region 4 (Post 820201). 86/12/16. MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 39042:181-39042:183.

-8612190282 Responds to violations noted in Insp 30-05899/86-01. Corrective actions:leak tests for each source will be reviewed by div of safety & technical manager & physical inventories will be conducted every 6 months.
MCDONALD,O.F. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 86/11/24. FISHER,W.L. Region 4 (Post 820201). 2pp. 39042:182-39042:183.

-8709140314 Confirms arrangements for 870918 meeting to discuss pending application for license for use of byproduct matl in well logging & response to NRC 870826 ltr,per 870910 telcon.
CAIN,C.L. Region 4 (Post 820201). 87/09/11. MARIENBACH,E. Anadrill, Inc. 1p. 42630:317-42630:318.

-8709280338 Forwards summary of 870918 meeting w/recipient & Schlumberger Technology in Arlington,TX re pending application for license to use byproduct matl in well logging & proposed response to NRC 870826 ltr.
CAIN,C.L. Region 4 (Post 820201). 87/09/22. MARIENBACH,E. Anadrill, Inc. 2pp. 42803:076-42803:077.

-8710060546 Amend 44 to License 35-00389-01 for Dowell Schlumberger,Inc, revising Condition 18 re conduct of program.
WHITTEN,J.E. Region 4 (Post 820201). 87/05/11. 1p. 42918:089-42918:093.

-8710060554 Informs of overpayment of amend fee for 870324 application for amend to License 35-00389-01.Refund now being processed & will be sent as soon as possible.
JACKSON,G. License Fee Management Branch. 461462. 87/04/15. SCHLUMBERGER,D. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 42918:090-42918:091.

-8712280223 Forwards Form NRC-591, "Insp Findings & Licensee Ack" for signature.Violations observed during insp of License 35-00389-01 on 871201-04 noted.By signing form,company agrees to correct violations within 30 days.
RICKETSON,L.T. Region 4 (Post 820201). 87/12/21. SCHLUMBERGER,D. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 43814:291-43814:291.

-8801130104 Safety insp on 871201-04 of License 35-00389-01.Insp findings:sealed sources inventories not performed at proper frequencies & special form matls performance test records not on file for sealed sources in gauges.
RICKETSON,L. Region 4 (Post 820201). 87/12/18. 14pp. 44029:270-44029:270.

-8801220322 Corrected Amend 43 to License 35-00389-01 for Dowell Schlumberger,Inc,amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 87/08/27. 5pp. 44095:287-44095:292.

-8801220326 Forwards corrected Amend 43 to License 35-00389-01. Condition 12 changed.
WHITTEN,J.E. Region 4 (Post 820201). 87/08/27. BURKETT,E.L. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 44095:292-44095:292.

-8809070196 Forwards response to questionnaire encl w/880804 ltr based on guidelines & policies in effect throughout company. Records re licensed radioactive matl maintained at district ofc for 3-yr period.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/08/25. POWERS,D.A. Region 4 (Post 820201). 5pp. 46784:239-46784:243.

-8810170250 Forwards Safety Insp 30-06388/88-01 on 880825-26 & notice of violation.Concerns raised re implementation of mgt control sys that permitted violations to occur.
FISHER,W.L. Region 4 (Post 820201). 88/10/13. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 47167:313-47167:321.

-8810170327 Notice of violation from insp on 880825-26.Violations noted: three of four members of field team conducting well logging not wearing badges & operating & emergency procedures unavailable while well logging underway.
* Region 4 (Post 820201). 88/10/13. 2pp. 47167:315-47167:316.

-8810170328 Insp Rept 30-06388/88-01 on 880825-26.Violations noted.Major areas inspected:radiation safety program on offshore oil platform "Hermosa" located outside 3-mile limit near Santa Maria,CA.
PANG,J.F. Region 4 (Post 820201). 88/09/21. 21pp. 47167:317-47167:321.

-8810180497 Amend 50 to License 42-00090-03 for Schlumberger Technology Corp,Schlumberger Ltd,amending Items 6,7,8 & 9 as listed.
WHITTEN,J.E. Region 4 (Post 820201). 461964. 88/05/26. 2pp. 47187:310-47187:313.

-8811080295 Forwards safety insp on 881019 of License 42-00090-03.No violations noted.Unresolved items noted re verification of compliance w/training requirements & annual safety reviews of logging personnel.
POWERS,D.A. Region 4 (Post 820201). 88/11/01. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 47494:195-47494:196.

-8811080296 Safety insp on 881019 of License 42-00090-03.Insp findings: no violations noted.
SPITZBERG,D.B. Region 4 (Post 820201). 88/10/27. 12pp. 47494:196-47494:196.

-8812150211 Responds to violations noted in Insp 30-06388/88-01 on 881019.Corrective actions:program for certification of employees other than engineers currently under development & annual safety reviews conducted.
CLOUD,R.H. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/12/06. SPITZBURG,D.B. Region 4 (Post 820201). 5pp. 47828:326-47828:330.

-8902150445 Advises that 890120 rept of well logging source abandonment meets requirements of 10CFR39.77,except for brief description of attempted recovery effort described to WL Holley on 881222.
POWERS,D.A. Region 4 (Post 820201). 89/02/09. ACCARDO,A.J. ...obsolete code... 1p. 48504:274-48504:274.

-8902210236 Amend 22,terminating License SNM-287 for Schlumberger Technology Corp.
WHITTEN,J.E. Region 4 (Post 820201). 420363. 87/12/15. 1p. 48795:315-48795:317.

-8903130400 Amend 45 to License 35-00389-01 for Dowell Schlumberger,Inc, amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 461818. 88/02/18. 6pp. 49135:327-49135:337.

-8903130408 Application for amend to License 35-00389-01,amending Item 10.A re locations of radioactive sources & adding source Model SA-8 from Ronan Engineering for density measurements of matls.
BURKETT,E.L. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 461818. 88/01/15. WHITTEN,J.E. Region 4 (Post 820201). 4pp. 49135:333-49135:337.

-8903200221 Discusses 890222 meeting w/D Powers & L Kasner re License 42-00090-03.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 89/02/24. POWERS,D. Region 4 (Post 820201). 2pp. 48983:149-48983:150.

-8903230256 Discusses Insp 30-05899/89-01 on 890109 & 13 & forwards notice of violation.Concerns expressed re quality of NRC- licensed program in that program allowed matl to become lost in one instance & loss could not be verified by licensee.
FISHER,W.L. Region 4 (Post 820201). 89/03/13. SELLER,M.J. Dow Chemical Co. 2pp. 49029:285-49029:288.

-8903230261 Notice of violation from insp on 890109 & 13.Violation noted:licensee did not perform required 6-month physical inventory for sealed sources for 1987 through 1988 & required 3-yr leak test for sealed sources not performed.
* Region 4 (Post 820201). 89/03/13. 2pp. 49029:287-49029:288.

-8904260410 Notice of significant licensee meeting on 890428 in Region IV for enforcement conference.Enforcement conference agenda encl.
FISHER,W.L. Region 4 (Post 820201). EA-89-084. 89/04/21. Region 4 (Post 820201). 2pp. 49551:207-49551:209.

-8904270374 Forwards Insp Rept 30-06388/89-01 on 890110.Violation noted. Telcon between DA Powers & CE Racster re 890428 enforcement conference confirmed.
BEACH,A.B. Region 4 (Post 820201). EA-89-084. 89/04/20. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 49527:108-49527:115.

-8904270376 Insp Rept 30-06388/89-01 on 890110-0222.Apparent violations noted:failure to perform adequate physical inventory, maintain control of licensed matl in unrestricted areas & leak test certain imported sealed sources.
SPITZBERG,D.B., KASNER,L.L., POWERS,D.A. Region 4 (Post 820201). 89/04/05. 21pp. 49527:110-49527:115.

-8904280124 Responds to NRC 890313 ltr re violations noted in Insp 30-05899/89-01.New radiation records sys tracks history of each source & functions as tickler for physical inventories & wipe tests.
SELLER,M.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/04/10. FISHER,W.L. Region 4 (Post 820201). 21pp. 49545:317-49545:331.

-8906140090 Safety insp on 890510 of License 42-00090-03.Violations noted:annual insp of logging supervisors improperly maintained & repts or notifications of abandoned irretrievable sealed source not made per 10CFR39.77(d).
KASNER,L. Region 4 (Post 820201). 89/05/19. 1p. 50172:336-50172:336.

-8906150180 Ack receipt of 890410 ltr informing NRC of steps taken to correct violations noted in Insp Rept 30-05899/89-01 dtd 890313.
FISHER,W.L. Region 4 (Post 820201). 89/06/05. SELLER,M.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 4pp. 50187:112-50187:135.

-8906200382 Notice of violation from insp on 890110 & 0222.Violations noted:licensee failed to inventory 300 logging tools containing Am-241 sealed sources received since 1980.
MARTIN,R.D. Region 4 (Post 820201). EA-89-084. 89/06/14. 3pp. 50234:140-50234:143.

-8907100243 Insp Rept 30-06388/89-03 on 890616-17.No violations or deviations noted.Major areas inspected:byproduct matl use in well logging activities conducted on offshore platform.
KASNER,L.L., GAINES,A.D., CAIN,C.L. Region 4 (Post 820201). 89/06/29. 20pp. 50457:296-50457:299.

-8907190068 Amend 46 to License 35-00389-01 for Dowell Schlumberger,Inc, amending license in entirety.G Jackson 880623 ltr requesting amend fee encl.
WHITTEN,J.E. Region 4 (Post 820201). 462009. 88/08/15. 24pp. 50540:198-50540:207.

-8907190075 Application for amend to License 35-00389-01,authorizing replacement of EL Burkett w/CE Ellig as radiation safety officer.CE Ellig resume encl.Fee paid.
SELLER,M.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 462009. 88/06/09. WHITTEN,J.E. Region 4 (Post 820201). 3pp. 50540:205-50540:207.

-8907240240 Responds to NRC 890614 ltr re violations noted in Insp 30-06388/89-01 on 890110.Corrective actions:vendor instructed to document any future shipments on shipping papers.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 89/06/26. Document Control Branch (Document Control Desk). 3pp. 50649:024-50649:026.

-8909080101 Insp Rept 30-06388/89-04 on 890725,26,31 & 0801.No violations noted.Major areas inspected:byproduct matl use in well logging activities,including training records,matls & equipment,radiation exposure control & transportation.
GAINES,A.D., CAIN,C.L. Region 4 (Post 820201). 89/08/31. 27pp. 51150:022-51150:025.

-8910020141 Safety insp on 890819 of License 42-00090-03.Insp findings: no violations observed.
ZURAKOWSKI,P.R. Region 5 (820201 - 940403). * Region 4 (Post 820201). 89/09/01. 13pp. 51369:162-51369:162.

-8910300138 Radiation Safety Insp Rept 30-06388/89-07 on 890921 & 22.No violations noted.Major areas inspected:byproduct matls use in well logging activities conducted on offshore platform, including review of training & matls & equipment.
KASNER,L.L. Region 4 (Post 820201). 89/10/18. 17pp. 51635:355-51635:359.

-8911060221 Forwards safety insp on 891016-17.No violations observed.
GAINES,A.D. Region 4 (Post 820201). 89/10/27. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p. 51717:359-51717:360.

-8911060224 Safety insp on 891016 & 17 of License 42-00090-03.Insp findings:no violations observed.
GAINES,A.D. Region 4 (Post 820201). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 89/10/26. 2pp. 51717:360-51717:360.

-9001310345 Amend 51 to License 42-00090-03 for Schlumberger Technology Corp,amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 462252. 88/12/13. 5pp. 52477:107-52477:115.

-9003260231 Matls licensing package for Amend 48 to License 35-00389-01 for Dowell Schlumberger,Inc.Control:462703.
EVERETT,R.J. Region 4 (Post 820201). 462703. 89/11/29. 4pp. 53114:254-53114:297.

-9004130008 Matls licensing package for Amend 52 to License 42-00090-03 for Schlumberger Technology Corp.Control:462725.
EVERETT,R.J. Region 4 (Post 820201). 462725. 89/10/17. 5pp. 53375:055-53375:069.

-9004200032 Matls licensing package for Amend 47 to License 35-00389-01 for Dowell Schlumberger,Inc.Control:462454.
CAIN,C.L. Region 4 (Post 820201). 462454. 89/03/27. 18pp. 53435:277-53435:294.

-9006040174 Discusses Radiation Safety Insp 30-06388/90-01 on 900318-19. No violations noted.
BEACH,A.B. Region 4 (Post 820201). 90/05/24. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 10pp. 54001:067-54001:068.

-9006060224 Matls licensing package for Amend 53 to License 42-00090-03 for Schlumberger Technology Corp.Control:462894.
WHITTEN,J.E. Region 4 (Post 820201). 462894. 90/01/30. 5pp. 54002:148-54002:157.

-9007130092 Requests addl info re Dowell Schlumerger,Inc,per technical assistance request for amend to License 35-00389-01. Extremes of environ & operating conditions should be identified.
DESCHAMPS,F. Medical, Academic & Commercial Use Safety Branch. 462727. 90/07/10. WHITTEN,J.E. Region 4 (Post 820201). 2pp. 70337:047-70337:048.

-9008170248 Matls licensing package for corrected Amend 48 to License 35-00389-01 for Dowell Schlumberger,Inc.
CAMPBELL,V.H. Region 4 (Post 820201). 90/05/18. 5pp. 54962:281-54962:285.

-9010300343 Matls licensing package for Amend 54 to License 42-00090-03 for Schlumberger Technology Corp.Control:463035.
WHITTEN,J.E. Region 4 (Post 820201). 463035. 90/07/25. 5pp. 55570:074-55570:086.

-9011210165 Matls licensing package for Amend 49 to License 35-00389-01 for Dowell Schlumberger,Inc.Control:462727.
WHITTEN,J.E. Region 4 (Post 820201). 462727. 90/09/28. 4pp. 55792:209-55792:331.

-9101030339 Matls licensing package for Amend 55 to License 42-00090-03 for Schlumberger Technology Corp.Control:463339.
WHITTEN,J.E. Region 4 (Post 820201). 463339. 90/10/30. 5pp. 56265:308-56265:319.

-9101240422 Matls licensing package for corrected Amend 56 to License 42-00090-03 for Schlumberger Technology Corp.Control:463405.
WHITTEN,J.E. Region 4 (Post 820201). 463405. 91/01/04. 6pp. 56513:276-56513:298.

-9104090284 Matls licensing package for license 42-27055-01 for Dowell Schlumberger,Inc.Control:463452.
WHITTEN,J.E. Region 4 (Post 820201). 463452. 91/01/22. 22pp. 57340:173-57340:194.

-9104100104 Matls licensing package for amend 50 to license 35-00389-01 for Dowell Schlumberger,Inc.Control:463349.
WHITTEN,J.E. Region 4 (Post 820201). 463349. 91/01/22. 18pp. 57342:342-57342:359.

-9107220123 Responds to decommissioning financial assurance submittal dtd 900725 for license 42-00090-03 & requests addl info.
FISHER,W.L. Region 4 (Post 820201). 463650. 91/07/15. RACSTER,C.E. Schlumberger Well Services. 3pp. 70878:007-70878:009.

-9108230004 Documents 910814 telcon w/K Turner requesting extension of time allowed for preparation of decommissioning financial assurance plan.Extension granted to 910914.
FISHER,W.L. Region 4 (Post 820201). 463650. 91/08/16. TURNER,K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p. 70935:018-70935:018.

-9112170149 Discusses insp rept 30-06388/91-02 on 911119.No violations or deviations noted.
CAIN,C.L. Region 4 (Post 820201). 91/12/12. TURNER,K.W. Schlumberger, Ltd. 21pp. 59996:276-59996:278.

-9112170238 Discusses insp rept 30-32023/91-01 on 911118 & forwards notice of violation.Inspectors observed that changes in personnel & corporate reorganization had contributed,in part to violation identified.
CALLAN,L.J. Region 4 (Post 820201). 91/12/12. JOYCE,V. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 3pp. 59997:050-59997:055.

-9112170246 Notice of violation from insp on 911118.Violations noted: licensee failed to provide required 2-yr followup training during 1990 & 1991 & to notify NRC within 7 days of closing of five branch ofcs.
* Region 4 (Post 820201). 91/12/12. 2pp. 59997:054-59997:055.

-9201240212 Responds to NRC 911212 ltr re violations noted in Insp Rept 30-32023/91-01.Corrective actions:followup training scheduled during First Quarter 1992 to permit all current employees to be on same retraining schedule.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 92/01/09. CALLAN,L.J. Region 4 (Post 820201). 2pp. 60379:008-60379:009.

-9201290217 Ack receipt of 920109 ltr informing NRC of steps taken to correct violations noted in Insp Rept 30-32023/91-01.
CAIN,C.L. Region 4 (Post 820201). 92/01/24. ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p. 60453:303-60453:306.

-9202130152 Matls licensing package for amend 1 to license 42-27055-01 for Dowell Schlumberger,Inc.Control:463924.
CAMPBELL,V.H. Region 4 (Post 820201). 463924. 91/12/31. 4pp. 60598:054-60598:067.

-9211020225 Matls licensing package for amend 57 to license 42-00090-03 for Schlumberger Technology Corp,Schlumberger Ltd. Control:464348.
WHITTEN,J.E. Region 4 (Post 820201). 464348. 92/08/19. 5pp. 63756:038-63756:066.

-9605130032 Confirms 890915 telcon & repts permanent abandonment of 1.5 Ci Cs-137 & 10 Ci Am/Be sealed sources.Plaque not supplied since no structure onsite.
ACCARDO,A.J. Schlumberger Well Services. 89/10/13. SPITZBERG,B. Region 4 (Post 820201). 2pp.

-9605130036 Forwards amend 52 to license 42-00090-03.NRC requirements listed.
EVERETT,R.J. Region 4 (Post 820201). 89/10/17. RACSTER,C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605130037 Follow up on 750527 telegram & telcons w/HJ Pass on 750527 & 30.Field operating procedures correct re radioactivity & should not cause any great exposure.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 75/06/04. HOWARD E.M. Region IV, IE (720101-810228). 16pp.

-9605130039 Advises that listed facilities closed.
RACSTER,C.E. Schlumberger Well Services. 89/10/23. Region 4 (Post 820201). 1p.

-9605130040 Amend to license 42-00090-03 for Schlumberger Well Corp, authorizing possession & use of 250 Ci Po-210.
* Atomic Energy Commission (Pre 750119). 57/01/02. 1p.

-9605130041 Amend 1 to license 42-00090-03 for Schlumberger Well Surveying Corp,changing name & address as listed.
* Atomic Energy Commission (Pre 750119). 57/04/25. 1p.

-9605130045 Amend 2 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising Conditions 11 & 14 & Item 3 as listed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/10/07. 1p.

-9605130048 Amend 3 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 250 Ci Po-210 at listed temporary jobsites.
* Atomic Energy Commission (Pre 750119). 58/12/29. 2pp.

-9605130049 Confirms 890929 telcon & repts permanent abandonment of 1.5 Ci Cs-137,16 Ci AmBe & 2.7 uCi Am-241 source.
ACCARDO,A.J. Schlumberger Well Services. 89/10/29. CAIN,C. Region 4 (Post 820201). 2pp.

-9605130053 Advises that listed facilities closed.All sources removed, exit survey performed,storage pits filled & cemented & all radioactive signs removed.
RACSTER,C.E. Schlumberger Well Services. 90/01/17. Region 4 (Post 820201). 1p.

-9605130057 Amend 5 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 500 Ci Po-210,50 Ci Cs-137 & 500 mCi Tantalum 182.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/02/25. 2pp.

-9605130059 Amend 4 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 50 Ci Cs-137 for well logging.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/04/10. 2pp.

-9605130062 Amend 6 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 500 Ci Po-210,50 Ci Cs-137 & 500 mCi Tantalum 182.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/04/26. 3pp.

-9605130065 Amend 7 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,revising Condition 13 as listed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/10/21. 1p.

-9605130066 Confirms 891227 telcon & repts abandonment of minitron tool in listed well.
ACCARDO,A.J. Schlumberger Well Services. 90/01/23. KASNER,L. Region 4 (Post 820201). 2pp.

-9605130070 Forwards amend 53 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 90/01/30. RACSTER,C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605130071 Amend 8 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 500 Ci Po-210,50 Ci Cs-137,500 mCi Tantalum 182 & 500 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/11/23. 3pp.

-9605130072 Advises of addl facilities for storage & use of radioactive matl.
RACSTER,C.E. Schlumberger Well Services. 90/02/01. Region 4 (Post 820201). 1p.

-9605130074 Application for amend to license 42-00090-03,permitting proposed rev procedure for disposal of radwaste in lieu of method presently described in license.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/01/07. Division of Fuel Cycle & Material Safety (Pre 870413). 3pp.

-9605130077 Amend 9 to license 42-00090-03 for Schlumberger Well Surveying Corp in Texas,authorizing possession & use of 500 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/01/31. 2pp.

-9605130078 Confirms 900418 telcon re permanent abandonment of 16 Ci AmBe & 1.5 Ci Cs-137 sealed sources in well 75 miles offshore of Japan.Fishing attempts unsuccessful.Cement plug placed above logging tool.
RACSTER,C.E. Schlumberger, Ltd. 90/04/18. CAIN,C. Region 4 (Post 820201). 2pp.

-9605130080 Requests fee for 900426 application for amend to license 42-00090-03,changing radiation safety officer.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 463035. 90/05/14. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130081 Submits incidents of apparent exposure exceeding 1250 mr/ quarter.All exposure monitoring provided by NSSI,Houston using TLD for gamma & for neutron measurements.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/08/04. Region IV, IE (720101-810228). 32pp.

-9605130082 Advises that licensee 820811 notification of rev to Radiation Sources & Control Manual will be filed as "info only" & not become part of matl licenses,unless response to J Hickey 821122 ltr received within 30 days from 830107 ltr.
JACKSON,G. License Fee Management Branch (Pre 861124). 83/01/07. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130083 Amend 10 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 500 Ci Po-210,50 Ci Cs-137,500 mCi Tantalum 182 & 584 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/06/05. 4pp.

-9605130084 Amend 11 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 50 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/09/13. 1p.

-9605130088 Amend 12 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 100 Ci Cs-137,500 mCi Tantalum 182 & 584 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 62/01/31. 3pp.

-9605130091 Remits fee for amend to license 42-00090-03.
RACSTER,C.E. Schlumberger Well Services. 463035. 90/05/25. License Fee & Debt Collection Branch (Post 890827). 1p.

-9605130093 Amend 13 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising Item 8.E as listed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 62/02/23. 1p.

-9605130094 Requests that licensee take immediate actions to comply w/ 10CFR30.35.
VASQUEZ,G.M. Region 4 (Post 820201). IEIN-90-016. 90/07/18. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130095 Amend 14 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising items 4,6,7,8 & 9 & conditions 15.C & 16 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 62/06/05. 2pp.

-9605130096 Forwards amend 54 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 90/07/25. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 3pp.

-9605130097 Confirms 830121 telcon w/C Cain re permanent abandoned of 16 Ci AmBe sealed source & 1.5 Ci Cs-137 sealed source in listed well.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/03/02. Region 4 (Post 820201). 3pp.

-9605130098 Amend 15 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising Condition 11 & adding condition 18 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 62/08/20. 1p.

-9605130102 Notifies that listed facilities deactivated & removed from list of active facilities on file.
TURNER,K.W. Schlumberger Well Services. 90/08/22. Region 4 (Post 820201). 3pp.

-9605130106 Amend 41 to license 42-00090-03 for Schlumberger Technology Corp Schlumberger Ltd,amending condition 18 as listed.
GUINN,P.R. Materials Licensing Branch. 83/03/08. 1p.

-9605130107 Application for amend to license 42-00090-03,authorizing exemption to 10CFR39.41.
TURNER,K.W. Schlumberger Well Services. 90/10/10. Region 4 (Post 820201). 2pp.

-9605130108 Confirms 841121 telcon re 841129 loss & subsequent recovery of radioactive matl contained in tracer tool.Complete investigation conducted on 841203.Listed surveys performed on tool.No removable contamination found.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/12/20. Region 4 (Post 820201). 2pp.

-9605130117 Submits followup to 871030 telcon rept re excess TLD badge readings.Investigation of RF Nelson activities during months badge worn did not reveal any particular incident that would have caused excessive exposure.
CLOUD,R.H. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/01/07. Region 4 (Post 820201). 5pp.

-9605130129 Amend 42 to license 42-00090-03 for Schlumberger Technology Corp Schlumberger Ltd,revising condition 18 as listed.
HICKEY,J.W. Materials Licensing Branch. 83/04/05. 2pp.

-9605130136 Informs that licensee evaluation of exposure received during visits revealed exposure to be minimal.Licensee utilization logs support contention not routine user of radioactive matl.
CLINE,W.E. Region 2 (Post 820201). 88/04/20. FISHER,W.L. Region 4 (Post 820201). 19pp.

-9605130137 Amend 16 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 100 uCi Co-60.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 63/01/30. 1p.

-9605130139 Amend 17 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 3.1 Ci Cs-137,100 uCi Tantalum 182 & 702.5 uCi Co-60.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/06/19. 3pp.

-9605130143 Amend 18 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 60 Ci H-3 & 35 sources of 200 uCi each Am-241.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 65/03/29. 1p.

-9605130144 Amend 19 to license 42-00090-03 for Schlumberger Well Surveying Corp,authorizing possession & use of 35 sources of 200 mCi Am-241 each.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 65/12/27. 1p.

-9605130145 Amend 20 to license 42-00090-03 for Schlumberger Well Surveying Corp,revising items 1 & 2 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 66/06/10. 1p.

-9605130153 Forwards telegram sent to div of compliance,Region IV,per 10CFR20.405(c),requires names of individuals be stated in separate part of rept.
CHEATHAM,O. Schlumberger Well Services. 66/06/08. Atomic Energy Commission (Pre 750119). 3pp.

-9605130165 Application for amend to license 42-00090-03,authorizing exemption to 10CFR39.41.
RACSTER,C.E. Schlumberger Well Services. 90/04/10. Region 4 (Post 820201). 2pp.

-9605130167 Forwards amend 55 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 90/10/29. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605130175 Application for amend to license 42-00090-03,authorizing logging while drilling svcs.
TURNER,K.W. Schlumberger Well Services. 90/12/04. Region 4 (Post 820201). 4pp.

-9605130179 Application for amend to license 42-00090-03,authorizing 165 mCi Cs-137 in sealed sources Amersham-Tech Ops Model 77032.
TURNER,K.W. Schlumberger Well Services. 91/01/03. WHITTEN,J.E. Region 4 (Post 820201). 2pp.

-9605130184 Forwards amend 56 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 91/01/04. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605130187 Amend 56 to license 42-00090-03 for Schlumberger Technology Corp.
WHITTEN,J.E. Region 4 (Post 820201). 91/01/04. 6pp.

-9605130189 Forwards corrected copy of amend 56 to license 43-00090-03, changing items 7.Z & 7.BB.
WHITTEN,J.E. Region 4 (Post 820201). 91/01/08. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605130192 Confirms abandonment of irretrievable sealed radioactive sources in well offshore LA on 900114.
TURNER,K.W. Schlumberger Well Services. 91/03/04. Region 4 (Post 820201). 6pp.

-9605130194 Confirms abandonment of irretrievable sealed sources in well offshore TX on 910528.
TURNER,K.W. Schlumberger Well Services. 91/06/07. Region 4 (Post 820201). 2pp.

-9605130201 Informs that listed facility closed.
TURNER,K.W. Schlumberger Well Services. 91/08/08. WHITTEN,J. Region 4 (Post 820201). 1p.

-9605130204 Forwards amend 57 to license 42-00090-03.
WHITTEN,J.E. Region 4 (Post 820201). 92/08/19. TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605130205 Forwards insp rept 30-06388/89-07.
PATE,R.J. Region 4 (Post 820201). 91/08/27. CAIN,C.L. Region 4 (Post 820201). 12pp.

-9605130209 Amend 21 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 5 Ci Am-241 & adding Condition 16 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 66/07/31. 1p.

-9605130210 Confirms abandonment of irretrievable sealed 4.5 mCi Am-241 offshore LA.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 91/09/06. Region 4 (Post 820201). 35pp.

-9605130212 Amend 22 to license 42-00090-03 for Schlumberger Technology Corp,adding authorization of 2 Ci I-131,Zr-95,Ir-192, Antimony 124,Gold 198,S-24 & Br-24 & revising conditions 12 & 15 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/06/22. 2pp.

-9605130214 Forwards three copies of pamphlet "Radioactive Sources Abandoned in Oil or Gas Wells."
CHEETHAM,O.C. Schlumberger Well Services. 68/01/05. Atomic Energy Commission (Pre 750119). 1p.

-9605130218 "Schlumberger Radiation Sources & Controls Second Edition."
* Schlumberger Well Services. 67/05/03. 192pp.

-9605130221 Amend 23 to license 42-00090-03 for Schlumberger Technology Corp,revising items 1 & 2 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 68/06/25. 1p.

-9605130224 Updates list of active facilities in non-agreement states.
TURNER,K.W. Schlumberger Well Services. 91/10/31. WHITTEN,J.E. Region 4 (Post 820201). 3pp.

-9605130226 Forwards closing documents for Gillette,WY facility.W/o encl.
TURNER,K.W. Schlumberger Well Services. 91/11/20. WHITTEN,J.E. Region 4 (Post 820201). 1p.

-9605130227 Application for amend to license 42-00090-03,authorizing possession & use of marker bullets containing Co-60 for depth control purposes.
CHEATHAM,O.C. Schlumberger Well Services. 70/02/02. Atomic Energy Commission (Pre 750119). 2pp.

-9605130228 Application for amend to license 42-00090-03,authorizing listed reorganization.
TURNER,K.W. Schlumberger Well Services. 464027. 91/12/11. WHITTEN,J.E. Region 4 (Post 820201). 1p.

-9605130230 Amend 24 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 3 Ci Cs-137,642 uCi Co-60,2 Ci H-3,200 mCi Am-241 & 1 Ci each I-131,Zr-95, Ir-192,An-124,Fe-198,S-24 & Br-82.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 70/02/26. 4pp.

-9605130231 Informs of intent to close & vacate listed facility.
TURNER,K.W. Schlumberger Well Services. 92/01/30. WHITTEN,J. Region 4 (Post 820201). 1p.

-9605130233 Application for amend to license 42-00090-03,authorizing distribution of Co-60 metal as collar or phenolic ring markers as generally licensed quantities per Section 31.4 & 31.00.
CHEATHAM,O.C. Schlumberger Well Services. 71/02/08. Atomic Energy Commission (Pre 750119). 1p.

-9605130234 Amend 25 to license 42-00090-03 for Schlumberger Technology Corp,deleting items 6.C,7.C,8.C & 9.C.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 71/03/23. 1p.

-9605130235 Confirms abandonment of irretrievable sealed radioactive source containing 1.7 Ci Cs-137 & 16 Ci Am-241 beryllium in well offshore LA on 920111.Fishing attempts held until 920114.Plaque identification attached to well.
TURNER,K.W. Schlumberger Well Services. 92/03/13. Region 4 (Post 820201). 14pp.

-9605130237 Application for amend to license 42-00090-03,authorizing possession & use of 50 16-Ci Am Be-241 Neutron Sources in nonagreement states.
CHEATHAM,O.C. Schlumberger Well Services. 72/03/24. Atomic Energy Commission (Pre 750119). 1p.

-9605130241 Amend 26 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 16 Ci Am-241.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 72/04/07. 1p.

-9605130243 Amend 27 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 600 uCi Co-60.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 72/06/20. 1p.

-9605130245 Confirms abandonment of irretrievable sealed sources containing 4.5 uCi Am-241,50 uCi Am-241 & 0.9 uCi Cs-137 in well offshore LA.Multiple recovery attempts conducted from 920214-19.Plaque attached to well per Part 39.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/03/20. Region 4 (Post 820201). 9pp.

-9605130246 Application for amend to license 42-00090-03,authorizing increase in activity of two sources already licensed.
CHEATHAM,O.C. Schlumberger Well Services. 73/05/23. Atomic Energy Commission (Pre 750119). 1p.

-9605130252 Application for amend to license 42-00090-03,authorizing increase in Co-60.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 72/06/07. Atomic Energy Commission (Pre 750119). 2pp.

-9605130253 Amend 28 to license 42-00090-03 for Schlumberger Technology Corp,revising item 4,subitems 8.A & 8.H & condition 14 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/06/26. 1p.

-9605130254 Forwards application for amend to license 42-00090-03.
CHEATHAM,O.C. Schlumberger Well Services. 74/08/15. Atomic Energy Commission (Pre 750119). 1p.

-9605130257 Application for amend to license 42-00090-03,authorizing increase in Cs-137.
CHEATHAM,O. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 74/08/20. 2pp.

-9605130262 Informs of retirement from Schlumberger Well Svcs on 741130.
CHEATHAM,O.C. Schlumberger Well Services. 74/11/27. Atomic Energy Commission (Pre 750119). 2pp.

-9605130263 Amend 29 to license 42-00090-03 for Schlumberger Technology Corp,revising condition 12 as listed.
BASSIN,N. Atomic Energy Commission (Pre 750119). 75/01/06. 1p.

-9605130264 Confirms 741224 telcon re abandonment of Am Be-16 Ci source in well in Pennsylvania on 741224.
RACSTER,C.E. Schlumberger Well Services. 75/01/09. Atomic Energy Commission (Pre 750119). 2pp.

-9605130266 Application for amend to license 42-00090-03,authorizing increase in Am-241.
RACSTER,C.E. Schlumberger Well Services. 75/10/17. Atomic Energy Commission (Pre 750119). 1p.

-9605130271 Amend 30 to license 42-00090-03 for Schlumberger Technology Corp,revising subitem 8.Q as listed.
BASSIN,N. NRC - No Detailed Affiliation Given. 75/11/21. 1p.

-9605130274 Application for amend to license 42-00090-03,authorizing addition of Am-241 to conditions 6,7,8 & 9.
RACSTER,C.E. Schlumberger Well Services. 76/08/02. Division of Fuel Cycle & Material Safety (Pre 870413). 3pp.

-9605130277 Confirms abandonment of sealed radioactive sources, containing 4.5 uCi Am-241,50 uCi Am-241 & 0.9 mCi Cs-137 in well OCS-G 8678 A-11,offshore LA.Plaque ordered as required by 10CFR39 will be attached to well.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/04/28. Region 4 (Post 820201). 8pp.

-9605130280 Discusses Drawing number H-239681.
* Atomic Energy Commission (Pre 750119). 76/08/19. Atomic Energy Commission (Pre 750119). 4pp.

--**9605130283** Forwards closure documents for listed facility.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/06/15. WHITTEN,J.E. Region 4 (Post 820201). 12pp.

--**9605130285** Application for amend to license 42-00090-03,authorizing listed rev to condition 8I.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/08/12. WHITTEN,J. Region 4 (Post 820201). 19pp.

--**9605130286** Informs of investigation initiated re high reading on 770105 of badge assigned to one employee.
RACSTER,C.E. Schlumberger Well Services. 77/04/18. Region IV, IE (720101-810228). 5pp.

--**9605130287** Forwards copy of TLD rept for Anchorage,AL which shows high readings for one employee (6288 MR).
RACSTER,C.E. Schlumberger Well Services. 77/04/20. Region IV, IE (720101-810228). 2pp.

--**9605130292** Confirms abandonment of irretrievable sealed radiation sources in well containing 50 mCi Am-241,0.9 mCi Cs-137 in offshore LA.Well abandoned & hardware removed at mud line below sea level.
TURNER,K.W. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 92/12/07. Region 4 (Post 820201). 7pp.

--**9605130295** Advises long term exposure of badge while not being worn caused high readings.
RACSTER,C.E. Schlumberger Well Services. 77/05/05. Atomic Energy Commission (Pre 750119). 3pp.

--**9605130297** Forwards SNM License SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/03/18. BLANCHARD,A. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130298** Discusses Zapata TOPPER III Platform which sank in Gulf of Mexico on 750320.
RACSTER,C.E. Schlumberger Well Services. 77/07/11. Atomic Energy Commission (Pre 750119). 1p.

--**9605130302** License SNM-0287 for Schlumberger Well Surveying Corp, authorizing possession & use of 240 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/03/18. 2pp.

--**9605130303** Provides Forms 766 & 766-S & insp rept re assist insp of 5.987 rem exposure at Schlumberger Technology Corp in Fairmont,WV on 770804 & 05.
SUTHERLAND,J.T. Region II, IE (720101-810228). 77/08/23. BROWN,G.D. Region IV, IE (720101-810228). 1p.

--**9605130306** Advises of allocation of 160 grams ofPu as Pu-Be neutron sources.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/11/17. LUNN,W.D. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130309** Insp rept 30-06388/77-01 on 770804-05.No violations noted. Major areas inspected:training & instructions to employees, radiation protection procedures,facilities,instruments, receipt & transfer matls,effluent control & waste disposal.
WOODRUFF,R.L., POTTER,J. Region II, IE (720101-810228). 77/08/18. 9pp.p.

--**9605130318** Forwards amend to license SNM-287.W/o encl.
KIRK,R.L. Atomic Energy Commission (Pre 750119). 60/05/03. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130322** Advises that 600204 application for amend to license SNM-287 meets requirements of act & regulations of AEC.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/04/25. Atomic Energy Commission (Pre 750119). 1p.

--**9605130326** Amend 2 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing 12,000 grams Pu as Pu-Be neutron sources.
KIRK,R.L. Atomic Energy Commission (Pre 750119). 60/05/03. 2pp.

--**9605130332** Advises of allocation of 7,920 grams Pu under license SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/10/21. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605130337** Ack teletype of 601025,confirming 601020 telcon,authorizing postponement of performance of wipe tests of Pu source for 30 days.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/11/07. WELLS,H.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130339** Authorizes transport of Pu-Be neutron sources under license SNM-287.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/10. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130341** Forwards SNM license SNM-287 as amended.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/03/19. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130358** Amend 6 to license SNM-0287 for Schlumberger Well Surveying Corp.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/03/19. 1p.

--**9605130362** Advises of lost source containing 5 Ci Pu-Be neutron source.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 62/04/27. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 4pp.

--**9605130368** Confirms 620427 loss of 5 Ci Pu-Be neutron source in oil well near Bakersfield,CA.
RUDDICK,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/04/27. Atomic Energy Commission (Pre 750119). 3pp.

--**9605130373** Discusses 620427 rept of loss of 5 Ci Pu-Be neutron source in oil well in Kern County,CA.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 62/05/01. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p.

--**9605130376** Forwards 620427 TWX reporting loss of 5 Ci Pu-Be neutron source.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/05/01. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605130380** Forwards rept of loss of 5 Ci Pu-Be neutron source in oil well in CA.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/05/08. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605130405** Forwards Form NRC 591, "Insp Findings & Licensee Acknowledgement."
EVERETT,R.J. NRC - No Detailed Affiliation Given. 77/10/04. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605130410** Safety insp on 770804-5 of license 42-00090-03.Insp findings:current copy of Part 19 & 20 not posted & current copy of ref documents not posted.
EVERETT,J. NRC - No Detailed Affiliation Given. PACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 77/10/10. 5pp.

--**9605130442** Record of telcon w/G Brown on 830422 re abandonment of two in exploratory offshore well off coast of CA.Well to be capped within 60 days.
SPITZBURY,D.B. Region 4 (Post 820201). 83/04/22. 1p.

--**9605140006** Ack receipt of 620329 ltr & 620327 & 0402 telcons,informing AEC of corrections to deficiencies in licensed program.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/05/15. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140015** Responds to 620511 ltr requesting clarification of info required in order to accept guarantee of obligations to AEC for use & possession of matls.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/05/22. WELLS,M.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140016** Forwards License SNM-287 as amended.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/06/28. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140022** Amend 7 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams of Pu.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/06/28. 1p.

--**9605140027** Answers questions contained in 620628 ltr re request to have drawings H-48576 & H-48620 withheld from public insp.
RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/07/09. Atomic Energy Commission (Pre 750119). 1p.

--**9605140031** Forwards license SNM-287 as amended.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/08/17. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140033** Amend 8 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
* Atomic Energy Commission (Pre 750119). 62/08/17. 2pp.

--**9605140036** Provides addl info re 5 Ci Pu neutron souree lost in El Paso Natural Gas Co well near Deming,WA.
RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 4106. 62/11/13. Atomic Energy Commission (Pre 750119). 2pp.

--**9605140059** Confirms 621110 telcon re loss of 5 Ci Pu neutron source in El Paso Natural Gas Co well.
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/11/10. Atomic Energy Commission (Pre 750119). 2pp.

--**9605140063** Ack receipt of 621113 ltr informing AEC of loss of 5 Ci Pu source.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/11/21. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

--**9605140067** Advises that items 8 & 10 to license SNM-287 amended as listed & item 12 added.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/12/14. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605140070** Ack receipt of 630226 ltr advising of error in 630129 ltr. Neutron source cemented in place in oil & gas test well in Whatcom County,WA was contained in well logging tool identified NLS-C H-48576.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/03/01. Atomic Energy Commission (Pre 750119). 1p.

--**9605140073** Notice to AEC PDR & others that "Schlumberger 1962 Annual Rept," available for review.
* Atomic Energy Commission (Pre 750119). 63/04/12. 1p.

--**9605150009** Informs of initiation of investigation of nondiscrimination complaint against Shlumberger Well Surveying Corp.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 63/08/27. LOW,L.D. Atomic Energy Commission (Pre 750119). 1p.

--**9605150014** Amend 4 to License SNM-287 for Schlumberger Well Surveying Corp,revising items 8 & 11 as listed.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/09. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150020** Confirms telcon re loss of 5 Ci Pu source in Gulf of Mexico in Hurricane Hilda.
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/10/06. Atomic Energy Commission (Pre 750119). 1p.

--**9605150023** Confirms 641006 telcon re loss of 1 5-Ci Pu source in Gulf of Mexico in Hurricane Hilda.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/10/06. MCFALL,E.D. Atomic Energy Commission (Pre 750119). 3pp.

--**9605150025** Forwards amended license SNM-287.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/11/06. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150029** Amend 11 to license SNM-0287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/11/06. 2pp.

--**9605150040** Forwards licenses 42-00090-03 & SNM-287 & pertinent backup info.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 65/03/12. NELSON,P.R. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150065** Discusses assist compliance insp of New Orleans Div of Schlumberger Well Surveying Corp.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 65/05/26. BROWN,G.T. Atomic Energy Commission (Pre 750119). 9pp.

--**9605150069** Requests response within 20 days to noncompliances noted in insp.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/06/22. RUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150076** Safety insp on 650419-21,0503,04,05,10 & 13 & 650608-09 of license SNM-287.Insp findings:SNM used in State of WA not authorized by license & storage containers not labeled to indicate quantities & kinds of radioactive matls.
SANDEL,P.S. Atomic Energy Commission (Pre 750119). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/04/19. 13pp.

--**9605150079** Responds to noncompliances noted in insp of license SNM-287. Corrective actions:license amended to authorize use in any state within continental US.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/29. Atomic Energy Commission (Pre 750119). 1p.

--**9605150083** Amend 12 to license SNM-0287 for Schlumberger Well Surveying Corp,renewing license.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/07/16. 3pp.

--**9605150088** Advises that drawings H-48620,H-48576 & H-124510 should be withheld per 10CFR2.790.
ANDERSON,R.A. Atomic Energy Commission (Pre 750119). 65/07/30. SHAPAR,H.K. Atomic Energy Commission (Pre 750119). 1p.

--**9605150091** Forwards licensee response to Form AEC-592.Response adequate.
WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 65/07/02. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605150140** Informs two sealed sources 1.5 Ci Cs-137 & 16 Ci AmBe have been permanently abandonded in well offshore,TX in Federal Waters API #4271140281.
RACSTER,C.E. Schlumberger Well Services. 78/02/02. Region IV, IE (720101-810228). 5pp.

--**9605150149** Informs 1.5 Ci Cs-137 sealed source has been permanently abandoned in well,Amoco Production OCS-G 3068#1 Mustang Island Block A-111 Offshore,TX API #4271240026.
RACSTER,C.E. Schlumberger Well Services. 78/03/20. Region IV, IE (720101-810228). 1p.

--**9605150154** Informs Nuclear Energy Division recently approved plans for abandonment of two 1.5 Ci Cs-137 sources in two separate wells Kerr-McGee OCS-G-1528 #2 & Gulf Exploration & Production Co OCS-G-2313 #2.
SPELL,W.H. Louisiana, State of. 78/03/23. HOWARD,E.M. Region IV, IE (720101-810228). 2pp.

--**9605150159** Informs on 780424 Nuclear Energy Division granted authorization for abandonment of 1.5 Ci Cs-137 source in Shell Oil Co Well OCS-G-3289 # JA4 in East Cameron Block #57.
SPELL,W.H. Louisiana, State of. 78/04/28. BROWN,G. Region IV, IE (720101-810228). 1p.

--**9605150163** Requests complete up-to-date application for renewal of license 42-00090-03.
COMBS,F. NRC - No Detailed Affiliation Given. 78/06/12. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150168** "Schlumberger Well Svcs Instruction Manual for Handling Radioactive Tracer Matls."
* Schlumberger Well Services. 78/07/31. 11pp.

--**9605150171** Approves abandonment of 16 Ci Am-Be source & 1.5 Cs-137 source in offshore well designated OCS-G-072 #22.
SPELL,W.H. Schlumberger Well Services. 78/08/21. BROWN,G. Region IV, IE (720101-810228). 1p.

--**9605150174** Amend 32 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of listed matls in well instruments.
COMBS,F. Radioisotopes Licensing Branch (Pre 790501). 78/08/29. 4pp.

--**9605150176** Amend 31 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 19.99 Ci Am-241.
BROWN,J. Radioisotopes Licensing Branch (Pre 790501). 78/09/08. 1p.

--**9605150179** Informs sealed sources have been permanently abandoned in well, Terrapet Sherman #1 in Richland,MO API #25-083-21247.
RACSTER,C.E. Schlumberger Well Services. 78/09/19. Region IV, IE (720101-810228). 3pp.

--**9605150182** Informs two sealed sources located in GHK Co Estes 1-25 in Roger Mills Co,OK API # 35-129-20346 abandoned.
RACSTER,C.E. Schlumberger Well Services. 78/10/26. Region IV, IE (720101-810228). 1p.

--**9605150186** Amend 33 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 100 mCi Am-241 & 10 mCi Cs-137.
GUINN,P.R. Radioisotopes Licensing Branch (Pre 790501). 79/10/15. 2pp.

--**9605150192** Amend 34 to license 42-00090-03 for Schlumberger Technology Corp,revising condition 18 as listed.
BROWN,J.M. Radioisotopes Licensing Branch (Pre 790501). 80/05/13. 1p.

--**9605150198** Submits follow up to 781228 & 29 telcons re gas escaping threw logging tools & tools being severely damaged due to falling to ground.
RACSTER,C.E. Schlumberger Well Services. 79/01/11. Region IV, IE (720101-810228). 2pp.

--**9605150202** Discusses loss of 4.5 Ci Cs-137 logging source in well in Campbell County,WY at 9,200 feet.
MURRAY,B. Region IV, IE (720101-810228). 79/02/20. BROWN,G.D. Region IV, IE (720101-810228). 1p.

--**9605150205** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source in well,Marathon Oil Co OCS-G 1874 Well #B-23 West Dalta Block in Offshore,LA API #1771940149.
RACSTER,C.E. Schlumberger Well Services. 79/03/13. Region IV, IE (720101-810228). 2pp.

--**9605150210** Informs as of 790213 Nuclear Energy Division gave approval for abandonment of 1.5 Ci Cs-137 source & 16 Ci Am-Be source in Conoco,OCS-G 2820#2 well.
SPELL,W.H. Louisiana, State of. 79/03/27. BROWN,G.D. Region IV, IE (720101-810228). 1p.

--**9605150215** Requests signature on Form NRC-591, "Insp Findings & Licensee Acknowledgement."
HARRISON,H.C. Region IV, IE (720101-810228). 79/04/04. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150217** Repts loss of 1.5 Ci Cs-137 sealed source in well +/- 12 miles off coast of OR.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/08/06. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150223** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source in well,Superior Oil Co OCS-G-3381 Well A-6 in West Cameron, #264 in Offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/05/03. Region IV, IE (720101-810228). 1p.

--**9605150224** Advises that drawings H-48620,H-124510 & H-48576 withheld from public insp per 10CFR2.790.
MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 65/08/16. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150233** Repts permanent abandonment of two sealed sources in well, Hunt Oil Co OCS-G-0425 #4 Eugene Island-Block 63 in Offshore,LA API #17-709-403-40-01.
RACSTER,C.E. Schlumberger Well Services. 79/05/17. Region IV, IE (720101-810228). 1p.

--**9605150235** Discusses licensee request for withholding drawings H-48620, H-124510 & H-48576 from public insp per 10CFR2.790.
MACDONALD,C.E. Atomic Energy Commission (Pre 750119). 65/08/16. Atomic Energy Commission (Pre 750119). 1p.

--**9605150244** Ack receipt of 650806 ltr informing AEC of loss of 1.5 Ci Cs-137 source in well located approx 12 miles off coast of OR.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 65/08/20. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605150264** Repts loss of 5 Ci Pu-Be neutron source in well in LA on 660325.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 66/05/02. Atomic Energy Commission (Pre 750119). 1p.

--**9605150267** Documents 660430 telcon re loss of 5 Ci Pu-Be well-logging source.Retrieval attempts unsuccessful.
WARD,J.J. Atomic Energy Commission (Pre 750119). 66/05/02. Atomic Energy Commission (Pre 750119). 1p.

--**9605150268** Repts loss of 5 Ci Pu-Be neutron source on 660507 in well in LA.
CHEATHAM,O.C. Schlumberger Well Services. 66/05/18. Atomic Energy Commission (Pre 750119). 1p.

--**9605150275** Discusses plans if any to place permanent marker on Glasscock Chapman,Inc well in which 5 Ci Pu-Be neutron source lost.No marker necessary.
CHEATHAM,O.C. Schlumberger Well Services. 66/05/23. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150278** Ack receipt of 660502 ltr reporting loss of 5 Ci Pu-Be neutron source in well.Plans re permanent marking requested.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/05/16. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150280** Ack receipt of 660518 ltr reporting loss of 5 Ci Pu-Be neutron source in well.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/05/27. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150281** Advises that LA well will be permanently identified w/metal warning sign.
CHEATHAM,O.C. Schlumberger Well Services. 66/06/07. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150283** Ack receipt of 660523 ltr.Well need not be permanently marked since well casing cut off below ground level & surface returned to original condition.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/06/14. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150286** Documents 660609 telcon re loss of 5 Ci Pu-Be neutron source in well owned by Glasscock-Chapman,Inc.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/06/15. Atomic Energy Commission (Pre 750119). 1p.

--**9605150288** Ack receipt of 660609 ltr in response to AEC 660527 ltr.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/06/15. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150291** Advises that Glasscock Chapman well in LA identified in error.Well to be permanently identified is Texas Gulf Sulfur Roane 1 well.
CHEATHAM,O.C. Schlumberger Well Services. 66/06/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150292** Forwards safety insp of licenses 42-00090-03 & SNM-287.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/09/18. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150300** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source & 16 Ci AmBe sealed source in well,Northeast Exploration Fortenelle #1 Lincoln County,WY API #490237002878.
RACSTER,C.E. Schlumberger Well Services. 79/05/25. Region IV, IE (720101-810228). 1p.

--**9605150302** Repts permanent abandonment of two sealed sources in well, Atlantic Richfield OCS-G-3019 Well #3 Mustang Island,Block 757 in Federal Waters of Offshore,TX total depth 4,520'.
RACSTER,C.E. Schlumberger Well Services. 79/06/19. Region IV, IE (720101-810228). 1p.

--**9605150312** Safety insp on 670717 & 0913 of license SNM-287.Insp findings:no items of noncompliance noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Schlumberger Well Services. 67/09/13. 2pp.

--**9605150314** Advises that reinspections of licenses 42-00090-03 & SNM-287 performed on 670717.No items of nonconformance noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/11/09. Atomic Energy Commission (Pre 750119). 6pp.

--**9605150315** Requests fee of $110 re application for amend to license 42-00090-03 to add sealed source.
JACKSON,G. License Fee Management Branch (Pre 861124). 79/07/09.
RACSTER,C.E. Schlumberger Well Services. 1p.

--**9605150317** Amend 18 to license SNM-287 for Schlumberger Well Surveying Corp,authorizing possession & use of 12,000 grams Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/07/02. 19pp.

--**9605150322** Requests fee of $110 for application for amend to license 42-00090-03 to add source.
JACKSON,G. License Fee Management Branch (Pre 861124). 00522. 79/07/13.
RACSTER,C.E. Schlumberger Well Services. 1p.

--**9605150323** Forwards rept to LA Board of Nuclear Energy re abandonment of 80 gram PuBe neutron source in Chevron Oil Co CJ Freeland 2 well.
CHEATHAM,O.C. Schlumberger Well Services. 69/06/09. Atomic Energy Commission (Pre 750119). 1p.

--**9605150326** Discusses abandonment of 5 Ci Pu-Be well logging source on 690520.
WARD,J.J. Atomic Energy Commission (Pre 750119). 69/06/12. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150331** Advises of abandonment of 80 gram Pu-Be source in well in OK.
WARD,J.J. Atomic Energy Commission (Pre 750119). 69/11/24. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605150336** Ack receipt of 691110 ltr reporting loss of Pu source in well located in Major County,OK.
LOW,L.D. Atomic Energy Commission (Pre 750119). 69/12/03. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605150342** Repts abandonment of 80 gram Pu-239 Be source in well in OK.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 69/11/10. Atomic Energy Commission (Pre 750119). 2pp.

--**9605150346** Discusses insp of license 42-00090-03 & SNM-287 on 691208.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 70/01/29. Atomic Energy Commission (Pre 750119). 1p.

--**9605150350** Safety insp on 961208 of license SNM-0287.Insp findings: no noncompliance found.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Schlumberger Well Services. 69/12/08. 7pp.

--**9605150413** Covers fee for requests of 790622,29 & 0703 which G Jackson agreed to combine into one amend.
RACSTER,C.E. Schlumberger Well Services. 79/07/27. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605160039** Forwards Rev 5 to radiation sources & controls.W/o encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 15361. 83/07/08. NRC - No Detailed Affiliation Given. 1p.

--**9605160041** Notifies of 790724 loss of pallet containing two 1.5-Ci Cs sealed sources & two 0.5-Ci Am/Be sealed sources.Pallet lost overboard during storm near Grand Isle,LA.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 79/08/14. Region IV, IE (720101-810228). 4pp.

--**9605160043** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source in well,Marathon Oil Co OCS-G 1677 F-5 Permit # 17-724-40140 in Offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/10/24. Region IV, IE (720101-810228). 1p.

--**9605160047** Informs of permanent abandonment of 1.5 Ci Cs-137 sealed source & 16 Ci Am/Be sealed source in well,Transco Exploration Co OCS-G-3520 #A-18 Permit # 17-702-40568 in Offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/10/25. Region IV, IE (720101-810228). 2pp.

--**9605160050** Responds to 830708 ltr & encl Rev 5 to "Radiation Sources & Controls." Rev requires amend to license 42-00090-03.Amend fee in stated amount required as specified in encl 10CFR170.31(5A).W/o encl.
JACKSON,G. License Fee Management Branch (Pre 861124). 15361. 83/08/03.
RASCTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605160051** Informs of permanent abandonment of 1.5 Ci Cs-137 sealed source & 16 Ci Am/Be sealed source in well,Gulf Oil Co OCS-G-0982 #H-2 Permit # 17-709-40369 in Offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/10/25. Region IV, IE (720101-810228). 1p.

--**9605160055** Notifies of permanent abandonment of 16 Ci Am/Be sealed source & 1.5 Ci Cs-137 sealed source in well,Tenneco Oil Co OCS-G-3584 #A-2 offshore,LA.
RACSTER,C.E. Schlumberger Well Services. 79/12/06. Region IV, IE (720101-810228). 1p.

--**9605160057** Forwards ltr from Prudhoe Bay,AL,describing alternate method of securing radioactive sources in storage.
RACSTER,C.E. Schlumberger Well Services. 80/01/30. BROWN,G. Radioisotopes Licensing Branch (Pre 790501). 2pp.

--**9605160059** Application for amend to license 42-00090-03,adding rev 5 to license,ref NRC 830803 ltr.Fee paid.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 15361. 83/08/08. JACKSON,G. License Fee Management Branch (Pre 861124). 1p.

--**9605160060** Provides fee of $110 for application for amend to license 42-00090-03.
JACKSON,G. License Fee Management Branch (Pre 861124). 02427. 80/01/27.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605160067** Confirms 830603,20 & 22 telcon re abandonment of 16 Ci AmBe sealed sources (NSR-F-1264) & 1.C Ci Cs-137 sealed source (GSR-J-6176) in listed well.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/08/16. Region 4 (Post 820201). 1p.

--**9605160079** Submits check for $110 in ref to request for amend to license 42-00090-03.
RACSTER,C.E. Schlumberger Well Services. 80/01/31. JACKSON,G. License Fee Management Branch (Pre 861124). 1p.

--**9605160080** Confirms 830812 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-6470) & 16 Ci AmBe sealed source (NSR-F-1099) in listed well.Appropriate plaque will be provided to Pennzoil for attachment to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/09/20. Region 4 (Post 820201). 1p.

--**9605160088** Confirms 830812 telcon re abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-5398) & 16 Ci AmBe sealed source (NSR-L-3012) in listed well.Appropriate plaque will be provided to CNG for attachment to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/09/20. Region 4 (Post 820201). 1p.

--**9605160091** Amend 43 to license 42-00090-03 for Schlumberger Technology Corp Schlumberger Ltd.
HICKEY,J.W. Materials Licensing Branch. 83/09/26. 1p.

--**9605160092** Informs of permanent abandonment of 16 Ci Am/Be sealed source & 1.5 Ci Cs-137 sealed source in well.
RACSTER,C.E. Schlumberger Well Services. 80/02/27. Region IV, IE (720101-810228). 1p.

--**9605160096** Confirms 830916 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-6172) in listed well.Appropriate plaque will be provided to Chevron USA,Inc for attachment to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/09/27. Region 4 (Post 820201). 2pp.

--**9605160097** Amend 34 to license 42-00090-03 for Schlumberger Technology Corp,revising condition 18.
BROWN,J.M. Materials Licensing Branch. 80/05/13. 2pp.

--**9605160100** Repts permanent abandonment of neutron generator in well.
RACSTER,C.E. Schlumberger Well Services. 80/05/22. Region IV, IE (720101-810228). 1p.

--**9605160103** Confirms 830930 telcon reporting permanent abandonment of 16 Ci AmBe sealed source (NSR-F-1509) & 1.5 Ci Cs-137 sealed source (GSR-J-5338) in listed well.Warning plaque placed on well.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/10/27. Region 4 (Post 820201). 3pp.

--**9605160107** Amend 35 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 5 Ci Cs-137.
GUINN,P.R. Materials Licensing Branch. 80/07/11. 1p.

--**9605160112** Repts permanent abandonment of 1.5 Ci Cs-137 sealed source located below 15,950 feet.
RACSTER,C.E. Schlumberger Well Services. 80/07/14. Region IV, IE (720101-810228). 1p.

--**9605160114** Repts permanent abandonment of two sealed sources in well, Transco Exploration Co OCS-G-3462 in Federal Waters in Offshore,TX API 427-1340011.
RACSTER,C.E. Schlumberger Well Services. 80/07/14. Region IV, IE (720101-810228). 1p.

--**9605160127** Notifies that because of reduced drilling activity in USA, licensee experiencing reduction in wells logged & entered into contract w/Nuclear Sources & Svcs,Inc,Houston,TX to store number of sealed source not presently needed.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/12/16. Division of Fuel Cycle & Material Safety (Pre 870413). 2pp.

--**9605160135** Confirms 840404 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2025) & 1.5 Ci Cs-137 sealed source (GSR-J-0004) in Texaco,Inc Well OSC-G-2937 A-15. Cement plug placed inside & outside drill pipe.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/04/18. Region 4 (Post 820201). 2pp.

--**9605160143** Confirms 840521 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-8052) & 16 Ci AmBe sealed source (NSR-F-A2467) in Sohio Exploration Co OSC-G-6280 Well #1. Appropriate plaque will attached to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/06/22. Region 4 (Post 820201). 1p.

--**9605160147** Confirms 840430 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2510) & 1.5 Ci Cs-137 sealed source (GSR-J-7131) in Union Oil Co of CA Leffingwell #1-E-EE-K.Appropriate plaque will be attached to wellhead.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/06/22. Region 4 (Post 820201). 2pp.

--**9605160149** Requests IE investigate matter re planting of 12 well logging sources in 1979 at "Gas & Oil Well Logging for Regulatory Personnel."
NUSSBAUMER,D.A. Assistant Director for Material Safety & Licensing. 80/07/24.
HIGGINBOTHAM,L. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 1p.

-9605160156 Confirms 840720 telcon re discovery & disposition of surface contaminated 1.5 Ci Cs-137 sealed source (GSR-J-5339).Source isolated & arrangements made for proper shipping container for transportation to Nuclear Sources & Svcs,Inc,Houston,TX.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/08/20. Region 4 (Post 820201). 2pp.

-9605160167 Confirms 840814 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2475) & 1.5 Ci Cs-137 sealed source (GSR-J-0008) in listed well w/casing cut off three ft below ground level & appropriate plaque attached to casing.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/09/28. Region 4 (Post 820201). 2pp.

-9605160174 Confirms 840910 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A1245) & 1.5 Ci Cs-137 sealed source (GSR-J-5332) in listed well.Appropriate plaque will be provided to Exxon Co USA.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/09/28. Region 4 (Post 820201). 3pp.

-9605160178 Confirms 840918 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2680) in listed well.Cement plug placed from 14,492 to 14,412 ft & 1/2 inch thick steel ring placed on top of cement plug.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/11/05. Region 4 (Post 820201). 2pp.

-9605160187 Confirms 841031 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A1497) & 1.5 Ci Cs-137 sealed source (GSR-J-6276) in listed well.Cement plug placed from 13,426 to 13,053 ft & well will be sidetracked at 13,150 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 84/11/05. Region 4 (Post 820201). 3pp.

-9605160190 Repts alpha contamination on 80 gram PuBe neutron source possessed under license SNM-287.
CHEATHAM,O.C. Schlumberger Well Services. 70/05/04. Atomic Energy Commission (Pre 750119). 1p.

-9605160196 Documents 700504 telcon re leaking 5 Ci Pu-Be source in Houston,TX.Source reported to be leaking since 1961 & was sealed in logging tool by two O-rings.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 70/05/05. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

-9605160199 Confirms 841213 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2623) & 1.5 Ci Cs-137 sealed source (GSR-J-6594) in listed well.Well will be plugged & abandoned w/pipe cut off below Gulf of Mexico.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/01/18. Region 4 (Post 820201). 3pp.

-9605160206 Ack receipt of 700504 ltr reporting detection of removable contamination on Pu-Be neutron source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 70/05/14. CHEATHAM,O.C. Schlumberger Well Services. 3pp.

-9605160214 Advises that on 700520 licensee returned leaking 76 gram Pu-239-Be source to Mound Lab for cancellation of lease w/ AEC.
CHEATHAM,O.C. Schlumberger Well Services. 71/02/08. CRAIG,P.A. Atomic Energy Commission (Pre 750119). 1p.

-9605160220 Advises that Directorate of Licensing has no objections to 730330 application for amend to License SNM-287.
WIRFS,L.F. Atomic Energy Commission (Pre 750119). 73/04/09. ROUSE,L.C. Atomic Energy Commission (Pre 750119). 1p.

-9605160224 Amend 20 to license SNM-0287 for Schlumberger Technology Corp & Schlumberger Ltd,renewing license in entirety.
ROUSE,L.C. Atomic Energy Commission (Pre 750119). 73/05/29. 3pp.

-9605160231 Discusses insp of licenses 42-00090-03 & SNM-0287 on 740513 in Woodward,OK & 740514-15 in Houston,TX.Violations noted.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/05/22. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

-9605160234 RO Inquiry Rept 70-0310/73-01Q.After unsuccessful attempts 80 gram Pu-239 sealed neutron source cemented in place & abandoned.
WARD,J.J. Atomic Energy Commission (Pre 750119). 73/06/19. 9pp.

-9605160236 Confirms 850219 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2686) & 1.5 Ci Cs-137 sealed source (GSR-J-6908) in Ocean Drilling Program Well 627B. Cement plug placed from 1553 to 1533 meters.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/03/25. Region 4 (Post 820201). 2pp.

-9605160240 Ack receipt of 740611 ltr,informing of steps taken to correct violations of AEC requirements.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/06/20. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160241 Responds to AEC 740522 ltr re violations noted in insp of licenses 42-00090-03 & SNM-0287 on 740513 & 14-15.C/A: trucks now placarded as required by DOT & wipe tests on Pu sources will be current within 10 days of ltr date.
CHEATHAM,O.C. Schlumberger Well Services. 74/06/11. Atomic Energy Commission (Pre 750119). 6pp.

-9605160244 Confirms 850321 telcon re abandonment of 16 Ci AmBe sealed source (NSR-F-A1259) & 1.5 Ci Cs-137 sealed source (GSR-J-5465) in listed well.Cement plug placed 10,770 to 10,687 ft & cast iron bridge plug placed 10,687 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/04/19. Region 4 (Post 820201). 7pp.

-9605160247 Advises of loss of ten sealed sources on well platform 100 miles offshore in Gulf of Mexico.Source recovery undertaken.
PAAS,H.J. Region IV, IE (720101-810228). 75/03/21. Region IV, IE (720101-810228). 1p.

-9605160253 Forwards plot plans for two new facilities where radioactive matls will be stored & used.Addresses of new facilities listed.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/06/25. Region 4 (Post 820201). 7pp.

-9605160256 Informs that facility at listed address will move to new location on 850915 & close out survey of facility done. Address of new location listed.Plot plan showing layout of source pits in new bldg encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/07/17. Region 4 (Post 820201). 7pp.

-9605160258 Confirms 850626 telcon re permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2049) & 1.5 Ci Cs-137 sealed source (GSR-J-6394) in listed well.Cast iron cement retainer placed at 13,606 ft.No plaque will be installed.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/07/17. Region 4 (Post 820201). 1p.

-9605160261 Confirms 850620 telcon re permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-6686) in listed well.Cement plug placed from 11,600 to 9,250 ft,well sidetracked at 9,250 ft & will be drilled to total depth of 11,600 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/07/19. Region 4 (Post 820201). 2pp.

-9605160264 Confirms 750527 telcon re TLD badge exposure rept on Linton, IN employee for fourth quarter.
RACSTER,C.E. Schlumberger Well Services. 75/05/27. HOWARD,E.M. Region IV, IE (720101-810228). 1p.

-9605160265 Provides status rept re loss of 10 sealed sources in well platform on Gulf of Mexico.
PAAS,H.J. Region IV, IE (720101-810228). 75/12/01. Region IV, IE (720101-810228). 1p.

-9605160266 Submits check for $110 for application fee for amend to license 42-00090-03.
JACKSON,G. License Fee Management Branch (Pre 861124). 80/09/15. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160269 Discusses 750806 ltr re sources permanently abandoned in Patrick Petroleum Co well in Renville County,ND.Source is 16 Ci neutron source Am-Be rather than Pu-238-Be source.
RACSTER,C.E. Schlumberger Well Services. 75/12/10. Region IV, IE (720101-810228). 2pp.

-9605160274 Forwards rept of insp of licenses 42-00090-03 & SNM-287 on 760701 & notice of violation.
BROWN,G.D. Fuel Facility & Materials Safety Branch, R4. 76/07/13. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605160278 Notice of violation from insp on 760701.Violations noted: nine individuals received whole body doses ranging from 1.254 rems to 3.309 rems per calendar quarter during period 740701-751231.
* Fuel Facility & Materials Safety Branch, R4. 76/07/13. 6pp.

-9605160279 Provides check for $110 in ref to request for amend to license 42-00090-03.
DOMINGUEZ,M. Schlumberger Well Services. 80/09/23. JACKSON,G. NRC - No Detailed Affiliation Given. 1p.

-9605160281 Draft insp of licenses 42-00090-03 & SNM-287 on 760701. Violarions noted.
* Fuel Facility & Materials Safety Branch, R4. 76/07/01. 9pp.

-9605160285 Forwards repts of nine incidents of exposure per 760713 ltr & notice of violation.
RACSTER,C.E. Schlumberger Well Services. 76/08/04. BROWN,G.D. Region IV, IE (720101-810228). 21pp.

-9605160294 Ack receipt of 760804 ltr in response to 760713 ltr & notice of violation.
BROWN,G.D. Region IV, IE (720101-810228). 76/08/11. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160296 Application for renewal of license SNM-0287.
RACSTER,C.E. Schlumberger Well Services. 09520. 78/05/30. Radioisotopes Licensing Branch (Pre 790501). 2pp.

-9605160300 Confirms 790705 telcon re 780530 application for renewal of license SNM-0287.
CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 79/07/12. RACSTER,C.E. Schlumberger Well Services. 1p.

-9605160302 Forwards IE Bulletin 79-19.W/o encl.
SEYFRIT,K.V. Region IV, IE (720101-810228). IEB-79-19. 79/08/10. Schlumberger Well Services. 1p.

-9605160306 Responds to request for rept in writing re packaging of low-level radwaste for transport & burial,per IE Bulletin 79-19.
RACSTER,C.E. Schlumberger Well Services. IEB-79-19. 79/08/28. Region IV, IE (720101-810228). 1p.

-9605160312 Discusses insp of licenses 42-00090-03 & SNM-287 on 810204. No violations noted.
BROWN,G.D. Region IV, IE (720101-810228). 81/02/18. STRECKER,I. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 15pp.

-9605160315 Requests completed application for renewal of license SNM-287.
GUINN,P. Materials Licensing Branch. 09520. 81/06/11. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

-9605160325 Requests that GD Brown determine all sources abandoned in non-Agreement States have been reported to NRC.
MEYER,R. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 80/09/30. BROWN,G.D. Region IV, IE (720101-810228). 1p.

-9605160333 Submits investigation rept for radiation exposure to employee film badge.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 66/06/14. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p.

-9605160340 Amend 36 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 300 mCi Am-241.
BROWN,J.M. Materials Licensing Branch. 80/10/01. 1p.

--**9605160341** Requests response to request for addl info re application for renewal of license SNM-287 within 30 days of ltr date.
GUINN,P.R. Materials Licensing Branch. 09520. 81/11/30. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605160343** Forwards rept of investigation on "Assist Investigation - Compliance Region IV," for period 660531-0603.
RADELOFF,W.A. Atomic Energy Commission (Pre 750119). 66/06/08. WALKER,D.I. Atomic Energy Commission (Pre 750119). 1p.

--**9605160345** Application for renewal of license SNM-287.
RACSTER,C.E. Schlumberger Well Services. 09520. 81/12/30. Radioisotopes Licensing Branch (Pre 790501). 8pp.

--**9605160353** Forwards commitments from two facility managers & div manager,per 820224 ltr.
RACSTER,C.E. Schlumberger Well Services. 0473. 82/03/19. Region 4 (Post 820201). 1p.

--**9605160356** Advises that assignment of engineer to monitor wipe tests made on 820310.
RACSTER,C.E. Schlumberger Well Services. 0536. 82/04/02. Region 4 (Post 820201). 1p.

--**9605160359** Informs offshore rig drilling for Cities Svc Oil Co in Federal waters Offshore,TX caught fire & burned.
RACSTER,C.E. Schlumberger Well Services. 80/10/08. Region IV, IE (720101-810228). 2pp.

--**9605160360** "Assist Investigation - Compliance Region IV," for period 660531-0603.
RADELOFF,W.A., MORETTI,E.J. Atomic Energy Commission (Pre 750119). 66/06/08. 36pp.

--**9605160362** Advises of error in manner licenses 42-00090-03 & SNM-287 issued to Schlumberger Technology Corp & Schlumberger Ltd.
MILLER,V.L. Materials Licensing Branch. 82/04/15. OLMSTEAD,W.J. Regulations Division. 1p.

--**9605160369** Forwards 1962 annual rept of Schlumberger Ltd.
WELLS,H.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/04/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p.

--**9605160371** Application for amend to license 42-00090-03,adding listed address to license for recently established depot in Indiana,PA.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/08/14. Region 4 (Post 820201). 8pp.

--**9605160377** Informs that on 850818,tool pallet (containing sources listed in encl ltr dtd 790814) recovered & returned to licensee.Shrimp fisherman caught & tore net on pallet. Sources in transport container & showed no leakage.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/11/21. Region 4 (Post 820201). 1p.

--**9605160378** Informs of permanent abandonment of 16 Ci Am/Be sealed source & 1.5 Ci Cs-137 sealed source in well.
RACSTER,C.E. Schlumberger Well Services. 80/11/12. Region IV, IE (720101-810228). 1p.

--**9605160383** Ack receipt for 760804 ltr,in response to ltr & attached notice of violation dtd 760713.
BROWN,G.D. NRC - No Detailed Affiliation Given. 76/08/11. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605160386** Confirms 860102 telcon rept re abandonment of 16 Ci AmBe sealed source (NSR-F-A1414) & 1.5 Ci Cs-137 sealed source (GSR-J-6680) in listed well.Cement plug (dyed red) placed from 13,180 to 13,680 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 85/02/03. Region 4 (Post 820201). 2pp.

--**9605160396** Forwards investigations of nine incidents & applicable notice to employee.
RACSTER,C.E. Schlumberger Well Services. 76/08/04. BROWN,G.D. Region IV, IE (720101-810228). 2pp.

--**9605160401** Amend 37 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 3 mCi Cs-137.
* Materials Licensing Branch. 80/12/15. 2pp.

--**9605160412** Confirms 801114 telcon re temporary abandonment of 2 Ci Tritium Neutron generator in well total depth 10,525 feet.
RACSTER,C.E. Schlumberger Well Services. 80/12/22. Region IV, IE (720101-810228). 1p.

--**9605160415** Submits incidents of apparent exposure exceeding 1250 mr/ quarter.
RACSTOR,E. Schlumberger Well Services. 76/08/04. Region IV, IE (720101-810228). 19pp.

--**9605160416** Repts TLD personnel dosimeter reading was in excess of regulatory limits.
RACSTER,C.E. Schlumberger Well Services. 80/12/23. Region IV, IE (720101-810228). 1p.

--**9605160435** Forwards close out survey of cold Gillette,WY district at listed address,in ref to encl ltr dtd 850717.Survey revealed no outstanding radioactive readings.Wipe tests performed on four source pits & sent for readings.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/03/14. Region 4 (Post 820201). 2pp.

--**9605160471** Discusses abandonment of sealed sources at Chevron USA,Inc Well OCS-G-3577 #12.Encl sketch shows final conventional abandonment.Found that setting pipe to total depth not needed.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/03/24. Region 4 (Post 820201). 3pp.

--**9605160485** Informs of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A2625) & 1.5 Ci Cs-137 sealed source (GSR-J-7063) in listed well.Steel retainer set at 14,426 ft & cement plug set from 14,634 to 14,425 ft & appropriate plaque provided.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/08/08. Region 4 (Post 820201). 6pp.

--**9605160490** Informs that licensee closed facility at listed address. Close out survey & list of licensee facilities located in NRC states encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/09/29. Region 4 (Post 820201). 8pp.

--**9605160497** Confirms 860902 telcon rept of permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-7186) & 16 Ci AmBe sealed source (NSR-F-A2268) in listed well.Cement plug,dyed red placed from 12,957 to 13,057 feet.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 86/09/29. Region 4 (Post 820201). 2pp.

--**9605160503** Confirms 861120 telcon rept of permanent abandonment of 1.5 Ci sealed source (GSR-J-7159) in described well.Cement plug placed from 14,960 to 14,760 ft.Hole will be sidetracked at 14,760 ft & casing will be set through sidetracked section.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/01/13. Region 4 (Post 820201). 3pp.

--**9605170035** Requests response to listed questions re complete up-to-date application for renewal of license SNM-287.
GUINN,P.R. Materials Licensing Branch. 09520. 82/04/23. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 5pp.

--**9605170037** Discusses concerns re renewal of license SNM-287.
MILLER,V.L. Materials Licensing Branch. 09520. 82/05/27. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605170040** Requests listed fees for application for amends to licenses 42-00090-03 & SNM-287.
JACKSON,G. License Fee Management Branch (Pre 861124). 82/06/03. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605170042** Application for amends to licenses 42-00090-03 & SNM-287, authorizing radiation sources & control manual.Fee paid.
RACSTER,C.E. Schlumberger Well Services. 82/06/10. JACKSON,G. Radioisotopes Licensing Branch (Pre 790501). 2pp.

--**9605170049** Discusses application for renewal of licenses 42-00090-03 & SNM-287.Licensee feels renewal should be handled as previous policy to issue one license not separate licenses.
MARKS,R.P. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 82/06/29. MILLER,V.L. Materials Licensing Branch. 25pp.

--**9605170051** Advises that licensee performs no radiation surveys during use of sealed sources for well logging purposes.NRC will insist on surveys.
GUINN,P. NRC - No Detailed Affiliation Given. 82/07/21. HICKEY,J. NRC - No Detailed Affiliation Given. 1p.

--**9605170059** Insp rept 30-06388/81-01 on 810204.No violations noted.Major areas inspected:organization,licenseee internal audits, training & instructions to employees,radiation protection procedures,shipping & shipping incidents.
SPITZBERG,D.B., BROWN,G.D. Region IV, IE (720101-810228). 81/03/05. 10pp.

--**9605170061** Confirms 820706 & 07 telcons re accidental release of 100-200 mCi I-131 in controlled area.Tracer injector tool came apart & splattered employee right shoulder of coveralls,right arm,face & glasses.
RACSTER,C.E. Schlumberger Well Services. 82/07/26. Region 4 (Post 820201). 4pp.

--**9605170066** Requests confirmation if 820811 & 31 ltr forwarding operating & emergency procedures considered addl amend or addl info to existing amend application.
HICKEY,J.W. Materials Licensing Branch. 12508. 82/09/22. RACSTER,C.E. Schlumberger Well Services. 1p.

--**9605170067** Expresses interest in knowing status of request for amend to license 42-00090-03.
RACSTER,C.E. Schlumberger Well Services. 81/04/13. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605170069** Submits amend fee of $110 for license 42-00090-03.
RACSTER,C.E. Schlumberger Well Services. 81/04/13. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605170072** Rev 4 to "Radiation Sources & Controls Manual."
RACSTER,C.E. Schlumberger Well Services. 82/09/27. 28pp.

--**9605170074** Informs application will be sent to licensing staff for processing upon receipt of fee.
JACKSON,G. License Fee Management Branch (Pre 861124). 81/04/22. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605170075** Requests response to listed questions re renewal of license SNM-287.
GUINN,P.R. Materials Licensing Branch. 09520. 82/12/13. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 3pp.

--**9605170076** Amend 38 to license 42-00090-03 for Schlumberger Technology Corp,adding possession & use of 10 Ci Am-241.
GUINN,P.R. Materials Licensing Branch. 81/04/24. 1p.

--**9605170077** Responds to 821213 ltr re renewal of license SNM-287.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 09520. 83/01/07. Radioisotopes Licensing Branch (Pre 790501). 2pp.

--**9605170080** Informs increase in possession limit for Model H-123515 sealed source appears to be action that should be evaluated vt State of TX.
GUINN,P.R. Materials Licensing Branch. 81/06/02. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605170086** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of (Device/Sealed Source) for model H-142525. Certificate:TX-586-S-103-S.
* Texas, State of. TX-586-S-103-S. 83/01/04. 5pp.

--**9605170089** Requests possession limit be changed from "200 mCi" to "500 mCi" & number from H-142108 to H-218733.
RACSTER,C.E. Schlumberger Well Services. 81/04/10. Division of Fuel Cycle & Material Safety (Pre 870413). 1p.

--**9605170092** Application for amend to License SNM-287,adding source H-207947.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 83/01/31. GUINN,P. Materials Licensing Branch. 1p.

--**9605170094** Approves request for possession to be changed to 500 mCi.
RACSTER,C.E. Schlumberger Well Services. 81/06/15. Materials Licensing Branch. 5pp.

--**9605170095** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of (Device/Sealed Source) for model H-207947. Certificate:TX-586-S-104-S.
* Texas, State of. TX-586-S-104-S. 83/01/04. 4pp.

--**9605170103** Corrected amend 21 to license SNM-287 for Schlumberger Technology Corp,authorizing possession & use of 100 grams Pu-233.
GUINN,P.R. Materials Licensing Branch. 83/02/10. 3pp.

--**9605170109** Amend 39 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of listed matls in well logging.
GUINN,P.R. Division of Fuel Cycle & Material Safety (Pre 870413). 81/07/21. 3pp.

--**9605170118** Requests amend for license 42-00090-03 & temporary reciprocity until amend issued.
RACSTER,C.E. Schlumberger Well Services. 08867. 81/08/27. Division of Fuel Cycle & Material Safety (Pre 870413). 3pp.

--**9605170132** Informs application for amend to license 42-00090-03 will sent to Licensing staff for processing upon receipt of fee for $110.
JACKSON,G. License Fee Management Branch (Pre 861124). 08867. 81/09/11. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605170137** Submits second check for $110 due to other check being lost.
DOMINGUEZ,M. Schlumberger Well Services. 81/09/21. JACKSON,G. Materials Licensing Branch. 1p.

--**9605170144** Returns check 013522 & informs that NRC has received check 011966 for payment of $110 re application for amend to license 42-00090-03.
JACKSON,G. License Fee Management Branch (Pre 861124). 81/10/02. DOMINQUEZ,M. Schlumberger Well Services. 1p.

--**9605170145** Certificate of disposition of matls:matls transferred to Monsanto Research Corp on or before 780807 or to Nuclear Sources & Svcs Inc on or before 870807.
RACSTER,C.E. Schlumberger Well Services. 87/11/10. 1p.

--**9605170147** Amend 40 to license 42-00090-03 for Schlumberger Technology Corp,authorizing possession & use of 3 uCi Th-232 in calibr of logging tools.
GUINN,P. Materials Licensing Branch. 81/11/24. 1p.

--**9605170149** "Radiation Protection Handbook."
* Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/01/30. 66pp.

--**9605170153** Repts loss of two Am241Be calibr sources.
RACSTER,C.E. Schlumberger Well Services. 82/01/10. Region 4, Ofc of the Director (810301-820201). 3pp.

--**9605170155** Forwards license 42-27055-01 for Dowell Schlumberger,Inc.
WHITTEN,J.E. Region 4 (Post 820201). 463349. 91/01/22. GUNN,R.A. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605170157** Informs two Am341Be calibr sources lost overboard 811221 have been recovered.
RACSTER,C.E. Schlumberger Well Services. 82/02/08. Region 4 (Post 820201). 1p.

--**9605170159** Application for amend to license 42-27055-01,authorizing W Wilson as radiation safety officer.Fee paid.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 463714. 91/07/01. WHITTEN,J.E. Region 4 (Post 820201). 1p.

--**9605170163** Repts incident involving truck operating from Shawnee,OK facility.
RACSTER,C.E. Schlumberger Well Services. 82/03/08. Region 4 (Post 820201). 5pp.

--**9605170167** Requests listed fee for 910701 application for amend to license 42-27055-01.
RODRIGUEZ,J.M. Office of the Controller (Post 890205). 91/08/05. ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605170168** Forwards revised copy of Radiation Sources & Control Manual. Requests that old copy be destroyed.
RACSTER,C.E. Schlumberger Well Services. 11373. 82/05/06. NRC - No Detailed Affiliation Given. 1p.

--**9605170170** "Radiation Sources & Controls Manual."
* Schlumberger Well Services. 81/12/31. 54pp.

--**9605170174** Application for amend to license 42-27055-01,authorizing AJ Accardo as radiation safety officer.
JOYCE,V. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 463924. 91/10/10. WHITTEN,J.E. Region 4 (Post 820201). 3pp.

--**9605170176** Informs equipment & sources recovered from well.
RACSTER,C.E. Schlumberger Well Services. 82/06/10. Region 4 (Post 820201). 2pp.

--**9605170178** Requests listed fee for 911010 application for amend to license 42-27055-01.
RODRIGUEZ,J.M. Office of the Controller (Post 890205). 463924. 91/10/25. JOYCE,V. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605170181** Informs that rev IV-9 should be inserted before current IV-9 & revised IV-12 before corrent IV-12 into radiation sources & control manual.
RACSTER,C.E. Schlumberger Well Services. 82/08/25. NRC - No Detailed Affiliation Given. 1p.

--**9605170184** Discusses not returned note on SD Kettner RDC badge rept for period 910401-0630.Summary of interview w/SD Kettner provided.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 91/12/02. KASNER,L.L. Region 4 (Post 820201). 1p.

--**9605170188** Informs another rev will be issued shortly showing corrections of data & page numbers to radiation sources & controls manual.
RACSTER,C.E. Schlumberger Well Services. 82/08/31. NRC - No Detailed Affiliation Given. 17pp.

--**9605170191** Provides copy of current revs to Radiation Sources & Control manual.
RACSTER,C.E. Schlumberger Well Services. 12508. 82/08/11. NRC - No Detailed Affiliation Given. 1p.

--**9605170198** Insp rept 30-32023/91-01 on 911118.Violations noted.Major areas inspected:licensed activities.
KASNER,L. Region 4 (Post 820201). 91/11/18. 19pp.

--**9605170206** Forwards amend 1 to license 42-27055-01.
CAMPBELL,V.H. Region 4 (Post 820201). 91/12/31. JOYCE,V. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605170207** "Schlumberger Safety Policy."
* Schlumberger Well Services. 12508. 82/01/31. 12pp. 88300:325-88300:327.

--**9605170214** Confirms 870106 telcon rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A1356) & 1.5 Ci Cs-137 sealed source (GSR-J-7244) in listed well offshore LA.Cement plug, dyed red placed from 12,250 to 11,000 ft.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/02/06. Region 4 (Post 820201). 4pp.

--**9605170215** Discusses 820929 application for amend to license 37-16268-01 to add new source model to license & to increase approved Ci content of source & two others.
GUINN,P.R. Materials Licensing Branch. 82/11/16. PRATT,T.E. Fairchild Weston Systems, Inc. 1p.

--**9605170220** Informs that licensee closed listed facilities.Close out survey of facilities & list of licensee facilities in NRC states encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/04/23. Region 4 (Post 820201). 6pp.

--**9605170238** Confirms 870912 abandonment of 16 Ci AmBe sealed source (NSR-L-3114) & 1.5 Ci Cs-137 sealed source (GSR-J-6437) in listed well.Well plugged w/ cement & topped w/casing shoe which will act as mechanical stop.
ACCARDO,A.J. Schlumberger, Ltd. 87/10/09. Region 4 (Post 820201). 1p.

--**9605170245** Confirms 870911 telcon re abandonment of 16 Ci AmBe source (NSR-F A2555) & 1.5 Ci Cs-136 source (GSR-J 6988) in Exxon Co,USA Well H-32.Sidetracked hole drilled at top of cement plug that provided hydraulic seal across borehole.
CLOUD,R.H. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/10/21. SPITZBERG,D.B. Region 4 (Post 820201). 8pp.

--**9605170251** Confirm 871103 telcon re loss of logging tool containing 2 Ci of tritium in ocean due to equipment failure on 871101. Approval to leave tool on ocean botton requested.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/11/12. Region 4 (Post 820201). 5pp.

--**9605170277** Informs of recovery of well logging sources.Proposal re possible abandonment of sources should be disregarded,per 871204 conversation.
ACCARDO,A.J. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 87/12/08. HOLLEY,W. Region 4 (Post 820201). 1p.

--**9605170284** Forwards 880107 rept of apparent 7099 mrem quarterly overexposure at Schlumberger in Fairmont,WV.Licensee unable to explain exposure.Special insp to investigate exposure recommended.
FISHER,W.L. Region 4 (Post 820201). 88/03/02. CLINE,W.E. Region 2 (Post 820201). 1p.

--**9605170294** Confirms 880425 telcon rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-2657) & 1.5 Ci Cs-137 sealed source in listed well Offshore LA.No plaque will be provided since there will be no surface wellhead.
ACCARDO,A.J. Schlumberger, Ltd. 88/05/24. FISHER,B. Region 4 (Post 820201). 1p.

--**9605170295** Advises that due to recent downturn in domestic oil & gas industry,some locations closed or relocated.List of closings & relocation encl.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 92/12/02. CALLAN,L.J. Region 4 (Post 820201). 3pp.

--**9605170303** Advises that due to recent downturn in domestic gas & oil industry some locations closed or relocated.List of closures or relocations encl.
ACCARDO,A.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 92/12/09. CALLAN,L.J. Region 4 (Post 820201). 62pp.

--**9605170311** License 35-00389-01 for Dowell,Inc,authorizing possession & use of 1,500 mCi I-131.
ROGER,R.E. Atomic Energy Commission (Pre 750119). 56/05/10. 1p.

--**9605170322** Informs that licensee in process of insuring that licensee possesses current radiation licenses & regulations for areas in which licensee operates.
NORDQUIST,M.B. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/05/26. Region 4 (Post 820201). 2pp.

--**9605170328** Confirms 880708 telcon & rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-A1049) & 1.5 Ci Cs-137 sealed source (GSR-J-7343) in listed well.Appropriate plaque will be provided for attachment to well head.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/08/08. Region 4 (Post 820201). 3pp.

--**9605170331** Amend 2,renewing license 35-00389-01 for Dowell,Inc.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/05/29. 1p.

--**9605170333** Amend 3 to license 35-00389-01 for Dowell Inc,authorizing possession & use of 1,800 mCi I-131.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/08/04. 2pp.

--**9605170336** Amend 4 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 1,800 mCi I-131.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/03/16. 2pp.

--**9605170338** Confirms 880808 telcon & rept of permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-7025) & 16 Ci AmBe sealed source (NSR-F-A2787) in listed well.Expects that hole sources down,which not cased,will heal over shortly.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/08/12. Region 4 (Post 820201). 2pp.

-9605170346 Confirms 880722 telcon & rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-F-1614) & 1.5 Ci Cs-137 sealed source (GSR-J-7152) in listed well.Cement plug located from 3,600 to 3,900 ft.Plaque will not be provided.
ACCARDO,A.J. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/08/21. Region 4 (Post 820201). 2pp.

-9605170351 Confirms 880822 telcon w/W Holley & rept of permanent abandonment of 16 Ci AmBe sealed source (NSR-FA-2652) & 1.5 Ci Cs-127 sealed source (GSR-J-7111) in listed well.Well cemented from 15,500 back to 14,056 ft.
ACCARDO,A.J. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/09/14. Region 4 (Post 820201). 2pp.

-9605170363 Informs of recovery of two well logging sources for client Sante Fe Minerals,per 880912 call re imminent abandonment of sources.
ACCARDO,A.J. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 88/09/14. HOLLEY,W. Region 4 (Post 820201). 1p.

-9605170387 Forwards amend 51 to license 42-00090-03.W/o encl.
CAIN,C.L. Region 4 (Post 820201). 88/12/03. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605170488 Informs that Co disposition of leaking sources will be checked during next trip to area by Region IV personnel.
WALKER,D.I. Atomic Energy Commission (Pre -750119). 62/01/23. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p.

-9605170508 Informs that no items of compliances noted as result of investigation on 610419-21 & insp of byproduct matl License 42-90-1.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/03/21. BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 4pp.

-9605200016 Matls licensing package for amend 37 to license 35-00389-01 for Dow Chemical Co,amending conditions 12 & 19 as listed.
HICKEY,J.W. Materials Licensing Branch. 83/10/03. 1p.

-9605200023 Amend 5 to license 35-00389-01 for Dow Chemical Co,amending condition 17 & adding condition 18 as listed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/09/09. 2pp.

-9605200026 Amend 6 to license 35-00389-01 for Dow Chemical Co, authorizing 2,300 mCi I-131,500 mCi Ir-192,505 mCi Co-60 & 1 mCi any byproduct matl between atomic numbers 3 & 83, inclusive.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/04/04. 3pp.

-9605200030 Amend 7 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/08/17. 2pp.

-9605200033 Amend 8 to license 35-00389-01 for Dow Chemical Co,revising Condition 13 re authorized users.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/12/28. 1p.

-9605200036 Amend 9 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 1,800 mCi I-131.
* Atomic Energy Commission (Pre 750119). 62/03/02. 4pp.

-9605200038 Amend 10 to license 35-00389-01 for Dow Chemical Co,amending conditions 9B & 9C as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 62/03/16. 1p.

-9605200042 Amend 11 to license 35-00389-01 for Dow Chemical Co,revising conditions 11,13,15 & 16 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 62/05/25. 1p.

-9605200045 Amend 12 to license 35-00389-01 for Dow Chemical Co,adding 250 mCi H-3,amending condition 13 & adding conditions 18 & 19 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 63/01/28. 1p.

-9605200047 Amend 13 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/01/28. 4pp.

-9605200050 Amend 14 to license 35-00389-01 for Dow Chemical Co,revising item 2,subitems 6D,7D,8D & 9D & condition 19.C.5 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/02/27. 1p.

-9605200052 Amend 15 to license 35-00389-01 for Dow Chemical Co,revising item 7E as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/12/22. 1p.

-9605200055 Amend 16 to license 35-00389-01 for Dow Chemical Co,revising Conditions 13,16 & 19.C.5 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 65/10/11. 1p.

-9605200057 Amend 17 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
* Atomic Energy Commission (Pre 750119). 66/02/04. 4pp.

-9605200123 Amend 18 to license 35-00389-01 for Dow Chemical Co,revising Subitems 6.E,7.E,8.E,9.E & condition 15 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 66/04/13. 1p.

-9605200124 Amend 19 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 1 mCi Co-60 & revising Condition 17.B as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/10/19. 1p.

-9605200128 Amend 20 to license 35-00389-01 for Dow Chemical Co,revising subitem 8.E as listed.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 68/06/03. 1p.

-9605200131 Amend 21 to license 35-00389-01 for Dow Chemical Co,revising Condition 13 as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 69/10/31. 1p.

-9605200133 Amend 22 to license 35-00389-01 for Dow Chemical Co,revising subitem 9.E as listed.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 70/10/07. 1p.

-9605200137 Amend 23 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 100 uCi Fe-59.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 71/09/08. 1p.

-9605200197 Responds to NRC 620321 ltr,listing items of noncompliance w/conditions of byproduct matl 42-00090-03 & SNM-287.
BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/03/29. Atomic Energy Commission (Pre 750119). 2pp.

-9605200203 Discusses 620329 ltr,0327 & 0402 telcons,informing NRC that licensee corrected or will correct deficiencies in licensed program.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/05/15. BUDDICK,C.K. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

-9605200207 Rev 24 to license 35-00389-01 for Dow Chemical Co,changing expiration date to 771031.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 72/08/09. 1p.

-9605200208 Informs of error in licensee 880812 ltr.Serial number for 16 Ci AmBe sealed source NSR-F-A2682 not NSR-F-A2787.
RACSTER,C.E. Schlumberger Well Services. 88/12/19. Region 4 (Post 820201). 2pp.

-9605200209 Amend 25 to license 35-00389-01 for Dow Chemical Co,adding 20 mCi Co-60.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/02/28. 1p.

-9605200210 Informs that effective 890101,licensee will be using Tech/ OPS Landauer,Inc for personnel monitoring.Licensee will monitor gamma & neutron radiation.Badges will be exchanged on quarterly basis.
RACSTER,C.E. Schlumberger Well Services. 88/12/19. Region 4 (Post 820201). 1p.

-9605200211 Amend 26 to license 35-00389-01 for Dow Chemical Co,adding Condition 17.B.7.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/08/10. 1p.

-9605200213 Amend 27 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 74/09/06. 4pp.

-9605200214 Informs of abandonment of Am-241 source containing 4.5 uCi in well OSC-G-0823 #7,offshore LA on 881125,per 881122 telcon w/C Racster.Cement plug set 100 ft above fish,second kickoff plug set & sidetrack kicked off at 12,860 ft.
MARIENBACH,E. Schlumberger Well Services. 88/12/19. CAIN,C.L. Region 4 (Post 820201). 2pp.

-9605200215 Amend 28 to license 35-00389-01 for Dow Chemical Co,revising Subitem 9.K as listed.
BASSIN,N. Materials Licensing Branch. 75/04/24. 1p.

-9605200216 Amend 29 to license 35-00389-01 for Dow Chemical Co,revising subitem 7.J as listed.
BASSIN,N. Materials Licensing Branch. 75/11/24. 1p.

-9605200220 Informs that MNTR-D-3251 containing 1.0 Ci of tritium,stuck in hole in 1986.Well located in Main Pass 297 federal waters Offshore LA.Chevron planning remedial work on well.
RACSTER,C.E. Schlumberger Well Services. 89/01/05. Region 4 (Post 820201). 1p.

-9605200221 Discusses deficiencies discovered as result of special physical inventory of neutron generators.
RACSTER,C.E. Schlumberger Well Services. 89/01/06. Region 4 (Post 820201). 2pp.

-9605200223 Amend 30 to license 35-00389-01 for Dow Chemical Co,revising Subitem 8.K & Condition 16 & adding Condition 17 as listed.
BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 76/01/05. 2pp.

-9605200226 Forwards documents missing at time of insp.Ltr dtd 780721 missing.W/o encls.
RACSTER,C.E. Schlumberger Well Services. 89/01/19. Region 4 (Post 820201). 2pp.

-9605200227 Amend 31 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 50 mCi Cs-137,revising subitem 9.K & Condition 13.A as listed.
BROWN,J.M. Atomic Energy Commission (Pre 750119). 77/04/19. 1p.

-9605200229 Forwards application for renewal of license 35-00389-01.
HEARD,L.L. Dow Chemical Co. 77/09/08. Radioisotopes Licensing Branch (Pre 790501). 1p.

-9605200233 Application for amend,renewing license 35-00389-01.
HEARD,L.L. Dow Chemical Co. 90465. 77/09/08. 38pp.

-9605200235 Requests complete up to date application for renewal of license 35-00389-01.
GUINN,P.R. Radioisotopes Licensing Branch (Pre 790501). 90465. 77/10/18. HEARD,L.L. Dow Chemical Co. 2pp.

-9605200236 Forwards application for renewal of license 35-00389-01.
HEARD,L.L. Dow Chemical Co. 90465. 77/11/09. GUINN,P.R. Materials Licensing Branch. 1p.

-9605200238 Application for amend,renewing license 35-00389-01.
HEARD,L.L. Dow Chemical Co. 77/11/09. 36pp.

-9605200241 Confirms 881222 telcon w/W Holley & rept of permanent abandonment of 1.5 Ci Cs-137 sealed source (GSR-J-7228) & 16 Ci AmBe sealed source (NSR-F-2663) in listed well.Several plugs placed in well.
ACCARDO,A.J. Schlumberger Well Services. 89/01/20. Region 4 (Post 820201). 4pp.

-9605200244 Submits requested info on documentation of losses of minitrons & internal reporting records.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 89/02/14. Region 4 (Post 820201). 2pp.

-9605210046 Corrected amend 32 to license 35-00389-01 for Dow Chemical Co,amending license in entirety.
GUINN,P.R. Radioisotopes Licensing Branch (Pre 790501). 77/12/01. 4pp.

--**9605210049** Advises of refund of license fee for 790710 application for amend to license 35-00389-01.
JACKSON,G. License Fee Management Branch (Pre 861124). 79/07/24. HEARD,L.L. Dow Chemical Co. 1p.

--**9605210057** Responds to 790815 ltr requesting addl info re application for amend to license 35-00389-01.Texas Nuclear Model 5185 source holder fully described in 790710 drawing.
HEARD,L.L. Dow Chemical Co. 00611. 79/08/22. BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605210061** Requests listed info re review of TX Nuclear Model 5185 source holder.
WRIGHT,E.G. Materials Certification & Procedures Branch. 79/10/29. GUINN,P.R. Materials Licensing Branch. 2pp.

--**9605210266** Forwards three abnormal occurrence descriptions re gauging devices & stolen densiometer source.
LACKER,D.K. Texas, State of. 88/04/08. DODA,R. NRC - No Detailed Affiliation Given. 14pp.

--**9605210270** Informs application will be processed by Region IV staff once amend fee of $60 has been received.
JACKSON,G. License Fee Management Branch. 88/06/23. SELLER,M.J. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605210358** Corrected amend 34 to license 35-00389-01 for Dow Chemical Co,authorizing possession & use of 100 mCi Cs-137 & revising Conditions 13 & 19 as listed.
GUINN,P.R. Materials Licensing Branch. 80/12/08. 2pp.

--**9605210362** Forwards check for amend to license 35-00389-01.
PATTERSON,P.A. Dow Chemical Co. 81/03/16. JACKSON,G. License Fee Management Branch (Pre 861124). 1p.

--**9605210364** Amend 35 to license 35-00389-01 for Dow Chemical Co,amending Conditions 12 & 19 as listed.
GUINN,P.R. Materials Licensing Branch. 81/04/23. 1p.

--**9605210367** Application for amend to license 35-00389-01,authorizing change of name to Dowell,Inc.
THOMAS,B.R. Dow Chemical Co. 10877. 82/03/23. GUINN,P. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605210373** Advises that TX Nuclear Model 5192 source head transferred to Dowell Div of Dow Chemical under license 35-00389-01 on 820617.
THOMAS,B.R. Dow Chemical Co. 82/06/24. Division of Fuel Cycle & Material Safety (Pre 870413). 1p.

--**9605210376** Advises that incorporation reflected in application for amend to license 35-00389-01 delayed until 830101.
THOMAS,B.R. Dow Chemical Co. 1039. 82/07/01. GUINN,P. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605210382** Application for amend to license 35-00389-01,authorizing possession & use of Nucleus,Inc model Cs-137-S-10 source, Hewlett Packard 18803-60520 gas chromatograph & Krohne- America Model DH-80 instrument.
THOMAS,B.R. Dow Chemical Co. 82/10/20. BAGGETT,S.L. Radioisotopes Licensing Branch (Pre 790501). 1p.

--**9605210401** Forwards amend 36 to license 35-00389-01.
CARRICO,J.B. Materials Licensing Branch. 83/01/24. THOMAS,B.R. Dow Chemical Co. 1p.

--**9605210404** Amend 36 to license 35-00389-01 for Dow Chemical Co, authorizing possession & use of 10 uCi Cs-137 & 15 mCi Ni-63,amending condition 19 & adding conditions 20 & 21 as listed.
HICKEY,J.W. Materials Licensing Branch. 83/01/24. 2pp.

--**9605210409** Application for amend to license 35-00389-01,authorizing OF McDonald as radiation protection officer.
MCDONALD,O.F. Dow Chemical Co. 15257. 83/07/01. HICKEY,J.W. Materials Licensing Branch. 2pp.

--**9605210414** Requests listed addl info re 830701 application for amend to license 35-00389-01.
MARTIN,I.C. Materials Licensing Branch. 15257. 83/09/07. MCDONALD,O.F. Dow Chemical Co. 1p.

--**9605210417** Provides addl info re application for amend to license 35-00389-01.Resume encl.
MCDONALD,O.F. Dow Chemical Co. 1261. 83/09/14. MARTIN,I.C. Materials Licensing Branch. 10pp.

--**9605220006** Requests amend to license 35-00389-01,reflecting BK Davis as RSO.
ELLIG,C.E. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/03/10. WHITTEN,J.E. Region 4 (Post 820201). 3pp.

--**9605220007** Amend 1 to license 35-00389-01 for Dowell,Inc authorizing possession & use of 505 mCi Co-60 & 1 Ci Po-210.
* Atomic Energy Commission (Pre 750119). 57/02/13. 1p.

--**9605220022** Confirms that AEC does not plan to correspond w/licensee on investigation conducted 660531-0603 re 42 rem exposure to film badge.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/06/23. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220024** Discusses 660730 telcon,advising that Sun Oil Co will continue attempts to retrieve lodged source by wash-out method.
WARD,J.J. Atomic Energy Commission (Pre 750119). 66/08/01. Atomic Energy Commission (Pre 750119). 5pp.

--**9605220025** Discusses Schlumberger Well Surveying Corp attempts to recover lost source.
WARD,J.J. Atomic Energy Commission (Pre 750119). 66/09/13. Atomic Energy Commission (Pre 750119). 1p.

--**9605220026** Informs of temporary abandonment of logging tool containing 1.0 Ci tritium sealed source in listed well,per 890105 ltr & addl telcons w/D Powers.Appropriate plaque will be provided to well owner to attach to well head.
RACSTER,C.E. Schlumberger Well Services. 89/02/24. POWERS,D. Region 4 (Post 820201). 1p.

--**9605220027** Advises that lost source from Schlumberger Well Surveying Corp not recovered.
MCFALL,E.D. Atomic Energy Commission (Pre 750119). 66/11/07. Atomic Energy Commission (Pre 750119). 1p.

--**9605220030** Advises licensee must conduct program involving radioactive matls per conditions of NRC license,representations made in license application & NRC regulations.
CAIN,C.L. Region 4 (Post 820201). 89/03/27. DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220032** Informs that sources proposed for abandonment for Union Texas Petroleum recovered,intact on 890409 after fourth fishing attempt,per 890407 conversation.
ACCARDO,A.J. Schlumberger Well Services. 89/04/17. POWERS,D. NRC - No Detailed Affiliation Given. 3pp.

--**9605220037** Forwards enforcement conference summary,describing subjects discussed at meeting in Region IV office on 890428.
FISHER,W.L. Region 4 (Post 820201). EA-89-84. 89/05/17. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 20pp.

--**9605220046** Submits addl Certification of Training to incorporated in request for amend.
DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/05/31. WHITTEN,J.E. Region 4 (Post 820201). 3pp.

--**9605220050** Informs that licensee discovered that tool string described in 840622 ltr also contained 50 uCi Am-241 sealed source.
RACSTER,C.E. Schlumberger Well Services. 89/06/28. Region 4 (Post 820201). 1p.

--**9605220052** Advises that 1.5 Ci sealed source recovered from well in Gulf of Mexico & undamaged.
ROY,G.W. Atomic Energy Commission (Pre 750119). 67/01/12. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605220054** Advises of insp of licenses SNM-287 & 35-00090-03 on 670717.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 67/07/10. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220061** Ack receipt of 670921 ltr,informing of loss of 1.5 Ci Cs-137 sealed source in well in Harper County,OK.
LOW,L.D. Atomic Energy Commission (Pre 750119). 67/10/04. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220066** Advises of loss of 1.5 Ci Cs-137 sealed source in shielded container.Source recovered approx 3 h after lost.
WARD,J.J. Atomic Energy Commission (Pre 750119). 67/10/17. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220069** Forwards repts to LA Board of Nuclear Energy re incident reported on 671013.
CHEATHAM,O.C. Schlumberger Well Services. 67/10/23. Atomic Energy Commission (Pre 750119). 3pp.

--**9605220071** Responds to NRC 890810 ltr re 10CFR39041(A)(3) temporary generic exemption & 890913 telcon w/B Carrico.Listed sources calibr sources used at surface & not run downhole.Sources not well logging sources.
RACSTER,C.E. Schlumberger Well Services. 89/09/14. CARRICO,B. NRC - No Detailed Affiliation Given. 2pp.

--**9605220073** Forwards draft pamphlet being prepared for distribution to oil & gas companies & depts of health of states where licensee operates.
CHEATHAM,O.C. Schlumberger Well Services. 67/10/31. MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 5pp.

--**9605220075** Application for amend to license 42-00090-03,changing license as listed,per 890913 & 14 telcons w/C Cain.
RACSTER,C.E. Schlumberger Well Services. 89/09/15. Region 4 (Post 820201). 2pp.

--**9605220078** Advises that announced reinspections of license SNM-0287 & 35-00090-03 conducted on 670717 at Houston ofc & 670913 at Casper,WY ofc.No noncompliances noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 67/11/09. Atomic Energy Commission (Pre 750119). 6pp.

--**9605220080** Application for amend,renewing license 35-00389-01.
DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/09/07. 36pp.

--**9605220082** Responds to NRC 890810 ltr re 10CFR39041(A)(3) temporary generic exemption & 890913 telcon w/B Carrico.Ltr deals w/ Minnesota Mining & Mfg 4F6H.Certification from 3M showing ANSI classification of 77C 57546 encl.
RACSTER,C.E. Schlumberger Well Services. 89/09/19. CARRICO,B. NRC - No Detailed Affiliation Given. 3pp.

--**9605220083** Offers no comments on proposed pamphlet, "Sources Abandoned in Oil or Gas Wells."
MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 67/11/22. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220084** Advises that 1.5 Ci Cs-137 sealed source containing logging tool lodged at depth of 12,000 ft in oil well.
SMITH,G.H. Atomic Energy Commission (Pre 750119). 68/01/08. Atomic Energy Commission (Pre 750119). 1p.

--**9605220086** Repts abandonment of 1.5 Ci Cs-137 source in well in AK.Well plugged off & abandoned on 680114.
CHEATHAM,O.C. Schlumberger Well Services. 68/02/08. Atomic Energy Commission (Pre 750119). 1p.

--**9605220087** Forwards ltr to AEC Denver ofc in event licensees misinterpreted existing regulations.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/11. Atomic Energy Commission (Pre 750119). 3pp.

--**9605220089** Ack receipt of 680208 ltr,reporting loss of 1.5 Ci Cs-137 source in Kenai County,Alaska.
LOW,L.D. Atomic Energy Commission (Pre 750119). 68/02/23. SHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220092** Advises that American Gilsonite in process of moving into bldg formerly occupied by Schlumberger in Grand Junction,CO found pit vault w/padlocked door & radiation caution sign.
WARD,J.J. Atomic Energy Commission (Pre 750119). 68/04/29. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220094** Informs of 630124 telcon re lost of Cobalt 60 source initially reported on 630124.
* Atomic Energy Commission (Pre 750119). 63/01/25. Atomic Energy Commission (Pre 750119). 1p.

--**9605220095** Discusses rept of lost 1.5 Ci Cs-137 sealed source stuck in well in PA.Attempted recovery yielded only cable & top of tool.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 69/11/21. Atomic Energy Commission (Pre 750119). 1p.

--**9605220101** Advises that cement plug placed in bore above source stuck in well in PA.
WARD,J.J. Atomic Energy Commission (Pre 750119). 69/12/12. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220103** Repts abandonment of 1.5 Ci Cs-137 source in well in PA. Source cemented in place on 691201.
CHEATHAM,O.C. Schlumberger Well Services. 69/12/08. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220105** Submits rept of lost Cobalt 60 source in oil well by Schlumberger Well Surveying Corp Houston,TX on 630123.
* Atomic Energy Commission (Pre 750119). 63/01/24. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220106** Discusses attempts to retrieve 1.5 Ci Cs-137 sealed source in well in PA.
HYDER,J.E. Atomic Energy Commission (Pre 750119). 69/11/21. Atomic Energy Commission (Pre 750119). 1p.

--**9605220108** Safety insp on 691208 of license 42-00090-03.Insp findings: no noncompliance noted.
HYDER,J.E. Atomic Energy Commission (Pre 750119). * Schlumberger Well Services. 69/12/08. 8pp.

--**9605220112** Submits addl info,requested in 630114 ltr re lost 5-Ci plutonium neutron in El Paso Natural Gas Co Ross 1 well, located in Whatcom County,Washington.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/29. Atomic Energy Commission (Pre 750119). 10pp.

--**9605220118** Confirms 630124 & 25 telcon re 0.4 mCi Ci-60 sources in TX Co well in Lea County,NM.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 388. 63/01/29. Atomic Energy Commission (Pre 750119). 11pp.

--**9605220127** Submits Schlumberger Well Surveying Corp,Houston,TX lost of 150 mCi Cesium-137 sealed source.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 63/01/30. Atomic Energy Commission (Pre 750119). 1p.

--**9605220136** Confirms 630125 telcon,consisting of perforating gun,gamma ray detection equipment & 150 mCi Cesium-137 source accidently detached from cable dropped in well.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/29. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220143** Informs of listed districts in state of WY officially closed due to oilfield svc business not coming back.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/09/11. WHITTEN,J. Region 4 (Post 820201). 1p.

--**9605220145** Forwards license rept of lost 0.4 mCi Cobalt-60 sealed source in identified as State of Mexico.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 63/01/30. Atomic Energy Commission (Pre 750119). 1p.

--**9605220150** Requests that license condition 6G & 15 be removed from new license.
DAVID,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/09/11. WHITTEN,J. Region 4 (Post 820201). 1p.

--**9605220156** Requests amend to license 35-00389-01 to include Texas Nuclear Model 5176:Cs-137 50 mCi in 3M-4F6S or Amersham equivalent (6082) sealed source.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/09/12. WHITTEN,J. Region 4 (Post 820201). 4pp.

--**9605220158** Informs that licensees forwarding copy of ltr to AEC Denver ofc in event misinterpreted existing regulations.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/11. Atomic Energy Commission (Pre 750119). 1p.

--**9605220159** Ack receipt of application for renewal of license 35-00389-01.
EVERETT,R.J. Materials Licensing Branch. 462703. 89/09/13. DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220163** Requests registration of Ramsey device in order to complete process license renewal.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 89/10/04. RICH,T. Office of Nuclear Material Safety & Safeguards. 2pp.

--**9605220166** Notifies fees of $640 required to process appplication.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 462727. 89/10/19. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220167** Forwards amend 48 to license 35-00389-01,requesting renewal.
EVERETT,R.J. Materials Licensing Branch. 89/11/29. DAVIS,B.K. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220169** Informs that Cesium-137 source reported in telegram of 630129,as being lost in humble well in Chamber County,TX recovered in tact.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 63/01/31. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220177** Provides check for $640 to be divided,$508 for evaluation & approval of Ramsey SGD 1000-000 & $60 for amend fee for license 35-00389-01.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 462727. 89/12/13. MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 72pp.

--**9605220178** Informs that lost cesium source recovered intact by licensee as noted in attached telegram.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 63/02/01. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220180** Provides corrected copy of amend 48 to license 35-00389-01, changing Conditions 6.C & 6.D.
CAMPBELL,V.H. Region 4 (Post 820201). 90/05/18. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220186** Informs licensee must provide info indicating capability to handle 20 mCi of Cs-137 in uncontained form.
WHITTEN,J.E. Region 4 (Post 820201). 90/06/19. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 7pp.

--**9605220192** Informs encl survey of general licensees being returned blank due to Dowell Schlumberger not operating radioactive device under general license.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/08/03. NRC - No Detailed Affiliation Given. 1p.

--**9605220193** Informs that Schlumberger Well Surveying Corp,Houston,TX recovered lost 150 mCi Cs-137 source on 630130.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 63/02/06. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220197** Discusses 900620 fax,indicating dislodged sources or leaking sources will be handled by "Recovery Team Members."
WHITTEN,J.E. Region 4 (Post 820201). 90/08/31. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220203** Forwards ltr dtd 630129,licensee supplied requested info, including article entitled "Perforating of Multiple Tubingless Completions."
OUTTEN,E.G. Atomic Energy Commission (Pre 750119). 63/02/07. BROWN,G.D. Atomic Energy Commission (Pre 750119). 1p.

--**9605220212** Ack receipt for 630111 & 29 ltrs re loss of 400 mCi Cobalt-60 sources in oil well in Lea County,NM.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 63/02/25. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220216** Ack receipt of 630129 ltr,in response to 630114 ltr re loss of neutron source in well logging tool NCS-C H-48714.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 63/02/26. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220222** Submits rept of loss of Cs-137 source.
PAULUS,R.C. Atomic Energy Commission (Pre 750119). 64/05/18. Atomic Energy Commission (Pre 750119). 1p.

--**9605220232** Requests permission,per 10CFR20,Section 20.302 to leave source in place,since recovery would be difficult & costly.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/06/22. Atomic Energy Commission (Pre 750119). 1p.

--**9605220235** Ack receipt of 691208 ltr reporting loss of 1.5 Ci Cs-137 source in well located in Cambria County,PA.
LOW,L.D. Atomic Energy Commission (Pre 750119). 69/12/30. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220237** Expresses appreciation for keeping state informed re recovered source dropped into gulf by Schlumberger Well Surveying Corp.
BARDEN,C.R. Texas, State of. 64/06/24. WALKER,D.L. Region IV, IE (720101-810228). 1p.

--**9605220239** Confirms telcon request for permission to possess & use 150 marker bullets containing 150 uCi Cs-137.
CHEATHAM,O.C. Schlumberger Well Services. 70/01/23. Atomic Energy Commission (Pre 750119). 1p.

--**9605220240** Confirms telcon re permission to possess & use 150 marker bullets containing 150 uCi Cs-137.
CHEATHAM,O.C. Schlumberger Well Services. 70/01/26. Atomic Energy Commission (Pre 750119). 1p.

--**9605220242** Forwards telegram from Schlumberger Well Svcs advising of use of 150 marker bullets containing Cs-137.
BOOK,H.E. Atomic Energy Commission (Pre 750119). 70/01/27. WAGNER,W.L. Alaska, State of. 2pp.

--**9605220245** Forwards rept from Schlumberger Offshore Svc re 1.5 Ci Cs-137 source lost down hole offshore LA on 691211.
PARKER,R.A. Louisiana, State of. 70/01/20. DAVIS,J. Atomic Energy Commission (Pre 750119). 3pp.

--**9605220246** Submits inquiry rept re allegation that licensee had well accident at 14,000 ft couple weeks ago at Buffalo,WY & lost Cs-137 & Am-Be sealed sources.Claims re licensee not substantive to have been violation of NRC regulations.
WARD,J.J. Region IV, IE (720101-810228). 75/08/28. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 5pp.

--**9605220247** Informs that source lost in Gulf by Schlumberger Well Surveying Corp on 640617,recovered next day,according to licensee,w/no significant exposures incurred.
WALKER,D.I. Region 4 (Post 820201). 64/06/22. BARDEN,C.R. Texas, State of. 1p.

--**9605220249** Discusses 691211 report of loss of abandonment of 1.5 Ci Cs-137 source in oil well in Gulf of Mexico,offshore LA.
WARD,J.J. Atomic Energy Commission (Pre 750119). 70/02/02. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220251** Discusses C Racster 750515 telcon rept,informing that 1.5 Ci Cs-137 sealed source located in broken logging tool at depth of 14,600 ft in Mountain Fuel Supply Well south of Gillette, WY.
PAAS,H.J. Region IV, IE (720101-810228). 75/05/16. Region IV, IE (720101-810228). 1p.

--**9605220252** Discusses 700117 accident involving truck transporting radioactive sources.
WARD,J.J. Atomic Energy Commission (Pre 750119). 70/05/06. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220253** Informs of abandonment of 1.5 Ci Cs-137 source in well in OK on 721013.
CHEATHAM,O.C. Schlumberger Well Services. 72/10/18. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220254** Ack receipt of 721018 ltr reporting abandonment of 1.5 Ci Cs-137 sealed source in well located in Blaine County,OK.
KRUESI,F.E. Atomic Energy Commission (Pre 750119). 72/11/03. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220255** Discusses insp of licenses SNM-287 & 35-00090-03 on 740513 at Woodward,OK & 740514 & 15 at Houston,TX.Violations noted.
HOWARD,E.M. Region IV, IE (720101-810228). 74/05/22. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 8pp.

--**9605220256** Forwards TWX dtd 640616 from Region IV re loss of 1 Ci Cs-137 source under license 42-00090-03.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/06/18. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605220257** Informs that AEC do not find,on basis of info related by ME Hutchinson re operations by licensee in WY,that violation of procedures submitted to NRC by licensee for control of radiation sources occurred.
HOWARD,E.M. Region IV, IE (720101-810228). 75/08/29. HUTCHINSON,M.E. Affiliation Not Assigned. 2pp.

--**9605220258** Ack receipt of 740611 ltr informing AEC of steps taken to correct violations noted in insp of licenses SNM-287 & 42-00090-03.
HOWARD,E.M. Region IV, IE (720101-810228). 74/06/20. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220259** Forwards inquiry rept re licensee & ltr addressed to ME Hutchinson,former Schlumberger employee.W/o encls.
BROWN,G.D. Region IV, IE (720101-810228). 75/08/29. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

--**9605220260** Responds to violations noted in insp of licenses SNM-287 & 35-00090-03.Corrective actions:trucks in Woodward now placarded as required by DOT & wipe tests on Pu sources will be current within 10 days of ltr date.
CHEATHAM,O.C. Schlumberger Well Services. 74/06/11. Region IV, IE (720101-810228). 6pp.

--**9605220261** Forwards listed documents for placement in PDR.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 74/06/20. Atomic Energy Commission (Pre 750119). 4pp.

--**9605220262** Notifies of 640617 incident re lost of Cs-137 source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/06/17. Atomic Energy Commission (Pre 750119). 6pp.

--**9605220263** Confirms permanent abandonment of 1.5 Cs-137 sealed source in listed well.Cement plug (dyed red) will be placed above source & whip stock shoe placed above cement plug.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 75/11/05. Region IV, IE (720101-810228). 1p.

--**9605220264** Informs of abandonment of two radioactive logging sources in well on or about 740710 in OK.Tool & sources cemented in place.
CHEATHAM,O.C. Schlumberger Well Services. 74/07/24. Atomic Energy Commission (Pre 750119). 1p.

--**9605220265** Forwards ltrs relating to incident reported in compliance inquiry memo to file dtd 640526.
WARD,J.J. Atomic Energy Commission (Pre 750119). 64/06/29. Atomic Energy Commission (Pre 750119). 1p.

--**9605220266** Ack receipt of 740724 ltr reporting abandonment of two radioactive logging sources in well.
DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/08/06. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605220267** Discusses insp on 760701 of licenses SNM-287 & 42-00090-03 & forwards NOV.
BROWN,G.D. Region IV, IE (720101-810228). 76/07/13. PEASLEY,J.R. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220268** Advises that OC Cheatham will retire from Schlumberger Well Svcs on 741130.CE Racster will take over duties as radiation safety officer.
CHEATHAM,O.C. Schlumberger Well Services. 74/11/27. Radioisotopes Licensing Branch (Pre 790501). 2pp.

--**9605220269** Notice of violation from insp on 760701.Violation noted:nine individuals received whole body doses ranging from 1.254 rems to 3.309 rems in calendar quarter during period Jul-Dec 1975 & reports of overexposure to radiation not made.
* Region IV, IE (720101-810228). 76/07/13. 21pp.

--**9605220270** Discusses rept of loss of sealed source containing 16 Ci Am-Be & 1.5 Ci Cs-137 in well at Apexco field,Grady County, OK.
PAAS,H.J. Region IV, IE (720101-810228). 75/04/11. Region IV, IE (720101-810228). 1p.

--**9605220271** Repts abandonment of Cs-137 1.5 Ci sealed source in oil & gas well in Grady County,OK.
RACSTER,C.E. Schlumberger Well Services. 75/04/18. Region IV, IE (720101-810228). 2pp.

--**9605220272** Informs that source fallen from Humble Oil & Refining Co rig,offshore Plaquemines Parish,LA & embedded in soft mud & well cuttings.
WARD,J.J. Atomic Energy Commission (Pre 750119). 64/06/29. Atomic Energy Commission (Pre 750119). 3pp.

--**9605220273** Discusses rept of overexposure of JE Gillihan.Gillihan received whole body exposures of 17.372 rem & 7.113 rem during fourth quarter 1974 & first quarter 1975.
PAAS,H.J. Region IV, IE (720101-810228). 75/05/27. Region IV, IE (720101-810228). 1p.

--**9605220274** Forwards licensee 760723 ltr re request for amend to license 42-00090-03.Requests for licensing action should be sent to Director Nuclear Matl Safety & Safeguards as specified in 10CFR30.6, "Communications." W/o encl.
BROWN,G.D. Region IV, IE (720101-810228). 76/07/27. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 3pp.

--**9605220275** Confirms 750515 telcon to H Paas & 750522 telcon to D Bangart re abandonment of 1.5 Ci Cs-137 sealed source in well in Johnson County,WY.
RACSTER,C.E. Schlumberger Well Services. 75/06/04. Region IV, IE (720101-810228). 2pp.

--**9605220277** Confirms 760820 telcon to J Everett re permanent abandonment of 16 Ci AmBe & 1.5 Cs-137 sealed sources in listed well. Well abandoned & permanent plaque will be placed on top of casing cap containing trifoil warning symbol.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/08/24. Region IV, IE (720101-810228). 2pp.

--**9605220280** Informs of recovery of 16 Ci AmBe sealed logging source lost off licensee truck on 760904,as follow up to 760905 & 06 telcons to DE Whitesell.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/09/07. Region IV, IE (720101-810228). 2pp.

--**9605220284** Forwards file memo re lost source incident of 760905 & 06 involving licensee.
HAZLE,A.J. Colorado, State of. 76/09/09. HOWARD,E.M. Region IV, IE (720101-810228). 3pp.

--**9605220291** Ack notification of loss of 0.4 mCi Co-60 sealed source in Gulf of Mexico.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/06/30. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220305** Concurs w/proposal to leave 400 mCi Co-60 source in place.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/07/21. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220310** Informs of recovery of T/N densitometer involved in fire,per 900905 telcon.No external evidence of damage to assembly. Device now stored in locked bldg.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/09/06. WHITTEN,J. Region 4 (Post 820201). 2pp.

--**9605220312** Informs of enhanced 900620 Emergency Recovery Protocol for Ramsey Densitometer to complete registration process as custom device.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/09/13. WHITTEN,J. Region 4 (Post 820201). 6pp.

--**9605220315** Informs that 1.5 Ci Co-60 source recovered safely on 640819.
WARD,J.J. Atomic Energy Commission (Pre 750119). 64/09/01. Atomic Energy Commission (Pre 750119). 4pp.

--**9605220316** Forwards amend 49 to license 35-00389-01.
WHITTEN,J.E. Region 4 (Post 820201). 90/09/28. DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220319** Announces replacement of B Davis by W Wilson at listed address.
DAVIS,B. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 90/10/23. GRIZINSKI,B. Region 4 (Post 820201). 2pp.

--**9605220320** Notifies 901023 application for amend to license 35-00389-01 will be processed upon receipt of fee of $300.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 90/11/02. WILSON,W. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220324** Advises that on 750701,commercial carpet cleaning company employee,found lead pig containing 20 mCi I-131 vial.
PAAS,H.J. Region IV, IE (720101-810228). 75/07/03. Region IV, IE (720101-810228). 2pp.

--**9605220326** Advises of 16 Ci Pu-238 Be sealed source & 1.5 Ci Cs-137 sealed source permanently abandoned in well in Renville County,ND.
RACSTER,C.E. Schlumberger Well Services. 75/08/06. Region IV, IE (720101-810228). 2pp.

--**9605220329** Forwards license 42-00090-03,in response to 760819 request. Amends preceding Amend 24 not reproduced since Amend 24 amended license iin entirety.W/o encl.
CHAPMAN,K.R. Office of Nuclear Material Safety & Safeguards. 76/09/16. TRENCHARD,L.B. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605220331** Informs of lost of 1.5 Curie Cs-137 source at surface at drilling site in Moffat County,CO & recovery operations unsuccessful.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 64/08/17. Atomic Energy Commission (Pre 750119). 2pp.

--**9605220332** Informs of requirements licensee must have in order to possess certain sealed sources not specifically approved by NRC/Agreement States to be added to license under certain restrictions.
WHITTEN,J.E. Region 4 (Post 820201). 90/11/08. WILSON,W. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220333** Forwards certificate of compliance 5975 for source shield shipping container.
MACDONALD,C.E. Transportation Certification Branch. 75/08/11. RACSTER,C.E. Schlumberger Well Services. 1p.

--**9605220336** Provides check #390985 for amount of $300 for amend fee for Category (3P) of 10CFR170.
WILSON,W. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 463349. 90/11/13. MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 1p.

--**9605220338** Certificate of compliance 5975,rev 0,for model 5975.
MACDONALD,C.E. Transportation Certification Branch. 75/08/11. 6pp.

--**9605220339** Confirms 760911 telcon w/J Ward,informing of permanent abandonment of 1.5 Ci Cs-137 sealed source in listed well. Casing will be run to 14,450 ft depth & cemented in place. Running & cementing of casing should be completed by 760918.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/09/16. Region IV, IE (720101-810228). 1p.

--**9605220340** Notifies that RA Gunn assuming duties as corporate RSO.
GUNN,R.A. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 91/01/17. GRIZINSKI,B. Region 4 (Post 820201). 4pp.

--**9605220342** Informs that incident reported by 640814 telcon completed. Sealed source containing 1.5 Ci Cs-137 recovered 640819.
CHEATHAM,C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/08/20. Atomic Energy Commission (Pre 750119). 5pp.

--**9605220344** Informs that on 760909,received quarterly rept of occupational exposure for Enid,OK location.Rept shows exposure for second quarter 1976 to exceed 1,250 mr for employee.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 76/10/07. Region IV, IE (720101-810228). 4pp.

--**9605220352** Requests notification in writing that no transfers made during 1st,2nd,3rd & 4th quarters.
LUBINSKI,J.W. Medical, Academic & Commercial Use Safety Branch. 91/04/25. MCDONALD,O. Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.). 1p.

--**9605220353** Submits rept of loss & recovery of 1 Ci Cs-137 source in Garrett County,MD.
WARD,J.J. Atomic Energy Commission (Pre 750119). 64/10/01. Atomic Energy Commission (Pre 750119). 1p.

--**9605220354** PNO-76-184:on 761106,lost 16 Ci AmBe & 2.5 Ci Cs-137 sealed sources & approx seven small calibr sources when oil well drilling platform in Gulf of Mexico broke up & sank.Location in deep water & sources on sea bottom present no hazard.
WHITT,K., ROY,G.W., THOMPSON,D. Office of Inspection & Enforcement (750101-801210). 76/11/08. 4pp.

--**9605220359** Informs that one-curie Cs-137 source lost off Truck 3835 in Garrett County,MD,recovered & back in possession on 640913.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 64/09/28. Atomic Energy Commission (Pre 750119). 10pp.

--**9605220369** Ack receipt of 640928 ltr,informing of loss & subsequent recovery of Cs-137 source in Garrett County,MD.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/10/09. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 1p.

--**9605220383** Forwards TWX to Region IV from Schlumberger Well Surveying Corp re loss 5 Ci Pu-Be neutron source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/10/13. Atomic Energy Commission (Pre 750119). 10pp.

--**9605220394** Informs that Schlumberger assist investigation returned for rev.Listed points discussed.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 96/01/05. CLEVELAND,R.S. Atomic Energy Commission (Pre 750119). 1p.

--**9605220400** Forwards rept of investigation conducted by Region I at Region IV request.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/02/23. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p.

--**9605220417** Forwards investigation rept for Schlumberger Well Surveying Corp for period 640915,16 & 17.
CLEVELAND,R.S. Atomic Energy Commission (Pre 750119). 65/01/29. BROWN,G.D. Atomic Energy Commission (Pre 750119). 1p.

--**9605220438** Investigation rept for Schlumberger Well Surveying Corp for period 640915,16 & 17.
KNAPP,P.J., CLEVELAND,R.S. Atomic Energy Commission (Pre 750119). 64/09/18. 15pp.

--**9605220457** Forwards Licenses 42-00090-03 & SNM-287 & backup matl & requests assist insp.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/03/12. SUTHERLAND,J. Atomic Energy Commission (Pre 750119). 1p.

--**9605220462** Forwards memo dtd 650311,Page to Roeder re Schlumberger Well Surveying Corp investigation rept.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 65/05/15. Atomic Energy Commission (Pre 750119). 1p.

--**9605220470** Informs that NRC does not plan to correspond w/licensee re compliance investigation rept re loss of 1 Ci Cs-137 source.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 65/03/11. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p.

--**9605220477** Informs that there is no use of licenses 42-00090-03 & SNM-287 at CT location.
NELSON,P.R. Atomic Energy Commission (Pre 750119). 65/04/14. BROWN,G.T. Atomic Energy Commission (Pre 750119). 1p.

--**9605220480** Safety insp on 650608 & 09 of License 42-90-8.Insp findings: no item of noncompliance found.
* Atomic Energy Commission (Pre 750119). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/09. 2pp.

--**9605220485** Safety insp on 650608 & 09 of License 42-90-3.Insp findings: storage containers not labeled to show quantity,date of measurement or kind of radioactive matl in containers.
* Atomic Energy Commission (Pre 750119). * Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/09. 2pp.

--**9605220494** Forwards assist insps conducted by Region III of Schlumberger Well Surveying Corp at Columbus & Wooster,OH during wk of 650419.
ALLEN,J.M. Atomic Energy Commission (Pre 750119). 65/05/12. BROWN,G.T. Atomic Energy Commission (Pre 750119). 1p.

--**9605230100** Insp of License 42-90-3 on 650419-21.No items of noncompliance noted as result of field insp,other than labeling deficiencies discussed earlier.
ROY,G.W., MORETTI,E.J. Atomic Energy Commission (Pre 750119). 65/05/04. 9pp.

--**9605230103** Announces assist insp of licensee use of licensed matls in New Orlrans area conducted on 650510 & 13.
SUTHERLAND,J. Atomic Energy Commission (Pre 750119). 65/05/26. BROWN,G.T. Atomic Energy Commission (Pre 750119). 10pp.

--**9605230105** Informs that lost source could not be recovered & cemented in place,as reported in ltr to AEC dtd 650617 from licensee.
WARD,J.J. Atomic Energy Commission (Pre 750119). 65/06/21. Atomic Energy Commission (Pre 750119). 1p.

--**9605230108** Submits rept of loss of 1 Ci Cs-137 source in well in West VA.
CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 65/06/17. Atomic Energy Commission (Pre 750119). 2pp.

--**9605230113** Ack receipt of 650617 ltr,informing NRC of loss of one curie Cs-137 source in well located in Barbour County,WV.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 65/06/24. CHEATHAM,O.C. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605230122** Discusses assist insps of Schlumberger Well Surveying Corp.
SANDEL,P.S. Atomic Energy Commission (Pre 750119). 65/07/12. Atomic Energy Commission (Pre 750119). 10pp.

--**9605230132** Submits rept of loss of Schlumberger well logging source in std oil rig,twelve miles off OR coast.
WARD,J.J. Atomic Energy Commission (Pre 750119). 65/08/03. Atomic Energy Commission (Pre 750119). 1p.

--**9605230137** Confirms telcon & forwards 650105 notice of license expiration from div of matls licensing,pertaining to former License 42-90-7.
WARD,J.J. Atomic Energy Commission (Pre 750119). 65/11/04. DEWAN,J.T. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp.

--**9605230141** Confirms 660527 telcon,requesting assist investigation of reported exposure.Available info contained in attached TWX.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 66/05/27. Atomic Energy Commission (Pre 750119). 1p.

--**9605230145** Ack receipt of 660608 ltr,informing NRC of high badge exposure.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 66/06/15. CHEATHAM,O.C. Schlumberger Well Services. 1p.

--**9605230156** Informs that NRC have not placed copy of 660608 ltr in PDR as incident does not appear to be reportable,per 10CFR20.405.
HANDLER,R. Atomic Energy Commission (Pre 750119). 66/06/15. Atomic Energy Commission (Pre 750119). 1p.

--**9605230161** Forwards original & copies of TWX from licensee dtd 660526 re film badge exposure occurred at Evansville,IN facility.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/06/21. Atomic Energy Commission (Pre 750119). 1p.

--**9605230163** Forwards TWX dtd 660527 re film badge exposure of rem.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 66/05/27. Atomic Energy Commission (Pre 750119). 1p.

--**9606060089** Confirms telcons to H Paas on 750515 & to D Bangart on 750522,informing that 1.5 Ci Cs-137 sealed source permanently abandoned in listed well.Sketch showing position of source & abandonment procedure encl.
RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 75/06/04. Region IV, IE (720101-810228). 1p.

9605130035 Final response to FOIA request for documents.Records in App A available in PDR.App B records being made available in PDR & App C records being withheld in part (ref Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/08. BRACK,H.G. Center for Biological Monitoring, Inc. 6pp. 88231:102-88231:349.

--**9501110438** Requests FR publication of notice of consideration of issuance of amend to license DPR-36 & proposed NSHC determination & opportunity for hearing on 941206 request re revising TS to allow CE sleeving process to repair SG tube.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). TAC M91119. 95/01/04. NRC - No Detailed Affiliation Given. 7pp. 88231:191-88231:197.

--**9503170124** Forwards safety evaluation accepting licensee proposed sleeving method for SG tubes.
STROSNIDER,J. . TAC M91119. 95/03/12. BUTLER,W. Project Directorate I-3 (PD1-3) (Post 941001). 1p. 88231:198-88231:198.

--**9504180099** Requests FR publication of notice of issuance of amend 149 to license DPR-36.Amend revises TS to allow use of C-E sleeving process for repairing SG tube.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). TAC M91119. 95/04/14. NRC - No Detailed Affiliation Given. 3pp. 88231:205-88231:207.

--**9505250201** Requests FR publication of notice of issuance of Amend 150 to License DPR-36.Amend revises TS to allow use of Westinghouse sleeving process for repairing SG tubes.
TROTTIER,E.H. . TAC M92032. 95/05/22. NRC - No Detailed Affiliation Given. 2pp. 88231:208-88231:209.

-9512280106 Informs that SG sleeve insp program has been reviewed. Comments submitted.
STROSNIDER,J.R. . 95/12/06. MCKEE,P.F. . 3pp. 88231:210-88231:212.

-9605130119 EGG-1183-1605 "Radiological Survey of Area Surrounding Maine Yankee Atomic Power Plant,Wiscasset,ME."
DOYLE,J.F., JUPITER,C. EG&G, Inc. 73/08/10. 28pp. 88231:110-88231:190.

-9605130162 SER accepting review & evaluation of info & data presented in CEN-618-P, "MYAP SG Tube Repair Using Leak Tight Sleeves."
* . 95/03/12. 6pp. 88231:199-88231:204.

-9605130200 CEN-618-P R00 Partially withheld final rept, "SG Tube Repair Using Leak Tight Sleeves."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 94/10/31. 100pp. 88231:213-88231:349.

9605170448 FOIA request for documents re Coars Porcelain plant activities re Project Pluto in 1960s.
WHITE,W. Affiliation Not Assigned. 96/04/14. NRC - No Detailed Affiliation Given. 1p. 88307:001-88307:001.

9605170461 Final response to FOIA request for documents.Forwards documents listed in App A.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/03. WHITE,W. Affiliation Not Assigned. 2pp. 88307:002-88307:201.

-9605170471 Application for AEC license to receive,possess,use & transfer of SNM.
* Affiliation Not Assigned. 63/11/14. Atomic Energy Commission (Pre 750119). 200pp. 88307:004-88307:133.

-9605170483 Forwards completed application for licenses to receive,use, possess & transfer source & SNMs.
MORNIN,B.L. . 64/01/23. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 3pp. 88307:134-88307:136.

-9605170485 Application for license to receive,store,possess & ship SNM.
* . 64/01/20. 67pp. 88307:137-88307:201.

9605170505 FOIA request for documents re transportation or shipping of hazardous waste matls from Mound Lab of Miamisburg,Ohio for disposal,processing or other disposition in Canon City, Colorado area to facility owned or operated by Cotter Corp.
BUSH,M.C. Affiliation Not Assigned. 95/10/18. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88357:001-88357:002.

9605170507 Final response to FOIA request for documents.No agency records subj to request have been located.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/12/01. BUSH,M.C. Affiliation Not Assigned. 1p. 88357:003-88357:003.

9605170512 Appeals denial of FOIA request for documents re transportation or shipping of hazardous waste matls from Mound Lab of Miamisburg,Ohio for disposal,processing or other disposition in Canon City,Colorado area.
BUSH,M.C. Affiliation Not Assigned. 95/12/28. Ofc of the Executive Director for Operations. 2pp. 88357:004-88357:005.

9605200061 Responds to appeal of denial of documents re transportation of hazardous waste matls from Mound Lab of Miamisburg,Ohio for disposal in Canon City,Colorado area.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 96/05/06. BUSH,M.C. Affiliation Not Assigned. 8pp. 88357:006-88358:120.

-9501250214 Responds to 931108 request for guidance re need for NRC involvement at FUSRAP listed sites.
GLENN,J.E. Division of Waste Management (NMSS 940403). 95/01/18. SHEAR,G. Region 3 (Post 820201). 2pp. 88357:249-88357:254.

-9503100022 Concludes that former licensed site at listed address, Hazelwood,MO contaminated with radioactive matls exceeded NRC criteria for unrestricted release.
SHEAR,G.L. Region 3 (Post 820201). 95/03/06. JARBOE,E.D. Futura Coatings, Inc. 17pp. 88357:264-88357:280.

-9605200066 Forwards event chronology of significant Cotter-related activities for period 691231-780515.
KEPPLER,J.G. Region III, IE (720101-810228). 78/05/31. HIGGINBOTHAM,L. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 8pp. 88357:014-88357:040.

-9605200078 Informs of agreement w/RO III conclusion that attempts to recover seven tons of natural U under 100 ft of refuse & earth would serve no useful purpose,since U compound would not be identifiable.
ROY,W. Atomic Energy Commission (Pre 750119). 74/06/26. THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 2pp. 88357:043-88357:048.

-9605200084 Informs that license SUB-1022 terminated IAW licensee application dtd 740510.
ROUSE,L.C. Atomic Energy Commission (Pre 750119). 74/11/13. MARCOTT,D.P. Cotter Corp. 5pp. 88357:052-88357:117.

-9605200100 "Radiological Survey of Property at 9200 Latty Avenue, Hazelwood,Missouri."
LEGGETT,R.W., PERDUE,P.T., HAYWOOD,F.F. Oak Ridge National Laboratory. 77/09/30. 88pp. 88357:118-88357:225.

-9605200106 Discusses request for clarification of regulatory authority for Contemporary Metals,Continental Mining & Milling Co, Cotter Corp & Commercial Discount.
SHEAR,G. Region 3 (Post 820201). 93/11/08. AUSTIN,J.M. Decommissioning & Regulatory Issues Branch (Post 901230). 7pp. 88357:226-88357:248.

-9605200134 Submits revised set of instructions for reporting nuclear matl transfers on Form NRC/ERDA-741,effective 760701.
BUILDER,C.H. Division of Safeguards (Pre 870413). 76/06/17. Affiliation Not Assigned. 1p. 88357:255-88357:255.

-9605200146 Informs of approval of concept of exchanging U3O8 for residues containing Pa-231 & Th-230 as long as amount of U3O8 involved compatible w/current market.
VAN DYKEN,A.R. Atomic Energy Commission (Pre 750119). 72/04/25. MARCOTT,D.F. Cotter Corp. 8pp. 88357:256-88357:263.

-9605200156 Submits rept re Old Cotter Site on Latty Ave,St.Louis.
FRIGERIO,N.A. Argonne National Laboratory. 96/05/06. CROW,W. Division of Fuel Cycle & Material Safety (Pre 870413). 10pp. 88357:281-88357:298.

-9605200166 Advises that Airport Commission at 780914 meeting approved proposal submitted by St Louis Metropolitan Police Dept to develop AEC Site.
AUBUCHON,D.G. St. Louis, MO. 78/09/19. CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 1p. 88357:299-88357:299.

-9605200170 Submits concurrence on ltr from WT Crow to DG Aubuchon.
DAVIS,A.B. Fuel Facility & Materials Safety Branch, R3. 78/11/02. HIGGINBOTHAM,L. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 1p. 88357:300-88357:334.

-9605200256 Discusses release criteria for decontaminating Hazelwood, Missouri property at Latty Avenue.
SNIEZEK,J.H. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 80/01/15. CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 88357:335-88357:335.

-9605200265 Summarizes 780922 meeting in Silver Spring,MD to establish criteria for decontaminating Ex-Cotter property on Latty Avenue in Hazelwood,Missouri.
CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 79/01/18. Fuel Process. & Fab. Branch (Pre 790727). 9pp. 88357:336-88357:347.

-9605200275 Trip rept of 770418 visit to St Louis,Missouri re sale of 9200 latty Avenue property.
PHILLIP,G.A. Region III, IE (720101-810228). 77/04/22. Region III, IE (720101-810228). 3pp. 88357:348-88357:351.

-9605200287 Requests that ORNL be asked to perform radiological survey under direction of WT Thornton.Illegible date.
JORDAN,E.L. Office of Inspection & Enforcement (750101-801210). 96/05/06. HART,R.J. Oak Ridge National Laboratory. 3pp. 88357:352-88357:354.

-9605200301 Confirms discussion between Allen & Smith re radiological surveys at site of formerly licensed activities of Cotter Corp.
JORDAN,E.L. Office of Inspection & Enforcement (750101-801210). 77/06/13. KENNEDY,R.H. Energy Research & Development Admin.(Presently DOE). 7pp. 88357:355-88358:002.

-9605200306 Responds to 770622 ltr to J Pagliaro re radiation survey conducted on ED Jarboe property.
KEPPLER,J.G. Region III, IE (720101-810228). 77/07/08. JARBOE,E.D. Affiliation Not Assigned. 1p. 88358:006-88358:006.

-9605200313 Authorizes NRC right of entry to 9200 Latty Avenue property to perform radioactive survey.
JARBOE,E.D. Affiliation Not Assigned. 77/06/22. PAGLIARO,J.A. Region III, IE (720101-810228). 1p. 88358:007-88358:007.

-9605200323 Forwards comments re Commission info paper on Cotter Corp transmitted on 770720.
KEPPLER,J.G. Region III, IE (720101-810228). 77/07/22. JORDAN,E.L. Office of Inspection & Enforcement (750101-801210). 16pp. 88358:008-88358:023.

-9605200328 Forwards preliminary rept on results of radiological survey conducted at former Cotter property.
MEYERS,S. Division of Fuel Cycle & Material Safety (Pre 870413). 77/08/16. MARCOTT,D.P. Cotter Corp. 34pp. 88358:024-88358:061.

-9605200344 Summarizes discussion re status of ED Jarboe property at Latty Avenue,Hazelwood,Missouri.
MARTIN,J. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 77/09/09. JARBOE,E.D. Affiliation Not Assigned. 5pp. 88358:062-88358:073.

-9605200357 Summarizes 770908 & 0916 meetings between Cotter Corp & NRC re conditions at Latty Avenue Site.Lists attendees.
* NRC - No Detailed Affiliation Given. 77/09/19. NRC - No Detailed Affiliation Given. 2pp. 88358:074-88358:075.

-9605200369 Forwards meeting minutes of 770916 meeting.
MARTIN,J.B. Division of Fuel Cycle & Material Safety (Pre 870413). 77/09/19. RIFAKES,G. Commonwealth Edison Co. 1p. 88358:076-88358:078.

-9605200405 Discusses 770921 meeting between representatives of Cotter Corp & ORNL personnel re survey of Latty Avenue,Hazelwood, Missouri site.List of attendees submitted.
LONERGAN,G.T. Region III, IE (720101-810228). 77/09/23. Region III, IE (720101-810228). 8pp. 88358:079-88358:086.

-9605200409 Responds to 770930 request to determine current status of final rept on ORNL survey of Latty Avenue site.
LONERGAN,G.T. Region III, IE (720101-810228). 77/10/05. Region III, IE (720101-810228). 2pp. 88358:087-88358:088.

-9605200413 Trip rept of 771013 visit to Latty Avenue Site to aquaint staff w/site prior to engineering evaluation.
CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 77/11/09. Fuel Process. & Fab. Branch (Pre 790727). 2pp. 88358:090-88358:091.

-9605200419 Summary of 771012-14 meeting w/util in Missouri re activities surrounding various sites containing radioactive matl in State of Missouri which have possibilty of being involved in Latty Avenue cleanup.
LONERGAN,G.T. Region III, IE (720101-810228). 77/12/08. Region III, IE (720101-810228). 8pp. 88358:092-88358:099.

-9605200423 Provides comments on interim rept, "Radiological Survey of Property on 9200 Latty Avenue,Hazelwood,Missouri."
FISHER,W.L. Region III, IE (720101-810228). 77/12/15. SLY,D.K. Office of Inspection & Enforcement (750101-801210). 2pp. 88358:100-88358:101.

-9605200427 Requests that ORNL perform survey of Westlake landfill site in Hazelwood,Missouri.
MARTIN,J.B. Division of Fuel Cycle & Material Safety (Pre 870413). 77/12/16. RAMSEY,R.W. Energy, Dept. of. 1p. 88358:102-88358:102.

-9605200431 Forwards comments resulting from technical review of ORNL rept on Latty Avenue Site survey by WT Thornton,IAW NRC SOW 30-77-50,Project FIN A-9072.
LENHARD,J.A. Energy, Dept. of. FIN A-9072. 77/12/22. JORDAN,E.L. Executive Officer for Operations Support, IE. 16pp. 88358:103-88358:120.

-9605210336 Forwards Certificate of Status WRT source matls license of Cotter Corp & constituting notification that corporation no longer possesses any radioactive matl subj to USAEC licensing requirements.
MCGRATH,E.J. McGrath, E. J. 74/05/10. BURKHARDT,W. Atomic Energy Commission (Pre 750119). 2pp. 88357:041-88357:042.

-9605210353 Discusses licensee request to terminate source matl license SUB-1022,by application dtd 740510.Approval of subj application recommended.
CROW,W.T. Atomic Energy Commission (Pre 750119). 74/11/13. Atomic Energy Commission (Pre 750119). 1p. 88357:049-88357:051.

-9605210522 Press release III-77-036, "Radiological Survey to Begin 770627 at Vacant Industrial Site in Hazelwood,Missouri."
* Region III, IE (720101-810228). 77/06/24. 3pp. 88358:003-88358:005.

-9605220004 Press release III-77-062, "Aerial Radiation Survey Planned for St Louis,Missouri Area."
* Region III, IE (720101-810228). 77/10/19. 1p. 88358:089-88358:089.

-9501250214 Responds to 931108 request for guidance re need for NRC involvement at FUSRAP listed sites.
GLENN,J.E. Division of Waste Management (NMSS 940403). 95/01/18. SHEAR,G. Region 3 (Post 820201). 2pp. 88357:249-88357:254.

-9503100022 Concludes that former licensed site at listed address, Hazelwood,MO contaminated with radioactive matls exceeded NRC criteria for unrestricted release.
SHEAR,G.L. Region 3 (Post 820201). 95/03/06. JARBOE,E.D. Futura Coatings, Inc. 17pp. 88357:264-88357:280.

-9605200066 Forwards event chronology of significant Cotter-related activities for period 691231-780515.
KEPPLER,J.G. Region III, IE (720101-810228). 78/05/31. HIGGINBOTHAM,L. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 8pp. 88357:014-88357:040.

-9605200078 Informs of agreement w/RO III conclusion that attempts to recover seven tons of natural U under 100 ft of refuse & earth would serve no useful purpose,since U compound would not be identifiable.
ROY,W. Atomic Energy Commission (Pre 750119). 74/06/26. THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 2pp. 88357:043-88357:048.

-9605200084 Informs that license SUB-1022 terminated IAW licensee application dtd 740510.
ROUSE,L.C. Atomic Energy Commission (Pre 750119). 74/11/13. MARCOTT,D.P. Cotter Corp. 5pp. 88357:052-88357:117.

-9605200100 "Radiological Survey of Property at 9200 Latty Avenue, Hazelwood,Missouri."
LEGGETT,R.W., PERDUE,P.T., HAYWOOD,F.F. Oak Ridge National Laboratory. 77/09/30. 88pp. 88357:118-88357:225.

-9605200106 Discusses request for clarification of regulatory authority for Contemporary Metals,Continental Mining & Milling Co, Cotter Corp & Commercial Discount.
SHEAR,G. Region 3 (Post 820201). 93/11/08. AUSTIN,J.M. Decommissioning & Regulatory Issues Branch (Post 901230). 7pp. 88357:226-88357:248.

-9605200134 Submits revised set of instructions for reporting nuclear matl transfers on Form NRC/ERDA-741,effective 760701.
BUILDER,C.H. Division of Safeguards (Pre 870413). 76/06/17. Affiliation Not Assigned. 1p. 88357:255-88357:255.

-9605200146 Informs of approval of concept of exchanging U3O8 for residues containing Pa-231 & Th-230 as long as amount of U3O8 involved compatible w/current market.
VAN DYKEN,A.R. Atomic Energy Commission (Pre 750119). 72/04/25. MARCOTT,D.F. Cotter Corp. 8pp. 88357:256-88357:263.

-9605200156 Submits rept re Old Cotter Site on Latty Ave,St.Louis.
FRIGERIO,N.A. Argonne National Laboratory. 96/05/06. CROW,W. Division of Fuel Cycle & Material Safety (Pre 870413). 10pp. 88357:281-88357:298.

-9605200166 Advises that Airport Commission at 780914 meeting approved proposal submitted by St Louis Metropolitan Police Dept to develop AEC Site.
AUBUCHON,D.G. St. Louis, MO. 78/09/19. CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 1p. 88357:299-88357:299.

-9605200170 Submits concurrence on ltr from WT Crow to DG Aubuchon.
DAVIS,A.B. Fuel Facility & Materials Safety Branch, R3. 78/11/02. HIGGINBOTHAM,L. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 1p. 88357:300-88357:334.

-9605200256 Discusses release criteria for decontaminating Hazelwood, Missouri property at Latty Avenue.
SNIEZEK,J.H. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 80/01/15. CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 88357:335-88357:335.

-9605200265 Summarizes 780922 meeting in Silver Spring,MD to establish criteria for decontaminating Ex-Cotter property on Latty Avenue in Hazelwood,Missouri.
CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 79/01/18. Fuel Process. & Fab. Branch (Pre 790727). 9pp. 88357:336-88357:347.

-9605200275 Trip rept of 770418 visit to St Louis,Missouri re sale of 9200 latty Avenue property.
PHILLIP,G.A. Region III, IE (720101-810228). 77/04/22. Region III, IE (720101-810228). 3pp. 88357:348-88357:351.

-9605200287 Requests that ORNL be asked to perform radiological survey under direction of WT Thornton.Illegible date.
JORDAN,E.L. Office of Inspection & Enforcement (750101-801210). 96/05/06. HART,R.J. Oak Ridge National Laboratory. 3pp. 88357:352-88357:354.

-9605200301 Confirms discussion between Allen & Smith re radiological surveys at site of formerly licensed activities of Cotter Corp.
JORDAN,E.L. Office of Inspection & Enforcement (750101-801210). 77/06/13. KENNEDY,R.H. Energy Research & Development Admin.(Presently DOE). 7pp. 88357:355-88358:002.

-9605200306 Responds to 770622 ltr to J Pagliaro re radiation survey conducted on ED Jarboe property.
KEPPLER,J.G. Region III, IE (720101-810228). 77/07/08. JARBOE,E.D. Affiliation Not Assigned. 1p. 88358:006-88358:006.

-9605200313 Authorizes NRC right of entry to 9200 Latty Avenue property to perform radioactive survey.
JARBOE,E.D. Affiliation Not Assigned. 77/06/22. PAGLIARO,J.A. Region III, IE (720101-810228). 1p. 88358:007-88358:007.

-9605200323 Forwards comments re Commission info paper on Cotter Corp transmitted on 770720.
KEPPLER,J.G. Region III, IE (720101-810228). 77/07/22. JORDAN,E.L. Office of Inspection & Enforcement (750101-801210). 16pp. 88358:008-88358:023.

-9605200328 Forwards preliminary rept on results of radiological survey conducted at former Cotter property.
MEYERS,S. Division of Fuel Cycle & Material Safety (Pre 870413). 77/08/16. MARCOTT,D.P. Cotter Corp. 34pp. 88358:024-88358:061.

-9605200344 Summarizes discussion re status of ED Jarboe property at Latty Avenue,Hazelwood,Missouri.
MARTIN,J. Division of Fuel Facility & Materials Safety Inspection, IE (750101-801210). 77/09/09. JARBOE,E.D. Affiliation Not Assigned. 5pp. 88358:062-88358:073.

-9605200357 Summarizes 770908 & 0916 meetings between Cotter Corp & NRC re conditions at Latty Avenue Site.Lists attendees.
* NRC - No Detailed Affiliation Given. 77/09/19. NRC - No Detailed Affiliation Given. 2pp. 88358:074-88358:075.

-9605200369 Forwards meeting minutes of 770916 meeting.
MARTIN,J.B. Division of Fuel Cycle & Material Safety (Pre 870413). 77/09/19. RIFAKES,G. Commonwealth Edison Co. 1p. 88358:076-88358:078.

-9605200405 Discusses 770921 meeting between representatives of Cotter Corp & ORNL personnel re survey of Latty Avenue,Hazelwood, Missouri site.List of attendees submitted.
LONERGAN,G.T. Region III, IE (720101-810228). 77/09/23. Region III, IE (720101-810228). 8pp. 88358:079-88358:086.

-9605200409 Responds to 770930 request to determine current status of final rept on ORNL survey of Latty Avenue site.
LONERGAN,G.T. Region III, IE (720101-810228). 77/10/05. Region III, IE (720101-810228). 2pp. 88358:087-88358:088.

-9605200413 Trip rept of 771013 visit to Latty Avenue Site to aquaint staff w/site prior to engineering evaluation.
CROW,W.T. Fuel Process. & Fab. Branch (Pre 790727). 77/11/09. Fuel Process. & Fab. Branch (Pre 790727). 2pp. 88358:090-88358:091.

-9605200419 Summary of 771012-14 meeting w/util in Missouri re activities surrounding various sites containing radioactive matl in State of Missouri which have possibilty of being involved in Latty Avenue cleanup.
LONERGAN,G.T. Region III, IE (720101-810228). 77/12/08. Region III, IE (720101-810228). 8pp. 88358:092-88358:099.

-9605200423 Provides comments on interim rept, "Radiological Survey of Property on 9200 Latty Avenue,Hazelwood,Missouri."
FISHER,W.L. Region III, IE (720101-810228). 77/12/15. SLY,D.K. Office of Inspection & Enforcement (750101-801210). 2pp. 88358:100-88358:101.

-9605200427 Requests that ORNL perform survey of Westlake landfill site in Hazelwood,Missouri.
MARTIN,J.B. Division of Fuel Cycle & Material Safety (Pre 870413). 77/12/16. RAMSEY,R.W. Energy, Dept. of. 1p. 88358:102-88358:102.

-9605200431 Forwards comments resulting from technical review of ORNL rept on Latty Avenue Site survey by WT Thornton,IAW NRC SOW 30-77-50,Project FIN A-9072.
LENHARD,J.A. Energy, Dept. of. FIN A-9072. 77/12/22. JORDAN,E.L. Executive Officer for Operations Support, IE. 16pp. 88358:103-88358:120.

-9605210336 Forwards Certificate of Status WRT source matls license of Cotter Corp & constituting notification that corporation no longer possesses any radioactive matl subj to USAEC licensing requirements.
MCGRATH,E.J. McGrath, E. J. 74/05/10. BURKHARDT,W. Atomic Energy Commission (Pre 750119). 2pp. 88357:041-88357:042.

-9605210353 Discusses licensee request to terminate source matl license SUB-1022,by application dtd 740510.Approval of subj application recommended.
CROW,W.T. Atomic Energy Commission (Pre 750119). 74/11/13. Atomic Energy Commission (Pre 750119). 1p. 88357:049-88357:051.

-9605210522 Press release III-77-036, "Radiological Survey to Begin 770627 at Vacant Industrial Site in Hazelwood,Missouri."
* Region III, IE (720101-810228). 77/06/24. 3pp. 88358:003-88358:005.

-9605220004 Press release III-77-062, "Aerial Radiation Survey Planned for St Louis,Missouri Area."
* Region III, IE (720101-810228). 77/10/19. 1p. 88358:089-88358:089.

9605200458 FOIA request for info available re permits,enforcement actions,consent decrees,notices of violations or any other regulatory enforcement items sent to listed address.
WINGARD,J.D. Damon & Morey. 96/03/25. MCCORMICK,C. Region 3 (Post 820201). 1p. 88358:121-88358:121.

9605200470 FOIA request for copies of agency records re assistance, exchange & humanitarian aid provided for former Soviet Union by US since 911225.
KRIKORIAN,V.Z. . 92/05/05. State, Dept. of. 2pp. 88307:202-88307:204.

9605210002 Second final response to FOIA request for documents.Records in App B encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/10. NICKELS,L.A. Waste Management, Inc. 3pp. 88307:214-88307:348.

-9605210005 Forwards insp repts 40-1790/82-01 & 40-0017/82-02 on 820511- 14 & 19 & 0604 & 10.No items of noncompliance identified.
HIND,J.A. Region 3 (Post 820201). 82/06/30. RAMPY,L.W. Dow Chemical Co. 3pp. 88307:219-88307:221.

-9605210262 Insp repts 40-1790/82-01 & 40-0017/82-02 on 820511-0610.No violations noted.Major areas inspected:direct radiation & contamination surveys of areas used while licenses were in effect & of other adjacent areas.
OESTMANN,M.J., ROZAK,S., SCHUMACHER,M.C. Region 3 (Post 820201). 40-0017/82-02. 82/06/24. 22pp. 88307:222-88307:245.

-9605210288 Forwards listed draft radiological survey repts for comment. Subj repts to be finalized upon receipt of comments.
BERGER,J.D. Oak Ridge Associated Universities. 85/02/06. SCHUMACHER,M.C. Region 3 (Post 820201). 2pp. 88307:246-88307:248.

-9605210330 Forwards listed revised draft radiological survey repts. Repts to be finalized upon receipt of comments.
BERGER,J.D. Oak Ridge Associated Universities. 85/08/16. SCHUMACHER,M.C. Region 3 (Post 820201). 73pp. 88307:249-88307:321.

-9605210344 Discusses results of phase of investigation of Aerospace America property in Bay City,MI,informing that ppm levels of thorium present in soil samples taken at depths to 50 ft. Facility map,thorium analytical results in ppm & Apps encl.
JURY,M.R. Michigan, State of. 94/07/07. KURTH,M.F. Region 3 (Post 820201). 17pp. 88307:322-88307:348.

9605210006 Seventh partial response to FOIA request re documents.App L records being withheld in entirety (ref FOIA exemption 4).
* Division of Freedom of Information & Publications Services (Post 940714). 96/05/15. LEE,S.K. Affiliation Not Assigned. 3pp. 88358:183-88358:186.

9605210016 Second partial FOIA response to request for documents. Records in App B available in PDR.App C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/15. WILD,R. Damon & Morey. 3pp. 88358:122-88358:182.

-8005290608 Forwards payment of civil penalties for storing waste containers for longer than license specifies.Corrective action includes establishment of inventory sys,semiannual physical inventory & reduction of inventory.
BELL,J.P. Atomic Disposal Co., Inc. EA-80-003. 80/04/22. STELLO,V. Office of Inspection & Enforcement (750101-801210). 3pp. 88358:129-88358:131.

-8009290502 Discusses IE insp on 800605 & forwards notice of violation & notice of proposed imposition of civil penalty.
STELLO,V. Office of Inspection & Enforcement (750101-801210). EA-80-058. 80/09/17. BELL,J.P. Atomic Disposal Co., Inc. 2pp. 88358:142-88358:143.

-8009290505 Notice of proposed imposition of civil penalty in amount of $2,000 for item of noncompliance noted in IE insp on 800605.
* Office of Inspection & Enforcement (750101-801210). EA-80-058. 80/09/17. 1p. 88358:144-88358:144.

-8009290508 Notice of violation from insp on 800605.Noncompliance noted: shipment of low specific activity radioactive matl was not properly braced in transport vehicle;packaged shipment not adequately sealed resulting in leakage of liquid.
* Office of Inspection & Enforcement (750101-801210). EA-80-058. 80/09/17. 2pp. 88358:145-88358:146.

-8012310243 Responds to 801009 ltr re 800917 notice of violation & proposed imposition of civil penalties.Order imposing civil penalties encl.
DEYOUNG,R.C. Office of Inspection & Enforcement (750101-801210). EA-80-058. 80/12/04. BELL,J.P. Atomic Disposal Co., Inc. 1p. 88358:160-88358:166.

-8012310251 Order of imposition of civil penalty in amount of $2,000 for item of noncompliance noted in IE insp on 800605.
* Office of Inspection & Enforcement (750101-801210). EA-80-058. 80/12/04. Atomic Disposal Co., Inc. 6pp. 88358:161-88358:166.

-9605210021 Submits info in response to 800212 ltr re infraction of Condition 8 of NRC license.
BELL,J.P. Atomic Disposal Co., Inc. 80/02/25. STELLO,V. Office of Inspection & Enforcement (750101-801210). 3pp. 88358:125-88358:128.

-9605210026 Recommends civil penalty be issued to license for violations of 40CFR173.392 in shipment of radwaste.Draft ltr to licensee w/NOV & notice of proposed imposition of civil penalties,encl.
KEPPLER,J.G. Region III, IE (720101-810228). EA-80-058. 80/08/22. THOMPSON,D. Region III, IE (720101-810228). 9pp. 88358:132-88358:141.

-9605210053 Informs licensee has not shown error in view as to why civil penalty should not be imposed upon review of licensee response dtd 801009.Draft response including Order Imposing Civil Penalties in amount of $2,000.00,encl.
KEPPLER,J.G. Region III, IE (720101-810228). EA-80-058. 80/11/07. THOMPSON,D. Office of Inspection & Enforcement (750101-801210). 13pp. 88358:147-88358:159.

-9605210064 Forwards check in amount of $2,000 for payment of fine ordered in 801204 ltr.
BELL,J.P. ADCO Services, Inc. EA-80-058. 80/12/29. DEYOUNG,R.C. Office of Inspection & Enforcement (750101-801210). 3pp. 88358:167-88358:169.

-9605210068 Recommends issuance of civil penalty against licensee for Severity Level II transportation violation found on 800722. Draft ltr to licensee w/other supporting info,encl.
KEPPLER,J.G. Region III, IE (720101-810228). EA-81-026. 81/02/06. THOMPSON,D. Region III, IE (720101-810228). 8pp. 88358:170-88358:177.

-9605230011 Insp rept 30-07490/80-86 on 800722.No violations noted. Major areas inspected:trailer number 44232 & associated shipping documents.W/o documenting info.
PANG,J.F., GRAYSON,W.M., THOMAS,R.D. Region III, IE (720101-810228). 81/01/29. 1p. 88358:178-88358:178.

-9605230018 Insp rept 15000046/80-86 on 800722.Violations noted.Major areas inspected:trailer number 440232 & associated shipping documents.W/o documenting info.
PANG,F., GRAYSON,W.M., THOMAS,R.D. Region V, IE (720101-810228). 80/10/15. 4pp. 88358:179-88358:182.

9605210019 FOIA request for documents re permits,enforcement actions, consent decrees,notices of violations or other regulatory enforcement items re ADCO Svcs in Tinley Park,IL.
WINGARD,J.D. Dames & Moore. 96/03/25. MCCORMICK,C. Region 3 (Post 820201). 1p. 88307:349-88307:349.

9605210030 Final response to FOIA request for documents.Records in App B encl & will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/09. BATTLE,J. Affiliation Not Assigned. 2pp. 88308:001-88308:039.

-9605210050 SECY-76-277 Requests Commission review of proposed issuance of export license XSNM-0845.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/21. 13pp. 88308:005-88308:017.

-9605210055 Informs Joint Committee of amended license application, XSNM-0805,filed w/NRC under circumstances which make possible that export license for fuel involved will be issued shortly.
ROWDEN,M.A. Commissioners (Post 750119). 76/05/25. MURPHY,G.F. Congress, Joint Committee on Atomic Energy. 2pp. 88308:018-88308:019.

-9605210060 SECY-75-728A Informs Commission of revised license applications & requests review of proposed issuance of amended export license XSNM-0805.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/25. 6pp. 88308:020-88308:025.

-9605210067 SECY-76-277A Informs Commission of revised license application & requests review of proposed issuance of amended export license XSNM-0845.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/25. 6pp. 88308:026-88308:031.

-9605210072 Responds to Joint Committee request for views of NRC on S Res 415,resolution expressing sense of Senate re transfer of fissionable matl to India.
ROWDEN,M.A. Commissioners (Post 750119). 76/06/02. MURPHY,G.F. Congress, Joint Committee on Atomic Energy. 4pp. 88308:032-88308:035.

-9605210075 Requests NRC comments on S Res 415,resolution expressing sense of Senate re transfer of fissionable matl to India.
MURPHY,G.F. Congress, Joint Committee on Atomic Energy. 76/05/24. ROWDEN,M.A. Commissioners (Post 750119). 3pp. 88308:036-88308:038.

-9605210078 Forwards formal transmittal of State response to Ribicoffs ltr on US heavy water at CIRUS reactor.W/o encl.
HUBERMAN,B. NRC - No Detailed Affiliation Given. 76/06/10. ROWDEN,M.A., MASON, GILINSKY Commissioners (Post 750119). 1p. 88308:039-88308:039.

9605210037 First partial response to FOIA request for documents. Forwards documents listed in app A.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/10. WILD,R. Dames & Moore. 2pp. 88307:350-88307:356.

-8801060042 License 12-28069-01 for ADCO Svcs,Inc,authorizing use of byproduct matls w/Atomic Numbers 1-96 & Po-210 for receipt, possession & storage of packaged waste matls.
DAVIS,J. Region 1 (Post 820201). 87/08/28. 2pp. 88307:353-88307:354.

-8801280620 Corrected License 12-28069-01 for ADCO Svcs Inc,authorizing use & possession of 45 Ci matls w/Atomic Numbers 1-83, 1 Ci Po-210 & 500 kg SNM w/ Atomic Numbers 84-96.
DAVIS,J. Region 1 (Post 820201). 87/09/17. 2pp. 88307:355-88307:356.

-9003120529 Matls licensing package for Amend 1 to License 12-28069-01 for ADCO Svcs,Inc.Control:110406.
DAVIS,J. Region 1 (Post 820201). 110406. 89/03/21. 1p. 88307:352-88307:352.

9605210044 FOIA request for documents re plant,including repts issued by & correspondence to,from or concerning OIG re plant & employee concerns or complaints to NRC or to util.
WHINSTON,S.A. Berger & Montague. 96/04/02. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88358:187-88358:188.

9605210082 Final response to FOIA request for agency records.Forwards App A records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/09. KRIKORIAN,V.Z. State, Dept. of. 4pp. 88307:205-88307:213.

-9605210096 Forwards document 107D,per request.Offers no objection to declassification &/or release of document.
GRAFELD,M.P. State, Dept. of. 96/05/09. POWELL,R.A. State, Dept. of. 1p. 88307:209-88307:209.

-9605210103 Informs of Commissioner concerns re Dept lack of organization in addressing issues involved in safety of NPPs in former Soviet Union.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 92/04/02. BAKER,J.A. State, Dept. of. 2pp. 88307:210-88307:213.

9605210108 FOIA request for documents re NMC Diagnostic Svc,Inc request for NRC permission to inspect licensee lab & authorize close of lab.
FEMAN,J.E. Affiliation Not Assigned. 96/04/19. COURTEMANCHE,S. Region 1 (Post 820201). 1p. 88358:229-88358:229.

9605210111 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 7).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/13. WHINSTON,S.A. Berger & Montague. 7pp. 88358:189-88358:228.

-9605210141 Informs of closeout of case 4-93-016.Evaluation of facts & circumstances surrounding issues & coordination w/staff indicates no violations exist.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/27. CALLAN,L.J. Region 4 (Post 820201). 20pp. 88358:199-88358:220.

--**9605210186** Informs of closeout of case 4-93-029.OI evaluation of surrounding facts & circumstances indicates that further investigation may be warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/11/29. MILHOAN,J.L. Region 4 (Post 820201). 1p. 88358:221-88358:223.

--**9605210243** Informs of closeout of case 4-93-042.Coordination has been effected w/ regional counsel & no addl investigative effort warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/20. CALLAN,L.J. Region 4 (Post 820201). 1p. 88358:224-88358:224.

--**9605210249** Informs of closeout of case 4-93-044.Coordination effected w/regional counsel & no addl investigative efforts warranted.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 94/05/23. CALLAN,L.J. Region 4 (Post 820201). 4pp. 88358:225-88358:228.

9605210113 Final response to FOIA request for documents.No agency records subject to request have been located.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/15. FEMAN,J.E. Affiliation Not Assigned. 1p. 88358:230-88358:230.

9605210360 Final response to FOIA request for documents.Forwards documents listed in App M.Documents available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/16. LEE,S.K. Affiliation Not Assigned. 3pp. 88358:231-88358:279.

--**9605210375** Forwards Preliminary Analytical Results.Related correspondence encl.
WALD,J.W. Battelle Memorial Institute, Pacific Northwest Laboratory. 88/02/25. MCCOWN,J.D. Minnesota Mining & Manufacturing Co. (3M Co.). 56pp. 88358:235-88358:279.

9605230088 FOIA request for documents re what members of Congress do when NRC takes action against friends & constituents.
KOLI,E. NBC, Inc. 96/04/07. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88358:280-88358:281.

9605230092 *First partial response to FOIA request for documents. Forwards App A* records available in PDR & App B records being made available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 96/05/15. KOLI,E. NBC, Inc. 3pp. 88358:282-88358:308.

--**9605230093** Ack receipt of 951220 ltr transmitting correspondence from constituent M Nelson re license fees.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 96/01/19. BOND,C. Senate. 1p. 88358:290-88358:300.

--**9605230095** Responds to 960129 ltr re request to NRC for info by constituent ME Marucci concerning nuclear reactor SF pinning practices & environ impact studies for SF accidents.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 96/02/20. DODD,C. Senate. 1p. 88358:301-88358:308.

GEN TEC IS GENERIC TECHNICAL ISSUES

9605030285 Forwards SE re 930827 submittal,as supplemented,re plant- specific criteria for verifying seismic adequacy of equipment for resolution of safety issue USI A-46.Review finds program adequate to resolve primary concern.
RAGHAVAN,L . TAC M69440. 96/05/02. BEARD,P.M. Florida Power Corp. 2pp. 88100:333-88100:344.

--**9605030295** Safety evaluation finding licensee program adequate,in general,to resolve primary concern of USI A-46,demonstrating seismic adequacy of certain equipment in plant constructed prior to 1972 according to 1980-81 licensing criteria.
* . 96/05/02. 10pp. 88100:335-88100:344.

9605160267 Forwards "Seismic Safe Shutdown Equipment List for PBAPS Units 2 & 3," "USI A-46 Relay Evaluation Rept for PBAPS Units 2 & 3" & "Seismic Evaluation Rept for PBAPS," in response to GL 87-02/USI A-46.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). GL-87-02. 96/05/07. Document Control Branch (Document Control Desk). 3pp. 88333:073-88336:192.

--**9605160271** "Seismic Safe Shutdown Equipment List for PBAPS Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). GL-87-02. 96/05/31. 204pp. 88333:077-88333:283.

--**9605160275** "USI A-46 Relay Evaluation Rept for PBAPS Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). GL-87-02. 96/05/31. 554pp. 88333:284-88335:109.

--**9605160277** "Seismic Evaluation Rept for PBAPS."
* PECO Energy Co., (formerly Philadelphia Electric Co.). GL-87-02. 96/05/31. 446pp. 88335:110-88336:192.

9605170298 Provides addl info re GL-87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors."
DONNELLY,P.M. Consumers Power Co. GL-87-02. 96/05/13. Document Control Branch (Document Control Desk). 4pp. 88316:346-88316:349.

9605210097 Summary of 423rd ACRS meeting on 950713-14 in Rockville,MD re revised health effects valuation,meeting w/EDO & Ofc Directors,NRC Technical Training Ctr curricula & proposed resolution of GSI 83, "CR Habitability."
* ACRS - Advisory Committee on Reactor Safeguards. 95/09/15. ACRS - Advisory Committee on Reactor Safeguards. 35pp. 88370:128-88370:162.

9605210119 Summary of 424th ACRS meeting on 950907-08 in Rockville,MD re action plan associated w/metal fatigue,maint rule insp procedures,activities associated w/development of improved NDE techniques & operation licensing exam process.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/11/04. ACRS - Advisory Committee on Reactor Safeguards. 32pp. 88370:203-88370:234.

9605210202 Forwards request for addl info re GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46."
MOZAFARI,B. . TAC M69433. 96/05/16. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 88320:351-88320:354.

9605210215 Summary of ACRS 426th meeting on 951102-04 re application for OL for Watts Bar Nuclear Plant Unit 1,proposed mods to BWR Owners Group emergency procedure guidelines to address reactor core instabilities & NUREG-0700,rev 1.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/12/04. THE CHAIRMAN Commissioners (Post 750119). 6pp. 88389:073-88389:078.

9605210253 Summary of 428th meeting on 960208-10 re Proposed Final NRC Bulletin 96-XX, "Potential Plugging of ECC Suction Strainers by Debris in BWRs," Westinghouse best-estimate LOCA Analysis methodology & rev 2 to Reg Guide 1.149.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/03/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 7pp. 88371:060-88371:066.

9605210258 Summary of 429th meeting on 960307-09 re "Use of Individual Plant Exams in Regulatory Process," review of recent fire PRA repts by BNL,resolution of Generic Issue 78,adequacy of RELAP5/MOD3 code & rev 8 to NUREG-1021.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/04/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 7pp. 88371:067-88371:073.

9605280165 Informs NRC that util will be revising commitment for submitting plant USI A-46 Seismic Evaluation Rept from 960531 to 960719.
MUELLER,J.H. Nebraska Public Power District. NLS960101. 96/05/21. Document Control Branch (Document Control Desk). 3pp. 88386:143-88386:145.

I&E INSPECTION AND ENFORCEMENT

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . IEB-93-002. 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605020137 PNO-I-96-025:on 960423,damaged Mo-99/Tc-99m generators reported.Personnel from NY City Dept of Health & NY State Dept of Labor radiation control programs in addition to local fire dept & law enforcement officials responded.
GORDON,C. Region 1 (Post 820201). 96/04/24. 1p. 88158:312-88158:312.

9605030001 PNO-IV-96-022:on 960501,stainless steel radioactive matl container found in shipment of imported scrap metal. Container in locked storage at NUCOR Steel.
HACKNEY,C.A., CAIN,C. Region 4 (Post 820201). 96/05/02. 1p. 88158:336-88158:336.

9605030169 Comment opposing proposed GL 96-XX re periodic verification of design-basis capability of SR MOVs.
DONOVAN,K.P. BWR Owners Group. 61FR6392 00002. 96/04/16. Docketing & Services Branch. 6pp. 88092:294-88092:299.

9605030313 Comment providing suggestions for clarifying proposed GL, "Periodic Verification of Design-Basis Capability of Safety- Related MOVs." Recommends organizing guidance into one section,clarifying periodic testing as application specific.
TUCKMAN,M.S. Duke Power Co. 61FR6392 00001. 96/04/22. Office of Administration, Director (Post 940714). 2pp. 88092:327-88092:328.

9605030340 Comment providing suggestions for clarifying proposed GL, "Periodic Verification of Design-Basis Capability of Safety- Related MOVs." Disputes that valve friction increases w/age; requests clarification re whether GL 89-10 valves in new GL.
BARON,R.R. Tennessee Valley Authority. 61FR6392 00003. 96/04/19. Office of Administration, Director (Post 940714). 2pp. 88092:334-88092:335.

9605030359 Comment opposing proposed GL re Periodic Verification of Design-Basis Capability of Safety Related Motor-Operator Valves.
TITUS,F.W. Entergy Operations, Inc. 61FR6392 00005. 96/04/22. Rules & Directives Review Branch (Post 920323). 5pp. 88094:004-88094:008.

9605030390 PNO-I-96-029:on 960503,personnel concern over source replacement for Cobalt-60 research irradiator.Licensee plans to perform required surveys after installation of new source.
BHALLA,N., SHABAKY,M. Region 1 (Post 820201). 96/05/03. 1p. 88164:356-88164:356.

9605060092 Comment supporting proposed GL 96-XX, "Periodic Verification of Design-Basis Capability of SR MOV." NEI requests NRC consider addressing long-term issue of periodic verification of MOV similar to other SR plant equipment.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR6392 00004. 96/04/26. Rules & Directives Review Branch (Post 920323). 4pp. 88101:347-88101:350.

9605060164 Comment supporting BWROG position on proposed GL re "Periodic Verification of Design-Basis Capability of Safety- Related MOVs." Also requests clarification w/regard to "baseline" of GL 89-10 & discussion of dynamic testing.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 61FR6392 00007. 96/04/22. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 3pp. 88102:001-88102:003.

9605060226 Comment re issuance of proposed GL, "Periodic Verification of Design Bases Capability of Safety-Related Motor Operated Valves."
CRAIG,K.R. Florida Power & Light Co. 61FR6392 00006. 96/04/22. Rules & Directives Review Branch (Post 920323). 1p. 88103:013-88103:013.

9605070135 PNO-III-96-028:on 960502,licensee reported medical misadministration.Patient removed Ir-192 catheter after only 53 hours of treatment & placed catheter in trash.Physician notified.
PHILLIPS,M., YOUNG,T. Region 3 (Post 820201). 96/05/03. 1p. 88197:356-88197:356.

9605070139 PNO-IV-96-022A:on 960502,radioactive container discovered in scrap metal shipment.EPA assumed federal lead for providing support to state.
CHAMBERLAIN,D., CAIN,C. Region 4 (Post 820201). 96/05/06. 1p. 88197:357-88197:357.

9605130027 Third & partial response to FOIA request.App D records available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. LEVENTHAL,D. Affiliation Not Assigned. 41pp.

9605220354 PNO-76-184:on 761106,lost 16 Ci AmBe & 2.5 Ci Cs-137 sealed sources & approx seven small calibr sources when oil well drilling platform in Gulf of Mexico broke up & sank.Location in deep water & sources on sea bottom present no hazard. WHITT,K., ROY,G.W., THOMPSON,D. Office of Inspection & Enforcement (750101-801210). 76/11/08. 4pp.

9605130033 PNO-I-96-032:on 960509,informed by licensee that 2.05 mCi I-125 seed discovered missing on 960508 in preparation for therapy on patient eye using eye plaque.Search in locating missing I-125 seed unsuccessful.
DARDEN,T.H., SHANBAKY,M. Region 1 (Post 820201). 96/05/10. 1p. 88267:305-88267:305.

9605130043 PNO-IV-96-023:on 960510,licensee notified NRC that 250 uCi Am-241 foil source missing on Johnston Atoll.Foil source part of Army Model M8A1 Chemical Agent Detector & unaccountable since inventory conducted in Jan 1992.
GARCIA,E., WENSLAWSKI,F. Region 4 (Post 820201). 96/05/10. 1p. 88267:306-88267:306.

9605130050 PNO-I-96-031:on 960509,licensee notified Region I that licensee identified therapeutic misadministration involving Co-60 teletherapy unit.Patient administered 2,400 rads in four fractions instead of 3,000 rads in 10 fractions.
EVERHART,D., BHALLA,N., SHANBAKY,M. Region 1 (Post 820201). 96/05/10. 1p. 88267:307-88267:307.

9605130055 PNO-III-96-029:on 960510,minor damage occurred to bldgs on plant site due to high winds or possible tornado touching down.Alert declared,TSC activated & off-site notifications made to appropriate state & local authorities.
CLAYTON,B., CALDWELL,J. Region 3 (Post 820201). 96/05/10. 2pp. 88267:308-88267:309.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . IEIN-85-052. 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160064 PNO-I-96-034:on 960514,unit 2 experienced main turbine trip followed by reactor scram.Caused by generator protection relay miscalibrated low.
PASCIAK,W., PERRY,N. Region 1 (Post 820201). 96/05/15. 2pp. 88326:229-88326:230.

9605160072 PNO-I-96-033:on 960514,approx 1,800 gallons of water containing approx 380 grams U depleted in U-235 leaked from wastewater pipe.Caused by pipe being hit during excavation. Pump shut off & locked & tagged out of svc.
SHAFFER,S., MILLER,M. Region 1 (Post 820201). 96/05/15. 1p. 88326:231-88326:231.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . GL-89-10. 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605170500 PNO-I-96-035:on 960516,licensee reported receipt of contaminated packages on 960515 & 16 from Mallinckrodt Medical,Inc pharmacy in Pinebrook,NJ.Region I will continue to monitor event.
BROWN,K.D., HENDERSON,P.J. Region 1 (Post 820201). 96/05/16. 1p. 88341:173-88341:173.

9605170509 PNO-I-96-036:on 960515,licensee notified Region I of identification of uncontrolled Cs-137 brachytherapy source within radwaste storage room.Contamination cleaned up & source of contamination being investigated.
BEARDSLEY,M., SHANBAKY,M. Region 1 (Post 820201). 96/05/16. 1p. 88341:174-88341:174.

9605170513 PNO-I-96-037:on 960516,determined that listed schools possessed RAMCO-50B irradiators w/o active NRC license. Irradiators stored safely & NRC working w/school to determine options available to dispose of devices.
COSTELLO,F., AMATO,C. Region 1 (Post 820201). 96/05/17. 1p. 88341:175-88341:175.

9605200401 Comment re issuance of GL, "Periodic Verification of Design Basis Capability of Safety-Related Motor-Operated Valves." Believes that proposed GL does not provide more complete guidance but rather attempts to establish new requirements.
BOWLING,M.L. Central Electric Power Cooperative, Inc. 61FR6392 00008. 96/05/01. Rules & Directives Review Branch (Post 920323). 4pp. 88291:353-88291:356.

9605210138 PNO-IV-96-026:on 960519,91,000 gallons of mine restoration water released into unrestricted area.Water was being injected into disposal well when 2-inch pipe nipple failed at wellhead.Spill control sensors installed.
CAIN,C., HACKNEY,C. Region 4 (Post 820201). 96/05/20. 1p. 88371:001-88371:001.

9605210148 PNO-I-96-038:on 960520,package received from Mallinckrodt Medical Inc revealed removable contamination of 302,000 disintegrations per minute per square centimeter.
BROWN,K.D., EVERHART,D.B. Region 1 (Post 820201). 96/05/21. 1p. 88371:002-88371:002.

9605210159 PNO-III-96-030:on 960515,unit 3 reactor scrammed as result of loss of water flow into reactor from normal feedwater sys.Cause under investigation.
HOPKINS,J., HILAND,P. Region 3 (Post 820201). 96/05/16. 1p. 88389:080-88389:080.

9605210166 PNO-IV-96-024:on 960517,pipe rupture resulted in release of approx 60,000 gallons of well injection fluid.Repairs made to line & production resumed.
CAIN,C., HOWELL,L. Region 4 (Post 820201). 96/05/20. 1p. 88371:003-88371:003.

9605210173 PNO-IV-96-025:on 960519,unit 1 tripped from 100% power on high reactor pressure.Caused by prompt decrease in speed of main feed pump A due to fault in control sys.
REIS,T. Region 4 (Post 820201). 96/05/20. 2pp. 88389:081-88389:082.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605220415 PNO-IV-96-022B:on 960521,stainless steel container in scrap metal shipment was detected as containing radioactive material when recieved.Container tested & found not to contain radioactive matl.
HACKNEY,C., CAIN,C. Region 4 (Post 820201). 96/05/21. 1p. 88389:138-88389:138.

9605230002 PNO-IV-96-027:on 960522,NRC augmented insp team arrived to develop detailed sequence of events of 960519 plant transient that resulted in loss of inventory of one of two SGs.
GWYNN,P., REIS,T. Region 4 (Post 820201). 96/05/22. 1p. 88389:174-88389:174.

9605230053 PNO-I-96-040:on 960521,Telcon w/Congressman FR Mascara occurred re waste storage at Westinghouse Waltz Mill Facility.Confirms that site does not routinely receive wastes from other Westinghouse facilities.
MADDEN,T., ROBERTS,M. Region 1 (Post 820201). 96/05/22. 1p. 88389:175-88389:175.

9605230126 PNO-I-96-039:on 960520,one of six fans providing ventilation to six contaminated hot cells was inoperable.During investigation discovered bad transformer had shutdown all six fans.Transformer repaired.
MCGRATH,J., COSTELLO,F. Region 1 (Post 820201). 96/05/21. 1p. 88389:171-88389:171.

9605230169 PNO-II-96-039:on 960523,fire identified in condenser circulating water cooling tower 3.Fire protection personnel immediately responded.Entire wooden structure,except for small portion at west end was destroyed.
LESSER,M.S. Region 2 (Post 820201). 96/05/23. 1p. 88389:170-88389:170.

9605230174 PNO-II-96-040:on 960522,unit 2 experienced reactor trip from 99% power when reactor coolant pump 2B tripped from apparent electrical fault.Reactor trip proceeded normally w/all sys functioning as required.
CARROLL,R.E. Region 2 (Post 820201). 96/05/23. 1p. 88389:169-88389:169.

9605240025 PNO-II-96-034:on 960428,automatic reactor trip from 72% power occurred when main turbine automatic trip signal was received due to loss of both main feed pumps.Licensee investigating root cause of event.
LESSER,M.S. Region 2 (Post 820201). 96/04/29. 1p. 88391:359-88391:360.

9605240030 PNO-II-96-035:on 960501,delivery vehicle containing box w/ 10 doses of Cardiolite (Tc-99m in unit doses) involved in one vehicle accident.Box ejected from vehicle during accident & found undamaged later.
WOODRUFF,R.L. Region 2 (Post 820201). 96/05/01. 1p. 88392:143-88392:143.

9605240036 PNO-II-96-036:on 960502,Intl Brotherhood of Electrical Workers Union notified of intent to strike on 960701 if new contract not approved.Region II will inplement pre-strike insp activities at plants.
SKINNER,P. Region 2 (Post 820201). 96/05/03. 1pp. 88391:357-88391:358.

9605240064 PNO-III-96-031:on 960523,unit 1 station auxiliary transformer failed,causing complete loss of offsite power & unit 2 reactor trip.Caused by lightning strike.
JONES,D., MILLER,L. Region 3 (Post 820201). 96/05/23. 1p. 88392:144-88392:144.

9605280056 PNO-IV-96-027A:on 960519,reactor trip w/complications occurred.Power operation resumed 960524 after AIT insp completed.Trip resulted from fault to ground on digital speed sensor common to power supply.
GWYNN,P., REIS,T. Region 4 (Post 820201). 96/05/24. 2pp. 88396:124-88396:125.

9605280246 EN-96-003A:on 960429,notice of proposed imposition of civil penalty in amount of $12,500 issued to licensee.Action based on problem involving use of shipping packages not constructed in accordance w/certificate of compliance.
STEIN,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-236. 96/04/29. 1p. 88417:339-88417:339.

9605280249 EN-96-010A:on 960520,notice of proposed imposition of civil penalty in amount of $8,000 issued to licensee.Action based on licensee failure to provide adequate quality mgt program training to employees involved in brachytherapy program.
STEIN,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-004. 96/05/20. 1p. 88417:342-88417:342.

9605280255 EN-96-017A:on 960523,notice of proposed imposition of civil penalty in amount of $2,500 issued to licensee.Action based on violation involving use of moisture density gauge in OK, non-Agreement state w/o obtaining NRC license.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-276. 96/05/23. 1p. 88417:353-88417:353.

9605280264 EN-96-026:on 960508,notice of proposed exercise of enforcement discretion issued to licensee.Matter involves submission of inaccurate info on facility compliance w/SPDES permit in discharge of detoxifying substance in Aug 1993.
GRAY,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-138. 96/05/01. 1p. 88418:018-88418:018.

9605280271 EN-96-027:on 960515,notice of proposed imposition of civil penalty in amount of $7,500 & confirmatory order modifying license (effective immediately) issued to licensee.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-135. 96/05/10. 1p. 88418:031-88418:031.

9605280278 EN-96-028:on 960516,notice of proposed imposition of civil penalty in amount of $100,000 issued to licensee.Action based on violations associated w/station configuration control & equipment out of service programs.
BURGESS,B., MILLER,H. Region 3 (Post 820201). EA-96-070. 96/05/13. 1p. 88418:047-88418:047.

9605280284 EN-96-029:on 960522,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on violation involving failure to promptly identify & correct potential for common mode failure of UHS SW pumps.
HARRIS,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-095. 96/05/17. 1p. 88418:048-88418:048.

9605300006 PNO-III-96-033A:on 960528,unidentified gas ignited during VSC-24 spent fuel cask welding.Licensee continuously purged air space inside cask to prevent any accumulation of combustible gases.
FARBER,M., CANIANO,R. Region 3 (Post 820201). 96/05/29. 2pp. 88444:013-88444:014.

9605300009 PNO-III-96-032:on 960516,AIT formed to review circumstances surrounding 960515 reactor sram.Caused by failure of FW regulating valve.Issue being reviewed for possible generic implications.
HOPKINS,J., HILAND,P. Region 3 (Post 820201). 96/05/24. 2pp. 88444:015-88444:016.

9605300014 PNO-II-96-041:on 960529,Unit SD due to detection of foreign object in SG 4.Preliminary evaluation indicates that object on primary side & weighs approx .75 lb.Licensee continuing cooldown & plans to return to mode 2 by 960604.
SKINNER,P. Region 2 (Post 820201). 96/05/29. 1p. 88444:025-88444:025.

9605300022 PNO-IV-96-028:on 960528,two portable gauges in transport cases stolen from temporary jobsite in San Jose,CA.Locks & chains securing gauges cut.Press release w/reward offered for return of gauges will be held.
HORNER,J. Region 4 (Post 820201). 96/05/29. 1p. 88444:036-88444:036.

9605300181 Forwards revised Apr 1996 status rept of generic activities under cognizance of NRR & requests that original rept be discarded.Next rept scheduled to be issued in July 1996.
CHAFFEE,A.E. . 96/05/10. RASIN,W. Electric Power Research Institute. 2pp. 88389:268-88389:353.

--9605300188 Revised "NRR Status Rept on Generic Activities - Apr 1996." Rept reprinted to correct errors that were on original rept.
* . 96/04/30. 84pp. 88389:270-88389:353.

9605300208 Notification of appointments to NRC Review Boards.JT Larkins new appointee to Performance Review Board for Senior Executive Svc.Other names listed continue on PRB & PRB recommendations panel.
SWANSON,C.J. NRC - No Detailed Affiliation Given. 96/04/29. 2pp. 88394:093-88394:094.

9605310243 PNO-III-96-033B:on 960529,unidentified gas ignited during spent fuel cask welding.Zinc-based coating applied to internal surfaces of cask may have reacted chemically w/ acidic water from SF storage pool,producing hydrogen.
CANIANO,R., GROBE,J. Region 3 (Post 820201). 96/05/31. 2pp. 88444:236-88444:237.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9605060209 Informs that ADLPIPE Inc has merged w/Research Engineers, Inc at listed address.
HOU,C.K. Affiliation Not Assigned. IEB-96-001. 96/05/01. NRC - No Detailed Affiliation Given. 3pp. 88172:063-88172:064.

9605100160 Responds to 960403 ltr to former Chairman I Selin,supporting development of technical position, "Disposition of Cs-137 Contaminated Emission Control Dust & Other Incident-Related Matls."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/26. TANNER,J. House of Rep. 3pp. 88278:001-88278:004.

--9605100165 Supports branch technical position re disposition of Cs-137 contaminated emission control dust & other incident-related matls.
TANNER,J. House of Rep. 96/04/03. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 88278:004-88278:004.

9605240032 Forwards 960429 request for hearing by J Guzman in response to "Order Prohibiting Unescorted Access or Involvement in NRC-Licensed Activities Effective Immediately."
HOYLE,J.C. Office of the Secretary of the Commission. #296 17637. IA-96-020. 96/05/17. COTTER,B.P. Atomic Safety & Licensing Board Panel. 5pp. 88340:311-88340:315.

9605240046 Establishment of ASLB.* Board being established to preside over stated proceeding,per delegation by Commission dtd 721229.W/Certificate of Svc.Served on 960521.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #296 17638. IA-96-020. 96/05/20. 3pp. 88340:334-88340:336.

9605290003 Notifies change of address.
* Colorado Mining Association. 96/01/01. NRC - No Detailed Affiliation Given. 3pp. 88397:205-88397:205.

9605300063 Notice of appearance.* Informs that AP Hodgdon will enter appearance in proceeding re matter of Juan & Laurene Guzman. W/Certificate of Svc.
HODGDON,A.P. Office of the General Counsel (Post 860701). #296 17648. IA-96-020. 96/05/23. 4pp. 88382:343-88382:346.

9605300068 Confirms that 960429 response constitutes total response to Enforcement Order IA 96-020,dtd 960419 & that request for extension of time intended to be request for addl time to prepare for hearing.
HODGDON,A.P. Office of the General Counsel (Post 860701). #296 17653. IA-96-020. 96/05/24. GUZMAN,J., GUZMAN,L. Affiliation Not Assigned. 1p. 88381:351-88381:351.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9605010139 Forwards comments generated as result of review of 1996 draft EIS re reclamation of U mill tailings at Atlas site, Moab,UT & NRC draft TER.
SINCLAIR,W.J. Utah, State of. 96/04/26. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88076:001-88076:198.

--9605010143 "Comments on NRC 'DEIS Re Reclamation of U Mill Tailings at Atlas Site,Moab,UT' NUREG-1531."
* Utah, State of. 96/04/26. 81pp. 88076:003-88076:083.

9605020005 Forwards cross-reference to identify documentation that tracked resolution of SEP topics.
TRAN,L.N. . TAC M55544. 96/04/23. DONNELLY,P.M. Consumers Power Co. 4pp. 88095:340-88095:344.

9605020007 Comments on NUREG-1531,DEIS on alternative reclamation plans for Atlas Corp Moab Mill.
CHRISTIE,R.L. Grand County, UT. 96/04/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 88121:345-88121:350.

9605020037 Forwards 940423 ltr to Commission commenting on reclamation of Atlas U mill tailings.Author more convinced after studying NUREG-1531 & NUREG-1532 dtd Jan 1996 that capping tailings pile in existing location most sensible solution.
HOLLOWAY,W.W. Affiliation Not Assigned. 96/04/24. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88121:359-88121:360.

9605020039 Comments on Draft EIS NUREG-1531,addressing reclamation of Atlas Minerals.
MAY,L. Affiliation Not Assigned. 96/05/01. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88126:357-88126:358.

9605020046 Comments on DEIS re reclamation of U mill tailings at Atlas site,Moab,UT (NUREG-1531) & DTER for proposed revised reclamation plan for Atlas Corp Moab mill (NUREG-1532).
SHARPE,S. Affiliation Not Assigned. 96/04/22. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 88135:109-88135:115.

9605020052 Forwards responses to DEIS & DTER noticed for public comment 960130 re reclamation of Atlas U tailings site near Moab,UT.
BLUBAUGH,R.E. Atlas Corp. 96/04/29. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 343pp. 88122:001-88122:343.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . IEB-95-002. 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605020142 Forwards NUREG-0390, "Topical Rept Review Status," which provides procedures for submitting TRs,guidance on how NRC processes & responds to TR submittals.
GILLESPIE,F.P. . 96/04/17. TOELLE,S.A., PILMER,D.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). TAYLOR,J.H. FRAMATOME. 5pp. 88095:311-88095:315.

9605020236 Advises that revised SPDS SAR meets requirements of SPDS Analysis Report re South Texas Project. specified in NUREG-0737,suppl 1.
ALEXION,T.W. . TAC M91517. 96/04/30. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 88095:250-88095:252.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

9605020332 Forwards draft rept, "Piping Benchmark Problems for Westinghouse AP600 Standardized Plant," documenting results of NRC independent confirmatory piping stress analyses.Staff requests meeting to discuss criteria not met.
JACKSON,D.T. . 96/04/25. LIPARULO,N.J. Westinghouse Electric Corp. 340pp. 88098:001-88098:340.

9605030007 Requests concurrence of FEMA in issuance of FR notice announcing availability for public review & comment of draft suppl 2, "Criteria for Emergency Planning in Early Site Permit Application," of NUREG-0654/FEMA-REP-1,Rev 1.
CRUTCHFIELD,D. . 96/03/27. BUCHBINDER,L. Federal Emergency Management Agency. 6pp. 88104:019-88104:024.

9605030093 Responds to NRC questions re containment air lock TS change request.
* Entergy Operations, Inc. 2CAN049604. 96/04/25. Document Control Branch (Document Control Desk). 5pp. 88138:275-88138:283.

9605060179 Voices support to move Atlas tailings pile to Plateau site. Comments dtd 960227 delivered to NRC at public hearing in Moab,UT on 960228 encl.
KERKLING,D.W. Affiliation Not Assigned. 96/04/29. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88172:202-88172:212.

9605060208 Appoves issuance of rulemaking,SECY-96-035 - Final Rulemaking on "Environ Review for Renewal of Nuclear Power Plant Operating Licenses," 10CFR51.
DICUS,G.J. Commissioners (Post 750119). 96/04/29. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. 88104:036-88104:036.

9605060234 Forwards comments on working copy of DEIS for site.Comments received from US Fish & Wildlife Service also encl.
THAGGARD,M. Division of Waste Management (Pre 870413). 96/04/12. WADE,M.C. Oak Ridge National Laboratory. 23pp. 88180:309-88180:333.

9605060268 Provides addl info re application for amends to Licenses DPR-39 & DPR-48,incorporating guidance in NUREG-1431.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/30. Document Control Branch (Document Control Desk). 3pp. 88166:001-88166:131.

9605070076 Forwards latest volume of NUREG-0390, "Topical Rept Review Status," which provides procedures for submitting,guidance on how NRC processes & responds to TRs & listing of all TRs currently accepted for review by NRC.
INGRAM,R.K. . 96/04/19. SPARR,D. Affiliation Not Assigned. 1p. 88119:357-88119:358.

9605070150 Forwards list of ref documents TC Johnson maintains for decommissioning area & listed repts requested & others recently published,in response to 960326 request.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/17. LARAIA,M. International Atomic Energy Agency. 6pp. 88194:337-88194:342.

9605070162 Responds to 960318 ltr,requesting info on LLW activities at NRC.NRC organization described in encl NUREG-0325, "NRC Organization Charts & Functional Statements." W/o encl.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/11. PERDREAUVILLE Affiliation Not Assigned. 2pp. 88194:335-88194:336.

9605070196 Forwards revised response to deviation noted in insp rept 50-302/95-16 re TSC ventilation sys.Corrective actions:fan speed reduced to facilitate balancing & power removed from motorized balance dampers & dampers set to fixed positions.
BEARD,P.M. Florida Power Corp. GL-81-10. 96/04/30. Document Control Branch (Document Control Desk). 8pp. 88192:229-88192:236.

9605070214 Forwards initial exam rept 50-134/OL-96-01 administered during wk of 960415 IAW NUREG-1478.
WEISS,S.H. . 96/05/02. BOBEK,L.M. Worcester Polytechnic Institute, Worcester, MA. 3pp. 88144:241-88144:279.

9605070338 Notification of 960513 visit to Atlas Moab facility,Moab,UT to observe geologic features & characteristics re several open issues identified in draft TER NUREG-1532 published in Jan 1996.
FLIEGEL,M. Division of Waste Management (NMSS 940403). 96/04/24. Division of Waste Management (NMSS 940403). 1p. 88174:028-88174:028.

9605080102 Acks receipt of 960213 ltr requesting that OLs for plant be suspended until lack of circuit breaker coordination has been remedied.Request being treated as petition under 10CFR2.206.Copy of 10CFR2.802 & FR notice encl.
RUSSELL,W.T. . 2.206. 96/04/02. MORRIS,C. Affiliation Not Assigned. 6pp. 88137:214-88137:295.

--9407250133 Discusses documentation of generic safety issues on degraded voltage protection & recommends that JA Murphy take steps necessary to include assignment of priorities in NUREG-0933, "Prioritization of Generic Safety Issues."
SHERON,B.W. Division of Engineering (Post 921004). 94/07/13. MURPHY,J.A. Division of Safety Issue Resolution (880717-941217). 2pp. 88137:282-88137:283.

9605080227 Forwards brochure in light of NRC emphasis on increasing & improving interactions w/public.Booklet describes how people may learn about & become involved in NRC activities. NUREG/BR-0215 encl.
BEECHER,W.M. Office of Public Affairs (Post 911117). 96/04/30. NRC - No Detailed Affiliation Given. 1p. 88191:338-88191:347.

--9605080236 NUREG/BR-0215 "Public Involvement in Nuclear Regulatory Process."
* NRC - No Detailed Affiliation Given. 96/04/30. 9pp. 88191:339-88191:347.

9605090264 Submits comments for public record,in respond to DEIS re reclamation of U mill tailings at Atlas Site,Moab,UT.
WHITINGTON,J. Affiliation Not Assigned. 96/04/05. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 11pp. 88210:330-88210:340.

9605090267 Comments on DEIS re reclamation of U mill tailings at Atlas Site,Moab,UT (NUREG-1531) & DTER (NUREG-1532).NRC should deny Atlas amend request to SUA-917 & not cap pile in place. Supports moving pile.
FURMAN,C.L. Affiliation Not Assigned. 96/04/28. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88210:222-88210:223.

9605100025 Forwards Vols I & II of 960429 response of Atlas Corp to NRC DEIS,NUREG-1531 & DTER,NUREG-1532 re reclamation of U mill tailings at Atlas site Moab,UT,replacing vols submitted earlier.
GARCIA,A. NRC - No Detailed Affiliation Given. 96/05/07. FRIDLEY,S. NRC - No Detailed Affiliation Given. 300pp. 88232:001-88232:351.

9605100059 Submits comments re Draft EIS at Atlas Site.
CAMPBELL,C. Environmental Protection Agency. 96/05/06. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 88238:326-88238:335.

9605100070 Expresses concerns re inadequacies of DEIS for Atlas tailings pile reclamation plan.
CAMPBELL,J. Affiliation Not Assigned. 96/04/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88243:301-88243:302.

9605100081 Expresses concern re tailings pile effects on natl parks.
PETERSON,M.R. Affiliation Not Assigned. 96/04/29. MULLINS High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88243:327-88243:329.

9605100100 Discusses insp rept 15000032/96-01 on 960424 & forwards notice of violation.
HOSEY,C.M. Region 2 (Post 820201). 96/05/02. BUCHANAN,J.E. Affiliation Not Assigned. 2pp. 88190:157-88190:159.

--9605100102 Notice of violation from insp on 960424.Violation noted: licensee radiographer did not perform adequate survey after each radiographic exposure to determine sealed source had been returned to shielded position.
* Region 2 (Post 820201). 96/05/02. 1p. 88190:159-88190:159.

9605100232 FOIA request for documents re electronic version of NUREG/CR-6386.
WILLIAMS,O.G. JRA Associates. OGW-96-079. 96/04/05. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88231:049-88231:049.

9605100246 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
PATTERSON,T.L. Omaha Public Power District. LIC-96-0065. 96/05/08. Document Control Branch (Document Control Desk). 5pp. 88243:288-88243:292.

9605130001 Responds to 960307 ltr to D Rathbun,transmitting ltr from constituent RM Bradfield,commenting on DEIS (NUREG-1531) re reclamation of U mill tailings at Atlas site,Moab,UT.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/08. LUGAR,R.G. Senate. 6pp. 88279:084-88279:097.

--9605130003 Requests NRC consideration of encl ltr from constituent RM Bradfield,commenting on Jan 1996 DEIS re reclamation of U mill tailings at Atlas site,Moab,UT (NUREG-1531).
LUGAR,R.G. Senate. 96/03/07. RATHBUN,D. Office of Congressional Affairs (Post 911117). 8pp. 88279:090-88279:097.

9605130069 NUREG/CR-6465 DEVELOPMENT OF TOOLS FOR SAFETY ANALYSIS OF CONTROL SOFTWARE IN ADVANCED REACTORS.
GUARRO,S., YAU,M., MOTAMED,M. ASCA, Inc. FIN W-6157. 96/04/30. Division of Systems Technology (Post 941217). 144pp. 88226:001-88226:141.

9605130075 NUREG/CR-4219 V11 N2 HEAVY-SECTION STEEL TECHNOLOGY PROGRAM.Semiannual Progress Report For April-September 1994.
PENNELL,W.E. Oak Ridge National Laboratory. FIN B-0119. ORNL/TM-9593. 96/04/30. Division of Engineering Technology (Post 941217). 117pp. 88220:126-88220:238.

9605130079 NUREG/CR-6432 ESTIMATED NET VALUE AND UNCERTAINTY FOR AUTOMATING ECCS SWITCHOVER AT PWRS.
WALSH,B., BRIDEAU,J., COMES,L. Science & Engineering Associates, Inc. FIN W-6325. SEASF-DR-94-001. 96/02/29. Division of Engineering Technology (Post 941217). 125pp. 88220:001-88220:125.

9605130112 NUREG/CR-6384 V01 LITERATURE REVIEW OF ENVIRONMENTAL QUALIFICATION OF SAFETY-RELATED ELECTRIC CABLES.Summary Of Past Work.
SUBUDHI,M. Brookhaven National Laboratory. FIN W-6168. BNL-NUREG-52480. 96/04/30. Division of Engineering Technology (Post 941217). 300pp. 88219:001-88219:308.

9605130115 NUREG/CR-6384 V02 LITERATURE REVIEW OF ENVIRONMENTAL QUALIFICATION OF SAFETY-RELATED ELECTRIC CABLES.Literature Analysis And Appendices.
LOFARO,R., BOWERMAN,B., CARBONARO,J. Brookhaven National Laboratory. FIN W-6168. BNL-NUREG-52480. 96/04/30. Division of Engineering Technology (Post 941217). 146pp. 88265:001-88265:146.

9605130135 NUREG-1541 DRFT FC PROCESS AND DESIGN FOR CONSOLIDATING AND UPDATING MATERIALS LICENSING GUIDANCE.Draft Report For Comment.
WHITTEN,J.E., VACCA,P.C., BROWN,K.D. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/30. 39pp. 88220:239-88220:280.

9605130141 NUREG-1125 V17 A COMPILATION OF REPORTS OF THE ADVISORY COMMITTEE ON REACTOR SAFEGUARDS.1995 Annual.
* ACRS - Advisory Committee on Reactor Safeguards. 96/04/30. 118pp. 88226:142-88226:260.

9605130147 NUREG/CR-6309 SCIENTIFIC DESIGN OF PURDUE UNIVERSITY MULTI-DIMENSIONAL INTEGRAL TEST ASSEMBLY (PUMA) FOR GE SBWR.
ISHII,M., REVANKAR,S.T., DOWLATI,R. Purdue Univ., West Lafayette, IN. FIN L-2202. PU-NE 94/1. 96/04/30. Division of Systems Technology (Post 941217). 279pp. 88238:001-88238:279.

9605130150 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS section 3/4.7.1, "Turbine Cycle Safety Valves" & associated Bases.
GRAESSER,K.L. Commonwealth Edison Co. BYRON 96-0105. 96/04/29. Document Control Branch (Document Control Desk). 11pp. 88248:290-88248:324.

--9605130208 Proposed tech specs 3.7-2 revising Table 3.7-2 to increase as-found MSSV lift setpoint,TS 3.7.1.1,Action a.,to require unit in hot SD for consistency w/rev 1 of NUREG-1431 & max allowable PR NF high trip setpoints in Table 3.7-1.
* Commonwealth Edison Co. 96/04/29. 24pp. 88248:301-88248:324.

9605130321 Forwards TS Change Request 247 to License DPR-16,revising TS to adopt provisions of STS,NUREG-1433,Rev 1,dtd 950407,which clarify SR applicability & allow max period of 24 h to complete SR upon discovery that surveillance missed.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 6730-96-2144. 96/05/07. Document Control Branch (Document Control Desk). 2pp. 88248:254-88248:266.

--9605130325 TS Change Request 247 to License DPR-16,adopting provisions of STS NUREG-1433,Rev 1,dtd 950407 which clarify SR applicability & allow max period of 24 h to complete SR upon discovery that surveillance missed.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/05/07. 7pp. 88248:256-88248:262.

--9605130329 Proposed tech specs,adopting provisions of STS NUREG-1433, Rev 1,dtd 950407,Sections SR 3.0.1,3.0.3 & associated bases.
* General Public Utilities Corp. - GPU Service Corp. 96/05/07. 4pp. 88248:263-88248:266.

9605140464 Responds to 960325 ltr submitting several recommendations re proposed rev to NUREG-1021 & forwards table summarizing preliminary views re issues raised.Summary of additional issues also encl.
RICHARDS,S.A. . 96/04/16. DAVIS,J.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 7pp. 88262:282-88262:288.

9605150073 Provides response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment." TVA currently has plans for only one licensing amend re NUREG-0612, "Control of Heavy...."
BARON,R.R. Tennessee Valley Authority. IEB-96-002. 96/05/13. Document Control Branch (Document Control Desk). 11pp. 88289:258-88289:268.

9605160113 Requests exemption from 10CFR55.31(a)(5) requiring OL to perform min of 5 significant control manipulations affecting reactivity or power level on facility for which license is sought.Encl resumes withheld.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. LR-N96081. 96/05/10. Document Control Branch (Document Control Desk). 7pp. 88309:211-88309:217.

9605170017 Summarizes 960416 meeting w/CPC in Rockville,MD to discuss CPC request for conversion from existing plant custom TSs to format consistent w/NUREG-1432,Rev 1, "STSs for Combustion Engineering Plants." List of attendees & NRC handouts encl.
SCHAAF,R.G. . 96/05/10. NRC - No Detailed Affiliation Given. 11pp. 88297:255-88297:265.

9605170034 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
HOVEY,R.J. Florida Power & Light Co. L-96-121. 96/05/13. Document Control Branch (Document Control Desk). 9pp. 88341:092-88341:100.

9605170348 Informs of individual exam results for applicants on initial exam conducted on 960415-17,which meets intent of section E.1 of Examiner Stds in NUREG-1021.
MEYER,G.W. Region 1 (Post 820201). 96/05/10. SPOERRY,D. Power Authority of the State of New York (New York Power Authority). 2pp. 88291:007-88291:008.

9605170535 Informs that UFSAR Section 7A.II.K.3.17 requirement to report ECCS outages will be removed from UFSAR & change will be submitted during biennial 10CFR50.59 summary rept to NRC.
MARTIN,L.E. Houston Lighting & Power Co. ST-HL-AE-5339. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88332:306-88332:307.

9605200144 Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). IEB-96-002. 96/05/13. Document Control Branch (Document Control Desk). 12pp. 88343:174-88343:185.

9605200158 Forwards copy of "Steam Generator Tube Failures," NUREG/CR-6365,dtd Apr 1996.
ROSSI,C.E. Office for Analysis & Evaluation of Operational Data, Director. 96/05/15. GILLESPIE,F.P., THADANI,A.C., ZIMMERMAN,R.P. . 250pp. 88299:001-88299:307.

9605200232 Addresses issues re NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in RC,or Over Safety-Related Equipment."
TERRY,C.D. Niagara Mohawk Power Corp. NMP1L 1072. 96/05/13. Document Control Branch (Document Control Desk). 9pp. 88351:060-88351:068.

9605210025 Application for amend to license DPR-51,revising battery requirements specified in NUREG-1430, "STS - B&W Plants."
DEWEASE,J.G. Entergy Operations, Inc. 1CAN059601. 96/05/09. Document Control Branch (Document Control Desk). 21pp. 88359:196-88359:233.

--9605210029 Proposed tech specs,revising battery requirements specified in NUREG-1430, "STS - B&W."
* Entergy Operations, Inc. 96/05/09. 17pp. 88359:217-88359:233.

9605210184 Grants permission not to rept minor exceedances of environ limits described in NUREG-1022 until final rev published. Final staff position must be determined & decision made whether request for relief appropriate.
TAM,P.S. . TAC M95308. 96/05/17. TUCKMAN,M.S. Duke Power Co. 4pp. 88320:357-88320:360.

9605210215 Summary of ACRS 426th meeting on 951102-04 re application for OL for Watts Bar Nuclear Plant Unit 1,proposed mods to BWR Owners Group emergency procedure guidelines to address reactor core instabilities & NUREG-0700,rev 1.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/12/04. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 88389:073-88389:078.

9605210258 Summary of 429th meeting on 960307-09 re "Use of Individual Plant Exams in Regulatory Process," review of recent fire PRA repts by BNL,resolution of Generic Issue 78,adequacy of RELAP5/MOD3 code & rev 8 to NUREG-1021.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/04/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 7pp. 88371:067-88371:073.

9605210444 Forwards NUREG/CR-3387, "Radiological Survey of C-E Burial Site Hematite,MO" published Jul 1983 & Mallinckrodt Chemical Works 560515 license application for NRC issued license SNM-33 on 560718,per request during 960501 telcon.W/o encls.
SOONG,S. Licensing Branch. 96/05/14. LANGE,T. Missouri, State of. 2pp. 88359:345-88359:346.

9605210535 Discusses schedule for conversion to improved TS (ITS),per NUREG-1432.Util actively developing ITS conversion license amend & anticipate submittal of amend in Oct 1996.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/05/16. Document Control Branch (Document Control Desk). 1p. 88361:107-88361:107.

9605220230 NUREG-0910 R02 S02 NRC COMPREHENSIVE RECORDS DISPOSITION SCHEDULE.
* Information & Records Management Branch (Post 890827). 96/02/29. 195pp. 88332:076-88332:270.

9605220244 NUREG-0654 R1 S2 DFC CRITERIA FOR PREPARATION AND EVALUATION OF RADIOLOGICAL EMERGENCY RESPONSE PLANS AND PREPAREDNESS IN SUPPORT OF NUCLEAR POWER PLANTS.Criteria For Emergency Planning In An Early Site Permit Application.Draft Report For Comment.
KANTOR,F., FOX,E.F. Office of Nuclear Reactor Regulation (Post 941001). WINGERT,V.L. Federal Emergency Management Agency. FEMA-REP-1. 96/04/30. 32pp. 88314:302-88314:334.

9605220248 NUREG-0304 V20 N04 REGULATORY AND TECHNICAL REPORTS (ABSTRACT INDEX JOURNAL). Annual Compilation For 1995.
* Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. 120pp. 88319:273-88320:028.

9605220250 NUREG-1509 RADIATION EFFECTS ON REACTOR PRESSURE VESSEL SUPPORTS.
JOHNSON,R.E. Division of Engineering Technology (Post 941217). LIPINSKI,R.E. Idaho National Engineering Laboratory. 96/05/31. 200pp. 88321:001-88321:203.

9605220308 NUREG/CR-6413 ANALYSIS OF THE IRRADIATION DATA FOR A320B AND A533B CORRELATION MONITOR MATERIALS.
WANG,J.A. Oak Ridge National Laboratory. FIN W-6164. ORNL/TM-13133. 96/04/30. Division of Engineering Technology (Post 941217). 318pp. 88320:029-88320:346.

9605220322 NUREG/CR-6470 FITNESS FOR DUTY IN THE NUCLEAR INDUSTRY: UPDATE OF THE TECHNICAL ISSUES 1996.
DURBIN,N., GRANT,T., BITTNER,A. Battelle Seattle Research Center. FIN I-2007. BSRC-700/96/004. 96/05/31. Office of Nuclear Reactor Regulation (Post 941001). 272pp. 88319:001-88319:272.

9605220337 NUREG-0540 V18 N02 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE.February 1-29, 1996.
* Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. 264pp. 88310:001-88310:268.

9605220364 NUREG/BR-0099 R07 THE NUCLEAR REGULATORY COMMISSION FACT SHEET.
* Office of Public Affairs (Post 911117). 96/04/30. 4pp. 88326:336-88326:339.

9605220367 NUREG/BR-0117 N96-1 NMSS LICENSEE NEWSLETTER.Number 96-1.
* Office of Nuclear Material Safety & Safeguards. 96/04/30. 12pp. 88324:340-88324:351.

9605220374 NUREG/BR-0150 V01 R4 RTM-96 RESPONSE TECHNICAL MANUAL.
MCKENNA,T., TREFETHEN,J. Incident Response Branch. GANT,K. Oak Ridge National Laboratory. 96/03/31. 436pp. 88317:001-88318:073.

9605220382 NUREG-0386 D07 UNITED STATES NUCLEAR REGULATORY COMMISSION STAFF PRACTICE AND PROCEDURE DIGEST.Commission, Appeal Board And Licensing Board Decisions.July 1972 - June 1995.
* Office of the General Counsel (Post 860701). 96/04/30. 1056pp. 88311:001-88313:328.

9605220418 NUREG/CR-6366 POLYRES: A POLYGON-BASED RICHARDS EQUATION SOLVER.
HILLS,R.G. New Mexico State Univ., Las Cruces, NM. MEYER,P.D., ROCKHOLD,M.L. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-2466. PNL-10709. 95/12/31. Division of Regulatory Applications (Post 941217). 68pp. 88314:235-88314:301.

9605220426 NUREG-0750 V43 N03 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR MARCH 1996. Pages 51-121.
* Division of Freedom of Information & Publications Services (Post 940714). 96/05/31. 79pp. 88310:269-88310:347.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

9605240218 Requests NRC approval of proposed revs to FSV final survey plan,to use in-situ gamma spectroscopy to measure exposure rates & allowing exposure rates to be taken only for floors & lower wall surfaces per draft NUREG/CR-5849.
BORST,F.J. Public Service Co. of Colorado. P-96039. 96/05/17. WEBER,M.F Office of Nuclear Material Safety & Safeguards. 4pp. 88371:295-88371:339.

9605280057 Notifies of intent to convert Tech Specs from present form to improved Standard Tech Specs,per NUREG-1431,Rev 1.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96-245. 96/05/21. Document Control Branch (Document Control Desk). 2pp. 88386:262-88386:263.

9605280236 Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change 373,revising TS to implement guidance of GL 87-09 & NUREG-1433,Rev 1.
SALAS,P. Tennessee Valley Authority. GL-87-09. 96/05/20. Document Control Branch (Document Control Desk). 8pp. 88385:332-88385:353.

--9605280239 Proposed tech specs implementing guidance of GL 87-09 & NUREG-1433,Rev 1.
* Tennessee Valley Authority. GL-87-09. 96/05/20. 14pp. 88385:340-88385:353.

9605290059 Forwards application for amend to license DPR-40,revising TS to clarify surveillance test requirements in TS 3.1,Tables 3-1,3-2,3-3 & 3-3A,per GL 96-01 & NUREG-1432.
GATES,W.G. Omaha Public Power District. LIC-96-0070. 96/05/20. Document Control Branch (Document Control Desk). 3pp. 88390:307-88390:346.

9605290091 NUREG/CR-6345 RADIATION DOSE ESTIMATES FOR RADIOPHARMACEUTICALS.
STABIN,M.G., STUBS,J.B., TOOHEY,R.E. Oak Ridge Associated Universities. FIN L-1699. 96/04/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 92pp. 88375:133-88375:228.

9605300033 Forwards proposed changes to improved STS NUREGs,Nuclear Energy Institute TS Task Force travelers TSTF-14 & TSTF-39. Suggested editorial change to W improved STS (NUREG-1431).
EATON,J.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/24. GRIMES,C.I. . 20pp. 88394:103-88394:122.

9605310008 Discusses 960513 visit to Atlas Moab facility to observe characteristics re several open issued identified in DTER, NUREG-1532 published in Jan 1996.
HANEY,P. Utah, State of. 96/05/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88404:310-88404:312.

9605310119 Responds to 960401 ltr forwarding 960314 ltr from H Myers re NRC requirements concerning small-break loss-of-coolant accidents.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/28. COHEN,W.S. Senate. 5pp. 88395:194-88395:247.

--9604160130 Responds to 960315 ltr which requested that NRC clarify regulatory status of Maine Yankee Atomic Power Plant w/regard to compliance w/10CFR50.46 & NUREG-0737, "TMI Action Plan," items II.K.3.30 & II.K.3.31.
RUSSELL,W.T. . 96/04/10. MYERS,H.R. Maine, State of. 2pp. 88395:234-88395:235.

9605310158 NUREG/CR-6314 QUALITY ASSURANCE INSPECTIONS FOR SHIPPING AND STORAGE CONTAINERS.
STROMBERG,H.M., ROBERTS,G.D., BRYCE,J.H. Idaho National Engineering Laboratory. FIN L-1179. INEL-95/0061. 96/04/30. Office of Nuclear Material Safety & Safeguards. 77pp. 88395:119-88395:193.

9605310163 NUREG/CR-6428 EFFECTS OF THERMAL AGING ON FRACTURE TOUGHNESS AND CHARPY- IMPACT STRENGTH OF STAINLESS STEEL PIPE WELDS.
GAVENDA,D.J., MICHAUD,W.F., GALVIN,T.M. Argonne National Laboratory. FIN A-2212. ANL-95/47. 96/05/31. Division of Engineering Technology (Post 941217). 86pp. 88394:253-88394:338.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9508070395 Forwards final IMPEP rept on Region IV matls program & discusses 950711 MRB meeting re final IMPEP rept.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/07/26. CALLAN,L.J. Region 4 (Post 820201). 77pp. 84943:087-84943:163.

9604180387 Forwards 95 addenda analysis tables JFC-19-95 containing analysis of sections III & XI BPV code changes from BNCS ballots 547 & 556.
COOK,J.F. Idaho National Engineering Laboratory. FIN W-6185. 95/06/08. LIU,W.C. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 3pp. 88278:005-88278:110.

-9507060257 EGG-MS-10537 R05 Rev 5 to "Input to Draft Regulatory Analysis for Proposed Amend to 10CFR50.55a."
BURR,T.K., COOK,J.F., DIBIASIO,A.M. EG&G Idaho, Inc. FIN A-6367. 95/04/25. Division of Engineering Technology (Post 941217). 102pp. 88278:009-88278:110.

-9507060257 EGG-MS-10537 R05 Rev 5 to "Input to Draft Regulatory Analysis for Proposed Amend to 10CFR50.55a."
BURR,T.K., LIU,W.C., MOORE,S.E. EG&G Idaho, Inc. FIN A-6367. 95/04/25. Division of Engineering Technology (Post 941217). 102pp. 88278:009-88278:110.

9604260077 NRC Info Notice 96-027, "Potential Clogging of High Pressure Safety Injection Throttle Valves During Recirculation."
GRIMES,B.K. . 96/05/01. Consolidated Edison Co. of New York, Inc. 7pp. 88212:142-88212:148.

9604300404 Responds to 960311 ltr to Chairman Jackson re conditions imposed by DOE on return to US of foreign research reactor spent nuclear fuel of US origin.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/11. EDLOW,J. Edlow International Co. 5pp. 88191:314-88191:320.

-9605080044 Discusses DOE EIS on return of foreign research & test reactor spent fuel containing US origin HEU & LEU.
EDLOW,J. Edlow International Co. 96/03/11. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88191:319-88191:319.

-9605080045 Ack receipt of ltr to Chairman Jackson dtd 960311 re DOE on return of foreign research & test reactor spent fuel containing US origin HEU & LEU.
HOYLE,J.C. Office of the Secretary of the Commission. 96/03/19. EDLOW,J. Edlow International Co. 1p. 88191:320-88191:320.

9605010083 Notice of OMB review of info collection & solicitation of public comment re "Application for Matl License," NRC form 313.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/04/29. 12pp. 88095:099-88095:110.

-9605020086 Request for OMB review & supporting statement re application for matl license.Estimated respondent burden is 67,137 h.
O'CONNELL,R. Office of Information Resources Management (Post 890205). OMB 3150-0120. 96/04/29. 8pp. 88095:103-88095:110.

9605010088 Notice of OMB review of info collection & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/04/25. 4pp. 88067:335-88067:346.

-9605010097 Request for OMB review & supporting statement re rept of proposed activities in Non-Agreement States.Estimated respondent burden is 1,200 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0013. 96/04/25. 8pp. 88067:339-88067:346.

9605010092 Notice of OMB review of info collection & solicitation of public comment re 10CFR31, "General Domestic Licenses for Byproduct Matl."
CRANFORD,G.F. Commissioners (Post 750119). OMB 3150-0016. 96/04/29. 14pp. 88072:010-88072:023.

9605010100 Request for OMB review & supporting statement re 10CFR33, "Specific Domestic Licenses of Broad Scope for Byproduct Matl." Estimated respondent burden is 1 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0015. 96/04/29. 7pp. 88103:242-88103:252.

-9605010095 Notice of OMB review of info collection & solicitation of public comment re 10CFR33, "Specific Domestic Licenses of Broad Scope for Byproduct Matl."
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/04/29. 4pp. 88103:249-88103:252.

9605010136 Informs comments have been incorporated in encl draft MOU between PA Dept of Environ Protection & NRC.Final MOU should be sent to MV Federline for placement in files.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). 96/04/11. KUCHINSKI,L. Environmental Protection Agency. 11pp. 88065:290-88065:300.

9605020023 Forwards draft summary of 960313 meeting of Interagency Steering Committee on Radiation Standards.
GREEVES,J.T. Office of Nuclear Material Safety & Safeguards. 96/04/19. Affiliation Not Assigned. 11pp. 88096:348-88096:359.

9605020027 Discusses 960418 public meeting in Rockville,MD re changes in operator licensing program.List of attendees encl.
BOGER,B.A. . 96/04/24. THADANI,A.C. . 8pp. 88097:348-88097:355.

9605020082 Informs NRC will participate in necessary training activity scheduled for 960710-11 at Mt Weather Emergency Assistance Ctr.J Aron designated as representative of Ofc of AEOD to attend training.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 96/04/26. WITT,J.L. Federal Emergency Management Agency. 2pp.

9605020116 Notice of OMB review of info collection & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/05/01. 3pp. 88095:300-88095:310.

-9605020128 Request for OMB review & supporting statement re 10CFR81, "Std Spec for Granting of Patent Licenses." Estimated respondent burden is 1 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0121. 96/04/30. 8pp. 88095:303-88095:310.

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . IEB-95-002. 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605020319 Submits analysis of organizations w/disproportionate number of allegations,per recommendation of NUREG-1499.Analysis of Allegation Data rept encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/17. GILLESPIE,F.P. . 3pp. 88082:344-88082:360.

-9605020336 "Engineering Evaluation Rept - Analysis of Allegation Data April 1996."
ISRAEL,S. Division of Safety Programs (Post 870413). 96/04/30. 14pp. 88082:347-88082:360.

9605030007 Requests concurrence of FEMA in issuance of FR notice announcing availability for public review & comment of draft suppl 2, "Criteria for Emergency Planning in Early Site Permit Application," of NUREG-0654/FEMA-REP-1,Rev 1.
CRUTCHFIELD,D. . 96/03/27. BUCHBINDER,L. Federal Emergency Management Agency. 6pp. 88104:019-88104:024.

9605030052 Notice of OMB review of info collection & solicitation of public comment re 10CFR26, "Fitness For Duty Programs."
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/04/30. 5pp. 88103:318-88103:342.

-9605030057 Request for OMB review & supporting statement re 10CFR26, "Fitness For Duty Programs." Estimated respondent burden is 63,960 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0146. 96/04/30. 20pp. 88103:323-88103:342.

9605060096 Acks receipt of ltr to Chairman Jackson on training for interagency emergency mgt teams.J Aron designated as representative to attend training activity scheduled for 960710-11.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 96/04/24. WITT,J.L. Federal Emergency Management Agency. 2pp. 88104:031-88104:032.

9605060307 Forwards rept entitled, "Analysis of Allegations for Commercial Nuclear Power Plants."
ROSENTHAL,J.E. Reactor Operations Analysis Branch. 96/05/02. COLLINS,M.D. Document Control Branch (Document Control Desk). 1p. 88117:240-88117:314.

-9605060314 INEL-96/0071 "Analysis of Allegations for Commercial Nuclear Power Plants."
STROMBERG,H.M., GENTILLON,C.D. Idaho National Engineering Laboratory. FIN E-8238. 96/02/29. Division of Safety Programs (Post 870413). 68pp. 88117:241-88117:314.

9605070158 Forwards advance copy of Commission Paper,draft Final Rule & other supporting documents on 10CFR60, "Design Basis Events" rulemaking.Purpose of paper to obtain Commission approval to publish final rule.W/o encl.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 96/04/17. AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). CUNNINGHAM,M.A., WILLIS,C.A. . 1p. 88119:356-88119:356.

9605070195 Forwards advance copy of Commission Paper,draft Final Rule & other supporting documents on 10CFR60 "Design Basis Events" rulemaking.Purpose of paper to obtain Commission approval to publish final rule.W/o encl.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 96/04/17. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88119:359-88119:359.

9605070355 Forwards monthly matls licensing & insp statistical repts. Advises that encl insp rept complete through Feb 1996 & that licensing repts include data through Mar 1996.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/12. HEHL,C.W. Region 1 (Post 820201). MALLETT,B.S. Region 2 (Post 820201). PEDERSON,C.D. Region 3 (Post 820201). 21pp. 88144:338-88144:358.

9605080173 Forwards 960418 ltr from LG Canton which transmits final exercise rept for 951101,full-participation exercise at plant.
KEIMIG,R.R. Region 1 (Post 820201). 96/05/01. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 88136:276-88136:331.

-9605080184 "Exercise Rept Oyster Creek Nuclear Generating Station."
* Federal Emergency Management Agency. 96/03/01. 52pp. 88136:280-88136:331.

9605090115 Requests that NRR initiate rulemaking to eliminate unnecessary requirement for environ rept in 10CFR51.NMSS believes requirement unnecessary because of length of time involved in terminating U mill license.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/25. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 3pp. 88185:348-88185:350.

9605090163 Forwards ballots for ANS-15.1, "Development of TS for Research Reactors," reaffirmation & ANS-15.2, "Quality Control for Plate-Type U-Al Fuel Elements," changes to scope & purpose only.Both stds voted "approved".
ADAMS,A. . 96/04/30. RICHARD,W.J. Affiliation Not Assigned. 4pp. 88184:333-88184:336.

9605090171 Discusses 950829 ltr re records retention & destruction related to 10CFR21 requirements.Responses to listed questions submitted.
BLACK,S.C. . 96/04/24. FITZWILLIAM,J. Nova Machine Products Corp. 3pp. 88198:352-88198:354.

9605090227 Ack receipt of 960321 ltr requesting action re all nuclear power plant licensees.
RUSSELL,W.T. . 2.206. 96/04/26. MORRIS,C. Affiliation Not Assigned. 4pp. 88184:310-88184:332.

-9605090229 Submits petition under 10CFR2.206.Author requests NRC to suspend operating voltage transfer capabilities until NPS transfered to PPS.
MORRIS,C. Affiliation Not Assigned. 2.206. 96/03/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 88184:314-88184:318.

-9112060121 Requests that listed actions be implemented re facility main transformer failure.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 91/11/21. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 88184:319-88184:320.

-9112100143 Submits response to 910812 request for review of issues re 1988 & 91 main transformer failures.
HOLAHAN,G.M. Division of Systems Technology (890827-921003). 91/11/18. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 88184:321-88184:332.

9605090251 Transfers lead review activities on scram solenoid pilot valves Viton diaphragm issue from Reactor Sys Branch to Div of Engineering.
HOLAHAN,G.M. . 96/04/25. SHERON,B.W. . 1p. 88199:354-88199:354.

9605100021 Informs of cancellation of NRR Ofc Ltr 1401, "Procedures For Intl Activities," & that Ofc Ltr 5.10 dtd 950623,reprinted to reflect current numbering sys for ofc ltrs.
* . NRRL-1401. 96/04/18. . 8pp. 88207:340-88207:348.

9605100053 Forwards Policy & Guidance Directive PG 1-23: "Guidance for Multi-Site Licenses," dtd 960430.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/30. LIEBERMAN,J. Ofc of Enforcement (Post 870413). HEHL,C.W. Region 1 (Post 820201). MALLETT,B.S. Region 2 (Post 820201). 3pp. 88212:302-88212:314.

--9605130124 Policy & Guidance Directive PG 1-23, "Guidance for Multi- Site Licenses."
WOODS,S.R., HOLAHAN,P.K., CAMPER,L.W. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/30. 10pp. 88212:305-88212:314.

9605100079 Forwards charter for Committee updates document previously filed by NRC on 940209 & extends life of Committee through 980209.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/03/15. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 6pp. 88243:321-88243:326.

9605100212 Forwards results of NRC & State of MD joint review of medical misadministrations involving patients undergoing radiation therapy treatment during 1987-1988 at Sacred Heart Hosp in Cumberland,MD.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/04/16. SARBANES,P., MIKULSKI,B. Senate. BARTLETT,R. House of Rep. 4pp. 88243:265-88243:280.

--9604190125 "Rept on NRC/State of MD Joint Review of Sacred Heart Hosp Misadministrations in 1987-1988."
* NRC - No Detailed Affiliation Given. CCS. 96/03/05. 11pp. 88243:269-88243:280.

9605100217 Informs that for quarter beginning Jan-Mar 1996,NRC neither released nor denied to public any documents containing safeguards info,per requirement of Section 147 of AEA of 1954,as amended.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/04/22. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. 88243:281-88243:283.

9605100253 Forwards documents associated w/NRC bulletin 96-03, "Potential Plugging of ECCS Strainers by Debris in BWRs," to be made available to public.
SHAPAKER,J.W. . IEB-96-003. 96/05/08. Document Control Branch (Document Control Desk). 2pp. 88257:336-88257:356.

9605130030 Transcript of 960425 licensee & public workshop on business process reengineering in Rockville,MD.Pp 1-121.Related documentation encl.
* Commissioners (Post 750119). 96/04/25. 207pp. 88227:001-88227:207.

9605130034 NRR ofc ltr 1401, "Procedures for Intl Activities," establishing procedeures & providing guidance pertaining to participation in intl activities.
* Office of Nuclear Reactor Regulation (Post 941001). NRRL-1401. 96/04/18. Office of Nuclear Reactor Regulation (Post 941001). 9pp. 88224:341-88224:349.

9605130186 Forwards NRC Form 173,Standard Order for DOE Work,submitted per Section III.B.2 of DOE/NRC MOU of 780224.NRC accepts ORNL 960325 proposal for Task Order 5 & all work shall be conducted IAW subj proposal.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/28. HULTGREN,R.O. Energy, Dept. of. 7pp. 88205:031-88205:057.

--9605130197 Forwards Task Order 5 proposal entitled, "Agreement State Info Base," submitted in response to request dtd 951229 accompaning modified SOW.
ROBINSON,J.J. Oak Ridge National Laboratory. FIN E-7044. JJR-96-17. 96/03/25. SOLLENBERGER,D. Office of State Programs (Post 911117). 20pp. 88205:038-88205:057.

9605130440 Recommends approval of attached mod to contractual action for Job Code L2592.W/o encl.
ODAR,F. Reactor & Plant Systems Branch (Post 941217). FIN L-2592. 96/04/01. HODGES,M.W. Division of Systems Technology (Post 941217). 1p. 88224:302-88224:302.

9605140095 Notification of 960313 meeting w/licensee in Alexandria,VA to discuss thermal/stress analysis & steerig committee meeting for Midland annealing demonstration project.
JACKSON,D.A. Electrical, Materials & Mechanical Engineering Branch (Post 941217). SHERON,B.W. . 96/04/26. SHAO,L.C. Division of Engineering Technology (Post 941217). HACKETT,E.M. . 6pp. 88228:337-88228:342.

9605140424 Notifies of 960417 meeting w/Prudential Securities in Washington,DC to discuss current regulatory issues re SG such as status of SG rulemaking & trends in SG insp & repair techniques.
CASE,M.J. . 96/04/15. SHERON,B.W. . 1p. 88251:308-88251:308.

9605140434 Discusses three day workshop for approx 40 NRC regional & headquarters staff on SG issues in Charlotte,NC on 960213- 15.List of attendees encl.
THADANI,A.C. . 96/04/16. RUSSELL,W.T. . 7pp. 88249:341-88249:347.

9605140484 Expresses appreciation of fine effort of P Steiner for participating in proctoring retake exam for two Georgia Tech reactor operator license candidates.
WEISS,S.H. . 96/04/15. PEEBLES,T. Region 2 (Post 820201). 1p. 88226:334-88226:335.

9605140495 Forwards for info & use,rept on EDG power sys reliability 1987-1993,INEL-95-0035.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/03/22. BOGER,B.A., CRUTCHFIELD,D., GIBSON,A.F. . 4pp. 88269:050-88269:256.

--9605140503 INEL-95/0035 "Emergency Diesel Generator Power Sys Reliability 1987-1993."
GRANT,G.M., POLOSKI,J.P., LUPTAK,A.J. Idaho National Engineering Laboratory. INEL-95-0035. 96/02/29. Division of Safety Programs (Post 870413). 203pp. 88269:054-88269:256.

9605150035 Forwards keynote speech made at annual meeting of Nuclear Utils Meteorological Data Users Group in San Francisco,CA on 960425.
BARRETT,R.J. Incident Response Branch. 96/05/01. CONGEL,F.J. Incident Response Branch. 1p. 88270:301-88270:310.

--9605160260 "Risk Management of Weather-Related Events," presented at 960425 annual meeting of Nuclear Utility Meteorological Data Users Group in San Francisco,CA.
BARRETT,R.J. NRC - No Detailed Affiliation Given. 96/04/25. 9pp. 88270:302-88270:310.

9605150099 Discusses 960313-15 meeting re design reviews & monthly meeting of ASME-DOE/SNL-Industry Steering Committee for Marble Hill Annealing Demonstration project.
MALIK,S.N. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/04/08. SHAO,L.C. Division of Engineering Technology (Post 941217). 5pp. 88265:318-88265:322.

9605150209 NRC Info Notice 96-029, "Requirements in 10CFR21 for Reporting & Evaluating Software Errors."
GRIMES,B.K. . IEIN-85-052. 96/05/20. Consolidated Edison Co. of New York, Inc. 9pp. 88425:008-88425:016.

9605160205 Forwards FEMA correspondence dtd 960419 transmitting to State of Iowa two deficiencies re 960409-10 Emergency Preparedness Exercise at Duane Arnold Energy Ctr.
CREED,J.R. Region 3 (Post 820201). 96/05/06. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 4pp. 88275:357-88275:360.

9605160311 NRC Info Notice 96-030, "Inaccuracy of Diagnostic Equipment for Motor-Operated Butterfly Valves."
GRIMES,B.K. . IEIN-94-018. 96/05/21. Consolidated Edison Co. of New York, Inc. 6pp. 88425:017-88425:022.

9605170044 Forwards NRR input for Jan-Mar 1996,USAID-USNRC IAA Quarterly Rept.
NEWBERRY,S.F. . 96/05/09. MILHOAN,J.L. Ofc of the Executive Director for Operations. 19pp. 88297:266-88297:284.

9605170071 Informs NRR Office Ltr 200, "Travel Procedures," dtd 871028,cancelled.
* . 96/05/07. . 2pp. 88292:334-88292:335.

9605170288 NRC Info Notice 96-031, "Cross-Tied Safety Injection Accumulators."
GRIMES,B.K. . 96/05/22. Consolidated Edison Co. of New York, Inc. 7pp. 88425:023-88425:029.

9605170477 Informs of amount of EP insp support being provided for regions from NRR in response to request.Primary method of support through participation in insp of licensee EP exercises.
GRIMES,B.K. . 96/05/07. MIRAGLIA,F. . 2pp. 88304:343-88304:344.

9605200004 Requests assistance to offsite officials w/corrective actions as necessary & track State corrective actions for deficiencies identified by FEMA during 960417 plant exercise.
GWYNN,T.P. Region 4 (Post 820201). 96/05/14. MCGAHA,J.R. Entergy Operations, Inc. 7pp. 88305:006-88305:012.

9605200102 Summarizes 960417 meeting w/Morgan,Lewis & Bockius re status of SG rulemaking effort & potential for international utility participation in SG rule effort.
REED,T.A. . 96/04/22. STROSNIDER,J. . 49pp. 88301:101-88301:149.

9605200103 Notice informing Director denied Petitioner request for immediate suspension of operating licenses for all NPP, per 960417 ltr.
RUSSELL,W.T. . 2.206. 96/04/17. 2pp. 88301:150-88301:151.

9605200345 Informs that effective 960630,FBI will no longer return civil nonidentification fingerprint cards to contributers & that responses will be printed on 8 1/2 x 11 inch white paper in encl sample format w/attached 951211 ltr.
BRADY,R.J. Office of Administration, Director (Post 940714). 96/05/10. . 4pp. 88296:337-88296:340.

9605210383 Notice of OMB review of info collection & solicitation of public comment re generic clearance for customer satisfaction surveys.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/05/13. 2pp. 88308:332-88308:339.

--9605210387 Request for OMB review & supporting statement re generic clearance for customer satisfaction surveys.Estimated respondent burden is 300 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/05/13. 5pp. 88308:335-88308:339.

9605210388 Notice of OMB review of info collection & solicitation of public comment re 10CFR30, "Rules of General Applicability to Domestic Licensing of Byproduct Matl."
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/05/08. 3pp. 88308:252-88308:279.

--9605210398 Request for OMB review & supporting statement re 10CFR30, "Rules of General Applicability to Domestic Licensing of Byproduct Matl."
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0017. 96/05/08. 25pp. 88308:255-88308:279.

9605210435 Request for OMB review,& supporting statement re 10CFR74 - matl control & accounting of special nuclear matl.Estimated respondent burden is 3,923 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0123. 96/05/14. 18pp. 88308:283-88308:300.

9605210456 Notice of OMB review of info collection & solicitation of public comment re 10CFR9,Public Records.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/05/08. 4pp. 88321:281-88321:295.

--9605210460 Request for OMB review & supporting statement re 10CFR9, Public Records.Estimated respondent burden 3,519 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0043. 96/05/08. 11pp. 88321:285-88321:295.

9605220019 NRC Info Notice 96-033, "Erroneous Data from Defective Thermocouple Results in Fire."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. Consolidated Edison Co. of New York, Inc. 8pp. 88425:030-88425:037.

9605220244 NUREG-0654 R1 S2 DFC CRITERIA FOR PREPARATION AND EVALUATION OF RADIOLOGICAL EMERGENCY RESPONSE PLANS AND PREPAREDNESS IN SUPPORT OF NUCLEAR POWER PLANTS.Criteria For Emergency Planning In An Early Site Permit Application.Draft Report For Comment.
KANTOR,F., FOX,E.F. Office of Nuclear Reactor Regulation (Post 941001). WINGERT,V.L. Federal Emergency Management Agency. FEMA-REP-1. 96/04/30. 32pp. 88314:302-88314:334.

9605230130 Forwards section R of RCM, "NRC Public Affairs Plan," for info.
BARRETT,R.J. Incident Response Branch. 96/05/06. CONLEY,S. Agriculture, Dept. of. 1p. 88342:020-88342:030.

--9605230138 Section R, "NRC Public Affairs Plan."
* NRC - No Detailed Affiliation Given. 96/04/16. 10pp. 88342:021-88342:030.

9605230143 Discusses NRR Ofc Ltr 304,Rev 2, "Guidelines & Procedures for Processing Incentive Awards."
* . NRRL-304. 96/05/13. . 8pp. 88342:164-88342:171.

9605230147 Forwards section R of RCM, "NRC Public Affairs Plan," for info.
BARRETT,R.J. Incident Response Branch. 96/05/06. GOODMAN,M. Federal Emergency Management Agency. 1p. 88342:042-88342:052.

9605230158 Forwards section R of RCM, "NRC Public Affairs Plan," for info.
BARRETT,R.J. Incident Response Branch. 96/05/06. MACDOUGALL,C. Energy, Dept. of. 1p. 88342:053-88342:063.

9605230192 Provides portion of Response Coordination Manual which provides guidance to Federal agencies re various roles in event of radiological accident,in which NRC Lead Federal Agency.
BARRETT,R.J. Incident Response Branch. 96/05/06. KASPER,J. Environmental Protection Agency. 11pp. 88342:197-88342:207.

9605230203 General distribution Vol 5,Number 2, "Review," March/April 1996.
* Institute of Nuclear Power Operations. 96/04/30. 16pp. 88371:277-88371:294.

9605290046 Forwards app B to "SG Ref Book," prepared by EPRI in 1985 & listing plant & SG design info.
SHERON,B.W. . 96/04/26. TUTTLE,T. . 13pp. 88375:286-88375:298.

9605290145 Informs that NRR concures w/direct final rule 10CFR2 & 51 that will delete outdated references & provide minor clarification in 10CFR2.
RUSSELL,W.T. . 96/05/10. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 2pp. 88385:233-88385:262.

--9605290147 Forwards direct final rule 10CFR2 & 51 & accompanying proposed rule for concurrence.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 96/04/10. RUSSELL,W.T. . PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 27pp. 88385:236-88385:262.

9605290207 Forwards computer diskettes containing revised PWR operator computerized generic fundamentals exam bank & BWR operator computerized generic fundamentals exam bank.Instructions for accessing banks also encl.W/o diskettes.
SUBALUSKY,W.T. National Academy for Nuclear Training. 96/05/21. BOGER,B.A. . 2pp. 88376:114-88376:115.

9605290234 Forwards draft special study on fire events,covering operating experience from 1965 - 1994,for review & comment. Study performed to characterize frequency & nature of fire event data from plants.Comment requested within 30 days.
ROSSI,C.E. Office for Analysis & Evaluation of Operational Data, Director. 96/05/17. HOLAHAN,G.M., SHERON,B.W., GILLESPIE,F.D. . 3pp. 88385:290-88385:292.

9605300021 Forwards for info,repts listing all NRC export cases completed,received or pending during Apr 1996 which includes 6 cases completed,10 application or amend request received & 87 cases pending as of 960430.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/29. DELABARRE,R. State, Dept. of. 9pp. 88418:068-88418:084.

9605300109 Requests estimate of costs associated w/creating bank of 100 sample plans of listed info.Bank being provided for examiner use to aid in writing exams & preparing operating tests,in effort to increase efficiency of OL exam process.
ROBERTSON,J.P. . 96/05/08. BRYCE,J.H. Idaho National Engineering Laboratory. 1p. 88390:081-88390:081.

9605300173 Requests review of section of Response Coordination Manual entitled "Guidance for Response to Chemical Accidents Not Involving Radioactive Matl."
BARRETT,R.J. Incident Response Branch. 96/05/14. CONKLIN,C. Environmental Protection Agency. 3pp. 88390:158-88390:160.

9605300180 Requests review of section of Response Coordination Manual entitled, "Transportation Accidents Involving Radioactive Matl."
BARRETT,R.J. Incident Response Branch. 96/05/14. CARRIKER,W. Transportation, Dept. of. 3pp. 88389:354-88389:356.

9605300223 Discusses NRC & NIST review re concerns about capabilities of certain thread gaging sys currently specified in ASME codes & stds & extent to which ASME Code requirements applicable.Requests review of ASME documents.W/o encls.
SHERON,B.W. . 96/05/13. ARLOTTO,G. American Society of Mechanical Engineers. FEIGEL,R.E. Hartford Steam. 11pp. 88390:182-88390:192.

9605310019 Forwards April 1996 generic fundamentals exam & answer key to be placed in PDR.
MCCAIN,D. . 96/05/28. Document Control Branch (Document Control Desk). 130pp. 88394:123-88394:252.

9605310233 Forwards Ofc of Inspector General audit rept entitled, "Review of Videoconferencing Capabilities & Utilization."
BARCHI,T.J. Office of the Inspector General (Post 890417). 96/05/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88400:117-88400:133.

--9605310240 OIG/96A-12 "Review of Videoconferencing Capabilities & Utilization."
* Office of the Inspector General (Post 890417). 96/05/21. 14pp. 88400:121-88400:133.

PR PROPOSED RULE

9605030351 Comment supporting proposed Staff Technical Position re "Diposition of Cesium-137 Contaminated Emission Control Dust & Other Incident-Related Matls."
CURRAN,M.A. Affiliation Not Assigned. 61FR1608 00023. 96/04/25. Office of Administration, Director (Post 940714). 4pp. 88092:336-88092:339.

9605070339 Comment on Inst of Medicine rept, "Radiation in Medicine: Need for Regulatory Reform."
BEASLEY,C. St. Johns Regional Health Center, Springfield, MO. 61FR1648 00035. 96/04/29. Docketing & Services Branch. 2pp. 88114:144-88114:145.

9605100220 Forwards notice that NRC considering amending 10CFR50, "Financial Assurance Requirements for Decommissioning Nuclear Power Reactors."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/04/04. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 88237:254-88237:269.

9605100222 Forwards final rules 10CFR170 & 10CFR171, "Rev of Fee Schedules;100% Fee Recovery,FY96."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/04/10. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. DOMENICI,P.V. Senate, Appropriations. 140pp. 88270:001-88270:140.

9605130251 Final rule 10CFR20,30,40,61,70 & 72, "Termination or Transfer of Licensed Activities: Recordkeeping Requirements," amending regulations re disposition of certain records when licensee terminates licensed activites.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 59FR66814. 96/02/01. 30pp. 88211:004-88211:033.

9605130364 Comments on proposed mod of 10CFR20 re recent incidents involving internal contamination at NRC licensed facilities. Concern expressed that proposed regulation much to broad & will result in exceptional burden on licensees.
LAVELY,P. California, Univ. of, Berkeley, CA. 61FR3334 00085. 96/03/27. Docketing & Services Branch. 4pp. 88211:287-88211:290.

9605140205 Comments on proposed rules 10CFR20,30,40,50,51,70 & 72 re radiological criteria for decommissioning.Urges Commission to make every effort to minimize impact of decommissioning regulations upon medical & biological research.
LEIDHOLDT,E.M. Affiliation Not Assigned. 59FR43200 00104. 96/04/26. Docketing & Services Branch. 2pp. 88222:306-88222:307.

9605160303 Responds to 960402 ltr to Chairman Jackson requesting that public comment period be provided on NRC proposed final policy statement on Freedom of Employee in Nuclear Industry to Raise Concerns w/o Fear of Retaliation.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/25. FLEMING,J.A., JOCHER,W.F., ROSS,A.J. Affiliation Not Assigned. 8pp. 88288:236-88288:306.

--9605170393 Requests that NRC submit proposed final policy statement &/or rulemaking for public comment period.
FLEMING,J.A. Affiliation Not Assigned. 96/04/02. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88288:247-88288:306.

9605160434 Proposed rule 10CFR26, "Modifications to Fitness-for-Duty Program Requirements." Rule would ensure compatibility w/changes made to DHHS testing guidelines,reduce unnecessary burdens & ensure continued protection of public health.
HOYLE,J.C. Office of the Secretary of the Commission. 61FR21105. 96/04/29. 192pp. 88276:155-88276:348.

9605210505 Notice of statement of policy re freedom of employees in nuclear industry to raise safety concerns w/o fear of retaliation.
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/08. 22pp. 88305:248-88305:269.

9605210518 Comment on NAS Inst of of Medicine rept, "Radiation in Medicine,Need for Regulatory Reform." Believes that legislation should be enacted to allow states to regulate independently,agreement matls as other radiation sources.
JERRETT,L.E. Florida, State of. 61FR1648 00036. 96/05/03. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88305:270-88305:270.

9605210530 Comment supporting Inst of Medicine Rept, "Radiation in Medicine:Need for Regulatory Reform."
* House of Rep. 61FR1648 00037. 96/04/02. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88305:271-88305:271.

9605230129 Requests NRC reopen comment period for 30 to 60 days to allow for consideration of addl info from Envirocare & others re NRC proposed Staff Technical Position.
JUDD,C.A. Envirocare, Inc. 61FR1608 00024. 96/05/03. LAHS,W.R. Division of Waste Management (NMSS 940403). 1p. 88333:001-88333:001.

9605230166 Comment supporting proposed rule re NAS/Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
RIMAWI,K. New York, State of. 61FR1648 00038. 96/05/17. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 88333:023-88333:024.

9605230182 Notice of meeting on proposed changes to Fitness-for-Duty Rule scheduled for 960612 in Rockville,MD to ensure that potential commenters understand proposed changes & can make formal comments.
BUSH,L.L. . 61FR21105. 96/05/10. 2pp. 88333:031-88333:032.

9605240058 Comment supporting proposed rule 10CFR50, "Financial Assurance Requirements for Decommissioning Nuclear Power Reactors" (SP-96-044,61FR 15427-15430).
ZAW-MON,M. Maryland, State of. 61FR15427 00001. 96/05/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 88340:360-88340:361.

9605300085 Comment opposing Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
RATLIFF,R.A. Texas, State of. 61FR1648 00041. 96/05/17. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 88381:349-88381:350.

9605300091 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
BELSHE,S.K. California, State of. 61FR1648 00039. 96/05/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 88392:001-88392:006.

9605300132 Comment opposing Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
SHALALA,D.E. Health & Human Services, Dept. of. 61FR1648 00050. 96/05/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88381:345-88381:345.

9605300190 Notice of meeting 10CFR26, "Meeting on Proposed Changes to Fitness-for-Duty Rule," ensuring potential commenters understand proposed changes & can make informed comments.
BUSH,L.L. . 59FR24373. 96/05/10. 2pp. 88394:091-88394:092.

PRESS PRESS RELEASES

9605070141 Press release IV-96-28, "NRC Issues Partial Initial Decision on Louisiana Energy Svcs License Application."
* Region 4 (Post 820201). 96/04/30. 1p. 88197:358-88197:358.

9605090070 Press release 96-65A, "Chairman of Ukrainian Parlimentary Committee on Nuclear Safety Visits NRC."
* Office of Public Affairs (Post 911117). 96/05/08. 1p. 88212:181-88212:181.

9605090072 Press release 96-65, "Chairman of Ukrainian Parlimentary Committee on Nuclear Safety Visits NRC."
* Office of Public Affairs (Post 911117). 96/05/08. 1p. 88212:182-88212:182.

9605090073 Press release 96-64, "NRC ACRS to Meet 960523-25."
* Office of Public Affairs (Post 911117). 96/05/07. 3pp. 88212:183-88212:185.

9605090076 Press release II-96-44, "NRC Officials to Meet W/TVA at Watts Bar Nuclear Plant on 960510."
* Region 2 (Post 820201). 96/05/08. 1p. 88212:186-88212:186.

9605090080 Press release IV-96-29, "NRC Staff to Hold Open Predecisional Enforcement Conference 960510 W/Wolf Creek."
* Region 4 (Post 820201). 96/05/08. 1p. 88212:187-88212:187.

9605090101 Press release II-96-43, "NRC Licensing Board Sets Hearing on Georgia Tech Research Reactor."
* Region 2 (Post 820201). 96/05/07. 1p. 88212:202-88212:202.

9605090106 Press release I-96-29, "NRC Staff to Hold Predecisional Enforcement Conference W/NMP Corp."
* Region 1 (Post 820201). 96/05/07. 1p. 88212:203-88212:203.

9605150098 Press release III-96-016, "Fermi Plant Rated "Superior" in One Area, "Good" in Two Areas, "Adequate" in One Area in Latest SALP."
* Region 3 (Post 820201). 96/05/09. 2pp. 88292:257-88292:258.

9605150103 Press release IV-96-30, "NRC Regional Administrator to Hold News Conference in Richland."
* Region 4 (Post 820201). 96/05/10. 1p. 88292:259-88292:259.

9605150105 Press release IV-96-31, "South TX Rated "Superior" in Two Areas "Good" in Two Areas in Latest NRC SALP Rept."
* Region 4 (Post 820201). 96/05/13. 2pp. 88292:260-88292:261.

9605150108 Press release 96-68, "NRC Releases Cleaned-Up Area at Jefferson Proving Ground for Unrestricted Use."
* Office of Public Affairs (Post 911117). 96/05/13. 1p. 88292:262-88292:262.

9605200061 Responds to appeal of denial of documents re transportation of hazardous waste matls from Mound Lab of Miamisburg,Ohio for disposal in Canon City,Colorado area.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 96/05/06. BUSH,M.C. Affiliation Not Assigned. 8pp. 88357:006-88357:248.

-9605210522 Press release III-77-036, "Radiological Survey to Begin 770627 at Vacant Industrial Site in Hazelwood,Missouri."
* Region III, IE (720101-810228). 77/06/24. 3pp. 88358:003-88358:005.

-9605220004 Press release III-77-062, "Aerial Radiation Survey Planned for St Louis,Missouri Area."
* Region III, IE (720101-810228). 77/10/19. 1p. 88358:089-88358:089.

9605200178 Press release III-96-17, "NRC Dispatches Special Insp Team to Dresden Nuclear Plant to Review Reactor Shutdown on 960515."
* Region 3 (Post 820201). 96/05/16. 1p. 88356:308-88356:308.

9605200183 Press release IV-96-32, "NRC Proposes to Fine Innovative Weapontry,Inc $7,500 for License Violation."
* Region 4 (Post 820201). 96/05/16. 2pp. 88356:309-88356:310.

9605200185 Press release II-96-46, "NRC Staff to Hold Enforcement Conference in Atlanta to Discuss Farley Nuclear Plant Concerns W/SNOC."
* Region 2 (Post 820201). 96/05/16. 1p. 88356:311-88356:311.

9605200187 Press release 96-69, "NRC Honors Employees."
* Office of Public Affairs (Post 911117). 96/05/16. 4pp. 88347:245-88347:248.

9605200190 Press release 96-70, "NRC Issues Policy Statement on Protection of Employees From Retaliation."
* Office of Public Affairs (Post 911117). 96/05/16. 2pp. 88356:312-88356:313.

9605200192 Press release 96-71, "NRC Names JF Williamson to ACMUI."
* Office of Public Affairs (Post 911117). 96/05/17. 2pp. 88347:249-88347:250.

9605210130 Press release 96-72, "NRC Amends Regulations on Recordkeeping Requirements."
* Office of Public Affairs (Post 911117). 96/05/20. 1p. 88389:079-88389:079.

9605210133 Press release III-96-18, "NRC Staff Proposes $100,000 Fine Against Commonwealth Edison Co for Violations of NRC Safety Requirements at Braidwood Plant."
* Region 3 (Post 820201). 96/05/17. 2pp. 88370:270-88370:271.

9605230109 Press release III-96-019, "NRC Special Insp Team to Present Findings of Review of 960515 Shutdown at Dresden Nuclear Plant."
* Region 3 (Post 820201). 96/05/22. 1p. 88389:173-88389:173.

9605230115 Press release III-96-020, "NRC Staff Proposes $50,000 Fine Against Detroit Edison Co for Violation of NRC Requirements at Fermi 2 Nuclear Plant."
* Region 3 (Post 820201). 96/05/22. 1p. 88389:172-88389:172.

9605240020 Press release 96-74, "NRC Staff Completes Survey of Refueling Practices at Nation's Nuclear Power Plants."
* Office of Public Affairs (Post 911117). 96/05/22. 12pp. 88391:345-88391:356.

9605240021 Press release IV-96-33, "NRC Sends Augmented Insp Team to ANO-1 Following Reactor Trip."
* Region 4 (Post 820201). 96/05/22. 2pp. 88392:141-88392:142.

9605240200 Press release I-96-34, "NRC Staff Rates Pilgrim 'Good' in Operations,Maint & Plant Support & 'Excellent' in Engineering."
* Region 1 (Post 820201). 96/05/23. 2pp. 88391:305-88391:306.

9605240201 Press release IV-96-34, "NRC Augmented Insp Team Continues Work During ANO Unit 1 Restart."
* Region 4 (Post 820201). 96/05/23. 2pp. 88391:303-88391:304.

9605310043 Press release IV-96-35, "NRC to Meet W/ENTERGY to Discuss Augmented Insp Team Findings."
* Region 4 (Post 820201). 96/05/29. 1p. 88444:111-88444:111.

9605310045 Press release 96-75, "NRC Withdraws Proposed Rule on Agency Authority Over Low-Level Waste at Reactor Sites in Agreement States."
* Office of Public Affairs (Post 911117). 96/05/30. 1p. 88444:112-88444:112.

9605310056 Press release III-96-21, "NRC Sends Augmented Insp Team to Review Gaseous Ignition Incident in Spent Fuel Cask at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/05/29. 2pp. 88444:175-88444:176.

PRM PETITION FOR RULEMAKING

9605140222 Comment supporting petition for rulemaking PRM 35-13 re NRRPT RSO requirements.
CARLSON,B. Affiliation Not Assigned. 61FR4754 00019. 96/05/06. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 88222:308-88222:308.

9605210498 Notice of receipt of petition for rulemaking PRM-72-3 re amend to 10CFR72 concerning regulations governing independent storage of spent nuclear fuel in dry storage casks.
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/08. 7pp. 88305:232-88305:238.

9605220023 Comment supporting petition for rulemaking PRM-50-63 re potassium iodine stockpiling in event of nuclear accident.
ROJEK,L. Affiliation Not Assigned. 60FR58256 00061. 96/05/05. Commissioners (Post 750119). 1p. 88314:110-88314:110.

9605230171 Responds to 951209 & 29 ltrs re control & use of SARs for SF dry storage casks licensed under 10CFR72.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 61FR24249. 96/03/05. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88340:001-88340:008.

-9605230176 Discusses 951209 & 29 ltrs from F Shillinglaw to Chairman Jackson re control & use of SARs for SF dry storage casks licensed under 10CFR72.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2.206. 96/01/29. MARCUS,G.H. . 1p. 88340:004-88340:008.

9605230205 Petition for rulemaking PRM-72-3 re SARs for SF dry storage casks licensed under 10CFR72.
SHILLINGLAW,F. Affiliation Not Assigned. 61FR24249. 95/12/09. Rules & Directives Review Branch (Post 920323). 4pp. 88340:018-88340:025.

-9605240086 Petition for rulemaking PRM-72-3 re SARs for SF dry storage casks licensed undere 10CFR72.
SHILLINGLAW,F. Affiliation Not Assigned. 61FR24249. 95/12/29. Rules & Directives Review Branch (Post 920323). 4pp. 88340:022-88340:025.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

-9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

PROJ PROJECTS - PREDOCKET LICENSING

9605020091 Notification of 960430 meeting w/NEI in Rockville,MD to discuss NEI PRM to change requirements described in 10CFR50.54(e) for reporting proposed changes to licensee quality assurance programs.
MAGRUDER,S.L. . 96/04/25. QUAY,T.R. . 2pp. 88095:359-88095:360.

9605060354 Requests concurrence on design & analysis basis assumptions re boron concentration in reactor coolant sys during fuel-in full RCS chemical decontamination.
SEPP,H.A. Westinghouse Electric Corp. WOG/FICD-96-003. 96/05/01. JONES,R.C. . 3pp. 88172:001-88172:003.

9605070138 Summarizes 960328 meeting w/B&WOG SG Committee to discuss listed topics.Presentation matls & list of attendees encl.
SCALETTI,D. . 96/04/16. NRC - No Detailed Affiliation Given. 54pp. 88114:153-88114:222.

9605070170 Forwards preliminary agenda for meeting to be held on 960423 & meeting notice.
LYON,W.C. NRC - No Detailed Affiliation Given. TAC M77701. 96/04/18. PIETRANGELO,T. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88141:332-88141:335.

--9605070179 Notification of 960423 meeting w/NEI in North Bethesda,MD to discuss proposed shutdown operation rule.
LYON,W.C. . TAC M77701. 96/04/15. JONES,R.C. . 2pp. 88141:334-88141:335.

9605070303 Requests addl info re CE owners group joint application repts for safety injection tanks & low pressure safety injection sys.
GRIMES,C.I. . GL-88-20. 96/04/16. PILMER,D.F. Southern California Edison Co. 3pp. 88143:354-88143:358.

9605070318 Notification of 960424 meeting w/NEI in Rockville,MD to hear NEI views on RP issues of interest to industry.
EMCH,R.L. . 96/04/18. MILLER,C.L. . 3pp. 88143:350-88143:352.

9605070335 Informs of review & acceptance of CNWRA Operations Plan for Waste Solidification Sys for FY96,Rev 5,Change 3 dtd Apr 1996.
COMFORT,G.C. Licensing Branch. 96/05/01. MEEHAN,B.D. Office of Administration, Director (Post 940714). 2pp. 88174:026-88174:027.

9605080053 Forwards Rev 0 of NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule." NEI recently informed that CP&L & RG&E withdrawing from participation in demonstration program for NEI 95-10.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/04. CRUTCHFIELD,D. . 9pp. 88208:001-88208:147.

--9605080054 Rev 0 to NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/31. 138pp. 88208:010-88208:147.

9605090225 Responds to Mar ltr,inquiring whether General Atomics will support completion of preapplication review of MHTGR.
SIMON,W.A. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/04/29. CRUTCHFIELD,D. . 1p. 88209:359-88209:359.

9605100231 Requests to substitute revised response for RAI Number 12 into original submittal,per ltr dtd 960417.
CRONEBERGER,D. BWR Owners Group. OG-1586. 96/05/01. Document Control Branch (Document Control Desk). 4pp. 88243:284-88243:287.

9605150059 Informs that NEI document "Guideline for Implementing Graded Approach to Quality," will receive appropriate consideration during development of regulatory guidance for graded QA as part of PRA Implementation Plan.
BLACK,S.C. . 96/05/02. FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 88258:330-88258:333.

9605150106 Provides final revised industry guideline for maint rule implementation.Rev result of discussions w/NRC,lessons learned from NRC pilot visits,workshop questions & answers & early utility implementation efforts.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/26. RUSSELL,W.T. . 2pp.

--9605150114 Final Rev 2 to NUMARC 93-01, "Industry Guideline for Monitoring Effectiveness of Maint at Nuclear Power Plants."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/30. 157pp.

9605150109 Notifies of 960514 meeting w/NEI in Rockville,MD to discuss IR Agreement Summary Repts.
REGAN,C.M. . 96/05/02. NEWBERRY,S.F. . 3pp. 88258:350-88258:352.

9605150128 Notification of 960425 meeting w/B&W Owners Group in Rockville,MD to discuss staff request for addl info re B&WOG rept BAW-2245,rev 1, "Initial RTNDT of Linde 80 Welds Based on Fracture Toughness in Transition Range."
SCALETTI,D. . 96/04/16. QUAY,T.E. . 2pp. 88258:353-88258:354.

9605150152 Notification of 960430 meeting w/B&WOG in Rockville,MD to discuss application of RG 1.99,rev 2 ratio procedure to Linde 80 welds & concerns related to GL 92-01,suppl 1.
SCALETTI,D. . GL-92-01. 96/04/16. QUAY,T.E. . 2pp. 88258:355-88258:356.

9605150189 Summary of 960327 meeting w/B&WOG & CEOG to discuss staff concerns re high burnup fuel & stuck control rods.
SCALETTI,D. . 96/04/16. . 18pp. 88270:262-88270:279.

9605150228 Notifies of 960515 meeting w/W & W Owners Group in Rockville,MD to discuss recent root cause investigation of incomplete RCCA insertion.
JACKSON,D.T. . 96/05/02. QUAY,T.R. . 3pp. 88258:324-88258:326.

9605150294 Responds to 960303 ltr to Senator H Kohl of WI re long-term storage of spent nuclear fuel.Ltr to J Taylor of NRC dtd 960303 was responded to on 960418.
RUSSELL,W.T. . 96/05/09. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 88258:309-88258:323.

9605160036 Notification of 960416 meeting w/Nuclear Energy Inst in Rockville,MD to discuss license renewal demonstration program site visit of Calvert Cliffs NPP & other scheduled site visits.
PRATO,R.J. . 96/04/09. NEWBERRY,S.F. . 2pp. 88273:166-88273:168.

9605160270 Comments on unclear terms used to describe revs & amends to VSC-24 SAR.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/29. LEU,K.C. NRC - No Detailed Affiliation Given. 5pp. 88309:275-88309:279.

9605160309 Informs that revised document will be submitted to NRC for endorsement in June 1996.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/18. CRUTCHFIELD,D. . 2pp. 88318:223-88318:224.

9605160350 Requests NRC inspection of areas of weakness brought out in hearings & documents re design,construction & handling of VSC-24 casks to be used at Point Beach.
SINCLAIR,M.P. Don't Waste Michigan. 96/05/06. LEU,K. Office of Nuclear Material Safety & Safeguards. 8pp. 88314:161-88314:168.

9605170058 Forwards Rev 1 of NEI 95-01, "Nuclear Power Plant Personnel Access Authorization Standards & Procedures," provided 951228.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/05/09. GRIMES,B.K. . 2pp. 88298:001-88298:182.

--9605170081 Rev 1 of NEI 95-01, "Nuclear Power Plant Personnel Access Authorization Standards & Procedures."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/06/01. 230pp. 88298:003-88298:182.

9605210524 Forwards list of topics proposed for discussion at NRC/BWROG mgt meeting scheduled for 960613,per request during telcon in Apr.
STARK,S.J. General Electric Co. OG96-353-01. 96/05/09. WILSON,J.H. Document Control Branch (Document Control Desk). 2pp. 88361:125-88361:126.

9605230198 Submits answer for question on Section 5(c)(13)(iii) of rules which NRC staff was unable to answer at 960502 public meeting on design certification rules for Advanced BWR & Sys 80+ std plant designs.
QUAY,T.R. . 96/05/16. SIMARD,R. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88326:354-88326:355.

9605240038 Forwards for review & comment NEI 96-03, "Guideline for Monitoring Condition of Structures at Nuclear Power Plants." Constitutes one approach for satisfying requirements of maint & license renewal rules.Requests response by 960603.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/05/16. THADANI,A.C. . 2pp. 88344:105-88344:120.

--9605240040 "Guideline for Monitoring Condition of Structures at Nuclear Power Plants."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/14. 14pp. 88344:107-88344:120.

9605240154 Responds to 960415 ltr,requesting that NRC assess need for changes to four TRs noted in 10CFR72,Subpart K & clarification of process for amending SAR documents for certified dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/05/22. SHILLINGLAW,F. Affiliation Not Assigned. 2pp. 88372:354-88372:361.

--9605240160 Provides suppl info to request for rulemaking PRM-72-3 NRC referred to F Shillinglaw in NRC 960327 ltr.Comments on NUREG-1536 being prepared.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 5pp. 88372:356-88372:361.

9605240191 Discusses 960426 visit to Oconee Nuclear Power Station to review implementation of NEI Guideline 95-10,Rev 0, "Industry Guideline for Implementing 10CFR54 - License Renewal Rule."
NEWBERRY,S.F. . 96/05/21. HAMPTON,J. Duke Power Co. 39pp. 88344:001-88344:039.

9605280051 Corrected notification of 960514 meeting in Rockville,MD to discuss IR Agreement Summary Repts.Notification reissued to correct bldg location.
REGAN,C.M. . 96/05/02. NEWBERRY,S.F. . 2pp. 88374:358-88374:359.

9605280161 Informs NRC has assigned TN-32 Cask file new Docket (72-1021).Addl info encl re QA program for TN-32.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. TAC L21912. 96/05/23. MASON,M. Transnuclear, Inc. 2pp. 88386:155-88386:156.

9605300092 Notification of 960517 meeting w/Nuclear Energy Inst in Rockville,MD to discuss license renewal demonstration program.
PRATO,R.J. . 96/05/09. NEWBERRY,S.L. . 2pp. 88390:082-88390:084.

9605300189 Advises that info submitted w/960126 ltr re presentation matl from W & NRC mgt info meeting on Fuel Performance & Fuel Licensing Issues held on 960116 will be withheld from public disclosure ref 10CFR2.790.
JACKSON,D.T. . 96/05/07. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 88390:176-88390:178.

9605310118 Provides NRC w/preliminary info on interim rept of potential safety concern on Mark-B grid deformation,Framatone Technologies PSC 21-96-5.
SCHOMAKER,R.J. FRAMATOME. ESC-96-336. 96/05/24. Document Control Branch (Document Control Desk). 13pp. 88418:286-88418:298.

9605310159 Summary of 960423 meeting w/Nuclear Energy Inst in Rockville,MD to hear industry views on emergency preparedness issues.
FOX,E.F. . 96/05/15. . 50pp. 88400:134-88400:184.

9605310173 Notification of 960613 meeting w/BWROG in Rockville,MD to discuss various technical subjects.Proposed agenda encl.
WILSON,J.H. . 96/05/16. MATTHEWS,D.B. . 5pp. 88395:330-88395:334.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9605070110 Part 21 rept re potential instrumentation decalibr at low power.Affected utils should ensure that log power channels properly calibr & cross-correlated to linear power channels at 100% reactor power.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). LD-96-009. 96/04/15. Document Control Branch (Document Control Desk). 8pp. 88191:258-88191:265.

9605070295 Part 21 rept re failure of pump assembly for ITT Barton series NH95 hydramotor actuator.Did not develop pressure because was not fitted properly.Pump assembly has been returned to ITT Barton for insp.
CONNELL,W. Illinois Power Co. U-602580. 96/05/01. Document Control Branch (Document Control Desk). 2pp. 88191:283-88191:284.

9605070306 Part 21 rept re ideal generators installed w/EDGs having greater generator rotor mass than originally calculated. Evaluated impact of issue of generator frequency & torsional vibration prior to interim rept.
CONNELL,W. Illinois Power Co. U-602579. 96/05/02. Document Control Branch (Document Control Desk). 2pp. 88191:285-88191:286.

9605150136 Part 21 rept re capscrews supplied to WPPSS by now defunct Cardinal Industrial Products,LP (CIP) having nonconforming hardness.Failed lots & any remaining product found to have been heat treated by CIP scrapped & removed from premises.
REINDL,R.P. B&G Manufacturing Co. 96/05/08. Document Control Branch (Document Control Desk). 2pp. 88292:281-88292:282.

9605200086 Part 21 rept,consisting of error notices received from former software suppliers.Listed former customers not notified,due to unknown current addresses.
ANDREWS S.J. Boeing Computer Services Co. (div. of Boeing Co.). 96/05/14. Document Control Branch (Document Control Desk). 4pp. 88356:253-88356:256.

9605200130 Responds to 10CFR21 rept by MKW Power Sys defining utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR & DSRV EDG's.
STEFFAN,A.P. Cooper Energy Services. QCG-10273. 96/05/14. Document Control Branch (Document Control Desk). 5pp. 88356:271-88356:283.

--9605200148 Part 21 rept re defects & non-compliance of DG control sys w/NEI Peebles (Portec) voltage regulators.
GALEAZZI,D.D. MKW Power Systems, Inc. 96/02/27. NRC - No Detailed Affiliation Given. 8pp. 88356:276-88356:283.

9605210284 Part 21 rept re Cooper Bessemer reciprocating products,div of Cooper Cameron Corp,issued ltr to define utils/plants containing similar equipment as supplied on Cooper Bessemer KSV & Enterprise DSR EDGs.
STEFFAN,A.P. Cooper Energy Services. 96/05/14. Document Control Branch (Document Control Desk). 13pp. 88389:057-88389:069.

9605210523 Part 21 rept re potential abnormal condition on Agastat ETR "A" time range relay.List of customer & quantities of relays purchased attached.Evaluation of relays requested & if necessary returned for repair/replacement.
JACOBS,E. Amerace Corp. 96/05/09. . 2pp. 88389:070-88389:072.

9605240007 Part 21 rept re Foxboro Model N-2AX+M N automatic manual output station.
KING,T. Foxboro Corp. 96/05/01. HODGE,C.V. NRC - No Detailed Affiliation Given. 4pp. 88391:287-88391:289.

9605240250 Part 21 rept re potential mfg defect of KSV EDG sys. Potential defect concerns fuel injection pump delivery valve holder (DVH).Replacement of DVHs of Lot LCH 184 recommended.
MOWERY,J.D. Affiliation Not Assigned. 96/05/21. Document Control Branch (Document Control Desk). 9pp. 88391:290-88391:298.

9605280150 Part 21 rept re development of cracks compromising integrity of DVH.Recommended corrective actions listed.
MOWERY,J.D. Cooper Energy Services. 96/05/21. Document Control Branch (Document Control Desk). 7pp. 88396:145-88396:151.

9605300013 Part 21 rept re generic calculated SL MCPR may be non- conservative when applied to some actual core & fuel designs.Evaluated remaining licensee fueled BWRs.
SMITH,M.A. General Electric Co. MFN 074-96. 96/05/24. Document Control Branch (Document Control Desk). 8pp. 88444:017-88444:024.

QA999 QUALITY ASSURANCE INSPECTIONS

9605010046 Requests postponment of scheduled NRC insp.Agastat & Buchanan Nuclear product lines relocating to Brooksville,FL facility.Reschedule future audits for Brooksville,FL.
PHILLIPS,R. Amerace Corp. 96/04/11. CWALINA,G.C. . 2pp. 88079:301-88079:302.

9605070277 Ack receipt of 960411 ltr from Amer Industrial Technology, Inc requesting 90-day extension for responses to NOV & nonconformance encl in 960328 ltr forwarding insp rept 99901229/96-01.
CWALINA,G.C. . 96/04/18. WHITMER,D.E. . 1p. 88143:347-88143:349.

--9605070353 Requests 90-day extension to allow for response to issues identified in Insp Rept 99901229/96-01 due to extensive employee retraining to revised QA manual.
WHITMER,D.E. . 96/04/11. CWALINA,G.C. Document Control Branch (Document Control Desk). 2pp. 88143:348-88143:349.

9605090250 Responds to 960416 & 930608 ltrs,informing that changes to organization acceptable.Requests that other holders of Burns & Roe Enterprises,Inc,QA TR (B&Roe-COM4-1-NP-6A),be informed of organizational changes.
BLACK,S.C. . 96/04/29. ROE,K.K. Burns & Roe Enterprises, Inc. 2pp. 88185:352-88185:354.

9605140088 Confirms dates of 960507-09 for NRC insp of Cegelec Automation,Inc.Implementation of QA program in supplying safety-related for commercial NPPs will be reviewed.
GALLO,R.M. . 96/04/10. BARBONE,B.A. Affiliation Not Assigned. 1p. 88222:227-88222:229.

9605150160 Confirms upcoming NRC insp of Factory Mutual Engineering offices in Norwood,MA & BalaCynwyd,PA on 960422-26 as discussed during 960403 telcon.
CWALINA,G.C. . 96/04/11. SPENCER,A.J. Factory Mutual Engineering Corp. 1p. 88264:319-88264:319.

9605160158 Forwards insp rept 99900403/96-01 on 960305-08. Nonconformance identified.Unresolved items of concern noted because level of GE Quality Assurance oversight.
GALLO,R.M. . 96/05/10. QUINN,J.E. General Electric Co. 3pp. 88287:318-88287:341.

--9605160179 Notice of nonconformance from insp on 960305-08. Nonconformance noted:test results repts & data transmittal repts not prepared & issued IAW procedures.
* . 96/05/10. 3pp. 88287:321-88287:323.

--9605160226 Insp rept 99900403/96-01 on 960305-08.Noncompliance noted.Major areas inspected:activities performed to support design of SBWR & testing activities performed at PANDA test facility conducted under May 1990 GE NEDG-31831 provisions.
CWALINA,G.C., CWALINA,G.C., GALLO,R.M. . 96/05/08. 17pp. 88287:324-88287:341.

9605230148 Forwards insp rept 99901294/96-01 on 960220-0222 & notice of violation.
CWALINA,G.C. . 96/05/03. BUSSLER,M.L. Affiliation Not Assigned. 1p. 88340:009-88340:017.

--9605230152 Notice of violation from insp on 960222-0223.Violation noted:licensee did not inform NRC licensees of deviations within 5 working days of discovery of deviations re QA bulletins.
* . 96/05/03. 1p. 88340:010-88340:010.

--9605230157 Insp rept 99901294/96-01 on 960220-0222.Violations or noncompliance noted.Major areas inspected:technical info, procedures & representative records.
PETTIS,R.L., CWALINA,G.C. . 96/05/03. 7pp. 88340:011-88340:017.

9605240089 Forwards notice of violation from review of LER dtd 960216, describing loss of four exit signs containing tritium,per 960216 memo.
SCARANO,R.A. Region 4 (Post 820201). EA-96-161. 96/05/21. DONNELLY,J.J. Air Force, Dept. of, Radioisotope Comm. 4pp. 88341:001-88341:006.

--9605240097 Notice of violation from insp on 960221.Violation noted: disposal of four exit signs containing 8-22.5 curies of tritium & disposal not transferred to person holding specific license.
* Region 4 (Post 820201). EA-96-161. 96/05/21. 2pp. 88341:004-88341:006.

9605280007 Summarizes 960424 public meeting in King of Prussia,PA re safety relief valve performance issues w/BWR licensees. Emphasis placed on reviewing safety relief valve leakage & corrective actions implemented.W/list of attendees.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. TURRENTINE,P.W. Wyle Laboratories. 78pp. 88348:160-88348:237.

9605280011 Discusses 960424 meeting w/BWR licensees in King of Prussia, PA to discuss safety relief valve performance issues.W/list of attendees,agenda & viewgraphs.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. SZEGLIN,A.L. Target Rock Corp. 78pp. 88348:248-88348:325.

9605290179 Submits response to violations noted in Insp Rept 99901294/96-01.Corrective actions:customers will be notified of future deviations identified by QA bulletin program within five working days.
BUSSLER,M.L. Affiliation Not Assigned. 96/05/24. . 2pp. 88397:232-88397:233.

9605300166 Confirms insp of Arkwright Mutual Insurance Co scheduled for 960617-18.Insp will review QA program re supply of safety- related svcs to Amer Industrial Technologies,Inc & 10CFR21 program & implementation.
CWALINA,G.C. . 96/05/08. D'ESOPO,C.M. Affiliation Not Assigned. 1p. 88400:111-88400:111.

9605300186 Confirms upcoming NRC insp of Commercial Union Insurance Co on 960619-21,per 960501 telcon w/U Potapovs.
CWALINA,G.C. . 96/05/08. WHITTLE,E. . 1p. 88394:090-88394:090.

REG CERT REGISTRY CERTIFICATE

9605130027 Third & partial response to FOIA request.App D records available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. LEVENTHAL,D. Affiliation Not Assigned. 41pp.

--9605170086 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of (Device/Sealed Source) for model H-142525. Certificate:TX-586-S-103-S.
* Texas, State of. TX-586-S-103-S. 83/01/04. 5pp.

--9605170095 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of (Device/Sealed Source) for model H-207947. Certificate:TX-586-S-104-S.
* Texas, State of. TX-586-S-104-S. 83/01/04. 4pp.

REGGD REGULATORY GUIDES

9605020119 NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
GRIMES,B.K. . IEB-95-002. 96/05/06. Consolidated Edison Co. of New York, Inc. 15pp. 88212:161-88212:175.

9605020238 Discusses program specific licensee comments re final RG 1.149,Rev 2, "NPP Simulation Facilities for use in Operator License Exams."
RICHARDS,S.A. . 96/04/22. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 88093:354-88093:357.

9605060104 Forwards draft RG-1046, "Guidelines For Reporting Reliability & Availability Info For Risk-Significant Sys & Equipment in NPP." Workshop to discuss draft RG & proposed rule,scheduled for 960604.
MORRIS,B.M. Division of Regulatory Applications (Post 941217). 96/04/26. NRC - No Detailed Affiliation Given. 1p. 88113:232-88113:322.

--9605060136 "For comment" issue of draft reg guide,DG-1046, "Guidelines For Reporting Reliability & Availability Info For Risk-Significant Sys & Equipment in NPP."
* Office of Nuclear Regulatory Research (Post 941217). 96/04/30. 89pp. 88113:233-88113:322.

9605070150 Forwards list of ref documents TC Johnson maintains for decommissioning area & listed repts requested & others recently published,in response to 960326 request.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/17. LARAIA,M. International Atomic Energy Agency. 6pp. 88194:337-88194:342.

9605070248 Forwards annual radioactive effluent release rept for 1995, per RG 1.21,joint frequency distributions of wind speed,wind direction & atmospheric stability,radiation dose assessment & corrections to 1993 & 1994 effluent release data.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). NYN-96032. 96/05/01. Document Control Branch (Document Control Desk). 2pp. 88184:001-88184:258.

9605070319 Ack receipt of 950913 response to request for comments on DG-1043.Comments used in developing RG 1.149,rev 2, "NPP Simulation Facilities for Use in Operator License Exams."
RICHARDS,S.A. . 60FR36833. 96/04/22. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 88143:353-88143:353.

9605070371 Agenda for CRGR Meeting 285 on 960501 in Rockville,MD to discuss proposed revs to BWR EPGs,proposed suppl to GL 95-06 & status of proposed final rev 1 to RG 1.153.
JORDAN,E.L. Committee to Review Generic Requirements. GL-95-06. 96/04/19. MIRAGLIA,F.J. . MURPHY,J.A. Office of Nuclear Regulatory Research (Post 941217). MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 88173:357-88173:358.

9605080004 Expresses appreciation for response to 60FR36833 re request for comment to DG-1043,provided in L-95-252 ltr,dtd 950912. Comments considered in full & very helpful in developing reg guide 1.149,rev 2.
RICHARDS,S.A. . 60FR36833. 96/04/22. BOHLKE,W.H. Florida Power & Light Co. 1p. 88175:220-88175:220.

9605080031 Discusses TVA response to 60FR36833 re request for comments on draft guide 1043 provided in 950915 ltr.Comments considered in full & very helpful in developing reg guide 1.149,rev 2.
RICHARDS,S.A. . 96/04/22. CARIER,P.P. Tennessee Valley Authority. 4pp. 88175:233-88175:236.

9605080041 Summary of CRGR meeting 283 on 960322 re proposed final bulletin, "Potential Plugging of ECC Suction Strainers..." & revised draft Reg Guide 1.82,Rev 2, "Water Sources for Long- Term Cooling Following LOCA."
JORDAN,E.L. Committee to Review Generic Requirements. 96/04/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88210:356-88210:357.

9605090237 Ack submission of comments for DG-1043.Comments used in developing RG 1.149,Rev 2, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exams." Notes VEPCO participation in 951115 meeting re same also helpful.
RICHARDS,S.A. . 60FR36833. 96/04/22. BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 1p. 88184:359-88184:359.

9605130423 Notifies of courses scheduled for 960617-21 & 960805-09, entitled, "Diagnostic & Therapeutic Nuclear Medicine for NRC Inspectors," to be held in Houston,TX.Draft Reg Guide DG-8014 encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-045. 96/04/10. Massachusetts, Commonwealth of. 37pp. 88205:135-88205:171.

9605150152 Notification of 960430 meeting w/B&WOG in Rockville,MD to discuss application of RG 1.99,rev 2 ratio procedure to Linde 80 welds & concerns related to GL 92-01,suppl 1.
SCALETTI,D. . GL-92-01. 96/04/16. QUAY,T.E. . 2pp. 88258:355-88258:356.

9605150201 Forwards safety evaluation re revised response to Regulatory Guide 1.97.
WHARTON,L.R. . TAC M93265. 96/05/10. PATTERSON,T.L. Omaha Public Power District. 3pp. 88258:334-88258:338.

--9605150206 Safety evaluation accepting revised response to Regulatory Guide 1.97.
* . 96/05/10. 2pp. 88258:337-88258:338.

9605200496 Summary of ACRS Thermal Hydraulic Phenomena Subcommittee 950502 meeting in Rockville,MD re RG 1.157 & comparison of W LBLOCA method to RG 1.157 & review of W code qualification for best-estimate LOCA analysis.
CATTON,I. ACRS - Advisory Committee on Reactor Safeguards. 95/05/26. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 88358:325-88358:330.

9605210119 Summary of 424th ACRS meeting on 950907-08 in Rockville,MD re action plan associated w/metal fatigue,maint rule insp procedures,activities associated w/development of improved NDE techniques & operation licensing exam process.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/11/04. ACRS - Advisory Committee on Reactor Safeguards. 32pp. 88370:203-88370:234.

9605210143 Summary of 425th ACRS meeting on 951005-07 in Rockville,MD re proposed final rev 1 to RG 1.152,meeting w/RES Director, NAS & engineering study on application of digital I&C technology to NPPs & 950707 SDC bypass event at Hope Creek.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. GL-88-20. 95/11/04. ACRS - Advisory Committee on Reactor Safeguards. 34pp. 88370:272-88370:305.

9605210177 Summary of 426th ACRS meeting on 951102-04 in Rockville,MD re Watts Bar Unit 1 OL application,BWR core power stability/ ATWS,advanced CR design review guidelines,reliability of sys & proposed final RG 1.164.
* ACRS - Advisory Committee on Reactor Safeguards. 96/05/21. ACRS - Advisory Committee on Reactor Safeguards. 33pp. 88371:011-88371:043.

9605210215 Summary of ACRS 426th meeting on 951102-04 re application for OL for Watts Bar Nuclear Plant Unit 1,proposed mods to BWR Owners Group emergency procedure guidelines to address reactor core instabilities & NUREG-0700,rev 1.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/12/04. THE CHAIRMAN Commissioners (Post 750119). 6pp. 88389:073-88389:078.

9605210220 Summary of 427th meeting on 951207-08 re Proposed Final GL, "Testing of SR Logic Circuits," proposed final rev 2 to Reg Guide 1.149,adequacy of IPEs,human performance program plan & implementation guidance for license renewal.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/01/16. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 88371:044-88371:048.

9605210253 Summary of 428th meeting on 960208-10 re Proposed Final NRC Bulletin 96-XX, "Potential Plugging of ECC Suction Strainers by Debris in BWRs," Westinghouse best-estimate LOCA Analysis methodology & rev 2 to Reg Guide 1.149.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/03/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 7pp. 88371:060-88371:066.

9605210347 Forwards monthly operating rept for Apr 1996 for Fermi 2 & revised rept for Jul 1995.
GOODMAN,L.S. Detroit Edison Co. NRC-96-0035. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88359:291-88359:296.

9605210504 Rev 2 to reg guide 1.82, "Water Sources for Long-Term Recirculation Cooling Following LOCA."
* Office of Nuclear Regulatory Research (Post 941217). 96/05/31. 29pp. 88321:252-88321:280.

9605230149 Informs in Draft Reg Guide DG-8016, "Constraints for Air Licensees Other than Power Reactors," exception not made for use of monitored sealed sources when held by licensees that have source matl.
KITCHENS,J. Environmental Protection Agency. 61FR1647 00030. 96/05/02. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88333:012-88333:012.

9605280179 Forwards insp repts 50-454/96-03 & 50-455/96-03 on 960223- 0404 & notice of violation.
MILLER,L.F. Region 3 (Post 820201). 96/05/10. GRAESSER,K. Commonwealth Edison Co. 7pp. 88354:322-88354:356.

--9605280187 Notice of violation from insp on 960223-0404.Violation noted:on listed dates,operators failed to follow written procedures covering activities recommended in App A of RG 1.33,Rev 2,1978.
* Region 3 (Post 820201). 50-455/96-03. 96/05/10. 3pp. 88354:329-88354:331.

9605310085 Forwards amend 111 to license NPF-30 & SE.Amend revises TS 1.7,4.6.1.1,3.6.1.3,4.6.1.3,6.8.4 & associated bases section to directly ref RG 1.163 as required by 10CFR50, App J,Option B for Type A CILRT & type B & C LLRT.
THOMAS,K.M. . TAC M94801. 96/05/28. SCHNELL,D. Union Electric Co. 4pp. 88400:241-88400:259.

9605310182 Advises that util intends to reduce frequency of sampling of RCS & analysis of boron concentration to once-daily,per Reg Guide 1.97.
MCCOLLUM,W.R. Duke Power Co. 96/05/15. Document Control Branch (Document Control Desk). 6pp. 88404:265-88404:270.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

9604300235 Summarizes results of workshop held on 960319,at Sheraton Gateway Hotel,in Atlanta,GA re GL 96-01,"Testing of Safety- Related logic Circuits." Responses to questions,slides & responses to addl questions,encl.
BOGER,B.A. . GL-96-001. 96/03/27. MARON,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 34pp. 88072:025-88072:058.

9605020091 Notification of 960430 meeting w/NEI in Rockville,MD to discuss NEI PRM to change requirements described in 10CFR50.54(e) for reporting proposed changes to licensee quality assurance programs.
MAGRUDER,S.L . 96/04/25. QUAY,T.R. . 2pp. 88095:359-88095:360.

9605060092 Comment supporting proposed GL 96-XX, "Periodic Verification of Design-Basis Capability of SR MOV." NEI requests NRC consider addressing long-term issue of periodic verification of MOV similar to other SR plant equipment.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR6392 00004. 96/04/26. Rules & Directives Review Branch (Post 920323). 4pp. 88101:347-88101:350.

9605070090 Informs that,due to technical issues,staff review of GIP-3 has been further delayed.Review expected to be completed by 960630.
STOLZ,J.F. . TAC M93624. 96/04/16. SMITH,N.P. Seismic Qualification Utility Group. 3pp. 88118:358-88118:360.

9605070095 Submits preliminary review of NEI 96-XX "Guideline for Monitoring Condition of Structures at NPPs."
BOGER,B.A. . 96/04/19. SHERON,B.W., CRUTCHFIELD,D. . 4pp. 88189:357-88189:360.

9605070153 Requests that CRGR review & endorse subj final proposed GL, "Boraflex Degradation in Spent Fuel Pool Storage Racks."
MIRAGLIA,F.J. . TAC M91447. 96/04/18. JORDAN,E.L. Committee to Review Generic Requirements. 15pp. 88145:283-88145:341.

9605070170 Forwards preliminary agenda for meeting to be held on 960423 & meeting notice.
LYON,W.C. NRC - No Detailed Affiliation Given. TAC M77701. 96/04/18. PIETRANGELO,T. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88141:332-88141:335.

--9605070179 Notification of 960423 meeting w/NEI in North Bethesda,MD to discuss proposed shutdown operation rule.
LYON,W.C. . TAC M77701. 96/04/15. JONES,R.C. . 2pp. 88141:334-88141:335.

9605070319 Ack receipt of 950913 response to request for comments on DG-1043.Comments used in developing RG 1.149,rev 2, "NPP Simulation Facilities for Use in Operator License Exams."
RICHARDS,S.A. . 60FR36833. 96/04/22. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 88143:353-88143:353.

9605070371 Agenda for CRGR Meeting 285 on 960501 in Rockville,MD to discuss proposed revs to BWR EPGs,proposed suppl to GL 95-06 & status of proposed final rev 1 to RG 1.153.
JORDAN,E.L. Committee to Review Generic Requirements. GL-95-06. 96/04/19. MIRAGLIA,F.J. . MURPHY,J.A. Office of Nuclear Regulatory Research (Post 941217). MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 88173:357-88173:358.

9605080033 Summarizes meeting held 960320 in Rockville,MD to discuss staff review & industry activities re GL 92-01,rev 1,supp 1, "Reactor Vessel Structural Integrity." Meeting held to update status of activities & provide feedback to industry.
MCDONALD,D.G. . GL-92-01. 96/04/15. SHANKMAN,S.F. . 30pp. 88137:296-88137:325.

9605080041 Summary of CRGR meeting 283 on 960322 re proposed final bulletin, "Potential Plugging of ECC Suction Strainers..." & revised draft Reg Guide 1.82,Rev 2, "Water Sources for Long- Term Cooling Following LOCA."
JORDAN,E.L. Committee to Review Generic Requirements. 96/04/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88210:356-88210:357.

9605080053 Forwards Rev 0 of NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule." NEI recently informed that CP&L & RG&E withdrawing from participation in demonstration program for NEI 95-10.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/04. CRUTCHFIELD,D. . 9pp. 88208:001-88208:147.

–9605080054 Rev 0 to NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/31. 138pp. 88208:010-88208:147.

9605080073 Informs that NRC has completed review of encl 50.59 process & existing guidance & has developed action plan which principal objective is development of improved guidance & has issued suppl insp guidance related to 50.59 process.
GRIMES,B.K. . 96/04/22. RASIN,W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 63pp. 88175:119-88175:181.

9605080081 Forwards Rev 6 to "Charter for CRGR," incorporating guidance reflecting Commission understanding of "substantial increase" std of backfit rule & expanding CRGR review scope, on trial basis,to include selected items in nuclear matls.
JORDAN,E.L. Committee to Review Generic Requirements. 96/04/19. . 3pp. 88187:282-88187:318.

–9605080085 Rev 6 to "Charter for CRGR."
* Committee to Review Generic Requirements. 96/04/30. 34pp. 88187:285-88187:318.

9605080204 Forwards NRC comments on draft proceedings of 960328-29 Nuclear Energy Institute sponsored industry workshop held in Bethesda,MD.Believe proceedings would benefit from some clarifications.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. GL-95-09. 96/04/23. HENDRICKS,L. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 6pp. 88175:204-88175:219.

9605080251 Summarizes 960318 meeting w/Nuclear Energy Inst in Rockville,MD to discuss industry guideline NUMARC 93-01, Rev 1,dtd 960101.
CORREIA,R. . 96/03/19. BLACK,S.C. . 7pp. 88137:352-88137:358.

9605130312 Summary of 960305-06 meeting w/NEI & ASME in Charlotte,NC to discuss risk-informed ISI programs developed by EPRI & WOG for pipe welds.Quantitative vs qualitative methodology discussed.W/agenda,list of attendees & viewgraphs.
GUTTMANN,J. Probabilistic Risk Analysis Branch (Post 941217). 96/04/02. Probabilistic Risk Analysis Branch (Post 941217). 196pp. 88227:208-88228:046.

9605140241 Summary of 960228 meeting w/NEI & ASME in Rockville,MD re pilot plant schedules & status for integrating risk-insights into inservice insp programs at NPPs.List of attendees & view graphs,encl.
GUTTMANN,J. Probabilistic Risk Analysis Branch (Post 941217). 96/03/22. Probabilistic Risk Analysis Branch (Post 941217). 19pp. 88252:336-88252:356.

9605140464 Responds to 960325 ltr submitting several recommendations re proposed rev to NUREG-1021 & forwards table summarizing preliminary views re issues raised.Summary of additional issues also encl.
RICHARDS,S.A. . 96/04/16. DAVIS,J.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 7pp. 88262:282-88262:288.

9605150059 Informs that NEI document "Guideline for Implementing Graded Approach to Quality," will receive appropriate consideration during development of regulatory guidance for graded QA as part of PRA Implementation Plan.
BLACK,S.C. . 96/05/02. FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 88258:330-88258:333.

9605150106 Provides final revised industry guideline for maint rule implementation.Rev result of discussions w/NRC,lessons learned from NRC pilot visits,workshop questions & answers & early utility implementation efforts.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/26. RUSSELL,W.T. . 2pp.

–9605150114 Final Rev 2 to NUMARC 93-01, "Industry Guideline for Monitoring Effectiveness of Maint at Nuclear Power Plants."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/30. 157pp.

9605150109 Notifies of 960514 meeting w/NEI in Rockville,MD to discuss IR Agreement Summary Repts.
REGAN,C.M. . 96/05/02. NEWBERRY,S.F. . 3pp. 88258:350-88258:352.

9605150196 Summary of 960222 meeting w/NEI re accident mgt activities. List of attendees encl.
PALLA,R.L. . 96/03/29. HOLAHAN,G.M. . 31pp. 88258:241-88258:271.

9605150265 Notification of 960423 meeting w/NEI in Rockville,MD to discuss industry views on emergency preparedness issues.
ESSIG,T.H. . 96/04/10. MILLER,C.L. . 2pp. 88258:359-88258:360.

9605160036 Notification of 960416 meeting w/Nuclear Energy Inst in Rockville,MD to discuss license renewal demonstration program site visit of Calvert Cliffs NPP & other scheduled site visits.
PRATO,R.J. . 96/04/09. NEWBERRY,S.F. . 2pp. 88273:166-88273:168.

9605160286 Ack receipt of 960412 ltr forwarding amicus brief filed in DOL case RR Diaz-Robainas vs Florida Power & Light Co,case 92-ERA-10.OGC & staff requested to meet w/NEI to discuss concerns.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/07. BAYNE,P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 88277:358-88277:360.

–9605160290 Forwards for info, "Motion for Leave to File Brief Amicus Curiae & Brief Amicus Curiae of NEI in Support of Respondent Motion for Reconsideration." W/o encl.
BAYNE,P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 88277:359-88277:360.

9605160309 Informs that revised document will be submitted to NRC for endorsement in June 1996.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/18. CRUTCHFIELD,D. . 2pp. 88318:223-88318:224.

9605170058 Forwards Rev 1 of NEI 95-01, "Nuclear Power Plant Personnel Access Authorization Standards & Procedures," provided 951228.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/05/09. GRIMES,B.K. . 2pp. 88298:001-88298:182.

–9605170081 Rev 1 of NEI 95-01, "Nuclear Power Plant Personnel Access Authorization Standards & Procedures."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/06/01. 230pp. 88298:003-88298:182.

9605170068 Forwards April 1996 status rept of generic activities under cognizance of NRR,rept contains two detailing generic activities.Informs that next rept scheduled to be issued in July 1996.
GRIMES,B.K. . 96/05/01. RASIN,W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 88pp. 88297:138-88297:222.

9605170148 Discusses common terminology for categorizing structures, sys & components in risk-informed regulatory applications.
THADANI,A.C. . 96/05/08. TIPTON,T. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88298:357-88298:358.

9605170244 Responds to 960415 ltr re Draft A of NEI 96-XX, "Industry Guideline for Risk-Based Inservice Inspection" including EPRI rept TR-106218 & Westinghouse Energy Sys Rept WCAP-14572.
SCROGGINS,R.M. Office of the Controller (Post 890205). 96/05/14. FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88294:275-88294:286.

–9605170278 Forwards Draft A of NEI 96-XX, "Industry Guideline for Risk- Based Inservice Inspection" w/supporting documents.
FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/15. SHERON,B.W. . 6pp. 88294:277-88294:282.

–9605170299 Ack receipt of Draft A of NEI 96-XX, "Industry Guideline for Risk-Based Inservice Inspection" including EPRI rept TR-106218 & Westinghouse Energy Systems rept WCAP-14572.
SHERON,B.W. . 96/05/14. FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 88294:283-88294:286.

9605170257 Requests submittal of corrected version of rept to Document Control Desk at NRC in order to accurately reflect NRC position relative to circumferential cracks.
SHERON,B.W. . 96/05/03. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 9pp. 88298:313-88298:323.

9605200099 Forwards final version of draft problem statement & question re 960529 NSIAC meeting which will serve as basis for discussions w/regional administrators & NRR.Meeting w/B Russell for 960521 confirmed.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/05/07. BEARD,P.M. Florida Power Corp. BOULETTE,E.T. Boston Edison Co. WALLACE,M.J. Commonwealth Edison Co. 2pp. 88296:357-88296:358.

9605230198 Submits answer for question on Section 5(c)(13)(iii) of rules which NRC staff was unable to answer at 960502 public meeting on design certification rules for Advanced BWR & Sys 80+ std plant designs.
QUAY,T.R. . 96/05/16. SIMARD,R. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88326:354-88326:355.

9605240011 Notification of CRGR meeting 286 on 960509 in Rockville,MD to review revs to 10CFR50,app S to part 50,10CFR100, "Reactor Site Criteria" & associated reg guides & SRP sections.
JORDAN,E.L. Committee to Review Generic Requirements. 96/05/06. MIRAGLIA,F.J. . MURPHY,J.A. Office of Nuclear Regulatory Research (Post 941217). MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 88344:130-88344:130.

9605240038 Forwards for review & comment NEI 96-03, "Guideline for Monitoring Condition of Structures at Nuclear Power Plants." Constitutes one approach for satisfying requirements of maint & license renewal rules.Requests response by 960603.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/05/16. THADANI,A.C. . 2pp. 88344:105-88344:120.

–9605240040 "Guideline for Monitoring Condition of Structures at Nuclear Power Plants."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/14. 14pp. 88344:107-88344:120.

9605280051 Corrected notification of 960514 meeting in Rockville,MD to discuss IR Agreement Summary Repts.Notification reissued to correct bldg location.
REGAN,C.M. . 96/05/02. NEWBERRY,S.F. . 2pp. 88374:358-88374:359.

9605300033 Forwards proposed changes to improved STS NUREGs,Nuclear Energy Institute TS Task Force travelers TSTF-14 & TSTF-39. Suggested editorial change to W improved STS (NUREG-1431).
EATON,J.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/24. GRIMES,C.I. . 20pp. 88394:103-88394:122.

9605300092 Notification of 960517 meeting w/Nuclear Energy Inst in Rockville,MD to discuss license renewal demonstration program.
PRATO,R.J. . 96/05/09. NEWBERRY,S.L. . 2pp. 88390:082-88390:084.

9605300113 Notification of 960612 meeting w/Nuclear Energy Inst & Industry in Rockville,MD to discuss status of efforts to develop draft SG rule & regulatory guide.
REED,T.A. . 96/05/14. STROSNIDER,J.R. . 2pp. 88390:078-88390:080.

9605300229 Forwards SER accepting topical rept CENPD-288-P for ref in licensing applications.CRGR review of rept should be waived IAW procedures in 890929 memo.
JONES,R.C. . TAC M89663. 96/05/08. THADANI,A.C. . 1p. 88392:323-88392:353.

9605310142 Notifies of 960521 meeting w/Nuclear Energy Institute & Industry Representatives in Rockville,MD to discuss current issues associated w/FSAR & 10CFR50.59, "Changes,Tests & Experiments."
REYNOLDS,S.A. . 96/05/14. RUSSELL,W.T. . 2pp. 88395:328-88395:329.

9605310159 Summary of 960423 meeting w/Nuclear Energy Inst in Rockville,MD to hear industry views on emergency preparedness issues.
FOX,E.F. . 96/05/15. . 50pp. 88400:134-88400:184.

9605310168 Summary of 960509 & 960517 CRGR meeting to review final rulemaking package associated w/revised Reactor Site Criteria
TAYLOR,J.M. Committee to Review Generic Requirements. 96/05/20. JORDAN,E.L. Ofc of the Executive Director for Operations. 4pp. 88400:185-88400:188.

9605310180 Notification of 960523 meeting w/Nuclear Energy Institute in Rockville,MD to discuss industry issues.
MCCREE,V.M. Ofc of the Executive Director for Operations. 96/05/17. MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 2pp. 88400:189-88400:190.

9605310184 Forwards attachments for inclusion w/CRGR minutes to meeting 283,dtd 960422 which had been inadvertently omitted from original package.
JORDAN,E.L. Committee to Review Generic Requirements. 96/05/14. TAYLOR,J. Ofc of the Executive Director for Operations. MIRAGLIA,F. . 34pp. 88395:248-88395:281.

SECY POSITION PAPERS BEFORE THE COMMISSION

9603260233 SECY-96-060 Requests Commission approval of final rule for publication in FR.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/18. 50pp. 88103:262-88103:302.

9604180277 SECY-96-077 Requests Commission approval to publish two final rules in FR that amend 10CFR52 to certify US ABWR & Sys 80+ designs by rulemaking.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/15. 236pp. 87913:001-87913:216.

9605020105 SECY-96-084 Informs Commission of status of open issues & progress of specific facilities toward decommissioning.Last rept sent to Commission on 950407.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/24. 6pp. 88081:349-88081:354.

9605020115 Staff requirements memo re SECY-96-056 - policy statement, "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns W/o Fear of Retaliation."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 88072:077-88072:080.

9605020134 Notation vote approving w/comments SECY-96-056 policy statement, "Freedom for Employees in Nuclear Industry to Raise Safety & Compliance Concerns W/o Fear of Retaliation."
DICUS,G.J. Commissioners (Post 750119). 96/04/16. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88072:081-88072:081.

9605020146 SECY-96-083 Weekly info rept for wk ending 960419.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/04/24. 22pp. 88082:322-88082:343.

9605020175 Notation vote approving w/comments SECY-96-056, "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns w/o Fear of Retaliation."
ROGERS,K.C. Commissioners (Post 750119). 96/04/10. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88083:355-88083:355.

9605020177 Notation vote approving w/comments SECY-96-056, "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns Without Fear of Retaliation."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 88083:356-88083:358.

9605060192 Notation vote approving w/comment SECY-96-060, "Final Amends to 10CFR re to Frequency of Emergency Planning Exercises at Nuclear Power Plants."
ROGERS,K.C. Commissioners (Post 750119). 96/04/17. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 88104:132-88104:133.

9605060206 Responds to staff requirements - SECY-96-035 - Final Rulemaking on "Environ Review For Renewal of NPP Operating Licenses," 10CFR51.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/29. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. 88113:111-88113:231.

9605060208 Appoves issuance of rulemaking,SECY-96-035 - Final Rulemaking on "Environ Review for Renewal of Nuclear Power Plant Operating Licenses," 10CFR51.
DICUS,G.J. Commissioners (Post 750119). 96/04/29. THE CHAIRMAN Commissioners (Post 750119). 1p. 88104:036-88104:036.

9605060211 Affirmation vote approving SECY-96-060, "Final Amends to 10CFR re Frequency of Emergency Planning Exercises at Nuclear Power Plants.
DICUS,G.J. Commissioners (Post 750119). 96/04/16. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88104:106-88104:106.

9605060242 Affirmation vote approving w/edits,SECY-96-060, "Final Amends to 10CFR50 Relating to Frequency of Emergency Planning Exercises at Nuclear Power Plants."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 88111:349-88111:351.

9605070150 Forwards list of ref documents TC Johnson maintains for decommissioning area & listed repts requested & others recently published,in response to 960326 request.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/17. LARAIA,M. International Atomic Energy Agency. 6pp. 88194:337-88194:342.

9605070324 SECY-96-078 Requests Commission approval for publication in FR of notice to withdraw proposed amends to 10CFR150.15.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/15. 19pp. 88306:236-88306:254.

9605080019 SECY-96-087 Informs Commission IAW guidance in 911220 memo from SJ Chilk to JM Taylor re SECY-91-172, "Regulatory Impact Survey Rept-Final," of staff intent to issue NRC Bulletin "Potential Plugging of Emergency-Core Suction Strainers...."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/26. 16pp. 88175:050-88175:065.

9605080020 SECY-96-089 Provides Commission w/info requested in 960119 staff requirements memo re comparison of costs of generic requirements estimated by NRC w/cost estimated by industry.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/30. Commissioners (Post 750119). 11pp. 88175:066-88175:076.

9605080027 SECY-96-088 Informs Commission of status & progress in implementing elements of Integration Plan for Closure of Severe Accident Issues as requested in 890420 SRM.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/29. 14pp. 88175:084-88175:097.

9605090259 SECY-96-079 Solicits Commission direction re alternative to be pursued in regulating safety of fuel cycle facilities.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/16. 40pp. 88199:279-88199:322.

9605100152 Staff requirements memo re SECY-96-035 Final Rulemaking on, "Environ Review for Renewal of NPP Operating Licenses."
HOYLE,J.C. Office of the Secretary of the Commission. M960503A. 96/05/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88207:216-88207:217.

9605160129 SECY-96-092 Provides status rept on progress in resolving generic safety issues since last rept to Commission on 950501.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/01. 8pp. 88272:351-88272:357.

9605160131 SECY-96-094 Weekly info rept for wk ending 960426.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/05/02. 25pp. 88273:087-88273:110.

9605160303 Responds to 960402 ltr to Chairman Jackson requesting that public comment period be provided on NRC proposed final policy statement on Freedom of Employee in Nuclear Industry to Raise Concerns w/o Fear of Retaliation.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/25. FLEMING,J.A., JOCHER,W.F., ROSS,A.J. Affiliation Not Assigned. 8pp. 88288:236-88288:306.

–9605170393 Requests that NRC submit proposed final policy statement &/or rulemaking for public comment period.
FLEMING,J.A. Affiliation Not Assigned. 96/04/02. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88288:247-88288:306.

9605160352 SECY-96-085 Responds to Commission request on NRC positive drug testing rate during past two years & recommendation as to whether any change in testing rate warranted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/24. 10pp. 88306:343-88306:352.

9605170030 Transmits State Agreement Program Info SP-96-052 re termination of rulemaking for 10CFR21, "Reporting Requirements for Matls Licenses." Commission paper SECY-96-063,dtd 960322 encl.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-052. 96/05/14. General. 2pp. 88283:248-88283:271.

9605170456 SECY-96-080 Issues final amend to 10CFR50.55a to incorporate by ref 1992 Edition w/1992 Addenda of ASME Code w/1992 Addenda of Subsection IWE.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/16. 140pp. 88417:209-88417:338.

9605200286 Notation vote approving SECY-96-078, "Withdrawal of Proposed Amends to 10CFR150.15,Reasserting NRC Authority for Approving Onsite Low-Level Waste Disposal in Agreement States," w/o comments.
ROGERS,K.C. Commissioners (Post 750119). 96/05/07. Office of the Secretary of the Commission. 1p. 88296:352-88296:352.

9605200350 Notation vote approving SECY-96-078, "Withdrawal of Proposed Amends to 10CFR150.15,Reasserting NRC Authority for Approving Onsite LLW Disposal in Agreement States."
DICUS,G.J. Commissioners (Post 750119). 96/04/30. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88301:231-88301:231.

9605200363 Notation vote approving SECY-96-085, "NRC Drug Testing Program."
ROGERS,K.C. Commissioners (Post 750119). 96/04/26. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88301:232-88301:232.

9605200370 Notation vote approving SECY-96-078, "Withdrawal of Proposed Amends to 10CFR150.15,Reasserting NRC Authority for Approving Onsite Low-Level Waste Disposal in Agreement States," w/o comment.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88296:356-88296:356.

9605200375 Staff requirements memo re SECY-96-078, "Withdrawal of Proposed Amends to 10CFR150.15,Reasserting NRC Authority for Approving Onsite Low-Level Waste Disposal in Agreement States."
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88296:336-88296:336.

9605200390 SECY-96-093 Submits to Commission,staff draft mgt directives on senior mgt meeting & on evaluating operational safety performance on nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/01. 100pp. 88301:001-88301:100.

9605200438 Notation vote approving SECY-96-085, "NRC Drug Testing Program."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/02. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88301:233-88301:233.

9605200441 Notation vote approving SECY-96-085, "NRC Drug Testing Program."
DICUS,G.J. Commissioners (Post 750119). 96/05/03. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88301:234-88301:234.

9605210030 Final response to FOIA request for documents.Records in App B encl & will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/09. BATTLE,J. Affiliation Not Assigned. 2pp. 88308:001-88308:039.

–9605210060 SECY-75-728A Informs Commission of revised license applications & requests review of proposed issuance of amended export license XSNM-0805.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/25. 6pp. 88308:020-88308:025.

–9605210050 SECY-76-277 Requests Commission review of proposed issuance of export license XSNM-0845.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/21. 13pp. 88308:005-88308:017.

–9605210067 SECY-76-277A Informs Commission of revised license application & requests review of proposed issuance of amended export license XSNM-0845.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/25. 6pp. 88308:026-88308:031.

9605230136 SECY-96-099 Weekly info rept for wk ending 960503.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/05/09. 18pp. 88327:332-88327:349.

9605230140 SECY-96-107 Informs Commission of staff proposed actions to address SRM dtd 960119,concerning an agency-wide tracking sys for generic issues.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/14. 20pp. 88342:172-88342:192.

9605230173 SECY-96-108 Weekly info rept for wk ending 960510.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/05/15. 23pp. 88342:094-88342:117.

9605300034 SECY-96-111 Litigation rept - 1996 - 4.
CORDES,J.F. Solicitor (Post 860701). 96/05/20. 31pp. 88390:125-88390:155.

9605300037 SECY-96-113 Weekly info rept for wk ending 960517.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/05/23. 20pp. 88390:105-88390:124.

9605300048 Staff requirements memo re SECY-96-080, "Issuance of Final Amend to 10CFR50.55a to Incorporate by Ref ASME BPV Code, Section XI,Div 1,Subsection IWE & Subsection IWL."
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 17pp. 88390:085-88390:101.

SPEECHES SPEECHES

9605090085 Speech S-96-06, "Nuclear Regulation in US:Policy Directions & Future Prospects," by SA Jackson,Chairman NRC before Korea Atomic Industrial Forum/ Korean Nuclear Society Seoul, Republic of Korea 960412.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/12. 10pp. 88212:188-88212:197.

9605150112 Speech S-96-05, "Nuclear Regulation:Challenges of Change" by SA Jackson,Chairman NRC before Japan Atomic Industrial Forum Nagoya,Japan 960417.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/17. 11pp. 88292:263-88292:273.

9605150123 Speech S-96-07, "Designing for & Achieving Safety in Digital Instrumentation & Controls," by SA Jackson,Chairman NRC at ANS Topical Meeting on Nuclear Plant Instrumentation,Control & Human-Machine Interface Technologies at PSU 960508.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/08. 7pp. 88292:274-88292:280.

9605210123 Speech S-96-09, "New Energy in Pacific Rim," by SA Jackson Chairman NRC at Asian/Pacific American Heritage Month Observance NRC Auditorium 960515.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/15. 8pp. 88370:235-88370:242.

9605210127 Speech S-96-08, "Commencement Address by SA Jackson Chairman NRC at Cheyney Univ Cheyney,PA 960511."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/11. 3pp. 88370:243-88370:245.

9605310050 Speech S-96-10, "Low-Level Radwaste Disposal in US" by SA Jackson,Chairman NRC to Low-Level Radwaste Forum Annapolis,MD 960529.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/29. 6pp. 88444:169-88444:174.

STATE PROG STATE PROGRAMS

9605010067 Forwards notice of availabilty for Environ Analysis Rept for Phase III activities at Kerr-McGee facility in West Chicago.
KERR,G.W. Illinois, State of. 96/04/29. BANGART,R. Office of State Programs (Post 911117). 2pp. 88054:001-88054:263.

–9605010073 "Environ Analysis Rept Phase III for Decommissioning of Kerr-McGee,West Chicago Rare Earths Facility."
* Illinois, State of. 96/04/30. 251pp. 88054:003-88054:263.

9605010081 Informs of closeout of contract NRC-05-74-036.
WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/29. DORNSIFE,W.P. Pennsylvania, Commonwealth of. 1p. 88073:354-88073:354.

9605010087 Forwards groundwater monitoring rept & NRC monitor well analytical results for Jan-Mar 1996.
LUTHIGER,P. Quivira Mining Co. 96/04/23. OHRBOM,R. New Mexico, State of. 3pp. 88073:344-88073:346.

9605010139 Forwards comments generated as result of review of 1996 draft EIS re reclamation of U mill tailings at Atlas site, Moab,UT & NRC draft TER.
SINCLAIR,W.J. Utah, State of. 96/04/26. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88076:001-88076:198.

–9605010143 "Comments on NRC 'DEIS Re Reclamation of U Mill Tailings at Atlas Site,Moab,UT' NUREG-1531."
* Utah, State of. 96/04/26. 81pp. 88076:003-88076:083.

–9605010153 "US Natl Park Svc/Public Health Svc Rept on Evaluation of Environ Health Facilities at Arches Natl Park,UT."
SOUKUP,A.V. Utah, State of. 78/09/30. 18pp. 88076:133-88076:152.

–9605010160 "DRC Summary of Groundwater Quality Results:U Concentrations in Well ATP-3,Atlas Quarterly Monitoring Repts."
* Utah, State of. 88/11/30. 17pp. 88076:153-88076:171.

–9605010169 "UT Dept of Environ Quality CO River Water Quality Results: 950216-960118."
* Utah, State of. 96/01/18. 17pp. 88076:172-88076:189.

–9605010178 "Summary of CO River Water Quality Results:Both Above & Below Atlas Tailings Pile,Key Non-Radiologic Parameters Collected Between:950330-960118 & Summary of DEQ Field Parameter Tests."
* Utah, State of. 96/01/18. 8pp. 88076:190-88076:198.

9605010166 Forwards State of LA opinion re air & water permits for Louisiana Energy Svcs.
WASCOM,R. Louisiana, State of. 96/04/22. MOORE,T.S., SHON,F.J., COLE,R.F. Atomic Safety & Licensing Board Panel. 9pp. 88077:346-88077:354.

9605020012 Responds to 960418 ltr to Chairman Jackson forwarding ltr from HR Meyers to Governor King re concerns about plant compliance w/certain NRC requirements.
RUSSELL,W.T. . 96/04/26. HEWETT,C.E. Maine, State of. 6pp. 88095:345-88095:358.

–9605020014 Forwards 960321 ltr from HR Meyers expressing concern about plant compliance w/certain NRC requirements.Response requested.
HEWETT,C.E. Maine, State of. 96/04/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 88095:353-88095:358.

9605020137 PNO-I-96-025:on 960423,damaged Mo-99/Tc-99m generators reported.Personnel from NY City Dept of Health & NY State Dept of Labor radiation control programs in addition to local fire dept & law enforcement officials responded.
GORDON,C. Region 1 (Post 820201). 96/04/24. 1p. 88158:312-88158:312.

9605020153 Mod 13 to contract NRC-10-87-344.
ANDERSON,E. Illinois, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/22. 3pp. 88083:352-88083:354.

9605030001 PNO-IV-96-022:on 960501,stainless steel radioactive matl container found in shipment of imported scrap metal. Container in locked storage at NUCOR Steel.
HACKNEY,C.A., CAIN,C. Region 4 (Post 820201). 96/05/02. 1p. 88158:336-88158:336.

9605030164 Forwards groundwater monitoring rept for Catawba Nuclear Station conventional wastewater treatment ponds from samples collected on 960304.
CARTER,J. Duke Power Co. 96/04/23. HURSEY,S. South Carolina, State of. 5pp. 88138:355-88138:359.

9605030254 Requests that chemical additive Betz Deposi-Trol 855D added to plant NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/23. GARG,S. Pennsylvania, Commonwealth of. 13pp. 88139:330-88139:342.

9605060193 Comments on DEIS re reclamation of U mill tailings at Atlas site,Moab,UT.UT Air Conservation Rule R307-12-6, Tailings Piles & Ponds" encl.
BARBER,B.T. Utah, State of. 96/04/29. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88180:346-88180:348.

9605060205 Informs of acceptance of Kiewit/PB QARD implementation matrix by placing "y" in acceptance field of Requirements Traceability Network database.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/25. WHIGHTMAN,W.D. Nevada, State of. 2pp. 88171:206-88171:207.

9605060270 Safety insp on 960422 of license NY 2252-3034.Insp findings: no violations observed.
* Region 2 (Post 820201). * . 96/04/11. 1p. 88102:035-88102:035.

9605060291 Ack receipt of 960325 ltr informing NRC of steps taken to correct violations noted in insp rept 15000019/96-01.
COSTELLO,F.M. Region 1 (Post 820201). 96/04/23. ROLANDI,F.S. Data Measurement Corp. 1p. 88103:090-88103:091.

9605060351 Submits response to violations noted in Insp Rept 150-00038/96-01.Corrective actions:radiographer retrained as to requirements of 10CFR34.43(b).
MCCANN,F.L. Affiliation Not Assigned. 96/04/30. Document Control Branch (Document Control Desk). 3pp. 88172:004-88172:006.

9605070139 PNO-IV-96-022A:on 960502,radioactive container discovered in scrap metal shipment.EPA assumed federal lead for providing support to state.
CHAMBERLAIN,D., CAIN,C. Region 4 (Post 820201). 96/05/06. 1p. 88197:357-88197:357.

9605070228 Forwards rev 0 to "Parks Facilities Characterization Rept" & App A-I.W/six oversize drawings.
SGARLATA,D.K. Babcock & Wilcox Co. 96/05/03. MATVIYA,J.J. Pennsylvania, Commonwealth of. 1p. 88259:001-88262:119.

9605070304 Forwards insp repts 40-1128/96-01 & 40-1962/96-01 on 960302. Some areas at sites contain residual radioactivity contamination above current NRC release criteria.
SCARANO,R.A. Region 4 (Post 820201). 96/05/03. BAILEY,E. California, State of. 4pp. 88114:123-88114:143.

9605070310 Forwards correspondence to State of WY Dept of Environ Quality re Bear Creek U Co partnership name change resulting from spin off of natural resources business from Union Pacific Corp.W/one oversize drawing.
CHASE,G. Union Pacific Resources Co. CHASE,G. Bear Creek Uranium Co. 96/04/22. HOLONICH,J.J. Division of Waste Management (NMSS 940403). ABRAMS,C., TURTIL,R. NRC - No Detailed Affiliation Given. 16pp. 88218:001-88218:016.

9605080067 Provides 781124 J Keppler ltr re U fuel fabrication plant at Hematite,MO.Copies of any & all licensee correspondence concerning ref licensee contract w/NRC on subj matter, requested to be provided.
KUCERA,R. Missouri, State of. 96/05/03. TOKAR,M. Office of Nuclear Material Safety & Safeguards. 2pp. 88187:268-88187:279.

9605090116 Submits addl response to comments on feasibility study redline/strikeout PTI Contract CA38-10-01 & proposed language for discussion of ARARs re general comment 1 & listed specific comments.
SHIELDS,W.J. Shieldalloy Metallurgical Corp. 96/04/23. ACKMAN,O. Ohio, State of. 34pp. 88230:312-88230:349.

9605090155 Forwards RCRA facility investigation workplan for groundwater investigation & groundwater risk assessment. W/four oversize drawings.
MAXIN,A.M. Nuclear Fuel Services, Inc. 21G-96-0049. 96/05/02. FARMER,G.A. Environmental Protection Agency. TIESLER,T. Tennessee, State of. 1p. 88263:001-88263:288.

9605090191 Offers no comments re hazardous waste facility permit class 3 mod.
BLOOM,S.D. . 96/05/08. SHAULIS,D.I. California, State of. 1p. 88175:359-88175:359.

9605090261 Requests to revise draft work plan to correct deficiencies noted in attached comments.
ACKMAN,O. Ohio, State of. 96/04/15. VALENTI,J. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 60pp. 88218:244-88218:303.

9605090265 Forwards draft "Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge,OH,Vol V-Phase II,Ecological Risk Assessment," for review & comment.
SHIELDS,W.J. PTI Services, Inc. 96/04/18. ACKMAN,O. Ohio, State of. 215pp. 88210:001-88210:215.

9605100016 Forwards safety insp form 591 re insp conducted on 960401. W/o encl.
HOSEY,C.M. Region 2 (Post 820201). 96/04/23. HYMAN,J. Affiliation Not Assigned. 1p. 88190:202-88190:202.

9605100100 Discusses insp rept 15000032/96-01 on 960424 & forwards notice of violation.
HOSEY,C.M. Region 2 (Post 820201). 96/05/02. BUCHANAN,J.E. Affiliation Not Assigned. 2pp. 88190:157-88190:159.

-9605100102 Notice of violation from insp on 960424.Violation noted: licensee radiographer did not perform adequate survey after each radiographic exposure to determine sealed source had been returned to shielded position.
* Region 2 (Post 820201). 96/05/02. 1p. 88190:159-88190:159.

9605100154 Ack receipt of Rept of Proposed Activities in Non-Agreement States (NRC Form 241) dated 960423 & recognition fee.
COLLINS,D.J. Region 2 (Post 820201). 96/04/23. GODFREY,J.D. . 3pp. 88190:013-88190:015.

9605100212 Forwards results of NRC & State of MD joint review of medical misadministrations involving patients undergoing radiation therapy treatment during 1987-1988 at Sacred Heart Hosp in Cumberland,MD.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/04/16. SARBANES,P., MIKULSKI,B. Senate. BARTLETT,R. House of Rep. 4pp. 88243:265-88243:280.

-9604190125 "Rept on NRC/State of MD Joint Review of Sacred Heart Hosp Misadministrations in 1987-1988."
* NRC - No Detailed Affiliation Given. CCS. 96/03/05. 11pp. 88243:269-88243:280.

9605100233 Forwards draft minutes of 960320 Mgt Review Board meeting for approval at next meeting.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 96/03/29. THOMPSON,H. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). BANGART,R. Office of State Programs (Post 911117). PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 6pp. 88190:166-88190:175.

9605130002 Submits info re forthcoming shipment of radioactive matl in IF-300 series shipping casks to New Hill,NC,IAW 10CFR73.37.
LEVIS,W. Carolina Power & Light Co. L22282. 96/04/12. STROUD,T.C. North Carolina, State of. 3pp. 88203:354-88203:356.

9605130004 Transmits State Agreements Program info re teletherapy & brachytherapy for NRC inspectors.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-046. 96/04/10. General. 42pp. 88204:001-88204:042.

9605130008 Forwards medical misadministration event rept KY-95-004.On 951113 wrong amount of 3 mCi of I-131 was administered instead of 2 mCi.Misadministration occurred because technologist did not see change made on directive.
JEFFS,V.D. Kentucky, Univ. of, Lexington, KY. 96/02/22. Office of State Programs (Post 911117). 8pp. 88203:345-88203:353.

9605130027 Third & partial response to FOIA request.App D records available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. LEVENTHAL,D. Affiliation Not Assigned. 41pp.

-9605220242 Forwards telegram from Schlumberger Well Svcs advising of use of 150 marker bullets containing Cs-137.
BOOK,H.E. Atomic Energy Commission (Pre 750119). 70/01/27. WAGNER,W.L. Alaska, State of. 2pp.

-9605220284 Forwards file memo re lost source incident of 760905 & 06 involving licensee.
HAZLE,A.J. Colorado, State of. 76/09/09. HOWARD,E.M. Region IV, IE (720101-810228). 3pp.

-9605150154 Informs Nuclear Energy Division recently approved plans for abandonment of two 1.5 Ci Cs-137 sources in two separate wells Kerr-McGee OCS-G-1528 #2 & Gulf Exploration & Production Co OCS-G-2313 #2.
SPELL,W.H. Louisiana, State of. 78/03/23. HOWARD,E.M. Region IV, IE (720101-810228). 2pp.

-9605150159 Informs on 780424 Nuclear Energy Division granted authorization for abandonment of 1.5 Ci Cs-137 source in Shell Oil Co Well OCS-G-3289 # JA4 in East Cameron Block #57.
SPELL,W.H. Louisiana, State of. 78/04/28. BROWN,G. Region IV, IE (720101-810228). 1p.

-9605150210 Informs as of 790213 Nuclear Energy Division gave approval for abandonment of 1.5 Ci Cs-137 source & 16 Ci Am-Be source in Conoco,OCS-G 2820#2 well.
SPELL,W.H. Louisiana, State of. 79/03/27. BROWN,G.D. Region IV, IE (720101-810228). 1p.

-9605220245 Forwards rept from Schlumberger Offshore Svc re 1.5 Ci Cs-137 source lost down hole offshore LA on 691211.
PARKER,R.A. Louisiana, State of. 70/01/20. DAVIS,J. Atomic Energy Commission (Pre 750119). 3pp.

-9605210266 Forwards three abnormal occurrence descriptions re gauging devices & stolen densiometer source.
LACKER,D.K. Texas, State of. 88/04/08. DODA,R. NRC - No Detailed Affiliation Given. 14pp.

-9605220237 Expresses appreciation for keeping state informed re recovered source dropped into gulf by Schlumberger Well Surveying Corp.
BARDEN,C.R. Texas, State of. 64/06/24. WALKER,D.L. Region IV, IE (720101-810228). 1p.

-9605220247 Informs that source lost in Gulf by Schlumberger Well Surveying Corp on 640617,recovered next day,according to licensee,w/no significant exposures incurred.
WALKER,D.I. Region 4 (Post 820201). 64/06/22. BARDEN,C.R. Texas, State of. 1p.

9605130029 Forwards comments made to final draft copy of Commonwealth of MA Regulation of Control Radiation (CMR 120.000).
HALLISEY,R.M. Massachusetts, Commonwealth of. 96/04/09. BLANTON,R. Office of State Programs (Post 911117). 8pp. 88204:043-88204:050.

9605130038 Submits response to Agreement State ltrs SP-96-024 & SP-96-029.
COLLINS,S.C. Illinois, State of. SP-96-024. 96/04/25. SOLLENBERGER,D. Office of State Programs (Post 911117). 2pp. 88204:297-88204:298.

9605130042 Informs that info on contaminated sites in Agreement States has not been made available to public due to concerns raised by Agreement States,per telcon request.
SOLLENBERGER,D. Office of State Programs (Post 911117). 96/04/05. SHIMKO,R. Roy F. Weston, Inc. 3pp. 88204:299-88204:313.

9605130044 Ack appointment of recipient as State Liaison Officer to NRC & discusses expected role of position.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/02. WHATLEY,K.E. Alabama, State of. 3pp. 88205:247-88205:250.

-9605130056 Expresses appreciation for ltr requesting designation of Governor-appointed State Liaison Officer for State of AL.
JAMES,F. Alabama, State of. 96/04/23. SELIN,I. Commissioners (Post 750119). 1p. 88205:250-88205:250.

9605130046 Informs of presence of radioactive ice detectors on board jet planes serviced &/or owned by International Jet of Gadsden,AL.Model not approved by US authorities & may be source of illegal trade.Two devices disposed.
MCNEES,J.L. Alabama, State of. 96/03/28. Office of State Programs (Post 911117). 1p. 88204:051-88204:051.

9605130052 Confirms status of funding for maintenance of trained staff in Nevada State Health Division radioactive material program.
MARSHALL,S.R. Nevada, State of. 96/05/01. BANGART,R.L. Office of State Programs (Post 911117). 1p. 88205:251-88205:251.

9605130060 Ack receipt of 960318 ltr & responds to NRC recommendation re plan to fully implement Part 380 regulations in New York City.Discusses progress made & actions completed concerning implementation plan.
ZAGATA,M.D. New York, State of. 96/04/19. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 88204:056-88204:058.

9605130061 Responds to NRC recommendation re review & evaluation of SC radiation control program concluding 950324.Dept has revised medical insp rept form allowing inspectors to document status of licensee ALARA program.
BATAVIA,M.K. South Carolina, State of. 96/04/09. BANGART,R.L. Office of State Programs (Post 911117). 1p. 88205:252-88205:252.

9605130064 Responds to 951108 ltr requesting info on possible exemption from NRC licensing requirements granted to Agreement State licensee.Evaluation & response to petition has not been completed.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/03. GRAVES,J.C. Tennessee, State of. 6pp. 88206:278-88206:287.

-9605130085 Requests that NRC include in 10CFR150.0 category of persons exempt or waiver.
ANDREWS,V.E. Envirocare, Inc. 92/10/21. Ofc of the Executive Director for Operations. 3pp. 88206:284-88206:287.

9605130076 Discusses review of draft revs to TX Regulations for Control of Radiation,Parts 40 & 41,dtd 950426.No comments for State generated by review conveyed to C Cardwell by telcon on 950925.Rule provision question being resolved separately.
BLANTON,R. Office of State Programs (Post 911117). 96/04/12. Office of State Programs (Post 911117). 2pp. 88205:253-88205:254.

9605130092 Responds to 960229 ltr re sealed source and device evaluation training.NRC will continue to provide training for Agreement States choosing to retain sealed source & device evaluation authority.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/15. SWEENEY,J.E. New York, State of. 7pp. 88205:255-88205:264.

9605130100 Forwards technical rept & photographs re cable failure at Process Technology as requested.Photographs to be returned as only copy.
PADGETT,J.A. North Carolina, State of. 96/04/01. LARKIN,P. Office of State Programs (Post 911117). 15pp. 88205:265-88205:279.

9605130101 Forwards 960306 transcript of plenary session portion of Agreement State technical workshop held in Vancouver,WA.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/28. STRONG,T.R. Organization of Agreement States. STRONG,T.R. Washington, State of. 2pp. 88206:001-88206:216.

--**9605130125** Transcript of 960306 workshop in Vancouver,WA re NRC Agreement State Technical Workshop.Pp 1-100.Supporting documentation encl.
* NRC - No Detailed Affiliation Given. 96/03/06. 200pp. 88206:003-88206:216.

9605130104 Informs of Commission paper prepared by Staff re Utah decision to relinquish authority to regulate sealed source & device evaluations.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/01. SINCLAIR,W. Utah, State of. 2pp. 88204:328-88204:331.

9605130113 Provides comments re completeness review of "Draft Application for Agreement State Status," submitted by 950630 ltr.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/05/07. BRODERICK,M. Oklahoma, State of. 8pp. 88205:280-88205:287.

9605130114 Responds to 960328 ltr transmitting Georgia Draft Integrated Matl Performance Evaluation Program rept.
REHEIS,H.F. Georgia, State of. 96/04/22. BANGART,R.L. Office of State Programs (Post 911117). 1p. 88205:288-88205:288.

9605130120 Documents informal discussions between agencies about benefits of conducting regulatory lessons learned review of event.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/15. RATLIFF,R.A. Texas, State of. 3pp. 88204:332-88204:334.

9605130121 Expresses appreciation for D Sollenberger & S Salomon attendance at 960328 meeting to present info on Agreement State Program.
LEVIN,S.R. Pennsylvania, Commonwealth of. 96/04/25. BANGART,R.L. Office of State Programs (Post 911117). 1p. 88205:289-88205:289.

9605130123 Submits comments on factual correctness of info reported by draft Integrated Matls Performance Evaluation Program rept, per request.
MOUNT,D.K. North Dakota, State of. 96/04/11. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 88204:230-88204:232.

9605130127 Responds to 960320 ltr concerning recent National Mining Association/ NRC Joint Uranium Recovery Meeting in Denver,CO & forwards NRC Final Policy Statement, "Staff Meetings Open to Public," & Management Directive 3.5.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/03. SINCLAIR,W.J. Utah, State of. 33pp. 88205:290-88205:324.

9605130131 Transmits results of NRC follow-up review & evaluation of Maryland Radiological Health Program conducted 951107-08.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/17. NISHIDA,J. Maryland, State of. 5pp. 88205:001-88205:030.

--**9605130148** Informs B Hehle concurred on Maine rept & B Borris concurred on Maryland rept 960307.
MAUPIN,C NRC - No Detailed Affiliation Given. 96/03/07. KERR,K.J., SOLLENBERGER,D. NRC - No Detailed Affiliation Given. 3pp. 88205:006-88205:008.

--**9601040145** Responds to 951219 package.Provides concurrence.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/12/22. LOHAUS,P.H. Office of State Programs (Post 911117). 22pp. 88205:009-88205:030.

9605130132 Responds to 960318 ltr & rept on results of review & evaluation of New York State Radiation Control Program. Provides listed comments.
TRAMONTANO,R. New York, State of. 96/04/29. BANGART,R. Office of State Programs (Post 911117). 7pp. 88205:325-88205:335.

--**9605130151** Responds to 950128 ltr re NRC Quality Mgt Rule,10CFR35 & informs that Dept of Health has implemented QA regulations equivalent to NRC regulations.
GAVITT,S.M. New York, State of. 95/03/16. LOHAUS,P.H. Office of State Programs (Post 911117). 4pp. 88205:332-88205:335.

9605130133 Ack receipt of 951121 ltr documenting review of Radiation Control Program received on 960314.Program found adequate to protect public health & safety.
MIYAHARA,B.A. Washington, State of. 96/04/18. BANGART,R.L. Office of State Programs (Post 911117). 5pp. 88205:336-88205:340.

9605130134 Solicits response on Div of Radiation Protection request for permission to proceed w/new rule required by program.
STRONG,T.R. Washington, State of. 96/04/23. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 88204:233-88204:234.

9605130138 Forwards,for info & distribution,sealed source & device certificates received directly from States.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/04/05. BAGGETT,S.L. Source Containment & Devices Branch (Post 911213). 3pp. 88205:341-88205:355.

--**9605130158** Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Laboratory Moisture Content Gauge for model 4232.Certificate:NC-0646-D-137-S.
HOFFMAN,B.J., PADGETT,J.A. North Carolina, State of. NC-0646-D-137-S. 96/03/22. 12pp. 88205:344-88205:355.

9605130142 Forwards abnormal occurrence rept of Duke Univ Medical Ctr misadministration involving Omnitron 2000 remote afterloader.
PADGETT,J.A. North Carolina, State of. 96/04/09. LARKINS,P.M. Office of State Programs (Post 911117). 3pp. 88205:356-88205:358.

9605130146 Ack receipt of questionnaire attached to 960315 memo re new concept for developing regulations related to use of sources of radiation.Inappropriate for NRC to address questions due to number of issues related to ongoing Strategic Assessment.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/03/27. TEFFT,D.E. New Hampshire, State of. 5pp. 88204:235-88204:239.

9605130154 Requests extension of deadline for submitting comments on documents transmitted w/All Agreement States ltrs SP-96-024 & SP-96-029.Requested comments related to two draft NRC insp procedures re decommissioning fuel cycle facilities.
ORTCIGER,T.W. Illinois, State of. SP-96-024. 96/03/26. SOLLENBERGER,D. Office of State Programs (Post 911117). 1p. 88204:246-88204:246.

9605130155 Informs that NRC implementing,on interim basis,IMPEP for evaluation of Agreement State programs.Draft IMPEP rept documenting results of Agreement State review held on 960212-16,encl.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/28. REHEIS,H.F. Georgia, State of. 3pp. 88206:288-88206:353.

--**9605130160** Draft "IMPEP Review of GA Agreement State Program,960212- 16."
* Assistant Director for State Agreements Program. 96/02/16. 63pp. 88206:291-88206:353.

9605130161 Informs that revs to North Dakota Radiological Health Rules, Chapter 33-10-03 & 33-10-14,that were promulgated into North Dakota Administrative Code on 950701,compatible w/ regulations of NRC.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/20. MOUNT,D.K. North Dakota, State of. 342pp. 88202:001-88203:342.

9605130168 Informs that staff prepared Commission paper related to North Dakota decision to relinquish authority to regulate sealed source & device evaluations & that Commission considering staff recommendations.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/01. MOUNT,D.K. North Dakota, State of. 3pp. 88204:335-88204:338.

9605130170 Responds to 960229 request that region I provide written response either confirming understanding of NRC position re exercising regulatory control over AEA section 11e(2) matl,or explain NRC role & practice re matl.
GORDON,G.Z. Region 1 (Post 820201). 96/04/23. MERGES,P.J. New York, State of. 5pp. 88211:050-88211:057.

--**9605130190** Requests NRC written confirmation of 960221 answers provided during telcon to previous raised questions about state & NRC jurisdiction over certain radioactive matls in Tonawanda,NY.
MERGES,P.J. New York, State of. 96/02/29. GORDON,C. Region 1 (Post 820201). 2pp. 88211:056-88211:057.

9605130171 Informs that staff prepared Commission paper on State of IA decision to relinquish authority to regulate sealed source & device evaluations.Staff recommendations being considered by Commission.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/01. FLATER,D.A. Iowa, State of. 2pp. 88206:217-88206:220.

9605130174 Forwards comments on proposed amends to Texas Regulations for Control of Radiation,Part 21,dtd 960122.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/05/01. CARDWELL,C.C. Texas, State of. 96pp. 88221:001-88221:106.

--**9605140230** Agrees w/decision to respond to proposed amends to Texas Regulations for Control of Radiation,Part 21,dtd 960122.
JONES,C. NRC - No Detailed Affiliation Given. 96/03/18. CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 1p. 88221:091-88221:104.

--**9605140239** Discusses issuance of exemptions to personnel monitoring requirements,per 10CFR20.1502(b).
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 96/03/15. JONES,C. NRC - No Detailed Affiliation Given. 1p. 88221:105-88221:105.

--**9605140246** Discusses State of TX proposed rule which exempts licensees from requirement,10CFR20.1502,to supply individual monitoring devices to workers that enter high radiation areas of facilities.
BLANTON,R. Office of State Programs (Post 911117). 96/03/14. Office of Nuclear Material Safety & Safeguards. 14pp. 88221:106-88221:106.

9605130178 Responds to 950727 memo re revs to Regulations 61-63 Radioactive Matls (Title A) & summarizes 960124 telcon.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/28. AUTRY,V.R. South Carolina, State of. 50pp. 88206:221-88206:277.

9605130198 Forwards response to 940825 ltr suggesting that NRC may wish to consider issuing IN to NRC licensees re verifying shipping addresses prior to transferring radioactive matl.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/05. FRAZEE,T.C. Washington, State of. 3pp. 88204:339-88204:349.

--**9605130242** Responds to 940930 ltr which suggested that NRC may wish to issue IN,advising licensees to verify shipping addresses prior to transferring radioactive matl to other licenses, per 10CFR30.41.NRC will consider issuing IN.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/28. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 88204:342-88204:349.

--**9410110033** Forwards 940825 ltr from T Frazee which suggests that NRC may wish to issue info notice advising licensees of obligation per 10CFR30.41,for info & possible action.
LOHAUS,P.H. Office of State Programs (Post 911117). 94/09/30. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 72289:261-72289:265.

9605130247 Advises of immediate availability to info distribution sys, OSP-ANNOUNCEMENTS & OSP-FORUM.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-043. 96/04/08. General, 6pp. 88211:044-88211:049.

9605130256 Forwards Mar 1996 event rept re missing 7.5 Ci H-3.Rept determined not to meet AO criteria.
FELICE,J.R. Utah, State of. 96/04/01. LOHAUS,P. Office of State Programs (Post 911117). 3pp. 88211:001-88211:003.

9605130268 Expresses congratulations re appointment by Governor Batt as State Liaison Officer to NRC from State of ID.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/02. WELLS,D.P. Idaho, State of. 3pp. 88206:356-88206:361.

--**9605130307** Informs of DP Wells appointment as State Liaison Officer to NRC from State of ID.
BATT,P.E. Idaho, State of. 96/03/22. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 3pp. 88206:359-88206:361.

9605130323 Submits Petition re unregulated radon release from Niagara landfill.
HEMMING,R., HEMMING,A., MEREDITH,D. Tonawanda, NY. 96/04/15. New York, State of. 1p. 88211:063-88211:063.

9605130328 Forwards summary of insp findings & backup documentation re excessive levels of airborne concentrations of radionuclides at Isotope Products Labs.
BUNN,D.E. California, State of. 96/04/02. LARKINS,P. Office of State Programs (Post 911117). 46pp. 88211:162-88211:207.

9605130333 Discusses procedures for emergency suspension,suspension & termination of Agreement State programs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/25. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 59pp. 88211:099-88211:157.

9605130334 Forwards for info & distribution,sealed source & device certificates received directly from States.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/04/08. BAGGETT,S.L. Source Containment & Devices Branch (Post 911213). 3pp. 88211:208-88211:249.

-9605130340 Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Mass Spectrometer for Model Bio Ion 20.Certificate:CA-135-D-101-S.
* California, State of. CA-135-D-101-S. 95/12/29. 8pp. 88211:211-88211:218.

-9605130353 Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Calibration Source for Model MOS-57(Mossbauer Source).Certificate:CA-406-S-116-S.
* California, State of. CA-406-S-116-S. 95/01/29. 6pp. 88211:219-88211:224.

-9605130359 Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Pen Point Marker Source for Model PP-057.Certificate:CA-406-S-173-S.
* California, State of. CA-406-S-173-S. 96/02/08. 6pp. 88211:225-88211:230.

-9605130374 Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Line Source for Model A3411. Certificate:CA-406-S-178-S.
TOYAMA,F.T., KAPEL,B.R. California, State of. CA-406-S-178-S. 95/11/14. 6pp. 88211:231-88211:236.

-9605130379 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Ion Chamber Check Holder Assembly for Model A5011.Certificate:CA-406-D-181-S.
TOYAMA,F.T., KAPEL,B.R. California, State of. CA-406-D-181-S. 96/03/25. 8pp. 88211:237-88211:243.

-9605130383 Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Alpha Standards for Models CAL2500, CAL2501,CAL2700 & CAL 2701.Certificate:CA-510-S-115-S.
TOYAMA,F.T., KAPEL,B.R. California, State of. CA-510-S-115-S. 96/02/12. 6pp. 88211:244-88211:249.

9605130346 Discusses & forwards FRN re 10CFR50,advance notice of proposed RM, "Financial Assurance Requirements for Decommissioning Nuclear Power Reactors," for review & comment.Requests submission of comments by 960624.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-044. 96/04/09. General. 7pp. 88204:350-88204:356.

9605130350 Summarizes 960328 meeting w/officials from Commonwealth of PA in Pittsburgh,PA re requirements & process for obtaining Agreement State status.State officials anticipate submitting application for full Agreement in 1998.W/viewgraphs.
SALOMON,S.N. Office of State Programs (Post 911117). 96/05/01. BANGART,R.L. Office of State Programs (Post 911117). 51pp. 88205:058-88205:111.

9605130354 Forwards Agreement State sealed source & device certificates received directly from States,for info & distribution.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/04/17. BAGGETT,S.L. Source Containment & Devices Branch (Post 911213). 3pp. 88211:263-88211:276.

-9605130377 Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model N-252. Certificate:CA-406-S-102-S.
* California, State of. CA-406-S-102-S. 96/02/01. 11pp. 88211:266-88211:276.

9605130367 Discusses DP Wells appointment by Governor Batt as State Liaison Officer to NRC from State of ID.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/02. WELLS,D.P. Idaho National Engineering Laboratory. 1p. 88211:291-88211:291.

9605130370 Expresses concern over DOI decision to reconsider selling land in Ward Valley to State of CA,citing that land needed for development of proposed regional LLRW disposal facility. States that DOI actions environmentally irresponsible.
HAY,T.D. Affiliation Not Assigned. 96/03/27. CLINTON,W. President of U.S. & Executive Offices. 3pp. 88205:112-88205:114.

9605130386 Submits formal request to temporarily stop work on all tasks under Task Order 2, "Review of Agreement State Regulations," re JCN E7044,to provide time for NRC to assess ORNL review of Arizona draft amends.
LARKINS,P.M. Office of State Programs (Post 911117). FIN E-7044. 96/05/01. HITCH,J. Oak Ridge National Laboratory. 4pp. 88205:115-88205:120.

-9605130399 Forwards cost & time estimate for analyzing New Hampshire radiation protection.Submits recommendations that would allow ORNL to make work proceed more rapidly in order to finish work below estimate.
PEARSON HITCH Oak Ridge National Laboratory. 96/04/22. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 88205:119-88205:120.

9605130389 Forwards follow-up rept of 960227 theft of radioagraphy exposure devices from Larpin of Texas in Houston,TX which resulted in exposures to members of public.Unshielded source recovered 960305.
* Texas, State of. 96/05/07. LOHAUS,P. Office of State Programs (Post 911117). 14pp. 88205:121-88205:134.

9605130400 Ack receipt of 960318 ltr re results of 1995 New York Agreement State Program review.
HAMBURG,M.A. New York, State of. 96/04/08. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 88212:073-88212:074.

9605130402 Discusses reorganization of dept implemented in Mar 1995.
BORCHERT,H.R. Nebraska, State of. 96/03/25. BANGART,R.L. Office of State Programs (Post 911117). 1p. 88211:360-88211:360.

9605130406 Expresses appreciation for presentation to Radiation Advisory Council.
SUPPES,R.L. Ohio, State of. 96/04/26. SOLLENBERGER,D. Office of State Programs (Post 911117). 1p. 88212:075-88212:075.

9605130407 Forwards event rept,UT-96-06,which occurred in Apr 1996.Rept determined not to meet abnormal occurrence criteria.
FELICE,J.R. Utah, State of. 96/05/03. LOHAUS,P. Office of State Programs (Post 911117). 2pp. 88211:158-88211:159.

9605130411 Responds to 960131 ltr re concerns raised by Georgians Against Nuclear Energy about security of Co-60 at Georgia Tech,site of Olympic Village,at 1996 summer Olympic games. New const & security measures will limit access.
HILL,T.E. Georgia, State of. 96/03/21. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 88211:160-88211:161.

9605130420 Authorizes listed amount to be included in Lockheed Martin Energy Research Corp contract for reimbursable work under Activity 40 10 01 12 0 & listed amount to be allocated for DOE administrative overhead costs.
HULTGREN,R.O. Energy, Dept. of. FIN E-7044. 96/04/15. TRIVELPIECE,A. Oak Ridge National Laboratory. 2pp. 88211:093-88211:094.

9605130423 Notifies of courses scheduled for 960617-21 & 960805-09, entitled, "Diagnostic & Therapeutic Nuclear Medicine for NRC Inspectors," to be held in Houston,TX.Draft Reg Guide DG-8014 encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-045. 96/04/10. Massachusetts, Commonwealth of. 37pp. 88205:135-88205:171.

9605130427 Authorizes NRC to conduct ORNL Project JCN E7044, "Agreement State Program Assessment Assistance," IAW encl SOEW.
HULTGREN,R.O. Energy, Dept. of. FIN E-7044. 96/04/11. TRIVELPIECE,A. Oak Ridge National Laboratory. 2pp. 88211:091-88211:092.

9605130429 Documents 960320 discussions re status of Belfield & Bowman sites under U Mill Tailings Remedial Action Project & whether sites would be subj to regulatory control by either NRC or State of ND.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/15. MOUNT,D.K. North Dakota, State of. 6pp. 88205:172-88205:177.

9605130434 Forwards integrated matls performance evaluation program review of State of ND radiation control program.Review team recommends that program be found adequate to protect public health & safety & compatible w/NRC regulatory program.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/05/01. THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). BANGART,R.L. Office of State Programs (Post 911117). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 88212:079-88212:141.

-9605130439 "Integrated Matls Performance Evaluation Program Review of North Dakota Agreement State Program,960206-09," Proposed Final Rept.
* Office of State Programs (Post 911117). 96/05/01. 54pp. 88212:083-88212:141.

9605130435 Responds to 960209 request for support of implementation of mods to Agreement State program.Requests clarification re Texas Natural Resource Conservation Commission Radiation Program.
PEARSON,D. Texas, State of. 96/03/26. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 88204:357-88204:360.

-9605130438 Submits comments on Draft Statement of Policy re Agreement State Programs,59FR37269,dtd 940721.
FERGUSON,S.S. Texas, State of. 94/10/20. Docketing & Services Branch. 2pp. 88204:359-88204:360.

9605130447 Ack receipt of 960125 draft revs to State of SC Regulations 61-63,Radioactive Matl (Title A).Rules reviewed in comparison to equivalent NRC regulations.Comments forwarded w/recommendation that addl change be adopted.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/04/03. AUTRY,V.R. South Carolina, State of. 28pp. 88205:178-88205:243.

9605130449 Forwards State of AL version of proposed abnormal occurrence rept for 960108 misadministration which occurred at Baptist Medical Ctr Princeton.
WHATLEY,K.E. Alabama, State of. 96/02/27. WOODRUFF,R.L. Region 2 (Post 820201). 3pp. 88205:244-88205:246.

9605140004 Submits recommendations re draft rev to TRCR Part 36,which was provided by e-mail on 960319.Advises that if TRCR Part 36 opened,rules should be compared closely w/current NRC equivalent rules in 10CFR39.No comment offered on changes.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/28. SIMMONS,S. Texas, State of. 2pp. 88221:114-88221:120.

-9605140005 Discusses & forwards draft rev to TRCR Part 36, "Radiation Safety Requirements for Well Logging Svc Operations & Tracer Studies," for staff distribution & comment.Requests that comments be submitted by 960402.
SIMMONS,S. Texas, State of. 96/03/19. Office of State Programs (Post 911117). 5pp. 88221:116-88221:120.

9605140019 Forwards technical assistance request for XRI Testing,Inc, incident & event info,program mgt info,training course info & technical info for Agreement State info.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-048. 96/04/19. General. 3pp. 88221:136-88221:178.

-9605140025 Responds to technical assistance request dtd 960108, transmitting ltrs dtd 951012,1210 & 960108,from XRI Testing, requesting exemption from certain provisions specified in 10CFR34.20.
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 96/04/01. MADERA,J.R. Region 3 (Post 820201). 3pp. 88221:139-88221:141.

-9605140029 Requests exemption to performance criteria specified in 10CFR34.20(a),(c)(2) & (e),required by 960110 for radiography equipment.Approval of request recommended.
MADERA,J.R. Region 3 (Post 820201). 399614. 96/01/08. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88221:142-88221:142.

-9605140035 Requests variance/waiver to be placed on license to allow continued utilization of Util Twin 50 & Amersham/TecOps 520 Co 60 exposure devices until Co sources no longer useful. Amend to XRI Testing license requested.
REDHAGE,L. X-Ray Industries, Inc. 95/10/12. PISKURA,D. Region 3 (Post 820201). 2pp. 88221:143-88221:144.

-9605140041 Informs amend request dtd 951012 needs clarification to be forwarded to NMSS.Info to be addressed re need for XRI to demonstrate testing has acceptable safety features & & procedures in place to compensate for provisions,listed.
HUETER,L. Region 3 (Post 820201). 95/11/21. REDHAGE,L. X-Ray Industries, Inc. 2pp. 88221:145-88221:146.

--**9605140044** Submits responses to questions from ltr re XRI Testings request for & extension of Co 60 exposure devices.Need to increase max allowable curies for new Sentinel 660 exposure device in item "Q" noted.
REDHAGE,L. X-Ray Industries, Inc. 399324. 95/12/10. HUETER,L. Region 3 (Post 820201). 17pp. 88221:147-88221:163.

--**9605140129** Submits addl info & clarification requested during telcon 960105.Exemption from performance requirements for specified radiographic equipment for Sentinel/ Amersham 520 Co 60 Exposure Devices requested.
REDHAGE,L. X-Ray Industries, Inc. 349614. 96/01/08. HUETER,L. Region 3 (Post 820201). 1p. 88221:164-88221:178.

9605140030 Requests agreement between NRC & Commonwealth of MA under which Commission will discontinue & Commonwealth will assume certain regulatory authority for radioactive matl now under federal jurisdiction.Info describing program,encl.
WELD,W.F. Massachusetts, Commonwealth of. 96/03/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1214pp. 88239:001-88242:122.

9605140042 Discusses 960219 ltr to M Noll re GL-307.Instrument purchased will not belong to Applied Research Associates,Inc & will not be located in Mississippi.
MONTGOMERY,R.L. Applied Research Associates, Inc. 96/03/05. FUENTE,E.S. Mississippi, State of. 2pp. 88221:240-88221:241.

9605140043 Forwards charter dtd 960329 & meeting minutes dtd 960129 & 960220 re Joint NRC-Agreement State Working Group for Development of Implementation Procedures for Adequacy & Compatibility Policy Statement.
* Office of State Programs (Post 911117). 96/03/27. MAUPIN,C. Office of State Programs (Post 911117). KULIKOWSKI,B. New York, State of. GODWIN,A. Arizona, State of. 104pp. 88221:242-88221:353.

9605140060 Event Report for First Quarter 1996.Rept includes "Event Rept Forms" which detail various events that took place during first quarter of 1996.
BUNN,D.E. California, State of. 96/04/16. LOHAUS,P.H. Office of State Programs (Post 911117). 69pp. 88222:099-88222:171.

9605140062 Responds to 960425 electronic mail request for info about exposures resulting from use of thorium welding rods.Info express mailed 960506.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. FRAZEE,T.C. Washington, State of. 4pp. 88221:354-88221:359.

--**9605140072** Requests info re health effects (exposure levels) of inhaled thorium dust w/ref to complaint filed by welder w/State of WA Dept of Labor & Industries.Complaint concerns dust generated in grinding point on 2% thorium rod for welding.
FRAZEE,T. Washington, State of. 96/04/25. LOHAUS,P., BANGART,R., MYERS,J. Office of State Programs (Post 911117). 2pp. 88221:358-88221:359.

9605140069 Forwards Event Rept UT-96-02 re event that occurred on 960131.Event found to meet abnormal occurrence criteria.
FELICE,J.R. Utah, State of. UT-96-02. 96/02/21. LOHAUS,P. Office of State Programs (Post 911117). 3pp. 88222:172-88222:174.

9605140078 Responds to 951114 ltr commenting on SP-95-174 re exclusive Federal jurisdiction.Advises that NRC regulates licensees in areas of exclusive Federal jurisdiction as it would in any other area under NRC jurisdiction.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/22. BEVILL,B.R. Arkansas, State of. 8pp. 88222:175-88222:186.

--**9605140091** Advises of DA Cool concurrence on encl document,per conversation.W/o encl.
HANEY,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/16. NRC - No Detailed Affiliation Given. 1p. 88222:183-88222:183.

--**9605140092** Forwards revised document chosen & advises that changes to response #4 acceptable.Requests concurrence subj to suggested changes via e-mail.
BOLLING,L. Office of State Programs (Post 911117). 96/04/12. HANEY,C.X. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 88222:184-88222:186.

9605140085 Forwards followup to recent conversation between N Bratcher & NRC re reporting to NRC of radiological incidents which occurred in State of TN.
NANNEY,L.E. Tennessee, State of. 96/04/04. LARKINS,P.M. Office of State Programs (Post 911117). 39pp. 88222:188-88222:226.

9605140087 Submits corrective action plan for Nucletron microSelection- HDR sys.Plan includes both hardware & software solution. Commits to amending Sealed Source & Device SE & voluntary cessation of distribution of devices failing std.
TEAGUE,S.P. Nucletron Corp. 96/03/29. MANLEY,R. Maryland, State of. 3pp. 88242:123-88242:125.

9605140156 Responds to 960404 ltr which ref ltr sent to R Woodruff,dtd 941130.Position to postpone development & adoption of 10CFR36,acceptable & would not affect future compatibility determinations for program.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/04/12. JEFFS,V. Kentucky, Commonwealth of. 3pp. 88222:251-88222:257.

--**9605140160** Forwards ltr sent to R Woodruff re adopting Part 36 rule on irradiators.IMPEP review scheduled to begin Apr 15.
JEFFS,V.D. Kentucky, Commonwealth of. 96/04/04. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. 88222:254-88222:254.

--**9502140056** Confirms that Kentucky does not plan to adopt NRC 10CFR36, licenses & radiation safety requirements for irradiators.
JEFFS,V.D. Kentucky, Commonwealth of. 94/11/30. WOODRUFF,R.L. Office of State Programs (Post 911117). 6pp. 88222:255-88222:257.

9605140175 Forwards technical info re RADXREF program user info which includes set of basic instructions for accessing RADXREF & sealed source & device bulletin board sys on FedWorld.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-047. 96/04/19. General. 2pp. 88222:262-88222:287.

--**9605140182** Forwards brief set of basic instructions re FedWorld & SSD BBS to assist in using SSD BBS.
BURGESS,M.L. Source Containment & Devices Branch (Post 911213). 96/04/10. MOORE,S., CARRICO,B., GOLDBERG,P. Division of Industrial & Medical Nuclear Safety (Post 870729). 24pp. 88222:264-88222:287.

9605140186 Forwards TAR for Dept of Navy re exemption request from part 34.20 for use of Co-60 radiography camera.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-049. 96/04/19. Massachusetts, Commonwealth of. 2pp. 88222:288-88222:304.

--**9605140199** Responds to 960206 TAR re Dept of Navy request for exemption from certain provisions specified in 10CFR34.20.Exemption authorized w/recommendation that condition be added to Navy Master Matl license clearly indicating exemption condition.
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 96/04/01. HOSEY,C.M. Region 2 (Post 820201). 3pp. 88222:290-88222:293.

--**9605140208** Discusses & transmits 951205 request from Dept of Navy for exemption from provision of 10CFR34.20 to continue use of NRC BCOK-3 exposure device at Naval Undersea Warfare Ctr Div in Keyport,WA.Approval of exemption recommended.
HOSEY,C.M. Region 2 (Post 820201). 96/02/06. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 88222:294-88222:295.

--**9605140213** Requests exemption from requirements of 10CFR34.20(a) & (e) to allow continued operation of BCOK-3 device after 960110 & submits factual info in support of request.Photo of BCOK-3 & control panel & design drawing of BCOK-3 encl.
MALINOSKI,J.W. Navy, Dept. of. 95/12/05. Region 2 (Post 820201). 9pp. 88222:296-88222:304.

9605140223 Safety insp on 960401 of license NC 092-0082-6.Insp findings:licensee exposure device did not bear required info.
* Region 2 (Post 820201). HYMAN,J. Affiliation Not Assigned. 96/04/29. 1p. 88242:182-88242:182.

9605140233 Forwards NRC final fee schedule for FY96,dtd 960411 for attention.
LOHAUS,D.M. Office of State Programs (Post 911117). SP-96-51. 96/05/01. General. 3pp. 88223:001-88223:138.

--**9605140238** Requests Agreement States make distribution of final rule to licensees since final rule will assess fees to Agreement State licensees who perform work in Nonagreement States under reciprocity provisions of 10CFR150.20.FRN,encl.
SCROGGINS,R.M. Office of the Controller (Post 890205). 96/04/08. BANGART,R.L. Office of State Programs (Post 911117). 1p. 88223:004-88223:138.

9605140438 Informs that state official designated to receive advance notification of transportation of shipments of nuclear waste & spent fuel required by Section 301 of Public Law 96-295 & implemented by provisions in 10CFR71 & 73.
JOHNSON,G.E. New Mexico, State of. 96/03/28. BANGART,R.L. Office of State Programs (Post 911117). 1p. 88242:343-88242:343.

9605140448 Responds to 960318 ltr re results of NRC review of NY DOL Radiological Health Unit regulatory program.
SWEENEY,J.E. New York, State of. 96/04/19. BANGART,R. Office of State Programs (Post 911117). 1p. 88242:351-88242:351.

9605140480 Forwards misadministration rept documenting 960306 misadministration of therapeutic dosage of sodium iodide I-131 at Lexington Clinic in Lexington,KY.
JEFFS,V.D. Kentucky, Commonwealth of. 96/04/04. LARKINS,P. Office of State Programs (Post 911117). 8pp. 88243:170-88243:177.

9605150003 Responds to request to update list of Governors designees pertaining to "Individuals Receiving Advance Notification of Nuclear Waste Shipments."
CAYETANO,B.J. Hawaii, State of. 96/04/04. BANGART,R.L. Office of State Programs (Post 911117). 1p. 88266:001-88266:001.

9605150042 Press release, "Notice of Draft License & Environ Analysis & Opportunity to Request Public Hearing."
VASQUEZ,G.A. Texas, State of. 96/04/05. 1p. 88266:010-88266:010.

9605150081 Forwards Federal Register Notice re reassumption of sealed source & device evaluation authority from Iowa,North Dakota & Utah,for JC Hoyle signature.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/26. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 88266:067-88266:070.

9605150110 Ack receipt of 960308 ltr & comments on development of electronic communications between NRC & Agreement States.
BANGART,R.L. Office of State Programs (Post 911117). 96/04/05. BARRETT,L. California, State of. 5pp. 88266:072-88266:080.

9605150116 Informs that RP Wilson no longer handles info NRC sends.NRC should be sending mailings to B Corley at same address.
KING,L. South Carolina, State of. 96/05/08. NRC - No Detailed Affiliation Given. 2pp. 88288:345-88288:346.

9605150142 Forwards notice of public hearing re NJ radiological emergency response plan.
TOSCH,K. New Jersey, State of. 96/05/07. CHAWAGA,D. Region 1 (Post 820201). CHRISTIANSEN,J., ECKER,N.D. New Jersey, State of. 6pp. 88290:318-88290:323.

9605150146 Forwards copies of photographs of cable failure analysis of event that occurred at RTI Process Technology.W/o encl.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/05/07. PADGETT,J.A. North Carolina, State of. 2pp. 88266:117-88266:127.

9605150306 Requests that when proposed rules adopted & published,copy of "as published" rules be provided to NRC for formal determination of compatibility.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/04/25. ALLEN,G.W. Kansas, State of. 6pp. 88266:157-88266:205.

--**9605150311** Forwards disk containing proposed amendments to Kansas Radiation Protection Regulations to meet concerns expressed re compatibility of KS & NRC regulations surfaced during review last year.W/o encl.
ALLEN,G.W. Kansas, State of. 96/03/13. BLANTON,R. Office of State Programs (Post 911117). 44pp. 88266:163-88266:205.

9605150320 Identifies inaccuracies & provides corrections to summary of minutes & minutes of 960308 Radiation Control Board meeting in Salt Lake City,UT.
REHMANN,M.R. Energy Fuels Nuclear, Inc. 96/05/02. SINCLAIR,W.J. Utah, State of. 4pp. 88289:305-88289:308.

9605150383 Recommends Dept of Environmental Quality provide public notice of decision to relinquish authority to regulate sealed source & device evaluations.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. SINCLAIR,W. Utah, State of. 3pp. 88266:351-88266:356.

-9605150392 Informs of Commission decision to reassume regulatory authority for sealed source & device evaluations in UT, effective 960601.FRN announcing change encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. LEAVITT,M.O. Utah, State of. 4pp. 88266:354-88266:354.

-9605150400 Notice of reassumption of Sealed Source & Device Evaluation Authority from states of Iowa,North Dakota & Utah.
HOYLE,J.C. Office of the Secretary of the Commission. 96/05/08. 2pp. 88266:355-88266:356.

9605150410 Forwards copy of draft review team rept for review prior to submitting rept to MRB.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. ATCHINSON,C. Iowa, State of. 3pp. 88267:080-88267:127.

-9605150421 Draft "Integrated Matls Performance Evaluation Program Review of IA Agreement State Program," 960401-04.
* Office of State Programs (Post 911117). 96/04/01. 45pp. 88267:083-88267:127.

9605160001 Recommends that state provide public notice of action re decision to relinquish authority to regulate sealed source & device evaluations,per SA Jackson 960504 notification.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. FLATER,D.A. Iowa, State of. 3pp. 88275:001-88275:009.

-9605160004 Notifies of Commission decision to reassume regulatory authority for sealed source & device evaluations in Iowa, effective 960601.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. BRANSTAD,T.E. Iowa, State of. 4pp. 88275:004-88275:009.

9605160017 Recommends that state provide public notice of action to licensees re decision to relinquish authority to regulate sealed source & device evaluations,per SA Jackson 960504 notification.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. MOUNT,D.K. North Dakota, State of. 3pp. 88275:032-88275:040.

-9605160022 Responds to 950925 request to relinquish ND authority to evaluate & approve sealed source & device application. Commission decided to reassume regulatory authority for sealed source & device evaluations,effective 960601.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. SCHAFER,E.T. North Dakota, State of. 4pp. 88275:035-88275:040.

9605160040 Responds to ltr requesting license to work w/radioactive matls.J Loskot should contact Dept of Human Services.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. LOSKOT,J.E. Affiliation Not Assigned. 5pp. 88275:084-88275:090.

-9605160045 Requests license to work with radioactive substances in vicinity of Las Vegas,Nevada.
LOSKOT,J.E. Affiliation Not Assigned. 96/04/22. NRC - No Detailed Affiliation Given. 2pp. 88275:089-88275:090.

9605160086 Mod 17 to contract NRC-29-83-621.
THOMPSON,F.E. Mississippi, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2366. 96/03/18. 3pp. 88273:154-88273:156.

9605160105 Forwards Agreement State Sealed Source & Device Certificate for Georgia.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/05/08. BAGGETT,S.L. Source Containment & Devices Branch (Post 911213). 4pp. 88275:226-88275:245.

-9605160125 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for model Leskell Gamma System Model 23004 Type B.Certificate:GA-269-D-102-S.
*, HILL,T.E. Georgia, State of. GA-269-D-102-S. 96/05/01. 15pp. 88275:230-88275:245.

9605160133 Expresses appreciation for comments in 960328 ltr re perceived differences in regulatory philosophy between NRC & Agreement States.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/04. HILL,T.E. Georgia, State of. 6pp. 88277:352-88277:355.

-9605160146 Expresses appreciation for opportunity for OAS to brief Commission on 960226 meeting & folow up on issue raised during briefing.Inform that issue of NRC acceptance of & willingness to work w/differing regulatory philosophy.
HILL,T.E. Georgia, State of. 96/03/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 88277:354-88277:355.

9605160152 Responds to request to suspend,on emergency basis,portion of NRC agreement w/Georgia due to security concerns at Georgia Institute of Technology Neely Nuclear Research Center.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/08. CARROLL,G. Georgians Against Nuclear Energy. 4pp. 88275:300-88275:316.

-9605160163 Concurs w/revised GANE response reply.
MALLETT,B. NRC - No Detailed Affiliation Given. 96/05/01. DROGGITIS,S.C. NRC - No Detailed Affiliation Given. 4pp. 88275:304-88275:307.

-9605160188 Offers no legal objection to revised Georgians Against Nuclear Energy ltr.
TURK,S. NRC - No Detailed Affiliation Given. 96/05/01. MALLETT,B.S., DROGGITIS,S.C. NRC - No Detailed Affiliation Given. 4pp. 88275:308-88275:316.

9605160304 Responds to 960328 ltr re proposed agreement between NRC & Commonwealth of MA.MA would assume regulatory authority over acquisition,possession,use,transfer & disposal of source matl & byproduct matl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/07. WELD,W.F. Massachusetts, Commonwealth of. 1p. 88282:133-88282:134.

9605160363 Responds to 960328 ltr,informing that Birdwell,Inc licensed by AEC in 1956 to perform well logging at temporary job sites.Prior to Oct 1989 termination,license authorized isotopes for use in oil & gas well studies.W/o encls.
CHAWAGA,D.I. Region 1 (Post 820201). 96/05/01. YUSKO,J.G. Environmental Protection Agency. 2pp. 88276:125-88276:126.

9605160444 Requests assurances from state of CO regulatory (40001987) responsibility for radioactive matls at plant has been properly transferred to state before NRC removes plant from ORNL terminated license site list.
SCARANO,R.A. Region 4 (Post 820201). 96/05/14. QUILLIN,R.M. Colorado, State of. 9pp. 88277:051-88277:059.

9605170011 Forwards comments re review of proposed changes to Florida Rules for Control of Radiation Hazards
LOHAUS,P.H. Office of State Programs (Post 911117). 96/05/10. PASSETTI,W.A. Florida, State of. 3pp. 88283:045-88283:231.

-9605170015 Informs that public hearing to receive comments on Florida regulatory review package,will be held on 960319.
WOODRUFF,R. NRC - No Detailed Affiliation Given. 96/02/28. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 88283:050-88283:051.

-9605170018 Forwards copy of rule revs being processed for Chapter 10D-91,Florida Administrative Code, "Control of Radiation Hazards."
PASSETTI,W.A. Florida, State of. 96/02/12. WOODRUFF,R. Region 2 (Post 820201). 176pp. 88283:052-88283:231.

9605170021 Forwards Sinclair ltr concerning removal of foil sources from smoke detectors,distributed as exempt distribution products,for use & distribution as americium-241 check sources.Concurs w/ltr,provided changes included as written.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/09. BANGART,R.L. Office of State Programs (Post 911117). 6pp. 88283:233-88283:247.

-9605170031 Responds to 960215 ltr requesting technical assistance on issues re smoke detectors.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/13. SINCLAIR,W.J. Utah, State of. 7pp. 88283:239-88283:247.

9605170030 Transmits State Agreement Program Info SP-96-052 re termination of rulemaking for 10CFR21, "Reporting Requirements for Matls Licenses." Commission paper SECY-96-063,dtd 960322 encl.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-052. 96/05/14. General. 2pp. 88283:248-88283:271.

-9605170043 Advises that Commission has not objected to staff plans to terminate rulemaking on 10CFR21 re reporting requirements for matls licensee.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88283:250-88283:271.

9605170084 Responds to 960322 ltr discussing workshop held in Vancouver,WA.Agrees that joint NRC-Agreement State workshops provide excellent opportunity to discuss issues of mutual concern & will provide recommendations to NRC ofcs.
BANGART,R.L. Office of State Programs (Post 911117). 96/05/09. STRONG,T.R. Organization of Agreement States. 5pp. 88283:272-88283:303.

-9605170111 Expresses appreciation for Commission support of joint NRC & Agreement Workshops & forwards recommendations & rept entitled, "Radiation in Medicine Need for Regulatory Reform."
STRONG,T.R. Organization of Agreement States. 96/03/22. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 27pp. 88283:277-88283:303.

9605170134 Discusses concerns re protection of Atlantans & athletes at 1996 Olympic Games & requests action to remove cobalt-60 from Olympic Village in downtown Atlanta.W/news story on Munich terrorism.
CARROLL,G. Georgians Against Nuclear Energy. 96/05/04. BANGART,R.L. Office of State Programs (Post 911117). 5pp. 88283:304-88283:308.

9605170196 Forwards generic MOU for review & rev.Meeting should be scheduled upon review of MOU to discuss any issues which may arise prior to implementation of ERDS in Louisiana.
CONGEL,F.J. Office for Analysis & Evaluation of Operational Data, Director. 96/05/08. SPELL,W. Louisiana, State of. 5pp. 88292:350-88292:354.

9605170241 Responds to 960404 ltr re reporting of radiological events that occurred in TN to NRC.W/941018,950322 ltrs & draft "Handbook on Nuclear Matl Event Reporting in Agreement States."
LARKINS,P.M. Office of State Programs (Post 911117). 96/05/10. NANNEY,L.E. Tennessee, State of. 6pp. 88284:017-88284:086.

-9605170246 Forwards file containing copy of response to LE Nanney ltr expressing concerns re event reporting process & NMED for review & concurrence.Comments should be provided by 960508.
LARKINS,P. Office of State Programs (Post 911117). 96/05/03. PETTIJOHN,S.L. NRC - No Detailed Affiliation Given. 2pp. 88284:023-88284:086.

9605200040 Agenda for 960408 meeting w/NRC to discuss slope stability, groundwater monitoring,final cover slope & stormwater control plan for Bert Avenue site.
* Ohio, State of. 96/04/05. Ohio, State of. 14pp. 88351:001-88351:014.

9605200044 Forwards comments on draft environ assessment for mixed waste closure project at BP Chemicals in lima,OH.
OTTARSON,J.M. Ohio, State of. 96/02/16. NALLUSWAMI,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 88351:235-88351:236.

9605200049 Submits comments & recommendations re draft environ assessment of license application for onsite disposal mixed waste pond closure project at BP Chemicals plant,Lima,OH.
VANDEGRIFT,R. Ohio, State of. 96/01/31. NALLUSWAMI,S. Office of Nuclear Material Safety & Safeguards. 3pp. 88351:237-88351:239.

9605200064 Comments on BP Chemicals mixed waste pond closure project, in response to NRC draft environ assessment.
ROSEBROCK,D.L. Ohio, State of. 96/02/07. NALLUSWAMI,S. NRC - No Detailed Affiliation Given. 1p. 88351:241-88351:241.

9605200231 Submits explanation of corrective actions taken by Ocean State Technical Svcs re alleged violations noted by S Countemarche during insp at Canal Electric plant on 960318.
GIARRUSSO,J.J. . 96/05/16. Region 1 (Post 820201). 3pp. 88351:297-88351:299.

9605200269 Forwards insp rept 15000038/96-04 on 960425 & notice of violation.
COSTELLO,F.M. Region 1 (Post 820201). 96/05/13. FENESCA,C. Affiliation Not Assigned. 3pp. 88291:102-88291:110.

--**9605200271** Notice of violation from insp on 960425.Violation noted: on 960425,notation of package identification marking did not note USA/9033/B(U) for Amersham 660B device.
* Region 1 (Post 820201). 96/05/13. 2pp. 88291:105-88291:106.

--**9605200278** Insp rept 15000038/96-04 on 960425 & 0507.Violations noted. Major areas inspected:reciprocity field site & transportation of radioactive matl.
KIRKWOOD,A., COSTELLO,F.M. Region 1 (Post 820201). 96/05/16. 4pp. 88291:107-88291:110.

9605200294 Ack receipt of Rept of Proposed Activities in NonAgreement States dtd 960510 & receipt of initial recognition.
COLLINS,D.J. Region 2 (Post 820201). 96/05/14. LINKER,R.A. Affiliation Not Assigned. 1p. 88291:184-88291:186.

--**9605200305** Notifies of recognition of Agreement State license for activities to be performed at federal installation.
COLLINS,D.J. Region 2 (Post 820201). 96/05/14. POTTER,L. Affiliation Not Assigned. 2pp. 88291:185-88291:186.

9605210002 Second final response to FOIA request for documents.Records in App B encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/05/10. NICKELS,L.A. Waste Management, Inc. 3pp. 88307:214-88307:348.

--**9605210344** Discusses results of phase of investigation of Aerospace America property in Bay City,MI,informing that ppm levels of thorium present in soil samples taken at depths to 50 ft. Facility map,thorium analytical results in ppm & Apps encl.
JURY,M.R. Michigan, State of. 94/07/07. KURTH,M.F. Region 3 (Post 820201). 17pp. 88307:322-88307:348.

9605210016 Second partial FOIA response to request for documents. Records in App B available in PDR.App C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/15. WILD,R. Damon & Morey. 3pp. 88358:122-88358:182.

--**9605230018** Insp rept 15000046/80-86 on 800722.Violations noted.Major areas inspected:trailer number 440232 & associated shipping documents.W/o documenting info.
PANG,F., GRAYSON,W.M., THOMAS,R.D. Region V, IE (720101-810228). 80/10/15. 4pp. 88358:179-88358:182.

9605210138 PNO-IV-96-026:on 960519,91,000 gallons of mine restoration water released into unrestricted area.Water was being injected into disposal well when 2-inch pipe nipple failed at wellhead.Spill control sensors installed.
CAIN,C., HACKNEY,C. Region 4 (Post 820201). 96/05/20. 1p. 88371:001-88371:001.

9605210240 Responds to 960401 & 15 ltrs to Chairman Jackson re plant compliance w/certain requirements re SBLOCA.Ltr dtd 960426 to Governor King,addressing issue of plant compliance encl.
RUSSELL,W.T. . 96/05/16. MYERS,H.R. Affiliation Not Assigned. 1p. 88306:281-88306:294.

--**9605210255** Responds to 960418 ltr to Chairman Jackson,forwarding HR Myers 960321 ltr to Governor King.Myers expressing concern about plant compliance w/certain NRC requirements.
RUSSELL,W.T. NRC - No Detailed Affiliation Given. 96/04/26. HEWETT,C.E. Maine, State of. 6pp. 88306:283-88306:288.

9605210308 Responds to NRC 960418 ltr re violations noted in insp of license 3D-083-02.Corrective actions:amend issued stating that utilization rept must be completed in entirety prior to making first exposure & overpack marked w/appropriate label.
SKOROHOD,P.M. Affiliation Not Assigned. 96/05/16. Document Control Branch (Document Control Desk). 2pp. 88361:218-88361:219.

9605210431 Forwards for filing w/Commission,copies of notice of filing application in proceeding A.96-05-009.
COOLEY,F.J. Southern California Edison Co. 96/05/09. California, State of. 8pp. 88305:130-88305:137.

9605210442 Confirms 960514 telcon rept of unauthorized discharge due to leak in expansion joint in plant cooling tower basin wall.
SHELTON,D.C. Centerior Energy. PY-CEI/OEPA-025. 96/05/17. Ohio, State of. 2pp. 88353:060-88353:061.

9605210444 Forwards NUREG/CR-3387, "Radiological Survey of C-E Burial Site Hematite,MO" published Jul 1983 & Mallinckrodt Chemical Works 560515 license application for NRC issued license SNM-33 on 560718,per request during 960501 telcon.W/o encls.
SOONG,S. Licensing Branch. 96/05/14. LANGE,T. Missouri, State of. 2pp. 88359:345-88359:346.

9605210518 Comment on NAS Inst of of Medicine rept, "Radiation in Medicine,Need for Regulatory Reform." Believes that legislation should be enacted to allow states to regulate independently,agreement matls as other radiation sources.
JERRETT,L.E. Florida, State of. 61FR1648 00036. 96/05/03. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88305:270-88305:270.

9605210539 Forwards anticipated schedule for licensing actions to be requested from NRC during next three yrs 1996-99.
BAKER,S.J. Western Nuclear, Inc. 96/05/07. INDALL,J.J. New Mexico, State of. 3pp. 88361:114-88361:116.

9605220415 PNO-IV-96-022B:on 960521,stainless steel container in scrap metal shipment was detected as containing radioactive material when recieved.Container tested & found not to contain radioactive matl.
HACKNEY,C., CAIN,C. Region 4 (Post 820201). 96/05/21. 1p. 88389:138-88389:138.

9605220502 Requests review & approval of encl computer-generated discharge monitoring rept form developed by licensee.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/05/17. O'NEIL,S.J. Pennsylvania, Commonwealth of. 3pp. 88359:001-88359:003.

9605230142 Forwards section R, "NRC Public Affairs Plan,"of RCM.
BARRETT,R.J. Incident Response Branch. 96/05/06. SIMS,A. Georgia, State of. 1p. 88342:031-88342:041.

9605230166 Comment supporting proposed rule re NAS/Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
RIMAWI,K. New York, State of. 61FR1648 00038. 96/05/17. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 88333:023-88333:024.

9605230209 Forwards insp rept 15000043/95-01 on 951106-050996 & NOV.
SCARANO,R.A. Region 4 (Post 820201). 96/05/22. MCLAUGHLIN,J.S. Cardinal Surveys. 5pp. 88333:033-88333:052.

--**9605230214** Notice of violation from insp on 951106-960509.Violation noted:licensee had not filed Form 241 to rept proposed activities performed at temporary jobsite in State of WY,on 951030.
* Region 4 (Post 820201). 96/05/22. 2pp. 88333:038-88333:039.

--**9605230215** Insp rept 15000042/95-01 on 951106-960509.Violations noted. Major areas inspected:activities involving use of byproduct matl for tracer operations in oil/gas wells,focusing on event involving radioactive contamination of well site.
HOWELL,L.L. Region 4 (Post 820201). 96/05/19. 13pp. 88333:040-88333:052.

9605230225 Forwards Rev 0 to DOE/AL/62350-227, "Position Paper on Applicability of Supplemental Stds to Uppermost Aquifer at U Mill Tailings Remedial Action Vitro Processing Site,Salt Lake City,UT."
METZLER,D. Energy, Dept. of. 96/05/13. MORTON,L. Utah, State of. 2pp. 88367:001-88367:112.

9605230229 Forwards Rev 0 to DOE/AL/62350-229, "Rept of Ground Water Monitoring for Expansion of Golf Course,Salt Lake City,UT, Vitro Processing Site."
METZLER,D. Energy, Dept. of. 96/05/13. MORTEN,L. Utah, State of. 1p. 88385:172-88385:196.

9605240030 PNO-II-96-035:on 960501,delivery vehicle containing box w/ 10 doses of Cardiolite (Tc-99m in unit doses) involved in one vehicle accident.Box ejected from vehicle during accident & found undamaged later.
WOODRUFF,R.L. Region 2 (Post 820201). 96/05/01. 1p. 88392:143-88392:143.

9605240037 Notice of withdrawal.* Informs that MA Young appearance in proceeding re JL Shelton will be withdrawn,effective 960520. W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #296 17636. IA-95-055. 96/05/20. 2pp. 88340:316-88340:317.

9605240039 Forwards Issuance of Deficiency Rept (DR) YMQAD-96-D059 resulting from Yucca Mountain QA Div (YMQAD) review.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/17. BARNES,W.E. Nevada, State of. 4pp. 88391:240-88391:243.

9605240058 Comment supporting proposed rule 10CFR50, "Financial Assurance Requirements for Decommissioning Nuclear Power Reactors" (SP-96-044,61FR 15427-15430).
ZAW-MON,M. Maryland, State of. 61FR15427 00001. 96/05/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 88340:360-88340:361.

9605280022 Summarizes 960424 public meeting in King of Prussia,PA re safety relief valve performance issues w/BWR licensees. Emphasis placed on reviewing safety relief valve leakage & corrective actions implemented.W/list of attendees.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. TOSCH,K. New Jersey, State of. 78pp. 88349:001-88349:078.

9605280049 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed util 960328 submittal of TS Change Request 234 re anticipatory scram signal bypass setpoint & has no comments.
TOSCH,K. New Jersey, State of. 96/05/15. Document Control Branch (Document Control Desk). 2pp. 88386:215-88386:216.

9605280138 Confirms telcon between NRC & State of OR Dept of Human Resources re NRC follow-up of Oregon Radiation Control Program review scheduled for 960709-11.
LYNCH,J.L. Region 3 (Post 820201). 96/05/16. HALL,E. Oregon, State of. 1p. 88356:055-88356:055.

9605280189 Responds to 960430 ltr expressing concerns re indications reported by C-10 Research & Education,Inc re radiation monitoring network surrounding Seabrook Nuclear Power Station.
MARTIN,T.T. Region 1 (Post 820201). 96/05/23. MILKEY,J.R. Massachusetts, Commonwealth of. 7pp. 88384:001-88384:127.

--**9605280192** Expresses concern re elevated levels of radiation on 951129 & requests that NRC conduct independent investigation of matter.Monitors located in Amesbury,West Newbury & Newburyport,MA,not far from Seabrook plant.
MILKEY,J.R. Massachusetts, Commonwealth of. 96/04/30. MARTIN,T.T. Region 1 (Post 820201). 3pp. 88384:125-88384:127.

9605280281 Forwards summary of impromptu meeting re NAS Rept,resulting position paper approved at CRCPD business meeting & ltr sent from Health & Human Svcs to NRC.
FRAZEE,T.C. Washington, State of. 96/05/22. Conference of Radiation Control Program Directors, Inc. 6pp. 88356:246-88356:252.

--**9605280287** Submits comments on rept of Institute of Medicine entitled "Radiation in Medicine: Need for Regulatory Reform."
SHALALA,D.E. Health & Human Services, Dept. of. 96/05/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 88356:252-88356:252.

9605280296 Submitting closeout of contract NRC-04-94-087,advising that total payment for listed amount accomplished.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-04-94-087. 96/05/22. REGER,J.P. Maryland, State of. 1p. 88374:321-88374:321.

9605290086 Comments on draft technical position on use of expert elicitation in high-level radwaste program.
LOUX,R.R. Nevada, State of. HLWR. 96/05/15. AUSTIN,J.H. Division of Waste Management (NMSS 940403). 3pp. 88427:358-88427:360.

9605290228 Informs that Illinois Dept of Nuclear Safety received notice from T Strong describing NRC proposal to make significant changes to 10CFR34 before rule becomes final.Comments on notice submitted.
COLLINS,S.C. Illinois, State of. 96/05/24. TROTTIER,C. NRC - No Detailed Affiliation Given. 1p. 88368:055-88368:055.

9605300020 "Third Quarterly Rept of Radioactive Matls Program for Feb,Mar & Apr 1996." W/960521 ltr.
HALL,E. Oregon, State of. 96/04/30. BANGART,R.L. Office of State Programs (Post 911117). 4pp. 88382:347-88382:350.

9605300022 PNO-IV-96-028:on 960528,two portable gauges in transport cases stolen from temporary jobsite in San Jose,CA.Locks & chains securing gauges cut.Press release w/reward offered for return of gauges will be held.
HORNER,J. Region 4 (Post 820201). 96/05/29. 1p. 88444:036-88444:036.

9605300051 Forwards SE & SNL Technical Evaluation Rept re Thermo-Lag fire barriers.
POLICH,T.J. . TAC M85536. 96/05/22. TERRY,L.C. Oregon, State of. 4pp. 88394:001-88394:085.

9605310008 Discusses 960513 visit to Atlas Moab facility to observe characteristics re several open issued identified in DTER, NUREG-1532 published in Jan 1996.
HANEY,P. Utah, State of. 96/05/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88404:310-88404:312.

9605310119 Responds to 960401 ltr forwarding 960314 ltr from H Myers re NRC requirements concerning small-break loss-of-coolant accidents.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/28. COHEN,W.S. Senate. 5pp. 88395:194-88395:247.

-9604160130 Responds to 960315 ltr which requested that NRC clarify regulatory status of Maine Yankee Atomic Power Plant w/regard to compliance w/10CFR50.46 & NUREG-0737, "TMI Action Plan," items II.K.3.30 & II.K.3.31.
RUSSELL,W.T. . 96/04/10. MYERS,H.R. Maine, State of. 2pp. 88395:234-88395:235.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9604300087 Forwards draft info notice re fires in emergency diesel generator exciters during operation following undetected fuse blowing,for review.Comments requested by 960405.
CHAFFEE,A.E. . 96/03/27. MILLER,R.B. Westinghouse Electric Corp. 6pp. 88116:344-88116:349.

9605010124 Summary of 960319 meeting w/BWR Vessel & Internals Proj Executive Oversight Committee in Rockville,MD re status of BWRVIP ongoing programs.
CARPENTER,C.E. . 96/03/26. STROSNIDER,J.R. . 52pp. 88075:249-88075:301.

9605010173 Forwards proprietary & nonproprietary Topical Repts DPC-NE-2007P-A & DPC-NE-2007A,respectively.Proprietary Topical Rept DPC-NE-2007P-A withheld.
TUCKMAN,M.S. Duke Power Co. 96/01/02. Document Control Branch (Document Control Desk). 2pp. 88079:016-88079:112.

-9605010181 Forwards corrected nonproprietary version of Topical Rept DPC-NE-2007.
GEWEHR,S. Duke Power Co. 96/04/23. HOOVER,D. . 1p. 88079:018-88079:018.

-9605010186 DPC-NE-2007A Nonproprietary "DPC Fuel Reconstitution Analysis Methodology."
* Duke Power Co. 95/10/31. 93pp. 88079:019-88079:112.

9605010222 Forwards accepted versions of TR BAW-10191P-A,rev 1,Sept 1994 & BAW-10191-A (non-proprietary),Dec 1994, "STAR Sys Components for Reactor Protection Sys Digital Upgrades."
TAYLOR,J.H. FRAMATOME. JHT/96-31. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88077:001-88077:145.

-9605010225 BAW-10191-A "STAR Sys Components for Reactor Protection Sys Digital Upgrades."
SCECINA,J. Babcock & Wilcox Co. 94/12/31. 143pp. 88077:002-88077:145.

9605020114 Forwards signed copies of EPRI Royalty-Free copyright license agreement for EPRI MAAP 4.0 computer code & EPRI GOTHIC code.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/25. GAGNON,T.H. Electric Power Research Institute. 8pp. 88072:059-88072:076.

-9605020121 Forwards EPRI Royalty-Free Copyright License Agreement for EPRI computer program MAAP 4.0.
GAGNON,T.H. Electric Power Research Institute. 96/03/06. TAYLOR,J.M. Ofc of the Executive Director for Operations. 10pp. 88072:067-88072:076.

9605020168 Forwards RAI re elimination of insp of reactor coolant pump flywheels (WCAP-14535).
BRINKMAN,D.S. . TAC M94550. 96/05/01. CROSS,J.E. Duquesne Light Co. 5pp. 88098:346-88098:350.

9605060361 Forwards proprietary presentation slides from 960212 GE Fuel Technology update meeting w/Reactor Sys Branch staff re lead use assemblies program.Proprietary presentation slides withheld per 10CFR2.790.
REDA,R.J. General Electric Co. RJR-96-048. 96/04/30. PHILLIPS,L.E. Document Control Branch (Document Control Desk). 6pp. 88180:299-88180:304.

9605070078 Application for proposed amend 136a to license DPR-43, modifying TS Section 4.2 to redefine pressure boundary applicability to parent tube of upper HEJ sleeve point. Westinghouse nonproprietary rept WCAP-14641 encl.
STEINHARDT,C.R. Wisconsin Public Service Corp. NRC-96-40. 96/05/01. Document Control Branch (Document Control Desk). 17pp. 88173:053-88173:109.

-9605070084 WCAP-14641 Nonproprietary "HEJ Sleeved Tube Structural Integrity Criteria...Diametral Interference at PTIs."
CULLEN,W.K., KEATING,R.F. Westinghouse Electric Corp. 96/04/30. 34pp. 88173:077-88173:109.

9605070122 Forwards proprietary suppl info re WCAP-12945-P.Encl info will be incorporated into final methodology rept following receipt of SER.Encl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4702. 96/04/30. Document Control Branch (Document Control Desk). 2pp. 88174:155-88174:156.

9605070227 Forwards RAI to complete review of operability assessment & Tech Rept CEN-628-P,Rev O,pertaining to ABB Combustion Engineering Nuclear Operations (ABB/CENO) SG tube sleeve for plant.
SHIRAKI,C.Y. . TAC M95183. 96/05/03. FARRAR,D.L. Commonwealth Edison Co. 5pp. 88143:337-88143:341.

9605070321 Forwards proprietary & nonproprietary versions of App C to DPC-NE-2005P-A, "DPC Thermal-Hydraulic Statistical Core Methodology." App C addresses licensing issues for BWU-Z use by util.Proprietary version of App C withheld.
TUCKMAN,M.S. Duke Power Co. 96/04/26. Document Control Branch (Document Control Desk). 8pp. 88218:017-88218:044.

-9605070326 DPC-NE-2005P-A APP C Nonproprietary App C, "McGuire/Catawba Plant Specific Data Mark-BW Fuel BWU-Z CHF Correlation" to "DPC Thermal- Hydraulic Statistical Core Design Methodology."
* Duke Power Co. 96/04/30. 20pp. 88218:025-88218:044.

9605070341 Forwards nonproprietary Rev 1 to WCAP-14560 & proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture..." for review & approval.Proprietary rept withheld (ref 10CFR2.790).
HOSMER,J.B. Commonwealth Edison Co. 96/04/30. . 3pp. 88218:045-88218:143.

-9605070347 Requests that proprietary Rev 1 to WCAP-14559, "Technical Justification for Eliminating Large Primary Loop Pipe Rupture as Structural Design for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. CAW-96-956. 96/04/25. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 88218:048-88218:057.

-9605070354 WCAP-14560 R01 Nonproprietary "Technical Justificaton for Eliminating Large Primary Loop Pipe Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants."
BHOWMICK,D.C. Westinghouse Electric Corp. 96/04/30. 89pp. 88218:058-88218:143.

9605070359 Forwards SE approving EPRI TR,TR-102323, "Guidelines for Electromagnetic Interference Testing in Power Plants," as having acceptable method of qualifying digital I&C equipment.
BOGER,B.A. . 96/04/17. YODER,C. Electric Power Research Institute. 2pp. 88145:342-88145:360.

-9605070362 SER approving EPRI TR,TR-102323, "Guidelines for Electromagnetic Interference Testing in Power Plant," as having acceptable method of qualifying digital I&C equipment.
* . 96/04/17. 17pp. 88145:344-88145:360.

9605090089 Forwards nonproprietary Suppl 1 to ANF-90145(NP)(A) & proprietary Suppl 1 to ANF-90-145(P)(A), "RODEX3 Fuel Rod Thermal-Mechanical Response Evaluation Model Vol 1..." Proprietary rept withheld (ref 10CFR2.790(b)).
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:96:041. 96/05/06. . 1p. 88217:001-88217:309.

-9605090095 ANF-90-145(NP)(A) S1 Nonproprietary Suppl 1 to ANF-90-145(NP)(A), "RODEX3 Fuel Rod Thermal-Mechanical Response Evaluation Model Vol I Theoretical Manual Vol II Thermal & Gas Release Assessments."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/30. 308pp. 88217:002-88217:309.

9605090093 Forwards responses to RAI on TR, "BWNT LOCA,BWNT Loss-of-Coolant Accident Evaluation Model for Once-Through Steam Generator Plants,BAW-10192P." Encl withheld.
TAYLOR,J.H. FRAMATOME. JHT/96-33. 96/05/06. Document Control Branch (Document Control Desk). 1p. 88237:252-88237:252.

9605090143 Sumbits non-proprietary response to NRC question on guide thimble tube texture.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4709. 96/05/02. JONES,R.C. . 2pp. 88209:354-88209:355.

9605090190 Discusses license agreements for EPRI computer codes.
RUSSELL,W.T. . 96/04/18. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 88185:359-88185:360.

9605090268 Forwards nonproprietary Suppl 1 to ANF-91-048(NP) & proprietary Suppl 1 to ANF-91-048(P), "BWR Jet Pump Model Rev for RELAX." Proprietary rept withheld (ref 10CFR2.790(b)).
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:96:042. 96/05/06. . 4pp. 88215:314-88215:353.

-9605090269 ANF-91-048(NP) S01 Nonproprietary Suppl 1 to ANF-91-048(NP), "BWR Jet Pump Model Rev for RELAX."
JENSEN,S.E., ROWE,D.S., COLLINGHAM,R. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/05/31. 35pp. 88215:318-88215:353.

9605100106 Extends authorization contained in ref ltrs valid for documents received by NRC from 960601-970601 unless terminated by Westinghouse w/appropriate written notice to NRC.Rights Westinghouse may have to control matl,not waived.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4714. 96/05/03. Document Control Branch (Document Control Desk). RUSSELL,W.T. . MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. 88207:183-88207:183.

9605100179 Forwards proprietary Rev 1 of rept CEN-628-P, "Verification of Structural Integrity of ABB CENO SG Welded Sleeve," providing SG tube sleeves metallurgical exam results.Rept withheld from public disclosure per 10CFR2.790.
WADLEY,M.D. Northern States Power Co. 96/05/03. Document Control Branch (Document Control Desk). 6pp. 88237:305-88237:310.

9605100226 Forwards proprietary & nonproprietary versions of presentation matl from WOG/Mini Group 960228 meeting re fuel-in full RCS chemical decontamination qualification program.Proprietary matl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4701. 96/04/30. JONES,R.C. . 2pp. 88249:163-88249:266.

-9605100228 Requests that proprietary presentation matl from WOG/Mini Group 960228 meeting re fuel-in full RCS chemical decontamination qualification program be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-96-958. 96/04/30. JONES,R.C. . 100pp. 88249:165-88249:266.

9605100258 Provides proprietary summary of limitations that Framatone Cogema Fuels feels appropriate to insure BWCMV,applied in conservative manner to Vantage-5H fuel.Encl withheld,per 10CFR2.790.
TAYLOR,J.H. Babcock & Wilcox Co. TAYLOR,J.H. FRAMATOME. JHT/96-32. 96/05/06. Document Control Branch (Document Control Desk). 2pp. 88238:357-88238:358.

9605130336 Forwards present work plan in response to request for description of work planned for NRC/RES research activity on cracking of reactor internals at ANL.
MCNEIL,M. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/05/06. BAMFORD,W. Westinghouse Electric Corp. 9pp. 88224:284-88224:292.

9605130338 Forwards present work plan for NRC research being conducted at ANL for info.
MCNEIL,M. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/05/06. CAREY,J. Electric Power Research Institute. 9pp. 88224:293-88224:301.

9605130409 Forwards index info supporting approval of WCAP-12945-P. Attached tables correspond to refs as submitted.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4710. 96/05/06. ORR,F.R. Document Control Branch (Document Control Desk). 27pp. 88243:226-88243:252.

9605140224 Forwards proprietary addl info re WCAP-12945-P.Encl info will be incorporated into final methodology rept following receipt of SER.Encl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4718. 96/05/09. Document Control Branch (Document Control Desk). 2pp. 88309:048-88309:049.

9605140379 Forwards proprietary Draft C of "BWR Emergency Procedure & Severe Accident Guidelines." Encl withheld.
DONOVAN,K.P. BWR Owners Group. BWROG-96084. 96/05/10. WILSON,J.H. Document Control Branch (Document Control Desk). 2pp. 88309:018-88309:019.

9605140420 Responds to 960130 ltr,transmitting topical rept TR-102323 for CRGR consideration.Formal review not needed & NRC may proceed w/proposed SER.
JORDAN,E.L. Committee to Review Generic Requirements. TAC M91235. 96/04/15. MIRAGLIA,F.J. . 2pp. 88251:306-88251:307.

9605140422 Forwards safety evaluation in which staff accepts topical repts CENDP-284-P,RPA-89-053 & RPA-89-112 for ref in licensing applications.Staff proposes that CRGR review be waived.
HOLAHAN,G.M. . TAC M88025. 96/04/12. THADANI,A.C. . 1p. 88269:001-88269:049.

--9605140426 Informs topical repts CENPD-284-P,RPA-89-112 & RPA-89-053 acceptable for referencing in license applications to extent specified & under limitations stated in encl Brookhaven repts & NRC SE.
JONES,R.C. . TAC M88025. 96/04/12. EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 88269:002-88269:003.

--9605140435 Topical rept SE of CENPD-284-P, "CR Drop Accident Analysis Methodology for BWR," RPA-89-112, "ABB Atom CR Drop Accident Analysis Methodology for BWR," & RPA-89-053, "ABB Atom High- Worth CRs for US BWRs," repts acceptable.
* . 96/04/12. 47pp. 88269:004-88269:049.

9605150128 Notification of 960425 meeting w/B&W Owners Group in Rockville,MD to discuss staff request for addl info re B&WOG rept BAW-2245,rev 1, "Initial RTNDT of Linde 80 Welds Based on Fracture Toughness in Transition Range."
SCALETTI,D. . 96/04/16. QUAY,T.E. . 2pp. 88258:353-88258:354.

9605150152 Notification of 960430 meeting w/B&WOG in Rockville,MD to discuss application of RG 1.99,rev 2 ratio procedure to Linde 80 welds & concerns related to GL 92-01,suppl 1.
SCALETTI,D. . GL-92-01. 96/04/16. QUAY,T.E. . 2pp. 88258:355-88258:356.

9605150189 Summary of 960327 meeting w/B&WOG & CEOG to discuss staff concerns re high burnup fuel & stuck control rods.
SCALETTI,D. . 96/04/16. . 18pp. 88270:262-88270:279.

9605150249 Informs of 960430 meeting to discuss application of RG 1.99,Rev 2 ratio procedure to Linde 80 reactor vessel welds.List of issues to be included in agenda encl.
STROSNIDER,J.R. . 96/04/10. HOWELL,D.L. BWR Owners Group. 1p. 88264:352-88264:352.

9605150461 Provides limited copyright license for documents identified as containing GE confidential or proprietary info for NRC internal use & for documents neither confidential nor proprietary for NRC use & for public disclosure.
SMITH,M.A. General Electric Co. MFN 066-96. 96/05/09. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 88269:355-88269:355.

9605160123 Summary of 960405 meeting w/BWROG to discuss future topical rept submittal re elimination of addl response time testing requirements.
WILSON,J.H. . 96/04/16. . 17pp. 88273:111-88273:127.

9605160273 Requests performance of radiological surveys at five formerly licensed locations of use to verify that no radiological contamination in excess of NRC unrestricted release guidelines.
MCCORMICK-BARGE Region 3 (Post 820201). 96/05/09. ZIELINSKI,A.M. General Electric Co. 2pp. 88276:062-88276:063.

9605160472 Forwards request for addl info in order to continue review of Topical Rept 087, "TMI-1 Core Thermal-Hydraulic Methodology using VIPRE-01 Computer Code."
NORRIS,J.A. . TAC M92168. 96/05/10. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 5pp. 88272:280-88272:284.

9605170244 Responds to 960415 ltr re Draft A of NEI 96-XX, "Industry Guideline for Risk-Based Inservice Inspection" including EPRI rept TR-106218 & Westinghouse Energy Sys Rept WCAP-14572.
SCROGGINS,R.M. Office of the Controller (Post 890205). 96/05/14. FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 88294:275-88294:286.

--9605170299 Ack receipt of Draft A of NEI 96-XX, "Industry Guideline for Risk-Based Inservice Inspection" including EPRI rept TR-106218 & Westinghouse Energy Systems rept WCAP-14572.
SHERON,B.W. . 96/05/14. FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 88294:283-88294:286.

9605170345 Forwards non-proprietary Rev 0 to WCAP-14606 & proprietary Rev 0 to WCAP-14605, "Westinghouse Setpoint Methodology for AP600 Protection Sys." Proprietary rept withheld,per 10CFR9.17(a)(4).
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4700. 96/05/09. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 88391:005-88391:089.

--9605170350 Requests that proprietary Rev 0 to WCAP-14605, "Westinghouse Setpoint for AP600 Protection Sys," be withheld,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. AW-96-964. 96/05/09. QUAY,T.R. Document Control Branch (Document Control Desk). 9pp. 88391:008-88391:018.

--9605170356 WCAP-14606 R00 Non-proprietary "Westinghouse Setpoint Methodology for AP600 Protection Sys."
NYDES,R., WINTERS,J.W. Westinghouse Electric Corp. 96/05/08. 70pp. 88391:019-88391:089.

9605170518 Forwards non-proprietary versions of Vol 2 to Topical Rept EMF-96-029(NP), "Reactor Analysis Sys for PWRs Vol 2 Benchmarking Results."
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:96:044. 96/05/14. Document Control Branch (Document Control Desk). 1p. 88316:163-88316:180.

--9605170520 EMF-96-029(NP) Non-proprietary versions of Vol 2 to Topical Rept EMF-96-029(NP), "Reactor Analysis for PWRs Vol 2 Benchmarking Results."
ANGUIANO,N.A., LEWIS,C.J., TWITCHELL,R. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/05/10. 18pp. 88316:164-88316:180.

9605200132 TR-106092 "Evaluation of Thermal Aging Embrittlement for Cast Austenitic Stainless Steel Components."
NICKELL,R. Applied Science & Technology. RINCKEL,M.A. FRAMATOME. 96/03/31. 53pp. 88300:181-88300:233.

9605200460 Application for amends to licenses NPF-76 & NPF-80, incorporating SG tube repair by sleeving in TS 3/4.4.5 & 3.4.6.2.Rev 2 to Westinghouse nonproprietary & proprietary generic sleeving repts encl.Proprietary rept withheld.
CLONINGER,T.H. Houston Lighting & Power Co. ST-HL-AE-5362. 96/05/17. Document Control Branch (Document Control Desk). 20pp. 88372:001-88372:248.

--9605200464 Requests that proprietary Rev 2 of WCAP-13698, "Laser Welded Sleeves for 3/4 Inch Diameter Tube,Feedring-Type & Westinghouse Preheater SGs," generic sleeving rept be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-96-967. 96/05/17. RUSSELL,W.T. Document Control Branch (Document Control Desk). 12pp. 88372:040-88372:246.

9605210135 Forwards final TLR,task order 101, "Review of Adequacy of Current Testing Requirements of Check Valves."
TEDESCO,R.L. SCIENTECH, Inc. 96/03/14. CAMPBELL,P.L. . 1p. 88306:264-88306:280.

--9605210154 "Review of Adequacy of Current Testing Requirements for Inservice Testing of Check Valves."
* SCIENTECH, Inc. NRC-03-95-026. 96/03/14. . 16pp. 88306:265-88306:280.

9605210222 Informs that licensee 960412 request to withhold info contained in WCAP-14596, "Laser Welded Elevated Tubesheet Sleeves for W Model F SG," dtd Mar 1996 from public disclosure per 10CFR2.790,granted.
THOMAS,K.M. . TAC M95203. 96/05/15. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 88308:080-88308:082.

9605210323 Forwards listed documents in support of 960521-22 meeting w/ Human Factors Branch re SSAR Chapter 18.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4722. 96/05/14. Document Control Branch (Document Control Desk). 6pp. 88347:001-88347:228.

--9605210324 WCAP-14655 Nonproprietary "Designer's Input for Training of Human Factors Engineering Verification & Validation Personnel."
KERCH,S.P., MUMAW,R. Westinghouse Electric Corp. 96/05/31. 14pp. 88347:007-88347:021.

--9605210328 WCAP-14651 DRFT Nonproprietary draft of "Integration of Human Reliability Analysis W/Human Factors Engineering Design Implementation Plan."
KERCH,S.P., ROTH,E.M., SANCAKTAR,S. Westinghouse Electric Corp. 96/05/31. 16pp. 88347:022-88347:037.

--9605210329 WCAP-14645 DRFT Nonproprietary draft "Human Factors Engineering Operating Experience Review Rept for AP600 Nuclear Power Plant."
KERCH,S.P., SPAN,R.M. Westinghouse Electric Corp. 96/05/10. 86pp. 88347:038-88347:123.

--9605210333 WCAP-14644 DRFT Nonproprietary draft "AP600 Functional Requirements Analysis & Function Allocation."
BROCKHOFF,C.S., MUMAW,R.J., ROTH,E.M. Westinghouse Electric Corp. 96/05/31. 115pp. 88347:124-88347:228.

9605210377 Provides revised schedule for EXEM PWR large break LOCA model.
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:96:045. 96/05/15. THOMAS,G. . 2pp. 88361:191-88361:192.

9605210386 "Important Info About Electric Rates."
* Southern California Edison Co. 96/05/21. 3pp. 88305:138-88305:141. .

9605210459 Forwards BWR Vessel & Internals Project (BWRVIP) response to NRC concerns & unresolved items re Rev 1 to "BWR Core Shroud Insp & Evaluation Guidelines" & "BWRVIP Core Shroud NDE Uncertainty & Procedure Std," provided in NRC 950616 ltr.
WAGONER,V. Carolina Power & Light Co. WAGONER,V. Affiliation Not Assigned. 96-258. 96/05/17. CARPENTER,C.E. Document Control Branch (Document Control Desk). 6pp. 88361:108-88361:113.

9605210524 Forwards list of topics proposed for discussion at NRC/BWROG mgt meeting scheduled for 960613,per request during telcon in Apr.
STARK,S.J. General Electric Co. OG96-353-01. 96/05/09. WILSON,J.H. Document Control Branch (Document Control Desk). 2pp. 88361:125-88361:126.

9605210538 Forwards 10CFR50.61 evaluation of PTS of RV beltline matls, completing commitment in 951124 ltr.Proprietary & nonproprietary versions of CEOG rept, "Application of RV Surveillance Data..." also encl.Proprietary rept withheld.
BOHLKE,W.H. Florida Power & Light Co. L-96-112. 96/05/14. Document Control Branch (Document Control Desk). 24pp. 88373:001-88373:110.

--**9605210540** CEN-405-NP Nonproprietary version of "Application of Reactor Vessel Surveillance Data for Embrittlement Mgt."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 93/07/31. 86pp. 88373:025-88373:110.

9605220049 Requests proprietary WCAP-13651, "Westinghouse Revised Thermal Design Procedure Instruments Uncertainity Methodology for Salem Units 1 & 2," be withheld,per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. CAW-96-946. 96/03/25. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 88362:066-88362:163.

--**9605220058** WCAP-13652 Non-proprietary "Westinghouse Revised Thermal Design Procedure Instrument Uncertainty Methodology for Salem Units 1 & 2."
CIOCCA,C.F. Westinghouse Electric Corp. 93/08/31. 35pp. 88362:075-88362:108.

--**9605220065** WCAP-13839 Non-proprietary "Fuel Upgrade & Margin Recovery Program:LOCA Containment Integrity Analysis for Salem Nuclear Generating Station Units 1 & 2."
SPRYSHAK,J.J., KOLANO,J.A. Westinghouse Electric Corp. 93/08/31. 52pp. 88362:109-88362:163.

9605220183 Forwards SE authorizing proposed alternative to ASME Code requirements contained in request for relief 95-010,based on NRC review of BWOG topical rept BAW-2228P,rev 1.
HEBDON,F.J. . TAC M93755. 96/05/21. BEARD,P.M. Florida Power Corp. 1p. 88324:326-88324:333.

--**9605220281** Safety evaluation authorizing proposed alternative to ASME Code requirements contained in request for relief 95-010 per 10CFR50.55a(a)(3)(i).
* . 96/05/21. 7pp. 88324:327-88324:333.

9605230133 Forwards nonproprietary version of info presented at 950823 meeting at B&W Nuclear Technologies Lynchburg facilities re SG sleeving,in response to request.
TAYLOR,J.H. Babcock & Wilcox Co. JHT/95-96. 95/09/12. HERMANN,R.A. . 70pp. 88383:292-88383:361.

9605240156 Advises that Westinghouse rept, "Technical Justification for Eliminating Large Primary Loop Rupture as Structural Design Basis for Byron & Braidwood Units 1 & 2 Nuclear Power Plants," will be withheld from public disclosure.
DICK,G.F. . 96/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 88344:154-88344:157.

9605280030 Summarizes 960424 SRV meeting w/listed attendees in King of Prussia,PA re SRV performance issues w/BWR licensees. Emphasis placed on reviewing SRV leakage & SP drift. W/agenda,handouts & viewgraphs.
KELLY,E.M. Region 1 (Post 820201). 96/05/16. AMMIRATO,F. Electric Power Research Institute. 70pp. 88349:079-88349:155.

9605290007 Forwards proprietary suppl 1 to Licensing TR NEDC-32410P, "Nuclear Measurement Analysis...," dtd May 1996 & Vols 1 & 2 of Licensing TR NEDC-32410P-A,dtd Oct 1995.Licensing TRs withheld from public disclosure per 10CFR2.790.
REIGEL,D.W. General Electric Co. MFN 075-96. 96/05/24. JABBOUR,K. NRC - No Detailed Affiliation Given. 6pp. 88399:043-88399:048.

9605290010 Forwards Rev 8 to Topical Rept QA/85 0782 NP, "Framatome QA Program (for US Applications)."
PERALTA,J. . 96/05/24. Document Control Branch (Document Control Desk). 3pp. 88390:201-88390:306.

--**9605290011** Rev 8 to Topical Rept QA/85 0782 NP, "Framatome QA Program for (US Applications)."
* FRAMATOME. 96/05/24. 103pp. 88390:204-88390:306.

9605300046 Forwards proprietary TR CENPD-137,Suppl 2-P, "Calculative Methods for ABB CE SBLOCA Evaluation Model." Rept includes improved model for hot rod heat transfer to steam & replaces previously used film boiling correlation.Rept withheld.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. LD-96-017. 96/05/23. Document Control Branch (Document Control Desk). 5pp. 88425:038-88425:042.

9605300206 Informs of resignation of N Woodson from position as president of Energy Systems Business Unit (ESBU).F Harvey, chief operating officer of Industries & Technology Group will assume responsibility for leading ESBU.
MISTLER,T.E. Westinghouse Electric Corp. 96/05/02. RUSSELL,W. . 1p. 88402:305-88402:305.

9605300207 Advises that info submitted for NRC review of EPRI rept, "BWR Vessel & Internals Project,Reactor Pressure Vessel & Internal Exam Guidelines (BWRVIP-03)," will be withheld from public disclosure.
CARPENTER,C.E. . 96/05/10. BECKHAM,J.T. Southern Nuclear Operating Co. 7pp. 88390:169-88390:175.

9605300212 Informs of resignation of ND Woodson from position as president of Energy Systems Business Unit (ESBU).F Harvey, chief operating officer of Industries & Technology Group will assume responsibility for leading ESBU.
TRITCH,S.R. *Westinghouse Electric Corp.* NSD-NRC-96-4713. 96/05/03. RUSSELL,W.T. . 1p. 88402:306-88402:306.

9605300229 Forwards SER accepting topical rept CENPD-288-P for ref in licensing applications.CRGR review of rept should be waived IAW procedures in 890929 memo.
JONES,R.C. . TAC M89663. 96/05/08. THADANI,A.C. . 1p. 88392:323-88392:353.

--**9605300230** Concludes that CENPD-288-P provides acceptable basis for BWR fuel assembly dynamic responses to external loading conditions for licensing application.
JONES,R.C. . TAC M89663. 96/05/08. EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 88392:324-88392:324.

--**9605300231** SER accepting topical rept CENPD-288-P, "ABB Seismic/LOCA Evaluation Methodology for Boiling Water Fuel."
* . 96/05/08. 2pp. 88392:325-88392:326.

--**9605300233** INEL-96/002 R01 "Technical Evaluation Rept on Topical Rept ABB Seismic/LOCA Evaluation Methodology for Boiling Water Fuel."
SINGH,J.N. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). FIN L-1354. TAC M89663. 96/04/30. NRC - No Detailed Affiliation Given. 20pp. 88392:327-88392:353.

9605310032 Forwards SE re review of TR PL-NF-90-001, "Application of Reactor Analysis Methods for BWR Design & Analysis," Suppl 2,which documents two updates to current licensing methodology.
POSLUSNY,C. . TAC M93267. 96/05/29. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 88395:282-88395:290.

--**9605310047** Safety evaluation partially approving Topical Rept PL-NF-90-001,Suppl 2 Benchmark of CASMO-3G/ANF-B.
* . 96/05/29. 6pp. 88395:285-88395:290.

9605310038 Requests W provide NRC w/revised schedule for submittal of info in late W submittals & identify actions to be taken to resolve concern,in writing.
GRIMES,B.K. . 96/05/29. BRUSCHI,H.J. Westinghouse Electric Corp. 7pp. 88395:291-88395:297.

9605310136 Forwards proprietary Addendum 1 to WCAP-12472-P-A & nonproprietary Addendum 1 to WCAP-12473-A, "BEACON Core Monitoring & Operation Support Sys." Proprietary Addendum 1 to WCAP-12472-P-A withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4720. 96/05/13. JONES,R.C. . 2pp. 88436:124-88436:151.

--**9605310137** Requests that proprietary Addendum 1 to WCAP-12472-P-A, "BEACON Core Monitoring & Operation Support Sys" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-96-965. 96/05/13. JONES,R.C. . 8pp. 88436:126-88436:133.

--**9605310138** WCAP-12473-A ADD01 Nonproprietary Addendum 1 to "BEACON Core Monitoring & Operation Support Sys."
MORITA,T., CASADEI,A.L., MILLER,R.W. Westinghouse Electric Corp. 96/05/31. 18pp. 88436:134-88436:151.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9605020009 Forwards "DTER for Remedial Action at Naturita,CO U Mill Tailings Processing & Disposal Sites."
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/22. SENA,R. Energy, Dept. of. 2pp. 88125:269-88125:350.

--**9605020011** "DTER for Remedial Action at Naturita,CO U Mill Tailings Processing & Disposal Sites."
* Division of Waste Management (NMSS 940403). 96/04/30. 80pp. 88125:271-88125:350.

9605020021 Forwards "DTER for Remedial Action at Naturita,CO U Mill Tailings Processing & Disposal Sites."
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/23. BEEN,C. Affiliation Not Assigned. 2pp. 88127:001-88127:082.

9605020089 Informs that Project Interface Document 14-S-07 for Maybell, CO U mill tailings remedial action project site,should be designated as Class I change,rather than Class II change.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/23. HAMP,S.C. Energy, Dept. of. 1p. 88135:117-88135:117.

9605020107 Offers no comments on site observation work plan for Spook U mill tailings remedial action project site,transmitted to NRC by DOE 950814 ltr.DOE decision not to perform groundwater remediation at site consistent w/site RAP.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/23. PLIENESS,R. Energy, Dept. of. 2pp. 88133:352-88133:353.

9605020108 Offers no comments on site observation work plan for Falls City,TX U mill tailings remedial action project processing site,transmitted to NRC by DOE 950707 ltr.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/23. PLIENESS,R. Energy, Dept. of. 2pp. 88133:354-88133:355.

9605020140 Informs that NRC hereby extend "effective until" date of directives currently in place,by two yrs.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/22. ABRAMS,C., BROOKS,D., JUSTUS,P. NRC - No Detailed Affiliation Given. 2pp. 88123:359-88123:360.

9605060115 Submits supplemental stds application for location.
SHANKS,J.L. Grand Junction, CO. 96/04/25. PTAK,M.J. Affiliation Not Assigned. 2pp. 88180:306-88180:307.

9605060181 Advises that due date for DR YMQAD-96-D009 has been extended to 960712.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/29. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 1p. 88165:035-88165:035.

9605060205 Informs of acceptance of Kiewit/PB QARD implementation matrix by placing "y" in acceptance field of Requirements Traceability Network database.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/25. WHIGHTMAN,W.D. Nevada, State of. 2pp. 88171:206-88171:207.

9605060253 Notifies that DOE invoked procedure YAP-30.27, "Reportable Geologic Conditions" & documented evaluation required in encl package.LANL Level 4 Milestone Rept 3783AD, "Summary Rept of Cl-36 Studies..." also encl.
BROCOUM,S.J. Energy, Dept. of. HLWR. 96/05/01. AUSTIN,J.H. Division of Waste Management (NMSS 940403). 8pp. 88198:217-88198:289.

--**9605060262** 3783AD "Summary Rept of Cl-36 Studies:Systematic Sampling for Cl-36 in Exploratory Studies Facility."
FABRYKA-MARTIN, DIXON,P.R., LEVY,S. Los Alamos National Laboratory. HLWR. 96/03/29. 65pp. 88198:225-88198:289.

9605070066 Informs of no programmatic concerns w/abstract.
POHLE,J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 96/04/08. SAGAR,B. Center for Nuclear Waste Regulatory Analyses. 1p. 88191:257-88191:257.

9605070119 Informs that paper "Effects of Ventilation & Backfill on Underground Nuclear Waste Respository" by R Manteufel, acceptable.
WESCOTT,R.G. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 96/04/16. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 88191:266-88191:266.

9605070123 Informs that NRC has completed review of listed documents & documents found acceptable.
COLEMEN,N. Engineering & Geosciences Branch (NMSS 940403). HLWR. 96/04/09. PEARCY,E. Center for Nuclear Waste Regulatory Analyses. 1p. 88191:267-88191:267.

9605070124 Responds to request for NRC staff to review EPA draft final rule on disposal of polychlorinated biphenyls.
NELSON,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/15. BANEY,T. Environmental Protection Agency. 3pp. 88194:343-88194:345.

9605070150 Forwards list of ref documents TC Johnson maintains for decommissioning area & listed repts requested & others recently published,in response to 960326 request.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/17. LARAIA,M. International Atomic Energy Agency. 6pp. 88194:337-88194:342.

9605070162 Responds to 960318 ltr,requesting info on LLW activities at NRC.NRC organization described in encl NUREG-0325, "NRC Organization Charts & Functional Statements." W/o encl.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/11. PERDREAUVILLE Affiliation Not Assigned. 2pp. 88194:335-88194:336.

9605070177 Comments on DOE position paper supporting designation of properties w/ off-site Title I U mill tailings re ground- water contamination at vicinity sites,in response to request during Feb 1996 meeting in Albuquerque,NM.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/15. METZLER,D. Energy, Dept. of. 2pp. 88194:352-88194:353.

9605070182 Expresses appreciation for opportunity to meet w/NRC on 960416 re high level waste tank closure initiative.
WATKINS,A.L. Energy, Dept. of. HLWR. 96/04/25. GREEVES,J.T. Division of Waste Management (NMSS 940403). 2pp. 88197:359-88197:360.

9605080025 Forwards recommendations arising from NRC review of DOE site observational work plan for Riverton,WY UMTRA project site, transmitted to NRC by DOE 950410 ltr.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/29. PLIENESS,R. Energy, Dept. of. 2pp. 88187:353-88187:354.

9605080034 Ack receipt of final draft programmatic EIS (PEIS) for UMTRA grund water project.NRC will consider various opinions & DOE responses expressed in PEIS during future regulatory reviews for Ambrosia Lake,Tuba City & Falls City sites.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/29. METZLER,D.R. Energy, Dept. of. 1p. 88187:355-88187:355.

9605080051 Requests documents & technical data itemized on encl list by "Data Tracking Number" for review & evaluation of models of repository site & review of water flow sys of Yucca Mountain area.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 96/04/10. BROCOUM,S.J. Energy, Dept. of. 40pp. 88197:296-88197:335.

9605080218 Forwards DOE/YMSCO-003, "In-Situ Thermal Testing Program Strategy" & Rev 0 of B00000000-01717-5705-00016, "Thermal Loading Study for FY95."
BROCOUM,S.J. Energy, Dept. of. HLWR. 96/05/07. FEDERLINE,M. Division of Waste Management (NMSS 940403). 2pp. 88252:001-88252:328.

-9605080220 "In-Situ Thermal Testing Program Strategy."
* Energy, Dept. of. HLWR. 95/06/30. 103pp. 88252:003-88252:103.

-9605080224 B00000000-01717-5705 Rev 0 of B00000000-01717-5705-00016, "Thermal Loading Study for FY95."
SATERLIE,S.F., MEMORY,R.D., GEER,T.C. TRW Environmental Safety Systems, Inc. HLWR. 96/01/31. 227pp. 88252:104-88252:328.

9605080219 Forwards DR YMQAD-96-D052 resulting from Ofc of QA Supplier Audit OQA-SA-96-013 of SATEC Sys,Inc.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/23. CRAIG,R.W. Interior, Dept. of, Geological Survey. 5pp. 88212:176-88212:180.

9605090083 Forwards Rev 0 to DOE/AL/62350-201, "Site Observational Work Plan for UMTRA Project Site at Monument Valley,AZ" for review & comment.
METZLER,D. Energy, Dept. of. 96/05/02. HOLONICH,J. NRC - No Detailed Affiliation Given. 2pp. 88213:001-88214:240.

-9605090087 Rev 0 to DOE/AL/62350-201, "Site Observational Work Plan for UMTRA Project Site at Monument Valley,AZ."
* Jacobs Engineering Group, Inc. 96/03/31. 602pp. 88213:003-88214:240.

9605090113 Forwards minutes of 960119 quarterly mgt meeting between NRC & DOE in Washington,DC re program status,open issues from KTI technical exchange,open items from previous mgt meetings & status of submittals & schedule for program documents.
AUSTIN,J.H. Division of Waste Management (NMSS 940403). HLWR. 96/05/06. MILNER,R.A. Energy, Dept. of. 79pp. 88212:204-88212:293.

9605100257 Trip rept of 960325-29 visit to Denver,CO re NACE intl corrosion '96 meeting.
ANGELL,P., CRAGNOLINO,G., SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. HLWR. 96/04/25. Center for Nuclear Waste Regulatory Analyses. 6pp. 88268:001-88268:006.

9605130163 Forwards "DOE OCRWM Ofc of QA Audit Rept of USGS Denver,CO Audit YM-ARC-96-10 on 960325-29."
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/03. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 88267:326-88267:343.

-9605130164 YM-ARC-96-10 "DOE OCRWM Ofc of QA Audit Rept of USGS Denver,CO Audit YM-ARC-96-10 on 960325-29."
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 96/05/02. 16pp. 88267:328-88267:343.

9605130169 Forwards "DOE OCRWM Ofc of QA Supplier Audit Rept of Sokkia Corp Overland Park,KS Rept OQA-SA-96-014 on 960415-16."
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/03. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 88267:344-88267:349.

-9605130173 OQA-SA-96-014 "DOE OCRWM Ofc of QA Supplier Audit Rept of Sokkia Corp Overland Park,KS Rept OQA-SA-96-014 on 960415-16."
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 96/05/03. 4pp. 88267:346-88267:349.

9605130180 Informs of evaluation of response to DR YMQAD-96-D035 resulting from Ofc of QA Supplier Audit OQA-SA-96-009 of Campbell Scientific,Inc.Response determined to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/03. CRAIG,R.W. Interior, Dept. of, Geological Survey. 5pp. 88267:350-88267:354.

9605130183 Forwards DR YMQAD-96-D053 resulting from Ofc of QA Supplier Audit OQA-SA-96-014 of Sokkia Corp.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/03. FOUST,L.D. TRW Environmental Safety Systems, Inc. 6pp. 88267:355-88267:360.

9605140098 Notification of 960522 & 23 technical exchanges w/DOE in Las Vegas,NV to discuss NRC audit review of DOE TSPA 95.
GARCIA,A. Division of Waste Management (NMSS 940403). HLWR. 96/05/07. AUSTIN,J.H. Division of Waste Management (NMSS 940403). 2pp. 88288:009-88288:010.

9605140120 Provides monthly status rept of OCRWM corrective action requests,DRs,performance repts & NCRs for Apr 1996,including currently open significant conditions adverse to quality & corrective action document status tables.
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/09. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 45pp. 88268:048-88268:092.

9605140127 Approves 960415 request to extend response due date for DR YMQAD-96-D046 resulting from Ofc of QA Supplier Audit OQA-SA-96-012 to 960524.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/09. CRAIG,R.W. Interior, Dept. of, Geological Survey. 1p. 88288:011-88288:011.

9605140204 Approves 960410 request to extend due date to respond to DR YMQAD-96-D034 resulting from Yucca Mountain QA Div Audit YM-ARP-96-05 of SNL to 960601.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/08. FOUST,L.D. TRW Environmental Safety Systems, Inc. 1p. 88288:038-88288:038.

9605140214 Informs that response to Corrective Action Request (CAR) YMQAD-96-C004 resulting from Yucca Mountain QA Div Audit YM-ARC-96-10 of USGS satisfactory in nature.Amended response to CAR required within 10 working days of date of ltr.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/08. CRAIG,R.W. Interior, Dept. of, Geological Survey. 17pp. 88268:108-88268:124.

9605140218 Forwards DRs YMQAD-96-D054 through YMQAD-96-D057 & Performance Rept YMQAD-96-P026 resulting from Yucca Mountain QA Div Audit YM-ARC-96-11 of LLNL.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/08. FOUST,L.D. TRW Environmental Safety Systems, Inc. 12pp. 88268:125-88268:136.

9605140466 Advises evaluation of amended response to & verification of C/A & closure of DR YMQAD-95-D015 has been determined action satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/03. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 88288:066-88288:073.

9605140498 Forwards characterization & assessment package re vicinity properties at Maybell UMTRA site potentially associated w/ windblown or waterborne contamination for review & comment.
WOODWORTH,L.A. Energy, Dept. of. 96/05/07. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 168pp. 88265:147-88265:314.

9605140501 Forwards project interface document (PID) for Maybell,CO UMTRA site.PID decreases bentonite content of radon barrier matl from 10 percent to 7 percent.Triaxial permeability test results & calculation MAY-326-03-00 encl.
WOODWORTH,L.A. Energy, Dept. of. 96/05/03. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 7pp. 88272:083-88272:102.

-9605140504 MAY-326-03-00 R00 Calculation to determine min thickness of radon barrier required to reduced radon flux at top of Maybell disposal embankment.
RANDENI,J.S. Morrison-Knudsen Co., Inc. 96/04/12. 13pp. 88272:090-88272:102.

9605150203 Forwards draft Commission paper,draft final rule & supporting documents on 10CFR60, "Design Basis Events" rulemaking.W/o encl.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 96/05/03. LIEBERMAN,M.J. Ofc of Enforcement (Post 870413). 1p. 88292:283-88292:283.

9605150213 Forwards draft Commission paper,draft final rule & supporting documents on 10CFR60, "Design Basis Events" rulemaking.W/o encl.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 96/05/03. NORTON,L.J. Office of the Inspector General (Post 890417). 1p. 88292:284-88292:284.

9605150279 Forwards documentation NRC requested w/regard to abandonment of Monitor Well 907 at Tuba City,AZ UMTRA site.
EDGE,R. Energy, Dept. of. 96/05/09. PARK,J. Uranium Recovery Branch (Post 901230). 8pp. 88289:346-88289:353.

9605150285 LA-13068-SR "LANL Yucca Mountain Site Characterization Project 1994 QA Program Status Rept."
BOLIVAR,S.L. Los Alamos National Laboratory. HLWR. 96/03/31. 93pp. 88343:001-88343:094.

9605150290 Forwards responses to NRC request for addl info,providing list of questions/comments associated w/OCRWM,Rev 5 of QA requirements description.
MILNER,R.A. Energy, Dept. of. HLWR. 96/05/07. AUSTIN,J.H. Office of Nuclear Material Safety & Safeguards. 15pp. 88292:285-88292:299.

9605150378 Informs of review & concurrence in application of suppl stds for Southern Pacific Railroad property,Grand Junction,CO contained in Radiologic & Engineering Assessment (REA) for subj property,transmitted in DOE 960105 ltr.TER of REA encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/30.
VIRGONA,J.E. Energy, Dept. of. 3pp. 88290:306-88290:308.

9605160056 Forwards "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Audit Rept of CRWMS M&O audit HQ-ARC-96-01 Vienna,VA,on 960205-08,Las Vegas,NV on 960212-16."
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/13. STRICKLER,R.L. TRW Environmental Safety Systems, Inc. 2pp. 88326:206-88326:228.

--9605160065 HQ-ARC-96-01 "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Audit Rept of CRWMS M&O Audit HQ-ARC-96-01 Vienna,VA on 960205-08,Las Vegas,NV on 960212-16."
LENTZ,F.H., HORTON,D.G. Energy, Dept. of. HLWR. 96/05/13. 21pp. 88326:208-88326:228.

9605160283 Forwards formal page changes amending Oct 1995 submission of final completion rept for U mill tailings site near Durango, CO.
EVETT,J.M. Energy, Dept. of. 96/05/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 17pp. 88318:197-88318:213.

9605160288 Forwards formal page changes amending RF-409S completion rept submitted in Oct 1995.
EVETT,J.M. Energy, Dept. of. 96/05/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 88309:285-88309:293.

9605160354 Forwards draft Commission Paper, "Final Technical Position on Disposition of Cs-137 Contaminated Emission Control Dust & Other Incident-Related Matls," draft FR notice & analysis of & response to comments on proposed position.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). 96/05/06.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 54pp. 88314:169-88314:222.

9605170289 Verifies Corrective Actions & Closure of Deficiency Repts (DR) YMQAD-96-D016,YMQAD-96-D017,YMQAD-96-D019 & Performance Rept (PR) YMQAD-96-P016 resulting from ofc of QA (OQA) Supplier Audit OQA-SA-96-007 of Metal Samples,Inc.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/10. FOUST,L.D. TRW Environmental Safety Systems, Inc. 14pp. 88341:142-88341:155.

9605170412 Forwards "Review Comments on DOE Topical Rept 'Seismic Design Methodology for Geologic Repository at Yucca Mountain,'" in fulfillment of requirements for Intermediate Milestone 20-5708-671-620.
CHOWDHURY,A.H. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/04/29. JAGANNATH,B.N. Division of Waste Management (NMSS 940403). 1p. 88341:156-88341:168.

--9605170420 "Review Comments on DOE Topical Rept 'Seismic Design Methodology for Repository at Yucca Mountain.'"
CHOWDHURY,A.H., NATARAJA,M.S., HSIUNG,S. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/04/30. Division of Waste Management (NMSS 940403). 12pp. 88341:157-88341:168.

9605170531 Responds to request for comments on EPA proposed hazardous waste identification rule that appeared in FR on 951221 (60FR66344).NRC comments on exit levels encl.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 60FR66344. 96/04/22. Environmental Protection Agency. 8pp. 88332:342-88332:349.

9605170540 Informs of evaluation of amended suppl response to Corrective Action Request YMQAD-96-C002 resulting from Yucca Mountain QA Div audit of USGS.Amended suppl response satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/10. CRAIG,R.W. Interior, Dept. of, Geological Survey. 23pp. 88341:176-88341:198.

9605200268 Forwards Intermediate Milestone 20-5708-861-670, "Sensitivity of Long-Term Bare-Soil Infiltration Simulations to Hydraulic Properties in Arid Environ."
PEARCY,E.C. Center for Nuclear Waste Regulatory Analyses. HLWR. 96/04/17.
COLEMAN,N. Performance Assessment & Hydrology Branch (NMSS 940403). 34pp. 88356:314-88356:347.

9605210264 Forwards minutes of 960327 NRC/DOE meeting by videoconference in Las Vegas,NV & Washington,DC re QA for DOE site-characterization program for Yucca Mountain.
AUSTIN,J.H. Division of Waste Management (NMSS 940403). HLWR. 96/05/14.
MILNER,R.A. Energy, Dept. of. 27pp. 88371:165-88371:191.

9605210314 Responds to 960213 ltr commenting on NRC staff ltr to DOE, dtd 960106 stating position w/respect to assured storage concept for long-term mgt of low-level radioactive waste.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/05/09.
LEROY,D.H. Affiliation Not Assigned. 2pp. 88308:311-88308:326.

9605210425 Informs staff has evaluated response to DR YMQAD-96-D047 & response satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/16. SPRAUL,R.E. NRC - No Detailed Affiliation Given. 5pp. 88389:024-88389:028.

9605210428 Notifies YMQAD staff has verified corrective actions to CAR YMQAD-96-C001 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/16. FOUST,L.D. TRW Environmental Safety Systems, Inc. 19pp. 88389:029-88389:047.

9605210433 Notifies YMQAD staff has evaluated response to DR YMQAD-96-D044 & determined response satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/16. FOUST,L.D. TRW Environmental Safety Systems, Inc. 4pp. 88389:048-88389:051.

9605210502 Forwards calculation for Maybell radon barrier design, inadvertently omitted from original Project Interface Document (PID) 14-S-08 package transmitted on 960503.PID decreases bentonite content of radon barrier matl.
WOODWORTH,L.A. Energy, Dept. of. 96/05/13. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 88361:001-88361:045.

--9605210508 MAY-326-01-01 R01 Rev 1 to Calculation MAY-326-01-01, "UMTRA-Maybell Radon Barrier Design RAECOM Input Data," incorporating new radon barrier matl properties.
RANDENI,J.S. Morrison-Knudsen Co., Inc. 96/04/12. 75pp. 88361:002-88361:045.

9605210519 Forwards DR YMQAD-96-D060 resulting from Yucca Mountain QA Div Surveillance YMP-SR-96-011.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/16. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 88389:052-88389:056.

9605230110 Expresses appreciation for participation in recent meeting to discuss & resolve comments on draft manual chapter & decommissioning handbook.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/09. BELLAMY,R.R., HENSON,J.L., HOGG,R.C. NRC - No Detailed Affiliation Given. 3pp. 88362:358-88362:360.

9605230127 Responds to 950115 proposal to reduce storage period for NRC solid samples received by Environ Survey & Site Assessment Program lab.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/07. LAUDEMAN,M. Oak Ridge Associated Universities. 5pp. 88366:341-88366:344.

9605230139 Comment supporting draft "Branch Technical Position on Use of Expert Elicitation in High-Level Radioactive Waste Program."
BROCOUM,S.J. Energy, Dept. of. 61FR7568 00002. 96/05/13. Office of the Secretary of the Commission. 10pp. 88333:002-88333:011.

9605230175 Comment on comprehensive draft Branch Technical Position on Use of Expert Elicitation in High-Level Waste Program.
CANTLON,J.E. Nuclear Waste Technical Review Board. 61FR7568 00001. 96/05/10. Docketing & Services Branch. 2pp. 88333:029-88333:030.

9605230225 Forwards Rev 0 to DOE/AL/62350-227, "Position Paper on Applicability of Supplemental Stds to Uppermost Aquifer at U Mill Tailings Remedial Action Vitro Processing Site,Salt Lake City,UT."
METZLER,D. Energy, Dept. of. 96/05/13. MORTON,L. Utah, State of. 2pp. 88367:001-88367:112.

--9605230226 DOE/AL/62350-227 R00 "Position Paper on Applicability of Supplemental Stds to Uppermost Aquifer at U Mill Tailings Remedial Action Vitro Processsing Site,Salt Lake City,UT."
* Jacobs Engineering Group, Inc. 96/03/31. 111pp. 88367:003-88367:112.

9605230229 Forwards Rev 0 to DOE/AL/62350-229, "Rept of Ground Water Monitoring for Expansion of Golf Course,Salt Lake City,UT, Vitro Processing Site."
METZLER,D. Energy, Dept. of. 96/05/13. MORTEN,L. Utah, State of. 1p. 88385:172-88385:196.

--9605230230 DOE/AL/62350-229 R00 "Rept of Ground Water Monitoring for Expansion of Golf Course,Salt Lake City,UT,Vitro Processing Site."
* Jacobs Engineering Group, Inc. 96/03/31. 24pp. 88385:173-88385:196.

9605240034 Verifies Corrective Action & Closure of Deficiency Rept (DR) YMQAP-96-D014 resulting from Yucca Mountain QA Div (YMQAD) Surveillance YMP-SR-96-007 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/17. FOUST,L.D. TRW Environmental Safety Systems, Inc. 9pp. 88391:231-88391:239.

9605240039 Forwards Issuance of Deficiency Rept (DR) YMQAD-96-D059 resulting from Yucca Mountain QA Div (YMQAD) review.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/17. BARNES,W.E. Nevada, State of. 4pp. 88391:240-88391:243.

9605240042 Follow-up rept for US DOE Ofc of Civilian Radwaste Mgt,Ofc of QA Supplier Audit OQA-SA-96-007 of Metal Samples Co,Inc, Subsidiary of Alabama Specialty Products,Inc.
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/20. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 88391:244-88391:245.

9605240048 Forwards Issuance of Deficiency Rept (DR) YMQAD-96-D058 resulting from Ofc of QA (OQA) Supplier Audit OQA-SA-96-016 of Setra Sys,Inc.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/21. CRAIG,R.W. Interior, Dept. of, Geological Survey. 5pp. 88391:246-88391:250.

9605240053 Evaluates Amended Response to Deficiency Rept (DR) YMQAD-96-D037 resulting from Yucca Mountain QA Div (YMQAD) Surveillance YMP-SR-94-035 of Civilian Radwaste Sys Mgt & Operating Contractor.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/21. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 88391:251-88391:257.

9605240055 Forwards Issuance of Performance Rept (PR) YMQAD-96-P027 resulting from Ofc of QA (OQA) Supplier Audit OQA-SA-96-003A of Climatronics.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/21. FOUST,L.D. TRW Environmental Safety Systems, Inc. 3pp. 88391:258-88391:260.

9605240061 Verifies Corrective Action & Closure of Deficiency Rept (DR) YMQAD-95-D016 resulting from Yucca Mountain QA Div (YMQAD) Audit YM-ARP-95-20 of USGS.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/21. CRAIG,R.W. Interior, Dept. of, Geological Survey. 8pp. 88391:261-88391:268.

9605240066 Forwards Intermediate Milestone 20-5708-473-640 paper entitled, "Timing of Basaltic Volcanism Along Mesa Butte Fault in San Francisco Volcanic Field,AZ From 40AR/39AR Ages Implications for Longevity of Cinder Cone Alignments."
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/04/23. JUSTUS,P.S. Engineering & Geosciences Branch (NMSS 940403). 1p. 88391:321-88391:344.

--9605240068 "Timing of Basaltic Volcanism Along Mesa Butte Fault in San Francisco Volcanic Field,AZ From 40Ar/39Ar Ages Implications for Longevity of Cinder Cone Alignments."
CINWAY,F.M., FERRILL,D.A. Center for Nuclear Waste Regulatory Analyses.
HALL,C.M. Michigan, Univ. of, Ann Arbor, MI. HLWR. 96/04/17. NRC - No Detailed Affiliation Given. 23pp. 88391:322-88391:344.

9605240069 Ack DOE 960507 ltr responding to NRC RAI re rev 5 of DOE/RW-0333P, "OCRWM QA Requirements & Description Document."
AUSTIN,J.H. Division of Waste Management (NMSS 940403). HLWR. 96/05/20.
MILNER,R.A. Energy, Dept. of. 4pp. 88391:299-88391:302.

9605240070 Forwards comments on topical rept, "Seismic Design Methodology for Geologic Repository at Yucca Mountain," submitted by DOE on 951031.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 96/05/21.
BROCOUM,S.J. Energy, Dept. of. 14pp. 88391:307-88391:320.

9605240071 Forwards Audit Rept OQA-SA-96-016, "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Supplier Audit Rept of Setra Sys,Inc Acton,MA," conducted on 960502-03.
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/21. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 88391:269-88391:274.

-9605240074 OQA-SA-96-016 Audit Rept OQA-SA-96-016, "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Supplier Audit Rept of Setra Sys,Inc Action, MA," conducted on 960502-03.
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 96/05/17. 4pp. 88391:271-88391:274.

9605240077 Forwards Audit Rept OQA-SA-96-003A, "US DOE Ofc of Civilian Radwaste Ofc of QA Supplier Audit Rept of Climatronics Corp Bohemia,NY," conducted on 960430.
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/21. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 88391:275-88391:280.

-9605240081 OQA-SA-96-003A Audit Rept OQA-SA-96-003A, "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Supplier Audit Rept of Climatronics Corp Bohemia,NY," conducted on 960430.
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 96/05/17. 4pp. 88391:277-88391:280.

9605240091 Forwards Reportable Geologic Condition US DOE Study Plan 8.3.1.4.2.2, "Characterization of Structural Features Within Site Area."
BROCOUM,S.J. Energy, Dept. of. HLWR. 96/05/22. AUSTIN,J.H. Office of Nuclear Material Safety & Safeguards. 3pp. 88391:281-88391:286.

-9605240096 Study Plan 8.3.1.4.2.2, "Characterization of Structural Features Within Site Area."
GIRDLEY,A. Energy, Dept. of. HLWR. 96/04/08. 3pp. 88391:284-88391:286.

9605280197 Forwards rept of OCRWM QA Audit YM-ARC-96-11.
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/23. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 88396:170-88396:184.

-9605280200 "DOE OCRWM Ofc of QA Audit Rept of CRWMS Mgt & Operating Contractor at LLNL in Livermore,CA 960422-26."
HUMPHRIES,C.A., HORTON,D.G. Energy, Dept. of. 96/05/21. 13pp. 88396:172-88396:184.

9605280205 Advises team of auditors from Yucca Mountain QA Division will conduct QA audit of CRWMS M&O QA program for LANL in Los Alamos,NM 960624-28.
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/23. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 88396:185-88396:190.

-9605280206 OCRWM QA Audit Plan for Audit YM-ARC-96-16 of CRWMS Mgt & Operating Contractor at LANL in Los Alamos,NM 960624-28.
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. 96/05/21. 4pp. 88396:187-88396:190.

9605280248 Notifies that beginning 960601,new DOE Field Test Coordinator,DH Coleman & point of contact for matters re field test coordination.
JONES,S.B. Energy, Dept. of. HLWR. 96/05/23. GLENN,C.J. NRC - No Detailed Affiliation Given. 2pp. 88417:340-88417:341.

9605280276 Advises that team of auditors from Yucca Mountain QA Div will conduct QA audit of CRWMS M&O QA program for SNL in Albuquerque,NM 960617-21.Audit plan encl.
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/22. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 88418:032-88418:036.

-9605280280 "OCRWM QA Audit Plan for Audit YM-ARP-96-15 of CRWMS Mgt & Operating Contractor at SNL in Albuquerque,NM 960617-21."
HODGES,K.A., HORTON,D.G. Energy, Dept. of. 96/05/21. 3pp. 88418:034-88418:036.

9605290019 Responds to 960424 ltr,requesting info on low-level waste disposal site in Boyd County,NE.
SOBEL,P. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/09. HUGHES,P. Affiliation Not Assigned. 2pp. 88397:206-88397:207.

9605290032 Forwards redline & strikeout version of draft scope of work for BEIR VII scoping study.
WEBER,M.F. Division of Waste Management (NMSS 940403). 96/05/15. DURMAN,E. Environmental Protection Agency. 6pp. 88388:355-88388:360.

9605290086 Comments on draft technical position on use of expert elicitation in high-level radwaste program.
LOUX,R.R. Nevada, State of. HLWR. 96/05/15. AUSTIN,J.H. Division of Waste Management (NMSS 940403). 3pp. 88427:358-88427:360.

9605290173 Forwards PMPR 96-08, "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 960413- 0510."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-96-005. HLWR. 96/05/24. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. 88427:314-88427:350.

-9605290176 PMPR 96-08 "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 960413-0510."
* Center for Nuclear Waste Regulatory Analyses. HLWR. 96/05/24. NRC - No Detailed Affiliation Given. 34pp. 88427:316-88427:350.

9605290190 Trip rept of 960503 visit to northern portion of Amargosa Valley,NV to tour area in order to better understand socioeconomics & agricultural practices in vicinity of Yucca Mountain.
EISENBERG,N.A. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 96/05/14. FEDERLINE,M.V. Division of Waste Management (NMSS 940403). 7pp. 88387:194-88387:346.

-9605290197 "Yucca Mountain Site Characterization Project Summary of Socioeconomic Data Analyses Conducted in Support of Radiological Monitoring Program During CY94."
* TRW Environmental Safety Systems, Inc. HLWR. 95/06/30. 91pp. 88387:201-88387:294.

-9605290202 DOE/NV/11432-175 "DOE Nevada Operations Ofc Annual Site Environ Rept for 1994."
BLACK,S.C., GLINES,W.M., TOWNSEND,Y.E. Reynolds Electrical & Engineering Co., Inc. HLWR. 95/12/31. 50pp. 88387:295-88387:346.

9605290201 Forwards Rev 0 to Study Plan 8.3.1.15.1.6, "In-Situ Thermomechanical Properties."
BROCOUM,S.J. Energy, Dept. of. HLWR. 96/05/17. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 4pp. 88428:001-88428:059.

-9605290206 Rev 0 to Study Plan 8.3.1.15.1.6, "In-Situ Thermomechanical Properties."
FINLEY,R.E. Sandia National Laboratories. HLWR. 96/05/09. 55pp. 88428:005-88428:059.

9605290212 Forwards Rev 3 to Study Plan 8.3.1.8.1.1, "Probability of Magmatic Disruption of Repository."
BROCOUM,S.J. Energy, Dept. of. HLWR. 96/05/22. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 4pp. 88428:060-88428:112.

-9605290220 Rev 3 to Study Plan 8.3.1.8.1.1, "Probability of Magmatic Disruption of Repository."
* Los Alamos National Laboratory. HLWR. 96/05/03. 49pp. 88428:064-88428:112.

9605290248 Forwards formal page changes amending Oct 1995 submission of final completion rept for U mill tailings site near Durango, CO.
EVETT,J.M. Energy, Dept. of. 96/05/23. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 4pp. 88397:325-88397:327.

9605300028 Forwards Rev 0 of "Site Observation Work Plan for UMTRA Project Sites at Rifle,CO."
METZLER,D. Energy, Dept. of. 96/05/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88427:001-88427:313.

-9605300029 Rev 0 to DOE/AL/62350-223, "Site Observation Work Plan for UMTRA Project Sites at Rifle,CO."
* Jacobs Engineering Group, Inc. 96/04/30. 308pp. 88427:003-88427:313.

9605300201 Forwards "Radiological & Engineering Assessment for Vicinity Property SR-006" & DOE/EA-0339, "Environ Assessment of Remedial Action at Slick Rock U Mill Tailings Sites Slick Rock,CO."
HAMP,S.C. Energy, Dept. of. 96/05/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88416:041-88416:270.

-9605300205 "Radiological & Engineering Assessment for Vicinity Property SR-006."
* Jacobs Engineering Group, Inc. 96/05/14. 54pp. 88416:042-88416:095.

-9605300209 DOE/EA-0339 "Environ Assessment of Remedial Action at Slick Rock U Mill Tailings Sites Slick,CO."
* Jacobs Engineering Group, Inc. 95/01/31. 170pp. 88416:096-88416:270.

9605310010 Forwards "NRC Observation Audit Rept OA-96-03 of Yucca Mountain QA Div Audit YM-ARP-96-07 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor."
AUSTIN,J.H. Division of Waste Management (NMSS 940403). HLWR. 96/05/29.
MILNER,R.A. Energy, Dept. of. 4pp. 88444:086-88444:103.

-9605310011 "NRC Observation Audit Rept OA-96-03 of Yucca Mountain QA Div Audit YM-ARP-96-07 of Civilian Radwaste Sys Mgt & Operating Contractor."
BELKE,W.L. Division of Waste Management (NMSS 940403). BROOKS,D.J., JUSTUS,P.S. Engineering & Geosciences Branch (NMSS 940403). HLWR. 96/05/29. 14pp. 88444:090-88444:103.

9605310016 Trip rept of 951127-1201 to Boston,MA to present papers & participate in administration of symposium on Scientific Basis for Nuclear Waste Mgt.
ANGELL,P., DUNN,D., LAPLANTE,P. Center for Nuclear Waste Regulatory Analyses. 96/01/29. Center for Nuclear Waste Regulatory Analyses. 7pp. 88444:104-88444:110.

9605310049 Discusses evaluation of 960501 amended suppl response to corrective action request (CAR) YMQAD-96-C002 resulting from Yucca Mountain QA Div Audit YM-ARP-95-12 of USGS.CAR cannot be closed until comments associated w/review resolved.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/05/24. CRAIG,R.W. Interior, Dept. of, Geological Survey. 56pp. 88444:113-88444:168.

9605310103 Forwards "OCRWM Ofc of QA Audit Plan for Audit HQ-ARC-96-02 of EM-32,Eastern Waste Mgt QA Program Germantown,MD."
HORTON,D.G. Energy, Dept. of. HLWR. 96/05/28. Energy, Dept. of. 2pp. 88444:177-88444:181.

-9605310109 "OCRWM Ofc of QA Audit Plan for Audit HQ-ARC-96-02 of EM-32, Eastern Waste Mgt QA Program Germantown,MD," to be conducted on 960617-21.
BETTS,C.E., HORTON,D.G. Energy, Dept. of. HLWR. 96/05/24. 3pp. 88444:179-88444:181.

9605310125 Forwards sets of final page changes of final remedial action plan for Slick Rock,CO U mill tailings remedial action project site,for NRC review & comment.
PAPE,J.M. Energy, Dept. of. 96/05/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88404:001-88404:191.

-9605310127 Final Rev 2 to DOE/AL/62350-21F, "Remedial Action Plan & Site Design for Stabilization of Inactive U Mill Tailings Sites at Slick Rock,CO."
* Jacobs Engineering Group, Inc. 96/05/31. 83pp. 88404:003-88404:088.

-9605310130 Rev 2 to DOE/AL/62350-197, "Comment & Response Document for Final Remedial Action Plan & Site Design for Stabilization of Inactive U Mill Tailings Sites at Slick Rock,CO."
* Jacobs Engineering Group, Inc. 96/05/31. 89pp. 88404:089-88404:191.

9605310151 Summary of 960430 & 0501 meeting w/NRC to finalize decommissioning manual chapter.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/05/17. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 5pp. 88404:240-88404:244.

XPORTLIC EXPORT AND IMPORT LICENSES

9605010080 Forwards application for export license XSOU-8745 re export of natural U to Netherlands.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/29. DEDIK,T. Energy, Dept. of. 1p. 88065:322-88065:326.

--9605010127 Advises NRC to refer to pending export license application XSOU8745 which requests authorization to export U to Urenco in Almelo & Capenhurst.Change in EURATOM contract numbers, listed.
MANN,M. Edlow International Co. 96/04/24. WRIGHT,B. Office of International Programs (Post 911117). 1p. 88065:326-88065:326.

9605010093 Forwards application for export license for low enriched U for use as reload fuel to Japan.Ltr of assurance requested.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/29. DELABARRE,R. State, Dept. of. 1p. 88065:288-88065:289.

9605010114 License for National Nuclear Corp to export 4,000 Ci,Cf-252, containing in neutron source in sealed capsules.Isotope in form of Cf-Pd cermet of Cf-Pd alloy to South Korea.
HUABER,R.D. Assistant Director for Exports, Security & Safety Cooperation. D60155. 96/04/29. 1p. 88072:024-88072:024.

9605010147 Forwards signed copy of FRN re application for license to import nuclear facilities or matl.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/29. MOSSBURG,D. Correspondence & Records Branch. 1p. 88068:340-88068:343.

--9605010152 Notice of receipt of application for license to import nuclear waste.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/29. 2pp. 88068:342-88068:343.

9605010190 License for General Electric to export one ultrasonic weld insp sys,to Spain.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/29. 1p. 88065:301-88065:301.

9605030168 Submits advance notification of import shipment of two 20FT Ocean Containers containing 70 Drums each.
HEHR,W. Affiliation Not Assigned. 0496-690. 96/04/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88092:351-88092:352.

9605030189 Forwards application to export U as U hexaflouride to Japan for use as reload fuel in Ohi Power Station,Unit 4,Region 7, owned by Kansai Electric Power Co,Inc,for consideration.
FISK,R.H. Edlow International Co. 96/04/25. WRIGHT,B. Office of International Programs (Post 911117). 1p. 88103:359-88103:359.

9605030193 Forwards application for export license XSNM-2927,for export of low-enriched U to Japan for use as reload fuel in Ikata Unit 1.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/30. DELABARRE,R. Senate. 1p. 88100:350-88100:351.

--9605030201 Application for license to export U for use as reload fuel in Ikata Power Station,Unit 1,Region 20 owned by Shikoku Electric Power Co to Japan.
FISK,R. Edlow International Co. KLK-110. 96/04/25. 1p. 88100:351-88100:351.

9605030197 Forwards application for export license XSNM-2926 for export of low-enriched U to Japan for use as reload fuel.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/30. DELABARRE,R. State, Dept. of. 1p. 88100:352-88100:353.

--9605030205 Application for license to export 28,660 kg of U as UF6 to Japan.
FISK,R.H. Edlow International Co. KLK-109. 96/04/25. 1p. 88100:353-88100:353.

9605030286 Submits advance notification of export shipment of special nuclear matl of low strategic significance to Switzerland, w/ETA of 960417.
HOLDEN,D.W. General Electric Co. SWZ-51191-F. 96/04/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88092:311-88092:312.

9605030341 Forwards notice on deliveries made between 960309-0408,in accordance w/requirements of Convention on Physical Protection of Nuclear Matls.
CONDREY,D. Edlow International Co. 96/04/09. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 88093:026-88093:027.

9605060027 Application for license to export 7,949 kg U,containing 275 kg U-235,to Japan.
* Mitsui & Co. (USA), Inc. MBK-H1-R17. 96/04/29. 1p. 88104:033-88104:033.

9605130005 Submits advance notification of import shipment of 3 20FT Ocean Containers of U02 Scrap/lashing matl.
HEHR,W. Affiliation Not Assigned. 0496-691. 96/04/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88203:343-88203:344.

9605130086 Amend 1 to license for Siemens Power Corp to export 704 kg of U-235,contained in 17,366 kg U,to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). DLN:96:023. 96/04/30. 2pp. 88249:321-88249:322.

9605140220 Forwards application for license XSNM-2929 to export Pu-239 to Canada for use in chemical research program.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/07. DEDIK,T. Energy, Dept. of. 1p. 88228:343-88228:344.

--9605140228 Application for license to export Pu-239 to Canada.
BOYD,L.W. Energy, Dept. of. 49-0158. 96/04/19. 1p. 88228:344-88228:344.

9605140270 Amend 6 to license for Poco Graphite,Inc to export 750.00 short tonnes 680,385.0 kg nuclear grade graphite,to The Netherlands.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/07. 2pp. 88228:345-88228:346.

9605140276 Forwards application for license to export Pu-239 to Canada.
BOYD,L.W. Energy, Dept. of. 96/05/01. WRIGHT,B.L. Office of International Programs (Post 911117). 1p. 88228:347-88228:348.

9605140284 Forwards application for license XSNM-2928 to export low-enriched U to Japan for use as reload fuel in Hamaoka Unit 1.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/03. DELABARRE,R. State, Dept. of. 1p. 88228:349-88228:350.

9605140306 Forwards application for license to export enriched UF6 for Ikata Unit 1,Region 20.Matl will be used for fabrication of fuel assemblies & ultimately loaded into Ikata Unit 1.
LANG,Y.M. Mitsui & Co. (USA), Inc. HSA-5496-08. 96/05/07. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 88228:351-88228:353.

--9605140313 Application for license to export enriched UF6 for Ikata Unit 1,Region 20.
MAEDA,Y. Mitsui & Co. (USA), Inc. HSA-5496-09. 96/05/07. 1p. 88228:353-88228:353.

9605160466 Submits notification of upcoming shipment of UF6,fissle contained in three cylinder & PSP pairs to Japan.
AUMULLER,J.N. Edlow International Co. KLK-105. 96/03/27. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88277:001-88277:002.

9605160473 Submits notification of upcoming shipment of UF6,fissle contained in five cylinder & PSP pairs to Japan.
AUMULLER,J.N. Edlow International Co. KLK-104. 96/03/27. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88277:003-88277:004.

9605170004 Notification of upcoming shipment of UF6,fissle contained in two 30B cylinders & PSPs to Columbia,SC.
CADREY,D. Edlow International Co. GNSS-E-27. 96/03/28. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88283:028-88283:028.

9605170008 Notification of upcoming shipment of UF6 fissle contained in sixteen cylinders secured inside protective shipping packages to Korea.
* Edlow International Co. SAMDO-E-25. 96/03/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 88283:043-88283:043.

9605170283 Submits rev 1 of advanced notification of export shipment of special nuclear matl of low strategic significance.
KIRKLAND,M.W. General Electric Co. MEX-52008-F. 96/04/24. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88284:351-88284:352.

9605170293 Submits advance notice of export shipment of special nuclear matl of low strategic significance (Category III).
KIRKLAND,M.W. General Electric Co. MEX-52008-F. 96/04/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88284:353-88284:354.

9605170304 Submits advance notification of import shipment of one 20ft Ocean Container containing 47 Drums of UO2 Scrap lashing matl.
HEHR,W. Affiliation Not Assigned. 0496-695. 96/04/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88284:355-88284:356.

9605200007 Forwards application for export license XSNM02930 for export of low-enriched Uranium to Japan for use as reload fuel in Ikata Unit 1.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/14. DELABARRE,R. State, Dept. of. 1p. 88296:350-88296:351.

--9605200012 Application for license to export Enriched Uranium Hexafluoride to Australia.
MAEDA,Y. Mitsubishi International Corp. HSA-5496-09. 96/05/07. 1p. 88296:351-88296:351.

9605200032 Amend 3 to license XSNM-2617 for Edlow Intl Co,extending expiration date from 951231 to 991231.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/14. 2pp. 88296:348-88296:349.

9605200093 Discusses amendment 2 dtd 950417.Commission confirms Empresa Nacional del Uranio SA,E-37080 Juzbado is legal person duly authorized to receive nuclear material transferred pursuant to Agreement.
BEVERE,E. European Communities, Commission of. 96/05/13. Energy, Dept. of. 1p. 88301:237-88301:237.

9605200104 Application for license to export enriched UF6 to Japan.
MAEDA,Y. Mitsubishi International Corp. HSA-5496-10. 96/05/10. 3pp. 88296:341-88296:343.

9605200111 Amend 1 to license for GE to export authorized matl,to Spain.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/15. 1p. 88296:354-88296:354.

9605200114 Confirms that Empresa Nacional del Uranio SA,E-37080 Juzbado legal person duly authorized to receive nuclear matl transferred per agreement for cooperation in peaceful uses of nuclear energy between Euratom & US America.
BEVERE,E. European Communities, Commission of. 96/05/13. Energy, Dept. of. 1p. 88296:353-88296:353.

9605210030 Final response to FOIA request for documents.Records in App B encl & will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/05/09. BATTLE,J. Affiliation Not Assigned. 2pp. 88308:001-88308:039.

--9605210055 Informs Joint Committee of amended license application, XSNM-0805,filed w/NRC under circumstances which make possible that export license for fuel involved will be issued shortly.
ROWDEN,M.A. Commissioners (Post 750119). 76/05/25. MURPHY,G.F. Congress, Joint Committee on Atomic Energy. 2pp. 88308:018-88308:019.

--9605210060 SECY-75-728A Informs Commission of revised license applications & requests review of proposed issuance of amended export license XSNM-0805.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/25. 6pp. 88308:020-88308:025.

--**9605210050** SECY-76-277 Requests Commission review of proposed issuance of export license XSNM-0845.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/21. 13pp. 88308:005-88308:017.

--**9605210067** SECY-76-277A Informs Commission of revised license application & requests review of proposed issuance of amended export license XSNM-0845.
CHAPMAN,K.R. Division of Fuel Cycle & Material Safety (Pre 870413). 76/05/25. 6pp. 88308:026-88308:031.

9605280152 Submits advance notification of import shipment of one 40 ft ocean container,containing 36 empty UO2 drums & lashing matl.
HEHR,W. Affiliation Not Assigned. 96/03/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88356:058-88356:059.

9605280155 Submits advance notification of export shipment of four hundred & four NTIX sealed shipping containers of enriched UO2 in seven sea containers,to Japan.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/11. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 2pp. 88356:060-88356:061.

9605290199 Forwards application for export license XSNM-2933 for export of low-enriched U to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/28. DELABARRE,R. State, Dept. of. 1p. 88385:218-88385:220.

--**9605290203** Application for license to export low-enriched UF6 & UO2 to Japan.
COLFORD,C. Mitsui & Co. (USA), Inc. MBK-H2-R16. 96/05/17. 1p. 88385:219-88385:220.

9605290210 Forwards application for export license to authorize shipment of 250 kg of depleted U to Japan.
NOSS,D.L. Siemens Corp. DLN:96:045. 96/05/16. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 88385:221-88385:222.

--**9605290213** Application for license to export 250 kg of depleted U to Japan.
NOSS,D.L. Siemens Corp. 96/05/16. 1p. 88385:222-88385:222.

9605290217 Forwards application for export license XSNM-2931 for export of low-enriched U to Japan for use as reload fuel in Sendai Unit 2.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/17. DELABARRE,R. State, Dept. of. 1p. 88385:223-88385:224.

9605290219 Requests that end use statement be modified to read "For use by consignee (CERCA) in fuel related operations conducted under full-scope EURATOM safeguards."
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-2576. 96/05/10. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 88375:229-88375:229.

9605290229 Application for license to export deuterium oxide to U.A.E.
SOLO,L.J. Cambridge Isotope Laboratories. 96/04/19. 2pp. 88385:286-88385:287.

9605290231 Forwards application for export license XSOU-8746 for export of depleted U contained in UO2 powder to Japan for use in process qualification & testing.Assistance in obtaining necessary assurances requested.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/22. DELABARRE,R. State, Dept. of. 1p. 88375:230-88375:231.

--**9605290245** Application for license to export 250 Kg U of depleted U contained in 300 kg of UO2 powder,to Japan.
NOSS,D.L. Siemens Corp. 96/05/17. 1p. 88375:231-88375:231.

9605290233 Application for amend to license XB-1285,authorizing transfer of ownership.
SMITH,L.R. DuPont Merck Pharmaceutical Co. 96/05/21. WRIGHT,B.L. Office of International Programs (Post 911117). 2pp. 88385:288-88385:289.

9605290237 Amend 3 to license for Edlow International Co to export 75,000 kg U-235 in 1,500,000 kg U,to Spain.Expiration date extended to 991231.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/22. 2pp. 88375:232-88375:233.

9605290238 Forwards ltr from Edlow Intl re change to export license application XSNM-2927,First scheduled shipment will be in Aug 1996 instead of Sept 1996.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/24. DELABARRE,R. State, Dept. of. 1p. 88375:234-88375:235.

--**9605290240** Advises that first scheduled shipment will be Aug 1996 rather than Sept 1996 as noted in 960425 application.
MANN,M. Edlow International Co. 96/05/20. WRIGHT,B. Office of International Programs (Post 911117). 1p. 88375:235-88375:235.

9605290244 Requests for Govt of Japan assurances for cooperation & diplomatic notes *exchanged for case numbers 345,346,347 & 348.*
MONDALE U.S. Embassies. 96/05/13. State, Dept. of. 1p. 88375:236-88375:236.

9605300021 Forwards for info,repts listing all NRC export cases completed,received or pending during Apr 1996 which includes 6 cases completed,10 application or amend request received & 87 cases pending as of 960430.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/29. DELABARRE,R. State, Dept. of. 9pp. 88418:068-88418:084.

9605300024 Forwards for publication & filing in FR,signed copy of FRN, "Application for License to Export Heavy Water (D2O)."
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/29. MOSSBURG,D. Office of the Secretary of the Commission. 2pp. 88393:353-88393:356.

--**9605300027** Notification of receipt of application for license to import 22,500 Kgs of Deuterim Oxide "heavy water" for use as "mud tracer" in oil exploration.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/29. 2pp. 88393:355-88393:356.

9605300040 Forwards 960510 ltr from General Atomics re export license XSNM-2879/01.General Atomics requested that end use statement be modified as stated.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/29. DEDIK,T. Energy, Dept. of. 1p. 88390:103-88390:104.

9605300064 Forwards application for license export nuclear matl & equipment.
BISSEGGER,J. Energy, Dept. of. 96/05/14. WRIGHT,B.L. Office of International Programs (Post 911117). 1p. 88400:112-88400:113.

--**9605290224** Application for license to export U in form of metal or fabricated irradiation test plates & targets.
* Energy, Dept. of. 96/05/13. 1p. 88400:113-88400:113.

9605300108 Forwards application for license to export deuterium oxide to U.A.E.
HAUBER,R.D. Division of Contracts (Post 940714). 96/05/29. DELABARRE,R. State, Dept. of. 1p. 88393:331-88393:352.

9605300158 Forwards application for export license XSNM-2932 for export of low-enriched U to Korea Atomic Energy Research Inst. Assurances from Republic of Korea required.
HAUBER,R.D. Office of International Programs (Post 911117). 96/05/29. DEDIK,T. Energy, Dept. of. 2pp. 88390:161-88390:162.

9605310062 Forwards payment for three year extension of license XMAT-0343 which expired 960430 & 960306 fax to M Hall which requested extension & explanation of situation.
MADELL,W. Aldrich Chemical Co., Inc. (subs. of Sigma-Aldrich Corp.). 96/05/17. WRIGHT,B. Office of International Programs (Post 911117). 3pp. 88400:198-88400:200.

9605310110 Application for amend to export license XB-1285,reflecting change in licensee ownership & name.
SMITH,L.R. E.I. du Pont de Nemours & Co., Inc. 96/05/21. WRIGHT,B.L. Office of International Programs (Post 911117). 2pp. 88395:337-88395:338.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT,R.B.	9605060078	50-220 Q
ABBOTT,R.B.	9605060085	50-410 S
ABBOTT,R.B.	9605280059	50-410 P
ABBOTT,R.B.	9605280202	50-220 Q
ABELQUIST,E.W.	9605090228	40-1162
ABELQUIST,E.W.	9605200204	50-267 W
ABELQUIST,E.W.	9605200212	50-267 Q
ABELQUIST,E.W.	9605310081	40-1162
ABELQUIST,E.W.	9605310162	40-2259
ABRELL,G.A.	9605170497	50-10 R
ACCARDO,A.J.	9201240212*	FOIA
ACCARDO,A.J.	9605130032*	FOIA
ACCARDO,A.J.	9605130049*	FOIA
ACCARDO,A.J.	9605130066*	FOIA
ACCARDO,A.J.	9605170159*	FOIA
ACCARDO,A.J.	9605170184*	FOIA
ACCARDO,A.J.	9605170238*	FOIA
ACCARDO,A.J.	9605170277*	FOIA
ACCARDO,A.J.	9605170294*	FOIA
ACCARDO,A.J.	9605170295*	FOIA
ACCARDO,A.J.	9605170303*	FOIA
ACCARDO,A.J.	9605170346*	FOIA
ACCARDO,A.J.	9605170351*	FOIA
ACCARDO,A.J.	9605170363*	FOIA
ACCARDO,A.J.	9605200241*	FOIA
ACCARDO,A.J.	9605220032*	FOIA
ACKMAN,O.	9605090261	40-8948
ADAMS,A.	9605090108	50-146 P
ADAMS,A.	9605090163	ORG
ADAMS,A.	9605130110	50-160 T
ADAMS,A.	9605160310	50-146 P
ADAMS,A.	9605170115	50-146 P
ADAMS,A.	9605230189	50-264 P
ADAMS,A.	9605300121	50-151 P
ADAMS,D.	9605030310*	50-327 R
ADAMS,G.	9605280174	50-266 S
ADAMS,W.C.	9605310076	40-1162
ADDY,R.J.	9605060020	50-155 R
ADDY,R.J.	9605060081	50-155 R
ADDY,R.J.	9605070172	50-155 S
ADNEY,R.J.	9605230144	50-328 S
ADNEY,R.J.	9605280172	50-327 Q
AFFILTER,R.D.	9605140309	50-483 R
AFFOLTER,R.D.	9605060316	50-483 S
AGRAWAL,A.	9605030081	50-219 S
AHMED,K.	9605280238*	50-272 P
ALEXION,T.W.	9605020236	50-498 P
ALEXION,T.W.	9605140056	50-498 P
ALEXION,T.W.	9605170307	50-498 P
ALEXION,T.W.	9605240177	50-498 P
ALLAN,M.	9605030156	40-3453
ALLEN,G.W.	9605150311*	STATE PRO G
ALLEN,J.M.	9605220494*	70-310
ALLEN,M.	9605020405	40-3453
ALLEN,M.	9605030223	40-3453
ALLRED,K.	9605030360	40-3453
ALVEY,F.	9605020263	40-3453
AMATO,C.	9605170513	I&E
ANDERSEN,J.W.	9605150443	50-245 P
ANDERSON,E.	9605020153	CONTRACT
ANDERSON,M.L.	9605100031	50-305 R
ANDERSON,R.A.	9605150088*	70-310
ANDERSON,R.D.	9605070187	50-293 R
ANDERSON,R.O.	9605010005	50-263 R
ANDERSON,R.O.	9605070241	50-263 F
ANDERSON,R.O.	9605070289	50-263 P
ANDERSON,R.O.	9605130166	50-282 R
ANDERSON,R.O.	9605140074	50-282 P
ANDERSON,R.O.	9605210008	50-263 R
ANDREWS S.J.	9605200086	PT21
ANDREWS,V.E.	9605130085*	STATE PRO G
ANGELL,P.	9605100257	WASTE MGT
ANGELL,P.	9605310016	WASTE MGT
ANGUIANO,N.A.	9605170520*	TOPREP
ANSTINE,L.	9605280301	CONTRACT
APOSTOLAKIS,G.	9605210157	ACRS
APOSTOLAKIS,G.	9605210189	ACRS
ARCHITZEL,R.E.	9605210292	52-3
ARLT,F.A.	9605010120	50-18 R
ARLT,F.A.	9605010157	50-183 R
ARLT,F.A.	9605010199	50-70 R
ARNOLD,J.	9605280109	50-373 S
ASBURY,B.S.	9605150153	50-413 P
ASHLAND,F.X.	9605010148*	40-3453
ASMUSSEN,K.E.	9605080232	70-734
ASMUSSEN,K.E.	9605240216	70-734
ASMUSSEN,K.E.	9605290219	XPORTLIC
ASMUSSEN,K.E.	9605300115	50-89 I
ASSA,R.R.	9605240180	50-454 P
ATHEY,G.F.	9605160082	CONTRACT
AUBERT,C.	9605080203*	52-4
AUBERT,C.	9605080206*	52-4
AUBERT,C.	9605080208*	52-4
AUBERT,C.	9605080214*	52-4
AUBUCHON,D.G.	9605200166*	FOIA
AUMULLER,J.N.	9605160466	XPORTLIC
AUMULLER,J.N.	9605160473	XPORTLIC
AUMULLER,J.N.	9605170001	70-1252
AUSTIN,J.H.	9605090113	WASTE MGT
AUSTIN,J.H.	9605210264	WASTE MGT
AUSTIN,J.H.	9605240069	WASTE MGT
AUSTIN,J.H.	9605310010	WASTE MGT
AVERY,A.F.	9605060210*	50-255 P
AVERY,O.	9605030335	40-3453
AXELSON,W.A.	9605140454	50-461 Q
AXELSON,W.L.	9605280160	50-346 Q
AXELSON,W.L.	9605280237	50-456 Q
BABELLI,I.	9605130147	52-4
BACHMAN,F.	9605100085	40-3453
BACKENSTOE,K.	9605010110*	50-387 P
BACKENSTOE,K.	9605010121*	50-387 P
BAER,J.W.	9605030079	50-443 F
BAILEY,J.A.	9605140373	50-528 P
BAILEY,J.A.	9605210165	50-528 P
BAILEY,J.A.	9605300162	50-528 P
BAILEY,S.J.	9605200432	50-309 R
BAILLY,P.B.	9605290223	CONTRACT
BAINES,W.W.	9605030137	50-317 R
BAJRASZCWSKI,J.	9605230144	50-328 S
BAKER,G.L.	9605070121*	50-302 I
BAKER,L.J.	9605200015	CONTRACT
BAKER,S.J.	9605060120	40-1162
BAKER,S.J.	9605210539	40-1162
BAKER,S.J.	9605310153	40-1162
BALDWIN,B.	9605030165	40-3453
BALDWIN,J.	9605020130	CONTRACT
BALLINGER,P.L.	9605210447	50-298 R
BALTER,S.	9605060051	71-550
BANGART,R.L.	9605130044	STATE PRO G
BANGART,R.L.	9605130064	STATE PRO G
BANGART,R.L.	9605130092	STATE PRO G
BANGART,R.L.	9605130101	STATE PRO G
BANGART,R.L.	9605130104	STATE PRO G
BANGART,R.L.	9605130120	STATE PRO G
BANGART,R.L.	9605130127	STATE PRO G
BANGART,R.L.	9605130131	STATE PRO G
BANGART,R.L.	9605130155	STATE PRO G
BANGART,R.L.	9605130161	STATE PRO G
BANGART,R.L.	9605130168	STATE PRO G
BANGART,R.L.	9605130171	STATE PRO G
BANGART,R.L.	9605130178	STATE PRO G
BANGART,R.L.	9605130186	ORG
BANGART,R.L.	9605130198	STATE PRO G
BANGART,R.L.	9605130247	STATE PRO G
BANGART,R.L.	9605130268	STATE PRO G
BANGART,R.L.	9605130346	STATE PRO G
BANGART,R.L.	9605130367	STATE PRO G
BANGART,R.L.	9605130429	STATE PRO G
BANGART,R.L.	9605140004	STATE PRO G
BANGART,R.L.	9605140019	STATE PRO G
BANGART,R.L.	9605140062	STATE PRO G
BANGART,R.L.	9605140078	STATE PRO G
BANGART,R.L.	9605140175	STATE PRO G
BANGART,R.L.	9605140186	STATE PRO G
BANGART,R.L.	9605150081	STATE PRO G
BANGART,R.L.	9605150110	STATE PRO G
BANGART,R.L.	9605150383	STATE PRO G
BANGART,R.L.	9605150410	STATE PRO G
BANGART,R.L.	9605160001	COMMISSION
BANGART,R.L.	9605160017	STATE PRO G
BANGART,R.L.	9605160040	STATE PRO G
BANGART,R.L.	9605160152	STATE PRO G
BANGART,R.L.	9605170030	STATE PRO G
BANGART,R.L.	9605170031*	STATE PRO G
BANGART,R.L.	9605170084	STATE PRO G
BANNER,C.	9605310246	50-272 F
BANNER,C.	9605310247	50-354 F
BARBER,B.T.	9605060193	40-3453
BARCHI,T.J.	9605310233	ORG
BARDEN,C.R.	9605220237*	FOIA
BARGER,M.J.	9605060273*	40-8838
BARKELY,R.S.	9605280024	50-286 Q
BARLEY,G.K.	9605030137	50-317 R
BARNES,J.G.	9605140296	70-25
BARON,R.R.	9605030340	I&E
BARON,R.R.	9605030379	40-1341
BARON,R.R.	9605150073	50-259 Q
BARON,R.R.	9605280103	50-390 P
BARON,R.R.	9605300025	50-259 F
BARR,K.P.	9605100012	50-269 F

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BARR,K.P.	9605140021	50-413 Q
BARR,K.P.	9605140026*	50-413 Q
BARRETT,R.J.	9605030108	50-286 F
BARRETT,R.J.	9605060074	50-3 R
BARRETT,R.J.	9605070284	50-286 S
BARRETT,R.J.	9605130051	50-286 Q
BARRETT,R.J.	9605150035	ORG
BARRETT,R.J.	9605160252	50-286 Q
BARRETT,R.J.	9605160260*	ORG
BARRETT,R.J.	9605200266	50-286 R
BARRETT,R.J.	9605200430	50-286 Q
BARRETT,R.J.	9605230130	ORG
BARRETT,R.J.	9605230142	STATE PRO G
BARRETT,R.J.	9605230147	ORG
BARRETT,R.J.	9605230158	ORG
BARRETT,R.J.	9605230192	ORG
BARRETT,R.J.	9605290100	50-529 S
BARRETT,R.J.	9605300173	ORG
BARRETT,R.J.	9605300180	ORG
BARTELS,C.S.	9605030305	40-8943
BARUSCH,L.R.	9605200388*	40-8584
BASSETT,C.H.	9605130116	50-160 T
BASSETT,C.H.	9605140310*	50-160 Q
BASSIN,N.	7909130044*	FOIA
BASSIN,N.	9605130263*	FOIA
BASSIN,N.	9605130271*	FOIA
BASSIN,N.	9605200215*	FOIA
BASSIN,N.	9605200216*	FOIA
BASSIN,N.	9605200223*	FOIA
BATAVIA,M.K.	9605130061	STATE PRO G
BATEMAN,W.H.	9605010047*	50-397 P
BATEMAN,W.H.	9605010242	50-528 P
BATEMAN,W.H.	9605170160	50-397 P
BATEMAN,W.H.	9605170521	50-397 Q
BATEMAN,W.H.	9605220138*	50-528 P
BATEMAN,W.H.	9605240166	50-397 P
BATEMAN,W.H.	9605310031	50-482 P
BATES,G.S.	9605280240*	50-272 P
BATT,P.E.	9605130307*	STATE PRO G
BATTLE,J.	9605020322	FOIA
BAXTER,B.	9605220322	NUREG
BAYNE,P.	9605160290*	COMMISSIO N
BEACH,A.B.	8904270374*	FOIA
BEACH,A.B.	9006040174*	FOIA
BEARD,P.M.	9605020085	50-302 S
BEARD,P.M.	9605070191	50-302 P
BEARD,P.M.	9605070196	50-302 Q
BEARD,P.M.	9605090054	50-302 Q
BEARD,P.M.	9605140121	50-302 P
BEARD,P.M.	9605140157	50-302 Q
BEARD,P.M.	9605140173	50-302 P
BEARD,P.M.	9605280232	50-302 P
BEARDSLEY,M.	9605170509	I&E
BEASLEY,C.	9605070339	PR
BEASLEY,J.B.	9605060320	50-424 F
BEASLEY,J.B.	9605140408	50-424 F
BEAUREGARD,D.J.	9605010033	40-3453
BEAVER,A.L.	9605170255	50-369 F
BECHHOEFER,C.	9605060008	50-160 G
BECHHOEFER,C.	9605060100	50-160 G
BECHHOEFER,C.	9605130126*	50-160 G
BECHHOEFER,C.	9605210156	50-160 G
BECK,R.L.	9605020341*	FOIA
BECKHAM,J.T.	9605030244	50-321 R
BECKHAM,J.T.	9605080213	50-321 P
BECKHAM,J.T.	9605140100	50-321 P
BECKHAM,J.T.	9605140110	50-321 Q
BECKHAM,J.T.	9605140126	50-321 R
BECKHAM,J.T.	9605140334	50-321 P
BECKHAM,J.T.	9605140344	50-321 Q
BECKHAM,J.T.	9605140455	50-321 S
BECKHAM,J.T.	9605150458	50-321 Q
BECKHAM,J.T.	9605230181	50-321 S
BECKHAM,J.T.	9605280002	50-321 S
BECKHAM,J.T.	9605280040	50-321 P
BECKHAM,J.T.	9605280068	50-321 Q
BECKNER,W.D.	9605020222	50-368 Q
BECKNER,W.D.	9605140076	50-498 P
BEDFORD,R.B.	9605160033	50-461 S
BEDFORD,R.B.	9605230188	50-461 S
BEDFORD,R.C.	9605310077*	50-237 P
BEECHER,W.M.	9605080227	NUREG
BEINECKE,P.	9605280171	50-295 S
BELISLE,G.A.	9605130385	50-280 Q
BELISLE,G.A.	9605130401*	50-280 Q
BELISLE,G.A.	9605140045	50-338 Q
BELISLE,G.A.	9605140048*	50-338 Q
BELISLE,G.A.	9605140319	50-338 Q
BELISLE,G.A.	9605140486	50-280 Q
BELISLE,G.A.	9605200251	50-338 Q
BELKE,W.L.	9605310011*	WASTE MGT
BELL,J.P.	8005290608*	FOIA
BELL,J.P.	9605210021*	FOIA
BELL,J.P.	9605210064*	FOIA
BELL,M.J.	9605070158	ORG
BELL,M.J.	9605070195	ORG
BELL,M.J.	9605080051	WASTE MGT
BELL,M.J.	9605150203	WASTE MGT
BELL,M.J.	9605150213	WASTE MGT
BELL,M.J.	9605240070	WASTE MGT
BELL,W.H.	9605140298	50-395 R
BELLAMY,R.R.	9605060282	40-*****
BELLAMY,R.R.	9605200293	40-7004
BELLAMY,R.R.	9605200300*	40-7004
BELLAMY,R.R.	9605280010	70-371
BELLAMY,R.R.	9605280015	40-*****
BELLAMY,R.R.	9605280025*	40-*****
BELLAMY,R.R.	9605280048	70-82
BELLAMY,R.R.	9605280182	40-*****
BELLAMY,R.R.	9605280191*	40-*****
BELLAMY,R.R.	9605280194	40-2253
BELLAMY,R.R.	9605280210*	40-2253
BELLAMY,R.R.	9605310051	40-*****
BELLAMY,R.R.	9605310057*	40-*****
BELLAMY,R.R.	9605310073	40-8406
BELLAMY,R.R.	9605310078	70-371
BELLAMY,R.R.	9605310093	70-371
BELSHE,S.K.	9605300091	PR
BENJAMIN,J.A.	9605280185	50-272 P
BERCZYNSKI,S.	9605200448	50-295 S
BERGER,J.D.	9605210288*	FOIA
BERGER,J.D.	9605210330*	FOIA
BERKOW,H.N.	9605010071	50-364 P
BERKOW,H.N.	9605010232	50-369 P
BERKOW,H.N.	9605010234	50-369 P
BERKOW,H.N.	9605070186	50-269 P
BERKOW,H.N.	9605150354	50-270 P
BERKOW,H.N.	9605200465	50-413 Q
BERKOW,H.N.	9605210087	50-414 Q
BERKOW,H.N.	9605210236*	50-413 P
BERKOW,H.N.	9605220149*	50-364 P
BERKOW,H.N.	9605240157*	50-348 P
BERLINGER,C.H.	9407180189*	50-413 G
BERLINGER,C.H.	9605080158*	50-413 G
BERLINGER,C.H.	9605080171*	50-413 G
BERLINGER,C.H.	9605080186*	50-413 G
BERTODANO,M.L.	9605130147	52-4
BESSETTE,P.M.	9605140190	50-331 I
BETTS,C.E.	9605310109*	WASTE MGT
BEVERE,E.	9605200093	XPORTLIC
BEVERE,E.	9605200114	XPORTLIC
BHALLA,N.	9605030390	30-8948
BHALLA,N.	9605130050	I&E
BHOWMICK,D.C.	9605070354*	50-454 P
BIRD,A.	9605030123	40-3453
BISSEGGER,J.	9605300064	XPORTLIC
BITTNER,A.	9605220322	NUREG
BLACK,S.C.	9605030202	50-498 P
BLACK,S.C.	9605090171	ORG
BLACK,S.C.	9605090250	QA999
BLACK,S.C.	9605150059	PROJ
BLACK,S.C.	9605290202*	WASTE MGT
BLAHA,J.L.	9605020146	COMMISSIO N
BLAHA,J.L.	9605160131	COMMISSIO N
BLAHA,J.L.	9605230136	COMMISSIO N
BLAHA,J.L.	9605230173	COMMISSIO N
BLAHA,J.L.	9605300037	COMMISSIO N
BLAIR,J.T.	9605140327*	50-482 P
BLAKE,G.L.	9605020323	40-3453
BLANCH,V.M.	9605210467*	50-245 H
BLANCH,V.M.	9605210520*	50-245 H
BLANCH,V.M.	9605220002*	50-245 H
BLANCH,V.M.	9605220010*	50-245 H
BLANCH,V.M.	9605220015*	50-245 H
BLANCH,V.M.	9605220021*	50-245 H
BLANCH,V.M.	9605220033*	50-245 H
BLANCH,V.M.	9605220041*	50-245 H
BLANCH,V.M.	9605220051*	50-245 H
BLANCH,V.M.	9605220064*	50-245 H
BLANCH,V.M.	9605220081*	50-245 H
BLANCH,V.M.	9605220109*	50-245 H
BLANCH,V.M.	9605220120*	50-245 H
BLANCH,V.M.	9605220125*	50-245 H
BLANCH,V.M.	9605220148*	50-245 H
BLANCH,V.M.	9605220171*	50-245 H
BLANCH,V.M.	9605220206*	50-245 H
BLANCH,V.M.	9605220228*	50-245 H
BLANCH,V.M.	9605220238*	50-245 H
BLANCH,V.M.	9605220288*	50-245 H
BLANTON,R.	9605130076	STATE PRO G
BLANTON,R.	9605140246*	STATE PRO G
BLOCK,J.M.	9605240031	50-29 G
BLOCK,J.M.	9605240031	50-29 G
BLOCK,J.M.	9605240031	50-29 G
BLOCKEY-O'BRIEN	9605130103	50-160 G
BLOOM,S.D.	9605090191	50-275 P
BLOOM,S.D.	9605310087	50-275 P
BLOOM,S.D.	9605310102*	50-275 P
BLOUGH,A.R.	9605160151	50-245 P
BLUBAUGH,R.E.	9605020052	40-3453
BLUBAUGH,R.E.	9605070230	40-3453
BLUBAUGH,R.E.	9605310005	40-3453
BLUMBERG,W.M.	9605060159*	50-498 P
BOGER,B.A.	9604300235	REVIEW GR P
BOGER,B.A.	9605020027	ORG
BOGER,B.A.	9605070095	REVIEW GR P
BOGER,B.A.	9605070359	TOPREP
BOHANNON,B.	9605030155	40-3453
BOHLKE,W.H.	9605150395	50-335 Q
BOHLKE,W.H.	9605170432	50-335 Q
BOHLKE,W.H.	9605200436	50-335 R
BOHLKE,W.H.	9605210538	50-335 P
BOHLKE,W.H.	9605230232	50-335 F
BOHNSACK,F.A.	9605010146	71-592
BOLDT,G.L.	9605020309	50-302 I
BOLDT,G.L.	9605070015	50-302 P
BOLDT,G.L.	9605070020	50-302 P
BOLDT,G.L.	9605070033	50-302 R
BOLDT,G.L.	9605070097	50-302 I
BOLDT,G.L.	9605170487	50-302 R
BOLDT,G.L.	9605200082	50-302 Q
BOLDT,G.L.	9605200219	50-302 R
BOLIVAR,S.L.	9605150285	WASTE MGT
BOLKE,T.J.	9605220376	50-458 R
BOLLING,L.	9605140092*	STATE PRO G
BOLLOM,D.A.	9605100221*	50-305 I
BOLLWERK,G.P.	9605160109	40-8027
BOLON,A.E.	9605030100	50-123 R
BONKER,L.A.	9605070049	50-346 R
BONNEAU,C.A.	9605280282*	50-263 P
BONO,H.D.	9605060316	50-483 S
BONUCCI,J	9605220334	50-295 S
BOOK,H.E.	9605220242*	FOIA
BORCHERT,H.R.	9605130402	STATE PRO G
BORCHERT,R.	9605220436*	50-245 R
BORLAND,V.A.	9605140401	71-853
BORSARI,C.J.	9605150347	71-*****
BORSARI,C.J.	9605150360*	71-*****
BORST,F.J.	9605020096	50-267 F
BORST,F.J.	9605020383	50-267 Y
BORST,F.J.	9605030110	50-267 R
BORST,F.J.	9605150051	50-267 S
BORST,F.J.	9605200157	50-267 W
BORST,F.J.	9605240218	50-267 W
BOULETTE,E.	9605200270	50-293 F
BOULETTE,E.T.	9605020345	50-293 P
BOULETTE,E.T.	9605060143	50-293 P
BOULETTE,E.T.	9605060163	50-293 P
BOULETTE,E.T.	9605060338	50-293 S
BOULETTE,E.T.	9605100051	50-293 F
BOULETTE,E.T.	9605140407	50-293 P
BOULETTE,E.T.	9605160009	50-293 P
BOULETTE,E.T.	9605160013*	50-293 P
BOULETTE,E.T.	9605160155	50-293 S
BOULETTE,E.T.	9605240065	50-293 S
BOULETTE,E.T.	9605280291	50-293 S
BOURASSA,M.D.	9605070172	50-155 S
BOURASSA,M.D.	9605280279	50-155 S
BOUWENS,M.R.	9605280210*	40-2253
BOWERMAN,B.	9605130115	NUREG
BOWLING,M.L.	9605020393	50-280 R
BOWLING,M.L.	9605060212	50-280 R
BOWLING,M.L.	9605070010	50-338 R
BOWLING,M.L.	9605160347	50-338 R
BOWLING,M.L.	9605200177	50-280 F
BOWLING,M.L.	9605200379	50-280 F
BOWLING,M.L.	9605200391	50-280 R
BOWLING,M.L.	9605200401	I&E
BOWLING,M.L.	9605230035	50-338 Q
BOWLING,M.L.	9605300139	50-338 F
BOWMAN,B.	9605030243	40-3453
BOWMAN,M.E.	9605240123*	50-317 P
BOYCE,R.W.	9605020242	50-352 S
BOYCE,R.W.	9605020253	50-352 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BOYCE,R.W.	9605280119	50-352 S
BOYCE,T.H.	9605150239	52-1
BOYD,L.W.	9605140228*	XPORTLIC
BOYD,L.W.	9605140276	XPORTLIC
BOYLE,R.W.	9605090024	71-*****
BRACHET,Y.	9605090029*	71-*****
BRADFORD,D.	9605150473	40-3453
BRADY,P.W.	9605010102*	50-387 P
BRADY,P.W.	9605010107*	50-387 P
BRADY,P.W.	9605010126*	50-387 P
BRADY,R.J.	9605200345	ORG
BRAMBLETT,G.C.	9605240220*	70-734
BRANCH,M.W.	9605130401*	50-280 Q
BRANLUND,B.J.	9605070269*	50-416 P
BREEDEN,J.B.	9605070010	50-338 R
BRIDEAU,J.	9605130079	NUREG
BRIGGS,R.D.	9605300056*	50-390 Q
BRINKMAN,C.B.	9605300046	TOPREP
BRINKMAN,C.B.	9605300046	TOPREP
BRINKMAN,D.S.	9605020168	50-334 P
BRINKMAN,D.S.	9605060144	50-334 P
BRINKMAN,D.S.	9605060190	50-334 P
BRINKMAN,D.S.	9605100040	50-334 P
BRINKMAN,D.S.	9605100127	50-412 P
BRINKMAN,D.S.	9605130404	50-334 P
BRINKMAN,R.E.	9605130095*	FOIA
BRINKMAN,R.E.	9605130098*	FOIA
BRINKMAN,R.E.	9605130137*	FOIA
BRINKMAN,R.E.	9605130139*	FOIA
BRINKMAN,R.E.	9605130143*	FOIA
BRINKMAN,R.E.	9605130144*	FOIA
BRINKMAN,R.E.	9605130145*	FOIA
BRINKMAN,R.E.	9605130209*	FOIA
BRINKMAN,R.E.	9605130212*	FOIA
BRINKMAN,R.E.	9605130221*	FOIA
BRINKMAN,R.E.	9605130230*	FOIA
BRINKMAN,R.E.	9605130234*	FOIA
BRINKMAN,R.E.	9605130241*	FOIA
BRINKMAN,R.E.	9605130243*	FOIA
BRINKMAN,R.E.	9605130253*	FOIA
BRINKMAN,R.E.	9605200038*	FOIA
BRINKMAN,R.E.	9605200042*	FOIA
BRINKMAN,R.E.	9605200045*	FOIA
BRINKMAN,R.E.	9605200047*	FOIA
BRINKMAN,R.E.	9605200050*	FOIA
BRINKMAN,R.E.	9605200052*	FOIA
BRINKMAN,R.E.	9605200055*	FOIA
BRINKMAN,R.E.	9605200123*	FOIA
BRINKMAN,R.E.	9605200124*	FOIA
BRINKMAN,R.E.	9605200131*	FOIA
BRINKMAN,R.E.	9605200133*	FOIA
BRINKMAN,R.E.	9605200137*	FOIA
BRINKMAN,R.E.	9605200207*	FOIA
BRINKMAN,R.E.	9605200209*	FOIA
BRINKMAN,R.E.	9605200211*	FOIA
BROCK,S.	9605030055	40-3453
BROCKHOFF,C.S.	9605210333*	52-3
BROCOUM,S.J.	9605060253	WASTE MGT
BROCOUM,S.J.	9605080218	WASTE MGT
BROCOUM,S.J.	9605230139	WASTE MGT
BROCOUM,S.J.	9605240091	WASTE MGT
BROCOUM,S.J.	9605290201	WASTE MGT
BROCOUM,S.J.	9605290212	WASTE MGT
BRONS,J.C.	9605030344	50-10 W
BRONS,J.C.	9605140196	50-237 P
BROOKS,D.J.	9605310011*	WASTE MGT
BROTHER,M.H.	9605200455	50-423 S
BROTHERS,M.H.	9605090078	50-423 S
BROTHERS,M.H.	9605090084	50-423 R
BROTHERS,M.H.	9605090084	50-423 R
BROTHERS,M.H.	9605140311	50-423 S
BROTHERS,M.H.	9605140311	50-423 S
BROTHERS,M.H.	9605280253	50-423 S
BROTHERS,M.H.	9605280253	50-423 S
BROTHERS,M.H.	9605280270	50-423 S
BROTHERS,M.H.	9605280270	50-423 S
BROTT,N.K.	9605020087	50-255 F
BROWN,G.D.	9605150040*	70-310
BROWN,G.D.	9605160196*	70-310
BROWN,G.D.	9605160274*	70-310
BROWN,G.D.	9605160294*	70-310
BROWN,G.D.	9605160312*	70-310
BROWN,G.D.	9605160383*	70-310
BROWN,G.D.	9605170059*	FOIA
BROWN,G.D.	9605220127*	FOIA
BROWN,G.D.	9605220145*	FOIA
BROWN,G.D.	9605220178*	FOIA
BROWN,G.D.	9605220259*	FOIA
BROWN,G.D.	9605220267*	70-310
BROWN,G.D.	9605220274*	FOIA
BROWN,G.D.	9605220394*	FOIA
BROWN,G.D.	9605230141*	FOIA
BROWN,J.	9605150176*	FOIA
BROWN,J.	9605210527	50-250 P
BROWN,J.F.	9605080010	CONTRACT
BROWN,J.M.	9605150192*	FOIA
BROWN,J.M.	9605160097*	FOIA
BROWN,J.M.	9605160340*	FOIA
BROWN,J.M.	9605200227*	FOIA
BROWN,K.D.	9605130135	NUREG
BROWN,K.D.	9605170500	I&E
BROWN,K.D.	9605210148	I&E
BROWN,N.	9605240084	50-289 F
BROWN,R.C.	9605170342*	50-245 P
BROWN,R.M.	9605060071	50-390 S
BROX,C.	9605020326	40-3453
BROX,D.	9605020312	40-3453
BRUNET,J.J.	9605310245	50-255 F
BRUNET,J.R.	9605070065	50-255 F
BRUNET,J.R.	9605070083	50-255 F
BRUNET,J.R.	9605070166	50-255 F
BRUNET,J.R.	9605070168	50-255 F
BRUNET,J.R.	9605070173	50-255 F
BRUNET,J.R.	9605070368	50-255 F
BRUNET,J.R.	9605070374	50-255 F
BRUNET,J.R.	9605070376	50-255 F
BRUNET,J.R.	9605070377	50-255 F
BRUNET,J.R.	9605070378	50-255 F
BRUNET,J.R.	9605070380	50-255 F
BRUNET,J.R.	9605240231	50-255 F
BRUNET,J.R.	9605240237	50-255 F
BRUNET,J.R.	9605240240	50-255 F
BRUNET,J.R.	9605310205	50-255 F
BRUNET,R.R.	9605310242	50-255 F
BRUNNER,E.J.	9604230198*	FOIA
BRUNNER,E.J.	9604240044*	FOIA
BRYCE,J.H.	9605310158	NUREG
BUCHANAN,B.	9605030294	40-3453
BUCHANAN,C.R.	9605200128*	FOIA
BUCHANAN,C.R.	9605200213*	FOIA
BUCK,J.D.	9605160048	40-7982
BUCKLEY,B.C.	9605030279	50-280 P
BUCKLEY,B.C.	9605240174	50-338 P
BUDDICK,C.K.	9605200197*	70-310
BUILDER,C.H.	9605200134*	FOIA
BUNN,D.E.	9605130328	STATE PRO G
BUNN,D.E.	9605140060	STATE PRO G
BUNTE,B.	9605310072*	50-237 P
BURDICK,T.M.	9605060324	50-263 V
BURDICK,T.M.	9605140491	50-155 V
BURDICK,T.M.	9605160095	50-237 V
BURDICK,T.M.	9605280134	50-254 V
BURGESS,B.	9605280278	50-456 Q
BURGESS,M.L.	9605140182*	STATE PRO G
BURKE,W.F.	9605310163	NUREG
BURKETT,E.L.	8903130408*	FOIA
BURNETT,J.	9605100087	40-3453
BURR,T.K.	9507060257*	ORG
BURR,T.K.	9507060257*	ORG
BURRASTOM,L.	9605060018	40-3453
BUSCHBAUM,D.E.	9605140163	50-445 S
BUSH,L.L.	9605230182	PR
BUSH,L.L.	9605300190	PR
BUSH,M.C.	9605170505	FOIA
BUSH,M.C.	9605170512	FOIA
BUSSLER,M.L.	9605290179	QA999
BUTCHER,R.	9605200299*	50-302 Q
BUTLER,F.G.	9605010074*	50-387 P
BUTLER,F.G.	9605010118*	50-387 P
BUTTERFLY,O.	9605100093	40-3453
BYKOSKI,L.M.	9605060043*	40-6940
BYRAM,R.G.	9605010057	50-387 P
BYRAM,R.G.	9605020010	50-387 R
BYRAM,R.G.	9605020190	50-387 P
BYRAM,R.G.	9605060336	50-387 F
BYRAM,R.G.	9605130316	50-387 Q
BYRAM,R.G.	9605140395	50-388 Q
BYRAM,R.G.	9605170039	50-387 Q
BYRAM,R.G.	9605210003	50-387 R
BYRAM,R.G.	9605240019	50-387 Q
BYRAM,R.G.	9605280242	50-388 P
BYRD,D.E.	9605010024	40-3453
BYRD,D.E.	9605030178	40-3453
BYRD,D.E.	9605060112	40-3453
CADREY,D.	9605170004	XPORTLIC
CADREY,D.	9605170012	70-1252
CAHILL,W.J.	9605020092	50-286 P
CAHILL,W.J.	9605020093*	50-286 P
CAHILL,W.J.	9605020205	50-333 P
CAHILL,W.J.	9605020267	50-333 P
CAHILL,W.J.	9605070276	50-333 P
CAHILL,W.J.	9605070280*	50-333 P
CAHILL,W.J.	9605070301	50-333 P
CAHILL,W.J.	9605160488	50-286 J
CAHILL,W.J.	9605200456	50-333 Q
CAHILL,W.J.	9605220123	50-286 P
CAHILL,W.J.	9605230048	50-333 P
CAHILL,W.J.	9605230050*	50-333 P
CAIN,C.	9605030001	I&E
CAIN,C.	9605070139	I&E
CAIN,C.	9605210138	I&E
CAIN,C.	9605210166	40-8502
CAIN,C.	9605220415	I&E
CAIN,C.L.	8304120393*	FOIA
CAIN,C.L.	8403260033*	FOIA
CAIN,C.L.	8506110636*	FOIA
CAIN,C.L.	8603070514*	FOIA
CAIN,C.L.	8709140314*	FOIA
CAIN,C.L.	8709280338*	FOIA
CAIN,C.L.	8907100243*	FOIA
CAIN,C.L.	8909080101*	FOIA
CAIN,C.L.	9004200032*	FOIA
CAIN,C.L.	9112170149*	FOIA
CAIN,C.L.	9201290217*	FOIA
CAIN,C.L.	9605170387*	FOIA
CAIN,C.L.	9605220030*	FOIA
CALDWELL,J.	9605130055	50-254 S
CALFA,J.P.	9605060342*	50-293 S
CALFA,J.P.	9605240065	50-293 S
CALLAN,L.J.	9112170238*	FOIA
CALLAN,L.J.	9605060347	50-498 Q
CALLAN,L.J.	9605130156*	COMMISSIO N
CALLAN,L.J.	9605210476	50-416 Q
CALLAN,L.J.	9605290073	70-1257
CALLOWAY,A.A.	9605020083	50-255 F
CALVERT,J.	9605150068*	50-271 Q
CAMPBELL,C.	9605100059	40-3453
CAMPBELL,C.A.	9605070072*	50-270 Q
CAMPBELL,J.	9605100070	40-3453
CAMPBELL,V.H.	9008170248*	FOIA
CAMPBELL,V.H.	9202130152*	FOIA
CAMPBELL,V.H.	9605170206*	FOIA
CAMPBELL,V.H.	9605220180*	FOIA
CAMPBELL,W.R.	9605060088	50-324 Q
CAMPBELL,W.R.	9605170073	50-324 Q
CAMPBELL,W.R.	9605280158	50-324 V
CAMPER,L.W.	9605130124*	ORG
CAMPER,L.W.	9605140025*	STATE PRO G
CAMPER,L.W.	9605140199*	STATE PRO G
CAMPER,L.W.	9605140239*	STATE PRO G
CAMPITELLI,A.T.	9605090150	40-9027
CAMPLIN,W.	9605280198	70-27
CAMPLIN,W.F.	9605030289	70-27
CAMPLIN,W.F.	9605030292	70-27
CANIANO,R.	9605300006	50-266 S
CANIANO,R.	9605310243	50-266 S
CANNON,R.L.	9605150416	50-293 R
CANT,G.	9605280255	I&E
CANT,G.	9605280271	I&E
CANTLON,J.E.	9605230175	WASTE MGT
CANTON,L.G.	9605080177*	50-219 F
CAPHTON,D.L.	9604230198*	FOIA
CAPHTON,E.J.	9604240044*	FOIA
CAPRA,R.A.	9605070239	50-454 Q
CARBONARO,J.	9605130115	NUREG
CARFAGO,S.	9605130115	NUREG
CARLSON,B.	9605140222	PRM
CARLSON,R.T.	9604160256*	FOIA
CARLSON,R.W.	9605010068*	71-250
CARNS,N.S.	9605010123	50-482 I
CARNS,N.S.	9605030236	50-482 J
CARPENTER,C.E.	9605010124	TOPREP
CARPENTER,C.E.	9605300207	TOPREP
CARR,C.W.	9605300038	70-1201
CARRICO,J.B.	9605210401*	FOIA
CARROLL,G.	9605130058	50-160 T
CARROLL,G.	9605170134	STATE PRO G
CARROLL,R.E.	9605230174	50-370 S
CARTER,J.	9605030164	50-413 R
CARTER,J.G.	9605100067	40-3453
CASADEI,A.L.	9605310138*	TOPREP
CASAMASSA,G.P.	9605100073	40-3453
CASE,M.J.	9605140424	ORG
CASEY,K.E.	9605160193*	50-390 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CASEY,K.E.	9605160202*	50-390 Q
CASEY,L.	9605030308	40-3453
CASSEY,K.E.	9605300056*	50-390 Q
CASTELL,C.A.	9605100195	50-266 S
CASTO,C.A.	9605100047*	50-390 Q
CATCHPOLE,T.W.	9605020077	50-302 S
CATCHPOLE,T.W.	9605070313	50-302 S
CATCHPOLE,T.W.	9605200140	50-302 S
CATCHPOLE,T.W.	9605200463	50-302 S
CATHER,S.M.	9605020328	40-3453
CATRON,N.	9605300025	50-259 F
CATTON,I.	9605200496	ACRS
CATTON,I.	9605210052	ACRS
CAYETANO,B.J.	9605150003	STATE PRO G
CECILIA,L.V.	9605280263	50-302 S
CHACON,B.	9605020233	40-3453
CHAFFEE,A.E.	9604300087	TOPREP
CHAFFEE,A.E.	9605300181	I&E
CHALMERS,D.	9605060189	40-3453
CHAMBERLAIN,D.	9605070139	I&E
CHANZY,Y.	9605090029*	71-*****
CHAPLIN,S.	9605310228	50-400 S
CHAPMAN,K.R.	9605210050*	FOIA
CHAPMAN,K.R.	9605210060*	FOIA
CHAPMAN,K.R.	9605210067*	FOIA
CHAPMAN,K.R.	9605220329*	FOIA
CHAPMAN,P.W.	9605290042	50-458 S
CHAPPELL,C.R.	9605030246	71-9269
CHAPPELL,C.R.	9605060073	71-9269
CHAPPELL,C.R.	9605130024	71-5957
CHAPPELL,C.R.	9605150301	71-9150
CHAPPELL,C.R.	9605150303	71-9011
CHAPPELL,C.R.	9605150305	71-5950
CHAPPELL,C.R.	9605150308	71-5450
CHAPPELL,C.R.	9605150310	71-9027
CHAPPELL,C.R.	9605150393	71-9208
CHAPPELL,C.R.	9605150404	71-5740
CHAPPELL,C.R.	9605150419	71-5450
CHAPPELL,C.R.	9605150422	71-9032
CHAPPELL,C.R.	9605240141	71-9081
CHAPPELL,C.R.	9605240162	71-5059
CHAPPELL,C.R.	9605240165	71-9233
CHAPPELL,C.R.	9605280008	71-9242
CHAPPELL,C.R.	9605310098	71-9027
CHAPPELL,C.R.	9605310107	71-9269
CHAPUT,W.	9605150334*	71-438
CHASE,G.	9605070310	40-8452
CHASE,G.	9605070310	40-8452
CHASE,G.	9605140304	40-8452
CHASE,G.	9605140304	40-8452
CHATTEN,R.E.	9605290184	CONTRACT
CHATTEN,R.E.	9605290188	CONTRACT
CHAUBARD,M.A.	9605300232	50-286 F
CHAVEZ,N.	9605030024	40-3453
CHAWAGA,D.I.	9605160363	STATE PRO G
CHEATHAM,C.	9605220342*	FOIA
CHEATHAM,O.	9605130153*	FOIA
CHEATHAM,O.	9605130257*	FOIA
CHEATHAM,O.C.	9605130227*	FOIA
CHEATHAM,O.C.	9605130233*	FOIA
CHEATHAM,O.C.	9605130237*	FOIA
CHEATHAM,O.C.	9605130246*	FOIA
CHEATHAM,O.C.	9605130252*	FOIA
CHEATHAM,O.C.	9605130254*	FOIA
CHEATHAM,O.C.	9605130262*	FOIA
CHEATHAM,O.C.	9605140070*	70-310
CHEATHAM,O.C.	9605150023*	70-310
CHEATHAM,O.C.	9605150079*	70-310
CHEATHAM,O.C.	9605150217*	70-310
CHEATHAM,O.C.	9605150264*	70-310
CHEATHAM,O.C.	9605150268*	70-310
CHEATHAM,O.C.	9605150275*	70-310
CHEATHAM,O.C.	9605150281*	70-310
CHEATHAM,O.C.	9605150291*	70-310
CHEATHAM,O.C.	9605150323*	70-310
CHEATHAM,O.C.	9605150342*	70-310
CHEATHAM,O.C.	9605160190*	70-310
CHEATHAM,O.C.	9605160214*	70-310
CHEATHAM,O.C.	9605160241*	70-310
CHEATHAM,O.C.	9605220069*	FOIA
CHEATHAM,O.C.	9605220073*	FOIA
CHEATHAM,O.C.	9605220086*	FOIA
CHEATHAM,O.C.	9605220087*	FOIA
CHEATHAM,O.C.	9605220103*	FOIA
CHEATHAM,O.C.	9605220112*	70-310
CHEATHAM,O.C.	9605220118*	FOIA
CHEATHAM,O.C.	9605220136*	FOIA
CHEATHAM,O.C.	9605220158*	FOIA
CHEATHAM,O.C.	9605220169*	FOIA
CHEATHAM,O.C.	9605220232*	FOIA
CHEATHAM,O.C.	9605220239*	FOIA
CHEATHAM,O.C.	9605220240*	FOIA
CHEATHAM,O.C.	9605220253*	FOIA
CHEATHAM,O.C.	9605220260*	70-310
CHEATHAM,O.C.	9605220264*	FOIA
CHEATHAM,O.C.	9605220268*	FOIA
CHEATHAM,O.C.	9605220359*	FOIA
CHEATHAM,O.C.	9605230108*	FOIA
CHEETHAM,O.C.	9605130214*	70-310
CHERB,J.H.	9605150240	50-73 F
CHILK,S.J.	9605020361*	70-2071
CHOPRA,O.K.	9605310163	NUREG
CHOWDHURY,A.H.	9605170412	WASTE MGT
CHOWDHURY,A.H.	9605170420*	WASTE MGT
CHRISTENSEN,M.	9605070208*	50-285 F
CHRISTIAN,D.A.	9605200389	50-281 S
CHRISTIANA,D.	9605310077*	50-237 P
CHRISTIE,R.L.	9605020007	40-3453
CHRISTNOT,E.F.	9605140329*	50-321 Q
CHU,C.L.	9605070269*	50-416 P
CHURAMPI,J.H.	9605150462	40-3453
CIALKOWSKI,M.J.	9605140115	50-373 R
CINWAY,F.M.	9605240068*	WASTE MGT
CIOCCA,C.F.	9605220058*	50-272 P
CITTA,J.L.	9605100083	50-298 R
CLARK,C.R.	9603110033*	50-271 P
CLARK,K.	9605100092	40-3453
CLARY,J.R.	9605160104	CONTRACT
CLAYTON,B.	9605130055	50-254 S
CLAYTON,B.	9605140462*	50-461 Q
CLAYTON,Q.	9605290014*	50-285 F
CLAYTON,Q.	9605290235*	50-285 F
CLEVELAND,R.S.	9605220417*	FOIA
CLEVELAND,R.S.	9605220438*	FOIA
CLIFFORD,J.W.	9605020255	50-397 P
CLIFFORD,J.W.	9605020388	50-397 P
CLIFFORD,J.W.	9605160335	50-397 P
CLIFFORD,J.W.	9605160339*	50-397 P
CLINE,W.E.	9605130136*	FOIA
CLONINGER,T.H.	9605070260	50-498 P
CLONINGER,T.H.	9605140080	50-498 Q
CLONINGER,T.H.	9605200460	50-498 P
CLOUD,R.H.	8812150211*	FOIA
CLOUD,R.H.	9605130117*	FOIA
CLOUD,R.H.	9605170245*	FOIA
COATES,J.	9605060037	40-3453
CODY,W.R.	9605020232*	50-334 R
COHEN,S.	9605210110	CONTRACT
COHEN,W.S.	9605310185*	50-309 H
COLBURN,T.G.	9605310101	50-397 P
COLEMAN,D.E.	9605200281	50-220 R
COLEMAN,J.	9605070192*	50-461 I
COLEMEN,N.	9605070123	WASTE MGT
COLEY,W.E.	9605200309	50-275 R
COLFORD,C.	9605290203*	XPORTLIC
COLINA,I.R.	9605170445	CONTRACT
COLINA,I.R.	9605280037	CONTRACT
COLLINGHAM,R.	9605090269*	TOPREP
COLLINGS,S.P.	9605080200	40-8943
COLLINS,D.J.	9605100154	STATE PRO G
COLLINS,D.J.	9605200294	STATE PRO G
COLLINS,D.J.	9605200305*	STATE PRO G
COLLINS,D.M.	9605130068	50-160 T
COLLINS,S.C.	9605130038	STATE PRO G
COLLINS,S.C.	9605290228	STATE PRO G
COLOMB,M.J.	9605070154	50-333 R
COLOMB,M.J.	9605140278	50-333 R
COLOMB,M.J.	9605150074	50-333 Q
COMBS,F.	9605150163*	FOIA
COMBS,F.	9605150174*	FOIA
COMES,L.	9605130079	NUREG
COMFORT,G.C.	9605070335	PROJ
CONABLE,C.M.	9605010108	CONTRACT
CONDREY,D.	9605030341	XPORTLIC
CONDREY,D.	9605170310	70-1252
CONGEL,F.J.	9605020220	CONTRACT
CONGEL,F.J.	9605170196	STATE PRO G
CONLEY,D.T.	9605020365	50-261 I
CONNAUGHTON,K.	9605160501*	50-263 P
CONNELL,W.	9605070205	50-461 P
CONNELL,W.	9605070295	50-461 S
CONNELL,W.	9605070306	50-461 S
CONNELL,W.	9605160033	50-461 S
CONNELL,W.	9605230188	50-461 S
CONTE,R.	9605170054	50-293 Q
CONTE,R.	9605170064*	50-293 Q
CONTE,R.J.	9605060337	50-220 Q
CONTE,R.J.	9605150058	50-271 Q
CONTE,R.J.	9605150063*	50-271 Q
CONTE,R.J.	9605170129	50-271 Q
CONTE,R.J.	9605280029	50-293 Q
CONWAY,J.T.	9605030284*	50-220 F
CONWAY,J.T.	9605060011	50-220 R
CONWAY,J.T.	9605070226	50-410 R
CONWAY,J.T.	9605170190	50-410 S
CONWAY,J.T.	9605200274	50-410 R
CONWAY,J.T.	9605200408	50-410 S
COOK,J.F.	9507060257*	ORG
COOK,J.F.	9604180387	ORG
COOL,D.A.	9601040145*	STATE PRO G
COOL,D.A.	9605070355	ORG
COOL,D.A.	9605100053	ORG
COOL,D.A.	9605130242*	STATE PRO G
COOL,D.A.	9605170021	STATE PRO G
COOL,D.A.	9605220019	50-3 Q
COOLEY,F.J.	9605210431	STATE PRO G
COOPER,C.	9605060210*	50-255 P
COOPER,K.S.	9605060332	71-746
COOPER,R.W.	9605060031	50-271 P
COOPER,R.W.	9605060244	50-244 Q
COOPER,R.W.	9605070026	50-410 Q
COOPER,R.W.	9605070106	50-354 Q
COOPER,R.W.	9605160136	50-247 Q
COOPER,R.W.	9605170318	50-334 Q
COPELAND,R.A.	9605090089	TOPREP
COPELAND,R.A.	9605090268	TOPREP
COPELAND,R.A.	9605170518	TOPREP
COPELAND,R.A.	9605210377	TOPREP
CORDES,J.F.	9605300034	SECY
CORREIA,R.	9605080251	REVIEW GR P
COSTELLO,F.	9605170513	I&E
COSTELLO,F.	9605230126	I&E
COSTELLO,F.M.	9605060291	STATE PRO G
COSTELLO,F.M.	9605200269	STATE PRO G
COSTELLO,F.M.	9605200278*	STATE PRO G
COSTELLO,F.M.	9605240112	70-3021
COTTER,B.P.	9605240043	50-424 G
COTTER,B.P.	9605240046	MISC
COTTON,K.R.	9605030220	50-333 Q
COTTON,K.R.	9605170389	50-333 P
COTTON,K.R.	9605170392*	50-333 P
COWGILL,C.J.	9605060341	50-286 Q
COWGILL,C.J.	9605070001	50-286 Q
COWGILL,C.J.	9605130304	50-333 Q
COWGILL,C.J.	9605130313*	50-333 Q
COWGILL,C.J.	9605280016	50-286 Q
COWGILL,C.J.	9605280021*	50-286 Q
COWGILL,C.J.	9605300184	50-247 Q
COWGILL,C.J.	9605300191*	50-247 Q
COX,T.	9605280072*	70-143
COX,T.H.	9605210448	70-143
CRAFT,F.R.	9605020268	40-8903
CRAGNOLINO,G.	9605100257	WASTE MGT
CRAIG,K.	9605090238	40-9027
CRAIG,K.R.	9605060226	I&E
CRANDALL-RAD,R.	9605030149*	50-213 R
CRANE,K.L.	9605100071	50-369 P
CRANE,K.L.	9605230165	50-369 P
CRANFORD,G.F.	9605010083	ORG
CRANFORD,G.F.	9605010088	ORG
CRANFORD,G.F.	9605010092	ORG
CRANFORD,G.F.	9605010095*	ORG
CRANFORD,G.F.	9605010097*	ORG
CRANFORD,G.F.	9605010100	ORG
CRANFORD,G.F.	9605020116	ORG
CRANFORD,G.F.	9605020128*	ORG
CRANFORD,G.F.	9605030052	ORG
CRANFORD,G.F.	9605030057*	ORG
CRANFORD,G.F.	9605210383	ORG
CRANFORD,G.F.	9605210387*	ORG
CRANFORD,G.F.	9605210388	ORG
CRANFORD,G.F.	9605210398*	ORG
CRANFORD,G.F.	9605210435	ORG
CRANFORD,G.F.	9605210456	ORG
CRANFORD,G.F.	9605210460*	ORG
CREED,J.R.	9605030388	50-440 F
CREED,J.R.	9605100049	50-255 F
CREED,J.R.	9605100066	50-10 F
CREED,J.R.	9605160205	50-331 F
CREED,J.R.	9605170264	50-373 F
CREED,J.R.	9605240122	50-295 F
CRESSWELL,C.	9605020109	40-3453
CRESSWELL,J.M.	9605060101	40-3453
CRITCHFIELD,J.	9605070098*	50-302 I

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
CRLENJAK,R.V.	9605140267	50-269	Q	DALTON,N.	9605150262	40-3453		DICUS,G.J.	9605060211	COMMISSION	
CRLENJAK,R.V.	9605140289*	50-269	Q	DALTON,R.	9605030157	40-3453		DICUS,G.J.	9605200350	COMMISSION	
CRLENJAK,R.V.	9605140386	50-413	Q	DAMMERMAN,D.D.	9605220361*	50-18	I	DICUS,G.J.	9605200441	COMMISSION	
CRLENJAK,R.V.	9605140405*	50-413	Q	DANDOIS,D.B.	9605030142	70-1113		DIPROFIO,W.A.	9605030079	50-443	F
CRLENJAK,R.V.	9605200245	50-369	Q	DANDOIS,D.B.	9605080238	40-8724		DIPROFIO,W.A.	9605030096	50-443	R
CRONEBERGER,D.	9605100231	PROJ		DANDOIS,D.B.	9605160357	40-8724		DIPROFIO,W.A.	9605070248	50-443	R
CROTEAU,R.P.	9605170503	50-250	P	DANIELS,J.C	9605090107	40-8778		DIPROFIO,W.A.	9605140147	50-443	R
CROUCH,D.B.	9605060185	40-8584		DANIELS,T.	9605020188	40-3453		DIPROFIO,W.A.	9605230072	50-443	V
CROUCH,D.B.	9605060185	40-8584		DANKMYER,B.K.	9605150332	40-8794		DISTEL,D.J.	9605140478	50-219	S
CROW,W.T.	9605160300*	70-310		DAO,T.V.	9605170487	50-302	R	DIXON,C.	9605030129	40-3453	
CROW,W.T.	9605200265*	40-8035		DARBY,J.	9605130079	NUREG		DIXON,P.R.	9605060262*	WASTE MGT	
CROW,W.T.	9605200413*	FOIA		DARBY,J.L.	9605310065*	50-483	P	DOBELBOWER,C.	9605300053*	70-7002	
CROW,W.T.	9605210353*	40-8035		DARDEN,T.H.	9605130033	I&E		DOBELBOWER,M.	9605300057*	70-7002	
CRUCE,C.	9605310216	71-422		DATTA,A.	9605280072*	70-143		DOBELBOWER,M.	9605300059*	70-7002	
CRUCE,C.	9605310221	71-422		DAVENPORT,J.W.	9605220370	50-259	R	DOBELBOWER,M.	9605300060*	70-7002	
CRUSE,C.H.	9605090013	50-317	P	DAVID,B.	9605220150*	FOIA		DOBELBOWER,M.	9605300061*	70-7002	
CRUSE,C.H.	9605090193	50-317	P	DAVIDSON,D.I.	9605060326	50-133	G	DOBELBOWER,M.C.	9605300062*	70-7002	
CRUSE,C.H.	9605090198*	50-317	P	DAVIDSON,G.R.	9605160291	50-295	F	DODD,C.J.	9605140237*	50-321	P
CRUSE,C.H.	9605170082	50-317	Q	DAVIS,A.B.	9605200170*	FOIA		DOERFLEIN,L.T.	9605060333	50-317	Q
CRUSE,C.H.	9605170537	50-317	P	DAVIS,B.	9605220143*	FOIA		DOERFLEIN,L.T.	9605170142	50-244	Q
CRUSE,C.H.	9605210535	50-317	P	DAVIS,B.	9605220156*	FOIA		DOERFLEIN,L.T.	9605170158*	50-244	Q
CRUSE,C.H.	9605240101	50-317	P	DAVIS,B.	9605220163*	FOIA		DOERFLEIN,L.T.	9605280027	50-317	F
CRUSE,C.H.	9605310002	50-317	P	DAVIS,B.	9605220177*	FOIA		DOMINGUEZ,M.	9605160279*	FOIA	
CRUTCHFIELD,D.	9605010177	50-3	W	DAVIS,B.	9605220192*	FOIA		DOMINGUEZ,M.	9605170137*	FOIA	
CRUTCHFIELD,D.	9605030007	ORG		DAVIS,B.	9605220310*	FOIA		DONAHUE,J.W.	9605020155	50-400	S
CULLEN,W.K.	9605070084*	50-305	P	DAVIS,B.	9605220312*	FOIA		DONAHUE,J.W.	9605160282	50-400	R
CUNNINGHAM,G.	9605150240	50-73	F	DAVIS,B.	9605220319*	FOIA		DONAHUE,J.W.	9605210247	50-400	S
CUNNINGHAM,G.E.	9605010120	50-18	R	DAVIS,B.K.	9605220046*	FOIA		DONAHUE,J.W.	9605300093	50-400	S
CUNNINGHAM,G.E.	9605010157	50-183	R	DAVIS,B.K.	9605220080*	FOIA		DONAHUE,J.W.	9605310228	50-400	S
CUNNINGHAM,G.E.	9605010199	50-70	R	DAVIS,E.B.	9605100218*	50-305	I	DONE,K.P.	9605200404*	40-8584	
CUNNINGHAM,L.J.	9605230001	50-424	F	DAVIS,J.	8801060042*	FOIA		DONNELLY,P.M.	9605100034	50-155	R
CUOCO,L.M.	9605290158	50-245	P	DAVIS,J.	8801280620*	FOIA		DONNELLY,P.M.	9605130206	50-155	Q
CURRAN,D.	9605160076	40-8027		DAVIS,J.	9003120529*	FOIA		DONNELLY,P.M.	9605160018	50-155	Q
CURRAN,D.	9605160076	40-8027		DAVIS,J.G.	9605220266*	FOIA		DONNELLY,P.M.	9605170298	50-155	P
CURRAN,D.	9605160076	40-8027		DAY,B.L.	9605030087	40-3453		DONNELLY,P.M.	9605280279	50-155	S
CURRAN,D.	9605210180	40-8027		DAY,D.B.	9605030333	40-3453		DONOHEW,J.	9605090226	50-416	P
CURRAN,D.	9605210180	40-8027		DAY,L.	9605010042	40-3453		DONOHEW,J.N.	9605210424	50-416	P
CURRAN,M.A.	9605030351	PR		DAY,L.	9605030080	40-3453		DONOHEW,J.N.	9605290112	50-416	P
CURTISS,J.	9605030181	40-8907		DAY,L.	9605030207	40-3453		DONOHEW,J.N.	9605300154	50-416	P
CUTHBERTSON,T.W	9605300035*	71-*****		DAY,L.	9605030333	40-3453		DONOHEW,J.N.	9605310055	50-416	P
CWALINA,G.C.	9605070277	QA999		DAY,R.	9605020032	40-3453		DONOVAN,K.P.	9605030169	I&E	
CWALINA,G.C.	9605150160	QA999		DE AGAZIO,A.W.	9605090170	50-443	P	DONOVAN,K.P.	9605140379	TOPREP	
CWALINA,G.C.	9605160226*	52-4		DEAL,W.N.	9605010090	40-8681		DOORN,P.K.	9605140417*	50-390	Q
CWALINA,G.C.	9605230148	QA999		DEAN,R.J.	9605060085	50-410	S	DORIAN,T.F.	8206300436*	70-310	
CWALINA,G.C.	9605230157*	QA999		DEANGELIS,K.	9605010107*	50-387	P	DORMAN,D.H.	9605020276	50-271	P
CWALINA,G.C.	9605300166	QA999		DEASY,B.J.	9605100072	CONTRACT		DORMAN,D.H.	9605070171	50-271	P
CWALINA,G.C.	9605300186	QA999		DEBARBA,E.A.	9605290189	50-423	P	DORMAN,D.H.	9605170201	50-271	S
CYGAN,J.	9605200364	50-295	R	DEBARBA,E.A.	9605290189	50-423	P	DORMAN,D.H.	9605280070	50-271	P
D'AQUILA,D.M.	9605300030*	70-7002		DEBERNARDO	9605220005	50-213	S	DOROSHUK,B.W.	9605240108*	50-317	P
DACIMO,F.R.	9605030051	50-423	Q	DEBSRBA,E.A.	9605070024*	50-213	Q	DOROSHUK,B.W.	9605240109*	50-317	P
DACIMO,F.R.	9605030051	50-423	Q	DEGNER,C.	9605030160	40-3453		DOROSHUK,B.W.	9605240110*	50-317	P
DACIMO,F.R.	9605030066	50-423	P	DEITZ,J.H.	9605140206	CONTRACT		DOROSHUK,B.W.	9605240111*	50-317	P
DACIMO,F.R.	9605030066	50-423	P	DELANEY,J.C.	9605130297*	70-310		DOROSHUK,B.W.	9605240115*	50-317	P
DACIMO,F.R.	9605030134	50-213	R	DELANEY,J.C.	9605130302*	70-310		DOROSHUK,B.W.	9605240119*	50-317	P
DACIMO,F.R.	9605030134	50-213	R	DELANEY,J.C.	9605130306*	70-310		DOROSHUK,B.W.	9605240121*	50-317	P
DACIMO,F.R.	9605030134	50-213	R	DELANEY,J.C.	9605130322*	70-310		DOROSHUK,B.W.	9605240123*	50-317	P
DACIMO,F.R.	9605030136	50-245	R	DELANEY,J.C.	9605130332*	70-310		DOROSHUK,B.W.	9605240124*	50-317	P
DACIMO,F.R.	9605060300	50-245	P	DELANEY,J.C.	9605130337*	70-310		DOROSHUK,B.W.	9605240129*	50-317	P
DACIMO,F.R.	9605060300	50-245	P	DELANEY,J.C.	9605130339*	70-310		DOROSHUK,B.W.	9605240134*	50-317	P
DACIMO,F.R.	9605070054	50-336	P	DELLIGATTI,M.S.	9605240138	71-9261		DORSEY,B.E.	9605020395*	50-280	R
DACIMO,F.R.	9605070054	50-336	P	DEMARK,W.E.	9605140301	50-461	R	DOTY,M.	9605030239*	50-440	P
DACIMO,F.R.	9605090081	50-245	P	DEMBEK,S.	9605020047	50-336	P	DOWD,J.	9605020176	40-3453	
DACIMO,F.R.	9605090081	50-245	P	DEMBEK,S.	9605140254	50-245	P	DOWLATI,R.	9605130147	52-4	
DACIMO,F.R.	9605130451	50-336	P	DENIO,L.L.	9605150077	72-1		DOWNARD,R.	9605020206	40-3453	
DACIMO,F.R.	9605130451	50-336	P	DENIO,L.L.	9605310241	72-1		DOYLE,J.F.	9605130119*	50-309	P
DACIMO,F.R.	9605140106	50-245	P	DERIEUX,J.R.	9605170411	50-348	I	DRAGER,E.	9605140198*	50-331	I
DACIMO,F.R.	9605140106	50-245	P	DERIEUX,J.R.	9605170423*	50-348	I	DRAWBRIDGE,B.L.	9605140293	50-443	P
DACIMO,F.R.	9605140274	50-213	Q	DERNER,C.J.	9605290066*	50-483	P	DRESSEN,J.D.	9605060201	50-305	S
DACIMO,F.R.	9605140274	50-213	Q	DESCHAMPS,F.	9007130092*	FOIA		DREYER,E.W.	9605070010	50-338	R
DACIMO,F.R.	9605140274	50-213	Q	DETAMORE,M.B.	9605010079*	50-387	P	DROGIN,A.M.	9605100076	40-3453	
DACIMO,F.R.	9605140274	50-213	Q	DETAMORE,M.B.	9605010096*	50-387	P	DROMERICK,A.W.	9605160204	50-317	P
DACIMO,F.R.	9605140287	50-245	P	DEWEASE,J.G.	9605060308	50-313	P	DROMERICK,A.W.	9605160382	50-317	Q
DACIMO,F.R.	9605140287	50-245	P	DEWEASE,J.G.	9605070286	50-313	P	DUBINSKI,L.	9605130376*	70-310	
DACIMO,F.R.	9605140347	50-213	F	DEWEASE,J.G.	9605210025	50-313	P	DUBINSKI,L.	9605130380*	70-310	
DACIMO,F.R.	9605140347	50-213	F	DEWEASE,J.G.	9605210107	50-313	P	DUBINSKI,L.	9605150009*	70-261	
DACIMO,F.R.	9605170085	50-213	P	DEYOUNG,R.C.	8012310243*	FOIA		DUBINSKI,L.	9605220193*	FOIA	
DACIMO,F.R.	9605170085	50-213	P	DHILLINHLAW,F.	9605080026*	50-266	H	DUDLEY,R.F.	9605150261	50-312	W
DACIMO,F.R.	9605200367	50-213	R	DIBELLO,D.J.	9605240134*	50-317	P	DUFFY,J.J.	9605010115	50-271	P
DACIMO,F.R.	9605200492	50-245	P	DIBIASIO,A.M.	9507060257*	ORG		DUFFY,J.J.	9605020015	50-271	R
DACIMO,F.R.	9605200492	50-245	P	DICHARRY,R.D.	9605280050	71-102		DUGSTAD,D.	9605140308	50-282	R
DACIMO,F.R.	9605210365	50-245	F	DICK,G.F.	9605240156	50-454	P	DULL,D.	9605020266	40-3453	
DACIMO,F.R.	9605210365	50-245	F	DICK,G.F.	9605280274	50-10	F	DULL,D.	9605030039	40-3453	
DACIMO,F.R.	9605220428	50-245	R	DICKEN,M.	9605060032	40-3453		DULL,T.	9605020202	40-3453	
DACIMO,F.R.	9605220428	50-245	R	DICKERSON,L.	9605060029	40-3453		DUNCAN,S.M.	9605060017	40-8027	
DAHL,G.	9605070265	50-247	S	DICKERSON,T.	9605030150	40-3453		DUNCAN,S.M.	9605060017	40-8027	
DAHLBERG,K.A.	9605030293*	50-220	F	DICKSTEIN,C.	9605170280*	50-309	H	DUNCAN,S.M.	9605130109	40-8027	
DALTON,D.	9605060150	40-3453		DICUS,G.J.	9605020134	COMMISSION		DUNCAN,S.M.	9605130109	40-8027	
DALTON,G.	9605100056	40-3453		DICUS,G.J.	9605060208	COMMISSION		DUNCAN,W.L.	9605030218	50-133	G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DUNCAN,W.L.	9605060237	50-133 G
DUNN,D.	9605310016	WASTE MGT
DUNN,D.P.	9605010112*	50-387 P
DUNN,R.	9605020097	40-3453
DURAN,P.	9605020295	40-3453
DURBIN,N.	9605220322	NUREG
DURR,J.	9605070002	50-245 Q
DURR,J.	9605070104	50-336 Q
DURR,J.	9605210017	50-245 Q
DURR,J.P.	9605070160	50-245 Q
DURR,J.P.	9605170164	50-336 Q
DYER,J.E.	9605010014	50-445 Q
DYER,J.E.	9605030350	50-498 Q
DYER,J.E.	9605030367	50-416 Q
DYER,J.E.	9605060274	50-498 Q
DYER,J.E.	9605070052	50-528 Q
DYER,J.E.	9605080037	50-458 Q
DYER,J.E.	9605100038	50-416 Q
DYER,J.E.	9605150044	50-397 P
DYER,J.E.	9605150131	50-397 Q
DYER,J.E.	9605150371	50-483 Q
DYER,J.E.	9605200002	50-382 P
DYER,J.E.	9605200378	50-483 Q
DYER,J.E.	9605200387	50-498 Q
DYER,J.E.	9605220283	50-285 Q
DYER,J.E.	9605220434	50-482 Q
DYER,J.E.	9605280208	50-275 Q
DYER,J.E.	9605280225	50-298 P
DYER,J.E.	9605280243	50-458 Q
DYER,J.E.	9605290089	50-445 Q
DYER,J.E.	9605290117	50-382 Q
DYER,J.E.	9605290125	50-313 Q
DYER,J.E.	9605290200	50-482 Q
DYER,J.E.	9605290215	50-482 Q
DYER,J.E.	9605310025	50-382 Q
DYER,J.E.	9605310035	50-285 Q
DYER,J.E.	9605310083	50-361 Q
EARDLEY,M.	9605030306	40-3453
EARLS,C.E.	9605030137	50-317 R
EATON,J.H.	9605300033	REVIEW GR P
EATON,R.B.	9605020364	50-293 P
EBNETER,S.D.	9605100009	50-395 Q
EBNETER,S.D.	9605140262	50-400 Q
EBNETER,S.D.	9605140400	50-269 Q
EBNETER,S.D.	9605200343	50-369 Q
EBNETER,S.D.	9605280066	70-143
EDELMANN,P.G.	9605210452	50-219 R
EDGAR,J.B.	9605010055	71-3
EDGAR,J.B.	9605080103	70-1257
EDGAR,J.B.	9605090244	71-9248
EDGAR,J.B.	9605280155	XPORTLIC
EDGE,R.	9605150279	WASTE MGT
EDLOW,J.	9605080044*	ORG
EDWARDS,G.D.	9605140451	50-278 S
EDWARDS,G.D.	9605230101	50-277 S
EDWARDS,J.L.	9605060265	40-3453
EDWARDS,T.G.	9605210105*	50-395 I
EGAN,D.M.	9605210452	50-219 R
EGELOND,L.	9605060110	40-3453
EISENBERG,N.A.	9605290190	WASTE MGT
ELLIG,C.E.	9605220006*	FOIA
ELLIOTT,W.L.	9605300056*	50-390 Q
ELLIS,B.	9605160176*	50-245 P
ELLIS,D.	9605020203	40-3453
ELLIS,D.W.	9605160155	50-293 S
ELLIS,D.W.	9605280291	50-293 S
ELLIS,J.H.	9605060066*	40-8027
ELLIS,J.H.	9605230047	40-8027
ELLIS,L.	9605020320	40-3453
ELLIS,W.B.	9605160263*	50-245 P
EMBREE,D.G.	9605200397	50-397 R
EMCH,R.L.	9605070318	PROJ
EMMONS,K.W.	9605200367	50-213 R
ENGER,N.L.	9605290216*	CONTRACT
ENGER,N.L.	9605290226*	CONTRACT
ENGSTROM,C.	9605060137	40-3453
ERESIAN,W.J.	9605070223*	50-134 V
ERICKSON,D.L.	9605020395*	50-280 R
ESELGROTH,P.W.	9605280013	50-334 Q
ESSIG,T.H.	9605150265	REVIEW GR P
EUBANK,T.	9605200309	50-275 R
EVANS,A.L.	9605210116	50-160 G
EVANS,A.L.	9605210122*	50-160 G
EVANS,D.M.	9605020040	40-3453
EVANS,R.	9605060119	40-3453
EVERETT,J.	9605130410*	FOIA
EVERETT,R.J.	8508080503*	FOIA
EVERETT,R.J.	9003260231*	FOIA
EVERETT,R.J.	9004130008*	FOIA
EVERETT,R.J.	9605130036*	FOIA
EVERETT,R.J.	9605130405*	FOIA
EVERETT,R.J.	9605220159*	FOIA
EVERETT,R.J.	9605220167*	FOIA
EVERHART,D.	9605130050	I&E
EVERHART,D.B.	9605210148	I&E
EVERY,E.	9605030288	40-3453
EVES,C.S.	9605290047	40-8948
EVETT,J.M.	9605160283	WASTE MGT
EVETT,J.M.	9605160288	WASTE MGT
EVETT,J.M.	9605290248	WASTE MGT
EZZELL,P.F.	9605200219	50-302 R
FABRYKA-MARTIN	9605060262*	WASTE MGT
FAIRTILE,M.B.	9605170211	50-29 W
FARBER,M.	9605300006	50-266 S
FARBER,M.J.	9605280082	50-266 P
FARRAR,J.P.	9605220492	50-62 F
FAULKNER,M.	9605140265	50-483 F
FAWCETT,D.	9605290006	50-354 F
FEDERLINE,M.V.	9605010136	ORG
FEDERLINE,M.V.	9605160354	WASTE MGT
FEHRING,T.H.	9605090221	50-266 I
FEIGENBAUM,T.C.	9605240092	50-245 G
FEIGENBAUM,T.C.	9605240092	50-245 G
FEIGENBAUM,T.C.	9605280283	50-443 Q
FEIGENBAUM,T.C.	9605280283	50-443 Q
FELICE,J.R.	9605130256	STATE PRO G
FELICE,J.R.	9605130407	STATE PRO G
FELICE,J.R.	9605140069	STATE PRO G
FEMAN,J.E.	9605210108	FOIA
FENILI,R.M.	9605200361*	50-237 S
FERDINAND,B.	9605150130	40-8905
FEREN,T.S.	9605210513	50-237 S
FERGUSON,S.S.	9605130438*	STATE PRO G
FERRER,I.B.	9605200274	50-410 R
FERRILL,D.A.	9605240068*	WASTE MGT
FICI,J.A.	9605280093	70-1151
FIELD,I.	9605220322	NUREG
FIELDS,J.A.	9605310007	CONTRACT
FIELDS,J.A.	9605310009	CONTRACT
FIELDS,J.S.	9605020013*	50-387 R
FIELDS,M.B.	9605140066	50-361 P
FINLEY,R.E.	9605290206*	WASTE MGT
FIRLIT,J.	9605070192*	50-461 I
FISHER,W.L.	8610160053*	FOIA
FISHER,W.L.	8612190273*	FOIA
FISHER,W.L.	8810170250*	FOIA
FISHER,W.L.	8903230256*	FOIA
FISHER,W.L.	8904260410*	FOIA
FISHER,W.L.	8906150180*	FOIA
FISHER,W.L.	9107220123*	FOIA
FISHER,W.L.	9108230004*	FOIA
FISHER,W.L.	9605170284*	FOIA
FISHER,W.L.	9605200423*	FOIA
FISHER,W.L.	9605220037*	FOIA
FISHMAN,B.E.	9605170490*	70-135
FISICARO,J.J.	9605020141	50-382 P
FISICARO,J.J.	9605020163	50-382 F
FISICARO,J.J.	9605020182	50-382 R
FISICARO,J.J.	9605020298	50-382 R
FISICARO,J.J.	9605020317	50-458 F
FISICARO,J.J.	9605030062	50-382 Q
FISICARO,J.J.	9605060015	50-458 R
FISICARO,J.J.	9605080065	50-382 R
FISICARO,J.J.	9605140432	50-382 F
FISICARO,J.J.	9605140447	50-382 Q
FISICARO,J.J.	9605150389	50-382 Q
FISICARO,J.J.	9605150486	50-382 P
FISICARO,J.J.	9605170458	50-382 F
FISICARO,J.J.	9605200068	50-382 R
FISICARO,J.J.	9605280001	50-382 P
FISK,R.	9605030201*	XPORTLIC
FISK,R.H.	9605030189	XPORTLIC
FISK,R.H.	9605030205*	XPORTLIC
FITZPATRICK,E.	9605030339	50-316 P
FITZPATRICK,E.	9605130260	50-315 Q
FITZPATRICK,E.	9605140108	50-315 Q
FITZPATRICK,E.	9605240056	50-315 S
FITZPATRICK,E.	9605060344	50-315 Q
FITZSIMMONS,J.	9605160090*	40-7982
FLACK,E.D.	9605210426	70-27
FLACK,E.D.	9605210434	70-27
FLAGG,R.	9605140278	50-333 R
FLANDERS,S.C.	9605140346	50-317 P
FLANDERS,S.C.	9605300174	50-317 P
FLANNIGAN,R.D.	9605140327*	50-482 P
FLEISHMAN,S.	9605020369*	50-261 I
FLEMING,J.A.	9605170393*	PR
FLIEGEL,M.	9605010227	40-3453
FLIEGEL,M.	9605070338	40-3453
FLIEGEL,M.	9605290049	40-3453
FLORES,R.	9605140168	50-445 S
FLOYD,E.T.	9605070019*	50-445 R
FLOYD,S.D.	9605170278*	REVIEW GR P
FOERTCH,J.	9605090084	50-423 R
FONTANA,M.	9605210200	ACRS
FORGETTE,T.E.	9605300144	50-317 F
FORSLUND,C.	9605220322	NUREG
FORTIER,P.	9605090029*	71-*****
FOSNAUGHT,W.	9605200195	CONTRACT
FOSSEY,F.G.	9605090235	40-8084
FOSTER,W.W.	9605070114*	50-269 F
FOSTER,W.W.	9605080223*	50-269 F
FOX,E.F.	9605220244	NUREG
FOX,E.F.	9605310159	PROJ
FRANCIS,C.	9605060009	40-3453
FRANCIS,L.	9605060227	40-3453
FRANKO,M.J.	9605090148	40-6659
FRANZ,J.F.	9605030372	50-331 Q
FRANZ,J.F.	9605070267	50-331 P
FRANZ,J.F.	9605170252	50-331 Q
FRANZ,J.F.	9605170273	50-331 Q
FRAZEE,T.	9605140072*	STATE PRO G
FRAZEE,T.C.	9605280281	STATE PRO G
FREDRICKSON,P.	9605060256*	50-302 Q
FREDRICKSON,P.	9605060353	50-348 F
FREDRICKSON,P.	9605100033	50-250 Q
FREDRICKSON,P.	9605100035*	50-250 Q
FREDRICKSON,P.	9605100097	50-269 Q
FREDRICKSON,P.	9605100099*	50-269 Q
FREDRICKSON,P.	9605130068	50-160 T
FREDRICKSON,P.	9605140307*	50-261 Q
FREDRICKSON,P.	9605140317	50-348 Q
FREDRICKSON,P.	9605140490	50-338 Q
FREDRICKSON,P.	9605150030	50-327 Q
FREDRICKSON,P.	9605150036*	50-327 Q
FREDRICKSON,P.	9605150121	50-269 Q
FREDRICKSON,P.	9605150126*	50-269 Q
FREDRICKSON,P.	9605200257	50-280 Q
FREDRICKSON,P.	9605200264*	50-280 Q
FREELANN,K.B.	9605070305	CONTRACT
FREEMAN,C.	9605020408	40-3453
FREEMAN,C.	9605030294	40-3453
FREEMAN,C.C.	9605030089	40-3453
FREEMAN,C.C.	9605030115	40-3453
FREEMAN,C.C.	9605030178	40-3453
FREEMAN,D.S.	9605200068	50-382 R
FREUDENBERGER	9605140405*	50-413 Q
FREW,B.D.	9605070269*	50-416 P
FRIGERIO,N.A.	9605200156*	FOIA
FRIJOUF,J.A.	9605020172	50-302 S
FRIJOUF,J.A.	9605140381	50-302 S
FRIJOUF,J.A.	9605200090	50-302 S
FRIJOUF,J.A.	9605200126	50-302 S
FRIJOUF,J.A.	9605280277	50-302 S
FRISTAD,W.E.	9605090210*	40-8767
FRIZZLE,C.D.	9605170453	50-309 Q
FROEBRICH,A.	9605070284	50-286 S
FUJIMOTO,W.	9605310165	50-275 S
FUJIMOTO,W.H.	9605070016	50-275 R
FUJIMOTO,W.H.	9605070036	50-275 S
FUJIMOTO,W.H.	9605070043	50-275 R
FUJIMOTO,W.H.	9605070237	50-275 S
FUJIMOTO,W.H.	9605130196	50-275 S
FUJIMOTO,W.H.	9605170266	50-323 S
FUJIMOTO,W.H.	9605170285	50-275 S
FUJIMOTO,W.H.	9605200309	50-275 R
FUJIMOTO,W.H.	9605280005	50-323 S
FUJIMOTO,W.H.	9605310172	50-275 S
FULLER,B.N.	9605070181*	50-309 H
FULLER,D.W.	9605280226	50-445 F
FULLMER,L.	9605060024	40-3453
FULTON,J.D.	9605200080	50-528 R
FUNSTEN,H.O.	9605080198	71-850
FURMAN,C.L.	9605090267	40-3453
FYFITCH,S.	9605070072*	50-270 Q
FYFITCH,S.	9605070072*	50-270 Q
GAGNON,T.H.	9605020121*	TOPREP
GAINES,A.D.	8907100243*	FOIA
GAINES,A.D.	8909080101*	FOIA
GAINES,A.D.	8911060221*	FOIA
GAINES,A.D.	8911060224*	FOIA
GALEAZZI,D.D.	9605200148*	PT21
GALLAGHER,M.P.	9605150399	50-352 R
GALLAGHER,M.P.	9605240251	50-352 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GALLO,R.M.	9605020270	50-280 Q
GALLO,R.M.	9605020274*	50-280 Q
GALLO,R.M.	9605140088	QA999
GALLO,R.M.	9605160158	52-4
GALLO,R.M.	9605160226*	52-4
GALLO,R.M.	9605280071	50-220 Q
GALLO,R.M.	9605280090*	50-220 Q
GALLOWAY,J.H.	9605210066	50-160 G
GALVIN,T.M.	9605310163	NUREG
GAMBERONI,M.	9605010209	50-255 P
GAMBERONI,M.	9605020296	50-255 P
GAMBERONI,M.	9605100094	50-255 P
GANNON,F.B.	9605170435*	50-309 H
GANT,G.A.	9605020313*	50-302 I
GANT,K.	9605220374	NUREG
GARCIA,A.	9605100025	40-3453
GARCIA,A.	9605140098	WASTE MGT
GARCIA,E.	9605130043	I&E
GARDNER,P.A.	9605240251	50-352 P
GARDNER,R.N.	9605060251	50-461 P
GARDNER,R.N.	9605210286	50-409 W
GARDNER,R.N.	9605210305	50-346 P
GARDNER,R.N.	9605210394	50-331 P
GARDNER,R.N.	9605290105*	50-255 Q
GARDNER,R.N.	9605290154	50-255 P
GARDON,T.	9605060062	40-3453
GARROU,A.L.	9605030280	50-261 S
GARZA,I.	9605310074*	50-237 P
GATES,I.	9605030207	40-3453
GATES,I.	9605030308	40-3453
GATES,I.	9605030333	40-3453
GATES,W.G.	9605280265	50-285 P
GATES,W.G.	9605280269*	50-285 P
GATES,W.G.	9605290059	50-285 P
GATES,W.G.	9605290061*	50-285 P
GAVENDA,D.J.	9605310163	NUREG
GAVITT,S.M.	9605130151*	STATE PRO G
GEDNEY,E.A.	9605070043	50-275 R
GEER,T.C.	9605080224*	WASTE MGT
GENTILLON,C.D.	9605060314*	ORG
GEOFF,L.	9605030118	40-3453
GEWEHR,S.	9605010181*	50-269 P
GIARRUSSO,J.J.	9605200231	STATE PRO G
GIBSON,A.F.	9605060241	50-302 Q
GIBSON,A.F.	9605100042	50-390 Q
GIBSON,A.F.	9605130068	50-160 T
GIBSON,A.F.	9605140297	50-261 Q
GIBSON,A.F.	9605140443	50-413 Q
GIBSON,A.F.	9605140519	50-413 Q
GIBSON,M.H.	9605200360	40-8584
GILCHRIST,J.R.	9605310007	CONTRACT
GILCHRIST,J.R.	9605310009	CONTRACT
GILES,H.B.	9605210351*	50-341 R
GILLEN,D.M.	9605150144*	40-6622
GILLESPIE,F.P.	9605020142	NUREG
GIPSON,D.R.	9605020297	50-341 R
GIPSON,D.R.	9605060154	50-341 R
GIPSON,D.R.	9605090132	50-341 Q
GIPSON,D.R.	9605100229	50-341 P
GIPSON,D.R.	9605140494	50-341 Q
GIPSON,D.R.	9605150150	50-341 P
GIPSON,D.R.	9605230098	50-341 S
GIRDLEY,A.	9605240096*	WASTE MGT
GLEASON,J.	9605130115	NUREG
GLEASON,J.P.	9605160109	40-8027
GLEASON,J.P.	9605300065	50-424 G
GLEASON,T.E.	9605070008*	50-220 P
GLENN,J.	9605310210*	40-8948
GLENN,J.E.	9501250214*	FOIA
GLINES,W.M.	9605290202*	WASTE MGT
GLOERSEN,W.	9605280072*	70-143
GOLBABI,M.	9605210182*	50-528 P
GOLDBERG,J.R.	9605230176*	PRM
GOODMAN,L.S.	9605210237	50-341 F
GOODMAN,L.S.	9605210347	50-341 R
GORDON,C.	9605020137	I&E
GORDON,G.Z.	9605130170	STATE PRO G
GORDON,K.L.	9605060106	40-3453
GORDON,K.S.	9605020294	40-3453
GORE,P.S.	9605060097*	50-324 Q
GORMAN,T.A.	9605010074*	50-387 P
GORMAN,T.A.	9605010118*	50-387 P
GOSEKAMP,M.E.	9603110033*	50-271 P
GOVINDAPILLAI	9605170466	71-9242
GRABO,B.A.	9605130193*	50-528 S
GRABO,B.A.	9605280258	50-529 S
GRAESSER,K.L.	9605130150	50-454 P
GRAESSER,K.L.	9605140303	50-454 Q
GRAFELD,M.P.	9605210096*	FOIA
GRAHAM,B.	9605170465*	50-302 G
GRANT,G.E.	9605170242	50-237 Q
GRANT,G.E.	9605290104	50-255 Q
GRANT,G.M.	9605140503*	ORG
GRANT,T.	9605220322	NUREG
GRANTHAM,R.	9605030317	40-8943
GRAY,J.	9605280264	50-410 Q
GRAY,J.R.	9605220302	50-295 Q
GRAYSON,W.M.	9605230011*	FOIA
GRAYSON,W.M.	9605230018*	FOIA
GREEN,V.L.	9605020139	40-3453
GREENMAN,E.G.	9604240044*	FOIA
GREENWALD,J.M.	9605300071	40-9027
GREEVES,J.T.	9605020023	ORG
GREGG,H.I.	9605300153*	50-219 Q
GRESSETTE,L.M.	9605210115*	50-395 I
GRIMES,B.K.	9604260077	50-3 Q
GRIMES,B.K.	9605020119	50-3 Q
GRIMES,B.K.	9605080073	REVIEW GR P
GRIMES,B.K.	9605090038	52-3
GRIMES,B.K.	9605150209	50-3 Q
GRIMES,B.K.	9605160311	50-3 Q
GRIMES,B.K.	9605170020	52-2
GRIMES,B.K.	9605170068	REVIEW GR P
GRIMES,B.K.	9605170288	50-3 Q
GRIMES,B.K.	9605170477	ORG
GRIMES,B.K.	9605310038	52-3
GRIMES,C.I.	9605070303	PROJ
GRIMES,C.I.	9605090257	50-313 P
GRISEWOOD,J.	9605240084	50-289 F
GROBE,J.	9605310243	50-266 S
GROFF,J.M.	9605030030	40-3453
GROFF,W.J.	9605020192	40-3453
GROGAN,M.L.	9605020087	50-255 F
GROGAN,M.L.	9605060087*	50-255 R
GROVICH,F.	9605240254*	50-361 Q
GRUFF,R.	9605060117	40-3453
GUARRO,S.	9605130069	NUREG
GUIDICE,W.J.	9605300036	CONTRACT
GUINN,P.	9605160315*	70-310
GUINN,P.	9605170051*	70-310
GUINN,P.	9605170147*	FOIA
GUINN,P.R.	7912040174*	FOIA
GUINN,P.R.	8002290174*	FOIA
GUINN,P.R.	8012240203*	FOIA
GUINN,P.R.	9605130106*	FOIA
GUINN,P.R.	9605150186*	FOIA
GUINN,P.R.	9605160107*	FOIA
GUINN,P.R.	9605160341*	70-310
GUINN,P.R.	9605170035*	70-310
GUINN,P.R.	9605170075*	70-310
GUINN,P.R.	9605170076*	FOIA
GUINN,P.R.	9605170080*	FOIA
GUINN,P.R.	9605170103*	70-310
GUINN,P.R.	9605170109*	FOIA
GUINN,P.R.	9605170215*	FOIA
GUINN,P.R.	9605200235*	FOIA
GUINN,P.R.	9605210046*	FOIA
GUINN,P.R.	9605210358*	FOIA
GUINN,P.R.	9605210364*	FOIA
GUNDERSON,L.M.	9605060297	50-305 S
GUNDRUM,L.L.	9605080106	50-346 P
GUNN,R.A.	9605220340*	FOIA
GUTTERMAN,A.H.	9605060063	40-8027
GUTTERMAN,A.H.	9605060063	40-8027
GUTTERMAN,A.H.	9605300066	40-8027
GUTTERMAN,A.H.	9605300066	40-8027
GUTTMANN,H.	9605130079	NUREG
GUTTMANN,J.	9605130312	REVIEW GR P
GUTTMANN,J.	9605140241	REVIEW GR P
GWYNN,P.	9605230002	50-313 S
GWYNN,P.	9605280056	50-313 S
GWYNN,T.P.	9605030352	50-382 V
GWYNN,T.P.	9605060188	50-498 Q
GWYNN,T.P.	9605060284	50-528 F
GWYNN,T.P.	9605060290	50-482 Q
GWYNN,T.P.	9605070035	50-206 F
GWYNN,T.P.	9605070142	50-397 Q
GWYNN,T.P.	9605100169	50-416 V
GWYNN,T.P.	9605100172	50-382 V
GWYNN,T.P.	9605100173	50-397 V
GWYNN,T.P.	9605100180	50-458 V
GWYNN,T.P.	9605100181	50-275 V
GWYNN,T.P.	9605100183	50-285 V
GWYNN,T.P.	9605100187	50-445 V
GWYNN,T.P.	9605100190	50-298 V
GWYNN,T.P.	9605100193	50-361 V
GWYNN,T.P.	9605100196	50-498 V
GWYNN,T.P.	9605100200	50-482 V
GWYNN,T.P.	9605100208	50-528 V
GWYNN,T.P.	9605100227	50-313 V
GWYNN,T.P.	9605100234	50-483 V
GWYNN,T.P.	9605150041	50-482 F
GWYNN,T.P.	9605150047	50-382 F
GWYNN,T.P.	9605150075	50-498 P
GWYNN,T.P.	9605170274	50-458 Q
GWYNN,T.P.	9605200004	50-458 F
GWYNN,T.P.	9605200006	50-382 Q
GWYNN,T.P.	9605200276	50-313 F
GWYNN,T.P.	9605210483	50-275 Q
GWYNN,T.P.	9605220012	50-458 Q
GWYNN,T.P.	9605220285	50-498 Q
GWYNN,T.P.	9605220403	50-482 F
GWYNN,T.P.	9605230219	50-275 Q
GWYNN,T.P.	9605280116	50-275 Q
GWYNN,T.P.	9605290078	50-361 Q
GWYNN,T.P.	9605290185	50-498 P
GWYNN,T.P.	9605310061	50-482 Q
HAAB,L.D.	9605070188*	50-461 I
HAACK,E.J.	9605210497*	50-369 P
HAAS,P.M.	9604050389*	50-336 P
HACKNEY,C.	9605210138	I&E
HACKNEY,C.	9605220415	I&E
HACKNEY,C.A.	9605030001	I&E
HAFELE,W.	9605160399*	COMMISSIO N
HAGERS,J.	9605210226*	50-267 Y
HAGERS,J.	9605210251*	71-786
HAGERS,J.	9605220440	50-320 Y
HALL	9605020340	40-3453
HALL,C.M.	9605240068*	WASTE MGT
HALL,E.	9605300020	STATE PRO G
HALL,E.S.	9605030018	CONTRACT
HALL,J.M.	9605080127*	50-364 P
HALLISEY,R.M.	9605130029	STATE PRO G
HALSTEAD,R.D.	9605020264	40-3453
HAMBURG,M.A.	9605130400	STATE PRO G
HAMP,S.C.	9605300201	WASTE MGT
HAMPTON,J.W.	9605070069	50-270 Q
HAMPTON,J.W.	9605070109	50-269 F
HAMPTON,J.W.	9605080211	50-269 F
HAMPTON,J.W.	9605130416	50-269 P
HAMPTON,J.W.	9605130437	50-270 P
HAMPTON,J.W.	9605210368	50-270 S
HAMPTON,J.W.	9605220385	50-269 Q
HAMPTON,J.W.	9605300017	50-269 S
HAMRICK,J.S.	9605210542	40-299
HAN,J.T.	9605130147	52-4
HANDLER,R.	9605230156*	FOIA
HANEK,O.	9605170247	50-250 S
HANEY,C.	9605140091*	STATE PRO G
HANEY,P.	9605310008	40-3453
HANNA,D.	9605140136	50-324 F
HANNON,J.N.	9605030211	50-245 H
HANSEN,A.	9605220497	50-409 F
HANSEN,A.G.	9605280290	50-266 P
HANSEN,N.A.	9605020157	50-206 R
HANSEN,W.	9605020065	40-3453
HARDGROVE,T.W.	9605210536	40-2259
HARDGROVE,T.W.	9605220099	40-2259
HARDGROVE,T.W.	9605310012	40-6622
HARDY,M.J.	9605020404	40-3453
HARE,J.	9605170396	50-313 F
HARE,J.	9605170403	50-313 F
HARE,J.	9605170409	50-313 F
HARLIN,C.L.	9605090066	40-8027
HARMON,P.E.	9605140289*	50-269 Q
HAROLD,J.F.	9605100024	50-247 P
HAROLD,J.F.	9605170496	50-247 P
HARRELL,P.H.	9605030370*	50-416 Q
HARRELL,P.H.	9605280256*	50-458 Q
HARRELL,P.H.	9605290124*	50-382 Q
HARRELL,R.H.	9605310030*	50-382 Q
HARRIS,E.B.	9605170436*	50-348 I
HARRIS,G.	9605280284	50-341 Q
HARRIS,J.C.	9605140470*	50-272 F
HARRIS,J.C.	9605140474*	50-272 F
HARRIS,J.C.	9605220292	50-272 F
HARRIS,T.E.	9605070140	27-47
HARRIS,T.E.	9605130394	27-47
HARRIS,T.E.	9605160376	27-47
HARRIS,T.E.	9605170522	27-47
HARRIS,T.E.	9605170532	27-47
HARRIS,T.E.	9605230116	27-47
HARRIS,T.E.	9605310143	27-48
HARRISON,F.	9605200261	50-324 R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HARRISON,H.C.	7906010180*	FOIA
HARRISON,H.C.	9605150215*	FOIA
HARTTRAFT,G.	9605170479	50-219 S
HARVEY,R.C.	9605150111*	50-309 P
HASSLER,D.V.	9605060301	50-272 S
HASSLER,D.V.	9605140388	50-272 S
HASSLSER,D.V.	9605300126	50-272 S
HATCH,T.R.	9605240108*	50-317 P
HATCH,T.R.	9605240109*	50-317 P
HAUBER,R.D.	9605010080	XPORTLIC
HAUBER,R.D.	9605010093	XPORTLIC
HAUBER,R.D.	9605010147	XPORTLIC
HAUBER,R.D.	9605010152*	XPORTLIC
HAUBER,R.D.	9605010190	XPORTLIC
HAUBER,R.D.	9605020044	70-1257
HAUBER,R.D.	9605030193	XPORTLIC
HAUBER,R.D.	9605030197	XPORTLIC
HAUBER,R.D.	9605130086	XPORTLIC
HAUBER,R.D.	9605140220	XPORTLIC
HAUBER,R.D.	9605140270	XPORTLIC
HAUBER,R.D.	9605140284	XPORTLIC
HAUBER,R.D.	9605200007	XPORTLIC
HAUBER,R.D.	9605200032	XPORTLIC
HAUBER,R.D.	9605200111	XPORTLIC
HAUBER,R.D.	9605290199	XPORTLIC
HAUBER,R.D.	9605290217	XPORTLIC
HAUBER,R.D.	9605290231	XPORTLIC
HAUBER,R.D.	9605290237	XPORTLIC
HAUBER,R.D.	9605290238	XPORTLIC
HAUBER,R.D.	9605300021	XPORTLIC
HAUBER,R.D.	9605300024	XPORTLIC
HAUBER,R.D.	9605300027*	XPORTLIC
HAUBER,R.D.	9605300040	XPORTLIC
HAUBER,R.D.	9605300108	XPORTLIC
HAUBER,R.D.	9605300158	XPORTLIC
HAUTH,J.	9605220322	NUREG
HAVEN,R.C.	9605070126*	50-302 I
HAWKINS,G.	9605020330	40-3453
HAWKINS,J.	9605020333	40-3453
HAWKINS,S.	9605020315	40-3453
HAWKS,B.A.	9605020213	40-3453
HAWKS,K.	9605030135	40-3453
HAY,T.D.	9605130370	STATE PRO G
HAYES,J.	9605030182	40-3453
HAYES,J.K.	9605030294	40-3453
HAYWOOD,F.F.	9605200100*	FOIA
HAZLE,A.J.	9605220284*	FOIA
HEARD,L.L.	7908230271*	FOIA
HEARD,L.L.	8004020081*	FOIA
HEARD,L.L.	8010030020*	FOIA
HEARD,L.L.	8010070204*	FOIA
HEARD,L.L.	8011260039*	FOIA
HEARD,L.L.	8102230147*	FOIA
HEARD,L.L.	9605200229*	FOIA
HEARD,L.L.	9605200233*	FOIA
HEARD,L.L.	9605200236*	FOIA
HEARD,L.L.	9605200238*	FOIA
HEARD,L.L.	9605210057*	FOIA
HEBDON,F.J.	9605010306*	50-327 P
HEBDON,F.J.	9605020226*	50-302 P
HEBDON,F.J.	9605150148	50-259 P
HEBDON,F.J.	9605170314	50-327 Q
HEBDON,F.J.	9605220183	50-302 P
HEBERT,J.R.	9605030056	50-309 Q
HEBERT,J.R.	9605030234	50-309 R
HEBERT,J.R.	9605060065	50-309 Q
HEBERT,J.R.	9605140211	50-309 S
HEBERT,J.R.	9605150104	50-309 P
HEBERT,J.R.	9605200959	50-309 F
HECHT,H.	9605280026	CONTRACT
HEGARTY,J.M.	9605230170	CONTRACT
HEHL,C.W.	9605060250	70-1100
HEHR,W.	9605030168	XPORTLIC
HEHR,W.	9605130005	XPORTLIC
HEHR,W.	9605170304	XPORTLIC
HEHR,W.	9605280152	XPORTLIC
HEISHMAN,R.F.	9604170121*	FOIA
HEITT,E.	9605020229	40-3453
HELLER,R.	9605210322	50-272 R
HELLER,R.	9605210392	50-311 R
HELLSTROM,G.W.	9605310128	40-8989
HEMMING,R.	9605130323	STATE PRO G
HENDERSON,P.J.	9605170500	I&E
HENRICKS,D.R.	9605150399	50-352 R
HERBERT,J.R.	9605200432	50-309 R
HERNAN,R.W.	9605030184	50-289 P
HERNAN,R.W.	9605170087	50-289 F
HERNAN,R.W.	9605300221	50-327 S
HERRON,J.T.	9605130152	50-298 S
HERRON,J.T.	9605140200	50-298 S
HERRON,J.T.	9605210447	50-298 R
HEWETT,C.E.	9605020014*	50-309 P
HEYSEK,W.G.	9605200407	50-289 R
HICKEY,J.A.	9605140093	50-251 S
HICKEY,J.W.	8410310353*	FOIA
HICKEY,J.W.	9605130129*	FOIA
HICKEY,J.W.	9605160091*	FOIA
HICKEY,J.W.	9605170066*	FOIA
HICKEY,J.W.	9605200016*	FOIA
HICKEY,J.W.	9605210404*	FOIA
HICKLE,B.J.	9605020077	50-302 S
HICKLE,B.J.	9605020172	50-302 S
HICKLE,B.J.	9605020265	50-302 S
HICKLE,B.J.	9605070313	50-302 S
HICKLE,B.J.	9605140381	50-302 S
HICKLE,B.J.	9605200090	50-302 S
HICKLE,B.J.	9605200126	50-302 S
HICKLE,B.J.	9605200140	50-302 S
HICKLE,B.J.	9605200463	50-302 S
HICKLE,B.J.	9605280263	50-302 S
HICKLE,B.J.	9605280277	50-302 S
HICKMAN,J.B.	9605090123	50-316 P
HICKMAN,J.B.	9605090127*	50-316 P
HICKS,G.D.	9605140169	50-324 P
HICKS,G.D.	9605200153	50-324 P
HICKS,G.D.	9605200261	50-324 R
HICKS,G.D.	9605280149	50-324 Q
HILAND,P.	9605210159	50-249 S
HILAND,P.	9605300009	50-249 S
HILAND,P.L.	9605290156	50-10 Q
HILAND,P.L.	9605290171*	50-10 Q
HILL,M.	9605030004	40-3453
HILL,R.D.	9605140101	50-364 S
HILL,R.D.	9605290088	50-364 S
HILL,R.L.	9605200348	50-498 R
HILL,T.E.	9605130411	STATE PRO G
HILL,T.E.	9605160125*	STATE PRO G
HILL,T.E.	9605160146*	COMMISSIO N
HILL,W.	9605140492	50-263 S
HILL,W.J.	9605140102	50-263 Q
HILL,W.J.	9605200437	50-263 P
HILL,W.J.	9605200447	50-263 S
HILL,W.J.	9605200453	50-263 P
HILL,W.J.	9605280275	50-263 P
HILL,W.J.	9605310147	50-263 Q
HILL,Y.	9605030008	40-3453
HILLS,R.G.	9605220418	NUREG
HIND,J.A.	9605210005*	40-17
HINTZ,D.C.	9605060235	50-313 P
HODGDON,A.P.	9605300063	MISC
HODGDON,A.P.	9605300068	MISC
HODGES,K.A.	9605280280*	WASTE MGT
HOFFMAN,B.J.	9605130158*	STATE PRO G
HOFFMAN,G.L.	9605310014*	40-6622
HOFT,N.	9605290196	CONTRACT
HOFT,N.	9605300044	CONTRACT
HOGG,R.	9605070322	40-7580
HOLAHAN,G.M.	9112100143*	ORG
HOLAHAN,G.M.	9605090251	ORG
HOLAHAN,G.M.	9605140422	TOPREP
HOLAHAN,P.K.	9605130124*	ORG
HOLBROOK,B.L.	9605140329*	50-321 Q
HOLDEN,D.W.	9605030286	XPORTLIC
HOLDEN,J.J.	9605200474	50-272 R
HOLLAND,W.E.	9605140061*	50-327 Q
HOLLER,E.	9605210094	70-3070
HOLLOMON,T.J.	9605220003	50-327 R
HOLLOWAY,W.W.	9605020037	40-3453
HOLM,R.L.	9605060355	50-151 S
HOLM,R.L.	9605210293	50-151 P
HOLM,R.L.	9605210300*	50-151 P
HOLMES,J.	9605060108	50-458 R
HOLMES,M.A.	9605140309	50-483 R
HOLONICH,J.J.	9605020009	WASTE MGT
HOLONICH,J.J.	9605020021	WASTE MGT
HOLONICH,J.J.	9605020089	WASTE MGT
HOLONICH,J.J.	9605020107	WASTE MGT
HOLONICH,J.J.	9605020108	WASTE MGT
HOLONICH,J.J.	9605020140	WASTE MGT
HOLONICH,J.J.	9605070177	WASTE MGT
HOLONICH,J.J.	9605070201	40-8907
HOLONICH,J.J.	9605070212*	40-8907
HOLONICH,J.J.	9605080025	WASTE MGT
HOLONICH,J.J.	9605080034	WASTE MGT
HOLONICH,J.J.	9605080142	40-8857
HOLONICH,J.J.	9605080147*	40-8857
HOLONICH,J.J.	9605080192	40-8681
HOLONICH,J.J.	9605090135	40-8698
HOLONICH,J.J.	9605090162*	40-8698
HOLONICH,J.J.	9605130215	40-8902
HOLONICH,J.J.	9605130270	40-8905
HOLONICH,J.J.	9605130291	40-8584
HOLONICH,J.J.	9605130301	40-8502
HOLONICH,J.J.	9605130308	40-8907
HOLONICH,J.J.	9605150133	40-6622
HOLONICH,J.J.	9605150137*	40-6622
HOLONICH,J.J.	9605150141	40-6622
HOLONICH,J.J.	9605150297	40-6622
HOLONICH,J.J.	9605150298*	40-6622
HOLONICH,J.J.	9605150378	WASTE MGT
HOLONICH,J.J.	9605160408	40-6659
HOLONICH,J.J.	9605160420*	40-6659
HOLONICH,J.J.	9605240148	40-6659
HOLONICH,J.J.	9605240149*	40-6659
HOLONICH,J.J.	9605290076	40-6659
HOLOVICH,J.J.	9605310171	40-6659
HOLSOPPLE,K.L.	9605210532	40-6940
HOLSOPPLE,K.L.	9605210534	40-6940
HOLT,B.J.	9605160280	70-2801
HOLYOAK,D.	9605020346	40-3453
HOLYOAK,J.	9605020311	40-3453
HOLYOAK,M.	9605030207	40-3453
HOM,S.R.	9605060041	40-8027
HOM,S.R.	9605130109	40-8027
HOOD,D.S.	9605130415	50-220 P
HOOD,D.S.	9605230221	50-220 F
HOOKER,C.A.	8309020319*	FOIA
HOOKS,K.	9605070210*	40-8907
HOOKS,K.	9605090017*	40-8907
HOOPER,G.L.	9605140295	50-424 R
HOPF,J.E.	9605070346*	72-1007
HOPF,J.E.	9605070348*	72-1007
HOPKINS,J.	9605210159	50-249 S
HOPKINS,J.	9605300009	50-249 S
HOPKINS,J.B.	9605020299	50-346 H
HOPKINS,J.B.	9605070198	50-440 P
HOPKINS,J.B.	9605070349	50-440 P
HOPKINS,J.B.	9605080029	50-440 P
HOPKINS,J.B.	9605080032*	50-440 P
HOPKINS,J.B.	9605090138	50-440 P
HOPKINS,J.B.	9605090140*	50-440 P
HOPKINS,J.B.	9605230167	50-440 F
HOPKINS,J.B.	9605240132	50-440 P
HOPKINS,J.B.	9605240163	50-440 P
HOPKINS,P.C.	9605200298*	50-424 Q
HOPPER,G.T.	9605100064*	50-302 V
HORN,G.R.	9605140436	50-298 Q
HORN,G.R.	9605280097	50-298 Q
HORNER,J.	9605300022	I&E
HORTON,D.G.	9605130163	WASTE MGT
HORTON,D.G.	9605130164*	WASTE MGT
HORTON,D.G.	9605130169	WASTE MGT
HORTON,D.G.	9605130173*	WASTE MGT
HORTON,D.G.	9605140120	WASTE MGT
HORTON,D.G.	9605160056	WASTE MGT
HORTON,D.G.	9605160065*	WASTE MGT
HORTON,D.G.	9605240042	WASTE MGT
HORTON,D.G.	9605240071	WASTE MGT
HORTON,D.G.	9605240074*	WASTE MGT
HORTON,D.G.	9605240077	WASTE MGT
HORTON,D.G.	9605240081*	WASTE MGT
HORTON,D.G.	9605280197	WASTE MGT
HORTON,D.G.	9605280200*	WASTE MGT
HORTON,D.G.	9605280205	WASTE MGT
HORTON,D.G.	9605280206*	WASTE MGT
HORTON,D.G.	9605280276	WASTE MGT
HORTON,D.G.	9605280280*	WASTE MGT
HORTON,D.G.	9605310103	WASTE MGT
HORTON,D.G.	9605310109*	WASTE MGT
HOSEY,C.M.	9605100016	STATE PRO G
HOSEY,C.M.	9605100100	STATE PRO G
HOSEY,C.M.	9605140208*	STATE PRO G
HOSMER,J.B.	9605070341	50-454 P
HOSMER,J.B.	9605100155	50-254 P
HOSMER,J.B.	9605100164	50-237 P
HOSMER,J.B.	9605160276	50-237 Q
HOSMER,J.B.	9605310060	50-237 P
HOSTETLER,J.	9605070107*	50-302 I
HOTCHKISS,M.W.	9605240110*	50-317 P
HOU,C.K.	9605060209	MISC
HOULIHAN,J.	9605070316*	50-344 S
HOUSE,J.E.	9605010029*	40-*****
HOUSE,W.B.	9604120151	27-47
HOVEY,R.J.	9605030119	50-250 F

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOVEY,R.J.	9605030192	50-250 S
HOVEY,R.J.	9605070247	50-251 Q
HOVEY,R.J.	9605100199	50-250 P
HOVEY,R.J.	9605140093	50-251 S
HOVEY,R.J.	9605140363	50-250 P
HOVEY,R.J.	9605170034	50-250 Q
HOVEY,R.J.	9605170223	50-250 P
HOVEY,R.J.	9605170247	50-250 S
HOVEY,R.J.	9605170254	50-250 P
HOVEY,R.J.	9605170504	50-250 R
HOWARD,E.M.	9604170121*	FOIA
HOWARD,E.M.	9605160231*	70-310
HOWARD,E.M.	9605160240*	70-310
HOWARD,E.M.	9605220255*	70-310
HOWARD,E.M.	9605220257*	FOIA
HOWARD,E.M.	9605220258*	70-310
HOWARD,E.M.	9605220261*	70-310
HOWELL,L.	9605210166	40-8502
HOWELL,L.L.	9605060249	40-8681
HOWELL,L.L.	9605170475*	40-3453
HOWELL,L.L.	9605230215*	STATE PRO G
HOWELL,L.L.	9605280215*	40-8943
HOYLE,J.C.	9605020115	10CFR
HOYLE,J.C.	9605080045*	ORG
HOYLE,J.C.	9605100152	10CFR
HOYLE,J.C.	9605150400*	STATE PRO G
HOYLE,J.C.	9605160303	PR
HOYLE,J.C.	9605160366	10CFR
HOYLE,J.C.	9605160434	PR
HOYLE,J.C.	9605170043*	STATE PRO G
HOYLE,J.C.	9605170422	10CFR
HOYLE,J.C.	9605200352	50-10 W
HOYLE,J.C.	9605200375	10CFR
HOYLE,J.C.	9605200429	10CFR
HOYLE,J.C.	9605210093	50-412 G
HOYLE,J.C.	9605210252	50-456 G
HOYLE,J.C.	9605210498	PRM
HOYLE,J.C.	9605210499	10CFR
HOYLE,J.C.	9605210505	PR
HOYLE,J.C.	9605240032	MISC
HOYLE,J.C.	9605240050	50-424 G
HOYLE,J.C.	9605300048	10CFR
HRABAL,C.A.	9605290027	70-27
HSIEH,C.S.	9605030229	50-259 S
HSIEH,C.S.	9605090164	50-259 S
HSIEH,C.S.	9605280266	50-260 S
HSIUNG,S.	9605170420*	WASTE MGT
HSU,K.R.	9605070354*	50-454 P
HUABER,R.D.	9605010114	XPORTLIC
HUBERMAN,B.	9605210078*	FOIA
HUCIK,S.A.	9605060072	52-4
HUDSON,I.R.	9605220436*	50-245 R
HUDSON,I.R.	9605220443*	50-245 R
HUDSPETH,J.	9605070176	50-348 F
HUDSPETH,J.B.	9605100255	50-348 F
HUEBNER,L.G.	9605010009*	50-263 R
HUEBNER,L.G.	9605030148*	50-305 R
HUETER,L.	9605140041*	STATE PRO G
HUFFMAN,L.	9605060047*	40-6940
HUFFMAN,W.C.	9605020144	52-3
HUFFMAN,W.C.	9605030014	52-3
HUFFMAN,W.C.	9605030296	52-3
HUFFMAN,W.C.	9605060170	52-3
HUFFMAN,W.C.	9605080087	52-3
HUFFMAN,W.C.	9605080092	52-3
HUFFMAN,W.C.	9605170258	52-3
HUFFMAN,W.C.	9605220295	52-3
HUFFMAN,W.C.	9605230184	52-3
HUFFMAN,W.C.	9605240185	52-3
HUFFMAN,W.C.	9605280285	52-3
HUFFMAN,W.C.	9605290024	52-3
HUFFMAN,W.C.	9605290043	52-3
HUFFMAN,W.C.	9605300123	52-3
HUGHEY,C.A.	9605100138*	70-27
HULTGREN,R.O.	9605130420	STATE PRO G
HULTGREN,R.O.	9605130427	STATE PRO G
HUMPHRIES,C.A.	9605280200*	WASTE MGT
HUNGER,G.A.	9605060164	I&E
HUNGER,G.A.	9605070233	50-277 F
HUNGER,G.A.	9605130445	50-277 P
HUNGER,G.A.	9605140217	50-352 P
HUNGER,G.A.	9605140394	50-352 P
HUNGER,G.A.	9605160267	50-277 P
HUNGER,G.A.	9605170262	50-277 Q
HUNGER,G.A.	9605280107	50-352 P
HUNGER,G.A.	9605280115	50-352 P
HUNGER,G.A.	9605280164	50-277 F
HUNT,V.	9605020120	40-3453
HUSTON,D.S.	9605280254	50-456 S
HUTCHINSON,C.	9605100201	50-416 P
HUTCHINSON,C.	9605170063	50-416 Q
HUTCHINSON,C.	9605280038	50-416 Q
HUTCHINSON,C.R.	9605070242	50-416 Q
HUTCHINSON,C.R.	9605140139	50-416 P
HUTCHINSON,C.R.	9605140281	50-416 R
HUTCHINSON,C.R.	9605140302	50-416 P
HUTCHINSON,C.R.	9605170125	50-416 Q
HUTCHINSON,C.R.	9605170424	50-416 P
HUTCHINSON,C.R.	9605210384	50-416 Q
HYDER,J.E.	9605150292*	70-310
HYDER,J.E.	9605150312*	70-310
HYDER,J.E.	9605150314*	70-310
HYDER,J.E.	9605150346*	70-310
HYDER,J.E.	9605150350*	70-310
HYDER,J.E.	9605220078*	70-310
HYDER,J.E.	9605220095*	FOIA
HYDER,J.E.	9605220106*	FOIA
HYDER,J.E.	9605220108*	FOIA
HYDRICK,L.P.	9605200258	50-277 R
HYMAN,J.	9605140223	STATE PRO G
IMBRO,E.V.	9605020224	50-335 P
IMBRO,E.V.	9605030283*	50-280 P
IMBRO,E.V.	9605170050*	50-395 P
IMBRO,E.V.	9605220036	50-324 P
IMBRO,E.V.	9605240175	50-324 Q
INGRAM,R.K.	9605070076	NUREG
ISHII,M.	9605130147	52-4
ISRAEL,S.	9605020336*	50-245 P
JABBOUR,K.N.	9605200001	50-321 S
JABBOUR,K.N.	9605240183	50-321 P
JABBOUR,K.N.	9605280227	50-321 P
JACKSON,D.A.	9605140095	ORG
JACKSON,D.T.	9605020223	52-3
JACKSON,D.T.	9605020300	52-3
JACKSON,D.T.	9605020332	52-3
JACKSON,D.T.	9605060214	52-3
JACKSON,D.T.	9605060230	52-3
JACKSON,D.T.	9605150228	PROJ
JACKSON,D.T.	9605170117	52-3
JACKSON,D.T.	9605290025	52-3
JACKSON,D.T.	9605300189	PROJ
JACKSON,E.T.	9605060239	52-3
JACKSON,G.	8410310357*	FOIA
JACKSON,G.	8510240208*	FOIA
JACKSON,G.	8510240659*	FOIA
JACKSON,G.	8607020439*	FOIA
JACKSON,G.	8607020444*	FOIA
JACKSON,G.	8611250018*	FOIA
JACKSON,G.	8710060554*	FOIA
JACKSON,G.	9605130082*	FOIA
JACKSON,G.	9605150315*	FOIA
JACKSON,G.	9605150322*	FOIA
JACKSON,G.	9605160050*	FOIA
JACKSON,G.	9605160060*	FOIA
JACKSON,G.	9605160266*	FOIA
JACKSON,G.	9605170040*	70-310
JACKSON,G.	9605170074*	FOIA
JACKSON,G.	9605170132*	FOIA
JACKSON,G.	9605170144*	FOIA
JACKSON,G.	9605210049*	FOIA
JACKSON,G.	9605210270*	FOIA
JACKSON,G.C.	9605030090	70-27
JACKSON,G.C.	9605030111	70-1113
JACKSON,G.C.	9605080180	40-8724
JACKSON,G.C.	9605280100*	70-143
JACKSON,G.C.	9605290174	40-8681
JACKSON,R.	9605200189*	50-237 S
JACKSON,S.A.	9605020177	COMMISSION
JACKSON,S.A.	9605060242	COMMISSION
JACKSON,S.A.	9605090085	SPEECHES
JACKSON,S.A.	9605140256	50-213 P
JACKSON,S.A.	9605150112	SPEECHES
JACKSON,S.A.	9605150123	SPEECHES
JACKSON,S.A.	9605150392*	STATE PRO G
JACKSON,S.A.	9605160004*	COMMISSION
JACKSON,S.A.	9605160022*	STATE PRO G
JACKSON,S.A.	9605160133	COMMISSION
JACKSON,S.A.	9605160235	COMMISSION
JACKSON,S.A.	9605160286	COMMISSION
JACKSON,S.A.	9605160304	COMMISSION
JACKSON,S.A.	9605160388	COMMISSION
JACKSON,S.A.	9605160451	COMMISSION
JACKSON,S.A.	9605170120*	50-245 H
JACKSON,S.A.	9605170143*	50-245 H
JACKSON,S.A.	9605200370	COMMISSION
JACKSON,S.A.	9605200438	COMMISSION
JACKSON,S.A.	9605210123	SPEECHES
JACKSON,S.A.	9605210127	SPEECHES
JACKSON,S.A.	9605210302	COMMISSION
JACKSON,S.A.	9605210314	COMMISSION
JACKSON,S.A.	9605310050	SPEECHES
JACKSON,T.J.	9605280025*	40-*****
JACKSON,T.J.	9605280191*	40-*****
JACKSON,T.J.	9605310057*	40-*****
JACOBS,B.	9605030301	40-3453
JACOBS,E.	9605210523	PT21
JAFFE,D.H.	9605210331	50-354 P
JAFFE,D.H.	9605280089	50-354 P
JAIN,S.	9605170281	50-334 Q
JAIN,S.C.	9605060128	50-412 K
JAIN,S.C.	9605070251	50-334 P
JAIN,S.C.	9605070270	50-412 P
JAIN,S.C.	9605080195	50-334 P
JAIN,S.C.	9605160475	50-334 P
JAMES,F.	9605130056*	STATE PRO G
JAMES,W.D.	9605160227*	50-390 Q
JANKOVICH,J.P.	9605070315	71-102
JANKOVICH,J.P.	9605070320	71-550
JANKOVICH,J.P.	9605140364	71-721
JANKOVICH,J.P.	9605230058	71-852
JANKOVICH,J.P.	9605230061*	71-852
JANKOVICH,J.P.	9605230065	71-164
JANKOVICH,J.P.	9605230068*	71-164
JANKOVICH,J.P.	9605280060	71-422
JANKOVICH,J.P.	9605280062	71-407
JANKOVICH,J.P.	9605310088	71-639
JANKOVICH,J.P.	9605310111	71-*****
JANKOVICH,J.P.	9605310115*	71-*****
JANKOVICH,J.P.	9605310117	71-782
JANKOVICH,J.P.	9605310121*	71-782
JANKOVICH,J.P.	9605310179	71-438
JANKOVICH,J.P.	9605310183*	71-438
JANKOVICH,J.P.	9605310188	71-592
JANKOVICH,J.P.	9605310191*	71-592
JANKOVICH,J.P.	9605310195	71-3
JANKOVICH,J.P.	9605310196*	71-3
JARBOE,E.D.	9605200313*	FOIA
JAUDON,J.P.	9605100047*	50-390 Q
JAUDON,J.P.	9605140508	50-261 Q
JEBSEN,E.R.	9605010074*	50-387 P
JEBSEN,E.R.	9605010118*	50-387 P
JEFFS,V.D.	9502140056*	STATE PRO G
JEFFS,V.D.	9605130008	STATE PRO G
JEFFS,V.D.	9605140160*	STATE PRO G
JEFFS,V.D.	9605140480	STATE PRO G
JENSEN,S.E.	9605090269*	TOPREP
JERRETT,L.E.	9605210518	PR
JERRETT,T.	9605090044*	50-333 F
JOHANNES,R.N.	9605160200	50-482 Q
JOHANSSON,G.	9605010104*	COMMISSION
JOHNSON,A.R.	9605170047	50-395 P
JOHNSON,G.E.	9605140438	STATE PRO G
JOHNSON,J.E.	9605030121*	50-267 R
JOHNSON,R.	9605030301	40-3453
JOHNSON,R.E.	9605220250	NUREG
JOHNSON,R.L.	9605070036	50-275 S
JOHNSON,R.L.	9605070243*	50-275 S
JOHNSON,R.L.	9605130199*	50-275 S
JOHNSON,R.L.	9605170266	50-323 S
JOHNSON,R.L.	9605170285	50-275 S
JOHNSON,R.L.	9605280005	50-323 S
JOHNSON,R.L.	9605310165	50-275 S
JOHNSON,R.L.	9605310172	50-275 S
JOHNSON,T..	9605140433*	50-250 Q
JOHNSON,T.C.	9605070150	WASTE MGT
JOHNSON,T.L.	9605070210*	40-8907
JOHNSON,W.D.	9605010021*	50-445 Q
JOHNSON,W.D.	9605150379*	50-483 Q
JOHNSON,W.D.	9605220286*	50-285 Q
JOHNSON,W.D.	9605290230*	50-482 Q
JOHNSTON,A.	9605070107*	50-302 I
JOHNSTON,J.R.	9605100034	50-155 R
JOHNSTON,V.L.	9605060199	40-3453
JOLICOEUR,J.R.	9605160318	50-295 F
JONES,C.	9605140230*	STATE PRO G
JONES,D.	9605240064	50-454 S
JONES,D.T.	9605140294	50-334 R
JONES,J.A.	8010150339*	FOIA
JONES,P.C.	9605100074	40-3453
JONES,R.C.	9605140426*	TOPREP
JONES,R.C.	9605300229	TOPREP
JONES,R.C.	9605300230*	TOPREP
JONES,S.B.	9605280248	WASTE MGT
JORDAN,A.H.	9605030113	40-3453

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JORDAN,E.L.	9605020082	ORG
JORDAN,E.L.	9605060096	ORG
JORDAN,E.L.	9605060285	50-244 F
JORDAN,E.L.	9605070371	REVIEW GR P
JORDAN,E.L.	9605080041	REVIEW GR P
JORDAN,E.L.	9605080081	REVIEW GR P
JORDAN,E.L.	9605140420	TOPREP
JORDAN,E.L.	9605200287*	FOIA
JORDAN,E.L.	9605200301*	FOIA
JORDAN,E.L.	9605240011	REVIEW GR P
JORDAN,E.L.	9605310184	REVIEW GR P
JORDAN,M.	9605290131*	50-341 Q
JORDAN,M.J.	9605280087	50-282 Q
JORDAN,M.J.	9605280105	50-282 Q
JORDAN,M.J.	9605280117*	50-282 Q
JORDAN,M.J.	9605290128	50-341 Q
JOSEPH,L.H.	9605130021	FOIA
JOYCE,V.	9605170174*	FOIA
JUDAY,R.A.	9605220085	40-6659
JUDD,C.A.	9605230129	PR
JULIAN,C.A.	9605100007	50-390 P
JULIAN,C.A.	9605100156	50-390 P
JULIAN,C.A.	9605140417*	50-390 Q
JULIAN,C.A.	9605200324	50-390 P
JULIAN,E.L.	9605170185	70-3070
JULIAN,E.L.	9605170193	70-3070
JULIAN,E.L.	9605170203	70-3070
JULIAN,E.L.	9605170210	70-3070
JULIAN,E.L.	9605170216	70-3070
JULIAN,E.L.	9605170222	70-3070
JULIAN,E.L.	9605170227	70-3070
JULIAN,E.L.	9605170233	70-3070
JULIAN,E.L.	9605170237	70-3070
JULIAN,E.L.	9605170240	70-3070
JULIAN,E.L.	9605170349	70-3070
JULIAN,E.L.	9605170355	70-3070
JULIAN,E.L.	9605170359	70-3070
JULIAN,E.L.	9605170368	70-3070
JULIAN,E.L.	9605170373	70-3070
JULIAN,E.L.	9605170377	70-3070
JULIAN,E.L.	9605170383	70-3070
JULIAN,E.L.	9605170384	70-3070
JULIAN,E.L.	9605170391	70-3070
JULIAN,E.L.	9605170395	70-3070
JULIAN,E.L.	9605170398	70-3070
JULIAN,E.L.	9605170399	70-3070
JULIAN,E.L.	9605170401	70-3070
JULIAN,E.L.	9605170402	70-3070
JULIAN,E.L.	9605170405	70-3070
JULIAN,E.L.	9605170408	70-3070
JULIAN,E.L.	9605170413	70-3070
JULIAN,E.L.	9605170417	70-3070
JULIAN,E.L.	9605170421	70-3070
JUPITER,C.	9605130119*	50-309 P
JURY,M.R.	9605210344*	FOIA
JUSTUS,P.S.	9605310011*	WASTE MGT
KACZOR,M.A.	9605210300*	50-151 P
KALMAN,G.	9605220208	50-368 P
KALMAN,K.L.	9605060219	70-925
KANTNER,J.L.	9605280119	50-352 S
KANTOR,F.	9605220244	NUREG
KAPEL,B.R.	9605130374*	STATE PRO G
KAPEL,B.R.	9605130379*	STATE PRO G
KAPEL,B.R.	9605130383*	STATE PRO G
KAPTUR,M.	9605140269*	50-245 P
KARRICK,J.W.	9605310166	50-354 S
KASNER,L.	8906140090*	FOIA
KASNER,L.	9605170198*	FOIA
KASNER,L.L.	8904270376*	FOIA
KASNER,L.L.	8907100243*	FOIA
KASNER,L.L.	8910300138*	FOIA
KASNICKI,D.A.	9605210114*	70-1113
KASTURI,S.	9605130115	NUREG
KATZ,P.E.	9605090043	50-317 S
KATZ,P.E.	9605170101	50-317 S
KATZ,P.E.	9605170536	50-317 S
KATZ,P.E.	9605200428	50-317 R
KATZ,P.E.	9605300082	50-317 S
KAUP,K.	9605200442	50-456 Q
KAUP,K.	9605240029	50-456 P
KAUP,K.L.	9605030050	50-456 P
KAUP,K.L.	9605090086	50-457 P
KAUP,K.L.	9605210453	50-456 Q
KAUP,K.L.	9605210495	50-456 Q
KAUP,K.L.	9605280096	50-456 P
KAY,J.A.	9605030126	50-29 R
KEATING,R.F.	9605070084*	50-305 P
KEENAN,J.	9605200139*	50-354 S
KEHOE,D.V.	9605060054	50-390 S
KEHOE,D.V.	9605060071	50-390 S
KEHOE,D.V.	9605060191	70-2928
KEHOE,D.V.	9605070215	50-390 S
KEHOE,D.V.	9605080135	50-390 S
KEHOE,D.V.	9605080225	70-2928
KEHOE,D.V.	9605130232	50-390 P
KEHOE,D.V.	9605150373	50-390 R
KEHOE,D.V.	9605160170	50-390 Q
KEHOE,D.V.	9605220389	50-390 R
KEIMIG,R.	9605080249*	50-286 Q
KEIMIG,R.R.	9605070006	50-219 F
KEIMIG,R.R.	9605070105	50-219 P
KEIMIG,R.R.	9605070152	50-289 F
KEIMIG,R.R.	9605070161	50-272 F
KEIMIG,R.R.	9605070165	50-271 F
KEIMIG,R.R.	9605080173	50-219 F
KEIMIG,R.R.	9605080242	50-333 Q
KEIMIG,R.R.	9605080248	50-286 Q
KEIMIG,R.R.	9605150483	50-29 F
KEIMIG,R.R.	9605150484	50-387 F
KELLY,E.M.	9605170108	50-272 F
KELLY,E.M.	9605210223	50-220 F
KELLY,E.M.	9605280035	50-213 F
KELLY,E.M.	9605070032	50-271 Q
KELLY,E.M.	9605220450	50-298 P
KELLY,E.M.	9605220475	50-293 P
KELLY,E.M.	9605280003	50-387 P
KELLY,E.M.	9605280006	72-1004
KELLY,E.M.	9605280007	QA999
KELLY,E.M.	9605280011	QA999
KELLY,E.M.	9605280022	STATE PRO G
KELLY,E.M.	9605280030	TOPREP
KELLY,E.M.	9605280113	50-245 P
KELLY,E.M.	9605280123	50-333 P
KELLY,E.M.	9605280203	50-277 P
KELLY,E.M.	9605300146	50-219 Q
KELLY,E.M.	9605300153*	50-219 Q
KELLY,G.B.	9605020166	50-331 P
KELLY,G.B.	9605020169	50-331 P
KELLY,G.B.	9605020173	50-331 F
KELLY,G.B.	9605030385	50-331 P
KELLY,G.B.	9605100110	50-331 P
KELLY,G.B.	9605290021	50-331 F
KELLY,G.B.	9605290101	50-331 P
KELLY,J.F.	9605310072*	50-237 P
KELLY,J.F.	9605310074*	50-237 P
KELLY,W.P.	9605160054	CONTRACT
KENDERES,G.J.	9605020232*	50-334 R
KENNAMORE,P.	9605140327*	50-482 P
KENNEDY,J.L.	9605240142	50-483 P
KENNEDY,J.L.	9605290029	50-498 P
KENNEDY,J.L.	9605290033*	50-498 P
KENYON,T.J.	9605020162	52-3
KEOGH,J.E.	9605010048	40-3453
KEOGH,M.	9605020095	40-3453
KEPLEY,L.	9605020216	50-354 S
KEPPLER,J.G.	9605080070*	70-36
KEPPLER,J.G.	9605200066*	FOIA
KEPPLER,J.G.	9605200306*	FOIA
KEPPLER,J.G.	9605200323*	FOIA
KEPPLER,J.G.	9605210026*	FOIA
KEPPLER,J.G.	9605210053*	FOIA
KEPPLER,J.G.	9605210068*	FOIA
KERCH,S.P.	9605210324*	52-3
KERCH,S.P.	9605210328*	52-3
KERCH,S.P.	9605210329*	52-3
KERKLING,D.W.	9605060179	40-3453
KERR,G.W.	9605010067	STATE PRO G
KERR,J.	9605100194	50-331 S
KERR,J.	9605140280	50-331 S
KEY,H.D.	9605030072	40-3453
KEY,P.J.	9605030072	40-3453
KHATIB-RAHBAR	9605070042	CONTRACT
KHATIB-RAHBAR	9605070132	CONTRACT
KHATIB-RAHBAR	9605070334	CONTRACT
KILKER,D.E.	9605020291	40-3453
KILLIAN,D.E.	9605130443*	50-270 P
KILLIAN,D.E.	9605230191*	50-270 P
KILLOREN,R.	9605210104	CONTRACT
KIM,T.	9605060142	50-263 P
KIM,T.	9605100091	50-263 P
KIMME,S.	9605220322	NUREG
KING,D.	9605100078	40-3453
KING,L.	9605150116	STATE PRO G
KING,R.J.	9605140161	50-458 P
KING,R.J.	9605210411	50-458 S
KING,R.J.	9605220376	50-458 R
KING,R.J.	9605280163	50-458 F
KING,T.	9605240007	PT21
KING,T.L.	9605080215*	50-413 G
KINGSLEY,P.R.	9605030069	FOIA
KINGSLEY,P.R.	9605030069	FOIA
KINNEMAN,J.D.	9605170187	70-398
KINNEMAN,J.D.	9605210263	40-8833
KINNEMAN,J.D.	9605310024	70-1342
KIRK,R.L.	9605130318*	70-310
KIRK,R.L.	9605130326*	70-310
KIRKLAND,M.W.	9605170283	XPORTLIC
KIRKLAND,M.W.	9605170293	70-2693
KIRKWOOD,A.	9605200278*	STATE PRO G
KIRKWOOD,A.S.	9605200334	70-1067
KITCHENS,J.	9605230149	REGGD
KLINE,J.R.	9605130126*	50-160 G
KLINE,J.R.	9605160109	40-8027
KLISH,M.W.	9605020101	40-3453
KNAPP,K.S.	9605310230	70-1201
KNAPP,P.J.	9605220438*	FOIA
KNIGHT,D.A.	9605070074	CONTRACT
KNIGHT,D.A.	9605080013	CONTRACT
KNIGHT,N.B.	9605020196	40-3453
KNORR,J.E.	9605170504	50-250 R
KNUBEL,J.	9605020399	50-289 R
KNUBEL,J.	9605030102	50-289 Q
KNUBEL,J.	9605060345	50-219 I
KNUBEL,J.	9605200070	50-289 Q
KNUBEL,J.	9605200407	50-289 R
KOBIATA,K.A.	9605080082	50-255 R
KOFRON,K.L.	9605140314	50-454 Q
KOFRON,K.L.	9605200443	50-454 S
KOFRON,K.L.	9605210457	50-454 R
KOFRON,K.L.	9605310146	50-454 S
KOKAJKO,L.E.	9605090209	71-3031
KOLANO,J.A.	9605220065*	50-272 P
KOLI,E.	9605230088	FOIA
KOLTAY,P.S.	9605020274*	50-280 Q
KONIRSCH,O.	9605090027*	71-*****
KORPAN,R.	9605070098*	50-302 I
KOSMIDER,M.D.	9605030386	40-3392
KOUDELKA,M.B.	9605140137	50-266 R
KRAFT,E.S.	9605140178	50-254 P
KRAFT,E.S.	9605160467	50-254 P
KRAFT,E.S.	9605170451	50-254 P
KRAFT,E.S.	9605230062	50-254 Q
KRAFT,E.S.	9605280234	50-254 P
KRAINIK,A.K.	9605280268	50-528 F
KRESS,T.	9605210167	ACRS
KRESS,T.S.	9605200485	ACRS
KRESS,T.S.	9605210007	ACRS
KRESS,T.S.	9605210036	ACRS
KRESS,T.S.	9605210090	ACRS
KRESS,T.S.	9605210112	ACRS
KRESS,T.S.	9605210119	ACRS
KRESS,T.S.	9605210131	ACRS
KRESS,T.S.	9605210143	50-354 O
KRESS,T.S.	9605210174	ACRS
KRESS,T.S.	9605210185	ACRS
KRESS,T.S.	9605210195	ACRS
KRESS,T.S.	9605210206	ACRS
KRESS,T.S.	9605210212	ACRS
KRESS,T.S.	9605210215	50-390 Q
KRESS,T.S.	9605210220	ACRS
KRESS,T.S.	9605210253	ACRS
KRESS,T.S.	9605210258	ACRS
KRICH,R.M.	9605020256	50-261 Y
KRICH,R.M.	9605060186	50-261 F
KRICH,R.M.	9605070236	50-261 P
KRICH,R.M.	9605090045	50-261 F
KRICH,R.M.	9605100171	50-261 V
KRICH,R.M.	9605140271	50-261 R
KRICH,R.M.	9605170060	50-261 Q
KRICH,R.M.	9605280128	50-261 P
KRIEGER,R.W.	9605010101	50-206 S
KRIEGER,R.W.	9605070218	50-362 S
KRIEGER,R.W.	9605070224*	50-362 S
KRIEGER,R.W.	9605200118	50-361 S
KRIEGER,R.W.	9605240253	50-361 Q
KRIEGER,R.W.	9605310004	50-206 F
KRIKORIAN,V.Z.	9605200470	FOIA
KROON,K.A.	9605070316*	50-344 S
KROOP,W.J.	9605280088	50-315 Q
KROPP,W.J.	9605290161	50-315 Q
KROPP,W.J.	9605290182*	50-315 Q
KRUESI,F.E.	9605220254*	FOIA
KRUMLAND,K.M.	9605240252	50-298 F
KRVAVAC,J.	9605280229	50-272 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KUCERA,R.	9605080067	70-36
KUCZYNSKI,G.T.	9605280078	50-387 S
KUEHN,G.A.	9605210440	50-146 P
KUGLER,A.J.	9605290242	50-255 G
KULZER,E.L.	9605160254*	40-9019
KULZER,E.L.	9605290169*	40-*****
KURTZ,J.H.	9605240233*	71-600
KUZLER,E.L.	9605010078*	40-*****
KUZO,G.B.	9605130068	50-160 T
LABARGE,D.E.	9605010304	50-327 P
LABARGE,D.E.	9605140378	50-287 S
LABARON,L.	9605030277	50-213 S
LACKER,D.K.	9605210266*	FOIA
LAKE,A.	9605220243*	COMMISSIO N
LAM,P.S.	9605130126*	50-160 G
LAMBERT,K.J.	9605060309*	40-7604
LANCE,R.	9605020348	40-3453
LANDIS,K.	9605130430*	50-335 Q
LANDIS,K.D.	9605130418	50-335 Q
LANDIS,K.D.	9605140430	50-250 Q
LANDIS,K.D.	9605140433*	50-250 Q
LANDRY,L.	9605030149*	50-213 R
LANDRY,L.	9605030149*	50-213 R
LANG,Y.M.	9605140306	XPORTLIC
LANGDON,S.P.	9605020244	50-400 R
LANGFORD,T.L.	9605020278	40-3453
LANKSBURY,R.D.	9605280142	50-331 Q
LANKSBURY,R.D.	9605280144*	50-331 Q
LANKSBURY,R.D.	9605280147	50-346 Q
LANKSBURY,R.D.	9605280175*	50-346 Q
LANNING,W.D.	9605070005	50-245 Q
LANNING,W.D.	9605070077	50-245 Q
LANNING,W.D.	9605170339	50-245 P
LANZISERZA,P.A.	9605240118	40-8833
LAPLANTE,P.	9605310016	WASTE MGT
LAPLATNEY,J.J.	9605030277	50-213 S
LAPLATNEY,J.J.	9605220005	50-213 S
LARKINS,P.	9605170246*	STATE PRO G
LARKINS,P.M.	9605130386	STATE PRO G
LARKINS,P.M.	9605170241	STATE PRO G
LARSEN,J.	9605200029	70-925
LARSEN,J.	9605290239	70-925
LAUDEMAN,M.	9605090258	40-341
LAUFER,R.J.	9605060157	50-305 P
LAUFER,R.J.	9605100063	50-305 P
LAUFER,R.J.	9605140038	50-305 P
LAUFER,R.J.	9605210232	50-305 P
LAVELY,P.	9605130364	PR
LAYFIELD,R.L.	9605030091*	40-6897
LAYFIELD,R.L.	9605030124*	40-6897
LAYFIELD,R.L.	9605150025*	70-310
LAYFIELD,R.L.	9605150029*	70-310
LAYFIELD,R.L.	9605150083*	70-310
LAYFIELD,R.L.	9605150317*	70-310
LE,N.	9605240130	50-261 P
LEAR,G.	9605100216*	50-219 Q
LEE,B.	9605130115	NUREG
LEE,B.L.	9605300053*	70-7002
LEE,B.L.	9605300059*	70-7002
LEE,B.L.	9605300061*	70-7002
LEECH,E.	9605030208	40-3453
LEEDS,E.J.	9605210179	50-267 Y
LEEDS,E.J.	9605240152	50-338 Y
LEES,L.P.	9605030198	50-285 S
LEGGETT,R.W.	9605200100*	FOIA
LEIDHOLDT,E.M.	9605140205	PR
LENAHAN,J.J.	9605140310*	50-160 Q
LENAMOND,C.	9605060093	40-3453
LENHARD,J.A.	9605200431*	FOIA
LENTZ,F.H.	9605160065*	WASTE MGT
LEROUX,K.M.	9605300175*	50-528 P
LEROY,D.H.	9605210320*	COMMISSIO N
LESNIAK,M.T.	9605240117	50-454 Q
LESSER,M.S.	9605100017	50-296 P
LESSER,M.S.	9605130412	50-327 P
LESSER,M.S.	9605140052	50-327 Q
LESSER,M.S.	9605200314	50-259 P
LESSER,M.S.	9605200424	50-296 P
LESSER,M.S.	9605230169	50-259 S
LESSER,M.S.	9605240025	50-390 S
LESSES,M.S.	9605140061*	50-327 Q
LETSON,C.G.	9605150005	CONTRACT
LETTIS,W.R.	9605290222	CONTRACT
LEVA,J.R.	9605070046*	50-219 I
LEVEILLE,J.	9605240047	50-306 S
LEVIN,G.	9605200422	50-219 F
LEVIN,S.R.	9605130121	STATE PRO G
LEVINE,J.M.	9605130182	50-528 S
LEVINE,J.M.	9605200080	50-528 R
LEVINE,J.M.	9605210139	50-528 P
LEVINE,J.M.	9605210192	50-528 Q
LEVINE,J.M.	9605280258	50-529 S
LEVINE,Z.	9605100113	50-238 R
LEVIS,W.	9605030354	50-324 R
LEVIS,W.	9605130002	50-324 P
LEVIS,W.	9605160268	50-325 S
LEVY,S.	9605060262*	WASTE MGT
LEWELLYN,W.	9605080135	50-390 S
LEWELLYN,W.	9605240006	50-390 S
LEWIS,C.J.	9605170520*	TOPREP
LIEBERMAN,J.	9605080187	50-390 Q
LIEBERMAN,J.	9605280246	70-1201
LIEBERMAN,J.	9605280249	I&E
LIEBERMAN,J.	9605280255	I&E
LIEBERMAN,J.	9605280264	50-410 Q
LIEBERMAN,J.	9605280271	I&E
LIEBERMAN,J.	9605280284	50-341 Q
LIN,B.	9605230211	CONTRACT
LIN,B.T.	9605150010	CONTRACT
LIN,B.T.	9605160126	CONTRACT
LIN,S.D.	9605140281	50-416 R
LINDBLAD,W.J.	9605210031	52-3
LINDT,E.	9605150070*	50-267 S
LINK,B.	9605020042	50-266 P
LINK,B.	9605070296	50-266 P
LINK,B.	9605100195	50-266 S
LINK,B.	9605160391	50-266 Q
LINK,B.	9605210484	50-266 Q
LINK,B.	9605280166	50-266 Q
LINK,B.	9605280174	50-266 S
LIPARULO,N.J.	9605070122	TOPREP
LIPARULO,N.J.	9605070347*	50-454 P
LIPARULO,N.J.	9605080122*	50-364 P
LIPARULO,N.J.	9605090143	TOPREP
LIPARULO,N.J.	9605090253	50-498 Q
LIPARULO,N.J.	9605100106	TOPREP
LIPARULO,N.J.	9605100226	TOPREP
LIPARULO,N.J.	9605100228*	TOPREP
LIPARULO,N.J.	9605130409	TOPREP
LIPARULO,N.J.	9605140224	TOPREP
LIPARULO,N.J.	9605200464*	50-498 P
LIPARULO,N.J.	9605200468*	50-498 P
LIPARULO,N.J.	9605220049	50-272 P
LIPARULO,N.J.	9605310136	TOPREP
LIPARULO,N.J.	9605310137*	TOPREP
LIPINSKI,R.E.	9605220250	NUREG
LIPPARD,G.A.	9605030200	50-395 S
LIPPARD,G.A.	9605210088	50-395 I
LIPPY,D.L.	9605200396*	50-285 R
LIPPY,D.L.	9605200400*	50-285 R
LISONLNE,E.J.	9605060116	40-3453
LIU,L.	9605140209*	50-331 I
LIU,W.C.	9507060257*	ORG
LOBBIA,J.E.	9605070075	50-341 I
LOFARO,R.	9605130115	NUREG
LOGAN,R.V.	9605030103	50-498 R
LOHAUS,D.M.	9605140233	STATE PRO G
LOHAUS,P.H.	9410110033*	STATE PRO G
LOHAUS,P.H.	9605130004	STATE PRO G
LOHAUS,P.H.	9605130113	STATE PRO G
LOHAUS,P.H.	9605130138	STATE PRO G
LOHAUS,P.H.	9605130146	STATE PRO G
LOHAUS,P.H.	9605130174	STATE PRO G
LOHAUS,P.H.	9605130334	STATE PRO G
LOHAUS,P.H.	9605130354	STATE PRO G
LOHAUS,P.H.	9605130423	STATE PRO G
LOHAUS,P.H.	9605130434	STATE PRO G
LOHAUS,P.H.	9605130447	STATE PRO G
LOHAUS,P.H.	9605140156	STATE PRO G
LOHAUS,P.H.	9605150146	STATE PRO G
LOHAUS,P.H.	9605150306	STATE PRO G
LOHAUS,P.H.	9605160105	STATE PRO G
LOHAUS,P.H.	9605170011	STATE PRO G
LONERGAN,G.T.	9605200405*	FOIA
LONERGAN,G.T.	9605200409*	FOIA
LONERGAN,G.T.	9605200419*	FOIA
LONIGRO,J.K.	9605200443	50-454 S
LOSKOT,J.E.	9605160045*	STATE PRO G
LOUCKS,L.E.	9605230218	71-9027
LOUX,R.R.	9605290086	WASTE MGT
LOVE,R.L.	9605280163	50-458 F
LOW,L.D.	9605150336*	70-310
LOW,L.D.	9605220061*	FOIA
LOW,L.D.	9605220089*	FOIA
LOW,L.D.	9605220235*	FOIA
LUBINSKI,J.W.	9605220352*	FOIA
LUGAR,R.G.	9605130003*	40-3453
LUPTAK,A.J.	9605140503*	ORG
LUSARDI,M.	9605010063	71-250
LUSARDI,M.	9605030290	72-1021
LUSARDI,M.	9605090215	50-280 P
LUSARDI,M.	9605280161	72-1021
LUTHIGER,P.	9605010087	40-8905
LYNCH,D.M.	9605150398	50-454 P
LYNCH,D.M.	9605290037	50-454 Q
LYNCH,J.L.	9605280138	STATE PRO G
LYNCH,M.D.	9605070007	50-454 P
LYNCH,M.D.	9605240128	50-456 P
LYON,M.W.	9605060022	50-461 R
LYON,M.W.	9605060060	50-461 R
LYON,M.W.	9605060255	50-461 P
LYON,M.W.	9605070144	50-461 I
LYON,M.W.	9605140301	50-461 R
LYON,W.C.	9605070170	PROJ
LYON,W.C.	9605070179*	PROJ
LYONS,D.W.	9605160248	50-354 R
LYONS,L.	9605030002	FOIA
LYONS,R.J.	9605220174	40-299
MACAULAY,J.	9605220322	NUREG
MACDONALD,C.E.	9605150235*	70-310
MACDONALD,C.E.	9605220333*	70-310
MACDONALD,C.E.	9605220338*	71-5975
MACE,M.	9605060012	50-424 P
MACE,M.	9605060013	50-285 P
MACE,M.	9605060021	50-483 P
MACE,M.	9605060057	50-461 P
MACE,M.	9605060058	50-272 P
MACE,M.	9605060126	50-293 P
MACE,M.	9605060141	50-298 P
MACE,M.	9605060158	50-331 P
MACE,M.	9605060161	50-361 P
MACE,M.	9605060172	CONTRACT
MACE,M.	9605060175	50-397 P
MACE,M.	9605060178	50-255 P
MACE,M.	9605060187	50-237 P
MACE,M.	9605060246	50-348 P
MACE,M.	9605060327	50-324 P
MACE,M.	9605060334	50-482 P
MACE,M.	9605070029	CONTRACT
MACE,M.	9605070042	CONTRACT
MACE,M.	9605070073	CONTRACT
MACE,M.	9605070323	CONTRACT
MACE,M.	9605150007	CONTRACT
MACE,M.	9605150028	CONTRACT
MACE,M.	9605150033	CONTRACT
MACE,M.	9605150045	CONTRACT
MACE,M.	9605160102	50-10 W
MACE,M.H.	9605010122	CONTRACT
MACE,M.H.	9605010301	CONTRACT
MACE,M.H.	9605070057	CONTRACT
MACE,M.H.	9605070074	CONTRACT
MACE,M.H.	9605070132	CONTRACT
MACE,M.H.	9605070334	CONTRACT
MACE,M.H.	9605080010	CONTRACT
MACE,M.H.	9605080013	CONTRACT
MACE,M.H.	9605080235	CONTRACT
MACE,M.H.	9605090201	CONTRACT
MACE,M.H.	9605140216	CONTRACT
MACE,M.H.	9605150004	CONTRACT
MACE,M.H.	9605160115	CONTRACT
MACE,M.H.	9605160121	CONTRACT
MACE,M.H.	9605170445	CONTRACT
MACE,M.H.	9605200048	CONTRACT
MACE,M.H.	9605200076	CONTRACT
MACE,M.H.	9605210098	CONTRACT
MACE,M.H.	9605210104	CONTRACT
MACE,M.H.	9605210110	CONTRACT
MACE,M.H.	9605210491	CONTRACT
MACE,M.H.	9605230217	CONTRACT
MACE,M.H.	9605280026	CONTRACT
MACE,M.H.	9605280037	CONTRACT
MACE,M.H.	9605290194	CONTRACT
MACE,M.H.	9605290204	CONTRACT
MACE,M.H.	9605290222	CONTRACT
MACE,M.H.	9605290223	CONTRACT
MACE,M.H.	9605300011	CONTRACT
MACE,M.H.	9605310225	CONTRACT
MACFARLAND,W.	9605240244	50-352 Q
MACFARLAND,W.G.	9605060025	50-352 R
MACFARLAND,W.G.	9605070211	50-352 R
MACFARLAND,W.G.	9605240251	50-352 P
MACHON,R.D.	9605030187	50-260 S
MACHON,R.D.	9605030229	50-259 S
MACHON,R.D.	9605090164	50-259 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MACHON,R.D.	9605090176	50-260 S
MACHON,R.D.	9605200433	50-259 Q
MACHON,R.D.	9605280262	50-296 S
MACHON,R.D.	9605280266	50-260 S
MACK,J.C.	9605030241*	50-440 P
MADDEN,T.	9605230053	70-698
MADELL,W.	9605310062	XPORTLIC
MADERA,J.R.	9605140029*	STATE PRO G
MADSEN,S.	9605140515	40-3453
MAEDA,Y.	9605140313*	XPORTLIC
MAEDA,Y.	9605200012*	XPORTLIC
MAEDA,Y.	9605200104	XPORTLIC
MAGRUDER,S.L.	9605020091	REVIEW GR P
MAGRUM,E.M.	9605070057	CONTRACT
MAHER,J.W.	9605020396	CONTRACT
MAHER,J.W.	9605160373*	CONTRACT
MAKI,T.	9605300032	CONTRACT
MALIK,S.N.	9605150099	ORG
MALINOSKI,J.W.	9605140213*	STATE PRO G
MALLEN,F.H.	9605200348	50-498 R
MALLETT,B.	9605160163*	STATE PRO G
MALUR,S.K.	9605280090*	50-220 Q
MANN,M.	9605010127*	XPORTLIC
MANN,M.	9605290240*	XPORTLIC
MANN,S.	9605290211	CONTRACT
MANNHEIMER,R.	9605300142	50-312 S
MANNING,M.	9605170444	50-295 S
MARCHI,M.L.	9605030144	50-305 R
MARCHI,M.L.	9605030320	50-305 R
MARCHI,M.L.	9605060201	50-305 S
MARCHI,M.L.	9605060297	50-305 S
MARCHI,M.L.	9605100031	50-305 R
MARCHI,M.L.	9605100214	50-305 I
MARCHI,M.L.	9605170102	50-305 F
MARCHI,M.L.	9605310114	50-305 F
MARCUS,G.H.	9605070204*	50-440 P
MARCUS,G.H.	9605080023	50-266 H
MARCUS,G.H.	9605210339	50-255 H
MARCUS,G.H.	9605310113	50-266 H
MARIENBACH,E.	9605200214*	FOIA
MARKEY,E.J.	9605060240*	COMMISSIO N
MARKS,B.K.	9605300025	50-259 F
MARKS,R.P.	9605170049*	70-310
MARSH,W.C.	9605020157	50-206 R
MARSH,W.C.	9605060033	50-206 R
MARSH,W.C.	9605150382	50-361 Q
MARSH,W.C.	9605210011	50-361 R
MARSH,W.C.	9605280224	50-206 F
MARSH,W.C.	9605280241	50-206 I
MARSHALL,J.S.	9605200340	50-445 R
MARSHALL,S.R.	9605130052	STATE PRO G
MARTIN,I.C.	9605210414*	FOIA
MARTIN,J.	9605020407	40-3453
MARTIN,J.	9605200344*	FOIA
MARTIN,J.B.	9605200369*	40-8035
MARTIN,J.B.	9605200427*	FOIA
MARTIN,J.D.	9605030086*	50-298 R
MARTIN,J.D.	9605030086*	50-298 R
MARTIN,J.U.	9605070118*	50-302 I
MARTIN,L.E.	9605140177	50-498 P
MARTIN,L.E.	9605170535	50-498 P
MARTIN,R.	9605100069	40-3453
MARTIN,R.D.	8502220285*	FOIA
MARTIN,R.D.	8906200382*	FOIA
MARTIN,R.E.	9605020185	50-413 P
MARTIN,R.E.	9605210233	50-413 P
MARTIN,T.T.	9605090039	50-317 S
MARTIN,T.T.	9605140418	50-333 Q
MARTIN,T.T.	9605140442	50-333 Q
MARTIN,T.T.	9605150430	50-333 P
MARTIN,T.T.	9605160140	50-410 Q
MARTIN,T.T.	9605160144	50-247 Q
MARTIN,T.T.	9605160297*	50-333 P
MARTIN,T.T.	9605280189	50-443 Q
MARTIN,T.T.	9605280218	50-293 Q
MARTINEZ,M.R.	9605070126*	50-302 I
MASON,D.	9605200391	50-280 R
MASON,J.R.	9605130045*	FOIA
MASON,J.R.	9605130057*	FOIA
MASON,J.R.	9605130059*	FOIA
MASON,J.R.	9605130062*	FOIA
MASON,J.R.	9605130065*	FOIA
MASON,J.R.	9605130071*	FOIA
MASON,J.R.	9605130077*	FOIA
MASON,J.R.	9605130083*	FOIA
MASON,J.R.	9605130084*	FOIA
MASON,J.R.	9605130088*	FOIA
MASON,J.R.	9605130093*	FOIA
MASON,J.R.	9605170331*	FOIA
MASON,J.R.	9605170333*	FOIA
MASON,J.R.	9605170336*	FOIA
MASON,J.R.	9605200023*	FOIA
MASON,J.R.	9605200026*	FOIA
MASON,J.R.	9605200030*	FOIA
MASON,J.R.	9605200033*	FOIA
MASON,M.	9605020004	71-9015
MASON,M.	9605020035	71-9016
MASSEY,B.A.	9605200371*	40-8584
MATHEWS,C.M.	9605070254	50-255 S
MATTERN,B.	9605130331*	50-387 Q
MATTERN,B.	9605140149	50-388 Q
MATTERN,B.	9605240022*	50-387 Q
MATTERN,B.	9605240026*	50-387 Q
MATTERN,R.S.	9605210003	50-387 R
MATTHEW,W.R.	9605160347	50-338 R
MATTHEWS,W.N.	9605300083	50-219 P
MATTIA,M.	9605170454	CONTRACT
MATTIA,M.	9605210118	CONTRACT
MATTIA,M.J.	9605020396	CONTRACT
MATTIA,M.J.	9605070044	CONTRACT
MATTIA,M.J.	9605070050	CONTRACT
MATTIA,M.J.	9605070071	CONTRACT
MATTIA,M.J.	9605070115	CONTRACT
MATTIA,M.J.	9605100072	CONTRACT
MATTIA,M.J.	9605150008	CONTRACT
MATTIA,M.J.	9605150010	CONTRACT
MATTIA,M.J.	9605150016	CONTRACT
MATTIA,M.J.	9605150021	CONTRACT
MATTIA,M.J.	9605160034	CONTRACT
MATTIA,M.J.	9605160082	CONTRACT
MATTIA,M.J.	9605160104	CONTRACT
MATTIA,M.J.	9605160126	CONTRACT
MATTIA,M.J.	9605160367	CONTRACT
MATTIA,M.J.	9605160373*	CONTRACT
MATTIA,M.J.	9605200015	CONTRACT
MATTIA,M.J.	9605200051	CONTRACT
MATTIA,M.J.	9605200179	CONTRACT
MATTIA,M.J.	9605210022	CONTRACT
MATTIA,M.J.	9605210120*	CONTRACT
MATTIA,M.J.	9605210477	CONTRACT
MATTIA,M.J.	9605210481	CONTRACT
MATTIA,M.J.	9605230211	CONTRACT
MATTIA,M.J.	9605230213	CONTRACT
MATTIA,M.J.	9605240016	CONTRACT
MATTIA,M.J.	9605280034	CONTRACT
MATTIA,M.J.	9605280055	CONTRACT
MATTIA,M.J.	9605290195	CONTRACT
MATTIA,M.J.	9605290209	CONTRACT
MATTIA,M.J.	9605290216*	CONTRACT
MATTIA,M.J.	9605290221	CONTRACT
MATTIA,M.J.	9605290226*	CONTRACT
MATTSON,I.C.	9605030047*	40-6897
MATTSON,I.C.	9605030132*	40-6897
MATTSON,I.C.	9605030158*	40-6897
MATTSON,I.C.	9605030180*	40-6897
MATTY,R.M.	9605030254	50-352 P
MATTY,R.M.	9605220502	50-352 P
MAUDLIN,R.L.	9605130164*	WASTE MGT
MAUDLIN,R.L.	9605130173*	WASTE MGT
MAUDLIN,R.L.	9605240074*	WASTE MGT
MAUDLIN,R.L.	9605240081*	WASTE MGT
MAUDLIN,R.L.	9605280206*	WASTE MGT
MAUPIN,C	9605130148*	STATE PRO G
MAXFIELD,G.	9605280267	50-301 Q
MAXFIELD,G.J.	9605060259	50-266 F
MAXFIELD,G.J.	9605070157	50-266 F
MAXFIELD,G.J.	9605070257	50-266 F
MAXFIELD,G.J.	9605140137	50-266 R
MAXIN,A.M.	9605010054	70-143
MAXIN,A.M.	9605090155	70-143
MAXIN,A.M.	9605090232	70-143
MAXIN,A.M.	9605090262	70-143
MAXIN,A.M.	9605150139	70-143
MAXIN,A.M.	9605210531	70-143
MAXIN,A.M.	9605300192	70-143
MAY,L.	9605020039	40-3453
MAYLATH,J.J.	9605170261	50-247 S
MAYNARD,O.L.	9605020207	50-482 F
MAYNARD,O.L.	9605030324	50-482 R
MAYNARD,O.L.	9605070174	50-482 P
MAYNARD,O.L.	9605140261	50-482 R
MAYNARD,O.L.	9605140324	50-482 P
MAYNARD,O.L.	9605210326	50-482 F
MAYNARD,O.L.	9605210332	50-482 P
MAYNARD,O.L.	9605300041	71-598
MAYO,L.E.	9605060320	50-424 F
MAYS,E.	9605100090	40-3453
MCALPINE,E.J.	9605100125	70-27
MCALPINE,E.J.	9605100130*	70-27
MCALPINE,E.J.	9605100138*	70-27
MCALPINE,E.J.	9605130116	50-160 T
MCALPINE,E.J.	9605140002	70-143
MCALPINE,E.J.	9605140003*	70-143
MCALPINE,E.J.	9605140007	70-1201
MCALPINE,E.J.	9605140009*	70-1201
MCALPINE,E.J.	9605140034	70-27
MCALPINE,E.J.	9605140037*	70-27
MCALPINE,E.J.	9605140299	50-160 Q
MCALPINE,E.J.	9605140310*	50-160 Q
MCALPINE,E.J.	9605140321	70-143
MCALPINE,E.J.	9605200242	50-160 P
MCALPINE,E.J.	9605200247	50-83 P
MCALPINE,E.J.	9605200338	50-297 P
MCALPINE,E.J.	9605200346	70-143
MCALPINE,E.J.	9605200356	50-62 P
MCALPINE,E.J.	9605200358	70-1113
MCALPINE,E.J.	9605200380	70-27
MCALPINE,E.J.	9605210062	70-1151
MCALPINE,E.J.	9605210080	70-1201
MCANULTY,M.W.	9605170476	50-348 R
MCAVOY,J.	9605280300	50-3 R
MCAVOY,J.	9605280303*	50-3 R
MCBRIDE,J.A.	9605150224*	70-310
MCBRIDE,J.A.	9605220083*	FOIA
MCCABE,E.C.	9604230198*	FOIA
MCCABE,E.C.	9604240044*	FOIA
MCCAIN,D.	9605310019	ORG
MCCANN,F.L.	9605060351	STATE PRO G
MCCANN,G.M.	9605010029*	40-*****
MCCANN,G.M.	9605010078*	40-*****
MCCANN,G.M.	9605090136*	40-2384
MCCLOSKEY,P.J.	9605020261	50-346 P
MCCOLLUM,W.R.	9605020262	50-413 R
MCCOLLUM,W.R.	9605070040	50-413 R
MCCOLLUM,W.R.	9605080139	50-413 P
MCCOLLUM,W.R.	9605280286	50-413 Q
MCCOLLUM,W.R.	9605300074	50-413 P
MCCOLLUM,W.R.	9605310017	50-413 P
MCCOLLUM,W.R.	9605310182	50-413 P
MCCOMBS,C.	9605240232	71-600
MCCORMACK,J.A.	9605220131	CONTRACT
MCCORMICK	9605290165	40-*****
MCCORMICK	9605290169*	40-*****
MCCORMICK,M.J.	9605030281	50-220 F
MCCORMICK-BARGE	9605010026	40-*****
MCCORMICK-BARGE	9605010029*	40-*****
MCCORMICK-BARGE	9605010072	40-*****
MCCORMICK-BARGE	9605010078*	40-*****
MCCORMICK-BARGE	9605160249	40-9019
MCCORMICK-BARGE	9605160254*	40-9019
MCCORMICK-BARGE	9605160273	TOPREP
MCCOY,C.K.	9605010015	50-424 F
MCCOY,C.K.	9605060176	50-424 R
MCCOY,C.K.	9605100248	50-424 F
MCCOY,C.K.	9605130378	50-424 P
MCCOY,C.K.	9605140162	50-424 Q
MCCOY,C.K.	9605140167	50-424 Q
MCCOY,C.K.	9605140185	50-424 S
MCCOY,C.K.	9605140295	50-424 R
MCCOY,C.K.	9605160455	50-424 F
MCCOY,K.O.	9605200076	CONTRACT
MCCREE,V.M.	9605310180	REVIEW GR P
MCCUTCHEN,P.	9605010084	CONTRACT
MCDEROTT,W.H.	9604160256*	FOIA
MCDONALD,D.G.	9605080033	REVIEW GR P
MCDONALD,D.G.	9605090188	50-336 P
MCDONALD,D.G.	9605160364	50-317 P
MCDONALD,D.G.	9605220182	50-336 P
MCDONALD,O.F.	8407250069*	FOIA
MCDONALD,O.F.	8412280252*	FOIA
MCDONALD,O.F.	8510240203*	FOIA
MCDONALD,O.F.	8510240211*	FOIA
MCDONALD,O.F.	8607020448*	FOIA
MCDONALD,O.F.	8611250022*	FOIA
MCDONALD,O.F.	8612190282*	FOIA
MCDONALD,O.F.	9605210409*	FOIA
MCDONALD,O.F.	9605210417*	FOIA
MCELWEE,D.K.	9603110033*	50-271 P
MCFALL,E.D.	9605220027*	FOIA
MCGAHA,J.R.	9605090047	50-458 F
MCGAHA,J.R.	9605280157	50-458 P
MCGIVERN,M.	9605200165*	50-237 S
MCGIVERN,M.	9605200200*	50-237 S
MCGRATH,E.J.	9605210336*	40-8035

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCGRATH,J.	9605230126	I&E
MCGUFFIN,J.C.	9605280033	CONTRACT
MCINTYRE,B.A.	9605060118	52-3
MCINTYRE,B.A.	9605070041	52-3
MCINTYRE,B.A.	9605070059*	52-3
MCINTYRE,B.A.	9605130207	52-3
MCINTYRE,B.A.	9605130211	52-3
MCINTYRE,B.A.	9605130220	52-3
MCINTYRE,B.A.	9605140152	52-3
MCINTYRE,B.A.	9605150158	52-3
MCINTYRE,B.A.	9605150162*	52-3
MCINTYRE,B.A.	9605170345	52-3
MCINTYRE,B.A.	9605170350*	52-3
MCINTYRE,B.A.	9605170491	52-3
MCINTYRE,B.A.	9605170502*	52-3
MCINTYRE,B.A.	9605210033	52-3
MCINTYRE,B.A.	9605210211	52-3
MCINTYRE,B.A.	9605210310	52-3
MCINTYRE,B.A.	9605210318*	52-3
MCINTYRE,B.A.	9605210323	52-3
MCINTYRE,B.A.	9605220490	52-3
MCINTYRE,B.A.	9605280065	52-3
MCINTYRE,B.A.	9605280085	52-3
MCINTYRE,B.A.	9605280193	52-3
MCINTYRE,B.A.	9605280196*	52-3
MCINTYRE,B.A.	9605310095	52-3
MCKAGUE,H.L.	9605240066	WASTE MGT
MCKEE,P.F.	9605090173*	50-443 P
MCKEE,P.F.	9605090192*	50-336 P
MCKENNA,T.	9605220374	NUREG
MCKENZIE,P.C.	9605080235	CONTRACT
MCKIBBEN,J.C.	9605090050	50-186 F
MCKOY,C.K.	9605200420	50-424 S
MCLAUGHLIN,J.	9605280162	70-1426
MCMEEKIN,T.C.	9605020391	50-369 S
MCMEEKIN,T.C.	9605030015	50-370 S
MCMEEKIN,T.C.	9605070274	50-369 Q
MCMEEKIN,T.C.	9605170255	50-369 F
MCMEEKIN,T.C.	9605200096	50-370 Q
MCMEEKIN,T.C.	9605200217	50-370 Q
MCMEEKIN,T.C.	9605200445	50-369 P
MCMEEKIN,T.C.	9605200449	50-369 P
MCMEEKIN,T.C.	9605210144	50-369 F
MCMEEKIN,T.C.	9605210468	50-369 Q
MCMEEKIN,T.C.	9605210510	50-369 P
MCNEES,J.L.	9605130046	STATE PRO G
MCNEIL,M.	9605130336	TOPREP
MCNEIL,M.	9605130338	TOPREP
MCNULTY,W.J.	9605080196*	50-390 Q
MCNUTT,W.F.	9605220244	NUREG
MCOSCAR,J.J.	9605070013	50-317 F
MCOSCAR,J.J.	9605070120	50-244 P
MCWHORTER,R.	9605140048*	50-338 Q
MEADOWS,T.	9605020290	40-3453
MEBANE,D.C.	9605100215*	50-305 I
MECREDY,R.C.	9605100144	50-244 P
MECREDY,R.C.	9605100236	50-244 P
MECREDY,R.C.	9605100240*	50-244 P
MECREDY,R.C.	9605140337	50-244 Q
MECREDY,R.C.	9605140341	50-244 P
MECREDY,R.C.	9605170523	50-244 R
MECREDY,R.C.	9605170524	50-244 Q
MECREDY,R.C.	9605300129	50-244 S
MECREDY,R.C.	9605310028	50-244 P
MEEHAN,B.D.	9605210218	CONTRACT
MEEHAN,B.D.	9605290184	CONTRACT
MEEHAN,B.D.	9605290188	CONTRACT
MEISNER,M.J.	9605020181	50-416 R
MEISNER,M.J.	9605070264	50-416 P
MEISNER,M.J.	9605210357	50-416 F
MELLOR,R.A.	9605160379	50-29 W
MELLOR,R.A.	9605210117	50-29 W
MELLOR,R.A.	9605280083	50-29 W
MEMORY,R.D.	9605080224*	WASTE MGT
MENDELSON,I.	9605080011	CONTRACT
MENDONCA,M.M.	9605130110	50-160 T
MENDONCA,M.M.	9605130116	50-160 T
MENDONCA,M.M.	9605220160	50-407 F
MENDONCA,M.M.	9605220300	50-288 F
MENDONCA,M.M.	9605300114	50-407 V
MENNUCEI,M.	9605020087	50-255 F
MEREDITH,D.	9605130323	STATE PRO G
MERGES,P.J.	9605130190*	STATE PRO G
MERSCHOFF,E.W.	9605100011	50-302 P
MERSCHOFF,E.W.	9605100026	50-327 P
MERSCHOFF,E.W.	9605140411	50-390 Q
MERSCHOFF,E.W.	9605200289	50-302 Q
MESSIER,M.	9605130080*	FOIA
MESSIER,M.	9605220166*	FOIA
MESSIER,M.	9605220320*	FOIA
METZGER,R.L.	9605010301	CONTRACT
METZLER,D.	9605090083	WASTE MGT
METZLER,D.	9605230225	WASTE MGT
METZLER,D.	9605230229	WASTE MGT
METZLER,D.	9605300028	WASTE MGT
MEYER,G.W.	9605160145	50-247 V
MEYER,G.W.	9605170348	50-286 V
MEYER,G.W.	9605170354	50-352 V
MEYER,G.W.	9605170358	50-443 V
MEYER,G.W.	9605170361	50-387 V
MEYER,G.W.	9605170362	50-171 V
MEYER,G.W.	9605170365	50-286 V
MEYER,G.W.	9605170371	50-245 V
MEYER,G.W.	9605200418	50-213 V
MEYER,G.W.	9605280044	50-387 V
MEYER,J.F.	9605310066*	50-483 P
MEYER,P.D.	9605220418	NUREG
MEYER,R.	9605160325*	70-310
MEYERS,S.	9605200328*	FOIA
MICHAELS,T.S.	9605150232	50-2 F
MICHAELS,T.S.	9605230150	50-223 Q
MICHAUD,W.F.	9605310163	NUREG
MICHEL,T.G.	9605310014*	40-6622
MILKEY,J.R.	9605280192*	50-443 Q
MILLER,D.L.	9605240083	50-346 S
MILLER,D.L.	9605280156	50-346 S
MILLER,H.	9605280278	50-456 Q
MILLER,H.J.	9605010022	70-36
MILLER,H.J.	9605150241	50-341 Q
MILLER,H.J.	9605210501	50-456 Q
MILLER,L.	9605240064	50-454 S
MILLER,L.F.	9605280178	50-454 Q
MILLER,L.F.	9605280179	50-454 Q
MILLER,L.F.	9605280190*	50-454 Q
MILLER,L.F.	9605280252*	50-456 Q
MILLER,L.F.	9605290144	50-295 Q
MILLER,L.F.	9605290155*	50-295 Q
MILLER,M.	9605130430*	50-335 Q
MILLER,M.	9605160072	40-672
MILLER,R.W.	9605310138*	TOPREP
MILLER,T.	9605030121*	50-267 R
MILLER,V.L.	9605160362*	70-310
MILLER,V.L.	9605170037*	70-310
MILLER,W.A.	9605140266	71-428
MILLS,G.R.	9605060322*	50-361 H
MILLS,R.	9605030175	40-3453
MILNER,R.A.	9605150290	WASTE MGT
MILSTER,H.P.	9605030061*	40-6897
MIMS,D.C.	9605030251	50-313 F
MIMS,D.C.	9605030273	50-313 R
MIMS,D.C.	9605130426	50-313 Q
MIMS,D.C.	9605140089	50-368 S
MIMS,D.C.	9605160425	50-313 S
MIMS,D.C.	9605200224	50-313 Q
MIMS,D.C.	9605200252	50-313 Y
MIMS,D.C.	9605200327	50-368 R
MIMS,D.C.	9605200336	50-313 R
MIMS,D.C.	9605230231	50-313 P
MIMS,D.C.	9605280052	50-368 Q
MIRAGLIA,F.J.	9605070153	REVIEW GR P
MISTLER,T.E.	9605300206	TOPREP
MITCHELL,J.A.	9605230196*	50-244 P
MITCHELL,J.A.	9605280095	50-244 P
MITCHELL,J.A.	9605290075*	50-244 P
MITCHELL,J.A.	9605310053	50-244 P
MITCHELL,T.N.	9605130216	50-171 R
MITCHELL,T.N.	9605200258	50-277 R
MITCHELL,T.N.	9605220500	50-277 R
MIYAHARA,B.A.	9605130133	STATE PRO G
MODESTO,N.	9605100086	40-3453
MOELLER,C.R.	9605130157*	50-298 S
MOELLER,C.R.	9605140200	50-298 S
MOIENI,P.	9604050396*	50-336 P
MONDALE	9605290244	XPORTLIC
MONTAGUE,C.	9605020072	40-3453
MONTAGUE,R.	9605020075	40-3453
MONTGOMERY,R.L.	9605140042	STATE PRO G
MOORE,C.	9605220322	NUREG
MOORE,K.	9605220144*	50-254 R
MOORE,K.	9605220157*	50-254 R
MOORE,M.	9605020124	50-170 R
MOORE,M.L.	9605020129*	50-170 R
MOORE,O.L.	9605030335	40-3453
MOORE,R.R.	9605240076	50-416 H
MOORE,S.E.	9507060257*	ORG
MORALES,E.M.	9605230041	40-8907
MORETTI,E.J.	9605160360*	FOIA
MORETTI,E.J.	9605230100*	FOIA
MOREY,D.	9605070199	50-364 P
MOREY,D.	9605070206	50-348 P
MOREY,D.	9605070221	50-348 K
MOREY,D.	9605070225	50-348 P
MOREY,D.	9605080112	50-364 P
MOREY,D.	9605140101	50-364 S
MOREY,D.	9605150085	50-348 Q
MOREY,D.	9605170476	50-348 R
MOREY,D.	9605200415	50-348 P
MOREY,D.	9605290088	50-364 S
MORGAN,J.F.	9605060148	40-3453
MORITA,T.	9605310138*	TOPREP
MORNIN,B.L.	9605170483*	40-*****
MORRIS,B.C.	9605280262	50-296 S
MORRIS,B.M.	9605060104	REGGD
MORRIS,C.	9605070087	50-413 G
MORRIS,C.	9605080116*	50-413 G
MORRIS,C.	9605080154*	50-413 G
MORRIS,C.	9605080165*	50-413 G
MORRIS,C.	9605080168*	50-413 G
MORRIS,C.	9605080209*	50-413 G
MORRIS,C.	9605090229*	ORG
MORRIS,C.E.	9605080193*	50-413 G
MORRIS,T.	9605060330	50-423 F
MORRISON,D.L.	9605290147*	ORG
MOSSBURG,D.	9605210245*	50-309 H
MOSSBURG,D.	9605310122*	50-309 H
MOTAMED,M.	9605130069	NUREG
MOULIA,T.A.	9605300131	50-133 F
MOUNT,D.K.	9605130123	STATE PRO G
MOWERY,J.D.	9605240250	50-304 S
MOWERY,J.D.	9605240250	50-304 S
MOWERY,J.D.	9605280150	50-304 S
MOWREY,C.L.	9605030192	50-250 S
MOZAFARI,B.	9605140416	50-261 P
MOZAFARI,B.	9605170033	50-261 P
MOZAFARI,B.	9605170169	50-261 P
MOZAFARI,B.	9605170172	50-324 P
MOZAFARI,B.	9605170197	50-324 F
MOZAFARI,B.	9605170431	50-324 P
MOZAFARI,B.	9605210175	50-324 P
MOZAFARI,B.	9605210202	50-324 P
MOZAFARI,B.L.	9604220188	50-261 P
MOZAFARI,B.L.	9605170022	50-324 P
MOZAFARI,B.L.	9605170026*	50-324 P
MOZAFARI,B.L.	9605240207	50-324 P
MOZAFARI,B.L.	9605240208*	50-324 P
MUELLER,J.H.	9605030083	50-298 R
MUELLER,J.H.	9605030315	50-298 R
MUELLER,J.H.	9605060228	50-298 R
MUELLER,J.H.	9605130223	71-9233
MUELLER,J.H.	9605170315	50-298 Q
MUELLER,J.H.	9605240252	50-298 F
MUELLER,J.H.	9605280165	50-298 P
MUELLER,R.C.	9605140523	50-409 I
MUENCH,R.A.	9605070307	50-482 Q
MUENCH,R.A.	9605140318	50-482 Q
MULDER,R.U.	9605310021	50-62 P
MULLOY,T.P.	9605090117	40-8794
MUMAW,R.	9605210324*	52-3
MUMAW,R.J.	9605210333*	52-3
MURLEY,T.E.	9112060121*	ORG
MURPHY,G.F.	9605210075*	FOIA
MURPHY,T.D.	9605160109	40-8027
MURRAY,B.	9605060294*	50-482 Q
MURRAY,B.	9605150202*	FOIA
MURRAY,B.	9605170282*	50-458 Q
MURRAY,B.	9605230220*	50-275 Q
MURRAY,B.	9605290082*	50-361 Q
MURRAY,R.O.	9605150381	40-3453
MUTH,D.W.	9605170101	50-317 S
MYERS,H.R.	9605210260*	50-309 H
MYERS,H.R.	9605210271*	50-309 H
NALLUSWAMI,M.	9605160028	40-7604
NANNEY,L.E.	9605140085	STATE PRO G
NARDONE,P.E.	9605140147	50-443 R
NATARAJA,M.S.	9605170420*	WASTE MGT
NEGRON,S.B.	9605300047*	70-7002
NEGRON,S.B.	9605300060*	70-7002
NEGUS,P.T.	9605170474	52-3
NELSON,C.	9605030190	40-3453
NELSON,H.O.	9605200440*	50-263 P
NELSON,K.	9605100075	40-3453
NELSON,L.A.	9605080127*	50-364 P
NELSON,M.A.	9605240084	50-289 F
NELSON,P.R.	9605220477*	70-310

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
NELSON,R.	9605060231	40-8974
NELSON,R.	9605060233*	40-8974
NELSON,R.	9605070124	WASTE MGT
NELSON,R.A.	9605060036	40-6940
NELSON,R.A.	9605060213	40-8948
NELSON,R.A.	9605060260	40-8838
NELSON,R.A.	9605060278	40-7604
NELSON,R.A.	9605060281*	40-8838
NELSON,R.A.	9605060302	40-7604
NELSON,R.A.	9605060312*	40-7604
NELSON,R.A.	9605070162	WASTE MGT
NELSON,R.A.	9605150402	40-8838
NELSON,R.A.	9605150415*	40-8838
NELSON,R.A.	9605150426	40-8027
NELSON,R.A.	9605150495	40-8974
NELSON,R.A.	9605150496*	40-8974
NELSON,R.A.	9605170525	27-47
NELSON,R.A.	9605210315	50-18 I
NELSON,R.A.	9605230110	WASTE MGT
NELSON,R.A.	9605230127	WASTE MGT
NELSON,R.A.	9605300072	40-8027
NELSON,R.A.	9605300141	40-9027
NERSES,V.	9605100006	50-369 P
NERSES,V.	9605150269	50-369 P
NERSES,V.	9605280170	50-369 F
NERSES,V.	9605290109	50-369 S
NETT,D.M.	9605090151	40-8838
NEUMAN,G.M.	9605200411	50-440 R
NEUMAN,S.	9605070073	CONTRACT
NEWBERRY,S.F.	9605080088	50-219 P
NEWBERRY,S.F.	9605170044	ORG
NEWBERRY,S.F.	9605240191	50-269 P
NEWBURGH,G.	9605220436*	50-245 R
NEWLAND,J.A.	9605290247	71-603
NEWMAN,D.R.	9605140201*	50-331 I
NEWMAN,F.	9605020269	40-3453
NEWMAN,N.J.	9605280094*	70-143
NEWTON,R.	9605140145	50-324 F
NEWTON,R.R.	9605200079	50-324 F
NEWTON,T.H.	9605010109	71-164
NG,K.R.	9605280238*	50-272 P
NICHOLS,S.E.	9605140211	50-309 S
NICHOLSON,L.E.	9605070113*	50-354 Q
NICHOLSON,L.E.	9605130349	50-272 Q
NICHOLSON,L.E.	9605160255	50-272 P
NICHOLSON,L.E.	9605160308	50-272 P
NICHOLSON,L.E.	9605210034	50-354 Q
NICHOLSON,L.E.	9605280043	50-354 Q
NICHOLSON,L.E.	9605310022	50-272 P
NICHOLSON,L.E.	9605310026	50-354 P
NICHOLSON,L.E.	9605310091	50-272 P
NICKELL,R.	9605200132	TOPREP
NICKELS,L.A.	9605030028	40-6897
NICKLESS,B.	9605310219	50-255 F
NICOL,V.L.	9605010036	40-3453
NICOLAYEFF,V.	9605240220*	70-734
NIETMANN,K.J.	9605310001	50-317 V
NOCE,C.D.	9605060138*	50-280 R
NOEL,J.L.	9605150230	70-27
NOLL,W.G.	9605090053	50-245 S
NOLL,W.G.	9605220013	50-245 S
NOLL,W.G.	9605220013	50-245 S
NOLL,W.G.	9605220455	50-245 S
NOOL,W.G.	9605090061	50-245 S
NOONAN,T.P.	9605020217	50-334 R
NOONAN,T.P.	9605020237	50-334 R
NOONAN,T.P.	9605060182	50-334 S
NOONAN,T.P.	9605090121	50-334 Q
NOONAN,T.P.	9605140294	50-334 R
NOONAN,T.P.	9605170045	50-334 Q
NOONAN,T.P.	9605200451	50-334 S
NOONAN,T.P.	9605300002	50-412 S
NOORDENNEN,G.P.	9605090091	50-336 S
NOORLANDER,M.	9605010045	40-3453
NOORLANDER,S.	9605010039	40-3453
NOORLANDER,S.L.	9605030054	40-3453
NOORLANDER,V.S.	9605030003	40-3453
NORDQUIST,M.B.	9605170322*	FOIA
NORKIN,D.P.	9605020274*	50-280 Q
NORKIN,D.P.	9605280090*	50-220 Q
NORRIS,J.A.	9605160469	50-289 P
NORRIS,J.A.	9605160472	50-289 P
NORRIS,J.A.	9605170219	50-335 Q
NOSS,D.L.	9605020058*	70-1257
NOSS,D.L.	9605290210	XPORTLIC
NOSS,D.L.	9605290213*	XPORTLIC
NOSS,D.L.	9605290245*	XPORTLIC
NOWLEN,S.P.	9605300070*	50-445 F
NUNN,D.E.	9605080058	50-361 P
NUNN,D.E.	9605100159	50-361 P
NUNN,D.E.	9605100161*	50-361 P
NUNN,D.E.	9605140360	50-361 P
NUNN,D.E.	9605140366*	50-361 P
NUNN,D.E.	9605310169	50-361 P
NUNN,D.E.	9605310176*	50-361 P
NUSSBAUMER,D.A.	9605030070*	40-6897
NUSSBAUMER,D.A.	9605030173*	40-6897
NUSSBAUMER,D.A.	9605130341*	70-310
NUSSBAUMER,D.A.	9605130358*	70-310
NUSSBAUMER,D.A.	9605140015*	70-261
NUSSBAUMER,D.A.	9605140016*	70-310
NUSSBAUMER,D.A.	9605140022*	70-310
NUSSBAUMER,D.A.	9605140067*	70-310
NUSSBAUMER,D.A.	9605150014*	70-310
NUSSBAUMER,D.A.	9605160149*	FOIA
NYDES,R.	9605170356*	52-3
NYMAN,D.	9605310146	50-454 S
O'CONNELL,R.	9605020086*	ORG
O'HANLON,J.P.	9605060134	50-280 K
O'HANLON,J.P.	9605060207	50-280 F
O'HANLON,J.P.	9605070217	50-338 K
O'HANLON,J.P.	9605100158	50-280 Q
O'HANLON,J.P.	9605100163	50-280 P
O'HANLON,J.P.	9605100186	50-280 Q
O'HANLON,J.P.	9605130450	50-338 P
O'HANLON,J.P.	9605200144	50-280 Q
O'HANLON,J.P.	9605230159	50-280 Q
O'HANLON,J.P.	9605280057	50-280 P
O'KELLY,S.	9605140521	50-128 R
O'NEAL,R.	9605030115	40-3453
O'REILLY,J.P.	9604160377*	50-301 Q
O'REILLY,J.P.	9604240044*	FOIA
O'REILLY,J.P.	9605080144*	50-219 Q
O'REILLY,M.E.	9605090146*	50-346 G
ODAR,F.	9605130440	ORG
ODELL,W.H.	9605060108	50-458 R
OESTMANN,M.J.	9605210262*	40-1790
OFSTUN,R.P.	9605280199*	52-3
OGLE,C.R.	9605200298*	50-424 Q
OHEIM,H.V.	9605070187	50-293 R
OHEIM,H.V.	9605200075	50-293 R
OHEIM,H.V.	9605200270	50-293 F
OLIN,M.R.	9605020395*	50-280 R
OLIVER,J.A.	9605020184	40-3453
OLIVER,L.M.	9605090034	40-3453
OLIVIER,L.J.	9605030076	50-293 R
OLIVIER,L.J.	9605150416	50-293 R
OLSEN,A.F.	9605090009	70-27
OLSEN,A.F.	9605090048	70-27
OLSEN,A.F.	9605140399	70-27
OLSEN,A.F.	9605140518	70-27
OLSEN,A.F.	9605300043	70-27
OLSEN,C.	9605200391	50-280 R
OLSEN,H.O.	9605200428	50-317 R
OLSHAN,L.N.	9605020314	50-272 P
OLSHAN,L.N.	9605070283	50-272 P
OLSHAN,L.N.	9605170290	50-272 P
OLSON,R.	9605140096*	70-8
ONEAL,R.	9605030089	40-3453
ONEAL,R.	9605030231	40-3453
ONG-CARRILLO,A.	9605070043	50-275 R
OPEKA,J.F.	9605160197*	50-245 P
OPEKA,J.F.	9605160208*	50-245 P
OPEKA,J.F.	9605160229*	50-245 P
OPEKA,J.F.	9605160233*	50-245 P
OPEKA,J.F.	9605160245*	50-245 P
OPEKA,J.F.	9605160257*	50-245 P
OPEKA,J.F.	9605160262*	50-245 P
ORDERS,W.T.	9605200330*	50-261 Q
ORIANS,C.	9605220322	NUREG
ORLANDO,D.A.	9605160462	40-341
ORLANDO,D.A.	9605310151	WASTE MGT
ORLANDO,T.	9605200266	50-286 R
ORNELAS,M.	9605170156*	50-245 H
ORSER,W.S.	9605200243	50-324 Q
ORTCIGER,T.W.	9605130154	STATE PRO G
OSGOOD,N.	9605130028	71-9250
OSGOOD,N.L.	9605030378	71-9203
OTTARSON,J.M.	9605200044	40-7604
OUTLAW,D.A.	9605210114*	70-1113
OUTTEN,E.G.	9605220203*	FOIA
PAAS,H.J.	9605160247*	70-310
PAAS,H.J.	9605160265*	70-310
PAAS,H.J.	9605220251*	FOIA
PAAS,H.J.	9605220270*	FOIA
PAAS,H.J.	9605220273*	FOIA
PAAS,H.J.	9605220324*	FOIA
PACSTER,C.E.	9605130410*	FOIA
PADGETT,J.A.	9605130100	STATE PRO G
PADGETT,J.A.	9605130142	STATE PRO G
PADGETT,J.A.	9605130158*	STATE PRO G
PAGE,R.G.	9605150286*	70-310
PAGE,R.G.	9605220022*	FOIA
PAGE,R.G.	9605220212*	FOIA
PAGE,R.G.	9605220216*	70-310
PAGE,R.G.	9605220331*	FOIA
PAGE,R.G.	9605220470*	FOIA
PAGE,R.G.	9605230161*	FOIA
PAGE,R.G.	9605230163*	FOIA
PALJUG,J.R.	9605230178	50-270 P
PALJUG,J.R.	9605230178	50-270 P
PALLA,R.L.	9605150196	REVIEW GR P
PALMER,S.	9605150111*	50-309 P
PALO,W.J.	9605300170*	50-528 P
PANG,F.	9605230018*	FOIA
PANG,J.F.	8810170328*	FOIA
PANG,J.F.	9605230011*	FOIA
PAPE,J.M.	9605310125	WASTE MGT
PAPERIELLO,C.J.	9604300404	ORG
PAPERIELLO,C.J.	9605090115	ORG
PAPERIELLO,C.J.	9605310003	40-8724
PARKER,R.A.	9605220245*	FOIA
PARKER,T.	9605140502*	50-263 S
PARKER,T.	9605200447	50-263 S
PARKS,J.W.	9605130417*	70-7001
PARKS,J.W.	9605130421*	70-7001
PARLS,J.W.	9605130396*	70-7001
PARRIOTT,D.L.	9605020180	40-3453
PARRISH,J.V.	9605090217	50-397 F
PARRISH,J.V.	9605100013	50-397 P
PARRISH,J.V.	9605100224	50-397 F
PARRISH,J.V.	9605130294	50-397 P
PARRISH,J.V.	9605200452	50-397 Q
PARRISH,J.V.	9605210391	50-397 P
PARRISH,J.V.	9605210464	50-397 P
PARSCALE,L.	9605220397*	50-390 R
PARTON,B.	9605200067	CONTRACT
PASCIAK,W.	9605160064	50-353 S
PASCIAK,W.J.	9605170121	50-277 Q
PASCIAK,W.J.	9605280075	50-388 Q
PASCIAK,W.J.	9605280133	50-387 Q
PASSETTI,W.A.	9605170018*	STATE PRO G
PASSWATER,A.C.	9605280061	50-483 P
PASSWATER,A.C.	9605310129	50-483 P
PASZKOWSKI,R.	9605210397*	50-397 P
PATE,R.J.	9605130205*	FOIA
PATEL,C.P.	9605080096	50-382 P
PATEL,C.P.	9605090222	50-382 Q
PATEL,C.P.	9605160358	50-382 P
PATEL,N.	9605010155	40-8902
PATKO,A.L.	9605230222	71-9208
PATRICK,W.C.	9605290173	WASTE MGT
PATTERSON,C.A.	9605140485*	50-324 Q
PATTERSON,P.A.	9605210362*	FOIA
PATTERSON,R.	9605210040	50-373 S
PATTERSON,T.L.	9605020379	50-285 R
PATTERSON,T.L.	9605030198	50-285 S
PATTERSON,T.L.	9605070134	50-285 V
PATTERSON,T.L.	9605070203	50-285 F
PATTERSON,T.L.	9605070258	50-285 R
PATTERSON,T.L.	9605100244	50-285 Q
PATTERSON,T.L.	9605100246	50-285 Q
PATTERSON,T.L.	9605200321	50-285 R
PATTERSON,T.L.	9605280213	50-285 Q
PATTERSON,T.L.	9605290001	50-285 P
PATTERSON,T.L.	9605290002	50-285 P
PATTERSON,T.L.	9605290012	50-285 F
PATTISON,D.	9605020147	40-3453
PATTISON,R.S.	9605060156	40-3453
PATTON,J.D.	9605290241	40-8102
PAUL,D.	9605140090*	70-8
PAUL,D.	9605140096*	70-8
PAULUS,R.C.	9605220222*	FOIA
PAUSTIAN,H.H.	9605200440*	50-263 P
PAUSTIAN,H.H.	9605210008	50-263 R
PAUSTIAN,H.H.	9605280282*	50-263 P
PEARCE,L.W.	9605010066	50-254 R
PEARCE,L.W.	9605220134	50-254 R
PEARCY,E.C.	9605200268	WASTE MGT
PEARSON HITCH	9605130399*	STATE PRO G
PEARSON,D.	9605130435	STATE PRO G
PEDERSON,C.D.	9605060261	70-7002
PEEBLES,T.A.	9605100044	50-302 V
PEEBLES,T.A.	9605100064*	50-302 V

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PEEBLES,T.A.	9605140315	50-261 Q	POWELL,R.	9605210111	50-498 Q	RACSTER,C.E.	8102040712*	FOIA
PELIZZA,M.S.	9604260063	40-8968	POWELL,R.	9605210113	FOIA	RACSTER,C.E.	8103120055*	FOIA
PELIZZA,M.S.	9605080097	40-8968	POWELL,R.A.	9605030005	FOIA	RACSTER,C.E.	8103120117*	FOIA
PELIZZA,M.S.	9605220200	40-8968	POWELL,R.A.	9605030074	FOIA	RACSTER,C.E.	8104220176*	FOIA
PELLET,J.L.	9605030355*	50-498 Q	POWELL,R.A.	9605130027	70-310	RACSTER,C.E.	8202160462*	FOIA
PELLET,J.L.	9605200394*	50-498 Q	POWELL,R.A.	9605130035	50-309 P	RACSTER,C.E.	8202190282*	FOIA
PELLET,J.L.	9605220293*	50-498 Q	POWELL,R.A.	9605170461	40-*****	RACSTER,C.E.	8301110431*	FOIA
PENN,P.A.	9605240110*	50-317 P	POWELL,R.A.	9605170507	FOIA	RACSTER,C.E.	8503140177*	FOIA
PENNELL,W.E.	9605130075	NUREG	POWELL,R.A.	9605210016	FOIA	RACSTER,C.E.	8508220511*	FOIA
PENROD,K.L.	9605310229	50-255 F	POWELL,R.A.	9605210030	FOIA	RACSTER,C.E.	8510240656*	FOIA
PERALTA,J.	9605290010	TOPREP	POWELL,R.A.	9605210037	FOIA	RACSTER,C.E.	8512200337*	FOIA
PERDUE,P.T.	9605200100*	FOIA	POWELL,R.A.	9605210082	FOIA	RACSTER,C.E.	8612090301*	FOIA
PERKI,R.H.	9605160121	CONTRACT	POWELL,R.A.	9605210360	FOIA	RACSTER,C.E.	8809070196*	FOIA
PERRY,J.S.	9605030389	50-237 Q	POWERS,D.	9605200497	ACRS	RACSTER,C.E.	8903200221*	FOIA
PERRY,J.S.	9605140142	50-249 S	POWERS,D.A.	8811080295*	FOIA	RACSTER,C.E.	8907240240*	FOIA
PERRY,J.S.	9605170497	50-10 R	POWERS,D.A.	8902150445*	FOIA	RACSTER,C.E.	9605130037*	FOIA
PERRY,J.S.	9605200154	50-237 S	POWERS,D.A.	8904270376*	FOIA	RACSTER,C.E.	9605130039*	FOIA
PERRY,J.S.	9605200176	50-237 S	POWERS,D.A.	9605210490*	50-275 Q	RACSTER,C.E.	9605130053*	FOIA
PERRY,J.S.	9605200193	50-237 S	POWERS,D.A.	9605310070*	50-482 Q	RACSTER,C.E.	9605130072*	FOIA
PERRY,J.S.	9605200295	50-249 P	POWERS,J.E.	9605100043	40-3453	RACSTER,C.E.	9605130074*	FOIA
PERRY,J.S.	9605200337	50-237 S	POWERS,R.P.	9605010248	50-275 F	RACSTER,C.E.	9605130078*	FOIA
PERRY,J.S.	9605210513	50-237 S	POWERS,R.P.	9605010259*	50-275 F	RACSTER,C.E.	9605130081*	FOIA
PERRY,J.S.	9605280058	50-249 P	PRATO,R.J.	9605160036	50-317 P	RACSTER,C.E.	9605130091*	FOIA
PERRY,J.S.	9605290070	50-249 P	PRATO,R.J.	9605300092	PROJ	RACSTER,C.E.	9605130097*	FOIA
PERRY,J.S.	9605300004	50-237 S	PREZKOP,M.	9605150328	71-438	RACSTER,C.E.	9605130108*	FOIA
PERRY,N.	9605160064	50-353 S	PREZKOP,M.	9605150334*	71-438	RACSTER,C.E.	9605130165*	FOIA
PERSHEY,C.	9605140166	50-456 R	PRICE,E.R.	9605140006*	70-310	RACSTER,C.E.	9605130264*	FOIA
PERSON,L.S.	9605220184	40-8778	PRICE,E.R.	9605140031*	70-310	RACSTER,C.E.	9605130266*	FOIA
PERSOON,J.	9605160073	40-7982	PRICE,E.R.	9605140063*	70-310	RACSTER,C.E.	9605130274*	FOIA
PETERSON,M.R.	9605100081	40-3453	PRICE,E.R.	9605150244*	70-310	RACSTER,C.E.	9605130286*	FOIA
PETERSON,N.K.	9605230098	50-341 S	PRICE,E.R.	9605150278*	70-310	RACSTER,C.E.	9605130287*	FOIA
PETTIS,R.L.	9605230157*	QA999	PRICE,E.R.	9605150280*	70-310	RACSTER,C.E.	9605130295*	FOIA
PETTY,K.A.	9605070316*	50-344 S	PRICE,E.R.	9605150283*	70-310	RACSTER,C.E.	9605130298*	FOIA
PEVEY,L.E.	9605280067	70-398	PRICE,E.R.	9605150288*	70-310	RACSTER,C.E.	9605150140*	FOIA
PEVEY,L.E.	9605300049	70-398	PRICE,E.R.	9605170508*	70-310	RACSTER,C.E.	9605150149*	FOIA
PFISTER,E.R.	9605060258	50-373 S	PRICE,E.R.	9605200203*	70-310	RACSTER,C.E.	9605150179*	FOIA
PHILIPS,G.H.	9605030231	40-3453	PRICE,E.R.	9605220291*	FOIA	RACSTER,C.E.	9605150182*	FOIA
PHILIPS,G.H.	9605030360	40-3453	PRICE,E.R.	9605220305*	FOIA	RACSTER,C.E.	9605150198*	FOIA
PHILLIP,G.A.	9605200275*	40-8035	PRICE,E.R.	9605220369*	FOIA	RACSTER,C.E.	9605150205*	FOIA
PHILLIPS,E.	9605030231	40-3453	PRICE,E.R.	9605230113*	FOIA	RACSTER,C.E.	9605150223*	FOIA
PHILLIPS,G.G.	9605030156	40-3453	PRICE,E.R.	9605230145*	FOIA	RACSTER,C.E.	9605150233*	FOIA
PHILLIPS,G.H.	9605020408	40-3453	PRIEST,J.	9605020164*	50-354 S	RACSTER,C.E.	9605150300*	FOIA
PHILLIPS,G.H.	9605030178	40-3453	PULSIFER,R.M.	9605020402	50-254 P	RACSTER,C.E.	9605150302*	FOIA
PHILLIPS,G.H.	9605030223	40-3453	PULSIFER,R.M.	9605210301	50-249 P	RACSTER,C.E.	9605150413*	FOIA
PHILLIPS,L.E.	9605230199	50-331 P	PULSIFIER,R.M.	9605150194	50-254 P	RACSTER,C.E.	9605160039*	FOIA
PHILLIPS,L.E.	9605310068	50-271 P	QUAY,T.R.	9605170249	52-4	RACSTER,C.E.	9605160041*	FOIA
PHILLIPS,M.	9605070135	I&E	QUAY,T.R.	9605230198	52-1	RACSTER,C.E.	9605160043*	FOIA
PHILLIPS,R	9605210392	50-311 R	QUAY,T.R.	9605230200	52-3	RACSTER,C.E.	9605160047*	FOIA
PHILLIPS,R.	9605010046	QA999	QUENNOZ,S.M.	9605020149	50-344 R	RACSTER,C.E.	9605160051*	FOIA
PHILLIPS,R.	9605210322	50-272 R	QUENNOZ,S.M.	9605070309	50-344 S	RACSTER,C.E.	9605160055*	FOIA
PICKETT,D.V.	9605030227	50-461 P	QUENNOZ,S.M.	9605210422	50-344 F	RACSTER,C.E.	9605160057*	FOIA
PICKETT,D.V.	9605150216	50-461 F	QUENNOZ,S.M.	9605280299	50-344 Y	RACSTER,C.E.	9605160059*	FOIA
PICKETT,D.V.	9605280131	50-461 P	QUENNOZ,S.M.	9605280304	50-344 Y	RACSTER,C.E.	9605160067*	FOIA
PIERSON,R.C.	9605070325	70-734	QUERIO,R.E.	9605060167	50-373 K	RACSTER,C.E.	9605160079*	FOIA
PIERSON,R.C.	9605070329*	70-734	QUERIO,R.E.	9605140146	50-373 V	RACSTER,C.E.	9605160080*	FOIA
PIERSON,R.C.	9605070358	70-36	QUERIO,R.E.	9605140154	50-373 P	RACSTER,C.E.	9605160088*	FOIA
PIERSON,R.C.	9605070361	70-27	QUERIO,R.E.	9605170270*	50-373 F	RACSTER,C.E.	9605160092*	FOIA
PIERSON,R.C.	9605070363*	70-27	QUINN,J.E.	9605080197	52-4	RACSTER,C.E.	9605160096*	FOIA
PIERSON,R.C.	9605070367	70-143	QUINN,J.E.	9605090068	52-4	RACSTER,C.E.	9605160100*	FOIA
PIERSON,R.C.	9605150165	70-143	QUINN,J.E.	9605280201	52-4	RACSTER,C.E.	9605160103*	FOIA
PIERSON,R.C.	9605150173*	70-143	QUINN,S.E.	9605060074	50-3 R	RACSTER,C.E.	9605160112*	FOIA
PIERSON,R.C.	9605210343	70-27	QUINN,S.E.	9605070265	50-247 S	RACSTER,C.E.	9605160114*	FOIA
PIERSON,R.C.	9605210395*	70-27	QUINN,S.E.	9605070372	50-247 P	RACSTER,C.E.	9605160127*	FOIA
PIERSON,R.C.	9605210403	70-143	QUINN,S.E.	9605070375	50-3 R	RACSTER,C.E.	9605160135*	FOIA
PIERSON,R.C.	9605290130	70-734	QUINN,S.E.	9605100157	50-3 R	RACSTER,C.E.	9605160143*	FOIA
PIERSON,R.C.	9605290132*	70-734	QUINN,S.E.	9605100192	50-247 Q	RACSTER,C.E.	9605160147*	FOIA
PIET,P.L.	9605170499	50-237 P	QUINN,S.E.	9605140316	50-3 F	RACSTER,C.E.	9605160156*	FOIA
PITESA,J.W.	9605020394*	50-369 S	QUINN,S.E.	9605140440	50-3 F	RACSTER,C.E.	9605160167*	FOIA
PITESA,J.W.	9605030029*	50-370 S	QUINN,S.E.	9605170261	50-247 S	RACSTER,C.E.	9605160174*	FOIA
PLUNKETT,T.F.	9605030068	50-250 Q	QUINN,S.E.	9605220348	50-247 R	RACSTER,C.E.	9605160178*	FOIA
POHLE,J.	9605070066	WASTE MGT	QUINN,S.E.	9605280125	50-3 Q	RACSTER,C.E.	9605160187*	FOIA
POKHARNA,H.	9605130147	52-4	QUIRK,J.	9605080090	52-1	RACSTER,C.E.	9605160199*	FOIA
POLICH,T.J.	9605300051	50-445 F	QUIRK,J.F.	9605080030	52-1	RACSTER,C.E.	9605160236*	FOIA
POLOSKI,J.P.	9605140503*	ORG	RABIDEAU,P.J.	9605290115	40-4492	RACSTER,C.E.	9605160244*	FOIA
POOL,M.J.	9605020398	FOIA	RABIDEAU,P.J.	9605290152	40-4492	RACSTER,C.E.	9605160253*	FOIA
POPPE,W.A.	9605210513	50-237 S	RACSTER,C.E.	7908090463*	FOIA	RACSTER,C.E.	9605160256*	FOIA
POSLUSNY,C.	9605300133	50-387 P	RACSTER,C.E.	7908160072*	FOIA	RACSTER,C.E.	9605160258*	FOIA
POSLUSNY,C.	9605310032	50-387 P	RACSTER,C.E.	7908160089*	FOIA	RACSTER,C.E.	9605160261*	FOIA
POTTER,J.	9605130309*	FOIA	RACSTER,C.E.	8007150188*	FOIA	RACSTER,C.E.	9605160264*	70-310
POWELL,D.R.	9605060292	50-354 P	RACSTER,C.E.	8009020397*	FOIA	RACSTER,C.E.	9605160269*	70-310
POWELL,D.R.	9605090037	50-272 R	RACSTER,C.E.	8010030073*	FOIA	RACSTER,C.E.	9605160285*	70-310
POWELL,D.R.	9605140357	50-354 R	RACSTER,C.E.	8010080645*	FOIA	RACSTER,C.E.	9605160296*	70-310
POWELL,D.R.	9605140390	50-272 Q	RACSTER,C.E.	8010080650*	FOIA	RACSTER,C.E.	9605160306*	70-310
POWELL,D.R.	9605280289	50-354 S	RACSTER,C.E.	8010150302*	FOIA	RACSTER,C.E.	9605160345*	70-310
POWELL,R.	9605020329	70-2071	RACSTER,C.E.	8010300392*	FOIA	RACSTER,C.E.	9605160353*	FOIA
POWELL,R.	9605030031	40-6897	RACSTER,C.E.	8012020829*	FOIA	RACSTER,C.E.	9605160356*	FOIA
POWELL,R.	9605130025	FOIA	RACSTER,C.E.	8012240128*	FOIA	RACSTER,C.E.	9605160359*	FOIA
POWELL,R.	9605210002	40-17	RACSTER,C.E.	8101130627*	FOIA	RACSTER,C.E.	9605160371*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
RACSTER,C.E.	9605160377*	FOIA		RAPP,J.A.	9605300030*	70-7002		RIFFER,W.J.	9605210378	50-245	S
RACSTER,C.E.	9605160378*	FOIA		RASIN,W.H.	9605200099	REVIEW GR	P	RIFFER,W.J.	9605210378	50-245	S
RACSTER,C.E.	9605160386*	FOIA		RATHBUN,D.K.	9605100079	ORG		RIFFER,W.J.	9605220455	50-245	S
RACSTER,C.E.	9605160396*	FOIA		RATHBUN,D.K.	9605100212	STATE PRO	G	RIFFER,W.J.	9605220455	50-245	S
RACSTER,C.E.	9605160412*	FOIA		RATHBUN,D.K.	9605100217	ORG		RIFFER,W.J.	9605220465*	50-245	S
RACSTER,C.E.	9605160416*	FOIA		RATHBUN,D.K.	9605100220	PR		RIFFER,W.J.	9605220476*	50-245	S
RACSTER,C.E.	9605160435*	FOIA		RATHBUN,D.K.	9605100222	PR		RIFFER,W.J.	9605220479*	50-245	S
RACSTER,C.E.	9605160471*	FOIA		RATHBUN,D.K.	9605230093*	FOIA		RIFFER,W.J.	9605310152	50-245	S
RACSTER,C.E.	9605160485*	FOIA		RATHBUN,D.K.	9605230095*	FOIA		RIFFER,W.J.	9605310152	50-245	S
RACSTER,C.E.	9605160490*	FOIA		RATHBUN,P.A.	9605130135	NUREG		RIFFER,W.J.	9605310161	50-245	S
RACSTER,C.E.	9605160497*	FOIA		RATLIFF,R.A.	9605300085	PR		RIFFER,W.J.	9605310161	50-245	S
RACSTER,C.E.	9605160503*	FOIA		RAUH,J.M.	9605200034*	70-925		RIGGS,C.A.	9605070256	50-483	F
RACSTER,C.E.	9605170042*	70-310		RAY,D.J.	9605060258	50-373	S	RIMAWI,K.	9605230166	PR	
RACSTER,C.E.	9605170061*	FOIA		RAY,D.J.	9605070246	50-373	R	RINALDI,F.	9605090204	50-352	P
RACSTER,C.E.	9605170067*	FOIA		RAY,D.J.	9605140115	50-373	R	RINALDI,F.	9605090212*	50-352	P
RACSTER,C.E.	9605170069*	FOIA		RAY,D.J.	9605210040	50-373	S	RINALDI,F.	9605140132	50-277	Q
RACSTER,C.E.	9605170072*	FOIA		RAY,D.J.	9605280109	50-373	S	RINALDI,F.	9605210004	50-352	P
RACSTER,C.E.	9605170077*	70-310		READER,D.B.	9605070025	71-642		RINCKEL,M.A.	9605200132	TOPREP	
RACSTER,C.E.	9605170089*	FOIA		READER,D.B.	9605290004	71-642		RING,M.A.	9605170256*	50-237	Q
RACSTER,C.E.	9605170092*	70-310		READER,D.B.	9605290005*	71-642		RING,M.A.	9605290018	50-237	Q
RACSTER,C.E.	9605170094*	FOIA		REAVIS,J.	9605210144	50-369	F	RITZMAN,R.	9605140202	50-354	S
RACSTER,C.E.	9605170118*	FOIA		REDA,R.J.	9605060361	TOPREP		RITZMAN,R.	9605160242*	50-354	S
RACSTER,C.E.	9605170145*	70-310		REDA,R.J.	9605100077	70-1113		ROBERTS,G.D.	9605310158	NUREG	
RACSTER,C.E.	9605170153*	FOIA		REDA,R.J.	9605140509	70-1113		ROBERTS,M.	9605230053	70-698	
RACSTER,C.E.	9605170157*	FOIA		REDA,R.J.	9605170397	70-1113		ROBERTSON,J.P.	9605300109	ORG	
RACSTER,C.E.	9605170163*	FOIA		REDA,R.J.	9605170406	70-1113		ROBINSON,E.	9605020405	40-3453	
RACSTER,C.E.	9605170168*	FOIA		REDDEMANN,M.	9605160248	50-354	R	ROBINSON,E.	9605020408	40-3453	
RACSTER,C.E.	9605170176*	FOIA		REDDEMANN,M.E.	9605020145	50-354	S	ROBINSON,E.	9605030360	40-3453	
RACSTER,C.E.	9605170181*	FOIA		REDDEMANN,M.E.	9605020216	50-354	S	ROBINSON,J.J.	9605130197*	ORG	
RACSTER,C.E.	9605170188*	FOIA		REDDEMANN,M.E.	9605060331	50-354	R	ROBINSON,T.	9605060146	40-3453	
RACSTER,C.E.	9605170191*	FOIA		REDDEMANN,M.E.	9605140202	50-354	S	ROBINSON,W.R.	9605020244	50-400	R
RACSTER,C.E.	9605170214*	FOIA		REDDEMANN,M.E.	9605160209	50-354	S	ROBINSON,W.R.	9605020258	50-400	K
RACSTER,C.E.	9605170220*	FOIA		REDDEMANN,M.E.	9605200129	50-354	S	ROBINSON,W.R.	9605020305	50-400	R
RACSTER,C.E.	9605170251*	FOIA		REDDEMANN,M.E.	9605310166	50-354	S	ROBINSON,W.R.	9605060335	50-400	R
RACSTER,C.E.	9605170328*	FOIA		REDDEN,D.R.	9605090088*	50-457	P	ROBINSON,W.R.	9605140174	50-400	Q
RACSTER,C.E.	9605170338*	FOIA		REDEKER,S.J.	9605060358	50-312	Q	ROBINSON,W.R.	9605170053	50-400	Q
RACSTER,C.E.	9605200208*	FOIA		REDEKER,S.J.	9605090035	50-312	F	ROBISON,E.D.	9605030182	40-3453	
RACSTER,C.E.	9605200210*	FOIA		REDEKER,S.J.	9605300142	50-312	S	ROCHE,M.B.	9605030081	50-219	S
RACSTER,C.E.	9605200220*	FOIA		REDHAGE,L.	9605140035*	STATE PRO	G	ROCHE,M.B.	9605060090	50-219	R
RACSTER,C.E.	9605200221*	FOIA		REDHAGE,L.	9605140044*	STATE PRO	G	ROCHE,M.B.	9605130128	50-219	Y
RACSTER,C.E.	9605200226*	FOIA		REDHAGE,L.	9605140129*	STATE PRO	G	ROCHE,M.B.	9605130321	50-219	P
RACSTER,C.E.	9605200244*	FOIA		REED,A.	9605220357*	50-247	R	ROCHE,M.B.	9605130325*	50-219	P
RACSTER,C.E.	9605220026*	FOIA		REED,A.	9605220363*	50-247	R	ROCHE,M.B.	9605140478	50-219	S
RACSTER,C.E.	9605220050*	FOIA		REED,M.	9605060108	50-458	R	ROCHE,M.B.	9605170128	50-219	P
RACSTER,C.E.	9605220071*	FOIA		REED,T.A.	9605200102	ORG		ROCHE,M.B.	9605170479	50-219	S
RACSTER,C.E.	9605220075*	FOIA		REED,T.A.	9605300113	REVIEW GR	P	ROCHE,M.B.	9605200454	50-219	Q
RACSTER,C.E.	9605220082*	FOIA		REGAN,C.M.	9605150109	PROJ		ROCHE,M.B.	9605210452	50-219	R
RACSTER,C.E.	9605220263*	FOIA		REGAN,C.M.	9605260051	PROJ		ROCKHOLD,M.L.	9605220418	NUREG	
RACSTER,C.E.	9605220271*	FOIA		REGULINSKI,M.C.	9605090137	50-346	G	RODGERS,W.R.	9605030116*	70-27	
RACSTER,C.E.	9605220275*	FOIA		REHEIS,H.F.	9605130114	STATE PRO	G	RODRIGUEZ,J.M.	9605170167*	FOIA	
RACSTER,C.E.	9605220277*	FOIA		REHMANN,M.R.	9605150320	40-8681		RODRIGUEZ,J.M.	9605170178*	FOIA	
RACSTER,C.E.	9605220280*	FOIA		REHMANN,M.R.	9605290186*	40-8681		ROE,J.W.	9605060166	50-456	P
RACSTER,C.E.	9605220326*	FOIA		REIBER,W.M.	9605090233	40-9027		ROE,J.W.	9605060319	50-361	H
RACSTER,C.E.	9605220339*	FOIA		REIBLE,B.	9605200340	50-445	R	ROEDER,J.R.	9605160206*	70-310	
RACSTER,C.E.	9605220344*	FOIA		REID,D.A.	9603110030	50-271	P	ROEDER,J.R.	9605220256*	FOIA	
RACSTER,C.E.	9606060089*	FOIA		REIGEL,D.W.	9605290007	TOPREP		ROEDER,J.R.	9605220262*	FOIA	
RACSTOR,E.	9605160415*	FOIA		REINDL,R.P.	9605150136	50-397	S	ROEDER,J.R.	9605220383*	FOIA	
RADDATZ,M.G.	9605130217	50-320	Y	REINHART,M.	9605100108	50-341	P	ROEDER,J.R.	9605220462*	FOIA	
RADELOFF,W.A.	9605160343*	FOIA		REINHART,M.	9605170302	50-255	Q	ROGER,R.E.	9605170311*	FOIA	
RADELOFF,W.A.	9605160360*	FOIA		REINHART,M.	9605170404	50-315	P	ROGERS,J.A.	9605200436	50-335	R
RADEMACHER,N.	9605200383	50-220	S	REINHART,M.	9605240173*	50-263	P	ROGERS,K.C.	9605010103	COMMISSIO	N
RADEMACHER,N.L.	9605030284*	50-220	F	REINHART,M.	9605240186	50-255	P	ROGERS,K.C.	9605020175	COMMISSIO	N
RADEMACHER,N.L.	9605030293*	50-220	F	REINHART,R.M.	9605310086	50-306	P	ROGERS,K.C.	9605060192	COMMISSIO	N
RADEMACHER,N.L.	9605060011	50-220	R	REIS,T.	9605210173	50-313	S	ROGERS,K.C.	9605060236	COMMISSIO	N
RADEMACHER,N.L.	9605200281	50-220	R	REIS,T.	9605230002	50-313	S	ROGERS,K.C.	9605200286	COMMISSIO	N
RAGHAVAN,L.	9605020179	50-302	P	REIS,T.	9605280056	50-313	S	ROGERS,K.C.	9605200363	COMMISSIO	N
RAGHAVAN,L.	9605020215	50-302	P	RELLER,M.	9605070213*	50-285	F	ROGERS,S.	9605160282	50-400	R
RAGHAVAN,L.	9605030285	50-302	P	REVANKAR,S.T.	9605130147	52-4		ROGERS,S.B.	9605140130*	50-321	R
RAGHAVAN,L.	9605070271	50-302	P	REYNOLDS,S.A.	9605310142	REVIEW GR	P	ROGERS,S.B.	9605140134*	50-321	R
RAHBAR,M.K.	9605010252*	50-369	P	RICHARDS,S.A.	9605020238	50-315	V	ROGGE,J.	9605060362*	50-443	Q
RALSTON,J.M.	9605210300*	50-151	P	RICHARDS,S.A.	9605070319	REGGD		ROGGE,J.F.	9605060298	50-213	Q
RAMSTETTER,L.M.	9605030242	40-3453		RICHARDS,S.A.	9605080004	REGGD		ROGGE,J.F.	9605060356	50-443	Q
RAMSTETTER,M.	9605030240	40-3453		RICHARDS,S.A.	9605080031	REGGD		ROGGE,J.F.	9605070021	50-213	Q
RANCH,D.	9605020405	40-3453		RICHARDS,S.A.	9605090237	REGGD		ROGGE,J.F.	9605070086	50-213	Q
RANCH,D.	9605030182	40-3453		RICHARDS,S.A.	9605140464	REVIEW GR	P	ROGGE,J.F.	9605070093*	50-213	Q
RANDENI,J.S.	9605140504*	WASTE MGT		RICHARDSON,P.M.	9605210412	50-336	S	ROGGE,J.F.	9605080174	50-309	Q
RANDENI,J.S.	9605210508*	WASTE MGT		RICHESON,P.	9605020316	40-3453		ROGGE,J.F.	9605080175*	50-309	Q
RANGANATH,S.	9605070008*	50-220	P	RICHINGS,H.	9605030195	70-1257		ROGGE,J.F.	9605280017	50-309	F
RANSOM,V.H.	9605130147	52-4		RICKARD,I.C.	9605070110	50-361	S	ROJEK,L.	9605220023	PRM	
RAPISARDI,J.J.	9605090178	40-8948		RICKARD,I.C.	9605070110	50-361	S	ROLLINS,J.D.	9605020280	72-1004	
RAPISARDI,J.J.	9605090178	40-8948		RICKARD,I.C.	9605210485	71-6078		ROSE,C.H.	9605020397	FOIA	
RAPISARDI,J.J.	9605090178	40-8948		RICKARD,I.C.	9605210485	71-6078		ROSEBROCK,D.L.	9605200064	40-7604	
RAPISARDI,J.J.	9605100005	40-8948		RICKARD,I.C.	9605310187	71-6294		ROSEN,S.L.	9605130278	50-498	J
RAPISARDI,J.J.	9605100005	40-8948		RICKARD,I.C.	9605310187	71-6294		ROSENTHAL,J.E.	9605060307	ORG	
RAPISARDI,J.J.	9605100005	40-8948		RICKETSON,L.	8609220181*	FOIA		ROSENTHAL,P.R.	9605090059	70-*****	
RAPISARDI,J.J.	9605100008	40-8948		RICKETSON,L.	8801130104*	FOIA		ROSS,T.M.	9605200347*	50-348	Q
RAPISARDI,J.J.	9605100008	40-8948		RICKETSON,L.T.	8609220163*	FOIA		ROSSI,C.E.	9605020319	50-245	P
RAPISARDI,J.J.	9605100008	40-8948		RICKETSON,L.T.	8712280223*	FOIA		ROSSI,C.E.	9605140495	ORG	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ROSSI,C.E.	9605200158	NUREG
ROSSI,C.E.	9605290234	ORG
ROTH,E.M.	9605210328*	52-3
ROTH,E.M.	9605210333*	52-3
ROUSE,L.C.	9605160224*	70-310
ROUSE,L.C.	9605200084*	40-8035
ROWDEN,M.A.	9605210055*	FOIA
ROWDEN,M.A.	9605210072*	FOIA
ROWE,D.S.	9605090269*	TOPREP
ROWLAND,D.S.	9605220139	70-27
ROY,G.W.	9605220052*	FOIA
ROY,G.W.	9605220354*	FOIA
ROY,G.W.	9605230100*	FOIA
ROY,W.	9605200078*	40-8035
ROZAK,S.	9605210262*	40-1790
RUDDICK,C.K.	9605140027*	70-310
RUDDICK,C.K.	9605140036*	70-310
RUDDICK,O.C.	9605130368*	70-310
RUEGER,G.M.	9605060197	50-275 R
RUEGER,G.M.	9605140124	50-275 K
RUEGER,G.M.	9605140385	50-275 Q
RUEGER,G.M.	9605170217	50-275 P
RUEGER,G.M.	9605170494	50-275 Q
RUEGER,G.M.	9605200457	50-323 P
RUEGER,G.M.	9605200486	50-323 Q
RUEGER,R.G.	9605150250	50-275 F
RUHLMAN,W.A.	9604230198*	FOIA
RULAND,W.	9605150068*	50-271 Q
RULAND,W.H.	9605170173	50-29 W
RULAND,W.H.	9605280012	50-317 P
RULAND,W.H.	9605280077	50-293 P
RUPERT,W.M.	9605200017	40-7604
RUSSELL,W.T.	9604160130*	50-309 H
RUSSELL,W.T.	9605020012	50-309 P
RUSSELL,W.T.	9605080102	50-413 G
RUSSELL,W.T.	9605080107*	50-413 G
RUSSELL,W.T.	9605080119*	50-413 G
RUSSELL,W.T.	9605090190	TOPREP
RUSSELL,W.T.	9605090227	ORG
RUSSELL,W.T.	9605140193	50-336 P
RUSSELL,W.T.	9605150294	50-266 H
RUSSELL,W.T.	9605160326*	50-146 P
RUSSELL,W.T.	9605170276	50-309 H
RUSSELL,W.T.	9605170517	50-309 G
RUSSELL,W.T.	9605170519*	50-309 G
RUSSELL,W.T.	9605200103	ORG
RUSSELL,W.T.	9605210240	50-309 H
RUSSELL,W.T.	9605210255*	50-309 H
RUSSELL,W.T.	9605220135	50-213 Q
RUSSELL,W.T.	9605290145	ORG
RUSSELL,W.T.	9605300127	50-245 P
RUTHERFORD,P.D.	9605200098	70-25
RYAN,J.	9605140216	CONTRACT
SAENZ,K.D.	9605200339	50-397 F
SAGRILLO,A.W.	9605030288	40-3453
SALAS,P.	9605090096	50-259 P
SALAS,P.	9605090169	50-296 Q
SALAS,P.	9605220370	50-259 R
SALAS,P.	9605230210	50-260 Q
SALAS,P.	9605280236	50-259 P
SALISBURY,W.C.	9605130345	40-4492
SALISBURY,W.C.	9605290243	40-4492
SALOMON,S.N.	9605130350	STATE PRO G
SAMPSON,J.R.	9605140286	50-316 R
SAMPSON,J.R.	9605140290	50-315 R
SANCAKTAR,S.	9605210328*	52-3
SANDEL,P.S.	9605150076*	70-310
SANDEL,P.S.	9605230122*	70-310
SANDERS,C.F.	9605080138	70-1151
SANDERS,C.F.	9605150084	70-1151
SANGREE,J.	9605060198	40-3453
SARGENT,D.R.	9605080241*	40-8724
SARGENT,D.R.	9605200062	40-8724
SARTOR,W.M.	9605140026*	50-413 Q
SATERLIE,S.F.	9605080224*	WASTE MGT
SCALETTI,D.	9605070138	PROJ
SCALETTI,D.	9605150128	PROJ
SCALETTI,D.	9605150152	PROJ
SCALETTI,D.	9605150189	50-482 P
SCALETTI,D.	9605300226	52-1
SCALETTI,D.C.	9605030188	52-3
SCALICE,J.A.	9605220343	50-390 S
SCALICE,J.A.	9605240006	50-390 S
SCALICE,J.A.	9605300055	50-390 Q
SCARANO,R.A.	9605030353	50-267 Q
SCARANO,R.A.	9605070304	40-*****
SCARANO,R.A.	9605080035	50-267 Y
SCARANO,R.A.	9605080052	40-*****
SCARANO,R.A.	9605150178	40-*****
SCARANO,R.A.	9605160168	40-*****
SCARANO,R.A.	9605160181	40-*****
SCARANO,R.A.	9605160215	40-*****
SCARANO,R.A.	9605160232	40-*****
SCARANO,R.A.	9605160444	40-*****
SCARANO,R.A.	9605170041	50-344 Q
SCARANO,R.A.	9605170070	40-2377
SCARANO,R.A.	9605170468	40-3453
SCARANO,R.A.	9605200292	40-*****
SCARANO,R.A.	9605200384	40-*****
SCARANO,R.A.	9605210054	70-734
SCARANO,R.A.	9605230209	STATE PRO G
SCARANO,R.A.	9605240089	QA999
SCARANO,R.A.	9605280207	40-8943
SCARANO,R.A.	9605290065	50-267 Q
SCARANO,R.A.	9605290116	40-8904
SCARBOROUGH,J.	9605140271	50-261 R
SCECINA,J.	9605010225*	TOPREP
SCHAAF,R.	9605100116	50-255 P
SCHAAF,R.G.	9605170017	50-255 P
SCHEIDE,R.H.	9605160425	50-313 S
SCHIELKE,A.D.	9605170434	70-3045
SCHIELKE,A.D.	9605170442*	70-3045
SCHINDLER,W.J.	9605220345*	50-18 I
SCHLEIGER,T.E.	9605030121*	50-267 R
SCHNEIDER,K.N.	9605100233	STATE PRO G
SCHNELL,D.F.	9605060306	50-483 Q
SCHNELL,D.F.	9605100189	50-483 Q
SCHNELL,D.F.	9605100205	50-483 R
SCHNELL,D.F.	9605100223	50-483 R
SCHNELL,D.F.	9605170135	50-483 Q
SCHNELL,D.F.	9605200469	50-483 Q
SCHNELL,D.F.	9605280091	50-483 Q
SCHNELL,D.F.	9605290054	50-483 P
SCHOMAKER,R.J.	9605310118	PROJ
SCHRADER,D.	9605310131	40-8905
SCHUMACHER,M.C.	9605210262*	40-1790
SCHWARTZ,A.J.	9605200300*	40-7004
SCHWARTZ,G.K.	9605010106	50-295 R
SCHWARTZ,G.K.	9605130382	50-295 S
SCHWARTZ,G.K.	9605170444	50-295 S
SCHWARTZ,G.K.	9605200364	50-295 R
SCHWARTZ,G.K.	9605200448	50-295 S
SCHWARTZ,G.K.	9605210465	50-295 P
SCHWARTZ,G.K.	9605220334	50-295 S
SCHWARTZ,G.K.	9605280171	50-295 S
SCHWARTZ,G.K.	9605310154	50-304 S
SCHWARTZ,G.K.	9605310157	50-295 S
SCHWARTZ,M.	9605060264*	40-8838
SCIACCA,F.	9605130079	NUREG
SCOGGIN,D.B.	9605240109*	50-317 P
SCOTT,P.	9605140090*	70-8
SCOTT,P.	9605140096*	70-8
SCOTT,T.F.	9605140089	50-368 S
SCROGGINS,R.M.	9605140238*	STATE PRO G
SCROGGINS,R.M.	9605170244	REVIEW GR P
SCROGGINS,R.M.	9605280076	70-143
SCROGGINS,R.M.	9605280235	70-27
SEALE,R.	9605210076	ACRS
SEBROSKY,J.M.	9605020165	52-3
SEBROSKY,J.M.	9605030023	52-3
SEBROSKY,J.M.	9605060200	52-3
SEBROSKY,J.M.	9605060221	52-3
SEBROSKY,J.M.	9605070189	52-3
SEBROSKY,J.M.	9605090120	52-3
SEJKORA,K.J.	9605030076	50-293 R
SELIN,I.	9605210103*	FOIA
SELLER,M.J.	8904280124*	FOIA
SELLER,M.J.	8907190075*	FOIA
SELLMAN,M.B.	9605080063	50-382 P
SELLMAN,M.B.	9605080153	50-382 K
SEPP,H.A.	9605060354	PROJ
SERKIZ,A.W.	9605140050	70-8
SEWELL,R.T.	9605010252*	50-369 P
SEYFRIT,K.V.	9605160302*	70-310
SGARLATA,D.K.	9605070228	70-364
SGARLATA,D.K.	9605170473	70-135
SGARLATA,D.K.	9605280046	70-135
SGARRO,R.R.	9605280078	50-387 S
SHABAKY,M.	9605030390	30-8948
SHAFFER,S.	9605160072	40-672
SHALALA,D.E.	9605280287*	STATE PRO G
SHALALA,D.E.	9605300132	PR
SHANBAKY,M.	9605130033	I&E
SHANBAKY,M.	9605130050	I&E
SHANBAKY,M.	9605170509	I&E
SHANKMAN,S.F.	9605080101*	50-286 P
SHANKS,J.L.	9605060115	WASTE MGT
SHANKS,V.J.	9605020302	50-390 R
SHAPAKER,J.W.	9605100253	ORG
SHARKEY,R.W.	9605150080	70-36
SHARKEY,R.W.	9605150080	70-36
SHARKEY,R.W.	9605210461	70-36
SHARKEY,R.W.	9605210461	70-36
SHARPE,S.	9605020046	40-3453
SHATLEY,J.P.	9605020161	40-3453
SHAVER,H.W.	9605070333	40-1162
SHEA,J.W.	9605170154	50-277 S
SHEAR,G.	9605200106*	FOIA
SHEAR,G.L.	9503100022*	FOIA
SHEAR,G.L.	9605140476	40-3392
SHEAR,G.L.	9605280233	70-36
SHEAR,G.L.	9605280245*	70-36
SHEIBANI,M.	9605140185	50-424 S
SHEIBANI,M.	9605200420	50-424 S
SHELL,R.H.	9605010085	50-327 P
SHELL,R.H.	9605020117	50-327 R
SHELL,R.H.	9605030300	50-327 R
SHELL,R.H.	9605130314	50-327 P
SHELL,R.H.	9605150263	50-327 Q
SHELL,R.H.	9605220003	50-327 R
SHELL,R.H.	9605280167	50-328 P
SHELTON,D.C.	9605020186	50-440 P
SHELTON,D.C.	9605020249	50-440 P
SHELTON,D.C.	9605030238	50-440 P
SHELTON,D.C.	9605070159	50-440 F
SHELTON,D.C.	9605140097	50-440 P
SHELTON,D.C.	9605160189	50-440 Q
SHELTON,D.C.	9605170151	50-440 P
SHELTON,D.C.	9605200122	50-440 R
SHELTON,D.C.	9605200411	50-440 R
SHELTON,D.C.	9605210442	50-440 S
SHELTON,D.C.	9605240073	50-440 S
SHELTON,D.C.	9605310027	50-346 P
SHEMA,R.L.	9605020232*	50-334 R
SHEPHERD,C.	9605020304	40-3453
SHEPHERD,K.S.	9605030020	40-3453
SHERON,B.W.	9407250133*	50-413 G
SHERON,B.W.	9605140095	ORG
SHERON,B.W.	9605170257	REVIEW GR P
SHERON,B.W.	9605170299*	REVIEW GR P
SHERON,B.W.	9605290046	ORG
SHERON,B.W.	9605300223	ORG
SHERWOOD,J.D.	9605030103	50-498 R
SHIELDS,W.	9605090158	40-8948
SHIELDS,W.J.	9605090116	40-8948
SHIELDS,W.J.	9605090265	40-8948
SHIFFER,J.D.	9605170267	50-275 Q
SHILLINGLAW,F.	9605140456	50-266 H
SHILLINGLAW,F.	9605160270	72-1007
SHILLINGLAW,F.	9605200069	50-255 H
SHILLINGLAW,F.	9605210352*	50-255 H
SHILLINGLAW,F.	9605230205	PRM
SHILLINGLAW,F.	9605240086*	PRM
SHILLINGLAW,F.	9605240160*	50-255 H
SHILTS,D.W.	9605200440*	50-263 P
SHILTS,D.W.	9605280282*	50-263 P
SHIPMAN,J.	9605020386*	50-285 R
SHIPMAN,J.	9605020389*	50-285 R
SHIRAKI,C.Y.	9605010310	50-295 P
SHIRAKI,C.Y.	9605070227	50-295 P
SHIRAKI,C.Y.	9605140326	50-295 P
SHIRAKI,C.Y.	9605210018	50-295 P
SHIRAKI,C.Y.	9605210213	50-295 S
SHIRAKI,C.Y.	9605210246	50-295 P
SHIRAKI,C.Y.	9605210256*	50-295 P
SHIRAKI,C.Y.	9605240013	50-295 P
SHIRAKI,C.Y.	9605280110	50-295 Q
SHOLLY,S.C.	9605010252*	50-369 P
SHRIVASTAVA,S.	9605070071	CONTRACT
SHRIVASTAVA,S.	9605280055	CONTRACT
SHUMWAY,D.	9605020277	40-3453
SHYMLOCK,M.B.	9605100162	50-261 Q
SHYMLOCK,M.B.	9605140471	50-324 Q
SHYMLOCK,M.B.	9605140485*	50-324 Q
SHYMLOCK,M.B.	9605140510	50-324 Q
SHYMLOCK,M.B.	9605200260	50-400 Q
SHYMLOCK,M.B.	9605200326	50-261 Q
SHYMLOCK,M.B.	9605200330*	50-261 Q
SHYMLOCK,M.B.	9605200467	50-400 Q
SIEGEL,B.L.	9605140362	50-348 S
SIEGEL,B.L.	9605220140	50-364 P
SIEGEL,B.L.	9605230208	50-364 P
SIEGEL,B.L.	9605240155	50-348 P
SIGEL,G.	9605010105	40-3453

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SIGEL,G.	9605010105	40-3453
SIGEL,G.	9605010130	40-3453
SIGEL,G.	9605010130	40-3453
SILBERG,J.E.	9605060034	50-440 G
SILBERG,J.E.	9605060034	50-440 G
SILBERMAGEL,M.	9605220322	NUREG
SILK,D.	9605080249*	50-286 Q
SILLS,J.M.	9605240220*	70-734
SIMMONS,S.	9605140005*	STATE PRO G
SIMMONS,W.T.	9605090207	40-8767
SIMON,W.A.	9605090225	PROJ
SIMONS,G.	9605060113	40-3453
SIMONSON,E.R.	9605020028	40-3453
SIMPSON,E.C.	9605210471	50-354 Q
SIMPSON,E.C.	9605210478	50-272 Q
SINCLAIR,M.P.	9605160350	50-255 H
SINCLAIR,W.J.	9605010139	40-3453
SINGH,J.N.	9605300233*	TOPREP
SKAPIK,C.W.	9605300057*	70-7002
SKAPIK,C.W.	9605300062*	70-7002
SKAY,D.M.	9605150177	50-373 S
SKAY,D.M.	9605210389	50-373 P
SKAY,D.M.	9605280122	50-373 P
SKAY,D.M.	9605290045	50-373 P
SKINNER,P.	9605200317	50-348 Q
SKINNER,P.	9605240036	50-321 S
SKINNER,P.	9605300014	50-424 S
SKINNER,P.H.	9605140323	50-321 Q
SKINNER,P.H.	9605140329*	50-321 Q
SKINNER,P.H.	9605200259	50-424 Q
SKINNER,P.H.	9605200298*	50-424 Q
SKINNER,P.H.	9605200347*	50-348 Q
SKINNER,P.H.	9605200416	50-348 Q
SKOROHOD,P.M.	9605210308	STATE PRO G
SLAUGHTER,D.M.	9605150118	50-407 V
SLAUGHTER,D.M.	9605150127*	50-407 V
SLY,C.	9605300082	50-317 S
SMEDLEY,R.W.	9605060086	50-255 R
SMEDLEY,R.W.	9605060204	50-255 P
SMEDLEY,R.W.	9605060223	50-255 P
SMEDLEY,R.W.	9605070047	50-255 R
SMEDLEY,R.W.	9605070254	50-255 S
SMEDLEY,R.W.	9605080064	50-255 P
SMEDLEY,R.W.	9605200372	50-255 Q
SMITH,G.	9605220172	50-333 F
SMITH,G.H.	9605220084*	FOIA
SMITH,G.O.	9605200397	50-397 R
SMITH,H.	9605160456	CONTRACT
SMITH,J.	9605290099	50-254 P
SMITH,J.A.	9605300023	71-*****
SMITH,J.T.	9604230198*	FOIA
SMITH,L.P.	9605070305	CONTRACT
SMITH,L.R.	9605280053	71-711
SMITH,L.R.	9605280054*	71-711
SMITH,L.R.	9605290233	XPORTLIC
SMITH,L.R.	9605310110	XPORTLIC
SMITH,M.A.	9605150461	TOPREP
SMITH,M.A.	9605300013	50-219 S
SMITH,P.W.	9605060133	50-346 S
SMITH,R.	9605070192*	50-461 I
SMITH,R.G.	9605200408	50-410 S
SMITH,S.D.	9605280039	CONTRACT
SNIEZEK,J.H.	9605200256*	FOIA
SNYDER,G.	9605070238*	50-219 Q
SOBEL,P.	9605290019	WASTE MGT
SOLAN,G.M.	9605150111*	50-309 P
SOLLENBERGER,D.	9605130042	STATE PRO G
SOLO,L.J.	9605290229	XPORTLIC
SOMERVILLE,S.	9605060225	40-3453
SOONG,S.	9605210408	70-36
SOONG,S.	9605210444	70-36
SOONG,S.	9605290063	70-1100
SOUKUP,A.V.	9605010153*	40-3453
SOUTO,F.	9605130079	NUREG
SPAN,R.M.	9605210329*	52-3
SPARKS,E.	9605030306	40-3453
SPELL,W.H.	9605150154*	FOIA
SPELL,W.H.	9605150159*	FOIA
SPELL,W.H.	9605150171*	FOIA
SPELL,W.H.	9605150210*	FOIA
SPENCE,R.E.	9605060181	WASTE MGT
SPENCE,R.E.	9605060205	WASTE MGT
SPENCE,R.E.	9605080219	WASTE MGT
SPENCE,R.E.	9605130180	WASTE MGT
SPENCE,R.E.	9605130183	WASTE MGT
SPENCE,R.E.	9605140127	WASTE MGT
SPENCE,R.E.	9605140204	WASTE MGT
SPENCE,R.E.	9605140214	WASTE MGT
SPENCE,R.E.	9605140218	WASTE MGT
SPENCE,R.E.	9605140466	WASTE MGT
SPENCE,R.E.	9605170289	WASTE MGT
SPENCE,R.E.	9605170540	WASTE MGT
SPENCE,R.E.	9605210425	WASTE MGT
SPENCE,R.E.	9605210428	WASTE MGT
SPENCE,R.E.	9605210433	WASTE MGT
SPENCE,R.E.	9605210519	WASTE MGT
SPENCE,R.E.	9605240034	WASTE MGT
SPENCE,R.E.	9605240039	WASTE MGT
SPENCE,R.E.	9605240048	WASTE MGT
SPENCE,R.E.	9605240053	WASTE MGT
SPENCE,R.E.	9605240055	WASTE MGT
SPENCE,R.E.	9605240061	WASTE MGT
SPENCE,R.E.	9605310049	WASTE MGT
SPENCER,D.R.	9605280199*	52-3
SPENCER,R.W.	9605150270	71-*****
SPENCER,R.W.	9605150284*	71-*****
SPITZBERG,D.B.	8502220290*	FOIA
SPITZBERG,D.B.	8502220295*	FOIA
SPITZBERG,D.B.	8811080296*	FOIA
SPITZBERG,D.B.	8904270376*	FOIA
SPITZBERG,D.B.	9605030365*	50-267 Q
SPITZBERG,D.B.	9605170048*	50-344 Q
SPITZBERG,D.B.	9605170059*	FOIA
SPITZBERG,D.B.	9605170079*	40-2377
SPITZBERG,D.B.	9605290067*	50-267 Q
SPITZBURY,D.B.	9605130442*	FOIA
SPRINGER,R.	9605030016	CONTRACT
SPRYSHAK,J.J.	9605220065*	50-272 P
SRIDHAR,N.	9605100257	WASTE MGT
ST MARTIN,J.T.	9605300010*	50-244 S
STABIN,M.G.	9605290091	NUREG
STALL,J.A.	9605290053	50-335 P
STANG,J.	9605240126	50-237 P
STANG,J.F.	9605300164	50-237 P
STANLEY,H.G.	9605310177	50-456 Q
STANSBERRY,W.W.	9605200264*	50-280 Q
STARK,P.	9605100022*	50-245 H
STARK,S.J.	9605210524	PROJ
STARR,C.	9605160399*	COMMISSIO N
STEEL,R.	9605070029	CONTRACT
STEELE,R.	9605030203	40-3453
STEFFAN,A.P.	9605200130	PT21
STEFFAN,A.P.	9605210284	50-220 S
STEIN,M.	9605280246	70-1201
STEIN,M.	9605280249	I&E
STEINHARDT,C.	9605060215	50-305 Q
STEINHARDT,C.R.	9605060299	50-305 P
STEINHARDT,C.R.	9605070078	50-305 P
STEINHARDT,C.R.	9605140285	50-305 P
STEINHARDT,C.R.	9605220018	50-305 Q
STELLO,V.	8009290502*	FOIA
STETZ,J.P.	9605130248	50-346 I
STETZ,J.P.	9605140079	50-346 Q
STETZ,J.P.	9605170090	50-346 Q
STETZ,J.P.	9605280132	50-346 Q
STETZ,J.P.	9605280181	50-346 F
STETZ,J.P.	9605280244	50-346 P
STEVENS,D.	9605020281	40-3453
STEVENS,T.L.	9605090088*	50-457 P
STEVENSON,T.A.	9605200404*	40-8584
STEWART,R.	9605100185	CONTRACT
STEWART,W.L.	9605030159	50-528 P
STEWART,W.L.	9605030163	50-528 P
STEWART,W.L.	9605070088	50-528 R
STEWART,W.L.	9605280222	50-528 Q
STEWART,W.L.	9605280260	50-528 Q
STEWART,W.L.	9605290103	50-528 Q
STEWART,W.L.	9605310013	50-528 K
STEWART,W.L.	9605310015*	50-528 K
STIGER,M.H.	9605140348	71-593
STOCKE,L.	9605060132	40-3453
STOCKS,E.J.	9605060139	40-3453
STOCKS,E.M.	9605020357	40-3453
STOCKS,J.	9605030167	40-3453
STOCKS,M.	9605020366	40-3453
STOCKS,P.	9605020080	40-3453
STOCKTON,R.	9605060061*	50-390 S
STOCKTON,R.	9605070215	50-390 S
STOCKTON,R.	9605220343	50-390 S
STOLZ,J.F.	9605020287	50-387 P
STOLZ,J.F.	9605020321*	50-272 P
STOLZ,J.F.	9605060194*	50-334 P
STOLZ,J.F.	9605070090	REVIEW GR P
STOLZ,J.F.	9605090179	50-219 P
STOLZ,J.F.	9605100045*	50-334 P
STONE,A.	9605030156	40-3453
STONE,B.J.	9605210355*	50-341 R
STONE,J.C.	9605280108	50-482 S
STONE,O.	9605030223	40-3453
STONE,W.	9605310154	50-304 S
STONE,W.	9605310157	50-295 S
STONKUS,D.	9605130115	NUREG
STORZ,L.F.	9605070028	50-354 R
STORZ,L.F.	9605070275	50-272 R
STORZ,L.F.	9605130448	50-354 Q
STORZ,L.F.	9605160113	50-272 V
STORZ,L.F.	9605160450	50-311 P
STORZ,L.F.	9605200480	50-354 Q
STORZ,L.F.	9605210402	50-272 P
STORZ,L.F.	9605280220	50-272 Q
STORZ,L.F.	9605310046	50-354 Q
STOUT,D.E.	9605210114*	70-1113
STRATTON,L.C.	9605060256*	50-302 Q
STRATTON,L.C.	9605100035*	50-250 Q
STRAUS,D.R.	9605060082	50-346 G
STRAUS,D.R.	9605060082	50-346 G
STROMBERG,H.M.	9605060314*	ORG
STROMBERG,H.M.	9605310158	NUREG
STRONG,T.R.	9605130134	STATE PRO G
STRONG,T.R.	9605170111*	STATE PRO G
STROSNIDER,J.	9503170124*	50-309 P
STROSNIDER,J.R.	9512280106*	50-309 P
STROSNIDER,J.R.	9605150249	TOPREP
STRUCKMEYER,R.	9605310080	50-54 R
STRUCKMEYER,R.	9605310092	70-135
STUBS,J.B.	9605290091	NUREG
STUHLMAN,H.L.	9605070256	50-483 F
SUBALUSKY,W.T.	9605290207	ORG
SUBUDHI,M.	9605130112	NUREG
SUBUDHI,M.	9605130115	NUREG
SULKAR,S.V.	9605280229	50-272 P
SULKAR,S.V.	9605280238*	50-272 P
SULLIVAN,J.R.	9605010051	40-3453
SULLIVAN,M.	9605310219	50-255 F
SULLIVAN,T.A.	9605200075	50-293 R
SUNDERLIN,W.J.	9605290195	CONTRACT
SUPPES,R.L.	9605130406	STATE PRO G
SUTHERLAND,J.	9605230103*	70-310
SUTHERLAND,J.T.	9605130303*	FOIA
SUTHERLAND,J.T.	9605150065*	70-310
SWANK,D.A.	9605210370	50-397 H
SWANSON,C.	9605100089	40-3453
SWANSON,C.J.	9605300208	I&E
SWANSON,P.J.	9605310069*	50-483 P
SWANZY,K.Y.	9605280163	50-458 F
SWEENEY,J.E.	9605140448	STATE PRO G
SYLVIA,B.R.	9605160447	50-220 P
SYLVIA,B.R.	9605200303	50-410 P
SYLVIA,B.R.	9605200311*	50-410 P
TABBERER,F.	9605010032	40-3453
TABONE,J.M.	9605170139*	50-219 P
TABOR,S.	9605160268	50-325 S
TAM,P.S.	9605070180	50-413 P
TAM,P.S.	9605140291	50-413 G
TAM,P.S.	9605150388	50-414 P
TAM,P.S.	9605210184	50-269 S
TAM,P.S.	9605240171	50-414 S
TANGREN,K.	9605020125	40-3453
TANNER,J.	9605100165*	MISC
TATMAN,K.	9605030146	40-3453
TAYLOE,R.W.	9605300047*	70-7002
TAYLOE,R.W.	9605300060*	70-7002
TAYLOR,B.	9605020143	40-3453
TAYLOR,E.	9605030301	40-3453
TAYLOR,G.J.	9605030200	50-395 S
TAYLOR,G.J.	9605140083	50-395 Q
TAYLOR,G.J.	9605140298	50-395 R
TAYLOR,G.J.	9605170213	50-395 Q
TAYLOR,G.J.	9605200421	50-395 P
TAYLOR,G.J.	9605220111	50-395 P
TAYLOR,G.J.	9605280143	50-395 S
TAYLOR,G.J.	9605300086	50-395 Q
TAYLOR,J.	9605130115	NUREG
TAYLOR,J.H.	9605010222	TOPREP
TAYLOR,J.H.	9605090093	TOPREP
TAYLOR,J.H.	9605100258	TOPREP
TAYLOR,J.H.	9605100258	TOPREP
TAYLOR,J.H.	9605230133	TOPREP
TAYLOR,J.M.	9603260233	SECY
TAYLOR,J.M.	9604180277	SECY
TAYLOR,J.M.	9605020105	SECY
TAYLOR,J.M.	9605020114	TOPREP
TAYLOR,J.M.	9605020400	52-3
TAYLOR,J.M.	9605060206	COMMISSIO N

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TAYLOR,J.M.	9605070324	SECY
TAYLOR,J.M.	9605080019	SECY
TAYLOR,J.M.	9605080020	SECY
TAYLOR,J.M.	9605080027	SECY
TAYLOR,J.M.	9605080205*	50-413 G
TAYLOR,J.M.	9605090259	SECY
TAYLOR,J.M.	9605100015	50-245 H
TAYLOR,J.M.	9605100060	52-1
TAYLOR,J.M.	9605100160	MISC
TAYLOR,J.M.	9605100209	70-27
TAYLOR,J.M.	9605130001	40-3453
TAYLOR,J.M.	9605130099	COMMISSIO N
TAYLOR,J.M.	9605130251	PR
TAYLOR,J.M.	9605130333	STATE PRO G
TAYLOR,J.M.	9605140215	50-321 P
TAYLOR,J.M.	9605140445	50-245 P
TAYLOR,J.M.	9605160129	SECY
TAYLOR,J.M.	9605160352	SECY
TAYLOR,J.M.	9605170449	50-302 G
TAYLOR,J.M.	9605170456	SECY
TAYLOR,J.M.	9605200390	SECY
TAYLOR,J.M.	9605230140	SECY
TAYLOR,J.M.	9605310119	50-309 H
TAYLOR,J.M.	9605310168	REVIEW GR P
TAYLOR,J.M.	9605310190	40-8948
TAYLOR,P.	9605020131	40-3453
TAYLOR,R.A.	9605080127*	50-364 P
TAYLOR,T.	9605140170	ADVCM
TAYLOR,W.R.	9605010053	40-3453
TEAGUE,S.P.	9605140087	STATE PRO G
TEDESCO,R.L.	9605210135	TOPREP
TEMPLE,W.J.	9605090078	50-423 S
TEMPLE,W.J.	9605140311	50-423 S
TEMPLE,W.J.	9605200455	50-423 S
TEMPLE,W.J.	9605280253	50-423 S
TEMPLE,W.J.	9605280270	50-423 S
TEN EYCK,E.Q.	9602290281*	70-7001
TEN EYCK,E.Q.	9605130390	70-7001
TEN EYCK,E.Q.	9605150193	70-27
TEN EYCK,E.Q.	9605210420	70-734
TEN EYCK,E.Q.	9605220019	50-3 Q
TEN EYCK,E.Q.	9605290022	40-7580
TERRY,C.D.	9605020081	50-220 Q
TERRY,C.D.	9605070004	50-220 P
TERRY,C.D.	9605200232	50-220 Q
TERRY,C.L.	9605030064	50-445 R
TERRY,C.L.	9605070018	50-445 R
TERRY,C.L.	9605070055	50-445 R
TERRY,C.L.	9605070167	50-445 Q
TERRY,C.L.	9605140163	50-445 S
TERRY,C.L.	9605140168	50-445 S
TERRY,C.L.	9605200074	50-445 Q
TERRY,C.L.	9605210466	50-445 F
TERRY,C.L.	9605220020	50-445 F
TERRY,C.L.	9605240228	50-445 F
TERRY,C.L.	9605280226	50-445 F
TERRY,C.L.	9605280259	50-445 Q
THACKER,R.	9605130122	50-457 S
THADANI,A.C.	9605080124*	50-413 G
THADANI,A.C.	9605140434	ORG
THADANI,A.C.	9605170148	REVIEW GR P
THAGGARD,M.	9605030374	40-8948
THAGGARD,M.	9605060234	40-8948
THAGGARD,M.	9605060325	40-8948
THAGGARD,M.	9605240143	40-8948
THAYER,J.K.	9605140409	50-271 Q
THAYER,J.K.	9605140444	50-271 P
THAYER,J.K.	9605280135	50-271 F
THE CHAIRMAN	9605020177	COMMISSIO N
THE CHAIRMAN	9605060242	COMMISSIO N
THE CHAIRMAN	9605090085	SPEECHES
THE CHAIRMAN	9605140256	50-213 P
THE CHAIRMAN	9605150112	SPEECHES
THE CHAIRMAN	9605150123	SPEECHES
THE CHAIRMAN	9605150392*	STATE PRO G
THE CHAIRMAN	9605160004*	COMMISSIO N
THE CHAIRMAN	9605160022*	STATE PRO G
THE CHAIRMAN	9605160133	COMMISSIO N
THE CHAIRMAN	9605160235	COMMISSIO N
THE CHAIRMAN	9605160286	COMMISSIO N
THE CHAIRMAN	9605160304	COMMISSIO N
THE CHAIRMAN	9605160388	COMMISSIO N
THE CHAIRMAN	9605160451	COMMISSIO N
THE CHAIRMAN	9605170120*	50-245 H
THE CHAIRMAN	9605170143*	50-245 H
THE CHAIRMAN	9605200370	COMMISSIO N
THE CHAIRMAN	9605200438	COMMISSIO N
THE CHAIRMAN	9605210103*	FOIA
THE CHAIRMAN	9605210123	SPEECHES
THE CHAIRMAN	9605210127	SPEECHES
THE CHAIRMAN	9605210302	COMMISSIO N
THE CHAIRMAN	9605210314	COMMISSIO N
THE CHAIRMAN	9605310050	SPEECHES
THIEDE,J.	9605070034	50-254 F
THOMAS,B.R.	8410310363*	FOIA
THOMAS,B.R.	9605210367*	FOIA
THOMAS,B.R.	9605210373*	FOIA
THOMAS,B.R.	9605210376*	FOIA
THOMAS,B.R.	9605210382*	FOIA
THOMAS,C.G.	9605090242*	50-528 P
THOMAS,C.R.	9605090234	50-528 P
THOMAS,C.R.	9605170131	50-219 P
THOMAS,C.R.	9605220128	50-528 P
THOMAS,C.R.	9605300099	50-530 P
THOMAS,K.M.	9605140225	50-483 P
THOMAS,K.M.	9605140232*	50-483 P
THOMAS,K.M.	9605140384	50-483 P
THOMAS,K.M.	9605140396*	50-483 P
THOMAS,K.M.	9605170484	50-483 P
THOMAS,K.M.	9605210222	50-483 P
THOMAS,K.M.	9605310054	50-483 P
THOMAS,K.M.	9605310085	50-483 P
THOMAS,K.M.	9605310096*	50-483 P
THOMAS,R.D.	9605230011*	FOIA
THOMAS,R.D.	9605230018*	FOIA
THOMAS,S.E.	9605060147	50-498 P
THOMAS,S.E.	9605070369	50-498 P
THOMAS,W.	9604050381*	50-336 P
THOMAS,W.	9605130079	NUREG
THOMAS,W.R.	9605310065*	50-483 P
THOMASEN,J.P.	9605090088*	50-457 P
THOMPSON,D.	9605220354*	FOIA
THOMPSON,D.H.	9605140307*	50-261 Q
THOMPSON,D.H.	9605150036*	50-327 Q
THOMPSON,D.H.	9605150126*	50-269 Q
THOMPSON,F.E.	9605160086	CONTRACT
THOMPSON,H.L.	9508070395	ORG
THOMPSON,H.L.	9605200061	40-8035
THOMPSON,T.C.	9605070342	72-1007
THOMPSON,T.C.	9605070346*	72-1007
THOMPSON,T.C.	9605070348*	72-1007
THURLOW,V.L.	9605030097	40-3453
THURSTON,D.	9605130382	50-295 S
TIBBETTS,R.	9605020016	40-3453
TIETZ,G.	9605300004	50-237 S
TILDEN,B.M.	9605240108*	50-317 P
TILDEN,B.M.	9605240111*	50-317 P
TILDEN,B.M.	9605240115*	50-317 P
TILDEN,B.M.	9605240119*	50-317 P
TILDEN,B.M.	9605240121*	50-317 P
TILDEN,B.M.	9605240124*	50-317 P
TILDEN,B.M.	9605240129*	50-317 P
TILDEN,B.M.	9605240134*	50-317 P
TIMMERMAN,W.B.	9605210115*	50-395 I
TING,P.	9605210086	70-1113
TIPPS,S.B.	9605140455	50-321 S
TIPPS,S.B.	9605230181	50-321 S
TIPPS,S.B.	9605280002	50-321 S
TIPTON,T.E.	9605060092	I&E
TIPTON,T.E.	9605080053	PROJ
TIPTON,T.E.	9605150106	PROJ
TIPTON,T.E.	9605160309	PROJ
TIPTON,T.E.	9605170058	PROJ
TIPTON,T.E.	9605240038	PROJ
TITE,S.	9605030308	40-3453
TITUS,F.W.	9605030359	I&E
TIZZANO,D.G.	9605200122	50-440 R
TOBIN,W.J.	9605140003*	70-143
TOBIN,W.J.	9605140037*	70-27
TOBIN,W.J.	9605140310*	50-160 Q
TODD,T.F.	9605020285	40-3453
TOLLEY,R.	9605220390*	50-390 R
TOOHEY,R.E.	9605290091	NUREG
TOQUAM,J.	9605220322	NUREG
TORRES,M.	9605010019	40-3453
TOSCH,K.	9605150142	50-219 F
TOSCH,K.	9605280049	50-219 P
TOWNSEND,F.	9605020170	40-3453
TOWNSEND,Y.E.	9605290202*	WASTE MGT
TOYAMA,F.T.	9605130374*	STATE PRO G
TOYAMA,F.T.	9605130379*	STATE PRO G
TOYAMA,F.T.	9605130383*	STATE PRO G
TRAMONTANO,R.	9605130132	STATE PRO G
TRAN,L.N.	9605020005	50-155 P
TRAN,L.N.	9605240178	50-155 P
TRAVERS,W.D.	9605030380	71-9145
TRAVERS,W.D.	9605030381*	71-9145
TRAVERS,W.D.	9605030383	71-5059
TRAVERS,W.D.	9605030384*	71-5059
TRAVERS,W.D.	9605060123	71-9250
TRAVERS,W.D.	9605060125*	71-9250
TRAVERS,W.D.	9605060127	71-6553
TRAVERS,W.D.	9605060129*	71-6553
TRAVERS,W.D.	9605080140	71-4986
TRAVERS,W.D.	9605080145	71-9196
TRAVERS,W.D.	9605080150*	71-9196
TRAVERS,W.D.	9605080172	71-9248
TRAVERS,W.D.	9605080179*	71-9248
TRAVERS,W.D.	9605080204	REVIEW GR P
TRAVERS,W.D.	9605210423	71-9015
TRAVERS,W.D.	9605210427*	71-9015
TRAVERS,W.D.	9605210437	71-9016
TRAVERS,W.D.	9605210443*	71-9016
TRAVERS,W.D.	9605230171	50-255 H
TRAVERS,W.D.	9605240154	50-255 H
TRAVERS,W.D.	9605310124	71-6553
TRAVERS,W.D.	9605310126*	71-6553
TRAVERS,W.D.	9605310198	71-6574
TRAVERS,W.D.	9605310199*	71-6574
TRAVIS,P.L.	9605030103	50-498 R
TREFETHEN,J.	9605220374	NUREG
TRITCH,S.R.	9605300212	TOPREP
TROTTIER,E.H.	9501110438*	50-309 P
TROTTIER,E.H.	9504180099*	50-309 P
TROTTIER,E.H.	9505250201*	50-309 P
TROTTIER,E.H.	9605080250	50-309 P
TROTTIER,E.H.	9605170292	50-309 P
TROTTIER,E.H.	9605170382	50-309 P
TROTTIER,E.H.	9605300210	50-309 P
TROUP,G.L.	9605100138*	70-27
TROUP,G.L.	9605140009*	70-1201
TUCKER,R.L.	9605240111*	50-317 P
TUCKER,R.L.	9605240115*	50-317 P
TUCKER,R.L.	9605240119*	50-317 P
TUCKER,R.L.	9605240121*	50-317 P
TUCKER,R.L.	9605240123*	50-317 P
TUCKER,R.L.	9605240124*	50-317 P
TUCKER,R.L.	9605240129*	50-317 P
TUCKMAN,M.S.	9605010173	50-269 P
TUCKMAN,M.S.	9605020331	50-370 P
TUCKMAN,M.S.	9605030060	50-269 P
TUCKMAN,M.S.	9605030313	I&E
TUCKMAN,M.S.	9605060340	50-369 Q
TUCKMAN,M.S.	9605070321	50-369 P
TUCKMAN,M.S.	9605140116	50-269 Q
TUCKMAN,M.S.	9605200142	50-269 Q
TUCKMAN,M.S.	9605210494	50-369 P
TUCKMAN,M.S.	9605210526	50-369 P
TUETKEN,R.	9605140512	50-295 V
TUETKEN,R.P.	9605060268	50-295 P
TUETKEN,R.P.	9605090056	50-295 Q
TUETKEN,R.P.	9605100167	50-295 Q
TUETKEN,R.P.	9605140460	50-295 P
TUETKEN,R.P.	9605230212	50-295 P
TUETKEN,R.P.	9605280112	50-295 P
TULON,T.J.	9605070344	50-457 Q
TULON,T.J.	9605130122	50-457 S
TULON,T.J.	9605130428	50-456 R
TULON,T.J.	9605140166	50-456 R
TULON,T.J.	9605280254	50-456 S
TURK,S.	9605160188*	STATE PRO G
TURK,S.E.	9605060070	50-440 G
TURK,S.E.	9605130089	50-160 G
TURK,S.E.	9605160087	50-160 T
TURNER,D.G.	9605140286	50-316 R
TURNER,D.G.	9605140290	50-315 R
TURNER,K.W.	9605130102*	FOIA
TURNER,K.W.	9605130107*	FOIA
TURNER,K.W.	9605130175*	FOIA
TURNER,K.W.	9605130179*	FOIA
TURNER,K.W.	9605130192*	FOIA
TURNER,K.W.	9605130194*	FOIA
TURNER,K.W.	9605130201*	FOIA
TURNER,K.W.	9605130210*	FOIA
TURNER,K.W.	9605130224*	FOIA
TURNER,K.W.	9605130226*	FOIA
TURNER,K.W.	9605130228*	FOIA
TURNER,K.W.	9605130231*	FOIA
TURNER,K.W.	9605130235*	FOIA
TURNER,K.W.	9605130245*	FOIA
TURNER,K.W.	9605130277*	FOIA
TURNER,K.W.	9605130283*	FOIA
TURNER,K.W.	9605130285*	FOIA
TURNER,K.W.	9605130292*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TUTTLE,D.R.	9605020288	40-3453
TWITCHELL,R.	9605170520*	TOPREP
ULECK,R.B.	9605060295	40-2384
ULECK,R.B.	9605090131	40-2384
ULECK,R.B.	9605170390	40-2384
UTTAL,S.L.	9605060041	40-8027
VACCA,P.C.	9605130135	NUREG
VALERIO,L.A.	9605280229	50-272 P
VAN DYKEN,A.R.	9605200146*	FOIA
VAN HECKE,C.	9605210397*	50-397 P
VAN MIDDLESWORT	9605100194	50-331 S
VAN MIDDLESWORT	9605140280	50-331 S
VAN MIDDLESWORT	9605200088	50-331 R
VAN NOORDENNEN	9605210412	50-336 S
VANDEGRIFT,R.	9605200049	40-7604
VANDENBURGH,C.	9605070148*	50-397 Q
VANDENBURGH,C.	9605280121*	50-275 Q
VANDERBYE,R.J.	9605100256*	50-348 F
VARGA,S.A.	9605070178	50-309 H
VARGA,S.A.	9605140150	50-261 P
VARGA,S.A.	9605140184	50-280 P
VARGA,S.A.	9605170104	50-245 H
VASELIN,J.	9605300042	40-8502
VASQUEZ,G.A.	9605150042	STATE PRO G
VASQUEZ,G.M.	9605130094*	FOIA
VAUGHAN,R.E.	9605080217	70-1227
VELASQUEZ,J.R.	9605090014	40-8907
VERRILLI,M.	9605020155	50-400 S
VERRILLI,M.	9605210247	50-400 S
VERRILLI,M.	9605300093	50-400 S
VILLARAN,M.	9605130115	NUREG
VISKANTA,R.	9605130147	52-4
VISSING,G.S.	9605160192	50-244 P
VISSING,G.S.	9605170376	50-244 P
VISSING,G.S.	9605170381*	50-244 P
VISSING,G.S.	9605230195	50-244 P
VISSING,G.S.	9605290072	50-244 P
VISSING,G.S.	9605300215	50-244 P
VOGL,J.	9605210457	50-454 R
VONDRASAK,B.	9605310120	50-272 F
VORA,V.V.	9605070354*	50-454 P
VORSE,J.Y.	9605080196*	50-390 Q
WADLEY,M.D.	9605100179	50-282 P
WADLEY,M.D.	9605140308	50-282 R
WADLEY,M.D.	9605170192	50-282 Q
WADLEY,M.D.	9605200290	50-282 R
WADLEY,M.D.	9605220107	50-306 P
WADLEY,M.D.	9605240047	50-306 S
WADLEY,M.D.	9605240079	50-282 Q
WAGAGE,H.A.	9605310066*	50-483 P
WAGONER,V.	9605210459	TOPREP
WAGONER,V.	9605210459	TOPREP
WALCH,J.V.	9605300011	CONTRACT
WALD,J.W.	9605210375*	FOIA
WALDEN,A.R.	9605020273	40-3453
WALDEN,A.R.	9605060067	40-3453
WALDEN,J.V.	9605140277	50-244 R
WALKER,D.I.	9605130362*	70-310
WALKER,D.I.	9605130373*	70-310
WALKER,D.I.	9605150069*	70-310
WALKER,D.I.	9605160333*	FOIA
WALKER,D.I.	9605170488*	FOIA
WALKER,D.I.	9605220054*	FOIA
WALKER,D.I.	9605220247*	FOIA
WALKER,D.I.	9605220400*	FOIA
WALKER,D.I.	9605220457*	70-310
WALKER,N.M.	9605240116	70-3070
WALKER,N.M.	9605240116	70-3070
WALKER,R.D.	9605030064	50-445 R
WALKER,T.N.	9605300016	71-*****
WALKER,T.N.	9605300018*	71-*****
WALLA,C.L.	9605290015	40-4492
WALLACE,J.E.	9605090176	50-260 S
WALLIN,G.A.	9605140235	50-271 R
WALPOLE,R.W.	9605090053	50-245 S
WALPOLE,R.W.	9605090061	50-245 S
WALPOLE,R.W.	9605210378	50-245 S
WALPOLE,R.W.	9605220013	50-245 S
WALPOLE,R.W.	9605220465*	50-245 S
WALPOLE,R.W.	9605220476*	50-245 S
WALPOLE,R.W.	9605220479*	50-245 S
WALPOLE,R.W.	9605310152	50-245 S
WALPOLE,R.W.	9605310161	50-245 S
WALSH,B.	9605130079	NUREG
WALT,T.D.	9605010011	50-324 F
WAMBACH,T.V.	9605170263	50-397 P
WANCZYK,R.J.	9605070091	50-271 S
WANCZYK,R.J.	9605100168	50-271 S
WANCZYK,R.J.	9605140235	50-271 R
WANCZYK,R.J.	9605140406	50-271 S
WANCZYK,R.J.	9605220009	50-271 S
WANCZYK,R.J.	9605220412	50-271 S
WANCZYK,R.J.	9605300134	50-271 S
WANG,A.B.	9605240127	50-293 P
WANG,A.B.	9605280126	50-293 P
WANG,J.A.	9605220308	NUREG
WANG,W.	9605130147	52-4
WANGLER,M.E.	9605170459	71-5740
WARD,D.	9605290127	40-8907
WARD,J.J.	9605150267*	70-310
WARD,J.J.	9605150326*	70-310
WARD,J.J.	9605150331*	70-310
WARD,J.J.	9605160234*	70-310
WARD,J.J.	9605220024*	FOIA
WARD,J.J.	9605220025*	FOIA
WARD,J.J.	9605220066*	FOIA
WARD,J.J.	9605220092*	FOIA
WARD,J.J.	9605220101*	FOIA
WARD,J.J.	9605220246*	FOIA
WARD,J.J.	9605220249*	FOIA
WARD,J.J.	9605220252*	70-310
WARD,J.J.	9605220265*	FOIA
WARD,J.J.	9605220272*	FOIA
WARD,J.J.	9605220315*	FOIA
WARD,J.J.	9605220353*	FOIA
WARD,J.J.	9605230105*	FOIA
WARD,J.J.	9605230132*	FOIA
WARD,J.J.	9605230137*	FOIA
WARD,K.	9605170190	50-410 S
WARNER,C.J.	9605170232*	50-275 P
WARNER,C.J.	9605280031	50-133 G
WARREN,C.	9605060301	50-272 S
WARREN,C.	9605140388	50-272 S
WARREN,C.	9605300126	50-272 S
WARREN,C.C.	9605210322	50-272 R
WARREN,C.C.	9605210392	50-311 R
WASCH,T.	9605240088	50-346 R
WASCOM,R.	9605010166	70-3070
WATKINS,A.L.	9605070182	WASTE MGT
WATTS,R.J.	9605150125	50-244 F
WEBBER,K.	9605150366	40-8698
WEBBER,R.	9605280298*	CONTRACT
WEBBER,R.B.	9605070305	CONTRACT
WEBBER,R.B.	9605080021	CONTRACT
WEBBER,R.B.	9605080244	50-213 P
WEBBER,R.B.	9605100030	CONTRACT
WEBBER,R.B.	9605210079	CONTRACT
WEBBER,R.B.	9605300031	52-3
WEBBER,R.B.	9605300039	50-245 P
WEBER,M.F.	9605170531	WASTE MGT
WEBER,M.F.	9605290032	WASTE MGT
WEBER,R.L.	9605210015	50-413 R
WEBER,R.L.	9605210325	50-269 R
WEBER,R.L.	9605210399	50-369 R
WEBRING,R.L.	9605060016	50-397 R
WEBRING,R.L.	9605060364	50-397 R
WEELER,J.	9605010122	CONTRACT
WEISS,S.H.	9605060168	50-134 V
WEISS,S.H.	9605070214	50-134 V
WEISS,S.H.	9605140484	ORG
WEISS,S.H.	9605150155	50-223 V
WEISS,S.H.	9605150266	50-223 V
WEISS,S.H.	9605160320*	50-146 P
WEISS,S.H.	9605160332*	50-146 P
WELCH,W.	9605100018	40-3453
WELD,W.F.	9605140030	STATE PRO G
WELLS,H.C.	9605160369*	70-261
WELSH,J.C.	9605020313*	50-302 I
WENSLAWSKI,F.	9605130043	I&E
WENSLAWSKI,F.A.	9605070311*	40-*****
WENSLAWSKI,F.A.	9605080055*	40-*****
WENSLAWSKI,F.A.	9605150190*	40-*****
WENSLAWSKI,F.A.	9605160175*	40-*****
WENSLAWSKI,F.A.	9605160186*	40-*****
WENSLAWSKI,F.A.	9605160219*	40-*****
WENSLAWSKI,F.A.	9605160239*	40-*****
WENSLAWSKI,F.A.	9605200322*	40-*****
WENSLAWSKI,F.A.	9605200393*	40-*****
WENSLAWSKI,F.A.	9605210083*	70-734
WESCOTT,R.G.	9605070119	WASTE MGT
WESTBROOK,D.	9605160115	CONTRACT
WESTBROOK,D.P.	9605210102	CONTRACT
WESTERMAN,T.F.	9604170121*	FOIA
WETZEL,B.	9605080036	50-282 P
WETZEL,B.A	9605230180	50-282 P
WETZEL,B.A.	9605010239	50-282 P
WETZEL,B.A.	9605090252	50-282 P
WETZEL,B.A.	9605160498	50-263 P
WETZEL,B.A.	9605240170	50-263 P
WETZEL,B.A.	9605300140	50-282 P
WETZEL,B.A.	9605300147*	50-282 P
WETZEL,S.A.	9605030187	50-260 S
WEYERS,L.L.	9605100221*	50-305 I
WHARTON,L.R.	9605010211	50-285 P
WHARTON,L.R.	9605010213*	50-285 P
WHARTON,L.R.	9605150201	50-285 P
WHATLEY,K.E.	9605130449	STATE PRO G
WHEELER,J.R.	9605140203	CONTRACT
WHEELER,J.R.	9605140203	CONTRACT
WHEELER,J.R.	9605310108	CONTRACT
WHEELER,J.T.	9605070323	CONTRACT
WHEELER,J.T.	9605150007	CONTRACT
WHEELER,L.L.	9605090248	50-424 P
WHINSTON,S.A.	9605210044	50-498 P
WHITE,A.J.	9605010079*	50-387 P
WHITE,J.R.	9605090012	50-54 W
WHITE,J.R.	9605200450	50-54 I
WHITE,J.R.	9605280104	50-54 Q
WHITE,W.	9605170448	FOIA
WHITINGTON,J.	9605090264	40-3453
WHITMER,D.E.	9605070353*	QA999
WHITT,K.	9605220354*	FOIA
WHITT,M.S.	9605200327	50-368 R
WHITT,M.S.	9605200336	50-313 R
WHITTEN,J.E.	8407250051*	FOIA
WHITTEN,J.E.	8410310300*	FOIA
WHITTEN,J.E.	8412280247*	FOIA
WHITTEN,J.E.	8502070235*	FOIA
WHITTEN,J.E.	8510240200*	FOIA
WHITTEN,J.E.	8510240653*	FOIA
WHITTEN,J.E.	8605010320*	FOIA
WHITTEN,J.E.	8607020433*	FOIA
WHITTEN,J.E.	8611250015*	FOIA
WHITTEN,J.E.	8710060546*	FOIA
WHITTEN,J.E.	8801220322*	FOIA
WHITTEN,J.E.	8801220326*	FOIA
WHITTEN,J.E.	8810180497*	FOIA
WHITTEN,J.E.	8902210236*	70-310
WHITTEN,J.E.	8903130400*	FOIA
WHITTEN,J.E.	8907190068*	FOIA
WHITTEN,J.E.	9001310345*	FOIA
WHITTEN,J.E.	9006060224*	FOIA
WHITTEN,J.E.	9010300343*	FOIA
WHITTEN,J.E.	9011210165*	FOIA
WHITTEN,J.E.	9101030339*	FOIA
WHITTEN,J.E.	9101240422*	FOIA
WHITTEN,J.E.	9104090284*	FOIA
WHITTEN,J.E.	9104100104*	FOIA
WHITTEN,J.E.	9211020225*	FOIA
WHITTEN,J.E.	9605130070*	FOIA
WHITTEN,J.E.	9605130096*	FOIA
WHITTEN,J.E.	9605130135	NUREG
WHITTEN,J.E.	9605130167*	FOIA
WHITTEN,J.E.	9605130184*	FOIA
WHITTEN,J.E.	9605130187*	FOIA
WHITTEN,J.E.	9605130189*	FOIA
WHITTEN,J.E.	9605130204*	FOIA
WHITTEN,J.E.	9605170155*	FOIA
WHITTEN,J.E.	9605220186*	FOIA
WHITTEN,J.E.	9605220197*	FOIA
WHITTEN,J.E.	9605220316*	FOIA
WHITTEN,J.E.	9605220332*	FOIA
WICHERS,D.L.	9605290236	40-8502
WICHERS,D.L.	9605300078	40-8502
WIDAY,J.A.	9605140277	50-244 R
WIDMANN,M.T.	9605200298*	50-424 Q
WIENS,L.A.	9605060317	50-335 P
WIENS,L.A.	9605210273	50-335 S
WIENS,L.A.	9605210304	50-335 Q
WIENS,L.A.	9605290113	50-335 P
WIGGIN,E.J.	9605140240	50-272 Q
WIGGINGTON,D.L.	9605220301	50-298 S
WIGGINS,E.	9605230170	CONTRACT
WIGGINS,E.J.	9605010065	CONTRACT
WIGGINS,E.J.	9605010081	CONTRACT
WIGGINS,E.J.	9605010084	CONTRACT
WIGGINS,E.J.	9605010091	CONTRACT
WIGGINS,E.J.	9605010098	CONTRACT
WIGGINS,E.J.	9605010108	CONTRACT
WIGGINS,E.J.	9605020130	CONTRACT
WIGGINS,E.J.	9605020153	CONTRACT
WIGGINS,E.J.	9605020325	CONTRACT
WIGGINS,E.J.	9605030016	CONTRACT
WIGGINS,E.J.	9605030022	CONTRACT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WIGGINS,E.J.	9605070151	CONTRACT
WIGGINS,E.J.	9605080011	CONTRACT
WIGGINS,E.J.	9605100185	CONTRACT
WIGGINS,E.J.	9605100197	CONTRACT
WIGGINS,E.J.	9605100211	CONTRACT
WIGGINS,E.J.	9605100213	CONTRACT
WIGGINS,E.J.	9605140203	CONTRACT
WIGGINS,E.J.	9605140206	CONTRACT
WIGGINS,E.J.	9605150005	CONTRACT
WIGGINS,E.J.	9605150024	CONTRACT
WIGGINS,E.J.	9605150054*	CONTRACT
WIGGINS,E.J.	9605160049	50-286 P
WIGGINS,E.J.	9605160054	CONTRACT
WIGGINS,E.J.	9605160086	CONTRACT
WIGGINS,E.J.	9605160338	CONTRACT
WIGGINS,E.J.	9605160351	CONTRACT
WIGGINS,E.J.	9605160456	CONTRACT
WIGGINS,E.J.	9605160468	CONTRACT
WIGGINS,E.J.	9605170462	CONTRACT
WIGGINS,E.J.	9605200067	CONTRACT
WIGGINS,E.J.	9605200081	CONTRACT
WIGGINS,E.J.	9605200195	CONTRACT
WIGGINS,E.J.	9605200205	CONTRACT
WIGGINS,E.J.	9605210101	50-237 Q
WIGGINS,E.J.	9605210102	CONTRACT
WIGGINS,E.J.	9605220131	CONTRACT
WIGGINS,E.J.	9605280033	CONTRACT
WIGGINS,E.J.	9605280039	CONTRACT
WIGGINS,E.J.	9605280292	CONTRACT
WIGGINS,E.J.	9605280294	CONTRACT
WIGGINS,E.J.	9605280296	CONTRACT
WIGGINS,E.J.	9605280297	CONTRACT
WIGGINS,E.J.	9605280301	CONTRACT
WIGGINS,E.J.	9605290183	CONTRACT
WIGGINS,E.J.	9605290196	CONTRACT
WIGGINS,E.J.	9605290211	CONTRACT
WIGGINS,E.J.	9605300032	CONTRACT
WIGGINS,E.J.	9605300036	CONTRACT
WIGGINS,E.J.	9605300044	CONTRACT
WIGGINS,E.J.	9605300052	CONTRACT
WIGGINS,E.J.	9605310006	CONTRACT
WIGGINS,E.J.	9605310108	CONTRACT
WIGGINS,E.J.	9605310134	CONTRACT
WIGGINS,E.Q	9605150049	CONTRACT
WIGGINS,J.T.	9605170091	50-245 P
WIGGINS,R.B.	9605030018	CONTRACT
WIGGINTON,D.L.	9605010256	50-298 P
WIGGINTON,D.L.	9605010262*	50-298 P
WIGGINTON,D.L.	9605150256	50-298 P
WIGGINTON,D.L.	9605220142	50-458 P
WIGGINTON,D.L.	9605220162	50-458 P
WIGGINTON,D.L.	9605220187	50-298 P
WIGGINTON,D.L.	9605300178	50-298 P
WILCOXEN,J.G.	9605210180	40-8027
WILCOXEN,J.G.	9605210180	40-8027
WILEY,W.A.	9605170385	71-9269
WILKERSON,C.L.	9605220028*	50-445 F
WILKIE,L.V.	9605210368	50-270 S
WILKIE,L.V.	9605300017	50-269 S
WILKOWSKI,G.	9605140090*	70-8
WILLIAMS,A.L.	9605080082	50-255 R
WILLIAMS,C.E.	9605210042*	50-361 R
WILLIAMS,J.A.	9605070112*	50-302 I
WILLIAMS,J.F.	9605030017	50-259 P
WILLIAMS,J.F.	9605170269	50-260 P
WILLIAMS,O.G.	9605100232	FOIA
WILLIAMS,R.A.	9605200466*	50-413 R
WILLIAMS,R.A.	9605210327*	50-269 R
WILLIAMS,R.A.	9605210334*	50-269 R
WILLIAMS,R.A.	9605210407*	50-369 R
WILLIAMSON,E.L.	9605210141*	50-498 Q
WILLIAMSON,E.L.	9605210186*	50-498 Q
WILLIAMSON,E.L.	9605210243*	50-498 Q
WILLIAMSON,E.L.	9605210249*	50-498 Q
WILLIS,C.A.	9605140229*	50-321 P
WILMARTH,T.	9605130147	52-4
WILSON,C.	9605030154	40-3453
WILSON,J.H.	9605160123	TOPREP
WILSON,J.H.	9605310173	PROJ
WILSON,J.N.	9605020308	52-1
WILSON,M.J.	9605090091	50-336 S
WILSON,M.J.	9605090091	50-336 S
WILSON,R.	9605220322	NUREG
WILSON,W.	9605220336*	FOIA
WINGARD,J.D.	9605200458	FOIA
WINGARD,J.D.	9605210019	FOIA
WINGERT,V.L.	9605220244	NUREG
WINTERS,J.W.	9605170356*	52-3
WIRFS,L.F.	9605160220*	70-310
WOLF,G.M.	9605290093	50-346 R
WOMACK,L.F.	9605130063	50-133 Q
WONG,I.G.	9605070231*	40-3453
WOOD,J.K.	9605020261	50-346 P
WOOD,J.K.	9605060133	50-346 S
WOOD,J.K.	9605240083	50-346 S
WOOD,J.K.	9605240088	50-346 R
WOOD,J.K.	9605280156	50-346 S
WOOD,J.K.	9605290038	50-346 S
WOOD,J.K.	9605290093	50-346 R
WOOD,R.S.	9605310089	50-338 Y
WOODCOCK,J.	9605280199*	52-3
WOODLAN,D.R.	9605070018	50-445 R
WOODLAN,D.R.	9605070055	50-445 R
WOODLAN,D.R.	9605220034*	50-445 F
WOODLAN,D.R.	9605240228	50-445 F
WOODLAN,D.R.	9605280226	50-445 F
WOODRUFF,R.	9605170015*	STATE PRO G
WOODRUFF,R.L.	9605130309*	FOIA
WOODRUFF,R.L.	9605240030	I&E
WOODS,S.R.	9605130124*	ORG
WOODWARD,R.	9605200088	50-331 R
WOODWORTH,L.A.	9605140498	WASTE MGT
WOODWORTH,L.A.	9605140501	WASTE MGT
WOODWORTH,L.A.	9605210502	WASTE MGT
WOOLLARD,J.	9605300053*	70-7002
WOOLLARD,J.	9605300059*	70-7002
WOOLLARD,J.	9605300061*	70-7002
WOOLLARD,J.	9605300062*	70-7002
WOOLLARD,J.E.	9605300057*	70-7002
WOOLLEY,R.L.	9605030230	70-7001
WOOLLEY,R.L.	9605030322	70-7001
WOOLLEY,R.L.	9605030327	70-7001
WOOLLEY,R.L.	9605080181	70-7002
WOOLLEY,R.L.	9605080202	70-7001
WOOLLEY,R.L.	9605080247	70-7002
WOOLLEY,R.L.	9605100251	70-7002
WOOLLEY,R.L.	9605100254	70-7001
WOOLLEY,R.L.	9605130391	70-7001
WOOLLEY,R.L.	9605140221	70-7001
WOOLLEY,R.L.	9605160461	70-7002
WOOLLEY,R.L.	9605200382	70-7001
WOOLLEY,R.L.	9605200398	70-7002
WOOLLEY,R.L.	9605230227	70-7002
WOOLLEY,R.L.	9605230228	70-7001
WOOLLEY,R.L.	9605280069	70-7002
WOOLLEY,R.L.	9605300026	70-7002
WOOLSEY,R.T.	9605150091*	70-310
WOOSTER,K.A.	9605160298	50-155 F
WOOSTER,K.A.	9605220327	50-155 F
WRIGHT,E.G.	9605210061*	FOIA
WRIGHT,V.	9605030208	40-3453
WRIGHT,W.V.	9605060210*	50-255 P
WROBEL,G.J.	9605310084	50-244 F
WUNDER,G.F.	9605080099	50-286 P
WYLIE,C.	9605210163	50-390 O
YAU,M.	9605130069	NUREG
YELVERTON,J.W.	9605300076	50-368 K
YOON,K.K.	9605130443*	50-270 P
YOUNG,D.E.	9605030280	50-261 S
YOUNG,M.A.	9605210059	50-424 G
YOUNG,M.A.	9605240037	STATE PRO G
YOUNG,M.H.	9605020279	40-3453
YOUNG,T.	9604160256*	FOIA
YOUNG,T.	9605070135	I&E
YUNDT,C.P.	9605020354	50-344 Y
ZAGATA,M.D.	9605130060	STATE PRO G
ZAW-MON,M.	9605240058	PR
ZEBELMAN,A.	9605220322	NUREG
ZEILER,B.L.	9605020335	40-3453
ZESZUTEK,J.W.	9605140142	50-249 S
ZIEGLER,R.S.	9605090041	40-8902
ZIEGLER,R.S.	9605090092	40-8902
ZIGLER,G.	9605130079	NUREG
ZIMMER,D.L.	9605160081*	40-7982
ZINN,B.	9605020026	40-3453
ZURAKOWSKI,P.R.	8910020141*	FOIA
ZWOLINSKI,J.A.	9605170425	50-309 H
ZWOLINSKI,J.A.	9605210287	50-245 H

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Atom, Inc. (formerly ASEA Atom, Inc.	9605310187	71-6294	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9605070110	50-361	S
	9605130200*	50-309	P
	9605150080	70-36	
	9605210461	70-36	
	9605210485	71-6078	
	9605210540*	50-335	P
	9605300046	TOPREP	
	9605300170*	50-528	P
	9605300175*	50-528	P
	9605300233*	TOPREP	
	9605310187	71-6294	
	9605310192*	71-6294	
ADCO Services, Inc.	9605210064*	FOIA	
AEA Technology	9605060210*	50-255	P
ASCA, Inc	9605130069	NUREG	
ASEA Brown Boveri, Inc.	9605070110	50-361	S
	9605150080	70-36	
	9605210461	70-36	
	9605210485	71-6078	
	9605210540*	50-335	P
	9605300046	TOPREP	
AVI Professional Corp.	9605290015	40-4492	
Advanced Process Technology	9605280301	CONTRACT	
Aerospace America, Inc.	9605030132*	40-6897	
	9605030158*	40-6897	
	9605030180*	40-6897	
Alabama Power Co.	9605170411	50-348	I
	9605170423*	50-348	I
	9605170436*	50-348	I
Alabama, State of	9605130046	STATE PRO	G
	9605130056*	STATE PRO	G
	9605130449	STATE PRO	G
Aldrich Chemical Co., Inc. (subs. of Sigma-Aldrich Corp.)	9605310062	XPORTLIC	
Alliant Techsystems, Inc.	9605160048	40-7982	
	9605160073	40-7982	
	9605160081*	40-7982	
	9605160090*	40-7982	
Allied-Signal Corp.	9605030386	40-3392	
Amerace Corp.	9605010046	QA999	
	9605210523	PT21	
American Foundry Group, Inc.	9605310216	71-422	
	9605310221	71-422	
American Nuclear Corp.	9605130345	40-4492	
	9605290243	40-4492	
Anstec, Inc	9605070071	CONTRACT	
	9605280055	CONTRACT	
Applied Management Systems, Inc.	9605290216*	CONTRACT	
	9605290226*	CONTRACT	
Applied Research Associates, Inc.	9605140042	STATE PRO	G
Applied Science & Technology	9605200132	TOPREP	
Aquatic Systems Corp.	9605020232*	50-334	R
Argonne National Laboratory	9605200156*	FOIA	
	9605310163	NUREG	
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9605030159	50-528	P
	9605030163	50-528	P
	9605070088	50-528	R
	9605130182	50-528	S
	9605130193*	50-528	S
	9605140373	50-528	P
	9605200080	50-528	R
	9605210139	50-528	P
	9605210139	50-528	P
	9605210139	50-528	P
	9605210145*	50-528	P
	9605210145*	50-528	P
	9605210165	50-528	P
	9605210165	50-528	P
	9605210165	50-528	P
	9605210182*	50-528	P
	9605210192	50-528	Q
	9605210192	50-528	Q
	9605210192	50-528	Q
	9605280222	50-528	Q
	9605280222	50-528	Q
	9605280222	50-528	Q
	9605280258	50-529	S
	9605280260	50-528	Q
	9605280260	50-528	Q
	9605280260	50-528	Q
	9605280268	50-528	F
	9605280268	50-528	F
	9605290103	50-528	Q
	9605300162	50-528	P
	9605310013	50-528	K
	9605310013	50-528	K
	9605310013	50-528	K
	9605310015*	50-528	K
	9605310018*	50-528	K
Arizona, Univ. of, Tucson, AZ	9605010122	CONTRACT	
	9605070073	CONTRACT	
	9605070323	CONTRACT	
	9605150007	CONTRACT	
Arkansas Tech Univ., Russellville, AR	9605200067	CONTRACT	
Armed Forces Radiobiological Research Institute	9605020124	50-170	R
	9605020129*	50-170	R
Army, Dept. of	9605090151	40-8838	
	9605090207	40-8767	
	9605280294	CONTRACT	
Athey Consulting	9605160082	CONTRACT	
Atlantic Richfield Co. (ARCO)	9605090041	40-8902	
	9605090092	40-8902	
	9605090097*	40-8902	
Atlas Corp.	9605020052	40-3453	
	9605070230	40-3453	
	9605310005	40-3453	
Atomic Disposal Co., Inc.	8005290608*	FOIA	
	9605210021*	FOIA	
B&G Manufacturing Co.	9605150136	50-397	S
BEMW, Inc. (formerly Binder, Elster, Mendelson & Wheeler, Inc.)	9605080011	CONTRACT	
BP Chemicals International	9605200017	40-7604	
BWR Owners Group	9605030169	I&E	
	9605100231	PROJ	
	9605140379	TOPREP	
Babcock & Wilcox Co.	9605010225*	TOPREP	
	9605030116*	70-27	
	9605030289	70-27	
	9605030292	70-27	
	9605070072*	50-270	Q
	9605070228	70-364	
	9605070229*	70-364	
	9605090009	70-27	
	9605090048	70-27	
	9605090059	70-*****	
	9605100258	TOPREP	
	9605140399	70-27	
	9605140518	70-27	
	9605150230	70-27	
	9605170473	70-135	
	9605170481*	70-135	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605220139	70-27	
	9605230133	TOPREP	
	9605230178	50-270	P
	9605230191*	50-270	P
	9605280046	70-135	
	9605280047*	70-135	
	9605280198	70-27	
	9605300043	70-27	
Baltimore Gas & Electric Co.	9605030137	50-317	R
	9605090013	50-317	P
	9605090039	50-317	S
	9605090043	50-317	S
	9605090193	50-317	P
	9605090193	50-317	P
	9605090198*	50-317	P
	9605090198*	50-317	P
	9605170082	50-317	Q
	9605170101	50-317	S
	9605170536	50-317	S
	9605170537	50-317	P
	9605170537	50-317	P
	9605170538*	50-317	P
	9605170538*	50-317	P
	9605200428	50-317	R
	9605210535	50-317	P
	9605240101	50-317	P
	9605240108*	50-317	P
	9605240108*	50-317	P
	9605240109*	50-317	P
	9605240109*	50-317	P
	9605240110*	50-317	P
	9605240110*	50-317	P
	9605240111*	50-317	P
	9605240111*	50-317	P
	9605240115*	50-317	P
	9605240115*	50-317	P
	9605240119*	50-317	P
	9605240119*	50-317	P
	9605240121*	50-317	P
	9605240121*	50-317	P
	9605240123*	50-317	P
	9605240123*	50-317	P
	9605240124*	50-317	P
	9605240124*	50-317	P
	9605240129*	50-317	P
	9605240134*	50-317	P
	9605240134*	50-317	P
	9605300062	50-317	S
	9605300144	50-317	F
	9605300144	50-317	F
	9605310001	50-317	V
	9605310002	50-317	P
Battelle Memorial Institute, Columbus Laboratories	9605140090*	70-8	
	9605140096*	70-8	
	9605300053*	70-7002	
	9605300057*	70-7002	
	9605300059*	70-7002	
	9605300060*	70-7002	
	9605300061*	70-7002	
	9605300062*	70-7002	
Battelle Memorial Institute, Pacific Northwest Laboratory	9605210375*	FOIA	
	9605220418	NUREG	
Battelle Seattle Research Center	9605220322	NUREG	
Bear Creek Uranium Co.	9605070310	40-8452	
	9605140304	40-8452	
	9605140312*	40-8452	
Berger & Montague	9605210044	50-498	P
Bill Miller, Inc.	9605140266	71-428	
Boeing Computer Services Co. (div. of Boeing Co.)	9605200086	PT21	
Boston College, Chestnut Hill, MA	9605080235	CONTRACT	
Boston Edison Co.	9605020345	50-293	P
	9605020349*	50-293	P
	9605030076	50-293	R
	9605060143	50-293	P
	9605060153*	50-293	P
	9605060163	50-293	P
	9605060174*	50-293	P
	9605060338	50-293	S
	9605060342*	50-293	S
	9605070187	50-293	R
	9605100051	50-293	F
	9605140407	50-293	P
	9605140410*	50-293	P
	9605150416	50-293	R
	9605160009	50-293	P
	9605160013*	50-293	P
	9605160155	50-293	S
	9605200075	50-293	R
	9605200270	50-293	F
	9605240065	50-293	S
	9605280291	50-293	S
Braun Intertec Engineering, Inc. (formerly Braun Engineering Testing,	9605010146	71-592	
	9605300003	71-592	
Brookhaven National Laboratory	9605130112	NUREG	
	9605130115	NUREG	
CEXEC, Inc.	9605150010	CONTRACT	
	9605160126	CONTRACT	
	9605230211	CONTRACT	
CIS-US, Inc. (formerly CIS Pharmaceutica ls, Inc.)	9605070025	71-642	
	9605290004	71-642	
	9605290005*	71-642	
COGEMA, Inc.	9605290236	40-8502	
	9605300042	40-8502	
	9605300078	40-8502	
Cabot Corp.	9605090150	40-9027	
	9605090233	40-9027	
	9605210532	40-6940	
	9605210534	40-6940	
California, State of	9605130328	STATE PRO	G
	9605130340*	STATE PRO	G
	9605130353*	STATE PRO	G
	9605130359*	STATE PRO	G
	9605130374*	STATE PRO	G
	9605130377*	STATE PRO	G
	9605130379*	STATE PRO	G
	9605130383*	STATE PRO	G
	9605140060	STATE PRO	G
	9605300091	PR	
California, Univ. of, Berkeley, CA	9605130364	PR	
Cambridge Isotope Laboratories	9605290229	XPORTLIC	
Canberra Industries, Inc.	9605230170	CONTRACT	
Carolina Power & Light Co.	9605010011	50-324	F
	9605010011	50-324	F
	9605010011	50-324	F
	9605020155	50-400	S
	9605020244	50-400	R
	9605020256	50-261	Y
	9605020256	50-261	Y
	9605020258	50-400	K
	9605020259*	50-400	K
	9605020305	50-400	R
	9605020365	50-261	I
	9605020365	50-261	I
	9605020365	50-261	I
	9605020365	50-261	I
	9605020369*	50-261	I
	9605020369*	50-261	I
	9605020369*	50-261	I
	9605020370*	50-261	Y
	9605020370*	50-261	Y
	9605030280	50-261	S
	9605030354	50-324	R
	9605030354	50-324	R
	9605060088	50-324	Q
	9605060097*	50-324	Q
	9605060186	50-261	F
	9605060335	50-400	R
	9605070236	50-261	P
	9605090045	50-261	F
	9605100171	50-261	V
	9605130002	50-324	P
	9605140136	50-324	F
	9605140136	50-324	F
	9605140145	50-324	F
	9605140169	50-324	P
	9605140169	50-324	P
	9605140174	50-400	Q
	9605140271	50-261	R
	9605150055	50-324	F
	9605150055	50-324	F
	9605160268	50-325	S
	9605160282	50-400	R
	9605170053	50-400	Q
	9605170060	50-261	Q
	9605170073	50-324	Q
	9605200079	50-324	F
	9605200079	50-324	F
	9605200153	50-324	P
	9605200243	50-324	Q
	9605200261	50-324	R
	9605210247	50-400	S
	9605210459	TOPREP	
	9605280128	50-261	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605280149	50-324	Q
	9605280153*	50-324	Q
	9605280158	50-324	V
	9605300093	50-400	S
	9605310228	50-400	S
Center for Nuclear Waste Regulatory Analyses	9605100257	WASTE MGT	
	9605170412	WASTE MGT	
	9605170420*	WASTE MGT	
	9605200268	WASTE MGT	
	9605240066	WASTE MGT	
	9605240068*	WASTE MGT	
	9605290173	WASTE MGT	
	9605290176*	WASTE MGT	
	9605310016	WASTE MGT	
Centerior Energy	9605020186	50-440	P
	9605020193*	50-440	P
	9605020249	50-440	P
	9605030238	50-440	P
	9605030239*	50-440	P
	9605030241*	50-440	P
	9605070159	50-440	F
	9605090137	50-346	G
	9605090146*	50-346	G
	9605090146*	50-346	G
	9605130248	50-346	I
	9605140079	50-346	Q
	9605140097	50-440	P
	9605160189	50-440	Q
	9605170090	50-346	Q
	9605170151	50-440	P
	9605170416	50-346	F
	9605200122	50-440	R
	9605200122	50-440	R
	9605200411	50-440	R
	9605210442	50-440	S
	9605210442	50-440	S
	9605240073	50-440	S
	9605280132	50-346	Q
	9605280181	50-346	F
	9605280184*	50-346	F
	9605280244	50-346	P
	9605280250*	50-346	P
	9605310027	50-346	P
Central Electric Power Cooperative, Inc.	9605200401	I&E	
Central Iowa Power Cooperative	9605140201*	50-331	I
Chem-Nuclear Systems, Inc.	9604120151	27-47	
	9605200179	CONTRACT	
Chemetron Corp.	9605080241*	40-8724	
	9605200062	40-8724	
Cherokee Nation	9605160076	40-8027	
	9605210180	40-8027	
Cimarron Corp.	9605200029	70-925	
	9605290239	70-925	
Citizens Against Nuclear Trash	9605240116	70-3070	
Citizens Awareness Network	9605240031	50-29	G
Cleveland Electric Illuminating Co.	9605060034	50-440	G
Cleveland, OH	9605060082	50-346	G
Colorado Mining Association	9605290003	MISC	
Colorado State Univ., Fort Collins, CO	9605030121*	50-267	R
	9605080010	CONTRACT	
Colorado, State of	9605220284*	FOIA	
Commerce, Dept. of	9605280033	CONTRACT	
Commerce, Dept. of, National Oceanic & Atmospheric Administration	9605210527	50-250	P
Commonwealth Edison Co.	9605010066	50-254	R
	9605010106	50-295	R
	9605030050	50-456	P
	9605030344	50-10	W
	9605030344	50-10	W
	9605030344	50-10	W
	9605030387	50-254	F
	9605030389	50-237	Q
	9605060167	50-373	K
	9605060167	50-373	K
	9605060169*	50-373	K
	9605060169*	50-373	K
	9605060258	50-373	S
	9605060268	50-295	P
	9605060268	50-295	P
	9605060277*	50-295	P
	9605060277*	50-295	P
	9605060360	50-254	F
	9605060360	50-254	F
	9605060365	50-254	F
	9605070034	50-254	F
	9605070034	50-254	F
	9605070246	50-373	R
	9605070341	50-454	P
	9605070341	50-454	P
	9605070341	50-454	P
	9605070341	50-454	P
	9605070344	50-457	Q
	9605090056	50-295	Q
	9605090086	50-457	P
	9605090088*	50-457	P
	9605100155	50-254	P
	9605100155	50-254	P
	9605100155	50-254	P
	9605100164	50-237	P
	9605100164	50-237	P
	9605100164	50-237	P
	9605100164	50-237	P
	9605100164	50-237	P
	9605100164	50-237	P
	9605100167	50-295	Q
	9605130122	50-457	S
	9605130150	50-454	P
	9605130150	50-454	P
	9605130150	50-454	P
	9605130150	50-454	P
	9605130208*	50-454	P
	9605130208*	50-454	P
	9605130208*	50-454	P
	9605130208*	50-454	P
	9605130382	50-295	S
	9605130428	50-456	R
	9605130428	50-456	R
	9605140115	50-373	R
	9605140115	50-373	R
	9605140142	50-249	S
	9605140146	50-373	V
	9605140146	50-373	V
	9605140154	50-373	P
	9605140166	50-456	R
	9605140166	50-456	R
	9605140178	50-254	P
	9605140178	50-254	P
	9605140181*	50-254	P
	9605140181*	50-254	P
	9605140196	50-237	P
	9605140196	50-237	P
	9605140196	50-237	P
	9605140196	50-237	P
	9605140196	50-237	P
	9605140196	50-237	P
	9605140196	50-237	P
	9605140196	50-237	P
	9605140303	50-454	Q
	9605140303	50-454	Q
	9605140314	50-454	Q
	9605140460	50-295	P
	9605140460	50-295	P
	9605140465*	50-295	P
	9605140465*	50-295	P
	9605140512	50-295	V
	9605140512	50-295	V
	9605160276	50-237	Q
	9605160276	50-237	Q
	9605160291	50-295	F
	9605160467	50-254	P
	9605160467	50-254	P
	9605170270*	50-373	F
	9605170444	50-295	S
	9605170451	50-254	P
	9605170451	50-254	P
	9605170497	50-10	R
	9605170497	50-10	R
	9605170497	50-10	R
	9605170499	50-237	P
	9605170499	50-237	P
	9605170499	50-237	P
	9605170499	50-237	P
	9605170501*	50-237	P
	9605170501*	50-237	P
	9605170501*	50-237	P
	9605170501*	50-237	P
	9605200154	50-237	S
	9605200165*	50-237	S
	9605200176	50-237	S
	9605200189*	50-237	S
	9605200193	50-237	S
	9605200200*	50-237	S
	9605200295	50-249	P
	9605200332	50-237	P
	9605200332	50-237	P
	9605200337	50-237	S
	9605200361*	50-237	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605200364	50-295	R
	9605200364	50-295	R
	9605200442	50-456	Q
	9605200443	50-454	S
	9605200448	50-295	S
	9605210040	50-373	S
	9605210453	50-456	Q
	9605210453	50-456	Q
	9605210457	50-454	R
	9605210457	50-454	R
	9605210465	50-295	P
	9605210495	50-456	Q
	9605210495	50-456	Q
	9605210513	50-237	S
	9605220134	50-254	R
	9605220144*	50-254	R
	9605220144*	50-254	R
	9605220157*	50-254	R
	9605220334	50-295	S
	9605230062	50-254	Q
	9605230212	50-295	P
	9605230212	50-295	P
	9605230216*	50-295	P
	9605230216*	50-295	P
	9605240029	50-456	P
	9605240033*	50-456	P
	9605240060*	50-295	P
	9605240060*	50-295	P
	9605240062*	50-295	P
	9605240062*	50-295	P
	9605240117	50-454	Q
	9605280058	50-249	P
	9605280063*	50-249	P
	9605280074*	50-249	P
	9605280096	50-456	P
	9605280109	50-373	S
	9605280112	50-295	P
	9605280171	50-295	S
	9605280186	50-373	F
	9605280234	50-254	P
	9605280254	50-456	S
	9605290070	50-249	P
	9605290099	50-254	P
	9605290106*	50-254	P
	9605300004	50-237	S
	9605300015*	50-254	P
	9605310060	50-237	P
	9605310060	50-237	P
	9605310072*	50-237	P
	9605310074*	50-237	P
	9605310077*	50-237	P
	9605310146	50-454	S
	9605310154	50-304	S
	9605310157	50-295	S
	9605310177	50-456	Q
Concord Associates, Inc.	9604050389*	50-336	P
	9605310069*	50-483	P
Congress, Joint Committee on Atomic Energy	9605210075*	FOIA	
Connecticut Yankee Atomic Power Co.	9605030134	50-213	R
	9605030140*	50-213	R
	9605030149*	50-213	R
	9605030277	50-213	S
	9605140274	50-213	Q
	9605140274	50-213	Q
	9605140347	50-213	F
	9605170085	50-213	P
	9605200367	50-213	R
	9605220005	50-213	S
Consolidated Edison Co. of New York, Inc	9605060074	50-3	R
	9605060074	50-3	R
	9605060074	50-3	R
	9605070265	50-247	S
	9605070372	50-247	P
	9605070375	50-3	R
	9605070375	50-3	R
	9605070375	50-3	R
	9605100157	50-3	R
	9605100157	50-3	R
	9605100192	50-247	Q
	9605140316	50-3	F
	9605140440	50-3	F
	9605170261	50-247	S
	9605220348	50-247	R
	9605220357*	50-247	R
	9605220363*	50-247	R
	9605280125	50-3	Q
	9605280300	50-3	R
	9605280303*	50-3	R
	9605280303*	50-3	R
Consumers Power Co.	9605020083	50-255	F
	9605020087	50-255	F
	9605060020	50-155	R
	9605060081	50-155	R
	9605060083*	50-155	R
	9605060086	50-255	R
	9605060087*	50-255	R
	9605060204	50-255	P
	9605060223	50-255	P
	9605070047	50-255	R
	9605070065	50-255	F
	9605070080	50-255	F
	9605070083	50-255	F
	9605070166	50-255	F
	9605070168	50-255	F
	9605070172	50-155	S
	9605070173	50-255	F
	9605070254	50-255	S
	9605070365	50-255	F
	9605070366	50-255	F
	9605070368	50-255	F
	9605070374	50-255	F
	9605070376	50-255	F
	9605070377	50-255	F
	9605070378	50-255	F
	9605070380	50-255	F
	9605080064	50-255	P
	9605080082	50-255	R
	9605100034	50-155	R
	9605130206	50-155	Q
	9605160018	50-155	Q
	9605160298	50-155	F
	9605160421	50-255	F
	9605160429	50-255	F
	9605160438	50-255	F
	9605160446	50-255	F
	9605160453	50-255	F
	9605170298	50-155	P
	9605200372	50-255	Q
	9605220327	50-155	F
	9605240224	50-255	F
	9605240229	50-255	F
	9605240231	50-255	F
	9605240237	50-255	F
	9605240240	50-255	F
	9605280279	50-155	S
	9605290134	50-155	F
	9605310205	50-255	F
	9605310219	50-255	F
	9605310229	50-255	F
	9605310242	50-255	F
	9605310244	50-255	F
	9605310245	50-255	F
Cooper Energy Services	9605200130	PT21	
	9605210284	50-220	S
	9605240250	50-304	S
	9605240250	50-304	S
	9605240250	50-304	S
	9605280150	50-304	S
	9605280150	50-304	S
	9605280150	50-304	S
Corn Belt Power Cooperative	9605140198*	50-331	I
Croft Associates (United Kingdom)	9605300016	71-*****	
	9605300018*	71-*****	
Dairyland Power Cooperative	9605140523	50-409	I
	9605220497	50-409	F
Dames & Moore	9605210019	FOIA	
Damon & Morey	9605200458	FOIA	
Data Base, Inc.	9605020396	CONTRACT	
Detroit Edison Co.	9605020297	50-341	R
	9605030382	50-341	F
	9605060154	50-341	R
	9605070075	50-341	I
	9605090132	50-341	Q
	9605100229	50-341	P
	9605140494	50-341	Q
	9605150150	50-341	P
	9605210237	50-341	F
	9605210347	50-341	R
	9605210351*	50-341	R
	9605210355*	50-341	R
	9605230098	50-341	S
Diplomat Limousine & Livery Services, Inc.	9605200081	CONTRACT	
Don't Waste Michigan	9605160350	50-255	H
Dow Chemical Co.	7908230271*	FOIA	
	8004020081*	FOIA	
	8010030020*	FOIA	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8010070204*	FOIA	
	8011260039*	FOIA	
	8102230147*	FOIA	
	8407250069*	FOIA	
	8410310363*	FOIA	
	8412280252*	FOIA	
	9605200229*	FOIA	
	9605200233*	FOIA	
	9605200236*	FOIA	
	9605200238*	FOIA	
	9605210057*	FOIA	
	9605210362*	FOIA	
	9605210367*	FOIA	
	9605210373*	FOIA	
	9605210376*	FOIA	
	9605210382*	FOIA	
	9605210409*	FOIA	
	9605210417*	FOIA	
Dowell Schlumberger, Inc. (subs. of Schlumberger, Ltd.)	8510240203*	FOIA	
	8510240211*	FOIA	
	8607020448*	FOIA	
	8611250022*	FOIA	
	8612190282*	FOIA	
	8903130408*	FOIA	
	8904280124*	FOIA	
	8907190075*	FOIA	
	9201240212*	FOIA	
	9605170149*	70-310	
	9605170159*	FOIA	
	9605170174*	FOIA	
	9605170184*	FOIA	
	9605170295*	FOIA	
	9605170303*	FOIA	
	9605220006*	FOIA	
	9605220046*	FOIA	
	9605220080*	FOIA	
	9605220143*	FOIA	
	9605220150*	FOIA	
	9605220156*	FOIA	
	9605220163*	FOIA	
	9605220177*	FOIA	
	9605220192*	FOIA	
	9605220310*	FOIA	
	9605220312*	FOIA	
	9605220319*	FOIA	
	9605220336*	FOIA	
	9605220340*	FOIA	
DuPont Merck Pharmaceutical Co.	9605290233	XPORTLIC	
Duke Power Co.	9605010173	50-269	P
	9605010181*	50-269	P
	9605010181*	50-269	P
	9605010186*	50-269	P
	9605020262	50-413	R
	9605020262	50-413	R
	9605020331	50-370	P
	9605020334*	50-370	P
	9605020391	50-369	S
	9605020394*	50-369	S
	9605030015	50-370	S
	9605030029*	50-370	S
	9605030060	50-269	P
	9605030164	50-413	R
	9605030164	50-413	R
	9605030313	I&E	
	9605060340	50-369	Q
	9605060340	50-369	Q
	9605070040	50-413	R
	9605070040	50-413	R
	9605070069	50-270	Q
	9605070109	50-269	F
	9605070109	50-269	F
	9605070109	50-269	F
	9605070114*	50-269	F
	9605070114*	50-269	F
	9605070114*	50-269	F
	9605070274	50-369	Q
	9605070321	50-369	P
	9605070326*	50-369	P
	9605070326*	50-369	P
	9605070326*	50-369	P
	9605070326*	50-369	P
	9605080139	50-413	P
	9605080211	50-269	F
	9605080211	50-269	F
	9605080211	50-269	F
	9605080223*	50-269	F
	9605080223*	50-269	F
	9605080223*	50-269	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605100071	50-369	P
	9605100071	50-369	P
	9605130416	50-269	P
	9605130437	50-270	P
	9605140116	50-269	Q
	9605150153	50-413	P
	9605170255	50-369	F
	9605200096	50-370	Q
	9605200142	50-269	Q
	9605200142	50-269	Q
	9605200217	50-370	Q
	9605200445	50-369	P
	9605200445	50-369	P
	9605200449	50-369	P
	9605200449	50-369	P
	9605200466*	50-413	R
	9605200466*	50-413	R
	9605210015	50-413	R
	9605210039*	50-413	R
	9605210144	50-369	F
	9605210144	50-369	F
	9605210325	50-269	R
	9605210327*	50-269	R
	9605210327*	50-269	R
	9605210334*	50-269	R
	9605210368	50-270	S
	9605210399	50-369	R
	9605210399	50-369	R
	9605210407*	50-369	R
	9605210407*	50-369	R
	9605210421*	50-369	R
	9605210468	50-369	Q
	9605210468	50-369	Q
	9605210494	50-369	P
	9605210494	50-369	P
	9605210497*	50-369	P
	9605210510	50-369	P
	9605210510	50-369	P
	9605210510	50-369	P
	9605210510	50-369	P
	9605210515*	50-369	P
	9605210515*	50-369	P
	9605210515*	50-369	P
	9605210515*	50-369	P
	9605210526	50-369	P
	9605210526	50-369	P
	9605210526	50-369	P
	9605220385	50-269	Q
	9605230165	50-369	P
	9605230165	50-369	P
	9605230218	71-9027	
	9605280286	50-413	Q
	9605300017	50-269	S
	9605300074	50-413	P
	9605310017	50-413	P
	9605310182	50-413	P
Duncan, Weinberg, Miller & Pembroke, P.C (formerly Duncan, Weinberg & Miller)	9605030218	50-133	G
	9605030218	50-133	G
	9605030218	50-133	G
	9605060237	50-133	G
	9605060237	50-133	G
	9605060237	50-133	G
Duquesne Light Co.	9605020217	50-334	R
	9605020227*	50-334	R
	9605020237	50-334	R
	9605030069	FOIA	
	9605060128	50-412	K
	9605060130*	50-412	K
	9605060182	50-334	S
	9605070251	50-334	P
	9605070253*	50-334	P
	9605070270	50-412	P
	9605070273*	50-412	P
	9605080195	50-334	P
	9605090121	50-334	Q
	9605130130*	50-412	P
	9605140294	50-334	R
	9605160475	50-334	P
	9605170045	50-334	Q
	9605170281	50-334	Q
	9605200451	50-334	S
	9605300002	50-412	S
E.I. du Pont de Nemours & Co., Inc.	9605280053	71-711	
	9605280054*	71-711	
	9605310110	XPORTLIC	
EG&G Idaho, Inc.	9507060257*	ORG	
EG&G, Inc.	9605130119*	50-309	P
Edlow International Co.	9605010127*	XPORTLIC	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605030189	XPORTLIC	
	9605030201*	XPORTLIC	
	9605030205*	XPORTLIC	
	9605030341	XPORTLIC	
	9605080044*	ORG	
	9605160321	70-1252	
	9605160324	70-1252	
	9605160466	XPORTLIC	
	9605160473	XPORTLIC	
	9605170001	70-1252	
	9605170003	70-1252	
	9605170004	XPORTLIC	
	9605170008	XPORTLIC	
	9605170010	70-1252	
	9605170012	70-1252	
	9605170310	70-1252	
	9605290240*	XPORTLIC	
Electric Power Research Institute	9605020121*	TOPREP	
	9605160399*	COMMISSIO	N
Energy Fuels Nuclear, Inc.	9605010090	40-8681	
	9605150320	40-8681	
	9605290186*	40-8681	
Energy Research, Inc.	9605070042	CONTRACT	
	9605070132	CONTRACT	
	9605070334	CONTRACT	
Energy, Dept. of	9605060181	WASTE MGT	
	9605060205	WASTE MGT	
	9605060253	WASTE MGT	
	9605070182	WASTE MGT	
	9605080218	WASTE MGT	
	9605080219	WASTE MGT	
	9605080220*	WASTE MGT	
	9605090083	WASTE MGT	
	9605130163	WASTE MGT	
	9605130164*	WASTE MGT	
	9605130169	WASTE MGT	
	9605130173*	WASTE MGT	
	9605130180	WASTE MGT	
	9605130183	WASTE MGT	
	9605130396*	70-7001	
	9605130417*	70-7001	
	9605130420	STATE PRO	G
	9605130421*	70-7001	
	9605130427	STATE PRO	G
	9605140120	WASTE MGT	
	9605140127	WASTE MGT	
	9605140204	WASTE MGT	
	9605140214	WASTE MGT	
	9605140218	WASTE MGT	
	9605140228*	XPORTLIC	
	9605140276	XPORTLIC	
	9605140466	WASTE MGT	
	9605140498	WASTE MGT	
	9605140501	WASTE MGT	
	9605150279	WASTE MGT	
	9605150290	WASTE MGT	
	9605160056	WASTE MGT	
	9605160065*	WASTE MGT	
	9605160283	WASTE MGT	
	9605160288	WASTE MGT	
	9605170289	WASTE MGT	
	9605170459	71-5740	
	9605170540	WASTE MGT	
	9605200431*	FOIA	
	9605210226*	50-267	Y
	9605210226*	50-267	Y
	9605210251*	71-786	
	9605210425	WASTE MGT	
	9605210428	WASTE MGT	
	9605210433	WASTE MGT	
	9605210502	WASTE MGT	
	9605210519	WASTE MGT	
	9605220440	50-320	Y
	9605230139	WASTE MGT	
	9605230225	WASTE MGT	
	9605230229	WASTE MGT	
	9605240034	WASTE MGT	
	9605240039	WASTE MGT	
	9605240042	WASTE MGT	
	9605240048	WASTE MGT	
	9605240053	WASTE MGT	
	9605240055	WASTE MGT	
	9605240061	WASTE MGT	
	9605240071	WASTE MGT	
	9605240074*	WASTE MGT	
	9605240077	WASTE MGT	
	9605240081*	WASTE MGT	
	9605240091	WASTE MGT	
	9605240096*	WASTE MGT	
	9605280197	WASTE MGT	
	9605280200*	WASTE MGT	
	9605280205	WASTE MGT	
	9605280206*	WASTE MGT	
	9605280248	WASTE MGT	
	9605280276	WASTE MGT	
	9605280280*	WASTE MGT	
	9605290201	WASTE MGT	
	9605290212	WASTE MGT	
	9605290224*	XPORTLIC	
	9605290248	WASTE MGT	
	9605300028	WASTE MGT	
	9605300064	XPORTLIC	
	9605300201	WASTE MGT	
	9605310049	WASTE MGT	
	9605310103	WASTE MGT	
	9605310109*	WASTE MGT	
	9605310125	WASTE MGT	
Engineering Decision Analysis Co., Inc.	9605030232*	70-7001	
	9605030233*	70-7001	
	9605030235*	70-7001	
	9605030237*	70-7001	
Entergy Operations, Inc.	9605020141	50-382	P
	9605020163	50-382	F
	9605020181	50-416	R
	9605020182	50-382	R
	9605020187*	50-416	R
	9605020195*	50-416	R
	9605020298	50-382	R
	9605020317	50-458	F
	9605030062	50-382	Q
	9605030093	50-368	P
	9605030094*	50-368	P
	9605030251	50-313	F
	9605030251	50-313	F
	9605030273	50-313	R
	9605030356*	50-458	R
	9605030359	I&E	
	9605030366*	50-458	R
	9605060015	50-458	R
	9605060108	50-458	R
	9605060235	50-313	P
	9605060235	50-313	P
	9605060248*	50-313	P
	9605060248*	50-313	P
	9605060308	50-313	P
	9605060311*	50-313	P
	9605070240	50-416	K
	9605070242	50-416	Q
	9605070264	50-416	P
	9605070286	50-313	P
	9605070290*	50-313	P
	9605080063	50-382	P
	9605080065	50-382	R
	9605080071*	50-382	P
	9605080153	50-382	K
	9605080157*	50-382	K
	9605090047	50-458	F
	9605100201	50-416	P
	9605100203*	50-416	P
	9605130426	50-313	Q
	9605130426	50-313	Q
	9605140089	50-368	S
	9605140139	50-416	P
	9605140153*	50-416	P
	9605140161	50-458	P
	9605140281	50-416	R
	9605140302	50-416	P
	9605140305*	50-416	P
	9605140432	50-382	F
	9605140447	50-382	Q
	9605150389	50-382	Q
	9605150486	50-382	P
	9605160425	50-313	S
	9605170063	50-416	Q
	9605170125	50-416	Q
	9605170396	50-313	F
	9605170396	50-313	F
	9605170403	50-313	F
	9605170403	50-313	F
	9605170409	50-313	F
	9605170409	50-313	F
	9605170424	50-416	P
	9605170429*	50-416	P
	9605170458	50-382	F
	9605200068	50-382	R
	9605200224	50-313	Q
	9605200224	50-313	Q
	9605200252	50-313	Y

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605200252	50-313	Y
	9605200252	50-313	Y
	9605200327	50-368	R
	9605200336	50-313	R
	9605210025	50-313	P
	9605210029*	50-313	P
	9605210107	50-313	P
	9605210107	50-313	P
	9605210128*	50-313	P
	9605210128*	50-313	P
	9605210357	50-416	F
	9605210384	50-416	Q
	9605210411	50-458	S
	9605220376	50-458	R
	9605230231	50-313	P
	9605280001	50-382	P
	9605280038	50-416	Q
	9605280042*	50-416	Q
	9605280052	50-368	Q
	9605280157	50-458	P
	9605280159*	50-458	P
	9605280163	50-458	F
	9605290042	50-458	S
	9605300076	50-368	K
	9605300084*	50-368	K
Envirocare of Utah, Inc.	9605310128	40-8989	
Envirocare, Inc.	9605130085*	STATE PRO	G
	9605230129	PR	
Environmental Protection Agency	9605100059	40-3453	
	9605230149	REGGD	
European Communities, Commission of	9605200093	XPORTLIC	
	9605200114	XPORTLIC	
Exxon Corp.	9605290241	40-8102	
FRAMATOME	9605010222	TOPREP	
	9605070072*	50-270	Q
	9605090093	TOPREP	
	9605100258	TOPREP	
	9605130443*	50-270	P
	9605200132	TOPREP	
	9605230178	50-270	P
	9605290011*	TOPREP	
	9605310118	PROJ	
Fairleigh Dickinson Univ., Teaneck, NJ	9605170434	70-3045	
	9605170434	70-3045	
	9605170442*	70-3045	
	9605170442*	70-3045	
Federal Emergency Management Agency	9605080177*	50-219	F
	9605080184*	50-219	F
	9605220244	NUREG	
Florida Power & Light Co.	9605030068	50-250	Q
	9605030119	50-250	F
	9605030119	50-250	F
	9605030192	50-250	S
	9605060226	I&E	
	9605070247	50-251	Q
	9605100199	50-250	P
	9605140093	50-251	S
	9605140363	50-250	P
	9605140363	50-250	P
	9605140367*	50-250	P
	9605140367*	50-250	P
	9605150395	50-335	Q
	9605170034	50-250	Q
	9605170034	50-250	Q
	9605170223	50-250	P
	9605170223	50-250	P
	9605170228*	50-335	Q
	9605170230*	50-250	P
	9605170230*	50-250	P
	9605170247	50-250	S
	9605170254	50-250	P
	9605170254	50-250	P
	9605170432	50-335	Q
	9605170504	50-250	R
	9605200436	50-335	R
	9605210538	50-335	P
	9605210538	50-335	P
	9605230232	50-335	F
	9605230232	50-335	F
	9605290053	50-335	P
Florida Power Corp.	9605020077	50-302	S
	9605020085	50-302	S
	9605020172	50-302	S
	9605020265	50-302	S
	9605020309	50-302	I
	9605070015	50-302	P
	9605070020	50-302	P
	9605070027*	50-302	P
	9605070033	50-302	R
	9605070039*	50-302	R
	9605070097	50-302	I
	9605070191	50-302	P
	9605070196	50-302	Q
	9605070313	50-302	S
	9605090054	50-302	Q
	9605140121	50-302	P
	9605140157	50-302	Q
	9605140173	50-302	P
	9605140268	50-302	F
	9605140368	50-302	F
	9605140372	50-302	F
	9605140376	50-302	F
	9605140381	50-302	S
	9605170487	50-302	R
	9605200082	50-302	Q
	9605200090	50-302	S
	9605200126	50-302	S
	9605200140	50-302	S
	9605200219	50-302	R
	9605200463	50-302	S
	9605280232	50-302	P
	9605280263	50-302	S
	9605280277	50-302	S
Florida Progress Corp.	9605070098*	50-302	I
Florida, State of	9605170018*	STATE PRO	G
	9605210518	PR	
Florida, Univ. of, Gainesville, FL	9605290211	CONTRACT	
Food & Drug Administration	9605030016	CONTRACT	
	9605070151	CONTRACT	
Ford Motor Co.	9605030018	CONTRACT	
	9605100185	CONTRACT	
Foxboro Corp.	9605240007	PT21	
Framatome Cogema Fuels (formerly B&W Fue Co.),	9605280257*	50-346	P
	9605300038	70-1201	
	9605310230	70-1201	
Gainesville Regional Utilities	9605070103*	50-302	I
General Atomics (formerly GA Technologie s, Inc./General Atomic Co.)	9605060017	40-8027	
	9605080232	70-734	
	9605090225	PROJ	
	9605130109	40-8027	
	9605240216	70-734	
	9605240220*	70-734	
	9605290219	XPORTLIC	
	9605300115	50-89	I
General Electric Co.	9605010120	50-18	R
	9605010157	50-183	R
	9605010199	50-70	R
	9605030286	XPORTLIC	
	9605060072	52-4	
	9605060361	TOPREP	
	9605070008*	50-220	P
	9605070269*	50-416	P
	9605080030	52-1	
	9605080090	52-1	
	9605080197	52-4	
	9605090068	52-4	
	9605100077	70-1113	
	9605100080*	70-1113	
	9605140509	70-1113	
	9605150077	72-1	
	9605150240	50-73	F
	9605150461	TOPREP	
	9605170283	XPORTLIC	
	9605170293	70-2693	
	9605170397	70-1113	
	9605170400*	70-1113	
	9605170406	70-1113	
	9605170474	52-3	
	9605210397*	50-397	P
	9605210524	PROJ	
	9605220345*	50-18	I
	9605220361*	50-18	I
	9605280201	52-4	
	9605290007	TOPREP	
	9605300013	50-219	S
	9605310241	72-1	
General Motors Corp.	9605150328	71-438	
	9605150334*	71-438	
	9605150340*	71-438	
	9605150344*	71-438	
	9605150349*	71-438	
	9605150355*	71-438	
	9605150356*	71-438	
	9605150359*	71-438	
General Public Utilities Corp. - GPU Service Corp.	9605020399	50-289	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605020399	50-289	R
	9605020401*	50-289	R
	9605020401*	50-289	R
	9605020403*	50-289	R
	9605020403*	50-289	R
	9605030081	50-219	S
	9605030102	50-289	Q
	9605060090	50-219	R
	9605060202	50-289	F
	9605060345	50-219	I
	9605060345	50-219	I
	9605060345	50-219	I
	9605070046*	50-219	I
	9605070046*	50-219	I
	9605070046*	50-219	I
	9605130128	50-219	Y
	9605130321	50-219	P
	9605130325*	50-219	P
	9605130329*	50-219	P
	9605140478	50-219	S
	9605170128	50-219	P
	9605170139*	50-219	P
	9605170479	50-219	S
	9605200070	50-289	Q
	9605200407	50-289	R
	9605200422	50-219	F
	9605200454	50-219	Q
	9605210440	50-146	P
	9605210452	50-219	R
	9605240084	50-289	F
	9606070086*	50-146	P
Georgia Institute of Technology, Atlanta GA	9605210066	50-160	G
Georgia Power Co.	9605010015	50-424	F
	9605030244	50-321	R
	9605060176	50-424	R
	9605060320	50-424	F
	9605080213	50-321	P
	9605100248	50-424	F
	9605100252*	50-424	F
	9605100252*	50-424	F
	9605130378	50-424	P
	9605130378	50-424	P
	9605130384*	50-424	P
	9605130384*	50-424	P
	9605140100	50-321	P
	9605140110	50-321	Q
	9605140126	50-321	R
	9605140126	50-321	R
	9605140130*	50-321	R
	9605140134*	50-321	R
	9605140162	50-424	Q
	9605140167	50-424	Q
	9605140167	50-424	Q
	9605140185	50-424	S
	9605140295	50-424	R
	9605140295	50-424	R
	9605140334	50-321	P
	9605140338*	50-321	P
	9605140344	50-321	Q
	9605140344	50-321	Q
	9605140408	50-424	F
	9605140408	50-424	F
	9605140455	50-321	S
	9605150458	50-321	Q
	9605150458	50-321	Q
	9605160455	50-424	F
	9605200420	50-424	S
	9605230181	50-321	S
	9605280002	50-321	S
	9605280040	50-321	P
	9605280040	50-321	P
	9605280045*	50-321	P
	9605280045*	50-321	P
	9605280068	50-321	Q
	9605280068	50-321	Q
Georgia, State of	9605130114	STATE PRO	G
	9605130411	STATE PRO	G
	9605160125*	STATE PRO	G
	9605160146*	COMMISSIO	N
	9605210116	50-160	G
	9605210122*	50-160	G
Georgians Against Nuclear Energy	9605130054	50-160	G
	9605130058	50-160	T
	9605170134	STATE PRO	G
Germany, Democratic Republic	9605160399*	COMMISSIO	N
Government Printing Office	9605160054	CONTRACT	
Grand County, UT	9605010105	40-3453	
	9605010130	40-3453	
Grand Junction, CO	9605060115	WASTE MGT	
Graphics Visions Associates, Inc.	9605200195	CONTRACT	
Greenfield Community College, Greenfield MA	9605150005	CONTRACT	
HRI, Inc. (Hydro Resources, Inc.)	9604260063	40-8968	
	9605080097	40-8968	
	9605220200	40-8968	
Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9605160076	40-8027	
	9605210180	40-8027	
Hawaii, State of	9605150003	STATE PRO	G
Health & Human Services, Dept. of	9605280287*	STATE PRO	G
	9605300132	PR	
Homestake Mining Co.	9605020268	40-8903	
House of Rep.	9605060240*	COMMISSIO	N
	9605100022*	50-245	H
	9605100165*	MISC	
	9605140269*	50-245	P
	9605210530	PR	
Houston Lighting & Power Co.	9605030103	50-498	R
	9605060147	50-498	P
	9605060159*	50-498	P
	9605070260	50-498	P
	9605070260	50-498	P
	9605070262*	50-498	P
	9605070262*	50-498	P
	9605070369	50-498	P
	9605070369	50-498	P
	9605130278	50-498	J
	9605140080	50-498	Q
	9605140177	50-498	P
	9605140177	50-498	P
	9605170535	50-498	P
	9605170535	50-498	P
	9605200348	50-498	R
	9605200460	50-498	P
	9605200460	50-498	P
	9605200462*	50-498	P
	9605200462*	50-498	P
Hydro-Engineering	9605310014*	40-6622	
ICF, Inc.	9605060047*	40-6940	
	9605290223	CONTRACT	
IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9605030372	50-331	Q
	9605030375*	50-331	Q
	9605070144	50-461	I
	9605070267	50-331	P
	9605100194	50-331	S
	9605140190	50-331	I
	9605140209*	50-331	I
	9605140280	50-331	S
	9605170252	50-331	Q
	9605170273	50-331	Q
	9605200088	50-331	R
Idaho National Engineering Laboratory	9507060257*	ORG	
	9604180387	ORG	
	9605060314*	ORG	
	9605140503*	ORG	
	9605220250	NUREG	
	9605310158	NUREG	
Idaho, State of	9605130307*	STATE PRO	G
Illinois Power Co.	9605060022	50-461	R
	9605060060	50-461	R
	9605060255	50-461	P
	9605070188*	50-461	I
	9605070205	50-461	P
	9605070216*	50-461	P
	9605070295	50-461	S
	9605070306	50-461	S
	9605140301	50-461	R
	9605160033	50-461	S
	9605230188	50-461	S
Illinois, State of	9605010067	STATE PRO	G
	9605010073*	STATE PRO	G
	9605020153	CONTRACT	
	9605130038	STATE PRO	G
	9605130154	STATE PRO	G
	9605290228	STATE PRO	G
Illinois, Univ. of, Urbana, IL	9605060355	50-151	S
	9605210293	50-151	P
	9605210293	50-151	P
	9605210297*	50-151	P
	9605210300*	50-151	P
	9605210300*	50-151	P
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9605030339	50-316	P
	9605030342*	50-316	P
	9605060344	50-315	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605060344	50-315	Q
	9605130260	50-315	Q
	9605140108	50-315	Q
	9605140286	50-316	R
	9605140290	50-315	R
	9605240056	50-315	S
Institute for Nuclear Medical Education, Inc.	9605020397	FOIA	
Institute of Nuclear Power Operations	9605230203	ORG	
Interior, Dept. of	9605010053	40-3453	
JRA Associates	9605100232	FOIA	
Jacob Brothers, Inc.	9605290160	40-8907	
Jacobs Engineering Group, Inc.	9605090087*	WASTE MGT	
	9605230226*	WASTE MGT	
	9605230230*	WASTE MGT	
	9605290127	40-8907	
	9605300029*	WASTE MGT	
	9605300205*	WASTE MGT	
	9605300209*	WASTE MGT	
	9605310127*	WASTE MGT	
	9605310130*	WASTE MGT	
Jaeckle, Fleischman & Mugel	9605130021	FOIA	
Jan X-Ray Services, Inc.	9605290247	71-603	
Jenner & Block	9605010105	40-3453	
	9605010130	40-3453	
Kansas City Power & Light Co.	9605010132*	50-482	I
Kansas Electric Power Corp, Inc.	9605010131*	50-482	I
Kansas, State of	9605150311*	STATE PRO	G
Kennecott Corp.	9605060185	40-8584	
	9605200404*	40-8584	
Kennecott Uranium Co. (formerly Minerals Exploration Co.)	9605200360	40-8584	
	9605200371*	40-8584	
Kentucky, Commonwealth of	9502140056*	STATE PRO	G
	9605140160*	STATE PRO	G
	9605140480	STATE PRO	G
Kentucky, Univ. of, Lexington, KY	9605130008	STATE PRO	G
Kerr-McGee Corp.	9605200034*	70-925	
Kissimmee Utility Authority	9605020313*	50-302	I
	9605070107*	50-302	I
Lawrence Livermore National Laboratory	9605010068*	71-250	
	9605010076*	71-250	
Leesburg, FL	9605070112*	50-302	I
Los Alamos National Laboratory	9605060262*	WASTE MGT	
	9605150285	WASTE MGT	
	9605290220*	WASTE MGT	
Louisiana, State of	9605010166	70-3070	
	9605150154*	FOIA	
	9605150159*	FOIA	
	9605150210*	FOIA	
	9605220245*	FOIA	
MITRE Corp.	9605300011	CONTRACT	
MKW Power Systems, Inc.	9605200148*	PT21	
Madison Gas & Electric Co.	9605100215*	50-305	I
Maine Yankee Atomic Power Co.	9605030056	50-309	Q
	9605030234	50-309	R
	9605060065	50-309	Q
	9605070235	50-309	F
	9605140211	50-309	S
	9605150104	50-309	P
	9605150111*	50-309	P
	9605170453	50-309	Q
	9605200359	50-309	F
	9605200432	50-309	R
	9605210229*	50-309	R
	9605210235*	50-309	R
	9605210250*	50-309	R
Maine, State of	9605020014*	50-309	P
Maryland, State of	9605240058	PR	
Maryland, Univ. of, College Park, MD	9605070057	CONTRACT	
	9605150024	CONTRACT	
Massachusetts College of Pharmacy & Allied Health Sciences, Boston, MA	9605200334	70-1067	
Massachusetts Institute of Technology, Cambridge, MA	9605010109	71-164	
Massachusetts, Commonwealth of	9605130029	STATE PRO	G
	9605140030	STATE PRO	G
	9605280192*	50-443	Q
Mays & Valentine	9605060017	40-8027	
	9605130109	40-8027	
McCormack Levitis Chartered, Bethesda, M	9605020325	CONTRACT	
	9605200205	CONTRACT	
	9605220131	CONTRACT	
McGrath, E. J.	9605210336*	40-8035	
Michigan, State of	9605210344*	FOIA	
Michigan, Univ. of, Ann Arbor, MI	9605240068*	WASTE MGT	
Mississippi, State of	9605160086	CONTRACT	
Missouri, State of	9605080067	70-36	
Missouri, Univ. of, Rolla, MO	9605030100	50-123	R
Mitsubishi International Corp.	9605090050	50-186	F
	9605200012*	XPORTLIC	
	9605200104	XPORTLIC	
Mitsui & Co. (USA), Inc.	9605060027	XPORTLIC	
	9605140306	XPORTLIC	
	9605140313*	XPORTLIC	
	9605290203*	XPORTLIC	
Modesto,CA	9605030218	50-133	G
Molycorp, Inc.	9605090107	40-8778	
	9605090117	40-8794	
	9605090122*	40-8794	
	9605150332	40-8794	
Monroe, MI	9605010108	CONTRACT	
Morgan, Lewis & Bockius	9605060063	40-8027	
	9605300066	40-8027	
Morrison-Knudsen Co., Inc.	9605140504*	WASTE MGT	
	9605210508*	WASTE MGT	
Municipal Leasing Co.	9605160351	CONTRACT	
NBC, Inc.	9605230088	FOIA	
NUS Corp.	9605070050	CONTRACT	
National Academy for Nuclear Training	9605290207	ORG	
National Academy of Sciences	9605160115	CONTRACT	
	9605160456	CONTRACT	
	9605210102	CONTRACT	
National Institute of Standards & Technology (formerly National Bureau of	9605280067	70-398	
	9605300049	70-398	
Native Americans for a Clean Environment	9605160076	40-8027	
	9605210180	40-8027	
	9605230172	40-8027	
Navajo Nation	9605030181	40-8907	
Navy, Dept. of	9605140213*	STATE PRO	G
Nebraska Public Power District	9605030083	50-298	R
	9605030315	50-298	R
	9605060228	50-298	R
	9605060232*	50-298	R
	9605100083	50-298	R
	9605130152	50-298	S
	9605130157*	50-298	S
	9605130223	71-9233	
	9605140200	50-298	S
	9605140436	50-298	Q
	9605170315	50-298	Q
	9605210447	50-298	R
	9605240252	50-298	F
	9605280097	50-298	Q
	9605280165	50-298	P
Nebraska, State of	9605130402	STATE PRO	G
Nevada, State of	9605130052	STATE PRO	G
	9605290086	WASTE MGT	
New England Coalition on Nuclear Pollution	9605240031	50-29	G
New Jersey, State of	9605150142	50-219	F
	9605280049	50-219	P
New Mexico State Univ., Las Cruces, NM	9605220418	NUREG	
New Mexico, State of	9605140438	STATE PRO	G
New York, State of	9605130060	STATE PRO	G
	9605130132	STATE PRO	G
	9605130151*	STATE PRO	G
	9605130190*	STATE PRO	G
	9605130400	STATE PRO	G
	9605140448	STATE PRO	G
	9605230166	PR	
Niagara Mohawk Power Corp.	9605020081	50-220	Q
	9605030281	50-220	F
	9605030284*	50-220	F
	9605030293*	50-220	F
	9605060011	50-220	R
	9605060078	50-220	Q
	9605060085	50-410	S
	9605070004	50-220	P
	9605070226	50-410	R
	9605160447	50-220	P
	9605170190	50-410	S
	9605200232	50-220	Q
	9605200274	50-410	R
	9605200281	50-220	R
	9605200303	50-410	P
	9605200311*	50-410	P
	9605200318*	50-410	P
	9605200383	50-220	S
	9605200408	50-410	S
	9605280059	50-410	P
	9605280202	50-220	Q
Nordion International, Inc.	9605170466	71-9242	
North Atlantic Energy Service Corp. (NAESCO)	9605030079	50-443	F
	9605030096	50-443	R
	9605070248	50-443	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605070250*	50-443	R
	9605070252*	50-443	R
	9605070255*	50-443	R
	9605140147	50-443	R
	9605140274	50-213	Q
	9605140293	50-443	P
	9605230072	50-443	V
	9605280283	50-443	Q
North Carolina, State of	9605130100	STATE PRO	G
	9605130142	STATE PRO	G
	9605130158*	STATE PRO	G
North Dakota, State of	9605130123	STATE PRO	G
Northeast Nuclear Energy Co.	9605030051	50-423	Q
	9605030066	50-423	P
	9605030134	50-213	R
	9605030136	50-245	R
	9605030136	50-245	R
	9605030141*	50-245	R
	9605060300	50-245	P
	9605060305*	50-245	P
	9605060330	50-423	F
	9605070054	50-336	P
	9605070058*	50-336	P
	9605090053	50-245	S
	9605090061	50-245	S
	9605090078	50-423	S
	9605090081	50-245	P
	9605090084	50-423	R
	9605090091	50-336	S
	9605130451	50-336	P
	9605130452*	50-336	P
	9605140106	50-245	P
	9605140109*	50-245	P
	9605140274	50-213	Q
	9605140274	50-213	Q
	9605140287	50-245	P
	9605140311	50-423	S
	9605200455	50-423	S
	9605200492	50-245	P
	9605210365	50-245	F
	9605210365	50-245	F
	9605210365	50-245	F
	9605210378	50-245	S
	9605210412	50-336	S
	9605220013	50-245	S
	9605220428	50-245	R
	9605220428	50-245	R
	9605220428	50-245	R
	9605220436*	50-245	R
	9605220443*	50-245	R
	9605220455	50-245	S
	9605220465*	50-245	S
	9605220476*	50-245	S
	9605220479*	50-245	S
	9605230187	50-245	F
	9605230187	50-245	F
	9605240092	50-245	G
	9605280253	50-423	S
	9605280270	50-423	S
	9605290189	50-423	P
	9605290193*	50-423	P
	9605310152	50-245	S
	9605310161	50-245	S
Northeast Utilities	9605030149*	50-213	R
	9605140311	50-423	S
	9605160176*	50-245	P
	9605160197*	50-245	P
	9605160208*	50-245	P
	9605160229*	50-245	P
	9605160233*	50-245	P
	9605160245*	50-245	P
	9605160257*	50-245	P
	9605160262*	50-245	P
	9605160263*	50-245	P
Northeast Utilities Service Co.	9605030051	50-423	Q
	9605030066	50-423	P
	9605030134	50-213	R
	9605060300	50-245	P
	9605070024*	50-213	Q
	9605070054	50-336	P
	9605090081	50-245	P
	9605090084	50-423	R
	9605090091	50-336	S
	9605130451	50-336	P
	9605140106	50-245	P
	9605140274	50-213	Q
	9605140274	50-213	Q
	9605140274	50-213	Q
	9605140287	50-245	P
	9605140347	50-213	F
	9605170085	50-213	P
	9605200455	50-423	S
	9605200492	50-245	P
	9605210365	50-245	F
	9605210365	50-245	F
	9605210365	50-245	F
	9605210378	50-245	S
	9605220013	50-245	S
	9605220428	50-245	R
	9605220428	50-245	R
	9605220428	50-245	R
	9605220455	50-245	S
	9605240092	50-245	G
	9605280253	50-423	S
	9605280270	50-423	S
	9605280283	50-443	Q
	9605290158	50-245	P
	9605290158	50-245	P
	9605290189	50-423	P
	9605310152	50-245	S
	9605310161	50-245	S
Northern States Power Co.	9605010005	50-263	R
	9605070241	50-263	F
	9605070289	50-263	P
	9605100179	50-282	P
	9605130166	50-282	R
	9605140074	50-282	P
	9605140102	50-263	Q
	9605140308	50-282	R
	9605140492	50-263	S
	9605140502*	50-263	S
	9605170192	50-282	Q
	9605200290	50-282	R
	9605200302*	50-282	R
	9605200308*	50-282	R
	9605200316*	50-282	R
	9605200437	50-263	P
	9605200440*	50-263	P
	9605200447	50-263	S
	9605200453	50-263	P
	9605210008	50-263	R
	9605220107	50-306	P
	9605240047	50-306	S
	9605240079	50-282	Q
	9605240079	50-282	Q
	9605280275	50-263	P
	9605280282*	50-263	P
	9605310147	50-263	Q
Nuclear Energy Institute (formerly	9605060092	I&E	
Nuclear Mgmt & Resources Council)			
	9605080053	PROJ	
	9605080054*	PROJ	
	9605150106	PROJ	
	9605150114*	PROJ	
	9605160290*	COMMISSIO	N
	9605160309	PROJ	
	9605170058	PROJ	
	9605170081*	PROJ	
	9605170278*	REVIEW GR	P
	9605200099	REVIEW GR	P
	9605240038	PROJ	
	9605240040*	PROJ	
	9605300033	REVIEW GR	P
Nuclear Energy Services, Inc.	9605090152*	40-9027	
	9605090153*	40-9027	
	9605090154*	40-9027	
	9605090238	40-9027	
Nuclear Fuel Services, Inc.	9605010054	70-143	
	9605090155	70-143	
	9605090157*	70-143	
	9605090166*	70-143	
	9605090232	70-143	
	9605090262	70-143	
	9605150139	70-143	
	9605210531	70-143	
	9605280094*	70-143	
	9605300192	70-143	
	9605300195*	70-143	
Nuclear Waste Technical Review Board	9605230175	WASTE MGT	
Nucletron Corp.	9605140087	STATE PRO	G
Oak Ridge Associated Universities	9605090228	40-1162	
	9605090231*	40-1162	
	9605090258	40-341	
	9605200204	50-267	W
	9605200212	50-267	Q
	9605210288*	FOIA	
	9605210330*	FOIA	
	9605290091	NUREG	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605310076	40-1162	
	9605310081	40-1162	
	9605310162	40-2259	
Oak Ridge National Laboratory	9605130075	NUREG	
	9605130197*	ORG	
	9605130399*	STATE PRO	G
	9605200100*	FOIA	
	9605220308	NUREG	
	9605220374	NUREG	
Ocala, FL	9605070121*	50-302	I
Ohio, State of	9605090261	40-8948	
	9605130406	STATE PRO	G
	9605200040	40-8724	
	9605200044	40-7604	
	9605200049	40-7604	
	9605200064	40-7604	
Omaha Public Power District	9605020379	50-285	R
	9605020384*	50-285	R
	9605020386*	50-285	R
	9605020389*	50-285	R
	9605030198	50-285	S
	9605070134	50-285	V
	9605070203	50-285	F
	9605070208*	50-285	F
	9605070213*	50-285	F
	9605070258	50-285	R
	9605070268*	50-285	R
	9605100244	50-285	Q
	9605100246	50-285	Q
	9605200321	50-285	R
	9605200396*	50-285	R
	9605200400*	50-285	R
	9605280213	50-285	Q
	9605280265	50-285	P
	9605280269*	50-285	P
	9605280272*	50-285	P
	9605290001	50-285	P
	9605290002	50-285	P
	9605290012	50-285	F
	9605290014*	50-285	F
	9605290059	50-285	P
	9605290061*	50-285	P
	9605290062*	50-285	P
	9605290235*	50-285	F
Oregon, State of	9605300020	STATE PRO	G
Organization of Agreement States	9605170111*	STATE PRO	G
Orlando Utilities Commission	9605070126*	50-302	I
Oswego County, NY	9605090044*	50-333	F
PECO Energy Co., (formerly Philadelphia Electric Co.)	9605020242	50-352	S
	9605020242	50-352	S
	9605020253	50-352	S
	9605020253	50-352	S
	9605030254	50-352	P
	9605060025	50-352	R
	9605060025	50-352	R
	9605060028*	50-352	R
	9605060028*	50-352	R
	9605060164	I&E	
	9605070211	50-352	R
	9605070211	50-352	R
	9605070233	50-277	F
	9605130216	50-171	R
	9605130445	50-277	P
	9605140217	50-352	P
	9605140217	50-352	P
	9605140275*	50-352	P
	9605140275*	50-352	P
	9605140394	50-352	P
	9605140451	50-278	S
	9605150399	50-352	R
	9605160267	50-277	P
	9605160271*	50-277	P
	9605160271*	50-277	P
	9605160275*	50-277	P
	9605160275*	50-277	P
	9605160277*	50-277	P
	9605160277*	50-277	P
	9605170262	50-277	Q
	9605170262	50-277	Q
	9605200258	50-277	R
	9605220500	50-277	R
	9605220501*	50-277	R
	9605220502	50-352	P
	9605220502	50-352	P
	9605230101	50-277	S
	9605240244	50-352	Q
	9605240251	50-352	P
	9605280107	50-352	P
	9605280115	50-352	P
	9605280115	50-352	P
	9605280119	50-352	S
	9605280124*	50-352	P
	9605280124*	50-352	P
	9605280164	50-277	F
PTI Services, Inc.	9605090158	40-8948	
	9605090265	40-8948	
	9605090266*	40-8948	
Pacific Gas & Electric Co.	9605010248	50-275	F
	9605010259*	50-275	F
	9605060197	50-275	R
	9605060197	50-275	R
	9605070016	50-275	R
	9605070016	50-275	R
	9605070019*	50-445	R
	9605070036	50-275	S
	9605070043	50-275	R
	9605070043	50-275	R
	9605070237	50-275	S
	9605070243*	50-275	S
	9605130063	50-133	Q
	9605130196	50-275	S
	9605130199*	50-275	S
	9605140124	50-275	K
	9605140385	50-275	Q
	9605140385	50-275	Q
	9605150250	50-275	F
	9605170217	50-275	P
	9605170217	50-275	P
	9605170232*	50-275	P
	9605170232*	50-275	P
	9605170243*	50-275	P
	9605170243*	50-275	P
	9605170266	50-323	S
	9605170267	50-275	Q
	9605170267	50-275	Q
	9605170285	50-275	S
	9605170494	50-275	Q
	9605170494	50-275	Q
	9605200309	50-275	R
	9605200457	50-323	P
	9605200459*	50-323	P
	9605200486	50-323	Q
	9605280005	50-323	S
	9605280031	50-133	G
	9605300131	50-133	F
	9605310165	50-275	S
	9605310172	50-275	S
Parsons, Behle & Latimer	9605200388*	40-8584	
Pathfinder Mines Corp.	9605210536	40-2259	
	9605210537*	40-2259	
	9605220099	40-2259	
	9605310012	40-6622	
Paul Scherrer Institute	9605080203*	52-4	
	9605080206*	52-4	
	9605080208*	52-4	
	9605080214*	52-4	
Pennsylvania Power & Light Co.	9605010057	50-387	P
	9605010057	50-387	P
	9605010074*	50-387	P
	9605010074*	50-387	P
	9605010079*	50-387	P
	9605010096*	50-387	P
	9605010096*	50-387	P
	9605010102*	50-387	P
	9605010107*	50-387	P
	9605010107*	50-387	P
	9605010110*	50-387	P
	9605010112*	50-387	P
	9605010112*	50-387	P
	9605010118*	50-387	P
	9605010118*	50-387	P
	9605010121*	50-387	P
	9605010121*	50-387	P
	9605010126*	50-387	P
	9605020010	50-387	R
	9605020010	50-387	R
	9605020013*	50-387	R
	9605020013*	50-387	R
	9605020025*	50-387	R
	9605020025*	50-387	R
	9605020190	50-387	P
	9605020190	50-387	P
	9605060336	50-387	F
	9605060336	50-387	F
	9605130316	50-387	Q
	9605130331*	50-387	Q
	9605140149	50-388	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605140395	50-388	Q
	9605170039	50-387	Q
	9605210003	50-387	R
	9605210003	50-387	R
	9605240019	50-387	Q
	9605240019	50-387	Q
	9605240022*	50-387	Q
	9605240026*	50-387	Q
	9605280078	50-387	S
	9605280242	50-388	P
	9605280247*	50-388	P
Pennsylvania State Univ., University Park, PA	9605210104	CONTRACT	
Pennsylvania, Commonwealth of	9605130121	STATE PRO	G
Petrotomics Co. (formerly Getty/Petrotomics Co.)	9605220085	40-6659	
Philips Medical Systems, Inc.	9605060051	71-550	
Plateau Resources, Ltd.	9605150366	40-8698	
Portland General Electric Co.	9605020149	50-344	R
	9605020354	50-344	Y
	9605070309	50-344	S
	9605210422	50-344	F
	9605280299	50-344	Y
	9605280302*	50-344	Y
	9605280304	50-344	Y
Power Authority of the State of New York (New York Power Authority)	9605020092	50-286	P
	9605020093*	50-286	P
	9605020099*	50-286	P
	9605020205	50-333	P
	9605020267	50-333	P
	9605030108	50-286	F
	9605060074	50-3	R
	9605070154	50-333	R
	9605070276	50-333	P
	9605070280*	50-333	P
	9605070282*	50-333	P
	9605070284	50-286	S
	9605070301	50-333	P
	9605090031	50-333	F
	9605090036*	50-333	F
	9605090040*	50-333	F
	9605090060	50-286	F
	9605130051	50-286	Q
	9605140278	50-333	R
	9605150074	50-333	Q
	9605160252	50-286	Q
	9605160488	50-286	J
	9605160488	50-286	J
	9605200266	50-286	R
	9605200430	50-286	Q
	9605200456	50-333	Q
	9605220123	50-286	P
	9605230048	50-333	P
	9605230050*	50-333	P
	9605230052*	50-333	P
	9605240075	50-333	F
	9605240078*	50-333	F
	9605240082*	50-333	F
	9605300232	50-286	F
President of U.S. & Executive Offices	9605220243*	COMMISSIO	N
Public Service Co. of Colorado	9605020096	50-267	F
	9605020383	50-267	Y
	9605030110	50-267	R
	9605030121*	50-267	R
	9605150051	50-267	S
	9605150070*	50-267	S
	9605200157	50-267	W
	9605240218	50-267	W
	9605240221*	50-267	W
Public Service Electric & Gas Co. of New Jersey	9605020145	50-354	S
	9605020164*	50-354	S
	9605020216	50-354	S
	9605060292	50-354	P
	9605060301	50-272	S
	9605060331	50-354	R
	9605070028	50-354	R
	9605070275	50-272	R
	9605070275	50-272	R
	9605070275	50-272	R
	9605070278*	50-272	R
	9605070278*	50-272	R
	9605070278*	50-272	R
	9605090037	50-272	R
	9605090037	50-272	R
	9605130448	50-354	Q
	9605140202	50-354	S
	9605140357	50-354	R
	9605140361	50-354	F
	9605140388	50-272	S
	9605140390	50-272	Q
	9605140390	50-272	Q
	9605140437	50-272	F
	9605140470*	50-272	F
	9605140470*	50-272	F
	9605140470*	50-272	F
	9605140474*	50-272	F
	9605140474*	50-272	F
	9605140474*	50-272	F
	9605160113	50-272	V
	9605160113	50-272	V
	9605160209	50-354	S
	9605160242*	50-354	S
	9605160248	50-354	R
	9605160450	50-311	P
	9605160458*	50-311	P
	9605200129	50-354	S
	9605200139*	50-354	S
	9605200474	50-272	R
	9605200474	50-272	R
	9605200480	50-354	Q
	9605210322	50-272	R
	9605210392	50-311	R
	9605210402	50-272	P
	9605210402	50-272	P
	9605210418*	50-272	P
	9605210418*	50-272	P
	9605210471	50-354	Q
	9605210478	50-272	Q
	9605220292	50-272	F
	9605280185	50-272	P
	9605280185	50-272	P
	9605280185	50-272	P
	9605280195*	50-272	P
	9605280195*	50-272	P
	9605280195*	50-272	P
	9605280220	50-272	Q
	9605280220	50-272	Q
	9605280220	50-272	Q
	9605280240*	50-272	P
	9605280289	50-354	S
	9605290006	50-354	F
	9605300126	50-272	S
	9605310034	50-272	F
	9605310046	50-354	Q
	9605310120	50-272	F
	9605310166	50-354	S
	9605310246	50-272	F
	9605310247	50-354	F
Pulau Electronics Corp.	9605290195	CONTRACT	
Purdue Univ., West Lafayette, IN	9605130147	52-4	
Quivira Mining Co.	9605010087	40-8905	
	9605150130	40-8905	
Radiation Safety Engineering, Inc.	9605010301	CONTRACT	
Reynolds Electrical & Engineering Co., Inc.	9605290202*	WASTE MGT	
Rio Algom Mining Corp.	9605090235	40-8084	
Rochester Gas & Electric Corp.	9605100144	50-244	P
	9605100236	50-244	P
	9605100240*	50-244	P
	9605100242*	50-244	P
	9605140277	50-244	R
	9605140337	50-244	Q
	9605140341	50-244	P
	9605150125	50-244	F
	9605170523	50-244	R
	9605170524	50-244	Q
	9605170526*	50-244	R
	9605300010*	50-244	S
	9605300129	50-244	S
	9605310028	50-244	P
	9605310042*	50-244	P
	9605310084	50-244	F
Rockwell International Corp.	9605140296	70-25	
	9605200098	70-25	
S. Cohen & Associates, Inc.	9605210110	CONTRACT	
SCANA Corp.	9605210115*	50-395	I
SCIENTECH, Inc.	9604050396*	50-336	P
	9605070074	CONTRACT	
	9605080013	CONTRACT	
	9605210135	TOPREP	
	9605210154*	TOPREP	
	9605310066*	50-483	P
SOHIO Western Mining Co.	9605060185	40-8584	
Sacramento Municipal Utility District	9605060358	50-312	Q
	9605090035	50-312	F
	9605090035	50-312	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605090042*	50-312	F
	9605090042*	50-312	F
	9605090046*	50-312	F
	9605090046*	50-312	F
	9605300142	50-312	S
Sandia National Laboratories	9605290206*	WASTE MGT	
	9605300070*	50-445	F
Santee Cooper	9605210105*	50-395	I
Sargent & Lundy, Inc.	9605280229	50-272	P
	9605280229	50-272	P
	9605280238*	50-272	P
	9605280238*	50-272	P
Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.)	7908090463*	FOIA	
	7908160072*	FOIA	
	7908160089*	FOIA	
	8007150188*	FOIA	
	8009020397*	FOIA	
	8010030073*	FOIA	
	8010080645*	FOIA	
	8010080650*	FOIA	
	8010150302*	FOIA	
	8010300392*	FOIA	
	8012020829*	FOIA	
	8012240128*	FOIA	
	8101130627*	FOIA	
	8102040712*	FOIA	
	8103120055*	FOIA	
	8103120117*	FOIA	
	8104220176*	FOIA	
	8301110431*	FOIA	
	8503140177*	FOIA	
	8508220511*	FOIA	
	8510240656*	FOIA	
	8512200337*	FOIA	
	8609220181*	FOIA	
	8612090301*	FOIA	
	8809070196*	FOIA	
	8812150211*	FOIA	
	8903200221*	FOIA	
	8907240240*	FOIA	
	8911060224*	FOIA	
	9605020282*	FOIA	
	9605130037*	FOIA	
	9605130074*	FOIA	
	9605130081*	FOIA	
	9605130097*	FOIA	
	9605130108*	FOIA	
	9605130117*	FOIA	
	9605130210*	FOIA	
	9605130245*	FOIA	
	9605130252*	FOIA	
	9605130257*	FOIA	
	9605130277*	FOIA	
	9605130283*	FOIA	
	9605130285*	FOIA	
	9605130292*	FOIA	
	9605130368*	70-310	
	9605130410*	FOIA	
	9605140027*	70-310	
	9605140036*	70-310	
	9605140059*	70-310	
	9605140070*	70-310	
	9605150020*	70-310	
	9605150023*	70-310	
	9605150076*	70-310	
	9605150079*	70-310	
	9605150217*	70-310	
	9605150264*	70-310	
	9605150342*	70-310	
	9605160039*	FOIA	
	9605160041*	FOIA	
	9605160059*	FOIA	
	9605160067*	FOIA	
	9605160080*	FOIA	
	9605160088*	FOIA	
	9605160096*	FOIA	
	9605160103*	FOIA	
	9605160127*	FOIA	
	9605160135*	FOIA	
	9605160143*	FOIA	
	9605160147*	FOIA	
	9605160156*	FOIA	
	9605160167*	FOIA	
	9605160174*	FOIA	
	9605160178*	FOIA	
	9605160187*	FOIA	
	9605160199*	FOIA	
	9605160236*	FOIA	
	9605160244*	FOIA	
	9605160253*	FOIA	
	9605160256*	FOIA	
	9605160258*	FOIA	
	9605160261*	FOIA	
	9605160369*	70-261	
	9605160371*	FOIA	
	9605160377*	FOIA	
	9605160386*	FOIA	
	9605160435*	FOIA	
	9605160471*	FOIA	
	9605160485*	FOIA	
	9605160490*	FOIA	
	9605160497*	FOIA	
	9605160503*	FOIA	
	9605170049*	70-310	
	9605170077*	70-310	
	9605170092*	70-310	
	9605170214*	FOIA	
	9605170220*	FOIA	
	9605170245*	FOIA	
	9605170251*	FOIA	
	9605170277*	FOIA	
	9605170322*	FOIA	
	9605170328*	FOIA	
	9605170338*	FOIA	
	9605170346*	FOIA	
	9605170351*	FOIA	
	9605170363*	FOIA	
	9605200197*	70-310	
	9605200244*	FOIA	
	9605220087*	FOIA	
	9605220112*	70-310	
	9605220118*	FOIA	
	9605220136*	FOIA	
	9605220158*	FOIA	
	9605220169*	FOIA	
	9605220232*	FOIA	
	9605220263*	FOIA	
	9605220277*	FOIA	
	9605220280*	FOIA	
	9605220339*	FOIA	
	9605220342*	FOIA	
	9605220344*	FOIA	
	9605220359*	FOIA	
	9605220480*	FOIA	
	9605220485*	FOIA	
	9605230108*	FOIA	
	9606060089*	FOIA	
Schlumberger Well Services	8202160462*	FOIA	
	8202190282*	FOIA	
	9605130032*	FOIA	
	9605130039*	FOIA	
	9605130049*	FOIA	
	9605130053*	FOIA	
	9605130066*	FOIA	
	9605130072*	FOIA	
	9605130091*	FOIA	
	9605130102*	FOIA	
	9605130107*	FOIA	
	9605130153*	FOIA	
	9605130165*	FOIA	
	9605130175*	FOIA	
	9605130179*	FOIA	
	9605130192*	FOIA	
	9605130194*	FOIA	
	9605130201*	FOIA	
	9605130214*	70-310	
	9605130218*	70-310	
	9605130224*	FOIA	
	9605130226*	FOIA	
	9605130227*	FOIA	
	9605130228*	FOIA	
	9605130231*	FOIA	
	9605130233*	FOIA	
	9605130235*	FOIA	
	9605130237*	FOIA	
	9605130246*	FOIA	
	9605130254*	FOIA	
	9605130262*	FOIA	
	9605130264*	FOIA	
	9605130266*	FOIA	
	9605130274*	FOIA	
	9605130286*	FOIA	
	9605130287*	FOIA	
	9605130295*	FOIA	
	9605130298*	FOIA	
	9605150140*	FOIA	
	9605150149*	FOIA	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9605150168*	FOIA
	9605150171*	FOIA
	9605150179*	FOIA
	9605150182*	FOIA
	9605150198*	FOIA
	9605150205*	FOIA
	9605150223*	FOIA
	9605150233*	FOIA
	9605150268*	70-310
	9605150275*	70-310
	9605150281*	70-310
	9605150291*	70-310
	9605150300*	FOIA
	9605150302*	FOIA
	9605150312*	70-310
	9605150323*	70-310
	9605150350*	70-310
	9605150413*	FOIA
	9605160043*	FOIA
	9605160047*	FOIA
	9605160051*	FOIA
	9605160055*	FOIA
	9605160057*	FOIA
	9605160079*	FOIA
	9605160092*	FOIA
	9605160100*	FOIA
	9605160112*	FOIA
	9605160114*	FOIA
	9605160190*	70-310
	9605160214*	70-310
	9605160241*	70-310
	9605160241*	70-310
	9605160264*	70-310
	9605160269*	70-310
	9605160279*	FOIA
	9605160285*	70-310
	9605160285*	70-310
	9605160296*	70-310
	9605160306*	70-310
	9605160345*	70-310
	9605160353*	FOIA
	9605160356*	FOIA
	9605160359*	FOIA
	9605160378*	FOIA
	9605160396*	FOIA
	9605160412*	FOIA
	9605160415*	FOIA
	9605160416*	FOIA
	9605170042*	70-310
	9605170042*	70-310
	9605170061*	FOIA
	9605170067*	FOIA
	9605170069*	FOIA
	9605170072*	FOIA
	9605170089*	FOIA
	9605170094*	FOIA
	9605170118*	FOIA
	9605170137*	FOIA
	9605170145*	70-310
	9605170153*	FOIA
	9605170157*	FOIA
	9605170163*	FOIA
	9605170168*	FOIA
	9605170170*	FOIA
	9605170176*	FOIA
	9605170181*	FOIA
	9605170188*	FOIA
	9605170191*	FOIA
	9605170207*	FOIA
	9605200208*	FOIA
	9605200210*	FOIA
	9605200214*	FOIA
	9605200220*	FOIA
	9605200221*	FOIA
	9605200226*	FOIA
	9605200241*	FOIA
	9605220026*	FOIA
	9605220032*	FOIA
	9605220050*	FOIA
	9605220069*	FOIA
	9605220071*	FOIA
	9605220073*	FOIA
	9605220075*	FOIA
	9605220082*	FOIA
	9605220086*	FOIA
	9605220103*	FOIA
	9605220108*	FOIA
	9605220239*	FOIA
	9605220240*	FOIA
Schlumberger, Ltd.		
Science & Engineering Associates, Inc.		
Science Applications International Corp. (formerly Science Applications, Inc.)		
Scottsboro, AL		
Senate		
Sequoyah Fuels Corp.		
Shafer Valve Co.		
Shaw, Pittman, Potts & Trowbridge		
Shepherd Miller, Inc.		
Shieldalloy Metallurgical Corp.		
Siemens Corp.		
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear		
Sierra Club Legal Defense Fund, Inc.		
Sierra Nuclear, Inc.		
Small Business Administration		
SoHaR, Inc.		
Source Production & Equipment Co., Inc.		
South Carolina Electric & Gas Co.		
South Carolina, State of		
South Carolina, Univ. of, Columbia, SC		
Southern California Edison Co.		
	9605220253*	FOIA
	9605220260*	70-310
	9605220260*	70-310
	9605220264*	FOIA
	9605220268*	FOIA
	9605220271*	FOIA
	9605220275*	FOIA
	9605220326*	FOIA
	9605130078*	FOIA
	9605170238*	FOIA
	9605170294*	FOIA
	9604050381*	50-336 P
	9605130079	NUREG
	9605170445	CONTRACT
	9605280037	CONTRACT
	9605310065*	50-483 P
	9605230217	CONTRACT
	9605290196	CONTRACT
	9605300044	CONTRACT
	9605010084	CONTRACT
	9605130003*	40-3453
	9605140237*	50-321 P
	9605170465*	50-302 G
	9605310185*	50-309 H
	9605310210*	40-8948
	9605060063	40-8027
	9605090066	40-8027
	9605090069*	40-8027
	9605230047	40-8027
	9605300066	40-8027
	9605240232	71-600
	9605240233*	71-600
	9605060034	50-440 G
	9605060121*	40-1162
	9605310156*	40-1162
	9605090116	40-8948
	9605090178	40-8948
	9605100005	40-8948
	9605100008	40-8948
	9605290047	40-8948
	9605290210	XPORTLIC
	9605290213*	XPORTLIC
	9605290245*	XPORTLIC
	9605010055	71-3
	9605010060*	71-3
	9605020058*	70-1257
	9605080103	70-1257
	9605080217	70-1227
	9605090089	TOPREP
	9605090095*	TOPREP
	9605090244	71-9248
	9605090268	TOPREP
	9605090269*	TOPREP
	9605170518	TOPREP
	9605170520*	TOPREP
	9605210377	TOPREP
	9605280155	XPORTLIC
	9605240116	70-3070
	9605070342	72-1007
	9605070346*	72-1007
	9605070348*	72-1007
	9605070350*	72-1007
	9605070071	CONTRACT
	9605070305	CONTRACT
	9605140203	CONTRACT
	9605150054*	CONTRACT
	9605230211	CONTRACT
	9605310108	CONTRACT
	9605280026	CONTRACT
	9605280050	71-102
	9605030200	50-395 S
	9605140083	50-395 Q
	9605140298	50-395 R
	9605170213	50-395 Q
	9605200421	50-395 P
	9605200425*	50-395 P
	9605210088	50-395 /
	9605220111	50-395 P
	9605220113*	50-395 P
	9605280143	50-395 S
	9605300086	50-395 Q
	9605130061	STATE PRO G
	9605150116	STATE PRO G
	9605200076	CONTRACT
	9605010101	50-206 S
	9605020157	50-206 R
	9605020157	50-206 R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605020157	50-206	R
	9605060033	50-206	R
	9605060039*	50-206	R
	9605060039*	50-206	R
	9605060039*	50-206	R
	9605060042*	50-206	R
	9605070218	50-362	S
	9605070224*	50-362	S
	9605080058	50-361	P
	9605100159	50-361	P
	9605100159	50-361	P
	9605100161*	50-361	P
	9605100161*	50-361	P
	9605100176*	50-361	P
	9605100176*	50-361	P
	9605140360	50-361	P
	9605140360	50-361	P
	9605140366*	50-361	P
	9605140366*	50-361	P
	9605140370*	50-361	P
	9605140370*	50-361	P
	9605150382	50-361	Q
	9605200118	50-361	S
	9605210011	50-361	R
	9605210042*	50-361	R
	9605210386	TOPREP	
	9605210431	STATE PRO	G
	9605240253	50-361	Q
	9605240254*	50-361	Q
	9605280224	50-206	F
	9605280224	50-206	F
	9605280224	50-206	F
	9605280241	50-206	I
	9605280241	50-206	I
	9605280241	50-206	I
	9605310004	50-206	F
	9605310169	50-361	P
	9605310169	50-361	P
	9605310176*	50-361	P
	9605310176*	50-361	P
	9605310178*	50-361	P
	9605310178*	50-361	P
Southern Nuclear Operating Co.	9605070176	50-348	F
	9605070176	50-348	F
	9605070199	50-364	P
	9605070200*	50-364	P
	9605070206	50-348	P
	9605070206	50-348	P
	9605070209*	50-348	P
	9605070209*	50-348	P
	9605070221	50-348	K
	9605070221	50-348	K
	9605070222*	50-348	K
	9605070222*	50-348	K
	9605070225	50-348	P
	9605070225	50-348	P
	9605080112	50-364	P
	9605100255	50-348	F
	9605100256*	50-348	F
	9605140101	50-364	S
	9605140104*	50-321	P
	9605150085	50-348	Q
	9605170476	50-348	R
	9605170476	50-348	R
	9605200415	50-348	P
	9605290088	50-364	S
Southwest Research Institute	9605210218	CONTRACT	
	9605290184	CONTRACT	
	9605290188	CONTRACT	
Soyland Power Cooperative, Inc.	9605070192*	50-461	I
Spiegel & McDiarmid	9605060082	50-346	G
St. Johns Regional Health Center, Springfield, MO	9605070339	PR	
St. Louis, MO	9605200166*	FOIA	
State, Dept. of	9605210096*	FOIA	
Statistica, Inc.	9605280298*	CONTRACT	
Stone & Webster Engineering Corp.	9605070316*	50-344	S
Sweden, Govt. of	9605010104*	COMMISSIO	N
TRW Environmental Safety Systems, Inc.	9605080224*	WASTE MGT	
	9605290197*	WASTE MGT	
Tallahassee, FL	9605070127*	50-302	I
Technical Welding Laboratories, Inc.	9605060332	71-745	
Teledyne Brown Engineering Co.	9605030086*	50-298	R
	9605060138*	50-280	R
Teledyne Isotopes	9605010009*	50-263	R
	9605030086*	50-298	R
Teledyne Isotopes Midwest Laboratory	9605030148*	50-305	R
Tennessee Valley Authority	9605010085	50-327	P
	9605020117	50-327	R
	9605020117	50-327	R
	9605020302	50-390	R
	9605020302	50-390	R
	9605030187	50-260	S
	9605030229	50-259	S
	9605030300	50-327	R
	9605030302*	50-327	R
	9605030302*	50-327	R
	9605030307*	50-327	R
	9605030307*	50-327	R
	9605030310*	50-327	R
	9605030340	I&E	
	9605030379	40-1341	
	9605060054	50-390	S
	9605060061*	50-390	S
	9605060071	50-390	S
	9605060191	70-2928	
	9605070215	50-390	S
	9605080135	50-390	S
	9605080225	70-2928	
	9605090096	50-259	P
	9605090096	50-259	P
	9605090096	50-259	P
	9605090099*	50-259	P
	9605090099*	50-259	P
	9605090099*	50-259	P
	9605090164	50-259	S
	9605090169	50-296	Q
	9605090176	50-260	S
	9605130232	50-390	P
	9605130314	50-327	P
	9605150073	50-259	Q
	9605150263	50-327	Q
	9605150373	50-390	R
	9605150373	50-390	R
	9605150377*	50-390	R
	9605160170	50-390	Q
	9605160193*	50-390	Q
	9605160202*	50-390	Q
	9605160210*	50-390	Q
	9605160227*	50-390	Q
	9605200433	50-259	Q
	9605220003	50-327	R
	9605220343	50-390	S
	9605220370	50-259	R
	9605220389	50-390	R
	9605220390*	50-390	R
	9605220397*	50-390	R
	9605230144	50-328	S
	9605230210	50-260	Q
	9605230210	50-260	Q
	9605240006	50-390	S
	9605280103	50-390	P
	9605280103	50-390	P
	9605280167	50-328	P
	9605280169*	50-328	P
	9605280172	50-327	Q
	9605280236	50-259	P
	9605280236	50-259	P
	9605280236	50-259	P
	9605280239*	50-259	P
	9605280239*	50-259	P
	9605280239*	50-259	P
	9605280262	50-296	S
	9605280266	50-260	S
	9605300025	50-259	F
	9605300025	50-259	F
	9605300025	50-259	F
	9605300025	50-259	F
	9605300025	50-259	F
	9605300055	50-390	Q
	9605300056*	50-390	Q
Tennessee, State of	9605140085	STATE PRO	G
Texas A&M Univ., College Station, TX	9605140521	50-128	R
Texas Utilities Electric Co. (TU Electric)	9605030064	50-445	R
	9605030064	50-445	R
	9605070018	50-445	R
	9605070018	50-445	R
	9605070055	50-445	R
	9605070055	50-445	R
	9605070167	50-445	Q
	9605070167	50-445	Q
	9605140163	50-445	S
	9605140168	50-445	S
	9605200074	50-445	Q
	9605200340	50-445	R
	9605200340	50-445	R
	9605210466	50-445	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605220020	50-445	F
	9605220028*	50-445	F
	9605220034*	50-445	F
	9605240228	50-445	F
	9605280226	50-445	F
	9605280259	50-445	Q
Texas, State of	9605130389	STATE PRO	G
	9605130435	STATE PRO	G
	9605130438*	STATE PRO	G
	9605140005*	STATE PRO	G
	9605150042	STATE PRO	G
	9605170086*	FOIA	
	9605170095*	FOIA	
	9605210266*	FOIA	
	9605220237*	FOIA	
	9605300085	PR	
Toledo Edison Co.	9605020261	50-346	P
	9605060133	50-346	S
	9605070049	50-346	R
	9605070051*	50-346	R
	9605240083	50-346	S
	9605240088	50-346	R
	9605280156	50-346	S
	9605290038	50-346	S
	9605290093	50-346	R
Toledo, Univ. of, Toledo, OH	9605020130	CONTRACT	
Tonawanda, NY	9605130323	STATE PRO	G
Tracor Technology Resources, Inc.	9605100211	CONTRACT	
Transnuclear, Inc.	9605020004	71-9015	
	9605020035	71-9016	
	9605090027*	71-*****	
	9605090029*	71-*****	
	9605280162	70-1426	
Transportation, Dept. of	9605090024	71-*****	
	9605100113	50-238	R
Tri State Inspection & Consultants	9605140348	71-593	
U.S. Embassies	9605290244	XPORTLIC	
UMETCO Minerals Corp.	9605210542	40-299	
	9605220174	40-299	
Union Electric Co.	9605060306	50-483	Q
	9605060316	50-483	S
	9605070256	50-483	F
	9605100189	50-483	Q
	9605100205	50-483	R
	9605100207*	50-483	R
	9605100210*	50-483	R
	9605100223	50-483	R
	9605140265	50-483	F
	9605140309	50-483	R
	9605150409	50-483	F
	9605170135	50-483	Q
	9605200469	50-483	Q
	9605280061	50-483	P
	9605280091	50-483	Q
	9605290054	50-483	P
	9605290066*	50-483	P
	9605310129	50-483	P
Union Pacific Resources Co.	9605070310	40-8452	
	9605140304	40-8452	
United Nuclear Corp. (subs. of UNC, Inc.	9605090014	40-8907	
	9605230041	40-8907	
	9605230045*	40-8907	
United States Enrichment Corp. (USEC)	9605030230	70-7001	
	9605030322	70-7001	
	9605030327	70-7001	
	9605080181	70-7002	
	9605080202	70-7001	
	9605080247	70-7002	
	9605100251	70-7002	
	9605100254	70-7001	
	9605100254	70-7001	
	9605130391	70-7001	
	9605140221	70-7001	
	9605160461	70-7002	
	9605200382	70-7001	
	9605200398	70-7002	
	9605230227	70-7002	
	9605230228	70-7001	
	9605280069	70-7002	
	9605300026	70-7002	
Utah, State of	9605010139	40-3453	
	9605010143*	40-3453	
	9605010148*	40-3453	
	9605010153*	40-3453	
	9605010160*	40-3453	
	9605010169*	40-3453	
	9605010178*	40-3453	
	9605060193	40-3453	
	9605130256	STATE PRO	G
	9605130407	STATE PRO	G
	9605140069	STATE PRO	G
	9605310008	40-3453	
Utah, Univ. of, Salt Lake City, UT	9605150118	50-407	V
	9605150127*	50-407	V
Vectra Technologies, Inc.	9605020280	72-1004	
	9605020286*	72-1004	
	9605020289*	72-1004	
	9605230222	71-9208	
	9605240120*	50-454	Q
Vermont Yankee Nuclear Power Corp.	9603110030	50-271	P
	9603110033*	50-271	P
	9605010115	50-271	P
	9605010117*	50-271	P
	9605020015	50-271	R
	9605070091	50-271	S
	9605100168	50-271	S
	9605140235	50-271	R
	9605140406	50-271	S
	9605140409	50-271	Q
	9605140444	50-271	P
	9605220009	50-271	S
	9605220412	50-271	S
	9605280135	50-271	F
	9605300134	50-271	S
Virginia Power (Virginia Electric & Powe Co.)	9605020393	50-280	R
	9605020393	50-280	R
	9605020393	50-280	R
	9605020395*	50-280	R
	9605020395*	50-280	R
	9605020395*	50-280	R
	9605060134	50-280	K
	9605060134	50-280	K
	9605060138*	50-280	R
	9605060138*	50-280	R
	9605060207	50-280	F
	9605060212	50-280	R
	9605060212	50-280	R
	9605070010	50-338	R
	9605070217	50-338	K
	9605100158	50-280	Q
	9605100158	50-280	Q
	9605100163	50-280	P
	9605100163	50-280	P
	9605100186	50-280	Q
	9605100186	50-280	Q
	9605130450	50-338	P
	9605160347	50-338	R
	9605200144	50-280	Q
	9605200177	50-280	F
	9605200177	50-280	F
	9605200379	50-280	F
	9605200379	50-280	F
	9605200389	50-281	S
	9605200391	50-280	R
	9605200391	50-280	R
	9605230035	50-338	Q
	9605230037*	50-338	Q
	9605230159	50-280	Q
	9605280057	50-280	P
	9605300139	50-338	F
Virginia, Univ. of, Charlottesville, VA	9605220492	50-62	F
	9605310021	50-62	P
	9605310023*	50-62	P
WPL Holdings, Inc.	9605100218*	50-305	I
Washington Public Power Supply System	9605060016	50-397	R
	9605060049	50-397	F
	9605060364	50-397	R
	9605090217	50-397	F
	9605100013	50-397	P
	9605100224	50-397	F
	9605130294	50-397	P
	9605200339	50-397	F
	9605200397	50-397	R
	9605200452	50-397	Q
	9605210370	50-397	H
	9605210391	50-397	P
	9605210464	50-397	P
Washington, State of	9605130133	STATE PRO	G
	9605130134	STATE PRO	G
	9605140072*	STATE PRO	G
	9605280281	STATE PRO	G
Washington, Univ. of, Seattle, WA	9605220322	NUREG	
Waste Management, Inc.	9605030028	40-6897	
Weil, Gotshal & Manges	9605090178	40-8948	
	9605100005	40-8948	
	9605100008	40-8948	
Western Nuclear, Inc.	9605060120	40-1162	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9605210539	40-1162	
	9605310153	40-1162	
Western Water Consultants, Inc.	9605020101	40-3453	
Westinghouse Electric Corp.	9605060118	52-3	
	9605060354	PROJ	
	9605070041	52-3	
	9605070044	CONTRACT	
	9605070059*	52-3	
	9605070084*	50-305	P
	9605070122	TOPREP	
	9605070347*	50-454	P
	9605070354*	50-454	P
	9605080122*	50-364	P
	9605080127*	50-364	P
	9605080138	70-1151	
	9605090143	TOPREP	
	9605090253	50-498	Q
	9605100106	TOPREP	
	9605100226	TOPREP	
	9605100228*	TOPREP	
	9605130207	52-3	
	9605130211	52-3	
	9605130220	52-3	
	9605130409	TOPREP	
	9605140152	52-3	
	9605140155*	52-3	
	9605140224	TOPREP	
	9605150084	70-1151	
	9605150158	52-3	
	9605150162*	52-3	
	9605170345	52-3	
	9605170350*	52-3	
	9605170356*	52-3	
	9605170491	52-3	
	9605170502*	52-3	
	9605200464*	50-498	P
	9605200468*	50-498	P
	9605210033	52-3	
	9605210211	52-3	
	9605210310	52-3	
	9605210318*	52-3	
	9605210323	52-3	
	9605210324*	52-3	
	9605210328*	52-3	
	9605210329*	52-3	
	9605210333*	52-3	
	9605220049	50-272	P
	9605220058*	50-272	P
	9605220058*	50-272	P
	9605220065*	50-272	P
	9605220065*	50-272	P
	9605220490	52-3	
	9605280065	52-3	
	9605280085	52-3	
	9605280093	70-1151	
	9605280193	52-3	
	9605280196*	52-3	
	9605280199*	52-3	
	9605300206	TOPREP	
	9605300212	TOPREP	
	9605310095	52-3	
	9605310136	TOPREP	
	9605310137*	TOPREP	
	9605310138*	TOPREP	
Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen)	9605210180	40-8027	
William & Mary, College of, Williamsburg VA	9605080198	71-850	
Wisconsin Electric Power Co.	9605020042	50-266	P
	9605020042	50-266	P
	9605020048*	50-266	P
	9605020048*	50-266	P
	9605020057*	50-266	P
	9605020059*	50-266	P
	9605020059*	50-266	P
	9605020061*	50-266	P
	9605020061*	50-266	P
	9605020068*	50-266	P
	9605060259	50-266	F
	9605060259	50-266	F
	9605070157	50-266	F
	9605070157	50-266	F
	9605070157	50-266	F
	9605070257	50-266	F
	9605070257	50-266	F
	9605070259*	50-266	F
	9605070259*	50-266	F
	9605070296	50-266	P
	9605070296	50-266	P
	9605070302*	50-266	P
	9605070302*	50-266	P
	9605090221	50-266	I
	9605090221	50-266	I
	9605100195	50-266	S
	9605140137	50-266	R
	9605140137	50-266	R
	9605160391	50-266	Q
	9605210484	50-266	Q
	9605280166	50-266	Q
	9605280174	50-266	S
	9605280267	50-301	Q
Wisconsin Public Service Corp.	9605030144	50-305	R
	9605030320	50-305	R
	9605060201	50-305	S
	9605060215	50-305	Q
	9605060297	50-305	S
	9605060299	50-305	P
	9605060304*	50-305	P
	9605070078	50-305	P
	9605070082*	50-305	P
	9605100031	50-305	R
	9605100214	50-305	I
	9605140285	50-305	P
	9605140288*	50-305	P
	9605170102	50-305	F
	9605220018	50-305	Q
	9605310114	50-305	F
Wisconsin, Univ. of, Green Bay, WI	9605300032	CONTRACT	
Wisconsin, Univ. of, Madison, WI	9605160121	CONTRACT	
Wolf Creek Nuclear Operating Corp.	9605010123	50-482	I
	9605020207	50-482	F
	9605030236	50-482	J
	9605030324	50-482	R
	9605070174	50-482	P
	9605070183*	50-482	P
	9605070307	50-482	Q
	9605140261	50-482	R
	9605140318	50-482	Q
	9605140324	50-482	P
	9605140327*	50-482	P
	9605160200	50-482	Q
	9605210326	50-482	F
	9605210332	50-482	P
	9605210341*	50-482	P
	9605210346*	50-482	P
	9605300041	71-598	
Woodward-Clyde Consultants, Inc.	9605070231*	40-3453	
X-CEL NDE, Inc.	9605150270	71-*****	
	9605150284*	71-*****	
X-Ray Industries, Inc.	9605140035*	STATE PRO	G
	9605140044*	STATE PRO	G
	9605140129*	STATE PRO	G
Yankee Atomic Electric Co.	9605020017*	50-271	R
	9605030126	50-29	R
	9605160379	50-29	W
	9605210117	50-29	W
	9605280083	50-29	W
	9605290146	50-29	F

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUB-JECT CATE-GORY	OTHER REPORT NUMBER
12	9605060028*	50-352 R	
19	9605030324	50-482 R	WO 96-0073
32-1240855-00	9605230191*	50-270 P	
32-1245901-00 R00	9605130443*	50-270 P	
3783AD	9605060262*	WASTE MGT	HLWR
51-1245880-00	9605070072*	50-270 Q	
82A8806 R01	9605090152*	40-9027	
82A8809 R00	9605090153*	40-9027	
82A8810 R00	9605090154*	40-9027	
9-354.0023.03	9605020286*	72-1004	CAL
9389-04-D2-SW R00	9605280074*	50-249 P	
999-Z-P R06	9605090029*	71-*****	
AEAT-0121	9605060210*	50-255 P	
ALPHA-601 R00	9605080203*	52-4	
ALPHA-604 R00	9605080206*	52-4	
ALPHA-605 R00	9605080208*	52-4	
ALPHA-607 R00	9605080214*	52-4	
ANF-90-145(NP)(A) S1	9605090095*	TOPREP	
ANF-91-048(NP) S01	9605090269*	TOPREP	
ANO-109.001.006 R03	9605070346*	72-1007	
B00000000-01717-5705	9605080224*	WASTE MGT	HLWR
B13-01739-25	9605070008*	50-220 P	
BAW-10191-A	9605010225*	TOPREP	
BAW-2271 R01 ADD 01	9605280257*	50-346 P	
CA/TR-94-019-36	9604050389*	50-336 P	
CA/TR-95-019-44	9605310069*	50-483 P	
CEN-405-NP	9605210540*	50-335 P	
CEN-618-P R00	9605130200*	50-309 P	
COLR 2-8 R00	9605200459*	50-323 P	
DOE/AL/62350-227 R00	9605230226*	WASTE MGT	
DOE/AL/62350-229 R00	9605230230*	WASTE MGT	
DOE/EA-0339	9605300209*	WASTE MGT	
DOE/NV/11432-175	9605290202*	WASTE MGT	HLWR
DPC-NE-2005P-A APP C	9605070326*	50-369 P	
DPC-NE-2007A	9605010186*	50-269 P	
EC-013-0624 R00	9605010102*	50-387 P	
EC-013-0788 R01	9605010118*	50-387 P	
EC-013-0814 R00	9605010107*	50-387 P	
EC-013-0845 R00	9605010126*	50-387 P	GL-86-10
EC-013-0854 R00	9605010110*	50-387 P	
EC-013-0858 R00	9605010121*	50-387 P	
EC-013-0859 R03	9605010074*	50-387 P	IEIN-92-018
EC-013-0873 R00	9605010112*	50-387 P	
EC-013-0964 R00	9605010096*	50-387 P	
EC-013-0979 R00	9605010079*	50-387 P	GL-81-12
EDAC-180-030.02	9605030232*	70-7001	KY/G-385
EDAC-180-040.04	9605030233*	70-7001	KY/G395
EDAC-180-050.01	9605030235*	70-7001	KY/G 404
EDAC-180-060.01	9605030237*	70-7001	KY/G-418
EGG-1183-1605	9605130119*	50-309 P	
EGG-MS-10537 R05	9507060257*	ORG	
EMF-96-029(NP)	9605170520*	TOPREP	
ERI/NRC 95-502 DRF	9605010265*	50-369 P	
ERI/NRC 95-506 DRF	9605010252*	50-369 P	
ES-4.004(Q) R02	9605280229	50-272 P	
ES-4.006(Q) R00	9605280238*	50-272 P	
ESR 96-00154 R0	9605060097*	50-324 Q	
F96-0001 R00	9605070027*	50-302 P	
GE-NE-1301807-01 R01	9605070269*	50-416 P	
GK-474 R01	9605210346*	50-482 P	
HQ-ARC-96-01	9605160065*	WASTE MGT	HLWR
INEL-95/0035	9605140503*	ORG	INEL-95-0035
INEL-96/002 R01	9605300233*	TOPREP	TAC M89663
INEL-96/0071	9605060314*	ORG	
ISI-T-200.0 R11	9605240026*	50-387 Q	
LA-13068-SR	9605150285	WASTE MGT	HLWR

REPORT NUMBER	ACCESSION NUMBER	SUB-JECT CATE-GORY	OTHER REPORT NUMBER
MAY-326-01-01 R01	9605210508*	WASTE MGT	
MAY-326-03-00 R00	9605140504*	WASTE MGT	
NC-6061 R01	9605060159*	50-498 P	
NPE-39 R04	9605070316*	50-344 S	
NUH004.0223 R00	9605020289*	72-1004	
NUREG-0304 V20 N04	9605220248	NUREG	
NUREG-0386 D07	9605220382	NUREG	
NUREG-0540 V18 N02	9605220337	NUREG	
NUREG-0654 R1 S2 DFC	9605220244	NUREG	FEMA-REP-1
NUREG-0750 V43 N03	9605220426	NUREG	
NUREG-0910 R02 S02	9605220230	NUREG	
NUREG-1125 V17	9605130141	NUREG	
NUREG-1509	9605220250	NUREG	
NUREG-1541 DRFT FC	9605130135	NUREG	
NUREG/BR-0099 R07	9605220364	NUREG	
NUREG/BR-0117 N96-1	9605220367	NUREG	
NUREG/BR-0150 V01 R4	9605220374	NUREG	
NUREG/BR-0215	9605080236*	NUREG	
NUREG/CR-4219 V11 N2	9605130075	NUREG	ORNL/TM-9593
NUREG/CR-6309	9605130147	52-4	PU-NE 94/1
NUREG/CR-6314	9605310158	NUREG	INEL-95/0061
NUREG/CR-6345	9605290091	NUREG	
NUREG/CR-6366	9605220418	NUREG	PNL-10709
NUREG/CR-6384 V01	9605130112	NUREG	BNL-NUREG-52480
NUREG/CR-6384 V02	9605130115	NUREG	BNL-NUREG-52480
NUREG/CR-6413	9605220308	NUREG	ORNL/TM-13133
NUREG/CR-6428	9605310163	NUREG	ANL-95/47
NUREG/CR-6432	9605130079	NUREG	SEASF-DR-94-001
NUREG/CR-6465	9605130069	NUREG	
NUREG/CR-6470	9605220322	NUREG	BSRC-700/96/004
OIG/96A-12	9605310240*	ORG	
OQA-SA-96-003A	9605240081*	WASTE MGT	HLWR
OQA-SA-96-014	9605130173*	WASTE MGT	HLWR
OQA-SA-96-016	9605240074*	WASTE MGT	HLWR
PC-000423 R03	9605240220*	70-734	
PGE-1070 DRFT	9605280302*	50-344 Y	
PMPR 96-08	9605290176*	WASTE MGT	HLWR
POEF-LMUS-10	9605300030*	70-7002	
POEF-SH-12	9605300047*	70-7002	
POEF-SH-19	9605300060*	70-7002	
POEF-SH-35	9605300059*	70-7002	
POEF-SH-38	9605300061*	70-7002	
POEF-SH-39	9605300057*	70-7002	
POEF-SH-40	9605300062*	70-7002	
POEF-SH34	9605300053*	70-7002	
RERR-18	9605070028	50-354 R	LR-N96095
SCIE-NRC-232-94	9604050396*	50-336 P	
SCIE-NRC-238-95	9605310066*	50-483 P	
SEA 92-2343-010-A:3	9605310065*	50-483 P	
SEA-94-2335-010-A:3	9604050381*	50-336 P	
SECY-75-728A	9605210060*	FOIA	
SECY-76-277	9605210050*	FOIA	
SECY-76-277A	9605210067*	FOIA	
SECY-96-060	9603260233	SECY	
SECY-96-077	9604180277	SECY	
SECY-96-078	9605070324	SECY	
SECY-96-079	9605090259	SECY	
SECY-96-080	9605170456	SECY	
SECY-96-083	9605020146	COMMISSIO N	
SECY-96-084	9605020105	SECY	
SECY-96-085	9605160352	SECY	
SECY-96-087	9605080019	SECY	
SECY-96-088	9605080027	SECY	
SECY-96-089	9605080020	SECY	
SECY-96-092	9605160129	SECY	
SECY-96-093	9605200390	SECY	

REPORT NUMBER	ACCESSION NUMBER	SUB-JECT CATE-GORY	OTHER REPORT NUMBER
SECY-96-094	9605160131	COMMISSIO	N
SECY-96-099	9605230136	COMMISSIO	N
SECY-96-107	9605230140	SECY	
SECY-96-108	9605230173	COMMISSIO	N
SECY-96-111	9605300034	SECY	
SECY-96-113	9605300037	COMMISSIO	N
TR-105 R0	9605170139*	50-219	P GL-95-07
TR-106092	9605200132	TOPREP	
V-PENG-CALC-007 R01	9605300175*	50-528	P
V-WEST-ER-001 R00	9605300170*	50-528	P
WCAP-12473-A ADD01	9605310138*	TOPREP	
WCAP-13652	9605220058*	50-272	P
WCAP-13839	9605220065*	50-272	P
WCAP-14560 R01	9605070354*	50-454	P
WCAP-14606 R00	9605170356*	52-3	
WCAP-14641	9605070084*	50-305	P
WCAP-14644 DRFT	9605210333*	52-3	
WCAP-14645 DRFT	9605210329*	52-3	
WCAP-14651 DRFT	9605210328*	52-3	
WCAP-14655	9605210324*	52-3	
WEP-109.001.22 R01	9605070348*	72-1007	
YAEC-1907 R03	9605150111*	50-309	P
YM-ARC-96-10	9605130164*	WASTE MGT	HLWR

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
7906010180	9605130027	96/04/16	FOIA	8510240208	9605130027	96/04/16	FOIA
7908090463	9605130027	96/04/16	FOIA	8510240211	9605130027	96/04/16	FOIA
7908160072	9605130027	96/04/16	FOIA	8510240653	9605130027	96/04/16	FOIA
7908160089	9605130027	96/04/16	FOIA	8510240656	9605130027	96/04/16	FOIA
7908230271	9605130027	96/04/16	FOIA	8510240659	9605130027	96/04/16	FOIA
7909130044	9605130027	96/04/16	FOIA	8512200337	9605130027	96/04/16	FOIA
7912040174	9605130027	96/04/16	FOIA	8603070514	9605130027	96/04/16	FOIA
8002290174	9605130027	96/04/16	FOIA	8605010320	9605130027	96/04/16	FOIA
8004020081	9605130027	96/04/16	FOIA	8607020433	9605130027	96/04/16	FOIA
8005290608	9605210016	96/05/15	FOIA	8607020439	9605130027	96/04/16	FOIA
8007150188	9605130027	96/04/16	FOIA	8607020444	9605130027	96/04/16	FOIA
8009020397	9605130027	96/04/16	FOIA	8607020448	9605130027	96/04/16	FOIA
8009290502	9605210016	96/05/15	FOIA	8609220163	9605130027	96/04/16	FOIA
8009290505	9605210016	96/05/15	FOIA	8609220181	9605130027	96/04/16	FOIA
8009290508	9605210016	96/05/15	FOIA	8610160053	9605130027	96/04/16	FOIA
8010030020	9605130027	96/04/16	FOIA	8610160059	9605130027	96/04/16	FOIA
8010030073	9605130027	96/04/16	FOIA	8611250015	9605130027	96/04/16	FOIA
8010070204	9605130027	96/04/16	FOIA	8611250018	9605130027	96/04/16	FOIA
8010080645	9605130027	96/04/16	FOIA	8611250022	9605130027	96/04/16	FOIA
8010080650	9605130027	96/04/16	FOIA	8612090301	9605130027	96/04/16	FOIA
8010150302	9605130027	96/04/16	FOIA	8612190273	9605130027	96/04/16	FOIA
8010150339	9605130027	96/04/16	FOIA	8612190282	9605130027	96/04/16	FOIA
8010300392	9605130027	96/04/16	FOIA	8709140314	9605130027	96/04/16	FOIA
8011260039	9605130027	96/04/16	FOIA	8709280338	9605130027	96/04/16	FOIA
8012020829	9605130027	96/04/16	FOIA	8710060546	9605130027	96/04/16	FOIA
8012240128	9605130027	96/04/16	FOIA	8710060554	9605130027	96/04/16	FOIA
8012240203	9605130027	96/04/16	FOIA	8712280223	9605130027	96/04/16	FOIA
8012310243	9605210016	96/05/15	FOIA	8801060042	9605210037	96/05/10	FOIA
8012310251	9605210016	96/05/15	FOIA	8801130104	9605130027	96/04/16	FOIA
8101130627	9605130027	96/04/16	FOIA	8801220322	9605130027	96/04/16	FOIA
8102040712	9605130027	96/04/16	FOIA	8801220326	9605130027	96/04/16	FOIA
8102230147	9605130027	96/04/16	FOIA	8801280620	9605210037	96/05/10	FOIA
8103120055	9605130027	96/04/16	FOIA	8809070196	9605130027	96/04/16	FOIA
8103120117	9605130027	96/04/16	FOIA	8810170250	9605130027	96/04/16	FOIA
8104220176	9605130027	96/04/16	FOIA	8810170327	9605130027	96/04/16	FOIA
8202160462	9605130027	96/04/16	FOIA	8810170328	9605130027	96/04/16	FOIA
8202190282	9605130027	96/04/16	FOIA	8810180497	9605130027	96/04/16	FOIA
8206300436	9605130027	96/04/16	70-310	8811080295	9605130027	96/04/16	FOIA
8301110431	9605130027	96/04/16	FOIA	8811080296	9605130027	96/04/16	FOIA
8304120393	9605130027	96/04/16	FOIA	8812150211	9605130027	96/04/16	FOIA
8309020319	9605130027	96/04/16	FOIA	8902150445	9605130027	96/04/16	FOIA
8403260033	9605130027	96/04/16	FOIA	8902210236	9605130027	96/04/16	70-310
8407250051	9605130027	96/04/16	FOIA	8903130400	9605130027	96/04/16	FOIA
8407250069	9605130027	96/04/16	FOIA	8903130408	9605130027	96/04/16	FOIA
8410310300	9605130027	96/04/16	FOIA	8903200221	9605130027	96/04/16	FOIA
8410310353	9605130027	96/04/16	FOIA	8903230256	9605130027	96/04/16	FOIA
8410310357	9605130027	96/04/16	FOIA	8903230261	9605130027	96/04/16	FOIA
8410310363	9605130027	96/04/16	FOIA	8904260410	9605130027	96/04/16	FOIA
8412280247	9605130027	96/04/16	FOIA	8904270374	9605130027	96/04/16	FOIA
8412280252	9605130027	96/04/16	FOIA	8904270376	9605130027	96/04/16	FOIA
8502070235	9605130027	96/04/16	FOIA	8904280124	9605130027	96/04/16	FOIA
8502220285	9605130027	96/04/16	FOIA	8906140090	9605130027	96/04/16	FOIA
8502220290	9605130027	96/04/16	FOIA	8906150180	9605130027	96/04/16	FOIA
8502220295	9605130027	96/04/16	FOIA	8906200382	9605130027	96/04/16	FOIA
8503140177	9605130027	96/04/16	FOIA	8907100243	9605130027	96/04/16	FOIA
8506110636	9605130027	96/04/16	FOIA	8907190068	9605130027	96/04/16	FOIA
8508080503	9605130027	96/04/16	FOIA	8907190075	9605130027	96/04/16	FOIA
8508220511	9605130027	96/04/16	FOIA	8907240240	9605130027	96/04/16	FOIA
8510240200	9605130027	96/04/16	FOIA	8909080101	9605130027	96/04/16	FOIA
8510240203	9605130027	96/04/16	FOIA	8910020141	9605130027	96/04/16	FOIA

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8910300138	9605130027	96/04/16	FOIA		9605010169	9605010139	96/04/26	40-3453	
8911060221	9605130027	96/04/16	FOIA		9605010178	9605010139	96/04/26	40-3453	
8911060224	9605130027	96/04/16	FOIA		9605010181	9605010173	96/01/02	50-269	P
9001310345	9605130027	96/04/16	FOIA		9605010186	9605010173	96/01/02	50-269	P
9003120529	9605210037	96/05/10	FOIA		9605010213	9605010211	96/04/24	50-285	P
9003260231	9605130027	96/04/16	FOIA		9605010215	9605010211	96/04/24	50-285	P
9004130008	9605130027	96/04/16	FOIA		9605010225	9605010222	96/04/22	TOPREP	
9004200032	9605130027	96/04/16	FOIA		9605010237	9605010234	96/04/26	50-369	P
9006040174	9605130027	96/04/16	FOIA		9605010252	9605010232	96/04/26	50-369	P
9006060224	9605130027	96/04/16	FOIA		9605010259	9605010248	96/04/16	50-275	F
9007130092	9605130027	96/04/16	FOIA		9605010260	9605010242	96/04/22	50-528	P
9008170248	9605130027	96/04/16	FOIA		9605010262	9605010256	96/04/29	50-298	P
9010300343	9605130027	96/04/16	FOIA		9605010263	9605010256	96/04/29	50-298	P
9011210165	9605130027	96/04/16	FOIA		9605010265	9605010232	96/04/26	50-369	P
9101030339	9605130027	96/04/16	FOIA		9605010306	9605010304	96/04/26	50-327	P
9101240422	9605130027	96/04/16	FOIA		9605010309	9605010304	96/04/26	50-327	P
9104090284	9605130027	96/04/16	FOIA		9605020011	9605020009	96/04/22	WASTE MGT	
9104100104	9605130027	96/04/16	FOIA		9605020013	9605020010	96/04/29	50-387	R
9107220123	9605130027	96/04/16	FOIA		9605020014	9605020012	96/04/26	50-309	P
9108230004	9605130027	96/04/16	FOIA		9605020017	9605020015	96/04/29	50-271	R
9112060121	9605090227	96/04/26	ORG		9605020025	9605020010	96/04/29	50-387	R
9112100143	9605090227	96/04/26	ORG		9605020048	9605020042	96/04/24	50-266	P
9112170149	9605130027	96/04/16	FOIA		9605020057	9605020042	96/04/24	50-266	P
9112170238	9605130027	96/04/16	FOIA		9605020058	9605020044	96/04/29	70-1257	
9112170246	9605130027	96/04/16	FOIA		9605020059	9605020042	96/04/24	50-266	P
9201240212	9605130027	96/04/16	FOIA		9605020061	9605020042	96/04/24	50-266	P
9201290217	9605130027	96/04/16	FOIA		9605020068	9605020042	96/04/24	50-266	P
9202130152	9605130027	96/04/16	FOIA		9605020086	9605010083	96/04/29	ORG	
9211020225	9605130027	96/04/16	FOIA		9605020093	9605020092	96/04/26	50-286	P
9407180189	9605080102	96/04/02	50-413	G	9605020099	9605020092	96/04/26	50-286	P
9407250133	9605080102	96/04/02	50-413	G	9605020121	9605020114	96/04/25	TOPREP	
9410110033	9605130198	96/04/05	STATE PRO	G	9605020128	9605020116	96/05/01	ORG	
9501110438	9605130035	96/05/08	50-309	P	9605020129	9605020124	96/05/02	50-170	R
9501250214	9605200061	96/05/06	FOIA		9605020164	9605020145	96/04/26	50-354	S
9502140056	9605140156	96/04/12	STATE PRO	G	9605020187	9605020181	96/05/02	50-416	R
9503100022	9605200061	96/05/06	FOIA		9605020193	9605020186	96/04/26	50-440	P
9503170124	9605130035	96/05/08	50-309	P	9605020195	9605020181	96/05/02	50-416	R
9504180099	9605130035	96/05/08	50-309	P	9605020200	9605020179	96/04/26	50-302	P
9505250201	9605130035	96/05/08	50-309	P	9605020226	9605020215	96/04/30	50-302	P
9507060257	9604180387	95/06/08	ORG		9605020227	9605020217	96/04/26	50-334	R
9512280106	9605130035	96/05/08	50-309	P	9605020228	9605020215	96/04/30	50-302	P
9601040145	9605130131	96/04/17	STATE PRO	G	9605020231	9605020222	96/04/29	50-368	Q
9602290281	9605130390	96/05/01	70-7001		9605020232	9605020217	96/04/26	50-334	R
9603110033	9603110030	96/02/26	50-271	P	9605020241	9605020224	96/04/29	50-335	P
9604050381	9605220182	96/05/21	50-336	P	9605020259	9605020258	96/04/26	50-400	K
9604050389	9605220182	96/05/21	50-336	P	9605020271	9605020268	96/04/29	40-8903	
9604050396	9605220182	96/05/21	50-336	P	9605020274	9605020270	96/04/26	50-280	Q
9604160130	9605310119	96/05/28	50-309	H	9605020282	9602230087	96/02/08	FOIA	
9604160256	9604110225	96/02/13	FOIA		9605020284	9605020276	96/04/25	50-271	P
9604160377	9604110225	96/02/13	50-301	Q	9605020286	9605020280	96/04/25	72-1004	
9604170121	9604110225	96/02/13	FOIA		9605020289	9605020280	96/04/25	72-1004	
9604190125	9605100212	96/04/16	STATE PRO	G	9605020292	9605020287	96/04/29	50-387	P
9604230198	9604110225	96/02/13	FOIA		9605020313	9605020309	96/04/29	50-302	I
9604240044	9604110225	96/02/13	FOIA		9605020321	9605020314	96/04/29	50-272	P
9605010009	9605010005	96/04/24	50-263	R	9605020324	9605020314	96/04/29	50-272	P
9605010018	9605010014	96/04/26	50-445	Q	9605020334	9605020331	96/04/29	50-370	P
9605010021	9605010014	96/04/26	50-445	Q	9605020336	9605020319	96/04/17	50-245	P
9605010029	9605010026	96/04/19	40-*****		9605020341	9605020329	96/04/30	FOIA	
9605010047	9605020255	96/04/29	50-397	P	9605020349	9605020345	96/04/25	50-293	P
9605010060	9605010055	96/04/19	71-3		9605020361	9605020329	96/04/30	70-2071	
9605010068	9605010063	96/04/17	71-250		9605020369	9605020365	96/04/29	50-261	I
9605010073	9605010067	96/04/29	STATE PRO	G	9605020370	9605020256	96/03/18	50-261	Y
9605010074	9605010057	96/04/23	50-387	P	9605020384	9605020379	96/04/30	50-285	R
9605010076	9605010063	96/04/17	71-250		9605020386	9605020379	96/04/30	50-285	R
9605010078	9605010072	96/04/19	40-*****		9605020389	9605020379	96/04/30	50-285	R
9605010079	9605010057	96/04/23	50-387	P	9605020394	9605020391	96/04/19	50-369	S
9605010095	9605010100	96/04/29	ORG		9605020395	9605020393	96/04/26	50-280	R
9605010096	9605010057	96/04/23	50-387	P	9605020401	9605020399	96/04/24	50-289	R
9605010097	9605010088	96/04/25	ORG		9605020403	9605020399	96/04/24	50-289	R
9605010102	9605010057	96/04/23	50-387	P	9605020406	9605020402	96/04/29	50-254	P
9605010104	9605010103	96/04/17	COMMISSIO	N	9605030019	9605030005	96/04/29	FOIA	
9605010107	9605010057	96/04/23	50-387	P	9605030029	9605030015	96/04/18	50-370	S
9605010110	9605010057	96/04/23	50-387	P	9605030047	9605030031	96/04/30	40-6897	
9605010112	9605010057	96/04/23	50-387	P	9605030057	9605030052	96/04/30	ORG	
9605010117	9605010115	96/04/26	50-271	P	9605030061	9605030031	96/04/30	40-6897	
9605010118	9605010057	96/04/23	50-387	P	9605030070	9605030031	96/04/30	40-6897	
9605010121	9605010057	96/04/23	50-387	P	9605030086	9605030083	96/04/29	50-298	R
9605010126	9605010057	96/04/23	50-387	P	9605030091	9605030031	96/04/30	40-6897	
9605010127	9605010080	96/04/29	XPORTLIC		9605030094	9605030093	96/04/25	50-368	P
9605010129	9605010123	96/04/23	50-482	I	9605030116	9605030090	96/04/02	70-27	
9605010131	9605010123	96/04/23	50-482	I	9605030121	9605030110	96/04/29	50-267	R
9605010132	9605010123	96/04/23	50-482	I	9605030124	9605030031	96/04/30	40-6897	
9605010143	9605010139	96/04/26	40-3453		9605030132	9605030031	96/04/30	40-6897	
9605010148	9605010139	96/04/26	40-3453		9605030140	9605030134	96/04/26	50-213	R
9605010152	9605010147	96/04/29	XPORTLIC		9605030141	9605030136	96/04/26	50-245	R
9605010153	9605010139	96/04/26	40-3453		9605030148	9605030144	96/04/29	50-305	R
9605010160	9605010139	96/04/26	40-3453		9605030149	9605030134	96/04/26	50-213	R

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9605030158	9605030031	96/04/30	40-6897		9605070059	9605070041	96/04/26	52-3	
9605030173	9605030031	96/04/30	40-6897		9605070063	9605070052	96/05/02	50-528	Q
9605030180	9605030031	96/04/30	40-6897		9605070072	9605070069	96/04/30	50-270	Q
9605030201	9605030193	96/04/30	XPORTLIC		9605070082	9605070078	96/05/01	50-305	P
9605030205	9605030197	96/04/30	XPORTLIC		9605070084	9605070078	96/05/01	50-305	P
9605030232	9605030230	96/03/20	70-7001		9605070093	9605070086	96/04/26	50-213	Q
9605030233	9605030230	96/03/20	70-7001		9605070098	9605070097	96/04/29	50-302	I
9605030235	9605030230	96/03/20	70-7001		9605070103	9605070097	96/04/29	50-302	I
9605030237	9605030230	96/03/20	70-7001		9605070107	9605070097	96/04/29	50-302	I
9605030239	9605030238	96/04/29	50-440	P	9605070111	9605070106	96/04/26	50-354	Q
9605030241	9605030238	96/04/29	50-440	P	9605070112	9605070097	96/04/29	50-302	I
9605030283	9605030279	96/04/29	50-280	P	9605070113	9605070106	96/04/26	50-354	Q
9605030284	9605030281	96/04/25	50-220	F	9605070114	9605070109	96/04/18	50-269	F
9605030287	9605030279	96/04/29	50-280	P	9605070118	9605070097	96/04/29	50-302	I
9605030293	9605030281	96/04/25	50-220	F	9605070121	9605070097	96/04/29	50-302	I
9605030295	9605030285	96/05/02	50-302	P	9605070126	9605070097	96/04/29	50-302	I
9605030302	9605030300	96/04/29	50-327	R	9605070127	9605070097	96/04/29	50-302	I
9605030307	9605030300	96/04/29	50-327	R	9605070148	9605070142	96/05/02	50-397	Q
9605030310	9605030300	96/04/29	50-327	R	9605070164	9605070160	96/04/30	50-245	Q
9605030342	9605030339	96/04/26	50-316	P	9605070179	9605070170	96/04/18	PROJ	
9605030355	9605030350	96/05/01	50-498	Q	9605070181	9605070178	96/05/01	50-309	H
9605030356	9605060015	96/04/25	50-458	R	9605070183	9605070174	96/05/01	50-482	P
9605030361	9605030353	96/04/29	50-267	Q	9605070188	9605070144	96/05/02	50-461	I
9605030365	9605030353	96/04/29	50-267	Q	9605070190	9605070186	96/05/03	50-269	P
9605030366	9605060015	96/04/25	50-458	R	9605070192	9605070144	96/05/02	50-461	I
9605030370	9605030367	96/05/02	50-416	Q	9605070200	9605070199	96/05/03	50-364	P
9605030375	9605030372	96/04/26	50-331	Q	9605070202	9605070198	96/05/02	50-440	P
9605030381	9605030380	96/05/01	71-9145		9605070204	9605070198	96/05/02	50-440	P
9605030384	9605030383	96/04/26	71-5059		9605070208	9605070203	96/04/30	50-285	F
9605060028	9605060025	96/04/28	50-352	R	9605070209	9605070206	96/05/03	50-348	P
9605060039	9605060033	96/04/29	50-206	R	9605070210	9605070201	96/05/03	40-8907	
9605060042	9605060033	96/04/29	50-206	R	9605070212	9605070201	96/05/03	40-8907	
9605060043	9605060036	96/04/26	40-6940		9605070213	9605070203	96/04/30	50-285	F
9605060047	9605060036	96/04/26	40-6940		9605070216	9605070205	96/05/01	50-461	P
9605060061	9605060054	96/04/25	50-390	S	9605070222	9605070221	96/04/29	50-348	K
9605060066	9605060063	96/04/29	40-8027		9605070223	9605070214	96/05/02	50-134	V
9605060083	9605060081	96/04/30	50-155	R	9605070224	9605070218	96/05/02	50-362	S
9605060087	9605060086	96/04/29	50-255	R	9605070229	9605070228	96/05/03	70-364	
9605060097	9605060088	96/04/29	50-324	Q	9605070231	9605070230	96/04/30	40-3453	
9605060121	9605060120	96/05/01	40-1162		9605070238	9604110225	96/02/13	50-219	Q
9605060125	9605060123	96/04/26	71-9250		9605070243	9605070237	96/05/06	50-275	S
9605060129	9605060127	96/04/30	71-6553		9605070244	9605070239	96/05/03	50-454	Q
9605060130	9605060128	96/04/23	50-412	K	9605070250	9605070248	96/05/01	50-443	R
9605060136	9605060104	96/04/26	REGGD		9605070252	9605070248	96/05/01	50-443	R
9605060138	9605060212	96/04/26	50-280	R	9605070253	9605070251	96/05/01	50-334	P
9605060152	9605060144	96/05/01	50-334	P	9605070255	9605070248	96/05/01	50-443	R
9605060153	9605060143	96/05/01	50-293	P	9605070259	9605070257	96/04/30	50-266	F
9605060159	9605060147	96/05/02	50-498	P	9605070262	9605070260	96/05/01	50-498	P
9605060169	9605060167	96/04/24	50-373	K	9605070268	9605070258	96/04/30	50-285	R
9605060174	9605060163	96/05/01	50-293	P	9605070269	9605070264	96/05/02	50-416	P
9605060194	9605060190	96/05/01	50-334	P	9605070273	9605070270	96/04/29	50-412	P
9605060196	9605060190	96/05/01	50-334	P	9605070278	9605070275	96/04/30	50-272	R
9605060210	9605060204	96/04/26	50-255	P	9605070280	9605070276	96/04/24	50-333	P
9605060232	9605060228	96/04/30	50-298	R	9605070282	9605070276	96/04/24	50-333	P
9605060233	9605060231	96/04/19	40-8974		9605070290	9605070286	96/04/29	50-313	P
9605060240	9605060236	96/04/22	COMMISSIO	N	9605070302	9605070296	96/04/29	50-266	P
9605060247	9605060241	96/05/01	50-302	Q	9605070311	9605070304	96/05/03	40-*****	
9605060248	9605060235	96/05/02	50-313	P	9605070316	9605070309	96/05/02	50-344	S
9605060256	9605060241	96/05/01	50-302	Q	9605070326	9605070321	96/04/26	50-369	P
9605060262	9605060253	96/05/01	WASTE MGT		9605070329	9605070325	96/05/01	70-734	
9605060264	9605060260	96/04/30	40-8838		9605070331	9605070325	96/05/01	70-734	
9605060273	9605060260	96/04/30	40-8838		9605070346	9605070342	96/04/30	72-1007	
9605060277	9605060268	96/04/30	50-295	P	9605070347	9605070341	96/04/30	50-454	P
9605060281	9605060260	96/04/30	40-8838		9605070348	9605070342	96/04/30	72-1007	
9605060288	9605060278	96/05/01	40-7604		9605070350	9605070342	96/04/30	72-1007	
9605060294	9605060290	96/05/02	50-482	Q	9605070353	9605070277	96/04/18	QA999	
9605060304	9605060299	96/04/30	50-305	P	9605070354	9605070341	96/04/30	50-454	P
9605060305	9605060300	96/04/25	50-245	P	9605070362	9605070359	96/04/17	TOPREP	
9605060309	9605060302	96/05/01	40-7604		9605070363	9605070361	96/05/01	70-27	
9605060311	9605060308	96/04/29	50-313	P	9605070364	9605070361	96/05/01	70-27	
9605060312	9605060302	96/05/01	40-7604		9605080026	9605080023	96/05/03	50-266	H
9605060314	9605060307	96/05/02	ORG		9605080032	9605080029	96/05/03	50-440	P
9605060322	9605060319	96/04/30	50-361	H	9605080044	9604300404	96/04/11	ORG	
9605060339	9605060333	96/04/29	50-317	Q	9605080045	9604300404	96/04/11	ORG	
9605060342	9605060338	96/04/29	50-293	S	9605080054	9605080053	96/03/04	PROJ	
9605060349	9605060347	96/05/01	50-498	Q	9605080055	9605080052	96/05/03	40-*****	
9605060359	9605060356	96/04/29	50-443	Q	9605080070	9605080067	96/05/03	70-36	
9605060362	9605060356	96/04/29	50-443	Q	9605080071	9605080063	96/05/06	50-382	P
9605070008	9605070004	96/04/30	50-220	P	9605080085	9605080081	96/04/19	REVIEW GR	P
9605070019	9605070018	96/04/30	50-445	R	9605080101	9605080099	96/05/03	50-286	P
9605070024	9605070021	96/04/30	50-213	Q	9605080104	9605080099	96/05/03	50-286	P
9605070027	9605070020	96/05/01	50-302	P	9605080107	9605080102	96/04/02	50-413	G
9605070039	9605070033	96/04/30	50-302	R	9605080116	9605080102	96/04/02	50-413	G
9605070046	9605060345	96/04/30	50-219	I	9605080119	9605080102	96/04/02	50-413	G
9605070051	9605070049	96/04/30	50-346	R	9605080122	9605080112	96/05/03	50-364	P
9605070056	9605070052	96/05/02	50-528	Q	9605080124	9605080102	96/04/02	50-413	G
9605070058	9605070054	96/05/03	50-336	P	9605080127	9605080112	96/05/03	50-364	P

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9605080137	9604110225	96/02/13	50-219 Q	9605100130	9605100125	96/04/29	70-27
9605080144	9604110225	96/02/13	50-219 Q	9605100138	9605100125	96/04/29	70-27
9605080146	9604110225	96/02/13	50-219 Q	9605100161	9605100159	96/05/08	50-361 P
9605080147	9605080142	96/05/06	40-8857	9605100165	9605100160	96/04/26	MISC
9605080150	9605080145	96/05/04	71-9196	9605100176	9605100159	96/05/08	50-361 P
9605080154	9605080102	96/04/02	50-413 G	9605100203	9605100201	96/05/06	50-416 P
9605080157	9605080153	96/05/06	50-382 K	9605100207	9605100205	96/04/30	50-483 R
9605080158	9605080102	96/04/02	50-413 G	9605100210	9605100205	96/04/30	50-483 R
9605080162	9605080102	96/04/02	50-413 G	9605100215	9605100214	96/05/07	50-305 I
9605080165	9605080102	96/04/02	50-413 G	9605100216	9604110225	96/02/13	50-219 Q
9605080168	9605080102	96/04/02	50-413 G	9605100218	9605100214	96/05/07	50-305 I
9605080171	9605080102	96/04/02	50-413 G	9605100219	9604110225	96/02/13	50-219 Q
9605080175	9605080174	96/05/02	50-309 Q	9605100221	9605100214	96/05/07	50-305 I
9605080176	9605080102	96/04/02	50-413 G	9605100228	9605100226	96/04/30	TOPREP
9605080177	9605080173	96/05/01	50-219 F	9605100240	9605100236	96/05/08	50-244 P
9605080179	9605080172	96/05/04	71-9248	9605100242	9605100236	96/05/08	50-244 P
9605080184	9605080173	96/05/01	50-219 F	9605100252	9605100248	96/05/01	50-424 F
9605080186	9605080102	96/04/02	50-413 G	9605100256	9605100255	96/04/23	50-348 F
9605080193	9605080102	96/04/02	50-413 G	9605130003	9605130001	96/04/08	40-3453
9605080196	9605080187	96/05/02	50-390 Q	9605130032	9605130027	96/04/16	FOIA
9605080203	9605080197	96/05/06	52-4	9605130036	9605130027	96/04/16	FOIA
9605080205	9605080102	96/04/02	50-413 G	9605130037	9605130027	96/04/16	FOIA
9605080206	9605080197	96/05/06	52-4	9605130039	9605130027	96/04/16	FOIA
9605080208	9605080197	96/05/06	52-4	9605130040	9605130027	96/04/16	FOIA
9605080209	9605080102	96/04/02	50-413 G	9605130041	9605130027	96/04/16	FOIA
9605080214	9605080197	96/05/06	52-4	9605130045	9605130027	96/04/16	FOIA
9605080215	9605080102	96/04/02	50-413 G	9605130048	9605130027	96/04/16	FOIA
9605080220	9605080218	96/05/07	WASTE MGT	9605130049	9605130027	96/04/16	FOIA
9605080223	9605080211	96/04/18	50-269 F	9605130053	9605130027	96/04/16	FOIA
9605080224	9605080218	96/05/07	WASTE MGT	9605130056	9605130044	96/05/02	STATE PRO G
9605080236	9605080227	96/04/30	NUREG	9605130057	9605130027	96/04/16	FOIA
9605080241	9605080238	96/05/06	40-8724	9605130059	9605130027	96/04/16	FOIA
9605080246	9605080242	96/05/01	50-333 Q	9605130062	9605130027	96/04/16	FOIA
9605080249	9605080248	96/04/26	50-286 Q	9605130065	9605130027	96/04/16	FOIA
9605090017	9605090014	96/04/10	40-8907	9605130066	9605130027	96/04/16	FOIA
9605090020	9605090014	96/04/10	40-8907	9605130067	9605130025	96/05/07	FOIA
9605090027	9605090024	96/05/01	71-*****	9605130070	9605130027	96/04/16	FOIA
9605090029	9605090024	96/05/01	71-*****	9605130071	9605130027	96/04/16	FOIA
9605090036	9605090031	96/04/30	50-333 F	9605130072	9605130027	96/04/16	FOIA
9605090040	9605090031	96/04/30	50-333 F	9605130074	9605130027	96/04/16	FOIA
9605090042	9605090035	96/04/29	50-312 F	9605130077	9605130027	96/04/16	FOIA
9605090044	9605090031	96/04/30	50-333 F	9605130078	9605130027	96/04/16	FOIA
9605090046	9605090035	96/04/29	50-312 F	9605130080	9605130027	96/04/16	FOIA
9605090069	9605090066	96/05/01	40-8027	9605130081	9605130027	96/04/16	FOIA
9605090087	9605090083	96/05/02	WASTE MGT	9605130082	9605130027	96/04/16	FOIA
9605090088	9605090086	96/04/30	50-457 P	9605130083	9605130027	96/04/16	FOIA
9605090095	9605090089	96/05/06	TOPREP	9605130084	9605130027	96/04/16	FOIA
9605090097	9605090092	96/04/30	40-8902	9605130085	9605130064	96/04/03	STATE PRO G
9605090099	9605090096	96/05/03	50-259 P	9605130088	9605130027	96/04/16	FOIA
9605090122	9605090117	96/04/19	40-8794	9605130091	9605130027	96/04/16	FOIA
9605090127	9605090123	96/05/02	50-316 P	9605130093	9605130027	96/04/16	FOIA
9605090129	9605090123	96/05/02	50-316 P	9605130094	9605130027	96/04/16	FOIA
9605090136	9605090131	96/05/03	40-2384	9605130095	9605130027	96/04/16	FOIA
9605090140	9605090138	96/05/07	50-440 P	9605130096	9605130027	96/04/16	FOIA
9605090146	9605090137	96/05/06	50-346 G	9605130097	9605130027	96/04/16	FOIA
9605090152	9605090150	96/04/25	40-9027	9605130098	9605130027	96/04/16	FOIA
9605090153	9605090150	96/04/25	40-9027	9605130102	9605130027	96/04/16	FOIA
9605090154	9605090150	96/04/25	40-9027	9605130106	9605130027	96/04/16	FOIA
9605090157	9605090155	96/05/02	70-143	9605130107	9605130027	96/04/16	FOIA
9605090162	9605090135	96/04/30	40-8698	9605130108	9605130027	96/04/16	FOIA
9605090166	9605090155	96/05/02	70-143	9605130117	9605130027	96/04/16	FOIA
9605090168	9605090138	96/05/07	50-440 P	9605130119	9605130035	96/05/08	50-309 P
9605090173	9605090170	96/05/07	50-443 P	9605130124	9605100053	96/04/30	ORG
9605090175	9605090170	96/05/07	50-443 P	9605130125	9605130101	96/03/28	STATE PRO G
9605090192	9605090188	96/05/06	50-336 P	9605130126	9605130111	96/05/09	50-160 G
9605090195	9605090188	96/05/06	50-336 P	9605130129	9605130027	96/04/16	FOIA
9605090198	9605090193	96/05/01	50-317 P	9605130130	9605100127	96/05/07	50-412 P
9605090210	9605090207	96/04/17	40-8767	9605130136	9605130027	96/04/16	FOIA
9605090212	9605090204	96/05/03	50-352 P	9605130137	9605130027	96/04/16	FOIA
9605090213	9605090207	96/04/17	40-8767	9605130139	9605130027	96/04/16	FOIA
9605090229	9605090227	96/04/26	ORG	9605130143	9605130027	96/04/16	FOIA
9605090231	9605090228	96/05/07	40-1162	9605130144	9605130027	96/04/16	FOIA
9605090242	9605090234	96/04/30	50-528 P	9605130145	9605130027	96/04/16	FOIA
9605090245	9605090234	96/04/30	50-528 P	9605130148	9605130131	96/04/17	STATE PRO G
9605090266	9605090265	96/04/18	40-8948	9605130151	9605130132	96/04/29	STATE PRO G
9605090269	9605090268	96/05/06	TOPREP	9605130153	9605130027	96/04/16	FOIA
9605100022	9605100015	96/05/06	50-245 H	9605130156	9605130099	96/04/05	COMMISSIO N
9605100035	9605100033	96/03/30	50-250 Q	9605130157	9605130152	96/05/07	50-298 S
9605100045	9605100040	96/05/07	50-334 P	9605130158	9605130138	96/04/05	STATE PRO G
9605100047	9605100042	96/04/25	50-390 Q	9605130160	9605130155	96/03/28	STATE PRO G
9605100055	9605100040	96/05/07	50-334 P	9605130162	9605130035	96/05/08	50-309 P
9605100064	9605100044	96/04/26	50-302 V	9605130164	9605130163	96/05/03	WASTE MGT
9605100080	9605100077	96/04/16	70-1113	9605130165	9605130027	96/04/16	FOIA
9605100099	9605100097	96/04/25	50-269 Q	9605130167	9605130027	96/04/16	FOIA
9605100102	9605100100	96/05/02	STATE PRO G	9605130173	9605130169	96/05/03	WASTE MGT
9605100109	9605100108	96/05/02	50-341 P	9605130175	9605130027	96/04/16	FOIA
9605100126	9604110225	96/02/13	50-219 Q	9605130179	9605130027	96/04/16	FOIA

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9605130184	9605130027	96/04/16	FOIA	9605130396	9605130390	96/05/01	70-7001
9605130187	9605130027	96/04/16	FOIA	9605130398	9605130385	96/04/19	50-280 Q
9605130189	9605130027	96/04/16	FOIA	9605130399	9605130386	96/05/01	STATE PRO G
9605130190	9605130170	96/04/23	STATE PRO G	9605130401	9605130385	96/04/19	50-280 Q
9605130192	9605130027	96/04/16	FOIA	9605130405	9605130027	96/04/16	FOIA
9605130193	9605130182	96/05/06	50-528 S	9605130410	9605130027	96/04/16	FOIA
9605130194	9605130027	96/04/16	FOIA	9605130417	9605130390	96/05/01	70-7001
9605130197	9605130186	96/03/28	ORG	9605130421	9605130390	96/05/01	70-7001
9605130199	9605130196	96/05/06	50-275 S	9605130425	9605130418	96/04/29	50-335 Q
9605130200	9605130035	96/05/08	50-309 P	9605130430	9605130418	96/04/29	50-335 Q
9605130201	9605130027	96/04/16	FOIA	9605130438	9605130435	96/03/26	STATE PRO G
9605130204	9605130027	96/04/16	FOIA	9605130439	9605130434	96/05/01	STATE PRO G
9605130205	9605130027	96/04/16	FOIA	9605130442	9605130027	96/04/16	FOIA
9605130208	9605130150	96/04/29	50-454 P	9605130443	9605130437	96/05/03	50-270 P
9605130209	9605130027	96/04/16	FOIA	9605130452	9605130451	96/05/03	50-336 P
9605130210	9605130027	96/04/16	FOIA	9605140003	9605140002	96/05/03	70-143
9605130212	9605130027	96/04/16	FOIA	9605140005	9605140004	96/03/28	STATE PRO G
9605130214	9605130027	96/04/16	70-310	9605140006	9605130027	96/04/16	70-310
9605130218	9605130027	96/04/16	70-310	9605140009	9605140007	96/04/24	70-1201
9605130221	9605130027	96/04/16	FOIA	9605140015	9605130027	96/04/16	70-261
9605130224	9605130027	96/04/16	FOIA	9605140016	9605130027	96/04/16	70-310
9605130226	9605130027	96/04/16	FOIA	9605140022	9605130027	96/04/16	70-310
9605130227	9605130027	96/04/16	FOIA	9605140025	9605140019	96/04/19	STATE PRO G
9605130228	9605130027	96/04/16	FOIA	9605140026	9605140021	96/04/26	50-413 Q
9605130230	9605130027	96/04/16	FOIA	9605140027	9605130027	96/04/16	70-310
9605130231	9605130027	96/04/16	FOIA	9605140029	9605140019	96/04/19	STATE PRO G
9605130233	9605130027	96/04/16	FOIA	9605140031	9605130027	96/04/16	70-310
9605130234	9605130027	96/04/16	FOIA	9605140033	9605130027	96/04/16	70-310
9605130235	9605130027	96/04/16	FOIA	9605140035	9605140019	96/04/19	STATE PRO G
9605130237	9605130027	96/04/16	FOIA	9605140036	9605130027	96/04/16	70-310
9605130241	9605130027	96/04/16	FOIA	9605140037	9605140034	96/05/02	70-27
9605130242	9605130198	96/04/05	STATE PRO G	9605140041	9605140019	96/04/19	STATE PRO G
9605130243	9605130027	96/04/16	FOIA	9605140044	9605140019	96/04/19	STATE PRO G
9605130245	9605130027	96/04/16	FOIA	9605140046	9605140045	96/05/03	50-338 Q
9605130246	9605130027	96/04/16	FOIA	9605140048	9605140045	96/05/03	50-338 Q
9605130252	9605130027	96/04/16	FOIA	9605140055	9605140052	96/04/22	50-327 Q
9605130253	9605130027	96/04/16	FOIA	9605140059	9605130027	96/04/16	70-310
9605130254	9605130027	96/04/16	FOIA	9605140061	9605140052	96/04/22	50-327 Q
9605130257	9605130027	96/04/16	FOIA	9605140063	9605130027	96/04/16	70-310
9605130262	9605130027	96/04/16	FOIA	9605140067	9605130027	96/04/16	70-310
9605130263	9605130027	96/04/16	FOIA	9605140070	9605130027	96/04/16	70-310
9605130264	9605130027	96/04/16	FOIA	9605140072	9605140062	96/05/08	STATE PRO G
9605130266	9605130027	96/04/16	FOIA	9605140073	9605130027	96/04/16	70-261
9605130271	9605130027	96/04/16	FOIA	9605140082	9605140076	96/05/08	50-498 P
9605130274	9605130027	96/04/16	FOIA	9605140090	9605140050	96/04/26	70-8
9605130277	9605130027	96/04/16	FOIA	9605140091	9605140078	96/04/22	STATE PRO G
9605130280	9605130027	96/04/16	FOIA	9605140092	9605140078	96/04/22	STATE PRO G
9605130283	9605130027	96/04/16	FOIA	9605140096	9605140050	96/04/26	70-8
9605130285	9605130027	96/04/16	FOIA	9605140104	9605140100	96/05/07	50-321 P
9605130286	9605130027	96/04/16	FOIA	9605140109	9605140106	96/05/02	50-245 P
9605130287	9605130027	96/04/16	FOIA	9605140129	9605140019	96/04/19	STATE PRO G
9605130292	9605130027	96/04/16	FOIA	9605140130	9605140126	96/05/10	50-321 R
9605130295	9605130027	96/04/16	FOIA	9605140134	9605140126	96/05/10	50-321 R
9605130297	9605130027	96/04/16	70-310	9605140153	9605140139	96/05/09	50-416 P
9605130298	9605130027	96/04/16	FOIA	9605140155	9605140152	96/05/01	52-3
9605130302	9605130027	96/04/16	70-310	9605140160	9605140156	96/04/12	STATE PRO G
9605130303	9605130027	96/04/16	FOIA	9605140180	9605140170	96/05/10	ADVCM
9605130306	9605130027	96/04/16	70-310	9605140181	9605140178	96/05/06	50-254 P
9605130307	9605130268	96/04/02	STATE PRO G	9605140182	9605140175	96/04/19	STATE PRO G
9605130309	9605130027	96/04/16	FOIA	9605140198	9605140190	96/05/07	50-331 I
9605130310	9605130304	96/05/03	50-333 Q	9605140199	9605140186	96/04/19	STATE PRO G
9605130313	9605130304	96/05/03	50-333 Q	9605140201	9605140190	96/05/07	50-331 I
9605130318	9605130027	96/04/16	70-310	9605140208	9605140186	96/04/19	STATE PRO G
9605130322	9605130027	96/04/16	70-310	9605140209	9605140190	96/05/07	50-331 I
9605130325	9605130321	96/05/07	50-219 P	9605140213	9605140186	96/04/19	STATE PRO G
9605130326	9605130027	96/04/16	70-310	9605140228	9605140220	96/05/07	XPORTLIC
9605130329	9605130321	96/05/07	50-219 P	9605140229	9605140215	96/05/09	50-321 P
9605130331	9605130316	96/05/06	50-387 Q	9605140230	9605130174	96/05/01	STATE PRO G
9605130332	9605130027	96/04/16	70-310	9605140232	9605140225	96/04/30	50-483 P
9605130337	9605130027	96/04/16	70-310	9605140236	9605140225	96/04/30	50-483 P
9605130339	9605130027	96/04/16	70-310	9605140237	9605140215	96/05/09	50-321 P
9605130340	9605130334	96/04/08	STATE PRO G	9605140238	9605140233	96/05/01	STATE PRO G
9605130341	9605130027	96/04/16	70-310	9605140239	9605130174	96/05/01	STATE PRO G
9605130353	9605130334	96/04/08	STATE PRO G	9605140246	9605130174	96/05/01	STATE PRO G
9605130358	9605130027	96/04/16	70-310	9605140269	9605140256	96/05/02	50-245 P
9605130359	9605130334	96/04/08	STATE PRO G	9605140275	9605140217	96/05/03	50-352 P
9605130362	9605130027	96/04/16	70-310	9605140279	9605140267	96/04/17	50-269 Q
9605130368	9605130027	96/04/16	70-310	9605140288	9605140285	96/05/08	50-305 P
9605130373	9605130027	96/04/16	70-310	9605140289	9605140267	96/04/17	50-269 Q
9605130374	9605130334	96/04/08	STATE PRO G	9605140300	9605140297	96/04/25	50-261 Q
9605130376	9605130027	96/04/16	70-310	9605140305	9605140302	96/05/08	50-416 P
9605130377	9605130354	96/04/17	STATE PRO G	9605140307	9605140297	96/04/25	50-261 Q
9605130379	9605130334	96/04/08	STATE PRO G	9605140310	9605140299	96/04/19	50-160 Q
9605130380	9605130027	96/04/16	70-310	9605140312	9605140304	96/05/02	40-8452
9605130383	9605130334	96/04/08	STATE PRO G	9605140313	9605140306	96/05/07	XPORTLIC
9605130384	9605130378	96/05/06	50-424 P	9605140325	9605140323	96/04/25	50-321 Q
9605130393	9605130385	96/04/19	50-280 Q	9605140327	9605140324	96/05/09	50-482 P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9605140329	9605140323	96/04/25	50-321	Q	9605150246	9605150241	96/05/08	50-341	Q
9605140338	9605140334	96/05/10	50-321	P	9605150255	9605150165	96/05/08	70-143	
9605140366	9605140360	96/05/09	50-361	P	9605150264	9605130027	96/04/16	70-310	
9605140367	9605140363	96/05/09	50-250	P	9605150267	9605130027	96/04/16	70-310	
9605140370	9605140360	96/05/09	50-361	P	9605150268	9605130027	96/04/16	70-310	
9605140393	9605140386	96/04/22	50-413	Q	9605150275	9605130027	96/04/16	70-310	
9605140396	9605140384	96/04/30	50-483	P	9605150278	9605130027	96/04/16	70-310	
9605140402	9605140384	96/04/30	50-483	P	9605150280	9605130027	96/04/16	70-310	
9605140405	9605140386	96/04/22	50-413	Q	9605150281	9605130027	96/04/16	70-310	
9605140410	9605140407	96/05/01	50-293	P	9605150283	9605130027	96/04/16	70-310	
9605140414	9605140411	96/05/06	50-390	Q	9605150284	9605150270	96/05/02	71-*****	
9605140417	9605140411	96/05/06	50-390	Q	9605150286	9605130027	96/04/16	70-310	
9605140426	9605140422	96/04/12	TOPREP		9605150288	9605130027	96/04/16	70-310	
9605140429	9605140418	96/05/02	50-333	Q	9605150291	9605130027	96/04/16	70-310	
9605140433	9605140430	96/04/22	50-250	Q	9605150292	9605130027	96/04/16	70-310	
9605140435	9605140422	96/04/12	TOPREP		9605150298	9605150297	96/05/10	40-6622	
9605140453	9605140401	96/05/09	71-853		9605150300	9605130027	96/04/16	FOIA	
9605140458	9605140454	96/05/02	50-461	Q	9605150302	9605130027	96/04/16	FOIA	
9605140461	9604110225	96/02/13	50-219	Q	9605150311	9605150306	96/04/25	STATE PRO	G
9605140462	9605140454	96/05/02	50-461	Q	9605150312	9605130027	96/04/16	70-310	
9605140465	9605140460	96/05/08	50-295	P	9605150314	9605130027	96/04/16	70-310	
9605140470	9605140437	96/05/08	50-272	F	9605150315	9605130027	96/04/16	FOIA	
9605140474	9605140437	96/05/08	50-272	F	9605150317	9605130027	96/04/16	70-310	
9605140483	9605140471	96/04/29	50-324	Q	9605150322	9605130027	96/04/16	FOIA	
9605140485	9605140471	96/04/29	50-324	Q	9605150323	9605130027	96/04/16	70-310	
9605140493	9605140490	96/04/30	50-338	Q	9605150326	9605130027	96/04/16	70-310	
9605140502	9605140492	96/05/08	50-263	S	9605150331	9605130027	96/04/16	70-310	
9605140503	9605140495	96/03/22	ORG		9605150334	9605150328	96/05/15	71-438	
9605140504	9605140501	96/05/03	WASTE MGT		9605150336	9605130027	96/04/16	70-310	
9605150009	9605130027	96/04/16	70-261		9605150340	9605150328	96/05/15	71-438	
9605150014	9605130027	96/04/16	70-310		9605150342	9605130027	96/04/16	70-310	
9605150020	9605130027	96/04/16	70-310		9605150344	9605150328	96/05/15	71-438	
9605150023	9605130027	96/04/16	70-310		9605150346	9605130027	96/04/16	70-310	
9605150025	9605130027	96/04/16	70-310		9605150349	9605150328	96/05/15	71-438	
9605150029	9605130027	96/04/16	70-310		9605150350	9605130027	96/04/16	70-310	
9605150036	9605150030	96/05/06	50-327	Q	9605150355	9605150328	96/05/15	71-438	
9605150040	9605130027	96/04/16	70-310		9605150356	9605150328	96/05/15	71-438	
9605150054	9605150049	96/05/13	CONTRACT		9605150359	9605150328	96/05/15	71-438	
9605150063	9605150058	96/05/03	50-271	Q	9605150360	9605150347	96/05/08	71-*****	
9605150065	9605130027	96/04/16	70-310		9605150365	9605150354	96/05/03	50-270	P
9605150068	9605150058	96/05/03	50-271	Q	9605150377	9605150373	96/05/09	50-390	R
9605150069	9605130027	96/04/16	70-310		9605150379	9605150371	96/05/06	50-483	Q
9605150070	9605150051	96/05/07	50-267	S	9605150392	9605150383	96/05/08	STATE PRO	G
9605150076	9605130027	96/04/16	70-310		9605150400	9605150383	96/05/08	STATE PRO	G
9605150079	9605130027	96/04/16	70-310		9605150413	9605130027	96/04/16	FOIA	
9605150083	9605130027	96/04/16	70-310		9605150415	9605150402	96/05/08	40-8838	
9605150088	9605130027	96/04/16	70-310		9605150421	9605150410	96/05/08	STATE PRO	G
9605150091	9605130027	96/04/16	70-310		9605150432	9605150402	96/05/08	40-8838	
9605150111	9605150104	96/05/08	50-309	P	9605150445	9605150402	96/05/08	40-8838	
9605150114	9605150106	96/04/26	PROJ		9605150452	9605150443	96/05/07	50-245	P
9605150120	9604110225	96/02/13	50-219	Q	9605150496	9605150495	96/05/06	40-8974	
9605150126	9605150121	96/05/06	50-269	Q	9605160004	9605160001	96/05/08	COMMISSIO	N
9605150127	9605150118	96/05/08	50-407	V	9605160013	9605160009	96/05/01	50-293	P
9605150134	9605150131	96/05/09	50-397	Q	9605160022	9605160017	96/05/08	STATE PRO	G
9605150137	9605150133	96/05/10	40-6622		9605160039	9605130027	96/04/16	FOIA	
9605150140	9605130027	96/04/16	FOIA		9605160041	9605130027	96/04/16	FOIA	
9605150144	9605150141	96/05/10	40-6622		9605160043	9605130027	96/04/16	FOIA	
9605150145	9605150131	96/05/09	50-397	Q	9605160045	9605160040	96/05/08	STATE PRO	G
9605150149	9605130027	96/04/16	FOIA		9605160047	9605130027	96/04/16	FOIA	
9605150154	9605130027	96/04/16	FOIA		9605160050	9605130027	96/04/16	FOIA	
9605150159	9605130027	96/04/16	FOIA		9605160051	9605130027	96/04/16	FOIA	
9605150162	9605150158	96/05/06	52-3		9605160055	9605130027	96/04/16	FOIA	
9605150163	9605130027	96/04/16	FOIA		9605160057	9605130027	96/04/16	FOIA	
9605150168	9605130027	96/04/16	FOIA		9605160059	9605130027	96/04/16	FOIA	
9605150171	9605130027	96/04/16	FOIA		9605160060	9605130027	96/04/16	FOIA	
9605150173	9605150165	96/05/08	70-143		9605160065	9605160056	96/05/13	WASTE MGT	
9605150174	9605130027	96/04/16	FOIA		9605160067	9605130027	96/04/16	FOIA	
9605150176	9605130027	96/04/16	FOIA		9605160079	9605130027	96/04/16	FOIA	
9605150179	9605130027	96/04/16	FOIA		9605160080	9605130027	96/04/16	FOIA	
9605150182	9605130027	96/04/16	FOIA		9605160081	9605160073	95/01/13	40-7982	
9605150186	9605130027	96/04/16	FOIA		9605160088	9605130027	96/04/16	FOIA	
9605150190	9605150178	96/05/09	40-*****		9605160090	9605160073	95/01/13	40-7982	
9605150192	9605130027	96/04/16	FOIA		9605160091	9605130027	96/04/16	FOIA	
9605150198	9605130027	96/04/16	FOIA		9605160092	9605130027	96/04/16	FOIA	
9605150199	9605150194	96/05/10	50-254	P	9605160096	9605130027	96/04/16	FOIA	
9605150202	9605130027	96/04/16	FOIA		9605160097	9605130027	96/04/16	FOIA	
9605150205	9605130027	96/04/16	FOIA		9605160100	9605130027	96/04/16	FOIA	
9605150206	9605150201	96/05/10	50-285	P	9605160103	9605130027	96/04/16	FOIA	
9605150208	9605150148	96/05/06	50-259	P	9605160107	9605130027	96/04/16	FOIA	
9605150210	9605130027	96/04/16	FOIA		9605160110	9605160087	96/05/10	50-160	T
9605150215	9605130027	96/04/16	FOIA		9605160112	9605130027	96/04/16	FOIA	
9605150217	9605130027	96/04/16	70-310		9605160114	9605130027	96/04/16	FOIA	
9605150223	9605130027	96/04/16	FOIA		9605160125	9605160105	96/05/08	STATE PRO	G
9605150224	9605130027	96/04/16	70-310		9605160127	9605130027	96/04/16	FOIA	
9605150233	9605130027	96/04/16	FOIA		9605160135	9605130027	96/04/16	FOIA	
9605150235	9605130027	96/04/16	70-310		9605160143	9605130027	96/04/16	FOIA	
9605150244	9605130027	96/04/16	70-310		9605160146	9605160133	96/05/04	COMMISSIO	N

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9605160147	9605130027	96/04/16	FOIA		9605160362	9605130027	96/04/16	70-310	
9605160148	9605160144	96/05/06	50-247	Q	9605160365	9605160358	96/05/13	50-382	P
9605160149	9605130027	96/04/16	FOIA		9605160369	9605130027	96/04/16	70-261	
9605160156	9605130027	96/04/16	FOIA		9605160371	9605130027	96/04/16	FOIA	
9605160163	9605160152	96/05/08	STATE PRO	G	9605160373	9605160367	96/05/13	CONTRACT	
9605160167	9605130027	96/04/16	FOIA		9605160377	9605130027	96/04/16	FOIA	
9605160174	9605130027	96/04/16	FOIA		9605160378	9605130027	96/04/16	FOIA	
9605160175	9605160168	96/05/10	40-*****		9605160383	9605130027	96/04/16	70-310	
9605160176	9605160151	96/05/07	50-245	P	9605160386	9605130027	96/04/16	FOIA	
9605160178	9605130027	96/04/16	FOIA		9605160396	9605130027	96/04/16	FOIA	
9605160179	9605160158	96/05/10	52-4		9605160399	9605160388	96/05/02	COMMISSIO	N
9605160186	9605160181	96/05/10	40-*****		9605160401	9605130027	96/04/16	FOIA	
9605160187	9605130027	96/04/16	FOIA		9605160412	9605130027	96/04/16	FOIA	
9605160188	9605160152	96/05/08	STATE PRO	G	9605160415	9605130027	96/04/16	FOIA	
9605160190	9605130027	96/04/16	70-310		9605160416	9605130027	96/04/16	FOIA	
9605160193	9605160170	96/05/09	50-390	Q	9605160420	9605160408	96/05/13	40-6659	
9605160196	9605130027	96/04/16	70-310		9605160435	9605130027	96/04/16	FOIA	
9605160197	9605160151	96/05/07	50-245	P	9605160458	9605160450	96/05/07	50-311	P
9605160199	9605130027	96/04/16	FOIA		9605160471	9605130027	96/04/16	FOIA	
9605160202	9605160170	96/05/09	50-390	Q	9605160485	9605130027	96/04/16	FOIA	
9605160206	9605130027	96/04/16	70-310		9605160490	9605130027	96/04/16	FOIA	
9605160208	9605160151	96/05/07	50-245	P	9605160497	9605130027	96/04/16	FOIA	
9605160210	9605160170	96/05/09	50-390	Q	9605160501	9605160498	96/05/09	50-263	P
9605160214	9605130027	96/04/16	70-310		9605160503	9605130027	96/04/16	FOIA	
9605160219	9605160215	96/05/10	40-*****		9605170015	9605170011	96/05/10	STATE PRO	G
9605160220	9605130027	96/04/16	70-310		9605170018	9605170011	96/05/10	STATE PRO	G
9605160224	9605130027	96/04/16	70-310		9605170026	9605170022	96/05/14	50-324	P
9605160226	9605160158	96/05/10	52-4		9605170031	9605170021	96/05/09	STATE PRO	G
9605160227	9605160170	96/05/09	50-390	Q	9605170035	9605130027	96/04/16	70-310	
9605160229	9605160151	96/05/07	50-245	P	9605170037	9605130027	96/04/16	70-310	
9605160231	9605130027	96/04/16	70-310		9605170040	9605130027	96/04/16	70-310	
9605160233	9605160151	96/05/07	50-245	P	9605170042	9605130027	96/04/16	70-310	
9605160234	9605130027	96/04/16	70-310		9605170043	9605170030	96/05/14	STATE PRO	G
9605160236	9605130027	96/04/16	FOIA		9605170048	9605170041	96/05/13	50-344	Q
9605160239	9605160232	96/05/10	40-*****		9605170049	9605130027	96/04/16	70-310	
9605160240	9605130027	96/04/16	70-310		9605170050	9605170047	96/05/10	50-395	P
9605160241	9605130027	96/04/16	70-310		9605170051	9605130027	96/04/16	70-310	
9605160242	9605160209	96/05/10	50-354	S	9605170052	9605170047	96/05/10	50-395	P
9605160244	9605130027	96/04/16	FOIA		9605170057	9605170054	96/05/08	50-293	Q
9605160245	9605160151	96/05/07	50-245	P	9605170059	9605130027	96/04/16	FOIA	
9605160247	9605130027	96/04/16	70-310		9605170061	9605130027	96/04/16	FOIA	
9605160253	9605130027	96/04/16	FOIA		9605170064	9605170054	96/05/08	50-293	Q
9605160254	9605160249	96/05/10	40-9019		9605170066	9605130027	96/04/16	FOIA	
9605160256	9605130027	96/04/16	FOIA		9605170067	9605130027	96/04/16	FOIA	
9605160257	9605160151	96/05/07	50-245	P	9605170069	9605130027	96/04/16	FOIA	
9605160258	9605130027	96/04/16	FOIA		9605170072	9605130027	96/04/16	FOIA	
9605160260	9605150035	96/05/01	ORG		9605170074	9605130027	96/04/16	FOIA	
9605160261	9605130027	96/04/16	FOIA		9605170075	9605130027	96/04/16	70-310	
9605160262	9605160151	96/05/07	50-245	P	9605170076	9605130027	96/04/16	FOIA	
9605160263	9605160151	96/05/07	50-245	P	9605170077	9605130027	96/04/16	70-310	
9605160264	9605130027	96/04/16	70-310		9605170079	9605170070	96/05/13	40-2377	
9605160265	9605130027	96/04/16	70-310		9605170080	9605130027	96/04/16	FOIA	
9605160266	9605130027	96/04/16	FOIA		9605170081	9605170058	96/05/09	PROJ	
9605160269	9605130027	96/04/16	70-310		9605170086	9605130027	96/04/16	FOIA	
9605160271	9605160267	96/05/07	50-277	P	9605170089	9605130027	96/04/16	FOIA	
9605160274	9605130027	96/04/16	70-310		9605170092	9605130027	96/04/16	70-310	
9605160275	9605160267	96/05/07	50-277	P	9605170094	9605130027	96/04/16	FOIA	
9605160277	9605160267	96/05/07	50-277	P	9605170095	9605130027	96/04/16	FOIA	
9605160278	9605130027	96/04/16	70-310		9605170103	9605130027	96/04/16	70-310	
9605160279	9605130027	96/04/16	FOIA		9605170109	9605130027	96/04/16	FOIA	
9605160281	9605130027	96/04/16	70-310		9605170111	9605170084	96/05/09	STATE PRO	G
9605160285	9605130027	96/04/16	70-310		9605170118	9605130027	96/04/16	FOIA	
9605160290	9605160286	96/05/07	COMMISSIO	N	9605170120	9605170104	96/05/03	50-245	H
9605160294	9605130027	96/04/16	70-310		9605170132	9605130027	96/04/16	FOIA	
9605160296	9605130027	96/04/16	70-310		9605170137	9605130027	96/04/16	FOIA	
9605160297	9605150430	96/05/02	50-333	P	9605170139	9605170128	96/05/09	50-219	P
9605160300	9605130027	96/04/16	70-310		9605170143	9605170104	96/05/03	50-245	H
9605160302	9605130027	96/04/16	70-310		9605170144	9605130027	96/04/16	FOIA	
9605160306	9605130027	96/04/16	70-310		9605170145	9605130027	96/04/16	70-310	
9605160312	9605130027	96/04/16	70-310		9605170147	9605130027	96/04/16	FOIA	
9605160315	9605130027	96/04/16	70-310		9605170149	9605130027	96/04/16	70-310	
9605160320	9605160310	96/05/10	50-146	P	9605170150	9605170142	96/05/08	50-244	Q
9605160325	9605130027	96/04/16	70-310		9605170153	9605130027	96/04/16	FOIA	
9605160326	9605160310	96/05/10	50-146	P	9605170155	9605130027	96/04/16	FOIA	
9605160330	9605160310	96/05/10	50-146	P	9605170156	9605170104	96/05/03	50-245	H
9605160332	9605160310	96/05/10	50-146	P	9605170157	9605130027	96/04/16	FOIA	
9605160333	9605130027	96/04/16	FOIA		9605170158	9605170142	96/05/08	50-244	Q
9605160339	9605160335	96/05/08	50-397	P	9605170159	9605130027	96/04/16	FOIA	
9605160340	9605130027	96/04/16	FOIA		9605170163	9605130027	96/04/16	FOIA	
9605160341	9605130027	96/04/16	70-310		9605170165	9605170160	96/05/09	50-397	P
9605160342	9605160335	96/05/08	50-397	P	9605170167	9605130027	96/04/16	FOIA	
9605160343	9605130027	96/04/16	FOIA		9605170168	9605130027	96/04/16	FOIA	
9605160345	9605130027	96/04/16	70-310		9605170170	9605130027	96/04/16	FOIA	
9605160353	9605130027	96/04/16	FOIA		9605170174	9605130027	96/04/16	FOIA	
9605160356	9605130027	96/04/16	FOIA		9605170176	9605130027	96/04/16	FOIA	
9605160359	9605130027	96/04/16	FOIA		9605170178	9605130027	96/04/16	FOIA	
9605160360	9605130027	96/04/16	FOIA		9605170181	9605130027	96/04/16	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9605170184	9605130027	96/04/16	FOIA		9605200050	9605130027	96/04/16	FOIA	
9605170188	9605130027	96/04/16	FOIA		9605200052	9605130027	96/04/16	FOIA	
9605170191	9605130027	96/04/16	FOIA		9605200055	9605130027	96/04/16	FOIA	
9605170198	9605130027	96/04/16	FOIA		9605200057	9605130027	96/04/16	FOIA	
9605170206	9605130027	96/04/16	FOIA		9605200066	9605200061	96/05/06	FOIA	
9605170207	9605130027	96/04/16	FOIA		9605200078	9605200061	96/05/06	40-8035	
9605170214	9605130027	96/04/16	FOIA		9605200084	9605200061	96/05/06	40-8035	
9605170215	9605130027	96/04/16	FOIA		9605200100	9605200061	96/05/06	FOIA	
9605170220	9605130027	96/04/16	FOIA		9605200106	9605200061	96/05/06	FOIA	
9605170228	9605170219	96/05/01	50-335	Q	9605200123	9605130027	96/04/16	FOIA	
9605170230	9605170223	96/05/10	50-250	P	9605200124	9605130027	96/04/16	FOIA	
9605170232	9605170217	96/05/09	50-275	P	9605200128	9605130027	96/04/16	FOIA	
9605170238	9605130027	96/04/16	FOIA		9605200131	9605130027	96/04/16	FOIA	
9605170243	9605170217	96/05/09	50-275	P	9605200133	9605130027	96/04/16	FOIA	
9605170245	9605130027	96/04/16	FOIA		9605200134	9605200061	96/05/06	FOIA	
9605170246	9605170241	96/05/10	STATE PRO	G	9605200137	9605130027	96/04/16	FOIA	
9605170251	9605130027	96/04/16	FOIA		9605200139	9605200129	96/05/14	50-354	S
9605170256	9605170242	96/05/10	50-237	Q	9605200146	9605200061	96/05/06	FOIA	
9605170270	9605170264	96/05/09	50-373	F	9605200148	9605200130	96/05/14	PT21	
9605170277	9605130027	96/04/16	FOIA		9605200156	9605200061	96/05/06	FOIA	
9605170278	9605170244	96/05/14	REVIEW GR	P	9605200165	9605200154	96/05/14	50-237	S
9605170280	9605170276	96/05/14	50-309	H	9605200166	9605200061	96/05/06	FOIA	
9605170282	9605170274	96/05/13	50-458	Q	9605200170	9605200061	96/05/06	FOIA	
9605170284	9605130027	96/04/16	FOIA		9605200189	9605200176	96/05/14	50-237	S
9605170294	9605130027	96/04/16	FOIA		9605200197	9605130027	96/04/16	70-310	
9605170295	9605130027	96/04/16	FOIA		9605200200	9605200193	96/05/14	50-237	S
9605170299	9605170244	96/05/14	REVIEW GR	P	9605200203	9605130027	96/04/16	70-310	
9605170303	9605130027	96/04/16	FOIA		9605200207	9605130027	96/04/16	FOIA	
9605170305	9605170302	96/05/09	50-255	Q	9605200208	9605130027	96/04/16	FOIA	
9605170311	9605130027	96/04/16	FOIA		9605200209	9605130027	96/04/16	FOIA	
9605170322	9605130027	96/04/16	FOIA		9605200210	9605130027	96/04/16	FOIA	
9605170323	9605170314	96/05/16	50-327	Q	9605200211	9605130027	96/04/16	FOIA	
9605170327	9605170307	96/05/14	50-498	P	9605200213	9605130027	96/04/16	FOIA	
9605170328	9605130027	96/04/16	FOIA		9605200214	9605130027	96/04/16	FOIA	
9605170331	9605130027	96/04/16	FOIA		9605200215	9605130027	96/04/16	FOIA	
9605170332	9605170307	96/05/14	50-498	P	9605200216	9605130027	96/04/16	FOIA	
9605170333	9605130027	96/04/16	FOIA		9605200220	9605130027	96/04/16	FOIA	
9605170336	9605130027	96/04/16	FOIA		9605200221	9605130027	96/04/16	FOIA	
9605170338	9605130027	96/04/16	FOIA		9605200223	9605130027	96/04/16	FOIA	
9605170342	9605170339	96/05/09	50-245	P	9605200226	9605130027	96/04/16	FOIA	
9605170346	9605130027	96/04/16	FOIA		9605200227	9605130027	96/04/16	FOIA	
9605170350	9605170345	96/05/09	52-3		9605200229	9605130027	96/04/16	FOIA	
9605170351	9605130027	96/04/16	FOIA		9605200233	9605130027	96/04/16	FOIA	
9605170356	9605170345	96/05/09	52-3		9605200235	9605130027	96/04/16	FOIA	
9605170363	9605130027	96/04/16	FOIA		9605200236	9605130027	96/04/16	FOIA	
9605170381	9605170376	96/05/14	50-244	P	9605200238	9605130027	96/04/16	FOIA	
9605170387	9605130027	96/04/16	FOIA		9605200241	9605130027	96/04/16	FOIA	
9605170392	9605170389	96/05/15	50-333	P	9605200244	9605130027	96/04/16	FOIA	
9605170393	9605160303	96/04/25	PR		9605200256	9605200061	96/05/06	FOIA	
9605170400	9605170397	96/05/02	70-1113		9605200263	9605200251	96/05/10	50-338	Q
9605170410	9605170404	96/05/10	50-315	P	9605200264	9605200257	96/05/09	50-280	Q
9605170420	9605170412	96/04/29	WASTE MGT		9605200265	9605200061	96/05/06	40-8035	
9605170423	9605170411	96/05/10	50-348	I	9605200271	9605200269	96/05/13	STATE PRO	G
9605170429	9605170424	96/05/09	50-416	P	9605200275	9605200061	96/05/06	40-8035	
9605170435	9605170425	96/05/15	50-309	H	9605200278	9605200269	96/05/13	STATE PRO	G
9605170436	9605170411	96/05/10	50-348	I	9605200283	9605200259	96/05/13	50-424	Q
9605170442	9605170434	96/05/13	70-3045		9605200287	9605200061	96/05/06	FOIA	
9605170465	9605170449	96/05/14	50-302	G	9605200298	9605200259	96/05/13	50-424	Q
9605170471	9605170461	96/05/03	40-*****		9605200299	9605200289	95/07/07	50-302	Q
9605170475	9605170468	96/05/14	40-3453		9605200300	9605200293	96/05/14	40-7004	
9605170481	9605170473	96/05/10	70-135		9605200301	9605200061	96/05/06	FOIA	
9605170483	9605170461	96/05/03	40-*****		9605200302	9605200290	96/05/15	50-282	R
9605170485	9605170461	96/05/03	40-*****		9605200305	9605200294	96/05/14	STATE PRO	G
9605170488	9605130027	96/04/16	FOIA		9605200306	9605200061	96/05/06	FOIA	
9605170490	9605170473	96/05/10	70-135		9605200308	9605200290	96/05/15	50-282	R
9605170501	9605170499	96/05/10	50-237	P	9605200311	9605200303	96/05/15	50-410	P
9605170502	9605170491	96/05/02	52-3		9605200313	9605200061	96/05/06	FOIA	
9605170508	9605130027	96/04/16	70-310		9605200316	9605200290	96/05/15	50-282	R
9605170511	9605170503	96/05/13	50-250	P	9605200318	9605200303	96/05/15	50-410	P
9605170514	9605170503	96/05/13	50-250	P	9605200322	9605200292	96/05/14	40-*****	
9605170519	9605170517	96/05/13	50-309	G	9605200323	9605200061	96/05/06	FOIA	
9605170520	9605170518	96/05/14	TOPREP		9605200328	9605200061	96/05/06	FOIA	
9605170526	9605170523	96/05/13	50-244	R	9605200330	9605200326	96/05/10	50-261	Q
9605170527	9605170521	96/05/10	50-397	Q	9605200331	9605200317	96/05/15	50-348	Q
9605170538	9605170537	96/05/15	50-317	P	9605200344	9605200061	96/05/06	FOIA	
9605200012	9605200007	96/05/14	XPORTLIC		9605200347	9605200317	96/05/15	50-348	Q
9605200016	9605130027	96/04/16	FOIA		9605200349	9605200343	96/05/09	50-369	Q
9605200023	9605130027	96/04/16	FOIA		9605200357	9605200061	96/05/06	40-8035	
9605200026	9605130027	96/04/16	FOIA		9605200361	9605200337	96/05/16	50-237	S
9605200030	9605130027	96/04/16	FOIA		9605200369	9605200061	96/05/06	40-8035	
9605200033	9605130027	96/04/16	FOIA		9605200371	9605200360	96/04/26	40-8584	
9605200034	9605200029	96/03/29	70-925		9605200388	9605200360	96/04/26	40-8584	
9605200036	9605130027	96/04/16	FOIA		9605200393	9605200384	96/05/14	40-*****	
9605200038	9605130027	96/04/16	FOIA		9605200394	9605200387	96/05/14	50-498	Q
9605200042	9605130027	96/04/16	FOIA		9605200396	9605200321	96/05/15	50-285	R
9605200045	9605130027	96/04/16	FOIA		9605200400	9605200321	96/05/15	50-285	R
9605200047	9605130027	96/04/16	FOIA		9605200404	9605200360	96/04/26	40-8584	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9605200405	9605200061	96/05/06	FOIA		9605210358	9605130027	96/04/16	FOIA	
9605200409	9605200061	96/05/06	FOIA		9605210362	9605130027	96/04/16	FOIA	
9605200413	9605200061	96/05/06	FOIA		9605210364	9605130027	96/04/16	FOIA	
9605200419	9605200061	96/05/06	FOIA		9605210367	9605130027	96/04/16	FOIA	
9605200423	9605200061	96/05/06	FOIA		9605210373	9605130027	96/04/16	FOIA	
9605200425	9605200421	96/05/13	50-395	P	9605210375	9605210360	96/05/16	FOIA	
9605200427	9605200061	96/05/06	FOIA		9605210376	9605130027	96/04/16	FOIA	
9605200431	9605200061	96/05/06	FOIA		9605210382	9605130027	96/04/16	FOIA	
9605200440	9605200437	96/05/14	50-263	P	9605210387	9605210383	96/05/13	ORG	
9605200459	9605200457	96/05/15	50-323	P	9605210395	9605210343	96/05/16	70-27	
9605200462	9605200460	96/05/17	50-498	P	9605210396	9605210343	96/05/16	70-27	
9605200464	9605200460	96/05/17	50-498	P	9605210397	9605210391	96/05/14	50-397	P
9605200466	9605210015	96/05/13	50-413	R	9605210398	9605210388	96/05/08	ORG	
9605200468	9605200460	96/05/17	50-498	P	9605210401	9605130027	96/04/16	FOIA	
9605200472	9605200465	96/05/16	50-413	Q	9605210404	9605130027	96/04/16	FOIA	
9605210005	9605210002	96/05/10	40-17		9605210407	9605210399	96/05/13	50-369	R
9605210021	9605210016	96/05/15	FOIA		9605210409	9605130027	96/04/16	FOIA	
9605210026	9605210016	96/05/15	FOIA		9605210414	9605130027	96/04/16	FOIA	
9605210029	9605210025	96/05/09	50-313	P	9605210417	9605130027	96/04/16	FOIA	
9605210039	9605210015	96/05/13	50-413	R	9605210418	9605210402	96/05/10	50-272	P
9605210042	9605210011	96/05/15	50-361	R	9605210421	9605210399	96/05/13	50-369	R
9605210046	9605130027	96/04/16	FOIA		9605210427	9605210423	96/05/15	71-9015	
9605210049	9605130027	96/04/16	FOIA		9605210443	9605210437	96/05/15	71-9016	
9605210050	9605210030	96/05/09	FOIA		9605210460	9605210456	96/05/08	ORG	
9605210053	9605210016	96/05/15	FOIA		9605210467	9605210287	96/05/07	50-245	H
9605210055	9605210030	96/05/09	FOIA		9605210490	9605210483	96/05/17	50-275	Q
9605210057	9605130027	96/04/16	FOIA		9605210497	9605210494	96/05/15	50-369	P
9605210060	9605210030	96/05/09	FOIA		9605210508	9605210502	96/05/13	WASTE MGT	
9605210061	9605130027	96/04/16	FOIA		9605210509	9605210501	96/05/16	50-456	Q
9605210064	9605210016	96/05/15	FOIA		9605210515	9605210510	96/05/16	50-369	P
9605210067	9605210030	96/05/09	FOIA		9605210520	9605210287	96/05/07	50-245	H
9605210068	9605210016	96/05/15	FOIA		9605210522	9605200061	96/05/06	FOIA	
9605210072	9605210030	96/05/09	FOIA		9605210537	9605210536	96/05/13	40-2259	
9605210075	9605210030	96/05/09	FOIA		9605210540	9605210538	96/05/14	50-335	P
9605210078	9605210030	96/05/09	FOIA		9605220002	9605210287	96/05/07	50-245	H
9605210083	9605210054	96/05/13	70-734		9605220004	9605200061	96/05/06	FOIA	
9605210095	9605210087	96/05/16	50-414	Q	9605220006	9605130027	96/04/16	FOIA	
9605210096	9605210082	96/05/09	FOIA		9605220007	9605130027	96/04/16	FOIA	
9605210103	9605210082	96/05/09	FOIA		9605220010	9605210287	96/05/07	50-245	H
9605210105	9605210088	96/05/14	50-395	I	9605220015	9605210287	96/05/07	50-245	H
9605210114	9605210086	96/05/16	70-1113		9605220016	9605220012	96/05/17	50-458	Q
9605210115	9605210088	96/05/14	50-395	I	9605220021	9605210287	96/05/07	50-245	H
9605210120	9605210118	96/05/17	CONTRACT		9605220022	9605130027	96/04/16	FOIA	
9605210122	9605210116	96/05/15	50-160	G	9605220024	9605130027	96/04/16	FOIA	
9605210128	9605210107	96/05/09	50-313	P	9605220025	9605130027	96/04/16	FOIA	
9605210141	9605210111	96/05/13	50-498	Q	9605220026	9605130027	96/04/16	FOIA	
9605210145	9605210139	96/05/15	50-528	P	9605220027	9605130027	96/04/16	FOIA	
9605210154	9605210135	96/03/14	TOPREP		9605220028	9605220020	96/05/16	50-445	F
9605210182	9605210165	96/05/10	50-528	P	9605220030	9605130027	96/04/16	FOIA	
9605210186	9605210111	96/05/13	50-498	Q	9605220032	9605130027	96/04/16	FOIA	
9605210226	9605210179	96/05/16	50-267	Y	9605220033	9605210287	96/05/07	50-245	H
9605210229	9605030234	96/04/29	50-309	R	9605220034	9605220020	96/05/16	50-445	F
9605210235	9605030234	96/04/29	50-309	R	9605220037	9605130027	96/04/16	FOIA	
9605210236	9605210233	96/05/13	50-413	P	9605220041	9605210287	96/05/07	50-245	H
9605210241	9605210233	96/05/13	50-413	P	9605220043	9605220036	96/05/16	50-324	P
9605210243	9605210111	96/05/13	50-498	Q	9605220046	9605130027	96/04/16	FOIA	
9605210245	9605210240	96/05/16	50-309	H	9605220050	9605130027	96/04/16	FOIA	
9605210249	9605210111	96/05/13	50-498	Q	9605220051	9605210287	96/05/07	50-245	H
9605210250	9605030234	96/04/29	50-309	R	9605220052	9605130027	96/04/16	FOIA	
9605210251	9605210179	96/05/16	71-786		9605220054	9605130027	96/04/16	FOIA	
9605210255	9605210240	96/05/16	50-309	H	9605220058	9605220049	96/03/25	50-272	P
9605210256	9605210246	96/05/16	50-295	P	9605220061	9605130027	96/04/16	FOIA	
9605210260	9605210240	96/05/16	50-309	H	9605220064	9605210287	96/05/07	50-245	H
9605210262	9605210002	96/05/10	40-1790		9605220065	9605220049	96/03/25	50-272	P
9605210266	9605130027	96/04/16	FOIA		9605220066	9605130027	96/04/16	FOIA	
9605210270	9605130027	96/04/16	FOIA		9605220069	9605130027	96/04/16	FOIA	
9605210271	9605210240	96/05/16	50-309	H	9605220071	9605130027	96/04/16	FOIA	
9605210288	9605210002	96/05/10	FOIA		9605220073	9605130027	96/04/16	FOIA	
9605210297	9605210293	96/05/16	50-151	P	9605220075	9605130027	96/04/16	FOIA	
9605210300	9605210293	96/05/16	50-151	P	9605220078	9605130027	96/04/16	70-310	
9605210318	9605210310	96/05/13	52-3		9605220080	9605130027	96/04/16	FOIA	
9605210320	9605210314	96/05/09	COMMISSIO	N	9605220081	9605210287	96/05/07	50-245	H
9605210324	9605210323	96/05/14	52-3		9605220082	9605130027	96/04/16	FOIA	
9605210327	9605210325	96/05/13	50-269	R	9605220083	9605130027	96/04/16	FOIA	
9605210328	9605210323	96/05/14	52-3		9605220084	9605130027	96/04/16	FOIA	
9605210329	9605210323	96/05/14	52-3		9605220086	9605130027	96/04/16	FOIA	
9605210330	9605210002	96/05/10	FOIA		9605220087	9605130027	96/04/16	FOIA	
9605210333	9605210323	96/05/14	52-3		9605220089	9605130027	96/04/16	FOIA	
9605210334	9605210325	96/05/13	50-269	R	9605220092	9605130027	96/04/16	FOIA	
9605210336	9605200061	96/05/06	40-8035		9605220094	9605130027	96/04/16	FOIA	
9605210341	9605210332	96/05/16	50-482	P	9605220095	9605130027	96/04/16	FOIA	
9605210344	9605210002	96/05/10	FOIA		9605220101	9605130027	96/04/16	FOIA	
9605210346	9605210332	96/05/16	50-482	P	9605220103	9605130027	96/04/16	FOIA	
9605210351	9605210347	96/05/15	50-341	R	9605220105	9605130027	96/04/16	FOIA	
9605210352	9605210339	96/05/16	50-255	H	9605220106	9605130027	96/04/16	FOIA	
9605210353	9605200061	96/05/06	40-8035		9605220108	9605130027	96/04/16	FOIA	
9605210355	9605210347	96/05/15	50-341	R	9605220109	9605210287	96/05/07	50-245	H

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9605220112	9605130027	96/04/16	70-310		9605220314	9605210424	96/05/17	50-416	P
9605220113	9605220111	96/05/16	50-395	P	9605220315	9605130027	96/04/16	FOIA	
9605220118	9605130027	96/04/16	FOIA		9605220316	9605130027	96/04/16	FOIA	
9605220120	9605210287	96/05/07	50-245	H	9605220319	9605130027	96/04/16	FOIA	
9605220125	9605210287	96/05/07	50-245	H	9605220320	9605130027	96/04/16	FOIA	
9605220127	9605130027	96/04/16	FOIA		9605220324	9605130027	96/04/16	FOIA	
9605220136	9605130027	96/04/16	FOIA		9605220326	9605130027	96/04/16	FOIA	
9605220138	9605220128	96/05/15	50-528	P	9605220329	9605130027	96/04/16	FOIA	
9605220143	9605130027	96/04/16	FOIA		9605220331	9605130027	96/04/16	FOIA	
9605220144	9605220134	96/05/03	50-254	R	9605220332	9605130027	96/04/16	FOIA	
9605220145	9605130027	96/04/16	FOIA		9605220333	9605130027	96/04/16	70-310	
9605220148	9605210287	96/05/07	50-245	H	9605220336	9605130027	96/04/16	FOIA	
9605220149	9605220140	96/05/20	50-364	P	9605220338	9605130027	96/04/16	71-5975	
9605220150	9605130027	96/04/16	FOIA		9605220339	9605130027	96/04/16	FOIA	
9605220152	9605220140	96/05/20	50-364	P	9605220340	9605130027	96/04/16	FOIA	
9605220153	9605220128	96/05/15	50-528	P	9605220342	9605130027	96/04/16	FOIA	
9605220156	9605130027	96/04/16	FOIA		9605220344	9605130027	96/04/16	FOIA	
9605220157	9605220134	96/05/03	50-254	R	9605220345	9605210315	96/05/14	50-18	I
9605220158	9605130027	96/04/16	FOIA		9605220352	9605130027	96/04/16	FOIA	
9605220159	9605130027	96/04/16	FOIA		9605220353	9605130027	96/04/16	FOIA	
9605220163	9605130027	96/04/16	FOIA		9605220354	9605130027	96/04/16	FOIA	
9605220166	9605130027	96/04/16	FOIA		9605220357	9605220348	96/05/15	50-247	R
9605220167	9605130027	96/04/16	FOIA		9605220359	9605130027	96/04/16	FOIA	
9605220169	9605130027	96/04/16	FOIA		9605220361	9605210315	96/05/14	50-18	I
9605220171	9605210287	96/05/07	50-245	H	9605220363	9605220348	96/05/15	50-247	R
9605220177	9605130027	96/04/16	FOIA		9605220369	9605130027	96/04/16	FOIA	
9605220178	9605130027	96/04/16	FOIA		9605220383	9605130027	96/04/16	FOIA	
9605220180	9605130027	96/04/16	FOIA		9605220390	9605220389	96/05/15	50-390	R
9605220186	9605130027	96/04/16	FOIA		9605220394	9605130027	96/04/16	FOIA	
9605220192	9605130027	96/04/16	FOIA		9605220397	9605220389	96/05/15	50-390	R
9605220193	9605130027	96/04/16	FOIA		9605220400	9605130027	96/04/16	FOIA	
9605220196	9605220182	96/05/21	50-336	P	9605220417	9605130027	96/04/16	FOIA	
9605220197	9605130027	96/04/16	FOIA		9605220436	9605220428	96/05/14	50-245	R
9605220203	9605130027	96/04/16	FOIA		9605220438	9605130027	96/04/16	FOIA	
9605220206	9605210287	96/05/07	50-245	H	9605220443	9605220428	96/05/14	50-245	R
9605220212	9605130027	96/04/16	FOIA		9605220457	9605130027	96/04/16	70-310	
9605220216	9605130027	96/04/16	70-310		9605220462	9605130027	96/04/16	FOIA	
9605220222	9605130027	96/04/16	FOIA		9605220465	9605220455	96/05/16	50-245	S
9605220228	9605210287	96/05/07	50-245	H	9605220470	9605130027	96/04/16	FOIA	
9605220232	9605130027	96/04/16	FOIA		9605220476	9605220455	96/05/16	50-245	S
9605220235	9605130027	96/04/16	FOIA		9605220477	9605130027	96/04/16	70-310	
9605220237	9605130027	96/04/16	FOIA		9605220479	9605220455	96/05/16	50-245	S
9605220238	9605210287	96/05/07	50-245	H	9605220480	9605130027	96/04/16	FOIA	
9605220239	9605130027	96/04/16	FOIA		9605220485	9605130027	96/04/16	FOIA	
9605220240	9605130027	96/04/16	FOIA		9605220494	9605130027	96/04/16	70-310	
9605220242	9605130027	96/04/16	FOIA		9605220501	9605220500	96/05/15	50-277	R
9605220243	9605210302	96/05/13	COMMISSIO	N	9605230011	9605210016	96/05/15	FOIA	
9605220245	9605130027	96/04/16	FOIA		9605230018	9605210016	96/05/15	FOIA	
9605220246	9605130027	96/04/16	FOIA		9605230037	9605230035	96/05/16	50-338	Q
9605220247	9605130027	96/04/16	FOIA		9605230045	9605230041	96/05/17	40-8907	
9605220249	9605130027	96/04/16	FOIA		9605230050	9605230048	96/05/16	50-333	P
9605220251	9605130027	96/04/16	FOIA		9605230052	9605230048	96/05/16	50-333	P
9605220252	9605130027	96/04/16	70-310		9605230061	9605230058	96/05/14	71-852	
9605220253	9605130027	96/04/16	FOIA		9605230068	9605230065	96/05/10	71-164	
9605220254	9605130027	96/04/16	FOIA		9605230093	9605230092	96/05/15	FOIA	
9605220255	9605130027	96/04/16	70-310		9605230095	9605230092	96/05/15	FOIA	
9605220256	9605130027	96/04/16	FOIA		9605230100	9605130027	96/04/16	FOIA	
9605220257	9605130027	96/04/16	FOIA		9605230103	9605130027	96/04/16	70-310	
9605220258	9605130027	96/04/16	70-310		9605230105	9605130027	96/04/16	FOIA	
9605220259	9605130027	96/04/16	FOIA		9605230108	9605130027	96/04/16	FOIA	
9605220260	9605130027	96/04/16	70-310		9605230113	9605130027	96/04/16	FOIA	
9605220261	9605130027	96/04/16	70-310		9605230122	9605130027	96/04/16	70-310	
9605220262	9605130027	96/04/16	FOIA		9605230132	9605130027	96/04/16	FOIA	
9605220263	9605130027	96/04/16	FOIA		9605230137	9605130027	96/04/16	FOIA	
9605220264	9605130027	96/04/16	FOIA		9605230138	9605230130	96/05/06	ORG	
9605220265	9605130027	96/04/16	FOIA		9605230141	9605130027	96/04/16	FOIA	
9605220266	9605130027	96/04/16	FOIA		9605230145	9605130027	96/04/16	FOIA	
9605220267	9605130027	96/04/16	70-310		9605230152	9605230148	96/05/03	QA999	
9605220268	9605130027	96/04/16	FOIA		9605230156	9605130027	96/04/16	FOIA	
9605220269	9605130027	96/04/16	70-310		9605230157	9605230148	96/05/03	QA999	
9605220270	9605130027	96/04/16	FOIA		9605230161	9605130027	96/04/16	FOIA	
9605220271	9605130027	96/04/16	FOIA		9605230163	9605130027	96/04/16	FOIA	
9605220272	9605130027	96/04/16	FOIA		9605230176	9605230171	96/03/05	PRM	
9605220273	9605130027	96/04/16	FOIA		9605230191	9605230178	96/05/22	50-270	P
9605220274	9605130027	96/04/16	FOIA		9605230196	9605230195	96/05/20	50-244	P
9605220275	9605130027	96/04/16	FOIA		9605230197	9605230195	96/05/20	50-244	P
9605220277	9605130027	96/04/16	FOIA		9605230201	9605230199	96/05/20	50-331	P
9605220280	9605130027	96/04/16	FOIA		9605230214	9605230209	96/05/22	STATE PRO	G
9605220281	9605220183	96/05/21	50-302	P	9605230215	9605230209	96/05/22	STATE PRO	G
9605220284	9605130027	96/04/16	FOIA		9605230216	9605230212	96/05/17	50-295	P
9605220286	9605220283	96/05/17	50-285	Q	9605230220	9605230219	96/05/21	50-275	Q
9605220288	9605210287	96/05/07	50-245	H	9605230226	9605230225	96/05/13	WASTE MGT	
9605220291	9605130027	96/04/16	FOIA		9605230230	9605230229	96/05/13	WASTE MGT	
9605220293	9605220285	96/05/16	50-498	Q	9605240022	9605240019	96/05/20	50-387	Q
9605220305	9605130027	96/04/16	FOIA		9605240026	9605240019	96/05/20	50-387	Q
9605220310	9605130027	96/04/16	FOIA		9605240033	9605240029	96/05/17	50-456	P
9605220312	9605130027	96/04/16	FOIA		9605240040	9605240038	96/05/16	PROJ	

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9605240060	9605230212	96/05/17	50-295 P	9605280269	9605280265	96/05/17	50-285 P
9605240062	9605230212	96/05/17	50-295 P	9605280272	9605280265	96/05/17	50-285 P
9605240068	9605240066	96/04/23	WASTE MGT	9605280280	9605280276	96/05/22	WASTE MGT
9605240074	9605240071	96/05/21	WASTE MGT	9605280282	9605280275	96/05/20	50-263 P
9605240078	9605240075	96/05/17	50-333 F	9605280287	9605280281	96/05/22	STATE PRO G
9605240081	9605240077	96/05/21	WASTE MGT	9605280298	9605280297	96/05/21	CONTRACT
9605240082	9605240075	96/05/17	50-333 F	9605280302	9605280299	96/05/22	50-344 Y
9605240086	9605230205	95/12/09	PRM	9605280303	9605280300	96/05/21	50-3 R
9605240096	9605240091	96/05/22	WASTE MGT	9605290005	9605290004	96/05/23	71-642
9605240097	9605240089	96/05/21	QA999	9605290011	9605290010	96/05/24	TOPREP
9605240108	9605240101	96/05/22	50-317 P	9605290014	9605290012	96/05/21	50-285 F
9605240109	9605240101	96/05/22	50-317 P	9605290033	9605290029	96/05/22	50-498 P
9605240110	9605240101	96/05/22	50-317 P	9605290061	9605290059	96/05/20	50-285 P
9605240111	9605240101	96/05/22	50-317 P	9605290062	9605290059	96/05/20	50-285 P
9605240115	9605240101	96/05/22	50-317 P	9605290066	9605290054	96/05/22	50-483 P
9605240119	9605240101	96/05/22	50-317 P	9605290067	9605290065	96/05/21	50-267 Q
9605240120	9605240117	96/05/12	50-454 Q	9605290075	9605290072	96/05/23	50-244 P
9605240121	9605240101	96/05/22	50-317 P	9605290079	9605290072	96/05/23	50-244 P
9605240123	9605240101	96/05/22	50-317 P	9605290082	9605290078	96/05/22	50-361 Q
9605240124	9605240101	96/05/22	50-317 P	9605290105	9605290104	96/05/20	50-255 Q
9605240129	9605240101	96/05/22	50-317 P	9605290106	9605290099	96/05/22	50-254 P
9605240134	9605240101	96/05/22	50-317 P	9605290120	9605290116	96/05/23	40-8904
9605240149	9605240148	96/05/22	40-6659	9605290123	9605290116	96/05/23	40-8904
9605240157	9605240155	96/05/21	50-348 P	9605290124	9605290117	96/05/23	50-382 Q
9605240158	9605240155	96/05/21	50-348 P	9605290129	9605290125	96/05/22	50-313 Q
9605240160	9605240154	96/05/22	50-255 H	9605290131	9605290128	96/05/21	50-341 Q
9605240173	9605240170	96/05/17	50-263 P	9605290132	9605290130	96/05/20	70-734
9605240181	9605240177	96/05/22	50-498 P	9605290133	9605290130	96/05/20	70-734
9605240182	9605240177	96/05/22	50-498 P	9605290142	9605290125	96/05/22	50-313 Q
9605240192	9605240175	96/05/21	50-324 Q	9605290147	9605290145	96/05/10	ORG
9605240208	9605240207	96/05/16	50-324 P	9605290148	9605290144	96/05/17	50-295 Q
9605240220	9605240216	96/05/22	70-734	9605290155	9605290144	96/05/17	50-295 Q
9605240221	9605240218	96/05/17	50-267 W	9605290167	9605290156	96/05/20	50-10 Q
9605240233	9605240232	96/05/16	71-600	9605290169	9605290165	96/05/21	40-*****
9605240254	9605240253	96/05/20	50-361 Q	9605290170	9605290161	96/05/16	50-315 Q
9605280019	9605280016	96/05/17	50-286 Q	9605290171	9605290156	96/05/20	50-10 Q
9605280021	9605280016	96/05/17	50-286 Q	9605290176	9605290173	96/05/24	WASTE MGT
9605280025	9605280015	96/05/15	40-*****	9605290182	9605290161	96/05/16	50-315 Q
9605280042	9605280038	96/05/21	50-416 Q	9605290186	9605290174	96/05/24	40-8681
9605280045	9605280040	96/05/21	50-321 P	9605290193	9605290189	96/05/23	50-423 P
9605280047	9605280046	96/04/09	70-135	9605290197	9605290190	96/05/14	WASTE MGT
9605280054	9605280053	96/05/22	71-711	9605290202	9605290190	96/05/14	WASTE MGT
9605280063	9605280058	96/05/22	50-249 P	9605290203	9605290199	96/05/28	XPORTLIC
9605280072	9605280066	96/05/21	70-143	9605290206	9605290201	96/05/17	WASTE MGT
9605280074	9605280058	96/05/22	50-249 P	9605290213	9605290210	96/05/16	XPORTLIC
9605280090	9605280071	96/05/16	50-220 Q	9605290216	9605290209	96/05/29	CONTRACT
9605280094	9605280076	96/05/23	70-143	9605290220	9605290212	96/05/22	WASTE MGT
9605280099	9605280095	96/05/23	50-244 P	9605290224	9605300064	96/05/14	XPORTLIC
9605280100	9605280076	96/05/23	70-143	9605290226	9605290221	96/05/29	CONTRACT
9605280117	9605280105	96/05/14	50-282 Q	9605290227	9605290215	96/05/23	50-482 Q
9605280120	9605280104	96/05/21	50-54 Q	9605290230	9605290215	96/05/23	50-482 Q
9605280121	9605280116	96/05/21	50-275 Q	9605290235	9605290012	96/05/21	50-285 F
9605280124	9605280115	96/05/20	50-352 P	9605290240	9605290238	96/05/24	XPORTLIC
9605280136	9605280133	96/05/23	50-387 Q	9605290245	9605290231	96/05/22	XPORTLIC
9605280141	9605280133	96/05/23	50-387 Q	9605300010	9605300129	96/05/17	50-244 S
9605280144	9605280142	96/05/14	50-331 Q	9605300015	9605290099	96/05/22	50-254 P
9605280153	9605280149	96/05/20	50-324 Q	9605300018	9605300016	96/05/20	71-*****
9605280159	9605280157	96/05/20	50-458 P	9605300027	9605300024	96/05/29	XPORTLIC
9605280168	9605280160	96/05/07	50-346 Q	9605300029	9605300028	96/05/13	WASTE MGT
9605280169	9605280167	96/05/21	50-328 P	9605300030	9605300026	96/05/22	70-7002
9605280175	9605280160	96/05/07	50-346 Q	9605300035	9605300023	96/02/05	71-*****
9605280184	9605280181	96/05/24	50-346 F	9605300047	9605300026	96/05/22	70-7002
9605280187	9605280179	96/05/10	50-454 Q	9605300050	9605300049	96/05/14	70-398
9605280190	9605280179	96/05/10	50-454 Q	9605300053	9605300026	96/05/22	70-7002
9605280191	9605280182	96/05/21	40-*****	9605300056	9605300055	96/05/23	50-390 Q
9605280192	9605280189	96/05/23	50-443 Q	9605300057	9605300026	96/05/22	70-7002
9605280195	9605280185	96/05/22	50-272 P	9605300058	9605300051	96/05/22	50-445 F
9605280196	9605280193	96/05/21	52-3	9605300059	9605300026	96/05/22	70-7002
9605280199	9605280193	96/05/21	52-3	9605300060	9605300026	96/05/22	70-7002
9605280200	9605280197	96/05/23	WASTE MGT	9605300061	9605300026	96/05/22	70-7002
9605280206	9605280205	96/05/23	WASTE MGT	9605300062	9605300026	96/05/22	70-7002
9605280210	9605280194	96/05/21	40-2253	9605300070	9605300051	96/05/22	50-445 F
9605280211	9605280207	96/05/23	40-8943	9605300084	9605300076	96/05/20	50-368 K
9605280212	9605280208	96/05/20	50-275 Q	9605300096	9605300083	96/05/15	50-219 P
9605280215	9605280207	96/05/23	40-8943	9605300147	9605300140	96/05/21	50-282 P
9605280217	9605280208	96/05/20	50-275 Q	9605300150	9605300140	96/05/21	50-282 P
9605280223	9605280218	96/05/22	50-293 Q	9605300153	9605300146	96/05/20	50-219 Q
9605280238	9605280229	96/01/19	50-272 P	9605300170	9605300162	96/05/21	50-528 P
9605280239	9605280236	96/05/20	50-259 P	9605300171	9605290089	96/05/23	50-445 Q
9605280240	9605280229	96/01/19	50-272 P	9605300175	9605300162	96/05/21	50-528 P
9605280245	9605280233	96/05/17	70-36	9605300187	9605300184	96/05/21	50-247 Q
9605280247	9605280242	96/05/20	50-388 P	9605300188	9605300181	96/05/10	I&E
9605280250	9605280244	96/03/22	50-346 P	9605300191	9605300184	96/05/21	50-247 Q
9605280251	9605280243	96/05/23	50-458 Q	9605300195	9605300192	96/05/23	70-143
9605280252	9605280237	96/05/14	50-456 Q	9605300205	9605300201	96/05/14	WASTE MGT
9605280256	9605280243	96/05/23	50-458 Q	9605300209	9605300201	96/05/14	WASTE MGT
9605280257	9605280244	96/03/22	50-346 P	9605300228	9605300226	96/05/28	52-1

290 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9605300230	9605300229	96/05/08	TOPREP	
9605300231	9605300229	96/05/08	TOPREP	
9605300233	9605300229	96/05/08	TOPREP	
9605310011	9605310010	96/05/29	WASTE MGT	
9605310014	9605310012	96/05/22	40-6622	
9605310015	9605310013	96/05/22	50-528	K
9605310018	9605310013	96/05/22	50-528	K
9605310023	9605310021	96/05/28	50-62	P
9605310029	9605310025	96/05/28	50-382	Q
9605310030	9605310025	96/05/28	50-382	Q
9605310036	9605310031	96/05/24	50-482	P
9605310042	9605310028	96/05/29	50-244	P
9605310047	9605310032	96/05/29	50-387	P
9605310057	9605310051	96/05/15	40-*****	
9605310063	9605310054	96/05/21	50-483	P
9605310064	9605310053	96/05/28	50-244	P
9605310065	9605310054	96/05/21	50-483	P
9605310066	9605310054	96/05/21	50-483	P
9605310069	9605310054	96/05/21	50-483	P
9605310070	9605310061	96/05/13	50-482	Q
9605310072	9605310060	96/05/24	50-237	P
9605310074	9605310060	96/05/24	50-237	P
9605310077	9605310060	96/05/24	50-237	P
9605310094	9605310083	96/05/24	50-361	Q
9605310096	9605310085	96/05/28	50-483	P
9605310099	9605310085	96/05/28	50-483	P

ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9605310100	9605310083	96/05/24	50-361	Q
9605310102	9605310087	96/05/28	50-275	P
9605310106	9605310087	96/05/28	50-275	P
9605310109	9605310103	96/05/28	WASTE MGT	
9605310115	9605310111	96/05/30	71-*****	
9605310121	9605310117	96/05/30	71-782	
9605310122	9605310119	96/05/28	50-309	H
9605310126	9605310124	96/05/30	71-6553	
9605310127	9605310125	96/05/21	WASTE MGT	
9605310130	9605310125	96/05/21	WASTE MGT	
9605310137	9605310136	96/05/13	TOPREP	
9605310138	9605310136	96/05/13	TOPREP	
9605310156	9605310153	96/05/29	40-1162	
9605310176	9605310169	96/05/29	50-361	P
9605310178	9605310169	96/05/29	50-361	P
9605310183	9605310179	96/05/30	71-438	
9605310185	9605310119	96/05/28	50-309	H
9605310191	9605310188	96/05/30	71-592	
9605310192	9605310187	96/05/30	71-6294	
9605310196	9605310195	96/05/29	71-3	
9605310199	9605310198	96/05/30	71-6574	
9605310210	9605310190	96/05/14	40-8948	
9605310240	9605310233	96/05/21	ORG	
9606060089	9605130027	96/04/16	FOIA	
9606070086	9605210440	96/05/17	50-146	P

APPENDIX A

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 27 – Low-Level Radioactive Waste Disposal Sites

The Docket 27 series contains documentation concerning the licensing of land disposal of low-level radioactive wastes. In the past, waste disposal licensees were assigned unique Docket 27 numbers. Unlike the other docket series, the first two digits of these docket numbers do not correspond to the part of 10 CFR that specifies NRC's authority for issuing these licenses and the regulations that these licensees must follow. The Docket 27 licenses were issued in accordance with Parts 30, 40, and 70 of 10 CFR in the absence of any final regulations governing the licensing of land disposal low-level radioactive wastes.

In the future, these licensing actions will be governed by 10 CFR Part 61, "Licensing Requirements for Land Disposal of Radioactive Waste." The prefix will then become Docket 61 followed by assigned numbers identifying a specific facility. Documents in these files include:

- Application for land disposal of low-level radioactive waste and supporting documents
- License and amendments
- Correspondence to and from the applicant regarding the application, license, and amendments
- Environmental report and supporting documents
- Inspection and enforcement reports and related correspondence
- Adjudicatory documents relating to proceedings before the Licensing Board and the Commission

DOCKET 30 – Byproduct Material Licenses

The Docket 30 series contains documentation on the possession or use of nuclear byproduct materials for medical, industrial, and academic purposes. **These documents are maintained in the PDR on microfiche only.**

Documents in this series include:

- Application for a license, license amendments, and license renewals or modifications to the byproduct material license and related correspondence
- Denial, revocation, and suspension of a license and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 30 – Byproduct Material Licenses (continued)

- Records related to the NRC inspection program and related correspondence
- Preliminary Notifications of Occurrences (PNOs), enforcement actions, civil penalties, and related correspondence
- Event reports, misadministration reports, and related correspondence
- Correspondence to and from local and State governments
- Adjudicatory documentation relating to proceedings before the Licensing Board and the Commission
- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties
- Periodic reports from licensees and related correspondence

DOCKET 40 – Nuclear Source Material Facilities

The Docket 40 series contains documentation concerning the domestic licensing of nuclear byproduct materials relating to source material licenses. Licenses issued in accordance with 10 CFR Part 40 cover the possession, use, and processing of ores (uranium and thorium) and possession and use of uranium and thorium in a refined form. Each license application is assigned a unique Docket 40 number.

Paper files are maintained in the PDR for only those Docket 40 licensees involved in the nuclear fuel cycle; that is, mines, mills, and research and development facilities. Material on other licensees, such as those for possession of material for medical and industrial uses, are available **on microfiche only.** Documents in these files include:

- Application for a license, license amendments and license renewals for source material license
- Source material license and license amendments
- Licensee-issued Environmental Report (ER) for those license applications that must comply with the National Environmental Policy Act (NEPA)
- NRC-issued Draft and Final Environmental Statements (DES and FES) for license applications that must comply with NEPA
- Site visits and related correspondence
- Inspection reports and related correspondence
- Environmental monitoring reports
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board and the Commission

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 40 – Nuclear Source Material Facilities (continued)

- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties

NOTE: For transcripts of Commission meetings and papers submitted for Commission consideration on a specific docket, see the 10 CFR 9.7 and SECY non-docketed files.

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants

The Docket 50 series contains documentation concerning the domestic licensing of production and utilization facilities. Licenses issued in accordance with 10 CFR Part 50 cover commercial nuclear power plants; experimental, research, and test reactors; and fuel fabrication facilities. The NRC staff assigns Docket 50 number when it considers that the application and the Preliminary Safety Analysis Report (PSAR) submitted are complete for staff review. "Pre-docketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of a facility, each Docket 50 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types.

A. Application/Construction Stage Documents and Related Correspondence

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

C. Utility Environmental Report (ER), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Impact Statements (DES and FES) Supplements, and Related Correspondence

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence

F. Security, Medical, Emergency, and Fire Protection Plans

G. Non-Antitrust Legal and Adjudicatory Correspondence

H. General Correspondence

I. Financial Information

J. Insurance and Indemnity Information

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence

M. Antitrust Reviews and Related Correspondence

N. Antitrust Transcripts, Testimony, and Briefings

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants (continued)

P. Operating License Stage Documents and Related Correspondence

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence

R. Periodic Operating Reports and Related Correspondence

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notification of Occurrences (PNOs), Preliminary Notification of Safeguard Events (PNSs), and Related Correspondence

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters

U. Executive, Congressional, and State Government Correspondence

V. Licensing of Operators and Related Correspondence

W. Decommissioning Stage Documents and Related Correspondence

X. Onsite Storage of Low-Level Waste and Related Correspondence

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence

A detailed description of each category and the documents included in the files for each category follows.

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE

Documents in this category track the application from submittal to the day preceding the issuance of an operating license. It contains all correspondence and other documents with substantive technical content that are not in other specific categories. Included are:

- Application for construction permit
- General information submitted with the construction permit application
- Amendments and changes to the application
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Early site reviews
- Correspondence and documents relating to unresolved design and construction issues
- Meeting announcements and summaries of the meetings
- Correspondence relating to the utility's Preliminary Safety Analysis Report (PSAR).

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Construction permit, amendments, related correspondence, and orders issued by the Office of Nuclear Reactor Regulation (NRR) show-cause and modification orders which do not involve the former Atomic Safety Licensing and Appeal Board
- Scheduling of license application, amendments, and reviews
- Environmental review information (other environmental documents are filed in categories C, D, P, R, or W)
- Seismic qualification review team (SQRT) reports and related correspondence
- Application for operating license
- General information submitted with the Operating License application
- Amendments and changes to the application for Operating License
- Correspondence related to the utility's Final Safety Analysis Report (FSAR) and Updated Safety Analysis Report (USAR)
- Generic and administrative communications and related documentation that may affect the subject facility and which are *not covered by a bulletin or notice*
- Safety evaluation reports (SER) issued by the NRC on specific generic issues
- Reports on site visits
- Backup technical documents (e.g., topical reports) submitted in support of the application
- Probabilistic risk assessment (PRA) and related documentation
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Documents relating to possible equipment failure and emergency instructions
- NRC's changes in internal organizational structure

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category contains the Preliminary Safety Analysis Report (PSAR) submitted by the utility (formerly called Hazards Summary report or Safety Analysis Reports) and the following related material:

DEFINITIONS OF DOCKET CATEGORIES

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS (CONTINUED)

- Amendments and changes to the PSAR
- Transmittal and acknowledgment letters
- Certificates of service to the PSAR

NOTE: All related correspondence is filed in category A.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS, AND RELATED CORRESPONDENCE

The category contains the Environmental Report (ER) submitted by the utility and the following related material:

- Amendments and supplements to the ER
- *Federal Register* notices citing the availability of the ER and amendments
- Transmittal and acknowledgment letters
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs and applicant responses
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE

This category contains Draft and Final Environmental Statements (DES and FES) prepared by NRC, and the following related material:

- Supplements to the DES and FES
- *Federal Register* notices announcing the availability of the DES, FES, and supplements
- Correspondence relating to the DES and FES

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE (CONTINUED)

- Comments from other Federal, State and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER for purposes of preparing the environmental statements
- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meeting which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE

This category contains the formal Safety Evaluation Report (SER) prepared by the NRC staff (formerly called NRC–AEC hazard analysis report) in review of PSAR, and the following related material:

- Supplements to the SER
- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER; and responses to such requests
- Meeting announcements and meeting summaries at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individually submitted by the applicant or licensee. Emergency and fire protection plans submitted as part of the licensing application are filed in this category.

- Fire hazard protection plan and surveys
- Plant evacuation correspondence
- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plan
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgment letters
- Meeting announcements and meeting summaries at which the primary subject of discussion is related to the aforementioned plans and topics

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR), and not before the licensing board, are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors

DEFINITIONS OF DOCKET CATEGORIES

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (CONTINUED)

- Board orders and decisions
- Formal petitions for Commission action
- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change-of-address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the facility, and NRC response
- Correspondence on purely administrative matters
- Letters of support, concern, or opposition to the facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational, or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by State and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (CONTINUED)

- Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. UTILITY FINAL AND UPDATED SAFETY ANALYSIS REPORTS (FSAR AND USAR) AND AMENDMENTS

This category contains the following utility documents:

- Final Safety Analysis Report (FSAR), formerly called Final Hazards Summary Report
- Updated Safety Analysis Report (USAR) periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSAR and USAR
- *Federal Register* notices announcing the availability of the FSAR and amendments
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence is filed in category A or P. Emergency and fire protection plans submitted as part of the licensing application are filed in category F.

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE

This category contains documents pertaining to the limited work authorization (LWA) whereby applicants can conduct limited site preparation and construction before the NRC grants a construction permit.

- Limited Work Authorization (LWA) and amendments

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (CONTINUED)

- Correspondence pertaining to work performed under the LWA

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE

This category contains documents submitted as part of the application for a construction permit and operating license that are entitled "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion concerns antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains verbatim transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to facility license applications
- Announcements of ACRS meetings relating to facility license applications, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to both facility license applications and safety-related matters

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (CONTINUED)

- Technical correspondence and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS non-docket file.

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical documents dated from the issuance of the operating license until the order for termination of the license. Included are:

- Operating license, amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the operating license
- Correspondence regarding the utility's Final and Updated Safety Analysis Report (FSAR and USAR)
- *Federal Register* notices announcing availability of operating license, amendments, FSAR and USAR
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., topical reports) submitted in support of the aforementioned items
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the operating license, or technical issues arising after the issuance of the operating license
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers), regulations, laws, and changes in policy that may affect plant operation or the operating license
- NRC questions, RAIs, and licensee responses
- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Correspondence relating to NRC's Systematic Evaluation Program (SEP)
- Owners' group meeting announcements and reports

DEFINITIONS OF DOCKET CATEGORIES

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Emergency core cooling system documents
- Radioactive waste information excluding onsite storage of low-level waste (filed in category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of the spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility but is *not covered by a Bulletin or Notice*
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inservice inspections, which are filled in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license and to dismantle and dispose of component parts
- Information on changes in NRC's internal organizational structure

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE

This category contains the following applicant/licensee material:

- Inspection reports
- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Circulars (discontinued in 1981) and Information Notices, and related correspondence
- Applicant/licensee determinations of the proprietary nature of inspection reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demands for Information (DFIs)
- Correspondence and orders relating to the imposition and payment of civil penalties, including Enforcement Notifications (ENs) and Significant Enforcement Actions (EAs)
- Notices of deviation and related correspondence
- Notices of enforcement conferences, meetings, and related reports
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk-based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (ITT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification Program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see non-docket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommissioning stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic personnel exposure reports
- Periodic fitness for duty performance data
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with licensing board orders)
- Operational logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence and other documents relating to the aforementioned items

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, special reports, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a Preliminary Notification of Occurrence (PNO), Preliminary Notification of Safeguards Events (PNS), and related correspondence
- Environmental technical specifications violation reports and environmental event reports

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (CONTINUED)

- Part 21 reports of defects and noncompliance
- Correspondence and other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E non-docket file.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) transcripts
- Testimony and statements submitted to ASLB and the former ASLAB
- Transcripts of Commission meeting
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in ACRS and 9.7 non-docket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches
- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (CONTINUED)

- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical items dated from the order to terminate the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling and Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning
- All documentation relating to the ongoing operation of the plant which was formerly filed in category P

DEFINITIONS OF DOCKET CATEGORIES

X. ONSITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store LLW at a commercial reactor site
- Technical reports and related correspondence

NOTE: The documents in this category will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE

This category contains material related to license applications, license, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such ISFSIs may be on a reactor site or at a separate site.)

- All related correspondence and reports to the aforementioned items

NOTE: The documents in this category will have an NMSS Docket 72 license number. For these installations on a reactor site, the associated Docket 50 number also has been referenced.

Docket 52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants

The Docket 52 series contains documentation on the domestic licensing of production facilities. Licenses issued in accordance with 10 CFR Part 52 cover preliminary and final design approval of standard designs, early site permits, and combined licenses for nuclear power plants. A Docket 52 number is assigned when the NRC considers that the application submitted is complete for staff review. "Predocketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of an application, each Docket 52 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types. These categories are similar to those used for the Docket 50 files, but have been modified to reflect the special requirements of Docket 52 applications.

DEFINITIONS OF DOCKET CATEGORIES

A. Application for Preliminary Design Approval (PDA), Final Design Approval and Design Certification (FDA/DC), Early Site Permit, Combined Construction/ Operating License (COL), and related correspondence

B. Vendor Preliminary Standard Safety Analysis Report (PSSAR–PDA stage), Utility Preliminary Safety Analysis Report (PSAR–COL stage), and Amendments

C. Severe Accident Mitigation Design Alternative (SAMDA–PDA andFDA/DC stages), Environmental Reports (ERS–Early Site Permit and COL stages), Amendments, and related correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and related correspondence (Early Site Permit and COL stages)

E. NRC Safety Evaluation Report (SER), Supplements, and related correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

F. Reliability Assurance Program (RAP), Security, Medical, Emergency and Fire Protection Plans (PDA, FDA/DC, and COL stages)

G. Non-Antitrust Legal and Adjudicatory Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

H. General Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

I. Financial Information (COL stage)

J. Insurance and Indemnity Information (COL stage)

K. Vendor Final Standard Safety Analysis Report (FSSAR–FDA/DC Stage), Utility Final Safety Analysis Report (FSAR–COL Stage), Updated Safety Analysis Report (USAR–COL Stage), and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence (COL Stage)

M. Antitrust Reviews and Related Correspondence (COL Stage)

N. Antitrust Hearing Transcripts, Testimony, and Briefings (COL Stage)

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

P. Post Combined Construction/Operating License Stage Documents and Related Correspondence (COL Stage)

Q. Inspection Reports, Civil Penalties, responses to Bulletins and Information Notices, and Related Correspondence (COL Stage)

R. Periodic Operating Reports and Related Correspondence (COL Stage)

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notification of Occurrence (PNOs), Preliminary Notification of Safeguard Events (PNSs), and Related Correspondence (COL Stage)

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters (Early Site Permit, PDA, FDA/DC, and COL Stages)

DEFINITIONS OF DOCKET CATEGORIES (CONTINUED)

U. Executive, Congressional and State Government correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

V. Licensing of Operators and Related Correspondence (COL Stage)

W. Decommissioning Stage Documents and Related Correspondence (COL Stage)

X. On-site Storage of Low-Level Waste and Related Correspondence (COL and Decommissioning Stage)

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence (COL and Decommissioning Stages)

A detailed description of each category and the documents included in each category follows.

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT, COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE

Documents in this category track the application for Preliminary Design Approval (PDA) or Final Design Approval and Design Certification (FDA/DC) to the issuance of the PDA or FDA, respectively, or the application of the early site permit until issuance of the permit. It contains all correspondence and documents with substantive technical content that are not in other specific categories. Included are:

- Application for preliminary design approval
- Application for final design approval and design certification
- Application for early site permit
- General information submitted with the application
- Amendments and changes submitted by applicants
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Meeting announcements and summaries of the meetings
- Correspondence relating to the Preliminary or Final Standard Safety Analysis Report (SSAR)
- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Preliminary Design Approval (PDA), and amendments and correspondence relating to the PDA
- Final Design Approval (FDA), and amendments and correspondence relating to the FDA
- Early site permit, amendments and related correspondence
- Scheduling documentation
- Backup technical documents (e.g., topical reports) submitted in support of the application

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT, COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE (CONTINUED)

- The design-specific Probabilistic Risk Assessment (PRA), and related documentation
- Proposed tests, analyses, and acceptance criteria and related documentation
- Design Acceptance Criteria (DAC) and related correspondence
- Documents addressing policy issues raised to the Commission via Commission papers
- Documents addressing resolution of issues for the application
- Generic and administrative communications and related documentation which may affect the subject facility and which are *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- NRC's changes in internal organizational structure

B. VENDOR PRELIMINARY STANDARD SAFETY ANALYSIS REPORT (PSSAR–PDA STAGE), UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR–COL STAGE), AND AMENDMENTS

This category contains the following documents:

- Preliminary Standard Safety Analysis Report (PSSAR) submitted by vendor
- Amendments and changes to the PSSAR
- Preliminary Safety Analysis Report (PSAR) submitted by the utility
- Amendments and changes to the PSAR
- Transmittal and acknowledgement letters

NOTE: All related correspondence is filed in category A

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA–PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (EARLY SITE PERMIT ERS- AND COL STAGES), AMENDMENTS AND RELATED CORRESPONDENCE

This category contains the following documents:

- Severe Accident Mitigation Design Alternatives Analysis (SAMDAs) required under the National Environmental Policy Act (NEPA) submitted by vendor

DEFINITIONS OF DOCKET CATEGORIES

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA–PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERS-EARLY SITE PERMIT AND COL STAGES), AMENDMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- NRC questions, RAIs, and applicant responses relating to SAMDAS analysis review
- Correspondence relating to the SAMDAS analysis review
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SAMDAS analysis
- Environmental Report (ER) submitted by utility
- Amendments and supplements to the ER
- *Federal Register* notices announcing the availability of the ER and amendments
- Transmittal and acknowledgment letters of ER
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs, and applicant responses relating to review of ER
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the ER
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES)

This category contains the Draft and Final Environmental Impact Statements (DES and FES) prepared by NRC, and supplements to the DES and FES, as well as:

- *Federal Register* notices announcing the availability of the DES and FES
- Correspondence relating to the DES and FES
- Comments from other Federal, State, and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER obtained for purposes of preparing the environmental statements

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES) (CONTINUED)

- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains the formal Safety Evaluation Report (SER) prepared by NRC in review of the early site permit application, PSSAR (PDA stage), FSSAR (FDA/DC stage), PSAR (COL stage), or FSAR (COL stage) and, Supplements to the SER, as well as:

- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER and responses to such requests
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES)

The plans in this category may be individual submissions or may be combined under the Reliability Assurance Program. These plans may be submitted during the review of the PDA, the FDA/DC, and COL applications. Included are:

- Reliability Assurance Program (RAP)
- Plant evacuation correspondence

DEFINITIONS OF DOCKET CATEGORIES

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plans
- Fire hazard protection plans and surveys
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgement letters
- Meeting announcements and summaries of meetings at which the primary subject of discussion is related to the aforementioned plans

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) and not before the Licensing Board are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) hearing related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors
- Board orders and decisions
- Formal petitions for Commission action

DEFINITIONS OF DOCKET CATEGORIES

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change of address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the site, design, or facility, and NRC responses
- Correspondence on purely administrative matters
- Letters of support, concern or opposition to the site, design, or facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by state and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION (COL STAGE)

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (COL STAGE) (CONTINUED)

- Company annual reports, auditor statements and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION (COL STAGE)

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. VENDOR FINAL STANDARD SAFETY ANALYSIS REPORT (FSSAR-FDA/DC STAGE), UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR-COL STAGE), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR-COL STAGE), AND AMENDMENTS

This category contains the following vendor and utility documents:

- Final Standard Safety Analysis Report (FSSAR) submitted by the vendor
- Final Safety Analysis Report (FSAR) submitted by the utility
- Updated Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSSAR, FSAR, and USAR
- *Federal Register* notices announcing the availability of the FSSAR and FSAR
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence falls in category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in category F.

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (COL STAGE)

This category is limited to documents pertaining to Limited work Authorization (LWA) whereby applicants can conduct limited site preparation and construction before NRC grants a combined construction/operating license.

- Limited Work Authorization (LWA) and amendments
- Correspondence pertaining to work performed under LWAs

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains documents submitted as part of the application for a combined construction/operating license entitled, "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion is antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS (COL STAGE)

This category contains verbatim transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains project-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to a PDA or FDA/DC application, early site review, or facility license application

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Announcements of ACRS meetings relating to a PDA or FDA/DC application, early site review, or facility license application, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to a PDA or FDA/DC application, early site review, facility license application, and safety-related matters
- Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgement letters relating to a PDA or FDA/DC application, early site review, or facility license application

NOTE: For generic and document-specific safety related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract and letter), see ACRS non-docket file.

P. POST-COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE (COL STAGE)

This category contains general technical documents dated from the combined construction/operating license until the order for termination of the license. Included are:

- The combined construction/operating license (COL), amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the COL
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., Topical Reports) submitted in support of the aforementioned items
- *Federal Register* notices announcing the availability of the COL, FSAR, and amendments
- Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Safety Analysis Report (USAR)
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the COL, or technical issues arising after the issuance of the COL
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers) regulations, laws, and changes in policy that may affect plant operation or bear on the COL
- NRC questions, RAIs, and licensee responses

DEFINITIONS OF DOCKET CATEGORIES

P. POST-COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE (COL STAGE) (CONTINUED)

- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Owners group meeting announcements and reports
- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Radioactive waste information, excluding onsite storage of low-level waste (filed category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility; *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, and T)
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inspections which are filed in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (Other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license, and to dismantle, and dispose of component parts
- Information on changes in NRC's internal organizational structure

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE)

This category contains the following applicant/license material:

- Inspection reports

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Information Notices, and related correspondence
- Applicant licensee determination of the proprietary nature of Inspection Reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demand for Information (DFIs)
- Correspondence and orders relating to the opposition and payment of civil penalties, including Enforcement Notification (EN) and Significant Enforcement actions (EA)
- Notices of deviation and related correspondence
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk-based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (IIT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see non-docket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommission stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic fitness for duty performance data
- Periodic personnel exposure reports
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with Licensing Board orders)
- Operational Logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence or other documents relating to the items listed

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE)

This category contains all materials relating to abnormal, unusual, reportable and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and

  follow-up correspondence (also called incident reports, abnormal occurrences, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs) and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Environmental technical specifications violation reports and environmental event reports
- Part 21 reports of defects and noncompliance
- Correspondence or other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E non-docket files.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) transcripts
- Testimony and statements submitted to ASLB
- Transcripts of Commission meetings
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of vendor or utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in the ACRS and 9.7 non-docket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned
- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical items dated from the order for terminating the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling, and the Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning

DEFINITIONS OF DOCKET CATEGORIES

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- All documentation relating to the ongoing operation of the plant formerly filed in category P

X. ON-SITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store low-level waste at a commercial reactor
- All related correspondence and reports

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 52 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to:

- License applications, license, amendments, and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)
- All related correspondence and reports to the above

NOTE: The documents in this category will have an NMSS Docket 72 number license. For these installations on a reactor site, the associated Docket 52 number also has been referenced.

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 70 – Special Nuclear Materials

The Docket 70 files contain documentation concerning the domestic licensing of special nuclear material (SNM). Each SNM license application is assigned a unique Docket 70 number. SNM licenses cover the possession and use of radioactive material, including plutonium-enriched uranium. Paper files are maintained in the PDR only for Docket 70 licensees that possess more than 350 grams of uranium-235 or 200 grams of plutonium. Material on other licensees is available on microfiche only. Documents in these files include:

- Applications for licenses, license amendments, and license renewals for Special Nuclear Material licenses
- Special Nuclear Material licenses and license amendments
- Applicant technical reports concerning the facility, including Safety Analysis Reports (SARs), Environmental Reports (ERs) and amendments
- NRC technical reports concerning the facility
- Emergency and radiological health plans
- Inspection reports and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board
- Other technical, legal, and licensing correspondence between NRC and the licensee or other interested parties

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

The Docket 71 files contain documentation concerning the design of radioactive material transport packages and quality assurance (QA) programs for designers, manufacturers, and users of such packages. Each package design and each QA program is individually assigned a unique Docket 71 number.

All NRC licensees who design, manufacture, or use radioactive material packages must comply with NRC-approved package designs and QA programs for these packages. Agreement State licensees who design, manufacture, or use radioactive material packages do not need a QA program approval, but the Department of Transportation requires that NRC approve the package design.

Agreement State licensees who wish to use their packages in States under NRC jurisdiction, or who design and manufacture packages for NRC licensees, must obtain approval for their QA programs. Documents in these files include:

- Application for QA program approval and amendments to the application
- Application for package design approval, including the Safety Analysis Report (SAR), amendments, and engineering drawings

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs (continued)

- Certificate of compliance (NRC approval) for the package design and revisions
- Approval of the QA program
- Correspondence between NRC and the designer and the manufacturer concerning particular package designs
- Requests to be registered as a user of a particular package
- Inspection reports and related correspondence

DOCKET 72 – Independent Spent Fuel Storage Installations

The Docket 72 series contains documentation concerning certification of storage casks and the licensing of independent spent fuel storage installations. These installations store reactor spent fuel and may be on a reactor site or at a separate site. Each installation is assigned a unique Docket 72 number. Documents in these files include:

- Application for license
- Safety Analysis Reports (SAR) and annual updates
- Certification of completion for vendor design of dry cask storage and related correspondence
- Licensee issued Environmental Report (ER) and amendments
- Emergency plan and amendments
- Inspection reports and related correspondence
- Reports on accidental criticality or loss of special nuclear material
- QA plan and amendments
- Correspondence relating to the physical security plan
- Decommissioning plan and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings between the NRC and the applicant

NOTE: Additional non-docketed information concerning spent fuel storage is available in the Project M non-docket file. For installations on reactor sites, see category Y in the Docket 50 or 52 series and Docket 70 for NMSS licenses.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

NON-DOCKET FILES

Materials that are not docket-specific are arranged according to the following classification scheme. The capitalized abbreviation is a shorthand description of each topic and corresponds to the way that it appears on the PDR Accession List.

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PRESS—Press Releases

PR—Proposed and Final Rules

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RC SSD—Registration of Certificates of Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

DEFINITIONS OF NONDOCKETED CATEGORIES

NON-DOCKET FILES (CONTINUED)

RM—Rulemakings

SECY—Staff Position Papers prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

10 CFR 9.7 - Commission Meeting Transcripts and Reports

This file contains documents relating to open and closed Commission Meetings.

- Sunshine Federal Register notices
- Full written explanation of closed meetings
- Certification by the General Counsel on closed meetings
- Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings
- Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with the Sunshine Act and Commission policies
- Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence
- Staff Requirements Memoranda for open meetings, memoranda of record, record of votes of Commissioners on items under consideration at meetings

ACRS - Advisory Committee on Reactor Safeguards Documents

Documents in this file pertain to safety-related areas reviewed by the ACRS. ACRS serves as an independent advisory committee to the Commission.

ACRS – Advisory Committee on Reactor Safeguards Documents (Continued)

- ACRS reports relating to safety–related matters
- Announcements of ACRS meetings relating to safety-related matters, including meeting agenda
- Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety–related matters
- Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both vendor or facility license applications and safety-related matters
- Minutes of ACRS subcommittee and full committee meetings relating to both vendor or facility license application and safety-related matters
- ACRS consultant reports, comments, and related correspondence relating to both vendor or facility license applications and safety–related matters
- Technical correspondence and memoranda to and from ACRS pertaining to safety-related matters
- General correspondence and related material about ACRS, but not prepared by ACRS or its consultants

NOTE: For docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 and 52.

ADVCM – NRC Advisory Committees

Documents in this file pertain to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards, including:

- Charters of each advisory committee
- Meeting announcements and meeting agenda
- Minutes and verbatim transcripts of committee meetings
- Committee-generated reports, memoranda, and correspondence that are publicly available
- Committee-related correspondence

DEFINITIONS OF NONDOCKETED CATEGORIES

COMMISSION – NRC Commissioner Correspondence

Documents in this file pertain to the daily conduct of Commission business in the Office of the Commission, including:

- Incoming and outgoing Commission-level correspondence relating to official NRC business, including reports and other enclosures to the aforementioned correspondence
- Travel vouchers, telephone logs, and official appointment calendars of participating Commissioners. (These are placed in the PDR at the discretion of individual Commissioners.)
- Speeches, interviews and testimony given by Commissioners at meetings, symposia, and congressional hearings
- Vote sheets
- Weekly information reports (numbered as part of the SECY series) prepared for the Commissioners by the Executive Director for Operations (EDO) summarizing key events and items of interest undertaken by individual staff and program offices

NOTE: For transcripts of Commission meetings, see nondocket File 10 CFR 9.7. For all other staff papers with the SECY-series designation prepared for Commission review, see the SECY non-docket file.

CONTRACT – NRC Contracts and Grants

Documents in this file pertain to AEC and NRC contracts, grants and interagency agreements, including:

- Notification of contracts and grants execution that specifies contract number, project title, contractor name, contract type, funding, and period of performance
- Contractual documents and modifications to contracts

DEFINITIONS OF NONDOCKETED CATEGORIES

FOIA – Freedom of Information Act Requests and Appeals

Documents in this file include requests, denials, and appeals for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA). Each is assigned a sequential identification number based on the year the request is made, for example, 95–110 refers to the 110th FOIA request made in 1995.

- Requests made under the FOIA for NRC records
- Correspondence between NRC and the requester relevant to the processing, granting, denial, and appeal of an FOIA request
- Records or portions thereof released in response to FOIA requests or made under FOIA appeals

GEN TECH IS – Generic Technical Issues

Documents in this file pertain to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR), including:

- Draft reports of action plans to accomplish generic tasks in the NRR program
- Correspondence with industry and within NRC discussing methodologies, analyses, the program, and technical aspects of issues
- Meeting notifications and minutes
- Interim findings and status reports on generic tasks addressing related aspects of generic technical issues

I&E – Inspection and Enforcement Issuances

Documents in this file include bulletins and information notices that are issued by the NRC Office of Nuclear Reactor Regulation. These issuances describe some event that has occurred at a facility and that may require some follow-up action by the licensee. Also included in this file are draft Bulletins, draft Information Notices, and draft Generic Communications (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), Enforcement Notifications (ENs) and significant Enforcement Actions (EAs).

- Circulars, that describe an event at a licensed facility and are informational in nature (these were discontinued in 1981)

I&E – Inspection and Enforcement Issuances (Continued)

- Information Notices, that are similar to Circulars but are preliminary in nature and are issued shortly after an event has occurred
- Bulletins describing an event at a licensed facility and requesting that all recipients perform certain actions as a result of that event
- Draft Bulletins and Information Notices that are being considered for issuance, and their related comments and evaluations
- Draft Generic Communications and related correspondence
- Preliminary Notification of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest
- Preliminary Notifications of Safeguard Events or Unusual
- Occurrences (PNSs), which provide early notice of events of possible safety significance
- Enforcement Notifications (ENs) and significant Enforcement Actions (EAs), which provide information on a notice of violation and proposed imposition of civil penalties

NOTE: For utility/vendor responses to such issuances and related correspondence, see categories Q and S in Dockets 50 and 52.

I&E Manual – NRC Inspection Manual

This file contains drafts, finals, revisions, *Federal Register* notices and related correspondence to the NRC Inspection Manual.

DEFINITIONS OF NONDOCKETED CATEGORIES

MISC – Public Document Miscellaneous

This file contains documents about topics not included in the scope of the other non-docketed categories.

NUREG – NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreements Reports, and Related Correspondence

This file contains formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other governmental entities, and the public which are published in the NUREG series.

- Results of licensing studies of specific plants or facilities preliminary to licensing actions
- Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry
- Action and review plans, as well as guidance, for complying with NRC requirements
- Task force reports on specific topics
- Proceedings of conferences and workshops
- Management and program analysis reports
- Statistical analyses that are of interest to the staff, the industry, and the public
- Administrative reports that are of interest to the staff, the industry, and the public
- Correspondence from industry, government, and the public commenting on NUREG series reports
- Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the NUREG reports series

NOTE: NUREG reports on plants or facilities are filed according to each plant's specific docket number.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG – Organizations

This file contains correspondence with professional organizations, government agencies, and associations with which NRC is in contact; records pertaining to specific NRC offices; and petitions not assigned Petition for Rule Making (PRM) numbers that request the Commission to take immediate action on a generic issue.

- Meeting summaries and technical correspondence between the NRC and professional associations
- Correspondence between NRC and other government agencies in which both parties have joint regulatory responsibility, e.g., EPA which has authority to control all radioactive pollutants emitted into the air
- Correspondence and technical information between NRC and Congress
- Reports, technical information, and correspondence between NRC, foreign governments and international organizations
- Internal memoranda, trip reports, and scientific papers pertaining to specific NRC offices

PRESS – Press Releases

This file contains press releases issued by the Office of Public Affairs Headquarters and Regional offices relating to the NRC's regulatory policy and programs, public hearings, and workshops. Press releases are also issued on major licensee programs, changes, proposed fines, and issues effecting the status of licenses.

PR – Proposed and Final Rules

This file contains documents of NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive, a staff proposal, or a Commission determination that sufficient grounds exist for it to proceed with a Petition for change in an NRC regulation (PRM) filed by an outside party.

- *Federal Register* notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved
- Text of the Proposed Rule (PR)

PR – Proposed and Final Rules (Continued)

- Draft and generic Proposed Rules and *Federal Register* notices
- Comments, statements, information, opinions, or arguments on the proposed change to a part of the *Code of Federal Regulations*
- Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR
- Final rules and *Federal Register* notices

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY non-docket file. For Commission review of staff recommendations, see the 10 CFR 9.7 non-docket file.

PRM – Petitions for Rulemaking

This file contains documents of petitions filed with the Commission by an outside party to issue, amend, or rescind an NRC regulation.

- Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation
- *Federal Register* notice of the filing of the petition
- Correspondence between NRC and the petitioner relevant to the status and substance of the petition
- Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM
- Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a proposed rule, see the SECY non-docket file. For Commission review of staff recommendations, see the 10 CFR 9.7 non-docket file.

DEFINITIONS OF NONDOCKETED CATEGORIES

PROJ – Projects

This file contains documents pertaining to four classes of projects: (1) commercial nuclear power plants (Docket 50) for which NRC has full review and licensing responsibilities; (2) Government-owned reactors (also Docket 50) for which NRC provides technical expertise and occasional review; (3) design certification and combined licensing (Docket 52) for which NRC has full review and licensing responsibilities; (4) monitored retrieval storage and Topical Reports for storage casks (Project M's) for which NRC has full review and licensing responsibilities. Each class is identified with a P prefix, followed by a series of numbers.

These files contain all documentation up to the time NRC considers the application and the preliminary technical reports complete for review. The project is then assigned a docket number and the file is transferred to a docket series.

- Applications submitted by the vendors or utility
- Backup technical documents and topical reports submitted in support of the application, and related correspondence
- Preliminary Safety Analysis Report (PSAR), amendments, and related correspondence (Docket 50)
- Preliminary Standard Safety Analysis Report (PSSAR), amendments, and related correspondence (Docket 52)
- Application for Preliminary and Final Design Approval and design certification (Docket 52 and Project M), and related correspondence
- Early site review information
- Meeting notices, summaries, and correspondence
- NRC's or the applicant's changes in internal organizational structure
- Reliability Assurance Program and related correspondence (Docket 52)
- Documentation and technical correspondence between NRC and other government agencies relating to the application
- Adjudicatory correspondence
- Quality Assurance documentation, notices of deviation, and related correspondence

DEFINITIONS OF NONDOCKETED CATEGORIES

PT 21 – 10 CFR Part 21 Deficiency Reports

This file contains deficiency reports submitted in compliance with Part 21 of Title 10 of the *Code of Federal Regulations.*

- Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects that could create a substantial safety hazard
- Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects
- NRC inspection reports of defects cited
- Correspondence specifying appropriate followup actions to be taken by the agency

QA 999 – Vendor Quality Assurance Inspections

This file contains inspection reports of the vendor/licensee interface from the vendor's view, the vendor's products, and the vendor's programs including equipment environmental qualification testing, and followup correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

- Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of nuclear components or in supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, the PSAR and FSAR submitted by utilities for specific facilities, and vendor QA topical reports.
- NRC inspection reports of vendor facilities that cover the design, fabrication, and testing of components for use in nuclear facilities and related correspondence
- Civil penalties notices
- Notices of deviation
- Vendor corrective actions and other followup correspondence associated with resolution of inspection findings

NOTE: For vendor/licensee inspections from the licensee's view, see category Q in Docket 50 and 52.

DEFINITIONS OF NONDOCKETED CATEGORIES

RC – Registration of Certificates of Sealed Sources and Devices

This file contains documents and related correspondence on radiation sources and device designs. Manufactures and distributors applying for registration of their products must submit for review all safety related information, design specifications, QA programs and amendments. **These documents are maintained in the PDR on microfiche only.**

REGGD – Regulatory Guides

This file contains new and revised regulatory guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

- *Federal Register* notices announcing the issuance and availability of a proposed Regulatory Guide and revisions
- Revised or newly issued regulatory guides
- Drafts of proposed regulatory guides or proposed revisions
- NRC value/impact assessment
- Comments submitted by the nuclear industry and interested members of the public regarding a proposed regulatory guide
- Summaries of meetings held in the NRC to discuss proposed regulatory guides

NOTE: Industry codes and standards cited in regulatory guides are available for reference use only in the NRC's Technical Library.

RES – Research and Technical Assistance Reports (1974 through 1988)

This file contains reports and technical letters submitted by NRC contractors providing research and technical assistance to the Commission. It also includes research information letters and conference proceedings pertaining to research activities of the Commission.

For final reports of research conducted by contractors, and for conference proceedings, see the NUREG-series non-docket file. See also the WMRES file for research reports on disposal of high-level waste.

DEFINITIONS OF NONDOCKETED CATEGORIES

REVIEW GRP – Review Groups

This file contains documents pertaining to the activities of internal and external research review groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results, possible redirection of research projects, new research projects, and priorities within the technical areas covered by the research review group.

- Agenda for quarterly review group meetings
- Summary minutes of review group meetings representing views expressed, including dissenting views
- Research plans and predicted results of major experiments and presentations by research contractors
- Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies
- Internal memoranda relating to topics under discussion
- Correspondence related to the aforementioned items

RM – Rulemakings

This file contains documents pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission, based on the importance and the magnitude of the subject being considered.

- Designation of the presiding officer and any special directions for the conduct of the hearing
- Notifications of Hearing Board meetings
- Petitions, motions, testimony, and statements submitted by parties to the hearings
- Transcripts of the proceedings
- Hearing Board orders and rulings
- Technical reports submitted as evidence in the proceedings
- Reports, if any, of the special Board to the Commission regarding the subject proceeding

DEFINITIONS OF NONDOCKETED CATEGORIES

SECY – Staff Position Papers Prepared for the Commission

This file contains staff papers (generally referred to as SECY Papers) prepared for the information or approval of the Commission. They are assigned a SECY report number.

- Policy issue papers are used to present matters relating to policy formulation
- Rulemaking issue papers are used to present rulemaking activities of the Commission
- Adjudicatory issue papers are used to present matters relating to the granting, suspending, revoking, or amending of licenses, or relating to construction permits for nuclear power plants, and activities in which the Commission has an interest
- Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provides general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication

These categories of staff papers may be issued as one of the following: (a) a Commission meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper that does not require interactive discussion among the Commissioners in a Commission meeting but by law must be voted upon by the Commissioners in the presence of each other; (c) a notation vote paper that does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a negative consent paper that contains issues which the Commission would like brought to its attention before action is taken but which does not require the formality of a Commission vote; and (e) information papers that provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports (WIR) prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence non-docket file.

SPCH – Speeches

This file contains speeches by the Chairman and Commissioners presented at National and international regulatory information conferences, industrial forums, advisory committees, symposiums, workshops, and energy policy groups.

DEFINITIONS OF NONDOCKETED CATEGORIES

STATE PR0G – State Programs

This file contains documents that pertain to the Commission's relations with State governments. Areas covered include: (1) the NRC and State Agreement and its amendments, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing, inspection procedures, and waste disposal.

- Correspondence between the NRC Office of State Programs and State officials, State liaison officers and radiation control management health officials, regarding:
  - Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance
  - NRC reviews of Agreement State radiation control programs
  - Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas
- Notices prohibiting involvement in NRC-licensed activities
- Agenda, reports, and transcripts of regional workshops
- Training programs on current matters of policy and regulations; i.e., decommissioning and radioactive waste disposal
- State legislative reports (discontinued in December 1984)
- Agreement State licensing statistics reports (discontinued in December 1984)

NOTE: For specific uranium milling and mining projects in which the NRC is providing technical assistance to States, see the Project non-docket file.

TOPREP – Topical Reports and Related Correspondence

This file contains Topical Reports, generally of a generic technical nature, submitted by vendors; and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket specific and documents generated by vendor-related owners groups are also included in this file.

- Topical reports dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers, and other vendors
- Revisions, modifications, and amendments to topical reports
- Correspondence between NRC and vendors pertaining to the review of submittals

TOPREP – Topical Reports and Related Correspondence (Continued)

- Meeting agenda, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria
- Vendor-related Owners' Group meeting announcements, agenda, summaries, reports and correspondence

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the file categories for the docket series.

WASH – AEC–Issued Formal Reports and Related Correspondence

This file contains formal reports that were issued by the U.S. Atomic Energy Commission (AEC) headquarters staff and related correspondence. The WASH reports, which consisted of administrative, scientific, and technical information, ended in 1975, but correspondence occasionally refers to WASH reports. Post–1975 NRC-issued formal reports carry the NUREG-series designation.

WM – Waste Management Documents

This file contains documents related to the activities of the NRC Division of Waste Management. Each topic has been assigned a unique number, prefixed by the letters WM. Documents in these files include:

- NRC and DOE prelicensing activities regarding the disposal of high-level waste in geologic repositories, in accordance with the Nuclear Waste Policy Act of 1982 as follows:
  - Technical high-level waste site prelicensing documentation
  - Meeting agenda, minutes and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories
  - Briefings by DOE on current research on nuclear waste management
- NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, in accordance with the Uranium Mill Tailings Radiation Control Act of 1978
- Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high–level waste standard

WM – Waste Management Documents (Continued)

- NRC topical report reviews and associated correspondence
- Correspondence from the public and other non-government organizations for the aforemention items

NOTE: For contractor research on waste management activities, see the WMRES non-docket file.

WMRES – Waste Management Contract Documents

This file contains interim and final reports and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level waste disposal in geologic repositories, including:

- Periodic contractor progress reports
- Trip reports
- Draft and final reports submitted for NRC review or information
- Correspondence between NRC staff and contractors related to technical questions or issues to be resolved

XPORTLIC – Export and Import Licenses

This file contains records relating to the issuance of licenses to export or import nuclear facilities and materials, including:

- License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials
- Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment
- Commission letters requesting Executive Branch (e.g., U.S. Department of State) views
- Review and findings of the Executive Branch on whether issuance of license would be inimical to the common defense and security of the United States

XPORTLIC – Export and Import Licenses (Continued)

- Correspondence to and from foreign governments, international organizations, and members of the public
- Hearing records and decisions
- Memoranda from the Office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission's decision on issuing a proposed license
- Licenses, license amendments, and license renewals
- Periodic report on export actions

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.7 and the SECY non-docket file.

NRC FORM 335 (2-89) NRCM 1102, 3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)

NUREG-0540
Vol. 18, No. 5

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

May 1-31, 1996

3. DATE REPORT PUBLISHED

MONTH	YEAR
July	1996

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

E. B. Morris, NRC Project Manager

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)

Unclassified

(This Report)

Unclassified

15. NUMBER OF PAGES

16. PRICE