



ORNL/TM-13336

**OAK RIDGE
NATIONAL
LABORATORY**

LOCKHEED MARTIN



**Nuclear Medicine Program Progress
Report for Quarter Ending
September 30, 1996**

RECEIVED

FEB 20 1997

OSTI

F. F. Knapp, Jr.
K. R. Ambrose
A. L. Beets
R. Boll
H. Luo
D. W. McPherson
S. Mirzadeh

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MANAGED AND OPERATED BY
LOCKHEED MARTIN ENERGY RESEARCH CORPORATION
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

ORNL-27 (3-96)

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P. O. Box 62, Oak Ridge, TN 37831; prices available from (423) 576-8401, FTS 626-8401.

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government of any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

ORNL/TM-13336

Contract No. DE-AC05-96OR22464

Health Sciences Research Division

NUCLEAR MEDICINE PROGRAM PROGRESS REPORT
FOR QUARTER ENDING September 30, 1996

F. F. Knapp, Jr.

K. R. Ambrose
A. L. Beets
R. Boll

H. Luo
D. W. McPherson
S. Mirzadeh

Work sponsored by
DOE Office of Health and
Environmental Research

Date Published—January 1997

OAK RIDGE NATIONAL LABORATORY
Oak Ridge, Tennessee 37831-6285
managed by
LOCKHEED MARTIN ENERGY RESEARCH CORPORATION
for the
U.S. DEPARTMENT OF ENERGY
under contract DE-AC05-96OR22464

Previous reports in this series:

ORNL/TM-5809
ORNL/TM-5936
ORNL/TM-6044
ORNL/TM-6181
ORNL/TM-6371
ORNL/TM-6410
ORNL/TM-6638
ORNL/TM-6639
ORNL/TM-6771
ORNL/TM-6916
ORNL/TM-6958
ORNL/TM-7072
ORNL/TM-7223
ORNL/TM-7411
ORNL/TM-7482
ORNL/TM-7605
ORNL/TM-7685
ORNL/TM-7775
ORNL/TM-7918
ORNL/TM-8123
ORNL/TM-8186
ORNL/TM-8363
ORNL/TM-8428
ORNL/TM-8533
ORNL/TM-8619
ORNL/TM-8746
ORNL/TM-8827
ORNL/TM-8966
ORNL/TM-9037
ORNL/TM-9124
ORNL/TM-9343
ORNL/TM-9394
ORNL/TM-9480
ORNL/TM-9609
ORNL/TM-9707
ORNL/TM-9784
ORNL/TM-9937
ORNL/TM-10082
ORNL/TM-10238
ORNL/TM-10294

ORNL/TM-10377
ORNL/TM-10441
ORNL/TM-10618
ORNL/TM-10711
ORNL/TM-10839
ORNL/TM-11014
ORNL/TM-11043
ORNL/TM-11145
ORNL/TM-11224
ORNL/TM-11304
ORNL/TM-11377
ORNL/TM-11427
ORNL/TM-11550
ORNL/TM-11570
ORNL/TM-11721
ORNL/TM-11755
ORNL/TM-11830
ORNL/TM-11881
ORNL/TM-11992
ORNL/TM-12054
ORNL/TM-12110
ORNL/TM-12159
ORNL/TM-12222
ORNL/TM-12312
ORNL/TM-12343
ORNL/TM-12411
ORNL/TM-12485
ORNL/TM-12661
ORNL/TM-12707
ORNL/TM-12789
ORNL/TM-12875
ORNL/TM-12909
ORNL/TM-12965
ORNL/TM-13053
ORNL/TM-13107
ORNL/TM-13150
ORNL/TM-13267
ORNL/TM-13328

CONTENTS

Summary	5
Evaluation of the Neutron Burn-Up Cross Section of Tungsten-188	6
Literature Cited	13
Other Nuclear Medicine Group Activities	14
Medical Cooperative Programs	14
Distribution of Radioisotopes By Cost Recovery Through the ORNL Isotopes Distribution Office (IDO)	14
Recent Publications	15
Meetings	15

SUMMARY

The reactor production yields of tungsten-188 produced by neutron capture by enriched tungsten-186 in the HFIR and other reactors are nearly an order of magnitude lower than expected by calculation using established cross section values. Since neutron capture of tungsten-188 may be the major factor which significantly reduces the observed yields of tungsten-188, we have evaluated the possible "burn-up" cross section of the tungsten-188 product. Tungsten-189 was produced by irradiating a radioactive target containing a known amount of ^{188}W . In order to reduce the radiation level to an acceptable level ($<20\%$ detector dead time), we chemically removed $>90\%$ of ^{188}Re , which is the decay product of ^{188}W , prior to irradiation. We were able to confirm the two predominant γ -rays in the decay of ^{189}W , 260.1 ± 1.4 and 421.5 ± 1.6 keV. By following the decay of these γ -rays in two sets of experiments, a half-life of 10.8 ± 0.3 m was obtained for ^{189}W . Based on a knowledge of the ^{188}W content of target (52.6 mBq), neutron flux of $5 \times 10^{13} \text{ n.s}^{-1}.\text{cm}^{-2}$, irradiation time of 10 min and with the assumption of 100% intensity for 260.1 and 421.5 keV γ -rays, a cross-section of 12.0 ± 2.5 b was calculated for burn-up cross-section of ^{188}W , which helps explain the greatly reduced production yields of ^{188}W .

During this period, several radioisotopes, generators and other medical radioisotopes were provided to collaborators for joint research, including tungsten-188/rhenium-188 generators which were provided to the Department of Interventional Cardiology (J. Wienberger, M.D.), Columbia University, New York, and the Department of Nuclear Medicine (J. Kropp, M.D.) at the University Hospital, Dresden, Germany. Platinum-193m was provided to the Clinic for Nuclear Medicine (S. N. Reske, M.D.), The University of Ulm, Germany, for a collaborative project focused on evaluating the kinetics of uptake into ovarian cancer cells refractive to *cis*-DDP therapy. Medical radioisotopes provided for full cost recovery through the ORNL Isotope Production and Distribution Program included a sample of tungsten-188 provided to Nordion, Inc., and high, specific activity rhenium-186 which was sold to Mallinckrodt Medical, Petten, Holland. A tungsten-188/rhenium-188 generator was provided to Altarex, Inc., Alberta, Canada.

Evaluation of the Neutron Burn-Up cross Section of Tungsten-188

There is currently widespread interest in the clinical use of rhenium-188 (^{188}Re) for various medical applications [1-2]. The convenient 16.9 hour half-life and 100% β^- emission with high-end point energy ($E_{\beta}^{\text{av}}=764 \text{ keV}$) make ^{188}Re an attractive candidate for therapeutic applications. One major advantage is the availability of carrier-free ^{188}Re from the decay of ^{188}W , ($t_{1/2}=69.4 \text{ d}$) via our alumina-based generator system [2]. The ^{188}W parent radionuclide is produced in a nuclear reactor by double neutron capture on highly-enriched ^{186}W . As we have found using the ORNL High Flux Isotope Reactor (HFIR), and others have reported [3], large-scale production yields of ^{188}W are much lower than theoretical yields by almost one order of magnitude. The cross-sections for the production of the ^{187}W intermediate radionuclide are well-known. We have found reasonable agreement between the theoretical and experimental yields of ^{187}W ($Y_{\text{theo}} / Y_{\text{exp}} = 1.5 \pm 0.3$) [3]. The thin-target production yield of ^{188}W as a function of irradiation time at a neutron flux of $2 \times 10^{15} \text{ n.s}^{-1} \cdot \text{cm}^{-2}$ (HFIR) is shown in Figure 1 [4] and the cross-section for $^{187}\text{W}[n,\gamma]^{188}\text{W}$ reaction is currently under evaluation.

The very high neutron capture cross-section ("burn-up" cross-section) of ^{188}W is another factor which could be partly responsible for the discrepancy between the experimental and theoretical yields of ^{188}W . Unfortunately, the ^{189}W radionuclide (formed by neutron capture product of ^{188}W) is only poorly known. Since the absolute intensity of the γ -ray from ^{189}W is not known, in the current studies we report a value for the lower limit of the burn-up cross-section of ^{188}W . In addition, we also describe the results of preliminary data on the decay of ^{189}W produced via the $^{188}\text{W}(69 \text{ h}, \beta^-)[n,\gamma]$ reaction. Our attempts to measure the absolute intensity of observed γ -rays were not successful mainly due to the high background from the β^- radiation of ^{187}W , which is produced by neutron capture of stable ^{186}W in the target. In addition, high background from the decay of the ^{188}Re decay product of ^{188}W also interferes with these measurements.

Prior to irradiation, the assay of radioactivity of the target precipitate and the combined supernates indicated that >95% of ^{188}Re was removed from W in the process, and the $\text{WO}_3 \cdot n\text{H}_2\text{O}$ precipitate typically contained >80% of the initial ^{188}W . After irradiation, when W targets were purified by precipitation, the chemical recovery of W was ~50%. The elapsed time between irradiation and start of counting was about 22 minutes. In two experiments, the targets were counted with no additional chemical separation, and the time period between irradiation and start of counting was about 10 minutes.




Figure 1. Thin target production yields of tungsten-188 as a function of irradiation time at a thermal neutron flux of 2×10^{15} neutrons per second per cm^2 in the ORNL HFIR (Data from Ref. [4]). Target mass = 10 μg of W (natural isotopic abundance). The solid curve represents an empirical calculation which accounts for reactor shutdown.

Table. 1. Gamma-rays Observed During Decay of ^{189}W			
From Reference [8]		This Work	
E_γ (keV)	I_γ (%)	E_γ (keV)	I_γ (%)
94 ± 5	3	- ^a	-
130 ± 2	12	130 ± 2^b	-
178 ± 2	13	- ^a	-
222 ± 8	3	- ^a	-
258 ± 3	100	260.2 ± 1.4	97
360 ± 8	10	- ^a	-
417 ± 4	96	421.5 ± 1.6	100
550 ± 10	28	545 ± 3^b	-
855 ± 15	20	- ^a	-
955 ± 20	17	975 ± 3	8

^aNot observed.

^bUncertain about assignment to ^{189}W .

The γ -spectrum of purified ^{189}W is shown in Figure 2. Only three γ -rays at 260.1 ± 1.4 , 421.5 ± 1.6 and 975 ± 3 keV can be attributed to ^{189}W . The decay of these γ -rays are shown in Figure 3. The 260.1 and 421.5 keV γ -rays have equal intensity, whereas the relative intensity of the 975 keV γ -ray is about 8% (Table 1). Two γ -rays at 130 and 545 keV were also observed only in the first two 5-min counts (Figure 2). As shown in Table 2, the weighted average of ^{189}W half-life obtained from two sets of experiments is 10.8 ± 0.3 m. The errors associated with the measured $t_{1/2}$ in each γ -ray were used as the weighing factors to obtain the weighted average. Two and half hours post irradiation, the γ -spectrum of the Re fraction showed a weak signal from 24.3-h ^{189}Re at 216.5 keV (5.5%). Due to the high background from the β^- radiation of ^{187}W and ^{188}Re , no short-lived component could be deduced from the β^- assay of the sample.

Table 2. Half-life of ^{189}W			
Exp. No.	E_γ (keV)	No. Of Points	$t_{1/2}$ (%)
A	260.2	7	9.3 ± 0.2
	421.5	3	7.2 ± 0.8
B	260.2	5	11.9 ± 0.2
	421.5	5	12.6 ± 0.3
	975	4	8.0 ± 0.9
Weighted Average:			10.8 ± 0.2^a

^aError associated with each value is taken as the weighing factor.

- A: After irradiation, the γ -spectrum taken without chemical manipulations.
 B: After irradiation, the γ -spectrum taken of purified target.

Tungsten-189 was initially identified by Flegenhimer, *et al.* [7] and produced through the $^{192}\text{Os}[n,\alpha]^{189}\text{W}$ reaction with fast neutrons (~ 14 MeV) and a half-life of 11 min was assigned to ^{189}W by following the β^- decay of a purified source of ^{189}W . Later, Kauranen and Ihochi [8], using the same reaction, produced a stronger source and assigned two predominant γ -rays at 258 and 417 keV with almost equal intensities (100 and 96%, respectively) to ^{189}W . Based on spectra taken using a NaI detector, a number of lower intensity γ -rays, ranging from 94 to 955 keV, were also assigned to ^{189}W (Table 1). These investigators reported a half-life of 11.5 ± 0.3 min for ^{189}W deduced from the decay of the observed γ -rays.

In our approach, we produced ^{189}W by irradiating a radioactive target containing a known amount of ^{188}W . In order to reduce the radiation level to an acceptable level ($<20\%$ detector dead time), we chemically removed $>90\%$ of ^{188}Re (the decay product of ^{188}W) prior to irradiation. Nevertheless, due to the formation of substantial levels of ^{187}W which is produced by neutron capture of stable ^{186}W in the target and in growth of ^{188}Re , this results in a continuous increase in the background. We could only confirm the two predominant γ -rays in the decay of ^{189}W at 260.1 ± 1.4 and 421.5 ± 1.6 keV. By following the decay of these γ -rays in two sets of experiments, a half-life of 10.8 ± 0.3 m was obtained for ^{189}W .

ORNL-DWG 96M-6984




Figure 2. Gamma-ray spectrum of ^{189}W produced by neutron irradiation of ^{188}W target.

From the list of weaker γ -rays (Table 1), we observed a line at 975 ± 3 keV which decayed with a 8.0 ± 0.9 m half-life. This line is most likely the 955 ± 20 line reported earlier [8]. We are uncertain about the assignments of 130 and 545 keV γ -rays to ^{189}W , as these lines are weak and are positioned at the lower edge of two strong signals at 134.2 (15%) and 551.6 keV (23%), both from ^{187}W , respectively. Based on a knowledge of the ^{188}W content of target (52.6 mBq), neutron flux of $5 \times 10^{13} \text{ n.s}^{-1}.\text{cm}^{-2}$, irradiation time of 10 min and with the assumption of 100% intensity for 260.1 and 420.5 keV γ -rays, a cross-section of 12.0 ± 2.5 b was calculated for the burn-up cross-section of ^{188}W .

These results are important since they help explain the discrepancy reported earlier [9,10] between the calculated and observed production yields for tungsten-188 by irradiation of tungsten-186. Even though we had developed processing methods for the complete dissolution of either enriched tungsten-186 metal or oxide targets, the production values have consistently been nearly an order of magnitude lower than those calculated. Our demonstration of the significant burn-up cross section for tungsten-188 will now provide an opportunity to further develop our computer code to iterate the expected production yields of tungsten-188 in the HFIR.




Figure 3. The decay of 260.2, 421.5, and 975 keV γ -rays following the β -decay of 10.8-m ^{189}W .

LITERATURE CITED

1. Zamora, P. O., Gulhke, S., Bender, H., Diekmann, D., Rhodes, B. A., Biersack, H.-J., and Knapp, Jr., F. F. "Experimental Radiotherapy of Receptor-positive, Human Prostate Adenocarcinoma with ^{188}Re -RC-160, A Directly-radiolabeled Somatostatin Analogue," *Int. J. Cancer*, **65**, 214 (1996).
2. Kamioki, H., Mirzadeh, S., Lambrecht, R. M., Knapp, Jr., F. F., and Dadachova, E. " ^{188}W - ^{188}Re Generator for Biomedical Applications," *Radiochimica Acta*, **65**, 39 (1994).
3. Callahan, A. P., Mirzadeh, S. and Knapp, Jr., F. F. "Large Scale Production of Tungsten-188". *Proceedings, Symposium on Radionuclide Generator Systems for Medical Applications*, Am. Chem. Soc., Washington D.C., August 24-28, 1992; *Radioactivity and Radiochemistry*, **3**, 46 (1992).
4. Mirzadeh, S. and Marsh, D. "Neutron Capture Cross-sections of ^{187}W and ^{188}W ", Unpublished.
5. Knapp, Jr., F. F., et al, *Nuclear Medicine Group Progress Report ORNL/TM-12485*, p23. September (1993).
6. Cummings, J. B., National Academy of Sciences-National Research Council, Nuclear Science Series, Report No. NAS-NS-3107 (1962).
7. Flegenhimer, J., Baro, G. B., and Viirsoo, M. "The ^{189}W - ^{189}Re Decay Chain", *Radiochim Acta*, **2**, 7 (1963).
8. Kauranen, P. and Ihochi, H. "The Decay of ^{189}W ," *J. Inorg. Nucl. Chem.*, **27**, 1451 (1964).

9. Knapp, Jr., F. F., Callahan, A. P., Beets, A. L., Mirzadeh, S., and Hsieh, B.-T. "Processing of Reactor-Produced ^{188}W for Fabrication of Clinical Scale Alumina-Based $^{188}\text{W}/^{188}\text{Re}$ Generators," *Appl. Radiat. Isot.*, **45** (12), pp. 1123-1128 (1994).
10. Knapp, Jr., F. F., Mirzadeh, S., and Beets, A. L. "Reactor Production and Processing of Therapeutic Radioisotopes for Applications in Nuclear Medicine," *J. Radioanalytical and Nucl. Chem., Articles*, **205** (1), pp. 93-100 (1996).

Other Nuclear Medicine Group Activities

Medical Cooperative Programs

During this period, several radioisotopes, generators, and other medical radioisotopes were provided to collaborators for joint research, including tungsten-188/rhenium-188 generators which were provided to the Department of Interventional Cardiology (J. Wienberger, M.D.), Columbia University, New York, and the Department of Nuclear Medicine (J. Kropp, M.D.), The University Hospital, Dresden, Germany. Platinum-193m was provided to the Clinic for Nuclear Medicine (S. N. Reske, M.D.), The University of Ulm, Germany, for a collaborative project focused on evaluating the kinetics of uptake into ovarian cancer cells refractive to *cis*-DDP therapy.

Distribution of Radioisotopes By Cost Recovery Through the ORNL Isotopes Distribution Office (IDO)

Medical radioisotopes which were provided for full cost recovery through the ORNL Isotope Production and Distribution Program included a sample of tungsten-188 provided to Nordion, Inc., and high specific activity rhenium-186 which was sold to Mallinckrodt Medical, Petten, Holland. A tungsten-188/rhenium-188 generator was provided to Altarex, Inc., Alberta, Canada.

Recent Publications

1. Lin, H., Luo, H., Mokler, F., Knapp, Jr., F. F., Beets, A. L., Ambrose, K. R., McPherson, D. W., and Kroff, J. "Effects of Configuration on the Myocardial Uptake of Radioiodinated 3(R)-BMIPP and 3(S)-BMIPP," *J. of Nucl. Med.*, *submitted*.
2. Knapp, Jr., F. F., McPherson, D. W., Luo, H., and Zeeburg, B. "Radiolabeled Ligands for Imaging the Muscarinic-Cholinergic Receptors of the Heart and Brain," *AntiCancer Research*, *submitted*.

Meetings

American Chemical Society

A Symposium entitled, "*Radiochemistry and Radioimmunotherapy*" was recently organized by S. Mirzadeh, F. F. (Russ) Knapp, Jr., and S. J. Kennel in association with the *Biannual Meeting of the American Chemical Society*, Orlando, Florida, August 25-28, 1996. Twenty-four technical papers were organized in three scientific sessions. The "*Proceedings*" of this Symposium will be published in a special issue of *Radiochimica Acta*.

1. Alberto, R., Schibli, R., Egli, A., Schubiger, P. A., and Knapp, Jr., F. F. "Potential of the Organometallic "[M(CO)₃]"⁺ (M = Re, Tc) Fragment for the Labeling of Proteins and Small Molecules."
2. Kennel, S. J. and Mirzadeh, S. "Vascular Targeting for Radioimmunotherapy with Bismuth-213."
3. Mirzadeh, S. and Kennel, S. J. "Optimizations of Radiolabeling of Immunoproteins with Bismuth-213."
4. Verdera, E. S., Gaudiano, J., Leon, A., Martinez, G., Robles, A., Savio, E., Leon, E., McPherson, D. W., and Knapp, Jr., F. F. "Rhenium-188 HEDP - Kit Formulation /Quality Control."
5. Zamora, P. O., Gohlke, S., Rhodes, B. A., Marek, M. J., Bender, H., Biersack, H.-J., and Knapp, Jr., F. F. "Radiotherapy Using Re-188-Labeled RC-160 peptide."

Participation in Bone Pain Palliation Symposium

Members of the ORNL Nuclear Medicine Program were invited to present two talks at the recent "Symposium for Radionuclides Used in Bone Pain Palliation Therapy," held under the auspices of the Council on Ionizing Radiation Measurements and Standards (CIRMS), at the National Institute for Standards and Technology (NIST), Gaithersburg, Maryland, September 27, 1996. The "Proceedings" of this Symposium will also be published in a special publication.

1. Mirzadeh, S. "Generator-Produced Alpha-Emitting Radioisotopes."
2. Knapp, Jr., F. F. "Reactor-Produced Radionuclides from the ORNL-HFIR for Treatment of Bone Pain."

Participation in International Congress

D. W. McPherson and F. F. (Russ) Knapp, Jr., participated in the *European Association of Nuclear Medicine (EANM) Congress*, held in Copenhagen, Denmark, September 14-18, 1996. Following the Congress, they also participated in the "Post Congress" Symposium on "Radiolabeled Peptides," Oslo, Norway, September 19-20. Following the EANM Congress, F. F. Knapp also visited the Nuclear Medicine Department at the University of Bonn, Germany, to coordinate ongoing collaborative studies and to participate in a Breast Cancer Symposium. He also visited Mallinckrodt Medical, Petten, Holland, and presented a seminar on the development and clinical applications of the ORNL tungsten-188/rhenium-188 generator, and to discuss the commercial availability of medical radioisotopes from ORNL.

1. Bergstrom, K. A., Halldin, C., Hall, H., Hiltunen, J., Ito, H., Ginovart, N., Swahn, C.-G., McPherson, D. W., Knapp, F. F., Jr., Larsson, S., Schnell, P. O. and Farde, L., "In Vitro Characterization and In Vivo Metabolic Studies with I-125 and I-131 Labeled E-(-,-)-IQNP: A New Radioligand for Visualization of M₁ Muscarinic Acetylcholine Receptor in Brain."

INTERNAL DISTRIBUTION

- | | | | |
|-------|------------------|--------|--------------------------|
| 1. | C. W. Alexander | 15. | D. E. Reichle |
| 2. | A. L. Beets | 16. | P. S. Rohwer |
| 3. | B. A. Berven | 17. | R. E. Swaja |
| 4. | R. Boll | 18. | S. J. Wolfe |
| 5. | E. D. Collins | 19-21. | Central Research Library |
| 6. | K. F. Eckerman | 22. | Document Record Section |
| 7-10. | F. F. Knapp, Jr. | 23-25. | Laboratory Records Dept |
| 11. | H. Luo | 26. | Lab Records, ORNL - RC |
| 12. | D. W. McPherson | 27. | ORNL Patent Section |
| 13. | S. Mirzadeh | | |
| 14. | B. Patton | | |

EXTERNAL DISTRIBUTION

28. K. Ambrose, 1220 Timbergrove Drive, Knoxville, TN 37919
29. H. L. Atkins, M.D., Radiology Dept., State Univ. of New York, Stony Brook, NY 11794-8460
30. H-J. Biersack, M.D., Director, Klinik fuer Nuklear Medizin, Der Universitaet Bonn, Sigmund Freud Strasse 25, 53127, Bonn 1, Germany
31. P. J. Blower, Kent and Canterbury Hospital, NHS Trust, Ethelbert Road, Canterbury, England CT1 3NG
32. A. Bockisch, Ph.D., M.D., Klinik und Poliklinik fuer Nuklearmedizin, Hufelanderstrasse 55, D-45122, Essen, Germany
33. C. Brihaye, Centre de Recherches du Cyclotron, Universite de Liege, Belgium
34. A. B. Brill, M.D., Ph.D., Dept. of Nuclear Medicine, Univ. of Massachusetts Medical Center, 55 Lake Avenue North, Worcester, MA 01655
35. T. F. Budinger, M.D., MS 55/121, Lawrence Berkeley Laboratory, 1 Cyclotron Road, Berkeley, CA 94720
36. A. P. Callahan, 534 Colonial Drive, Harriman, TN 37748
37. J. S. Carty, Isotope Production and Distribution Program, U.S. Department of Energy, NE-46, GTN, Room B-419, Washington, DC 20585-1290
38. D. Cole, Medical Applications and Biophysical Research Division, ER-73, Department of Energy, GTN, Washington, DC 20585-1290
39. B. Coursey, National Institute for Standards and Technology, Building 245, RM C214 Gaithersburg, MD 20899
40. J. G. Davis, M.D., Medical and Health Sciences Division, ORAU, Oak Ridge, TN 37831
41. R. F. Dannals, Division of Nuclear Medicine, Johns Hopkins Medical Institutions, Baltimore, MD 21205-2179
42. S.J. DeNardo, M.D., University of California, Davis Medical Center, 4301-X Street, FOCB II-E Sacramento, CA 95817
43. R. Dudczak, M.D., Dept. Nuclear Medicine, I. Medizinische Universitätsklinik, A-1090 Wien, Lazarettgasse 14, Vienna, Austria

44. G. Ehrhardt, Missouri University Research Reactor, University of Missouri, Research Park, Columbia, MO 65211
45. D. R. Elmaleh, Physics Research Dept., Massachusetts General Hospital, Boston, MA 02114
46. L. Feinendegen, Medical Department, Brookhaven National Laboratory, Upton, NY 11973
47. J. Fowler, Chemistry Department, Brookhaven National Laboratory, Upton, NY 11973
48. A. Fritzberg, NeoRx Corporation, 410 West Harrison, Seattle, WA 98119
49. D. M. Goldenberg, M.D., Center of Molecular Medicine and Immunology, 1 Bruce Street, Newark, NJ 07103
50. G. Goldstein, DOE-OHER, Washington, DC 20585
51. M. M. Goodman, Emory Center for Positron Emission Tomography, 1364 Clifton Road, N.E., Atlanta, Georgia 30322
52. G. Griffiths, Immunomedics, Inc., 300 American Rd, Morris Plains, NJ 07950
53. S. Guhlke, Klinik fuer Nuklear Medizin, Der Universitaet Bonn, Sigmund Freud Strasse 25, 53127, Bonn 1, Germany
54. J. Hiltunen, Managing Director, MAP Medical Technologies, Inc., Elementitie 27, SF-41160 Tikkakoski, Finland
55. R. Holmes, M.D., Director, Research & Development, DuPont Merck Pharmaceutical Company, 331 Treble Cove Rd., North Billerica, MA 01862
56. Bor-Tsung Hsieh, Ph.D., Institute of Nuclear Energy Research, (INER) Lung-Tan, Taiwan, Republic of China
57. K. Hubner, M.D., Department of Radiology, UT Memorial Hospital, Knoxville, TN 37920
58. J. M. R. Hutchinson, Ph.D., U. S. Dept. of Commerce, National Institute of Standards and Technology, Gaithersburg, MD 20899-0001
59. B. Johannsen, Ph.D., Forschungszentrum Rossendorf e.V. Postfach 51 01 19, D-01314 Dresden, Federal Republic of Germany
60. A. Jones, HMS Radiology Dept., Shields Warren Radiation Laboratory, 50 Binney Street, Boston, MA 02115
61. G. W. Kabalka, Chemistry Department, University of Tennessee, Knoxville, TN 37996-1600
62. G. Kirsch, Department of Chemistry, Universite de Metz, Metz, France
63. J. Kropp, M.D., Klinik fur Nuklearmedizin, der Medizinischen Akademie, Fetscher - Str. 74, 01307 Dresden, Germany
64. R. A. Kuznetsov, Rostislav A. Kuznetsov, Laboratory of Radiochemical Processing, State Scientific Centre of Russia, Division of Radionuclide Sources and Preparations, Dimitrovgard-10, Ulyanovsk Region, 433510 Russia
65. R. Lambrecht, Ph.D. Pet-Zentrum des Universitaetsklinikum, Eberhard-Karls-Universitaet Tuebingen, 15 Roentgenweg, Tuebingen 72076, Germany
66. S. Larson, M.D., Sloan-Kettering Inst. for Cancer Research, New York, NY 10021
67. Q. Lin, Ph.D., Chemistry Department, Xavier University, New Orleans, Louisiana
68. E. C. Lisic, Ph.D., Department of Chemistry, Tennessee Technological University, Cookeville, TN 38505
69. J. Lister-James, Ph.D., Director, Research Administration, Diatech, Inc., 9 Delta Drive, Londonderry, NH 03053
70. O. Lowe, Isotope Production and Distribution Program, U.S. Department of Energy, NE-46, GTN, Room B-419, Washington, DC 20585-1290
71. G. Limouris, Nuclear Medicine Department, Areteion University Hospital, Athens Medical School, Athens, Greece

72. D. J. Maddalena, FRACI, Department of Pharmacology, Sydney University, NSW 2006, Sydney, Australia
73. John Maddox, 4608 Flower Valley Drive, Rockville, MD 20853-1733
74. H.-J. Machulla, Eberhard-Karls-Universität Tübingen, Radiologische Universitätsklinik, Pet-Zentrum, Röntgenweg 11, 7400 Tübingen, Germany
75. Frederick J. Manning, National Academy of Sciences, Institute of Medicine, 2101 Constitution Ave., M.W., Washington, DC 20418
76. Office of Assistant Manager for Energy Research and Development DOE-ORO, Oak Ridge, TN 37831
77. G. Notohamiprodjo, M.D., Ph.D., Institute of Nuclear Medicine, Heart Center North Rhine-Westphalia, Bad Oeynhansen, D-4970, Germany
78. C. L. Partain, M.D., Professor and Vice Chairman, Dept. Radiology and Radiological Sciences, Vanderbilt University Medical Center, Nashville, TN 37232
79. R.C. Reba, Dept. of Radiology, 5841 S. Maryland Ave., MC 2026, Chicago, IL 60637
80. S. N. Reske, M.D., Klinik für Nuklearmedizin, Ärztlicher Direktor der Nuklearmedizin, Klinikum der Universität Ulm Oberer Eselsberg, D-7900, Ulm, Germany
81. M. P. Sandler, M.D., Chief, Nuclear Medicine Section, Vanderbilt University Medical Center, Nashville, TN 37232
82. R. E. Schenter, HO-37, Westinghouse Hanford Co., P.O. Box 1970, Richland, WA 99352
83. A. Serafini, Nuclear Medicine Division (D-57), University of Miami School of Medicine, P. O. Box 016960, Miami, FL 33101
84. S. K. Shukla, Prof., Servizio Di Medicina Nucleare, Ospedale S. Eugenio, Pizzale Umanesimo, 10, Rome, Italy
85. S. Smith, Biomedicine & Health Program, Australian Nuclear Sci. & Tech. Org., Lucas Heights Research Laboratories, Private Mail Bag 1, Menai NSW 2234, Australia
86. A. Solomon, M.D., UT MRCH, 1924 Alcoa Highway, Knoxville, TN 37920-6999
87. P. Som, DVM, Medical Department, BNL, Upton, NY 11973
88. P. C. Srivastava, DOE-OHER, Washington, DC 20585
89. S. C. Srivastava, Bldg. 801, Medical Dept., BNL, Upton, NY 11973
90. G. Strathearn, Isotope Products Laboratories, Inc., 3017 N. San Fernando Blvd., Burbank, CA 91504
- 91-92. Office of Scientific and Technical Information, DOE, Oak Ridge, TN 37831
93. E. A. van Royen, M.D., Ph.D., Head, Department of Nuclear Medicine, Academic Medical Center, University of Amsterdam, Meibergdreef 9, 1105 AZ Amsterdam ZO, The Netherlands
94. F. C. Visser, M.D., Cardiology Dept., Free University Hospital, De Boelelaan 117, Amsterdam, The Netherlands
95. H. N. Wagner, Jr., M.D., Division of Nuclear Medicine, Johns Hopkins Medical Institutions, 615 N. Wolfe Street, Baltimore, MD 21205-2179
96. R. Wolfangel, Mallinckrodt, Inc., 675 McDonnell Blvd., P.O. Box 5840, St. Louis, MO 63134
97. J.-I. Wu, Ph.D., Senior Research Representative, Nihon Medi-Physics Co., Ltd., 2200 Powell Street, Suite 765, Emeryville, CA 94608
98. S. Wynchank, Research Institute for Medical Biophysics (RIMB), Republic of South Africa
99. Y. Yonekura, M.D., Fukui Medical School, 23 Shimoaizuki, Matsuoka, Fukui 910-11, Japan