



Environmental Assessment

Closure of the Waste Calcining Facility (CPP-633), Idaho National Engineering Laboratory



RECEIVED
AUG 22 1996
OSTI



DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED


ph

MASTER

Idaho National Engineering Laboratory

U.S. Department of Energy • Idaho Operations Office






DISCLAIMER

**Portions of this document may be illegible
in electronic image products. Images are
produced from the best available original
document.**



DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.



**U. S. DEPARTMENT OF ENERGY
FINDING OF NO SIGNIFICANT IMPACT FOR THE
CLOSURE OF THE WASTE CALCINING FACILITY
AT THE IDAHO NATIONAL ENGINEERING LABORATORY**

Agency: U. S. Department of Energy (DOE)

Action: Finding of No Significant Impact

SUMMARY: The DOE-Idaho Operations Office has prepared an environmental assessment (EA) to analyze the environmental impacts of closing the Waste Calcining Facility (WCF) at the Idaho National Engineering Laboratory (INEL). The purpose of the action is to reduce the risk of radioactive exposure and release of radioactive and hazardous constituents and eliminate the need for extensive long-term surveillance and maintenance. DOE has determined that the closure is needed to reduce the risks to human health and the environment and to comply with Resource Conservation and Recovery Act requirements.

The WCF closure project is described in the DOE Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs Final Environmental Impact Statement (FEIS). DOE determined in the FEIS Record of Decision (ROD) that certain actions will be implemented and other actions deferred. The ROD states, for the WCF that "Implementation decisions will be made in the future pending further project definition, funding priorities and any further review under the Comprehensive Environmental Response Compensation and Liability Act, or the National Environmental Policy Act." In accordance with 40 CFR Part 1502.2, the WCF EA tiers from the FEIS. This EA was prepared to provide the further National Environmental Policy Act (NEPA) review identified in the ROD and to address the site specific environmental impacts of the WCF Closure Project.

The EA examined the potential environmental impacts of the proposed action and evaluated reasonable alternatives, including the no action alternative in accordance with the Council on Environmental Quality Regulations (40 CFR Parts 1500-1508). Based on the analysis in the EA, the impacts of the action will not have a significant effect on the human environment within the meaning of NEPA and 40 CFR Parts 1508.18 and 1508.27.

Selected Action: The selected action includes filling the below-grade vessels and operating compartments of the WCF with grout to prevent future subsidence and maintain the integrity of the closure cap, disconnecting and/or blocking all lines in or out of the WCF to prevent moisture from entering the building, dismantling the superstructure and covering the encased process equipment and rubble with a concrete cap to minimize future infiltration of water. The action is described in detail in Section 2.1 of the EA.

Schedule: Closure activities will begin in Fiscal Year 1996 and continue for three years. The Comprehensive Facility and Land Use Plan states that the INEL boundaries are expected to remain unchanged for up to 100 years. Planned post-closure activities such as monitoring and inspections will continue for 30 years, and could be shortened or lengthened by the Director of the Idaho Department of Health and Welfare.

SUMMARY OF IMPACTS: The following is a summary of the impacts evaluated in the EA at the referenced pages and presented in relation to the significance criteria described in 40 CFR 1508.27.

1) Beneficial and adverse impacts [40 CFR 1508.27 (b)(1)]:

- Portions of the WCF are interim status hazardous waste units. Analysis indicates that it is impractical to remove all of the waste residues and contaminated equipment and associated structures from the WCF. Therefore, the WCF will be closed in accordance with the closure and post closure requirements that apply to hazardous waste landfills (40 CFR 265.197 and 265.310) (Section 2.1.1, *Closure Activities*, p. 7).
- There are no significant adverse impacts associated with:
 - ▶ Closure or post-closure activities (Section 4.1, *Alternative 1 (Proposed): Closure-In-Place*, p. 17);
 - ▶ Radioactive emissions and radiation exposure (Section 4.1.1, *Air Emissions*, p. 17);
 - ▶ Generation of radioactive and nonradioactive wastes (Section 4.1.9, *Waste Management*, p. 23).

2) Public health and safety [40 CFR 1508.27 (b)(2)]:

- Public exposure to radiation will be below levels known to cause adverse health effects (Section 4.1.8, *Health Effects*, p. 22).
- The highest risk of a cancer fatality in the public resulting from activities associated with the selected action is less than the National Oil and Hazardous Substance Pollution Contingency Plan target risk range of 1×10^{-4} to 1×10^{-6} (Section 4.1.8, *Health Effects*, p. 22).
- The annual dose to individual workers is not expected to exceed 1.5 rem/year, a Lockheed Martin Idaho Technologies Company (LMITCO) administrative limit (Section 4.1.8, *Health Effects*, p. 22).

3) Unique characteristics of the geographical area [40 CFR 1508.27 (b)(3)]:

- No unique characteristics of the geographical area will be impacted by the selected action (Section 4.1.2, *Geology*, p. 19; Section 4.1.3, *Surface Water*, p. 19; Section 4.1.4, *Groundwater*, p. 19; Section 4.1.5, *Biological Resources*, p. 21; Section 4.1.6, *Cultural Resources*, p. 21; and Section 4.1.7, *Land Use and Visual Resources*, p. 21).

4) Degree to which effects on the quality of the human environment are likely to become highly controversial [40 CFR 1508.27 (b)(4)]:

- The project will result in no significant adverse effects on the quality of the human environment based on accepted methods of evaluation.

5) Uncertain or unknown risks to the human environment [40 CFR 1508.27 (b)(5)]:

- No unique, uncertain, or unknown risks or effects to the human environment will result from the operational or cumulative impacts associated with the project.

6) *Precedent for future actions* [40 CFR 1508.27 (b)(6)]:

- The In-Place Closure of the WCF, while a unique approach, does not set a precedent for future actions or automatically trigger closure of other facilities in a like manner. In addition, other actions can proceed without the closure of the WCF. Therefore, the closure of the WCF is an "unconnected" action that does not foreclose alternatives for future INEL facility closures.

7) *Cumulatively significant impacts* [40 CFR 1508.27 (b)(7)]:

- There are no significant cumulative impacts associated with the project (Section 4.1.10, *Cumulative Impacts*, p. 23).

8) *Effect on cultural or historical resources* [40 CFR 1508.27 (b)(8)]:

- No cultural resources are anticipated to be impacted (p. 21). The WCF is potentially eligible for listing on the National Register of Historic Places. However, DOE will complete consultation as required by Section 106 of the National Historic Preservation Act before commencement of any activities associated with the selected action (Section 4.1.6, *Cultural Resources*, p. 21 and Section 6, *Coordination and Consultation*, p. 37).

9) *Effects on threatened or endangered species or critical habitat* [40 CFR 1508.27 (b)(9)]:

- No threatened or endangered species or critical habitat will be affected by the action (Section 4.1.5, *Biological Resources*, p. 21 and Section 6, *Coordination and Consultation*, p. 37).

10) *Violation of Federal, State, or Local law* [40 CFR 1508.27 (b)(10)]:

- The project will not violate any federal, state, or local law (Section 5, *Permit and Regulatory Requirements*, p. 35).

DETERMINATION: Based on analysis presented in the attached EA, I have determined that this project does not constitute a major Federal action significantly affecting the quality of the human environment. Therefore, preparation of an environmental impact statement is not required and I am issuing this finding of no significant impact.


INFORMATION: Copies of the EA and FEIS are available from: Brad Bugger, Office of Communications, MS-1214, Idaho Operations Office, U. S. Department of Energy, 850 Energy Drive, Idaho Falls, Idaho, 83403-3189, or by calling (208) 526-0833 or the toll-free INEL citizen inquiry line (800) 708-2680.

For further information on DOE's NEPA process contact: Roger Twitchell, NEPA Compliance Officer, MS-1216, U. S. Department of Energy, 850 Energy Drive, Idaho Falls, Idaho, 83403-3189, (208) 526-0776.

Issued at Idaho Falls, Idaho on this 15th day of July, 1996.



J. M. Wilcynski
Manager, Idaho Operations Office




Environmental Assessment

Closure of the Waste Calcining Facility (CPP-633), Idaho National Engineering Laboratory

Published July 1996

Prepared for the
U. S. Department of Energy
DOE Idaho Operations Office



HELPFUL INFORMATION FOR THE GENERAL READER

Scientific Notation

Scientific notation is used to express numbers that are very small or very large. A very small number will be expressed with a negative exponent, such as 1.3×10^{-6} . To convert this number to the more commonly used form, the decimal point must be moved left by the number of places equal to the exponent, in this case 6. The number thus becomes 0.0000013. For large numbers, those with a positive exponent, the decimal point is moved to the right by the number of places equal to the exponent. The number 1,000,000 can be written as 1.0×10^6 . English units are used in this document with conversion to metric units provided below.

Units

cm	centimeter(s)	m^3	cubic meter(s)
Ci	curie	mi.	mile(s)
ft	foot (feet)	$mi.^2$	square mile(s)
ft^2	square foot (feet)	mo.	month(s)
ft^3	cubic foot (feet)	mrem	millirem(s) (1/1000th of a rem)
in.	inch(es)	pCi	picocuries (10^{-12})
km	kilometer(s)	rem	roentgen equivalent man (measure of radiation exposure)
km^2	square kilometer(s)	R	Roentgen
m	meter(s)	yr.	year(s)
m^2	square meter(s)		

Conversions

Metric to English

To Convert	Multiply By	To Obtain
cubic meters	3.531×10^1	cubic feet
cubic meters	1.308	cubic yards
liters	2.64×10^{-1}	gallons
kilograms	2.205	pounds
kilometers	6.214×10^{-1}	miles
meters	3.28084	feet
meters	1.093613	yards
square km	3.861×10^{-1}	square mi.
square meters	1.196	square yards
kilograms	1.1×10^{-3}	tons

English to Metric

To Convert	Multiply By	To Obtain
cubic feet	2.8×10^{-2}	cubic meters
cubic yards	7.646×10^{-1}	cubic meters
gallons	3.785	liters
pounds	4.54×10^{-1}	kilograms
miles	1.609334	kilometers
feet	3.048×10^{-1}	meters
yards	9.144×10^{-1}	meters
square mi.	2.590	square km
square yards	8.361×10^{-1}	square meters
tons	9.07185×10^2	kilograms

Units of Radioactivity, Radiation Exposure and Dose

The basic unit of radioactivity used in this report is the curie (Ci). The curie is based on the radionuclide Radium-226, of which one gram decays at the rate of 37 billion disintegrations per second. For any other radionuclide, one curie is the amount of that radionuclide that decays at this rate.

Radiation exposure is expressed as Roentgen (R), the amount of ionization produced by gamma radiation in air. Dose is given in units of "Roentgen equivalent man" or rem, that takes into account the effect of radiation on tissues.

Source of Radiation

Every person living in the United States, or the world, is exposed to sources of ionizing radiation--radiant energy that produces ions as it passes through cells. Three general types of radiation sources are: those of natural origin unaffected by human activities, those of natural origin but enhanced by human activities and those produced by human activities.

The first group includes terrestrial radiation from natural radiation sources in the ground, cosmic radiation from outer space and radiation from radionuclides naturally present in the body. Exposures to natural sources may vary depending upon the geographical location and even the altitude at which a person resides. When such exposures are much higher than the average, they are considered elevated.

The second group includes a variety of natural sources from which the radiation has been increased by human actions. For example, radon exposures in a given home may be elevated because of natural radionuclides in the soil and rock on which the house is built; however, the radon exposures of occupants may be enhanced by characteristics of the home, such as extensive insulation. Another example is the increased exposure to cosmic radiation that airplane passengers receive when traveling at high altitudes.

The third group includes a variety of exposures from materials and devices such as medical x-rays, radiopharmaceuticals used to diagnose and treat disease and consumer products containing minute quantities of radioactive materials. Exposures may also result from radioactive fallout from nuclear weapons testing, accidents at nuclear power plants and other episodic events caused by human activity in the nuclear industry. Except for major nuclear accidents, such as the one that occurred at Chernobyl, exposure to workers and members of the public from activities at nuclear industries is very small compared with exposures from natural sources^a.

^a Paraphrased from National Council on Radiation Protection and Measurements, *Ionizing Radiation Exposure of the Populations of the United States*, NCRP Report No. 93, September 1, 1987, p. 1.

CONTENT

HELPFUL INFORMATION FOR THE GENERAL READER	iii
ACRONYMS AND ABBREVIATIONS	ix
1. INTRODUCTION	1
1.1 Purpose and Need	1
1.2 Background	2
2. DESCRIPTION OF ALTERNATIVES	7
2.1 Alternative 1 (Proposed): Closure-In-Place	7
2.1.1 Closure Activities	7
2.1.2 Post-Closure Activities	9
2.1.3 Waste Management	9
2.2 Alternative 2: Closure-By-Removal	10
2.3 Alternative 3: No Action	11
3. AFFECTED ENVIRONMENT	13
4. ENVIRONMENTAL CONSEQUENCES	17
4.1 Alternative 1 (Proposed): Closure-In-Place	17
4.1.1 Air Emissions	17
4.1.2 Geology	19
4.1.3 Surface Water	19
4.1.4 Groundwater	19
4.1.5 Biological Resources	21
4.1.6 Cultural Resources	21
4.1.7 Land Use and Visual Resources	21
4.1.8 Health Effects	22
4.1.9 Waste Management	23
4.1.10 Cumulative Impacts	23
4.2 Alternative 2: Closure-By-Removal	25
4.2.1 Air Emissions	25
4.2.2 Geology and Water Resources	26
4.2.3 Biological Resources	26
4.2.4 Cultural Resources	26
4.2.5 Land Use and Visual Resources	27
4.2.6 Health Effects	27
4.2.7 Waste Management	27
4.3 Alternative 3: No Action	28
4.4 Comparison of Mitigative Measures and Environmental Impacts	29

RI/FS	Remedial Investigation / Feasibility Study
ROD	Record of Decision
R	Roentgen
rem	Roentgen equivalent man
SHPO	State Historic Preservation Officer
SWPPP	Storm Water Pollution Prevention Plan
T&E	threatened and endangered
WCF	Waste Calcining Facility

Environmental Assessment

Closure of the Waste Calcining Facility (CPP-633), Idaho National Engineering Laboratory

1. INTRODUCTION

1.1 Purpose and Need

The U. S. Department of Energy (DOE) proposes to close the Waste Calcining Facility (WCF). The WCF is a surplus DOE facility located at the Idaho Chemical Processing Plant (ICPP) on the Idaho National Engineering Laboratory (INEL) (Figure 1). Six facility components in the WCF have been identified as Resource Conservation and Recovery Act^b (RCRA)-units in the INEL RCRA Part A application. The WCF is an interim status facility. Consequently, the proposed WCF closure must comply with Idaho Rules and Standards for Hazardous Waste contained in the Idaho Administrative Procedures Act (IDAPA) Section 16.01.05. These state regulations, in addition to prescribing other requirements, incorporate by reference the federal regulations, found at 40 CFR Part 265, that prescribe the requirements for facilities granted interim status pursuant to the RCRA. The purpose of the proposed action is to reduce the risk of radioactive exposure and release of hazardous constituents and eliminate the need for extensive long-term surveillance and maintenance. DOE has determined that the closure is needed to reduce potential risks to human health and the environment, and to comply with the Idaho Hazardous Waste Management Act (HWMA) requirements (see Section 5.2).




Figure 2. Location of the Idaho Chemical Processing Plant and other Facilities on the Idaho National Engineering Laboratory.

^b Words highlighted in boldface are defined in Appendix A, "Glossary," page 47.

1.2 Background

The WCF began operations in 1963 and solidified over four million gallons of aqueous wastes from reprocessing of spent nuclear fuels before it was shutdown in 1981. The calcining process involved evaporating and oxidizing liquid high-level radioactive waste in a high-temperature fluidized bed. Liquid waste from spent nuclear fuel reprocessing was transferred from the ICPP tank farm to the WCF through underground pipelines. The liquid waste, which consisted of dissolved metals, radionuclides and nitrates in an aqueous solution, was sprayed into a hot fluidized bed of granular solids in the calciner vessel. As the water evaporated, nitrates were converted to nitrogen oxides (NO_x) and the dissolved metals formed oxides and salts. The calcined solids were then pneumatically transferred through underground pipelines to bins in the Calcine Solid Storage Facility. Process off-gases, NO_x, and water were cooled using a nitric acid solution. The cooled off-gas was passed through silica-gel adsorbers to capture radioactive ruthenium and passed through two banks of high efficiency particulate air (HEPA) filters before being discharged. Nine calcining campaigns at the WCF produced approximately 77,000 ft³ of solids.

Successive decontamination cycles with corrosive cleaning solutions led to progressive deterioration of processing equipment. Therefore, the WCF was replaced by the New Waste Calcining Facility in 1981. The old WCF is a heavily reinforced concrete structure with about 20,000 ft² of floor space involving a ground level and two levels below-grade, within a 70 x 110 ft footprint (Figures 2 and 3). Nonradioactive service areas for the facility are located in the above-grade level and are of concrete block and steel construction. The below-grade process system was designed for hands-on maintenance of the process components during periodic routine shutdowns after decontamination.

Currently, moderate to high levels of radioactivity remain in those portions of the WCF that were used to process high-level waste. The WCF's vessels, piping systems, pumps, off-gas blowers and processing cells remain radiologically contaminated since shutdown in 1981. The process equipment condition and successive decontamination cycles with corrosive reagents have left vessel surfaces etched or pitted, providing numerous areas for radioactive contaminants to deposit and adhere. Equipment leaks allowed process materials to form dried deposits on exterior surfaces of vessels and on cell floors that, in many cases, constitute persistent radioactive contamination. After the final shutdown, the WCF calcine system vessels and piping were flushed with high velocity air and the process cells were washed down with water. However, some process residues, silica gel and other potential sources of hazardous materials such as asbestos, lead shielding, and radioactive contaminants remain in the facility. The evaporator system in the WCF continued operating after the calciner shutdown to concentrate liquid waste feed to the New Waste Calcining Facility. The evaporator was drained after its final use in 1987. The WCF process equipment and areas have been continuously ventilated by air drawn through the atmospheric protection system (APS). The Hot Sump Tank is currently used to collect building heat steam condensate that is transferred to the process equipment waste evaporator system.

The RCRA interim status (Part A) units in the WCF include the evaporator system containing five vessels with associated pumps and piping, and a waste pile containing five used HEPA filters (see box). The units are located in various below-grade, high radiation areas of the WCF. The hazardous

RCRA Regulated Units

- Blend and Hold Tanks,
- Scrubber Tank (Scrub Tank),
- Evaporator (Feed Evaporator),
- Bottoms Tank (Hot Waste Sump Tank), and
- High Efficiency Particulate Air Filter Waste Pile.




Figure 3. Three-dimensional Schematic of the Outside Structure Showing Different Areas of the WCF.




Figure 4. Three-dimensional Schematic of the the Components Inside the the WCF. The RCRA Interim Status Units are Shaded.

constituents cannot be safely removed to achieve clean closure without major modifications to WCF utility, ventilation and off-gas control systems and without decontaminating and shielding work areas to provide access. After identification and review of closure options, DOE proposes to close the units by filling empty spaces in the vessels and the below-grade portion of the building with cement-like grout. A RCRA cap would then be placed over the WCF. This in-place closure action would meet applicable RCRA requirements (40 CFR 265.111 and 40 CFR 265.310). Simply put, the proposed alternative would result in one large underground solid block of concrete encasing the WCF. The term "Closure" shall be used generically throughout this EA to include the combined building closure including the RCRA closure of interim status units, and closure of the areas not included in the INEL Part A permit application.

The proposed closure would be coordinated with other environmental remediation activities that are being conducted at the ICPP pursuant to the Federal Facility Agreement and Consent Order between DOE, Environmental Protection Agency (EPA) and the State of Idaho. The agreement establishes a procedural framework and schedule for developing and implementing appropriate environmental response actions at hazardous substance release or potential release sites as required by the **Comprehensive Environmental Response, Compensation, and Liability Act** (CERCLA). Actions are performed as necessary at each release site to abate health or environmental concerns in accordance with the **National Oil and Hazardous Substance Pollution Contingency Plan** (NCP).


There are four CERCLA release sites near the WCF that include contaminated soil under and near the WCF foundation, and a below-grade off-gas duct that surrounds three sides of the building. Implementation of the proposed closure may reduce accessibility to some of the release sites but it would not preclude further investigation or remediation, if required. The **comprehensive Remedial Investigation / Feasibility Study** (RI/FS) for the ICPP would consider any residual risks that may exist at release sites outside of the WCF.

The WCF closure project is described in the DOE Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs **Environmental Impact Statement** (FEIS), DOE/EIS-203-F, April 1995 (DOE 1995a). DOE determined that certain projects evaluated in the FEIS would be carried out, while other actions were deferred. The **Record of Decision** (ROD) states, for the WCF, "Implementation decisions will be made in the future pending further project definition, funding priorities and any further review under Comprehensive Environmental Response, Compensation, and Liability Act or the National Environmental Policy Act," 60 Federal Register (FR) 28680, June 1, 1995, p. 28685 (DOE 1995b). In accordance with 40 CFR Part 1502.2, the WCF **Environmental Assessment** (EA) tiers from the FEIS^c. In its June 1, 1995 ROD, DOE selected the "Modified Ten-Year Plan Alternative" for implementation at the INEL.

This document was prepared in accordance with the requirements of the **National Environmental Policy Act** (NEPA) of 1969 (42 U.S.C. §§ 4321 et seq.), as amended, and implemented by the **Council on Environmental Quality** Regulations [40 CFR Parts 1500-1508], DOE NEPA Implementing

^c Whenever a broad environmental impact statement has been prepared and a subsequent statement or environmental assessment is then prepared on an action included within the entire program or policy, the subsequent statement or environmental assessment need only summarize the issues discussed in the broader statement by reference and shall concentrate on the issues specific to the subsequent action (see 40 CFR §§ 1502.20; 1508.28).

Procedures (10 CFR Part 1021) and DOE Order 451.1. This EA will serve as the basis for issuance of a **finding of no significant impact (FONSI)** or lead to a determination that an EIS is required for the proposed action.



2. DESCRIPTION OF ALTERNATIVES

The following sections discuss three alternatives for the closure of the WCF at the ICPP. These include a) Closure-in-Place or the proposed action, Section 2.1, b) Closure-by-Removal, Section 2.2 and c) the no action alternative, Section 2.3. DOE believes that the two primary alternatives give an adequate range to describe potential impacts, and result in the intended purpose of the action, that is to bring the WCF to closure. The goals of either Closure-in-Place or Closure-by-Removal are to minimize the need for further maintenance and to control, minimize or eliminate post-closure escape of a hazardous or radioactive waste from the facility. The proposed action, Closure-in-Place, is DOE's preferred alternative.

The Closure-By-Removal alternative presented in this EA is a refinement of the WCF Closure Project described in the FEIS and ROD. The EIS project included phaseout activities to remove some of the residual hazardous materials from the WCF and closure of the permitted tanks and waste pile under RCRA. The remaining facility components would be removed or decontaminated, the subsurface areas filled, and the superstructure demolished as a decontamination and decommissioning action. The EIS alternative would require about nine years and cost \$24 million.

Other alternatives that have been considered for WCF closure include: phased removal of process equipment beginning with the silica gel adsorbers and ending with clean closure by removal; and various combinations of removal and grouting (e.g., remove RCRA-units and grout the remaining process equipment and cells). These alternatives offered no apparent advantages and were eliminated from detailed consideration due to estimated higher cost and **occupational radiation doses**.

Closure activities refer to the actual closure of the WCF, ranging from three years for Alternative 1 to nineteen years for Alternative 2. The INEL is controlled by DOE and public access is restricted to public highways and other authorized areas. The INEL Comprehensive Facility and Land Use Plan (INEL Land Use Plan) (DOE 1996a) indicates that the INEL boundaries are expected to remain at present locations and that most of the developed areas of the site will remain industrial areas for up to 100 years in the future. However, post-closure risks addressed in this EA conservatively assume that institutional control would end and residential establishment would occur 30 years following closure. Risks analyzed for post-closure activities were evaluated for 30-year and peak groundwater concentrations. At a minimum, the risk assessment addresses EPA's standard default scenarios of current occupational and future 30-year residential exposures (Rood and Rood 1995).

2.1 Alternative 1 (Proposed): Closure-In-Place

2.1.1 Closure Activities

Lockheed Martin Idaho Technologies Company (LMITCO), the U. S. Department of Energy, Idaho Operations Office (DOE-ID), and the Idaho Division of Environmental Quality have agreed that the concept of a risk-based, cost-effective, in-situ or in-place strategy is a reasonable approach to reduce environmental risks. With state agreement, LMITCO and DOE-ID have proceeded to explore a RCRA Closure Plan and Risk Assessment for closure-in-place of the WCF. However, to fully comply with

NEPA, DOE-ID is also preparing this EA to evaluate the impact of reasonable closure alternatives and no action before committing significant resources or making an irreversible commitment of resources. In addition, this EA will be used to present the closure-in-place concept and other alternatives to the public.

The proposed action includes filling the below-grade vessels and operating corridors with grout to prevent future subsidence and maintain the integrity of the closure cap, disconnecting and/or blocking all lines in or out of the facility to prevent moisture from entering the WCF, dismantling the superstructure and covering the encased process equipment and rubble with an engineered protective barrier to minimize future **infiltration** of water. A team of engineers from LMITCO and independent contractors has indicated that this approach is feasible (Borschel and Helm 1995). The grouting and demolition sequence option would include the following steps:

- disconnect and reroute utility and power
- cap and/or grout lines exiting the facility
- fill vessels and piping with grout
- fill below-grade cells or rooms with grout
- demolish the above-grade superstructure
- place rubble from the above-grade superstructure on top of grout-filled below-grade structure
- fill in the empty spaces in rubble with grout
- install a reinforced concrete cap
- perform post-closure monitoring and maintenance.

For a detailed description of the grouting and demolition sequence refer to Borschel and Helm (1995). Closure activities associated with the Closure-In-Place alternative such as dismantling and capping would take about three years to complete and cost an estimated \$9 million.

The interim status waste management units in the WCF are subject to the requirements of Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage and Disposal Facilities for tanks and waste piles in IDAPA 16.01.05.009 [40 CFR 265, Subparts J (Tank Systems) and L (Waste Piles)]. The tank systems in the WCF do not comply with all of the requirements for secondary containment in 40 CFR 265.193 and must be closed. It is not practical to remove the process residues, decontaminate the equipment, and remove the HEPA filters in the waste pile. Therefore, the WCF would be closed-in-place in accordance with the closure and post closure requirements that apply to hazardous waste landfills (IDAPA 16.01.05.009 [40 CFR 265.197 and 265.310]).

The proposed sequence minimizes worker exposure to radiation and complicated and labor-intensive methods of debris removal and stabilization. Tanks would be grouted through existing lines accessed from uncontaminated areas. Contaminated cells would be grouted without personnel entry, and, entry of other, less contaminated areas such as stairwells and corridors would be minimized. All above-grade structures would be demolished and covered with a reinforced concrete cap. This concrete cap would extend about 5 ft beyond the footprint of the existing WCF to reduce the amount of contact between infiltrating water and the walls of the WCF solid concrete block.

The goals of the WCF grouting and capping action are to reduce the long-term migration of liquid through the areas that contain waste residue, function with minimum maintenance, and to reduce settling and subsidence that could affect the integrity of the cap. The cap and appropriate grading and asphalt paving around the WCF would divert stormwater run-off to the ICPP stormwater collection system.

The cap and drainage controls would reduce the potential for deterioration from erosion and abrasion, and would prevent future intruders from coming into contact with the hazardous and radioactive constituents encased in the WCF. In addition, the ICPP will be a controlled and restricted area for many years following closure due to ICPP's Spent Nuclear Fuel mission and on-going CERCLA activities.

The EPA (1991) recommends use of a three-layer design for RCRA covers, consisting of a top layer, a drainage layer and a low permeability layer. The standard three-layer cover was determined to be impractical for the WCF closure because the size required to achieve the appropriate slope and grade would have covered nearby roads, utility tunnels, waste storage facility berms and CERCLA sites. However, other designs may be used if they can be demonstrated to be equivalent to the recommended RCRA design. Keck (1995) evaluated three designs for the cover:

- a standard three-layer RCRA cover
- a vegetated soil layer
- a sloped reinforced concrete surface.

The study determined that a sloped concrete cap would meet all the RCRA performance objectives at a cost almost half that of the standard RCRA cap and slightly less than the soil cover (Keck 1995). Properly formulated and cured reinforced concrete would have strength, low permeability, durability, low maintenance, and freeze, thaw, cracking and abrasion resistance. The footprint of the sloped concrete cap would allow access to the CERCLA release sites outside the WCF, and equipment access to other nearby facilities.

2.1.2 Post-Closure Activities

In addition to the WCF, the ICPP contains several known hazardous material release sites that are undergoing review and corrective action under CERCLA. Some of the CERCLA sites are expected to be closed with waste in place and to require maintenance and monitoring for many years in the future. To eliminate duplication of effort and cost, post-closure cap maintenance, groundwater monitoring, notices, certifications, and security for the WCF would be assumed by the CERCLA program at the ICPP. Specific requirements would be defined and developed in the CERCLA Long-Term Monitoring Plan for Operating Unit 3-13's Comprehensive RI/FS. The post-closure maintenance and monitoring period for the WCF would continue for 30 years, and could be shortened or lengthened by the Director of the Idaho Department of Health and Welfare. The concrete cap would be inspected at least annually for cracks and loss of degradation of the joint seals between the sections. Identified cracks and deteriorated seals would be repaired. Groundwater monitoring will be performed consistent with the Record of Decision for the comprehensive CERCLA RI/FS for the ICPP.

2.1.3 Waste Management

The Closure-in-Place alternative would minimize the generation of waste requiring treatment, storage or disposal at other facilities. The below-grade components such as tanks, ductwork, and sumps and areas such as rooms, cells, corridors, and stairwells would be filled with grout and left in place. Before final grouting of the below-grade areas, the process equipment located in relatively uncontaminated above-grade rooms would be surveyed for radioactive contamination and decontaminated as necessary, and removed for salvage or cut apart and placed on the floor or in various low-radiation below-grade areas to be grouted in place.

After the below-grade areas are filled with grout and the grout is cured, the roofing material would be removed and the walls broken down. The roofing is comprised of deep corrugated steel sheets covered with asbestos-containing roofing felts and sealants. The asbestos materials in the roof are intact and **nonfriable**. Some areas of the roof are slightly contaminated with radioactivity from deposition of airborne particulates. The WCF above-grade walls are constructed of 12-in. concrete blocks. Following radiation surveys and hot spot stabilization with paint or adhesive fixatives, the roof and walls would be dismantled using a backhoe with a crushing and shear jaw attachment or similar equipment. The walls and roof structure would then be further sized and placed on the floor over the grouted and cured below-grade structure. Suspension of radioactive or asbestos particles would be controlled by application of water or other dust suppressants during the dismantling and sizing processes. Track mounted equipment, such as bulldozers, would be used to level and compact the debris, and grout would be applied to fill empty spaces and encase the rubble. The entire structure would then be covered by a reinforced concrete cap.

2.2 Alternative 2: Closure-By-Removal

This alternative would provide RCRA closure of the WCF by removing the remaining hazardous and radioactive materials and waste, thereby eliminating the need for post-closure care at the WCF site. The closure process would involve removing radioactive and hazardous process residues using dry and wet decontamination techniques, followed by sequential area decontamination, dismantlement and removal of process equipment, decontamination or stabilization of contamination on structural components, demolition, and disposal in approved waste disposal sites. The below-grade concrete footings, foundations, and floors would be left in-place. In addition, the site would be restored to a grade and contour consistent with the surrounding area by backfilling with clean soil. The removal process would entail a similar series of activities that would be performed in each room, cell and corridor of the WCF. The general sequence of activities includes:

- Modify ventilation system to maintain a negative pressure in area vessels and work areas, and to ensure appropriate off-gas HEPA filtration for particulate control.
- Upgrade and/or reconnect utilities to provide light and power to work areas.
- Conduct radiological surveys and decontaminate or shield hot spots.
- Install and/or connect process equipment decontamination systems such as solution tanks, pumps, piping, and collection tanks.
- Install rigging equipment to remove large or heavy pieces of process equipment.
- Perform in-situ treatment or decontamination using appropriate wet remote, wet contact, dry remote, dry contact and removal actions. Transfer decontamination solutions to storage or treatment tanks, collect dry waste for appropriate storage, treatment and disposal.
- Dismantle and remove waste, debris, process equipment, instrumentation, shielding, and wall liners.
- Size and package materials, and transport packages to appropriate storage, treatment or disposal facilities.
- Decontaminate and remove access and rigging equipment.
- Perform final area cleaning and inspection.
- Isolate cleaned area from active work areas.
- Backfill cleaned areas with soil.

Preliminary waste characterizations of the WCF indicate that several different waste streams would be generated during the Closure-By-Removal process. A summary of the estimated waste stream volumes and treatment and disposal options is presented in Appendix C, Table 10.

A more detailed description of a Closure-By-Removal alternative is presented in the Raytheon (1994) study. This alternative is estimated to require about 19 years to complete and cost about \$150 million.

2.3 Alternative 3: No Action

Under this alternative, closure of the WCF would not occur. The existing levels of surveillance, maintenance and essential support systems such as ventilation, filtration, inspection and radiation monitoring to protect workers in nearby facilities would continue. No funding would be requested to perform increasing building maintenance to offset deterioration as the building ages. Therefore, no action could eventually result in failure to maintain control of radioactive and mixed hazardous material resulting in an endangerment to health, safety and the environment or would require increased funding for building maintenance.

The No Action Alternative would consist of an indefinite period of continued monitoring and inspection costing about \$400,000 annually and an additional amount for building maintenance. The INEL Land Use Plan (DOE 1996a) indicates that the ICPP would remain an industrial corridor with no public access for up to 100 years in the future. Beyond 100 years, it is assumed that public access to the ICPP would continue to be restricted.



3. AFFECTED ENVIRONMENT

The INEL is a 890 square mile DOE research facility located on the Eastern Snake River Plain in southeastern Idaho (Figure 1). The physical and biological environment of the region in general and the INEL in particular has been extensively described in the FEIS. All land within the INEL is controlled by DOE, and public access is restricted to public highways, DOE-sponsored tours, special use permits and the Experimental Breeder Reactor I National Historic Landmark. The INEL occupies portions of five Idaho counties. The area surrounding the INEL is classified under the Clean Air Act as a **Prevention of Significant Deterioration** Class II area, an area with reasonable or moderately good air quality that allows moderate industrial growth.

The area immediately surrounding the ICPP is dominated by crested wheatgrass (*Agropyron cristatum*), a European perennial grass seeded in disturbed areas to provide cover and hold soil. No known endangered or threatened species nests or inhabits the INEL. However, the bald eagle (*Haliaeetus leucocephalus*), a threatened species, has been observed wintering on or near the INEL (Martin 1995).

The ground surface of the ICPP is mostly flat. A 30 ft layer of mixed sediments covers a deeper layer of underlying basalt. A grayish-brown gravelly silt loam, derived from loess mixed with alluvium from the Big Lost River, makes up the topsoil. Gravels occupy 50 to 75 percent of the surface area, and the erosion hazard is slight. The soil is moderately permeable, well drained and generally non alkaline. However, alkalinity increases with depth and hardpan zones may occur at depths from 20 in. to 20 ft. Because groundwater supplies more than 50 percent of the drinking water consumed within the eastern Snake River Plain and an alternative drinking water source or combination of sources is not available, the EPA designated the Snake River Plain Aquifer a sole-source aquifer in 1991 (56 FR 50634, 1991).

Surface water flows on the INEL consist mainly of three streams draining intermountain valleys to the north and northwest of the site: the Big Lost River, the Little Lost River and Birch Creek. Flows from these surface waters seldom reach the INEL because of irrigation withdrawals upstream. However, the Big Lost River and Birch Creek sometimes flow onto the INEL following the irrigation season or during high water years. However, flooding from the Big Lost River might occur onsite if high water in the Mackay Dam or the Big Lost River were coupled with a dam failure. Koslow and Van Haften (1986) examined the consequences of a Mackay Dam failure during a seismic event, structural failure coincident with the 100- and 500-year recurrence interval floods, and during a probable maximum flood (hypothetical flood that is considered to be the most severe event possible). The results from all dam failures studied indicate flooding would occur outside the banks of the Big Lost River from Mackay Dam to Test Area North, except within Box Canyon. The water velocity on the INEL site, from this extreme event would range from 0.6 to 3.0 ft/s, with water depths outside the banks of the Big Lost River ranging from 2 to 4 ft (Koslow and Van Haften 1986).

The WCF is about 0.5 mi. from the Big Lost River channel and about 11 ft above the riverbed elevation. Intermittent surface flow and the INEL Diversion Dam, constructed in 1958 and enlarged in 1984, have effectively prevented flooding from the Big Lost River onto INEL Sites. The ICPP area is protected from flooding by this control system.

The Snake River Plain Aquifer underlies the ICPP at a depth of approximately 450 ft. Liquid low-level radioactive and dilute chemical wastes were discharged to the subsurface through **injection wells** at the ICPP and the nearby Test Reactor Area between 1952 and 1984. Liquid waste disposal by injection has since been replaced by waste reduction, treatment and disposal to surface evaporation and **percolation**. Water withdrawn from the aquifer near the ICPP for facility processes and drinking water meets the State of Idaho drinking water standards for all constituents.

A 1986 field study identified three perched water bodies that occur at depth zones from about 30 ft to 322 ft beneath the ICPP, and extend laterally as far as 3,600 ft. Overall, the chemical concentrations, shape and size of these perched water bodies have fluctuated over time in response to the volumes of water discharged to the ICPP percolation ponds (Irving 1993).

The 1990 census indicated the following populations, in parentheses for cities in the region: Idaho Falls (43,929), Pocatello (46,080), Blackfoot (9,646), Arco (1,016) and Atomic City (25) (U. S. Department of Commerce, Bureau of Census 1990). Approximately 127,554 persons reside within a 50 mi. radius of the ICPP. However, no permanent residents reside on the INEL.

The WCF is located within the perimeter fence of the ICPP (Figure 4). The area within the fence is occupied by buildings, roads, and walkways. Currently, the WCF is structurally sound. Remote inspections of the cell walls and floors reveal no serious signs of physical deterioration. However, inspections are limited by the capabilities of the remote equipment. While cracks have not been observed on the cell floors, there are signs of in-leakage through small cracks in the cell upper walls. The integrity of the ventilation room floor was compromised by holes drilled to drain water from the building. The piping and instrumentation is in poor condition. Freezing conditions occurred in the facility when the steam supply system was interrupted in the late 1980's and resulted in burst piping and instrumentation failures. Only piping and instruments necessary to meet interim status compliance and safety documentation have been maintained.

The facility contains an estimated 14 ft³ of process residues representing between 2,000 and 3,000 curies of radioactive contamination (Appendix B, Tables 7, 8, and 9). The residues are distributed in about 17,370 ft³ of process equipment and structural materials that must be handled as radioactive or mixed hazardous waste if removed from the WCF (Appendix C, Table 10). Therefore, the building and vessels are maintained under a negative pressure to prevent the dry radioactive and mixed radioactive materials from escaping to the operating areas and to the environment. The ICPP main stack blower system and HEPA filters meet the ventilation and emission control needs of the shutdown facility.





Figure 5. Location of the WCF within the Perimeter of the ICPP.



4. ENVIRONMENTAL CONSEQUENCES

This section describes the environmental consequences to the environment of the INEL and surrounding region that may result from the closure of the WCF. In addition, the section describes the potential consequences associated with each alternative. The environmental impacts associated with the Closure-in-Place are discussed in Section 4.1; Closure-by-Removal, Section 4.2; and No Action, Section 4.3. Section 4.4 compares the impacts of the alternatives.

Closure includes those activities such as filling vessels and below-grade cells with grout, demolishing above-grade structure, and installing the cap described in Section 2.1.1 that are necessary to complete the WCF closure. Post-closure activities include maintenance and environmental monitoring for up to 30 years. Institutional control would restrict access to 100 years and beyond.

4.1 Alternative 1 (Proposed): Closure-In-Place

4.1.1 Air Emissions

Closure Activities. Although the WCF has been idle since 1981, the ventilation system connection to the ICPP atmospheric protection system (APS) has remained operational for contamination control purposes. Approximately 10,800 ft³/minute of off-gas is vented from the WCF through three streams. Two streams maintain the required vacuum on the calciner process vessels, waste vessels, hot sumps, sample stations and other primary confinement systems. These streams are filtered by a primary HEPA filter before being vented to the APS. The third stream, which ventilates buildings and cells, flows from formerly occupied operating areas, through the process cells and out to the APS. The ICPP APS controls particulate emissions with a fiberglass bed prefilter and a HEPA filter. The filtered off-gas is released to the 250 ft ICPP main stack.

The sequence of WCF closure events described in Section 2.1.1 would reduce radionuclide resuspension and control emissions during the closure process. Potential emission conduits would be sealed, and existing ductwork to the ICPP APS would be grouted in stages to provide for continued collection, filtration and monitoring of air that would be expelled during most of the closure sequence. Contaminated surfaces in the above-grade portions of the facility would be decontaminated or stabilized with fixatives before demolition. The nature of the closure process, such as slowly filling the piping and vessels with a wet grout mixture, is intended to fix and hold radioactive residues with minimal resuspension into the air.

Potential radionuclide emissions and associated doses resulting from the closure of the WCF were estimated by Staley (1996). The release scenario assumes that 0.002 percent of the radionuclide inventory estimated to remain in the WCF (Table 1) would be resuspended and transported to the WCF primary HEPA filter or the ICPP APS during a single year (DOE 1994). The grouting process would reduce resuspension, and any resuspended particulate must travel through a complex path of ducts and vessels before contacting the WCF or APS filters. Much of the resuspended material would likely settle in the ducts and vessels before reaching the control equipment.

Table 1. WCF Radionuclide Inventory and Releases During Closure-In-Place^a.

Nuclide ^b	Curies Available ^c (Ci)	Curies Released to Atmospheric Protection System (Ci)	Curies Released to Main ICPP Stack (Ci)
Cs-137	1.38×10^3	2.77×10^{-2}	8.30×10^{-8}
Ba-137m ^d	1.38×10^3	2.77×10^{-2}	8.30×10^{-8}
Sr-90	1.21×10^3	2.43×10^{-2}	7.28×10^{-8}
Y-90	1.21×10^3	2.43×10^{-2}	7.28×10^{-8}
Pu-238	2.40×10^1	4.80×10^{-4}	1.44×10^{-9}

Source: Staley 1996.

a. Annual release during a single year.

b. Only those radionuclides with the highest dose consequences were used for this analysis. Other radionuclides make up less than one percent to the dose calculation.

c. Demmer and Archibald (1995), daughter products Ba-137m and Y-90 added.

d. m = metastable

The CAP-88 computer code (EPA 1990) was used to estimate the potential dose to the public from radionuclide emissions generated during closure activities. Meteorological data collected at the upper level of the INEL meteorological tower, about 2 mi. north of the ICPP (Grid 3), were used as input to the CAP-88 code. The potential receptor is located where the maximum off-site dose occurs. That location is an actual residence 27.2 mi. northeast of the ICPP (DOE 1995c).

The Committed Effective Dose Equivalent (CEDE) resulting from the airborne releases is estimated to be 1.5×10^{-9} mrem and 2.5×10^{-8} person-rem for the maximally exposed individual near the INEL and the public residing within 50 mi. of the ICPP, respectively (Staley 1996). The estimated dose to the maximally exposed individual is well below the EPA's approval to construct application threshold of 1.0×10^{-1} mrem found in 40 CFR 61, Subpart H. This dose to the maximally exposed individual can be compared to the CEDE from the combined ICPP main stack emissions of 1.1×10^{-5} mrem in 1994, or the total CEDE from all ICPP operations of 3.0×10^{-4} mrem in 1994 (DOE 1995c) (see Section 4.1.8 for a discussion of health effects associated with these doses).

The RSAC-5 computer code was used to estimate the potential dose to the maximally exposed individual on-site (worker) who is about 328 feet from the ICPP main stack. The Effective Dose Equivalent (EDE) to the worker is estimated to be 1.4×10^{-7} .

Post-Closure Activities. No post-closure air emissions or associated impacts are expected.

4.1.2 Geology

Closure Activities. The Closure-in-Place alternative would only have minor, localized impacts on the geology of the INEL site. Closure activities would be of short duration and soil loss would be reduced by keeping the areas of surface disturbance small and by utilizing engineering practices such as dust suppression, storm water runoff control including sediment catchment basins, slope stability and soil stockpiling with wind erosion protection.

Post-Closure Activities. Subsidence of soil due to the increased weight from filling the structure with grout is calculated to be about 0.6 in. because the WCF is on basalt bedrock (Matzen 1995). Therefore, excessive settlement is not expected and failure of soils beneath the WCF by plastic deformation is unlikely (Matzen 1995).

The distribution of earthquakes at and near the INEL site from 1884 to 1989 clearly shows that the Eastern Snake River Plain has a remarkably low rate of seismicity (DOE 1995a). In the event of an earthquake the concrete block and cap could be expected to crack. However, this would be less severe than the conservative assumptions used to estimate bounding groundwater concentrations of contaminants from the closed WCF (see Section 4.1.4). Therefore no seismic hazards are anticipated for the Closure-in-Place alternative.

4.1.3 Surface Water

Closure Activities. The Closure-in-Place alternative would not have any direct impacts to the Big or Little Lost Rivers or Birch Creek. The distance from the WCF to the Big Lost River channel, local topography between the WCF and the channel, infiltration rates of the surface alluvium and basalt and intermittent to non existent flows in the Big Lost River channel all suggest that, under normal flows, the Big Lost River would not have any effect on the WCF -- nor the WCF on the Big Lost River. During closure activities, water and wind erosion would be controlled by adhering to a Storm Water Pollution Protection Plan.

Post-Closure Activities. Normal flows in the Big Lost River would not have any impact on the WCF or solid concrete block. Koslow and Van Haaften (1986) evaluated the potential consequences of a maximum flood coupled with a MacKay Dam failure. The probability of a occurrence for this combined event is estimated at 10^{-6} to 10^{-8} per year or 1 in 1,000,000 to 1 in 100,000,000. This event would result in flood water within the ICPP-controlled area up to about 4,916.6 ft above mean sea level (LMITCO 1995). The elevation of the WCF is about 4,916 ft. However, low water velocities and shallow water depths resulting from this flood would not be sufficient to cause serious erosion damage to backfill around buildings (see Section 3). Therefore it is unlikely that any damage to the concrete-encased WCF or leakage of radionuclide or hazardous chemicals would occur. Also, the cap would not be overtopped. Hence, no discernible impacts on regional surface water quality would be expected from the Closure-in-Place alternative.

4.1.4 Groundwater

Closure Activities. Impacts from contaminants leaching to the soil surrounding the WCF are unlikely because the methods of filling the below-grade portion of the WCF would leave the above-grade

superstructure, including the roof, intact until the below-grade portion is filled. In addition, an asphalt apron around the facility would reduce infiltration of water.

Post-Closure Activities. Post-closure impacts to groundwater would occur if contaminants escape from the solid concrete block and migrate to the aquifer. Rood et al, (1996) calculated the maximum concentration of the **contaminants of potential concern** (COPC) by estimating the rate of leaching from the WCF to the groundwater. Individual peak groundwater concentrations for the COPC and their transit time to groundwater are shown in Appendix D, Table 12. The cancer risk from exposure to these COPC is discussed in Section 4.1.8, "Health Effects."

Potential risks^d to human health from exposure to the COPC at the WCF were evaluated using a two-phased approach (Rood 1994). The first phase used the groundwater screening model and computer code, GWSCREEN (Rood 1994) and conservative assumptions, (see box) to estimate groundwater concentrations of COPC. Screening model values of four COPCs exceeded the lower threshold of the NCP target risk range of 1×10^{-6} (Rood et al. 1996). These are: Np-237, Pu-239, Pu-240 and Tc-99 (Appendix D, Table 13). No metals or RCRA regulated constituents exceeded the threshold of the NCP target risk range, therefore they were not included in the refined risk assessment. The second phase included evaluation of exposure pathways for the radionuclides exceeding the NCP target risk range with more realistic assumptions (see box) and the refined risk model, PORFLOW.

The maximum groundwater concentrations of the metals and radionuclides calculated by the screening and refined risk models are below the existing and proposed EPA primary or secondary drinking water standards and guidelines (see Appendix D, Table 14). The calculated gross alpha particles would not exceed 15 pCi/l, the Idaho and EPA public drinking water standard (IDAPA 16.01.08.050, 40 CFR 141). The estimated maximum dose from ingesting 2 liters/day of water containing the maximum groundwater concentrations of beta and photon emitters is 8.75×10^{-2} mrem/year. This is well below the existing 4 mrem/year drinking water standard

Screening Assessment Assumptions

- No credit was taken for the cap that would prevent water infiltration.
- The entire waste inventory was assumed to be concentrated in a volume equal to the calciner vessel in the WCF rather than dispersed over a large volume and area.
- The calciner vessel would be oriented with the long side parallel to groundwater flow to facilitate maximum contaminant migration.
- No credit was taken for the containment of the calciner vessel.
- No credit was taken for the grout within or surrounding the calciner vessel.
- No credit was taken for the concrete floors or walls of the WCF.
- The contaminants of potential concern were assumed to be homogeneously mixed in a surface soil media that occupies a volume equal to the calciner vessel rather than in impermeable grout.
- Groundwater concentrations of the contaminants of potential concern were evaluated at the receptor's well located at the down gradient edge of the WCF.

Refined Risk Assessment Assumptions

- The cap and concrete block would remain intact for 100 years.
- Beyond 100 years, cracks would allow unimpeded water flow through the cap and concrete block.
- Specific hydraulic transport parameters such as conductivity, pore size, moisture content, sorption, diffusion, etc. for waste, concrete, sediments and basalt were used to model waste migration.

^d A general discussion of the risk assessment methodology used in this EA is presented in Appendix D.

(40 CFR 141.16). In addition, the summation of the estimated beta particle concentrations divided by the proposed drinking water standards would be less than one, indicating a calculated gross beta particle concentration below the 4.0 mrem/yr. limit (see Appendix D).

4.1.5 Biological Resources

Closure Activities. The Closure-in-Place alternative would not have any direct impacts on the flora, fauna, endangered species, or ecology of the INEL site. Closure activities would not affect the existing environment outside the ICPP fence. The area inside the ICPP fence has been disturbed by activities such as paving and building. The Environmental Science and Research Foundation has determined that a biological assessment would not be required for this alternative (Reynolds 1996).

Post-Closure Activities. Long-term impacts to biological resources from the Closure-in-Place alternative would consist of continued lost productivity from the lands covered by the cap, about 0.2 acres.

4.1.6 Cultural Resources

Closure Activities. The Closure-In-Place alternative would destroy a structure which is potentially eligible for listing in the National Register of Historic Places. The American Nuclear Society named the WCF a Historic Nuclear Landmark in 1993. This award acknowledges the contribution WCF made to the nuclear industry by successfully providing "an essential contribution to, or basis for, subsequent peaceful application of nuclear technology or nuclear energy, and has been a first-of-a-kind, or provided an important new departure" (INEL 1995).

The Closure-in-Place alternative would proceed only in accordance with all of the substantive requirements resulting from consultation between the DOE-ID, the Idaho State Historic Preservation Officer (SHPO) and other interested parties. This consultation is required by Section 106 of the National Historic Preservation Act and will be completed before initiation of any of the activities (see Section 6). In the event that bones, chips/flakes, "arrowheads", charcoal stained soil, or other unusual materials are discovered during excavating activities, the INEL Stop Work Authority would be invoked and all work temporarily halted until the INEL Cultural Resource Office gives a clearance or develops a mitigative action plan.

Post-Closure Activities. No long-term impacts are expected to cultural resources.

4.1.7 Land Use and Visual Resources

Closure Activities. The WCF is located within the ICPP fence, an area that has been highly disturbed by paving and building. Closure activities such as grouting and capping would not affect the current land use or visual resources near the ICPP.

Post-Closure Activities. Most of the INEL is open space that DOE has not designated for specific uses. Facilities and operations use about 2 percent of the total INEL site, primarily for nuclear energy research and support operations. Public access to the ICPP and most other facility areas is restricted. The INEL Land Use Plan (DOE 1996a) indicates that the ICPP would remain an industrial area with no public access for 100 years in the future. Land use plans and policies for the ICPP and other INEL

facilities identify continued energy research, waste management and environmental restoration as the major INEL business activities through the foreseeable future (DOE 1996a). The Closure-in-Place alternative is included in the waste management and environmental restoration missions of the INEL. In addition, it is consistent with current and foreseeable land use plans.

Long distance views are of the INEL's rolling hills, buttes and volcanic outcrops; and of the Lemhi, Lost River and Bitterroot mountain ranges that border the INEL on the north and west. The ICPP is located on a relatively flat area and is surrounded by undeveloped land that supports a shrub-grassland vegetation. Other INEL industrial facilities visible from the ICPP include the Central Facilities Area, Test Reactor Area, Naval Reactors Facility and Power Burst Facility. The closure of the WCF would not affect scenic views or aesthetic values because only the cap would be above-grade level and inside the ICPP complex. If the ICPP complex is removed in the future, the WCF cap would become an inconspicuous landmark.

4.1.8 Health Effects

Closure Activities. The purpose of this section is to present the potential health effects to both workers and the public that would result from exposure to hazardous and radioactive material.^c Potential risks and hazards associated with the COPC at the WCF were assessed for occupational or worker exposure and residential or public receptors. Only the airborne and external exposure pathways were evaluated for closure activities.

For airborne releases from the WCF, health effects were assessed for the maximally exposed individual located at an actual residence near the INEL site boundary and for the population within 50 miles of the ICPP. It was assumed that airborne exposure would result from particulate matter suspended in escaping air as the WCF vessels and below-grade portions were filled with grout. Therefore, the airborne pathway would be short-term, lasting only as long as the grouting operation.

It is postulated that the air doses from emissions identified in Section 4.1.4 would result in a very small increase in fatal cancer risk to the maximally exposed individual of 7.5×10^{-16} . In the affected population of 127,554 persons residing within a 50 mi. radius of the ICPP, the increased risk of a cancer fatality is also very small or 1.3×10^{-11} . This is equal to an additional fatal cancer risk of 1.0×10^{-16} per person. The increased risk of an individual in the general population developing cancer from this closure activity is about 1 in 10 quadrillion.

In this population, an average of 37.9 cancer deaths (about 1 in 3,369) from all other sources occurs each year, based on 1987 through 1991 National Cancer Institute data from Idaho (National Cancer Institute 1994). The cancer risks of the Closure-in-Place alternative would be negligible, causing only a 3.4×10^{-11} percent statistical increase in cancer deaths in the surrounding population. The annual dose to individual workers would not be allowed to exceed the 1.5 rem/year DOE administrative limit (DOE-ID 1995). The estimated collective dose from external radiation to workers associated with proposed closure actions is estimated to be 20 person-rem.

^c Radiation exposure and its consequences are topics of interest to the general public near nuclear facilities. For this reason, this EA places more emphasis on the consequences of exposure to radiation than on other topics, even though the effects of radiation exposure evaluated in this EA are small. Refer to "Helpful Information for the General Reader" for an explanation on the measurement of radiation and the different sources of radiation (p. iii).

Post-Closure Activities. The 100-year future occupational and residential exposures scenarios were evaluated using the refined risk assessment model for those radionuclides where the risks were greater than the lower NCP target risk range of 1×10^{-6} . Health effects associated with the external exposure and groundwater ingestion pathways are associated with post-closure activities. Risks associated with ingestion of groundwater contaminated with COPC remaining at the WCF were calculated by estimating the rate of leaching from the soil to groundwater. The external pathway was evaluated for exposure from radionuclides remaining in the WCF to a receptor standing over the WCF cap. This exposure pathway was evaluated both for a worker and a maximally exposed individual.

Based on the screening analysis peak groundwater concentrations of contaminants discussed in Section 4.1.4, only groundwater ingestion from exposure to Pu-239, Pu-240, Tc-99 and Np-237 presented risks greater than the 1×10^{-6} lower limit of the NCP target for allowable risk range (Appendix D, Table 15). Risks from the other radionuclides were below the 1×10^{-6} lower NCP target and noncarcinogenic risks from metal ingestion were less than the hazard index of 1 (see Appendix D, Tables 15 and 16). Using the refined risk assessment, risks from Pu-239, Pu-240 and Np-232 would also be less than the 1×10^{-6} lower limit of the NCP target risk range and Tc-99 would be within the NCP target risk range of 1×10^{-4} to 1×10^{-6} . The total cancer risk due to groundwater ingestion from these four radionuclides would be 2×10^{-6} (Appendix D, Table 15). Therefore, the radionuclides and hazardous constituents remaining in the WCF would not pose an unacceptable risk to human health or the environment during the post-closure period.

4.1.9 Waste Management

The Closure-in-Place alternative would generate only a few cubic feet of waste material, mostly from anti-contamination clothing, grout hoses and connections, and grout truck clean-out residue. The anti-contamination clothing would be volume reduced by compaction or incineration at the Waste Experimental Reduction Facility and disposed of at an approved facility. Uncontaminated waste such as hoses, forms, and grout residue that cannot be reused or recycled would be disposed of in the INEL landfill at CFA or in designated grout truck clean out areas.

The Closure-in-Place alternative would encase essentially all of the contents of the WCF, including the radioactive and hazardous materials listed in Appendix B, Tables 8 and 9 in a solid concrete block. Following capping, the closed WCF would be managed in accordance with the post-closure care requirements that apply to RCRA landfills (40 CFR 265.310). The total estimated volume of the encased facility and its contents is 5,000 yd³.

4.1.10 Cumulative Impacts

The WCF is one of the seven decontamination and decommissioning projects (see box) identified and analyzed in the FEIS (FEIS, Volume 2, Sections C-4.2.1 through C-4.2.7). Based on the analyses done in the FEIS, “no reasonably foreseeable cumulative adverse impacts are expected to the surrounding populations . . .” (see FEIS, Section 5.20.3.5.3 — *Cumulative Impacts*, p. 5.20-13). In

D&D Projects Identified and Analyzed in the FEIS

Central Liquid Waste Processing Facility, ANL
Engineering Test Reactor, TRA
Materials Test Reactor, TRA
Fuel Processing Complex, CPP
Fuel Receipt and Storage Facility, CPP
Headend Processing Plant, CPP
Waste Calcine Facility, CPP

Table 2. Radiological Air Emission Baseline and Cumulative Dose.

	Annual Dose		
	INEL Baseline ^a	Incremental due to the WCF ^b	Cumulative Dose from Existing and Proposed INEL Activities ^c
On-Site MEI ^d	3.2×10^{-1} mrem	1.4×10^{-7} mrem	4.6×10^{-1} mrem
Off-Site MEI	5.0×10^{-2} mrem	1.5×10^{-9} mrem	6.3×10^{-1} mrem
Population within 50 miles ^e	3.0×10^{-1} person-rem	2.5×10^{-8} person-rem	2.9×10^0 person-rem
Natural Background	3.5×10^2 mrem		3.5×10^2 mrem

a. FEIS, Volume 2, Table 5.12-1, p. 5.12-7 (DOE 1995a).

b. See Section 4.1.1, "Air Emissions"

c. FEIS, Volume 2, Table 5.12-2, p. 5.12-8 (DOE 1995a.) and converted to an annual dose. Based on implementation of projects in the FEIS, including the WCF Closure. .

d. The on-site maximally exposed individual (worker) is located 328 feet from the ICPP main stack.

e. Cumulative radiation dose (person-rem) to the populations within 50 miles of site facilities from INEL operations from 1995 to 2005.

addition, future CERCLA documents, such as cumulative Remedial Investigations and Feasibility Studies would address the cumulative impacts of restoration efforts at the ICPP or Waste Area Group 3, as well as other Waste Area Groups. The following paragraphs describe the cumulative impacts of the WCF.

The radiological releases from current and future INEL operations (DOE 1995a) to the worker, maximally exposed individual, and the population within 50 miles of the INEL are identified in Table 2. The incremental and cumulative average annual dose includes emissions associated with the WCF Closure. Based on exposure for the cumulative annual dose, the risk to an INEL worker at the location of highest dose from airborne radionuclide emissions would cause an estimated increased lifetime chance of developing fatal cancer of less than 1 in 526,000. The annual occupational radiation dose received by the entire INEL workforce (about 10,000 workers) would result in less than 1 fatal cancer. For comparison, the natural lifetime incidence of fatal cancers in the same population from all other causes would be about 2,000 (DOE 1995a). Radiological dose impacts to the maximally exposed individual were conservatively summed to derive cumulative impacts, although the location of the maximally exposed individual may be different for each source. This conservatism serves to establish the upper-bounding dose. Despite this conservatism, the dose to the maximally exposed individual is low (Table 2) and would result in a fatal cancer risk for the maximally exposed individual of less than 1 occurrence in 312,000. A one-year cumulative dose from existing and planned INEL operations would produce about 0.002 additional fatal cancers in the entire surrounding population. For perspective, about 37.9 cancer deaths occur from all other sources each year according to the National Cancer Institute (1994). Radiological releases resulting from the proposed action, present INEL operations, and other proposed future actions would not be expected to cause measurable adverse health effects to workers, the maximally exposed individual, or the public.

The closure of the WCF would consume irretrievable amounts of electrical energy, fuel, and miscellaneous chemical, concrete, metals, plastics, lumber, sand, gravel, silt and clay, and water. The proposed closure-in-place is intended to be the final remedy for the WCF. However, closure-in-place is not an irreversible decision. While such a decision is improbable, the concrete-filled WCF could be sized, removed, and disposed of at some future date.

4.2 Alternative 2: Closure-By-Removal

4.2.1 Air Emissions

The Removal Alternative would require decontamination or stabilization of radioactive areas within the WCF, dismantlement of process equipment and waste packaging, removal, storage, transport, treatment and disposal activities. During the closure process, procedures and controls such as component decontamination, particle stabilization, gloveboxes, and tents with filters would be used to minimize emission of pollutants to the air. In addition, the WCF off-gas control system would be reactivated, and/or additional ventilation supply and off-gas control systems would be installed and operated to control particulate emissions.

Staley (1996) estimated radionuclide emissions and doses associated with process equipment removal and liquid waste treatment using known radioactive inventory volumes and process knowledge. Removal would require decontamination, disassembly, handling, and movement of the entire inventory of radioactive and hazardous material within the WCF. Wet decontamination techniques, as described in Section 2.2, would be used to reduce the amount of loose radioactive material present in the vessels and piping. Resuspension of radioactive material during the wet decontamination process was calculated using similar resuspension assumptions as described in Section 4.1.1. The wet decontamination process would result in about 40,000 gallons of decontamination fluid that would eventually be processed through the New Waste Calcine Facility. Potential emissions from calcining were estimated using information from the last calcining campaign, 1994. A release factor of 1×10^{-14} was used to calculate emissions from calcining the decontamination fluid (DOE 1996b). Dry decontamination techniques would be used wherever practical to remove contamination from the remaining structure and equipment. Emissions from dry decontamination and equipment removal was estimated using a 1×10^{-3} resuspension factor described National Emission Standard for Hazardous Air Pollutants, 40 CFR 61, Appendix D, "Methods for Estimating Radionuclide Emissions."

Most of the highly radioactive residue would be removed and treated during the decontamination and calcining processes; relatively small amounts of fixed radioactive material would remain on the walls, floors, and equipment in the WCF. The sum of emissions from wet and dry decontamination and the calcining operation would account for the majority of the emissions from the Removal Alternative. The CEDE resulting from the airborne release from the decontamination and removal processes is estimated at 8.5×10^{-9} mrem and 1.4×10^{-7} person-rem for the maximally exposed individual near the INEL and the public residing within 50 miles of the ICPP, respectively (Staley 1996). The dose from wet and dry decontamination and calcining would occur during the first year of the proposed project. Doses associated with the removal of the structure and equipment would be expected to be distributed over 19 years.

Additional emissions could be generated during treatment of the waste streams removed from the WCF. The physical parameters, chemical composition and radiological attributes of the waste materials

and components in the WCF have not been fully characterized. Because of uncertainties regarding the materials that would be removed, specific waste treatment and disposal plans and estimated emissions from treatments have not been developed. A list of some possible treatment options, based on general waste stream descriptions, is presented in Appendix C, Table 10. Possible treatment and disposal processes that would generate air emissions are identified in Appendix C, Table 11. The potential air quality impacts of treating the types of waste streams that would be generated by removal is bounded by the analysis in the FEIS, Volume 2, Appendix F-3, Air Resources, p. F-3-1. (DOE 1995a).

4.2.2 Geology and Water Resources

The Removal Alternative would only have minor, localized impacts on the geology of the INEL site. Direct impacts to geologic resources at the INEL site would be associated with disturbing or extracting surface deposits to fill the hole left by removing the dismantled below-grade structures. A secondary impact to geology from decontaminating and dismantling and filling activities would be the potential for increased soil erosion. In the short-term, some soil loss would be expected. However, these activities would be of short duration and soil loss would be reduced by keeping the areas of surface disturbance small and by utilizing engineering practices such as storm water run-off control including sediment catchment basins, slope stability and soil stockpiling with wind erosion protection. This alternative would leave the decontaminated below-grade concrete footings, foundations and floors in place. The floors may be drilled or fractured to facilitate stormwater drainage and the below-grade areas backfilled with clean soil. No impacts to groundwater are expected to result from this alternative, but the potential for leakage or spills and subsequent contaminant transport to the groundwater is greater for this alternative because it would generate a relatively large volume of liquid waste from decontamination fluid.

4.2.3 Biological Resources

Potential impacts to flora and fauna from the Removal Alternative would be small, and there would be no adverse impacts to endangered species or the INEL ecology. A minor loss of small, less mobile animals and plants may occur at the silt and clay borrow sites that would furnish the material for filling the below-grade portion of the WCF. The DOE has determined that a biological assessment would not be required for this alternative (Reynolds 1996).

4.2.4 Cultural Resources

Direct impacts may occur to archaeological materials such as bones, chips/flakes, and "arrowheads" from soil disturbance when excavating fill material. If archaeological materials are encountered during soil disturbance activities work would stop in the immediate vicinity of the discovery and the Cultural Resource Office would be notified.

The removal alternative would proceed only in accordance with all of the substantive requirements resulting from consultation between the DOE-ID, the Idaho SHPO and other interested parties. See Section 4.1.6 for additional requirements.

4.2.5 Land Use and Visual Resources

The Removal Alternative is consistent with the waste management and environmental restoration missions of the INEL and would not result in any short-term changes in land use. Following removal, the below-grade areas would be backfilled to restore the WCF site to a grade, contour and visual characteristics consistent with its surroundings.

4.2.6 Health Effects

Doses associated with emissions identified in Section 4.2.1 would result in a very small increase in fatal cancer risk to the maximally exposed individual of 4.3×10^{-15} . In the affected population of 127,554 persons residing within a 50 mi. radius of the ICPP, the increased risk of a cancer fatality is also very small at 7.0×10^{-11} . This is equal to an additional fatal cancer risk of 5.5×10^{-16} per person. The increased risk of an individual in the general population developing cancer from this closure activity is about 1 in 2 quadrillion.

In this population, an average of 37.9 cancer deaths (about 1 in 3,369) from all other sources occurs each year, based on 1987 through 1991 National Cancer Institute data from Idaho (National Cancer Institute 1994). The cancer risks of the Closure-by- Removal alternative would be negligible, causing only a 1.9×10^{-10} percent statistical increase in cancer deaths in the surrounding population.

The Removal Alternative would require decontamination or stabilization of radioactive areas within the WCF, dismantlement of process equipment and waste packaging, removal, transport, treatment and disposal activities. The estimated dose to workers associated with removal actions under this alternative is 242 person-rem (Raytheon 1994). The dose to the worker and public from waste transportation, treatment, and disposal were not calculated, but are expected to be small.

4.2.7 Waste Management

The Removal Alternative would generate about 17,370 ft³ of solid wastes, and 41,500 gallons of liquid waste (see Appendix C, Table 10) that would require handling, packaging, transport, storage, treatment and/or disposal at other facilities. Approximately 75 percent of the solid waste volume is estimated to be mixed waste or debris, 15 percent would be low-level radioactive waste, and the remainder would be industrial waste. The WCF processing components that were in direct contact with high-level waste produce radiation fields ranging from less than 0.1 mrem/hr. to 100,000 mrem/hr. Extensive in-cell decontamination, remote techniques, shielding and personal protective equipment would be required to reduce personnel exposures during decontamination and removal. Even with these precautions, the estimated dose to workers removing the waste is 242 person-rem (Raytheon 1994). Additional unquantified exposures and accident risks would occur during waste transportation, treatment and disposal.

The highest volume waste stream would be mixed waste or debris. This waste would require treatment to remove or mitigate chemical hazards in compliance with RCRA requirements before disposal. Because of uncertainties regarding the physical, chemical and radiological properties of mixed waste materials that would be removed under this alternative, specific handling, treatment and disposal plans have not been developed. There are no demonstrated treatment methods for some of the mixed waste materials, such as contaminated asbestos, and silica gel from the ruthenium adsorber beds, so these

materials would require interim storage until accepted treatment and/or disposal become available. Before removing mixed waste from the WCF, a treatment plan specifying the strategies, such as methods, facilities, capabilities, technology development requirements, permitting for mixed waste treatment and disposal would be prepared (DOE 1995e). The INEL program for mixed waste management is described in the Site Treatment Plan (DOE 1995d). The plan identifies mixed waste or debris treatment facilities, capabilities and the volumes and types of wastes that are intended to be treated at the INEL. No mixed waste streams associated with the WCF closure are included in the plan. Before the Removal Alternative could be implemented, the strategies for mixed waste treatment and disposal must be added to the site treatment plan and approved by the State Department of Environmental Quality.

A list of some possible treatment and disposal options, based on general types of waste streams that would be generated by the removal action, is presented in Appendix C, Table 10. The potential impacts of treating the types of waste streams that would be generated by the Removal Alternative are described and evaluated in the FEIS, Volume 2, Sections 2.2.7 and 3.4 (DOE 1995a). A qualitative summary of potential impacts associated with waste treatment and disposal under the Removal Alternative is presented in Appendix C, Table 10.

4.3 Alternative 3: No Action

Under the No Action Alternative air emissions would continue as present, resulting in a dose estimated to be less than 1.2×10^{-6} mrem to a maximally exposed receptor from the ICPP main stack emission. The estimate is based on ICPP main stack emissions measured during 1994 when the New Waste Calciner was not operating. Total 1994 radionuclide emissions from the ICPP stack contributed a dose of 1.2×10^{-5} mrem to a maximally exposed individual (DOE 1995c). The ventilation air from the WCF contributes approximately 10 percent of the average main stack exhaust volume. If the radionuclide concentration in the WCF stream were proportional to other main stack exhaust streams, the 1994 dose from WCF ventilation emissions would be about 1.2×10^{-6} mrem. The radionuclide loading in the WCF exhaust has not been measured. However, since there are no active processes within the WCF, the process equipment was flushed with high velocity air following the 1981 shutdown, and the ventilation system has continued operating since shutdown, facility engineers believe that the radionuclide concentration and dose from routine WCF exhaust would be much less than the volumetric ratio of 1.2×10^{-6} . For example, estimated emissions from resuspension during grouting under the Closure-In-Place alternative would only increase the emissions by only 1.5×10^{-9} mrem or 0.1 percent (see section 4.1.1).

Fugitive air emissions could occur as the WCF deteriorates. Deterioration of the building could also allow the movement of animals, such as mice, in and out of the buildings, thus creating a potential biological pathway for radiation exposure. Stormwater infiltration and drainage may occur as the roof and walls deteriorate resulting in potential soil and groundwater contamination. The WCF may also be susceptible to floodwater intrusion from a maximum flood event coupled with MacKay Dam failure, as described in Section 3. Flooding of the WCF could release radiological and hazardous contamination to the surface water and groundwater, increasing potential exposure.

During and beyond institutional control, the WCF site would be restricted from other uses. The lack of maintenance of the WCF would result in deterioration of a structure that is potentially eligible for listing on the National Register of Historic Places.

Failure to maintain control of mixed hazardous material could result in a violation of RCRA and an endangerment to health, safety and the environment.

4.4 Comparison of Mitigative Measures and Environmental Impacts

Several **mitigative measures** would be undertaken to reduce the impact to the environment, workers and the public. Table 3 summarizes these measures. The impacts of each alternative are described in Sections 4.1, 4.2 and 4.3. Tables 4, 5, and 6 summarize closure and post-closure impacts and project cost and duration. The biggest differences between alternatives are related to worker dose, waste disposal, project duration and cost.

The Closure-in-Place alternative would result in an estimated dose to workers of 20 person-rem. The Removal Alternative would result in an estimated dose of 242 person-rem for cleaning and dismantling of the WCF equipment. Under the Removal Alternative, additional exposure and accident risk would occur from routine waste handling, transportation and treatment and disposal. In the Closure-In-Place alternative, the few cubic feet of waste would be volume reduced by compaction or incineration at the Waste Experimental Reduction Facility and disposed of at an approved facility. The remaining radioactive and hazardous waste would be encased in 5,000 yd³ of concrete, while under Alternative 2, the 17,370 ft³ of waste would be disposed of or treated in approved facilities. The duration and cost of the Closure-in-Place alternative is three years and \$9 million, while Alternative 2 would last about nineteen years and cost \$150 million (Tables 4, 5, and 6).

The No Action alternative poses greater risks to all receptors over the long term. For instance, the radionuclide emissions to the air would continue and health risks associated with exposure and groundwater ingestion would be higher for the No Action alternative than for any of the other alternatives.

Table 3. Summary of Mitigative Measures Across Alternatives.

Alternative 1: RCRA Closure-In-Place	Alternative 2: RCRA Closure-By-Removal
<ul style="list-style-type: none"> • Sequence of closure events (e.g., sealing ductwork, slowly filling pipes and vessels with wet grout) would minimize radionuclide emissions due to resuspension (Sections 2.1.1 and 4.1.1). • Contaminated surfaces in the above ground portions of the facility would be stabilized with fixatives before demolition (Section 4.1.1) • Soil disturbance and loss would be minimized by keeping the disturbed area small and using erosion controls (e.g., catchment basins, slope stability, spraying a soil fixative) (Section 4.1.2). • Surface waters would be protected by adhering to a Storm Water Pollution Prevention Plan (Sections 4.1.2, and 4.1.3). • Water infiltration would be controlled and minimized by building an asphalt apron around the WCF, causing rain water to run off away from the building and construction area (Sections 2.1.1 and 4.1.4). • During the 30 year post-closure period the concrete cap would be inspected at least annually for cracks and loss or degradation of the joint seals between the sections. If cracks are observed they would be repaired as soon as possible. If a joint seal is lost or degraded, it would be replaced or repaired. The slope of the area around the capped WCF would be maintained to prevent run-on and run-off from eroding or otherwise damaging the cover (Section 4.1.4). • DOE would complete consultation as required by Section 106 of the National Historic Preservation Act before commencement of any activities associated with the proposed alternative (Section 4.1.6). • Volume reduction by compaction or incineration and recycling of wastes would minimize the amount disposed or stored in hazardous or radioactive disposal and storage facilities (Section 4.1.9). 	<ul style="list-style-type: none"> • During the closure process, procedures and controls would be employed to minimize resuspension of pollutants to the air (e.g., decontamination, stabilization, gloveboxes, tents) (Section 4.2.1). • Surface waters would be protected by adhering to a Storm Water Pollution Prevention Plan (Sections 4.2.2). • Soil disturbance and loss would be minimized by keeping the disturbed area small and using erosion controls (e.g., catchment basins, slope stability, spraying a soil fixative) (Section 4.2.2). • Pre-disposal treatments and packaging would reduce or delay the potential for contaminant migration (Section 4.2.2) • DOE would complete consultation as required by Section 106 of the National Historic Preservation Act before commencement of any activities associated with the Alternative 2 (Section 4.2.4). • Following removal, the below-grade cells would be backfilled to restore the WCF site to grade, contour and visual characteristics consistent with its surroundings. (Sections 2.2 and 4.2.5). • WCF processing components that were in direct contact with high-level waste would require decontamination, remote techniques, shielding, and personal protective equipment to minimize personnel exposure during removal (Section 4.2.7).

Table 4. Summary of Closure Impacts Across Alternatives.

Impacts	Alternative 1 (Preferred): RCRA Closure-In-Place		Alternative 2: RCRA Closure-By-Removal		Alternative 3: No Action	
	Closure Impacts	Air Emissions	Closure Impacts	RCRA Closure-In-Place	Closure Impacts	RCRA Closure-By-Removal
Closure Impacts						
Air Emissions						
Radionuclides released (Ci) from WCF: 8.30 x 10 ⁻³ of Cs-137 and Ba-137/m; 7.28 x 10 ⁻⁸ of Sr-90 and Y-90; and 1.44 x 10 ⁻⁹ Pu-238			Higher resuspension and longer duration, thus greater than Alternative 1.			N/A ^a
Geology						
Soil loss from disturbance and erosion			Same as Alternative 1 plus use of borrow source material to fill hole and cover waste debris. Also, 17,370 ft ³ disposed in approved radiological, mixed, or industrial landfills.			N/A
Surface Water	None		Potential to release decontamination solutions.			N/A
Groundwater	None		Loss of some less mobile organisms from silt and clay pits.			N/A
Biological Resources	None					N/A
Cultural Resources			Dismantle structure that is potentially eligible to the National Register of Historic Places			N/A
Visual Resources	None		Same as Alternative 1			N/A
Land Use	None					N/A
Health Effects						N/A
WCF Worker Dose	20 person-rem		242 person-rem			N/A
ICPP Worker Dose	1.4 x 10 ⁻⁷ mrem		8.1 x 10 ⁻⁷ mrem			
Public Dose						
Airborne Pathway	1.5 x 10 ⁻⁸ mrem to the MEI or 7.5 x 10 ⁻⁶ cancer risk; 2.5 x 10 ⁻⁸ person-rem to the public or 1.3 x 10 ⁻¹¹ cancer risk		8.5 x 10 ⁻⁸ mrem to the MEI or 4.3 x 10 ⁻⁵ cancer risk; 1.4 x 10 ⁻⁷ person-rem to the public or 7.0 x 10 ⁻¹¹ cancer risk			N/A
Groundwater Pathway	None		Potential to release decontamination solutions.			N/A
External Exposure	None		Potential exposure from transportation on public highways			N/A
Waste Management			A few yd ³ of waste material, such as anti-contamination clothing, and grout hoses. Encase essentially all of the WCF, including radioactive & hazardous materials listed in Appendix B, Tables 8 and 9 in a solid concrete block.			N/A

a. Not applicable because no action does not include a Closure Activity, see Section 4.3.


Table 5. Summary of Post-Closure Impacts Across Alternatives.

Impacts	Alternative 1 (Preferred): RCRA Closure-In-Place			Alternative 2: RCRA Closure-By-Removal			Alternative 3: No Action		
	Post-Closure Impacts	None	None	None	None	None	None	None	None
Air Emissions	None	None	None	None	None	None	Continued as present, WCF emissions would be $<1.2 \times 10^{-6}$ mrem from the ICPP main stack. Fugitive radioactive and hazardous emissions may occur as a result of deteriorating conditions and controls	None	Continued as present, WCF emissions would be $<1.2 \times 10^{-6}$ mrem from the ICPP main stack. Fugitive radioactive and hazardous emissions may occur as a result of deteriorating conditions and controls
Geology	None	None	None	None	None	None	Potential for floodwater intrusion and radionuclide mobilization	Potential for floodwater intrusion and radionuclide mobilization	Potential for floodwater intrusion and radionuclide mobilization
Surface Water	None	None	None	None	None	None	Potential for stormwater and floodwater intrusion and radionuclide percolation to groundwater	Potential for stormwater and floodwater intrusion and radionuclide percolation to groundwater	Potential for stormwater and floodwater intrusion and radionuclide percolation to groundwater
Groundwater		Potential to transport small amounts of radionuclides to groundwater (see dose summary below)		None at the WCF site, unknown at other disposal sites.		None	Organisms could become a contaminant pathway as building deteriorates and small animals gain access to the building	Organisms could become a contaminant pathway as building deteriorates and small animals gain access to the building	Organisms could become a contaminant pathway as building deteriorates and small animals gain access to the building
Biological Resources		None		None		None	Historic structure would remain intact, but lack of maintenance or neglect of the WCF would result in deterioration.	Historic structure would remain intact, but lack of maintenance or neglect of the WCF would result in deterioration.	Historic structure would remain intact, but lack of maintenance or neglect of the WCF would result in deterioration.
Cultural Resources		None		None		None	WCF site hazards and risks would restrict other uses through institutional control	WCF site hazards and risks would restrict other uses through institutional control	WCF site hazards and risks would restrict other uses through institutional control
Visual Resources		None		None		None			
Land Use		WCF Site would be restricted from other uses		None		None			
Health Effects									
ICPP Worker Dose		3.0×10^{-18} mrem		None at WCF, potential increase at Treatment, Storage, and Disposal Facilities		None	Continued existing dose with potential increases as building deteriorates.	Continued existing dose with potential increases as building deteriorates.	Continued existing dose with potential increases as building deteriorates.
Public Dose						None	Same as above	Potential for increased risk from stormwater and floodwater intrusion.	Same as above
Airborne Pathway		None		Unknown because of disposal at other locations.					
Groundwater Pathway		2×10^{-6} cancer risk calculated from the refined risk assessment		Same as above					
External Exposure		2×10^{-18} cancer risk							
Waste Management		30 year monitoring requirement		Waste management and/or monitoring at other disposal locations.					

Table 6. Summary of Estimated Closure Costs and Durations Across Alternatives.

Impacts	Alternative 1 (Preferred): RCRA Closure-In-Place	Alternative 2: RCRA Closure-By-Removal	Alternative 3: No Action
Closure Costs	\$9 million	\$150 million	\$400 thousand/yr. for minimal monitoring and maintenance. ^a
Closure Duration	3 years	19 years	Indefinite period of continued monitoring, maintenance, and inspection.

a. Maintenance costs are likely to increase over time.



5. PERMIT AND REGULATORY REQUIREMENTS

5.1 Federal

Section 106 of the National Historic Preservation Act of 1966, as amended, requires agencies to consider the impact of activities on properties listed or eligible for listing in the National Register of Historic Places. Section 110 directs federal agencies to establish programs to find, evaluate and nominate eligible properties to the National Register of Historic Places, including previously unidentified historic properties that may be discovered during the implementation of a project (36 CFR Part 800). In addition, the Archaeological Resource Protection Act of 1979, as amended, provides for the protection and management of archaeological resources on federal lands.

Subpart M of EPA's regulations for NESHAP (40 CFR 61.145 and 61.154) contains standards for demolishing buildings containing friable asbestos and for asbestos waste disposal. The regulations require specific notifications and reporting to the EPA. The regulatory standards specify procedures to control visible emissions and reduce safety risks during typical asbestos stripping, removal and landfill disposal activities. The WCF closure would encase asbestos materials in grout for disposal-in-place. The grouting process and emission controls would prevent visible asbestos emissions. However, the disposal-in-place action would create a site subject to portions of 40 CFR 61.151 and 154 such as warning signs, record keeping, and notation on land title.

Before closure of the WCF, a project Storm Water Pollution Prevention Plan (SWPPP) would be prepared and approved in accordance with the INEL Construction Activities SWPPP (DOE 1993). During closure and post-closure phases, erosion prevention and sediment controls would be implemented according to best management practices from EPA's Storm Water Management for Construction Activities, Developing Pollution Prevention Plans and Best Management Practices (EPA 1992).

5.2 State

Air emissions from the ICPP main stack are permitted under the ICPP Nitrogen Sources Permit to Construct (PTC 023-0001) issued by the Idaho Division of Environmental Quality on February 13, 1995. The permitted limit for radionuclide emissions is 10 mrem/yr. in aggregate with all other INEL sources. The closure activity would not require modification to the air permit nor would it result in a violation of any permit limits or requirements.

The HWMA closure performance standards of IDAPA § 16.01.05.009, "*Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage and Disposal Facilities*" require the design and construction of a low-permeability cover over the unit to reduce the migration of liquids into the grouted structure. The owner or operator of a hazardous waste management facility must close the facility in a manner that:

- Minimizes the need for further maintenance
- Controls, reduces, or eliminates, to the extent necessary to protect human health and the environment, post-closure escape of hazardous waste, hazardous constituents, leachate, contaminated run-off, or hazardous waste decomposition products to the ground or surface waters or to the atmosphere
- Complies with the closure requirements of this subpart IDAPA 16.01.05.009 [40 CFR 265].

A WCF Closure Plan is being prepared to demonstrate how the Closure-in-Place alternative would comply with HWMA requirements. The Closure Plan must be approved by the Idaho Division of Environmental Quality before initiation of closure activities.

6. COORDINATION AND CONSULTATION

Lockheed Martin Idaho Technologies Company, the U. S. Department of Energy, Idaho Operations Office (DOE-ID), and the Idaho Division of Environmental Quality have agreed that the concept of a risk-based, cost-effective, in-situ or in-place strategy is a reasonable approach to reduce environmental risks. With state agreement, LMITCO and DOE-ID have proceeded to explore a RCRA Closure Plan and Risk Assessment for closure-in-place of the WCF. However, to fully comply with NEPA, DOE-ID is also preparing this EA to evaluate the impact of reasonable closure alternatives and no action before committing significant resources or making an irreversible commitment of resources. In addition, this EA will be used to present the closure-in-place concept and other alternatives to the public.

DOE is required to review as guidance the most current U. S. Fish and Wildlife Service (FWS) list for threatened and endangered (T&E) plant and animal species. If, after reviewing the list, DOE determines that the proposed action would not impact any T&E species, DOE may determine or document that formal consultation with the FWS is not required for this action. The Environmental Science and Research Foundation performs independent T&E species reviews for DOE. They have advised DOE that a biological assessment would not be required for the proposed action or alternative actions (see Section 4.1.5).

DOE must consult with the SHPO as required by Section 106 of the National Historic Preservation Act before commencement of any activities associated with the proposed action or alternative actions (Section 4.1.6).



7. LIST OF PREPARERS AND REVIEWERS

7.1 Preparers

Julie B. Braun, Senior Communication Specialist, Lockheed Martin Idaho Technologies Company
Historic Compliance Issues
19 years experience

John S. Irving, Staff Scientist, Lockheed Martin Idaho Technologies Company
LMITCO Document Manager
Ph.D., Limnology, University of Idaho
M.S., Fisheries Management, University of Idaho
B.S., Fishery Biology, Utah State University
16 years experience

Chris S. Staley, Staff Scientist, Lockheed Martin Idaho Technologies Company
Air Resources and Risk Assessment
M.S., Biological Sciences, CA State University
B.S., Wildlife and Fisheries Biology, U.C. Davis
16 years experience

Norm Stanley, Advisory Scientist, Lockheed Martin Idaho Technologies Company
Air Resources and Waste Management
B.S., Biology, Brigham Young University
M.S., Environmental Science, University of Idaho
23 years experience

7.2 Reviewers

Bruce M. Angle, Advisory Scientist, Lockheed Martin Idaho Technologies Company
NEPA Technical Program Lead
B.A., Chemistry, Northwestern University
22 years experience

Thomas F. Borschel, Principal Engineer, Lockheed Martin Idaho Technologies Company
Licensed Professional Engineer
B.S., Mining Engineering, University of Utah
M.S., Civil/Geotechnical Engineering, University of California, Berkeley
15 years experience

Jim B. Bosley, Staff Engineer, Lockheed Martin Idaho Technologies Company
RCRA Permitting
B.S., Mining Engineering, University of Idaho
21 years experience

Paul P. Martin, U. S. Department of Energy, Idaho Operations Office

DOE-ID Document Manager

B.S., Wildlife Science

B.A., English

21 years experience

Jay R. Mitchell, Manager, NEPA / Permitting, Lockheed Martin Idaho Technologies Company

NEPA / Permitting,

B.S., Chemical Engineering, Montana State University

Environmental Policy Management, Brookings Institute, Washington, D.C.

Executive Management Program, University of California at Santa Barbara

25 years experience

Douglas H. Preussner, Advisory Engineer, Lockheed Martin Idaho Technologies Company

WCF Project Manager

B. S. Chemical Engineering

23 years experience

Timothy D. Reynolds, Environmental Science and Research Foundation

Ecology and Threatened and Endangered Species

Ph.D., Zoology (Ecology emphasis), Idaho State University

M.S., Zoology, (Comprehensive), Illinois State University

B.S., Biology, Illinois State University

21 years experience

Bart T. Richards, Consulting Technical Specialist, Lockheed Martin Idaho Technologies Company

RCRA Permitting

B.A., Microbiology, University of Montana

22 years experience

Shannon M. Rood, Principal Engineer, Lockheed Martin Idaho Technologies Company

Health Risk Modeling

B.A., Applied Ecology, University of California at Irvine

10 years experience

Roger L. Twitchell, NEPA Compliance Officer, U. S. Department of Energy, Idaho Operations Office

NEPA Compliance

B.S., Botany and Zoology, Weber State College

18 years experience

8. REFERENCES

Borschel, T. F., and B. R. Helm, 1995, *Summary of Fiscal Year 1995 Engineering and Development Activities for the Waste Calcine Facility Resource Conservation and Recovery Act Closure Project*, Draft, INEL-95/0291, September 1995 8

Demmer, R. L., and K. E. Archibald, 1995, *Waste Calcining Facility Heel Volume Investigation and Calculation*, Lockheed Idaho Technologies Company, September. 18, 53, 54

DOE (U. S. Department of Energy), 1993, INEL Stormwater Pollution Prevention Plan for Construction Activities, DOE/ID-10425, February 1993. 35

DOE (U. S. Department of Energy), 1994, *1994 Airborne Release Fractions/Rates and Respirable Fractions for Nonreactor Nuclear Facilities*, DOE-HDBK-3010-94, December. 17

DOE (U. S. Department of Energy), 1995a, *Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs*, DOE/EIS-0203-F, U. S. Department of Energy, Office of Environmental Management, Idaho Operations Office, April 1995. 4, 19, 24, 26, 28

DOE (U. S. Department of Energy), 1995b, *Record of Decision, Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs*, U. S. Department of Energy, Office of Environmental Management, Idaho Operations Office, May 30, 1995. 4

DOE (U. S. Department of Energy), 1995c, *1994 INEL National Emission Standard for Hazardous Air Pollutants - Radionuclides*, Annual Report, June 1995 18, 28

DOE (U. S. Department of Energy), 1995d, *Idaho National Engineering Laboratory Site Treatment Plan*, November 28

DOE (U. S. Department of Energy), 1995e, *INEL Reusable Property, Recyclable Materials, and Waste Acceptance Criteria (RRWAC)*, DOE/ID-10381, Revision 5, October. 28

DOE (U. S. Department of Energy), 1996a, *Comprehensive Facility and Land Use Plan*, DOE/ID-10514, U. S. Department of Energy, Idaho Operations Office, Idaho Falls, ID, March. 7, 11, 21, 22


DOE (U. S. Department of Energy), 1996b, *New Waste Calcining Facility Final Safety Analysis Report*, WIN-107-8.2, Revision 6, January. 25

DOE-ID (U. S. Department of Energy, Idaho Operations Office), 1995, *INEL Radiological Control Manual*. 22

EPA (Environmental Protection Agency), 1989, *Risk Assessment Guidance for Superfund: Volume 1 - Human Health Evaluation Manual (Part A)*, EPA/540/1-89-002, December. 59


EPA (U. S. Environmental Protection Agency), 1990, <i>The Clean Air Act Assessment Package - 1988 (Cap-88), a Dose and Risk Assessment Methodology for Radionuclide Emissions to Air</i> , Volumes 1-3, prepared by D. A. Beres, SC&A, Inc., for the U. S. Environmental Protection Agency	18
EPA (U. S. Environmental Protection Agency), 1991, <i>Seminar Publication: Design and Construction of RCRA/CERCLA Final Covers</i> , Office of Research and Development, EPA/625/4-91/025.	9
EPA (U. S. Environmental Protection Agency), 1992, <i>Storm Water Management for Construction Activities -- Developing Pollution Protection Plans and Best Management Practices</i> , EPA 832-R-92-005, Office of Wastewater Enforcement and Compliance, Washington, D.C.	35
Idaho National Engineering Laboratory News, Nov. 16, 1995.	21
Irving, J. S., 1993, <i>Environmental Resource Document for the Idaho National Engineering Laboratory</i> , volumes 1 and 2, EGG-WMO-10279	14
Keck, K. N., 1995, Conceptual Cover Design for RCRA Closure of the ICPP Waste Calcine Facility Building CPP-633 at the INEL, in: Borschel, T. F., and B. R. Helm, 1995, <i>Summary of Fiscal Year 1995 Engineering and Development Activities for the Waste Calcine Facility Resource Conservation and Recovery Act Closure Project.</i> , Draft, INEL-95/0291, September 1995, Appendix F	9
Koslow, K. N., and D. H. Van Haaften, 1986, <i>Flood routing analysis for a Failure of Mackay Dam</i> , EGG-EP-7184.	13, 19
LMITCO (Lockheed Martin Idaho Technologies Company), 1995, <i>ICPP Safety Analysis Report</i> , INEL-94/022, March.	19
Martin, S. B., 1995, Letter from Susan B. Martin, Acting Supervisor, Snake River Basin Office, U. S. Department of the Interior, Fish and Wildlife Service, to Dr. Tim Reynolds, Environmental Science and Research Foundation, "INEL-DOE Species List Update," September 22, 1995	13
Matzen, T. A., 1995, <i>Geotechnical Evaluation for RCRA Closure of the Waste Calcine Facility - CPP-633 - at the Idaho National Engineering Laboratory</i> , August, in: Borschel, T. F., and B. R. Helm, 1995, <i>Summary of Fiscal Year 1995 Engineering and Development Activities for the Waste Calcine Facility Resource Conservation and Recovery Act Closure Project.</i> , Draft, INEL-95/029, September 1995, Appendix B.	19
National Cancer Institute, 1994, <i>SEER Cancer Statistics Review, 1973-1991</i> , On NCI and NIH (National Institutes of Health) "Cancernet."	22, 24, 27
Raytheon Engineers and Constructors, 1994, <i>Waste Calcining Facility Deactivation Plan</i> , Draft Report, Prepare for U. S. Department of Energy, Idaho Operations Office, April	11, 27
Reynolds, T. D., 1996, Letter to R. L. Twitchell, DOE-ID, "Biological Assessment for Closure of CPP-633, March 6.	21, 26

Rood, A. S., 1994, <i>GWSCREEN: A Semi-Analytical Model for Assessment of the Groundwater Pathway from Surface or Buried Contamination, Theory and User's Manual, Version 2.0</i> , EGG-GEO-10797, Revision 2, June.	20
Rood, S. M., and A. S. Rood, 1995, <i>Technical Memorandum Risk Assessment for the RCRA Closure for the Waste Calcine Facility</i> , INEL-95/0311, October.	7
Rood, S.M., C.S. Smith, and A. S. Rood, 1996, <i>Risk Assessment for the RCRA Closure for the Waste Calcining Facility</i> , INEL-96/0041, February.	20, 53, 60-62, 64, 65
Sax N. I. and R. J. Lewis, 1986, <i>Rapid Guide to Hazardous Chemicals in the Workplace</i> , Van Nostrasnd Reinhold Company, p. 106.	60
Staley, C. S., 1996, <i>Dose to a Maximally Exposed Individual from Potential Airborne Releases During D&d of the Waste Calcine Facility</i> , Engineering Design File, Ema-95-001.3, Revision 3. . 17, 18, 25	
Stanley, N. E., 1996, Letter to J. S. Irving, "Potential Waste Streams and Treatment/Disposal Options for Alternative 2, Closure-By-Removal", March 27.	56
U. S. Department of Commerce, Bureau of Census, 1990, Census of Population and Housing, 1990, Public Law 94-171 Data, CD-ROM technical Documentation (prepared 1991).	14



APPENDICES

APPENDIX A -- Glossary	47
APPENDIX B -- Waste Calcining Facility Process Residue (Heel) and Hazardous Waste	53
APPENDIX C -- Waste Management Summary	55
APPENDIX D -- Risk Assessment	59
APPENDIX E -- Response to Public Comments	67



APPENDIX A -- Glossary

Adsorbers. Solid or liquid materials that collect gases, liquids, or solutes on their surface. In this case silica gel.	2
Alluvium. Sediment deposited by flowing water, as in a riverbed, flood plain, or delta.	13
Alpha particles. Positively charged particles, indistinguishable from helium atom nuclei and consisting of two protons and two neutrons. Alpha particles have low penetrating power and can be stopped by paper. Gross alpha particles activity refers to the total activity due to emission of alpha particles. Used as screening measurement of radioactivity. These particles are low external, but high internal hazards and are found throughout the operating cells of the WCF.	20
Aqueous. Dissolved in water or watery.	2
Aquifer. A body of rock or sediment sufficiently permeable to conduct groundwater and to yield significant quantities of water to wells and springs. The Snake River Aquifer underlies the INEL.	13
Asbestos. A mineral fiber that can pollute air or water and cause cancer when inhaled. The EPA has banned or severely restricted its use in manufacturing and construction and was used in insulation and roof of the WCF.	2
Atmospheric Protection System (APS). Ventilation exhaust cleanup system for the ICPP main stack emissions consisting of a fiberglass bed prefilter and 104 HEPA filters arranged in 26 parallel banks. .	2
Basalt. A general term for dark-colored, fine-grained igneous rock. Found throughout the INEL both on the surface and below the surface.	13
Below-grade. The area of the Waste Calcine Facility below ground level.	2
Beta particle. A high-speed electron or positron, especially those emitted in radioactive decay. The Beta particle has medium penetrating power and can be stopped by wood and plastic material. Gross Beta Particle activity is the total activity due to emission of beta particles. Used as a screening measurement for radioactivity from man-made radionuclides.	21
Committed Effective Dose Equivalent (CEDE). The sum of the products of the weighting factors applicable to each of the body organs or tissues that are irradiated and the committed dose equivalent to these organs or tissues. The committed dose equivalent is the dose equivalent to organs or tissues of reference that will be received from an intake of radioactive material by an individual during the 50-year period following the intake.	18
Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLA or "Superfund," was enacted by Congress in 1980. In 1986, CERCLA was amended by the Superfund Amendments and Reauthorization Act. CERCLA's major provisions are designed to address the problems associated with inactive hazardous material disposal sites. CERCLA provides EPA the authority to clean up these sites or forces clean up by private business and federal agencies..	4


Contaminants of Potential Concern (COPC). The types of contaminants that are likely to be site-related and of concern related to human health and the environment. The three types of contaminants expected to be present in the WCF are radionuclides, metals and anions.	20
Council on Environmental Quality (CEQ). A council established by the National Environmental Policy Act of 1969, as amended (Public Law 91-90, 42 U.S.C. 4321-4347, January 1970, as amended by Public Law 94-52, July 3, 1975, and Public Law 94-83, August 9, 1975). The Council's duties are described in Title II of the National Environmental Policy Act.	4
Cumulative impacts. Impacts on the environment which result from incremental impacts of an action when added to other past, present, and reasonably foreseeable future actions regardless of what agency (Federal or non-Federal) or person undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time.	24
Decontamination. To make safe by removing poisonous or otherwise harmful substances, such as noxious chemicals or radioactive material.	2
Effective Dose Equivalent (EDE). The sum of the products of the dose equivalent to the organ or tissue and the weighting factors applicable to each of the body organs or tissues that is irradiated. It includes the dose from radiation sources internal and/or external to the body and is expressed in units of rem. The International Commission on Radiation Protection defines this as the effective dose.	18
Environmental Assessment (EA). A concise public document for which a Federal agency is responsible that serves to: (1) Briefly provide sufficient evidence and analysis for determining whether to prepare an environmental impact statement or a finding of no significant impact.	4
Environmental Impact Statement (EIS). A document that serves to ensure that the policies and goals defined in NEPA are incorporated into the programs and actions of the Federal government. An EIS gives a full and fair discussion of significant environmental impacts. The EIS informs decision makers and the public of reasonable alternatives that would avoid or minimize adverse impacts or enhance the quality of the human environment.	4
Erosion. The wearing away of land surface by wind or water. Erosion occurs naturally from weather or run off but can be intensified by land-clearing practices.	9
Finding of No Significant Impact (FONSI). A document, based on an environmental assessment by a Federal agency briefly presenting the reasons why an action will not have a significant effect on the human environment and for which an environmental impact statement will therefore not be prepared. . . .	5
Grout. A thin mortar used to fill cracks and crevices in masonry. In this case, the mortar would be used to completely fill the structures and vessels of the WCF.	4
Hazard Index (HI). The sum of Hazard Quotients. If the Hazard Index is greater than one, there may be concern for the potential noncarcinogenic effects because the intake exceeds the reference dose. If the Hazard Index is less than one, the estimated soil concentration of the metal is presumably below the threshold of potential noncarcinogenic effects, and no adverse health effects are expected from exposure to the metal. The hazard quotient is the ratio of a single substance exposure level over a	

specified time period to a reference dose for that substance derived from a similar exposure period (see Appendix D).	23
Hazardous Waste Management Act (HWMA). Idaho Hazardous Waste Management Act, IDAPA 16.01.05, "Rules and Standards for Hazardous Waste" are the rules adopted pursuant to the authority vested in the Board of Health and Welfare by the Hazardous Waste Management Act of 1983, Sections 39-4401 et seq., Idaho Code. Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage and Disposal Facilities, IDAPA 16.01.005.009, incorporate by reference 40 CFR Part 265, and all Subparts (excluding Subpart R and 40 CFR Parts 265.149 and 265.150) revised as of July 1, 1994. (4-26-95).	1
Infiltration. The penetration of water through the ground surface into sub-surface soil.	8
Injection wells. Wells into which fluids are injected for purposes such as waste disposal.	14
Maximally Exposed Individual (MEI). A hypothetical individual defined to allow dose or dosage comparison with numerical criteria for the public. This individual is located at the point on the DOE site boundary nearest to the facility in question.	18
Mitigative measures. Those actions that avoid impacts altogether, minimize impacts, rectify impacts, reduce or eliminate impacts, or compensate for the impact. In this case they are actions that are incorporated into the project design to minimize or eliminate potential impacts.	29
National Environmental Policy Act (NEPA). A Federal law, enacted in 1970, that requires the Federal government to consider the environmental impacts of, and alternatives to, major proposed actions in its decisionmaking processes. Commonly referred to by its acronym, NEPA.	4
National Oil and Hazardous Substance Pollution Contingency Plan (NCP). The federal regulation that guides determination of the sites to be corrected under the Superfund program and the program to prevent or control spills into surface waters or other portions of the environment.	4
Nitrogen oxides. Products of combustion from transportation and stationary sources and major contributors to the formation of ozone in the troposphere and acid deposition.	2
Nonfriable. Material cannot be crumbled in your hand.	10
Occupational radiation dose. Annual dose received by a worker from job-related ionizing radiation.	7
Off-site. An area outside the INEL boundaries.	18
Percolation. The movement of water downward and radially through the sub-surface soil layers, usually continuing downward to the groundwater.	14
Perennial. A plant that lives three or more years.	13
Person-rem. A unit of collective radiation dose applied to populations or groups of individuals. In this case, those members of the public residing within a 50 mi. radius of the WCF or ICPP.	18

Prevention of Significant Deterioration (PSD). Clean Air Act regulations designed to “protect public health and welfare from any actual or potential adverse effect . . .”, U.S. Code, Title 42, The Public Health and Welfare, Chapter 85—Air Pollution Prevention and Control, Subchapter I—Programs and Activities, Part C—Prevention of Significant Deterioration of Air Quality.	13
Radionuclide. An unstable isotope, of an element, that decays or disintegrates spontaneously, emitting radiation. Approximately 5,000 natural and manmade radionuclides or radioisotopes have been identified.	2
RCRA cap. A cover, in this case, a concrete cover, designed to (a) provide long-term minimization of migration of liquids through the closed cell, (b) function with minimum maintenance, (c) promote drainage and minimize erosion or abrasion of the cover, (d) accommodate settling and subsidence so that the cover's integrity is maintained; and have a permeability less than or equal to the permeability of any bottom liner system or natural subsoils present.	4
Record of Decision (ROD). A concise public record of decision (40 CFR 1505.2) at the conclusion of the an environmental impact statement. The ROD, which must be published in the <i>Federal Register</i> , will (a) State what the decision is, (b) Identify all alternatives considered and specify the alternative or alternatives which were considered environmentally preferable, and (c) State whether all practicable means to avoid or minimize environmental harm from the alternative selected have been adopted and, if not, why they are not.	4
Remedial Investigation / Feasibility Study (RI/FS). The Comprehensive Environmental Response, Compensation, and Liability Act process of determining the extent of hazardous substance contamination and, as appropriate, conducting treatability investigations. The RI provides the site-specific information for the feasibility study. The feasibility study is a step in the environmental restoration process and should result in a decision (ROD) selecting a remedial action alternative.	4
Resource Conservation and Recovery Act (RCRA). A regulatory statute designed to provide “cradle-to-grave” control of hazardous waste by imposing management requirements on generators and transporters of hazardous wastes and upon owners and operators of treatment, storage, and disposal facilities.	1
Run-off. That part of precipitation or snow melt that runs off the land, and pavement into streams or other surface-water. It can carry pollutants from the air and land into the receiving waters.	8
Ruthenium. A radioactive isotope adsorbed on the silica gels in the WCF calcining process.	2
Seismicity. The phenomenon of earth movements; seismic activity. Seismicity is related to the location, size, and rate of occurrence of earthquakes.	19
Sized. The result of compaction, melting, or mechanical reduction of wastes thereby minimizing the empty spaces in waste boxes.	10
Sole source aquifer. A designation granted by the EPA when groundwater from a specific aquifer supplies more than 50 percent of the drinking water for the area overlying the aquifer. Federal financial	

assistance to projects which are determined to be potential unhealthy for the aquifer may be limited or withheld. 13

Waste streams. Wastes or groups of wastes with similar physical form, radiological properties, EPA waste codes, or associated land disposal restriction treatment standards. 11



APPENDIX B -- Waste Calcining Facility Process Residue (Heel) and Hazardous Waste

Demmer and Archibald (1995) calculated the expected amount of process residue remaining in the shutdown process vessels or equipment of the WCF. The remaining solid residue is referred to as the heel volume. Refer to their report for a detailed description of assumptions, calculations and estimates.

The total estimated heel volume remaining in the WCF is presented in Table 7. Hazardous and radiological constituents present in the heel volume were estimated by studying the chemical analysis of similar types of waste processes. Based on these comparisons, Demmer and Archibald (1995) estimated the composite waste residue concentrations and quantities of elements and isotopes expected at the WCF. The total mass of residue was calculated to be about 1,400 pounds with an estimated volume of 14.02 ft³ (Table 7). The estimated concentrations and quantities of elements and isotopes that comprise the heel volume are shown in Tables 8 and 9.

The WCF also contains some lead shielding, mercury and used oil and asbestos materials. About 15 tons of lead shielding material are distributed through the high radiation areas in walls, pipe corridors, sample collection areas, and doorways. An estimated 26 pounds of mercury are present in instruments located inside the high-radiation cells. About 270 gallons of lubricating oils are contained in in-cell equipment blowers, quench pumps and shielded windows. The friable asbestos has been removed from accessible operating corridors within the WCF. However, some residual friable asbestos may remain on piping within the high radiation cells. An estimated 500 ft³ of nonfriable asbestos is present in the WCF roofing sealant. There is no estimate for total asbestos volumes at the WCF.

Table 7. Total Estimated Process (Heel) Volumes.

Process Area	Estimated Heel Volume (ft ³)
Solid Vessels	4.99
Liquid Vessels	0.18
Piping and Ducts	2.96
Miscellaneous	3.03
Cell Floors	2.86
Total	14.02

a) Source: Rood et al. 1996.

Table 8. Estimated Quantities of Metals in the WCF Heel Volume.

Element	Concentration in Residue (weight %)	Estimated Total quantity (kg)
Aluminum	1.16×10^1	7.357×10^1
Boron	1.20×10^0	7.61×10^0
Calcium	3.25×10^1	2.06×10^2
Cadmium	0	0
Carbonate	7.20×10^0	4.57×10^1
Chloride	1.00×10^{-1}	6.30×10^{-1}
Chromium	3.00×10^{-1}	1.90×10^0
Flouride	3.23×10^1	2.05×10^2
Iron	2.80×10^{-1}	1.78×10^0
Potassium	7.00×10^{-1}	4.44×10^0
Magnesium	1.50×10^0	9.51×10^0
Sodium	1.90×10^0	1.205×10^1
Tin	4.30×10^{-1}	2.73×10^0
Zirconium	2.30×10^1	1.46×10^2
Nitrate	3.60×10^0	<u>2.28×10^1</u>
Total^a		5.3474×10^2

Source: Demmer and Archibald 1995.

a. Total rounded.

Table 9. Estimated Quantities of Radionuclides in the WCF Heel Volume.

Isotopes	Concentration in Residue ($\mu\text{g/g}$)	Half-life Corrected (Ci)
Am-241	3.40×10^{-1}	7.20×10^{-1}
Cm-244	1.60×10^{-3}	5.00×10^{-2}
Cs-134	5.00×10^{-2}	2.90×10^{-1}
Cs-137	3.52×10^1	1.38×10^3
Co-60	1.30×10^{-3}	1.30×10^{-1}
Eu-154	1.50×10^{-1}	7.85×10^0
Eu-155	2.80×10^{-2}	1.06×10^0
Np-237	1.47×10^1	7.00×10^{-3}
Pu-238	2.48×10^0	2.40×10^1
Pu-239	3.25×10^0	1.30×10^{-1}
Pu-240	5.50×10^{-1}	8.00×10^2
Pu-241	9.00×10^{-2}	2.90×10^0
Pu-242	0	0
Ru-106	4.30×10^{-3}	4.00×10^{-4}
Sb-125	1.60×10^{-2}	1.60×10^{-1}
Sr-90	1.99×10^1	1.21×10^3
Tc-99	3.26×10^1	3.50×10^{-1}
U-234	1.44×10^0	6.00×10^{-3}
U-235	1.77×10^1	2.43×10^{-7}
U-236	2.18×10^0	8.94×10^{-5}
U-238	1.13×10^3	<u>2.42×10^{-5}</u>
Total^a		2.63×10^3

Source: Demmer and Archibald 1995.

a. Total rounded.

APPENDIX C -- Waste Management Summary

The potential waste streams and treatment and/or disposal options for the Removal Alternative are shown in Table 10. The potential impacts from removal on waste treatment and disposal facilities are shown in Table 11.

Table 10. Potential Waste Streams and Treatment/Disposal Options for Alternative 2, Closure-By-Removal.

Waste Stream	Estimated Volume	Treatment	Disposal
Mixed Waste and Debris			
Spent decontamination fluids	40,000 gal.	Neutralization and evaporation in ICPP PEW or High Level Waste evaporator	Evaporator bottoms transferred to ICPP high level waste tanks
Silica gel - contaminated with mercury and ruthenium-106 ^a	552 ft ³	In-situ washing with decontamination solutions (e.g. nitric acid, detergent, water) to remove RCRA constituents	If the treated silica gel could be reclassified as low-level waste, it would be disposed of at RWMC, otherwise, at a RCRA mixed waste landfill.
Lead bricks, shot and blankets	100 ft ³	Surface decontamination or macro encapsulation at Waste Reduction Operations Complex	Recycle if decontaminated or disposed at a commercial RCRA mixed waste landfill
Process equipment debris ^a	5,071 ft ³	Treat at ICPP debris-rule treatment facility or Waste Reduction Operations Complex using high pressure washing, abrasive blasting, solvents, detergents, encapsulation, etc.	Following debris rule treatment, the reclassified low-level waste would be disposed of at the RWMC. Mixed treatment residue would go to a RCRA mixed waste landfill.
Mercury	26 lb	Treat by amalgamation at Waste Reduction Operations Complex	Commercial RCRA mixed waste landfill
Equipment oil	270 gal.	Incinerate at Waste Experimental Reduction Facility or commercial RCRA mixed waste facility	Dispose of ash at commercial RCRA mixed waste landfill
Decontamination residue (dirt, paint chips, scabbling residue, contaminated tools, etc.)	Unknown, but small	Treat by incineration at Waste Experimental Reduction Facility (if combustible) or by encapsulation at Waste Reduction Operations Complex	Commercial RCRA mixed waste landfill
HEPA filters ^a	Unknown, but small	HEPA leach system or incinerated at the Waste Experimental Reduction Facility	RWMC
Low-Level Waste			
Removed surface contamination, activated metals, or materials with fixed contamination, asbestos, combustible waste (anti-contamination clothing, wood, paper, cloth, rubber, and plastic)	3,161 ft ³	Compactible and combustible waste to Waste Experimental Reduction Facility for volume reduction and repackaging.	RWMC
Liquid low-level waste from wet decontamination processes	1500 gal.	Evaporation in ICPP PEW evaporator	Evaporator bottoms to ICPP high-level waste tank
Industrial Waste			
Rubble from demolition of the superstructure	8,486 ft ³	Survey to verify the absence of radioactive contaminants	INEL industrial waste landfill

Source: Stanley 1996.

a. The RCRA Debris Rule allows treating these materials to remove the RCRA-regulated waste, thus enabling reclassification of the metal debris as low-level waste or declassifying, if cleaning and treatment reduced the radioactive component to a low measurement.

Table 11. Potential Impacts from Alternative 2, RCRA Closure-By-Removal, on Waste Treatment and Disposal Facilities.

Facility	Function	Potential Impacts					
		Treatment			Disposal		
		Air Emissions	Worker Radiation Dose	Waste Transport	Release to Surface Water	Release to Ground Water	
ICPP Process Equipment Waste Evaporator	Low-level and mixed waste volume reduction by evaporation	x	x				
ICPP Debris Treatment and Storage Facility	Mixed waste debris decontamination by water washing, high-pressure water and steam sprays, and ultrasonic cleaning	x	x	x			
Waste Experimental Reduction Facility	Low-level and mixed waste volume reduction by compaction, metal sizing, incineration, and stabilization	x	x	x			
Mixed Waste Storage Facility	Mixed waste storage, verification sampling and repackaging		x	x			
Waste Reduction Operations Complex	Mixed waste volume reduction sizing, micro- and macro- encapsulation, mercury retorting	x	x	x			
Portable Water Treatment Unit	Dilute aqueous solution treatment by filtration, neutralization, carbon adsorption, and ion exchange	x	x				
HEPA Filter Leach System	HEPA filter cleaning using chemical extraction	x	x	x			
Radioactive Waste Management Complex	Transuranic and low-level alpha and mixed waste storage, low-level waste disposal		x	x		x	
INEL Industrial Landfill	Nonradioactive, nonhazardous industrial waste disposal					x	
Off-site treatment facilities	Existing or planned facilities at commercial sites and other DOE facilities may have technologies not available at the INEL to treat some of the mixed wastes	x*	x	x	x*	x*	

Source: Stanley, 1996.

a. Impacts depend upon the process and controls.



APPENDIX D -- Risk Assessment

D.1 Risk Characterization Methodology

The methodology used to calculate the effects from exposure to the COPCs in the WCF is presented in the following sections.

D.1.1 Carcinogens

For the radioactive carcinogens, risks represent the incremental probability of an individual developing fatal cancer over a lifetime as a result of exposure to carcinogens. The general form of the risk equation for radioactive carcinogens is to multiply the intake by the COPC-specific toxicity value (EPA 1989):

$$\text{Risk} = I \times SF$$

where,

$$\begin{aligned} \text{Risk} &= \text{cancer risk, expressed as a unitless probability} \\ I &= \text{intake (pCi or pCi-yr./gram)} \\ SF &= \text{slope factor } [(pCi)^{-1} \text{ or (gram/pCi-yr.)}^{-1}] \end{aligned}$$

Quantitative risks for the external exposure pathway were determined using the RESRAD computer code and risks for the groundwater ingestion exposure pathway were calculated using the computer code GWSCREEN.

D.1.2 Noncarcinogens

For the noncarcinogens such as the nonradionuclides hazard quotients are the measure by which the potential for adverse effects are measured. A hazard quotient is the ratio of the estimated intake over the RfD as presented below (EPA 1989):

$$HQ = \frac{I}{RfD}$$

where,

$$\begin{aligned} HQ &= \text{hazard quotient} \\ I &= \text{intake (mg/kg-d)} \\ RfD &= \text{reference dose (mg/kg-d)} \end{aligned}$$

Hazard quotients for the groundwater ingestion exposure pathway were calculated using the computer code GWSCREEN. If the hazard index (the sum of more than one hazard quotient) is greater

than one, there may be concern for the potential noncarcinogenic effects because the intake exceeds the reference dose. If the hazard index is less than one, the estimated soil concentration of the metal is presumably below the threshold of potential noncarcinogenic effects, and no adverse health effects are expected from exposure to the metal.

Mineral oil used for shielding in the cell viewing windows comprises the largest portion of the lubricating oil in the WCF. The oil was not included in the risk assessment because there is no toxicity information associated with the oil. Lead bricks and elemental mercury sources were not quantitatively evaluated because of their physical form, the exposure pathways evaluated, and the grouting of the WCF. This could slightly underestimate the risk if lead and mercury were released from the bricks and sources, and diffused through the concrete grout.

The mineral oil, lead bricks, and elemental mercury were not included in the risk assessment because the Environmental Protection Agency does not have a toxicity value for ingestion of these substances. The physical form of the lead bricks, a solid, reduces the likelihood that they would enter a pathway leading to ingestion. Mineral oil and elemental mercury, both liquids, may reach the groundwater, but are not toxic if ingested (Sax and Lewis 1986). Therefore, even if these substances were released from the concrete block, they would only slightly contribute to the risk calculated in the EA. (see EA, Appendix D)

D.2 Hazardous and Radionuclide Concentrations and Risk

Table 12 shows the peak groundwater concentrations, time of maximum concentrations, maximum contaminant levels, and concentration at 1×10^{-6} cancer risks for fourteen metals and twenty radionuclides. Table 13 shows the predicted concentrations and time of maximum concentrations for four radionuclides where the risk exceed the lower limit of the NCP target risk range. These COPC include: Np-237, Pu-239, Pu-240, and Tc-99. For a complete discussion of methods and assumptions used to calculate these values refer to Rood et al. 1996.

The calculated radionuclide concentrations potentially available to the soil from the WCF (see Rood et al. 1996) are compared (Table 14) with the proposed Drinking Water Standards (see 40 CFR Parts 141 and 142).

Table 15 shows the cancer risk from external exposure and groundwater ingestion for the twenty radionuclides using GWSCREEN. Table 16 shows the hazard quotients for the eleven nonradionuclides or metals. In addition, Table 16 shows the cancer risk from groundwater ingestion for four radionuclides using PORFLOW in the refined risk assessment.

Table 12. Peak Average Groundwater Concentrations, MCLs (Metals), Transit Times to Groundwater, and Groundwater Concentrations at Cancer Risk Value (1×10^{-6}) (Radionuclides) for Contaminants of Potential Concern.

Metal	Peak Groundwater Concentration (mg/l) ^a	MCL ^b	Transit Time to Groundwater (yr.) ^c	Cancer Risk for Groundwater Ingestion	
				Radionuclide	Peak Groundwater Concentration (pCi/l) ^b
Aluminum	2.16×10^{-4}	5.0×10^{-2}	1.30×10^1	Am-241	2.91×10^{-20}
Boron	2.23×10^{-5}	None	1.30×10^1	Cm-244	$<1.00 \times 10^{-88}$
Chromium	7.89×10^{-7}	1.0×10^{-1}	1.32×10^2	Co-60	$<1.00 \times 10^{-88}$
Fluoride	6.02×10^{-4}	4.0×10^0	1.30×10^1	Cs-134	$<1.00 \times 10^{-88}$
Magnesium	2.79×10^{-5}	None	1.30×10^1	Cs-137	$<1.00 \times 10^{-88}$
Nitrate	7.40×10^{-5}	1.0×10^1	1.30×10^1	Eu-154	$<1.00 \times 10^{-88}$
Potassium	1.70×10^{-7}	None	1.26×10^3	Eu-155	$<1.00 \times 10^{-88}$
Selenium	3.73×10^{-9}	5.0×10^{-2}	3.46×10^2	Np-237	1.61×10^{-1}
Silver	3.94×10^{-9}	1.0×10^{-1}	7.50×10^3	Pu-238	3.02×10^{-4}
Sodium	3.55×10^{-5}	None	1.30×10^1	Pu-239	3.22×10^0
⁶¹ Tin	8.02×10^{-6}	None	1.30×10^1	Pu-240	1.72×10^0
Uranium	6.96×10^{-6}	None	5.12×10^2	Pu-241	4.40×10^{-37}
Vanadium	7.54×10^{-12}	None	1.30×10^1	Ru-106	$<1.00 \times 10^{-88}$
Zirconium	<u>1.41×10^{-7}</u>	None	$>1.00 \times 10^4$	Sb-125	$<1.00 \times 10^{-88}$
	Total	9.94×10^{-4}		Sr-90	2.62×10^{-17}
				Tc-99	6.82×10^2
				U-234	5.61×10^{-1}
				U-235	2.28×10^5
				U-236	8.37×10^3
				U-238	2.27×10^3
				Total	6.95×10^{-10}

Source: Rood et al. 1996

a. Values are from GWSCREEN analysis.

b. MCL = Maximum Contaminant Level

c. Daughter products of radionuclides are included in the total.

Table 13. Maximum Predicted Concentration and Travel Times Using the Refined Groundwater Model.

Radionuclide ^a	Peak Groundwater Concentration (pCi/l)	Peak Time of Highest Concentration (yr.)	Cancer Risk for Groundwater Ingestion
Np-237	1.2×10^{-3}	$>1.0 \times 10^4$	1×10^{-08}
Pu-239	6.9×10^{-4}	$>1.0 \times 10^4$	5×10^{-09}
Pu-240	5.3×10^{-5}	$>1.0 \times 10^4$	4×10^{-10}
Tc-99	<u>8.2×10^1</u>	7.9×10^2	2×10^{-06}
Total	8.2×10^1		

Source: Rood, et al. 1996

a. Daughter products are included in the total.

Table 14. Comparison of Estimated Radionuclide Concentrations to Existing and Proposed Drinking Water Standards.

Radionuclides ^a	Estimated Concentrations		Existing Drinking Water Standard ^c	Proposed Drinking Water Standard ^d	—Ratio— Estimate / Standard ^e
	Ci/l ^b	pCi/l			
Photon and Beta Particles					
Co-60	$<1.00 \times 10^{-100}$	$<1.00 \times 10^{-88}$	—	2.18×10^2	4.59×10^{-91}
Cs-134	$<1.00 \times 10^{-100}$	$<1.00 \times 10^{-88}$	—	8.21×10^2	1.22×10^{-91}
Cs-137	$<1.00 \times 10^{-100}$	$<1.00 \times 10^{-88}$	—	1.19×10^2	8.40×10^{-91}
Eu-154	$<1.00 \times 10^{-100}$	$<1.00 \times 10^{-88}$	—	5.73×10^2	1.75×10^{-91}
Eu-155	$<1.00 \times 10^{-100}$	$<1.00 \times 10^{-88}$	—	3.59×10^3	2.79×10^{-91}
Pu-241	4.40×10^{-49}	4.40×10^{-37}	—	6.26×10^1	7.03×10^{-39}
Ru-106	$<1.00 \times 10^{-100}$	$<1.00 \times 10^{-88}$	—	2.03×10^2	4.93×10^{-91}
Sb-125	$<1.00 \times 10^{-100}$	$<1.00 \times 10^{-88}$	8.00×10^0	1.94×10^3	5.15×10^{-92}
Sr-90	2.62×10^{-29}	2.62×10^{-17}	—	4.20×10^1	6.24×10^{-19}
Tc-99 ^a	<u>8.20×10^{-11}</u>	<u>8.20×10^1</u>	—	3.79×10^3	<u>2.16×10^2</u>
Gross	8.20×10^{-11}	8.20×10^1	4 mrem/yr.	Sum of Ratio ^e	2.16×10^2
Alpha Particles					
Am-241	2.91×10^{-32}	2.91×10^{-20}	—	6.34×10^0	
Cm-244	$<1.00 \times 10^{-100}$	$<1.00 \times 10^{-88}$	—	9.84×10^0	
Np-237 ^a	1.20×10^{-15}	1.20×10^{-3}	—	7.06×10^0	
Pu-238	3.02×10^{-16}	3.02×10^{-4}	—	7.02×10^0	
Pu-239 ^a	6.94×10^{-16}	6.94×10^{-4}	—	6.21×10^1	
Pu-240 ^a	5.30×10^{-17}	5.30×10^{-5}	—	6.22×10^1	
U-234	5.61×10^{-13}	5.61×10^{-1}	—	1.39×10^1	
U-235	2.28×10^{-17}	2.38×10^{-5}	—	1.45×10^1	
U-236	8.37×10^{-15}	8.37×10^{-3}	—	3.22×10^1	
U-238	<u>2.27×10^{-15}</u>	<u>2.27×10^{-3}</u>	—	<u>1.46×10^1</u>	
Gross	5.75×10^{-13}	5.75×10^1	1.50×10^1	1.50×10^1	

a. Tc-99, Np-237, Pu-239, and Pu-240 values are from the refined risk assessment (Table 13).

b. From Rood et al. 1996.

c. The estimated Effective Dose Equivalent from ingesting 2 liters/day, 365 days/yr. of water containing the estimated concentration of photon and beta particles is 8.75×10^2 mrem/yr.

d. From EPA, 40 CFR Parts 141 and 142, "National Primary Drinking Water Regulations; Radionuclides; Proposed Rules."

e. A summation of the ratio — Estimate/Standard: Values less than 1 indicate concentrations below the 4 mrem/year limit.

Table 15. Cancer Risks for Radionuclides in the 30-Year Future Residential External and Groundwater Ingestion Exposure Pathway for the Screening Analysis and the Groundwater Ingestion Exposure for the Refined Risk Analysis.

Radionuclide	Risk		
	External Exposure	Ground-water Ingestion	Total
Screening Analysis (using GWSCREEN)			
Am-241	$<1 \times 10^{-30}$	2×10^{-25}	2×10^{-25}
Cm-244	$<1 \times 10^{-30}$	$<1 \times 10^{-30}$	$<1 \times 10^{-30}$
Co-60	1×10^{-20}	$<1 \times 10^{-30}$	1×10^{-20}
Cs-134	9×10^{-26}	$<1 \times 10^{-30}$	9×10^{-26}
Cs-137	1×10^{-18}	$<1 \times 10^{-30}$	1×10^{-18}
Eu-154	1×10^{-18}	$<1 \times 10^{-30}$	1×10^{-18}
Eu-155	$<1 \times 10^{-30}$	$<1 \times 10^{-30}$	$<1 \times 10^{-30}$
Np-237	3×10^{-28}	1×10^{-06}	1×10^{-06}
Pu-238	$<1 \times 10^{-30}$	2×10^{-09}	2×10^{-09}
Pu-239	$<1 \times 10^{-30}$	2×10^{-05}	2×10^{-05}
Pu-240	$<1 \times 10^{-30}$	1×10^{-05}	1×10^{-05}
Pu-241	$<1 \times 10^{-30}$	$<1 \times 10^{-30}$	$<1 \times 10^{-30}$
Ru-106	$<1 \times 10^{-30}$	$<1 \times 10^{-30}$	$<1 \times 10^{-30}$
Sb-125	1×10^{-27}	$<1 \times 10^{-30}$	1×10^{-27}
Sr-90	$<1 \times 10^{-30}$	3×10^{-23}	3×10^{-23}
Tc-99	4×10^{-27}	1×10^{-05}	1×10^{-05}
U-234	$<1 \times 10^{-30}$	5×10^{-07}	5×10^{-07}
U-235	$<1 \times 10^{-30}$	2×10^{-11}	2×10^{-11}
U-236	$<1 \times 10^{-30}$	7×10^{-09}	7×10^{-09}
U-238	9×10^{-28}	3×10^{-09}	3×10^{-09}
Total^a	3×10^{-18}	5×10^{-05}	5×10^{-05}
Refined Risk Assessment^b (using PORFLOW)			
Np-237	--	1×10^{-08}	1×10^{-08}
Pu-239	--	5×10^{-09}	5×10^{-09}
Pu-240	--	4×10^{-10}	4×10^{-10}
Tc-99	--	2×10^{-06}	2×10^{-06}
Total^a		2×10^{-06}	2×10^{-06}

Source: Rood et al. 1996.

a. Totals rounded.

b. The only COPC modelled for the Refined Risk Analysis were the four radionuclides that exceeded the lower limit of the NCP limit in the Screening Analysis.

Table 16. Hazard Quotients for Nonradionuclides (Toxic Elements) in the 30-year Future Residential Exposure Scenario.

Metal	Groundwater Ingestion
Boron	3×10^{-6}
Chromium (trivalent)	2×10^{-8}
Chromium (hexavalent)	4×10^{-6}
Fluoride	1×10^{-4}
Nitrate	6×10^{-7}
Selenium	2×10^{-8}
Silver	2×10^{-8}
Tin	2×10^{-7}
Uranium	6×10^{-5}
Vanadium	7×10^{-8}
Zirconium	<u>1×10^{-9}</u>
Total^a	2×10^{-4}

Source: Rood et al. 1996.

a. Totals rounded.




APPENDIX E -- Response to Public Comments

In accordance with the U. S. Department of Energy, Idaho Operations Office policy, the draft Environmental Assessment for the Closure of the Waste Calcining Facility (CPP-633), Idaho National Engineering Laboratory was provided to the State of Idaho and Shoshone-Bannock Tribes for their review on April 29, 1996. In addition, the draft EA and/or a fact sheet was distributed to federal, state, and local government officials, regional newspapers, public libraries, INEL regional outreach offices, and interested stakeholders for a 30-day public review and comment period.

Comments were received from the State of Idaho, and several private individuals. This appendix contains our responses to those comments. No comments were received from the Shoshone-Bannock Tribes. Comments are designated as "General" or "Specific."

Idaho Department of Health and Welfare, INEL Oversight Program	69
Ronald Denney (private individual)	80
Sandra L. Jenkins, environmental scientist (private individual)	81
S. Sutaria (private individual)	83



Idaho Department of Health and Welfare, INEL Oversight Program

1. General Comment: “The cumulative impact analysis must be supplemented. . . . “It would be inconsistent with NEPA if DOE takes the approach that an incremental evaluation will be done each time a project is being considered for closure-in-place. NEPA clearly directs against such a segmented, piecemeal approach. Before deciding to go ahead with the WCF project, the decision-makers must be made aware of how the precedent established by leaving contaminants in place will impact the environment. Since this was not done in the INEL EM EIS, it must be done here.”

Response: The WCF is one of the seven decontamination and decommissioning projects identified and analyzed in the FEIS (FEIS, Volume 2, Sections C-4.2.1 through C-4.2.7). Based on the analyses done in the FEIS, “no reasonably foreseeable cumulative adverse impacts are expected to the surrounding populations . . .” (see FEIS, Section 5.20.3.5.3 — *Cumulative Impacts*, p. 5.20-13). In addition, future CERCLA documents, such as cumulative Remedial Investigations and Feasibility Studies would address the cumulative impacts of restoration efforts at the ICPP or Waste Area Group 3, as well as other Waste Area Groups. The following paragraphs describe the cumulative impacts of the WCF. (see EA, Section 4.1.10)

The WCF EA describes a proposed activity that consists of a single action to close the WCF. The analysis identifies and describes the direct and indirect and cumulative impacts caused by this action (see EA, Sections 4.1.1 through 4.1.10). The In-Place Closure of the WCF, while a unique approach, does not set a precedent for future actions or automatically trigger closure of other facilities in a like manner. In addition, other actions can proceed without the closure of the WCF. Therefore, the closure of the WCF is an “unconnected” action that does not preclude other future closure activities.

The closure-in-place of the WCF would result in direct impacts to air and soil resources and a historic structure (see EA, Table 4). However, these impacts would be short-term. Section 4.1.10 discusses the cumulative impacts of the short-term impacts of air emissions, during in-place closure with releases from other INEL sources. No other cumulative impacts are expected, therefore the existing cumulative impact analysis Section is adequate and meets the guidelines set forth in 40 CFR 1508.25.

2. General Comment: "Choosing to proceed with D&D of the WCF in the middle of CERCLA activity at the ICPP is segmentation from a NEPA perspective."

Response: DOE does not consider proceeding with the proposed WCF Closure during the ongoing CERCLA program to constitute NEPA segmentation for the following reasons: 1) The INEL environmental restoration program was included in the selected alternative evaluated in the FEIS. The tiered WCF EA is focused on the WCF closure project and references back to the EIS rather than including repetitive discussions on the environmental restoration program. 2) Release sites near the WCF are still undergoing the FFA/CO Action Plan screening, sampling and risk assessment process. Release site remedies are not yet ripe for public review under CERCLA. If DOE delays decision-making on the WCF closure until a Record of Decision on the ICPP comprehensive RI/FS is issued, the availability of funding and changing priorities may preclude both alternatives 1 and 2 presented in the Draft Environmental Assessment. 3) The concept and early plans for the proposed WCF closure-in-place alternative were developed in cooperation with the INEL Environmental Restoration Program. Consideration of nearby CERCLA release site screening, sampling, risk assessment and remedy requirements was factored into the plans.. For example, one of the considerations of the proposed cap design was to allow access to release sites. CERCLA program personnel have determined that the proposed closure-in-place would not foreclose or predetermine remedial action alternatives for ICPP release sites. As information and remedies for all of the ICPP release sites are developed, appropriate opportunities for regulatory agency and public comment will be afforded through the CERCLA RI/FS process. 4) Long-term disposition of the WCF will be transferred into the INEL CERCLA program to assure that the final remediation goals at the ICPP are consistent and fully integrated.

3. General Comment: "The [Draft Environmental Assessment] needs to address the issue of short-term gains at the expense of long-term costs. . . . the decision-makers should be apprised of what it would cost if a future decision-making body wants to reverse the action . . ."

Response: The proposed closure-in-place is intended to be the final remedy for the WCF. However, closure-in-place is not an irreversible decision. While such a decision is improbable, the concrete block could be sized, removed, and disposed of at some future date (see EA, Section

4.1.10). The proposed closure will comply with applicable requirements to minimize the need for further maintenance, and control, minimize or eliminate, to the extent necessary to protect human health and the environment, post-closure escape of hazardous waste, hazardous constituents, leachate, contaminated run-off, or hazardous waste decomposition products to the ground or surface waters or to the atmosphere (40 CFR 265.111). Future decisions to remove the structure and contaminated material are not a reasonably foreseeable event. Such speculation is not appropriate for current NEPA analysis.

4. General Comment: "The [Draft Environmental Assessment] should include the alternative presented in the INEL EM EIS."

Response: The alternative presented in the EIS was based on preliminary WCF characterization and planning information compiled prior to and during 1993. Subsequent WCF hazard assessments, characterizations and planning activities that were described in the EIS (e.g. Raytheon, 1994, and Fluor Daniel, Inc., *Waste Calcining Facility Deactivation Phase I Conceptual Design Report*, May 1995) have been performed. The more detailed studies identified many requirements and issues that were not available for the FEIS scenario. These more detailed analyses provided the basis for comparing the Closure-In-Place and Closure-By-Removal alternatives in the Draft Environmental Assessment. When the full scope of decontamination and removal tasks was developed in detail, the cost (excluding post closure mixed waste management) escalated from \$24 million to \$150 million. The Closure-By-Removal alternative presented in the EA is a refinement of the WCF D&D scenario presented in the EIS. The EA mistakenly identified the Closure-In-Place alternative as a refinement of the FEIS scenario. This error has been corrected (see EA, Section 2, second paragraph).

During internal scoping, DOE and LMITCO considered including one or more alternatives involving combinations of decontamination, removal and grouting-in place. Discussions on combination alternatives concluded that removal of the most hazardous constituents (e.g. heel

material, ruthenium adsorber silica gel, RCRA vessels and waste pile, asbestos, lead, and mercury) would involve similar processes and resources, and pose similar risks to workers and the environment as the Closure-By-Removal alternative. The scoping team concluded that combination alternatives offered no apparent advantages and were bounded by the Closure-By-Removal alternative. Therefore, as stated in Section 2 of the EA, combination alternatives were eliminated from detailed consideration. (see EA, Section 2)

5. General Comment: "Another concern is that it is not clear that the most reasonable approaches have been explored."

Response: As stated in the Draft Environmental Assessment, other alternatives were considered, including "phased removal of process equipment beginning with the silica gel adsorbers and ending with clean closure by removal." These alternatives are bounded by the analysis in the Draft Environmental Assessment — Closure-In-Place and Closure-By-Removal. They were eliminated from further consideration due to estimated higher costs and the risk of high occupational exposure.

6. Specific Comment (Draft Finding of No Significant Impact): "The schedule presented specifically states that 'Post-Closure activities such as monitoring and inspections would continue for up to 30 years.' The implication that the post-closure monitoring and maintenance period could not be extended beyond 30 years is incorrect."

Response: Correct, the post-closure period will be determined by the Director of the Idaho Department of Health and Welfare. As stated in 40 CFR 265.117, "... the Regional Administrator may: (i) Shorten the post-closure care period . . . if he finds that the reduced period is sufficient to protect human health . . . or (ii) extend the post-closure care period . . . if he finds that the extended period is necessary to protect human health . . ." The responsible official in Idaho is the Director of the Department of Health and Welfare. The Environmental Assessment has been changed to reflect 40 CFR 265.117. (see the FONSI, p. 1 and the EA, Section 2.2)

7. Specific Comment (Draft Finding of No Significant Impact): "Further, while the document asserts that DOE will provide 100 years of institutional control, what kind of binding commitment will guarantee this? Given the large amount of radionuclides to be maintained in a near-surface burial, what kind of institutional controls will be in place?"

Response: Long-term institutional control would be the responsibility of the CERCLA processes, such as the Remedial Investigation and Feasibility Study report and associated Record of Decision. The types and length of institutional control at the WCF would be consistent with those associated with the closure of the ICPP, as identified in the above documents.

8. Specific Comment (Section 2.1.2): “There are some rather vague statements regarding post-closure maintenance and monitoring.”

Response: Post-closure groundwater monitoring for the WCF will be integrated into the CERCLA groundwater monitoring requirements. Monitoring releases independent of other CERCLA contaminants in the perched water bodies beneath the ICPP is not possible. As a result, the requirements will be defined and developed in the CERCLA Long Term Monitoring Plan for Operable Unit 3-13's Comprehensive Remedial Investigation and Feasibility Study.

The post-closure maintenance and monitoring of the concrete cap will also be conducted by the CERCLA Program. As appropriate, cap and joint inspections will be scheduled. The cap will be maintained to prevent run-on and run-off from eroding or otherwise damaging the cover.

9. Specific Comment (Section 2.1.2): “To eliminate duplication of effort and cost, post-closure cap maintenance, groundwater monitoring, notices, certifications and security for the WCF would be assumed by the CERCLA program at the ICPP.’ Any such transfer of authority will be subject to Applicable or Relevant and Appropriate Requirements (ARAR) review, and practical approval, either as a part of or separate from, the RCRA closure process.”

Response: We agree.

10. Specific Comment (Section 3, paragraph 4): “The document states that there is no history of flooding at the ICPP. This is incorrect.”

Response: During the winter of 1957-58 there was no flood-control diversion dam in place to divert water into the Spreading Areas west of the Radioactive Waste Management Complex. Thus, the total flow from a winter thaw event entered the INEL. Flooding at the ICPP occurred when ice jams caused the flows of the Big Lost River to overflow its banks. Intermittent surface water flow and the INEL Diversion Dam, constructed in 1958 and enlarged in 1984, have effectively prevented flooding from the Big Lost River onto the INEL site (DOE 1995a). The 1984-85 flood threat was also caused by high flows and the threat of ice jams at the flood-control diversion system and dikes (McKinney, J. D., 1985, *Big Lost river 1983-1984 Flood Threat*, EG&G Idaho, Inc., PPD-FPB-002, July).

Flooding from the Big Lost River might occur onsite if high water in the Mackay Dam or the Big Lost River were coupled with a dam failure (see Section 3). Results from these flood plain studies indicate that some flooding would occur outside the banks of the Big Lost River resulting in low water velocities and water depths of 0.6 and 3.0 ft./sec. and 2 to 4 feet, respectively (DOE 1995a). However, because of the low velocity and shallow depth of water, flooding would not pose a threat of structural damage to facilities at the INEL (DOE 1995a). (see EA, Section 3)

11. Specific Comment (Section 4): "Why is there no discussion under Alternatives 1 or 2 of any possible off-normal scenarios during closure that might lead to a greater release of contaminants to the environment?"

Response: Alternative 1, Closure-In-Place, analyzes three "off-normal" scenarios: a probable maximum flood, cap and grout failure, and a potential earthquake. The analysis in the Draft Environmental Assessment shows that impacts from these off-normal occurrences would be insignificant and well below regulatory limits (see EA, Sections 4.1.2, 4.1.3, and 4.1.4). In addition, the FEIS analyzes "off-normal" or accident scenarios that bound potential WCF off-normal occurrence, such as radioactive releases. For example, under Alternative D -- the maximum treatment, storage, and disposal alternative, the risk of fatal cancer to individuals at the nearest INEL boundary from radiation accidents was below DOE's National Safety Policy Goal (FEIS, Volume 2, Part A, pp. 5.14-31 through 5.14-36). Alternative 2, Closure-By-Removal would require significantly greater industrial activity than Alternative 1. In addition, Alternative 2 would require the development and application of unique equipment and techniques. These factors and the additional waste management required by Alternative 2 would pose a greater risk of accidents than alternative 1 (see EA, Section 4.2.7). A detailed site-specific analysis of potential off-normal occurrences is not needed for a decision-maker to compare the Closure-In-Place and Closure-By-Removal Alternatives.

12. Specific Comment (Section 4.1.1, Closure Activities): "What is the origin of the air-emission release fraction of 0.002 percent. Is this consistent with 40 CFR 61? If not, the fraction should be explained."

Response: The 0.002 percent release fraction is from the DOE Handbook, *Airborne Release Fractions/Rates and Respirable Fractions for Nonreactor Nuclear Facilities (DOE-HDBK-3010-94)* as called out in the text (DOE 1994). The release fraction is based on liquid spills that would be similar to the proposed WCF grouting activities. "For free-fall spills of solutions with densities greater than 1g/cc, a conservative bounding value for the airborne release fraction (ARF) is 2×10^{-5} , with a respirable fraction (RF) of 1.0. ARF x RF is therefore 2×10^{-5} ," or 0.002%. The DOE Handbook value is appropriate because it is based on temporary, actual release measurements for spilled liquid that are more like the proposed grouting action than an annualized 1×10^{-3} release for particulate and liquids presented in 40 CFR 61.

13. Specific Comment: "As noted near the top of p. 28, the estimated dose to the MEI [*maximum exposed individual*] from resuspension during closure activities under Alternative 1 is only 0.1 percent of the estimated annual dose from the No Action Alternative. One would expect the dose from demolition activity to be closer to or perhaps larger than the annual dose from no action. This large difference suggests that the estimated annual dose from no action may be high (which, as discussed on p. 27-28; is likely) and/or that the estimated dose from closure under Alternative 1 is low. Perhaps this second possibility should be evaluated?"

Response: As described in Section 4.3, the estimated dose from no action is believed to be much less than 1.2×10^{-6} mrem, but no monitoring data is available to determine actual releases and dose. The methods and assumptions used to estimate the airborne release and dose from the proposed closure are valid. The estimated dose is probably conservative because no credit was taken for particulate plate-out, or deposition, in the lengthy and circuitous piping and ducting pathways from the WCF vessels and cells to the Atmospheric Protection System, and no credit was taken for a WCF HEPA filter that is installed in the HVAC discharge duct.

14. Specific Comment (Table 1): "The radionuclide inventory appears to be truncated from the list of predicted fission products normally associated with calcine operations of dissolved fuel rods. Radionuclides missing from the inventory were: Nb, Ru, Rh, Ce, Pr, Eu, Pm, Sm, Am, Np, Cm, Zr and the isotopes of Pu, including 239, 240, 241, 242. The rationale for the truncation of this list should be provided."

Response: Only those radionuclides with the highest dose consequences were used for this analysis. Other radionuclides would add less than one percent to the calculated dose. The original radionuclide inventory list was screened using screening factors from the National Council on Radiation Protection and Measurements, *Screening Models for Releases of Radionuclides to Air, Surface Water, and Ground Water*, December 1991. (see EA, Table 1)

15. Specific Comment (Section 4.1.1, Closure Activities): “It would be helpful to define where the MEI is located and any impact to known population centers such as Howe, Atomic City, and [Mud Lake].”

Response: Section 4.1.1 of the Draft Environmental Assessment states that the “maximum off-site dose occurs” . . . “27.2 mi. northeast of the ICPP.” This residence is in the Mud Lake area. The dose received by individuals in the City of Howe and Atomic City would be less than that projected for the MEI, 2.5×10^{-8} .

16. Specific Comment (Section 4.1.3, Post-Closure Activities): “The text states that the probability of occurrence of the combined flood event is 10^{-6} . Does this estimate assume no correlation between dam failure and natural flooding, which are not necessarily mutually exclusive events? Further, without units it is impossible to judge the merits of this estimate. Please specify the units of time associated with this probability. Further, this estimate appears to be inconsistent with the historical record . . .”

Response: The probability of occurrence of the combined flood event is 10^{-6} to 10^{-8} /yr. The simultaneous failure of Mackay Dam and the 100 year storm were analyzed in the natural hazards section of the FEIS. Also, see response to comment No. 10. (see EA, Section 4.1.3.2)

17. Specific Comment (Section 4.1.4, Post-Closure Activities): “The text refers to the proposed drinking water standards (i.e. maximum contaminant levels or MCLs). Pending finalization of these standards, the current drinking water standards should be referenced. This comment also refers to Appendix D.”

Response: The EA has been revised to address both existing and proposed drinking water standards. Proposed rules regulating radioactive materials’ maximum contaminant levels were used to be consistent with the FEIS and because they provided more detail and conservatism than the existing standards. (see EA, Section 4.1.4 and Table 14)

18. Specific Comment (Section 4.1.9): “The disposal of ‘anti-contamination clothing’ at the RWMC is discussed. According to IDAPA 16.01.05.009 [40 CFR 265.114], removal of wastes and/or constituents may cause the owner or operator to become a generator of hazardous wastes. The RWMC is not a permitted Subtitle C or D facility. This should be carefully considered when disposing of any wastes generated from this closure.”

Response: Waste streams generated during the WCF closure would be characterized and segregated for appropriate treatment and disposal. Only a small fraction of the equipment used in the WCF Closure would become RCRA waste. Most activities would be conducted on the top floor where there is little or no RCRA listed waste present. The generator would be responsible for identifying and segregating the waste streams and properly disposing of the waste stream in accordance with applicable regulations. (see EA, Section 4.1.9)

19. Specific Comment (Section 4.2): "The removal and decontamination of this facility would require a significant amount of planning, engineering analysis, and research prior to undertaking Alternative 2. This section presents a less than adequate presentation of all the radiological and hazardous materials impacts associated with an activity of this kind. Abnormal or accident scenarios are much more probable under this scenario than under the other alternatives. These should also be identified."

Response: The discussions of Alternative 2 and waste management (Appendix C) in the EA are based heavily on a draft WCF Deactivation Plan prepared by Raytheon Engineers and Contractors (1994). The draft plan includes detailed information on existing conditions at the WCF, strategies for deactivation, and estimates of materials, costs, worker doses and waste generation. The EA provides concise summaries of the information in the plan that is considered important for decision-making (e.g. general description, worker dose, waste volumes, and cost). Detailed analysis of post-removal management of the specific waste inventories that would be generated from Closure-By-Removal has not been performed. However, as discussed in Appendix C of the EA, possible treatment and disposal options for much of the waste would occur at the INEL. The potential for accidents and incremental risks associated with waste management at INEL facilities is evaluated by waste stream, facility and alternative in Volume 2, Section 5.1.4 of FEIS.

20. Specific Comment (Section 5.1): "... the disposal in place action may create a site subject to portions of 40 CFR 61.151 and 154 ...". This appears to be the time to make that determination."

Response: The disposal in place action will create a site subject to portions of 40 CFR 61.151 and 40 CFR 61.154. (see EA, Section 5.1)

21. Specific Comment (Section 6): "The requirement that DOE has to review the threatened and endangered species list to determine whether formal consultation with the Fish and Wildlife Service is required is discussed. Again, shouldn't that be done now and documented in the EA?"

Response: Section 4.1.5 of the Draft Environmental Assessment states that the "Environmental Science and Research Foundation has determined that a biological assessment would not be required for this alternative." -- March 6, 1996 Letter to Roger L. Twitchell, NEPA Compliance Officer, DOE-ID from Timothy D. Reynolds, Research Ecologist, Environmental Science and Research Foundation, Idaho Falls, Idaho, which performs such reviews for DOE-ID.

22. Specific Comment (Table 9): "In Table 9 there is no mention of ¹⁵²Eu. However, in DOE documents characterizing air effluents at the Idaho Chemical Processing Plant, this radionuclide has been detected in quantities comparable to ¹⁵⁴Eu. Why hasn't DOE detected ¹⁵²Eu at the WCF?"

Response: DOE has not detected Eu-152 in the WCF calcine residues because it is not present at measurable concentrations. The data in the reference cited by the commentor show that all of the Eu-152 detected in the 1993 CPP main stack emissions was detected in a single month, June. In June the ratio of Eu-154 to Eu-152 was

approximately 2:1. Eu-152 was not detected in any other month. In August, Eu-154 was detected at approximately twice the level as in June, while no Eu-152 was detected at all. Based on the detailed information in the reference, DOE believes that the ratio of Eu-154 to Eu-152 expected by the commentor is inappropriate and it should not be used as a basis for assuming measurable quantities of Eu-152 should be found in the WCF calcine residues.

23. Specific Comment (Appendix D): "It is not clear why the mercury and the lubricating oil in the WCF (see page 49) are not included in the risk assessment. Please explain."

Response: The mineral oil, lead bricks, and elemental mercury were not quantitatively included in the risk assessment because the Environmental Protection Agency does not have a toxicity value for ingestion of these substances. Nonradiological substances for which there are no toxicity values were qualitatively evaluated in the 'Uncertainty' section of the "*Risk Assessment for the RCRA Closure for the Waste Calcining Facility*." The physical form of the lead bricks, a solid, reduces the likelihood that they would enter a pathway leading to ingestion. Mineral oil and elemental mercury, both liquids, may reach the groundwater, but are not toxic if ingested (*Rapid Guide to Hazardous Chemicals in the Workplace*, by N. Irving Sax and R. J. Lewis, Sr., 1986). Therefore, even if these substances were released from the concrete block, they would only slightly contribute to the risk calculated in the EA. (see EA, Appendix D)

24. Specific Comment (Appendix D, Tables 12 and 13): "The last column in these tables is labeled 'Peak Groundwater Concentrations at 10^{-6} Cancer Risk Value (pCi/l)'. This is a meaningless label. If the intent is to present concentrations at the, 10^{-6} risk level, however, many of the column entries are off by many orders of magnitude."

Response: The column has been relabeled as "Cancer Risks for Groundwater Ingestion." Some values were off orders of magnitude because risk calculations of "less than" were used instead of the actual values. This column was replaced with a column showing the calculated risks. (see EA, Tables 12 and 13)

25. Specific Comment (Appendix D, Table 14):
"It is not clear why the estimated groundwater concentrations for Np-237 and Pu-240 do not correspond to the predicted values from the PORFLOW or GWSCREEN modeling runs. The footnote for these values refers the reader to Table 4; however, Table 4 sheds no light on the matter. Please clarify."

Response: Tc-99, Np-237, Pu-239, and Pu-240 concentration in Table 14 are from the refined risk analysis, PORFLOW. The other values are from GWSCREEN. Values for Np-237 and Pu-240 were not correct and have been corrected (see EA, Table 14). Also, the reference to Table 4 is incorrect. Footnote "a" should reference Table 13.

Ronald Denney (private individual)

26. General Comment: "There doesn't seem to be any concern for the potential for contamination that may have leaked from the facility for the last 30 years what would now be under the facility."

Response: As stated in Sections 1.2 and 2.1.2 of the EA, release sites located under and near the WCF have been identified. The release sites resulted from leaks in underground piping near the WCF and from a floor drain in the WCF blower pit that is believed to have discharged to the soil. The identified sites have been characterized and will undergo risk assessments and appropriate remedial actions as part of the INEL's Environmental Restoration Program. Proposed environmental restoration activities will be presented to the public through the CERCLA Remedial Investigation/Feasibility Study process and are outside the scope of WCF closure. The proposed WCF closure and cap design would allow access to the CERCLA release sites and would not preclude future remedial activities.

27. General Comment: "Have you any data that indicates that the facility has had no leakages?"

Response: See response to Comment No. 26.

28. Specific Comment (p. 9): "... the cost for Alternative 2 was given. However, the comparative costs for Alternative 1 and 3 were not given in Section 2. Can these values be provided?"

Response: The cost of Alternative 1, Closure-In-Place, is estimated at \$9 million and is reported in Section 2.1, third paragraph, of the environmental assessment. The estimated cost of Alternative 3, No Action, is \$400 thousand annually for continued monitoring and inspection and is reported in Section 2.3 of the environmental assessment. Cost and duration of all three alternatives are discussed in Section 4.4 and shown in Table 6.

29. General Comment: "I would like to see more specific description given to the closed facility monitoring program after closure. The document refers the reader to the overall ICPP CERCLA monitoring program, but I would like to know if there are any facility specific monitoring efforts that are being committed to and what they are."

Response: Post-closure activities for Alternative 1 (Section 2.1.2) states "... post-closure cap maintenance, groundwater monitoring, notices, certifications, and security for the WCF would be assumed by the CERCLA program at the ICPP." No other facility-specific monitoring efforts are discussed or required for the Closure-In-Place Alternative. See response to Comment No. 8.

Sandra L. Jenkins, environmental scientist (private individual)

30. General Comment: "Please define and discuss the six facility components that are surplus at the WCF and fall under the HWMA."

Response: The interim status regulated units in the WCF are the evaporator tank system and the High Efficiency Particulate Air (HEPA) filter waste pile. The evaporator system includes the following vessels: blend and hold tanks (WC-100 and -101), a scrubber tank (WC-108), evaporator (WC-114), and the bottoms tank (WC-119) and their associated piping. Vessel WC-119 is a sump tank, in the lowest cell of the WCF, and currently collects steam condensate from building heating and rainwater from leaks in the roof that drip on the floor and are collected through open drains. Water collected in WC-119 may contain radionuclides and mercury (slightly above 0.2 mg/l) and is transferred to the Process Equipment Waste (PEW) facility for treatment. The HEPA filter waste pile consists of five HEPA filter boxes in the filter cell. (see EA, Section 1.2 and Figure 3)

31. General Comment: "What about the leakage of radioactive and hazardous [contaminants] through the concrete to the subsurface below and later infiltrating the groundwater below the area?"

Response: Section 4.1.4 "Groundwater" addresses the impacts to groundwater from the proposed action. Risks and hazard quotients from ingestion of groundwater contaminated with leachate from the WCF were calculated and are presented in this section and in Section 4.1.8 "Health Effects". Using conservative assumptions (e.g., no credit is taken for the concrete), only four radionuclides indicate a risk greater than the lower limit of the National Oil and Hazardous Substance Pollution Contingency Plan target risk range (10^{-6}) and when evaluated using a refined groundwater model taking credit for the concrete cap and grouting of the WCF the risks for three of the radionuclides were less than 1×10^{-6} and the risk for the fourth radionuclide is 2×10^{-6} .

32. General Comment: "Without placing a barrier like bentonite below the concrete, how can you guarantee that no infiltration will occur especially if you want to eliminate the need for extensive long-term surveillance and maintenance?"

Response: The existing barriers, such as the stainless steel vessels and concrete foundation would be as effective as bentonite. Also, the grout and cap would further reduce the potential for infiltration. In addition, the two-phased risk assessment uses a conservative approach. The risk assessment was performed using two phases. The

first phase assumed no concrete cap or grouting and the risks and hazard quotients associated with ingestion of groundwater contaminated with all the metals identified as remaining in the WCF. Under these assumptions, four of the radionuclides were less than the lower limit of the National Oil and Hazardous Substance Pollution Contingency Plan target risk range and is generally considered acceptable. Risks from the remaining four radionuclides were then evaluated using a more refined groundwater model (Phase 2) that took credit for the concrete cap and grouting of the WCF. Risks to three of the radionuclides were less than 10^{-6} and the risk for the fourth radionuclide is 2×10^{-6} . It should be noted that this refined groundwater model did assume some infiltration of water and cracking of the concrete.

33. General Comment: "Caps are all well and fine but what happens if the area is flooded or if heavy rains occur and the ground around the capped area [is] heavily infiltrated?"

Response: The cap would be designed to account for heavy precipitation. Besides being capped, the entire WCF would be grouted. Therefore, it is unlikely that the infiltration rate would increase significantly due to heavy precipitation or flooding.

Also, see response to Comment No. 10 and 16.

34. General Comment: "If for some reason, the ground were to shift through an earthquake and crack the concrete then any runoff infiltrating the concrete area would infiltrate the subsurface."

Response: This is correct. The risk assessment did not evaluate major catastrophic events. Still, because the WCF would be capped with concrete and grouted it is unlikely that the entire source term would be released during a catastrophic event. However, assuming that the entire source term was released, the risk and hazard quotients would be expected to be the same as what was calculated in Phase 1 (see response to Comment No. 32) of the groundwater modeling. It may be likely that part of the source term would remain in concrete and the risks and hazard quotients would be between those calculated for Phase 1 and Phase 2 models.

S. Sutaria (private individual)

35. General Comment: "The proposed Closure-In-Place action is not in conformance with the requirements of the RCRA regulations, and as such needs additional assessment to ascertain from a risk reduction standpoint the merits of the proposed action."

Response: The proposed Closure-In-Place action is in full conformance with the guidance provided by the State of Idaho, Division of Environmental Quality (DEQ), Operating Permits Bureau, Permits and Enforcement in their March 27, 1995 letter to D. L. Wessman stating "... if at the time of closure, DOE-ID demonstrates that not all contaminated system components, structures and equipment can be removed, then DOE-ID must close the tank system and perform post-closure care in accordance with the closure and post-closure care requirements that apply to landfills." The applicable closure and post-closure care requirements cited in this letter are met at the WCF by compliance with the regulations at Idaho Administrative Procedures Act 16.01.05.

36. General Comment: "The WCF utilized a Thermal Treatment Process to calcine liquid High Level Waste, as such the closure requirements of Subpart P Section 265.381 of RCRA would apply, which requires removal of all hazardous waste and hazardous waste residue from the thermal treatment process system components and equipment at closure."

Response: The closure effort at the WCF addresses the units associated with the evaporator system included on the RCRA Part A Permit application (see EA, Section 1.2). The WCF calciner unit is not included on the RCRA Part A Permit application. As previously mentioned, the WCF is being closed in accordance with the closure and post-closure care requirements that apply to landfills (see response to Comment No. 35).

37. General Comment: "The EA has not been certified by an Independent Professional Engineer. This is required to be a third party independent evaluation, to assure all possible scenarios have been addressed and evaluated in particular in light of the [hybrid] approach of the proposed action."

Response: The EA was prepared and issued in compliance with NEPA requirements in 40 CFR 1500-1508 and DOE's implementing procedures in 10 CFR Part 1021. These regulations do not require EA certification by an independent professional engineer. RCRA regulations do require certifications for some of the proposed closure activities [e.g. completion of closure (40 CFR 265.115), and completion of post-closure care (40 CFR 265.120)]. DOE will submit certifications to the State or EPA Regional Administrator as required by applicable regulations.

38. General Comment: “The Stabilization approach needs to be fully developed.”

Response: The “Stabilization approach” is described in Section 2 as one of the “other alternatives considered for the WCF closure . . .” This approach would not meet closure regulations, and therefore was “. . . eliminated from detailed consideration . . .” in the EA.

39. General Comment: “The amount of increased ES&H risk over 1000 years need[s] to be defined and quantified.”

Response: No regulatory requirements state that risks from ingestion of contaminated groundwater need to be evaluated for more than 1,000 years. Nevertheless, the risks and hazard quotients were calculated using peak groundwater concentrations no matter when these concentrations were expected to be in the groundwater. Several radionuclides, with transit times greater than 1,000 years, were listed in Tables 12 and 13 of Appendix D.

40. General Comment: “Treatability studies on different in-place hazardous waste materials and residues have not been conducted to confirm if the proposed action will result in the final waste form maintaining integrity over 1000 years.”

Response: Waste treatment is not included in the proposed closure alternative. The integrity of the in-place hazardous waste materials and residues does not influence the assessment of risk associated with the proposed closure activity. The preferred alternative relies on the landfill cap to control the migration of the contaminants.

41. General Comment: “. . . the EA is incomplete and is not in conformity with the RCRA regulations, and must be amended, at which time I would strongly recommend an Independent Registered [P]rofessional Engineer be tasked to make a detailed compliance evaluation of the EA . . .”

Response: The proposed alternative for closure of the WCF is in conformity with RCRA regulations (see response to Comment No. 35). Only the activity addressed in the environmental assessment, not the environmental assessment itself, needs to comply with RCRA regulations. The Closure Plan is the document that should and will be subject to the “compliance evaluation” recommended by the commentor. Also see response to Comment No. 37.