NUREG–0540
Vol. 18, No. 12

# Title List of Documents Made Publicly Available

December 1–31, 1996

RECEIVED
APR 0 / 1997
OSTI

**U.S. Nuclear Regulatory Commission**

**Office of Information Resources Management**

RECEIVED
APR 0 7 1997
OSTI

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

## AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

*A year's subscription of this report consists of 12 monthly issues.*

NUREG–0540
Vol. 18, No. 12

# Title List of Documents Made Publicly Available

December 1–31, 1996

Date Published: March 1997

V. E. Yanez, NRC Project Manager

**Office of Information Resources Management**
**U.S. Nuclear Regulatory Commission**
**Washington, DC 20555–0001**

# DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

# CONTENTS


| | Page |
|---|---|
| Preface | v |
| Arrangement of Items by Docket Number | xi |
| Alphabetic Arrangement of Docket Items by Facility Name | xvii |
| Docketed Items | 1 |
| Low–Level Radwaste Disposal Sites — Docket 27 | 1 |
| Domestic Licensing of Source Material — Docket 40 | 1 |
| Domestic Licensing of Production and Utilization Facilities — Docket 50 | 5 |
| Standardized Nuclear Power Plant Design — Docket 52 | 124 |
| Domestic Licensing of Special Nuclear Material — Docket 70 | 126 |
| Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 | 132 |
| Licensing of Independent Spent Fuel Storage — Docket 72 | 135 |
| Nondocketed Items | 141 |
| 10 CFR — Commission Meeting Records | 141 |
| ACNW — Advisory Committee on Nuclear Waste | 141 |
| ACRS — Advisory Committee on Reactor Safeguards | 141 |
| ADVCM — NRC Advisory Committee | 142 |
| COMMISSION — NRC Commissioners | 142 |
| CONTRACT — NRC Contracts and Modifications | 145 |
| FOIA — Freedom of Information Act Requests and Releases | 146 |
| GEN TECH IS — Generic Technical Issues | 150 |
| I&E — Inspection and Enforcement | 150 |
| MISC — Public Document Room Miscellaneous | 152 |
| NRCSA — Strategic Assessment Papers | 152 |
| NUREG — NUREG Reports and Related Correspondence | 159 |
| ORG — Correspondence with Other Organizations | 162 |
| PR — Proposed Rule | 166 |
| PRESS — Press Releases | 167 |
| PRM — Petition for Rulemaking | 167 |
| PROJ — Projects—Predocket Licensing | 168 |
| PT21 — Noncompliance Reports and Related Correspondence | 169 |
| QA999 — Quality Assurance Inspections | 169 |
| REGGD — Regulatory Guides | 170 |

# CONTENTS


| | Page |
|---|---|
| REVIEW GROUP — NRC Research Review Groups | 170 |
| SECY — Position Papers Before the Commission | 171 |
| SPEECHES — Speeches | 173 |
| STATE PROG — State Programs | 173 |
| TOPREP — Vendor Reports and Related Correspondence | 179 |
| WASTE MGMT — Nuclear Waste Management | 181 |
| XPORTLIC — Export and Import Licenses | 182 |
| Personal Author Index | 185 |
| Corporate Source Index | 201 |
| Report Number Index | 215 |
| Cross Reference of Enclosures to Principal Documents | 217 |
| Appendix A — Definitions of Docket 50 Categories | A–1 |
| Appendix B — Definitions of Nondocketed Categories | B–1 |

# PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It describes the information received and published by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and published by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies in paper, microfiche, or (selectively) diskette, may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System (BRS), which is accessible both at the PDR and remotely. BRS also has some types of documents in full text. Other recent, selected documents, as well as information about the PDR, may be viewed/downloaded from an electronic bulletin board. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the database. Insofar as possible, we would like this document to be a valuable part of your reference material.

# DOCKETED ITEMS

Each utility or institution engaged in a nuclear activity licensed and regulated by the U.S. Nuclear Regulatory Commission (NRC) is assigned a docket number. As used by NRC, docket numbers refer to the particular system by which NRC maintains its regulatory records, not to law court dockets. The first two digits of a docket number identify the type of nuclear activity that NRC regulates. These docket categories are as follows:

27 – Low-Level Radioactive Waste Disposal Sites
30 – Byproduct Material Licenses
40 – Nuclear Source Material Facilities
50 – Nuclear Reactors and Fuel Reprocessing Plants
52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants
70 – Special Nuclear Materials

# DOCKETED ITEMS (cont.)

71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

72 – Independent Spent Fuel Storage Installations

Except for Docket 27, these numbers correspond to the parts of Title 10 in the *Code of Federal Regulations* (10 CFR) that cover regulations pertaining to those types of licenses. The remaining digits of a docket number uniquely identify a specific facility or institution. For example, Docket 50–317 identifies the Calvert Cliffs Nuclear Power Plant, Unit 1.




1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (job code) number of a formal report number, it will appear in the last line of the item following entry 5.

# NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are as follows:

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

I&E MISC—Draft Generic Communications

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PR—Proposed and Final Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RCSSD—Registration of Certificates for Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

RM—Rulemakings

SAI — Strategic Assessment Issue Papers

SECY—Staff Position Papers Prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

Appendix B lists these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are—

# NONDOCKETED ITEMS (cont.)

(1) NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

(2) (3) (4)

8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

(5) (6)

OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

(7) (8) (9) (10) (11)

FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

(12) (13) (14) (15)

51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number source.
8. Secondary report number, if any.
9. Date of document described
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

Ordering and Viewing Documents:

1. The address for GPO is:

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20402-9328

To place orders, send a check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

# NONDOCKETED ITEMS (cont.)

2. The address for NTIS is:

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at 703–487–4650. Specify the NRC report number and title when you place your order. You may charge publications to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is:

   2120 L Street, NW.
   Washington, DC

   The mailing address is:

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL–6
   Washington, DC 20555–0001

   Telefacsimile

   202–634–3343

   Telephone

   202–634–3273 or 1–800–397–4209

   Internet e–mail

   PDR@NRC.GOV

For more information about PDR services, for reference assistance, to place an order for documents, or to arrange for access to the PDR computer retrieval system, write, e–mail, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, may be obtained from the PDR.

To access the PDR electronic bulletin board on FedWorld, contact the FedWorld Help Desk at 703–487–4086.

# ARRANGEMENT OF ITEMS BY DOCKET NUMBER


| Docket | Name | Page |
|---|---|---|
| **Low Level Radwaste Disposal Sites - Docket 27** | | |
| 27-047 | COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC. | 1 |
| 27-048 | LOUISVILLE, KY, U.S. ECOLOGY, INC. | 1 |
| DOCKET | UNKNOWN | 1 |
| **Domestic Licensing of Source Material - Docket 40** | | |
| 40-0017 | DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.), | 1 |
| 40-0299 | UMETCO MINERALS CORP., RIVERTON, WY | 1 |
| 40-1363 | TAYLOR FORGE & PIPEWORKS CO., GARY, IN | 1 |
| 40-2061 | KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK | 1 |
| 40-2259 | PATHFINDER MINES CORP., RIVERTON, WY | 1 |
| 40-2384 | RMI CO., ASHTABULA, OH | 1 |
| 40-3392 | ALLIED-SIGNAL, INC., METROPOLIS, IL | 1 |
| 40-3453 | ATLAS CORP., DENVER, CO | 2 |
| 40-4492 | AMERICAN NUCLEAR CORP., CASPER, WY | 2 |
| 40-6264 | MICHIGAN CHEMICAL CORP., ST. LOUIS, MI | 2 |
| 40-6622 | PATHFINDER MINES CORP., SHIRLEY BASIN, WY | 2 |
| 40-6659 | PETROTOMICS CO., SHIRLEY BASIN, WY | 2 |
| 40-6940 | CABOT CORP., BOYERTOWN, PA | 2 |
| 40-7102 | SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ | 2 |
| 40-7455 | WHITTAKER CORP., LOS ANGELES, CA | 2 |
| 40-7580 | FANSTEEL, INC., NORTH CHICAGO, IL | 2 |
| 40-7604 | BP CHEMICALS AMERICA, INC., LIMA, OH | 2 |
| 40-7708 | ELKEM METALS, MARIETTA, OH | 3 |
| 40-8027 | SEQUOYAH FUELS CORP., GORE, OK | 3 |
| 40-8474 | BABCOCK & WILCOX CO., ALLIANCE, OH | 3 |
| 40-8584 | KENNECOTT URANIUM CO., RAWLINS, WY | 3 |
| 40-8698 | PLATEAU RESOURCES, LTD., LAKE POWELL, UT | 3 |
| 40-8724 | CHEMETRON CORP., PROVIDENCE, RI | 3 |
| 40-8778 | MOLYCORP, INC., LOS ANGELES, CA | 4 |
| 40-8794 | MOLYCORP, INC., LOS ANGELES, CA | 4 |
| 40-8902 | ATLANTIC RICHFIELD CO., GRANTS, NM | 4 |
| 40-8903 | HOMESTAKE MINING CO., GRANTS, NM | 4 |
| 40-8904 | SOHIO WESTERN MINING CO., SALT LAKE CITY, UT | 4 |
| 40-8905 | QUIVIRA MINING CO., GRANTS, NM | 4 |
| 40-8907 | UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.), | 4 |
| 40-8936 | BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN | 4 |
| 40-8943 | FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO | 4 |
| 40-8964 | RIO ALGOM MINING CORP., OKLAHOMA CITY, OK | 5 |
| 40-8968 | HYDRO RESOURCES, INC., DALLAS, TX | 5 |
| 40-8989 | ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT | 5 |
| 40-9016 | A.I.M., INC., PARKTON, MD | 5 |
| 40-9024 | ENERGY FUELS NUCLEAR | 5 |
| **Domestic Licensing of Production and Utilization Facilities - Docket 50** | | |
| 50-2 | FORD NUCLEAR REACTOR | 5 |
| 50-3 | INDIAN POINT STATION, UNIT 1 | 5 |
| 50-5 | PENNSYLVANIA STATE UNIV. RESEARCH REACTOR | 5 |
| 50-10 | DRESDEN NUCLEAR POWER STATION, UNIT 1 | 5 |
| 50-16 | ENRICO FERMI ATOMIC POWER PLANT, UNIT 1 | 6 |
| 50-20 | MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR | 6 |
| 50-29 | YANKEE-ROWE NUCLEAR POWER STATION | 6 |
| 50-54 | CINTICHEM | 7 |
| 50-57 | BUFFALO MATERIALS RESEARCH CENTER | 7 |
| 50-59 | TEXAS A&M UNIV. RESEARCH REACTOR | 7 |
| 50-62 | UNIV. OF VIRGINIA RESEARCH REACTOR | 7 |
| 50-83 | UNIV. OF FLORIDA TRAINING REACTOR | 7 |
| 50-89 | GENERAL ATOMICS | 7 |
| 50-97 | CORNELL UNIV. ZERO POWER REACTOR | 7 |
| 50-113 | UNIV. OF ARIZONA RESEARCH REACTOR | 7 |
| 50-116 | IOWA STATE UNIV. RESEARCH REACTOR | 7 |
| 50-128 | TEXAS A&M UNIV. RESEARCH REACTOR | 7 |
| 50-133 | HUMBOLDT BAY POWER PLANT, UNIT 3 | 8 |
| 50-150 | OHIO STATE UNIV. RESEARCH REACTOR | 8 |

| Docket | Name | Page |
|---|---|---|
| 50-155 | BIG ROCK POINT NUCLEAR PLANT | 8 |
| 50-157 | CORNELL UNIV. RESEARCH REACTOR | 9 |
| 50-160 | GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR | 9 |
| 50-171 | PEACH BOTTOM ATOMIC POWER STATION, UNIT 1 | 9 |
| 50-182 | PURDUE UNIV. RESEARCH REACTOR | 9 |
| 50-186 | UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA | 9 |
| 50-193 | RHODE ISLAND & PROVIDENCE PLANTATIONS AEC | 9 |
| 50-206 | SAN ONOFRE NUCLEAR STATION, UNIT 1 | 10 |
| 50-210 | NASA CRITICAL FACILITY | 10 |
| 50-213 | HADDAM NECK PLANT | 10 |
| 50-219 | OYSTER CREEK NUCLEAR POWER PLANT | 11 |
| 50-220 | NINE MILE POINT NUCLEAR STATION, UNIT 1 | 13 |
| 50-223 | UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR | 13 |
| 50-225 | RPI CRITICAL EXPERIMENT | 13 |
| 50-228 | AEROTEST RADIOGRAPHY & RESEARCH REACTOR | 13 |
| 50-237 | DRESDEN NUCLEAR POWER STATION, UNIT 2 | 13 |
| 50-238 | NUCLEAR SHIP SAVANNAH | 15 |
| 50-243 | OREGON STATE UNIV. RESEARCH REACTOR | 15 |
| 50-244 | ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1 | 15 |
| 50-245 | MILLSTONE NUCLEAR POWER STATION, UNIT 1 | 16 |
| 50-247 | INDIAN POINT STATION, UNIT 2 | 18 |
| 50-249 | DRESDEN NUCLEAR POWER STATION, UNIT 3 | 19 |
| 50-250 | TURKEY POINT PLANT, UNIT 3 | 20 |
| 50-251 | TURKEY POINT PLANT, UNIT 4 | 20 |
| 50-254 | QUAD-CITIES STATION, UNIT 1 | 21 |
| 50-255 | PALISADES NUCLEAR PLANT | 22 |
| 50-259 | BROWNS FERRY NUCLEAR POWER STATION, UNIT 1 | 24 |
| 50-260 | BROWNS FERRY NUCLEAR POWER STATION, UNIT 2 | 25 |
| 50-261 | H.B. ROBINSON PLANT, UNIT 2 | 25 |
| 50-263 | MONTICELLO NUCLEAR GENERATING PLANT | 26 |
| 50-264 | DOW CHEMICAL CO. | 27 |
| 50-265 | QUAD-CITIES STATION, UNIT 2 | 27 |
| 50-266 | POINT BEACH NUCLEAR PLANT, UNIT 1 | 28 |
| 50-267 | FORT ST. VRAIN NUCLEAR GENERATING STATION | 29 |
| 50-269 | OCONEE NUCLEAR STATION, UNIT 1 | 30 |
| 50-270 | OCONEE NUCLEAR STATION, UNIT 2 | 31 |
| 50-271 | VERMONT YANKEE NUCLEAR POWER STATION | 33 |
| 50-272 | SALEM NUCLEAR GENERATING STATION, UNIT 1 | 34 |
| 50-275 | DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1 | 36 |
| 50-277 | PEACH BOTTOM ATOMIC POWER STATION, UNIT 2 | 38 |
| 50-278 | PEACH BOTTOM ATOMIC POWER STATION, UNIT 3 | 38 |
| 50-280 | SURRY POWER STATION, UNIT 1 | 39 |
| 50-281 | SURRY POWER STATION, UNIT 2 | 40 |
| 50-282 | PRAIRIE ISLAND NUCLEAR STATION, UNIT 1 | 41 |
| 50-285 | FORT CALHOUN STATION, UNIT 1 | 42 |
| 50-286 | INDIAN POINT STATION, UNIT 3 | 43 |
| 50-287 | OCONEE NUCLEAR STATION, UNIT 3 | 44 |
| 50-288 | REED COLLEGE RESEARCH REACTOR | 45 |
| 50-289 | THREE MILE ISLAND NUCLEAR STATION, UNIT 1 | 45 |
| 50-293 | PILGRIM NUCLEAR POWER STATION, UNIT 1 | 46 |
| 50-295 | ZION NUCLEAR POWER STATION, UNIT 1 | 47 |
| 50-296 | BROWNS FERRY NUCLEAR POWER STATION, UNIT 3 | 48 |
| 50-297 | NORTH CAROLINA STATE UNIV. PULSTAR REACTOR | 48 |
| 50-298 | COOPER NUCLEAR STATION | 49 |
| 50-301 | POINT BEACH NUCLEAR PLANT, UNIT 2 | 49 |
| 50-302 | CRYSTAL RIVER NUCLEAR PLANT, UNIT 3 | 51 |
| 50-304 | ZION NUCLEAR POWER STATION, UNIT 2 | 53 |
| 50-305 | KEWAUNEE NUCLEAR POWER PLANT | 54 |
| 50-306 | PRAIRIE ISLAND NUCLEAR STATION, UNIT 2 | 54 |
| 50-309 | MAINE YANKEE ATOMIC POWER PLANT | 56 |
| 50-311 | SALEM NUCLEAR GENERATING STATION, UNIT 2 | 57 |
| 50-312 | RANCHO SECO NUCLEAR GENERATING STATION | 60 |
| 50-313 | ARKANSAS NUCLEAR ONE, UNIT 1 | 60 |
| 50-315 | DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1 | 61 |
| 50-316 | DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2 | 62 |
| 50-317 | CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1 | 62 |
| 50-318 | CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2 | 63 |

| Docket | Name | Page |
|---|---|---|
| 50-320 | THREE MILE ISLAND NUCLEAR STATION, UNIT 2 | 64 |
| 50-321 | EDWIN I. HATCH NUCLEAR PLANT, UNIT 1 | 64 |
| 50-322 | SHOREHAM NUCLEAR POWER STATION | 65 |
| 50-323 | DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2 | 65 |
| 50-324 | BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2 | 67 |
| 50-325 | BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1 | 67 |
| 50-327 | SEQUOYAH NUCLEAR PLANT, UNIT 1 | 68 |
| 50-328 | SEQUOYAH NUCLEAR PLANT, UNIT 2 | 69 |
| 50-329 | MIDLAND PLANT, UNIT 1 | 70 |
| 50-330 | MIDLAND PLANT, UNIT 2 | 70 |
| 50-331 | DUANE ARNOLD ENERGY CENTER | 70 |
| 50-333 | JAMES A. FITZPATRICK NUCLEAR POWER PLANT | 71 |
| 50-334 | BEAVER VALLEY POWER STATION, UNIT 1 | 72 |
| 50-335 | ST. LUCIE PLANT, UNIT 1 | 73 |
| 50-336 | MILLSTONE NUCLEAR POWER STATION, UNIT 2 | 74 |
| 50-338 | NORTH ANNA POWER STATION, UNIT 1 | 76 |
| 50-339 | NORTH ANNA POWER STATION, UNIT 2 | 77 |
| 50-341 | ENRICO FERMI ATOMIC POWER PLANT, UNIT 2 | 78 |
| 50-344 | TROJAN NUCLEAR PLANT | 79 |
| 50-346 | DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1 | 80 |
| 50-348 | JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1 | 81 |
| 50-352 | LIMERICK GENERATING STATION, UNIT 1 | 82 |
| 50-353 | LIMERICK GENERATING STATION, UNIT 2 | 83 |
| 50-354 | HOPE CREEK NUCLEAR STATION, UNIT 1 | 83 |
| 50-361 | SAN ONOFRE NUCLEAR STATION, UNIT 2 | 85 |
| 50-362 | SAN ONOFRE NUCLEAR STATION, UNIT 3 | 86 |
| 50-364 | JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2 | 87 |
| 50-366 | EDWIN I. HATCH NUCLEAR PLANT, UNIT 2 | 88 |
| 50-368 | ARKANSAS NUCLEAR ONE, UNIT 2 | 89 |
| 50-369 | WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1 | 90 |
| 50-370 | WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2 | 92 |
| 50-373 | LASALLE COUNTY STATION, UNIT 1 | 93 |
| 50-374 | LASALLE COUNTY STATION, UNIT 2 | 94 |
| 50-382 | WATERFORD GENERATING STATION, UNIT 3 | 95 |
| 50-387 | SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1 | 96 |
| 50-388 | SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2 | 97 |
| 50-389 | ST. LUCIE PLANT, UNIT 2 | 97 |
| 50-390 | WATTS BAR NUCLEAR PLANT, UNIT 1 | 98 |
| 50-391 | WATTS BAR NUCLEAR PLANT, UNIT 2 | 99 |
| 50-395 | VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1 | 99 |
| 50-396 | UNIV. OF VIRGINIA CAVALIER REACTOR | 100 |
| 50-397 | WPPSS NUCLEAR PROJECT, UNIT 2 | 100 |
| 50-400 | SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1 | 101 |
| 50-409 | LA CROSSE BOILING WATER REACTOR | 102 |
| 50-410 | NINE MILE POINT NUCLEAR STATION, UNIT 2 | 102 |
| 50-412 | BEAVER VALLEY POWER STATION, UNIT 2 | 103 |
| 50-413 | CATAWBA NUCLEAR STATION, UNIT 1 | 103 |
| 50-414 | CATAWBA NUCLEAR STATION, UNIT 2 | 104 |
| 50-416 | GRAND GULF NUCLEAR STATION, UNIT 1 | 105 |
| 50-417 | GRAND GULF NUCLEAR STATION, UNIT 2 | 106 |
| 50-423 | MILLSTONE NUCLEAR POWER STATION, UNIT 3 | 106 |
| 50-424 | ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1 | 108 |
| 50-425 | ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2 | 109 |
| STN-50-437 | FLOATING NUCLEAR PLANT | 110 |
| 50-438 | BELLEFONTE NUCLEAR PLANT, UNIT 1 | 110 |
| 50-439 | BELLEFONTE NUCLEAR PLANT, UNIT 2 | 110 |
| 50-440 | PERRY NUCLEAR POWER PLANT, UNIT 1 | 110 |
| 50-441 | PERRY NUCLEAR POWER PLANT, UNIT 2 | 111 |
| 50-443 | SEABROOK NUCLEAR STATION, UNIT 1 | 112 |
| 50-444 | SEABROOK NUCLEAR STATION, UNIT 2 | 112 |
| 50-445 | COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1 | 112 |
| 50-446 | COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2 | 113 |
| STN-50-454 | BYRON STATION, UNIT 1 | 114 |
| STN-50-455 | BYRON STATION, UNIT 2 | 115 |
| STN-50-456 | BRAIDWOOD STATION, UNIT 1 | 116 |

| Docket | Name | Page |
|---|---|---|
| STN-50-457 | BRAIDWOOD STATION, UNIT 2 | 116 |
| 50-458 | RIVER BEND STATION, UNIT 1 | 117 |
| 50-460 | WPPSS NUCLEAR PROJECT, UNIT 1 | 118 |
| 50-461 | CLINTON POWER STATION, UNIT 1 | 118 |
| STN-50-482 | WOLF CREEK GENERATING STATION | 119 |
| STN-50-483 | CALLAWAY PLANT, UNIT 1 | 120 |
| STN-50-498 | SOUTH TEXAS PROJECT, UNIT 1 | 120 |
| STN-50-499 | SOUTH TEXAS PROJECT, UNIT 2 | 121 |
| STN-50-508 | WPPSS NUCLEAR PROJECT, UNIT 3 | 122 |
| STN-50-528 | PALO VERDE NUCLEAR STATION, UNIT 1 | 122 |
| STN-50-529 | PALO VERDE NUCLEAR STATION, UNIT 2 | 123 |
| STN-50-530 | PALO VERDE NUCLEAR STATION, UNIT 3 | 124 |
| 50-607 | AIR FORCE, DEPT. OF | 124 |
| 52-001 | GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO. | 124 |
| 52-002 | SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES., | 124 |
| 52-003 | AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP. | 124 |
| DOCKET | UNKNOWN | 126 |

**Domestic Licensing of Special Nuclear Material - Docket 70**

| | | |
|---|---|---|
| 70-0027 | BABCOCK & WILCOX CO., LYNCHBURG, VA | 126 |
| 70-0036 | COMBUSTION ENGINEERING, INC., HEMATITE, MO | 126 |
| 70-0113 | PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA | 126 |
| 70-0133 | CLEVITE CORP., CLEVELAND, OH | 127 |
| 70-0139 | ENGELHARD CORP., PLAINVILLE, MA | 127 |
| 70-0143 | NUCLEAR FUEL SERVICES, INC., ERWIN, TN | 127 |
| 70-0152 | PURDUE UNIV., WEST LAFAYETTE, IN | 127 |
| 70-0157 | TEXAS, UNIV. OF, AUSTIN, TX | 127 |
| 70-0364 | BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA | 127 |
| 70-0398 | COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS & | 127 |
| 70-0600 | SEATTLE UNIV., SEATTLE, WA | 127 |
| 70-0622 | ARMY, DEPT. OF, DOVER, NJ | 127 |
| 70-0687 | CINTICHEM, INC., TUXEDO, NY | 127 |
| 70-0734 | GENERAL ATOMICS, SAN DIEGO, CA | 128 |
| 70-0754 | GENERAL ELECTRIC CO., PLEASANTON, CA | 128 |
| 70-0893 | FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL | 128 |
| 70-0925 | CIMARRON CORP., OKLAHOMA CITY, OK | 128 |
| 70-0938 | MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA | 128 |
| 70-1068 | FLORIDA, UNIV. OF, GAINESVILLE, FL | 128 |
| 70-1100 | COMBUSTION ENGINEERING, INC., WINDSOR, CT | 128 |
| 70-1113 | GENERAL ELECTRIC CO., WILMINGTON, NC | 128 |
| 70-1151 | WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA | 129 |
| 70-1193 | CIMARRON CORP., OKLAHOMA CITY, OK | 129 |
| 70-1201 | B&W FUEL CO., LYNCHBURG, VA | 129 |
| 70-1252 | EDLOW INTERNATIONAL CO., WASHINGTON, DC | 129 |
| 70-1257 | SIEMENS NUCLEAR POWER CORP., RICHLAND, WA | 129 |
| 70-1374 | IDAHO STATE UNIV., POCATELLO, ID | 130 |
| 70-1426 | TRANSNUCLEAR, INC., FALLS CHURCH, VA | 130 |
| 70-1703 | EASTMAN KODAK CO., ROCHESTER, NY | 130 |
| 70-2792 | LOWER BUCKS HOSP., BRISTOL, PA | 130 |
| 70-2962 | NEW JERSEY INSTITUTE OF TECHNOLOGY, NEWARK, NJ | 130 |
| 70-3020 | NUCLEAR ASSURANCE CORP., NORCROSS, GA | 130 |
| 70-3070 | LOUISIANA ENERGY SERVICES, WASHINGTON, DC | 130 |
| 70-3073 | KERR-MCGEE CORP., OKLAHOMA CITY, OK | 130 |
| 70-3085 | B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP, | 130 |
| 70-3091 | DOE HANFORD TANK WASTE REMEDIATION SYSTEM | 131 |
| 70-7001 | U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT) | 131 |
| 70-7002 | U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION | 131 |
| DOCKET | UNKNOWN | 132 |

**Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71**

| | | |
|---|---|---|
| 71-0018 | NUCLEAR ASSURANCE CORP. | 132 |
| 71-0119 | INGERSOLL-RAND CO. | 132 |
| 71-0250 | TRANSNUCLEAR, INC. | 132 |
| 71-0361 | MODEL: PAT-1, ENERGY, DEPT. OF | 132 |
| 71-0470 | PENNSYLVANIA STATE UNIV. | 133 |
| 71-0476 | MIDWEST INSPECTION SERVICES, INC. | 133 |

| Docket | Name | Page |
|---|---|---|
| 71-0545 | TN TECHNOLOGIES, INC. | 133 |
| 71-0577 | PURDUE UNIV. | 133 |
| 71-0625 | COPES-VULCAN, INC. | 133 |
| 71-0731 | QUALITY INSPECTION & TESTING | 133 |
| 71-0749 | CURTIS INSPECTION SERVICES, INC. | 133 |
| 71-0771 | LONGVIEW INSPECTION - GULF COAST GROUP, INC. | 133 |
| 71-0851 | MICHIGAN TECHNOLOGICAL UNIVERSITY | 133 |
| 71-0864 | ADAMS INDUSTRIAL SERVICES, INC. | 133 |
| 71-0867 | MAINE MARITIME ACADEMY | 133 |
| 71-0869 | SAINT PETERS COLLEGE | 133 |
| 71-3010 | MODEL: NT-IX, TRANSPORTATION, DEPT. OF | 133 |
| 71-3024 | MODEL: 2842A, TRANSPORTATION, DEPT OF | 133 |
| 71-3033 | MODEL: TN6-2, TRANSPORTATION, DEPT OF | 133 |
| 71-3037 | MODEL: BU-D, TRANSPORTATION, DEPT. OF | 133 |
| 71-5450 | MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC | 133 |
| 71-5950 | MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY | 133 |
| 71-5957 | MODEL: BMI-1, CINTICHEM, INC. | 133 |
| 71-6058 | MODEL: B-3, CINTICHEM, INC. | 133 |
| 71-6244 | MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC. | 134 |
| 71-6357 | MODEL: NNFD-10, BABCOCK & WILCOX CO. | 134 |
| 71-6400 | MODEL: 6400, WESTINGHOUSE ELECTRIC CORP. | 134 |
| 71-6601 | MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC. | 134 |
| 71-9001 | MODEL: IF-300, VECTRA TECHNOLOGIES, INC. | 134 |
| 71-9010 | MODEL: NLI-1/2, NAC INTERNATIONAL | 134 |
| 71-9011 | MODEL: E-MEH-00-00004, ADVANCED MEDICAL SYSTEMS, INC. | 134 |
| 71-9029 | MODEL: 676 & 676E, AMERSHAM CORP. | 134 |
| 71-9033 | MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM | 134 |
| 71-9056 | MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO., | 134 |
| 71-9067 | MODEL: BCL-3, BATTELLE COLUMBUS LABORATORY | 134 |
| 71-9068 | MODEL: BCL-2, BATTELLE COLUMBUS LABORATORY | 134 |
| 71-9069 | MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP. | 134 |
| 71-9070 | MODEL: N-55, NUCLEAR PACKAGING, INC. | 134 |
| 71-9071 | MODEL: AP-101, ANEFCO, INC. | 134 |
| 71-9079 | MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC. | 134 |
| 71-9081 | MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC. | 134 |
| 71-9094 | MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC. | 134 |
| 71-9096 | MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC. | 134 |
| 71-9108 | MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC. | 134 |
| 71-9111 | MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC. | 134 |
| 71-9145 | MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC | 134 |
| 71-9151 | MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY | 134 |
| 71-9152 | MODEL: CNS 1-13C II, ENERGY, DEPT. OF | 135 |
| 71-9168 | MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC. | 135 |
| 71-9208 | MODEL: 10-142, NUPAC SERVICES, INC. | 135 |
| 71-9212 | MODEL: 72-B, NUCLEAR PACKAGING, INC. | 135 |
| 71-9216 | MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC. | 135 |
| 71-9218 | MODEL: TRUPACT-II, ENERGY, DEPT. OF | 135 |
| 71-9235 | MODEL: NAC-STC, NAC INTERNATIONAL | 135 |
| 71-9255 | MODEL: MP-187, VECTRA TECHNOLOGIES | 135 |
| 71-9261 | MODEL: HI-STAR 100, HOLTEC INTERNATIONAL | 135 |
| 71-9268 | MODEL: MSC-1, SIERRA NUCLEAR CORP. | 135 |
| 71-9270 | MODEL: UMS, NAC INTERNATIONAL | 135 |
| DOCKET | UNKNOWN | 135 |

**Licensing of Independent Spent Fuel Storage - Docket 72**

| | | |
|---|---|---|
| 72-0004 | OCONEE ISFSI, 50-269, 50-270 & 50-287 | 135 |
| 72-0005 | POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301 | 135 |
| 72-0007 | PALISADES ISFSI GEN LIC/VSC-24, 50-255 | 136 |
| 72-0009 | FORT ST. VRAIN ISFSI, 50-267 | 136 |
| 72-0010 | PRAIRIE ISLAND ISFSI, 50-282 & 50-306 | 136 |
| 72-0013 | ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368 | 137 |
| 72-0014 | DAVIS BESSE ISFSI GEN LIC, 50-346 | 137 |
| 72-0017 | TROJAN ISFSI, 50-344 | 137 |
| 72-0018 | GOOD HUE COUNTY | 137 |
| 72-0020 | DEPARTMENT OF ENERGY ISFSI - 50-320 | 138 |
| 72-0021 | CENTRAL INTERIM STORAGE | 138 |

| Docket | Name | Page |
|---|---|---|
| 72-1004 | CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC. | 138 |
| 72-1007 | CASK: VSC-24, SIERRA NUCLEAR, INC. | 138 |
| 72-1008 | CASK: HI-STAR 100, HOLTEC INTERNATIONAL | 139 |
| 72-1013 | CASK: NAC STC-26, NAC INTERNATIONAL, INC. | 139 |
| 72-1015 | CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC. | 139 |
| 72-1021 | CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC. | 139 |
| 72-1023 | CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP. | 139 |

# ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME


| Name | Docket | Page |
|---|---|---|
| **Low Level Radwaste Disposal Sites - Docket 27** | | |
| COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC. | 27-047 | 1 |
| LOUISVILLE, KY, U.S. ECOLOGY, INC. | 27-048 | 1 |
| **Domestic Licensing of Source Material - Docket 40** | | |
| A.I.M., INC., PARKTON, MD | 40-9016 | 5 |
| ALLIED-SIGNAL, INC., METROPOLIS, IL | 40-3392 | 1 |
| AMERICAN NUCLEAR CORP., CASPER, WY | 40-4492 | 2 |
| ATLANTIC RICHFIELD CO., GRANTS, NM | 40-8902 | 4 |
| ATLAS CORP., DENVER, CO | 40-3453 | 2 |
| BABCOCK & WILCOX CO., ALLIANCE, OH | 40-8474 | 3 |
| BP CHEMICALS AMERICA, INC., LIMA, OH | 40-7604 | 2 |
| BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN | 40-8936 | 4 |
| CABOT CORP., BOYERTOWN, PA | 40-6940 | 2 |
| CHEMETRON CORP., PROVIDENCE, RI | 40-8724 | 3 |
| DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.), | 40-0017 | 1 |
| ELKEM METALS, MARIETTA, OH | 40-7708 | 3 |
| ENERGY FUELS NUCLEAR | 40-9024 | 5 |
| ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT | 40-8989 | 5 |
| FANSTEEL, INC., NORTH CHICAGO, IL | 40-7580 | 2 |
| FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO | 40-8943 | 4 |
| HOMESTAKE MINING CO., GRANTS, NM | 40-8903 | 4 |
| HYDRO RESOURCES, INC., DALLAS, TX | 40-8968 | 5 |
| KENNECOTT URANIUM CO., RAWLINS, WY | 40-8584 | 3 |
| KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK | 40-2061 | 1 |
| MICHIGAN CHEMICAL CORP., ST. LOUIS, MI | 40-6264 | 2 |
| MOLYCORP, INC., LOS ANGELES, CA | 40-8794 | 4 |
| MOLYCORP, INC., LOS ANGELES, CA | 40-8778 | 4 |
| PATHFINDER MINES CORP., RIVERTON, WY | 40-2259 | 1 |
| PATHFINDER MINES CORP., SHIRLEY BASIN, WY | 40-6622 | 2 |
| PETROTOMICS CO., SHIRLEY BASIN, WY | 40-6659 | 2 |
| PLATEAU RESOURCES, LTD., LAKE POWELL, UT | 40-8698 | 3 |
| QUIVIRA MINING CO., GRANTS, NM | 40-8905 | 4 |
| RIO ALGOM MINING CORP., OKLAHOMA CITY, OK | 40-8964 | 5 |
| RMI CO., ASHTABULA, OH | 40-2384 | 1 |
| SEQUOYAH FUELS CORP., GORE, OK | 40-8027 | 3 |
| SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ | 40-7102 | 2 |
| SOHIO WESTERN MINING CO., SALT LAKE CITY, UT | 40-8904 | 4 |
| TAYLOR FORGE & PIPEWORKS CO., GARY, IN | 40-1363 | 1 |
| UMETCO MINERALS CORP., RIVERTON, WY | 40-0299 | 1 |
| UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.), | 40-8907 | 4 |
| WHITTAKER CORP., LOS ANGELES, CA | 40-7455 | 2 |
| **Domestic Licensing of Production and Utilization Facilities - Docket 50** | | |
| AEROTEST RADIOGRAPHY & RESEARCH REACTOR | 50-228 | 13 |
| AIR FORCE, DEPT. OF | 50-607 | 124 |
| ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1 | 50-424 | 108 |
| ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2 | 50-425 | 109 |
| ARKANSAS NUCLEAR ONE, UNIT 1 | 50-313 | 60 |
| ARKANSAS NUCLEAR ONE, UNIT 2 | 50-368 | 89 |
| BEAVER VALLEY POWER STATION, UNIT 1 | 50-334 | 72 |
| BEAVER VALLEY POWER STATION, UNIT 2 | 50-412 | 103 |
| BELLEFONTE NUCLEAR PLANT, UNIT 1 | 50-438 | 110 |
| BELLEFONTE NUCLEAR PLANT, UNIT 2 | 50-439 | 110 |
| BIG ROCK POINT NUCLEAR PLANT | 50-155 | 8 |
| BRAIDWOOD STATION, UNIT 1 | STN-50-456 | 116 |
| BRAIDWOOD STATION, UNIT 2 | STN-50-457 | 116 |
| BROWNS FERRY NUCLEAR POWER STATION, UNIT 1 | 50-259 | 24 |
| BROWNS FERRY NUCLEAR POWER STATION, UNIT 2 | 50-260 | 25 |
| BROWNS FERRY NUCLEAR POWER STATION, UNIT 3 | 50-296 | 48 |
| BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1 | 50-325 | 67 |
| BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2 | 50-324 | 67 |
| BUFFALO MATERIALS RESEARCH CENTER | 50-57 | 7 |
| BYRON STATION, UNIT 1 | STN-50-454 | 114 |
| BYRON STATION, UNIT 2 | STN-50-455 | 115 |
| CALLAWAY PLANT, UNIT 1 | STN-50-483 | 120 |
| CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1 | 50-317 | 62 |
| CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2 | 50-318 | 63 |
| CATAWBA NUCLEAR STATION, UNIT 1 | 50-413 | 103 |
| CATAWBA NUCLEAR STATION, UNIT 2 | 50-414 | 104 |
| CINTICHEM | 50-54 | 7 |

| Name | Docket | Page |
|---|---|---|
| CLINTON POWER STATION, UNIT 1 | 50-461 | 118 |
| COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1 | 50-445 | 112 |
| COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2 | 50-446 | 113 |
| COOPER NUCLEAR STATION | 50-298 | 49 |
| CORNELL UNIV. RESEARCH REACTOR | 50-157 | 9 |
| CORNELL UNIV. ZERO POWER REACTOR | 50-97 | 7 |
| CRYSTAL RIVER NUCLEAR PLANT, UNIT 3 | 50-302 | 51 |
| DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1 | 50-346 | 80 |
| DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1 | 50-275 | 36 |
| DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2 | 50-323 | 65 |
| DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1 | 50-315 | 61 |
| DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2 | 50-316 | 62 |
| DOW CHEMICAL CO. | 50-264 | 27 |
| DRESDEN NUCLEAR POWER STATION, UNIT 1 | 50-10 | 5 |
| DRESDEN NUCLEAR POWER STATION, UNIT 2 | 50-237 | 13 |
| DRESDEN NUCLEAR POWER STATION, UNIT 3 | 50-249 | 19 |
| DUANE ARNOLD ENERGY CENTER | 50-331 | 70 |
| EDWIN I. HATCH NUCLEAR PLANT, UNIT 1 | 50-321 | 64 |
| EDWIN I. HATCH NUCLEAR PLANT, UNIT 2 | 50-366 | 88 |
| ENRICO FERMI ATOMIC POWER PLANT, UNIT 1 | 50-16 | 6 |
| ENRICO FERMI ATOMIC POWER PLANT, UNIT 2 | 50-341 | 78 |
| FLOATING NUCLEAR PLANT | STN-50-437 | 110 |
| FORD NUCLEAR REACTOR | 50-2 | 5 |
| FORT CALHOUN STATION, UNIT 1 | 50-285 | 42 |
| FORT ST. VRAIN NUCLEAR GENERATING STATION | 50-267 | 29 |
| GENERAL ATOMICS | 50-89 | 7 |
| GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR | 50-160 | 9 |
| GRAND GULF NUCLEAR STATION, UNIT 1 | 50-416 | 105 |
| GRAND GULF NUCLEAR STATION, UNIT 2 | 50-417 | 106 |
| H.B. ROBINSON PLANT, UNIT 2 | 50-261 | 25 |
| HADDAM NECK PLANT | 50-213 | 10 |
| HOPE CREEK NUCLEAR STATION, UNIT 1 | 50-354 | 83 |
| HUMBOLDT BAY POWER PLANT, UNIT 3 | 50-133 | 8 |
| INDIAN POINT STATION, UNIT 1 | 50-3 | 5 |
| INDIAN POINT STATION, UNIT 2 | 50-247 | 18 |
| INDIAN POINT STATION, UNIT 3 | 50-286 | 43 |
| IOWA STATE UNIV. RESEARCH REACTOR | 50-116 | 7 |
| JAMES A. FITZPATRICK NUCLEAR POWER PLANT | 50-333 | 71 |
| JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1 | 50-348 | 81 |
| JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2 | 50-364 | 87 |
| KEWAUNEE NUCLEAR POWER PLANT | 50-305 | 54 |
| LA CROSSE BOILING WATER REACTOR | 50-409 | 102 |
| LASALLE COUNTY STATION, UNIT 1 | 50-373 | 93 |
| LASALLE COUNTY STATION, UNIT 2 | 50-374 | 94 |
| LIMERICK GENERATING STATION, UNIT 1 | 50-352 | 82 |
| LIMERICK GENERATING STATION, UNIT 2 | 50-353 | 83 |
| MAINE YANKEE ATOMIC POWER PLANT | 50-309 | 56 |
| MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR | 50-20 | 6 |
| MIDLAND PLANT, UNIT 1 | 50-329 | 70 |
| MIDLAND PLANT, UNIT 2 | 50-330 | 70 |
| MILLSTONE NUCLEAR POWER STATION, UNIT 1 | 50-245 | 16 |
| MILLSTONE NUCLEAR POWER STATION, UNIT 2 | 50-336 | 74 |
| MILLSTONE NUCLEAR POWER STATION, UNIT 3 | 50-423 | 106 |
| MONTICELLO NUCLEAR GENERATING PLANT | 50-263 | 26 |
| NASA CRITICAL FACILITY | 50-210 | 10 |
| NINE MILE POINT NUCLEAR STATION, UNIT 1 | 50-220 | 13 |
| NINE MILE POINT NUCLEAR STATION, UNIT 2 | 50-410 | 102 |
| NORTH ANNA POWER STATION, UNIT 1 | 50-338 | 76 |
| NORTH ANNA POWER STATION, UNIT 2 | 50-339 | 77 |
| NORTH CAROLINA STATE UNIV. PULSTAR REACTOR | 50-297 | 48 |
| NUCLEAR SHIP SAVANNAH | 50-238 | 15 |
| OCONEE NUCLEAR STATION, UNIT 1 | 50-269 | 30 |
| OCONEE NUCLEAR STATION, UNIT 2 | 50-270 | 31 |
| OCONEE NUCLEAR STATION, UNIT 3 | 50-287 | 44 |
| OHIO STATE UNIV. RESEARCH REACTOR | 50-150 | 8 |
| OREGON STATE UNIV. RESEARCH REACTOR | 50-243 | 15 |
| OYSTER CREEK NUCLEAR POWER PLANT | 50-219 | 11 |
| PALISADES NUCLEAR PLANT | 50-255 | 22 |
| PALO VERDE NUCLEAR STATION, UNIT 1 | STN-50-528 | 122 |
| PALO VERDE NUCLEAR STATION, UNIT 2 | STN-50-529 | 123 |
| PALO VERDE NUCLEAR STATION, UNIT 3 | STN-50-530 | 124 |
| PEACH BOTTOM ATOMIC POWER STATION, UNIT 1 | 50-171 | 9 |

| Name | Docket | Page |
|---|---|---|
| PEACH BOTTOM ATOMIC POWER STATION, UNIT 2 | 50-277 | 38 |
| PEACH BOTTOM ATOMIC POWER STATION, UNIT 3 | 50-278 | 38 |
| PENNSYLVANIA STATE UNIV. RESEARCH REACTOR | 50-5 | 5 |
| PERRY NUCLEAR POWER PLANT, UNIT 1 | 50-440 | 110 |
| PERRY NUCLEAR POWER PLANT, UNIT 2 | 50-441 | 111 |
| PILGRIM NUCLEAR POWER STATION, UNIT 1 | 50-293 | 46 |
| POINT BEACH NUCLEAR PLANT, UNIT 1 | 50-266 | 28 |
| POINT BEACH NUCLEAR PLANT, UNIT 2 | 50-301 | 49 |
| PRAIRIE ISLAND NUCLEAR STATION, UNIT 1 | 50-282 | 41 |
| PRAIRIE ISLAND NUCLEAR STATION, UNIT 2 | 50-306 | 54 |
| PURDUE UNIV. RESEARCH REACTOR | 50-182 | 9 |
| QUAD-CITIES STATION, UNIT 1 | 50-254 | 21 |
| QUAD-CITIES STATION, UNIT 2 | 50-265 | 27 |
| RANCHO SECO NUCLEAR GENERATING STATION | 50-312 | 60 |
| REED COLLEGE RESEARCH REACTOR | 50-288 | 45 |
| RHODE ISLAND & PROVIDENCE PLANTATIONS AEC | 50-193 | 9 |
| RIVER BEND STATION, UNIT 1 | 50-458 | 117 |
| ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1 | 50-244 | 15 |
| RPI CRITICAL EXPERIMENT | 50-225 | 13 |
| SALEM NUCLEAR GENERATING STATION, UNIT 1 | 50-272 | 34 |
| SALEM NUCLEAR GENERATING STATION, UNIT 2 | 50-311 | 57 |
| SAN ONOFRE NUCLEAR STATION, UNIT 1 | 50-206 | 10 |
| SAN ONOFRE NUCLEAR STATION, UNIT 2 | 50-361 | 85 |
| SAN ONOFRE NUCLEAR STATION, UNIT 3 | 50-362 | 86 |
| SEABROOK NUCLEAR STATION, UNIT 1 | 50-443 | 112 |
| SEABROOK NUCLEAR STATION, UNIT 2 | 50-444 | 112 |
| SEQUOYAH NUCLEAR PLANT, UNIT 1 | 50-327 | 68 |
| SEQUOYAH NUCLEAR PLANT, UNIT 2 | 50-328 | 69 |
| SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1 | 50-400 | 101 |
| SHOREHAM NUCLEAR POWER STATION | 50-322 | 65 |
| SOUTH TEXAS PROJECT, UNIT 1 | STN-50-498 | 120 |
| SOUTH TEXAS PROJECT, UNIT 2 | STN-50-499 | 121 |
| ST. LUCIE PLANT, UNIT 1 | 50-335 | 73 |
| ST. LUCIE PLANT, UNIT 2 | 50-389 | 97 |
| SURRY POWER STATION, UNIT 1 | 50-280 | 39 |
| SURRY POWER STATION, UNIT 2 | 50-281 | 40 |
| SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1 | 50-387 | 96 |
| SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2 | 50-388 | 97 |
| TEXAS A&M UNIV. RESEARCH REACTOR | 50-59 | 7 |
| TEXAS A&M UNIV. RESEARCH REACTOR | 50-128 | 7 |
| THREE MILE ISLAND NUCLEAR STATION, UNIT 1 | 50-289 | 45 |
| THREE MILE ISLAND NUCLEAR STATION, UNIT 2 | 50-320 | 64 |
| TROJAN NUCLEAR PLANT | 50-344 | 79 |
| TURKEY POINT PLANT, UNIT 3 | 50-250 | 20 |
| TURKEY POINT PLANT, UNIT 4 | 50-251 | 20 |
| UNIV. OF ARIZONA RESEARCH REACTOR | 50-113 | 7 |
| UNIV. OF FLORIDA TRAINING REACTOR | 50-83 | 7 |
| UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA | 50-186 | 9 |
| UNIV. OF VIRGINIA CAVALIER REACTOR | 50-396 | 100 |
| UNIV. OF VIRGINIA RESEARCH REACTOR | 50-62 | 7 |
| UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR | 50-223 | 13 |
| VERMONT YANKEE NUCLEAR POWER STATION | 50-271 | 33 |
| VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1 | 50-395 | 99 |
| WATERFORD GENERATING STATION, UNIT 3 | 50-382 | 95 |
| WATTS BAR NUCLEAR PLANT, UNIT 1 | 50-390 | 98 |
| WATTS BAR NUCLEAR PLANT, UNIT 2 | 50-391 | 99 |
| WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1 | 50-369 | 90 |
| WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2 | 50-370 | 92 |
| WOLF CREEK GENERATING STATION | STN-50-482 | 119 |
| WPPSS NUCLEAR PROJECT, UNIT 1 | 50-460 | 118 |
| WPPSS NUCLEAR PROJECT, UNIT 2 | 50-397 | 100 |
| WPPSS NUCLEAR PROJECT, UNIT 3 | STN-50-508 | 122 |
| YANKEE-ROWE NUCLEAR POWER STATION | 50-29 | 6 |
| ZION NUCLEAR POWER STATION, UNIT 1 | 50-295 | 47 |
| ZION NUCLEAR POWER STATION, UNIT 2 | 50-304 | 53 |
| AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP. | 52-003 | 124 |
| GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO. | 52-001 | 124 |
| SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES., | 52-002 | 124 |
| **Domestic Licensing of Special Nuclear Material - Docket 70** | | |
| ARMY, DEPT. OF, DOVER, NJ | 70-0622 | 127 |
| B&W FUEL CO., LYNCHBURG, VA | 70-1201 | 129 |
| B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP, | 70-3085 | 130 |

| Name | Docket | Page |
|---|---|---|
| BABCOCK & WILCOX CO., LYNCHBURG, VA | 70-0027 | 126 |
| BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA | 70-0364 | 127 |
| CIMARRON CORP., OKLAHOMA CITY, OK | 70-1193 | 129 |
| CIMARRON CORP., OKLAHOMA CITY, OK | 70-0925 | 128 |
| CINTICHEM, INC., TUXEDO, NY | 70-0687 | 127 |
| CLEVITE CORP., CLEVELAND, OH | 70-0133 | 127 |
| COMBUSTION ENGINEERING, INC., HEMATITE, MO | 70-0036 | 126 |
| COMBUSTION ENGINEERING, INC., WINDSOR, CT | 70-1100 | 128 |
| COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS & | 70-0398 | 127 |
| DOE HANFORD TANK WASTE REMEDIATION SYSTEM | 70-3091 | 131 |
| EASTMAN KODAK CO., ROCHESTER, NY | 70-1703 | 130 |
| EDLOW INTERNATIONAL CO., WASHINGTON, DC | 70-1252 | 129 |
| ENGELHARD CORP., PLAINVILLE, MA | 70-0139 | 127 |
| FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL | 70-0893 | 128 |
| FLORIDA, UNIV. OF, GAINESVILLE, FL | 70-1068 | 128 |
| GENERAL ATOMICS, SAN DIEGO, CA | 70-0734 | 128 |
| GENERAL ELECTRIC CO., PLEASANTON, CA | 70-0754 | 128 |
| GENERAL ELECTRIC CO., WILMINGTON, NC | 70-1113 | 128 |
| IDAHO STATE UNIV., POCATELLO, ID | 70-1374 | 130 |
| KERR-MCGEE CORP., OKLAHOMA CITY, OK | 70-3073 | 130 |
| LOUISIANA ENERGY SERVICES, WASHINGTON, DC | 70-3070 | 130 |
| LOWER BUCKS HOSP., BRISTOL, PA | 70-2792 | 130 |
| MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA | 70-0938 | 128 |
| NEW JERSEY INSTITUTE OF TECHNOLOGY, NEWARK, NJ | 70-2962 | 130 |
| NUCLEAR ASSURANCE CORP., NORCROSS, GA | 70-3020 | 130 |
| NUCLEAR FUEL SERVICES, INC., ERWIN, TN | 70-0143 | 127 |
| PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA | 70-0113 | 126 |
| PURDUE UNIV., WEST LAFAYETTE, IN | 70-0152 | 127 |
| SEATTLE UNIV., SEATTLE, WA | 70-0600 | 127 |
| SIEMENS NUCLEAR POWER CORP., RICHLAND, WA | 70-1257 | 129 |
| TEXAS, UNIV. OF, AUSTIN, TX | 70-0157 | 127 |
| TRANSNUCLEAR, INC., FALLS CHURCH, VA | 70-1426 | 130 |
| U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT) | 70-7001 | 131 |
| U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION | 70-7002 | 131 |
| WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA | 70-1151 | 129 |

| Name | Docket | Page |
|---|---|---|
| **Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71** | | |
| ADAMS INDUSTRIAL SERVICES, INC. | 71-0864 | 133 |
| COPES-VULCAN, INC. | 71-0625 | 133 |
| CURTIS INSPECTION SERVICES, INC. | 71-0749 | 133 |
| INGERSOLL-RAND CO. | 71-0119 | 132 |
| LONGVIEW INSPECTION - GULF COAST GROUP, INC. | 71-0771 | 133 |
| MAINE MARITIME ACADEMY | 71-0867 | 133 |
| MICHIGAN TECHNOLOGICAL UNIVERSITY | 71-0851 | 133 |
| MIDWEST INSPECTION SERVICES, INC. | 71-0476 | 133 |
| MODEL: 10-142, NUPAC SERVICES, INC. | 71-9208 | 135 |
| MODEL: 2842A, TRANSPORTATION, DEPT OF | 71-3024 | 133 |
| MODEL: 6400, WESTINGHOUSE ELECTRIC CORP. | 71-6400 | 134 |
| MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM | 71-9033 | 134 |
| MODEL: 676 & 676E, AMERSHAM CORP. | 71-9029 | 134 |
| MODEL: 72-B, NUCLEAR PACKAGING, INC. | 71-9212 | 135 |
| MODEL: AP-101, ANEFCO, INC. | 71-9071 | 134 |
| MODEL: B-3, CINTICHEM, INC. | 71-6058 | 133 |
| MODEL: BCL-2, BATTELLE COLUMBUS LABORATORY | 71-9068 | 134 |
| MODEL: BCL-3, BATTELLE COLUMBUS LABORATORY | 71-9067 | 134 |
| MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY | 71-5950 | 133 |
| MODEL: BMI-1, CINTICHEM, INC. | 71-5957 | 133 |
| MODEL: BU-D, TRANSPORTATION, DEPT. OF | 71-3037 | 133 |
| MODEL: CNS 1-13C II, ENERGY, DEPT. OF | 71-9152 | 135 |
| MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC. | 71-9081 | 134 |
| MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC. | 71-9216 | 135 |
| MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC. | 71-9094 | 134 |
| MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC. | 71-9096 | 134 |
| MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC. | 71-6244 | 134 |
| MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC. | 71-9108 | 134 |
| MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC. | 71-9111 | 134 |
| MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC. | 71-6601 | 134 |
| MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC. | 71-9168 | 135 |

| Name | Docket | Page |
|---|---|---|
| MODEL: E-MEH-00-00004, ADVANCED MEDICAL SYSTEMS, INC. | 71-9011 | 134 |
| MODEL: HI-STAR 100, HOLTEC INTERNATIONAL | 71-9261 | 135 |
| MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY | 71-9151 | 134 |
| MODEL: IF-300, VECTRA TECHNOLOGIES, INC. | 71-9001 | 134 |
| MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP. | 71-9069 | 134 |
| MODEL: MP-187, VECTRA TECHNOLOGIES | 71-9255 | 135 |
| MODEL: MSC-1, SIERRA NUCLEAR CORP. | 71-9268 | 135 |
| MODEL: N-55, NUCLEAR PACKAGING, INC. | 71-9070 | 134 |
| MODEL: NAC-STC, NAC INTERNATIONAL | 71-9235 | 135 |
| MODEL: NLI-1/2, NAC INTERNATIONAL | 71-9010 | 134 |
| MODEL: NNFD-10, BABCOCK & WILCOX CO. | 71-6357 | 134 |
| MODEL: NT-IX, TRANSPORTATION, DEPT. OF | 71-3010 | 133 |
| MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC. | 71-9079 | 134 |
| MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC | 71-9145 | 134 |
| MODEL: PAT-1, ENERGY, DEPT. OF | 71-0361 | 132 |
| MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC | 71-5450 | 133 |
| MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO., | 71-9056 | 134 |
| MODEL: TN6-2, TRANSPORTATION, DEPT OF | 71-3033 | 133 |
| MODEL: TRUPACT-II, ENERGY, DEPT. OF | 71-9218 | 135 |
| MODEL: UMS, NAC INTERNATIONAL | 71-9270 | 135 |
| NUCLEAR ASSURANCE CORP. | 71-0018 | 132 |
| PENNSYLVANIA STATE UNIV. | 71-0470 | 133 |
| PURDUE UNIV. | 71-0577 | 133 |
| QUALITY INSPECTION & TESTING | 71-0731 | 133 |
| SAINT PETERS COLLEGE | 71-0869 | 133 |
| TN TECHNOLOGIES, INC. | 71-0545 | 133 |
| TRANSNUCLEAR, INC. | 71-0250 | 132 |
| **Licensing of Independent Spent Fuel Storage - Docket 72** | | |
| ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368 | 72-0013 | 137 |
| CASK: HI-STAR 100, HOLTEC INTERNATIONAL | 72-1008 | 139 |
| CASK: NAC STC-26, NAC INTERNATIONAL, INC. | 72-1013 | 139 |
| CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC. | 72-1004 | 138 |
| CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC. | 72-1021 | 139 |
| CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP. | 72-1023 | 139 |
| CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC. | 72-1015 | 139 |
| CASK: VSC-24, SIERRA NUCLEAR, INC. | 72-1007 | 138 |
| CENTRAL INTERIM STORAGE | 72-0021 | 138 |
| DAVIS BESSE ISFSI GEN LIC, 50-346 | 72-0014 | 137 |
| DEPARTMENT OF ENERGY ISFSI - 50-320 | 72-0020 | 138 |
| FORT ST. VRAIN ISFSI, 50-267 | 72-0009 | 136 |
| GOOD HUE COUNTY | 72-0018 | 137 |
| OCONEE ISFSI, 50-269, 50-270 & 50-287 | 72-0004 | 135 |
| PALISADES ISFSI GEN LIC/VSC-24, 50-255 | 72-0007 | 136 |
| POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301 | 72-0005 | 135 |
| PRAIRIE ISLAND ISFSI, 50-282 & 50-306 | 72-0010 | 136 |
| TROJAN ISFSI, 50-344 | 72-0017 | 137 |
| UNKNOWN | DOCKET | 132 |
| UNKNOWN | DOCKET | 135 |
| UNKNOWN | DOCKET | 1 |
| UNKNOWN | DOCKET | 126 |

# DOCKETED ITEMS

## LOW LEVEL RADWASTE DISPOSAL SITES

### DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

**9612170146** Discusses 961125 request for variance to dispose of 49 packages containing dry active waste from Scientific Ecology Group,Inc.Waste contains Pu totalling 31.2 uCi & considered Class A waste.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/09. STILL,J. Chem-Nuclear Systems, Inc. 1p. 91141:043-91141:043.

### DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

**9612020070** Forwards revs to Facility Standards Manual & Richland Operational Procedures 8,11,18,19,21,22 & 36 for review & approval.If no response within 30 days,procedures as submitted will be distributed for use.
BEELER,S.M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/10/02. HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 91001:218-91001:304.

**--9612020071** Rev 3 to Richland Operational Procedure 8, "Radiation Exposure Records."
BEELER,S.M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/10/02. 23pp. 91001:225-91001:249.

**--9612020074** Rev 3 to Richland Operational Procedure 11, "Dosimetry QC Program."
BEELER,S.M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/10/02. 4pp. 91001:250-91001:253.

**--9612020076** Rev 2 to Richland Operational Procedure 18, "Vadose Well Sampling for Tritium & Rn-222."
BEELER,S.M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/10/02. 6pp. 91001:254-91001:259.

**--9612020079** Rev 2 to Richland Operational Procedure 19, "Soil Vapor Sampling US EPA Method TO-14."
BEELER,S.M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/10/02. 9pp. 91001:260-91001:268.

**--9612020082** Rev 3 to Richland Operational Procedure 21, "Training for Non-Occupationally Exposed Workers."
BEELER,S.M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/10/02. 2pp. 91001:269-91001:270.

**--9612020085** Rev 1 to Richland Operational Procedure 22, "Orientation for Visitors,Contractors & New Employees."
BEELER,S.M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/10/02. 29pp. 91001:271-91001:299.

**--9612020088** Rev 1 to Richland Operational Procedure 36, "Solar Still Construction & Operation."
BEELER,S.M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 96/10/02. 5pp. 91001:300-91001:304.

### DOCKET DOCKET UNKNOWN

**9612060346** Forwards no objection upon review of SECOR Intl,Inc work plan for site remediation at former Tenneco Polymers,Inc site,Fords,NJ.
BELLAMY,R.R. Region 1 (Post 820201). 96/11/27. EVANS,D. . 3pp. 91024:340-91024:342.

**9612060334** Forwards scoping survey insp rept 40-2578/96-02 (Magline, Inc) on 961101.Residual levels of thorium not identified in excess of NRC guidelines.No further regulatory concerns regard facility.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/03. CLARK,T. Affiliation Not Assigned. 2pp. 91030:125-91030:133.

**--9612060339** Insp rept 40-2578/96-02 (Magline,Inc) on 961101.Major areas inspected:adequacy of decontamination after termination of licensed activities involving production of magnesium- thorium alloy.
* Region 3 (Post 820201). 96/12/03. 7pp. 91030:127-91030:133.

**9612110004** Forwards insp rept 40-2578/96-01 for M&A Casting,Ltd on 961101.No violations noted.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/06. WAYMAN,T. Affiliation Not Assigned. 2pp. 91059:031-91059:038.

**--9612110006** Insp rept 40-2578/96-01 on 961101.No violations noted.Major areas inspected:residual thorium contamination from former activities at site.
* Region 3 (Post 820201). 96/12/06. 6pp. 91059:033-91059:038.

**9612200033** Forwards insp rept 40-5593/96-01 for ARSCO facility on 961106.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/12/18. RATLIFF,R.A. Texas, State of. 4pp. 91149:048-91149:062.

**--9612200036** Insp rept 40-5593/96-01 on 961106.No violations noted.Major areas inspected:licensee activities.
* Region 4 (Post 820201). 96/12/18. 11pp. 91149:052-91149:062.

**9612200045** Forwards insp rept 40-1045/96-01 for Lucky June site on 950317 & 960730.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/12/18. General. QUILLIN,R.M. Colorado, State of. FRALEY,C. Wyoming, State of. 4pp. 91149:064-91149:078.

**--9612200056** Insp rept 40-1045/96-01 on 950317 & 960730.No violations noted.Major areas inspected:review of terminated licenses.
* Region 4 (Post 820201). 96/12/18. 14pp. 91149:068-91149:078.

**9612300033** Forwards map re docket 04001203,which identified Metals Research & Development bldg to fabricate U fuel elements & U alloys.
BELLAMY,R.R. Region 1 (Post 820201). 96/12/19. LABOSKY,R. Affiliation Not Assigned. 4pp. 91233:111-91233:114.

## DOMESTIC LICENSING OF SOURCE MATERIAL

### DOCKET 40-0017 DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),

**9612170034** Forwards insp rept 40-0017/96-02 on 961119-20 & NOV. Informs that area in & around excavation was found to have contamination above NRC guidelines for release of site for unrestricted use.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/13. GIEBELHAUS,L. Dow Chemical Co. 3pp. 91105:021-91105:031.

**--9612170042** Notice of violation from insp on 961119-20.Violation noted:contamination was found to be buried in soil in clean zone outside of restricted contamination zone.
* Region 3 (Post 820201). 96/12/13. 1p. 91105:024-91105:024.

**--9612170055** Insp rept 40-0017/96-02 on 961119-20.Violations noted. Major areas inspected:licensee failed to ensure control of licensed matl within radiological control zones as specified in license conditions.
* Region 3 (Post 820201). 96/12/13. 7pp. 91105:025-91105:031.

### DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

**9612110285** Forwards "Preliminary Site Conceptual Model & Proposed Groundwater Compliance Program UMETCO U Mill Site Gas Hills, WY."
SEALY,C.O. UMETCO Minerals Corp. 96/10/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HAQUE,M. NRC - No Detailed Affiliation Given. 8pp. 91150:001-91151:079.

**--9612110288** "Preliminary Site Conceptual Model & Proposed Groundwater Compliance Program UMETCO U Mill Site Gas Hills,WY." W/two oversize drawings.
YANCEY,C.L., LAWRENCE,E.P., TRUSCHEL,A.D. UMETCO Minerals Corp. 96/10/02. 435pp. 91150:009-91151:079.

### DOCKET 40-1363 TAYLOR FORGE & PIPEWORKS CO., GARY, IN

**9612090373** Forwards insp rept 40-13633/96-01 on 961103.Residual levels of thorium not identified in excess of NRC guidelines.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/03. WISNIEWSKI,L.D. Affiliation Not Assigned. 2pp. 91038:280-91038:287.

**--9612090376** Insp rept 40-1363/96-01 on 961103.No violations noted.Major areas inspected:scoping survey of Republic Engineered Steels Rough Stock & Shipping Building.
* Region 3 (Post 820201). 96/12/03. 3pp. 91038:282-91038:287.

### DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK

**9612110271** Forwards Amend 40 to state License STA-583.
KERR,G.W. Illinois, State of. 96/12/04. BANGART,R. Office of State Programs (Post 911117). 2pp. 91081:297-91081:298.

### DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

**9612060080** Anticipates submittal of plans for R Draw & solution ponds at end of Dec 1996 or possibly early Jan 1997.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/10/24. GILLEN,D.M. Division of Waste Management (NMSS 940403). 1p. 91043:359-91043:359.

### DOCKET 40-2384 RMI CO., ASHTABULA, OH

**9612100141** Forwards RMI response to NRC 960912 comments on "RMI Decommissioning Plan" & other associated documents.
HENDERSON,J.W. RMI Co. 96/10/23. ULECK,R. NRC - No Detailed Affiliation Given. 60pp. 91056:097-91056:157.

### DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

**9612020120** Forwards licensees SEC Form 10-Q for quarter ending 960930. Form is being provided as part of Co self-guarantee for financial requirement for Metropolis,IL facility.
SCHMIDT,D. Allied-Signal Corp. 96/11/12. PIERSON,R. Licensing Branch. 18pp. 91001:332-91001:349.

**9612060044** Forwards six copies of amend replacement license pages per 961029 request.
KOSMIDER,M.D. Allied-Signal Corp. 96/11/25. LAMASTRA,M. Licensing Branch. 12pp. 91044:345-91044:356.

**9612160081** Trip rept of 961118 visit to Metropolis,IL re overview of facility products & processes & tour of facility.
CHOTOO,S., LAMASTRA,M. Licensing Branch. 96/11/29. WEBER,M.F. Licensing Branch. 2pp. 91129:036-91129:037.

**9612160153** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. KOSMIDER,M.D. Allied-Signal Corp. 3pp. 91133:220-91133:222.

**9612240034** Submits Incident & Spill Rept Form re 961203 power outage in Feed Matls Building.Power was turned on & Health Physics was notified to pull all sample targets at 6:15 pm.
SHEPHERD,M.L. Allied-Signal Corp. 96/12/12. RIDLINGER,T. Region 3 (Post 820201). 9pp. 91227:216-91227:224.

**9612180145** PNO-III-96-073:on 961216,alert declared by licensee when matl release sighted coming from feed matls bldg.Bad pump motor connection on scrubber sys caused electrical short, tripped breaker.Licensee notified NRC Operations Ctr.
SHEAR,G.L., KNICELEY,J. Region 3 (Post 820201). 96/12/17. 1p. 91164:026-91164:026.

**9612270092** Informs that amend to license SUB-526 is required to authorize pilot deconversion plant at Metropolis,IL facility.
WEBER,M.F. Licensing Branch. 96/12/18. KOSMIDER,M.D. Allied-Signal Corp. 2pp. 91249:086-91249:087.

**DOCKET 40-3453 ATLAS CORP., DENVER, CO**

**9612040054** Responds to NRC 961017 ltr.EPA Region VIII revised rating of Draft EIS to EC-2,environ concerns re proposed action on Reclamation of Atlas Corp Moab Mill & suggests addl info be included in Final EIS,as outlined in comment ltr.
CAMPBELL,C.L. Environmental Protection Agency. 96/11/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91019:350-91019:350.

**9612090266** Submits confirmation of intent to make public locations of potential rock sources to be used during implementation of proposed reclamation plan.
BLUBAUGH,R.E. Atlas Corp. 96/11/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 91052:356-91052:357.

**9612020171** Informs that current surety instrument continues to satisfy financial assurance requirements,therefore there is no need to revise or amend License Condition 42.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/26. BLUBAUGH,R. Atlas Corp. 3pp. 91003:157-91003:159.

**DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY**

**9612160240** "Confirmatory Order for Reclamation of American Nuclear Corp Gas Hills,WY,Site."
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/06. Wyoming, State of. 13pp. 91129:066-91129:078.

**DOCKET 40-6264 MICHIGAN CHEMICAL CORP., ST. LOUIS, MI**

**9612160033** Forwards insp rept 40-6264/96-01 on 961031.No violations noted.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/10. PHILLIPS,J.D. Affiliation Not Assigned. 2pp. 91096:085-91096:097.

**--9612160038** Insp rept 40-6264/96-01 on 961031.No violations noted.Major areas inspected:radiological conditions at site.
* Region 3 (Post 820201). 96/12/10. 11pp. 91096:087-91096:097.

**DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY**

**9612040068** Forwards annual land use survey as required by condition 21 of source matl license SUA-442.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/11/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 91023:355-91023:356.

**9612120498** Forwards amend 42 to license SUA-442,increasing surety amount to account for inflation from Aug 1995 through June 1996.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/09. POYSER,R.W. Pathfinder Mines Corp. 1p. 91091:334-91091:343.

**--9612120501** Amend 42 to license SUA-442 for Pathfinder Mines Corp increasing surety amounts.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/09. 9pp. 91091:335-91091:343.

**DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY**

**9612180388** Forwards Amend 54 to License SUA-551 for Petrotomics Co, authorizing use of U milling facilities in Carbon County,WY.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/10. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 17pp. 91164:114-91164:138.

**--9612180395** Amend 54 to License SUA-551 for Petrotomics Co,authorizing use of U milling facilities in Carbon County,WY.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/10. 8pp. 91164:131-91164:138.

**DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA**

**9612040233** Forwards updated version of license renewal application per 961121 telcon.DAC fractions will be calculated IAW 10CFR20 considering progeny & composition of radiological mixture for purposes of analyzing samples for radioactivity levels.
HOLSOPPLE,K.L. Cabot Corp. 96/11/26. HOGG,R. Licensing Branch. 1p. 91039:169-91039:174.

**--9612040237** Revised version of application for license SMB-920 re radiation protection.
* Cabot Corp. 96/11/26. 5pp. 91039:170-91039:174.

**9612160329** Informs that effective 961118,MF Weber will be Branch Chief for Fuel Cycle Licensing Branch & GC Pangburn will be Section Chief for Licensing Section 2.Addresses for future correspondence & phone numbers,listed.
WEBER,M.F. Licensing Branch. 96/12/10. HOLSOPPLE,K.L. Cabot Corp. 3pp. 91133:250-91133:252.

**DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ**

**9612160285** Informs that effective 961118,MF Weber will be Branch Chief for Fuel Cycle Licensing Branch & GC Pangburn will be Section Chief for Licensing Section 2.Addresses for future correspondence & phone numbers,listed.
WEBER,M.F. Licensing Branch. 96/12/10. EVES,C.S. Shieldalloy Metallurgical Corp. 3pp. 91133:235-91133:237.

**9612230156** Submits clip-offs from Oct 1996 newsletter petitioning NRC not to renew Shieldalloy Corps license for handling radioactive matls until decommissioning plan is in place.
RAGONE,T. Affiliation Not Assigned. 96/12/12. COMFORT,G.C. Licensing Branch. 18pp. 91233:330-91233:339.

**9612200110** Requests need of addl info in ref to 960904 ltr asking NRC to review indirect bioassay procedure to determine if it is an acceptable & appropriate method to use to determine internal exposure levels.
COMFORT,G.C. Licensing Branch. 96/12/17. EVES,C.S. Shieldalloy Metallurgical Corp. 3pp. 91192:239-91192:241.

**DOCKET 40-7455 WHITTAKER CORP., LOS ANGELES, CA**

**9612050040** Forwards amend 5 to license SMA-1018,Condition 14,replacing BL Graber W/D Vann as RSO.Vann experience acceptable for directing radiation control program at Whittaker site.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/11/22. LEVIN,R. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). 6pp. 91040:225-91040:247.

**--9612050050** Amend 5 to license SMA-1018 for Whittaker Corp,replacing BL Graber w/ D Vann as RSO.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/11/22. 4pp. 91040:231-91040:234.

**--9612050053** Informs that EA or EIS not warranted for amend to license SMA-1018,Condition 14 re replacing individual responsible for onsite activities.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/11/22. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 12pp. 91040:235-91040:247.

**DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL**

**9612110324** Forwards request for addl info (RAI) needed to complete environ assessment for license renewal of Fansteel,Inc Muskogee,OK.
SWAIN,P.B. Science Applications International Corp. (formerly Science Applications, Inc.). 96/11/12. HOGG,R. NRC - No Detailed Affiliation Given. 7pp. 91086:353-91086:359.

**9612160078** Informs that project mgt for facility has been changed to S Chotoo due to reorganization of staff.
PANGBURN,G. Licensing Branch. 96/12/04. HUNTER,J.J. Fansteel, Inc. 2pp. 91129:034-91129:035.

**9612160228** Informs that effective 961118,MF Weber will be Branch Chief for Fuel Cycle Licensing Branch & GC Pangburn will be Section Chief for Licensing Section 2.Address for future correspondence & phone number,submitted.
WEBER,M.F. Licensing Branch. 96/12/10. HUNTER,J.J. Fansteel, Inc. 2pp. 91129:063-91129:065.

**9612190003** Forwards comments on review of financial assurance mechanism dtd 960814.Northern Trust Co Irrevocable Ltr of Credit, S265349,is satisfactory w/exceptions noted in encl comments.
WEBER,M.F. Licensing Branch. 96/12/13. HUNTER,J.J. Fansteel, Inc. 2pp. 91181:359-91181:360.

**9612190422** Forwards edited questions for NRC review re environ assessment for license renewal of Fansteel,Inc Muskogee,OK.
CHOTOO,S. Licensing Branch. 96/12/17. SWAIN,P.B. Science Applications International Corp. (formerly Science Applications, Inc.). 9pp. 91179:312-91179:351.

**9612200022** Requests addl info needed re EA for license SMB-911 renewal.
CHOTOO,S. Licensing Branch. 96/12/17. HUNTER,J.J. Fansteel, Inc. 8pp. 91178:338-91178:345.

**DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH**

**9612170135** Informs of supervisory & mgt changes in Low-Level Waste & Decommissioning Projects Branch.TC Johnson is now Section Leader of Facilities Decommissioning Section.L Bell is now Section Leader of Matls Decommissioning Section.
NALLUSWAMI,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/05. RUPERT,W.M. BP Chemicals International. 3pp. 91140:317-91140:319.

**9612170242** Forwards amend 10 to license SUB-908,establishing procedure & protocol for NRC review & approval of proposed field changes for mixed waste pond closure project.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/10. WALPOLE,J.W. BP Chemicals International. 3pp. 91137:334-91137:347.

**--9612170245** Amend 10 to license SUB-908 for BP Chemicals,Inc establishing procedure & protocol for NRC review & approval of proposed field changes for mixed waste pond closure project.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/10. 8pp. 91137:337-91137:344.

--**9612170291** Concurs for Region III in BPC License Amend 10.
NALLUSWAMI,S.M. Region 3 (Post 820201). 96/12/09. JORGENSEN,B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 91137:345-91137:347.

**DOCKET 40-7708 ELKEM METALS, MARIETTA, OH**

**9612040257** Informs that current schedule for completion of remediation of Elkem Metals is early 1997.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/07/15. LANG,M.E. Affiliation Not Assigned. 2pp. 91039:181-91039:183.

**DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK**

**9612130210** Petition for review & request to file brief.* W/Certificate of Mailing & Delivery.
HALE,J. Oklahoma, State of. #496 18083. 96/11/25. Commissioners (Post 750119). 10pp. 91100:222-91100:231.

**9612130042** Petition for review of LBP-96-24.* Informs that Commission should take review of LBP-96-24.W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WILCOXEN,J.G. Cherokee Nation. #496 18085. 96/11/26. Commissioners (Post 750119). 22pp. 91083:034-91083:055.

**9612170140** Requests list of training needs by 961216,per meeting of cooperative agencies on Sequoyah Fuels Corp EIS.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/02. GWIN,P. Cherokee Nation. 2pp. 91140:320-91140:321.

**9612090325** Forwards addl info on Sequoyah Fuels Corp SDMP site.W/o encl.
THAGGARD,M. Division of Waste Management (NMSS 940403). 96/12/04. KALENINA,E. Sandia National Laboratories. 2pp. 91054:256-91054:257.

**9612170072** Requests that OK City Waste Mgt Div provide data re SFC facility & surrounding area by 961231.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/04. BRODERICK,M. Oklahoma, State of. 6pp. 91140:354-91140:359.

**9612130043** NRC Staff motion for extension of time to file answer to State of OK petition for review & request to file brief.* Leave requested to file answer to State Petition on or before 961213.W/Certificate of Svc.
HOM,S.R. Office of the General Counsel (Post 860701). #496 18093. 96/12/05. Commissioners (Post 750119). 5pp. 91083:056-91083:060.

**9612130033** General Atomics motion for extension of time to file answers to petitions for review of LBP-96-24.* W/Certificate of Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #496 18094. 96/12/06. Commissioners (Post 750119). 4pp. 91082:354-91082:357.

**9612130044** Order.* Time in which all parties may answer petitions for review of Intervenors & State of OK extended to 961216.W/ Certificate of Svc.Served on 961210.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18102. 96/12/09. Office of the General Counsel (Post 860701). 4pp. 91083:061-91083:064.

**9612130038** NRC staff answer in opposition to intervenors petition for review of LBP-96-24.* Suggests that petition be denied.W/ Certificate of Svc.
HOM,S.R., UTTAL,S.L. Office of the General Counsel (Post 860701). #496 18104. 96/12/11. Commissioners (Post 750119). 13pp. 91083:016-91083:028.

**9612260064** General Atomic answer in opposition to intervenor & State of OK petition for review of LBP-96-24.* Petitions of State & intervenors should be denied.W/Certificate of Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #496 18109. 96/12/16. Commissioners (Post 750119). 12pp. 91194:340-91194:351.

**9612260067** NRC staff answer in opposition to State of OK petition for review of LBP-96-24.* State petition should be denied. W/Certificate of Svc.
HOM,S.R., UTTAL,S.L. Office of the General Counsel (Post 860701). #496 18108. 96/12/16. Commissioners (Post 750119). 13pp. 91196:226-91196:238.

**9612300062** Forwards 1996 Annual Status Rept on Action Plan resulting from Oct 1994 Lessons Learned Rept & NMSS review of Oct 1994 OIG rept on SFC 921117 accident.All tasks now completed.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 91256:238-91256:248.

--**9612300065** Notifies that rept on implementation of action plan items identified in Lessons Learned Rept due annually rather than tracking each action separately.
* Ofc of the Executive Director for Operations. 95/05/02. Ofc of the Executive Director for Operations. 1p. 91256:245-91256:248.

**DOCKET 40-8474 BABCOCK & WILCOX CO., ALLIANCE, OH**

**9612180369** Responds to 961122 ltr re receipt of FY97 annual fee for Invoice AM0298-97 for license SUB-1259.Extension of interest-free period which expired 961119 to 970401 requested.Request granted.
SCROGGINS,R.M. Office of the Controller (Post 890205). 96/12/16. HOSE,W.R. Babcock & Wilcox Co. 1p. 91141:090-91141:095.

--**9612180374** Discusses receipt of invoice AM0298-97 for license SUB-1259 for FY97.Recent changes in NRC policy re collection procedures for annual fees were not anticipated by researchers.Requests extension be granted to 970401 date.
HOSE,W.R. Babcock & Wilcox Co. 96/11/22. SCROGGINS,R.M. Office of the Controller (Post 890205). 4pp. 91141:091-91141:095.

**DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY**

**9612040284** Informs that NRC has reviewed Vicinity Property Completion Rept,dtd 960502,for property AM-001S,located northeast of Ambrosia Lake processing site.Addl info is required to determine whether compliance w/cleanup std was achieved.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/11/28. SENA,R. Energy, Dept. of. 10pp. 91061:346-91061:355.

**9612050026** Amends license SUA-1350 by revising license condition 9.16, per 10CFR40.Corrected version of amend to reflect 90-day requirement should be provided to NRC.License encl.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/11/28. BERSON,J.P. Kennecott Corp. 6pp. 91040:154-91040:170.

--**9612050029** Amend 8 to license SUA-1350 for Kennecott U Co,re revised surety amount.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/11/28. 11pp. 91040:160-91040:170.

**9612110389** Informs NRC staff of procedure licensee intends to instruct lab to use in determining radon emanation coefficient of tailings from Sweetwater U project.
PAULSON,O. Kennecott Corp. 96/12/04. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 91081:263-91081:265.

**9612200066** Forwards corrected version of amend which was submitted on 960426 re financial surety for Sweetwater U Mill.
DONE,K.P. Kennecott Corp. 96/12/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91177:355-91177:360.

--**9612200103** Submits amend to Guarantee made 911205 by Kennecott Corp.
STEVENSON,T.A., DONE,K.P. Kennecott Corp. 96/12/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 91177:356-91177:360.

**DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT**

**9612100029** Submits changes to Plateau Resources Limited Shootaring Canyon U Mill License Application,in response to 961002 ltr.
SAVIGNAC,N. Savignac, N. 96/11/15. PARK,J. Division of Waste Management (NMSS 940403). 35pp. 91057:012-91057:046.

--**9612100115** Revised application for amend to license SUA-371,per 961002 ltr recommending updating terminology.
* Plateau Resources, Ltd. 96/11/15. 33pp. 91057:014-91057:046.

**9612120314** Identifies omissions or deficiencies found in detailed site reclamation plan for Shootaring Canyon U Mill & requests addl info making submittal acceptable to conduct detailed technical review to further evaluate proposed plan.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/18. WEBBER,K. Plateau Resources, Ltd. 5pp. 91092:008-91092:016.

--**9612120326** Comments on state ltr re tailing impoundment liner for Shootaring Canyon U Mill inadequate to protect groundwater beneath site from non-radiological contaminants.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/27. OSTLER,D.A. Utah, State of. 4pp. 91092:013-91092:016.

**9612050001** Discusses results of site visit of Shootering Canyon Uranium Mill near Ticaboo,UT.
SINCLAIR,W.J. Utah, State of. 96/11/20. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 91040:193-91040:201.

**9612020192** Discusses review of tailings impoundant liner for Plateau Resources,Ltd Shootaring Canyon U mill.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/27. OSTLER,D.A. Utah, State of. 2pp. 91003:153-91003:154.

**9612160267** Forwards correspondence re resumption of milling operations at Shootaring Canyon U mill.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/04. LISTON,L. Garfield County, UT. 3pp. 91129:079-91129:088.

**9612190289** Notification of significant licensee meeting w/PRL on 961219 to discuss PRL's revised detailed reclamation plan for Shootaring Canyon U Mill,Garfield County,UT.
PARK,J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/17. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91181:346-91181:346.

**DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI**

**9612110427** Submits response to notice of violation (NOV) transmitted by C Pederson,NRC Region III to DR Sargent,Chemetron,dtd 961107.Plan encl.
FANNIN,D. Chemetron Corp. 96/12/09. Document Control Branch (Document Control Desk). 17pp. 91075:163-91075:269.

--**9612110441** Rev 2 to "Radiological Control Plan,Chemetron Corp,Inc Cuyahoga Heights & Newburgh Heights,OH."
* B. Koh & Associates, Inc. 96/11/30. 89pp. 91075:180-91075:269.

**9612040255** Submits comments on draft ORISE rept of confirmatory surveys at Chemetron-McGean-Rohco buildings.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/11/26. ADAMS,W. Oak Ridge Associated Universities. 2pp. 91039:179-91039:180.

**9612120468** Forwards insp rept 40-8724/96-02 on 961009-11.Surveys of interior & exterior surfaces of listed bldgs indicated residual radioactive matl less than unrestricted use guidelines.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/06. SARGENT,D.R. Chemetron Corp. 2pp. 91082:017-91082:045.

--**9612120479** Insp rept 40-8724/96-02 on 961009-11.Violations noted.Major areas inspected:McGean-Rohco bldgs 1,5A,6,10 & 20A & Harvard Avenue capped waste cell area.
* Region 3 (Post 820201). 96/12/06. 27pp. 91082:019-91082:045.

**DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA**

**9612170237** Responds to 960927 ltr requesting review of "Short-Term Community Outreach Strategy." NRC hasn't decided to develop EIS because environ rept to do so not submitted by Molycorp.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/02. DANKMYER,B. Molycorp, Inc. 4pp. 91140:276-91140:279.

**9612170253** Forwards insp rept 40-8778/96-01 on 961015-16.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 96/12/05. DANKMYER,B.K. Molycorp, Inc. 3pp. 91103:158-91103:168.

--**9612170258** Insp rept 40-8778/96-01 on 961015-16.No violations noted. Major areas inspected:remediation of portion of site contaminated w/Th observed & independent measurements made in affected area.
JACKSON,T.J., BELLAMY,R.R. Region 1 (Post 820201). 96/12/05. 3pp. 91103:161-91103:168.

**9612170347** Informs that NRC has completed acceptance review of rept "Final Design Rept:Temporary Thorium Storage Structure" dtd 961029.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/05. DANKMYER,B. Molycorp, Inc. 6pp. 91140:229-91140:239.

**9612170340** Concludes that facility has been acceptably designed to resist flooding & erosion for proposed interim storage period of 10 yrs.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/11. HICKEY,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 91140:240-91140:241.

**DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA**

**9612030139** Forwards insp rept 40-8794/96-02 on 961111.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 96/11/26. DANKMYER,B.K. Molycorp, Inc. 2pp. 90973:274-90973:281.

--**9612030149** Insp rept 40-8794/96-02 on 961111.No violations noted. Major areas inspected:site tour,status of site facilities, calibration of equipment & instrumentation & radioactive waste management.
JACKSON,T.J., BELLAMY,R.R. Region 1 (Post 820201). 96/11/26. 6pp. 90973:276-90973:281.

**9612030061** Ack receipt of 961107 ltr informing NRC of steps taken to correct violations noted in insp rept 40-08794/96-01 in regards to 961002 ltr.Corrective actions examined during 961111 insp.
BELLAMY,R.R. Region 1 (Post 820201). 96/11/27. DANKMYER,B.K. Molycorp, Inc. 2pp. 90973:115-90973:119.

--**9612030072** Responds to NRC 961015 ltr re violations noted in insp rept 40-08794/96-01 on 960917.Corrective actions:indepth procedure review & update,implemented on 960918.Review of all procedures listed in HS 700 section 5.14.
DANKMYER,B.K. Molycorp, Inc. 96/10/07. BELLAMY,R.R. Region 1 (Post 820201). 3pp. 90973:117-90973:119.

**9612170340** Concludes that facility has been acceptably designed to resist flooding & erosion for proposed interim storage period of 10 yrs.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/11. HICKEY,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 91140:240-91140:241.

**DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM**

**9612110339** Forwards "Completion Rept For Disposal of Byproduct Matl Containing PCB at Bluewater Mill Site." Licensee completed activities at mill site per EPA 960624 approval.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 96/12/03. HANNESSCHLAGER Environmental Protection Agency. 1p. 91099:001-91099:112.

--**9612110348** "BMPCB Disposal Completion Rept, 961130."
* Atlantic Richfield Co. (ARCO). 96/11/30. 111pp. 91099:002-91099:112.

**9612060137** Forwards "Addl Groundwater Sampling & Analysis at Bluewater U Mill Site Grants,NM."
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 96/12/02. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91045:262-91045:286.

--**9612060146** "Addl Groundwater Sampling & Analysis at Bluewater U Mill Site Grants,NM."
* Affiliation Not Assigned. 96/11/30. 24pp. 91045:263-91045:286.

**9612060134** Forwards cost estimate for remediation of residual Thorium- 230 in soils of former evaporation ponds.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 96/12/03. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 19pp. 91045:287-91045:307.

**9612090223** Expresses gratitude towards staff of NM Environmental Dept for meeting w/R Ziegler & staff on 961121 re termination of Bluewater Mill Site Discharge Plan DP-454.Figures,encl.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 96/12/03. LEAVITT,M. New Mexico, State of. 51pp. 91050:295-91050:347.

**9612110374** Forwards TER,concluding that licensee design acceptable & seismic design eveluation issue closed.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/06. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 4pp. 91081:276-91081:279.

**9612160114** Forwards insp rept 40-8902/96-01 on 961003.No violations or deviations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/12/09. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 4pp. 91096:126-91096:140.

--**9612160117** Insp rept 40-8902/96-01 on 961003.No violations noted.Major areas inspected:review of site status,closeout insp & survey & followup of commitments made previously to NRC.
* Region 4 (Post 820201). 96/12/09. 11pp. 91096:130-91096:140.

**DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM**

**9612260216** Requests extension of 961231 milestone for placement of final radon barrier,990930 milestone for placement of erosion protection on LTP & 011231 milestone for placement of radon barrier on areas not covered by evaporation ponds.
CELLAN,R.R. Homestake Mining Co. 96/12/18. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 91210:008-91210:177.

--**9612260217** "Evaluation of Consolidation at Homestake Grants Large Tailings Impoundment."
* Shepherd Miller, Inc. 96/09/25. 200pp. 91210:015-91210:135.

--**9612260223** "Radon Flux Measurements for Large Tailings Pile."
* Affiliation Not Assigned. 96/11/30. 37pp. 91210:136-91210:171.

--**9612260226** "Radon Flux Measurements for Small Tailings Pile."
* Affiliation Not Assigned. 96/12/31. 7pp. 91210:172-91210:177.

**9612120106** Provides notification of intent to submit request for extension for two of reclamation milestone dates for Grants reclamation site.
CELLAN,R.R. Homestake Mining Co. 96/12/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91092:047-91092:047.

**9612190016** Requests that auxiliary ion-exchange facility located near Homestake former mine sites in McKinley County,NM be removed from matl license SUA-1471.
CELLAN,R.R. Homestake Mining Co. 96/12/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 91184:358-91184:360.

**DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT**

**9612130094** Ack receipt of 960531 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8904/96-01.
SCARANO,R.A. Region 4 (Post 820201). 96/12/11. CROUCH,D.B. SOHIO Western Mining Co. 4pp. 91083:192-91083:196.

**9612230059** Submits new mailing address for Sohio Western Mining Co, L-Bar,NM facility.
CROUCH,D.B. Kennecott Corp. 96/12/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91234:010-91234:010.

**9612230056** Forwards Irrevocable Standby Ltr of Credit S-0007273-9023 w/effective date of 961230.
BURTON,S.D. Kennecott Corp. 96/12/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 91234:011-91234:014.

**DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM**

**9612030338** Forwards "Quivira Mining Co Ambrosia Lake Facility,Radon Flux Rept."
LUTHIGER,P. Quivira Mining Co. 96/11/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 91011:159-91011:180.

--**9612030339** "Quivira Mining Co Ambrosia Lake Facility,Radon Flux Rept."
* Quivira Mining Co. 96/11/30. 20pp. 91011:161-91011:180.

**DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),**

**9612060223** Submits comments to background evaluation rept.Comments organized into six sections,addressing common subjects. Figures & tables associated w/comments included in each separate section.
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 96/12/04. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 37pp. 91046:001-91046:036.

**DOCKET 40-8936 BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN**

**9612230301** Forwards demand for info & insp rept 40-8936/96-01 on 961107.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. BUTKA,J. Affiliation Not Assigned. 3pp. 91180:127-91180:145.

--**9612230310** Demand for info to determine whether NRC can have reasonable assurance that licensee will conduct activities IAW Commission requirements.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. 5pp. 91180:130-91180:134.

--**9612230313** Insp rept 40-8936/96-01 on 961107.Five apparent violations identified.Major areas inspected:organization & scope of licensed activities,review of previously identified insp open items,facilities,equipment & instrumentation.
MCFADDEN,J.R., KINNEMAN,J.D. Region 1 (Post 820201). 96/12/05. 11pp. 91180:135-91180:145.

**DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO**

**9612040273** Application for amend to license SUA-1534,revising 961103 submittal of groundwater restoration plan.
COLLINGS,S.P. . 96/11/26. HOLONICH,J. Division of Waste Management (NMSS 940403). 1p. 91039:340-91039:350.

--**9612040275** "Crow Butte ISL Mine Crow Butte Resources,Inc Groundwater Restoration Plan."
* . 96/11/26. 10pp. 91039:341-91039:350.

**9612090401** Proposes that one water sample,rather than 3,be used to determine baseline water quality for monitor & restoration wells.
COLLINGS,S.P. Ferret Exploration Co. of Nebraska, Inc. 96/11/27. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 91055:011-91055:012.

**9612200044** Informs that licensee has revised 961021 submittal re use of ion exchange columns to include results of MILDOS Area calculation.
COLLINGS,S. Ferret Exploration Co. of Nebraska, Inc. 96/12/06. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. 91178:346-91178:353.

**9612180393** Forwards water analysis of well 1752-14.
HUFFMAN,L. Ferret Exploration Co. of Nebraska, Inc. 96/12/10. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 91153:220-91153:222.

**DOCKET 40-8964 RIO ALGOM MINING CORP., OKLAHOMA CITY, OK**

**9612020189** Informs that NRC staff finds J McCarthy to be appropriately qualified,in accordance w/NRC Reg Guide 8.31 & approves to be RSO for Smith Ranch facility.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/26. FERDINAND,B. Rio Algom Mining Corp. 1p. 91003:155-91003:155.

**DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX**

**9612130068** Notice of entry of appearance.* Informs that NM Environ Law Ctr has been engaged by Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr to represent in proceeding.W/Certificate of Svc.
JORDAN,S.G. New Mexico, State of. JORDAN,S.G. Affiliation Not Assigned. JORDAN,S.G. Southwest Research and Information Center. #496 18089. 96/11/25. 4pp. 91083:101-91083:104.

**9612260058** Reminds parties that during course of proceeding,proof of svc must be provided for any document submitted to ASLB. W/Certificate of Svc.Served on 961212.
JULIAN,E.L. Docketing & Services Branch. #496 18105. 96/12/12. Atomic Safety & Licensing Board Panel. 5pp. 91194:333-91194:337.

**DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT**

**9612030335** Forwards draft "Unit 11E.(2) Quarterly Groundwater Monitoring Event Rept Second Quarter 1996."
WINTER,D.R. Envirocare, Inc. 96/11/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91014:001-91014:338.

**--9612030336** Draft "Unit 11E.(2) Quarterly Groundwater Monitoring Event Rept Second Quarter 1996."
* Envirocare, Inc. 96/11/30. 337pp. 91014:002-91014:338.

**9612060121** Submits correction to 961021 response to NOV for license SMC-1559,totally deleting partial sentence.
ANDREWS,V.E. Envirocare of Utah, Inc. 96/10/30. Region 4 (Post 820201). 3pp. 91052:001-91052:003.

**--9612090049** Corrected response to NOV for license SMC-1559,deleting incomplete sentence.
ANDREWS,V.E. Envirocare of Utah, Inc. 96/10/21. Region 4 (Post 820201). 2pp. 91052:002-91052:003.

**9612190106** Forwards possible input to Insp Rept 40-8989/96-02 for Envirocare of UT,Inc facility near Clive,UT.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/11. CAIN,C.L. Region 4 (Post 820201). 6pp. 91153:349-91153:354.

**DOCKET 40-9016 A.I.M., INC., PARKTON, MD**

**9612230375** Discusses insp rept 40-9016/96-01 on 961125 & forwards notice of violation.
KINNEMAN,J.D. Region 1 (Post 820201). 96/12/16. PHILLIPS,J.R. Affiliation Not Assigned. 2pp. 91180:147-91180:151.

**--9612230386** Notice of violation from insp on 961125.Violation noted: since 940610,no principal activities conducted in separate bldg containing residual radioactivity & no notification of occurrence filed & RSO left on 961125 w/o replacement named.
* Region 1 (Post 820201). 96/12/16. 2pp. 91180:150-91180:151.

**DOCKET 40-9024 ENERGY FUELS NUCLEAR**

**9612030163** Responds to NRC 961101 ltr re violations noted in insp rept re license SUA-1558.Corrective actions:on 960806 submitted documentation necessary for NRC to conduct annual surety review & implemented new annual reporting procedures.
REHMANN,M.R. Energy Fuels Nuclear, Inc. 96/11/22. Document Control Branch (Document Control Desk). 3pp. 91011:191-91011:193.

**9612190160** Requests interpretation of date of surety update submittal for yr of 1997 re review of licensee response to NOV,dtd 961101.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/12/14. ROBERTS,H.R. Energy Fuels Nuclear, Inc. 1p. 91191:332-91191:332.

## DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

**DOCKET 50-2 FORD NUCLEAR REACTOR**

**V. Operator Examinations**

**9612310007** Forwards copy of results of 961209-12 Operator Initial Exam conducted at Univ of MI.W/o encl.
WEISS,S.H. . 96/12/26. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 2pp. 91247:065-91247:066.

**DOCKET 50-3 INDIAN POINT STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612110284** Revised EPIPs,including rev 8 to IP-1001 re onsite emergency mobilization,rev 17 to IP-1002 re emergency notification & rev 8 to IP-1007 re dose assessment.W/961204 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/12/04. 39pp. 91079:321-91079:359.

**H. General correspondence**

**9612170071** Comment opposing proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric utility industry.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 96/12/09. Office of the Secretary of the Commission. 2pp. 91105:043-91105:044.

**J. Insurance & indemnity information**

**9612190013** Forwards check for $100 for payment of NRC invoice 710053 dtd 961115 for indemnity fee on license DPR-5 for one year period 961204-971203.W/o check.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/12/12. Division of Accounting & Finance (Post 890205). 1p. 91191:316-91191:316.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR**

**H. General correspondence**

**9612270058** Informs that RA Erickson assumed position of Interim Vice President for Research at University effective 970101.
ERICKSON,R.A. Pennsylvania State Univ., University Park, PA. 96/12/19. Document Control Branch (Document Control Desk). 1p. 91247:339-91247:339.

**R. Periodic operating reports & related correspondence**

**9612160369** Forwards "1996 Radiation Science & Engineering Ctr 41st Annual Progress Rept." which will be available upon arrival on 961210.
WITZIG,W.F. Pennsylvania State Univ., University Park, PA. 96/12/03. MENDONCA,M. NRC - No Detailed Affiliation Given. 1p. 91105:146-91105:232.

**9612160071** Forwards annual operating rept for Penn State Breazeale Reactor which covers period from 950701-960630,per TS 6.6.1. Changes applicable to 10CFR50.59,encl.
WITZIG,W.F. Pennsylvania State Univ., University Park, PA. 96/12/06. Document Control Branch (Document Control Desk). 7pp. 91105:233-91105:325.

**--9612160074** "1996 Forty-First Annual Progress Rept from 950701-960630."
* Pennsylvania State Univ., University Park, PA. 96/06/30. 72pp. 91105:240-91105:325.

**DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612260236** Forwards insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 & NOV.Violations have been corrected & actions reviewed during insp. GRANT,G.E. Region 3 (Post 820201). 96/09/19. PERRY,J.S. Commonwealth Edison Co. 2pp. 91205:054-91205:057.

**-9612260240** Partially withheld insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 ref 10CFR73.21.Violations noted. Major areas inspected:aspects of plant support activities in area of physical security.
* Region 3 (Post 820201). 96/09/19. 2pp. 91205:056-91205:057.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**H. General correspondence**

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

**-9612120205** Submits response to charge by NRC inspector that two Dresden Nuclear Plant operators were sleeping on job.
BLANCH,P.M. Affiliation Not Assigned. 96/11/13. NRC - No Detailed Affiliation Given. 1p. 91120:044-91120:044.

**P. Operating license stage documents & correspondence**

**8101100430** Forwards to all BWR power reactor licensees inadvertently omitted pages from 780711 draft radiological effluent Tech Specs.
GRIMES,B. Assistant Director for Engineering & Projects. 78/07/28. Consumers Power Co. 1p. 91119:016-91119:019.

**-8101100437** Tech Specs 3.11 & 4.11 re radioactive effluents.
* Assistant Director for Engineering & Projects. 78/07/28. 3pp. 91119:017-91119:019.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612260236** Forwards insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 & NOV.Violations have been corrected & actions reviewed during insp. GRANT,G.E. Region 3 (Post 820201). 96/09/19. PERRY,J.S. Commonwealth Edison Co. 2pp. 91205:054-91205:057.

**-9612260240** Partially withheld insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 ref 10CFR73.21.Violations noted. Major areas inspected:aspects of plant support activities in area of physical security.
* Region 3 (Post 820201). 96/09/19. 2pp. 91205:056-91205:057.

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310118** Discusses plant performance review of Dresden Nuclear Station & advises of planned insp effort resulting from review.
HILAND,P.L. Region 3 (Post 820201). 96/12/24. PERRY,J.S. Commonwealth Edison Co. 3pp. 91235:135-91235:137.

**R. Periodic operating reports & related correspondence**

**9612160396** Monthly operating repts for Nov 1996 for Dresden Nuclear Power Station.W/961206 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/11/30. 13pp. 91124:342-91124:354.

**W. Decommissioning Stage Documents & Correspondence**

**9612040142** Update to 961023 application for amend to license DPR-2, updating administrative controls section of proposed TS amend to reflect transition of overall corporate responsibility for storage of spent nuclear fuel.
PERRY,J.S. Commonwealth Edison Co. 96/11/25. Document Control Branch (Document Control Desk). 4pp. 91028:249-91028:253.

**-9612040145** Proposed tech specs,submitting update to administrative controls section of TS which reflects transition of overall corporate responsibility for storage of spent nuclear fuel.
* Commonwealth Edison Co. 96/11/25. 1p. 91028:253-91028:253.

**9612190253** Requests comments on draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/13. MAIMAN,T. Commonwealth Edison Co. 5pp. 91137:047-91137:051.

**9612260026** Forwards 1996 rept of revisions to commitments made in docketed correspondence.
PERRY,J.S. Commonwealth Edison Co. 96/12/18. Document Control Branch (Document Control Desk). 5pp. 91229:226-91229:230.

**9612240189** Forwards Rev 5 to "Decommissioning Program Plan for Dresden Nuclear Power Station Unit 1." Summary of changes discussed in Attachment 1 to ltr.
PERRY,J.S. Commonwealth Edison Co. 96/12/19. Document Control Branch (Document Control Desk). 4pp. 91219:242-91219:331.

**-9612240194** Rev 5 to "Decommissioning Program Plan for Dresden Nuclear Power Station Unit 1."
* Commonwealth Edison Co. 96/12/31. 86pp. 91219:246-91219:331.

**DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1**

**P. Operating license stage documents & correspondence**

**9612050022** Summary of 960927 meeting w/util re status of plans to decommission Fermi 1 facility.Concern areas & resulting discussions,listed.Decommissioning project plan,encl.
BROWN,S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/11/21. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 12pp. 91040:208-91040:219.

**DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR**

**P. Operating license stage documents & correspondence**

**9612060156** Submits comments on NUREG-1537, "Guidelines for Preparing & Reviewing Applications for Licensing of Non-Power Reactors."
NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 96/10/28. NRC - No Detailed Affiliation Given. 1p. 91043:351-91043:351.

**S. Reportable occurrences, LERs & related correspondence**

**9612260077** PNO-I-96-096:on 961223,licensee informed NRC of disturbance involving mechanic,employed by MIT to support reactor facility.Employee abruptly left facility in very agitated state.Regional personnel will maintain contact w/licensee.
WHITE,J. Region 1 (Post 820201). 96/12/24. 1p. 91231:340-91231:340.

**V. Operator Examinations**

**9610300285** Responds to 960802 ltr which requested that info showing that performance of licensed duties were consistent w/terms of license including 10CFR55.25 & 10CFR55.53(g).
LAU,E.S. Massachusetts Institute of Technology, Cambridge, MA. 96/09/11. GRIMES,B.K. . 2pp. 91072:001-91072:005.

**DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION**

**F. Security, medical, emergency & fire protection plans**

**9612180265** Change 120 to EPIPs including rev 121 to Table of Contents, rev 15 to OP-3300,rev 16 to OP-3305,rev 11 to OP-3343,rev 5 to AP-3400,rev 5 to AP-3425,rev 7 to AP-3426 & rev 4 to AP-3450.
* Yankee Atomic Electric Co. 96/12/09. 76pp. 91154:189-91154:264.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**W. Decommissioning Stage Documents & Correspondence**

**9612100145** Provides updated status for NAC Intls planned licensing submittals for NAC MPC Sys for station.
THOMPSON,T.C. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/11/25. MCGINTY,T.J. Office of Nuclear Material Safety & Safeguards. 2pp. 91056:158-91056:159.

**9612270011** Forwards rev 27 to YOQAP-I-A, "Operational QA Program."
CLARK,C.R. Yankee Atomic Electric Co. 96/12/17. Document Control Branch (Document Control Desk). 4pp. 91253:001-91254:310.

**-9612270012** Rev 27 to YOQAP-I-A, "Operational QA Program."
PETERSON,W.K., CLARK,C.R., REID,D.A. Yankee Atomic Electric Co. 96/12/20. 350pp. 91253:005-91254:310.

**DOCKET 50-54 CINTICHEM**

**W. Decommissioning Stage Documents & Correspondence**

**9612170337** Informs that license SNM-639 will remain in effect until completion of decommissioning operations.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/06. MCGOVERN,J.J. Cintichem, Inc. 2pp. 91140:265-91140:266.

**9612310104** Forwards results of NRC TLD direct radiation monitoring around Cintichem facility.
STRUCKMEYER,R. Region 1 (Post 820201). 96/12/20. MCGOVERN,J.J. Cintichem, Inc. 6pp. 91235:147-91235:152.

**DOCKET 50-57 BUFFALO MATERIALS RESEARCH CENTER**

**P. Operating license stage documents & correspondence**

**9612230200** Requests addl info pertaining to State Univ of New York request for Possession-Only license & Certified Fuel Handler program.
MICHEALS,T.S. . 96/12/19. HENRY,L.G. New York, State Univ. of, Buffalo, NY. 5pp. 91194:288-91194:292.

**DOCKET 50-59 TEXAS A&M UNIV. RESEARCH REACTOR**

**Q. Inspection reports, IE Bulletins & correspondence**

**9612110349** Responds to violations noted in insp rept 50-059/96-01. Corrective actions:completed insp of AGN-201M facility,gave copy of required quarterly audits to J Holste & made AGN-201M facility permanent agenda item.
HADEN,C.R. Texas A&M Univ., College Station, TX. 96/12/03. Document Control Branch (Document Control Desk). 31pp. 91077:324-91077:354.

**9612170015** Ack receipt of 961203 ltr informing NRC of steps taken to correct violations noted in insp rept 50-059/96-01 on 961108.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. HAYDEN,R. Texas A&M Univ., College Station, TX. 4pp. 91103:355-91103:358.

**DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR**

**F. Security, medical, emergency & fire protection plans**

**9612020160** Informs that due to NRC organizational changes during Oct 1995,revs necessary to previous guidance re submittal of exercise objectives & scenario details.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/20. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 90965:010-90965:011.

**P. Operating license stage documents & correspondence**

**9612260030** Responds to 960919 RAI re TS amend request dtd 960528. Withdrawal of proposed TS amend,requested.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 96/12/16. ADAMS,A. . 1p. 91227:360-91227:360.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612060258** Forwards insp rept 50-062/96-02 on 961105-06.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/26. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 91025:141-91025:148.

**-9612060263** Insp rept 50-062/96-02 on 961105-06.No violations noted. Major areas inspected:licensee program for control of licensed nuclear matl.
* Region 2 (Post 820201). 96/11/26. 6pp. 91025:143-91025:148.

**DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR**

**V. Operator Examinations**

**9612160401** Discusses arrangements for written & operating exams scheduled for wk of 970210.Listed ref matl for exams requested at least 60 days prior to exam date.
ISAAC,P.J. . 96/12/12. VERNETSON,W. Florida, Univ. of, Gainesville, FL. 10pp. 91121:258-91121:267.

**DOCKET 50-89 GENERAL ATOMICS**

**P. Operating license stage documents & correspondence**

**9612240151** Application for amend to License R-38,withdrawing authorization to operate TRIGA Mark I non-power reactor.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/12/17. WEISS,S.H. . 14pp. 91227:344-91227:357.

**DOCKET 50-97 CORNELL UNIV. ZERO POWER REACTOR**

**P. Operating license stage documents & correspondence**

**9612060075** Responds to RAI in consideration of telcon of 961121 & fax received on 961122 for license amend to withdraw authorization to operate Cornell Univ zero power reactor.
ADERHOLD,H. Cornell Univ., Ithaca, NY. 96/11/27. MICHAELS,T.S. . 7pp. 91045:314-91045:320.

**9612240222** Application for amends to Licenses R-80 & R-89,including 16.0 gram Pu-Be startup source currently covered under ZPR license.
ADERHOLD,H. Cornell Univ., Ithaca, NY. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91205:344-91205:345.

**DOCKET 50-113 UNIV. OF ARIZONA RESEARCH REACTOR**

**P. Operating license stage documents & correspondence**

**9612260108** Ack receipt of 961127 ltr describing self-identified event associated w/failure to advise workers of dose annually,as required by 10CFR19.13.Corrective actions responsive to issues discussed.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. WILLIAMS,J.G. Arizona, Univ. of, Tucson, AZ. 4pp. 91200:103-91200:106.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612030178** Responds to NRC ltr re violation of 10CFR19.Corrective actions:repts of individual exposure data have been prepared & mailed to 45 Nuclear Reactor Lab workers monitored during 1994 & 26 Nuclear Reactor Lab workers monitored during 1995.
WILLIAMS,J.G. Arizona, Univ. of, Tucson, AZ. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91008:347-91008:349.

**DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR**

**F. Security, medical, emergency & fire protection plans**

**9612090311** Ack receipt of 960925 ltr which transmitted changes to emergency plan for Iowa State Univ Research Reactor Facility submitted under provisions of 10CFR50.54(q).
MICHAELS,T.S. . 96/12/04. WENDT,S.E. Iowa State Univ., Ames, IA. 3pp. 91045:236-91045:238.

**9612200194** Ack receipt of ltr dtd 960924,transmitting changes to physical security plan identified as Rev 4 to IA State Univ reactor security plan submitted,per 10CFR50.54(p).
PEDERSON,C.D. Region 3 (Post 820201). 96/12/16. WENDT,S.E. Iowa State Univ., Ames, IA. 2pp. 91192:332-91192:333.

**P. Operating license stage documents & correspondence**

**9612170007** Forwards amend 11 to license R-59 & safety evaluation. Amend revises TS to include change in definition of term "Confident Secured " & change Administrative Control Section.
MICHAELS,T.S. . 96/12/13. BULLEN,D.B. Iowa State Univ., Ames, IA. 3pp. 91131:328-91131:341.

**-9612170018** Amend 11 to license R-59,revising TS to include change in definition of term "Confinement Secured" & changing Administrative Controls Sections.
WEISS,S.H. . 96/12/13. 9pp. 91131:331-91131:339.

**-9612170022** Safety evaluation supporting amend 11 to license R-59.
* . 96/12/13. 2pp. 91131:340-91131:341.

**V. Operator Examinations**

**9612300002** Informs of resignation of JO Oftelie,license SOP 70167.
WENDT,S.E. Iowa State Univ., Ames, IA. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91262:108-91262:108.

**DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR**

**Q. Inspection reports, IE Bulletins & correspondence**

**9612110051** Ack receipt of 961030 ltr informing NRC of steps taken to correct violations noted in insp of license R-83.
GWYNN,T.P. Region 4 (Post 820201). 96/12/05. REECE,W.D. Texas A&M Univ., College Station, TX. 4pp. 91059:089-91059:092.

**9612120244** Forwards initial exam rept 50-128/OL-96-02 administered to employees who had applied for license to operate Texas A&M reactor during wk of 961118.
WEISS,S.H. . 96/12/09. FLUMERFELT,R.W. Texas A&M Univ., College Station, TX. 3pp. 91074:297-91074:335.

**--9612120257** NRC Operator Licensing Exam Rept 50-128/OL-96-02 administered on 961119-21.Exam results:four applicants passed exam & one applicant failed exam.
ERESIAN,W.J. . 96/12/03. 36pp. 91074:300-91074:335.

**V. Operator Examinations**

**9612100218** Forwards results of Operator Initial Exam conducted on 961119-21.W/o encl.
WEISS,S.H. . 96/12/06. FLUMERFELT,R.W. Texas A&M Univ., College Station, TX. 2pp. 91061:333-91061:334.

**9612120244** Forwards initial exam rept 50-128/OL-96-02 administered to employees who had applied for license to operate Texas A&M reactor during wk of 961118.
WEISS,S.H. . 96/12/09. FLUMERFELT,R.W. Texas A&M Univ., College Station, TX. 3pp. 91074:297-91074:335.

**--9612120257** NRC Operator Licensing Exam Rept 50-128/OL-96-02 administered on 961119-21.Exam results:four applicants passed exam & one applicant failed exam.
ERESIAN,W.J. . 96/12/03. 36pp. 91074:300-91074:335.

**DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3**

**P. Operating license stage documents & correspondence**

**9612100219** Responds to 960429 comments re proposed corporate restructuring of PG&E to form holding company.NRC requests submittal of specific details of alleged violations. specific details of alleged violations.
BLOOM,S.D. . 96/12/06. DUNCAN,W.L. Affiliation Not Assigned. DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 2pp. 91053:240-91053:241.

**9612180418** Forwards application for amend to license DPR-7 to relocate controls & limitations on RETS & radiological environmental monitoring to ODCM & PCP.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/09. Document Control Branch (Document Control Desk). 3pp. 91154:027-91154:188.

**--9612180441** Application for amend to license DPR-7,relocating controls & limitations on RETS & radiological environmental monitoring to ODCM & PCP.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/10. 14pp. 91154:030-91154:043.

**9612180443** Proposed tech specs relocating controls & limitations on RETS & radiological environmental monitoring to ODCM & PCP.
* Pacific Gas & Electric Co. 96/12/09. 41pp. 91154:044-91154:086.

**--9612180447** Rev 0 to "SAFSTOR ODCM."
* Pacific Gas & Electric Co. 96/12/09. 102pp. 91154:087-91154:188.

**9612310182** Discusses withdrawal of amend request for plant,unit 3 for license DPR-7.Notice of withdrawal for amend to FOL encl.
DUDLEY,R.F. . 96/12/24. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 91247:042-91247:045.

**--9612310183** Notice of withdrawal of application for amend to FOL DPR-7. NRC granted licensee request to withdraw 941123 application for proposed amend to license DPR-7.Amend revised facility TSs re liquid radioactive effluent limitations.
DUDLEY,R.F. . 96/12/24. 1p. 91247:045-91247:045.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR**

**V. Operator Examinations**

**9612040182** Advises that proposed changes to operator requalification plan acceptable.
MICHAELS,T.S. . 96/12/02. CRUX,J.B. Ohio State Univ., Columbus, OH. 3pp. 91004:349-91004:351.

**DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT**

**F. Security, medical, emergency & fire protection plans**

**9612110082** Advises that rev 125 to App A of Big Rock Point Nuclear Plant emergency plan continues to meet stds of 10CFR50.47(b) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/12/04. DONNELLY,P.M. Consumers Power Co. 2pp. 91059:119-91059:120.

**9612100290** Forwards insp rept 50-155/96-07 on 960909-12.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/06. DONNELLY,P.M. Consumers Power Co. 2pp. 91049:139-91049:152.

**--9612100295** Insp rept 50-155/96-07 on 960909-12.No violations noted. Major areas inspected:emergency plan & procedures.
* Region 3 (Post 820201). 96/12/06. 12pp. 91049:141-91049:152.

**9612180294** Forwards volume 9,rev 126, "Site Emergency Plan" & volume 9A,rev 177, "Site EPIPs."
* Consumers Power Co. 96/12/11. NRC - No Detailed Affiliation Given. 2pp. 91155:001-91155:071.

**--9612180272** Rev 126 to Vol 9, "Site Emergency Plan."
WOOSTER,K.A. Consumers Power Co. 96/12/10. 38pp. 91155:003-91155:041.

**--9612180300** Rev 177 to EPIP Vol 9A, "Site EPIPs."
WOOSTER,K.A. Consumers Power Co. 96/12/10. 31pp. 91155:042-91155:071.

**P. Operating license stage documents & correspondence**

**8101100430** Forwards to all BWR power reactor licensees inadvertently omitted pages from 780711 draft radiological effluent Tech Specs.
GRIMES,B. Assistant Director for Engineering & Projects. 78/07/28. Consumers Power Co. 1p. 91119:016-91119:019.

**--8101100437** Tech Specs 3.11 & 4.11 re radioactive effluents.
* Assistant Director for Engineering & Projects. 78/07/28. 3pp. 91119:017-91119:019.

**9612180349** Discusses draft NUREG-1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/13. FENECH,R.A. Consumers Power Co. 4pp. 91136:014-91136:017.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612100290** Forwards insp rept 50-155/96-07 on 960909-12.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/06. DONNELLY,P.M. Consumers Power Co. 2pp. 91049:139-91049:152.

**--9612100295** Insp rept 50-155/96-07 on 960909-12.No violations noted. Major areas inspected:emergency plan & procedures.
* Region 3 (Post 820201). 96/12/06. 12pp. 91049:141-91049:152.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260155** Provides insp plan for approximately six months to enable appropriate consideration of resource impact on staff & permit scheduling conflicts & personnel availability issues to be resolved in advance of inspector arrival on site.
MILLER,L.F. Region 3 (Post 820201). 96/12/19. DONNELLY,P.M. Consumers Power Co. 3pp. 91196:222-91196:224.

**R. Periodic operating reports & related correspondence**

**9612110325** Monthly operating rept for Nov 1996 for Big Rock Point Nuclear Plant.W/ 961202 ltr.
JOHNSTON,J.R., DONNELLY,P.M. Consumers Power Co. 96/11/30. 5pp. 91083:316-91083:320.

**S. Reportable occurrences, LERs & related correspondence**

**9612170082** LER 96-003-01:on 960118,RDS "B" train were found inoperable during refueling outage surveillance testing.Caused by mechanical binding.Disc & seat cleaned & remaining Kerotest valves inspected.W/961209 ltr.
BOURASSA,M.D., DONNELLY,P.M. Consumers Power Co. 96/12/09. 9pp. 91163:234-91163:242.

**DOCKET 50-157 CORNELL UNIV. RESEARCH REACTOR**

**P. Operating license stage documents & correspondence**

**9612240222** Application for amends to Licenses R-80 & R-89,including 16.0 gram Pu-Be startup source currently covered under ZPR license.
ADERHOLD,H. Cornell Univ., Ithaca, NY. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91205:344-91205:345.

**9612230364** Forwards application for amend to facility license R-89.W/o encl.
SCOTT,N.R. Cornell Univ., Ithaca, NY. 96/12/16. WEISS,S. . 1p. 91234:016-91234:016.

**DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR**

**F. Security, medical, emergency & fire protection plans**

**9612020163** Informs that due to NRC organizational changes during Oct 1995,revs necessary to previous guidance re submittal of exercise objectivies & scenario details.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/20. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 90965:012-90965:013.

**DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9609230085** "Scenario Manual for Peach Bottom Atomic Power Station Emergency Preparedness Graded Exercise,Scenrio P63," scheduled for 961119.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/19. 671pp. 91259:001-91261:195.

**P. Operating license stage documents & correspondence**

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H., HOLLAWAY,W.R. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**-9612030330** Discusses 910710 meeting w/listed individuals to discuss mutual interest including individual role at Salem & Peach Bottom sites as non-operating nuclear owners.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/07/11. NRC - No Detailed Affiliation Given. 1p. 91016:033-91016:033.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-182 PURDUE UNIV. RESEARCH REACTOR**

**F. Security, medical, emergency & fire protection plans**

**9612310166** "Emergency Plan for Purdue Reactor." W/961220 ltr.
CLIKEMAN,F.M. Purdue Univ., West Lafayette, IN. 96/05/15. 23pp. 91262:234-91262:256.

**R. Periodic operating reports & related correspondence**

**9612270113** Forwards annual repts for Purdue Univ in West Lafayette,IN.
CILKEMAN,F.M. Purdue Univ., West Lafayette, IN. 96/12/20. MENDOSA,M. NRC - No Detailed Affiliation Given. 1p. 91266:042-91266:178.

**-9612270114** "Rept on Reactor Operations for Period,Jan-Dec 1977."
* Purdue Univ., West Lafayette, IN. 77/12/31. 9pp. 91266:043-91266:051.

**-9612270115** "Rept on Reactor Operations for Period Jan-Dec 1978."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 78/12/31. 10pp. 91266:052-91266:063.

**-9612270116** "Rept on Reactor Operations for Period Jan-Dec 1979."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 79/12/31. 10pp. 91266:064-91266:071.

**-9612270117** "Rept on Reactor Operations for Period Jan-Dec 1980."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 80/12/31. 8pp. 91266:072-91266:079.

**-9612270119** "Rept on Reactor Operations for Period Jan-Dec 1981."
* Purdue Univ., West Lafayette, IN. 81/12/31. 7pp. 91266:080-91266:087.

**-9612270120** "Rept on Reactor Operations for Period Jan-Dec 1982."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 82/12/31. 8pp. 91266:088-91266:095.

**-9612270121** "Rept on Reactor Operations for Period Jan-Dec 1983."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 83/12/31. 8pp. 91266:096-91266:103.

**-9612270122** "Rept on Reactor Operations for Period Jan-Dec 1984."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 84/12/31. 7pp. 91266:104-91266:110.

**-9612270124** "Rept on Reactor Operations for Period Jan-Dec 1985."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 85/12/31. 7pp. 91266:111-91266:117.

**-9612270130** "Rept on Reactor Operations for Period Jan-Dec 1986."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 86/12/31. 6pp. 91266:118-91266:123.

**-9612270133** "Rept on Reactor Operations for Period Jan-Dec 1987."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 87/12/31. 6pp. 91266:124-91266:135.

**-9612270139** "Rept on Reactor Operations for Period Jan-Dec 1989."
STANSBERRY,E. Purdue Univ., West Lafayette, IN. 89/12/31. 6pp. 91266:136-91266:141.

**-9612270140** "Rept on Reactor Operations for Period Jan-Dec 1990."
CLIKEMAN,F.M. Purdue Univ., West Lafayette, IN. 90/12/31. 6pp. 91266:142-91266:147.

**-9612270142** "Rept on Reactor Operations for Period Jan-Dec 1991."
CLIKEMAN,F.M. Purdue Univ., West Lafayette, IN. 91/12/31. 6pp. 91266:148-91266:153.

**-9612270143** "Rept on Reactor Operations for Period Jan-Dec 1992."
CLIKEMAN,F.M. Purdue Univ., West Lafayette, IN. 92/12/31. 6pp. 91266:154-91266:159.

**-9612270145** "Rept on Reactor Operations for Period Jan-Dec 1993."
CLIKEMAN,F.M. Purdue Univ., West Lafayette, IN. 93/12/31. 7pp. 91266:160-91266:166.

**-9612270146** "Rept on Reactor Operations for Period Jan-Dec 1994."
CLIKEMAN,F.M. Purdue Univ., West Lafayette, IN. 94/12/31. 6pp. 91266:167-91266:172.

**-9612270147** "Rept on Reactor Operations for Period Jan-Dec 1995."
CLIKEMAN,F.M. Purdue Univ., West Lafayette, IN. 95/12/31. 6pp. 91266:173-91266:178.

**DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA**

**P. Operating license stage documents & correspondence**

**9612160325** Requests addl info re amend request for amended facility license R-103 for Univ of MO Research Reactor submitted on 961029.
ADAMS,A. . 96/12/12. MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 3pp. 91121:355-91121:357.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612130118** Forwards insp repts 30-32695/96-02 & 50-186/96-01 on 961104- 08.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/06. CHARLSEN,E. Missouri, Univ. of, Columbia, MO. 3pp. 91083:203-91083:229.

**-9612130124** Insp rept 30-32695/96-02 & 50-186/96-01 on 961104-08.No violations noted.Major areas inspected:aspects of organization,periodic & special repts & operations & maint.
* Region 3 (Post 820201). 96/12/06. 23pp. 91083:207-91083:229.

**V. Operator Examinations**

**9612120279** Informs that administration of operator licensing exam at Univ of Missouri scheduled for wk of 960127.
ISAAC,P. . 96/12/09. MCKIBBEN,C. Missouri, Univ. of, Columbia, MO. 8pp. 91075:116-91075:123.

**DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC**

**P. Operating license stage documents & correspondence**

**9612110195** Requests one time extension to allow safety blade testing & reactivity calculations as outlined per encl.One month extension requested to allow testing to be done in Jan 1997.
TEHAN,T. Rhode Island, State of. 96/12/05. MENDONCA,M. . 18pp. 91081:152-91081:169.

**9612230172** Forwards amend 22 to license R-95 & safety evaluation.Amend provides for extension of annual TS surveillances for safety blade testing & reactivity calculations.
MENDONCA,M.M. . 96/12/18. TEHAN,T. Rhode Island, State of. 3pp. 91194:198-91194:208.

--**9612230177** Amend 22 to license R-95,providing for extension of annual TS surveillances for safety blade testing & reactivity calculations.
WEISS,S.H. . 96/12/18. 6pp. 91194:201-91194:206.

--**9612230182** Safety evaluation supporting amend 22 to license R-95.
* . 96/12/18. 2pp. 91194:207-91194:208.

**DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612090238** Revised EPIPs,including rev 9 to SO123-VIII-1, "Recognition & Classification of Emergencies," rev 7 to SO123-VIII-0.201, "Emergency Plan Equipment Surveillance Program & rev 9 to SO123-VIII-70, "Administrative Leader Duties." W/961204 ltr.
MEDDINGS,C., FOWLER,K., GIBSON,G.T. Southern California Edison Co. 96/12/04. 116pp. 91052:223-91052:334.

**9612120218** Forwards Rev 53 to physical security plan.Rev withheld,per 10CFR73.21.
KRIEGER,R.W. Southern California Edison Co. 96/12/04. Document Control Branch (Document Control Desk). 1p. 91092:049-91092:049.

**H. General correspondence**

**9612090134** Responds to 961023 ltr re difficulty in obtaining info from SONGS LPDR located at Univ of California in obtaining effective assistance from NRC staff.Apologizes for any inconvenience & notes const project to complete by Jan.
MIRAGLIA,F.J. . 96/12/02. MILLS,G.R. Affiliation Not Assigned. 5pp. 91040:105-91040:113.

--**9612090147** Responds to 961015 ltr from NRC which suggested obtaining info from SONGS FSAR located in LPDR at Univ of California. Univ found to be almost impossible source to find info due const.NRC not helpful in providing info.
MILLS,G.R. Affiliation Not Assigned. 96/10/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91040:110-91040:111.

--**9610210118** Ack 960807 ltr to Chairman SA Jackson re info about seismic design of plant SF storage pool,engineering spec,environ qualification repts & QA/QC documents used in constructing pool.
MIRAGLIA,F.J. . 96/10/15. MILLS,G.R. Affiliation Not Assigned. 2pp. 91040:112-91040:113.

**9612120405** Responds to 961107 ltr sent to Chairman Jackson requesting copy of latest status rept on condition of San Onofre Nuclear Generating Station SGs including plans for future insps,testing & corrective maintenance.
BATEMAN,W.H. . 96/12/06. MILLS,G.R. Affiliation Not Assigned. 9pp. 91075:086-91075:094.

**9612160340** Responds to 961023 ltr re 961015 ltr discussing seismic qualification of SONGS Unit 1 spent fuel storage pool.NRC will continue to critically evaluate NRC-licensed activities at SONGS facility.
MIRAGLIA,F.J. . 96/12/12. MILLS,G.R. Affiliation Not Assigned. 3pp. 91123:206-91123:209.

--**9612160346** Expresses concern on detrimental effects on SONGS Unit 1 spent fuel pool as result of expected seismic activity near San Onofre site.
MILLS,G.R. Affiliation Not Assigned. 96/10/23. MIRAGLIA,F.J. . 1p. 91123:209-91123:209.

**P. Operating license stage documents & correspondence**

**9612040036** Requests that NRC consent to proposed util corporate restructuring if approval is necessary & that approvals be received in timely manner.Proposed restructuring & supporting info,discussed.Application,encl.
MESERVE,R.A. Affiliation Not Assigned. 96/12/02. Document Control Branch (Document Control Desk). 371pp. 91022:001-91023:007.

**9612160342** Submits Change Notice 42 to Southern CA Edison TR SCE-1-A, updating organizational changes & responsibilities & clarifying which types of plant equipment require evaluation when out-of-control tolerance conditions identified.
RAINSBERRY,J.L. Southern California Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91124:202-91124:293.

--**9612160384** Change notice 42 to Amend 18 to SCE TR QA Program SCE-1-A.
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 96/10/31. 87pp. 91124:207-91124:293.

**9612160288** Forwards revised TS pages D6.1-1,D6.2-1 & D6.5-4 issued w/ amend 158 to license DPR-13 on 961003.Error & two missing change bars in margins of TS pages noted.
WEBB,M.K. . 96/12/13. RAY,H.B. Southern California Edison Co. 3pp. 91128:352-91128:357.

--**9612180004** Revised TS pages D6.1-1,D6.2-1 & D6.5-4 for amend 158 to license DPR-13.
* . 96/12/13. 3pp. 91128:355-91128:357.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310173** Press release IV-96-68, "NRC,SCE Officials to Discuss Apparent Violations at San Onofre."
* Region 4 (Post 820201). 96/12/31. 1p. 91271:013-91271:013.

**DOCKET 50-210 NASA CRITICAL FACILITY**

**F. Security, medical, emergency & fire protection plans**

**9612240298** Notification of 970109 meeting w/listed attendess in Rockville,MD to discuss potential alternative approaches to mgt of dose assessment for protective action decision making w/respect to emergency planning.
KUGLER,A.J. . 96/12/20. HANNON,J.N. . 7pp. 91193:326-91193:332.

**DOCKET 50-213 HADDAM NECK PLANT**

**F. Security, medical, emergency & fire protection plans**

**9612040090** Notification of significant licensee meeting 96-100 w/util on 961204 to discuss violations documented under NRC insp repts 50-213/95-27,96-201,96-06 & 96-08 relating to licensing design basis & corrective Action Program.
ROGGE,J.F. Region 1 (Post 820201). 96/11/14. Region 1 (Post 820201). 3pp. 91002:263-91002:265.

**9612050033** Provides description of addl corrective measures taken or planned re plant emergency preparedness exercise conducted on 960814 per insp rept 50-213/96-07.
KENYON,B.D. Connecticut Yankee Atomic Power Co. 96/11/25. Document Control Branch (Document Control Desk). 6pp. 91040:148-91040:153.

**9612110246** Change 96-18A to EPIP 1.5,Index.
* Connecticut Yankee Atomic Power Co. 96/11/27. 6pp. 91081:299-91081:304.

**9612040131** Rev 7 to EPIP 1.5-1A, "Non-Emergency Event Assessment."
* Connecticut Yankee Atomic Power Co. 96/12/02. 37pp. 91023:256-91023:292.

**9612110354** Revised EPIP 1.5 index,replacing pages 1-5,dtd 961202.
* Connecticut Yankee Atomic Power Co. 96/12/02. 6pp. 91081:355-91081:360.

**9612090348** Forwards 961108 ltr from LE Elisa,transmitting FEMA Region 1 rept for 960814 full-participation plume exposure exercise.No deficiencies & 17 ARCAs identified.Assistance to state of CT requested.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/03. FEIGENBAUM,T.C. Northeast Utilities Service Co. 2pp. 91037:152-91037:254.

--**9612090354** Forwards final exercise rept for 960814 full-participation plume exposure pathway exercise of offsite radiological emergency response plans site-specific to plant.
ELISA,L.A. Federal Emergency Management Agency. 96/11/08. MILLER,H.J. Region 1 (Post 820201). 1p. 91037:154-91037:154.

--**9612090361** "Final Exercise Rept,Haddam Neck Nuclear Power Plant," for exercise conducted on 960814.
* Federal Emergency Management Agency. 96/11/12. 99pp. 91037:155-91037:254.

**9612110190** Rev 17 to EPIP-1.5-23, "Manager Of Security," & Index pages 1-5. W/ 961204 ltr.
* Connecticut Yankee Atomic Power Co. 96/12/04. 13pp. 91081:200-91081:212.

**H. General correspondence**

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

--**9612120453** Submits questions re most recent plant insp findings.
BLANCH,P.M. Affiliation Not Assigned. 96/10/03. SCRENCI,D. NRC - No Detailed Affiliation Given. 2pp. 91120:094-91120:095.

--**9612130003** Requests attendence at 961018 enforcement conference.
BLANCH,P.M. Affiliation Not Assigned. 96/10/04. NRC - No Detailed Affiliation Given. 1p. 91120:099-91120:106.

--**9612130016** Discusses near-accident at Connecticut Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/10/11. NRC - No Detailed Affiliation Given. 4pp. 91120:130-91120:133.

--**9612130019** Forwards ltr which requires info that will provide NRC added confidence & assurance that plant operated & maintained within design bases.
BLANCH,P.M. Affiliation Not Assigned. 96/10/11. NRC - No Detailed Affiliation Given. 9pp. 91120:134-91120:142.

--**9612130064** Forwards paper entitled, "Adjusting Regulatory Balance."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 7pp. 91120:160-91120:166.

--**9612130072** Forward press release of 961018 entitled, "NRC Establishes Special Projects Ofc to Oversee Insp & Licensee Activities at Millstone & Hadam Neck Plants."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 2pp. 91120:167-91120:168.

**9612310151** Responds to 961119 ltr re activities at plants,stating that Citizens Regulatory Commission was interested in being kept abreast of situation at plants & being involved in Millstone recovery process.
MIRAGLIA,F.J. . 96/12/24. LUXTON,S.P. Affiliation Not Assigned. 8pp. 91247:067-91247:078.

--**9612310158** Informs that attached response to SP Luxton 961119 ltr re activities at plants approved w/o edit by Commissioners & no further need for Commission review.
SHOEMAKER,J. Ofc of the Executive Director for Operations. 96/12/24. Office of the Secretary of the Commission. 1p. 91247:077-91247:077.

--**9612310162** Requests to be kept abreast of activities at plants & recovery process at Millstone.
LUXTON,S.P. Affiliation Not Assigned. 96/11/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91247:078-91247:078.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040090** Notification of significant licensee meeting 96-100 w/util on 961204 to discuss violations documented under NRC insp repts 50-213/95-27,96-201,96-06 & 96-08 relating to licensing design basis & corrective Action Program.
ROGGE,J.F. Region 1 (Post 820201). 96/11/14. Region 1 (Post 820201). 3pp. 91002:263-91002:265.

**9612050033** Provides description of addl corrective measures taken or planned re plant emergency preparedness exercise conducted on 960814 per insp rept 50-213/96-07.
KENYON,B.D. Connecticut Yankee Atomic Power Co. 96/11/25. Document Control Branch (Document Control Desk). 6pp. 91040:148-91040:153.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190054** Submits response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 96/12/17. Document Control Branch (Document Control Desk). 2pp. 91191:280-91191:281.

**9612260316** Forwards insp rept 50-213/96-12 on 961102-27.Apparent violations being considered for escalated enforcement action IAW, "General Statement & Proceddure for NRC EAs," NUREG-1600.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/19. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 10pp. 91200:209-91200:255.

--**9612260317** Insp rept 50-213/96-12 on 961102-27.Apparent violations being considered for escalated enforcement action.Major areas inspected:review of airborne radioactivity event that occurred on 961102.
* Region 1 (Post 820201). 96/12/19. 37pp. 91200:219-91200:255.

**9612300012** Advises of planned insp effort resulting from licensee PPR review.Details of current insp plan for next 12 months encl.
ROGGE,J.F. Region 1 (Post 820201). 96/12/20. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 5pp. 91233:078-91233:082.

**9612310135** Forwards insp rept 50-213/96-11 on 960921-1115 & notice of violation.
COOPER,R.W. Region 1 (Post 820201). 96/12/24. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 3pp. 91235:153-91235:229.

--**9612310143** Notice of violation from insp on 960921-1115.Violation noted:on 960924,B residual heat removal pump failed due to inherent manufacturing defects & marginal design tolerance.
* Region 1 (Post 820201). 96/12/24. 2pp. 91235:157-91235:158.

--**9612310147** Insp rept 50-213/96-11 on 960921-1115.Violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
* Region 1 (Post 820201). 96/12/24. 71pp. 91235:159-91235:229.

**R. Periodic operating reports & related correspondence**

**9612180058** Monthly operating rept for Nov 1996 for Connecticut Yankee Haddam Neck Plant.W/961215 ltr.
EMMONS,K.W., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 96/11/30. 7pp. 91148:224-91148:230.

**S. Reportable occurrences, LERs & related correspondence**

**9612040009** NPDES noncompliance notification:on 961119,spill of fuel oil occurred into discharge canal.Caused by personnel error. Deployed permanent boom across canal & vendor spill unit assisted w/remaining clean-up.
BRINDEMOUR,P., SCACE,S.E. Connecticut Yankee Atomic Power Co. SCACE,S.E. Northeast Utilities Service Co. 96/11/26. HEGENER,W.D. Connecticut, State of. 3pp. 91011:256-91011:258.

**9612110255** PNO-I-96-085:on 961204,board of directors of Connecticut Yankee Atomic Power Co voted to retire Haddam Neck Nuclear Power Generating Station,after nearly 29 yrs of svc.NRC responding to media inquires & present at press conference.
ROGGE,J. Region 1 (Post 820201). 96/12/05. 2pp. 91151:118-91151:119.

**9612190413** Submits description of key interim corrective actions implemented re 961102 refueling canal contamination incident.
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 96/12/09. Document Control Branch (Document Control Desk). 3pp. 91181:343-91181:345.

**U. Congressional/Executive Correspondence**

**9612120425** Provides update on NRC efforts re listed plants & informs of several significant activities initiated since last status rept of 960618.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. DODD,C.J. Senate. 4pp. 91074:347-91074:350.

**9612130050** Forwards update on NRC efforts at Northest Util Millstone & Haddam Neck facilities.Confirmatory Order dtd 960814,Special Team Insp Rept dtd 960920 & Millstone Station Restart Assessment Plan encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. GEJDENSON,S. House of Rep. 4pp. 91093:178-91093:339.

**W. Decommissioning Stage Documents & Correspondence**

**9612110214** Informs to NRC that certifications of permanent cessation of power operation & that fuel has been permanently removed from reactor.
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 96/12/05. Document Control Branch (Document Control Desk). 4pp. 91081:305-91081:308.

**9612110367** Forwards root cause evaluation rept-effectiveness of oversight organization per evaluation conducted in May 1996. More contact between chief nuclear officer & line mgt recommended.
GOEBEL,D. Northeast Nuclear Energy Co. GOEBEL,D. Northeast Utilities. 96/12/06. Document Control Branch (Document Control Desk). 48pp. 91089:301-91089:348.

**9612190073** Informs that NNECO & CYAP will begin to use optical disk technology during last quarter of 1996 to further enhance QA Records Keeping sys.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91191:288-91191:289.

**9612160389** Informs that extension of 30 days for submittal of proposed, third-party organization has been granted.
MIRAGLIA,F.J. . 96/12/12. KENYON,B.D., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 91121:247-91121:248.

**9612270053** Requests withdrawal of listed proposed amendments submitted for review & approval.
ROTHEN,F.C. Connecticut Yankee Atomic Power Co. ROTHEN,R.C. Northeast Utilities Service Co. 96/12/23. Document Control Branch (Document Control Desk). 8pp. 91247:331-91247:338.

**DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT**

**F. Security, medical, emergency & fire protection plans**

**9612040105** Forwards response to 960826 RAI re thermo-lag related ampacity derating issues.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/25. Document Control Branch (Document Control Desk). 11pp. 91028:188-91028:198.

**9612120294** Forwards insp rept 50-219/96-09 on 960909-1020 & notice of violation.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/06. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 91070:066-91070:136.

--**9612120301** Notice of violation from insp on 960909-1020.Violation noted:failure to follow procedures re opening & closing of valves,causing cross connection of fire water sys & condensate transfer sys.
* Region 1 (Post 820201). 96/12/06. 2pp. 91070:069-91070:070.

**9612180328** Forwards response to 961206 telcon re Change 37 of revised corporate emergency plan,rev 11.
RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91155:341-91155:342.

**9612260099** Ack receipt of 960719,0919,1111 & 22 ltrs,which transmitted changes to emergency plan for plants,submitted per 10CFR50.54(q) for regulations.
EATON,R.B. . 96/12/23. RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 4pp. 91201:235-91201:238.

**G. Adjudicatory correspondence**

**9612130059** Petitioner opposition to GPUN motion for summary disposition.* Petitioners argue that GPUN seeks amend to permit onsite storage of irradiated fuel,not offsite shipment.Motion should be denied.W/Certificate of Svc.
GUNTER,P. Nuclear Information & Resource Service. DECAMP,W. Affiliation Not Assigned. #496 18101. 96/12/06. Atomic Safety & Licensing Board Panel. 20pp. 91083:069-91083:088.

**9612130075** NRC Staff response in support of licensee motion for summary disposition.* Confirms that intervenors contentions do not raise any issue of law or fact & licensee entitled to summary deposition as matter of law.
HODGDON,A.P. Office of the General Counsel (Post 860701). #496 18099. 96/12/06. Atomic Safety & Licensing Board Panel. 25pp. 91083:105-91083:146.

**--9612130096** Affidavit of H Walker in support of NRC Staff response in support of licensee motion for summary disposition.* W/Certificate of Svc.
WALKER,H. Office of the General Counsel (Post 860701). WALKER,H. . 96/12/06. 17pp. 91083:130-91083:146.

**9612130079** Informs that signed copy of affidavit of RB Eaton in support of NRC Staff response to licensee motion for summary disposition filed on 961206,will be provided as soon as possible.
BACHMANN,R.G. Office of the General Counsel (Post 860701). #496 18100. 96/12/10. BOLLWERK,G.P., LAM,P.S., KELBER,C.N. Atomic Safety & Licensing Board Panel. 1p. 91083:176-91083:176.

**9612160367** Responds to petitions filed per 10CFR2.206 on 960511 & 0614, on behalf of Oyster Creek Nuclear Watch,requesting that NRC investigate inaccurate public statement in "Neighborhood Update." Petitions denied based on reasons in encl DD 96-22.
MIRAGLIA,F.J. . 96/12/11. DECAMP,W. Affiliation Not Assigned. 3pp. 91099:321-91099:355.

**--9612160383** Director's Decision DD-96-22 under 10CFR2.206,denying petitioner request to investigate util re inaccurate public statement in "Neighborhood Update."
MIRAGLIA,F.J. . 96/12/11. Affiliation Not Assigned. 8pp. 91099:325-91099:332.

**--9612160390** Notice of issuance of Director's Decision DD-96-22 re petitioner request that NRC investigate & correct highly inaccurate public statement in "Neighborhood Update."
MIRAGLIA,F.J. . 96/12/11. 7pp. 91099:333-91099:338.

**--9612160392** Forwards copy of "Neighborhood Update."
DECAMP,W. Affiliation Not Assigned. 96/05/11. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 91099:339-91099:342.

**--9612160400** Forwards copy of ltr dtd 960511 requesting NRC to investigate & correct highly inaccurate public statement that appeared in GPU June 1996 Neighborhood Update.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 96/06/12. RUSSELL,W.T. . 7pp. 91099:343-91099:349.

**--9612160404** Forwards copy of transcript of 940307 hearing before Lacey Township Zoning Board of Adjustment.
DECAMP,W. Affiliation Not Assigned. 96/06/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 91099:350-91099:355.

**9612260078** Informs that time provided by NRC regulation within which Commission may act to review decision LBP-96-23 has expired. Commission declined review & decision became final agency action on 961204.W/Certificate of Svc.Served on 961213.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18107. 96/12/13. Atomic Safety & Licensing Board Panel. 3pp. 91194:356-91194:358.

**9612260082** Forwards signed copy of "Affidavit of RB Eaton in Support of NRC Staff Response in Support of Licensee Motion for Summary Disposition." Document replaces unsigned affidavit which was filed on 961206.
BACHMANN,R.G. Office of the General Counsel (Post 860701). #496 18110. 96/12/16. BOLLWERK,G.P., LAM,P.S., KELBER,D.N. Atomic Safety & Licensing Board Panel. 1p. 91196:137-91196:141.

**--9612260084** Affidavit of RB Eaton in support of NRC Staff response in support of licensee motion for summary disposition.
EATON,R.B. Office of the General Counsel (Post 860701). EATON,R.B. Office of Nuclear Material Safety & Safeguards. 96/12/16. 4pp. 91196:138-91196:141.

**P. Operating license stage documents & correspondence**

**8101100430** Forwards to all BWR power reactor licensees inadvertently omitted pages from 780711 draft radiological effluent Tech Specs.
GRIMES,B. Assistant Director for Engineering & Projects. 78/07/28. Consumers Power Co. 1p. 91119:016-91119:019.

**--8101100437** Tech Specs 3.11 & 4.11 re radioactive effluents.
* Assistant Director for Engineering & Projects. 78/07/28. 3pp. 91119:017-91119:019.

**9612030227** Informs that summary description will be submitted to NRC re GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves," by 970317.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/21. Document Control Branch (Document Control Desk). 1p. 91009:360-91009:360.

**9612040105** Forwards response to 960826 RAI re thermo-lag related ampacity derating issues.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/25. Document Control Branch (Document Control Desk). 11pp. 91028:188-91028:198.

**9612180039** Discusses amend to license DPR-16,consisting of change request 243,changing trip setting for TS Table 3.1.1 Item G.3 re ADS.NJ has no comments.
TOSCH,K.W. New Jersey, State of. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91148:174-91148:175.

**9612060188** Forwards TS Change Request 224 to DPR-16,inserting Page 8 of no significant hazards determination inadvertently omitted.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/27. Document Control Branch (Document Control Desk). 1p. 91043:304-91043:305.

**--9612060193** TS Change Request 224 to License DPR-61,inserting Page 8 of no significant hazards determination inadvertently omitted.
* General Public Utilities Corp. - GPU Service Corp. 96/11/27. 1p. 91043:305-91043:305.

**9612060202** Forwards TS Change Request 232 to License DPR-16,describing surveillances for station batteries.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/27. Document Control Branch (Document Control Desk). 4pp. 91044:213-91044:226.

**--9612060212** TS Change Request 232 to License DPR-16,changing Pages 4.7-1,4.7-2,4.7-3 & 4.7-4 re surveillances for station batteries.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/27. 5pp. 91044:217-91044:221.

**--9612060216** Proposed Tech Specs Pages 4.7-1,4.7-2,4.7-3 & 4.7-4 re surveillances for station batteries.
* General Public Utilities Corp. - GPU Service Corp. 96/11/27. 5pp. 91044:222-91044:226.

**9612090102** Requests response to encl RAI re pressure temp limits curves,within 30 days of receipt.
EATON,R.B. . 96/11/27. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 4pp. 91040:120-91040:123.

**9612090204** Informs that State of NJ has reviewed & has no comments on license change request 250 re change in safety limit minimum critical power ratio.
TOSCH,K.W. New Jersey, State of. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91052:337-91052:338.

**9612160427** Informs that util implemented long range planning program for plant.Attachment A contains new project list of Category A,B & C projects annotated by asterisk (*) to identify new projects.
MARICONDO,P.E. General Public Utilities Corp. - GPU Service Corp. 96/12/09. Document Control Branch (Document Control Desk). 13pp. 91129:019-91129:031.

**9612230193** Informs that NRC published draft of "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," NUREG-1560.Comments appreciated.
MIRAGLIA,F.J. . 96/12/11. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 6pp. 91194:167-91194:172.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612120294** Forwards insp rept 50-219/96-09 on 960909-1020 & notice of violation.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/06. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 91070:066-91070:136.

**--9612120301** Notice of violation from insp on 960909-1020.Violation noted:failure to follow procedures re opening & closing of valves,causing cross connection of fire water sys & condensate transfer sys.
* Region 1 (Post 820201). 96/12/06. 2pp. 91070:069-91070:070.

**--9612120303** Insp rept 50-219/96-09 on 960909-1020.Violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 1 (Post 820201). 96/12/06. 66pp. 91070:071-91070:136.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612180160** Requests rev to Relief Request R11 to allow for utilization of newer detection methods.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/12/12. Document Control Branch (Document Control Desk). 5pp. 91148:347-91148:351.

**9612300015** Advises of planned insp effort resulting from licensee PPR review.Details of insp plan for next 6 months encl.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/20. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 91233:083-91233:086.

**R. Periodic operating reports & related correspondence**

**9612190185** Monthly operating rept for Nov 1996 for Oyster Creek Nuclear Generating Station.W/961212 ltr.
EGAN,D.M., EDELMANN,P.G., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/30. 8pp. 91191:350-91191:357.

**S. Reportable occurrences, LERs & related correspondence**

**9612030204** LER 96-008-00:on 961025,manual scram occurred due to main generator runback.Brought plant to hot shutdown condition, troubleshooting runback circuit & generator runback circuit instrumented down to individual switch status.W/961125 ltr.
BARBARETTA,M., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/25. 5pp. 91050:001-91050:005.

**9612020214** LER 96-009-00:on 961027,actuation of engineered safety features occurred.Caused by loss of power due to cable fault.Power was restored to RPS2 from an alternate supply. Faulty cable replaced & other cables tested.W/961126 ltr.
HARKLEROAD,R., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/26. 5pp. 91180:093-91180:097.

**9612030057** LER 96-010-00:on 961016,failure of remote shutdown equipment to operate occurred.Caused by dirty contacts on control relay for V-14-37 in RSP.Surveillances on remote shutdown sys more frequently performed.W/961126 ltr.
GODKNECHT,M., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/26. 6pp. 91049:319-91049:323.

**9612030191** LER 96-011-00:on 961026,primary containment leak rate in excess of TS requirements occurred due to incorrect assembly of valve cover.Caused by personnel error.Containment walkdown performed.W/961126 ltr.
FRANK,J.E., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/11/26. 6pp. 91049:352-91049:357.

**9612180377** LER 96-012-00:on 961112,racked out breakers in 4160 volt ac switchgear did not meet seismic design bases.Caused because previous seismic qualification walkdowns failed to identify problem.Tie breakers were removed from cubicle.W/961211 ltr.
HYNES,D., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/12/11. 5pp. 91180:314-91180:318.

**9612180396** LER 96-013-00:on 961113,mounting bolts were missing from a seismic restraint frame around (MCC)DC-2.Caused by personnel error.Required reading will be issued & job orders provided with specific instructions.W/961212 ltr.
BROOKBANK,C., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/12/12. 5pp. 91180:323-91180:327.

**DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1**

**P. Operating license stage documents & correspondence**

**9612090021** Forwards signed original of order imposing monetary penalty for plant,unit 1.W/o encl.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/12/04. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 91038:360-91038:360.

**9612180153** Provides availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," publised by NRC.
MIRAGLIA,F.J. . 96/12/11. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 91132:308-91132:312.

**9612170259** Forwards amend 158 to license DPR-63 & safety evaluation. Amend revises TS 6.2.2.h re administrative controls for normal working hours of unit staff who perform safety- related functions & TS 6.2.2.i re organizational change.
HOOD,D.S. . 96/12/12. SYLVIA,R. Niagara Mohawk Power Corp. 4pp. 91124:060-91124:070.

**--9612170261** Amend 158 to license DPR-63,changing TS 6.2.2.h regarding administrative controls for normal working hours of unit staff who perform safety-related functions & TS 6.2.2.i regarding organizational change.
BAJWA,S.S. . 96/12/12. 4pp. 91124:064-91124:067.

**--9612170264** Safety evaluation supporting amend 158 to license DPR-63.
* . 96/12/12. 3pp. 91124:068-91124:070.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030198** Responds to NRC 961115 ltr re violations noted in insp repts 50-220/96-07 & 50-410/96-07.Corrections to surveillance test database frequency codes to ensure identified surveillances were performed during refueling outage.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/11/22. Document Control Branch (Document Control Desk). 6pp. 91010:005-91010:010.

**9612030113** Forwards insp repts 50-220/96-10 & 50-410/96-10 on 960728-0907 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/11/25. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 90973:200-90973:240.

**--9612030128** Notice of violation from insp on 960728-0907.Violation noted:temporary change to procedure w/o required approval of licensed SRO & several examples of workers not properly implementing maint/surveillance procedures.
* Region 1 (Post 820201). 96/11/25. 2pp. 90973:203-90973:204.

**--9612030145** Insp repts 50-220/96-10 & 50-410/96-10 on 960728-0907. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 1 (Post 820201). 96/11/25. 36pp. 90973:205-90973:240.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612200109** Forwards MOV insp repts 50-220/96-15 and 50-410/96-15 on 961007-1115.Violations noted being considered for escalated enforcement action.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/10. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 91149:184-91149:209.

**--9612200115** Insp repts 50-220/96-15 & 50-410/96-15 on 961004-1115. Violations noted.Major areas inspected:evaluated for closure Nine Mile Point Unit 2 motor-operated valve program.
* Region 1 (Post 820201). 96/12/10. 23pp. 91149:187-91149:209.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190029** Forwards insp repts 50-220/96-11 & 50-410/96-11 on 960908-1019.No violations noted.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/12/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 91134:001-91134:030.

**--9612190037** Insp repts 50-220/96-11 & 50-410/96-11 on 960908-1019.No violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 1 (Post 820201). 96/12/12. 27pp. 91134:004-91134:030.

**R. Periodic operating reports & related correspondence**

**9612240065** Monthly operating rept for Nov 1996 for Nine Mile Point Nuclear Station Unit 1.W/961213 ltr.
COLEMAN,D.E., RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/11/30. 5pp. 91227:243-91227:247.

**S. Reportable occurrences, LERs & related correspondence**

**9612090245** LER 96-010-00:on 961101,App R fire induced hot shorts in shutdown cooling valves occurred.Caused by fire induced control circuit hot shorts which could result in mechanical damage to MOVs.MOVs reviewed.W/961202 ltr.
YAEGER,W.R., RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/12/02. 5pp. 91134:102-91134:106.

**9612100162** Special rept:on 961114,#11 HMS was removed from svc for calibr w/reactor mode switch in "RUN" position during normal operation.Caused by failed calibr toggle switch.Staged two preventive maint work orders.
RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91056:168-91056:169.

**9612130137** LER 96-011-00:on 961105,reactor scrammed.Caused by main generator lockout relay trip due to failed flexible link in generator exciter.Failed link replaced.W/961205 ltr.
SWEET,K., RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/12/05. 8pp. 91163:098-91163:105.

**9612160379** LER 96-012-00:on 961110,missed type B testing of stuffing box seal discovered.Caused by personnel error.Affected seals on valves were replaced & type B testing completed.W/961209 ltr.
SWEET,S., RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/12/09. 6pp. 91163:176-91163:181.

**DOCKET 50-223 UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR**

**Q. Inspection reports, IE Bulletins & correspondence**

**9612030082** Forwards insp rept 50-223/96-02 on 961007-10.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 96/11/26. KEGEL,G. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 2pp. 90973:167-90973:174.

**--9612030087** Insp rept 50-223/96-02 on 961007-10.No violations noted. Major areas inspected:radiation protection program.
* Region 1 (Post 820201). 96/10/10. 6pp. 90973:169-90973:174.

**DOCKET 50-225 RPI CRITICAL EXPERIMENT**

**V. Operator Examinations**

**9612310126** Forwards results of operator initial exam conducted at Rensselaer Polytech Institute on 961119.W/o encl.
WEISS,S.H. . 96/12/26. HARRIS,D.R. Rensselaer Polytechnic Institute, Troy, NY. 1p. 91247:041-91247:041.

**DOCKET 50-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR**

**V. Operator Examinations**

**9612160253** Ack ltr dtd 961120 transmitting info for renewal of SRO license for S Warren.Advises that info has been forwarded to W Eresian at NRC Headquarters for processing.
GWYNN,T.P. Region 4 (Post 820201). 96/12/12. MEREN,F.W. Aerotest Operations, Inc. 2pp. 91103:010-91103:012.

**--9612160255** Forwards Certification of Medical Exam by Facility Licensee for renewal of SRO license for S Warren.W/o encl.
MEREN,A.W. Aerotest Operations, Inc. 96/11/20. Region 4 (Post 820201). 1p. 91103:012-91103:012.

**DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612260236** Forwards insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 & NOV.Violations have been corrected & actions reviewed during insp.
GRANT,G.E. Region 3 (Post 820201). 96/09/19. PERRY,J.S. Commonwealth Edison Co. 2pp. 91205:054-91205:057.

--9612260240 Partially withheld insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 ref 10CFR73.21.Violations noted. Major areas inspected:aspects of plant support activities in area of physical security.
* Region 3 (Post 820201). 96/09/19. 2pp. 91205:056-91205:057.

9612190437 Provides response to violations noted in Insp Repts 50-237/96-12,50-249/96-12,50-254/96-16 & 50-265/96-16. Corrective actions:Problem identification form initiated,as result of self assessment of fire protection.
KRAFT,E.S. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91174:353-91174:361.

9612310134 Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

9612190254 Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

9612310065 Forwards supplemental response to insp repts 50-237/96-12, 50-249/96-12,50-254/96-16 & 50-265/96-16.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:214-91249:218.

**H. General correspondence**

9612120085 Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

--9612120205 Submits response to charge by NRC inspector that two Dresden Nuclear Plant operators were sleeping on job.
BLANCH,P.M. Affiliation Not Assigned. 96/11/13. NRC - No Detailed Affiliation Given. 1p. 91120:044-91120:044.

**P. Operating license stage documents & correspondence**

8101100430 Forwards to all BWR power reactor licensees inadvertently omitted pages from 780711 draft radiological effluent Tech Specs.
GRIMES,B. Assistant Director for Engineering & Projects. 78/07/28. Consumers Power Co. 1p. 91119:016-91119:019.

--8101100437 Tech Specs 3.11 & 4.11 re radioactive effluents.
* Assistant Director for Engineering & Projects. 78/07/28. 3pp. 91119:017-91119:019.

9612030001 Requests results of evaluation re activities at plant within 45 days.
GRANT,G.E. Region 3 (Post 820201). 96/11/25. PERRY,J.S. Commonwealth Edison Co. 2pp. 90973:001-90973:002.

9612040046 Informs NRC that util working closely w/GE & EPRI on project & agreement executed on 960926 to perform "Hot Cell Post-Irradiation Exams (PIE) of Dresden-2 Fuel & Water Rods After Four Cycles of Hydrogen Water Chemistry."
PERRY,J.S. Commonwealth Edison Co. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91011:354-91011:355.

9612120114 Application for amends to licenses DPR-25,DPR-29 & DPR-30, allowing single CR to be moved when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
PERRY,J.S. Commonwealth Edison Co. 96/12/06. Document Control Branch (Document Control Desk). 7pp. 91088:337-91088:351.

--9612120124 Proposed tech specs 3/4.10.A, "Reactor Mode Switch," & Table 1-2, "Operational Modes," allowing single RC move when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
* Commonwealth Edison Co. 96/12/06. 8pp. 91088:344-91088:351.

9612120258 Requests addl info re 960920 request for proposed amend to TS for both Dresden Units 2 & 3 & Quad Cities,units 1 & 2 to update pressure temp curves.
STANG,J.F. . 96/12/09. JOHNSON,I. Commonwealth Edison Co. 5pp. 91075:133-91075:137.

9612180081 Describes mod which will automatically isolate RWCU sys on direct indication of line break.
HOSMER,J.B. Commonwealth Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91148:258-91148:259.

9612170292 Notifies NRC that plant has completed required actions in response to GL 89-10 re MOVs.
PERRY,J.S. Commonwealth Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91141:039-91141:039.

9612190384 Confirms discussion to have meeting on 961219 in Morris,IL. Purpose of meeting to discuss progress in completing actions outlined in 961121 CAL & other improvement initiatives.
HILAND,P.L. Region 3 (Post 820201). 96/12/13. PERRY,J.S. Commonwealth Edison Co. 2pp. 91134:081-91134:082.

9612240115 Submits implementation status of station blackout rule commitments.
PERRY,J.S. Commonwealth Edison Co. 96/12/17. Document Control Branch (Document Control Desk). 3pp. 91227:314-91227:316.

9612240122 Informs of administrative limit imposed on standby gas treatment sys charcoal efficiency due to secondary containment net free volume concern.
PERRY,J.S. Commonwealth Edison Co. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91205:360-91205:361.

9612240324 Informs NRC of intent to implement Section 3.7.K.1 of TS upgrade program for plant.
PERRY,J.S. Commonwealth Edison Co. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91227:193-91227:196.

--9612240325 Proposed Tech Specs Section 3.7.K.1 re suppression chamber.
* Commonwealth Edison Co. 96/12/18. 2pp. 91227:195-91227:196.

9612260026 Forwards 1996 rept of revisions to commitments made in docketed correspondence.
PERRY,J.S. Commonwealth Edison Co. 96/12/18. Document Control Branch (Document Control Desk). 5pp. 91229:226-91229:230.

9612240322 Informs NRC of interim administrative measures being applied at plant to address issue re appropriate process setpoint for automatic isolation of HPCI steam supply on decreasing reactor vessel steam pressure.
PERRY,J.S. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 2pp. 91227:191-91227:192.

**Q. Inspection reports, IE Bulletins & correspondence**

9612260236 Forwards insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 & NOV.Violations have been corrected & actions reviewed during insp.
GRANT,G.E. Region 3 (Post 820201). 96/09/19. PERRY,J.S. Commonwealth Edison Co. 2pp. 91205:054-91205:057.

--9612260240 Partially withheld insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 ref 10CFR73.21.Violations noted. Major areas inspected:aspects of plant support activities in area of physical security.
* Region 3 (Post 820201). 96/09/19. 2pp. 91205:056-91205:057.

9609200181 NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

9610100212 NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

9612040215 NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

9612060222 NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

9612060224 NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

9612190437 Provides response to violations noted in Insp Repts 50-237/96-12,50-249/96-12,50-254/96-16 & 50-265/96-16. Corrective actions:Problem identification form initiated,as result of self assessment of fire protection.
KRAFT,E.S. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91174:353-91174:361.

9612310065 Forwards supplemental response to insp repts 50-237/96-12, 50-249/96-12,50-254/96-16 & 50-265/96-16.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:214-91249:218.

9612270052 Forwards NRC Insp Repts 50-237/96-201 & 50-249/96-201 on 960930-1011 & 961028-1108.No violations noted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/24. O'CONNOR,J.J. Commonwealth Edison Co. 7pp. 91347:002-91347:004.

--9612310176 Insp repts 50-237/96-201 & 50-249/96-201 on 960930-1011 & 1028-1108.No violations noted.Major areas inspected: operations,radiation protection,maintenance & testing, engineering & technical support & mgt oversight.
HOWELL,A.T., COLLINS,S.J. Ofc of the Executive Director for Operations. 96/12/18. 160pp. 91261:203-91261:362.

9612310118 Discusses plant performance review of Dresden Nuclear Station & advises of planned insp effort resulting from review.
HILAND,P.L. Region 3 (Post 820201). 96/12/24. PERRY,J.S. Commonwealth Edison Co. 3pp. 91235:135-91235:137.

9612270048 Press release III-96-76, "NRC Staff Issues Rept of Independant Safety Insp at Dresden Nuclear Power Station."
* Region 3 (Post 820201). 96/12/26. 1p. 91347:001-91347:004.

--9612270052 Forwards NRC Insp Repts 50-237/96-201 & 50-249/96-201 re safety insp team.W/o encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/24. O'CONNOR,J.J. Commonwealth Edison Co. 3pp. 91347:002-91347:004.

**R. Periodic operating reports & related correspondence**

9612160396 Monthly operating repts for Nov 1996 for Dresden Nuclear Power Station.W/961206 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/11/30. 13pp. 91124:342-91124:354.

**S. Reportable occurrences, LERs & related correspondence**

9612170349 Forwards LER 96-019-00.Licensee commitments include restoring HPCI battery loads & reviewing all 125 & 250 volt dc battery calculations to determine if similiar situations exist.
PERRY,J.S. Commonwealth Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 1p. 91163:341-91163:345.

--9612170357 LER 96-019-00:on 961111,identified 250 volt dc sys design load profile incorrectly modeled for actuation of several MOVs.Caused by changes in battery loading not reflected in svc testing.HPCI battery loads restored to svc.
COYLE,J. Commonwealth Edison Co. 96/12/10. 4pp. 91163:342-91163:345.

**9612180086** Informs of review of commitments contained in LERs from 1991 to present.Failed to perform one item from 1989,supplemented in 1993.
PERRY,J.S. Commonwealth Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91148:260-91148:261.

**9612180035** Forwards LER 96-020 & committments including license amend to resolve low pressure coolant injection & containment cooling svc water sys,review of design parameters of affected sys & rept of results of root cause investigations.
PERRY,J.S. Commonwealth Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91164:012-91164:018.

**--9612180057** LER 96-020-00:on 961112,containment cooling svc water temp outside of design basis requirements.Cause under investigation.Station procedures revised,review of design parameters of affected sys & components initiated.
SKOGLUND,R. Commonwealth Edison Co. 96/12/11. 6pp. 91164:013-91164:018.

**V. Operator Examinations**

**9612300018** Discusses plans for written & operating examinations to be administered during wk of 970324,per 961220 telcon.
LEACH,M.N. Region 3 (Post 820201). 96/12/20. PERRY,J.S. Commonwealth Edison Co. 3pp. 91229:031-91229:033.

**DOCKET 50-238 NUCLEAR SHIP SAVANNAH**

**Q. Inspection reports, IE Bulletins & correspondence**

**9612090016** Forwards insp rept 50-238/96-01 on 961031.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/29. LEVINE,Z. Transportation, Dept. of, Maritime Administration (formerly w/Dept. of Commerce). 1p. 91036:356-91036:360.

**--9612090018** Insp rept 50-238/96-01 on 961031.No violation noted.Major areas inspected:routine,announced insp conducted to followup an unresolved item identified in insp rept 50-238/94-03.
* Region 2 (Post 820201). 96/11/29. 4pp. 91036:357-91036:360.

**DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR**

**F. Security, medical, emergency & fire protection plans**

**9612160083** Advises that 960829 rev 0 to physical security plan does not require formal review per 10CFR50.54(p).
GWYNN,T.P. Region 4 (Post 820201). 96/12/04. KELLER,G.H. Ohio State Univ., Columbus, OH. 4pp. 91133:186-91133:189.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612110103** Ack receipt of 961108 ltr re self-identified event associated w/failure to post & control access to high radiation area.Corrective actions will be reviewed during future insp.
GWYNN,T.P. Region 4 (Post 820201). 96/12/04. DODD,B. Oregon State Univ., Corvallis, OR. 4pp. 91059:121-91059:124.

**V. Operator Examinations**

**9612180274** Discusses transmittal of reactor operator license certificate to SA Crail.W/o enclosures.
MARTIN,T.T. . 96/12/16. DODD,B. Oregon State Univ., Corvallis, OR. 2pp. 91135:354-91135:355.

**DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612110450** Forwards LER 96-014 re presuure relieving capability.LER withheld.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/12/05. VISSING,G.S. . 2pp. 91118:288-91118:296.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612230393** Forwards Rev 13 to RG Ginna Power Plant UFSAR.Detailed set of intructions included in UFSAR package,identifying pages to be removed & replaced,including tables & figures.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/12/16. VISSING,G. . 3pp. 91212:001-91219:241.

**--9612230396** Rev 13 to RE Ginna Nuclear Power Plant UFSAR.
* Rochester Gas & Electric Corp. 96/12/31. 2,985pp. 91212:004-91219:241.

**P. Operating license stage documents & correspondence**

**9612030208** Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
MECREDY,R.C. Rochester Gas & Electric Corp. 96/11/18. VISSING,G. . 2pp. 91003:298-91003:300.

**9612110429** Requests that util 961231 limit for Rev 1 to plant RCS pressure & temperature limits & low temperature overpressure protection limits be extended until 970701.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/12/02. VISSING,G.S. . 3pp. 91081:352-91081:354.

**9612160440** Responds to 961202 ltr re request that 961231 limit for rev 1 of, "Pressure & Temperature Limits Rept," be extended until 970701.NRC approves request for extension.
VISSING,G.S. . 96/12/10. MECREDY,R.C. Rochester Gas & Electric Corp. 4pp. 91121:280-91121:283.

**9612160364** Requests comments re draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/11. MECREDY,R.C. Rochester Gas & Electric Corp. 5pp. 91121:210-91121:214.

**9612190258** Transmits response to 960913 RAI re copper & nickel values for reactor vessel circumferential weld seam SA-847 & thickness of reactor vessel.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/12/11. VISSING,G. . 3pp. 91164:349-91164:351.

**9612200268** Forwards Rev 23 to "QA Program for Station Operation," incorporating organization re changes associated with restructuring of corp.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/12/13. VISSING,G.S. . 5pp. 91226:203-91226:300.

**--9612200271** Rev 23 to "QA Program for Station Operation."
* Rochester Gas & Electric Corp. 96/12/13. 92pp. 91226:208-91226:300.

**9612200085** Forwards 1996 annual revisions to tech spec bases.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/12/16. VISSING,G. . 7pp. 91177:298-91177:354.

**--9612200087** Proposed annual TS bases.
* Rochester Gas & Electric Corp. 96/12/16. 50pp. 91177:305-91177:354.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030173** Forwards insp rept 50-244/96-10 on 961007-11.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/11/26. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 90973:325-90973:338.

**--9612030176** Insp rept 50-244/96-10 on 961007-11.No violations noted. Major areas inspected:licensee access authorization program.
* Region 1 (Post 820201). 96/11/26. 11pp. 90973:328-90973:338.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190032** Forwards insp rept 50-244/96-09 on 960825-1005.No violations noted.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/12/12. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 91134:032-91134:069.

**--9612190038** Insp rept 50-244/96-09 on 960825-1005.No violations noted. Major areas inspected:aspects of licensee operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 96/12/12. 35pp. 91134:035-91134:069.

**9612230275** Ack receipt of 960715 ltr informing NRC of steps taken to correct violations noted in insp 50-244/96-03.Response & corrective actions for violation two acceptable & reclassified violation one as non-cited violation.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/12. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 91166:029-91166:037.

**9612160048** Press release I-96-81, "NRC Staff Proposes to Fine RG&E $100,000 for Alleged Violations at Ginna Nuclear Plant."
* Region 1 (Post 820201). 96/12/13. 1p. 91163:135-91163:135.

**9612270128** Discusses insp rept 50-244/96-08 on 960722-26 & 0806-09 & forwards notice of violation & proposed imposition of civil penalty in amount of $100,000.
MILLER,H.J. Region 1 (Post 820201). 96/12/13. MECREDY,R.C. Rochester Gas & Electric Corp. 5pp. 91205:166-91205:174.

**--9612270131** Notice of violation & proposed imposition of civil penalty in amount of $100,000.Violation noted:prior to 960803, measures not established to assure that certain conditions adverse to quality not promptly identified & corrected.
* Region 1 (Post 820201). 96/12/13. 4pp. 91205:171-91205:174.

**R. Periodic operating reports & related correspondence**

**9612180076** Monthly operating rept for Nov 1996 for Ginna Station. W/961211 ltr.
WALDEN,J., WIDAY,J.A. Rochester Gas & Electric Corp. 96/11/30. VISSING,G.S. . 5pp. 91148:253-91148:257.

**9612270091** Forwards "1996 Rept of Facility Changes,Tests & Experiments Conducted Without Prior Approval for Aug 1995-Jul 1996,Under Provisions of 10CFR50.59."
MECREDY,R.C. Rochester Gas & Electric Corp. 96/12/16. VISSING,G.S. . 1p. 91255:129-91255:159.

--9612270095 "1996 Rept of Facility Changes,Tests & Experiments Conducted Without Prior Approval for Aug 1995-Jul 1996,Under Provisions of 10CFR50.59."
* Rochester Gas & Electric Corp. 96/07/31. 30pp. 91255:130-91255:159.

**S. Reportable occurrences, LERs & related correspondence**

9612060102 LER 96-013-00:on 961029,circuit breakers closed while in Mode 3 & resulted in condition prohibited by TS due to personnel error.Circuit breakers for MOV-878B & MOV-878D were re-opened.W/961127 ltr.
MARTIN,J.T., MECREDY,R.C. Rochester Gas & Electric Corp. 96/11/27. VISSING,G.S. . 8pp. 91127:024-91127:031.

9612060128 Special rept:on 961015,identified problem w/automatic release actuation of sys deluge valve & sys declared inoperable.Compensatory actions will remain in effect until all four suppression sys restored to operable status.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/11/27. VISSING,G.S. . 2pp. 91043:297-91043:298.

**DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

9612240054 Rev 2 to EPIP 4404,Change 1, "Notification & Communications"
TARALLO,B. Northeast Nuclear Energy Co. 96/12/18. 9pp. 91210:334-91210:342.

**G. Adjudicatory correspondence**

9612260055 Informs that time provided by NRC regulation within which Commission may act to review Director's decision DD-96-17 expired.Decision became final agency action on 961125. W/Certificate of Svc.Served on 961218.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18112. 96/12/18. ROSS,A.J. Affiliation Not Assigned. 2pp. 91194:331-91194:332.

9612260197 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-96-16 expired.Decision became final agency action on 961226. W/Certificate of Svc.Served on 961218.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18111. 96/12/18. ROSS,A.J. Affiliation Not Assigned. 2pp. 91196:297-91196:298.

**H. General correspondence**

9612120085 Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

--9612120238 Forward 961105 ltr to H Blank re recent events at Millstone Nuclear Station.
BLANCH,P.M. Affiliation Not Assigned. 96/11/15. NRC - No Detailed Affiliation Given. 2pp. 91120:055-91120:056.

--9612120321 Forwards article from Courant on 961122 re unlicensed workers at Millstone nuclear plants.
BLANCH,P.M. Affiliation Not Assigned. 96/11/22. NRC - No Detailed Affiliation Given. 6pp. 91120:067-91120:072.

--9612120335 Forwards article from Courant dtd 961128 written by M Remez & M McIntire re oversight of Millstone & other nuclear power plants.
BLANCH,P. Affiliation Not Assigned. 96/11/28. NRC - No Detailed Affiliation Given. 2pp. 91120:078-91120:079.

--9612130001 Informs that PM Blanch returing beeper previously assigned. Restart of plant discussed.
BLANCH,P.M. Affiliation Not Assigned. 96/10/04. NRC - No Detailed Affiliation Given. 3pp. 91120:096-91120:098.

--9612130024 Submits article by S Allen published in Boston Globe on 961011 re safety problems at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/11. NRC - No Detailed Affiliation Given. 2pp. 91120:143-91120:144.

--9612130055 Forwards article by M McIntire published in Courant on 961016 re problems at nuclear power plants.
BLANCH,P.M. Affiliation Not Assigned. 96/10/16. NRC - No Detailed Affiliation Given. 3pp. 91120:152-91120:154.

--9612130064 Forwards paper entitled, "Adjusting Regulatory Balance."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 7pp. 91120:160-91120:166.

--9612130072 Forward press release of 961018 entitled, "NRC Establishes Special Projects Ofc to Oversee Insp & Licensee Activities at Millstone & Hadam Neck Plants."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 2pp. 91120:167-91120:168.

--9612130080 Forwards article published in Hartford Courant on 961019 re Three Mile Island accident.
BLANCH,P.M. Affiliation Not Assigned. 96/10/19. MULLEY,G. NRC - No Detailed Affiliation Given. 2pp. 91120:169-91120:170.

--9612130103 Forwards Hartford Courant article published on 961020 re problems at Millstone.R Nader will be in Waterford 961029.
BLANCH,P.M. Affiliation Not Assigned. 96/10/22. MARTIN,T. NRC - No Detailed Affiliation Given. 5pp. 91120:177-91120:181.

--9612130162 Forwards article from Hartford Courant published by M McIntire & M Remez on 961025 re safety concerns at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/25. WALD,M. NRC - No Detailed Affiliation Given. 8pp. 91120:198-91120:205.

--9612130166 Discusses page B1 of Hartford Courant re investigator to look into NRC attitude.
BLANCH,P.M. Affiliation Not Assigned. 96/10/26. NRC - No Detailed Affiliation Given. 2pp. 91120:206-91120:207.

--9612130174 Forwards article from Hartford Courant published by M McIntire on 961028 re Millstone nuclear plant.
BLANCH,P.M. Affiliation Not Assigned. 96/10/28. NRC - No Detailed Affiliation Given. 3pp. 91120:209-91120:211.

--9612130191 Forwards memo from JN Hannon to WT Russell re independent review of Millstone Station & NRC handling of employee concerns & allegations.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 4pp. 91120:217-91120:220.

--9612130196 Discusses layoff of over 100 employees at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29. NRC - No Detailed Affiliation Given. 2pp. 91120:221-91120:222.

9612190358 Responds to 961021 ltr re concerns about bias potentially evidencing within Independent Corrective Action Verification Program team.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/10. DODD,C.J. Senate. 2pp. 91137:063-91137:075.

9612240319 Informs that effective 961202,S Dembek & J Andersen assigned as project managers for plant.
MCKEE,P.F. . 96/12/20. KENYON,B.D. Northeast Utilities Service Co. 4pp. 91197:329-91197:332.

9612310151 Responds to 961119 ltr re activities at plants,stating that Citizens Regulatory Commission was interested in being kept abreast of situation at plants & being involved in Millstone recovery process.
MIRAGLIA,F.J. . 96/12/24. LUXTON,S.P. Affiliation Not Assigned. 8pp. 91247:067-91247:078.

--9612310158 Informs that attached response to SP Luxton 961119 ltr re activities at plants approved w/o edit by Commissioners & no further need for Commission review.
SHOEMAKER,J. Ofc of the Executive Director for Operations. 96/12/24. Office of the Secretary of the Commission. 1p. 91247:077-91247:077.

--9612310162 Requests to be kept abreast of activities at plants & recovery process at Millstone.
LUXTON,S.P. Affiliation Not Assigned. 96/11/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91247:078-91247:078.

**P. Operating license stage documents & correspondence**

8101100430 Forwards to all BWR power reactor licensees inadvertently omitted pages from 780711 draft radiological effluent Tech Specs.
GRIMES,B. Assistant Director for Engineering & Projects. 78/07/28. Consumers Power Co. 1p. 91119:016-91119:019.

--8101100437 Tech Specs 3.11 & 4.11 re radioactive effluents.
* Assistant Director for Engineering & Projects. 78/07/28. 3pp. 91119:017-91119:019.

9612110113 Informs that util consents to Order dtd 961024 requiring submission of comprehensive plan to review and disposition safety issues raised by employees.Util to proceed to develop required plans & submit info.
GOEBEL,D.M. Northeast Nuclear Energy Co. GOEBEL,D.M. Northeast Utilities Service Co. 96/11/13. MIRAGLIA,F.J. . 3pp. 91081:290-91081:292.

9612020100 Requests extension of 30 days for submittal of proposed independent,third party organization to oversee implementation of comprehensive plan for reviewing safety issues raised by util employees.
GOEBEL,D.M. Northeast Nuclear Energy Co. GOEBEL,D.M. Northeast Utilities Service Co. 96/11/25. MIRAGLIA,F.J. . 2pp. 91003:133-91003:134.

9612160441 Notification of significant meeting 96-126 on 961217 in East Lyme,CT to update members of public w/respect to current NRC activities at plant.
DURR,J. . 96/12/03. . 3pp. 91097:094-91097:096.

9612170062 Notification of 961217 significant meeting 96-125 w/util in Waterford,CT to discuss current restart plans for plant.
DURR,J. Region 1 (Post 820201). 96/12/03. Region 1 (Post 820201). 3pp. 91118:075-91118:077.

9612160176 Final response to FOIA request for documents.Records in App A encl & being made available for PDR.App B records withheld in part (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/04. BERGH,N. Northeast Utilities Service Co. 4pp. 91120:226-91120:361.

--9612160189 FOIA request for documents re listed Inspector General Repts.
BERGH,N. Northeast Utilities Service Co. 96/11/18. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 91120:230-91120:280.

--9612160207 "OIG Event Inquiry - NRC Staff Actions to Address CU-29 Isolation Valve Issue - Case 96-06S - 960903."
*, RASPA,R., WATKINS,R.A. Office of the Inspector General (Post 890417). 96-06S. 96/09/03. 23pp. 91120:281-91120:305.

--9612160231 "OIG Event Inquiry - NRC Failure to Adequately Regulate Millstone 1 - Case 95-77I - 951221."
RASPA,R., MULLEY,G.A., WATKINS,R.A. Office of the Inspector General (Post 890417). 95-77I. 95/12/21. 33pp. 91120:328-91120:361.

9612110367 Forwards root cause evaluation rept-effectiveness of oversight organization per evaluation conducted in May 1996. More contact between chief nuclear officer & line mgt recommended.
GOEBEL,D. Northeast Nuclear Energy Co. GOEBEL,D. Northeast Utilities. 96/12/06. Document Control Branch (Document Control Desk). 48pp. 91089:301-91089:348.

9612160398 Forwards RAI re changes to plant,unit 1 TS for standby gas treatment sys.
DEMBEK,S. . 96/12/09. KENYON,B.D., HARPSTER,T.L. Northeast Utilities Service Co. 5pp. 91121:253-91121:257.

9612170100 Responds to 961009 ltr re concern of NRC oversight at plant & independent correction action verification program imposed at plant by 960814 NRC order.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/09. Affiliation Not Assigned. 2pp. 91131:274-91131:299.

--**9612170108** Makes proposal to NRC re need for independent review of licensee operations of plant to verify adequacy of licensee efforts.
* Affiliation Not Assigned. 96/10/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 12pp. 91131:276-91131:299.

**9612120071** Press release I-96-79, "NRC to Hold Two Meetings 961217 in Connecticut on Millstone Nuclear Plant."
* Region 1 (Post 820201). 96/12/11. 1p. 91163:031-91163:031.

**9612190073** Informs that NNECO & CYAP will begin to use optical disk technology during last quarter of 1996 to further enhance QA Records Keeping sys.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91191:288-91191:289.

**9612190295** Requests that listed rept be withheld from public disclosure,per 10CFR2.790.NRC grants request.
DEMBEK,S. . 96/12/12. KENYON,B.D., HARPSTER,T.L. Northeast Utilities Service Co. 4pp. 91136:353-91136:356.

**9612190263** Responds to 961112 ltr to Chairman Jackson informing of formation of subcommittee to assess "independence" aspects of Independent Corrective Action Verification Program.
MIRAGLIA,F.J. . 96/12/16. CONCANNON,T., WOOLLOCOTT,E. Connecticut, State of. 4pp. 91184:211-91184:217.

--**9612190270** Informs that Nuclear Energy Advisory Council approved subcommittee at 961107 meeting to assess 'independence' aspect of Independent Corrective Action Verification Program.
CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 96/11/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 91184:215-91184:217.

**9612240088** Responds to ltr dtd 961022 re Independent Corrective Action Verification Program imposed at Millstone by NRC order of 960814.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/16. CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 6pp. 91193:244-91193:250.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609180322** Provides results of broad-based FSAR insps & discusses significance of identified discrepancies.Also describes short-term & long-term planned improvements,as well as licensee actions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/17. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 46pp. 90974:266-90974:311.

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090183** Forwards insp repts 50-245/96-08,50-336/96-08 & 50-423/96-08 on 960827-1025 & notice of violations.
LANNING,W.D. Region 1 (Post 820201). 96/12/03. KENYON,B.D., HARPSTER,T. Northeast Nuclear Energy Co. 5pp. 91037:255-91037:351.

--**9612090193** Notice of violation from insp on 960827-1025.Violation noted:all valves classified as containment isolation boundaries did not receive monthly verification to insure they are in closed position.
* Region 1 (Post 820201). 96/12/03. 1p. 91037:260-91037:260.

--**9612090203** Insp repts 50-245/96-08,50-336/96-08 & 50-423/96-08 on 960827-1025.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 1 (Post 820201). 96/12/03. 91pp. 91037:261-91037:351.

**9612090022** Discusses receipt of licensee final response to NRC NOV & proposed imposition of civil penalty in amount of $100,000, dtd 961025.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/12/04. KENYON,B.D. Northeast Nuclear Energy Co. 2pp. 91039:006-91039:007.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160422** Ack receipt of 961108 ltr informing NRC of steps taken to correct violations noted in combined insp repts 50-245/96-06,50-336/96-06 & 50-423/96-06.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. 91096:202-91096:204.

**9612120343** Documents 961203 mgt meeting w/H Haynes & P Hinnenkamp to discuss training issues identified in insp rept 50-245/96-05.
MEYER,G.W. Region 1 (Post 820201). 96/12/06. KENYON,B.D. Northeast Nuclear Energy Co. 26pp. 91070:217-91070:242.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612200063** Forwards monthly operating report for Millstone Nuclear Power Station,Unit 1 for Nov 1996 & revised rept for Dec 1995 & Jan-Oct 1996.
HINNENKAMP,P. Northeast Nuclear Energy Co. HINNENKAMP,P. Northeast Utilities Service Co. 96/12/16. Document Control Branch (Document Control Desk). 3pp. 91192:209-91192:238.

--**9612200071** Monthly operating rept for Nov 1996 for Millstone Nuclear Power Station Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/11/30. 4pp. 91192:212-91192:215.

--**9612200075** Revised monthly operating rept for Dec 1995 for Milstone Nuclear Power Station Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 95/12/31. 3pp. 91192:216-91192:218.

--**9612200083** Revised monthly operating rept for Jan 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/01/31. 2pp. 91192:219-91192:220.

--**9612200088** Revised monthly operating rept for Feb 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/02/29. 2pp. 91192:221-91192:222.

--**9612200094** Revised monthly operating rept for Mar 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/03/31. 2pp. 91192:223-91192:224.

--**9612200097** Revised monthly operating rept for Apr 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/04/30. 2pp. 91192:225-91192:226.

--**9612200100** Revised monthly operating rept for May 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/05/31. 2pp. 91192:227-91192:228.

--**9612200104** Revised monthly operating rept for June 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/06/30. 2pp. 91192:229-91192:230.

--**9612200108** Revised monthly operating rept for Jul 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/07/31. 2pp. 91192:231-91192:232.

--**9612200111** Revised monthly operating rept for Aug 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/08/31. 2pp. 91192:233-91192:234.

--**9612200116** Revised monthly operating rept for Sept 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/09/30. 2pp. 91192:235-91192:236.

--**9612200119** Revised monthly operating rept for Oct 1996 for Millstone Power Station,Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 96/10/31. 2pp. 91192:237-91192:238.

**S. Reportable occurrences, LERs & related correspondence**

**9612110381** LER 96-058-00:on 961106,discovered postulated tornado missile damage to CST could cause transfer pump house flooding.Caused by sys design oversight.Ventilation opening to be secured or modified.W/961206 ltr.
WALPOLE,R.W., HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities. 96/12/06. 4pp. 91163:009-91163:012.

**9612180394** Informs of commitments to revise surveillance procedure for testing DG air compressor auto start logic.LER 96-056-00 encl.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91180:319-91180:322.

--**9612180397** LER 96-056-00:on 961112,inadvertent start of EDG occurred during surveillance test.Caused by procedural inadequacy. Revised surveillance procedure to trip fuel racks prior to performing monthly surveillance on DG.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/11/12. 3pp. 91180:320-91180:322.

**9612170255** Part 21 rept re stocked safety-related fuses issued from storeroom for installation which had cracked ferrules in longitudinal direction on 960911.Procurement & Warehouse groups completed inspecting fuses in warehouse.
THAYER,J.K. Northeast Nuclear Energy Co. THAYER,J.K. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 67pp. 91163:268-91163:334.

**9612180068** Submits commitments made re LER 96-057.Breakers which are racked down will be secured within cubicle to prevent movement using existing hardware associated w/elevator mechanism by 961230.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 1p. 91164:019-91164:022.

--**9612180072** LER 96-057-00:on 961113,temporary equipment configuration jeopardized operability of 4 kV sys.Caused by lack of recognition of interaction potential of breakers during postulated earthquake.Secured breaker in cubicle w/hardware.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/12/13. 3pp. 91164:020-91164:022.

**9612180444** Forwards suppl LER 96-051-01.Commitments listed,including implementation of mods to restore each identified piping sys to design basis.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91180:339-91180:344.

--**9612180451** LER 96-051-01:on 960913,seismic qualification deficiencies found in SR piping.Caused by original plant design deficiency.Reviewed all SR piping sys to identify addl design deficiencies.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/12/13. 4pp. 91180:341-91180:344.

**9612180399** Forwards LER 96-059-00.Util commits that design basis of reactor feed pump high level trip circuitry will be reevaluated to verify proper applicability of physical separation,redundancy & single failure requirements.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91180:328-91180:333.

**–9612180425** LER 96-059-00:on 961115,reactor pressure vessel high level trip sys single failure vulnerability identified.Caused by failure to identify & properly evaluate all single failure & separation issues.RFP will be reevaluated.W/961216 ltr.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/12/16. 5pp. 91180:329-91180:333.

**9612180437** Forwards LER 96-031-01.Util commits that all DC circuits within fuse control program will have fuses w/properly certified DC rating prior to startup for operating cycle 16.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91180:334-91180:338.

**–9612180439** LER 96-031-01:on 960425,incorrect fuses caused automatic depressurization sys to be inoperable.Cause has not been determined.All DC circuits within fuse control program will have fuses w/properly certified DC rating.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/12/16. 4pp. 91180:335-91180:338.

**9612190055** Forwards LER 96-020-01.Commitments listed,including revising design calculations to correctly identify usable vol of CST.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91181:019-91181:025.

**–9612190071** LER 96-020-01:on 960322,CST unusable vol not accounted for in plant procedures.Caused by personnel error.Design calculations will be revised to correctly identify usable vol of CSR.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/12/16. 5pp. 91181:021-91181:025.

**9612190172** Forwards LER 96-026-01,documenting event which occurred on 960321.Commitments listed.
HINNENKAMP,P. Northeast Nuclear Energy Co. HINNENKAMP,P. Northeast Utilities. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91181:001-91181:007.

**–9612190192** LER 96-026-01:on 960321,failure to perform Type C leakage test in accordance w/requirements of 10CFR50 App J identified.Caused by personnel error.Mods to penetrations X-8,X-9A & X-9B implemented.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/12/16. 5pp. 91181:003-91181:007.

**9612200058** Forwards LER 96-054-01 which documents event that occurred at MNPS,Unit on 961030 & closure on commitment B16005-1. Commitment B16033-1,listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91181:036-91181:039.

**–9612200061** LER 96-054-01:on 961030,high range stack noble gas monitor was declared inoperable due to inadequate design in that sys was installed w/insufficient grounding.Walkdown & verification of sys design were performed.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/12/16. 3pp. 91181:037-91181:039.

**9612260294** Forwards supplemental LER 95-008-02 which documents event that occurred at plant on 950411,per 10CFR50.73(a)(2)(ii). Commitment made within ltr,submitted.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 96/12/19. Document Control Branch (Document Control Desk). 1p. 91242:151-91242:155.

**–9612260298** LER 95-008-02:on 950411,potential inoperability was determined re feedwater coolant injection sys upon failure of S2 DC power.Caused by error that occurred during original plant design.Physical plant mods have been completed.
WALPOLE,R.W. Northeast Nuclear Energy Co. 96/12/19. 4pp. 91242:152-91242:155.

**U. Congressional/Executive Correspondence**

**9612120425** Provides update on NRC efforts re listed plants & informs of several significant activities initiated since last status rept of 960618.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. DODD,C.J. Senate. 4pp. 91074:347-91074:350.

**9612130050** Forwards update on NRC efforts at Northest Util Millstone & Haddam Neck facilities.Confirmatory Order dtd 960814,Special Team Insp Rept dtd 960920 & Millstone Station Restart Assessment Plan encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. GEJDENSON,S. House of Rep. 4pp. 91093:178-91093:339.

**V. Operator Examinations**

**9612020217** Notification of significant licensee meeting 96-122 w/util on 961203 in King of Prussia,PA to discuss Millstone Unit 1 operator requalification training,including operator performance on simulator evaluations.
DURR,J. Region 1 (Post 820201). 96/11/22. Region 1 (Post 820201). 3pp. 90965:035-90965:037.

**DOCKET 50-247 INDIAN POINT STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612110284** Revised EPIPs,including rev 8 to IP-1001 re onsite emergency mobilization,rev 17 to IP-1002 re emergency notification & rev 8 to IP-1007 re dose assessment.W/961204 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/12/04. 39pp. 91079:321-91079:359.

**9612260302** Forwards rev 8 to IP-1018, "Media Relations Mobilization During Emergencies" & proprietary info containing individuals emergency functions & home numbers.Pp A-4 withheld.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/12/18. Document Control Branch (Document Control Desk). 1p. 91233:255-91233:293.

**–9612260305** Rev 5 to IP-1018, "Media Relations Mobilization During Emergencies."
* Consolidated Edison Co. of New York, Inc. 96/11/24. 29pp. 91233:256-91233:293.

**H. General correspondence**

**9612170071** Comment opposing proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric utility industry.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 96/12/09. Office of the Secretary of the Commission. 2pp. 91105:043-91105:044.

**P. Operating license stage documents & correspondence**

**9612020080** Informs of intent to convert from Custom TS to NUREG-1431, Rev 1, "Improved Std TS.Meeting to discuss conversion process & proposed schedule,requested.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/11/20. Document Control Branch (Document Control Desk). 2pp. 91003:123-91003:124.

**9612200288** Forwards proprietary & non-proprietary Rev 0 to NET-109-01-NP & Rev 0 to NET-109-01-P, "Topical Rept Benchmarking of NODE-P2 for Calculating Core Operating Characteristics of Indian..." Proprietary rept withheld.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91209:001-91209:050.

**–9612200291** Non-proprietary "Topical Rept Benchmarking of NODE-P2 for Calculating Core Operating Characteristics of Indian Point Unit 2."
HARRIS,M. Consolidated Edison Co. of New York, Inc. NET-109-01-NP R00. 96/11/07. 48pp. 91209:004-91209:050.

**9612160361** Requests voluntary comments on previously forwarded draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Notifies of upcoming workshop re NUREG-1560.
MIRAGLIA,F.J. . 96/12/12. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 5pp. 91101:128-91101:132.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612170091** Notification of significant licensee meeting 96-124 in Buchanan,NY w/util on 961218 to discuss results of Integrated Performance Assessment Process Team Insp.
COWGILL,C.J. Region 1 (Post 820201). 96/12/03. Region 1 (Post 820201). 4pp. 91118:078-91118:081.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160421** Forwards insp rept 50-247/96-10 on 961118-22.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 2pp. 91097:044-91097:054.

**–9612160424** Insp rept 50-247/96-10 on 961118-22.No violations noted. Major areas inspected:interviews & exam of selected procedures & representative records.
* Region 1 (Post 820201). 96/12/05. 9pp. 91097:046-91097:054.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230387** Ack receipt of 961118 ltr informing NRC of steps taken to correct violations noted in insp rept 50-247/96-04.
COWGILL,C.J. Region 1 (Post 820201). 96/12/17. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 2pp. 91166:165-91166:172.

**9612240003** Forwards exam rept 50-247/96-09OL conducted on 961028-1101.
MEYER,G.W. Region 1 (Post 820201). 96/12/17. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 5pp. 91183:005-91183:184.

**–9612240006** Exam rept 50-247/96-09OL conducted on 961028-1101.Exam results:three RO & five SRO candidates were administered initial licensing exams.One RO & one SRO failed written exam & simulator portions & all other candidates passed exam.
* Region 1 (Post 820201). 96/12/17. 173pp. 91183:009-91183:184.

**9612260171** Forwards schedule for NRC inspections of facility planned to end of SALP period.
COWGILL,C.J. Region 1 (Post 820201). 96/12/20. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 5pp. 91196:265-91196:269.

**R. Periodic operating reports & related correspondence**

**9612200164** Monthly operating rept for Nov 1996 for Indian Point Unit 2. W/961216 ltr.
REED,A., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/11/30. 6pp. 91178:354-91178:359.

**S. Reportable occurrences, LERs & related correspondence**

**9612110279** LER 96-021-00:on 961030,containment isolation valve closure occurred due to offsite electrical sys disturbance.All equipment was restored to service within approx 45 minutes & generator output breaker was reclosed.W/961127 ltr.
DAHL,G., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/11/27. 4pp. 91151:153-91151:156.

**9612160147** LER 96-022-00:on 961101,automatic turbine runback occurred. Caused by inadequate planning for removal of jumper associated with rod bottom bistable for CR L-3.Correct rod position was verified & unit was restored.W/961202 ltr.
MAYLATH,J.J., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/12/02. 5pp. 91163:142-91163:146.

**9612130294** PNO-I-96-090:on 961213,unusual event declared when vapors from small toluene spill on roof of administration bldg detected in ofc area,resulting in personnel evacuation of upper floor of bldg.Con Ed issued press release.
BARKLEY,R. Region 1 (Post 820201). 96/12/13. 2pp. 91163:133-91163:134.

**V. Operator Examinations**

**9612240003** Forwards exam rept 50-247/96-09OL conducted on 961028-1101.
MEYER,G.W. Region 1 (Post 820201). 96/12/17. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 5pp. 91183:005-91183:184.

**--9612240006** Exam rept 50-247/96-09OL conducted on 961028-1101.Exam results:three RO & five SRO candidates were administered initial licensing exams.One RO & one SRO failed written exam & simulator portions & all other candidates passed exam.
* Region 1 (Post 820201). 96/12/17. 173pp. 91183:009-91183:184.

**DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612260236** Forwards insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 & NOV.Violations have been corrected & actions reviewed during insp.
GRANT,G.E. Region 3 (Post 820201). 96/09/19. PERRY,J.S. Commonwealth Edison Co. 2pp. 91205:054-91205:057.

**--9612260240** Partially withheld insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 ref 10CFR73.21.Violations noted. Major areas inspected:aspects of plant support activities in area of physical security.
* Region 3 (Post 820201). 96/09/19. 2pp. 91205:056-91205:057.

**9612190437** Provides response to violations noted in Insp Repts 50-237/96-12,50-249/96-12,50-254/96-16 & 50-265/96-16. Corrective actions:Problem identification form initiated,as result of self assessment of fire protection.
KRAFT,E.S. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91174:353-91174:361.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**9612310065** Forwards supplemental response to insp repts 50-237/96-12, 50-249/96-12,50-254/96-16 & 50-265/96-16.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:214-91249:218.

**H. General correspondence**

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

**--9612120205** Submits response to charge by NRC inspector that two Dresden Nuclear Plant operators were sleeping on job.
BLANCH,P.M. Affiliation Not Assigned. 96/11/13. NRC - No Detailed Affiliation Given. 1p. 91120:044-91120:044.

**P. Operating license stage documents & correspondence**

**9612030001** Requests results of evaluation re activities at plant within 45 days.
GRANT,G.E. Region 3 (Post 820201). 96/11/25. PERRY,J.S. Commonwealth Edison Co. 2pp. 90973:001-90973:002.

**9612160414** Notifies NRC of request to IL Dept of Nuclear Safety for extension of certification expiration date for submitted Unit 3 pressure vessels until 970507.
PERRY,J.S. Commonwealth Edison Co. 96/12/05. Document Control Branch (Document Control Desk). 3pp. 91101:357-91101:359.

**9612120114** Application for amends to licenses DPR-25,DPR-29 & DPR-30, allowing single CR to be moved when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
PERRY,J.S. Commonwealth Edison Co. 96/12/06. Document Control Branch (Document Control Desk). 7pp. 91088:337-91088:351.

**--9612120124** Proposed tech specs 3/4.10.A, "Reactor Mode Switch," & Table 1-2, "Operational Modes," allowing single RC move when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
* Commonwealth Edison Co. 96/12/06. 8pp. 91088:344-91088:351.

**9612120258** Requests addl info re 960920 request for proposed amend to TS for both Dresden Units 2 & 3 & Quad Cities,units 1 & 2 to update pressure temp curves.
STANG,J.F. . 96/12/09. JOHNSON,I. Commonwealth Edison Co. 5pp. 91075:133-91075:137.

**9612180081** Describes mod which will automatically isolate RWCU sys on direct indication of line break.
HOSMER,J.B. Commonwealth Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91148:258-91148:259.

**9612170292** Notifies NRC that plant has completed required actions in response to GL 89-10 re MOVs.
PERRY,J.S. Commonwealth Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91141:039-91141:039.

**9612190384** Confirms discussion to have meeting on 961219 in Morris,IL. Purpose of meeting to discuss progress in completing actions outlined in 961121 CAL & other improvement initiatives.
HILAND,P.L. Region 3 (Post 820201). 96/12/13. PERRY,J.S. Commonwealth Edison Co. 2pp. 91134:081-91134:082.

**9612180346** Forwards RAI re reactor water cleanup sys heat exchanger repair.Response requested within 30 days after receipt of ltr.
STANG,J.F. . 96/12/17. JOHNSON,I. Commonwealth Edison Co. 3pp. 91136:011-91136:013.

**9612240115** Submits implementation status of station blackout rule commitments.
PERRY,J.S. Commonwealth Edison Co. 96/12/17. Document Control Branch (Document Control Desk). 3pp. 91227:314-91227:316.

**9612240122** Informs of administrative limit imposed on standby gas treatment sys charcoal efficiency due to secondary containment net free volume concern.
PERRY,J.S. Commonwealth Edison Co. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91205:360-91205:361.

**9612240324** Informs NRC of intent to implement Section 3.7.K.1 of TS upgrade program for plant.
PERRY,J.S. Commonwealth Edison Co. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91227:193-91227:196.

**--9612240325** Proposed Tech Specs Section 3.7.K.1 re suppression chamber.
* Commonwealth Edison Co. 96/12/18. 2pp. 91227:195-91227:196.

**9612260026** Forwards 1996 rept of revisions to commitments made in docketed correspondence.
PERRY,J.S. Commonwealth Edison Co. 96/12/18. Document Control Branch (Document Control Desk). 5pp. 91229:226-91229:230.

**9612260019** Submits clarification of design basis of nitrogen makeup sys used as interim method for combustible gas control until nitrogen atmospheric dilution sys is installed.
PERRY,J.S. Commonwealth Edison Co. 96/12/19. Document Control Branch (Document Control Desk). 3pp. 91229:223-91229:225.

**9612240322** Informs NRC of interim administrative measures being applied at plant to address issue re appropriate process setpoint for automatic isolation of HPCI steam supply on decreasing reactor vessel steam pressure.
PERRY,J.S. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 2pp. 91227:191-91227:192.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612260236** Forwards insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 & NOV.Violations have been corrected & actions reviewed during insp.
GRANT,G.E. Region 3 (Post 820201). 96/09/19. PERRY,J.S. Commonwealth Edison Co. 2pp. 91205:054-91205:057.

**--9612260240** Partially withheld insp repts 50-010/96-11,50-237/96-11 & 50-249/96-11 on 960731-0830 ref 10CFR73.21.Violations noted. Major areas inspected:aspects of plant support activities in area of physical security.
* Region 3 (Post 820201). 96/09/19. 2pp. 91205:056-91205:057.

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190437** Provides response to violations noted in Insp Repts 50-237/96-12,50-249/96-12,50-254/96-16 & 50-265/96-16. Corrective actions:Problem identification form initiated,as result of self assessment of fire protection.
KRAFT,E.S. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91174:353-91174:361.

**9612310065** Forwards supplemental response to insp repts 50-237/96-12, 50-249/96-12,50-254/96-16 & 50-265/96-16.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:214-91249:218.

**9612270052** Forwards NRC Insp Repts 50-237/96-201 & 50-249/96-201 on 960930-1011 & 961028-1108.No violations noted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/24. O'CONNOR,J.J. Commonwealth Edison Co. 7pp. 91347:002-91347:004.

**--9612310176** Insp repts 50-237/96-201 & 50-249/96-201 on 960930-1011 & 1028-1108.No violations noted.Major areas inspected: operations,radiation protection,maintenance & testing, engineering & technical support & mgt oversight.
HOWELL,A.T., COLLINS,S.J. Ofc of the Executive Director for Operations. 96/12/18. 160pp. 91261:203-91261:362.

**9612310118** Discusses plant performance review of Dresden Nuclear Station & advises of planned insp effort resulting from review.
HILAND,P.L. Region 3 (Post 820201). 96/12/24. PERRY,J.S. Commonwealth Edison Co. 3pp. 91235:135-91235:137.

**9612270048** Press release III-96-76, "NRC Staff Issues Rept of Independant Safety Insp at Dresden Nuclear Power Station."
* Region 3 (Post 820201). 96/12/26. 1p. 91347:001-91347:004.

**--9612270052** Forwards NRC Insp Repts 50-237/96-201 & 50-249/96-201 re safety insp team.W/o encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/24. O'CONNOR,J.J. Commonwealth Edison Co. 3pp. 91347:002-91347:004.

**R. Periodic operating reports & related correspondence**

**9612160396** Monthly operating repts for Nov 1996 for Dresden Nuclear Power Station.W/961206 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/11/30. 13pp. 91124:342-91124:354.

***S. Reportable occurrences, LERs & related correspondence***

**9612180086** Informs of review of commitments contained in LERs from 1991 to present.Failed to perform one item from 1989,supplemented in 1993.
PERRY,J.S. Commonwealth Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91148:260-91148:261.

**V. Operator Examinations**

**9612300018** Discusses plans for written & operating examinations to be administered during wk of 970324,per 961220 telcon.
LEACH,M.N. Region 3 (Post 820201). 96/12/20. PERRY,J.S. Commonwealth Edison Co. 3pp. 91229:031-91229:033.

**DOCKET 50-250 TURKEY POINT PLANT, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612030318** Forwards clarification of verbiage in Section 7.2.2 paragraph 2 of St Lucie Radiological Emergency Plan.
PLUNKETT,T.F. Florida Power & Light Co. 96/11/25. Document Control Branch (Document Control Desk). 3pp. 91011:095-91011:097.

**9612180067** Forwards 961010 SALP meeting summary.List of attendees & handout encl.
JULIAN,C.A. Region 2 (Post 820201). 96/12/10. PLUNKETT,T.F. Florida Power & Light Co. 13pp. 91133:066-91133:078.

**9612190431** Requests for exemption from certain requirements of 10CFR50 App R, "Fire Protection Program for Nuclear Power Facilities Operating Prior to 790101."
PLUNKETT,T.F. Florida Power & Light Co. 96/12/12. Document Control Branch (Document Control Desk). 38pp. 91201:256-91201:293.

**I. Financial information**

**9612310185** Submits Price Anderson Guarantees Form 10-K annual financial rept per 10CFR50.71(b).
KUNDALKAR,R.S. Florida Power & Light Co. 96/12/20. Document Control Branch (Document Control Desk). 60pp. 91266:285-91266:348.

**P. Operating license stage documents & correspondence**

**9612060020** Application for amends to licenses DPR-31 & DPR-41, requesting rev to allow Unit 3 diesel fuel oil storage tank to be drained,inspected & cleaned while maintaining at least one Unit 3 diesel operable.
HOVEY,R.J. Florida Power & Light Co. 96/11/22. Document Control Branch (Document Control Desk). 13pp. 91028:345-91028:361.

**--9612060022** Proposed tech specs 3/4.8 re electrical power sources & 3/4.8.1 re AC sources operating limiting condition for operation.
* Florida Power & Light Co. 96/11/22. 4pp. 91028:358-91028:361.

**9612090283** Responds to 951214 ltr re relief requests (RR) 6,14,15,16 & 17.RR 6 withdrawn,RR 16 previously approved,RRs 14 & 15 granted & RR 17 denied.SE & technical ltr rept encl.
HEBDON,F.J. . 96/12/04. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 91040:036-91040:055.

**--9612090290** Safety evaluation supporting Relief Requests 14 & 15 of licenses DPR 31 & 41,respectively.Relief Request 17 denied.
* . 96/12/04. 18pp. 91040:038-91040:055.

**9612180320** Discusses draft NUREG-1560, "Individual Plant Exam Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 91135:280-91135:284.

**9612240267** Application for amends to licenses DPR-31 & DPR-41,modifying TS to change SR for TS 4.4.10 re reactor coolant pump flywheel insp.
HOVEY,R.J. Florida Power & Light Co. 96/12/17. Document Control Branch (Document Control Desk). 11pp. 91227:140-91227:151.

**--9612240269** Proposed tech specs,modifying TSs to change SR for TS 4.4.10 re reactor coolant pump flywheel insp.
* Florida Power & Light Co. 96/12/17. 1p. 91227:151-91227:151.

**9612310141** Submits response to RAI re GL 92-01,Rev 1, "Reactor Vessel Structural Integrity."
HOVEY,R.J. Florida Power & Light Co. 96/12/23. Document Control Branch (Document Control Desk). 2pp. 91249:212-91249:213.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090093** Ack receipt of 961112 ltr informing NRC of steps taken to correct violations noted in insp repts 50-250/96-11 & 50-251/96-11.
JULIAN,C.A. Region 2 (Post 820201). 96/11/19. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91039:055-91039:057.

**9612100192** Responds to RAI re NRC Bulletin 96-001, "Control Rod Insertion Problems." Hot rod drop test results,encl.
HOVEY,R.J. Florida Power & Light Co. 96/12/03. Document Control Branch (Document Control Desk). 3pp. 91056:308-91056:310.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612180067** Forwards 961010 SALP meeting summary.List of attendees & handout encl.
JULIAN,C.A. Region 2 (Post 820201). 96/12/10. PLUNKETT,T.F. Florida Power & Light Co. 13pp. 91133:066-91133:078.

**9612230376** Forwards insp repts 50-250/96-12 & 50-251/96-12 on 960929- 1116.No violations noted.
JULIAN,C.A. Region 2 (Post 820201). 96/12/10. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91166:241-91166:279.

**--9612230382** Insp repts 50-250/96-12 & 50-251/96-12 on 960929-1116.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 2 (Post 820201). 96/12/10. 36pp. 91166:244-91166:279.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612240267** Application for amends to licenses DPR-31 & DPR-41,modifying TS to change SR for TS 4.4.10 re reactor coolant pump flywheel insp.
HOVEY,R.J. Florida Power & Light Co. 96/12/17. Document Control Branch (Document Control Desk). 11pp. 91227:140-91227:151.

**--9612240269** Proposed tech specs,modifying TSs to change SR for TS 4.4.10 re reactor coolant pump flywheel insp.
* Florida Power & Light Co. 96/12/17. 1p. 91227:151-91227:151.

**R. Periodic operating reports & related correspondence**

**9612180049** Monthly operating repts for Nov 1996 for Turkey Point Units 3 & 4.W/ 961211 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 96/11/30. 9pp. 91148:202-91148:210.

**DOCKET 50-251 TURKEY POINT PLANT, UNIT 4**

**F. Security, medical, emergency & fire protection plans**

**9612030318** Forwards clarification of verbiage in Section 7.2.2 paragraph 2 of St Lucie Radiological Emergency Plan.
PLUNKETT,T.F. Florida Power & Light Co. 96/11/25. Document Control Branch (Document Control Desk). 3pp. 91011:095-91011:097.

**9612180067** Forwards 961010 SALP meeting summary.List of attendees & handout encl.
JULIAN,C.A. Region 2 (Post 820201). 96/12/10. PLUNKETT,T.F. Florida Power & Light Co. 13pp. 91133:066-91133:078.

**9612190431** Requests for exemption from certain requirements of 10CFR50 App R, "Fire Protection Program for Nuclear Power Facilities Operating Prior to 790101."
PLUNKETT,T.F. Florida Power & Light Co. 96/12/12. Document Control Branch (Document Control Desk). 38pp. 91201:256-91201:293.

**I. Financial information**

**9612310185** Submits Price Anderson Guarantees Form 10-K annual financial rept per 10CFR50.71(b).
KUNDALKAR,R.S. Florida Power & Light Co. 96/12/20. Document Control Branch (Document Control Desk). 60pp. 91266:285-91266:348.

**P. Operating license stage documents & correspondence**

**9612060020** Application for amends to licenses DPR-31 & DPR-41, requesting rev to allow Unit 3 diesel fuel oil storage tank to be drained,inspected & cleaned while maintaining at least one Unit 3 diesel operable.
HOVEY,R.J. Florida Power & Light Co. 96/11/22. Document Control Branch (Document Control Desk). 13pp. 91028:345-91028:361.

**-9612060022** Proposed tech specs 3/4.8 re electrical power sources & 3/4.8.1 re AC sources operating limiting condition for operation.
* Florida Power & Light Co. 96/11/22. 4pp. 91028:358-91028:361.

**9612090283** Responds to 951214 ltr re relief requests (RR) 6,14,15,16 & 17.RR 6 withdrawn,RR 16 previously approved,RRs 14 & 15 granted & RR 17 denied.SE & technical ltr rept encl.
HEBDON,F.J. . 96/12/04. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 91040:036-91040:055.

**-9612090290** Safety evaluation supporting Relief Requests 14 & 15 of licenses DPR 31 & 41,respectively.Relief Request 17 denied.
* . 96/12/04. 18pp. 91040:038-91040:055.

**9612180320** Discusses draft NUREG-1560, "Individual Plant Exam Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 91135:280-91135:284.

**9612240267** Application for amends to licenses DPR-31 & DPR-41,modifying TS to change SR for TS 4.4.10 re reactor coolant pump flywheel insp.
HOVEY,R.J. Florida Power & Light Co. 96/12/17. Document Control Branch (Document Control Desk). 11pp. 91227:140-91227:151.

**-9612240269** Proposed tech specs,modifying TSs to change SR for TS 4.4.10 re reactor coolant pump flywheel insp.
* Florida Power & Light Co. 96/12/17. 1p. 91227:151-91227:151.

**9612310141** Submits response to RAI re GL 92-01,Rev 1, "Reactor Vessel Structural Integrity."
HOVEY,R.J. Florida Power & Light Co. 96/12/23. Document Control Branch (Document Control Desk). 2pp. 91249:212-91249:213.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090093** Ack receipt of 961112 ltr informing NRC of steps taken to correct violations noted in insp repts 50-250/96-11 & 50-251/96-11.
JULIAN,C.A. Region 2 (Post 820201). 96/11/19. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91039:055-91039:057.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612180067** Forwards 961010 SALP meeting summary.List of attendees & handout encl.
JULIAN,C.A. Region 2 (Post 820201). 96/12/10. PLUNKETT,T.F. Florida Power & Light Co. 13pp. 91133:066-91133:078.

**9612230376** Forwards insp repts 50-250/96-12 & 50-251/96-12 on 960929- 1116.No violations noted.
JULIAN,C.A. Region 2 (Post 820201). 96/12/10. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91166:241-91166:279.

**-9612230382** Insp repts 50-250/96-12 & 50-251/96-12 on 960929-1116.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 2 (Post 820201). 96/12/10. 36pp. 91166:244-91166:279.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612240267** Application for amends to licenses DPR-31 & DPR-41,modifying TS to change SR for TS 4.4.10 re reactor coolant pump flywheel insp.
HOVEY,R.J. Florida Power & Light Co. 96/12/17. Document Control Branch (Document Control Desk). 11pp. 91227:140-91227:151.

**-9612240269** Proposed tech specs,modifying TSs to change SR for TS 4.4.10 re reactor coolant pump flywheel insp.
* Florida Power & Light Co. 96/12/17. 1p. 91227:151-91227:151.

**R. Periodic operating reports & related correspondence**

**9612180049** Monthly operating repts for Nov 1996 for Turkey Point Units 3 & 4.W/ 961211 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 96/11/30. 9pp. 91148:202-91148:210.

**DOCKET 50-254 QUAD-CITIES STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612160057** Forwards SALP rept 13 for plant covering period 950723- 961026.Functional areas of plant operations & plant support rated category 2,maint & engineering areas rated category 3.
BEACH,A.B. Region 3 (Post 820201). 96/12/04. KRAFT,E. Commonwealth Edison Co. 4pp. 91096:112-91096:121.

**-9612160064** SALP repts 50-254/96-01 & 50-265/96-01 for 950723-961026.
* Region 3 (Post 820201). 96/12/04. 6pp. 91096:116-91096:121.

**9612190437** Provides response to violations noted in Insp Repts 50-237/96-12,50-249/96-12,50-254/96-16 & 50-265/96-16. Corrective actions:Problem identification form initiated,as result of self assessment of fire protection.
KRAFT,E.S. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91174:353-91174:361.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**9612300104** Revised EPIPs,including rev 17 to QEP 0105 Index,rev 10 to 0105-S01, "Station Director Alert Checklist," rev 10 to 0105-S03, "Station Director General Emergency Checklist," rev 20 to QEP 0140 Index & rev 8 to 0140-01.
* Commonwealth Edison Co. 96/12/20. 17pp. 91256:169-91256:185.

**9612310065** Forwards supplemental response to insp repts 50-237/96-12, 50-249/96-12,50-254/96-16 & 50-265/96-16.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:214-91249:218.

**H. General correspondence**

**9612110168** Advises that corporate restructuring was approved by NRC & completed,effective date of reorganization 961201.
* Affiliation Not Assigned. 96/12/06. Commonwealth Edison Co. 1p. 91081:325-91081:325.

**P. Operating license stage documents & correspondence**

**9612050093** Responds to NRC RAI for GL 95-07,dtd 960605 which had not been forwarded as scheduled due to administrative oversight.
KRAFT,E.S. Commonwealth Edison Co. 96/11/20. Document Control Branch (Document Control Desk). 3pp. 91039:358-91039:360.

**9612030321** Provides summary of completed actions re Cycle 14 refuel outage.
KRAFT,E.S. Commonwealth Edison Co. 96/11/21. Document Control Branch (Document Control Desk). 2pp. 91010:359-91010:360.

**9612120114** Application for amends to licenses DPR-25,DPR-29 & DPR-30, allowing single CR to be moved when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
PERRY,J.S. Commonwealth Edison Co. 96/12/06. Document Control Branch (Document Control Desk). 7pp. 91088:337-91088:351.

**-9612120124** Proposed tech specs 3/4.10.A, "Reactor Mode Switch," & Table 1-2, "Operational Modes," allowing single RC move when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
* Commonwealth Edison Co. 96/12/06. 8pp. 91088:344-91088:351.

**9612120258** Requests addl info re 960920 request for proposed amend to TS for both Dresden Units 2 & 3 & Quad Cities,units 1 & 2 to update pressure temp curves.
STANG,J.F. . 96/12/09. JOHNSON,I. Commonwealth Edison Co. 5pp. 91075:133-91075:137.

**9612180081** Describes mod which will automatically isolate RWCU sys on direct indication of line break.
HOSMER,J.B. Commonwealth Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91148:258-91148:259.

**9612270070** Forwards update to internal events PSA for plant for info. Results are well within safety goals established by NRC.
HOSMER,J.B. Commonwealth Edison Co. 96/12/17. Document Control Branch (Document Control Desk). 2pp. 91252:156-91252:300.

**-9612270071** "Probabilistic Safety Assessment Update 1996,Summary Document."
* Commonwealth Edison Co. 96/12/31. 143pp. 91252:158-91252:300.

**9612240326** Forwards status of & info re license expiration date in response to ltr dtd 951114.Requests that ComEd advise staff whether it wants to proceed w/change in license expiration date for both units or whether wishes to withdraw request.
PULSIFER,R.M. . 96/12/20. JOHNSON,I. Commonwealth Edison Co. 2pp. 91197:342-91197:343.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060031** Forwards insp repts 50-254/96-12 & 50-265/96-12 on 960923 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/11/26. KRAFT,E. Commonwealth Edison Co. 3pp. 91024:034-91024:068.

**--9612060033** Notice of violation from insp on 960823-0923.Violation noted:Quad Cities annunciator procedure QCAN 901(2)-4-H-15 was not appropriate to circumstances.
* Region 3 (Post 820201). 96/11/26. 2pp. 91024:037-91024:038.

**--9612060036** Insp repts 50-254/96-12 & 50-265/96-12 on 960823-0923. Violations noted.Major areas inspected:licensee operations, engineering,maint & plant support.
* Region 3 (Post 820201). 96/11/26. 30pp. 91024:039-91024:068.

**9612160057** Forwards SALP rept 13 for plant covering period 950723- 961026.Functional areas of plant operations & plant support rated category 2,maint & engineering areas rated category 3.
BEACH,A.B. Region 3 (Post 820201). 96/12/04. KRAFT,E. Commonwealth Edison Co. 4pp. 91096:112-91096:121.

**--9612160064** SALP repts 50-254/96-01 & 50-265/96-01 for 950723-961026.
* Region 3 (Post 820201). 96/12/04. 6pp. 91096:116-91096:121.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060047** Press release III-96-073, "Quad Cities Nuclear Plant Rated 'Good' in Two Areas, 'Acceptable' in Two Areas in NRC Performance Assessment."
* Region 3 (Post 820201). 96/12/06. 2pp. 91126:350-91126:351.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190437** Provides response to violations noted in Insp Repts 50-237/96-12,50-249/96-12,50-254/96-16 & 50-265/96-16. Corrective actions:Problem identification form initiated,as result of self assessment of fire protection.
KRAFT,E.S. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91174:353-91174:361.

**9612310014** Forwards insp repts 50-254/96-14 & 50-265/96-14 on 960924-1026 & NOV.
GROBE,J.A. Region 3 (Post 820201). 96/12/20. KRAFT,E. Commonwealth Edison Co. 2pp. 91235:011-91235:037.

**--9612310018** Notice of violation from insp on 960924-1026.Violation noted:pressure temp limit graph from Procedure GCOS 0201-02, "Primary Sys Boundary Thermal Limitations," Rev 5,was found posted in control room on 961011 w/o approval signature.
* Region 3 (Post 820201). 96/12/20. 2pp. 91235:013-91235:014.

**--9612310021** Insp repts 50-254/96-14 & 50-265/96-14 on 960924-1026. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 96/12/20. 23pp. 91235:015-91235:037.

**9612310065** Forwards supplemental response to insp repts 50-237/96-12, 50-249/96-12,50-254/96-16 & 50-265/96-16.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:214-91249:218.

**9612310008** Advises of planned insp effort resulting from plant PPR review on 961108.Info provided to enable appropriate consideration of resource impact on staff & to permit scheduling conflicts.
HILAND,P. Region 3 (Post 820201). 96/12/26. KRAFT,E. Commonwealth Edison Co. 3pp. 91235:001-91235:003.

**R. Periodic operating reports & related correspondence**

**9612240098** Monthly operating repts for Nov 1996 for Quad Cities Nuclear Station Units 1 & 2.W/961210 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 96/11/30. 21pp. 91227:272-91227:292.

**S. Reportable occurrences, LERs & related correspondence**

**9612030323** Forwards LER 96-022-00.Licensee commitments listed.
PEARCE,L.W. Commonwealth Edison Co. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91050:106-91050:113.

**--9612030325** LER 96-022-00:on 961028,"B" train CR HVAC failed to maintain upgraded TS requirement for CR pressurization due to misapplication or interpretation of design inputs & regulatory requirements.Sealed CREVS ductwork leaks.
PETERSON,C. Commonwealth Edison Co. 96/11/25. 6pp. 91050:108-91050:113.

**9612310164** Provides commitments re LER 96-023.Predefined model work request which initiates perodic maint procedure initiated.
PEARCE,L.W. Commonwealth Edison Co. 96/12/23. Document Control Branch (Document Control Desk). 2pp. 91266:256-91266:262.

**--9612310167** LER 96-023-00:on 961124,CR emergency filtration sys failed to maintain required airflow due to cognitive personnel error.Instrument loop for gauge FI 1/2-5795-307 calibr.
PETERSON,C. Commonwealth Edison Co. 96/12/23. 5pp. 91266:258-91266:262.

**V. Operator Examinations**

**9612040040** Advises that License SOP-31283 will not be maintained, effective 961115.P Lopez de Victoria removed from license duty & requested license be terminated.
KRAFT,E.S. Commonwealth Edison Co. 96/11/20. Document Control Branch (Document Control Desk). 1p. 91011:353-91011:353.

**DOCKET 50-255 PALISADES NUCLEAR PLANT**

**F. Security, medical, emergency & fire protection plans**

**9612260228** Rev 0 to App I to Site Emergency Plan "NUREG-0654 Crossreference," replacing w/WordPerfect 6.1 conversion.
BRUNET,J.R. Consumers Power Co. 96/06/18. 8pp. 91235:328-91235:335.

**9612030295** Forwards temporary changes to security plan,scheduled to be implemented,effective 961111-16.Encl withheld,per 10CFR73.21(c).
BORDINE,T.C. Consumers Power Co. 96/11/19. Document Control Branch (Document Control Desk). 2pp. 91008:343-91008:344.

**9612030215** Forwards insp rept 50-255/96-13 on 961025.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. PALMISANO,T. Consumers Power Co. 2pp. 90974:001-90974:014.

**--9612030219** Insp rept 50-255/96-13 on 961021-25.No violations noted. Major areas inspected:evaluation of performance during plant biennial emergency preparedness exercise & review of previous open items.
* Region 3 (Post 820201). 96/11/27. 12pp. 90974:003-90974:014.

**9612040243** Discusses 960723-24 evaluation of physical protection program.Mods to protection program resulting from 1992 operational safeguards response evaluation were evaluated.
CUNNINGHAM,L.J. . 96/11/27. PALMISANO,T. Palisades Generating Co. 3pp. 91007:215-91007:217.

**9612110196** Forwards "1996 Palisades Emergency Exercise Scenario."
BORDINE,T.C. Consumers Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91077:044-91077:323.

**--9612110205** "Final Scenario,1996 Palisades Emergency Exercise."
* Consumers Power Co. 96/10/22. 278pp. 91077:046-91077:323.

**9612120089** Rev 8 to EPIP EI-6.13, "Protective Action Recommendations for Offsite Populations."
BRUNET,J.R. Consumers Power Co. 96/12/03. 17pp. 91092:030-91092:046.

**9612190207** Rev 6 to Procedure REC-1, "Recovery."
PENROD,K.L., BROTT,N. Consumers Power Co. 96/12/04. 2pp. 91164:357-91164:358.

**9612170318** Forwards list of issues re unresolved item 255/95004-05 re adequacy of west wall of turbine lube oil room,adequacy of CCW pump room wall,detailed engineering evaluation & calculations re fire area barriers.
BORDINE,T.C. Consumers Power Co. 96/12/09. Document Control Branch (Document Control Desk). 10pp. 91144:310-91144:348.

**--9612170325** Rev 2 to "Evaluation of Effects of Fire on West Wall of Turbine Lube Oil Room Adjacent to Pipe Tunnel Between Turbine Bldg & Feedwater Purity Bldg."
YOUNG,L.D. Consumers Power Co. EA-FPP-95-054 R02. 96/06/14. 14pp. 91144:320-91144:333.

**--9612170336** Rev 2 to "Evaluation of Effects of Fire on West Wall of Component Cooling Water Pump Room (Fire Area 16)."
YOUNG,L.D. Consumers Power Co. EA-FPP-95-050 R02. 96/06/08. 15pp. 91144:334-91144:348.

**9612180260** Rev 9 to EPIP EI-10, "Accident Environ Assessment."
* Consumers Power Co. 96/12/09. 42pp. 91155:125-91155:166.

**9612190196** Rev 11 to EPIP EI-15.1, "Training & Drills."
BRUNET,J.R., HOBE,M.A., SCHNEIDER,K.M. Consumers Power Co. 96/12/10. 10pp. 91164:339-91164:348.

**9612190199** Rev 7 to Procedure EOF-12, "Logistics Support Team."
PENROD,K.L., BRUNET,J.R., BROTT,N.K. Consumers Power Co. 96/12/10. 11pp. 91184:284-91184:294.

**9612190204** Rev 6 to Procedure EOF-10, "Property Protection Team."
PENROD,K.L. Consumers Power Co. 96/12/10. 11pp. 91184:295-91184:305.

**9612190209** Rev 9 to Procedure EOF-7, "Health Physics Support Team."
PENROD,K.L., BRUNET,J.R., NEAL,T.P. Consumers Power Co. 96/12/10. 10pp. 91184:306-91184:315.

**9612190213** Rev 7 to Procedure EOF-3, "Emergency Operations Facility Administrator."
PENROD,K.L., BROTT,N.K., RITT,C.R. Consumers Power Co. 96/12/10. 6pp. 91182:355-91182:360.

**9612190220** Rev 8 to Nuclear Operations Dept Emergency Operations Facility Procedure EOF-6, "Engineering Support Team."
PENROD,K.L., BRUNET,J.R. Consumers Power Co. 96/12/10. 10pp. 91184:322-91184:332.

**9612190225** Rev 8 to Nuclear Operations Dept Emergency Operations Facility Procedure EOF-4, "Communication Support Team."
PENROD,K.L., BRUNET,J.R. Consumers Power Co. 96/12/10. 12pp. 91184:338-91184:349.

**9612190229** Rev 2 to Nuclear Operations Dept Emergency Operations Facility Procedure EOF-13, "Governmental Liaison."
PENROD,K. Consumers Power Co. 96/12/10. 8pp. 91184:350-91184:357.

**9612190232** Rev 5 to Nuclear Operations Dept Emergency Operations Facility Procedure EOF-11, "Administrative Support Team."
PENROD,K.L., BROTT,N.K., RITT,C.R. Consumers Power Co. 96/12/10. 7pp. 91191:237-91191:243.

**9612200199** Ack receipt of ltr dtd 961016,transmitting changes identified as Rev 37 to security plan,submitted,per 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/12. BORDINE,T.C. Consumers Power Co. 2pp. 91192:334-91192:335.

**9612190235** Rev 4 to EPIP EI-11.2, "Core Damage Assessment From Post Accident Sampling."
* Consumers Power Co. 96/12/13. 31pp. 91191:244-91191:274.

**9612230401** Forwards Rev 2 to summary description of installed vehicle control measures,identifies change to vehicle barrier design made to address specific site conditions.Encl withheld,per 10CFR73.21(c).
BORDINE,T.C. Consumers Power Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91201:033-91201:034.

**9612230410** Forwards Rev 38 to security plan.Attachment includes description of & justification for changes included in Rev 38 & revised pages to be entered into plan.Encl withheld,per 10CFR73.21(c).
BORDINE,T.C. Consumers Power Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91201:035-91201:035.

**9612270078** Ack receipt of ltr dtd 961119,transmitting changes identified as temporary change to security plan,submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/18. BORDINE,T.C. Consumers Power Co. 2pp. 91249:078-91249:079.

**9612270080** Ack receipt of ltr dtd 961119,transmitting changes identified as Rev 16 to plant suitability,training & qualification plan,submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/18. BORDINE,T.C. Consumers Power Co. 2pp. 91249:082-91249:083.

**9612240298** Notification of 970109 meeting w/listed attendess in Rockville,MD to discuss potential alternative approaches to mgt of dose assessment for protective action decision making w/respect to emergency planning.
KUGLER,A.J. . 96/12/20. HANNON,J.N. . 7pp. 91193:326-91193:332.

**G. Adjudicatory correspondence**

**9612180087** Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

**--9612180156** Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:338.

**9612230202** Responds to 961029 ltr to C Paperiello,B Travers & C Haughney.Staff evaluating suggestion re independent review of design of VSC-24 case sys as part of evaluation of 10CFR2.206.
MARCUS,G.H. . 96/12/19. SINCLAIR,M.P. Don't Waste Michigan. 2pp. 91194:093-91194:116.

**--9612230214** Requests NRC request in-depth independent third party review of cask sys by National Association of Corrosion Engineers.
SINCLAIR,M.P. Don't Waste Michigan. 96/10/29. PAPERIELLO,C., TRAVERS,B., HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 13pp. 91194:096-91194:108.

**--9612230230** Forwards petition pursuant to 10CFR2.206 of Commissions regulations.Petition addresses new info on unresolved design problems of VSC-24 cask which became known to public as result of hydrogen ignition at Point Beach on 960528.
ROEMER,E. Don't Waste Michigan. 96/10/18. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91194:109-91194:109.

**--9612240191** Petition to prohibit loading of any & all VSC-24 nuclear waste storage casks by users of cask under general license until NRC following independent third party review of VSC-24 cask design & amended SAR & SER.
SINCLAIR,M.P. Don't Waste Michigan. 96/12/19. Commissioners (Post 750119). 7pp. 91194:110-91194:116.

**H. General correspondence**

**9612190275** Discusses K Barnes concern re storage of spent nuclear fuel in dry storage casks at independent spent fuel storage installations.
MARCUS,G.H. . 96/12/17. BARNES,K. Affiliation Not Assigned. 4pp. 91137:023-91137:030.

**--9612190287** Forwards ltr sent to Herald-Palladium from M Sinclair.
BARNES,K. Affiliation Not Assigned. 96/10/07. GORE,A. Senate, President of the Senate. 4pp. 91137:027-91137:030.

**9612200203** Responds to 961109,14 & 1204 ltrs re dry cask storage for spent nuclear fuel.
MARCUS,G.H. . 96/12/18. SHILLINGLAW,F. Affiliation Not Assigned. 5pp. 91181:053-91181:069.

**P. Operating license stage documents & correspondence**

**9612260130** Discusses LBLOCA evaluation model & problems identified concerning changes in model used by SPC for pressurized water reactors.In accordance w/ 10CFR50.46(a)(3)(ii) impact of model errors & changes should be assessed.
SHERON,B.W. . 96/10/11. BORDINE,T.C. Consumers Power Co. 4pp. 91201:081-91201:084.

**9612020231** Clarifies statement made during verbal presentation of 961016 & in ltr dtd 961024, "10CFR50.46 Large Break Loss of Coolant Evaluation Model for Palisades Plant."
BORDINE,T.C. Consumers Power Co. 96/11/22. Document Control Branch (Document Control Desk). 2pp. 91003:145-91003:146.

**9612030190** Provides response to request for addl info re electrical power sys sections of TS.
BORDINE,T.C. Consumers Power Co. 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91008:350-91008:356.

**9612040211** Forwards Rev 18 to EM-09-02,Pages 14 & 15 "Inservice Testing Program Relief Request Valve Relief Request 20."
BORDINE,T.C. Consumers Power Co. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91039:135-91039:139.

**--9612040217** Corrected Pages 14 & 15 to Rev 18 to EM-09-02, "Inservice Testing Program Relief Request Valve Relief Request 20."
* Consumers Power Co. 96/11/27. 3pp. 91039:137-91039:139.

**9612170339** Forwards rev 3 of COLR which contains limits for fuel cycle 13 & future cycles.
BORDINE,T.C. Consumers Power Co. 96/12/10. Document Control Branch (Document Control Desk). 1p. 91139:349-91139:359.

**--9612170342** Rev 3 to "Palisades COLR."
* Consumers Power Co. 96/12/04. 10pp. 91139:350-91139:359.

**9612170298** Forwards request for addl info re plant 10CFR50.46 large break loss of coolant accident evaluation model.
SCHAAF,R.G. . 96/12/13. BORDINE,T.C. Consumers Power Co. 5pp. 91124:074-91124:078.

**9612240271** Forwards safety evaluation re updated reactor pressure vessel fluence values.
HANNON,J.N. . 96/12/20. BORDINE,T.C. Consumers Power Co. 4pp. 91193:251-91193:297.

**--9612240280** Safety evaluation accepting 8% reduction in calculated fluence due to physical changes in plant & denying remaining 17% due to spectral adjustments.
* . 96/12/20. 44pp. 91193:255-91193:297.

**9612260151** Discusses licensee responses to GL 92-01,rev 1,suppl 1, "Reactor Vessel Structural Integrity." NRC closing out TAC M92708 for plant but will review new RPV data at later date.
SCHAAF,R.G. . 96/12/23. BORDINE,T.C. Consumers Power Co. 3pp. 91201:085-91201:087.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612260119** Forwards insp rept 50-255/96-08 on 960727-0906 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/10/18. PALMISANO,T. Consumers Power Co. 2pp. 91200:107-91200:124.

**--9612260126** Notice of violation from insp on 960727-0906.Violation noted:on 960820,electrical maint technician operated supply ventilation fan to EDG 1-2 room w/o proper authorization of shift supervisor.
* Region 3 (Post 820201). 96/10/18. 2pp. 91200:109-91200:110.

**--9612260129** Insp rept 50-255/96-08 on 960727-0906.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 3 (Post 820201). 96/10/18. 14pp. 91200:111-91200:124.

**9612030215** Forwards insp rept 50-255/96-13 on 961025.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. PALMISANO,T. Consumers Power Co. 2pp. 90974:001-90974:014.

**--9612030219** Insp rept 50-255/96-13 on 961021-25.No violations noted. Major areas inspected:evaluation of performance during plant biennial emergency preparedness exercise & review of previous open items.
* Region 3 (Post 820201). 96/11/27. 12pp. 90974:003-90974:014.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612120497** Forwards insp rept 50-255/96-10 on 960907-1018 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/12/05. PALMISANO,T. Consumers Power Co. 2pp. 91082:046-91082:066.

**--9612120508** Notice of violation from insp on 960907-1018.Violation noted:licensee staff failed to initiate CR upon discovery that Palisades potentially susceptible to "Potential Common Mode Post Accident Failure of Containment Coolers."
* Region 3 (Post 820201). 96/12/05. 2pp. 91082:048-91082:049.

**--9612120516** Insp rept 50-255/96-10 on 960907-1018.Violations noted. Major areas inspected:conduct of operations,conduct of maint & conduct of engineering.
* Region 3 (Post 820201). 96/12/05. 17pp. 91082:050-91082:066.

**9612160420** Submits SG tube surveillance rept re tubes plugged during insp completed 961128.
BORDINE,T.C. Consumers Power Co. 96/12/06. Document Control Branch (Document Control Desk). 2pp. 91129:017-91129:018.

**9612170318** Forwards list of issues re unresolved item 255/95004-05 re adequacy of west wall of turbine lube oil room,adequacy of CCW pump room wall,detailed engineering evaluation & calculations re fire area barriers.
BORDINE,T.C. Consumers Power Co. 96/12/09. Document Control Branch (Document Control Desk). 10pp. 91144:310-91144:348.

**--9612170325** Rev 2 to "Evaluation of Effects of Fire on West Wall of Turbine Lube Oil Room Adjacent to Pipe Tunnel Between Turbine Bldg & Feedwater Purity Bldg."
YOUNG,L.D. Consumers Power Co. EA-FPP-95-054 R02. 96/06/14. 14pp. 91144:320-91144:333.

**--9612170336** Rev 2 to "Evaluation of Effects of Fire on West Wall of Component Cooling Water Pump Room (Fire Area 16)."
YOUNG,L.D. Consumers Power Co. EA-FPP-95-050 R02. 96/06/08. 15pp. 91144:334-91144:348.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas in RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160410** Submits RAI re IE Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety- Related Equipement."
SCHAFF,R.G. . 96/12/11. BORDINE,T.C. Consumers Power Co. 4pp. 91101:190-91101:193.

**9612200031** Forwards insp rept 50-255/96-15 on 961113-20.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/11. PALMISANO,T. Palisades Generating Co. 2pp. 91149:032-91149:047.

**--9612200034** Insp rept 50-255/96-15 on 961113-20.No violations noted. Major areas inspected:examination of activities conducted under license related to radiation safety & to compliance of Commissions rules & regulations.
* Region 3 (Post 820201). 96/12/11. 14pp. 91149:034-91149:047.

**9612270100** Forwards insp rept 50-255/96-12 on 961016.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/11. PALMISANO,T. Consumers Power Co. 3pp. 91250:343-91250:360.

**--9612270106** Insp rept 50-255/96-12 on 961007-16.Non-cited violations noted.Major areas inspected:operations,engineering & nuclear performance assessment departments re effectiveness in identifying,resolving & preventing problems.
* Region 3 (Post 820201). 96/12/11. 15pp. 91250:346-91250:360.

**9612260227** Advises of planned insp effort resulting from plant performance review & forwards insp plan for approximately next six months to enable appropriate consideration of resource impact on staff.
MILLER,L.F. Region 3 (Post 820201). 96/12/19. PALMISANO,T. Consumers Power Co. 3pp. 91196:334-91196:336.

**R. Periodic operating reports & related correspondence**

**9612110304** Monthly operating rept for Nov 1996 for Palisades Nuclear Plant.W/961203 ltr.
KOBIATA,K.A., HAWN,R.S. Consumers Power Co. 96/11/30. 5pp. 91083:328-91083:332.

**S. Reportable occurrences, LERs & related correspondence**

**9612240188** Forwards LER 96-013-00 re DC breaker failure during testing for as-found trip setting.One new commitment & no revs to existing commitments offered.
PALMISANO,T.J. Consumers Power Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91242:055-91242:058.

**--9612240199** LER 96-013-00:on 961115,DC breaker failure during testing for as-found trip setting occurred.Cause under investigation.All molded-case circuit breakers in DC distribution panels were replaced.
ENGLE,D.E. Consumers Power Co. 96/12/16. 3pp. 91242:056-91242:058.

**V. Operator Examinations**

**9612160021** Informs that written & operating exams scheduled for wks of 970407 & 14 at plant.Requests that staff furnish ref matls identified in attachment 2 of ES-201,by 970106.
MCNEIL,D.R. Region 3 (Post 820201). 96/12/10. PALMISANO,T. Consumers Power Co. 2pp. 91096:061-91096:062.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612130238** Submits response to concern on seismic requirements for ISFSI pads.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/07. LANDSMAN,R. Region 3 (Post 820201). 4pp. 91118:322-91118:325.

**9612180217** Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Lake Michigan Federation. 5pp. 91155:203-91155:251.

**--9612180239** Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**--9612180306** Safety evaluation accepting util response to NRC Bulletin 96-004 for use of VSC-24 cask.
* Office of Nuclear Material Safety & Safeguards. 96/12/03. 31pp. 91155:218-91155:251.

**DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030211** Rev 32 to Radiological Emergency Plan (REP).W/961127 ltr.
POGUE,J.E., BARON,R.R. Tennessee Valley Authority. 96/10/31. 120pp. 91010:059-91010:178.

**9612040002** Revised EPIPs,including rev to Effective Page Listing,rev 21 to EPIP 1,rev 17 to EPIP 2,rev 19 to EPIP 3,rev 20 to EPIP 4,rev 22 to EPIP 5,rev 14 to EPIP 6,rev 17 to EPIP 7,rev 15 to EPIP 8,rev 8 to EPIP 10 & rev 8 to EPIP 11.W/961127 ltr.
POGUE,J.E., BARON,R.R. Tennessee Valley Authority. 96/11/27. 235pp. 91021:044-91021:278.

**9612060095** Revised EPIPs,including Rev 19 to EPIP-2,Rev 22 to EPIP-3, Rev 21 to EPIP-4,Rev 23 to 17 to EPIP-6 & Rev 17 to EPIP-7. W/961127 ltr.
ABNEY,T.E. Tennessee Valley Authority. 96/11/27. 103pp. 91040:248-91040:358.

**9612090309** Rev 14 to CECC EPIP-14 to "Nuclear Emergency Public Info Organization & Operations" & revised list of effective pages.W/961202 ltr.
BARON,R.R. Tennessee Valley Authority. 96/12/02. 38pp. 91054:217-91054:254.

**9612130115** Responds to NRC 961107 ltr re violations noted in insp repts 50-259/96-10,50-260/96-10 & 50-296/96-10.Corrective Actions: keys to two vehicles were confiscated & controlled by site security.
MACHON,R.D. Tennessee Valley Authority. 96/12/06. Document Control Branch (Document Control Desk). 8pp. 91118:297-91118:304.

**P. Operating license stage documents & correspondence**

**9612020187** Confirms conservation between T Abney & M Lesser re 961119 meeting in Atlanta,GA to update NRC on final safety analysis rept review efforts.
LESSER,M.S. Region 2 (Post 820201). 96/11/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 90965:018-90965:020.

**9612030136** Requests exemption from 10CFR 70.24(a), "Criticality Accident Requirements."
ABNEY,T.E. Tennessee Valley Authority. 96/11/22. Document Control Branch (Document Control Desk). 6pp. 91008:152-91008:157.

**9612060016** Notification of cancelled 961204 meeting w/util in Rockville,MD to discuss plant site engineering program.
WILLIAMS,J.F. . 96/11/25. HEBDON,F.J. . 2pp. 91028:303-91028:304.

**9612090154** Confirms conversation w/licensee concerning working level meeting scheduled for 961216 to discuss radiological control & chemistry issues at Browns Ferry site.
LESSER,M.S. Region 2 (Post 820201). 96/11/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91039:099-91039:101.

**9612120369** Ack receipt of 961011 request for approval to change QAP description & informs that based on current review schedule, review will be completed within 60 days.
HERNAN,R.W. . 96/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91074:358-91074:360.

**9612130134** Notification of 961217 meeting w/TVA in Rockville,MD to discuss Browns Ferry site engineering program.
WILLIAMS,J.F. . 96/12/11. HEBDON,F.J. . 3pp. 91093:344-91093:346.

**9612170109** Forwards safety evaluation & RAI re reactor bldg radiation monitoring equipment.
WILLIAMS,J.F. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91131:263-91131:273.

**--9612170122** Safety evaluation accepting licensee EMI/RFI site-survey consistent w/ industry stds & practice.
* . 96/12/11. 8pp. 91131:266-91131:273.

**9612170365** Application for amends to Licenses DPR-33,DPR-52 & DPR-68, consisting of TS-386,increasing TS 2.2.A re safety/relief valve setpoint requirements for reactor coolant sys integrity.Rev 3 to J11-02761SRLR rept encl.
ABNEY,T.E. Tennessee Valley Authority. 96/12/11. Document Control Branch (Document Control Desk). 20pp. 91138:195-91138:292.

**--9612170370** Proposed Tech Specs 2.2.A re safety/relief valve setpoint requirements for reactor coolant sys integrity.
* Tennessee Valley Authority. 96/12/11. 25pp. 91138:215-91138:239.

**--9612170382** "Supplemental Reload Licensing Rept for Brown Ferry Nuclear Plant Unit 2,Reload 8,Cycle 9."
REDA,R.J., PAPANDRA,C.J. General Electric Co. J11-02761SRLR R03. 96/05/31. 36pp. 91138:240-91138:275.

**--9612170388** "Browns Ferry Nuclear Plant Engineering Rept for Safety/ Relief Valves Safety Function Lift Setpoint Tolerence Relaxation Summary Rept."
* Tennessee Valley Authority. 96/11/12. 17pp. 91138:276-91138:292.

**9612170366** Informs of availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91131:349-91131:353.

**9612190305** Requests that calculations submitted in 961018 ltr be withheld from public disclosure.NRC grants request.
WILLIAMS,J.F. . 96/12/17. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 91137:019-91137:022.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612130115** Responds to NRC 961107 ltr re violations noted in insp repts 50-259/96-10,50-260/96-10 & 50-296/96-10.Corrective Actions: keys to two vehicles were confiscated & controlled by site security.
MACHON,R.D. Tennessee Valley Authority. 96/12/06. Document Control Branch (Document Control Desk). 8pp. 91118:297-91118:304.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612230176** Monthly operating repts for Nov 1996 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/961211 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 96/11/30. 13pp. 91233:340-91233:352.

**DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612030211** Rev 32 to Radiological Emergency Plan (REP).W/961127 ltr.
POGUE,J.E., BARON,R.R. Tennessee Valley Authority. 96/10/31. 120pp. 91010:059-91010:178.

**9612040002** Revised EPIPs,including rev to Effective Page Listing,rev 21 to EPIP 1,rev 17 to EPIP 2,rev 19 to EPIP 3,rev 20 to EPIP 4,rev 22 to EPIP 5,rev 14 to EPIP 6,rev 17 to EPIP 7,rev 15 to EPIP 8,rev 8 to EPIP 10 & rev 8 to EPIP 11.W/961127 ltr.
POGUE,J.E., BARON,R.R. Tennessee Valley Authority. 96/11/27. 235pp. 91021:044-91021:278.

**9612060095** Revised EPIPs,including Rev 19 to EPIP-2,Rev 22 to EPIP-3, Rev 21 to EPIP-4,Rev 23 to 17 to EPIP-6 & Rev 17 to EPIP-7. W/961127 ltr.
ABNEY,T.E. Tennessee Valley Authority. 96/11/27. 103pp. 91040:248-91040:358.

**9612090309** Rev 14 to CECC EPIP-14 to "Nuclear Emergency Public Info Organization & Operations" & revised list of effective pages.W/961202 ltr.
BARON,R.R. Tennessee Valley Authority. 96/12/02. 38pp. 91054:217-91054:254.

**9612130115** Responds to NRC 961107 ltr re violations noted in insp repts 50-259/96-10,50-260/96-10 & 50-296/96-10.Corrective Actions: keys to two vehicles were confiscated & controlled by site security.
MACHON,R.D. Tennessee Valley Authority. 96/12/06. Document Control Branch (Document Control Desk). 8pp. 91118:297-91118:304.

**P. Operating license stage documents & correspondence**

**9612020187** Confirms conservation between T Abney & M Lesser re 961119 meeting in Atlanta,GA to update NRC on final safety analysis rept review efforts.
LESSER,M.S. Region 2 (Post 820201). 96/11/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 90965:018-90965:020.

**9612030136** Requests exemption from 10CFR 70.24(a), "Criticality Accident Requirements."
ABNEY,T.E. Tennessee Valley Authority. 96/11/22. Document Control Branch (Document Control Desk). 6pp. 91008:152-91008:157.

**9612060016** Notification of cancelled 961204 meeting w/util in Rockville,MD to discuss plant site engineering program.
WILLIAMS,J.F. . 96/11/25. HEBDON,F.J. . 2pp. 91028:303-91028:304.

**9612090154** Confirms conversation w/licensee concerning working level meeting scheduled for 961216 to discuss radiological control & chemistry issues at Browns Ferry site.
LESSER,M.S. Region 2 (Post 820201). 96/11/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91039:099-91039:101.

**9612120369** Ack receipt of 961011 request for approval to change QAP description & informs that based on current review schedule, review will be completed within 60 days.
HERNAN,R.W. . 96/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91074:358-91074:360.

**9612130134** Notification of 961217 meeting w/TVA in Rockville,MD to discuss Browns Ferry site engineering program.
WILLIAMS,J.F. . 96/12/11. HEBDON,F.J. . 3pp. 91093:344-91093:346.

**9612170109** Forwards safety evaluation & RAI re reactor bldg radiation monitoring equipment.
WILLIAMS,J.F. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91131:263-91131:273.

**–9612170122** Safety evaluation accepting licensee EMI/RFI site-survey consistent w/ industry stds & practice.
* . 96/12/11. 8pp. 91131:266-91131:273.

**9612170365** Application for amends to Licenses DPR-33,DPR-52 & DPR-68, consisting of TS-386,increasing TS 2.2.A re safety/relief valve setpoint requirements for reactor coolant sys integrity.Rev 3 to J11-02761SRLR rept encl.
ABNEY,T.E. Tennessee Valley Authority. 96/12/11. Document Control Branch (Document Control Desk). 20pp. 91138:195-91138:292.

**–9612170370** Proposed Tech Specs 2.2.A re safety/relief valve setpoint requirements for reactor coolant sys integrity.
* Tennessee Valley Authority. 96/12/11. 25pp. 91138:215-91138:239.

**–9612170382** "Supplemental Reload Licensing Rept for Brown Ferry Nuclear Plant Unit 2,Reload 8,Cycle 9."
REDA,R.J., PAPANDRA,C.J. General Electric Co. J11-02761SRLR R03. 96/05/31. 36pp. 91138:240-91138:275.

**–9612170388** "Browns Ferry Nuclear Plant Engineering Rept for Safety/ Relief Valves Safety Function Lift Setpoint Tolerence Relaxation Summary Rept."
* Tennessee Valley Authority. 96/11/12. 17pp. 91138:276-91138:292.

**9612170366** Informs of availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91131:349-91131:353.

**9612190305** Requests that calculations submitted in 961018 ltr be withheld from public disclosure.NRC grants request.
WILLIAMS,J.F. . 96/12/17. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 91137:019-91137:022.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612130115** Responds to NRC 961107 ltr re violations noted in insp repts 50-259/96-10,50-260/96-10 & 50-296/96-10.Corrective Actions: keys to two vehicles were confiscated & controlled by site security.
MACHON,R.D. Tennessee Valley Authority. 96/12/06. Document Control Branch (Document Control Desk). 8pp. 91118:297-91118:304.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612230176** Monthly operating repts for Nov 1996 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/961211 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 96/11/30. 13pp. 91233:340-91233:352.

**S. Reportable occurrences, LERs & related correspondence**

**9612030291** Forwards LER that provides details concerning reactor scram due to main turbine control valve fast closure which occurred 961029.
MACHON,R.D. Tennessee Valley Authority. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91050:063-91050:071.

**–9612030297** LER 96-007-00:on 961029,Unit 2 scram on turbine control valve fast closure occurred due to loss of excitation to main generator.Exciter brushes inspected & replaced & procedures revised.
MATHERLY,D. Tennessee Valley Authority. 96/11/27. 6pp. 91050:066-91050:071.

**9612030304** LER 96-008-00:on 961101,MS SR valves exceeded TS required setpoint limit as result of disc/seat bonding.Caused by corrosion bonding of SRV pilot interface.Replaced all thirteen MS SR valve pilot cartridges.W/961127 ltr.
MATHERLY,D.C., MACHON,R.D. Tennessee Valley Authority. 96/11/27. 8pp. 91050:077-91050:084.

**DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612050083** Notifies of shipment of irradiated nuclear reactor fuel by Carolina Power & Light to HB Robinson Steam Electric Plant, Unit 2.
CHERNOFF,H.K. Carolina Power & Light Co. 96/11/21. AUTRY,V.R. South Carolina, State of. STROUD,T.C. North Carolina, State of. 4pp. 91013:182-91013:185.

**9612230362** Forwards insp rept 50-261/96-13 on 961104-08 & notice of violation.
FREDRICKSON,P.E Region 2 (Post 820201). 96/12/06. HINNANT,C.S. Carolina Power & Light Co. 3pp. 91166:134-91166:148.

**--9612230370** Notice of violation from insp on 961104-08.Violation noted: another individual gained unauthorized access to protected area,final access control officer was assigned duties that detracted from primary duties of observing personnel.
* Region 2 (Post 820201). 96/12/06. 2pp. 91166:137-91166:138.

**--9612230372** Insp rept 50-261/96-13 on 961104-08.Violations noted.Major areas inspected:conduct of security & safeguards action & status of security facilities & equipment.
* Region 2 (Post 820201). 96/12/06. 10pp. 91166:139-91166:148.

**P. Operating license stage documents & correspondence**

**9612170328** Informs of availability or draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. ORSER,W.S. Carolina Power & Light Co. 4pp. 91131:354-91131:357.

**9612260313** Forwards rept of IF-300 shipping cask COC deviation.
YOUNG,D.E. Carolina Power & Light Co. 96/12/12. Office of Nuclear Material Safety & Safeguards. 2pp. 91247:230-91247:231.

**9612260114** Discusses closeout for util response to GL 92-01,rev 1,suppl 1 for plant.
MOZAFARI,B. . 96/12/17. HINNANT,C.S. Carolina Power & Light Co. 3pp. 91201:244-91201:246.

**9612260086** Forwards missing pages of 960827 TS submittal requesting TS change conversion to improved STS consistent w/NUREG-1431, "STS Westinghouse Plants," Rev 1.
CHERNOFF,H.K. Carolina Power & Light Co. 96/12/18. Document Control Branch (Document Control Desk). 4pp. 91226:129-91226:202.

**--9612260088** Proposed missing tech spec pages re conversion to improved STS consistent w/NUREG 1341, "STS Westinghouse Plant," Rev 1.
* Carolina Power & Light Co. 96/12/18. 70pp. 91226:133-91226:202.

**9612240315** Provides change to bases of Unit 2 TS Section 4.5 re containment fan coolers.
CHERNOFF,H.K. Carolina Power & Light Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91227:188-91227:190.

**--9612240317** Proposed Tech Specs Section 4.5 re containment fan coolers.
* Carolina Power & Light Co. 96/12/14. 1p. 91227:190-91227:190.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090038** Forwards corrected pages of notice of violation re insp rept 50-261/96-11.Two lines missing from violation A.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/11/26. HINNANT,C.S. Carolina Power & Light Co. 3pp. 91049:001-91049:005.

**--9612100151** Errata to notice of violation re insp rept 50-261/96-11.Rept transmitted w/two lines missing from violation A.
* Region 2 (Post 820201). 96/10/25. 2pp. 91049:004-91049:005.

**9612040201** Advises that NRC has no objections to granting request to withdraw inservice inspection RR13 for Unit 2.SE encl.
REINHART,M. . 96/11/27. HINNANT,C.S. Carolina Power & Light Co. 3pp. 91004:344-91004:348.

**--9612040203** Safety evaluation supporting request for withdrawal of RR13.
* . 96/11/27. 2pp. 91004:347-91004:348.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612230362** Forwards insp rept 50-261/96-13 on 961104-08 & notice of violation.
FREDRICKSON,P.E Region 2 (Post 820201). 96/12/06. HINNANT,C.S. Carolina Power & Light Co. 3pp. 91166:134-91166:148.

**--9612230370** Notice of violation from insp on 961104-08.Violation noted: another individual gained unauthorized access to protected area,final access control officer was assigned duties that detracted from primary duties of observing personnel.
* Region 2 (Post 820201). 96/12/06. 2pp. 91166:137-91166:138.

**--9612230372** Insp rept 50-261/96-13 on 961104-08.Violations noted.Major areas inspected:conduct of security & safeguards action & status of security facilities & equipment.
* Region 2 (Post 820201). 96/12/06. 10pp. 91166:139-91166:148.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230314** Forwards insp rept 50-261/96-12 on 960928-1116 & notice of violation.Inadequate configuration controls for performing reactor cooling sys pressure isolation valve leakage testing resulted in water hammer event.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/12/16. HINNANT,C.S. Carolina Power & Light Co. 4pp. 91180:026-91180:092.

**--9612230320** Notice of violation from insp on 960928-1116.Violation noted:on 961016,operations surveillance test procedure OST-160 pressure isolation check valve back leakage test, rev 23,inadequate,did not provide adequate instructions.
* Region 2 (Post 820201). 96/12/16. 3pp. 91180:030-91180:032.

**--9612230323** Insp rept 50-261/96-12 on 960928-1116.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 2 (Post 820201). 96/12/16. 57pp. 91180:033-91180:092.

**R. Periodic operating reports & related correspondence**

**9612170043** Monthly operating rept for Nov 1996 for HB Robinson Steam Electric Plant,Unit 2.W/961209 ltr.
GARDNER,D., CHERNOFF,H.K. Carolina Power & Light Co. 96/11/30. 4pp. 91140:344-91140:347.

**V. Operator Examinations**

**9612020095** Forwards Certification of Medical Exam by Facility Licensee & examining physicians medical statement for licensed Senior Reactor Operator.W/o encl.
CHERNOFF,H.K. Carolina Power & Light Co. 96/11/25. Document Control Branch (Document Control Desk). 1p. 91001:359-91001:359.

**DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT**

**P. Operating license stage documents & correspondence**

**9612180419** Forwards LAR revising Section 2.1.A for SLMCPR & deleting sentence from Section 3.11.C of OLMCPR re limit penalty for single recirculation loop operation.
HILL,W.J. Northern States Power Co. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91153:189-91153:203.

**--9612180423** Application for amend to license DPR-22,revising Section 2.1.A,SLMCPR value & deleting sentence from Section 3.11.C of OLMCPR re limit penalty for single recirculation loop operation.
HILL,W.J. Northern States Power Co. 96/11/25. 5pp. 91153:191-91153:195.

**--9612180428** Proposed tech specs,Sections 2.1.A re SLMCPR & 3.11.C re OLMCPR.Changes revise SLMCPR values & deletes sentence re OLMCPR limit penalty for single recirculation loop operation.
* Northern States Power Co. 96/11/25. 8pp. 91153:196-91153:203.

**9612120471** Discusses licensee responses to NRC request that nuclear licensees perform review of reactor pressure vessel structural integrity assessments,per GL 92-01,Rev 1,Suppl 1, "Reactor Vessel Structural Integrity."
KIM,T. . 96/12/09. ANDERSON,R.O. Northern States Power Co. 4pp. 91090:235-91090:238.

**9612190354** Forwards properly signed,dated & stamped affidavit pertaining to license amend requested dtd 961125 titled, "Safety Limit Min Critical Power Ratio."
HILL,W.J. Northern States Power Co. 96/12/12. Document Control Branch (Document Control Desk). 2pp. 91181:336-91181:337.

**9612180354** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/13. WATZL,E.L. Northern States Power Co. 4pp. 91136:018-91136:021.

**9612190236** Summary of 961105 meeting w/Northern States Power & GE to discuss contents of 960726 license amend request,pertaining to Monticello extended power uprate program & supporting activities.
KIM,T. . 96/12/13. . 4pp. 91137:043-91137:046.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612130073** Forwards RAI re NSP 960314 submittal requesting relief from Section XI of ASME BPV Code, "Rules for Inservice Exam of NPP Components," 1986 edition.
KIM,T. . 96/12/09. ANDERSON,R.O. Northern States Power Co. 4pp. 91092:348-91092:351.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310012** Advises of planned insp resulting from Monticello PPR review.Details of insp plans for next 6 months encl. Questions & comments welcome.
JACOBSON,J.M. Region 3 (Post 820201). 96/12/24. WATZL,E. Northern States Power Co. 3pp. 91235:007-91235:009.

**R. Periodic operating reports & related correspondence**

**9612160370** Monthly operating rept for Nov 1996 for Monticello Nuclear Generating Plant.W/961205 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 96/11/30. 5pp. 91124:355-91124:359.

**S. Reportable occurrences, LERs & related correspondence**

**9612170377** LER 96-011-00:on 961112,jumper placement error occurred during surveillance procedure,causing dual recirculation pump trip requiring manual scram.Caused by inadequate labeling.Surveillance procedure revised.W/961212 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 96/12/12. 7pp. 91163:351-91163:357.

**DOCKET 50-264 DOW CHEMICAL CO.**

**F. Security, medical, emergency & fire protection plans**

**9612190446** Ack receipt of ltr dtd 961030,transmitting changes to physical security plan for Dow Triga Research Reactor submitted,per 10CFR50.54(p).
PEDERSON,C.D. Region 3 (Post 820201). 96/12/16. RIGOT,W.L. Dow Chemical Co. 2pp. 91181:334-91181:335.

**P. Operating license stage documents & correspondence**

**9612190292** Forwards request for addl info re license TRIGA research reactor.
ADAMS,A. . 96/12/17. BUTTS,S. Dow Chemical Co. 4pp. 91137:006-91137:009.

**DOCKET 50-265 QUAD-CITIES STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612160057** Forwards SALP rept 13 for plant covering period 950723- 961026.Functional areas of plant operations & plant support rated category 2,maint & engineering areas rated category 3.
BEACH,A.B. Region 3 (Post 820201). 96/12/04. KRAFT,E. Commonwealth Edison Co. 4pp. 91096:112-91096:121.

**--9612160064** SALP repts 50-254/96-01 & 50-265/96-01 for 950723-961026.
* Region 3 (Post 820201). 96/12/04. 6pp. 91096:116-91096:121.

**9612190437** Provides response to violations noted in Insp Repts 50-237/96-12,50-249/96-12,50-254/96-16 & 50-265/96-16. Corrective actions:Problem identification form initiated,as result of self assessment of fire protection.
KRAFT,E.S. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91174:353-91174:361.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**9612300104** Revised EPIPs,including rev 17 to QEP 0105 Index,rev 10 to 0105-S01, "Station Director Alert Checklist," rev 10 to 0105-S03, "Station Director General Emergency Checklist," rev 20 to QEP 0140 Index & rev 8 to 0140-01.
* Commonwealth Edison Co. 96/12/20. 17pp. 91256:169-91256:185.

**9612310065** Forwards supplemental response to insp repts 50-237/96-12, 50-249/96-12,50-254/96-16 & 50-265/96-16.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:214-91249:218.

**H. General correspondence**

**9612110168** Advises that corporate restructuring was approved by NRC & completed,effective date of reorganization 961201.
* Affiliation Not Assigned. 96/12/06. Commonwealth Edison Co. 1p. 91081:325-91081:325.

**P. Operating license stage documents & correspondence**

**9612050093** Responds to NRC RAI for GL 95-07,dtd 960605 which had not been forwarded as scheduled due to administrative oversight.
KRAFT,E.S. Commonwealth Edison Co. 96/11/20. Document Control Branch (Document Control Desk). 3pp. 91039:358-91039:360.

**9612050099** Discusses evaluation of augmented exam of reactor pressure vessel shell welds,per 10CFR50.55a(g)(6)(ii)(A) for plant, unit 2 provided by ComEd on 961010.
PULSIFER,R.M. . 96/12/03. JOHNSON,I. Commonwealth Edison Co. 3pp. 91019:223-91019:225.

**9612120114** Application for amends to licenses DPR-25,DPR-29 & DPR-30, allowing single CR to be moved when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
PERRY,J.S. Commonwealth Edison Co. 96/12/06. Document Control Branch (Document Control Desk). 7pp. 91088:337-91088:351.

**--9612120124** Proposed tech specs 3/4.10.A, "Reactor Mode Switch," & Table 1-2, "Operational Modes," allowing single RC move when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
* Commonwealth Edison Co. 96/12/06. 8pp. 91088:344-91088:351.

**9612120258** Requests addl info re 960920 request for proposed amend to TS for both Dresden Units 2 & 3 & Quad Cities,units 1 & 2 to update pressure temp curves.
STANG,J.F. . 96/12/09. JOHNSON,I. Commonwealth Edison Co. 5pp. 91075:133-91075:137.

**9612180081** Describes mod which will automatically isolate RWCU sys on direct indication of line break.
HOSMER,J.B. Commonwealth Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91148:258-91148:259.

**9612270070** Forwards update to internal events PSA for plant for info. Results are well within safety goals established by NRC.
HOSMER,J.B. Commonwealth Edison Co. 96/12/17. Document Control Branch (Document Control Desk). 2pp. 91252:156-91252:300.

**--9612270071** "Probabilistic Safety Assessment Update 1996,Summary Document."
* Commonwealth Edison Co. 96/12/31. 143pp. 91252:158-91252:300.

**9612240326** Forwards status of & info re license expiration date in response to ltr dtd 951114.Requests that ComEd advise staff whether it wants to proceed w/change in license expiration date for both units or whether wishes to withdraw request.
PULSIFER,R.M. . 96/12/20. JOHNSON,I. Commonwealth Edison Co. 2pp. 91197:342-91197:343.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030150** Requests relief from exam of certain reactor vessel shell welds.Results of augmented exam of RPV shell welds,encl.
KRAFT,E.S. Commonwealth Edison Co. 96/11/22. Document Control Branch (Document Control Desk). 5pp. 91039:117-91039:121.

**9612040268** Forwards post-outage (90 day) summary rept for ISI exams conducted during fourteenth refueling outage of Unit 1.
KRAFT,E.S. Commonwealth Edison Co. 96/11/22. Document Control Branch (Document Control Desk). 1p. 91039:198-91039:339.

**--9612040272** "ISI Post Outage (90 Day) Summary Rept."
CONNER,C., PETERSON,C., COOK,D. Commonwealth Edison Co. 96/11/25. 140pp. 91039:199-91039:339.

**9612060031** Forwards insp repts 50-254/96-12 & 50-265/96-12 on 960923 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/11/26. KRAFT,E. Commonwealth Edison Co. 3pp. 91024:034-91024:068.

**--9612060033** Notice of violation from insp on 960823-0923.Violation noted:Quad Cities annunciator procedure QCAN 901(2)-4-H-15 was not appropriate to circumstances.
* Region 3 (Post 820201). 96/11/26. 2pp. 91024:037-91024:038.

**--9612060036** Insp repts 50-254/96-12 & 50-265/96-12 on 960823-0923. Violations noted.Major areas inspected:licensee operations, engineering,maint & plant support.
* Region 3 (Post 820201). 96/11/26. 30pp. 91024:039-91024:068.

**9612160057** Forwards SALP rept 13 for plant covering period 950723- 961026.Functional areas of plant operations & plant support rated category 2,maint & engineering areas rated category 3.
BEACH,A.B. Region 3 (Post 820201). 96/12/04. KRAFT,E. Commonwealth Edison Co. 4pp. 91096:112-91096:121.

**--9612160064** SALP repts 50-254/96-01 & 50-265/96-01 for 950723-961026.
* Region 3 (Post 820201). 96/12/04. 6pp. 91096:116-91096:121.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060047** Press release III-96-073, "Quad Cities Nuclear Plant Rated 'Good' in Two Areas, 'Acceptable' in Two Areas in NRC Performance Assessment."
* Region 3 (Post 820201). 96/12/06. 2pp. 91126:350-91126:351.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190437** Provides response to violations noted in Insp Repts 50-237/96-12,50-249/96-12,50-254/96-16 & 50-265/96-16. Corrective actions:Problem identification form initiated,as result of self assessment of fire protection.
KRAFT,E.S. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91174:353-91174:361.

**9612310014** Forwards insp repts 50-254/96-14 & 50-265/96-14 on 960924-1026 & NOV.
GROBE,J.A. Region 3 (Post 820201). 96/12/20. KRAFT,E. Commonwealth Edison Co. 2pp. 91235:011-91235:037.

**--9612310018** Notice of violation from insp on 960924-1026.Violation noted:pressure temp limit graph from Procedure GCOS 0201-02, "Primary Sys Boundary Thermal Limitations," Rev 5,was found posted in control room on 961011 w/o approval signature.
* Region 3 (Post 820201). 96/12/20. 2pp. 91235:013-91235:014.

**--9612310021** Insp repts 50-254/96-14 & 50-265/96-14 on 960924-1026. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 96/12/20. 23pp. 91235:015-91235:037.

**9612310065** Forwards supplemental response to insp repts 50-237/96-12, 50-249/96-12,50-254/96-16 & 50-265/96-16.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:214-91249:218.

**9612310008** Advises of planned insp effort resulting from plant PPR review on 961108.Info provided to enable appropriate consideration of resource impact on staff & to permit scheduling conflicts.
HILAND,P. Region 3 (Post 820201). 96/12/26. KRAFT,E. Commonwealth Edison Co. 3pp. 91235:001-91235:003.

**R. Periodic operating reports & related correspondence**

**9612240098** Monthly operating repts for Nov 1996 for Quad Cities Nuclear Station Units 1 & 2.W/961210 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 96/11/30. 21pp. 91227:272-91227:292.

**S. Reportable occurrences, LERs & related correspondence**

**9612200127** Forwards LER 96-003-00 submitted IAW requirements of 10CFR50.73(a)(2)(v)(D).Commitments made by ltr,submitted.
PEARCE,L.W. Commonwealth Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91201:011-91201:017.

**--9612200136** LER 96-003-00:on 961112,Unit 2 LPCI was declared inoperable to 2D RHR pump discharge check valve failure.LPCI KF was re-established within 1 hour & operability determination was completed for PIF #96-3196.
PETERSON,C. Commonwealth Edison Co. 96/12/10. 5pp. 91201:013-91201:017.

**V. Operator Examinations**

**9612040040** Advises that License SOP-31283 will not be maintained, effective 961115.P Lopez de Victoria removed from license duty & requested license be terminated.
KRAFT,E.S. Commonwealth Edison Co. 96/11/20. Document Control Branch (Document Control Desk). 1p. 91011:353-91011:353.

**DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612040081** Forwards modified pages for TS change request 173 requesting removal of 15.3.14 & 15.4.15, "Fire Protection Sys," & relocation to fire protection evaluation rept.
LINK,B. Wisconsin Electric Power Co. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91028:242-91028:247.

**--9612040083** Proposed tech specs 15.3.14 & 15.4.15 re fire protection sys.
* Wisconsin Electric Power Co. 96/12/02. 5pp. 91028:243-91028:247.

**9612200205** Ack receipt of ltr dtd 960411,transmitting changes to physical security plan for plant submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/12. LINK,R. Wisconsin Electric Power Co. 2pp. 91192:336-91192:337.

**9612200212** Ack receipt of ltr dtd 960426,transmitting changes to physical security plan for plant under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/12. LINK,R. Wisconsin Electric Power Co. 2pp. 91192:353-91192:354.

**9612200227** Ack receipt of ltr dtd 960426,transmitting changes to physical security plan for plant under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/12. LINK,R. Wisconsin Electric Power Co. 1p. 91192:291-91192:291.

**9612240141** Forwards modified pages for TS change request 173 requesting to update table of contents & 15.3.14 and 15.4.15, "Fire Protection Sys."
KRIESER,G. Wisconsin Electric Power Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91227:330-91227:336.

**--9612240144** Proposed tech specs 15.3.14, "Fire Protection Sys," 15.6, "Administrative Controls," & updated Table of Contents.
* Commonwealth Edison Co. 96/12/16. 6pp. 91227:331-91227:336.

**G. Adjudicatory correspondence**

**9612180087** Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

**--9612180116** Notice of receipt of petition for director decision under 10CFR2.206.Director of NRR denied petitioner request for immediate action.
MIRAGLIA,F.J. . 96/12/10. 2pp. 91135:293-91135:294.

**--9612180140** Ack receipt of 961018 petition re request that NRC take action to prohibit loading of VSC-24s until COC,SAR, & SER are amended following independent third party review of VSC-24 design,to address concerns raised by R Hausler.
PAPERIELLO,C.J. . 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Affiliation Not Assigned. 5pp. 91135:295-91135:299.

**--9612180156** Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:338.

**--9612180225** Forwards petitions to NRC re licensee requirement to maintain capability to unload VSC-24 cask & requirement that VSC-24 casks cannot be unloaded unless COC for cask amended to establish operating controls & limits.
DUMS,D. Citizens' Utility Board. 96/09/30. TAYLOR,J. Ofc of the Executive Director for Operations. 15pp. 91135:339-91135:353.

**9612230202** Responds to 961029 ltr to C Paperiello,B Travers & C Haughney.Staff evaluating suggestion re independent review of design of VSC-24 case sys as part of evaluation of 10CFR2.206.
MARCUS,G.H. . 96/12/19. SINCLAIR,M.P. Don't Waste Michigan. 2pp. 91194:093-91194:116.

**--9612230230** Forwards petition pursuant to 10CFR2.206 of Commissions regulations.Petition addresses new info on unresolved design problems of VSC-24 cask which became known to public as result of hydrogen ignition at Point Beach on 960528.
ROEMER,E. Don't Waste Michigan. 96/10/18. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91194:109-91194:109.

**--9612240191** Petition to prohibit loading of any & all VSC-24 nuclear waste storage casks by users of cask under general license until NRC following independent third party review of VSC-24 cask design & amended SAR & SER.
SINCLAIR,M.P. Don't Waste Michigan. 96/12/19. Commissioners (Post 750119). 7pp. 91194:110-91194:116.

**H. General correspondence**

**9612200214** Informs that effective 961101,TJ Sullivan will be retained to work w/organization as Special Assistant to President focusing on nuclear matters.
ABDOO,R.A. Wisconsin Electric Power Co. 96/10/31. BEACH,A.B. Region 3 (Post 820201). 1p. 91192:355-91192:355.

**9612120393** Ack receipt of 961105 ltr re 950524 ltr from G Marcus. Questions responsiveness of NRC.Expresses concern about shield lid design.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/09. MARCUS,G. NRC - No Detailed Affiliation Given. 7pp. 91090:250-91090:256.

**9612120348** Comments on 960307 pages on RX-277 shielding from Reactor Experiments.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/14. RECKLEY,W. NRC - No Detailed Affiliation Given. 4pp. 91090:246-91090:249.

**9612120408** Asks in unloading,when VSC-24 cask is reflooded to cool it, what is the highest temperature possible that shield lid becomes when steam rises right up under it.
SHILLINGLAW,F. Affiliation Not Assigned. 96/12/04. MARCUS,G. NRC - No Detailed Affiliation Given. 1p. 91090:257-91090:257.

**9612180096** Responds to ltr dtd 960916 addressed to Chairman Jackson re dry cask storage for spent nuclear fuel.Forwards responses to 15 concerns included in postscript of ltr,summary of enforcement conference held on 960912 & related actions.
MARCUS,G.H. . 96/12/10. SHILLINGLAW,F. Affiliation Not Assigned. 7pp. 91132:064-91132:222.

**9612200203** Responds to 961109,14 & 1204 ltrs re dry cask storage for spent nuclear fuel.
MARCUS,G.H. . 96/12/18. SHILLINGLAW,F. Affiliation Not Assigned. 5pp. 91181:053-91181:069.

**P. Operating license stage documents & correspondence**

**9612030257** Informs that proposed amends re TS change request 192 meet requirements of 10CFR51.22(c)(9) & that an EIS or negative declaration & environmental impact appraisal need not be prepared.
LINK,B. Wisconsin Electric Power Co. 96/11/26. Document Control Branch (Document Control Desk). 11pp. 91010:217-91010:227.

**9612040005** Provides addl info supporting TS Change Requests 188 & 189 re radiological consequences for SGTR,rupture of steam pipe, locked rotor & rod ejection accidents.
LINK,B. Wisconsin Electric Power Co. 96/12/02. Document Control Branch (Document Control Desk). 23pp. 91011:233-91011:255.

**9612040062** Forwards modified pages for TS change request 170,requesting amend to TS 15.3.10 & addition of TS 15.4.1.
LINK,B. Wisconsin Electric Power Co. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91019:326-91019:349.

**--9612040064** Proposed tech specs 15.3.10 re control rod & power distribution limits & 15.4.1.
* Wisconsin Electric Power Co. 96/12/02. 23. 91019:327-91019:349.

**9612040081** Forwards modified pages for TS change request 173 requesting removal of 15.3.14 & 15.4.15, "Fire Protection Sys," & relocation to fire protection evaluation rept.
LINK,B. Wisconsin Electric Power Co. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91028:242-91028:247.

**--9612040083** Proposed tech specs 15.3.14 & 15.4.15 re fire protection sys.
* Wisconsin Electric Power Co. 96/12/02. 5pp. 91028:243-91028:247.

**9612170203** Informs that correct reference to Code of Federal Regulations that Relief Requests RR-17 & RR-21 are being submitted is 10CFR50.55a(a)(3)(i).
CAYIA,A.J. Wisconsin Electric Power Co. 96/12/06. Document Control Branch (Document Control Desk). 2pp. 91140:306-91140:307.

**9612120268** Forwards EA & findings of no significant impact re 960701 request for exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater Nuclear Power Reactors for Normal Operation."
GUNDRUM,L.L. . 96/12/10. LINK,R.E. Wisconsin Electric Power Co. 2pp. 91075:124-91075:132.

**-9612120274** Environ assessment & finding of no significant impact re 960701 request for exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater Nuclear Power Reactors for Normal Operation."
GUNDRUM,L.L. . 96/12/10. 7pp. 91075:126-91075:132.

**9612190060** Provides summary of ECCS evaluation model changes & errors identified since last rept dtd 960418.
KRIESER,G.M. Wisconsin Electric Power Co. 96/12/11. Document Control Branch (Document Control Desk). 6pp. 91148:352-91148:357.

**9612180301** Suppl to TS Change Request 192 to Licenses DPR-24 & DPR-27, modifying TS Section 15.3.3, "ECCS,Auxiliary Cooling Sys,Air Recirculation Fan Coolers & Containment Spray," per NUREG-1431,Rev 1.
KRIESER,G.M. Wisconsin Electric Power Co. 96/12/12. Document Control Branch (Document Control Desk). 7pp. 91159:339-91159:348.

**-9612180307** Proposed Tech Specs Section 15.3.3 re ECCS,auxiliary cooling sys,air recirculation fan coolers & containment spray.
* Wisconsin Electric Power Co. 96/12/12. 3pp. 91159:346-91159:348.

**9612190342** Informs that NRC published draft of "Individual Plant Examination Program:Perspectives On Reactor Saftey & Plant Performance,Summary Report," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/13. LINK,R.E. Wisconsin Electric Power Co. 4pp. 91136:349-91136:352.

**9612240141** Forwards modified pages for TS change request 173 requesting to update table of contents & 15.3.14 and 15.4.15, "Fire Protection Sys."
KRIESER,G. Wisconsin Electric Power Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91227:330-91227:336.

**-9612240144** Proposed tech specs 15.3.14, "Fire Protection Sys," 15.6, "Administrative Controls," & updated Table of Contents.
* Commonwealth Edison Co. 96/12/16. 6pp. 91227:331-91227:336.

**9612240200** Forwards modified pages to TS change request 170 re 15.3.10, "Control Rod & Power Distribution Limits," & 15.4.1, "Operational Safety Review."
KRIESER,G.M. Wisconsin Electric Power Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91228:290-91228:314.

**-9612240202** Proposed tech specs improving sections TS 15.3.10, "Control Rod & Power Distribution Limits" & TS 15.4.1, "Operational Safety Review."
* Wisconsin Electric Power Co. 96/12/19. 23pp. 91228:292-91228:314.

**9612310016** Confirms discussion between M Kunowski & T Guay to have routine mgt meeting on 970110 at Two Creeks Town Hall,Two Creeks,WI to discuss status of facility performance improvement initiatives & issues required to be resolved.
MCCORMICK-BARGE Region 3 (Post 820201). 96/12/24. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. 91235:042-91235:042.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612040112** EN-96-062:on 960905,notice of violation will be issued to licensee.Action based on investigation conducted by Ofc of Investigation,determined as prank,individual improperly disposed of radioactively contaminated particle.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/08/30. 1p. 91050:217-91050:217.

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040048** Press release III-96-71, "Special NRC Team Insp Beginning at Point Beach Nuclear Power Station."
* Region 3 (Post 820201). 96/12/02. 1p. 91050:193-91050:193.

**9612090377** Forwards NOV & proposed imposition of civil penalties in amount of $325,000 for violations noted in insp repts 50-266/96-06,50-301/96-06,50-266/96-07 & 50-301/96-07.Open predecisional enforcement conference held on 960912.
BEACH,A.B. Region 3 (Post 820201). 96/12/03. ABDOO,R.A. Wisconsin Electric Power Co. 7pp. 91038:288-91038:303.

**-9612090388** Notice of violation & proposed imposition of civil penalty in amount of $325,000.00.Noncompliance noted:inattentiveness to duty of licensed personnel,failure to maintain adequate configuration of AFW & failure of insvc testing program.
* Region 3 (Post 820201). 96/12/03. 9pp. 91038:295-91038:303.

**9612050076** Press release III-96-072, "NRC Staff Proposes $325,000 Fine Against Wisconsin Electric Co for Violations of NRC Requirements at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/12/04. 3pp. 91126:317-91126:319.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170057** Responds to violations noted in insp repts 50-266/96-07 & 50-301/96-07.Corrective actions:procedures IT-07 & RP-1D revised to provide necessary controls to resolve deficiencies.
LINK,B. Wisconsin Electric Power Co. 96/12/06. Document Control Branch (Document Control Desk). 6pp. 91105:344-91105:349.

**9612130231** Ack receipt of 961118 ltr informing NRC of steps taken to correct violations noted in insp 50-266/96-02 & 50-301/96-02.
MCCORMICK-BARGE Region 3 (Post 820201). 96/12/09. LINK,R. Wisconsin Electric Power Co. 1p. 91083:280-91083:282.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612200146** Requests 30-day extension to respond to insp repts 50-266/96-06,50-301/96-06,50-266/96-07 & 50-301/96-07. Check for $325,000 encl in payment of assessed fee.
GRIGG,R.R. Wisconsin Electric Power Co. 96/12/16. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 91191:359-91191:360.

**9612180092** Press release III-96-73, "Postponement of Meeting to Discuss Preliminary Findings of NRC Team Insp at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/12/17. 1p. 91164:024-91164:024.

**9612260247** Forwards insp repts 50-266/96-17 & 50-301/96-17 on 961118- 1202 & NOV.W/o NOV.
GRANT,G.E. Region 3 (Post 820201). 96/12/19. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. 91197:001-91197:004.

**-9612260257** Partially withheld insp repts 50-266/96-17 & 50-301/96-17 on 961118-1202 (ref 10CFR73.21).Violations noted.
* Region 3 (Post 820201). 96/12/19. 1p. 91197:004-91197:004.

**9612240181** Ack receipt of 961216 ltr re check for listed amount for civil peralty proposed by NRC in 961203 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/12/20. GRIGG,R.R. Wisconsin Electric Power Co. 1p. 91180:262-91180:262.

**9612310055** Forwards insp repts 50-266/96-13 & 50-301/96-13 on 961003-1115.No violations noted.
GROBE,J.A. Region 3 (Post 820201). 96/12/20. PATULSKI,S.A. Wisconsin Electric Power Co. 5pp. 91235:086-91235:099.

**-9612310057** Insp repts 50-266/96-13 & 50-301/96-13 on 961003-1115.No violations noted.Major areas inspected:reviews of interim operability determinations for selected pumps & portions of related design basis calculations.
* Region 3 (Post 820201). 96/12/20. 9pp. 91235:091-91235:099.

**R. Periodic operating reports & related correspondence**

**9612180073** Forwards monthly operating rept for Point Beach Nuclear Plant,Units 1 & 2 for Nov 1996 & revised rept for Oct 1996.
PATULSKI,S.A. Wisconsin Electric Power Co. 96/12/05. Document Control Branch (Document Control Desk). 1p. 91148:239-91148:249.

**-9612180078** Monthly operating repts for Nov 1996 for Point Beach Nuclear Plant,Units 1 & 2.
VANDER VELDE,B. Wisconsin Electric Power Co. 96/11/30. 9pp. 91148:240-91148:248.

**-9612180090** Revised monthly operating rept for Oct 1996 for Point Beach Plant,Unit 2.
VANDER VELDE,B. Wisconsin Electric Power Co. 96/10/31. 1p. 91148:249-91148:249.

**S. Reportable occurrences, LERs & related correspondence**

**9612180290** LER 96-010-00:on 961112,EDG governor failure was noted. Caused by dislodging of spring clip in synchronizer indicator assembly.Spring clip was replaced w/ spare & EDG & governor were tested,per RMP-110B & TS-81.W/961211 ltr.
ADAMS,G., PATULSKI,S. Wisconsin Electric Power Co. 96/12/11. 6pp. 91180:308-91180:313.

**9612310070** LER 96-011-00:on 961121,Delta T Trip setpoint were not reduced in accordance with TS.Caused by less than adequate plant TS.TSCR has been submitted to correct this discrepancy.W/961220 ltr.
WEAVER,D., KRIESER,G. Wisconsin Electric Power Co. 96/12/20. 4pp. 91266:244-91266:247.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612180217** Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Lake Michigan Federation. 5pp. 91155:203-91155:251.

**-9612180239** Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION**

**F. Security, medical, emergency & fire protection plans**

**9612040297** Informs that NRC reviewed util 961114 submittal (P-96096) entitled, "Fort St Vrain Final Emergency Response Plan," & meets requirements of 10CFR50.54(q). PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/11/25. CRAWFORD,A.C. Public Service Co. of Colorado. 2pp. 91039:351-91039:352.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260203** Responds to NRC 961121 ltr re violations noted in insp rept 50-267/96-04 & 72-0009/96-01 on 960930-1004.Corrective actions:use of tool monitors for free release of matls from radiologically controlled areas discontinued.
BORST,F.J. Public Service Co. of Colorado. 96/12/20. Document Control Branch (Document Control Desk). 6pp. 91210:002-91210:007.

**9612260165** Forwards insp rept 50-267/96-05 on 961203-05.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/12/23. CRAWFORD,A.C. Public Service Co. of Colorado. 5pp. 91196:241-91196:258.

**--9612260170** Insp rept 50-267/96-05 on 961203-05.No violations noted. Major areas inspected:access licensees implementation of radiation protection program & decommissioning plan & included reviews of status of radiation protection.
* Region 4 (Post 820201). 96/12/23. 13pp. 91196:246-91196:258.

**R. Periodic operating reports & related correspondence**

**9612030307** Submits suppl info re annual environ rept for 1995 operation of FSV ISFSI.
BORST,F.J. Public Service Co. of Colorado. 96/11/25. Region 4 (Post 820201). 3pp. 91011:081-91011:083.

**9612260048** Forwards annual rept of changes,tests & experiments affecting ISFSI.
BORST,F.J. Public Service Co. of Colorado. 96/12/17. CALLAN,L.J. Region 4 (Post 820201). 6pp. 91228:350-91228:355.

**9612240179** Forwards quarterly 10CFR50.59 rept of changes,tests & experiments affecting decommissioning of plant,covering period of 960901-1130.
BORST,F.J. Public Service Co. of Colorado. 96/12/19. Document Control Branch (Document Control Desk). 5pp. 91228:258-91228:262.

**W. Decommissioning Stage Documents & Correspondence**

**9612030328** Submits copy of 961119 ltr describing discharge practices for groundwater seeping into FSV's Reactor Building Sump.
BORST,F.J. Public Service Co. of Colorado. 96/11/20. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. 91011:099-91011:104.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612030307** Submits suppl info re annual environ rept for 1995 operation of FSV ISFSI.
BORST,F.J. Public Service Co. of Colorado. 96/11/25. Region 4 (Post 820201). 3pp. 91011:081-91011:083.

**9612230244** Expresses appreciation for 961031 ltr notifying NRC of two DOE licensing submittals.Ltr forwarded to NRC staff reviewing applications & notification of results will be sent to DOE Assistant Secretary for Environ Mgt.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/12. O'LEARY,H. Energy, Dept. of. 1p. 91194:314-91194:316.

**--9612230251** Informs of licensing submittal for transfer of license & new application for licensing of spent fuel storage.
O'LEARY,H. Energy, Dept. of. 96/10/31. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91194:315-91194:316.

**9612260048** Forwards annual rept of changes,tests & experiments affecting ISFSI.
BORST,F.J. Public Service Co. of Colorado. 96/12/17. CALLAN,L.J. Region 4 (Post 820201). 6pp. 91228:350-91228:355.

**9612270021** Forwards "License Transfer Application for Fort St Vrain ISFSI" & "Fort St Vrain ISFSI SAR."
WILCYNSKI,J.M. Energy, Dept. of. 96/12/17. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 9pp. 91224:001-91226:128.

**--9612270023** "License Transfer Application for Fort St Vrain ISFSI."
* Energy, Dept. of. 96/12/31. 283pp. 91224:010-91224:293.

**--9612270027** Rev 0 to "Fort St Vrain ISFSI SAR."
* Energy, Dept. of. 96/12/31. 555pp. 91224:294-91226:128.

**DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030073** Forwards AIT repts 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Licensee response to 960924 event re heater drain line rupture found to be in compliance w/emergency plan.
EBNETER,S.D. Region 2 (Post 820201). 96/11/04. HAMPTON,J.W. Duke Power Co. 6pp. 90974:044-90974:099.

**9612020134** Forwards insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.
BARR,K.P. Region 2 (Post 820201). 96/11/15. HAMPTON,J.W. Duke Power Co. 3pp. 90958:001-90958:028.

**--9612020138** Insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.Major areas inspected: observation & evaluation of biennial emergency preparedness exercise.
* Region 2 (Post 820201). 96/09/17. 25pp. 90958:004-90958:028.

**9612020102** Conveys results & conclusions of encl operational safeguards response evaluation,conducted at plant,Units 1,2 & 3 from 960520-23.W/o encl.
CUNNINGHAM,L.J. . 96/11/20. HAMPTON,J.W. Duke Power Co. 2pp. 90975:054-90975:055.

**9612030274** Forwards latest info from Duke Power Co in support of Oconee Integrated Safeguards tests.
LABARGE,D.E. . 96/12/03. . 11pp. 90980:284-90980:294.

**9612120058** Forwards draft of procedure the licensee preparing & made available to NRC for info purposes.Procedure details steps necessary for performance of functional tests of emergency electrical distribution sys.
LABARGE,D.E. . 96/12/10. . 1p. 91073:001-91074:006.

**--9612120252** Draft Procedure TT/0/A/0610/025, "Emergency Power & Engineered Safeguards Functional Test."
* Duke Power Co. 96/12/07. 232pp. 91073:002-91073:233.

**--9612120262** Procedure TT/0/A/0610/025A, "Test Equipment Setup for Emergency Power & Engineered Safeguards Functional Test."
* Duke Power Co. 96/12/11. 132pp. 91073:234-91074:006.

**9612180202** Revised EPIPs,including rev 96-09 to Vol B, "Table of Contents," rev 1 to LM-O-P003C, "Determination of Boron by Manual Colorimetric Titration" & rev 7 to 5.1, "Emergency Response Guidelines." W/961210 ltr.
FOSTER,W.W. Duke Power Co. 96/12/10. 30pp. 91155:095-91155:124.

**9612240124** Rev 96-04,Vol A to "ONS Emergency Plan." W/961212 ltr.
HAMPTON,J.W. Duke Power Co. 96/12/12. 257pp. 91228:001-91228:257.

**9612240118** Forwards response to 961212 & 13 telcons re amend to licenses for proposed changes to Updated Final Safety Analysis Rept re one-time emergency power engineered safeguards functional test.
HAMPTON,J.W. Duke Power Co. 96/12/17. Document Control Branch (Document Control Desk). 13pp. 91227:317-91227:329.

**9612230291** Summarizes 961212 meeting held at plant to discuss overall objectives,scope & safety aspects of proposed plant emergency power & engineering safeguards functional test scheduled for early Jan 1997.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/12/18. HAMPTON,J.W. Duke Power Co. 5pp. 91180:115-91180:119.

**P. Operating license stage documents & correspondence**

**9612020112** Provides description & basis for scope of integrated ES test during current outage of Units 1,2 & 3,as committed to in 961031 ltr.
HAMPTON,J.W. Duke Power Co. 96/11/21. Document Control Branch (Document Control Desk). 5pp. 91003:054-91003:058.

**9612030008** Notification of 961205 meeting w/representatives from Duke Power Co in Rockville,MD to discuss schedule for staff review of Duke Power generic format & content document for future license renewal submittals.
MOULTON,J.P. . 96/11/26. NEWBERRY,S.F. . 3pp. 90980:328-90980:330.

**9612090341** Forwards unsatisfactory performance test results for FFD program for plants.
TUCKMAN,M.S. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91054:259-91054:263.

**9612060041** Requests that licensee provide results of safety determination re current testing & design analyses of plant integrated engineered safeguards test,per 961121 ltr.
VARGA,S.A. . 96/12/03. HAMPTON,J.W. Duke Power Co. 3pp. 91028:273-91028:275.

**9612090371** Forwards corrected pp 17-15 to Topical Rept Duke-1-A, "Quality Assurance Program."
TUCKMAN,M.S. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91055:001-91055:008.

**--9612090375** Revised pp 17-15 to "Quality Assurance Program."
* Duke Power Co. 96/12/03. 6pp. 91055:003-91055:008.

**9612100119** Forwards util anaylsis of probability & public risk of potential accidents in spent fuel pools which could lead to beyond design basis accident due to pool drainage potential. Concerns re spent fuel design,submitted.
HAMPTON,J.W. Duke Power Co. 96/12/04. Document Control Branch (Document Control Desk). 3pp. 91056:020-91056:083.

**--9612100127** "Spent Fuel Pool Safety Enhancement Backfit Analysis."
* Duke Power Co. 96/12/05. 61pp. 91056:023-91056:083.

**9612170304** Confirms 961209 telcon re staff working-level meeting to be conducted on 961212.
WERT,L.D. Region 2 (Post 820201). 96/12/09. HAMPTON,J.W. Duke Power Co. 2pp. 91118:272-91118:273.

**9612120029** Forwards preliminary draft of amend request re emergency electrical distribution sys functional test at plant.
LABARGE,D.E. . 96/12/10. . 31pp. 91072:328-91072:358.

**9612170028** Forwards revised TS 3.5.2 bases,reflecting revised analyses for LOCA limits at higher fuel burnups,in support of cycle 17 reload.
HAMPTON,J.W. Duke Power Co. 96/12/10. Document Control Branch (Document Control Desk). 1p. 91140:348-91140:353.

**--9612170031** Proposed tech spec 3.5.2 bases,reflecting revised analyses for LOCA limits at higher fuel burnups.
* Duke Power Co. 96/12/10. 5pp. 91140:349-91140:353.

**9612160355** Requests comments re NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. TUCKMAN,M.S. Duke Power Co. 6pp. 91123:214-91123:219.

**9612190339** Forwards notice of consideration of issuance of amends to FR for publication.Notice re 961211 application to amend plant license to allow rev to plant updated FSAR.
LABARGE,D.E. . 96/12/16. HAMPTON,J.W. Duke Power Co. 3pp. 91136:319-91136:331.

**--9612190344** Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends allow rev to plant updated FSAR including one-time emergency power sys functional test.
LABARGE,D.E. . 96/12/16. 10pp. 91136:322-91136:331.

**9612240083** Forwards periodic update re AT&T Round Cell Battery.
BARRON,H.B. Duke Power Co. 96/12/17. Document Control Branch (Document Control Desk). 2pp. 91227:250-91227:251.

**9612240187** Informs of delay of commitments re containment structure re-analysis & root cause analysis of accelerated tendon force losses.
HAMPTON,J.W. Duke Power Co. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91205:358-91205:359.

**9612230235** Notification of 970107 meeting w/util in Charlotte,NC to discuss staff comments resulting from review of generic license renewal format & content specification document.
MOULTON,J.P. . 96/12/19. NEWBERRY,S.F. . 4pp. 91194:310-91194:313.

**9612310002** Forwards supplemental info re Emergency Power Engineered Safeguards Functional Test amend request.
HAMPTON,J.W. Duke Power Co. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91256:355-91256:360.

**9612310105** Forwards revised TS page to appropriate TS manual holders.
LABARGE,D.E. . 96/12/24. HAMPTON,J.W. Duke Power Co. 4pp. 91247:029-91247:032.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030073** Forwards AIT repts 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Licensee response to 960924 event re heater drain line rupture found to be in compliance w/emergency plan.
EBNETER,S.D. Region 2 (Post 820201). 96/11/04. HAMPTON,J.W. Duke Power Co. 6pp. 90974:044-90974:099.

**--9612030116** AIT reps 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Major areas inspected: licensee response to 960924 event re balance of plant heater drain line rupture.
PEEBLES,T.A., JAUDON,J.P. Region 2 (Post 820201). 96/11/04. 51pp. 90974:050-90974:099.

**9612020134** Forwards insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.
BARR,K.P. Region 2 (Post 820201). 96/11/15. HAMPTON,J.W. Duke Power Co. 3pp. 90958:001-90958:028.

**--9612020138** Insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.Major areas inspected: observation & evaluation of biennial emergency preparedness exercise.
* Region 2 (Post 820201). 96/09/17. 25pp. 90958:004-90958:028.

**9612060079** Informs of missed commitment date re response to Insp Repts 50-269/96-10,50-270/96-10 & 50-287/96-10.
HAMPTON,J.W. Duke Power Co. 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91044:357-91044:358.

**9612090349** Responds to NRC 961104 ltr re violations noted in insp repts 50-269/96-13,50-270/96-13 & 50-287/96-13.Duke will perform a comprehensive review of QA Topical Report.
HAMPTON,J.W. Duke Power Co. 96/12/04. Document Control Branch (Document Control Desk). 9pp. 91055:113-91055:121.

**9612170302** Confirms 961202 telcon between JE Birchfield & RE Carroll re predecisional enforcement conference scheduled for 961218.Purpose of conference to discuss violation re potential loss of plant SG.
WERT,L.D. Region 2 (Post 820201). 96/12/04. HAMPTON,J.W. Duke Power Co. 2pp. 91105:068-91105:069.

**9612170430** Forwards insp repts 50-269/96-16,50-270/96-16 & 50-287/96-16 on 961006-1116 & notice of violation.
MERSCHOFF,J.R. Region 2 (Post 820201). 96/12/04. HAMPTON,J.W. Duke Power Co. 4pp. 91133:018-91133:060.

**--9612170436** Notice of violation from insp on 961006-1116.Violation noted:incorrect calibr of letdown storage tank level instruments on all 3 units.
* Region 2 (Post 820201). 96/12/04. 2pp. 91133:022-91133:023.

**--9612170442** Insp repts 50-269/96-16,50-270/96-16 & 50-287/96-16 on 961006-1116.Violations noted.Major areas inspected:maint, engineering & plant support.
* Region 2 (Post 820201). 96/12/04. 37pp. 91133:024-91133:060.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612090337** Forwards RAI re licensee responses to Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
LABARGE,D.E. . 96/12/06. HAMPTON,J.W. Duke Power Co. 4pp. 91045:203-91045:206.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160298** Responds to 960227 ltr request for relief 96-01 from certain requirements of AMSE Code,section XI,1989 edition for Oconee Nuclear Station Units 1,2 & 3.Staff evaluation & conclusions are contained in safety evaluation encl.
BERKOW,H.N. . 96/12/13. HAMPTON,J.W. Duke Power Co. 4pp. 91121:313-91121:323.

**--9612160308** SER accepting request for relief 96-01 third ten-year interval inservice insp program plan for Duke Power Co, Oconee Nuclear Station,Units 1,2 & 3.
* . 96/12/13. 7pp. 91121:317-91121:323.

**R. Periodic operating reports & related correspondence**

**9612180099** Forwards MOR for Oconee Nuclear Station,Units 1,2 & 3 for Nov 1996 & revised MOR for Oct 1996.
DIMMERY,T. Duke Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91155:302-91155:319.

**--9612180106** Monthly operating repts for Nov 1996 for Oconee Nuclear Station,Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/11/30. 15pp. 91155:304-91155:318.

**--9612180129** Revised MOR for Oct 1996 for Oconee Nuclear Station,Units 1, 2 & 3.
* Duke Power Co. 96/10/31. 1p. 91155:319-91155:319.

**DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612030073** Forwards AIT repts 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Licensee response to 960924 event re heater drain line rupture found to be in compliance w/emergency plan.
EBNETER,S.D. Region 2 (Post 820201). 96/11/04. HAMPTON,J.W. Duke Power Co. 6pp. 90974:044-90974:099.

**9612020134** Forwards insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.
BARR,K.P. Region 2 (Post 820201). 96/11/15. HAMPTON,J.W. Duke Power Co. 3pp. 90958:001-90958:028.

**--9612020138** Insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.Major areas inspected: observation & evaluation of biennial emergency preparedness exercise.
* Region 2 (Post 820201). 96/09/17. 25pp. 90958:004-90958:028.

**9612020102** Conveys results & conclusions of encl operational safeguards response evaluation,conducted at plant,Units 1,2 & 3 from 960520-23.W/o encl.
CUNNINGHAM,L.J. . 96/11/20. HAMPTON,J.W. Duke Power Co. 2pp. 90975:054-90975:055.

**9612030274** Forwards latest info from Duke Power Co in support of Oconee Integrated Safeguards tests.
LABARGE,D.E. . 96/12/03. . 11pp. 90980:284-90980:294.

**9612120058** Forwards draft of procedure the licensee preparing & made available to NRC for info purposes.Procedure details steps necessary for performance of functional tests of emergency electrical distribution sys.
LABARGE,D.E. . 96/12/10. . 1p. 91073:001-91074:006.

**--9612120252** Draft Procedure TT/0/A/0610/025, "Emergency Power & Engineered Safeguards Functional Test."
* Duke Power Co. 96/12/07. 232pp. 91073:002-91073:233.

**--9612120262** Procedure TT/0/A/0610/025A, "Test Equipment Setup for Emergency Power & Engineered Safeguards Functional Test."
* Duke Power Co. 96/12/11. 132pp. 91073:234-91074:006.

**9612180202** Revised EPIPs,including rev 96-09 to Vol B, "Table of Contents," rev 1 to LM-O-P003C, "Determination of Boron by Manual Colorimetric Titration" & rev 7 to 5.1, "Emergency Response Guidelines." W/961210 ltr.
FOSTER,W.W. Duke Power Co. 96/12/10. 30pp. 91155:095-91155:124.

**9612240124** Rev 96-04,Vol A to "ONS Emergency Plan." W/961212 ltr.
HAMPTON,J.W. Duke Power Co. 96/12/12. 257pp. 91228:001-91228:257.

**9612240118** Forwards response to 961212 & 13 telcons re amend to licenses for proposed changes to Updated Final Safety Analysis Rept re one-time emergency power engineered safeguards functional test.
HAMPTON,J.W. Duke Power Co. 96/12/17. Document Control Branch (Document Control Desk). 13pp. 91227:317-91227:329.

**9612230291** Summarizes 961212 meeting held at plant to discuss overall objectives,scope & safety aspects of proposed plant emergency power & engineering safeguards functional test scheduled for early Jan 1997.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/12/18. HAMPTON,J.W. Duke Power Co. 5pp. 91180:115-91180:119.

**P. Operating license stage documents & correspondence**

**9612020112** Provides description & basis for scope of integrated ES test during current outage of Units 1,2 & 3,as committed to in 961031 ltr.
HAMPTON,J.W. Duke Power Co. 96/11/21. Document Control Branch (Document Control Desk). 5pp. 91003:054-91003:058.

**9612020009** Forwards SE accepting util flaw indications in 23 & 63 CRDM penetration nozzles for svc over next two operating cycles of operating for plant.
WICHMAN,K.R. . 96/11/26. BERKOW,H.N. . 2pp. 90975:084-90975:095.

**--9612020012** Safety evaluation accepting flaw indications in 23 & 63 CRDM penetration nozzles for svc over next two operating cycles of operating for plant.
* . 96/11/26. 10pp. 90975:086-90975:095.

**9612030008** Notification of 961205 meeting w/representatives from Duke Power Co in Rockville,MD to discuss schedule for staff review of Duke Power generic format & content document for future license renewal submittals.
MOULTON,J.P. . 96/11/26. NEWBERRY,S.F. . 3pp. 90980:328-90980:330.

**9612090341** Forwards unsatisfactory performance test results for FFD program for plants.
TUCKMAN,M.S. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91054:259-91054:263.

**9612060041** Requests that licensee provide results of safety determination re current testing & design analyses of plant integrated engineered safeguards test,per 961121 ltr.
VARGA,S.A. . 96/12/03. HAMPTON,J.W. Duke Power Co. 3pp. 91028:273-91028:275.

**9612090371** Forwards corrected pp 17-15 to Topical Rept Duke-1-A, "Quality Assurance Program."
TUCKMAN,M.S. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91055:001-91055:008.

**--9612090375** Revised pp 17-15 to "Quality Assurance Program."
* Duke Power Co. 96/12/03. 6pp. 91055:003-91055:008.

**9612100119** Forwards util anaylsis of probability & public risk of potential accidents in spent fuel pools which could lead to beyond design basis accident due to pool drainage potential. Concerns re spent fuel design,submitted.
HAMPTON,J.W. Duke Power Co. 96/12/04. Document Control Branch (Document Control Desk). 3pp. 91056:020-91056:083.

**--9612100127** "Spent Fuel Pool Safety Enhancement Backfit Analysis."
* Duke Power Co. 96/12/05. 61pp. 91056:023-91056:083.

**9612170304** Confirms 961209 telcon re staff working-level meeting to be conducted on 961212.
WERT,L.D. Region 2 (Post 820201). 96/12/09. HAMPTON,J.W. Duke Power Co. 2pp. 91118:272-91118:273.

**9612120029** Forwards preliminary draft of amend request re emergency electrical distribution sys functional test at plant.
LABARGE,D.E. . 96/12/10. . 31pp. 91072:328-91072:358.

**9612170028** Forwards revised TS 3.5.2 bases,reflecting revised analyses for LOCA limits at higher fuel burnups,in support of cycle 17 reload.
HAMPTON,J.W. Duke Power Co. 96/12/10. Document Control Branch (Document Control Desk). 1p. 91140:348-91140:353.

**--9612170031** Proposed tech spec 3.5.2 bases,reflecting revised analyses for LOCA limits at higher fuel burnups.
* Duke Power Co. 96/12/10. 5pp. 91140:349-91140:353.

**9612160144** Forwards SE accepting flaw indications in 23 & 63 CRDM penetration nozzles for service over next two operating cycles for plant operation.
LABARGE,D.E. . 96/12/11. HAMPTON,J.W. Duke Power Co. 3pp. 91100:342-91100:355.

**--9612160177** Safety evaluation accepting flaw indications in 23 & 63 CRDM penetration nozzles.
MEDOFF,J. . 96/12/11. 11pp. 91100:345-91100:355.

**9612160355** Requests comments re NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. TUCKMAN,M.S. Duke Power Co. 6pp. 91123:214-91123:219.

**9612190339** Forwards notice of consideration of issuance of amends to FR for publication.Notice re 961211 application to amend plant license to allow rev to plant updated FSAR.
LABARGE,D.E. . 96/12/16. HAMPTON,J.W. Duke Power Co. 3pp. 91136:319-91136:331.

**--9612190344** Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends allow rev to plant updated FSAR including one-time emergency power sys functional test.
LABARGE,D.E. . 96/12/16. 10pp. 91136:322-91136:331.

**9612240083** Forwards periodic update re AT&T Round Cell Battery.
BARRON,H.B. Duke Power Co. 96/12/17. Document Control Branch (Document Control Desk). 2pp. 91227:250-91227:251.

**9612240187** Informs of delay of commitments re containment structure re-analysis & root cause analysis of accelerated tendon force losses.
HAMPTON,J.W. Duke Power Co. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91205:358-91205:359.

**9612230235** Notification of 970107 meeting w/util in Charlotte,NC to discuss staff comments resulting from review of generic license renewal format & content specification document.
MOULTON,J.P. . 96/12/19. NEWBERRY,S.F. . 4pp. 91194:310-91194:313.

**9612310002** Forwards supplemental info re Emergency Power Engineered Safeguards Functional Test amend request.
HAMPTON,J.W. Duke Power Co. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91256:355-91256:360.

**9612310105** Forwards revised TS page to appropriate TS manual holders.
LABARGE,D.E. . 96/12/24. HAMPTON,J.W. Duke Power Co. 4pp. 91247:029-91247:032.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030073** Forwards AIT repts 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Licensee response to 960924 event re heater drain line rupture found to be in compliance w/emergency plan.
EBNETER,S.D. Region 2 (Post 820201). 96/11/04. HAMPTON,J.W. Duke Power Co. 6pp. 90974:044-90974:099.

**--9612030116** AIT reps 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Major areas inspected: licensee response to 960924 event re balance of plant heater drain line rupture.
PEEBLES,T.A., JAUDON,J.P. Region 2 (Post 820201). 96/11/04. 51pp. 90974:050-90974:099.

**9612020134** Forwards insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.
BARR,K.P. Region 2 (Post 820201). 96/11/15. HAMPTON,J.W. Duke Power Co. 3pp. 90958:001-90958:028.

**--9612020138** Insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.Major areas inspected: observation & evaluation of biennial emergency preparedness exercise.
* Region 2 (Post 820201). 96/09/17. 25pp. 90958:004-90958:028.

**9612060079** Informs of missed commitment date re response to Insp Repts 50-269/96-10,50-270/96-10 & 50-287/96-10.
HAMPTON,J.W. Duke Power Co. 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91044:357-91044:358.

**9612090349** Responds to NRC 961104 ltr re violations noted in insp repts 50-269/96-13,50-270/96-13 & 50-287/96-13.Duke will perform a comprehensive review of QA Topical Report.
HAMPTON,J.W. Duke Power Co. 96/12/04. Document Control Branch (Document Control Desk). 9pp. 91055:113-91055:121.

**9612170302** Confirms 961202 telcon between JE Birchfield & RE Carroll re predecisional enforcement conference scheduled for 961218.Purpose of conference to discuss violation re potential loss of plant SG.
WERT,L.D. Region 2 (Post 820201). 96/12/04. HAMPTON,J.W. Duke Power Co. 2pp. 91105:068-91105:069.

**9612170430** Forwards insp repts 50-269/96-16,50-270/96-16 & 50-287/96-16 on 961006-1116 & notice of violation.
MERSCHOFF,J.R. Region 2 (Post 820201). 96/12/04. HAMPTON,J.W. Duke Power Co. 4pp. 91133:018-91133:060.

**--9612170436** Notice of violation from insp on 961006-1116.Violation noted:incorrect calibr of letdown storage tank level instruments on all 3 units.
* Region 2 (Post 820201). 96/12/04. 2pp. 91133:022-91133:023.

**--9612170442** Insp repts 50-269/96-16,50-270/96-16 & 50-287/96-16 on 961006-1116.Violations noted.Major areas inspected:maint, engineering & plant support.
* Region 2 (Post 820201). 96/12/04. 37pp. 91133:024-91133:060.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612090337** Forwards RAI re licensee responses to Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
LABARGE,D.E. . 96/12/06. HAMPTON,J.W. Duke Power Co. 4pp. 91045:203-91045:206.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160298** Responds to 960227 ltr request for relief 96-01 from certain requirements of AMSE Code,section XI,1989 edition for Oconee Nuclear Station Units 1,2 & 3.Staff evaluation & conclusions are contained in safety evaluation encl.
BERKOW,H.N. . 96/12/13. HAMPTON,J.W. Duke Power Co. 4pp. 91121:313-91121:323.

**-9612160308** SER accepting request for relief 96-01 third ten-year interval inservice insp program plan for Duke Power Co, Oconee Nuclear Station,Units 1,2 & 3.
* . 96/12/13. 7pp. 91121:317-91121:323.

**R. Periodic operating reports & related correspondence**

**9612180099** Forwards MOR for Oconee Nuclear Station,Units 1,2 & 3 for Nov 1996 & revised MOR for Oct 1996.
DIMMERY,T. Duke Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91155:302-91155:319.

**-9612180106** Monthly operating repts for Nov 1996 for Oconee Nuclear Station,Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/11/30. 15pp. 91155:304-91155:318.

**-9612180129** Revised MOR for Oct 1996 for Oconee Nuclear Station,Units 1, 2 & 3.
* Duke Power Co. 96/10/31. 1p. 91155:319-91155:319.

**S. Reportable occurrences, LERs & related correspondence**

**9612030315** LER 96-005-00:on 961030,MSR valves technically declared inoperable due to improper assembly of component.Root cause & corrective actions will be provided in supplemental rept. W/961126 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 96/11/26. 3pp. 91050:091-91050:093.

**9612170037** LER 96-004-01:on 960924,secondary drain line rupture resulted in manual reactor trip.Caused by lack of understanding of water hammer,inadequate procedures & human error.Mod installed & procedures revised.W/961209 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 96/12/09. 12pp. 91163:199-91163:210.

**DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION**

**F. Security, medical, emergency & fire protection plans**

**9612120355** Rev 10 to EPIP OP 3531, "Emergency Call-In Method."
* Vermont Yankee Nuclear Power Corp. 96/11/22. 6pp. 91092:017-91092:022.

**9612030225** Informs that installation of improved fire protection sys will be completed by 961231 instead of 961130.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/11/27. Document Control Branch (Document Control Desk). 1p. 91010:179-91010:179.

**9612030228** Responds to RAI re request for exemption for 10CFR50,App R, Section III.G.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/11/27. Document Control Branch (Document Control Desk). 1p. 91010:180-91010:180.

**9612090347** Forwards insp rept 50-271/96-09 on 960901-1019 & notice of violation.Emergency preparedness program reviewed & found to be appropriately implemented & directed towards public health & safety.
CONTE,R.J. Region 1 (Post 820201). 96/12/02. REID,D. Vermont Yankee Nuclear Power Corp. 3pp. 91037:057-91037:151.

**9612170301** Application for amend to license DPR-28,requesting rev to TS to relocate fire protection requirements.
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/12/10. Document Control Branch (Document Control Desk). 5pp. 91138:293-91138:341.

**-9612170305** Proposed tech specs 3.13 re fire protection sys.
* Vermont Yankee Nuclear Power Corp. 96/12/10. 44pp. 91138:298-91138:341.

**9612160294** Requests addl info re util request for exemption from 10CFR50,App R,section III.G, "Fire Protection of safe Shutdown Capability" & section III.L, "Alternative & Dedicated Safe Shutdown Capability."
ROONEY,V.L. . 96/12/12. REID,D.A. Vermont Yankee Nuclear Power Corp. 9pp. 91121:304-91121:312.

**9612180446** Provides response to request for addl info re 10CFR50,App R exemptions.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/12/13. Document Control Branch (Document Control Desk). 5pp. 91159:349-91159:353.

**9612190168** Forwards objectives for 1997 full-participation biennial exercise scheduled for 970319.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/12/16. Document Control Branch (Document Control Desk). 7pp. 91191:333-91191:339.

**9612240097** Documents revised submittal date of 971231 for Vermont IPEEE as previously discussed w/util in 961113.
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91210:305-91210:306.

**H. General correspondence**

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

**-9612120312** Responds to Vito ltr dtd 961016 re Vermont Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/22. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 2pp. 91120:065-91120:066.

**-9612130181** Responds to 961016 ltr to Vermont Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/10/27. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:212-91120:212.

**-9612130206** Discusses activities at Vermont Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/10/31. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:225-91120:225.

**I. Financial information**

**9612090148** Forwards annual cashflow statements for util & nine sponsor companies for FY95.
WIGGETT,B.W. Vermont Yankee Nuclear Power Corp. 96/11/22. Document Control Branch (Document Control Desk). 3pp. 91056:017-91056:019.

**P. Operating license stage documents & correspondence**

**9612060348** Notification of 961216 meeting w/util in Rockville,MD to discuss plans to use different fuel type for cycle 20 core reload.
ROONEY,V.L. . 96/12/04. BAJWA,S.S. . 5pp. 91031:154-91031:158.

**9612160203** Submits excerpts from HFIS User's manual.
DESAULNIERS,D.R . 96/12/10. RAMSDELL,R. Vermont Yankee Nuclear Power Corp. 20pp. 91121:284-91121:303.

**9612170301** Application for amend to license DPR-28,requesting rev to TS to relocate fire protection requirements.
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/12/10. Document Control Branch (Document Control Desk). 5pp. 91138:293-91138:341.

**-9612170305** Proposed tech specs 3.13 re fire protection sys.
* Vermont Yankee Nuclear Power Corp. 96/12/10. 44pp. 91138:298-91138:341.

**9612160324** Reissued notification of 961223 meeting w/util in Rockville, MD to discuss plant plans for cycle 20 core reload using GE-13 rather than GE-9 fuel.
ROONEY,V.L. . 96/12/11. BAJWA,S.S. . 4pp. 91101:146-91101:149.

**9612180062** Submits changes in peak cladding temp for plant ECCS LOCA analysis.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/12/11. Document Control Branch (Document Control Desk). 3pp. 91148:231-91148:233.

**9612230237** Requests comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/11. REID,D.A. Vermont Yankee Nuclear Power Corp. 5pp. 91192:356-91192:360.

**9612270011** Forwards rev 27 to YOQAP-I-A, "Operational QA Program."
CLARK,C.R. Yankee Atomic Electric Co. 96/12/17. Document Control Branch (Document Control Desk). 4pp. 91253:001-91254:310.

**-9612270012** Rev 27 to YOQAP-I-A, "Operational QA Program."
PETERSON,W.K., CLARK,C.R., REID,D.A. Yankee Atomic Electric Co. 96/12/20. 350pp. 91253:005-91254:310.

**9612240097** Documents revised submittal date of 971231 for Vermont IPEEE as previously discussed w/util in 961113.
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91210:305-91210:306.

**9612260296** Forwards Rev 18 to "Inservice Testing Program Plan for Vermont Yankee Nuclear Power Station."
SOJKA,R.E. Vermont Yankee Nuclear Power Corp. 96/12/19. Document Control Branch (Document Control Desk). 13pp. 91236:001-91236:217.

**-9612260299** Rev 18 to "Inservice Testing Program Plan for Vermont Yankee Nuclear Power Station."
LEGERE,D.J., REID,D.A., WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/12/16. 200pp. 91236:015-91236:217.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090347** Forwards insp rept 50-271/96-09 on 960901-1019 & notice of violation.Emergency preparedness program reviewed & found to be appropriately implemented & directed towards public health & safety.
CONTE,R.J. Region 1 (Post 820201). 96/12/02. REID,D. Vermont Yankee Nuclear Power Corp. 3pp. 91037:057-91037:151.

**-9612090353** Notice of violation from insp on 960901-1019.Violation noted:on & before 960920,licensee surveillance procedure OP 4215,rev 6 "Main Station Battery Performance/Service..." failed to incorporate appropriate acceptance criteria.
* Region 1 (Post 820201). 96/12/02. 2pp. 91037:060-91037:061.

**-9612090357** Insp rept 50-271/96-09 on 960901-1019.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 1 (Post 820201). 96/12/02. 87pp. 91037:062-91037:151.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612090393** Forwards erratum to SE of request for relief from NUREG-0619 "BWR Feedwater Nozzle & Control Rod Drive Return Line Nozzle Cracking," as modified by GL 81-11,for insp of feedwater nozzles.
ROONEY,V.L. . 96/12/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 91045:232-91045:235.

**-9612090395** Erratum to SE re request for relief from NUREG-0619 feedwater nozzle insp requirements.
* . 96/12/05. 1p. 91045:235-91045:235.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310077** Responds to NRC 961202 ltr re violations noted in insp rept 50-271/96-09.Corrective actions:125 VDC voltage drop study, VYC-1349,was evaluated in light of changes to main station battery sizing calculation,VYC-298 & inspector comments.
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/12/20. Document Control Branch (Document Control Desk). 3pp. 91262:317-91262:319.

**R. Periodic operating reports & related correspondence**

**9612170068** Monthly operating rept for Nov 1996 for Vermont Yankee Nuclear Power Station.W/961210 ltr.
WALLIN,G.A., WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/11/30. 6pp. 91140:329-91140:334.

**S. Reportable occurrences, LERs & related correspondence**

**9612030209** LER 96-006-01:on 960214,potentially inoperable RHR svc water valves noted.Caused by mfg-fabrication deficiency.Priority work orders written to inspect & torque bolts on valves.W/ 961127 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/11/27. 4pp. 91050:020-91050:023.

**9612160394** LER 96-004-01:on 960202,discrepancies identified in App J leak rate testing program.Caused by design analysis problem. Procedure revised.W/961210 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/12/10. 7pp. 91163:182-91163:188.

**9612260081** LER 96-024-00:on 961002,licensee failed to clearly describe App J implementation methodology in program description delivered to NRC for evaluation due to incomplete basis documentation.Design change was implemented.W/961218 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/12/18. 4pp. 91242:124-91242:127.

**9612260117** LER 96-007-01:on 960304,vital fire dampers not installed IAW mfgs instructions due to personnel error.Placed qualified watchers in areas.W/961218 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/12/18. 4pp. 91226:302-91226:305.

**DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612110448** Rev 5 to section 2, "Assignment of Responsibility" & rev 18 to table of contents,to emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/07/17. 18pp. 91081:170-91081:187.

**9612240252** Rev 21 to table of contents & rev 5 to section 8 re public info,to emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/10/21. 7pp. 91227:123-91227:129.

**9612090233** Forwards info in response to NRC RAI dtd 961030 re post-fire safe shutdown capability.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/12/02. Document Control Branch (Document Control Desk). 11pp. 91050:348-91050:358.

**9612110390** Rev 20 to table of contents,rev 6 to table of contents & list of figures,rev 4 to section 1, "Introduction," rev 4 to section 10, "Accident Assessment" & rev 5 to section 11 "Protective Response," to emergency plan.
* Public Service Electric & Gas Co. of New Jersey. 96/12/02. 142pp. 91079:008-91079:149.

**9612110407** Revised EPIPs,including rev 11 to EPIP 102S, "Alert," rev 12 to EPIP 103S, "Site Area Emergency" & rev 12 to EPIP 104S, "General Emergency."
HUGHES,F. Public Service Electric & Gas Co. of New Jersey. 96/12/02. 41pp. 91090:001-91090:041.

**9612120441** Summarizes 961118 mtg meeting w/J McMahon re recent EP organization & mgt changes & to review program improvements in last several months.Meeting notice,list of attendees & handouts encl.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91082:010-91082:016.

**-9612120451** Notification of significant licensee meeting 96-116 w/util on 961118 to discuss EP organization changes & licensee program update.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. Region 1 (Post 820201). 4pp. 91082:013-91082:016.

**9612130252** Rev 0 to Emergency Action Level (EAL) 9.9.1.b for Low River Level.W/ 961209 ltr.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/09. 8pp. 91118:332-91118:339.

**9612310095** Forwards NOV & proposed imposition of civil penalties in amount of $100,000 for violations noted in insp repts 50-272/96-14,50-311/96-14 & 50-354/96-08.Predecisional enforcement conference held on 961114.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:125-91235:134.

**-9612310097** Notice of violation from insp on 960815-0903.Violation noted:on 960814,vital area access not physically controlled in that positive access control over photobadge keycards compromised,creating opportunity for unauthorized access.
* Region 1 (Post 820201). 96/12/11. 5pp. 91235:130-91235:134.

**9612120112** Press release I-96-80, "NRC Staff Proposes $180,000 in Fines for Alleged Violations at Salem & Hope Creek Plants."
* Region 1 (Post 820201). 96/12/12. 2pp. 91163:042-91163:043.

**9612260275** Summarizes 961118 mgt meeting w/util,FEMA,DOE & states of NJ & DE to discuss objectives for 1998 full-participation ingestion pathway exercise at facility & forwards meeting notice 96-117.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91197:036-91197:042.

**-9612260277** Notification of significant licensee meeting 96-117 w/util, FEMA,DOE & states of NJ & DE on 961118 to discuss objectives for 1998 Salem full-participation ingestion pathway exercise.W/list of attendees & agenda.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/18. Region 1 (Post 820201). 4pp. 91197:039-91197:042.

**H. General correspondence**

**9612160376** Comment supporting PR 10CFR50, "NRC Draft PS on Restructuring & Economic Deregulation of Electric Utility Industry."
SELOVAR,R.E. Public Service Electric & Gas Co. of New Jersey. 96/12/06. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91097:038-91097:043.

**P. Operating license stage documents & correspondence**

**9612020057** Forwards exemption certificate which allows PSE&G to transport SGs IAW transportation plan.
O'STEEN,J.K. Transportation, Dept. of. 96/10/31. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 7pp. 91003:108-91003:114.

**9612040060** Responds to 961031 ltr re request for comments & recommendation re draft US DOT exemption certificate. Exemption for transportation in commerce for four SGs from listed companys.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/15. O'STEEN,J.K. Transportation, Dept. of. 1p. 91004:359-91004:359.

**9612030300** Informs that NJ Dept of Environmental Protection Bureau of Nuclear Engineering has reviewed request for amend to licenses DPR-70 & DPR-75 & has no comments.
TOSCH,K.W. New Jersey, State of. 96/11/19. Document Control Branch (Document Control Desk). 2pp. 91010:346-91010:347.

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**-9612030313** FOIA request for documents responsive to encl request for production of documents for plant.
O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 96/08/30. Division of Freedom of Information & Publications Services (Post 940714). 200pp. 91015:022-91015:283.

**-9612030329** Summarizes 940602 meeting w/listed individuals to discuss items of mutual interest re plant performance & improvement plans.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/20. NRC - No Detailed Affiliation Given. 105pp. 91015:284-91016:032.

**-9612030330** Discusses 910710 meeting w/listed individuals to discuss mutual interest including individual role at Salem & Peach Bottom sites as non-operating nuclear owners.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/07/11. NRC - No Detailed Affiliation Given. 1p. 91016:033-91016:033.

**-9612030332** Discusses 911220 meeting w/listed individuals to introduce new PSEG senior mgt.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/12/20. NRC - No Detailed Affiliation Given. 84pp. 91016:034-91016:117.

**-9612040066** Discusses 930723 PSE&G visit w/listed individuals to discuss items of mutual interest re Hope Creek & Salem,Units 1 & 2 NPP.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/02. NRC - No Detailed Affiliation Given. 2pp. 91016:241-91016:242.

**-9612040108** Discusses New Jersey DEP compliation Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/05/17. JACOBSON,J. NRC - No Detailed Affiliation Given. 3pp. 91016:332-91016:334.

**-9612040120** Discusses New Jersey DEP compilation re Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/07/19. JACOBSON,J. NRC - No Detailed Affiliation Given. 65pp. 91016:335-91017:101.

--**9612040196** Discusses PSE&G 941129 drop-in visit w/listed individuals to discuss items of mutual interest including plant Hope Creek & Salem Generating station performance.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/13. NRC - No Detailed Affiliation Given. 1p. 91017:102-91017:102.

--**9612040266** Discusses 950524 drop in visit w/listed individuals to discuss improvement efforts at plant Units 1 & 2.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/02. NRC - No Detailed Affiliation Given. 4pp. 91017:116-91017:119.

--**9612040286** Discusses 960222 visit w/listed individuals to discuss issues re Salem & Hope Creek Generating Stations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/27. NRC - No Detailed Affiliation Given. 5pp. 91017:121-91017:127.

--**9612040292** Partially deleted memo re 960826 drop in meeting.
MILLER,C.G. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 91017:131-91017:133.

--**9612040293** Partially deleted memo re courtesy visit w/EJ Ferland & LR Eliason on 960826.
CHAN,T.L NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN, JACKSON,S.A Commissioners (Post 750119). 2pp. 91017:134-91017:135.

--**9612040295** Discusses 960826 meeting w/listed individuals to discuss current activities & issues involving Hope Creek & Salem NPPs.Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/13. NRC - No Detailed Affiliation Given. 3pp. 91017:136-91017:138.

--**9612050088** Rev 0 to "Loss of Overhead Annunciator Sys."
* Public Service Electric & Gas Co. of New Jersey. 92/12/29. 65pp. 91016:132-91016:197.

**9612030060** Submits revision to commitment management program.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/11/25. Document Control Branch (Document Control Desk). 3pp. 91008:146-91008:148.

**9612090212** Informs that State of NJ has reviewed & has no comments on license change request S95-36 re mod to increase containment fan coil unit response time.
TOSCH,K.W. New Jersey, State of. 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91052:339-91052:340.

**9612130267** Submits response to request for addl info re design basis temp for containment structure.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/12/06. Document Control Branch (Document Control Desk). 3pp. 91127:329-91127:331.

**9612160436** Forwards Rev 2 to "PSE&G Simulation Facility Certification Program."
MCMAHON,J.F. Public Service Electric & Gas Co. of New Jersey. 96/12/10. Document Control Branch (Document Control Desk). 3pp. 91124:294-91124:341.

--**9612160438** Rev 2 to "PSE&G Simulation Facility Certification Program."
* Public Service Electric & Gas Co. of New Jersey. 96/11/19. 44pp. 91124:297-91124:341.

**9612200370** Submits response to RAI re containment fan cooling unit response time.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/12/11. Document Control Branch (Document Control Desk). 11pp. 91209:196-91209:208.

**9612160433** Second partial response to FOIA request for documents. Records identified in App D available in PDR & encl.Records identified in App E being withheld in part.Records in App F being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/12. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 9pp. 91128:006-91128:180.

--**9401260272** Responds to 931206 ltr requesting response to employee of util allegations of job discrimination as result of identifying safety problems to certain Salem managers on 921203-04.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 94/01/04. MARTIN,T.T. Region 1 (Post 820201). 29pp. 91128:024-91128:054.

--**9512220087** Recommends SALP process be suspended until 1 yr after restart of units.
MARTIN,T.T. Region 1 (Post 820201). 95/11/17. RUSSELL,W.T. . 11pp. 91128:170-91128:180.

--**9612170120** Requests that OGC analyze OI rept 1-93-021R re alleged H&I at Salem Generating Station & determine whether sufficient evidence to take enforcement action,available.
GRAY,J.R. Ofc of Enforcement (Post 870413). 94/11/21. MARTIN,T.T. Region 1 (Post 820201). RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2pp. 91128:159-91128:160.

**9612170252** Discusses draft of "Individual Plant Examination Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560 & appreciates any comments.
MIRAGLIA,F.J. . 96/12/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91124:055-91124:059.

**9612190070** Submits relief request for alternatives to welding restrictions in 1989 edition of ASME Code for station service water pumps.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/12. Document Control Branch (Document Control Desk). 4pp. 91161:354-91161:357.

**9612190112** Forwards list of proposed addl changes to TS amend,related administrative controls & schedule for submitting TS change requests.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/12. Document Control Branch (Document Control Desk). 10pp. 91162:349-91162:358.

**9612230173** Requests addl info re margin recovery amend request for plant.Response to be submitted within 30 days of ltr receipt.
OLSHAN,L.N. . 96/12/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91181:116-91181:120.

**9612230239** Submits discrepancies noted in UFSAR for plant.
OLSHAN,L . 96/12/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 91201:038-91201:041.

**9612310072** Submits supplemental info re 960531 request for change to TS channel calibr definition.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/12/23. Document Control Branch (Document Control Desk). 4pp. 91262:310-91262:316.

--**9612310073** Proposed tech specs 1.0 re definitions.
* Public Service Electric & Gas Co. of New Jersey. 96/12/23. 3pp. 91262:314-91262:316.

**9612310189** Forwards rev 2 to NRC restart action plan for Salem,units 1 & 2.Encl rev was approved by Salem Assessment Panel in meeting 96-09.
NICHOLSON,L.E. Region 1 (Post 820201). 96/12/26. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 25pp. 91235:294-91235:318.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

--**9612040069** Discusses insp repts 50-272/93-23,50-311/93-23 & 50-354/93-25 on 931017-1127 & forwards NOV & proposed imposition of civil penalty - $50,000.
MARTIN,T.T. Region 1 (Post 820201). 94/03/09. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 6pp. 91016:243-91016:248.

--**9612040103** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:on 931012,maint on breaker for electro-hydraulic pump was conducted w/o supervisor ensuring equipment was tagged & safe to work on.
* Region 1 (Post 820201). 94/03/09. 54pp. 91016:249-91016:297.

--**9612040210** Discusses 950208 enforcement conference (OI-1-93-021R) in King of Prussia,PA to discuss circumstances associated w/potential H&I of two PSE&G safety-review group engineers.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. POLIZZI,V. Affiliation Not Assigned. 3pp. 91017:103-91017:105.

--**9612040239** Discusses 950424 enforcement conference (NRC OI Investigation 1-93-021R) in King of Prussia,PA & circumstances associated w/alleged H&I of two PSE&G safety-review group engineers & forwards NOV.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. VONDRA,C. Affiliation Not Assigned. 4pp. 91017:108-91017:111.

--**9612040244** Notice of violation from investigation 1-93-021R.Violation noted:C Vondra deliberately caused PSE&G to violate 10CFR50.7 by discriminating against two employees for engaging in protected activities.
* Region 1 (Post 820201). 95/04/11. 4pp. 91017:112-91017:115.

**9612090256** Forwards insp repts 50-272/96-15 & 50-311/96-15 on 960915- 1102 & notice of violations.
NICHOLSON,L.E. Region 1 (Post 820201). 96/12/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91037:001-91037:055.

--**9612090262** Notice of violation from insp on 960915-1102.Violations noted:staff did not promptly identify,correct,determine cause,notify appropriate levels of mgt or initiate CA to preclude recurrence for listed conditions.
* Region 1 (Post 820201). 96/12/03. 2pp. 91037:004-91037:005.

--**9612090265** Insp repts 50-272/96-15 & 50-311/96-15 on 960915-1102. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 1 (Post 820201). 96/12/03. 50pp. 91037:006-91037:055.

**9612090285** Forwards insp repts 50-272/96-13 & 50-311/96-13 on 960812- 0920 & notice of violations.
RULAND,W.H. Region 1 (Post 820201). 96/12/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91038:239-91038:276.

--**9612090287** Notice of violation from insp on 960812-0920.Violation noted:all inservice insp not performed in accordance w/ASME Section XI.
* Region 1 (Post 820201). 96/12/03. 2pp. 91038:242-91038:243.

--**9612090289** Insp repts 50-272/96-13 & 50-311/96-13 on 960812-0920. Violations noted.Major areas inspected:engineering performance issues that require resolution prior to plant restart.
* Region 1 (Post 820201). 96/12/03. 34pp. 91038:244-91038:276.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310088** Forwards notice of violation & proposed imposition of civil penalties of $80,000 per OI repts 1-94-006R & 1-94-053 on 940218-960430 & 941121-960425.Enforcement conference held on 960911 to discuss violations noted.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:111-91235:118.

**-9612310092** Notice of violation from investigation repts 1-94-006R & 1-94-053 on 940218-960430 & 941121-960425.Violation noted: licensee through former manager of NSR,discriminated in Nov 93 & May 94 against former onsite safety review engineer.
* Region 1 (Post 820201). 96/12/11. 3pp. 91235:116-91235:118.

**9612310091** Discusses conclusions from 960911 predecisional conference in Region I ofc that discussed findings of two subject OI investigations.No formal enforcement action to be taken against B Hall for these violations.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. HALL,B. Affiliation Not Assigned. 4pp. 91235:121-91235:124.

**9612310095** Forwards NOV & proposed imposition of civil penalties in amount of $100,000 for violations noted in insp repts 50-272/96-14,50-311/96-14 & 50-354/96-08.Predecisional enforcement conference held on 961114.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:125-91235:134.

**-9612310097** Notice of violation from insp on 960815-0903.Violation noted:on 960814,vital area access not physically controlled in that positive access control over photobadge keycards compromised,creating opportunity for unauthorized access.
* Region 1 (Post 820201). 96/12/11. 5pp. 91235:130-91235:134.

**9612120112** Press release I-96-80, "NRC Staff Proposes $180,000 in Fines for Alleged Violations at Salem & Hope Creek Plants."
* Region 1 (Post 820201). 96/12/12. 2pp. 91163:042-91163:043.

**9612160433** Second partial response to FOIA request for documents. Records identified in App D available in PDR & encl.Records identified in App E being withheld in part.Records in App F being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/12. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 9pp. 91128:006-91128:180.

**-9512220072** Forwards recommendation that SALP process be suspended for 1 yr after restart of first unit from current outage.NRR concurs w/extension.
RUSSELL,W.T. . 95/12/18. MARTIN,T.T. Region 1 (Post 820201). 1p. 91128:169-91128:180.

**R. Periodic operating reports & related correspondence**

**9612190191** Monthly operating rept for Nov 1996 for Salem 1.W/961213 ltr.
HELLER,R., PHILLIPS,R., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/11/30. 8pp. 91192:156-91192:163.

**9612240002** "NPDES Discharge Monitoring Rept for Nov 1996 for Salem Generating Station." W/961217 ltr.
GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/11/30. CAPORALE,G. New Jersey, State of. 19pp. 91227:197-91227:215.

**S. Reportable occurrences, LERs & related correspondence**

**9612130194** LER 96-011-00:on 960620,pressurizer safety relief valves were found outside of TS tolerance.Caused by minor testing instrument error.Valves were refurbished & successfully retested to within TS tolerance.W/960719 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/07/19. 4pp. 91163:112-91163:115.

**9612060073** LER 96-028-00:on 961101,operation of Salem Units in an unanalyzed condition occurred.Due to low component cooling flow.Valve CC71's actuator will be upgraded & safety related CTRL loop will be added.W/961126 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/11/29. 5pp. 91127:006-91127:010.

**9612060078** LER 96-029-00:on 961101,surveillance test did not meet TS surveillance requirements.Caused by personnel error. Verbatim procedure compliance was covered as topic in Maint Intervention Plan.W/961129 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/11/29. 4pp. 91127:011-91127:014.

**9612100006** LER 96-027-00:on 961031,diesel watt meter inaccuracies were not accounted for in surveillance testing.Caused by lack of detailed instructions to load EDG in ctr of TS surveillance load band.EDG surveillance procedure revised.W/961202 ltr.
THOMAS,B., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/12/02. 5pp. 91134:184-91134:188.

**9612090379** LER 96-031-00:on 961105,plant in unanalyzed condition due to qualification of Magnacraft-Struthers Dunn Series B255 relays.Caused by change in design.Affected relays replaced. W/961205 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/12/05. 5pp. 91134:138-91134:142.

**9612100001** LER 96-005-07:on 960325,failed to perform 230 & 460 volt vital bus surveillance.Caused by lack of understanding of procedures.Initiated TS surveillance improvement project & revised bus surveillance procedures.W/961205 ltr.
THOMAS,B.J., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/12/05. 11pp. 91134:143-91134:153.

**9612120426** LER 96-036-00:on 961106,discovered increased loading on 28 volt DC battery.Cause under investigation.Lamps installed in control room console push-button stations replaced & revised procedures re installation of bulbs.W/961206 ltr.
THOMAS,B., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/12/06. 4pp. 91092:026-91092:029.

**9612190162** LER 96-032-00:on 961112,failure of service water inlet valve to open for 2B diesel generator occurred.Caused by mispositioning of 22SW39 manual valve operator.Manual valve operator modified.W/961212 ltr.
THOMAS,B., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/12/12. 5pp. 91180:352-91180:356.

**9612230025** Follows-up on 961201 event 31391 at plant 4.16 KV breaker failure-HMA relays.
NAIDU,K.R. . 96/12/12. CWALINA,G.C. . 2pp. 91194:209-91194:210.

**9612260075** LER 96-033-00:on 961118,inadequate sample purge times resulted in inadequate TS surveillances.Caused by less than adequate review & implementation of sample purge times. Chemistry procedures reviewed.W/961217 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/12/17. 4pp. 91231:336-91231:339.

**9612260023** LER 96-034-00:on 961119,SW strainer design deficiency discovered to be potentially outside design basis.Caused by failure to predict 1/32 inch strainer media became subject to long term clogging.Replaced strainer media.W/961219 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/12/19. 4pp. 91242:079-91242:082.

**9612260074** LER 96-039-00:on 961118,parallel path turbine trip was identified during test of manual initiation of safety injection & feedwater isolation.Caused by lack of adequate controls for maint of TS.Revised procedures.W/961219 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/12/19. 4pp. 91242:120-91242:123.

**T. Hearing transcripts on non-antitrust matters**

**9612160433** Second partial response to FOIA request for documents. Records identified in App D available in PDR & encl.Records identified in App E being withheld in part.Records in App F being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/12. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 9pp. 91128:006-91128:180.

**-9612170106** Transcript of 940802 enforcement conference in Salem,NJ w/Salem senior nuclear shift supervisor involved in 940407 event.
* NRC - No Detailed Affiliation Given. 94/08/02. 104pp. 91128:055-91128:158.

**V. Operator Examinations**

**9612030097** Notification of significant licensee meeting 96-123 w/util on 961205 to discuss proposed changes to requalification training program for licensed operators at Salem,documented in facility 961107 ltr.
NICHOLSON,L.E. Region 1 (Post 820201). 96/11/26. Region 1 (Post 820201). 2pp. 90973:194-90973:195.

**9612170338** Documents NRC 961205 meeting w/C Bakken,J Zerbo & G Solomon of staff to discuss status & plans for Salem licensed operator requalification (LOR) program.
MEYER,G.W. Region 1 (Post 820201). 96/12/09. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 9pp. 91140:267-91140:275.

**DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612120121** Forwards Rev 11 to Diablo Canyon UFSAR,per 10CFR50.71(e) & 10CFR50.4(b)(6).Changes made in rev,submitted.
RUEGER,G.M. Pacific Gas & Electric Co. 96/11/25. Document Control Branch (Document Control Desk). 5pp. 91325:001-91342:107.

**-9612120372** App 9.5A, "Fire Hazards Analysis," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91336:292-91338:146.

**-9612130093** App 8.3C, "Matls for Fire Stop & Seals," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 3pp. 91335:288-91335:299.

**-9612130105** App 9.5B, "DCPP Regulatory Compliance Summary," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91338:147-91338:351.

**9612160313** Submits request for additional info re review of Diablo Canyon engineering calculation for emergency lighting & communications.
BLOOM,S.D. . 96/12/12. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 91121:343-91121:346.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612120121** Forwards Rev 11 to Diablo Canyon UFSAR,per 10CFR50.71(e) & 10CFR50.4(b)(6).Changes made in rev,submitted.
RUEGER,G.M. Pacific Gas & Electric Co. 96/11/25. Document Control Branch (Document Control Desk). 5pp. 91325:001-91342:107.

**-9612120126** Rev 11 to Diablo Canyon USAR.
* Pacific Gas & Electric Co. 96/11/30. 6,000pp. 91325:007-91325:021.

**-9612120141** Chapter 1, "Introduction & General Description of Plant," to Diablo Canyon Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91325:022-91325:141.

**-9612120148** Chapter 2, "Site Characteristics," to Diablo Canyon Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 600pp. 91325:142-91326:280.

**-9612120174** Chapter 3 to Diablo Canyon Units 1 & 2 updated FSAR, "Design of Structures,Components,Equipment & Sys."
* Pacific Gas & Electric Co. 96/11/30. 1,600pp. 91326:281-91331:066.

**-9612120184** App 3.1A, "AEC General Design Criteria - 1971," to Diablo Canyon,Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 300pp. 91331:067-91331:091.

--**9612120186** Chapter 4, "Reactor," to Diablo Canyon Units 1 & 3 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91331:092-91332:004.

--**9612120192** Chapter 5, "Reactor Coolant Sys," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91332:005-91332:237.

--**9612120197** App 5.5A, "Capability of Main Steam Isolation & Check Valves to Withstand Closure Loads Following Postulated Main Steam Line Break," to Diablo Canyon Units 1 & 2 updated FSAR.
* Westinghouse Electric Corp. 96/11/30. 8pp. 91332:238-91332:252.

--**9612120201** Chapter 6, "ESF," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91332:253-91333:232.

--**9612120203** App 6.2A, "Long Term Mass & Energy Release Model," to Diablo Canyon Units 1 & 2 updated FSAR.
* Westinghouse Electric Corp. 96/11/30. 150pp. 91333:233-91333:354.

--**9612120240** Chapter 7, "Instrumentation & Controls," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 700pp. 91333:355-91335:124.

--**9612120254** App 8.3B, "Insulated Cable Const & Voltage Ratings," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 3pp. 91335:285-91335:287.

--**9612120259** Chapter 8, "Electric Power," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91335:125-91335:284.

--**9612120365** Chapter 9, "Auxiliary Sys," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91335:300-91336:291.

--**9612120372** App 9.5A, "Fire Hazards Analysis," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91336:292-91338:146.

--**9612120379** Chapter 10, "Steam & Power Conversion Sys," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 72pp. 91338:352-91339:060.

--**9612120386** Chapter 11, "Radwaste Mgt," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 120pp. 91339:061-91339:329.

--**9612120392** Chapter 12, "Radiation Protection," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 120pp. 91339:330-91340:065.

--**9612120400** Chapter 13, "Conduct of Operations," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 51pp. 91340:066-91340:108.

--**9612120404** App 13.1A, "Resumes Nuclear Power Generation," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 13pp. 91340:109-91340:121.

--**9612120414** Chapter 14, "Initial Tests & Operation," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 48pp. 91340:134-91340:186.

--**9612120421** Chapter 15, "Accident Analysis," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 600pp. 91340:187-91342:056.

--**9612120432** Chapter 16, "TS & Equipment Control Guidelines," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 18pp. 91342:057-91342:061.

--**9612120435** Chapter 17, "QA," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 63pp. 91342:062-91342:107.

--**9612130093** App 8.3C, "Matls for Fire Stop & Seals," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 3pp. 91335:288-91335:299.

--**9612130105** App 9.5B, "DCPP Regulatory Compliance Summary," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91338:147-91338:351.

--**9612130121** App 13.1B, "Resumes Plant Operating Organization," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 14pp. 91340:122-91340:133.

**P. Operating license stage documents & correspondence**

**9612030141** Forwards response to GL 96-05, "Periodic Verification for Motor Operated Valves."
WOMACK,L.F. Pacific Gas & Electric Co. 96/11/18. Document Control Branch (Document Control Desk). 7pp. 91003:314-91003:320.

**9612100216** Notification of 961218 licensee meeting w/util in Arlington, TX to discuss failure to perform written SE prior to making changes to procedure described in updated final safety analysis rept.
DYER,J.E. Region 4 (Post 820201). 96/12/04. Region 4 (Post 820201). 5pp. 91049:091-91049:095.

**9612100219** Responds to 960429 comments re proposed corporate restructuring of PG&E to form holding company.NRC requests submittal of specific details of alleged violations. specific details of alleged violations.
BLOOM,S.D. . 96/12/06. DUNCAN,W.L. Affiliation Not Assigned. DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 2pp. 91053:240-91053:241.

**9612160162** Submits rept of investigation into unsatisfactory performance test result in DCNPP FFD program,per 10CFR26.
POWERS,R.P. Pacific Gas & Electric Co. 96/12/06. Document Control Branch (Document Control Desk). 3pp. 91133:223-91133:225.

**9612170379** Forwards application for amends to licenses DPR-80 & DPR-82 to change surveillance frequency for several TS re instrumentation channel surveillance tests from at least once every 18 months to at least once per interval.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91140:001-91140:149.

--**9612170383** Application for amends to licenses DPR-80 & DPR-82, revising TS needed to support implementation of extended fuel cycles at plant.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/09. NRC - No Detailed Affiliation Given. 25pp. 91140:003-91140:027.

--**9612170389** Proposed tech specs changing surveillance frequency for several TS re instrumentation channel surveillance tests from at least once every 18 months to at least once per refueling interval.
* Pacific Gas & Electric Co. 96/12/09. 170pp. 91140:028-91140:149.

**9612230185** Informs that NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept" has been published.
MIRAGLIA,F.J. . 96/12/13. RUEGER,G.M. Public Service Electric & Gas Co. of New Jersey. 4pp. 91181:121-91181:125.

**9612240232** LAR 96-09 to Licenses DPR-80 & DPR-82,revising certain TS surveillance requirement frequencies associated w/24 month fuel cycle.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91227:099-91227:122.

--**9612240238** Proposed tech specs re surveillance requirement frequencies associated w/24 month fuel cycles.
* Pacific Gas & Electric Co. 96/12/16. 22pp. 91227:101-91227:122.

**9612190404** Informs that NRC has completed review of NRC Form 474, "Simulation Facility Certification," for plant simulator. Documentation complete & requires no further info.Notifies that simulation facility acceptable,per 10CFR55.31(a)(4).
BLOOM,S.D. . 96/12/17. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 91137:034-91137:035.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612050056** Advises of planned insp effort resulting from plant SPPR review completed on 961029 for period Mar-Sept 1996.
DYER,J.E. Region 4 (Post 820201). 96/11/29. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 91013:059-91013:064.

**9612100269** Forwards insp repts 50-275/96-21 & 50-323/96-21 on 960929-1109 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/04. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 91049:101-91049:138.

--**9612100270** Notice of violation from insp on 960929-1109.Violation noted:performance criteria established for MSSVs did not provide reasonable assurance of capability of fulfilling intended safety function.
* Region 4 (Post 820201). 96/12/04. 2pp. 91049:107-91049:108.

--**9612100275** Insp repts 50-275/96-21 & 50-323/96-21 on 960929-1109. Violation noted.Major areas inspected:operations,maint & engineering.
* Region 4 (Post 820201). 96/12/04. 30pp. 91049:109-91049:138.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170132** Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Rod drop time testing summary,encl.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91140:311-91140:316.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170090** Press release IV-96-64, "NRC PG&E Officials to Discuss Apparent Violation at Diablo Canyon."
* Region 4 (Post 820201). 96/12/16. 1p. 91163:246-91163:246.

**R. Periodic operating reports & related correspondence**

**9612240051** Monthly operating repts for Nov 1996 for Diablo Canyon Power Plant Units 1 & 2.W/961216 ltr.
COLEY,W.E., FARRER,D., POWERS,R.P. Pacific Gas & Electric Co. 96/11/30. 13pp. 91227:225-91227:237.

**DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9609230085** "Scenario Manual for Peach Bottom Atomic Power Station Emergency Preparedness Graded Exercise,Scenrio P63," scheduled for 961119.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/19. 671pp. 91259:001-91261:195.

**9612260265** Forwards insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91200:199-91200:208.

**-9612260269** Insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.Major areas inspected:documentations containing safeguards info.
* Region 1 (Post 820201). 96/12/20. 6pp. 91200:203-91200:208.

**9612300030** Forwards insp repts 50-277/96-12 & 50-278/96-12 on 961119-21.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91233:097-91233:110.

**-9612300038** Insp repts 50-277/96-12 & 50-278/96-12 on 961119-21.No violations noted.Major areas inspected:ERF staffing, procedure implementation,effectiveness of mitigation actions,communications & command & control.
* Region 1 (Post 820201). 96/12/20. 11pp. 91233:100-91233:110.

**P. Operating license stage documents & correspondence**

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**-9612030330** Discusses 910710 meeting w/listed individuals to discuss mutual interest including individual role at Salem & Peach Bottom sites as non-operating nuclear owners.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/07/11. NRC - No Detailed Affiliation Given. 1p. 91016:033-91016:033.

**9612090330** Forwards RAI re license 960906 amend change request 96-03093,which requested changes to App A of plant, Units 1 & 2 FOLs.
SHEA,J.W. . 96/11/27. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91045:239-91045:242.

**9612180338** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 91136:001-91136:006.

**9612240172** Requests withdrawal of license change ECR 96-03093 re 3.3.5.1, "ECCS Intrumentation," & 3.8.1, "AC Sources - Operatings."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/16. Document Control Branch (Document Control Desk). 1p. 91226:360-91226:360.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020220** Ack receipt of 960905 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/96-04 & 50-278/96-04.
PASCIAK,W.J. Region 1 (Post 820201). 96/11/25. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 90958:295-90958:303.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612240028** Forwards insp repts 50-277/96-08 & 50-278/96-08 on 960908- 1109 & notice of violation.
PASCIAK,W.J. Region 1 (Post 820201). 96/12/18. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91183:221-91183:259.

**-9612240031** Notice of violation from insp on 960908-1109.Violation noted:PECO did not establish & maintain systems approach to training program for plant contractor electrical & mechanical maintenance personnel including mastery of tasks.
* Region 1 (Post 820201). 96/12/18. 2pp. 91183:224-91183:225.

**-9612240036** Insp repts 50-277/96-08 & 50-278/96-08 on 960908-1109. Violations noted.Major areas inspected:operations, surveillance & maintenance,engineering & technical support & plant support.
* Region 1 (Post 820201). 96/12/18. 34pp. 91183:226-91183:259.

**9612260049** Forwards "Peach Bottom Atomic Power Station Unit 2 ISI Summary Rept for 941022-961003,Periodic Insp."
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/20. Document Control Branch (Document Control Desk). 1p. 91229:251-91229:320.

**-9612260050** "Peach bottom Atomic Power Station Unit 2 ISI Summary Rept for 941022-961003,Periodic Insp."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/26. 68pp. 91229:252-91229:320.

**9612260265** Forwards insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91200:199-91200:208.

**-9612260269** Insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.Major areas inspected:documentations containing safeguards info.
* Region 1 (Post 820201). 96/12/20. 6pp. 91200:203-91200:208.

**9612300030** Forwards insp repts 50-277/96-12 & 50-278/96-12 on 961119-21.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91233:097-91233:110.

**-9612300038** Insp repts 50-277/96-12 & 50-278/96-12 on 961119-21.No violations noted.Major areas inspected:ERF staffing, procedure implementation,effectiveness of mitigation actions,communications & command & control.
* Region 1 (Post 820201). 96/12/20. 11pp. 91233:100-91233:110.

**R. Periodic operating reports & related correspondence**

**9612180027** Monthly operating repts for Nov 1996 for Peach Bottom Units 1 & 2.W/ 961205 ltr.
HYDRICK,L.P., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/30. 15pp. 91145:346-91145:360.

**S. Reportable occurrences, LERs & related correspondence**

**9612090340** LER 96-011-00:on 961030,main steam line relief valve actuation occurred due to inadvertent movement of control switch.Reactor operator immediately recognized situation & reclosed valve.Event discussed w/all crews.W/961202 ltr.
LENGYEL,G., EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/02. 4pp. 91134:134-91134:137.

**DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9609230085** "Scenario Manual for Peach Bottom Atomic Power Station Emergency Preparedness Graded Exercise,Scenrio P63," scheduled for 961119.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/19. 671pp. 91259:001-91261:195.

**9612260265** Forwards insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91200:199-91200:208.

**-9612260269** Insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.Major areas inspected:documentations containing safeguards info.
* Region 1 (Post 820201). 96/12/20. 6pp. 91200:203-91200:208.

**9612300030** Forwards insp repts 50-277/96-12 & 50-278/96-12 on 961119-21.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91233:097-91233:110.

**-9612300038** Insp repts 50-277/96-12 & 50-278/96-12 on 961119-21.No violations noted.Major areas inspected:ERF staffing, procedure implementation,effectiveness of mitigation actions,communications & command & control.
* Region 1 (Post 820201). 96/12/20. 11pp. 91233:100-91233:110.

**P. Operating license stage documents & correspondence**

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**-9612030330** Discusses 910710 meeting w/listed individuals to discuss mutual interest including individual role at Salem & Peach Bottom sites as non-operating nuclear owners.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/07/11. NRC - No Detailed Affiliation Given. 1p. 91016:033-91016:033.

**9612090330** Forwards RAI re license 960906 amend change request 96-03093,which requested changes to App A of plant, Units 1 & 2 FOLs.
SHEA,J.W. . 96/11/27. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91045:239-91045:242.

**9612180338** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 91136:001-91136:006.

**9612240172** Requests withdrawal of license change ECR 96-03093 re 3.3.5.1, "ECCS Intrumentation," & 3.8.1, "AC Sources - Operatings."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/16. Document Control Branch (Document Control Desk). 1p. 91226:360-91226:360.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020220** Ack receipt of 960905 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/96-04 & 50-278/96-04.
PASCIAK,W.J. Region 1 (Post 820201). 96/11/25. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 90958:295-90958:303.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612240028** Forwards insp repts 50-277/96-08 & 50-278/96-08 on 960908- 1109 & notice of violation.
PASCIAK,W.J. Region 1 (Post 820201). 96/12/18. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91183:221-91183:259.

**--9612240031** Notice of violation from insp on 960908-1109.Violation noted:PECO did not establish & maintain systems approach to training program for plant contractor electrical & mechanical maintenance personnel including mastery of tasks.
* Region 1 (Post 820201). 96/12/18. 2pp. 91183:224-91183:225.

**--9612240036** Insp repts 50-277/96-08 & 50-278/96-08 on 960908-1109. Violations noted.Major areas inspected:operations, surveillance & maintenance,engineering & technical support & plant support.
* Region 1 (Post 820201). 96/12/18. 34pp. 91183:226-91183:259.

**9612260265** Forwards insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91200:199-91200:208.

**--9612260269** Insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.Major areas inspected:documentations containing safeguards info.
* Region 1 (Post 820201). 96/12/20. 6pp. 91200:203-91200:208.

**9612300030** Forwards insp repts 50-277/96-12 & 50-278/96-12 on 961119-21.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91233:097-91233:110.

**--9612300038** Insp repts 50-277/96-12 & 50-278/96-12 on 961119-21.No violations noted.Major areas inspected:ERF staffing, procedure implementation,effectiveness of mitigation actions,communications & command & control.
* Region 1 (Post 820201). 96/12/20. 11pp. 91233:100-91233:110.

**R. Periodic operating reports & related correspondence**

**9612180027** Monthly operating repts for Nov 1996 for Peach Bottom Units 1 & 2.W/ 961205 ltr.
HYDRICK,L.P., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/30. 15pp. 91145:346-91145:360.

**DOCKET 50-280 SURRY POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612020234** Application for amends to licenses DPR-32,DPR-37,NPF-4 & NPF-7,respectively,eliminating records retention requirements section of TS,per GL 95-06 & Adminstrative Ltr 95-06.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91003:062-91003:079.

**--9612020235** Proposed tech specs re removal of record retention requirements,per GL 95-06 & Administrative Ltr 95-06.
* Virginia Power (Virginia Electric & Power Co.). 96/11/26. 11pp. 91003:069-91003:079.

**9612230233** Fowards Emergency Response Data System implementation documents.W/o encl.
JOLICOEUR,J.R. Office for Analysis & Evaluation of Operational Data, Director. 96/12/19. SAUL,K.L. SCIENTECH, Inc. 1p. 91194:309-91194:309.

**P. Operating license stage documents & correspondence**

**9612020004** Discusses actions to be taken to restore cooling to spent fuel pool in event of loss of offsite power.Commitments encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/21. Document Control Branch (Document Control Desk). 3pp. 91003:091-91003:093.

**9612020234** Application for amends to licenses DPR-32,DPR-37,NPF-4 & NPF-7,respectively,eliminating records retention requirements section of TS,per GL 95-06 & Adminstrative Ltr 95-06.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91003:062-91003:079.

**--9612020235** Proposed tech specs re removal of record retention requirements,per GL 95-06 & Administrative Ltr 95-06.
* Virginia Power (Virginia Electric & Power Co.). 96/11/26. 11pp. 91003:069-91003:079.

**9612030015** Submits corrected response to issue of providing emergency power to spent fuel pool cooling pumps.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/27. Document Control Branch (Document Control Desk). 4pp. 91003:350-91003:353.

**9612040207** Discusses 961118 telcon w/B Buckley & representatives from VEPCO re whether terrain maps were generated as part of analysis of rotating probe data at plants.
KARWOSKI,K.J. . 96/12/03. SULLIVAN,E.J. . 1p. 91007:356-91007:356.

**9612170277** Informs that NRC published draft "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," NUREG-1560.Comments on rept requested.
MIRAGLIA,F.J. . 96/12/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91124:071-91124:073.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020145** Ack receipt of 961106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/96-09 & 50-281/96-09.
BELISLE,G.A. Region 2 (Post 820201). 96/11/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 90958:352-90958:354.

**9612090140** Forwards info concerning maint rule baseline team insp scheduled at Surry facilities on 970113-17.
CHRISTENSEN,H. Region 2 (Post 820201). 96/11/22. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 91039:094-91039:098.

**9612030172** Responds to NRC 961028 ltr re violations noted in insp repts 50-280/96-10 & 50-281/96-10 on 960908-28.Corrective actions: oil was added to two spare SR electric motors for CC pumps & motor shafts rotated.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 5pp. 91003:321-91003:325.

**9612040026** Submits comments on Systematic Assessment of Licensee Performance rept for period of 950122-960928.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 6pp. 91011:301-91011:306.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612120293** Requests info re Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety Related Equipment." Response due within 60 days of receipt of request.
EDISON,G.E. . 96/12/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91074:351-91074:353.

**9612170372** Discusses 961118 meeting re SALP for Surry facility.List of attendees & SALP slides encl.
BELISLE,G.A. Region 2 (Post 820201). 96/12/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 11pp. 91118:277-91118:287.

**9612090180** Informs that actions have been taken against J Butrick re employment & errors in judgement concerning encl response to NOV.Requests opportunity for predecisional enforcement conference to provide clarifications.Enclosure,withheld.
BUTRICK,J.F. Virginia Power (Virginia Electric & Power Co.). 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91051:343-91051:345.

**9612170360** Forwards insp repts 50-280/96-11 & 50-281/96-11 on 960929- 1109 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 96/12/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 91133:001-91133:017.

**--9612170369** Notice of violation from insp on 960929-1109.Violation noted:SFPCS was aligned for normal operation & valve 1-FC-36 was found in closed position.
* Region 2 (Post 820201). 96/12/09. 2pp. 91133:005-91133:006.

**--9612170374** Insp repts 50-280/96-11 & 50-281/96-11 on 960929-1109. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/12/09. 11pp. 91133:007-91133:017.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612240107** Ack receipt of 961126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/96-10 & 50-281/96-10.Response meets requirements of 10CFR2.201.
BELISLE,G.A. Region 2 (Post 820201). 96/12/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91183:318-91183:320.

**9612310180** Informs that requested info re maintenance rule baseline team insp has been sent under separate cover to R Gibbs.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91249:224-91249:225.

**R. Periodic operating reports & related correspondence**

**9612240092** Monthly operating repts for Nov 1996 for Surry Power Station Units 1 & 2.W/961211 ltr.
KILMER,J.D., FANGUY,M.J., MASON,D.K. Virginia Power (Virginia Electric & Power Co.). 96/11/30. 20pp. 91227:252-91227:271.

**S. Reportable occurrences, LERs & related correspondence**

**9612170144** Special rept:on 961113,operator discovered control switch for diesel output breaker in pull-to-lock position. Investigation was performed to determine how long AAC DG was inoperable.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 96/12/06. Document Control Branch (Document Control Desk). 3pp. 91140:308-91140:310.

**9612190135** LER 96-008-00:on 961112,water gas decay tank oxygen analyzer pressure sensors inoperable due to vendor supplied equipment not meeting procurement specifications.Post-implementation procedures revised & transducers replaced.W/ 961212 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 96/12/12. 7pp. 91180:345-91180:351.

**DOCKET 50-281 SURRY POWER STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612020234** Application for amends to licenses DPR-32,DPR-37,NPF-4 & NPF-7,respectively,eliminating records retention requirements section of TS,per GL 95-06 & Adminstrative Ltr 95-06.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91003:062-91003:079.

**-9612020235** Proposed tech specs re removal of record retention requirements,per GL 95-06 & Administrative Ltr 95-06.
* Virginia Power (Virginia Electric & Power Co.). 96/11/26. 11pp. 91003:069-91003:079.

**9612230233** Fowards Emergency Response Data System implementation documents.W/o encl.
JOLICOEUR,J.R. Office for Analysis & Evaluation of Operational Data, Director. 96/12/19. SAUL,K.L. SCIENTECH, Inc. 1p. 91194:309-91194:309.

**P. Operating license stage documents & correspondence**

**9612020004** Discusses actions to be taken to restore cooling to spent fuel pool in event of loss of offsite power.Commitments encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/21. Document Control Branch (Document Control Desk). 3pp. 91003:091-91003:093.

**9612020234** Application for amends to licenses DPR-32,DPR-37,NPF-4 & NPF-7,respectively,eliminating records retention requirements section of TS,per GL 95-06 & Adminstrative Ltr 95-06.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91003:062-91003:079.

**-9612020235** Proposed tech specs re removal of record retention requirements,per GL 95-06 & Administrative Ltr 95-06.
* Virginia Power (Virginia Electric & Power Co.). 96/11/26. 11pp. 91003:069-91003:079.

**9612030015** Submits corrected response to issue of providing emergency power to spent fuel pool cooling pumps.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/27. Document Control Branch (Document Control Desk). 4pp. 91003:350-91003:353.

**9612040207** Discusses 961118 telcon w/B Buckley & representatives from VEPCO re whether terrain maps were generated as part of analysis of rotating probe data at plants.
KARWOSKI,K.J. . 96/12/03. SULLIVAN,E.J. . 1p. 91007:356-91007:356.

**9612170277** Informs that NRC published draft "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," NUREG-1560.Comments on rept requested.
MIRAGLIA,F.J. . 96/12/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91124:071-91124:073.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020145** Ack receipt of 961106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/96-09 & 50-281/96-09.
BELISLE,G.A. Region 2 (Post 820201). 96/11/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 90958:352-90958:354.

**9612090140** Forwards info concerning maint rule baseline team insp scheduled at Surry facilities on 970113-17.
CHRISTENSEN,H. Region 2 (Post 820201). 96/11/22. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 91039:094-91039:098.

**9612030172** Responds to NRC 961028 ltr re violations noted in insp repts 50-280/96-10 & 50-281/96-10 on 960908-28.Corrective actions: oil was added to two spare SR electric motors for CC pumps & motor shafts rotated.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 5pp. 91003:321-91003:325.

**9612040026** Submits comments on Systematic Assessment of Licensee Performance rept for period of 950122-960928.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 6pp. 91011:301-91011:306.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612120293** Requests info re Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety Related Equipment." Response due within 60 days of receipt of request.
EDISON,G.E. . 96/12/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91074:351-91074:353.

**9612170372** Discusses 961118 meeting re SALP for Surry facility.List of attendees & SALP slides encl.
BELISLE,G.A. Region 2 (Post 820201). 96/12/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 11pp. 91118:277-91118:287.

**9612090180** Informs that actions have been taken against J Butrick re employment & errors in judgement concerning encl response to NOV.Requests opportunity for predecisional enforcement conference to provide clarifications.Enclosure,withheld.
BUTRICK,J.F. Virginia Power (Virginia Electric & Power Co.). 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91051:343-91051:345.

**9612170360** Forwards insp repts 50-280/96-11 & 50-281/96-11 on 960929- 1109 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 96/12/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 91133:001-91133:017.

**-9612170369** Notice of violation from insp on 960929-1109.Violation noted:SFPCS was aligned for normal operation & valve 1-FC-36 was found in closed position.
* Region 2 (Post 820201). 96/12/09. 2pp. 91133:005-91133:006.

**-9612170374** Insp repts 50-280/96-11 & 50-281/96-11 on 960929-1109. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/12/09. 11pp. 91133:007-91133:017.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612240107** Ack receipt of 961126 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/96-10 & 50-281/96-10.Response meets requirements of 10CFR2.201.
BELISLE,G.A. Region 2 (Post 820201). 96/12/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91183:318-91183:320.

**9612310180** Informs that requested info re maintenance rule baseline team insp has been sent under separate cover to R Gibbs.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91249:224-91249:225.

**R. Periodic operating reports & related correspondence**

**9612240092** Monthly operating repts for Nov 1996 for Surry Power Station Units 1 & 2.W/961211 ltr.
KILMER,J.D., FANGUY,M.J., MASON,D.K. Virginia Power (Virginia Electric & Power Co.). 96/11/30. 20pp. 91227:252-91227:271.

**S. Reportable occurrences, LERs & related correspondence**

**9612170144** Special rept:on 961113,operator discovered control switch for diesel output breaker in pull-to-lock position. Investigation was performed to determine how long AAC DG was inoperable.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 96/12/06. Document Control Branch (Document Control Desk). 3pp. 91140:308-91140:310.

**DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612040269** Forwards amended page of petition re incorrect statement in notice & accompanying ltr,dtd 961011.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 91039:159-91039:162.

**--9612040270** Amended petition requesting NRC to determine that util violated requirements of 10CFR72.32(a)(14) by refusing to allow Lake City to comment on emergency plan before submitting it to NRC.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. Commissioners (Post 750119). 2pp. 91039:161-91039:162.

**9612030218** Forwards insp repts 50-282/96-13,50-306/96-13 & 72-0010/ 96-13 on 961007-11 & notice of violation.Violation demonstrated that security staff unaware of important requirement,clearly delineated in security plan.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. WATZL,E. Northern States Power Co. 2pp. 90974:030-90974:043.

**--9612030221** Notice of violation from insp on 961007-11.Violation noted: review of documentation & interviews w/Superintendent, Security on 061009 disclosed that annual reviews of security & safeguards contingency plan not conducted for 1995-96.
* Region 3 (Post 820201). 96/11/27. 1p. 90974:032-90974:032.

**--9612030223** Insp repts 50-282/96-13,50-306/96-13 & 72-0010/96-13 on 961007-11.Violations noted.Major areas inspected:review of physical security program.
* Region 3 (Post 820201). 96/11/27. 11pp. 90974:033-90974:043.

**G. Adjudicatory correspondence**

**9612040269** Forwards amended page of petition re incorrect statement in notice & accompanying ltr,dtd 961011.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 91039:159-91039:162.

**--9612040270** Amended petition requesting NRC to determine that util violated requirements of 10CFR72.32(a)(14) by refusing to allow Lake City to comment on emergency plan before submitting it to NRC.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. Commissioners (Post 750119). 2pp. 91039:161-91039:162.

**9612130034** Minnesota Environmental Quality Board statement in support of Northern States Power Co motion for suspension of proceedings.*
MITCHELL,A.R. Minnesota, State of. #496 18087. 96/11/19. Atomic Safety & Licensing Board Panel. 5pp. 91083:001-91083:005.

**9612130041** Minnesota Dept of Public Service response in support of Northern States Power Co motion for suspension of proceedings.*
VANDERLINDEN,B. Minnesota, State of. #496 18086. 96/11/21. Atomic Safety & Licensing Board Panel. 5pp. 91083:029-91083:033.

**9612020054** Responds to 961018 ltr re clarification made to Florence Townships Petition requesting staff take certain actions per Section 2.206 of Chapter 10 of Code of Federal Regulations.Staff will consider Petition as corrected.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/11/22. OVERLAND,C.A. Affiliation Not Assigned. 2pp. 91003:043-91003:044.

**9612030276** Responds to 950605 petition against Nuclear Storage pursuant to section 10CFR2.206 requesting NRC immediately suspend operating licenses for Prairie Island Nuclear Generating Plant,Units 1 & 2.Petition denied.DD-96-21 & FR encl.
MIRAGLIA,F.J. . 96/11/27. GUNTER,P.V. Nuclear Information & Resource Service. BJORALT,S.J. Affiliation Not Assigned. 3pp. 90980:295-90980:327.

**--9612030283** Director's Decision DD-96-21 requesting that NRC immediately suspend operating licenses for Prairie Island Nuclear Generating Plant,Units 1 & 2.Request denied.
MIRAGLIA,F.J. . 96/11/27. Northern States Power Co. 27pp. 90980:298-90980:325.

**--9612030286** Notice of issuance of Director's Decision DD-96-21 under 10CFR2.206 re request that Prairie Island Units 1 & 2 be immediately shut down & operating license be suspended until issues raised in petition resolved.
MIRAGLIA,F.J. . 96/11/27. 2pp. 91007:359-91007:359.

**9612130037** Memorandum & Order (motion to suspend proceeding).* Order grants NSP 961113 motion to suspend proceeding,which involves proposed offsite ISFSI.W/Certificate of Svc. Served on 961204.
BECHHOEFER,C., MURPHY,T.D., SHON,F.J. Atomic Safety & Licensing Board Panel. #496 18091. 96/12/03. Office of the General Counsel (Post 860701). 10pp. 91083:006-91083:015.

**9612130036** Cancellation of prehearing conference.* Conference cancelled as result of suspension of proceeding granted by ASLB Memorandum & Order.W/Certificate of Svc.Served on 961205.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #496 18092. 96/12/05. 3pp. 91082:358-91082:360.

**9612170202** Responds to 961125 ltr requesting NRC take certain actions re status of Florence Township petition.Staff defers issuing Director Decision until issues raised are not considered in adjudicatory proceeding.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/12/11. OVERLAND,C.A. Affiliation Not Assigned. 2pp. 91140:304-91140:305.

**9612260063** Requests following addition to svc list in matter of Northern States Power Co,docket 72-18-ISFSI.
COMIEZ,A.M., BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #496 18117. 96/12/17. JULIAN,E.L. Office of the Secretary of the Commission. 1p. 91194:338-91194:339.

**--9612260069** Requests to be named as party for svc of documents re proceeding.
GARTNER,P.A. Affiliation Not Assigned. 96/12/10. BECHHOEFER,C. Atomic Safety & Licensing Board Panel. 1p. 91194:339-91194:339.

**H. General correspondence**

**9612100160** Discusses 950404 meeting w/Dakota Indian Community re proposed multi-agency MOU & NRC 950327 ltr declining to sign MOU.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/02. CAMPBELL,C. Prairie Island Mdewakanton Sioux Indian Community. 7pp. 91119:005-91119:011.

**P. Operating license stage documents & correspondence**

**9612030265** Clarifies suppl license amend request dtd 951214 re conformance to administrative controls section 6 to guidance of std TS & proposes specific TS pp changes as presented in suppl.
WADLEY,M.D. Northern States Power Co. 96/11/25. Document Control Branch (Document Control Desk). 8pp. 91010:228-91010:266.

**--9612030269** Proposed tech specs implementing mods proposed by suppl to license amend request & revising TS pp in final form to reflect changes proposed by suppl.
* Northern States Power Co. 96/11/25. 31pp. 91010:236-91010:266.

**9612060278** Informs that Commission provided guidance to staff to ensure that rights of sovereign tribal govts fully respected & to operate within govt-to-govt relationship w/ federally- recognized Native American Tribal Govts.
DROGGITIS,S.C. Office of State Programs (Post 911117). 96/11/25. WETZEL,B.A. . 2pp. 91030:012-91030:013.

**9612040053** Application for amends to licenses DPR-42 & DPR-60,revising TS 4.12, "SG Tube Surveillance" & TS Section B-4-12.
WADLEY,M.D. Northern States Power Co. 96/11/27. Document Control Branch (Document Control Desk). 19pp. 91051:020-91051:226.

**--9612040055** Proposed tech specs incorporating new SG tube sleeve designs & installation & exam techniques.
* Northern States Power Co. 96/11/27. 6pp. 91051:039-91051:043.

**--9612040058** Rev 1 to Final Rept, "Repair of W Series 44 & 51 SG Tubes Using Leak Tight Sleeves."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CEN-629-NP R01. 96/11/30. 183pp. 91051:044-91051:226.

**9612110405** Provides supplemental info in response to GL 96-04, "Boraflex Degradation in Spent Fuel Pool Storage Racks."
WADLEY,M.D. Northern States Power Co. 96/12/06. Document Control Branch (Document Control Desk). 6pp. 91075:354-91075:359.

**9612180354** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/13. WATZL,E.L. Northern States Power Co. 4pp. 91136:018-91136:021.

**9612240178** Forwards Rev 0 to NSPLMI-96001, "Prairie Island Nuclear Generating Plant IPEEE."
WADLEY,M.D. Northern States Power Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91211:072-91211:299.

**--9612240185** Rev 0 to NSPLMI-96001, "Prairie Island Nuclear Generating Plant IPEEE."
* Northern States Power Co. NSPLMI-96001 R00. 96/12/12. 220pp. 91211:074-91211:299.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030185** Responds to NRC 961025 ltr re violations noted in insp repts 50-282/96-11 & 50-306/96-11.All individuals involved were successfully decontaminated.
WADLEY,M.D. Northern States Power Co. 96/11/25. Document Control Branch (Document Control Desk). 4pp. 91003:330-91003:333.

**9612040016** Provides addl info re request for authorization to utilize ASME Boiler & Pressure Vessel Code Case N-521.
WADLEY,M.D. Northern States Power Co. 96/11/26. Document Control Branch (Document Control Desk). 29pp. 91011:260-91011:288.

**9612030218** Forwards insp repts 50-282/96-13,50-306/96-13 & 72-0010/ 96-13 on 961007-11 & notice of violation.Violation demonstrated that security staff unaware of important requirement,clearly delineated in security plan.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. WATZL,E. Northern States Power Co. 2pp. 90974:030-90974:043.

**--9612030221** Notice of violation from insp on 961007-11.Violation noted: review of documentation & interviews w/Superintendent, Security on 061009 disclosed that annual reviews of security & safeguards contingency plan not conducted for 1995-96.
* Region 3 (Post 820201). 96/11/27. 1p. 90974:032-90974:032.

**--9612030223** Insp repts 50-282/96-13,50-306/96-13 & 72-0010/96-13 on 961007-11.Violations noted.Major areas inspected:review of physical security program.
* Region 3 (Post 820201). 96/11/27. 11pp. 90974:033-90974:043.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110286** Responds to NRC 961105 ltr re violations noted in insp repts 50-282/96-10 & 50-306/96-10.Corrective actions:SP 1355 revised to ensure proper valve alignment.
WADLEY,M.D. Northern States Power Co. 96/12/05. Document Control Branch (Document Control Desk). 4pp. 91083:333-91083:336.

**9612120072** Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
WADLEY,M.D. Northern States Power Co. 96/12/06. Document Control Branch (Document Control Desk). 9pp. 91088:328-91088:336.

**9612160032** Ack receipt of 961125 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/96-11 & 50-306/96-11.Corrective active will be exam during future insps.
GRANT,G.E. Region 3 (Post 820201). 96/12/09. WATZL,E. Northern States Power Co. 2pp. 91096:079-91096:084.

**9612170081** Submits response to 961107 RAI re NRC insp on TN-40 cask fabrication.
ANDERSON,R.O. Northern States Power Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91140:327-91140:328.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612300088** Responds to NRC 960717 ltr re violations noted in insp repts 50-282/96-06 & 50-306/96-06.Corrective actions:evaluation was not completed until mid-Dec 1996.
WADLEY,M.D. Northern States Power Co. 96/12/20. Document Control Branch (Document Control Desk). 2pp. 91256:161-91256:162.

**9612310025** Advises of planned insp effort resulting from Prairie Island PPR review & encloses details of insp plan for next 6 months.
JACOBSON,J.M. Region 3 (Post 820201). 96/12/23. WATZL,E. Northern States Power Co. 3pp. 91235:049-91235:051.

**R. Periodic operating reports & related correspondence**

**9612120170** Monthly operating repts for Nov 1996 for Prairie Island Nuclear Generating Plant.W/961206 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 96/11/30. 9pp. 91091:348-91091:356.

**S. Reportable occurrences, LERs & related correspondence**

**9612200120** Part 21 rept re defect of welds on weld nut holding Filter Assembly Panel.Failure of weld or weld nut could allow Filter Assembly Panel to break loose under seismic stress & cause damage to other components in charger.
HOLDEN,L.S. Affiliation Not Assigned. 96/12/18. Document Control Branch (Document Control Desk). 3pp. 91201:008-91201:010.

**9612300055** LER 96-019-00:on 961127,spent fuel storage racks outside design basis due to boraflex degradation.Boric acid has been placed in immediate vicinity of spent fuel pool in event manual addition is required.W/961220 ltr.
ECKHOLT,G., WADLEY,M.D. Northern States Power Co. 96/12/20. 7pp. 91266:270-91266:276.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612040269** Forwards amended page of petition re incorrect statement in notice & accompanying ltr,dtd 961011.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 91039:159-91039:162.

**--9612040270** Amended petition requesting NRC to determine that util violated requirements of 10CFR72.32(a)(14) by refusing to allow Lake City to comment on emergency plan before submitting it to NRC.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. Commissioners (Post 750119). 2pp. 91039:161-91039:162.

**9612040212** Requests suspension of NRC review of NSP application for license to construct & operate ISFSI at an away-from-reactor site in Goodhue County.
ANDERSON,R.O. Northern States Power Co. 96/11/13. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 91039:140-91039:143.

**9612040189** Forwards non-proprietary version of submitted info re TN-40 resin materials.
MASON,M. Transnuclear, Inc. 96/11/22. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 32pp. 91028:016-91028:047.

**DOCKET 50-285 FORT CALHOUN STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030303** Requests exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage."
PATTERSON,T.L. Omaha Public Power District. 96/11/25. Document Control Branch (Document Control Desk). 6pp. 91039:122-91039:127.

**9612040042** Forwards non-proprietary & proprietary RERP Index & rev 14 to RERP-Section-J, "Protective Response." Proprietary version withheld.
PATTERSON,T.L. Omaha Public Power District. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91023:220-91023:254.

**--9612040043** Rev 14 to RERP-Section-J, "Protective Response" & index.
* Omaha Public Power District. 96/11/01. 33pp. 91023:222-91023:254.

**9612120068** Submits Rev 13 to Fort Calhoun Station Site Security Plan. Encl withheld.
PATTERSON,T.L. Omaha Public Power District. 96/12/05. Document Control Branch (Document Control Desk). 2pp. 91092:050-91092:051.

**9612180373** Ack receipt of 961115 ltr & rev 5 security training & qualification plan.
GWYNN,T.P. Region 4 (Post 820201). 96/12/12. PATTERSON,T.L. Omaha Public Power District. 6pp. 91153:214-91153:219.

**H. General correspondence**

**9612170396** Informs that TL Patterson has resigned from util effective 961213.
GATES,W.G. Omaha Public Power District. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91141:035-91141:035.

**J. Insurance & indemnity information**

**9612170385** Forwards certificate as evidence of util continuation of Nuclear Energy Liability insurance policies of CY97.
GAMBHIR,S Omaha Public Power District. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91138:358-91138:359.

**P. Operating license stage documents & correspondence**

**9612030331** Forwards Revs 11 & 12 to COLR.Rev 11 of COLR issued to update Figures 4,5,6,7A & 8 to reflect new LCO.
PATTERSON,T.L. Omaha Public Power District. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91011:105-91011:143.

**--9612030333** Rev 11 to "COLR," updating COLR Figures 4,5,6,7A & 8 to reflect new LCO & LSSS.
GUINN,M.J. Omaha Public Power District. 96/08/27. 19pp. 91011:107-91011:125.

**--9612030334** Rev 12 to "COLR," updating Cycle 17 operations.
GUINN,M.J. Omaha Public Power District. 96/11/13. 18pp. 91011:126-91011:143.

**9612170454** Submits SG tube plugging rept for plant.Specific details in regard to SG tube plugging will be provided in six month rept required by TS 3.17(5)(ii).
PATTERSON,T.L. Omaha Public Power District. 96/12/05. Document Control Branch (Document Control Desk). 1p. 91141:027-91141:027.

**9612240289** Forwards NRC SER of Fort Calhoun Station IPE submittal for internal events & internal flood.Science & Engineering Associates,Concord Associates & Scientech TERs encl.
WHARTON,L.R. . 96/12/09. PATTERSON,T.L. Omaha Public Power District. 3pp. 91193:001-91193:197.

**--9612240294** Safety evaluation related to individual plant evaluation Omaha Power District,Fort Calhoun Station,Unit 1.
* . 96/12/09. 6pp. 91193:004-91193:009.

**--9610300312** "Fort Calhoun Station Technical Evaluation Rept on Individual Plant Examination Front End Analysis."
THOMAS,W. Science & Engineering Associates, Inc. NRC-04-91-066. SEA-95-2339-010-A:4. 96/06/13. NRC - No Detailed Affiliation Given. 45pp. 91193:010-91193:055.

**--9610300316** "Fort Calhoun Station Technical Evaluation Rept on IPE Submittal Human Reliability Analysis," final rept.
WREATHALL,J. John Wreathall & Co., Inc. NRC-04-91-069. CA/TR 96-019-40. 96/09/05. Division of Systems Technology (Post 941217). 44pp. 91193:056-91193:098.

**--9610300319** "Fort Calhoun Unit 1 Technical Evaluation Rept on Individual Plant Examination Back-End Analysis.
WAGAGE,H.A., MEYER,J.F. SCIENTECH, Inc. NRC-04-91-068. SCIE-NRC-239-95. 96/05/31. NRC - No Detailed Affiliation Given. 99pp. 91193:099-91193:197.

**9612170392** Informs NRC of application of interim operability criteria for determining operability of two pipe supports.
GAMBHIR,S.K. Omaha Public Power District. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91140:212-91140:213.

**9612230255** Informs that draft NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," has been published.Comments requested.
MIRAGLIA,F.J. . 96/12/13. GATES,W.G. Omaha Public Power District. PARRISH,J.V. Washington Public Power Supply System. SCHNELL,D. Union Electric Co. 20pp. 91181:253-91181:272.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030164** Discusses 961029 semiannual PPR at plant.Reviews conducted for all operating NPPs to develop integrated understanding of safety performance.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/27. PATTERSON,T.L. Omaha Public Power District. 5pp. 90974:116-90974:120.

**9612090009** Forwards insp rept 50-285/96-14 on 961006-1116.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/12/03. PATTERSON,T.L. Omaha Public Power District. 4pp. 91038:324-91038:345.

–**9612090030** Insp rept 50-285/96-14 on 961006-1116.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/12/03. 18pp. 91038:328-91038:345.

**9612100273** Forwards insp rept 50-285/96-12 on 961015-1101 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 96/12/04. PATTERSON,T.L. Omaha Public Power District. 5pp. 91059:001-91059:022.

–**9612100276** Notice of violation from insp on 961015-1101.Violation noted:seven fuel assemblies were loaded into reactor vessel near inoperable wide range logarithmic power channel D,while operable channels unable to provide required indication.
* Region 4 (Post 820201). 96/12/04. 1p. 91059:006-91059:006.

–**9612100280** Insp rept 50-285/96-12 on 961015-1101.Violation noted.Major areas inspected:inservice insp program,maint program & followup insp effort in operations & engineering areas.
* Region 4 (Post 820201). 96/12/04. 16pp. 91059:007-91059:022.

**9612110044** Ack receipt of 961125 ltr informing NRC of steps taken to correct violations noted in insp rept 50-285/96-10.Reply responsive to concerns raised,review of implementation of corrective actions during future inspection.
DYER,J.E. Region 4 (Post 820201). 96/12/04. PATTERSON,T.L. Omaha Public Power District. 4pp. 91059:076-91059:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612100113** Forwards insp rept 50-285/96-15 on 961111-22.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/06. PATTERSON,T.L. Omaha Public Power District. 4pp. 91049:074-91049:090.

–**9612100120** Insp rept 50-285/96-15 on 961111-22.No violations noted. Major areas inspected:operations & plant support.
* Region 4 (Post 820201). 96/12/06. 13pp. 91049:078-91049:090.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612020096** Forwards "Fort Calhoun Station Performance Indicators for Oct 1996."
PATTERSON,T.L. Omaha Public Power District. 96/11/21. Document Control Branch (Document Control Desk). 1p. 91001:101-91001:217.

–**9612020097** "Fort Calhoun Station Performance Indicators for Oct 1996."
* Omaha Public Power District. 96/10/31. 112pp. 91001:102-91001:217.

**9612190098** Monthly operating rept for Nov 1996 for Fort Calhoun Station Unit 1.W/ 961213 ltr.
EDWARDS,M.L., GAMBHIR,S.K. Omaha Public Power District. 96/11/30. 9pp. 91191:307-91191:315.

**S. Reportable occurrences, LERs & related correspondence**

**9612060053** LER 96-011-00:on 961030,containment closure breached while moving fuel.Caused by failure to maintain valves & follow & enforce SO-G-20A requirements.Rev of policies & procedures re control & maint of containment closure.W/961127 ltr.
BLESSIE,W.J., PATTERSON,T.L. Omaha Public Power District. 96/11/27. 7pp. 91126:352-91126:358.

**9612170197** LER 96-012-00:on 961111,potential for vaporizing cooling water in containment fan cooling Units occurred.Caused by loop coincident with LOCA.Analyses have been performed. W/961211 ltr.
VAN SANT,B.J., GAMBHIR,S.K. Omaha Public Power District. 96/12/11. 5pp. 91163:256-91163:260.

**9612180281** LER 96-013-00:on 961116,util failed to satisfy surveillance requirement for containment penetration M-80.Caused by lack of complete & thorough CA.Review of all similarly configured penetrations was conducted.W/961213 ltr.
MILLER,G.L., GAMBHIR,S.K. Omaha Public Power District. 96/12/13. 5pp. 91180:303-91180:307.

**9612240173** LER 96-014-00:on 961117,reactor cooldown in excess of limits occurred due to starting reactor coolant pumps.OP-2A & OI-RC-9 will be revised.W/961217 ltr.
MATZKE,E.P., GAMBHIR,S.K. Omaha Public Power District. 96/12/17. 8pp. 91242:042-91242:049.

**V. Operator Examinations**

**9612240158** Confirms 961210 telcon between G Guliani & R Lantz re administration of licensing exam at plant during wk of 970414.Proposed exam outlines requested by 970214 & finalized by 970314.Exam guidelines encl.
GWYNN,T.P. Region 4 (Post 820201). 96/12/11. PATTERSON,T.L. Omaha Public Power District. 7pp. 91184:017-91184:023.

**DOCKET 50-286 INDIAN POINT STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612040031** Revised EPIPs,including rev 11 to IP-1025, "Repair & Corrective Action Teams" & rev 7 to IP-1057, "Natural Phenomena Emergency."
WALSH,L. Power Authority of the State of New York (New York Power Authority). 96/11/29. 15pp. 91028:218-91028:232.

**P. Operating license stage documents & correspondence**

**9612030301** Requests that TR WCAP-14668, "Conditional Extension of Rod Misalignment TS for Indian Point 3," be withheld per 10CFR2,790.
LIPARULO,N.J. Westinghouse Electric Corp. 96/11/22. MIRAGLIA,F.J. Document Control Branch (Document Control Desk). 9pp. 91010:348-91010:356.

**9612090162** Forwards application for amend to license DPR-64 & TS, allowing storage of fuel assemblies w/nominal enrichments up to 5.0% weight U-235 & superseding 960823 ltr.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/22. Document Control Branch (Document Control Desk). 2pp. 91052:120-91052:222.

–**9612090164** Application for amend to license DPR-64,allowing storage of fuel assemblies w/nominal enrichments up to 5.0% weight U-235.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/22. 1p. 91052:122-91052:122.

–**9612090165** Proposed tech specs,allowing storage of fuel assemblies w/ nominal enrichments up to 5.0% weight U-235.
* Power Authority of the State of New York (New York Power Authority). 96/11/22. 28pp. 91052:123-91052:150.

–**9612090168** "Criticality Analysis of IPN-3 Fresh & Spent Fuel Racks."
KAPIL,S., SRINILTA,S., FECTEAU,M.W. Westinghouse Electric Corp. 96/10/31. 58pp. 91052:151-91052:208.

–**9612090170** Rev 0 to "Verification of SFP Thermal/Hydraulic Analyses."
GUMBLE,F., CANAVAN,G., POWERS,M. Power Authority of the State of New York (New York Power Authority). IP3-CALC-SFP-02065. 96/11/20. 14pp. 91052:209-91052:222.

**9612100188** Requests amend to existing exemption to 10CFR50,Appendix J, Paragraph III.D.3 to provide for one-time deferral of containment isolation valve Type C leakage testing.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/12/05. Document Control Branch (Document Control Desk). 7pp. 91056:301-91056:307.

**9612120286** Forwards SE accepting licensee 960606 ltr which requested relief from ASME Code Section XI to allow temp non-code repair of svc water valve for plant,Unit 3.
BAJWA,S.S. . 96/12/09. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 91075:104-91075:112.

–**9612120291** Safety evaluation accepting licensee 960606 ltr which requested relief from ASME Code Section XI,to allow temporary non-code repair of svc water valve for plant.
* . 96/12/09. 5pp. 91075:108-91075:112.

**9612160115** Notification of 961212 meeting w/util to discuss conversion to improved STS for Indian Point 2.
WUNDER,G.F. . 96/12/10. BAJWA,S.S. . 4pp. 91100:356-91100:359.

**9612180203** Forwards application for amend to License DPR-64,changing TS re allowed outage time for ESF initiation instrumentation.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91155:277-91155:290.

–**9612180208** Application for amend to License DPR-64,proposing to establish allowed outage time of six h for either inoperable logic train or inoperable channel of ESF initiation instrumentation.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/12/10. 1p. 91155:279-91155:279.

–**9612180214** Proposed tech specs re allowed outage time for ESF initiation instrumentation.
* Power Authority of the State of New York (New York Power Authority). 96/12/10. 11pp. 91155:280-91155:290.

**9612230258** Discusses draft NUREG-1560, "IPE Program:Respectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 91181:273-91181:277.

**9612200151** Requests addl info re 961116 plant-specific summary rept relating to GL 87-02 on resolution of unresolved safety issue A-46 program at Indian Point Unit 3.
WUNDER,G.F. . 96/12/16. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 7pp. 91181:046-91181:052.

**9612310005** Discusses closeout of GL 92-01,rev 1,suppl 1, "Reactor Vessel Structural Integrity." Results of ongoing Owners group RPV integrity programs relative to plant requested.
WUNDER,G.F. . 96/12/26. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 91247:052-91247:056.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090141** Provides comments for NRC use in developing plans for insps & activities associated w/planned regulatory analysis of SFP safety issues.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/22. Document Control Branch (Document Control Desk). 7pp. 91051:352-91051:358.

**9612060023** Ack receipt of 961114 ltr informing NRC of steps taken to correct violations noted in insp rept 50-286/96-08.
COWGILL,C.J. Region 1 (Post 820201). 96/11/29. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. 91024:001-91024:009.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**S. Reportable occurrences, LERs & related correspondence**

**9612180277** PNO-I-96-091:on 961217,CR received call reporting unconscious,injured person at Substation C located in protected area IP-2 & IP-3.Individual transported offsite to local hosp,where pronounced dead.Cause of death unknown.
BARKLEY,R. Region 1 (Post 820201). 96/12/18. 2pp. 91180:301-91180:302.

**9612230100** PNO-I-96-091A:update re 961217 fatality at Indian Point Unit 3.Autopsy was performed by Westchester County Medical Examiner ofc on individual ruled out electrocution as cause of death & indicated heart attack as cause.
BARKLEY,R. Region 1 (Post 820201). 96/12/20. 2pp. 91242:016-91242:017.

**DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612030073** Forwards AIT repts 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Licensee response to 960924 event re heater drain line rupture found to be in compliance w/emergency plan.
EBNETER,S.D. Region 2 (Post 820201). 96/11/04. HAMPTON,J.W. Duke Power Co. 6pp. 90974:044-90974:099.

**9612020134** Forwards insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.
BARR,K.P. Region 2 (Post 820201). 96/11/15. HAMPTON,J.W. Duke Power Co. 3pp. 90958:001-90958:028.

**--9612020138** Insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.Major areas inspected: observation & evaluation of biennial emergency preparedness exercise.
* Region 2 (Post 820201). 96/09/17. 25pp. 90958:004-90958:028.

**9612020102** Conveys results & conclusions of encl operational safeguards response evaluation,conducted at plant,Units 1,2 & 3 from 960520-23.W/o encl.
CUNNINGHAM,L.J. . 96/11/20. HAMPTON,J.W. Duke Power Co. 2pp. 90975:054-90975:055.

**9612030274** Forwards latest info from Duke Power Co in support of Oconee Integrated Safeguards tests.
LABARGE,D.E. . 96/12/03. . 11pp. 90980:284-90980:294.

**9612120058** Forwards draft of procedure the licensee preparing & made available to NRC for info purposes.Procedure details steps necessary for performance of functional tests of emergency electrical distribution sys.
LABARGE,D.E. . 96/12/10. . 1p. 91073:001-91074:006.

**--9612120252** Draft Procedure TT/0/A/0610/025, "Emergency Power & Engineered Safeguards Functional Test."
* Duke Power Co. 96/12/07. 232pp. 91073:002-91073:233.

**--9612120262** Procedure TT/0/A/0610/025A, "Test Equipment Setup for Emergency Power & Engineered Safeguards Functional Test."
* Duke Power Co. 96/12/11. 132pp. 91073:234-91074:006.

**9612180202** Revised EPIPs,including rev 96-09 to Vol B, "Table of Contents," rev 1 to LM-C-P003C, "Determination of Boron by Manual Colorimetric Titration" & rev 7 to 5.1, "Emergency Response Guidelines." W/961210 ltr.
FOSTER,W.W. Duke Power Co. 96/12/10. 30pp. 91155:095-91155:124.

**9612240124** Rev 96-04,Vol A to "ONS Emergency Plan." W/961212 ltr.
HAMPTON,J.W. Duke Power Co. 96/12/12. 257pp. 91228:001-91228:257.

**9612240118** Forwards response to 961212 & 13 telcons re amend to licenses for proposed changes to Updated Final Safety Analysis Rept re one-time emergency power engineered safeguards functional test.
HAMPTON,J.W. Duke Power Co. 96/12/17. Document Control Branch (Document Control Desk). 13pp. 91227:317-91227:329.

**9612230291** Summarizes 961212 meeting held at plant to discuss overall objectives,scope & safety aspects of proposed plant emergency power & engineering safeguards functional test scheduled for early Jan 1997.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/12/18. HAMPTON,J.W. Duke Power Co. 5pp. 91180:115-91180:119.

**P. Operating license stage documents & correspondence**

**9612020112** Provides description & basis for scope of integrated ES test during current outage of Units 1,2 & 3,as committed to in 961031 ltr.
HAMPTON,J.W. Duke Power Co. 96/11/21. Document Control Branch (Document Control Desk). 5pp. 91003:054-91003:058.

**9612030008** Notification of 961205 meeting w/representatives from Duke Power Co in Rockville,MD to discuss schedule for staff review of Duke Power generic format & content document for future license renewal submittals.
MOULTON,J.P. . 96/11/26. NEWBERRY,S.F. . 3pp. 90980:328-90980:330.

**9612090341** Forwards unsatisfactory performance test results for FFD program for plants.
TUCKMAN,M.S. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91054:259-91054:263.

**9612060041** Requests that licensee provide results of safety determination re current testing & design analyses of plant integrated engineered safeguards test,per 961121 ltr.
VARGA,S.A. . 96/12/03. HAMPTON,J.W. Duke Power Co. 3pp. 91028:273-91028:275.

**9612090371** Forwards corrected pp 17-15 to Topical Rept Duke-1-A, "Quality Assurance Program."
TUCKMAN,M.S. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91055:001-91055:008.

**--9612090375** Revised pp 17-15 to "Quality Assurance Program."
* Duke Power Co. 96/12/03. 6pp. 91055:003-91055:008.

**9612100119** Forwards util anaylsis of probability & public risk of potential accidents in spent fuel pools which could lead to beyond design basis accident due to pool drainage potential. Concerns re spent fuel design,submitted.
HAMPTON,J.W. Duke Power Co. 96/12/04. Document Control Branch (Document Control Desk). 3pp. 91056:020-91056:083.

**--9612100127** "Spent Fuel Pool Safety Enhancement Backfit Analysis."
* Duke Power Co. 96/12/05. 61pp. 91056:023-91056:083.

**9612170304** Confirms 961209 telcon re staff working-level meeting to be conducted on 961212.
WERT,L.D. Region 2 (Post 820201). 96/12/09. HAMPTON,J.W. Duke Power Co. 2pp. 91118:272-91118:273.

**9612120029** Forwards preliminary draft of amend request re emergency electrical distribution sys functional test at plant.
LABARGE,D.E. . 96/12/10. . 31pp. 91072:328-91072:358.

**9612170028** Forwards revised TS 3.5.2 bases,reflecting revised analyses for LOCA limits at higher fuel burnups,in support of cycle 17 reload.
HAMPTON,J.W. Duke Power Co. 96/12/10. Document Control Branch (Document Control Desk). 1p. 91140:348-91140:353.

**--9612170031** Proposed tech spec 3.5.2 bases,reflecting revised analyses for LOCA limits at higher fuel burnups.
* Duke Power Co. 96/12/10. 5pp. 91140:349-91140:353.

**9612160355** Requests comments re NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. TUCKMAN,M.S. Duke Power Co. 6pp. 91123:214-91123:219.

**9612190339** Forwards notice of consideration of issuance of amends to FR for publication.Notice re 961211 application to amend plant license to allow rev to plant updated FSAR.
LABARGE,D.E. . 96/12/16. HAMPTON,J.W. Duke Power Co. 3pp. 91136:319-91136:331.

**--9612190344** Notice of consideration of issuance of amends to licenses DPR-38,DPR-47 & DPR-55 & proposed NSHC determination & opportunity for hearing.Amends allow rev to plant updated FSAR including one-time emergency power sys functional test.
LABARGE,D.E. . 96/12/16. 10pp. 91136:322-91136:331.

**9612240187** Informs of delay of commitments re containment structure re-analysis & root cause analysis of accelerated tendon force losses.
HAMPTON,J.W. Duke Power Co. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91205:358-91205:359.

**9612230235** Notification of 970107 meeting w/util in Charlotte,NC to discuss staff comments resulting from review of generic license renewal format & content specification document.
MOULTON,J.P. . 96/12/19. NEWBERRY,S.F. . 4pp. 91194:310-91194:313.

**9612310002** Forwards supplemental info re Emergency Power Engineered Safeguards Functional Test amend request.
HAMPTON,J.W. Duke Power Co. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91256:355-91256:360.

**9612310105** Forwards revised TS page to appropriate TS manual holders.
LABARGE,D.E. . 96/12/24. HAMPTON,J.W. Duke Power Co. 4pp. 91247:029-91247:032.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030073** Forwards AIT repts 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Licensee response to 960924 event re heater drain line rupture found to be in compliance w/emergency plan.
EBNETER,S.D. Region 2 (Post 820201). 96/11/04. HAMPTON,J.W. Duke Power Co. 6pp. 90974:044-90974:099.

**--9612030116** AIT reps 50-269/96-15,50-270/96-15 & 50-287/96-15 on 960924-1008.No violations noted.Major areas inspected: licensee response to 960924 event re balance of plant heater drain line rupture.
PEEBLES,T.A., JAUDON,J.P. Region 2 (Post 820201). 96/11/04. 51pp. 90974:050-90974:099.

**9612020134** Forwards insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.
BARR,K.P. Region 2 (Post 820201). 96/11/15. HAMPTON,J.W. Duke Power Co. 3pp. 90958:001-90958:028.

**-9612020138** Insp repts 50-269/96-14,50-270/96-14 & 50-287/96-14 on 960916-19.No violations noted.Major areas inspected: observation & evaluation of biennial emergency preparedness exercise.
* Region 2 (Post 820201). 96/09/17. 25pp. 90958:004-90958:028.

**9612060079** Informs of missed commitment date re response to Insp Repts 50-269/96-10,50-270/96-10 & 50-287/96-10.
HAMPTON,J.W. Duke Power Co. 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91044:357-91044:358.

**9612090349** Responds to NRC 961104 ltr re violations noted in insp repts 50-269/96-13,50-270/96-13 & 50-287/96-13.Duke will perform a comprehensive review of QA Topical Report.
HAMPTON,J.W. Duke Power Co. 96/12/04. Document Control Branch (Document Control Desk). 9pp. 91055:113-91055:121.

**9612090367** Forwards SG inservice insp for SG tube plugging & repair 30 day rept.
HAMPTON,J.W. Duke Power Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91055:130-91055:131.

**9612170302** Confirms 961202 telcon between JE Birchfield & RE Carroll re predecisional enforcement conference scheduled for 961218.Purpose of conference to discuss violation re potential loss of plant SG.
WERT,L.D. Region 2 (Post 820201). 96/12/04. HAMPTON,J.W. Duke Power Co. 2pp. 91105:068-91105:069.

**9612170430** Forwards insp repts 50-269/96-16,50-270/96-16 & 50-287/96-16 on 961006-1116 & notice of violation.
MERSCHOFF,J.R. Region 2 (Post 820201). 96/12/04. HAMPTON,J.W. Duke Power Co. 4pp. 91133:018-91133:060.

**-9612170436** Notice of violation from insp on 961006-1116.Violation noted:incorrect calibr of letdown storage tank level instruments on all 3 units.
* Region 2 (Post 820201). 96/12/04. 2pp. 91133:022-91133:023.

**-9612170442** Insp repts 50-269/96-16,50-270/96-16 & 50-287/96-16 on 961006-1116.Violations noted.Major areas inspected:maint, engineering & plant support.
* Region 2 (Post 820201). 96/12/04. 37pp. 91133:024-91133:060.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612090337** Forwards RAI re licensee responses to Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
LABARGE,D.E. . 96/12/06. HAMPTON,J.W. Duke Power Co. 4pp. 91045:203-91045:206.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160298** Responds to 960227 ltr request for relief 96-01 from certain requirements of AMSE Code,section XI,1989 edition for Oconee Nuclear Station Units 1,2 & 3.Staff evaluation & conclusions are contained in safety evaluation encl.
BERKOW,H.N. . 96/12/13. HAMPTON,J.W. Duke Power Co. 4pp. 91121:313-91121:323.

**-9612160308** SER accepting request for relief 96-01 third ten-year interval inservice insp program plan for Duke Power Co, Oconee Nuclear Station,Units 1,2 & 3.
* . 96/12/13. 7pp. 91121:317-91121:323.

**9612260101** Submits results of SG ISI performed during end of cycle 16 refueling outage for review,as required by TS 4.17.6(b).
HAMPTON,J.W. Duke Power Co. 96/12/17. Document Control Branch (Document Control Desk). 91pp. 91209:209-91209:301.

**R. Periodic operating reports & related correspondence**

**9612180099** Forwards MOR for Oconee Nuclear Station,Units 1,2 & 3 for Nov 1996 & revised MOR for Oct 1996.
DIMMERY,T. Duke Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91155:302-91155:319.

**-9612180106** Monthly operating repts for Nov 1996 for Oconee Nuclear Station,Units 1,2 & 3.
WILLIAMS,R.A. Duke Power Co. 96/11/30. 15pp. 91155:304-91155:318.

**-9612180129** Revised MOR for Oct 1996 for Oconee Nuclear Station,Units 1, 2 & 3.
* Duke Power Co. 96/10/31. 1p. 91155:319-91155:319.

**DOCKET 50-288 REED COLLEGE RESEARCH REACTOR**

**F. Security, medical, emergency & fire protection plans**

**9612300019** Ack receipt of 961114 ltr concerning revision to physical security plan for Reed Reactor Facility,submitted under provisions of 10CFR50.54(p).
GWYNN,T.P. Region 4 (Post 820201). 96/12/24. KOBLIK,S.S. Reed College, Portland, OR. 4pp. 91229:034-91229:037.

**I. Financial information**

**9612160065** Responds to 961028 request re decommissioning funding assurance review of proposed changes to Reed College ltr of credit & standby trust agreement.Informs that proposed ltr of credit satisfies requirements of 10CFR50.75 & acceptable.
MENDONCA,M.M. . 96/12/10. MCFARLANE,E.O. Reed College, Portland, OR. 2pp. 91101:200-91101:201.

**DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030277** Forwards Rev 35 of modified amended physical security plan. Encl withheld,per 10CFR50.54(p)(2).
WILSON,J.F. General Public Utilities Corp. - GPU Service Corp. 96/11/21. Document Control Branch (Document Control Desk). 1p. 91007:360-91007:360.

**9612180328** Forwards response to 961206 telcon re Change 37 of revised corporate emergency plan,rev 11.
RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91155:341-91155:342.

**9612260099** Ack receipt of 960719,0919,1111 & 22 ltrs,which transmitted changes to emergency plan for plants,submitted per 10CFR50.54(q) for regulations.
EATON,R.B. . 96/12/23. RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 4pp. 91201:235-91201:238.

**H. General correspondence**

**9612050019** Requests that NRC & attending Commissioners stockpile potassium iodide at designated Veterans Admin Hosps through-out US,in view of nuclear accidents at plant.
SHOLES,L.F., SHOLES,D. Affiliation Not Assigned. 96/10/13. JAMGOCHIAN,M. NRC - No Detailed Affiliation Given. 1p. 91013:017-91013:017.

**9612170220** Responds to 960904,13,25 & 1007 & 14 ltrs re concerns at plant about conformance w/TMI action plan items II.K.3.30 & II.K.3.31,competence & integrity questions about nonconformance w/items.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/05. MYERS,H.R. Affiliation Not Assigned. 2pp. 91131:102-91131:222.

**-9612170321** Discusses 960920 statement issued by J McCloskey,ack receipt of NRC rept re plant.Rept contains findings of NRC OI WRT inquiry into items pertaining to plant noncompliance w/TMI action plan items II.K.3.30 & II.K.3.31.
MYERS,H.R. Affiliation Not Assigned. 96/09/25. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:218-91131:219.

**-9612170345** Refers to 960913 & 960916 ltrs re noncomplying conditions discovered in recent monthes at MYAP.Conditions raise questions as to whether,overall,MYAP in substantial compliance w/NRC regulations assuring low radiological risk.
MYERS,H.R. Affiliation Not Assigned. 96/10/07. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 1p. 91131:220-91131:220.

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

**-9612120427** Forwards article from Boston Globe re near accident at Three Mile Island plant.
BLANCH,P.M. Affiliation Not Assigned. 96/10/03. NRC - No Detailed Affiliation Given. 2pp. 91120:090-91120:091.

**-9612120446** Discusses complaints made by PM Blanch re nuclear power plants.
BLANCH,P.M. Affiliation Not Assigned. 96/10/03. NRC - No Detailed Affiliation Given. 2pp. 91120:092-91120:093.

**P. Operating license stage documents & correspondence**

**9612040161** Notification of significant licensee meeting 96-118 w/util on 961122 to discuss plant motor operated valve testing program self-assessment.
ESELGROTH,P.W. Region 1 (Post 820201). 96/11/15. Region 1 (Post 820201). 2pp. 91013:001-91013:002.

**9612090240** Forwards TMI-1 TS change request 253 to incorporate certain improvements from Std TS for B&W Plants (NUREG-1430).
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/12/03. Document Control Branch (Document Control Desk). 20pp. 91054:001-91054:044.

**-9612090243** Proposed tech specs incorporating certain requirements from revised B&W Std TS,NUREG-1430.
* General Public Utilities Corp. - GPU Service Corp. 96/12/03. 23pp. 91054:021-91054:044.

**9612230193** Informs that NRC published draft of "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," NUREG-1560.Comments appreciated.
MIRAGLIA,F.J. . 96/12/11. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 6pp. 91194:167-91194:172.

**9612240192** Forwards amend for license & TS,consisting of change request 260,reflecting change in legal name of operator of plant from GPU Corp to GPU Inc & reflecting license & TS registered trade name of "GPU Energy."
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91347:005-91347:032.

**-9612240196** Application for amend to license DPR-50,consisting of change request 260,reflecting change in legal name of operator of plant from GPU Corp to GPU Inc & reflecting plant license & TS registered trade name of "GPU Energy."
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/12/16. 3pp. 91347:007-91347:009.

--**9612240198** Proposed tech specs,reflecting change in legal name of operator of plant from GPU Corp to GPU Inc & reflecting plant licenses & TS registered trade name of "GPU Energy."
* General Public Utilities Corp. - GPU Service Corp. 96/12/16. 23pp. 91347:010-91347:032.

**9612260112** Forwards SER re 950425 ltr submitting topical rept TR-087, rev 0, "TMI-1 Core Thermal-Hydraulic Methodology Using VIPRE-01 Computer Code."
NORRIS,J.A. . 96/12/19. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 91201:074-91201:080.

--**9612260121** Safety evaluation relating to review of Topical rept TR-87, rev 0, "TMI-1 Core Thermal-Hydraulic Methodology Using VIPRE -01 Computer Code."
* . 96/10/21. 4pp. 91201:077-91201:080.

**9612260113** Discusses closeout for GPU response to GL 92-01,rev 1, supplement 1 for plant unit 1.
NORRIS,J.A. . 96/12/23. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 5pp. 91201:239-91201:243.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040155** Forwards insp rept 50-289/96-06 on 960804-0928 & notice of violation.
ESELGROTH,P.W. Region 1 (Post 820201). 96/11/14. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 2pp. 91002:296-91002:316.

--**9612040160** Notice of violation from insp on 960804-0928.Violation noted:improper control of posted high radiation area entrance.
* Region 1 (Post 820201). 96/11/14. 1p. 91002:298-91002:298.

--**9612040162** Insp rept 50-289/96-06 on 960804-0928.Violations noted.Major areas inspected:plant operations,engineering,maint & plant support.
* Region 1 (Post 820201). 96/11/14. 18pp. 91002:299-91002:316.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170168** Responds to NRC 961029 ltr re violations noted in insp rept 50-289/95-16.Corrective actions:util will continue to comply w/current Code of record.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/12/05. Document Control Branch (Document Control Desk). 3pp. 91140:301-91140:303.

**9612120380** Forwards insp rept 50-289/96-07 on 960929-1118 & notice of violation.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/06. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 2pp. 91070:243-91070:272.

--**9612120411** Notice of violation from insp on 960929-1118.Violation noted:scaffold tied-off & supported by safety related pipe support for nuclear river water sys w/o prior engineering evaluation & approval.
* Region 1 (Post 820201). 96/12/06. 2pp. 91070:245-91070:246.

--**9612120433** Insp rept 50-289/96-07 on 960929-1118.Violations noted. Major areas inspected:conduct of operations, quality assurance in operations & conduct of maint.
EVANS,M.G., HANSELL,S.L., KING,E.B. Region 1 (Post 820201). 96/11/18. 26pp. 91070:247-91070:272.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190397** Responds to NRC ltr re violations noted in insp rept 50-289/96-06.Corrective actions:walkdown of all high radiation area barriers performed.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91181:338-91181:342.

**9612300020** Advises of planned insp effort resulting from plant PPR review.Details of insp plan for next 6 months encl.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/20. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 91233:089-91233:091.

**R. Periodic operating reports & related correspondence**

**9612040057** Monthly operating rept for Oct 1996 for TMI-1.W/961113 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/10/31. 4pp. 91019:351-91019:354.

**9612190428** Monthly operating rept for Nov 1996 for Three Mile Island Nuclear Station,Unit 1 (TMI-1).W/961212 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/11/30. 7pp. 91174:346-91174:352.

**S. Reportable occurrences, LERs & related correspondence**

**9612200002** LER 96-001-01:on 961112,determined that Westinghouse Class IE 4160 VAC breakers were not seismically qualified.Caused by personnel error.Removed racked out breakers from modules & seismically restrained.W/961212 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/12/12. 4pp. 91181:032-91181:035.

**9612240111** LER 96-001-00:on 961112,Westinghouse class IE 4160 VAC switchgear w/ breakers were not seismically qualified.Caused by personnel error.Racked out breakers were removed from modules & seismically restrained.W/961219 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/12/12. 4pp. 91226:339-91226:342.

**DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030174** Responds to NRC ltr re violations noted in insp rept 50-293/96-09.QA scheduled audit of access authorization program to be performed in fourth quarter 1996.
BOULETTE,E.T. Boston Edison Co. 96/11/20. Document Control Branch (Document Control Desk). 4pp. 91003:326-91003:329.

**9612200352** Revised EPIPs,including rev 40 to table of contents,rev 9 to EP-IP-220, "TSC Activation & Response," rev 3 to EP-IP-229, "TSC/OSC Equipment Operation," rev 1 to EP-IP-230, "OSC Activation & Response" & rev 3 to EP-IP-231, "Onsite..."
* Boston Edison Co. 96/12/13. 81pp. 91205:242-91205:325.

**9612260211** Forwards insp rept 50-293/96-08 on 960924-1122,notice of violation & slides from 961003.
CONTE,R. Region 1 (Post 820201). 96/12/18. BOULETTE,E.T. Boston Edison Co. 4pp. 91197:107-91197:173.

--**9612260218** Insp rept 50-293/96-08 on 960924-1122.Violation noted.Major areas inspected:engineering,maint,plant support,radioactive effluent controls program,radiological environmental monitoring & meteorological monitoring.Meeting slides encl.
* Region 1 (Post 820201). 96/12/18. 62pp. 91197:112-91197:173.

**P. Operating license stage documents & correspondence**

**9612160181** Forwards input re TIA on plant licensing basis & subsequent mod under 10CFR50.59 for two safety significant problems.
COLLINS,T.E. . 96/11/12. BERLINGER,C. . 6pp. 91101:104-91101:109.

**9612060187** Application for amend to license DPR-35,modifying Definition 1.M, "Primary Containment Integrity," to include "all instrument line flow check valves" to make definition consistent w/LCO 3/4.7.A.2.a.4.
BOULETTE,E.T. Boston Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 6pp. 91044:163-91044:181.

--**9612060192** Proposed tech specs,modifying definition 1.M, "Primary Containment Integrity," to include "all instrument line flow check valves" to make definition consisten w/LCO 3/4.7.A.2.a.4.
* Boston Edison Co. 96/11/26. 13pp. 91044:169-91044:181.

**9612160206** Informs that on 950519,NRC issued GL 92-01,Rev 1,Suppl 1, "Reactor Vessel Structural Integrity" requesting that nuclear licensees perform review of reactor vessel structural integrity assessments.
WANG,A.B. . 96/12/10. BOULETTE,T.E. Boston Edison Co. 5pp. 91128:347-91128:351.

**9612230317** Forwards supplemental pages to proposed amend to Standby Liquid Control/RPS/Rod Block tech spec.
BOULETTE,E.T. Boston Edison Co. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91211:334-91211:339.

--**9612230325** Proposed tech specs table 3.2.C.1 re instrumentation that initiates rod blocks,table 3.2.C.2 re control rod block instrumentation setpoints & table 4.2.C re minimum test & calibr frequency for control rod blocks actuation.
* Boston Edison Co. 96/12/10. 4pp. 91211:336-91211:339.

**9612230261** Discusses draft NUREG-1560, "IPE Program Respectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. BOULETTE,E.T. Boston Edison Co. 6pp. 91181:278-91181:283.

**9612260260** Ack receipt of 961107 ltr in response to issue raised in 960513 ltr re Dept of Labor case 94-ERA-34.
COOPER,R.W. Region 1 (Post 820201). 96/12/17. BOULETTE,E.T. Boston Edison Co. 2pp. 91197:024-91197:030.

--**9612260266** Provides formal closure to issue raised in 960513 ltr to NRC re Dept of Labor case 94-ERA-34.
BOULETTE,E.T. Boston Edison Co. 96/11/07. COOPER,R.W. Region 1 (Post 820201). 2pp. 91197:027-91197:030.

**9612230422** Provides response to request for addl info re GL 96-04, "Boraflex Degradation in Spent Fuel Pool Storage Racks."
OHEIM,H.V. Boston Edison Co. 96/12/18. Document Control Branch (Document Control Desk). 7pp. 91227:076-91227:082.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030174** Responds to NRC ltr re violations noted in insp rept 50-293/96-09.QA scheduled audit of access authorization program to be performed in fourth quarter 1996.
BOULETTE,E.T. Boston Edison Co. 96/11/20. Document Control Branch (Document Control Desk). 4pp. 91003:326-91003:329.

**9612030199** Responds to NRC 961021 ltr re violations noted in insp rept 50-293/96-07.Corrective actions:PR 96.9169 was written & senior on-shift licensed operator was notified & other mods stemming from calculation PS-119 will be implemented.
BOULETTE,E.T. Boston Edison Co. 96/11/20. Document Control Branch (Document Control Desk). 12pp. 91003:286-91003:297.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170060** Ack receipt of 961120 ltr informing NRC of steps taken to correct violations noted in insp rept 50-293/96-09 on 961011.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. BOULETTE,T.E. Boston Edison Co. 2pp. 91118:073-91118:074.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170130** Requests relief from ASME,Section XI insps & GL 88-01 re IGSCC insps for refueling outage #11.Review & approval of relief requests is requested in time to support outage currently scheduled for 970201.
BOULETTE,E.T. Boston Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 18pp. 91141:044-91141:061.

**9612260211** Forwards insp rept 50-293/96-08 on 960924-1122,notice of violation & slides from 961003.
CONTE,R. Region 1 (Post 820201). 96/12/18. BOULETTE,E.T. Boston Edison Co. 4pp. 91197:107-91197:173.

**--9612260215** Notice of violation from insp on 960924-1122.Violation noted:monthly composites for tritium & gross alpha radioactivity & quarterly composites for Sr-89,Sr-90 & Fe-55 not always analyzed according to table 4.81 of TS.
* Region 1 (Post 820201). 96/12/18. 1p. 91197:111-91197:111.

**--9612260218** Insp rept 50-293/96-08 on 960924-1122.Violation noted.Major areas inspected:engineering,maint,plant support,radioactive effluent controls program,radiological environmental monitoring & meteorological monitoring.Meeting slides encl.
* Region 1 (Post 820201). 96/12/18. 62pp. 91197:112-91197:173.

**R. Periodic operating reports & related correspondence**

**9612180017** Monthly operating rept for Nov 1996 for Pilgrim Nuclear Power Station.W/ 961213 ltr.
CANNON,R.L., OLIVIER,L.J. Boston Edison Co. 96/11/30. 7pp. 91145:332-91145:338.

**9612230124** "NPDES Discharge Monitoring Rept for Nov 1996 for Pilgrim Nuclear Power Station." W/961217 ltr.
SULLIVAN,T.A., OHEIM,H.V. Boston Edison Co. 96/11/30. 10pp. 91208:343-91208:352.

**9612190224** Forwards 1997 environmental monitoring programs & plans.
OHEIM,H.V. Boston Edison Co. 96/12/13. Environmental Protection Agency. 5pp. 91184:333-91184:337.

**DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612090351** Forwards insp repts 50-295/96-18 & 50-304/96-18 on 961028- 1101.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/02. MUELLER,J.H. Commonwealth Edison Co. 3pp. 91038:304-91038:308.

**--9612090365** Partially withheld insp repts 50-295/96-18 & 50-304/96-18 on 961028-1101 (ref 10CFR73.21).No violations noted.Major areas inspected:corrective actions,mgt support,effectiveness of mgt controls & security program plans.
* Region 3 (Post 820201). 96/12/02. 2pp. 91038:307-91038:308.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612030294** Submits special Nov 1996 Update to Zion Station,UFSAR in response to NOV re delay in updating UFSAR following 1993 upgrade to plant spent fuel racks.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 9pp. 91010:321-91010:345.

**--9612030296** Updated FSAR pp to Zion Station,Units 1 & 2.
* Commonwealth Edison Co. 96/11/26. 16pp. 91010:330-91010:345.

**P. Operating license stage documents & correspondence**

**9612100225** Forwards corrected SE to 961125 amends 176 & 163 to licenses DPR-39 & DPR-48,respectively.Amends added mode of applicability to TS 3.2.3.D, "Inoperable Rod Position Indicator Channels."
SHIRAKI,C.Y. . 96/12/06. JOHNSON,I. Commonwealth Edison Co. 2pp. 91085:295-91085:300.

**--9612100237** Corrected SE supporting amends 176 & 163 to licenses DPR-39 & DPR-48,respectively.
* . 96/11/25. 4pp. 91085:297-91085:300.

**9612170407** Submits addl changes to improved TS submittal for component cooling sys dtd 951103,22,960315,0430,0508,0515,0717,0913 & 1101,as discussed w/NRC on 961120-21.New conditions w/ associated required actions for cooling component HX encl.
MUELLER,J.H. Commonwealth Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91139:001-91139:167.

**--9612170410** Proposed tech specs completely revising TS using guidance provided in NUREG-1431, "Std TS,Westinghouse Plants."
* Commonwealth Edison Co. 96/12/11. 162pp. 91139:006-91139:167.

**9612240001** Documents commitment to modify methodology re Pressure-Temp Limits Rept.
MUELLER,J.H. Commonwealth Edison Co. 96/12/17. Document Control Branch (Document Control Desk). 2pp. 91211:358-91211:359.

**9612240304** Forwards amends 177 & 164 to licenses DPR-39 & DPR-48, respectively & safety evaluation.Amends allow Commonwealth Edison to control reactor coolant sys pressure & temperature limits for heatup,cooldown,low temp operation & testing.
SHIRAKI,C.Y. . 96/12/20. JOHNSON,I. Commonwealth Edison Co. 3pp. 91193:198-91193:243.

**--9612240307** Amends 177 & 164 to licenses DPR-39 & DPR-48,respectively, allowing ComEd to control reactor coolant sys pressure & temp limits for heatup,cooldown,low temp operation & hydrostatic testing.
SHIRAKI,C.Y. . 96/12/20. 27pp. 91193:201-91193:227.

**--9612240308** Safety evaluation supporting amends 177 & 164 to licenses DPR-39 & DPR-48,respectively.
* . 96/12/20. 16pp. 91193:228-91193:243.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040022** Responds to NRC 961022 ltr re violations noted in insp repts 50-295/96-10 & 50-304/96-10.Corrective actions:revises Procedure ZRP 5820-12,implemented operations performance plan & inspected affected fuel assemblies.
MUELLER,J.H. Commonwealth Edison Co. 96/11/25. Document Control Branch (Document Control Desk). 10pp. 91011:289-91011:298.

**9612050095** Forwards predecisional enforcement conference summary repts 50-295/96-11 & 50-304/96-11 on 961112.Response not required until licensee notified of proposed enforcement action.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. MUELLER,J.H. Commonwealth Edison Co. 2pp. 91013:188-91013:227.

**--9612050098** Predecisonal enforcement conference repts 50-295/96-11 & 50-304/96-11 on 961112.No violations noted.Areas discussed: apparent violations identified during 960722-0822 insp along w/corrective actions taken or planned by licensee.
* Region 3 (Post 820201). 96/11/27. 33pp. 91013:190-91013:227.

**9612090351** Forwards insp repts 50-295/96-18 & 50-304/96-18 on 961028- 1101.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/02. MUELLER,J.H. Commonwealth Edison Co. 3pp. 91038:304-91038:308.

**--9612090365** Partially withheld insp repts 50-295/96-18 & 50-304/96-18 on 961028-1101 (ref 10CFR73.21).No violations noted.Major areas inspected:corrective actions,mgt support,effectiveness of mgt controls & security program plans.
* Region 3 (Post 820201). 96/12/02. 2pp. 91038:307-91038:308.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170272** Forwards SG ISI results for fourteenth refueling outage.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91137:083-91137:333.

**--9612170276** "Zion Generating Station Eddy Current Special Rept SG Activities Fall 1995 Refueling Outage 14."
COOK,T.M., SKOWZGIRD,R.J. Commonwealth Edison Co. 96/12/09. 250pp. 91137:084-91137:333.

**9612270075** Responds to NRC 961121 ltr re violations noted in insp repts 50-295/96-16 & 50-304/96-16.Corrective actions:individual radiation protection technician was counseled by Health Physics Supervisor.
MUELLER,J.H. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 14pp. 91274:001-91274:014.

**9612310017** Advises of planned inspection resulting from Zion Nulcear Power Plant PPR review.Details of insp plan for next 6 months encl.Questions or comments welcome.
DAPAS,M.L. Region 3 (Post 820201). 96/12/20. MUELLER,J.H. Commonwealth Edison Co. 3pp. 91235:043-91235:045.

**9612310044** Forwards insp repts 50-295/96-13 & 50-304/96-13 on 961001- 03,28-30 & 1107 & NOV.
GRANT,G.E. Region 3 (Post 820201). 96/12/23. MUELLER,J.H. Commonwealth Edison Co. 3pp. 91235:068-91235:085.

**--9612310051** Notice of violation from insp on 961001-03,28-30 & 1107. Violations noted:licensee failed to take prompt action prior to returning potentially defective steam generator tubes to svc.
* Region 3 (Post 820201). 96/12/23. 2pp. 91235:071-91235:072.

**--9612310053** Insp repts 50-295/96-13 & 50-304/96-13 on 961001-03,28-30 & 1107.Violations noted.Major areas inspected:maint. observed & reviewed ISI procedures,personnel certifications
* Region 3 (Post 820201). 96/12/23. 13pp. 91235:073-91235:085.

**R. Periodic operating reports & related correspondence**

**9612200092** Monthly operating repts for Nov 1996 for Zion Generating Station Units 1 & 2.W/961213 ltr.
CYGAN,J., SHCWARTZ,G.K. Commonwealth Edison Co. 96/11/30. 13pp. 91192:184-91192:196.

**S. Reportable occurrences, LERs & related correspondence**

**9612030299** LER 96-024-00:on 961026,TS Surveillance Requirements (SR) 4.15.1.B.2 for inoperable diesel missed.Caused by mgt deficiency.Procedure revised.W/961127 ltr.
BRENNAN,N.M., SCHWARTZ,G.K. Commonwealth Edison Co. 96/11/27. 5pp. 91050:072-91050:076.

**9612100176** LER 96-025-00:on 961106,identified that refueling mode operating procedure violated tech spec.Caused by management deficiency.Removed deficient procedures from use & created procedure to control associated evolution.W/961206 ltr.
BRENNAN,N., SCHARTZ,G.K. Commonwealth Edison Co. 96/12/06. 6pp. 91134:228-91134:233.

**9612130067** LER 96-026-00:on 961107,identified fuel handling bldg ventilation does not conform to UFSAR & TSs due to design deficiency.Controls revised to ensure pipe tunnel exhaust passes through charcoal filters.W/961209 ltr.
BRENNAN,N.M., SCHWARTZ,G.K. Commonwealth Edison Co. 96/12/09. 6pp. 91163:090-91163:095.

**DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612030211** Rev 32 to Radiological Emergency Plan (REP).W/961127 ltr.
POGUE,J.E., BARON,R.R. Tennessee Valley Authority. 96/10/31. 120pp. 91010:059-91010:178.

**9612040002** Revised EPIPs,including rev to Effective Page Listing,rev 21 to EPIP 1,rev 17 to EPIP 2,rev 19 to EPIP 3,rev 20 to EPIP 4,rev 22 to EPIP 5,rev 14 to EPIP 6,rev 17 to EPIP 7,rev 15 to EPIP 8,rev 8 to EPIP 10 & rev 8 to EPIP 11.W/961127 ltr.
POGUE,J.E., BARON,R.R. Tennessee Valley Authority. 96/11/27. 235pp. 91021:044-91021:278.

**9612060095** Revised EPIPs,including Rev 19 to EPIP-2,Rev 22 to EPIP-3, Rev 21 to EPIP-4,Rev 23 to 17 to EPIP-6 & Rev 17 to EPIP-7. W/961127 ltr.
ABNEY,T.E. Tennessee Valley Authority. 96/11/27. 103pp. 91040:248-91040:358.

**9612090309** Rev 14 to CECC EPIP-14 to "Nuclear Emergency Public Info Organization & Operations" & revised list of effective pages.W/961202 ltr.
BARON,R.R. Tennessee Valley Authority. 96/12/02. 38pp. 91054:217-91054:254.

**9612130115** Responds to NRC 961107 ltr re violations noted in insp repts 50-259/96-10,50-260/96-10 & 50-296/96-10.Corrective Actions: keys to two vehicles were confiscated & controlled by site security.
MACHON,R.D. Tennessee Valley Authority. 96/12/06. Document Control Branch (Document Control Desk). 8pp. 91118:297-91118:304.

**P. Operating license stage documents & correspondence**

**9612020187** Confirms conservation between T Abney & M Lesser re 961119 meeting in Atlanta,GA to update NRC on final safety analysis rept review efforts.
LESSER,M.S. Region 2 (Post 820201). 96/11/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 90965:018-90965:020.

**9612030136** Requests exemption from 10CFR 70.24(a), "Criticality Accident Requirements."
ABNEY,T.E. Tennessee Valley Authority. 96/11/22. Document Control Branch (Document Control Desk). 6pp. 91008:152-91008:157.

**9612060016** Notification of cancelled 961204 meeting w/util in Rockville,MD to discuss plant site engineering program.
WILLIAMS,J.F. . 96/11/25. HEBDON,F.J. . 2pp. 91028:303-91028:304.

**9612090154** Confirms conversation w/licensee concerning working level meeting scheduled for 961216 to discuss radiological control & chemistry issues at Browns Ferry site.
LESSER,M.S. Region 2 (Post 820201). 96/11/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91039:099-91039:101.

**9612120369** Ack receipt of 961011 request for approval to change QAP description & informs that based on current review schedule, review will be completed within 60 days.
HERNAN,R.W. . 96/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91074:358-91074:360.

**9612130134** Notification of 961217 meeting w/TVA in Rockville,MD to discuss Browns Ferry site engineering program.
WILLIAMS,J.F. . 96/12/11. HEBDON,F.J. . 3pp. 91093:344-91093:346.

**9612170109** Forwards safety evaluation & RAI re reactor bldg radiation monitoring equipment.
WILLIAMS,J.F. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91131:263-91131:273.

**--9612170122** Safety evaluation accepting licensee EMI/RFI site-survey consistent w/ industry stds & practice.
* . 96/12/11. 8pp. 91131:266-91131:273.

**9612170365** Application for amends to Licenses DPR-33,DPR-52 & DPR-68, consisting of TS-386,increasing TS 2.2.A re safety/relief valve setpoint requirements for reactor coolant sys integrity.Rev 3 to J11-02761SRLR rept encl.
ABNEY,T.E. Tennessee Valley Authority. 96/12/11. Document Control Branch (Document Control Desk). 20pp. 91138:195-91138:292.

**--9612170370** Proposed Tech Specs 2.2.A re safety/relief valve setpoint requirements for reactor coolant sys integrity.
* Tennessee Valley Authority. 96/12/11. 25pp. 91138:215-91138:239.

**--9612170388** "Browns Ferry Nuclear Plant Engineering Rept for Safety/ Relief Valves Safety Function Lift Setpoint Tolerence Relaxation Summary Rept."
* Tennessee Valley Authority. 96/11/12. 17pp. 91138:276-91138:292.

**9612170366** Informs of availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91131:349-91131:353.

**9612190305** Requests that calculations submitted in 961018 ltr be withheld from public disclosure.NRC grants request.
WILLIAMS,J.F. . 96/12/17. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 91137:019-91137:022.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612130115** Responds to NRC 961107 ltr re violations noted in insp repts 50-259/96-10,50-260/96-10 & 50-296/96-10.Corrective Actions: keys to two vehicles were confiscated & controlled by site security.
MACHON,R.D. Tennessee Valley Authority. 96/12/06. Document Control Branch (Document Control Desk). 8pp. 91118:297-91118:304.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612230176** Monthly operating repts for Nov 1996 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/961211 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 96/11/30. 13pp. 91233:340-91233:352.

**S. Reportable occurrences, LERs & related correspondence**

**9612110033** LER 96-006-00:on 961106,loss of ECCS div 1 instrumentation rendered ECCS equipment inoperable.Caused by cleared fuse in ECCS div.Fuse replaced & addl testing to challenge replacement fuse performed.W/961204 ltr.
WALLACE,J.E., MACHON,R.D. Tennessee Valley Authority. 96/12/04. 8pp. 91151:080-91151:087.

**DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR**

**S. Reportable occurrences, LERs & related correspondence**

**9612170119** Provides notification of Scram Logic Unit condition deviation from intended function described in UFSAR.Caused by mechanical failure & surveillance procedure deficiency. Connection re-soldered & verified to be mechanically sound.
PEREZ,P.B., MAYO,C.W. North Carolina State Univ., Raleigh, NC. 96/12/11. Region 2 (Post 820201). 9pp. 91134:351-91134:359.

**DOCKET 50-298 COOPER NUCLEAR STATION**

**F. Security, medical, emergency & fire protection plans**

**9612120232** Forwards FEMA ltr dtd 961127 which notified State of MO of deficiencies identified during 961119 Cooper Nuclear Station full-scale biennial exercise.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/12/06. HORN,G.R. Nebraska Public Power District. 5pp. 91070:029-91070:033.

**9612170098** Discusses 961210 meeting conducted in Region IV ofc re emergency preparedness program status.
GWYNN,T.P. Region 4 (Post 820201). 96/12/12. HORN,G.R. Nebraska Public Power District. 45pp. 91118:213-91118:258.

**9612200048** Forwards insp rept 50-298/96-22 on 961118-21.Violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/16. HORN,G.R. Nebraska Public Power District. 5pp. 91149:080-91149:114.

**-9612200053** Insp rept 50-298/96-22 on 961118-21.Violations noted.Major areas inspected:licensee performance & capabilities during full-scale biennial excercise of emergency plan & implementing procedures.
* Region 1 (Post 820201). 96/12/16. 30pp. 91149:085-91149:114.

**P. Operating license stage documents & correspondence**

**9612110048** Notification of 961219 meeting w/util in Arlington,TX to discuss engineering & other plant challenges.
DYER,J.E. Region 4 (Post 820201). 96/12/04. Region 4 (Post 820201). 5pp. 91059:084-91059:088.

**9612170461** Requests that NRC approve rev to plant reactor vessel surveillance capsule withdrawal schedule.
GRAHAM,P.D. Nebraska Public Power District. 96/12/13. Document Control Branch (Document Control Desk). 8pp. 91141:001-91141:008.

**9612180270** Requests that comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance," be submitted to listed individual by 970214.Three day workshop will be held on 970407-09 in Austin,TX to address comments.
MIRAGLIA,F.J. . 96/12/13. HORN,G.R. Nebraska Public Power District. 4pp. 91132:313-91132:316.

**9612310090** Comments on draft RG DG-1045.Plant uses GE setpoint methodology.
GRAHAM,P.D. Nebraska Public Power District. 96/12/23. NRC - No Detailed Affiliation Given. 2pp. 91235:119-91235:120.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030165** Advises of planned insp effort resulting from plant SPPR review completed on 961103.SPPR provide NRC mgt w/current summary of licensee performance & serve as inputs to SALP & SMM reviews.
DYER,J.E. Region 4 (Post 820201). 96/11/27. HORN,G.R. Nebraska Public Power District. 6pp. 90973:306-90973:311.

**9612060227** Informs NRC that util previous commitment & will follow guidance in BWRVIP-18 for future exams of core spray spargers & associated piping,per NRC Bulletin 80-13.
GRAHAM,P.D. Nebraska Public Power District. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91043:306-91043:308.

**9612110043** Ack receipt of 961112 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/96-21. Review of implementation of corrective actions will be done during future insp.
GWYNN,T.P. Region 4 (Post 820201). 96/12/04. HORN,G.R. Nebraska Public Power District. 5pp. 91059:071-91059:075.

**9612110111** Ack receipt of 961030 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/95-18.
GWYNN,T.P. Region 4 (Post 820201). 96/12/04. HORN,G.R. Nebraska Public Power District. 5pp. 91059:128-91059:132.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170356** Responds to NRC 961112 ltr re violations noted in insp rept 50-298/96-23.Corrective actions:Procedure 0.27, "Maint Rule Program," will be revised.
GRAHAM,P.D. Nebraska Public Power District. 96/12/12. Document Control Branch (Document Control Desk). 5pp. 91140:222-91140:226.

**9612200048** Forwards insp rept 50-298/96-22 on 961118-21.Violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/16. HORN,G.R. Nebraska Public Power District. 5pp. 91149:080-91149:114.

**-9612200053** Insp rept 50-298/96-22 on 961118-21.Violations noted.Major areas inspected:licensee performance & capabilities during full-scale biennial excercise of emergency plan & implementing procedures.
* Region 1 (Post 820201). 96/12/16. 30pp. 91149:085-91149:114.

**9612240139** Ack receipt of unsigned & undated reply to notice of violation issued on 960927,received on 961028.NRC accepts response & considers NRC investigation rept 4-95-059 closed.
GWYNN,T.P. Region 4 (Post 820201). 96/12/20. FENTIMAN,R. Affiliation Not Assigned. 6pp. 91184:001-91184:006.

**9612260154** Forwards insp rept 50-298/96-30 on 961104-08 & 961204 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/20. HORN,G.R. Nebraska Public Power District. 6pp. 91196:200-91196:221.

**-9612260185** Notice of violation from insp on 961104-1204.Violation noted:licensee discovered reset function for valve RCI-MOV- M014 powered by ac motor & facility not operated as described in FSAR & written evaluation of FSAR not performed
* Region 4 (Post 820201). 96/12/20. 3pp. 91196:206-91196:208.

**-9612260192** Insp rept 50-298/96-30 on 961104-1204.No violations noted. Major areas inspected:assess significance of design deficiency described in LER 94-018 & supplements & determine if corrective actions sufficient.
* Region 4 (Post 820201). 96/12/20. 13pp. 91196:209-91196:221.

**9612300034** Ack receipt of 961216 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/96-23.
DYER,J.E. Region 4 (Post 820201). 96/12/24. HORN,G.R. Nebraska Public Power District. 5pp. 91229:084-91229:093.

**9612300057** Ack receipt of 961106 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/96-19.
DYER,J.E. Region 4 (Post 820201). 96/12/24. HORN,G.R. Nebraska Public Power District. 5pp. 91229:144-91229:154.

**-9612300059** Responds to NRC 961007 ltr re violations noted in insp rept 50-298/96-19 on 960728-0907.Corrective actions:issuance of non-conforming parts for essential applications & procedure 7.3.16 changed.
PECKHAM,M.F. Nebraska Public Power District. 96/11/06. Document Control Branch (Document Control Desk). 6pp. 91229:149-91229:154.

**9612300025** Forwards insp rept 50-298/96-26 on 961020-1130 & NOV.
DYER,J.E. Region 4 (Post 820201). 96/12/26. HORN,G.R. Nebraska Public Power District. 5pp. 91229:047-91229:076.

**-9612300032** Notice of violation from insp on 961020-1130.Violation noted:license did not determine within 24 hours that operable DG was not inoperable due to common cause failure & did not perform TS surveillance requirements.
* Region 4 (Post 820201). 96/12/26. 2pp. 91229:052-91229:053.

**-9612300035** Insp rept 50-298/96-26 on 961020-1130.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/12/26. 23pp. 91229:054-91229:076.

**R. Periodic operating reports & related correspondence**

**9612190177** Monthly operating rept for Nov 1996 for Cooper Nuclear Station.W/961213 ltr.
BALLINGER,P.L., PECKHAM,M.F. Nebraska Public Power District. 96/11/30. 6pp. 91191:344-91191:349.

**S. Reportable occurrences, LERs & related correspondence**

**9612020020** LER 96-013-00:on 960925,HPC injection sys was declared inoperable due to control oil leak on turbine stop valve actuator.Procedure 7.2.63 has been placed on administrative hold pending revision.W/961125 ltr.
MOELLER,C.R., PECKHAM,M.F. Nebraska Public Power District. 96/11/25. 5pp. 91050:221-91050:225.

**9612030308** LER 96-015-00:on 961025,declared reactor valves inoperable due to potential for single active failure.Caused by inadequate plant mod.Performed assessments on valves & will correct design of pneumatic supplies.W/961125 ltr.
VICTOR,W.R., PECKHAM,M.F. Nebraska Public Power District. 96/11/25. 5pp. 91050:085-91050:090.

**9612180009** LER 96-009-01:on 960725,determined Reactor Core Isolation Sys could become disabled.Caused by Appendix R safe shutdown analysis vulnerabilities.Plans to modify RHR-MOV-M039B control circuitry & continue App R evaluation.W/961212 ltr.
VICTOR,W.R., PECKHAM,M.F. Nebraska Public Power District. 96/12/12. 3pp. 91164:009-91164:011.

**9612270150** PNO-II-96-085:on 961226,tractor trailer carrying Vectra shipping cask broke down on highway in SC.Trailer low-boy type & one of welds broke,caused trailer to fall to ground. Cask in transit to Barnwell waste disposal site.
MALLETT,B. Region 2 (Post 820201). 96/12/27. 1p. 91271:011-91271:011.

**DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612040081** Forwards modified pages for TS change request 173 requesting removal of 15.3.14 & 15.4.15, "Fire Protection Sys," & relocation to fire protection evaluation rept.
LINK,B. Wisconsin Electric Power Co. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91028:242-91028:247.

**-9612040083** Proposed tech specs 15.3.14 & 15.4.15 re fire protection sys.
* Wisconsin Electric Power Co. 96/12/02. 5pp. 91028:243-91028:247.

**9612200205** Ack receipt of ltr dtd 960411,transmitting changes to physical security plan for plant submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/12. LINK,R. Wisconsin Electric Power Co. 2pp. 91192:336-91192:337.

**9612200212** Ack receipt of ltr dtd 960426,transmitting changes to physical security plan for plant under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/12. LINK,R. Wisconsin Electric Power Co. 2pp. 91192:353-91192:354.

**9612200227** Ack receipt of ltr dtd 960426,transmitting changes to physical security plan for plant under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/12. LINK,R. Wisconsin Electric Power Co. 1p. 91192:291-91192:291.

**9612240141** Forwards modified pages for TS change request 173 requesting to update table of contents & 15.3.14 and 15.4.15, "Fire Protection Sys."
KRIESER,G. Wisconsin Electric Power Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91227:330-91227:336.

**--9612240144** Proposed tech specs 15.3.14, "Fire Protection Sys," 15.6, "Administrative Controls," & updated Table of Contents.
* Commonwealth Edison Co. 96/12/16. 6pp. 91227:331-91227:336.

**G. Adjudicatory correspondence**

**9612180087** Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

**--9612180116** Notice of receipt of petition for director decision under 10CFR2.206.Director of NRR denied petitioner request for immediate action.
MIRAGLIA,F.J. . 96/12/10. 2pp. 91135:293-91135:294.

**--9612180140** Ack receipt of 961018 petition re request that NRC take action to prohibit loading of VSC-24s until COC,SAR, & SER are amended following independent third party review of VSC-24 design,to address concerns raised by R Hausler.
PAPERIELLO,C.J. . 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Affiliation Not Assigned. 5pp. 91135:295-91135:299.

**--9612180156** Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:338.

**--9612180225** Forwards petitions to NRC re licensee requirement to maintain capability to unload VSC-24 cask & requirement that VSC-24 casks cannot be unloaded unless COC for cask amended to establish operating controls & limits.
DUMS,D. Citizens' Utility Board. 96/09/30. TAYLOR,J. Ofc of the Executive Director for Operations. 15pp. 91135:339-91135:353.

**9612230202** Responds to 961029 ltr to C Paperiello,B Travers & C Haughney.Staff evaluating suggestion re independent review of design of VSC-24 case sys as part of evaluation of 10CFR2.206.
MARCUS,G.H. . 96/12/19. SINCLAIR,M.P. Don't Waste Michigan. 2pp. 91194:093-91194:116.

**--9612230230** Forwards petition pursuant to 10CFR2.206 of Commissions regulations.Petition addresses new info on unresolved design problems of VSC-24 cask which became known to public as result of hydrogen ignition at Point Beach on 960528.
ROEMER,E. Don't Waste Michigan. 96/10/18. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91194:109-91194:109.

**--9612240191** Petition to prohibit loading of any & all VSC-24 nuclear waste storage casks by users of cask under general license until NRC following independent third party review of VSC-24 cask design & amended SAR & SER.
SINCLAIR,M.P. Don't Waste Michigan. 96/12/19. Commissioners (Post 750119). 7pp. 91194:110-91194:116.

**H. General correspondence**

**9612200214** Informs that effective 961101,TJ Sullivan will be retained to work w/organization as Special Assistant to President focusing on nuclear matters.
ABDOO,R.A. Wisconsin Electric Power Co. 96/10/31. BEACH,A.B. Region 3 (Post 820201). 1p. 91192:355-91192:355.

**9612120393** Ack receipt of 961105 ltr re 950524 ltr from G Marcus. Questions responsiveness of NRC.Expresses concern about shield lid design.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/09. MARCUS,G. NRC - No Detailed Affiliation Given. 7pp. 91090:250-91090:256.

**9612120348** Comments on 960307 pages on RX-277 shielding from Reactor Experiments.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/14. RECKLEY,W. NRC - No Detailed Affiliation Given. 4pp. 91090:246-91090:249.

**9612120408** Asks in unloading,when VSC-24 cask is reflooded to cool it, what is the highest temperature possible that shield lid becomes when steam rises right up under it.
SHILLINGLAW,F. Affiliation Not Assigned. 96/12/04. MARCUS,G. NRC - No Detailed Affiliation Given. 1p. 91090:257-91090:257.

**9612180096** Responds to ltr dtd 960916 addressed to Chairman Jackson re dry cask storage for spent nuclear fuel.Forwards responses to 15 concerns included in postscript of ltr,summary of enforcement conference held on 960912 & related actions.
MARCUS,G.H. . 96/12/10. SHILLINGLAW,F. Affiliation Not Assigned. 7pp. 91132:064-91132:222.

**9612200203** Responds to 961109,14 & 1204 ltrs re dry cask storage for spent nuclear fuel.
MARCUS,G.H. . 96/12/18. SHILLINGLAW,F. Affiliation Not Assigned. 5pp. 91181:053-91181:069.

**P. Operating license stage documents & correspondence**

**9612030257** Informs that proposed amends re TS change request 192 meet requirements of 10CFR51.22(c)(9) & that an EIS or negative declaration & environmental impact appraisal need not be prepared.
LINK,B. Wisconsin Electric Power Co. 96/11/26. Document Control Branch (Document Control Desk). 11pp. 91010:217-91010:227.

**9612040005** Provides addl info supporting TS Change Requests 188 & 189 re radiological consequences for SGTR,rupture of steam pipe, locked rotor & rod ejection accidents.
LINK,B. Wisconsin Electric Power Co. 96/12/02. Document Control Branch (Document Control Desk). 23pp. 91011:233-91011:255.

**9612040062** Forwards modified pages for TS change request 170,requesting amend to TS 15.3.10 & addition of TS 15.4.1.
LINK,B. Wisconsin Electric Power Co. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91019:326-91019:349.

**--9612040064** Proposed tech specs 15.3.10 re control rod & power distribution limits & 15.4.1.
* Wisconsin Electric Power Co. 96/12/02. 23. 91019:327-91019:349.

**9612040081** Forwards modified pages for TS change request 173 requesting removal of 15.3.14 & 15.4.15, "Fire Protection Sys," & relocation to fire protection evaluation rept.
LINK,B. Wisconsin Electric Power Co. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91028:242-91028:247.

**--9612040083** Proposed tech specs 15.3.14 & 15.4.15 re fire protection sys.
* Wisconsin Electric Power Co. 96/12/02. 5pp. 91028:243-91028:247.

**9612170203** Informs that correct reference to Code of Federal Regulations that Relief Requests RR-17 & RR-21 are being submitted is 10CFR50.55a(a)(3)(i).
CAYIA,A.J. Wisconsin Electric Power Co. 96/12/06. Document Control Branch (Document Control Desk). 2pp. 91140:306-91140:307.

**9612120268** Forwards EA & findings of no significant impact re 960701 request for exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater Nuclear Power Reactors for Normal Operation."
GUNDRUM,L.L. . 96/12/10. LINK,R.E. Wisconsin Electric Power Co. 2pp. 91075:124-91075:132.

**--9612120274** Environ assessment & finding of no significant impact re 960701 request for exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater Nuclear Power Reactors for Normal Operation."
GUNDRUM,L.L. . 96/12/10. 7pp. 91075:126-91075:132.

**9612190060** Provides summary of ECCS evaluation model changes & errors identified since last rept dtd 960418.
KRIESER,G.M. Wisconsin Electric Power Co. 96/12/11. Document Control Branch (Document Control Desk). 6pp. 91148:352-91148:357.

**9612180301** Suppl to TS Change Request 192 to Licenses DPR-24 & DPR-27, modifying TS Section 15.3.3, "ECCS,Auxiliary Cooling Sys,Air Recirculation Fan Coolers & Containment Spray," per NUREG-1431,Rev 1.
KRIESER,G.M. Wisconsin Electric Power Co. 96/12/12. Document Control Branch (Document Control Desk). 7pp. 91159:339-91159:348.

**--9612180307** Proposed Tech Specs Section 15.3.3 re ECCS,auxiliary cooling sys,air recirculation fan coolers & containment spray.
* Wisconsin Electric Power Co. 96/12/12. 3pp. 91159:346-91159:348.

**9612190342** Informs that NRC published draft of "Individual Plant Examination Program:Perspectives On Reactor Saftey & Plant Performance,Summary Report," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/13. LINK,R.E. Wisconsin Electric Power Co. 4pp. 91136:349-91136:352.

**9612240141** Forwards modified pages for TS change request 173 requesting to update table of contents & 15.3.14 and 15.4.15, "Fire Protection Sys."
KRIESER,G. Wisconsin Electric Power Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91227:330-91227:336.

**--9612240144** Proposed tech specs 15.3.14, "Fire Protection Sys," 15.6, "Administrative Controls," & updated Table of Contents.
* Commonwealth Edison Co. 96/12/16. 6pp. 91227:331-91227:336.

**9612240200** Forwards modified pages to TS change request 170 re 15.3.10, "Control Rod & Power Distribution Limits," & 15.4.1, "Operational Safety Review."
KRIESER,G.M. Wisconsin Electric Power Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91228:290-91228:314.

**--9612240202** Proposed tech specs improving sections TS 15.3.10, "Control Rod & Power Distribution Limits" & TS 15.4.1, "Operational Safety Review."
* Wisconsin Electric Power Co. 96/12/19. 23pp. 91228:292-91228:314.

**9612310016** Confirms discussion between M Kunowski & T Guay to have routine mgt meeting on 970110 at Two Creeks Town Hall,Two Creeks,WI to discuss status of facility performance improvement initiatives & issues required to be resolved.
MCCORMICK-BARGE Region 3 (Post 820201). 96/12/24. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. 91235:042-91235:042.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612040112** EN-96-062:on 960905,notice of violation will be issued to licensee.Action based on investigation conducted by Ofc of Investigation,determined as prank,individual improperly disposed of radioactively contaminated particle.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/08/30. 1p. 91050:217-91050:217.

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040048** Press release III-96-71, "Special NRC Team Insp Beginning at Point Beach Nuclear Power Station."
* Region 3 (Post 820201). 96/12/02. 1p. 91050:193-91050:193.

**9612090377** Forwards NOV & proposed imposition of civil penalties in amount of $325,000 for violations noted in insp repts 50-266/96-06,50-301/96-06,50-266/96-07 & 50-301/96-07.Open predecisional enforcement conference held on 960912.
BEACH,A.B. Region 3 (Post 820201). 96/12/03. ABDOO,R.A. Wisconsin Electric Power Co. 7pp. 91038:288-91038:303.

**-9612090388** Notice of violation & proposed imposition of civil penalty in amount of $325,000.00.Noncompliance noted:inattentiveness to duty of licensed personnel,failure to maintain adequate configuration of AFW & failure of insvc testing program.
* Region 3 (Post 820201). 96/12/03. 9pp. 91038:295-91038:303.

**9612050076** Press release III-96-072, "NRC Staff Proposes $325,000 Fine Against Wisconsin Electric Co for Violations of NRC Requirements at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/12/04. 3pp. 91126:317-91126:319.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170057** Responds to violations noted in insp repts 50-266/96-07 & 50-301/96-07.Corrective actions:procedures IT-07 & RP-1D revised to provide necessary controls to resolve deficiencies.
LINK,B. Wisconsin Electric Power Co. 96/12/06. Document Control Branch (Document Control Desk). 6pp. 91105:344-91105:349.

**9612130231** Ack receipt of 961118 ltr informing NRC of steps taken to correct violations noted in insp 50-266/96-02 & 50-301/96-02.
MCCORMICK-BARGE Region 3 (Post 820201). 96/12/09. LINK,R. Wisconsin Electric Power Co. 1p. 91083:280-91083:282.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612200146** Requests 30-day extension to respond to insp repts 50-266/96-06,50-301/96-06,50-266/96-07 & 50-301/96-07. Check for $325,000 encl in payment of assessed fee.
GRIGG,R.R. Wisconsin Electric Power Co. 96/12/16. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 91191:359-91191:360.

**9612180092** Press release III-96-73, "Postponement of Meeting to Discuss Preliminary Findings of NRC Team Insp at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/12/17. 1p. 91164:024-91164:024.

**9612260247** Forwards insp repts 50-266/96-17 & 50-301/96-17 on 961118- 1202 & NOV.W/o NOV.
GRANT,G.E. Region 3 (Post 820201). 96/12/19. PATULSKI,S.A. Wisconsin Electric Power Co. 3pp. 91197:001-91197:004.

**-9612260257** Partially withheld insp repts 50-266/96-17 & 50-301/96-17 on 961118-1202 (ref 10CFR73.21).Violations noted.
* Region 3 (Post 820201). 96/12/19. 1p. 91197:004-91197:004.

**9612240181** Ack receipt of 961216 ltr re check for listed amount for civil peralty proposed by NRC in 961203 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/12/20. GRIGG,R.R. Wisconsin Electric Power Co. 1p. 91180:262-91180:262.

**9612310055** Forwards insp repts 50-266/96-13 & 50-301/96-13 on 961003-1115.No violations noted.
GROBE,J.A. Region 3 (Post 820201). 96/12/20. PATULSKI,S.A. Wisconsin Electric Power Co. 5pp. 91235:086-91235:099.

**-9612310057** Insp repts 50-266/96-13 & 50-301/96-13 on 961003-1115.No violations noted.Major areas inspected:reviews of interim operability determinations for selected pumps & portions of related design basis calculations.
* Region 3 (Post 820201). 96/12/20. 9pp. 91235:091-91235:099.

**R. Periodic operating reports & related correspondence**

**9612180073** Forwards monthly operating rept for Point Beach Nuclear Plant,Units 1 & 2 for Nov 1996 & revised rept for Oct 1996.
PATULSKI,S.A. Wisconsin Electric Power Co. 96/12/05. Document Control Branch (Document Control Desk). 1p. 91148:239-91148:249.

**-9612180078** Monthly operating repts for Nov 1996 for Point Beach Nuclear Plant,Units 1 & 2.
VANDER VELDE,B. Wisconsin Electric Power Co. 96/11/30. 9pp. 91148:240-91148:248.

**-9612180090** Revised monthly operating rept for Oct 1996 for Point Beach Plant,Unit 2.
VANDER VELDE,B. Wisconsin Electric Power Co. 96/10/31. 1p. 91148:249-91148:249.

**S. Reportable occurrences, LERs & related correspondence**

**9612200340** RO:on 961114,declared Noble gas monitor inoperable.Caused by necessary addl repairs on failed pump & subsequent re- testing of sys.Will repair P-707A pump & perform in-service test by 961220.
PATULSKI,S.A. Wisconsin Electric Power Co. 96/12/17. MCMURTRAY,A.C. NRC - No Detailed Affiliation Given. 2pp. 91209:194-91209:195.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612180217** Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Lake Michigan Federation. 5pp. 91155:203-91155:251.

**-9612180239** Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612110123** Rev 18 to EPIP AR-503, "ICS K Annunciator Response." W/961121 ltr.
* Florida Power Corp. 96/11/21. 98pp. 91080:123-91080:221.

**9612090111** Forwards SALP rept 50-302/96-99 for period 950917-961005. Results to be discussed at public meeting at plant on 961202.
EBNETER,S.D. Region 2 (Post 820201). 96/11/25. BEARD,P.M. Florida Power Corp. 7pp. 91039:072-91039:084.

**-9612090117** SALP rept 50-302/96-99 for period 950917-961005.
* Region 2 (Post 820201). 96/11/25. 6pp. 91039:079-91039:084.

**9612040176** Forwards insp rept 50-302/96-16 on 961030.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/27. BEARD,P.M. Florida Power Corp. 3pp. 91039:128-91039:132.

**-9612040197** Insp rept 50-302/96-16 on 961029-31.No violations noted. Major area inspected:malevolent use of vehicles at nuclear power plants.Details withheld.
THOMPSON,D., FREDRICKSON,P. Region 2 (Post 820201). 96/10/30. 2pp. 91039:131-91039:132.

**9612060280** Forwards insp rept 50-302/96-15 on 961006-1102 & notice of violations.
JAUDON,J.P. Region 2 (Post 820201). 96/11/27. BEARD,P.M. Florida Power Corp. 3pp. 91025:298-91025:326.

**-9612060290** Notice of violations from insp on 961006-1102.Violations noted:no licensee SP included channel check for motor driven emergency feedwater pump discharge pressure gauge.
* Region 2 (Post 820201). 96/11/27. 2pp. 91025:301-91025:302.

**-9612060292** Insp rept 50-302/96-15 on 961006-1102.Violations noted.Major areas inspected:operations re emergency feedwater sys.maint, engineering & plant support.
* Region 2 (Post 820201). 96/11/27. 24pp. 91025:303-91025:326.

**9612040047** Forwards non-proprietary version of UL fire barrier tests previously submitted on 961022.
KELLEY,L.C. Florida Power Corp. 96/11/29. Document Control Branch (Document Control Desk). 1p. 91023:008-91023:219.

**-9612040049** "Rept on Raceway Fire Barriers for Aluminum Cable Tray & Aluminum Wireway Sys.
* Underwriters Laboratory, Inc. 95NK17030. 96/08/19. 211pp. 91023:009-91023:219.

**9612170387** Forwards insp rept 50-302/96-14 on 961015-18.No violations noted.
BARR,K.P. Region 2 (Post 820201). 96/12/02. BEARD,P.M. Florida Power Corp. 3pp. 91103:331-91103:353.

**-9612170401** Insp rept 50-302/96-14 on 961015-18.No violations noted. Major areas inspected:observation & evaluation of biennial emergency preparedness exercise.
* Region 2 (Post 820201). 96/12/02. 20pp. 91103:334-91103:353.

**9612180237** Revised EPIPs,including rev 4 to AR-956, "WDF Annunciator Response," & rev 5 to AR-958, "WDH Annunciator Response."
* Florida Power Corp. 96/12/04. 36pp. 91155:167-91155:202.

**9612190009** Discusses exercise of enforcement discretion re employment discrimination in Oct 1995 involving TA James & forwards notice of violation.
EBNETER,S.D. Region 2 (Post 820201). 96/12/05. BEARD,P.M. Florida Power Corp. 6pp. 91138:097-91138:104.

**-9612190011** Notice of violation from DOL recommended decision & order, dtd 960822 & investigation by NRC OI completed on 960924. Violation noted:licensee discriminated against TA James, former security escort & firewatch.
* Region 2 (Post 820201). 96/12/05. 2pp. 91138:103-91138:104.

**9612300127** Describes improvement efforts for issues identified by NRC re SALP evaluation for FPC Crystal River Unit 3.
BEARD,P.M. Florida Power Corp. 96/12/20. Document Control Branch (Document Control Desk). 8pp. 91256:198-91256:205.

**P. Operating license stage documents & correspondence**

**9612060306** Summarizes 961031 meeting w/Florida Power Corp to discuss corrective actions to address weaknesses in engineering performance.List of attendees & handouts encl.
LANDIS,K.D. Region 2 (Post 820201). 96/11/06. BEARD,P.M. Florida Power Corp. 4pp. 91025:217-91025:283.

**9612020169** Summarizes 961114 meeting re corrective action plan.List of attendees & handouts encl.
LANDIS,K.D. Region 2 (Post 820201). 96/11/18. BEARD,P.M. Florida Power Corp. 95pp. 90957:240-90957:334.

**9612030013** Forwards staff evaluations addressing two specific issues, one involving acceptability of pre-lubricating valves prior to testing & one involving effect of using operator action in place of automatic action.
LANDIS,K.D. Region 2 (Post 820201). 96/11/19. BEARD,P.M. Florida Power Corp. 3pp. 90973:059-90973:072.

**--9608010200** Responds to request for assistance in addressing issues re plant emergency diesel generator fuel oil transfer sys leak isolation & using operator action in place of automatic action.
BUTCHER,E.J. . 96/07/30. HEBDON,F. . 5pp. 90973:068-90973:072.

**9612060337** Confirms 961125 telcon between R Bright & J Jaudon re meeting scheduled for 961203,to discuss items included on NRC MC 0350 restart matrix.
LANDIS,K.D. Region 2 (Post 820201). 96/11/26. BEARD,P.M. Florida Power Corp. 3pp. 91030:137-91030:139.

**9612060048** Forwards "Crystal River Unit 3,Corrective Action Plan Phase II (MCAP)."
KELLEY,L.C. Florida Power Corp. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91030:253-91030:314.

**--9612060050** "Mgt Corrective Action Plan Phase II," for Crystal River Unit 3.
BEARD,P.M. Florida Power Corp. 96/11/22. 60pp. 91030:255-91030:314.

**9612170254** Confirms 961125 telcon between R Bright & J Jaudon re meeting requested by NRC,scheduled for 970110 to discuss items included on NRC MC 0350 restart matrix.
LANDIS,K.D. Region 2 (Post 820201). 96/11/27. BEARD,P.M. Florida Power Corp. 3pp. 91118:084-91118:086.

**9612170260** Confirms 961125 telcon between R Bright & J Jaudon re meeting requested by NRC scheduled for 970109 to discuss status of progress on corrective action program.
LANDIS,K.D. Region 2 (Post 820201). 96/11/27. BEARD,P.M. Florida Power Corp. 3pp. 91118:090-91118:092.

**9612110211** Press release II-96-103, "NRC Commissioner Diaz to Visit Crystal River Nuclear Plant."
* Region 2 (Post 820201). 96/12/09. 2pp. 91151:111-91151:112.

**9612160312** Forwards 10CFR50.59(b)(2) rept of evaluations which have resulted in no unreviewed safety questions for mods or procedure changes.
BEARD,P.M. Florida Power Corp. 96/12/09. Document Control Branch (Document Control Desk). 121pp. 91101:209-91101:329.

**9612180157** Discusses 961203 Restart Panel Meeting conducted at facility re items included on NRC Manual Chapter 0350 restart matrix & FPC restart list.Attendees & copy of handout encl.
LANDIS,K.D. Region 2 (Post 820201). 96/12/09. BEARD,P.M. Florida Power Corp. 29pp. 91133:079-91133:107.

**9612180325** Discusses Draft NUREG-1560, "Individual Plant Exam Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. BEARD,P.M. Florida Power Corp. 4pp. 91135:356-91135:359.

**9612240286** Forwards "Crystal River Unit 3,Restart Panel." Restart issues selection/screening criteria may be refined as outage progresses & as util moves closer to restart.
BEARD,P.M. Florida Power Corp. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91227:161-91227:186.

**--9612240291** "Crystal River Unit 3,Restart Panel."
BEARD,P.M. Florida Power Corp. 96/12/03. 24pp. 91227:163-91227:186.

**9612240086** Submits ratio procedure application to pressure & temp curves & LTOP limits.
BEARD,P.M. Florida Power Corp. 96/12/18. Document Control Branch (Document Control Desk). 2pp. 91210:320-91210:321.

**9612240311** Forwards two examples of FSAR changes that may involve unreviewed safety question.
RAGHAVAN,L. . 96/12/20. BEARD,P.M. Florida Power Corp. 5pp. 91197:320-91197:324.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020206** Summarizes 961028 meeting in Atlanta,GA re apparent violation of NRC requirements prohibiting discrimination against employees who engage in protected activities.
LANDIS,K.D. Region 2 (Post 820201). 96/11/08. BEARD,P.M. Florida Power Corp. 102pp. 90958:029-90958:130.

**9612020223** Forwards meeting summary of predecisional enforcement conference held on 961028 in Atlanta,GA re apparent violation of NRC requirements prohibiting discrimination against employees in protected areas.W/o encl.
LANDIS,K.D. Region 2 (Post 820201). 96/11/08. MCENANY,M. . 3pp. 90965:041-90965:043.

**9612020154** Ack receipt of 961028 supplemental ltr to NRC of steps taken to correct weaknesses identified in insp repts 50-302/96-08 & 50-302/96-09.
LANDIS,K.D. Region 2 (Post 820201). 96/11/13. BEARD,P.M. Florida Power Corp. 3pp. 90958:357-90958:359.

**9612020147** Ack receipt of 960826 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/96-06.Based on review of response re violation 50-302/96-06-04,violation stands as written.
EBNETER,S. Region 2 (Post 820201). 96/11/14. BEARD,P.M. Florida Power Corp. 4pp. 90958:329-90958:332.

**9612030284** Requests that NRC review & approve relief request 96-001-II, authorizing use of ASME Code Case N-524.
BEARD,P.M. Florida Power Corp. 96/11/25. Document Control Branch (Document Control Desk). 5pp. 91010:316-91010:320.

**9612090111** Forwards SALP rept 50-302/96-99 for period 950917-961005. Results to be discussed at public meeting at plant on 961202.
EBNETER,S.D. Region 2 (Post 820201). 96/11/25. BEARD,P.M. Florida Power Corp. 7pp. 91039:072-91039:084.

**--9612090117** SALP rept 50-302/96-99 for period 950917-961005.
* Region 2 (Post 820201). 96/11/25. 6pp. 91039:079-91039:084.

**9612040134** Forwards response to NRC 961030 ltr re violations noted in insp rept 50-302/96-11.Corrective actions:reviewed std clearances for EDGs.
BEARD,P.M. Florida Power Corp. 96/11/27. Document Control Branch (Document Control Desk). 5pp. 91019:355-91019:359.

**9612040176** Forwards insp rept 50-302/96-16 on 961030.No violations or deviations identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/27. BEARD,P.M. Florida Power Corp. 3pp. 91039:128-91039:132.

**--9612040197** Insp rept 50-302/96-16 on 961029-31.No violations noted. Major area inspected:malevolent use of vehicles at nuclear power plants.Details withheld.
THOMPSON,D., FREDRICKSON,P. Region 2 (Post 820201). 96/10/30. 2pp. 91039:131-91039:132.

**9612060280** Forwards insp rept 50-302/96-15 on 961006-1102 & notice of violations.
JAUDON,J.P. Region 2 (Post 820201). 96/11/27. BEARD,P.M. Florida Power Corp. 3pp. 91025:298-91025:326.

**--9612060290** Notice of violations from insp on 961006-1102.Violations noted:no licensee SP included channel check for motor driven emergency feedwater pump discharge pressure gauge.
* Region 2 (Post 820201). 96/11/27. 2pp. 91025:301-91025:302.

**--9612060292** Insp rept 50-302/96-15 on 961006-1102.Violations noted.Major areas inspected:operations re emergency feedwater sys,maint, engineering & plant support.
* Region 2 (Post 820201). 96/11/27. 24pp. 91025:303-91025:326.

**9612060342** Ack receipt of 961104 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/96-09 & informs that denial under review & notification will be given of results in future correspondence.
JAUDON,J.P. Region 2 (Post 820201). 96/11/27. BEARD,P.M. Florida Power Corp. 3pp. 91030:143-91030:145.

**9612170387** Forwards insp rept 50-302/96-14 on 961015-18.No violations noted.
BARR,K.P. Region 2 (Post 820201). 96/12/02. BEARD,P.M. Florida Power Corp. 3pp. 91103:331-91103:353.

**--9612170401** Insp rept 50-302/96-14 on 961015-18.No violations noted. Major areas inspected:observation & evaluation of biennial emergency preparedness exercise.
* Region 2 (Post 820201). 96/12/02. 20pp. 91103:334-91103:353.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170273** Refers to closed transcribed predecisional enforcement conference conducted in Region II ofc on 961022 re findings of discrimination in case of T James.
EBNETER,S.D. Region 2 (Post 820201). 96/12/05. MCENANY,M. Affiliation Not Assigned. 4pp. 91118:268-91118:271.

**9612190009** Discusses exercise of enforcement discretion re employment discrimination in Oct 1995 involving TA James & forwards notice of violation.
EBNETER,S.D. Region 2 (Post 820201). 96/12/05. BEARD,P.M. Florida Power Corp. 6pp. 91138:097-91138:104.

**--9612190011** Notice of violation from DOL recommended decision & order, dtd 960822 & investigation by NRC OI completed on 960924. Violation noted:licensee discriminated against TA James, former security escort & firewatch.
* Region 2 (Post 820201). 96/12/05. 2pp. 91138:103-91138:104.

**9612130147** Informs of efforts to address weaknessess & provides status of planned improvements to NOV dtd 961030.Corrective action: chemistry lab uses computerized database program for Chemistry Dept.
BEARD,P.M. Florida Power Corp. 96/12/06. Document Control Branch (Document Control Desk). 3pp. 91118:305-91118:307.

**9612180326** Summary of 961202 SALP meeting at facility re performance during past cycle.Attendees & copy of handouts encl.
LANDIS,K.D. Region 2 (Post 820201). 96/12/09. BEARD,P.M. Florida Power Corp. 12pp. 91133:132-91133:153.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612170256** Ack receipt of 961127 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/96-11.
LANDIS,K.D. Region 2 (Post 820201). 96/12/10. BEARD,P.M. Florida Power Corp. 3pp. 91118:087-91118:089.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170161** Provides clarification to response to 960912 NOV.Tracking sys has been totally revamped based on Failure Prevention Intl.
BEARD,P.M. Florida Power Corp. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91140:296-91140:297.

**9612260304** Forwards response to NRC 960826 ltr re violations noted in insp rept 50-302/96-06.Corrective actions:subsequent full 10CFR50.59 evaluation was completed.
BEARD,P.M. Florida Power Corp. 96/12/20. Document Control Branch (Document Control Desk). 3pp. 91235:356-91235:358.

**9612300060** Responds to NRC 961127 ltr re violations noted in insp rept 50-302/96-15.Corrective actions:event has been reviewed with personnel responsible for preparation.
BEARD,P.M. Florida Power Corp. 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91256:233-91256:237.

**9612300127** Describes improvement efforts for issues identified by NRC re SALP evaluation for FPC Crystal River Unit 3.
BEARD,P.M. Florida Power Corp. 96/12/20. Document Control Branch (Document Control Desk). 8pp. 91256:198-91256:205.

**R. Periodic operating reports & related correspondence**

**9612180321** Monthly operating rept for Nov 1996 for Crystal River Unit 3.W/961213 ltr.
DAO,T.V., KELLEY,L.C. Florida Power Corp. 96/11/30. 5pp. 91155:336-91155:340.

**S. Reportable occurrences, LERs & related correspondence**

**9612030238** Forwards suppl LER 96-018-01 identifying changes resulting from comprehensive review of flow diagrams,procedure,design basis documents & licensing basis info required to be performed IAW original LER.
BOLDT,G.L. Florida Power Corp. 96/11/25. Document Control Branch (Document Control Desk). 1p. 91050:024-91050:032.

**--9612030244** LER 96-018-01:on 960605,inadequate containment penetration surveillance procedures resulted in TS violation.Complete verification of containment penetration documents has been conducted & affected procedures revised.
CATCHPOLE,T.W. Florida Power Corp. 96/11/25. 8pp. 91050:025-91050:032.

**9612270039** Informs that corrective action in LER 96-019 will not be completed by end of 1996.
BEARD,P.M. Florida Power Corp. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91254:358-91254:359.

**V. Operator Examinations**

**9612170149** Informs that GH Halnon has been reassigned & no longer needs license.
BOLDT,G.L. Florida Power Corp. 96/12/10. Document Control Branch (Document Control Desk). 1p. 91141:042-91141:042.

**DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612090351** Forwards insp repts 50-295/96-18 & 50-304/96-18 on 961028- 1101.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/02. MUELLER,J.H. Commonwealth Edison Co. 3pp. 91038:304-91038:308.

**--9612090365** Partially withheld insp repts 50-295/96-18 & 50-304/96-18 on 961028-1101 (ref 10CFR73.21).No violations noted.Major areas inspected:corrective actions,mgt support,effectiveness of mgt controls & security program plans.
* Region 3 (Post 820201). 96/12/02. 2pp. 91038:307-91038:308.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612030294** Submits special Nov 1996 Update to Zion Station,UFSAR in response to NOV re delay in updating UFSAR following 1993 upgrade to plant spent fuel racks.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 9pp. 91010:321-91010:345.

**--9612030296** Updated FSAR pp to Zion Station,Units 1 & 2.
* Commonwealth Edison Co. 96/11/26. 16pp. 91010:330-91010:345.

**P. Operating license stage documents & correspondence**

**9612100225** Forwards corrected SE to 961125 amends 176 & 163 to licenses DPR-39 & DPR-48,respectively.Amends added mode of applicability to TS 3.2.3.D, "Inoperable Rod Position Indicator Channels."
SHIRAKI,C.Y. . 96/12/06. JOHNSON,I. Commonwealth Edison Co. 2pp. 91085:295-91085:300.

**--9612100237** Corrected SE supporting amends 176 & 163 to licenses DPR-39 & DPR-48,respectively.
* . 96/11/25. 4pp. 91085:297-91085:300.

**9612170407** Submits addl changes to improved TS submittal for component cooling sys dtd 951103,22,960315,0430,0508,0515,0717,0913 & 1101,as discussed w/NRC on 961120-21.New conditions w/ associated required actions for cooling component HX encl.
MUELLER,J.H. Commonwealth Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91139:001-91139:167.

**--9612170410** Proposed tech specs completely revising TS using guidance provided in NUREG-1431, "Std TS,Westinghouse Plants."
* Commonwealth Edison Co. 96/12/11. 162pp. 91139:006-91139:167.

**9612240001** Documents commitment to modify methodology re Pressure-Temp Limits Rept.
MUELLER,J.H. Commonwealth Edison Co. 96/12/17. Document Control Branch (Document Control Desk). 2pp. 91211:358-91211:359.

**9612240304** Forwards amends 177 & 164 to licenses DPR-39 & DPR-48, respectively & safety evaluation.Amends allow Commonwealth Edison to control reactor coolant sys pressure & temperature limits for heatup,cooldown,low temp operation & testing.
SHIRAKI,C.Y. . 96/12/20. JOHNSON,I. Commonwealth Edison Co. 3pp. 91193:198-91193:243.

**--9612240307** Amends 177 & 164 to licenses DPR-39 & DPR-48,respectively, allowing ComEd to control reactor coolant sys pressure & temp limits for heatup,cooldown,low temp operation & hydrostatic testing.
SHIRAKI,C.Y. . 96/12/20. 27pp. 91193:201-91193:227.

**--9612240308** Safety evaluation supporting amends 177 & 164 to licenses DPR-39 & DPR-48,respectively.
* . 96/12/20. 16pp. 91193:228-91193:243.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040022** Responds to NRC 961022 ltr re violations noted in insp repts 50-295/96-10 & 50-304/96-10.Corrective actions:revises Procedure ZRP 5820-12,implemented operations performance plan & inspected affected fuel assemblies.
MUELLER,J.H. Commonwealth Edison Co. 96/11/25. Document Control Branch (Document Control Desk). 10pp. 91011:289-91011:298.

**9612050095** Forwards predecisional enforcement conference summary repts 50-295/96-11 & 50-304/96-11 on 961112.Response not required until licensee notified of proposed enforcement action.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. MUELLER,J.H. Commonwealth Edison Co. 2pp. 91013:188-91013:227.

**--9612050098** Predecisonal enforcement conference repts 50-295/96-11 & 50-304/96-11 on 961112.No violations noted.Areas discussed: apparent violations identified during 960722-0822 insp along w/corrective actions taken or planned by licensee.
* Region 3 (Post 820201). 96/11/27. 33pp. 91013:190-91013:227.

**9612060304** Submits SG inservice insp results for Zion Nuclear Power Station,Unit 2.
MUELLER,J.H. Commonwealth Edison Co. 96/11/27. Document Control Branch (Document Control Desk). 49pp. 91044:245-91044:294.

**9612090351** Forwards insp repts 50-295/96-18 & 50-304/96-18 on 961028- 1101.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/02. MUELLER,J.H. Commonwealth Edison Co. 3pp. 91038:304-91038:308.

**--9612090365** Partially withheld insp repts 50-295/96-18 & 50-304/96-18 on 961028-1101 (ref 10CFR73.21).No violations noted.Major areas inspected:corrective actions,mgt support,effectiveness of mgt controls & security program plans.
* Region 3 (Post 820201). 96/12/02. 2pp. 91038:307-91038:308.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612270075** Responds to NRC 961121 ltr re violations noted in insp repts 50-295/96-16 & 50-304/96-16.Corrective actions:individual radiation protection technician was counseled by Health Physics Supervisor.
MUELLER,J.H. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 14pp. 91274:001-91274:014.

**9612310017** Advises of planned inspection resulting from Zion Nulcear Power Plant PPR review.Details of insp plan for next 6 months encl.Questions or comments welcome.
DAPAS,M.L. Region 3 (Post 820201). 96/12/20. MUELLER,J.H. Commonwealth Edison Co. 3pp. 91235:043-91235:045.

**9612310044** Forwards insp repts 50-295/96-13 & 50-304/96-13 on 961001- 03,28-30 & 1107 & NOV.
GRANT,G.E. Region 3 (Post 820201). 96/12/23. MUELLER,J.H. Commonwealth Edison Co. 3pp. 91235:068-91235:085.

**--9612310051** Notice of violation from insp on 961001-03,28-30 & 1107. Violations noted:licensee failed to take prompt action prior to returning potentially defective steam generator tubes to svc.
* Region 3 (Post 820201). 96/12/23. 2pp. 91235:071-91235:072.

**--9612310053** Insp repts 50-295/96-13 & 50-304/96-13 on 961001-03,28-30 & 1107.Violations noted.Major areas inspected:maint. observed & reviewed ISI procedures,personnel certifications
* Region 3 (Post 820201). 96/12/23. 13pp. 91235:073-91235:085.

**R. Periodic operating reports & related correspondence**

**9612200092** Monthly operating repts for Nov 1996 for Zion Generating Station Units 1 & 2.W/961213 ltr.
CYGAN,J., SHCWARTZ,G.K. Commonwealth Edison Co. 96/11/30. 13pp. 91192:184-91192:196.

**S. Reportable occurrences, LERs & related correspondence**

**9612040096** LER 96-009-00:on 961028,app J,type B leakage exceeded TS requirement as result of inadequate review of functional capability of closed piping.Caused by mgt deficiency. Piping 2SI9030 satisfactorily tested.W/961127 ltr.
BRENNAN,N.M., SCHWARTZ,G.K. Commonwealth Edison Co. 96/11/27. 5pp. 91126:285-91126:289.

**9612270049** LER 96-010-00:on 961120,sys engineer inadvertently shorted test leads resulting in engineered safety features functions actuation with no adverse effect on plant.Caused by human error.Sys engineer was counselled.W/undated ltr.
BRENNAN,N.M., SCHWARTZ,G.K. Commonwealth Edison Co. 96/12/20. 4pp. 91294:001-91294:004.

**DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT**

**F. Security, medical, emergency & fire protection plans**

**9612160022** Forwards emergency preparedness insp rept 50-305/96-13 on 961118-22.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/09. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 91096:063-91096:078.

**--9612160026** Insp rept 50-305/96-13 on 961118-22.No violations noted. Major areas inspected:review of emergency preparedness program,aspect of plant support.
* Region 3 (Post 820201). 96/12/09. 14pp. 91096:065-91096:078.

**P. Operating license stage documents & correspondence**

**9612030302** Forwards results of performance demonstration & changes made to LWR process & insp technique & pp that will be revised in WCAP-14685, "Laser Welded Repair of Hybrid Expansion Joint Sleeves for KNPP," in response to RAI.
MARCHI,M.L. Wisconsin Public Service Corp. 96/11/27. Document Control Branch (Document Control Desk). 76pp. 91011:001-91011:076.

**9612060338** Requests addl info re 10CFR50.46 large break loss of coolant evaluation model for Kewaunee Nuclear Power Plant.
LAUFER,R.J. . 96/12/03. MARCHI,M.L. Wisconsin Public Service Corp. 6pp. 91031:128-91031:133.

**9612120430** Notification of 961217 meeting w/Wisconsin Public Svc Corp in Rockville,MD to discuss WPSC proposed license amend to allow laserwelded repair of Westinghouse hybrid expansion joint sleeved SG tubes.
LAUFER,R.J. . 96/12/09. MARCUS,G.H. . 4pp. 91074:354-91074:357.

**9612170173** Forwards summary of evaluations & submittals re issue of sewage treatment plant sludge disposal.
MARCHI,M.L. Wisconsin Public Service Corp. 96/12/10. Document Control Branch (Document Control Desk). 10pp. 91159:325-91159:335.

**9612180291** Requests review & comment on draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," recently mailed to organization.
MIRAGLIA,F.J. . 96/12/13. STEINHARDT,C. Wisconsin Public Service Corp. 5pp. 91132:255-91132:259.

**9612190338** Forwards amend 130 to facility operating license DPR-43 & safety evaluation.Amend revises TS requirements re low temp overpressure protection sys.
LAUFER,R.J. . 96/12/13. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. 91136:279-91136:302.

**--9612190345** Amend 130 to license DPR-43,revising TS requirements re low temp overpressure protection sys.
* . 96/12/13. 11pp. 91136:283-91136:293.

**--9612190351** Safety evaluation supporting amend 130 to license DPR-43.
* . 96/12/13. 9pp. 91136:294-91136:302.

**9612310045** Summary of 961217 meeting w/util & Westinghouse Electric Corporation to discuss status of laser welded repairs of degraded hybrid expansion joint (HEJ) steam generator tube assemblies.List of attendees encl.
LAUFER,R.J. . 96/12/23. . 49pp. 91242:294-91242:342.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090343** Ack receipt of 961118 ltr informing NRC of steps taken to correct violations noted in insp rept 50-305/96-06.
JORDAN,M.J. Region 3 (Post 820201). 96/12/03. MARCHI,M.L. Wisconsin Public Service Corp. 1p. 91038:001-91038:001.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160020** Forwards insp rept 50-305/96-07 on 960813-1007 & NOV. Violation indicates that licensee failed to address matl condition problem involving valve operator.
CALDWELL,J.L. Region 3 (Post 820201). 96/12/05. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. 91096:042-91096:060.

**--9612160031** Notice of violation from insp on 960813-1007.Violation noted:reactor vessel vent valve RC-45B was found shut during draining of reactor coolant sys.
* Region 3 (Post 820201). 96/12/05. 1p. 91096:046-91096:046.

**--9612160035** Insp rept 50-305/96-07 on 960813-1007.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 3 (Post 820201). 96/12/05. 14pp. 91096:047-91096:060.

**9612160022** Forwards emergency preparedness insp rept 50-305/96-13 on 961118-22.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/09. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 91096:063-91096:078.

**--9612160026** Insp rept 50-305/96-13 on 961118-22.No violations noted. Major areas inspected:review of emergency preparedness program,aspect of plant support.
* Region 3 (Post 820201). 96/12/09. 14pp. 91096:065-91096:078.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260262** Ack receipt of 961120 ltr informing NRC of steps taken to correct violations noted in insp rept 50-305/96-09.Review of response discussed.
GRANT,G.E. Region 3 (Post 820201). 96/12/19. MARCHI,M.L. Wisconsin Public Service Corp. 8pp. 91197:016-91197:023.

**R. Periodic operating reports & related correspondence**

**9612180107** Monthly operating rept for Nov 1996 for Kewaunee Nuclear Power Plant.W/961210 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 96/11/30. 5pp. 91148:288-91148:292.

**S. Reportable occurrences, LERs & related correspondence**

**9612030320** LER 96-007-00:on 961023,identified design deficiency in containment isolation function.Caused by oversight during plant design.Implemented administrative controls to preclude subject condition prior to plant start-up.W/961122 ltr.
SCHOMMER,K., MARCHI,M.L. Wisconsin Public Service Corp. 96/11/22. 5pp. 91050:101-91050:105.

**9612040061** LER 96-008-00:on 961030,remote position indication was not performed for four valves during surveillance interval. Caused by inadequate procedure review.Verified each valve in SP87-274.W/961127 ltr.
HUJET,K.P., MARCHI,M.L. Wisconsin Public Service Corp. 96/11/27. 5pp. 91050:196-91050:200.

**9612170207** LER 96-009-00:on 961111,unplanned emergency diesel generator start occurred due to missed procedure step.NCO was counseled & reminded of importance of following procedures & ensuring that every step is performed.W/961211 ltr.
DRESSEN,J., MARCHI,M.L. Wisconsin Public Service Corp. 96/12/11. 7pp. 91163:261-91163:267.

**9612270148** LER 96-010-00:on 961125,LOCA model error caused analysis to exceed peak clad temperature limit.Caused by error in development of 1986 model.Analysis using an alternate NRC approved model will be completed.W/961220 ltr.
PULEC,R., MARCHI,M.L. Wisconsin Public Service Corp. 96/12/20. 6pp. 91266:199-91266:204.

**DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612040269** Forwards amended page of petition re incorrect statement in notice & accompanying ltr,dtd 961011.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 91039:159-91039:162.

**--9612040270** Amended petition requesting NRC to determine that util violated requirements of 10CFR72.32(a)(14) by refusing to allow Lake City to comment on emergency plan before submitting it to NRC.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. Commissioners (Post 750119). 2pp. 91039:161-91039:162.

**9612030218** Forwards insp repts 50-282/96-13,50-306/96-13 & 72-0010/ 96-13 on 961007-11 & notice of violation.Violation demonstrated that security staff unaware of important requirement,clearly delineated in security plan.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. WATZL,E. Northern States Power Co. 2pp. 90974:030-90974:043.

**--9612030221** Notice of violation from insp on 961007-11.Violation noted: review of documentation & interviews w/Superintendent, Security on 061009 disclosed that annual reviews of security & safeguards contingency plan not conducted for 1995-96.
* Region 3 (Post 820201). 96/11/27. 1p. 90974:032-90974:032.

**--9612030223** Insp repts 50-282/96-13,50-306/96-13 & 72-0010/96-13 on 961007-11.Violations noted.Major areas inspected:review of physical security program.
* Region 3 (Post 820201). 96/11/27. 11pp. 90974:033-90974:043.

**G. Adjudicatory correspondence**

**9612040269** Forwards amended page of petition re incorrect statement in notice & accompanying ltr,dtd 961011.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 91039:159-91039:162.

**--9612040270** Amended petition requesting NRC to determine that util violated requirements of 10CFR72.32(a)(14) by refusing to allow Lake City to comment on emergency plan before submitting it to NRC.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. Commissioners (Post 750119). 2pp. 91039:161-91039:162.

**9612130034** Minnesota Environmental Quality Board statement in support of Northern States Power Co motion for suspension of proceedings.*
MITCHELL,A.R. Minnesota, State of. #496 18087. 96/11/19. Atomic Safety & Licensing Board Panel. 5pp. 91083:001-91083:005.

**9612130041** Minnesota Dept of Public Service response in support of Northern States Power Co motion for suspension of proceedings.*
VANDERLINDEN,B. Minnesota, State of. #496 18086. 96/11/21. Atomic Safety & Licensing Board Panel. 5pp. 91083:029-91083:033.

**9612020054** Responds to 961018 ltr re clarification made to Florence Townships Petition requesting staff take certain actions per Section 2.206 of Chapter 10 of Code of Federal Regulations.Staff will consider Petition as corrected.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/11/22. OVERLAND,C.A. Affiliation Not Assigned. 2pp. 91003:043-91003:044.

**9612030276** Responds to 950605 petition against Nuclear Storage pursuant to section 10CFR2.206 requesting NRC immediately suspend operating licenses for Prairie Island Nuclear Generating Plant,Units 1 & 2.Petition denied.DD-96-21 & FR encl.
MIRAGLIA,F.J. . 96/11/27. GUNTER,P.V. Nuclear Information & Resource Service. BJORALT,S.J. Affiliation Not Assigned. 3pp. 90980:295-90980:327.

**--9612030283** Director's Decision DD-96-21 requesting that NRC immediately suspend operating licenses for Prairie Island Nuclear Generating Plant,Units 1 & 2.Request denied.
MIRAGLIA,F.J. . 96/11/27. Northern States Power Co. 27pp. 90980:298-90980:325.

**--9612030286** Notice of issuance of Director's Decision DD-96-21 under 10CFR2.206 re request that Prairie Island Units 1 & 2 be immediately shut down & operating license be suspended until issues raised in petition resolved.
MIRAGLIA,F.J. . 96/11/27. 2pp. 91007:359-91007:359.

**9612130037** Memorandum & Order (motion to suspend proceeding).* Order grants NSP 961113 motion to suspend proceeding,which involves proposed offsite ISFSI.W/Certificate of Svc. Served on 961204.
BECHHOEFER,C., MURPHY,T.D., SHON,F.J. Atomic Safety & Licensing Board Panel. #496 18091. 96/12/03. Office of the General Counsel (Post 860701). 10pp. 91083:006-91083:015.

**9612130036** Cancellation of prehearing conference.* Conference cancelled as result of suspension of proceeding granted by ASLB Memorandum & Order.W/Certificate of Svc.Served on 961205.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #496 18092. 96/12/05. 3pp. 91082:358-91082:360.

**9612170202** Responds to 961125 ltr requesting NRC take certain actions re status of Florence Township petition.Staff defers issuing Director Decision until issues raised are not considered in adjudicatory proceeding.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/12/11. OVERLAND,C.A. Affiliation Not Assigned. 2pp. 91140:304-91140:305.

**9612260063** Requests following addition to svc list in matter of Northern States Power Co,docket 72-18-ISFSI.
COMIEZ,A.M., BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #496 18117. 96/12/17. JULIAN,E.L. Office of the Secretary of the Commission. 1p. 91194:338-91194:339.

**--9612260069** Requests to be named as party for svc of documents re proceeding.
GARTNER,P.A. Affiliation Not Assigned. 96/12/10. BECHHOEFER,C. Atomic Safety & Licensing Board Panel. 1p. 91194:339-91194:339.

**H. General correspondence**

**9612100160** Discusses 950404 meeting w/Dakota Indian Community re proposed multiagency MOU & NRC 950327 ltr declining to sign MOU.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/02. CAMPBELL,C. Prairie Island Mdewakanton Sioux Indian Community. 7pp. 91119:005-91119:011.

**P. Operating license stage documents & correspondence**

**9612030265** Clarifies suppl license amend request dtd 951214 re conformance to administrative controls section 6 to guidance of std TS & proposes specific TS pp changes as presented in suppl.
WADLEY,M.D. Northern States Power Co. 96/11/25. Document Control Branch (Document Control Desk). 8pp. 91010:228-91010:266.

**--9612030269** Proposed tech specs implementing mods proposed by suppl to license amend request & revising TS pp in final form to reflect changes proposed by suppl.
* Northern States Power Co. 96/11/25. 31pp. 91010:236-91010:266.

**9612060278** Informs that Commission provided guidance to staff to ensure that rights of sovereign tribal govts fully respected & to operate within govt-to-govt relationship w/ federally- recognized Native American Tribal Govts.
DROGGITIS,S.C. Office of State Programs (Post 911117). 96/11/25. WETZEL,B.A. . 2pp. 91030:012-91030:013.

**9612040053** Application for amends to licenses DPR-42 & DPR-60,revising TS 4.12, "SG Tube Surveillance" & TS Section B-4-12.
WADLEY,M.D. Northern States Power Co. 96/11/27. Document Control Branch (Document Control Desk). 19pp. 91051:020-91051:226.

**--9612040055** Proposed tech specs incorporating new SG tube sleeve designs & installation & exam techniques.
* Northern States Power Co. 96/11/27. 6pp. 91051:039-91051:043.

**--9612040058** Rev 1 to Final Rept, "Repair of W Series 44 & 51 SG Tubes Using Leak Tight Sleeves."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CEN-629-NP R01. 96/11/30. 183pp. 91051:044-91051:226.

**9612110405** Provides supplemental info in response to GL 96-04, "Boraflex Degradation in Spent Fuel Pool Storage Racks."
WADLEY,M.D. Northern States Power Co. 96/12/06. Document Control Branch (Document Control Desk). 6pp. 91075:354-91075:359.

**9612180354** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/13. WATZL,E.L. Northern States Power Co. 4pp. 91136:018-91136:021.

**9612240178** Forwards Rev 0 to NSPLMI-96001, "Prairie Island Nuclear Generating Plant IPEEE."
WADLEY,M.D. Northern States Power Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91211:072-91211:299.

**--9612240185** Rev 0 to NSPLMI-96001, "Prairie Island Nuclear Generating Plant IPEEE."
* Northern States Power Co. NSPLMI-96001 R00. 96/12/12. 220pp. 91211:074-91211:299.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030185** Responds to NRC 961025 ltr re violations noted in insp repts 50-282/96-11 & 50-306/96-11.All individuals involved were successfully decontaminated.
WADLEY,M.D. Northern States Power Co. 96/11/25. Document Control Branch (Document Control Desk). 4pp. 91003:330-91003:333.

**9612040016** Provides addl info re request for authorization to utilize ASME Boiler & Pressure Vessel Code Case N-521.
WADLEY,M.D. Northern States Power Co. 96/11/26. Document Control Branch (Document Control Desk). 29pp. 91011:260-91011:288.

**9612030218** Forwards insp repts 50-282/96-13,50-306/96-13 & 72-0010/ 96-13 on 961007-11 & notice of violation.Violation demonstrated that security staff unaware of important requirement,clearly delineated in security plan.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. WATZL,E. Northern States Power Co. 2pp. 90974:030-90974:043.

**--9612030221** Notice of violation from insp on 961007-11.Violation noted: review of documentation & interviews w/Superintendent, Security on 061009 disclosed that annual reviews of security & safeguards contingency plan not conducted for 1995-96.
* Region 3 (Post 820201). 96/11/27. 1p. 90974:032-90974:032.

**--9612030223** Insp repts 50-282/96-13,50-306/96-13 & 72-0010/96-13 on 961007-11.Violations noted.Major areas inspected:review of physical security program.
* Region 3 (Post 820201). 96/11/27. 11pp. 90974:033-90974:043.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110286** Responds to NRC 961105 ltr re violations noted in insp repts 50-282/96-10 & 50-306/96-10.Corrective actions:SP 1355 revised to ensure proper valve alignment.
WADLEY,M.D. Northern States Power Co. 96/12/05. Document Control Branch (Document Control Desk). 4pp. 91083:333-91083:336.

**9612120072** Forwards response to NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
WADLEY,M.D. Northern States Power Co. 96/12/06. Document Control Branch (Document Control Desk). 9pp. 91088:328-91088:336.

**9612160032** Ack receipt of 961125 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/96-11 & 50-306/96-11.Corrective active will be exam during future insps.
GRANT,G.E. Region 3 (Post 820201). 96/12/09. WATZL,E. Northern States Power Co. 2pp. 91096:079-91096:084.

**9612170081** Submits response to 961107 RAI re NRC insp on TN-40 cask fabrication.
ANDERSON,R.O. Northern States Power Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91140:327-91140:328.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612300088** Responds to NRC 960717 ltr re violations noted in insp repts 50-282/96-06 & 50-306/96-06.Corrective actions:evaluation was not completed until mid-Dec 1996.
WADLEY,M.D. Northern States Power Co. 96/12/20. Document Control Branch (Document Control Desk). 2pp. 91256:161-91256:162.

**9612310025** Advises of planned insp effort resulting from Prairie Island PPR review & encloses details of insp plan for next 6 months.
JACOBSON,J.M. Region 3 (Post 820201). 96/12/23. WATZL,E. Northern States Power Co. 3pp. 91235:049-91235:051.

**R. Periodic operating reports & related correspondence**

**9612120170** Monthly operating repts for Nov 1996 for Prairie Island Nuclear Generating Plant.W/961206 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 96/11/30. 9pp. 91091:348-91091:356.

**S. Reportable occurrences, LERs & related correspondence**

**9612200120** Part 21 rept re defect of welds on weld nut holding Filter Assembly Panel.Failure of weld or weld nut could allow Filter Assembly Panel to break loose under seismic stress & cause damage to other components in charger.
HOLDEN,L.S. Affiliation Not Assigned. 96/12/18. Document Control Branch (Document Control Desk). 3pp. 91201:008-91201:010.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612040269** Forwards amended page of petition re incorrect statement in notice & accompanying ltr,dtd 961011.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 91039:159-91039:162.

**--9612040270** Amended petition requesting NRC to determine that util violated requirements of 10CFR72.32(a)(14) by refusing to allow Lake City to comment on emergency plan before submitting it to NRC.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. Commissioners (Post 750119). 2pp. 91039:161-91039:162.

**9612040212** Requests suspension of NRC review of NSP application for license to construct & operate ISFSI at an away-from-reactor site in Goodhue County.
ANDERSON,R.O. Northern States Power Co. 96/11/13. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 91039:140-91039:143.

**9612040189** Forwards non-proprietary version of submitted info re TN-40 resin materials.
MASON,M. Transnuclear, Inc. 96/11/22. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 32pp. 91028:016-91028:047.

**DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT**

**F. Security, medical, emergency & fire protection plans**

**9612170362** Public version of revised EPIPs including rev 9 to 2-50-5, "Emergency Notification," rev 7 to 2-50-13, "Dose Projection" & rev 6 to 2-50-20, "Emergency Security Actions." W/961216 release memo.
* Maine Yankee Atomic Power Co. 96/12/03. 65pp. 91135:001-91135:066.

**9612130113** Forwards insp rept 50-309/96-12 on 960915-1026 & notice of violation.
CONTE,R. Region 1 (Post 820201). 96/12/09. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 91082:254-91082:340.

**--9612130122** Notice of violation from insp on 960915-1026.Violation noted:safeguards info was left unattended for approx 2 h on desk in security ofc inside protected areas.
* Region 1 (Post 820201). 96/12/09. 2pp. 91082:257-91082:258.

**9612240257** Responds to questions re apparent discrepancies between Maine Yankees Emergency Plan & Federal guidelines raised at 961010 public meeting in Wiscasset,Maine.Confirms R Bores contact re issue.Expresses appreciation for participation.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 96/12/20. BRACK,H.G. Center for Biological Monitoring, Inc. 1p. 91197:351-91197:351.

**G. Adjudicatory correspondence**

**9612260071** Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-96-20 expired.Decision became final agency action on 961216. W/Certificate of Svc.Served on 961218.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18115. 96/12/18. BURT,A.D. Affiliation Not Assigned. 2pp. 91194:352-91194:353.

**H. General correspondence**

**9612020122** Responds to 960916 ltr to Chairman Jackson expressing concern about discovery of cut wire in safety-related circuitry located in control room area of plant.
MIRAGLIA,F.J. . 96/11/22. MYERS,H.R. Affiliation Not Assigned. 4pp. 90975:114-90975:119.

**--9610160271** Discusses belated discovery of cut wire in safety related circuitry located in Maine Yankee control room area & requests answers to questions encl.
MYERS,H.R. Affiliation Not Assigned. 96/09/16. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 90975:118-90975:119.

**9612170220** Responds to 960904,13,25 & 1007 & 14 ltrs re concerns at plant about conformance w/TMI action plan items II.K.3.30 & II.K.3.31,competence & integrity questions about nonconformance w/items.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/05. MYERS,H.R. Affiliation Not Assigned. 2pp. 91131:102-91131:222.

**--9612170294** Refers to 960814 ltr re requests that NRC address questions about position w/respect to MYAP noncompliance w/SBLOCA requirements & questions.Urges NRC to address whether MYAP compliance level diminished to dangerous level.
MYERS,H.R. Affiliation Not Assigned. 96/09/04. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:214-91131:215.

**--9612170310** Requests that NRC,in deciding upon response to findings of MYAP Independent Special Assessment & other recent inquiries,consider whether MYAP mgt satsifies NRC requirements pertaining to required licensee qualifications.
MYERS,H.R. Affiliation Not Assigned. 96/09/13. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:216-91131:217.

**--9612170321** Discusses 960920 statement issued by J McCloskey,ack receipt of NRC rept re plant.Rept contains findings of NRC OI WRT inquiry into items pertaining to plant noncompliance w/TMI action plan items II.K.3.30 & II.K.3.31.
MYERS,H.R. Affiliation Not Assigned. 96/09/25. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:218-91131:219.

**--9612170345** Refers to 960913 & 960916 ltrs re noncomplying conditions discovered in recent monthes at MYAP.Conditions raise questions as to whether,overall,MYAP in substantial compliance w/NRC regulations assuring low radiological risk.
MYERS,H.R. Affiliation Not Assigned. 96/10/07. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 1p. 91131:220-91131:220.

**--9612170353** Refers to 961007 ltr from S Jackson to C Frizzle.Statement made by S Jackson which states, "Overall Performance at MYAP Considered Adequate for Operation," discussed.
MYERS,H.R. Affiliation Not Assigned. 96/10/14. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:221-91131:222.

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

**--9612120104** Requests copy of transcript of recent Commission mtg about Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/04. NRC - No Detailed Affiliation Given. 3pp. 91120:023-91120:025.

**--9612120143** Ack receipt of rept re Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/05. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:027-91120:027.

**--9612120302** Informs that PM Blanch will visit Maine Yankee on 961119 for public meeting.
BLANCH,P.M. Affiliation Not Assigned. 96/11/18. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:058-91120:058.

**--9612120304** Submits comments on Maine Yankee ISAT rept dtd 961007.
BLANCH,P.M. Affiliation Not Assigned. 96/11/20. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 3pp. 91120:059-91120:061.

**--9612120306** Submits article from Energy Daily re concerns over activities at Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/21. NRC - No Detailed Affiliation Given. 3pp. 91120:062-91120:064.

**--9612120327** Forwards Union of Concerned Scientists press release re Oct 1996 rept of Independent Assessment of Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/23. NRC - No Detailed Affiliation Given. 3pp. 91120:073-91120:075.

**--9612120346** Forwards article from Wiscasset Maine paper on 961121 re review of Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/30. NRC - No Detailed Affiliation Given. 1p. 91120:082-91120:082.

**9612170319** Forwards special insp rept 50-309/96-11 on 961120.W/o encl.
DORMAN,D.H. . 96/12/13. MYERS,H. Affiliation Not Assigned. 1p. 91132:001-91132:001.

**9612240257** Responds to questions re apparent discrepancies between Maine Yankees Emergency Plan & Federal guidelines raised at 961010 public meeting in Wiscasset,Maine.Confirms R Bores contact re issue.Expresses appreciation for participation.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 96/12/20. BRACK,H.G. Center for Biological Monitoring, Inc. 1p. 91197:351-91197:351.

**P. Operating license stage documents & correspondence**

**9612040014** Informs that expected completion date for enhancement of severe accident mgt program at Maine Yankee Plant,extended from July 1997 to Dec 1998 due to extended outage & increase in workload.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/11/25. Document Control Branch (Document Control Desk). 1p. 91011:259-91011:259.

**9612090061** Transmits Maine Yankee SBLOCA ANF-RELAP nodalization diagrams & answers to related NRC questions.Encl withheld.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/11/27. Document Control Branch (Document Control Desk). 5pp. 91051:346-91051:351.

**9612090345** Forwards Rev 1 to "IPEEE for Maine Yankee Atomic Power Station," per GL 88-20.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91054:264-91054:291.

**--9612090350** Rev 1 "IPEEEs for Maine Yankee Atomic Power Station."
* Maine Yankee Atomic Power Co. 96/11/30. 26pp. 91054:266-91054:291.

**9612110333** Forwards util response to NRC RAI concerning GL 95-03, "Circumferential Cracking of Steam Tubes." Util response clarifies insp performed during outage.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/12/03. Document Control Branch (Document Control Desk). 4pp. 91083:312-91083:315.

**9612110396** Informs that util unable to complete reassessment of design basis of onsite & offsite power sys within time requested & plans to submit response to staff by 961213.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/12/03. Document Control Branch (Document Control Desk). 1p. 91081:275-91081:275.

**9612110276** Informs of status of util responses to NRC RAI concerning methodology util will use to reanalyze containment pressure response following LOCA.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91081:295-91081:296.

**9612160142** Forwards util response to rept of Independent Safety Assessment Team which presents plans for resolving concerns identified in rept & addresses root causes described.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 96/12/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 91102:001-91102:182.

**-9612160150** "Response to Independent Safety Assessment of MYAP."
* Maine Yankee Atomic Power Co. 96/12/10. 176pp. 91102:007-91102:182.

**9612160314** Informs that NRC has published draft of "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560.Comments on rept requested.
MIRAGLIA,F.J. . 96/12/11. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 5pp. 91121:347-91121:351.

**9612170257** Responds to 961101 ltr to Chairman Jackson re participation of Maine Yankee officials in briefing of NRC to brief Commission on Maine Yankee corrective actions in response to ISA conducted summer of 1996.Meeting to be held on 970109.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/12. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 91124:180-91124:185.

**9612170456** Provides response to request for addl info re adequacy of offsite power sys at Maine Yankee Atomic Power Co.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91141:018-91141:026.

**9612260276** Informs that on 961205,licensee identified that control wiring associated w/ redundant trains of reactor manual trip pushbuttons was not separated,rendering both trains inoperable.
MILLER,H.J. Region 1 (Post 820201). 96/12/18. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 6pp. 91197:043-91197:048.

**9612310037** Requests exemption from requirements of 10CFR70.24, "Criticality Accident Requirements."
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 96/12/19. Document Control Branch (Document Control Desk). 9pp. 91262:293-91262:301.

**9612300014** Informs that referenced documents provide descriptions of evaluations,analyses,interim modifications & proposed permanent modifications to mitigate effects of license basis HELB in turbine hall w/winter ventilation configurations.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/12/23. Document Control Branch (Document Control Desk). 2pp. 91256:206-91256:207.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612110333** Forwards util response to NRC RAI concerning GL 95-03, "Circumferential Cracking of Steam Tubes." Util response clarifies insp performed during outage.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/12/03. Document Control Branch (Document Control Desk). 4pp. 91083:312-91083:315.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612130113** Forwards insp rept 50-309/96-12 on 960915-1026 & notice of violation.
CONTE,R. Region 1 (Post 820201). 96/12/09. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 91082:254-91082:340.

**-9612130122** Notice of violation from insp on 960915-1026.Violation noted:safeguards info was left unattended for approx 2 h on desk in security ofc inside protected areas.
* Region 1 (Post 820201). 96/12/09. 2pp. 91082:257-91082:258.

**-9612130130** Insp rept 50-309/96-12 on 960915-1026.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 1 (Post 820201). 96/12/09. 87pp. 91082:259-91082:340.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612200096** Press release I-96-83, "NRC Staff Issues Confirmatory Action Ltr to Maine Yankee,Sends Two Specialists to Plant."
* Region 1 (Post 820201). 96/12/19. 1p. 91201:003-91201:003.

**R. Periodic operating reports & related correspondence**

**9612180070** Monthly operating rept for Nov 1996 for Maine Yankee.W/ 961210 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. 96/11/30. 5pp. 91148:234-91148:238.

**9612260142** Forwards rev to 1995 radioactive effluent release rept.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91238:197-91238:198.

**-9612260146** Rev to "1995 Radioactive Effluent Release Rept."
* Maine Yankee Atomic Power Co. 95/12/31. 1p. 91238:198-91238:198.

**S. Reportable occurrences, LERs & related correspondence**

**9612020058** LER 96-034-00:on 961025,inadequate cable separation for post accident hydrogen monitors occurred.Caused by less than adequate control of cable separation.Bendix cable 1IT354 was disabled by lifting leads at both ends.W/961125 ltr.
BRAND,E., HEBERT,J.R. Maine Yankee Atomic Power Co. 96/11/25. 4pp. 91050:231-91050:234.

**9612040030** LER 96-036-00:on 961031,fans stopped in order to allow filters to be aligned in bypass mode using procedure.Caused by note alerting operations personnel.Painting activities in spray bldg stopped.W/961126 ltr.
GRIMARD,L., HEBERT,J.R. Maine Yankee Atomic Power Co. 96/11/26. 4pp. 91050:189-91050:192.

**9612110264** PNO-I-96-086:on 961205,plant engineers identified three inadequate cable seperation issues affecting reactor protection sys.Both buttons of either pair of trip push buttons required to be depressed,to initiate manual trip.
YEROKUN,J., CONTE,R. Region 1 (Post 820201). 96/12/09. 2pp. 91151:140-91151:141.

**9612170085** PNO-I-96-086A:on 961205,Maine Yankee personnel identified inadequate cable separation issues affecting reactor protection sys.Licensee in process of developing scope for expanded review & process for field verification.
YEROKUN,J., OLSEN,B., CONTE,R. Region 1 (Post 820201). 96/12/16. 3pp. 91163:243-91163:245.

**9612230162** LER 96-037-00:on 961114,leaking P-29C gland cooling check valve was observed.Caused by sticking check valve in gland cooling water supply line to pump.Affected check valves have been replaced.W/961216 ltr.
STOWERS,G.N., HEBERT,J.R. Maine Yankee Atomic Power Co. 96/12/16. 5pp. 91242:022-91242:026.

**T. Hearing transcripts on non-antitrust matters**

**9612110165** Forwards final transcript re NRC 961010 public meeting.
HAGOPIAN,H.M. Affiliation Not Assigned. 96/10/18. CONTE,R. Region 1 (Post 820201). 2pp. 91065:201-91065:356.

**-9612110176** Transcript of 961010 public meeting w/licensee to discuss major findings & conclusions of independent safety assessment team insp of plant.
* NRC - No Detailed Affiliation Given. 96/10/10. 154pp. 91065:203-91065:356.

**DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612110448** Rev 5 to section 2, "Assignment of Responsibility" & rev 18 to table of contents,to emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/07/17. 18pp. 91081:170-91081:187.

**9612240252** Rev 21 to table of contents & rev 5 to section 8 re public info,to emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/10/21. 7pp. 91227:123-91227:129.

**9612170152** Advises that prior to restart,util will perform departmental assessment of security organization,to affirm security can successfully support operations.
GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/11/14. NICHOLSON,L.E. Region 1 (Post 820201). 1p. 91152:111-91152:111.

**9612090233** Forwards info in response to NRC RAI dtd 961030 re post-fire safe shutdown capability.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/12/02. Document Control Branch (Document Control Desk). 11pp. 91050:348-91050:358.

**9612110390** Rev 20 to table of contents,rev 6 to table of contents & list of figures,rev 4 to section 1, "Introduction," rev 4 to section 10, "Accident Assessment" & rev 5 to section 11 "Protective Response," to emergency plan.
* Public Service Electric & Gas Co. of New Jersey. 96/12/02. 142pp. 91079:008-91079:149.

**9612110407** Revised EPIPs,including rev 11 to EPIP 102S, "Alert," rev 12 to EPIP 103S, "Site Area Emergency" & rev 12 to EPIP 104S, "General Emergency."
HUGHES,F. Public Service Electric & Gas Co. of New Jersey. 96/12/02. 41pp. 91090:001-91090:041.

**9612120441** Summarizes 961118 mtg meeting w/J McMahon re recent EP organization & mgt changes & to review program improvements in last several months.Meeting notice,list of attendees & handouts encl.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91082:010-91082:016.

**-9612120451** Notification of significant licensee meeting 96-116 w/util on 961118 to discuss EP organization changes & licensee program update.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. Region 1 (Post 820201). 4pp. 91082:013-91082:016.

**9612130252** Rev 0 to Emergency Action Level (EAL) 9.9.1.b for Low River Level.W/ 961209 ltr.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/09. 8pp. 91118:332-91118:339.

**9612310095** Forwards NOV & proposed imposition of civil penalties in amount of $100,000 for violations noted in insp repts 50-272/96-14,50-311/96-14 & 50-354/96-08.Predecisional enforcement conference held on 961114.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:125-91235:134.

**--9612310097** Notice of violation from insp on 960815-0903.Violation noted:on 960814,vital area access not physically controlled in that positive access control over photobadge keycards compromised,creating opportunity for unauthorized access.
* Region 1 (Post 820201). 96/12/11. 5pp. 91235:130-91235:134.

**9612120112** Press release I-96-80, "NRC Staff Proposes $180,000 in Fines for Alleged Violations at Salem & Hope Creek Plants."
* Region 1 (Post 820201). 96/12/12. 2pp. 91163:042-91163:043.

**9612260275** Summarizes 961118 mgt meeting w/util,FEMA,DOE & states of NJ & DE to discuss objectives for 1998 full-participation ingestion pathway exercise at facility & forwards meeting notice 96-117.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91197:036-91197:042.

**--9612260277** Notification of significant licensee meeting 96-117 w/util, FEMA,DOE & states of NJ & DE on 961118 to discuss objectives for 1998 Salem full-participation ingestion pathway exercise.W/list of attendees & agenda.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/18. Region 1 (Post 820201). 4pp. 91197:039-91197:042.

**H. General correspondence**

**9612160376** Comment supporting PR 10CFR50, "NRC Draft PS on Restructuring & Economic Deregulation of Electric Utility Industry."
SELOVAR,R.E. Public Service Electric & Gas Co. of New Jersey. 96/12/06. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91097:038-91097:043.

**P. Operating license stage documents & correspondence**

**9612020057** Forwards exemption certificate which allows PSE&G to transport SGs IAW transportation plan.
O'STEEN,J.K. Transportation, Dept. of. 96/10/31. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 7pp. 91003:108-91003:114.

**9612040060** Responds to 961031 ltr re request for comments & recommendation re draft US DOT exemption certificate. Exemption for transportation in commerce for four SGs from listed companys.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/15. O'STEEN,J.K. Transportation, Dept. of. 1p. 91004:359-91004:359.

**9612030300** Informs that NJ Dept of Environmental Protection Bureau of Nuclear Engineering has reviewed request for amend to licenses DPR-70 & DPR-75 & has no comments.
TOSCH,K.W. New Jersey, State of. 96/11/19. Document Control Branch (Document Control Desk). 2pp. 91010:346-91010:347.

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**--9612030313** FOIA request for documents responsive to encl request for production of documents for plant.
O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 96/08/30. Division of Freedom of Information & Publications Services (Post 940714). 200pp. 91015:022-91015:283.

**--9612030329** Summarizes 940602 meeting w/listed individuals to discuss items of mutual interest re plant performance & improvement plans.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/20. NRC - No Detailed Affiliation Given. 105pp. 91015:284-91016:032.

**--9612030330** Discusses 910710 meeting w/listed individuals to discuss mutual interest including individual role at Salem & Peach Bottom sites as non-operating nuclear owners.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/07/11. NRC - No Detailed Affiliation Given. 1p. 91016:033-91016:033.

**--9612030332** Discusses 911220 meeting w/listed individuals to introduce new PSEG senior mgt.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/12/20. NRC - No Detailed Affiliation Given. 84pp. 91016:034-91016:117.

**--9612040034** Forwards initial info & interview requests,ENS rept & excerpts from draft MOU w/States re 921213 loss of annunciators.
SPENCE,B. NRC - No Detailed Affiliation Given. 92/12/15. RULAND,B. NRC - No Detailed Affiliation Given. 79pp. 91016:118-91016:131.

**--9612040052** Salem Unit 2 "Control Room Overhead Annunciator Lock-Up of 921213."
* Public Service Electric & Gas Co. of New Jersey. 92-05. 92/12/29. 42pp. 91016:198-91016:240.

**--9612040066** Discusses 930723 PSE&G visit w/listed individuals to discuss items of mutual interest re Hope Creek & Salem,Units 1 & 2 NPP.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/02. NRC - No Detailed Affiliation Given. 2pp. 91016:241-91016:242.

**--9612040108** Discusses New Jersey DEP compliation Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/05/17. JACOBSON,J. NRC - No Detailed Affiliation Given. 3pp. 91016:332-91016:334.

**--9612040120** Discusses New Jersey DEP compilation re Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/07/19. JACOBSON,J. NRC - No Detailed Affiliation Given. 65pp. 91016:335-91017:101.

**--9612040196** Discusses PSE&G 941129 drop-in visit w/listed individuals to discuss items of mutual interest including plant Hope Creek & Salem Generating station performance.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/13. NRC - No Detailed Affiliation Given. 1p. 91017:102-91017:102.

**--9612040210** Discusses 950208 enforcement conference (OI-1-93-021R) in King of Prussia,PA to discuss circumstances associated w/potential H&I of two PSE&G safety-review group engineers.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. POLIZZI,V. Affiliation Not Assigned. 3pp. 91017:103-91017:105.

**--9612040266** Discusses 950524 drop in visit w/listed individuals to discuss improvement efforts at plant Units 1 & 2.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/02. NRC - No Detailed Affiliation Given. 4pp. 91017:116-91017:119.

**--9612040286** Discusses 960222 visit w/listed individuals to discuss issues re Salem & Hope Creek Generating Stations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/27. NRC - No Detailed Affiliation Given. 5pp. 91017:121-91017:127.

**--9612040292** Partially deleted memo re 960826 drop in meeting.
MILLER,C.G. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN Commissioners (Post 750119). 3pp. 91017:131-91017:133.

**--9612040293** Partially deleted memo re courtesy visit w/EJ Ferland & LR Eliason on 960826.
CHAN,T.L. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN Commissioners (Post 750119). 2pp. 91017:134-91017:135.

**--9612040295** Discusses 960826 meeting w/listed individuals to discuss current activities & issues involving Hope Creek & Salem NPPs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/13. NRC - No Detailed Affiliation Given. 3pp. 91017:136-91017:138.

**--9612050088** Rev 0 to "Loss of Overhead Annunciator Sys."
* Public Service Electric & Gas Co. of New Jersey. 92/12/29. 65pp. 91016:132-91016:197.

**9612030060** Submits revision to commitment management program.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/11/25. Document Control Branch (Document Control Desk). 3pp. 91008:146-91008:148.

**9612090212** Informs that State of NJ has reviewed & has no comments on license change request S95-36 re mod to increase containment fan coil unit response time.
TOSCH,K.W. New Jersey, State of. 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91052:339-91052:340.

**9612090392** Informs NRC of change to Salem Unit 2 ERDS Data Point Library.Changes,encl.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/04. Document Control Branch (Document Control Desk). 4pp. 91054:356-91054:359.

**9612130267** Submits response to request for addl info re design basis temp for containment structure.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/12/06. Document Control Branch (Document Control Desk). 3pp. 91127:329-91127:331.

**9612160436** Forwards Rev 2 to "PSE&G Simulation Facility Certification Program."
MCMAHON,J.F. Public Service Electric & Gas Co. of New Jersey. 96/12/10. Document Control Branch (Document Control Desk). 3pp. 91124:294-91124:341.

**--9612160438** Rev 2 to "PSE&G Simulation Facility Certification Program."
* Public Service Electric & Gas Co. of New Jersey. 96/11/19. 44pp. 91124:297-91124:341.

**9612200370** Submits response to RAI re containment fan cooling unit response time.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/12/11. Document Control Branch (Document Control Desk). 11pp. 91209:196-91209:208.

**9612160433** Second partial response to FOIA request for documents. Records identified in App D available in PDR & encl.Records identified in App E being withheld in part.Records in App F being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/12. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 9pp. 91128:006-91128:180.

**--9401260272** Responds to 931206 ltr requesting response to employee of util allegations of job discrimination as result of identifying safety problems to certain Salem managers on 921203-04.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 94/01/04. MARTIN,T.T. Region 1 (Post 820201). 29pp. 91128:024-91128:054.

**--9512220087** Recommends SALP process be suspended until 1 yr after restart of units.
MARTIN,T.T. Region 1 (Post 820201). 95/11/17. RUSSELL,W.T. . 11pp. 91128:170-91128:180.

**--9612170120** Requests that OGC analyze OI rept 1-93-021R re alleged H&I at Salem Generating Station & determine whether sufficient evidence to take enforcement action,available.
GRAY,J.R. Ofc of Enforcement (Post 870413). 94/11/21. MARTIN,T.T. Region 1 (Post 820201). 2pp. 91128:159-91128:160.

**9612170252** Discusses draft of "Individual Plant Examination Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560 & appreciates any comments.
MIRAGLIA,F.J. . 96/12/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91124:055-91124:059.

**9612190070** Submits relief request for alternatives to welding restrictions in 1989 edition of ASME Code for station service water pumps.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/12. Document Control Branch (Document Control Desk). 4pp. 91161:354-91161:357.

**9612190112** Forwards list of proposed addl changes to TS amend,related administrative controls & schedule for submitting TS change requests.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/12. Document Control Branch (Document Control Desk). 10pp. 91162:349-91162:358.

**9612180273** Notification of 961219 meeting w/licensee in Bethesda,MD to discuss 961025 amend request re containment fan cooler units & GL 96-06.
OLSHAN,L. . 96/12/16. STOLZ,J.F. . 4pp. 91132:298-91132:301.

**9612230173** Requests addl info re margin recovery amend request for plant.Response to be submitted within 30 days of ltr receipt.
OLSHAN,L.N. . 96/12/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91181:116-91181:120.

**9612230239** Submits discrepancies noted in UFSAR for plant.
OLSHAN,L. . 96/12/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 91201:038-91201:041.

**9612310072** Submits supplemental info re 960531 request for change to TS channel calibr definition.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/12/23. Document Control Branch (Document Control Desk). 4pp. 91262:310-91262:316.

**--9612310073** Proposed tech specs 1.0 re definitions.
* Public Service Electric & Gas Co. of New Jersey. 96/12/23. 3pp. 91262:314-91262:316.

**9612310189** Forwards rev 2 to NRC restart action plan for Salem,units 1 & 2.Encl rev was approved by Salem Assessment Panel in meeting 96-09.
NICHOLSON,L.E. Region 1 (Post 820201). 96/12/26. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 25pp. 91235:294-91235:318.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**--9612040069** Discusses insp repts 50-272/93-23,50-311/93-23 & 50-354/93-25 on 931017-1127 & forwards NOV & proposed imposition of civil penalty - $50,000.
MARTIN,T.T. Region 1 (Post 820201). 94/03/09. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 6pp. 91016:243-91016:248.

**--9612040103** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:on 931012,maint on breaker for electro-hydraulic pump was conducted w/o supervisor ensuring equipment was tagged & safe to work on.
* Region 1 (Post 820201). 94/03/09. 54pp. 91016:249-91016:331.

**--9612040239** Discusses 950424 enforcement conference (NRC OI Investigation 1-93-021R) in King of Prussia,PA & circumstances associated w/alleged H&I of two PSE&G safety-review group engineers & forwards NOV.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. VONDRA,C. Affiliation Not Assigned. 4pp. 91017:108-91017:111.

**--9612040244** Notice of violation from investigation 1-93-021R.Violation noted:C Vondra deliberately caused PSE&G to violate 10CFR50.7 by discriminating against two employees for engaging in protected activities.
* Region 1 (Post 820201). 95/04/11. 4pp. 91017:112-91017:115.

**9612090256** Forwards insp repts 50-272/96-15 & 50-311/96-15 on 960915- 1102 & notice of violations.
NICHOLSON,L.E. Region 1 (Post 820201). 96/12/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91037:001-91037:055.

**--9612090262** Notice of violation from insp on 960915-1102.Violations noted:staff did not promptly identify,correct,determine cause,notify appropriate levels of mgt or initiate CA to preclude recurrence for listed conditions.
* Region 1 (Post 820201). 96/12/03. 2pp. 91037:004-91037:005.

**--9612090265** Insp repts 50-272/96-15 & 50-311/96-15 on 960915-1102. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 1 (Post 820201). 96/12/03. 50pp. 91037:006-91037:055.

**9612090285** Forwards insp repts 50-272/96-13 & 50-311/96-13 on 960812- 0920 & notice of violations.
RULAND,W.H. Region 1 (Post 820201). 96/12/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91038:239-91038:276.

**--9612090287** Notice of violation from insp on 960812-0920.Violation noted:all inservice insp not performed in accordance w/ASME Section XI.
* Region 1 (Post 820201). 96/12/03. 2pp. 91038:242-91038:243.

**--9612090289** Insp repts 50-272/96-13 & 50-311/96-13 on 960812-0920. Violations noted.Major areas inspected:engineering performance issues that require resolution prior to plant restart.
* Region 1 (Post 820201). 96/12/03. 34pp. 91038:244-91038:276.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612170136** Ltr contract,task order 110, "Salem SSFI Insp Docket 50-311," under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. 96/12/10. LOFY,R.A. PARAMETER, Inc. 6pp. 91131:343-91131:348.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310088** Forwards notice of violation & proposed imposition of civil penalties of $80,000 per OI repts 1-94-006R & 1-94-053 on 940218-960430 & 941121-960425.Enforcement conference held on 960911 to discuss violations noted.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:111-91235:118.

**--9612310092** Notice of violation from investigation repts 1-94-006R & 1-94-053 on 940218-960430 & 941121-960425.Violation noted: licensee through former manager of NSR,discriminated in Nov 93 & May 94 against former onsite safety review engineer.
* Region 1 (Post 820201). 96/12/11. 3pp. 91235:116-91235:118.

**9612310091** Discusses conclusions from 960911 predecisional conference in Region I ofc that discussed findings of two subject OI investigations.No formal enforcement action to be taken against B Hall for these violations.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. HALL,B. Affiliation Not Assigned. 4pp. 91235:121-91235:124.

**9612310095** Forwards NOV & proposed imposition of civil penalties in amount of $100,000 for violations noted in insp repts 50-272/96-14,50-311/96-14 & 50-354/96-08.Predecisional enforcement conference held on 961114.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:125-91235:134.

**--9612310097** Notice of violation from insp on 960815-0903.Violation noted:on 960814,vital area access not physically controlled in that positive access control over photobadge keycards compromised,creating opportunity for unauthorized access.
* Region 1 (Post 820201). 96/12/11. 5pp. 91235:130-91235:134.

**9612120112** Press release I-96-80, "NRC Staff Proposes $180,000 in Fines for Alleged Violations at Salem & Hope Creek Plants."
* Region 1 (Post 820201). 96/12/12. 2pp. 91163:042-91163:043.

**9612160433** Second partial response to FOIA request for documents. Records identified in App D available in PDR & encl.Records identified in App E being withheld in part.Records in App F being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/12. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 9pp. 91128:006-91128:180.

**--9512220072** Forwards recommendation that SALP process be suspended for 1 yr after restart of first unit from current outage.NRR concurs w/extension.
RUSSELL,W.T. . 95/12/18. MARTIN,T.T. Region 1 (Post 820201). 1p. 91128:169-91128:180.

**R. Periodic operating reports & related correspondence**

**9612190195** Monthly operating rept for Nov 1996 for Salem 2. W/961213 ltr.
HELLER,R., PHILLIPS,R., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/11/30. 20pp. 91192:164-91192:183.

**9612240002** "NPDES Discharge Monitoring Rept for Nov 1996 for Salem Generating Station." W/961217 ltr.
GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/11/30. CAPORALE,G. New Jersey, State of. 19pp. 91227:197-91227:215.

**S. Reportable occurrences, LERs & related correspondence**

**9612230025** Follows-up on 961201 event 31391 at plant 4.16 KV breaker failure-HMA relays.
NAIDU,K.R. . 96/12/12. CWALINA,G.C. . 2pp. 91194:209-91194:210.

**T. Hearing transcripts on non-antitrust matters**

**9612160433** Second partial response to FOIA request for documents. Records identified in App D available in PDR & encl.Records identified in App E being withheld in part.Records in App F being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/12. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 9pp. 91128:006-91128:180.

**--9612170106** Transcript of 940802 enforcement conference in Salem,NJ w/Salem senior nuclear shift supervisor involved in 940407 event.
* NRC - No Detailed Affiliation Given. 94/08/02. 104pp. 91128:055-91128:158.

**V. Operator Examinations**

**9612030097** Notification of significant licensee meeting 96-123 w/util on 961205 to discuss proposed changes to requalification training program for licensed operators at Salem,documented in facility 961107 ltr.
NICHOLSON,L.E. Region 1 (Post 820201). 96/11/26. Region 1 (Post 820201). 2pp. 90973:194-90973:195.

**9612170338** Documents NRC 961205 meeting w/C Bakken,J Zerbo & G Solomon of staff to discuss status & plans for Salem licensed operator requalification (LOR) program.
MEYER,G.W. Region 1 (Post 820201). 96/12/09. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 9pp. 91140:267-91140:275.

**DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION**

**J. Insurance & indemnity information**

**9612240283** Forwards certified copies of listed nuclear liability endorsements for util.
DELEZENSKI,J. Sacramento Municipal Utility District. 96/12/16. Document Control Branch (Document Control Desk). 9pp. 91227:152-91227:160.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612040029** Rev 12 to OP-1903.065, "Emergency Response Facility TSC."
CRAWFORD,J., COTTON,S.R., FOWLER,R.L. Entergy Operations, Inc. 96/11/27. 64pp. 91021:279-91021:342.

**9612180264** Rev 6 to Procedure/Work Plan 1903.021, "NORAM Natural Gas Line Rupture."
CRAWFORD,J. Entergy Operations, Inc. 96/12/05. 6pp. 91161:335-91161:340.

**9612120288** Forwards insp repts 50-313/96-07 & 50-368/96-07 on 960929-1109.Violations noted:unit 1 fire & inadequacies identified in oil collection sys were focus of special insp.
DYER,J.E. Region 4 (Post 820201). 96/12/10. HUTCHINSON,C.H. Entergy Operations, Inc. 4pp. 91070:042-91070:064.

**9612240130** Forwards FEMA final rept for 960814-15,plant exercise,which indicates no deficiencies & three areas requiring corrective action identified during exercise.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 91183:329-91183:332.

**G. Adjudicatory correspondence**

**9612180087** Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

**--9612180156** Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:338.

**P. Operating license stage documents & correspondence**

**9612120070** Forwards proposed ANO-1 TS amend request that revises svc period & associated figures IAW TS 3.1.2.7,3.1.2.8 & 10CFR50,App G,for review & approval.
* Entergy Operations, Inc. 96/11/26. Document Control Branch (Document Control Desk). 15pp. 91091:001-91091:077.

**--9612120073** Proposed tech specs revising svc period & associated figures IAW TS 3.1.2.7,3.1.2.8 & 10CFR50,App G.
* Entergy Operations, Inc. 96/11/26. 41pp. 91091:016-91091:056.

**--9612120076** "ANO-1 Pressure-Temp Limits for 32 EFPY."
* FRAMATOME. 77-1258569-01. 96/11/30. 21pp. 91091:057-91091:077.

**9612050080** Notification of 961217 licensee meeting w/util in Arlington, TX to discuss evaluation approach & results of UFSAR assessments at each facility.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Region 4 (Post 820201). 9pp. 91013:154-91013:163.

**9612050067** Notification of 961210 meeting w/util in Arlington,TX to discuss svc water sys improvement program & mgt of biofouling concerns.
DYER,J.E. Region 4 (Post 820201). 96/12/03. Region 4 (Post 820201). 5pp. 91013:142-91013:146.

**9612160111** Forwards response to addl info re TS change request to delete reactor coolant pump flywheel insps.
MIMS,D.C. Entergy Operations, Inc. 96/12/09. Document Control Branch (Document Control Desk). 27pp. 91101:330-91101:356.

**9612160256** Summary of 96111 meeting w/licensee in Rockville,MD to discuss comments developed in response to NRC advance notice of proposed rulemaking on financial assurance requirements for decommissioning nuclear reactors.List of attendees encl.
WIGGINTON,D.L. . 96/12/11. . 40pp. 91101:150-91101:189.

**9612180287** Forwards for review & comments draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Request comments by 970214. W/o encl.
MIRAGLIA,F.J. . 96/12/13. HINTZ,D.C. Entergy Operations, Inc. 7pp. 91132:324-91132:330.

**9612240138** Discusses 961210 meeting re service water performance & impact of zebra mussels on plant operation.List of attendees & licensee presentation encl.
DYER,J.E. Region 4 (Post 820201). 96/12/17. HUTCHINSON,C.R. Entergy Operations, Inc. 45pp. 91180:192-91180:236.

**9612260321** Submits proposed TS change request re control room ventilation sys.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/12/19. Document Control Branch (Document Control Desk). 20pp. 91238:112-91238:193.

**--9612260323** Proposed tech spec 3.9 re control room emergency ventilation & air conditioning sys.
* Entergy Operations, Inc. 96/12/19. 62pp. 91238:132-91238:193.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020103** Forwards reactor coolant pump flywheels inservice insp results which suppl Table 3-1 of rept included w/initial TS change request.
MIMS,D.C. Entergy Operations, Inc. 96/11/20. Document Control Branch (Document Control Desk). 3pp. 91003:135-91003:137.

**9612020098** Forwards reponse to RAI re NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in the Reactor Core,or Over Safety-Related Equipment."
MIMS,D.C. Entergy Operations, Inc. 96/11/21. Document Control Branch (Document Control Desk). 4pp. 91003:125-91003:128.

**9612040192** Forwards results of ISI OTSG tube insp.
MIMS,D.C. Entergy Operations, Inc. 96/11/21. Document Control Branch (Document Control Desk). 43pp. 91028:048-91028:092.

**9612030210** Forwards staff SE of util response to NRC Bulletin 96-004, "Chemical,Galvanic or Other Reactions in Spent Fuel Storage & Transportation Casks." Util has satisfied requested actions & required responses to bulletin.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/26. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 91010:024-91010:058.

**--9612030224** SER concluding that util has satisfied requested actions & required responses to NRC Bulletin 96-004.
* NRC - No Detailed Affiliation Given. 96/11/26. 18pp. 91010:027-91010:058.

**9612030194** Advises of NRC planned insp effort resulting from 961103 Arkansas Nuclear One SPPR review.
DYER,J.E. Region 4 (Post 820201). 96/11/27. HUTCHINSON,C. Entergy Operations, Inc. 6pp. 90973:351-90973:356.

**9612100327** Denies licensee 961104 request for deferral of planned NRC design basis insp of facility until late summer 1997.
GWYNN,T.P. Region 4 (Post 820201). 96/12/03. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 91049:158-91049:160.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160111** Forwards response to addl info re TS change request to delete reactor coolant pump flywheel insps.
MIMS,D.C. Entergy Operations, Inc. 96/12/09. Document Control Branch (Document Control Desk). 27pp. 91101:330-91101:356.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612120288** Forwards insp repts 50-313/96-07 & 50-368/96-07 on 960929-1109.Violations noted:unit 1 fire & inadequacies identified in oil collection sys were focus of special insp.
DYER,J.E. Region 4 (Post 820201). 96/12/10. HUTCHINSON,C.H. Entergy Operations, Inc. 4pp. 91070:042-91070:064.

**--9612120292** Insp repts 50-313/96-07 & 50-398/96-07 on 960929-1109. Violations noted.Major areas inspected:operations,maint, engineering,plant support.
* Region 4 (Post 820201). 96/12/10. 19pp. 91070:046-91070:064.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160386** Forwards SE & technical rept by INEL in response to request for authorization to update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code,Section XI & authorizes proposed alternatives.
BECKNER,W. . 96/12/12. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91101:030-91101:055.

**--9612160403** Safety evaluation supporting update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code, Sect XI for licenses DPR-51,NPF-6,NPF-38,NPF-29 & NPF-47. Technical ltr rept encl.
* . 96/12/12. 19pp. 91101:037-91101:055.

**9612180368** Responds to NRC 960928 ltr re violations noted in insp repts 50-313/96-06 & 50-368/96-06.Corrective actions:Service air was secured immediately upon identification as cause of RCS level increase.
MIMS,D.C. Entergy Operations, Inc. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91155:320-91155:328.

**S. Reportable occurrences, LERs & related correspondence**

**9612060013** LER 96-006-01:on 960527,EDGs were declared inoperable due to excessive water in fuel oil sys.Drained,cleaned & inspected T-25,increased height of nozzles in T-25 by six inches & revised sampling procedures.W/961127 ltr.
SCHEIDE,R.H., MIMS,D.C. Entergy Operations, Inc. 96/11/27. 8pp. 91126:342-91126:349.

**9612050073** PNO-IV-96-063:on 960603,licensee restricted from loading spent fuel into Sierra Nuclear VSC-24 casks per terms of Confirmatory Action Ltr (CAL).Licensee responded to both CAL & Bulletin & NRC completed review of responses.
COLLINS,E., REIS,T. Region 4 (Post 820201). 96/12/04. 1p. 91126:313-91126:313.

**9612230060** PNO-IV-96-063A:on 961218,resumption of dry loading activities updated.Very little hydrogen measured during time period water in cask.Next loading process will start in mid- Jan.ANO expects to build more casks after fourteen filled.
EVERETT,V., SPITZBERG,B. Region 4 (Post 820201). 96/12/19. 1p. 91242:013-91242:013.

**9612260243** LER 96-010-00:on 961119,failed to test Reactor Protection Sys (RPS) high temp trip function.Caused by inadequate procedure rev.Declared RPS inoperable,revised RPS test procedures & tested all four channels.W/961219 ltr.
CANTWELL,D., MIMS,D.C. Entergy Operations, Inc. 96/12/19. 6pp. 91226:328-91226:333.

**V. Operator Examinations**

**9612040025** Informs that WL Nichols will no longer maintain operating license on ANO-1.
MIMS,D.C. Entergy Operations, Inc. 96/11/21. Document Control Branch (Document Control Desk). 2pp. 91011:299-91011:300.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612060007** Forwards safety evaluation re NRC Bulletin 96-04, "Chemical, Galvanic or Other Reactions in SF Storage & Transportation Casks," for plant, units 1 & 2.
SALEHI,K. . 96/12/03. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 91028:305-91028:339.

**--9612060019** Safety evaluation accepting NRC Bulletin 96-04, "Chemical,Galvanic or Other Reactions in SF Storage & Transportation Casks," for plant, units 1 & 2.
* . 96/12/03. 31pp. 91028:309-91028:339.

**9612060166** Discussses 960603 CAL issued to Entergy Operations re listed actions concerning plant dry cask storage program utilizing Sierra Nuclear VSC-24 cask.
CALLAN,L.J. Region 4 (Post 820201). 96/12/03. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 91025:049-91025:053.

**9612050077** Press release IV-96-61, "NRC Staff Authorizes Loading of Spent Fuel into Dry Casks at Arkansas Plant."
* Region 4 (Post 820201). 96/12/04. 2pp. 91126:320-91126:321.

**9612180217** Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91155:203-91155:251.

**--9612180239** Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**--9612180306** Safety evaluation accepting util response to NRC Bulletin 96-004 for use of VSC-24 cask.
* Office of Nuclear Material Safety & Safeguards. 96/12/03. 31pp. 91155:218-91155:251.

**DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612060344** Requests response to encl request for addl info needed for resolving concerns on ampacity derating factor determinations for DCNPP & requests response to RAI 90 days after receipt so that outstanding issues can be resolved.
HICKMAN,J.B. . 96/12/02. FITZPATRICK,E. Indiana Michigan Power Co. 10pp. 91031:088-91031:127.

**--9612060351** Rev 0 to, "Review of Donald C. Cook Nuclear Power Plant Methodology for Analysis of Fire Barrier Ampacity Derating Factors," ltr rept.
NOWLEN,S. Sandia National Laboratories. 96/06/28. . 30pp. 91031:098-91031:127.

**9612240298** Notification of 970109 meeting w/listed attendess in Rockville,MD to discuss potential alternative approaches to mgt of dose assessment for protective action decision making w/respect to emergency planning.
KUGLER,A.J. . 96/12/20. HANNON,J.N. . 7pp. 91193:326-91193:332.

**P. Operating license stage documents & correspondence**

**9612060344** Requests response to encl request for addl info needed for resolving concerns on ampacity derating factor determinations for DCNPP & requests response to RAI 90 days after receipt so that outstanding issues can be resolved.
HICKMAN,J.B. . 96/12/02. FITZPATRICK,E. Indiana Michigan Power Co. 10pp. 91031:088-91031:127.

**--9612060351** Rev 0 to, "Review of Donald C. Cook Nuclear Power Plant Methodology for Analysis of Fire Barrier Ampacity Derating Factors," ltr rept.
NOWLEN,S. Sandia National Laboratories. 96/06/28. . 30pp. 91031:098-91031:127.

**9612160092** Forwards change of process notification which increases capacity of reverse osmosis unit & adds dry layup method for plant heating boiler.
FITZPATRICK,E. Illinois Power Co. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91133:196-91133:201.

**9612180284** Requests review & comment of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," recently sent to organization.
MIRAGLIA,F.J. . 96/12/13. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 91132:250-91132:254.

**9612270111** Application for amends to licenses DPR-58 & DPR-74, requesting rev of reactor coolant pump flywheel insp frequency.
FITZPATRICK,E. American Electric Power Co., Inc. 96/12/20. Document Control Branch (Document Control Desk). 6pp. 91252:348-91252:362.

**--9612270112** Proposed tech specs 3/4.4.10 re reactor coolant sys.
* American Electric Power Co., Inc. 96/12/20. 8pp. 91252:355-91252:362.

**9612300068** Updates SG Tube 2 Volt repair criteria,per 961028 request2 for addl info.
FITZPATRICK,E. American Electric Power Co., Inc. 96/12/20. Document Control Branch (Document Control Desk). 10pp. 91255:226-91255:309.

**9612310170** Responds to NRC request to update submittal ltr dtd 950804 redefining repair boundary for parent tube behind HEJ sleeve.WCAP-14641 & revised TSs encl.
FITZPATRICK,E. American Electric Power Co., Inc. 96/12/20. Document Control Branch (Document Control Desk). 12pp. 91249:138-91249:205.

**--9612310172** Proposed tech specs change to allow for repair of hybrid sleeved SG tubes in response to RAI
* American Electric Power Co., Inc. 96/12/20. 21pp. 91249:150-91249:205.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030157** Provides alternatives to exam category C-H,items C7.30, C7.40,C7.70 & C7.80 on Class 2 components at containment penetrations.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/11/27. Document Control Branch (Document Control Desk). 11pp. 91011:199-91011:209.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160007** Forwards insp repts 50-315/96-11 & 50-316/96-11 on 960901-1012 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/12/05. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. 91096:001-91096:027.

**--9612160013** Notice of violation from insp on 960901-1012.Violation noted:failure to utilize temporary mod process required by PMP 5040 MOD.001 when removing penetration covers.
* Region 3 (Post 820201). 96/12/05. 2pp. 91096:005-91096:006.

**--9612160016** Insp repts 50-315/96-11 & 50-316/96-11 on 960901-1012. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support & follow-up to issues identified during previous insp repts.
* Region 3 (Post 820201). 96/12/05. 21pp. 91096:007-91096:027.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260204** Advises of planned insp effort resulting from plant PPR review completed on 961108 for period Mar 1995 - Oct 1996.
MILLER,L.F. Region 3 (Post 820201). 96/12/19. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 91196:322-91196:324.

**R. Periodic operating reports & related correspondence**

**9612170009** Monthly operating rept for Nov 1996 for DC Cook Nuclear Plant Unit 1.W/ 961203 ltr.
RUSSO,M.E., MINOR,J.W., SAMPSON,J.R. American Electric Power Co., Inc. 96/11/ 30. 5pp. 91163:189-91163:193.

**S. Reportable occurrences, LERs & related correspondence**

**9612020052** LER 96-006-00:on 961024,interim LER-one hours action statement requirements were not met for inoperable Unit 1 power-operated relief block valve.Cause unknown.Preventive. actions & final rept expected by 961220.W/961125 ltr.
PISARSKY,F., BLIND,A.A. American Electric Power Co., Inc. 96/11/25. 2pp. 91050:235-91050:236.

**9612110042** Special rept:on 961119,containment high range area monitor 1-VRA-1410 declared inoperable longer than 7 days.Caused by monitor detector out of spec.Detector replaced.
BLIND,A.A. American Electric Power Co., Inc. 96/12/03. Document Control Branch (Document Control Desk). 1p. 91062:026-91062:026.

**9612120438** Forwards final ASP analysis of 950912 event at facility.
HICKMAN,J.B. . 96/12/04. FITZPATRICK,E. Indiana Michigan Power Co. 15pp. 91075:071-91075:085.

**DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612060344** Requests response to encl request for addl info needed for resolving concerns on ampacity derating factor determinations for DCNPP & requests response to RAI 90 days after receipt so that outstanding issues can be resolved.
HICKMAN,J.B. . 96/12/02. FITZPATRICK,E. Indiana Michigan Power Co. 10pp. 91031:088-91031:127.

**--9612060351** Rev 0 to, "Review of Donald C. Cook Nuclear Power Plant Methodology for Analysis of Fire Barrier Ampacity Derating Factors," ltr rept.
NOWLEN,S. Sandia National Laboratories. 96/06/28. . 30pp. 91031:098-91031:127.

**9612240298** *Notification of 970109 meeting w/listed attendess in Rockville,MD to discuss potential alternative approaches to mgt of dose assessment for protective action decision making w/respect to emergency planning.*
KUGLER,A.J. . 96/12/20. HANNON,J.N. . 7pp. 91193:326-91193:332.

**P. Operating license stage documents & correspondence**

**9612060344** Requests response to encl request for addl info needed for resolving concerns on ampacity derating factor determinations for DCNPP & requests response to RAI 90 days after receipt so that outstanding issues can be resolved.
HICKMAN,J.B. . 96/12/02. FITZPATRICK,E. Indiana Michigan Power Co. 10pp. 91031:088-91031:127.

**--9612060351** Rev 0 to, "Review of Donald C. Cook Nuclear Power Plant Methodology for Analysis of Fire Barrier Ampacity Derating Factors," ltr rept.
*NOWLEN,S. Sandia National Laboratories. 96/06/28. . 30pp. 91031:098-91031:127.*

**9612160092** Forwards change of process notification which increases capacity of reverse osmosis unit & adds dry layup method for plant heating boiler.
FITZPATRICK,E. Illinois Power Co. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91133:196-91133:201.

**9612180284** Requests review & comment of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant *Performance,Summary Rept," recently sent to* organization.
MIRAGLIA,F.J. . 96/12/13. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 91132:250-91132:254.

**9612270111** Application for amends to licenses DPR-58 & DPR-74, requesting rev of reactor coolant pump flywheel insp frequency.
FITZPATRICK,E. American Electric Power Co., Inc. 96/12/20. Document Control Branch (Document Control Desk). 6pp. 91252:348-91252:362.

**--9612270112** Proposed tech specs 3/4.4.10 re reactor coolant sys.
* American Electric Power Co., Inc. 96/12/20. 8pp. 91252:355-91252:362.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030157** Provides alternatives to exam category C-H,items C7.30, C7.40,C7.70 & C7.80 on Class 2 components at containment penetrations.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/11/27. Document Control Branch (Document Control Desk). 11pp. 91011:199-91011:209.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160007** Forwards insp repts 50-315/96-11 & 50-316/96-11 on 960901-1012 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/12/05. FITZPATRICK,E. American Electric Power Co., Inc. 4pp. 91096:001-91096:027.

**--9612160013** Notice of violation from insp on 960901-1012.Violation noted:failure to utilize temporary mod process required by PMP 5040 MOD.001 when removing penetration covers.
* Region 3 (Post 820201). 96/12/05. 2pp. 91096:005-91096:006.

**--9612160016** Insp repts 50-315/96-11 & 50-316/96-11 on 960901-1012. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support & follow-up to issues identified during previous insp repts.
* Region 3 (Post 820201). 96/12/05. 21pp. 91096:007-91096:027.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260204** Advises of planned insp effort resulting from plant PPR review completed on 961108 for period Mar 1995 - Oct 1996.
MILLER,L.F. Region 3 (Post 820201). 96/12/19. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 91196:322-91196:324.

**R. Periodic operating reports & related correspondence**

**9612160315** Forwards monthly operating rept for DC Cook Nuclear Plant Unit 2 for Nov 1996 & revised rept for Oct 1996.
SAMPSON,J.R. American Electric Power Co., Inc. 96/12/03. Document Control Branch (Document Control Desk). 1p. 91129:001-91129:006.

**--9612160326** Monthly operating rept for Nov 1996 for Donald C. Cook Nuclear Plant Unit 2.
MINOR,J.W. American Electric Power Co., Inc. 96/11/30. 4pp. 91129:002-91129:005.

**--9612160330** Monthly operating rept for Oct 1996 for Donald C. Cook Nuclear Plant Unit 2.
MINOR,J.W. American Electric Power Co., Inc. 96/10/31. 1p. 91129:006-91129:006.

**DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612090213** Forwards SALP repts 50-317/96-99 & 50-318/96-99 for period 950514-*961019.*
MILLER,H.J. Region 1 (Post 820201). 96/12/03. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 91039:102-91039:111.

**--9612090225** SALP repts 50-317/96-99 & 50-318/96-99 for period 950514- 961019.
* Region 1 (Post 820201). 96/12/03. 7pp. 91039:105-91039:111.

**P. Operating license stage documents & correspondence**

**9612030272** Application for amends to licenses DPR-53 & DPR-69,adopting Option B of 10CFR50,App J,to require Types B & C containment leakage rate testing to be performed on performance-based testing schedule.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/11/26. Document Control Branch (Document Control Desk). 20pp. 91010:267-91010:307.

**--9612030273** Proposed tech specs adopting Option B of 10CFR50,App J to require Types B & C containment leakage rate testing to be performed on performance-based testing schedule.
* Baltimore Gas & Electric Co. 96/11/26. 22pp. 91010:287-91010:307.

**9612050097** Summary of 961010 meeting w/util in Rockville,MD to deliver & discuss sample revs to portions of Structures,Component Supports & Main Feedwater Sys IPA repts.List of attendees & handouts encl.
FLANDERS,S.C. . 96/11/29. . 177pp. 91017:139-91017:315.

**9612090074** Summary of 961114 meeting w/BG&E in Rockville,MD to provide comments to BG&E on sample revs of BG&E Structures,Component Supports & Main Feedwater Sys IPA repts delivered on 961024.
FLANDERS,S.C. . 96/12/04. . 11pp. 91045:207-91045:217.

**9612120185** *Application for amends to licenses DPR-53 & DPR-69,revising TSs to be* generally consistent w/NUREG-1432,Rev 1,thus replacing 2 current sets of TSs w/ single set applicable to both units.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/12/04. Document Control Branch (Document Control Desk). 4pp. 91106:001-91118:070.

**--9612120219** "Calvert Cliffs Nuclear Power Plant Improved TSs." Vols 1- 15.
* Baltimore Gas & Electric Co. 96/12/04. 4,434pp. 91106:005-91118:070.

**9612130146** Forwards licensee responses to staff 961010 questions re containment purge sys mod concerning type flanges,number of "O" rings & leak testing capability & flange matl.
DROMERICK,A.W. . 96/12/05. NRC - No Detailed Affiliation Given. 4pp. 91093:347-91093:350.

**9612160352** Requests comments on draft NUREG-1560, "Individual Plant *Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."*
MIRAGLIA,F.J. . 96/12/12. CRUSE,C.H. Baltimore Gas & Electric Co. 5pp. 91101:133-91101:137.

**9612240313** Notification of 970109 meeting w/BG&E in Rockville,MD to discuss results of 90-day review effort proposed by NRC management at 960911 management meeting.
FLANDERS,S.C. . 96/12/20. NEWBERRY,S.F. . 4pp. 91197:325-91197:328.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090213** Forwards SALP repts 50-317/96-99 & 50-318/96-99 for period 950514-961019.
MILLER,H.J. Region 1 (Post 820201). 96/12/03. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 91039:102-91039:111.

**--9612090225** SALP repts 50-317/96-99 & 50-318/96-99 for period 950514- 961019.
* Region 1 (Post 820201). 96/12/03. 7pp. 91039:105-91039:111.

**9612170123** Notification of 961213 significant licensee meeting 96-127 w/util in Lusby,MD to discuss NRC SALP of plant for period 950514-961019.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/12/03. Region 1 (Post 820201). 4pp. 91118:206-91118:209.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110230** Press release I-96-078, "Calvert Cliffs Nuclear Plant Rated "Supperior" in Three Areas, "Good" in Fourth Area of Assessment Rept."
* Region 1 (Post 820201). 96/12/06. 1p. 91151:115-91151:115.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170050** Summary of 961113 meeting w/BG&E in Rockville,MD re plant, unit 2 SG insp scope during spring of 1997.List of attendees & matl used in presentation encl.
DROMERICK,A.W. . 96/12/11. . 24pp. 91130:335-91130:358.

**9612190088** Responds to NRC 961101 ltr re violations noted in insp repts 50-317/96-09 & 50-318/96-09.Corrective actions:Unit 2 AFW pump guide blocks were verified to be welded.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/12/12. Document Control Branch (Document Control Desk). 4pp. 91191:298-91191:301.

**9612260032** Responds to NRC 961119 ltr re violations noted in insp repts 50-317/96-07 & 50-318/96-07.Corrective actions:All packages & containers of radioactive material will be inspected prior to shipment.
MILLER,H.J. Baltimore Gas & Electric Co. 96/12/17. Document Control Branch (Document Control Desk). 3pp. 91229:231-91229:233.

**9612260182** Forwards insp repts 50-317/96-08 & 50-318/96-08 on 961020-1130 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/12/20. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 91196:272-91196:290.

**--9612260191** Notice of violation from insp on 961020-1130.Violation noted:failed to install radiation monitoring sys capable of alarming should accidental criticality occur in new fuel storage areas or renew exemptions.
* Region 1 (Post 820201). 96/12/20. 2pp. 91196:275-91196:276.

**--9612260194** Insp repts 50-317/96-08 & 50-318/96-08 on 961020-1130. Violation noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 1 (Post 820201). 96/12/20. 14pp. 91196:277-91196:290.

**R. Periodic operating reports & related correspondence**

**9612190198** Monthly operating repts for Nov 1996 for Calvert Cliffs Nuclear Power Plant,Unit 1 & 2.W/961213 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 96/11/30. 12pp. 91181:347-91181:358.

**DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612090213** Forwards SALP repts 50-317/96-99 & 50-318/96-99 for period 950514-961019.
MILLER,H.J. Region 1 (Post 820201). 96/12/03. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 91039:102-91039:111.

**--9612090225** SALP repts 50-317/96-99 & 50-318/96-99 for period 950514- 961019.
* Region 1 (Post 820201). 96/12/03. 7pp. 91039:105-91039:111.

**P. Operating license stage documents & correspondence**

**9612030272** Application for amends to licenses DPR-53 & DPR-69,adopting Option B of 10CFR50,App J,to require Types B & C containment leakage rate testing to be performed on performance-based testing schedule.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/11/26. Document Control Branch (Document Control Desk). 20pp. 91010:267-91010:307.

**--9612030273** Proposed tech specs adopting Option B of 10CFR50,App J to require Types B & C containment leakage rate testing to be performed on performance-based testing schedule.
* Baltimore Gas & Electric Co. 96/11/26. 22pp. 91010:287-91010:307.

**9612050097** Summary of 961010 meeting w/util in Rockville,MD to deliver & discuss sample revs to portions of Structures,Component Supports & Main Feedwater Sys IPA repts.List of attendees & handouts encl.
FLANDERS,S.C. . 96/11/29. . 177pp. 91017:139-91017:315.

**9612090074** Summary of 961114 meeting w/BG&E in Rockville,MD to provide comments to BG&E on sample revs of BG&E Structures,Component Supports & Main Feedwater Sys IPA repts delivered on 961024.
FLANDERS,S.C. . 96/12/04. . 11pp. 91045:207-91045:217.

**9612120185** Application for amends to licenses DPR-53 & DPR-69,revising TSs to be generally consistent w/NUREG-1432,Rev 1,thus replacing 2 current sets of TSs w/ single set applicable to both units.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/12/04. Document Control Branch (Document Control Desk). 4pp. 91106:001-91118:070.

**--9612120219** "Calvert Cliffs Nuclear Power Plant Improved TSs," Vols 1- 15.
* Baltimore Gas & Electric Co. 96/12/04. 4,434pp. 91106:005-91118:070.

**9612130146** Forwards licensee responses to staff 961010 questions re containment purge sys mod concerning type flanges,number of "O" rings & leak testing capability & flange matl.
DROMERICK,A.W. . 96/12/05. NRC - No Detailed Affiliation Given. 4pp. 91093:347-91093:350.

**9612160352** Requests comments on draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/12. CRUSE,C.H. Baltimore Gas & Electric Co. 5pp. 91101:133-91101:137.

**9612240313** Notification of 970109 meeting w/BG&E in Rockville,MD to discuss results of 90-day review effort proposed by NRC management at 960911 management meeting.
FLANDERS,S.C. . 96/12/20. NEWBERRY,S.F. . 4pp. 91197:325-91197:328.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090213** Forwards SALP repts 50-317/96-99 & 50-318/96-99 for period 950514-961019.
MILLER,H.J. Region 1 (Post 820201). 96/12/03. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 91039:102-91039:111.

**--9612090225** SALP repts 50-317/96-99 & 50-318/96-99 for period 950514- 961019.
* Region 1 (Post 820201). 96/12/03, 7pp. 91039:105-91039:111.

**9612170123** Notification of 961213 significant licensee meeting 96-127 w/util in Lusby,MD to discuss NRC SALP of plant for period 950514-961019.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/12/03. Region 1 (Post 820201). 4pp. 91118:206-91118:209.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110230** Press release I-96-078, "Calvert Cliffs Nuclear Plant Rated "Supperior" in Three Areas, "Good" in Fourth Area of Assessment Rept."
* Region 1 (Post 820201). 96/12/06. 1p. 91151:115-91151:115.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170050** Summary of 961113 meeting w/BG&E in Rockville,MD re plant, unit 2 SG insp scope during spring of 1997.List of attendees & matl used in presentation encl.
DROMERICK,A.W. . 96/12/11. . 24pp. 91130:335-91130:358.

**9612190088** Responds to NRC 961101 ltr re violations noted in insp repts 50-317/96-09 & 50-318/96-09.Corrective actions:Unit 2 AFW pump guide blocks were verified to be welded.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/12/12. Document Control Branch (Document Control Desk). 4pp. 91191:298-91191:301.

**9612260032** Responds to NRC 961119 ltr re violations noted in insp repts 50-317/96-07 & 50-318/96-07.Corrective actions:All packages & containers of radioactive material will be inspected prior to shipment.
MILLER,H.J. Baltimore Gas & Electric Co. 96/12/17. Document Control Branch (Document Control Desk). 3pp. 91229:231-91229:233.

**9612260182** Forwards insp repts 50-317/96-08 & 50-318/96-08 on 961020-1130 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/12/20. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 91196:272-91196:290.

**--9612260191** Notice of violation from insp on 961020-1130.Violation noted:failed to install radiation monitoring sys capable of alarming should accidental criticality occur in new fuel storage areas or renew exemptions.
* Region 1 (Post 820201). 96/12/20. 2pp. 91196:275-91196:276.

--**9612260194** Insp repts 50-317/96-08 & 50-318/96-08 on 961020-1130. Violation noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 1 (Post 820201). 96/12/20. 14pp. 91196:277-91196:290.

**R. Periodic operating reports & related correspondence**

**9612190198** Monthly operating repts for Nov 1996 for Calvert Cliffs Nuclear Power Plant,Unit 1 & 2.W/961213 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 96/11/30. 12pp. 91181:347-91181:358.

**S. Reportable occurrences, LERs & related correspondence**

**9612260057** LER 96-005-00:on 961117,automatic reactor trip occurred due to closure of feedwater regulating valve.Magnetic particle examination was conducted on new,replacement spring retainers.No indications were found.W/961217 ltr.
GRADLE,R.C., KATZ,P.E. Baltimore Gas & Electric Co. 96/12/17. 9pp. 91242:098-91242:106.

**DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612030277** Forwards Rev 35 of modified amended physical security plan. Encl withheld,per 10CFR50.54(p)(2).
WILSON,J.F. General Public Utilities Corp. - GPU Service Corp. 96/11/21. Document Control Branch (Document Control Desk). 1p. 91007:360-91007:360.

**9612180328** Forwards response to 961206 telcon re Change 37 of revised corporate emergency plan,rev 11.
RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91155:341-91155:342.

**9612260099** Ack receipt of 960719,0919,1111 & 22 ltrs,which transmitted changes to emergency plan for plants,submitted per 10CFR50.54(q) for regulations.
EATON,R.B. . 96/12/23. RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 4pp. 91201:235-91201:238.

**H. General correspondence**

**9612050019** Requests that NRC & attending Commissioners stockpile potassium iodide at designated Veterans Admin Hosps through-out US,in view of nuclear accidents at plant.
SHOLES,L.F., SHOLES,D. Affiliation Not Assigned. 96/10/13. JAMGOCHIAN,M. NRC - No Detailed Affiliation Given. 1p. 91013:017-91013:017.

**9612170220** Responds to 960904,13,25 & 1007 & 14 ltrs re concerns at plant about conformance w/TMI action plan items II.K.3.30 & II.K.3.31,competence & integrity questions about nonconformance w/items.
THE CHAIRMAN Commissioners (Post 750119). 96/12/05. MYERS,H.R. Affiliation Not Assigned. 2pp. 91131:102-91131:222.

--**9612170321** Discusses 960920 statement issued by J McCloskey,ack receipt of NRC rept re plant.Rept contains findings of NRC OI WRT inquiry into items pertaining to plant noncompliance w/TMI action plan items II.K.3.30 & II.K.3.31.
MYERS,H.R. Affiliation Not Assigned. 96/09/25. THE CHAIRMAN Commissioners (Post 750119). 2pp. 91131:218-91131:219.

--**9612170345** Refers to 960913 & 960916 ltrs re noncomplying conditions discovered in recent monthes at MYAP.Conditions raise questions as to whether,overall,MYAP in substantial compliance w/NRC regulations assuring low radiological risk.
MYERS,H.R. Affiliation Not Assigned. 96/10/07. THE CHAIRMAN Commissioners (Post 750119). 1p. 91131:220-91131:220.

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

--**9612120427** Forwards article from Boston Globe re near accident at Three Mile Island plant.
BLANCH,P.M. Affiliation Not Assigned. 96/10/03. NRC - No Detailed Affiliation Given. 2pp. 91120:090-91120:091.

--**9612120446** Discusses complaints made by PM Blanch re nuclear power plants.
BLANCH,P.M. Affiliation Not Assigned. 96/10/03. NRC - No Detailed Affiliation Given. 2pp. 91120:092-91120:093.

**P. Operating license stage documents & correspondence**

**9612060332** TS Change Request (TSCR) 75 to License DPR-73,relocating audit frequency requirements to PDMS QA plan.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/12/02. Document Control Branch (Document Control Desk). 6pp. 91045:321-91045:328.

--**9612060335** Proposed tech specs re relocation of audit frequency requirements.
* General Public Utilities Corp. - GPU Service Corp. 96/12/02. 2pp. 91045:327-91045:328.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612230244** Expresses appreciation for 961031 ltr notifying NRC of two DOE licensing submittals.Ltr forwarded to NRC staff reviewing applications & notification of results will be sent to DOE Assistant Secretary for Environ Mgt.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/12. O'LEARY,H. Energy, Dept. of. 1p. 91194:314-91194:316.

--**9612230251** Informs of licensing submittal for transfer of license & new application for licensing of spent fuel storage.
O'LEARY,H. Energy, Dept. of. 96/10/31. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91194:315-91194:316.

**9612260300** Requests consideration of establishment of Local Public Document Room in Idaho.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/12/18. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91235:359-91235:359.

**DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612200176** Forwards revisions to Physical Security Plan for EI Hatch. Encl withheld.
BECKHAM,J.T. General Public Utilities Corp. - GPU Service Corp. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91182:353-91182:354.

**9612200242** Submits updated info re license amend application for Southern Nuclear to become licensed operator.Tech specs, encl.
BECKHAM,J.T. Georgia Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91192:292-91192:300.

--**9612200243** Proposed tech specs re physical security & contigency plan & guard training & qualification plan.
* Georgia Power Co. 96/12/13. 7pp. 91192:294-91192:300.

**H. General correspondence**

**9612160304** Comment supporting draft RG DG-1047, "Std Format & Content for Applications to Renew NPP OLs."
MCCOY,C.K. Georgia Power Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:106-91097:113.

**9612180178** Informs NRC that JT Beckham elected to retire,effective 970101.All correspondence should be directed to JD Woodard.
WOODARD,J.D. Georgia Power Co. 96/12/13. Document Control Branch (Document Control Desk). 1p. 91161:342-91161:342.

**P. Operating license stage documents & correspondence**

**9612040168** Requests addl info re rev to pressure temp limits in TS for plant.Response should be submitted within 30 days of ltr date.
JABBOUR,K.N. . 96/12/02. BECKHAM,J.T. Georgia Power Co. 4pp. 91004:352-91004:355.

**9612170449** Forwards response to comments re QA program change submittal.Revised QA program change submittal w/ corresponding marked-up FSAR pages included in Encl 2.
BECKHAM,J.T. Georgia Power Co. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91137:348-91137:359.

--**9612170453** Revised QA program change submittal w/corresponding marked- up FSAR pages.
* Georgia Power Co. 96/07/31. 7pp. 91137:353-91137:359.

**9612160431** Requests comments on draft of, "IPE Program:Perspectives on RS & Plant Performances,Summary Rept," NUREG-1560.
MIRAGLIA,F.J. . 96/12/12. HAIRSTON,W.G. Georgia Power Co. 4pp. 91121:276-91121:279.

**9612200242** Submits updated info re license amend application for Southern Nuclear to become licensed operator.Tech specs, encl.
BECKHAM,J.T. Georgia Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91192:292-91192:300.

--**9612200243** Proposed tech specs re physical security & contigency plan & guard training & qualification plan.
* Georgia Power Co. 96/12/13. 7pp. 91192:294-91192:300.

**9612260206** Forwards response to RAI re TS rev request on pressure-temp limits.
BECKHAM,J.T. Georgia Power Co. 96/12/17. Document Control Branch (Document Control Desk). 10pp. 91210:245-91210:267.

--**9612260209** Proposed tech specs re pressure-temp limits.
* Georgia Power Co. 96/12/17. 13pp. 91210:255-91210:267.

**9612260244** Provides updated info for license amends application to become licensed operator.
BECKHAM,J.T. Georgia Power Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91235:337-91235:338.

**9612310066** Submits updated info re license amend application for Southern Nuclear to become licensed operator.
BECKHAM,J.T. Georgia Power Co. 96/12/23. Document Control Branch (Document Control Desk). 2pp. 91262:306-91262:307.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020162** Forwards insp repts 50-321/96-12 & 50-366/96-12 on 961021-25 & NOV. CHRISTENSEN,H. Region 2 (Post 820201). 96/11/22. BECKHAM,J.T. Georgia Power Co. 4pp. 90958:187-90958:223.

**--9612020168** Notice of violation from insp on 961021-25.Violation noted: licensee failed to include number of nonsafety-related systems or components w/in scope of maint rule as required.
* Region 2 (Post 820201). 96/11/22. 3pp. 90958:191-90958:193.

**--9612020172** Insp repts 50-321/96-12 & 50-366/96-12 on 961021-25. Violations noted.Major areas inspected:review of licensee implementation of 10CFR50.65, "Requirements for Monitoring Effectivness of Maint at NPPs."
* Region 2 (Post 820201). 96/11/22. 30pp. 90958:194-90958:223.

**9612060270** Forwards insp repts 50-321/96-13 & 50-366/96-13 on 960915- 1026 & notice of violations.
SKINNER,P.H. Region 2 (Post 820201). 96/11/25. BECKHAM,J.T. Georgia Power Co. 5pp. 91025:153-91025:216.

**--9612060273** Notice of violation from insp on 960915-1026.Violation noted:licensee failed to verify that opening setpoints of reactor-bldg-to suppression chamber vacuum breaker butterfly valves 2T48-F310 & 2T48-F311 less than 0.5 psid.
* Region 2 (Post 820201). 96/11/25. 3pp. 91025:158-91025:160.

**--9612060275** Insp repts 50-321/96-13 & 50-366/96-13 on 960915-1026. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/11/25. 57pp. 91025:161-91025:216.

**9612090339** Forwards revised Relief Requests RR-P-10 & RR-P-12.
BECKHAM,J.T. Georgia Power Co. 96/12/02. Document Control Branch (Document Control Desk). 7pp. 91054:045-91054:051.

**9612090399** Requests that NRC grant relief from compliance w/insp rule re repair & replacement activities which comply w/ASME Code Section XI,1992 Edition w/1992 Addenda for Class MC components.Relief requested for 1 year period.
BECKHAM,J.T. Georgia Power Co. 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91055:149-91055:150.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260230** Forwards five addl relief requests re third 10-year interval inservice insp program.
BECKHAM,J.T. Georgia Power Co. 96/12/17. Document Control Branch (Document Control Desk). 48pp. 91209:302-91209:349.

**9612230359** Responds to NRC 961125 ltr re violations noted in insp repts 50-321/96-13 & 50-366/96-13.Corrective actions:requirements for labeling lubricant containers will be re-emphasized during maintenance tool box meetings to be held Jan 1997.
BECKHAM,J.T. Georgia Power Co. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91211:343-91211:348.

**9612240050** Responds to NRC 961122 ltr re violations noted in insp repts 50-321/96-12 & 50-366/96-12.Corrective actions:will evaluate addl criteria for primary containment & primary containment isolation & established goals re maint procedures.
BECKHAM,J.T. Georgia Power Co. 96/12/19. Document Control Branch (Document Control Desk). 10pp. 91210:343-91210:352.

**R. Periodic operating reports & related correspondence**

**9612180138** Monthly operating repts for Nov 1996 for Edwin I Hatch Nuclear Plant,Unit 1 & 2.W/961211 ltr.
BEARD,R.M., BECKHAM,J.T. Georgia Power Co. 96/11/30. 11pp. 91148:316-91148:326.

**S. Reportable occurrences, LERs & related correspondence**

**9612100007** LER 96-014-00:on 961106,incorrect circuit breaker setting resulted in inoperable EDG.Caused by failure to incorporate design info into appropriate plant single line electrical drawing.Temporary plant mod will be installed.W/961202 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 96/12/02. 8pp. 91134:189-91134:196.

**9612170375** Special rept:on 961203,30 days elapsed since position indication light for MSIV 1B21-F022D declared inoperable. Caused by limit switch out of proper adjustment for power conditions.Light will be restored during next outage.
BECKHAM,J.T. Georgia Power Co. 96/12/11. Document Control Branch (Document Control Desk). 3pp. 91140:219-91140:221.

**9612180190** LER 96-014-01:on 961106,incorrect circuit breaker setting resulted in inoperable EDG.Caused by failure to incorporate design info into appropiate plan single line electrical drawing.Temporary plant mod installed.W/961211 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 96/12/11. 7pp. 91180:291-91180:298.

**9612260221** LER 96-015-00:on 961119,automatic primary containment isolation sys actuation occurred.Caused by failed control relay.Replaced fuse 1A71B-F21 & coil of relay 1A71B-K56 & evaluated other relays for replacement.W/961217 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 96/12/17. 6pp. 91231:348-91231:353.

**V. Operator Examinations**

**9612020203** Confirms arrangements made in 961031 telcon between S Grantham & ME Ernstes for administration of licensing exam at Edwin I Hatch Nuclear Plant.Exam preparation visit scheduled for 970303 & written & operating exams for 970317.
PEEBLES,T.A. Region 2 (Post 820201). 96/11/12. BECKHAM,J.T. Georgia Power Co. 5pp. 90965:028-90965:032.

**DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION**

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**S. Reportable occurrences, LERs & related correspondence**

**9612100147** Part 21 rept re two safety related valves supplied by Velan Valve Corp were not in compliance w/originally supplied QA documentation.Returned valves to Velan in May 1996 & on 961120 Velan advised that valves had been misplaced.
CURT,T.P. Long Island Lighting Co. 96/11/26. Region 1 (Post 820201). 4pp. 91056:160-91056:163.

**DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612120121** Forwards Rev 11 to Diablo Canyon UFSAR,per 10CFR50.71(e) & 10CFR50.4(b)(6).Changes made in rev,submitted.
RUEGER,G.M. Pacific Gas & Electric Co. 96/11/25. Document Control Branch (Document Control Desk). 5pp. 91325:001-91342:107.

**--9612120372** App 9.5A, "Fire Hazards Analysis," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91336:292-91338:146.

**--9612130093** App 8.3C, "Matls for Fire Stop & Seals," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 3pp. 91335:288-91335:299.

**--9612130105** App 9.5B, "DCPP Regulatory Compliance Summary," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91338:147-91338:351.

**9612160313** Submits request for additional info re review of Diablo Canyon engineering calculation for emergency lighting & communications.
BLOOM,S.D. . 96/12/12. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 91121:343-91121:346.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612120121** Forwards Rev 11 to Diablo Canyon UFSAR,per 10CFR50.71(e) & 10CFR50.4(b)(6).Changes made in rev,submitted.
RUEGER,G.M. Pacific Gas & Electric Co. 96/11/25. Document Control Branch (Document Control Desk). 5pp. 91325:001-91342:107.

**--9612120126** Rev 11 to Diablo Canyon USAR.
* Pacific Gas & Electric Co. 96/11/30. 6,000pp. 91325:007-91325:021.

--**9612120141** Chapter 1, "Introduction & General Description of Plant," to Diablo Canyon Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91325:022-91325:141.

--**9612120148** Chapter 2, "Site Characteristics," to Diablo Canyon Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 600pp. 91325:142-91326:280.

--**9612120174** Chapter 3 to Diablo Canyon Units 1 & 2 updated FSAR, "Design of Structures,Components,Equipment & Sys."
* Pacific Gas & Electric Co. 96/11/30. 1,600pp. 91326:281-91331:066.

--**9612120184** App 3.1A, "AEC General Design Criteria - 1971," to Diablo Canyon,Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 300pp. 91331:067-91331:091.

--**9612120186** Chapter 4, "Reactor," to Diablo Canyon Units 1 & 3 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91331:092-91332:004.

--**9612120192** Chapter 5, "Reactor Coolant Sys," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91332:005-91332:237.

--**9612120197** App 5.5A, "Capability of Main Steam Isolation & Check Valves to Withstand Closure Loads Following Postulated Main Steam Line Break," to Diablo Canyon Units 1 & 2 updated FSAR.
* Westinghouse Electric Corp. 96/11/30. 8pp. 91332:238-91332:252.

--**9612120201** Chapter 6, "ESF," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91332:253-91333:232.

--**9612120203** App 6.2A, "Long Term Mass & Energy Release Model," to Diablo Canyon Units 1 & 2 updated FSAR.
* Westinghouse Electric Corp. 96/11/30. 150pp. 91333:233-91333:354.

--**9612120240** Chapter 7, "Instrumentation & Controls," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 700pp. 91333:355-91335:124.

--**9612120254** App 8.3B, "Insulated Cable Const & Voltage Ratings," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 3pp. 91335:285-91335:287.

--**9612120259** Chapter 8, "Electric Power," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91335:125-91335:284.

--**9612120365** Chapter 9, "Auxiliary Sys," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91335:300-91336:291.

--**9612120372** App 9.5A, "Fire Hazards Analysis," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 400pp. 91336:292-91338:146.

--**9612120379** Chapter 10, "Steam & Power Conversion Sys," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 72pp. 91338:352-91339:060.

--**9612120386** Chapter 11, "Radwaste Mgt," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 120pp. 91339:061-91339:329.

--**9612120392** Chapter 12, "Radiation Protection," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 120pp. 91339:330-91340:065.

--**9612120400** Chapter 13, "Conduct of Operations," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 51pp. 91340:066-91340:108.

--**9612120404** App 13.1A, "Resumes Nuclear Power Generation," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 13pp. 91340:109-91340:121.

--**9612120414** Chapter 14, "Initial Tests & Operation," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 48pp. 91340:134-91340:186.

--**9612120421** Chapter 15, "Accident Analysis," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 600pp. 91340:187-91342:056.

--**9612120432** Chapter 16, "TS & Equipment Control Guidelines," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 18pp. 91342:057-91342:061.

--**9612120435** Chapter 17, "QA," to Diablo Canyon Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 63pp. 91342:062-91342:107.

--**9612130093** App 8.3C, "Matls for Fire Stop & Seals," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 3pp. 91335:288-91335:299.

--**9612130105** App 9.5B, "DCPP Regulatory Compliance Summary," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 200pp. 91338:147-91338:351.

--**9612130121** App 13.1B, "Resumes Plant Operating Organization," to Diablo Canyon Nuclear Power Plant Units 1 & 2 updated FSAR.
* Pacific Gas & Electric Co. 96/11/30. 14pp. 91340:122-91340:133.

**P. Operating license stage documents & correspondence**

**9612030141** Forwards response to GL 96-05, "Periodic Verification for Motor Operated Valves."
WOMACK,L.F. Pacific Gas & Electric Co. 96/11/18. Document Control Branch (Document Control Desk). 7pp. 91003:314-91003:320.

**9612100216** Notification of 961218 licensee meeting w/util in Arlington, TX to discuss failure to perform written SE prior to making changes to procedure described in updated final safety analysis rept.
DYER,J.E. Region 4 (Post 820201). 96/12/04. Region 4 (Post 820201). 5pp. 91049:091-91049:095.

**9612100219** Responds to 960429 comments re proposed corporate restructuring of PG&E to form holding company.NRC requests submittal of specific details of alleged violations. specific details of alleged violations.
BLOOM,S.D. . 96/12/06. DUNCAN,W.L. Affiliation Not Assigned. DUNCAN,W.L. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 2pp. 91053:240-91053:241.

**9612160162** Submits rept of investigation into unsatisfactory performance test result in DCNPP FFD program,per 10CFR26.
POWERS,R.P. Pacific Gas & Electric Co. 96/12/06. Document Control Branch (Document Control Desk). 3pp. 91133:223-91133:225.

**9612170379** Forwards application for amends to licenses DPR-80 & DPR-82 to change surveillance frequency for several TS re instrumentation channel surveillance tests from at least once every 18 months to at least once per interval.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91140:001-91140:149.

--**9612170383** Application for amends to licenses DPR-80 & DPR-82, revising TS needed to support implementation of extended fuel cycles at plant.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/09. NRC - No Detailed Affiliation Given. 25pp. 91140:003-91140:027.

--**9612170389** Proposed tech specs changing surveillance frequency for several TS re instrumentation channel surveillance tests from at least once every 18 months to at least once per refueling interval.
* Pacific Gas & Electric Co. 96/12/09. 170pp. 91140:028-91140:149.

**9612230185** Informs that NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept" has been published.
MIRAGLIA,F.J. . 96/12/13. RUEGER,G.M. Public Service Electric & Gas Co. of New Jersey. 4pp. 91181:121-91181:125.

**9612240232** LAR 96-09 to Licenses DPR-80 & DPR-82,revising certain TS surveillance requirement frequencies associated w/24 month fuel cycle.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91227:099-91227:122.

--**9612240238** Proposed tech specs re surveillance requirement frequencies associated w/24 month fuel cycles.
* Pacific Gas & Electric Co. 96/12/16. 22pp. 91227:101-91227:122.

**9612190404** Informs that NRC has completed review of NRC Form 474, "Simulation Facility Certification," for plant simulator. Documentation complete & requires no further info.Notifies that simulation facility acceptable,per 10CFR55.31(a)(4).
BLOOM,S.D. . 96/12/17. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 91137:034-91137:035.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612050056** Advises of planned insp effort resulting from plant SPPR review completed on 961029 for period Mar-Sept 1996.
DYER,J.E. Region 4 (Post 820201). 96/11/29. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 91013:059-91013:064.

**9612100269** Forwards insp repts 50-275/96-21 & 50-323/96-21 on 960929-1109 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/04. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 91049:101-91049:138.

--**9612100270** Notice of violation from insp on 960929-1109.Violation noted:performance criteria established for MSSVs did not provide reasonable assurance of capability of fulfilling intended safety function.
* Region 4 (Post 820201). 96/12/04. 2pp. 91049:107-91049:108.

--**9612100275** Insp repts 50-275/96-21 & 50-323/96-21 on 960929-1109. Violation noted.Major areas inspected:operations,maint & engineering.
* Region 4 (Post 820201). 96/12/04. 30pp. 91049:109-91049:138.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170132** Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Rod drop time testing summary,encl.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91140:311-91140:316.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170090** Press release IV-96-64, "NRC PG&E Officials to Discuss Apparent Violation at Diablo Canyon."
* Region 4 (Post 820201). 96/12/16. 1p. 91163:246-91163:246.

**R. Periodic operating reports & related correspondence**

**9612240051** Monthly operating repts for Nov 1996 for Diablo Canyon Power Plant Units 1 & 2.W/961216 ltr.
COLEY,W.E., FARRER,D., POWERS,R.P. Pacific Gas & Electric Co. 96/11/30. 13pp. 91227:225-91227:237.

**S. Reportable occurrences, LERs & related correspondence**

**9612110076** LER 96-015-00:on 961105,TS 6.5.2.6 was not met when cores reloaded w/ o plant staff review of safety evaluations due to programmatic deficiency.Procedures revised.W/961205 ltr.
HARBOR,C.D., POWERS,R.P. Pacific Gas & Electric Co. 96/12/05. 8pp. 91151:094-91151:101.

**9612270094** Special rept:96-06,on 961128,plant vent radiation monitor- high range inoperable greater than seven days due to instrument failure & required replacement.Units 1 & 2 RM-29 had been previously scheduled to be replaced.
POWERS,R.P. Pacific Gas & Electric Co. 96/12/19. Document Control Branch (Document Control Desk). 3pp. 91255:193-91255:195.

**DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612030310** Forwards rev 7 to security personnel training & qualification plan.Encl withheld.
TURKAL,M.A. Carolina Power & Light Co. 96/11/21. Document Control Branch (Document Control Desk). 2pp. 91008:345-91008:346.

**9612090138** Forwards Rev 45 to Radiological Emergency Response Plan (ERP) & Revised EPIPs.
TURKAL,M. Carolina Power & Light Co. 96/11/25. Document Control Branch (Document Control Desk). 6pp. 91097:205-91097:338.

**--9612090143** Rev 45 to "Radiological Emergency Response Plan."
NEWTON,R.R. Carolina Power & Light Co. 96/11/03. 16pp. 91097:211-91097:226.

**--9612090150** Revised EPIPs,including rev 39 to OPEP-02.1,rev 8 to OPEP-03.6.3,rev 32 to OPEP-02.6.21,rev 57 to OPEP-App A & rev 1 to OPEP-02.6.29.
NEWTON,R. Carolina Power & Light Co. 96/11/03. 104pp. 91097:227-91097:338.

**9612190444** Forwards security recovery plan established following events.Encl withheld,per 10CFR73.21.
TURKAL,M.A. Carolina Power & Light Co. 96/12/09. THOMPSON,D.H. Region 2 (Post 820201). 2pp. 91161:358-91161:359.

**P. Operating license stage documents & correspondence**

**9612100057** Application for amends to licenses DPR-71 & DPR-62,changing method of detecting reactivity anomalies as well as editorial changes to Bases for TS 3/4.1.2.
CAMPBELL,W.R. Carolina Power & Light Co. 96/12/04. Document Control Branch (Document Control Desk). 9pp. 91057:073-91057:094.

**--9612100065** Proposed tech specs 3.1.2 & SR 4.1.2 changing method of detecting reactivity anomalies & editorial changes to Bases for TS 3/4.1.2.
* Carolina Power & Light Co. 96/12/04. 13pp. 91057:082-91057:094.

**9612170328** Informs of availability or draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. ORSER,W.S. Carolina Power & Light Co. 4pp. 91131:354-91131:357.

**9612260127** Discusses GL 92-01,Rev 1,Supp 1, "Reactor Vessel Structural Integrity." Info requested on 950817 received.NRC considers RPV integrity data for BSEP 1 & 2 to be complete.
TRIMBLE,D.C. . 96/12/23. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 91201:247-91201:249.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020196** Confirms 961104 telcon re pre-decisional enforcement conference on 961209 in Atlanta,GA to discuss apparent violation identified in insp repts 50-324/96-15 & 50-325/96-15.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/11/13. CAMPBELL,W.R. Carolina Power & Light Co. 5pp. 90965:021-90965:025.

**9612040087** EN-96-082:on 961119,notice of proposed imposition of civil penalty in amount of $150,000 issued to licensee.Action based on insp performed at Brunswick Steam Electric Plant re failure to implement environ qualification program.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/11/14. 2pp. 91126:281-91126:282.

**9612030098** Discusses insp repts 50-324/96-14 & 50-325/96-14 on 960624- 0917 & forwards NOV & proposed imposition of civil penalties in amount of $150,000.Predecisional enforcement conference held on 961021 to discuss apparent violations.
REYES,L.A. Region 2 (Post 820201). 96/11/19. CAMPBELL,W.R. Carolina Power & Light Co. 7pp. 90973:181-90973:193.

**--9612030105** Notice of violation & proposed imposition of civil penalties in amount of $150,000 for violations noted during insp on 960624-0917.Violations noted:licensee failed to include RG Laurence solenoid valves in PASS & RHR sys.
* Region 2 (Post 820201). 96/11/19. 6pp. 90973:188-90973:193.

**9612030006** Forwards insp repts 50-324/96-15 & 50-325/96-15 on 960915-1026 & notice of violations.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/11/22. CAMPBELL,W.R. Carolina Power & Light Co. 5pp. 90973:018-90973:058.

**--9612030010** Notice of violation from insp on 960915-1026.Violation noted:licensee failed to correct adverse condition which resulted in history of chlorine detector failures.
* Region 2 (Post 820201). 96/11/22. 3pp. 90973:023-90973:025.

**--9612030012** Insp repts 50-324/96-15 & 50-325/96-15 on 960915-1026. Violations noted.Major areas inspected:license operations, engineering,maint & plant support.
* Region 2 (Post 820201). 96/11/22. 31pp. 90973:026-90973:058.

**9612060302** Ack receipt of 961111 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/96-13 & 50-325/96-13.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/11/27. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 91025:343-91025:345.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612120436** Requests addl info re bulletin 96-02, "Movement of Heavy Loads over Spent Fuel,Over Fuel in Reactor Core or over Safety-Related Equipment." Info needed to support further staff evaluation of potential cask drop scenario.
TRIMBLE,D.C. . 96/12/06. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 91075:159-91075:161.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230353** Forwards NOV re insp 50-324/96-16 & 50-325/96-16 completed on 961026.Predecisional enforcement conference held on 961209 to discuss violations.
EBNETER,S.D. Region 2 (Post 820201). 96/12/13. CAMPBELL,W.R. Carolina Power & Light Co. 6pp. 91184:223-91184:253.

**--9612230358** Notice of violation from insp on 961026.Violations noted: failure to operate facility within steady state reactor core power level limit of 2436 Mw (thermal).W/ handouts from 961209 predecisional enforcement conference.
* Region 2 (Post 820201). 96/12/13. 25pp. 91184:229-91184:253.

**9612270062** Forwards insp repts 50-324/96-17 & 50-325/96-17 on 961115 & NOV re failure to rept events within one hour to NRC.
GIBSON,A.F. Region 2 (Post 820201). 96/12/13. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 91255:072-91255:128.

**--9612270064** Notice of violation from insp on 961113-15.Violation noted: on 961108,licensee failed to rept lock tampering events to NRC within one hour.
* Region 2 (Post 820201). 96/12/13. 2pp. 91255:076-91255:077.

**--9612270067** Insp repts 50-324/96-17 & 50-325/96-17 on 961113-15. Violations noted.Major areas inspected:damaged locks & licensee actions.
* Region 2 (Post 820201). 96/12/13. 19pp. 91255:078-91255:128.

**R. Periodic operating reports & related correspondence**

**9612180168** Monthly operating repts for Nov 1996 for Brunswick Steam Electric Plant,Units 1 & 2.W/961212 ltr.
HARRISON,F., TURKAL,M.A. Carolina Power & Light Co. 96/11/30. 10pp. 91155:291-91155:301.

**V. Operator Examinations**

**9612020055** Provides proprietary notification that operator licensed on Units 1 & 2 has been reassigned to non-licensed activities & operator license should be terminated.Encl withheld (ref 10CFR2.790(a)(6)).
CAMPBELL,W.R. Carolina Power & Light Co. 96/11/20. Document Control Branch (Document Control Desk). 2pp. 91205:240-91205:241.

**DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030310** Forwards rev 7 to security personnel training & qualification plan.Encl withheld.
TURKAL,M.A. Carolina Power & Light Co. 96/11/21. Document Control Branch (Document Control Desk). 2pp. 91008:345-91008:346.

**9612090138** Forwards Rev 45 to Radiological Emergency Response Plan (ERP) & Revised EPIPs.
TURKAL,M. Carolina Power & Light Co. 96/11/25. Document Control Branch (Document Control Desk). 6pp. 91097:205-91097:338.

**--9612090143** Rev 45 to "Radiological Emergency Response Plan."
NEWTON,R.R. Carolina Power & Light Co. 96/11/03. 16pp. 91097:211-91097:226.

--**9612090150** Revised EPIPs,including rev 39 to OPEP-02.1,rev 8 to OPEP-03.6.3,rev 32 to OPEP-02.6.21,rev 57 to OPEP-App A & rev 1 to OPEP-02.6.29.
NEWTON,R. Carolina Power & Light Co. 96/11/03. 104pp. 91097:227-91097:338.

**9612190444** Forwards security recovery plan established following events.Encl withheld,per 10CFR73.21.
TURKAL,M.A. Carolina Power & Light Co. 96/12/09. THOMPSON,D.H. Region 2 (Post 820201). 2pp. 91161:358-91161:359.

**P. Operating license stage documents & correspondence**

**9612110148** Submits results of core shroud re-insp completed during refueling outage 10 (B111R1).Cracking is typical IGSCC in heat affected zone of welds.Forwards Rev 0 to ESR 96-00160, "...Evaluation,B111R1 Core Shroud Insp."
TURKAL,M.A. Carolina Power & Light Co. 96/12/03. Document Control Branch (Document Control Desk). 3pp. 91081:001-91081:063.

--**9612110152** Rev 0 to ESR 96-00160, "Engineering Evaluation B111R1 Core Shroud Insp."
* Carolina Power & Light Co. ESR 96-00160 R00. 96/10/31. 59pp. 91081:004-91081:063.

**9612100057** Application for amends to licenses DPR-71 & DPR-62,changing method of detecting reactivity anomalies as well as editorial changes to Bases for TS 3/4.1.2.
CAMPBELL,W.R. Carolina Power & Light Co. 96/12/04. Document Control Branch (Document Control Desk). 9pp. 91057:073-91057:094.

--**9612100065** Proposed tech specs 3.1.2 & SR 4.1.2 changing method of detecting reactivity anomalies & editorial changes to Bases for TS 3/4.1.2.
* Carolina Power & Light Co. 96/12/04. 13pp. 91057:082-91057:094.

**9612170328** Informs of availability or draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. ORSER,W.S. Carolina Power & Light Co. 4pp. 91131:354-91131:357.

**9612260127** Discusses GL 92-01,Rev 1,Supp 1, "Reactor Vessel Structural Integrity." Info requested on 950817 received.NRC considers RPV integrity data for BSEP 1 & 2 to be complete.
TRIMBLE,D.C. . 96/12/23. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 91201:247-91201:249.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020196** Confirms 961104 telcon re pre-decisional enforcement conference on 961209 in Atlanta,GA to discuss apparent violation identified in insp repts 50-324/96-15 & 50-325/96-15.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/11/13. CAMPBELL,W.R. Carolina Power & Light Co. 5pp. 90965:021-90965:025.

**9612040087** EN-96-082:on 961119,notice of proposed imposition of civil penalty in amount of $150,000 issued to licensee.Action based on insp performed at Brunswick Steam Electric Plant re failure to implement environ qualification program.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/11/14. 2pp. 91126:281-91126:282.

**9612030098** Discusses insp repts 50-324/96-14 & 50-325/96-14 on 960624- 0917 & forwards NOV & proposed imposition of civil penalties in amount of $150,000.Predecisional enforcement conference held on 961021 to discuss apparent violations.
REYES,L.A. Region 2 (Post 820201). 96/11/19. CAMPBELL,W.R. Carolina Power & Light Co. 7pp. 90973:181-90973:193.

--**9612030105** Notice of violation & proposed imposition of civil penalties in amount of $150,000 for violations noted during insp on 960624-0917.Violations noted:licensee failed to include RG Laurence solenoid valves in PASS & RHR sys.
* Region 2 (Post 820201). 96/11/19. 6pp. 90973:188-90973:193.

**9612030006** Forwards insp repts 50-324/96-15 & 50-325/96-15 on 960915-1026 & notice of violations.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/11/22. CAMPBELL,W.R. Carolina Power & Light Co. 5pp. 90973:018-90973:058.

--**9612030010** Notice of violation from insp on 960915-1026.Violation noted:licensee failed to correct adverse condition which resulted in history of chlorine detector failures.
* Region 2 (Post 820201). 96/11/22. 3pp. 90973:023-90973:025.

--**9612030012** Insp repts 50-324/96-15 & 50-325/96-15 on 960915-1026. Violations noted.Major areas inspected:license operations, engineering,maint & plant support.
* Region 2 (Post 820201). 96/11/22. 31pp. 90973:026-90973:058.

**9612060302** Ack receipt of 961111 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/96-13 & 50-325/96-13.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/11/27. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 91025:343-91025:345.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612120436** Requests addl info re bulletin 96-02, "Movement of Heavy Loads over Spent Fuel,Over Fuel in Reactor Core or over Safety-Related Equipment." Info needed to support further staff evaluation of potential cask drop scenario.
TRIMBLE,D.C. . 96/12/06. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 91075:159-91075:161.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230353** Forwards NOV re insp 50-324/96-16 & 50-325/96-16 completed on 961026.Predecisional enforcement conference held on 961209 to discuss violations.
EBNETER,S.D. Region 2 (Post 820201). 96/12/13. CAMPBELL,W.R. Carolina Power & Light Co. 6pp. 91184:223-91184:253.

**9612270062** Forwards insp repts 50-324/96-17 & 50-325/96-17 on 961115 & NOV re failure to rept events within one hour to NRC.
GIBSON,A.F. Region 2 (Post 820201). 96/12/13. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 91255:072-91255:128.

--**9612270064** Notice of violation from insp on 961113-15.Violation noted: on 961108,licensee failed to rept lock tampering events to NRC within one hour.
* Region 2 (Post 820201). 96/12/13. 2pp. 91255:076-91255:077.

--**9612270067** Insp repts 50-324/96-17 & 50-325/96-17 on 961113-15. Violations noted.Major areas inspected:damaged locks & licensee actions.
* Region 2 (Post 820201). 96/12/13. 19pp. 91255:078-91255:128.

**R. Periodic operating reports & related correspondence**

**9612180168** Monthly operating repts for Nov 1996 for Brunswick Steam Electric Plant,Units 1 & 2.W/961212 ltr.
HARRISON,F., TURKAL,M.A. Carolina Power & Light Co. 96/11/30. 10pp. 91155:291-91155:301.

**S. Reportable occurrences, LERs & related correspondence**

**9612170044** LER 96-015-01:on 961019,determined suppression chamber water level operating range of -27 to -31 inches required by TS 3.6.2.1 was not equivalent to water vols.Caused by inadequate calculations.Controls established.W/961211 ltr.
TABOR,S., LEVIS,W. Carolina Power & Light Co. 96/12/11. 6pp. 91163:211-91163:216.

**9612240045** LER 96-007-01:on 960609,high pressure coolant injection sys declared inoperable due to steam supply valve packing leak. Refurbished valve & corrected off center condition.W/961213 ltr.
TABOR,S., LEVIS,W. Carolina Power & Light Co. 96/12/13. 5pp. 91226:334-91226:338.

**V. Operator Examinations**

**9612020055** Provides proprietary notification that operator licensed on Units 1 & 2 has been reassigned to non-licensed activities & operator license should be terminated.Encl withheld (ref 10CFR2.790(a)(6)).
CAMPBELL,W.R. Carolina Power & Light Co. 96/11/20. Document Control Branch (Document Control Desk). 2pp. 91205:240-91205:241.

**DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030211** Rev 32 to Radiological Emergency Plan (REP).W/961127 ltr.
POGUE,J.E. Tennessee Valley Authority. 96/10/31. 120pp. 91010:059-91010:178.

**9612170174** Revised EPIP including rev 12 to EPIP-17, "Emergency Equipment & Supplies."
CATRON,N.S., SHELL,R.H. Tennessee Valley Authority. 96/11/13. 31pp. 91139:317-91139:348.

**9612020174** Discusses insp repts 50-327/96-10 & 50-328/96-10 on 960708- 0822 & forwards NOV & proposed imposition of civil penalty in amount of $50,000.Predecisional enforcement conference held on 961024 to discuss violations.
EBNETER,S.D. Region 2 (Post 820201). 96/11/19. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 90958:131-90958:186.

--**9612020177** Notice of violation & proposed imposition of civil penalty in amount of $50,000 for violations noted during insp on 960708-0822.Violations noted:adverse conditions re fire protection program not promptly identified &/or resolved.
* Region 2 (Post 820201). 96/11/19. 50pp. 90958:137-90958:186.

**9612040002** Revised EPIPs,including rev to Effective Page Listing,rev 21 to EPIP 1,rev 17 to EPIP 2,rev 19 to EPIP 3,rev 20 to EPIP 4,rev 22 to EPIP 5,rev 14 to EPIP 6,rev 17 to EPIP 7,rev 15 to EPIP 8,rev 8 to EPIP 10 & rev 8 to EPIP 11.W/961127 ltr.
POGUE,J.E. Tennessee Valley Authority. 96/11/27. 235pp. 91021:044-91021:278.

**9612090309** Rev 14 to CECC EPIP-14 to "Nuclear Emergency Public Info Organization & Operations" & revised list of effective pages.W/961202 ltr.
BARON,R.R. Tennessee Valley Authority. 96/12/02. 38pp. 91054:217-91054:254.

**9612170209** Forwards response to questions from 961104 meeting re resolution of Thermo-Lag issues.
SHELL,R.H. Tennessee Valley Authority. 96/12/09. Document Control Branch (Document Control Desk). 5pp. 91140:284-91140:288.

**9612300037** Responds to NRC 961119 ltr re violations noted in insp repts 50-327/96-10 & 50-328/96-10.Corrective actions:replaced eight fire dampers,will repair inoperable carbon dioxide sys in control room & reviewed surveillance of penetrations.
ACHEY,R.J. Tennessee Valley Authority. 96/12/19. Document Control Branch (Document Control Desk). 21pp. 91256:208-91256:228.

**P. Operating license stage documents & correspondence**

**9612120369** Ack receipt of 961011 request for approval to change QAP description & informs that based on current review schedule, review will be completed within 60 days.
HERNAN,R.W. . 96/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91074:358-91074:360.

**9612170209** Forwards response to questions from 961104 meeting re resolution of Thermo-Lag issues.
SHELL,R.H. Tennessee Valley Authority. 96/12/09. Document Control Branch (Document Control Desk). 5pp. 91140:284-91140:288.

**9612170366** Informs of availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91131:349-91131:353.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060271** Forwards 960923 meeting summary w/list of attendees.Ack receipt of 961001 & 961028 ltrs that addressed request to withhold 960919 written statement to NRC & predecisional enforcement conference transcripts from PDR.
LESSER,M.S. Region 2 (Post 820201). 96/11/13. BYNUM,J.R. Tennessee Valley Authority. 3pp. 91024:337-91024:339.

**9612020174** Discusses insp repts 50-327/96-10 & 50-328/96-10 on 960708- 0822 & forwards NOV & proposed imposition of civil penalty in amount of $50,000.Predecisional enforcement conference held on 961024 to discuss violations.
EBNETER,S.D. Region 2 (Post 820201). 96/11/19. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 90958:131-90958:186.

**--9612020177** Notice of violation & proposed imposition of civil penalty in amount of $50,000 for violations noted during insp on 960708-0822.Violations noted:adverse conditions re fire protection program not promptly identified &/or resolved.
* Region 2 (Post 820201). 96/11/19. 50pp. 90958:137-90958:186.

**9612020227** Forwards integrated insp repts 50-327/96-11 & 50-328/96-11 on 960915-1026 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/11/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 90958:304-90958:328.

**--9612020232** Notice of violation from insp on 960915-1026.Violation noted:on 960916,section XI IST procedures for EDG starting air receiver pressure relieving devices were inadequate in that SPs were set in range of 340-360 psig.
* Region 2 (Post 820201). 96/11/19. 2pp. 90958:308-90958:309.

**--9612020233** Insp repts 50-327/96-11 & 50-328/96-11 on 960915-1026. Violations noted.Major areas inspected:licensee operations, maint,engineering,plant support, & effectiveness of licensee controls in identifying,resolving & preventing problems.
* Region 2 (Post 820201). 96/11/19. 17pp. 90958:310-90958:328.

**9612020141** Ack receipt of 961112 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/96-09 & 50-328/96-09.
LESSER,M.S. Region 2 (Post 820201). 96/11/20. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 90958:345-90958:347.

**9612020146** Forwards insp repts 50-327/96-13 & 50-328/96-13 on 960919- 1102.Violations noted being considered for escalated enforcement action.Predecisional enforcement conference to discuss violations scheduled for 961211.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/11/25. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 90958:224-90958:257.

**--9612020167** Insp repts 50-327/96-13 & 50-328/96-13 on 960919-1102. Violations noted.Major areas inspected:events associated w/reactor shutdown & subsequent manual tripping of Unit 2 on 961011.
* Region 2 (Post 820201). 96/11/25. 30pp. 90958:228-90958:257.

**9612090133** Confirms conversation w/licensee concerning predecisional enforcement conference scheduled for 961211 to discuss equipment problems experienced during unit 2 reactor trip.
LESER,M.S Region 2 (Post 820201). 96/11/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91039:091-91039:093.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170418** Cancels 961211 predecisional enforcement conference to discuss problems experienced during Unit 2 reactor trip on 961011 & maint & corrective actions associated w/960919 inoperable reactor trip breaker.Meeting schedule for 961216.
LESSER,M.S. Region 2 (Post 820201). 96/12/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91105:086-91105:088.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190364** Forwards third RAI re Second 10-yr Interval Insp Program Plan for Sequoyah Nuclear Plant Units 1 & 2.
HERNAN,R.W. . 96/12/13. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 91137:052-91137:058.

**9612200182** Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Rod-drop time data,provided.
SHELL,R.H. Tennessee Valley Authority. 96/12/13. Document Control Branch (Document Control Desk). 6pp. 91192:325-91192:330.

**9612270141** Responds to NRC 961119 ltr re violations noted in insp repts 50-327/96-11 & 50-328/96-11.Corrective actions:appropriate disciplinary actions have been taken with responsible personnel.
ADNEY,R.J. Tennessee Valley Authority. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91255:215-91255:220.

**9612300037** Responds to NRC 961119 ltr re violations noted in insp repts 50-327/96-10 & 50-328/96-10.Corrective actions:replaced eight fire dampers,will repair inoperable carbon dioxide sys in control room & reviewed surveillance of penetrations.
ACHEY,R.J. Tennessee Valley Authority. 96/12/19. Document Control Branch (Document Control Desk). 21pp. 91256:208-91256:228.

**9612270066** Press release II-96-105, "NRC Staff Proposes $100,000 in Fines Against TVA at Sequoyah."
* Region 2 (Post 820201). 96/12/26. 2pp. 91266:191-91266:192.

**R. Periodic operating reports & related correspondence**

**9612190349** "Annual Non-Radiological Environ Operating Rept 950915- 960914." W/ 961212 ltr.
SHELL,R.H. Tennessee Valley Authority. 96/09/14. 9pp. 91179:352-91179:360.

**9612300069** Monthly operating repts for Nov 1996 for SQN Plant. W/961214 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 96/11/30. 11pp. 91255:349-91255:359.

**S. Reportable occurrences, LERs & related correspondence**

**9612310001** LER 96-010-00:on 961116,manual reactor trip occurred.Caused by unexpected feedwater heater isolation.Informed personnel of effects changing proportional band on operating range of associated valve controllers.W/961216 ltr.
PROFFITT,J.W., ADNEY,R.J. Tennessee Valley Authority. 96/12/16. 9pp. 91266:235-91266:243.

**9612260291** LER 96-011-00:on 961118,discovered rod position indication sys was out of step w/demand position indication sys.Caused by incorrect position indication on analog rod position. Began dilution of reactor coolant sys.W/961218 ltr.
GILLEY,S.D., ADNEY,R.J. Tennessee Valley Authority. 96/12/18. 8pp. 91242:143-91242:150.

**DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612030211** Rev 32 to Radiological Emergency Plan (REP).W/961127 ltr.
POGUE,J.E. Tennessee Valley Authority. 96/10/31. 120pp. 91010:059-91010:178.

**9612170174** Revised EPIP including rev 12 to EPIP-17, "Emergency Equipment & Supplies."
CATRON,N.S., SHELL,R.H. Tennessee Valley Authority. 96/11/13. 31pp. 91139:317-91139:348.

**9612020174** Discusses insp repts 50-327/96-10 & 50-328/96-10 on 960708- 0822 & forwards NOV & proposed imposition of civil penalty in amount of $50,000.Predecisional enforcement conference held on 961024 to discuss violations.
EBNETER,S.D. Region 2 (Post 820201). 96/11/19. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 90958:131-90958:186.

**--9612020177** Notice of violation & proposed imposition of civil penalty in amount of $50,000 for violations noted during insp on 960708-0822.Violations noted:adverse conditions re fire protection program not promptly identified &/or resolved.
* Region 2 (Post 820201). 96/11/19. 50pp. 90958:137-90958:186.

**9612040002** Revised EPIPs,including rev to Effective Page Listing,rev 21 to EPIP 1,rev 17 to EPIP 2,rev 19 to EPIP 3,rev 20 to EPIP 4,rev 22 to EPIP 5,rev 14 to EPIP 6,rev 17 to EPIP 7,rev 15 to EPIP 8,rev 8 to EPIP 10 & rev 8 to EPIP 11.W/961127 ltr.
POGUE,J.E. Tennessee Valley Authority. 96/11/27. 235pp. 91021:044-91021:278.

**9612090309** Rev 14 to CECC EPIP-14 to "Nuclear Emergency Public Info Organization & Operations" & revised list of effective pages.W/961202 ltr.
BARON,R.R. Tennessee Valley Authority. 96/12/02. 38pp. 91054:217-91054:254.

**9612170209** Forwards response to questions from 961104 meeting re resolution of Thermo-Lag issues.
SHELL,R.H. Tennessee Valley Authority. 96/12/09. Document Control Branch (Document Control Desk). 5pp. 91140:284-91140:288.

**9612300037** Responds to NRC 961119 ltr re violations noted in insp repts 50-327/96-10 & 50-328/96-10.Corrective actions:replaced eight fire dampers,will repair inoperable carbon dioxide sys in control room & reviewed surveillance of penetrations.
ACHEY,R.J. Tennessee Valley Authority. 96/12/19. Document Control Branch (Document Control Desk). 21pp. 91256:208-91256:228.

**P. Operating license stage documents & correspondence**

**9612120369** Ack receipt of 961011 request for approval to change QAP description & informs that based on current review schedule, review will be completed within 60 days.
HERNAN,R.W. . 96/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91074:358-91074:360.

**9612170209** Forwards response to questions from 961104 meeting re resolution of Thermo-Lag issues.
SHELL,R.H. Tennessee Valley Authority. 96/12/09. Document Control Branch (Document Control Desk). 5pp. 91140:284-91140:288.

**9612170366** Informs of availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91131:349-91131:353.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060271** Forwards 960923 meeting summary w/list of attendees.Ack receipt of 961001 & 961028 ltrs that addressed request to withhold 960919 written statement to NRC & predecisional enforcement conference transcripts from PDR.
LESSER,M.S. Region 2 (Post 820201). 96/11/13. BYNUM,J.R. Tennessee Valley Authority. 3pp. 91024:337-91024:339.

**9612020174** Discusses insp repts 50-327/96-10 & 50-328/96-10 on 960708- 0822 & forwards NOV & proposed imposition of civil penalty in amount of $50,000.Predecisional enforcement conference held on 961024 to discuss violations.
EBNETER,S.D. Region 2 (Post 820201). 96/11/19. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 90958:131-90958:186.

**-9612020177** Notice of violation & proposed imposition of civil penalty in amount of $50,000 for violations noted during insp on 960708-0822.Violations noted:adverse conditions re fire protection program not promptly identified &/or resolved.
* Region 2 (Post 820201). 96/11/19. 50pp. 90958:137-90958:186.

**9612020227** Forwards integrated insp repts 50-327/96-11 & 50-328/96-11 on 960915-1026 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/11/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 90958:304-90958:328.

**-9612020232** Notice of violation from insp on 960915-1026.Violation noted:on 960916,section XI IST procedures for EDG starting air receiver pressure relieving devices were inadequate in that SPs were set in range of 340-360 psig.
* Region 2 (Post 820201). 96/11/19. 2pp. 90958:308-90958:309.

**-9612020233** Insp repts 50-327/96-11 & 50-328/96-11 on 960915-1026. Violations noted.Major areas inspected:licensee operations, maint,engineering,plant support, & effectiveness of licensee controls in identifying,resolving & preventing problems.
* Region 2 (Post 820201). 96/11/19. 17pp. 90958:310-90958:328.

**9612020141** Ack receipt of 961112 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/96-09 & 50-328/96-09.
LESSER,M.S. Region 2 (Post 820201). 96/11/20. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 90958:345-90958:347.

**9612020146** Forwards insp repts 50-327/96-13 & 50-328/96-13 on 960919- 1102.Violations noted being considered for escalated enforcement action.Predecisional enforcement conference to discuss violations scheduled for 961211.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/11/25. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 90958:224-90958:257.

**-9612020167** Insp repts 50-327/96-13 & 50-328/96-13 on 960919-1102. Violations noted.Major areas inspected:events associated w/reactor shutdown & subsequent manual tripping of Unit 2 on 961011.
* Region 2 (Post 820201). 96/11/25. 30pp. 90958:228-90958:257.

**9612090133** Confirms conversation w/licensee concerning predecisional enforcement conference scheduled for 961211 to discuss equipment problems experienced during unit 2 reactor trip.
LESER,M.S Region 2 (Post 820201). 96/11/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91039:091-91039:093.

**9612160152** Provides control rod-drop time data for recent Unit 2 forced outage of Oct 1996,as committed in response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
SHELL,R.H. Tennessee Valley Authority. 96/11/27. Document Control Branch (Document Control Desk). 5pp. 91129:046-91129:050.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612090232** Press release II-96-100, "NRC Staff to Hold Predecisional Enforcement Conference to Discuss Sequoyah Equipment Concerns w/TVA."
* Region 2 (Post 820201). 96/12/06. 1p. 91127:042-91127:042.

**9612170418** Cancels 961211 predecisional enforcement conference to discuss problems experienced during Unit 2 reactor trip on 961011 & maint & corrective actions associated w/960919 inoperable reactor trip breaker.Meeting schedule for 961216.
LESSER,M.S. Region 2 (Post 820201). 96/12/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91105:086-91105:088.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190364** Forwards third RAI re Second 10-yr Interval Insp Program Plan for Sequoyah Nuclear Plant Units 1 & 2.
HERNAN,R.W. . 96/12/13. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 91137:052-91137:058.

**9612270141** Responds to NRC 961119 ltr re violations noted in insp repts 50-327/96-11 & 50-328/96-11.Corrective actions:appropriate disciplinary actions have been taken with responsible personnel.
ADNEY,R.J. Tennessee Valley Authority. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91255:215-91255:220.

**9612300037** Responds to NRC 961119 ltr re violations noted in insp repts 50-327/96-10 & 50-328/96-10.Corrective actions:replaced eight fire dampers,will repair inoperable carbon dioxide sys in control room & reviewed surveillance of penetrations.
ACHEY,R.J. Tennessee Valley Authority. 96/12/19. Document Control Branch (Document Control Desk). 21pp. 91256:208-91256:228.

**9612270066** Press release II-96-105, "NRC Staff Proposes $100,000 in Fines Against TVA at Sequoyah."
* Region 2 (Post 820201). 96/12/26. 2pp. 91266:191-91266:192.

**R. Periodic operating reports & related correspondence**

**9612190349** "Annual Non-Radiological Environ Operating Rept 950915- 960914." W/ 961212 ltr.
SHELL,R.H. Tennessee Valley Authority. 96/09/14. 9pp. 91179:352-91179:360.

**9612300069** Monthly operating repts for Nov 1996 for SQN Plant. W/961214 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 96/11/30. 11pp. 91255:349-91255:359.

**DOCKET 50-329 MIDLAND PLANT, UNIT 1**

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-330 MIDLAND PLANT, UNIT 2**

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-331 DUANE ARNOLD ENERGY CENTER**

**F. Security, medical, emergency & fire protection plans**

**9612200135** Forwards response to RAI re thermo-lag related ampacity derating issues.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/12/13. MIRAGLIA,F.J. . 6pp. 91192:249-91192:254.

**P. Operating license stage documents & correspondence**

**9612030048** Responds to action items on plant re IST & submits relief request PR-008,for review & approval.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/11/21. . 27pp. 91003:231-91003:257.

**9612180292** Informs of availability of "Individual Plant Examination Program:Perspectives on Reactor Saftey & Plant Performance, Summary Report," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/13. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 5pp. 91132:260-91132:264.

**9612200135** Forwards response to RAI re thermo-lag related ampacity derating issues.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/12/13.
MIRAGLIA,F.J. . 6pp. 91192:249-91192:254.

**9612260059** Submits response to request for closure info on various plant open items,per Reg Guide 1.97.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/12/18. . 2pp. 91228:356-91228:357.

**9612240236** Forwards response to RAI re resolution of USI A-46.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/12/20. Document Control Branch (Document Control Desk). 6pp. 91226:354-91226:359.

**9612310144** Responds to 960226 ltr that withdrew amend request for mod of facility TS pertaining to certain control rod scram insertion time testing limits.Notice of withdrawal of application for amend w/ofc of FR for publication encl.
KELLY,G.B. . 96/12/24. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 91238:356-91238:360.

**-9612310146** Notice of withdrawal of application for amend to license DPR-49.
KELLY,G.B. . 96/12/24. 2pp. 91238:359-91238:360.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030241** Responds to IE Bulletin 80-13, "Cracking in Core Spray Spargers." Core spray sparger insp results,provided.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/11/22. Document Control Branch (Document Control Desk). 2pp. 91010:181-91010:182.

**9612110256** Responds to 961118 telcon RAI re inservice insp relief requests NDE-020 & NDE-R011.Ultrasonic calibr data,provided.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/11/26. Document Control Branch (Document Control Desk). 20pp. 91151:120-91151:139.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260070** Forwards response to violations noted in Insp Rept 50-331/96-09.Corrective actions:helper dept now has overall responsibility for implementation of revised procedure & requirements of ACP 106.2,reiterated to personnel.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/12/17. Document Control Branch (Document Control Desk). 3pp. 91236:340-91236:342.

**R. Periodic operating reports & related correspondence**

**9612180133** Monthly operating rept for Nov 1996 for Duane Arnold Energy Center.W/ 961213 ltr.
WOODWARD,R., VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/11/30. BEACH,A.B. Region 3 (Post 820201). 7pp. 91148:309-91148:315.

**S. Reportable occurrences, LERs & related correspondence**

**9612190408** LER 96-005-00:on 961020,PCIS groups 3 & 5 isolations occurred due to temporary power connections to instrument AC.Temporary power cart was removed from breaker that was also supplying power to 1Y2A.W/961113 ltr.
SUEPER,L., VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/11/18. 4pp. 91180:357-91180:360.

**9612030207** LER 96-006-00:on 961026,non-conservative APRM 15% scram setpoint occurred due to inadequate procedures.OSS immediately halted core alterations & verified that all CR were fully inserted.W/961125 ltr.
TRAN,H., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/11/25. BEACH,A.B. Region 3 (Post 820201). 5pp. 91050:015-91050:019.

**DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT**

**F. Security, medical, emergency & fire protection plans**

**9612020218** Forwards response to request for addl info re power uprate at plant.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/27. Document Control Branch (Document Control Desk). 6pp. 91003:147-91003:152.

**9612090157** Forwards description of summary of changes to JFNPP Security Plan.Encl withheld.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91052:335-91052:336.

**9612200222** Rev 16 to EPIP IAP-2, "Classification of Emergency Conditions."
* Power Authority of the State of New York (New York Power Authority). 96/12/06. 11pp. 91201:294-91201:306.

**9612200193** Revised EPIPs,including rev to Update List Volume 2,rev 17 to EAP-14.1, "Technical Support Center Activation," rev 12 to EAP-14.6, "Habitability of Emergency Facilities," rev to Update List Volume 1 & rev 30 to Section 5.
* Power Authority of the State of New York (New York Power Authority). 96/12/13. 29pp. 91201:307-91201:335.

**9612240320** Requests addl info re request for exemption dated 960123 from requirements 10CFR50,app R as applied to JA FitzPatrick Nuclear Power Plant so low-pressure injection sys may be used to achieve safe shutdown in six fire areas.
COTTON,K.R. . 96/12/18. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 7pp. 91197:333-91197:339.

**P. Operating license stage documents & correspondence**

**9612030037** Requests that NRC review encl discrepancies to SERs associated w/TS amends 232 & 233 & provide corrected documentation.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/22. Document Control Branch (Document Control Desk). 9pp. 91003:334-91003:342.

**9612020049** Forwards response to RAI re USI A-46, "Seismic Qualification of Equipment in Operating Nuclear Power Plants."
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/25. Document Control Branch (Document Control Desk). 12pp. 91000:346-91000:357.

**9612020114** Forwards EA & findings of no significant impact re 920612 application for amend to license DPR-59.Amend would increase rated core power level for plant from current level of 2,436 MWt to 2,536 MWt.
COTTON,K.R. . 96/11/26. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 90974:343-90974:356.

**-9612020118** EA & findings of no significant impact re amend to license DPR-59,increasing rated core power level for plant from current level of 2,436 MWt to 2,536 MWt.
BAJWA,S.S. . 96/11/26. 11pp. 90974:346-90974:356.

**9612030251** Requests schedule relief from primary containment repair & replacement provisions in 1992 Edition of ASME Section XI, Subsection IWE.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/26. Document Control Branch (Document Control Desk). 4pp. 91010:189-91010:192.

**9612040194** Forwards application for amend & TS,requesting that snubber operability,surveillance & records requirements in TS be relocated to plant controlled documents.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91028:095-91028:124.

**-9612040198** Application for amend to license DPR-59,requesting that snubber operability,surveillance & records requirements in TS be relocated to plant controlled documents.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/26. 1p. 91028:097-91028:097.

**-9612040199** Proposed tech specs,requesting that snubber operability, surveillance & records requirements in TS be relocated to plant controlled documents.
* Power Authority of the State of New York (New York Power Authority). 96/11/26. 27pp. 91028:098-91028:124.

**9612060025** Forwards revised response to RAI re porous concrete sub-foundation.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/11/26. Document Control Branch (Document Control Desk). 4pp. 91043:352-91043:356.

**9612180276** Forwards amend 239 to license DPR-59 & safety evaluation. Amend increases max power level of plant from 2436 MWt to 2536 MWt & approves changes to TSs to implement uprated power operation.
COTTON,K.R. . 96/12/06. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 91135:067-91135:179.

**-9612180288** Amend 239 to license DPR-59,increasing max power level of plant from 2436 MWt to 2536 MWt & approving changes to TSs to implement uprated power operation.
MIRAGLIA,F.J. . 96/12/06. 38pp. 91135:072-91135:110.

**-9612180303** Safety evaluation supporting amend 239 to license DPR-59.
* . 96/12/06. 69pp. 91135:111-91135:179.

**9612170322** Forwards revs 4 & 5 to COLR,submitted IAW TS Section 6.9.A.4.d.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91140:150-91140:211.

**9612230258** Discusses draft NUREG-1560, "IPE Program:Respectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 91181:273-91181:277.

**9612240261** Forwards info re heat removal capability of sys available for cooling plant spent fuel pool.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/12/18. Document Control Branch (Document Control Desk). 4pp. 91227:136-91227:139.

**9612240320** Requests addl info re request for exemption dated 960123 from requirements 10CFR50,app R as applied to JA FitzPatrick Nuclear Power Plant so low-pressure injection sys may be used to achieve safe shutdown in six fire areas.
COTTON,K.R. . 96/12/18. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 7pp. 91197:333-91197:339.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030251** Requests schedule relief from primary containment repair & replacement provisions in 1992 Edition of ASME Section XI, Subsection IWE.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/11/26. Document Control Branch (Document Control Desk). 4pp. 91010:189-91010:192.

**9612060107** Responds to NRC 961023 ltr re violations noted in insp rept 50-333/96-06.Corrective action:training on procedure changes was conducted with plant staff.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/11/27. FITZPATRICK,J.A Document Control Branch (Document Control Desk). 7pp. 91043:290-91043:296.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110200** Forwards results of reactor vessel head weld insps conducted during 1996 RO.Insp data shows no changes from 1992 data, thus,reactor vessel head weld indications do not constitute safety concern.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/12/05. Document Control Branch (Document Control Desk). 3pp. 91081:315-91081:324.

**-9612110213** "Evaluation of Ultrasonic Indications in RPV Closure Head Weld VC-TH-1-2 at James A Fitzpatrick Nuclear Power Plant."
MILLER,W.F., HEATH,M.A., KECK,R.L. General Electric Co. 96/11/30. 7pp. 91081:318-91081:324.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190026** Forwards insp rept 50-333/96-07 on 960929-1116 & notice of violation.
COWGILL,C.J. Region 1 (Post 820201). 96/12/13. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 3pp. 91138:055-91138:096.

**-9612190034** Notice of violation from insp on 960929-1116.Violation noted:on 961111,CRDs to be removed not accurately located prior to removal which resulted in incorrect removal of tree CRDs.
* Region 1 (Post 820201). 96/12/13. 4pp. 91138:058-91138:061.

**-9612190039** Insp rept 50-333/96-07 on 960929-1116.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 1 (Post 820201). 96/12/13. 35pp. 91138:062-91138:096.

**9612230384** Ack receipt of 961127 ltr informing NRC of steps taken to correct violations noted in insp rept 50-333/96-06.
COWGILL,C.J. Region 1 (Post 820201). 96/12/16. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 3pp. 91166:155-91166:164.

**9612260167** Forwards schedule for NRC inspections of facility planned to end of SALP period.
COWGILL,C.J. Region 1 (Post 820201). 96/12/20. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 6pp. 91196:259-91196:264.

**9612310111** Discusses evaluation of reactor vessel head flaw indication insp & evaluation submittal for plant.
COTTON,K.R. . 96/12/27. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 91247:033-91247:037.

**R. Periodic operating reports & related correspondence**

**9612060184** Monthly operating rept for Nov 1996 for James A. FitzPatrick Nuclear Power Plant.W/961130 ltr.
GAO,Y., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/11/30. 5pp. 91043:299-91043:303.

**S. Reportable occurrences, LERs & related correspondence**

**9612060082** LER 96-011-00:on 961028,both standby liquid control subsystems determined inoperable.Due to inoperable pump discharge pressure relief valves.SLC sys pump discharge pressure relief valve 11SV-39A was replaced.W/961202 ltr.
VERNE,W., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/12/02. 7pp. 91127:015-91127:021.

**9612190223** LER 96-012-00:on 961111,primary containment accumulative leakage in excess of maximum allowed by TS occurred.Caused by build up on valve seat areas.EFEs were completed for each failed valve.W/961211 ltr.
BROWNELL,G.J., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/12/11. 11pp. 91181:008-91181:018.

**9612260053** LER 96-013-00:on 961116,reactor protection & primary containment isolation sys actuation on false low reactor water level occurred due to personnel error.Instrument surveillance procedure changed.W/961216 ltr.
CHILDS,W.V., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/12/16. 7pp. 91242:091-91242:097.

**DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612130274** Responds to NRC 961108 ltr re violations noted in insp repts 50-334/96-07 & 50-412/96-07.Corrective action:security performed insps by 960903,to verify no compromises existed in security areas,sys or components.
JAIN,S.C. Duquesne Light Co. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91118:346-91118:351.

**H. General correspondence**

**9612300087** Forwards resolution that supports merger of Centerior Energy Corp & Ohio Edison.
MCQUAIDE,R. Ashtabula County, OH. 96/12/06. MIRAGLIA,F.J. . 4pp. 91256:157-91256:160.

**9612310130** Forwards ltr re motion in support of proposed merger of Centerior Energy & Ohio Edison re meeting held 961203.
NEWMAN,I. Lake County, OH. 96/12/06. NRC - No Detailed Affiliation Given. 2pp. 91249:133-91249:135.

**P. Operating license stage documents & correspondence**

**9612170164** Notification of 961219 significant licensee meeting 128 w/util in King of Prussia,PA to discuss plant operation w/two of three power operated relief valve block valves shut for extended period of time.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/04. Region 1 (Post 820201). 2pp. 91118:082-91118:083.

**9612170313** Informs of availability of NUREG-1560 rept entitled, "IPE Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. CROSS,J.E. Duquesne Light Co. 4pp. 91132:002-91132:006.

**9612170262** Forwards application for transfers of control of licensees possessory interests in licenses DPR-66 & NPF-73 that will occur under proposed merger of Centerior Energy Corp & OH Edison Co,resulting in formation of new single holding Co.
LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91133:263-91133:338.

**-9612170265** Application for amends to licenses DPR-66 & NPF-73, requesting consent of NRC under 10CFR50.80 to indirect transfer of control of interests in plant,Units 1 & 2 operating licenses that will occur under proposed merger.
PIPITONE,G.L. Ohio Edison Co. 96/12/13. 74pp. 91133:265-91133:338.

**9612230381** Notification of significant licensee meeting 96-462 rev 2 w/util on 961230 to discuss plant operation w/two of three power operated relief valve block valves shut for extended period of time.
* Region 1 (Post 820201). 96/12/17. Region 1 (Post 820201). 2pp. 91166:151-91166:152.

**9612260035** Requests exemption from requirements of 10CFR70.24, "Criticality Accident Requirements," for Unit 1.
JAIN,S.C. Duquesne Light Co. 96/12/18. Document Control Branch (Document Control Desk). 5pp. 91229:234-91229:238.

**9612240204** Forwards TS pages for TS Change Requests 226 & 98,reflecting non-intent editorial changes.
JAIN,S.C. Duquesne Light Co. 96/12/20. Document Control Branch (Document Control Desk). 4pp. 91205:346-91205:357.

**-9612240205** Proposed tech specs for TS Change Requests 226 & 98, reflecting non-intent editorial changes.
* Duquesne Light Co. 96/12/20. 8pp. 91205:350-91205:357.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060294** Forwards insp rept 50-334/96-08 & 50-412/96-08 on 960929-1116.One apparent violation identified & being considered for escalated enforcement action.Predecisional enforcement conference scheduled for 961219.
ESELGROTH,P.W. Region 1 (Post 820201). 96/11/29. CROSS,J.E. Duquesne Light Co. 3pp. 91030:014-91030:045.

**--9612060297** Insp repts 50-334/96-08 & 50-412/96-08 on 960929-1116.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 96/11/16. 29pp. 91030:017-91030:045.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170067** Notification of significant licensee meeting w/util on 961219 to discuss plant operation w/two of three power operated relief valve block valves shut for extended period of time.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/06. Region 1 (Post 820201). 2pp. 91105:034-91105:035.

**9612130274** Responds to NRC 961108 ltr re violations noted in insp repts 50-334/96-07 & 50-412/96-07.Corrective action:security performed insps by 960903,to verify no compromises existed in security areas,sys or components.
JAIN,S.C. Duquesne Light Co. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91118:346-91118:351.

**9612170038** Ack receipt of 961010 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/96-05 & 50-412/96-05.
COOPER,R.W. Region 2 (Post 820201). 96/12/09. CROSS,J.E. Duquesne Light Co. 2pp. 91105:032-91105:033.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260207** Ack receipt of 960823 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/96-05 & 50-412/96-05.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/19. CROSS,J.E. Duquesne Light Co. 3pp. 91196:325-91196:331.

**9612300040** Advises of planned insp effort resulting from plant PPR review.Details of insp plan for next 6 months.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/20. CROSS,J.E. Duquesne Light Co. 3pp. 91233:115-91233:117.

**9612310161** Forwards insp repts 50-334/96-11 & 50-412/96-11 on 961209- 12.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/23. CROSS,J.E. Duquesne Light Co. 2pp. 91235:258-91235:269.

**--9612310165** Insp repts 50-334/96-11 & 50-412/96-11 on 961209-12.No violations noted.Major areas inspected:authorization program & administration organization.
* Region 1 (Post 820201). 96/12/23. 10pp. 91235:260-91235:269.

**R. Periodic operating reports & related correspondence**

**9612060100** "Discharge Monitoring Rept Suppl Sewage Sludge Rept for Oct 1996." W/ 961126 ltr.
NOONAN,T.P., NOONAN,T.P. Duquesne Light Co. 96/10/31. 64pp. 91043:226-91043:289.

**9612170054** Monthly operating repts for Nov 1996 for Beaver Valley Power Station Unit 1 & 2.W/961206 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 96/11/30. 9pp. 91140:335-91140:343.

**S. Reportable occurrences, LERs & related correspondence**

**9612260017** LER 96-004-04:on 961126,determined incorrect testing of safety-related logic circuits.Caused by relays not being considered part of instrument channel.Will revise maint & operations procedures to include relay testing.W/961120 ltr.
NOONAN,T.P. Duquesne Light Co. 96/12/20. 12pp. 91242:067-91242:078.

**DOCKET 50-335 ST. LUCIE PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030318** Forwards clarification of verbiage in Section 7.2.2 paragraph 2 of St Lucie Radiological Emergency Plan.
PLUNKETT,T.F. Florida Power & Light Co. 96/11/25. Document Control Branch (Document Control Desk). 3pp. 91011:095-91011:097.

**9612060234** Forwards insp repts 50-335/96-18 & 50-389/96-18 on 961007-1101.Noncited violations noted.Predecisional enforcement conference to discuss violations scheduled for 961210.
GIBSON,A.F. Region 2 (Post 820201). 96/11/26. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91024:282-91024:305.

**--9612060240** Insp repts 50-335/96-18 & 50-389/96-18 on 961007-18 & 961028-1101.Noncited violations noted.Major areas inspected: emergency preparedness program.
* Region 2 (Post 820201). 96/11/26. 21pp. 91024:285-91024:305.

**9612110283** Revised EPIPs,including rev 44 to 3100021E re emergency coordinator duties,rev 73 to 3100023E re site emergency coordination & rev 27 to 3100024E re natural emergencies.W/ 961204 ltr.
STALL,J.A. Florida Power & Light Co. 96/12/04. 122pp. 91080:001-91080:122.

**9612270036** Revised EPIPs,including rev 12 to C-110,rev 8 to C-111,rev 2 to EPP-15 & rev 30 to HP-90.W/961217 ltr.
STALL,J.A. Florida Power & Light Co. 96/12/17. 154pp. 91238:199-91238:352.

**9612260320** Forwards suppl response to GL 92-08, "Thermal-Lag 330-1 Fire Barriers," for plant.
STALL,J.A. Florida Power & Light Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91236:218-91236:335.

**--9612260322** Rev 1 to "Cable Derating in Conduits W/Fire Barrier Coatings."
* Florida Power & Light Co. PSL-OFJE-96-001 R01. 96/12/18. 32pp. 91236:220-91236:251.

**--9612260324** Rev 0 to "Fire Barrier Ampacity Correction Factors Extrapolation of Test Results for 3 Hour Barrier."
* Florida Power & Light Co. PTN-BFJM-96-005 R00. 96/04/10. 54pp. 91236:252-91236:305.

**--9612260325** Rev 0 to JPN-PSL-SEES-96-059, "Engineering Evaluation of Application of Thermo-Lag to Meet RG 1.75 Requirements."
* Florida Power & Light Co. JPN-PSL-SEES-96-059. 96/08/27. 30pp. 91236:306-91236:335.

**G. Adjudicatory correspondence**

**9612260073** Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-96-19 expired.Decision became final agency action on 961213. W/Certificate of Svc.Served on 961218.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18114. 96/12/18. SAPORITO,T.J. Saporito, T.J. 2pp. 91194:354-91194:355.

**H. General correspondence**

**9612200300** Submits request for changes to official svc list for Units 1 & 2.New address specifically for NRC mail submitted.
STALL,J.A. Florida Power & Light Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91233:299-91233:299.

**I. Financial information**

**9612310185** Submits Price Anderson Guarantees Form 10-K annual financial rept per 10CFR50.71(b).
KUNDALKAR,R.S. Florida Power & Light Co. 96/12/20. Document Control Branch (Document Control Desk). 60pp. 91266:285-91266:348.

**P. Operating license stage documents & correspondence**

**9612090101** Forwards NRC staff evaluations addressing two specific issues including acceptability of pre-lubricating valves prior to testing & effect of using operator action in place of automatic action.
LANDIS,K.D. Region 2 (Post 820201). 96/11/19. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91039:058-91039:071.

**9612120246** Informs modified 1986 large break LOCA model of Siemens Power Corp for PWRs acceptable IAW 10CFR50.46(a)(i).
WIENS,L.A. . 96/12/06. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91075:138-91075:140.

**9612120449** Application for amend to license DPR-67,requesting mod for selected cycle-specific reactor physics parameters to refer to COLR for limiting values.
STALL,J.A. Florida Power & Light Co. 96/12/09. Document Control Branch (Document Control Desk). 15pp. 91091:213-91091:272.

**--9612120454** Proposed tech specs 1.9a re core operating limits rept.
* Florida Power & Light Co. 96/12/09. 31pp. 91091:228-91091:258.

**--9612120456** "St Lucie Unit 1,Cycle 14 COLR," rev 0.
* Florida Power & Light Co. 96/12/09. 14pp. 91091:259-91091:272.

**9612180320** Discusses draft NUREG-1560, "Individual Plant Exam Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 91135:280-91135:284.

**9612160411** Notification of 961219 meeting w/util in Rockville to discuss licensing issues re plant.
WIENS,L.A. . 96/12/12. HEBDON,F.J. . 3pp. 91101:119-91101:121.

**9612200280** Forwards "St Lucie Plant Status Meeting on 961211," which includes detailed review of plants key performance indicators.
STALL,J.A. Florida Power & Light Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91209:051-91209:144.

**--9612200286** "St Lucie Plant Status Meeting on 961211."
* Florida Power & Light Co. 96/12/11. 80pp. 91209:052-91209:144.

**9612260320** Forwards suppl response to GL 92-08, "Thermal-Lag 330-1 Fire Barriers," for plant.
STALL,J.A. Florida Power & Light Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91236:218-91236:335.

**--9612260322** Rev 1 to "Cable Derating in Conduits W/Fire Barrier Coatings."
* Florida Power & Light Co. PSL-OFJE-96-001 R01. 96/12/18. 32pp. 91236:220-91236:251.

**--9612260324** Rev 0 to "Fire Barrier Ampacity Correction Factors Extrapolation of Test Results for 3 Hour Barrier."
* Florida Power & Light Co. PTN-BFJM-96-005 R00. 96/04/10. 54pp. 91236:252-91236:305.

--9612260325 Rev 0 to JPN-PSL-SEES-96-059, "Engineering Evaluation of Application of Thermo-Lag to Meet RG 1.75 Requirements."
* Florida Power & Light Co. JPN-PSL-SEES-96-059. 96/08/27. 30pp. 91236:306-91236:335.

9612240323 Summary of 961219 meeting w/FPL in Rockville,MD re status & schedule of current & upcoming licensing issues concerning St Lucie plants.
WIENS,L.A. . 96/12/20. . 2pp. 91197:340-91197:341.

9612270073 Application for amend to license DPR-67,requesting deletion of footnote re TS 2.1.1, "Reactor Core Safety Limits."
STALL,J.A. Florida Power & Light Co. 96/12/20. Document Control Branch (Document Control Desk). 8pp. 91254:311-91254:350.

--9612270074 Proposed tech specs re safety limits & limiting safety sys settings.
* Florida Power & Light Co. 96/12/20. 3pp. 91254:319-91254:321.

--9612270076 Rev 1 to "St Lucie Unit 1 Small Break LOCA Analysis w/30% SG Tube Plugging."
HIBBARD,J.C. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-96-176 R01. 96/12/18. 29pp. 91254:322-91254:350.

**Q. Inspection reports, IE Bulletins & correspondence**

9609200181 NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

9610100212 NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

9612020143 Ack receipt of 961018 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/96-16 & 50-389/96-16.
GIBSON,A.F. Region 2 (Post 820201). 96/11/11. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 90958:348-90958:349.

9612060260 Confirms 961114 conversation re predecisional enforcement conference requested by NRC to be scheduled for 961210 in Altanta,GA to discuss apparent violations.
JULIAN,C.A. Region 2 (Post 820201). 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91024:334-91024:336.

9612090001 Forwards insp repts 50-335/96-19 & 50-389/96-19 on 961021- 25.Two apparent violations noted & being considered for escalated enforcement action.Predecisional enforcement conference scheduled for 961210.
GIBSON,A.F. Region 2 (Post 820201). 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 91036:339-91036:351.

--9612090002 Insp repts 50-335/96-19 & 50-389/96-19 on 961021-25.Two violations identified & being considered for escalated enforcement action.Major areas inspected:plant support.
* Region 2 (Post 820201). 96/11/15. 9pp. 91036:343-91036:351.

9612060234 Forwards insp repts 50-335/96-18 & 50-389/96-18 on 961007-1101.Noncited violations noted.Predecisional enforcement conference to discuss violations scheduled for 961210.
GIBSON,A.F. Region 2 (Post 820201). 96/11/26. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91024:282-91024:305.

--9612060240 Insp repts 50-335/96-18 & 50-389/96-18 on 961007-18 & 961028-1101.Noncited violations noted.Major areas inspected: emergency preparedness program.
* Region 2 (Post 820201). 96/11/26. 21pp. 91024:285-91024:305.

9612170280 Forwards insp repts 50-335/96-22 & 50-389/96-22 on 961126 & discusses three apparent violations.Failure to establish design control measures in accordance w/10CFR50,App B, criterion III.
GIBSON,A.F. Region 2 (Post 820201). 96/11/26. PLUNKETT,T.F. Florida Power & Light Co. 6pp. 91103:250-91103:270.

--9612170286 Insp repts 50-335/96-22 & 50-389/96-22 on 961126 & violations noted.Major areas inspected:evaluation of mod of excore linear nuclear instrumentation drawers.
* Region 2 (Post 820201). 96/11/26. 15pp. 91103:256-91103:270.

9612020212 Requests approval to incorporate Code Case N-546, "Alternative Requirements for Qualification of VT-2 Exam Personnel,Section 11,Div 1," for use in ten year inservice insp program.
STALL,J.A. Florida Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91003:142-91003:144.

9612090382 Ack receipt of 961113 ltr informing NRC of steps taken to correct violations noted in insp 50-335/96-13 & 50-389/96-13.
CHRISTENSEN,H. Region 2 (Post 820201). 96/11/27. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91038:277-91038:279.

9612100168 Responds to violations noted in insp rept 50-335/96-15. Corrective actions:updated measuring & test equipment log, briefed instrument & control dept on event & revised Quality Instruction QI 12-PR/PSL.
PLUNKETT,T.F. Florida Power & Light Co. 96/12/04. Document Control Branch (Document Control Desk). 5pp. 91056:178-91056:182.

9612040215 NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

9612240164 Summary of 961112 meeting w/util in Atlanta,GA to discuss status of plant re SALP.List of attendees & copy of util handout encl.
JULIAN,C.A. Region 2 (Post 820201). 96/12/09. PLUNKETT,T.F. Florida Power & Light Co. 52pp. 91184:040-91184:091.

9612060222 NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

9612060224 NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

9612260326 Requests approval to incorporate Code Case N-509,Alternative Rule for Selection & Exam of Class 1,2 & 3 integrally welded attachments,Section XI,Div 1 for use in Unit 1 & 2 10-Yr ISI programs.
STALL,J.A. Florida Power & Light Co. 96/12/17. Document Control Branch (Document Control Desk). 6pp. 91235:350-91235:355.

**R. Periodic operating reports & related correspondence**

9612230051 Monthly operating repts for Nov 1996 for St Lucie Units 1 & 2.W/961216 ltr.
ROGERS,J.A., STALL,J.A. Florida Power & Light Co. 96/11/30. 9pp. 91208:324-91208:332.

**S. Reportable occurrences, LERs & related correspondence**

9612020035 LER 96-014-00:on 961027,invalid engineered safety features actuation of containment isolation components occurred due to failed relay.Failed relay was inspected & replaced. W/961122 ltr.
BENKEN,E.J., STALL,J.A. Florida Power & Light Co. 96/11/22. 5pp. 91050:226-91050:230.

9612020208 LER 96-015-00:on 961029,operation prohibited by Tech Specs occurred.Caused by inadequate procedure for isolating DC grounds.DC power restored,failed relay replaced & testing performed to determine root cause.W/961127 ltr.
BENKEN,E.J., STALL,J.A. Florida Power & Light Co. 96/11/27. 8pp. 91050:258-91050:265.

9612160224 Part 21 rept re 2"-1878 globe piston check valves.A/DV plans to include philosophy of both enhancement w/smaller piston check valves.A/DV evaluated found condition of piston check valve,stuck open.
KNECHT,W.G. Anchor/Darling Valve Co. 96/11/27. CARTER,J. NRC - No Detailed Affiliation Given. 9pp. 91163:162-91163:170.

9612260079 LER 96-016-00:on 961122,insufficient testing & maint were noted on 125 vdc bus cross-tie breakers.Caused by lack of effective maint & testing.All four 125 vdc cross-tie breakers will be refurbished.W/961220 ltr.
NOBLE,R.E., STALL,J.A. Florida Power & Light Co. 96/12/20. 7pp. 91231:341-91231:347.

**DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

9612200079 Provides addl info concerning Thermo-Lag Related Ampacity Derating issues per 960812 request.
BOWLING,M.L. Northeast Nuclear Energy Co. BOWLING,M.L. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 9pp. 91179:001-91179:311.

--9612200086 Rev 0 to "Ampacity Derating of Cables due to Thermo-Lag."
HUNDLEY,D.R., CHAMPAGNE,M.H., EWING,R.G. Northeast Nuclear Energy Co. 96-ENG-01528E2 R00. 96/12/13. 301pp. 91179:010-91179:311.

9612240054 Rev 2 to EPIP 4404,Change 1, "Notification & Communications"
TARALLO,B. Northeast Nuclear Energy Co. 96/12/18. 9pp. 91210:334-91210:342.

**H. General correspondence**

9612120085 Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

--9612120238 Forward 961105 ltr to H Blank re recent events at Millstone Nuclear Station.
BLANCH,P.M. Affiliation Not Assigned. 96/11/15. NRC - No Detailed Affiliation Given. 2pp. 91120:055-91120:056.

--9612120321 Forwards article from Courant on 961122 re unlicensed workers at Millstone nuclear plants.
BLANCH,P.M. Affiliation Not Assigned. 96/11/22. NRC - No Detailed Affiliation Given. 6pp. 91120:067-91120:072.

--9612120335 Forwards article from Courant dtd 961128 written by M Remez & M McIntire re oversight of Millstone & other nuclear power plants.
BLANCH,P. Affiliation Not Assigned. 96/11/28. NRC - No Detailed Affiliation Given. 2pp. 91120:078-91120:079.

--9612130001 Informs that PM Blanch returing beeper previously assigned. Restart of plant discussed.
BLANCH,P.M. Affiliation Not Assigned. 96/10/04. NRC - No Detailed Affiliation Given. 3pp. 91120:096-91120:098.

--9612130024 Submits article by S Allen published in Boston Globe on 961011 re safety problems at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/11. NRC - No Detailed Affiliation Given. 2pp. 91120:143-91120:144.

**–9612130055** Forwards article by M McIntire published in Courant on 961016 re problems at nuclear power plants.
BLANCH,P.M. Affiliation Not Assigned. 96/10/16. NRC - No Detailed Affiliation Given. 3pp. 91120:152-91120:154.

**–9612130064** Forwards paper entitled, "Adjusting Regulatory Balance."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 7pp. 91120:160-91120:166.

**–9612130072** Forward press release of 961018 entitled, "NRC Establishes Special Projects Ofc to Oversee Insp & Licensee Activities at Millstone & Hadam Neck Plants."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 2pp. 91120:167-91120:168.

**–9612130080** Forwards article published in Hartford Courant on 961019 re Three Mile Island accident.
BLANCH,P.M. Affiliation Not Assigned. 96/10/19. MULLEY,G. NRC - No Detailed Affiliation Given. 2pp. 91120:169-91120:170.

**–9612130103** Forwards Hartford Courant article published on 961020 re problems at Millstone.R Nader will be in Waterford 961029.
BLANCH,P.M. Affiliation Not Assigned. 96/10/22. MARTIN,T. NRC - No Detailed Affiliation Given. 5pp. 91120:177-91120:181.

**–9612130162** Forwards article from Hartford Courant published by M McIntire & M Remez on 961025 re safety concerns at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/25. WALD,M. NRC - No Detailed Affiliation Given. 8pp. 91120:198-91120:205.

**–9612130166** Discusses page B1 of Hartford Courant re investigator to look into NRC attitude.
BLANCH,P.M. Affiliation Not Assigned. 96/10/26. NRC - No Detailed Affiliation Given. 2pp. 91120:206-91120:207.

**–9612130174** Forwards article from Hartford Courant published by M McIntire on 961028 re Millstone nuclear plant.
BLANCH,P.M. Affiliation Not Assigned. 96/10/28. NRC - No Detailed Affiliation Given. 3pp. 91120:209-91120:211.

**–9612130191** Forwards memo from JN Hannon to WT Russell re independent review of Millstone Station & NRC handling of employee concerns & allegations.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29, ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 4pp. 91120:217-91120:220.

**–9612130196** Discusses layoff of over 100 employees at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29. NRC - No Detailed Affiliation Given. 2pp. 91120:221-91120:222.

**9612190358** Responds to 961021 ltr re concerns about bias potentially evidencing within Independent Corrective Action Verification Program team.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/10. DODD,C.J. Senate. 2pp. 91137:063-91137:075.

**9612310151** Responds to 961119 ltr re activities at plants,stating that Citizens Regulatory Commission was interested in being kept abreast of situation at plants & being involved in Millstone recovery process.
MIRAGLIA,F.J. . 96/12/24. LUXTON,S.P. Affiliation Not Assigned. 8pp. 91247:067-91247:078.

**–9612310158** Informs that attached response to SP Luxton 961119 ltr re activities at plants approved w/o edit by Commissioners & no further need for Commission review.
SHOEMAKER,J. Ofc of the Executive Director for Operations. 96/12/24. Office of the Secretary of the Commission. 1p. 91247:077-91247:077.

**–9612310162** Requests to be kept abreast of activities at plants & recovery process at Millstone.
LUXTON,S.P. Affiliation Not Assigned. 96/11/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91247:078-91247:078.

**P. Operating license stage documents & correspondence**

**9612110113** Informs that util consents to Order dtd 961024 requiring submission of comprehensive plan to review and disposition safety issues raised by employees.Util to proceed to develop required plans & submit info.
GOEBEL,D.M. Northeast Nuclear Energy Co. GOEBEL,D.M. Northeast Utilities Service Co. 96/11/13. MIRAGLIA,F.J. . 3pp. 91081:290-91081:292.

**9612020100** Requests extension of 30 days for submittal of proposed independent,third party organization to oversee implementation of comprehensive plan for reviewing safety issues raised by util employees.
GOEBEL,D.M. Northeast Nuclear Energy Co. GOEBEL,D.M. Northeast Utilities Service Co. 96/11/25. MIRAGLIA,F.J. . 2pp. 91003:133-91003:134.

**9612050104** Submits change in schedule for completion of GL 96-01 actions as committed to by util for plant,Unit 2 in ltr dtd 960416.
BOWLING,M.L. Northeast Nuclear Energy Co. BOWLING,M.L. Northeast Utilities Service Co. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91039:355-91039:356.

**9612060310** Requests addl info re 10CFR50.46 large break loss-of-coolant accident evaluation model for facility.
MCDONALD,D.G. . 96/12/03. KENYON,B.D. Northeast Utilities Service Co. 6pp. 91031:057-91031:062.

**9612160441** Notification of significant meeting 96-126 on 961217 in East Lyme,CT to update members of public w/respect to current NRC activities at plant.
DURR,J. . 96/12/03. . 3pp. 91097:094-91097:096.

**9612170062** Notification of 961217 significant meeting 96-125 w/util in Waterford,CT to discuss current restart plans for plant.
DURR,J. Region 1 (Post 820201). 96/12/03. Region 1 (Post 820201). 3pp. 91118:075-91118:077.

**9612160176** Final response to FOIA request for documents.Records in App A encl & being made available for PDR.App B records withheld in part (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/04. BERGH,N. Northeast Utilities Service Co. 4pp. 91120:226-91120:361.

**–9612160189** FOIA request for documents re listed Inspector General Repts.
BERGH,N. Northeast Utilities Service Co. 96/11/18. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 91120:230-91120:280.

**9612110367** Forwards root cause evaluation rept-effectiveness of oversight organization per evaluation conducted in May 1996. More contact between chief nuclear officer & line mgt recommended.
GOEBEL,D. Northeast Nuclear Energy Co. GOEBEL,D. Northeast Utilities. 96/12/06. Document Control Branch (Document Control Desk). 48pp. 91089:301-91089:348.

**9612170100** Responds to 961009 ltr re concern of NRC oversight at plant & independent correction action verification program imposed at plant by 960814 NRC order.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/09. Affiliation Not Assigned. 2pp. 91131:274-91131:299.

**–9612170108** Makes proposal to NRC re need for independent review of licensee operations of plant to verify adequacy of licensee efforts.
* Affiliation Not Assigned. 96/10/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 12pp. 91131:276-91131:299.

**9612120071** Press release I-96-79, "NRC to Hold Two Meetings 961217 in Connecticut on Millstone Nuclear Plant."
* Region 1 (Post 820201). 96/12/11. 1p. 91163:031-91163:031.

**9612190073** Informs that NNECO & CYAP will begin to use optical disk technology during last quarter of 1996 to further enhance QA Records Keeping sys.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91191:288-91191:289.

**9612200079** Provides addl info concerning Thermo-Lag Related Ampacity Derating issues per 960812 request.
BOWLING,M.L. Northeast Nuclear Energy Co. BOWLING,M.L. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 9pp. 91179:001-91179:311.

**–9612200086** Rev 0 to "Ampacity Derating of Cables due to Thermo-Lag."
HUNDLEY,D.R., CHAMPAGNE,M.H., EWING,R.G. Northeast Nuclear Energy Co. 96-ENG-01528E2 R00. 96/12/13. 301pp. 91179:010-91179:311.

**9612190263** Responds to 961112 ltr to Chairman Jackson informing of formation of subcommittee to assess "independence" aspects of Independent Corrective Action Verification Program.
MIRAGLIA,F.J. . 96/12/16. CONCANNON,T., WOOLLOCOTT,E. Connecticut, State of. 4pp. 91184:211-91184:217.

**–9612190270** Informs that Nuclear Energy Advisory Council approved subcommittee at 961107 meeting to assess 'independence' aspect of Independent Corrective Action Verification Program.
CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 96/11/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 91184:215-91184:217.

**9612240088** Responds to ltr dtd 961022 re Independent Corrective Action Verification Program imposed at Millstone by NRC order of 960814.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/16. CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 6pp. 91193:244-91193:250.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612170175** Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal) for tests administered on 960220.
CURLEY,V. Region 1 (Post 820201). 96/04/11. Document Control Branch (Document Control Desk). 376pp. 91104:001-91105:020.

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612130050** Forwards update on NRC efforts at Northest Util Millstone & Haddam Neck facilities.Confirmatory Order dtd 960814,Special Team Insp Rept dtd 960920 & Millstone Station Restart Assessment Plan encl.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. GEJDENSON,S. House of Rep. 4pp. 91093:178-91093:339.

**–9612130066** Insp repts 50-336/96-201 & 50-423/96-201 on 960311-29 & 960512-22.Violations noted.Major areas insp:licensees ability to identify & resolve technical issues,AFW sys,SW sys & emergency power sys.
* . 96/09/30. 105pp. 91093:203-91093:339.

**9612090183** Forwards insp repts 50-245/96-08,50-336/96-08 & 50-423/96-08 on 960827-1025 & notice of violations.
LANNING,W.D. Region 1 (Post 820201). 96/12/03. KENYON,B.D., HARPSTER,T. Northeast Nuclear Energy Co. 5pp. 91037:255-91037:351.

**–9612090193** Notice of violation from insp on 960827-1025.Violation noted:all valves classified as containment isolation boundaries did not receive monthly verification to insure they are in closed position.
* Region 1 (Post 820201). 96/12/03. 1p. 91037:260-91037:260.

--**9612090203** Insp repts 50-245/96-08,50-336/96-08 & 50-423/96-08 on 960827-1025.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 1 (Post 820201). 96/12/03. 91pp. 91037:261-91037:351.

**9612090022** Discusses receipt of licensee final response to NRC NOV & proposed imposition of civil penalty in amount of $100,000, dtd 961025.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/12/04. KENYON,B.D. Northeast Nuclear Energy Co. 2pp. 91039:006-91039:007.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160422** Ack receipt of 961108 ltr informing NRC of steps taken to correct violations noted in combined insp repts 50-245/96-06,50-336/96-06 & 50-423/96-06.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. 91096:202-91096:204.

**9612120343** Documents 961203 mgt meeting w/H Haynes & P Hinnenkamp to discuss training issues identified in insp rept 50-245/96-05.
MEYER,G.W. Region 1 (Post 820201). 96/12/06. KENYON,B.D. Northeast Nuclear Energy Co. 26pp. 91070:217-91070:242.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612180197** Forwards monthly operating rept for Millstone Nuclear Power Station,Unit 2 for Nov 1996 & revised repts for Mar-Oct 1996.
PRICE,A. Northeast Nuclear Energy Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91155:252-91155:276.

--**9612180204** Monthly operating rept for Nov 1996 for Millstone Nuclear Station,Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/11/30. 6pp. 91155:254-91155:259.

--**9612180210** Revised monthly operating rept for Mar 1996 for Millstone Nuclear Power Station Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/03/31. 2pp. 91155:260-91155:261.

--**9612180213** Revised monthly operating rept for Apr 1996 for Millstone Power Station,Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/04/30. 2pp. 91155:262-91155:263.

--**9612180222** Revised monthly operating rept for May 1996 for Millstone Power Station,Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/05/31. 2pp. 91155:264-91155:265.

--**9612180228** Revised monthly operating rept for June 1996 for Millstone Power Station,Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/06/30. 2pp. 91155:266-91155:267.

--**9612180229** Revised monthly operating rept for Jul 1996 for Millstone Power Station,Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/07/31. 2pp. 91155:268-91155:269.

--**9612180235** Revised monthly operating rept for Aug 1996 for Millstone Power Station,Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/08/31. 2pp. 91155:270-91155:271.

--**9612180241** Revised monthly operating rept for Sept 1996 for Millstone Power Station,Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/09/30. 2pp. 91155:272-91155:273.

--**9612180247** Revised monthly operating rept for Oct 1996 for Millstone Power Station,Unit 2.
DOBOE,S. Northeast Nuclear Energy Co. 96/10/31. 3pp. 91155:274-91155:276.

**S. Reportable occurrences, LERs & related correspondence**

**9612030259** Forwards LER 96-033-00.Licensee commitments listed.
RICHARDSON,P.M. Northeast Nuclear Energy Co. RICHARDSON,P.M. Northeast Utilities Service Co. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91050:049-91050:053.

--**9612030278** LER 96-033-00:on 961024,incorrect settings found on SG snubbers leading to exceedence of allowable stress level for RCS piping during MS line pipe rupture.Caused by breakdown in design control processes used for SG hydraulic snubbers.
LAUDENAT,R.T. Northeast Nuclear Energy Co. 96/11/25. 3pp. 91050:051-91050:053.

**9612170027** LER 96-034-00:on 961004,declared meterological monitoring instrumentation inoperable due to inadequate preparation of TS.Completed loop accuracy calculation & will request rev to TS to remove instrument accuracy requirement.W/961209 ltr.
LAUDENAT,R.T., RICHARDSON,P.M. Northeast Nuclear Energy Co. RICHARDSON,P.M. Northeast Utilities Service Co. 96/12/09. 5pp. 91163:194-91163:198.

**9612170373** Forwards LER 96-035-00,documenting occurrence on 961009. Commitments listed.
RICHARDSON,P.M. Northeast Nuclear Energy Co. RICHARDSON,P.M. Northeast Utilities Service Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91163:346-91163:350.

--**9612170394** LER 96-035-00:on 961009,failed to perform periodic surveillance testing for interlock function of MS isolation sys function of ESAS.Caused by inadequate training. Surveillance procedure revised & I&C personnel re-trained.
LAUDENAT,R.T. Northeast Nuclear Energy Co. 96/12/09. 3pp. 91163:348-91163:350.

**9612170255** Part 21 rept re stocked safety-related fuses issued from storeroom for installation which had cracked ferrules in longitudinal direction on 960911.Procurement & Warehouse groups completed inspecting fuses in warehouse.
THAYER,J.K. Northeast Nuclear Energy Co. THAYER,J.K. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 67pp. 91163:268-91163:334.

**9612240168** LER 96-036-00:on 961108,inadequate seismic qualification of 4160 volt switchgear occurred due to circuit breakers in racked down position.Caused by lack of understanding within industry re seismic qualification.W/961216 ltr.
LAUDENAT,R.T., PRICE,J.A. Northeast Nuclear Energy Co. PRICE,J.A. Northeast Utilities Service Co. 96/12/16. 4pp. 91242:038-91242:041.

**U. Congressional/Executive Correspondence**

**9612120334** Provides update on NRC efforts at util re significant activities after 960618 status rept.Confirmatory order, special team insp rept & plant restart assessment plan not encl.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. LIEBERMAN,J.I. Senate. 4pp. 91090:218-91090:221.

**9612120425** Provides update on NRC efforts re listed plants & informs of several significant activities initiated since last status rept of 960618.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. DODD,C.J. Senate. 4pp. 91074:347-91074:350.

**9612130050** Forwards update on NRC efforts at Northest Util Millstone & Haddam Neck facilities.Confirmatory Order dtd 960814,Special Team Insp Rept dtd 960920 & Millstone Station Restart Assessment Plan encl.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. GEJDENSON,S. House of Rep. 4pp. 91093:178-91093:339.

**V. Operator Examinations**

**9612170175** Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal) for tests administered on 960220.
CURLEY,V. Region 1 (Post 820201). 96/04/11. Document Control Branch (Document Control Desk). 376pp. 91104:001-91105:020.

**9612020217** Notification of significant licensee meeting 96-122 w/util on 961203 in King of Prussia,PA to discuss Millstone Unit 1 operator requalification training,including operator performance on simulator evaluations.
DURR,J. Region 1 (Post 820201). 96/11/22. Region 1 (Post 820201). 3pp. 90965:035-90965:037.

**DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612020234** Application for amends to licenses DPR-32,DPR-37,NPF-4 & NPF-7,respectively,eliminating records retention requirements section of TS,per GL 95-06 & Adminstrative Ltr 95-06.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91003:062-91003:079.

--**9612020235** Proposed tech specs re removal of record retention requirements,per GL 95-06 & Administrative Ltr 95-06.
* Virginia Power (Virginia Electric & Power Co.). 96/11/26. 11pp. 91003:069-91003:079.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612260314** Forwards rev 31 to UFSAR which includes updates to Chapter 17 which contains Operational Quality Assurance Program,per 10CFR50.71(e).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/14. Document Control Branch (Document Control Desk). 3pp. 91251:001-91252:016.

--**9612260315** Rev 31 to UFSAR for North Anna Power Station,Units 1 & 2.
* Virginia Power (Virginia Electric & Power Co.). 96/11/14. 500pp. 91251:004-91252:016.

**P. Operating license stage documents & correspondence**

**9612020234** Application for amends to licenses DPR-32,DPR-37,NPF-4 & NPF-7,respectively,eliminating records retention requirements section of TS,per GL 95-06 & Adminstrative Ltr 95-06.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91003:062-91003:079.

--**9612020235** Proposed tech specs re removal of record retention requirements,per GL 95-06 & Administrative Ltr 95-06.
* Virginia Power (Virginia Electric & Power Co.). 96/11/26. 11pp. 91003:069-91003:079.

**9612030252** Withdraws proposed change associated w/EDG surveillance requirements.TS pp 3/4 8-3a for Unit 1 & 3/4 8-4 for Unit 2 should be removed from 960131 proposed TS changes.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91008:357-91008:358.

**9612040207** Discusses 961118 telcon w/B Buckley & representatives from VEPCO re whether terrain maps were generated as part of analysis of rotating probe data at plants.
KARWOSKI,K.J. . 96/12/03. SULLIVAN,E.J. . 1p. 91007:356-91007:356.

**9612170426** Confirms 961203 telcon between ET Shaub & GA Belisle re meeting requested by staff to discuss North Anna Performance.Meeting scheduled for 961218.
BELISLE,G.A. Region 2 (Post 820201). 96/12/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91105:083-91105:085.

**9612170267** Special rept re groundwater levels specified for SW resevoir exceeding current maximum water level in TS 6.9.2.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/12/10. Document Control Branch (Document Control Desk). 20pp. 91144:270-91144:309.

**--9612170268** Proposed tech specs re groundwater level exceeding current maximum water level.
* Virginia Power (Virginia Electric & Power Co.). 96/12/10. 20pp. 91144:290-91144:309.

**9612170277** Informs that NRC published draft "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," NUREG-1560.Comments on rept requested.
MIRAGLIA,F.J. . 96/12/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91124:071-91124:073.

**9612230347** Application for amends to licenses NPF-4 & NPF-7,requesting temporary changes to service water sys piping repair and refurbishment.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/12/17. Document Control Branch (Document Control Desk). 27pp. 91227:001-91227:038.

**--9612230352** Proposed tech specs 3/4.7.3 re component cooling water sys.
* Virginia Power (Virginia Electric & Power Co.). 96/12/17. 11pp. 91227:028-91227:038.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060312** Forwards insp repts 50-338/96-11 & 50-339/96-11 on 961014-18.No violations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91025:346-91025:357.

**--9612060315** Insp repts 50-338/96-11 & 50-339/96-11 on 961014-18.No violations noted.Major areas inspected:plant support.
* Region 2 (Post 820201). 96/11/15. 9pp. 91025:349-91025:357.

**9612020003** Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Rod drop test results,encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/21. Document Control Branch (Document Control Desk). 11pp. 91003:080-91003:090.

**9612060336** Confirms 961125 telcon between SP Sarver & G Belisle re mgt meeting requested by NRC & scheduled for 970306 to discuss SALP of facility during period of 941225-970111.
BELISLE,G.A. Region 2 (Post 820201). 96/11/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91030:134-91030:136.

**9612170390** Ack receipt of 961120 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/96-09 & 50-339/96-09 issued on 961021.
BELISLE,G.A. Region 2 (Post 820201). 96/12/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91105:076-91105:078.

**9612170416** Forwards insp repts 50-338/96-10 & 50-339/96-10 on 960922-1102 & NOV.
BELISLE,G.A. Region 2 (Post 820201). 96/12/02. O'HANLON,P. Virginia Power (Virginia Electric & Power Co.). 7pp. 91105:089-91105:133.

**--9612170422** Notice of violation from insp on 960922-1102.Violation noted:RCE had not been completed for several pump 1-CH-P-1A seal failures which occurred between 960211 & 0718.
* Region 2 (Post 820201). 96/12/02. 2pp. 91105:096-91105:097.

**--9612170427** Insp repts 50-338/96-10 & 50-339/96-10 on 960922-1102. Violations noted.Major areas inspected:licensee operations, engineering,maint & plant support.
* Region 2 (Post 820201). 96/12/02. 37pp. 91105:098-91105:133.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612110318** Monthly operating repts for Nov 1996 for North Anna Power Station Units 1 & 2.W/961203 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 96/11/30. 12pp. 91081:188-91081:199.

**DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612020234** Application for amends to licenses DPR-32,DPR-37,NPF-4 & NPF-7,respectively,eliminating records retention requirements section of TS,per GL 95-06 & Adminstrative Ltr 95-06.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91003:062-91003:079.

**--9612020235** Proposed tech specs re removal of record retention requirements,per GL 95-06 & Administrative Ltr 95-06.
* Virginia Power (Virginia Electric & Power Co.). 96/11/26. 11pp. 91003:069-91003:079.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612260314** Forwards rev 31 to UFSAR which includes updates to Chapter 17 which contains Operational Quality Assurance Program,per 10CFR50.71(e).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/14. Document Control Branch (Document Control Desk). 3pp. 91251:001-91252:016.

**--9612260315** Rev 31 to UFSAR for North Anna Power Station,Units 1 & 2.
* Virginia Power (Virginia Electric & Power Co.). 96/11/14. 500pp. 91251:004-91252:016.

**P. Operating license stage documents & correspondence**

**9612020234** Application for amends to licenses DPR-32,DPR-37,NPF-4 & NPF-7,respectively,eliminating records retention requirements section of TS,per GL 95-06 & Adminstrative Ltr 95-06.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 7pp. 91003:062-91003:079.

**--9612020235** Proposed tech specs re removal of record retention requirements,per GL 95-06 & Administrative Ltr 95-06.
* Virginia Power (Virginia Electric & Power Co.). 96/11/26. 11pp. 91003:069-91003:079.

**9612030252** Withdraws proposed change associated w/EDG surveillance requirements.TS pp 3/4 8-3a for Unit 1 & 3/4 8-4 for Unit 2 should be removed from 960131 proposed TS changes.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91008:357-91008:358.

**9612040207** Discusses 961118 telcon w/B Buckley & representatives from VEPCO re whether terrain maps were generated as part of analysis of rotating probe data at plants.
KARWOSKI,K.J. . 96/12/03. SULLIVAN,E.J. . 1p. 91007:356-91007:356.

**9612170426** Confirms 961203 telcon between ET Shaub & GA Belisle re meeting requested by staff to discuss North Anna Performance.Meeting scheduled for 961218.
BELISLE,G.A. Region 2 (Post 820201). 96/12/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91105:083-91105:085.

**9612170267** Special rept re groundwater levels specified for SW resevoir exceeding current maximum water level in TS 6.9.2.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/12/10. Document Control Branch (Document Control Desk). 20pp. 91144:270-91144:309.

**--9612170268** Proposed tech specs re groundwater level exceeding current maximum water level.
* Virginia Power (Virginia Electric & Power Co.). 96/12/10. 20pp. 91144:290-91144:309.

**9612170277** Informs that NRC published draft "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," NUREG-1560.Comments on rept requested.
MIRAGLIA,F.J. . 96/12/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91124:071-91124:073.

**9612230347** Application for amends to licenses NPF-4 & NPF-7,requesting temporary changes to service water sys piping repair and refurbishment.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/12/17. Document Control Branch (Document Control Desk). 27pp. 91227:001-91227:038.

**--9612230352** Proposed tech specs 3/4.7.3 re component cooling water sys.
* Virginia Power (Virginia Electric & Power Co.). 96/12/17. 11pp. 91227:028-91227:038.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060312** Forwards insp repts 50-338/96-11 & 50-339/96-11 on 961014-18.No violations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91025:346-91025:357.

**--9612060315** Insp repts 50-338/96-11 & 50-339/96-11 on 961014-18.No violations noted.Major areas inspected:plant support.
* Region 2 (Post 820201). 96/11/15. 9pp. 91025:349-91025:357.

**9612020003** Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Rod drop test results,encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/11/21. Document Control Branch (Document Control Desk). 11pp. 91003:080-91003:090.

**9612060336** Confirms 961125 telcon between SP Sarver & G Belisle re mgt meeting requested by NRC & scheduled for 970306 to discuss SALP of facility during period of 941225-970111.
BELISLE,G.A. Region 2 (Post 820201). 96/11/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91030:134-91030:136.

**9612170390** Ack receipt of 961120 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/96-09 & 50-339/96-09 issued on 961021.
BELISLE,G.A. Region 2 (Post 820201). 96/12/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91105:076-91105:078.

**9612170416** Forwards insp repts 50-338/96-10 & 50-339/96-10 on 960922-1102 & NOV.
BELISLE,G.A. Region 2 (Post 820201). 96/12/02. O'HANLON,P. Virginia Power (Virginia Electric & Power Co.). 7pp. 91105:089-91105:133.

**-9612170422** Notice of violation from insp on 960922-1102.Violation noted:RCE had not been completed for several pump 1-CH-P-1A seal failures which occurred between 960211 & 0718.
* Region 2 (Post 820201). 96/12/02. 2pp. 91105:096-91105:097.

**-9612170427** Insp repts 50-338/96-10 & 50-339/96-10 on 960922-1102. Violations noted.Major areas inspected:licensee operations, engineering,maint & plant support.
* Region 2 (Post 820201). 96/12/02. 37pp. 91105:098-91105:133.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612110318** Monthly operating repts for Nov 1996 for North Anna Power Station Units 1 & 2.W/961203 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 96/11/30. 12pp. 91081:188-91081:199.

**S. Reportable occurrences, LERs & related correspondence**

**9612090229** LER 96-003-00:on 961112,automatic reactor trip resulting from main generator stator coil failed due to personnel error.Cause of reactor trip has been determined to be failed generator stator coil.W/961203 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 96/12/03. 5pp. 91134:097-91134:101.

**DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612030125** Revised EPIPs,including rev 7 to RERP Implementing Procedures Index Book 1.
* Detroit Edison Co. 96/11/22. 7pp. 91011:210-91011:216.

**9612190067** Forwards response to NRC operational safeguards evaluation. Response withheld.
GIPSON,D.R. Detroit Edison Co. 96/12/10. CUNNINGHAM,L.J. . 2pp. 91141:082-91141:084.

**9612240298** Notification of 970109 meeting w/listed attendess in Rockville,MD to discuss potential alternative approaches to mgt of dose assessment for protective action decision making w/respect to emergency planning.
KUGLER,A.J. . 96/12/20. HANNON,J.N. . 7pp. 91193:326-91193:332.

**9612300028** Discusses review of revision 18 to Fermi 2 plant emergency plan submitted under 10CFR50.549(q).
CREED,J.R. Region 3 (Post 820201). 96/12/23. GIPSON,D.R. Detroit Edison Co. 2pp. 91229:082-91229:083.

**P. Operating license stage documents & correspondence**

**9612110452** Application for amend to License NPF-43,modifying TS Section 3.1.4.3,Table 3.3.6-1 & Table 4.3.6-1 re rod block monitor applicability.
GIPSON,D.R. Detroit Edison Co. 96/12/02. Document Control Branch (Document Control Desk). 9pp. 91081:135-91081:151.

**-9612110453** Proposed Tech Specs Section 3.1.4.3,Table 3.3.6-1 & Table 4.3.6-1 re rod block monitor applicability.
* Detroit Edison Co. 96/12/02. 8pp. 91081:144-91081:151.

**9612110034** Provides response to 961105 request for addl info re 951122 license amend & listed ref info,to extend EDG allowed outage times.
GIPSON,D.R. Detroit Edison Co. 96/12/04. Document Control Branch (Document Control Desk). 6pp. 91062:020-91062:025.

**9612170368** Forwards addl info on proposed TS change on administrative controls.
GIPSON,D.R. Detroit Edison Co. 96/12/13. Document Control Branch (Document Control Desk). 18pp. 91132:338-91132:355.

**9612180342** Discusses draft NUREG-1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/13. GIPSON,D.R. Detroit Edison Co. 4pp. 91136:007-91136:010.

**9612230266** Discusses actions associated w/amend request for TSs for rod block monitor at plant,unit 2.
KUGLER,A.J. . 96/12/19. GIPSON,D.R. Detroit Edison Co. 5pp. 91181:284-91181:288.

**9612260097** Forwards amend 110 to license NPF-43 & safety evaluation. Amend changes testing requirements used to determine operability of charcoal in air handling units in engineered safety features sys.
KUGLER,A.J. . 96/12/23. GIPSON,D.R. Detroit Edison Co. 3pp. 91201:045-91201:059.

**-9612260100** Amend 110 to license NPF-43,changing testing requirements used to determine operability of charcoal in air handling units in engineered safety features sys.
KUGLER,A.J. . 96/12/23. 6pp. 91201:048-91201:054.

**-9612260103** Safety evaluation supporting amend 110 to license NPF-43.
* . 96/12/23. 5pp. 91201:055-91201:059.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090335** Ack receipt of 961028 ltr informing NRC of steps taken to correct violations noted in insp rept 50-341/96-06.
JORDAN,M.J. Region 3 (Post 820201). 96/12/03. GIPSON,D.R. Detroit Edison Co. 1p. 91037:359-91037:359.

**9612090244** Forwards draft NOV & Deviation resulting from operational safety insp conducted at plant during Aug & Sept 1996.Also includes App A of insp rept 50-341/96-201.
GALLO,R.M. . 96/12/04. CALDWELL,J. Region 3 (Post 820201). 9pp. 91040:094-91040:102.

**9612090257** Forwards draft notice of violation & deviation resulting from operational safety inspection conducted by special inspection branch at Fermi plant during Aug & Sept of 1996, insp rept 50-341/96-201.
GALLO,R.M. . 96/12/04. CALDWELL,J. . 6pp. 91040:056-91040:061.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612190387** Forwards insp rept 50-341/96-14 on 961118-22.No violations noted.
GRANT,G.E. . 96/12/10. GIPSON,D.R. Detroit Edison Co. 1p. 91134:083-91134:091.

**-9612190392** Insp rept 50-341/96-14 on 961118-22.No violations noted. Major areas inspected:operator training & qualification.
* Region 3 (Post 820201). 96/11/22. 8pp. 91134:084-91134:091.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612300086** Responds to NRC 961122 ltr re violations noted in insp repts 50-341/96007-02,50-341/96007-05,50-341/96007-06, 50-341/96007-07 & 50-341/96007-08.Corrective actions:damper X4103-F109 was unblocked & returned to service.
GIPSON,D.R. Detroit Edison Co. 96/12/23. Document Control Branch (Document Control Desk). 12pp. 91255:337-91255:348.

**9612310140** Summary of 961218 meeting w/util in NRC headquarters re state of licensee corrective action program,performance of Operations & Sys Engineering personnel & activities re control of plants design basis.List of attendees encl.
KUGLER,A.J. . 96/12/23. . 3pp. 91247:149-91247:151.

**R. Periodic operating reports & related correspondence**

**9612180010** Monthly operating rept for Nov 1996 for Fermi 2.W/961213 ltr.
GILES,H.B., SMITH,P.W. Detroit Edison Co. 96/11/30. 4pp. 91145:328-91145:331.

**9612300131** Forwards "Fermi 2 CR Simulator Four Yr Rept."
GIPSON,D.R. Detroit Edison Co. 96/12/19. Document Control Branch (Document Control Desk). 3pp. 91255:310-91255:336.

**-9612300132** "Ferm 2 CR Simulator Four YR Rept."
* Detroit Edison Co. 96/12/19. 25pp. 91255:312-91255:336.

**S. Reportable occurrences, LERs & related correspondence**

**9612110049** Forwards LER 96-018-00.Commitments listed including rev to reactor head detensioning & tensioning procedure.
GIPSON,D.R. Detroit Edison Co. 96/12/05. Document Control Branch (Document Control Desk). 2pp. 91151:088-91151:093.

--**9612110059** LER 96-018-00:on 961105,w/plant in operational condition 4 reactor head stud 27 inadvertently detensioned during trim adjustments.Caused by transposition error in elongation data sheet.Stud 27 retensioned & procedures revised.
JAWORSKY,M. Detroit Edison Co. 96/12/05. 4pp. 91151:090-91151:093.

**9612240177** LER 96-019-00:on 961119,inoperable standby feedwater sys flow path for 10CFR50,App R application discovered.Caused by inadequate design review of App R dedicated shutdown. Operating procedures revised.W/961219 ltr.
JAWORSKY,M., GIPSON,D.R. Detroit Edison Co. 96/12/19. 5pp. 91242:050-91242:054.

**V. Operator Examinations**

**9612190387** Forwards insp rept 50-341/96-14 on 961118-22.No violations noted.
GRANT,G.E. . 96/12/10. GIPSON,D.R. Detroit Edison Co. 1p. 91134:083-91134:091.

--**9612190392** Insp rept 50-341/96-14 on 961118-22.No violations noted. Major areas inspected:operator training & qualification.
* Region 3 (Post 820201). 96/11/22. 8pp. 91134:084-91134:091.

**DOCKET 50-344 TROJAN NUCLEAR PLANT**

**C. Utility Environmental Report (ER), amends & correspondence**

**9612040258** Forwards rev 2 to PGE-1063, "Suppl to Applicants Environ Rept," which allows option of removing reactor vessel & internals as single component.
QUENNOZ,S.M. Portland General Electric Co. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91039:151-91039:158.

--**9612040263** Rev 2 to "Trojan Nuclear Power Station,Suppl to Applicant Environ Rept."
* Portland General Electric Co. PGE-1063 R02. 96/11/27. 6pp. 91039:153-91039:158.

**F. Security, medical, emergency & fire protection plans**

**9612030337** Rev 4 to EPIP 2, "Notifications." W/961125 ltr.
QUENNOZ,S.M. Portland General Electric Co. 96/11/25. 15pp. 91011:144-91011:158.

**9612130205** Ack receipt of 960801 ltr transmitting rev 45 to physical security plan (defueled conditions).Plan withheld per 10CFR2.790.
GWYNN,T.P. Region 4 (Post 820201). 96/12/06. QUENNOZ,S.M. Portland General Electric Co. 3pp. 91118:308-91118:310.

**9612180136** Forwards description of changes to security plan (defueled condition) & replacement pages.Encl withheld.
QUENNOZ,S.M. Portland General Electric Co. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91141:081-91141:081.

**9612260109** Forwards amend 17 to PGE-1012, "Trojan Nuclear Plant Fire Protection Plan."
QUENNOZ,S.M. Portland General Electric Co. 96/12/19. Document Control Branch (Document Control Desk). 4pp. 91252:017-91252:155.

--**9612260111** "Trojan Nuclear Plant Fire Protection Program," Amend 17.
* Portland General Electric Co. 96/12/19. 125pp. 91252:021-91252:155.

**H. General correspondence**

**9612180233** Requests NRC to update svc list for NRC correspondence to util.Position of Chairman of Board of County Commissioners should continue to be included on external addressee svc list.
QUENNOZ,S.M. Portland General Electric Co. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91161:341-91161:341.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612050044** Forwards Rev 4 to "Trojan Nuclear Plant Defueled SAR." Changes to page identified by margin bars adjacent to change & rev numbers at page bottom.
QUENNOZ,S.M. Portland General Electric Co. 96/11/27. Document Control Branch (Document Control Desk). 5pp. 91044:001-91044:162.

--**9612050047** Rev 4 to "Trojan Nuclear Plant Defueled SAR."
* Portland General Electric Co. 96/11/27. 157pp. 91044:006-91044:162.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**W. Decommissioning Stage Documents & Correspondence**

**9612050034** Forwards changes to TS & SAR to reflect new fuel debris storage container design & storage of non-fuel bearing components & fuel rod storage container in Trojan ISFSI. Description & justification for changes,encl.
QUENNOZ,S.M. Portland General Electric Co. 96/11/27. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 12pp. 91030:160-91030:241.

--**9612050043** Proposed tech specs reflecting new fuel debris storage container design & storage of non-fuel bearing components & fuel rod storage container in Trojan ISFSI.
* Portland General Electric Co. 96/11/27. 7pp. 91030:182-91030:188.

--**9612050049** "Trojan ISFSI Safety Analysis Rept."
* Portland General Electric Co. 96/11/25. 53pp. 91030:189-91030:241.

**9612060077** Requests guidance on use of 10CFR71.41(c) per licensee request for authorization to transport reactor vessel as type B package.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/12/03. REAMER,W.C. Office of the General Counsel (Post 860701). 1p. 91031:151-91031:151.

**9612170412** Forwards Rev 20 to PGE-8010, "Trojan Nuclear Plant QA Program."
QUENNOZ,S.M. Portland General Electric Co. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91133:339-91133:350.

--**9612170419** Rev 20 to PGE-8010, "Trojan Nuclear Plant Nuclear QA Program."
QUENNOZ,S.M. Portland General Electric Co. 96/12/12. 10pp. 91133:341-91133:350.

**9612190141** Forwards util response to NRC RAI,dtd 961127 re debris processing in fuel bldg.General figures of equipment used in spent fuel pool debris handling & processing & summary of listing of matls,encl.
QUENNOZ,S.M. Portland General Electric Co. 96/12/12. Document Control Branch (Document Control Desk). 32pp. 91164:139-91164:259.

--**9612190147** Rev 0 to "Dose Consequences from Accidental Radiological Releases & Estimated Dose Rates on SEGs X-Fer Sys."
* Portland General Electric Co. RPC-9-007 R00. 96/07/18. 42pp. 91164:176-91164:217.

--**9612190150** Rev 0 to "Limiting Activity Releases Due to Decommissioning Activities."
HOEY,M.Q. Portland General Electric Co. RPC-94-008 R00. 96/05/03. 42pp. 91164:218-91164:259.

**9612270103** Forwards Rev 20 to PGE-8010, "Portland General Electric Nuclear QA Program for Trojan Nuclear Plant." Rev reflects administrative & corporate organizational changes continue to meet requirements of 10CFR50,App B,as described.
QUENNOZ,S.M. Portland General Electric Co. 96/12/12. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. 91255:200-91255:214.

--**9612270108** Rev 20 to PGE-8010, "Portland General Electric Nuclear QA Program for Trojan Nuclear Plant."
QUENNOZ,S.M. Portland General Electric Co. 96/12/12. 9pp. 91255:206-91255:214.

**9612260213** Forwards Rev 2 to PGE-1061, "Trojan Nuclear Plant Decommissioning Plan." Changes update plan to reflect provisions of final decommissioning rule & organizational changes.
QUENNOZ,S.M. Portland General Electric Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91234:202-91234:276.

--**9612260220** Rev 2 to PGE-1061, "Trojan Nuclear Plant Decommissioning Plan."
* Portland General Electric Co. PGE-1061 R02. 96/12/19. 73pp. 91234:204-91234:276.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612030018** Forwards revised trip rept which provides procedures & results of activities performed during 960819-0821 on-site review & limited confirmatory survey of Trojan NPP ISFSI project in Ranier,OR.
VITKUS,T.J. Oak Ridge Associated Universities. 96/09/27. PITTIGLIO,L. Division of Waste Management (NMSS 940403). 12pp. 91003:273-91003:285.

**9612040181** Submits response to RAI re final survey plan for Trojan ISFSI site.
YUNDT,C.P. Portland General Electric Co. 96/11/21. STEWART-SMITH Oregon, State of. 2pp. 91027:286-91027:287.

**9612020038** Forwards RAI re Trojan ISFSI to determine compliance re 10CFR72.
KOKAJKO,L.W. Office of Nuclear Material Safety & Safeguards. 96/11/25. QUENNOZ,S.M. Portland General Electric Co. 49pp. 91000:297-91000:345.

**9612030031** Forwards EA re construction & operation of Trojan ISFSI & FONSI which will be sent to Ofc of FR for publication.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/11/25. QUENNOZ,S.M. Portland General Electric Co. 4pp. 91003:161-91003:202.

--**9612030033** Notice of issuance of EA & FONSI for ISFSI at Trojan Nuclear Plant which would authorize applicant to construct & operate dry storage ISFSI at Trojan site.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/22. 5pp. 91003:165-91003:169.

--**9612030035** Environ assessment & finding of no significant impact re construction & operation of Trojan ISFSI.
* Office of Nuclear Material Safety & Safeguards. 96/11/30. 33pp. 91003:170-91003:202.

**9612030027** Informs that results for limited area of Trojan Nuclear Plan site complies w/ requirements of 10CFR50.82 & finds that proposed site may be released for use as ISFSI licensed under 10CFR72.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/11/26. QUENNOZ,S.M. Portland General Electric Co. 3pp. 91006:353-91006:355.

**9612040140** Forwards independent spent fuel storage installation calculations.W/o enclosures.
YUNDT,C.P. Portland General Electric Co. 96/11/26. SMITH,D.S. Oregon, State of. 2pp. 91028:205-91028:206.

**9612050034** Forwards changes to TS & SAR to reflect new fuel debris storage container design & storage of non-fuel bearing components & fuel rod storage container in Trojan ISFSI. Description & justification for changes,encl.
QUENNOZ,S.M. Portland General Electric Co. 96/11/27. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 12pp. 91030:160-91030:241.

**--9612050043** Proposed tech specs reflecting new fuel debris storage container design & storage of non-fuel bearing components & fuel rod storage container in Trojan ISFSI.
* Portland General Electric Co. 96/11/27. 7pp. 91030:182-91030:188.

**--9612050049** "Trojan ISFSI Safety Analysis Rept."
* Portland General Electric Co. 96/11/25. 53pp. 91030:189-91030:241.

**9612100045** Forwards ISFSI construction schedule.
QUENNOZ,S.M. Portland General Electric Co. 96/12/04. KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 6pp. 91056:342-91056:347.

**9612100010** Aprroves request to withhold info from public disclosure re detailed drawings for TranStor cask sys.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. MCSHERRY,A.J. Sierra Nuclear, Inc. 2pp. 91057:010-91057:011.

**DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612180435** Forwards Rev 20 to "Davis-Besse Nuclear Power Station,Unit 1 Updated FSAR," reflecting changes implemented between 941116 & 960602 & Rev 16 to "Davis-Besse Nuclear Power Station,Unit 1 FHAR."
WOOD,J.K. Centerior Energy. 96/12/02. Document Control Branch (Document Control Desk). 18pp. 91167:001-91174:320.

**--9612180440** Rev 16 to "Davis-Besse Nuclear Power Station,Unit 1 FSAR."
* Centerior Energy. 96/12/31. 2,730pp. 91167:139-91174:320.

**9612260106** Rev 1 to EPIP RA-EP-02870, "Station Isolation."
* Toledo Edison Co. 96/12/05. 23pp. 91234:314-91234:336.

**H. General correspondence**

**9612160353** Resolution 20-1996 supporting merger of Ohio Edison & Centerior Corp under new holding company called FirstEnergy.
HOWELL,S., BRYAN,T., CICCHINELLI,F. Ohio, State of. 96/12/02. 1p. 91097:006-91097:006.

**9612170330** Forwards Resolution 96-107 adopted by Painesville Township Trustees in support of proposed merger of Centerior Energy & OH Edison.
SVEGEL,F.W. Painesville, OH. 96/12/04. MIRAGLIA,F.J. NRC - No Detailed Affiliation Given. 3pp. 91144:349-91144:351.

**9612300087** Forwards resolution that supports merger of Centerior Energy Corp & Ohio Edison.
MCQUAIDE,R. Ashtabula County, OH. 96/12/06. MIRAGLIA,F.J. . 4pp. 91256:157-91256:160.

**9612310130** Forwards ltr re motion in support of proposed merger of Centerior Energy & Ohio Edison re meeting held 961203.
NEWMAN,I. Lake County, OH. 96/12/06. NRC - No Detailed Affiliation Given. 2pp. 91249:133-91249:135.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612180435** Forwards Rev 20 to "Davis-Besse Nuclear Power Station,Unit 1 Updated FSAR," reflecting changes implemented between 941116 & 960602 & Rev 16 to "Davis-Besse Nuclear Power Station,Unit 1 FHAR."
WOOD,J.K. Centerior Energy. 96/12/02. Document Control Branch (Document Control Desk). 18pp. 91167:001-91174:320.

**--9612180438** Rev 20 to "Davis-Besse Nuclear Power Station,Unit 1 Updated FSAR."
* Centerior Energy. 96/12/31. 119pp. 91167:019-91167:138.

**--9612180440** Rev 16 to "Davis-Besse Nuclear Power Station,Unit 1 FSAR."
* Centerior Energy. 96/12/31. 2,730pp. 91167:139-91174:320.

**P. Operating license stage documents & correspondence**

**9612030011** Informs of plans to convert to Improved Standard Tech Specs, per NUREG-1430.
WOOD,J.K. Centerior Energy. 96/11/26. Document Control Branch (Document Control Desk). 1p. 91003:349-91003:349.

**9612090307** Submits clarification of info re 960917 license amend for conversion to 24 month fuel cycle.
WOOD,J.K. Centerior Energy. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91050:359-91050:360.

**9612090318** Responds to GL 88-20,Supplement 5, "Individual Plant Exam of External Events for Severe Accident Vulnerabilities."
WOOD,J.K. Centerior Energy. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91054:255-91054:255.

**9612180407** Submits written rept of pending lawsuit file against Centerior Svc Co & Toledo Edison Co claiming harmful exposure to radioactive matls at Davis-Besse Nuclear Power Station on 961007.
WOOD,J.K. Centerior Energy. 96/12/02. MIRAGLIA,F.J. . 2pp. 91159:359-91159:360.

**9612110075** Forwards revised forms for G.4 form numbers 110,283-289,291- 296 & 298 for inclusion into summary rept for resolution of USI A-46 re verifying seismic adequacy of stated equipment.
WOOD,J.K. Centerior Energy. 96/12/04. Document Control Branch (Document Control Desk). 18pp. 91081:213-91081:230.

**9612170351** Forwards application for amend to license NPF-3 to revise TS definitions,instrumentation TS & ECCS TS for conversion to 24 month fuel cycle.
WOOD,J.K. Centerior Energy. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91139:168-91139:316.

**--9612170352** Application for amend to license NPF-3,revising TS definitions,instrumentation TS & ECCS TS for conversion to 24 month fuel cycle.
WOOD,J.K. Centerior Energy. 96/12/11. 11pp. 91139:170-91139:181.

**--9612170354** Proposed tech specs revising TS definitions,instrumentation TS & ECCS TS for conversion to 24 month fuel cycle for license NPF-3.
* Centerior Energy. 96/12/11. 135pp. 91139:182-91139:316.

**9612180268** Informs that NRC published draft of "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560 & would appreciate any comments.
MIRAGLIA,F.J. . 96/12/13. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 5pp. 91132:245-91132:249.

**9612180455** Forwards application for amend to License NPF-3,requesting consent of NRC to direct transfers of control of applicant interest,per NRC Administrative Ltr 96-02.
STETZ,J.P. Centerior Energy. 96/12/13. Document Control Branch (Document Control Desk). 3pp. 91145:115-91145:190.

**--9612180457** Application for amend to License NPF-3,authorizing transfers of control.
* Centerior Energy. 96/12/13. 73pp. 91145:118-91145:190.

**9612200196** Forwards summary rept re IPEEE for severe accident vulnerabilities for DBNP,Unit 1.Background info,submitted.
WOOD,J.K. Centerior Energy. 96/12/16. Document Control Branch (Document Control Desk). 6pp. 91178:001-91178:295.

**--9612200202** "IPEEE for DBNP Station in Response to NRC GL 88-20, Suppl 4."
* Toledo Edison Co. 96/12/31. 209pp. 91178:007-91178:295.

**9612180256** Requests addl info re 950829 ltr in order to complete review of A-46 program.RAI encl.
HANSEN,A.G. . 96/12/17. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 8pp. 91132:237-91132:244.

**9612230117** Advises that 961213 ltrs transmitting application for transfers of control re licenses NPF-3 & NPF-58 were inadvertently misaligned.Requests that appropriate ltr be placed w/companion application package.
OREILY,M.E. Centerior Energy. 96/12/19. Document Control Branch (Document Control Desk). 1p. 91234:009-91234:009.

**9612270068** Submits comments on NRC rept re "Resolution of Spent Fuel Storage Pool Safety Issues:Issuance of Final Staff Rept & Notification of Staff Plans to Perform Plant-Specific,Safety Enhancement Backfit Analyses,DBNPS."
WOOD,J.K. Centerior Energy. 96/12/20. Document Control Branch (Document Control Desk). 9pp. 91262:096-91262:106.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090322** Responds to NRC Bulletin 96-004, "Chemical,Galvanic,or Other Reactions in Spent Fuel Storage & Transportation Casks."
WOOD,J.K. Centerior Energy. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91052:358-91052:359.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612160182** Requests addl info re bulletin 96-02 "Movement of Heavy Loads over Spent Fuel,over Fuel in Reactor Core,or over Safety-Related Equipment."
HANSEN,A.G. . 96/12/10. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 5pp. 91101:110-91101:114.

**9612190407** Forwards insp rept 50-346/96-12 on 961108.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/10. WOOD,J.K. Centerior Service Co. 2pp. 91138:001-91138:010.

**--9612190412** Insp rept 50-346/96-12 on 961104.No violations noted.Major areas inspected:licensed operator requalification program including training administrative procedures,medical records & requalification training attendance records.
* Region 3 (Post 820201). 96/12/10. 8pp. 91138:003-91138:010.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612240018** Submits response to NRC Bulletin 96-004, "Chemical,Galvanic, or Other Reactions in Spent Fuel Storage & Transportation Casks."
WOOD,J.K. Centerior Energy. 96/12/17. Document Control Branch (Document Control Desk). 5pp. 91219:332-91219:336.

**9612240182** Responds to violations noted in insp rept 50-346/96-05. Corrective actions:re-emphasized acceptable load paths inside containment,prepared & presented training lesson plan to outage mgt personnel & issued LER 96-005 on 960523.
WOOD,J.K. Centerior Energy. 96/12/19. Document Control Branch (Document Control Desk). 5pp. 91210:300-91210:304.

**9612310033** Informs that NRC completed semiannual plant performance review of plant on 961106.Region conducted reviews for all operating NPP to develop integrated understanding of safety performance.
JACOBSON,J.M. Region 3 (Post 820201). 96/12/23. WOOD,J.K. Centerior Energy. 3pp. 91235:065-91235:067.

**R. Periodic operating reports & related correspondence**

**9612020029** Monthly operating rept for Oct 1996 for Davis-Besse Nuclear Power Station,Unit 1.W/961115 ltr.
MATRANGA,E.C., LASH,J.H. Toledo Edison Co. 96/10/31. 5pp. 91003:103-91003:107.

**9612160356** Monthly operating rept for Nov 1996 for Davis-Besse Nuclear Power Station Unit 1.W/961212 ltr.
MATRANGA,E.C., LASH,J.H. Toledo Edison Co. 96/11/30. 5pp. 91102:353-91102:357.

**9612240148** "Nov 1996 Wastewater Rept for Davis-Besse Nuclear Power Station,Unit 1." W/961212 ltr.
LASH,J.H. Toledo Edison Co. 96/11/30. WICK,E. Ohio, State of. 7pp. 91227:337-91227:343.

**9612110413** Forwards "10CFR50.59 Summary Rept Facility Changes,Tests & Experiments for Davis-Besse Nuclear Power Station,Unit 1, 941116-960602."
WOOD,J.K. Centerior Energy. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91079:150-91079:320.

**--9612110417** "10CFR50.59 Summary Rept of Facility Changes,Tests & Experiments for Davis-Besse Nuclear Power Station,Unit 1, 941116-960602."
* Centerior Energy. 96/06/02. 170pp. 91079:151-91079:320.

**S. Reportable occurrences, LERs & related correspondence**

**9612240120** LER 96-009-00:on 961113,failure to apply generic ltr 91-18 guidance to emergency diesel generator surveillance testing noted.Caused by lack of design or licensing basis documentation.EDGs are being revised.W/961213 ltr.
MILLER,D.L., LASH,J.H. Toledo Edison Co. 96/12/13. 5pp. 91226:343-91226:347.

**9612240159** LER 96-008-00:on 961113,switchyard circuit declared inoperable due to switchyard breaker alignment.TS 3.8.1.1 entered & required breaker alignment checks were performed. W/961213 ltr.
WOLF,G.M., LASH,J.H. Toledo Edison Co. 96/12/13. 9pp. 91242:029-91242:037.

**V. Operator Examinations**

**9612190407** Forwards insp rept 50-346/96-12 on 961108.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/10. WOOD,J.K. Centerior Service Co. 2pp. 91138:001-91138:010.

**--9612190412** Insp rept 50-346/96-12 on 961104.No violations noted.Major areas inspected:licensed operator requalification program including training administrative procedures,medical records & requalification training attendance records.
* Region 3 (Post 820201). 96/12/10. 8pp. 91138:003-91138:010.

**DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612090199** Rev 2 to EPIP FNP-O-EIP-8.1, "Emergency Phone List."
* Alabama Power Co. 96/11/06. 57pp. 91054:052-91054:108.

**9612060277** On-call schedule dtd 961126 to Rev 2 to FNP-0-EIP-8.1.
HILL,R.D. Southern Nuclear Operating Co. 96/11/26. 14pp. 91043:323-91043:336.

**9612170397** Discusses insp repts 50-348/96-09 & 50-364/96-09 on 960901- 1012 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.
EBNETER,S.D. Region 2 (Post 820201). 96/12/04. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 91118:118-91118:145.

**--9612170417** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:licensee failed to assure electrical cables associated w/sys necessary to achieve & maintain hot SD conditions encl in fire barrier.
* Region 2 (Post 820201). 96/12/04. 23pp. 91118:123-91118:145.

**9612050078** Press release II-96-099, "NRC Staff Proposed $50,000 Fine Against Southern Nuclear Operating Co at Farley."
* Region 2 (Post 820201). 96/12/05. 1p. 91126:322-91126:322.

**9612160374** Forwards Rev 32 to security plan.Encl withheld,per 10CFR73.21.
MOREY,D. Southern Nuclear Operating Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91129:032-91129:033.

**9612240114** Rev 2 to "On-Call Schedule."
HILL,R.D. Southern Nuclear Operating Co. 96/12/12. 15pp. 91227:299-91227:313.

**H. General correspondence**

**9612160387** Comment supporting draft RG DG-1047, "Stds Format & Content for Applications to Renew NPP OLs."
MOREY,D. Southern Nuclear Operating Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:067-91097:074.

**P. Operating license stage documents & correspondence**

**9612060051** Forwards non-proprietary & proprietary versions of "RCS Flow Verification Using Elbow Taps at Westinghouse 3-Loop PWR" & affidavit which sets forth basis on which info may be withheld from public disclosure.
MOREY,D. Southern Nuclear Operating Co. 96/11/26. Document Control Branch (Document Control Desk). 3pp. 91054:116-91054:216.

**--9612060055** Requests that TR WCAP-14750, "RCS Flow Verification Using Elbow Taps at Westinghouse 3-Loop PWRs" be withheld from public disclosure.
LIPARULO,N.J. Westinghouse Electric Corp. 96/09/26. MIRAGLIA,F.J. Document Control Branch (Document Control Desk). 9pp. 91054:119-91054:127.

**--9612060056** "RCS Flow Verification Using Elbow Taps at Westinghouse 3- Loop PWRs."
WATERS,R.M., DZENIS,E.A. Westinghouse Electric Corp. WCAP-14754. 96/09/30. 88pp. 91054:128-91054:216.

**9612040123** Requests NRC review & concurrence of FNP interpretation and basis for TS 3/4.9.13, "Storage Pool Ventilation (Fuel Movement)."
MOREY,D. Southern Nuclear Operating Co. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91023:357-91023:359.

**9612110121** Revises commitment to use orange bars on main control board per RG 1.97 & IE Bulletin 79-06A.Benefit to using orange bars not found.
MOREY,D. Southern Nuclear Operating Co. 96/12/05. Document Control Branch (Document Control Desk). 2pp. 91081:293-91081:294.

**9612160017** Forwards proposed rev to TS bases section 3/4.2.5 for plant.
ZIMMERMAN,J.I. . 96/12/11. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 91101:138-91101:142.

**9612160343** Requests comments re draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/12. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. 91123:210-91123:213.

**9612260143** Informs that necessary actions to resolve outliers have been completed in response to USI A-46 & GL 87-02.
MOREY,D. Southern Nuclear Operating Co. 96/12/20. Document Control Branch (Document Control Desk). 1p. 91210:001-91210:001.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020144** Ack receipt of 961025 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/96-10 & 50-364/96-10.
BARR,K.P. Region 2 (Post 820201). 96/11/14. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 90958:350-90958:351.

**9612090315** Responds to NRC 961108 ltr re violations noted in insp repts 50-348/96-09 & 50-364/96-09.Two valves were closed & checklist performed for DG fuel oil transfer sys to verify all valves in sys were positioned correctly.
MOREY,D. Southern Nuclear Operating Co. 96/12/04. Document Control Branch (Document Control Desk). 3pp. 91055:110-91055:112.

**9612100178** Requests that NRC grant relief until 970315,to approx coincide w/beginning of Unit 1 refueling outage for compliance w/rule as it relates to implementation of repair & replacement activities.
MOREY,D. Southern Nuclear Operating Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91056:288-91056:289.

**9612170397** Discusses insp repts 50-348/96-09 & 50-364/96-09 on 960901- 1012 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.
EBNETER,S.D. Region 2 (Post 820201). 96/12/04. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 91118:118-91118:145.

**--9612170417** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:licensee failed to assure electrical cables associated w/sys necessary to achieve & maintain hot SD conditions encl in fire barrier.
* Region 2 (Post 820201). 96/12/04. 23pp. 91118:123-91118:145.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612050078** Press release II-96-099, "NRC Staff Proposed $50,000 Fine Against Southern Nuclear Operating Co at Farley."
* Region 2 (Post 820201). 96/12/05. 1p. 91126:322-91126:322.

**9612110121** Revises commitment to use orange bars on main control board per RG 1.97 & IE Bulletin 79-06A.Benefit to using orange bars not found.
MOREY,D. Southern Nuclear Operating Co. 96/12/05. Document Control Branch (Document Control Desk). 2pp. 91081:293-91081:294.

**9612170266** Summarizes 961104 mgt meeting w/util in Region II Office to discuss findings documented in insp repts 50-348/96-10 & 50-364/96-10.W/list of attendees & handouts.
GIBSON,A.F. Region 2 (Post 820201). 96/12/09. MOREY,D.N. Southern Nuclear Operating Co. 11pp. 91134:295-91134:305.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230403** Ack receipt of 961204 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/96-09 & 50-364/96-09.Corrective actions will be examined during future inspections.
SKINNER,P.H. Region 2 (Post 820201). 96/12/13. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 91166:288-91166:289.

**9612230383** Confirms 961216 telcon between MJ Ajluni & RW Wright re SALP which has been scheduled for 970122.
SKINNER,P. Region 2 (Post 820201). 96/12/16. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 91166:153-91166:154.

**9612230186** Informs of plans to conduct design insp of plant,units 1 & 2 facilities.Insp scheduled for periods 970203-0314.
BERKOW,H.N. . 96/12/19. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 91181:326-91181:327.

**R. Periodic operating reports & related correspondence**

**9612180097** Monthly operating repts for Nov 1996 for JM Farley Nuclear Plant Units 1 & 2.W/961210 ltr.
MCANULTY,M.W., MOREY,D. Southern Company Services, Inc. 96/11/30. 9pp. 91148:271-91148:279.

**S. Reportable occurrences, LERs & related correspondence**

**9612100077** LER 96-007-00:on 961107,determined that IEEE-279 requirements had not been met.Caused by personnel error. Implemented administrative controls re steam flow channel input.W/961204 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 96/12/04. 6pp. 91127:044-91127:049.

**9612260157** LER 96-004-01:on 960620,SR not met for manual SI input into RT sys.Cause of missed surveillance was cognitive personnel error & failure to ensure surveillance test procedure. Revised procedures.W/961220 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 96/12/20. 5pp. 91226:323-91226:327.

**V. Operator Examinations**

**9612020152** Confirms arrangements made in 961031 telcon for administration of licensing exams at plant & forwards guidelines & policies re exam.Written & operating exam scheduled for wk of 970324.
PEEBLES,T.A. Region 2 (Post 820201). 96/11/12. MOREY,D.N. Southern Nuclear Operating Co. 6pp. 90965:001-90965:006.

**DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612160382** Forwards background document re event rept on fire protection analysis assumptions for safety relief valve operation,for plant,units 1 & 2.
SHEA,J.W. . 96/12/12. . 5pp. 91121:242-91121:246.

**9612260265** Forwards insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91200:199-91200:208.

**-9612260269** Insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.Major areas inspected:documentations containing safeguards info.
* Region 1 (Post 820201). 96/12/20. 6pp. 91200:203-91200:208.

**P. Operating license stage documents & correspondence**

**9612030200** Application for amends to licenses NPF-39 & NPF-85,revising TS SR 4.8.1.1.2.e.2 & supporting TS Bases Section 3/4.8,to clarify requirements associated w/single load rejection testing of EDGs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/25. Document Control Branch (Document Control Desk). 8pp. 91010:011-91010:023.

**-9612030226** Proposed tech specs change request 96-22-0,revising TS SR 4.8.1.1.2.e.2 & supporting TS Bases Section 3/4.8,to clarify requirements associated w/single load rejection testing of EDGs.
* Commonwealth Edison Co. 96/11/25. 5pp. 91010:019-91010:023.

**9612100125** Forwards nonproprietary version of GE rept, "Evaluation of Limerick Initial Core Channels for Re-Use on Ex-Shoreham Fuel Bundles," dated Apr 1996.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91056:084-91056:091.

**-9612100132** Non-proprietary, "Evaluation of Limerick Initial Core Channels for Re-Use on Ex-Shoreham Fuels Bundles."
MARROTTE,G.N., HIGGINS,R.P. General Electric Co. 96/04/30. 6pp. 91056:086-91056:091.

**9612100170** Responds to questions raised re applications,level of detail & description of disposal site.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/02. Document Control Branch (Document Control Desk). 14pp.. 91056:183-91056:196.

**9612090359** Forwards response to RAI re TS change request 96-01-0 re ADS valve start-up testing.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/05. Document Control Branch (Document Control Desk). 8pp. 91055:122-91055:129.

**9612170163** Responds to 961206 telcon RAI re TS Change Request 95-14-0. Surveillance requirement test results,encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/09. Document Control Branch (Document Control Desk). 3pp. 91140:298-91140:300.

**9612230221** Forwards safety evaluation re re-use of fuel channels w/plant fuel.
RINALDI,F. . 96/12/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91194:087-91194:092.

**-9612240113** Safety evaluation supporting planned channel re-use, acceptable w/respect to channel control blade interaction.
* . 96/12/09. 3pp. 91194:090-91194:092.

**9612230225** Discusses closeout for util response to GL 92-01,rev 1,suppl 1, "Reactor Vessel Structural Integrity."
RINALDI,F. . 96/12/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91181:189-91181:192.

**9612180338** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 91136:001-91136:006.

**9612230281** Provides latest info involving Units 1 & 2 in accordance w/ 10CFR50.46(a)(3)(i) & (ii).
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/16. Document Control Branch (Document Control Desk). 1p. 91234:008-91234:008.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040147** Forwards insp repts 50-352/96-07 & 50-353/96-07 on 960827-1021 & notice of violation.
PASCIAK,W.J. Region 1 (Post 820201). 96/11/15. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91002:266-91002:295.

**-9612040158** Notice of violation from insp on 960827-1021.Violation noted:temporary change to transient response implementation plan procedure T-103,secondary containment controls & other procedures were not reviewed & approved by manager.
NE R1 . 96/11/15. 1p. 91002:270-91002:270.

**-9612040169** Insp repts 50-352/96-07 & 50-353/96-07 on 960827-1021. Violations noted.Major areas inspected:conduct of operations,operational status of facilities & equipment & operations procedures & documentation.
PERRY,N.S., BONNETT,F.P., PASCIAK,W.J. Region 1 (Post 820201). 96/11/15. 25pp. 91002:271-91002:295.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260265** Forwards insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91200:199-91200:208.

**-9612260269** Insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.Major areas inspected:documentations containing safeguards info.
* Region 1 (Post 820201). 96/12/20. 6pp. 91200:203-91200:208.

**R. Periodic operating reports & related correspondence**

**9612130235** Monthly operating repts for Nov 1996 for Limerick Generating Station Unit 1 & 2.W/961211 ltr.
BAXLEY,R.A., SPROAT,E.F. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/30. 11pp. 91118:311-91118:321.

**S. Reportable occurrences, LERs & related correspondence**

**9612030305** NPDES noncompliance notification:on July-Sept 1996 re NPDES limit for fecal coloform concentration not met.Caused by inadequate gasket installation.Ozonators overhauled to ensure peak performance.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/27. ONEIL,S.J. Pennsylvania, Commonwealth of. 4pp. 91011:077-91011:080.

**DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612160382** Forwards background document re event rept on fire protection analysis assumptions for safety relief valve operation,for plant,units 1 & 2.
SHEA,J.W. . 96/12/12. . 5pp. 91121:242-91121:246.

**9612260265** Forwards insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91200:199-91200:208.

--**9612260269** Insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.Major areas inspected:documentations containing safeguards info.
* Region 1 (Post 820201). 96/12/20. 6pp. 91200:203-91200:208.

**P. Operating license stage documents & correspondence**

**9612030200** Application for amends to licenses NPF-39 & NPF-85,revising TS SR 4.8.1.1.2.e.2 & supporting TS Bases Section 3/4.8,to clarify requirements associated w/single load rejection testing of EDGs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/25. Document Control Branch (Document Control Desk). 8pp. 91010:011-91010:023.

**9612100125** Forwards nonproprietary version of GE rept, "Evaluation of Limerick Initial Core Channels for Re-Use on Ex-Shoreham Fuel Bundles," dated Apr 1996.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91056:084-91056:091.

--**9612100132** Non-proprietary, "Evaluation of Limerick Initial Core Channels for Re-Use on Ex-Shoreham Fuels Bundles."
MARROTTE,G.N., HIGGINS,R.P. General Electric Co. 96/04/30. 6pp. 91056:086-91056:091.

**9612100170** Responds to questions raised re applications,level of detail & description of disposal site.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/02. Document Control Branch (Document Control Desk). 14pp.. 91056:183-91056:196.

**9612100034** Responds to 961105 telcon RAI re TS change request 96-18-2 on minimum critical power ratio safety limit.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/04. Document Control Branch (Document Control Desk). 13pp. 91056:329-91056:341.

**9612090359** Forwards response to RAI re TS change request 96-01-0 re ADS valve start-up testing.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/05. Document Control Branch (Document Control Desk). 8pp. 91055:122-91055:129.

**9612120347** Application for amend to license NPF-85,revising TS 2.1 to change minimum critical power ratio safety limit.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/06. Document Control Branch (Document Control Desk). 7pp. 91091:320-91091:333.

--**9612120350** Proposed tech specs 2.1 re safety limits.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/06. 7pp. 91091:327-91091:333.

**9612170163** Responds to 961206 telcon RAI re TS Change Request 95-14-0. Surveillance requirement test results,encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/09. Document Control Branch (Document Control Desk). 3pp. 91140:298-91140:300.

**9612230221** Forwards safety evaluation re re-use of fuel channels w/plant fuel.
RINALDI,F. . 96/12/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91194:087-91194:092.

--**9612240113** Safety evaluation supporting planned channel re-use, acceptable w/respect to channel control blade interaction.
* . 96/12/09. 3pp. 91194:090-91194:092.

**9612230225** Discusses closeout for util response to GL 92-01,rev 1,suppl 1, "Reactor Vessel Structural Integrity."
RINALDI,F. . 96/12/09. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91181:189-91181:192.

**9612180338** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 91136:001-91136:006.

**9612230281** Provides latest info involving Units 1 & 2 in accordance w/ 10CFR50.46(a)(3)(i) & (ii).
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/16. Document Control Branch (Document Control Desk). 1p. 91234:008-91234:008.

**9612230368** Forwards notice of consideration of issuance of amend to FOL,proposed NSHC determination & opportunity for hearing. Amend would revise TS section 2.1 & associated TS basis to reflect change in MCPR SL due to GE13 fuel product.
RINALDI,F. . 96/12/17. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 91181:313-91181:323.

--**9612230377** Notice of consideration of issuance of amend to license NPF-85 & proposed NSHC determination & opportunity for hearing.Amend would revise TS section 2.1 & associated TS bases to reflect change in MCPR SL.
SHEA,J.W. . 96/12/17. 8pp. 91181:316-91181:323.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040147** Forwards insp repts 50-352/96-07 & 50-353/96-07 on 960827-1021 & notice of violation.
PASCIAK,W.J. Region 1 (Post 820201). 96/11/15. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91002:266-91002:295.

--**9612040158** Notice of violation from insp on 960827-1021.Violation noted:temporary change to transient response implementation plan procedure T-103,secondary containment controls & other procedures were not reviewed & approved by manager.
NE R1 . 96/11/15. 1p. 91002:270-91002:270.

--**9612040169** Insp repts 50-352/96-07 & 50-353/96-07 on 960827-1021. Violations noted.Major areas inspected:conduct of operations,operational status of facilities & equipment & operations procedures & documentation.
PERRY,N.S., BONNETT,F.P., PASCIAK,W.J. Region 1 (Post 820201). 96/11/15. 25pp. 91002:271-91002:295.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260265** Forwards insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91200:199-91200:208.

--**9612260269** Insp repts 50-277/96-11,50-278/96-11,50-352/96-08 & 50-353/96-08 on 961003-1127.No violations noted.Major areas inspected:documentations containing safeguards info.
* Region 1 (Post 820201). 96/12/20. 6pp. 91200:203-91200:208.

**R. Periodic operating reports & related correspondence**

**9612130235** Monthly operating repts for Nov 1996 for Limerick Generating Station Unit 1 & 2.W/961211 ltr.
BAXLEY,R.A., SPROAT,E.F. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/30. 11pp. 91118:311-91118:321.

**S. Reportable occurrences, LERs & related correspondence**

**9612030305** NPDES noncompliance notification:on July-Sept 1996 re NPDES limit for fecal coloform concentration not met.Caused by inadequate gasket installation.Ozonators overhauled to ensure peak performance.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/11/27. ONEIL,S.J. Pennsylvania, Commonwealth of. 4pp. 91011:077-91011:080.

**9612100080** PNO-I-96-087:on 961206,reactor was manually scramed due to EHC oil leak at turbine control valve 2.Licensee implemented one wk maint outage to repair EHC pressure switch & several other balance of plant & drywell items.
PASCIAK,W., PERRY,N. Region 1 (Post 820201). 96/12/10. 2pp.p. 91134:220-91134:221.

**DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612110448** Rev 5 to section 2, "Assignment of Responsibility" & rev 18 to table of contents,to emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/07/17. 18pp. 91081:170-91081:187.

**9612240252** Rev 21 to table of contents & rev 5 to section 8 re public info,to emergency plan.
HARRIS,J.C. Public Service Electric & Gas Co. of New Jersey. 96/10/21. 7pp. 91227:123-91227:129.

**9612110390** Rev 20 to table of contents,rev 6 to table of contents & list of figures,rev 4 to section 1, "Introduction," rev 4 to section 10, "Accident Assessment" & rev 5 to section 11 "Protective Response," to emergency plan.
* Public Service Electric & Gas Co. of New Jersey. 96/12/02. 142pp. 91079:008-91079:149.

**9612110265** Revised EPIPs,including rev 64 to EPIP-TOC-HC, "Table of Contents," rev 10 to EPIP 102H, "Alert" & rev 10 to EPIP 103H, "Site Area Emergency."
HUGHES,F. Public Service Electric & Gas Co. of New Jersey. 96/12/05. 25pp. 91080:337-91080:360.

**9612120441** Summarizes 961118 mtg meeting w/J McMahon re recent EP organization & mgt changes & to review program improvements in last several months.Meeting notice,list of attendees & handouts encl.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91082:010-91082:016.

**--9612120451** Notification of significant licensee meeting 96-116 w/util on 961118 to discuss EP organization changes & licensee program update.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. Region 1 (Post 820201). 4pp. 91082:013-91082:016.

**9612130252** Rev 0 to Emergency Action Level (EAL) 9.9.1.b for Low River Level.W/ 961209 ltr.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/09. 8pp. 91118:332-91118:339.

**9612310095** Forwards NOV & proposed imposition of civil penalties in amount of $100,000 for violations noted in insp repts 50-272/96-14,50-311/96-14 & 50-354/96-08.Predecisional enforcement conference held on 961114.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:125-91235:134.

**--9612310097** Notice of violation from insp on 960815-0903.Violation noted:on 960814,vital area access not physically controlled in that positive access control over photobadge keycards compromised,creating opportunity for unauthorized access.
* Region 1 (Post 820201). 96/12/11. 5pp. 91235:130-91235:134.

**9612120112** Press release I-96-80, "NRC Staff Proposes $180,000 in Fines for Alleged Violations at Salem & Hope Creek Plants."
* Region 1 (Post 820201). 96/12/12. 2pp. 91163:042-91163:043.

**9612260275** Summarizes 961118 mgt meeting w/util,FEMA,DOE & states of NJ & DE to discuss objectives for 1998 full-participation ingestion pathway exercise at facility & forwards meeting notice 96-117.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91197:036-91197:042.

**--9612260277** Notification of significant licensee meeting 96-117 w/util, FEMA,DOE & states of NJ & DE on 961118 to discuss objectives for 1998 Salem full-participation ingestion pathway exercise.W/list of attendees & agenda.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/18. Region 1 (Post 820201). 4pp. 91197:039-91197:042.

**9612310186** Forwards SALP rept 50-354/96-99 for period 950423-961109. SALP process rates licensees in four functional areas:maint, operations,engineering & plant support,which includes fire, security,EP,chemistry & housekeeping.
MILLER,H.J. Region 1 (Post 820201). 96/12/24. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:283-91235:293.

**--9612310188** SALP rept 50-354/96-99 for 950423-961109.
* Region 1 (Post 820201). 96/12/24. 6pp. 91235:288-91235:293.

**9612270063** Press release I-96-84, "Hope Creek Nuclear Power Plant Receives 'Good' Ratings in NRC's Latest SALP Rept."
* Region 1 (Post 820201). 96/12/26. 2pp. 91266:181-91266:182.

**H. General correspondence**

**9612160376** Comment supporting PR 10CFR50, "NRC Draft PS on Restructuring & Economic Deregulation of Electric Utility Industry."
SELOVAR,R.E. Public Service Electric & Gas Co. of New Jersey. 96/12/06. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91097:038-91097:043.

**P. Operating license stage documents & correspondence**

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**--9612030329** Summarizes 940602 meeting w/listed individuals to discuss items of mutual interest re plant performance & improvement plans.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/20. NRC - No Detailed Affiliation Given. 105pp. 91015:284-91016:032.

**--9612040066** Discusses 930723 PSE&G visit w/listed individuals to discuss items of mutual interest re Hope Creek & Salem,Units 1 & 2 NPP.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/02. NRC - No Detailed Affiliation Given. 2pp. 91016:241-91016:242.

**--9612040196** Discusses PSE&G 941129 drop-in visit w/listed individuals to discuss items of mutual interest including plant Hope Creek & Salem Generating station performance.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/13. NRC - No Detailed Affiliation Given. 1p. 91017:102-91017:102.

**--9612040286** Discusses 960222 visit w/listed individuals to discuss issues re Salem & Hope Creek Generating Stations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/27. NRC - No Detailed Affiliation Given. 5pp. 91017:121-91017:127.

**--9612040292** Partially deleted memo re 960826 drop in meeting.
MILLER,C.G. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN Commissioners (Post 750119). 3pp. 91017:131-91017:133.

**--9612040293** Partially deleted memo re courtesy visit w/EJ Ferland & LR Eliason on 960826.
CHAN,T.L. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN Commissioners (Post 750119). 2pp. 91017:134-91017:135.

**--9612040295** Discusses 960826 meeting w/listed individuals to discuss current activities & issues involving Hope Creek & Salem NPPs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/13. NRC - No Detailed Affiliation Given. 3pp. 91017:136-91017:138.

**9612040136** Repts changes of greater than fifty degrees F to calculated PCT for plant design basis LOCA per 10CFR50.46(a)(3)(ii).
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/11/20. Document Control Branch (Document Control Desk). 6pp. 91028:182-91028:187.

**9612020040** Clarifies why 961018 50.72 4 h rept documenting capability of Standby Liquid Control Sys to perform safety function when operating at elevated temps during chemical additions was retracted on 961115.
BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 96/11/21. Document Control Branch (Document Control Desk). 3pp. 91000:358-91000:360.

**9612100076** Provides clarification to 961025 request for improvement to TS section 3.1.3.5,control rod scram accumulators.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/04. Document Control Branch (Document Control Desk). 6pp. 91057:001-91057:009.

**--9612100092** Proposed tech specs 3.1.3.5, "CR Scram Accumulators," for improvement & clarifies statement of 961025 initial request.
* Public Service Electric & Gas Co. of New Jersey. 96/12/04. 3pp. 91057:007-91057:009.

**9612160436** Forwards Rev 2 to "PSE&G Simulation Facility Certification Program."
MCMAHON,J.F. Public Service Electric & Gas Co. of New Jersey. 96/12/10. Document Control Branch (Document Control Desk). 3pp. 91124:294-91124:341.

**--9612160438** Rev 2 to "PSE&G Simulation Facility Certification Program."
* Public Service Electric & Gas Co. of New Jersey. 96/11/19. 44pp. 91124:297-91124:341.

**9612230392** Ack receipt of 961025 ltr,which submitted changes to TSs bases for plant.Changes revise TS bases B 3/4.3.1, "Reactor Protection Sys Instrumentaion."
JAFFE,D.H. . 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 91226:348-91226:353.

**--9612240145** Revised tech specs re changes to TS Bases B 3/4.3.1, "Reactor Protection Sys Instrumentation," & B 3/4.3.2, "Isolation Actuation Instrumentation."
* Public Service Electric & Gas Co. of New Jersey. 96/12/11. 3pp. 91226:351-91226:353.

**9612170252** Discusses draft of "Individual Plant Examination Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560 & appreciates any comments.
MIRAGLIA,F.J. . 96/12/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91124:055-91124:059.

**9612190070** Submits relief request for alternatives to welding restrictions in 1989 edition of ASME Code for station service water pumps.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/12. Document Control Branch (Document Control Desk). 4pp. 91161:354-91161:357.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040093** EN-96-079:on 961023,notice of proposed imposition of civil penalty in amount of $150,000 issued to licensee.Action based on two insps performed at Hope Creek Nuclear Generating Station,identified six violations.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/10/18. 2pp. 91126:283-91126:284.

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**--9612040069** Discusses insp repts 50-272/93-23,50-311/93-23 & 50-354/93-25 on 931017-1127 & forwards NOV & proposed imposition of civil penalty - $50,000.
MARTIN,T.T. Region 1 (Post 820201). 94/03/09. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 6pp. 91016:243-91016:248.

**9612020053** Responds to NRC 961023 ltr re violations noted in insp repts 50-354/96-03 & 50-354/96-06.Corrective actions:tested and verified control rods to be operable & delayed startup for three days to perform extensive review of work activities.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/11/22. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 28pp. 91001:305-91001:331.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612090277** Forwards insp rept 50-354/96-09 on 960922-1109 & notice of violation.
NICHOLSON,L.E. Region 1 (Post 820201). 96/12/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 91038:176-91038:238.

**--9612090291** Notice of violation from insp on 960922-1109.Violation noted:offsite safety review staffing & review requirements were not met for listed examples.
* Region 1 (Post 820201). 96/12/05. 2pp. 91038:180-91038:181.

**--9612090295** Insp rept 50-354/96-09 on 960922-1109.Violations noted.Major areas inspected:licensee operations,engineering,maint & plant support.
* Region 1 (Post 820201). 96/12/05. 57pp. 91038:182-91038:238.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310095** Forwards NOV & proposed imposition of civil penalties in amount of $100,000 for violations noted in insp repts 50-272/96-14,50-311/96-14 & 50-354/96-08.Predecisional enforcement conference held on 961114.
MILLER,H.J. Region 1 (Post 820201). 96/12/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:125-91235:134.

**-9612310097** Notice of violation from insp on 960815-0903.Violation noted:on 960814,vital area access not physically controlled in that positive access control over photobadge keycards compromised,creating opportunity for unauthorized access.
* Region 1 (Post 820201). 96/12/11. 5pp. 91235:130-91235:134.

**9612120112** Press release I-96-80, "NRC Staff Proposes $180,000 in Fines for Alleged Violations at Salem & Hope Creek Plants."
* Region 1 (Post 820201). 96/12/12. 2pp. 91163:042-91163:043.

**9612230158** Submits notification of extension of first ten-year inservice testing program interval by period of twelve months.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/12/15. Document Control Branch (Document Control Desk). 2pp. 91234:003-91234:004.

**9612310186** Forwards SALP rept 50-354/96-99 for period 950423-961109. SALP process rates licensees in four functional areas:maint, operations,engineering & plant support,which includes fire, security,EP,chemistry & housekeeping.
MILLER,H.J. Region 1 (Post 820201). 96/12/24. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 5pp. 91235:283-91235:293.

**-9612310188** SALP rept 50-354/96-99 for 950423-961109.
* Region 1 (Post 820201). 96/12/24. 6pp. 91235:288-91235:293.

**9612270063** Press release I-96-84, "Hope Creek Nuclear Power Plant Receives 'Good' Ratings in NRC's Latest SALP Rept."
* Region 1 (Post 820201). 96/12/26. 2pp. 91266:181-91266:182.

**S. Reportable occurrences, LERs & related correspondence**

**9612030047** LER 96-022-01:on 960816,identified condition that could have prevented removal of RHR safety-auxiliaries cooling sys for deficiencies.Caused by procedure changes made w/o adequate review.Established administrative controls.W/961125 ltr.
MANGES,C., BEZILLA,M.B. Public Service Electric & Gas Co. of New Jersey. 96/11/25. 14pp. 91049:305-91049:318.

**9612040118** Special rept 96-03:on 961118,high range noble gas monitor declared inoperable.Caused by parts not being readily available.Completed repairs,performed post maint testing & declared monitor operable.
BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 96/11/27. Document Control Branch (Document Control Desk). 1p. 91019:360-91019:360.

**9612050091** LER 96-024-00:on 961029,two redundant vacuum breakers on 'A' station svc water sys loop were tested & found inoperable due to accumulation of deposits on internal moving parts. Both vacuum breakers on 'A' station,repaired.W/961129 ltr.
KEPLEY,L., BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 96/11/28. 6pp. 91126:323-91126:328.

**9612130028** Forwards LER 96-025-00.Commitments listed including work order initiated to install recording instrumentation to determine actual line dynamics during next RCIC warm-up.
BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 96/12/06. Document Control Branch (Document Control Desk). 2pp. 91163:075-91163:081.

**-9612130039** LER 96-025-00:on 961107,during warm-up of RCIC sys automatic isolation signal received from high steam flow signal.Caused by spurious steam line pressure &/or steam line flow signals.RCIC isolation signal reset & work order initiated.
PRIEST,J. Public Service Electric & Gas Co. of New Jersey. 96/12/07. 5pp. 91163:077-91163:081.

**9612120493** LER 95-033-13:on 951114,TS surveillance requirements 4.8.3.1 & 4.8.3.2 not completed fullfilled due to surveillance test inadequacies.Surveillance procedures revised & surveillances successfully performed.W/961206 ltr.
KARRICK,J., BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 96/12/09. 30pp. 91163:045-91163:074.

**9612130257** LER 96-026-00:on 961108,ESF actuation/single rod scram occurred due to stuck scram solenoid pilot.SSPV replaced & CR 42-07 returned to svc.W/961209 ltr.
DUKE,P., BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 96/12/09. 7pp. 91163:116-91163:122.

**DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612090238** Revised EPIPs,including rev 9 to SO123-VIII-1, "Recognition & Classification of Emergencies," rev 7 to SO123-VIII-0.201, "Emergency Plan Equipment Surveillance Program & rev 9 to SO123-VIII-70, "Administrative Leader Duties." W/961204 ltr.
MEDDINGS,C., FOWLER,K., GIBSON,G.T. Southern California Edison Co. 96/12/04. 116pp. 91052:223-91052:334.

**9612120218** Forwards Rev 53 to physical security plan.Rev withheld,per 10CFR73.21.
KRIEGER,R.W. Southern California Edison Co. 96/12/04. Document Control Branch (Document Control Desk). 1p. 91092:049-91092:049.

**9612160296** Informs that 960524 & 0820 revs 51 & 52 to plant physical security plan does not decrease effectiveness of security plan.NRC approval not required IAW 10CFR50.54(p).
GWYNN,T.P. Region 4 (Post 820201). 96/12/11. RAY,H.B. Southern California Edison Co. 4pp. 91096:144-91096:147.

**9612300041** Ack receipt of ltr dtd 961204,transmitting changes to physical security plan for San Onofre Nuclear Generating Station submitted under provisions of 10CFR50.54(p).
GWYNN,T.P. Region 4 (Post 820201). 96/12/20. RAY,H.B. Southern California Edison Co. 4pp. 91256:229-91256:232.

**H. General correspondence**

**9612090134** Responds to 961023 ltr re difficulty in obtaining info from SONGS LPDR located at Univ of California in obtaining effective assistance from NRC staff.Apologizes for any inconvenience & notes const project to complete by Jan.
MIRAGLIA,F.J. . 96/12/02. MILLS,G.R. Affiliation Not Assigned. 5pp. 91040:105-91040:113.

**-9612090147** Responds to 961015 ltr from NRC which suggested obtaining info from SONGS FSAR located in LPDR at Univ of California. Univ found to be almost impossible source to find info due const.NRC not helpful in providing info.
MILLS,G.R. Affiliation Not Assigned. 96/10/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91040:110-91040:111.

**-9610210118** Ack 960807 ltr to Chairman SA Jackson re info about seismic design of plant SF storage pool,engineering spec,environ qualification repts & QA/QC documents used in constructing pool.
MIRAGLIA,F.J. . 96/10/15. MILLS,G.R. Affiliation Not Assigned. 2pp. 91040:112-91040:113.

**9612240125** Informs of review results re concerns related to spent fuel pool at facility.
CALLAN,L.J. Region 4 (Post 820201). 96/12/13. MILLS,G.R. Affiliation Not Assigned. 4pp. 91180:180-91180:183.

**P. Operating license stage documents & correspondence**

**9612020077** Responds to RAI re anomalies for SONG inservice testing program.Tests added to inservice testing program,encl.
RAINSBERRY,J.L. Southern California Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 4pp. 91003:119-91003:122.

**9612040036** Requests that NRC consent to proposed util corporate restructuring if approval is necessary & that approvals be received in timely manner.Proposed restructuring & supporting info,discussed.Application,encl.
MESERVE,R.A. Affiliation Not Assigned. 96/12/02. Document Control Branch (Document Control Desk). 371pp. 91022:001-91023:007.

**9612090299** Forwards amends 134 & 123 to licenses NPF-10 & NPF-15, respectively & SE.Amends revise TS 3.9.6, "Refueling Water Level" & corrects errors that occurred during conversion process to improved TS.
FIELDS,M.B. . 96/12/03. RAY,H.B. Southern California Edison Co. 3pp. 91040:022-91040:035.

**-9612090303** Amends 134 & 123 to licenses NPF-10 & NPF-15,respectively, revising TS 3.9.6, "Refueling Water Level," to correct errors,by restoring certain provisions,that occurred during conversion process to improved TS.
FIELDS,M.B. . 96/12/03. 8pp. 91040:025-91040:032.

**-9612090312** Safety evaluation supporting amends 134 & 123 to licenses NPF-10 & NPF-15,respectively.
* . 96/12/03. 3pp. 91040:033-91040:035.

**9612120418** Forwards amends 135 & 124 to licenses NPF-10 & NPF-15, respectively,& SE.Amends revise TS surveillance requirements 3.5.1.4 for plant to increase min boron concentration in safety injection tanks from 1850 ppm to 2200 ppm boron.
FIELDS,M.B. . 96/12/06. RAY,H.B. Southern California Edison Co. 2pp. 91090:222-91090:234.

**-9612120444** Amends 135 & 124 to licenses NPF-10 & NPF-15,respectively, revising TS requirement 3.5.1.4 for plant units 2 & 3 to increase minimum boron concentration in safety injection tanks from 1850 ppm boron to 2200 ppm boron.
FIELDS,M.B. . 96/12/06. 8pp. 91090:224-91090:231.

**-9612120455** Safety evaluation supporting amends 135 & 124 to licenses NPF-10 & NPF-15,respectively.
* . 96/12/06. 3pp. 91090:232-91090:234.

**9612160029** Forwards statistics on allegations by fiscal years 1992, 1993,1995 & 1996 re San Onofre Nuclear Generating Station requested by W Frick.
FIELDS,M.B. . 96/12/09. RAY,H.B. Southern California Edison Co. 5pp. 91101:056-91101:060.

**9612160342** Submits Change Notice 42 to Southern CA Edison TR SCE-1-A, updating organizational changes & responsibilities & clarifying which types of plant equipment require evaluation when out-of-control tolerance conditions identified.
RAINSBERRY,J.L. Southern California Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91124:202-91124:293.

**-9612160384** Change notice 42 to Amend 18 to SCE TR QA Program SCE-1-A.
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 96/10/31. 87pp. 91124:207-91124:293.

**9612230171** Discusses draft NUREG-1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/13. RAY,H.B. Southern California Edison Co. 5pp. 91181:111-91181:115.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612050082** Advises of planned insp effort resulting from licensee SPPR review.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/29. RAY,H.B. Southern California Edison Co. 7pp. 91013:164-91013:170.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612100084** Forwards insp rept 50-361/96-14 & 50-362/96-14 on 961020- 1115.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/06. RAY,H.B. Southern California Edison Co. 6pp. 91049:006-91049:047.

**--9612100090** Insp repts 50-361/96-14 & 50-362/96-14 on 961020-1115.No violations noted.Major areas inspected:maint,summary of plant status,insp scope & observations & findings.
* Region 4 (Post 820201). 96/12/06. 41pp. 91049:012-91049:047.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170053** Forwards insp repts 50-361/96-10 & 50-362/96-10 on 961021-25,1104-08 & 1118-21.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. RAY,H.B. Southern California Edison Co. 5pp. 91103:111-91103:142.

**--9612170061** Insp repts 50-361/96-10 & 50-362/96-10 on 961021-25, 1104-08 & 1118-21.No violations noted.Major areas inspected: licensee motor-operated valve program for closure under GL 89-10.
* Region 4 (Post 820201). 96/12/13. 27pp. 91103:116-91103:142.

**9612240136** Notification of predecisional enforcement conference w/util on 970103 to discuss apparent maint rule program violations.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. Region 4 (Post 820201). 5pp. 91180:187-91180:191.

**9612200065** Forwards insp repts 50-361/96-17 & 50-362/96-17 on 961118- 22 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 96/12/16. RAY,H.B. Southern California Edison Co. 5pp. 91149:115-91149:138.

**--9612200067** Notice of violation from insp on 961118-22.Violation noted: on 950912,senior control operator,directed unbracketed steps to be marked "N/A" w/o verifying completion of steps during previous fill.
* Region 4 (Post 820201). 96/12/16. 2pp. 91149:120-91149:121.

**--9612200069** Insp repts 50-361/96-17 & 50-362/96-17 on 961118-22. Violations noted.Major areas inspected:engineering.
* Region 4 (Post 820201). 96/12/16. 17pp. 91149:122-91149:138.

**9612230413** Forwards insp repts 50-361/96-15 & 50-362/96-15 on 961020- 1130 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/17. RAY,H.B. Southern California Edison Co. 4pp. 91184:255-91184:283.

**--9612230415** Notice of violation from insp on 961020-1130.Violation noted:on 961018,NRC inspector identified that volume control tank inlet diversion valve 3LV0227A in "auto" when no diversion to radwaste in progress.
* Region 4 (Post 820201). 96/12/17. 2pp. 91184:259-91184:260.

**--9612230416** Insp repts 50-361/96-15 & 50-362/96-15 on 961020-1130. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 96/12/17. 21pp. 91184:261-91184:283.

**9612310173** Press release IV-96-68, "NRC,SCE Officials to Discuss Apparent Violations at San Onofre."
* Region 4 (Post 820201). 96/12/31. 1p. 91271:013-91271:013.

**R. Periodic operating reports & related correspondence**

**9612030143** Transmits CENPD-279,Suppl 7, "Annual Rept on ABB CE ECCS Performance Evaluation Models Final Rept."
RAINSBERRY,J.L. Southern California Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 3pp. 91008:130-91008:145.

**--9612030162** "Annual Rept on ABB CE ECCS Performance Evaluation Models," final rept.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CENPD-279 S07. 96/02/29. 13pp. 91008:133-91008:145.

**9612200178** Monthly operating repts for Nov 1996 for San Onofre Nuclear Generating Station,Units 2 & 3.W/961213 ltr.
WILLIAMS,C.E., GIBSON,G.T. Southern California Edison Co. 96/11/30. 13pp. 91192:312-91192:324.

**DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612090238** Revised EPIPs,including rev 9 to SO123-VIII-1, "Recognition & Classification of Emergencies," rev 7 to SO123-VIII-0.201, "Emergency Plan Equipment Surveillance Program & rev 9 to SO123-VIII-70, "Administrative Leader Duties." W/961204 ltr.
MEDDINGS,C., FOWLER,K., GIBSON,G.T. Southern California Edison Co. 96/12/04. 116pp. 91052:223-91052:334.

**9612120218** Forwards Rev 53 to physical security plan.Rev withheld,per 10CFR73.21.
KRIEGER,R.W. Southern California Edison Co. 96/12/04. Document Control Branch (Document Control Desk). 1p. 91092:049-91092:049.

**9612160296** Informs that 960524 & 0820 revs 51 & 52 to plant physical security plan does not decrease effectiveness of security plan.NRC approval not required IAW 10CFR50.54(p).
GWYNN,T.P. Region 4 (Post 820201). 96/12/11. RAY,H.B. Southern California Edison Co. 4pp. 91096:144-91096:147.

**9612300041** Ack receipt of ltr dtd 961204,transmitting changes to physical security plan for San Onofre Nuclear Generating Station submitted under provisions of 10CFR50.54(p).
GWYNN,T.P. Region 4 (Post 820201). 96/12/20. RAY,H.B. Southern California Edison Co. 4pp. 91256:229-91256:232.

**H. General correspondence**

**9612090134** Responds to 961023 ltr re difficulty in obtaining info from SONGS LPDR located at Univ of California in obtaining effective assistance from NRC staff.Apologizes for any inconvenience & notes const project to complete by Jan.
MIRAGLIA,F.J. . 96/12/02. MILLS,G.R. Affiliation Not Assigned. 5pp. 91040:105-91040:113.

**--9612090147** Responds to 961015 ltr from NRC which suggested obtaining info from SONGS FSAR located in LPDR at Univ of California. Univ found to be almost impossible source to find info due const.NRC not helpful in providing info.
MILLS,G.R. Affiliation Not Assigned. 96/10/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91040:110-91040:111.

**--9610210118** Ack 960807 ltr to Chairman SA Jackson re info about seismic design of plant SF storage pool,engineering spec,environ qualification repts & QA/QC documents used in constructing pool.
MIRAGLIA,F.J. . 96/10/15. MILLS,G.R. Affiliation Not Assigned. 2pp. 91040:112-91040:113.

**P. Operating license stage documents & correspondence**

**9612020077** Responds to RAI re anomalies for SONG inservice testing program.Tests added to inservice testing program,encl.
RAINSBERRY,J.L. Southern California Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 4pp. 91003:119-91003:122.

**9612040036** Requests that NRC consent to proposed util corporate restructuring if approval is necessary & that approvals be received in timely manner.Proposed restructuring & supporting info,discussed.Application,encl.
MESERVE,R.A. Affiliation Not Assigned. 96/12/02. Document Control Branch (Document Control Desk). 371pp. 91022:001-91023:007.

**9612090299** Forwards amends 134 & 123 to licenses NPF-10 & NPF-15, respectively & SE.Amends revise TS 3.9.6, "Refueling Water Level" & corrects errors that occurred during conversion process to improved TS.
FIELDS,M.B. . 96/12/03. RAY,H.B. Southern California Edison Co. 3pp. 91040:022-91040:035.

**--9612090303** Amends 134 & 123 to licenses NPF-10 & NPF-15,respectively, revising TS 3.9.6, "Refueling Water Level," to correct errors,by restoring certain provisions,that occurred during conversion process to improved TS.
FIELDS,M.B. . 96/12/03. 8pp. 91040:025-91040:032.

**--9612090312** Safety evaluation supporting amends 134 & 123 to licenses NPF-10 & NPF-15,respectively.
* . 96/12/03. 3pp. 91040:033-91040:035.

**9612120418** Forwards amends 135 & 124 to licenses NPF-10 & NPF-15, respectively,& SE.Amends revise TS surveillance requirements 3.5.1.4 for plant to increase min boron concentration in safety injection tanks from 1850 ppm to 2200 ppm boron.
FIELDS,M.B. . 96/12/06. RAY,H.B. Southern California Edison Co. 2pp. 91090:222-91090:234.

**--9612120444** Amends 135 & 124 to licenses NPF-10 & NPF-15,respectively, revising TS requirement 3.5.1.4 for plant units 2 & 3 to increase minimum boron concentration in safety injection tanks from 1850 ppm boron to 2200 ppm boron.
FIELDS,M.B. . 96/12/06. 8pp. 91090:224-91090:231.

**--9612120455** Safety evaluation supporting amends 135 & 124 to licenses NPF-10 & NPF-15,respectively.
* . 96/12/06. 3pp. 91090:232-91090:234.

**9612160029** Forwards statistics on allegations by fiscal years 1992, 1993,1995 & 1996 re San Onofre Nuclear Generating Station requested by W Frick.
FIELDS,M.B. . 96/12/09. RAY,H.B. Southern California Edison Co. 5pp. 91101:056-91101:060.

**9612160342** Submits Change Notice 42 to Southern CA Edison TR SCE-1-A, updating organizational changes & responsibilities & clarifying which types of plant equipment require evaluation when out-of-control tolerance conditions identified.
RAINSBERRY,J.L. Southern California Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91124:202-91124:293.

--**9612160384** Change notice 42 to Amend 18 to SCE TR QA Program SCE-1-A.
SLAGLE,K.A., RAY,H.B. Southern California Edison Co. 96/10/31. 87pp. 91124:207-91124:293.

**9612230171** Discusses draft NUREG-1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/13. RAY,H.B. Southern California Edison Co. 5pp. 91181:111-91181:115.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612050082** Advises of planned insp effort resulting from licensee SPPR review.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/29. RAY,H.B. Southern California Edison Co. 7pp. 91013:164-91013:170.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612100084** Forwards insp rept 50-361/96-14 & 50-362/96-14 on 961020- 1115.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/06. RAY,H.B. Southern California Edison Co. 6pp. 91049:006-91049:047.

--**9612100090** Insp repts 50-361/96-14 & 50-362/96-14 on 961020-1115.No violations noted.Major areas inspected:maint,summary of plant status,insp scope & observations & findings.
* Region 4 (Post 820201). 96/12/06. 41pp. 91049:012-91049:047.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170053** Forwards insp repts 50-361/96-10 & 50-362/96-10 on 961021-25,1104-08 & 1118-21.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. RAY,H.B. Southern California Edison Co. 5pp. 91103:111-91103:142.

--**9612170061** Insp repts 50-361/96-10 & 50-362/96-10 on 961021-25, 1104-08 & 1118-21.No violations noted.Major areas inspected: licensee motor-operated valve program for closure under GL 89-10.
* Region 4 (Post 820201). 96/12/13. 27pp. 91103:116-91103:142.

**9612240136** Notification of predecisional enforcement conference w/util on 970103 to discuss apparent maint rule program violations.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. Region 4 (Post 820201). 5pp. 91180:187-91180:191.

**9612200065** Forwards insp repts 50-361/96-17 & 50-362/96-17 on 961118- 22 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 96/12/16. RAY,H.B. Southern California Edison Co. 5pp. 91149:115-91149:138.

--**9612200067** Notice of violation from insp on 961118-22.Violation noted: on 950912,senior control operator,directed unbracketed steps to be marked "N/A" w/o verifying completion of steps during previous fill.
* Region 4 (Post 820201). 96/12/16. 2pp. 91149:120-91149:121.

--**9612200069** Insp repts 50-361/96-17 & 50-362/96-17 on 961118-22. Violations noted.Major areas inspected:engineering.
* Region 4 (Post 820201). 96/12/16. 17pp. 91149:122-91149:138.

**9612230413** Forwards insp repts 50-361/96-15 & 50-362/96-15 on 961020- 1130 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/17. RAY,H.B. Southern California Edison Co. 4pp. 91184:255-91184:283.

--**9612230415** Notice of violation from insp on 961020-1130.Violation noted:on 961018,NRC inspector identified that volume control tank inlet diversion valve 3LV0227A in "auto" when no diversion to radwaste in progress.
* Region 4 (Post 820201). 96/12/17. 2pp. 91184:259-91184:260.

--**9612230416** Insp repts 50-361/96-15 & 50-362/96-15 on 961020-1130. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 96/12/17. 21pp. 91184:261-91184:283.

**9612310173** Press release IV-96-68, "NRC,SCE Officials to Discuss Apparent Violations at San Onofre."
* Region 4 (Post 820201). 96/12/31. 1p. 91271:013-91271:013.

**R. Periodic operating reports & related correspondence**

**9612030143** Transmits CENPD-279,Suppl 7, "Annual Rept on ABB CE ECCS Performance Evaluation Models Final Rept."
RAINSBERRY,J.L. Southern California Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 3pp. 91008:130-91008:145.

--**9612030162** "Annual Rept on ABB CE ECCS Performance Evaluation Models," final rept.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CENPD-279 S07. 96/02/29. 13pp. 91008:133-91008:145.

**9612200178** Monthly operating repts for Nov 1996 for San Onofre Nuclear Generating Station,Units 2 & 3.W/961213 ltr.
WILLIAMS,C.E., GIBSON,G.T. Southern California Edison Co. 96/11/30. 13pp. 91192:312-91192:324.

**DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612090199** Rev 2 to EPIP FNP-O-EIP-8.1, "Emergency Phone List."
* Alabama Power Co. 96/11/06. 57pp. 91054:052-91054:108.

**9612060277** On-call schedule dtd 961126 to Rev 2 to FNP-0-EIP-8.1.
HILL,R.D. Southern Nuclear Operating Co. 96/11/26. 14pp. 91043:323-91043:336.

**9612170397** Discusses insp repts 50-348/96-09 & 50-364/96-09 on 960901- 1012 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.
EBNETER,S.D. Region 2 (Post 820201). 96/12/04. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 91118:118-91118:145.

--**9612170417** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:licensee failed to assure electrical cables associated w/sys necessary to achieve & maintain hot SD conditions encl in fire barrier.
* Region 2 (Post 820201). 96/12/04. 23pp. 91118:123-91118:145.

**9612050078** Press release II-96-099, "NRC Staff Proposed $50,000 Fine Against Southern Nuclear Operating Co at Farley."
* Region 2 (Post 820201). 96/12/05. 1p. 91126:322-91126:322.

**9612160374** Forwards Rev 32 to security plan.Encl withheld,per 10CFR73.21.
MOREY,D. Southern Nuclear Operating Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91129:032-91129:033.

**9612240114** Rev 2 to "On-Call Schedule."
HILL,R.D. Southern Nuclear Operating Co. 96/12/12. 15pp. 91227:299-91227:313.

**H. General correspondence**

**9612160387** Comment supporting draft RG DG-1047, "Stds Format & Content for Applications to Renew NPP OLs."
MOREY,D. Southern Nuclear Operating Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:067-91097:074.

**P. Operating license stage documents & correspondence**

**9612060051** Forwards non-proprietary & proprietary versions of "RCS Flow Verification Using Elbow Taps at Westinghouse 3-Loop PWR" & affidavit which sets forth basis on which info may be withheld from public disclosure.
MOREY,D. Southern Nuclear Operating Co. 96/11/26. Document Control Branch (Document Control Desk). 3pp. 91054:116-91054:216.

--**9612060055** Requests that TR WCAP-14750, "RCS Flow Verification Using Elbow Taps at Westinghouse 3-Loop PWRs" be withheld from public disclosure.
LIPARULO,N.J. Westinghouse Electric Corp. 96/09/26. MIRAGLIA,F.J. Document Control Branch (Document Control Desk). 9pp. 91054:119-91054:127.

--**9612060056** "RCS Flow Verification Using Elbow Taps at Westinghouse 3- Loop PWRs."
WATERS,R.M., DZENIS,E.A. Westinghouse Electric Corp. WCAP-14754. 96/09/30. 88pp. 91054:128-91054:216.

**9612040123** Requests NRC review & concurrence of FNP interpretation and basis for TS 3/4.9.13, "Storage Pool Ventilation (Fuel Movement)."
MOREY,D. Southern Nuclear Operating Co. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91023:357-91023:359.

**9612090368** Forwards "JM Farley Unit 2 Cycle 12 Radial Peaking Factor Limit Rept."
MOREY,D. Southern Nuclear Operating Co. 96/12/05. Document Control Branch (Document Control Desk). 1p. 91054:349-91054:355.

--**9612090369** "JM Farley Unit 2 Cycle 12 Radial Peaking Factor Limit Rept."
* Southern Nuclear Operating Co. 96/12/05. 6pp. 91054:350-91054:355.

**9612110121** Revises commitment to use orange bars on main control board per RG 1.97 & IE Bulletin 79-06A.Benefit to using orange bars not found.
MOREY,D. Southern Nuclear Operating Co. 96/12/05. Document Control Branch (Document Control Desk). 2pp. 91081:293-91081:294.

**9612160017** Forwards proposed rev to TS bases section 3/4.2.5 for plant.
ZIMMERMAN,J.I. . 96/12/11. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 91101:138-91101:142.

**9612160343** Requests comments re draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/12. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. 91123:210-91123:213.

**9612260143** Informs that necessary actions to resolve outliers have been completed in response to USI A-46 & GL 87-02.
MOREY,D. Southern Nuclear Operating Co. 96/12/20. Document Control Branch (Document Control Desk). 1p. 91210:001-91210:001.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020144** Ack receipt of 961025 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/96-10 & 50-364/96-10.
BARR,K.P. Region 2 (Post 820201). 96/11/14. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 90958:350-90958:351.

**9612090315** Responds to NRC 961108 ltr re violations noted in insp repts 50-348/96-09 & 50-364/96-09.Two valves were closed & checklist performed for DG fuel oil transfer sys to verify all valves in sys were positioned correctly.
MOREY,D. Southern Nuclear Operating Co. 96/12/04. Document Control Branch (Document Control Desk). 3pp. 91055:110-91055:112.

**9612100178** Requests that NRC grant relief until 970315,to approx coincide w/beginning of Unit 1 refueling outage for compliance w/rule as it relates to implementation of repair & replacement activities.
MOREY,D. Southern Nuclear Operating Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91056:288-91056:289.

**9612170397** Discusses insp repts 50-348/96-09 & 50-364/96-09 on 960901- 1012 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.
EBNETER,S.D. Region 2 (Post 820201). 96/12/04. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 91118:118-91118:145.

**–9612170417** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:licensee failed to assure electrical cables associated w/sys necessary to achieve & maintain hot SD conditions encl in fire barrier.
* Region 2 (Post 820201). 96/12/04. 23pp. 91118:123-91118:145.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612050078** Press release II-96-099, "NRC Staff Proposed $50,000 Fine Against Southern Nuclear Operating Co at Farley."
* Region 2 (Post 820201). 96/12/05. 1p. 91126:322-91126:322.

**9612110121** Revises commitment to use orange bars on main control board per RG 1.97 & IE Bulletin 79-06A.Benefit to using orange bars not found.
MOREY,D. Southern Nuclear Operating Co. 96/12/05. Document Control Branch (Document Control Desk). 2pp. 91081:293-91081:294.

**9612170266** Summarizes 961104 mgt meeting w/util in Region II Office to discuss findings documented in insp repts 50-348/96-10 & 50-364/96-10.W/list of attendees & handouts.
GIBSON,A.F. Region 2 (Post 820201). 96/12/09. MOREY,D.N. Southern Nuclear Operating Co. 11pp. 91134:295-91134:305.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230403** Ack receipt of 961204 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/96-09 & 50-364/96-09.Corrective actions will be examined during future inspections.
SKINNER,P.H. Region 2 (Post 820201). 96/12/13. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 91166:288-91166:289.

**9612230383** Confirms 961216 telcon between MJ Ajluni & RW Wright re SALP which has been scheduled for 970122.
SKINNER,P. Region 2 (Post 820201). 96/12/16. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 91166:153-91166:154.

**9612230186** Informs of plans to conduct design insp of plant,units 1 & 2 facilities.Insp scheduled for periods 970203-0314.
BERKOW,H.N. . 96/12/19. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 91181:326-91181:327.

**R. Periodic operating reports & related correspondence**

**9612180097** Monthly operating repts for Nov 1996 for JM Farley Nuclear Plant Units 1 & 2.W/961210 ltr.
MCANULTY,M.W., MOREY,D. Southern Company Services, Inc. 96/11/30. 9pp. 91148:271-91148:279.

**S. Reportable occurrences, LERs & related correspondence**

**9612100008** LER 95-002-01:on 950404,increased oxide & deposit coating on fuel was noted during visual exams of fuel assemblies.Caused by fuel duty & inherent variability in cladding corrosion process.Revised corrosion models.W/961204 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 96/12/04. 7pp. 91134:197-91134:203.

**9612110267** LER 96-003-00:on 961030,determined that more than 1% of inservice tubes in each SG during eleventh cycle found defective.Caused by roll transition degradation,sludge zone degradation & free span degradation.W/961206 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 96/12/06. 9pp. 91151:142-91151:150.

**V. Operator Examinations**

**9612020152** Confirms arrangements made in 961031 telcon for administration of licensing exams at plant & forwards guidelines & policies re exam.Written & operating exam scheduled for wk of 970324.
PEEBLES,T.A. Region 2 (Post 820201). 96/11/12. MOREY,D.N. Southern Nuclear Operating Co. 6pp. 90965:001-90965:006.

**DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612200176** Forwards revisions to Physical Security Plan for EI Hatch. Encl withheld.
BECKHAM,J.T. General Public Utilities Corp. - GPU Service Corp. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91182:353-91182:354.

**9612200242** Submits updated info re license amend application for Southern Nuclear to become licensed operator.Tech specs, encl.
BECKHAM,J.T. Georgia Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91192:292-91192:300.

**–9612200243** Proposed tech specs re physical security & contigency plan & guard training & qualification plan.
* Georgia Power Co. 96/12/13. 7pp. 91192:294-91192:300.

**H. General correspondence**

**9612160304** Comment supporting draft RG DG-1047, "Std Format & Content for Applications to Renew NPP OLs."
MCCOY,C.K. Georgia Power Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:106-91097:113.

**9612180178** Informs NRC that JT Beckham elected to retire,effective 970101.All correspondence should be directed to JD Woodard.
WOODARD,J.D. Georgia Power Co. 96/12/13. Document Control Branch (Document Control Desk). 1p. 91161:342-91161:342.

**P. Operating license stage documents & correspondence**

**9612040168** Requests addl info re rev to pressure temp limits in TS for plant.Response should be submitted within 30 days of ltr date.
JABBOUR,K.N. . 96/12/02. BECKHAM,J.T. Georgia Power Co. 4pp. 91004:352-91004:355.

**9612090394** Application for amend to license NPF-5,revising SLMCPR values based upon unique plant-evaluations for current Cycle 13 & use of GE fuel in next Cycle 14.
BECKHAM,J.T. Georgia Power Co. 96/12/03. Document Control Branch (Document Control Desk). 6pp. 91055:132-91055:148.

**–9612090396** Proposed tech specs revising SLMCPR values based upon unique plant-evaluations for current Cycle 13 & use of GE-13 fuel in next Cycle 14.
* Georgia Power Co. 96/12/03. 9pp. 91055:139-91055:148.

**9612170449** Forwards response to comments re QA program change submittal.Revised QA program change submittal w/ corresponding marked-up FSAR pages included in Encl 2.
BECKHAM,J.T. Georgia Power Co. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91137:348-91137:359.

**–9612170453** Revised QA program change submittal w/corresponding marked- up FSAR pages.
* Georgia Power Co. 96/07/31. 7pp. 91137:353-91137:359.

**9612160431** Requests comments on draft of, "IPE Program:Perspectives on RS & Plant Performances,Summary Rept," NUREG-1560.
MIRAGLIA,F.J. . 96/12/12. HAIRSTON,W.G. Georgia Power Co. 4pp. 91121:276-91121:279.

**9612200242** Submits updated info re license amend application for Southern Nuclear to become licensed operator.Tech specs, encl.
BECKHAM,J.T. Georgia Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91192:292-91192:300.

**–9612200243** Proposed tech specs re physical security & contigency plan & guard training & qualification plan.
* Georgia Power Co. 96/12/13. 7pp. 91192:294-91192:300.

**9612260206** Forwards response to RAI re TS rev request on pressure-temp limits.
BECKHAM,J.T. Georgia Power Co. 96/12/17. Document Control Branch (Document Control Desk). 10pp. 91210:245-91210:267.

**–9612260209** Proposed tech specs re pressure-temp limits.
* Georgia Power Co. 96/12/17. 13pp. 91210:255-91210:267.

**9612260244** Provides updated info for license amends application to become licensed operator.
BECKHAM,J.T. Georgia Power Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91235:337-91235:338.

**9612310066** Submits updated info re license amend application for Southern Nuclear to become licensed operator.
BECKHAM,J.T. Georgia Power Co. 96/12/23. Document Control Branch (Document Control Desk). 2pp. 91262:306-91262:307.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020162** Forwards insp repts 50-321/96-12 & 50-366/96-12 on 961021-25 & NOV. CHRISTENSEN,H. Region 2 (Post 820201). 96/11/22. BECKHAM,J.T. Georgia Power Co. 4pp. 90958:187-90958:223.

**--9612020168** Notice of violation from insp on 961021-25.Violation noted: licensee failed to include number of nonsafety-related systems or components w/in scope of maint rule as required.
* Region 2 (Post 820201). 96/11/22. 3pp. 90958:191-90958:193.

**--9612020172** Insp repts 50-321/96-12 & 50-366/96-12 on 961021-25. Violations noted.Major areas inspected:review of licensee implementation of 10CFR50.65, "Requirements for Monitoring Effectivness of Maint at NPPs."
* Region 2 (Post 820201). 96/11/22. 30pp. 90958:194-90958:223.

**9612060270** Forwards insp repts 50-321/96-13 & 50-366/96-13 on 960915- 1026 & notice of violations.
SKINNER,P.H. Region 2 (Post 820201). 96/11/25. BECKHAM,J.T. Georgia Power Co. 5pp. 91025:153-91025:216.

**--9612060273** Notice of violation from insp on 960915-1026.Violation noted:licensee failed to verify that opening setpoints of reactor-bldg-to suppression chamber vacuum breaker butterfly valves 2T48-F310 & 2T48-F311 less than 0.5 psid.
* Region 2 (Post 820201). 96/11/25. 3pp. 91025:158-91025:160.

**--9612060275** Insp repts 50-321/96-13 & 50-366/96-13 on 960915-1026. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/11/25. 57pp. 91025:161-91025:216.

**9612090339** Forwards revised Relief Requests RR-P-10 & RR-P-12.
BECKHAM,J.T. Georgia Power Co. 96/12/02. Document Control Branch (Document Control Desk). 7pp. 91054:045-91054:051.

**9612090399** Requests that NRC grant relief from compliance w/insp rule re repair & replacement activities which comply w/ASME Code Section XI,1992 Edition w/1992 Addenda for Class MC components.Relief requested for 1 year period.
BECKHAM,J.T. Georgia Power Co. 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91055:149-91055:150.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260230** Forwards five addl relief requests re third 10-year interval inservice insp program.
BECKHAM,J.T. Georgia Power Co. 96/12/17. Document Control Branch (Document Control Desk). 48pp. 91209:302-91209:349.

**9612230359** Responds to NRC 961125 ltr re violations noted in insp repts 50-321/96-13 & 50-366/96-13.Corrective actions:requirements for labeling lubricant containers will be re-emphasized during maintenance tool box meetings to be held Jan 1997.
BECKHAM,J.T. Georgia Power Co. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91211:343-91211:348.

**9612240050** Responds to NRC 961122 ltr re violations noted in insp repts 50-321/96-12 & 50-366/96-12.Corrective actions:will evaluate addl criteria for primary containment & primary containment isolation & established goals re maint procedures.
BECKHAM,J.T. Georgia Power Co. 96/12/19. Document Control Branch (Document Control Desk). 10pp. 91210:343-91210:352.

**R. Periodic operating reports & related correspondence**

**9612180138** Monthly operating repts for Nov 1996 for Edwin I Hatch Nuclear Plant,Unit 1 & 2.W/961211 ltr.
BEARD,R.M., BECKHAM,J.T. Georgia Power Co. 96/11/30. 11pp. 91148:316-91148:326.

**V. Operator Examinations**

**9612020203** Confirms arrangements made in 961031 telcon between S Grantham & ME Ernstes for administration of licensing exam at Edwin I Hatch Nuclear Plant.Exam preparation visit scheduled for 970303 & written & operating exams for 970317.
PEEBLES,T.A. Region 2 (Post 820201). 96/11/12. BECKHAM,J.T. Georgia Power Co. 5pp. 90965:028-90965:032.

**DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612040029** Rev 12 to OP-1903.065, "Emergency Response Facility TSC."
CRAWFORD,J., COTTON,S.R., FOWLER,R.L. Entergy Operations, Inc. 96/11/27. 64pp. 91021:279-91021:342.

**9612180264** Rev 6 to Procedure/Work Plan 1903.021, "NORAM Natural Gas Line Rupture."
CRAWFORD,J. Entergy Operations, Inc. 96/12/05. 6pp. 91161:335-91161:340.

**9612120288** Forwards insp repts 50-313/96-07 & 50-368/96-07 on 960929-1109.Violations noted:unit 1 fire & inadequacies identified in oil collection sys were focus of special insp.
DYER,J.E. Region 4 (Post 820201). 96/12/10. HUTCHINSON,C.H. Entergy Operations, Inc. 4pp. 91070:042-91070:064.

**9612240130** Forwards FEMA final rept for 960814-15,plant exercise,which indicates no deficiencies & three areas requiring corrective action identified during exercise.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 91183:329-91183:332.

**G. Adjudicatory correspondence**

**9612180087** Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

**--9612180156** Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:336.

**P. Operating license stage documents & correspondence**

**9612020099** Forwards response to RAI re eddy current indications in combustion engineering designed welded steam generator tube sleeve.
MIMS,D.C. Entergy Operations, Inc. 96/11/22. Document Control Branch (Document Control Desk). 4pp. 91003:129-91003:132.

**9612040173** Application for amend to license NPF-6,adding Suppl 1-P & approval ltr to section 6.9.5.1 in support of increased SG tube plugging limit beyond 10% ref to small break LOCA methodology CENPD-137.
* Entergy Operations, Inc. 96/11/24. Document Control Branch (Document Control Desk). 10pp. 91027:228-91027:285.

**--9612040175** Proposed tech specs,adding Suppl 1-P & approval ltr to section 6.9.5.1 to support increased SG tube plugging limit beyond 10% ref to small break LOCA methodology CENPD-137.
* Entergy Operations, Inc. 96/11/24. 48pp. 91027:238-91027:285.

**9612030021** Discusses corrections to ANO-1 TS change request,allowing fuel enrichments up to 5.0% weight U-235 in third paragraph under "Boraflex Configuration."
MIMS,D.C. Entergy Operations, Inc. 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91006:351-91006:352.

**9612040186** Forwards notice of consideration of issuance of amend to license NPF-6 & proposed NSHC determination & opportunity for hearing.Amend would change small-break loss-of-coolant accident evaluation code CENPD-137,suppl 1.
SALEHI,K. . 96/11/26. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 91007:345-91007:355.

**--9612040191** Notice of consideration of issuance of amend to license NPF-6 & proposed NSHC determination & opportunity for hearing.Amend would change small-break loss-of-coolant accident evaluation code CENPD-137,suppl 1.
SALEHI,K. . 96/11/26. 8pp. 91007:348-91007:355.

**9612050092** Forwards response to RAI dtd 960520,re ANO-2 SG tube sleeves.
MIMS,D.C. Entergy Operations, Inc. 96/11/26. Document Control Branch (Document Control Desk). 11pp. 91030:242-91030:252.

**9612120484** Application for amend to License NPF-6,revising surveillance requirements for Unit 2 re SG Tubing,TS 4.4.5.CEN-630-NP & CEN-630-P repts encl.CEN-630-P rept withheld,per 10CFR2.790(b)(4).
HUTCHINSON,C. Entergy Operations, Inc. 96/11/26. Document Control Branch (Document Control Desk). 9pp. 91098:001-91098:192.

**--9612120492** Proposed Tech Specs 4.4.5 & 3.4.6.2 re SG tube sleeving & allowable primary-to-secondary leak rate.
* Entergy Operations, Inc. 96/11/26. 18pp. 91098:010-91098:027.

**--9612120519** Non-proprietary final rept "Repair of 3/4" O.D. SG Tubes Using Leak Tight Sleeves."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CEN-630-NP R01. 96/11/30. 165pp. 91098:028-91098:192.

**9612050080** Notification of 961217 licensee meeting w/util in Arlington, TX to discuss evaluation approach & results of UFSAR assessments at each facility.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Region 4 (Post 820201). 9pp. 91013:154-91013:163.

**9612040177** Forwards FR notice of consideration of issuance of amend to license NPF-6,proposed NSHC determination & opportunity for hearing.Amends would change SR for plant SG tubing.
SALEHI,K. . 96/11/29. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 91007:259-91007:269.

**--9612040184** Notice of consideration of issuance of amends to license NPF-6 & proposed NSHC determination & opportunity for hearing.Amends would change surveillance requirements for plant unit 2 steam generator tubing.
SALEHI,K. . 96/11/29. 8pp. 91007:262-91007:269.

**9612100011** Forwards request for exigent processing of TS change request re small break loss of coolant accident methodology.
MIMS,D.C. Entergy Operations, Inc. 96/12/02. Document Control Branch (Document Control Desk). 3pp. 91056:326-91056:328.

**9612050067** Notification of 961210 meeting w/util in Arlington,TX to discuss svc water sys improvement program & mgt of biofouling concerns.
DYER,J.E. Region 4 (Post 820201). 96/12/03. Region 4 (Post 820201). 5pp. 91013:142-91013:146.

**9612160111** Forwards response to addl info re TS change request to delete reactor coolant pump flywheel insps.
MIMS,D.C. Entergy Operations, Inc. 96/12/09. Document Control Branch (Document Control Desk). 27pp. 91101:330-91101:356.

**9612170210** Requests cancellation of exigent processing of TS change request re small break loss of coolant accident methodology.
MIMS,D.C. Entergy Operations, Inc. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91140:280-91140:281.

**9612160256** Summary of 96111 meeting w/licensee in Rockville,MD to discuss comments developed in response to NRC advance notice of proposed rulemaking on financial assurance requirements for decommissioning nuclear reactors.List of attendees encl.
WIGGINTON,D.L. . 96/12/11. . 40pp. 91101:150-91101:189.

**9612180287** Forwards for review & comments draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Request comments by 970214. W/o encl.
MIRAGLIA,F.J. . 96/12/13. HINTZ,D.C. Entergy Operations, Inc. 7pp. 91132:324-91132:330.

**9612240138** Discusses 961210 meeting re service water performance & impact of zebra mussels on plant operation.List of attendees & licensee presentation encl.
DYER,J.E. Region 4 (Post 820201). 96/12/17. HUTCHINSON,C.R. Entergy Operations, Inc. 45pp. 91180:192-91180:236.

**9612260233** Application for amend to license NPF-6,requesting deletion of specific value for total reactor coolant sys volume in TS 5.4.2.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/12/19. Document Control Branch (Document Control Desk). 5pp. 91234:350-91234:360.

**--9612260234** Proposed tech specs 5.4.2 re reactor coolant sys volume.
* Entergy Operations, Inc. 96/12/19. 6pp. 91234:355-91234:360.

**9612260237** Application for amend to license NPF-6,requesting to provide addl NRC-approved methodology in list of references in TS 6.9.5.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91209:350-91209:361.

**--9612260238** Proposed tech specs 6.9.5 re core operating limits rept.
* Entergy Operations, Inc. 96/12/19. 6pp. 91209:356-91209:361.

**9612260246** Application for amend to license NPF-6,requesting change to power calibr requirements.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/12/19. Document Control Branch (Document Control Desk). 6pp. 91234:337-91234:349.

**--9612260250** Proposed tech specs 3.3.1.1,Table 4.3.1 re power calibr requirements.
* Entergy Operations, Inc. 96/12/19. 7pp. 91234:343-91234:349.

**9612260321** Submits proposed TS change request re control room ventilation sys.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/12/19. Document Control Branch (Document Control Desk). 20pp. 91238:112-91238:193.

**--9612260323** Proposed tech spec 3.9 re control room emergency ventilation & air conditioning sys.
* Entergy Operations, Inc. 96/12/19. 62pp. 91238:132-91238:193.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020098** Forwards reponse to RAI re NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in the Reactor Core,or Over Safety-Related Equipment."
MIMS,D.C. Entergy Operations, Inc. 96/11/21. Document Control Branch (Document Control Desk). 4pp. 91003:125-91003:128.

**9612030210** Forwards staff SE of util response to NRC Bulletin 96-004, "Chemical,Galvanic or Other Reactions in Spent Fuel Storage & Transportation Casks." Util has satisfied requested actions & required responses to bulletin.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/26.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 91010:024-91010:058.

**--9612030224** SER concluding that util has satisfied requested actions & required responses to NRC Bulletin 96-004.
* NRC - No Detailed Affiliation Given. 96/11/26. 18pp. 91010:027-91010:058.

**9612030194** Advises of NRC planned insp effort resulting from 961103 Arkansas Nuclear One SPPR review.
DYER,J.E. Region 4 (Post 820201). 96/11/27. HUTCHINSON,C. Entergy Operations, Inc. 6pp. 90973:351-90973:356.

**9612100327** Denies licensee 961104 request for deferral of planned NRC design basis insp of facility until late summer 1997.
GWYNN,T.P. Region 4 (Post 820201). 96/12/03. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 91049:158-91049:160.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160111** Forwards response to addl info re TS change request to delete reactor coolant pump flywheel insps.
MIMS,D.C. Entergy Operations, Inc. 96/12/09. Document Control Branch (Document Control Desk). 27pp. 91101:330-91101:356.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612120288** Forwards insp repts 50-313/96-07 & 50-368/96-07 on 960929-1109.Violations noted:unit 1 fire & inadequacies identified in oil collection sys were focus of special insp.
DYER,J.E. Region 4 (Post 820201). 96/12/10. HUTCHINSON,C.H. Entergy Operations, Inc. 4pp. 91070:042-91070:064.

**--9612120292** Insp repts 50-313/96-07 & 50-398/96-07 on 960929-1109. Violations noted.Major areas inspected:operations,maint, engineering,plant support.
* Region 4 (Post 820201). 96/12/10. 19pp. 91070:046-91070:064.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160386** Forwards SE & technical rept by INEL in response to request for authorization to update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code,Section XI & authorizes proposed alternatives.
BECKNER,W. . 96/12/12. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91101:030-91101:055.

**--9612160403** Safety evaluation supporting update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code, Sect XI for licenses DPR-51,NPF-6,NPF-38,NPF-29 & NPF-47. Technical ltr rept encl.
* . 96/12/12. 19pp. 91101:037-91101:055.

**9612180368** Responds to NRC 960928 ltr re violations noted in insp repts 50-313/96-06 & 50-368/96-06.Corrective actions:Service air was secured immediately upon identification as cause of RCS level increase.
MIMS,D.C. Entergy Operations, Inc. 96/12/12. Document Control Branch (Document Control Desk). 9pp. 91155:320-91155:328.

**S. Reportable occurrences, LERs & related correspondence**

**9612060010** LER 96-004-00:on 961030,potential failure of functions of Plant Protective Sys were determined during loss of power. Cause indeterminate.Established administrative controls to prevent channel from being bypassed.W/961127 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 96/11/27. 6pp. 91126:336-91126:341.

**9612310046** LER 96-005-00:on 961120,surveillance testing of some features of plant protective sys & post-accident monitoring instrumentation were not performed due to inadequate procedures.Temp elements will be revised.W/961220 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 96/12/20. 8pp. 91266:248-91266:255.

**9612260098** Submits copy of final Accident Sequence Precursor Analysis of operational event which occurred at Arkansas Nuclear One- Unit 2,reported in licensee event report 368/95-001.
SALEHI,K. . 96/12/23. HUTCHINSON,C.R. Entergy Operations, Inc. 14pp. 91201:060-91201:073.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612060007** Forwards safety evaluation re NRC Bulletin 96-04, "Chemical, Galvanic or Other Reactions in SF Storage & Transportation Casks," for plant, units 1 & 2.
SALEHI,K. . 96/12/03. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 91028:305-91028:339.

**--9612060019** Safety evaluation accepting NRC Bulletin 96-04, "Chemical,Galvanic or Other Reactions in SF Storage & Transportation Casks," for plant, units 1 & 2.
* . 96/12/03. 31pp. 91028:309-91028:339.

**9612060166** Discussses 960603 CAL issued to Entergy Operations re listed actions concerning plant dry cask storage program utilizing Sierra Nuclear VSC-24 cask.
CALLAN,L.J. Region 4 (Post 820201). 96/12/03. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 91025:049-91025:053.

**9612050077** Press release IV-96-61, "NRC Staff Authorizes Loading of Spent Fuel into Dry Casks at Arkansas Plant."
* Region 4 (Post 820201). 96/12/04. 2pp. 91126:320-91126:321.

**9612180217** Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10.
SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91155:203-91155:251.

**--9612180239** Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**--9612180306** Safety evaluation accepting util response to NRC Bulletin 96-004 for use of VSC-24 cask.
* Office of Nuclear Material Safety & Safeguards. 96/12/03. 31pp. 91155:218-91155:251.

**DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612230394** Forwards emergency plan implementing procedures update encl inadvertently omitted from EP manual section 1.1,rev 13 dtd 961017.W/961218 release ltr.
HASTY,R.L. Duke Power Co. 96/10/31. Document Control Branch (Document Control Desk). 3pp. 91194:066-91194:082.

--**9612240142** Rev 13 to EP manual section 1.1, "McGuire Nuclear Site Technical Support Ctr Communication Equipment Layout."
* Duke Power Co. 96/10/31. 14pp. 91194:069-91194:082.

**9612190064** Submits EPIPs RP/O/A/5700/10 & RP/O/A/5700/11,for NRC use & review.W/961218 release memo.
MCMEEKIN,T.C. Duke Power Co. 96/11/12. Document Control Branch (Document Control Desk). 3pp. 91162:284-91162:318.

--**9612190077** Forwards public version of revised EPIPs,including rev 5 to RP/O/A/5700/10, "NRC Immediate Notification Requirements" & rev 3 to RP/O/A/5700/11, "Conducting Site Assembly,Site Evacuation or Containment Evacuation."
DOLAN,B. Duke Power Co. 96/11/11. 34pp. 91162:287-91162:318.

**9612090004** Forwards insp rept 50-369/96-09 & 50-370/96-09 on 961104-08. No noncompliance or significant issues were identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/27. MCMEEKIN,T.C. Duke Power Co. 3pp. 91038:313-91038:323.

--**9612090008** Insp repts 50-369/96-09 & 50-370/96-09 on 961104-08.No violations noted.Major areas inspected:safeguards insp included aspects of licensee plant support.
* Region 2 (Post 820201). 96/11/27. 8pp. 91038:316-91038:323.

**9612110360** Communicates corrective actions re emergency plan section J.6 on emergency response organization respiratory qualifications.Individuals counseled on need for thorough check of plan revs.
MCMEEKIN,T.C. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91089:354-91089:355.

**9612160442** Rev 1 to HP/1/B/1009/15, "Unit 1 Nuclear Post-Accident Containment Air Sampling Sys Operating Procedure" & index, Page 1 & 2 dtd 961209.W/961210 ltr.
DOLAN,B., MCMEEKIN,T.C. Duke Power Co. 96/12/10. 27pp. 91129:105-91129:131.

**9612160339** Advises that revised EPIPs RP/0/A/5700/10 & RP/0/A/5700/11 submitted by util will be withheld from public disclosure per 10CFR2.790.
NERSER,V. . 96/12/12. MCMEEKIN,T.C. Duke Power Co. 3pp. 91101:143-91101:145.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612240104** Forwards new manual covers & spine inserts for plant UFSAR, replacing existing manual covers & spine inserts for vols. New artwork reflects introduction of word "Updated" to more properly define name of document.
MCMEEKIN,T.C. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 10pp. 91227:083-91227:098.

**P. Operating license stage documents & correspondence**

**9612020182** Summarizes 961108 meeting in Atlanta,GA re status & results of performance initiatives.List of attendees & handout encl.
WERT,L.D. Region 2 (Post 820201). 96/11/22. MCMEEKIN,T.C. Duke Power Co. 235pp. 90957:003-90957:238.

**9612040130** Application for amends to licenses NPF-9 & NPF-17,requesting change to TS 3.8.2 re DC sources.
MCMEEKIN,T.C. Duke Power Co. 96/11/26. Document Control Branch (Document Control Desk). 5pp. 91026:001-91026:082.

--**9612040137** Proposed tech specs 3.8.2 re DC sources.
* Duke Power Co. 96/11/26. 76pp. 91026:006-91026:082.

**9612090341** Forwards unsatisfactory performance test results for FFD program for plants.
TUCKMAN,M.S. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91054:259-91054:263.

**9612090371** Forwards corrected pp 17-15 to Topical Rept Duke-1-A, "Quality Assurance Program."
TUCKMAN,M.S. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91055:001-91055:008.

--**9612090375** Revised pp 17-15 to "Quality Assurance Program."
* Duke Power Co. 96/12/03. 6pp. 91055:003-91055:008.

**9612120448** Forwards "Notice of Consideration of Issuance of Amends to Facility Operating Licenses,Proposed NSHC Determination & Opportunity for Hearing," for publication in FR.
NERSES,V. . 96/12/09. MCMEEKIN,T.C. Duke Power Co. 3pp. 91075:147-91075:158.

--**9612120469** Notice of consideration of issuance of amends to licenses NPF-9 & NPF-17 & proposed NSHC determination & opportunity for hearing.Amends allow one-time only change necessary to replace existing 125-volt D C battery cells w/new cells.
NERSES,V. . 96/12/09. 10pp. 91075:150-91075:158.

**9612160299** Forwards amends 171 & 153 to licenses NPF-9 & NPF-17 & safety evaluation.Amends revise term "lifting loads" used in TS 3.9.6b.2,manipulator crane,to "lifting force."
NERSES,V. . 96/12/12. MCMEEKIN,T.C. Duke Power Co. 3pp. 91121:324-91121:337.

--**9612160317** Amends 171 & 153 to licenses NPF-9 & NPF-17,respectively, revising term "lifting loads" used in TS 3.9.6b.2, manipulator crane,to "lifting force."
BERKOW,H.N. . 96/12/12. 8pp. 91121:328-91121:334.

--**9612160322** Safety evaluation supporting amends 171 & 153 to licenses NPF-9 & NPF-17,respectively.
* . 96/12/12. 3pp. 91121:335-91121:337.

**9612160355** Requests comments re NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. TUCKMAN,M.S. Duke Power Co. 6pp. 91123:214-91123:219.

**9612180279** Responds to util 961031 request to withhold info from public disclosure,per 10CFR2.790 & informs that request granted.
NERSES,V. . 96/12/16. MCMEEKIN,T.C. Duke Power Co. 3pp. 91132:321-91132:323.

**9612240073** Forwards TS,supplementing amend request to change surveillance 4.8.2.1.2.e which achieves allignment w/improved STS SR 3.8.4.8.
BARRON,H.B. Duke Power Co. 96/12/17. Document Control Branch (Document Control Desk). 3pp. 91210:327-91210:333.

--**9612240079** Proposed tech specs,supplementing amend request to change surveillance 4.8.2.1.2.e which will achieve alignment w/ improved STS SR 3.8.4.8.
* Duke Power Co. 96/12/17. 4pp. 91210:330-91210:333.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060321** Ack receipt of 961030 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/96-07 & 50-370/96-07.
WERT,L.D. Region 2 (Post 820201). 96/11/12. MCMEEKIN,T.C. Duke Power Co. 2pp. 91025:358-91025:359.

**9612060238** Forwards insp repts 50-369/96-08 & 50-370/96-08 on 960908- 1019 & notice of violations.
WERT,L. Region 2 (Post 820201). 96/11/15. MCMEEKIN,T.C. Duke Power Co. 2pp. 91025:075-91025:111.

--**9612060241** Notice of violation from insp on 960908-1019.Violation noted:plant periodic test procedure,annulus ventilation sys train B operability test not adequate.
* Region 2 (Post 820201). 96/11/15. 2pp. 91025:077-91025:078.

--**9612060245** Insp repts 50-369/96-08 & 50-370/96-08 on 960908-1019. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/11/15. 33pp. 91025:079-91025:111.

**9612090004** Forwards insp rept 50-369/96-09 & 50-370/96-09 on 961104-08. No noncompliance or significant issues were identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/27. MCMEEKIN,T.C. Duke Power Co. 3pp. 91038:313-91038:323.

--**9612090008** Insp repts 50-369/96-09 & 50-370/96-09 on 961104-08.No violations noted.Major areas inspected:safeguards insp included aspects of licensee plant support.
* Region 2 (Post 820201). 96/11/27. 8pp. 91038:316-91038:323.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612100177** Responds to NRC 961115 ltr re violations noted in insp repts 50-369/96-08 & 50-370/96-08.Corrective actions:initiated procedure change that requires reverification of preheater operation at end of test.
MCMEEKIN,T.C. Duke Power Co. 96/12/05. Document Control Branch (Document Control Desk). 3pp. 91056:285-91056:287.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612170024** Forwards results from rod drop time tests performed on 961109 on Unit 1 & 961111 on Unit 2 in response to NRC Bulletin 96-001.
MCMEEKIN,T.C. Duke Power Co. 96/12/10. Document Control Branch (Document Control Desk). 7pp. 91105:350-91105:356.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230373** Ack receipt of 961205 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/96-08 & 50-370/96-08.
WERT,L.D. Region 2 (Post 820201). 96/12/17. MCMEEKIN,T.C. Duke Power Co. 2pp. 91180:111-91180:112.

**R. Periodic operating reports & related correspondence**

**9612180056** Forwards MORs for Nov 1996 for McGuire Nuclear Station Units 1 & 2 and revised MOR for Oct.
DIMMERY,T. Duke Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91148:211-91148:223.

--**9612180059** Monthly operating repts for Nov 1996 for McGuire Nuclear Station Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/11/30. 10pp. 91148:213-91148:222.

--**9612180063** Revised MOR for Oct 1996 for McGuire Nuclear Station Units 1 & 2.
* Duke Power Co. 96/10/31. 1p. 91148:223-91148:223.

**S. Reportable occurrences, LERs & related correspondence**

**9612130290** LER 96-004-01:on 961010,incorrectly calibrated RCL loss of flow reactor trip bistables identified.Caused by procedural/ technical inaccuracy.All affected procedures were changed & instruments calibrated within TS limits.W/961206 ltr.
PITESA,J.W., MCMEEKIN,T.C. Duke Power Co. 96/11/07. 8pp. 91163:125-91163:132.

**9612160219** LER 96-007-00:on 961107,mode related missed TS surveillance on containment integrity discovered due to technical inaccuracy.PM/PT database corrected & TS surveillance quality improvement team formed.W/961206 ltr.
PITESA,J.W., MCMEEKIN,T.C. Duke Power Co. 96/12/06. 6pp. 91163:156-91163:161.

**9612120417** Forward copy of resolution of comments on preliminary Accident Sequence Precursor analysis of operational event at McGuire Nuclear Station,units 1 & 2.
NERSES,V. . 96/12/09. MCMEEKIN,T.C. Duke Power Co. 5pp. 91075:142-91075:146.

**9612160213** LER 96-006-00:on 961109,manually initiated actuation of Unit 1 driven AFW pumps occurred due to loss of AS supply to MFW pump turbine.Caused by insufficient lubrication.No corrective actions right now.W/961209 ltr.
PITESA,J.W., MCMEEKIN,T.C. Duke Power Co. 96/12/09. 4pp. 91163:152-91163:155.

**DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612230394** Forwards emergency plan implementing procedures update encl inadvertently omitted from EP manual section 1.1,rev 13 dtd 961017.W/961218 release ltr.
HASTY,R.L. Duke Power Co. 96/10/31. Document Control Branch (Document Control Desk). 3pp. 91194:066-91194:082.

**--9612240142** Rev 13 to EP manual section 1.1, "McGuire Nuclear Site Technical Support Ctr Communication Equipment Layout."
* Duke Power Co. 96/10/31. 14pp. 91194:069-91194:082.

**9612190064** Submits EPIPs RP/O/A/5700/10 & RP/O/A/5700/11,for NRC use & review.W/961218 release memo.
MCMEEKIN,T.C. Duke Power Co. 96/11/12. Document Control Branch (Document Control Desk). 3pp. 91162:284-91162:318.

**--9612190077** Forwards public version of revised EPIPs,including rev 5 to RP/O/A/5700/10, "NRC Immediate Notification Requirements" & rev 3 to RP/O/A/5700/11, "Conducting Site Assembly,Site Evacuation or Containment Evacuation."
DOLAN,B. Duke Power Co. 96/11/11. 34pp. 91162:287-91162:318.

**9612090004** Forwards insp rept 50-369/96-09 & 50-370/96-09 on 961104-08. No noncompliance or significant issues were identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/27. MCMEEKIN,T.C. Duke Power Co. 3pp. 91038:313-91038:323.

**--9612090008** Insp repts 50-369/96-09 & 50-370/96-09 on 961104-08.No violations noted.Major areas inspected:safeguards insp included aspects of licensee plant support.
* Region 2 (Post 820201). 96/11/27. 8pp. 91038:316-91038:323.

**9612110360** Communicates corrective actions re emergency plan section J.6 on emergency response organization respiratory qualifications.Individuals counseled on need for thorough check of plan revs.
MCMEEKIN,T.C. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91089:354-91089:355.

**9612160339** Advises that revised EPIPs RP/0/A/5700/10 & RP/0/A/5700/11 submitted by util will be withheld from public disclosure per 10CFR2.790.
NERSER,V. . 96/12/12. MCMEEKIN,T.C. Duke Power Co. 3pp. 91101:143-91101:145.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612240104** Forwards new manual covers & spine inserts for plant UFSAR, replacing existing manual covers & spine inserts for vols. New artwork reflects introduction of word "Updated" to more properly define name of document.
MCMEEKIN,T.C. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 10pp. 91227:083-91227:098.

**P. Operating license stage documents & correspondence**

**9612020182** Summarizes 961108 meeting in Atlanta,GA re status & results of performance initiatives.List of attendees & handout encl.
WERT,L.D. Region 2 (Post 820201). 96/11/22. MCMEEKIN,T.C. Duke Power Co. 235pp. 90957:003-90957:238.

**9612040130** Application for amends to licenses NPF-9 & NPF-17,requesting change to TS 3.8.2 re DC sources.
MCMEEKIN,T.C. Duke Power Co. 96/11/26. Document Control Branch (Document Control Desk). 5pp. 91026:001-91026:082.

**--9612040137** Proposed tech specs 3.8.2 re DC sources.
* Duke Power Co. 96/11/26. 76pp. 91026:006-91026:082.

**9612090341** Forwards unsatisfactory performance test results for FFD program for plants.
TUCKMAN,M.S. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91054:259-91054:263.

**9612090371** Forwards corrected pp 17-15 to Topical Rept Duke-1-A, "Quality Assurance Program."
TUCKMAN,M.S. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91055:001-91055:008.

**--9612090375** Revised pp 17-15 to "Quality Assurance Program."
* Duke Power Co. 96/12/03. 6pp. 91055:003-91055:008.

**9612120448** Forwards "Notice of Consideration of Issuance of Amends to Facility Operating Licenses,Proposed NSHC Determination & Opportunity for Hearing," for publication in FR.
NERSES,V. . 96/12/09. MCMEEKIN,T.C. Duke Power Co. 3pp. 91075:147-91075:158.

**--9612120469** Notice of consideration of issuance of amends to licenses NPF-9 & NPF-17 & proposed NSHC determination & opportunity for hearing.Amends allow one-time only change necessary to replace existing 125-volt D C battery cells w/new cells.
NERSES,V. . 96/12/09. 10pp. 91075:150-91075:158.

**9612160299** Forwards amends 171 & 153 to licenses NPF-9 & NPF-17 & safety evaluation.Amends revise term "lifting loads" used in TS 3.9.6b.2,manipulator crane,to "lifting force."
NERSES,V. . 96/12/12. MCMEEKIN,T.C. Duke Power Co. 3pp. 91121:324-91121:337.

**--9612160317** Amends 171 & 153 to licenses NPF-9 & NPF-17,respectively, revising term "lifting loads" used in TS 3.9.6b.2, manipulator crane,to "lifting force."
BERKOW,H.N. . 96/12/12. 8pp. 91121:328-91121:334.

**--9612160322** Safety evaluation supporting amends 171 & 153 to licenses NPF-9 & NPF-17,respectively.
* . 96/12/12. 3pp. 91121:335-91121:337.

**9612160355** Requests comments re NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. TUCKMAN,M.S. Duke Power Co. 6pp. 91123:214-91123:219.

**9612180279** Responds to util 961031 request to withhold info from public disclosure,per 10CFR2.790 & informs that request granted.
NERSES,V. . 96/12/16. MCMEEKIN,T.C. Duke Power Co. 3pp. 91132:321-91132:323.

**9612240073** Forwards TS,supplementing amend request to change surveillance 4.8.2.1.2.e which achieves allignment w/improved STS SR 3.8.4.8.
BARRON,H.B. Duke Power Co. 96/12/17. Document Control Branch (Document Control Desk). 3pp. 91210:327-91210:333.

**--9612240079** Proposed tech specs,supplementing amend request to change surveillance 4.8.2.1.2.e which will achieve alignment w/ improved STS SR 3.8.4.8.
* Duke Power Co. 96/12/17. 4pp. 91210:330-91210:333.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060321** Ack receipt of 961030 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/96-07 & 50-370/96-07.
WERT,L.D. Region 2 (Post 820201). 96/11/12. MCMEEKIN,T.C. Duke Power Co. 2pp. 91025:358-91025:359.

**9612060238** Forwards insp repts 50-369/96-08 & 50-370/96-08 on 960908- 1019 & notice of violations.
WERT,L. Region 2 (Post 820201). 96/11/15. MCMEEKIN,T.C. Duke Power Co. 2pp. 91025:075-91025:111.

**--9612060241** Notice of violation from insp on 960908-1019.Violation noted:plant periodic test procedure,annulus ventilation sys train B operability test not adequate.
* Region 2 (Post 820201). 96/11/15. 2pp. 91025:077-91025:078.

**--9612060245** Insp repts 50-369/96-08 & 50-370/96-08 on 960908-1019. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/11/15. 33pp. 91025:079-91025:111.

**9612090004** Forwards insp rept 50-369/96-09 & 50-370/96-09 on 961104-08. No noncompliance or significant issues were identified.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/27. MCMEEKIN,T.C. Duke Power Co. 3pp. 91038:313-91038:323.

**--9612090008** Insp repts 50-369/96-09 & 50-370/96-09 on 961104-08.No violations noted.Major areas inspected:safeguards insp included aspects of licensee plant support.
* Region 2 (Post 820201). 96/11/27. 8pp. 91038:316-91038:323.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612100177** Responds to NRC 961115 ltr re violations noted in insp repts 50-369/96-08 & 50-370/96-08.Corrective actions:initiated procedure change that requires reverification of preheater operation at end of test.
MCMEEKIN,T.C. Duke Power Co. 96/12/05. Document Control Branch (Document Control Desk). 3pp. 91056:285-91056:287.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612170024** Forwards results from rod drop time tests performed on 961109 on Unit 1 & 961111 on Unit 2 in response to NRC Bulletin 96-001.
MCMEEKIN,T.C. Duke Power Co. 96/12/10. Document Control Branch (Document Control Desk). 7pp. 91105:350-91105:356.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230373** Ack receipt of 961205 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/96-08 & 50-370/96-08.
WERT,L.D. Region 2 (Post 820201). 96/12/17. MCMEEKIN,T.C. Duke Power Co. 2pp. 91180:111-91180:112.

**R. Periodic operating reports & related correspondence**

**9612180056** Forwards MORs for Nov 1996 for McGuire Nuclear Station Units 1 & 2 and revised MOR for Oct.
DIMMERY,T. Duke Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91148:211-91148:223.

**--9612180059** Monthly operating repts for Nov 1996 for McGuire Nuclear Station Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/11/30. 10pp. 91148:213-91148:222.

**--9612180063** Revised MOR for Oct 1996 for McGuire Nuclear Station Units 1 & 2.
* Duke Power Co. 96/10/31. 1p. 91148:223-91148:223.

**S. Reportable occurrences, LERs & related correspondence**

**9612130158** LER 96-005-00:on 961109,automatic start of 2B EDG due to 6 kV switchgear 2TD bus lockout,resulting in 2ETB blackout. Cause unknown.Relay replaced & will be analyzed to determine cause.W/961206 ltr.
PITESA,J.W., MCMEEKIN,T.C. Duke Power Co. 96/12/06. 6pp. 91163:106-91163:111.

**9612120417** Forward copy of resolution of comments on preliminary Accident Sequence Precursor analysis of operational event at McGuire Nuclear Station,units 1 & 2.
NERSES,V. . 96/12/09. MCMEEKIN,T.C. Duke Power Co. 5pp. 91075:142-91075:146.

**DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612180061** Revised EPIPs,including rev 5 to LZP-1135-1, "Communicator Implementing Procedure," rev 7 to LZP-1170-2, "Assembly & Accountability of Personnel" & rev 61 to LZP-1320-1, "Augmentation of Plant Staffing."
* Commonwealth Edison Co. 96/11/24. 79pp. 91145:191-91145:269.

**9612030280** Provides LSCS comments to SALP rept in response to 961017 ltr.Upgraded 1996 operational plan,includes elements of safe plant shutdown,effective work mgt & effective plant support. Util working to improve security & fire protection.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91010:308-91010:315.

**9612200050** Revised EPIPs,including LZP index,Rev 20 to LZP-1110-1,Rev 5 to LZP-113-1,Rev 7 to LZP-1170-2,Rev 17 to LZP-1200-1,Rev 1 to LZP-1250-4,Rev 1 to LZP-1250-5,Rev 61 to LZP-1320-1 & Rev 9 to LZP-1320-2.
* Commonwealth Edison Co. 96/12/05. 746pp. 91175:001-91177:018.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**P. Operating license stage documents & correspondence**

**9612110397** Application for amends to licenses NPF-11 & NPF-18,revising Section 3.4.2 SRV configuration to include only 13 of current 18 SRVs.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/12/02. Document Control Branch (Document Control Desk). 16pp. 91080:222-91080:336.

**--9612110423** Proposed tech specs,requesting amend to Section 3.4.2 to revise SRV configuration to include only 13 of current 18 SRVs.
* Commonwealth Edison Co. 96/12/02. 27pp. 91080:239-91080:265.

**--9612110428** "Safety Review for LaSalle County Station Units 1 & 2 Safety Relief Valves Reduction & Setpoint Tolerance Relaxation Analyses."
HOANG,H.X. General Electric Co. GE-NE-B13-01760 R02. 96/02/29. 55pp. 91080:266-91080:320.

**--9612110432** Rev 2,Addendum 1 to "Safety Review for LaSalle County Station Unit 1 & 2 Safety/Relief Valves Reduction & Setpoint Tolerance Relaxation Analyses."
HOANG,H.X. General Electric Co. GE-NE-B13-01760 R02. 96/09/30. 16pp. 91080:321-91080:336.

**9612090389** Forwards SE granting relief request RP-01 & alternative testing imposed per 10CFR50.55a(f)(6)(i) based on impracticality of performing required testing.
CAPRA,R.A. . 96/12/06. JOHNSON,I. Commonwealth Edison Co. 2pp. 91045:225-91045:231.

**--9612090390** Safety evaluation granting relief request RP-01 & alternative testing imposed per 10CFR50.55a(f)(6)(i) based on impracticality of performing required testing.
* . 96/12/06. 5pp. 91045:227-91045:231.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030216** Forwards insp repts 50-373/96-10 & 50-374/96-10 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/11/26. SUBALUSKY,W.T. Commonwealth Edison Co. 2pp. 90974:015-90974:029.

**--9612030220** Notice of violation from insp on 960803-0913.Violation noted:failure to use appropriate root cause analysis procedure,LTP-500-1,to troubleshoot & determine failure mechanism when output breaker "O" DG failed.
* Region 3 (Post 820201). 96/11/26. 1p. 90974:017-90974:017.

**--9612030222** Insp repts 50-373/96-10 & 50-374/96-10 on 960803-960913. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 96/11/26. 11pp. 90974:018-90974:029.

**9612030280** Provides LSCS comments to SALP rept in response to 961017 ltr.Upgraded 1996 operational plan,includes elements of safe plant shutdown,effective work mgt & effective plant support. Util working to improve security & fire protection.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91010:308-91010:315.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612240014** Forwards insp rept 50-373/96-16 & 50-374/96-16 on 961001-08 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/12/09. SUBALUSKY,W.T. Commonwealth Edison Co. 3pp. 91183:189-91183:208.

**--9612240020** Notice of violation from insp on 961001-08.Violation noted: licensee staff performed bench tests & determined AOV actuators in RCIC & PCIS did not exhibit preloaded spring closing forces specified in written specifications.
* Region 3 (Post 820201). 96/12/09. 2pp. 91183:192-91183:193.

**--9612240022** Insp repts 50-373/96-16 & 50-374/96-16 on 961001-08. Violations noted.Major areas inspected:plant operations & engineering.
* Region 3 (Post 820201). 96/12/09. 15pp. 91183:194-91183:208.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230274** Discusses suspect bolting at plant,per Bulletin 92-004. Total scope of boltingissue has not been completely identified,although suspect bolts have been found in listed components.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/12/11. BEACH,A.B. Region 3 (Post 820201). 2pp. 91211:330-91211:332.

**9612270081** Responds to NRC 961115 ltr re violations noted in insp rept 50-373/96-11 & 50-374/96-11.Corrective actions:Calculation L-000709 was performed.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 30pp. 91250:313-91250:342.

**9612310011** Discusses completion of semiannual PPR on 961107.Region conducts reviews for all operating NPP to develop integrated understanding of safety performance.Details of insp plan for next 6 months encl.
DAPAS,M.L. Region 3 (Post 820201). 96/12/20. SUBALUSKY,W.T. Commonwealth Edison Co. 3pp. 91235:004-91235:006.

**R. Periodic operating reports & related correspondence**

**9612170134** Forwards monthly operating rept for LaSalle County Station Units 1 & 2 for Nov 1996 & revised rept for Oct 1996 for Unit 2.
RAY,D.J. Commonwealth Edison Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91138:342-91138:355.

**--9612170142** Monthly operating repts for Nov 1996 for LaSalle Nuclear Power Station Unit 1 & 2.
CALFA,L. Commonwealth Edison Co. 96/11/30. 11pp. 91138:344-91138:354.

**--9612170154** Revised monthly operating rept for Oct 1996 for LaSalle County Nuclear Station Unit 2.
CALFA,L. Commonwealth Edison Co. 96/10/31. 1p. 91138:355-91138:355.

**S. Reportable occurrences, LERs & related correspondence**

**9612030181** LER 96-008-01:on 960628,all CSCS,ECCS & DGs declared inoperable due to foreign matl injected into svc water tunnel.Caused by inadequate work control.Tunnel cleaned & inspected,floor & wall repair work stopped.W/961125 ltr.
PRISTAVE,D., RAY,D.J. Commonwealth Edison Co. 96/11/25. 8pp. 91049:338-91049:345.

**9612030051** Special rept:on 961017,seismic monitor declared inoperable due to "Ready" light on RSA-50 not being able to be reset. New seismic monitor will be installed per design change package,tested & placed in svc by 970228.
RAY,D.J. Commonwealth Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91003:343-91003:344.

**9612030206** LER 96-011-01:on 960928,less than adequate pneumatic valves resulted in inadequate valve closing forces which may affect containment isolation.LaSalle is implementing design change packages to compensate for reduced EDA.W/961126 ltr.
SMITH,M., RAY,D.J. Commonwealth Edison Co. 96/11/26. 9pp. 91050:006-91050:014.

**9612020106** Part 21 rept re deficiency of WKM model 70-13 Pneumatic Actuators manufactured by Anchor Darling Valve Company due to incorrect calculation of bench set & supply air set points.All affected valves have been reviewed & evaluated.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91050:250-91050:257.

**9612020228** LER 96-014-00:on 961030,480 volt safety related switchgear breakers in degraded condition due to untimely implementation of previous corrective actions.Work requests 960101523 & 960101525 written for repairs.W/961127 ltr.
BAKAS,J., RAY,D.J. Commonwealth Edison Co. 96/11/27. 6pp. 91050:266-91050:271.

**9612110296** LER 96-017-00:on 961106,main CR found outside of design basis due to inadequate TS surveiltance procedure.Caused by failure to fully implement design basis requirements. Required tests,analysis & mods implemented.W/961203 ltr.
PANDE,R.P., RAY,D.J. Commonwealth Edison Co. 96/12/03. 5pp. 91151:165-91151:169.

**9612110336** LER 96-016-00:on 961106,discovered hot short could result in damage to MOVs required for safe hot shutdown.Caused by failure to recognize potential for mechanical valve damage from hot shorts & design deficiency.W/961203 ltr.
MURSKYJ,M.P., RAY,D.J. Commonwealth Edison Co. 96/12/03. 5pp. 91151:180-91151:184.

**9612100173** LER 96-018-00:on 961104,determined that RHR pump seal coolers do not meet design pressure requirements.Caused by inadequate design info from vendor.Replaced casings (shell side) w/casings w/design pressure of 15 psig.W/961204 ltr.
BORM,J., RAY,D.J. Commonwealth Edison Co. 96/12/04. 6pp. 91134:222-91134:227.

**9612120385** Special rept:on 961126,declared diesel driven suppression pumps inoperable when engineering identified maint had not been performed during shutdown.Completed 24-month maint insp & changed 24-month maint insp to once per 18 months
RAY,D.J. Commonwealth Edison Co. 96/12/09. Document Control Branch (Document Control Desk). 3pp. 91092:023-91092:025.

**9612200090** PNO-III-96-074:on 961213,licensee planned to extend outages for LaSalle units to address operational & engineering issues identified.Team also raised some concerns in area of plant.
DAPAS,M., CALDWELL,J. Region 3 (Post 820201). 96/12/18. 1p. 91201:002-91201:002.

**V. Operator Examinations**

**9612300021** Discusses arrangements made for administration of licensing examinations at LaSalle Nuclear Power Plant during wk of 970421.
LEACH,M.N. Region 3 (Post 820201). 96/12/20. SUBALUSKY,W.T. Commonwealth Edison Co. 5pp. 91229:036-91229:042.

**DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612180061** Revised EPIPs,including rev 5 to LZP-1135-1, "Communicator Implementing Procedure," rev 7 to LZP-1170-2, "Assembly & Accountability of Personnel" & rev 61 to LZP-1320-1, "Augmentation of Plant Staffing."
* Commonwealth Edison Co. 96/11/24. 79pp. 91145:191-91145:269.

**9612030280** Provides LSCS comments to SALP rept in response to 961017 ltr.Upgraded 1996 operational plan,includes elements of safe plant shutdown,effective work mgt & effective plant support. Util working to improve security & fire protection.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91010:308-91010:315.

**9612200050** Revised EPIPs,including LZP index,Rev 20 to LZP-1110-1,Rev 5 to LZP-113-1,Rev 7 to LZP-1170-2,Rev 17 to LZP-1200-1,Rev 1 to LZP-1250-4,Rev 1 to LZP-1250-5,Rev 61 to LZP-1320-1 & Rev 9 to LZP-1320-2.
* Commonwealth Edison Co. 96/12/05. 746pp. 91175:001-91177:018.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**P. Operating license stage documents & correspondence**

**9612110397** Application for amends to licenses NPF-11 & NPF-18,revising Section 3.4.2 SRV configuration to include only 13 of current 18 SRVs.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/12/02. Document Control Branch (Document.Control Desk). 16pp. 91080:222-91080:336.

**-9612110423** Proposed tech specs,requesting amend to Section 3.4.2 to revise SRV configuration to include only 13 of current 18 SRVs.
* Commonwealth Edison Co. 96/12/02. 27pp. 91080:239-91080:265.

**-9612110428** "Safety Review for LaSalle County Station Units 1 & 2 Safety Relief Valves Reduction & Setpoint Tolerance Relaxation Analyses."
HOANG,H.X. General Electric Co. GE-NE-B13-01760 R02. 96/02/29. 55pp. 91080:266-91080:320.

**-9612110432** Rev 2,Addendum 1 to "Safety Review for LaSalle County Station Unit 1 & 2 Safety/Relief Valves Reduction & Setpoint Tolerance Relaxation Analyses."
HOANG,H.X. General Electric Co. GE-NE-B13-01760 R02. 96/09/30. 16pp. 91080:321-91080:336.

**9612090389** Forwards SE granting relief request RP-01 & alternative testing imposed per 10CFR50.55a(f)(6)(i) based on impracticality of performing required testing.
CAPRA,R.A. . 96/12/06. JOHNSON,I. Commonwealth Edison Co. 2pp. 91045:225-91045:231.

**-9612090390** Safety evaluation granting relief request RP-01 & alternative testing imposed per 10CFR50.55a(f)(6)(i) based on impracticality of performing required testing.
* . 96/12/06. 5pp. 91045:227-91045:231.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030216** Forwards insp repts 50-373/96-10 & 50-374/96-10 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/11/26. SUBALUSKY,W.T. Commonwealth Edison Co. 2pp. 90974:015-90974:029.

**-9612030220** Notice of violation from insp on 960803-0913.Violation noted:failure to use appropriate root cause analysis procedure,LTP-500-1,to troubleshoot & determine failure mechanism when output breaker "O" DG failed.
* Region 3 (Post 820201). 96/11/26. 1p. 90974:017-90974:017.

**-9612030222** Insp repts 50-373/96-10 & 50-374/96-10 on 960803-960913. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 96/11/26. 11pp. 90974:018-90974:029.

**9612030280** Provides LSCS comments to SALP rept in response to 961017 ltr.Upgraded 1996 operational plan,includes elements of safe plant shutdown,effective work mgt & effective plant support. Util working to improve security & fire protection.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91010:308-91010:315.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612240014** Forwards insp rept 50-373/96-16 & 50-374/96-16 on 961001-08 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 96/12/09. SUBALUSKY,W.T. Commonwealth Edison Co. 3pp. 91183:189-91183:208.

**-9612240020** Notice of violation from insp on 961001-08.Violation noted: licensee staff performed bench tests & determined AOV actuators in RCIC & PCIS did not exhibit preloaded spring closing forces specified in written specifications.
* Region 3 (Post 820201). 96/12/09. 2pp. 91183:192-91183:193.

**-9612240022** Insp repts 50-373/96-16 & 50-374/96-16 on 961001-08. Violations noted.Major areas inspected:plant operations & engineering.
* Region 3 (Post 820201). 96/12/09. 15pp. 91183:194-91183:208.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas in RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230274** Discusses suspect bolting at plant,per Bulletin 92-004. Total scope of boltingissue has not been completely identified,although suspect bolts have been found in listed components.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/12/11. BEACH,A.B. Region 3 (Post 820201). 2pp. 91211:330-91211:332.

**9612270081** Responds to NRC 961115 ltr re violations noted in insp rept 50-373/96-11 & 50-374/96-11.Corrective actions:Calculation L-000709 was performed.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 30pp. 91250:313-91250:342.

**9612310011** Discusses completion of semiannual PPR on 961107.Region conducts reviews for all operating NPP to develop integrated understanding of safety performance.Details of insp plan for next 6 months encl.
DAPAS,M.L. Region 3 (Post 820201). 96/12/20. SUBALUSKY,W.T. Commonwealth Edison Co. 3pp. 91235:004-91235:006.

**R. Periodic operating reports & related correspondence**

**9612170134** Forwards monthly operating rept for LaSalle County Station Units 1 & 2 for Nov 1996 & revised rept for Oct 1996 for Unit 2.
RAY,D.J. Commonwealth Edison Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91138:342-91138:355.

**-9612170142** Monthly operating repts for Nov 1996 for LaSalle Nuclear Power Station Unit 1 & 2.
CALFA,L. Commonwealth Edison Co. 96/11/30. 11pp. 91138:344-91138:354.

**-9612170154** Revised monthly operating rept for Oct 1996 for LaSalle County Nuclear Station Unit 2.
CALFA,L. Commonwealth Edison Co. 96/10/31. 1p. 91138:355-91138:355.

**S. Reportable occurrences, LERs & related correspondence**

**9612030051** Special rept:on 961017,seismic monitor declared inoperable due to "Ready" light on RSA-50 not being able to be reset. New seismic monitor will be installed per design change package,tested & placed in svc by 970228.
RAY,D.J. Commonwealth Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91003:343-91003:344.

**9612020106** Part 21 rept re deficiency of WKM model 70-13 Pneumatic Actuators manufactured by Anchor Darling Valve Company due to incorrect calculation of bench set & supply air set points.All affected valves have been reviewed & evaluated.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91050:250-91050:257.

**9612120385** Special rept:on 961126,declared diesel driven suppression pumps inoperable when engineering identified maint had not been performed during shutdown.Completed 24-month maint insp & changed 24-month maint insp to once per 18 months
RAY,D.J. Commonwealth Edison Co. 96/12/09. Document Control Branch (Document Control Desk). 3pp. 91092:023-91092:025.

**9612200090** PNO-III-96-074:on 961213,licensee planned to extend outages for LaSalle units to address operational & engineering issues identified.Team also raised some concerns in area of plant.
DAPAS,M., CALDWELL,J. Region 3 (Post 820201). 96/12/18. 1p. 91201:002-91201:002.

**V. Operator Examinations**

**9612300021** Discusses arrangements made for administration of licensing examinations at LaSalle Nuclear Power Plant during wk of 970421.
LEACH,M.N. Region 3 (Post 820201). 96/12/20. SUBALUSKY,W.T. Commonwealth Edison Co. 5pp. 91229:038-91229:042.

**DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612020166** Rev 17 to EPIP EP-003-070, "Emergency Communications Sys Routine Testing." W/961126 ltr.
PERQUE,G.P., FISICARO,J.J. Entergy Operations, Inc. 96/11/26. 39pp. 90998:322-90998:360.

**9612270030** Rev 33 to "Waterford 3 SES Emergency Plan." W/961219 ltr.
SELLMAN,M. Entergy Operations, Inc. 96/12/12. 461pp. 91237:001-91238:111.

**9612200335** Revised EPIPs,including Rev 6 to EP-002-031, "In-Plant Radiological Controls & Surveys During Emergencies," Rev 11 to EP-002-032, "Monitoring & Decontamination" & Rev 4 to EP-002-034, "Onsite Surveys During...." W/961218 ltr.
FISICARO,J.J. Entergy Operations, Inc. 96/12/18. 41pp. 91209:153-91209:193.

**9612230066** Discusses investigation rept 4-96-004 on 960123-0628 & forwards NOV.
CALLAN,L.J. Region 4 (Post 820201). 96/12/19. GRACIN,R.M. Affiliation Not Assigned. 4pp. 91166:011-91166:016.

**--9612230070** Notice of violation from insp on 960123-0628.Noncompliance noted:on 960111,RM Gracin,employee of Entergy Operations, Inc,deliberately provided info to NRC inspector & licensee representatives that was inaccurate re unescorted access.
* Region 4 (Post 820201). 96/12/13. 2pp. 91166:015-91166:016.

**H. General correspondence**

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

**--9612130103** Forwards Hartford Courant article published on 961020 re problems at Millstone.R Nader will be in Waterford 961029.
BLANCH,P.M. Affiliation Not Assigned. 96/10/22. MARTIN,T. NRC - No Detailed Affiliation Given. 5pp. 91120:177-91120:181.

**P. Operating license stage documents & correspondence**

**9612050080** Notification of 961217 licensee meeting w/util in Arlington, TX to discuss evaluation approach & results of UFSAR assessments at each facility.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Region 4 (Post 820201). 9pp. 91013:154-91013:163.

**9612050105** Notification of 961218 public meeting w/util in Arlington, TX to discuss status of plant performance improvement program.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Region 4 (Post 820201). 5pp. 91013:175-91013:179.

**9612040037** Application for amend to license NPF-38,permitting use of 10CFR50,App J,Option B re performance-based containment leakage testing for Type A,B & C leak rate testing.
SELLMAN,M. Entergy Operations, Inc. 96/12/02. Document Control Branch (Document Control Desk). 10pp. 91011:319-91011:352.

**--9612040041** Proposed tech specs revised to permit use of 10CFR50 App J, Option B,Performance-Based Containment Leakage Testing for Type A,B & C leak rate testing.
* Entergy Operations, Inc. 96/12/02. 24pp. 91011:329-91011:352.

**9612130314** Submits tornado missile protection for ultimate heat sink update.
FISICARO,J.J. Entergy Operations, Inc. 96/12/10. Document Control Branch (Document Control Desk). 3pp. 91121:037-91121:039.

**9612160256** Summary of 96111 meeting w/licensee in Rockville,MD to discuss comments developed in response to NRC advance notice of proposed rulemaking on financial assurance requirements for decommissioning nuclear reactors.List of attendees encl.
WIGGINTON,D.L. . 96/12/11. . 40pp. 91101:150-91101:189.

**9612180287** Forwards for review & comments draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Request comments by 970214. W/o encl.
MIRAGLIA,F.J. . 96/12/13. HINTZ,D.C. Entergy Operations, Inc. 7pp. 91132:324-91132:330.

**9612260327** Forwards revised "QA Program Manual Update," for period 941008-960501.Part 1 of attachment addresses three changes, upon further review,util concurs represents reductions from previously accepted commitments.
SELLMAN,M.B. Entergy Operations, Inc. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91234:277-91234:296.

**--9612260328** Revised "QA Program Manual Update," for period 941008- 960501.
* Entergy Operations, Inc. 96/05/01. 18pp. 91234:279-91234:296.

**9612270065** Requests NRC review & approval of proposed change to basemat monitoring program.
FISICARO,J.J. Entergy Operations, Inc. 96/12/20. Document Control Branch (Document Control Desk). 7pp. 91249:071-91249:077.

**9612310152** Submits revised tech spec change request re 3/4.8.1, "Electrical Power Systems - AC Sources," per 961007 & 1204 telcons w/NRC.
FISICARO,J.J. Entergy Operations, Inc. 96/12/26. Document Control Branch (Document Control Desk). 2pp. 91249:206-91249:211.

**--9612310154** Proposed tech specs 3/4.8.1 re electrical power systems.
* Entergy Operations, Inc. 96/12/26. 4pp. 91249:208-91249:211.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030169** Discusses 961030 semiannual plant performance review for all NPPs to develop integrated understanding of safety performance.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/27. SELLMAN,M.B. Entergy Operations, Inc. 6pp. 90973:319-90973:324.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160386** Forwards SE & technical rept by INEL in response to request for authorization to update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code,Section XI & authorizes proposed alternatives.
BECKNER,W. . 96/12/12. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91101:030-91101:055.

**--9612160403** Safety evaluation supporting update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code, Sect XI for licenses DPR-51,NPF-6,NPF-38,NPF-29 & NPF-47. Technical ltr rept encl.
* . 96/12/12. 19pp. 91101:037-91101:055.

**9612180095** Responds to NRC ltr re violations noted in insp rept 50-382/96-12.Corrective actions:Operations Manager held meeting w/operations personnel on 961123 to discuss personnel errors occurring in operations dept.
FISICARO,J.J. Entergy Operations, Inc. 96/12/13. Document Control Branch (Document Control Desk). 9pp. 91148:262-91148:270.

**9612230211** Forwards insp rept 50-382/96-202 on 960923-1010.no violations noted.
GALLO,R.M. . 96/12/13. SELLMAN,M.B. Entergy Operations, Inc. 9pp. 91194:001-91194:064.

**--9612230215** Insp rept 50-382/96-202 on 960923-1010.No violations noted. Major areas inspected:engineering.
* . 96/12/13. 48pp. 91194:011-91194:064.

**9612180315** Requests addl info re relief from ASME Boiler & Pressure Vessel Code,Section XI requirements associated w/first 10- yr interval inservice insp program plan for plant.
PATEL,C.P. . 96/12/16. SELLMAM,M.B. Entergy Operations, Inc. 5pp. 91132:268-91132:272.

**9612230066** Discusses investigation rept 4-96-004 on 960123-0628 & forwards NOV.
CALLAN,L.J. Region 4 (Post 820201). 96/12/19. GRACIN,R.M. Affiliation Not Assigned. 4pp. 91166:011-91166:016.

**--9612230070** Notice of violation from insp on 960123-0628.Noncompliance noted:on 960111,RM Gracin,employee of Entergy Operations, Inc,deliberately provided info to NRC inspector & licensee representatives that was inaccurate re unescorted access.
* Region 4 (Post 820201). 96/12/13. 2pp. 91166:015-91166:016.

**9612260163** Forwards insp rept 50-382/96-13 on 961013-1130 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/19. SELLMAN,M.B. Entergy Operations, Inc. 5pp. 91200:152-91200:178.

**--9612260168** Notice of violation from insp on 961013-1130.Violation noted:on 961001,licensee failed to secure airborne radioactivity removal sys after stopping containment purge.
* Region 4 (Post 820201). 96/12/19. 2pp. 91200:157-91200:158.

**--9612260175** Insp rept 50-382/96-13 on 961013-1130.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/12/19. 20pp. 91200:159-91200:178.

**9612300042** Ack receipt of 961213 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/96-12 & notice of violation dtd 961104.
DYER,J.E. Region 4 (Post 820201). 96/12/24. SELLMAN,M.B. Entergy Operations, Inc. 5pp. 91229:105-91229:118.

**9612300050** Discusses insp repts 50-382/96-09 & 50-382/96-20 on 961120 & forwards notice of violation & proposed imposition of civil penalty.
CALLAN,L.J. Region 4 (Post 820201). 96/12/26. SELLMAN,M.B. Entergy Operations, Inc. 8pp. 91229:128-91229:139.

**-9612300053** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:actual design configuration of containment VRS different from that described in Amend 28 to plant FSAR from 1985 - Jul 1996.
* Region 4 (Post 820201). 96/12/26. 4pp. 91229:136-91229:139.

**9612300117** Responds to NRC ltr re violations noted in insp rept 50-382/96-24.Corrective actions:upon discovery,calculations were performed to include additional makeup requirements.
FISICARO,J.J. Entergy Operations, Inc. 96/12/26. Document Control Branch (Document Control Desk). 9pp. 91256:189-91256:197.

**9612270149** Press release IV-96-63, "NRC Proposes to Fine Waterford $50,000 for Design Error."
* Region 4 (Post 820201). 96/12/27. 1p. 91271:010-91271:010.

**R. Periodic operating reports & related correspondence**

**9612180025** Monthly operating rept for Nov 1996 for Waterford 3 SES. W/961213 ltr.
FREEMAN,D.S., FISICARO,J.J. Entergy Operations, Inc. 96/11/30. 7pp. 91145:339-91145:345.

**S. Reportable occurrences, LERs & related correspondence**

**9612040065** LER 96-015-00:on 961101,failed to isolate containment penetration 20 during maint of valve CC-808A containment fan cooler CCW inlet isolation valve.Caused by personnel error. Ltr re TS 3.6.3 issued.W/961202 ltr.
GAUDET,T.J., DUGGER,C.M. Entergy Operations, Inc. 96/12/02. 6pp. 91050:201-91050:207.

**9612120263** Special rept SR-96-003-00:on 961027,valve & loose parts monitoring sys declared inoperable.Caused by failure of sensor on Channel 1.Sensor will be replaced during refueling outage 8.
DUGGER,C.M. Entergy Operations, Inc. 96/12/10. Document Control Branch (Document Control Desk). 5pp. 91092:066-91092:070.

**DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030324** Submits revs to ERDS data point library ref file due to installation of PICSY.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 1p. 91011:098-91011:098.

**9612160348** Provides util interpretation & application of App R,Spurious Operations Criteria at Susquehanna SES.Closure of listed issues re App R Safe Shutdown for SSES,requested to satisfy remaining issues.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/12/06. Document Control Branch (Document Control Desk). 16pp. 91102:183-91102:288.

**-9612160354** Rev 2 to "Inadvertent Reactor Vessel Injection Resulting from Spurious Operation of HPCI or RCIC Sys."
VALMONTE,L.H., DACOSTA,J., BIRMINGHAM,G.S. Pennsylvania Power & Light Co. EC-013-0788 R02. 96/10/30. 25pp. 91102:199-91102:224.

**-9612160357** Rev 4 to "App R Safe Shutdown Path 2 Analysis for Fires in Control Room Fire Zones."
GORMAN,T.A., BUTLER,F.G., JEBSEN,E.R. Pennsylvania Power & Light Co. EC-013-0859 R04. 96/10/30. 64pp. 91102:225-91102:288.

**9612240037** Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
POSLUSNY,C. . 96/12/18. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 91197:281-91197:284.

**9612310121** Summary of 960125 meeting w/util in Allentown,PA re safe shutdown analysis issues re rev 4 of fire protection review rept for plant & deviation request re MOV hot shorts.List of attendees encl.
POSLUSNY,C. . 96/12/23. . 31pp. 91247:118-91247:148.

**P. Operating license stage documents & correspondence**

**9612030255** Forwards proposed Amends 207 & 165 to Licenses NPF-14 & NPF-22,increasing high rod block setpoints associated w/rod block monitor (RBM) sys for both two loop & single loop operation.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91010:193-91010:216.

**-9612030261** Proposed Amends 207 & 165 Licenses NPF-14 & NPF-22,changing rod block monitor (RBM) setpoints,channel calibr frequency & allowed out-of-svc times (AOT).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. 12pp. 91010:195-91010:206.

**-9612030263** Proposed tech specs re rod block monitor (RBM) setpoints & channel calibr frequency.
* Pennsylvania Power & Light Co. 96/11/27. 10pp. 91010:207-91010:216.

**9612110293** Forwards rev 1 to util "Single Failure Analysis," for affiliated instrument circuits supplied by GE for plant Unit 1.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91076:001-91077:043.

**-9612110295** Rev 1 to "Single Failure Analysis for GE Supplied Instruments Connected to Class 1E Circuits."
AKUS,J.P., BARTOS,J.A., WINDERS,J.J. Pennsylvania Power & Light Co. EC-QDET-1002 R01. 96/11/19. 405pp. 91076:003-91077:043.

**9612160393** Notification of 961217 meeting w/util in North Bethesda,MD to discuss staff evaluation of IPE submittal.
POSLUSNY,C. . 96/12/12. STOLZ,J.F. . 4pp. 91121:249-91121:252.

**9612190286** Informs of availability of draft NUREG-1560 rept entitled, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/12. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 91137:001-91137:005.

**9612240037** Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
POSLUSNY,C. . 96/12/18. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 91197:281-91197:284.

**9612310137** Summary of 961031 meeting w/util in Rockville,MD re improved TS submitted for plant,dtd 960801.List of attendees encl.
POSLUSNY.C. . 96/12/23. . 5pp. 91247:113-91247:117.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260046** Responds to NRC 961112 ltr re violations noted in insp repts 50-387/96-10 & 50-388/96-10.Corrective actions:MT-055-015 has been revised.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/12/17. Document Control Branch (Document Control Desk). 10pp. 91229:241-91229:250.

**9612310169** Ack receipt of 961217 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/96-10 & 50-388/96-10 on 961112.
PASCIAK,W.J. Region 1 (Post 820201). 96/12/24. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 91235:270-91235:282.

**R. Periodic operating reports & related correspondence**

**9612260225** Monthly operating repts for Nov 1996 for Susquehanna Steam Electric Station Units 1 & 2.W/961216 ltr.
YOUNG,K.A., BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/30. 9pp. 91235:319-91235:327.

**S. Reportable occurrences, LERs & related correspondence**

**9612110385** LER 96-015-00:on 961105,determined 4.16 KV breakers not in dynamically qualified position due to misunderstanding of interaction between dynamic status & actual functional equipment.Racked in breakers.W/961205 ltr.
CODDINGTON,C., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 96/12/05. 4pp. 91151:191-91151:195.

**9612260061** LER 96-016-00:on 961118,B loops of both RHR & core spray sys declared inoperable.Caused by inattention to detail & failure to follow procedures.Operator reviewed operating procedures & completed upgrade training.W/961217 ltr.
CODDINGTON,C.T., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 96/12/17. 4pp. 91242:107-91242:110.

**V. Operator Examinations**

**9612060295** Informs exam results for applicants on exam conducted on 961021-24.Two applicants passed exam & three failed.W/o summary of overall results,individual results,copies of licenses issued & ltrs for those who failed encl.
MEYER,G.W. Region 1 (Post 820201). 96/12/02. LOTHERT,W.H. Pennsylvania Power & Light Co. 2pp. 91025:334-91025:335.

**9612090391** Transmits findings of initial operator license examinations conducted on 961021-24 & request response re review & meaning of high applicant failure within 60 days of receipt of ltr.
MEYER,G.W. Region 1 (Post 820201). 96/12/03. BYRAM,R.G. Pennsylvania Power & Light Co. 157pp. 91038:019-91038:175.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612020046** Summary of 960912 meeting w/util in Berwick,PA to discuss licensee plans for const & implementation of on-site dry cask spent fuel storage facility.
POSLUSNY,C. . 96/11/24. . 49pp. 90975:005-90975:053.

**9612040001** Forwards response to RAI re design of concrete pad for dry cask storage facility.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 69pp. 91019:257-91019:325.

**9612040178** Summary of 961030 meeting w/PP&L re installation of onsite storage facility for spent fuel at plant,units 1 & 2.List of attendees & licensee handouts encl.
POSLUSNY,C. . 96/12/02. . 32pp. 91007:227-91007:258.

**DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612160348** Provides util interpretation & application of App R,Spurious Operations Criteria at Susquehanna SES.Closure of listed issues re App R Safe Shutdown for SSES,requested to satisfy remaining issues.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/12/06. Document Control Branch (Document Control Desk). 16pp. 91102:183-91102:288.

--**9612160354** Rev 2 to "Inadvertent Reactor Vessel Injection Resulting from Spurious Operation of HPCI or RCIC Sys."
VALMONTE,L.H., DACOSTA,J., BIRMINGHAM,G.S. Pennsylvania Power & Light Co. EC-013-0788 R02. 96/10/30. 25pp. 91102:199-91102:224.

--**9612160357** Rev 4 to "App R Safe Shutdown Path 2 Analysis for Fires in Control Room Fire Zones."
GORMAN,T.A., BUTLER,F.G., JEBSEN,E.R. Pennsylvania Power & Light Co. EC-013-0859 R04. 96/10/30. 64pp. 91102:225-91102:288.

**9612240037** Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
POSLUSNY,C. . 96/12/18. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 91197:281-91197:284.

**9612310121** Summary of 960125 meeting w/util in Allentown,PA re safe shutdown analysis issues re rev 4 of fire protection review rept for plant & deviation request re MOV hot shorts.List of attendees encl.
POSLUSNY,C. . 96/12/23. . 31pp. 91247:118-91247:148.

**P. Operating license stage documents & correspondence**

**9612030255** Forwards proposed Amends 207 & 165 to Licenses NPF-14 & NPF-22,increasing high rod block setpoints associated w/rod block monitor (RBM) sys for both two loop & single loop operation.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91010:193-91010:216.

--**9612030261** Proposed Amends 207 & 165 Licenses NPF-14 & NPF-22,changing rod block monitor (RBM) setpoints,channel calibr frequency & allowed out-of-svc times (AOT).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. 12pp. 91010:195-91010:206.

--**9612030263** Proposed tech specs re rod block monitor (RBM) setpoints & channel calibr frequency.
* Pennsylvania Power & Light Co. 96/11/27. 10pp. 91010:207-91010:216.

**9612160393** Notification of 961217 meeting w/util in North Bethesda,MD to discuss staff evaluation of IPE submittal.
POSLUSNY,C. . 96/12/12. STOLZ,J.F. . 4pp. 91121:249-91121:252.

**9612190286** Informs of availability of draft NUREG-1560 rept entitled, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/12. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 91137:001-91137:005.

**9612240037** Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
POSLUSNY,C. . 96/12/18. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 91197:281-91197:284.

**9612240190** Application for amend to license NPF-22,requesting to use 24-month operating cycle & advance design SPC ATRIUM-10 fuel.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/12/18. Document Control Branch (Document Control Desk). 15pp. 91228:263-91228:289.

--**9612240193** Proposed tech specs changing Section 1.0, "Definition," Section 2.1 & 3/4.4, "MCPR Safety Limit Values," Section 5.3, "Design Features" & Section 6.9.3.2, "Administrative Controls."
* Pennsylvania Power & Light Co. 96/12/18. 12pp. 91228:278-91228:289.

**9612310137** Summary of 961031 meeting w/util in Rockville,MD re improved TS submitted for plant,dtd 960801.List of attendees encl.
POSLUSNY.C. . 96/12/23. . 5pp. 91247:113-91247:117.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030317** Provides Rev 1 to Relief Request RR-13,sent to NRC staff in ltr dtd 961028 re second 10-Yr insp program for Unit 2.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 5pp. 91011:090-91011:094.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260046** Responds to NRC 961112 ltr re violations noted in insp repts 50-387/96-10 & 50-388/96-10.Corrective actions:MT-055-015 has been revised.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/12/17. Document Control Branch (Document Control Desk). 10pp. 91229:241-91229:250.

**9612310169** Ack receipt of 961217 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/96-10 & 50-388/96-10 on 961112.
PASCIAK,W.J. Region 1 (Post 820201). 96/12/24. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 91235:270-91235:282.

**R. Periodic operating reports & related correspondence**

**9612260225** Monthly operating repts for Nov 1996 for Susquehanna Steam Electric Station Units 1 & 2.W/961216 ltr.
YOUNG,K.A., BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/30. 9pp. 91235:319-91235:327.

**V. Operator Examinations**

**9612060295** Informs exam results for applicants on exam conducted on 961021-24.Two applicants passed exam & three failed.W/o summary of overall results,individual results,copies of licenses issued & ltrs for those who failed encl.
MEYER,G.W. Region 1 (Post 820201). 96/12/02. LOTHERT,W.H. Pennsylvania Power & Light Co. 2pp. 91025:334-91025:335.

**9612090391** Transmits findings of initial operator license examinations conducted on 961021-24 & request response re review & meaning of high applicant failure within 60 days of receipt of ltr.
MEYER,G.W. Region 1 (Post 820201). 96/12/03. BYRAM,R.G. Pennsylvania Power & Light Co. 157pp. 91038:019-91038:175.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9612020046** Summary of 960912 meeting w/util in Berwick,PA to discuss licensee plans for const & implementation of on-site dry cask spent fuel storage facility.
POSLUSNY,C. . 96/11/24. . 49pp. 90975:005-90975:053.

**9612040001** Forwards response to RAI re design of concrete pad for dry cask storage facility.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 69pp. 91019:257-91019:325.

**9612040178** Summary of 961030 meeting w/PP&L re installation of onsite storage facility for spent fuel at plant,units 1 & 2.List of attendees & licensee handouts encl.
POSLUSNY,C. . 96/12/02. . 32pp. 91007:227-91007:258.

**DOCKET 50-389 ST. LUCIE PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612030318** Forwards clarification of verbiage in Section 7.2.2 paragraph 2 of St Lucie Radiological Emergency Plan.
PLUNKETT,T.F. Florida Power & Light Co. 96/11/25. Document Control Branch (Document Control Desk). 3pp. 91011:095-91011:097.

**9612060234** Forwards insp repts 50-335/96-18 & 50-389/96-18 on 961007-1101.Noncited violations noted.Predecisional enforcement conference to discuss violations scheduled for 961210.
GIBSON,A.F. Region 2 (Post 820201). 96/11/26. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91024:282-91024:305.

--**9612060240** Insp repts 50-335/96-18 & 50-389/96-18 on 961007-18 & 961028-1101.Noncited violations noted.Major areas inspected: emergency preparedness program.
* Region 2 (Post 820201). 96/11/26. 21pp. 91024:285-91024:305.

**9612110283** Revised EPIPs,including rev 44 to 3100021E re emergency coordinator duties,rev 73 to 3100023E re site emergency coordination & rev 27 to 3100024E re natural emergencies.W/ 961204 ltr.
STALL,J.A. Florida Power & Light Co. 96/12/04. 122pp. 91080:001-91080:122.

**9612270036** Revised EPIPs,including rev 12 to C-110,rev 8 to C-111,rev 2 to EPP-15 & rev 30 to HP-90.W/961217 ltr.
STALL,J.A. Florida Power & Light Co. 96/12/17. 154pp. 91238:199-91238:352.

**9612260320** Forwards suppl response to GL 92-08, "Thermal-Lag 330-1 Fire Barriers," for plant.
STALL,J.A. Florida Power & Light Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91236:218-91236:335.

--**9612260322** Rev 1 to "Cable Derating in Conduits W/Fire Barrier Coatings."
* Florida Power & Light Co. PSL-OFJE-96-001 R01. 96/12/18. 32pp. 91236:220-91236:251.

--**9612260324** Rev 0 to "Fire Barrier Ampacity Correction Factors Extrapolation of Test Results for 3 Hour Barrier."
* Florida Power & Light Co. PTN-BFJM-96-005 R00. 96/04/10. 54pp. 91236:252-91236:305.

--**9612260325** Rev 0 to JPN-PSL-SEES-96-059, "Engineering Evaluation of Application of Thermo-Lag to Meet RG 1.75 Requirements."
* Florida Power & Light Co. JPN-PSL-SEES-96-059. 96/08/27. 30pp. 91236:306-91236:335.

**G. Adjudicatory correspondence**

**9612260073** Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-96-19 expired.Decision became final agency action on 961213. W/Certificate of Svc.Served on 961218.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18114. 96/12/18. SAPORITO,T.J. Saporito, T.J. 2pp. 91194:354-91194:355.

**H. General correspondence**

**9612200300** Submits request for changes to official svc list for Units 1 & 2.New address specifically for NRC mail submitted.
STALL,J.A. Florida Power & Light Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91233:299-91233:299.

**I. Financial information**

**9612310185** Submits Price Anderson Guarantees Form 10-K annual financial rept per 10CFR50.71(b).
KUNDALKAR,R.S. Florida Power & Light Co. 96/12/20. Document Control Branch (Document Control Desk). 60pp. 91266:285-91266:348.

**P. Operating license stage documents & correspondence**

**9612030013** Forwards staff evaluations addressing two specific issues, one involving acceptability of pre-lubricating valves prior to testing & one involving effect of using operator action in place of automatic action.
LANDIS,K.D. Region 2 (Post 820201). 96/11/19. BEARD,P.M. Florida Power Corp. 3pp. 90973:059-90973:072.

**-9608010200** Responds to request for assistance in addressing issues re plant emergency diesel generator fuel oil transfer sys leak isolation & using operator action in place of automatic action.
BUTCHER,E.J. . 96/07/30. HEBDON,F. . 5pp. 90973:068-90973:072.

**9612090101** Forwards NRC staff evaluations addressing two specific issues including acceptability of pre-lubricating valves prior to testing & effect of using operator action in place of automatic action.
LANDIS,K.D. Region 2 (Post 820201). 96/11/19. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91039:058-91039:071.

**9612180320** Discusses draft NUREG-1560, "Individual Plant Exam Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 91135:280-91135:284.

**9612160411** Notification of 961219 meeting w/util in Rockville to discuss licensing issues re plant.
WIENS,L.A. . 96/12/12. HEBDON,F.J. . 3pp. 91101:119-91101:121.

**9612200280** Forwards "St Lucie Plant Status Meeting on 961211," which includes detailed review of plants key performance indicators.
STALL,J.A. Florida Power & Light Co. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91209:051-91209:144.

**-9612200286** "St Lucie Plant Status Meeting on 961211."
* Florida Power & Light Co. 96/12/11. 80pp. 91209:052-91209:144.

**9612260320** Forwards suppl response to GL 92-08, "Thermal-Lag 330-1 Fire Barriers," for plant.
STALL,J.A. Florida Power & Light Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91236:218-91236:335.

**-9612260322** Rev 1 to "Cable Derating in Conduits W/Fire Barrier Coatings."
* Florida Power & Light Co. PSL-OFJE-96-001 R01. 96/12/18. 32pp. 91236:220-91236:251.

**-9612260324** Rev 0 to "Fire Barrier Ampacity Correction Factors Extrapolation of Test Results for 3 Hour Barrier."
* Florida Power & Light Co. PTN-BFJM-96-005 R00. 96/04/10. 54pp. 91236:252-91236:305.

**-9612260325** Rev 0 to JPN-PSL-SEES-96-059, "Engineering Evaluation of Application of Thermo-Lag to Meet RG 1.75 Requirements."
* Florida Power & Light Co. JPN-PSL-SEES-96-059. 96/08/27. 30pp. 91236:306-91236:335.

**9612240323** Summary of 961219 meeting w/FPL in Rockville,MD re status & schedule of current & upcoming licensing issues concerning St Lucie plants.
WIENS,L.A. . 96/12/20. . 2pp. 91197:340-91197:341.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020143** Ack receipt of 961018 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/96-16 & 50-389/96-16.
GIBSON,A.F. Region 2 (Post 820201). 96/11/11. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 90958:348-90958:349.

**9612060260** Confirms 961114 conversation re predecisional enforcement conference requested by NRC to be scheduled for 961210 in Altanta,GA to discuss apparent violations.
JULIAN,C.A. Region 2 (Post 820201). 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91024:334-91024:336.

**9612090001** Forwards insp repts 50-335/96-19 & 50-389/96-19 on 961021- 25.Two apparent violations noted & being considered for escalated enforcement action.Predecisional enforcement conference scheduled for 961210.
GIBSON,A.F. Region 2 (Post 820201). 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 91036:339-91036:351.

**-9612090002** Insp repts 50-335/96-19 & 50-389/96-19 on 961021-25.Two violations identified & being considered for escalated enforcement action.Major areas inspected:plant support.
* Region 2 (Post 820201). 96/11/15. 9pp. 91036:343-91036:351.

**9612060234** Forwards insp repts 50-335/96-18 & 50-389/96-18 on 961007-1101.Noncited violations noted.Predecisional enforcement conference to discuss violations scheduled for 961210.
GIBSON,A.F. Region 2 (Post 820201). 96/11/26. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91024:282-91024:305.

**-9612060240** Insp repts 50-335/96-18 & 50-389/96-18 on 961007-18 & 961028-1101.Noncited violations noted.Major areas inspected: emergency preparedness program.
* Region 2 (Post 820201). 96/11/26. 21pp. 91024:285-91024:305.

**9612170280** Forwards insp repts 50-335/96-22 & 50-389/96-22 on 961126 & discusses three apparent violations.Failure to establish design control measures in accordance w/10CFR50,App B, criterion III.
GIBSON,A.F. Region 2 (Post 820201). 96/11/26. PLUNKETT,T.F. Florida Power & Light Co. 6pp. 91103:250-91103:270.

**-9612170286** Insp repts 50-335/96-22 & 50-389/96-22 on 961126 & violations noted.Major areas inspected:evaluation of mod of excore linear nuclear instrumentation drawers.
* Region 2 (Post 820201). 96/11/26. 15pp. 91103:256-91103:270.

**9612020212** Requests approval to incorporate Code Case N-546, "Alternative Requirements for Qualification of VT-2 Exam Personnel,Section 11,Div 1," for use in ten year inservice insp program.
STALL,J.A. Florida Power & Light Co. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91003:142-91003:144.

**9612090382** Ack receipt of 961113 ltr informing NRC of steps taken to correct violations noted in insp 50-335/96-13 & 50-389/96-13.
CHRISTENSEN,H. Region 2 (Post 820201). 96/11/27. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 91038:277-91038:279.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612240164** Summary of 961112 meeting w/util in Atlanta,GA to discuss status of plant re SALP.List of attendees & copy of util handout encl.
JULIAN,C.A. Region 2 (Post 820201). 96/12/09. PLUNKETT,T.F. Florida Power & Light Co. 52pp. 91184:040-91184:091.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260326** Requests approval to incorporate Code Case N-509,Alternative Rule for Selection & Exam of Class 1,2 & 3 integrally welded attachments,Section XI,Div 1 for use in Unit 1 & 2 10-Yr ISI programs.
STALL,J.A. Florida Power & Light Co. 96/12/17. Document Control Branch (Document Control Desk). 6pp. 91235:350-91235:355.

**R. Periodic operating reports & related correspondence**

**9612230051** Monthly operating repts for Nov 1996 for St Lucie Units 1 & 2.W/961216 ltr.
ROGERS,J.A., STALL,J.A. Florida Power & Light Co. 96/11/30. 9pp. 91208:324-91208:332.

**S. Reportable occurrences, LERs & related correspondence**

**9612160224** Part 21 rept re 2"-1878 globe piston check valves.A/DV plans to include philosophy of both enhancement w/smaller piston check valves.A/DV evaluated found condition of piston check valve,stuck open.
KNECHT,W.G. Anchor/Darling Valve Co. 96/11/27. CARTER,J. NRC - No Detailed Affiliation Given. 9pp. 91163:162-91163:170.

**9612260012** LER 96-005-00:on 961206,determined that independent operability of trip coils had not been adequately tested. Caused by inadequate surveillance procedure.Performed testing of coils & revised procedures.W/961220 ltr.
BENKEN,E.J., STALL,J.A. Florida Power & Light Co. 96/12/20. 8pp. 91242:059-91242:066.

**DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030211** Rev 32 to Radiological Emergency Plan (REP).W/961127 ltr.
POGUE,J.E. Tennessee Valley Authority. 96/10/31. 120pp. 91010:059-91010:178.

**9612040002** Revised EPIPs,including rev to Effective Page Listing,rev 21 to EPIP 1,rev 17 to EPIP 2,rev 19 to EPIP 3,rev 20 to EPIP 4,rev 22 to EPIP 5,rev 14 to EPIP 6,rev 17 to EPIP 7,rev 15 to EPIP 8,rev 8 to EPIP 10 & rev 8 to EPIP 11.W/961127 ltr.
POGUE,J.E. Tennessee Valley Authority. 96/11/27. 235pp. 91021:044-91021:278.

**9612090309** Rev 14 to CECC EPIP-14 to "Nuclear Emergency Public Info Organization & Operations" & revised list of effective pages.W/961202 ltr.
BARON,R.R. Tennessee Valley Authority. 96/12/02. 38pp. 91054:217-91054:254.

**P. Operating license stage documents & correspondence**

**9612110206** Responds to RAI re relief from certain ASME section XI requirements from snubbers.
SCALICE,J.A. Tennessee Valley Authority. 96/12/05. Document Control Branch (Document Control Desk). 6pp. 91081:309-91081:314.

**9612120369** Ack receipt of 961011 request for approval to change QAP description & informs that based on current review schedule, review will be completed within 60 days.
HERNAN,R.W. . 96/12/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91074:358-91074:360.

**9612170366** Informs of availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91131:349-91131:353.

**9612180188** Provides util response to NRC RAI dtd 961107 re request for license amend to TS concerning spent fuel storage capacity increase.
SCALICE,J.A. Tennessee Valley Authority. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91155:343-91155:350.

**–9612180191** Proposed tech specs increasing spent fuel pool storage.
* Tennessee Valley Authority. 96/12/11. 3pp. 91155:348-91155:350.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030002** Confirms telcon re meeting to discuss SALP for plant & informs that meeting scheduled for 970107 at plant site.
LESSER,M.S. Region 2 (Post 820201). 96/11/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 90973:003-90973:005.

**9612040135** Provides utils reply to NRC 960925 RAI re WBN first 10-yr interval ISI Program Plan & associated requests for relief from certain ASME Section XI Code requirements.
SCALICE,J.A. Tennessee Valley Authority. 96/11/25. Document Control Branch (Document Control Desk). 457pp. 91026:083-91027:175.

**9612170279** Ack receipt of 961118 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/96-10 & 50-391/96-10.
LESSER,M.S. Region 2 (Post 820201). 96/11/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91105:057-91105:059.

**9612170297** Forwards insp rept 50-390/96-11 & 50-391/96-11 on 960922- 1109 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/12/02. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91103:271-91103:330.

**–9612170326** Notice of violation from insp on 960922-1109.Violation noted:failure to initiate PER for adverse condition required by SSP-3.04.Licensee unisolated inoperable containment pressure release penetration flowpath by opening valves.
* Region 2 (Post 820201). 96/12/02. 2pp. 91103:276-91103:277.

**–9612170331** Insp repts 50-390/96-11 & 50-391/96-11 on 960922-1109.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 2 (Post 820201). 96/12/02. 53pp. 91103:278-91103:330.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas in RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230315** Responds to violations noted in insp repts 50-390/96-12 & 50-391/96-12.Corrective actions:practice drills have been performed to ensure that plan could be met.
SCALICE,J.A. Tennessee Valley Authority. 96/12/16. Document Control Branch (Document Control Desk). 8pp. 91208:353-91208:360.

**9612300093** Press release II-96-106, "WBN Plant Rated 'Superior' In Two Areas, 'Good' in Two Other Areas of NRC Assessment Rept."
* Region 2 (Post 820201). 96/12/30. 2pp. 91266:283-91266:284.

**R. Periodic operating reports & related correspondence**

**9612180100** Monthly operating rept for Nov 1996 for Watts Bar Nuclear Plant,Unit 1.W/961211 ltr.
TOLLEY,R.D., SCALICE,J.A. Tennessee Valley Authority. 96/11/30. 8pp. 91148:280-91148:287.

**S. Reportable occurrences, LERs & related correspondence**

**9612270057** LER 96-023-00:on 961120,non-compliance with TS 3.3.1 & 3.3.2 was noted.Caused by unit supervisor authorizing assuming incorrectly that SI contained steps to fulfill TS actions. TVA has taken appropriate disciplinary action.W/961217 ltr.
STOCKTON,R., SCALICE,J.A. Tennessee Valley Authority. 96/12/17. 8pp. 91266:183-91266:190.

***DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2***

**A. Application/construction stage documents & correspondence**

**9612170366** Informs of availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91131:349-91131:353.

**F. Security, medical, emergency & fire protection plans**

**9612030211** Rev 32 to Radiological Emergency Plan (REP).W/961127 ltr.
POGUE,J.E. Tennessee Valley Authority. 96/10/31. 120pp. 91010:059-91010:178.

**9612040002** Revised EPIPs,including rev to Effective Page Listing,rev 21 to EPIP 1,rev 17 to EPIP 2,rev 19 to EPIP 3,rev 20 to EPIP 4,rev 22 to EPIP 5,rev 14 to EPIP 6,rev 17 to EPIP 7,rev 15 to EPIP 8,rev 8 to EPIP 10 & rev 8 to EPIP 11.W/961127 ltr.
POGUE,J.E. Tennessee Valley Authority. 96/11/27. 235pp. 91021:044-91021:278.

**9612090309** Rev 14 to CECC EPIP-14 to "Nuclear Emergency Public Info Organization & Operations" & revised list of effective pages.W/961202 ltr.
BARON,R.R. Tennessee Valley Authority. 96/12/02. 38pp. 91054:217-91054:254.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612170279** Ack receipt of 961118 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/96-10 & 50-391/96-10.
LESSER,M.S. Region 2 (Post 820201). 96/11/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91105:057-91105:059.

**9612170297** Forwards insp rept 50-390/96-11 & 50-391/96-11 on 960922- 1109 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/12/02. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91103:271-91103:330.

**–9612170331** Insp repts 50-390/96-11 & 50-391/96-11 on 960922-1109.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 2 (Post 820201). 96/12/02. 53pp. 91103:278-91103:330.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230315** Responds to violations noted in insp repts 50-390/96-12 & 50-391/96-12.Corrective actions:practice drills have been performed to ensure that plan could be met.
SCALICE,J.A. Tennessee Valley Authority. 96/12/16. Document Control Branch (Document Control Desk). 8pp. 91208:353-91208:360.

**9612300093** Press release II-96-106, "WBN Plant Rated 'Superior' In Two Areas, 'Good' in Two Other Areas of NRC Assessment Rept."
* Region 2 (Post 820201). 96/12/30. 2pp. 91266:283-91266:284.

**DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612170434** Forwards SALP rept 50-395/96-99 for period 950129-961026.
EBNETER,S.D. Region 2 (Post 820201). 96/12/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 6pp. 91105:134-91105:145.

**–9612170443** SALP rept 50-395/96-99 for period of 950129 through 961026.
* Region 2 (Post 820201). 96/12/06. 6pp. 91105:140-91105:145.

**I. Financial information**

**9612170193** Notifies of reassignment of Decommissioning Trust to National Bank of South Carolina,effective 961101.
MURCHISON,H.R. Santee Cooper. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91141:040-91141:040.

**P. Operating license stage documents & correspondence**

**9612180311** Provides availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," & requests comments on rept.
MIRAGLIA,F.J. . 96/12/11. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 91132:331-91132:333.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030197** Forwards insp rept 50-395/96-11 on 960908-1026 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 96/11/25. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. 90974:158-90974:210.

**--9612030202** Notice of violation from insp on 960908-1026.Violation noted:significant condition adverse to quality identified on nonconformance notice 5344,dtd 960314 & corrective actions to prelude repetition not accomplished.
* Region 2 (Post 820201). 96/11/25. 2pp. 90974:162-90974:163.

**--9612030203** Insp rept 50-395/96-11 on 960908-1026.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 2 (Post 820201). 96/11/25. 47pp. 90974:164-90974:210.

**9612060252** Ack receipt of 961009 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/96-07 on 960701.
BELISLE,G.A. Region 2 (Post 820201). 96/11/29. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 91025:113-91025:115.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612090222** Press release II-96-101, "Summer Nuclear Plant Rated "Superior" in Three Areas, "Good" in Fourth Area of NRC Assessment Rept."
* Region 2 (Post 820201). 96/12/06. 1p. 91127:040-91127:040.

**9612170434** Forwards SALP rept 50-395/96-99 for period 950129-961026.
EBNETER,S.D. Region 2 (Post 820201). 96/12/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 6pp. 91105:134-91105:145.

**--9612170443** SALP rept 50-395/96-99 for period of 950129 through 961026.
* Region 2 (Post 820201). 96/12/06. 6pp. 91105:140-91105:145.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230351** Responds to violations noted in insp rept 50-395/96-11. Corrective actions:engineering services procedures have been revised to require that all design inputs for nuclear changes mods be documented & verified.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/12/17. Document Control Branch (Document Control Desk). 3pp. 91211:340-91211:342.

**R. Periodic operating reports & related correspondence**

**9612160405** Monthly operating rept for Nov 1996 for Virgil C. Summer Nuclear Station Unit 1.W/961209 ltr.
BELL,W.H., TAYLOR,G.J. South Carolina Electric & Gas Co. 96/11/30. 5pp. 91129:012-91129:016.

**DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR**

**F. Security, medical, emergency & fire protection plans**

**9612020160** Informs that due to NRC organizational changes during Oct 1995,revs necessary to previous guidance re submittal of exercise objectives & scenario details.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/20. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 90965:010-90965:011.

**Q. Inspection reports, IE Bulletins & correspondence**

**9612060258** Forwards insp rept 50-062/96-02 on 961105-06.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/26. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 91025:141-91025:148.

**DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612030131** Responds to NRC 961025 ltr re exercise weakness in insp rept 50-397/96-14.Corrective actions:reiterated mgt expectations associated w/offsite notification process to appropriate personnel responsible for protective action recommendations.
WEBRING,R.L. Washington Public Power Supply System. 96/11/25. Document Control Branch (Document Control Desk). 3pp. 91008:149-91008:151.

**9612120178** Forwards Rev 33 to WNP-2 physical security plan.Encl withheld.
SWANK,D.A. Washington Public Power Supply System. 96/12/06. Document Control Branch (Document Control Desk). 1p. 91092:048-91092:048.

**9612160247** Ack receipt of 961125 ltr informing NRC of steps taken to correct weaknesses noted in insp rept 50-397/96-14 dtd 961025.
GWYNN,T.P. Region 4 (Post 820201). 96/12/12. PARRISH,J.V. Washington Public Power Supply System. 4pp. 91103:006-91103:009.

**9612240140** Ack receipt of 960919 ltr which transmitted changes to physical security plan,rev 32.No NRC approval required for implementation of changes,but changes will be subj to insp.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. PARRISH,J.V. Washington Public Power Supply System. 5pp. 91184:007-91184:011.

**9612230233** Fowards Emergency Response Data System implementation documents.W/o encl.
JOLICOEUR,J.R. Office for Analysis & Evaluation of Operational Data, Director. 96/12/19. SAUL,K.L. SCIENTECH, Inc. 1p. 91194:309-91194:309.

**I. Financial information**

**9612260284** "Washington Public Power Supply Sys Annual Rept for 1996." W/961212 ltr.
CARTER,D., CLAUSSEN,V., KUCERA,G.J. Washington Public Power Supply System. 96/12/31. 37pp. 91266:001-91266:040.

**P. Operating license stage documents & correspondence**

**9612030144** Responds to request for MOV actuator capability calculations for HPCS injection valve HPCS-V-4 & RCIC suppression pool suction valve RCIC-V-31.
PARRISH,J.V. Washington Public Power Supply System. 96/11/25. Document Control Branch (Document Control Desk). 4pp. 91205:176-91205:210.

**--9612030155** Rev 0 to "MOV Pressure Locking Calculation."
* Washington Public Power Supply System. ME-02-96-21 R00. 96/07/12. 14pp. 91205:180-91205:194.

**--9612030158** Rev 0 to "Pressure Locking Evaluation for RCIC-V-31."
KELSOW,W.H. Washington Public Power Supply System. ME-02-96-23 R00. 96/07/12. 16pp. 91205:195-91205:210.

**9612030239** Submits response to SE on inservice testing program relief requests for pumps & valves. "WNP-2 IST Program Plan (Pumps & Valves) 2nd Interval (941213-041212)." Rev 1 encl.
BEMIS,P.R. Washington Public Power Supply System. 96/11/25. Document Control Branch (Document Control Desk). 10pp. 91008:158-91008:342.

**--9612030247** Rev 1 to "WNP-2 IST Program Plan (Pumps & Valves) 2nd Interval (941213-041212)."
RANA,R. Washington Public Power Supply System. 96/11/19. 174pp. 91008:168-91008:342.

**9612110280** Submits cycle 12 startup rept for plant per TS.Encl repts provide descriptions of startup & power ascension testing activities.
BEMIS,P.R. Washington Public Power Supply System. 96/12/04. Document Control Branch (Document Control Desk). 26pp. 91081:111-91081:134.

**9612180074** Forwards util rept on FW nozzle exams performed during Spring 1996 refueling outage.
BEMIS,P.R. Washington Public Power Supply System. 96/12/09. Document Control Branch (Document Control Desk). 3pp. 91148:250-91148:252.

**9612260193** Submits proposed mod to amend requests Revs A & B re overall conversion of current TS to improved TS based upon NUREG-1434,rev 1.
BEMIS,P.R. Washington Public Power Supply System. 96/12/12. Document Control Branch (Document Control Desk). 65pp. 91206:001-91208:243.

**--9612260195** Proposed tech specs requesting conversion based upon NUREG-1434,rev 1.
* Washington Public Power Supply System. 96/12/12. 900pp. 91206:072-91208:243.

**9612230255** Informs that draft NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," has been published.Comments requested.
MIRAGLIA,F.J. . 96/12/13. GATES,W.G. Omaha Public Power District. PARRISH,J.V. Washington Public Power Supply System. SCHNELL,D. Union Electric Co. 20pp. 91181:253-91181:272.

**9612300026** Forwards notice of enforcement discretion not to enforce compliance of TS Action 3.8.1.1.a to repeat test of emergency DG-2 & DG-3 every 8 hours in accordance w/ Surveillance Requirement.Compensatory action accepted.
CALLAN,L.J. Region 4 (Post 820201). 96/12/24. PARRISH,J.V. Washington Public Power Supply System. 5pp. 91229:077-91229:081.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020081** EN-96-084:on 961126,notice of proposed imposition of civil penalty in amount of $100,000 issued to licensee.Action based on several instances where surveillances not performed & mode changes made w/o assurances that equipment operable.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/11/21. 1p. 90965:117-90965:117.

**9612030131** Responds to NRC 961025 ltr re exercise weakness in insp rept 50-397/96-14.Corrective actions:reiterated mgt expectations associated w/offsite notification process to appropriate personnel responsible for protective action recommendations.
WEBRING,R.L. Washington Public Power Supply System. 96/11/25. Document Control Branch (Document Control Desk). 3pp. 91008:149-91008:151.

**9612050059** Advises of planned insp effort resulting from plant SPPR review completed on 961030 for period Mar-Sept 1996.
DYER,J.E. Region 4 (Post 820201). 96/11/29. PARRISH,J.V. Washington Public Power Supply System. 6pp. 91013:100-91013:105.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160024** Requests addl info re Bulletin 96-02, "Movement of Heavy Loads over Spent Fuel,Fuel in Reactor Core,or Safety-Related Equipment."
COLBURN,T.G. . 96/12/05. PARRISH,J.V. Washington Public Power Supply System. 5pp. 91128:001-91128:005.

**9612130247** Responds to NRC 961107 ltr re violations noted in insp rept 50-397/96-16.Corrective actions:ASD testing stopped & site- wide timeout for all employees conducted.
BEMIS,P.R. Washington Public Power Supply System. 96/12/06. Document Control Branch (Document Control Desk). 6pp. 91118:326-91118:331.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612160372** Discusses insp rept 50-397/96-16 on 961014-28 & forwards revised notice of violation.
COLLINS,S.J. Region 4 (Post 820201). 96/12/10. PARRISH,J.V. Washington Public Power Supply System. 5pp. 91096:195-91096:201.

**--9612160397** Revised notice of violation from insp on 961014-28. Violations noted:source range monitor recorder was supplied w/linear versus required strip chart paper which would not serve purpose of accurate historical permanent record.
* Region 4 (Post 820201). 96/12/10. 2pp. 91096:200-91096:201.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160247** Ack receipt of 961125 ltr informing NRC of steps taken to correct weaknesses noted in insp rept 50-397/96-14 dtd 961025.
GWYNN,T.P. Region 4 (Post 820201). 96/12/12. PARRISH,J.V. Washington Public Power Supply System. 4pp. 91103:006-91103:009.

**9612240140** Ack receipt of 960919 ltr which transmitted changes to physical security plan,rev 32.No NRC approval required for implementation of changes,but changes will be subj to insp.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. PARRISH,J.V. Washington Public Power Supply System. 5pp. 91184:007-91184:011.

**9612260007** Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal) for tests administered on 961007-11.
HURLEY,L. Region 4 (Post 820201). 96/12/19. Document Control Branch (Document Control Desk). 1p. 91230:001-91231:335.

**--9612260011** Informs that pilot initial license exam outline to be administered by NRC on 961007,completed.
ALBERS,J.P. Washington Public Power Supply System. 96/09/06. BROCKMAN,K.E. Region 4 (Post 820201). 600pp. 91230:032-91231:335.

**R. Periodic operating reports & related correspondence**

**9612190113** Monthly operating rept for Nov 1996 for WNP-2.W/961210 ltr.
KASKO,B., SMITH,G.O. Washington Public Power Supply System. 96/11/30. 4pp. 91191:275-91191:278.

**S. Reportable occurrences, LERs & related correspondence**

**9612270153** LER 96-007-00:on 961122,electrical breakers were not seismically qualified in test/disconnect position.Circuit breaker mfg did not consider "raced out" breaker position during testing.Relocated circuit breakers.W/961217 ltr.
BROWNLEE,R.E., BEMIS,P.R. Washington Public Power Supply System. 96/12/19. 5pp. 91266:230-91266:234.

**V. Operator Examinations**

**9612260007** Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal) for tests administered on 961007-11.
HURLEY,L. Region 4 (Post 820201). 96/12/19. Document Control Branch (Document Control Desk). 1p. 91230:001-91231:335.

**--9612260011** Informs that pilot initial license exam outline to be administered by NRC on 961007,completed.
ALBERS,J.P. Washington Public Power Supply System. 96/09/06. BROCKMAN,K.E. Region 4 (Post 820201). 600pp. 91230:032-91231:335.

**DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612170284** Confirms telcon between R Varley & K Barr re working level meeting scheduled for 961218 to discuss emergency preparedness issues at plant.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/12/09. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 91118:274-91118:276.

**H. General correspondence**

**9612190042** Informs that M Bryant Pollard is new Chairperson of Chatham County Board of Commissioners.
LEE,S.B. Chatham, NC. 96/12/10. NRC - No Detailed Affiliation Given. 1p. 91191:317-91191:317.

**P. Operating license stage documents & correspondence**

**9612170425** Advises that operation of plant in compliance w/10CFR50.46 & evaluation of compiler error & CHF lockout condition ongoing,per 960919 & 1024 ltrs.
LE,N.B. . 96/12/06. ROBINSON,W.R. Central Power & Light Co. 4pp. 91124:080-91124:083.

**9612170328** Informs of availability or draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. ORSER,W.S. Carolina Power & Light Co. 4pp. 91131:354-91131:357.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030014** Ack receipt of 961028 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/96-07.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/11/13. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 90973:073-90973:076.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612090397** Submits request for addl info re bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety-Related Equipment."
LE,N.B. . 96/12/05. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 91053:175-91053:177.

**9612130185** Responds to NRC 961107 ltr re violations noted in insp rept 50-400/96-09.Corrective Actions:CO responsible for inadvertent filling & resultant dilution of RWST,was counseled on use of error prevention techniques.
ROBINSON,W.R. Carolina Power & Light Co. 96/12/09. Document Control Branch (Document Control Desk). 7pp. 91095:295-91095:301.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612200170** Monthly operating rept for Nov 1996 for Shearon Harris Nuclear Power Plant.W/961211 ltr.
ROGERS,S., DONAHUE,J.W. Carolina Power & Light Co. 96/11/30. 3pp. 91192:309-91192:311.

**S. Reportable occurrences, LERs & related correspondence**

**9612040206** LER 96-013-01:on 961028,condition outside of design basis where RWST had been aligned w/nonseismically qualified sys noted.Caused by failure to reconcile operating procedure lineups.Administrative controls established.W/961125 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/11/27. 5pp. 91126:300-91126:304.

**9612160233** LER 96-021-00:on 961107,inadequate post-maint testing following repairs on containment isolation valve 1SP-208 identified.Caused by misinterpretation of ASME Code. Procedures revised.W/961209 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/12/09. 4pp. 91163:171-91163:174.

**9612240228** Provides further info re incidence of spurious CHG lockout.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/12/12. . 9pp. 91205:331-91205:339.

**9612260083** LER 96-023-00:on 961114,design deficiency was noted in EDG protection circuitry.Caused by overloading of diesel generator in conjunction w/reduction of voltage.Applicable EDG test procedures will be revised.W/961216 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/12/16. 2pp. 91242:128-91242:129.

**9612270125** LER 96-024-00:on 961121,identified common mode failure in RAB electrical equipment protection rooms ventilation sys. Caused by inadequate initial sys design.Will install plant mod to resolve AH-16 single failure.W/961223 ltr.
VERRILLI,M., ROBINSON,W.R. Carolina Power & Light Co. 96/12/23. 4pp. 91266:195-91266:198.

**9612270151** LER 96-022-00:on 961122,wiring discrepancy was found in auxiliary building ventilation sys circuitry.Caused by personnel error.Training on this event will also be performed for appropriate maintenance.W/961220 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/12/23. 5pp. 91266:205-91266:209.

**DOCKET 50-409 LA CROSSE BOILING WATER REACTOR**

**F. Security, medical, emergency & fire protection plans**

**9612310068** Forwards rev 17 to LACBWR Emergency Plan.
CHRISTIANS,R.E. Dairyland Power Cooperative. 96/12/16. Document Control Branch (Document Control Desk). 1p. 91262:275-91262:289.

**--9612310075** "Emergency Plan for La Crosse BWR,Rev 17."
BERG,W.L. Dairyland Power Cooperative. 96/11/30. 13pp. 91262:276-91262:289.

**P. Operating license stage documents & correspondence**

**8101100430** Forwards to all BWR power reactor licensees inadvertently omitted pages from 780711 draft radiological effluent Tech Specs.
GRIMES,B. Assistant Director for Engineering & Projects. 78/07/28. Consumers Power Co. 1p. 91119:016-91119:019.

**--8101100437** Tech Specs 3.11 & 4.11 re radioactive effluents.
* Assistant Director for Engineering & Projects. 78/07/28. 3pp. 91119:017-91119:019.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**W. Decommissioning Stage Documents & Correspondence**

**9612260118** Forwards revised "LACBWR Decommissioning Plan." Each page w/ change will have bar in right-hand margin to designate location of change.
BERG,W.L. Dairyland Power Cooperative. 96/12/10. Document Control Branch (Document Control Desk). 5pp. 91210:180-91210:244.

**--9612260123** Revised "LACBWR Decommissioning Plan."
* Dairyland Power Cooperative. 96/10/31. 58pp. 91210:186-91210:244.

**DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2**

**P. Operating license stage documents & correspondence**

**9612180153** Provides availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," publised by NRC.
MIRAGLIA,F.J. . 96/12/11. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 91132:308-91132:312.

**9612160332** Forwards amend 78 to license NPF-69 & SE.Amend revises TS section 6.2.2.1 re administrative controls for normal working hours of unit staff who perform safety-related functions.
HOOD,D.S. . 96/12/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 91123:195-91123:205.

**--9612160341** Amend 78 to license NPF-69,revising TS 6.2.2.i re administrative controls for normal working hours of unit staff performing safety-related functions.
BAJWA,S.S. . 96/12/12. 4pp. 91123:199-91123:202.

**--9612160344** Safety evaluation supporting amend 78 to license NPF-69.
* . 96/12/12. 3pp. 91123:203-91123:205.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030198** Responds to NRC 961115 ltr re violations noted in insp repts 50-220/96-07 & 50-410/96-07.Corrections to surveillance test database frequency codes to ensure identified surveillances were performed during refueling outage.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/11/22. Document Control Branch (Document Control Desk). 6pp. 91010:005-91010:010.

**9612030113** Forwards insp repts 50-220/96-10 & 50-410/96-10 on 960728-0907 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/11/25. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 90973:200-90973:240.

**--9612030128** Notice of violation from insp on 960728-0907.Violation noted:temporary change to procedure w/o required approval of licensed SRO & several examples of workers not properly implementing maint/surveillance procedures.
* Region 1 (Post 820201). 96/11/25. 2pp. 90973:203-90973:204.

**--9612030145** Insp repts 50-220/96-10 & 50-410/96-10 on 960728-0907. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 1 (Post 820201). 96/11/25. 36pp. 90973:205-90973:240.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612200109** Forwards MOV insp repts 50-220/96-15 and 50-410/96-15 on 961007-1115.Violations noted being considered for escalated enforcement action.
WIGGINS,J.T. Region 1 (Post 820201). 96/12/10. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 91149:184-91149:209.

**--9612200115** Insp repts 50-220/96-15 & 50-410/96-15 on 961004-1115. Violations noted.Major areas inspected:evaluated for closure Nine Mile Point Unit 2 motor-operated valve program.
* Region 1 (Post 820201). 96/12/10. 23pp. 91149:187-91149:209.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190029** Forwards insp repts 50-220/96-11 & 50-410/96-11 on 960908-1019.No violations noted.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/12/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 91134:001-91134:030.

**--9612190037** Insp repts 50-220/96-11 & 50-410/96-11 on 960908-1019.No violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 1 (Post 820201). 96/12/12. 27pp. 91134:004-91134:030.

**R. Periodic operating reports & related correspondence**

**9612240060** Monthly operating rept for Nov 1996 for Nine Mile Point Unit 2.W/961214 ltr.
CAROCCIO,C., CONWAY,J.T. Niagara Mohawk Power Corp. 96/11/30. 5pp. 91227:238-91227:242.

**S. Reportable occurrences, LERs & related correspondence**

**9612090253** LER 96-012-00:on 961030,TS violation involving missed augmented insps noted.Caused by inadequate changes management.Required weld exams completed & ISI program plan updated.W/961202 ltr.
DEAN,R., CONWAY,J.T. Niagara Mohawk Power Corp. 96/12/02. 5pp. 91134:107-91134:111.

**9612130053** LER 96-013-00:on 961105,determined both divs of svc water sys made temporarily inoperable while performing maint activities.Caused by inadequate change mgt.Isolation valve closed to restore SW div to operation.W/961205 ltr.
SMITH,R., CONWAY,J.T. Niagara Mohawk Power Corp. 96/12/05. 7pp. 91163:083-91163:089.

**9612170348** Special rept:on 910816,initial investigation results, revealed reduced power levels higher than normal background noise levels causing channels 5 & 6 to generate large number of alarms.Alarm setpoints for Channels 5 & 6 raised.
CONWAY,J.T. Niagara Mohawk Power Corp. 96/12/06. Document Control Branch (Document Control Desk). 2pp. 91140:227-91140:228.

**9612170126** Special rept:on 961122,air temp instruments declared inoperable.Caused by failure to verify consistency & accuracy of values in NMP2 TS & NMP2 USAR for meteorological monitoring instrumentation.Completed field survey of temps.
CONWAY,J.T. Niagara Mohawk Power Corp. 96/12/09. Document Control Branch (Document Control Desk). 3pp. 91140:324-91140:326.

**9612230107** PNO-I-96-093:on 961219,determined NMP-2 not in full compliance w/TS 3.1.3.8, "Control Rod Drive Housing Support". & commenced shutdown.Plant cooldown in progress to allow for drywell entry & completion of required inspections.
DOERFLEIN,L., NORRIS,B. Region 1 (Post 820201). 96/12/20. 2pp. 91242:020-91242:021.

**DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612130274** Responds to NRC 961108 ltr re violations noted in insp repts 50-334/96-07 & 50-412/96-07.Corrective action:security performed insps by 960903,to verify no compromises existed in security areas,sys or components.
JAIN,S.C. Duquesne Light Co. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91118:346-91118:351.

**H. General correspondence**

**9612300087** Forwards resolution that supports merger of Centerior Energy Corp & Ohio Edison.
MCQUAIDE,R. Ashtabula County, OH. 96/12/06. MIRAGLIA,F.J. . 4pp. 91256:157-91256:160.

**9612310130** Forwards ltr re motion in support of proposed merger of Centerior Energy & Ohio Edison re meeting held 961203.
NEWMAN,I. Lake County, OH. 96/12/06. NRC - No Detailed Affiliation Given. 2pp. 91249:133-91249:135.

**P. Operating license stage documents & correspondence**

**9612110343** Forwards TS Bases 3/4.1.2 re Cycle 7 reload design & COLR.
JAIN,S.C. Duquesne Light Co. 96/11/29. Document Control Branch (Document Control Desk). 1p. 91081:280-91081:282.

**–9612110345** Proposed Tech Specs Bases 3/4.1.2 re Cycle 7 reload design & COLR.
* Duquesne Light Co. 96/11/29. 2pp. 91081:281-91081:282.

**9612170313** Informs of availability of NUREG-1560 rept entitled, "IPE Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. CROSS,J.E. Duquesne Light Co. 4pp. 91132:002-91132:006.

**9612170262** Forwards application for transfers of control of licensees possessory interests in licenses DPR-66 & NPF-73 that will occur under proposed merger of Centerior Energy Corp & OH Edison Co,resulting in formation of new single holding Co.
LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91133:263-91133:338.

**–9612170265** Application for amends to licenses DPR-66 & NPF-73, requesting consent of NRC under 10CFR50.80 to indirect transfer of control of interests in plant,Units 1 & 2 operating licenses that will occur under proposed merger.
PIPITONE,G.L. Ohio Edison Co. 96/12/13. 74pp. 91133:265-91133:338.

**9612240204** Forwards TS pages for TS Change Requests 226 & 98,reflecting non-intent editorial changes.
JAIN,S.C. Duquesne Light Co. 96/12/20. Document Control Branch (Document Control Desk). 4pp. 91205:346-91205:357.

**–9612240205** Proposed tech specs for TS Change Requests 226 & 98, reflecting non-intent editorial changes.
* Duquesne Light Co. 96/12/20. 8pp. 91205:350-91205:357.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060294** Forwards insp rept 50-334/96-08 & 50-412/96-08 on 960929-1116.One apparent violation identified & being considered for escalated enforcement action.Predecisional enforcement conference scheduled for 961219.
ESELGROTH,P.W. Region 1 (Post 820201). 96/11/29. CROSS,J.E. Duquesne Light Co. 3pp. 91030:014-91030:045.

**–9612060297** Insp repts 50-334/96-08 & 50-412/96-08 on 960929-1116.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 96/11/16. 29pp. 91030:017-91030:045.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612130274** Responds to NRC 961108 ltr re violations noted in insp repts 50-334/96-07 & 50-412/96-07.Corrective action:security performed insps by 960903,to verify no compromises existed in security areas,sys or components.
JAIN,S.C. Duquesne Light Co. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91118:346-91118:351.

**9612170038** Ack receipt of 961010 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/96-05 & 50-412/96-05.
COOPER,R.W. Region 2 (Post 820201). 96/12/09. CROSS,J.E. Duquesne Light Co. 2pp. 91105:032-91105:033.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612260207** Ack receipt of 960823 ltr informing NRC of steps taken to correct violations noted in insp repts 50-334/96-05 & 50-412/96-05.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/19. CROSS,J.E. Duquesne Light Co. 3pp. 91196:325-91196:331.

**9612300040** Advises of planned insp effort resulting from plant PPR review.Details of insp plan for next 6 months.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/20. CROSS,J.E. Duquesne Light Co. 3pp. 91233:115-91233:117.

**9612310161** Forwards insp repts 50-334/96-11 & 50-412/96-11 on 961209- 12.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/23. CROSS,J.E. Duquesne Light Co. 2pp. 91235:258-91235:269.

**–9612310165** Insp repts 50-334/96-11 & 50-412/96-11 on 961209-12.No violations noted.Major areas inspected:authorization program & administration organization.
* Region 1 (Post 820201). 96/12/23. 10pp. 91235:260-91235:269.

**R. Periodic operating reports & related correspondence**

**9612060100** "Discharge Monitoring Rept Suppl Sewage Sludge Rept for Oct 1996." W/ 961126 ltr.
NOONAN,T.P., NOONAN,T.P. Duquesne Light Co. 96/10/31. 64pp. 91043:226-91043:289.

**9612170054** Monthly operating repts for Nov 1996 for Beaver Valley Power Station Unit 1 & 2.W/961206 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 96/11/30. 9pp. 91140:335-91140:343.

**S. Reportable occurrences, LERs & related correspondence**

**9612260092** LER 96-007-00:on 961015,CR ventilation sys was operated in purge mode to ventilate paint fumes from CR,temporarily rendering CR emergency bottled air pressurization subsystem & ESF,inoperable.Changed planning processes.W/961220 ltr.
NOONAN,T.P. Duquesne Light Co. 96/12/20. 7pp. 91242:135-91242:141.

**DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612230233** Fowards Emergency Response Data System implementation documents.W/o encl.
JOLICOEUR,J.R. Office for Analysis & Evaluation of Operational Data, Director. 96/12/19. SAUL,K.L. SCIENTECH, Inc. 1p. 91194:309-91194:309.

**G. Adjudicatory correspondence**

**9612130005** Informs that time provided by NRC regulation within which Commission may act to review directors decision DD-96-14 has expired & decision became final agency action on 961202. W/Certificate of Svc.Served on 961206.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18095. 96/12/05. MORRIS,C. Affiliation Not Assigned. 2pp. 91082:341-91082:342.

**P. Operating license stage documents & correspondence**

**9612060269** Confirms 961029 conversation between M Kitlan & L Wert re 970122 mgt meeting in Atlanta,GA to present self-assessment of plant performance.
WERT,L.D. Region 2 (Post 820201). 96/11/19. MCCOLLUM,W.R. Duke Power Co. 3pp. 91025:150-91025:152.

**9612040213** Forwards page from DPC signifying implementation of operating license amends 155 & 147 on 961226.
TAM,P.S. . 96/12/02. . 2pp. 91007:218-91007:219.

**9612090341** Forwards unsatisfactory performance test results for FFD program for plants.
TUCKMAN,M.S. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91054:259-91054:263.

**9612090371** Forwards corrected pp 17-15 to Topical Rept Duke-1-A, "Quality Assurance Program."
TUCKMAN,M.S. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91055:001-91055:008.

**–9612090375** Revised pp 17-15 to "Quality Assurance Program."
* Duke Power Co. 96/12/03. 6pp. 91055:003-91055:008.

**9612160355** Requests comments re NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. TUCKMAN,M.S. Duke Power Co. 6pp. 91123:214-91123:219.

**9612240102** Forwards change to Bases only of Catawba Nuclear Station,TS Section 3/4.3.3.1,for Units 1 & 2.Change clarifies info re operation of radiation monitors for plant operations.
MCCOLLUM,W.R. Duke Power Co. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91227:296-91227:298.

**–9612240105** Proposed tech specs,Section 3/4.3.3.1,for Units 1 & 2 clarifying info re operation of radiation monitors for plant operations.
* Duke Power Co. 96/12/12. 2pp. 91227:297-91227:298.

**9612260062** Requests relief from 1989 edition of ASME Boiler & Pressure Vessel Code,Section XI.
MCCOLLUM,W.R. Duke Power Co. 96/12/12. Document Control Branch (Document Control Desk). 17pp. 91234:297-91234:313.

**9612310081** "DPC CNS Unit 1 Cycle 10 Startup Rept Dec 1996."
MCCOLLUM,W.R. Duke Power Co. 96/12/18. 45pp. 91262:189-91262:233.

**9612260001** Forwards facsimile from DPC signifying implementation of operating license amends 156 & 148 on 961219.
TAM,P.S. . 96/12/23. . 2pp. 91201:129-91201:130.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020181** Ack receipt of 961029 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/96-12 & 50-414/96-12.
WERT,L.D. Region 2 (Post 820201). 96/11/13. MCCOLLUM,W.R. Duke Power Co. 3pp. 90965:015-90965:017.

**9612060249** Forwards insp repts 50-413/96-16 & 50-414/96-16 on 960908- 1019.No violations noted.
WERT,L.D. Region 2 (Post 820201). 96/11/15. MCCOLLUM,W.R. Duke Power Co. 3pp. 91025:117-91025:140.

**--9612060251** Insp repts 50-413/96-16 & 50-414/96-16 on 960908-1019.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/11/15. 21pp. 91025:120-91025:140.

**9612030017** Ack receipt of 961106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/96-13 & 50-414/96-13.
WERT,L.D. Region 2 (Post 820201). 96/11/22. MCCOLLUM,W.R. Duke Power Co. 3pp. 90973:077-90973:079.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612020179** "Semi-Annual Groundwater Monitoring Rept for Catawba Nuclear Station Landfill." W/961119 ltr.
ESTRIDGE,J. Duke Power Co. 96/10/31. KEISLER,V. South Carolina, State of. 14pp. 91003:001-91003:016.

**9612180037** Forwards MOR for Nov 1996 for Catawba Nuclear Station Units 1 & 2 and revised MOR for Oct 1996 for Unit 1.
DIMMERY,T. Duke Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91148:160-91148:173.

**--9612180040** Monthly operating repts for Nov 1996 for Catawba Nuclear Station Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/11/30. 10pp. 91148:162-91148:171.

**--9612180043** Revised MOR for Oct 1996 for Catawba Nuclear Station Unit 1.
WILLIAMS,R.A. Duke Power Co. 96/10/31. 2pp. 91148:172-91148:173.

**S. Reportable occurrences, LERs & related correspondence**

**9612100154** Submits modification to commitment contained in LER-96-001.
MCCOLLUM,W.R. Duke Power Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91056:164-91056:165.

**9612060289** PNO-II-96-082:on 961206,Unit 1 taken off line in order to investigate/locate source of increase in unidentified leakage.NRC resident inspectors will continue to closely monitor licensee recovery activities.
CARROLL,R. Region 2 (Post 820201). 96/12/06. 1p. 91127:037-91127:037.

**9612160160** LER 96-010-00:on 961107,TS surveillance for VY sys containment isolation valves was missed.Caused by inadequate verification of pertinent info during implementation of periodic testing program.Tested valves.W/961209 ltr.
KIMBALL,D.P., MCCOLLUM,W.R. Duke Power Co. 96/12/09. 5pp. 91163:147-91163:151.

**DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612230233** Fowards Emergency Response Data System implementation documents.W/o encl.
JOLICOEUR,J.R. Office for Analysis & Evaluation of Operational Data, Director. 96/12/19. SAUL,K.L. SCIENTECH, Inc. 1p. 91194:309-91194:309.

**G. Adjudicatory correspondence**

**9612130005** Informs that time provided by NRC regulation within which Commission may act to review directors decision DD-96-14 has expired & decision became final agency action on 961202. W/Certificate of Svc.Served on 961206.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18095. 96/12/05. MORRIS,C. Affiliation Not Assigned. 2pp. 91082:341-91082:342.

**P. Operating license stage documents & correspondence**

**9612060269** Confirms 961029 conversation between M Kitlan & L Wert re 970122 mgt meeting in Atlanta,GA to present self-assessment of plant performance.
WERT,L.D. Region 2 (Post 820201). 96/11/19. MCCOLLUM,W.R. Duke Power Co. 3pp. 91025:150-91025:152.

**9612040213** Forwards page from DPC signifying implementation of operating license amends 155 & 147 on 961226.
TAM,P.S. . 96/12/02. . 2pp. 91007:218-91007:219.

**9612090341** Forwards unsatisfactory performance test results for FFD program for plants.
TUCKMAN,M.S. Duke Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91054:259-91054:263.

**9612090371** Forwards corrected pp 17-15 to Topical Rept Duke-1-A, "Quality Assurance Program."
TUCKMAN,M.S. Duke Power Co. 96/12/03. Document Control Branch (Document Control Desk). 2pp. 91055:001-91055:008.

**--9612090375** Revised pp 17-15 to "Quality Assurance Program."
* Duke Power Co. 96/12/03. 6pp. 91055:003-91055:008.

**9612160355** Requests comments re NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. TUCKMAN,M.S. Duke Power Co. 6pp. 91123:214-91123:219.

**9612240102** Forwards change to Bases only of Catawba Nuclear Station,TS Section 3/4.3.3.1,for Units 1 & 2.Change clarifies info re operation of radiation monitors for plant operations.
MCCOLLUM,W.R. Duke Power Co. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91227:296-91227:298.

**--9612240105** Proposed tech specs,Section 3/4.3.3.1,for Units 1 & 2 clarifying info re operation of radiation monitors for plant operations.
* Duke Power Co. 96/12/12. 2pp. 91227:297-91227:298.

**9612260001** Forwards facsimile from DPC signifying implementation of operating license amends 156 & 148 on 961219.
TAM,P.S. . 96/12/23. . 2pp. 91201:129-91201:130.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020181** Ack receipt of 961029 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/96-12 & 50-414/96-12.
WERT,L.D. Region 2 (Post 820201). 96/11/13. MCCOLLUM,W.R. Duke Power Co. 3pp. 90965:015-90965:017.

**9612060249** Forwards insp repts 50-413/96-16 & 50-414/96-16 on 960908- 1019.No violations noted.
WERT,L.D. Region 2 (Post 820201). 96/11/15. MCCOLLUM,W.R. Duke Power Co. 3pp. 91025:117-91025:140.

**--9612060251** Insp repts 50-413/96-16 & 50-414/96-16 on 960908-1019.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/11/15. 21pp. 91025:120-91025:140.

**9612030036** Comments on draft info notice 91-085 re failure of thermostatic control device.
MCCOLLUM,W.R. Duke Power Co. 96/11/20. GREENE,T. . 2pp. 91006:356-91006:357.

**9612030017** Ack receipt of 961106 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/96-13 & 50-414/96-13.
WERT,L.D. Region 2 (Post 820201). 96/11/22. MCCOLLUM,W.R. Duke Power Co. 3pp. 90973:077-90973:079.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612020179** "Semi-Annual Groundwater Monitoring Rept for Catawba Nuclear Station Landfill." W/961119 ltr.
ESTRIDGE,J. Duke Power Co. 96/10/31. KEISLER,V. South Carolina, State of. 14pp. 91003:001-91003:016.

**9612180037** Forwards MOR for Nov 1996 for Catawba Nuclear Station Units 1 & 2 and revised MOR for Oct 1996 for Unit 1.
DIMMERY,T. Duke Power Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91148:160-91148:173.

**–9612180040** Monthly operating repts for Nov 1996 for Catawba Nuclear Station Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/11/30. 10pp. 91148:162-91148:171.

**S. Reportable occurrences, LERs & related correspondence**

**9612060006** LER 96-005-00:on 961028,determined that plant may have operated in Standby Shutdown Sys potentially outside of design basis.Caused by inadequate sys design bases.Placed vent valves in planned maint schedule.W/961127 ltr.
KIMBALL,D.P., MCCOLLUM,W.R. Duke Power Co. 96/11/27. 7pp. 91126:329-91126:335.

**9612060058** LER 96-006-00:on 961101,TS surveillance for AC offsite power sources was missed.Caused by insufficient detail in test procedure.Quality Improvement Team has been created to track short duration inoperabilities.W/961202 ltr.
KIMBALL,D.P., MCCOLLUM,W.M. Duke Power Co. 96/12/02. 5pp. 91127:001-91127:005.

**9612170104** PNO-II-96-083:on 961214,Unit 2 shutdown due to small amount of backleakage through injection sys discharge check valve, causing gas entrainment in B train of RHR sys.NRC resident inspectors observed unit shutdown & RHR testing.
CARROLL,R.E. Region 2 (Post 820201). 96/12/16. 1p. 91163:247-91163:247.

**DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612110053** Forwards FEMA final rept for 960904 offsite medical drill. No deficiencies or areas requiring corrective action identified.
GWYNN,T.P. Region 4 (Post 820201). 96/12/04. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 91059:093-91059:114.

**–9612110062** "Medical Drill Rept Grand Gulf Nuclear Station," conducted 960904 in Ferriday,LA.
* Federal Emergency Management Agency. 96/09/18. 17pp. 91059:098-91059:114.

**9612310131** Revised EPIPs,including rev 101 to 10-S-01-1,rev 3 to 01-S-10-4,rev 3 to 01-S-10-3,rev 101 to 01-S-04-21,rev 7 to 01-S-10-6 & Rev 9 to 10-S-01-29.W/two oversize drawings.W/ 961213 ltr.
* Entergy Operations, Inc. 96/12/13. 257pp. 91289:001-91289:257.

**9612230233** Fowards Emergency Response Data System implementation documents.W/o encl.
JOLICOEUR,J.R. Office for Analysis & Evaluation of Operational Data, Director. 96/12/19. SAUL,K.L. SCIENTECH, Inc. 1p. 91194:309-91194:309.

**9612260329** Submits response to request for addl info re GL 92-08, "Thermo-Lag Fire Barriers," dtd 961028.
HAGAN,J.J. Entergy Operations, Inc. 96/12/20. Document Control Branch (Document Control Desk). 12pp. 91247:232-91247:243.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612030119** Partial update 4 to rev 10 to updated FSAR for Grand Gulf Nuclear Station Unit 1.
* Entergy Operations, Inc. 96/06/25. 250pp. 91009:001-91009:247.

**P. Operating license stage documents & correspondence**

**9612050080** Notification of 961217 licensee meeting w/util in Arlington, TX to discuss evaluation approach & results of UFSAR assessments at each facility.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Region 4 (Post 820201). 9pp. 91013:154-91013:163.

**9612090364** Forwards Rev 4 to "Grand Gulf Nuclear Station COLR Safety- Related."
HAGAN,J.J. Entergy Operations, Inc. 96/12/03. Document Control Branch (Document Control Desk). 3pp. 91054:320-91054:348.

**–9612090366** "GGNS COLR Safety-Related."
* Entergy Operations, Inc. GGNS-MS-48.0 R04. 96/11/18. 26pp. 91054:323-91054:348.

**9612160256** Summary of 96111 meeting w/licensee in Rockville,MD to discuss comments developed in response to NRC advance notice of proposed rulemaking on financial assurance requirements for decommissioning nuclear reactors.List of attendees encl.
WIGGINTON,D.L. . 96/12/11. . 40pp. 91101:150-91101:189.

**9612160415** Responds to 960509 ltr re request that portions of GE rept, "GGNS Cycle 9 SL MCPR Analysis," J11-02863SLMCPR Rev 0,dtd May 1996,be withheld from public disclosure.NRC determined that portions marked as proprietary will be withheld.
DONOHEW,J.N. . 96/12/11. HAGAN,J.J. Entergy Operations, Inc. 4pp. 91121:268-91121:271.

**9612170029** Responds to 961022 ltr re request for withholding info from public disclosure in matter for plant unit 1.Subj info will be withheld from public disclosure,per 10CFR2.790(b)(5).
DONOHEW,J.N. . 96/12/11. HAGAN,J.J. Entergy Operations, Inc. 4pp. 91132:060-91132:063.

**9612170040** Responds to 960905 ltr re request that portions of document be withheld from public disclosure pursuant to 10CFR2.790. Subj info will be withheld from public disclosure.
DONOHEW,J.N. . 96/12/11. HAGAN,J.J. Entergy Operations, Inc. 4pp. 91132:052-91132:055.

**9612230330** Responds to 960731 ltr re request that portions of GE rept, "GGNS Cycle 9 SL MCPR Analysis," J11-02863SLMCPR rev 1,dtd Jul 1996,be withheld from public disclosure.NRC determined portions marked as proprietary will be withheld.
DONOHEW,J.N. . 96/12/11. HAGAN,J.J. Entergy Operations, Inc. 4pp. 91181:309-91181:312.

**9612180287** Forwards for review & comments draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Request comments by 970214. W/o encl.
MIRAGLIA,F.J. . 96/12/13. HINTZ,D.C. Entergy Operations, Inc. 7pp. 91132:324-91132:330.

**9612190239** Summary of 960827 meeting w/util in Rockville,MD re graded quality assurance initiative at facility.W/attendees list, summary of licensee presentation & licensee expert panel guidance document.
* . 96/12/17. . 41pp. 91136:238-91136:278.

**9612260329** Submits response to request for addl info re GL 92-08, "Thermo-Lag Fire Barriers," dtd 961028.
HAGAN,J.J. Entergy Operations, Inc. 96/12/20. Document Control Branch (Document Control Desk). 12pp. 91247:232-91247:243.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030140** Forwards insp rept 50-416/96-19 on 961104-07.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/11/26. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 90973:282-90973:299.

**–9612030151** Insp rept 50-416/96-19 on 961104-07.No violations noted. Major areas inspected:licensee radiation protection program & conduct during Fall 1996 refueling outage.
* Region 4 (Post 820201). 96/11/26. 13pp. 90973:287-90973:299.

**9612030175** Advises of planned insp effort resulting from plant SPPR review completed on 961030 for period Mar-Oct 1996.
DYER,J.E. Region 4 (Post 820201). 96/11/27. HAGAN,J. Entergy Operations, Inc. 6pp. 90973:339-90973:344.

**9612060030** Forwards insp rept 50-416/96-18 on 961028-1108.No violations noted.
GYWNN,T.P. Region 4 (Post 820201). 96/11/29. HAGAN,J.J. Entergy Operations, Inc. 6pp. 91024:013-91024:033.

**–9612060037** Insp rept 50-416/96-18 on 961028-1108.No violations noted. Major areas inspected:maint,nondestructive exams, documentation reviews.Discussions w/plant personnel associated w/maint & inservice insp programs were held.
* Region 4 (Post 820201). 96/11/29. 15pp. 91024:019-91024:033.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160386** Forwards SE & technical rept by INEL in response to request for authorization to update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code,Section XI & authorizes proposed alternatives.
BECKNER,W. . 96/12/12. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91101:030-91101:055.

**–9612160403** Safety evaluation supporting update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code, Sect XI for licenses DPR-51,NPF-6,NPF-38,NPF-29 & NPF-47. Technical ltr rept encl.
* . 96/12/12. 19pp. 91101:037-91101:055.

**9612200028** Informs of maintenance rule baseline team insp at Grand Gulf 1 reactor facility scheduled for 970224-28.
GWYNN,T.P. Region 4 (Post 820201). 96/12/16. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. 91149:001-91149:006.

**9612200305** Announces maint rule baseline team insp at GGNS on 970224-28.Team will require info about program & implementation for in-ofc preparation for insp.This ltr corrects 961216 ltr which referenced Waterford 3.
GWYNN,T.P. Region 4 (Post 820201). 96/12/17. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. 91149:314-91149:319.

**9612240075** Responds to NRC 961129 ltr re violations noted in insp rept 50-416/96-17.Corrective actions:work was stopped & equipment was placed in safe condition.
HAGAN,J.J. Entergy Operations, Inc. 96/12/17. Document Control Branch (Document Control Desk). 5pp. 91210:322-91210:326.

**9612270042** Responds to NRC 961125 ltr re violations noted in insp rept 50-416/96-17.Corrective actions:Correct trip units were checked & channel checks were completed with satisfactory results.
HAGAN,J.J. Entergy Operations, Inc. 96/12/18. Document Control Branch (Document Control Desk). 3pp. 91247:324-91247:326.

**R. Periodic operating reports & related correspondence**

**9612270144** Monthly operating rept for Nov 1996 for Grand Gulf Nuclear Station Unit 1.W/961213 ltr.
LIN,S.D., * Entergy Operations, Inc. 96/11/30. 5pp. 91255:221-91255:225.

**S. Reportable occurrences, LERs & related correspondence**

**9612040110** LER 96-005-00:on 961027,failure of motor pinion keys in LPCI valves occurred.Caused by suspect material used for motor pinion keys as previously identified by limitorque. Motor pinion key replacement was reviewed.W/961126 ltr.
JONES,M.L., HAGAN,J.J. Entergy Operations, Inc. 96/11/26. 4pp. 91050:213-91050:216.

**9612090308** LER 96-004-01:on 960606,manual reactor scram occurred due to spurious multiple SRV lifts.Trip unit 1C11N655B was shipped to manufacturer for failure analysis.W/961204 ltr.
HOLIFIELD,C., HAGAN,J.J. Entergy Operations, Inc. 96/12/04. 6pp. 91134:121-91134:127.

**9612260172** LER 96-006-00:on 961127,manual reactor scram occurred due to loss of CRD pump.Faulty transmitter was replaced & calibration performed in accordance with 07-S-53-P11-6,CST level calibration.W/961220 ltr.
BROOKS,C.E., HAGAN,J.J. Entergy Operations, Inc. 96/12/20. 6pp. 91231:354-91231:359.

**DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612230233** Fowards Emergency Response Data System implementation documents.W/o encl.
JOLICOEUR,J.R. Office for Analysis & Evaluation of Operational Data, Director. 96/12/19. SAUL,K.L. SCIENTECH, Inc. 1p. 91194:309-91194:309.

**DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612240054** Rev 2 to EPIP 4404,Change 1, "Notification & Communications"
TARALLO,B. Northeast Nuclear Energy Co. 96/12/18. 9pp. 91210:334-91210:342.

**H. General correspondence**

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

**--9612120238** Forward 961105 ltr to H Blank re recent events at Millstone Nuclear Station.
BLANCH,P.M. Affiliation Not Assigned. 96/11/15. NRC - No Detailed Affiliation Given. 2pp. 91120:055-91120:056.

**--9612120321** Forwards article from Courant on 961122 re unlicensed workers at Millstone nuclear plants.
BLANCH,P.M. Affiliation Not Assigned. 96/11/22. NRC - No Detailed Affiliation Given. 6pp. 91120:067-91120:072.

**--9612120335** Forwards article from Courant dtd 961128 written by M Remez & M McIntire re oversight of Millstone & other nuclear power plants.
BLANCH,P.. Affiliation Not Assigned. 96/11/28. NRC - No Detailed Affiliation Given. 2pp. 91120:078-91120:079.

**--9612130001** Informs that PM Blanch returing beeper previously assigned. Restart of plant discussed.
BLANCH,P.M. Affiliation Not Assigned. 96/10/04. NRC - No Detailed Affiliation Given. 3pp. 91120:096-91120:098.

**--9612130024** Submits article by S Allen published in Boston Globe on 961011 re safety problems at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/11. NRC - No Detailed Affiliation Given. 2pp. 91120:143-91120:144.

**--9612130055** Forwards article by M McIntire published in Courant on 961016 re problems at nuclear power plants.
BLANCH,P.M. Affiliation Not Assigned. 96/10/16. NRC - No Detailed Affiliation Given. 3pp. 91120:152-91120:154.

**--9612130064** Forwards paper entitled, "Adjusting Regulatory Balance."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 7pp. 91120:160-91120:166.

**--9612130072** Forward press release of 961018 entitled, "NRC Establishes Special Projects Ofc to Oversee Insp & Licensee Activities at Millstone & Hadam Neck Plants."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 2pp. 91120:167-91120:168.

**--9612130080** Forwards article published in Hartford Courant on 961019 re Three Mile Island accident.
BLANCH,P.M. Affiliation Not Assigned. 96/10/19. MULLEY,G. NRC - No Detailed Affiliation Given. 2pp. 91120:169-91120:170.

**--9612130103** Forwards Hartford Courant article published on 961020 re problems at Millstone.R Nader will be in Waterford 961029.
BLANCH,P.M. Affiliation Not Assigned. 96/10/22. MARTIN,T. NRC - No Detailed Affiliation Given. 5pp. 91120:177-91120:181.

**--9612130162** Forwards article from Hartford Courant published by M McIntire & M Remez on 961025 re safety concerns at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/25. WALD,M. NRC - No Detailed Affiliation Given. 8pp. 91120:198-91120:205.

**--9612130166** Discusses page B1 of Hartford Courant re investigator to look into NRC attitude.
BLANCH,P.M. Affiliation Not Assigned. 96/10/26. NRC - No Detailed Affiliation Given. 2pp. 91120:206-91120:207.

**--9612130174** Forwards article from Hartford Courant published by M McIntire on 961028 re Millstone nuclear plant.
BLANCH,P.M. Affiliation Not Assigned. 96/10/28. NRC - No Detailed Affiliation Given. 3pp. 91120:209-91120:211.

**--9612130191** Forwards memo from JN Hannon to WT Russell re independent review of Millstone Station & NRC handling of employee concerns & allegations.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 4pp. 91120:217-91120:220.

**--9612130196** Discusses layoff of over 100 employees at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29. NRC - No Detailed Affiliation Given. 2pp. 91120:221-91120:222.

**9612190358** Responds to 961021 ltr re concerns about bias potentially evidencing within Independent Corrective Action Verification Program team.
THE CHAIRMAN Commissioners (Post 750119). 96/12/10. DODD,C.J. Senate. 2pp. 91137:063-91137:075.

**9612240319** Informs that effective 961202,S Dembek & J Andersen assigned as project managers for plant.
MCKEE,P.F. . 96/12/20. KENYON,B.D. Northeast Utilities Service Co. 4pp. 91197:329-91197:332.

**9612310151** Responds to 961119 ltr re activities at plants,stating that Citizens Regulatory Commission was interested in being kept abreast of situation at plants & being involved in Millstone recovery process.
MIRAGLIA,F.J. . 96/12/24. LUXTON,S.P. Affiliation Not Assigned. 8pp. 91247:067-91247:078.

**--9612310158** Informs that attached response to SP Luxton 961119 ltr re activities at plants approved w/o edit by Commissioners & no further need for Commission review.
SHOEMAKER,J. Ofc of the Executive Director for Operations. 96/12/24. Office of the Secretary of the Commission. 1p. 91247:077-91247:077.

**--9612310162** Requests to be kept abreast of activities at plants & recovery process at Millstone.
LUXTON,S.P. Affiliation Not Assigned. 96/11/19. THE CHAIRMAN Commissioners (Post 750119). 1p. 91247:078-91247:078.

**P. Operating license stage documents & correspondence**

**9612110113** Informs that util consents to Order dtd 961024 requiring submission of comprehensive plan to review and disposition safety issues raised by employees.Util to proceed to develop required plans & submit info.
GOEBEL,D.M. Northeast Nuclear Energy Co. GOEBEL,D.M. Northeast Utilities Service Co. 96/11/13. MIRAGLIA,F.J. . 3pp. 91081:290-91081:292.

**9612020100** Requests extension of 30 days for submittal of proposed independent,third party organization to oversee implementation of comprehensive plan for reviewing safety issues raised by util employees.
GOEBEL,D.M. Northeast Nuclear Energy Co. GOEBEL,D.M. Northeast Utilities Service Co. 96/11/25. MIRAGLIA,F.J. . 2pp. 91003:133-91003:134.

**9612020107** Submits interim response to 961106 ltr requesting major Independent Corrective Action Verification Program schedule for Millstone,Unit 3.
COWAN,J.P. Northeast Nuclear Energy Co. COWAN,J.P. Northeast Utilities Service Co. 96/11/27. Document Control Branch (Document Control Desk). 4pp. 91003:138-91003:141.

**9612020124** Forwards response to RAI re issues concerning plant containment basemat concrete.
COWAN,J.P. Northeast Nuclear Energy Co. COWAN,J.P. Northeast Utilities Service Co. 96/11/27. Document Control Branch (Document Control Desk). 248pp. 91002:001-91002:248.

**9612020161** Submits changes to & errors in ECCS evaluation model or application of model for Millstone Unit 3.
COWAN,J.P. Northeast Nuclear Energy Co. COWAN,J.P. Northeast Utilities Service Co. 96/11/27. Document Control Branch (Document Control Desk). 9pp. 91001:350-91001:358.

**9612060301** Forwards SE re relief request for valve inservice testing at facility.
ROONEY,V.L. . 96/12/02. KENYON,B.D. Northeast Utilities Service Co. 4pp. 91031:134-91031:141.

**--9612060303** Safety evaluation accepting proposed alternative described in relief request R-1 re valve inservice testing program at facility.
* Region 1 (Post 820201). 96/12/02. 4pp. 91031:138-91031:141.

**9612160441** Notification of significant meeting 96-126 on 961217 in East Lyme,CT to update members of public w/respect to current NRC activities at plant.
DURR,J. . 96/12/03. . 3pp. 91097:094-91097:096.

**9612170062** Notification of 961217 significant meeting 96-125 w/util in Waterford,CT to discuss current restart plans for plant.
DURR,J. Region 1 (Post 820201). 96/12/03. Region 1 (Post 820201). 3pp. 91118:075-91118:077.

**9612100185** Forwards response to RAI re proposed rev to TS submittal re steam line pressure negative rate high steam line isolation time constant.
COWAN,J.P. Northeast Nuclear Energy Co. COWAN,J.P. Northeast Utilities Service Co. 96/12/04. Document Control Branch (Document Control Desk). 8pp. 91056:290-91056:297.

**9612160176** Final response to FOIA request for documents.Records in App A encl & being made available for PDR.App B records withheld in part (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/04. BERGH,N. Northeast Utilities Service Co. 4pp. 91120:226-91120:361.

**-9612160189** FOIA request for documents re listed Inspector General Repts.
BERGH,N. Northeast Utilities Service Co. 96/11/18. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 91120:230-91120:260.

**9612110367** Forwards root cause evaluation rept-effectiveness of oversight organization per evaluation conducted in May 1996. More contact between chief nuclear officer & line mgt recommended.
GOEBEL,D. Northeast Nuclear Energy Co. 96/12/06. Document Control Branch (Document Control Desk). 48pp. 91089:301-91089:348.

**9612170100** Responds to 961009 ltr re concern of NRC oversight at plant & independent correction action verification program imposed at plant by 960814 NRC order.
THE CHAIRMAN Commissioners (Post 750119). 96/12/09. Affiliation Not Assigned. 2pp. 91131:274-91131:299.

**-9612170108** Makes proposal to NRC re need for independent review of licensee operations of plant to verify adequacy of licensee efforts.
* Affiliation Not Assigned. 96/10/09. THE CHAIRMAN Commissioners (Post 750119). 12pp. 91131:276-91131:299.

**9612120071** Press release I-96-79, "NRC to Hold Two Meetings 961217 in Connecticut on Millstone Nuclear Plant."
* Region 1 (Post 820201). 96/12/11. 1p. 91163:031-91163:031.

**9612190073** Informs that NNECO & CYAP will begin to use optical disk technology during last quarter of 1996 to further enhance QA Records Keeping sys.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91191:288-91191:289.

**9612190062** Submits 1995 operator response times for steam generator tube rupture recovery operations.
COWAN,J.P. Northeast Nuclear Energy Co. COWAN,J.P. Northeast Utilities Service Co. 96/12/12. Document Control Branch (Document Control Desk). 6pp. 91191:282-91191:287.

**9612190263** Responds to 961112 ltr to Chairman Jackson informing of formation of subcommittee to assess "independence" aspects of Independent Corrective Action Verification Program.
MIRAGLIA,F.J. . 96/12/16. CONCANNON,T., WOOLLOCOTT,E. Connecticut, State of. 4pp. 91184:211-91184:217.

**-9612190270** Informs that Nuclear Energy Advisory Council approved subcommittee at 961107 meeting to assess 'independence' aspect of Independent Corrective Action Verification Program.
CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 96/11/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 91184:215-91184:217.

**9612240088** Responds to ltr dtd 961022 re Independent Corrective Action Verification Program imposed at Millstone by NRC order of 960814.
THE CHAIRMAN Commissioners (Post 750119). 96/12/16. CONCANNON,T. Connecticut, State of. 6pp. 91193:244-91193:250.

**9612200172** Provides NRC w/info required to assess util proposed selection of contractor & independent verification team for conduct of independent CA verification program for plant Unit 3.NRC approval of proposed contractor & team requested.
COWAN,J.P. Northeast Nuclear Energy Co. COWAN,J.P. Northeast Utilities Service Co. 96/12/18. Document Control Branch (Document Control Desk). 4pp. 91182:001-91182:352.

**-9612200175** "Independent CA Verification Program,Contractor Recommendation."
* Northeast Utilities Service Co. 96/12/18. 348pp. 91182:005-91182:352.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612130050** Forwards update on NRC efforts at Northest Util Millstone & Haddam Neck facilities.Confirmatory Order dtd 960814,Special Team Insp Rept dtd 960920 & Millstone Station Restart Assessment Plan encl.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. GEJDENSON,S. House of Rep. 4pp. 91093:178-91093:339.

**-9612130066** Insp repts 50-336/96-201 & 50-423/96-201 on 960311-29 & 960512-22.Violations noted.Major areas insp:licensees ability to identify & resolve technical issues,AFW sys,SW sys & emergency power sys.
* . 96/09/30. 105pp. 91093:203-91093:339.

**9612090183** Forwards insp repts 50-245/96-08,50-336/96-08 & 50-423/96-08 on 960827-1025 & notice of violations.
LANNING,W.D. Region 1 (Post 820201). 96/12/03. KENYON,B.D., HARPSTER,T. Northeast Nuclear Energy Co. 5pp. 91037:255-91037:351.

**-9612090203** Insp repts 50-245/96-08,50-336/96-08 & 50-423/96-08 on 960827-1025.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 1 (Post 820201). 96/12/03. 91pp. 91037:261-91037:351.

**9612090022** Discusses receipt of licensee final response to NRC NOV & proposed imposition of civil penalty in amount of $100,000, dtd 961025.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/12/04. KENYON,B.D. Northeast Nuclear Energy Co. 2pp. 91039:006-91039:007.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160422** Ack receipt of 961108 ltr informing NRC of steps taken to correct violations noted in combined insp repts 50-245/96-06,50-336/96-06 & 50-423/96-06.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/05. KENYON,B.D. Northeast Nuclear Energy Co. 3pp. 91096:202-91096:204.

**9612120343** Documents 961203 mgt meeting w/H Haynes & P Hinnenkamp to discuss training issues identified in insp rept 50-245/96-05.
MEYER,G.W. Region 1 (Post 820201). 96/12/06. KENYON,B.D. Northeast Nuclear Energy Co. 26pp. 91070:217-91070:242.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612200099** Monthly operating rept for Nov 1996 for Millstone Nuclear Power Station Unit 3.W/961213 ltr.
HUDSON,I.R., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/11/30. 8pp. 91192:197-91192:204.

**S. Reportable occurrences, LERs & related correspondence**

**9612020073** LER 96-040-00:on 961024,potential component cooling sys overcooling noted due to loss of instrument air sys concurrent w/low svc water inlet temp.CCP heat exchanger outlet temp control valve will be modified.W/961122 ltr.
PESCHEL,J.M., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/11/22. 8pp. 91050:242-91050:249.

**9612030038** LER 96-041-00:on 961024,bypass flow around SWP discharge strainers resulted in ECCS & ESF sys potentially inoperable following postulated LOCA due to potential for loss of coolant.Replaced SWP discharge strainers.W/961123 ltr.
PESCHEL,J.M., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/11/22. 7pp. 91049:298-91049:304.

**9612040204** NPDES noncompliance notification:on 961116,small leak of water was discovered at "B" Radiation Waste Test Tank & discharged into catch basin.Tank contained boric acid at time of incident.Calculation has been performed re acid.
SCACE,S.E. Northeast Nuclear Energy Co. 96/11/22. GRIER,J. Connecticut, State of. 2pp. 91039:133-91039:134.

**9612030171** Forwards LER 96-043-00,documenting condition determined at Unit 3.Util commitments in response to event encl.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/11/27. Document Control Branch (Document Control Desk). 4pp. 91049:329-91049:337.

**-9612030183** LER 96-043-00:on 961024,internal audit identified potential inconsistency w/interpretation of TS requirements. Inconsistencies confirmed on 961107.Caused by operator misunderstanding of TS compliance.Procedures revised.
PESCHEL,J.M. Northeast Nuclear Energy Co. 96/11/27. 5pp. 91049:333-91049:337.

**9612030319** Forwards LER 96-042-00,documenting condition determined at Unit 3 on 961028.Util commitments in response to event attached.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/11/27. Document Control Branch (Document Control Desk). 4pp. 91050:094-91050:100.

**-9612030326** LER 96-042-00:on 961028,TS response time surveillance testing of containment fuel drop RMS monitors not performed. Caused by inadequate definition of roles & responsibilities for receipt & incorporation.Procedures revised by 970331.
PESCHEL,J.M. Northeast Nuclear Energy Co. 96/11/27. 3pp. 91050:098-91050:100.

**9612100081** Forwards LER 96-044-00,documenting condition that was determined at Millstone Unit 3,on 961108.Commitments,encl.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/12/04. Document Control Branch (Document Control Desk). 4pp. 91127:050-91127:058.

**-9612100088** LER 96-044-00:on 961108,qualification of containment sys noted following design basis accident.Determined that FWA sys was not rated at containment design temp of 280 degrees. Design review of FWA sys will be performed prior to entry.
PESCHEL,J.M. Northeast Nuclear Energy Co. 96/12/04. 5pp. 91127:054-91127:058.

**9612120105** Forwards LER 96-045-00,documenting condition that was determined at Millstone Unit 3 on 961107.LER submitted pursuant to 10CFR 50.73(a)(2)(ii).Commitments encl.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities. 96/12/06. Document Control Branch (Document Control Desk). 4pp. 91163:034-91163:041.

**-9612120120** LER 96-045-00:on 961107,electrical separation design conflict with FSAR identified.Caused by breakdown in FSAR revision process.Design basis will be revised to identify deviations from Reg Guide 1.75,Position C.6.
PERSCHEL,J.M., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities. 96/12/06. 4pp. 91163:038-91163:041.

**9612170406** Fowards LER 96-046-00.Licensee commitments listed,including containment fuel drop radiation monitor design reviewed & TS change request will be submitted to NRC for approval.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/12/06. Document Control Branch (Document Control Desk). 4pp. 91164:001-91164:008.

**--9612170420** LER 96-046-00:on 961108,time response of containment fuel drop radiation monitor less conservative then value assumed within FSAR.Caused by inadequate original design & failure of surveillance test program.Design reviewed.
PESCHEL,J.M. Northeast Nuclear Energy Co. 96/12/07. 4pp. 91164:005-91164:008.

**9612170255** Part 21 rept re stocked safety-related fuses issued from storeroom for installation which had cracked ferrules in longitudinal direction on 960911.Procurement & Warehouse groups completed inspecting fuses in warehouse.
THAYER,J.K. Northeast Nuclear Energy Co. THAYER,J.K. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 67pp. 91163:268-91163:334.

**9612260036** Forwards LER 96-047-00 which documents condition that occurred on 961114,per 10CFR50.73(a)(2)(ii).Commitments in response to event,encl.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91242:083-91242:090.

**--9612260039** LER 96-047-00:on 961114,4.16 kV category 1 circuit breakers were not seismically restrained when breakers were in racked down position.Caused by failure to recognize inconsistency between seismic qualification.Procedures were revised.
PESCHEL,J.M. Northeast Nuclear Energy Co. 96/12/13. 4pp. 91242:087-91242:090.

**9612260137** Forwards LER 96-021-01 which supplements rept submitted on 960726,per 10CFR50.73(a)(2)(i)(B).Commitments in response to event,encl.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 6pp. 91232:001-91232:018.

**--9612260148** LER 96-021-01:on 960628,components were not included in in-service test program as result of programmatic deficiencies.Existing IST documents & procedures will be reviewed & revised as required.
PESCHEL,J.M. Northeast Nuclear Energy Co. 96/12/13. 12pp. 91232:007-91232:018.

**9612260156** Forwards LER 96-007-02 which supplements rept submitted on 960502,per 10CFR50.73(a)(2)(ii)(B),10CFR50.73(a)(2)(v)(B&D),
10CFR50.73(a)(2)(vii)(B&D).Commitments in response to event, encl.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91226:314-91226:322.

**--9612260169** LER 96-007-02:on 960403,containment recirculation spray, quench spray & safety injection sys were outside design basis due to design errors.Design reviews of RSS,QSS,SI & other sys will be performed.
PESCHEL,J.M. Northeast Nuclear Energy Co. 96/12/13. 5pp. 91226:318-91226:322.

**9612260181** Forwards LER 96-028-01 which supplements rept that was submitted on 960923,per 10CFR50.73(a)(2)(v)(D).Commitments in response to event,encl.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91232:019-91232:026.

**--9612260189** LER 96-028-01:on 960916,potential overcooling of charging pump lube oil sys occurred due to failure of air-operated temperature control valves.Temporary mod to limit failure position of three way CCE temp control valve,installed.
PESCHEL,J.M. Northeast Nuclear Energy Co. 96/12/13. 4pp. 91232:023-91232:026.

**U. Congressional/Executive Correspondence**

**9612120334** Provides update on NRC efforts at util re significant activities after 960618 status rept.Confirmatory order, special team insp rept & plant restart assessment plan not encl.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. LIEBERMAN,J.I. Senate. 4pp. 91090:218-91090:221.

**9612120425** Provides update on NRC efforts re listed plants & informs of several significant activities initiated since last status rept of 960618.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. DODD,C.J. Senate. 4pp. 91074:347-91074:350.

**9612130050** Forwards update on NRC efforts at Northest Util Millstone & Haddam Neck facilities.Confirmatory Order dtd 960814,Special Team Insp Rept dtd 960920 & Millstone Station Restart Assessment Plan encl.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. GEJDENSON,S. House of Rep. 4pp. 91093:178-91093:339.

**V. Operator Examinations**

**9612020217** Notification of significant licensee meeting 96-122 w/util on 961203 in King of Prussia,PA to discuss Millstone Unit 1 operator requalification training,including operator performance on simulator evaluations.
DURR,J. Region 1 (Post 820201). 96/11/22. Region 1 (Post 820201). 3pp. 90965:035-90965:037.

**DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612160154** Revised EPIP including rev 6 to 91706-C, "Alert Notification Sys."
MAYO,L.E. Georgia Power Co. 96/12/04. 10pp. 91129:051-91129:060.

**9612120287** Discusses completion of licensing action for generic ltr 92-08, "Thermo-Lag 330-1 Fire Barriers," dtd 921217 for Vogtle Electric Generating Plant.
WHELLER,L.L. . 96/12/10. MCCOY,C.K. Georgia Power Co. 4pp. 91075:100-91075:103.

**9612180360** Submits updated info for application for amends to Licenses NPF-68 & NPF-81,authorizing change of name.Wording revs refer to latest rev dates of physical security & contingency plan & guard training & qualification plan.
MCCOY,C.K. Georgia Power Co. 96/12/12. Document Control Branch (Document Control Desk). 2pp. 91155:329-91155:335.

**--9612180371** Proposed tech specs re physical security & contingency plan.
* Georgia Power Co. 96/12/12. 5pp. 91155:331-91155:335.

**G. Adjudicatory correspondence**

**9511140071** Board notification 95-017:notifies of contention challenging application of GPC for amends to authorize Southern Nuclear to operate plant.
VARGA,S.A. . 95/11/13. Atomic Safety & Licensing Board Panel. 6pp. 91085:001-91085:095.

**9612130090** Informs that time provided by NRC regulation within which Commission may act to review decision of Board (LBP-96-16) has expired.Decision became final agency action on 961129. W/Certificate of Svc.Served on 961129.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18084. 96/11/29. Atomic Safety & Licensing Board Panel. 3pp. 91083:189-91083:191.

**H. General correspondence**

**9612160304** Comment supporting draft RG DG-1047, "Std Format & Content for Applications to Renew NPP OLs."
MCCOY,C.K. Georgia Power Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:106-91097:113.

**9612120315** Informs of nomination of NRC School Volunteers Program for 1997 Public Svc Excellence Award Program.Nomination package encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/04. RIGHT,J. . 18pp. 91074:259-91074:296.

**--9612120459** Expresses appreciation for info submitted re Vogtle plant.
SAVAGE,J. Affiliation Not Assigned. 96/12/04. HANNAH NRC - No Detailed Affiliation Given. 1p. 91074:279-91074:279.

**P. Operating license stage documents & correspondence**

**9612020101** Responds to 960816 request for concurrence to update VEGP Unit 2 ISI & IST programs for second 10 year interval approx 2 years ahead of schedule.NRC approves request.
BERKOW,H.N. . 96/11/27. MCCOY,C.K. Georgia Power Co. 5pp. 90975:109-90975:113.

**9612120287** Discusses completion of licensing action for generic ltr 92-08, "Thermo-Lag 330-1 Fire Barriers," dtd 921217 for Vogtle Electric Generating Plant.
WHELLER,L.L. . 96/12/10. MCCOY,C.K. Georgia Power Co. 4pp. 91075:100-91075:103.

**9612160431** Requests comments on draft of, "IPE Program:Perspectives on RS & Plant Performances,Summary Rept," NUREG-1560.
MIRAGLIA,F.J. . 96/12/12. HAIRSTON,W.G. Georgia Power Co. 4pp. 91121:276-91121:279.

**9612180360** Submits updated info for application for amends to Licenses NPF-68 & NPF-81,authorizing change of name.Wording revs refer to latest rev dates of physical security & contingency plan & guard training & qualification plan.
MCCOY,C.K. Georgia Power Co. 96/12/12. Document Control Branch (Document Control Desk). 2pp. 91155:329-91155:335.

**--9612180371** Proposed tech specs re physical security & contingency plan.
* Georgia Power Co. 96/12/12. 5pp. 91155:331-91155:335.

**9612260066** Submits supplemental info re license amend application requesting to become licensed operator of VEGP.
MCCOY,C.K. Georgia Power Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91236:338-91236:339.

**9612310069** Submits updated info re license amend application for Southern Nuclear to become licensed operator.
MCCOY,C.K. Georgia Power Co. 96/12/23. Document Control Branch (Document Control Desk). 2pp. 91262:308-91262:309.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030159** Responds to NRC ltr re violations noted in insp repts 50-424/96-10 & 50-425/96-10.CR rounds have been modified to included additional checks of safety-related valves & dampers.
MCCOY,C.K. Georgia Power Co. 96/11/25. Document Control Branch (Document Control Desk). 5pp. 91011:194-91011:198.

**9612030196** Forwards response to NRC ltr re violations noted in insp repts 50-424/96-02 & 50-425/96-02.Corrective actions:worn bellow/disc holder assembly was discovered & replaced.
MCCOY,C.K. Georgia Power Co. 96/11/25. Document Control Branch (Document Control Desk). 4pp. 91010:001-91010:004.

**9612020101** Responds to 960816 request for concurrence to update VEGP Unit 2 ISI & IST programs for second 10 year interval approx 2 years ahead of schedule.NRC approves request.
BERKOW,H.N. . 96/11/27. MCCOY,C.K. Georgia Power Co. 5pp. 90975:109-90975:113.

**9612090032** Confirms conversation w/L Ward re predecisional enforcement conference scheduled for 961219 to discuss apparent violation re inoperability of Unit 1 Train "B" Safety Injection Pump at plant.
SKINNER,P.H. Region 2 (Post 820201). 96/11/27. MCCOY,K. Georgia Power Co. 4pp. 91039:008-91039:011.

**9612100072** Forwards list that is used to determine valves subject to requirements of TS 3.6.3.Submitted valves listed on FSAR table 16.3-4,associated w/SG secondary side.
MCCOY,C.K. Georgia Power Co. 96/11/27. Document Control Branch (Document Control Desk). 20pp. 91057:047-91057:066.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170244** Ack receipt of 961125 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/96-10 & 50-425/96-10.
SKINNER,P.H. Region 2 (Post 820201). 96/12/05. MCCOY,C.K. Georgia Power Co. 3pp. 91105:060-91105:062.

**9612170274** Forwards insp repts 50-424/96-11 & 50-425/96-11 on 960929-1109 & notice of violation.
SKINNER,P.H. Region 2 (Post 820201). 96/12/05. MCCOY,C.K. Georgia Power Co. 4pp. 91103:210-91103:249.

**--9612170282** Notice of violation from insp on 960929-1109.Violation noted:plant equipment clearances not properly installed & maintained IAW designated hold tag positions & failure to properly perform surveillance procedure 14900-C.
* Region 2 (Post 820201). 96/12/05. 2pp. 91103:214-91103:215.

**--9612170288** Insp repts 50-424/96-11 & 50-425/96-11 on 960929-1109. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 2 (Post 820201). 96/12/05. 34pp. 91103:216-91103:249.

**9612170295** Grants request for extension until 970131 for addl review/ analysis to address setpoint tolerances relative to violation in insp repts 50-424/96-02 & 50-425/96-02.
SKINNER,P.H. Region 2 (Post 820201). 96/12/06. MCCOY,C.K. Georgia Power Co. 3pp. 91118:099-91118:101.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612180101** Press release II-96-104, "NRC Staff to Hold Predecisional Enforcement Conference to Discuss Vogtle Equipment Concerns w/GA Power Co."
* Region 2 (Post 820201). 96/12/17. 1p. 91164:025-91164:025.

**R. Periodic operating reports & related correspondence**

**9612180042** Monthly operating repts for Nov 1996 for Vogtle Electric Generating Plant Units 1 & 2.W/961210 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 96/11/30. 12pp. 91148:176-91148:187.

**S. Reportable occurrences, LERs & related correspondence**

**9612090321** LER 96-010-00:on 961101,safety injection pump rendered inoperable due to lack of motor cooling.Caused by improper gasket installation & inadequate procedural guidance.Coolers reassembled properly & SIP B returned to svc.W/961127 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 96/11/27. 6pp. 91134:128-91134:133.

**9612260068** LER 96-012-00:on 961127,main generator stator cooling short circuit leads to turbine/reactor trip.Caused by metal tag coming in contact w/terminal strip.Fuse replaced & metal tags removed.W/961218 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 96/12/18. 4pp. 91242:116-91242:119.

**DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612160154** Revised EPIP including rev 6 to 91706-C, "Alert Notification Sys."
MAYO,L.E. Georgia Power Co. 96/12/04. 10pp. 91129:051-91129:060.

**9612120287** Discusses completion of licensing action for generic ltr 92-08, "Thermo-Lag 330-1 Fire Barriers," dtd 921217 for Vogtle Electric Generating Plant.
WHELLER,L.L. . 96/12/10. MCCOY,C.K. Georgia Power Co. 4pp. 91075:100-91075:103.

**9612180360** Submits updated info for application for amends to Licenses NPF-68 & NPF-81,authorizing change of name.Wording revs refer to latest rev dates of physical security & contingency plan & guard training & qualification plan.
MCCOY,C.K. Georgia Power Co. 96/12/12. Document Control Branch (Document Control Desk). 2pp. 91155:329-91155:335.

**--9612180371** Proposed tech specs re physical security & contingency plan.
* Georgia Power Co. 96/12/12. 5pp. 91155:331-91155:335.

**G. Adjudicatory correspondence**

**9511140071** Board notification 95-017:notifies of contention challenging application of GPC for amends to authorize Southern Nuclear to operate plant.
VARGA,S.A. . 95/11/13. Atomic Safety & Licensing Board Panel. 6pp. 91085:001-91085:095.

**9612130090** Informs that time provided by NRC regulation within which Commission may act to review decision of Board (LBP-96-16) has expired.Decision became final agency action on 961129. W/Certificate of Svc.Served on 961129.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18084. 96/11/29. Atomic Safety & Licensing Board Panel. 3pp. 91083:189-91083:191.

**H. General correspondence**

**9612160304** Comment supporting draft RG DG-1047, "Std Format & Content for Applications to Renew NPP OLs."
MCCOY,C.K. Georgia Power Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:106-91097:113.

**9612120315** Informs of nomination of NRC School Volunteers Program for 1997 Public Svc Excellence Award Program.Nomination package encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/04. RIGHT,J. . 18pp. 91074:259-91074:296.

**--9612120459** Expresses appreciation for info submitted re Vogtle plant.
SAVAGE,J. Affiliation Not Assigned. 96/12/04. HANNAH NRC - No Detailed Affiliation Given. 1p. 91074:279-91074:279.

**P. Operating license stage documents & correspondence**

**9612020101** Responds to 960816 request for concurrence to update VEGP Unit 2 ISI & IST programs for second 10 year interval approx 2 years ahead of schedule.NRC approves request.
BERKOW,H.N. . 96/11/27. MCCOY,C.K. Georgia Power Co. 5pp. 90975:109-90975:113.

**9612120287** Discusses completion of licensing action for generic ltr 92-08, "Thermo-Lag 330-1 Fire Barriers," dtd 921217 for Vogtle Electric Generating Plant.
WHELLER,L.L. . 96/12/10. MCCOY,C.K. Georgia Power Co. 4pp. 91075:100-91075:103.

**9612160431** Requests comments on draft of, "IPE Program:Perspectives on RS & Plant Performances,Summary Rept," NUREG-1560.
MIRAGLIA,F.J. . 96/12/12. HAIRSTON,W.G. Georgia Power Co. 4pp. 91121:276-91121:279.

**9612180360** Submits updated info for application for amends to Licenses NPF-68 & NPF-81,authorizing change of name.Wording revs refer to latest rev dates of physical security & contingency plan & guard training & qualification plan.
MCCOY,C.K. Georgia Power Co. 96/12/12. Document Control Branch (Document Control Desk). 2pp. 91155:329-91155:335.

**--9612180371** Proposed tech specs re physical security & contingency plan.
* Georgia Power Co. 96/12/12. 5pp. 91155:331-91155:335.

**9612260066** Submits supplemental info re license amend application requesting to become licensed operator of VEGP.
MCCOY,C.K. Georgia Power Co. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91236:338-91236:339.

**9612310069** Submits updated info re license amend application for Southern Nuclear to become licensed operator.
MCCOY,C.K. Georgia Power Co. 96/12/23. Document Control Branch (Document Control Desk). 2pp. 91262:308-91262:309.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030159** Responds to NRC ltr re violations noted in insp repts 50-424/96-10 & 50-425/96-10.CR rounds have been modified to included additional checks of safety-related valves & dampers.
MCCOY,C.K. Georgia Power Co. 96/11/25. Document Control Branch (Document Control Desk). 5pp. 91011:194-91011:198.

**9612030196** Forwards response to NRC ltr re violations noted in insp repts 50-424/96-02 & 50-425/96-02.Corrective actions:worn bellow/disc holder assembly was discovered & replaced.
MCCOY,C.K. Georgia Power Co. 96/11/25. Document Control Branch (Document Control Desk). 4pp. 91010:001-91010:004.

**9612020101** Responds to 960816 request for concurrence to update VEGP Unit 2 ISI & IST programs for second 10 year interval approx 2 years ahead of schedule.NRC approves request.
BERKOW,H.N. . 96/11/27. MCCOY,C.K. Georgia Power Co. 5pp. 90975:109-90975:113.

**9612090032** Confirms conversation w/L Ward re predecisional enforcement conference scheduled for 961219 to discuss apparent violation re inoperability of Unit 1 Train "B" Safety Injection Pump at plant.
SKINNER,P.H. Region 2 (Post 820201). 96/11/27. MCCOY,K. Georgia Power Co. 4pp. 91039:008-91039:011.

**9612100072** Forwards list that is used to determine valves subject to requirements of TS 3.6.3.Submitted valves listed on FSAR table 16.3-4,associated w/SG secondary side.
MCCOY,C.K. Georgia Power Co. 96/11/27. Document Control Branch (Document Control Desk). 20pp. 91057:047-91057:066.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612170244** Ack receipt of 961125 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/96-10 & 50-425/96-10.
SKINNER,P.H. Region 2 (Post 820201). 96/12/05. MCCOY,C.K. Georgia Power Co. 3pp. 91105:060-91105:062.

**9612170274** Forwards insp repts 50-424/96-11 & 50-425/96-11 on 960929-1109 & notice of violation.
SKINNER,P.H. Region 2 (Post 820201). 96/12/05. MCCOY,C.K. Georgia Power Co. 4pp. 91103:210-91103:249.

**–9612170282** Notice of violation from insp on 960929-1109.Violation noted:plant equipment clearances not properly installed & maintained IAW designated hold tag positions & failure to properly perform surveillance procedure 14900-C.
* Region 2 (Post 820201). 96/12/05. 2pp. 91103:214-91103:215.

**–9612170288** Insp repts 50-424/96-11 & 50-425/96-11 on 960929-1109. Violations noted.Major areas inspected:operations, engineering,maintenance & plant support.
* Region 2 (Post 820201). 96/12/05. 34pp. 91103:216-91103:249.

**9612170295** Grants request for extension until 970131 for addl review/ analysis to address setpoint tolerances relative to violation in insp repts 50-424/96-02 & 50-425/96-02.
SKINNER,P.H. Region 2 (Post 820201). 96/12/06. MCCOY,C.K. Georgia Power Co. 3pp. 91118:099-91118:101.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612180101** Press release II-96-104, "NRC Staff to Hold Predecisional Enforcement Conference to Discuss Vogtle Equipment Concerns w/GA Power Co."
* Region 2 (Post 820201). 96/12/17. 1p. 91164:025-91164:025.

**R. Periodic operating reports & related correspondence**

**9612180042** Monthly operating repts for Nov 1996 for Vogtle Electric Generating Plant Units 1 & 2.W/961210 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 96/11/30. 12pp. 91148:176-91148:187.

**DOCKET STN-50-437 FLOATING NUCLEAR PLANT**

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1**

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090042** Forwards insp repts 50-438/96-03 & 50-439/96-03 on 961115.No violations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91037:352-91037:358.

**–9612090046** Insp repts 50-438/96-03 & 50-439/96-03 on 961115.No violations noted.Major areas inspected:layup & maint of plant sys.
WALTON,G.A., FREDRICKSON,P. Region 2 (Post 820201). 96/11/19. 4pp. 91037:355-91037:358.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2**

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090042** Forwards insp repts 50-438/96-03 & 50-439/96-03 on 961115.No violations noted.
FREDRICKSON,P. Region 2 (Post 820201). 96/11/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91037:352-91037:358.

**–9612090046** Insp repts 50-438/96-03 & 50-439/96-03 on 961115.No violations noted.Major areas inspected:layup & maint of plant sys.
WALTON,G.A., FREDRICKSON,P. Region 2 (Post 820201). 96/11/19. 4pp. 91037:355-91037:358.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612170423** Forwards details & bases for change to eliminate Corporate Health Physicist position & marked-up pp from Chapter 17.2 of USAR.
MYERS,L.W. Centerior Energy. 96/12/04. Document Control Branch (Document Control Desk). 7pp. 91141:074-91141:080.

**9612270077** Ack receipt of ltr dtd 960503,transmitting changes to physical security plan for plant,submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 96/12/19. MYERS,L.W. Centerior Service Co. 2pp. 91249:080-91249:081.

**G. Adjudicatory correspondence**

**9612130076** Memorandum & order CLI-96-13.* Commission reverses & vacates ASLB LBP-95-17 which granted motion for summary disposition submitted by OCRE & S Hiatt.W/Certificate of Svc.Served on 961206.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18097. 96/12/06. Office of the General Counsel (Post 860701). 29pp. 91083:147-91083:175.

**H. General correspondence**

**9612160353** Resolution 20-1996 supporting merger of Ohio Edison & Centerior Corp under new holding company called FirstEnergy.
HOWELL,S., BRYAN,T., CICCHINELLI,F. Ohio, State of. 96/12/02. 1p. 91097:006-91097:006.

**9612170330** Forwards Resolution 96-107 adopted by Painesville Township Trustees in support of proposed merger of Centerior Energy & OH Edison.
SVEGEL,F.W. Painesville, OH. 96/12/04. MIRAGLIA,F.J. NRC - No Detailed Affiliation Given. 3pp. 91144:349-91144:351.

**9612300087** Forwards resolution that supports merger of Centerior Energy Corp & Ohio Edison.
MCQUAIDE,R. Ashtabula County, OH. 96/12/06. MIRAGLIA,F.J. . 4pp. 91256:157-91256:160.

**9612310130** Forwards ltr re motion in support of proposed merger of Centerior Energy & Ohio Edison re meeting held 961203.
NEWMAN,I. Lake County, OH. 96/12/06. NRC - No Detailed Affiliation Given. 2pp. 91249:133-91249:135.

**P. Operating license stage documents & correspondence**

**9612120173** Forwards comments re draft NPDES permit 31B00016*ED & Antidegredation Rule Application.
MYERS,L.W. Centerior Energy. 96/11/19. SPURBECK,M.D. Ohio, State of. 9pp. 91090:352-91090:360.

**9612040180** Informs that request for withholding of listed info from public disclosure will not be fully reviewed until affidavit that includes all documents to be withheld submitted,per 10CFR2.790 in 960718 ltr.
HOPKINS,J.B. . 96/12/02. LEAVER,D.E. PoleStar Applied Technology, Inc. 3pp. 91007:224-91007:226.

**9612170423** Forwards details & bases for change to eliminate Corporate Health Physicist position & marked-up pp from Chapter 17.2 of USAR.
MYERS,L.W. Centerior Energy. 96/12/04. Document Control Branch (Document Control Desk). 7pp. 91141:074-91141:080.

**9612170069** Forwards response to 961016 RAI re license amend request for performance-based drywell bypass leakage test program.
MYERS,L.W. Centerior Energy. 96/12/06. Document Control Branch (Document Control Desk). 10pp. 91133:351-91133:360.

**9612110322** Responds to 960926 ltr to Region III Office requesting that NRC notify Centerior Energy Corp that NRC will disapprove any request made by Centerior for transfer of OL until Centerior is in compliance w/960715 order.Request denied.
HOPKINS,J.B. . 96/12/09. BELL,S.D. Ulmer & Berne. 1p. 91072:139-91072:139.

**9612180322** Informs that NRC has published draft of "Individual Plant Exam Program:Perspective on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560.Comment on rept requested.
MIRAGLIA,F.J. . 96/12/13. MYERS,L.W. Cleveland Electric Illuminating Co. 5pp.. 91132:273-91132:277.

**9612180449** Forwards application for amend to License NPF-58,requesting consent of NRC to direct transfer of control of applicants interests in license,per NRC Administrative Ltr 96-02.
STETZ,J.P. Centerior Energy. 96/12/13. Document Control Branch (Document Control Desk). 3pp. 91154:265-91154:345.

**--9612180453** Application for amend to License NPF-58,authorizing transfers of control.
* Centerior Energy. 96/12/13. 78pp. 91154:268-91154:345.

**9612230117** Advises that 961213 ltrs transmitting application for transfers of control re licenses NPF-3 & NPF-58 were inadvertently misaligned.Requests that appropriate ltr be placed w/companion application package.
OREILY,M.E. Centerior Energy. 96/12/19. Document Control Branch (Document Control Desk). 1p. 91234:009-91234:009.

**9612310138** Provides suppl response to RAI re Emergency Action Levels.
MYERS,L.W. Centerior Energy. 96/12/23. Document Control Branch (Document Control Desk). 71pp. 91256:282-91256:354.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110011** Ack receipt of 961107 ltr informing NRC of steps taken to correct violations noted in insp rept 50-440/96-05 on 961008.
JACOBSON,J.M. Region 3 (Post 820201). 96/12/05. MYERS,L.W. Centerior Service Co. 2pp. 91059:039-91059:040.

**9612100164** Responds to NRC 961106 ltr re violations noted in insp rept 50-440/96-08.Corrective actions:readjusted limit switches & mechanical stops for valve 0P42-F295A & revised procedure on adjusting Limitorque limit/torque switches.
MYERS,L.W. Centerior Energy. 96/12/06. Document Control Branch (Document Control Desk). 8pp. 91056:170-91056:177.

**9612160018** Forwards insp rept 50-440/96-09 on 960916-20.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/09. MYERS,L.W. Centerior Energy. 3pp. 91096:029-91096:041.

**--9612160019** Insp rept 50-440/96-09 on 960916-20.No violations noted. Major areas inspected:performance during plant biennial excercise of emergency plan & implementing procedures.
* Region 3 (Post 820201). 96/12/09. 10pp. 91096:032-91096:041.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310019** Advises of planned insp effort resulting from Perry Nuclear Power Plant PPR review.Details of insp plan for next 6 months encl.
JACOBSON,J.M. Region 3 (Post 820201). 96/12/24. MYERS,L.W. Centerior Energy. 3pp. 91235:046-91235:048.

**9612310125** Informs of plans to design insp of plant scheduled for wk of 970217,0303-14 & 24.Site will be visited between 970129-31 to review administrative aspects of insp & to collect documentation necessary for in-ofc review & on-site insp.
MARCUS,G.H. . 96/12/24. MYERS,L.W. Centerior Service Co. 3pp. 91247:038-91247:040.

**R. Periodic operating reports & related correspondence**

**9612190424** Monthly operating rept for Nov 1996 for Perry Nuclear Power Plant,Unit 1.W/961212 ltr.
COON,H.M., MYERS,L.W. Centerior Energy. 96/11/30. 6pp. 91165:355-91165:360.

**9612200010** "NPDES Discharge Monitoring Rept for Nov 1996 for Perry Nuclear Power Plant." W/961213 ltr.
MYERS,L.W. Centerior Energy. 96/11/30. 5pp. 91192:301-91192:305.

**9612180015** Forwards Quarterly Self Monitoring Repts for Perry Nuclear Power Plant for months of Sept,Oct & Nov 1996.
MYERS,L.W. Centerior Energy. 96/12/06. SHELBY,R, . 1p. 91133:061-91133:065.

**--9612180020** Quarterly Self Monitoring Repts for Perry Nuclear Power Plant for months of Sept,Oct & Nov 1996.
MYERS,L.W. Centerior Energy. 96/11/30. 4pp. 91133:062-91133:065.

**S. Reportable occurrences, LERs & related correspondence**

**9612100009** LER 96-006-01:on 960718,MOV control circuitry design deficiency resulted in fire protection violation.Fire impairment was issued for control room fire protection features & addl MOVs considered for mod.W/961202 ltr.
JURY,K.R., MYERS,L.W. Centerior Energy. 96/12/02. 10pp. 91134:204-91134:213.

**9612260132** LER 93-021-01:on 931223,improper setting of MOV resulted in loss of emergency closed cooling sys safety function. Caused by personnel error & inadequate procedure direction. Limit switches for valve OP42-F295A,adjusted.W/961220 ltr.
JURY,K.R., STETZ,J.P. Centerior Energy. 96/12/20. 8pp. 91226:306-91226:313.

**V. Operator Examinations**

**9612240175** Requests cancellation of operator licenses for J Messina & DL Schwartz.Personnel will hold staff positions for which current license is not needed.
MYERS,L.W. Centerior Energy. 96/12/20. Region 3 (Post 820201). 1p. 91227:134-91227:134.

**DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2**

**A. Application/construction stage documents & correspondence**

**9612110322** Responds to 960926 ltr to Region III Office requesting that NRC notify Centerior Energy Corp that NRC will disapprove any request made by Centerior for transfer of OL until Centerior is in compliance w/960715 order.Request denied.
HOPKINS,J.B. . 96/12/09. BELL,S.D. Ulmer & Berne. 1p. 91072:139-91072:139.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110011** Ack receipt of 961107 ltr informing NRC of steps taken to correct violations noted in insp rept 50-440/96-05 on 961008.
JACOBSON,J.M. Region 3 (Post 820201). 96/12/05. MYERS,L.W. Centerior Service Co. 2pp. 91059:039-91059:040.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612310019** Advises of planned insp effort resulting from Perry Nuclear Power Plant PPR review.Details of insp plan for next 6 months encl.
JACOBSON,J.M. Region 3 (Post 820201). 96/12/24. MYERS,L.W. Centerior Energy. 3pp. 91235:046-91235:048.

**DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612030268** Forwards Rev 21 to physical security plan & Rev 9 to safeguards contingency plan.Encls withheld per 10CFR73.21.
DIPROFLO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/11/22. Document Control Branch (Document Control Desk). 2pp. 91007:359-91007:359.

**9612120039** Forwards rev 23 to Seabrook Station REP & change 01 to ER 3.3 of Seabrook Station Emergency Response Manual,per 10CFR50,app E & 10CFR50.4.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/11/27. Document Control Branch (Document Control Desk). 1p. 91091:078-91091:212.

**-9612110352** Rev 23 to radiological emergency plan.
BAER,J.W., TAILLEART,D.R., DIRPOFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/11/13. 12pp. 91091:079-91091:093.

**-9612120063** Rev 19,Change 1 to ER 3.3, "Emergency Operations Facility Operations."
* North Atlantic Energy Service Corp. (NAESCO). 96/11/13. 115pp. 91091:094-91091:212.

**9612200064** Rev 27 to ER 1.2, "Emergency Plan Activation." W/961212 ltr.
BAER,J.W., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/12/12. 42pp. 91178:296-91178:337.

**P. Operating license stage documents & correspondence**

**9612110353** Requests NRC consent to indirect transfer of control of Great Bay Power Corp's interest in operating license.
CHARNOFF,G. Shaw, Pittman, Potts & Trowbridge. CHARNOFF,G. Affiliation Not Assigned. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91083:310-91083:311.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040111** Confirms upcoming baseline insp of maint rule program at plant scheduled for 970127,per 961113 telcon between J Sobotka & J Williams.
MEYER,G.W. Region 1 (Post 820201). 96/11/14. FEIGENBAUM,T.C. Northeast Utilities Service Co. 4pp. 91002:317-91002:321.

**9612050041** Responds to 960906 & 12 ltrs re concerns about NRC plans to conduct fewer insps at plant & other facilities.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/14. KERRY,J.F. Senate. 5pp. 91019:113-91019:192.

**-9612050045** Submits concerns of NRC reduction of insps at New Hampshire plant despite recent operational & safety violations at several NPPs in New England.
KERRY,J.F. Senate. 96/09/06. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91019:191-91019:191.

**-9612050046** Discusses new & apparently lower stds of NRC for maint of NPPs & safety risks that accompany so-called on-line maint practices that maint stds permit.
KERRY,J.F. Senate. 96/09/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91019:192-91019:192.

**9612030081** Forwards insp rept 50-443/96-08 on 960813-0930 & notice of violation.Inspectors identified that floor drains located in EFW pump house covered & isolated by tape during performance of general area & system component painting.
ROGGE,J.F. Region 1 (Post 820201). 96/11/22. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 90973:141-90973:166.

**-9612030084** Notice of violation from insp on 960813-0930.Violation noted:on 960821,inspector identified three 4 inch floor drains in EFW pump house covered with tape during painting activities,which constituted change to facility.
* Region 1 (Post 820201). 96/11/22. 2pp. 90973:144-90973:145.

**-9612030092** Insp rept 50-443/96-08 on 960813-0930.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 1 (Post 820201). 96/11/22. 21pp. 90973:146-90973:166.

**9612110327** Forwards "Seabrook Station SG A & D ISI."
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91081:231-91081:260.

**-9612110332** "Seabrook Station SG A & D ISI."
* North Atlantic Energy Service Corp. (NAESCO). 95/11/30. 28pp. 91081:233-91081:260.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612300044** Advises of NRC planned insp effort resulting from plant PPR review.Details of insp plan for next 12 months encl.
ROGGE,J.F. Region 1 (Post 820201). 96/12/20. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 5pp. 91233:118-91233:122.

**9612310148** Forwards insp rept 50-443/96-10 on 961001-1129 & notice of violation.
ROGGE,J.F. Region 1 (Post 820201). 96/12/24. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 91235:230-91235:257.

**-9612310155** Notice of violation from insp on 961001-1129.Violation noted:on 940127,licensee implemented change 1 to rev 7 to station procedure, "Startup feed Pump Operation," that authorized sys configuration during normal plant operation.
* Region 1 (Post 820201). 96/12/24. 2pp. 91235:234-91235:235.

**-9612310160** Insp rept 50-443/96-10 on 961001-1129.Violations noted.Major areas inspected:operations,maint,engineering,plant support & assurance of quality.
* Region 1 (Post 820201). 96/12/24. 21pp. 91235:236-91235:257.

**R. Periodic operating reports & related correspondence**

**9612200051** Monthly operating rept for Nov 1996 for Seabrook Station Unit 1.W/961213 ltr.
NARDONE,P.E., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/11/30. 5pp. 91192:286-91192:290.

**S. Reportable occurrences, LERs & related correspondence**

**9612020093** NPDES noncompliance notification:on 961111-12 unusual number of NH0020338 herring impinged at plant.Util also described Atlantic herring as often found in nearshore areas.
DRAWBRIDGE,B. North Atlantic Energy Service Corp. (NAESCO). 96/11/20. DELOI,C. Massachusetts, Commonwealth of. 5pp. 91019:252-91019:256.

**9612060083** Provides suppl to DG Special Rept dtd 961017,documenting DG failures experienced on 960919-22.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91127:022-91127:023.

**V. Operator Examinations**

**9612240011** Forwards results of individual applicants of exam conducted on 960930-1003.Five SRO candidates administered exam & five passed.W/o encls.
MEYER,G.W. Region 1 (Post 820201). 96/10/21. CARLSEN,L.S. North Atlantic Energy Service Corp. (NAESCO). 2pp. 91180:171-91180:172.

**DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2**

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612050041** Responds to 960906 & 12 ltrs re concerns about NRC plans to conduct fewer insps at plant & other facilities.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/14. KERRY,J.F. Senate. 5pp. 91019:113-91019:192.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612130164** Discusses 961204 meeting re rev 25 to plant emergency plan. Meeting addressed overall staffing of ER organization,duties & responsibilities of individual responders.List of attendees & mark-up of working papers from meeting encl.
GWYNN,T.P. Region 4 (Post 820201). 96/12/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 26pp. 91083:241-91083:266.

**9612260056** Revised EPIPs,including revs 251,252 & 253 to Procedure Index,rev 0 to PCN EPP-100-2,rev 11 to PCN EPP-109,rev 11 to PCN EPP-303,rev 15 to EPP-304 & revs 138 & 139 to form index.W/961219 ltr.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/12/19. 35pp. 91228:315-91228:349.

**P. Operating license stage documents & correspondence**

**9612040003** Forwards assumptions & results of temporary assessment of limiting peak clad temperatures.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/11/29. Document Control Branch (Document Control Desk). 16pp. 91011:217-91011:232.

**9612060027** Forwards order & SE approving licensee 960920 application requesting corporate resturcturing of TU to facilitate acquisition of ENSERCH Corp.
POLICH,T.J. . 96/12/02. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91028:276-91028:286.

**--9612060039** Order approving corporate restructuring of TU to facilitate acquistion of ENSERCH Corp.
MIRAGLIA,F.J. . 96/11/29. Texas Utilities Electric Co. (TU Electric). 4pp. 91028:280-91028:283.

**--9612060040** Safety evaluation approving corporate restructuring of TU to facilitate acquisition of ENSERCH corp.
* . 96/11/29. 3pp. 91028:284-91028:286.

**9612180278** Forwards for review & comments,draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Requests comments by 970214. W/o encl.
MIRAGLIA,F.J. . 96/12/13. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91132:317-91132:320.

**9612180459** Forwards response to request for addl info on GL 95-03, "Circumferential Cracking of SG Tubes."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91153:143-91153:146.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030135** Ack receipt of 960912 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/96-08 & 50-446/96-08.
DYER,J.E. Region 4 (Post 820201). 96/11/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 90973:264-90973:273.

**9612030127** Informs that on 961030,NRC completed semiannual PPR for all operating NPPs to develop integrated understanding of safety performance.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/27. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 90974:100-90974:105.

**9612030205** Ack receipt of 961108 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/96-11 & 50-446/96-11.Implementation of corrective actions will be reviewed during future insps.
DYER,J.E. Region 4 (Post 820201). 96/11/27. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 90974:151-90974:157.

**9612050066** Forwards insp repts 50-445/96-12 & 50-446/96-12 on 960929- 1109 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/11/27. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 91013:113-91013:141.

**--9612050069** Notice of violation from insp on 960929-1109.Violation noted:procedure change dtd 960930 to procedure MSM-G0-0204 rev 4 required that valves be cycled to remove entrapped air activity that could affect set pressure.
* Region 4 (Post 820201). 96/11/27. 2pp. 91013:118-91013:119.

**--9612050070** Insp repts 50-445/96-12 & 50-446/96-12 on 960929-1109. Violation noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 96/11/27. 22pp. 91013:120-91013:141.

**9612100220** Forwards inadvertently omitted page of insp repts 50-445/96-12 & 50-446/96-12.
DYER,J.E. Region 4 (Post 820201). 96/12/04. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91049:096-91049:100.

**--9612100309** Errata to insp repts 50-445/96-12 & 50-446/96-12.Page inadvertently omitted.
* Region 4 (Post 820201). 96/12/04. 1p. 91049:100-91049:100.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190046** Supplemental response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91148:358-91148:361.

**9612240133** Forwards insp repts 50-445/96-15 & 50-446/96-15 on 961118- 22.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91183:334-91183:356.

**--9612240137** Insp repts 50-445/96-15 & 50-446/96-15 on 961118-22.No violations noted.Major areas inspected:licensee radiation protection program & conduct during unit 1 refueling outage 1RF05.
* Region 4 (Post 820201). 96/12/13. 19pp. 91183:338-91183:356.

**9612310187** Responds to violations noted in insp repts 50-445/96-12 & 50-446/96-12.Code requirements for testing sequence, testing on sys operating fluid & current method of removing entrapped air is appropriate.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:219-91249:223.

**R. Periodic operating reports & related correspondence**

**9612180172** Monthly operating repts for Nov 1996 for Comanche Peak Steam Electric Station.W/961213 ltr.
SAMUEL,M., TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/11/30. 9pp. 91155:351-91155:359.

**S. Reportable occurrences, LERs & related correspondence**

**9612170315** Forwards LER 96-009-00 re 480 volt switchgear breakers racked out in cubicle in remove position resulting in seismically unqualified condition outside design basis.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/12/10. Document Control Branch (Document Control Desk). 1p. 91163:335-91163:340.

**--9612170335** LER 96-009-00:on 961112,480 volt switchgear breakers found racked out in cubicle in remove position.Caused by inadequate procedures.Affected breakers placed in disconnect position & procedures evaluated.
MADDEN,F.W. Texas Utilities Electric Co. (TU Electric). 96/12/10. 5pp. 91163:336-91163:340.

**DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612130164** Discusses 961204 meeting re rev 25 to plant emergency plan. Meeting addressed overall staffing of ER organization,duties & responsibilities of individual responders.List of attendees & mark-up of working papers from meeting encl.
GWYNN,T.P. Region 4 (Post 820201). 96/12/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 26pp. 91083:241-91083:266.

**9612260056** Revised EPIPs,including revs 251,252 & 253 to Procedure Index,rev 0 to PCN EPP-100-2,rev 11 to PCN EPP-109,rev 11 to PCN EPP-303,rev 15 to EPP-304 & revs 138 & 139 to form index.W/961219 ltr.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/12/19. 35pp. 91228:315-91228:349.

**P. Operating license stage documents & correspondence**

**9612040003** Forwards assumptions & results of temporary assessment of limiting peak clad temperatures.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/11/29. Document Control Branch (Document Control Desk). 16pp. 91011:217-91011:232.

**9612060027** Forwards order & SE approving licensee 960920 application requesting corporate resturcturing of TU to facilitate acquisition of ENSERCH Corp.
POLICH,T.J. . 96/12/02. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91028:276-91028:286.

**--9612060039** Order approving corporate restructuring of TU to facilitate acquistion of ENSERCH Corp.
MIRAGLIA,F.J. . 96/11/29. Texas Utilities Electric Co. (TU Electric). 4pp. 91028:280-91028:283.

**--9612060040** Safety evaluation approving corporate restructuring of TU to facilitate acquisition of ENSERCH corp.
* . 96/11/29. 3pp. 91028:284-91028:286.

**9612180278** Forwards for review & comments,draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Requests comments by 970214. W/o encl.
MIRAGLIA,F.J. . 96/12/13. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91132:317-91132:320.

**9612180459** Forwards response to request for addl info on GL 95-03, "Circumferential Cracking of SG Tubes."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91153:143-91153:146.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030135** Ack receipt of 960912 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/96-08 & 50-446/96-08.
DYER,J.E. Region 4 (Post 820201). 96/11/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 90973:264-90973:273.

**9612030127** Informs that on 961030,NRC completed semiannual PPR for all operating NPPs to develop integrated understanding of safety performance.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/27. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 90974:100-90974:105.

**9612030205** Ack receipt of 961108 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/96-11 & 50-446/96-11.Implementation of corrective actions will be reviewed during future insps.
DYER,J.E. Region 4 (Post 820201). 96/11/27. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 90974:151-90974:157.

**9612050066** Forwards insp repts 50-445/96-12 & 50-446/96-12 on 960929- 1109 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/11/27. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 91013:113-91013:141.

**--9612050069** Notice of violation from insp on 960929-1109.Violation noted:procedure change dtd 960930 to procedure MSM-G0-0204 rev 4 required that valves be cycled to remove entrapped air activity that could affect set pressure.
* Region 4 (Post 820201). 96/11/27. 2pp. 91013:118-91013:119.

**--9612050070** Insp repts 50-445/96-12 & 50-446/96-12 on 960929-1109. Violation noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 96/11/27. 22pp. 91013:120-91013:141.

**9612100220** Forwards inadvertently omitted page of insp repts 50-445/96-12 & 50-446/96-12.
DYER,J.E. Region 4 (Post 820201). 96/12/04. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91049:096-91049:100.

**--9612100309** Errata to insp repts 50-445/96-12 & 50-446/96-12.Page inadvertently omitted.
* Region 4 (Post 820201). 96/12/04. 1p. 91049:100-91049:100.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190046** Supplemental response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91148:358-91148:361.

**9612240133** Forwards insp repts 50-445/96-15 & 50-446/96-15 on 961118- 22.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91183:334-91183:356.

**--9612240137** Insp repts 50-445/96-15 & 50-446/96-15 on 961118-22.No violations noted.Major areas inspected:licensee radiation protection program & conduct during unit 1 refueling outage 1RF05.
* Region 4 (Post 820201). 96/12/13. 19pp. 91183:338-91183:356.

**9612310187** Responds to violations noted in insp repts 50-445/96-12 & 50-446/96-12.Code requirements for testing sequence, testing on sys operating fluid & current method of removing entrapped air is appropriate.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/12/20. Document Control Branch (Document Control Desk). 5pp. 91249:219-91249:223.

**R. Periodic operating reports & related correspondence**

**9612180172** Monthly operating repts for Nov 1996 for Comanche Peak Steam Electric Station.W/961213 ltr.
SAMUEL,M., TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/11/30. 9pp. 91155:351-91155:359.

**DOCKET STN-50-454 BYRON STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612200118** Forwards insp repts 50-454/96-10 & 50-455/96-10 on 961025. No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/11. GRAESSER,K. Commonwealth Edison Co. 2pp. 91166:348-91166:361.

**--9612200125** Insp repts 50-454/96-10 & 50-455/96-10 on 961021-25.No violations noted.Major areas inspected:review of access authorization program.
* Region 3 (Post 820201). 96/12/11. 12pp. 91166:350-91166:361.

**9612190082** Forwards amend 17 to fire protection rept which provides changes to facilities & procedures in effect as of 960616 & detailed change log.
STANLEY,G. Commonwealth Edison Co. 96/12/16. . 2pp. 91160:001-91161:330.

**--9612190083** Amend 17 to "Byron/Braidwood Fire Protection Rept."
* Commonwealth Edison Co. 96/12/11. 600pp. 91160:003-91161:330.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**P. Operating license stage documents & correspondence**

**9612020005** Responds to RAI re removal of cycle-specific parameter limits from tech specs.
STANLEY,H.G. Commonwealth Edison Co. 96/10/24. Document Control Branch (Document Control Desk). 5pp. 91003:094-91003:098.

**9612160008** Forwards exemption from requirements of 10CFR50.60 re using safety margins recommended in ASME boiler & pressure vessel code Case N-514,per 960314 request.
DICK,G.F. . 96/11/29. JOHNSON,I.M. Commonwealth Edison Co. 2pp. 91101:202-91101:208.

**--9612160027** Exemption from requirements of 10CFR50.60 re safety margins recommended in ASME boiler & pressure vessel code Case N-514.
MIRAGLIA,F.J. . 96/11/29. Commonwealth Edison Co. 5pp. 91101:204-91101:208.

**9612050036** Forwards info re eddy current indications located on cold-leg side of plant SG tubes.
KARWOSKI,K.J. . 96/12/03. SULLIVAN,E.J. . 1p. 91019:239-91019:251.

**--9612050039** Submits info re Byron Unit 1 1996 cold leg insp results, requested by M Holmberg during 951025 insp of Braidwood Unit 1 SG tube.
* Commonwealth Edison Co. 96/10/28. SULLIVAN,T. NRC - No Detailed Affiliation Given. 12pp. 91019:240-91019:251.

**9612110116** Informs that proposed TS amend to App A applicable to Byron & Braidwood Unit 1 only,also that,suppl LAR is docketed to reflect Byron & Braidwood Units 1 & 2 due to common TS pages being used for both units.
LESNIAK,M.T. Commonwealth Edison Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91081:288-91081:289.

**9612060318** Forwards request for addl info re application to amend licenses extending steam generator replacement for Byron Unit 1 and Braidwood Unit 1.
LEVIN,A. . 96/12/05. DICK,G.F. . 3pp. 91031:142-91031:144.

**9612190129** Informs that util has received notification that cycle length calculations have been finalized & confirmed results submitted in 961202 ltr.
HOSMER,J.B. Commonwealth Edison Co. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91162:359-91162:359.

**9612160301** Submits request for additional info re remaining relief requests issued on 960613 & 1016.
DICK,G.F. . 96/12/13. JOHNSON,I.M. Commonwealth Edison Co. 5pp. 91121:338-91121:342.

**9612310178** Informs of decision to accelerate replacements of SG to mid- December 1997.
HOSMER,J.B. Commonwealth Edison Co. 96/12/20. Document Control Branch (Document Control Desk). 1p. 91262:292-91262:292.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090352** Forwards util response to RAI re 961030 request to delete mid-cycle SG tube insp.
HOSMER,J.B. Commonwealth Edison Co. 96/12/02. Document Control Branch (Document Control Desk). 28pp. 91054:292-91054:319.

**9612050036** Forwards info re eddy current indications located on cold-leg side of plant SG tubes.
KARWOSKI,K.J. . 96/12/03. SULLIVAN,E.J. . 1p. 91019:239-91019:251.

**--9612050039** Submits info re Byron Unit 1 1996 cold leg insp results, requested by M Holmberg during 951025 insp of Braidwood Unit 1 SG tube.
* Commonwealth Edison Co. 96/10/28. SULLIVAN,T. NRC - No Detailed Affiliation Given. 12pp. 91019:240-91019:251.

**9612090220** Forwards exam repts 50-454/96-301 & 50-455/96-301 on 961014. Eight applicants passed exam & were issued licenses & two applicants failed exam.
GRANT,G.E. Region 3 (Post 820201). 96/12/03. GRAESSER,K. Commonwealth Edison Co. 2pp. 91036:210-91036:338.

**--9612090249** NRC Operator Licensing Exam Repts 50-454/96-301OL & 50-455/96-301OL (including completed & graded tests) for test administered on 960930-1014.
* Region 3 (Post 820201). 96/12/03. 127pp. 91036:212-91036:338.

**9612090254** Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal) for tests administered on 960930-1014.
BIES,M.A. Region 3 (Post 820201). 96/12/04. Document Control Branch (Document Control Desk). 573pp. 91035:001-91036:209.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612100227** Notification of 961219 meeting w/util in Rockville,MD to discuss licensee proposal of 961018 & to delete plant,unit 1 mid-cycle SG insp.
LYNCH,M.D. . 96/12/05. CAPRA,R.A. . 4pp. 91053:242-91053:245.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612160108** Summary of 961114 meeting w/representives of CE in Rockville,MD to discuss status of ongoing Braidwood,Unit 1, SG tube insp.List of attendees & slides encl.
LYNCH,M.D. . 96/12/10. . 35pp. 91101:061-91101:095.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190400** Ack receipt of 961115 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/96-07 & 50-455/96-07.
LANKSBURY,R. Region 3 (Post 820201). 96/12/11. GRAESSER,K. Commonwealth Edison Co. 2pp. 91134:095-91134:096.

**9612200118** Forwards insp repts 50-454/96-10 & 50-455/96-10 on 961025. No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/11. GRAESSER,K. Commonwealth Edison Co. 2pp. 91166:348-91166:361.

**--9612200125** Insp repts 50-454/96-10 & 50-455/96-10 on 961021-25.No violations noted.Major areas inspected:review of access authorization program.
* Region 3 (Post 820201). 96/12/11. 12pp. 91166:350-91166:361.

**9612230419** Forwards response to request for addl info re various aspects of second 10 yr ISI program.
LESNIAK,M.T. Commonwealth Edison Co. 96/12/16. . 23pp. 91227:039-91227:075.

**9612260249** Forwards insp repts 50-454/96-11 & 50-455/96-11 on 961104- 08.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/18. GRAESSER,K. Commonwealth Edison Co. 2pp. 91197:005-91197:013.

**--9612260252** Insp repts 50-454/96-11 & 50-455/96-11 on 961104-08.No violations noted.Major areas inspected:aspects of licensee operations,training & plant support.
* Region 3 (Post 820201). 96/12/18. 7pp. 91197:007-91197:013.

**R. Periodic operating reports & related correspondence**

**9612180356** Monthly operating repts for Nov 1996 for Byron Nuclear Power Station,Units 1 & 2.W/961108 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 96/11/30. 14pp. 91154:346-91154:359.

**S. Reportable occurrences, LERs & related correspondence**

**9612170182** LER 96-019-01:on 961015,SX cooling tower basin insp revealed silt build-up exceeding surveillance acceptance.Caused by personnel error.Calculational errors & results will be reported.W/961204 ltr.
ROBINSON,M., KOFRON,K.L. Commonwealth Edison Co. 96/12/04. 5pp. 91163:251-91163:255.

**9612170059** LER 95-005-02:on 951010,discovered fire protection rept discrepancies.Caused by inadequate evaluations during preparation of original analysis.Established hourly fire watches & installed Darmatt KM1 fire barrier.W/961206 ltr.
ROBINSON,D., KOFRON,K.L. Commonwealth Edison Co. 96/12/06. 15pp. 91163:217-91163:231.

**V. Operator Examinations**

**9612090220** Forwards exam repts 50-454/96-301 & 50-455/96-301 on 961014. Eight applicants passed exam & were issued licenses & two applicants failed exam.
GRANT,G.E. Region 3 (Post 820201). 96/12/03. GRAESSER,K. Commonwealth Edison Co. 2pp. 91036:210-91036:338.

**--9612090249** NRC Operator Licensing Exam Repts 50-454/96-301OL & 50-455/96-301OL (including completed & graded tests) for test administered on 960930-1014.
* Region 3 (Post 820201). 96/12/03. 127pp. 91036:212-91036:338.

**9612090254** Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal) for tests administered on 960930-1014.
BIES,M.A. Region 3 (Post 820201). 96/12/04. Document Control Branch (Document Control Desk). 573pp. 91035:001-91036:209.

**DOCKET STN-50-455 BYRON STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612200118** Forwards insp repts 50-454/96-10 & 50-455/96-10 on 961025. No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/11. GRAESSER,K. Commonwealth Edison Co. 2pp. 91166:348-91166:361.

**--9612200125** Insp repts 50-454/96-10 & 50-455/96-10 on 961021-25.No violations noted.Major areas inspected:review of access authorization program.
* Region 3 (Post 820201). 96/12/11. 12pp. 91166:350-91166:361.

**9612190082** Forwards amend 17 to fire protection rept which provides changes to facilities & procedures in effect as of 960616 & detailed change log.
STANLEY,G. Commonwealth Edison Co. 96/12/16. . 2pp. 91160:001-91161:330.

**--9612190083** Amend 17 to "Byron/Braidwood Fire Protection Rept."
* Commonwealth Edison Co. 96/12/11. 600pp. 91160:003-91161:330.

**9612310134** Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**P. Operating license stage documents & correspondence**

**9612020005** Responds to RAI re removal of cycle-specific parameter limits from tech specs.
STANLEY,H.G. Commonwealth Edison Co. 96/10/24. Document Control Branch (Document Control Desk). 5pp. 91003:094-91003:098.

**9612160008** Forwards exemption from requirements of 10CFR50.60 re using safety margins recommended in ASME boiler & pressure vessel code Case N-514,per 960314 request.
DICK,G.F. . 96/11/29. JOHNSON,I.M. Commonwealth Edison Co. 2pp. 91101:202-91101:208.

**--9612160027** Exemption from requirements of 10CFR50.60 re safety margins recommended in ASME boiler & pressure vessel code Case N-514.
MIRAGLIA,F.J. . 96/11/29. Commonwealth Edison Co. 5pp. 91101:204-91101:208.

**9612110116** Informs that proposed TS amend to App A applicable to Byron & Braidwood Unit 1 only,also that,suppl LAR is docketed to reflect Byron & Braidwood Units 1 & 2 due to common TS pages being used for both units.
LESNIAK,M.T. Commonwealth Edison Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91081:288-91081:289.

**9612060318** Forwards request for addl info re application to amend licenses extending steam generator replacement for Byron Unit 1 and Braidwood Unit 1.
LEVIN,A. . 96/12/05. DICK,G.F. . 3pp. 91031:142-91031:144.

**9612160301** Submits request for additional info re remaining relief requests issued on 960613 & 1016.
DICK,G.F. . 96/12/13. JOHNSON,I.M. Commonwealth Edison Co. 5pp. 91121:338-91121:342.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612090220** Forwards exam repts 50-454/96-301 & 50-455/96-301 on 961014. Eight applicants passed exam & were issued licenses & two applicants failed exam.
GRANT,G.E. Region 3 (Post 820201). 96/12/03. GRAESSER,K. Commonwealth Edison Co. 2pp. 91036:210-91036:338.

**--9612090249** NRC Operator Licensing Exam Repts 50-454/96-301OL & 50-455/96-301OL (including completed & graded tests) for test administered on 960930-1014.
* Region 3 (Post 820201). 96/12/03. 127pp. 91036:212-91036:338.

**9612090254** Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal) for tests administered on 960930-1014.
BIES,M.A. Region 3 (Post 820201). 96/12/04. Document Control Branch (Document Control Desk). 573pp. 91035:001-91036:209.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612190400** Ack receipt of 961115 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/96-07 & 50-455/96-07.
LANKSBURY,R. Region 3 (Post 820201). 96/12/11. GRAESSER,K. Commonwealth Edison Co. 2pp. 91134:095-91134:096.

**9612200118** Forwards insp repts 50-454/96-10 & 50-455/96-10 on 961025. No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/11. GRAESSER,K. Commonwealth Edison Co. 2pp. 91166:348-91166:361.

**--9612200125** Insp repts 50-454/96-10 & 50-455/96-10 on 961021-25.No violations noted.Major areas inspected:review of access authorization program.
* Region 3 (Post 820201). 96/12/11. 12pp. 91166:350-91166:361.

**9612230419** Forwards response to request for addl info re various aspects of second 10 yr ISI program.
LESNIAK,M.T. Commonwealth Edison Co. 96/12/16. . 23pp. 91227:039-91227:075.

**9612270082** Forwards "Byron Unit 2 SG Eddy Current Insp Rept Cycle 6 Refueling Outage,Aug-Oct 1996."
WOZNIAK,D.B. Commonwealth Edison Co. 96/12/17. . 1p. 91255:001-91255:071.

**--9612270088** "Byron Unit 2 ISI Rept Cycle 6 Refueling Outage (B2R06) Aug-Oct 1996."
* Commonwealth Edison Co. 96/12/17. 70pp. 91255:002-91255:071.

**9612260249** Forwards insp repts 50-454/96-11 & 50-455/96-11 on 961104- 08.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/18. GRAESSER,K. Commonwealth Edison Co. 2pp. 91197:005-91197:013.

-9612260252 Insp repts 50-454/96-11 & 50-455/96-11 on 961104-08.No violations noted.Major areas inspected:aspects of licensee operations,training & plant support.
* Region 3 (Post 820201). 96/12/18. 7pp. 91197:007-91197:013.

**R. Periodic operating reports & related correspondence**

9612180356 Monthly operating repts for Nov 1996 for Byron Nuclear Power Station,Units 1 & 2.W/961108 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 96/11/30. 14pp. 91154:346-91154:359.

**S. Reportable occurrences, LERs & related correspondence**

9612030016 LER 96-004-01:on 960922,declared source range detectors inoperable w/ reactor trip breakers closed.Caused by poor communications at shift turnover.Placed source range N32 level trip switch position to "normal." W/961118 ltr.
JACOBSEN,B., KOFRON,K.L. Commonwealth Edison Co. 96/11/18. 7pp. 91049:291-91049:297.

**V. Operator Examinations**

9612090220 Forwards exam repts 50-454/96-301 & 50-455/96-301 on 961014. Eight applicants passed exam & were issued licenses & two applicants failed exam.
GRANT,G.E. Region 3 (Post 820201). 96/12/03. GRAESSER,K. Commonwealth Edison Co. 2pp. 91036:210-91036:338.

-9612090249 NRC Operator Licensing Exam Repts 50-454/96-301OL & 50-455/96-301OL (including completed & graded tests) for test administered on 960930-1014.
* Region 3 (Post 820201). 96/12/03. 127pp. 91036:212-91036:338.

9612090254 Forwards NRC Approved Operator Licensing Exam (facility outline & initial exam submittal) for tests administered on 960930-1014.
BIES,M.A. Region 3 (Post 820201). 96/12/04. Document Control Branch (Document Control Desk). 573pp. 91035:001-91036:209.

**DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

9612110277 Revised EPIPs,including rev 1 to BWZP-2000-4A4,app D re reactor power history,rev 2 to BWZP 2000-4A6 re core damage assessment & rev 2 to BWZP 2000-4A7 re core damage assessment.
* Commonwealth Edison Co. 96/11/26. 82pp. 91075:270-91075:353.

9612190082 Forwards amend 17 to fire protection rept which provides changes to facilities & procedures in effect as of 960616 & detailed change log.
STANLEY,G. Commonwealth Edison Co. 96/12/16. . 2pp. 91160:001-91161:330.

-9612190083 Amend 17 to "Byron/Braidwood Fire Protection Rept."
* Commonwealth Edison Co. 96/12/11. 600pp. 91160:003-91161:330.

9612310134 Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

9612190254 Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**P. Operating license stage documents & correspondence**

9612020005 Responds to RAI re removal of cycle-specific parameter limits from tech specs.
STANLEY,H.G. Commonwealth Edison Co. 96/10/24. Document Control Branch (Document Control Desk). 5pp. 91003:094-91003:098.

9612050036 Forwards info re eddy current indications located on cold-leg side of plant SG tubes.
KARWOSKI,K.J. . 96/12/03. SULLIVAN,E.J. . 1p. 91019:239-91019:251.

-9612050039 Submits info re Byron Unit 1 1996 cold leg insp results, requested by M Holmberg during 951025 insp of Braidwood Unit 1 SG tube.
* Commonwealth Edison Co. 96/10/28. SULLIVAN,T. NRC - No Detailed Affiliation Given. 12pp. 91019:240-91019:251.

9612110116 Informs that proposed TS amend to App A applicable to Byron & Braidwood Unit 1 only,also that,suppl LAR is docketed to reflect Byron & Braidwood Units 1 & 2 due to common TS pages being used for both units.
LESNIAK,M.T. Commonwealth Edison Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91081:288-91081:289.

9612060318 Forwards request for addl info re application to amend licenses extending steam generator replacement for Byron Unit 1 and Braidwood Unit 1.
LEVIN,A. . 96/12/05. DICK,G.F. . 3pp. 91031:142-91031:144.

9612130186 Final response to FOIA request for documents.Records identified in App A being withheld in entirety (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/09. MATTHEWS,T. Morgan, Lewis & Bockius. 3pp. 91090:239-91090:245.

-9612130197 FOIA request for copies of NRC OI repts & supporting matls re &/or related to OI investigations at Commonwealth Edison Braidwood Station,which focused on terminations &/or access denials of two employees of Burns Intl Security Svc in 1994.
MATTHEWS,T.P. Morgan, Lewis & Bockius. 96/11/05. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91090:242-91090:242.

9612200165 Submits rev to Westinghouse Model DS 206 480V Circuit Breaker action plan.
STANLEY,H.G. Commonwealth Edison Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91192:307-91192:308.

**Q. Inspection reports, IE Bulletins & correspondence**

9609200181 NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

9610100212 NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

9612020158 Forwards results of cycle 6 mid-cycle outage SG ISI.
TULON,T.J. Commonwealth Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91003:060-91003:061.

9612050036 Forwards info re eddy current indications located on cold-leg side of plant SG tubes.
KARWOSKI,K.J. . 96/12/03. SULLIVAN,E.J. . 1p. 91019:239-91019:251.

-9612050039 Submits info re Byron Unit 1 1996 cold leg insp results, requested by M Holmberg during 951025 insp of Braidwood Unit 1 SG tube.
* Commonwealth Edison Co. 96/10/28. SULLIVAN,T. NRC - No Detailed Affiliation Given. 12pp. 91019:240-91019:251.

9612040215 NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

9612190373 Forwards insp rept 50-456/96-17 on 961021-25 & 1105-26.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 96/12/09. STANLEY,H.G. Commonwealth Edison Co. 2pp. 91138:011-91138:018.

-9612190383 Insp rept 50-456/96-17 on 961021-25 & 1105-26.No violations noted.Major areas inspected:engineering,maint & observations & findings.
* Region 3 (Post 820201). 96/12/09. 6pp. 91138:013-91138:018.

9612060222 NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

9612160108 Summary of 961114 meeting w/representives of CE in Rockville,MD to discuss status of ongoing Braidwood,Unit 1, SG tube insp.List of attendees & slides encl.
LYNCH,M.D. . 96/12/10. . 35pp. 91101:061-91101:095.

9612060224 NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

9612230425 Ack receipt of 961119 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/96-12 & 50-457/96-12.Corrective actions will be examined during future insp.
LANKSBURY,R.D. Region 3 (Post 820201). 96/12/11. STANLEY,H.G. Commonwealth Edison Co. 2pp. 91166:175-91166:176.

**R. Periodic operating reports & related correspondence**

9612180030 Monthly operating repts for Nov 1996 for Braidwood Nuclear Power Station,Unit 1 & 2.W/961205 ltr.
ELIAKIS,T., PERSHEY,C., TULON,T.J. Commonwealth Edison Co. 96/11/30. 10pp. 91153:204-91153:213.

9612190118 Forwards 10CFR50.59 summary rept for period from 940619-960618 which consists of descriptions & SE summarizes for changes to facility & procedures as described in SAR.
TULON,T.J. Commonwealth Edison Co. 96/12/12. . 2pp. 91153:223-91153:301.

-9612190120 "Braidwood Nuclear Power Station,10CFR50.59 Summary Rept 940619-960618."
* Commonwealth Edison Co. 96/06/18. 76pp. 91153:225-91153:301.

**DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

9612110277 Revised EPIPs,including rev 1 to BWZP-2000-4A4,app D re reactor power history,rev 2 to BWZP 2000-4A6 re core damage assessment & rev 2 to BWZP 2000-4A7 re core damage assessment.
* Commonwealth Edison Co. 96/11/26. 82pp. 91075:270-91075:353.

9612190082 Forwards amend 17 to fire protection rept which provides changes to facilities & procedures in effect as of 960616 & detailed change log.
STANLEY,G. Commonwealth Edison Co. 96/12/16. . 2pp. 91160:001-91161:330.

-9612190083 Amend 17 to "Byron/Braidwood Fire Protection Rept."
* Commonwealth Edison Co. 96/12/11. 600pp. 91160:003-91161:330.

9612310134 Forwards annual certification of generating stations emergency plan.
VONK,M.J. Commonwealth Edison Co. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91262:290-91262:291.

**9612190254** Forwards RAI re central emergency operations facility.
DICK,G.F. . 96/12/17. JOHNSON,I.M. Commonwealth Edison Co. 6pp. 91137:013-91137:018.

**P. Operating license stage documents & correspondence**

**9612020005** Responds to RAI re removal of cycle-specific parameter limits from tech specs.
STANLEY,H.G. Commonwealth Edison Co. 96/10/24. Document Control Branch (Document Control Desk). 5pp. 91003:094-91003:098.

**9612110116** Informs that proposed TS amend to App A applicable to Byron & Braidwood Unit 1 only,also that,suppl LAR is docketed to reflect Byron & Braidwood Units 1 & 2 due to common TS pages being used for both units.
LESNIAK,M.T. Commonwealth Edison Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91081:288-91081:289.

**9612060318** Forwards request for addl info re application to amend licenses extending steam generator replacement for Byron Unit 1 and Braidwood Unit 1.
LEVIN,A. . 96/12/05. DICK,G.F. . 3pp. 91031:142-91031:144.

**9612130186** Final response to FOIA request for documents.Records identified in App A being withheld in entirety (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/09. MATTHEWS,T. Morgan, Lewis & Bockius. 3pp. 91090:239-91090:245.

**–9612130197** FOIA request for copies of NRC OI repts & supporting matls re &/or related to OI investigations at Commonwealth Edison Braidwood Station,which focused on terminations &/or access denials of two employees of Burns Intl Security Svc in 1994.
MATTHEWS,T.P. Morgan, Lewis & Bockius. 96/11/05. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91090:242-91090:242.

**9612200165** Submits rev to Westinghouse Model DS 206 480V Circuit Breaker action plan.
STANLEY,H.G. Commonwealth Edison Co. 96/12/13. Document Control Branch (Document Control Desk). 2pp. 91192:307-91192:308.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612230425** Ack receipt of 961119 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/96-12 & 50-457/96-12.Corrective actions will be examined during future insp.
LANKSBURY,R.D. Region 3 (Post 820201). 96/12/11. STANLEY,H.G. Commonwealth Edison Co. 2pp. 91166:175-91166:176.

**R. Periodic operating reports & related correspondence**

**9612180030** Monthly operating repts for Nov 1996 for Braidwood Nuclear Power Station,Unit 1 & 2.W/961205 ltr.
ELIAKIS,T., PERSHEY,C., TULON,T.J. Commonwealth Edison Co. 96/11/30. 10pp. 91153:204-91153:213.

**9612190118** Forwards 10CFR50.59 summary rept for period from 940619-960618 which consists of descriptions & SE summarizes for changes to facility & procedures as described in SAR.
TULON,T.J. Commonwealth Edison Co. 96/12/12. . 2pp. 91153:223-91153:301.

**–9612190120** "Braidwood Nuclear Power Station,10CFR50.59 Summary Rept 940619-960618."
* Commonwealth Edison Co. 96/06/18. 76pp. 91153:225-91153:301.

**DOCKET 50-458 RIVER BEND STATION, UNIT 1**

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9612180405** Forwards rev 8 of River Bend Station USAR,per 10CFR50.71(e).
MCGAHA,J.R. Entergy Operations, Inc. 96/12/10. Document Control Branch (Document Control Desk). 3pp. 91162:001-91162:194.

**–9612180409** Rev 8A of USAR for River Bend Station,Unit 1.
* Entergy Operations, Inc. 96/10/31. 200pp. 91162:005-91162:194.

**P. Operating license stage documents & correspondence**

**9612030053** Forwards nonroutine repts sent to other agencies,per App B (Environ Protection Plan) to River Bend Station License NPF-47.
CHAPMAN,P.W. Entergy Operations, Inc. 96/11/21. Document Control Branch (Document Control Desk). 28pp. 91003:203-91003:230.

**9612050080** Notification of 961217 licensee meeting w/util in Arlington, TX to discuss evaluation approach & results of UFSAR assessments at each facility.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Region 4 (Post 820201). 9pp. 91013:154-91013:163.

**9612100335** Notifies that drinking water sample from Tap #3 of RBS public water supply,tested positive for total coliform bacteriological contamination & requests invalidation.
CHAPMAN,P.W. Entergy Operations, Inc. 96/12/03. FAGAN,M. Louisiana, State of. 4pp. 91061:356-91061:359.

**9612160256** Summary of 96111 meeting w/licensee in Rockville,MD to discuss comments developed in response to NRC advance notice of proposed rulemaking on financial assurance requirements for decommissioning nuclear reactors.List of attendees encl.
WIGGINTON,D.L. . 96/12/11. . 40pp. 91101:150-91101:189.

**9612180287** Forwards for review & comments draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Request comments by 970214. W/o encl.
MIRAGLIA,F.J. . 96/12/13. HINTZ,D.C. Entergy Operations, Inc. 7pp. 91132:324-91132:330.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030130** Advises of NRC planned insp effort resulting from 961030 River Bend Station SPPR review.
DYER,J.E. Region 4 (Post 820201). 96/11/27. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 90973:258-90973:263.

**9612050057** Forwards insp rept 50-458/96-15 on 960922-1102 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/02. MCGAHA,J.R. Entergy.Operations, Inc. 5pp. 91013:065-91013:094.

**–9612050063** Notice of violation from insp on 960922-1102.Violation noted:listed instances where written procedures not properly implemented.
* Region 4 (Post 820201). 96/12/02. 3pp. 91013:069-91013:071.

**–9612050065** Insp rept 50-458/96-15 on 960922-1102.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 4 (Post 820201). 96/11/02. 23pp. 91013:072-91013:094.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612160432** Forwards response to violations noted in Insp Rept 50-458/96-27.Corrective actions:ARP-870-55 revised to delete precautionary note & replace w/another note referring personnel to AOP-0004.
KING,R.J. Entergy Operations, Inc. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91102:347-91102:352.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160386** Forwards SE & technical rept by INEL in response to request for authorization to update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code,Section XI & authorizes proposed alternatives.
BECKNER,W. . 96/12/12. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91101:030-91101:055.

**–9612160403** Safety evaluation supporting update insvc insp programs to 1992 & portions of 1993 ASME Boiler & Pressure Vessel Code, Sect XI for licenses DPR-51,NPF-6,NPF-38,NPF-29 & NPF-47. Technical ltr rept encl.
* . 96/12/12. 19pp. 91101:037-91101:055.

**9612240126** Ack receipt of 961209 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/96-27.
GWYNN,T.P. Region 4 (Post 820201). 96/12/20. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 91183:322-91183:326.

**R. Periodic operating reports & related correspondence**

**9612060206** Forwards "Annual Environ Operating Rept (Nonradiological) 950829-960828" & "Brief Aerial Photography Analysis of River Bend Station at St Francisville,LA:1995-1996."
KING,R.J. Entergy Operations, Inc. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91044:227-91044:244.

--**9612060210** "Annual Environ Operating Rept (Nonradiological) 950829- 960828."
STOMA,S.K., CHAPMAN,P.W., HOLMES,J. Entergy Operations, Inc. 96/08/28. 11pp. 91044:229-91044:239.

--**9612060214** "Brief Aerial Photography Analysis of River Bend Station at St Francisville,LA:1995-1996."
* Affiliation Not Assigned. 96/10/31. 5pp. 91044:240-91044:244.

**9612180148** Monthly operating rept for Nov 1996 for River Bend Station. W/961212 ltr.
WILLIAMSON,D., KING,R.J. Entergy Operations, Inc. 96/11/30. 6pp. 91148:341-91148:346.

**S. Reportable occurrences, LERs & related correspondence**

**9612040138** NPDES noncompliance notification:on 961016,drinking water samples resulted in Tier 1 bacteriological MCL violation. Caused by contamination from internal tap or plumbing problem.Drinking water tap 5 should be deleted.
CHAPMAN,P.W. Entergy Operations, Inc. 96/11/21. FAGAN,M. Louisiana, State of. 4pp. 91028:199-91028:202.

**9612060182** LER 96-015-00:on 961030,inadvertent bumping of recently installed power supply fuse resulting in isolation valve closure occurred.Caused by risk & consequences associated with depressing.RCIC isolation were identified.W/961127 ltr.
LORFING,D., KING,R.J. Entergy Operations, Inc. 96/11/27. 5pp. 91127:032-91127:036.

**9612190096** LER 96-016-00:on 960806,control bldg chiller timer defeat switch was left in test position.Caused by inadequate turnover during test evolution.Switch was returned to normal & sys lineup was performed.W/961213 ltr.
LORFING,D., KING,R.J. Entergy Operations, Inc. 96/12/13. 6pp. 91181:026-91181:031.

**V. Operator Examinations**

**9612240077** Provides notification of termination of employment for listed reactor operator licenses.
KING,R.J. Entergy Operations, Inc. 96/12/16. Document Control Branch (Document Control Desk). 2pp. 91227:248-91227:249.

**DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1**

**I. Financial information**

**9612260284** "Washington Public Power Supply Sys Annual Rept for 1996." W/961212 ltr.
CARTER,D., CLAUSSEN,V., KUCERA,G.J. Washington Public Power Supply System. 96/12/31. 37pp. 91266:001-91266:040.

**DOCKET 50-461 CLINTON POWER STATION, UNIT 1**

**P. Operating license stage documents & correspondence**

**9612040072** Forwards response to RAI re proposed TS changes on degraded voltage instrumentation & other related TS changes.
TELTHORST,P.J. Illinois Power Co. 96/11/25. Document Control Branch (Document Control Desk). 6pp. 91028:236-91028:241.

**9612060319** Summary of 961121 meeting w/util in Rockville,MD to discuss proposed transfer of minority ownership interest in plant. W/list of attendees.
PICKETT,D.V. . 96/12/04. . 6pp. 91031:067-91031:072.

**9612120450** Forwards amend 110 to license NPF-62 & safety evaluation. Amend changes TS 3.3.8.1 & 3.8.1,by revising setpoint for degraded voltage protection instrumentation & modifying or deleting other loss of power instrumentation requirements.
PICKETT,D.V. . 96/12/04. TELTHORST,P.J. Illinois Power Co. 4pp. 91075:041-91075:070.

--**9612120458** Amend 110 to license NPF-62,changing TS 3.3.8.1 & TS 3.8.1, by revising setpoint for degraded voltage protection instrumentation & modifying or deleting other loss of power instrumentation TS requirements.
PICKETT,D.V. . 96/12/04. 13pp. 91075:045-91075:057.

--**9612120462** Safety evaluation supporting amend 110 to license NPF-62.
* . 96/12/04. 13pp. 91075:058-91075:070.

**9612130051** Submits revised startup readiness action plan to include specific action to ensure that CPS personnel clearly understand that safety is priority.
CONNELL,W. Illinois Power Co. 96/12/09. BEACH,A.B. Region 3 (Post 820201). 19pp. 91095:267-91095:285.

**9612230329** Confirms util meeting w/AB Beach on 961216 at Region III ofc in Lisle,IL to discuss review & status of startup readiness action plan.
CALDWELL,J.L. Region 3 (Post 820201). 96/12/11. COOK,J. Illinois Power Co. 1p. 91166:108-91166:108.

**9612180402** Notification of availability of draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance," & requests for voluntary comments.
MIRAGLIA,F.J. . 96/12/13. COOK,J. Illinois Power Co. 5pp. 91132:278-91132:282.

**9612190325** Forwards amend 111 to license NPF-62 & safety evaluation. Amend revises CPS TS 3.3.4.1, "EOC-RPT Instrumentation," by deleting SR 3.3.4.1.6 which requires RPT breaker interruption time be determined at least once per 60 months.
PICKETT,D.V. . 96/12/13. TELTHORST,P.J. Illinois Power Co. 4pp. 91136:303-91136:318.

--**9612190331** Amend 111 to license NPF-62,revising CPS TS 3.3.4.1, "EOC-RPT Instrumentation," by deleting SR 3.3.4.1.6 which requires RPT breaker interruption time to be determined at least once per 60 months.
PICKETT,D.V. . 96/12/13. 4pp. 91136:307-91136:310.

--**9612190335** Safety evaluation supporting amend 111 to license NPF-62.
* . 96/12/13. 8pp. 91136:311-91136:318.

**9612310175** Application for amend to license NPF-62,requesting consent to transfer minority ownership.
CONNELL,W. Illinois Power Co. 96/12/13. Document Control Branch (Document Control Desk). 13pp. 91262:257-91262:274.

--**9612310177** Proposed TSs re transfer of minority ownership.
* Illinois Power Co. 96/12/13. 5pp. 91262:270-91262:274.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612060024** Informs that facts & info provided in 961122 ltr re special insp into circumstances surrounding 960905 reactor recirculation pump seal package failure,would not result in change to conclusions described in 961119 ltr.
BEACH,A.B. Region 3 (Post 820201). 96/11/27. CONNELL,W. Illinois Power Co. 3pp. 91024:010-91024:012.

**9612090246** Discusses review & evaluation of 960605 request for relief from requirements of Section XI of ASME boiler & pressure vessel code,1980 edition through winter 1981 addenda. Safety evaluation encl.
MARCUS,G.H. . 96/12/04. TELTHORST,P.J. Illinois Power Co. 5pp. 91040:062-91040:093.

--**9612090251** Safety evaluation of first ten year interval inservice inspection program plan for Illinois Power Co,Clinton Power Station.
* . 96/12/04. 27pp. 91040:067-91040:093.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612300067** Monthly operating rept for Nov 1996 for Clinton Power Station,Unit 1.W/961206 ltr.
DEMARK,W.E., TELTHORST,P.J. Illinois Power Co. 96/11/30. 6pp. 91256:276-91256:281.

**S. Reportable occurrences, LERs & related correspondence**

**9612020067** LER 96-015-00:on 961026,unplanned engineered safety feature actuation of eight containment isolation valves was noted.Cause is under investigation.Corrective action will be determined after cause is identified.W/961120 ltr.
REICHERT,R.C., CONNELL,W. Illinois Power Co. 96/11/20. 4pp. 91050:237-91050:240.

**9612110298** LER 96-016-00:on 961031,invalid local leak rate testing of feedwater containment isolation valve identified.Cause under investigation.Drain valves installed on bottom of ISVs to allow for proper drainage.W/961125 ltr.
ROHRSCHEIB,R.G., CONNELL,W. Illinois Power Co. 96/11/25. 4pp. 91151:170-91151:173.

**9612110366** LER 96-017-00:on 961102,div 3 DG failed to energize emergency bus within required time limit.Caused by personnel misinterpretation of setpoint data.Added note to drawing to clearly show setpoint.W/961127 ltr.
SIPEK,J.V., CONNELL,W. Illinois Power Co. 96/11/27. 6pp. 91151:185-91151:190.

**9612270138** LER 96-018-00:on 961014,incorrect torque value for control rod drive hydraulic control units was specified by supplier. Caused by lack of attention to detail.All hold down bolts on CRD HCUs were replaced.W/961217 ltr.
LE,N., CONNELL,W. Illinois Power Co. 96/12/17. 7pp. 91271:001-91271:007.

**9612300064** LER 96-019-00:on 961120,inadequate surveillance procedures were noted due to misinterpretation of TS bases results in source range monitor reactor period display not verified. Procedures CPS 9031.13 will be revised.W/961217 ltr.
JOHNSON,T.P., CONNELL,W. Illinois Power Co. 96/12/17. 6pp. 91266:277-91266:282.

**9612300113** Part 21 rept re failure of Westinghouse DHP circuit breaker to close on demand during surveillance test.Inspected, cleaned,adjusted & lubricated motor cut-off switch & spring charge indicator mechanism in subject breaker.
CONNELL,W. Illinois Power Co. 96/12/20. Document Control Branch (Document Control Desk). 3pp. 91256:186-91256:188.

**DOCKET STN-50-482 WOLF CREEK GENERATING STATION**

**F. Security, medical, emergency & fire protection plans**

**9612030059** Forwards changes & provides justification to physical security plan revs.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91006:358-91006:359.

**9612170289** Rev 13 to EPIP EPP 01-10.1, "Protective Action Recommendations." W/ 961210 ltr.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/12/10. 48pp. 91144:221-91144:269.

**9612160368** Forwards FEMA final rept of 961022 for Wolf Creek Generating Station off-site medical drill.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 6pp. 91103:050-91103:060.

**--9612160381** "Medical Drill Rept Wolf Creek Generating Station," on 961022.
* Federal Emergency Management Agency. 96/11/04. 5pp. 91103:056-91103:060.

**9612240156** Ack receipt of 961120 ltr re objectives for WCGS EP exercise scheduled for 970225.Exercise objectives appropriate to meet emergency plan requirements.
GWYNN,T.P. Region 4 (Post 820201). 96/12/20. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 91184:012-91184:016.

**P. Operating license stage documents & correspondence**

**9612030288** Requests withholding info from public disclosures re Westinghouse ltrs of 960611,27 & 0906 re Wolf Creek Nuclear Operating Corp.Encl withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 96/11/21. MIRAGLIA,F.J. . 3pp. 91021:348-91021:351.

**9612100195** Application for amend to license NPF-42,requesting rev to TS 6.8.5b re "Reactor Coolant Pump Insp Program."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 96/12/03. Document Control Branch (Document Control Desk). 13pp. 91056:311-91056:325.

**--9612100197** Proposed tech specs 6.8.5b re "Reactor Coolant Pump Flywheel Insp Program."
* Wolf Creek Nuclear Operating Corp. 96/12/03. 2pp. 91056:324-91056:325.

**9612100291** Application for amend to license NPF-42,changing TS Table 3.3-3 to correct ref to applicable Action Statement for Item 7.b,RWST Level - Low-Low Coincident w/Safety Injection.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 96/12/03. Document Control Branch (Document Control Desk). 13pp. 91062:006-91062:019.

**--9612100296** Proposed tech specs Table 3.3-3,correcting ref to applicable Action Statement for Item 7.b,RWST Level - Low-Low Coincident w/Safety Injection.
* Wolf Creek Nuclear Operating Corp. 96/12/03. 1p. 91062:019-91062:019.

**9612110020** Informs of telcon indicating that Kansas Electric Power Cooperative,Inc,owns six percent of Wolf Creek Nuclear Generating Station.
ELLIOTT,R.L. Miller, Balis & O'Neil. 96/12/03. STONE,J.C. . 1p. 91072:143-91072:143.

**9612120378** Forwards summary of 961206 mgt meeting re corrective action process & safey sys functional assessment of auxiliary feedwater sys.
DYER,J.E. Region 4 (Post 820201). 96/12/09. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 43pp. 91070:165-91070:208.

**9612180298** Forwards listed documents submitted by util to be withheld from public disclosure.Request withdrawn.W/o encls.
STONE,J.C. . 96/12/10. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 3pp. 91132:265-91132:267.

**9612190240** Informs that licensee 960620 ltr requesting that info submitted in CAW-96-962 be withheld from public disclosure, was withdrawn & returned to Wolf Creek Nuclear Operating Corp,per 961003 request.
STONE,J.C. . 96/12/10. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 91137:031-91137:033.

**9612180415** Advises that document "Wolf Creek Generating Station Site Exam Rept" will be withheld from public disclosure ref 10CFR2.790.
STONE,J.C. . 96/12/11. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 91132:283-91132:285.

**9612170180** Requests withdrawal of application for amend to license NPF-42 re rev to Surveillance Requirement 4.1.3.1.3.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91141:041-91141:041.

**9612230255** Informs that draft NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," has been published.Comments requested.
MIRAGLIA,F.J. . 96/12/13. GATES,W.G. Omaha Public Power District. 20pp. 91181:253-91181:272.

**9612260115** Forwards revised page 3/4 3-46 w/corresponding overleaf page re amend 89 to NPF-42.Change to TS 3.3.3.6 had not been incorporated into revised TS.
STONE,J.C. . 96/12/18. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 2pp. 91205:327-91205:330.

**--9612270104** Errata to amend 89 to license NPF-42.Change to TS 3.3.3.6 had not been incorporated into revised TS.
* . 96/12/18. 2pp. 91205:329-91205:330.

**9612270102** Application for amend to license NPF-42,requesting rev to Bases for TS 3.8.1.1 re "Electrical Power Systems - AC Sources."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 96/12/20. Document Control Branch (Document Control Desk). 2pp. 91255:196-91255:199.

**--9612270105** Proposed tech specs bases re electrical power systems.
* Wolf Creek Nuclear Operating Corp. 96/12/20. 2pp. 91255:198-91255:199.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030153** Discusses semiannual plant performance review for all NPPs to develop integrated understanding of safety performance. Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/27. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 6pp. 90973:300-90973:305.

**9612100195** Application for amend to license NPF-42,requesting rev to TS 6.8.5b re "Reactor Coolant Pump Insp Program."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 96/12/03. Document Control Branch (Document Control Desk). 13pp. 91056:311-91056:325.

**--9612100197** Proposed tech specs 6.8.5b re "Reactor Coolant Pump Flywheel Insp Program."
* Wolf Creek Nuclear Operating Corp. 96/12/03. 2pp. 91056:324-91056:325.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110226** Responds to NRC 960923 ltr re violations noted in insp rept 50-482/96-18.Corrective actions:test director involves w/ clearance order counseled.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/12/06. Document Control Branch (Document Control Desk). 8pp. 91083:341-91083:348.

**9612120267** Forwards response to RAI re second 10-yr interval ISI program plan & associated requests for relief.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/12/09. Document Control Branch (Document Control Desk). 4pp. 91091:357-91091:360.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612240143** Forwards insp rept 50-482/96-23 on 961020-1130 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/13. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 91180:237-91180:260.

**--9612240149** Notice of violation from insp on 961020-1130.Violation noted:sys engineer provided operability recommendation w/o first properly identifying leaking equipment & evaluating effect & failed to establish/maintain Procedure STN FP-204.
* Region 4 (Post 820201). 96/12/13. 2pp. 91180:242-91180:243.

**--9612240152** Insp rept 50-482/96-23 on 961020-1130.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/12/13. 17pp. 91180:244-91180:260.

**9612300009** Ack receipt of 961206 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/96-18.
DYER,J.E. Region 4 (Post 820201). 96/12/24. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 91229:001-91229:012.

**R. Periodic operating reports & related correspondence**

**9612180121** Monthly operating rept for Nov 1996 for Wolf Creek Generating Station.W/ 961210 ltr.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/11/30. 7pp. 91148:299-91148:305.

**S. Reportable occurrences, LERs & related correspondence**

**9612100208** LER 96-018-00:on 961105,identified that ESF response time testing was not being adequately accomplished for TDAFW pump.Caused by mgt standards not being met.Revised surveillance procedure STS AL-104.W/961105 ltr.
MORRILL,T.S., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/11/05. 7pp. 91134:284-91134:290.

**9612030188** LER 96-017-00:on 961029,licensee failed to comply w/TS SR 4.3.3.5.2.Caused by lack of knowledge of function of isolation switch.Actuated components using ASP isolation switches were functionally tested.W/961127 ltr.
MORRILL,T.S., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/11/27. 6pp. 91049:346-91049:351.

**9612300005** LER 96-018-00:on 961105,failure to comply with TS surveillance requirement 4.3.2.2 occurred.Caused by management did not ensure that there were proper mechanisms & expectations were met.STS AL-104 was revised.W/961219 ltr.
MORRILL,T.S., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/12/05. 7pp. 91266:263-91266:269.

**9612110092** LER 96-005-01:on 960314,TS 3.9.4 violation occurred due to personnel error.Counseled involved personnel,informed Operation personnel of misinterpretation & revised affected procedures.W/961206 ltr.
MORRILL,T.S., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/12/06. 7pp. 91151:102-91151:108.

**9612110281** LER 96-004-01:on 960323,violation of TS 3.5.4 occurred. Caused by personnel error.Clearance order 95-0510-EM was revised to address tagging feeder breakers de-energized for four SI pump discharge valves.W/961206 ltr.
LINDSAY,W.M., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/12/06. 5pp. 91151:157-91151:161.

**9612120032** LER 96-007-01:on 960723,failed to perform required post-mod test.Caused by personnel error.Performed required post-mod test on 960723 & revised procedures AP 05-001,AP 05-002 & AP 05-005.W/961206 ltr.
MORRILL,T.S., WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/12/06. 8pp. 91163:023-91163:030.

**9612160307** PNO-IV-96-067:on 961215,two fishermen died & one missing following capsizing of boat on Wolf Creek Lake.Licensee & Coffey County Sheriff Ofc issued joint press release.
JOHNSON,W.D., GRAVES,D.N. Region 4 (Post 820201). 96/12/16. 1p. 91163:175-91163:175.

**V. Operator Examinations**

**9612270018** Discusses pilot initial exam at plant during wk of 970407. Exam guidelines encl.
GWYNN,T.P. Region 4 (Post 820201). 96/12/23. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 8pp. 91205:059-91205:066.

**DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612060254** Rev 18 to EIP-ZZ-01211, "Emergency Action Guides for Nuclear Emergencies (MAGNEM)."
SUDNAK,P.J. Union Electric Co. 96/10/04. 12pp. 91043:311-91043:322.

**P. Operating license stage documents & correspondence**

**9612040165** Forwards 10CFR50.46 annual rept re ECCS evaluation model revs implemented between Nov 1995 & Nov 1996.
SCHNELL,D.F. Union Electric Co. 96/11/27. Document Control Branch (Document Control Desk). 12pp. 91027:288-91027:299.

**9612050068** Monthly licensing overview rept,updated as of 961127.
SHAFER,D. Affiliation Not Assigned. 96/11/27. THOMAS,K. NRC - No Detailed Affiliation Given. 5pp. 91013:147-91013:151.

**9612040262** Discusses GL 96-05 entitled, "Periodic Verification of Design-Basis Capability of Saftey-Related Motor-Operated Valves."
THOMAS,K.M. . 96/11/29. SCHNELL,D.F. Union Electric Co. 4pp. 91004:340-91004:343.

**9612160430** Forwards revised Page 2 to NPDES discharge permit for plant transmitting by ltr dtd 960524.W/o encl.
PASSWATER,A.C. Union Electric Co. 96/12/06. Document Control Branch (Document Control Desk). 3pp. 91133:260-91133:262.

**9612170307** Discusses completion of actions requested in GL 96-06 by 970128 & requests that NRC be notified if actions delayed.
THOMAS,K.M. . 96/12/12. SCHNELL,D.F. Union Electric Co. 2pp. 91124:151-91124:152.

**9612180110** Informs of implementation of Amendment 118 re updated charcoal test methodology,effective 961204.
PASSWATER,A.C. Union Electric Co. 96/12/12. Document Control Branch (Document Control Desk). 2pp. 91148:297-91148:298.

**9612230255** Informs that draft NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," has been published.Comments requested.
MIRAGLIA,F.J. . 96/12/13. GATES,W.G. Omaha Public Power District. PARRISH,J.V. Washington Public Power Supply System. SCHNELL,D. Union Electric Co. 20pp. 91181:253-91181:272.

**9612230331** Notification of 970115 meeting w/licensee in Rockville,MD to discuss nondestructive exam qualification efforts to date in support of staff review of amend request that would allow use of Framatome electrosleeving technology.
THOMAS,K.M. . 96/12/17. BATEMAN,W.H. . 6pp. 91181:105-91181:110.

**9612230178** Notification of 970114 meeting w/util in Rockville,MD to discuss Union Electric Co plans for reload design to Callaway Plant.
THOMAS,K.M. . 96/12/18. BATEMAN,W.H. . 5pp. 91194:193-91194:197.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040035** Forwards response to violations noted in Insp Rept 50-483/96-09.Corrective actions:Procedure OTN-GS-00001,Rev 5 revised by Temporary Change Notice 96-248 & issued 961003.
SCHNELL,D.F. Union Electric Co. 96/11/25. Document Control Branch (Document Control Desk). 4pp. 91011:315-91011:318.

**9612030193** Advises of planned insp effort resulting from plant semiannual plant performance review which was completed on 961029.Detailed insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/27. SCHNELL,D.F. Union Electric Co. 6pp. 90973:345-90973:350.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612100099** Forwards insp rept 50-483/96-12 on 961104-08 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 96/12/06. SCHNELL,D.F. Union Electric Co. 4pp. 91049:054-91049:073.

**-9612100109** Notice of violation from insp on 961104-08.Violation noted: licensee did not barricade & conspicuously post entrance to "D" SG bay on 961104.
* Region 4 (Post 820201). 96/12/06. 2pp. 91049:059-91049:060.

**-9612100118** Insp rept 50-483/96-12 on 961104-08.Violations noted.Major areas inspected:licensee planning & preparation for refueling outage,exposure controls,controls of radioactive matl & contamination & program to maintain radiation ALARA.
* Region 4 (Post 820201). 96/12/06. 13pp. 91049:061-91049:073.

**9612170064** Forwards relief requests ISI-10 & ISI-11 to ISI program plan.
SCHNELL,D.F. Union Electric Co. 96/12/06. Document Control Branch (Document Control Desk). 5pp. 91105:357-91105:362.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612160395** Forwards insp rept 50-483/96-11 on 961013-1123 & NOV.
DYER,J.E. Region 4 (Post 820201). 96/12/12. SCHNELL,D.F. Union Electric Co. 5pp. 91096:149-91096:171.

**-9612160399** Notice of violation from insp on 961013-1123.Violation noted:licensee failed to have adequate procedure for normal operation of component cooling water sys.
* Region 4 (Post 820201). 96/12/12. 2pp. 91096:154-91096:155.

**-9612160407** Insp rept 50-483/96-11 on 961013-1123.Violations noted.Major areas inspected:licensee safety-conscious operations,sound engineering practices & appropriate performance of maint, surveillance & plant support activities.
* Region 4 (Post 820201). 96/12/12. 16PP. 91096:156-91096:171.

**9612310062** Ack receipt of 961125 ltr informing NRC of steps taken to correct violation noted in insp rept 50-483/96-09 on 960901-1012.
DYER,J.E. Region 4 (Post 820201). 96/12/27. SCHNELL,D.F. Union Electric Co. 5pp. 91235:102-91235:110.

**R. Periodic operating reports & related correspondence**

**9612130282** Monthly operating rept for Nov 1996 for Callaway Plant Unit 1.W/961206 ltr.
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 96/11/30. 6pp. 91118:352-91118:357.

**S. Reportable occurrences, LERs & related correspondence**

**9612090271** LER 96-004-00:on 961109,manual reactor trip occurred during rod drop testing due to digital position indication sys failure.Caused by worn pin in Amphenol connector in DRPI terminal box.Pins repaired.W/961129 ltr.
BONO,H.B., AFFOLTER,R.D. Union Electric Co. 96/11/29. 7pp. 91134:114-91134:120.

**9612160127** LER 96-005-00:on 961111,turbine trip & engineered safety features actuations occurred due to steam generator A high level followed by plant shutdown due to high vibration on reactor coolant pump B.W/961203 ltr.
BONO,H.D., AFFOLTER,R.D. Union Electric Co. 96/12/02. 6pp. 91163:136-91163:141.

**9612180108** Part 21 rept re testing of six HFD3045 & HFD3060 molded case circuit breakers w/125 volt DC shunt trip devices.Identified incorrectly installed DC shunt trip units & are in process of being returned to vendor.
LIPURALO,N.J. Westinghouse Electric Corp. 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91148:293-91148:296.

**DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612260044** Forwards scenario for Graded Emergency Preparedness Exercise at STP scheduled for 961030,for NRC review & comment.
SERRA,P.L. Houston Lighting & Power Co. 96/08/29. Document Control Branch (Document Control Desk). 2pp. 91202:001-91203:362.

**-9612260047** Public version of, "HL&P 1996 Graded Exercise."
KEYER,K.R. Houston Lighting & Power Co. 96/10/30. 800pp. 91202:003-91203:362.

**9612120190** Advises that 960826 rev 5A to physical security plan consistent w/provisions of 10CFR50.54(p).
GWYNN,T.P. Region 4 (Post 820201). 96/12/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 91092:054-91092:058.

**P. Operating license stage documents & correspondence**

**9612020030** Forwards notice of withdrawal of 960229 application for amend to license NPF-76,adding TS 3.10.8 to allow one-time only extension of SDG AOT for cumulative 21 days on "A" train SDG.
ALEXION,T.W. . 96/11/25. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 90975:104-90975:108.

**--9612020032** Notice of withdrawal of 960229 application of amend to license NPF-76,adding TS 3.10.8 to allow one-time only extension of SDG AOT for cumulative of 21 days on "A" train SDG.
ALEXION,T.W. . 96/11/25. 2pp. 90975:107-90975:108.

**9612050100** Submits revs to Valve Relief Requests RR-55,RR-53 Rev 1 & RR-34 Rev 1 for Unit 1 & RR-51,RR-49 Rev 1 & RR-31 Rev 1 for Unit 2 to use alternate testing frequency in assessing operational readiness.W/three oversize drawings.
THOMAS,S.E. Houston Lighting & Power Co. 96/11/25. Document Control Branch (Document Control Desk). 16pp. 91053:178-91053:191.

**9612020142** Forwards staff comments on application for conversion to improved standard TS.
BECKNER,W.D. . 96/11/27. COTTLE,W.T. Houston Lighting & Power Co. 18pp. 90974:325-90974:342.

**9612100063** Forwards change to Operations QA Plan (QA-030) per 10CFR50.54(a).
MARTIN,L.E. Houston Lighting & Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91056:348-91056:360.

**9612120133** Provides response to RAI re SG replacement.Specification 4R129NS1014,Rev A encl.
WOHLEBER,D.O. Houston Lighting & Power Co. 96/12/04. Document Control Branch (Document Control Desk). 15pp. 91095:116-91095:251.

**--9612120142** "Specification for Replacement SGs re Release for Bids," rev A.
BAKER,R.L. Houston Lighting & Power Co. 4R129NS1014. 95/04/13. 120pp. 91095:131-91095:251.

**9612060316** Notification of 961212 meeting w/util in Rockville,MD to discuss strategy & schedule for supplementing STP application for converting STP TSs to improved Std TS format.
KENNEDY,J.L. . 96/12/05. BECKNER,W.D. . 4pp. 91031:063-91031:066.

**9612120281** Ack receipt of 961003 ltr comfirming presentation made to NRC staff re proposed merger of HL&P & parent,Houston Industries,Inc w/NorAm Energy Corp.
BECKNER,W.D. . 96/12/09. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 91075:113-91075:115.

**9612170010** Forwards SE re temporary relief from ASME code section 11 requirements to repair flaws in essential cooling water sys piping.
BECKNER,W.D. . 96/12/11. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 91131:319-91131:327.

**--9612170014** Safety evaluation accepting licensee structural integrity & operability assessments.
* . 96/12/11. 6pp. 91131:322-91131:327.

**9612170403** Fowards annual rept of ECCS model revs during 1996.
LEAZAR,D.A Houston Lighting & Power Co. 96/12/11. Document Control Branch (Document Control Desk). 7pp. 91141:067-91141:073.

**9612190051** Forwards "South TX Project Engineering Self-Assessment Final Rept 961014-24."
CLONINGER,T.H. Houston Lighting & Power Co. 96/12/12. Document Control Branch (Document Control Desk). 2pp. 91153:302-91153:348.

**--9612190052** "STP Engineering Self Assessment Final Rept."
* Houston Lighting & Power Co. 96/10/24. 45pp. 91153:304-91153:348.

**9612300091** Informs of intention to comply w/requirements that apply to protection of info collected re FFD & access authorization rules,in response to 961113 ltr.
SHEPPARD,J.J. Houston Lighting & Power Co. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91262:109-91262:109.

**9612180398** Informs that comments on draft NUREG 1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance Summary Rept," to be mailed to listed individual by 970214.
MIRAGLIA,F.J. . 96/12/13. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 91132:334-91132:337.

**9612300066** Forwards summary of safety evaluation of changes,tests & experiments conducted at STP.
MARTIN,L.E. Houston Lighting & Power Co. 96/12/17. Document Control Branch (Document Control Desk). 27pp. 91256:249-91256:275.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030123** Ack receipt of 960829 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-04 & 50-499/96-04.Review of implementation of corrective actions during future insps.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Houston Lighting & Power Co. 5pp. 90973:246-90973:257.

**9612030166** Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Results of fuel assembly testing encl.
LEAZAR,D.A. Houston Lighting & Power Co. 96/11/27. Document Control Branch (Document Control Desk). 10pp. 91011:181-91011:190.

**9612030168** Advises of planned insp effort resulting from licensee semiannual plant performance review & forwards insp plan for next 8 months.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Houston Lighting & Power Co. 6pp. 90973:312-90973:317.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170110** Forwards insp repts 50-498/96-25 & 50-499/96-25 on 961031- 1206 & discusses two apparent violations related to failure to recognize significance of emergency core cooling sys leakage outside containment.
DYER,J.E. Region 4 (Post 820201). 96/12/11. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 91103:143-91103:157.

**--9612170112** Insp repts 50-498/96-25 & 50-499/96-25 on 961031-1206.No violations noted.Major areas inspected:operations & engineering.
* Region 4 (Post 820201). 96/12/11. 9pp. 91103:149-91103:157.

**9612240039** Responds to violations noted in insp repts 50-498/96-06 & 50-499/96-06.Corrective actions:verified operability of seal on gate,installed welded stainless steel wall & determined gate seals are properly classified as nonsafety-related.
CLONINGER,T.H. Houston Lighting & Power Co. 96/12/16. DYER,J.E. Region 4 (Post 820201). 7pp. 91210:353-91210:359.

**9612240101** Responds to violations noted in insp repts 50-498/96-23 & 50-499/96-23.Corrective actions:will communicate emergency director expectations to personnel & will revise procedures to consolidate forms for recording issuance of potassium.
MARTIN,L.E. Houston Lighting & Power Co. 96/12/16. Document Control Branch (Document Control Desk). 3pp. 91227:293-91227:295.

**9612260199** Forwards insp repts 50-498/96-08 & 50-499/96-08 on 961020- 1130.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/12/19. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 91196:300-91196:318.

**--9612260208** Insp repts 50-498/96-08 & 50-499/96-08 on 961020-1130.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 96/12/19. 15pp. 91196:304-91196:318.

**R. Periodic operating reports & related correspondence**

**9612180147** Monthly operating repts for Nov 1996 for South Texas Project Electric Generating Station Units 1 & 2.W/961211 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 96/11/30. 14pp. 91148:327-91148:340.

**V. Operator Examinations**

**9612100157** Submits list of senior reactor operators who no longer serve in position requiring license.
MARTIN,L.E. Houston Lighting & Power Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91056:166-91056:167.

**DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612260044** Forwards scenario for Graded Emergency Preparedness Exercise at STP scheduled for 961030,for NRC review & comment.
SERRA,P.L. Houston Lighting & Power Co. 96/08/29. Document Control Branch (Document Control Desk). 2pp. 91202:001-91203:362.

**--9612260047** Public version of, "HL&P 1996 Graded Exercise."
KEYER,K.R. Houston Lighting & Power Co. 96/10/30. 800pp. 91202:003-91203:362.

**9612120190** Advises that 960826 rev 5A to physical security plan consistent w/provisions of 10CFR50.54(p).
GWYNN,T.P. Region 4 (Post 820201). 96/12/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 91092:054-91092:058.

**P. Operating license stage documents & correspondence**

**9612050100** Submits revs to Valve Relief Requests RR-55,RR-53 Rev 1 & RR-34 Rev 1 for Unit 1 & RR-51,RR-49 Rev 1 & RR-31 Rev 1 for Unit 2 to use alternate testing frequency in assessing operational readiness.W/three oversize drawings.
THOMAS,S.E. Houston Lighting & Power Co. 96/11/25. Document Control Branch (Document Control Desk). 16pp. 91053:178-91053:191.

**9612020142** Forwards staff comments on application for conversion to improved standard TS.
BECKNER,W.D. . 96/11/27. COTTLE,W.T. Houston Lighting & Power Co. 18pp. 90974:325-90974:342.

**9612100063** Forwards change to Operations QA Plan (QA-030) per 10CFR50.54(a).
MARTIN,L.E. Houston Lighting & Power Co. 96/12/02. Document Control Branch (Document Control Desk). 5pp. 91056:348-91056:360.

**9612060316** Notification of 961212 meeting w/util in Rockville,MD to discuss strategy & schedule for supplementing STP application for converting STP TSs to improved Std TS format.
KENNEDY,J.L. . 96/12/05. BECKNER,W.D. . 4pp. 91031:063-91031:066.

**9612120281** Ack receipt of 961003 ltr comfirming presentation made to NRC staff re proposed merger of HL&P & parent,Houston Industries,Inc w/NorAm Energy Corp.
BECKNER,W.D. . 96/12/09. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 91075:113-91075:115.

**9612170010** Forwards SE re temporary relief from ASME code section 11 requirements to repair flaws in essential cooling water sys piping.
BECKNER,W.D. . 96/12/11. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 91131:319-91131:327.

**--9612170014** Safety evaluation accepting licensee structural integrity & operability assessments.
* . 96/12/11. 6pp. 91131:322-91131:327.

**9612170403** Fowards annual rept of ECCS model revs during 1996.
LEAZAR,D.A Houston Lighting & Power Co. 96/12/11. Document Control Branch (Document Control Desk). 7pp. 91141:067-91141:073.

**9612190051** Forwards "South TX Project Engineering Self-Assessment Final Rept 961014-24."
CLONINGER,T.H. Houston Lighting & Power Co. 96/12/12. Document Control Branch (Document Control Desk). 2pp. 91153:302-91153:348.

**--9612190052** "STP Engineering Self Assessment Final Rept."
* Houston Lighting & Power Co. 96/10/24. 45pp. 91153:304-91153:348.

**9612300091** Informs of intention to comply w/requirements that apply to protection of info collected re FFD & access authorization rules,in response to 961113 ltr.
SHEPPARD,J.J. Houston Lighting & Power Co. 96/12/12. Document Control Branch (Document Control Desk). 1p. 91262:109-91262:109.

**9612180398** Informs that comments on draft NUREG 1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance Summary Rept," to be mailed to listed individual by 970214.
MIRAGLIA,F.J. . 96/12/13. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 91132:334-91132:337.

**9612300066** Forwards summary of safety evaluation of changes,tests & experiments conducted at STP.
MARTIN,L.E. Houston Lighting & Power Co. 96/12/17. Document Control Branch (Document Control Desk). 27pp. 91256:249-91256:275.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612030123** Ack receipt of 960829 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-04 & 50-499/96-04.Review of implementation of corrective actions during future insps.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Houston Lighting & Power Co. 5pp. 90973:246-90973:257.

**9612030168** Advises of planned insp effort resulting from licensee semiannual plant performance review & forwards insp plan for next 8 months.
DYER,J.E. Region 4 (Post 820201). 96/11/27. Houston Lighting & Power Co. 6pp. 90973:312-90973:317.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612170110** Forwards insp repts 50-498/96-25 & 50-499/96-25 on 961031- 1206 & discusses two apparent violations related to failure to recognize significance of emergency core cooling sys leakage outside containment.
DYER,J.E. Region 4 (Post 820201). 96/12/11. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 91103:143-91103:157.

**--9612170112** Insp repts 50-498/96-25 & 50-499/96-25 on 961031-1206.No violations noted.Major areas inspected:operations & engineering.
* Region 4 (Post 820201). 96/12/11. 9pp. 91103:149-91103:157.

**9612240039** Responds to violations noted in insp repts 50-498/96-06 & 50-499/96-06.Corrective actions:verified operability of seal on gate,installed welded stainless steel wall & determined gate seals are properly classified as nonsafety-related.
CLONINGER,T.H. Houston Lighting & Power Co. 96/12/16. DYER,J.E. Region 4 (Post 820201). 7pp. 91210:353-91210:359.

**9612240101** Responds to violations noted in insp repts 50-498/96-23 & 50-499/96-23.Corrective actions:will communicate emergency director expectations to personnel & will revise procedures to consolidate forms for recording issuance of potassium.
MARTIN,L.E. Houston Lighting & Power Co. 96/12/16. Document Control Branch (Document Control Desk). 3pp. 91227:293-91227:295.

**9612260199** Forwards insp repts 50-498/96-08 & 50-499/96-08 on 961020- 1130.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/12/19. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 91196:300-91196:318.

**--9612260208** Insp repts 50-498/96-08 & 50-499/96-08 on 961020-1130.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 96/12/19. 15pp. 91196:304-91196:318.

**R. Periodic operating reports & related correspondence**

**9612180147** Monthly operating repts for Nov 1996 for South Texas Project Electric Generating Station Units 1 & 2.W/961211 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 96/11/30. 14pp. 91148:327-91148:340.

**V. Operator Examinations**

**9612100157** Submits list of senior reactor operators who no longer serve in position requiring license.
MARTIN,L.E. Houston Lighting & Power Co. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91056:166-91056:167.

**DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3**

**A. Application/construction stage documents & correspondence**

**9612020027** Summary of 961023 meeting w/util to discuss construction permit termination.List of attendees & agenda encl.
MENDONCA,M.M. . 96/11/26. . 8pp. 90975:096-90975:103.

**G. Adjudicatory correspondence**

**9612130223** Informs that time provided by NRC regulation within which Commission may act to review decision of Atomic Safety & Licensing Board terminating proceedings in docket has expired.W/Certificate of Svc.Served on 961127.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18082. 96/11/27. Atomic Safety & Licensing Board Panel. 3pp. 91083:277-91083:279.

**I. Financial information**

**9612260284** "Washington Public Power Supply Sys Annual Rept for 1996." W/961212 ltr.
CARTER,D., CLAUSSEN,V., KUCERA,G.J. Washington Public Power Supply System. 96/12/31. 37pp. 91266:001-91266:040.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**9612120223** Ack receipt of 961030 amend 41 to physical security plan. Eleven changes did not meet criteria of 10CFR50.54(p),two changes did not follow acceptance criteria of NUREG-0908 & 37 changes require clarification.
GWYNN,T.P. Region 4 (Post 820201). 96/12/09. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91092:059-91092:063.

**P. Operating license stage documents & correspondence**

**9612160131** Notification of 961216 meeting w/licensee in Rockville,MD to discuss staff review of ITS.
WAMBACH,T.V. . 96/12/04. BATEMAN,W.H. . 4pp. 91101:096-91101:099.

**9612160178** Summary of 960703 meeting w/ABB Combustion Engineering & util in Rockville,MD re lead fuel assemblies at plant.List of attendees encl.
MAGRUDER,S.L. . 96/12/05. MATTHEWS,D.B. . 4pp. 91101:100-91101:103.

**9612240292** Forwards amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends modify TS to increase min required amount of anhydrous TSP in containment baskets.
CLIFFORD,J.W. . 96/12/10. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91197:285-91197:315.

**--9612240299** Amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing TS to increase min required amount of anhydrous TSP in containment baskets.
CLIFFORD,J.W. . 96/12/10. 25pp. 91197:289-91197:313.

**--9612240300** Safety evaluation supporting amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/12/10. 2pp. 91197:314-91197:315.

**9612230255** Informs that draft NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," has been published.Comments requested.
MIRAGLIA,F.J. . 96/12/13. GATES,W.G. Omaha Public Power District. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). CARNS,N.S. Wolf Creek Nuclear Operating Corp. 20pp. 91181:253-91181:272.

**9612240305** Forwards RAI in response to ltr dtd 960928 re pressurizer auxiliary spray line thermal stratification.
CLIFFORD,J.W. . 96/12/19. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91197:316-91197:319.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612050058** Informs that NRC completed semiannual plant performance review of plant on 961029.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/29. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91013:095-91013:099.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110016** Forwards insp repts 50-528/96-16,50-529/96-16 & 50-530/96-16 on 961006-1116 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/05. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91059:041-91059:070.

**--9612110025** Notice of violation from insp on 961006-1116.Violation noted:operations midloop team initiated draining RCS to RWT & did not have drain path aligned per App Q,Section 2.
* Region 4 (Post 820201). 96/12/05. 2pp. 91059:045-91059:046.

**--9612110028** Insp repts 50-528/96-16,50-529/96-16 & 50-530/96-16 on 961006-1116.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/12/05. 24pp. 91059:047-91059:070.

**9612190041** Ack receipt of 961121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/96-13, 50-529/96-13 & 50-530/96-13.
DYER,J.E. Region 4 (Post 820201). 96/12/09. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91138:050-91138:053.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612160425** Monthly operating repts for Nov 1996 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/961210 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/11/30. 16pp. 91102:331-91102:346.

**9612170051** Forwards 10CFR50.59 rept for Jan-June 1996.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/12/06. Document Control Branch (Document Control Desk). 18pp. 91105:326-91105:343.

**S. Reportable occurrences, LERs & related correspondence**

**9612040143** LER 96-006-00:on 961029,leak identified through cracked weld in piping near drain valve 1PSIBV024.Caused by failure due to incomplete fusion at root of socket weld.Train B mini- recirculation line repaired & returned to svc.W/961126 ltr.
MARKS,D.G., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/11/26. 8pp. 91126:291-91126:298.

**DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2**

**F. Security, medical, emergency & fire protection plans**

**9612120223** Ack receipt of 961030 amend 41 to physical security plan. Eleven changes did not meet criteria of 10CFR50.54(p),two changes did not follow acceptance criteria of NUREG-0908 & 37 changes require clarification.
GWYNN,T.P. Region 4 (Post 820201). 96/12/09. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91092:059-91092:063.

**P. Operating license stage documents & correspondence**

**9612160131** Notification of 961216 meeting w/licensee in Rockville,MD to discuss staff review of ITS.
WAMBACH,T.V. . 96/12/04. BATEMAN,W.H. . 4pp. 91101:096-91101:099.

**9612160178** Summary of 960703 meeting w/ABB Combustion Engineering & util in Rockville,MD re lead fuel assemblies at plant.List of attendees encl.
MAGRUDER,S.L. . 96/12/05. MATTHEWS,D.B. . 4pp. 91101:100-91101:103.

**9612240292** Forwards amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends modify TS to increase min required amount of anhydrous TSP in containment baskets.
CLIFFORD,J.W. . 96/12/10. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91197:285-91197:315.

**--9612240299** Amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing TS to increase min required amount of anhydrous TSP in containment baskets.
CLIFFORD,J.W. . 96/12/10. 25pp. 91197:289-91197:313.

**--9612240300** Safety evaluation supporting amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/12/10. 2pp. 91197:314-91197:315.

**9612230255** Informs that draft NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," has been published.Comments requested.
MIRAGLIA,F.J. . 96/12/13. GATES,W.G. Omaha Public Power District. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). CARNS,N.S. Wolf Creek Nuclear Operating Corp. 20pp. 91181:253-91181:272.

**9612240305** Forwards RAI in response to ltr dtd 960928 re pressurizer auxiliary spray line thermal stratification.
CLIFFORD,J.W. . 96/12/19. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91197:316-91197:319.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612050058** Informs that NRC completed semiannual plant performance review of plant on 961029.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/29. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91013:095-91013:099.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110016** Forwards insp repts 50-528/96-16,50-529/96-16 & 50-530/96-16 on 961006-1116 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/05. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91059:041-91059:070.

**--9612110028** Insp repts 50-528/96-16,50-529/96-16 & 50-530/96-16 on 961006-1116.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/12/05. 24pp. 91059:047-91059:070.

**9612190041** Ack receipt of 961121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/96-13, 50-529/96-13 & 50-530/96-13.
DYER,J.E. Region 4 (Post 820201). 96/12/09. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91138:050-91138:053.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612160425** Monthly operating repts for Nov 1996 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/961210 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/11/30. 16pp. 91102:331-91102:346.

**9612170051** Forwards 10CFR50.59 rept for Jan-June 1996.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/12/06. Document Control Branch (Document Control Desk). 18pp. 91105:326-91105:343.

**DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3**

**F. Security, medical, emergency & fire protection plans**

**9612120223** Ack receipt of 961030 amend 41 to physical security plan. Eleven changes did not meet criteria of 10CFR50.54(p),two changes did not follow acceptance criteria of NUREG-0908 & 37 changes require clarification.
GWYNN,T.P. Region 4 (Post 820201). 96/12/09. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91092:059-91092:063.

**P. Operating license stage documents & correspondence**

**9612100171** Forwards response to RAI re cycle 6 steam generator evaluation rept.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/11/27. Document Control Branch (Document Control Desk). 22pp. 91056:197-91056:218.

**9612160131** Notification of 961216 meeting w/licensee in Rockville,MD to discuss staff review of ITS.
WAMBACH,T.V. . 96/12/04. BATEMAN,W.H. . 4pp. 91101:096-91101:099.

**9612160178** Summary of 960703 meeting w/ABB Combustion Engineering & util in Rockville,MD re lead fuel assemblies at plant.List of attendees encl.
MAGRUDER,S.L. . 96/12/05. MATTHEWS,D.B. . 4pp. 91101:100-91101:103.

**9612240292** Forwards amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends modify TS to increase min required amount of anhydrous TSP in containment baskets.
CLIFFORD,J.W. . 96/12/10. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91197:285-91197:315.

**--9612240299** Amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing TS to increase min required amount of anhydrous TSP in containment baskets.
CLIFFORD,J.W. . 96/12/10. 25pp. 91197:289-91197:313.

**--9612240300** Safety evaluation supporting amends 110,102 & 82 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/12/10. 2pp. 91197:314-91197:315.

**9612230255** Informs that draft NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," has been published.Comments requested.
MIRAGLIA,F.J. . 96/12/13. GATES,W.G. Omaha Public Power District. 20pp. 91181:253-91181:272.

**9612240305** Forwards RAI in response to ltr dtd 960928 re pressurizer auxiliary spray line thermal stratification.
CLIFFORD,J.W. . 96/12/19. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91197:316-91197:319.

**Q. Inspection reports, IE Bulletins & correspondence**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612050058** Informs that NRC completed semiannual plant performance review of plant on 961029.Details of insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/11/29. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91013:095-91013:099.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612110016** Forwards insp repts 50-528/96-16,50-529/96-16 & 50-530/96-16 on 961006-1116 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/12/05. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91059:041-91059:070.

**--9612110028** Insp repts 50-528/96-16,50-529/96-16 & 50-530/96-16 on 961006-1116.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 4 (Post 820201). 96/12/05. 24pp. 91059:047-91059:070.

**9612190041** Ack receipt of 961121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/96-13, 50-529/96-13 & 50-530/96-13.
DYER,J.E. Region 4 (Post 820201). 96/12/09. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91138:050-91138:053.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**R. Periodic operating reports & related correspondence**

**9612160425** Monthly operating repts for Nov 1996 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/961210 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/11/30. 16pp. 91102:331-91102:346.

**9612170051** Forwards 10CFR50.59 rept for Jan-June 1996.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/12/06. Document Control Branch (Document Control Desk). 18pp. 91105:326-91105:343.

**DOCKET 50-607 AIR FORCE, DEPT. OF**

**A. Application/construction stage documents & correspondence**

**9612160316** Ack receipt of application for NRC operating license for McClellan Nuclear Radiation Center TRIGA reactor.Application reviewd & been determined to meet requirements of 10CFR50.33.
WEISS,S.H. . 96/12/13. TATTINI,E.L. Air Force, Dept. of. 3pp. 91121:352-91121:354.

**DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.**

**9612120289** Notification of 961212 meeting w/GE Nuclear Energy & ABB-Combustion Engineering in Rockville,MD to discuss changes to design control documents for ABWR & Sys 80+ standard designs.
WILSON,J.N. . 96/12/09. QUAY,T.R. . 5pp. 91075:095-91075:099.

**9612200143** Summary of 961212 meeting w/ABB-CE & GE in Rockville,MD re changes to design control documents for ABWR & sys 80+ standard plant designs.List of attendees encl.
WILSON,J.N. . 96/12/18. . 4pp. 91181:042-91181:045.

**DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,**

**9612130136** Forwards summary of 961114 meeting w/CEOG in Rockville,MD to discuss topics of mutual interest.
MAGRUDER,S.L. . 96/12/04. MATTHEWS,D.B. . 24pp. 91092:324-91092:347.

**9612120289** Notification of 961212 meeting w/GE Nuclear Energy & ABB-Combustion Engineering in Rockville,MD to discuss changes to design control documents for ABWR & Sys 80+ standard designs.
WILSON,J.N. . 96/12/09. QUAY,T.R. . 5pp. 91075:095-91075:099.

**9612160082** Responds to 961106 ltr which requested status of CESSAR-DC relative to FDA for Sys 80+ design.
MIRAGLIA,F.J. . 96/12/10. BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 91101:194-91101:195.

**9612180372** Forwards rev to sys 80+ std plant design control document.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. 96/12/13. Document Control Branch (Document Control Desk). 1p. 91156:001-91159:324.

**--9612180375** Rev to "Sys 80+ Std Plant Design Control Document."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 96/12/13. 1,400pp. 91156:002-91159:324.

**9612200143** Summary of 961212 meeting w/ABB-CE & GE in Rockville,MD re changes to design control documents for ABWR & sys 80+ standard plant designs.List of attendees encl.
WILSON,J.N. . 96/12/18. . 4pp. 91181:042-91181:045.

**DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.**

**9612170341** Forwards RAI re AP600 WGOTHIC review area in order to complete review of W AP600 passive containment cooling sys & WGOTHIC computer code.
JACKSON,D.T. . 96/11/08. LIPARULO,N.J. Westinghouse Electric Corp. 25pp. 91129:332-91129:356.

**9612040023** Forwards sample of AP600 PRA features,operational assumptions & risk insights for passive core cooling sys, normal RHR sys & instrumentation & control sys.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/11/25. QUAY,T.R. Document Control Branch (Document Control Desk). 13pp. 91012:001-91012:083.

**--9612040024** Rev 1 to "Framework for AP600 Severe Accident Mgt Guidance."
HAAG,C.L., MCINTYRE,B.A. Westinghouse Electric Corp. WCAP-13914 R01. 96/11/22. 68pp. 91012:014-91012:083.

**9612090208** Forwards W responses to NRC RAI re AP600 PRA & "Assessment of Potential Impact of Diffusion Flames on AP600 Containment Wall & Pentrations," for review.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/11/27. QUAY,T.R. Document Control Branch (Document Control Desk). 38pp. 91051:227-91051:342.

**--9612090209** "Assessment of Potential Impact of Diffusion Flames on AP600 Containment Wall & Penetrations."
* Westinghouse Electric Corp. 96/11/27. 78pp. 91051:265-91051:342.

**9612110254** Forwards proprietary version of AP600 basemat design summary rept of extensive calculation completed to document conformance of basemat design criteria.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/11/27. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 91081:329-91081:339.

**--9612110262** Requests that proprietary W rept, "Design Approach & Summary Rept Nuclear Island Basemat," be withheld,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/11/27. QUAY,T.R. Document Control Branch (Document Control Desk). 9pp. 91081:331-91081:339.

**9612060045** Informs that application does not demonstrate compliance w/all applicable regulations re exemption to AP600 design certification rule.
QUAY,T.R. . 96/12/02. LIPARULO,N.J. Westinghouse Electric Corp. 2pp. 91028:271-91028:272.

**9612110066** Forwards status of regulatory treatment of nonsafety sys (RTNSS) subissues.RTNSS program should be revitalized & given required attention.WCAP-13856 submitted in Sept 1993 providing results of application of criteria to SP600.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/02. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91062:027-91062:030.

**9612110282** Forwards response to RAI re SSAR Section 3.2 open items.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/02. QUAY,T.R. Document Control Branch (Document Control Desk). 27pp. 91083:283-91083:309.

**9612050102** Notification of 970114-16 meeting w/Westinghouse at Westinghouse Energy Center,Rockville,MD to discuss design of structural modules & other related items for AP600 reactor design.Draft agenda encl.
JACKSON,D.T. . 96/12/03. QUAY,T.R. . 4pp. 91019:219-91019:222.

**9612060094** Requests that annual rept & briefing re AP600 design certification be discontinued to avoid duplicating info.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/03. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 91031:152-91031:153.

**9612100187** Requests addl info on NRC model thermophoretic removal of containment aerosols in AP600.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/03. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 91056:298-91056:300.

**9612060323** Forwards summary of telcon on PRA selection criteria used to identify risk significant structures,systems & components that will include AP600 RAP conducted on 961125.
HUFFMAN,W.C. . 96/12/04. . 1p. 91031:073-91031:075.

**--9612060328** Discusses 961125 telcon between NRC & Westinghouse to discuss proposed AP600 RAP.Purpose of telcon for NRC to provide Westinghouse w/list of SSC w/RAW between 5 & 10.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/11/27. QUAY,T.R. NRC - No Detailed Affiliation Given. 2pp. 91031:074-91031:075.

**9612110110** Submits AP600 responses to open items on saturated densities & consideration of live loads to facilitate preparation of Final SER input for listed sections.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/05. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 91077:355-91077:359.

**9612090316** Forwards list of key licensing issues on AP600 design to assist in development of common list to be used to monitor progress of issue resolution in months ahead.
MARTIN,T.T. . 96/12/06. LIPARULO,N.J. Westinghouse Electric Corp. 12pp. 91040:001-91040:012.

**9612180424** Forwards response to staff comments on AP600 test program.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/06. QUAY,T.R. Document Control Branch (Document Control Desk). 58pp. 91153:085-91153:142.

**9612190416** Forwards "AP600 Test Program Overview," per ACRS request.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/06. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 91165:001-91165:354.

**--9612190418** "AP600 Test Program Overview."
PIPLICA,E.J., BUTLER,J., MCINTYRE,B. Westinghouse Electric Corp. WCAP-14772. 96/10/31. 352pp. 91165:002-91165:354.

**9612180411** Forwards response to RAI re conditional containment failure probability distribution in Chapter 42 of AP600 Probalistic Risk Assessment.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/09. QUAY,T.R. Document Control Branch (Document Control Desk). 42pp. 91153:147-91153:188.

**9612180422** Forwards response to 961120 request re AP600 main control room radiological consequence modeling.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/09. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 91159:354-91159:358.

**9612190216** Forwards revised info re status of regulatory treatment of nonsafety systems.Westinghouse submitted WCAP-13856, providing results of application of probabilistic & deterministic evaluation to AP600.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91184:316-91184:321.

**9612190080** Forwards response to NRC request for addl info on AP600 topics.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/10. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91191:294-91191:297.

**9612160371** Summary of 961112 meeting w/W in Rockville,MD to discuss AP600 scaling & pirt closure rept.W/agenda & handouts.
HUFFMAN,W.C. . 96/12/11. . 27pp. 91121:215-91121:241.

**9612160418** Forwards OIs related to ITP & staff evaluation of OIs. Requests that OI tracking sys database updated w/info.
SEBROSKY,J.M. . 96/12/11. LIPARULO,N.J. Westinghouse Electric Corp. 32pp. 91099:289-91099:320.

**9612190085** Informs that Westinghouse has reviewed presentation matls used by NRC & contractors during 950620-22 meetings.Portions which contain proprietary info have been identified per NRC request.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/11. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91191:226-91191:236.

**--9612190097** Requests that proprietary presentation matls from 950620 meeting be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/11. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 91191:230-91191:236.

**9612160350** Requests addl info on Westinghouse AP600 TS optimization methodology.
QUAY,T.R. . 96/12/12. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 91101:124-91101:127.

**9612190079** Forwards draft copy of AP600 probabilistic risk assessment App B.Results of deterministic evaluations of consequences of ex-vessel severe accident phenomena for AP600 design encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/12. QUAY,T.R. Document Control Branch (Document Control Desk). 30pp. 91162:319-91162:348.

**9612200187** Responds to Item 6.a(9) of NRC 961017 ltr re explanation of why VBS does not isolate on containment isolation.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/12. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 91192:331-91192:331.

**9612200159** Forwards W responses to NRC RAI re in-vessel retention of molten core debris & response to NRC request made at 960624-26 w/NRC AP600 PRA meeting.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/13. QUAY,T.R. Document Control Branch (Document Control Desk). 52pp. 91177:246-91177:297.

**9612200225** Forwards informal correspondence from W re info discussed at previous meetings.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/13. QUAY,T.R. Document Control Branch (Document Control Desk). 227pp. 91177:019-91177:245.

**9612200145** Forwards outline of plan to address uncertainty of temp profiles for thermal stratification & methods to be used for review.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/16. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91192:255-91192:258.

**9612260018** Discusses return of basemat summary rept due to proprietary info.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/16. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 91229:222-91229:222.

**9612190238** Notification of 970107 meeting w/W in Rockville,MD to discuss water hammer loads on feedwater lines & AP600 reactor design.
JACKSON,D.T. . 96/12/17. QUAY,T.R. . 3pp. 91136:357-91136:359.

**9612190266** Summary of 961113 meeting w/W in Rockville,MD re AP600 ITAAC.List of attendees & handouts encl.
SEBROSKY,J.M. . 96/12/17. . 37pp. 91148:120-91148:156.

**9612190310** Notification of 970109 meeting w/W in Rockville,MD to discuss seismic margins analysis for AP600 reactor design.
JACKSON,D.T. . 96/12/17. QUAY,T.R. . 3pp. 91137:010-91137:012.

**9612240089** Forwards responses to open items re inservice testing.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/17. QUAY,T.R. Document Control Branch (Document Control Desk). 13pp. 91210:307-91210:319.

**9612240288** Notification of cancelled 970107 meeting w/W in Rockville,MD to discuss W AP600 water hammer loads on feedwater lines & applicability of leak-before-break.
JACKSON,D.T. . 96/12/17. QUAY,T.R. . 4pp. 91193:323-91193:325.

**9612240095** Submits revisions to criteria for piping functional capability to be included in AP600 SSAR.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/18. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91227:130-91227:133.

**9612270004** Forwards proprietary WCAP-14807,rev 0, "NOTRUMP Final Validation Rept for AP600," Vols 1 & 2.Rept withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/18. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91258:307-91258:317.

**--9612270005** Requests that Rev 0 to WCAP-14807, "NOTRUMP Final Validation Rept for AP600," be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 96/12/18. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 91258:311-91258:317.

**9612230187** Forwards comments on AP600 human-sys interface design implementation plan re element 7 of HFRPRM.
HUFFMAN,W.C. . 96/12/19. LIPARULO,N.J. Westinghouse Electric Corp. 20pp. 91194:173-91194:192.

**9612230203** Forwards comments on open items associated w/AP600 Safety Parameter Display Sys(SPDS).
HUFFMAN,W.C. . 96/12/19. LIPARULO,N.J. Westinghouse Electric Corp. 14pp. 91194:153-91194:166.

**9612230210** Forwards comments on AP600 re open items associated w/ element 6 of human factors engineering program review model (HFEPRM).
HUFFMAN,W.C. . 96/12/19. LIPARULO,N.J. Westinghouse Electric Corp. 11pp. 91194:142-91194:152.

**9612270013** Forwards rev 10 to "AP600 SSAR." Revs are result of changes to SSAR to address NRC comments or result of design changes to address staff comments & concerns.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/19. QUAY,T.R. Document Control Branch (Document Control Desk). 6pp. 91243:001-91246:176.

**--9612270015** Rev 10 to "AP600 SSAR."
LINDGREN,D.A., MCINTYRE,B.A. Westinghouse Electric Corp. GW-GL-021 R10. 96/12/20. 890pp. 91243:007-91246:176.

**9612240284** Forwards comments on AP600 related open items associated w/element 1 of human factors engineering program review model.
HUFFMAN,W.C. . 96/12/20. LIPARULO,N.J. Westinghouse Electric Corp. 26pp. 91193:298-91193:322.

**9612060021** Forwards comments on AP600 related open items associated w/element 2 of human factors engineering program review model.
HUFFMAN,W.C. . 96/12/04. LIPARULO,N.J. Westinghouse Electric Corp. 16pp. 91028:287-91028:302.

**9612060333** Provides comments on draft version of AP600 task analysis activities as part of review of human factors engineering section to AP600 standard safety analysis rept.
HUFFMAN,W.C. . 96/12/04. LIPARULO,N.J. Westinghouse Electric Corp. 12pp. 91031:076-91031:087.

**9612160358** Requests addl info to complete review of certain draft safety evaluation rept open item & forwards RAI 410.300 & staff evaluations of certian OIs.
JACKSON,D.T. . 96/12/09. LIPARULO,N.J. Westinghouse Electric Corp. 158pp. 91121:052-91121:209.

**9612170324** Discusses clarification of AP600 DSER open item 19.1.3.1-9. W should verify that PRA models are representative of AP600 design.
SEBROSKY,J.M. . 96/12/16. LIPARULO,N.J. Westinghouse Electric Corp. 2pp. 91131:358-91131:359.

**9612200152** Forwards copies of design issues tracking repts for human factors issues & makeup of AP600 SSAR Chapter 18 to reflect resolution of listed DSER open item tracking sys items for NUREG-0711 elements 2 & 4.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/16. QUAY,T. Document Control Branch (Document Control Desk). 27pp. 91192:259-91192:285.

**9612240227** Forwards responses to AP600 DSER Open Item 3.8.2.3-1 for NRC review.Item 3.8.2.3-1 addresses load combinations used in analysis of AP600 containment.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/12/18. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91205:340-91205:343.

**9612310056** Submits comments on rev 9 to AP600 SSAR which included rev to AP600 TS.
HUFFMAN,W.C. . 96/12/24. LIPARULO,N.J. Westinghouse Electric Corp. 18pp. 91242:343-91242:360.

**9612160090** Notification of 961218 meeting w/Westinghouse in Rockille,MD to discuss AP600 fire PRA.
SEBROSKY,J.M. . 96/12/10. QUAY,T.R. . 4pp. 91101:026-91101:029.

**DOCKET DOCKET UNKNOWN**

**9612030050** Forwards insp rept 70-0097/96-01 on 960820 of former Sylvania Electric Products,Inc facility.Results of gamma exposure rate measurements & soil & groundwater analyses indicate residual radioactive contamination.
BELLAMY,R.R. Region 1 (Post 820201). 96/11/27. BALLEN,B. . 4pp. 90973:099-90973:106.

**--9612030054** Insp rept 70-0097/96-01 on 960820.Radiological exposure rates in excess of NRC criteria for release of unrestricted use identified.Major areas inspected:radiological measurements in selected areas of site.
ROBERTS,M.C., BELLAMY,R.R. Region 1 (Post 820201). 96/11/27. 4pp. 90973:103-90973:106.

## DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

**DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA**

**9612040094** Forwards "B&W Naval Nuclear Fuel Div Industrial Waste Landfills Decommissioning Plan," rev 0.
CONNER,J.A. Babcock & Wilcox Co. 96/11/21. WEBER,M.F. Licensing Branch. 4pp. 91020:001-91021:043.

**--9612040098** "B&W Naval Nuclear Fuel Div Industrial Waste Landfills Decommissioning Plan."
* Babcock & Wilcox Co. 96/11/15. 350pp. 91020:005-91021:043.

**9612230350** Forwards advance notification of shipment of solid(Al clad fuel elements),approximately 1,850 lbs in DOT 6M,Type B containers from Lynchburg,VA to Univ of MO at Columbia. Exact specs of shipment to follow.
BURNETTE,D. Babcock & Wilcox Co. 96/10/29. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91166:124-91166:125.

**9612240055** Forwards advance notification of shipment of solid (AL clad fuel elements),approx 6300 lbs in DOT 6M,type B containers from Lynchburg,VA to Upton,NY.Exact shipment specs to be supplied at later date.
BURNETTE,D. Babcock & Wilcox Co. 96/10/29. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. NRC - No Detailed Affiliation Given. 2pp. 91183:311-91183:312.

**9612230355** Submits notification of NRC shipment of 1,850 lbs solid, aluminum clad fuel elements,to Univ of Missouri.
BURNETTE,D. Babcock & Wilcox Co. 96/11/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. NRC - No Detailed Affiliation Given. 2pp. 91166:126-91166:127.

**9612090011** Forwards insp rept 70-0027/96-16 on 961021-24.No violations or deviations identified.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/18. CONNER,J.A. Babcock & Wilcox Co. 2pp. 91038:346-91038:355.

**--9612090012** Insp rept 70-0027/96-16 on 961021-24.No violations noted. Major areas inspected:security organization;search,detection & assessment equipment independently tested.
* Region 2 (Post 820201). 96/11/18. 8pp. 91038:348-91038:355.

**9612020205** Informs that due to NRC organizational changes in Oct 1995, revs necessary to previous guidance re submittal of exercise objectives & scenario details.Revs will provide exercise details IAW listed schedule.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/20. CONNER,J.A. Babcock & Wilcox Co. 2pp. 90965:033-90965:034.

**9612030182** Forwards insp rept 70-0027/96-15 on 960915-1026 & notice of violation.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/25. CONNER,J.A. Babcock & Wilcox Co. 4pp. 90974:130-90974:150.

**--9612030189** Notice of violation from insp on 960915-1026.Violation noted:procedure E61-502 was inadequate in specific guidance re transfer of sample solutions from sample return column including closing of isolation valve not given.
* Region 2 (Post 820201). 96/11/25. 2pp. 90974:134-90974:135.

**--9612030195** Insp rept 70-0027/96-15 on 960915-1026.Violations noted. Major areas inspected:safety operations,radiological controls & facility support.
* Region 2 (Post 820201). 96/11/25. 17pp. 90974:136-90974:150.

**9612110436** Replaces 961121 ltr re Confirmatory Order Ltr dtd 961113, confirming agreement by BW that radwaste matls containing U & Be will not be *shipped until* receipt of specific prior authorization from NRC.
CONNER,J.A. Babcock & Wilcox Co. 96/12/03. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 91081:345-91081:347.

**9612120088** Application for amend to License SNM-0042,to remove gender-specific refs,define acronym "ISAP" & present term "Keff" in consistent manner.
OLSEN,A.F. Babcock & Wilcox Co. 96/12/04. WEBER,M.F. Licensing Branch. 47pp. 91091:273-91091:319.

**9612160120** Requests technical assistance in reviewing decommissioning plan for Industrial Waste Landfills.W/o encl.
WEBER,M.F. Licensing Branch. 96/12/05. HICKEY,J.W. Licensing Branch. 2pp. 91129:042-91129:043.

**9612130315** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. OLSEN,A.F. Babcock & Wilcox Co. 3pp. 91121:040-91121:042.

**9612160351** Forwards Amend 12 to License SNM-42 & SER.Amend authorizes criticality changes to Chapter 4 of license application.
WEBER,M.F. Licensing Branch. 96/12/10. OLSEN,A.F. Babcock & Wilcox Co. 2pp. 91129:090-91129:104.

**--9612160359** Amend 12 to Licensing SNM-42 for B&W Co,authorizing criticality changes to Chapter 4 of license application.
WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/10. 13pp. 91129:092-91129:101.

**--9612170211** Safety evaluation supporting Amend 12 to License SNM-42.
* NRC - No Detailed Affiliation Given. 96/12/10. 3pp. 91129:102-91129:104.

**9612270136** Forwards confirmatory order modifying license to confirm commitment not to ship radioactive matls,which contain mixtures of beryllium & highly enriched U,w/o specific prior approval of NRC.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/13. CONNER,J.A. Babcock & Wilcox Co. 2pp. 91254:351-91254:357.

**--9612270137** Orders that licensee will not ship radioactive matls containing mixtures of beryllium & U w/o NRC specific prior approval.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/13. 5pp. 91254:353-91254:357.

**9612230405** Forwards insp rept 70-0027/96-14 on 960930-1004.No violations noted.
MALLETT,B.S. Region 2 (Post 820201). 96/12/18. CONNER,J.A. Babcock & Wilcox Co. 2pp. 91166:290-91166:314.

**--9612230408** Insp rept 70-0027/96-14 on 960930-1004.No violations noted. Major areas inspected:licensees actions following two fires in zirconium machining areas.
* Region 2 (Post 820201). 96/12/18. 20pp. 91166:292-91166:314.

**DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO**

**9612110308** Forwards summary of actions taken IAW listing included w/ltr to G Shear,dtd 960829,per telcon re task actions accomplished for restart of evaporation operations.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 96/11/21. SHEAR,G.L. Region 3 (Post 820201). 4pp. 91083:324-91083:327.

**9612040261** Denies request for postponement of decommissioning of 20.304 disposal area.
WEBER,M.F. Licensing Branch. 96/11/25. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 8pp. 91039:184-91039:191.

**9612170215** Submits schedule of 961216 meeting at Combustion Engineering Hematite Facility.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 96/12/09. SHEAR,G.L. Region 3 (Post 820201). 1p. 91141:038-91141:038.

**9612160289** Informs that effective 961118,MF Weber will be Branch Chief for Fuel Cycle Licensing Branch & GC Pangburn will be Section Chief for Licensing Section 2.Addresses for all future correspondence & phone numbers,listed.
WEBER,M.F. Licensing Branch. 96/12/10. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 91133:238-91133:240.

**9612260293** Forwards insp rept 70-0036/96-05 on 961118-22.No violations noted.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/20. KAISER,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 91197:068-91197:084.

**--9612260295** Insp rept 70-0036/96-05 on 961118-22.No violations noted. Major areas inspected:operator training,operations,maint, surveillance,radiation protection & review of task actions accomplished for restart of evaporation operations.
* Region 3 (Post 820201). 96/12/20. 15pp. 91197:070-91197:084.

**9612260272** Ack receipt of 961122 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0036/96-04.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/23. KAISER,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 91196:358-91196:361.

**DOCKET 70-0113 PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA**

**9612160096** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. SHIRLEY,D.A. Pennsylvania State Univ., University Park, PA. 3pp. 91133:202-91133:204.

**9612180080** Press release I-96-82, "NRC Staff to Meet w/Penn State Officials to Discuss Apparent Violations of NRC Requirements."
* Region 1 (Post 820201). 96/12/17. 1p. 91164:023-91164:023.

**DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH**

**9612040234** Denies request for NRC to release South wing of facility at 540 East 105th for unrestricted use,prior to releasing remainder of facility.
BUCKLEY,J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/11/21. PIERCE,R. Affiliation Not Assigned. 5pp. 91051:011-91051:015.

**9612180230** Forwards changes to Characterization Rept as well as responses to comments for Remediation Plan.
GRUBE,R.M. Sevenson Environmental Services, Inc. 96/11/27. BUCKLEY,J. NRC - No Detailed Affiliation Given. 1p. 91145:022-91145:114.

**--9612180234** Revised "Site Characterization Rept for Former Clevite Corp Site."
* Sevenson Environmental Services, Inc. 96/11/27. 29pp. 91145:023-91145:051.

**--9612180236** Revised "Site Characterization,Remediation & Health & Safety Plan for Former Clevite Corp Site."
* Sevenson Environmental Services, Inc. 96/11/27. 62pp. 91145:052-91145:114.

**DOCKET 70-0139 ENGELHARD CORP., PLAINVILLE, MA**

**9612300061** Forwards insp rept 70-0139/96-03 on 961106.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 96/12/20. CHABOT,D. Engelhard Corp. 3pp. 91233:163-91233:172.

**--9612300063** Insp rept 70-0139/96-03 on 961106.No violations noted.Major areas inspected:project mgt,RP,remediation of interior areas,instrumentation & radiation surveys.
ROBERTS,M.C., BELLAMY,R.R. Region 1 (Post 820201). 96/12/20. 7pp. 91233:166-91233:172.

**DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN**

**9612260248** Responds to 960705 request re nuclear safety analysis conducted for current operations.Info to support response also included.W/three oversize drawings.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/10/10. PIERSON,R.C. Office of Nuclear Material Safety & Safeguards. 7pp. 91286:001-91286:138.

**--9612260254** Revised "Nuclear Safety Analysis for Current Operations at NFS Erwin Site."
* Nuclear Fuel Services, Inc. 96/10/10. 52pp. 91286:008-91286:058.

**--9612260256** "Supporting Calculations for Revised 'Nuclear Safety Analysis for Current Operations.'"
* Nuclear Fuel Services, Inc. 96/10/10. 15pp. 91286:059-91286:074.

**--9612260259** "Neutron Interaction Analyses for 200 Complex Process Areas."
* Nuclear Fuel Services, Inc. 96/10/10. 26pp. 91286:075-91286:100.

**--9612260261** "Nuclear Safety Analyses Supporting Building 306 Vault Bin Storage Arrays."
* Nuclear Fuel Services, Inc. 96/10/10. 38pp. 91286:101-91286:138.

**9612260093** Forwards current rev of Nuclear Safety Analysis for Current Operations at NFS Erwin Site,dtd 961217 & supporting documents.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/12/17. WEBER,M.F. Licensing Branch. 4pp. 91246:231-91247:009.

**--9612260105** Revised "Nuclear Safety Analysis for Current Operations at NFS Erwin Site."W/two oversize drawings.
* Nuclear Fuel Services, Inc. 96/12/17. 53pp. 91246:235-91246:292.

**--9612260116** "Supporting Calculations for Nuclear Safety Analysis."
* Nuclear Fuel Services, Inc. 96/12/17. 55pp. 91246:293-91246:347.

**--9612260141** "Neutron Interaction Analyses for 200 Complex Process Areas."W/one oversize drawing.
* Nuclear Fuel Services, Inc. 96/12/17. 23pp. 91246:348-91247:009.

**9612020061** Submits summary of 961028 telcon between NRC & NFS re submittal pursuant to fulfilling requirements of license condition S-2.
COX,T.H. Licensing Branch. 96/11/19. WEBER,M.F. Licensing Branch. 3pp. 91003:040-91003:042.

**9612020150** Informs that due to NRC organizational changes during Oct 1995,revs necessary to previous guidance re submittal of exercise objectives & scenario details.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/20. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 90958:355-90958:356.

**9612180392** Forwards copy of overheads used by Nuclear Fuel Svcs,Inc during presentation to NRC on 961115.Names of individuals who do not rept directly to President & Chief Operating Officer,have been removed as agreed.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/11/20. MALLETT,B. Region 2 (Post 820201). 57pp. 91145:270-91145:327.

**9612120097** Submits response to 961108 RAI re specific elements of Configuration Control Program & improvements in management oversight.CB Woodhall resume,encl.
FERGUSON,D.B. Nuclear Fuel Services, Inc. 96/12/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 91088:352-91088:357.

**9612160110** Notification of 961211 meeting w/NRC & licensees in Erwin,TN to discuss mgt issues,per 10CFR2.790.
WEBER,M. Licensing Branch. 96/12/05. Licensing Branch. 2pp. 91129:040-91129:041.

**9612120211** Forwards proprietary revised "Nuclear Fuel Svcs Fundamental Nuclear Matl Control Plan." Plan withheld,per 10CFR2.790(d).
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/12/06. COX,T.H. Licensing Branch. 1p. 91098:193-91098:193.

**9612180139** Forwards high enriched U matl balances for operating period 960424-1023.Encl withheld.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/12/06. PIERSON,R.C. Licensing Branch. 1p. 91201:218-91201:218.

**9612130317** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. MAXIN,A.M. Nuclear Fuel Services, Inc. 3pp. 91121:046-91121:048.

**9612170327** Forwards outline of how round robin would be run to fulfill routine NRC requirements beginning early 1997.
TING,P. Operations Branch. 96/12/12. MAXIN,A.M. Nuclear Fuel Services, Inc. 4pp. 91140:256-91140:259.

**9612260264** Provides response to RAI dtd 961022 re Northsite Burial Ground excavation,processing & disposal amend request. Revised rept, "Demonstration of Categorical Exclusion for Exhumation of NFS Burial Ground," encl.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/12/12. WEBER,M.F. Licensing Branch. 14pp. 91246:177-91246:230.

**--9612260267** Rev 1, "Addendum 1 to 'Pond 4' Decommissioning/Interim Measures Workplan for Excavation of Northsite Burial Ground at NFS,Inc in Erwin,TN."
* Nuclear Fuel Services, Inc. 96/12/31. 34pp. 91246:194-91246:230.

**9612230365** Forwards insp rept 70-0143/96-16 on 961119-22.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/12/13. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 91166:213-91166:222.

**--9612230369** Insp rept 70-0143/96-16 on 961119-22.No violations noted. Major areas inspected:safeguards.
* Region 2 (Post 820201). 96/12/13. 8pp. 91166:215-91166:222.

**DOCKET 70-0152 PURDUE UNIV., WEST LAFAYETTE, IN**

**9612160139** Informs that MF Weber Branch Chief For Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. SCHWEITZER,J. Purdue Univ., West Lafayette, IN. 3pp. 91133:214-91133:216.

**DOCKET 70-0157 TEXAS, UNIV. OF, AUSTIN, TX**

**9612130268** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 91118:340-91118:342.

**DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA**

**9612020068** Forwards executed original of amend to B&W Parks Standby Trust Agreement dtd 940729 & complete copy of B&W 900724 submittal.
WEBER,M.F. Licensing Branch. 96/11/27. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 91003:038-91003:039.

**9612180046** Responds to 960111 & 14 ltrs re intent to remediate residual radioactive matl attributable to licensed activities at Parks Township,PA facility.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/03. SGARLATA,D. Babcock & Wilcox Co. 14pp. 91148:188-91148:201.

**DOCKET 70-0398 COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &**

**9612130269** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. PEVEY,L.E. National Institute of Standards & Technology (formerly National Bureau of Standa. 3pp. 91118:343-91118:345.

**9612270089** Submits assessment of Dept of Commerce-NIST fire safety sys. NIST maintains an adequate level of fire protection at facilities.
DATTA,A. Licensing Branch. 96/12/18. NRC - No Detailed Affiliation Given. 2pp. 91249:084-91249:085.

**DOCKET 70-0600 SEATTLE UNIV., SEATTLE, WA**

**9612130300** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. MAILER,K. Seattle Univ., Seattle, WA. 3pp. 91118:358-91118:360.

**DOCKET 70-0622 ARMY, DEPT. OF, DOVER, NJ**

**9612160068** Informs that MF Weber Branch Chief for Fuel Cyle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. FLISZAR,R. Army, Dept. of, Armament Research, Development & Engineering Center. 3pp. 91133:180-91133:182.

**DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY**

**9612170337** Informs that license SNM-639 will remain in effect until completion of decommissioning operations.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/06. MCGOVERN,J.J. Cintichem, Inc. 2pp. 91140:265-91140:266.

**9612310104** Forwards results of NRC TLD direct radiation monitoring around Cintichem facility.
STRUCKMEYER,R. Region 1 (Post 820201). 96/12/20. MCGOVERN,J.J. Cintichem, Inc. 6pp. 91235:147-91235:152.

**DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA**

**9612030058** Forwards draft rept, "Confirmatory Survey of Bldg 2,Group 8B Laboratories," which describes procedures & results of confirmatory surveys that Environmental Survey & Site Assessment Program performed on 960916 & 17.
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/11/06. GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 91009:254-91009:359.

--**9612030133** Draft rept, "Confirmatory Survey of Bldg 2,Group 8B Labs, General Atomics,San Diego,CA."
ABELQUIST,E.W., BRIGHT,T.L. Oak Ridge Associated Universities. 96/10/31. 34pp. 91009:255-91009:359.

**9612160297** Informs that effective 961118,MF Weber will be Branch Chief for Fuel Cycle Licensing Branch & MT Adams will be Section Chief for Licensing Section 1.Addresses for future correspondence & phone numbers,listed.
WEBER,M.F. Licensing Branch. 96/12/10. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 91133:243-91133:245.

**9612160388** Requests authorization to release soil,asphalt & gravel to unrestricted use so it can be disposed of as debris at local landfill.Table which presents summary of results of gamma spectroscopy analysis completed on each sample,encl.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/12/11. GASKIN,C.E. Licensing Branch. 5pp. 91129:007-91129:011.

**9612270014** Responds to 961211 request for disposal of soil,asphalt & gravel from Sorrento Valley site.Disposal of this matl to unrestricted area determined acceptable.
WEBER,M.F. Licensing Branch. 96/12/23. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 91247:346-91247:347.

**DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA**

**9612090383** Forwards insp rept 70-0754/96-02 on 961112-15 & 18.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/12/02. STIMMELL,G.L. General Electric Co. 3pp. 91038:002-91038:017.

--**9612090385** Insp rept 70-0754/96-02 on 961112-15 & 18.No violations noted.Major areas inspected:radiation safety,radioactive effluents,environ protection,emergency preparedness,solid waste operations & transportation of radioactive matls.
* Region 4 (Post 820201). 96/12/02. 13pp. 91038:005-91038:017.

**9612130318** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. CUNNINGHAM,G. General Electric Co. 3pp. 91121:049-91121:051.

**DOCKET 70-0893 FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL**

**9612130312** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. BOWIE,R.C. Florida Institute of Technology, Melbourne, FL. 2pp. 91121:030-91121:032.

**DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK**

**9612040264** Submits corrected summary of 961015 meeting w/Cimarron Corp.
KALMAN,K. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/11/26. LARSEN,J. Cimarron Corp. 6pp. 91039:192-91039:197.

**9612170208** Provides comments re NRC review of Cimmarron Corp Radiation Protection Plan (Annex A) for former nuclear fuels fabrication facility near Crescent,OK dtd 960919.Response requested within 30 days.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/02. LARSEN,J. Cimarron Corp. 7pp. 91140:289-91140:295.

**9612130069** "Ltrs in Accordance to Statements,Representations & Conditions Contained in License SNM-928,Docket 70-925."
HODO,M. Cimarron Corp. 96/12/04. 452pp. 91094:001-91095:115.

**9612130060** Forwards insp rept 70-0925/96-02 on 961104-07.No violations or deviations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/12/10. LARSEN,S.J. Cimarron Corp. 4pp. 91083:089-91083:100.

--**9612130084** Insp rept 70-0925/96-02 on 961104-07.No violations noted. Major areas inspected:review of site status,management, organization & controls,radiation protection program, environmental program & followup of previous insp issues.
* Region 4 (Post 820201). 96/12/10. 8pp. 91083:093-91083:100.

**9612170332** Informs that staff has approved both "simulated lung fluid" test & associated laser induced kinetic phosporescence U analysis method.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/10. LARSEN,J. Cimarron Corp. 5pp. 91140:260-91140:264.

**9612170129** Informs of supervisory changes in LLWD Projects Branch.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/12. LARSEN,J. Cimarron Corp. 2pp. 91140:322-91140:323.

**9612260330** Forwards proprietary results of U plant,961215 inventory. Encl withheld.
KEGIN,J.L. Cimarron Corp. 96/12/15. KASUN,D.J. NRC - No Detailed Affiliation Given. 1p. 91415:030-91415:030.

**DOCKET 70-0938 MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA**

**9612160101** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. MASSE,F.X. Massachusetts Institute of Technology, Cambridge, MA. 3pp. 91133:205-91133:207.

**DOCKET 70-1068 FLORIDA, UNIV. OF, GAINESVILLE, FL**

**9612160084** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 3pp. 91133:190-91133:192.

**DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT**

**9612120269** Forwards insp rept 70-1100/96-02 on 961118-21.No violations noted.
BELLAMY,R. Region 1 (Post 820201). 96/12/04. CONANT,J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 91082:001-91082:009.

--**9612120284** Insp rept 70-1100/96-02 on 961118-21.No violations noted. Major areas inspected:facility status,effluent monitoring & controls,radiological environ monitoring,radiation protection & mgt controls.
KOTTAN,J., BELLAMY,R. Region 1 (Post 820201). 96/12/03. 6pp. 91082:004-91082:009.

**9612130304** Informs that MF Weber Branch Chief for Fuel Cyle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 91121:027-91121:029.

**9612200123** Forwards amend 2 to license SNM-1067 by including methods for determination of action levels for environ monitoring data.SER attached.
WEBER,M.F. Licensing Branch. 96/12/17. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 91192:242-91192:248.

--**9612200128** Amend 2 to matls license SNM-1067 for Combustion Engineering,Inc to include methods for determination of action levels for environ monitoring data.
WEBER,M.F. Licensing Branch. 96/12/17. 2pp. 91192:244-91192:245.

--**9612200233** Safety evaluation approving amend 2 to license SNM-1067.
* Office of Nuclear Material Safety & Safeguards. 96/12/17. 3pp. 91192:246-91192:248.

**9612270135** Requests assistance in performing confirmatory survey to verify that requested areas have been decontaminated & meet acceptable levels for unrestricted release as specified in Table 2 of licensee submittal.
WEBER,M.F. Licensing Branch. 96/12/19. BELLAMY,R.R. Region 1 (Post 820201). 1p. 91262:107-91262:107.

**DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC**

**9612240155** Forwards minor Rev 3 to "Radiological Contingency & Emergency Plan." Revs provided in Attachment 1 by entire Chapter to facilitate replacement into existing Radiological Contingency & EP manual.
REDA,R.J. General Electric Co. 96/12/17. WEBER,M.F. Licensing Branch. 2pp. 91234:017-91234:201.

--**9612240157** Rev 3 to "Radiological Contingency & Emergency Plan."
* General Electric Co. 96/12/17. 178pp. 91234:019-91234:201.

**9612020221** Forwards insp rept 70-1113/96-11 on 961014-18.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/13. KIPP,C.P. General Electric Co. 2pp. 90958:258-90958:274.

--**9612020225** Insp rept 70-1113/96-11 on 961014-18.No violations noted. Major areas inspected:plant operations,mgt organization & control,maint/surveillance & DCF project.
* Region 2 (Post 820201). 96/11/13. 15pp. 90958:260-90958:274.

**9612020198** Informs that due to NRC organizational changes in Oct 1995, revs necessary to previous guidance re submittal of exercise objectives & scenario details.Revs will provide exercise details IAW listed schedule.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/20. KIPP,C.P. General Electric Co. 2pp. 90965:026-90965:027.

**9612020001** Notification of 961203 meeting w/General Electric in Wilmington,NC to discuss GE fire safety issues for renewal of license SNM-1097.
LAMASTRA,M. Office of Nuclear Material Safety & Safeguards. 96/11/26. Office of Nuclear Material Safety & Safeguards. 2pp. 91003:052-91003:053.

**9612040299** Requests technical assistance in reviewing GE chemical safety section,renewal application dtd 960405.
WEBER,M. Licensing Branch. 96/11/27. TING,P. Operations Branch. 2pp. 91039:353-91039:354.

**9612160134** informs that effective 961118,MF Weber will be Branch Chief for Fuel Cycle Licensing Branch & GC Pangburn will be Section Chief for Licensing Section 2.Address for future correspondence & phone numbers,listed.
WEBER,M.F. Licensing Branch. 96/12/10. REDA,R.J. General Electric Co. 3pp. 91133:211-91133:213.

**9612200298** Discusses event which occurred on 961203 re enriched matl observed between Line 3 Calciner inner tube & outer heat shield.Active engineered interlock on tube rotation failed to minimize accumulation.Revised change control process.
KIPP,C.P. General Electric Co. 96/12/11. MALLETT,B.S. Region 2 (Post 820201). 8pp. 91209:145-91209:152.

**9612200360** Forwards proprietary FNMCP change descriptions.Changes do not decrease effectiveness of current MC&A program.Encl withheld (ref 10CFR2.790(d)).
REDA,R.J. General Electric Co. 96/12/11. PIERSON,R.C. Licensing Branch. 1p. 91205:326-91205:326.

**9612190341** Application for renewal of license SNM-1097,revising criticality safety requirements in Chapters 6 based upon input received from NRC staff.
REDA,R.J. General Electric Co. 96/12/16. WEBER,M.F. Licensing Branch. 41pp. 91164:260-91164:300.

**9612190297** Requests addl info re 960405 application to renew matl license SNM-1097 within 30 days.
LAMASTRA,M. Licensing Branch. 96/12/17. REDA,R.J. General Electric Co. 4pp. 91164:352-91164:356.

**9612230316** Forwards Rev 1 to "GE Nuclear Energy Wilmington,NC Decommissioning & Closure Plan."
REDA,R.J. General Electric Co. 96/12/18. WEBER,M.F. Licensing Branch. 1p. 91211:001-91211:071.

**-9612230328** Rev 1 to "GE Nuclear Energy Wilmington,NC Decommissioning & Closure Plan."
* General Electric Co. 96/12/18. 70pp. 91211:002-91211:071.

**9612270046** Submits list of organizational changes.
REDA,R.J. General Electric Co. 96/12/20. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 1p. 91247:327-91247:327.

**9612270101** Informs that General Electric Co in Wilmington,NC maintains adequate level of fire safety & there is reasonable expectation of safe operation of expanded facility when Dry Conversion Process operation is joined.
DATTA,A. Licensing Branch. 96/12/23. NRC - No Detailed Affiliation Given. 3pp. 91249:088-91249:090.

**DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA**

**9612020140** Informs that due to NRC organizational changes during Oct 1995,revs necessary to previous guidance re submittal of exercise objectives & scenario details.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/20. FICI,J.A. Westinghouse Electric Corp. 2pp. 90958:343-90958:344.

**9612020155** Discusses insp rept 70-1151/96-02 on 960708-12 & forwards corrected copy of forwarding ltr.Due to administrative error date listed on ltr incorrect & should have been 960808 instead of 950808.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/20. FICI,J.A. Westinghouse Electric Corp. 2pp. 90965:007-90965:009.

**-9612030044** Submits corrected copy of ltr forwarding insp rept 70-1151/96-02 on 960708-12.Due to administrative error,date listed on ltr incorrect & should have been 960808 instead of 950808.
MCALPINE,E.J. Region 2 (Post 820201). 96/08/08. FICI,J.A. Westinghouse Electric Corp. 1p. 90965:009-90965:009.

**9612030316** Responds to NRC 961101 ltr re violations noted in insp rept 70-1151/96-03.Corrective actions:prepared commitment tracking system to guide emergency preparedness coordinator in defining audit scope & follow-up review of future audits.
FICI,J.A. Westinghouse Electric Corp. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91010:357-91010:358.

**9612170248** Forwards insp rept 70-1151/96-05 on 961029-1101 & NOV.
MCALPINE,E.J. Region 2 (Post 820201). 96/11/27. FICI,J.A. Westinghouse Electric Corp. 2pp. 91103:181-91103:198.

**-9612170250** Notice of violation from insp on 961029-1101.Violation noted:license requires use of special nuclear matl IAW statements,representations & conditions in license application.
* Region 2 (Post 820201). 96/11/27. 3pp. 91103:183-91103:184.

**-9612170251** Insp rept 70-1151/96-05 on 961029-1101.Violations noted. Major areas inspected:facility support - maint.
* Region 2 (Post 820201). 96/11/27. 14pp. 91103:185-91103:198.

**9612230151** Forwards response to RAI re question 7 of safety license condition S-2 of matl license SNM-1107 application,dtd 950929.
GOODWIN,W.L. Westinghouse Electric Corp. 96/12/03. GASKIN,C. Licensing Branch. 3pp. 91234:005-91234:007.

**9612130316** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. WILLIAMS,R.A. Westinghouse Electric Corp. 3pp. 91121:043-91121:045.

**9612230326** Ack receipt of 961127 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1151/96-03 dtd 961101.
MCALPINE,E.J. Region 2 (Post 820201). 96/12/13. FICI,J.A. Western Construction, Inc. 2pp. 91166:105-91166:106.

**9612260040** Responds to NRC 961101 ltr re violations noted in insp rept 70-1151/96-05.Corrective actions:specific individual in maint organization assigned responsibility to track & rept on scheduled PM activities.
FICI,J.A. Westinghouse Electric Corp. 96/12/20. Document Control Branch (Document Control Desk). 2pp. 91229:239-91229:240.

**DOCKET 70-1193 CIMARRON CORP., OKLAHOMA CITY, OK**

**9612170129** Informs of supervisory changes in LLWD Projects Branch.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/12. LARSEN,J. Cimarron Corp. 2pp. 91140:322-91140:323.

**DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA**

**9612120165** Requests mod to last agreement in CAL H-96-001 dtd 961120. Approval to receive & verify shipping containers currently in Customs at Norfolk,VA,requested.
CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/11/22. PAPARIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 91091:346-91091:347.

**9612020002** Notification of 961210 meeting w/B&W Fuel Company in Lynchburg,VA to discuss request to release wet-weather stream area.
LAMASTRA,M. Office of Nuclear Material Safety & Safeguards. 96/11/27. Office of Nuclear Material Safety & Safeguards. 2pp. 91003:050-91003:051.

**9612120285** Provides response to violations noted in Insp Rept 70-1201/96-202.Corrective actions:transport numbers,tamper seal numbers & assembly serial numbers will be verified to source packing list.
ELLIOTT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/11/27. TING,P. Operations Branch. 5pp. 91092:003-91092:007.

**9612200343** Requests extension for submittal of rev of Demonstration Section of license SNM-1168 until 961231.
ELLIOTT,G.F. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/12/02. PIERSON,R.C. Licensing Branch. 1p. 91233:298-91233:298.

**9612060076** Informs that CAL H-96-001 has been modified to add listed addendum in response to 961122 ltr.
TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/03. CARR,C.W. Babcock & Wilcox Co. 2pp. 91040:359-91040:360.

**9612160124** Informs that effective 961118,Branch Chief for Fuel Cycle Licensing Branch will be MF Weber.Address for future correspondence & phone number,listed.
WEBER,M.F. Licensing Branch. 96/12/10. ELLIOTT,G.F. Babcock & Wilcox Co. 3pp. 91133:208-91133:210.

**DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC**

**9612160070** Submmits advance notification of upcoming shipment of 1.038 kgs radioactive matl from Japan to Hanford,Washington.
CANDREY,D. Edlow International Co. 96/08/02. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91097:011-91097:011.

**9612230327** Submits notification of upcoming shipment of U hexafluoride, fissil,gross weight 36,968 kgs,net weight 26,626 UF6,U weight 17,999 kgs U235 weight 892 kgs,UF6 contained in 12 cylinders & PSP's to Lockheed Martin.
* Edlow International Co. 96/10/17. Office of Nuclear Material Safety & Safeguards. 1p. 91166:107-91166:107.

**9612230337** Submits notification of advance shipment of U hexafluoride fissile,gross weight 37,000 kgs (approx) net weight 26,500 kgs UF6 (approx),U weight 18,000 (approx),U235 weight 890 kgs (approx),UF6 contained in 12 cylinders & PSP's.
* Edlow International Co. 96/10/17. Office of Nuclear Material Safety & Safeguards. 1p. 91166:115-91166:115.

**9612230324** Submits notification of upcoming shipment of radioactive matl,fissile,from Vasteras,Sweden to Hematite,MO in 22 RA-3 packages.
* Edlow International Co. 96/11/09. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91194:065-91194:065.

**9612240093** Submits notification of radioactive matl shipment from Vasteras,Sweden to Hematite,MO on 961202.
* Edlow International Co. 96/11/09. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91183:316-91183:316.

**9612300126** Submits notification of upcoming shipment of 29,524 kg U-235 contained in 22 RA-3 packages from Sweden on 961111 to ABB C-E on 961202.
* Edlow International Co. 96/11/09. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91229:221-91229:221.

**9612230339** Submits rev 1 to notification of upcoming shipment of U hexafluoride,fissile,gross weight 37,000 kgs,net weight 26,500 kgs UF6,U weight 18,000 kgs,U235 weight 890 kgs contained in 12 cylinders & PSPs to Lockheed Martin.
CANDREY,D. Edlow International Co. 96/11/19. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91166:116-91166:116.

**9612050062** Provides list of deliveries made between 961012 & 1121,IAW requirements of convention on physical protection of nuclear matls.
CONDREY,D. Edlow International Co. 96/11/21. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 91013:112-91013:112.

**9612240056** Provides list of deliveries made between 961112 & 1219,IAW requirements of convention on physical protection of nuclear matls.
CONDREY,D. Edlow International Co. 96/12/19. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91180:177-91180:177.

**DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA**

**9612110372** Application for renewal of license SNM-1227,to possess U-235 & Pu.
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/11/30. 300pp. 91272:052-91273:055.

**-9612110398** "Siemens Annual Rept."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/12/31. 72pp. 91272:337-91273:055.

**9612110269** Requests review & confirmation of listed guarantee amounts.
WILLGREN,K. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/10/10. PEARSON,R. Licensing Branch. 2pp. 91081:261-91081:262.

**9612020021** Forwards two copies of listed revised application pp as result of review by MT Adams of reprinted license application.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/11/11. PIERSON,R.C. Licensing Branch. 16pp. 91008:108-91008:123.

**9612120261** Informs that NRC must revise schedule to submitted dates, because licensees unable to find qualified replacement criticality safety specialist until Nov 1996.
VAUGHAN,R.E. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/12/02. WEBER,M.F. Licensing Branch. 2pp. 91092:064-91092:065.

**9612160133** Informs that project mgt for facility changed,due to reorganization of NRC staff.All licensing actions will be coordinated through K Hardin.
WEBER,M.F. Licensing Branch. 96/12/02. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 91129:044-91129:045.

**9612100137** Forwards partially withheld insp rept 70-1257/96-205 on 961104-07.No violations noted.Details withheld per 10CFR2.790.
TING,P. Medical, Academic & Commercial Use Safety Branch. 96/12/05. FEMREITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. 91062:002-91062:005.

**--9612100169** Insp rept 70-1257/96-205 on 961104-07.No violations noted. Details withheld.
TING,P. Operations Branch. 96/12/05. 1p. 91062:005-91062:005.

**9612190066** Forwards Notice of Const approval for SPC dry conversion facility from Division of Radiation Protection of Washington State Dept of Health (WDOH).
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/12/09. WEBER,M.F. Licensing Branch. 11pp. 91161:343-91161:353.

**9612130313** Forwards request for addl info re low level radwaste shredding & U recovery.
*HARDIN,K.J. Licensing* Branch. 96/12/10. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. 91121:033-91121:036.

**9612160146** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 91133:217-91133:219.

**9612130071** PNO-IV-96-066:on 961211,licensee notified NRC,Walnut Creek Field Ofc of electrical fire & partial loss of site power. Licensee formed Incident Investigation Board to review event.State of WA will be informed.
WENSLAWSKI,F., SCARANO,R. Region 4 (Post 820201). 96/12/12. 2pp. 91163:096-91163:097.

**9612200105** Summarizes Licensing Branch staff's visit to SPC in Richland WA on 961203-04 to meet staff & mgt personnel & become familiar w/SPC's fuel manufacturing facilities.
CHOTOO,S., HARDIN,K. Licensing Branch. 96/12/17. WEBER,M.F. Licensing Branch. 4pp. 91192:205-91192:208.

**9612270007** Requests addl info re 960730 application requesting rev to license SNM-1227 to add solids processing facility as authorized location for uranium recovery.
HARDIN,K.J. Licensing Branch. 96/12/23. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 91247:244-91247:246.

**9612270017** Requests addl info re 960822 application requesting rev of license SNM-1227 to include LLRW shredding & uranium recovery from LLRW in modular recovery unit as authorized activity.
HARDIN,K.J. Licensing Branch. 96/12/23. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 91247:348-91247:350.

**DOCKET 70-1374 IDAHO STATE UNIV., POCATELLO, ID**

**9612120473** Discusses insp rept 70-1374/96-01 on 961025 & forwards notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 96/12/09. KUNZE,J. Idaho State Univ., Pocatello, ID. 4pp. 91070:278-91070:283.

**--9612120477** Notice of violation from insp on 961025-1125.Violation noted:no smear tests or general area contamination surveys were conducted prior to experiments using subcritical assembly.
* Region 4 (Post 820201). 96/12/09. 2pp. 91070:282-91070:283.

**9612160091** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. DEAN,V.C. Idaho State Univ., Pocatello, ID. 3pp. 91133:193-91133:195.

**DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA**

**9612050079** Submits advance notification of import shipment of 17-30B cylinders containing UF6 inside protective overpacks,RQ U Hexaflouride,Fissile (containing more than 1% U235),to Hematite,MO.
GEORGE,M. Transnuclear, Inc. 96/10/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91013:180-91013:181.

**9612050089** Submits advance notification of listed export shipment per requirements of 10CFR73.73.
MCLAUGHLIN,J. Transnuclear, Inc. 96/10/31. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91013:186-91013:187.

**9612130145** Notifies of advanced import shipment of five 30B cylinders containing UF6 inside protective overpacks from countries not party to convention on physical protection of nuclear matl.
GEORGE,M. Transnuclear, Inc. 96/11/06. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91083:239-91083:240.

**9612130111** Submits notification of import shipment of radioactive matl, fissile,NOS7,UN2918 (U238,U235) enriched U in form of U dioxide U02 pellets enrichment less than 5% U235.
GEORGE,M. Transnuclear, Inc. 96/11/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91083:201-91083:202.

**9612130088** Provides advance notification for export 2 Type A,7A packages w/ solid,crystalline,uranyl nitrate dihydrate 20.722 g U,18.529 g U235 to Vienna,Austria on 861206-09.
MCLAUGHLIN,J. Transnuclear, Inc. 96/11/19. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91083:187-91083:188.

**9612240043** Discusses page 2 of 961114 notification ltr re shipment of 41 + 41 drums containing UO2 pelltes,scheduled for first wk of Dec 1996.
GEORGE,M. Transnuclear, Inc. 96/11/19. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 91183:266-91183:266.

**9612240046** Submits advance notification for import shipment of nuclear matl from countries not party to convention on physical protection of nuclear matl.Lists details of shipment,as required in 10CFR73.74(a)(1).
GEORGE,M. Transnuclear, Inc. 96/11/27. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91180:175-91180:176.

**DOCKET 70-1703 EASTMAN KODAK CO., ROCHESTER, NY**

**9612160079** Informs that MF Weber Branch Chief for Fuel Cycle Licensing Branch,effective 961118.
WEBER,M.F. Licensing Branch. 96/12/10. GRECO,J.M. Eastman Kodak Co. 3pp. 91133:183-91133:185.

**DOCKET 70-2792 LOWER BUCKS HOSP., BRISTOL, PA**

**9612130049** PNO-I-96-089:on 961211,nuclear powered cardiac pacemaker reported lost at Nazareth Hosp,in Philadelphia,PA.Region I initiated special insp to follow up on incident.Region I Ofc of Public Affairs prepared to respond to media.
BHALLA,N., SHANBAKY,M.M. Region 1 (Post 820201). 96/12/12. 1p. 91163:082-91163:082.

**DOCKET 70-2962 NEW JERSEY INSTITUTE OF TECHNOLOGY, NEWARK, NJ**

**9612040085** Ack receipt of 960930 ltr informing NRC of steps taken to correct violations noted in insp rept.Corrective actions will be examined during future inspection.
COSTELLO,F.M. Region 1 (Post 820201). 96/11/13. STEVENSON,B.H. New Jersey Institute of Technology, Newark, NJ. 2pp. 91002:257-91002:258.

***DOCKET 70-3020* NUCLEAR ASSURANCE CORP., NORCROSS, GA**

**9612130143** Requests that NRC approve SF route between McMaster Univ, Hamilton,Ontario & DOE Savannah River site near Aiken,SC.
WILLIAMS,B.R. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/11/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 91083:236-91083:238.

**9612160408** Informs that route,as set forth in Encl 1 meets regulatory requirements of 10CFR73.37.Encl 2 constitutes approval for route.
SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 96/12/11. WILLIAMS,B.R. NAC International Corp. (formerly Nuclear Assurance Corp.),. 4pp. 91133:255-91133:259.

**--9612160412** Submits VA segment of Nuclear Assurance Corp route approval.
COOK,J.R. NRC - No Detailed Affiliation Given. 96/12/10. NRC - No Detailed Affiliation Given. 1p. 91133:259-91133:259.

**DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC**

**9612130052** Partial initial decision LBP-96-25 (resolving contentions J.4,K & Q).* Staff treatment of need for facility in FEIS inadequate & FEIS must be amended.Intervenor contention J.4 sustained.W/Certificate of Svc.Served on 961204.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #496 18090. 96/12/03. Office of the General Counsel (Post 860701). 187pp. 91082:067-91082:253.

**9612040195** Press release 96-175, "NRC Issues Second Partial Initial Decision on LA Energy Svcs License Application."
* Office of Public Affairs (Post 911117). 96/12/04. 1p. 91126:299-91126:299.

**9612260080** Louisiana Energy Svc ("LES") 10CFR2.786(b)(1) petition for review of LBP-96-25.* Commission should grant petition for review.W/Certificate of Svc.
MCGARRY,J.L., ROWDEN,M.A. Louisiana Energy Services. MCGARRY,J.L. Winston & Strawn. #496 18116. 96/12/19. Commissioners (Post 750119). 12pp. 91196:125-91196:136.

**9612260054** NRC Staff petition for review of LBP-96-25.* Staff petition for review should be granted.W/Certificate of Svc.
BACHMANN,R.G., HOLLER,E. Office of the General Counsel (Post 860701). #496 18118. 96/12/23. Commissioners (Post 750119). 13pp. 91194:318-91194:330.

**DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK**

**9612060046** Discusses concerns re "Final Radiation Survey of Haul Road Corridor," *submittal.*
LUX,J. Kerr-McGee Corp. 96/11/25. BROWN,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. 91045:308-91045:313.

**DOCKET 70-3085 B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP,**

**9612050017** Discusses total inventory of U in shallow trenches at Parks Township Shallow Land Disposal Area in response to questions raised during 961007 staff briefing.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/14. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 3pp. 91040:205-91040:207.

**9612050024** Responds to meeting w/Paperiello on 961108 re schedule for draft EIS being prepared by staff for Parks Township Shallow Land Disposal Area in Parks Township,PA.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). 96/11/20. ROSENTHAL,P.R. Babcock & Wilcox Co. 6pp. 91051:005-91051:010.

**9612050002** Forwards schedule for completion of EIS for Parks Township Shallow Land Disposal Area.
ASTWOOD,H. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/25. NRC - No Detailed Affiliation Given. 3pp. 91040:202-91040:204.

**DOCKET 70-3091 DOE HANFORD TANK WASTE REMEDIATION SYSTEM**

**9612270126** Requests technical assistance in reviewing project re guidance document for review of "TWRS Privatization Contractor Employee Concerns Mgt Sys," dtd Oct 1996.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/20. PICCONE,J.M. Operations Branch. 2pp. 91249:101-91249:112.

**9612270127** Trip rept of 961204 & 05 visit to Hanford Advisory Board meeting in Portland,OR re Tank Waste Remediation Sys Privatization.Agenda,encl.
BRYCE,A.L. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/23. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 6pp. 91249:113-91249:118.

**DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)**

**9612160168** Responds to US Enrichment Corp 961021,response to Donham/Hanson petition for review of DDs to grant tentative certification to Paducah Gaseous Diffusion Plant.Commission consolidated Paducah & Portsmouth dockets.
DONHAM,M., HANSON,K. Affiliation Not Assigned. 96/10/27. Commissioners (Post 750119). 3pp. 91133:226-91133:234.

**--9612160194** Informs that ticket G960838 is extended to 961218.
WHITT,E. NRC - No Detailed Affiliation Given. 96/11/07. JOHNSON,I. NRC - No Detailed Affiliation Given. 1p. 91133:229-91133:229.

**--9612160195** Informs that reply to request for extension of ticket G960838 has been forwarded.
JOHNSON,I. NRC - No Detailed Affiliation Given. 96/11/08. HORN,M.L. NRC - No Detailed Affiliation Given. 1p. 91133:230-91133:230.

**--9612160200** Informs that ticket G960838 will be considered cancelled for NMSS,per EDO.
POLAND,C. NRC - No Detailed Affiliation Given. 96/12/11. HORN,M.L. NRC - No Detailed Affiliation Given. 4pp. 91133:231-91133:234.

**9612180267** Forwards,for info use,cover ltr addressed to JH Miller & rept of routine safety & safeguard observation rept 70-7001/96-05 conducted during period 960820-0930.
PEDERSON,C.D. Region 3 (Post 820201). 96/10/29. JACKSON,J.D. Energy, Dept. of. 2pp. 91133:108-91133:131.

**--9612180282** Forwards observation rept 70-7001/96-05 conducted 960820-0930.No violations noted.
PEDERSON,C.D. Region 3 (Post 820201). 96/11/04. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. 91133:110-91133:111.

**--9612180286** Observation rept 70-7001/96-05 on 960820-0930.No violations noted.Major areas inspected:plant operations,maint & surveillance,engineering & plant support.
* Region 3 (Post 820201). 96/10/29. 20pp. 91133:112-91133:131.

**9612040276** Forwards observation rept 70-7001/96-203 on 961028-30. Rept details withheld per 10CFR2.790.
TING,P. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/11/27. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 91023:255-91023:255.

**9612040279** Forwards observation rept 70-7001/96-203 on 961028-30 re US Enrichment Corp Paducah Gaseous Diffusion Plant for info & use.W/o encl.
TING,P. Enrichment Branch. 96/11/27. JACKSON,J.D. Energy, Dept. of. 1p. 91039:163-91039:163.

**9612030020** Informs of issuance of COCs GDP-1 & GDP-2 to USEC.Copies of COCs encl.
TEN EYCK,E.Q. Office of Nuclear Material Safety & Safeguards. 96/11/29. PARKS,J.W. Energy, Dept. of. 2pp. 91003:354-91003:359.

**9612190090** Informs NRC that staff issued initial certificates of compliance to US Enrichment Corp.NRC intends to assume regulatory jurisdiction from US DOE on 970303,following transition period.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 96/11/29. MURKOWSKI,F.H. Senate, Energy & Natural Resources. SCHAEFER,D. House of Rep., Energy & Commerce. FAIRCLOTH,L. Senate, Environment & Public Works. 5pp. 91191:302-91191:306.

**9612060065** Informs that NRC Memo & Order rejected 960928 petition for review re certification of US Enrichment Corps two gaseous diffusion U enrichment plants,located at Paducah,KY & Piketon,OH because Co lacked eligibility to seek review.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/04. BUCKALEW,N. Affiliation Not Assigned. 1p. 91043:358-91043:358.

**9612110335** Notification of 961210 meeting w/USEC in Rockville,MD to discuss possible amends to certificates to operate U enrichment plants at Paducah,KY & Piketon,OH.
* NRC - No Detailed Affiliation Given. 96/12/05. NRC - No Detailed Affiliation Given. 2pp. 91089:349-91089:350.

**9612120480** Informs that NRC rejected 961010 letter petition re proposed certification of USEC gaseous diffusion plants.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/10. PUCKETT,A.B. Affiliation Not Assigned. 2pp. 91092:052-91092:053.

**9612230161** Documents 961206 telcon re need for NRC approval of changes to Plans for Achieving Compliance w/NRC Regulations at Paducah & Portsmouth Gaseous Diffusion Plants prior to implementation.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/12/11. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 91234:001-91234:002.

**9612190169** Responds to 961015 ltr re belief that COC for Paducah gaseous diffusion plant should not be issued until such time as plant is in full compliance.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/12. DORTCH,J. Affiliation Not Assigned. 2pp. 91191:340-91191:341.

**9612200068** Forwards observation rept 70-7001/96-06 on 961001-1118. Operational & Technical Safety Requirements violations identified.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/16. JACKSON,J.D. Energy, Dept. of. 2pp. 91149:139-91149:163.

**--9612200070** Forwards observation rept 70-7001/96-06 on 961001-1118. Operational & Technical Safety Requirements violations identified.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/20. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. 91149:141-91149:142.

**--9612200074** Observation rept 70-7001/96-06 on 961001-1118.Various weaknesses in Operational & Technical Safety Requirements identified as violations.
* Region 3 (Post 820201). 96/12/16. 21pp. 91149:143-91149:163.

**9612230044** Notification of 961218 meeting w/USEC in Rockville,MD to discuss coordinatation of orderly transition of uranium enrichment plants at Paducah,KY & Piketon,OH.
SAWYER,C., GIARRATANA,A. NRC - No Detailed Affiliation Given. 96/12/16. NRC - No Detailed Affiliation Given. 1p. 91234:015-91234:015.

**9612230343** Responds to Portsmouth & Paducah certificate amend requests re extension of scheduled completion dates for compliances plan,HEU related issues & date for fire pump refurbishment.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/18. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 91233:353-91233:355.

**9612240170** Forwards proprietary quarterly repts on implementation status of compliance plans.Encl withheld,per 10CFR2.790.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/12/18. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 31pp. 91210:268-91210:298.

**9612270109** Forwards results of Compliance Plan Action Item Closure effort for months of Oct & Nov 1996.
DEVAULT,R.M. Energy, Dept. of. 96/12/18. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 6pp. 91249:093-91249:098.

**9612270123** Documents 961216 telcon re Compliance Plan Issue 3,Action 10,dealing w/modifications to allow pressure decay test to be performed separately for inner & outer autoclave containment isolation valves.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/12/20. PIERSON,R.C. Enrichment Branch. 2pp. 91249:099-91249:100.

**DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION**

**9612160168** Responds to US Enrichment Corp 961021,response to Donham/Hanson petition for review of DDs to grant tentative certification to Paducah Gaseous Diffusion Plant.Commission consolidated Paducah & Portsmouth dockets.
DONHAM,M., HANSON,K. Affiliation Not Assigned. 96/10/27. Commissioners (Post 750119). 3pp. 91133:226-91133:234.

**--9612160194** Informs that ticket G960838 is extended to 961218.
WHITT,E. NRC - No Detailed Affiliation Given. 96/11/07. JOHNSON,I. NRC - No Detailed Affiliation Given. 1p. 91133:229-91133:229.

**--9612160195** Informs that reply to request for extension of ticket G960838 has been forwarded.
JOHNSON,I. NRC - No Detailed Affiliation Given. 96/11/08. HORN,M.L. NRC - No Detailed Affiliation Given. 1p. 91133:230-91133:230.

**--9612160200** Informs that ticket G960838 will be considered cancelled for NMSS,per EDO.
POLAND,C. NRC - No Detailed Affiliation Given. 96/12/11. HORN,M.L. NRC - No Detailed Affiliation Given. 4pp. 91133:231-91133:234.

**9612030028** Forwards cover ltr addressed to J Miller & observation rept 70-7002/96-06 on 960905-1025.
PEDERSON,C.D. Region 3 (Post 820201). 96/11/27. JACKSON,J.D. Energy, Dept. of. 2pp. 90973:080-90973:095.

**--9612030042** Forwards observation rept 70-7002/96-06 on 960905-1025. Based on observation,plant staff operability determinations, for autoclave o-ring problems,during observation were not consistent w/facility policies re such determinations.
PEDERSON,C.D. Region 3 (Post 820201). 96/12/02. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. 90973:082-90973:083.

**--9612030046** Observation rept 70-7002/96-06 on 960905-1025.Major areas observed:plant operations,maint/matl condition,engineering, & plant support.
* Region 3 (Post 820201). 96/11/27. 12pp. 90973:084-90973:095.

**9612030020** Informs of issuance of COCs GDP-1 & GDP-2 to USEC.Copies of COCs encl.
TEN EYCK,E.Q. Office of Nuclear Material Safety & Safeguards. 96/11/29. PARKS,J.W. Energy, Dept. of. 2pp. 91003:354-91003:359.

**9612060002** Requests addl info re 961108 certificate amend requesting rev to definition of Withdrawal Stations Standby Operations Mode for PORTS.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/11/29. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 91028:340-91028:344.

**9612190090** Informs NRC that staff issued initial certificates of compliance to US Enrichment Corp.NRC intends to assume regulatory jurisdiction from US DOE on 970303,following transition period.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 96/11/29. MURKOWSKI,F.H. Senate, Energy & Natural Resources. SCHAEFER,D. House of Rep., Energy & Commerce. FAIRCLOTH,L. Senate, Environment & Public Works. 5pp. 91191:302-91191:306.

**9612040283** Forwards observation rept 70-7002/96-203 on 960930-1004.W/o encl.
TING,P. Enrichment Branch. 96/12/02. JACKSON,J.D. Energy, Dept. of. 1p. 91039:164-91039:164.

**9612050005** Forwards observation rept 70-7002/96-203.Violations noted reflect some weaknesses.
TING,P. Operations Branch. 96/12/02. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 91040:176-91040:192.

--**9612050009** Insp rept 70-7002/96-203 on 960930-1004.Violations noted. Major areas inspected:management & administrative practices for nuclear criticality safety,nuclear criticality safety functions,plant activities & operating procedures.
TING,P. Operations Branch. 96/10/31. 14pp. 91040:179-91040:192.

**9612060065** Informs that NRC Memo & Order rejected 960928 petition for review re certification of US Enrichment Corps two gaseous diffusion U enrichment plants,located at Paducah,KY & Piketon,OH because Co lacked eligibility to seek review.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/04. BUCKALEW,N. Affiliation Not Assigned. 1p. 91043:358-91043:358.

**9612090398** Forwards observation rept 70-7002/96-204 on 961004-06.Rept details withheld per 10CFR2.790.
TING,P. Operations Branch. 96/12/05. JACKSON,J.D. Energy, Dept. of. 1p. 91054:360-91054:360.

**9612100152** Forwards observation rept 70-7002/96-204 on 961104-06 re review of nuclear matl physicals inventory calculation & reconcilation process conducted at Portsmouth Gaseous Diffusion Plant.Rept details withheld.
TING,P. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/05. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 91072:136-91072:137.

--**9612100209** Insp rept 70-7002/96-204 on 961104-06.No violations noted. Insp results withheld,per 10CFR2.790.
TING,P. Operations Branch. 96/12/05. 1p. 91072:137-91072:137.

**9612110335** Notification of 961210 meeting w/USEC in Rockville,MD to discuss possible amends to certificates to operate U enrichment plants at Paducah,KY & Piketon,OH.
* NRC - No Detailed Affiliation Given. 96/12/05. NRC - No Detailed Affiliation Given. 2pp. 91089:349-91089:350.

**9612130074** Informs that info is needed to provide addl assurance that new dates will actually be met re certificate amend request dtd 961031 for change to Portsmouth Compliance Plan due dates for nuclear criticality safety related issues.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/10. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 91095:286-91095:288.

**9612230161** Documents 961206 telcon re need for NRC approval of changes to Plans for Achieving Compliance w/NRC Regulations at Paducah & Portsmouth Gaseous Diffusion Plants prior to implementation.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/12/11. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 91234:001-91234:002.

**9612230071** Provides response to RAI on certificate amend request re withdrawal stations standby operational mode.
MILLER,J.H. United States Enrichment Corp. (USEC). 96/12/13. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 91208:333-91208:335.

**9612230044** Notification of 961218 meeting w/USEC in Rockville,MD to discuss coordinatation of orderly transition of uranium enrichment plants at Paducah,KY & Piketon,OH.
SAWYER,C., GIARRATANA,A. NRC - No Detailed Affiliation Given. 96/12/16. NRC - No Detailed Affiliation Given. 1p. 91234:015-91234:015.

**9612230343** Responds to Portsmouth & Paducah certificate amend requests re extension of scheduled completion dates for compliances plan,HEU related issues & date for fire pump refurbishment.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/18. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 91233:353-91233:355.

**9612240170** Forwards proprietary quarterly repts on implementation status of compliance plans.Encl withheld,per 10CFR2.790.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/12/18. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 31pp. 91210:268-91210:298.

**9612270109** Forwards results of Compliance Plan Action Item Closure effort for months of Oct & Nov 1996.
DEVAULT,R.M. Energy, Dept. of. 96/12/18. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 6pp. 91249:093-91249:098.

**9612230295** Responds to 961126 ltr,asking various questions about toxic, hazardous & radioactive matls,that will be used at or reported by Portsmouth Gaseous Diffusion Plant after NRC assumes regulatory jurisdiction.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/19. SHEARER,V.M. Affiliation Not Assigned. 3pp. 91233:356-91233:359.

--**9612230309** Submits questions re NRC plans for performing regulatory surveillance at Portsmouth Gaseous Diffusion plant at Piketon,OH.
SHEARER,V.M. Affiliation Not Assigned. 96/11/26. HICKEY,J.W. NRC - No Detailed Affiliation Given. 1p. 91233:359-91233:359.

**9612260297** Notification of 961223 meeting w/USEC in Rockville,MD to discuss proposed rev to technical safety requirement that will govern product withdrawal operations at Portsmouth plant.
* NRC - No Detailed Affiliation Given. 96/12/20. NRC - No Detailed Affiliation Given. 2pp. 91235:341-91235:342.

**DOCKET DOCKET UNKNOWN**

**9612040216** Forwards,for Docket 71000867,Maine Maritime Academy, "10CFR71 QA Program for Shipment of 239 Pu-Be Neutron Sources."
SOUCIE,J. Affiliation Not Assigned. 96/11/25. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 91051:016-91051:019.

--**9612040222** For docket 71000867,Maine Maritime Academy, "10CFR71 QA Program for Shipment of 239 Pu-Be Neutron Sources."
SOUCIE,J. Affiliation Not Assigned. 96/11/25. 3pp. 91051:017-91051:019.

**9612050010** Forwards for docket 71000868,Gannon Univ, "10CFR71 QA Program for Shipment of 239 Pu-Be Neutron Sources."
GRIESACKER,P. Gannon Univ., Erie, PA. 96/11/25. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 91051:001-91051:004.

--**9612050015** For docket 71000868,Gannon Univ, "10CFR71 QA Program for Shipment of 239 Pu-Be Neutron Sources."
GRIESACKER,P. Gannon Univ., Erie, PA. 96/11/26. 2pp. 91051:002-91051:004.

**9612090297** Forwards,for docket 71000869,St Peters College, "10CFR71 QA Program for Shipment of 239 Pu-Be Neutron Sources."
GRANT,J.J. St. Peters College, Jersey City, NJ. 96/12/02. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 91054:110-91054:115.

--**9612090301** For docket 71000869,St Peters College, "10CFR71 QA Program for Shipment of 239 Pu-Be Neutron Sources."
GRANT,J.J. St. Peters College, Jersey City, NJ. 96/12/02. 3pp. 91054:111-91054:115.

**9612090378** Forwards for docket 71000868,Gannon Univ,QA program approval for radioactive matl package 0868,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/05. GRIESACKER,P.B. Gannon Univ., Erie, PA. 1p. 91055:009-91055:010.

--**9612090381** For docket 71000868,Gannon College,QA program approval for radioactive matl package 0868,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/05. 1p. 91055:010-91055:010.

**9612170440** Provides suppl info re request by C-E on docket 71009272 dtd 960730 for new COC for BWR fuel shipping package.Brief summary of info,list of change pp & affected application pp, encl.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 96/12/12. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 91145:001-91145:021.

--**9612180048** Application for rev to certificate of compliance 9272 for new BWR fuel shipping package.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/12/12. Office of Nuclear Material Safety & Safeguards. 17pp. 91145:005-91145:021.

## PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

**DOCKET 71-0018 NUCLEAR ASSURANCE CORP.**

**9612160216** Forwards QA Program Description QA9601.
SMITH,R.H. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/12/09. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 91102:289-91102:330.

**9612230084** Responds to NRC Notice of Nonconformance noted in insp repts 71-0018/96-210 & 72-1015/96-209.Corrective actions:rev of QA Manual & QA Procedures,QA Dept staffing increased,routine comprehensive internal & mgt audits implemented.
DAVIS,E.M. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/12/18. SHANKNAM,S. Office of Nuclear Material Safety & Safeguards. 27pp. 91233:302-91233:329.

**DOCKET 71-0119 INGERSOLL-RAND CO.**

**9612060235** Requests termination of QA program 0119,due to closing of lab & termination of license as of 960603.
COCCIA,W.L. Ingersoll-Rand Co. 96/12/04. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 91043:309-91043:310.

--**9612060246** QA program approval for radioactive matl package:0119,Rev 4.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/09/07. 1p. 91043:310-91043:310.

**DOCKET 71-0250 TRANSNUCLEAR, INC.**

**9612060343** Forwards Rev 6 to E-1473, "QA Program for Design, Fabrication,Assembly,Testing,Maint,Repair Mod & Use of Packagings for Transport of Radioactive Matls." Rev 12 to E-2685 procedure also encl.
MASON,M. Transnuclear, Inc. 96/12/03. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 2pp. 91044:296-91044:344.

--**9612060347** Rev 6 to E-1473, "QA Program for Design,Fabrication, Assembly,Testing,Maint,Repair,Mod & Use of Packagings for Transport of Radioactive Matls."
* Transnuclear, Inc. 96/11/19. 40pp. 91044:298-91044:336.

--**9612060350** Rev 12 to E-2685, "Matrix of Existing QA Procedures & Program Plans Against Applicable Criteria of Subpart H of 10CFR71."
* Transnuclear, Inc. 96/11/19. 8pp. 91044:337-91044:344.

**9612130092** Pp 20 & 36 to "Quality Assurance Program."
* Transnuclear, Inc. 96/12/11. 3pp. 91095:289-91095:291.

**DOCKET 71-0361 MODEL: PAT-1, ENERGY, DEPT. OF**

**9612060081** Final response to FOIA request for documents.App A documents already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/29. MOGLEN,D. Greenpeace International. 2pp. 91031:050-91031:056.

--**9612060084** FOIA request for assessments,repts,studies,briefings & memoranda of type B,type C & latest equivalent cask in ref to NUREG-0361 & certification of compliance 0361.
STEVENS,M.A. Greenpeace International. 96/08/26. SESSOMS,G.D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 91031:054-91031:056.

**DOCKET 71-0470 PENNSYLVANIA STATE UNIV.**

**9612170457** Forwards QA program for packaging & transportation of radioactive matl.
SHIRLEY,D.A. Pennsylvania State Univ., University Park, PA. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91141:009-91141:017.

**--9612170459** QA program for packaging & transportation of radioactive matl.
* Pennsylvania State Univ., University Park, PA. 96/12/11. 8pp. 91141:010-91141:017.

**DOCKET 71-0476 MIDWEST INSPECTION SERVICES, INC.**

**9612040225** Advises that QA program approval for radioactive matl package:0476 expires on 970131.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/02. EZZELL,R. Midwest Inspection Services, Inc. 1p. 91039:168-91039:168.

**DOCKET 71-0545 TN TECHNOLOGIES, INC.**

**9612160328** Requests that all correspondence re TN Technologies,Inc "Quality Assurance Program Approval for Radioactive Matl Packages," be directed to RS Heyer.
WHITWORTH,J.B. TN Technologies, Inc. (formerly Texas Nuclear Corp.). 96/12/02. Source Containment & Devices Branch (Post 911213). 1p. 91133:249-91133:249.

**DOCKET 71-0577 PURDUE UNIV.**

**9612240290** Advises that QA program approval for radioactive matl package:0577 expires on 970228.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/18. SCHWEITZER,J.F. Purdue Univ., West Lafayette, IN. 1p. 91227:187-91227:187.

**DOCKET 71-0625 COPES-VULCAN, INC.**

**9612260021** Advises that QA program approval for radioactive matl package:0625 expires on 970228.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/18. PORTER,F.R. Copes-Vulcan, Inc. 1p. 91227:358-91227:358.

**DOCKET 71-0731 QUALITY INSPECTION & TESTING**

**9612270060** Application for renewal of QA program approval for radioactive matl package:0731.
GRASS,C. Quality Inspection & Testing. 96/12/13. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 91266:041-91266:041.

**DOCKET 71-0749 CURTIS INSPECTION SERVICES, INC.**

**9612190156** Sumbits info re custom review of exposure device not previously registered for use in US.
KELLY,J. Affiliation Not Assigned. 96/12/12. KIMBERLY,S., BAGGETT,S., BRODIS,D. NRC - No Detailed Affiliation Given. 9pp. 91191:323-91191:331.

**DOCKET 71-0771 LONGVIEW INSPECTION - GULF COAST GROUP, INC.**

**9612020037** Forwards QA program approval for radioactive matl package: 0771,Rev 1.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/11/25. GRAY,L.A. Longview Inspection, Inc. 1p. 91003:048-91003:049.

**--9612020041** QA program approval for radioactive matl package:0771,Rev 1.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/11/25. 1p. 91003:049-91003:049.

**DOCKET 71-0851 MICHIGAN TECHNOLOGICAL UNIVERSITY**

**9612260027** Advises that QA program approval for radioactive matl package:0851 expired on 961130.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/18. DAAVETTILA,D.A. Michigan Technological Univ., Houghton, MI. 1p. 91227:359-91227:359.

**DOCKET 71-0864 ADAMS INDUSTRIAL SERVICES, INC.**

**9612130098** Responds to NRC ltr re violations noted in insp of license 45-25355-01 on 960829.Corrective actions:storage area surveyed prior to every entry by AIS personnel.
ADAMS,T.D. . 96/10/21. Document Control Branch (Document Control Desk). 1p. 91095:292-91095:294.

**DOCKET 71-0867 MAINE MARITIME ACADEMY**

**9612160107** Forwards QA program approval for radioactive material packages:0867,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/10. SOUCIE,J. Affiliation Not Assigned. 1p. 91129:038-91129:039.

**--9612160174** QA program approval for radioactive matl package:0867 Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/10. 1p. 91129:039-91129:039.

**DOCKET 71-0869 SAINT PETERS COLLEGE**

**9612160198** Forwards QA program for radioactive material packages:0869, rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/10. GRANT,J.J. St. Peters College, Jersey City, NJ. 1p. 91129:061-91129:062.

**--9612160205** QA program approval for radioactive matl package:0869,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/12/10. 1p. 91129:062-91129:062.

**DOCKET 71-3010 MODEL: NT-IX, TRANSPORTATION, DEPT. OF**

**9612100174** Requests that NRC review Japanese certificate J/113/AF-85, Rev 4 issued 960930.
BOYLE,R.W. Transportation, Dept. of. 96/11/29. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 1p. 91056:219-91056:284.

**--9612100180** "Rept of NT-IX Drop Test."
* Affiliation Not Assigned. NFK-MM-961023. 96/10/23. 64pp. 91056:220-91056:284.

**DOCKET 71-3024 MODEL: 2842A, TRANSPORTATION, DEPT OF**

**9612180410** Forwards "Safety Rept for Package Design 2842A."
BOYLE,R.W. Transportation, Dept. of. 96/04/02. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 91250:001-91250:260.

**--9612180417** "Safety Rept for Package Design 2842A." W/16 oversize drawings.
VAUGHAN,R.A. Affiliation Not Assigned. 96/03/15. 300pp. 91250:002-91250:260.

**DOCKET 71-3033 MODEL: TN6-2, TRANSPORTATION, DEPT OF**

**9612030024** Requests that NRC evaluation & recommendation consider only contents 1 & 3 of encl rev Fa of French Certificate F/201/B/(U)F.
BOYLE,R.W. Transportation, Dept. of. 96/10/28. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 13pp. 91003:301-91003:313.

**DOCKET 71-3037 MODEL: BU-D, TRANSPORTATION, DEPT. OF**

**9612060060** Reqeusts that NRC review encl German Certificate D/4322/AF- 85,Rev 0 for model BU-D package & make recommendation about revalidation of certificate for import & export shipments.
BOYLE,R.W. Transportation, Dept. of. 96/11/21. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 15pp. 91211:300-91211:329.

**DOCKET 71-5450 MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**9612260235** Terminates use of model RCC,RCC-1,RCC-3 & RCC-4 for Certificate of Compliance 5450.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/18. SANDERS,C.F. Westinghouse Electric Corp. 1p. 91235:336-91235:336.

**DOCKET 71-5950 MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY**

**9612190186** Terminates use of Model BCL-4 packaging under general license of Subpart C of 10CFR71 or under provisions of 49CFR173.471.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:358-91191:358.

**DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.**

**9612300124** Requests approval to make three shipments of spent nuclear fuel in BMI-1 cask.Safety analysis,encl.
WANGLER,M.E. Energy, Dept. of. 96/12/12. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 2pp. 91256:001-91256:150.

**--9612300125** "Safety Analysis for Request for Waiver for BMI-1 Type B Radioactive Matl Package."
* Oak Ridge National Laboratory. 96/11/30. 154pp. 91256:004-91256:150.

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-6058 MODEL: B-3, CINTICHEM, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-6244 MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-6357 MODEL: NNFD-10, BABCOCK & WILCOX CO.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-6400 MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-6601 MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9001 MODEL: IF-300, VECTRA TECHNOLOGIES, INC.**

**9612260313** Forwards rept of IF-300 shipping cask COC deviation. YOUNG,D.E. Carolina Power & Light Co. 96/12/12. Office of Nuclear Material Safety & Safeguards. 2pp. 91247:230-91247:231.

**DOCKET 71-9010 MODEL: NLI-1/2, NAC INTERNATIONAL**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9011 MODEL: E-MEH-00-00004, ADVANCED MEDICAL SYSTEMS, INC.**

**9612020159** Informs of termination of COC 9011,in response to 960605 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/11/27. HADDOCK,S. Advanced Medical Systems, Inc. 1p. 91003:160-91003:160.

**DOCKET 71-9029 MODEL: 676 & 676E, AMERSHAM CORP.**

**9612020045** Forwards request for addl info identified in encl to ltr,in connection to review of Model 676,676E,676A,676AE,676B & 676BE packages. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/11/25. ROUGHAN,C. Amersham Corp. 3pp. 91003:045-91003:047.

**DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM**

**9612180128** Requests registration as user of Amersham Corp,model 660B, package identification number USA/9033/B(u). MAY,M.R. Decisive Testing, Inc. 96/12/18. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 91148:306-91148:308.

**DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,**

**9612270107** Requests registration as user of NRC COC 9056 for SPEC 2-T packaging. WANGLER,M.E. Energy, Dept. of. 96/12/16. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 2pp. 91249:091-91249:092.

**DOCKET 71-9067 MODEL: BCL-3, BATTELLE COLUMBUS LABORATORY**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9068 MODEL: BCL-2, BATTELLE COLUMBUS LABORATORY**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9069 MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP.**

**9612180302** Advises that QA program approval for radioactive matl package:9069 expires on 970131.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. NARDI,A.J. Westinghouse Electric Corp. 1p. 91161:331-91161:331.

**DOCKET 71-9070 MODEL: N-55, NUCLEAR PACKAGING, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9071 MODEL: AP-101, ANEFCO, INC.**

**9612160318** Application for renewal of certificate of compliance 9071. MURPHY,J.D. Anefco, Inc. 96/11/25. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 91129:089-91129:089.

**DOCKET 71-9079 MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9094 MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9096 MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9108 MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9111 MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9145 MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC**

**9612050090** Requests registration as user of Nuclear Packaging,Inc Nupac Models 50-1.5L,50-2.5L,50-3.0L & 50-4.0L radioactive matls shipping packages. WOOD,J.K. Centerior Energy. 96/11/18. MACDONALD,C.E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 91040:147-91040:147.

**DOCKET 71-9151 MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9152 MODEL: CNS 1-13C II, ENERGY, DEPT. OF**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9168 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9208 MODEL: 10-142, NUPAC SERVICES, INC.**

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9212 MODEL: 72-B, NUCLEAR PACKAGING, INC.**

**9612270008** Application for certificate of compliance for RH-TRU 72-B cask. "SAR for RH-TRU 72-B Waste Shipping Package," vols I & II & Rev 0 to DOE/WIPP 90-045, "Remote-Handled Transuranic Content Codes (RH-TRUCON)" encl.
HESS,E.G. Westinghouse Electric Corp. 96/12/20. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 91220:001-91223:295.

**--9612270009** "SAR for RH-TRU 72-B Waste Shipping Package," Vols I-III.
* Westinghouse Electric Corp. 96/09/30. 1,340pp. 91220:003-91223:264.

**--9612270010** "Remote-Handled Transuranic Content Codes (RH-TRUCON)."
* Energy, Dept. of. DOE/WIPP 90-045 R00. 96/09/30. 32pp. 91223:265-91223:295.

**DOCKET 71-9216 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.**

**9612100117** Forwards diskettes containing proprietary HI-STAR 100 SAR & topical SAR.W/o diskettes.
TJERSLAND,G.T. Holtec International. 96/11/20. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 91057:072-91057:072.

**9612190045** Informs that Batelle has been removed as user of COCs 5450, 5957,6058,6244,6357,6400,6601,9010,9067,9068,9070,9079,9081, 9094,9096,9108,9111,9151,9152,9168,9208 & 9216 per 961107 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/12/13. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 91191:279-91191:279.

**DOCKET 71-9218 MODEL: TRUPACT-II, ENERGY, DEPT. OF**

**9612050101** Informs that info is being gathered in response to RAI dtd 961024 in support of application dtd 960322.Revised pp will be submitted by 961213.
HESS,E.G. Westinghouse Electric Corp. 96/11/22. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 91039:357-91039:357.

**9612260289** Rev 16 to application for COC for TRUPACT-II shipping package in response to NRC comments to rev 15 of application submitted 960322.SAR re TRUPACT-II shipping package,encl.
HESS,E.G. Westinghouse Electric Corp. 96/12/13. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 9pp. 91262:023-91262:095.

**--9612260292** Rev 16 to "Safety Analysis Rept for TRUPACT-II Shipping Package."
* Westinghouse Electric Corp. 96/12/31. 57pp. 91262:032-91262:095.

**DOCKET 71-9235 MODEL: NAC-STC, NAC INTERNATIONAL**

**9612100145** Provides updated status for NAC Intls planned licensing submittals for NAC MPC Sys for station.
THOMPSON,T.C. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/11/25. MCGINTY,T.J. Office of Nuclear Material Safety & Safeguards. 2pp. 91056:158-91056:159.

**DOCKET 71-9255 MODEL: MP-187, VECTRA TECHNOLOGIES**

**9612260300** Requests consideration of establishment of Local Public Document Room in Idaho.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/12/18. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91235:359-91235:359.

**DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL**

**9612100181** Forwards Holtec Intl Calculation Rept HI-961554,for info.
TJERSLAND,G.T. Holtec International. 96/10/24. TRAVERS,W.A. Office of Nuclear Material Safety & Safeguards. 1p. 91062:001-91062:001.

**9612100111** Advises that Holtec International Calculation Rept HI-961554 contains proprietary matl.Encl affidavit requests rept be withheld from public disclosure,per 10CFR2.790.
TJERSLAND,G.T. Holtec International. 96/10/29. TRAVERS,W.A. Office of Nuclear Material Safety & Safeguards. 5pp. 91057:067-91057:071.

**9612100129** Advises that Holtec International Calculation Rept HI-961554 contains proprietary matl.Encl affidavit requests rept be withheld from public disclosure.
TJERSLAND,G.T. Holtec International. 96/11/08. TRAVERS,W.A. Office of Nuclear Material Safety & Safeguards. 5pp. 91056:092-91056:096.

**9612040141** Forwards nonproprietary rev 4 to HI-STAR 100 SAR & response to RAI.W/o encls.
TJERSLAND,G.T. Holtec International. 96/11/22. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 91028:248-91028:248.

**9612040146** Forwards proprietary rev 4 to HI-STAR 100 SAR.W/o encls.
TJERSLAND,G.T. Holtec International. 96/11/22. DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 1p. 91028:254-91028:254.

**DOCKET 71-9268 MODEL: MSC-1, SIERRA NUCLEAR CORP.**

**9612100010** Aprroves request to withhold info from public disclosure re detailed drawings for TranStor cask sys.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. MCSHERRY,A.J. Sierra Nuclear, Inc. 2pp. 91057:010-91057:011.

**DOCKET 71-9270 MODEL: UMS, NAC INTERNATIONAL**

**9612100145** Provides updated status for NAC Intls planned licensing submittals for NAC MPC Sys for station.
THOMPSON,T.C. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/11/25. MCGINTY,T.J. Office of Nuclear Material Safety & Safeguards. 2pp. 91056:158-91056:159.

**DOCKET DOCKET UNKNOWN**

**9612100145** Provides updated status for NAC Intls planned licensing submittals for NAC MPC Sys for station.
THOMPSON,T.C. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/11/25. MCGINTY,T.J. Office of Nuclear Material Safety & Safeguards. 2pp. 91056:158-91056:159.

## LICENSING OF INDEPENDENT SPENT FUEL STORAGE

**DOCKET 72-0004 OCONEE ISFSI, 50-269, 50-270 & 50-287**

**9612170430** Forwards insp repts 50-269/96-16,50-270/96-16 & 50-287/96-16 on 961006-1116 & notice of violation.
MERSCHOFF,J.R. Region 2 (Post 820201). 96/12/04. HAMPTON,J.W. Duke Power Co. 4pp. 91133:018-91133:060.

**--9612170442** Insp repts 50-269/96-16,50-270/96-16 & 50-287/96-16 on 961006-1116.Violations noted.Major areas inspected:maint, engineering & plant support.
* Region 2 (Post 820201). 96/12/04. 37pp. 91133:024-91133:060.

**DOCKET 72-0005 POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301**

**9612120393** Ack receipt of 961105 ltr re 950524 ltr from G Marcus. Questions responsiveness of NRC.Expresses concern about shield lid design.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/09. MARCUS,G. NRC - No Detailed Affiliation Given. 7pp. 91090:250-91090:256.

**9612120348** Comments on 960307 pages on RX-277 shielding from Reactor Experiments.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/14. RECKLEY,W. NRC - No Detailed Affiliation Given. 4pp. 91090:246-91090:249.

**9612090377** Forwards NOV & proposed imposition of civil penalties in amount of $325,000 for violations noted in insp repts 50-266/96-06,50-301/96-06,50-266/96-07 & 50-301/96-07.Open predecisional enforcement conference held on 960912.
BEACH,A.B. Region 3 (Post 820201). 96/12/03. ABDOO,R.A. Wisconsin Electric Power Co. 7pp. 91038:288-91038:303.

**--9612090388** Notice of violation & proposed imposition of civil penalty in amount of $325,000.00.Noncompliance noted:inattentiveness to duty of licensed personnel,failure to maintain adequate configuration of AFW & failure of insvc testing program.
* Region 3 (Post 820201). 96/12/03. 9pp. 91038:295-91038:303.

**9612120408** Asks in unloading,when VSC-24 cask is reflooded to cool it, what is the highest temperature possible that shield lid becomes when steam rises right up under it.
SHILLINGLAW,F. Affiliation Not Assigned. 96/12/04. MARCUS,G. NRC - No Detailed Affiliation Given. 1p. 91090:257-91090:257.

**9612180087** Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

**--9612180116** Notice of receipt of petition for director decision under 10CFR2.206.Director of NRR denied petitioner request for immediate action.
MIRAGLIA,F.J. . 96/12/10. 2pp. 91135:293-91135:294.

**--9612180140** Ack receipt of 961018 petition re request that NRC take action to prohibit loading of VSC-24s until COC,SAR, & SER are amended following independent third party review of VSC-24 design,to address concerns raised by R Hausler.
PAPERIELLO,C.J. . 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Affiliation Not Assigned. 5pp. 91135:295-91135:299.

**--9612180156** Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:338.

--**9612180225** Forwards petitions to NRC re licensee requirement to maintain capability to unload VSC-24 cask & requirement that VSC-24 casks cannot be unloaded unless COC for cask amended to establish operating controls & limits.
DUMS,D. Citizens' Utility Board. 96/09/30. TAYLOR,J. Ofc of the Executive Director for Operations. 15pp. 91135:339-91135:353.

**9612180096** Responds to ltr dtd 960916 addressed to Chairman Jackson re dry cask storage for spent nuclear fuel.Forwards responses to 15 concerns included in post-script of ltr,summary of enforcement conference held on 960912 & related actions.
MARCUS,G.H. . 96/12/10. SHILLINGLAW,F. Affiliation Not Assigned. 7pp. 91132:064-91132:222.

**9612180217** Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91155:203-91155:251.

--**9612180239** Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**9612200146** Requests 30-day extension to respond to insp repts 50-266/96-06,50-301/96-06,50-266/96-07 & 50-301/96-07. Check for $325,000 encl in payment of assessed fee.
GRIGG,R.R. Wisconsin Electric Power Co. 96/12/16. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 91191:359-91191:360.

**9612200203** Responds to 961109,14 & 1204 ltrs re dry cask storage for spent nuclear fuel.
MARCUS,G.H. . 96/12/18. SHILLINGLAW,F. Affiliation Not Assigned. 5pp. 91181:053-91181:069.

**9612240181** Ack receipt of 961216 ltr re check for listed amount for civil peralty proposed by NRC in 961203 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/12/20. GRIGG,R.R. Wisconsin Electric Power Co. 1p. 91180:262-91180:262.

**9612310016** Confirms discussion between M Kunowski & T Guay to have routine mgt meeting on 970110 at Two Creeks Town Hall,Two Creeks,WI to discuss status of facility performance improvement initiatives & issues required to be resolved.
MCCORMICK-BARGE Region 3 (Post 820201). 96/12/24. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. 91235:042-91235:042.

**DOCKET 72-0007 PALISADES ISFSI GEN LIC/VSC-24, 50-255**

**9612130238** Submits response to concern on seismic requirements for ISFSI pads.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/07. LANDSMAN,R. Region 3 (Post 820201). 4pp. 91118:322-91118:325.

**9612120393** Ack receipt of 961105 ltr re 950524 ltr from G Marcus. Questions responsiveness of NRC.Expresses concern about shield lid design.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/09. MARCUS,G. NRC - No Detailed Affiliation Given. 7pp. 91090:250-91090:256.

**9612120348** Comments on 960307 pages on RX-277 shielding from Reactor Experiments.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/14. RECKLEY,W. NRC - No Detailed Affiliation Given. 4pp. 91090:246-91090:249.

**9612120408** Asks in unloading,when VSC-24 cask is reflooded to cool it, what is the highest temperature possible that shield lid becomes when steam rises right up under it.
SHILLINGLAW,F. Affiliation Not Assigned. 96/12/04. MARCUS,G. NRC - No Detailed Affiliation Given. 1p. 91090:257-91090:257.

**9612180087** Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

--**9612180116** Notice of receipt of petition for director decision under 10CFR2.206.Director of NRR denied petitioner request for immediate action.
MIRAGLIA,F.J. . 96/12/10. 2pp. 91135:293-91135:294.

--**9612180140** Ack receipt of 961018 petition re request that NRC take action to prohibit loading of VSC-24s until COC,SAR, & SER are amended following independent third party review of VSC-24 design,to address concerns raised by R Hausler.
PAPERIELLO,C.J. . 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91135:295-91135:299.

--**9612180156** Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:338.

--**9612180225** Forwards petitions to NRC re licensee requirement to maintain capability to unload VSC-24 cask & requirement that VSC-24 casks cannot be unloaded unless COC for cask amended to establish operating controls & limits.
DUMS,D. Citizens' Utility Board. 96/09/30. TAYLOR,J. Ofc of the Executive Director for Operations. 15pp. 91135:339-91135:353.

**9612180217** Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91155:203-91155:251.

--**9612180239** Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**9612190275** Discusses K Barnes concern re storage of spent nuclear fuel in dry storage casks at independent spent fuel storage installations.
MARCUS,G.H. . 96/12/17. BARNES,K. Affiliation Not Assigned. 4pp. 91137:023-91137:030.

--**9612190287** Forwards ltr sent to Herald-Palladium from M Sinclair.
BARNES,K. Affiliation Not Assigned. 96/10/07. GORE,A. Senate, President of the Senate. 4pp. 91137:027-91137:030.

**9612200203** Responds to 961109,14 & 1204 ltrs re dry cask storage for spent nuclear fuel.
MARCUS,G.H. . 96/12/18. SHILLINGLAW,F. Affiliation Not Assigned. 5pp. 91181:053-91181:069.

**9612230202** Responds to 961029 ltr to C Paperiello,B Travers & C Haughney.Staff evaluating suggestion re independent review of design of VSC-24 case sys as part of evaluation of 10CFR2.206.
MARCUS,G.H. . 96/12/19. SINCLAIR,M.P. Don't Waste Michigan. 2pp. 91194:093-91194:116.

--**9612230214** Requests NRC request in-depth independent third party review of cask sys by National Association of Corrosion Engineers.
SINCLAIR,M.P. Don't Waste Michigan. 96/10/29. PAPERIELLO,C., TRAVERS,B., HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 13pp. 91194:096-91194:108.

--**9612230230** Forwards petition pursuant to 10CFR2.206 of Commissions regulations.Petition addresses new info on unresolved design problems of VSC-24 cask which became known to public as result of hydrogen ignition at Point Beach on 960528.
ROEMER,E. Don't Waste Michigan. 96/10/18. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91194:109-91194:109.

**DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267**

**9612270021** Forwards "License Transfer Application for Fort St Vrain ISFSI" & "Fort St Vrain ISFSI SAR."
WILCYNSKI,J.M. Energy, Dept. of. 96/12/17. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 9pp. 91224:001-91226:128.

--**9612270023** "License Transfer Application for Fort St Vrain ISFSI."
* Energy, Dept. of. 96/12/31. 283pp. 91224:010-91224:293.

--**9612270027** Rev 0 to "Fort St Vrain ISFSI SAR."
* Energy, Dept. of. 96/12/31. 555pp. 91224:294-91226:128.

**9612030307** Submits suppl info re annual environ rept for 1995 operation of FSV ISFSI.
BORST,F.J. Public Service Co. of Colorado. 96/11/25. Region 4 (Post 820201). 3pp. 91011:081-91011:083.

**9612230244** Expresses appreciation for 961031 ltr notifying NRC of two DOE licensing submittals.Ltr forwarded to NRC staff reviewing applications & notification of results will be sent to DOE Assistant Secretary for Environ Mgt.
THE CHAIRMAN Commissioners (Post 750119). 96/12/12. O'LEARY,H. Energy, Dept. of. 1p. 91194:314-91194:316.

--**9612230251** Informs of licensing submittal for transfer of license & new application for licensing of spent fuel storage.
O'LEARY,H. Energy, Dept. of. 96/10/31. THE CHAIRMAN Commissioners (Post 750119). 2pp. 91194:315-91194:316.

**9612260048** Forwards annual rept of changes,tests & experiments affecting ISFSI.
BORST,F.J. Public Service Co. of Colorado. 96/12/17. CALLAN,L.J. Region 4 (Post 820201). 6pp. 91228:350-91228:355.

**9612260203** Responds to NRC 961121 ltr re violations noted in insp rept 50-267/96-04 & 72-0009/96-01 on 960930-1004.Corrective actions:use of tool monitors for free release of matls from radiologically controlled areas discontinued.
BORST,F.J. Public Service Co. of Colorado. 96/12/20. Document Control Branch (Document Control Desk). 6pp. 91210:002-91210:007.

**DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306**

**9612040189** Forwards non-proprietary version of submitted info re TN-40 resin materials.
MASON,M. Transnuclear, Inc. 96/11/22. DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 32pp. 91028:016-91028:047.

**9612030218** Forwards insp repts 50-282/96-13,50-306/96-13 & 72-0010/ 96-13 on 961007-11 & notice of violation.Violation demonstrated that security staff unaware of important requirement,clearly delineated in security plan.
GRANT,G.E. Region 3 (Post 820201). 96/11/27. WATZL,E. Northern States Power Co. 2pp. 90974:030-90974:043.

--**9612030221** Notice of violation from insp on 961007-11.Violation noted: review of documentation & interviews w/Superintendent, Security on 061009 disclosed that annual reviews of security & safeguards contingency plan not conducted for 1995-96.
* Region 3 (Post 820201). 96/11/27. 1p. 90974:032-90974:032.

--**9612030223** Insp repts 50-282/96-13,50-306/96-13 & 72-0010/96-13 on 961007-11.Violations noted.Major areas inspected:review of physical security program.
* Region 3 (Post 820201). 96/11/27. 11pp. 90974:033-90974:043.

**9612030276** Responds to 950605 petition against Nuclear Storage pursuant to section 10CFR2.206 requesting NRC immediately suspend operating licenses for Prairie Island Nuclear Generating Plant,Units 1 & 2.Petition denied.DD-96-21 & FR encl.
MIRAGLIA,F.J. . 96/11/27. GUNTER,P.V. Nuclear Information & Resource Service. BJORALT,S.J. Affiliation Not Assigned. 3pp. 90980:295-90980:327.

--**9612030283** Director's Decision DD-96-21 requesting that NRC immediately suspend operating licenses for Prairie Island Nuclear Generating Plant,Units 1 & 2.Request denied.
MIRAGLIA,F.J. . 96/11/27. Northern States Power Co. 27pp. 90980:298-90980:325.

--9612030286 Notice of issuance of Director's Decision DD-96-21 under 10CFR2.206 re request that Prairie Island Units 1 & 2 be immediately shut down & operating license be suspended until issues raised in petition resolved.
MIRAGLIA,F.J. . 96/11/27. 2pp. 91007:359-91007:359.

**DOCKET 72-0013 ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368**

9612120393 Ack receipt of 961105 ltr re 950524 ltr from G Marcus. Questions responsiveness of NRC.Expresses concern about shield lid design.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/09. MARCUS,G. NRC - No Detailed Affiliation Given. 7pp. 91090:250-91090:256.

9612120348 Comments on 960307 pages on RX-277 shielding from Reactor Experiments.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/14. RECKLEY,W. NRC - No Detailed Affiliation Given. 4pp. 91090:246-91090:249.

9612030210 Forwards staff SE of util response to NRC Bulletin 96-004, "Chemical,Galvanic or Other Reactions in Spent Fuel Storage & Transportation Casks." Util has satisfied requested actions & required responses to bulletin.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/26. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 91010:024-91010:058.

--9612030224 SER concluding that util has satisfied requested actions & required responses to NRC Bulletin 96-004.
* NRC - No Detailed Affiliation Given. 96/11/26. 18pp. 91010:027-91010:058.

9612060007 Forwards safety evaluation re NRC Bulletin 96-04, "Chemical, Galvanic or Other Reactions in SF Storage & Transportation Casks," for plant, units 1 & 2.
SALEHI,K. . 96/12/03. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 91028:305-91028:339.

--9612060019 Safety evaluation accepting NRC Bulletin 96-04, "Chemical,Galvanic or Other Reactions in SF Storage & Transportation Casks," for plant, units 1 & 2.
* . 96/12/03. 31pp. 91028:309-91028:339.

9612060166 Discussses 960603 CAL issued to Entergy Operations re listed actions concerning plant dry cask storage program utilizing Sierra Nuclear VSC-24 cask.
CALLAN,L.J. Region 4 (Post 820201). 96/12/03. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 91025:049-91025:053.

9612120408 Asks in unloading,when VSC-24 cask is reflooded to cool it, what is the highest temperature possible that shield lid becomes when steam rises right up under it.
SHILLINGLAW,F. Affiliation Not Assigned. 96/12/04. MARCUS,G. NRC - No Detailed Affiliation Given. 1p. 91090:257-91090:257.

9612180087 Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

--9612180116 Notice of receipt of petition for director decision under 10CFR2.206.Director of NRR denied petitioner request for immediate action.
MIRAGLIA,F.J. . 96/12/10. 2pp. 91135:293-91135:294.

--9612180140 Ack receipt of 961018 petition re request that NRC take action to prohibit loading of VSC-24s until COC,SAR, & SER are amended following independent third party review of VSC-24 design,to address concerns raised by R Hausler.
PAPERIELLO,C.J. . 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91135:295-91135:299.

--9612180156 Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:338.

--9612180225 Forwards petitions to NRC re licensee requirement to maintain capability to unload VSC-24 cask & requirement that VSC-24 casks cannot be unloaded unless COC for cask amended to establish operating controls & limits.
DUMS,D. Citizens' Utility Board. 96/09/30. TAYLOR,J. Ofc of the Executive Director for Operations. 15pp. 91135:339-91135:353.

9612180217 Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91155:203-91155:251.

--9612180239 Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**DOCKET 72-0014 DAVIS BESSE ISFSI GEN LIC, 50-346**

9612090322 Responds to NRC Bulletin 96-004, "Chemical,Galvanic,or Other Reactions in Spent Fuel Storage & Transportation Casks."
WOOD,J.K. Centerior Energy. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91052:358-91052:359.

9612240018 Submits response to NRC Bulletin 96-004, "Chemical,Galvanic, or Other Reactions in Spent Fuel Storage & Transportation Casks."
WOOD,J.K. Centerior Energy. 96/12/17. Document Control Branch (Document Control Desk). 5pp. 91219:332-91219:336.

**DOCKET 72-0017 TROJAN ISFSI, 50-344**

9612030018 Forwards revised trip rept which provides procedures & results of activities performed during 960819-0821 on-site review & limited confirmatory survey of Trojan NPP ISFSI project in Ranier,OR.
VITKUS,T.J. Oak Ridge Associated Universities. 96/09/27. PITTIGLIO,L. Division of Waste Management (NMSS 940403). 12pp. 91003:273-91003:285.

9612040181 Submits response to RAI re final survey plan for Trojan ISFSI site.
YUNDT,C.P. Portland General Electric Co. 96/11/21. STEWART-SMITH Oregon, State of. 2pp. 91027:286-91027:287.

9612020038 Forwards RAI re Trojan ISFSI to determine compliance re 10CFR72.
KOKAJKO,L.W. Office of Nuclear Material Safety & Safeguards. 96/11/25. QUENNOZ,S.M. Portland General Electric Co. 49pp. 91000:297-91000:345.

9612030031 Forwards EA re construction & operation of Trojan ISFSI & FONSI which will be sent to Ofc of FR for publication.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/11/25. QUENNOZ,S.M. Portland General Electric Co. 4pp. 91003:161-91003:202.

--9612030033 Notice of issuance of EA & FONSI for ISFSI at Trojan Nuclear Plant which would authorize applicant to construct & operate dry storage ISFSI at Trojan site.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/22. 5pp. 91003:165-91003:169.

--9612030035 Environ assessment & finding of no significant impact re construction & operation of Trojan ISFSI.
* Office of Nuclear Material Safety & Safeguards. 96/11/30. 33pp. 91003:170-91003:202.

9612030027 Informs that results for limited area of Trojan Nuclear Plan site complies w/ requirements of 10CFR50.82 & finds that proposed site may be released for use as ISFSI licensed under 10CFR72.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/11/26. QUENNOZ,S.M. Portland General Electric Co. 3pp. 91006:353-91006:355.

9612040140 Forwards independent spent fuel storage installation calculations.W/o enclosures.
YUNDT,C.P. Portland General Electric Co. 96/11/26. SMITH,D.S. Oregon, State of. 2pp. 91028:205-91028:206.

9612050034 Forwards changes to TS & SAR to reflect new fuel debris storage container design & storage of non-fuel bearing components & fuel rod storage container in Trojan ISFSI. Description & justification for changes,encl.
QUENNOZ,S.M. Portland General Electric Co. 96/11/27. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 12pp. 91030:160-91030:241.

--9612050043 Proposed tech specs reflecting new fuel debris storage container design & storage of non-fuel bearing components & fuel rod storage container in Trojan ISFSI.
* Portland General Electric Co. 96/11/27. 7pp. 91030:182-91030:188.

--9612050049 "Trojan ISFSI Safety Analysis Rept."
* Portland General Electric Co. 96/11/25. 53pp. 91030:189-91030:241.

9612100045 Forwards ISFSI construction schedule.
QUENNOZ,S.M. Portland General Electric Co. 96/12/04. KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 6pp. 91056:342-91056:347.

9612100010 Aprroves request to withhold info from public disclosure re detailed drawings for TranStor cask sys.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. MCSHERRY,A.J. Sierra Nuclear, Inc. 2pp. 91057:010-91057:011.

9612180233 Requests NRC to update svc list for NRC correspondence to util.Position of Chairman of Board of County Commissioners should continue to be included on external addressee svc list.
QUENNOZ,S.M. Portland General Electric Co. 96/12/11. Document Control Branch (Document Control Desk). 1p. 91161:341-91161:341.

9612270103 Forwards Rev 20 to PGE-8010, "Portland General Electric Nuclear QA Program for Trojan Nuclear Plant." Rev reflects administrative & corporate organizational changes continue to meet requirements of 10CFR50,App B,as described.
QUENNOZ,S.M. Portland General Electric Co. 96/12/12. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. 91255:200-91255:214.

--9612270108 Rev 20 to PGE-8010, "Portland General Electric Nuclear QA Program for Trojan Nuclear Plant."
QUENNOZ,S.M. Portland General Electric Co. 96/12/12. 9pp. 91255:206-91255:214.

**DOCKET 72-0018 GOOD HUE COUNTY**

9612040269 Forwards amended page of petition re incorrect statement in notice & accompanying ltr,dtd 961011.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 91039:159-91039:162.

--9612040270 Amended petition requesting NRC to determine that util violated requirements of 10CFR72.32(a)(14) by refusing to allow Lake City to comment on emergency plan before submitting it to NRC.
OVERLAND,C.A. Affiliation Not Assigned. 96/10/18. Commissioners (Post 750119). 2pp. 91039:161-91039:162.

9612040212 Requests suspension of NRC review of NSP application for license to construct & operate ISFSI at an away-from-reactor site in Goodhue County.
ANDERSON,R.O. Northern States Power Co. 96/11/13. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 91039:140-91039:143.

9612130034 Minnesota Environmental Quality Board statement in support of Northern States Power Co motion for suspension of proceedings.*
MITCHELL,A.R. Minnesota, State of. #496 18087. 96/11/19. Atomic Safety & Licensing Board Panel. 5pp. 91083:001-91083:005.

9612130041 Minnesota Dept of Public Service response in support of Northern States Power Co motion for suspension of proceedings.*
VANDERLINDEN,B. Minnesota, State of. #496 18086. 96/11/21. Atomic Safety & Licensing Board Panel. 5pp. 91083:029-91083:033.

**9612020054** Responds to 961018 ltr re clarification made to Florence Townships Petition requesting staff take certain actions per Section 2.206 of Chapter 10 of Code of Federal Regulations.Staff will consider Petition as corrected.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/11/22. OVERLAND,C.A. Affiliation Not Assigned. 2pp. 91003:043-91003:044.

**9612100160** Discusses 950404 meeting w/Dakota Indian Community re proposed multi-agency MOU & NRC 950327 ltr declining to sign MOU.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/02. CAMPBELL,C. Prairie Island Mdewakanton Sioux Indian Community. 7pp. 91119:005-91119:011.

**--9612160302** Informs of concurrence on 961202 ltr to C Campbell.Exhibit 1 to App A, "Protocol Agreement for State Observation of NRC Inspections" encl.
LYNCH,J. NRC - No Detailed Affiliation Given. 96/11/25. DROGGITIS,S. NRC - No Detailed Affiliation Given. 4pp. 91119:012-91119:015.

**9612130037** Memorandum & Order (motion to suspend proceeding).* Order grants NSP 961113 motion to suspend proceeding,which involves proposed offsite ISFSI.W/Certificate of Svc. Served on 961204.
BECHHOEFER,C., MURPHY,T.D., SHON,F.J. Atomic Safety & Licensing Board Panel. #496 18091. 96/12/03. Office of the General Counsel (Post 860701). 10pp. 91083:006-91083:015.

**9612130036** Cancellation of prehearing conference.* Conference cancelled as result of suspension of proceeding granted by ASLB Memorandum & Order.W/Certificate of Svc.Served on 961205.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #496 18092. 96/12/05. 3pp. 91082:358-91082:360.

**9612170081** Submits response to 961107 RAI re NRC insp on TN-40 cask fabrication.
ANDERSON,R.O. Northern States Power Co. 96/12/09. Document Control Branch (Document Control Desk). 2pp. 91140:327-91140:328.

**9612170202** Responds to 961125 ltr requesting NRC take certain actions re status of Florence Township petition.Staff defers issuing Director Decision until issues raised are not considered in adjudicatory proceeding.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/12/11. OVERLAND,C.A. Affiliation Not Assigned. 2pp. 91140:304-91140:305.

**9612260063** Requests following addition to svc list in matter of Northern States Power Co,docket 72-18-ISFSI.
COMIEZ,A.M., BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #496 18117. 96/12/17. JULIAN,E.L. Office of the Secretary of the Commission. 1p. 91194:338-91194:339.

**--9612260069** Requests to be named as party for svc of documents re proceeding.
GARTNER,P.A. Affiliation Not Assigned. 96/12/10. BECHHOEFER,C. Atomic Safety & Licensing Board Panel. 1p. 91194:339-91194:339.

**DOCKET 72-0020 DEPARTMENT OF ENERGY ISFSI - 50-320**

**9612230244** Expresses appreciation for 961031 ltr notifying NRC of two DOE licensing submittals.Ltr forwarded to NRC staff reviewing applications & notification of results will be sent to DOE Assistant Secretary for Environ Mgt.
THE CHAIRMAN Commissioners (Post 750119). 96/12/12. O'LEARY,H. Energy, Dept. of. 1p. 91194:314-91194:316.

**--9612230251** Informs of licensing submittal for transfer of license & new application for licensing of spent fuel storage.
O'LEARY,H. Energy, Dept. of. 96/10/31. THE CHAIRMAN Commissioners (Post 750119). 2pp. 91194:315-91194:316.

**9612260300** Requests consideration of establishment of Local Public Document Room in Idaho.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/12/18. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91235:359-91235:359.

**DOCKET 72-0021 CENTRAL INTERIM STORAGE**

**9612020078** Summary of 961120 second meeting w/US DOE & NRC to discuss proposed submittal of non-site-specific topical SAR for central interim storage facility.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/11/26. HAUGHNEY,C.L. Office of Nuclear Material Safety & Safeguards. 14pp. 91003:024-91003:037.

**DOCKET 72-1004 CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.**

**9612060313** Forwards staff reviews of VECTRA 960425 submittals of rept, "DSC Weld Seam Thinning" & calculation package, "NUHOMS DSC Shell Min Acceptable Thickness at Circumferential & Longitudinal Welds."
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 96/12/04. JANKOVICH,J., LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 3PP. 91043:337-91043:350.

**--9612060325** SER accepting VECTRA RT film method for evaluating weld seam thinning in loaded NUHOMS dry storage canisters.
* Office of Nuclear Material Safety & Safeguards. 96/12/04. 3pp. 91043:340-91043:342.

**--9612060341** SER accepting VECTRA analysis for localized DSC shell thickness of 0.375 inch at circumferential & longitudinal welds & meets NUHOMS-24P structural design criteria.
* Office of Nuclear Material Safety & Safeguards. 96/12/04. 8pp. 91043:343-91043:350.

**9612120294** Forwards insp rept 50-219/96-09 on 960909-1020 & notice of violation.
ESELGROTH,P.W. Region 1 (Post 820201). 96/12/06. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 91070:066-91070:136.

**--9612120303** Insp rept 50-219/96-09 on 960909-1020.Violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 1 (Post 820201). 96/12/06. 66pp. 91070:071-91070:136.

**9612170148** Forwards proprietary calculations & documentation for Vectra Fuel Svcs as follow-up to original reply to insp rept 72-1004/96-207 in Vectra ltr VF-96-095.Encl withheld.
FRANCESCHI,V. Vectra Technologies, Inc. 96/12/12. Document Control Branch (Document Control Desk). 5pp. 91141:062-91141:066.

**9612270129** Summary of 961126 meeting w/Vectra Technologies,Inc re NRC insp findings,design control for fabrication of NUHOMS sys components & concerns w/ Vectra quality assurance program.Slides & attendee list,encl.
KOBETZ,T.J. Office of Nuclear Material Safety & Safeguards. 96/12/18. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 13pp. 91249:119-91249:132.

**DOCKET 72-1007 CASK: VSC-24, SIERRA NUCLEAR, INC.**

**9612120393** Ack receipt of 961105 ltr re 950524 ltr from G Marcus. Questions responsiveness of NRC.Expresses concern about shield lid design.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/09. MARCUS,G. NRC - No Detailed Affiliation Given. 7pp. 91090:250-91090:256.

**9612120348** Comments on 960307 pages on RX-277 shielding from Reactor Experiments.
SHILLINGLAW,F. Affiliation Not Assigned. 96/11/14. RECKLEY,W. NRC - No Detailed Affiliation Given. 4pp. 91090:246-91090:249.

**9612030210** Forwards staff SE of util response to NRC Bulletin 96-004, "Chemical,Galvanic or Other Reactions in Spent Fuel Storage & Transportation Casks." Util has satisfied requested actions & required responses to bulletin.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/26. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 91010:024-91010:058.

**--9612030224** SER concluding that util has satisfied requested actions & required responses to NRC Bulletin 96-004.
* NRC - No Detailed Affiliation Given. 96/11/26. 18pp. 91010:027-91010:058.

**9612120408** Asks in unloading,when VSC-24 cask is reflooded to cool it, what is the highest temperature possible that shield lid becomes when steam rises right up under it.
SHILLINGLAW,F. Affiliation Not Assigned. 96/12/04. MARCUS,G. NRC - No Detailed Affiliation Given. 1p. 91090:257-91090:257.

**9612180087** Discusses second item of 960930 petition re prohibition of loading VSC-24 casks.Licensee for facility completed commitments documented in CAL & has begun cask-loading.Item treated as request for immediate action.
MIRAGLIA,F.J. . 96/12/10. DUMS,D. Citizens' Utility Board. 8pp. 91135:285-91135:353.

**--9612180116** Notice of receipt of petition for director decision under 10CFR2.206.Director of NRR denied petitioner request for immediate action.
MIRAGLIA,F.J. . 96/12/10. 2pp. 91135:293-91135:294.

**--9612180140** Ack receipt of 961018 petition re request that NRC take action to prohibit loading of VSC-24s until COC,SAR, & SER are amended following independent third party review of VSC-24 design,to address concerns raised by R Hausler.
PAPERIELLO,C.J. . 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91135:295-91135:299.

**--9612180156** Notice of receipt of petition for Director's Decision under 10CFR2.206.
PAPERIELLO,C.J. . 96/12/10. 2pp. 91135:300-91135:338.

**--9612180225** Forwards petitions to NRC re licensee requirement to maintain capability to unload VSC-24 cask & requirement that VSC-24 casks cannot be unloaded unless COC for cask amended to establish operating controls & limits.
DUMS,D. Citizens' Utility Board. 96/09/30. TAYLOR,J. Ofc of the Executive Director for Operations. 15pp. 91135:339-91135:353.

**9612180096** Responds to ltr dtd 960916 addressed to Chairman Jackson re dry cask storage for spent nuclear fuel.Forwards responses to 15 concerns included in postscript of ltr,summary of enforcement conference held on 960912 & related actions.
MARCUS,G.H. . 96/12/10. SHILLINGLAW,F. Affiliation Not Assigned. 7pp. 91132:064-91132:222.

**9612180217** Ack receipt of 961018 Petition requesting NRC prohibit loading VSC-24s until COC,SAR & SER amends.FRN,SER & other supporting documents encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. SINCLAIR,M.P. Don't Waste Michigan. 5pp. 91155:203-91155:251.

**--9612180239** Notice of receipt of petition for Director's Decision under 10CFR2.206,requesting NRC order all users of VSC-24s to refrain from loading casks until COC,SAR & SER amended to include operating controls & limits to prevent hazards.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/10. 2pp. 91155:208-91155:217.

**9612260306** Requests addl info on fabrication & insp of VSC-24 storage sleeve tubes.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/12/16. MCSHERRY,A.J. Sierra Nuclear, Inc. 1p. 91235:360-91235:360.

**9612200203** Responds to 961109,14 & 1204 ltrs re dry cask storage for spent nuclear fuel.
MARCUS,G.H. . 96/12/18. SHILLINGLAW,F. Affiliation Not Assigned. 5pp. 91181:053-91181:069.

**9612230202** Responds to 961029 ltr to C Paperiello,B Travers & C Haughney.Staff evaluating suggestion re independent review of design of VSC-24 case sys as part of evaluation of 10CFR2.206.
MARCUS,G.H. . 96/12/19. SINCLAIR,M.P. Don't Waste Michigan. 2pp. 91194:093-91194:116.

**--9612230214** Requests NRC request in-depth independent third party review of cask sys by National Association of Corrosion Engineers.
SINCLAIR,M.P. Don't Waste Michigan. 96/10/29. PAPERIELLO,C., TRAVERS,B., HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 13pp. 91194:096-91194:108.

--**9612230230** Forwards petition pursuant to 10CFR2.206 of Commissions regulations.Petition addresses new info on unresolved design problems of VSC-24 cask which became known to public as result of hydrogen ignition at Point Beach on 960528.
ROEMER,E. Don't Waste Michigan. 96/10/18. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91194:109-91194:109.

**DOCKET 72-1008 CASK: HI-STAR 100, HOLTEC INTERNATIONAL**

**9612100181** Forwards Holtec Intl Calculation Rept HI-961554,for info.
TJERSLAND,G.T. Holtec International. 96/10/24. TRAVERS,W.A. Office of Nuclear Material Safety & Safeguards. 1p. 91062:001-91062:001.

**9612100111** Advises that Holtec International Calculation Rept HI-961554 contains proprietary matl.Encl affidavit requests rept be withheld from public disclosure,per 10CFR2.790.
TJERSLAND,G.T. Holtec International. 96/10/29. TRAVERS,W.A. Office of Nuclear Material Safety & Safeguards. 5pp. 91057:067-91057:071.

**9612100129** Advises that Holtec International Calculation Rept HI-961554 contains proprietary matl.Encl affidavit requests rept be withheld from public disclosure.
TJERSLAND,G.T. Holtec International. 96/11/08. TRAVERS,W.A. Office of Nuclear Material Safety & Safeguards. 5pp. 91056:092-91056:096.

**9612100117** Forwards diskettes containing proprietary HI-STAR 100 SAR & topical SAR.W/o diskettes.
TJERSLAND,G.T. Holtec International. 96/11/20. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 91057:072-91057:072.

**DOCKET 72-1013 CASK: NAC STC-26, NAC INTERNATIONAL, INC.**

**9612100145** Provides updated status for NAC Intls planned licensing submittals for NAC MPC Sys for station.
THOMPSON,T.C. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/11/25. MCGINTY,T.J. Office of Nuclear Material Safety & Safeguards. 2pp. 91056:158-91056:159.

**DOCKET 72-1015 CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.**

**9612100145** Provides updated status for NAC Intls planned licensing submittals for NAC MPC Sys for station.
THOMPSON,T.C. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/11/25. MCGINTY,T.J. Office of Nuclear Material Safety & Safeguards. 2pp. 91056:158-91056:159.

**9612230084** Responds to NRC Notice of Nonconformance noted in insp repts 71-0018/96-210 & 72-1015/96-209.Corrective actions:rev of QA Manual & QA Procedures,QA Dept staffing increased,routine comprehensive internal & mgt audits implemented.
DAVIS,E.M. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/12/18. SHANKNAM,S. Office of Nuclear Material Safety & Safeguards. 27pp. 91233:302-91233:329.

**DOCKET 72-1021 CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC.**

**9612270001** Forwards proprietary & nonproprietary Rev 9A to "TN-32 Dry Storage Cask Topical SAR." Proprietary portion withheld.
NEIDER,T. Transnuclear, Inc. 96/12/06. LUSARDI,M. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 91257:001-91258:306.

--**9612270002** Rev 9A to "TN-32 Dry Storage Cask Topical SAR."
* Transnuclear, Inc. 96/12/31. 669pp. 91257:002-91258:306.

**9612110258** Forwards corrected pp to 961107 SER for TN-32 dry cask storage topical SAR,rev 9.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. DAWSON,D.M. Transnuclear, Inc. 10pp. 91087:348-91087:357.

**9612260095** Forwards electronic version of TN-32 Topical SAR.Figures & drawings also encl.W/o encl.
NEIDER,T. Transnuclear, Inc. 96/12/13. LUSARDI,M. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 91238:194-91238:196.

**DOCKET 72-1023 CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.**

**9612100010** Aprroves request to withhold info from public disclosure re detailed drawings for TranStor cask sys.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. MCSHERRY,A.J. Sierra Nuclear, Inc. 2pp. 91057:010-91057:011.

**9612270132** Forwards RAI in order to complete review application & SAR re TranStor storage cask.Response should be provided within 60 days from date of ltr.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/12/17. MCCONAGHY,W.J. Sierra Nuclear, Inc. 47pp. 91252:301-91252:347.

# NONDOCKETED ITEMS

## 10CFR COMMISSION MEETING RECORDS

**9612100110** Staff requirements memo re SECY-96-077, "Certification of Two Evolutionary Designs," Commission approved two rules as contained in SECY-96-077 w/revisions recommended by EDO in several memos to Commission.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/06. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 91049:249-91049:255.

**9612110101** Commission voting record on SECY-96-077 re certification of two evolutionary designs.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/09. 2pp. 91084:263-91084:283.

**9612110233** Staff requirements memo on 961206 Affirmation Session in Rockville,MD re SECY-96-077, "Certification of Two Evolutionary Designs" & SECY-96-237.
HOYLE,J.C. Office of the Secretary of the Commission. M961206B. 96/12/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. CORDES,J.F. Office of Commission Appellate Adjudication (Post 910701). 2pp. 91062:245-91062:246.

**9612110399** Staff requirements memo re, "Briefing by DOE on Intl Nuclear Safety Program on 961121 in Rockville,MD." Commission advised DOE to comply w/listed actions.
HOYLE,J.C. Office of the Secretary of the Commission. M961121A. 96/12/09. Office of the Secretary of the Commission. 1p. 91062:144-91062:144.

**9612120030** Commission voting record on SECY-96-212 re review of DOE proposal for tritium production in commercial LWRs.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/10. 2pp. 91074:336-91074:346.

**9612120242** Staff requirements memo re SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial Light-Water Reactors."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91090:217-91090:217.

**9612120377** Transcript of 961206 public meeting in Rockville,MD re meeting w/ ACRS.Pp 1-73.Supporting documentation encl.
* Commissioners (Post 750119). 96/12/06. 177pp. 91090:042-91090:213.

**9612130027** Transcript of 961206 public meeting in Rockville,MD re affirmation session.Pp 1-5.W/certificate.
* NRC - No Detailed Affiliation Given. 96/12/06. 10pp. 91092:352-91092:360.

**9612170063** Staff requirements memo re briefing on spent fuel pool study held on 961114 in Rockvile,MD.Staff should provide explanation for apparent discrepancy of curve of "hours to boil" versus "days to offload" for outage 3 data,slide 13.
HOYLE,J.C. Office of the Secretary of the Commission. M961114. 96/12/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91124:201-91124:201.

**9612170138** Staff requirements memo re SECY-96-236, "Rulemaking Plan for Amend to 10CFR50.54(t)(p)(3) & 73.55(g)(4),Resolution of VEPCO PRM 50-59 & 50-60 re Program Reviews & Audits for Safeguard Contingency Plans,Emergency Preparedness...."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91132:038-91132:038.

**9612170178** Staff requirements memo re SECY-96-202, "Draft Std Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
HILL,W.M. Office of the Secretary of the Commission. 96/11/19. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 91132:027-91132:029.

**9612170275** Staff requirements memo re SECY-96-222, "Use of Open Enforcement Conferences & Elimination of Certain Provisions for Commission Consultation;Proposed Revs to Enforcement Policy to Address Risk Significant Violations...."
HOYLE,J.C. Office of the Secretary of the Commission. 96/11/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 91132:007-91132:009.

**9612170293** Requests endorsement w/o formal review of proposed generic ltr, "Modification of NRC Staffs Recommendations for Post Accident Sampling Sys."
THADANI,A.C. . TAC M95279. 96/12/10. JORDAN,E.L. Committee to Review Generic Requirements. 18pp. 91124:153-91124:179.

**-9612170309** Staff requirements memo re SECY-93-087.SRM will be issued to staff by COB 930715.
CHILK,S.J. Office of the Secretary of the Commission. 93/07/15. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 4pp. 91124:176-91124:179.

**9612180327** Staff requirements memo re SECY-96-228, "Proposed Agreement Between Commonwealth of Massachusetts & Commission,per Section 274 of AEA of 1954."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 91136:038-91136:039.

**9612180344** Staff requirements memo re SECY-96-206, "Rulemaking Plan for Amends to 10CFR55 to Change Licensed Operator Examination Requirements."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 91132:302-91132:307.

**9612180379** Commission voting record on SECY-96-206 re rulemaking plan for amend to 10CFR55 to change licensed operator exam requirements.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91136:022-91136:037.

**9612190398** Transcript of 961216 public meeting in Rockville,MD re briefing on insp criteria,evolution of assessment & SALP sys.
* Commissioners (Post 750119). 96/12/16. 117pp. 91136:040-91136:159.

**9612240239** Staff requirements memo re SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974,Final Policy Statement." Commission approved publication.
HOYLE,J.C. Office of the Secretary of the Commission. 96/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 91197:353-91197:357.

**9612240240** Staff requirements memo re SECY-96-238, "Proposed Guidance for Correction of TS Typographical Errors."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91197:352-91197:352.

**9612260020** Commission voting record on SECY-96-228 re proposed agreement between Commonwealth of MA & Commission Pursuant to Section 274 of AEA of 1954."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91201:112-91201:122.

**9612260041** Commission voting record on SECY-96-206 re rulemaking plan for amends to 10CFR55 to change licensed operator examination requirements.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91201:096-91201:111.

## ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

**9612110218** Press release 96-181, "NRC ACNW to Meet 970128-30 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/12/10. 1p. 91163:001-91163:001.

**9612260091** Press release 96-189, "NRC Seeks Qualified Candidates for ACNW."
* Office of Public Affairs (Post 911117). 96/12/26. 2pp. 91242:133-91242:134.

## ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

**9612040056** Press release 96-173, "Note to Editors -- ACRS Meetings Scheduled on 961204 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/12/02. 1p. 91050:195-91050:195.

**9612040059** Press release 96-174, "Note to Editors -- ACRS Meeting Scheduled on 961218 & 19 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/12/03. 1p. 91050:194-91050:194.

**9612040071** Forwards comments of D Powers,D Miller & J Barton re DSI-2, "Oversight of DOE."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. DSI-2 00018. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91027:207-91027:212.

**9612040172** Forwards comments by D Miller,D Powers and J Barton on DSI-13, "Role of Industry."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. DSI-13 00013. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91028:009-91028:011.

**9612050074** Press release 96-176, "NRC Seeks Qualified Candidates for ACRS."
* Office of Public Affairs (Post 911117). 96/12/05. 2pp. 91126:314-91126:315.

**9612110376** Transcript of ACRS 437th meeting on 961206 in Rockville,MD. Pp 254-323.
* ACRS - Advisory Committee on Reactor Safeguards. 96/12/06. 97pp. 91086:255-91086:352.

**9612110388** Transcript of ACRS 437th meeting on 961205 in Rockville,MD. Pp 1-253.
* ACRS - Advisory Committee on Reactor Safeguards. 96/12/05. 347pp. 91087:001-91087:347.

**9612110391** Transcript of ACRS Human Factors Subcommittee meeting on 961203 in Rockville,MD.Pp 1-210.
* ACRS - Advisory Committee on Reactor Safeguards. 96/12/03. 246pp. 91086:009-91086:254.

**9612110401** Transcript of ACRS Westinghouse Std Plant Designs Subcommittee meeting on 961204 in Rockville,MD.Pp 1-182.
* ACRS - Advisory Committee on Reactor Safeguards. 96/12/04. 327pp. 91088:001-91088:327.

**9612120377** Transcript of 961206 public meeting in Rockville,MD re meeting w/ ACRS.Pp 1-73.Supporting documentation encl.
* Commissioners (Post 750119). 96/12/06. 177pp. 91090:042-91090:213.

**9612190416** Forwards "AP600 Test Program Overview," per ACRS request.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4901. 96/12/06. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 91165:001-91165:354.

**9612240134** Expresses most sincere appreciation for significant contributions to safety & regulation of nuclear power program in United States as Catton leaves Advisory Committee on Reactor Safeguards.
THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 96/12/06. CATTON,I. ACRS - Advisory Committee on Reactor Safeguards. 1p. 91197:358-91197:358.

**9612260087** Press release 96-188, "Note to Editors -- ACRS Meeting."
* Office of Public Affairs (Post 911117). 96/12/24. 1p. 91242:132-91242:132.

**9612260280** Summary of ACRS 437th staff meeting on 961205-07 re proposed GLs,bulletins & info requests issued per 10CFR50.54(f) by staff on expedited basis.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/12/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91242:142-91242:142.

**9612270020** Transcript of ACRS Thermal Hydraulic Phenomena Subcommittee Meeting in Rockville,MD on 961219.Pp 593-663.Closed pages 410-592.
* ACRS - Advisory Committee on Reactor Safeguards. 96/12/19. 77pp. 91247:247-91247:323.

**9612270038** Transcript of ACRS Thermal Hydraulic Phenomena Subcommittee Meeting in Rockville,MD on 961218.Pp 1-26.Closed Pp 27-409.
* ACRS - Advisory Committee on Reactor Safeguards. 96/12/18. 33pp. 91255:160-91255:192.

**ADVCM NRC ADVISORY COMMITTEE**

**9612100279** Forwards ACMUI comments on DSI-12 re risk-informed, performance-based regulation.
JACKSON,J.M. Ofc of the Executive Director for Operations. DSI-12 00036. 96/12/04. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. 91084:335-91084:343.

**9612110041** Forwards ACMUI comments on DSI-7 re strategic assessment & DSI papers from meeting held on 961114-15.
TAYLOR,J.M. Ofc of the Executive Director for Operations. DSI-7 00040. 96/12/04. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 1p. 91119:088-91119:088.

**--9612100041** Provides ACMUI comments on strategic assessment & direction setting issues papers for submission to Commission prior to end of comment period on 961202.
STITT,J.A. Advisory Committee on Medical Uses of Isotopes. DSI-7 00040. 96/11/26. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 8pp. 91119:089-91119:096.

**9612110218** Press release 96-181, "NRC ACNW to Meet 970128-30 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/12/10. 1p. 91163:001-91163:001.

**9612260091** Press release 96-189, "NRC Seeks Qualified Candidates for ACNW."
* Office of Public Affairs (Post 911117). 96/12/26. 2pp. 91242:133-91242:134.

**COMMISSION NRC COMMISSIONERS**

**9609180322** Provides results of broad-based FSAR insps & discusses significance of identified discrepancies.Also describes short-term & long-term planned improvements,as well as licensee actions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/17. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 46pp. 90974:266-90974:311.

**9612040067** S-96-26 "Remarks to All NRC Employees by SA Jackson,Chairman US NRC on 961202."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. 19pp. 91119:020-91119:038.

**9612040185** Forwards NEI guidance on 10CFR50.54(F) re info on adequacy & availabilty of design basis info.NEI guidance encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/02. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 91007:001-91007:011.

**--9612040287** "Industry Guidance for Responding to NRC Request for Information under 10CFR50.54(F) Regarding Adequacy & Availability of Design Bases Info."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/11/26. 9pp. 91007:003-91007:011.

**9612040277** SECY-96-243 Weekly info rept for wk ending 961122.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/11/27. 23pp. 91027:176-91027:198.

**9612050008** Responds to 960718 ltr re NRC conduct of investigation in New York State.Info provided highlights need to consider addl NRC procedures in subj area.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/19. SWEENEY,J.E. Labor, Dept. of. 2pp. 91019:231-91019:234.

**--9612050012** Ack receipt of 960603 ltr responding to 960419 ltr re investigation conducted by NRC in New York State w/o knowledge or consent of agency.
SWEENEY,J.E. Labor, Dept. of. 96/07/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91019:233-91019:234.

**9612050018** Responds to 960621 memo re implementation of family-friendly work arrangements & forwards copy of rept using guidelines provided in presidential memo.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/18. RASCO,C.H., KAMARCK,E. President of U.S. & Executive Offices. 18pp. 91017:344-91017:361.

**9612050023** Ack receipt of 961104 ltr forwarding 961101 ltr to Nuclear Energy Inst member chief executive officers.Chairman would like to also offer regulator perspective on points raised.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/20. COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 91019:226-91019:230.

**--9612050031** Discusses attached ltr to util CEOs encouraging them to foster dialogue w/NRC Commissioners & Senior Mgt.
COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/11/04. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 91019:228-91019:230.

**9612050032** Ack receipt of 961011 ltr inviting NRC to become member of OECD Nuclear Energy Agency Info Sys on Occupational Exposure.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/27. THOMPSON,S. France. 1p. 91017:316-91017:343.

**--9612050035** Extends invitation for NRC to become member of OECD Nuclear Energy Agency Info Sys on Occupational Exposure.
THOMPSON,S. France. EN/S/4104. 96/10/11. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 27pp. 91017:317-91017:343.

**9612050041** Responds to 960906 & 12 ltrs re concerns about NRC plans to conduct fewer insps at plant & other facilities.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/14. KERRY,J.F. Senate. 5pp. 91019:113-91019:192.

**--9612050045** Submits concerns of NRC reduction of insps at New Hampshire plant despite recent operational & safety violations at several NPPs in New England.
KERRY,J.F. Senate. 96/09/06. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91019:191-91019:191.

**--9612050046** Discusses new & apparently lower stds of NRC for maint of NPPs & safety risks that accompany so-called on-line maint practices that maint stds permit.
KERRY,J.F. Senate. 96/09/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91019:192-91019:192.

**9612050081** Ack receipt of 960927 ltr expressing concern about NRC policy to discontinue funding for Agreement State training. NRC strategic assessment & rebaselining effort in which Agreement State training being addressed discussed.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/25. SKEEN,J. House of Rep. 29pp. 91018:001-91019:112.

**9612050081** Ack receipt of 960927 ltr expressing concern about NRC policy to discontinue funding for Agreement State training. NRC strategic assessment & rebaselining effort in which Agreement State training being addressed discussed.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/25. SKEEN,J. House of Rep. 5pp. 91126:096-91126:105.

**--9612160251** Accepts OGC & OC interpretation re Congressman Skeen ltr.
JORDAN,E. NRC - No Detailed Affiliation Given. 96/10/24. BANGART,R.L. NRC - No Detailed Affiliation Given. 4pp. 91126:101-91126:104.

**--9612160254** Discusses NRC mandating Congress to be entirely self- supporting.
SKEEN,J. House of Rep. 96/09/27. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91126:105-91126:105.

**9612060159** Submits comments from review of SP-96-095 that transmitted document, "Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility...."
MOBLEY,M.H. Tennessee, State of. SP-96-095. 96/11/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 91024:192-91024:196.

**9612100234** Forwards ltr from M Weidler,Secretary of NM Environ Dept expressing concern about NRC recent decision to charge states for training regulatory staff in state regulatory program per DSI-4.
SCHIFF,S.H. House of Rep. DSI-4 00044. 96/10/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91085:337-91085:338.

**9612100239** Forwards ltr from ME Weidler,Secretary of NM Environ Dept re Agreement States Program (DSI-4) for response.
RICHARDSON,B. House of Rep. DSI-4 00045. 96/10/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91085:332-91085:333.

**9612110101** Commission voting record on SECY-96-077 re certification of two evolutionary designs.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/09. 2pp. 91084:263-91084:283.

**--9612110107** Affirmation vote approving w/comments SECY-96-077, "Certification of Two Evolutionary Designs."
THE CHAIRMAN,, JACKSON,S.A. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91084:265-91084:271.

**--9612110112** Affirmation vote approving w/comments SECY-96-077, "Certification of Two Evolutionary designs."
ROGERS,K.C., DICUS,G.J. Commissioners (Post 750119). 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:272-91084:275.

**--9612110120** Affirmation vote approving w/comments SECY-96-077, "Certification of Two Evolutionary Designs."
DIAZ,N.J. Commissioners (Post 750119). 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:276-91084:279.

**--9612110132** Affirmation vote approving w/comments SECY-96-077, "Certification of Two Evolutionary Designs."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91084:280-91084:283.

**9612110194** SECY-96-246 Weekly info rept for wk ending 961129.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/12/04. 15pp. 91119:313-91119:327.

**9612110292** "Talking Final Steps in Promulgating Defensible Deactivation,Decontamination & Decommissioning Regulatory Regime," by SA Jackson,Chairman US NRC.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/10. 7pp. 91163:002-91163:008.

**9612120030** Commission voting record on SECY-96-212 re review of DOE proposal for tritium production in commercial LWRs.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/10. 2pp. 91074:336-91074:346.

**--9612120034** Notation vote approving w/comments SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91074:338-91074:339.

**--9612120037** Notation vote approving SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
ROGERS,K.C. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91074:340-91074:340.

**--9612120040** Notation vote approving SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
DICUS,G.J. Commissioners (Post 750119). 96/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91074:341-91074:341.

**--9612120046** Notation vote approving SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
DIAZ,N.J. Commissioners (Post 750119). 96/10/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91074:342-91074:342.

**--9612120050** Notation vote approving & disapproving in part SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91074:343-91074:346.

**9612120315** Informs of nomination of NRC School Volunteers Program for 1997 Public Svc Excellence Award Program.Nomination package encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/04. RIGHT,J. . 18pp. 91074:259-91074:296.

**-9612120323** Expresses appreciation for hosting seminar for teachers through Montgomery Education Connection Science & Technology Program for educators.
VANCE,P.L. Montgomery County, MD. 96/07/31. LANDAU,M. NRC - No Detailed Affiliation Given. 1p. 91074:277-91074:277.

**-9612120329** Expresses appreciation for continued support in finding mentors to enable Mentor Program to thrive & students to succeed.
SHEVITZ,B. Montgomery County, MD. 95/06/25. LANDAU,M. Office of Public Affairs (Post 911117). 5pp. 91074:278-91074:278.

**-9612120459** Expresses appreciation for info submitted re Vogtle plant.
SAVAGE,J. Affiliation Not Assigned. 96/12/04. HANNAH NRC - No Detailed Affiliation Given. 1p. 91074:279-91074:279.

**-9612120465** Expresses appreciation for time taken to explain Science in area of friction.
MATTHEW Affiliation Not Assigned. 93/11/09. GRIGGS, WILFORD, MILLER NRC - No Detailed Affiliation Given. 1p. 91074:280-91074:280.

**-9612120475** Expresses appreciation for support received during last two years re annual Career Day participation.
FISHMAN,R. Montgomery County, MD. 95/11/16. BEECHER NRC - No Detailed Affiliation Given. 1p. 91074:281-91074:281.

**-9612120478** Expresses appreciation for assistance provided as Mentor during 1996 Woodfield Elementary School Science EXPO.
BAYLOR,R.G. Montgomery County, MD. 96/03/04. KOKAJKO, NRC - No Detailed Affiliation Given. 1p. 91074:282-91074:282.

**-9612120352** Expresses appreciation for providing judging svcs &/or special awards for 49th Annual District of Columbia Secondary Science Fair on 950317-19.
CASH,E.E. Affiliation Not Assigned. 95/04/18. LANDAU,M. Office of Public Affairs (Post 911117). 1p. 91074:283-91074:283.

**-9612120364** Expresses appreciation for organizing & presenting activities including "Handle W/Care" & "Sit Up & Listen" at Montgomery County Technology Education Teacher training on 950124.
BURKE,B.N. Montgomery County, MD. 95/02/23. LANDAU,M. NRC - No Detailed Affiliation Given. 1p. 91074:284-91074:284.

**-9612120500** Informs of awards won due to support of recipient during Montgomery Area Science Fair.
HARLAN,N.P. Affiliation Not Assigned. 94/04/18. LANDAU NRC - No Detailed Affiliation Given. 1p. 91074:285-91074:285.

**-9612120503** Expresses appreciation for working w/students & teachers to create Visiting Scientist Program.
BARRETT,R.C. Montgomery County, MD. 94/06/29. LANDAU,M. NRC - No Detailed Affiliation Given. 1p. 91074:286-91074:286.

**-9612120506** Expresses appreciation for Career Day participation.
FISHMAN,R. Montgomery County, MD. 96/07/15. LANDAU,M. Office of Public Affairs (Post 911117). 1p. 91074:287-91074:287.

**-9612120510** Forwards thank you notes from students to participants that worked w/ students that participated in bi-annual Science Fair.
SHOW,K., DEAN,A. Montgomery County, MD. 94/04/27. LANDAU NRC - No Detailed Affiliation Given. 1p. 91074:288-91074:288.

**-9612120512** Expresses appreciation for help provided at Science Fair.
SCHULTZ,C. Affiliation Not Assigned. 94/04/18. ALBRIGHT NRC - No Detailed Affiliation Given. 1p. 91074:289-91074:290.

**-9612120513** Expresses appreciation for help w/Science Fair project.
HAMMOND,B. Affiliation Not Assigned. 94/04/18. ABRAMSON NRC - No Detailed Affiliation Given. 1p. 91074:291-91074:292.

**-9612120514** Expresses appreciation for NRC invitation to visit facility to present Science Fair project.
VOGEL,S.C. Affiliation Not Assigned. 96/07/15. LANDAU,M. NRC - No Detailed Affiliation Given. 4pp. 91074:293-91074:296.

**9612120334** Provides update on NRC efforts at util re significant activities after 960618 status rept.Confirmatory order, special team insp rept & plant restart assessment plan not encl.
THE CHAIRMAN Commissioners (Post 750119). 96/12/02. LIEBERMAN,J.I. Senate. 4pp. 91090:218-91090:221.

**9612120425** Provides update on NRC efforts re listed plants & informs of several significant activities initiated since last status rept of 960618.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. DODD,C.J. Senate. 4pp. 91074:347-91074:350.

**9612120429** Forwards quarterly rept on "Nondisclosure of Safeguards Info," beginning 960701 & extending thru 960930.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. GORE,A. Senate. GINGRICH,N. House of Rep. 12pp. 91075:001-91075:012.

**9612130050** Forwards update on NRC efforts at Northest Util Millstone & Haddam Neck facilities.Confirmatory Order dtd 960814,Special Team Insp Rept dtd 960920 & Millstone Station Restart Assessment Plan encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. GEJDENSON,S. House of Rep. 4pp. 91093:178-91093:339.

**-9612130066** Insp repts 50-336/96-201 & 50-423/96-201 on 960311-29 & 960512-22.Violations noted.Major areas insp:licensees ability to identify & resolve technical issues,AFW sys,SW sys & emergency power sys.
* . 50-423/96-201. 96/09/30. 105pp. 91093:203-91093:339.

**9612130284** S-96-28 "Talking Points Industry Restructuring & NRC," by SA Jackson Chairman NRC to Washington Intl Energy Group 961211.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/11. 9pp.

**9612160072** First partial response to FOIA request for documents. Forwards documents listed in App A & B.Portions of App B documents withheld in part (ref FOIA Exemption 4).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/12/09. HUNG,Y.T. Affiliation Not Assigned. 4pp. 91097:161-91097:172.

**-9612160093** Discusses nuclear power plant award given to GE in Taiwain.
SPECKER,S.R. General Electric Co. 96/06/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91097:169-91097:169.

**9612170049** Notation vote approving SECY-96-202, "Draft Std Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
ROGERS,K.C. Commissioners (Post 750119). 96/09/27. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91132:056-91132:056.

**9612170076** Notation vote approving w/comments SECY-96-202, "Draft Standard Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/10/22. HOYLE,J.C. Office of the Secretary of the Commission. 19pp. 91131:300-91131:318.

**9612170080** Notation note approving w/one exception & comments, SECY-96-222, "Use of open predecisional enforcement conferences & elimination of certain provisions for Commission consultation."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/05. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91124:191-91124:196.

**9612170087** Notation note approving w/comments,SECY 96-222, "Use of Open Predecisional Enforcement Conferences & Elimination of Certain Provisions for Commission Consulation."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/11/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91124:188-91124:190.

**9612170088** Notation vote approving w/comments SECY-96-222, "Use of Open Predecisional Enforcement Conference & Elimination of Certain Provisions for Commission Consultation."
ROGERS,K.C. Commissioners (Post 750119). 96/11/01. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91132:046-91132:047.

**9612170094** Affirmation vote approving w/comments SECY-96-222, "Use of Open Predecisional Enforcement Conferences & Elimination of Certain Provisions for Commission Consultation;Proposed Revs to Enforcement Policy to Address Risk...."
DIAZ Commissioners (Post 750119). 96/10/31. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91124:187-91124:187.

**9612170095** Notation vote approving w/comments SECY-96-202, "Draft Std Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
DIAZ,L.G. Commissioners (Post 750119). 96/10/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91132:045-91132:045.

**9612170097** Affirmation vote approving w/comments SECY-96-222, "Use of Open Predecisional Enforcement Conferences & Elimination of Certain Provisions for Commission Consultation;Proposed Revs to Enforcement Policy to Address Risk . . .."
DICUS,G.J. Commissioners (Post 750119). 96/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91124:186-91124:186.

**9612170100** Responds to 961009 ltr re concern of NRC oversight at plant & independent correction action verification program imposed at plant by 960814 NRC order.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/09. Affiliation Not Assigned. 2pp. 91131:274-91131:299.

**-9612170108** Makes proposal to NRC re need for independent review of licensee operations of plant to verify adequacy of licensee efforts.
* Affiliation Not Assigned. 96/10/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 12pp. 91131:276-91131:299.

**9612170124** Responds to 961008 ltr re Natl Academy of Sciences,Inst rept entitled, "Radiation in Medicine:Need for Regulatory Reform."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/06. FAIRCLOTH,L. Senate, Environment & Public Works. 257pp. 91130:001-91130:261.

**-9612170131** Discusses Natl Academy of Sciences-Inst of Medicine rept entitled, "Radiation in Medicine,Need for Regulatory Reform."
FAIRCLOTH,L. Senate. 96/10/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 91130:259-91130:261.

**9612170133** Notation vote approving w/comments,SECY-96-202, "Draft Std Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/10/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91132:039-91132:039.

**9612170220** Responds to 960904,13,25 & 1007 & 14 ltrs re concerns at plant about conformance w/TMI action plan items II.K.3.30 & II.K.3.31,competence & integrity questions about nonconformance w/items.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/05. MYERS,H.R. Affiliation Not Assigned. 2pp. 91131:102-91131:222.

**-9612170294** Refers to 960814 ltr re requests that NRC address questions about position w/respect to MYAP noncompliance w/SBLOCA requirements & questions.Urges NRC to address whether MYAP compliance level diminished to dangerous level.
MYERS,H.R. Affiliation Not Assigned. 96/09/04. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:214-91131:215.

**-9612170310** Requests that NRC,in deciding upon response to findings of MYAP Independent Special Assessment & other recent inquiries,consider whether MYAP mgt satsifies NRC requirements pertaining to required licensee qualifications.
MYERS,H.R. Affiliation Not Assigned. 96/09/13. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:216-91131:217.

**-9612170321** Discusses 960920 statement issued by J McCloskey,ack receipt of NRC rept re plant.Rept contains findings of NRC OI WRT inquiry into items pertaining to plant noncompliance w/TMI action plan items II.K.3.30 & II.K.3.31.
MYERS,H.R. Affiliation Not Assigned. 96/09/25. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:218-91131:219.

--9612170345 Refers to 960913 & 960916 ltrs re noncomplying conditions discovered in recent monthes at MYAP.Conditions raise questions as to whether,overall,MYAP in substantial compliance w/NRC regulations assuring low radiological risk.
MYERS,H.R. Affiliation Not Assigned. 96/10/07. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 1p. 91131:220-91131:220.

--9612170353 Refers to 961007 ltr from S Jackson to C Frizzle.Statement made by S Jackson which states, "Overall Performance at MYAP Considered Adequate for Operation," discussed.
MYERS,H.R. Affiliation Not Assigned. 96/10/14. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91131:221-91131:222.

9612170271 Notation vote approving w/o comments,SECY-96-202, "Draft Std Review Plan on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
DICUS,G.J. Commissioners (Post 750119). 96/10/01. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91132:010-91132:010.

9612170316 SECY-96-250 Weekly info rept for wk ending 961206.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/12/11. 23pp. 91130:262-91130:284.

9612180008 Conveys best wishes to H Nakagawa in new endeavors.Role of transparency & public participation & importance in helping to build confidence in regulatory process discussed.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/10. NAKAGAWA,H. Japan. 1p. 91233:025-91233:026.

--9612230167 Informs that left office of Minister of State for Science & Technology on 961107 for reorganization of Cabinet following recent general election.Wish to express sincere gratitude for strong leadership & significant contributions.
NAKAGAWA,H. Japan. 96/11/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91233:026-91233:026.

9612180251 Forwards annual rept of NRC OE,prepared IAW recommendation II.G-2 of NUREG-1525 & SECY-95-084.Staff intends to better integrate enforcement findings w/NRC insp & other regulatory efforts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/16. THE CHAIRMAN, JACKSON,S.A., ROGERS Commissioners (Post 750119). 1p. 91135:180-91135:279.

--9612190178 "Ofc of Enforcement Annual Rept,FY96."
* Ofc of Enforcement (Post 870413). 96/12/16. 98pp. 91135:181-91135:279.

9612180379 Commission voting record on SECY-96-206 re rulemaking plan for amend to 10CFR55 to change licensed operator exam requirements.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91136:022-91136:037.

--9612180386 Notation vote approving w/comments,SECY-96-206, "Rulemaking Plan for Amend to 10CFR55 to Change Licensed Operator Exam Requirements."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/10/18. HOYLE,J.C Office of the Secretary of the Commission. 2pp. 91136:024-91136:025.

--9612180391 Notation vote approving w/comments,SECY-96-206, "Rulemaking Plan for Amend to 10CFR55 to Change Licensed Operator Exam Requirements."
ROGERS Commissioners (Post 750119). 96/10/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91136:026-91136:027.

--9612180401 Notation vote approving w/comments,SECY-96-206, "Rulemaking Plan for 10CFR55 to Change Licensed Operator Exam Requirements."
DICUS Commissioners (Post 750119). 96/10/31. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91136:028-91136:030.

--9612180403 Notation vote,approving w/comments,SECY-96-206, "Rulemaking Plan for Amend to 10CFR55 to Change Licensed Operator Exam Requirements."
MCGAFFIGAN Commissioners (Post 750119). 96/10/29. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91136:031-91136:037.

9612190358 Responds to 961021 ltr re concerns about bias potentially evidencing within Independent Corrective Action Verification Program team.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/10. DODD,C.J. Senate. 2pp. 91137:063-91137:075.

--9612190362 Discusses 961009 ltr received from Citizens Regulatory Commission re Independent Corrective Action Verification Plan & concerns of possible bias.
DODD,C.J. Senate. 96/10/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91137:068-91137:075.

9612230031 Ack 960729 ltr re several recent incidents in which individuals accidentally exposed to one or more transuranium elements.NRC satisfied all Agreement State have available to them info needed to rept matls events.
DICUS,G.J. Commissioners (Post 750119). 96/12/12. KATHREN,R.L. Washington State Univ., Pullman, WA. 3pp. 91194:281-91194:283.

9612230115 SECY-96-257 Weekly info rept for wk ending 961213.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/12/18. 22pp. 91262:001-91262:022.

9612230208 Responds to 960916 ltr describing recent discussions w/NRC staff re elimination of dual regulation at U mill sites in Utah.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/13. NIELSON,D.R. Utah, State of. 10pp. 91194:293-91194:308.

9612230208 Responds to 960916 ltr describing recent discussions w/NRC staff re elimination of dual regulation at U mill sites in Utah.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/13. NIELSON,D.R. Utah, State of. 31pp. 91232:129-91232:167.

--9612270047 Informs that Ofc of State Program concurs on ltr to D Nielson,per conversation.
BANGART,R. NRC - No Detailed Affiliation Given. 96/10/30. FONTANA,M.H. NRC - No Detailed Affiliation Given. 1p. 91232:166-91232:166.

--9612270051 Informs that prior concurrence is still good re response to revised ltr to D Nielson.
FONNER,R. NRC - No Detailed Affiliation Given. 96/10/28. FONTANA,M.H. NRC - No Detailed Affiliation Given. 1p. 91232:167-91232:167.

9612230244 Expresses appreciation for 961031 ltr notifying NRC of two DOE licensing submittals.Ltr forwarded to NRC staff reviewing applications & notification of results will be sent to DOE Assistant Secretary for Environ Mgt.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/12. O'LEARY,H. Energy, Dept. of. 1p. 91194:314-91194:316.

--9612230251 Informs of licensing submittal for transfer of license & new application for licensing of spent fuel storage.
O'LEARY,H. Energy, Dept. of. 96/10/31. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91194:315-91194:316.

9612240088 Responds to ltr dtd 961022 re Independent Corrective Action Verification Program imposed at Millstone by NRC order of 960814.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/16. CONCANNON,T., WOOLLACOTT,E.W. Connecticut, State of. 6pp. 91193:244-91193:250.

--9612240109 Ack receipt of 961010 ltr re independent corrective action verification program.
WOOLLACOTT,E.W., CONCANNON,T. Connecticut, State of. 96/10/22. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91193:250-91193:250.

9612240134 Expresses most sincere appreciation for significant contributions to safety & regulation of nuclear power program in United States as Catton leaves Advisory Committee on Reactor Safeguards.
THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 96/12/06. CATTON,I. ACRS - Advisory Committee on Reactor Safeguards. 1p. 91197:358-91197:358.

9612240268 Responds to 960903 ltr setting forth views re treatment of margin in Commission regulatory activities.Informs that Commission has initiative underway that is,reexamining current practices relating to maintenance of margin.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/16. ROSSIN,A.D. Stanford Univ., Stanford, CA. 5pp. 91197:344-91197:350.

--9612240273 Submits concerns expressed in crowd at recent ANS meeting re margin as used in regulatory sense.
ROSSIN,A.D. Stanford Univ., Stanford, CA. 96/09/03. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91197:348-91197:350.

9612260002 Notation vote approving w/comments,SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 108 Energy Reorganization Act of 1974,Final Policy Statement."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:127-91201:128.

9612260003 Notation vote approving w/comment,SECY 96-193, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974,Final Policy Statement."
DIAZ,N.J. Commissioners (Post 750119). 96/10/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:126-91201:126.

9612260004 Notation vote approving SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Final Policy Statement."
ROGERS,K.C. Commissioners (Post 750119). 96/09/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:125-91201:125.

9612260005 Notation vote approving SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 208 of Energy Reorganization Act of 1974;Final Policy Statement."
DICUS,G.J. Commissioners (Post 750119). 96/10/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:095-91201:095.

9612260006 Notation vote approving w/comments,SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974,Final Policy Statement."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:123-91201:124.

9612260020 Commission voting record on SECY-96-228 re proposed agreement between Commonwealth of MA & Commission Pursuant to Section 274 of AEA of 1954."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91201:112-91201:122.

--9612260022 Notation vote approving w/comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of Atomic Energy Act of 1954."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/25. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:114-91201:115.

--9612260025 Notation vote disapproving w/comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of AEA of 1954."
ROGERS,K.C. Commissioners (Post 750119). 96/11/25. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:116-91201:116.

--9612260029 Notation vote approving w/o comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of Atomic Energy Act of 1954."
DICUS,G.J. Commissioners (Post 750119). 96/11/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:117-91201:117.

--9612260034 Notation vote approving w/comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of Atomic Energy Act of 1954."
DIAZ,N.J. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:118-91201:118.

--9612260037 Notation vote approving w/comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of Atomic Energy Act of 1954."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:119-91201:122.

**9612260041** Commission voting record on SECY-96-206 re rulemaking plan for amends to 10CFR55 to change licensed operator examination requirements.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91201:096-91201:111.

**–9612260045** Notation vote disapproving w/comments SECY-96-206, "Rulemaking Plan for Amends to 10CFR55 to Change Licensed Operator Exam Requirements."
DIAZ,N.G. Commissioners (Post 750119). 96/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:103-91201:111.

**CONTRACT NRC CONTRACTS AND MODIFICATIONS**

**9612020156** Ltr contract,mod 3 to task order 2 under contract NRC-04-95-047.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-95-047. 96/11/29. COLINA,I. Science & Engineering Associates, Inc. 1p. 90974:358-90974:358.

**9612020176** Mod 7 to grant NRC-G-04-93-087.
LOWMAN,R.P. North Carolina, Univ. of, Chapel Hill, NC. WIGGINS,E. Division of Contracts (Post 940714). 96/11/27. 1p. 90974:357-90974:357.

**9612030003** Mod 10 to contract NRC-33-94-188.
IGLESIAS,D.A. Small Business Administration. IGLESIAS,D.A. Pulsar Data Systems, Inc. MATTIA,M. Division of Contracts (Post 940714). 96/11/22. 3pp. 90980:331-90980:333.

**9612030233** Mod 14 to contract NRC-04-92-048.
EASOON,E.D. Modeling & Computer Services. MACE,M. Division of Contracts (Post 940714). 96/11/25. 2pp.. 90980:334-90980:335.

**9612040004** Mod 15 to contract NRC-08-92-372.
SPRAGUE,B. State, Dept. of. MACE,M.H. Division of Contracts (Post 940714). NRC-08-92-372. 96/11/21. 2pp. 91007:280-91007:281.

**9612040006** Mod 14 to contract NRC-04-94-043.
BELLAMY-GRAHAM Small Business Administration. * Affiliation Not Assigned. MACE,M. Division of Contracts (Post 940714). 96/11/08. 3pp. 91007:282-91007:284.

**9612040007** Ltr contract,Mod 9,increasing funds,to "Protection of Safety Equipment Against Malevolent Use of Vehicles."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-021. FIN J-2064. 96/11/22. THEDENS,R. Army, Dept. of, Corps of Engineers. 3pp. 91007:285-91007:287.

**9612040011** Mod 3 to contract NRC-26-95-273.
* Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). 96/12/02. 2pp. 91004:356-91004:358.

**–9612040019** Discusses paragraph H.3(b & c) of contract NRC-26-95-273. Resume of George forwarded for review & approval.W/o encl.
SHIPLEY,T.E. Affiliation Not Assigned. NRC-26-95-273. 96/11/18. MATTIA,M.J. Division of Contracts (Post 940714). 1p. 91004:358-91004:358.

**9612040084** Mod 6 to grant NRC-G-04-92-117.
WESTBROOK,D.P. National Academy of Sciences. WIGGINS,E. Division of Contracts (Post 940714). 96/11/26. 1p. 91005:357-91005:357.

**9612050004** Mod 12 to contract NRC-02-95-003.
* Science Applications International Corp. (formerly Science Applications, Inc.). WIGGINS,E.J. Division of Contracts (Post 940714). 96/12/03. 2pp. 91019:235-91019:236.

**9612050027** Mod 6 to contract NRC-10-93-126.
* Hemer & Co. WIGGINS,E.J. Division of Contracts (Post 940714). 96/12/03. 2pp. 91019:237-91019:238.

**9612060300** Mod 1 to task order 60, "Human Factors Info Sys for Windows Detailed Requirements Analysis & Sys Design," under Contract NRC-03-93-036.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. FIN J-2015-6. 96/11/25. COLINA,I. Science & Engineering Associates, Inc. 2pp. 91031:149-91031:150.

**9612060305** Mod 3 to contract NRC-10-96-158.
HOLLINGSWORTH Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-96-158. FIN D-2412. 96/11/27. 2pp. 91031:147-91031:148.

**9612060309** Mod 1 to contract NRC-04-96-058.
* Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). NRC-04-96-058. FIN W-6642. 96/12/05. 2pp. 91031:145-91031:146.

**9612090070** Mod 11 to contract NRC-33-94-188.
* Small Business Administration. * Pulsar Data Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/12/05. 2pp. 91040:013-91040:014.

**9612090241** Mod 20 to contract NRC-33-93-191.
* Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). 96/12/05. 2pp. 91040:103-91040:104.

**9612090248** Mod 1 to contract NRC-04-96-044.
ZAHIRIEH,S. Small Business Administration. ECK,P.M. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 96/11/26. 3pp. 91040:015-91040:017.

**9612090250** Final response to FOIA request for documents.Records in app A encl & will be available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/11/25. TAU,S.J. Affiliation Not Assigned. 3pp. 91066:001-91068:146.

**–9612090264** Mod 5 to contract NRC-33-93-201.
SHRIVASTAVA,S. Anstec, Inc. NRC-33-93-201. 94/02/10. 310pp. 91066:007-91066:287.

**9612090258** Mod 2 to contract NRC-26-96-262.
* General Electric Co. MATTIA,M.J. Division of Contracts (Post 940714). 96/12/05. 2pp. 91040:018-91040:019.

**9612090261** Ltr contract:mod 2 to task order 1, "Workshop on Radioactive Materials Regulation," under contract NRC-02-96-002.
MEARSE,S.D. Division of Contracts (Post 940714). FIN R-94096. NRC-02-96-002. 96/11/21. RUFFIN,S.R. . 2pp. 91040:020-91040:021.

**9612100112** Mod 5 to contract NRC-38-95-281.
SWIRCHAK,J. Bernard Hodes Advertising. WIGGINS,E.J. Division of Contracts (Post 940714). 96/12/06. 3pp. 91049:246-91049:248.

**9612100221** Ltr contract:task order 109 under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2407-7. 96/12/02. LOFY,R.A. PARAMETER, Inc. 6pp. 91053:201-91053:206.

**9612100283** Mod 08 to contract NRC-34-95-302.
* . HALMAN,E.L. Division of Contracts (Post 940714). 96/12/09. 2pp. 91061:344-91061:345.

**9612110321** Mod 2 to contract NRC-38-96-285.
LYNCH,J.C. . WIGGINS,E.J. Division of Contracts (Post 940714). FIN T-8410. 96/11/30. 6pp. 91062:239-91062:244.

**9612110337** Ltr contract:mod 4 to task order 100 under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2407-7. 96/12/02. LOFY,R.A. PARAMETER, Inc. 2pp. 91062:237-91062:238.

**9612130065** Ltr contract,mod 1 to task order 302 to NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN W-6618. 96/12/06. KNIGHT,D. SCIENTECH, Inc. 1p. 91100:221-91100:221.

**9612130078** Ltr contact,task order 86 to contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. J-2407-7. 96/12/11. LOFY,R.A. PARAMETER, Inc. 2pp. 91093:352-91093:353.

**9612130082** Ltr contract:mod 3 to task order 104 under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN J-2391-7. 96/12/06. KNIGHT,D. SCIENTECH, Inc. 1p. 91093:354-91093:354.

**9612130086** Ltr contract:mod 4 to task order 103 under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN J-2311-7. 96/12/06. KNIGHT,D. SCIENTECH, Inc. 1p. 91093:351-91093:351.

**9612130125** Mod 5 to contract NRC-33-96-194.
GILL,E.P. Small Business Administration. * . MATTIA,M.J. Division of Contracts (Post 940714). 96/12/10. 2pp. 91093:340-91093:341.

**9612160075** Mod 4 to contract NRC-06-96-300.
* Small Business Administration. MUNOZ,M. Affiliation Not Assigned. WIGGING,E. Division of Contracts (Post 940714). 96/12/04. 4pp. 91101:196-91101:199.

**9612170073** Ltr contract,mod 1 to task order 8, "Further Phenomenological Review," under contract NRC-04-92-045.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-92-045. 96/12/13. KHATIB-RAHBAR Energy Research, Inc. 1p. 91124:200-91124:200.

**9612170115** Mod 7 to contract NRC-38-94-281.
* . * Division of Contracts (Post 940714). FIN A-8430. 96/12/13. 2pp. 91132:040-91132:041.

**9612170136** Ltr contract,task order 110, "Salem SSFI Insp Docket 50-311," under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2407-7. 96/12/10. LOFY,R.A. PARAMETER, Inc. 6pp. 91131:343-91131:348.

**9612170141** Mod 3 to grant NRC-G-04-94-091.
KILLOREN,R. Pennsylvania State Univ., University Park, PA. WIGGINS,E. Division of Contracts (Post 940714). 96/12/10. 1p. 91131:342-91131:342.

**9612170195** Mod 3 to grant NRC-G-04-94-089.
KILLOREN,R. Pennsylvania State Univ., University Park, PA. WIGGINS,E. Division of Contracts (Post 940714). 96/12/10. 1p. 91132:011-91132:011.

**9612180064** Mod 11 to contract NRC-10-92-168.
* Tracor Technology Resources, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-92-168. 96/12/03. 2pp. 91132:224-91132:225.

**9612180066** Ltr contract:mod 1 to task order 7 under contract NRC-02-95-002.
MACE,M. Division of Contracts (Post 940714). FIN J-5054. NRC-02-95-002. 96/12/13. ALERS,P. ICF, Inc. 1p. 91132:226-91132:226.

**9612180079** Ltr contract mod 6 to task order 2 under contract NRC-02-95-002.
MACE,M.H. Division of Contracts (Post 940714). FIN J-5054. NRC-02-95-002. 96/12/13. ALERS,P. ICF, Inc. 1p. 91132:227-91132:227.

**9612180094** Mod 9 to contract NRC-04-95-038.
* Arizona, Univ. of, Tucson, AZ. MACE,M. Division of Contracts (Post 940714). 96/12/10. 3pp. 91132:286-91132:288.

**9612180098** Mod 15 to contract NRC-04-92-040.
KILLOREN,R. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). 96/12/13. 3pp. 91132:228-91132:230.

**9612180113** Mod 4 to contract NRC-10-95-147.
GLEASON,M.A. Armak (subs. of Akzona, Inc.). WIGGINS,E.J. Division of Contracts (Post 940714). 96/12/12. 2pp. 91132:231-91132:232.

**9612200037** Ltr contract:mod 2 to task order 5, "Debris Drywell Transport Study," under contract NRC-04-95-047.
MACE,M.H. Division of Contracts (Post 940714). FIN W-6325. NRC-04-95-047. 96/12/06. COLINA,I. Science & Engineering Associates, Inc. 2pp. 91148:157-91148:158.

**9612200249** Mod 9 to contract NRC-04-94-049.
MAYO,D. California, Univ. of, Santa Barbara, CA. MACE,M. Division of Contracts (Post 940714). FIN W-6212. 96/12/17. 2pp. 91181:040-91181:041.

**9612230055** Forwards solicitation package requesting proposals for project entitled, "Career Counseling Svcs."
WIGGINS,E.J. Division of Contracts (Post 940714). 96/12/18. Affiliation Not Assigned. 62pp. 91194:217-91194:280.

**9612230126** Ltr contract,mod 3 to task order 7 under contract NRC-26-91-292.
MATTIA,M.J. Division of Contracts (Post 940714). FIN L-15833. NRC-26-91-292. 96/12/18. FISCINA,N. IT Corp. 2pp. 91181:332-91181:333.

**9612230132** Ltr contract:mod 3 to task order 2 under contract NRC-02-95-001.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-5055. NRC-02-95-001. 96/12/20. PARKER,S.C. Jupiter Corp. (formerly Jupiter Associates, Inc.). 2pp. 91181:330-91181:331.

**9612230138** Mod 14 to contract NRC-31-92-241.
* Small Business Administration. WIGGINS,E.J. Division of Contracts (Post 940714). 96/12/20. 2pp. 91181:328-91181:329.

**9612230198** Ltr contract,mod 3 to task order 9 to contract NRC-26-91-292.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-91-292. FIN L-15833. 96/12/18. FISCINA,N. International Technology Corp. 2pp. 91181:324-91181:325.

**9612240147** Mod 10 to contract NRC-33-94-173.
BOREY,J. Data General Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN B-1663. 96/12/16. 4pp. 91197:240-91197:243.

**9612260120** Mod 6 to contract NRC-04-93-067.
MCKERY,K.O. South Carolina, Univ. of, Columbia, SC. MACE,M.H. Division of Contracts (Post 940714). 96/12/19. 2pp. 91201:093-91201:094.

**9612260125** Ltr contract:mod 1 to task order 107,under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2407. NRC-03-93-026. 96/12/17. LOFY,R.A. PARAMETER, Inc. 3pp. 91201:090-91201:092.

**9612260131** Ltr contract:mod 4 to task order 92,under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2407. NRC-03-93-026. 96/12/12. LOFY,R.A. PARAMETER, Inc. 2pp. 91201:088-91201:089.

**9612260231** Ltr contract:mod 3 to task order 301, "Assist VATESI in Developing New Lithuanian Nuclear Safety Norms & Stds & in Preparing Ignalina Specific Insp Guidance," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN E-7094. 96/12/20. KNIGHT,D.A. SCIENTECH, Inc. 2pp. 91201:252-91201:253.

**9612260281** Ltr contract:mod 2 to task order 8, "Review of Severe Accident Mitigation Design Alternatives for W AP600 Design," under contract NRC-03-93-032.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-032. 96/12/16. COLINA,I. Science & Engineering Associates, Inc. 2pp. 91201:254-91201:255.

**9612300121** Partially deleted mod 4 to contract NRC-38-96-282.
* Resolution Dynamics, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-38-96-282. 96/12/26. 2pp. 91233:296-91233:297.

**9612310149** Contract NRC-33-97-171,awarded to Data General Corp.
NIDDRIE,D. Affiliation Not Assigned. MATTIA,J. Division of Contracts (Post 940714). FIN B-1663. 96/12/27. 34pp. 91247:079-91247:112.

**9612310156** Mod 1 to grant NRC-G-02-95-010.
* Massachusetts, Univ. of, Amherst, MA. WIGGINS,E. Division of Contracts (Post 940714). FIN J-5125. 96/12/27. 2pp. 91247:046-91247:047.

**FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES**

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H., HOLLAWAY,W.R. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**-9612030313** FOIA request for documents responsive to encl request for production of documents for plant.
O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 96/08/30. Division of Freedom of Information & Publications Services (Post 940714). 200pp. 91015:022-91015:283.

**-9612030329** Summarizes 940602 meeting w/listed individuals to discuss items of mutual interest re plant performance & improvement plans.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/20. NRC - No Detailed Affiliation Given. 105pp. 91015:284-91016:032.

**-9612030330** Discusses 910710 meeting w/listed individuals to discuss mutual interest including individual role at Salem & Peach Bottom sites as non-operating nuclear owners.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/07/11. NRC - No Detailed Affiliation Given. 1p. 91016:033-91016:033.

**-9612030332** Discusses 911220 meeting w/listed individuals to introduce new PSEG senior mgt.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/12/20. NRC - No Detailed Affiliation Given. 84pp. 91016:034-91016:117.

**-9612040034** Forwards initial info & interview requests,ENS rept & excerpts from draft MOU w/States re 921213 loss of annunciators.
SPENCE,B. NRC - No Detailed Affiliation Given. 92/12/15. RULAND,B. NRC - No Detailed Affiliation Given. 79pp. 91016:118-91016:131.

**-9612040052** 92-05 Salem Unit 2 "Control Room Overhead Annunciator Lock-Up of 921213."
* Public Service Electric & Gas Co. of New Jersey. 92/12/29. 42pp. 91016:198-91016:240.

**-9612040066** Discusses 930723 PSE&G visit w/listed individuals to discuss items of mutual interest re Hope Creek & Salem,Units 1 & 2 NPP.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/02. NRC - No Detailed Affiliation Given. 2pp. 91016:241-91016:242.

**-9612040069** Discusses insp repts 50-272/93-23,50-311/93-23 & 50-354/93-25 on 931017-1127 & forwards NOV & proposed imposition of civil penalty - $50,000.
MARTIN,T.T. Region 1 (Post 820201). EA-94-003. 94/03/09. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 6pp. 91016:243-91016:248.

**-9612040103** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:on 931012,maint on breaker for electro-hydraulic pump was conducted w/o supervisor ensuring equipment was tagged & safe to work on.
* Region 1 (Post 820201). EA-94-003. 94/03/09. 54pp. 91016:249-91016:297.

**-9612040108** Discusses New Jersey DEP compliation Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/05/17. JACOBSON,J. NRC - No Detailed Affiliation Given. 3pp. 91016:332-91016:334.

**-9612040120** Discusses New Jersey DEP compilation re Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/07/19. JACOBSON,J. NRC - No Detailed Affiliation Given. 65pp. 91016:335-91017:101.

**-9612040196** Discusses PSE&G 941129 drop-in visit w/listed individuals to discuss items of mutual interest including plant Hope Creek & Salem Generating station performance.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/13. NRC - No Detailed Affiliation Given. 1p. 91017:102-91017:102.

**-9612040210** Discusses 950208 enforcement conference (OI-1-93-021R) in King of Prussia,PA to discuss circumstances associated w/potential H&I of two PSE&G safety-review group engineers.
MARTIN,T.T. Region 1 (Post 820201). IA-95-010. 95/04/11. POLIZZI,V. Affiliation Not Assigned. 3pp. 91017:103-91017:105.

**-9612040221** Discusses 950208 enforcement conference (OI-1-93-021R) in King of Prussia,PA to discuss circumstances associated w/possible H&I of former SRG engineer.NRC determined that no enforcement action warranted on matter w/regard to actions.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. REITER,L. Affiliation Not Assigned. 2pp. 91017:106-91017:107.

**-9612040239** Discusses 950424 enforcement conference (NRC OI Investigation 1-93-021R) in King of Prussia,PA & circumstances associated w/alleged H&I of two PSE&G safety-review group engineers & forwards NOV.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. VONDRA,C. Affiliation Not Assigned. 4pp. 91017:108-91017:111.

**-9612040244** Notice of violation from investigation 1-93-021R.Violation noted:C Vondra deliberately caused PSE&G to violate 10CFR50.7 by discriminating against two employees for engaging in protected activities.
* Region 1 (Post 820201). IA-95-009. 95/04/11. 4pp. 91017:112-91017:115.

**-9612040266** Discusses 950524 drop in visit w/listed individuals to discuss improvement efforts at plant Units 1 & 2.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/02. NRC - No Detailed Affiliation Given. 4pp. 91017:116-91017:119.

**-9612040282** Discusses 951129 meeting w/listed individuals to discuss items of mutual interest including new business unit & staff reorganization & restart plans & initiatives.
MILHOAN,J.L. NRC - No Detailed Affiliation Given. 95/12/01. NRC - No Detailed Affiliation Given. 1p. 91017:120-91017:120.

**-9612040286** Discusses 960222 visit w/listed individuals to discuss issues re Salem & Hope Creek Generating Stations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/27. NRC - No Detailed Affiliation Given. 5pp. 91017:121-91017:127.

**-9612040290** Informs that meeting w/J Ferland & L Eliason confirmed for 960827.
SCHUETZE,G. Commissioners (Post 750119). 96/08/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91017:129-91017:130.

**-9612040292** Partially deleted memo re 960826 drop in meeting.
MILLER,C.G. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 91017:131-91017:133.

**-9612040293** Partially deleted memo re courtesy visit w/EJ Ferland & LR Eliason on 960826.
CHAN,T.L. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN, JACKSON,S.A Commissioners (Post 750119). 2pp. 91017:134-91017:135.

**-9612040295** Discusses 960826 meeting w/listed individuals to discuss current activities & issues involving Hope Creek & Salem NPPs.Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/13. NRC - No Detailed Affiliation Given. 3pp. 91017:136-91017:138.

**-9612050088** Rev 0 to "Loss of Overhead Annunciator Sys."
* Public Service Electric & Gas Co. of New Jersey. 92/12/29. 65pp. 91016:132-91016:197.

**-9612040288** Informs that meeting w/J Ferland & L Eliason confirmed for 960827.
SCHUETZE,G. Commissioners (Post 750119). 96/07/24. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91017:128-91017:128.

**-9612030313** FOIA request for documents responsive to encl request for production of documents for plant.
O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 96/08/30. Division of Freedom of Information & Publications Services (Post 940714). 200pp. 91015:022-91015:283.

**-9612030329** Summarizes 940602 meeting w/listed individuals to discuss items of mutual interest re plant performance & improvement plans.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/20. NRC - No Detailed Affiliation Given. 105pp. 91015:284-91016:032.

**-9612030330** Discusses 910710 meeting w/listed individuals to discuss mutual interest including individual role at Salem & Peach Bottom sites as non-operating nuclear owners.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/07/11. NRC - No Detailed Affiliation Given. 1p. 91016:033-91016:033.

**-9612030332** Discusses 911220 meeting w/listed individuals to introduce new PSEG senior mgt.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/12/20. NRC - No Detailed Affiliation Given. 84pp. 91016:034-91016:117.

**-9612040034** Forwards initial info & interview requests,ENS rept & excerpts from draft MOU w/States re 921213 loss of annunciators.
SPENCE,B. NRC - No Detailed Affiliation Given. 92/12/15. RULAND,B. NRC - No Detailed Affiliation Given. 79pp. 91016:118-91016:131.

**–9612040052** 92-05 Salem Unit 2 "Control Room Overhead Annunciator Lock-Up of 921213."
* Public Service Electric & Gas Co. of New Jersey. 92/12/29. 42pp. 91016:198-91016:240.

**–9612040066** Discusses 930723 PSE&G visit w/listed individuals to discuss items of mutual interest re Hope Creek & Salem,Units 1 & 2 NPP.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/02. NRC - No Detailed Affiliation Given. 2pp. 91016:241-91016:242.

**–9612040069** Discusses insp repts 50-272/93-23,50-311/93-23 & 50-354/93-25 on 931017-1127 & forwards NOV & proposed imposition of civil penalty - $50,000.
MARTIN,T.T. Region 1 (Post 820201). EA-94-003. 94/03/09. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 6pp. 91016:243-91016:248.

**–9612040103** Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:on 931012,maint on breaker for electro-hydraulic pump was conducted w/o supervisor ensuring equipment was tagged & safe to work on.
* Region 1 (Post 820201). EA-94-003. 94/03/09. 54pp. 91016:249-91016:297.

**–9612040108** Discusses New Jersey DEP compliation Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/05/17. JACOBSON,J. NRC - No Detailed Affiliation Given. 3pp. 91016:332-91016:334.

**–9612040120** Discusses New Jersey DEP compilation re Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/07/19. JACOBSON,J. NRC - No Detailed Affiliation Given. 65pp. 91016:335-91017:101.

**–9612040196** Discusses PSE&G 941129 drop-in visit w/listed individuals to discuss items of mutual interest including plant Hope Creek & Salem Generating station performance.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/13. NRC - No Detailed Affiliation Given. 1p. 91017:102-91017:102.

**–9612040210** Discusses 950208 enforcement conference (OI-1-93-021R) in King of Prussia,PA to discuss circumstances associated w/potential H&I of two PSE&G safety-review group engineers.
MARTIN,T.T. Region 1 (Post 820201). IA-95-010. 95/04/11. POLIZZI,V. Affiliation Not Assigned. 3pp. 91017:103-91017:105.

**–9612040221** Discusses 950208 enforcement conference (OI-1-93-021R) in King of Prussia,PA to discuss circumstances associated w/possible H&I of former SRG engineer.NRC determined that no enforcement action warranted on matter w/regard to actions.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. REITER,L. Affiliation Not Assigned. 2pp. 91017:106-91017:107.

**–9612040239** Discusses 950424 enforcement conference (NRC OI Investigation 1-93-021R) in King of Prussia,PA & circumstances associated w/alleged H&I of two PSE&G safety-review group engineers & forwards NOV.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. VONDRA,C. Affiliation Not Assigned. 4pp. 91017:108-91017:111.

**–9612040244** Notice of violation from investigation 1-93-021R.Violation noted:C Vondra deliberately caused PSE&G to violate 10CFR50.7 by discriminating against two employees for engaging in protected activities.
* Region 1 (Post 820201). IA-95-009. 95/04/11. 4pp. 91017:112-91017:115.

**–9612040266** Discusses 950524 drop in visit w/listed individuals to discuss improvement efforts at plant Units 1 & 2.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/02. NRC - No Detailed Affiliation Given. 4pp. 91017:116-91017:119.

**–9612040282** Discusses 951129 meeting w/listed individuals to discuss items of mutual interest including new business unit & staff reorganization & restart plans & initiatives.
MILHOAN,J.L. NRC - No Detailed Affiliation Given. 95/12/01. NRC - No Detailed Affiliation Given. 1p. 91017:120-91017:120.

**–9612040286** Discusses 960222 visit w/listed individuals to discuss issues re Salem & Hope Creek Generating Stations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/27. NRC - No Detailed Affiliation Given. 5pp. 91017:121-91017:127.

**–9612040288** Informs that meeting w/J Ferland & L Eliason confirmed for 960827.
SCHUETZE,G. Commissioners (Post 750119). 96/07/24. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91017:128-91017:128.

**–9612040290** Informs that meeting w/J Ferland & L Eliason confirmed for 960827.
SCHUETZE,G. Commissioners (Post 750119). 96/08/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91017:129-91017:130.

**–9612040292** Partially deleted memo re 960826 drop in meeting.
MILLER,C.G. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 91017:131-91017:133.

**–9612040293** Partially deleted memo re courtesy visit w/EJ Ferland & LR Eliason on 960826.
CHAN,T.L. NRC - No Detailed Affiliation Given. 96/08/23. THE CHAIRMAN, JACKSON,S.A Commissioners (Post 750119). 2pp. 91017:134-91017:135.

**–9612040295** Discusses 960826 meeting w/listed individuals to discuss current activities & issues involving Hope Creek & Salem NPPs.Info partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/13. NRC - No Detailed Affiliation Given. 3pp. 91017:136-91017:138.

**–9612050088** Rev 0 to "Loss of Overhead Annunciator Sys."
* Public Service Electric & Gas Co. of New Jersey. 92/12/29. 65pp. 91016:132-91016:197.

**9612060026** Final response to FOIA request for documents.Document listed in App A already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/25. O'ROURKE,T.J. . 2pp. 91031:001-91031:003.

**–9612060032** FOIA request for availability of document re Whittakers Greenville Metal Site,Greenville,PA,site characterization rept license SMA-1018.
O'ROURKE,T.J. . 96/11/05. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91031:003-91031:003.

**9612060029** Final response to FOIA request for documents.Records in App A encl & being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/29. MITCHELL,J.E. Affiliation Not Assigned. 2pp. 91031:004-91031:037.

**–9606060156** Responds to TAR dtd 950627,transmitting two ltrs dtd 950601,from Illinois Dept of Nuclear Safety & dtd 950607 & 960427 from SA Huber Consultants,Inc re use of contaminated sands.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/05/24. PEDERSON,C.D. Region 3 (Post 820201). 2pp. 91031:035-91031:036.

**–9606070064** Advises that Commission may not approve IL licensee request to use sand contaminated w/DU in mfg of DOT approved shipping containers.
PEDERSON,C.D. Office of Nuclear Material Safety & Safeguards. 95/06/27. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 91031:007-91031:008.

**–9612060034** FOIA request for documents re TAR from SA Huber Consultants Inc on radioactive matls handling.
MITCHELL,J.E. Affiliation Not Assigned. 96/10/10. MCCORMICK,C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91031:006-91031:006.

**–9612060072** Responds to 950601 TAR re proposal by SA Huber Consultants Inc to use sand contaminated w/depleted U in manufacture of DOT-approved shipping containers.
LYNCH,J. Region 3 (Post 820201). 96/05/30. COLLINS,S.C. Illinois, State of. 1p. 91031:037-91031:037.

**9612060067** Final response to FOIA request for documents.Records in App A encl & will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/29. MITCHELL,J.E. Affiliation Not Assigned. 2pp. 91031:038-91031:049.

**–9612060070** FOIA request for documents re Associated LLRW,Inc. Radioactive matl license for State of IL encl.
MITCHELL,J.H. Affiliation Not Assigned. 96/10/11. MCCORMIC,C. Division of Freedom of Information & Publications Services (Post 940714). 10pp. 91031:040-91031:049.

**9612060081** Final response to FOIA request for documents.App A documents already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/29. MOGLEN,D. Greenpeace International. 2pp. 91031:050-91031:056.

**–9612060084** FOIA request for assessments,repts,studies,briefings & memoranda of type B,type C & latest equivalent cask in ref to NUREG-0361 & certification of compliance 0361.
STEVENS,M.A. Greenpeace International. 96/08/26. SESSOMS,G.D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 91031:054-91031:056.

**9612090250** Final response to FOIA request for documents.Records in app A encl & will be available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/11/25. TAU,S.J. Affiliation Not Assigned. 3pp. 91066:001-91068:146.

**–9612090255** FOIA request for documents re all copies of Progress Repts for past 12 months for listed contract.
TAN,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:004-91066:004.

**–9612090264** Mod 5 to contract NRC-33-93-201.
SHRIVASTAVA,S. Anstec, Inc. MATTIA,M. Division of Contracts (Post 940714). NRC-33-93-201. 94/02/10. 310pp. 91066:007-91066:287.

**–9612090267** Forwards "NRC NUDOCS Monthly Progress Rept," for Sept 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/10/16. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91066:288-91066:288.

**–9612090269** "NRC NUDOCS Monthly Progress Rept," for Sept 1995.
* Anstec, Inc. NRC-33-93-201. 95/10/16. NRC - No Detailed Affiliation Given. 40pp. 91066:289-91066:328.

**–9612090270** Forwards "NRC NUDOCS Monthly Progress Rept," for Oct 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/11/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91066:329-91066:329.

**–9612090272** "NRC NUDOCS Monthly Progress Rept," for Oct 1995.
* Anstec, Inc. NRC-33-93-201. 95/11/15. NRC - No Detailed Affiliation Given. 46pp. 91066:330-91067:025.

**–9612090274** Forwards "NRC NUDOCS Monthly Progress Rept," for Nov 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/12/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:026-91067:026.

**–9612090275** "NRC NUDOCS Monthly Progress Rept," for Nov 1995.
* Anstec, Inc. NRC-33-93-201. 95/12/15. NRC - No Detailed Affiliation Given. 48pp. 91067:027-91067:074.

**–9612090278** Forwards "NRC NUDOCS Monthly Progress Rept," for Dec 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/01/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:075-91067:075.

**–9612090280** "NRC NUDOCS Monthly Progress Rept," for Dec 1995.
* Anstec, Inc. NRC-33-93-201. 96/01/17. NRC - No Detailed Affiliation Given. 38pp. 91067:076-91067:113.

**–9612090282** Forwards "NRC NUDOCS Monthly Progress Rept," for Jan 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/02/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:114-91067:114.

**–9612090284** "NRC NUDOCS Monthly Progress Rept," for Jan 1996.
* Anstec, Inc. NRC-33-93-201. 96/02/15. NRC - No Detailed Affiliation Given. 41pp. 91067:115-91067:155.

--**9612090286** Forwards "NRC NUDOCS Monthly Progress Rept," for Feb 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/03/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:156-91067:156.

--**9612090292** "NRC NUDOCS Monthly Progress Rept," for Feb 1996.
* Anstec, Inc. NRC-33-93-201. 96/03/15. NRC - No Detailed Affiliation Given. 50pp. 91067:157-91067:207.

--**9612090296** Forwards "NRC NUDOCS Monthly Progress Rept," for March 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/04/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:208-91067:208.

--**9612090300** "NRC NUDOCS Monthly Progress Rept," for March 1996.
* Anstec, Inc. NRC-33-93-201. 96/04/15. NRC - No Detailed Affiliation Given. 46pp. 91067:209-91067:254.

--**9612090302** Forwards "NRC NUDOCS Monthly Progress Rept," for April 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/05/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:255-91067:255.

--**9612090305** "NRC NUDOCS Monthly Progress Rept," for April 1996.
* Anstec, Inc. NRC-33-93-201. 96/05/15. NRC - No Detailed Affiliation Given. 50pp. 91067:256-91067:304.

--**9612090310** Forwards "NRC NUDOCS Monthly Progress Rept," for May 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/06/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:305-91067:357.

--**9612090320** Forwards "NRC NUDOCS Monthly Progress Rept," for June 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/07/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:358-91067:358.

--**9612090326** "NRC NUDOCS Monthly Progress Rept," for June 1996.
* Anstec, Inc. NRC-33-93-201. 96/07/17. NRC - No Detailed Affiliation Given. 55pp. 91067:359-91068:053.

--**9612090328** Forwards "NRC NUDOCS Monthly Progress Rept," for July 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/08/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91068:054-91068:054.

--**9612090331** "NRC NUDOCS Monthly Progress Rept," for July 1996.
* Anstec, Inc. NRC-33-93-201. 96/08/15. NRC - No Detailed Affiliation Given. 46pp. 91068:055-91068:100.

--**9612090332** Forwards "NRC NUDOCS Monthly Progress Rept," for Aug 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/09/18. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91068:101-91068:101.

--**9612090334** "NRC NUDOCS Monthly Progress Rept," for August 1996.
* Anstec, Inc. NRC-33-93-201. 96/09/18. NRC - No Detailed Affiliation Given. 45pp. 91068:102-91068:146.

--**9612110047** FOIA request for documents re contract NRC-33-93-201 & mod. Informs that request will only be used for commercial purposes.
TAU,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:005-91066:005.

--**9612110054** FOIA request for documents re all previous RFP for contract NRC-33-93-201.
TAU,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:006-91066:006.

--**9612090255** FOIA request for documents re all copies of Progress Repts for past 12 months for listed contract.
TAN,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:004-91066:004.

--**9612090264** Mod 5 to contract NRC-33-93-201.
SHRIVASTAVA,S. Anstec, Inc. MATTIA,M. Division of Contracts (Post 940714). NRC-33-93-201. 94/02/10. 310pp. 91066:007-91066:287.

--**9612090267** Forwards "NRC NUDOCS Monthly Progress Rept," for Sept 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/10/16. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91066:288-91066:288.

--**9612090269** "NRC NUDOCS Monthly Progress Rept," for Sept 1995.
* Anstec, Inc. NRC-33-93-201. 95/10/16. NRC - No Detailed Affiliation Given. 40pp. 91066:289-91066:328.

--**9612090270** Forwards "NRC NUDOCS Monthly Progress Rept," for Oct 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/11/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91066:329-91066:329.

--**9612090272** "NRC NUDOCS Monthly Progress Rept," for Oct 1995.
* Anstec, Inc. NRC-33-93-201. 95/11/15. NRC - No Detailed Affiliation Given. 46pp. 91066:330-91067:025.

--**9612090274** Forwards "NRC NUDOCS Monthly Progress Rept," for Nov 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/12/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:026-91067:026.

--**9612090275** "NRC NUDOCS Monthly Progress Rept," for Nov 1995.
* Anstec, Inc. NRC-33-93-201. 95/12/15. NRC - No Detailed Affiliation Given. 48pp. 91067:027-91067:074.

--**9612090278** Forwards "NRC NUDOCS Monthly Progress Rept," for Dec 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/01/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:075-91067:075.

--**9612090280** "NRC NUDOCS Monthly Progress Rept," for Dec 1995.
* Anstec, Inc. NRC-33-93-201. 96/01/17. NRC - No Detailed Affiliation Given. 38pp. 91067:076-91067:113.

--**9612090282** Forwards "NRC NUDOCS Monthly Progress Rept," for Jan 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/02/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:114-91067:114.

--**9612090284** "NRC NUDOCS Monthly Progress Rept," for Jan 1996.
* Anstec, Inc. NRC-33-93-201. 96/02/15. NRC - No Detailed Affiliation Given. 41pp. 91067:115-91067:155.

--**9612090286** Forwards "NRC NUDOCS Monthly Progress Rept," for Feb 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/03/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:156-91067:156.

--**9612090292** "NRC NUDOCS Monthly Progress Rept," for Feb 1996.
* Anstec, Inc. NRC-33-93-201. 96/03/15. NRC - No Detailed Affiliation Given. 50pp. 91067:157-91067:207.

--**9612090296** Forwards "NRC NUDOCS Monthly Progress Rept," for March 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/04/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:208-91067:208.

--**9612090300** "NRC NUDOCS Monthly Progress Rept," for March 1996.
* Anstec, Inc. NRC-33-93-201. 96/04/15. NRC - No Detailed Affiliation Given. 46pp. 91067:209-91067:254.

--**9612090302** Forwards "NRC NUDOCS Monthly Progress Rept," for April 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/05/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:255-91067:255.

--**9612090305** "NRC NUDOCS Monthly Progress Rept," for April 1996.
* Anstec, Inc. NRC-33-93-201. 96/05/15. NRC - No Detailed Affiliation Given. 50pp. 91067:256-91067:304.

--**9612090310** Forwards "NRC NUDOCS Monthly Progress Rept," for May 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/06/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:305-91067:357.

--**9612090320** Forwards "NRC NUDOCS Monthly Progress Rept," for June 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/07/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:358-91067:358.

--**9612090326** "NRC NUDOCS Monthly Progress Rept," for June 1996.
* Anstec, Inc. NRC-33-93-201. 96/07/17. NRC - No Detailed Affiliation Given. 55pp. 91067:359-91068:053.

--**9612090328** Forwards "NRC NUDOCS Monthly Progress Rept," for July 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/08/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91068:054-91068:054.

--**9612090331** "NRC NUDOCS Monthly Progress Rept," for July 1996.
* Anstec, Inc. NRC-33-93-201. 96/08/15. NRC - No Detailed Affiliation Given. 46pp. 91068:055-91068:100.

--**9612090332** Forwards "NRC NUDOCS Monthly Progress Rept," for Aug 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/09/18. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91068:101-91068:101.

--**9612090334** "NRC NUDOCS Monthly Progress Rept," for August 1996.
* Anstec, Inc. NRC-33-93-201. 96/09/18. NRC - No Detailed Affiliation Given. 45pp. 91068:102-91068:146.

--**9612110047** FOIA request for documents re contract NRC-33-93-201 & mod. Informs that request will only be used for commercial purposes.
TAU,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:005-91066:005.

--**9612110054** FOIA request for documents re all previous RFP for contract NRC-33-93-201.
TAU,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:006-91066:006.

--**9612090255** FOIA request for documents re all copies of Progress Repts for past 12 months for listed contract.
TAN,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:004-91066:004.

--**9612090264** Mod 5 to contract NRC-33-93-201.
SHRIVASTAVA,S. Anstec, Inc. MATTIA,M. Division of Contracts (Post 940714). NRC-33-93-201. 94/02/10. 310pp. 91066:007-91066:287.

--**9612090267** Forwards "NRC NUDOCS Monthly Progress Rept," for Sept 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/10/16. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91066:288-91066:288.

--**9612090269** "NRC NUDOCS Monthly Progress Rept," for Sept 1995.
* Anstec, Inc. NRC-33-93-201. 95/10/16. NRC - No Detailed Affiliation Given. 40pp. 91066:289-91066:328.

--**9612090270** Forwards "NRC NUDOCS Monthly Progress Rept," for Oct 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/11/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91066:329-91066:329.

--**9612090272** "NRC NUDOCS Monthly Progress Rept," for Oct 1995.
* Anstec, Inc. NRC-33-93-201. 95/11/15. NRC - No Detailed Affiliation Given. 46pp. 91066:330-91067:025.

--**9612090274** Forwards "NRC NUDOCS Monthly Progress Rept," for Nov 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 95/12/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:026-91067:026.

--**9612090275** "NRC NUDOCS Monthly Progress Rept," for Nov 1995.
* Anstec, Inc. NRC-33-93-201. 95/12/15. NRC - No Detailed Affiliation Given. 48pp. 91067:027-91067:074.

--**9612090278** Forwards "NRC NUDOCS Monthly Progress Rept," for Dec 1995.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/01/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:075-91067:075.

**-9612090280** "NRC NUDOCS Monthly Progress Rept," for Dec 1995.
* Anstec, Inc. NRC-33-93-201. 96/01/17. NRC - No Detailed Affiliation Given. 38pp. 91067:076-91067:113.

**-9612090282** Forwards "NRC NUDOCS Monthly Progress Rept," for Jan 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/02/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:114-91067:114.

**-9612090284** "NRC NUDOCS Monthly Progress Rept," for Jan 1996.
* Anstec, Inc. NRC-33-93-201. 96/02/15. NRC - No Detailed Affiliation Given. 41pp. 91067:115-91067:155.

**-9612090286** Forwards "NRC NUDOCS Monthly Progress Rept," for Feb 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/03/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:156-91067:156.

**-9612090292** "NRC NUDOCS Monthly Progress Rept," for Feb 1996.
* Anstec, Inc. NRC-33-93-201. 96/03/15. NRC - No Detailed Affiliation Given. 50pp. 91067:157-91067:207.

**-9612090296** Forwards "NRC NUDOCS Monthly Progress Rept," for March 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/04/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:208-91067:208.

**-9612090300** "NRC NUDOCS Monthly Progress Rept," for March 1996.
* Anstec, Inc. NRC-33-93-201. 96/04/15. NRC - No Detailed Affiliation Given. 46pp. 91067:209-91067:254.

**-9612090302** Forwards "NRC NUDOCS Monthly Progress Rept," for April 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/05/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:255-91067:255.

**-9612090305** "NRC NUDOCS Monthly Progress Rept," for April 1996.
* Anstec, Inc. NRC-33-93-201. 96/05/15. NRC - No Detailed Affiliation Given. 50pp. 91067:256-91067:304.

**-9612090310** Forwards "NRC NUDOCS Monthly Progress Rept," for May 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/06/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:305-91067:357.

**-9612090320** Forwards "NRC NUDOCS Monthly Progress Rept," for June 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/07/17. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91067:358-91067:358.

**-9612090326** "NRC NUDOCS Monthly Progress Rept," for June 1996.
* Anstec, Inc. NRC-33-93-201. 96/07/17. NRC - No Detailed Affiliation Given. 55pp. 91067:359-91068:053.

**-9612090328** Forwards "NRC NUDOCS Monthly Progress Rept," for July 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/08/15. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91068:054-91068:054.

**-9612090331** "NRC NUDOCS Monthly Progress Rept," for July 1996.
* Anstec, Inc. NRC-33-93-201. 96/08/15. NRC - No Detailed Affiliation Given. 46pp. 91068:055-91068:100.

**-9612090332** Forwards "NRC NUDOCS Monthly Progress Rept," for Aug 1996.
ORTH,J.E. Anstec, Inc. NRC-33-93-201. 96/09/18. BLANTON,J.D. Office of Information Resources Management (Post 890205). 1p. 91068:101-91068:101.

**-9612090334** "NRC NUDOCS Monthly Progress Rept," for August 1996.
* Anstec, Inc. NRC-33-93-201. 96/09/18. NRC - No Detailed Affiliation Given. 45pp. 91068:102-91068:146.

**-9612110047** FOIA request for documents re contract NRC-33-93-201 & mod. Informs that request will only be used for commercial purposes.
TAU,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:005-91066:005.

**-9612110054** FOIA request for documents re all previous RFP for contract NRC-33-93-201.
TAU,S.J. Affiliation Not Assigned. NRC-33-93-201. 96/10/17. POOL,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91066:006-91066:006.

**9612120217** Second final response to FOIA request for documents. Documents listed in App D partially withheld (ref FOIA Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/09. WHITE,M.L. Affiliation Not Assigned. 3pp. 91071:001-91071:195.

**-9612120235** IPS-325 RD Partially withheld "Design Qualification Matl Test Rept for Matls Used in Conax Electric Penetration Assemblies & Electrical Conductor Seal Assemblies."
CHINN,G.Y. Conax Corp. (formerly Conax Buffalo Corp.). 81/05/14. 67pp. 91071:005-91071:071.

**-9612120248** IPS-1494 Partially withheld "Summary Analysis of Polyimide Film (Kapton) Matl per Research Repts US NRC IE Info Notices 87-08,-16 EPRI Commentary Mfg Recommendations Matl & Type Test Info re Conax Buffalo Corp."
DULSKI,R.E. Conax Corp. (formerly Conax Buffalo Corp.). IEIN-87-008. 87/07/17. 125pp. 91071:072-91071:195.

**9612130186** Final response to FOIA request for documents.Records identified in App A being withheld in entirety (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/09. MATTHEWS,T. Morgan, Lewis & Bockius. 3pp. 91090:239-91090:245.

**-9612130197** FOIA request for copies of NRC OI repts & supporting matls re &/or related to OI investigations at Commonwealth Edison Braidwood Station,which focused on terminations &/or access denials of two employees of Burns Intl Security Svc in 1994.
MATTHEWS,T.P. Morgan, Lewis & Bockius. 96/11/05. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91090:242-91090:242.

**-9612130203** Requests that author be notified if cost associated w/request will exceed listed amount.
MATTHEWS,T.P. Morgan, Lewis & Bockius. 96/11/05. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91090:243-91090:245.

**9612160072** First partial response to FOIA request for documents. Forwards documents listed in App A & B.Portions of App B documents withheld in part (ref FOIA Exemption 4).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/12/09. HUNG,Y.T. Affiliation Not Assigned. 4pp. 91097:161-91097:172.

**-9612160085** Partially deleted FOIA request for documents,agreements, notes,electronic records,repts,communications & memo pertaining in whole or in part to lungmen Nuclear Power Project located in Taiwan.
HUNG,Y.T. Affiliation Not Assigned. 96/10/31. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 91097:165-91097:168.

**-9612160093** Discusses nuclear power plant award given to GE in Taiwain.
SPECKER,S.R. General Electric Co. 96/06/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91097:169-91097:169.

**-9612160099** Partially deleted summary of Chairman Jackson 951109 meeting w/YY Hsu at NRC re matters of mutual interest.
LEE,J.D. NRC - No Detailed Affiliation Given. 95/12/19. NRC - No Detailed Affiliation Given. 2pp. 91097:170-91097:172.

**9612160155** Final response to FOIA request for documents.Forwards documents listed in App A.Documents encl available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/12. ENGLISH,L. Northeast Ohio Regional Sewer District. 2pp. 91097:173-91097:204.

**-9612160163** FOIA request for any & all sample collection,transport & testing protocols used in collection & analysis of water samples collected at 1020 London Rd,Cleveland,OH for Advanced Medical Systems,Inc.
ENGLISH,L.K. Northeast Ohio Regional Sewer District. 96/10/29. Division of Freedom of Information & Publications Services (Post 940714). 30pp. 91097:175-91097:204.

**9612160176** Final response to FOIA request for documents.Records in App A encl & being made available for PDR.App B records withheld in part (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/12/04. BERGH,N. Northeast Utilities Service Co. 4pp. 91120:226-91120:361.

**-9612160189** FOIA request for documents re listed Inspector General Repts.
BERGH,N. Northeast Utilities Service Co. 96/11/18. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 91120:230-91120:280.

**-9612160207** 96-06S "OIG Event Inquiry - NRC Staff Actions to Address CU-29 Isolation Valve Issue - Case 96-06S - 960903."
*, RASPA,R., WATKINS,R.A. Office of the Inspector General (Post 890417). 96/09/03. 23pp. 91120:281-91120:305.

**-9612160225** 96-01S "OIG Event Inquiry - Implementation of Recommendations to Improve NRC Program for Protecting Allegers Against Retaliation - Case 96-01S - 960305."
*, WATKINS,R.A. Office of the Inspector General (Post 890417). 96/03/05. 21pp. 91120:306-91120:327.

**-9612160231** 95-77I "OIG Event Inquiry - NRC Failure to Adequately Regulate Millstone 1 - Case 95-77I - 951221."
RASPA,R., MULLEY,G.A., WATKINS,R.A. Office of the Inspector General (Post 890417). 95/12/21. 33pp. 91120:328-91120:361.

**9612160208** Partial response to FOIA request for documents.Records in App C & D encl & available in PDR.App E records withheld in part (ref FOIA Exemptions 1 & 4).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/11. HUNG,Y.T. Affiliation Not Assigned. 5pp. 91101:001-91101:025.

**-9612160275** Informs of 950525 visit by YY Hsu,Chairman of Atomic Energy Council of Taiwan.Record partially deleted.
STOIBER,C.R. Office of International Programs (Post 911117). 95/05/16. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 4pp. 91101:019-91101:023.

**-9612160278** Forwards supplemental info on YY Hsu,Chairman of Atomic Energy Council of Taiwan,951109 visit.Record partially deleted.
STOIBER,C.R. Office of International Programs (Post 911117). 95/11/08. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 91101:024-91101:025.

**9612160264** First partial response to FOIA rquest for documents.App A record already available in PDR.App B records encl & available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/12/11. HAYES,J. Affiliation Not Assigned. 4pp. 91100:232-91100:341.

**-9612160282** FOIA request for documents re disposal of waste containing radioactive isotopes at IT Panoche facility.
HAYES,J. Affiliation Not Assigned. 96/10/25. EVERETT,V. Region 4 (Post 820201). 32pp. 91100:236-91100:341.

**9612160433** Second partial response to FOIA request for documents. Records identified in App D available in PDR & encl.Records identified in App E being withheld in part.Records in App F being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/12/12. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 9pp. 91128:006-91128:180.

**-9401260272** Responds to 931206 ltr requesting response to employee of util allegations of job discrimination as result of identifying safety problems to certain Salem managers on 921203-04.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. N94002. 94/01/04. MARTIN,T.T. Region 1 (Post 820201). 29pp. 91128:024-91128:054.

**-9502030005** Forwards transcript requested in 950127 ltr & denies request for copy of OI rept.W/o encl.
GRAY,J.R. Ofc of Enforcement (Post 870413). EA-94-239. 95/02/01. WETTERHAHN,M.J. Winston & Strawn. 8pp. 91128:161-91128:168.

**-9512220072** Forwards recommendation that SALP process be suspended for 1 yr after restart of first unit from current outage.NRR concurs w/extension.
RUSSELL,W.T. . 95/12/18. MARTIN,T.T. Region 1 (Post 820201). 1p. 91128:169-91128:180.

**-9512220087** Recommends SALP process be suspended until 1 yr after restart of units.
MARTIN,T.T. Region 1 (Post 820201). 95/11/17. RUSSELL,W.T. . 11pp. 91128:170-91128:180.

**-9612170106** Transcript of 940802 enforcement conference in Salem,NJ w/Salem senior nuclear shift supervisor involved in 940407 event.
* NRC - No Detailed Affiliation Given. 94/08/02. 104pp. 91128:055-91128:158.

**-9612170120** Requests that OGC analyze OI rept 1-93-021R re alleged H&I at Salem Generating Station & determine whether sufficient evidence to take enforcement action,available.
GRAY,J.R. Ofc of Enforcement (Post 870413). 94/11/21. MARTIN,T.T. Region 1 (Post 820201). RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2pp. 91128:159-91128:160.

**-9401260272** Responds to 931206 ltr requesting response to employee of util allegations of job discrimination as result of identifying safety problems to certain Salem managers on 921203-04.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. N94002. 94/01/04. MARTIN,T.T. Region 1 (Post 820201). 29pp. 91128:024-91128:054.

**-9502030005** Forwards transcript requested in 950127 ltr & denies request for copy of OI rept.W/o encl.
GRAY,J.R. Ofc of Enforcement (Post 870413). EA-94-239. 95/02/01. WETTERHAHN,M.J. Winston & Strawn. 8pp. 91128:161-91128:168.

**-9512220072** Forwards recommendation that SALP process be suspended for 1 yr after restart of first unit from current outage.NRR concurs w/extension.
RUSSELL,W.T. . 95/12/18. MARTIN,T.T. Region 1 (Post 820201). 1p. 91128:169-91128:180.

**-9512220087** Recommends SALP process be suspended until 1 yr after restart of units.
MARTIN,T.T. Region 1 (Post 820201). 95/11/17. RUSSELL,W.T. . 11pp. 91128:170-91128:180.

**-9612170106** Transcript of 940802 enforcement conference in Salem,NJ w/Salem senior nuclear shift supervisor involved in 940407 event.
* NRC - No Detailed Affiliation Given. 94/08/02. 104pp. 91128:055-91128:158.

**-9612170120** Requests that OGC analyze OI rept 1-93-021R re alleged H&I at Salem Generating Station & determine whether sufficient evidence to take enforcement action,available.
GRAY,J.R. Ofc of Enforcement (Post 870413). 94/11/21. MARTIN,T.T. Region 1 (Post 820201). RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2pp. 91128:159-91128:160.

**9612190309** Final response to FOIA request for documents.Records in App A encl & being made available in PDR.App B records available through superintendent of documents,US Govt Printing Ofc.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/12/16. SAVAGE,J. Morgan, Lewis & Bockius. 1p. 91146:001-91148:063.

**-9612190316** FOIA request for documents re listed matters discussed at NRC 961007 meeting on site decommissioning mgt plan.
SAVAGE,J. Morgan, Lewis & Bockius. 96/11/04. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91146:004-91147:050.

**-9612190320** Submits instructions for regional review of list of terminated sites.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/03/08. COOPER,R.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). NORELIUS,C.E. Region 3 (Post 820201). 40pp. 91147:051-91147:089.

**-9612190327** NRC Insp Manual TI 2800/026, "Followup Insp of Formeraly- Licensed Sites Identified as Potentially Contaminated."
* Operations Branch. 95/02/16. 18pp. 91147:090-91147:107.

**-9612190328** Forwards description of expert sys for evaluation of retired nuclear matl licenses.
GOLDBERG,P. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/12/16. BELLAMY,R. Region 1 (Post 820201). CLINE,B. Region 2 (Post 820201). GROBE,J. Region 3 (Post 820201). 6pp. 91148:058-91148:063.

**-9612200218** Rev 0 to, "NMSS Handbook for Decommissioning Fuel Cycle & Matls Licensees."
* Office of Nuclear Material Safety & Safeguards. 96/10/31. 150pp. 91147:108-91148:057.

**GEN TEC IS GENERIC TECHNICAL ISSUES**

**9612020049** Forwards response to RAI re USI A-46, "Seismic Qualification of Equipment in Operating Nuclear Power Plants."
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). JPN-96-048. 96/11/25. Document Control Branch (Document Control Desk). 12pp. 91000:346-91000:357.

**9612110075** Forwards revised forms for G.4 form numbers 110,283-289,291- 296 & 298 for inclusion into summary rept for resolution of USI A-46 re verifying seismic adequacy of stated equipment.
WOOD,J.K. Centerior Energy. 2421. 96/12/04. Document Control Branch (Document Control Desk). 18pp. 91081:213-91081:230.

**9612170093** Forwards generic issue mgt control sys fourth quarter FY96 update,which reflects listed major activities that occurred during reporting period.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 96/12/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 91129:132-91129:276.

**-9612170099** "Generic Issue Mgt Control Sys Fourth Quarter FY96 Update."
* Office of Nuclear Regulatory Research (Post 941217). 96/12/31. 138pp. 91129:134-91129:276.

**9612180256** Requests addl info re 950829 ltr in order to complete review of A-46 program.RAI encl.
HANSEN,A.G. . TAC M69441. 96/12/17. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 8pp. 91132:237-91132:244.

**9612240236** Forwards response to RAI re resolution of USI A-46.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-96-2642. 96/12/20. Document Control Branch (Document Control Desk). 6pp. 91226:354-91226:359.

**9612260143** Informs that necessary actions to resolve outliers have been completed in response to USI A-46 & GL 87-02.
MOREY,D. Southern Nuclear Operating Co. GL-87-02. 96/12/20. Document Control Branch (Document Control Desk). 1p. 91210:001-91210:001.

**I&E INSPECTION AND ENFORCEMENT**

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9612020072** PNO-I-96-083:on 961127,RSO of Mercy Catholic Medical Ctr telephoned NRC Region I Ofc to report receipt of contaminated package at licensee Misericordia in Philadelphia,PA.Reigion I continue to monitor event.
MCFADDEN,J., KINNEMAN,J. Region 1 (Post 820201). 96/11/27. 1p. 91050:241-91050:241.

**9612020081** EN-96-084:on 961126,notice of proposed imposition of civil penalty in amount of $100,000 issued to licensee.Action based on several instances where surveillances not performed & mode changes made w/o assurances that equipment operable.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-327. 96/11/21. 1p. 90965:117-90965:117.

**9612040078** EN-96-038A:on 960613,notice of proposed imposition of civil penalty in amount of $2,500 issued to licensee.Action based on Severity Level III violation involving loss of control of gauge containing byproduct matl.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-041. 96/10/31. 1p. 91126:280-91126:280.

**9612040087** EN-96-082:on 961119,notice of proposed imposition of civil penalty in amount of $150,000 issued to licensee.Action based on insp performed at Brunswick Steam Electric Plant re failure to implement environ qualification program.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-354. 96/11/14. 2pp. 91126:281-91126:282.

**9612040093** EN-96-079:on 961023,notice of proposed imposition of civil penalty in amount of $150,000 issued to licensee.Action based on two insps performed at Hope Creek Nuclear Generating Station,identified six violations.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-125. 96/10/18. 2pp. 91126:283-91126:284.

**9612040101** EN-96-080:on 961024,notice of proposed imposition of civil penalty in amount of $2,500 issued to licensee.Action based on Severity Level III problem involving two deliberate violations for allowing unauthorized trainee to use gauge.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-248. 96/10/21. 1p. 91126:290-91126:290.

**9612040112** EN-96-062:on 960905,notice of violation will be issued to licensee.Action based on investigation conducted by Ofc of Investigation,determined as prank,individual improperly disposed of radioactively contaminated particle.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-96-050. 96/08/30. 1p. 91050:217-91050:217.

**9612040121** EN-96-063:on 960906,notice of violation will be issued to K Carroll.Action based on investigation,concluding Carroll deliberately violated licensee procedures by entering yellowcake packaging encl without wearing full respirator.
STEIN,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-96-051. 96/09/03. 1p. 91050:218-91050:218.

**9612040125** EN-96-081:on 961031,notice of proposed imposition of civil penalty in amount of $13,000 issued to licensee.Action based Severity Level II problem involving failure to perform adequate survey of radiographic device.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-232. 96/10/28. 1p. 91050:219-91050:219.

**9612040133** PNO-I-96-084:on 961202,DuPont Merck Pharmaceutical Co reported to NRC,spill occurred,per 10CFR30.50(b)(1).Facility surrounded by perimeter fence & access attained through guarded security gate.
ULLRICH,B., KINNEMAN,J. Region 1 (Post 820201). 96/12/03. 1p. 91050:220-91050:220.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612050072** PNO-III-96-070A:on 961121,Region III initiated special insp to review circumstances surrounding missing sealed source containing 300 mCi Am-241.Gauge most likely disposed of in municipal landfill.
MADERA,J., CANIANO,R. Region 3 (Post 820201). 96/12/04. 2pp. 91126:311-91126:312.

**9612050073** PNO-IV-96-063:on 960603,licensee restricted from loading spent fuel into Sierra Nuclear VSC-24 casks per terms of Confirmatory Action Ltr (CAL).Licensee responded to both CAL & Bulletin & NRC completed review of responses.
COLLINS,E., REIS,T. Region 4 (Post 820201). CAL 96/12/04. 1p. 91126:313-91126:313.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . IEIN-94-036. 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612060289** PNO-II-96-082:on 961206,Unit 1 taken off line in order to investigate/locate source of increase in unidentified leakage.NRC resident inspectors will continue to closely monitor licensee recovery activities.
CARROLL,R. Region 2 (Post 820201). 96/12/06. 1p. 91127:037-91127:037.

**9612060298** PNO-III-96-071:on 961204,two sealed radiation sources missing during shipment from Columbus,OH to Beijing,China. Both sources used in thickness gauges.Region III monitoring licensee efforts to locate packages.
WIEDEMAN,D., MADERA,J. Region 3 (Post 820201). 96/12/06. 2pp. 91127:038-91127:039.

**9612090043** Responds to 961108 ltr re NRC GL 96-06 "Assurance of Equipment Operability & Containment Integrity During Design- Basis Accident Conditions," issued on 960930.
THADANI,A.C. . GL-96-06. 96/12/04. REEDY,R. Reedy Associates, Inc. 10pp. 91040:124-91040:133.

**9612090259** PNO-IV-96-065:on 961206,industrial radiography overexposure occurred.Tulsa Gamma Ray Inc radiographer unlocked vault door & retrieved survey instrument,left inside by Connell Partnership,Ltd radiographer.
HOWELL,L.L., SHAFFER,M. Region 4 (Post 820201). 96/12/09. 2pp. 91134:112-91134:113.

**9612100080** PNO-I-96-087:on 961206,reactor was manually scramed due to EHC oil leak at turbine control valve 2.Licensee implemented one wk maint outage to repair EHC pressure switch & several other balance of plant & drywell items.
PASCIAK,W., PERRY,N. Region 1 (Post 820201). 96/12/10. 2pp.p. 91134:220-91134:221.

**9612100103** PNO-III-96-072:on 961203 & 06,total of approx 48,000 Ci Co-60 shipped by Chem-Nuclear,Inc from Advanced Medical Sys to Barnwell,SC for disposal.For entire project,total mrem was approx 3,200 millirems.
WEBER,M.F., MADERA,J.R. Region 3 (Post 820201). 96/12/09. 2pp. 91127:065-91127:066.

**9612100266** Informs of two typos in 961204 ltr from AC Thadani re NRC GL 96-06.NRC insp manual chapter should be 0720 instead of 0730 & ref repts for water-hammer events should be NUREG/CR-5220 instead of NUREG/CR-5250.
WESSMAN,R.H. . GL-96-06. 96/12/06. REEDY,R. Affiliation Not Assigned. 2pp. 91053:207-91053:208.

**9612110243** PNO-IV-96-064:on 961129,license reviewer indicating, experiencing problem w/teletherapy unit electrical sys. Technician concluded,loose wire connection causing circuit interruption,preventing activation of solenoid connected.
HOWELL,L., WENSLAWSKI,F. Region 4 (Post 820201). 96/12/05. 2pp. 91151:116-91151:117.

**9612110255** PNO-I-96-085:on 961204,board of directors of Connecticut Yankee Atomic Power Co voted to retire Haddam Neck Nuclear Power Generating Station,after nearly 29 yrs of svc.NRC responding to media inquires & present at press conference.
ROGGE,J. Region 1 (Post 820201). 96/12/05. 2pp. 91151:118-91151:119.

**9612110264** PNO-I-96-086:on 961205,plant engineers identified three inadequate cable seperation issues affecting reactor protection sys.Both buttons of either pair of trip push buttons required to be depressed,to initiate manual trip.
YEROKUN,J., CONTE,R. Region 1 (Post 820201). GL-96-01. 96/12/09. 2pp. 91151:140-91151:141.

**9612110272** PNO-IV-96-064A:on 961205,reactive insp initiated to review circumstances associated w/malfuntion of licensee Theratron 780 teletherapy unit.Licensee representatives reported, continued to treat patients after problem observed.
HOWELL,L., CAIN,C. Region 4 (Post 820201). 96/12/10. 2pp. 91151:151-91151:152.

**9612120200** PNO-I-96-088:on 961211,shipment containing 64-Ci Ir-192 radiography source missing in transit.Licensee will continue efforts to locate package through Canadian ofc.Region I Public Affairs prepared to respond to media inquiries.
KINNEMAN,J.D., ULLRICH,B. Region 1 (Post 820201). 96/12/12. 1p. 91163:044-91163:044.

**9612130049** PNO-I-96-089:on 961211,nuclear powered cardiac pacemaker reported lost at Nazareth Hosp,in Philadelphia,PA.Region I initiated special insp to follow up on incident.Region I Ofc of Public Affairs prepared to respond to media.
BHALLA,N., SHANBAKY,M.M. Region 1 (Post 820201). 96/12/12. 1p. 91163:082-91163:082.

**9612130071** PNO-IV-96-066:on 961211,licensee notified NRC,Walnut Creek Field Ofc of electrical fire & partial loss of site power. Licensee formed Incident Investigation Board to review event.State of WA will be informed.
WENSLAWSKI,F., SCARANO,R. Region 4 (Post 820201). 96/12/12. 2pp. 91163:096-91163:097.

**9612130294** PNO-I-96-090:on 961213,unusual event declared when vapors from small toluene spill on roof of administration bldg detected in ofc area,resulting in personnel evacuation of upper floor of bldg.Con Ed issued press release.
BARKLEY,R. Region 1 (Post 820201). 96/12/13. 2pp. 91163:133-91163:134.

**9612160307** PNO-IV-96-067:on 961215,two fishermen died & one missing following capsizing of boat on Wolf Creek Lake.Licensee & Coffey County Sheriff Ofc issued joint press release.
JOHNSON,W.D., GRAVES,D.N. Region 4 (Post 820201). 96/12/16. 1p. 91163:175-91163:175.

**9612170077** PNO-I-96-088A:on 961216,Amersham Corp reported to NRC package containing 64-Ci Ir-192 radiography source,reported missing,located.Carrier,Purolator,reported package found at one of depots in Sidney,Nova Scotia,Canada.
KINNEMAN,J.D., ULLRICH,B. Region 1 (Post 820201). 96/12/16. 2pp. 91163:232-91163:233.

**9612170085** PNO-I-96-086A:on 961205,Maine Yankee personnel identified inadequate cable separation issues affecting reactor protection sys.Licensee in process of developing scope for expanded review & process for field verification.
YEROKUN,J., OLSEN,B., CONTE,R. Region 1 (Post 820201). 96/12/16. 3pp. 91163:243-91163:245.

**9612170104** PNO-II-96-083:on 961214,Unit 2 shutdown due to small amount of backleakage through injection sys discharge check valve, causing gas entrainment in B train of RHR sys.NRC resident inspectors observed unit shutdown & RHR testing.
CARROLL,R.E. Region 2 (Post 820201). 96/12/16. 1p. 91163:247-91163:247.

**9612170127** PNO-II-96-084:on 961216,AL,Agreement State,notified Region II re media interest in labeled radiopharmaceutical package found at svc station in Auburn,AL.Vehicle taken to svc station for svc & package left at svc station.
WOODRUFF,R. Region 2 (Post 820201). 96/12/16. 1p. 91163:248-91163:248.

**9612180145** PNO-III-96-073:on 961216,alert declared by licensee when matl release sighted coming from feed matls bldg.Bad pump motor connection on scrubber sys caused electrical short, tripped breaker.Licensee notified NRC Operations Ctr.
SHEAR,G.L., KNICELEY,J. Region 3 (Post 820201). 96/12/17. 1p. 91164:026-91164:026.

**9612180277** PNO-I-96-091:on 961217,CR received call reporting unconscious,injured person at Substation C located in protected area IP-2 & IP-3.Individual transported offsite to local hosp,where pronounced dead.Cause of death unknown.
BARKLEY,R. Region 1 (Post 820201). 96/12/18. 2pp. 91180:301-91180:302.

**9612200077** PNO-IV-96-069:on 961218,Syncor radiopharmacy contaminated shipping container.Region III notified & dispatched inspector to review incident w/hosp & pharmacy personnel. Region III will keep Region IV informed of findings.
MONTGOMERY,J., HOWELL,L. Region 4 (Post 820201). 96/12/19. 1p. 91201:001-91201:001.

**9612200090** PNO-III-96-074:on 961213,licensee planned to extend outages for LaSalle units to address operational & engineering issues identified.Team also raised some concerns in area of plant.
DAPAS,M., CALDWELL,J. Region 3 (Post 820201). 96/12/18. 1p. 91201:002-91201:002.

**9612200114** PNO-I-96-092:on 961218,accident involving packages containing I-131 occurred.Region I immediately contacted CIS-US & Federal Express representative.Licensee representative stated,plan to survey motorist car & home.
LANZISERA,P., KINNEMAN,J.D. Region 1 (Post 820201). 96/12/18. 2pp. 91201:006-91201:007.

**9612200140** PNO-III-96-075:on 961216,hosp performed radiation surveys on packages & found elevated radiation levels at surface of two packages.Licensee survey showed radiation levels of 400 mrem per h at surface of package.
LYNCH,J., CANIANO,R. Region 3 (Post 820201). 96/12/18. 1p. 91201:018-91201:018.

**9612200166** PNO-IV-96-068:on 961217,reported Troxler asphalt content gauge,Model 3241C,stolen from trailer at San Xavier Rock & matls in Tucson.Gauge contains 100-mCi Am-241 sealed source. Lab & computer equipment stolen also.
CAIN,C., HORNER,J. Region 4 (Post 820201). 96/12/18. 1p. 91201:019-91201:019.

**9612230060** PNO-IV-96-063A:on 961218,resumption of dry loading activities updated.Very little hydrogen measured during time period water in cask.Next loading process will start in mid- Jan.ANO expects to build more casks after fourteen filled.
EVERETT,V., SPITZBERG,B. Region 4 (Post 820201). 96/12/19. 1p. 91242:013-91242:013.

**9612230076** PNO-IV-96-070:on 961219,licensee inadvertently sold compacted & baled scrap metal containing magnesium-thorium alloy to autojumble salvage yard in Mansfield,OH.Scrap yard owner made aware of radioactive matl in scrap metal.
MCLEAN,M.L., HOWELL,L. Region 4 (Post 820201). 96/12/20. 1p. 91242:014-91242:014.

**9612230090** PNO-IV-96-071:on 961219,Region IV Walnut Creek Field Ofc was notified of misadministration involving administration of I-131.Uptake measurement needed to assist authorized user in determining dosage required to treat patient.
MONTGOMERY,J., HOWELL,L. Region 4 (Post 820201). 96/12/20. 1p. 91242:015-91242:015.

**9612230100** PNO-I-96-091A:update re 961217 fatality at Indian Point Unit 3.Autopsy was performed by Westchester County Medical Examiner ofc on individual ruled out electrocution as cause of death & indicated heart attack as cause.
BARKLEY,R. Region 1 (Post 820201). 96/12/20. 2pp. 91242:016-91242:017.

**9612230107** PNO-I-96-093:on 961219,determined NMP-2 not in full compliance w/TS 3.1.3.8, "Control Rod Drive Housing Support" & commenced shutdown.Plant cooldown in progress to allow for drywell entry & completion of required inspections.
DOERFLEIN,L., NORRIS,B. Region 1 (Post 820201). 96/12/20. 2pp. 91242:020-91242:021.

**9612240066** PNO-I-96-094:on 961220,licensees were unable to confirm whereabouts of shipment containing 108-Ci Ir-192 radiography source,shipped to Algiers,Algeria.Licensee continues to call Algiers everyday.
ULLRICH,B., HENDERSON,P. Region 1 (Post 820201). 96/12/23. 1p. 91242:027-91242:027.

**9612240094** PNO-I-96-095:on 961221,fire occurred in one of NIH labs.Lab contained small quantities of radioactive matls used in research tracer studies.Lab also contained dry & liquid radioactive waste containers.
EVERHART,D., SHANBAKY,M. Region 1 (Post 820201). 96/12/23. 1p. 91242:028-91242:028.

**9612260077** PNO-I-96-096:on 961223,licensee informed NRC of disturbance involving mechanic,employed by MIT to support reactor facility.Employee abruptly left facility in very agitated state.Regional personnel will maintain contact w/licensee.
WHITE,J. Region 1 (Post 820201). 96/12/24. 1p. 91231:340-91231:340.

**9612260085** PNO-IV-96-072:on 961223,licensee missing one of nuclear gauges containing Cs-137.Licensee attempted to locate device using GM-type radiation detection instrument but unsuccessful.
SHAFFER,M.R., BROWN,R. Region 4 (Post 820201). 96/12/24. 2pp. 91242:130-91242:131.

**9612270072** PNO-I-96-097:on 961226,tritium exit signs were stolen from Edgewater Manor Apartments in Edgewater Park,NJ.Exit signs mfg & distributed under general license by Isolite Corp. Apartment mgt plans to distribute flyers.
WHITE,D., JOHANSEN,J. Region 1 (Post 820201). 96/12/26. 1p. 91271:009-91271:009.

**9612270150** PNO-II-96-085:on 961226,tractor trailer carrying Vectra shipping cask broke down on highway in SC.Trailer low-boy type & one of welds broke,caused trailer to fall to ground. Cask in transit to Barnwell waste disposal site.
MALLETT,B. Region 2 (Post 820201). 96/12/27. 1p. 91271:011-91271:011.

**9612300090** PNO-III-96-076:on 961227,settlement w/Advanced Medical Sys was reached.Region III will review settlement agreement to determine whether NRC regulatory issues involved.
MADERA,J., CANIANO,R. Region 3 (Post 820201). 96/12/27. 1p. 91271:012-91271:012.

**9612310168** PNO-III-96-077:on 961224 & 1229,3 curie Am-241 source & 2 curie Cs-137 source became snagged in an oil & gas well. Efforts to retrieve sources have been unsuccessful.Licensee will submit specific abandonment procedures in few days.
LAFRANZO,M., CANIANO,R. Region 3 (Post 820201). 96/12/31. 1p. 91274:017-91274:017.

**9612310171** PNO-IV-96-072A:on 961230,licensee nuclear gauge containing 100 mCi of Cs-137 was reported missing 961223 still unaccounted for.Improved weather conditions expected will aid in recovery of source.
SHAFFER,M.R., BROWN,R. Region 4 (Post 820201). 96/12/31. 1p. 91274:018-91274:018.

**MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS**

**9612130015** Informs that time provided by NRC regulation within which Commission may act to review decision of ASLB terminating proceedings in docket,expired.W/Certificate of Svc.Served on 961127.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18081. LBP-96-20. 96/11/27. Atomic Safety & Licensing Board Panel. GUZMAN,J. Affiliation Not Assigned. 2pp. 91082:349-91082:350.

**9612130022** Memorandum & order (extension of time).* RL Tetrick shall serve written presentation by 970103 & NRC may respond w/ document that complies w/regulations by 970124.W/Certificate of Svc.Served on 961209.
JULIAN,E.L. Atomic Safety & Licensing Board Panel. #496 18098. SP. 96/12/09. Office of the General Counsel (Post 860701). 3pp. 91082:351-91082:353.

**9612160069** Forwards confirmatory order prohibiting involvement in NRC-licensed activities due to deliberate misconduct.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-96-100. 96/12/12. MAAS,J. Affiliation Not Assigned. 1p. 91134:306-91134:315.

**-9612160077** Confirmatory order prohibiting involvement in NRC-licensed activities (effective immediately).Prohibits J Maas from engaging in or exercising control over individuals engaged in NRC-licensed activities for period of 5 yrs.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-96-100. 96/12/12. 8pp. 91134:307-91134:315.

**9612170285** Confirms telcon between K Barr & J Butrick re predecisional enforcement conference scheduled for 961213 to discuss content of 961101 ltr.
BELISLE,G.A. Region 2 (Post 820201). IA-96-071. 96/12/09. BUTRICK,J. Affiliation Not Assigned. 2pp. 91118:097-91118:098.

**9612190154** Provides follow up on meetings w/K Caudle & J Easton re NRC permit requirement compliance w/Kirtland Air Force Base. Easton statement re activities & efforts to comply w/NRC permit requirement encl.
GRADIN,R.E. Affiliation Not Assigned. 96/12/11. HOWELL,L.L. Region 4 (Post 820201). 5pp. 91191:318-91191:322.

**9612190262** Informs that Dr GP Hanson retired from World Health Organization.
INGOLFSDOTTIR,G Affiliation Not Assigned. 96/12/12. NRC - No Detailed Affiliation Given. 1p. 91164:359-91164:359.

**9612190376** Recommends that exemption form 10CFR171 annual fees be granted for DOE/LANL plutonium beryllium neutron source recovery program.
SCROFFINS,R.M. Office of the Controller (Post 890205). 96/12/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 91151:357-91151:360.

**NRCSA STRATEGIC ASSESSMENT PAPERS**

**9610310165** Comments on Strategic Assessment Paper DSI 6, "Research."
RANDALL,J. NRC - No Detailed Affiliation Given. DSI-6 00004. 96/10/28. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 90610:266-90610:272.

**9612040071** Forwards comments of D Powers,D Miller & J Barton re DSI-2, "Oversight of DOE."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. DSI-2 00018. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91027:207-91027:212.

**9612040086** Comment on DSI-4 re NRC relationship w/Agreement States.
SINCLAIR,W.J. Utah, State of. DSI-4 00029. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91027:213-91027:221.

**9612040099** Comment on DSI-5 re low-level waste.
SINCLAIR,W.J. Utah, State of. DSI-5 00027. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91027:222-91027:227.

**9612040106** Comment on DSI-7 re matls/medical oversight.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DSI-7 00028. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91028:207-91028:207.

**9612040114** Comment on DSI-6 re high level waste & spent fuel.
SINCLAIR,W.J. Utah, State of. DSI-6 00022. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:208-91028:209.

**9612040126** Comment on DSI-9 re decommissioning of non-reactor facilities.Options 1-3,discussed.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DSI-9 00014. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91028:210-91028:212.

**9612040129** Forwards comments of J Barton on DSI-11 re operating reactor program oversight.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. DSI-11 00017. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91028:213-91028:215.

**9612040144** Comments on State of UT on DSI-13, "Role of Industry."
SINCLAIR,W.J. Utah, State of. DSI-13 00012. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:216-91028:217.

**9612040172** Forwards comments by D Miller,D Powers and J Barton on DSI-13, "Role of Industry."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. DSI-13 00013. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91028:009-91028:011.

**9612040183** Comments on DSI-14, "Strategic Assessment Issue Paper, Public Communication Initiatives."
SINCLAIR,W.J. Utah, State of. DSI-14 00016. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:012-91028:013.

**9612040187** Comments on DSI-21, "Strategic Assessment Issue Paper,Fees."
SINCLAIR,W.J. Utah, State of. DSI-21 00020. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:014-91028:015.

**9612040193** Comments on DSI-23, "Strategic Assessment Issue Paper, Enhancing Regulatory Excellence."
SINCLAIR,W.J. Utah, State of. DSI-23 00013. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:093-91028:094.

**9612040208** Comments on DSI-10 re NRC strategic assessment & rebaselining.Key issues affecting future strategic direction of NRC discussed.Option two preferred.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-10 00008. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 18pp. 91045:244-91045:257.

**9612040214** Comments on DSI-9 re NRC strategic assessment & rebaselining.Key issues affecting future strategic direction of NRC discussed.Option one preferred.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-9 00015. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91027:300-91027:307.

**9612040224** Nuclear Energy Institute comments on DSI-7 re NRC strategic assessment & rebaselining initiative.Different options discussed.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-7 00029. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91027:308-91027:315.

**9612040227** Comments on DSI-13 re strategic assessment & rebaselining initiative.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-13 00014. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91028:125-91028:133.

**9612040229** Nuclear Energy Institute comments on DSI-6 re NRC strategic assessment & rebaselining initiative.Options 1,2,3 & 5 recommended.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-6 00023. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91028:134-91028:142.

**9612040235** Nuclear Energy Institute comments on DSI-4 re NRC strategic assessment & rebaselining initiative.Combination of options supported.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-4 00030. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91028:143-91028:150.

**9612040238** Comments on DSI-12 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-12 00025. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91027:316-91027:326.

**9612040245** Comments on DSI-11 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-11 00018. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 12pp. 91028:151-91028:162.

**9612040253** Comments on DSI-23 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-23 00014. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91028:163-91028:173.

**9612040260** Comments on DSI-22 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-22 00014. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 14pp. 91027:327-91027:340.

**9612040267** Comments on DSI-21 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-21 00021. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91028:174-91028:181.

**9612040271** Comments on DSI-14 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-14 00017. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 91027:341-91027:350.

**9612040274** Nuclear Energy Institute comments on DSI-2 re NRC strategic assessment & rebaselining initiative.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-2 00019. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91027:199-91027:206.

**9612040278** Nuclear Energy Institute comments on DSI-24 re NRC strategic assessment & rebaselining initiative.Option two supported.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-24 00014. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 91027:351-91027:360.

**9612040281** Nuclear Energy Institute comments on DSI-20 re NRC strategic assessment & rebaselining initiative.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-20 00022. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91028:001-91028:008.

**9612060353** Comments on DSI-6 re high level waste.
MENDELSOHN,B. NRC - No Detailed Affiliation Given. DSI-6 00026. 96/12/02. Office of the Secretary of the Commission. 2pp. 91053:192-91053:193.

**9612060356** Comments on TX Dept of Health Bureau of Radiation Control DSI-4, "NRC Direction Setting 4,NRC Relationship w/Agreement States."
RATLIFF,R.A. Texas, State of. DSI-4 00032. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91053:194-91053:200.

**9612090006** NJ Dept of State comments on DSI-6 re strategic assessment & rebaselining project.
LIPOTI,J. New Jersey, State of. DSI-6 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91053:295-91053:307.

**9612090010** Ohio Dept of Health comments on DSI-6 re high-level waste spent fuel.
OWEN,R.E. Ohio, State of. DSI-6 00027. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91053:308-91053:313.

**9612090013** Comments on DSI-6 re high-level waste & spent fuel.
REED,P. NRC - No Detailed Affiliation Given. DSI-6 00028. 96/12/02. Office of the Secretary of the Commission. 3pp. 91053:314-91053:316.

**9612090014** Comment on DSI-2 included in NRC strategic & rebaselining initiative re oversight of DOE.
RATLIFF,R.A. Texas, State of. DSI-2 00023. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91053:317-91053:320.

**9612090015** Comments on DSI-6 re high level waste & spent fuel.
MEISNER,M.J. Entergy Operations, Inc. DSI-6 00029. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91053:321-91053:326.

**9612090017** Comment on DSI-2 re strategic assessment.Option 1,supported.
DRAGOUN,T. Region 1 (Post 820201). DSI-2 00024. 96/12/02. Office of the Secretary of the Commission. 2pp. 91053:327-91053:328.

**9612090023** American College of Nuclear Physicians/Society of Nuclear Medicine comments on DSI-7 re NRC strategic assessment & rebaselining.
BRILL,D.R., DEVOUS,M.D. Society of Nuclear Medicine. DSI-7 00037. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 91053:329-91053:338.

**9612090024** Citizens comments on DSI-2 re DOE nuclear safety.
* Affiliation Not Assigned. DSI-2 00027. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91055:151-91055:158.

**9612090029** Submits comments on DSI-7 re NRC strategic assessment & rebaselining.Option two supported.
* Affiliation Not Assigned. DSI-7 00038. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91053:339-91053:346.

**9612090035** NJ DOS comments on DSI-7 re NRC strategic assessment & rebaselining.Option three preferred.
LIPOTI,J. New Jersey, State of. DSI-7 00030. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91053:347-91053:359.

**9612090040** Comment on DSI-4 re NRC relationship w/agreement states.
PAULSON,O. Kennecott Corp. DSI-4 00031. 96/11/26. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91055:159-91055:166.

**9612090041** Conference of Radiation Control Program Directors Inc comments on DSI-6 re high level radwaste.Options one & five opposed.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-6 00032. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:167-91055:168.

**9612090044** Comments on DSI-6 re NRC strategic assessment & rebaselining.Option two supported.
* Affiliation Not Assigned. DSI-6 00031. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91055:169-91055:176.

**9612090047** Comment on DSI-12 re strategic planning initiative.Options 1 & 2,discussed.
LIPOTI,J. New Jersey, State of. DSI-12 00026. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91055:177-91055:189.

**9612090048** MD Dept of Environ comments on DSI-2 re oversight of DOE.
FLETCHER,R.G. Maryland, State of. DSI-2 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:190-91055:191.

**9612090050** Comment on DSI-9 re decommissioning non-reactor facilities.
FLETCHER,R.G. Maryland, State of. DSI-9 00022. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:192-91055:193.

**9612090053** Mel Silberberg & Assoc comments on DSI-6 re high level waste (in conjunction w/DSI-22).
DEGRAFF,R. . DSI-6 00030. 96/12/02. Office of the Secretary of the Commission. 6pp. 91055:194-91055:199.

**9612090055** Comment on DSI-9 re decommissioning non-reactor facilities.
RATLIFF,R.A. Texas, State of. DSI-9 00021. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91055:200-91055:203.

**9612090058** Texas Dept of Health comments on DSI-7 re matls/medical oversight.Option two supported.
RATLIFF,R.A. Texas, State of. DSI-7 00036. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91055:204-91055:209.

**9612090062** Comment on DSI-9 re decommissioning non-reactor facilities.
LOOMIS,M. Wyoming Mining Association. DSI-9 00020. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91055:210-91055:218.

**9612090064** Conference of Radiation Control Program Directors Inc comments on DSI-7 re matls/medical oversight.Option two supported.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-7 00035. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91055:219-91055:226.

**9612090068** Comment on DSI-9 re strategic planning initiative.Options 1 & 2,discussed.
LIPOTI,J. New Jersey, State of. DSI-9 00019. 96/12/02. Office of the Secretary of the Commission. 13pp. 91055:227-91055:239.

**9612090069** Maryland Dept of Environ comments on DSI-7, "Matls/Medical Oversight," re NRC strategic assessment & rebaselining initiative.Options one & two supported.
FLETCHER,R.G. Maryland, State of. DSI-7 00034. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91055:240-91055:242.

**9612090072** Comment on DSI-9 re decommissioning non-reactor facilities.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-9 00018. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91055:243-91055:246.

**9612090075** Ohio Dept of Health comments on DSI-7, "Matls/Medical Oversight" re NRC strategic assessment & rebaselining.Option three supported.
OWEN,R.E. Ohio, State of. DSI-7 00033. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91055:247-91055:249.

**9612090076** Comment on DSI-9 re strategic assessment framework, non-reactor decommissioning.
WEBER,M. NRC - No Detailed Affiliation Given. DSI-9 00017. 96/12/02. Office of the Secretary of the Commission. 8pp. 91055:250-91055:257.

**9612090079** Comments on DSI-5 re key points instead of burocratic stories told in DSIs.
* Affiliation Not Assigned. DSI-5 00039. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91055:258-91055:265.

**9612090080** Comment on DSI-9 re strategic assessment & initiative.
* Affiliation Not Assigned. DSI-9 00016. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91055:266-91055:273.

**9612090081** Council on Radionuclides & Radiopharmaceuticals Inc comments on DSI-7, "Matls/Medical Oversight" re NRC strategic assessment & rebaselining.Option three supported.
BROWN,R.W. . DSI-7 00032. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91055:274-91055:281.

**9612090083** Comment on DSI-4 re NRC strategic assessment & rebaselining initiative.
JUDD,C.A. Envirocare of Utah, Inc. DSI-4 00036. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91055:282-91055:287.

**9612090084** WY Mining Assoc comments on DSI-4, "NRC Relationship W/ Agreement States."
LOOMIS,M. Wyoming Mining Association. DSI-4 00041. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91055:288-91055:296.

**9612090086** Entergy Operations Inc comments on DSI-12 re NRC strategic assessment & rebaselining.Option four supported.
MEISNER,M.J. Entergy Operations, Inc. DSI-12 00032. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91055:297-91055:303.

**9612090087** NJ Dept of State comments on DSI-2 re strategic assessment & rebaselining project.
LIPOTI,J. New Jersey, State of. DSI-2 00020. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91055:304-91055:316.

**9612090091** Comment DSI-4 re strategic assessment & rebaselining initiative.
BROWN,R.W. Affiliation Not Assigned. DSI-4 00035. 96/11/26. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91055:317-91055:325.

**9612090092** Texas Dept of Health comments on DSI-12, "Risk-Informed, Performance-Based Regulation" re NRC strategic assessment & rebaselining.Certain aspects of Options 1,2,3 & 4 supported.
RATLIFF,R.A. Texas, State of. DSI-12 00031. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91055:326-91055:332.

**9612090095** Comments on DSI-5, "NRC Strategic Assessment & Rebaselining."
MEISNER,M.J. Entergy Operations, Inc. DSI-5 00038. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91055:333-91055:338.

**9612090096** Comment on DSI-4 re strategic planning initiative.
LIPOTI,J. New Jersey, State of. DSI-4 00034. 96/12/02. Office of the Secretary of the Commission. 13pp. 91055:013-91055:025.

**9612090097** Conference of Radiation Control Program Directors Inc comments on DSI-12, "Risk-Informed,Performance-Based Regulation" re NRC strategic assessment & rebaselining. Option two & three supported.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-12 00030. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91055:339-91055:344.

**9612090098** Comment on DSI-4 re NRC relationship w/Agreement States.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-4 00033. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91055:026-91055:032.

**9612090099** Comments on DSI-2 re oversight of DOE.
ACKER,D. Region 4 (Post 820201). DSI-2 00021. 96/11/27. Office of the Secretary of the Commission. 3pp. 91055:345-91055:347.

**9612090100** Comment on DSI-7 re matls & medical oversight.Alternative D, opposed.
COUPAL,J.J. Valley Radiologists Medical Group, Inc., San Jose, CA. DSI-7 00031. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91053:360-91053:360.

**9612090103** YAEC comments on DSI-12, "Risk-Informed,Performance-Based Regulation" re NRC strategic assessment & rebaselining.
GRANT,J.M. Yankee Atomic Electric Co. DSI-12 00029. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91055:348-91055:351.

**9612090105** OH Dept of Health comments on DSI-4 re strategy of states becoming agreement states.
OWEN,R.E. Ohio, State of. DSI-4 00040. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91055:352-91055:354.

**9612090106** Comments on DSI-5, "NRC Strategic Assessment Issue Paper: Low-Level Waste."
JUDD,C.A. Envirocare, Inc. DSI-5 00037. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91055:355-91055:360.

**9612090107** Comment on DSI-5 re low-level waste.
FLETCHER,R.G. Maryland, State of. DSI-5 00031. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:033-91055:034.

**9612090109** Maryland Dept of Environ comments on DSI-12, "Risk-Informed, Performance-Based Regulation" re NRC strategic assessment & rebaselining.
FLETCHER,R.G. Maryland, State of. DSI-12 00028. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91056:001-91056:002.

**9612090110** Comment on DSI-2 re oversight of DOE.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-2 00022. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91056:003-91056:006.

**9612090113** Comment on DSI-5 re strategic assessment concerning low level waste.
GARRY,S. Florida Power Corp. DSI-5 00032. 96/12/02. Office of the Secretary of the Commission. 2pp. 91055:035-91055:036.

**9612090114** Council of Radionuclides & Radiopharmaceuticals Inc comments on DSI-12, "Risk-Informed,Performance-Based Regulation" re NRC strategic assessment & rebaselining.Option three supported.
BROWN,R.W. . DSI-12 00027. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 91056:007-91056:016.

**9612090115** Forwards comments on DSI-5 re NRC strategic assessment issue paper concerning low-level waste.
REED,P.R. Waste Management Branch (Post 941217). DSI-5 00036. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91055:037-91055:041.

**9612090118** TX Dept of Health comments on DSI-13 re role of industry.
RATLIFF,R.A. Texas, State of. DSI-13 00019. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:042-91055:043.

**9612090119** Comments on DSI-5 re low-level waste.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-5 00041. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:044-91055:045.

**9612090120** Comment on DSI-5 re strategic assessment issue paper concerning low-level waste.Comments submitted by Organization of Agreement States,supported.
OWEN,R.E. Ohio, State of. DSI-5 00035. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91055:046-91055:050.

**9612090121** New Jersey DOS comments on DSI-5 re NRC strategic assessment & rebaselining.Option four supported.
LIPOTI,J. New Jersey, State of. DSI-5 00030. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91055:051-91055:063.

**9612090122** MD Dept of Environ comments on DSI-4, "NRC Relationship W/Agreement States."
FLETCHER,R.G. Maryland, State of. DSI-4 00039. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91055:064-91055:066.

**9612090123** Comment on DSI-5 re strategic assessment & rebaselining initiative concerning low-level waste.
GRANT,J.M. Yankee Atomic Electric Co. DSI-5 00034. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91055:067-91055:071.

**9612090126** Council on Radionuclides & Radiopharmaceuticals Inc comments on DSI-5 "LLRW" re NRC strategic assessement & rebaselining.
BROWN,R.W. . DSI-5 00029. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 14pp. 91055:072-91055:085.

**9612090127** Comment on DSI-13 re role of industry.
PAULSON,O. Kennecott Corp. DSI-13 00018. 96/11/26. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91055:086-91055:093.

**9612090129** Mel Silberberg & Assoc comments on DSI-4 re NRC relationship w/agreement states.Option three recommended.
DEGRAFF,R. Affiliation Not Assigned. DSI-4 00043. 96/12/02. Office of the Secretary of the Commission. 6pp. 91055:094-91055:099.

**9612090130** Amersham comments on DSI-14, "Public Communication Initiatives."
ROUGHAN,C. Amersham Holdings, Inc. DSI-14 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91055:100-91055:103.

**9612090131** Comments on DSI-4 re NRC strstegic assessment & rebaselining.Option two supported.
* Affiliation Not Assigned. DSI-4 00042. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91071:345-91071:352.

**9612090132** Yankee Atomic Energy Co comments on DSI-14, "Public Communication Initiatives."
GRANT,J.M. Yankee Atomic Electric Co. DSI-14 00021. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91072:031-91072:036.

**9612090136** Maryland Radiological Health Program comment on DSI-14, "Public Communication Initiatives."
FLETCHER,R.G. Maryland, State of. DSI-14 00022. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:037-91072:038.

**9612090137** Comments on DSI-5, "Low-Level Waste."
SILBERBERG,M. Affiliation Not Assigned. DSI-5 00040. 96/12/02. Office of the Secretary of the Commission. 6pp. 91072:039-91072:044.

**9612090139** Entergy Operations,Inc comments on DSI-4, "NRC Relationship W/Agreement States."
MEISNER,M.J. Entergy Operations, Inc. DSI-4 00037. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91072:045-91072:049.

**9612090142** Comments on DSI-5 re low-level waste.
RATLIFF,R.A. Texas, State of. DSI-5 00042. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:050-91072:051.

**9612090145** Organization Resources Counselors,Inc comments on NRC strategic assessment & rebaselining initiative DSI-4.
WHITE,F.A. . DSI-4 00038. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91072:052-91072:055.

**9612090146** Comments on DSI-6 re high level waste & spent fuel.
GRANT,J.M. Yankee Atomic Electric Co. DSI-6 00024. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91072:056-91072:061.

**9612090149** Comments on DSI-5, "NRC Strategic Assessment & Rebaselining."
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-5 00028. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91071:196-91071:311.

**-9612090155** "One Yr Without Disposal Site for Low-Level Radwaste,Lessons Learned from Barnwell Closure to 31 States."
* Affiliation Not Assigned. DSI-5 00028. 96/01/31. 96pp. 91071:205-91071:311.

**9612090151** Council on Radionuclides & Radiopharm comments on DSI-14, "Public Communication Initiatives."
BROWN,R.W. Affiliation Not Assigned. DSI-14 00019. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91072:062-91072:066.

**9612090153** M Weber comments on DSI-14 re public communication initiatives.
WEBER,M. NRC - No Detailed Affiliation Given. DSI-14 00020. 96/12/02. Office of the Secretary of the Commission. 8pp. 91072:067-91072:074.

**9612090156** Dept of State comments on DSI-14, "Strategic Planning Initiative."
LIPOTI,J. New Jersey, State of. DSI-14 00018. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91072:075-91072:087.

**9612090158** Dept of State comments on DSI-13, "Strategic Planning Initiative."
LIPOTI,J. New Jersey, State of. DSI-13 00015. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91072:088-91072:100.

**9612090159** Comments on DSI-13, "NRC Strategic Assessment & Rebaselining."
MEISNER,M.J. Entergy Operations, Inc. DSI-13 00021. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91072:101-91072:106.

**9612090160** Council of Radionuclides & Radiopharm comments on DSI-13, "Role of Industry."
BROWN,R.W. Affiliation Not Assigned. DSI-13 00016. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91072:107-91072:110.

**9612090163** Comments on DSI-13 re role of industry.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-13 00020. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:111-91072:112.

**9612090166** Comment on DSI-20 re intl activities.
ACKER,D. NRC - No Detailed Affiliation Given. DSI-20 00023. 96/11/27. Office of the Secretary of the Commission. 3pp. 91072:113-91072:115.

**9612090167** Wyoming Mining Association comments of DSI-13, "Role of Industry."
LOOMIS,M. Wyoming Mining Association. DSI-13 00017. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91072:116-91072:124.

**9612090169** Comments on DSI-22, "Strategic Assessment Issue Paper: Research."
REED,P.R. Waste Management Branch (Post 941217). DSI-22 00016. 96/11/29. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91072:125-91072:132.

**9612090171** Comments on DSI-22 re direction setting issue (DSI) papers by NRC as part of strategic planning initiative.
LIPOTI,J. New Jersey, State of. DSI-22 00015. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91071:332-91071:344.

**9612090173** Comments on DSI-22 re research.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-22 00020. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:133-91072:134.

**9612090175** Comments on DSI-22 re current issues facing country.
DRAGOUN,T. Region 1 (Post 820201). DSI-22 00019. 96/12/02. Office of the Secretary of the Commission. 1p. 91072:135-91072:135.

**9612090177** Comments on DSI-22 re research.
GRANT,J.M. Yankee Atomic Electric Co. DSI-22 00018. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91071:320-91071:331.

**-9612090179** "ANS Forum:US NRC Nuclear Regulatory Research -- Acomplishments & Needs ANS/ENS Intl Meeting on 961113."
KADAK,A.C. Yankee Atomic Electric Co. DSI-22 00018. 96/11/13. Yankee Atomic Electric Co. 9pp. 91071:323-91071:331.

**9612090184** Comments on DSI-22 re key points instead of burocratic stories told in DSIs.
* Affiliation Not Assigned. DSI-22 00023. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91071:312-91071:319.

**9612090191** Comments on DSI-22, "Research."
SILBERBERG,M. Affiliation Not Assigned. DSI-22 00022. 96/12/02. Office of the Secretary of the Commission. 6pp. 91072:025-91072:030.

**9612090201** Comments on DSI-22 re research.
RATLIFF,R.A. Texas, State of. DSI-22 00021. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:023-91072:024.

**9612090206** Maryland Dept of Environ comments on DSI-20, "Intl Activities" re NRC strategic assessment & rebaselining initiative.Option three preferred.
FLETCHER,R.G. Maryland, State of. DSI-20 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:021-91072:022.

**9612090210** Submits comments on DSI-20 re NRC strategic assessment & rebaselining initiative.Option two supported.
* Affiliation Not Assigned. DSI-20 00026. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91072:013-91072:020.

**9612090214** Comments on DSI-14 re public communication initiatives.
RATLIFF,R.A. Texas, State of. DSI-14 00023. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:011-91072:012.

**9612090216** Texas Dept of Health comments on DSI-20, "Intl Activities" re NRC strategic assessment & rebaselining initiative.Option three preferred.
RATLIFF,R.A. Texas, State of. DSI-20 00027. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91072:009-91072:010.

**9612090217** DOS comments on DSI-20 re NRC strategic assessment & rebaselining initiative.Option 5 supported.
MCNAMARA,T.E. State, Dept. of. DSI-20 00028. 96/12/04. TAYLOR,J. Ofc of the Executive Director for Operations. 3pp. 91071:353-91071:355.

**9612090219** Comments on DSI-14 re public communication initiatives.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-14 00024. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91072:006-91072:008.

**9612090281** Comments on DSI-2.Endorses comments submitted by Organization of Agreement States.
OWEN,R.E. Ohio, State of. DSI-2 00026. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91071:358-91071:359.

**9612090293** Comments on DSI-5, "Low-Level Waste."
STANTON,J. American Society of Mechanical Engineers. DSI-5 00033. 96/12/02. Office of the Secretary of the Commission. 2pp. 91071:356-91071:357.

**9612100210** Comment on DSI-23 re enhancing regulatory excellence.
PAULSON,O. Kennecott Corp. DSI-23 00019. 96/11/26. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91086:001-91086:008.

**9612100213** Comments on DSI-10.NRC should not waste resources in creating big review staff in area of construction of new reactors.
* Affiliation Not Assigned. DSI-10 00010. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91258:338-91258:345.

**9612100217** Comment on DSI-11, "Operating Reactor Program Oversight." NRC should rewrite the RP insp procedure w/assessment of exposure reduction/control as focus & utilize NUREG-0713.
NOGGLE,J. NRC - No Detailed Affiliation Given. DSI-11 00019. 96/12/02. Office of the Secretary of the Commission. 1p. 91085:355-91085:355.

**9612100222** TX Dept of Health Bureau of Radiation Control comments on DSI-11, "Operating Reactor Oversight."
RATLIFF,R.A. Texas, State of. DSI-11 00022. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91085:353-91085:354.

**9612100224** Comments on DSI-2, "Oversight of DOE."
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-2 00028. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91085:349-91085:352.

**9612100229** NMSS comments on DSI-2, "Oversight of DOE." DSI-2 correct in recommending that oversight must be done incrementally.
DAVIDSON,J. Office of Nuclear Material Safety & Safeguards. DSI-2 00029. 96/12/04. Office of the Secretary of the Commission. 5pp. 91085:344-91085:348.

**9612100232** NMSS comments on DSI-G2 re NRC strategic assessment & rebaselining.Options one & two considered.
DAVIDSON,J. Office of Nuclear Material Safety & Safeguards. DSI-G-2 00017. 96/12/04. Office of the Secretary of the Commission. 5pp. 91085:339-91085:343.

**9612100234** Forwards ltr from M Weidler,Secretary of NM Environ Dept expressing concern about NRC recent decision to charge states for training regulatory staff in state regulatory program per DSI-4.
SCHIFF,S.H. House of Rep. DSI-4 00044. 96/10/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91085:337-91085:338.

**9612100238** Comment of DSI-23 re enhancing regulatory excellence.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-23 00020. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91085:334-91085:336.

**9612100239** Forwards ltr from ME Weidler,Secretary of NM Environ Dept re Agreement States Program (DSI-4) for response.
RICHARDSON,B. House of Rep. DSI-4 00045. 96/10/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91085:332-91085:333.

**9612100243** Forwards ltr from ME Weidler,Secretary of NM Environ Dept re Agreement States Program for response.
BINGAMAN,J. Senate. DSI-4 00046. 96/10/17. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. 91085:330-91085:331.

**9612100244** Comment of DSI-23 re enhancing regulatory excellence.
MEISNER,M.J. Entergy Operations, Inc. DSI-23 00021. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91085:325-91085:329.

**9612100248** Comments on DSI-13, "Role of Industry." Supports Option 1.
RICCIO,J.P. Public Citizen's Critical Mass Energy Project. DSI-13 00024. 96/12/03. Office of the Secretary of the Commission. 10pp. 91085:315-91085:324.

**9612100249** AN Tschaeche comments on DSI-G2 re radiation protection.
TSCHAECHE,A.N. Affiliation Not Assigned. DSI-G-2 00016. 96/11/27. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91085:313-91085:314.

**9612100251** Clark County,NV Dept of Comprehensive Planning,Nuclear Waste Div comment on DSI-14, "Public Communication Initiatives."
BECHTEL,D. Clark County, NV. DSI-14 00028. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91084:355-91084:359.

**9612100252** Texas Dept of Health comment on DSI-23 re enhancing regulatory excellence.
RATLIFF,R.A. Texas, State of. DSI-23 00022. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91085:311-91085:312.

**9612100254** Comments on DSI-23, "Enhancing Regulatory Excellence." NRC can best enhance regulatory excellence by enforcing regulations on the books & holding licensees accountable when regulations violated.
RICCIO,J.P. Public Citizen's Critical Mass Energy Project. DSI-23 00025. 96/12/03. Office of the Secretary of the Commission. 10pp. 91085:301-91085:310.

**9612100257** Ohio Dept of Health comment on DSI-10 re Commission policy on future reactors.
OWEN,R.E. Ohio, State of. DSI-10 00009. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91084:353-91084:354.

**9612100268** Comment of DSI-12 re risk-informed,performance-based regulation.
DHAR,A. Mallinckrodt, Inc. DSI-12 00035. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91084:348-91084:352.

**9612100278** Mallinckrodt,Inc comments on DSI-4, "NRC Relationship W/ Agreement States."
DHAR,A. Mallinckrodt Medical, Inc., St. Paul, MN. DSI-4 00047. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:344-91084:347.

**9612100279** Forwards ACMUI comments on DSI-12 re risk-informed, performance-based regulation.
JACKSON,J.M. Ofc of the Executive Director for Operations. DSI-12 00036. 96/12/04. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. 91084:335-91084:343.

**9612100282** Comments on DSI-13 re role of industry.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-13 00022. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:331-91084:334.

**9612100284** Comment on DSI-13 re role of industry.
DHAR,A. Mallinckrodt, Inc. DSI-13 00023. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:327-91084:330.

**9612100285** Comment on DSI-22 re strategic assessment & rebaselining.
BOHART,J.R. FRAMATOME. DSI-22 00024. 96/11/25. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91084:324-91084:326.

**9612100289** Comments on DSI-G2 re oversight of DOE.
ACKER,D. Region 4 (Post 820201). DSI-G-2 00007. 96/11/27. Office of the Secretary of the Commission. 3pp. 91084:321-91084:323.

**9612100293** Comments on DSI-22 re research.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-22 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:317-91084:320.

**9612100311** Comment on DSI-24 re decommissioning power reactors.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-24 00021. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:313-91084:316.

**9612100314** Comments on DSI-24 re decommissioning-power reactors.
QUENNOZ,S.M. Portland General Electric Co. DSI-24 00022. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91084:311-91084:312.

**9612100320** Comments on DSI-9 re decommissioning non-reactors.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-9 00024. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91084:306-91084:310.

**9612100323** Yankee Atomic Electric Co comments on DSI-24 re decommissioning of power reactors.
GRANT,J.M. Yankee Atomic Electric Co. DSI-24 00016. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91084:301-91084:305.

**9612100325** Comments on DSI-9 re decommissioning non-reactor facilities.
DHAR,A. Mallinckrodt, Inc. DSI-9 00023. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91084:295-91084:300.

**9612100330** Comments on DSI-21 re fees.Supports comments submitted by NEI.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-21 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91084:292-91084:294.

**9612110001** Comments on DSI-21 re fees.
BROWN,R.W. . DSI-21 00024. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91097:339-91097:342.

**9612110002** Maryland Dept of Environ comments of DSI-21 re fees.Option 2 supported.
FLETCHER,R.G. Maryland, State of. DSI-21 00023. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91097:343-91097:344.

**9612110003** NJ State Dept comments on DSI-21 re strategic assessment & rebaselining project.
LIPOTI,J. New Jersey, State of. DSI-21 00022. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91097:345-91097:357.

**9612110005** Clark County,NV Dept of Comprehensive Planning,Nuclear Waste Div comment on DSI-2, "Oversight of DOE."
BECHTEL,D. Clark County, NV. DSI-2 00030. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91098:194-91098:197.

**9612110007** Clark County,NV Dept of Comprehensive Planning,Nuclear Waste Div comments on DSI-6, "High-level Waste & Spent Fuel."
BECHTEL,D. Clark County, NV. DSI-6 00034. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91098:198-91098:201.

**9612110008** Comments on DSI-11, "Operating Reactor Program Oversight." Supports option 1.
RICCIO,J.P. Public Citizen's Critical Mass Energy Project. DSI-11 00024. 96/12/03. Office of the Secretary of the Commission. 10pp. 91098:202-91098:211.

**9612110012** Comment on DSI-20 re policies on intl nuclear matters.
ORTCIGER,T.W. Illinois, State of. DSI-20 00032. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91098:212-91098:218.

**9612110013** New Jersey DOS comments on DSI-G2 re NRC strategic planning initiative.
LIPOTI,J. State, Dept. of. DSI-G-2 00008. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91098:219-91098:231.

**9612110014** Comment on DSI-9 re decommissioning nonreactor facilities.
BROWN,R.W. Affiliation Not Assigned. DSI-9 00025. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91098:232-91098:236.

**9612110017** Comment on DSI-7 re matls/medical oversight.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-7 00041. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91119:039-91119:041.

**9612110018** Comments on DSI-12, "Risk-informed,Performance-Based Regulation." Supports Option 2.
RICCIO,J.P. Public Citizen's Critical Mass Energy Project. DSI-12 00037. 96/12/03. Office of the Secretary of the Commission. 10pp. 91119:042-91119:051.

**9612110023** Clark County,NV Dept of Comprehensive Planning,Nuclear Waste Div comments on DSI-12, "Risk-Informed,Performance-Based Regulation."
BECHTEL,D. Clark County, NV. DSI-12 00038. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91119:052-91119:054.

**9612110026** Council on Radionuclides & Radiopharmaceuticals Inc comments on DSI-G2 re strategic assessment & rebaselining initiative.
BROWN,R.W. . DSI-G-2 00009. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91119:055-91119:060.

**9612110027** FPC comments on DSI-24, "Power Reactor Decommissioning."
GARRY,S.M. Florida Power Corp. DSI-24 00017. 96/12/02. Office of the Secretary of the Commission. 2pp. 91119:061-91119:062.

**9612110031** Comments on DSI-22, "Research."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-22 00026. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:063-91119:069.

**9612110032** Region II comments on DSI-G2 re strategic assessment & rebaselining initiative.
TROUP,G.L. Region 2 (Post 820201). DSI-G-2 00010. 96/11/30. NRC - No Detailed Affiliation Given. 3pp. 91119:070-91119:072.

**9612110035** State of IL Dept of Nuclear Safety comments on DSI-21 re fees.
ORTCIGER,T.W. Illinois, State of. DSI-21 00033. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91119:073-91119:080.

**9612110037** Swedish Nuclear Power Inspectorate comments on DSI-G2 re strategic assessment & rebaselining initiative.
HOGBERG,L. Sweden, Govt. of. DSI-G-2 00011. 96/12/02. SHEA,J.R. NRC - No Detailed Affiliation Given. 4pp. 91119:081-91119:084.

**9612110040** TX Dept of Health Bureau of Radiation Control comments on DSI-24 re decommissioning power reactors.
RATLIFF,R.A. Texas, State of. DSI-24 00018. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91119:085-91119:087.

**9612110041** Forwards ACMUI comments on DSI-7 re strategic assessment & DSI papers from meeting held on 961114-15.
TAYLOR,J.M. Ofc of the Executive Director for Operations. DSI-7 00040. 96/12/04. THE CHAIRMAN, JACKSON,S.A., DICUS,G.J. Commissioners (Post 750119). 1p. 91119:088-91119:088.

**-9612100041** Provides ACMUI comments on strategic assessment & direction setting issues papers for submission to Commission prior to end of comment period on 961202.
STITT,J.A. Advisory Committee on Medical Uses of Isotopes. DSI-7 00040. 96/11/26. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 8pp. 91119:089-91119:096.

**9612110045** Comments on DSI-G2 re NRC strategic planning framework.All options discussed.
WEBER,M. NRC - No Detailed Affiliation Given. DSI-G-2 00012. 96/12/02. Office of the Secretary of the Commission. 8pp. 91119:097-91119:104.

**9612110046** Comments on DSI-12 re risk informed,performance based regulations.
MORTON,H.W. Morton Associates (formerly Morton, H.W.). DSI-12 00043. 96/12/05. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91119:105-91119:109.

**9612110050** Comments on DSI-13, "Role of Industry."
DICHARRY,R.D. Non-Destructive Testing Management Association. DSI-13 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:110-91119:113.

**9612110055** Comment on DSI-23 re NRC strategic assessment & rebaselining initiative.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-23 00023. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:114-91119:117.

**9612110056** Conference of Radiation Control Program Directors,Inc comments on DSI-24, "Power Reactor Decommissioning."
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-24 00019. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91119:118-91119:119.

**9612110057** Comments on DSI-13, "Role of Industry."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-13 00026. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:120-91119:126.

**9612110058** Comment on DSI-23 re enhancing regulatory excellence.
DAVIDSON,J. Office of Nuclear Material Safety & Safeguards. DSI-23 00024. 96/12/04. Office of the Secretary of the Commission. 5pp. 91119:127-91119:131.

**9612110060** Comments on DSI-24, "Power Reactor Decommissioning."
ORTCIGER,T.W. Illinois, State of. DSI-24 00024. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91119:132-91119:139.

**9612110061** Comments on DSI-14, "Public Communications Initiatives."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-14 00029. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:140-91119:146.

**9612110065** Comments on DSI-24.New decommissioning regulation is step in right direction.
* Affiliation Not Assigned. DSI-24 00020. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91258:330-91258:337.

**9612110067** State of IL Dept of Nuclear Safety comments on DSI-14, "Public Communication Initiatives."
ORTCIGER,T.W. Illinois, State of. DSI-14 00030. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:147-91119:153.

**9612110069** Comments on DSI-20, "International Activities."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-20 00031. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:154-91119:160.

**9612110071** Comments on DSI-G2 re NRC strategic assessment & rebaselining.
STENGER,D.F. Winston & Strawn. STENGER,D.F. Nuclear Utility Backfitting & Reform Group. DSI-G-2 00013. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91119:161-91119:171.

**9612110073** NJ Dept of State comments on DSI-23 re NRC as part of strategic planning initiative.
LIPOTI,J. New Jersey, State of. DSI-23 00015. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91119:172-91119:184.

**9612110074** Comments on DSI-7, "Material/Medical Oversight."
DHAR,A. Mallinckrodt, Inc. DSI-7 00039. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91119:185-91119:189.

**9612110077** Comments on DSI-24 re decommissioning power reactors.
JOHNSRUD,J.H. Affiliation Not Assigned. DSI-24 00023. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:190-91119:196.

**9612110078** Swedish Nuclear Power Inspectorate comments on DSI-22 re strategic assessment initiative.
HOGBERG,L. Swedish Nuclear Power Inspectorate (Statens Kamkraftinspektion). DSI-22 00017. 96/12/02. SHEA,J.R. NRC - No Detailed Affiliation Given. 4pp. 91119:197-91119:200.

**9612110079** Comments on DSI-6, "High-Level Waste & Spent Fuel."
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-6 00033. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91119:201-91119:203.

**9612110080** Comments on DSI-23 re regulatory excellence.
MENDELSOHN,B. NRC - No Detailed Affiliation Given. DSI-23 00016. 96/12/02. Office of the Secretary of the Commission. 2pp. 91119:204-91119:205.

**9612110081** Comments on DSI-23 re enhancing regulatory excellence.
CREED,J. NRC - No Detailed Affiliation Given. DSI-23 00028. 96/12/06. Office of the Secretary of the Commission. 4pp. 91119:206-91119:209.

**9612110083** Comments on DSI-G2 re strategic assessment.
CREED,J. NRC - No Detailed Affiliation Given. DSI-G-2 00018. 96/12/06. Office of the Secretary of the Commission. 4pp. 91119:210-91119:213.

**9612110084** Comments on DSI-G2 re DOE nuclear safety.
* Affiliation Not Assigned. DSI-G-2 00014. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91258:346-91258:354.

**9612110086** Comments on DSI-23 re use of cost benefit analysis in developing regulations.
DICHARRY,R.D. Non-Destructive Testing Management Association. DSI-23 00027. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:214-91119:217.

**9612110088** Swedish Nuclear Power Inspectorate comments on DSI-20 re strategic assessment initiative.
HOGBERG,L. Swedish Nuclear Power Inspectorate (Statens Kamkraftinspektion). DSI-20 00024. 96/12/02. SHEA,J.R. NRC - No Detailed Affiliation Given. 4pp. 91119:218-91119:221.

**9612110089** Comments on DSI-23, "Enhancing Regulatory Excellence."
JOHNSRUD,J.H. Affiliation Not Assigned. DSI-23 00026. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:222-91119:228.

**9612110090** Mel Silberberg & Assoc comments on DSI-G2 strategic assessment & rebaselining initiative.Options one & two preferred.
SILBERBERG,M. . DSI-G-2 00015. 96/12/02. Office of the Secretary of the Commission. 6pp. 91119:229-91119:234.

**9612110091** Comment on DSI-20 re NRC strategic assessment & rebaselining initiative.Option 5,supported.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-20 00029. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:235-91119:238.

**9612110093** Comments on DSI-G1 re strategic assessment & rebaselining issues.
D'ARRIGO,D. Nuclear Information & Resource Service. DSI-G-1 00004. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91119:239-91119:239.

**9612110094** Comments on DSI-22, "Research."
ORTCIGER,T.W. Illinois, State of. DSI-22 00027. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91154:001-91154:007.

**9612110098** Yankee Atomic Electric Co Comments on DSI-23, "Enhancing Regulatory Excellence."
GRANT,J.M. Yankee Atomic Electric Co. DSI-23 00017. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91119:240-91119:244.

**9612110100** Envirocare of UT Inc comments on DSI-G1 re LLW.
JUDD,C.A. Envirocare of Utah, Inc. GSI-G-1 00003. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91098:237-91098:242.

**9612110102** Comment on DSI-20 re NRC strategic assessment & rebaselining initiative.
BOHART,J.R. FRAMATOME. DSI-20 00030. 96/11/25. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91119:245-91119:247.

**9612110105** Comments on DSI-2, "Strategic Assessment & Rebaselining Initiative."
ORTCIGER,T.W. Illinois, State of. DSI-2 00031. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91119:248-91119:255.

**9612110109** New Jersey DOS comments on DSI-24 re strategic planning initiative.Option four preferred.
LIPOTI,J. New Jersey, State of. DSI-24 00015. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91098:243-91098:255.

**9612110114** Comment on DSI-12 re risk-informed,performance-based regulation.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-12 00033. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91098:256-91098:259.

**9612110115** Comments on DSI-4 re NRC relationship w/Agreement States. Endorses comments submitted by Organization of Agreement States.
HALLISEY,R.M. Massachusetts, Commonwealth of. DSI-4 00049. 96/12/02. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91098:260-91098:261.

**9612110117** Mallinckrodt Medical Inc comments on DSI-21 re fees.Options 1,2 & 3 considered.
DHAR,A. Mallinckrodt Medical, Inc., St. Paul, MN. DSI-21 00032. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91098:262-91098:265.

**9612110118** Comment on DSI-12 re NRC strategic assessment & rebaselining initiative.
BOHART,J.R. FRAMATOME. DSI-12 00034. 96/11/25. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91098:266-91098:268.

**9612110119** Comments on DSI-4, "NRC Relationship W/Agreement States."
ORTCIGER,T.W. Illinois, State of. DSI-4 00050. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 12pp. 91098:269-91098:280.

**9612110124** Entergy Operations Inc comments on DSI-21, "Fees." Option two considered.
MEISNER,M.J. Entergy Operations, Inc. DSI-21 00031. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91098:281-91098:286.

**9612110125** Comments on DSI-5, "Low-Level Waste."
ORTCIGER,T.W. Illinois, State of. DSI-5 00046. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91098:287-91098:297.

**9612110126** Ohio Dept of Health comments on DSI-11 re strategic assessment issue paper & direction-setting issues.
OWEN,R.E. Ohio, State of. DSI-11 00021. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91098:298-91098:299.

**9612110128** Comment on DSI-10 re reactor licensing for future applicants.
DAVIDSON,J. Office of Nuclear Material Safety & Safeguards. DSI-10 00012. 96/12/04. Office of the Secretary of the Commission. 5pp. 91098:300-91098:304.

**9612110130** Comments on DSI-21 re fee process.Option two supported.
* Affiliation Not Assigned. DSI-21 00030. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91258:355-91258:362.

**9612110133** Texas Dept of Health comments on DSI-21, "Fees." Option two supported.
RATLIFF,R.A. Texas, State of. DSI-21 00029. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91098:305-91098:307.

**9612110134** Comments on DSI-6, "High-Level Waste & Spent Fuel."
ORTCIGER,T.W. Illinois, State of. DSI-6 00035. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91098:308-91098:314.

**9612110138** Comments on DSI-6 re high-level waste & spent fuel.
CREED,J. NRC - No Detailed Affiliation Given. DSI-6 00036. 96/12/06. Office of the Secretary of the Commission. 4pp. 91098:315-91098:318.

**9612110139** Conference of Radiation Control Program Directors Inc comments on DSI-21, "Fees." Option two supported.
DORNSIFE,W.P. Conference of Radiation Control Program Directors, Inc. DSI-21 00028. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91098:319-91098:320.

**9612110142** WY Mining Assoc comments on DSI-23, "Enhancing Regulatory Excellence."
LOOMIS,M. Wyoming Mining Association. DSI-23 00018. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91098:321-91098:329.

**9612110143** Comment on DSI-11 re strategic assessment & rebaselining initiative low-level waste.
GRANT,J.M. Yankee Atomic Electric Co. DSI-11 00020. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91098:330-91098:334.

**9612110146** Comments on DSI-7, "Matls/Medical Oversight."
ORTCIGER,T.W. Illinois, State of. DSI-7 00042. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91098:335-91098:343.

**9612110147** Comment on DSI-10 re NRC strategic assessment issue paper concerning reactor licensing for future applicants.
HUCIK,S.A. General Electric Co. DSI-10 00013. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91119:256-91119:260.

**9612110151** Comment on DSI-14 re public communication initiatives.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-14 00026. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91119:261-91119:263.

**9612110156** Comments on DSI-9 re decommissioning nonreactor facilities.
MORTON,H.W. Morton Associates (formerly Morton, H.W.). DSI-9 00027. 96/12/05. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91121:001-91121:005.

**9612110159** Comments on DSI-10, "Reactor Licensing for Future Applicants."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-10 00014. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:264-91119:270.

**9612110164** Comment on DSI-14 re public communication initiatives.
DHAR,A. Mallinckrodt Medical, Inc., St. Paul, MN. DSI-14 00027. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91119:271-91119:275.

**9612110166** Amersham Corp comments on DSI-21, "Fees." Certain features of options 1,2 & 3 considered.
ROUGHAN,K. Amersham Corp. DSI-21 00027. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:276-91119:279.

**9612110167** Comments on DSI-11, "Operating Reactor Program Oversight."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-11 00025. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:280-91119:286.

**9612110171** Comment on DSI-4 re relationship w/Agreement States.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-4 00048. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:287-91119:290.

**9612110174** Natl Mining Assoc comments on DSI-12, "Risk-Informed, Performance-Based Regulation."
LAWSON,R.L. Affiliation Not Assigned. DSI-12 00044. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 110pp. 91100:001-91100:110.

**9612110175** YAEC comments on DSI-21, "Fees." Option four preferred.
GRANT,J.M. Yankee Atomic Electric Co. DSI-21 00026. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:291-91119:294.

**9612110178** Comments on DSI-5, "Low-Level Waste."
LAWSON,R.L. Affiliation Not Assigned. DSI-5 00047. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 110pp. 91144:001-91144:110.

**9612110180** Comments on DSI-11, "Operating Reactor Program Oversight."
ORTCIGER,T.W. Illinois, State of. DSI-11 00026. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91119:295-91119:303.

**9612110182** Connecticut LLRW Program comments on DSI-5, "LLW." Option five discussed.
GINGERICH,R.E. Connecticut, State of. DSI-5 00044. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91119:304-91119:305.

**9612110186** Comment on DSI-5 re strategic assessment of regulatory activities & rebaselining & direction setting issue papers concerning low-level radwaste.
DHAR,A. Mallinckrodt Medical, Inc., St. Paul, MN. DSI-5 00043. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:306-91119:309.

**9612110188** Comments on DSI-4, "NRC Relationship W/Agreement States."
LAWSON,R.L. Affiliation Not Assigned. DSI-4 00051. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 110pp. 91100:111-91100:220.

**9612110189** ABB Combustion Engineering Nuclear Sys comments on DSI-5, "LLW." Option 5 discussed.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-5 00045. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91119:310-91119:312.

**9612110191** Comment on DSI-14 re strategic assessment rebaselining initiative.
LAWSON,R.L. Affiliation Not Assigned. DSI-14 00031. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 110pp. 91152:001-91152:110.

**9612110193** Comments on DSI-2, "Oversight of DOE."
LAWSON,R.L. Affiliation Not Assigned. DSI-2 00032. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 110pp. 91127:067-91127:176.

**9612110198** ABB C-E Nuclear Sys comments on DSI-11, "Operating Reactor Program Oversight."
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-11 00023. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:328-91119:331.

**9612110199** Comment on DSI-21 re strategic assessment & rebaselining strategic planning framework.
LAWSON,R.L. Affiliation Not Assigned. DSI-21 00034. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 93pp. 91151:196-91151:305.

**9612110201** Comment on DSI-13 re strategic assessment rebaselining initiative.
LAWSON,R.L. Affiliation Not Assigned. DSI-13 00027. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 110pp. 91127:177-91127:286.

**9612110207** Comment on DSI-9 re strategic assessment rebaselining initiative.
LAWSON,R.L. Affiliation Not Assigned. DSI-9 00029. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 110pp. 91144:111-91144:220.

**9612110210** ABB C-E Engineering Nuclear Sys comments on DSI-10, "Reactor Licensing for Future Applicants." Option two supported.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. DSI-10 00011. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91119:332-91119:336.

**9612110217** Comments on DSI-12, "Risk-Informed,Performance Based Regulation." Options 1 & 2 discussed.
CREED,J. NRC - No Detailed Affiliation Given. DSI-12 00039. 96/12/06. HOYLE,J.C. NRC - No Detailed Affiliation Given. 4pp. 91119:337-91119:340.

**9612110237** Non-Destructive Testing Mgt Assoc comments on DSI-12, "Risk-Informed,Performance-Based Regulation."
DICHARRY,R.D. Non Destructive Testing Corp. DSI-12 00040. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91119:341-91119:344.

**9612110241** Environ Coalition on Nuclear Power comments on DSI-12, "Risk-Informed,Performance-Based Regulation." Option four preferred.
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-12 00041. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:345-91119:351.

**9612110247** State of IL Dept of Nuclear Safety comments on DSI-12, "Risk-Informed,Performance Based Regulation."
ORTCIGER,T.W. Illinois, State of. DSI-12 00042. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91119:352-91119:360.

**9612120305** Comments on DSI-12 re NRC strategic assessment & rebaselining,risk informed,performance based regulation. Draft paper encl.
DORNSIFE,W.P. Pennsylvania, Commonwealth of. DSI-12 00045. 96/12/04. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91128:181-91128:249.

**-9612120310** "Risk Based Methodology for Assessing Efficacy & Priorities of Radiation Protection Programs."
DORNSIFE,W.P., BHATTACHARYYA Pennsylvania, Commonwealth of. DSI-12 00045. 96/12/02. 67pp. 91128:182-91128:249.

**9612120308** SCE&G comments on DSI-20 re NRC strategic assessment & rebaselining initiative.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-20 00035. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:287-91127:287.

**9612120319** Comments on DSI-5 re low level waste.
GIPSON,D.R. Detroit Edison Co. DSI-5 00040. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91127:288-91127:290.

**9612120324** Comments on DSI-6 re high level waste & spent fuel.
GIPSON,D.R. Detroit Edison Co. DSI-6 00037. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91127:291-91127:293.

**9612120328** Comments on DSI-24 re decommissioning power reactors.
GIPSON,D.R. Detroit Edison Co. DSI-24 00025. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91127:294-91127:296.

**9612120331** SCE&G endorses NEI comments on DSI-5 re NRC strategic assessment & rebaselining.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-5 00051. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:297-91127:297.

**9612120333** Comments on DSI-24 re individual issue papers.
SINCLAIR,W.J. Utah, State of. DSI-24 00027. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:298-91127:298.

**9612120336** State of LA Dept of Environ Quality comments on DSI-20 re strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-20 00034. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:299-91127:302.

**9612120337** Comments on DSI-24 re NRC strategic assessment & rebaselining.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-24 00026. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:006-91121:006.

**9612120345** Comments on DSI-23 re strategic assessment & rebaselining initiative.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-23 00031. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:007-91121:007.

**9612120353** Comments on DSI-23 re direction setting issues included in NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-23 00030. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91121:008-91121:011.

**9612120356** Georgia Dept of Natural Resources on DSI-20 re NRC strategic assessment & rebaselining initiative.
HILL,T.E. Georgia, State of. DSI-20 00033. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:012-91121:012.

**9612120362** Comments on DSI-23 re direction setting issue (DSI) papers issued by NRC as part of strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-23 00029. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:013-91121:013.

**9612120363** SCE&G comments on DSI-14 re NRC strategic assessment & rebaselining initiative.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-14 00034. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:014-91121:014.

**9612120368** Comments on DSI-22 re direction setting issues (DSI) included in NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-22 00031. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91121:015-91121:018.

**9612120376** Comments on DSI-22 re NRC strategic assessment & rebaselining initiative.Util endorses NEI comments.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-22 00030. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:019-91121:019.

**9612120381** LA Dept of Environ Quality,Ofc of Air Quality & Radiation Protection comments on DSI-6 re NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-6 00038. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:303-91127:306.

**9612120384** Comments on DSI-22 re strategic assessment issue papers.
SINCLAIR,W.J. Utah, State of. DSI-22 00029. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:307-91127:307.

**9612120395** GA Dept of Natural Resources Radioactive Matls Program comments on DSI-6.Supports comments by Organization of Agreement States.
HILL,T.E. Georgia, State of. DSI-6 00039. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91159:337-91159:337.

**9612120396** Comments on DSI-28 re direction setting issue (DSI) papers issued by NRC as part of strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-22 00028. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:309-91127:309.

**9612120398** State of LA comments on DSI-14 re strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-14 00033. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:310-91127:313.

**9612120401** SCE&G comments on DSI-13 re NRC strategic assessment & rebaselining initiative.Util endorses NEI comments.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-13 00030. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:020-91121:020.

**9612120402** SCE&G endorses NEI comments on DSI-6 re NRC strategic assessment & rebaselining initiative DSI papers.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-6 00040. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:021-91121:021.

**9612120406** State of LA comments on DSI-13 re NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-13 00029. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91133:158-91133:161.

**9612120409** Comments on DSI-21 re NRC strategic assessment & rebaselining initiative.Util endorses NEI comments.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-21 00036. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:162-91133:163.

**9612120412** SCE&G endorses NEI proposed comments on DSI-7 re NRC strategic assessment & rebaselining initiative.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-7 00043. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91159:338-91159:338.

**9612120413** Georgia Dept of Natural Resources comments on DSI-14 re strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-14 00032. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:165-91133:165.

**9612120416** Georgia Dept of Natural Resources comments on DSI-13 re NRC strategic assessment & rebaselining initiative.
HILL,T.E. Georgia, State of. DSI-13 00028. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:166-91133:166.

**9612120422** Comments on DSI-21 re direction setting issue (DSI) papers issued by NRC as part of strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-21 00035. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:167-91133:167.

**9612120424** Dept of Environ Quality Division of Radiation Control of UT comments on DSI-12 re NRC strategic assessment & rebaselining initiative.
SINCLAIR,W.J. Utah, State of. DSI-12 00049. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:314-91127:314.

**9612120428** GA Dept of Natural Resources Radioactive Matls Program comments on DSI-9 re NRC strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-9 00030. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:168-91133:168.

**9612120434** SCE&G comments on DSI-12 re NRC strategic assessment & rebaselining initiative.Util endorses NEI comments.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-12 00048. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91159:336-91159:336.

**9612120440** Comments on DSI-20 re strategic assessment issue papers.
SINCLAIR,W.J. Utah, State of. DSI-20 00036. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:170-91133:170.

**9612120442** State of LA comments on DSI-12 re NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-12 00047. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91133:171-91133:174.

**9612120445** LA Dept of Environ Quality,Ofc of Air Quality & Radiation Protection comments on DSI-9 included in NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-9 00031. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91133:175-91133:178.

**9612120457** Georgia Dept of Natural Resources comments on DSI-12 re NRC strategic assessment & rebaselining initiative.
HILL,T.E. Georgia, State of. DSI-12 00046. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:179-91133:179.

**9612120464** Dept of Environ Quality Division of Radiation Control comments on DSI-11 re NRC strategic assessment & rebaselining initiative.
SINCLAIR,W.J. Utah, State of. DSI-11 00030. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:315-91127:315.

**9612120466** SCE&G endorses NEI proposed comments on DSI-9 re NRC strategic assessment & rebaselining initiative.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-9 00032. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:316-91127:316.

**9612120470** SCE&G endorses NEI comments re DSI-11 strategic assessment & rebaselining initiative.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-11 00029. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:317-91127:317.

**9612120472** State of LA Dept of Environ Quality comments on DSI-11 re NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-11 00028. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91121:022-91121:025.

**9612120476** Georgia Dept of Natural Resources comments on DSI-11 strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-11 00027. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:318-91127:318.

**9612120483** SCE&G endorses NEI comments on DSI-2 re NRC strategic assessment & rebaselining.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-2 00034. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:319-91127:319.

**9612120486** Dept of Environ Quality,Div of Radiation Control comments on DSI-9.
SINCLAIR,W.J. Utah, State of. DSI-9 00033. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:320-91127:320.

**9612120487** Dept of Environ Quality Division of Radiation Control comments on DSI-2 re strategic assessment.
SINCLAIR,W.J. Utah, State of. DSI-2 00035. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:026-91121:026.

**9612120488** SCE&G endorses NEI comments on DSI-4 re NRC strategic assessment & rebaselining.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-4 00052. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:321-91127:321.

**9612120491** Georgia Dept of Natural Resources comments on DSI-5 re NRC strategic assessment & rebaselining.
HILL,T.E. Georgia, State of. DSI-5 00049. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:322-91127:322.

**9612120495** State of LA Dept of Environ Quality comments on DSI-5 re NRC strategic assessment & rebaselining.
WASCOM,R. Louisiana, State of. DSI-5 00050. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:323-91127:326.

**9612120515** GA Dept of Natural Resources Radioactive Matls Program comments on DSI-10.
HILL,T.E. Georgia, State of. DSI-10 00015. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:327-91127:327.

**9612120520** SCE&G endorses NEI comments on DSI-10 re NRC strategic assessment & rebaselining initiative.
TAYLOR,G.J. South Carolina Electric & Gas Co. DSI-10 00016. 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:328-91127:328.

**9612130020** Dept of Environ Quality,Div of Radiation Control of UT comments on DSI-10 re strategic assessment & rebaselining issue papers.
SINCLAIR,W.J. Utah, State of. DSI-10 00017. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:349-91127:349.

**9612130025** LA Dept of Environ Quality,Ofc of Air Quality & Radiation Protection comments on DSI-10 re strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-10 00018. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:350-91127:353.

**9612130081** Comments on DSI-9 re strategic assessment & rebaselining initiative.
JOHNSRUD,J.H. Affiliation Not Assigned. DSI-9 00026. 96/12/01. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91127:354-91127:360.

**9612130089** Comments on DSI-9, "Decommissioning Nonreactor Facilities."
ORTCIGER,T.W. Illinois, State of. DSI-9 00028. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91128:250-91128:260.

**9612130120** Comments on DSI-G2 re NRC strategic assessment & rebaselining initiative.
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-G-2 00019. 96/11/06. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91128:261-91128:273.

**9612130129** Comments on DSI-G1 re strategic assessment.
HAUGHNEY,C. NRC - No Detailed Affiliation Given. DSI-G-1 00007. 96/12/09. Office of the Secretary of the Commission. 6pp. 91128:274-91128:279.

**9612130135** Comments on DSI-G1 re direction setting NRC strategic assessment & rebaselining initiative.
JOHNSON,B. League of Women Voters of Rockford, IL. DSI-G-1 00006. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91258:325-91258:329.

**9612130141** Comments on DSI-G1, "NRC Strategic Assessment & Rebaselining Initiative."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-G-1 00005. 96/11/06. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91127:332-91127:344.

**9612130149** Comments on DSI-13, "Role of Industry."
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DSI-13 00031. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91128:280-91128:280.

**9612130154** Comments on DSI-12, "Risk-Informed,Performance-Based Regulation."
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DSI-12 00050. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91128:281-91128:281.

**9612130170** Environ Coalition on Nuclear Power comments on DSI-6 "HLW & Spent Fuel."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-6 00041. 96/11/06. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91128:282-91128:294.

**9612130172** Comment on DSI-4 re NRC relationship w/Agreement States.
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-4 00053. 96/11/06. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91128:295-91128:307.

**9612130173** Comments on DSI-2, "Oversight of DOE."
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-2 00037. 96/11/06. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91128:308-91128:320.

**9612130175** Westinghouse Electric Corp comments on DSI-10, "Reactor Licensing for Future Applicants."
BRUSCHI,H.J. Westinghouse Electric Corp. DSI-10 00019. 96/12/03. HOYLE,J. Office of the Secretary of the Commission. 4pp. 91127:345-91127:348.

**9612130177** Comment on DSI-5 re "Low-Level Waste." Adoption of recommendations,urged.
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-5 00052. 96/11/06. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91128:321-91128:333.

**9612130178** Comment on DSI-7, "Matls/Medical Oversight." Adoption of recommendations,urged.
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. DSI-7 00044. 96/11/06. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91128:334-91128:346.

**9612130180** League of Women Voters of Rockford,IL comments on DSI-2 "Oversight of DOE." Potential problems w/present regulations discussed.
JOHNSON,B. League of Women Voters of Rockford, IL. DSI-2 00036. 96/12/03. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91258:320-91258:324.

**9612160197** Comments on DSI-G1, "Strategic Assessment & Rebaselining Agreement State/NRC Regulator Meeting on 961023."
* NRC - No Detailed Affiliation Given. DSI-G-1 00008. 96/10/23. Office of the Secretary of the Commission. 6pp. 91154:010-91154:016.

**9612160215** Comments on DSI-12 re NRC strategic assessment & rebaselining initiative.
BROWN,R. Affiliation Not Assigned. DSI-12 00027A. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91154:008-91154:009.

**9612190033** Comment on DSI-9 re decommissioning non-reactor facilities.
MERGES,P.J. New York, State of. DSI-9 00034. 96/12/12. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91223:350-91223:352.

**9612190043** Comment on DSI-12 re risk-informed,performance-based regulation.
MERGES,P.J. New York, State of. DSI-12 00051. 96/12/12. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91223:353-91223:355.

**9612190065** Comment on DSI-2 re oversight of DOE.
MERGES,P.J. New York, State of. DSI-2 00038. 96/12/12. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91223:356-91223:358.

**9612200055** Comments on DSI-24 re decommissioning power reactors.
PASSETTI,W.A. Florida, State of. DSI-24 00028. 96/11/20. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91258:318-91258:319.

**9612260273** State of IL Dept of Nuclear Safety Comments on DSI-14, "Public Communication Initiative." Option 2 preferred.
COLLINS,S.C. Illinois, State of. DSI-14 00030A. 96/12/18. Office of the Secretary of the Commission. 2pp. 91210:178-91210:179.

**9612270084** Comments on DSI-22 re HLW & LLW research.
SILBERBERG,M. Affiliation Not Assigned. DSI-22 00032. 96/12/12. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 91247:340-91247:345.

## NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

**9612020080** Informs of intent to convert from Custom TS to NUREG-1431, Rev 1, "Improved Std TS.Meeting to discuss conversion process & proposed schedule,requested.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/11/20. Document Control Branch (Document Control Desk). 2pp. 91003:123-91003:124.

**9612020158** Forwards results of cycle 6 mid-cycle outage SG ISI.
TULON,T.J. Commonwealth Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 2pp. 91003:060-91003:061.

**9612030011** Informs of plans to convert to Improved Standard Tech Specs, per NUREG-1430.
WOOD,J.K. Centerior Energy. AL-96-06. 96/11/26. Document Control Branch (Document Control Desk). 1p. 91003:349-91003:349.

**9612030239** Submits response to SE on inservice testing program relief requests for pumps & valves. "WNP-2 IST Program Plan (Pumps & Valves) 2nd Interval (941213-041212)," Rev 1 encl.
BEMIS,P.R. Washington Public Power Supply System. GO2-96-229. 96/11/25. Document Control Branch (Document Control Desk). 10pp. 91008:158-91008:342.

**9612030256** NUREG/CR-6460 CSNI PROJECT FOR FRACTURE ANALYSES OF LARGE-SCALE INTERNATIONAL REFERENCE EXPERIMENTS (FALSIRE II).
BASS,B.R., PUGH,C.E., KEENEY,J. Oak Ridge National Laboratory. FIN W-6631. ORNL/TM-13207. 96/11/30. Division of Engineering Technology (Post 941217). 176pp. 90999:001-90999:176.

**9612030257** Informs that proposed amends re TS change request 192 meet requirements of 10CFR51.22(c)(9) & that an EIS or negative declaration & environmental impact appraisal need not be prepared.
LINK,B. Wisconsin Electric Power Co. VPNPD-96-100. 96/11/26. Document Control Branch (Document Control Desk). 11pp. 91010:217-91010:227.

**9612030258** NUREG/BR-0217 THE REGULATION AND USE OF RADIOISOTOPES IN TODAY'S WORLD.
* Office of Public Affairs (Post 911117). 96/07/31. 20pp. 90980:263-90980:283.

**9612030262** NUREG/BR-0046 R24 TELEPHONE DIRECTORY.
* Office of Information Resources Management (Post 890205). 96/08/31. 183pp. 90999:177-90999:359.

**9612030264** NUREG-1214 R14 HISTORICAL DATA SUMMARY OF THE SYSTEMATIC ASSESSMENT OF LICENSEE PERFORMANCE.
GAMBERONI,D. Office of Nuclear Reactor Regulation (Post 941001). 96/10/31. 50pp. 90980:109-90980:158.

**9612030267** NUREG/CR-6487 CONTAINMENT ANALYSIS FOR TYPE B PACKAGES USED TO TRANSPORT VARIOUS CONTENTS.
ANDERSON,B.L., CARLSON,R.W., FISCHER,L.E. Lawrence Livermore National Laboratory. FIN A-0291. UCRL-ID-124822. 96/11/30. Office of Nuclear Material Safety & Safeguards. 65pp. 90980:159-90980:219.

**9612030270** NUREG-1561 STANDARD REVIEW PLAN MAINTENANCE PROGRAM IMPLEMENTING PROCEDURES DOCUMENT.
* Office of Nuclear Reactor Regulation (Post 941001). 96/11/30. 68pp. 90980:041-90980:108.

**9612030275** NUREG/CR-6458 MOISTURE CHARACTERISTIC CURVES FOR APACHE LEAP TUFF: TEMPERATURE EFFECTS AND HYSTERESIS.
RHODES,C.R., WILSON,L.G., RASMUSSEN,T.C. Arizona, Univ. of, Tucson, AZ. FIN L-1282. 96/09/30. Division of Regulatory Applications (Post 941217). 72pp. 90992:239-90992:311.

**9612030279** NUREG/CR-6457 RAPID ESTIMATE OF SOLID VOLUME IN LARGE TUFF CORES USING A GAS PYCNOMETER.
GEDDIS,A.M., GUZMAN,A.G., BASSETT,R.L. Arizona, Univ. of, Tucson, AZ. FIN L-1282. 96/09/30. Division of Regulatory Applications (Post 941217). 81pp. 90992:158-90992:238.

**9612030282** NUREG/CR-6406 ENVIRONMENTAL TESTING OF AN EXPERIMENTAL DIGITAL SAFETY CHANNEL.
KORSAH,K., WILSON,T.L. Oak Ridge National Laboratory. TANAKA,T.J. Sandia National Laboratories. FIN L-1798. ORNL/TM-13122. 96/09/30. Division of Systems Technology (Post 941217). 146pp. 91000:001-91000:146.

**9612030287** NUREG-1272 V09 N03 OFFICE FOR ANALYSIS AND EVALUATION OF OPERATIONAL DATA. 1994-FY Annual Report - Technical Training.
* Office for Analysis & Evaluation of Operational Data, Director. 96/09/30. 43pp. 90980:220-90980:262.

**9612030289** NUREG-1556 V01 DR FC CONSOLIDATED GUIDANCE ABOUT MATERIALS LICENSES.Program- Specific Guidance About Portable Gauge Licenses.Draft Report For Comment.
VACCA,P.C., WHITTEN,J.E., ARREDONDO,S.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/30. 99pp. 91001:001-91001:099.

**9612040062** Forwards modified pages for TS change request 170,requesting amend to TS 15.3.10 & addition of TS 15.4.1.
LINK,B. Wisconsin Electric Power Co. VPNPD-96-104. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91019:326-91019:349.

**9612040113** NUREG-0750 V44 N01 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR JULY 1996.Pages 1-57.
* Division of Freedom of Information & Publications Services (Post 940714). 96/09/30. 63pp. 91004:236-91004:298.

**9612040119** NUREG/CR-5591 V06 N2 HEAVY-SECTION STEEL IRRADIATION PROGRAM.Semiannual Progress Report For April Through September 1995.
CORWIN,W.R. Oak Ridge National Laboratory. FIN L-1098. ORNL/TM-11568. 96/08/31. Division of Engineering Technology (Post 941217). 73pp. 91007:061-91007:133.

**9612040122** NUREG/CR-6495 CASE STUDY OF LIQUEFACTION INDUCED BY THE 1944 MASSENA, NEW YORK - CORNWALL, ONTARIO EARTHQUAKE.
TUTTLE,M.P. Lamont-Doherty Earth Observatory. FIN L-2517. 96/09/30. Division of Engineering Technology (Post 941217). 33pp. 91006:317-91006:350.

**9612040124** NUREG-0750 V43 I02 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES.January- June 1996.
* Division of Freedom of Information & Publications Services (Post 940714). 96/09/30. 49pp. 91007:012-91007:060.

**9612040128** NUREG-0540 V18 N07 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE.July 1-31, 1996.
* Division of Freedom of Information & Publications Services (Post 940714). 96/09/30. 356pp. 91005:001-91005:356.

**9612040132** NUREG-1518 DIFFERING PROFESSIONAL VIEWS OR OPINIONS.1994 Special Review Panel.
* Ofc of Personnel (Post 870413). 96/09/30. 79pp. 91007:134-91007:214.

**9612040171** NUREG/IA-0130 ASSESSMENT OF RELAP5/MOD3.1 WITH THE LSTF SB-SG-06 EXPERIMENT SIMULATING A STEAM GENERATOR TUBE RUPTURE TRANSIENT.
SEUL,K.W., BANG,Y.S., LEE,S. Korea Institute of Nuclear Safety. CAMP002. 96/09/30. Office of Nuclear Regulatory Research (Post 941217). 112pp. 91006:206-91006:316.

**9612040179** NUREG/IA-0129 P01 AN ASSESSMENT OF THE CORCON-MOD3 CODE.Part I: Thermal- Hydraulic Calculations.
STRIZHOV,V., KANUKOVA,V., VINOGRADOVA,T. Russia. 96/09/30. Office of Nuclear Regulatory Research (Post 941217). 201pp. 91006:001-91006:201.

**9612060081** Final response to FOIA request for documents.App A documents already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/29. MOGLEN,D. Greenpeace International. 2pp. 91031:050-91031:056.

**--9612060084** FOIA request for assessments,repts,studies,briefings & memoranda of type B,type C & latest equivalent cask in ref to NUREG-0361 & certification of compliance 0361.
STEVENS,M.A. Greenpeace International. 96/08/26. SESSOMS,G.D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 91031:054-91031:056.

**9612060156** Submits comments on NUREG-1537, "Guidelines for Preparing & Reviewing Applications for Licensing of Non-Power Reactors."
NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 96/10/28. NRC - No Detailed Affiliation Given. 1p. 91043:351-91043:351.

**9612090240** Forwards TMI-1 TS change request 253 to incorporate certain improvements from Std TS for B&W Plants (NUREG-1430).
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 6710-96-2349. 96/12/03. Document Control Branch (Document Control Desk). 20pp. 91054:001-91054:044.

**--9612090243** Proposed tech specs incorporating certain requirements from revised B&W Std TS,NUREG-1430.
* General Public Utilities Corp. - GPU Service Corp. 96/12/03. 23pp. 91054:021-91054:044.

**9612090393** Forwards erratum to SE of request for relief from NUREG-0619 "BWR Feedwater Nozzle & Control Rod Drive Return Line Nozzle Cracking," as modified by GL 81-11,for insp of feedwater nozzles.
ROONEY,V.L. . TAC M88803. 96/12/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 91045:232-91045:235.

**--9612090395** Erratum to SE re request for relief from NUREG-0619 feedwater nozzle insp requirements.
* . 96/12/05. 1p. 91045:235-91045:235.

**9612100076** Provides clarification to 961025 request for improvement to TS section 3.1.3.5,control rod scram accumulators.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. LR-N96384. 96/12/04. Document Control Branch (Document Control Desk). 6pp. 91057:001-91057:009.

**9612100217** Comment on DSI-11, "Operating Reactor Program Oversight." NRC should rewrite the RP insp procedure w/assessment of exposure reduction/control as focus & utilize NUREG-0713.
NOGGLE,J. NRC - No Detailed Affiliation Given. DSI-11 00019. 96/12/02. Office of the Secretary of the Commission. 1p. 91085:355-91085:355.

**9612100266** Informs of two typos in 961204 ltr from AC Thadani re NRC GL 96-06.NRC insp manual chapter should be 0720 instead of 0730 & ref repts for water-hammer events should be NUREG/CR-5220 instead of NUREG/CR-5250.
WESSMAN,R.H. . GL-96-06. 96/12/06. REEDY,R. Affiliation Not Assigned. 2pp. 91053:207-91053:208.

**9612110149** NUREG-0750 V44 N03 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR SEPTEMBER 1996. Pages 79-106.
* Division of Freedom of Information & Publications Services (Post 940714). 96/11/30. 34pp. 91064:323-91064:357.

**9612110153** NUREG-1565 DRY OXIDATION AND FRACTURE OF LWR SPENT FUEL.
AHN,T.M. Division of Waste Management (NMSS 940403). 96/11/30. 40pp. 91064:281-91064:323.

**9612110158** NUREG-1564 LONG-TERM KINETIC EFFECTS AND COLLOID FORMATIONS IN DISSOLUTION OF LWR SPENT FUEL.
AHN,T.M. Division of Waste Management (NMSS 940403). 96/11/30. 60pp. 91068:147-91068:206.

**9612110160** NUREG/IA-0135 POST-TEST ANALYSIS OF PIPER-ONE PO-IC-2 EXPERIMENT BY RELAP5/MOD3 CODES.
BOVALINI,R., AURIA,F.D., GALASSI,G.M. Affiliation Not Assigned. FIN W-6238. CAMP006. 96/11/30. Office of Nuclear Regulatory Research (Post 941217). 200pp. 91065:001-91065:200.

**9612110179** NUREG-1550 STANDARD REVIEW PLAN FOR APPLICATIONS FOR SEALED SOURCE AND DEVICE EVALUATIONS AND REGISTRATIONS.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 96/11/30. 96pp. 91064:185-91064:280.

**9612110187** NUREG-1563 BRANCH TECHNICAL POSITION ON THE USE OF EXPERT ELICITATION IN THE HIGH-LEVEL RADIOACTIVE WASTE PROGRAM.
KOTRA,J.P., LEE,M.P., EISENBERG,N.A. Division of Waste Management (NMSS 940403). 96/11/30. 71pp. 91062:268-91062:340.

**9612110212** NUREG/CR-6492 BLT-MS (BREACH,LEACH, AND TRANSPORT-MULTIPLE SPECIES) DATA INPUT GUIDE.A Computer Model For Simulating Release Of Contaminant From Subsurface Low-Level Waste Disposal Facility.
SULLIVAN,T.M., KINSEY,R.R. Brookhaven National Laboratory. MACKINNON,R.J. Ecodynamics Research Associates, Inc.,. FIN A-3276. BNL-NUREG-52509. 96/11/30. Division of Regulatory Applications (Post 941217). 184pp. 91064:001-91064:184.

**9612110223** NUREG-0540 V18 N09 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE.September 1-30, 1996.
* Division of Freedom of Information & Publications Services (Post 940714). 96/11/30. 324pp. 91063:001-91063:323.

**9612110330** Responds to 961028 ltr which provided comments on NUREG-1537, "Guidelines for Preparing & Reviewing Applications for Licensing of Non-Power Reactors."
ADAMS,A, . 96/12/09. NEWTON,T.H. Nuclear Reactor Laboratory. 2pp. 91062:031-91062:032.

**9612120045** NUREG-1415 V09 N01 OFFICE OF THE INSPECTOR GENERAL.Semiannual Report To Congress,April 1, 1996 - September 30, 1996.
BARCHI,T., WATKINS,B., GRODIN,M. Office of the Inspector General (Post 890417). 96/11/30. 39pp. 91074:212-91074:250.

**9612120065** NUREG-1272 V09 N02 OFFICE FOR ANALYSIS AND EVALUATION OF OPERATIONAL DATA. 1994-FY 95 Annual Report - Nuclear Materials.
* Office for Analysis & Evaluation of Operational Data, Director. 96/09/30. 184pp. 91072:144-91072:327.

**9612120081** NUREG/CR-6476 CIRCUIT BRIDGING OF COMPONENTS BY SMOKE.
TANAKA,T.J., NOWLEN,S.P., ANDERSON,D.J. Sandia National Laboratories. FIN W-6051. SAND96-2633. 96/10/31. Division of Systems Technology (Post 941217). 205pp. 91074:007-91074:211.

**9612120114** Application for amends to licenses DPR-25,DPR-29 & DPR-30, allowing single CR to be moved when plant in hot/cold SD provided one-rod-out interlock operable & reactor mode switch in refuel position.
PERRY,J.S. Commonwealth Edison Co. JSPLTR 96-0229. 96/12/06. Document Control Branch (Document Control Desk). 7pp. 91088:337-91088:351.

**9612120185** Application for amends to licenses DPR-53 & DPR-69,revising TSs to be generally consistent w/NUREG-1432,Rev 1,thus replacing 2 current sets of TSs w/ single set applicable to both units.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/12/04. Document Control Branch (Document Control Desk). 4pp. 91106:001-91118:070.

**--9612120219** "Calvert Cliffs Nuclear Power Plant Improved TSs," Vols 1- 15.
* Baltimore Gas & Electric Co. 96/12/04. 4,434pp. 91106:005-91118:070.

**9612120223** Ack receipt of 961030 amend 41 to physical security plan. Eleven changes did not meet criteria of 10CFR50.54(p),two changes did not follow acceptance criteria of NUREG-0908 & 37 changes require clarification.
GWYNN,T.P. Region 4 (Post 820201). 96/12/09. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91092:059-91092:063.

**9612120296** Forwards Final Rept CEN-622-A, "Generic Upper Shelf Valves for LINDE 1092,124 & 0091 Reactor Vessel Welds."
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-96-499. 96/12/04. Document Control Branch (Document Control Desk). 1p. 91090:286-91090:351.

**9612120449** Application for amend to license DPR-67,requesting mod for selected cycle-specific reactor physics parameters to refer to COLR for limiting values.
STALL,J.A. Florida Power & Light Co. L-96-298. 96/12/09. Document Control Branch (Document Control Desk). 15pp. 91091:213-91091:272.

**9612130228** NUREG/BR-0046 R23 TELEPHONE DIRECTORY.
* Office of Information Resources Management (Post 890205). 95/12/31. 169pp. 91093:001-91093:177.

**9612160280** Comments on NUREG-1600, "Policy & Procedures for Enforcement Actions,Departure from FSAR."
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR54461 00004. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91097:002-91097:003.

**9612160283** Comments on Jul 1996 publication of draft NUREG-0654/FEMA- REP-1,Rev 1,Supp 3 for interim use.NRC & FEMA should review MOU & NUREG in conjunction w/FEMA strategic review.
SELL,S.D. Wisconsin, State of. 61FR43794 00012. 96/08/26. Office of the Secretary of the Commission. 1p. 91097:014-91097:014.

**9612160286** Comments opposing rev of policy & procedure on enforcement actions re departures from FSAR.
BRONS,J.C. Commonwealth Edison Co. 61FR54461 00003. 96/11/18. Docketing & Services Branch. 3pp. 91096:141-91096:143.

**9612160314** Informs that NRC has published draft of "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560.Comments on rept requested.
MIRAGLIA,F.J. . 96/12/11. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 5pp. 91121:347-91121:351.

**9612160327** NUREG/CR-5442 RELIABILITY-BASED CONDITION ASSESSMENT OF STEEL CONTAINMENTS AND LINERS.
ELLINGWOOD,B.R., BHATTACHARYA,B., ZHENG,R-H. Johns Hopkins Univ., Baltimore, MD. FIN J-6043. ORNL/TM-13244. 96/11/30. Division of Engineering Technology (Post 941217). 109pp. 91099:113-91099:219.

**9612160337** NUREG-1560 V2P2-5DFC INDIVIDUAL PLANT EXAMINATION PROGRAM: PERSPECTIVES ON REACTOR SAFETY AND PLANT PERFORMANCE.Parts 2-5.Draft Report For Comment.
* Division of Systems Technology (Post 941217). 96/11/30. 554pp. 91122:001-91123:194.

**9612160343** Requests comments re draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/12. HAIRSTON,W.G. Southern Nuclear Operating Co. 4pp. 91123:210-91123:213.

**9612160352** Requests comments on draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/12. CRUSE,C.H. Baltimore Gas & Electric Co. 5pp. 91101:133-91101:137.

**9612160355** Requests comments re NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. TUCKMAN,M.S. Duke Power Co. 6pp. 91123:214-91123:219.

**9612160361** Requests voluntary comments on previously forwarded draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Notifies of upcoming workshop re NUREG-1560.
MIRAGLIA,F.J. . 96/12/12. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 5pp. 91101:128-91101:132.

**9612160364** Requests comments re draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . 96/12/11. MECREDY,R.C. Rochester Gas & Electric Corp. 5pp. 91121:210-91121:214.

**9612160431** Requests comments on draft of, "IPE Program:Perspectives on RS & Plant Performances,Summary Rept," NUREG-1560.
MIRAGLIA,F.J. . 96/12/12. HAIRSTON,W.G. Georgia Power Co. 4pp. 91121:276-91121:279.

**9612170214** NUREG/BR-0229 NUCLEAR REGULATORY COMMISSION'S PROCEDURES FOR THE USE OF THE U.S. GOVERNMENT BANKCARD AND TRAINING MATERIAL.
* NRC - No Detailed Affiliation Given. 96/11/30. 24pp. 91124:029-91124:054.

**9612170252** Discusses draft of "Individual Plant Examination Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560 & appreciates any comments.
MIRAGLIA,F.J. . 96/12/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 91124:055-91124:059.

**9612170277** Informs that NRC published draft "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," NUREG-1560.Comments on rept requested.
MIRAGLIA,F.J. . 96/12/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91124:071-91124:073.

**9612170313** Informs of availability of NUREG-1560 rept entitled, "IPE Program:Perspectives on Reactor Safety & Plant Performance, Summary Rept."
MIRAGLIA,F.J. . 96/12/12. CROSS,J.E. Duquesne Light Co. 4pp. 91132:002-91132:006.

**9612170328** Informs of availability or draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . GL-88-20. 96/12/11. ORSER,W.S. Carolina Power & Light Co. 4pp. 91131:354-91131:357.

**9612170366** Informs of availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . GL-88-20. 96/12/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 91131:349-91131:353.

**9612170368** Forwards addl info on proposed TS change on administrative controls.
GIPSON,D.R. Detroit Edison Co. NRC-96-0125. 96/12/13. Document Control Branch (Document Control Desk). 18pp. 91132:338-91132:355.

**9612170407** Submits addl changes to improved TS submittal for component cooling sys dtd 951103,22,960315,0430,0508,0515,0717,0913 & 1101,as discussed w/NRC on 961120-21.New conditions w/ associated required actions for cooling component HX encl.
MUELLER,J.H. Commonwealth Edison Co. 96/12/11. Document Control Branch (Document Control Desk). 5pp. 91139:001-91139:167.

**–9612170410** Proposed tech specs completely revising TS using guidance provided in NUREG-1431, "Std TS,Westinghouse Plants."
* Commonwealth Edison Co. 96/12/11. 162pp. 91139:006-91139:167.

**9612180046** Responds to 960111 & 14 ltrs re intent to remediate residual radioactive matl attributable to licensed activities at Parks Township,PA facility.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/03. SGARLATA,D. Babcock & Wilcox Co. 14pp. 91148:188-91148:201.

**9612180049** Monthly operating repts for Nov 1996 for Turkey Point Units 3 & 4.W/ 961211 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. L-96-322. 96/11/30. 9pp. 91148:202-91148:210.

**9612180070** Monthly operating rept for Nov 1996 for Maine Yankee.W/ 961210 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. MN-96-184. 96/11/30. 5pp. 91148:234-91148:238.

**9612180153** Provides availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," publised by NRC.
MIRAGLIA,F.J. . 96/12/11. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 91132:308-91132:312.

**9612180203** Forwards application for amend to License DPR-64,changing TS re allowed outage time for ESF initiation instrumentation.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). IPN-96-124. 96/12/10. Document Control Branch (Document Control Desk). 2pp. 91155:277-91155:290.

**9612180251** Forwards annual rept of NRC OE,prepared IAW recommendation II.G-2 of NUREG-1525 & SECY-95-084.Staff intends to better integrate enforcement findings w/NRC insp & other regulatory efforts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/16. THE CHAIRMAN, JACKSON,S.A., ROGERS Commissioners (Post 750119). 1p. 91135:160-91135:279.

**9612180268** Informs that NRC published draft of "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560 & would appreciate any comments.
MIRAGLIA,F.J. . GL-88-20. 96/12/13. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 5pp. 91132:245-91132:249.

**9612180270** Requests that comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance," be submitted to listed individual by 970214.Three day workshop will be held on 970407-09 in Austin,TX to address comments.
MIRAGLIA,F.J. . 96/12/13. HORN,G.R. Nebraska Public Power District. 4pp. 91132:313-91132:316.

**9612180284** Requests review & comment of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," recently sent to organization.
MIRAGLIA,F.J. . GL-88-20. 96/12/13. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 91132:250-91132:254.

**9612180291** Requests review & comment on draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," recently mailed to organization.
MIRAGLIA,F.J. . GL-88-20. 96/12/13. STEINHARDT,C. Wisconsin Public Service Corp. 5pp. 91132:255-91132:259.

**9612180292** Informs of availability of "Individual Plant Examination Program:Perspectives on Reactor Saftey & Plant Performance, Summary Report," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . GL-88-20. 96/12/13. FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 5pp. 91132:260-91132:264.

**9612180301** Suppl to TS Change Request 192 to Licenses DPR-24 & DPR-27, modifying TS Section 15.3.3, "ECCS,Auxiliary Cooling Sys,Air Recirculation Fan Coolers & Containment Spray," per NUREG-1431,Rev 1.
KRIESER,G.M. Wisconsin Electric Power Co. VPNPD-96-108. 96/12/12. Document Control Branch (Document Control Desk). 7pp. 91159:339-91159:348.

**9612180311** Provides availability of draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept," & requests comments on rept.
MIRAGLIA,F.J. . 96/12/11. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 91132:331-91132:333.

**9612180320** Discusses draft NUREG-1560, "Individual Plant Exam Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 91135:280-91135:284.

**9612180322** Informs that NRC has published draft of "Individual Plant Exam Program:Perspective on Reactor Safety & Plant Performance,Summary Rept," NUREG-1560.Comment on rept requested.
MIRAGLIA,F.J. . GL-88-20. 96/12/13. MYERS,L.W. Cleveland Electric Illuminating Co. 5pp.. 91132:273-91132:277.

**9612180325** Discusses Draft NUREG-1560, "Individual Plant Exam Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. BEARD,P.M. Florida Power Corp. 4pp. 91135:356-91135:359.

**9612180338** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 91136:001-91136:006.

**9612180342** Discusses draft NUREG-1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/13. GIPSON,D.R. Detroit Edison Co. 4pp. 91136:007-91136:010.

**9612180349** Discusses draft NUREG-1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/13. FENECH,R.A. Consumers Power Co. 4pp. 91136:014-91136:017.

**9612180354** Informs that NRC has published draft of, "IPE Program: Perspectives on RS & Plant Performance,Summary Rept," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . 96/12/13. WATZL,E.L. Northern States Power Co. 4pp. 91136:018-91136:021.

**9612180398** Informs that comments on draft NUREG 1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance Summary Rept," to be mailed to listed individual by 970214.
MIRAGLIA,F.J. . 96/12/13. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 91132:334-91132:337.

**9612180402** Notification of availability of draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance," & requests for voluntary comments.
MIRAGLIA,F.J. . GL-88-20. 96/12/13. COOK,J. Illinois Power Co. 5pp. 91132:278-91132:282.

**9612190059** Comment supporting NUREG 1516.
ANTHONY,L. Rockingham Memorial Hosp. Harrisonburg,VA. 60FR8259 00006. 95/04/12. NRC - No Detailed Affiliation Given. 1p. 91134:076-91134:076.

**9612190062** Submits 1995 operator response times for steam generator tube rupture recovery operations.
COWAN,J.P. Northeast Nuclear Energy Co. COWAN,J.P. Northeast Utilities Service Co. B16020. 96/12/12. Document Control Branch (Document Control Desk). 6pp. 91191:282-91191:287.

**9612190134** Forwards change notice 3 to NUREG/BR-0195,rev 1, "NRC Enforcement Manual."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/11/15. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. MURPHY,R.P. General Accounting Office. 4pp. 91153:355-91153:359.

**9612190167** Comment supporting draft rept NUREG-1516.
MUNDAY,R. Louisiana State Univ., Baton Rouge, LA. 60FR8259 00007. 95/07/18. SCHLUETER,J. NRC - No Detailed Affiliation Given. 1p. 91134:078-91134:078.

**9612190190** Comment of NUREG 1516 re address listed for MD Dept of Environment.Forwards updated address.
HILL,D. Maryland, State of. 60FR8259 00008. 96/01/03. SCHLUETER,J. Office of Nuclear Material Safety & Safeguards. 2pp. 91134:079-91134:080.

**9612190253** Requests comments on draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . GL-88-20. 96/12/13. MAIMAN,T. Commonwealth Edison Co. 5pp. 91137:047-91137:051.

**9612190286** Informs of availability of draft NUREG-1560 rept entitled, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/12. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 91137:001-91137:005.

**9612190342** Informs that NRC published draft of "Individual Plant Examination Program:Perspectives On Reactor Saftey & Plant Performance,Summary Report," NUREG-1560.Comments requested.
MIRAGLIA,F.J. . GL-88-20. 96/12/13. LINK,R.E. Wisconsin Electric Power Co. 4pp. 91136:349-91136:352.

**9612190393** Comments supporting NUREG-1516, "Mgt of Radioactive Matl Safety Programs at Medical Facilities."
GLOVER Affiliation Not Assigned. 61FR8259 00005. 95/05/22. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 91134:092-91134:094.

**9612200152** Forwards copies of design issues tracking repts for human factors issues & makeup of AP600 SSAR Chapter 18 to reflect resolution of listed DSER open item tracking sys items for NUREG-0711 elements 2 & 4.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4874. 96/12/16. QUAY,T. Document Control Branch (Document Control Desk). 27pp. 91192:259-91192:285.

**9612230171** Discusses draft NUREG-1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/13. RAY,H.B. Southern California Edison Co. 5pp. 91181:111-91181:115.

**9612230185** Informs that NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept" has been published.
MIRAGLIA,F.J. . GL-88-20. 96/12/13. RUEGER,G.M. Public Service Electric & Gas Co. of New Jersey. 4pp. 91181:121-91181:125.

**9612230193** Informs that NRC published draft of "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," NUREG-1560.Comments appreciated.
MIRAGLIA,F.J. . GL-88-20. 96/12/11. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 6pp. 91194:167-91194:172.

**9612230237** Requests comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance,Summary Rept."
MIRAGLIA,F.J. . GL-88-20. 96/12/11. REID,D.A. Vermont Yankee Nuclear Power Corp. 5pp. 91192:356-91192:360.

**9612230255** Informs that draft NUREG-1560 entitled, "Individual Plant Examination Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept," has been published.Comments requested.
MIRAGLIA,F.J. . 96/12/13. GATES,W.G. Omaha Public Power District. 20pp. 91181:253-91181:272.

**9612230261** Discusses draft NUREG-1560, "IPE Program Respectives on Reactor Safety & Plant Performance,Summary Rept." Comments requested.
MIRAGLIA,F.J. . 96/12/11. BOULETTE,E.T. Boston Edison Co. 6pp. 91181:278-91181:283.

**9612240085** NUREG/CR-6494 CONTINUOUS ANALYSIS FOR VANADIUM IN LOMI DECONTAMINATION.
KOTTLE,S., STOWE,R.A., BISHOP,J.V. Omni Tech International, Ltd. FIN W-6135. 96/12/31. Division of Regulatory Applications (Post 941217). 38pp. 91197:244-91197:280.

**9612240090** NUREG/CR-6344 REAL-TIME 3-D SAFT-UT SYSTEM EVALUATION AND VALIDATION.
DOCTOR,S.R., SCHUSTER,G.J., REID,L.D. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2467. PNNL-10571. 96/09/30. Division of Engineering Technology (Post 941217). 277pp. 91198:001-91198:277.

**9612260086** Forwards missing pages of 960827 TS submittal requesting TS change conversion to improved STS consistent w/NUREG-1431, "STS Westinghouse Plants," Rev 1.
CHERNOFF,H.K. Carolina Power & Light Co. RNP-RA/96-0206. 96/12/18. Document Control Branch (Document Control Desk). 4pp. 91226:129-91226:202.

**-9612260088** Proposed missing tech spec pages re conversion to improved STS consistent w/NUREG 1341, "STS Westinghouse Plant," Rev 1.
* Carolina Power & Light Co. 96/12/18. 70pp. 91226:133-91226:202.

**9612260193** Submits proposed mod to amend requests Revs A & B re overall conversion of current TS to improved TS based upon NUREG-1434,rev 1.
BEMIS,P.R. Washington Public Power Supply System. GO2-96-241. 96/12/12. Document Control Branch (Document Control Desk). 65pp. 91206:001-91208:243.

**-9612260195** Proposed tech specs requesting conversion based upon NUREG-1434,rev 1.
* Washington Public Power Supply System. 96/12/12. 900pp. 91206:072-91208:243.

**9612260228** Rev 0 to App I to Site Emergency Plan "NUREG-0654 Crossreference," replacing w/WordPerfect 6.1 conversion.
BRUNET,J.R. Consumers Power Co. 96/06/18. 8pp. 91235:328-91235:335.

**9612260296** Forwards Rev 18 to "Inservice Testing Program Plan for Vermont Yankee Nuclear Power Station."
SOJKA,R.E. Vermont Yankee Nuclear Power Corp. BVY 96-163. 96/12/19. Document Control Branch (Document Control Desk). 13pp. 91236:001-91236:217.

**9612260316** Forwards insp rept 50-213/96-12 on 961102-27.Apparent violations being considered for escalated enforcement action IAW, "General Statement & Proceddure for NRC EAs," NUREG-1600.
WIGGINS,J.T. Region 1 (Post 820201). EA-96-496. 96/12/19. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 10pp. 91200:209-91200:255.

**ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS**

**9002260070** Forwards comments on status rept on diagnostic evaluation program,per 900202 request.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/02/15. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 5pp. 91233:027-91233:031.

**9609200181** NRC Info Notice 96-052, "Cracked Insertion Rods on Troxler Model 3400 Series Portable Moisture Density Gauges."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/09/26. Consolidated Edison Co. of New York, Inc. 14pp. 91148:064-91148:077.

**9610020089** Submits NRR Ofc Ltr 906,Rev 1, "Procedural Guidance for Preparing EA & Considering Environ Issues."
CRAIG,C.M. . NRRL-906. 96/09/27. NRC - No Detailed Affiliation Given. 37pp. 91191:085-91191:121.

**9610100212** NRC Info Notice 96-054, "Vulnerability of Stainless Steel to Corrosion When Sensitized."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/10/17. Consolidated Edison Co. of New York, Inc. 6pp. 91148:078-91148:083.

**9610160394** Provides NRR Ofc Ltr 1303,Rev 1, "Radiation Protection Procedures for NRR Personnel."
PEDERSEN,R. . NRRL-1303. 96/10/08. . 8pp. 91191:122-91191:129.

**9612020195** Forwards Oct 1996 rept on status of public petitions under 10CFR2.206,documenting staff responsiveness to petitioners & informs that parts of rept placed in PDR & on electronic bulletin board sys.Portion of rept in Central Files.
ZIMMERMAN,R.P. . 2.206. 96/11/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 30pp. 90974:236-90974:265.

**9612040018** Summary of 961031 meeting w/DOE in Rockville,MD re NRC role in review of DOE aluminum based research reactor spent nuclear fuel disposition program.Agenda,list of attendees & associated view graphs encl.
GRUSS,K.A. Engineering & Geosciences Branch (NMSS 940403). 96/11/22. BROOKS,D. Engineering & Geosciences Branch (NMSS 940403). 41pp. 91004:299-91004:339.

**9612040156** Informs that w/exception of typographical error on page 28 of intl joint Commission rept, "Eighth Biennial Rept on Great Lakes Water Quality," NOMA has no comments on section 10.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/11/27. BLAHA,J.L. Assistant for Operations (Post 890205). 4pp. 91021:343-91021:347.

**--9612040163** Informs that EPA requested that NRC review & comment on section 10 of encl draft US response to intl joint Commission rept, "Eighth Biennial Rept on Great Lakes Water Quality," by 961201.
SHEA,J.R. Office of International Programs (Post 911117). 96/11/19. BLAHA,J.L. Assistant for Operations (Post 890205). 1p. 91021:347-91021:347.

**9612040157** Responds to 960909 ltr re concerns related to FEMA document on emergency planning & manner in which document was released.Meeting in Hartford,CT on 961106 discussed.
ESSIG,T.H. . 96/11/27. SHERIDAN,T.A. Waterford, CT. 4pp. 91007:275-91007:278.

**9612040190** Forwards NRR Nov input for complying w/Small Business Regulatory Enforcement Fairness Act.
MATTHEWS,D.B. . 96/12/02. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 4pp. 91007:220-91007:223.

**9612040215** NRC Info Notice 96-063, "Potential Safety Issue re Shipment of Fissile Matl."
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/12/05. Consolidated Edison Co. of New York, Inc. 9pp. 91148:084-91148:092.

**9612040236** Trip rept of 961119 visit to Oak Ridge Natl Lab re removal, treatment,containerization,certification for disposal & transportation & disposal of transuranic alpha LLW.
COMFORT,G.C. Licensing Branch. 96/11/27. TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 23pp. 91008:069-91008:091.

**9612060012** Forwards written techniques exams M LeMay completed at end of course conducted on 961022-24.W/o encl.
RICHARDS,S.A. . 96/12/03. LEMAY,M. Canada Atomic Energy Control Board. 1p. 91045:260-91045:260.

**9612060015** Forwards written techniques exam J Cameron completed at end of course conducted during periods 960826-30 & 1022-24.W/o encl.
RICHARDS,S.A. . 96/12/03. CAMERON,J. Canada Atomic Energy Control Board. 1p. 91045:261-91045:261.

**9612060122** Forwards 960911 memo re SG tube flaw distributions & summary rept "Flaw Distributions or Example Plants," for placement in PDR.W/o encls.
MAYFIELD,M.E. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/12/05. Document Control Branch (Document Control Desk). 2pp. 91028:269-91028:270.

**9612060122** Forwards 960911 memo re SG tube flaw distributions & summary rept "Flaw Distributions or Example Plants," for placement in PDR.
MAYFIELD,M.E. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/12/05. Document Control Branch (Document Control Desk). 1p. 91061:181-91061:260.

**--9609200114** Discusses SG tube flaw distributions & forwards summary rept on "Flaw Distributions." Rept encl.
MAYFIELD,M.E. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/09/11. STROSNIDER,J.R. . 79pp. 91061:182-91061:260.

**9612060171** Submits modification of Statement of Work for subtask A.2, task 5 of JCN E7044 sent by 960523 ltr.Identified statement in SOW requires actions which no longer desired by NRC.Last two sentences in first paragraph of A.2 should be deleted.
SOLLENBERGER,D. Office of State Programs (Post 911117). FIN E-7044. 96/11/11. PUGH,C.E. Oak Ridge National Laboratory. 2pp. 91025:073-91025:074.

**9612060222** NRC Info Notice 96-064, "Mods to Containment Blowout Panels W/o Appropriate Design Controls."
MARTIN,T.T. . 96/12/10. Consolidated Edison Co. of New York, Inc. 9pp. 91148:093-91148:101.

**9612060224** NRC Info Notice 96-065, "Undetected Accumulation of Gas In RCS & Inaccurate Reactor Water Level Indication During Shutdown."
MARTIN,T.T. . IEIN-96-037. 96/12/11. Consolidated Edison Co. of New York, Inc. 18pp. 91148:102-91148:119.

**9612060259** Forwards NRC form 173 standard order for DOE work submitted in accordance w/section III.B.2 of DOE/NRC Memo of understanding of 780214.
BANGART,R.L. Office of State Programs (Post 911117). 96/11/26. HULTGREN,R.O. Energy Research & Development Admin.(Presently DOE). 3pp. 91024:306-91024:329.

**--9612060268** Forwards subject proposal entitled "Agreement State Info Base." Estimate includes Subtask A.2 requested by 960523 ltr & also reflects mod statement of work dated 961111.
ROBINSON,J.J. Oak Ridge National Laboratory. FIN E-7044. 96/11/15. SOLLENBERGER,D. Office of State Programs (Post 911117). 21pp. 91024:309-91024:329.

**9612090059** Notification of 961205 meeting w/ALCO Owners Group in Rockville,MD to present update of Owners Group activities & accomplishments.
BIRMINGHAM,J.L. . 96/12/05. MATTHEWS,D.B. . 3pp. 91040:134-91040:136.

**9612090124** Forwards NRR Ofc Ltr 116,Rev 2, "Procedures for Managing Implementation of New Regulations."
BERKOW,H. . NRRL-116. 96/12/04. . 6pp. 91040:114-91040:119.

**9612090348** Forwards 961108 ltr from LE Elisa,transmitting FEMA Region 1 rept for 960814 full-participation plume exposure exercise.No deficiencies & 17 ARCAs identified.Assistance to state of CT requested.
KEIMIG,R.R. Region 1 (Post 820201). 96/12/03. FEIGENBAUM,T.C. Northeast Utilities Service Co. 2pp. 91037:152-91037:254.

**--9612090354** Forwards final exercise rept for 960814 full-participation plume exposure pathway exercise of offsite radiological emergency response plans site-specific to plant.
ELISA,L.A. Federal Emergency Management Agency. 96/11/08. MILLER,H.J. Region 1 (Post 820201). 1p. 91037:154-91037:154.

**--9612090361** "Final Exercise Rept,Haddam Neck Nuclear Power Plant," for exercise conducted on 960814.
* Federal Emergency Management Agency. 96/11/12. 99pp. 91037:155-91037:254.

**9612100105** Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/12/03. 11pp. 91049:256-91049:267.

**9612100236** Responds to 961115 ltr re participation in Fire & Safety Conference on 970224-26 in London,England & informs that NRC unable to attend due to resource limitations.
WEST,S.K. Office of Nuclear Reactor Regulation (Post 941001). 96/12/09. WAGSTAFF,A. . 1p. 91053:239-91053:239.

**9612100242** Trip rept on 961104-05 visit to Taejon Republic of Korea to attend 1996 Symposium on Safety of Radwaste Mgt meeting. Agenda encl.
AHN,T.M. Division of Waste Management (Pre 870413). 96/12/05. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 7pp. 91053:232-91053:238.

**9612100259** Informs of no comments on staff Commission paper re subj rulemaking 10CFR60, "Design Basis Events." Copy of final rule requested.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 96/12/06. BELL,H.T. Office of the Inspector General (Post 890417). 23pp. 91053:209-91053:231.

**9612110053** Forwards FEMA final rept for 960904 offsite medical drill. No deficiencies or areas requiring corrective action identified.
GWYNN,T.P. Region 4 (Post 820201). 96/12/04. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 91059:093-91059:114.

**--9612110062** "Medical Drill Rept Grand Gulf Nuclear Station," conducted 960904 in Ferriday,LA.
* Federal Emergency Management Agency. 96/09/18. 17pp. 91059:098-91059:114.

**9612110316** Informs of Commission approval in SRM on 961107 SECY-96-193 to publish final rev to abnormal occurrence reporting policy & forwards final FRN announcing final revised AO criteria & Congressional ltrs.W/o encls.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 96/12/06. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91072:138-91072:138.

**9612110346** Forwards preliminary AEOD case study re occurrences in 1993 involving loss of multiple scram functions & reactivity control problems at non-power reactor facilities.
ROSS,D.F. Office for Analysis & Evaluation of Operational Data, Director. 96/12/09. DODD,B. Oregon State Univ., Corvallis, OR. 2pp. 91062:145-91062:236.

**--9612110359** Draft AEOD/C96-XX, "Nonpower Reactor Survey."
ROSS,D.F., BROCKMAN,K., MURPHY,J. Office for Analysis & Evaluation of Operational Data, Director. 96/12/31. 90pp. 91062:147-91062:236.

**9612110357** Submits ballot for ANS-19.6.1, "Reload Startup Physics Tests for Pressurized Water Reactors."
WEISS,S.H. . 96/12/09. RABY,T.M. National Institute of Standards & Technology (formerly National Bureau of Standa. 3pp. 91072:140-91072:142.

**9612110414** Forwards preliminary AEOD case study, "Non-Power Reactor Survey," for review & comment.
ROSS,D.F. Office for Analysis & Evaluation of Operational Data, Director. 96/12/09. MIRAGLIA,F.J. . 2pp. 91062:052-91062:143.

**9612120028** Forwards draft meeting summary for 961112 meeting NRC insp manual part 9900, "Technical Guidance,ASME Engineers Boiler & Pressure Vessel Code,Sections III & XI."
HERMANN,R.A. . 96/12/05. LING,J. American Society of Mechanical Engineers. 5pp. 91074:251-91074:258.

**--9612120276** Part 9900:Technical Guidance, "ASME Engineers Boiler & Pressure Vessel Code,Section III & XI."
* . 96/11/12. 3pp. 91074:256-91074:258.

**9612120085** Forwards INTERNET mail received from PM Blanch.
ZWOLINSKI,J.A. . 96/12/10. Document Control Branch (Document Control Desk). 1p. 91120:017-91120:225.

**--9612120096** Forwards Energy Daily article re D Lochbaum & USC.
BLANCH,P.M. Affiliation Not Assigned. 96/11/01. NRC - No Detailed Affiliation Given. 2pp. 91120:018-91120:019.

**--9612120100** Informs of 961111 meeting in Washington,DC to discuss whistle-blowing issues.
BLANCH,P.M. Affiliation Not Assigned. 96/11/03. NRC - No Detailed Affiliation Given. 2pp. 91120:020-91120:021.

**--9612120103** Informs that some people interviewed as part of Hannon rept not on internet.All participants should receive copy of subj rept as soon as possible.
BLANCH,P.M. Affiliation Not Assigned. 96/11/03. NRC - No Detailed Affiliation Given. 1p. 91120:022-91120:022.

**--9612120104** Requests copy of transcript of recent Commission mtg about Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/04. NRC - No Detailed Affiliation Given. 3pp. 91120:023-91120:025.

**--9612120134** Discusses article in New London Day entitled, "NU Unwilling to Take Back Laid-Off Workers."
BLANCH,P.M. Affiliation Not Assigned. 96/11/05. NRC - No Detailed Affiliation Given. 1p. 91120:026-91120:026.

**--9612120143** Ack receipt of rept re Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/05. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:027-91120:027.

**--9612120150** Discusses need for whistleblowers protection for DOE contractors.
BLANCH,P.M. Affiliation Not Assigned. 96/11/06. MULLEY,G. Office of the Inspector General (Post 890417). 3pp. 91120:028-91120:030.

--**9612120155** Ack receipt of 961104 ltr from DOL to Richters re investigation of complaint filed by DM Collins on 960708.
BLANCH,P.M. Affiliation Not Assigned. 96/11/07. NRC - No Detailed Affiliation Given. 1p. 91120:031-91120:031.

--**9612120158** Informs that similar DOL ltrs sent to other terminated employees.
BLANCH,P.M. Affiliation Not Assigned. 96/11/07. NRC - No Detailed Affiliation Given. 2pp. 91120:032-91120:033.

--**9612120162** Discusses ANS meeting.Free offer which only applies to unemployed whistleblowers also discussed.
BLANCH,P.M. Affiliation Not Assigned. 96/11/08. NRC - No Detailed Affiliation Given. 1p. 91120:034-91120:034.

--**9612120164** Informs that anyone wishing to see obcene picture should check out listed web site.
BLANCH,P.M. Affiliation Not Assigned. 96/11/08. NRC - No Detailed Affiliation Given. 1p. 91120:035-91120:035.

--**9612120167** Forwards ltr from DOL to E Richters notifying that DOL has found that Northeast Util severance agreement entitled, "General Release & Covenant Not Sue," does not meet several conditions set forth in Administrator opinion.
BLANCH,P.M. Affiliation Not Assigned. 96/11/08. NRC - No Detailed Affiliation Given. 6pp. 91120:036-91120:041.

--**9612120191** Requests explanation why response to public petition takes more than 2 1/2 months & request for license amend processed in matter of months.
BLANCH,P.M. Affiliation Not Assigned. 2.206. 96/11/10. NRC - No Detailed Affiliation Given. 2pp. 91120:042-91120:043.

--**9612120205** Submits response to charge by NRC inspector that two Dresden Nuclear Plant operators were sleeping on job.
BLANCH,P.M. Affiliation Not Assigned. 96/11/13. NRC - No Detailed Affiliation Given. 1p. 91120:044-91120:044.

--**9612120207** Submits response to CE statement on sleeping.
BLANCH,P.M. Affiliation Not Assigned. 96/11/13. NRC - No Detailed Affiliation Given. 1p. 91120:045-91120:045.

--**9612120221** Discusses sleeping on job.
* NRC - No Detailed Affiliation Given. 96/11/14. NRC - No Detailed Affiliation Given. 1p. 91120:046-91120:046.

--**9612120222** Discusses issues of sleeping on job.
* NRC - No Detailed Affiliation Given. 96/11/14. NRC - No Detailed Affiliation Given. 2pp. 91120:047-91120:048.

--**9612120224** Discusses issue of sleeping on job.
BLANCH,P.M. Affiliation Not Assigned. 96/11/15. NRC - No Detailed Affiliation Given. 1p. 91120:049-91120:049.

--**9612120227** Submits more comments re sleeping on job.
BLANCH,P.M. Affiliation Not Assigned. 96/11/15. NRC - No Detailed Affiliation Given. 1p. 91120:050-91120:050.

--**9612120228** Discusses issues of sleeping on job.
BLANCH,P.M. Affiliation Not Assigned. 96/11/15. NRC - No Detailed Affiliation Given. 1p. 91120:051-91120:051.

--**9612120229** Forwrds ltr addressed to Chairman Jackson re recent Director's Decision (DD-96-17).
BLANCH,P.M. Affiliation Not Assigned. 2.206. 96/11/15. NRC - No Detailed Affiliation Given. 3pp. 91120:052-91120:054.

--**9612120238** Forward 961105 ltr to H Blank re recent events at Millstone Nuclear Station.
BLANCH,P.M. Affiliation Not Assigned. 96/11/15. NRC - No Detailed Affiliation Given. 2pp. 91120:055-91120:056.

--**9612120241** Discusses failure of relays.
BLANCH,P.M. Affiliation Not Assigned. 96/11/15. NRC - No Detailed Affiliation Given. 1p. 91120:057-91120:057.

--**9612120302** Informs that PM Blanch will visit Maine Yankee on 961119 for public meeting.
BLANCH,P.M. Affiliation Not Assigned. 96/11/18. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:058-91120:058.

--**9612120304** Submits comments on Maine Yankee ISAT rept dtd 961007.
BLANCH,P.M. Affiliation Not Assigned. 96/11/20. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 3pp. 91120:059-91120:061.

--**9612120306** Submits article from Energy Daily re concerns over activities at Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/21. NRC - No Detailed Affiliation Given. 3pp. 91120:062-91120:064.

--**9612120312** Responds to Vito ltr dtd 961016 re Vermont Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/22. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 2pp. 91120:065-91120:066.

--**9612120321** Forwards article from Courant on 961122 re unlicensed workers at Millstone nuclear plants.
BLANCH,P.M. Affiliation Not Assigned. 96/11/22. NRC - No Detailed Affiliation Given. 6pp. 91120:067-91120:072.

--**9612120327** Forwards Union of Concerned Scientists press release re Oct 1996 rept of Independent Assessment of Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/23. NRC - No Detailed Affiliation Given. 3pp. 91120:073-91120:075.

--**9612120332** Forwards article from Day of New London dtd 961124 by M Casey re Busch bon voyage present.
BLANCH,P.M. Affiliation Not Assigned. 96/11/26. NRC - No Detailed Affiliation Given. 2pp. 91120:076-91120:077.

--**9612120335** Forwards article from Courant dtd 961128 written by M Remez & M McIntire re oversight of Millstone & other nuclear power plants.
BLANCH,P. Affiliation Not Assigned. 96/11/28. NRC - No Detailed Affiliation Given. 2pp. 91120:078-91120:079.

--**9612120339** Submits comments re upcoming NRC changes.
BLANCH,P.M. Affiliation Not Assigned. 96/11/28. NRC - No Detailed Affiliation Given. 2pp. 91120:080-91120:080.

--**9612120342** Discusses reorganization at NRC.
BLANCH,P.M. Affiliation Not Assigned. 96/11/29. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:081-91120:081.

--**9612120346** Forwards article from Wiscasset Maine paper on 961121 re review of Maine Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/11/30. NRC - No Detailed Affiliation Given. 1p. 91120:082-91120:082.

--**9612120361** Forwards article form Globe Staff dtd 961001 re nuclear power plants.
BLANCH,P.M. Affiliation Not Assigned. 96/10/01. MARTIN,T. NRC - No Detailed Affiliation Given. 5pp. 91120:083-91120:087.

--**9612120367** Discusses PR 96-131 re fine against Thermal Science for violations of NRC requirements.
BLANCH,P.M. Affiliation Not Assigned. 96/10/02. NRC - No Detailed Affiliation Given. 2pp. 91120:088-91120:089.

--**9612120427** Forwards article from Boston Globe re near accident at Three Mile Island plant.
BLANCH,P.M. Affiliation Not Assigned. 96/10/03. NRC - No Detailed Affiliation Given. 2pp. 91120:090-91120:091.

--**9612120446** Discusses complaints made by PM Blanch re nuclear power plants.
BLANCH,P.M. Affiliation Not Assigned. 96/10/03. NRC - No Detailed Affiliation Given. 2pp. 91120:092-91120:093.

--**9612120453** Submits questions re most recent plant insp findings.
BLANCH,P.M. Affiliation Not Assigned. 96/10/03. SCRENCI,D. NRC - No Detailed Affiliation Given. 2pp. 91120:094-91120:095.

--**9612130001** Informs that PM Blanch returing beeper previously assigned. Restart of plant discussed.
BLANCH,P.M. Affiliation Not Assigned. 96/10/04. NRC - No Detailed Affiliation Given. 3pp. 91120:096-91120:098.

--**9612130003** Requests attendence at 961018 enforcement conference.
BLANCH,P.M. Affiliation Not Assigned. 96/10/04. NRC - No Detailed Affiliation Given. 1p. 91120:099-91120:106.

--**9612130009** Forwards summary of R Nader book entitled, "No Contest".
BLANCH,P.M. Affiliation Not Assigned. 96/10/06. NRC - No Detailed Affiliation Given. 11pp. 91120:107-91120:124.

--**9612130013** Submits ltr re NRC request for info from all licensees on maintaining plant design.
BLANCH,P.M. Affiliation Not Assigned. 96/10/09. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 2pp. 91120:125-91120:126.

--**9612130014** Submits 961009 ltr to Connecticut Yankee employees informing that study team has completed economic analysis.
BLANCH,P.M. Affiliation Not Assigned. 96/10/10. NRC - No Detailed Affiliation Given. 3pp. 91120:127-91120:129.

--**9612130016** Discusses near-accident at Connecticut Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/10/11. NRC - No Detailed Affiliation Given. 4pp. 91120:130-91120:133.

--**9612130019** Forwards ltr which requires info that will provide NRC added confidence & assurance that plant operated & maintained within design bases.
BLANCH,P.M. Affiliation Not Assigned. 96/10/11. NRC - No Detailed Affiliation Given. 9pp. 91120:134-91120:142.

--**9612130024** Submits article by S Allen published in Boston Globe on 961011 re safety problems at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/11. NRC - No Detailed Affiliation Given. 2pp. 91120:143-91120:144.

--**9612130026** Discusses NRC/DOL process.
BLANCH,P.M. Affiliation Not Assigned. 96/10/13. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 5pp. 91120:145-91120:149.

--**9612130035** Explaines electricity to nontechnical people.
BLANCH,P.M. Affiliation Not Assigned. 96/10/15. NRC - No Detailed Affiliation Given. 2pp. 91120:150-91120:151.

--**9612130055** Forwards article by M McIntire published in Courant on 961016 re problems at nuclear power plants.
BLANCH,P.M. Affiliation Not Assigned. 96/10/16. NRC - No Detailed Affiliation Given. 3pp. 91120:152-91120:154.

--**9612130056** Requests Hannon rept.
BLANCH,P.M. Affiliation Not Assigned. 96/10/17. SLOSSON,M. NRC - No Detailed Affiliation Given. 1p. 91120:155-91120:155.

--**9612130058** Forwards 961015 ltr from S Jackson responding to PM Blanch 960911 ltr expressing dissatifaction w/NRC implementation of enforcement policy.
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 2pp. 91120:156-91120:157.

--**9612130062** Requests Hannon rept promissed on 960816 but not delivered.
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 2pp. 91120:158-91120:159.

--**9612130064** Forwards paper entitled, "Adjusting Regulatory Balance."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 7pp. 91120:160-91120:166.

--**9612130072** Forward press release of 961018 entitled, "NRC Establishes Special Projects Ofc to Oversee Insp & Licensee Activities at Millstone & Hadam Neck Plants."
BLANCH,P.M. Affiliation Not Assigned. 96/10/18. NRC - No Detailed Affiliation Given. 2pp. 91120:167-91120:168.

--**9612130080** Forwards article published in Hartford Courant on 961019 re Three Mile Island accident.
BLANCH,P.M. Affiliation Not Assigned. 96/10/19. MULLEY,G. NRC - No Detailed Affiliation Given. 2pp. 91120:169-91120:170.

--**9612130085** Comments on newpaper article re NRC comments on protecting public.
BLANCH,P.M. Affiliation Not Assigned. 96/10/20. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 2pp. 91120:171-91120:172.

--**9612130095** Discusses article published in Hartford Courant on 961020.
BLANCH,P.M. Affiliation Not Assigned. 96/10/20. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 2pp. 91120:173-91120:174.

--**9612130100** Submits comments re recent article publiched in Hartford Courant.
BLANCH,P.M. Affiliation Not Assigned. 96/10/22. NRC - No Detailed Affiliation Given. 2pp. 91120:175-91120:176.

--**9612130103** Forwards Hartford Courant article published on 961020 re problems at Millstone.R Nader will be in Waterford 961029.
BLANCH,P.M. Affiliation Not Assigned. 96/10/22. MARTIN,T. NRC - No Detailed Affiliation Given. 5pp. 91120:177-91120:181.

--**9612130107** Informs that PM Blanch has no intentions to pick up certified ltr from D Vito.
BLANCH,P.M. Affiliation Not Assigned. 96/10/22. VITO,D. NRC - No Detailed Affiliation Given. 1p. 91120:182-91120:182.

--**9612130112** Forwards 930120 ltr to E Kelly.
BLANCH,P.M. Affiliation Not Assigned. 96/10/22. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 5pp. 91120:183-91120:187.

--**9612130116** Requests Hannon rept promised more than 2 months ago.
BLANCH,P.M. Affiliation Not Assigned. 96/10/23. NRC - No Detailed Affiliation Given. 1p. 91120:188-91120:188.

--**9612130119** Discusses nuclear safety.
BLANCH,P.M. Affiliation Not Assigned. 96/10/23. KELLY,G. NRC - No Detailed Affiliation Given. 1p. 91120:189-91120:189.

--**9612130128** Forwards 961023 ltr to G Mulley requesing that Ofc of Inspector General immidiately initiate investigation into comments recently made by NRC staff members from Region I.
BLANCH,P.M. Affiliation Not Assigned. 96/10/23. NRC - No Detailed Affiliation Given. 3pp. 91120:190-91120:192.

--**9612130132** Submits comments re G Kelly tactics.
BLANCH,P.M. Affiliation Not Assigned. 96/10/24. MILLER,H. NRC - No Detailed Affiliation Given. 1p. 91120:193-91120:193.

--**9612130139** Informs that R Nader scheduled press conference & public meeting on 961029 to discuss nuclear power,corporate influance over democracy,local whistleblowers & national energy policy.
BLANCH,P.M. Affiliation Not Assigned. 96/10/24. NRC - No Detailed Affiliation Given. 1p. 91120:194-91120:195.

--**9612130144** Informs that Hannon rept has been issued.
BLANCH,P.M. Affiliation Not Assigned. 96/10/24. NRC - No Detailed Affiliation Given. 1p. 91120:196-91120:196.

--**9612130151** Forwards ltr written by PM Blanch to Hartford Courant editor re problems at Northeast Util.
BLANCH,P.M. Affiliation Not Assigned. 96/10/25. NRC - No Detailed Affiliation Given. 1p. 91120:197-91120:197.

--**9612130162** Forwards article from Hartford Courant published by M McIntire & M Remez on 961025 re safety concerns at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/25. WALD,M. NRC - No Detailed Affiliation Given. 8pp. 91120:198-91120:205.

--**9612130166** Discusses page B1 of Hartford Courant re investigator to look into NRC attitude.
BLANCH,P.M. Affiliation Not Assigned. 96/10/26. NRC - No Detailed Affiliation Given. 2pp. 91120:206-91120:207.

--**9612130169** Submits public opinion of G Kelly recent actions.
BLANCH,P.M. Affiliation Not Assigned. 96/10/26. KELLY,G. NRC - No Detailed Affiliation Given. 1p. 91120:208-91120:208.

--**9612130174** Forwards article from Hartford Courant published by M McIntire on 961028 re Millstone nuclear plant.
BLANCH,P.M. Affiliation Not Assigned. 96/10/28. NRC - No Detailed Affiliation Given. 3pp. 91120:209-91120:211.

--**9612130181** Responds to 961016 ltr to Vermont Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/10/27. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:212-91120:212.

--**9612130184** Forwards ltr to J Lieberman responding to request to investigate termination of employees.
BLANCH,P.M. Affiliation Not Assigned. 96/10/28. NRC - No Detailed Affiliation Given. 1p. 91120:213-91120:213.

--**9612130188** Submits article published by M Remez & SE Kinsman in Hartford Courant on 961029 re lay-off of about 100 employees in Jan 1996 at Northeast Util.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 3pp. 91120:214-91120:216.

--**9612130191** Forwards memo from JN Hannon to WT Russell re independent review of Millstone Station & NRC handling of employee concerns & allegations.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 4pp. 91120:217-91120:220.

--**9612130196** Discusses layoff of over 100 employees at Millstone.
BLANCH,P.M. Affiliation Not Assigned. 96/10/29. NRC - No Detailed Affiliation Given. 2pp. 91120:221-91120:222.

--**9612130199** Informs of B Kenyon decision not to rehire any of terminated employees.
BLANCH,P.M. Affiliation Not Assigned. 96/10/30. NRC - No Detailed Affiliation Given. 1p. 91120:223-91120:223.

--**9612130204** Informs of B Kenyon decision not to rehire any terminated employees.
BLANCH,P.M. Affiliation Not Assigned. 96/10/30. NRC - No Detailed Affiliation Given. 1p. 91120:224-91120:224.

--**9612130206** Discusses activities at Vermont Yankee.
BLANCH,P.M. Affiliation Not Assigned. 96/10/31. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 91120:225-91120:225.

**9612120225** Discusses approval of final rule on environ review for renewal of NPP operating licenses w/addition of OGC comments.
MARTIN,T.O. Regulation Development Branch (Post 941217). 96/11/27. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91075:162-91075:162.

**9612130046** Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-96-12 expired & decision became final agency action on 961202. W/Certificate of Svc.Served on 961206.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18096. 2.206. 96/12/05. MORRIS,C. Affiliation Not Assigned. 2pp. 91083:065-91083:066.

**9612160002** Forwards draft SRPs on antitrust & financial qualifications & decommissioning funding assurance.
MATTHEWS,D.B. . A. 96/12/12. MCKNIGHT,J. Office of International Programs (Post 911117). 69pp. 91099:220-91099:288.

**9612160283** Comments on Jul 1996 publication of draft NUREG-0654/FEMA- REP-1,Rev 1,Supp 3 for interim use.NRC & FEMA should review MOU & NUREG in conjunction w/FEMA strategic review.
SELL,S.D. Wisconsin, State of. 61FR43794 00012. 96/08/26. Office of the Secretary of the Commission. 1p. 91097:014-91097:014.

**9612160368** Forwards FEMA final rept of 961022 for Wolf Creek Generating Station offsite medical drill.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 6pp. 91103:050-91103:060.

--**9612160381** "Medical Drill Rept Wolf Creek Generating Station," on 961022.
* Federal Emergency Management Agency. 96/11/04. 5pp. 91103:056-91103:060.

**9612160419** Notification of 961205 meeting w/MPR Associates,Inc in Alexandria,VA to review status of Midland Annealing Demonstration Project at time stop work order issued by DOE for FY97 work under project.
JACKSON,D.A., MALIK,S.N. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/12/05. SHAO,L.C. Division of Engineering Technology (Post 941217). 4pp. 91121:272-91121:275.

**9612170086** Forwards for review & comments,AEOD draft rept, "Non-Power Reactor Survey," & requests that response be submitted within 45 days.
ROSSI,C.E. Office for Analysis & Evaluation of Operational Data, Director. 96/12/12. FREEMAN,D.W. Missouri, Univ. of, Rolla, MO. 8pp. 91131:001-91131:101.

--**9612170113** "Non-Power Reactor Survey," draft rept.
ROSS,D.F., BROCKMAN,K., MURPHY,J. Office for Analysis & Evaluation of Operational Data, Director. 96/12/01. 49pp. 91131:009-91131:101.

**9612170155** Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/12/16. 8pp. 91132:030-91132:037.

**9612170179** Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/12/16. 9pp. 91132:018-91132:026.

**9612170300** Informs that review of document, "Geophysical Bore-hole Instrumentation to Determine Rock Density," found to be adequate & for std use.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 96/12/05. STEWART,J.C. . 1p. 91124:079-91124:079.

**9612170439** Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/12/16. 12pp. 91131:223-91131:234.

**9612180131** Forwards list of NRC licensed waste recyclers,per telcon. List of radwaste broker & processor svcs also encl.
COMFORT,G.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/12. WILLIAMS,L. Affiliation Not Assigned. 9pp. 91132:289-91132:297.

**9612190396** Forwards workshop summary entitled, "License Renewal Regulatory Guide Workshop," to provide info on staff proposed draft RG DG-1047 & industry implementation guideline NEI 95-10.
MARTIN,T.T. . 96/12/13. BLAHA,J.L. Assistant for Operations (Post 890205). 3pp. 91136:160-91136:237.

--**9612190403** "Summary of the NRC license Renewal Reg Guide Workshop," 961029.
* Science & Engineering Associates, Inc. NRC-03-93-032. FIN J-2409. 96/11/19. . 74pp. 91136:163-91136:237.

**9612190399** Trip rept of 961105-07 visit to Spain to exchange info re recent fuel & core performance experience & regulatory positions on extended burnup operation of nuclear fuel.
PHILLIPS,L.E. . 96/12/17. COLLINS,T. . 10pp. 91136:332-91136:341.

**9612190434** Provides update of staff action activities re threaded fastener gaging issues.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/17. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 4pp. 91137:036-91137:042.

**9612200059** Excepts invitation to participate as faculty member in 970603-06 Atmospheric Science & Radioactivity Releases Course,per request.
MOHSENI,A. Incident Response Branch. 96/12/17. DINGER,K.H. Harvard School of Public Health, Boston, MA. 1p. 91148:159-91148:159.

**9612200234** Forwards NRC form 173,standard order for DOE work,submitted in accordance w/section III.B.2 of DOE/NRC Memo of Understanding of 780224.Contract extended to 981231 & revised statement of work.
BANGART,R.L. Office of State Programs (Post 911117). 96/12/10. HULTGREN,R.O. Energy, Dept. of. 11pp. 91149:254-91149:270.

**9612200320** Summary of 961107-08 meeting w/ASME Research in Washington, DC to discuss ongoing activities to develop risk-informed ISI programs.
GUTTMANN,J. Probabilistic Risk Analysis Branch (Post 941217). ALI,S. . 96/12/10. Probabilistic Risk Analysis Branch (Post 941217). 3pp. 91181:070-91181:072.

**9612230019** Forwards monthly rept which reflects status of 10CFR2.206 petitions as of end of Nov 1996.
ZIMMERMAN,R.P. . 2.206. 96/12/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 31pp. 91181:074-91181:104.

**9612230036** Forwards 961022 ltr to Chairman Jackson re discussion concerning advantages of standardization of NPP & better utilization of America resource.
MIRAGLIA,F.J. . 96/12/17. GARDINER,W. Affiliation Not Assigned. 6pp. 91194:211-91194:216.

**9612230101** Press release newsletter highlights of NRC-related news articles for 961218 & 19.
* Office of Public Affairs (Post 911117). 96/12/19. 2pp. 91242:018-91242:019.

**9612240117** Summary of operating reactors events briefing 96-14 on 961211.
CHAFFEE,A.E. . OREM-96-14. 96/12/19. MARTIN,T.T. . 24pp. 91193:333-91193:356.

**9612240130** Forwards FEMA final rept for 960814-15,plant exercise,which indicates no deficiencies & three areas requiring corrective action identified during exercise.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/12/13. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 91183:329-91183:332.

**9612240258** Summary of 961212 meeting w/utils re control rod insertion issues.W/list of attendees & viewgraphs.
WANG,E.Y. . 96/12/17. MATTHEWS,D.B. . 64pp. 91197:176-91197:239.

**9612260052** Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-96-18 expired.Decision became final agency action on 961202. W/Certificate of Svc.Served on 961218.
HOYLE,J.C. Office of the Secretary of the Commission. #496 18113. 2.206. 96/12/18. BLANCH,P.M. Affiliation Not Assigned. 2pp. 91196:123-91196:124.

**9612270024** Request for OMB review & supporting statement re 10CFR35.32 & 10CFR35.33, "Quality Management Program & Misadministrations." Estimated respondent burden 34,743 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0171. 96/12/20. 32pp. 91223:296-91223:327.

**9612270025** Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0178. 96/01/20. 15pp. 91219:339-91219:353.

**9612270044** Submits response to survey dtd 961126 requesting input to assist in redesigning Incident Reporting Informational System.
HOGAN,R.T. Incident Response Branch. 96/12/23. OGDEN,J. . 3pp. 91211:349-91211:351.

**9612300110** Responds to request re interim criteria for use in making decisions under 10CFR76.45(b).
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/24. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 91233:294-91233:295.

**9612310179** Forwards, "Flaw Evaluation of Thermally Aged Cast SS in LWR Applications," for consideration for publication in Intl Journal of PVs & Piping.
LEE,S. . 96/12/23. NICHOLS,R.W. United Kingdom. 1p. 91247:010-91247:028.

**-9612310181** "Flaw Evaluation of Thermally Aged Cast SS in LWR Applications."
LEE,S., KUO,T., WICHMAN,K. . 96/12/23. 18pp. 91247:011-91247:028.

**PR PROPOSED RULE**

**9612050011** Final rule 10CFR2 & 51, "Deletion of Outdated References & Minor Change," amending regulations to delete all references to App C 10CFR2.Provides discretionary measure in requiring written responses in reply to notice of violation.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 61FR43406. 96/08/08. 14pp. 91013:003-91013:016.

**9612050021** Comments on draft policy statement on restructuring & economic deregulation of electric util industry as noticed in 960923 FR.Extension requested for period of 60 to 90 days.
GUNTER,P. Nuclear Information & Resource Service. 61FR49711 00001. 96/11/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91013:019-91013:019.

**9612050030** Comments on 10CFR52 design certification issues.White paper providing addl info re historical development of "applicable regulations" issue.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR18099. 96/10/01. MALSCH,M.G. Office of the General Counsel (Post 860701). 17pp. 91013:020-91013:036.

**9612050038** Advance notice of proposed rulemaking 10CFR33, "Specific Domestic Licenses of Broad Scope for Byproduct Matl."
HOYLE,J.C. Office of the Secretary of the Commission. 61FR58346. 96/11/06. 22pp. 91013:037-91013:058.

**9612090108** Forwards final rule that will amend 10CFR60,regulation governing disposal of high-level radwaste in geologic repositories.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 61FR64257. 96/11/27. GORE,A. Senate. GINGRICH,N. House of Rep. MURPHY,R.P. General Accounting Office. 120pp. 91045:001-91045:123.

**9612090235** Forwards final rule,which amends 10CFR60,to be published in Federal Register.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 61FR64257. 96/11/27. VUCANOVICH,B.F., ENSIGN,J. House of Rep. REID,H.M. Senate. 75pp. 91045:124-91045:202.

**9612090235** Forwards final rule,which amends 10CFR60,to be published in Federal Register.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 61FR64257. 96/11/27. VUCANOVICH,B.F., ENSIGN,J. House of Rep. MURKOWSKI,F.H. Senate, Energy & Natural Resources. 7pp. 91191:135-91191:225.

**-9612190411** Final rule 10CFR60, "Disposal of HLR Wastes in Geological Repositories;Design Basis Events."
HOYLE,J.C. Office of the Secretary of the Commission. CCS. 96/11/25. 81pp. 91191:142-91191:225.

**9612100259** Informs of no comments on staff Commission paper re subj rulemaking 10CFR60, "Design Basis Events." Copy of final rule requested.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 96/12/06. BELL,H.T. Office of the Inspector General (Post 890417). 23pp. 91053:209-91053:231.

**9612120313** Informs that Illinois Dept of Nuclear Safety does not support NRCs Quality Mgt Plan as specified in 10CFR35, & therefore opposes any plan to continue certain info collection requirements.
COLLINS,S.C. Illinois, State of. 96/12/05. SHELTON,B.J. Information & Records Management Branch (Post 890827). 3pp. 91090:214-91090:216.

**9612160242** Responds to 961106 ltr re request for NRC to extend comment period on draft policy statement.FRN to extend due date for public comment on subj draft to 970209 will be issued.
HOYLE,J.C. Office of the Secretary of the Commission. 61FR49711. 96/12/06. GUNTER,P. Nuclear Information & Resource Service. 1p. 91097:055-91097:055.

**9612160243** Comment on proposed rule 10CFR50 re restructuring & economic deregulation of electric utility industry.IDNS believes that margins to safe operation will be more vigorously challenged in disaggregated environment.
ORTCIGER,T.W. Illinois, State of. 61FR49711 00010. 96/12/03. Docketing & Services Branch. 2pp. 91103:001-91103:002.

**9612160244** Comment supporting proposed rule 10CFR50 re policy on restructuring & economic deregulation of electric utilty industry.
BARRY,J.J. International Brotherhood of Electrical Workers. 61FR49711 00011. 96/12/06. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91103:003-91103:005.

**9612160246** Comment supporting proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric util industry.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 61FR49711 00004. 96/12/05. Docketing & Services Branch. 2pp. 91097:012-91097:013.

**9612160248** Comment supporting proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric utility industry.
BANTA,M.G. Indianapolis Power & Light Co. MULLETT,M.A. Citizens Action Coalition of Indiana. HIGLEY,C. Affiliation Not Assigned. 61FR49711 00008. 96/12/09. NRC - No Detailed Affiliation Given. 15pp. 91103:030-91103:044.

**9612160270** Comment on proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric util industry.
FRANCIS,F.E., NEWELL,G.J. Spiegel & McDiarmid. 61FR49711 00007. 96/12/09. NRC - No Detailed Affiliation Given. 5pp. 91103:045-91103:049.

**9612160311** Comment supporting proposed rule 10CFR50 re availability of decommissioning funds.
HAMPTON,E.J. Affiliation Not Assigned. 61FR49711 00003. 96/11/27. WOOD,R.S. . 1pp. 91097:105-91097:105.

**9612160320** Comment opposing proposed rule 10CFR33 re draft text of 33.2: "Mgt Means Chief Executive Officer (or Equivalent) or Person Delegate or Delegates."
ZUROSKY,D.M. South Carolina, Univ. of, Columbia, SC. 61FR58346 00001. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91097:004-91097:005.

**9612160331** Comment on draft policy statement re reconstructuring & economic deregulation of electric utility industry.
FORNICOLA,J.C. General Public Utilities Corp. - GPU Service Corp. 61FR49711 00014. 96/12/05. Docketing & Services Branch. 2pp. 91096:172-91096:173.

**9612160336** Comment supporting proposed rule 10CFR50 re restructuring & economic deregulation of electric utility industry.
BROCKETT,S. Michigan, State of. 61FR49711 00006. 96/12/06. Docketing & Services Branch. 7pp. 91097:015-91097:021.

**9612160345** Comment supporting drafty policy statement re reconstructuring & economic deregulation of electric utility industry.
WALLACE,M.J. Commonwealth Edison Co. 61FR49711 00015. 96/12/09. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91096:174-91096:194.

**9612160362** Comment supporting proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric util industry.
JAMES,B.E. Wisconsin, State of. 61FR49711 00002. 96/11/27. Docketing & Services Branch. 4pp. 91097:007-91097:010.

**9612160376** Comment supporting PR 10CFR50, "NRC Draft PS on Restructuring & Economic Deregulation of Electric Utility Industry."
SELOVAR,R.E. Public Service Electric & Gas Co. of New Jersey. 61FR49711 00005. 96/12/06. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91097:038-91097:043.

**9612170005** Comment supporting proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric util industry.
SELL,S.D. Wisconsin, State of. 61FR49711 00009. 96/12/02. Docketing & Services Branch. 1p. 91103:354-91103:354.

**9612170071** Comment opposing proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric utility industry.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 61FR49711 00012. 96/12/09. Office of the Secretary of the Commission. 2pp. 91105:043-91105:044.

**9612170117** Comment on proposed rule 10CFR50 re Draft Policy Statement on Restructuring & Economic Deregulation of Electric Utility Industry.
LINNERT,T.G. Centerior Energy. 61FR49711 00013. 96/12/09. HOYLE,J. Office of the Secretary of the Commission. 4pp. 91105:050-91105:053.

**9612170358** Notice of extension of comment period to 970209 on proposed rule 10CFR50, "Draft Policy Statement on Restructuring & economic Deregulation of Electric Utility Industry."
HOYLE,J.C. Office of the Secretary of the Commission. 61FR49711. 96/12/13. 2pp. 91118:210-91118:211.

**9612190227** Issues encl advance notice of proposed rulemaking for public comment & requests comments on specific questions & draft rule language reflecting many identified issues.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/11/07. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 91174:321-91174:345.

**–9612190251** Advance notice of proposed rulemaking in which NRC is amending regulations governing specific licenses of broad scope for byproduct matl to clarify regulatory & health & safety basis of current licensing practices.
HOYLE,J.C. Office of the Secretary of the Commission. CCS. 96/11/06. 22pp. 91174:323-91174:345.

**9612230058** Comment opposing proposed rule 10CFR30 & 32 re deliberate misconduct by unlicensed personnel.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR51835 00004. 96/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91180:001-91180:003.

**PRESS PRESS RELEASES**

**9612040048** Press release III-96-71, "Special NRC Team Insp Beginning at Point Beach Nuclear Power Station."
* Region 3 (Post 820201). 96/12/02. 1p. 91050:193-91050:193.

**9612040051** Press release 96-172, "NRC Announces Major Reorganization."
* Office of Public Affairs (Post 911117). 96/12/02. 10pp. 91126:267-91126:276.

**9612040056** Press release 96-173, "Note to Editors -- ACRS Meetings Scheduled on 961204 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/12/02. 1p. 91050:195-91050:195.

**9612040059** Press release 96-174, "Note to Editors -- ACRS Meeting Scheduled on 961218 & 19 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/12/03. 1p. 91050:194-91050:194.

**9612040195** Press release 96-175, "NRC Issues Second Partial Initial Decision on LA Energy Svcs License Application."
* Office of Public Affairs (Post 911117). 96/12/04. 1p. 91126:299-91126:299.

**9612050074** Press release 96-176, "NRC Seeks Qualified Candidates for ACRS."
* Office of Public Affairs (Post 911117). 96/12/05. 2pp. 91126:314-91126:315.

**9612050075** Press release 96-177, "NRC Issues Interim Guidance on Transportation of SGs."
* Office of Public Affairs (Post 911117). 96/12/05. 1p. 91126:316-91126:316.

**9612050076** Press release III-96-072, "NRC Staff Proposes $325,000 Fine Against Wisconsin Electric Co for Violations of NRC Requirements at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/12/04. 3pp. 91126:317-91126:319.

**9612050077** Press release IV-96-61, "NRC Staff Authorizes Loading of Spent Fuel into Dry Casks at Arkansas Plant."
* Region 4 (Post 820201). 96/12/04. 2pp. 91126:320-91126:321.

**9612050078** Press release II-96-099, "NRC Staff Proposed $50,000 Fine Against Southern Nuclear Operating Co at Farley."
* Region 2 (Post 820201). 96/12/05. 1p. 91126:322-91126:322.

**9612060047** Press release III-96-073, "Quad Cities Nuclear Plant Rated 'Good' in Two Areas, 'Acceptable' in Two Areas in NRC Performance Assessment."
* Region 3 (Post 820201). 96/12/06. 2pp. 91126:350-91126:351.

**9612090222** Press release II-96-101, "Summer Nuclear Plant Rated "Superior" in Three Areas, "Good" in Fourth Area of NRC Assessment Rept."
* Region 2 (Post 820201). 96/12/06. 1p. 91127:040-91127:040.

**9612090226** Press release 96-179, "NRC Certifies Two Standardized Reactor Designs."
* Office of Public Affairs (Post 911117). 96/12/06. 1p. 91127:041-91127:041.

**9612090232** Press release II-96-100, "NRC Staff to Hold Predecisional Enforcement Conference to Discuss Sequoyah Equipment Concerns w/TVA."
* Region 2 (Post 820201). 96/12/06. 1p. 91127:042-91127:042.

**9612090239** Press release 96-180, "Reyes to Be New NRC Region II Administrator."
* Office of Public Affairs (Post 911117). 96/12/09. 1p. 91127:043-91127:043.

**9612110204** Press release 96-178, "NRC Amends Regulations Governing High-Level Radwaste Repository."
* Office of Public Affairs (Post 911117). 96/12/05. 2pp. 91151:109-91151:110.

**9612110211** Press release II-96-103, "NRC Commissioner Diaz to Visit Crystal River Nuclear Plant."
* Region 2 (Post 820201). 96/12/09. 2pp. 91151:111-91151:112.

**9612110218** Press release 96-181, "NRC ACNW to Meet 970128-30 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/12/10. 1p. 91163:001-91163:001.

**9612110221** Press release 96-182, "NRC Opens Most Enforcement Conferences to Public Observation."
* Office of Public Affairs (Post 911117). 96/12/10. 2pp. 91151:113-91151:114.

**9612110230** Press release I-96-078, "Calvert Cliffs Nuclear Plant Rated "Supperior" in Three Areas, "Good" in Fourth Area of Assessment Rept."
* Region 1 (Post 820201). 96/12/06. 1p. 91151:115-91151:115.

**9612120071** Press release I-96-79, "NRC to Hold Two Meetings 961217 in Connecticut on Millstone Nuclear Plant."
* Region 1 (Post 820201). 96/12/11. 1p. 91163:031-91163:031.

**9612120075** Press release 96-183, "NRC Revises Regulations on Release of Radioactive Matls From Nuclear Facilities."
* Office of Public Affairs (Post 911117). 96/12/11. 2pp. 91163:032-91163:033.

**9612120112** Press release I-96-80, "NRC Staff Proposes $180,000 in Fines for Alleged Violations at Salem & Hope Creek Plants."
* Region 1 (Post 820201). 96/12/12. 2pp. 91163:042-91163:043.

**9612130286** Press release 96-184, "Merschoff,Dyer Named to Top Posts in NRC Region IV."
* Office of Public Affairs (Post 911117). 96/12/13. 2pp. 91163:123-91163:124.

**9612160048** Press release I-96-81, "NRC Staff Proposes to Fine RG&E $100,000 for Alleged Violations at Ginna Nuclear Plant."
* Region 1 (Post 820201). 96/12/13. 1p. 91163:135-91163:135.

**9612170090** Press release IV-96-64, "NRC PG&E Officials to Discuss Apparent Violation at Diablo Canyon."
* Region 4 (Post 820201). 96/12/16. 1p. 91163:246-91163:246.

**9612180080** Press release I-96-82, "NRC Staff to Meet w/Penn State Officials to Discuss Apparent Violations of NRC Requirements."
* Region 1 (Post 820201). 96/12/17. 1p. 91164:023-91164:023.

**9612180092** Press release III-96-73, "Postponement of Meeting to Discuss Preliminary Findings of NRC Team Insp at Point Beach Nuclear Plant."
* Region 3 (Post 820201). 96/12/17. 1p. 91164:024-91164:024.

**9612180101** Press release II-96-104, "NRC Staff to Hold Predecisional Enforcement Conference to Discuss Vogtle Equipment Concerns w/GA Power Co."
* Region 2 (Post 820201). 96/12/17. 1p. 91164:025-91164:025.

**9612200096** Press release I-96-83, "NRC Staff Issues Confirmatory Action Ltr to Maine Yankee,Sends Two Specialists to Plant."
* Region 1 (Post 820201). GL-96-01. 96/12/19. 1p. 91201:003-91201:003.

**9612200101** Press release 96-185, "Commission Approves Rulemaking Plan for Util Role in Initial Reactor Operator License Exams."
* Office of Public Affairs (Post 911117). 96/12/19. 2pp. 91201:004-91201:005.

**9612230046** Press release 96-187, "NRC Reaction to Dept of Energy Announcement Concerning External Oversight of DOE Facilities."
* Office of Public Affairs (Post 911117). 96/12/20. 1p. 91242:012-91242:012.

**9612260087** Press release 96-188, "Note to Editors -- ACRS Meeting."
* Office of Public Affairs (Post 911117). 96/12/24. 1p. 91242:132-91242:132.

**9612260091** Press release 96-189, "NRC Seeks Qualified Candidates for ACNW."
* Office of Public Affairs (Post 911117). 96/12/26. 2pp. 91242:133-91242:134.

**9612270048** Press release III-96-76, "NRC Staff Issues Rept of Independant Safety Insp at Dresden Nuclear Power Station."
* Region 3 (Post 820201). 96/12/26. 1p. 91347:001-91347:004.

**–9612270052** Forwards NRC Insp Repts 50-237/96-201 & 50-249/96-201 re safety insp team.W/o encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/24. O'CONNOR,J.J. Commonwealth Edison Co. 3pp. 91347:002-91347:004.

**9612270055** Press release III-96-75, "NRC Staff Proposes $5,000 Fine Against Cleveland Clinic for Violations of NRC Safety Requirements."
* Region 3 (Post 820201). 96/12/24. 1p. 91271:008-91271:008.

**9612270059** Press release 96-186, "NRC Revises Criteria for Reporting Abnormal Occurrences to Congress."
* Office of Public Affairs (Post 911117). 96/12/19. 2pp. 91266:179-91266:180.

**9612270063** Press release I-96-84, "Hope Creek Nuclear Power Plant Receives 'Good' Ratings in NRC's Latest SALP Rept."
* Region 1 (Post 820201). 96/12/26. 2pp. 91266:181-91266:182.

**9612270066** Press release II-96-105, "NRC Staff Proposes $100,000 in Fines Against TVA at Sequoyah."
* Region 2 (Post 820201). 96/12/26. 2pp. 91266:191-91266:192.

**9612270069** Press release 96-190, "NRC Considering Request from MA for 'Agreement State' Status."
* Office of Public Affairs (Post 911117). 96/12/26. 2pp. 91266:193-91266:194.

**9612270149** Press release IV-96-63, "NRC Proposes to Fine Waterford $50,000 for Design Error."
* Region 4 (Post 820201). 96/12/27. 1p. 91271:010-91271:010.

**9612300093** Press release II-96-106, "WBN Plant Rated 'Superior' In Two Areas, 'Good' in Two Other Areas of NRC Assessment Rept."
* Region 2 (Post 820201). 96/12/30. 2pp. 91266:283-91266:284.

**9612310173** Press release IV-96-68, "NRC,SCE Officials to Discuss Apparent Violations at San Onofre."
* Region 4 (Post 820201). 96/12/31. 1p. 91271:013-91271:013.

**PRM PETITION FOR RULEMAKING**

**9612050019** Requests that NRC & attending Commissioners stockpile potassium iodide at designated Veterans Admin Hosps through-out US,in view of nuclear accidents at plant.
SHOLES,L.F., SHOLES,D. Affiliation Not Assigned. 60FR58256 00065. 96/10/13. JAMGOCHIAN,M. NRC - No Detailed Affiliation Given. 1p. 91013:017-91013:017.

**9612050020** Comment re petition for rulemaking PRM-50-63 re making potassium iodide readily available to people that live in vicinity of nuclear power plants.
PERREAULT,L.C. Affiliation Not Assigned. 60FR58256 00064. 96/09/23. Office of Public Affairs (Post 911117). 1p. 91013:018-91013:018.

**9612160319** Requests that petition for rulemaking PRM-35-14 be withdrawn from further consideration by Commission or ACMUI.
SCHWEIGER,J. . 61FR33388 00014. 96/10/24. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91096:148-91096:148.

**9612190245** Forwards copy of petition for rulemaking requesting that NRC amend 10CFR70 to require U processing,U enrichment & fuel fabrication licensees to use integrated safety assessment to confirm that adequate controls are in place.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/11/22. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. 91164:301-91164:338.

**-9612190252** Requests that NRC amend 10CFR70 to require U processing,U enrichment & fuel fabrication licensees to ensure safety programs are evaluated & modified as necessary,based on conduct of ISA.
FERTEL,M.S. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/09/30. HOYLE,J.C. Office of the Secretary of the Commission. 15pp. 91164:303-91164:317.

**-9612190257** Notice of receipt of petition for rulemaking PRM-70-7 re amend of regulations to require U processing,U enrichment & fuel fabrication licensees to use ISA to confirm that adequate controls are in place to protect public heatlh.
HILL,W.M. Office of the Secretary of the Commission. 96/11/20. 20pp. 91164:318-91164:338.

**PROJ PROJECTS - PREDOCKET LICENSING**

**9612020201** Notification of 961218 meeting w/B&WOG in Rockville,MD to discuss control assembly insertion concerns.
BIRMINGHAM,J.L. . 96/11/27. MATTHEWS,D.B. . 4pp. 90975:001-90975:004.

**9612020216** Summary of 961015 meeting w/WOG in Rockville,MD to discuss PRA methods to extend certain surveillance test intervals & AOT.List of meeting participants & copy of non-proprietary presentation matl discussed at meeting encl.
CRAIG,C.M. . 96/11/26. MATTHEWS,D.B. . 28pp. 90975:056-90975:083.

**9612040027** Rev 7,Change 1 to "Preface for Process Safety Requirements."
SCHUBERT,R.L., LAZZARO,J.A., VOLPE,J.J. West Valley Nuclear Services Co., Inc. 96/11/18. 8pp. 91011:307-91011:314.

**9612040164** Notification of 970123 meeting w/Nuclear Energy Inst to discuss industry concerns re graded quality assurance activities w/volunteer plants,use of probabilistic risk assessment & proposed 10CFR50.54(a) rulemaking.
MALLOY,M. . 96/12/02. MATTHEWS,D.B. . 5pp. 91007:270-91007:274.

**9612040167** Forwards comments on DEIS for completion of West Valley demonstration project & closure or long-term mgt of facilities.
COMFORT,G.C. Licensing Branch. 96/11/27. SULLIVAN,D.W. Energy, Dept. of. 53pp. 91007:292-91007:344.

**9612040205** Summary of 961106 meeting w/CEOG RV Working Group in Rockville,MD to discuss status of RV Working Group program on RPV weld properties.List of attendees & info presented by CEOG RV Working Group encl.
MAGRUDER,S.L. . 96/12/02. MATTHEWS,D.B. . 3pp. 91019:195-91019:218.

**-9612040231** "Status of CEOG RV Working Group RPV Weld Properties Evaluation & Determination of Best-Estimate Copper & Nickel Content in CE Fabricated Vessel Welds."
* C-E Operating Plants Owners Group. 96/11/06. 21pp. 91019:198-91019:218.

**9612090052** Requests meeting w/NRC to discuss removal of reactor vessel missile shield from Westinghouse plants.
BISHOP,D.R. Westinghouse Operating Plants Owners Group. WOG-RVHMS-96-04. 96/08/15. SHERON,B.W. . 4pp. 91040:137-91040:140.

**9612090116** Notification of 961216 meeting w/WOG & Westinghouse in Rockville,MD to discuss WOG/Westinghouse submittal, WCAP-11992,ATWS rule administration process.
CRAIG,C.M. . 96/12/03. MATTHEWS,D.B. . 3pp. 91045:220-91045:224.

**9612090161** WVNS-SAR-001 R02 Rev 2 to "Technical Support Documents for WVNS-SAR-001."
* West Valley Nuclear Services Co., Inc. 96/09/30. 489pp. 91060:056-91061:180.

**9612090174** Submits Tritium Producing Burnable Absorber Rod LTA TR for DOE Commercial Light Water Reactor Project.Non-proprietary & proprietary versions of "Thermal/Hydraulic & Rod Design Data for TPBAR TR" & application for withholding encl.
SOHINKI,S.M. Energy, Dept. of. 96/12/04. WILSON,J.H. Document Control Branch (Document Control Desk). 2pp. 91052:103-91052:119.

**-9612090176** Requests application for withholding proprietary info re "Thermal/Hydraulic & Rod Design Data for TPBAR TR," from public disclosure.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NT-OPL-96-5. 96/12/02. WILSON,J. Document Control Branch (Document Control Desk). 9pp. 91052:105-91052:113.

**-9612090187** Non-proprietary "Thermal/Hydraulic & Rod Design Data for TPBAR Topical Rept."
VAGLIA,D. Westinghouse Electric Corp. 96/12/03. 5pp. 91052:114-91052:119.

**9612090263** Transmits non-proprietary version of final rept from CEOG Task 931.W/o encl.
PILMER,D.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). PILMER,D.F. C-E Operating Plants Owners Group. PILMER,D.F. ASEA Brown Boveri, Inc. CEOG-96-476. 96/11/18. JONES,R.C. . 1p. 91054:109-91054:109.

**9612090273** Transmits revised version of final rept from CEOG Task 931 re CEA insertion time experience & evaluation.
PILMER,D.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). PILMER,D.F. C-E Operating Plants Owners Group. PILMER,D.F. ASEA Brown Boveri, Inc. CEOG-96-415. 96/10/17. JONES,R.C. . 6pp. 91055:104-91055:109.

**9612100093** Notification of 961212 meeting w/NEI to present NEI proposal on evaluation of metal fatigue & thermal aging of cast stainless steel for license renewal.
LEE,S. . 96/12/05. NEWBERRY,S.F. . 3pp. 91049:268-91049:270.

**9612110274** Forward rev 7 of "Index of Questions/Comments," table that NRC & NUMARC will be using to track comments associated w/NEI 95-10, "Industry Guidelines for Implementing Requirements of 10CFR54 - License Renewal Rule."
WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/12/06. NEWBERRY,S.F. . 47pp. 91081:064-91081:110.

**9612110312** Forwards non-proprietary rept WCAP-14696, "Core Damage Assessment Guidance," which describes new generic post accident core damage assessment guidance based on current understanding of core damage accidents.
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-96-098. 96/11/22. . 2pp. 91089:001-91089:127.

**-9612110320** WCAP-14696 "Westinghouse Owners Group Core Damage Assessment Guidance."
* Westinghouse Electric Corp. 96/11/22. 114pp. 91089:003-91089:127.

**9612110331** Forwards non-proprietary version of TR Tritium Producing Burnable Absorber Rod LTA.
SOHINKI,S.M. Energy, Dept. of. 96/12/04. WILSON,J.H. Document Control Branch (Document Control Desk). 1p. 91089:128-91089:246.

**-9612110341** PNNL-11419 "Rept on Evaluation of Tritium Producing Burnable Absorer Rod LTA."
* Battelle Memorial Institute, Pacific Northwest Laboratory. UC-731. 96/11/30. 118. 91089:129-91089:246.

**9612110351** Notification of 961211 meeting w/Nuclear Energy Inst in Rockville,MD to discuss continuing development of guidance contained in staff RG DG-1047 & industry guideline NEI 95-10 for implementing license renewal rule,per 10CFR54.
HOFFMAN,S.T. . 96/12/09. NEWBERRY,S.F. . 3pp. 91062:033-91062:035.

**9612120296** Forwards Final Rept CEN-622-A, "Generic Upper Shelf Valves for LINDE 1092,124 & 0091 Reactor Vessel Welds."
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-96-499. 96/12/04. Document Control Branch (Document Control Desk). 1p. 91090:286-91090:351.

**-9612120299** CEN-622-A Final rept "Generic Upper Shelf Valves for LINDE 1092,124 & 0091 Reactor Vessel Welds."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/12/31. 65pp. 91090:287-91090:351.

**9612160295** Notification of 961210 meeting w/DOE in Rockville,MD to discuss future NRC interactions & associated resource estimates for West Valley Demonstration Project for upcoming fiscal years.
* Office of Nuclear Material Safety & Safeguards. 96/12/05. Office of Nuclear Material Safety & Safeguards. 3pp. 91133:241-91133:242.

**9612160375** Informs that RA Pinelli should be deleted from all BWR Owners Group correspondence distribution lists due to election on 961016-17 to replace him.BWR Owners Group RRG Chairman is now LA England.
STARK,S.J. General Electric Co. OG96-905-01. 96/12/09. THADANI,A.C. Document Control Branch (Document Control Desk). 2pp. 91133:253-91133:254.

**9612170039** Notification of 961219 meeting w/NEI in Rockville,MD to discuss industry response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design-Basis Accident Conditions."
MAGRUDER,S.L. . GL-96-06. 96/12/11. MATTHEWS,D.B. . 3pp. 91132:057-91132:059.

**9612170066** Advises that info submitted in 960805 & 1017 ltrs which forwarded revs 1 & 2 to CE NPSD-1049-P, "Potential for Delayed CEA Insertion Times at C-E Designed Plants," will be withheld from public disclosure,per 10CFR2.790(b)(5).
MAGRUDER,S.L. . 96/12/11. PILMER,D.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). PILMER,D.F. Southern California Edison Co. 4pp. 91132:048-91132:051.

**9612170105** Notification of 961219 meeting w/util in Rockville,MD to discuss proposed groundrules & plans for info gathering visits/demonstrations & planned industry workshop on accident mgt implementation.
MAGRUDER,S.L. . 96/12/10. MATTHEWS,D.B. . 3pp. 91132:042-91132:044.

**9612170192** Responds to 961222 ltr,expressing W desire to be proactive in managing incomplete rod cluster control assembly insertion issue.W fuel mgt guidelines do not fully address staff concerns.
MATTHEWS,D.B. . 96/12/12. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. 91132:012-91132:017.

**9612170198** Summary of 961106 meeting w/NEI & EPRI in Rockville,MD re issues concerning eddy current technique qualification.
BEARDSLEE,C. . 96/12/11. WICHMAN,K. . 26pp. 91130:285-91130:310.

**9612170311** Summary of 961106 meeting w/B&WOG re proposals to resolve three open items in staff 960913 draft SE for B&WOG generic license renewal program topical rept BAW-2244, "Demonstration of Mgt Aging Effects for Pressurizer."
MOULTON,J.P. . TAC M96277. 96/12/13. . 17pp. 91131:246-91131:262.

**9612170312** Corrects wording on pp 1-4 of Tritium Producing Burnable Absorber Rod LTA Topical Rept.Rept text correction will be made in subsequent rev.
SOHINKI,S.M. Energy, Dept. of. 96/12/10. WILSON,J.H. Document Control Branch (Document Control Desk). 2pp. 91141:036-91141:037.

**9612170428** Forwards response to NRC comments on Rev 0 to Draft C to WVNS-SAR-012, "SAR for Fuel Receiving & Storage Facility."
ROWLAND,T.J. Energy, Dept. of. TAC L30924. 96/12/05. COMFORT,G.C. NRC - No Detailed Affiliation Given. 7pp. 91141:028-91141:034.

**9612180150** Forwards WCAP-14756, "Aging Mgt Evaluation for PWR Containment Structure."
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-96-103. 96/12/11. Document Control Branch (Document Control Desk). 3pp. 91152:112-91153:017.

**–9612180152** WCAP-14756 R00 Rev 0 to "Aging Mgt Evaluation for Pressurized Water Reactor Containment Structure."
* Westinghouse Electric Corp. 96/12/31. 210pp. 91152:115-91153:017.

**9612180345** Forwards three copies of 961112 meeting non-proprietary & proprietary versions of "WOG-EPRI Meeting w/NRC on ASIC Based Reactor Control & Protection Sys Replacement Modules for Westinghouse...." Proprietary version withheld.
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-96-105. 96/12/12. Document Control Branch (Document Control Desk). 3pp. 91164:067-91164:113.

**–9612180348** Requests that proprietary version of "ASIC Based Reactor Control & Protection Sys Replacement Modules for Westinghouse Design Nuclear Units" be withheld from public disclosure.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-96-1047. 96/12/12. MIRAGLIA,F.J. Document Control Branch (Document Control Desk). 9pp. 91164:070-91164:078.

**–9612180350** "WOG-EPRI Meeting w/NRC on ASIC Based Reactor Control & Protection Sys Replacement Modules for Westinghouse Designed Nuclear Units."
* Westinghouse Electric Corp. 96/11/12. 35pp. 91164:079-91164:113.

**9612190174** Notification of 961217 meeting w/West Valley Demonstration Project to discuss issues dealing w/development of DEIS & D&D criteria for project.
* Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/11. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 91191:342-91191:343.

**9612200211** Summary of 961210 meeting w/DOE,NY State Energy Research & Development Authority & West Valley Nuclear Svcs re how & to what extent DOE envisions NRC participation in activities at West Valley Demonstration Project over upcoming FY.
COMFORT,G.C. Licensing Branch. 96/12/16. WEBER,M.F. Licensing Branch. 15pp. 91192:338-91192:352.

**9612230229** Summary of 961211 meeting w/Nuclear Energy Institute in Rockville,MD to discuss topics for which licensee proposes guidance be included in either listed guideline or final version of staff draft RG DG-1047.
HOFFMAN,S.T. . 96/12/18. . 9pp. 91181:193-91181:200.

**9612230231** Forwards RAI to complete review of BAW-2251, "Demonstration of Aging Effects for Reactor Vessel."
MOULTON,J.P. . 96/12/19. FIRTH,D.J. FRAMATOME. 6pp. 91181:201-91181:206.

**9612230242** Notification of 970109 meeting w/Nuclear Energy Institute in Rockville,MD to discuss issues related to implementation of maint rule.
MAGRUDER,S.L. . 96/12/18. MATTHEWS,D.B. . 4pp. 91181:207-91181:210.

**9612230253** Summary of 961114 meeting w/Industry Group on Dynamic Safety Sys Project in Washington,DC to discuss sys implementation at licensee facility.List of attendees & matl used in presentation encl.
MCKENNA,E. . 96/12/12. MATTHEWS,D.B. . 42pp. 91181:211-91181:252.

**9612230271** Forwards RAI re BWROG 961030 submittal, "Alternate BWR Feedwater Nozzle Insp Requirements."
MATTHEWS,D.B. . 96/12/18. DONOVAN,K.P. Centerior Service Co. 20pp. 91181:289-91181:308.

**9612300129** Forwards proprietary & non-proprietary version of Framatome Cogema Fuels matl on control rod insertion problems presented to NRC on 961218.Affidavit encl.
TAYLOR,J.H. FRAMATOME. JHT/96-86. 96/12/16. Document Control Branch (Document Control Desk). 77pp. 91262:112-91262:188.

**9612310052** Summary of 961119-20 meeting w/EPRI & Utility Generic PLC Qualification Group in Rockville,MD re qualification of programmable logic controllers.
MCKENNA,E. . 96/12/23. MATTHEWS,D.B. . 88pp. 91242:206-91242:293.

**9612310087** Requests addl info re "Combustion Engineering Owners Group (CEOG) Joint Application Rept for Emergency Diesel Generators."
MAGRUDER,S.L. . 96/12/24. PILMER,D.F. Southern California Edison Co. 8pp. 91247:057-91247:064.

**9612310093** Summary of 961121 meeting w/Nuclear Energy Institute in Rockville,MD re insurance issues & other Price Anderson related issues.List of attendees attached.
MAGRUDER,S.L. . 96/12/23. MATTHEWS,D.B. . 4pp. 91247:048-91247:051.

**PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE**

**9612020106** Part 21 rept re deficiency of WKM model 70-13 Pneumatic Actuators manufactured by Anchor Darling Valve Company due to incorrect calculation of bench set & supply air set points.All affected valves have been reviewed & evaluated.
SUBALUSKY,W.T. Commonwealth Edison Co. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91050:250-91050:257.

**9612030134** Part 21 rept re rejection of proposed 1991 changes made to FCTF reflood heat transfer correlation in TOODEE2 code in approved 1986 EXEM PWR LBLOCA evaluation model.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:96:064. 96/11/22. . 6pp. 91049:324-91049:328.

**9612100147** Part 21 rept re two safety related valves supplied by Velan Valve Corp were not in compliance w/originally supplied QA documentation.Returned valves to Velan in May 1996 & on 961120 Velan advised that valves had been misplaced.
CURT,T.P. Long Island Lighting Co. SSD-96-213. 96/11/26. Region 1 (Post 820201). 4pp. 91056:160-91056:163.

**9612160224** Part 21 rept re 2"-1878 globe piston check valves.A/DV plans to include philosophy of both enhancement w/smaller piston check valves.A/DV evaluated found condition of piston check valve,stuck open.
KNECHT,W.G. Anchor/Darling Valve Co. 96/11/27. CARTER,J. NRC - No Detailed Affiliation Given. 9pp. 91163:162-91163:170.

**9612170255** Part 21 rept re stocked safety-related fuses issued from storeroom for installation which had cracked ferrules in longitudinal direction on 960911.Procurement & Warehouse groups completed inspecting fuses in warehouse.
THAYER,J.K. Northeast Nuclear Energy Co. B16030. 96/12/13. Document Control Branch (Document Control Desk). 67pp. 91163:268-91163:334.

**9612180108** Part 21 rept re testing of six HFD3045 & HFD3060 molded case circuit breakers w/125 volt DC shunt trip devices.Identified incorrectly installed DC shunt trip units & are in process of being returned to vendor.
LIPURALO,N.J. Westinghouse Electric Corp. NSD-SRC-96-036. 96/12/13. Document Control Branch (Document Control Desk). 4pp. 91148:293-91148:296.

**9612180383** Part 21 rept re potential for incorrect operation of SR GE- type HGA relays mfg between Jan 1989 & June 1991.Caused by armature binding.
SYMES,R.A. Florida Power & Light Co. 96/11/05. NRC - No Detailed Affiliation Given. 4pp.

**9612200120** Part 21 rept re defect of welds on weld nut holding Filter Assembly Panel.Failure of weld or weld nut could allow Filter Assembly Panel to break loose under seismic stress & cause damage to other components in charger.
HOLDEN,L.S. Affiliation Not Assigned. 96/12/18. Document Control Branch (Document Control Desk). 3pp. 91201:008-91201:010.

**9612240184** Submits error notice received from former software suppliers,IAW 920831 & 960822 correspondence & 10CFR21.
ANDREWS,S.J. Boeing Co. G-1151-SJA-96-7. 96/12/13. Document Control Branch (Document Control Desk). 1p. 91227:135-91227:135.

**9612260076** Submits GTSTRUDL Program Rept Form 96.25 & Vendor Acknowledgement Form for review & signature.
KAHN,L.F. Georgia Institute of Technology, Atlanta, GA. 96/11/26. Boeing Co. 3pp. 91228:358-91228:360.

**9612270138** LER 96-018-00:on 961014,incorrect torque value for control rod drive hydraulic control units was specified by supplier. Caused by lack of attention to detail.All hold down bolts on CRD HCUs were replaced.W/961217 ltr.
LE,N., CONNELL,W. Illinois Power Co. WC-377-96. 96/12/17. 7pp. 91271:001-91271:007.

**9612300113** Part 21 rept re failure of Westinghouse DHP circuit breaker to close on demand during surveillance test.Inspected, cleaned,adjusted & lubricated motor cut-off switch & spring charge indicator mechanism in subject breaker.
CONNELL,W. Illinois Power Co. U-602677. 96/12/20. Document Control Branch (Document Control Desk). 3pp. 91256:186-91256:188.

**QA999 QUALITY ASSURANCE INSPECTIONS**

**9612030311** Responds to NRC ltr re violations noted in insp of licensed facilities.Corrective actions:Quality Control Procedure has been rewritten.
DEMERER,A. . 96/11/26. Document Control Branch (Document Control Desk). 1p. 91011:084-91011:089.

**–9612030314** Rev 1 to "General Administrative - (10CFR21) Notification Procedure."
* . 96/10/25. 5pp. 91011:085-91011:089.

**9612040039** Responds to violations noted in insp rpt 99900264/96-01. Corrective actions:developing unqualified source matl approved vendors list & revised peocedures 17053,17375 & 16562.
BOND,R.E. Dragon Valves, Inc. 96/11/26. Document Control Branch (Document Control Desk). 3pp. 91028:233-91028:235.

**9612040242** Forwards revised QA Procedure 215 for files & QA Manual.
FERWERDA,A.P. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). FERWERDA,A.P. ASEA Brown Boveri, Inc. 96/11/26. . 1p. 91039:144-91039:150.

**–9612040246** QA Procedure QAP-215, "Nonconforming Items."
FERWERDA,P., DAVIS,J.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). FERWERDA,P. ASEA Brown Boveri, Inc. 90/12/14. 3pp. 91039:145-91039:147.

**–9612040248** QAM 201, "QA Manual."
FERWERDA,P.A., DAVIS,J.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). FERWERDA,P.A. ASEA Brown Boveri, Inc. 90/04/02. 3pp. 91039:148-91039:150.

**9612110231** Responds to NRC ltr re violations noted in insp rept 99901303/96-01 on 960909-12.Corrective actions:engineering work request written to change QA manual.
DEMERER,A. Ametek, Inc. 96/12/04. Document Control Branch (Document Control Desk). 2pp. 91083:337-91083:340.

**–9612110252** Notice of violation from insp on 960909-12. Violation noted:documented test results failed to be approved by engineering or quality assurance personnel,organization chart did not reflect current organizational status.
* . 96/11/04. 2pp. 91083:339-91083:340.

**9612110356** Forwards insp rept 99901306/96-01 on 960909-12 & 1028-31 & notice of nonconformance.
GALLO,R.M. . 96/12/04. BARNOSKI,M.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 91070:001-91070:012.

**–9612110364** Notice of nonconformance from insp on 960909-12 & 1028-31. Nonconformance/Deviation noted:facility failed to consider licensee findings re commercial-grade dedication activities of subvendor ABB-Electro Mechanics.
* . 96/12/04. 1p. 91070:004-91070:004.

**–9612110378** Insp rept 99901306/96-01 on 960909-12 & 1028-31. Noncompliance noted.Major areas inspected:reviewed activities associated with implementation of selected portions of quality assurance program & licensee monitoring.
* . 96/12/04. 8pp. 91070:005-91070:012.

**9612110380** Ack receipt of 960920 ltr informing NRC of steps taken to correct violations issued as result of 960617-18 insp. Finds reply to violations satisfactory,however,disagrees w/ positions on Nonconformances A & B.
GALLO,R.M. . 96/12/04. D'ESOPO,C.M. Arkwright Boston Manufacturer's Mutual Insurance Co. 4pp. 91070:013-91070:016.

**9612190370** Forwards insp rept 99901304/96-01 on 960916-18 & 1007-09 & notices of violation & nonconformance.
GALLO,R.M. . 96/12/17. HOLDEN,L.S. C&D Charter Power Systems, Inc. (formerly C&D Power Systems, Inc. & C&D Batterie. 2pp. 91138:019-91138:044.

**--9612190382** Notice of violation from insp on 960916-18 & 1007-09. Violation noted:licensee did not establish & maintain auditable records for dedication process used to dedicate battery cells.
* . 96/12/17. 1p. 91138:021-91138:021.

**--9612190388** Notice of nonconformance from insp on 960916-18 & 1007-09. Nonconformance noted:assembly line & mfg personnel in several areas at facility unaware of procedures & instructions to control activities being performed.
* . 96/12/17. 2pp. 91138:022-91138:023.

**--9612190394** Insp rept 99901304/96-01 on 960916-18 & 1007-09.Violations & deviations noted.Major areas inspected:QA program,activities associated w/mfg of lead-acid stationary batteries for class 1E,design & engineering documents.
* . 96/12/17. 21pp. 91138:024-91138:044.

**9612230048** Forwards ABB-EM 960916 & 1126 ltrs which responded to notice of nonconformance 99901297/96-01.Revised QAP-215, "Non-Conforming," also encl.
GALLO,R.M. . 96/12/13. PEDRITTI,D.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 91166:001-91166:010.

**--9612230057** Revised QAM 201, "QAM."
FERWERDA,P.A., DAVIS,J.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). FERWERDA,P.S. ASEA Brown Boveri, Inc. 90/04/02. 3pp. 91166:008-91166:010.

**9612240184** Submits error notice received from former software suppliers,IAW 920831 & 960822 correspondence & 10CFR21.
ANDREWS,S.J. Boeing Co. G-1151-SJA-96-7. 96/12/13. Document Control Branch (Document Control Desk). 1p. 91227:135-91227:135.

**9612260076** Submits GTSTRUDL Program Rept Form 96.25 & Vendor Acknowledgement Form for review & signature.
KAHN,L.F. Georgia Institute of Technology, Atlanta, GA. 96/11/26. Boeing Co. 3pp. 91228:358-91228:360.

**REGGD REGULATORY GUIDES**

**9612020189** Informs that NRC staff finds J McCarthy to be appropriately qualified,in accordance w/NRC Reg Guide 8.31 & approves to be RSO for Smith Ranch facility.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). TAC L51479. 96/11/26. FERDINAND,B. Rio Algom Mining Corp. 1p. 91003:155-91003:155.

**9612110121** Revises commitment to use orange bars on main control board per RG 1.97 & IE Bulletin 79-06A.Benefit to using orange bars not found.
MOREY,D. Southern Nuclear Operating Co. IEB-79-06. 96/12/05. Document Control Branch (Document Control Desk). 2pp. 91081:293-91081:294.

**9612120105** Forwards LER 96-045-00,documenting condition that was determined at Millstone Unit 3 on 961107.LER submitted pursuant to 10CFR 50.73(a)(2)(ii).Commitments encl.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities. B16026. 96/12/06. Document Control Branch (Document Control Desk). 4pp. 91163:034-91163:041.

**--9612120120** LER 96-045-00:on 961107,electrical separation design conflict with FSAR identified.Caused by breakdown in FSAR revision process.Design basis will be revised to identify deviations from Reg Guide 1.75,Position C.6.
PERSCHEL,J.M., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities. 96/12/06. 4pp. 91163:038-91163:041.

**9612160245** Comments on draft reg guide DG-1047 re std format & content for applications to renew NPP OLs.
TUCKMAN,M.S. Duke Power Co. 61FR43792 00005. 96/11/27. Document Control Branch (Document Control Desk). 5pp. 91097:089-91097:093.

**9612160249** Comments on draft reg guide DG-1047 re std format & content for applications to renew NPP OLs.
BOHLKE,W.H. Florida Power & Light Co. 61FR43792 00006. 96/11/29. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91097:085-91097:086.

**9612160252** Comments on draft reg guide DG-1047, "Stds Format & Content for Application to Renew NPP OLs."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 61FR43792 00007. 96/12/02. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91097:087-91097:088.

**9612160291** Comment opposing draft reg guide DG-1047, "Standard Format & Content for Application to Renew Nuclear Power Plant Operating Licenses."
NEWTON,R.A. Westinghouse Operating Plants Owners Group. 61FR43792 00003. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:097-91097:104.

**9612160304** Comment supporting draft RG DG-1047, "Std Format & Content for Applications to Renew NPP OLs."
MCCOY,C.K. Georgia Power Co. 61FR43792 00001. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:106-91097:113.

**9612160335** Comments on draft RG DG-1047, "Stds Format & Content for Applications to Renew NPP OLs."
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR43792 00002. 96/11/27. Document Control Branch (Document Control Desk). 11pp. 91097:056-91097:066.

**9612160387** Comment supporting draft RG DG-1047, "Stds Format & Content for Applications to Renew NPP OLs."
MOREY,D. Southern Nuclear Operating Co. 61FR43792 00004. 96/11/27. Document Control Branch (Document Control Desk). 8pp. 91097:067-91097:074.

**9612190099** Reg guide 4.20,task guide DG-8016, "Constraint on Releases of Airborne Radioactive Matls to Environ for Licensees Other Than Power Reactors."
* Office of Nuclear Regulatory Research (Post 941217). 96/12/31. 5pp. 91136:342-91136:348.

**9612230229** Summary of 961211 meeting w/Nuclear Energy Institute in Rockville,MD to discuss topics for which licensee proposes guidance be included in either listed guideline or final version of staff draft RG DG-1047.
HOFFMAN,S.T. . 96/12/18. . 9pp. 91181:193-91181:200.

**9612260059** Submits response to request for closure info on various plant open items,per Reg Guide 1.97.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-96-2680. 96/12/18. . 2pp. 91228:356-91228:357.

**9612260320** Forwards suppl response to GL 92-08, "Thermal-Lag 330-1 Fire Barriers," for plant.
STALL,J.A. Florida Power & Light Co. L-96-335. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 91236:218-91236:335.

**--9612260325** JPN-PSL-SEES-96-059 Rev 0 to JPN-PSL-SEES-96-059, "Engineering Evaluation of Application of Thermo-Lag to Meet RG 1.75 Requirements."
* Florida Power & Light Co. 96/08/27. 30pp. 91236:306-91236:335.

**9612270090** Comment on draft reg guide DG-1045, "Setpoints for Safety related Instrumentation," proposed rev 3 to reg guide 1.105.
LIPARULO,N.J. Westinghouse Electric Corp. 61FR55675 00001. 96/12/19. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 13pp. 91205:153-91205:165.

**9612310015** Comments on draft reg guide DG-1047, "Std Format & Contents for Applications to Renew Nuclear Power Plant Operating Licensees."
HARRISON,D.L. Energy, Dept. of. 61FR43792 00008. 96/12/19. Document Control Branch (Document Control Desk). 4pp. 91235:038-91235:041.

**9612310090** Comments on draft RG DG-1045.Plant uses GE setpoint methodology.
GRAHAM,P.D. Nebraska Public Power District. 61FR55675 00002. 96/12/23. NRC - No Detailed Affiliation Given. 2pp. 91235:119-91235:120.

**REVIEW GRP NRC RESEARCH REVIEW GROUPS**

**9612040164** Notification of 970123 meeting w/Nuclear Energy Inst to discuss industry concerns re graded quality assurance activities w/volunteer plants,use of probabilistic risk assessment & proposed 10CFR50.54(a) rulemaking.
MALLOY,M. . 96/12/02. MATTHEWS,D.B. . 5pp. 91007:270-91007:274.

**9612040185** Forwards NEI guidance on 10CFR50.54(F) re info on adequacy & availability of design basis info.NEI guidance encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/02. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 91007:001-91007:011.

**--9612040287** "Industry Guidance for Responding to NRC Request for Information under 10CFR50.54(F) Regarding Adequacy & Availability of Design Bases Info."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/11/26. 9pp. 91007:003-91007:011.

**9612040208** Comments on DSI-10 re NRC strategic assessment & rebaselining.Key issues affecting future strategic direction of NRC discussed.Option two preferred.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-10 00008. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 18pp. 91045:244-91045:257.

**9612040214** Comments on DSI-9 re NRC strategic assessment & rebaselining.Key issues affecting future strategic direction of NRC discussed.Option one preferred.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-9 00015. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91027:300-91027:307.

**9612040224** Nuclear Energy Institute comments on DSI-7 re NRC strategic assessment & rebaselining initiative.Different options discussed.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-7 00029. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91027:308-91027:315.

**9612040227** Comments on DSI-13 re strategic assessment & rebaselining initiative.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-13 00014. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91028:125-91028:133.

**9612040229** Nuclear Energy Institute comments on DSI-6 re NRC strategic assessment & rebaselining initiative.Options 1,2,3 & 5 recommended.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-6 00023. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91028:134-91028:142.

**9612040235** Nuclear Energy Institute comments on DSI-4 re NRC strategic assessment & rebaselining initiative.Combination of options supported.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-4 00030. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91028:143-91028:150.

**9612040238** Comments on DSI-12 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-12 00025. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91027:316-91027:326.

**9612040245** Comments on DSI-11 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-11 00018. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 12pp. 91028:151-91028:162.

**9612040253** Comments on DSI-23 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-23 00014. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91028:163-91028:173.

**9612040260** Comments on DSI-22 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-22 00014. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 14pp. 91027:327-91027:340.

**9612040267** Comments on DSI-21 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-21 00021. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91028:174-91028:181.

**9612040271** Comments on DSI-14 re NRC strategic assessment & rebaselining.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-14 00017. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 91027:341-91027:350.

**9612040274** Nuclear Energy Institute comments on DSI-2 re NRC strategic assessment & rebaselining initiative.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-2 00019. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91027:199-91027:206.

**9612040278** Nuclear Energy Institute comments on DSI-24 re NRC strategic assessment & rebaselining initiative.Option two supported.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-24 00014. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 91027:351-91027:360.

**9612040281** Nuclear Energy Institute comments on DSI-20 re NRC strategic assessment & rebaselining initiative.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-20 00022. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91028:001-91028:008.

**9612050023** Ack receipt of 961104 ltr forwarding 961101 ltr to Nuclear Energy Inst member chief executive officers.Chairman would like to also offer regulator perspective on points raised.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/20. COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 91019:226-91019:230.

**9612060189** Comments on, "Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of Agreement State Programs." Concern re reciprocity procedures.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/11/06. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 91025:001-91025:002.

**9612090034** Summary of 961120 meeting w/Nuclear Energy Institute, Electric Power Research Institute & industry to discuss management issues re development of draft SG rule & reg guide.List of attendees & agenda encl.
REED,T.A. . 96/12/03. WICHMAN,K. . 6pp. 91040:141-91040:146.

**9612090112** Responds to 960618 ltr requesting waiver of any fees re EPRI Rept TR-106706, "Risk-Informed Inservice Insp Evaluation Procedure." Request granted.
SCROGGINS,R.M. Office of the Controller (Post 890205). 96/11/29. FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 91045:218-91045:219.

**9612090149** Comments on DSI-5, "NRC Strategic Assessment & Rebaselining."
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). DSI-5 00028. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91071:196-91071:311.

**9612100093** Notification of 961212 meeting w/NEI to present NEI proposal on evaluation of metal fatigue & thermal aging of cast stainless steel for license renewal.
LEE,S. . 96/12/05. NEWBERRY,S.F. . 3pp. 91049:268-91049:270.

**9612100139** Transmits summary of TS task force meeting which took place in Rockville,MD on 961029-30 & summary description of traveller packages that were modified & rejected.
GRIMES,C.I. . 96/12/03. DAVIS,J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 8pp. 91053:252-91053:294.

**–9610310192** Informs that staff unable to review application to adopt STSs for entire Design Features section before next ANO-2 refueling outage & recommends that licensee submit request for specific changes needed in separate application.
SALEHI,K. . TAC M96480. 96/10/28. HUTCHINSON,C.R. Entergy Operations, Inc. 38pp. 91053:260-91053:294.

**9612110351** Notification of 961211 meeting w/Nuclear Energy Inst in Rockville,MD to discuss continuing development of guidance contained in staff RG DG-1047 & industry guideline NEI 95-10 for implementing license renewal rule,per 10CFR54.
HOFFMAN,S.T. . 96/12/09. NEWBERRY,S.F. . 3pp. 91062:033-91062:035.

**9612160280** Comments on NUREG-1600, "Policy & Procedures for Enforcement Actions,Departure from FSAR."
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR54461 00004. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91097:002-91097:003.

**9612160335** Comments on draft RG DG-1047, "Stds Format & Content for Applications to Renew NPP OLs."
BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR43792 00002. 96/11/27. Document Control Branch (Document Control Desk). 11pp. 91097:056-91097:066.

**9612170039** Notification of 961219 meeting w/NEI in Rockville,MD to discuss industry response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design-Basis Accident Conditions."
MAGRUDER,S.L. . GL-96-06. 96/12/11. MATTHEWS,D.B. . 3pp. 91132:057-91132:059.

**9612170198** Summary of 961106 meeting w/NEI & EPRI in Rockville,MD re issues concerning eddy current technique qualification.
BEARDSLEE,C. . 96/12/11. WICHMAN,K. . 26pp. 91130:285-91130:310.

**9612170293** Requests endorsement w/o formal review of proposed generic ltr, "Modification of NRC Staffs Recommendations for Post Accident Sampling Sys."
THADANI,A.C. . TAC M95279. 96/12/10. JORDAN,E.L. Committee to Review Generic Requirements. 18pp. 91124:153-91124:179.

**–9612170309** Staff requirements memo re SECY-93-087.SRM will be issued to staff by COB 930715.
CHILK,S.J. Office of the Secretary of the Commission. 93/07/15. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 4pp. 91124:176-91124:179.

**9612170323** Offers addl suggestions for preparing better applications for conversion to improved std TS to facilitate NRC staff review process.
GRIMES,C.I. . 96/12/13. DAVIS,J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. 91129:357-91129:360.

**9612170344** Forwards evaluation of seismic qualification util group 960819 response to generic issues included in NRC request for addl info.
STOLZ,J.F. . TAC M40580. 96/12/05. SMITH,N.P. Seismic Qualification Utility Group. SMITH,N.P. MPR Associates, Inc. 11pp. 91131:235-91131:245.

**9612170445** Discusses 961211 visit by J Davis of NEI,per 961209 telcon.
CUNNINGHAM,L.J. . 96/12/13. MARTIN,T.T. . 1p. 91130:359-91130:359.

**9612190245** Forwards copy of petition for rulemaking requesting that NRC amend 10CFR70 to require U processing,U enrichment & fuel fabrication licensees to use integrated safety assessment to confirm that adequate controls are in place.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 96/11/22. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. 91164:301-91164:338.

**–9612190252** Requests that NRC amend 10CFR70 to require U processing,U enrichment & fuel fabrication licensees to ensure safety programs are evaluated & modified as necessary,based on conduct of ISA.
FERTEL,M.S. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/09/30. HOYLE,J.C. Office of the Secretary of the Commission. 15pp. 91164:303-91164:317.

**9612190396** Forwards workshop summary entitled, "License Renewal Regulatory Guide Workshop," to provide info on staff proposed draft RG DG-1047 & industry implementation guideline NEI 95-10.
MARTIN,T.T. . 96/12/13. BLAHA,J.L. Assistant for Operations (Post 890205). 3pp. 91136:160-91136:237.

**9612230058** Comment opposing proposed rule 10CFR30 & 32 re deliberate misconduct by unlicensed personnel.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR51835 00004. 96/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91180:001-91180:003.

**9612230229** Summary of 961211 meeting w/Nuclear Energy Institute in Rockville,MD to discuss topics for which licensee proposes guidance be included in either listed guideline or final version of staff draft RG DG-1047.
HOFFMAN,S.T. . 96/12/18. . 9pp. 91181:193-91181:200.

**9612230242** Notification of 970109 meeting w/Nuclear Energy Institute in Rockville,MD to discuss issues related to implementation of maint rule.
MAGRUDER,S.L. . 96/12/18. MATTHEWS,D.B. . 4pp. 91181:207-91181:210.

**9612310093** Summary of 961121 meeting w/Nuclear Energy Institute in Rockville,MD re insurance issues & other Price Anderson related issues.List of attendees attached.
MAGRUDER,S.L. . 96/12/23. MATTHEWS,D.B. . 4pp. 91247:048-91247:051.

## SECY POSITION PAPERS BEFORE THE COMMISSION

**9609120157** SECY-96-193 Requests Commission approval to publish final policy statement that includes revised abnormal occurrence criteria to be used by NRC & Agreement State staff.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/04. 46pp. 91232:314-91232:357.

**9609240117** SECY-96-202 Requests Commission approval to publish draft SRP on antitrust & financial qualifications & decommissioning funding assurance for public comment.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/18. 70pp. 91126:197-91126:266.

**9610090148** SECY-96-212 Requests Commission approval of process by which NRC staff intents to conduct review of DOE proposal for production of tritium in CLWR under provisions of 960522 MOU between DOE & NRC.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/10/03. 5pp. 91191:130-91191:134.

**9610100219** SECY-96-206 Recommends that Commission approve development of rule as described in encl rulemaking plan.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/09/25. 47pp. 91232:082-91232:128.

**9610290109** SECY-96-222 Responds to 950616 SRM & to obtain Commission approval to revise NRC enforcement policy re issues of open predecisional enforcement conferences & consultation w/ Commission.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/10/22. 51pp. 91126:125-91126:174.

**9611130067** SECY-96-228 Requests that Commission approve publication of FR notice containing proposed agreement w/Massachusetts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/05. 51pp. 91232:027-91232:081.

**9611220011** SECY-96-236 Informs that EDO has signed rulemaking plan & intends to proceed w/development of rule change which will amend 10CFR50.54(p)(3),(t) & 73.55(g)(4) re program reviews & audits for safeguards contingency plans.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/15. 9pp. 91126:175-91126:183.

**9611250011** SECY-96-239 Informs Commission of staff intent to issue attached generic ltr clarifying application of recently revised US DOT & NRC transportation regulations to shipment of discarded steam generators.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/19. 11pp. 91126:113-91126:124.

**9611250030** SECY-96-238 Informs Commission of staff intent to issue administrative memo to provide guidance to staff members for determining necessary action to correct typo associated w/power reactor TSs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/19. 6pp. 91232:308-91232:313.

**9611290402** SECY-96-241 Informs Commission of staff activities & progress WRT ASP program & related initiatives & presents results of ASP screening,review & analysis of 1995 & 1996 operational events completed to date.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/25. 7pp. 91126:184-91126:190.

**9612040166** SECY-96-244 Informs Commission of status of NRR licensing actions progress in meeting age goals for licensing action inventory.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/27. 6pp. 91126:106-91126:112.

**9612040277** SECY-96-243 Weekly info rept for wk ending 961122.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/11/27. 23pp. 91027:176-91027:198.

**9612100110** Staff requirements memo re SECY-96-077, "Certification of Two Evolutionary Designs," Commission approved two rules as contained in SECY-96-077 w/revisions recommended by EDO in several memos to Commission.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/06. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 91049:249-91049:255.

**9612100211** SECY-96-247 Informs Commission of status of procurement streamlining & reform efforts under NRC procurement reinvention lab.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/04. 6pp. 91126:191-91126:196.

**9612110101** Commission voting record on SECY-96-077 re certification of two evolutionary designs.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/09. 2pp. 91084:263-91084:283.

**-9612110107** Affirmation vote approving w/comments SECY-96-077, "Certification of Two Evolutionary Designs."
THE CHAIRMAN,, JACKSON,S.A. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91084:265-91084:271.

**-9612110112** Affirmation vote approving w/comments SECY-96-077, "Certification of Two Evolutionary designs."
ROGERS,K.C., DICUS,G.J. Commissioners (Post 750119). 96/11/22. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:272-91084:275.

**-9612110120** Affirmation vote approving w/comments SECY-96-077, "Certification of Two Evolutionary Designs."
DIAZ,N.J. Commissioners (Post 750119). 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91084:276-91084:279.

**-9612110132** Affirmation vote approving w/comments SECY-96-077, "Certification of Two Evolutionary Designs."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91084:280-91084:283.

**9612110194** SECY-96-246 Weekly info rept for wk ending 961129.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/12/04. 15pp. 91119:313-91119:327.

**9612110233** Staff requirements memo on 961206 Affirmation Session in Rockville,MD re SECY-96-077, "Certification of Two Evolutionary Designs" & SECY-96-237.
HOYLE,J.C. Office of the Secretary of the Commission. M961206B. 96/12/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. CORDES,J.F. Office of Commission Appellate Adjudication (Post 910701). 2pp. 91062:245-91062:246.

**9612110316** Informs of Commission approval in SRM on 961107 SECY-96-193 to publish final rev to abnormal occurrence reporting policy & forwards final FRN announcing final revised AO criteria & Congressional ltrs.W/o encls.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 96/12/06. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91072:138-91072:138.

**9612120030** Commission voting record on SECY-96-212 re review of DOE proposal for tritium production in commercial LWRs.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/10. 2pp. 91074:336-91074:346.

**-9612120034** Notation vote approving w/comments SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91074:338-91074:339.

**-9612120037** Notation vote approving SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
ROGERS,K.C. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91074:340-91074:340.

**-9612120040** Notation vote approving SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
DICUS,G.J. Commissioners (Post 750119). 96/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91074:341-91074:341.

**-9612120046** Notation vote approving SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
DIAZ,N.J. Commissioners (Post 750119). 96/10/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91074:342-91074:342.

**-9612120050** Notation vote approving & disapproving in part SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial LWRs."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91074:343-91074:346.

**9612120242** Staff requirements memo re SECY-96-212, "Review of DOE Proposal for Tritium Production in Commercial Light-Water Reactors."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91090:217-91090:217.

**9612170049** Notation vote approving SECY-96-202, "Draft Std Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
ROGERS,K.C. Commissioners (Post 750119). 96/09/27. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91132:056-91132:056.

**9612170076** Notation vote approving w/comments SECY-96-202, "Draft Standard Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/10/22. HOYLE,J.C. Office of the Secretary of the Commission. 19pp. 91131:300-91131:318.

**9612170080** Notation note approving w/one exception & comments, SECY-96-222, "Use of open predecisional enforcement conferences & elimination of certain provisions for Commission consultation."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/05. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91124:191-91124:196.

**9612170087** Notation note approving w/comments,SECY 96-222, "Use of Open Predecisional Enforcement Conferences & Elimination of Certain Provisions for Commission Consulation."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/11/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91124:188-91124:190.

**9612170088** Notation vote approving w/comments SECY-96-222, "Use of Open Predecisional Enforcement Conference & Elimination of Certain Provisions for Commission Consultation."
ROGERS,K.C. Commissioners (Post 750119). 96/11/01. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91132:046-91132:047.

**9612170094** Affirmation vote approving w/comments SECY-96-222, "Use of Open Predecisional Enforcement Conferences & Elimination of Certain Provisions for Commission Consultation;Proposed Revs to Enforcement Policy to Address Risk...."
DIAZ Commissioners (Post 750119). 96/10/31. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91124:187-91124:187.

**9612170095** Notation vote approving w/comments SECY-96-202, "Draft Std Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
DIAZ,L.G. Commissioners (Post 750119). 96/10/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91132:045-91132:045.

**9612170097** Affirmation vote approving w/comments SECY-96-222, "Use of Open Predecisional Enforcement Conferences & Elimination of Certain Provisions for Commission Consultation;Proposed Revs to Enforcement Policy to Address Risk . . .."
DICUS,G.J. Commissioners (Post 750119). 96/11/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91124:186-91124:186.

**9612170133** Notation vote approving w/comments,SECY-96-202, "Draft Std Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/10/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91132:039-91132:039.

**9612170138** Staff requirements memo re SECY-96-236, "Rulemaking Plan for Amend to 10CFR50.54(t)(p)(3) & 73.55(g)(4),Resolution of VEPCO PRM 50-59 & 50-60 re Program Reviews & Audits for Safeguard Contingency Plans,Emergency Preparedness...."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91132:038-91132:038.

**9612170178** Staff requirements memo re SECY-96-202, "Draft Std Review Plans on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
HILL,W.M. Office of the Secretary of the Commission. 96/11/19. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 91132:027-91132:029.

**9612170271** Notation vote approving w/o comments,SECY-96-202, "Draft Std Review Plan on Antitrust & Financial Qualifications & Decommissioning Funding Assurance."
DICUS,G.J. Commissioners (Post 750119). 96/10/01. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91132:010-91132:010.

**9612170293** Requests endorsement w/o formal review of proposed generic ltr, "Modification of NRC Staffs Recommendations for Post Accident Sampling Sys."
THADANI,A.C. . TAC M95279. 96/12/10. JORDAN,E.L. Committee to Review Generic Requirements. 16pp. 91124:153-91124:179.

**-9612170309** Staff requirements memo re SECY-93-087.SRM will be issued to staff by COB 930715.
CHILK,S.J. Office of the Secretary of the Commission. 93/07/15. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 4pp. 91124:176-91124:179.

**9612170316** SECY-96-250 Weekly info rept for wk ending 961206.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/12/11. 23pp. 91130:262-91130:284.

**9612180251** Forwards annual rept of NRC OE,prepared IAW recommendation II.G-2 of NUREG-1525 & SECY-95-084.Staff intends to better integrate enforcement findings w/NRC insp & other regulatory efforts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/16. THE CHAIRMAN, JACKSON,S.A., ROGERS Commissioners (Post 750119). 1p. 91135:180-91135:279.

**9612180327** Staff requirements memo re SECY-96-228, "Proposed Agreement Between Commonwealth of Massachusetts & Commission,per Section 274 of AEA of 1954."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 91136:038-91136:039.

**9612180379** Commission voting record on SECY-96-206 re rulemaking plan for amend to 10CFR55 to change licensed operator exam requirements.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91136:022-91136:037.

**-9612180391** Notation vote approving w/comments,SECY-96-206, "Rulemaking Plan for Amend to 10CFR55 to Change Licensed Operator Exam Requirements."
ROGERS Commissioners (Post 750119). 96/10/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91136:026-91136:027.

**-9612180401** Notation vote approving w/comments,SECY-96-206, "Rulemaking Plan for 10CFR55 to Change Licensed Operator Exam Requirements."
DICUS Commissioners (Post 750119). 96/10/31. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91136:028-91136:030.

**-9612180403** Notation vote,approving w/comments,SECY-96-206, "Rulemaking Plan for Amend to 10CFR55 to Change Licensed Operator Exam Requirements."
MCGAFFIGAN Commissioners (Post 750119). 96/10/29. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91136:031-91136:037.

**9612200266** SECY-96-253 Submits Litigation Rept 1196-09.
CORDES,J.F. Solicitor (Post 860701). 96/12/17. 24pp. 91233:001-91233:024.

**9612230074** Submits Commission Voting Record re proposed agreement between Commonwealth of MA & Commission pursuant to section 274 of Atomic Energy Act of 1954.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. Office of the Secretary of the Commission. 2pp. 91194:284-91194:287.

**9612230115** SECY-96-257 Weekly info rept for wk ending 961213.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/12/18. 22pp. 91262:001-91262:022.

**9612240239** Staff requirements memo re SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974,Final Policy Statement." Commission approved publication.
HOYLE,J.C. Office of the Secretary of the Commission. 96/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 91197:353-91197:357.

**9612240240** Staff requirements memo re SECY-96-238, "Proposed Guidance for Correction of TS Typographical Errors."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91197:352-91197:352.

**9612260002** Notation vote approving w/comments,SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 108 Energy Reorganization Act of 1974,Final Policy Statement."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:127-91201:128.

**9612260003** Notation vote approving w/comment,SECY 96-193, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974,Final Policy Statement."
DIAZ,N.J. Commissioners (Post 750119). 96/10/22. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:126-91201:126.

**9612260004** Notation vote approving SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Final Policy Statement."
ROGERS,K.C. Commissioners (Post 750119). 96/09/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:125-91201:125.

**9612260005** Notation vote approving SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 208 of Energy Reorganization Act of 1974;Final Policy Statement."
DICUS,G.J. Commissioners (Post 750119). 96/10/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:095-91201:095.

**9612260006** Notation vote approving w/comments,SECY-96-193, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974,Final Policy Statement."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:123-91201:124.

**9612260020** Commission voting record on SECY-96-228 re proposed agreement between Commonwealth of MA & Commission Pursuant to Section 274 of AEA of 1954."
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91201:112-91201:122.

**-9612260022** Notation vote approving w/comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of Atomic Energy Act of 1954."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/25. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:114-91201:115.

**-9612260025** Notation vote disapproving w/comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of AEA of 1954."
ROGERS,K.C. Commissioners (Post 750119). 96/11/25. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:116-91201:116.

**-9612260029** Notation vote approving w/o comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of Atomic Energy Act of 1954."
DICUS,G.J. Commissioners (Post 750119). 96/11/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:117-91201:117.

**-9612260034** Notation vote approving w/comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of Atomic Energy Act of 1954."
DIAZ,N.J. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91201:118-91201:118.

**-9612260037** Notation vote approving w/comments SECY-96-228, "Proposed Agreement Between Commonwealth of MA & Commission Pursuant to Section 274 of Atomic Energy Act of 1954."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:119-91201:122.

**9612260041** Commission voting record on SECY-96-206 re rulemaking plan for amends to 10CFR55 to change licensed operator examination requirements.
HOYLE,J.C. Office of the Secretary of the Commission. 96/12/17. 2pp. 91201:096-91201:111.

**-9612260045** Notation vote disapproving w/comments SECY-96-206, "Rulemaking Plan for Amends to 10CFR55 to Change Licensed Operator Exam Requirements."
DIAZ,N.G. Commissioners (Post 750119). 96/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91201:103-91201:111.

**SPEECHES SPEECHES**

**9612040067** S-96-26 "Remarks to All NRC Employees by SA Jackson,Chairman US NRC on 961202."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/02. 19pp. 91119:020-91119:038.

**9612110292** "Talking Final Steps in Promulgating Defensible Deactivation,Decontamination & Decommissioning Regulatory Regime," by SA Jackson,Chairman US NRC.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/10. 7pp. 91163:002-91163:008.

**9612130284** S-96-28 "Talking Points Industry Restructuring & NRC," by SA Jackson Chairman NRC to Washington Intl Energy Group 961211.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/11. 9pp.

**STATE PROG STATE PROGRAMS**

**9612020192** Discusses review of tailings impoundant liner for Plateau Resources,Ltd Shootaring Canyon U mill.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/27. OSTLER,D.A. Utah, State of. 2pp. 91003:153-91003:154.

**9612030298** First partial response to FOIA request for documents.Records subj to request identified in App A & encl.Records identified in App C being withheld in entirety or in part (ref FOIA exemptions 4 & 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/20. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91015:011-91017:138.

**-9612040108** Discusses New Jersey DEP compliation Salem,Units 1 & 2 performance data.
ZANNONI,D.J. New Jersey, State of. 94/05/17. JACOBSON,J. NRC - No Detailed Affiliation Given. 3pp. 91016:332-91016:334.

**9612030300** Informs that NJ Dept of Environmental Protection Bureau of Nuclear Engineering has reviewed request for amend to licenses DPR-70 & DPR-75 & has no comments.
TOSCH,K.W. New Jersey, State of. 96/11/19. Document Control Branch (Document Control Desk). 2pp. 91010:346-91010:347.

**9612040086** Comment on DSI-4 re NRC relationship w/Agreement States.
SINCLAIR,W.J. Utah, State of. DSI-4 00029. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91027:213-91027:221.

**9612040099** Comment on DSI-5 re low-level waste.
SINCLAIR,W.J. Utah, State of. DSI-5 00027. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91027:222-91027:227.

**9612040114** Comment on DSI-6 re high level waste & spent fuel.
SINCLAIR,W.J. Utah, State of. DSI-6 00022. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:208-91028:209.

**9612040117** Submits change of address as of 960826 to 4000 Collins Road, PO Box 30636,Lansing,MI.
* Michigan, State of. 96/08/21. . 2pp. 91019:193-91019:194.

**9612040140** Forwards independent spent fuel storage installation calculations.W/o enclosures.
YUNDT,C.P. Portland General Electric Co. CPY-097-96. 96/11/26. SMITH,D.S. Oregon, State of. 2pp. 91028:205-91028:206.

**9612040144** Comments on State of UT on DSI-13, "Role of Industry."
SINCLAIR,W.J. Utah, State of. DSI-13 00012. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:216-91028:217.

**9612040181** Submits response to RAI re final survey plan for Trojan ISFSI site.
YUNDT,C.P. Portland General Electric Co. CPY-093-96. 96/11/21. STEWART-SMITH Oregon, State of. 2pp. 91027:286-91027:287.

**9612040183** Comments on DSI-14, "Strategic Assessment Issue Paper, Public Communication Initiatives."
SINCLAIR,W.J. Utah, State of. DSI-14 00016. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:012-91028:013.

**9612040187** Comments on DSI-21, "Strategic Assessment Issue Paper,Fees."
SINCLAIR,W.J. Utah, State of. DSI-21 00020. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:014-91028:015.

**9612040193** Comments on DSI-23, "Strategic Assessment Issue Paper, Enhancing Regulatory Excellence."
SINCLAIR,W.J. Utah, State of. DSI-23 00013. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91028:093-91028:094.

**9612050001** Discusses results of site visit of Shootering Canyon Uranium Mill near Ticaboo,UT.
SINCLAIR,W.J. Utah, State of. 96/11/20. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 91040:193-91040:201.

**9612050083** Notifies of shipment of irradiated nuclear reactor fuel by Carolina Power & Light to HB Robinson Steam Electric Plant, Unit 2.
CHERNOFF,H.K. Carolina Power & Light Co. 96/11/21. AUTRY,V.R. South Carolina, State of. STROUD,T.C. North Carolina, State of. 4pp. 91013:182-91013:185.

**9612060029** Final response to FOIA request for documents.Records in App A encl & being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/11/29. MITCHELL,J.E. Affiliation Not Assigned. 2pp. 91031:004-91031:037.

**--9612060072** Responds to 950601 TAR re proposal by SA Huber Consultants Inc to use sand contaminated w/depleted U in manufacture of DOT-approved shipping containers.
LYNCH,J. Region 3 (Post 820201). 96/05/30. COLLINS,S.C. Illinois, State of. 1p. 91031:037-91031:037.

**9612060035** Submits name & address of new Executive Director of NYS Consumer Protection Board.
* Affiliation Not Assigned. 96/11/26. NRC - No Detailed Affiliation Given. 1p. 91043:357-91043:357.

**9612060129** Expresses appreciation for opportunity to comment on "Report of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of Agreement State Programs."
HILL,T.E. Georgia, State of. 96/11/07. BANGART,R.L. Office of State Programs (Post 911117). 1p. 91024:085-91024:085.

**9612060133** Expresses appreciation for NRC hosting Agreement States meeting & OAS meeting w/Commissioner Dicus. "Unauthorized Use of Licensed Radioactive Matl," & draft final policy statement on adequacy & compatibility encl.
QUILLIN,R.M. Organization of Agreement States. 96/10/03. THE CHAIRMAN, JACKSON,S,A. Commissioners (Post 750119). 15pp. 91024:087-91024:101.

**9612060141** Forwards draft Mgt Directive 5.8, "Proposed 274b Agreements W/ States," for comments.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-117. 96/11/15. General. 20pp. 91024:102-91024:141.

**9612060142** Submits comments on "Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of Agreement State Programs," dated 960821.
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. 96/10/26. BANGART,R.L. Office of State Programs (Post 911117). MAUPIN,C.H. NRC - No Detailed Affiliation Given. 6pp. 91024:142-91024:147.

**9612060145** Discusses review of SP-96-095 that transmitted document entitled, "Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of...," dtd 960821.
MOBLEY,M.H. Tennessee, State of. SP-96-095. 96/11/07. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 91024:148-91024:150.

**9612060149** Responds to 960326,0904,0906 & 0930 ltrs to NRC expressing concern re radioactive matl in Seaway Landfill.
BANGART,R.L. Office of State Programs (Post 911117). 96/11/12. RAUCH,J., FINCH,D. Affiliation Not Assigned. 4pp. 91024:343-91024:360.

**--9612060170** Forwards OGC rewrite of placeholder ltr to FACTS on Tonowanda to be sent out if no significant problems noted.
NEWSOME,H. NRC - No Detailed Affiliation Given. 96/10/29. SOLLENBERGER,D., LOHAUS,P.H. NRC - No Detailed Affiliation Given. 1p. 91024:347-91024:348.

**--9612060174** Forwards ltr to DOE detailing problems w/continuing "interim" actions at Linde/Praxair property & announced final cleanup plan in relation to both DOE stakeholder participation process & NEPA/CERCLA EIS review.
RAUCH,J. Affiliation Not Assigned. 96/09/30. BARTLETT,J.L. Office of the General Counsel (Post 860701). 6pp. 91024:349-91024:354.

**--9612060176** Requests reply to 960904 facsimile.
FINCH,D. Affiliation Not Assigned. 96/09/06. SOLLENBERGER,D. Office of State Programs (Post 911117). 1p. 91024:355-91024:355.

**--9612060178** Requests response re 960326 ltr from J Rauch concerning radon release from Niagara landfill in Tonawanda,NY.
FINCH,D. Affiliation Not Assigned. 96/09/04. SOLLENBERGER,D. Office of State Programs (Post 911117). 1p. 91024:356-91024:356.

**--9612060181** Documents points made during telcon on 960325,to make addl comments & provide partial list of parties interested in receiving copies of NRC communications on issue.
RAUCH,J. Affiliation Not Assigned. 96/03/26. SOLLENBERGER,D. Office of State Programs (Post 911117). 4pp. 91024:357-91024:360.

**9612060151** Discusses review of rept from joint NRC-Agreement State working group.New procedure will be very useful in determining compatibility levels for new regulations.
RATLIFF,R.A. Texas, State of. 96/10/31. BANGART,R.L. Office of State Programs (Post 911117). 1p. 91024:151-91024:151.

**9612060157** Submits comments on rept of "Joint NRC-Agreement States Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of Agreement State Programs."
DORUFF,M.A. Amersham Corp. DORUFF,M.A. Affiliation Not Assigned. 96/10/30. BANGART,R.L. Office of State Programs (Post 911117). 6pp. 91024:152-91024:157.

**9612060159** Submits comments from review of SP-96-095 that transmitted document, "Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility...."
MOBLEY,M.H. Tennessee, State of. SP-96-095. 96/11/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 91024:192-91024:196.

**9612060160** Informs that date entered for signing agreement as stated in encl to 961107 ltr,in error.Tentative date should be 970307.
BANGART,R.L. Office of State Programs (Post 911117). 96/11/15. HALLISEY,R. Massachusetts, Commonwealth of. 4pp. 91024:197-91024:200.

**9612060163** Informs that Commission approved permitting Agreement State personnel to attend NRC training courses w/o charge,if space available.Agreement States responsible for associated travel & per diem expenses for course attendance.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/11/08. General. 6pp. 91024:201-91024:206.

**9612060164** Transmits info re students selected to attend 961202-13 Health Physics Technology Course.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-116. 96/11/08. General. 32pp. 91024:207-91024:238.

**9612060168** Submits staff findings re permeability distribution in shallow equifer at Environocare low activity radioactive waste U mill tailings & mixed waste disposal embankments.
MORTON,L. Utah, State of. 96/10/01. Utah, State of. 29pp. 91025:003-91025:031.

**9612060171** Submits modification of Statement of Work for subtask A.2, task 5 of JCN E7044 sent by 960523 ltr.Identified statement in SOW requires actions which no longer desired by NRC.Last two sentences in first paragraph of A.2 should be deleted.
SOLLENBERGER,D. Office of State Programs (Post 911117). FIN E-7044. 96/11/11. PUGH,C.E. Oak Ridge National Laboratory. 2pp. 91025:073-91025:074.

**9612060180** Forwards comments on rept of joint NRC-Agreement State working group for development of implementing procedures for final policy statement on adequacy & compatibility of Agreement State programs on 960821.
ORCTIGER,T.W. Illinois, State of. 96/10/31. BANGART,R.L. Office of State Programs (Post 911117). 9pp. 91024:239-91024:254.

**9612060189** Comments on, "Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of Agreement State Programs." Concern re reciprocity procedures.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/11/06. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 91025:001-91025:002.

**9612060191** Informs that Elekta does not use JL Sheppard & Associates & not covered in license nor under our control in any of reloading attempts.
GROME,R.S. Elekta Instruments, Inc. 96/11/15. HILL,T. Georgia, State of. 1p. 91024:255-91024:255.

**9612060196** Forwards info re annual one day orientation & training program for IMPEP review team members on 961210 in Rockville,MD.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 96/11/08. BUNN,D. California, State of. 10pp. 91025:032-91025:041.

**9612060200** Discusses review of draft document, "U Recovery Program Non-Common Indicator," dtd 961001.
QUILLIN,R.M. Colorado, State of. 96/11/20. SCHNEIDER,K.N. Office of State Programs (Post 911117). 1p. 91025:054-91025:054.

**9612060203** Confirms Oct 96 telcon re 961017 ltr requesting extension to comment period for implementing procedures for final policy statement on adequacy & compatibility of Agreements State programs.No extension for comment period.
MAUPIN,C.H. Office of State Programs (Post 911117). 96/12/04. SPATH,J.B. New York, State of. 5pp. 91024:256-91024:261.

**--9612060209** Requests 30-day extension to 961129 comment period for implementing procedures for final policy statement on adequacy & compatiblity of Agreement State programs.
SPATH,J.P. New York, State of. 96/10/17. MAUPIN,C. Office of State Programs (Post 911117). 1p. 91024:261-91024:261.

**9612060219** Resubmits comments on "Final Policy Statement on Adequacy & Compatibility."
ALDRICH,R. New York, State of. 96/11/12. BANGART,R.L. Office of State Programs (Post 911117). 7pp. 91030:001-91030:007.

**9612060221** Requests response to five questions identified in Cool 961230 memo re discrepancy between activity device possessed by general licensee & max activity authorized on Nuclear Data Sys device certificate issued by California.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/11/27. BAILEY,E.D. California, State of. 2pp. 91024:262-91024:270.

**9612060225** Ack receipt of 961107 ltr discussing onsite meeting between NRC & BRH re number of issues itemized in ltr.
CARRUTH,E.L. New York, State of. 96/11/19. BANGART,R.L. Office of State Programs (Post 911117). 1p. 91025:042-91025:042.

**9612060226** Listing of radioactive matls & devices accepted for recycling or disposal.
* Conference of Radiation Control Program Directors, Inc. 96/11/15. 1p. 91024:271-91024:271.

**9612060228** Responds to 960912 ltr re NRC training courses during FY97 & reevaluation of position when results of rebaselining study become available.
BANGART,R.L. Office of State Programs (Post 911117). 96/11/22. ORCTIGER,T.W. Illinois, State of. 4pp. 91025:043-91025:048.

**9612060233** Forwards rept re 960820 radiography event involving NDT Services that occurred at Holmes Brothers,Danville,IL resulting in low dose exposures.
SANZA,B. Illinois, State of. 96/10/22. LARKINS,P. Office of State Programs (Post 911117). 10pp. 91024:272-91024:281.

**9612060236** Ack receipt of 960429 ltr responding to NRC review of State of NY RCP.NRC evaluation of RCP responses re items identified in 960318 ltr & review rept encl.
BANGART,R.L. Office of State Programs (Post 911117). 96/11/19. TRAMONTANO,R. New York, State of. 7pp. 91025:055-91025:072.

**9612060259** Forwards NRC form 173 standard order for DOE work submitted in accordance w/section III.B.2 of DOE/NRC Memo of understanding of 780214.
BANGART,R.L. Office of State Programs (Post 911117). 96/11/26. HULTGREN,R.O. Energy Research & Development Admin.(Presently DOE). 3pp. 91024:306-91024:329.

**--9612060268** Forwards subject proposal entitled "Agreement State Info Base." Estimate includes Subtask A.2 requested by 960523 ltr & also reflects mod statement of work dated 961111.
ROBINSON,J.J. Oak Ridge National Laboratory. FIN E-7044. 96/11/15. SOLLENBERGER,D. Office of State Programs (Post 911117). 21pp. 91024:309-91024:329.

**9612060272** Transmits state agreement program info re NRC position on successful completion of training courses by Agreemet State.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-118. 96/11/20. General. 4pp. 91025:284-91025:297.

**-9612060279** Informs of concurment on position of sucessful completion of training courses.
RAGLIN,K. NRC - No Detailed Affiliation Given. 96/10/29. JEROME,M.A. NRC - No Detailed Affiliation Given. 3pp. 91025:288-91025:297.

**9612060311** Responds to SP-96-095 re "Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibilty of Agreement State Programs," dtd 960821.
ERICKSON,J.L. General. SP-96-095. 96/10/31. BANGART,R.L. Office of State Programs (Post 911117). 7pp. 91030:050-91030:056.

**-9612090144** Forwards comments on "Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of Agreement State Programs."
FRAZEE,T. Washington, State of. SP-96-095. 96/11/06. MAUPIN,C.H. Office of State Programs (Post 911117). 1p. 91030:056-91030:056.

**9612060356** Comments on TX Dept of Health Bureau of Radiation Control DSI-4, "NRC Direction Setting 4,NRC Relationship w/Agreement States."
RATLIFF,R.A. Texas, State of. DSI-4 00032. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91053:194-91053:200.

**9612090006** NJ Dept of State comments on DSI-6 re strategic assessment & rebaselining project.
LIPOTI,J. New Jersey, State of. DSI-6 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91053:295-91053:307.

**9612090010** Ohio Dept of Health comments on DSI-6 re high-level waste spent fuel.
OWEN,R.E. Ohio, State of. DSI-6 00027. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91053:308-91053:313.

**9612090014** Comment on DSI-2 included in NRC strategic & rebaselining initiative re oversight of DOE.
RATLIFF,R.A. Texas, State of. DSI-2 00023. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91053:317-91053:320.

**9612090035** NJ DOS comments on DSI-7 re NRC strategic assessment & rebaselining.Option three preferred.
LIPOTI,J. New Jersey, State of. DSI-7 00030. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91053:347-91053:359.

**9612090047** Comment on DSI-12 re strategic planning initiative.Options 1 & 2,discussed.
LIPOTI,J. New Jersey, State of. DSI-12 00026. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91055:177-91055:189.

**9612090048** MD Dept of Environ comments on DSI-2 re oversight of DOE.
FLETCHER,R.G. Maryland, State of. DSI-2 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:190-91055:191.

**9612090050** Comment on DSI-9 re decommissioning non-reactor facilities.
FLETCHER,R.G. Maryland, State of. DSI-9 00022. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:192-91055:193.

**9612090054** Forwards insp rept 1500009/96-15 on 961105.One apparent violation noted & being considered for escalated enforcement action.
MALLETT,B.S. Region 2 (Post 820201). EA-96-473. 96/11/26. PETTIS,A. Affiliation Not Assigned. 2pp. 91039:034-91039:040.

**-9612090063** Insp rept 15000009/96-15 on 961105.Violation noted.Major areas inspected:licensee radiation program for moisture density testing activities.
* Region 2 (Post 820201). 96/11/26. 5pp. 91039:036-91039:040.

**9612090055** Comment on DSI-9 re decommissioning non-reactor facilities.
RATLIFF,R.A. Texas, State of. DSI-9 00021. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91055:200-91055:203.

**9612090058** Texas Dept of Health comments on DSI-7 re matls/medical oversight.Option two supported.
RATLIFF,R.A. Texas, State of. DSI-7 00036. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91055:204-91055:209.

**9612090068** Comment on DSI-9 re strategic planning initiative.Options 1 & 2,discussed.
LIPOTI,J. New Jersey, State of. DSI-9 00019. 96/12/02. Office of the Secretary of the Commission. 13pp. 91055:227-91055:239.

**9612090069** Maryland Dept of Environ comments on DSI-7, "Matls/Medical Oversight," re NRC strategic assessment & rebaselining initiative.Options one & two supported.
FLETCHER,R.G. Maryland, State of. DSI-7 00034. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91055:240-91055:242.

**9612090075** Ohio Dept of Health comments on DSI-7, "Matls/Medical Oversight" re NRC strategic assessment & rebaselining.Option three supported.
OWEN,R.E. Ohio, State of. DSI-7 00033. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91055:247-91055:249.

**9612090085** Forwards insp rept 15000009/96-17 on 961105.One apparent violation noted & being considered for escalated enforcement action.
MALLETT,B.S. Region 2 (Post 820201). EA-96-472. 96/11/26. PEEL,M. Affiliation Not Assigned. 2pp. 91039:049-91039:054.

**-9612090090** Insp rept 15000009/96-17 on 961105.Violations noted. Major areas inspected:licensee radiation safety program for moisture density testing activities.
* Region 2 (Post 820201). 96/11/26. 4pp. 91039:051-91039:054.

**9612090087** NJ Dept of State comments on DSI-2 re strategic assessment & rebaselining project.
LIPOTI,J. New Jersey, State of. DSI-2 00020. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91055:304-91055:316.

**9612090092** Texas Dept of Health comments on DSI-12, "Risk-Informed, Performance-Based Regulation" re NRC strategic assessment & rebaselining.Certain aspects of Options 1,2,3 & 4 supported.
RATLIFF,R.A. Texas, State of. DSI-12 00031. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 91055:326-91055:332.

**9612090096** Comment on DSI-4 re strategic planning initiative.
LIPOTI,J. New Jersey, State of. DSI-4 00034. 96/12/02. Office of the Secretary of the Commission. 13pp. 91055:013-91055:025.

**9612090105** OH Dept of Health comments on DSI-4 re strategy of states becoming agreement states.
OWEN,R.E. Ohio, State of. DSI-4 00040. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91055:352-91055:354.

**9612090107** Comment on DSI-5 re low-level waste.
FLETCHER,R.G. Maryland, State of. DSI-5 00031. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:033-91055:034.

**9612090109** Maryland Dept of Environ comments on DSI-12, "Risk-Informed, Performance-Based Regulation" re NRC strategic assessment & rebaselining.
FLETCHER,R.G. Maryland, State of. DSI-12 00028. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91056:001-91056:002.

**9612090118** TX Dept of Health comments on DSI-13 re role of industry.
RATLIFF,R.A. Texas, State of. DSI-13 00019. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91055:042-91055:043.

**9612090120** Comment on DSI-5 re strategic assessment issue paper concerning low-level waste.Comments submitted by Organization of Agreement States,supported.
OWEN,R.E. Ohio, State of. DSI-5 00035. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 91055:046-91055:050.

**9612090121** New Jersey DOS comments on DSI-5 re NRC strategic assessment & rebaselining.Option four supported.
LIPOTI,J. New Jersey, State of. DSI-5 00030. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91055:051-91055:063.

**9612090122** MD Dept of Environ comments on DSI-4, "NRC Relationship W/Agreement States."
FLETCHER,R.G. Maryland, State of. DSI-4 00039. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91055:064-91055:066.

**9612090125** Forwards insp rept 15000009/96-18 on 961104.One apparent violation noted & being considered for escalated enforcement action.
MALLETT,B.S. Region 2 (Post 820201). EA-96-471. 96/11/26. DODD,R. Affiliation Not Assigned. 2pp. 91039:085-91039:090.

**-9612090128** Insp rept 15000009/96-18 on 961104.Violations noted. Major areas inspected:licensee radiation program for moisture density testing activities.
* Region 2 (Post 820201). 96/11/26. 4pp. 91039:087-91039:090.

**9612090136** Maryland Radiological Health Program comment on DSI-14, "Public Communication Initiatives."
FLETCHER,R.G. Maryland, State of. DSI-14 00022. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:037-91072:038.

**9612090142** Comments on DSI-5 re low-level waste.
RATLIFF,R.A. Texas, State of. DSI-5 00042. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:050-91072:051.

**9612090156** Dept of State comments on DSI-14, "Strategic Planning Initiative."
LIPOTI,J. New Jersey, State of. DSI-14 00018. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91072:075-91072:087.

**9612090158** Dept of State comments on DSI-13, "Strategic Planning Initiative."
LIPOTI,J. New Jersey, State of. DSI-13 00015. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91072:088-91072:100.

**9612090171** Comments on DSI-22 re direction setting issue (DSI) papers by NRC as part of strategic planning initiative.
LIPOTI,J. New Jersey, State of. DSI-22 00015. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91071:332-91071:344.

**9612090201** Comments on DSI-22 re research.
RATLIFF,R.A. Texas, State of. DSI-22 00021. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:023-91072:024.

**9612090204** Informs that State of NJ has reviewed & has no comments on license change request 250 re change in safety limit minimum critical power ratio.
TOSCH,K.W. New Jersey, State of. 96/11/27. Document Control Branch (Document Control Desk). 2pp. 91052:337-91052:338.

**9612090206** Maryland Dept of Environ comments on DSI-20, "Intl Activities" re NRC strategic assessment & rebaselining initiative.Option three preferred.
FLETCHER,R.G. Maryland, State of. DSI-20 00025. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:021-91072:022.

**9612090212** Informs that State of NJ has reviewed & has no comments on license change request S95-36 re mod to increase containment fan coil unit response time.
TOSCH,K.W. New Jersey, State of. 96/12/02. Document Control Branch (Document Control Desk). 2pp. 91052:339-91052:340.

**9612090214** Comments on DSI-14 re public communication initiatives.
RATLIFF,R.A. Texas, State of. DSI-14 00023. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91072:011-91072:012.

**9612090216** Texas Dept of Health comments on DSI-20, "Intl Activities" re NRC strategic assessment & rebaselining initiative.Option three preferred.
RATLIFF,R.A. Texas, State of. DSI-20 00027. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91072:009-91072:010.

**9612090281** Comments on DSI-2.Endorses comments submitted by Organization of Agreement States.
OWEN,R.E. Ohio, State of. DSI-2 00026. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91071:358-91071:359.

**9612100149** Forwards signed final MOU between NRC & State of VT for signature.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/02. LOWE,G.L. Vermont, State of. 6pp. 91053:246-91053:251.

**9612100222** TX Dept of Health Bureau of Radiation Control comments on DSI-11, "Operating Reactor Oversight."
RATLIFF,R.A. Texas, State of. DSI-11 00022. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91085:353-91085:354.

**9612100234** Forwards ltr from M Weidler,Secretary of NM Environ Dept expressing concern about NRC recent decision to charge states for training regulatory staff in state regulatory program per DSI-4.
SCHIFF,S.H. House of Rep. DSI-4 00044. 96/10/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91085:337-91085:338.

**9612100239** Forwards ltr from ME Weidler,Secretary of NM Environ Dept re Agreement States Program (DSI-4) for response.
RICHARDSON,B. House of Rep. DSI-4 00045. 96/10/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91085:332-91085:333.

**9612100243** Forwards ltr from ME Weidler,Secretary of NM Environ Dept re Agreement States Program for response.
BINGAMAN,J. Senate. DSI-4 00046. 96/10/17. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. 91085:330-91085:331.

**9612100252** Texas Dept of Health comment on DSI-23 re enhancing regulatory excellence.
RATLIFF,R.A. Texas, State of. DSI-23 00022. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91085:311-91085:312.

**9612100257** Ohio Dept of Health comment on DSI-10 re Commission policy on future reactors.
OWEN,R.E. Ohio, State of. DSI-10 00009. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91084:353-91084:354.

**9612110002** Maryland Dept of Environ comments of DSI-21 re fees.Option 2 supported.
FLETCHER,R.G. Maryland, State of. DSI-21 00023. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91097:343-91097:344.

**9612110003** NJ State Dept comments on DSI-21 re strategic assessment & rebaselining project.
LIPOTI,J. New Jersey, State of. DSI-21 00022. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91097:345-91097:357.

**9612110012** Comment on DSI-20 re policies on intl nuclear matters.
ORTCIGER,T.W. Illinois, State of. DSI-20 00032. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91098:212-91098:218.

**9612110035** State of IL Dept of Nuclear Safety comments on DSI-21 re fees.
ORTCIGER,T.W. Illinois, State of. DSI-21 00033. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91119:073-91119:080.

**9612110040** TX Dept of Health Bureau of Radiation Control comments on DSI-24 re decommissioning power reactors.
RATLIFF,R.A. Texas, State of. DSI-24 00018. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91119:085-91119:087.

**9612110060** Comments on DSI-24, "Power Reactor Decommissioning."
ORTCIGER,T.W. Illinois, State of. DSI-24 00024. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91119:132-91119:139.

**9612110067** State of IL Dept of Nuclear Safety comments on DSI-14, "Public Communication Initiatives."
ORTCIGER,T.W. Illinois, State of. DSI-14 00030. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91119:147-91119:153.

**9612110073** NJ Dept of State comments on DSI-23 re NRC as part of strategic planning initiative.
LIPOTI,J. New Jersey, State of. DSI-23 00015. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 13pp. 91119:172-91119:184.

**9612110094** Comments on DSI-22, "Research."
ORTCIGER,T.W. Illinois, State of. DSI-22 00027. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91154:001-91154:007.

**9612110105** Comments on DSI-2, "Strategic Assessment & Rebaselining Initiative."
ORTCIGER,T.W. Illinois, State of. DSI-2 00031. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 91119:248-91119:255.

**9612110115** Comments on DSI-4 re NRC relationship w/Agreement States. Endorses comments submitted by Organization of Agreement States.
HALLISEY,R.M. Massachusetts, Commonwealth of. DSI-4 00049. 96/12/02. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 91098:260-91098:261.

**9612110119** Comments on DSI-4, "NRC Relationship W/Agreement States."
ORTCIGER,T.W. Illinois, State of. DSI-4 00050. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 12pp. 91098:269-91098:280.

**9612110125** Comments on DSI-5, "Low-Level Waste."
ORTCIGER,T.W. Illinois, State of. DSI-5 00046. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91098:287-91098:297.

**9612110126** Ohio Dept of Health comments on DSI-11 re strategic assessment issue paper & direction-setting issues.
OWEN,R.E. Ohio, State of. DSI-11 00021. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91098:298-91098:299.

**9612110133** Texas Dept of Health comments on DSI-21, "Fees." Option two supported.
RATLIFF,R.A. Texas, State of. DSI-21 00029. 96/11/27. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91098:305-91098:307.

**9612110134** Comments on DSI-6, "High-Level Waste & Spent Fuel."
ORTCIGER,T.W. Illinois, State of. DSI-6 00035. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 91098:308-91098:314.

**9612110146** Comments on DSI-7, "Matls/Medical Oversight."
ORTCIGER,T.W. Illinois, State of. DSI-7 00042. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91098:335-91098:343.

**9612110180** Comments on DSI-11, "Operating Reactor Program Oversight."
ORTCIGER,T.W. Illinois, State of. DSI-11 00026. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91119:295-91119:303.

**9612110182** Connecticut LLRW Program comments on DSI-5, "LLW." Option five discussed.
GINGERICH,R.E. Connecticut, State of. DSI-5 00044. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91119:304-91119:305.

**9612110195** Requests one time extension to allow safety blade testing & reactivity calculations as outlined per encl.One month extension requested to allow testing to be done in Jan 1997.
TEHAN,T. Rhode Island, State of. 96/12/05. MENDONCA,M. . 18pp. 91081:152-91081:169.

**9612110247** State of IL Dept of Nuclear Safety comments on DSI-12, "Risk-Informed,Performance Based Regulation."
ORTCIGER,T.W. Illinois, State of. DSI-12 00042. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 91119:352-91119:360.

**9612110271** Forwards Amend 40 to state License STA-583.
KERR,G.W. Illinois, State of. 96/12/04. BANGART,R. Office of State Programs (Post 911117). 2pp. 91081:297-91081:298.

**9612120173** Forwards comments re draft NPDES permit 31B00016*ED & Antidegredation Rule Application.
MYERS,L.W. Centerior Energy. PY-CEI/OEPA-026. 96/11/19. SPURBECK,M.D. Ohio, State of. 9pp. 91090:352-91090:360.

**9612120305** Comments on DSI-12 re NRC strategic assessment & rebaselining,risk informed,performance based regulation. Draft paper encl.
DORNSIFE,W.P. Pennsylvania, Commonwealth of. DSI-12 00045. 96/12/04. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91128:181-91128:249.

**--9612120310** "Risk Based Methodology for Assessing Efficacy & Priorities of Radiation Protection Programs."
DORNSIFE,W.P., BHATTACHARYYA Pennsylvania, Commonwealth of. DSI-12 00045. 96/12/02. 67pp. 91128:182-91128:249.

**9612120313** Informs that Illinois Dept of Nuclear Safety does not support NRCs Quality Mgt Plan as specified in 10CFR35, & therefore opposes any plan to continue certain info collection requirements.
COLLINS,S.C. Illinois, State of. 96/12/05. SHELTON,B.J. Information & Records Management Branch (Post 890827). 3pp. 91090:214-91090:216.

**9612120314** Identifies omissions or deficiencies found in detailed site reclamation plan for Shootaring Canyon U Mill & requests addl info making submittal acceptable to conduct detailed technical review to further evaluate proposed plan.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/18. WEBBER,K. Plateau Resources, Ltd. 5pp. 91092:008-91092:016.

**--9612120326** Comments on state ltr re tailing impoundment liner for Shootaring Canyon U Mill inadequate to protect groundwater beneath site from non-radiological contaminants.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/27. OSTLER,D.A. Utah, State of. 4pp. 91092:013-91092:016.

**9612120333** Comments on DSI-24 re individual issue papers.
SINCLAIR,W.J. Utah, State of. DSI-24 00027. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:298-91127:298.

**9612120336** State of LA Dept of Environ Quality comments on DSI-20 re strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-20 00034. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:299-91127:302.

**9612120353** Comments on DSI-23 re direction setting issues included in NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-23 00030. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91121:008-91121:011.

**9612120356** Georgia Dept of Natural Resources on DSI-20 re NRC strategic assessment & rebaselining initiative.
HILL,T.E. Georgia, State of. DSI-20 00033. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:012-91121:012.

**9612120362** Comments on DSI-23 re direction setting issue (DSI) papers issued by NRC as part of strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-23 00029. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:013-91121:013.

**9612120368** Comments on DSI-22 re direction setting issues (DSI) included in NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-22 00031. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91121:015-91121:018.

**9612120381** LA Dept of Environ Quality,Ofc of Air Quality & Radiation Protection comments on DSI-6 re NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-6 00038. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:303-91127:306.

**9612120384** Comments on DSI-22 re strategic assessment issue papers.
SINCLAIR,W.J. Utah, State of. DSI-22 00029. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:307-91127:307.

**9612120395** GA Dept of Natural Resources Radioactive Matls Program comments on DSI-6.Supports comments by Organization of Agreement States.
HILL,T.E. Georgia, State of. DSI-6 00039. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91159:337-91159:337.

**9612120396** Comments on DSI-28 re direction setting issue (DSI) papers issued by NRC as part of strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-22 00028. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:309-91127:309.

**9612120398** State of LA comments on DSI-14 re strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-14 00033. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:310-91127:313.

**9612120406** State of LA comments on DSI-13 re NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-13 00029. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91133:158-91133:161.

**9612120413** Georgia Dept of Natural Resources comments on DSI-14 re strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-14 00032. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:165-91133:165.

**9612120416** Georgia Dept of Natural Resources comments on DSI-13 re NRC strategic assessment & rebaselining initiative.
HILL,T.E. Georgia, State of. DSI-13 00028. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:166-91133:166.

**9612120422** Comments on DSI-21 re direction setting issue (DSI) papers issued by NRC as part of strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-21 00035. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:167-91133:167.

**9612120424** Dept of Environ Quality Division of Radiation Control of UT comments on DSI-12 re NRC strategic assessment & rebaselining initiative.
SINCLAIR,W.J. Utah, State of. DSI-12 00049. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:314-91127:314.

**9612120428** GA Dept of Natural Resources Radioactive Matls Program comments on DSI-9 re NRC strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-9 00030. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:168-91133:168.

**9612120440** Comments on DSI-20 re strategic assessment issue papers.
SINCLAIR,W.J. Utah, State of. DSI-20 00036. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:170-91133:170.

**9612120442** State of LA comments on DSI-12 re NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-12 00047. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91133:171-91133:174.

**9612120445** LA Dept of Environ Quality,Ofc of Air Quality & Radiation Protection comments on DSI-9 included in NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-9 00031. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91133:175-91133:178.

**9612120457** Georgia Dept of Natural Resources comments on DSI-12 re NRC strategic assessment & rebaselining initiative.
HILL,T.E. Georgia, State of. DSI-12 00046. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91133:179-91133:179.

**9612120464** Dept of Environ Quality Division of Radiation Control comments on DSI-11 re NRC strategic assessment & rebaselining initiative.
SINCLAIR,W.J. Utah, State of. DSI-11 00030. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:315-91127:315.

**9612120472** State of LA Dept of Environ Quality comments on DSI-11 re NRC strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-11 00028. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91121:022-91121:025.

**9612120476** Georgia Dept of Natural Resources comments on DSI-11 strategic planning initiative.
HILL,T.E. Georgia, State of. DSI-11 00027. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:318-91127:318.

**9612120486** Dept of Environ Quality,Div of Radiation Control comments on DSI-9.
SINCLAIR,W.J. Utah, State of. DSI-9 00033. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:320-91127:320.

**9612120487** Dept of Environ Quality Division of Radiation Control comments on DSI-2 re strategic assessment.
SINCLAIR,W.J. Utah, State of. DSI-2 00035. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91121:026-91121:026.

**9612120491** Georgia Dept of Natural Resources comments on DSI-5 re NRC strategic assessment & rebaselining.
HILL,T.E. Georgia, State of. DSI-5 00049. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:322-91127:322.

**9612120495** State of LA Dept of Environ Quality comments on DSI-5 re NRC strategic assessment & rebaselining.
WASCOM,R. Louisiana, State of. DSI-5 00050. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:323-91127:326.

**9612120515** GA Dept of Natural Resources Radioactive Matls Program comments on DSI-10.
HILL,T.E. Georgia, State of. DSI-10 00015. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:327-91127:327.

**9612130020** Dept of Environ Quality,Div of Radiation Control of UT comments on DSI-10 re strategic assessment & rebaselining issue papers.
SINCLAIR,W.J. Utah, State of. DSI-10 00017. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 91127:349-91127:349.

**9612130025** LA Dept of Environ Quality,Ofc of Air Quality & Radiation Protection comments on DSI-10 re strategic assessment & rebaselining initiative.
WASCOM,R. Louisiana, State of. DSI-10 00018. 96/11/21. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 91127:350-91127:353.

**9612130034** Minnesota Environmental Quality Board statement in support of Northern States Power Co motion for suspension of proceedings.*
MITCHELL,A.R. Minnesota, State of. #496 18087. ISFSI. 96/11/19. Atomic Safety & Licensing Board Panel. 5pp. 91083:001-91083:005.

**9612130041** Minnesota Dept of Public Service response in support of Northern States Power Co motion for suspension of proceedings.*
VANDERLINDEN,B. Minnesota, State of. #496 18086. ISFSI. 96/11/21. Atomic Safety & Licensing Board Panel. 5pp. 91083:029-91083:033.

**9612130068** Notice of entry of appearance.* Informs that NM Environ Law Ctr has been engaged by Eastern Navajo Dine Against U Mining & Southwest Research & Info Ctr to represent in proceeding.W/Certificate of Svc.
JORDAN,S.G. New Mexico, State of. JORDAN,S.G. Affiliation Not Assigned. JORDAN,S.G. Southwest Research and Information Center. #496 18089. ML 96/11/25. 4pp. 91083:101-91083:104.

**9612130089** Comments on DSI-9, "Decommissioning Nonreactor Facilities."
ORTCIGER,T.W. Illinois, State of. DSI-9 00028. 96/12/02. HOYLE,J.C. Office of the Secretary of the Commission. 11pp. 91128:250-91128:260.

**9612130210** Petition for review & request to file brief.* W/Certificate of Mailing & Delivery.
HALE,J. Oklahoma, State of. #496 18083. EA. 96/11/25. Commissioners (Post 750119). 10pp. 91100:222-91100:231.

**9612160240** "Confirmatory Order for Reclamation of American Nuclear Corp Gas Hills,WY,Site."
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/06. Wyoming, State of. 13pp. 91129:066-91129:078.

**9612160243** Comment on proposed rule 10CFR50 re restructuring & economic deregulation of electric utility industry.IDNS believes that margins to safe operation will be more vigorously challenged in disaggregated environment.
ORTCIGER,T.W. Illinois, State of. 61FR49711 00010. 96/12/03. Docketing & Services Branch. 2pp. 91103:001-91103:002.

**9612160257** Forwards info re NRC overall budget & OSP budget,per request.W/o encl.
LOHAUS,R.L. Office of State Programs (Post 911117). SP-96-120. 96/12/05. General. 2pp. 91103:028-91103:029.

**9612160259** Forwards updated list of NRC personnel identified in "Directory of Personnel Responsible for Radiological Health Programs," as requested in Hardin 961028 ltr.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/05. CARIGAN,L. Conference of Radiation Control Program Directors, Inc. 8pp. 91103:102-91103:110.

**–9612160263** Requests updated list of individuals for inclusion in 1997 edition of "Directory of Personnel Responsible for Radiological Health Programs."
HARDIN,C.M. Conference of Radiation Control Program Directors, Inc. 96/10/28. NRC - No Detailed Affiliation Given. 1p. 91103:110-91103:110.

**9612160260** Forwards copy of Chairman remarks on 961202 to all NRC employees re reorganization of NRC which will become effective on 970105.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/02. General. 15pp. 91103:013-91103:027.

**9612160267** Forwards correspondence re resumption of milling operations at Shootaring Canyon U mill.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/04. LISTON,L. Garfield County, UT. 3pp. 91129:079-91129:088.

**9612160281** Invites NRC to participate in study re Edwards Aquifer in Central Texas.NRC declines per 961011 telcon indicating NRC does not conduct or regulate water quality in aquifers.
BAUSCH,C. Agriculture, Dept. of. 96/10/03. VIRGILIO,R. Office of State Programs (Post 911117). 3pp. 91103:099-91103:101.

**9612160283** Comments on Jul 1996 publication of draft NUREG-0654/FEMA- REP-1,Rev 1,Supp 3 for interim use.NRC & FEMA should review MOU & NUREG in conjunction w/FEMA strategic review.
SELL,S.D. Wisconsin, State of. 61FR43794 00012. 96/08/26. Office of the Secretary of the Commission. 1p. 91097:014-91097:014.

**9612160287** Ack receipt of final NE rule,Title 180 NAC 1,section 019, "Licenses & Radiation Safety Requirements for Irradiators," dtd 961030.Rule reviewed & found to be compatible w/NRC equivalent rule.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/09. DANIEL,J.L. Nebraska, State of. 7pp. 91103:063-91103:098.

**–9612160293** Forwards copy of Title 180 NAC 1 Section 019, "Licenses & Radiation Safety Requirements for Irradiators."
DANIEL,J.L. Nebraska, State of. 96/10/30. LARKINS,P.M. Office of State Programs (Post 911117). 29pp. 91103:070-91103:098.

**9612160336** Comment supporting proposed rule 10CFR50 re restructuring & economic deregulation of electric utility industry.
BROCKETT,S. Michigan, State of. 61FR49711 00006. 96/12/06. Docketing & Services Branch. 7pp. 91097:015-91097:021.

**9612160353** Resolution 20-1996 supporting merger of Ohio Edison & Centerior Corp under new holding company called FirstEnergy.
HOWELL,S., BRYAN,T., CICCHINELLI,F. Ohio, State of. 96/12/02. 1p. 91097:006-91097:006.

**9612160362** Comment supporting proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric util industry.
JAMES,B.E. Wisconsin, State of. 61FR49711 00002. 96/11/27. Docketing & Services Branch. 4pp. 91097:007-91097:010.

**9612170005** Comment supporting proposed rule 10CFR50 re draft policy statement on restructuring & economic deregulation of electric util industry.
SELL,S.D. Wisconsin, State of. 61FR49711 00009. 96/12/02. Docketing & Services Branch. 1p. 91103:354-91103:354.

**9612170072** Requests that OK City Waste Mgt Div provide data re SFC facility & surrounding area by 961231.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/04. BRODERICK,M. Oklahoma, State of. 6pp. 91140:354-91140:359.

**9612170127** PNO-II-96-084:on 961216,AL,Agreement State,notified Region II re media interest in labeled radiopharmaceutical package found at svc station in Auburn,AL.Vehicle taken to svc station for svc & package left at svc station.
WOODRUFF,R. Region 2 (Post 820201). 96/12/16. 1p. 91163:248-91163:248.

**9612170269** Discusses insp rept 15000009/96-18 conducted on 961104 which identified violation re failure to obtain general or specific NRC license as required by 10CFR30.3.No enforcement action will be taken.
EBNETER,S.D. Region 2 (Post 820201). EA-96-471. 96/12/10. DODD,R. Florida, State of. 3pp. 91118:093-91118:095.

**9612170346** Discusses insp rept 15000009/96-17 on 961121 & forwards safety insp.Violations noted.Response requested within 10 days.
HOSEY,C.M. Region 2 (Post 820201). 96/12/09. TERPENING,T. Florida, State of. 1p. 91105:070-91105:070.

**9612170448** Discusses insp rept 15000009/96-17 on 961105 & violation re failure to obtain general or specific NRC license as required by 10CFR30.3.No NRC enforcement action will be taken.
EBNETER,S.D. Region 2 (Post 820201). EA-96-472. 96/12/10. PEEL,M. Affiliation Not Assigned. 3pp. 91118:146-91118:148.

**9612170455** Discusses insp rept 15000009/96-15 on 961105 & violation re failure to obtain general or specific NRC license as required by 10CFR30.3.No NRC enforcement action will be taken.
EBNETER,S.D. Region 2 (Post 820201). EA-96-473. 96/12/10. PETTIS,A. Affiliation Not Assigned. 3pp. 91118:149-91118:151.

**9612180039** Discusses amend to license DPR-16,consisting of change request 243,changing trip setting for TS Table 3.1.1 Item G.3 re ADS.NJ has no comments.
TOSCH,K.W. New Jersey, State of. 96/11/25. Document Control Branch (Document Control Desk). 2pp. 91148:174-91148:175.

**9612190033** Comment on DSI-9 re decommissioning non-reactor facilities.
MERGES,P.J. New York, State of. DSI-9 00034. 96/12/12. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91223:350-91223:352.

**9612190043** Comment on DSI-12 re risk-informed,performance-based regulation.
MERGES,P.J. New York, State of. DSI-12 00051. 96/12/12. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91223:353-91223:355.

**9612190065** Comment on DSI-2 re oversight of DOE.
MERGES,P.J. New York, State of. DSI-2 00038. 96/12/12. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 91223:356-91223:358.

**9612190066** Forwards Notice of Const approval for SPC dry conversion facility from Division of Radiation Protection of Washington State Dept of Health (WDOH).
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. JBE:96:125. 96/12/09. WEBER,M.F. Licensing Branch. 11pp. 91161:343-91161:353.

**9612190190** Comment of NUREG 1516 re address listed for MD Dept of Environment.Forwards updated address.
HILL,D. Maryland, State of. 60FR8259 00008. 96/01/03. SCHLUETER,J. Office of Nuclear Material Safety & Safeguards. 2pp. 91134:079-91134:080.

**9612190263** Responds to 961112 ltr to Chairman Jackson informing of formation of subcommittee to assess "independence" aspects of Independent Corrective Action Verification Program.
MIRAGLIA,F.J. . 96/12/16. CONCANNON,T. Connecticut, State of. 4pp. 91184:211-91184:217.

**--9612190270** Informs that Nuclear Energy Advisory Council approved subcommittee at 961107 meeting to assess 'independence' aspect of Independent Corrective Action Verification Program.
CONCANNON,T. Connecticut, State of. 96/11/12. THE CHAIRMAN Commissioners (Post 750119). 3pp. 91184:215-91184:217.

**9612200033** Forwards insp rept 40-5593/96-01 for ARSCO facility on 961106.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/12/18. RATLIFF,R.A. Texas, State of. 4pp. 91149:048-91149:062.

**9612200045** Forwards insp rept 40-1045/96-01 for Lucky June site on 950317 & 960730.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/12/18. General. QUILLIN,R.M. Colorado, State of. FRALEY,C. Wyoming, State of. 4pp. 91149:064-91149:078.

**9612200055** Comments on DSI-24 re decommissioning power reactors.
PASSETTI,W.A. Florida, State of. DSI-24 00028. 96/11/20. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 91258:318-91258:319.

**9612200140** PNO-III-96-075:on 961216,hosp performed radiation surveys on packages & found elevated radiation levels at surface of two packages.Licensee survey showed radiation levels of 400 mrem per h at surface of package.
LYNCH,J., CANIANO,R. Region 3 (Post 820201). 96/12/18. 1p. 91201:018-91201:018.

**9612200166** PNO-IV-96-068:on 961217,reported Troxler asphalt content gauge,Model 3241C,stolen from trailer at San Xavier Rock & matls in Tucson.Gauge contains 100-mCi Am-241 sealed source. Lab & computer equipment stolen also.
CAIN,C., HORNER,J. Region 4 (Post 820201). 96/12/18. 1p. 91201:019-91201:019.

**9612200207** Discusses review of revisions to New Hampshire rules for control of radiation.
PARKER,G.S. Affiliation Not Assigned. 96/12/06. BLANTON,R. Office of State Programs (Post 911117). 2pp. 91149:220-91149:221.

**9612200213** Follows-up to telephone request of 961202 re MA set fees for NARM licensees.
HALLISEY,R.M. Massachusetts, Commonwealth of. 96/12/09. BLANTON,R. Office of State Programs (Post 911117). 1p. 91149:222-91149:222.

**9612200216** Responds to 961016 ltr to M Lopez-Otin relative to ASU public admin research efforts to determine effects of agency mission of compliance w/ 36CFR800,protection of historical & cultural properties.
BANGART,R.L. Office of State Programs (Post 911117). 96/12/09. RANDALL,C. Arizona State Univ., Tempe, AZ. 4pp. 91149:223-91149:227.

**--9612200220** Requests from respective federal preservation officers addresses of either responsible offices or field officers which can identify subordinate agency officials in Arizona & New Mexico re research on compliance w/26CFR800.
MORRISON,C.R. Arizona State Univ., Tempe, AZ. 96/10/16. LOPEZ-OTIN,M.E. NRC - No Detailed Affiliation Given. 1p. 91149:227-91149:227.

**9612200221** Discusses decision re proposed routine program changes to PA Coastal Zone Management Program.
TABOR,E.J. Pennsylvania, Commonwealth of. 96/12/09. NRC - No Detailed Affiliation Given. 1p. 91149:228-91149:228.

**9612200232** Expresses appreciation for 961003 ltr to Chairman Jackson re comments on value of integrated matl performance evaluation program.
BANGART,R.L. Office of State Programs (Post 911117). 96/12/09. QUILLIN,R.M. Colorado, State of. 7pp. 91149:229-91149:253.

**--9612200239** Forwards info re replacing third paragraph to OAS ltrs.
FUNCHES,J. NRC - No Detailed Affiliation Given. 96/11/26. BANGART,D. NRC - No Detailed Affiliation Given. 3pp. 91149:236-91149:253.

**9612200236** Forwards abnormal occurrence rept re Feb 1996 NDC incident at Irwindale,CA.Lessons learned as result of accident should be addendum to incident rept I forward on 960925 attached.
BUNN,D.E. California, State of. 96/11/26. LARKINS,P. Office of State Programs (Post 911117). 6pp. 91149:271-91149:276.

**9612200237** Forwards comments re proposed Management Directive 5.8, "Proposed 274b Agreements w/States". Supports concept of phasing discontinuance of NRC authority in new Agreement State.
QUILLIN,R.M. Colorado, State of. 96/12/11. BANGART,R. Office of State Programs (Post 911117). 6pp. 91149:277-91149:282.

**9612200240** Submits comments re opposing proposed mgt directive 5.8, "Proposed 274b Agreements W/States."
PASSETTI,W.A. Florida, State of. 96/12/13. LOHAUS,P. Office of State Programs (Post 911117). 9pp. 91149:283-91149:291.

**9612200241** Provides comments opposing proposed mgt directive 5.8, "Proposed 274b Agreements W/States."
COLLINS,S.C. Illinois, State of. 96/12/10. LOHAUS,P. Office of State Programs (Post 911117). 14pp. 91149:292-91149:305.

**9612200254** Informs that Dept do not support NRC Quality Mgt Program as specified in 10CFR35.
COLLINS,S.C. Illinois, State of. 96/12/05. SHELTON,B.J. NRC - No Detailed Affiliation Given. 3pp. 91149:306-91149:308.

**9612230172** Forwards amend 22 to license R-95 & safety evaluation.Amend provides for extension of annual TS surveillances for safety blade testing & reactivity calculations.
MENDONCA,M.M. . TAC M79580. 96/12/18. TEHAN,T. Rhode Island, State of. 3pp. 91194:198-91194:208.

**9612230208** Responds to 960916 ltr describing recent discussions w/NRC staff re elimination of dual regulation at U mill sites in Utah.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/13. NIELSON,D.R. Utah, State of. 10pp. 91194:293-91194:308.

**9612230208** Responds to 960916 ltr describing recent discussions w/NRC staff re elimination of dual regulation at U mill sites in Utah.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/12/13. NIELSON,D.R. Utah, State of. 31pp. 91232:129-91232:167.

**--9612270047** Informs that Ofc of State Program concurs on ltr to D Nielson,per conversation.
BANGART,R. NRC - No Detailed Affiliation Given. 96/10/30. FONTANA,M.H. NRC - No Detailed Affiliation Given. 1p. 91232:166-91232:166.

**9612230286** Ack receipt of rept of proposed activities in non-Agreement States dtd 961212 & receipt of initial recognition fee as required by 10CFR150.20(b) & 10CFR170.31.
COLLINS,D.J. Region 2 (Post 820201). 96/12/18. HUMBERT,P.V. EG&G Florida, Inc. 2pp. 91180:107-91180:110.

**--9612240026** Forwards rept of proposed activities in non-Agreement States & Agreement State License.W/o encl.
COLLINS,D.J. Region 2 (Post 820201). 96/12/17. SCOTT,R. Florida, State of. 1p. 91180:110-91180:110.

**9612240002** "NPDES Discharge Monitoring Rept for Nov 1996 for Salem Generating Station." W/961217 ltr.
GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 96/11/30. CAPORALE,G. New Jersey, State of. 19pp. 91227:197-91227:215.

**9612240088** Responds to ltr dtd 961022 re Independent Corrective Action Verification Program imposed at Millstone by NRC order of 960814.
THE CHAIRMAN Commissioners (Post 750119). 96/12/16. CONCANNON,T. Connecticut, State of. 6pp. 91193:244-91193:250.

**--9612240109** Ack receipt of 961010 ltr re independent corrective action verification program.
WOOLLACOTT,E.W., CONCANNON,T. Connecticut, State of. 96/10/22. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91193:250-91193:250.

**9612240119** Ack receipt of 960911 ltr re recognition of international standards for sealed source & device evaluations.
ORTCIGER,T.W. Illinois, State of. 96/12/18. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 91180:178-91180:179.

**9612240128** Safety insp on 961211 of license TX L01558.Insp findings: no violations noted.
* Region 4 (Post 820201). * Lubbock Labs, Inc. 96/12/11. 1p. 91180:185-91180:185.

**9612240148** "Nov 1996 Wastewater Rept for Davis-Besse Nuclear Power Station,Unit 1." W/961212 ltr.
LASH,J.H. Toledo Edison Co. 96/11/30. WICK,E. Ohio, State of. 7pp. 91227:337-91227:343.

**9612240197** Discusses results of soil sample obtained from property on 951204.Joint rept of offsite soil sampling by Commonwealth of Massachusetts Dept of Public Health,Radiation Control Program & NRC encl.
BELLAMY,R.R. Region 1 (Post 820201). 96/12/13. Affiliation Not Assigned. 10pp. 91201:133-91201:142.

--**9612240203** Submits copy of joint rept of Commonwealth of Massachusetts Dept of Public Health - Radiation Control Program & NRC Region 1 to Nuclear Metals Inc,soil sampling discussion group.
MILLER,M. Region 1 (Post 820201). O'CONNELL,T. Massachusetts, Commonwealth of. 96/12/13. Affiliation Not Assigned. 12pp. 91201:143-91201:154.

**9612260134** Transmits State Agreements Program training course info & requests application for Applied Health Physics course H-109 held on 970301-0404 by 970110.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-121. 96/12/19. General. 18pp. 91200:001-91200:018.

**9612260135** Forwards, "Notice of Proposed Agreement W/Commonwealth of Massachusetts," for publication in FR.Notice requested to be published for fourth time.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/19. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. 91196:142-91196:163.

--**9612260144** Notice of proposed Agreement w/Commonwealth of Massachusetts.Proposed agreement would permit state to assume certain portions of Commission regulatory authority.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/19. 20pp. 91196:144-91196:163.

**9612260136** Forwards notice of proposed Agreement w/Commonwealth of Massachusetts for publication in FR.Notice requested to be published for third time.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/19. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91200:125-91200:146.

**9612260145** Responds to e-mail questions dtd 960806 re handling of finished aircraft engine parts containing nickel-thoria alloy.Response encl.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/17. GODWIN,A.V. Arizona, State of. 7pp. 91196:164-91196:179.

--**9612260153** Informs of DRA/RES concurrence on memo re A Godwin questions concerning recycle of aircraft engine parts containing nickel-thoria alloy.
MATTSEN,C. NRC - No Detailed Affiliation Given. 96/11/18. BOLLING,L.A. NRC - No Detailed Affiliation Given. 2pp. 91196:171-91196:177.

--**9612260162** Forwards four questions re investigation of matl discovered at Emco Recycling that came from aircraft reworking company & was sold to metal recycler.
GODWIN,A.V. Arizona, State of. 96/08/06. LOHAUS,P.H. NRC - No Detailed Affiliation Given. 1p. 91196:178-91196:178.

--**9612260177** Notifies of 960803 event re scrap yard that received shipment from Ellis Metals that tripped radiation detection sys at yard.Driver of shipment reported hospitalized w/ radiation poisoning.Hosp RSO rept no conatmination.
GODWIN,A.V. Arizona, State of. 96/08/06. NRC - No Detailed Affiliation Given. 1p. 91196:179-91196:179.

**9612260147** Forwards final rule,SP-96-122,re environ review for renewal of nuclear power plant operating licenses.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-122. 96/12/20. General. 19pp. 91196:180-91196:199.

**9612260273** State of IL Dept of Nuclear Safety Comments on DSI-14, "Public Communication Initiative." Option 2 preferred.
COLLINS,S.C. Illinois, State of. DSI-14 00030A. 96/12/18. Office of the Secretary of the Commission. 2pp. 91210:178-91210:179.

**9612260301** Forwards draft of Integrated Matl Performance Evaluation Program (IMPEP) rept which documents result of Agreement State review held on 960923-27 & 961001.
BANGART,R.L. Office of State Programs (Post 911117). 96/12/16. ZAW-MON,M. Maryland, State of. 3pp. 91208:244-91208:323.

--**9612260312** Discusses MD IMPEP.
NEWSOME,H. Office of the General Counsel (Post 860701). 96/12/16. NRC - No Detailed Affiliation Given. 1p. 91208:246-91208:246.

--**9612260309** "Integrated Matl Performance Evaluation Program Review of MD Agreement State Program."
* NRC - No Detailed Affiliation Given. 96/12/12. 80pp. 91208:247-91208:323.

**9612260303** Forwards, "Notice of Proposed Agreement W/Commonwealth of Massachusetts," for publication in FR.Notice requested to be published as soon as possible.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/19. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. 91197:085-91197:106.

**9612270061** Forwards notice of proposed Agreement w/Commonwealth of Massachusetts for publication in FR.Notice requested to be published for second time.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/12/19. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91205:128-91205:149.

**9612270069** Press release 96-190, "NRC Considering Request from MA for 'Agreement State' Status."
* Office of Public Affairs (Post 911117). 96/12/26. 2pp. 91266:193-91266:194.

**9612300003** Forwards 960909-1118 ltrs which notifies that total of 12 Indian tribes have formally assumed natl historic preservation program responsibilities on tribal lands,per Natl Historic Preservation Act.
BANGART,R.L. Office of State Programs (Post 911117). 96/12/19. KANE,W.F. Region 1 (Post 820201). AXELSON,W.L. Region 3 (Post 820201). COLLINS,S.J. Region 4 (Post 820201). 3pp. 91233:032-91233:075.

--**9612300004** Forwards Natl Historic Preservation Act,Section 101(d)(2) w/brief discussion of tribal lands & profile sheets.
TILLER,D.T. Interior, Dept. of. 96/09/09. LOPEZ-OTIN,M.E. NRC - No Detailed Affiliation Given. 27pp. 91233:035-91233:048.

--**9612300007** Forwards profile sheets for four addl tribes that have assumed responsibilities,per section 101(d)(2),including SHPO Section 106 responsibilities on tribal lands.
TILLER,D.T. Interior, Dept. of. 96/11/18. LOPEZ-OTIN,M.E. NRC - No Detailed Affiliation Given. 13pp. 91233:049-91233:075.

**9612300070** Responds to 961016 issue 4.1.2 IMPEP.Dept intends to amend regulation & anticipates this done by 970630.Process started & will be expedited as soon as possible.Copy of proposed amend encl.
HAMPTON,T.M., ROGERS,C. Nebraska, State of. 96/12/13. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 91229:155-91229:156.

**9612300071** Discusses comments on SP-96-117,request for comments on proposed mgt directive 5.8, "Proposed 274 b Agreements w/States."
ALDRICH,R. New York, State of. SP-96-117. 96/12/17. LOHAUS,P. Office of State Programs (Post 911117). 5pp. 91233:173-91233:187.

**9612300073** Ack receipt of 961030 ltr forwarding 960918 ltr from M Weidler expressing concern about NRC policy to discontinue funding for Agreement State training.Commission initiated strategic assessment & rebaselining effort.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/04. RICHARDSON,B. House of Rep. 7pp. 91229:157-91229:174.

**9612300077** Expresses appreciation for 961009 ltr forwarding 960918 ltr from M Weidler expressing concern about NRC policy to discontinue funding for Agreement State training.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/04. SCHIFF,S.H. House of Rep. 14pp. 91229:179-91229:196.

**9612300081** Ack receipt of draft mgt directive 5.8, "Proposed 274b Agreements W/ States." Comments re document encl.
PAGE,M.A. Tennessee, State of. 96/12/11. LOHAUS,P. Office of State Programs (Post 911117). 2pp. 91233:188-91233:193.

**9612300082** Informs that Louisiana strongly emphasize agreement of position stated by Illinois re concept of mutual cooperation & that both parties should exercise best efforts to be compatible w/each other.
SPELL,W.H. Louisiana, State of. 96/12/18. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 91233:194-91233:199.

**9612300092** Submits comments on Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of Agreement State Programs.
GAVITT,S.M. New York, State of. 96/12/09. BANGART,R. Office of State Programs (Post 911117). 2pp. 91229:197-91229:200.

**9612300094** Responds to 961017 ltr from Senator Bingaman expressing concerns about NRC policy to discontinue funding for Agreement State training.Informs that policy in effect on 961001.
BANGART,R.L. Office of State Programs (Post 911117). 96/12/04. WEIDLER,M.E. New Mexico, State of. 7pp. 91229:201-91229:220.

**TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE**

**9612020131** Forwards non-proprietary & proprietary EPRI TR-106712, "BWR Vessel & Internals Project Roll/Expansion Repair of Control Rod Drive & In-Core Instrument Penetrations in BWR Vessels (BWRVIP-17)." Proprietary rept withheld.
BECKHAM,J.T. Southern Nuclear Operating Co. BECKHAM,J.T. Affiliation Not Assigned. 96-700. 96/11/27. CARPENTER,C.E. Document Control Branch (Document Control Desk). 2pp. 91008:092-91008:107.

--**9612020132** Requests that proprietary EPRI TR-106712, "BWR Vessel & Internals Project Roll/Expansion Repair of Control Rod Drive & In-Core Instrument Penetrations in BWR Vessels (BWRVIP-17)," be withheld,per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 96/11/27. Document Control Branch (Document Control Desk). 3pp. 91008:094-91008:096.

--**9612020148** EPRI TR-106712 Non-proprietary final rept EPRI TR-106712, "BWR Vessel & Internals Project Roll/Expansion Repair of Control Rod Drive & In-Core Instrument Penetrations in BWR Vessels (BWRVIP-17)."
* MPR Associates, Inc. 96/11/30. 11pp. 91008:097-91008:107.

**9612020201** Notification of 961218 meeting w/B&WOG in Rockville,MD to discuss control assembly insertion concerns.
BIRMINGHAM,J.L. . 96/11/27. MATTHEWS,D.B. . 4pp. 90975:001-90975:004.

**9612020216** Summary of 961015 meeting w/WOG in Rockville,MD to discuss PRA methods to extend certain surveillance test intervals & AOT.List of meeting participants & copy of non-proprietary presentation matl discussed at meeting encl.
CRAIG,C.M. . 96/11/26. MATTHEWS,D.B. . 28pp. 90975:056-90975:083.

**9612030056** Submits affidavit,as requested,to withhold listed proprietary documents.
KENNY,A. Electric Power Research Institute. 96/11/21. HANSEN,A. Document Control Branch (Document Control Desk). 3pp. 91003:345-91003:348.

**9612030143** Transmits CENPD-279,Suppl 7, "Annual Rept on ABB CE ECCS Performance Evaluation Models Final Rept."
RAINSBERRY,J.L. Southern California Edison Co. 96/11/26. Document Control Branch (Document Control Desk). 3pp. 91008:130-91008:145.

--**9612030162** CENPD-279 S07 "Annual Rept on ABB CE ECCS Performance Evaluation Models," final rept.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/02/29. 13pp. 91008:133-91008:145.

**9612030301** Requests that TR WCAP-14668, "Conditional Extension of Rod Misalignment TS for Indian Point 3," be withheld per 10CFR2,790.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-96-1042. 96/11/22. MIRAGLIA,F.J. Document Control Branch (Document Control Desk). 9pp. 91010:348-91010:356.

**9612030302** Forwards results of performance demonstration & changes made to LWR process & insp technique & pp that will be revised in WCAP-14685, "Laser Welded Repair of Hybrid Expansion Joint Sleeves for KNPP," in response to RAI.
MARCHI,M.L. Wisconsin Public Service Corp. NRC-96-130. 96/11/27. Document Control Branch (Document Control Desk). 76pp. 91011:001-91011:076.

**9612030322** Forwards list of revs of topical rept,EMF-1125(P), "ANFB Critical Power Correlation Application for Co-Resident Fuel," to update rept to be consistent w/ changes that have resulted from NRC review.Encl withheld per 10CFR2.790(b).
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:96:065. 96/11/22. . 1p. 91021:352-91021:353.

**9612040023** Forwards sample of AP600 PRA features,operational assumptions & risk insights for passive core cooling sys, normal RHR sys & instrumentation & control sys.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4891. 96/11/25. QUAY,T.R. Document Control Branch (Document Control Desk). 13pp. 91012:001-91012:083.

--**9612040024** WCAP-13914 R01 Rev 1 to "Framework for AP600 Severe Accident Mgt Guidance."
HAAG,C.L., MCINTYRE,B.A. Westinghouse Electric Corp. 96/11/22. 68pp. 91012:014-91012:083.

**9612040053** Application for amends to licenses DPR-42 & DPR-60,revising TS 4.12, "SG Tube Surveillance" & TS Section B-4-12.
WADLEY,M.D. Northern States Power Co. 96/11/27. Document Control Branch (Document Control Desk). 19pp. 91051:020-91051:226.

--**9612040058** CEN-629-NP R01 Rev 1 to Final Rept, "Repair of W Series 44 & 51 SG Tubes Using Leak Tight Sleeves."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/11/30. 183pp. 91051:044-91051:226.

**9612040173** Application for amend to license NPF-6,adding Suppl 1-P & approval ltr to section 6.9.5.1 in support of increased SG tube plugging limit beyond 10% ref to small break LOCA methodology CENPD-137.
* Entergy Operations, Inc. 2CAN119610. 96/11/24. Document Control Branch (Document Control Desk). 10pp. 91027:228-91027:285.

--**9612040175** Proposed tech specs,adding Suppl 1-P & approval ltr to section 6.9.5.1 to support increased SG tube plugging limit beyond 10% ref to small break LOCA methodology CENPD-137.
* Entergy Operations, Inc. 96/11/24. 48pp. 91027:238-91027:285.

**9612060021** Forwards comments on AP600 related open items associated w/element 2 of human factors engineering program review model.
HUFFMAN,W.C. . 96/12/04. LIPARULO,N.J. Westinghouse Electric Corp. 16pp. 91028:287-91028:302.

**9612090112** Responds to 960618 ltr requesting waiver of any fees re EPRI Rept TR-106706, "Risk-Informed Inservice Insp Evaluation Procedure." Request granted.
SCROGGINS,R.M. Office of the Controller (Post 890205). 96/11/29. FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 91045:218-91045:219.

**9612090116** Notification of 961216 meeting w/WOG & Westinghouse in Rockville,MD to discuss WOG/Westinghouse submittal, WCAP-11992,ATWS rule administration process.
CRAIG,C.M. . 96/12/03. MATTHEWS,D.B. . 3pp. 91045:220-91045:224.

**9612100143** Discusses GE limited copright license.
SMITH,M.A. General Electric Co. MFN 180-96. 96/12/02. Document Control Branch (Document Control Desk). 1p. 91049:245-91049:245.

**9612100263** Notification of 961217 meeting w/BWROG in Bethesda,MD to discuss Utility Resolution Guidance document,by BWROG,to assist utilities w/BWRs to respond to NRC Bulletin 96-03 re potential clogging of ECCS strainers.
LYNCH,M.D. . IEB-96-003. 96/12/05. CAPRA,R.A. . 3pp. 91061:341-91061:343.

**9612110066** Forwards status of regulatory treatment of nonsafety sys (RTNSS) subissues.RTNSS program should be revitalized & given required attention.WCAP-13856 submitted in Sept 1993 providing results of application of criteria to SP600.
MCINTYRE,B.A. Westinghouse Electric Corp. DCP/NRC0644. 96/12/02. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91062:027-91062:030.

**9612110087** Forwards proprietary, "Mechanical Design Evaluation for Siemens Power Corp ATRIUM(TM)-10 BWR Reload Fuel," rept number EMF-95-52(P).Rept withheld.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:96:066. 96/12/03. . 1p. 91081:340-91081:344.

--**9612110096** Forwards proprietary EMF-95-52(P), "Mechanical Design Evaluation for Siemens Power Corp ATRIUM(TM)-10 BWR Reload Fuel." Rept withheld.
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:95:104. 95/07/10. JONES,R.C. . 4pp. 91081:341-91081:344.

**9612110131** Discusses streamlined process for improvements or enhancements made to analytical techniques used in performing reload fuel cycle licensing analyses.
TAYLOR,J.H. FRAMATOME. JHT/96-84. 96/12/02. Document Control Branch (Document Control Desk). 3pp. 91081:326-91081:328.

**9612110312** Forwards non-proprietary rept WCAP-14696, "Core Damage Assessment Guidance," which describes new generic post accident core damage assessment guidance based on current understanding of core damage accidents.
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-96-098. 96/11/22. . 2pp. 91089:001-91089:127.

--**9612110320** WCAP-14696 "Westinghouse Owners Group Core Damage Assessment Guidance."
* Westinghouse Electric Corp. 96/11/22. 114pp. 91089:003-91089:127.

**9612110373** Summarizes 961126 meeting w/Siemens Power Corp senior mgt to discuss large-break loss-of-coolant accident code issues.
BIRMINGHAM,J.L. . 96/12/05. MATTHEWS,D.B. . 16pp. 91062:036-91062:051.

**9612120296** Forwards Final Rept CEN-622-A, "Generic Upper Shelf Valves for LINDE 1092,124 & 0091 Reactor Vessel Welds."
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-96-499. 96/12/04. Document Control Branch (Document Control Desk). 1p. 91090:286-91090:351.

--**9612120299** CEN-622-A Final rept "Generic Upper Shelf Valves for LINDE 1092,124 & 0091 Reactor Vessel Welds."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/12/31. 65pp. 91090:287-91090:351.

**9612120484** Application for amend to License NPF-6,revising surveillance requirements for Unit 2 re SG Tubing,TS 4.4.5.CEN-630-NP & CEN-630-P repts encl.CEN-630-P rept withheld,per 10CFR2.790(b)(4).
HUTCHINSON,C. Entergy Operations, Inc. 2CAN119609. 96/11/26. Document Control Branch (Document Control Desk). 9pp. 91098:001-91098:192.

--**9612120519** CEN-630-NP R01 Non-proprietary final rept "Repair of 3/4" O.D. SG Tubes Using Leak Tight Sleeves."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/11/30. 165pp. 91098:028-91098:192.

**9612130140** Forwards proprietary & non-proprietary rept, "Results of Initial Application of Dynamic Rod Worth Measurement," application for withholding & affidavit for NRC info.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4897. 96/12/04. JONES,R.C. Division of Systems Technology (Post 941217). 2pp. 91164:027-91164:054.

--**9612130155** Requests that proprietary Westinghouse rept "Results of Initial Application of Dynamic Rod Worth Measurement," be withheld ref 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-96-1045. 96/12/04. JONES,R.C. Division of Systems Technology (Post 941217). 8pp. 91164:029-91164:036.

--**9612130156** "Results of Initial Application of Dynamic Rod Worth Measurement."
CHAO,Y.A., CHAPMAN,D.M., GROBMYER,L.R. Westinghouse Electric Corp. 96/12/31. 17pp. 91164:037-91164:054.

**9612160090** Notification of 961218 meeting w/Westinghouse in Rockille,MD to discuss AP600 fire PRA.
SEBROSKY,J.M. . 96/12/10. QUAY,T.R. . 4pp. 91101:026-91101:029.

**9612160178** Summary of 960703 meeting w/ABB Combustion Engineering & util in Rockville,MD re lead fuel assemblies at plant.List of attendees encl.
MAGRUDER,S.L. . 96/12/05. MATTHEWS,D.B. . 4pp. 91101:100-91101:103.

**9612160186** Corrected copy of notification of 961217 meeting w/BWROG in Rockville,MD to discuss util resolution guidance document prepared by BWROG to assist util w/BWR in responding to NRC bulletin 96-03 re potential clogging of ECCS strainers.
LYNCH,M.D. . IEB-96-003. 96/12/10. CAPRA,R.A. . 2pp. 91101:115-91101:116.

**9612160204** Notification of 961217 meeting w/BWROG in Rockville,MD to discuss Utility Resolution Guidance document prepared by BWROG to assist utilities w/BWRs in responding to NRC Bulletin 96-03 re potential clogging of ECCS strainers.
LYNCH,M.D. . IEB-96-003. 96/12/10. CAPRA,R.A. . 2pp. 91101:117-91101:118.

**9612170191** Summary of 961015 & 28 meetings w/listed attendees in Rockville,MD re intention to petition for rulemaking & clarification of license renewal rule.
CARPENTER,C.E. . TAC M93925. 96/12/10. WICHMAN,K.R. . 24pp. 91130:311-91130:334.

**9612170192** Responds to 961222 ltr,expressing W desire to be proactive in managing incomplete rod cluster control assembly insertion issue.W fuel mgt guidelines do not fully address staff concerns.
MATTHEWS,D.B. . 96/12/12. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. 91132:012-91132:017.

**9612170198** Summary of 961106 meeting w/NEI & EPRI in Rockville,MD re issues concerning eddy current technique qualification.
BEARDSLEE,C. . 96/12/11. WICHMAN,K. . 26pp. 91130:285-91130:310.

**9612170283** Forwards response to RAI following 961205 meeting re dynamic rod worth measurement computations.
LIPARULO,N.J. Westinghouse Electric Corp. 96/12/09. JONES,R.C. . 2pp. 91140:242-91140:246.

**9612170311** Summary of 961106 meeting w/B&WOG re proposals to resolve three open items in staff 960913 draft SE for B&WOG generic license renewal program topical rept BAW-2244, "Demonstration of Mgt Aging Effects for Pressurizer."
MOULTON,J.P. . TAC M96277. 96/12/13. . 17pp. 91131:246-91131:262.

**9612170435** Forwards documentation from American Medical Laboratories re deviation of urine specimen.
HEARSE,A.L. FRAMATOME. 96/12/10. Document Control Branch (Document Control Desk). 4pp. 91132:356-91132:360.

**9612180150** Forwards WCAP-14756, "Aging Mgt Evaluation for PWR Containment Structure."
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-96-103. 96/12/11. Document Control Branch (Document Control Desk). 3pp. 91152:112-91153:017.

**9612180193** Submits amend 25 to TR NEDE-24011-P-A on cycle-specific safety limit MCPR.Encl withheld per 10CFR2.790.
REDA,R.J. General Electric Co. RJR-96-133. 96/12/13. COLLINS,T.E. Document Control Branch (Document Control Desk). 6pp. 91164:061-91164:066.

**9612180248** Submits twenty-two copies of TR NEDC-32601P, "Methodology & Uncertainties for SL MCPR Evaluations." Rept withheld per 10CFR2.790.
REDA,R.J. General Electric Co. MFN-185-96. 96/12/13. COLLINS,T.E. Document Control Branch (Document Control Desk). 6pp. 91164:055-91164:060.

**9612190076** Submits GE Svcs Info Ltr SIL No 605 on "Jet Pump Riser Pipe Cracking," to keep NRC informed of related industry activities.
DYLE,R. Southern Nuclear Operating Co. DYLE,R. Affiliation Not Assigned. 96-735. 96/12/13. CARPENTER,C.E. Document Control Branch (Document Control Desk). 4pp. 91191:290-91191:293.

**9612190216** Forwards revised info re status of regulatory treatment of nonsafety systems.Westinghouse submitted WCAP-13856, providing results of application of probabilistic & deterministic evaluation to AP600.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4867. 96/12/09. Document Control Branch (Document Control Desk). 6pp. 91184:316-91184:321.

**9612190405** Advises that encl 1 to presentation matl on ABB-CE ECCS safety analysis app K & realistic evaluation models,for meeting held between NRC & ABB-CE on 960123 will be withheld from public disclosure,per 10CFR2.790.
MAGRUDER,S.L. . 96/12/12. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 91137:059-91137:062.

**9612190416** Forwards "AP600 Test Program Overview," per ACRS request.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4901. 96/12/06. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 91165:001-91165:354.

--**9612190418** WCAP-14772 "AP600 Test Program Overview."
PIPLICA,E.J., BUTLER,J., MCINTYRE,B. Westinghouse Electric Corp. 96/10/31. 352pp. 91165:002-91165:354.

**9612200288** Forwards proprietary & non-proprietary Rev 0 to NET-109-01-NP & Rev 0 to NET-109-01-P, "Topical Rept Benchmarking of NODE-P2 for Calculating Core Operating Characteristics of Indian..." Proprietary rept withheld.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/12/11. Document Control Branch (Document Control Desk). 2pp. 91209:001-91209:050.

**--9612200291** NET-109-01-NP R00 Non-proprietary "Topical Rept Benchmarking of NODE-P2 for Calculating Core Operating Characteristics of Indian Point Unit 2."
HARRIS,M. Consolidated Edison Co. of New York, Inc. 96/11/07. 48pp. 91209:004-91209:050.

**9612230270** Forwards RAI re ABB CE ltr LD-96-017,dtd 960523,submitting CENPD-127,Supplement 2-P, "Calculative Methods for ABB CE Small Break LOCA Evaluation Model," for staff review. Submittal & RAI withheld from public disclosure.
MAGRUDER,S.L. . 96/12/18. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 91201:036-91201:037.

**9612240201** Forwards proprietary BWRVIP response to NRC request for addl info transmitted by NRC ltr dtd 960521 re safety assessment of BWR reactor internals (BWRVIP-06).Encl withheld.
DYLE,R. Southern Nuclear Operating Co. DYLE,R. Affiliation Not Assigned. 96-751. 96/12/20. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. 91210:299-91210:299.

**9612260112** Forwards SER re 950425 ltr submitting topical rept TR-087, rev 0, "TMI-1 Core Thermal-Hydraulic Methodology Using VIPRE-01 Computer Code."
NORRIS,J.A. . TAC M92168. 96/12/19. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 91201:074-91201:080.

**--9612260121** Safety evaluation relating to review of Topical rept TR-87, rev 0, "TMI-1 Core Thermal-Hydraulic Methodology Using VIPRE -01 Computer Code."
* . 96/10/21. 4pp. 91201:077-91201:080.

**9612260255** Requests extension for submitting revised TR WCAP-12945 to satisfy documentation commitments made to NRC.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4919. 96/12/18. ORR,F.R. Document Control Branch (Document Control Desk). 2pp. 91235:339-91235:340.

**9612260270** Forwards non-proprietary & proprietary versions of overheads presented by Siemens Power Corp during mtg w/NRC on 961212 re RCCA insertion problems encountered w/some W designated fuel & how design process should address concerns.
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:96:076. 96/12/12. . 55pp. 91233:200-91233:254.

**9612270004** Forwards proprietary WCAP-14807,rev 0, "NOTRUMP Final Validation Rept for AP600," Vols 1 & 2.Rept withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4920. 96/12/18. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 91258:307-91258:317.

**--9612270005** Requests that Rev 0 to WCAP-14807, "NOTRUMP Final Validation Rept for AP600," be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-96-1052. 96/12/18. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 91258:311-91258:317.

**9612300115** Forwards "App C,BWR Core Spray Internals Demonstration of Compliance w/Technical Infor Requirements of License Renewal Rule (10CFR54.21)" & "Flaw Evaluation Guidelines (BWRVIP-18)." Encl withheld.
DYLE,R. Southern Nuclear Operating Co. 96-752. 96/12/20. CARPENTER,C.E. Document Control Branch (Document Control Desk). 2pp. 91262:110-91262:111.

**9612300129** Forwards proprietary & non-proprietary version of Framatome Cogema Fuels matl on control rod insertion problems presented to NRC on 961218.Affidavit encl.
TAYLOR,J.H. FRAMATOME. JHT/96-86. 96/12/16. Document Control Branch (Document Control Desk). 77pp. 91262:112-91262:188.

**9612310052** Summary of 961119-20 meeting w/EPRI & Utility Generic PLC Qualification Group in Rockville,MD re qualification of programmable logic controllers.
MCKENNA,E. . 96/12/23. MATTHEWS,D.B. . 88pp. 91242:206-91242:293.

**9612310083** Discusses 961216 ltr forwarding Rev 8 to B&W Owners Group Emergency Operating Procedures Technical Bases Document, "Generic Emergency Operating Guidelines."
STALLARD,A.R. Duke Power Co. 96/12/30. LYON,W.C. . 1p. 91239:003-91239:003.

**--9612310074** Forwards Volumes 1,2 & 3 of B&W Owners Group Emergency Operating Procedures Technical Bases Document, "Generic Emergency Operating Guidelines."
STALLARD,A.R. Babcock & Wilcox Operating Plants Owners Group. TAC M54946. 96/12/16. LYON,W. . 1p. 91239:001-91242:011.

**--9612310085** Rev 8 to B&W Owners Group Emergency Operating Procedures Technical Bases Document, "Generic Emergency Operating Guidelines."
* FRAMATOME. 96/11/01. 1,099pp. 91239:004-91242:011.

**9612310170** Responds to NRC request to update submittal ltr dtd 950804 redefining repair boundary for parent tube behind HEJ sleeve.WCAP-14641 & revised TSs encl.
FITZPATRICK,E. American Electric Power Co., Inc. AEP:NRC:1129M. 96/12/20. Document Control Branch (Document Control Desk). 12pp. 91249:138-91249:205.

**WASTE MGT NUCLEAR WASTE MANAGEMENT**

**9612020091** "Performance Assessment Methodology Development,LLW Disposal Safety Assessment."
DAVIS,P.A. Sandia National Laboratories. FIN A-1764. 96/11/15. DEMARCO,D.A. . 7pp. 91003:017-91003:023.

**9612030250** Verifies corrective action & closure of DR YM-96-D-083 resulting from OQA Audit YM-ARC-96-18 of Sandia National Labs.
HORTON,D.G. Energy, Dept. of. HLWR. 96/11/25. FOUST,L.D. TRW Environmental Safety Systems, Inc. 11pp. 91050:033-91050:043.

**9612030253** Forwards DR YM-97-D-007 resulting from OQA Supplier Audit OQA-97-SA-004 of Energy Steel & Supply Co.
HORTON,D.G. Energy, Dept. of. HLWR. 96/11/26. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 91050:044-91050:048.

**9612030260** Informs that staff has evaluated response to DR YM-96-D-103 & determined response unsatisfactory due to info needed to complete corrective action & to address submission of Borehole Completion Repts by CRWMS M&O Contractor.
HORTON,D.G. Energy, Dept. of. HLWR. 96/11/26. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 91050:054-91050:058.

**9612030266** Informs that staff has evaluated response to DR YM-97-D-001 & determined response unsatisfactory for listed reasons.
HORTON,D.G. Energy, Dept. of. HLWR. 96/11/27. FOUST,L.D. TRW Environmental Safety Systems, Inc. 4pp. 91050:059-91050:062.

**9612030293** Submits amended response & notice of completion for DR YMQAD-96-D031.
BARNES,W.E. Energy, Dept. of. HLWR. 96/11/25. HORTON,D.G., SULT,D.G. Energy, Dept. of. 2pp. 91049:358-91049:359.

**9612040074** Forwards surveillance record YM-SR-97-03,resulting from OQA surveillance of SNL on 961119.
HORTON,D.G. Energy, Dept. of. HLWR. 96/11/26. FOUST,L.D. TRW Environmental Safety Systems, Inc. 3pp. 91126:277-91126:279.

**9612040200** Forwards "Rept of Inclusion Survey at Location FC00031 Bargmann Tract Karnes County,TX."
WOODWORTH,L.A. Energy, Dept. of. 96/11/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91060:001-91060:055.

**--9612040202** "Rept of Inclusion Survey at Location FC00031 Bargmann Tract Karnes County,TX."
FOSTER,D.S., JENSEN,M.K., JONES,A.R. Oak Ridge National Laboratory. 96/09/30. 53pp. 91060:002-91060:055.

**9612050003** Notification of 961216 technical meeting w/NRC & DOE in Rockville,MD to discuss items re ESF.
LEE,M.P. Division of Waste Management (NMSS 940403). HLWR. 96/12/02. AUSTIN,J.H. Division of Waste Management (NMSS 940403). 6pp. 91126:305-91126:310.

**9612050051** Forwards certification rept Ambrosia Lake,NM UMTRA disposal site.Info included in rept,listed.
ABRAMS,M.F. Energy, Dept. of. 96/11/22. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 11pp. 91041:001-91043:225.

**--9612050052** Vol 6B,App B to "Final Completion Rept,Ambrosia Lake,NM."
* Energy, Dept. of. 96/08/31. 942pp. 91041:012-91043:225.

**9612060190** Forwards Project Interface Documents 06-S-50 & 06-S-51 modifying specification 02278 of subcontract documents found in Rifle Remedial Action Plan.
ARP,S.J. Energy, Dept. of. 96/11/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 28pp. 91044:182-91044:212.

**9612100002** Informs that staff has evaluated responses to DR YM-96-D-094 and PR YM-96-P-032 & determined responses to be satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/03. CRAIG,R.W. Interior, Dept. of, Geological Survey. 5pp. 91134:154-91134:158.

**9612100003** Informs that corrective action to encl DR YM-96-D-037 have been verified & determined results to be satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/02. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 91134:159-91134:166.

**9612100004** Forwards Audit Rept SNL-ARP-97-02 of Sandia National Laboratories in Albuquerque,NM,performed 961028-31.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/02. FOUST,L.D. TRW Environmental Safety Systems, Inc. 3pp. 91134:167-91134:183.

**--9612100005** SNL-ARP-97-02 "US DOE OCRWM Ofc of QA Audit Rept of CRWMS Management & Operating Contractor at Sandia National Laboratories, Albuquerque,NM conducted 961028-31."
HODGES,K.A., HORTON,D.G. Energy, Dept. of. HLWR. 96/11/25. 14pp. 91134:170-91134:183.

**9612100012** Forwards Issuance of DR YM-97-D-008 & PR YM-97-P-001 resulting from OQA Audit USGS-ARP-97-03 of US Bureau of Reclamation.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/02. CRAIG,R.W. Interior, Dept. of, Geological Survey. 6pp. 91134:214-91134:219.

**9612100089** Forwards US DOE OCRWM OQA supplier audit OQA-SA-97-004 of Energy Steel & Supply Co.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/04. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 91127:059-91127:064.

**--9612100095** OQA-SA-97-004 "US DOE OCRWM Ofc of QA Supplier Audit Rept of Energy Steel & Supply Co in Auburn Hills,MI conducted 961112-13."
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 96/11/25. 4pp. 91127:061-91127:064.

**9612100193** Informs that evaluation of verification info for CAR YM-96-C-004 complete & surveillance scheduled for week of 961209 to verify completion of outstanding CAs.Draft YMP USGS-QMP-4.01,R8 & QMP-7.04,R3 encl.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/02. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 91134:234-91134:283.

**--9612100201** YMP-USGS-QMP-4.01 R8 Draft of Chapter 4,Section I, "Administrative Operations & Procurement - Procurement Document Control/Receipt of Procurements."
* Energy, Dept. of. 96/07/19. 22pp. 91134:236-91134:257.

**--9612100206** YMP-USGS-QMP-7.04 R3 Draft of Chapter 7,Section 4, "Control of Purchased Svcs- Supplier Evaluation."
* Energy, Dept. of. HLWR. 96/07/19. 26pp. 91134:258-91134:283.

**9612110019** Forwards "Mod 2 to Remedial Action Plan & Site Design for Stabilization of Inactive U Mill Tailings Site at Green River,UT" & responses to open issues from NRC 960703 TER on Sept 1995 groundwater protection strategy,app E.
ABRAMS,M.F. Energy, Dept. of. 96/12/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 91078:001-91079:007.

--**9612110029** DOE/AL/62350-050510. "Mod 2 to Remedial Action Plan & Site Design Stabilization of Inactive U Mill Tailings Site at Green River,UT," final rept.
* Jacobs Engineering Group, Inc. 96/11/30. 361pp. 91078:011-91079:007.

**9612110287** Forwards four sets of pp changes for "Final Long Term Surveillance Plan for Falls City,Disposal Site,Falls City, TX.Comment & response document,encl.
WOODWORTH,L.A. Energy, Dept. of. 96/12/11. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 91089:247-91089:300.

--**9612110290** Rev 1 to "Comment & Response Document for Long-Term Surveillance Plan for Falls City Disposal Site,Falls City, TX."
* Jacobs Engineering Group, Inc. 96/11/30. 11pp. 91089:248-91089:257.

--**9612110291** Rev 2 to "Long-Term Surveillance Plan for Falls City, Disposal Site,Falls City,TX."
* Jacobs Engineering Group, Inc. 96/11/30. 43pp. 91089:258-91089:300.

**9612110289** Accepts response to encl deficiency rept YM-96-D-098 resulting from QA audit HQ-ARC-06-003.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/05. BARNES,W.E. Energy, Dept. of. 3pp. 91151:162-91151:164.

**9612110313** Requests amended responses to DRs YM-96-D-099 & YM-96-D-102 showing projected dates by which corrective actions will be completed.
HORTON,D.G. Energy, Dept. of. HLWR. 96/11/27. BARNES,W.E., COMPTON,J.R. Energy, Dept. of. 6pp. 91151:174-91151:179.

**9612110410** Summary of 961115 meeting w/NRC & DOE to discuss closure & post-closure issues for sites.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/06. WILLIAMS,D. Environmental Protection Agency. 9pp. 91081:266-91081:274.

**9612120001** Forwards DRs YM-97-D-012 through YM-97-D0914 & PR PR YM-97-P-002 resulting from OQA audit K/PB-ARC-97-06.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/05. FOUST,L.D. TRW Environmental Safety Systems, Inc. 10pp. 91163:013-91163:022.

**9612120009** Forwards results of violations of license conditions cited at uranium recovery facilities regulated by Agreement States & facilities regulated by NRC.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/12/02. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 3pp. 91088:358-91088:360.

**9612170151** Accepts CNWRA major milestone:NRC High-Level Radwaste Program--Annual Progress Rept,FY96.Staff accepts 10 major milestones listed in attachment.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). HLWR. 96/12/12. MEEHAN,B.D. Division of Contracts (Post 940714). 1p. 91163:249-91163:250.

**9612170219** Informs of completion of review Vicinity Property Completion Rept for Mexican Hat,UT Vicinity Property MH-024 submitted by 960729 ltr.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/13. SENA,R. Energy, Dept. of. 2pp. 91140:282-91140:283.

**9612170314** Informs supervisory & mgt changes within LLW & Decommissioning Projects Branch in Divsion of Waste Mgt.
NALLUSWAMI,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/12/05. ODEAL,E.J. Northeast Ohio Regional Sewer District. 3pp. 91140:247-91140:249.

**9612170317** Summary of 961106 meeting w/SCA Svcs Inc on decommissioning of Hartley & Hartley Landfill.
PARROTT,J. Office of Nuclear Material Safety & Safeguards. 96/12/03. HICKEY,J.W., JOHNSON,J.C., BELL,L.G. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. 91140:250-91140:255.

**9612170380** Forwards addl info re 960827 staff requirements memo from uranium recovery program briefing.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/25. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 5pp. 91140:214-91140:218.

**9612180089** Forwards page changes to Grand Junction Climax Mill Site Completion Rept.
PAPE,J.M. Energy, Dept. of. 96/12/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 67pp. 91153:018-91153:084.

**9612180132** Forwards two copies of suppl stds application for Slick Rock,CO site gas line right-of-way.
PAPE,J.M. Energy, Dept. of. 96/12/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 48pp. 91162:195-91162:283.

**9612180176** Forwards "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Annual Summary of OCRWM & Other Affected Organizations QA Programs for FY96."
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/12. DREYFUS,D.A. Energy, Dept. of. 2pp. 91180:263-91180:290.

--**9612180182** "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Annual Summary of OCRWM & Other Affected Organizations QA Programs for FY96."
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/12. 26pp. 91180:265-91180:290.

**9612200026** Informs that staff has reviewed draft of Long-Term Surveillance Plan (LTSP) for South Clive disposal site & that repair work must be completed on rock cover before acceptance of final LTSP.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/17. SENA,R. Energy, Dept. of. 1p. 91192:306-91192:306.

**9612200226** Forwards rept of OCRWM QA Audit K/PB-ARC-97-06.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/13. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 91201:020-91201:032.

--**9612200229** K/PB-ARC-97-06 "US DOE OCRWM Audit Rept of CRWMS M&O Contractor at Kiewit/ Parsons Brinckerhoff Las Vegas,NV conducted 961118-22."
AUER,P.V., HORTON,D.G. Energy, Dept. of. HLWR. 96/12/05. 11pp. 91201:022-91201:032.

**9612260051** Provides statutory requirements for transfer of title & custody to byproduct matl & land used for disposal of byproduct matl from U mill licensee to Federal or State control.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/27. PAULSON,O., MASSEY,B.A. Kennecott Corp. 6pp. 91229:321-91229:348.

--**9612260060** Rev 0 to "Guidance to NRC Staff on License Termination Process for Conventional U Mill Licensee."
* High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/12/31. 22pp.. 91229:323-91229:348.

**9612260065** Informs that response to deficiency rept YM-97-D-004 determined to be satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/16. CRAIG,R.W. Interior, Dept. of, Geological Survey. 5pp. 91242:111-91242:115.

**9612260072** "Performance Assessment Methodology Development,LLW Disposal Safety Assessment," monthly ltr status rept for Nov 1996.
DAVIS,P.A. Sandia National Laboratories. FIN A-1764. 96/12/15. DEMARCO,D.A. . 7pp. 91235:343-91235:349.

**9612260104** Advises that extension date of 961213 acceptable to Ofc of QA re DR YM-96-D-080.
HORTON,D.G. Energy, Dept. of. HLWR. 96/12/17. FOUST,L.D. TRW Environmental Safety Systems, Inc. 1p. 91226:301-91226:301.

**9612260307** Forwards summary of 960701 quarterly mgt meeting between NRC & DOE in Washington,DC to discuss total sys performance assessment (TSPA) technical exchange.
AUSTIN,J.H. Division of Waste Management (NMSS 940403). HLWR. 96/12/18. MILNER,R.A. Energy, Dept. of. 4pp. 91250:261-91250:312.

--**9612260310** Summary of 960701 quarterly mgt meeting between NRC & DOE in Washington,DC to discuss total sys performance assessment (TSPA) technical exchange.
WASTLER,S. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). BUNTON,P. Energy, Dept. of. HLWR. 96/07/01. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 47pp. 91250:265-91250:312.

**9612270152** Submits "US NRC On-Site Licensing Representative Rept OR-96-11 for Reporting Period of 961130."
BELKE,W.L. NRC - No Detailed Affiliation Given. HLWR. 96/12/12. AUSTIN,J.H. Division of Waste Management (NMSS 940403). 4pp. 91266:210-91266:229.

--**9612270154** OR-96-11 "US NRC On-Site Licensing Representative Rept OR-96-11 for Reporting Period of 961130."
BELKE,W.L., GLENN,C.J., THOMA,J.O. Division of Waste Management (NMSS 940403). HLWR. 96/11/30. 16pp. 91266:214-91266:229.

**9612300024** Informs of closure of satisfactory commitment re completion of data collection from boreholes NRG-6 & 7a.
BROCOUM,S.J. Energy, Dept. of. HLWR. 96/12/18. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 2pp. 91274:015-91274:016.

**9612300046** Forwards review re 961118-20 monitoring visit to DOE site to review activities of West Valley Nuclear Svcs Co,Inc.Details of review & individuals contacted during visit encl.
BELLAMY,R.R. Region 1 (Post 820201). 96/12/13. ROWLAND,T. Energy, Dept. of. 7pp. 91233:123-91233:129.

## XPORTLIC EXPORT AND IMPORT LICENSES

**9612030246** Amend 2 to license for Edlow Intl Co to export 500,000 kgs natural U in form of U ore concentrate to Canada.
HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 96/12/02. 1p. 91001:100-91001:100.

**9612050061** Submits advance notification of export shipment of special nuclear matl of low strategic significance (category III) not to exceed 254.640 kgs U-235 contained in 6875.0 kgs of U enriched not exceeding 5% in form of UO2 to Cadiz,Spain.
HOLDEN,D.W. General Electric Co. SPN-52269-F. 96/11/13. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91013:110-91013:111.

**9612050071** Submits advance notification of shipment of 576 drums of U 308 in ocean containers to Detroit/Windsor.
HEHR,W. Affiliation Not Assigned. 1096-763. 96/10/28. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91013:152-91013:153.

**9612100026** Amend 2 to license XCOM-1096,increasing quantity of incore detector components authorized for export from 3,500 to 7,000.
HAUBER,R. Office of International Programs (Post 911117). 96/09/20. 1p. 91049:275-91049:275.

**9612100038** Forwards application for export license XSNM-2952 for export of low enriched U to Japan for use as reload fuel.Assurances from govt of Japan required that matl will be subj to all terms & conditions.
HAUBER,R.D. Office of International Programs (Post 911117). 96/12/06. DELABARRE,R. State, Dept. of. 1p. 91049:271-91049:274.

**9612120031** Forwards repts listing all NRC export & import cases completed,received or pending during Nov 1996.
HAUBER,R.D. Office of International Programs (Post 911117). 96/12/09. DELABARRE,R. State, Dept. of. 5pp. 91092:071-91092:079.

**9612120043** Forwards ltr dtd 961203 from Mitsubishi International Corporation providing addl info re export license application XSNM02952.Requests consideration of this info along w/ original application forwarded on 961206.
HAUBER,R.D. Office of International Programs (Post 911117). 96/12/10. DELABARRE,R. State, Dept. of. 1p. 91072:359-91072:360.

--**9612120048** Informs of change in delivery date of enriched UF6 for Kansai Electric Power Co.Date changed to Mar 1997.
BURGHARDT,P. Mitsubishi International Corp. 96/12/03. WRIGHT,B. Office of International Programs (Post 911117). 1p. 91072:360-91072:360.

**9612120051** Requests that license XSNM-2814 be extended thru 981231 & licensee title be changed.
BISSEGGER,J. Energy, Dept. of. 96/12/05. WRIGHT,B. Office of International Programs (Post 911117). 1p. 91075:141-91075:141.

**9612130077** Forwards 961126 ltr from ABB Combustion Engineering re pending export license applications for XR-162,XR-163 & XSNM-2642 for South Korea.Status of subj applications requested.
HAUBER,R.D. Office of International Programs (Post 911117). 96/12/11. DELABARRE,R. State, Dept. of. 1p. 91093:342-91093:343.

**--9612130099** Advises that ABB-CE entered into contracts w/KEPCO & allied Korean entities to supply two nuclear utilization facilities on 950504.Conformation on status of pending applications requested.
PAGGEN,V. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). LD-96-056. 96/11/26. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 91093:343-91093:343.

**9612130087** Submits advance notification of import shipment of 1984 nuclear fuel rods in form of U02 packed in 32 USA/4986/AF packages w/total of 167.697 kgs U-235 contained in 5,571.809 kgs of U-enriched not exceeding 4.0% U-235.
HOLDEN,D.W. General Electric Co. GER-7599. 96/11/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 91083:184-91083:186.

**9612130097** Submits advance notification of import shipment of 216 drums of U3O8 in 6 x 20 ft ocean containers.Total wt 99,900 kgs.
HEHR,W. . 1196-770. 96/11/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91083:197-91083:198.

**9612160187** Application to amend license XSOU-8748 to reflect listed info.
FISK,R.H. Edlow International Co. 96/12/12. 1p. 91101:122-91101:123.

**9612170079** Forwards application for license to export enriched UF6 to Japan for fabrication of fuel assemblies & requests validity of two years.
BURGHARDT,P.S. Mitsubishi International Corp. HSA-5497-03. 96/12/09. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 91124:197-91124:199.

**--9612170083** Application for license to export enriched UF6 to Japan.
BURGHARDT,P. Mitsubishi International Corp. HSA-5497-03. 96/12/09. 1p. 91124:199-91124:199.

**9612180134** Forwards application for export license XSNM-2955 for export of low-enriched U to Japan for use as reload fuel.Assurances from Govt of Japan required that matl will be subj to all terms & conditions.
HAUBER,R.D. Office of International Programs (Post 911117). 96/12/17. DELABARRE,R. State, Dept. of. 1p. 91132:233-91132:236.

**9612230283** Rev 1 to advance notification of upcoming shipment of U hexafluoride,fissile,gross weignt 36,968 kgs net weight 26,626 kgs UF6,U weight 17,999 kgs U235 weight 892 kgs,UF6 contained in twelve cylinders & PSP's to Lockheed Martin.
* Edlow International Co. USEC-E-24B. 96/11/19. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91166:054-91166:054.

**9612240017** Submits advance notification of export shipment of 14 cylinders of UF6 in sealed overpacks containing 21,560 kgs,U enriched to max 5% weight of U-235.
HEHR,W. . 1096-760. 96/10/28. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91180:173-91180:174.

**9612240032** Submits advance notification of upcoming shipment of U hexafluoride,fissile from Piketon,OH to Korea.
* Edlow International Co. SAMDO-E-28. 96/10/21. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91183:260-91183:260.

**9612240116** Requests that staff change to NRC export license XMAT-388 be effected.Check for listed amount to cover change fee & export license encl.
RORER,D.C. Brookhaven National Laboratory. 96/12/17. HAUBER,R. Office of International Programs (Post 911117). 2pp. 91201:042-91201:044.

**--9612260140** License for Brookhaven Natl Lab to export 136,919 kg of heavy water to Canada.
HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 91/10/23. 1p. 91201:044-91201:044.

**9612260224** Forwards application to export U as U hexafluoride to Japan for use as reload fuel.
FISK,R.H. Edlow International Co. 96/12/20. WRIGHT,B. Office of International Programs (Post 911117). 1p. 91201:250-91201:251.

**--9612260229** Application for license to export UF6 to Japan.
FISK,R.H. Edlow International Co. KLK-115. 96/12/20. 1p. 91201:251-91201:251.

**9612270087** Forwards application for export license XSNM02956 for export of low-enriched U to Japan for use as reload fuel.
HAUBER,R.D. Office of International Programs (Post 911117). 96/12/24. DELABARRE,R. State, Dept. of. 1p. 91211:355-91211:357.

**9612270093** Forwards application for export license XSNM02957 for export of low-enriched U to Japan.Requests assurances from Government of Japan that matl subject to all of terms & conditions of agreement for cooperation.
HAUBER,R.D. Office of International Programs (Post 911117). 96/12/24. DELABARRE,R. State, Dept. of. 1p. 91211:352-91211:354.

**--9612270099** Application for license to export 4,679 Kg UF6 to Japan for use as reload fuel in Genkai Nuclear Power Station.
FISK,R.H. Edlow International Co. KLK-116. 96/12/20. 1p. 91211:353-91211:353.

**--9612270098** Forwards application to export U as UF6 to Japan for use as reload fuel in Genkai Nuclear Power Station & application fee.
FISK,R.H. Edlow International Co. 96/12/20. WRIGHT,B. Office of International Programs (Post 911117). 1p. 91211:354-91211:354.

# PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."


| AUTHOR | ACCESSION NUMBER | SUBJECT CATEGORY |
|---|---|---|
| ABBOTT,R.B. | 9612030198 | 50-220 Q |
| ABDOO,R.A. | 9612200214 | 50-266 H |
| ABELQUIST,E.W. | 9612030058 | 70-734 |
| ABELQUIST,E.W. | 9612030133* | 70-734 |
| ABNEY,T.E. | 9612030136 | 50-259 P |
| ABNEY,T.E. | 9612060095 | 50-259 F |
| ABNEY,T.E. | 9612170365 | 50-259 P |
| ABNEY,T.E. | 9612230176 | 50-259 R |
| ABRAMS,M.F. | 9612050051 | WASTE MGT |
| ABRAMS,M.F. | 9612110019 | WASTE MGT |
| ABRELL,G.A. | 9612160396 | 50-10 R |
| ACHEY,R.J. | 9612300037 | 50-327 Q |
| ACKER,D. | 9612090099 | NRCSA |
| ACKER,D. | 9612090166 | NRCSA |
| ACKER,D. | 9612100289 | NRCSA |
| ADAMS,A. | 9612110330 | NUREG |
| ADAMS,A. | 9612160325 | 50-186 P |
| ADAMS,A. | 9612190292 | 50-264 P |
| ADAMS,G. | 9612180290 | 50-266 S |
| ADAMS,T.D. | 9612130098 | 71-864 |
| ADERHOLD,H. | 9612060075 | 50-97 P |
| ADERHOLD,H. | 9612240222 | 50-97 P |
| ADNEY,R.J. | 9612260291 | 50-327 S |
| ADNEY,R.J. | 9612270141 | 50-327 Q |
| ADNEY,R.J. | 9612310001 | 50-327 S |
| AFFOLTER,R.D. | 9612090271 | 50-483 S |
| AFFOLTER,R.D. | 9612130282 | 50-483 R |
| AFFOLTER,R.D. | 9612160127 | 50-483 S |
| AHN,T.M. | 9612100242 | ORG |
| AHN,T.M. | 9612110153 | NUREG |
| AHN,T.M. | 9612110158 | NUREG |
| AKSENOV,E. | 9612040179 | NUREG |
| AKUS,J.P. | 9612110295* | 50-387 P |
| ALBERS,J.P. | 9612260011* | 50-397 V |
| ALDRICH,R. | 9612060219 | STATE PRO G |
| ALDRICH,R. | 9612300071 | STATE PRO G |
| ALEXION,T.W. | 9612020030 | 50-498 P |
| ALEXION,T.W. | 9612020032* | 50-498 P |
| ALI,S. | 9612200320 | ORG |
| ANDERSON,B.L. | 9612030267 | NUREG |
| ANDERSON,D.J. | 9612120081 | NUREG |
| ANDERSON,M.L. | 9612180107 | 50-305 R |
| ANDERSON,R.O. | 9612040212 | 72-18 |
| ANDERSON,R.O. | 9612160370 | 50-263 R |
| ANDERSON,R.O. | 9612170081 | 50-282 Q |
| ANDREWS,S.J. | 9612240184 | QA999 |
| ANDREWS,V.E. | 9612060121 | 40-8989 |
| ANDREWS,V.E. | 9612090049* | 40-8989 |
| ANTHONY,L. | 9612190059 | NUREG |
| ARONSON,A. | 9612110212 | NUREG |
| ARP,S.J. | 9612060190 | WASTE MGT |
| ARREDONDO,S.A. | 9612030289 | NUREG |
| ASMUSSEN,K.E. | 9612160388 | 70-734 |
| ASMUSSEN,K.E. | 9612240151 | 50-89 P |
| ASTWOOD,H. | 9612050002 | 70-3085 |
| AUER,P.V. | 9612200229* | WASTE MGT |
| AURIA,F.D. | 9612110160 | NUREG |
| AUSTIN,J.H. | 9612260307 | WASTE MGT |
| BACHMANN,R.G. | 9612130079 | 50-219 G |
| BACHMANN,R.G. | 9612260054 | 70-3070 |
| BACHMANN,R.G. | 9612260082 | 50-219 G |
| BAER,J.W. | 9612110352* | 50-443 F |
| BAER,J.W. | 9612200064 | 50-443 F |
| BAILEY,S.J. | 9612180070 | 50-309 R |
| BAJWA,S.S. | 9612020118* | 50-333 P |
| BAJWA,S.S. | 9612120286 | 50-286 P |
| BAJWA,S.S. | 9612160341* | 50-410 P |
| BAJWA,S.S. | 9612170261* | 50-220 P |
| BAKAS,J. | 9612020228 | 50-373 S |
| BAKER,R.L. | 9612120142* | 50-498 P |
| BALLINGER,P.L. | 9612190177 | 50-298 R |
| BANG,Y.S. | 9612040171 | NUREG |
| BANGART,R. | 9612270047* | COMMISSION |
| BANGART,R.L. | 9612060149 | STATE PRO G |
| BANGART,R.L. | 9612060160 | STATE PRO G |
| BANGART,R.L. | 9612060228 | STATE PRO G |
| BANGART,R.L. | 9612060236 | STATE PRO G |
| BANGART,R.L. | 9612060259 | ORG |
| BANGART,R.L. | 9612200216 | STATE PRO G |
| BANGART,R.L. | 9612200232 | STATE PRO G |
| BANGART,R.L. | 9612200234 | ORG |
| BANGART,R.L. | 9612260147 | STATE PRO G |
| BANGART,R.L. | 9612260301 | STATE PRO G |
| BANGART,R.L. | 9612300003 | STATE PRO G |
| BANGART,R.L. | 9612300094 | STATE PRO G |
| BANTA,M.G. | 9612160248 | PR |
| BARBARETTA,M. | 9612030204 | 50-219 S |
| BARCHI,T. | 9612120045 | NUREG |
| BARKLEY,R. | 9612130294 | 50-247 S |
| BARKLEY,R. | 9612180277 | 50-286 S |
| BARKLEY,R. | 9612230100 | 50-286 S |
| BARNES,K. | 9612190287* | 50-255 H |
| BARNES,W.E. | 9612030293 | WASTE MGT |
| BARON,R.R. | 9612030211 | 50-259 F |
| BARON,R.R. | 9612040002 | 50-259 F |
| BARON,R.R. | 9612090309 | 50-259 F |
| BARR,K.P. | 9612020134 | 50-269 Q |
| BARR,K.P. | 9612020144 | 50-348 Q |
| BARR,K.P. | 9612170387 | 50-302 Q |
| BARRETT,R.C. | 9612120503* | COMMISSION |
| BARRON,H.B. | 9612240073 | 50-369 P |
| BARRON,H.B. | 9612240083 | 50-269 P |
| BARRY,J.J. | 9612160244 | PR |
| BARTOS,J.A. | 9612110295* | 50-387 P |
| BASS,B.R. | 9612030256 | NUREG |
| BASSETT,R.L. | 9612030275 | NUREG |
| BASSETT,R.L. | 9612030279 | NUREG |
| BATEMAN,W.H. | 9612120405 | 50-206 H |
| BAUSCH,C. | 9612160281 | STATE PRO G |
| BAXLEY,R.A. | 9612130235 | 50-352 R |
| BAYLOR,R.G. | 9612120478* | COMMISSION |
| BEACH,A.B. | 9612060024 | 50-461 Q |
| BEACH,A.B. | 9612090377 | 50-266 Q |
| BEACH,A.B. | 9612160057 | 50-254 Q |
| BEARD,P.M. | 9612030284 | 50-302 Q |
| BEARD,P.M. | 9612040134 | 50-302 Q |
| BEARD,P.M. | 9612060050* | 50-302 P |
| BEARD,P.M. | 9612130147 | 50-302 Q |
| BEARD,P.M. | 9612160312 | 50-302 P |
| BEARD,P.M. | 9612170161 | 50-302 Q |
| BEARD,P.M. | 9612240086 | 50-302 P |
| BEARD,P.M. | 9612240286 | 50-302 P |
| BEARD,P.M. | 9612240291* | 50-302 P |
| BEARD,P.M. | 9612260304 | 50-302 Q |
| BEARD,P.M. | 9612270039 | 50-302 S |
| BEARD,P.M. | 9612300060 | 50-302 Q |
| BEARD,P.M. | 9612300127 | 50-302 Q |
| BEARD,R.M. | 9612180138 | 50-321 R |
| BEARDSLEE,C. | 9612170198 | PROJ |
| BECHHOEFER,C. | 9612130036 | 72-18 |
| BECHHOEFER,C. | 9612130037 | 72-18 |
| BECHHOEFER,C. | 9612260063 | 72-18 |
| BECHTEL,D. | 9612100251 | NRCSA |
| BECHTEL,D. | 9612110005 | NRCSA |
| BECHTEL,D. | 9612110007 | NRCSA |
| BECHTEL,D. | 9612110023 | NRCSA |
| BECKHAM,J.T. | 9612020131 | TOPREP |
| BECKHAM,J.T. | 9612020131 | TOPREP |
| BECKHAM,J.T. | 9612090339 | 50-321 Q |
| BECKHAM,J.T. | 9612090394 | 50-366 P |
| BECKHAM,J.T. | 9612090399 | 50-321 Q |
| BECKHAM,J.T. | 9612100007 | 50-321 S |
| BECKHAM,J.T. | 9612170375 | 50-321 S |
| BECKHAM,J.T. | 9612170449 | 50-321 P |
| BECKHAM,J.T. | 9612180138 | 50-321 R |
| BECKHAM,J.T. | 9612180190 | 50-321 S |
| BECKHAM,J.T. | 9612200176 | 50-321 F |
| BECKHAM,J.T. | 9612200242 | 50-321 P |
| BECKHAM,J.T. | 9612230359 | 50-321 Q |
| BECKHAM,J.T. | 9612240050 | 50-321 Q |
| BECKHAM,J.T. | 9612260206 | 50-321 P |
| BECKHAM,J.T. | 9612260221 | 50-321 S |
| BECKHAM,J.T. | 9612260230 | 50-321 Q |
| BECKHAM,J.T. | 9612260244 | 50-321 P |
| BECKHAM,J.T. | 9612310066 | 50-321 P |
| BECKNER,W. | 9612160386 | 50-313 Q |
| BECKNER,W.D. | 9612020142 | 50-498 P |
| BECKNER,W.D. | 9612120281 | 50-498 P |
| BECKNER,W.D. | 9612170010 | 50-498 P |
| BEEDLE,R.E. | 9612160335 | REGGD |
| BEELER,S.M. | 9612020070 | 27-48 |
| BEELER,S.M. | 9612020071* | 27-48 |
| BEELER,S.M. | 9612020074* | 27-48 |
| BEELER,S.M. | 9612020076* | 27-48 |
| BEELER,S.M. | 9612020079* | 27-48 |
| BEELER,S.M. | 9612020082* | 27-48 |
| BEELER,S.M. | 9612020085* | 27-48 |
| BEELER,S.M. | 9612020088* | 27-48 |
| BELISLE,G.A. | 9612020145 | 50-280 Q |
| BELISLE,G.A. | 9612030197 | 50-395 Q |
| BELISLE,G.A. | 9612060252 | 50-395 Q |
| BELISLE,G.A. | 9612060336 | 50-338 Q |
| BELISLE,G.A. | 9612170285 | MISC |
| BELISLE,G.A. | 9612170360 | 50-280 Q |
| BELISLE,G.A. | 9612170372 | 50-280 Q |
| BELISLE,G.A. | 9612170390 | 50-338 Q |
| BELISLE,G.A. | 9612170416 | 50-338 Q |
| BELISLE,G.A. | 9612170426 | 50-338 P |
| BELISLE,G.A. | 9612240107 | 50-280 Q |
| BELKE,W.L. | 9612270152 | WASTE MGT |
| BELKE,W.L. | 9612270154* | WASTE MGT |
| BELL,M.J. | 9612100259 | PR |
| BELL,M.J. | 9612170300 | ORG |
| BELL,W.H. | 9612160405 | 50-395 R |
| BELLAMY,R. | 9612120269 | 70-1100 |
| BELLAMY,R. | 9612120284* | 70-1100 |
| BELLAMY,R.R. | 9612030050 | 70-***** |
| BELLAMY,R.R. | 9612030054* | 70-***** |
| BELLAMY,R.R. | 9612030061 | 40-8794 |

| AUTHOR | ACCESSION NUMBER | SUBJECT CATEGORY |
|---|---|---|
| BELLAMY,R.R. | 9612030139 | 40-8794 |
| BELLAMY,R.R. | 9612030149* | 40-8794 |
| BELLAMY,R.R. | 9612060346 | 40-***** |
| BELLAMY,R.R. | 9612170253 | 40-8778 |
| BELLAMY,R.R. | 9612170258* | 40-8778 |
| BELLAMY,R.R. | 9612240197* | STATE PRO G |
| BELLAMY,R.R. | 9612300033 | 40-***** |
| BELLAMY,R.R. | 9612300046 | WASTE MGT |
| BELLAMY,R.R. | 9612300061 | 70-139 |
| BELLAMY,R.R. | 9612300063* | 70-139 |
| BELLAMY-GRAHAM | 9612040006 | CONTRACT |
| BEMIS,P.R. | 9612030239 | 50-397 P |
| BEMIS,P.R. | 9612110280 | 50-397 P |
| BEMIS,P.R. | 9612130247 | 50-397 Q |
| BEMIS,P.R. | 9612180074 | 50-397 P |
| BEMIS,P.R. | 9612260193 | 50-397 P |
| BEMIS,P.R. | 9612270153 | 50-397 S |
| BENKEN,E.J. | 9612020035 | 50-335 S |
| BENKEN,E.J. | 9612020208 | 50-335 S |
| BENKEN,E.J. | 9612260012 | 50-389 S |
| BERG,W.L. | 9612260118 | 50-409 W |
| BERG,W.L. | 9612310075* | 50-409 F |
| BERGH,N. | 9612160189* | 50-245 P |
| BERKOW,H. | 9612090124 | ORG |
| BERKOW,H.N. | 9612020101 | 50-424 P |
| BERKOW,H.N. | 9612160298 | 50-269 Q |
| BERKOW,H.N. | 9612160317* | 50-369 P |
| BERKOW,H.N. | 9612230186 | 50-348 Q |
| BEZILLA,M. | 9612020040 | 50-354 P |
| BEZILLA,M. | 9612040118 | 50-354 S |
| BEZILLA,M. | 9612050091 | 50-354 S |
| BEZILLA,M. | 9612120493 | 50-354 S |
| BEZILLA,M. | 9612130028 | 50-354 S |
| BEZILLA,M. | 9612130257 | 50-354 S |
| BEZILLA,M.B. | 9612030047 | 50-354 S |
| BHALLA,N. | 9612130049 | 70-2792 |
| BHATTACHARYA,B. | 9612160327 | NUREG |
| BHATTACHARYYA | 9612120310* | NRCSA |
| BIES,M.A. | 9612090254 | 50-454 V |
| BINGAMAN,J. | 9612100243 | NRCSA |
| BIRMINGHAM,G.S. | 9612160354* | 50-387 F |
| BIRMINGHAM,J.L. | 9612020201 | PROJ |
| BIRMINGHAM,J.L. | 9612090059 | ORG |
| BIRMINGHAM,J.L. | 9612110373 | TOPREP |
| BISHOP,D.R. | 9612090052 | PROJ |
| BISHOP,J.V. | 9612240085 | NUREG |
| BISHOP,R.W. | 9612050030 | PR |
| BISHOP,R.W. | 9612160280 | NUREG |
| BISHOP,R.W. | 9612230058 | PR |
| BISSEGGER,J. | 9612120051 | XPORTLIC |
| BLAHA,J.L. | 9612040277 | COMMISSIO N |
| BLAHA,J.L. | 9612110194 | COMMISSIO N |
| BLAHA,J.L. | 9612170316 | COMMISSIO N |
| BLAHA,J.L. | 9612230115 | COMMISSIO N |
| BLANCH,P. | 9612120335* | 50-245 H |
| BLANCH,P.M. | 9612120096* | ORG |
| BLANCH,P.M. | 9612120100* | ORG |
| BLANCH,P.M. | 9612120103* | ORG |
| BLANCH,P.M. | 9612120104* | 50-309 H |
| BLANCH,P.M. | 9612120134* | ORG |
| BLANCH,P.M. | 9612120143* | 50-309 H |
| BLANCH,P.M. | 9612120150* | ORG |
| BLANCH,P.M. | 9612120155* | ORG |
| BLANCH,P.M. | 9612120158* | ORG |
| BLANCH,P.M. | 9612120162* | ORG |
| BLANCH,P.M. | 9612120164* | ORG |
| BLANCH,P.M. | 9612120167* | ORG |
| BLANCH,P.M. | 9612120191* | ORG |
| BLANCH,P.M. | 9612120205* | 50-10 H |
| BLANCH,P.M. | 9612120207* | ORG |
| BLANCH,P.M. | 9612120224* | ORG |
| BLANCH,P.M. | 9612120227* | ORG |
| BLANCH,P.M. | 9612120228* | ORG |
| BLANCH,P.M. | 9612120229* | ORG |
| BLANCH,P.M. | 9612120238* | 50-245 H |
| BLANCH,P.M. | 9612120241* | ORG |
| BLANCH,P.M. | 9612120302* | 50-309 H |
| BLANCH,P.M. | 9612120304* | 50-309 H |
| BLANCH,P.M. | 9612120306* | 50-309 H |
| BLANCH,P.M. | 9612120312* | 50-271 H |
| BLANCH,P.M. | 9612120321* | 50-245 H |
| BLANCH,P.M. | 9612120327* | 50-309 H |
| BLANCH,P.M. | 9612120332* | ORG |
| BLANCH,P.M. | 9612120339* | ORG |
| BLANCH,P.M. | 9612120342* | ORG |
| BLANCH,P.M. | 9612120346* | 50-309 H |
| BLANCH,P.M. | 9612120361* | ORG |
| BLANCH,P.M. | 9612120367* | ORG |
| BLANCH,P.M. | 9612120427* | 50-289 H |
| BLANCH,P.M. | 9612120446* | 50-289 H |
| BLANCH,P.M. | 9612120453* | 50-213 H |
| BLANCH,P.M. | 9612130001* | 50-245 H |
| BLANCH,P.M. | 9612130003* | 50-213 H |
| BLANCH,P.M. | 9612130009* | ORG |
| BLANCH,P.M. | 9612130013* | ORG |
| BLANCH,P.M. | 9612130014* | ORG |
| BLANCH,P.M. | 9612130016* | 50-213 H |
| BLANCH,P.M. | 9612130019* | 50-213 H |
| BLANCH,P.M. | 9612130024* | 50-245 H |
| BLANCH,P.M. | 9612130026* | ORG |
| BLANCH,P.M. | 9612130035* | ORG |
| BLANCH,P.M. | 9612130055* | 50-245 H |
| BLANCH,P.M. | 9612130056* | ORG |
| BLANCH,P.M. | 9612130058* | ORG |
| BLANCH,P.M. | 9612130062* | ORG |
| BLANCH,P.M. | 9612130064* | 50-213 H |
| BLANCH,P.M. | 9612130072* | 50-213 H |
| BLANCH,P.M. | 9612130080* | 50-245 H |
| BLANCH,P.M. | 9612130085* | ORG |
| BLANCH,P.M. | 9612130095* | ORG |
| BLANCH,P.M. | 9612130100* | ORG |
| BLANCH,P.M. | 9612130103* | 50-245 H |
| BLANCH,P.M. | 9612130107* | ORG |
| BLANCH,P.M. | 9612130112* | ORG |
| BLANCH,P.M. | 9612130116* | ORG |
| BLANCH,P.M. | 9612130119* | ORG |
| BLANCH,P.M. | 9612130128* | ORG |
| BLANCH,P.M. | 9612130132* | ORG |
| BLANCH,P.M. | 9612130139* | ORG |
| BLANCH,P.M. | 9612130144* | ORG |
| BLANCH,P.M. | 9612130151* | ORG |
| BLANCH,P.M. | 9612130162* | 50-245 H |
| BLANCH,P.M. | 9612130166* | 50-245 H |
| BLANCH,P.M. | 9612130169* | ORG |
| BLANCH,P.M. | 9612130174* | 50-245 H |
| BLANCH,P.M. | 9612130181* | 50-271 H |
| BLANCH,P.M. | 9612130184* | ORG |
| BLANCH,P.M. | 9612130188* | ORG |
| BLANCH,P.M. | 9612130191* | 50-245 H |
| BLANCH,P.M. | 9612130196* | 50-245 H |
| BLANCH,P.M. | 9612130199* | ORG |
| BLANCH,P.M. | 9612130204* | ORG |
| BLANCH,P.M. | 9612130206* | 50-271 H |
| BLESSIE,W.J. | 9612060053 | 50-285 S |
| BLIND,A.A. | 9612020052 | 50-315 S |
| BLIND,A.A. | 9612110042 | 50-315 S |
| BLOOM,S.D. | 9612100219 | 50-133 P |
| BLOOM,S.D. | 9612160313 | 50-275 F |
| BLOOM,S.D. | 9612190404 | 50-275 P |
| BLUBAUGH,R.E. | 9612090266 | 40-3453 |
| BOHART,J.R. | 9612100285 | NRCSA |
| BOHART,J.R. | 9612110102 | NRCSA |
| BOHART,J.R. | 9612110118 | NRCSA |
| BOHLKE,W.H. | 9612160249 | REGGD |
| BOLDT,G.L. | 9612030238 | 50-302 S |
| BOLDT,G.L. | 9612170149 | 50-302 V |
| BOND,R.E. | 9612040039 | QA999 |
| BONNETT,F.P. | 9612040169* | 50-352 Q |
| BONO,H.B. | 9612090271 | 50-483 S |
| BONO,H.D. | 9612160127 | 50-483 S |
| BORDINE,T.C. | 9612020231 | 50-255 P |
| BORDINE,T.C. | 9612030190 | 50-255 P |
| BORDINE,T.C. | 9612030295 | 50-255 F |
| BORDINE,T.C. | 9612040211 | 50-255 P |
| BORDINE,T.C. | 9612110196 | 50-255 F |
| BORDINE,T.C. | 9612160420 | 50-255 Q |
| BORDINE,T.C. | 9612170318 | 50-255 Q |
| BORDINE,T.C. | 9612170339 | 50-255 P |
| BORDINE,T.C. | 9612230401 | 50-255 F |
| BORDINE,T.C. | 9612230410 | 50-255 F |
| BOREY,J. | 9612240147 | CONTRACT |
| BORM,J. | 9612100173 | 50-373 S |
| BORST,F.J. | 9612030307 | 50-267 R |
| BORST,F.J. | 9612030328 | 50-267 W |
| BORST,F.J. | 9612240179 | 50-267 R |
| BORST,F.J. | 9612260048 | 50-267 R |
| BORST,F.J. | 9612260203 | 50-267 Q |
| BOULETTE,E.T. | 9612030174 | 50-293 Q |
| BOULETTE,E.T. | 9612030199 | 50-293 Q |
| BOULETTE,E.T. | 9612060187 | 50-293 P |
| BOULETTE,E.T. | 9612170130 | 50-293 Q |
| BOULETTE,E.T. | 9612230317 | 50-293 P |
| BOULETTE,E.T. | 9612260266* | 50-293 P |
| BOURASSA,M.D. | 9612170082 | 50-155 S |
| BOVALINI,R. | 9612110160 | NUREG |
| BOWLING,M.L. | 9612050104 | 50-336 P |
| BOWLING,M.L. | 9612200079 | 50-336 P |
| BOWLING,M.L. | 9612200079 | 50-336 P |
| BOYCE,R.W. | 9612030305 | 50-352 S |
| BOYLE,R.W. | 9612030024 | 71-3033 |
| BOYLE,R.W. | 9612060060 | 71-3037 |
| BOYLE,R.W. | 9612100174 | 71-3010 |
| BOYLE,R.W. | 9612180410 | 71-3024 |
| BRAM,S.B. | 9612170071 | 50-3 H |
| BRAND,E. | 9612020058 | 50-309 S |
| BRENNAN,N. | 9612100176 | 50-295 S |
| BRENNAN,N.M. | 9612030299 | 50-295 S |
| BRENNAN,N.M. | 9612040096 | 50-304 S |
| BRENNAN,N.M. | 9612130067 | 50-295 S |
| BRENNAN,N.M. | 9612270049 | 50-304 S |
| BRIGHT,T.L. | 9612030133* | 70-734 |
| BRILL,D.R. | 9612090023 | NRCSA |
| BRINDEMOUR,P. | 9612040009 | 50-213 S |
| BRINKMAN,C.B. | 9612100224 | NRCSA |
| BRINKMAN,C.B. | 9612100224 | NRCSA |
| BRINKMAN,C.B. | 9612100282 | NRCSA |
| BRINKMAN,C.B. | 9612100282 | NRCSA |
| BRINKMAN,C.B. | 9612100293 | NRCSA |
| BRINKMAN,C.B. | 9612100293 | NRCSA |
| BRINKMAN,C.B. | 9612100311 | NRCSA |
| BRINKMAN,C.B. | 9612100311 | NRCSA |
| BRINKMAN,C.B. | 9612100320 | NRCSA |
| BRINKMAN,C.B. | 9612100320 | NRCSA |
| BRINKMAN,C.B. | 9612100330 | NRCSA |
| BRINKMAN,C.B. | 9612100330 | NRCSA |
| BRINKMAN,C.B. | 9612110017 | NRCSA |
| BRINKMAN,C.B. | 9612110017 | NRCSA |
| BRINKMAN,C.B. | 9612110055 | NRCSA |
| BRINKMAN,C.B. | 9612110055 | NRCSA |
| BRINKMAN,C.B. | 9612110079 | NRCSA |
| BRINKMAN,C.B. | 9612110079 | NRCSA |
| BRINKMAN,C.B. | 9612110091 | NRCSA |
| BRINKMAN,C.B. | 9612110091 | NRCSA |
| BRINKMAN,C.B. | 9612110114 | NRCSA |
| BRINKMAN,C.B. | 9612110114 | NRCSA |
| BRINKMAN,C.B. | 9612110151 | NRCSA |
| BRINKMAN,C.B. | 9612110151 | NRCSA |
| BRINKMAN,C.B. | 9612110171 | NRCSA |
| BRINKMAN,C.B. | 9612110171 | NRCSA |
| BRINKMAN,C.B. | 9612110189 | NRCSA |
| BRINKMAN,C.B. | 9612110189 | NRCSA |
| BRINKMAN,C.B. | 9612110198 | NRCSA |
| BRINKMAN,C.B. | 9612110198 | NRCSA |
| BRINKMAN,C.B. | 9612110210 | NRCSA |
| BRINKMAN,C.B. | 9612110210 | NRCSA |
| BRINKMAN,C.B. | 9612180372 | 52-2 |
| BRINKMAN,C.B. | 9612180372 | 52-2 |
| BROCKETT,S. | 9612160336 | PR |
| BROCKMAN,K. | 9612110359* | ORG |
| BROCKMAN,K. | 9612170113* | ORG |
| BROCOUM,S.J. | 9612300024 | WASTE MGT |
| BRONS,J.C. | 9612160286 | NUREG |
| BROOKBANK,C. | 9612180396 | 50-219 S |
| BROOKS,C.E. | 9612260172 | 50-416 S |
| BROTHERS,M.H. | 9612020073 | 50-423 S |
| BROTHERS,M.H. | 9612020073 | 50-423 S |
| BROTHERS,M.H. | 9612030038 | 50-423 S |
| BROTHERS,M.H. | 9612030038 | 50-423 S |
| BROTHERS,M.H. | 9612030171 | 50-423 S |
| BROTHERS,M.H. | 9612030171 | 50-423 S |
| BROTHERS,M.H. | 9612030319 | 50-423 S |
| BROTHERS,M.H. | 9612030319 | 50-423 S |
| BROTHERS,M.H. | 9612100081 | 50-423 S |
| BROTHERS,M.H. | 9612100081 | 50-423 S |
| BROTHERS,M.H. | 9612120105 | 50-423 S |
| BROTHERS,M.H. | 9612120105 | 50-423 S |
| BROTHERS,M.H. | 9612120120* | 50-423 S |
| BROTHERS,M.H. | 9612120120* | 50-423 S |
| BROTHERS,M.H. | 9612170406 | 50-423 S |
| BROTHERS,M.H. | 9612170406 | 50-423 S |
| BROTHERS,M.H. | 9612200099 | 50-423 R |
| BROTHERS,M.H. | 9612200099 | 50-423 R |
| BROTHERS,M.H. | 9612260036 | 50-423 S |
| BROTHERS,M.H. | 9612260036 | 50-423 S |
| BROTHERS,M.H. | 9612260137 | 50-423 S |
| BROTHERS,M.H. | 9612260137 | 50-423 S |
| BROTHERS,M.H. | 9612260156 | 50-423 S |
| BROTHERS,M.H. | 9612260156 | 50-423 S |
| BROTHERS,M.H. | 9612260181 | 50-423 S |
| BROTHERS,M.H. | 9612260181 | 50-423 S |
| BROTT,N. | 9612190207 | 50-255 F |
| BROTT,N.K. | 9612190199 | 50-255 F |
| BROTT,N.K. | 9612190213 | 50-255 F |

| AUTHOR | ACCESSION NUMBER | SUBJECT CATEGORY |
|---|---|---|
| BROTT,N.K. | 9612190232 | 50-255 F |
| BROWN,R. | 9612160215 | NRCSA |
| BROWN,R. | 9612260085 | I&E |
| BROWN,R. | 9612310171 | I&E |
| BROWN,R.W. | 9612090081 | NRCSA |
| BROWN,R.W. | 9612090091 | NRCSA |
| BROWN,R.W. | 9612090114 | NRCSA |
| BROWN,R.W. | 9612090126 | NRCSA |
| BROWN,R.W. | 9612090151 | NRCSA |
| BROWN,R.W. | 9612090160 | NRCSA |
| BROWN,R.W. | 9612110001 | NRCSA |
| BROWN,R.W. | 9612110014 | NRCSA |
| BROWN,R.W. | 9612110026 | NRCSA |
| BROWN,S.W. | 9612050022 | 50-16 P |
| BROWNELL,G.J. | 9612190223 | 50-333 S |
| BROWNLEE,R.E. | 9612270153 | 50-397 S |
| BRUNET,J.R. | 9612120089 | 50-255 F |
| BRUNET,J.R. | 9612190196 | 50-255 F |
| BRUNET,J.R. | 9612190199 | 50-255 F |
| BRUNET,J.R. | 9612190209 | 50-255 F |
| BRUNET,J.R. | 9612190220 | 50-255 F |
| BRUNET,J.R. | 9612190225 | 50-255 F |
| BRUNET,J.R. | 9612260228 | 50-255 F |
| BRUSCHI,H.J. | 9612130175 | NRCSA |
| BRYAN,T. | 9612160353 | 50-346 H |
| BRYCE,A.L. | 9612270127 | 70-3091 |
| BUCKLEY,J.T. | 9612040234 | 70-133 |
| BUNN,D.E. | 9612200236 | STATE PRO G |
| BUNTON,P. | 9612260310* | WASTE MGT |
| BURGHARDT,P. | 9612120048* | XPORTLIC |
| BURGHARDT,P. | 9612170083* | XPORTLIC |
| BURGHARDT,P.S. | 9612170079 | XPORTLIC |
| BURKE,B.N. | 9612120364* | COMMISSIO N |
| BURNETTE,D. | 9612230350 | 70-27 |
| BURNETTE,D. | 9612230355 | 70-27 |
| BURNETTE,D. | 9612240055 | 70-27 |
| BURTON,S.D. | 9612230056 | 40-8904 |
| BUTCHER,E.J. | 9608010200* | 50-302 P |
| BUTLER,F.G. | 9612160357* | 50-387 F |
| BUTLER,J. | 9612190418* | 52-3 |
| BUTRICK,J.F. | 9612090180 | 50-280 Q |
| BYRAM,R.G. | 9612030255 | 50-387 P |
| BYRAM,R.G. | 9612030261* | 50-387 P |
| BYRAM,R.G. | 9612030317 | 50-388 Q |
| BYRAM,R.G. | 9612030324 | 50-387 F |
| BYRAM,R.G. | 9612040001 | 50-387 Y |
| BYRAM,R.G. | 9612110293 | 50-387 P |
| BYRAM,R.G. | 9612160348 | 50-387 F |
| BYRAM,R.G. | 9612240190 | 50-388 P |
| BYRAM,R.G. | 9612260046 | 50-387 Q |
| BYRAM,R.G. | 9612260225 | 50-387 R |
| CAHILL,W.J. | 9612020049 | 50-333 P |
| CAHILL,W.J. | 9612020218 | 50-333 F |
| CAHILL,W.J. | 9612030037 | 50-333 P |
| CAHILL,W.J. | 9612030251 | 50-333 P |
| CAHILL,W.J. | 9612040194 | 50-333 P |
| CAHILL,W.J. | 9612040198* | 50-333 P |
| CAHILL,W.J. | 9612090141 | 50-286 Q |
| CAHILL,W.J. | 9612090162 | 50-286 P |
| CAHILL,W.J. | 9612090164* | 50-286 P |
| CAHILL,W.J. | 9612100188 | 50-286 P |
| CAHILL,W.J. | 9612110200 | 50-333 Q |
| CAHILL,W.J. | 9612170322 | 50-333 P |
| CAHILL,W.J. | 9612180203 | 50-286 P |
| CAHILL,W.J. | 9612180208* | 50-286 P |
| CAHILL,W.J. | 9612240261 | 50-333 P |
| CAIN,C. | 9612110272 | I&E |
| CAIN,C. | 9612200166 | I&E |
| CALDWELL,J. | 9612200090 | 50-373 S |
| CALDWELL,J.L. | 9612030216 | 50-373 Q |
| CALDWELL,J.L. | 9612060031 | 50-254 Q |
| CALDWELL,J.L. | 9612120497 | 50-255 Q |
| CALDWELL,J.L. | 9612160007 | 50-315 Q |
| CALDWELL,J.L. | 9612160020 | 50-305 Q |
| CALDWELL,J.L. | 9612230329 | 50-461 P |
| CALDWELL,J.L. | 9612240014 | 50-373 Q |
| CALDWELL,J.L. | 9612260119 | 50-255 Q |
| CALFA,L. | 9612170142* | 50-373 R |
| CALFA,L. | 9612170154* | 50-373 R |
| CALLAN,L.J. | 9612060166 | 50-313 Y |
| CALLAN,L.J. | 9612230066 | 50-382 Q |
| CALLAN,L.J. | 9612240125 | 50-361 H |
| CALLAN,L.J. | 9612300026 | 50-397 P |
| CALLAN,L.J. | 9612300050 | 50-382 Q |
| CAMPBELL,C.L. | 9612040054 | 40-3453 |
| CAMPBELL,W.R. | 9612020055 | 50-324 V |
| CAMPBELL,W.R. | 9612100057 | 50-324 P |
| CANAVAN,G. | 9612090170* | 50-286 P |
| CANDREY,D. | 9612160070 | 70-1252 |
| CANDREY,D. | 9612230339 | 70-1252 |
| CANIANO,R. | 9612050072 | I&E |
| CANIANO,R. | 9612200140 | I&E |
| CANIANO,R. | 9612300090 | I&E |
| CANIANO,R. | 9612310168 | I&E |
| CANNON,R.L. | 9612180017 | 50-293 R |
| CANT,G. | 9612040078 | I&E |
| CANTWELL,D. | 9612260243 | 50-313 S |
| CAPRA,R.A. | 9612090389 | 50-373 P |
| CARLSON,R.W. | 9612030267 | NUREG |
| CARNS,N.S. | 9612110226 | 50-482 Q |
| CARNS,N.S. | 9612120267 | 50-482 Q |
| CAROCCIO,C. | 9612240060 | 50-410 R |
| CARPENTER,C.E. | 9612170191 | TOPREP |
| CARR,C.W. | 9612120165 | 70-1201 |
| CARROLL,R. | 9612060289 | 50-413 S |
| CARROLL,R.E. | 9612170104 | 50-414 S |
| CARRUTH,E.L. | 9612060225 | STATE PRO G |
| CARTER,D. | 9612260284 | 50-397 I |
| CASH,E.E. | 9612120352* | COMMISSIO N |
| CATCHPOLE,T.W. | 9612030244* | 50-302 S |
| CATRON,N.S. | 9612170174 | 50-327 F |
| CAYIA,A.J. | 9612170203 | 50-266 P |
| CELLAN,R.R. | 9612120106 | 40-8903 |
| CELLAN,R.R. | 9612190016 | 40-8903 |
| CELLAN,R.R. | 9612260216 | 40-8903 |
| CHAFFEE,A.E. | 9612240117 | ORG |
| CHAMPAGNE,M.H. | 9612200086* | 50-336 P |
| CHAN,T.L. | 9612040293* | 50-272 P |
| CHAO,Y.A. | 9612130156* | TOPREP |
| CHAPMAN,D.M. | 9612130156* | TOPREP |
| CHAPMAN,P.W. | 9612030053 | 50-458 P |
| CHAPMAN,P.W. | 9612040138 | 50-458 S |
| CHAPMAN,P.W. | 9612060210* | 50-458 R |
| CHAPMAN,P.W. | 9612100335 | 50-458 P |
| CHAPPELL,C.R. | 9612020045 | 71-9029 |
| CHAPPELL,C.R. | 9612020159 | 71-9011 |
| CHAPPELL,C.R. | 9612180302 | 71-9069 |
| CHAPPELL,C.R. | 9612190045 | 71-5450 |
| CHAPPELL,C.R. | 9612190186 | 71-5950 |
| CHAPPELL,C.R. | 9612260235 | 71-5450 |
| CHARNOFF,G. | 9612110353 | 50-443 P |
| CHARNOFF,G. | 9612110353 | 50-443 P |
| CHERNOFF,H.K. | 9612020095 | 50-261 V |
| CHERNOFF,H.K. | 9612050083 | 50-261 F |
| CHERNOFF,H.K. | 9612170043 | 50-261 R |
| CHERNOFF,H.K. | 9612240315 | 50-261 P |
| CHERNOFF,H.K. | 9612260086 | 50-261 P |
| CHILDS,W.V. | 9612260053 | 50-333 S |
| CHILK,S.J. | 9612170309* | REVIEW GR P |
| CHINN,G.Y. | 9612120235* | FOIA |
| CHOTOO,S. | 9612160081 | 40-3392 |
| CHOTOO,S. | 9612190422 | 40-7580 |
| CHOTOO,S. | 9612200022 | 40-7580 |
| CHOTOO,S. | 9612200105 | 70-1257 |
| CHRISTENSEN,H. | 9612020162 | 50-321 Q |
| CHRISTENSEN,H. | 9612090140 | 50-280 Q |
| CHRISTENSEN,H. | 9612090382 | 50-335 Q |
| CHRISTIAN,D.A. | 9612170144 | 50-280 S |
| CHRISTIAN,D.A. | 9612190135 | 50-280 S |
| CHRISTIAN,D.A. | 9612310180 | 50-280 Q |
| CHRISTIANS,R.E. | 9612310068 | 50-409 F |
| CICCHINELLI,F. | 9612160353 | 50-346 H |
| CILKEMAN,F.M. | 9612270113 | 50-182 R |
| CLARK,C.R. | 9612270011 | 50-29 W |
| CLARK,C.R. | 9612270012* | 50-29 W |
| CLAUSSEN,V. | 9612260284 | 50-397 I |
| CLIFFORD,J.W. | 9612240292 | 50-528 P |
| CLIFFORD,J.W. | 9612240299* | 50-528 P |
| CLIFFORD,J.W. | 9612240305 | 50-528 P |
| CLIKEMAN,F.M. | 9612270140* | 50-182 R |
| CLIKEMAN,F.M. | 9612270142* | 50-182 R |
| CLIKEMAN,F.M. | 9612270143* | 50-182 R |
| CLIKEMAN,F.M. | 9612270145* | 50-182 R |
| CLIKEMAN,F.M. | 9612270146* | 50-182 R |
| CLIKEMAN,F.M. | 9612270147* | 50-182 R |
| CLONINGER,F.M. | 9612310166 | 50-182 F |
| CLONINGER,T.H. | 9612190051 | 50-498 P |
| CLONINGER,T.H. | 9612240039 | 50-498 Q |
| COCCIA,W.L. | 9612060235 | 71-119 |
| CODDINGTON,C. | 9612110385 | 50-387 S |
| CODDINGTON,C.T. | 9612260061 | 50-387 S |
| COLBURN,T.G. | 9612160024 | 50-397 Q |
| COLE,R.F. | 9612130052 | 70-3070 |
| COLEMAN,D.E. | 9612240065 | 50-220 R |
| COLEY,W.E. | 9612240051 | 50-275 R |
| COLLINGS,S. | 9612200044 | 40-8943 |
| COLLINGS,S.P. | 9612040273 | 40-8943 |
| COLLINGS,S.P. | 9612090401 | 40-8943 |
| COLLINS,D.J. | 9612030289 | NUREG |
| COLLINS,D.J. | 9612230286 | STATE PRO G |
| COLLINS,D.J. | 9612240026* | STATE PRO G |
| COLLINS,E. | 9612050073 | 50-313 S |
| COLLINS,S.C. | 9612120313 | PR |
| COLLINS,S.C. | 9612200241 | STATE PRO G |
| COLLINS,S.C. | 9612200254 | STATE PRO G |
| COLLINS,S.C. | 9612260273 | NRCSA |
| COLLINS,S.J. | 9612160372 | 50-397 Q |
| COLLINS,S.J. | 9612310176* | 50-237 Q |
| COLLINS,T.E. | 9612160181 | 50-293 P |
| COLOMB,M.J. | 9612060025 | 50-333 P |
| COLOMB,M.J. | 9612060082 | 50-333 S |
| COLOMB,M.J. | 9612060107 | 50-333 Q |
| COLOMB,M.J. | 9612060184 | 50-333 R |
| COLOMB,M.J. | 9612090157 | 50-333 F |
| COLOMB,M.J. | 9612190223 | 50-333 S |
| COLOMB,M.J. | 9612260053 | 50-333 S |
| COLVIN,J.F. | 9612050031* | COMMISSIO N |
| COMFORT,G.C. | 9612040167 | PROJ |
| COMFORT,G.C. | 9612040236 | ORG |
| COMFORT,G.C. | 9612180131 | ORG |
| COMFORT,G.C. | 9612200110 | 40-7102 |
| COMFORT,G.C. | 9612200211 | PROJ |
| COMIEZ,A.M. | 9612260063 | 72-18 |
| CONCANNON,T. | 9612190270* | 50-245 P |
| CONCANNON,T. | 9612240109* | COMMISSIO N |
| CONDREY,D. | 9612050062 | 70-1252 |
| CONDREY,D. | 9612240056 | 70-1252 |
| CONNELL,W. | 9612020067 | 50-461 S |
| CONNELL,W. | 9612110298 | 50-461 S |
| CONNELL,W. | 9612110366 | 50-461 S |
| CONNELL,W. | 9612130051 | 50-461 P |
| CONNELL,W. | 9612270138 | 50-461 S |
| CONNELL,W. | 9612300064 | 50-461 S |
| CONNELL,W. | 9612300113 | 50-461 S |
| CONNELL,W. | 9612310175 | 50-461 P |
| CONNER,C. | 9612040272* | 50-265 Q |
| CONNER,J.A. | 9612040094 | 70-27 |
| CONNER,J.A. | 9612110436 | 70-27 |
| CONTE,R. | 9612110264 | 50-309 S |
| CONTE,R. | 9612130113 | 50-309 Q |
| CONTE,R. | 9612170085 | 50-309 S |
| CONTE,R. | 9612260211 | 50-293 Q |
| CONTE,R.J. | 9612090347 | 50-271 Q |
| CONWAY,J.T. | 9612090253 | 50-410 S |
| CONWAY,J.T. | 9612130053 | 50-410 S |
| CONWAY,J.T. | 9612170126 | 50-410 S |
| CONWAY,J.T. | 9612170348 | 50-410 S |
| CONWAY,J.T. | 9612240060 | 50-410 R |
| COOK,D. | 9612040272* | 50-265 Q |
| COOK,J.R. | 9612160412* | 70-3020 |
| COOK,T.M. | 9612170276* | 50-295 Q |
| COOL,D.A. | 9606060156* | FOIA |
| COOL,D.A. | 9609200181 | 50-3 Q |
| COOL,D.A. | 9610100212 | 50-3 Q |
| COON,H.M. | 9612190424 | 50-440 R |
| COOPER,R.W. | 9612170038 | 50-334 Q |
| COOPER,R.W. | 9612260260 | 50-293 P |
| COOPER,R.W. | 9612310135 | 50-213 Q |
| COPELAND,R.A. | 9612110096* | TOPREP |
| COPELAND,R.A. | 9612260270 | TOPREP |
| CORDES,J.F. | 9612200266 | SECY |
| CORWIN,W.R. | 9612040119 | NUREG |
| COSTELLO,F.M. | 9612040085 | 70-2962 |
| COTTON,K.R. | 9612020114 | 50-333 P |
| COTTON,K.R. | 9612180276 | 50-333 P |
| COTTON,K.R. | 9612240320 | 50-333 P |
| COTTON,K.R. | 9612310111 | 50-333 Q |
| COTTON,S.R. | 9612040029 | 50-313 F |
| COUPAL,J.J. | 9612090100 | NRCSA |
| COWAN,J.P. | 9612020107 | 50-423 P |
| COWAN,J.P. | 9612020107 | 50-423 P |
| COWAN,J.P. | 9612020124 | 50-423 P |
| COWAN,J.P. | 9612020124 | 50-423 P |
| COWAN,J.P. | 9612020161 | 50-423 P |
| COWAN,J.P. | 9612020161 | 50-423 P |
| COWAN,J.P. | 9612100185 | 50-423 P |
| COWAN,J.P. | 9612100185 | 50-423 P |
| COWAN,J.P. | 9612190062 | 50-423 P |
| COWAN,J.P. | 9612190062 | 50-423 P |
| COWAN,J.P. | 9612200172 | 50-423 P |
| COWAN,J.P. | 9612200172 | 50-423 P |
| COWGILL,C.J. | 9612060023 | 50-286 Q |
| COWGILL,C.J. | 9612170091 | 50-247 Q |
| COWGILL,C.J. | 9612190026 | 50-333 Q |

| AUTHOR | ACCESSION NUMBER | SUBJECT CATEGORY |
|---|---|---|
| COWGILL,C.J. | 9612230384 | 50-333 Q |
| COWGILL,C.J. | 9612230387 | 50-247 Q |
| COWGILL,C.J. | 9612260167 | 50-333 Q |
| COWGILL,C.J. | 9612260171 | 50-247 Q |
| COX,T.H. | 9612020061 | 70-143 |
| COYLE,J. | 9612170357* | 50-237 S |
| CRAIG,C.M. | 9610020089 | ORG |
| CRAIG,C.M. | 9612020216 | PROJ |
| CRAIG,C.M. | 9612090116 | PROJ |
| CRANFORD,G.F. | 9612100105 | ORG |
| CRANFORD,G.F. | 9612170155 | ORG |
| CRANFORD,G.F. | 9612170179 | ORG |
| CRANFORD,G.F. | 9612170439 | ORG |
| CRANFORD,G.F. | 9612270024 | ORG |
| CRANFORD,G.F. | 9612270025 | ORG |
| CRAWFORD,J. | 9612040029 | 50-313 F |
| CRAWFORD,J. | 9612180264 | 50-313 F |
| CREED,J. | 9612110081 | NRCSA |
| CREED,J. | 9612110083 | NRCSA |
| CREED,J. | 9612110138 | NRCSA |
| CREED,J. | 9612110217 | NRCSA |
| CREED,J.R. | 9612110082 | 50-155 F |
| CREED,J.R. | 9612200199 | 50-255 F |
| CREED,J.R. | 9612200205 | 50-266 F |
| CREED,J.R. | 9612200212 | 50-266 F |
| CREED,J.R. | 9612200227 | 50-266 F |
| CREED,J.R. | 9612270077 | 50-440 F |
| CREED,J.R. | 9612270078 | 50-255 F |
| CREED,J.R. | 9612270080 | 50-255 F |
| CREED,J.R. | 9612300028 | 50-341 F |
| CROUCH,D.B. | 9612230059 | 40-8904 |
| CRUSE,C.H. | 9612030272 | 50-317 P |
| CRUSE,C.H. | 9612120185 | 50-317 P |
| CRUSE,C.H. | 9612190088 | 50-317 Q |
| CUNNINGHAM,L.J. | 9612020102 | 50-269 F |
| CUNNINGHAM,L.J. | 9612040243 | 50-255 F |
| CUNNINGHAM,L.J. | 9612170445 | REVIEW GR P |
| CUNNINGHAM,R.E. | 9612190320* | FOIA |
| CURET,H.D. | 9612030134 | PT21 |
| CURET,H.D. | 9612030322 | TOPREP |
| CURET,H.D. | 9612110087 | TOPREP |
| CURET,H.D. | 9612240228 | 50-400 S |
| CURLEY,V. | 9612170175 | 50-336 V |
| CURRAN,D. | 9612130042 | 40-8027 |
| CURRAN,D. | 9612130042 | 40-8027 |
| CURT,T.P. | 9612100147 | 50-322 S |
| CYGAN,J. | 9612200092 | 50-295 R |
| D'ARRIGO,D. | 9612110093 | NRCSA |
| DACOSTA,J. | 9612160354* | 50-387 F |
| DAHL,G. | 9612110279 | 50-247 S |
| DANIEL,J.L. | 9612160293* | STATE PRO G |
| DANKMYER,B.K. | 9612030072* | 40-8794 |
| DAO,T.V. | 9612180321 | 50-302 R |
| DAPAS,M. | 9612200090 | 50-373 S |
| DAPAS,M.L. | 9612310011 | 50-373 Q |
| DAPAS,M.L. | 9612310017 | 50-295 Q |
| DATTA,A. | 9612270089 | 70-398 |
| DATTA,A. | 9612270101 | 70-1113 |
| DAVENPORT,J.W. | 9612230176 | 50-259 R |
| DAVIDSON,J. | 9612100229 | NRCSA |
| DAVIDSON,J. | 9612100232 | NRCSA |
| DAVIDSON,J. | 9612110058 | NRCSA |
| DAVIDSON,J. | 9612110128 | NRCSA |
| DAVIS,E.M. | 9612230084 | 71-18 |
| DAVIS,J.W. | 9612040246* | QA999 |
| DAVIS,J.W. | 9612040248* | QA999 |
| DAVIS,J.W. | 9612230057* | QA999 |
| DAVIS,P.A. | 9612020091 | WASTE MGT |
| DAVIS,P.A. | 9612260072 | WASTE MGT |
| DEAN,A. | 9612120510* | COMMISSIO N |
| DEAN,R. | 9612090253 | 50-410 S |
| DECAMP,W. | 9612130059 | 50-219 G |
| DECAMP,W. | 9612160392* | 50-219 G |
| DECAMP,W. | 9612160404* | 50-219 G |
| DEGRAFF,R. | 9612090053 | NRCSA |
| DEGRAFF,R. | 9612090129 | NRCSA |
| DELEZENSKI,J. | 9612240283 | 50-312 J |
| DELLIGATTI,M.S. | 9612020054 | 72-18 |
| DELLIGATTI,M.S. | 9612170202 | 72-18 |
| DEMARK,W.E. | 9612300067 | 50-461 R |
| DEMBEK,S. | 9612160398 | 50-245 P |
| DEMBEK,S. | 9612190295 | 50-245 P |
| DEMERER,A. | 9612030311 | QA999 |
| DEMERER,A. | 9612110231 | QA999 |
| DESAULNIERS,D.R | 9612160203 | 50-271 P |
| DEVAULT,R.M. | 9612270109 | 70-7001 |
| DEVOUS,M.D. | 9612090023 | NRCSA |
| DEWISPELARE,A. | 9612110187 | NUREG |
| DHAR,A. | 9612100268 | NRCSA |
| DHAR,A. | 9612100278 | NRCSA |
| DHAR,A. | 9612100284 | NRCSA |
| DHAR,A. | 9612100325 | NRCSA |
| DHAR,A. | 9612110074 | NRCSA |
| DHAR,A. | 9612110117 | NRCSA |
| DHAR,A. | 9612110164 | NRCSA |
| DHAR,A. | 9612110186 | NRCSA |
| DIAZ | 9612170094 | COMMISSIO N |
| DIAZ,L.G. | 9612170095 | COMMISSIO N |
| DIAZ,N.G. | 9612260045* | COMMISSIO N |
| DIAZ,N.J. | 9612110120* | COMMISSIO N |
| DIAZ,N.J. | 9612120046* | COMMISSIO N |
| DIAZ,N.J. | 9612240134 | COMMISSIO N |
| DIAZ,N.J. | 9612260003 | COMMISSIO N |
| DIAZ,N.J. | 9612260034* | COMMISSIO N |
| DICHARRY,R.D. | 9612110050 | NRCSA |
| DICHARRY,R.D. | 9612110086 | NRCSA |
| DICHARRY,R.D. | 9612110237 | NRCSA |
| DICK,G.F. | 9612160008 | 50-454 P |
| DICK,G.F. | 9612160301 | 50-454 P |
| DICK,G.F. | 9612190254 | 50-10 F |
| DICUS | 9612180401* | COMMISSIO N |
| DICUS,G.J. | 9612110112* | COMMISSIO N |
| DICUS,G.J. | 9612120040* | COMMISSIO N |
| DICUS,G.J. | 9612170097 | COMMISSIO N |
| DICUS,G.J. | 9612170271 | COMMISSIO N |
| DICUS,G.J. | 9612230031 | COMMISSIO N |
| DICUS,G.J. | 9612240134 | COMMISSIO N |
| DICUS,G.J. | 9612260005 | COMMISSIO N |
| DIMMERY,T. | 9612260029* | COMMISSIO N |
| DIMMERY,T. | 9612180037 | 50-413 R |
| DIMMERY,T. | 9612180056 | 50-369 R |
| DIMMERY,T. | 9612180099 | 50-269 R |
| DIPROFIO,W.A. | 9612060083 | 50-443 S |
| DIPROFIO,W.A. | 9612110327 | 50-443 Q |
| DIPROFIO,W.A. | 9612120039 | 50-443 F |
| DIPROFIO,W.A. | 9612200051 | 50-443 R |
| DIPROFIO,W.A. | 9612200064 | 50-443 F |
| DIPROFLO,W.A. | 9612030268 | 50-443 F |
| DIRPOFIO,W.A. | 9612110352* | 50-443 F |
| DIVADEENAM,M. | 9612110212 | NUREG |
| DOBOE,S. | 9612180204* | 50-336 R |
| DOBOE,S. | 9612180210* | 50-336 R |
| DOBOE,S. | 9612180213* | 50-336 R |
| DOBOE,S. | 9612180222* | 50-336 R |
| DOBOE,S. | 9612180228* | 50-336 R |
| DOBOE,S. | 9612180229* | 50-336 R |
| DOBOE,S. | 9612180235* | 50-336 R |
| DOBOE,S. | 9612180241* | 50-336 R |
| DOBOE,S. | 9612180247* | 50-336 R |
| DOCTOR,S.R. | 9612240090 | NUREG |
| DODD,C.J. | 9612190362* | COMMISSIO N |
| DOERFLEIN,L. | 9612230107 | 50-410 S |
| DOERFLEIN,L.T. | 9612030113 | 50-220 Q |
| DOERFLEIN,L.T. | 9612170123 | 50-317 Q |
| DOERFLEIN,L.T. | 9612190029 | 50-220 Q |
| DOERFLEIN,L.T. | 9612190032 | 50-244 Q |
| DOERFLEIN,L.T. | 9612260182 | 50-317 Q |
| DOLAN,B. | 9612160442 | 50-369 F |
| DOLAN,B. | 9612190077* | 50-369 F |
| DONAHUE,J.W. | 9612040206 | 50-400 S |
| DONAHUE,J.W. | 9612160233 | 50-400 S |
| DONAHUE,J.W. | 9612200170 | 50-400 R |
| DONAHUE,J.W. | 9612260083 | 50-400 S |
| DONAHUE,J.W. | 9612270151 | 50-400 S |
| DONE,K.P. | 9612200066 | 40-8584 |
| DONE,K.P. | 9612200103* | 40-8584 |
| DONHAM,M. | 9612160168 | 70-7001 |
| DONNELLY,P.M. | 9612110325 | 50-155 R |
| DONNELLY,P.M. | 9612170082 | 50-155 S |
| DONOHEW,J.N. | 9612160415 | 50-416 P |
| DONOHEW,J.N. | 9612170029 | 50-416 P |
| DONOHEW,J.N. | 9612170040 | 50-416 P |
| DONOHEW,J.N. | 9612230330 | 50-416 P |
| DORMAN,D.H. | 9612170319 | 50-309 H |
| DORNSIFE,W.P. | 9612090041 | NRCSA |
| DORNSIFE,W.P. | 9612090064 | NRCSA |
| DORNSIFE,W.P. | 9612090072 | NRCSA |
| DORNSIFE,W.P. | 9612090097 | NRCSA |
| DORNSIFE,W.P. | 9612090098 | NRCSA |
| DORNSIFE,W.P. | 9612090110 | NRCSA |
| DORNSIFE,W.P. | 9612090119 | NRCSA |
| DORNSIFE,W.P. | 9612090163 | NRCSA |
| DORNSIFE,W.P. | 9612090173 | NRCSA |
| DORNSIFE,W.P. | 9612090219 | NRCSA |
| DORNSIFE,W.P. | 9612100238 | NRCSA |
| DORNSIFE,W.P. | 9612110056 | NRCSA |
| DORNSIFE,W.P. | 9612110139 | NRCSA |
| DORNSIFE,W.P. | 9612120305 | NRCSA |
| DORNSIFE,W.P. | 9612120310* | NRCSA |
| DORUFF,M.A. | 9612060157 | STATE PRO G |
| DORUFF,M.A. | 9612060157 | STATE PRO G |
| DRAGOUN,T. | 9612090017 | NRCSA |
| DRAGOUN,T. | 9612090175 | NRCSA |
| DRAWBRIDGE,B. | 9612020093 | 50-443 S |
| DRESSEN,J. | 9612170207 | 50-305 S |
| DROGGITIS,S.C. | 9612060278 | 50-282 P |
| DROMERICK,A.W. | 9612130146 | 50-317 P |
| DROMERICK,A.W. | 9612170050 | 50-317 Q |
| DUDLEY,R.F. | 9612310182 | 50-133 P |
| DUDLEY,R.F. | 9612310183* | 50-133 P |
| DUFFY,J.J. | 9612030225 | 50-271 F |
| DUFFY,J.J. | 9612030228 | 50-271 F |
| DUFFY,J.J. | 9612180062 | 50-271 P |
| DUFFY,J.J. | 9612180446 | 50-271 F |
| DUFFY,J.J. | 9612190168 | 50-271 F |
| DUGGER,C.M. | 9612040065 | 50-382 S |
| DUGGER,C.M. | 9612120263 | 50-382 S |
| DUGSTAD,D. | 9612120170 | 50-282 R |
| DUKE,P. | 9612130257 | 50-354 S |
| DULSKI,R.E. | 9612120248* | FOIA |
| DUMS,D. | 9612180225* | 50-266 G |
| DUNCAN,S.M. | 9612130033 | 40-8027 |
| DUNCAN,S.M. | 9612130033 | 40-8027 |
| DUNCAN,S.M. | 9612260064 | 40-8027 |
| DUNCAN,S.M. | 9612260064 | 40-8027 |
| DURR,J. | 9612020217 | 50-245 V |
| DURR,J. | 9612160441 | 50-245 P |
| DURR,J. | 9612170062 | 50-245 P |
| DYER,J.E. | 9612030123 | 50-498 Q |
| DYER,J.E. | 9612030127 | 50-445 Q |
| DYER,J.E. | 9612030130 | 50-458 Q |
| DYER,J.E. | 9612030135 | 50-445 Q |
| DYER,J.E. | 9612030153 | 50-482 Q |
| DYER,J.E. | 9612030164 | 50-285 Q |
| DYER,J.E. | 9612030165 | 50-298 Q |
| DYER,J.E. | 9612030168 | 50-498 Q |
| DYER,J.E. | 9612030169 | 50-382 Q |
| DYER,J.E. | 9612030175 | 50-416 Q |
| DYER,J.E. | 9612030193 | 50-483 Q |
| DYER,J.E. | 9612030194 | 50-313 Q |
| DYER,J.E. | 9612030205 | 50-445 Q |
| DYER,J.E. | 9612050056 | 50-275 Q |
| DYER,J.E. | 9612050057 | 50-458 Q |
| DYER,J.E. | 9612050058 | 50-528 Q |
| DYER,J.E. | 9612050059 | 50-397 Q |
| DYER,J.E. | 9612050066 | 50-445 Q |
| DYER,J.E. | 9612050067 | 50-313 P |
| DYER,J.E. | 9612050080 | 50-313 P |
| DYER,J.E. | 9612050082 | 50-361 Q |
| DYER,J.E. | 9612050105 | 50-382 P |
| DYER,J.E. | 9612090009 | 50-285 Q |
| DYER,J.E. | 9612100216 | 50-275 P |
| DYER,J.E. | 9612100220 | 50-445 Q |
| DYER,J.E. | 9612100269 | 50-275 Q |
| DYER,J.E. | 9612110016 | 50-528 Q |
| DYER,J.E. | 9612110044 | 50-285 Q |
| DYER,J.E. | 9612110048 | 50-298 P |
| DYER,J.E. | 9612120288 | 50-313 Q |
| DYER,J.E. | 9612120378 | 50-482 P |
| DYER,J.E. | 9612160395 | 50-483 Q |
| DYER,J.E. | 9612170110 | 50-498 Q |
| DYER,J.E. | 9612190041 | 50-528 Q |
| DYER,J.E. | 9612230413 | 50-361 Q |
| DYER,J.E. | 9612240138 | 50-313 P |
| DYER,J.E. | 9612240143 | 50-482 Q |
| DYER,J.E. | 9612260154 | 50-298 Q |
| DYER,J.E. | 9612260163 | 50-382 Q |
| DYER,J.E. | 9612260199 | 50-498 Q |
| DYER,J.E. | 9612300009 | 50-482 Q |
| DYER,J.E. | 9612300025 | 50-298 Q |
| DYER,J.E. | 9612300034 | 50-298 Q |
| DYER,J.E. | 9612300042 | 50-382 Q |
| DYER,J.E. | 9612300057 | 50-298 Q |
| DYER,J.E. | 9612310062 | 50-483 Q |
| DYLE,R. | 9612190076 | TOPREP |
| DYLE,R. | 9612190076 | TOPREP |
| DYLE,R. | 9612240201 | TOPREP |
| DYLE,R. | 9612240201 | TOPREP |
| DYLE,R. | 9612300115 | TOPREP |
| DZENIS,E.A. | 9612060056* | 50-348 P |
| EASOON,E.D. | 9612030233 | CONTRACT |
| EATON,R.B. | 9612090102 | 50-219 P |
| EATON,R.B. | 9612260084* | 50-219 G |
| EATON,R.B. | 9612260084* | 50-219 G |

| AUTHOR | ACCESSION NUMBER | SUBJECT CATEGORY |
|---|---|---|
| EATON,R.B. | 9612260099 | 50-219 F |
| EBNETER,S. | 9612020147 | 50-302 Q |
| EBNETER,S.D. | 9612020174 | 50-327 Q |
| EBNETER,S.D. | 9612030073 | 50-269 Q |
| EBNETER,S.D. | 9612090111 | 50-302 Q |
| EBNETER,S.D. | 9612170269 | STATE PRO G |
| EBNETER,S.D. | 9612170273 | 50-302 Q |
| EBNETER,S.D. | 9612170397 | 50-348 Q |
| EBNETER,S.D. | 9612170434 | 50-395 Q |
| EBNETER,S.D. | 9612170448 | STATE PRO G |
| EBNETER,S.D. | 9612170455 | STATE PRO G |
| EBNETER,S.D. | 9612190009 | 50-302 Q |
| EBNETER,S.D. | 9612230353 | 50-324 Q |
| ECK,P.M. | 9612090248 | CONTRACT |
| ECKHOLT,G. | 9612300055 | 50-282 S |
| EDELMANN,P.G. | 9612190185 | 50-219 R |
| EDGAR,J.B. | 9612020021 | 70-1257 |
| EDGAR,J.B. | 9612190066 | 70-1257 |
| EDISON,G.E. | 9612120293 | 50-280 Q |
| EDWARDS,G.D. | 9612090340 | 50-277 S |
| EDWARDS,M.L. | 9612190098 | 50-285 R |
| EGAN,D.M. | 9612190185 | 50-219 R |
| EISENBERG,N.A. | 9612110187 | NUREG |
| ELIAKIS,T. | 9612180030 | 50-456 R |
| ELISA,L.A. | 9612090354* | 50-213 F |
| ELLINGWOOD,B.R. | 9612160327 | NUREG |
| ELLIOTT,G.F. | 9612120285 | 70-1201 |
| ELLIOTT,G.F. | 9612200343 | 70-1201 |
| ELLIOTT,R.L. | 9612110020 | 50-482 P |
| EMMONS,K.W. | 9612180058 | 50-213 R |
| ENGLE,D.E. | 9612240199* | 50-255 S |
| ENGLISH,L.K. | 9612160163* | FOIA |
| ERESIAN,W.J. | 9612120257* | 50-128 V |
| ERICKSON,J.L. | 9612060311 | STATE PRO G |
| ERICKSON,R.A. | 9612270058 | 50-5 H |
| ESELGROTH,P.W. | 9612040155 | 50-289 Q |
| ESELGROTH,P.W. | 9612040161 | 50-289 P |
| ESELGROTH,P.W. | 9612060294 | 50-334 Q |
| ESELGROTH,P.W. | 9612120294 | 50-219 Q |
| ESELGROTH,P.W. | 9612120380 | 50-289 Q |
| ESELGROTH,P.W. | 9612170067 | 50-334 Q |
| ESELGROTH,P.W. | 9612170164 | 50-334 P |
| ESELGROTH,P.W. | 9612260207 | 50-334 Q |
| ESELGROTH,P.W. | 9612300015 | 50-219 Q |
| ESELGROTH,P.W. | 9612300020 | 50-289 Q |
| ESELGROTH,P.W. | 9612300040 | 50-334 Q |
| ESSIG,T.H. | 9612040157 | ORG |
| ESTRIDGE,J. | 9612020179 | 50-413 R |
| EUBANK,T. | 9612240051 | 50-275 R |
| EVANS,M.G. | 9612120433* | 50-289 Q |
| EVERETT,V. | 9612230060 | 50-313 S |
| EVERHART,D. | 9612240094 | I&E |
| EWING,R.G. | 9612200086* | 50-336 P |
| FAIRCLOTH,L. | 9612170131* | COMMISSIO N |
| FANGUY,M.J. | 9612240092 | 50-280 R |
| FANNIN,D. | 9612110427 | 40-8724 |
| FARRER,D. | 9612240051 | 50-275 R |
| FECTEAU,M.W. | 9612090168* | 50-286 P |
| FEDERLINE,M.V. | 9612050024 | 70-3085 |
| FEDERLINE,M.V. | 9612170151 | WASTE MGT |
| FEIGENBAUM,T.C. | 9612110214 | 50-213 W |
| FEIGENBAUM,T.C. | 9612190054 | 50-213 Q |
| FEIGENBAUM,T.C. | 9612190073 | 50-213 W |
| FEIGENBAUM,T.C. | 9612190073 | 50-213 W |
| FEIGENBAUM,T.C. | 9612190073 | 50-213 W |
| FEIGENBAUM,T.C. | 9612190413 | 50-213 S |
| FERGUSON,D.B. | 9612120097 | 70-143 |
| FERTEL,M.S. | 9612190252* | PRM |
| FERWERDA,A.P. | 9612040242 | QA999 |
| FERWERDA,A.P. | 9612040242 | QA999 |
| FERWERDA,P. | 9612040246* | QA999 |
| FERWERDA,P. | 9612040246* | QA999 |
| FERWERDA,P.A. | 9612040248* | QA999 |
| FERWERDA,P.A. | 9612040248* | QA999 |
| FERWERDA,P.A. | 9612230057* | QA999 |
| FERWERDA,P.A. | 9612230057* | QA999 |
| FICI,J.A. | 9612030316 | 70-1151 |
| FICI,J.A. | 9612260040 | 70-1151 |
| FIELDS,M.B. | 9612090299 | 50-361 P |
| FIELDS,M.B. | 9612090303* | 50-361 P |
| FIELDS,M.B. | 9612120418 | 50-361 P |
| FIELDS,M.B. | 9612120444* | 50-361 P |
| FIELDS,M.B. | 9612160029 | 50-361 P |
| FINCH,D. | 9612060176* | STATE PRO G |
| FINCH,D. | 9612060178* | STATE PRO G |
| FISCHER,L.E. | 9612030267 | NUREG |
| FISHMAN,R. | 9612120475* | COMMISSIO N |
| FISHMAN,R. | 9612120506* | COMMISSIO N |
| FISICARO,J.J. | 9612020166 | 50-382 F |
| FISICARO,J.J. | 9612130314 | 50-382 P |
| FISICARO,J.J. | 9612180025 | 50-382 R |
| FISICARO,J.J. | 9612180095 | 50-382 Q |
| FISICARO,J.J. | 9612200335 | 50-382 F |
| FISICARO,J.J. | 9612270065 | 50-382 P |
| FISICARO,J.J. | 9612300117 | 50-382 Q |
| FISICARO,J.J. | 9612310152 | 50-382 P |
| FISK,R.H. | 9612160187 | XPORTLIC |
| FISK,R.H. | 9612260224 | XPORTLIC |
| FISK,R.H. | 9612260229* | XPORTLIC |
| FISK,R.H. | 9612270098* | XPORTLIC |
| FISK,R.H. | 9612270099* | XPORTLIC |
| FITZPATRICK,E. | 9612030157 | 50-315 Q |
| FITZPATRICK,E. | 9612160092 | 50-315 P |
| FITZPATRICK,E. | 9612270111 | 50-315 P |
| FITZPATRICK,E. | 9612300068 | 50-315 P |
| FITZPATRICK,E. | 9612310170 | 50-315 P |
| FLANDERS,S.C. | 9612050097 | 50-317 P |
| FLANDERS,S.C. | 9612090074 | 50-317 P |
| FLANDERS,S.C. | 9612240313 | 50-317 P |
| FLETCHER,R.G. | 9612090048 | NRCSA |
| FLETCHER,R.G. | 9612090050 | NRCSA |
| FLETCHER,R.G. | 9612090069 | NRCSA |
| FLETCHER,R.G. | 9612090107 | NRCSA |
| FLETCHER,R.G. | 9612090109 | NRCSA |
| FLETCHER,R.G. | 9612090122 | NRCSA |
| FLETCHER,R.G. | 9612090136 | NRCSA |
| FLETCHER,R.G. | 9612090206 | NRCSA |
| FLETCHER,R.G. | 9612110002 | NRCSA |
| FONNER,R. | 9612270051* | COMMISSIO N |
| FORNICOLA,J.C. | 9612160331 | PR |
| FOSTER,D.S. | 9612040202* | WASTE MGT |
| FOSTER,W.W. | 9612180202 | 50-269 F |
| FOWLER,K. | 9612090238 | 50-206 F |
| FOWLER,R.L. | 9612040029 | 50-313 F |
| FRANCESCHI,V. | 9612170148 | 72-1004 |
| FRANCIS,F.E. | 9612160270 | PR |
| FRANK,J.E. | 9612030191 | 50-219 S |
| FRANZ,J.F. | 9612200135 | 50-331 P |
| FRANZ,J.F. | 9612240236 | 50-331 P |
| FRANZ,J.F. | 9612260070 | 50-331 Q |
| FRAZEE,T. | 9612090144* | STATE PRO G |
| FREDRICKSON,P. | 9612040176 | 50-302 Q |
| FREDRICKSON,P. | 9612040197* | 50-302 Q |
| FREDRICKSON,P. | 9612060312 | 50-338 Q |
| FREDRICKSON,P. | 9612090004 | 50-369 Q |
| FREDRICKSON,P. | 9612090042 | 50-438 Q |
| FREDRICKSON,P. | 9612090046* | 50-438 Q |
| FREDRICKSON,P.E | 9612230362 | 50-261 Q |
| FREEMAN,D.S. | 9612180025 | 50-382 R |
| FRIZZLE,C.D. | 9612110276 | 50-309 P |
| FRIZZLE,C.D. | 9612160142 | 50-309 P |
| FRIZZLE,C.D. | 9612310037 | 50-309 P |
| FULTON,J.D. | 9612160425 | 50-528 R |
| FUNCHES,J. | 9612200239* | STATE PRO G |
| GALASSI,G.M. | 9612110160 | NUREG |
| GALLO,R.M. | 9612090244 | 50-341 Q |
| GALLO,R.M. | 9612090257 | 50-341 Q |
| GALLO,R.M. | 9612110356 | QA999 |
| GALLO,R.M. | 9612110380 | QA999 |
| GALLO,R.M. | 9612190370 | QA999 |
| GALLO,R.M. | 9612230048 | QA999 |
| GALLO,R.M. | 9612230211 | 50-382 Q |
| GAMBERONI,D. | 9612030264 | NUREG |
| GAMBHIR,S | 9612170385 | 50-285 J |
| GAMBHIR,S.K. | 9612170197 | 50-285 S |
| GAMBHIR,S.K. | 9612170392 | 50-285 P |
| GAMBHIR,S.K. | 9612180281 | 50-285 S |
| GAMBHIR,S.K. | 9612190098 | 50-285 R |
| GAMBHIR,S.K. | 9612240173 | 50-285 S |
| GAO,Y. | 9612060184 | 50-333 R |
| GARCHOW,D.F. | 9612060073 | 50-272 S |
| GARCHOW,D.F. | 9612060078 | 50-272 S |
| GARCHOW,D.F. | 9612090379 | 50-272 S |
| GARCHOW,D.F. | 9612100001 | 50-272 S |
| GARCHOW,D.F. | 9612100006 | 50-272 S |
| GARCHOW,D.F. | 9612120426 | 50-272 S |
| GARCHOW,D.F. | 9612130194 | 50-272 S |
| GARCHOW,D.F. | 9612170152 | 50-311 F |
| GARCHOW,D.F. | 9612190162 | 50-272 S |
| GARCHOW,D.F. | 9612190191 | 50-272 R |
| GARCHOW,D.F. | 9612190195 | 50-311 R |
| GARCHOW,D.F. | 9612240002 | 50-272 R |
| GARCHOW,D.F. | 9612260023 | 50-272 S |
| GARCHOW,D.F. | 9612260074 | 50-272 S |
| GARCHOW,D.F. | 9612260075 | 50-272 S |
| GARDNER,D. | 9612170043 | 50-261 R |
| GARRY,S. | 9612090113 | NRCSA |
| GARRY,S.M. | 9612110027 | NRCSA |
| GARTNER,P.A. | 9612260069* | 72-18 |
| GATES,W.G. | 9612170396 | 50-285 H |
| GAUDET,T.J. | 9612040065 | 50-382 S |
| GAVITT,S.M. | 9612300092 | STATE PRO G |
| GEDDIS,A.M. | 9612030279 | NUREG |
| GEORGE,M. | 9612050079 | 70-1426 |
| GEORGE,M. | 9612130111 | 70-1426 |
| GEORGE,M. | 9612130145 | 70-1426 |
| GEORGE,M. | 9612240043 | 70-1426 |
| GEORGE,M. | 9612240046 | 70-1426 |
| GIARRATANA,A. | 9612230044 | 70-7001 |
| GIBSON,A.F. | 9612020143 | 50-335 Q |
| GIBSON,A.F. | 9612060234 | 50-335 Q |
| GIBSON,A.F. | 9612090001 | 50-335 Q |
| GIBSON,A.F. | 9612170266 | 50-348 Q |
| GIBSON,A.F. | 9612170280 | 50-335 Q |
| GIBSON,A.F. | 9612270062 | 50-324 Q |
| GIBSON,G.T. | 9612090238 | 50-206 F |
| GIBSON,G.T. | 9612200178 | 50-361 R |
| GILES,H.B. | 9612180010 | 50-341 R |
| GILL,E.P. | 9612130125 | CONTRACT |
| GILLEY,S.D. | 9612260291 | 50-327 S |
| GINGERICH,R.E. | 9612110182 | NRCSA |
| GIPSON,D.R. | 9612110034 | 50-341 P |
| GIPSON,D.R. | 9612110049 | 50-341 S |
| GIPSON,D.R. | 9612110452 | 50-341 P |
| GIPSON,D.R. | 9612120319 | NRCSA |
| GIPSON,D.R. | 9612120324 | NRCSA |
| GIPSON,D.R. | 9612120328 | NRCSA |
| GIPSON,D.R. | 9612170368 | 50-341 P |
| GIPSON,D.R. | 9612190067 | 50-341 F |
| GIPSON,D.R. | 9612240177 | 50-341 S |
| GIPSON,D.R. | 9612300086 | 50-341 Q |
| GIPSON,D.R. | 9612300131 | 50-341 R |
| GLEASON,M.A. | 9612180113 | CONTRACT |
| GLENN,C.J. | 9612270154* | WASTE MGT |
| GLOVER | 9612190393 | NUREG |
| GODKNECHT,M. | 9612030057 | 50-219 S |
| GODWIN,A.V. | 9612260162* | STATE PRO G |
| GODWIN,A.V. | 9612260177* | STATE PRO G |
| GOEBEL,D. | 9612110367 | 50-213 W |
| GOEBEL,D. | 9612110367 | 50-213 W |
| GOEBEL,D.M. | 9612020100 | 50-245 P |
| GOEBEL,D.M. | 9612020100 | 50-245 P |
| GOEBEL,D.M. | 9612110113 | 50-245 P |
| GOEBEL,D.M. | 9612110113 | 50-245 P |
| GOLDBERG,J.R. | 9612160400* | 50-219 G |
| GOLDBERG,P. | 9612190328* | FOIA |
| GOODWIN,W.L. | 9612230151 | 70-1151 |
| GORMAN,T.A. | 9612160357* | 50-387 F |
| GRADIN,R.E. | 9612190154 | MISC |
| GRADLE,R.C. | 9612260057 | 50-318 S |
| GRAHAM,P.D. | 9612060227 | 50-298 Q |
| GRAHAM,P.D. | 9612170356 | 50-298 Q |
| GRAHAM,P.D. | 9612170461 | 50-298 P |
| GRAHAM,P.D. | 9612310090 | 50-298 P |
| GRANT,G.E. | 9612030001 | 50-237 P |
| GRANT,G.E. | 9612030215 | 50-255 Q |
| GRANT,G.E. | 9612030218 | 50-282 Q |
| GRANT,G.E. | 9612050095 | 50-295 Q |
| GRANT,G.E. | 9612090220 | 50-454 V |
| GRANT,G.E. | 9612090351 | 50-295 Q |
| GRANT,G.E. | 9612100290 | 50-155 Q |
| GRANT,G.E. | 9612160018 | 50-440 Q |
| GRANT,G.E. | 9612160022 | 50-305 Q |
| GRANT,G.E. | 9612160032 | 50-282 Q |
| GRANT,G.E. | 9612190373 | 50-456 Q |
| GRANT,G.E. | 9612190387 | 50-341 Q |
| GRANT,G.E. | 9612190407 | 50-346 Q |
| GRANT,G.E. | 9612200031 | 50-255 Q |
| GRANT,G.E. | 9612200118 | 50-454 Q |
| GRANT,G.E. | 9612260236 | 50-10 Q |
| GRANT,G.E. | 9612260247 | 50-266 Q |
| GRANT,G.E. | 9612260249 | 50-454 Q |
| GRANT,G.E. | 9612260262 | 50-305 Q |
| GRANT,G.E. | 9612270100 | 50-255 Q |
| GRANT,G.E. | 9612310044 | 50-295 Q |
| GRANT,J.J. | 9612090297 | 71-***** |
| GRANT,J.J. | 9612090301* | 71-***** |
| GRANT,J.M. | 9612090103 | NRCSA |
| GRANT,J.M. | 9612090123 | NRCSA |
| GRANT,J.M. | 9612090132 | NRCSA |
| GRANT,J.M. | 9612090146 | NRCSA |
| GRANT,J.M. | 9612090177 | NRCSA |
| GRANT,J.M. | 9612100323 | NRCSA |
| GRANT,J.M. | 9612110098 | NRCSA |

| AUTHOR | ACCESSION NUMBER | SUBJECT CATEGORY |
|---|---|---|
| GRANT,J.M. | 9612110143 | NRCSA |
| GRANT,J.M. | 9612110175 | NRCSA |
| GRASS,C. | 9612270060 | 71-731 |
| GRAVES,D.N. | 9612160307 | 50-482 S |
| GRAY,J.R. | 9502030005* | FOIA |
| GRAY,J.R. | 9612170120* | 50-272 P |
| GREENE,T.V. | 9612110312 | PROJ |
| GREENE,T.V. | 9612180150 | PROJ |
| GREENE,T.V. | 9612180345 | PROJ |
| GRIESACKER,P. | 9612050010 | 71-***** |
| GRIESACKER,P. | 9612050015* | 71-***** |
| GRIGG,R.R. | 9612200146 | 50-266 Q |
| GRIMARD,L. | 9612040030 | 50-309 S |
| GRIMES,B. | 8101100430 | 50-10 P |
| GRIMES,C.I. | 9612100139 | REVIEW GR P |
| GRIMES,C.I. | 9612170323 | REVIEW GR P |
| GROBE,J.A. | 9612310014 | 50-254 Q |
| GROBE,J.A. | 9612310055 | 50-266 Q |
| GROBMYER,L.R. | 9612130156* | TOPREP |
| GRODIN,M. | 9612120045 | NUREG |
| GROME,R.S. | 9612060191 | STATE PRO G |
| GRUBE,R.M. | 9612180230 | 70-133 |
| GRUSS,K.A. | 9612040018 | ORG |
| GUINN,M.J. | 9612030333* | 50-285 P |
| GUINN,M.J. | 9612030334* | 50-285 P |
| GUMBLE,F. | 9612090170* | 50-286 P |
| GUNDRUM,L.L. | 9612120268 | 50-266 P |
| GUNDRUM,L.L. | 9612120274* | 50-266 P |
| GUNTER,P. | 9612050021 | PR |
| GUNTER,P. | 9612130059 | 50-219 G |
| GUTTMANN,J. | 9612200320 | ORG |
| GUZMAN,A.G. | 9612030279 | NUREG |
| GWYNN,T.P. | 9612030140 | 50-416 Q |
| GWYNN,T.P. | 9612100084 | 50-361 Q |
| GWYNN,T.P. | 9612100099 | 50-483 Q |
| GWYNN,T.P. | 9612100113 | 50-285 Q |
| GWYNN,T.P. | 9612100273 | 50-285 Q |
| GWYNN,T.P. | 9612100327 | 50-313 Q |
| GWYNN,T.P. | 9612110043 | 50-298 Q |
| GWYNN,T.P. | 9612110051 | 50-128 Q |
| GWYNN,T.P. | 9612110053 | 50-416 F |
| GWYNN,T.P. | 9612110103 | 50-243 Q |
| GWYNN,T.P. | 9612110111 | 50-298 Q |
| GWYNN,T.P. | 9612120190 | 50-498 F |
| GWYNN,T.P. | 9612120223 | 50-528 F |
| GWYNN,T.P. | 9612120232 | 50-298 F |
| GWYNN,T.P. | 9612130164 | 50-445 F |
| GWYNN,T.P. | 9612130205 | 50-344 F |
| GWYNN,T.P. | 9612160083 | 50-243 F |
| GWYNN,T.P. | 9612160247 | 50-397 Q |
| GWYNN,T.P. | 9612160253 | 50-228 V |
| GWYNN,T.P. | 9612160296 | 50-361 F |
| GWYNN,T.P. | 9612160368 | 50-482 F |
| GWYNN,T.P. | 9612170015 | 50-59 Q |
| GWYNN,T.P. | 9612170053 | 50-361 Q |
| GWYNN,T.P. | 9612170098 | 50-298 F |
| GWYNN,T.P. | 9612180373 | 50-285 F |
| GWYNN,T.P. | 9612200028 | 50-416 Q |
| GWYNN,T.P. | 9612200048 | 50-298 Q |
| GWYNN,T.P. | 9612200065 | 50-361 Q |
| GWYNN,T.P. | 9612200305 | 50-416 Q |
| GWYNN,T.P. | 9612240126 | 50-458 Q |
| GWYNN,T.P. | 9612240130 | 50-313 F |
| GWYNN,T.P. | 9612240133 | 50-445 Q |
| GWYNN,T.P. | 9612240136 | 50-361 Q |
| GWYNN,T.P. | 9612240139 | 50-298 Q |
| GWYNN,T.P. | 9612240140 | 50-397 F |
| GWYNN,T.P. | 9612240156 | 50-482 F |
| GWYNN,T.P. | 9612240158 | 50-285 V |
| GWYNN,T.P. | 9612260108 | 50-113 P |
| GWYNN,T.P. | 9612270018 | 50-482 V |
| GWYNN,T.P. | 9612300019 | 50-288 F |
| GWYNN,T.P. | 9612300041 | 50-361 F |
| GYWNN,T.P. | 9612060030 | 50-416 Q |
| HAAG,C.L. | 9612040024* | 52-3 |
| HADEN,C.R. | 9612110349 | 50-59 Q |
| HAGAN,J.J. | 9612040110 | 50-416 S |
| HAGAN,J.J. | 9612090308 | 50-416 S |
| HAGAN,J.J. | 9612090364 | 50-416 P |
| HAGAN,J.J. | 9612240075 | 50-416 Q |
| HAGAN,J.J. | 9612260172 | 50-416 S |
| HAGAN,J.J. | 9612260329 | 50-416 P |
| HAGAN,J.J. | 9612270042 | 50-416 Q |
| HAGOPIAN,H.M. | 9612110165 | 50-309 T |
| HALE,J. | 9612130210 | 40-8027 |
| HALL,T.E. | 9612240090 | NUREG |
| HALLISEY,R.M. | 9612110115 | NRCSA |
| HALLISEY,R.M. | 9612200213 | STATE PRO G |
| HALMAN,E.L. | 9612100283 | CONTRACT |
| HAMMOND,B. | 9612120513* | COMMISSIO N |
| HAMPTON,E.J. | 9612160311 | PR |
| HAMPTON,J.W. | 9612020112 | 50-269 P |
| HAMPTON,J.W. | 9612030315 | 50-270 S |
| HAMPTON,J.W. | 9612060079 | 50-269 Q |
| HAMPTON,J.W. | 9612090349 | 50-269 Q |
| HAMPTON,J.W. | 9612090367 | 50-287 Q |
| HAMPTON,J.W. | 9612100119 | 50-269 P |
| HAMPTON,J.W. | 9612170028 | 50-269 P |
| HAMPTON,J.W. | 9612170037 | 50-270 S |
| HAMPTON,J.W. | 9612240118 | 50-269 F |
| HAMPTON,J.W. | 9612240124 | 50-269 F |
| HAMPTON,J.W. | 9612240187 | 50-269 P |
| HAMPTON,J.W. | 9612260101 | 50-287 Q |
| HAMPTON,J.W. | 9612310002 | 50-269 P |
| HAMPTON,T.M. | 9612300070 | STATE PRO G |
| HANNON,J.N. | 9612240271 | 50-255 P |
| HANSELL,S.L. | 9612120433* | 50-289 Q |
| HANSEN,A.G. | 9612160182 | 50-346 Q |
| HANSEN,A.G. | 9612180256 | 50-346 P |
| HANSON,K. | 9612160168 | 70-7001 |
| HARBOR,C.D. | 9612110076 | 50-323 S |
| HARDGROVE,T.W. | 9612040068 | 40-6622 |
| HARDGROVE,T.W. | 9612060080 | 40-2259 |
| HARDIN,C.M. | 9612160263* | STATE PRO G |
| HARDIN,K. | 9612200105 | 70-1257 |
| HARDIN,K.J. | 9612130313 | 70-1257 |
| HARDIN,K.J. | 9612270007 | 70-1257 |
| HARDIN,K.J. | 9612270017 | 70-1257 |
| HARKLEROAD,R. | 9612020214 | 50-219 S |
| HARLAN,N.P. | 9612120500* | COMMISSIO N |
| HARRIS,J.C. | 9612110448 | 50-272 F |
| HARRIS,J.C. | 9612240252 | 50-272 F |
| HARRIS,M. | 9612200291* | 50-247 P |
| HARRIS,T.E. | 9612170146 | 27-47 |
| HARRISON,D.L. | 9612310015 | REGGD |
| HARRISON,F. | 9612180168 | 50-324 R |
| HASSLER,D.V. | 9612060073 | 50-272 S |
| HASSLER,D.V. | 9612060078 | 50-272 S |
| HASSLER,D.V. | 9612090379 | 50-272 S |
| HASSLER,D.V. | 9612130194 | 50-272 S |
| HASSLER,D.V. | 9612260023 | 50-272 S |
| HASSLER,D.V. | 9612260074 | 50-272 S |
| HASSLER,D.V. | 9612260075 | 50-272 S |
| HASTY,R.L. | 9612230394 | 50-369 F |
| HAUBER,R. | 9612100026 | XPORTLIC |
| HAUBER,R.D. | 9612030246 | XPORTLIC |
| HAUBER,R.D. | 9612100038 | XPORTLIC |
| HAUBER,R.D. | 9612120031 | XPORTLIC |
| HAUBER,R.D. | 9612120043 | XPORTLIC |
| HAUBER,R.D. | 9612130077 | XPORTLIC |
| HAUBER,R.D. | 9612180134 | XPORTLIC |
| HAUBER,R.D. | 9612260140* | XPORTLIC |
| HAUBER,R.D. | 9612270087 | XPORTLIC |
| HAUBER,R.D. | 9612270093 | XPORTLIC |
| HAUGHNEY,C. | 9612130129 | NRCSA |
| HAUGHNEY,C.J. | 9612030033* | 50-344 Y |
| HAUGHNEY,C.J. | 9612030210 | 50-313 Q |
| HAUGHNEY,C.J. | 9612040060 | 50-272 P |
| HAUGHNEY,C.J. | 9612040215 | 50-3 Q |
| HAUGHNEY,C.J. | 9612060077 | 50-344 W |
| HAUGHNEY,C.J. | 9612100010 | 50-344 Y |
| HAUGHNEY,C.J. | 9612110258 | 72-1021 |
| HAUGHNEY,C.J. | 9612130238 | 50-255 Y |
| HAWN,R.S. | 9612110304 | 50-255 R |
| HAYES,J. | 9612160282* | FOIA |
| HEARSE,A.L. | 9612170435 | TOPREP |
| HEATH,M.A. | 9612110213* | 50-333 Q |
| HEBDON,F.J. | 9612090283 | 50-250 P |
| HEBERT,J.R. | 9612020058 | 50-309 S |
| HEBERT,J.R. | 9612040014 | 50-309 P |
| HEBERT,J.R. | 9612040030 | 50-309 S |
| HEBERT,J.R. | 9612090061 | 50-309 P |
| HEBERT,J.R. | 9612090345 | 50-309 P |
| HEBERT,J.R. | 9612110333 | 50-309 P |
| HEBERT,J.R. | 9612110396 | 50-309 P |
| HEBERT,J.R. | 9612170456 | 50-309 P |
| HEBERT,J.R. | 9612180070 | 50-309 R |
| HEBERT,J.R. | 9612230162 | 50-309 S |
| HEBERT,J.R. | 9612260142 | 50-309 R |
| HEBERT,J.R. | 9612300014 | 50-309 P |
| HEHR,W. | 9612050071 | XPORTLIC |
| HEHR,W. | 9612130097 | XPORTLIC |
| HEHR,W. | 9612240017 | XPORTLIC |
| HELLER,R. | 9612190191 | 50-272 R |
| HELLER,R. | 9612190195 | 50-311 R |
| HENDERSON,J.W. | 9612100141 | 40-2384 |
| HENDERSON,P. | 9612240066 | I&E |
| HERMANN,R.A. | 9612120028 | ORG |
| HERNAN,R.W. | 9612120369 | 50-259 P |
| HERNAN,R.W. | 9612190364 | 50-327 Q |
| HESS,E.G. | 9612050101 | 71-9218 |
| HESS,E.G. | 9612260289 | 71-9218 |
| HESS,E.G. | 9612270008 | 71-9212 |
| HEYSEK,W.G. | 9612040057 | 50-289 R |
| HEYSEK,W.G. | 9612190428 | 50-289 R |
| HEYSEK,W.G. | 9612200002 | 50-289 S |
| HEYSEK,W.G. | 9612240111 | 50-289 S |
| HIBBARD,J.C. | 9612270076* | 50-335 P |
| HICKEY,J.W. | 9612050040 | 40-7455 |
| HICKEY,J.W. | 9612050050* | 40-7455 |
| HICKEY,J.W. | 9612050053* | 40-7455 |
| HICKEY,J.W. | 9612170072 | 40-8027 |
| HICKEY,J.W. | 9612170140 | 40-8027 |
| HICKEY,J.W. | 9612170242 | 40-7604 |
| HICKEY,J.W. | 9612170245* | 40-7604 |
| HICKEY,J.W. | 9612170337 | 50-54 W |
| HICKMAN,J.B. | 9612060344 | 50-315 P |
| HICKMAN,J.B. | 9612120438 | 50-315 S |
| HIGGINS,R.P. | 9612100132* | 50-352 P |
| HIGLEY,C. | 9612160248 | PR |
| HILAND,P. | 9612310008 | 50-254 Q |
| HILAND,P.L. | 9612190384 | 50-237 P |
| HILAND,P.L. | 9612310118 | 50-10 Q |
| HILL,D. | 9612190190 | NUREG |
| HILL,R.D. | 9612060277 | 50-348 F |
| HILL,R.D. | 9612100008 | 50-364 S |
| HILL,R.D. | 9612100077 | 50-348 S |
| HILL,R.D. | 9612110267 | 50-364 S |
| HILL,R.D. | 9612240114 | 50-348 F |
| HILL,R.D. | 9612260157 | 50-348 S |
| HILL,R.L. | 9612180147 | 50-498 R |
| HILL,T.E. | 9612060129 | STATE PRO G |
| HILL,T.E. | 9612120356 | NRCSA |
| HILL,T.E. | 9612120362 | NRCSA |
| HILL,T.E. | 9612120395 | NRCSA |
| HILL,T.E. | 9612120396 | NRCSA |
| HILL,T.E. | 9612120413 | NRCSA |
| HILL,T.E. | 9612120416 | NRCSA |
| HILL,T.E. | 9612120422 | NRCSA |
| HILL,T.E. | 9612120428 | NRCSA |
| HILL,T.E. | 9612120457 | NRCSA |
| HILL,T.E. | 9612120476 | NRCSA |
| HILL,T.E. | 9612120491 | NRCSA |
| HILL,T.E. | 9612120515 | NRCSA |
| HILL,W.J. | 9612170377 | 50-263 S |
| HILL,W.J. | 9612180419 | 50-263 P |
| HILL,W.J. | 9612180423* | 50-263 P |
| HILL,W.J. | 9612190354 | 50-263 P |
| HILL,W.M. | 9612170178 | 10CFR |
| HILL,W.M. | 9612190257* | PRM |
| HINNENKAMP,P. | 9612190172 | 50-245 S |
| HINNENKAMP,P. | 9612190172 | 50-245 S |
| HINNENKAMP,P. | 9612200063 | 50-245 R |
| HINNENKAMP,P. | 9612200063 | 50-245 R |
| HINNENKAMP,P.D. | 9612110381 | 50-245 S |
| HINNENKAMP,P.D. | 9612110381 | 50-245 S |
| HINNENKAMP,P.D. | 9612180068 | 50-245 S |
| HINNENKAMP,P.D. | 9612180068 | 50-245 S |
| HINNENKAMP,P.D. | 9612180394 | 50-245 S |
| HINNENKAMP,P.D. | 9612180394 | 50-245 S |
| HINNENKAMP,P.D. | 9612180399 | 50-245 S |
| HINNENKAMP,P.D. | 9612180399 | 50-245 S |
| HINNENKAMP,P.D. | 9612180437 | 50-245 S |
| HINNENKAMP,P.D. | 9612180437 | 50-245 S |
| HINNENKAMP,P.D. | 9612180444 | 50-245 S |
| HINNENKAMP,P.D. | 9612180444 | 50-245 S |
| HINNENKAMP,P.D. | 9612190055 | 50-245 S |
| HINNENKAMP,P.D. | 9612190055 | 50-245 S |
| HINNENKAMP,P.D. | 9612200058 | 50-245 S |
| HINNENKAMP,P.D. | 9612200058 | 50-245 S |
| HINNENKAMP,P.D. | 9612260294 | 50-245 S |
| HINNENKAMP,P.D. | 9612260294 | 50-245 S |
| HOANG,H.X. | 9612110428* | 50-373 P |
| HOANG,H.X. | 9612110432* | 50-373 P |
| HOBE,M.A. | 9612190196 | 50-255 F |
| HODGDON,A.P. | 9612130075 | 50-219 G |
| HODGES,K.A. | 9612100005* | WASTE MGT |
| HODO,M. | 9612130069 | 70-925 |
| HOEY,M.Q. | 9612190150* | 50-344 W |
| HOFFMAN,S.T. | 9612110351 | PROJ |
| HOFFMAN,S.T. | 9612230229 | PROJ |
| HOGAN,R.T. | 9612270044 | ORG |
| HOGBERG,L. | 9612110037 | NRCSA |
| HOGBERG,L. | 9612110078 | NRCSA |

| AUTHOR | ACCESSION NUMBER | SUBJECT CATEGORY |
|---|---|---|
| HOGBERG,L. | 9612110088 | NRCSA |
| HOLDEN,D.W. | 9612050061 | XPORTLIC |
| HOLDEN,D.W. | 9612130087 | XPORTLIC |
| HOLDEN,L.S. | 9612200120 | 50-282 S |
| HOLIFIELD,C. | 9612090308 | 50-416 S |
| HOLLER,E. | 9612260054 | 70-3070 |
| HOLLINGSWORTH | 9612060305 | CONTRACT |
| HOLLOMON,T.J. | 9612300069 | 50-327 R |
| HOLMES,J. | 9612060210* | 50-458 R |
| HOLMES,M.A. | 9612130282 | 50-483 R |
| HOLONICH,J.J. | 9612020171 | 40-3453 |
| HOLONICH,J.J. | 9612020189 | 40-8964 |
| HOLONICH,J.J. | 9612020192 | 40-8698 |
| HOLONICH,J.J. | 9612040284 | 40-8584 |
| HOLONICH,J.J. | 9612050026 | 40-8584 |
| HOLONICH,J.J. | 9612050029* | 40-8584 |
| HOLONICH,J.J. | 9612110374 | 40-8902 |
| HOLONICH,J.J. | 9612110410 | WASTE MGT |
| HOLONICH,J.J. | 9612120314 | 40-8698 |
| HOLONICH,J.J. | 9612120326* | 40-8698 |
| HOLONICH,J.J. | 9612120498 | 40-6622 |
| HOLONICH,J.J. | 9612120501* | 40-6622 |
| HOLONICH,J.J. | 9612160240 | 40-4492 |
| HOLONICH,J.J. | 9612160267 | 40-8698 |
| HOLONICH,J.J. | 9612170219 | WASTE MGT |
| HOLONICH,J.J. | 9612170340 | 40-8778 |
| HOLONICH,J.J. | 9612180388 | 40-6659 |
| HOLONICH,J.J. | 9612180395* | 40-6659 |
| HOLONICH,J.J. | 9612190106 | 40-8989 |
| HOLONICH,J.J. | 9612190160 | 40-9024 |
| HOLONICH,J.J. | 9612200026 | WASTE MGT |
| HOLONICH,J.J. | 9612260051 | WASTE MGT |
| HOLSOPPLE,K.L. | 9612040233 | 40-6940 |
| HOM,S.R. | 9612130038 | 40-8027 |
| HOM,S.R. | 9612130043 | 40-8027 |
| HOM,S.R. | 9612260067 | 40-8027 |
| HOOD,D.S. | 9612160332 | 50-410 P |
| HOOD,D.S. | 9612170259 | 50-220 P |
| HOOPER,G.L. | 9612180042 | 50-424 R |
| HOPKINS,J.B. | 9612040180 | 50-440 P |
| HOPKINS,J.B. | 9612110322 | 50-440 P |
| HORNER,J. | 9612200166 | I&E |
| HORTON,D.G. | 9612030250 | WASTE MGT |
| HORTON,D.G. | 9612030253 | WASTE MGT |
| HORTON,D.G. | 9612030260 | WASTE MGT |
| HORTON,D.G. | 9612030266 | WASTE MGT |
| HORTON,D.G. | 9612040074 | WASTE MGT |
| HORTON,D.G. | 9612100002 | WASTE MGT |
| HORTON,D.G. | 9612100003 | WASTE MGT |
| HORTON,D.G. | 9612100004 | WASTE MGT |
| HORTON,D.G. | 9612100005* | WASTE MGT |
| HORTON,D.G. | 9612100012 | WASTE MGT |
| HORTON,D.G. | 9612100089 | WASTE MGT |
| HORTON,D.G. | 9612100095* | WASTE MGT |
| HORTON,D.G. | 9612100193 | WASTE MGT |
| HORTON,D.G. | 9612110289 | WASTE MGT |
| HORTON,D.G. | 9612110313 | WASTE MGT |
| HORTON,D.G. | 9612120001 | WASTE MGT |
| HORTON,D.G. | 9612180176 | WASTE MGT |
| HORTON,D.G. | 9612180182* | WASTE MGT |
| HORTON,D.G. | 9612200226 | WASTE MGT |
| HORTON,D.G. | 9612200229* | WASTE MGT |
| HORTON,D.G. | 9612260065 | WASTE MGT |
| HORTON,D.G. | 9612260104 | WASTE MGT |
| HOSE,W.R. | 9612180374* | 40-8474 |
| HOSEY,C.M. | 9612170346 | STATE PRO G |
| HOSMER,J.B. | 9612090352 | 50-454 Q |
| HOSMER,J.B. | 9612180081 | 50-237 P |
| HOSMER,J.B. | 9612190129 | 50-454 P |
| HOSMER,J.B. | 9612270070 | 50-254 P |
| HOSMER,J.B. | 9612310065 | 50-237 Q |
| HOSMER,J.B. | 9612310178 | 50-454 P |
| HOVEY,R.J. | 9612060020 | 50-250 P |
| HOVEY,R.J. | 9612100192 | 50-250 Q |
| HOVEY,R.J. | 9612180049 | 50-250 R |
| HOVEY,R.J. | 9612240267 | 50-250 P |
| HOVEY,R.J. | 9612310141 | 50-250 P |
| HOWELL,A.T. | 9612310176* | 50-237 Q |
| HOWELL,L. | 9612110243 | I&E |
| HOWELL,L. | 9612110272 | I&E |
| HOWELL,L. | 9612200077 | I&E |
| HOWELL,L. | 9612230076 | I&E |
| HOWELL,L. | 9612230090 | I&E |
| HOWELL,L.L. | 9612090259 | I&E |
| HOWELL,S. | 9612160353 | 50-346 H |
| HOYLE,J.C. | 9612050038 | PR |
| HOYLE,J.C. | 9612100110 | 10CFR |
| HOYLE,J.C. | 9612110101 | COMMISSION |
| HOYLE,J.C. | 9612110233 | 10CFR |
| HOYLE,J.C. | 9612110399 | 10CFR |
| HOYLE,J.C. | 9612120030 | COMMISSION |
| HOYLE,J.C. | 9612120242 | 10CFR |
| HOYLE,J.C. | 9612130005 | 50-413 G |
| HOYLE,J.C. | 9612130015 | MISC |
| HOYLE,J.C. | 9612130044 | 40-8027 |
| HOYLE,J.C. | 9612130046 | ORG |
| HOYLE,J.C. | 9612130076 | 50-440 G |
| HOYLE,J.C. | 9612130090 | 50-424 G |
| HOYLE,J.C. | 9612130223 | 50-508 G |
| HOYLE,J.C. | 9612160242 | PR |
| HOYLE,J.C. | 9612170063 | 10CFR |
| HOYLE,J.C. | 9612170138 | 10CFR |
| HOYLE,J.C. | 9612170275 | 10CFR |
| HOYLE,J.C. | 9612170358 | PR |
| HOYLE,J.C. | 9612180327 | 10CFR |
| HOYLE,J.C. | 9612180344 | 10CFR |
| HOYLE,J.C. | 9612180379 | COMMISSION |
| HOYLE,J.C. | 9612190251* | PR |
| HOYLE,J.C. | 9612190411* | PR |
| HOYLE,J.C. | 9612230074 | SECY |
| HOYLE,J.C. | 9612240239 | 10CFR |
| HOYLE,J.C. | 9612240240 | 10CFR |
| HOYLE,J.C. | 9612260020 | COMMISSION |
| HOYLE,J.C. | 9612260041 | COMMISSION |
| HOYLE,J.C. | 9612260052 | ORG |
| HOYLE,J.C. | 9612260055 | 50-245 G |
| HOYLE,J.C. | 9612260071 | 50-309 G |
| HOYLE,J.C. | 9612260073 | 50-335 G |
| HOYLE,J.C. | 9612260078 | 50-219 G |
| HOYLE,J.C. | 9612260197 | 50-245 G |
| HUBER,D. | 9612120045 | NUREG |
| HUCIK,S.A. | 9612110147 | NRCSA |
| HUDSON,I.R. | 9612200099 | 50-423 R |
| HUFFMAN,L. | 9612180393 | 40-8943 |
| HUFFMAN,W.C. | 9612060021 | 52-3 |
| HUFFMAN,W.C. | 9612060323 | 52-3 |
| HUFFMAN,W.C. | 9612060333 | 52-3 |
| HUFFMAN,W.C. | 9612160371 | 52-3 |
| HUFFMAN,W.C. | 9612230187 | 52-3 |
| HUFFMAN,W.C. | 9612230203 | 52-3 |
| HUFFMAN,W.C. | 9612230210 | 52-3 |
| HUFFMAN,W.C. | 9612240284 | 52-3 |
| HUFFMAN,W.C. | 9612310056 | 52-3 |
| HUGHES,F. | 9612110265 | 50-354 F |
| HUGHES,F. | 9612110407 | 50-272 F |
| HUJET,K.P. | 9612040061 | 50-305 S |
| HUNDLEY,D.R. | 9612200086* | 50-336 P |
| HUNG,Y.T. | 9612160085* | FOIA |
| HUNGER,G.A. | 9612030200 | 50-352 P |
| HUNGER,G.A. | 9612090359 | 50-352 P |
| HUNGER,G.A. | 9612100034 | 50-353 P |
| HUNGER,G.A. | 9612100125 | 50-352 P |
| HUNGER,G.A. | 9612100170 | 50-352 P |
| HUNGER,G.A. | 9612120347 | 50-353 P |
| HUNGER,G.A. | 9612160252 | REGGD |
| HUNGER,G.A. | 9612170163 | 50-352 P |
| HUNGER,G.A. | 9612230281 | 50-352 P |
| HUNGER,G.A. | 9612240172 | 50-277 P |
| HURLEY,L. | 9612260007 | 50-397 V |
| HUTCHINSON,C. | 9612120484 | 50-368 P |
| HUTCHINSON,C.R. | 9612260233 | 50-368 P |
| HUTCHINSON,C.R. | 9612260237 | 50-368 P |
| HUTCHINSON,C.R. | 9612260246 | 50-368 P |
| HUTCHINSON,C.R. | 9612260321 | 50-313 P |
| HYDRICK,L.P. | 9612180027 | 50-277 R |
| HYNES,D. | 9612180377 | 50-219 S |
| IGLESIAS,D.A. | 9612030003 | CONTRACT |
| IGLESIAS,D.A. | 9612030003 | CONTRACT |
| INGOLFSDOTTIR,G | 9612190262 | MISC |
| ISAAC,P. | 9612120279 | 50-186 V |
| ISAAC,P.J. | 9612160401 | 50-83 V |
| JABBOUR,K.N. | 9612040168 | 50-321 P |
| JACKSON,D.A. | 9612160419 | ORG |
| JACKSON,D.T. | 9612050102 | 52-3 |
| JACKSON,D.T. | 9612160358 | 52-3 |
| JACKSON,D.T. | 9612170341 | 52-3 |
| JACKSON,D.T. | 9612190238 | 52-3 |
| JACKSON,D.T. | 9612190310 | 52-3 |
| JACKSON,D.T. | 9612240288 | 52-3 |
| JACKSON,J.M. | 9612100279 | NRCSA |
| JACKSON,S.A. | 9612040067 | SPEECHES |
| JACKSON,S.A. | 9612050008 | COMMISSION |
| JACKSON,S.A. | 9612050018 | COMMISSION |
| JACKSON,S.A. | 9612050023 | COMMISSION |
| JACKSON,S.A. | 9612050032 | COMMISSION |
| JACKSON,S.A. | 9612050041 | 50-443 Q |
| JACKSON,S.A. | 9612050081 | COMMISSION |
| JACKSON,S.A. | 9612110107* | COMMISSION |
| JACKSON,S.A. | 9612110292 | SPEECHES |
| JACKSON,S.A. | 9612120034* | COMMISSION |
| JACKSON,S.A. | 9612120315 | 50-424 H |
| JACKSON,S.A. | 9612120425 | 50-213 U |
| JACKSON,S.A. | 9612120429 | COMMISSION |
| JACKSON,S.A. | 9612130050 | 50-213 U |
| JACKSON,S.A. | 9612130284 | SPEECHES |
| JACKSON,S.A. | 9612170080 | COMMISSION |
| JACKSON,S.A. | 9612170100 | 50-245 P |
| JACKSON,S.A. | 9612170124 | COMMISSION |
| JACKSON,S.A. | 9612170133 | COMMISSION |
| JACKSON,S.A. | 9612170220 | 50-289 H |
| JACKSON,S.A. | 9612180008 | COMMISSION |
| JACKSON,S.A. | 9612180386* | COMMISSION |
| JACKSON,S.A. | 9612190358 | 50-245 H |
| JACKSON,S.A. | 9612230208 | COMMISSION |
| JACKSON,S.A. | 9612230244 | 50-267 Y |
| JACKSON,S.A. | 9612240088 | 50-245 P |
| JACKSON,S.A. | 9612240134 | COMMISSION |
| JACKSON,S.A. | 9612240268 | COMMISSION |
| JACKSON,S.A. | 9612260006 | COMMISSION |
| JACKSON,S.A. | 9612260022* | COMMISSION |
| JACKSON,T.J. | 9612030149* | 40-8794 |
| JACKSON,T.J. | 9612170258* | 40-8778 |
| JACOBSEN,B. | 9612030016 | 50-455 S |
| JACOBSON,J.M. | 9612110011 | 50-440 Q |
| JACOBSON,J.M. | 9612310012 | 50-263 Q |
| JACOBSON,J.M. | 9612310019 | 50-440 Q |
| JACOBSON,J.M. | 9612310025 | 50-282 Q |
| JACOBSON,J.M. | 9612310033 | 50-346 Q |
| JAFFE,D.H. | 9612230392 | 50-354 P |
| JAIN,S.C. | 9612110343 | 50-412 P |
| JAIN,S.C. | 9612130274 | 50-334 Q |
| JAIN,S.C. | 9612240204 | 50-334 P |
| JAIN,S.C. | 9612260035 | 50-334 P |
| JAMES,B.E. | 9612160362 | PR |
| JANKOVICH,J.P. | 9612020037 | 71-771 |
| JANKOVICH,J.P. | 9612020041* | 71-771 |
| JANKOVICH,J.P. | 9612040225 | 71-476 |
| JANKOVICH,J.P. | 9612060246* | 71-119 |
| JANKOVICH,J.P. | 9612090378 | 71-***** |
| JANKOVICH,J.P. | 9612090381* | 71-***** |
| JANKOVICH,J.P. | 9612160107 | 71-867 |
| JANKOVICH,J.P. | 9612160174* | 71-867 |
| JANKOVICH,J.P. | 9612160198 | 71-869 |
| JANKOVICH,J.P. | 9612160205* | 71-869 |
| JANKOVICH,J.P. | 9612240290 | 71-577 |
| JANKOVICH,J.P. | 9612260021 | 71-625 |
| JANKOVICH,J.P. | 9612260027 | 71-851 |
| JAUDON,J.P. | 9612030116* | 50-269 Q |
| JAUDON,J.P. | 9612060280 | 50-302 Q |
| JAUDON,J.P. | 9612060342 | 50-302 Q |
| JAWORSKY,M. | 9612110059* | 50-341 S |
| JAWORSKY,M. | 9612240177 | 50-341 S |
| JEBSEN,E.R. | 9612160357* | 50-387 F |
| JENSEN,M.K. | 9612040202* | WASTE MGT |
| JOHANSEN,J. | 9612270072 | I&E |
| JOHNSON,B. | 9612130135 | NRCSA |
| JOHNSON,B. | 9612130180 | NRCSA |
| JOHNSON,I. | 9612160195* | 70-7001 |
| JOHNSON,T.C. | 9612040255 | 40-8724 |
| JOHNSON,T.P. | 9612300064 | 50-461 S |
| JOHNSON,W.D. | 9612160307 | 50-482 S |
| JOHNSRUD,J.H. | 9612060142 | STATE PRO G |
| JOHNSRUD,J.H. | 9612110031 | NRCSA |
| JOHNSRUD,J.H. | 9612110057 | NRCSA |
| JOHNSRUD,J.H. | 9612110061 | NRCSA |
| JOHNSRUD,J.H. | 9612110069 | NRCSA |
| JOHNSRUD,J.H. | 9612110077 | NRCSA |
| JOHNSRUD,J.H. | 9612110089 | NRCSA |
| JOHNSRUD,J.H. | 9612110159 | NRCSA |
| JOHNSRUD,J.H. | 9612110167 | NRCSA |
| JOHNSRUD,J.H. | 9612110241 | NRCSA |
| JOHNSRUD,J.H. | 9612130081 | NRCSA |
| JOHNSRUD,J.H. | 9612130120 | NRCSA |
| JOHNSRUD,J.H. | 9612130141 | NRCSA |
| JOHNSRUD,J.H. | 9612130170 | NRCSA |
| JOHNSRUD,J.H. | 9612130172 | NRCSA |
| JOHNSRUD,J.H. | 9612130173 | NRCSA |
| JOHNSRUD,J.H. | 9612130177 | NRCSA |
| JOHNSRUD,J.H. | 9612130178 | NRCSA |
| JOHNSTON,J.R. | 9612110325 | 50-155 R |
| JOLICOEUR,J.R. | 9612230233 | 50-280 F |
| JONES,A.R. | 9612040202* | WASTE MGT |
| JONES,D.T. | 9612170054 | 50-334 R |
| JONES,M.L. | 9612040110 | 50-416 S |

| AUTHOR | ACCESSION NUMBER | SUBJECT CATEGORY |
|---|---|---|
| JORDAN,E. | 9612160251* | COMMISSIO N |
| JORDAN,E.L. | 9612110316 | ORG |
| JORDAN,E.L. | 9612240257 | 50-309 H |
| JORDAN,M.J. | 9612090335 | 50-341 Q |
| JORDAN,M.J. | 9612090343 | 50-305 Q |
| JORDAN,S.G. | 9612130068 | 40-8968 |
| JORDAN,S.G. | 9612130068 | 40-8968 |
| JORDAN,S.G. | 9612130068 | 40-8968 |
| JUDD,C.A. | 9612090083 | NRCSA |
| JUDD,C.A. | 9612090106 | NRCSA |
| JUDD,C.A. | 9612110100 | NRCSA |
| JULIAN,C.A. | 9612060260 | 50-335 Q |
| JULIAN,C.A. | 9612090093 | 50-250 Q |
| JULIAN,C.A. | 9612180067 | 50-250 Q |
| JULIAN,C.A. | 9612230376 | 50-250 Q |
| JULIAN,C.A. | 9612240164 | 50-335 Q |
| JULIAN,E.L. | 9612130022 | MISC |
| JULIAN,E.L. | 9612260058 | 40-8968 |
| JURY,K.R. | 9612100009 | 50-440 S |
| JURY,K.R. | 9612260132 | 50-440 S |
| KADAK,A.C. | 9612090179* | NRCSA |
| KAHN,L.F. | 9612260076 | QA999 |
| KALMAN,K. | 9612040264 | 70-925 |
| KALMAN,K.L. | 9612170129 | 70-925 |
| KALMAN,K.L. | 9612170208 | 70-925 |
| KALMAN,K.L. | 9612170332 | 70-925 |
| KANUKOVA,V. | 9612040179 | NUREG |
| KAPIL,S. | 9612090168* | 50-286 P |
| KARRICK,J. | 9612120493 | 50-354 S |
| KARWOSKI,K.J. | 9612040207 | 50-280 P |
| KARWOSKI,K.J. | 9612050036 | 50-454 P |
| KASKO,B. | 9612190113 | 50-397 R |
| KATZ,P.E. | 9612190198 | 50-317 R |
| KATZ,P.E. | 9612260057 | 50-318 S |
| KECK,R.L. | 9612110213* | 50-333 Q |
| KEENEY,J. | 9612030256 | NUREG |
| KEGIN,J.L. | 9612260330 | 70-925 |
| KEIMIG,R.R. | 9612030173 | 50-244 Q |
| KEIMIG,R.R. | 9612090348 | 50-213 F |
| KEIMIG,R.R. | 9612120441 | 50-272 F |
| KEIMIG,R.R. | 9612120451* | 50-272 F |
| KEIMIG,R.R. | 9612160421 | 50-247 Q |
| KEIMIG,R.R. | 9612160422 | 50-245 Q |
| KEIMIG,R.R. | 9612170060 | 50-293 Q |
| KEIMIG,R.R. | 9612260275 | 50-272 F |
| KEIMIG,R.R. | 9612260277* | 50-272 F |
| KEIMIG,R.R. | 9612300030 | 50-277 Q |
| KEIMIG,R.R. | 9612310161 | 50-334 Q |
| KELLEY,L.C. | 9612040047 | 50-302 F |
| KELLEY,L.C. | 9612060048 | 50-302 P |
| KELLEY,L.C. | 9612180321 | 50-302 R |
| KELLY,G.B. | 9612310144 | 50-331 P |
| KELLY,G.B. | 9612310146* | 50-331 P |
| KELLY,J. | 9612190156 | 71-749 |
| KELSOW,W.H. | 9612030158* | 50-397 P |
| KENNEDY,J.L. | 9612060316 | 50-498 P |
| KENNY,A. | 9612020132* | TOPREP |
| KENNY,A. | 9612030056 | TOPREP |
| KENYON,B.D. | 9612050033 | 50-213 Q |
| KEPLEY,L. | 9612050091 | 50-354 S |
| KERR,G.W. | 9612110271 | 40-2061 |
| KERRY,J.F. | 9612050045* | 50-443 Q |
| KERRY,J.F. | 9612050046* | 50-443 Q |
| KEYER,K.R. | 9612260047* | 50-498 F |
| KILLAR,F.M. | 9612060189 | STATE PRO G |
| KILLOREN,R. | 9612170141 | CONTRACT |
| KILLOREN,R. | 9612170195 | CONTRACT |
| KILLOREN,R. | 9612180098 | CONTRACT |
| KILMER,J.D. | 9612240092 | 50-280 R |
| KIM,H.J. | 9612040171 | NUREG |
| KIM,T. | 9612120471 | 50-263 P |
| KIM,T. | 9612130073 | 50-263 Q |
| KIM,T. | 9612190236 | 50-263 P |
| KIMBALL,D.P. | 9612060006 | 50-414 S |
| KIMBALL,D.P. | 9612060058 | 50-414 S |
| KIMBALL,D.P. | 9612160160 | 50-413 S |
| KING,E.B. | 9612120433* | 50-289 Q |
| KING,R.J. | 9612060182 | 50-458 S |
| KING,R.J. | 9612060206 | 50-458 R |
| KING,R.J. | 9612160432 | 50-458 Q |
| KING,R.J. | 9612180148 | 50-458 R |
| KING,R.J. | 9612190096 | 50-458 S |
| KING,R.J. | 9612240077 | 50-458 V |
| KINNEMAN,J. | 9612020072 | I&E |
| KINNEMAN,J. | 9612040133 | I&E |
| KINNEMAN,J.D. | 9612120200 | I&E |
| KINNEMAN,J.D. | 9612170077 | I&E |
| KINNEMAN,J.D. | 9612200114 | I&E |
| KINNEMAN,J.D. | 9612230313* | 40-8936 |
| KINNEMAN,J.D. | 9612230375 | 40-9016 |
| KINSEY,R.R. | 9612110212 | NUREG |
| KIPP,C.P. | 9612200298 | 70-1113 |
| KNECHT,W.G. | 9612160224 | 50-335 S |
| KNICELEY,J. | 9612180145 | 40-3392 |
| KNORR,J.E. | 9612180049 | 50-250 R |
| KNUBEL,J. | 9612040057 | 50-289 R |
| KNUBEL,J. | 9612060332 | 50-320 P |
| KNUBEL,J. | 9612090240 | 50-289 P |
| KNUBEL,J. | 9612170168 | 50-289 Q |
| KNUBEL,J. | 9612190397 | 50-289 Q |
| KNUBEL,J. | 9612190428 | 50-289 R |
| KNUBEL,J. | 9612200002 | 50-289 S |
| KNUBEL,J. | 9612240111 | 50-289 S |
| KNUBEL,J. | 9612240192 | 50-289 P |
| KNUBEL,J. | 9612240196* | 50-289 P |
| KOBETZ,T.J. | 9612270129 | 72-1004 |
| KOBIATA,K.A. | 9612110304 | 50-255 R |
| KOFRON,K.L. | 9612030016 | 50-455 S |
| KOFRON,K.L. | 9612170059 | 50-454 S |
| KOFRON,K.L. | 9612170182 | 50-454 S |
| KOFRON,K.L. | 9612180356 | 50-454 R |
| KOKAJKO,L.E. | 9612020078 | 72-21 |
| KOKAJKO,L.E. | 9612030027 | 50-344 Y |
| KOKAJKO,L.E. | 9612030031 | 50-344 Y |
| KOKAJKO,L.E. | 9612270132 | 72-1023 |
| KOKAJKO,L.W. | 9612020038 | 50-344 Y |
| KORSAH,K. | 9612030282 | NUREG |
| KOSMIDER,M.D. | 9612060044 | 40-3392 |
| KOTRA,J.P. | 9612110187 | NUREG |
| KOTTAN,J. | 9612120284* | 70-1100 |
| KOTTLE,S. | 9612240085 | NUREG |
| KRAFT,E.S. | 9612030150 | 50-265 Q |
| KRAFT,E.S. | 9612030321 | 50-254 P |
| KRAFT,E.S. | 9612040040 | 50-254 V |
| KRAFT,E.S. | 9612040268 | 50-265 Q |
| KRAFT,E.S. | 9612050093 | 50-254 P |
| KRAFT,E.S. | 9612190437 | 50-237 Q |
| KRESS,T.S. | 9612260280 | ACRS |
| KRIEGER,R.W. | 9612120218 | 50-206 F |
| KRIESER,G. | 9612240141 | 50-266 P |
| KRIESER,G. | 9612310070 | 50-266 S |
| KRIESER,G.M. | 9612180301 | 50-266 P |
| KRIESER,G.M. | 9612190060 | 50-266 P |
| KRIESER,G.M. | 9612240200 | 50-266 P |
| KUCERA,G.J. | 9612260284 | 50-397 I |
| KUCZYNSKI,G.J. | 9612110385 | 50-387 S |
| KUCZYNSKI,G.J. | 9612260061 | 50-387 S |
| KUGLER,A.J. | 9612230266 | 50-341 P |
| KUGLER,A.J. | 9612240298 | 50-210 F |
| KUGLER,A.J. | 9612260097 | 50-341 P |
| KUGLER,A.J. | 9612260100* | 50-341 P |
| KUGLER,A.J. | 9612310140 | 50-341 Q |
| KUNDALKAR,R.S. | 9612310185 | 50-250 I |
| KUO,T. | 9612310181* | ORG |
| LABARGE,D.E. | 9612030274 | 50-269 F |
| LABARGE,D.E. | 9612090337 | 50-269 Q |
| LABARGE,D.E. | 9612120029 | 50-269 P |
| LABARGE,D.E. | 9612120058 | 50-269 F |
| LABARGE,D.E. | 9612160144 | 50-270 P |
| LABARGE,D.E. | 9612190339 | 50-269 P |
| LABARGE,D.E. | 9612190344* | 50-269 P |
| LABARGE,D.E. | 9612310105 | 50-269 P |
| LAFRANZO,M. | 9612310168 | I&E |
| LAMASTRA,M. | 9612020001 | 70-1113 |
| LAMASTRA,M. | 9612020002 | 70-1201 |
| LAMASTRA,M. | 9612160081 | 40-3392 |
| LAMASTRA,M. | 9612190297 | 70-1113 |
| LANDIS,K.D. | 9612020154 | 50-302 Q |
| LANDIS,K.D. | 9612020169 | 50-302 P |
| LANDIS,K.D. | 9612020206 | 50-302 Q |
| LANDIS,K.D. | 9612020223 | 50-302 Q |
| LANDIS,K.D. | 9612030013 | 50-302 P |
| LANDIS,K.D. | 9612060306 | 50-302 P |
| LANDIS,K.D. | 9612060337 | 50-302 P |
| LANDIS,K.D. | 9612090101 | 50-335 P |
| LANDIS,K.D. | 9612170254 | 50-302 P |
| LANDIS,K.D. | 9612170256 | 50-302 Q |
| LANDIS,K.D. | 9612170260 | 50-302 P |
| LANDIS,K.D. | 9612180157 | 50-302 P |
| LANDIS,K.D. | 9612180326 | 50-302 Q |
| LANKSBURY,R. | 9612190400 | 50-454 Q |
| LANKSBURY,R.D. | 9612230425 | 50-456 Q |
| LANNING,W.D. | 9612090183 | 50-245 Q |
| LANZISERA,P. | 9612200114 | I&E |
| LAPLATNEY,J.J. | 9612180058 | 50-213 R |
| LARKINS,J.T. | 9612040071 | NRCSA |
| LARKINS,J.T. | 9612040129 | NRCSA |
| LARKINS,J.T. | 9612040172 | NRCSA |
| LASH,J.H. | 9612020029 | 50-346 R |
| LASH,J.H. | 9612160356 | 50-346 R |
| LASH,J.H. | 9612240120 | 50-346 S |
| LASH,J.H. | 9612240148 | 50-346 R |
| LASH,J.H. | 9612240159 | 50-346 S |
| LAU,E.S. | 9610300285 | 50-20 V |
| LAUDENAT,R.T. | 9612030278* | 50-336 S |
| LAUDENAT,R.T. | 9612170027 | 50-336 S |
| LAUDENAT,R.T. | 9612170394* | 50-336 S |
| LAUDENAT,R.T. | 9612240168 | 50-336 S |
| LAUFER,R.J. | 9612060338 | 50-305 P |
| LAUFER,R.J. | 9612120430 | 50-305 P |
| LAUFER,R.J. | 9612190338 | 50-305 P |
| LAUFER,R.J. | 9612310045 | 50-305 P |
| LAWRENCE,E.P. | 9612110288* | 40-299 |
| LAWSON,R.L. | 9612110174 | NRCSA |
| LAWSON,R.L. | 9612110178 | NRCSA |
| LAWSON,R.L. | 9612110188 | NRCSA |
| LAWSON,R.L. | 9612110191 | NRCSA |
| LAWSON,R.L. | 9612110193 | NRCSA |
| LAWSON,R.L. | 9612110199 | NRCSA |
| LAWSON,R.L. | 9612110201 | NRCSA |
| LAWSON,R.L. | 9612110207 | NRCSA |
| LAZZARO,J.A. | 9612040027 | PROJ |
| LE,N. | 9612270138 | 50-461 S |
| LE,N.B. | 9612090397 | 50-400 Q |
| LE,N.B. | 9612170425 | 50-400 P |
| LEACH,M.N. | 9612300018 | 50-237 V |
| LEACH,M.N. | 9612300021 | 50-373 V |
| LEAZAR,D.A | 9612170403 | 50-498 P |
| LEAZAR,D.A. | 9612030166 | 50-498 Q |
| LEE,J.D. | 9612160099* | FOIA |
| LEE,M.P. | 9612050003 | WASTE MGT |
| LEE,M.P. | 9612110187 | NUREG |
| LEE,S. | 9612040171 | NUREG |
| LEE,S. | 9612100093 | PROJ |
| LEE,S. | 9612310179 | ORG |
| LEE,S. | 9612310181* | ORG |
| LEE,S.B. | 9612190042 | 50-400 H |
| LEEDS,E.J. | 9612260300 | 71-9255 |
| LEEDS,E.J. | 9612260306 | 72-1007 |
| LEGERE,D.J. | 9612260299* | 50-271 P |
| LENGYEL,G. | 9612090340 | 50-277 S |
| LESER,M.S | 9612090133 | 50-327 Q |
| LESNIAK,M.T. | 9612110116 | 50-454 P |
| LESNIAK,M.T. | 9612230419 | 50-454 Q |
| LESSER,M.S. | 9612020141 | 50-327 Q |
| LESSER,M.S. | 9612020187 | 50-259 P |
| LESSER,M.S. | 9612020227 | 50-327 Q |
| LESSER,M.S. | 9612030002 | 50-390 Q |
| LESSER,M.S. | 9612060271 | 50-327 Q |
| LESSER,M.S. | 9612090154 | 50-259 P |
| LESSER,M.S. | 9612170279 | 50-390 Q |
| LESSER,M.S. | 9612170297 | 50-390 Q |
| LESSER,M.S. | 9612170418 | 50-327 Q |
| LEVIN,A. | 9612060318 | 50-454 P |
| LEVINE,J.M. | 9612100171 | 50-530 P |
| LEVINE,J.M. | 9612170051 | 50-528 R |
| LEVIS,W. | 9612170044 | 50-325 S |
| LEVIS,W. | 9612240045 | 50-325 S |
| LEWIS,D.R. | 9612170262 | 50-334 P |
| LEWIS,S.W. | 9612030289 | NUREG |
| LIEBERMAN,J. | 9612020081 | 50-397 Q |
| LIEBERMAN,J. | 9612040078 | I&E |
| LIEBERMAN,J. | 9612040087 | 50-324 Q |
| LIEBERMAN,J. | 9612040093 | 50-354 Q |
| LIEBERMAN,J. | 9612040101 | I&E |
| LIEBERMAN,J. | 9612040112 | 50-266 Q |
| LIEBERMAN,J. | 9612040121 | I&E |
| LIEBERMAN,J. | 9612040125 | I&E |
| LIEBERMAN,J. | 9612090021 | 50-220 P |
| LIEBERMAN,J. | 9612090022 | 50-245 Q |
| LIEBERMAN,J. | 9612160069 | MISC |
| LIEBERMAN,J. | 9612160077* | MISC |
| LIEBERMAN,J. | 9612240181 | 50-266 Q |
| LIN,S.D. | 9612270144 | 50-416 R |
| LINDGREN,D.A. | 9612270015* | 52-3 |
| LINDSAY,W.M. | 9612110281 | 50-482 S |
| LINK,B. | 9612030257 | 50-266 P |
| LINK,B. | 9612040005 | 50-266 P |
| LINK,B. | 9612040062 | 50-266 P |
| LINK,B. | 9612040081 | 50-266 P |
| LINK,B. | 9612170057 | 50-266 Q |
| LINNERT,T.G. | 9612170117 | PR |
| LIPARULO,N.J. | 9612030288 | 50-482 P |
| LIPARULO,N.J. | 9612030301 | 50-286 P |

LIPARULO,N.J. 9612060055* 50-348 P
LIPARULO,N.J. 9612090176* PROJ
LIPARULO,N.J. 9612130140 TOPREP
LIPARULO,N.J. 9612130155* TOPREP
LIPARULO,N.J. 9612170283 TOPREP

LIPARULO,N.J. 9612180348* PROJ
LIPARULO,N.J. 9612260255 TOPREP
LIPARULO,N.J. 9612270005* 52-3
LIPARULO,N.J. 9612270090 REGGD
LIPOTI,J. 9612090006 NRCSA

LIPOTI,J. 9612090035 NRCSA
LIPOTI,J. 9612090047 NRCSA
LIPOTI,J. 9612090068 NRCSA
LIPOTI,J. 9612090087 NRCSA
LIPOTI,J. 9612090096 NRCSA

LIPOTI,J. 9612090121 NRCSA
LIPOTI,J. 9612090156 NRCSA
LIPOTI,J. 9612090158 NRCSA
LIPOTI,J. 9612090171 NRCSA
LIPOTI,J. 9612110003 NRCSA

LIPOTI,J. 9612110013 NRCSA
LIPOTI,J. 9612110073 NRCSA
LIPOTI,J. 9612110109 NRCSA
LIPURALO,N.J. 9612180108 50-483 S
LOHAUS,P.H. 9612060141 STATE PRO G

LOHAUS,P.H. 9612060163 STATE PRO G
LOHAUS,P.H. 9612060164 STATE PRO G
LOHAUS,P.H. 9612060221 STATE PRO G
LOHAUS,P.H. 9612060272 STATE PRO G
LOHAUS,P.H. 9612160259 STATE PRO G

LOHAUS,P.H. 9612160260 STATE PRO G
LOHAUS,P.H. 9612160287 STATE PRO G
LOHAUS,P.H. 9612260134 STATE PRO G
LOHAUS,P.H. 9612260135 STATE PRO G
LOHAUS,P.H. 9612260136 STATE PRO G

LOHAUS,P.H. 9612260144* STATE PRO G
LOHAUS,P.H. 9612260145 STATE PRO G
LOHAUS,P.H. 9612260303 STATE PRO G
LOHAUS,P.H. 9612270061 STATE PRO G
LOHAUS,R.L. 9612160257 STATE PRO G

LOOMIS,M. 9612090062 NRCSA
LOOMIS,M. 9612090084 NRCSA
LOOMIS,M. 9612090167 NRCSA
LOOMIS,M. 9612110142 NRCSA
LORFING,D. 9612060182 50-458 S

LORFING,D. 9612190096 50-458 S
LOWMAN,R.P. 9612020176 CONTRACT
LUTHIGER,P. 9612030338 40-8905
LUX,J. 9612060046 70-3073
LUXTON,S.P. 9612310162* 50-213 H

LYNCH,J. 9612060072* FOIA
LYNCH,J. 9612160302* 72-18
LYNCH,J. 9612200140 I&E
LYNCH,J.C. 9612110321 CONTRACT
LYNCH,M.D. 9612100227 50-454 Q

LYNCH,M.D. 9612100263 TOPREP
LYNCH,M.D. 9612160108 50-454 Q
LYNCH,M.D. 9612160186 TOPREP
LYNCH,M.D. 9612160204 TOPREP
MAAS,L.J. 9612040106 NRCSA

MAAS,L.J. 9612040126 NRCSA
MAAS,L.J. 9612130149 NRCSA
MAAS,L.J. 9612130154 NRCSA
MACE,M. 9612030233 CONTRACT
MACE,M. 9612040006 CONTRACT

MACE,M. 9612180066 CONTRACT
MACE,M. 9612180094 CONTRACT
MACE,M. 9612200249 CONTRACT
MACE,M.H. 9612020156 CONTRACT
MACE,M.H. 9612040004 CONTRACT

MACE,M.H. 9612060309 CONTRACT
MACE,M.H. 9612090248 CONTRACT
MACE,M.H. 9612170073 CONTRACT
MACE,M.H. 9612180079 CONTRACT
MACE,M.H. 9612180098 CONTRACT

MACE,M.H. 9612200037 CONTRACT
MACE,M.H. 9612260120 CONTRACT
MACHON,R.D. 9612030291 50-260 S
MACHON,R.D. 9612030304 50-260 S
MACHON,R.D. 9612110033 50-296 S

MACHON,R.D. 9612130115 50-259 Q
MACKINNON,R.J. 9612110212 NUREG
MADDEN,F.W. 9612170335* 50-445 S
MADERA,J. 9612050072 I&E
MADERA,J. 9612060298 I&E

MADERA,J. 9612300090 I&E
MADERA,J.R. 9612100103 I&E
MAGRUDER,S.L. 9612040205 PROJ
MAGRUDER,S.L. 9612130136 52-2
MAGRUDER,S.L. 9612160178 50-528 P

MAGRUDER,S.L. 9612170039 PROJ
MAGRUDER,S.L. 9612170066 PROJ
MAGRUDER,S.L. 9612170105 PROJ
MAGRUDER,S.L. 9612190405 TOPREP
MAGRUDER,S.L. 9612230242 PROJ

MAGRUDER,S.L. 9612230270 TOPREP
MAGRUDER,S.L. 9612310087 PROJ
MAGRUDER,S.L. 9612310093 PROJ
MALIK,S.N. 9612160419 ORG
MALLEN,F.H. 9612180147 50-498 R

MALLETT,B. 9612270150 50-298 S
MALLETT,B.S. 9612090054 STATE PRO G
MALLETT,B.S. 9612090085 STATE PRO G
MALLETT,B.S. 9612090125 STATE PRO G
MALLETT,B.S. 9612230405 70-27

MALLOY,M. 9612040164 PROJ
MAMISH,N. 9612040101 I&E
MAMISH,N. 9612040125 I&E
MANGES,C. 9612030047 50-354 S
MARCHI,M.L. 9612030302 50-305 P

MARCHI,M.L. 9612030320 50-305 S
MARCHI,M.L. 9612040061 50-305 S
MARCHI,M.L. 9612170173 50-305 P
MARCHI,M.L. 9612170207 50-305 S
MARCHI,M.L. 9612180107 50-305 R

MARCHI,M.L. 9612270148 50-305 S
MARCUS,G.H. 9612090246 50-461 Q
MARCUS,G.H. 9612180096 50-266 H
MARCUS,G.H. 9612190275 50-255 H
MARCUS,G.H. 9612200203 50-255 H

MARCUS,G.H. 9612230202 50-255 G
MARCUS,G.H. 9612310125 50-440 Q
MARICONDO,P.E. 9612160427 50-219 P
MARKS,D.G. 9612040143 50-528 S
MARROTTE,G.N. 9612100132* 50-352 P

MARTIN,J.T. 9612060102 50-244 S
MARTIN,L.E. 9612100063 50-498 P
MARTIN,L.E. 9612100157 50-498 V
MARTIN,L.E. 9612240101 50-498 Q
MARTIN,L.E. 9612300066 50-498 P

MARTIN,T.O. 9612120225 ORG
MARTIN,T.T. 9512220087* 50-272 P
MARTIN,T.T. 9612040069* 50-272 Q
MARTIN,T.T. 9612040210* 50-272 Q
MARTIN,T.T. 9612040221* FOIA

MARTIN,T.T. 9612040239* 50-272 Q
MARTIN,T.T. 9612060222 50-3 Q
MARTIN,T.T. 9612060224 50-3 Q
MARTIN,T.T. 9612090316 52-3
MARTIN,T.T. 9612180274 50-243 V

MARTIN,T.T. 9612190396 ORG
MASON,D.K. 9612240092 50-280 R
MASON,M. 9612040189 50-282 Y
MASON,M. 9612060343 71-250
MATHERLY,D. 9612030297* 50-260 S

MATHERLY,D.C. 9612030304 50-260 S
MATRANGA,E.C. 9612020029 50-346 R
MATRANGA,E.C. 9612160356 50-346 R
MATSON,E.R. 9612030289 NUREG
MATTHEW 9612120465* COMMISSION

MATTHEWS,D.B. 9612040190 ORG
MATTHEWS,D.B. 9612160002 ORG
MATTHEWS,D.B. 9612170192 PROJ
MATTHEWS,D.B. 9612230271 PROJ
MATTHEWS,T.P. 9612130197* 50-456 P

MATTHEWS,T.P. 9612130203* FOIA
MATTHEWS,W.R. 9612090229 50-339 S
MATTHEWS,W.R. 9612110318 50-338 R
MATTIA,J. 9612310149 CONTRACT
MATTIA,M. 9612030003 CONTRACT

MATTIA,M. 9612090264* FOIA
MATTIA,M.J. 9612040011 CONTRACT
MATTIA,M.J. 9612090070 CONTRACT
MATTIA,M.J. 9612090241 CONTRACT
MATTIA,M.J. 9612090258 CONTRACT

MATTIA,M.J. 9612130125 CONTRACT
MATTIA,M.J. 9612230126 CONTRACT
MATTIA,M.J. 9612230198 CONTRACT
MATTIA,M.J. 9612240147 CONTRACT
MATTSEN,C. 9612260153* STATE PRO G

MATZKE,E.P. 9612240173 50-285 S
MAUDLIN,R.L. 9612100095* WASTE MGT
MAUPIN,C.H. 9612060203 STATE PRO G
MAXIN,A.M. 9612120211 70-143
MAXIN,A.M. 9612180139 70-143

MAXIN,A.M. 9612180392 70-143
MAXIN,A.M. 9612260093 70-143
MAXIN,A.M. 9612260248 70-143
MAXIN,A.M. 9612260264 70-143
MAY,M.R. 9612180128 71-9033

MAYFIELD,M.E. 9609200114* ORG
MAYFIELD,M.E. 9612060122 ORG
MAYLATH,J.J. 9612160147 50-247 S
MAYNARD,O.L. 9612170289 50-482 F
MAYNARD,O.L. 9612180121 50-482 R

MAYO,C.W. 9612170119 50-297 S
MAYO,D. 9612200249 CONTRACT
MAYO,L.E. 9612160154 50-424 F
MAZZINI,M. 9612110160 NUREG
MCALPINE,E.J. 9612020140 70-1151

MCALPINE,E.J. 9612020150 70-143
MCALPINE,E.J. 9612020155 70-1151
MCALPINE,E.J. 9612020160 50-62 F
MCALPINE,E.J. 9612020163 50-160 F
MCALPINE,E.J. 9612020198 70-1113

MCALPINE,E.J. 9612020205 70-27
MCALPINE,E.J. 9612020221 70-1113
MCALPINE,E.J. 9612030044* 70-1151
MCALPINE,E.J. 9612030182 70-27
MCALPINE,E.J. 9612060258 50-62 Q

MCALPINE,E.J. 9612090011 70-27
MCALPINE,E.J. 9612090016 50-238 Q
MCALPINE,E.J. 9612170248 70-1151
MCALPINE,E.J. 9612230326 70-1151
MCALPINE,E.J. 9612230365 70-143

MCANULTY,M.W. 9612180097 50-348 R
MCCOLLUM,W.M. 9612060058 50-414 S
MCCOLLUM,W.R. 9612030036 50-414 Q
MCCOLLUM,W.R. 9612060006 50-414 S
MCCOLLUM,W.R. 9612100154 50-413 S

MCCOLLUM,W.R. 9612160160 50-413 S
MCCOLLUM,W.R. 9612240102 50-413 P
MCCOLLUM,W.R. 9612260062 50-413 P
MCCOLLUM,W.R. 9612310081 50-413 P
MCCORMICK-BARGE 9612130231 50-266 Q

MCCORMICK-BARGE 9612310016 50-266 P
MCCOY,C.K. 9612030159 50-424 Q
MCCOY,C.K. 9612030196 50-424 Q
MCCOY,C.K. 9612090321 50-424 S
MCCOY,C.K. 9612100072 50-424 Q

MCCOY,C.K. 9612160304 50-321 H
MCCOY,C.K. 9612180042 50-424 R
MCCOY,C.K. 9612180360 50-424 P
MCCOY,C.K. 9612260066 50-424 P
MCCOY,C.K. 9612260068 50-424 S

MCCOY,C.K. 9612310069 50-424 P
MCDONALD,D.G. 9612060310 50-336 P
MCFADDEN,J. 9612020072 I&E
MCFADDEN,J.R. 9612230313* 40-8936
MCGAFFIGAN 9612180403* COMMISSION

MCGAFFIGAN,E. 9612110132* COMMISSION
MCGAFFIGAN,E. 9612120050* COMMISSION
MCGAFFIGAN,E. 9612170076 COMMISSION
MCGAFFIGAN,E. 9612170087 COMMISSION
MCGAFFIGAN,E. 9612240134 COMMISSION

MCGAFFIGAN,E. 9612260002 COMMISSION
MCGAFFIGAN,E. 9612260037* COMMISSION
MCGAHA,J.R. 9612180405 50-458 K
MCGARRY,J.L. 9612260080 70-3070
MCGARRY,J.L. 9612260080 70-3070

MCINTYRE,B. 9612190418* 52-3
MCINTYRE,B.A. 9612040023 52-3
MCINTYRE,B.A. 9612040024* 52-3
MCINTYRE,B.A. 9612060328* 52-3
MCINTYRE,B.A. 9612090208 52-3

MCINTYRE,B.A. 9612100187 52-3
MCINTYRE,B.A. 9612110066 52-3
MCINTYRE,B.A. 9612110110 52-3
MCINTYRE,B.A. 9612110254 52-3
MCINTYRE,B.A. 9612110262* 52-3

MCINTYRE,B.A. 9612110282 52-3
MCINTYRE,B.A. 9612180411 52-3
MCINTYRE,B.A. 9612180422 52-3
MCINTYRE,B.A. 9612180424 52-3
MCINTYRE,B.A. 9612190079 52-3

MCINTYRE,B.A. 9612190080 52-3
MCINTYRE,B.A. 9612190085 52-3
MCINTYRE,B.A. 9612190097* 52-3
MCINTYRE,B.A. 9612190216 52-3
MCINTYRE,B.A. 9612190416 52-3

MCINTYRE,B.A. 9612200145 52-3
MCINTYRE,B.A. 9612200152 52-3
MCINTYRE,B.A. 9612200159 52-3
MCINTYRE,B.A. 9612200187 52-3
MCINTYRE,B.A. 9612200225 52-3

MCINTYRE,B.A. 9612240089 52-3
MCINTYRE,B.A. 9612240095 52-3
MCINTYRE,B.A. 9612240227 52-3
MCINTYRE,B.A. 9612260018 52-3
MCINTYRE,B.A. 9612270004 52-3

MCINTYRE,B.A. 9612270013 52-3
MCINTYRE,B.A. 9612270015* 52-3
MCKEE,P.F. 9612240319 50-245 H
MCKENNA,E. 9612230253 PROJ
MCKENNA,E. 9612310052 PROJ

MCKERY,K.O. 9612260120 CONTRACT
MCLAUGHLIN,J. 9612050089 70-1426
MCLAUGHLIN,J. 9612130088 70-1426
MCLEAN,M.L. 9612230076 I&E
MCMAHON,J.F. 9612160436 50-272 P

MCMEEKIN,T.C. 9612040130 50-369 P
MCMEEKIN,T.C. 9612100177 50-369 Q
MCMEEKIN,T.C. 9612110360 50-369 F
MCMEEKIN,T.C. 9612130158 50-370 S
MCMEEKIN,T.C. 9612130290 50-369 S

MCMEEKIN,T.C. 9612160213 50-369 S
MCMEEKIN,T.C. 9612160219 50-369 S
MCMEEKIN,T.C. 9612160442 50-369 F
MCMEEKIN,T.C. 9612170024 50-369 Q
MCMEEKIN,T.C. 9612190064 50-369 F

MCMEEKIN,T.C. 9612240104 50-369 K
MCNAMARA,T.E. 9612090217 NRCSA
MCNEIL,D.R. 9612160021 50-255 V
MCQUAIDE,R. 9612300087 50-334 H
MEARSE,S.D. 9612090261 CONTRACT

MECREDY,R.C. 9612030208 50-244 P
MECREDY,R.C. 9612060102 50-244 S
MECREDY,R.C. 9612060128 50-244 S
MECREDY,R.C. 9612110429 50-244 P
MECREDY,R.C. 9612110450 50-244 F

MECREDY,R.C. 9612190258 50-244 P
MECREDY,R.C. 9612200085 50-244 P
MECREDY,R.C. 9612200268 50-244 P
MECREDY,R.C. 9612230393 50-244 K
MECREDY,R.C. 9612270091 50-244 R

MEDDINGS,C. 9612090238 50-206 F
MEDOFF,J. 9612160177* 50-270 P
MEISNER,M.J. 9612090015 NRCSA
MEISNER,M.J. 9612090086 NRCSA
MEISNER,M.J. 9612090095 NRCSA

MEISNER,M.J. 9612090139 NRCSA
MEISNER,M.J. 9612090159 NRCSA
MEISNER,M.J. 9612100244 NRCSA
MEISNER,M.J. 9612110124 NRCSA
MENDELSOHN,B. 9612060353 NRCSA

MENDELSOHN,B. 9612110080 NRCSA
MENDONCA,M.M. 9612020027 50-508 A
MENDONCA,M.M. 9612160065 50-288 I
MENDONCA,M.M. 9612230172 50-193 P
MEREN,A.W. 9612160255* 50-228 V

MERGES,P.J. 9612190033 NRCSA
MERGES,P.J. 9612190043 NRCSA
MERGES,P.J. 9612190065 NRCSA
MERSCHOFF,E.W. 9612020146 50-327 Q
MERSCHOFF,E.W. 9612230291 50-269 F

MERSCHOFF,J.R. 9612170430 50-269 Q
MESERVE,R.A. 9612040036 50-206 P
MEYER,G.W. 9612040111 50-443 Q
MEYER,G.W. 9612060295 50-387 V
MEYER,G.W. 9612090391 50-387 V

MEYER,G.W. 9612120343 50-245 Q
MEYER,G.W. 9612170338 50-272 V
MEYER,G.W. 9612240003 50-247 V
MEYER,G.W. 9612240011 50-443 V
MEYER,J.F. 9610300319* 50-285 P

MICHAELS,T.S. 9612040182 50-150 V
MICHAELS,T.S. 9612090311 50-116 F
MICHAELS,T.S. 9612170007 50-116 P
MICHEALS,T.S. 9612230200 50-57 P
MILHOAN,J.L. 9612040282* FOIA

MILLER,C.G. 9612040292* 50-272 P
MILLER,D.L. 9612240120 50-346 S
MILLER,G.L. 9612180281 50-285 S
MILLER,H.J. 9612090213 50-317 Q
MILLER,H.J. 9612230301 40-8936

MILLER,H.J. 9612230310* 40-8936
MILLER,H.J. 9612260032 50-317 Q
MILLER,H.J. 9612260276 50-309 P
MILLER,H.J. 9612270128 50-244 Q
MILLER,H.J. 9612310086 50-272 Q

MILLER,H.J. 9612310091 50-272 Q
MILLER,H.J. 9612310095 50-272 Q
MILLER,H.J. 9612310186 50-354 Q
MILLER,J.H. 9612230071 70-7002
MILLER,L.F. 9612260155 50-155 Q

MILLER,L.F. 9612260204 50-315 Q
MILLER,L.F. 9612260227 50-255 Q
MILLER,M. 9612240203* STATE PRO G
MILLER,W.F. 9612110213* 50-333 Q
MILLS,G.R. 9612090147* 50-206 H

MILLS,G.R. 9612160346* 50-206 H
MILTENBERGER,S. 9401260272* 50-272 P
MIMS,D.C. 9612020098 50-313 Q
MIMS,D.C. 9612020099 50-368 P
MIMS,D.C. 9612020103 50-313 Q

MIMS,D.C. 9612030021 50-368 P
MIMS,D.C. 9612040025 50-313 V
MIMS,D.C. 9612040192 50-313 Q
MIMS,D.C. 9612050092 50-368 P
MIMS,D.C. 9612060010 50-368 S

MIMS,D.C. 9612060013 50-313 S
MIMS,D.C. 9612100011 50-368 P
MIMS,D.C. 9612160111 50-313 P
MIMS,D.C. 9612170210 50-368 P
MIMS,D.C. 9612180368 50-313 Q

MIMS,D.C. 9612260243 50-313 S
MIMS,D.C. 9612310046 50-368 S
MINOR,J.W. 9612160326* 50-316 R
MINOR,J.W. 9612160330* 50-316 R
MINOR,J.W. 9612170009 50-315 R

MIRAGLIA,F.J. 9610210118* 50-206 H
MIRAGLIA,F.J. 9612020122 50-309 H
MIRAGLIA,F.J. 9612030276 50-282 G
MIRAGLIA,F.J. 9612030283* 50-282 G
MIRAGLIA,F.J. 9612030286* 50-282 G

MIRAGLIA,F.J. 9612060039* 50-445 P
MIRAGLIA,F.J. 9612090134 50-206 H
MIRAGLIA,F.J. 9612160027* 50-454 P
MIRAGLIA,F.J. 9612160082 52-2
MIRAGLIA,F.J. 9612160314 50-309 P

MIRAGLIA,F.J. 9612160340 50-206 H
MIRAGLIA,F.J. 9612160343 50-348 P
MIRAGLIA,F.J. 9612160352 50-317 P
MIRAGLIA,F.J. 9612160355 50-269 P
MIRAGLIA,F.J. 9612160361 50-247 P

MIRAGLIA,F.J. 9612160364 50-244 P
MIRAGLIA,F.J. 9612160367 50-219 G
MIRAGLIA,F.J. 9612160383* 50-219 G
MIRAGLIA,F.J. 9612160389 50-213 W
MIRAGLIA,F.J. 9612160390* 50-219 G

MIRAGLIA,F.J. 9612160431 50-321 P
MIRAGLIA,F.J. 9612170252 50-272 P
MIRAGLIA,F.J. 9612170277 50-280 P
MIRAGLIA,F.J. 9612170313 50-334 P
MIRAGLIA,F.J. 9612170328 50-261 P

MIRAGLIA,F.J. 9612170366 50-259 P
MIRAGLIA,F.J. 9612180087 50-266 G
MIRAGLIA,F.J. 9612180116* 50-266 G
MIRAGLIA,F.J. 9612180153 50-220 P
MIRAGLIA,F.J. 9612180268 50-346 P

MIRAGLIA,F.J. 9612180270 50-298 P
MIRAGLIA,F.J. 9612180278 50-445 P
MIRAGLIA,F.J. 9612180284 50-315 P
MIRAGLIA,F.J. 9612180287 50-313 P
MIRAGLIA,F.J. 9612180288* 50-333 P

MIRAGLIA,F.J. 9612180291 50-305 P
MIRAGLIA,F.J. 9612180292 50-331 P
MIRAGLIA,F.J. 9612180311 50-395 P
MIRAGLIA,F.J. 9612180320 50-250 P
MIRAGLIA,F.J. 9612180322 50-440 P

MIRAGLIA,F.J. 9612180325 50-302 P
MIRAGLIA,F.J. 9612180338 50-277 P
MIRAGLIA,F.J. 9612180342 50-341 P
MIRAGLIA,F.J. 9612180349 50-155 P
MIRAGLIA,F.J. 9612180354 50-263 P

MIRAGLIA,F.J. 9612180398 50-498 P
MIRAGLIA,F.J. 9612180402 50-461 P
MIRAGLIA,F.J. 9612190253 50-10 W
MIRAGLIA,F.J. 9612190263 50-245 P
MIRAGLIA,F.J. 9612190286 50-387 P

MIRAGLIA,F.J. 9612190342 50-266 P
MIRAGLIA,F.J. 9612230036 ORG
MIRAGLIA,F.J. 9612230171 50-361 P
MIRAGLIA,F.J. 9612230185 50-275 P
MIRAGLIA,F.J. 9612230193 50-219 P

MIRAGLIA,F.J. 9612230237 50-271 P
MIRAGLIA,F.J. 9612230255 50-285 P
MIRAGLIA,F.J. 9612230258 50-286 P
MIRAGLIA,F.J. 9612230261 50-293 P
MIRAGLIA,F.J. 9612310151 50-213 H

MITCHELL,A.R. 9612130034 72-18
MITCHELL,J.E. 9612060034* FOIA
MITCHELL,J.H. 9612060070* FOIA
MITCHELL,T.N. 9612260049 50-277 Q
MOBLEY,M.H. 9612060145 STATE PRO G

MOBLEY,M.H. 9612060159 COMMISSIO N
MOELLER,C.R. 9612020020 50-298 S
MOHSENI,A. 9612200059 ORG
MONTGOMERY,J. 9612200077 I&E
MONTGOMERY,J. 9612230090 I&E

MOORE,K. 9612240098 50-254 R
MOORE,T.S. 9612130052 70-3070
MOREY,D. 9612040123 50-348 P
MOREY,D. 9612060051 50-348 P
MOREY,D. 9612090315 50-348 Q

MOREY,D. 9612090368 50-364 P
MOREY,D. 9612100008 50-364 S
MOREY,D. 9612100077 50-348 S
MOREY,D. 9612100178 50-348 Q
MOREY,D. 9612110121 50-348 P

MOREY,D. 9612110267 50-364 S
MOREY,D. 9612160374 50-348 F
MOREY,D. 9612160387 50-348 H
MOREY,D. 9612180097 50-348 R
MOREY,D. 9612260143 50-348 P

MOREY,D. 9612260157 50-348 S
MORRILL,T.S. 9612030188 50-482 S
MORRILL,T.S. 9612100208 50-482 S
MORRILL,T.S. 9612110092 50-482 S
MORRILL,T.S. 9612120032 50-482 S

MORRILL,T.S. 9612300005 50-482 S
MORRISON,C.R. 9612200220* STATE PRO G
MORRISON,D.L. 9612170093 GEN TEC I S
MORTON,H.W. 9612110046 NRCSA
MORTON,H.W. 9612110156 NRCSA

MORTON,L. 9612060168 STATE PRO G
MOULTON,J.P. 9612030008 50-269 P
MOULTON,J.P. 9612170311 TOPREP
MOULTON,J.P. 9612230231 PROJ
MOULTON,J.P. 9612230235 50-269 P

MOZAFARI,B. 9612260114 50-261 P
MUELLER,J.H. 9612040022 50-295 Q
MUELLER,J.H. 9612060304 50-304 Q
MUELLER,J.H. 9612170407 50-295 P
MUELLER,J.H. 9612240001 50-295 P

MUELLER,J.H. 9612270075 50-295 Q
MUENCH,R.A. 9612100195 50-482 P
MUENCH,R.A. 9612100291 50-482 P
MUENCH,R.A. 9612170180 50-482 P
MUENCH,R.A. 9612270102 50-482 P

MULDER,R.U. 9612260030 50-62 P
MULLETT,M.A. 9612160248 PR
MULLEY,G.A. 9612160231* 50-245 P
MUNDAY,R. 9612190167 NUREG
MUNOZ,M. 9612160075 CONTRACT

MURCHISON,H.R. 9612170193 50-395 I
MURLEY,T.E. 9002260070 ORG
MURPHY,J. 9612110359* ORG
MURPHY,J. 9612170113* ORG
MURPHY,J.D. 9612160318 71-9071

MURPHY,T.D. 9612130037 72-18
MURSKYJ,M.P. 9612110336 50-373 S
MYERS,H.R. 9610160271* 50-309 H
MYERS,H.R. 9612170294* 50-309 H
MYERS,H.R. 9612170310* 50-309 H

MYERS,H.R. 9612170321* 50-289 H
MYERS,H.R. 9612170345* 50-289 H
MYERS,H.R. 9612170353* 50-309 H
MYERS,L.W. 9612100009 50-440 S
MYERS,L.W. 9612100164 50-440 Q

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MYERS,L.W. | 9612120173 | 50-440 | P | OLSHAN,L. | 9612230239 | 50-272 | P | PAULSON,O. | 9612090040 | NRCSA | |
| MYERS,L.W. | 9612170069 | 50-440 | P | OLSHAN,L.N. | 9612230173 | 50-272 | P | PAULSON,O. | 9612090127 | NRCSA | |
| MYERS,L.W. | 9612170423 | 50-440 | P | ORCTIGER,T.W. | 9612060180 | STATE PRO | G | PAULSON,O. | 9612100210 | NRCSA | |
| MYERS,L.W. | 9612180015 | 50-440 | R | OREILY,M.E. | 9612230117 | 50-346 | P | PAULSON,O. | 9612110389 | 40-8584 | |
| MYERS,L.W. | 9612180020* | 50-440 | R | ORLANDO,D.A. | 9612180046 | 70-364 | | PAUSTIAN,H.H. | 9612160370 | 50-263 | R |
| MYERS,L.W. | 9612190424 | 50-440 | R | ORTCIGER,T.W. | 9612110012 | NRCSA | | PEARCE,L.W. | 9612030323 | 50-254 | S |
| MYERS,L.W. | 9612200010 | 50-440 | R | ORTCIGER,T.W. | 9612110035 | NRCSA | | PEARCE,L.W. | 9612200127 | 50-265 | S |
| MYERS,L.W. | 9612240175 | 50-440 | V | ORTCIGER,T.W. | 9612110060 | NRCSA | | PEARCE,L.W. | 9612240098 | 50-254 | R |
| MYERS,L.W. | 9612310138 | 50-440 | P | ORTCIGER,T.W. | 9612110067 | NRCSA | | PEARCE,L.W. | 9612310164 | 50-254 | S |
| NAIDU,K.R. | 9612230025 | 50-272 | S | ORTCIGER,T.W. | 9612110094 | NRCSA | | PECKHAM,M.F. | 9612020020 | 50-298 | S |
| NAKAGAWA,H. | 9612230167* | COMMISSIO | N | ORTCIGER,T.W. | 9612110105 | NRCSA | | PECKHAM,M.F. | 9612030308 | 50-298 | S |
| NALLUSWAMI,M. | 9612170135 | 40-7604 | | ORTCIGER,T.W. | 9612110119 | NRCSA | | PECKHAM,M.F. | 9612180009 | 50-298 | S |
| NALLUSWAMI,M. | 9612170314 | WASTE MGT | | ORTCIGER,T.W. | 9612110125 | NRCSA | | PECKHAM,M.F. | 9612190177 | 50-298 | R |
| NALLUSWAMI,S.M. | 9612170291* | 40-7604 | | ORTCIGER,T.W. | 9612110134 | NRCSA | | PECKHAM,M.F. | 9612300059* | 50-298 | Q |
| NARDONE,P.E. | 9612200051 | 50-443 | R | ORTCIGER,T.W. | 9612110146 | NRCSA | | PEDERSEN,R. | 9610160394 | ORG | |
| NE R1 | 9612040158* | 50-352 | Q | ORTCIGER,T.W. | 9612110180 | NRCSA | | PEDERSON,C.D. | 9606070064* | FOIA | |
| NEAL,T.P. | 9612190209 | 50-255 | F | ORTCIGER,T.W. | 9612110247 | NRCSA | | PEDERSON,C.D. | 9612030028 | 70-7002 | |
| NEIDER,T. | 9612260095 | 72-1021 | | ORTCIGER,T.W. | 9612130089 | NRCSA | | PEDERSON,C.D. | 9612030042* | 70-7002 | |
| NEIDER,T. | 9612270001 | 72-1021 | | ORTCIGER,T.W. | 9612160243 | PR | | PEDERSON,C.D. | 9612060334 | 40-***** | |
| NERSER,V. | 9612160339 | 50-369 | F | ORTCIGER,T.W. | 9612240119 | STATE PRO | G | PEDERSON,C.D. | 9612090373 | 40-1363 | |
| NERSES,V. | 9612120417 | 50-369 | S | ORTH,J.E. | 9612090267* | FOIA | | PEDERSON,C.D. | 9612110004 | 40-***** | |
| NERSES,V. | 9612120448 | 50-369 | P | ORTH,J.E. | 9612090270* | FOIA | | PEDERSON,C.D. | 9612120468 | 40-8724 | |
| NERSES,V. | 9612120469* | 50-369 | P | ORTH,J.E. | 9612090274* | FOIA | | PEDERSON,C.D. | 9612130118 | 50-186 | Q |
| NERSES,V. | 9612160299 | 50-369 | P | ORTH,J.E. | 9612090278* | FOIA | | PEDERSON,C.D. | 9612160033 | 40-6264 | |
| NERSES,V. | 9612180279 | 50-369 | P | ORTH,J.E. | 9612090282* | FOIA | | PEDERSON,C.D. | 9612170034 | 40-17 | |
| NEWBURGH,G. | 9612200071* | 50-245 | R | ORTH,J.E. | 9612090286* | FOIA | | PEDERSON,C.D. | 9612180267 | 70-7001 | |
| NEWBURGH,G. | 9612200075* | 50-245 | R | ORTH,J.E. | 9612090296* | FOIA | | PEDERSON,C.D. | 9612180282* | 70-7001 | |
| NEWBURGH,G. | 9612200083* | 50-245 | R | ORTH,J.E. | 9612090302* | FOIA | | PEDERSON,C.D. | 9612190446 | 50-264 | F |
| NEWBURGH,G. | 9612200088* | 50-245 | R | ORTH,J.E. | 9612090310* | FOIA | | PEDERSON,C.D. | 9612200068 | 70-7001 | |
| NEWBURGH,G. | 9612200094* | 50-245 | R | ORTH,J.E. | 9612090320* | FOIA | | PEDERSON,C.D. | 9612200070* | 70-7001 | |
| NEWBURGH,G. | 9612200097* | 50-245 | R | ORTH,J.E. | 9612090328* | FOIA | | PEDERSON,C.D. | 9612200194 | 50-116 | F |
| NEWBURGH,G. | 9612200100* | 50-245 | R | ORTH,J.E. | 9612090332* | FOIA | | PEDERSON,C.D. | 9612260272 | 70-36 | |
| NEWBURGH,G. | 9612200104* | 50-245 | R | OVERBECK,G.R. | 9612040143 | 50-528 | S | PEDERSON,C.D. | 9612260293 | 70-36 | |
| NEWBURGH,G. | 9612200108* | 50-245 | R | OVERBECK,G.R. | 9612160425 | 50-528 | R | PEEBLES,T.A. | 9612020152 | 50-348 | V |
| NEWBURGH,G. | 9612200111* | 50-245 | R | OVERLAND,C.A. | 9612040269 | 72-18 | | PEEBLES,T.A. | 9612020203 | 50-321 | V |
| NEWBURGH,G. | 9612200116* | 50-245 | R | OVERLAND,C.A. | 9612040270* | 72-18 | | PEEBLES,T.A. | 9612030116* | 50-269 | Q |
| NEWBURGH,G. | 9612200119* | 50-245 | R | OWEN,R.E. | 9612090010 | NRCSA | | PENROD,K. | 9612190229 | 50-255 | F |
| NEWELL,G.J. | 9612160270 | PR | | OWEN,R.E. | 9612090075 | NRCSA | | PENROD,K.L. | 9612190199 | 50-255 | F |
| NEWMAN,I. | 9612310130 | 50-334 | H | OWEN,R.E. | 9612090105 | NRCSA | | PENROD,K.L. | 9612190204 | 50-255 | F |
| NEWSOME,H. | 9612060170* | STATE PRO | G | OWEN,R.E. | 9612090120 | NRCSA | | PENROD,K.L. | 9612190207 | 50-255 | F |
| NEWSOME,H. | 9612260312* | STATE PRO | G | OWEN,R.E. | 9612090281 | NRCSA | | PENROD,K.L. | 9612190209 | 50-255 | F |
| NEWTON,R. | 9612090150* | 50-324 | F | OWEN,R.E. | 9612100257 | NRCSA | | PENROD,K.L. | 9612190213 | 50-255 | F |
| NEWTON,R.A. | 9612160291 | REGGD | | OWEN,R.E. | 9612110126 | NRCSA | | PENROD,K.L. | 9612190220 | 50-255 | F |
| NEWTON,R.R. | 9612090143* | 50-324 | F | PAGE,M.A. | 9612300081 | STATE PRO | G | PENROD,K.L. | 9612190225 | 50-255 | F |
| NEWTON,T.H. | 9612060156 | 50-20 | P | PAGGEN,V. | 9612130099* | XPORTLIC | | PENROD,K.L. | 9612190232 | 50-255 | F |
| NICHOLSON,L.E. | 9612030097 | 50-272 | V | PALMISANO,T.J. | 9612240188 | 50-255 | S | PEREZ,P.B. | 9612170119 | 50-297 | S |
| NICHOLSON,L.E. | 9612090256 | 50-272 | Q | PANDE,R.P. | 9612110296 | 50-373 | S | PERQUE,G.P. | 9612020166 | 50-382 | F |
| NICHOLSON,L.E. | 9612090277 | 50-354 | Q | PANGBURN,G. | 9612160078 | 40-7580 | | PERREAULT,L.C. | 9612050020 | PRM | |
| NICHOLSON,L.E. | 9612310189 | 50-272 | P | PAPANDRA,C.J. | 9612170382* | 50-259 | P | PERRY,J.S. | 9612040046 | 50-237 | P |
| NIDDRIE,D. | 9612310149 | CONTRACT | | PAPE,J.M. | 9612180089 | WASTE MGT | | PERRY,J.S. | 9612040142 | 50-10 | W |
| NIKULSHIN,V. | 9612040179 | NUREG | | PAPE,J.M. | 9612180132 | WASTE MGT | | PERRY,J.S. | 9612120114 | 50-237 | P |
| NOBLE,R.E. | 9612260079 | 50-335 | S | PAPERIELLO,C.J. | 9612040156 | ORG | | PERRY,J.S. | 9612160396 | 50-10 | R |
| NOGGLE,J. | 9612100217 | NRCSA | | PAPERIELLO,C.J. | 9612180140* | 50-266 | G | PERRY,J.S. | 9612160414 | 50-249 | P |
| NOONAN,T.P. | 9612060100 | 50-334 | R | PAPERIELLO,C.J. | 9612180156* | 50-266 | G | PERRY,J.S. | 9612170292 | 50-237 | P |
| NOONAN,T.P. | 9612170054 | 50-334 | R | PAPERIELLO,C.J. | 9612180217 | 50-255 | Y | PERRY,J.S. | 9612170349 | 50-237 | S |
| NOONAN,T.P. | 9612260017 | 50-334 | S | PAPERIELLO,C.J. | 9612180239* | 50-255 | Y | PERRY,J.S. | 9612180035 | 50-237 | S |
| NOONAN,T.P. | 9612260092 | 50-412 | S | PAPERIELLO,C.J. | 9612270136 | 70-27 | | PERRY,J.S. | 9612180086 | 50-237 | S |
| NORRIS,B. | 9612230107 | 50-410 | S | PAPERIELLO,C.J. | 9612270137* | 70-27 | | PERRY,J.S. | 9612240115 | 50-237 | P |
| NORRIS,J.A. | 9612260112 | 50-289 | P | PAPERIELLO,C.J. | 9612300062 | 40-8027 | | PERRY,J.S. | 9612240122 | 50-237 | P |
| NORRIS,J.A. | 9612260113 | 50-289 | P | PARK,J.R. | 9612190289 | 40-8698 | | PERRY,J.S. | 9612240189 | 50-10 | W |
| NOWLEN,S. | 9612060351* | 50-315 | P | PARKER,G.S. | 9612200207 | STATE PRO | G | PERRY,J.S. | 9612240322 | 50-237 | P |
| NOWLEN,S.P. | 9612120081 | NUREG | | PARKER,T. | 9612170377 | 50-263 | S | PERRY,J.S. | 9612240324 | 50-237 | P |
| O'CONNELL,T. | 9612240203* | STATE PRO | G | PARRISH,J.V. | 9612030144 | 50-397 | P | PERRY,J.S. | 9612260019 | 50-249 | P |
| O'HANLON,J.P. | 9612020003 | 50-338 | Q | PARROTT,J. | 9612170317 | WASTE MGT | | PERRY,J.S. | 9612260026 | 50-10 | W |
| O'HANLON,J.P. | 9612020004 | 50-280 | P | PASCIAK,W. | 9612100080 | 50-353 | S | PERRY,N. | 9612100080 | 50-353 | S |
| O'HANLON,J.P. | 9612020234 | 50-280 | P | PASCIAK,W.J. | 9612020220 | 50-277 | Q | PERRY,N.S. | 9612040169* | 50-352 | Q |
| O'HANLON,J.P. | 9612030015 | 50-280 | P | PASCIAK,W.J. | 9612040147 | 50-352 | Q | PERSCHEL,J.M. | 9612120120* | 50-423 | S |
| O'HANLON,J.P. | 9612030172 | 50-280 | Q | PASCIAK,W.J. | 9612040169* | 50-352 | Q | PERSHEY,C. | 9612180030 | 50-456 | R |
| O'HANLON,J.P. | 9612030252 | 50-338 | P | PASCIAK,W.J. | 9612240028 | 50-277 | Q | PERSON,L.S. | 9612170237 | 40-8778 | |
| O'HANLON,J.P. | 9612040026 | 50-280 | Q | PASCIAK,W.J. | 9612310169 | 50-387 | Q | PERSON,L.S. | 9612170347 | 40-8778 | |
| O'HANLON,J.P. | 9612170267 | 50-338 | P | PASSETTI,W.A. | 9612200055 | NRCSA | | PESCHEL,J.M. | 9612020073 | 50-423 | S |
| O'HANLON,J.P. | 9612230347 | 50-338 | P | PASSETTI,W.A. | 9612200240 | STATE PRO | G | PESCHEL,J.M. | 9612030038 | 50-423 | S |
| O'HANLON,J.P. | 9612260314 | 50-338 | K | PASSWATER,A.C. | 9612160430 | 50-483 | P | PESCHEL,J.M. | 9612030183* | 50-423 | S |
| O'LEARY,H. | 9612230251* | 50-267 | Y | PASSWATER,A.C. | 9612180110 | 50-483 | P | PESCHEL,J.M. | 9612030326* | 50-423 | S |
| O'NEILL,J.H. | 9612030313* | 50-272 | P | PATEL,C.P. | 9612180315 | 50-382 | Q | PESCHEL,J.M. | 9612100088* | 50-423 | S |
| O'ROURKE,T.J. | 9612060032* | FOIA | | PATTERSON,T.L. | 9612020096 | 50-285 | R | PESCHEL,J.M. | 9612170420* | 50-423 | S |
| O'STEEN,J.K. | 9612020057 | 50-272 | P | PATTERSON,T.L. | 9612030303 | 50-285 | F | PESCHEL,J.M. | 9612260039* | 50-423 | S |
| OHEIM,H.V. | 9612190224 | 50-293 | R | PATTERSON,T.L. | 9612030331 | 50-285 | P | PESCHEL,J.M. | 9612260148* | 50-423 | S |
| OHEIM,H.V. | 9612230124 | 50-293 | R | PATTERSON,T.L. | 9612040042 | 50-285 | F | PESCHEL,J.M. | 9612260169* | 50-423 | S |
| OHEIM,H.V. | 9612230422 | 50-293 | P | PATTERSON,T.L. | 9612060053 | 50-285 | S | PESCHEL,J.M. | 9612260189* | 50-423 | S |
| OLIVIER,L.J. | 9612180017 | 50-293 | R | PATTERSON,T.L. | 9612120068 | 50-285 | F | PETERSON,C. | 9612030325* | 50-254 | S |
| OLSEN,A.F. | 9612120088 | 70-27 | | PATTERSON,T.L. | 9612170454 | 50-285 | P | PETERSON,C. | 9612040272* | 50-265 | Q |
| OLSEN,B. | 9612170085 | 50-309 | S | PATULSKI,S. | 9612180290 | 50-266 | S | PETERSON,C. | 9612200136* | 50-265 | S |
| OLSEN,H.O. | 9612190198 | 50-317 | R | PATULSKI,S.A. | 9612180073 | 50-266 | R | PETERSON,C. | 9612310167* | 50-254 | S |
| OLSHAN,L. | 9612180273 | 50-311 | P | PATULSKI,S.A. | 9612200340 | 50-301 | S | PETERSON,W.K. | 9612270012* | 50-29 | W |

| | | | |
|---|---|---|---|
| PEVELER,K.E. | 9612030048 | 50-331 | P |
| PEVELER,K.E. | 9612030241 | 50-331 | Q |
| PEVELER,K.E. | 9612110256 | 50-331 | Q |
| PEVELER,K.E. | 9612260059 | 50-331 | P |
| PHILLIPS,L.E. | 9612190399 | ORG | |
| PHILLIPS,R. | 9612190191 | 50-272 | R |
| PHILLIPS,R. | 9612190195 | 50-311 | R |
| PICKETT,D.V. | 9612060319 | 50-461 | P |
| PICKETT,D.V. | 9612120450 | 50-461 | P |
| PICKETT,D.V. | 9612120458* | 50-461 | P |
| PICKETT,D.V. | 9612190325 | 50-461 | P |
| PICKETT,D.V. | 9612190331* | 50-461 | P |
| PIERSON,R.C. | 9612060002 | 70-7002 | |
| PIERSON,R.C. | 9612060065 | 70-7001 | |
| PIERSON,R.C. | 9612120480 | 70-7001 | |
| PIERSON,R.C. | 9612190169 | 70-7001 | |
| PIERSON,R.C. | 9612230295 | 70-7002 | |
| PIERSON,R.C. | 9612270126 | 70-3091 | |
| PILMER,D.F. | 9612090263 | PROJ | |
| PILMER,D.F. | 9612090263 | PROJ | |
| PILMER,D.F. | 9612090263 | PROJ | |
| PILMER,D.F. | 9612090273 | PROJ | |
| PILMER,D.F. | 9612090273 | PROJ | |
| PILMER,D.F. | 9612090273 | PROJ | |
| PILMER,D.F. | 9612120296 | PROJ | |
| PIPITONE,G.L. | 9612170265* | 50-334 | P |
| PIPLICA,E.J. | 9612190418* | 52-3 | |
| PISARSKY,F. | 9612020052 | 50-315 | S |
| PITESA,J.W. | 9612130158 | 50-370 | S |
| PITESA,J.W. | 9612130290 | 50-369 | S |
| PITESA,J.W. | 9612160213 | 50-369 | S |
| PITESA,J.W. | 9612160219 | 50-369 | S |
| PITTIGLIO,C.L. | 9612040257 | 40-7708 | |
| PITTIGLIO,C.L. | 9612040297 | 50-267 | F |
| PLUNKETT,T.F. | 9612030318 | 50-250 | F |
| PLUNKETT,T.F. | 9612100168 | 50-335 | Q |
| PLUNKETT,T.F. | 9612190431 | 50-250 | F |
| POGUE,J.E. | 9612030211 | 50-259 | F |
| POGUE,J.E. | 9612040002 | 50-259 | F |
| POLAND,C. | 9612160200* | 70-7001 | |
| POLICH,T.J. | 9612060027 | 50-445 | P |
| POSLUSNY,C. | 9612020046 | 50-387 | Y |
| POSLUSNY,C. | 9612040178 | 50-387 | Y |
| POSLUSNY,C. | 9612160393 | 50-387 | P |
| POSLUSNY,C. | 9612240037 | 50-387 | P |
| POSLUSNY,C. | 9612310121 | 50-387 | F |
| POSLUSNY,C. | 9612310137 | 50-387 | P |
| POWELL,D.R. | 9612040136 | 50-354 | P |
| POWELL,D.R. | 9612090392 | 50-311 | P |
| POWELL,D.R. | 9612100076 | 50-354 | P |
| POWELL,D.R. | 9612130252 | 50-272 | F |
| POWELL,D.R. | 9612190070 | 50-272 | P |
| POWELL,D.R. | 9612190112 | 50-272 | P |
| POWELL,D.R. | 9612230158 | 50-354 | Q |
| POWELL,R. | 9612090250 | FOIA | |
| POWELL,R. | 9612160072 | FOIA | |
| POWELL,R. | 9612160264 | FOIA | |
| POWELL,R. | 9612190309 | FOIA | |
| POWELL,R.A. | 9612030298 | 50-171 | P |
| POWELL,R.A. | 9612060026 | FOIA | |
| POWELL,R.A. | 9612060029 | FOIA | |
| POWELL,R.A. | 9612060067 | FOIA | |
| POWELL,R.A. | 9612060081 | 71-361 | |
| POWELL,R.A. | 9612120217 | FOIA | |
| POWELL,R.A. | 9612130186 | 50-456 | P |
| POWELL,R.A. | 9612160176 | 50-245 | P |
| POWERS,M. | 9612090170* | 50-286 | P |
| POWERS,R.P. | 9612110076 | 50-323 | S |
| POWERS,R.P. | 9612160162 | 50-275 | P |
| POWERS,R.P. | 9612240051 | 50-275 | R |
| POWERS,R.P. | 9612270094 | 50-323 | S |
| PRICE,A. | 9612180197 | 50-336 | R |
| PRICE,J.A. | 9612240168 | 50-336 | S |
| PRICE,J.A. | 9612240168 | 50-336 | S |
| PRIEST,J. | 9612130039* | 50-354 | S |
| PRISTAVE,D. | 9612030181 | 50-373 | S |
| PROFFITT,J.W. | 9612310001 | 50-327 | S |
| PUGH,C.E. | 9612030256 | NUREG | |
| PUGH,N.L. | 9612160155 | FOIA | |
| PUGH,N.L. | 9612160208 | FOIA | |
| PUGH,N.L. | 9612160433 | 50-272 | P |
| PULEC,R. | 9612270148 | 50-305 | S |
| PULSIFER,R.M. | 9612050099 | 50-265 | P |
| PULSIFER,R.M. | 9612240326 | 50-254 | P |
| QUAY,T.R. | 9612060045 | 52-3 | |
| QUAY,T.R. | 9612160350 | 52-3 | |
| QUENNOZ,S.M. | 9612030337 | 50-344 | F |
| QUENNOZ,S.M. | 9612040258 | 50-344 | C |
| QUENNOZ,S.M. | 9612050034 | 50-344 | W |
| QUENNOZ,S.M. | 9612050044 | 50-344 | K |
| QUENNOZ,S.M. | 9612100045 | 50-344 | Y |
| QUENNOZ,S.M. | 9612100314 | NRCSA | |
| QUENNOZ,S.M. | 9612170412 | 50-344 | W |
| QUENNOZ,S.M. | 9612170419* | 50-344 | W |
| QUENNOZ,S.M. | 9612180136 | 50-344 | F |
| QUENNOZ,S.M. | 9612180233 | 50-344 | H |
| QUENNOZ,S.M. | 9612190141 | 50-344 | W |
| QUENNOZ,S.M. | 9612260109 | 50-344 | F |
| QUENNOZ,S.M. | 9612260213 | 50-344 | W |
| QUENNOZ,S.M. | 9612270103 | 50-344 | W |
| QUENNOZ,S.M. | 9612270108* | 50-344 | W |
| QUILLIN,R.M. | 9612060133 | STATE PRO | G |
| QUILLIN,R.M. | 9612060200 | STATE PRO | G |
| QUILLIN,R.M. | 9612200237 | STATE PRO | G |
| QUINN,S.E. | 9612020080 | 50-247 | P |
| QUINN,S.E. | 9612110279 | 50-247 | S |
| QUINN,S.E. | 9612110284 | 50-3 | F |
| QUINN,S.E. | 9612160147 | 50-247 | S |
| QUINN,S.E. | 9612190013 | 50-3 | J |
| QUINN,S.E. | 9612200164 | 50-247 | R |
| QUINN,S.E. | 9612200288 | 50-247 | P |
| QUINN,S.E. | 9612260302 | 50-247 | F |
| RADEMACHER,N.L. | 9612090245 | 50-220 | S |
| RADEMACHER,N.L. | 9612100162 | 50-220 | S |
| RADEMACHER,N.L. | 9612130137 | 50-220 | S |
| RADEMACHER,N.L. | 9612160379 | 50-220 | S |
| RADEMACHER,N.L. | 9612240065 | 50-220 | R |
| RAGHAVAN,L. | 9612240311 | 50-302 | P |
| RAGLIN,K. | 9612060279* | STATE PRO | G |
| RAGONE,T. | 9612230156 | 40-7102 | |
| RAINSBERRY,J.L. | 9612020077 | 50-361 | P |
| RAINSBERRY,J.L. | 9612030143 | 50-361 | R |
| RAINSBERRY,J.L. | 9612160342 | 50-206 | P |
| RANA,R. | 9612030247* | 50-397 | P |
| RANDALL,J. | 9610310165 | NRCSA | |
| RASMUSSEN,T.C. | 9612030275 | NUREG | |
| RASPA,R. | 9612160207* | 50-245 | P |
| RASPA,R. | 9612160231* | 50-245 | P |
| RATHBUN,D.K. | 9612090108 | PR | |
| RATHBUN,D.K. | 9612090235 | PR | |
| RATHBUN,D.K. | 9612190090 | 70-7001 | |
| RATHBUN,D.K. | 9612190134 | NUREG | |
| RATHBUN,D.K. | 9612190227 | PR | |
| RATHBUN,D.K. | 9612190245 | PRM | |
| RATLIFF,R.A. | 9612060151 | STATE PRO | G |
| RATLIFF,R.A. | 9612060356 | NRCSA | |
| RATLIFF,R.A. | 9612090014 | NRCSA | |
| RATLIFF,R.A. | 9612090055 | NRCSA | |
| RATLIFF,R.A. | 9612090058 | NRCSA | |
| RATLIFF,R.A. | 9612090092 | NRCSA | |
| RATLIFF,R.A. | 9612090118 | NRCSA | |
| RATLIFF,R.A. | 9612090142 | NRCSA | |
| RATLIFF,R.A. | 9612090201 | NRCSA | |
| RATLIFF,R.A. | 9612090214 | NRCSA | |
| RATLIFF,R.A. | 9612090216 | NRCSA | |
| RATLIFF,R.A. | 9612100222 | NRCSA | |
| RATLIFF,R.A. | 9612100252 | NRCSA | |
| RATLIFF,R.A. | 9612110040 | NRCSA | |
| RATLIFF,R.A. | 9612110133 | NRCSA | |
| RAUCH,J. | 9612060174* | STATE PRO | G |
| RAUCH,J. | 9612060181* | STATE PRO | G |
| RAY,D.J. | 9612020228 | 50-373 | S |
| RAY,D.J. | 9612030051 | 50-373 | S |
| RAY,D.J. | 9612030181 | 50-373 | S |
| RAY,D.J. | 9612030206 | 50-373 | S |
| RAY,D.J. | 9612100173 | 50-373 | S |
| RAY,D.J. | 9612110296 | 50-373 | S |
| RAY,D.J. | 9612110336 | 50-373 | S |
| RAY,D.J. | 9612120385 | 50-373 | S |
| RAY,D.J. | 9612170134 | 50-373 | R |
| RAY,H.B. | 9612160384* | 50-206 | P |
| REDA,R.J. | 9612170382* | 50-259 | P |
| REDA,R.J. | 9612180193 | TOPREP | |
| REDA,R.J. | 9612180248 | TOPREP | |
| REDA,R.J. | 9612190341 | 70-1113 | |
| REDA,R.J. | 9612200360 | 70-1113 | |
| REDA,R.J. | 9612230316 | 70-1113 | |
| REDA,R.J. | 9612240155 | 70-1113 | |
| REDA,R.J. | 9612270046 | 70-1113 | |
| REED,A. | 9612200164 | 50-247 | R |
| REED,P. | 9612090013 | NRCSA | |
| REED,P.R. | 9612090115 | NRCSA | |
| REED,P.R. | 9612090169 | NRCSA | |
| REED,T.A. | 9612090034 | REVIEW GR | P |
| REHMANN,M.R. | 9612030163 | 40-9024 | |
| REICHERT,R.C. | 9612020067 | 50-461 | S |
| REID,D.A. | 9612170301 | 50-271 | P |
| REID,D.A. | 9612240097 | 50-271 | P |
| REID,D.A. | 9612260299* | 50-271 | P |
| REID,D.A. | 9612270012* | 50-29 | W |
| REID,D.A. | 9612310077 | 50-271 | Q |
| REID,L.D. | 9612240090 | NUREG | |
| REINHART,M. | 9612040201 | 50-261 | Q |
| REIS,T. | 9612050073 | 50-313 | S |
| REYES,L.A. | 9612030098 | 50-324 | Q |
| RHODES,C.R. | 9612030275 | NUREG | |
| RICCIO,J.P. | 9612100248 | NRCSA | |
| RICCIO,J.P. | 9612100254 | NRCSA | |
| RICCIO,J.P. | 9612110008 | NRCSA | |
| RICCIO,J.P. | 9612110018 | NRCSA | |
| RICHARDS,S.A. | 9612060012 | ORG | |
| RICHARDS,S.A. | 9612060015 | ORG | |
| RICHARDSON,B. | 9612100239 | NRCSA | |
| RICHARDSON,P.M. | 9612030259 | 50-336 | S |
| RICHARDSON,P.M. | 9612030259 | 50-336 | S |
| RICHARDSON,P.M. | 9612170027 | 50-336 | S |
| RICHARDSON,P.M. | 9612170027 | 50-336 | S |
| RICHARDSON,P.M. | 9612170373 | 50-336 | S |
| RICHARDSON,P.M. | 9612170373 | 50-336 | S |
| RICKARD,I.C. | 9612170440 | 71-***** | |
| RICKARD,I.C. | 9612170440 | 71-***** | |
| RINALDI,F. | 9612230221 | 50-352 | P |
| RINALDI,F. | 9612230225 | 50-352 | P |
| RINALDI,F. | 9612230368 | 50-353 | P |
| RITT,C.R. | 9612190213 | 50-255 | F |
| RITT,C.R. | 9612190232 | 50-255 | F |
| ROBERTS,M.C. | 9612030054* | 70-***** | |
| ROBERTS,M.C. | 9612300063* | 70-139 | |
| ROBINSON,D. | 9612170059 | 50-454 | S |
| ROBINSON,J.J. | 9612060268* | ORG | |
| ROBINSON,M. | 9612170182 | 50-454 | S |
| ROBINSON,W.R. | 9612130185 | 50-400 | Q |
| ROBINSON,W.R. | 9612270125 | 50-400 | S |
| ROCHE,M.B. | 9612020214 | 50-219 | S |
| ROCHE,M.B. | 9612030057 | 50-219 | S |
| ROCHE,M.B. | 9612030191 | 50-219 | S |
| ROCHE,M.B. | 9612030204 | 50-219 | S |
| ROCHE,M.B. | 9612030227 | 50-219 | P |
| ROCHE,M.B. | 9612040105 | 50-219 | P |
| ROCHE,M.B. | 9612060188 | 50-219 | P |
| ROCHE,M.B. | 9612060202 | 50-219 | P |
| ROCHE,M.B. | 9612060212* | 50-219 | P |
| ROCHE,M.B. | 9612180160 | 50-219 | Q |
| ROCHE,M.B. | 9612180377 | 50-219 | S |
| ROCHE,M.B. | 9612180396 | 50-219 | S |
| ROCHE,M.B. | 9612190185 | 50-219 | R |
| ROEMER,E. | 9612230230* | 50-255 | G |
| ROGERS | 9612180391* | COMMISSIO | N |
| ROGERS,C. | 9612300070 | STATE PRO | G |
| ROGERS,J.A. | 9612230051 | 50-335 | R |
| ROGERS,K.C. | 9612110112* | COMMISSIO | N |
| ROGERS,K.C. | 9612120037* | COMMISSIO | N |
| ROGERS,K.C. | 9612170049 | COMMISSIO | N |
| ROGERS,K.C. | 9612170088 | COMMISSIO | N |
| ROGERS,K.C. | 9612240134 | COMMISSIO | N |
| ROGERS,K.C. | 9612260004 | COMMISSIO | N |
| ROGERS,K.C. | 9612260025* | COMMISSIO | N |
| ROGERS,S. | 9612200170 | 50-400 | R |
| ROGGE,J. | 9612110255 | 50-213 | S |
| ROGGE,J.F. | 9612030081 | 50-443 | Q |
| ROGGE,J.F. | 9612040090 | 50-213 | Q |
| ROGGE,J.F. | 9612300012 | 50-213 | Q |
| ROGGE,J.F. | 9612300044 | 50-443 | Q |
| ROGGE,J.F. | 9612310148 | 50-443 | Q |
| ROHRSCHEIB,R.G. | 9612110298 | 50-461 | S |
| RONE,A.H. | 9612180328 | 50-219 | F |
| ROONEY,V.L. | 9612060301 | 50-423 | P |
| ROONEY,V.L. | 9612060348 | 50-271 | P |
| ROONEY,V.L. | 9612090393 | 50-271 | Q |
| ROONEY,V.L. | 9612160294 | 50-271 | F |
| ROONEY,V.L. | 9612160324 | 50-271 | P |
| RORER,D.C. | 9612240116 | XPORTLIC | |
| ROSS,D.F. | 9612110346 | ORG | |
| ROSS,D.F. | 9612110359* | ORG | |

ROSS,D.F. 9612110414 ORG
ROSS,D.F. 9612170113* ORG
ROSSI,C.E. 9612170086 ORG
ROSSIN,A.D. 9612240273* COMMISSIO N
ROTHEN,F.C. 9612270053 50-213 W

ROTHEN,F.C. 9612270053 50-213 W
ROUGHAN,C. 9612090130 NRCSA
ROUGHAN,K. 9612110166 NRCSA
ROWDEN,M.A. 9612260080 70-3070
ROWDEN,M.A. 9612260080 70-3070

ROWLAND,T.J. 9612170428 PROJ
RUEGER,G.M. 9612120121 50-275 K
RUEGER,G.M. 9612170132 50-275 Q
RUEGER,G.M. 9612170379 50-275 P
RUEGER,G.M. 9612170383* 50-275 P

RUEGER,G.M. 9612180418 50-133 P
RUEGER,G.M. 9612180441* 50-133 P
RUEGER,G.M. 9612240232 50-275 P
RULAND,W.H. 9612090285 50-272 Q
RUSSELL,W.T. 9512220072* 50-272 Q

RUSSO,M.E. 9612170009 50-315 R
RYAN,T.D. 9612040208 NRCSA
RYAN,T.D. 9612040214 NRCSA
RYAN,T.D. 9612040224 NRCSA
RYAN,T.D. 9612040227 NRCSA

RYAN,T.D. 9612040229 NRCSA
RYAN,T.D. 9612040235 NRCSA
RYAN,T.D. 9612040238 NRCSA
RYAN,T.D. 9612040245 NRCSA
RYAN,T.D. 9612040253 NRCSA

RYAN,T.D. 9612040260 NRCSA
RYAN,T.D. 9612040267 NRCSA
RYAN,T.D. 9612040271 NRCSA
RYAN,T.D. 9612040274 NRCSA
RYAN,T.D. 9612040278 NRCSA

RYAN,T.D. 9612040281 NRCSA
RYAN,T.D. 9612090149 NRCSA
SALEHI,K. 9610310192* REVIEW GR P
SALEHI,K. 9612040177 50-368 P
SALEHI,K. 9612040184* 50-368 P

SALEHI,K. 9612040186 50-368 P
SALEHI,K. 9612040191* 50-368 P
SALEHI,K. 9612060007 50-313 Y
SALEHI,K. 9612260098 50-368 S
SAMPSON,J.R. 9612160315 50-316 R

SAMPSON,J.R. 9612170009 50-315 R
SAMUEL,M. 9612180172 50-445 R
SANTIAGO,P.A. 9612030289 NUREG
SANZA,B. 9612060233 STATE PRO G
SARVER,S.P. 9612240092 50-280 R

SATORIUS,M. 9612020081 50-397 Q
SATORIUS,M. 9612040087 50-324 Q
SATORIUS,M. 9612040093 50-354 Q
SATORIUS,M. 9612040112 50-266 Q
SAVAGE,J. 9612120459* 50-424 H

SAVAGE,J. 9612190316* FOIA
SAVIGNAC,N. 9612100029 40-8698
SAWYER,C. 9612230044 70-7001
SCACE,S.E. 9612040009 50-213 S
SCACE,S.E. 9612040009 50-213 S

SCACE,S.E. 9612040204 50-423 S
SCALICE,J.A. 9612040135 50-390 Q
SCALICE,J.A. 9612110206 50-390 P
SCALICE,J.A. 9612180100 50-390 R
SCALICE,J.A. 9612180188 50-390 P

SCALICE,J.A. 9612230315 50-390 Q
SCALICE,J.A. 9612270057 50-390 S
SCARANO,R. 9612130071 70-1257
SCARANO,R.A. 9612090383 70-754
SCARANO,R.A. 9612120473 70-1374

SCARANO,R.A. 9612130060 70-925
SCARANO,R.A. 9612130094 40-8904
SCARANO,R.A. 9612160114 40-8902
SCARANO,R.A. 9612200033 40-*****
SCARANO,R.A. 9612200045 40-*****

SCARANO,R.A. 9612260165 50-267 Q
SCHAAF,R.G. 9612170298 50-255 P
SCHAAF,R.G. 9612260151 50-255 P
SCHAFF,R.G. 9612160410 50-255 Q
SCHARTZ,G.K. 9612100176 50-295 S

SCHEIDE,R.H. 9612060013 50-313 S
SCHIFF,S.H. 9612100234 NRCSA
SCHMIDT,D. 9612020120 40-3392
SCHNEIDER,K.M. 9612190196 50-255 F
SCHNEIDER,K.N. 9612060196 STATE PRO G

SCHNELL,D.F. 9612040035 50-483 Q
SCHNELL,D.F. 9612040165 50-483 P
SCHNELL,D.F. 9612170064 50-483 Q
SCHOMMER,K. 9612030320 50-305 S
SCHUBERT,R.L. 9612040027 PROJ
SCHUETZE,G. 9612040288* FOIA

SCHUETZE,G. 9612040290* FOIA
SCHULTZ,C. 9612120512* COMMISSIO N
SCHULZ,H. 9612030256 NUREG
SCHUSTER,G.J. 9612240090 NUREG
SCHWARTZ,G.K. 9612030294 50-295 K

SCHWARTZ,G.K. 9612030299 50-295 S
SCHWARTZ,G.K. 9612040096 50-304 S
SCHWARTZ,G.K. 9612130067 50-295 S
SCHWARTZ,G.K. 9612170272 50-295 Q
SCHWARTZ,G.K. 9612270049 50-304 S

SCHWEIGER,J. 9612160319 PRM
SCOTT,N.R. 9612230364 50-157 P
SCOTT,T.F. 9612060010 50-368 S
SCOTT,T.F. 9612310046 50-368 S
SCROFFINS,R.M. 9612190376 MISC

SCROGGINS,R.M. 9612090112 REVIEW GR P
SCROGGINS,R.M. 9612180369 40-8474
SEALY,C.O. 9612110285 40-299
SEBROSKY,J.M. 9612160090 52-3
SEBROSKY,J.M. 9612160418 52-3

SEBROSKY,J.M. 9612170324 52-3
SEBROSKY,J.M. 9612190266 52-3
SELL,S.D. 9612160283 NUREG
SELL,S.D. 9612170005 PR
SELLMAN,M. 9612040037 50-382 P

SELLMAN,M. 9612270030 50-382 F
SELLMAN,M.B. 9612260327 50-382 P
SELOVAR,R.E. 9612160376 50-354 H
SERRA,P.L. 9612260044 50-498 F
SEUL,K.W. 9612040171 NUREG

SHAFER,D. 9612050068 50-483 P
SHAFFER,M. 9612090259 I&E
SHAFFER,M.R. 9612260065 I&E
SHAFFER,M.R. 9612310171 I&E
SHANBAKY,M. 9612240094 I&E

SHANBAKY,M.M. 9612130049 70-2792
SHANKMAN,S.F. 9612160408 70-3020
SHARKEY,R.W. 9612110308 70-36
SHARKEY,R.W. 9612110308 70-36
SHARKEY,R.W. 9612170215 70-36

SHARKEY,R.W. 9612170215 70-36
SHCWARTZ,G.K. 9612200092 50-295 R
SHEA,J.R. 9612040163* ORG
SHEA,J.W. 9612090330 50-277 P
SHEA,J.W. 9612160382 50-352 F

SHEA,J.W. 9612230377* 50-353 P
SHEAR,G.L. 9612180145 40-3392
SHEARER,V.M. 9612230309* 70-7002
SHEIBANI,M. 9612090321 50-424 S
SHEIBANI,M. 9612260068 50-424 S

SHELL,R.H. 9612160152 50-328 Q
SHELL,R.H. 9612170174 50-327 F
SHELL,R.H. 9612170209 50-327 P
SHELL,R.H. 9612190349 50-327 R
SHELL,R.H. 9612200182 50-327 Q

SHELL,R.H. 9612300069 50-327 R
SHEPHERD,M.L. 9612240034 40-3392
SHEPPARD,J.J. 9612300091 50-498 P
SHERON,B.W. 9612260130 50-255 P
SHEVITZ,B. 9612120329* COMMISSIO N

SHILLINGLAW,F. 9612120348 50-266 H
SHILLINGLAW,F. 9612120393 50-266 H
SHILLINGLAW,F. 9612120408 50-266 H
SHIPLEY,T.E. 9612040019* CONTRACT
SHIRAKI,C.Y. 9612100225 50-295 P

SHIRAKI,C.Y. 9612240304 50-295 P
SHIRAKI,C.Y. 9612240307* 50-295 P
SHIRLEY,D.A. 9612170457 71-470
SHOEMAKER,J. 9612310158* 50-213 H
SHOLES,L.F. 9612050019 50-289 H

SHON,F.J. 9612130037 72-18
SHON,F.J. 9612130052 70-3070
SHOW,K. 9612120510* COMMISSIO N
SHRIVASTAVA,S. 9612090264* FOIA
SHYMLOCK,M.B. 9612020196 50-324 Q

SHYMLOCK,M.B. 9612030006 50-324 Q
SHYMLOCK,M.B. 9612030014 50-400 Q
SHYMLOCK,M.B. 9612060302 50-324 Q
SHYMLOCK,M.B. 9612090038 50-261 Q
SHYMLOCK,M.B. 9612170284 50-400 F

SHYMLOCK,M.B. 9612230314 50-261 Q
SIEVERS,J. 9612030256 NUREG
SILBERBERG,M. 9612090137 NRCSA
SILBERBERG,M. 9612090191 NRCSA
SILBERBERG,M. 9612110090 NRCSA

SILBERBERG,M. 9612270084 NRCSA
SIMPSON,E.C. 9612020053 50-354 Q
SIMPSON,E.C. 9612090233 50-272 F
SIMPSON,E.C. 9612200370 50-272 P
SINCLAIR,M.P. 9612230214* 50-255 G

SINCLAIR,M.P. 9612240191* 50-255 G
SINCLAIR,W.J. 9612040086 NRCSA
SINCLAIR,W.J. 9612040099 NRCSA
SINCLAIR,W.J. 9612040114 NRCSA
SINCLAIR,W.J. 9612040144 NRCSA

SINCLAIR,W.J. 9612040183 NRCSA
SINCLAIR,W.J. 9612040187 NRCSA
SINCLAIR,W.J. 9612040193 NRCSA
SINCLAIR,W.J. 9612050001 40-8698
SINCLAIR,W.J. 9612120333 NRCSA

SINCLAIR,W.J. 9612120384 NRCSA
SINCLAIR,W.J. 9612120424 NRCSA
SINCLAIR,W.J. 9612120440 NRCSA
SINCLAIR,W.J. 9612120464 NRCSA
SINCLAIR,W.J. 9612120486 NRCSA

SINCLAIR,W.J. 9612120487 NRCSA
SINCLAIR,W.J. 9612130020 NRCSA
SIPEK,J.V. 9612110366 50-461 S
SKEEN,J. 9612160254* COMMISSIO N
SKINNER,P. 9612230383 50-348 Q

SKINNER,P.H. 9612060270 50-321 Q
SKINNER,P.H. 9612090032 50-424 Q
SKINNER,P.H. 9612170244 50-424 Q
SKINNER,P.H. 9612170274 50-424 Q
SKINNER,P.H. 9612170295 50-424 Q

SKINNER,P.H. 9612230403 50-348 Q
SKOGLUND,R. 9612180057* 50-237 S
SKOWZGIRD,R.J. 9612170276* 50-295 Q
SLAGLE,K.A. 9612160384* 50-206 P
SMITH,G.O. 9612190113 50-397 R

SMITH,M. 9612030206 50-373 S
SMITH,M.A. 9612100143 TOPREP
SMITH,P.W. 9612180010 50-341 R
SMITH,R. 9612130053 50-410 S
SMITH,R.H. 9612160216 71-18

SOHINKI,S.M. 9612090174 PROJ
SOHINKI,S.M. 9612110331 PROJ
SOHINKI,S.M. 9612170312 PROJ
SOJKA,R.E. 9612260296 50-271 P
SOLLENBERGER,D. 9612060171 ORG

SOUCIE,J. 9612040216 71-*****
SOUCIE,J. 9612040222* 71-*****
SPATH,J.P. 9612060209* STATE PRO G
SPECKER,S.R. 9612160093* FOIA
SPELL,W.H. 9612300082 STATE PRO G

SPENCE,B. 9612040034* 50-311 P
SPITZBERG,B. 9612230060 50-313 S
SPRAGUE,B. 9612040004 CONTRACT
SPROAT,E.F. 9612130235 50-352 R
SRINILTA,S. 9612090168* 50-286 P

STALL,J.A. 9612020035 50-335 S
STALL,J.A. 9612020208 50-335 S
STALL,J.A. 9612020212 50-335 Q
STALL,J.A. 9612110283 50-335 F
STALL,J.A. 9612120449 50-335 P

STALL,J.A. 9612200280 50-335 P
STALL,J.A. 9612200300 50-335 H
STALL,J.A. 9612230051 50-335 R
STALL,J.A. 9612260012 50-389 S
STALL,J.A. 9612260079 50-335 S

STALL,J.A. 9612260320 50-335 P
STALL,J.A. 9612260326 50-335 Q
STALL,J.A. 9612270036 50-335 F
STALL,J.A. 9612270073 50-335 P
STALLARD,A.R. 9612310074* TOPREP

STALLARD,A.R. 9612310083 TOPREP
STANG,J.F. 9612120258 50-237 P
STANG,J.F. 9612180346 50-249 P
STANLEY,G. 9612190082 50-454 P
STANLEY,H.G. 9612020005 50-454 P

STANLEY,H.G. 9612200165 50-456 P
STANSBERRY,E. 9612270115* 50-182 R
STANSBERRY,E. 9612270116* 50-182 R
STANSBERRY,E. 9612270117* 50-182 R
STANSBERRY,E. 9612270120* 50-182 R

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| STANSBERRY,E. | 9612270121* | 50-182 | R | TAYLOR,J.M. | 9609240117 | SECY | | THOMA,J.O. | 9612270154* | WASTE MGT | |
| STANSBERRY,E. | 9612270122* | 50-182 | R | TAYLOR,J.M. | 9610090148 | SECY | | THOMAS,B. | 9612100006 | 50-272 | S |
| STANSBERRY,E. | 9612270124* | 50-182 | R | TAYLOR,J.M. | 9610100219 | SECY | | THOMAS,B. | 9612120426 | 50-272 | S |
| STANSBERRY,E. | 9612270130* | 50-182 | R | TAYLOR,J.M. | 9610290109 | SECY | | THOMAS,B. | 9612190162 | 50-272 | S |
| STANSBERRY,E. | 9612270133* | 50-182 | R | TAYLOR,J.M. | 9611130067 | SECY | | THOMAS,B.J. | 9612100001 | 50-272 | S |
| STANSBERRY,E. | 9612270139* | 50-182 | R | TAYLOR,J.M. | 9611220011 | SECY | | THOMAS,K.M. | 9612040262 | 50-483 | P |
| STANTON,J. | 9612090293 | NRCSA | | TAYLOR,J.M. | 9611250011 | SECY | | THOMAS,K.M. | 9612170307 | 50-483 | P |
| STARK,S.J. | 9612160375 | PROJ | | TAYLOR,J.M. | 9611250030 | SECY | | THOMAS,K.M. | 9612230178 | 50-483 | P |
| STEIN,M. | 9612040121 | I&E | | TAYLOR,J.M. | 9611290402 | SECY | | THOMAS,K.M. | 9612230331 | 50-483 | P |
| STENGER,D.F. | 9612110071 | NRCSA | | TAYLOR,J.M. | 9612030329* | 50-272 | P | THOMAS,S.E. | 9612050100 | 50-498 | P |
| STENGER,D.F. | 9612110071 | NRCSA | | TAYLOR,J.M. | 9612030330* | 50-171 | P | THOMAS,W. | 9610300312* | 50-285 | P |
| STETZ,J.P. | 9612180449 | 50-440 | P | TAYLOR,J.M. | 9612030332* | 50-272 | P | THOMPSON,D. | 9612040197* | 50-302 | Q |
| STETZ,J.P. | 9612180455 | 50-346 | P | TAYLOR,J.M. | 9612040066* | 50-272 | P | THOMPSON,S. | 9612050035* | COMMISSION | |
| STETZ,J.P. | 9612260132 | 50-440 | S | TAYLOR,J.M. | 9612040166 | SECY | | THOMPSON,T.C. | 9612100145 | 50-29 | W |
| STEVENS,M.A. | 9612060084* | 71-361 | | TAYLOR,J.M. | 9612040185 | COMMISSION | | TILLER,D.T. | 9612300004* | STATE PROG | |
| STEVENSON,T.A. | 9612200103* | 40-8584 | | TAYLOR,J.M. | 9612040196* | 50-272 | P | TILLER,D.T. | 9612300007* | STATE PROG | |
| STITT,J.A. | 9612100041* | NRCSA | | TAYLOR,J.M. | 9612040266* | 50-272 | P | TING,P. | 9612040276 | 70-7001 | |
| STOCKTON,R. | 9612270057 | 50-390 | S | TAYLOR,J.M. | 9612040286* | 50-272 | P | TING,P. | 9612040279 | 70-7001 | |
| STOIBER,C.R. | 9612160275* | FOIA | | TAYLOR,J.M. | 9612040295* | 50-272 | P | TING,P. | 9612040283 | 70-7002 | |
| STOIBER,C.R. | 9612160278* | FOIA | | TAYLOR,J.M. | 9612050011 | PR | | TING,P. | 9612050005 | 70-7002 | |
| STOLZ,J.F. | 9612170344 | REVIEW GR | P | TAYLOR,J.M. | 9612050017 | 70-3085 | | TING,P. | 9612050009* | 70-7002 | |
| STOMA,S.K. | 9612060210* | 50-458 | R | TAYLOR,J.M. | 9612060094 | 52-3 | | TING,P. | 9612090398 | 70-7002 | |
| STONE,J.C. | 9612180298 | 50-482 | P | TAYLOR,J.M. | 9612100149 | STATE PROG | | TING,P. | 9612100137 | 70-1257 | |
| STONE,J.C. | 9612180415 | 50-482 | P | TAYLOR,J.M. | 9612100160 | 72-18 | | TING,P. | 9612100152 | 70-7002 | |
| STONE,J.C. | 9612190240 | 50-482 | P | TAYLOR,J.M. | 9612100211 | SECY | | TING,P. | 9612100169* | 70-1257 | |
| STONE,J.C. | 9612260115 | 50-482 | P | TAYLOR,J.M. | 9612110041 | NRCSA | | TING,P. | 9612100209* | 70-7002 | |
| STORZ,L.F. | 9612030060 | 50-272 | P | TAYLOR,J.M. | 9612120009 | WASTE MGT | | TING,P. | 9612170327 | 70-143 | |
| STORZ,L.F. | 9612130267 | 50-272 | P | TAYLOR,J.M. | 9612170257 | 50-309 | P | TINGLE,W. | 9612030289 | NUREG | |
| STORZ,L.F. | 9612310072 | 50-272 | P | TAYLOR,J.M. | 9612170380 | WASTE MGT | | TIPPS,S.B. | 9612100007 | 50-321 | S |
| STOWE,R.A. | 9612240085 | NUREG | | TAYLOR,J.M. | 9612180251 | COMMISSION | | TIPPS,S.B. | 9612180190 | 50-321 | S |
| STOWERS,G.N. | 9612230162 | 50-309 | S | TAYLOR,J.M. | 9612190434 | ORG | | TIPPS,S.B. | 9612260221 | 50-321 | S |
| STRIZHOV,V. | 9612040179 | NUREG | | TAYLOR,J.M. | 9612270052* | 50-237 | Q | TJERSLAND,G.T. | 9612040141 | 71-9261 | |
| STRUCKMEYER,R. | 9612310104 | 50-54 | W | TAYLOR,J.M. | 9612300073 | STATE PROG | | TJERSLAND,G.T. | 9612040146 | 71-9261 | |
| STURZ,F.C. | 9612060313 | 72-1004 | | TAYLOR,J.M. | 9612300077 | STATE PROG | | TJERSLAND,G.T. | 9612100111 | 71-9261 | |
| SUBALUSKY,W.T. | 9612020106 | 50-373 | S | TEHAN,T. | 9612110195 | 50-193 | P | TJERSLAND,G.T. | 9612100117 | 71-9216 | |
| SUBALUSKY,W.T. | 9612030280 | 50-373 | Q | TELTHORST,P.J. | 9612040072 | 50-461 | P | TJERSLAND,G.T. | 9612100129 | 71-9261 | |
| SUBALUSKY,W.T. | 9612110397 | 50-373 | P | TELTHORST,P.J. | 9612300067 | 50-461 | R | TJERSLAND,G.T. | 9612100181 | 71-9261 | |
| SUBALUSKY,W.T. | 9612230274 | 50-373 | Q | TEN EYCK,E. | 9612060076 | 70-1201 | | TOLLEY,R.D. | 9612180100 | 50-390 | R |
| SUBALUSKY,W.T. | 9612270081 | 50-373 | Q | TEN EYCK,E.Q. | 9612030020 | 70-7001 | | TOSCH,K.W. | 9612030300 | 50-272 | P |
| SUDNAK,P.J. | 9612060254 | 50-483 | F | TEN EYCK,E.Q. | 9612130074 | 70-7002 | | TOSCH,K.W. | 9612090204 | 50-219 | P |
| SUEPER,L. | 9612190408 | 50-331 | S | TEN EYCK,E.Q. | 9612230343 | 70-7001 | | TOSCH,K.W. | 9612090212 | 50-272 | P |
| SULLIVAN,T.A. | 9612230124 | 50-293 | R | TEN EYCK,E.Q. | 9612300110 | ORG | | TOSCH,K.W. | 9612180039 | 50-219 | P |
| SULLIVAN,T.M. | 9612110212 | NUREG | | TERRY,C.L. | 9612040003 | 50-445 | P | TRAN,H. | 9612030207 | 50-331 | S |
| SVEGEL,F.W. | 9612170330 | 50-346 | H | TERRY,C.L. | 9612170315 | 50-445 | S | TRIMBLE,D.C. | 9612120436 | 50-324 | Q |
| SWAIN,P.B. | 9612110324 | 40-7580 | | TERRY,C.L. | 9612180172 | 50-445 | R | TRIMBLE,D.C. | 9612260127 | 50-324 | P |
| SWANK,D.A. | 9612120178 | 50-397 | F | TERRY,C.L. | 9612180459 | 50-445 | P | TROUP,G.L. | 9612110032 | NRCSA | |
| SWEENEY,J.E. | 9612050012* | COMMISSION | | TERRY,C.L. | 9612190046 | 50-445 | Q | TRUSCHEL,A.D. | 9612110288* | 40-299 | |
| SWEET,K. | 9612130137 | 50-220 | S | TERRY,C.L. | 9612260056 | 50-445 | F | TSCHAECHE,A.N. | 9612100249 | NRCSA | |
| SWEET,S. | 9612160379 | 50-220 | S | TERRY,C.L. | 9612310187 | 50-445 | Q | TUCKMAN,M.S. | 9612090341 | 50-269 | P |
| SWIRCHAK,J. | 9612100112 | CONTRACT | | THADANI,A.C. | 9612090043 | I&E | | TUCKMAN,M.S. | 9612090371 | 50-269 | P |
| SYMES,R.A. | 9612180383 | PT21 | | THADANI,A.C. | 9612170293 | REVIEW GR | P | TUCKMAN,M.S. | 9612160245 | REGGD | |
| TABOR,E.J. | 9612200221 | STATE PROG | | THAGGARD,M. | 9612090325 | 40-8027 | | TULON,T.J. | 9612020158 | 50-456 | Q |
| TABOR,S. | 9612170044 | 50-325 | S | THAYER,J.K. | 9612170255 | 50-245 | S | TULON,T.J. | 9612180030 | 50-456 | R |
| TABOR,S. | 9612240045 | 50-325 | S | THAYER,J.K. | 9612170255 | 50-245 | S | TULON,T.J. | 9612190118 | 50-456 | R |
| TAILLEART,D.R. | 9612110352* | 50-443 | F | THE CHAIRMAN | 9612040067 | SPEECHES | | TURKAL,M. | 9612090138 | 50-324 | F |
| TAM,P.S. | 9612040213 | 50-413 | P | THE CHAIRMAN | 9612050008 | COMMISSION | | TURKAL,M.A. | 9612030310 | 50-324 | F |
| TAM,P.S. | 9612260001 | 50-413 | P | THE CHAIRMAN | 9612050018 | COMMISSION | | TURKAL,M.A. | 9612110148 | 50-325 | P |
| TAN,S.J. | 9612090255* | FOIA | | THE CHAIRMAN | 9612050023 | COMMISSION | | TURKAL,M.A. | 9612180168 | 50-324 | R |
| TANAKA,T.J. | 9612030282 | NUREG | | THE CHAIRMAN | 9612050032 | COMMISSION | | TURKAL,M.A. | 9612190444 | 50-324 | F |
| TANAKA,T.J. | 9612120081 | NUREG | | THE CHAIRMAN | 9612050041 | 50-443 | Q | TUTTLE,M.P. | 9612040122 | NUREG | |
| TARALLO,B. | 9612240054 | 50-245 | F | THE CHAIRMAN | 9612050081 | COMMISSION | | ULLRICH,B. | 9612040133 | I&E | |
| TAU,S.J. | 9612110047* | FOIA | | THE CHAIRMAN | 9612110292 | SPEECHES | | ULLRICH,B. | 9612120200 | I&E | |
| TAU,S.J. | 9612110054* | FOIA | | THE CHAIRMAN | 9612120034* | COMMISSION | | ULLRICH,B. | 9612170077 | I&E | |
| TAYLOR,G.J. | 9612120308 | NRCSA | | THE CHAIRMAN | 9612120315 | 50-424 | H | ULLRICH,B. | 9612240066 | I&E | |
| TAYLOR,G.J. | 9612120331 | NRCSA | | THE CHAIRMAN | 9612120334 | 50-336 | U | UTTAL,S.L. | 9612130038 | 40-8027 | |
| TAYLOR,G.J. | 9612120337 | NRCSA | | THE CHAIRMAN | 9612120425 | 50-213 | U | UTTAL,S.L. | 9612260067 | 40-8027 | |
| TAYLOR,G.J. | 9612120345 | NRCSA | | THE CHAIRMAN | 9612120429 | COMMISSION | | VACCA,P.C. | 9612030289 | NUREG | |
| TAYLOR,G.J. | 9612120363 | NRCSA | | THE CHAIRMAN | 9612130050 | 50-213 | U | VAGLIA,D. | 9612090187* | PROJ | |
| TAYLOR,G.J. | 9612120376 | NRCSA | | THE CHAIRMAN | 9612130284 | SPEECHES | | VALMONTE,L.H. | 9612160354* | 50-387 | F |
| TAYLOR,G.J. | 9612120401 | NRCSA | | THE CHAIRMAN | 9612170080 | COMMISSION | | VAN MIDDLESWORT | 9612030207 | 50-331 | S |
| TAYLOR,G.J. | 9612120402 | NRCSA | | THE CHAIRMAN | 9612170100 | 50-245 | P | VAN SANT,B.J. | 9612170197 | 50-285 | S |
| TAYLOR,G.J. | 9612120409 | NRCSA | | THE CHAIRMAN | 9612170124 | COMMISSION | | VANCE,P.L. | 9612120323* | COMMISSION | |
| TAYLOR,G.J. | 9612120412 | NRCSA | | THE CHAIRMAN | 9612170133 | COMMISSION | | VANDER VELDE,B. | 9612180078* | 50-266 | R |
| TAYLOR,G.J. | 9612120434 | NRCSA | | THE CHAIRMAN | 9612170220 | 50-289 | H | VANDER VELDE,B. | 9612180090* | 50-266 | R |
| TAYLOR,G.J. | 9612120466 | NRCSA | | THE CHAIRMAN | 9612180008 | COMMISSION | | VANDERLINDEN,B. | 9612130041 | 72-18 | |
| TAYLOR,G.J. | 9612120470 | NRCSA | | THE CHAIRMAN | 9612180386* | COMMISSION | | VANMIDDLESWORTH | 9612180133 | 50-331 | R |
| TAYLOR,G.J. | 9612120483 | NRCSA | | THE CHAIRMAN | 9612190358 | 50-245 | H | VANMIDDLESWORTH | 9612190408 | 50-331 | S |
| TAYLOR,G.J. | 9612120488 | NRCSA | | THE CHAIRMAN | 9612230208 | COMMISSION | | VARGA,S.A. | 9511140071 | 50-424 | G |
| TAYLOR,G.J. | 9612120520 | NRCSA | | THE CHAIRMAN | 9612230244 | 50-267 | Y | VARGA,S.A. | 9612060041 | 50-269 | P |
| TAYLOR,G.J. | 9612160405 | 50-395 | R | THE CHAIRMAN | 9612240088 | 50-245 | P | VAUGHAN,R.A. | 9612180417* | 71-3024 | |
| TAYLOR,G.J. | 9612230351 | 50-395 | Q | THE CHAIRMAN | 9612240134 | COMMISSION | | VAUGHAN,R.E. | 9612120261 | 70-1257 | |
| TAYLOR,J.H. | 9612110131 | TOPREP | | THE CHAIRMAN | 9612240268 | COMMISSION | | VELASQUEZ,J.R. | 9612060223 | 40-8907 | |
| TAYLOR,J.H. | 9612300129 | PROJ | | THE CHAIRMAN | 9612260006 | COMMISSION | | VERNE,W. | 9612060082 | 50-333 | S |
| TAYLOR,J.M. | 9609120157 | SECY | | THE CHAIRMAN | 9612260022* | COMMISSION | | VERRILLI,M. | 9612040206 | 50-400 | S |
| TAYLOR,J.M. | 9609180322 | 50-245 | Q | THE CHAIRMAN, | 9612110107* | COMMISSION | | VERRILLI,M. | 9612160233 | 50-400 | S |

VERRILLI,M. 9612260083 50-400 S
VERRILLI,M. 9612270125 50-400 S
VERRILLI,M. 9612270151 50-400 S
VICTOR,W.R. 9612030308 50-298 S
VICTOR,W.R. 9612180009 50-298 S

VINOGRADOVA,T. 9612040179 NUREG
VISSING,G.S. 9612160440 50-244 P
VITKUS,T.J. 9612030018 50-344 Y
VOGEL,S.C. 9612120514* COMMISSIO N
VOGL,J. 9612180356 50-454 R

VOLPE,J.J. 9612040027 PROJ
VONK,M.J. 9612310134 50-10 F
WADLEY,M.D. 9612030185 50-282 Q
WADLEY,M.D. 9612030265 50-282 P
WADLEY,M.D. 9612040016 50-282 Q

WADLEY,M.D. 9612040053 50-282 P
WADLEY,M.D. 9612110286 50-282 Q
WADLEY,M.D. 9612110405 50-282 P
WADLEY,M.D. 9612120072 50-282 Q
WADLEY,M.D. 9612120170 50-282 R

WADLEY,M.D. 9612240178 50-282 P
WADLEY,M.D. 9612300055 50-282 S
WADLEY,M.D. 9612300088 50-282 Q
WAGAGE,H.A. 9610300319* 50-285 P
WALDEN,J. 9612180076 50-244 R

WALKER,H. 9612130096* 50-219 G
WALKER,H. 9612130096* 50-219 G
WALKER,R.D. 9612180459 50-445 P
WALKER,R.D. 9612190046 50-445 Q
WALLACE,J.E. 9612110033 50-296 S

WALLACE,M.J. 9612160345 PR
WALLIN,G.A. 9612170068 50-271 R
WALPOLE,R.W. 9612110381 50-245 S
WALPOLE,R.W. 9612180072* 50-245 S
WALPOLE,R.W. 9612180397* 50-245 S

WALPOLE,R.W. 9612180425* 50-245 S
WALPOLE,R.W. 9612180439* 50-245 S
WALPOLE,R.W. 9612180451* 50-245 S
WALPOLE,R.W. 9612190071* 50-245 S
WALPOLE,R.W. 9612190192* 50-245 S

WALPOLE,R.W. 9612200061* 50-245 S
WALPOLE,R.W. 9612260298* 50-245 S
WALSH,L. 9612040031 50-286 F
WALTERS,D.J. 9612110274 PROJ
WALTON,G.A. 9612090046* 50-438 Q

WAMBACH,T.V. 9612160131 50-528 P
WANCZYK,R.J. 9612030209 50-271 S
WANCZYK,R.J. 9612160394 50-271 S
WANCZYK,R.J. 9612170068 50-271 R
WANCZYK,R.J. 9612260081 50-271 S

WANCZYK,R.J. 9612260117 50-271 S
WANCZYK,R.J. 9612260299* 50-271 P
WANG,A.B. 9612160206 50-293 P
WANG,E.Y. 9612240258 ORG
WANGLER,M.E. 9612270107 71-9056

WANGLER,M.E. 9612300124 71-5957
WARNER,M.E. 9612180027 50-277 R
WARREN,C.C. 9612030059 50-482 F
WARREN,C.C. 9612030188 50-482 S
WARREN,C.C. 9612100208 50-482 S

WARREN,C.C. 9612110092 50-482 S
WARREN,C.C. 9612110281 50-482 S
WARREN,C.C. 9612120032 50-482 S
WARREN,C.C. 9612300005 50-482 S
WASCOM,R. 9612120336 NRCSA

WASCOM,R. 9612120353 NRCSA
WASCOM,R. 9612120368 NRCSA
WASCOM,R. 9612120381 NRCSA
WASCOM,R. 9612120398 NRCSA
WASCOM,R. 9612120406 NRCSA

WASCOM,R. 9612120442 NRCSA
WASCOM,R. 9612120445 NRCSA
WASCOM,R. 9612120472 NRCSA
WASCOM,R. 9612120495 NRCSA
WASCOM,R. 9612130025 NRCSA

WASTLER,S. 9612260310* WASTE MGT
WATERS,R.M. 9612060056* 50-348 P
WATKINS,B. 9612120045 NUREG
WATKINS,R.A. 9612160207* 50-245 P
WATKINS,R.A. 9612160225* FOIA

WATKINS,R.A. 9612160231* 50-245 P
WEAVER,D. 9612310070 50-266 S
WEBB,M.K. 9612160288 50-206 P
WEBBER,R.B. 9612130065 CONTRACT
WEBBER,R.B. 9612130082 CONTRACT

WEBBER,R.B. 9612130086 CONTRACT
WEBBER,R.B. 9612260231 CONTRACT
WEBER,M. 9612040299 70-1113
WEBER,M. 9612090076 NRCSA
WEBER,M. 9612090153 NRCSA

WEBER,M. 9612110045 NRCSA
WEBER,M. 9612160110 70-143
WEBER,M.F. 9612020068 70-364
WEBER,M.F. 9612040261 70-36
WEBER,M.F. 9612100103 I&E

WEBER,M.F. 9612130268 70-157
WEBER,M.F. 9612130269 70-398
WEBER,M.F. 9612130300 70-600
WEBER,M.F. 9612130304 70-1100
WEBER,M.F. 9612130312 70-893

WEBER,M.F. 9612130315 70-27
WEBER,M.F. 9612130316 70-1151
WEBER,M.F. 9612130317 70-143
WEBER,M.F. 9612130318 70-754
WEBER,M.F. 9612160068 70-622

WEBER,M.F. 9612160079 70-1703
WEBER,M.F. 9612160084 70-1068
WEBER,M.F. 9612160091 70-1374
WEBER,M.F. 9612160096 70-113
WEBER,M.F. 9612160101 70-938

WEBER,M.F. 9612160120 70-27
WEBER,M.F. 9612160124 70-1201
WEBER,M.F. 9612160133 70-1257
WEBER,M.F. 9612160134 70-1113
WEBER,M.F. 9612160139 70-152

WEBER,M.F. 9612160146 70-1257
WEBER,M.F. 9612160153 40-3392
WEBER,M.F. 9612160228 40-7580
WEBER,M.F. 9612160285 40-7102
WEBER,M.F. 9612160289 70-36

WEBER,M.F. 9612160297 70-734
WEBER,M.F. 9612160329 40-6940
WEBER,M.F. 9612160351 70-27
WEBER,M.F. 9612160359* 70-27
WEBER,M.F. 9612190003 40-7580

WEBER,M.F. 9612200123 70-1100
WEBER,M.F. 9612200128* 70-1100
WEBER,M.F. 9612270014 70-734
WEBER,M.F. 9612270092 40-3392
WEBER,M.F. 9612270135 70-1100

WEBRING,R.L. 9612030131 50-397 Q
WEISS,S.H. 9612100218 50-128 V
WEISS,S.H. 9612110357 ORG
WEISS,S.H. 9612120244 50-128 V
WEISS,S.H. 9612160316 50-607 A

WEISS,S.H. 9612170018* 50-116 P
WEISS,S.H. 9612230177* 50-193 P
WEISS,S.H. 9612310007 50-2 V
WEISS,S.H. 9612310126 50-225 V
WENDT,S.E. 9612300002 50-116 V

WENSLAWSKI,F. 9612110243 I&E
WENSLAWSKI,F. 9612130071 70-1257
WERT,L. 9612060238 50-369 Q
WERT,L.D. 9612020181 50-413 Q
WERT,L.D. 9612020182 50-369 P

WERT,L.D. 9612030017 50-413 Q
WERT,L.D. 9612060249 50-413 Q
WERT,L.D. 9612060269 50-413 P
WERT,L.D. 9612060321 50-369 Q
WERT,L.D. 9612170302 50-269 Q

WERT,L.D. 9612170304 50-269 P
WERT,L.D. 9612230373 50-369 Q
WESSMAN,R.H. 9612100266 I&E
WEST,S.K. 9612100236 ORG
WESTBROOK,D.P. 9612040084 CONTRACT

WHARTON,L.R. 9612240289 50-285 P
WHELLER,L.L. 9612120287 50-424 P
WHITE,D. 9612270072 I&E
WHITE,F.A. 9612090145 NRCSA
WHITE,J. 9612260077 50-20 S

WHITE,J.R. 9612030082 50-223 Q
WHITT,E. 9612160194* 70-7001
WHITTEN,J.E. 9612030289 NUREG
WHITWORTH,J.B. 9612160328 71-545
WICHMAN,K. 9612310181* ORG

WICHMAN,K.R. 9612020009 50-270 P
WIDAY,J.A. 9612180076 50-244 R
WIEDEMAN,D. 9612060298 I&E
WIENS,L.A. 9612120246 50-335 P

WIENS,L.A. 9612160411 50-335 P
WIENS,L.A. 9612240323 50-335 P
WIGGETT,B.W. 9612090148 50-271 I
WIGGING,E. 9612160075 CONTRACT
WIGGINS,E. 9612020176 CONTRACT

WIGGINS,E. 9612040084 CONTRACT
WIGGINS,E. 9612170141 CONTRACT
WIGGINS,E. 9612170195 CONTRACT
WIGGINS,E. 9612310156 CONTRACT
WIGGINS,E.J. 9612040007 CONTRACT

WIGGINS,E.J. 9612050004 CONTRACT
WIGGINS,E.J. 9612050027 CONTRACT
WIGGINS,E.J. 9612060300 CONTRACT
WIGGINS,E.J. 9612060305 CONTRACT
WIGGINS,E.J. 9612100112 CONTRACT

WIGGINS,E.J. 9612100221 CONTRACT
WIGGINS,E.J. 9612110321 CONTRACT
WIGGINS,E.J. 9612110337 CONTRACT
WIGGINS,E.J. 9612130078 CONTRACT
WIGGINS,E.J. 9612170136 50-311 Q

WIGGINS,E.J. 9612180064 CONTRACT
WIGGINS,E.J. 9612180113 CONTRACT
WIGGINS,E.J. 9612230055 CONTRACT
WIGGINS,E.J. 9612230132 CONTRACT
WIGGINS,E.J. 9612230138 CONTRACT

WIGGINS,E.J. 9612260125 CONTRACT
WIGGINS,E.J. 9612260131 CONTRACT
WIGGINS,E.J. 9612260281 CONTRACT
WIGGINS,E.J. 9612300121 CONTRACT
WIGGINS,J.T. 9612200109 50-220 Q

WIGGINS,J.T. 9612230275 50-244 Q
WIGGINS,J.T. 9612260265 50-277 Q
WIGGINS,J.T. 9612260316 50-213 Q
WIGGINTON,D.L. 9612160256 50-313 P
WILCOXEN,J.G. 9612130042 40-8027

WILCOXEN,J.G. 9612130042 40-8027
WILCYNSKI,J.M. 9612270021 50-267 Y
WILKIE,L.V. 9612030315 50-270 S
WILKIE,L.V. 9612170037 50-270 S
WILLGREN,K. 9612110269 70-1257

WILLIAMS,B.R. 9612130143 70-3020
WILLIAMS,C.E. 9612200178 50-361 R
WILLIAMS,J.F. 9612060016 50-259 P
WILLIAMS,J.F. 9612130134 50-259 P
WILLIAMS,J.F. 9612170109 50-259 P

WILLIAMS,J.F. 9612190305 50-259 P
WILLIAMS,J.G. 9612030178 50-113 Q
WILLIAMS,R.A. 9612180040* 50-413 R
WILLIAMS,R.A. 9612180043* 50-413 R
WILLIAMS,R.A. 9612180059* 50-369 R

WILLIAMS,R.A. 9612180106* 50-269 R
WILLIAMSON,D. 9612180148 50-458 R
WILSON,J.F. 9612030277 50-289 F
WILSON,J.N. 9612120289 52-1
WILSON,J.N. 9612200143 52-1

WILSON,L.G. 9612030275 NUREG
WILSON,T.L. 9612030282 NUREG
WINDERS,J.J. 9612110295* 50-387 P
WINTER,D.R. 9612030335 40-8989
WITZIG,W.F. 9612160071 50-5 R

WITZIG,W.F. 9612160369 50-5 R
WOHLEBER,D.O. 9612120133 50-498 P
WOLF,G.M. 9612240159 50-346 S
WOMACK,L.F. 9612030141 50-275 P
WOOD,J.K. 9612030011 50-346 P

WOOD,J.K. 9612050090 71-9145
WOOD,J.K. 9612090307 50-346 P
WOOD,J.K. 9612090318 50-346 P
WOOD,J.K. 9612090322 50-346 Q
WOOD,J.K. 9612110075 50-346 P

WOOD,J.K. 9612110413 50-346 R
WOOD,J.K. 9612170351 50-346 P
WOOD,J.K. 9612170352* 50-346 P
WOOD,J.K. 9612180407 50-346 P
WOOD,J.K. 9612180435 50-346 K

WOOD,J.K. 9612200196 50-346 P
WOOD,J.K. 9612240018 50-346 Q
WOOD,J.K. 9612240182 50-346 Q
WOOD,J.K. 9612270068 50-346 P
WOOD,R.T. 9612030282 NUREG

WOODARD,J.D. 9612180178 50-321 H
WOODLAN,D.R. 9612160246 PR
WOODLAN,D.R. 9612180172 50-445 R
WOODLAN,D.R. 9612260056 50-445 F
WOODRUFF,R. 9612170127 I&E

| | | | |
|---|---|---|---|
| WOODWARD,R. | 9612180133 | 50-331 | R |
| WOODWORTH,L.A. | 9612040200 | WASTE MGT | |
| WOODWORTH,L.A. | 9612110287 | WASTE MGT | |
| WOOLLACOTT,E.W. | 9612190270* | 50-245 | P |
| WOOLLACOTT,E.W. | 9612240109* | COMMISSIO | N |
| WOOLLEY,R.L. | 9612230161 | 70-7001 | |
| WOOLLEY,R.L. | 9612240170 | 70-7001 | |
| WOOLLEY,R.L. | 9612270123 | 70-7001 | |
| WOOSTER,K.A. | 9612180272* | 50-155 | F |
| WOOSTER,K.A. | 9612180300* | 50-155 | F |
| WOZNIAK,D.B. | 9612270082 | 50-455 | Q |
| WREATHALL,J. | 9610300316* | 50-285 | P |
| WUNDER,G.F. | 9612160115 | 50-286 | P |
| WUNDER,G.F. | 9612200151 | 50-286 | P |
| WUNDER,G.F. | 9612310005 | 50-286 | P |
| YAEGER,W.R. | 9612090245 | 50-220 | S |
| YANCEY,C.L. | 9612110288* | 40-299 | |
| YEROKUN,J. | 9612110264 | 50-309 | S |
| YEROKUN,J. | 9612170085 | 50-309 | S |
| YOUNG,D.E. | 9612260313 | 71-9001 | |
| YOUNG,K.A. | 9612260225 | 50-387 | R |
| YOUNG,L.D. | 9612170325* | 50-255 | Q |
| YOUNG,L.D. | 9612170336* | 50-255 | Q |
| YUNDT,C.P. | 9612040140 | 50-344 | Y |
| YUNDT,C.P. | 9612040181 | 50-344 | Y |
| ZAHIRIEH,S. | 9612090248 | CONTRACT | |
| ZANNONI,D.J. | 9612040108* | 50-272 | P |
| ZANNONI,D.J. | 9612040120* | 50-272 | P |
| ZHENG,R-H. | 9612160327 | NUREG | |
| ZIEGLER,R.S. | 9612060134 | 40-8902 | |
| ZIEGLER,R.S. | 9612060137 | 40-8902 | |
| ZIEGLER,R.S. | 9612090223 | 40-8902 | |
| ZIEGLER,R.S. | 9612110339 | 40-8902 | |
| ZIMMERMAN,J.I. | 9612160017 | 50-348 | P |
| ZIMMERMAN,R.P. | 9612020195 | ORG | |
| ZIMMERMAN,R.P. | 9612230019 | ORG | |
| ZUROSKY,D.M. | 9612160320 | PR | |
| ZWOLINSKI,J.A. | 9612120085 | 50-10 | H |

# CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."


| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) | 9612030162* | 50-361 | R |
| | 9612040058* | 50-282 | P |
| | 9612040242 | QA999 | |
| | 9612040246* | QA999 | |
| | 9612040248* | QA999 | |
| | 9612090263 | PROJ | |
| | 9612090273 | PROJ | |
| | 9612100224 | NRCSA | |
| | 9612100282 | NRCSA | |
| | 9612100293 | NRCSA | |
| | 9612100311 | NRCSA | |
| | 9612100320 | NRCSA | |
| | 9612100330 | NRCSA | |
| | 9612110017 | NRCSA | |
| | 9612110055 | NRCSA | |
| | 9612110079 | NRCSA | |
| | 9612110091 | NRCSA | |
| | 9612110114 | NRCSA | |
| | 9612110151 | NRCSA | |
| | 9612110171 | NRCSA | |
| | 9612110189 | NRCSA | |
| | 9612110198 | NRCSA | |
| | 9612110210 | NRCSA | |
| | 9612110308 | 70-36 | |
| | 9612120299* | PROJ | |
| | 9612120519* | 50-368 | P |
| | 9612130099* | XPORTLIC | |
| | 9612170215 | 70-36 | |
| | 9612170440 | 71-***** | |
| | 9612180048* | 71-***** | |
| | 9612180372 | 52-2 | |
| | 9612180375* | 52-2 | |
| | 9612230057* | QA999 | |
| ASEA Brown Boveri, Inc. | 9612040058* | 50-282 | P |
| | 9612040242 | QA999 | |
| | 9612040246* | QA999 | |
| | 9612040248* | QA999 | |
| | 9612090263 | PROJ | |
| | 9612090273 | PROJ | |
| | 9612100224 | NRCSA | |
| | 9612100282 | NRCSA | |
| | 9612100293 | NRCSA | |
| | 9612100311 | NRCSA | |
| | 9612100320 | NRCSA | |
| | 9612100330 | NRCSA | |
| | 9612110017 | NRCSA | |
| | 9612110055 | NRCSA | |
| | 9612110079 | NRCSA | |
| | 9612110091 | NRCSA | |
| | 9612110114 | NRCSA | |
| | 9612110151 | NRCSA | |
| | 9612110171 | NRCSA | |
| | 9612110189 | NRCSA | |
| | 9612110198 | NRCSA | |
| | 9612110210 | NRCSA | |
| | 9612110308 | 70-36 | |
| | 9612170215 | 70-36 | |
| | 9612170440 | 71-***** | |
| | 9612180372 | 52-2 | |
| | 9612180375* | 52-2 | |
| | 9612230057* | QA999 | |
| Aerotest Operations, Inc. | 9612160255* | 50-228 | V |
| Agriculture, Dept. of | 9612160281 | STATE PRO | G |
| Alabama Power Co. | 9612090199 | 50-348 | F |
| Allied-Signal Corp. | 9612020120 | 40-3392 | |
| | 9612060044 | 40-3392 | |
| | 9612240034 | 40-3392 | |
| American Electric Power Co., Inc. | 9612020052 | 50-315 | S |
| | 9612110042 | 50-315 | S |
| | 9612160315 | 50-316 | R |
| | 9612160326* | 50-316 | R |
| | 9612160330* | 50-316 | R |
| | 9612170009 | 50-315 | R |
| | 9612270111 | 50-315 | P |
| | 9612270111 | 50-315 | P |
| | 9612270112* | 50-315 | P |
| | 9612270112* | 50-315 | P |
| | 9612300068 | 50-315 | P |
| | 9612310170 | 50-315 | P |
| | 9612310172* | 50-315 | P |
| American Society of Mechanical Engineers | 9612090293 | NRCSA | |
| Amersham Corp. | 9612060157 | STATE PRO | G |
| | 9612110166 | NRCSA | |
| Amersham Holdings, Inc. | 9612090130 | NRCSA | |
| Ametek, Inc. | 9612110231 | QA999 | |
| Anchor/Darling Valve Co. | 9612160224 | 50-335 | S |
| Anefco, Inc. | 9612160318 | 71-9071 | |
| Anstec, Inc | 9612090264* | FOIA | |
| | 9612090267* | FOIA | |
| | 9612090269* | FOIA | |
| | 9612090270* | FOIA | |
| | 9612090272* | FOIA | |
| | 9612090274* | FOIA | |
| | 9612090275* | FOIA | |
| | 9612090278* | FOIA | |
| | 9612090280* | FOIA | |
| | 9612090282* | FOIA | |
| | 9612090284* | FOIA | |
| | 9612090286* | FOIA | |
| | 9612090292* | FOIA | |
| | 9612090296* | FOIA | |
| | 9612090300* | FOIA | |
| | 9612090302* | FOIA | |
| | 9612090305* | FOIA | |
| | 9612090310* | FOIA | |
| | 9612090320* | FOIA | |
| | 9612090326* | FOIA | |
| | 9612090328* | FOIA | |
| | 9612090331* | FOIA | |
| | 9612090332* | FOIA | |
| | 9612090334* | FOIA | |
| Arizona Public Service Co. (formerly | 9612040143 | 50-528 | S |
| Arizona Nuclear Power Project) | 9612100171 | 50-530 | P |
| | 9612160425 | 50-528 | R |
| | 9612170051 | 50-528 | R |
| Arizona State Univ., Tempe, AZ | 9612200220* | STATE PRO | G |
| Arizona, State of | 9612260162* | STATE PRO | G |
| | 9612260177* | STATE PRO | G |
| Arizona, Univ. of, Tucson, AZ | 9612030178 | 50-113 | Q |
| | 9612030275 | NUREG | |
| | 9612030279 | NUREG | |
| | 9612180094 | CONTRACT | |
| Armak (subs. of Akzona, Inc.) | 9612180113 | CONTRACT | |
| Ashtabula County, OH | 9612300087 | 50-334 | H |
| Atlantic Richfield Co. (ARCO) | 9612060134 | 40-8902 | |
| | 9612060137 | 40-8902 | |
| | 9612090223 | 40-8902 | |
| | 9612110339 | 40-8902 | |
| | 9612110348* | 40-8902 | |
| Atlas Corp. | 9612090266 | 40-3453 | |
| B. Koh & Associates, Inc. | 9612110441* | 40-8724 | |
| Babcock & Wilcox Co. | 9612040094 | 70-27 | |
| | 9612040098* | 70-27 | |
| | 9612110436 | 70-27 | |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612120088 | 70-27 | |
| | 9612180374* | 40-8474 | |
| | 9612230350 | 70-27 | |
| | 9612230355 | 70-27 | |
| | 9612240055 | 70-27 | |
| Babcock & Wilcox Operating Plants Owners Group | 9612310074* | TOPREP | |
| Baltimore Gas & Electric Co. | 9612030272 | 50-317 | P |
| | 9612030272 | 50-317 | P |
| | 9612030273* | 50-317 | P |
| | 9612030273* | 50-317 | P |
| | 9612120185 | 50-317 | P |
| | 9612120185 | 50-317 | P |
| | 9612120219* | 50-317 | P |
| | 9612120219* | 50-317 | P |
| | 9612190088 | 50-317 | Q |
| | 9612190198 | 50-317 | R |
| | 9612260032 | 50-317 | Q |
| | 9612260057 | 50-318 | S |
| Battelle Memorial Institute, Pacific Northwest Laboratory | 9612110341* | PROJ | |
| | 9612240090 | NUREG | |
| Bernard Hodes Advertising | 9612100112 | CONTRACT | |
| Boeing Co. | 9612240184 | QA999 | |
| Boston Edison Co. | 9612030174 | 50-293 | Q |
| | 9612030199 | 50-293 | Q |
| | 9612060187 | 50-293 | P |
| | 9612060192* | 50-293 | P |
| | 9612170130 | 50-293 | Q |
| | 9612180017 | 50-293 | R |
| | 9612190224 | 50-293 | R |
| | 9612200352 | 50-293 | F |
| | 9612230124 | 50-293 | R |
| | 9612230317 | 50-293 | P |
| | 9612230325* | 50-293 | P |
| | 9612230422 | 50-293 | P |
| | 9612260266* | 50-293 | P |
| Brookhaven National Laboratory | 9612110212 | NUREG | |
| | 9612240116 | XPORTLIC | |
| C-E Operating Plants Owners Group | 9612040231* | PROJ | |
| | 9612090263 | PROJ | |
| | 9612090273 | PROJ | |
| | 9612120296 | PROJ | |
| Cabot Corp. | 9612040233 | 40-6940 | |
| | 9612040237* | 40-6940 | |
| California, State of | 9612200236 | STATE PRO | G |
| California, Univ. of, Santa Barbara, CA | 9612200249 | CONTRACT | |
| Carolina Power & Light Co. | 9612020055 | 50-324 | V |
| | 9612020095 | 50-261 | V |
| | 9612030310 | 50-324 | F |
| | 9612040206 | 50-400 | S |
| | 9612050083 | 50-261 | F |
| | 9612090138 | 50-324 | F |
| | 9612090143* | 50-324 | F |
| | 9612090143* | 50-324 | F |
| | 9612090150* | 50-324 | F |
| | 9612090150* | 50-324 | F |
| | 9612100057 | 50-324 | P |
| | 9612100057 | 50-324 | P |
| | 9612100065* | 50-324 | P |
| | 9612100065* | 50-324 | P |
| | 9612110148 | 50-325 | P |
| | 9612110152* | 50-325 | P |
| | 9612130185 | 50-400 | Q |
| | 9612160233 | 50-400 | S |
| | 9612170043 | 50-261 | R |
| | 9612170044 | 50-325 | S |
| | 9612180168 | 50-324 | R |
| | 9612190444 | 50-324 | F |
| | 9612200170 | 50-400 | R |
| | 9612240045 | 50-325 | S |
| | 9612240315 | 50-261 | P |
| | 9612240317* | 50-261 | P |
| | 9612260083 | 50-400 | S |
| | 9612260086 | 50-261 | P |
| | 9612260088* | 50-261 | P |
| | 9612260313 | 71-9001 | |
| | 9612270125 | 50-400 | S |
| | 9612270151 | 50-400 | S |
| Center for Nuclear Waste Regulatory Analyses | 9612110187 | NUREG | |
| Centerior Energy | 9612030011 | 50-346 | P |
| | 9612050090 | 71-9145 | |
| | 9612090307 | 50-346 | P |
| | 9612090318 | 50-346 | P |
| | 9612090322 | 50-346 | Q |
| | 9612100009 | 50-440 | S |
| | 9612100164 | 50-440 | Q |
| | 9612110075 | 50-346 | P |
| | 9612110413 | 50-346 | R |
| | 9612110417* | 50-346 | R |
| | 9612120173 | 50-440 | P |
| | 9612170069 | 50-440 | P |
| | 9612170117 | PR | |
| | 9612170351 | 50-346 | P |
| | 9612170352* | 50-346 | P |
| | 9612170354* | 50-346 | P |
| | 9612170423 | 50-440 | P |
| | 9612180015 | 50-440 | R |
| | 9612180020* | 50-440 | R |
| | 9612180407 | 50-346 | P |
| | 9612180435 | 50-346 | K |
| | 9612180438* | 50-346 | K |
| | 9612180440* | 50-346 | K |
| | 9612180449 | 50-440 | P |
| | 9612180453* | 50-440 | P |
| | 9612180455 | 50-346 | P |
| | 9612180457* | 50-346 | P |
| | 9612190424 | 50-440 | R |
| | 9612200010 | 50-440 | R |
| | 9612200196 | 50-346 | P |
| | 9612230117 | 50-346 | P |
| | 9612230117 | 50-346 | P |
| | 9612240018 | 50-346 | Q |
| | 9612240175 | 50-440 | V |
| | 9612240182 | 50-346 | Q |
| | 9612260132 | 50-440 | S |
| | 9612270068 | 50-346 | P |
| | 9612310138 | 50-440 | P |
| Chatham, NC | 9612190042 | 50-400 | H |
| Chemetron Corp. | 9612110427 | 40-8724 | |
| Cherokee Nation | 9612130042 | 40-8027 | |
| Cimarron Corp. | 9612130069 | 70-925 | |
| | 9612260330 | 70-925 | |
| Citizens Action Coalition of Indiana | 9612160248 | PR | |
| Citizens' Utility Board | 9612180225* | 50-266 | G |
| Clark County, NV | 9612100251 | NRCSA | |
| | 9612110005 | NRCSA | |
| | 9612110007 | NRCSA | |
| | 9612110023 | NRCSA | |
| Colorado, State of | 9612060200 | STATE PRO | G |
| | 9612200237 | STATE PRO | G |
| Commonwealth Edison Co. | 9612020005 | 50-454 | P |
| | 9612020106 | 50-373 | S |
| | 9612020106 | 50-373 | S |
| | 9612020158 | 50-456 | Q |
| | 9612020228 | 50-373 | S |
| | 9612030016 | 50-455 | S |
| | 9612030051 | 50-373 | S |
| | 9612030051 | 50-373 | S |
| | 9612030150 | 50-265 | Q |
| | 9612030181 | 50-373 | S |
| | 9612030206 | 50-373 | S |
| | 9612030226* | 50-352 | P |
| | 9612030280 | 50-373 | Q |
| | 9612030280 | 50-373 | Q |
| | 9612030294 | 50-295 | K |
| | 9612030294 | 50-295 | K |
| | 9612030296* | 50-295 | K |
| | 9612030296* | 50-295 | K |
| | 9612030299 | 50-295 | S |
| | 9612030321 | 50-254 | P |
| | 9612030323 | 50-254 | S |
| | 9612030325* | 50-254 | S |
| | 9612040022 | 50-295 | Q |
| | 9612040040 | 50-254 | V |
| | 9612040040 | 50-254 | V |
| | 9612040046 | 50-237 | P |
| | 9612040096 | 50-304 | S |
| | 9612040142 | 50-10 | W |
| | 9612040145* | 50-10 | W |
| | 9612040268 | 50-265 | Q |
| | 9612040272* | 50-265 | Q |
| | 9612050039* | 50-454 | P |
| | 9612050093 | 50-254 | P |
| | 9612050093 | 50-254 | P |
| | 9612060304 | 50-304 | Q |
| | 9612090352 | 50-454 | Q |
| | 9612100173 | 50-373 | S |
| | 9612100176 | 50-295 | S |
| | 9612110116 | 50-454 | P |
| | 9612110116 | 50-454 | P |
| | 9612110277 | 50-456 | F |
| | 9612110296 | 50-373 | S |
| | 9612110336 | 50-373 | S |
| | 9612110397 | 50-373 | P |
| | 9612110397 | 50-373 | P |
| | 9612110423* | 50-373 | P |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612110423* | 50-373 | P |
| | 9612120114 | 50-237 | P |
| | 9612120114 | 50-237 | P |
| | 9612120114 | 50-237 | P |
| | 9612120114 | 50-237 | P |
| | 9612120124* | 50-237 | P |
| | 9612120124* | 50-237 | P |
| | 9612120124* | 50-237 | P |
| | 9612120124* | 50-237 | P |
| | 9612120385 | 50-373 | S |
| | 9612120385 | 50-373 | S |
| | 9612130067 | 50-295 | S |
| | 9612160286 | NUREG | |
| | 9612160345 | PR | |
| | 9612160396 | 50-10 | R |
| | 9612160414 | 50-249 | P |
| | 9612170059 | 50-454 | S |
| | 9612170134 | 50-373 | R |
| | 9612170134 | 50-373 | R |
| | 9612170142* | 50-373 | R |
| | 9612170154* | 50-373 | R |
| | 9612170182 | 50-454 | S |
| | 9612170272 | 50-295 | Q |
| | 9612170276* | 50-295 | Q |
| | 9612170292 | 50-237 | P |
| | 9612170292 | 50-237 | P |
| | 9612170349 | 50-237 | S |
| | 9612170357* | 50-237 | S |
| | 9612170407 | 50-295 | P |
| | 9612170407 | 50-295 | P |
| | 9612170410* | 50-295 | P |
| | 9612170410* | 50-295 | P |
| | 9612180030 | 50-456 | R |
| | 9612180035 | 50-237 | S |
| | 9612180057* | 50-237 | S |
| | 9612180061 | 50-373 | F |
| | 9612180081 | 50-237 | P |
| | 9612180081 | 50-237 | P |
| | 9612180081 | 50-237 | P |
| | 9612180086 | 50-237 | S |
| | 9612180086 | 50-237 | S |
| | 9612180356 | 50-454 | R |
| | 9612190082 | 50-454 | F |
| | 9612190082 | 50-454 | F |
| | 9612190082 | 50-454 | F |
| | 9612190082 | 50-454 | F |
| | 9612190083* | 50-454 | F |
| | 9612190118 | 50-456 | R |
| | 9612190120* | 50-456 | R |
| | 9612190129 | 50-454 | P |
| | 9612190437 | 50-237 | Q |
| | 9612200050 | 50-373 | F |
| | 9612200092 | 50-295 | R |
| | 9612200127 | 50-265 | S |
| | 9612200136* | 50-265 | S |
| | 9612200165 | 50-456 | P |
| | 9612230274 | 50-373 | Q |
| | 9612230419 | 50-454 | Q |
| | 9612230419 | 50-454 | Q |
| | 9612240001 | 50-295 | P |
| | 9612240098 | 50-254 | R |
| | 9612240115 | 50-237 | P |
| | 9612240122 | 50-237 | P |
| | 9612240122 | 50-237 | P |
| | 9612240144* | 50-266 | P |
| | 9612240144* | 50-266 | P |
| | 9612240189 | 50-10 | W |
| | 9612240194* | 50-10 | W |
| | 9612240322 | 50-237 | P |
| | 9612240322 | 50-237 | P |
| | 9612240324 | 50-237 | P |
| | 9612240324 | 50-237 | P |
| | 9612240325* | 50-237 | P |
| | 9612240325* | 50-237 | P |
| | 9612260019 | 50-249 | P |
| | 9612260026 | 50-10 | W |
| | 9612260026 | 50-10 | W |
| | 9612260026 | 50-10 | W |
| | 9612270049 | 50-304 | S |
| | 9612270070 | 50-254 | P |
| | 9612270071* | 50-254 | P |
| | 9612270075 | 50-295 | Q |
| | 9612270075 | 50-295 | Q |
| | 9612270081 | 50-373 | Q |
| | 9612270082 | 50-455 | Q |
| | 9612270088* | 50-455 | Q |
| | 9612300104 | 50-254 | F |
| | 9612300104 | 50-254 | F |
| | 9612310065 | 50-237 | Q |
| | 9612310065 | 50-237 | Q |
| | 9612310134 | 50-10 | F |
| | 9612310134 | 50-10 | F |
| | 9612310134 | 50-10 | F |
| | 9612310134 | 50-10 | F |
| | 9612310134 | 50-10 | F |
| | 9612310134 | 50-10 | F |
| | 9612310164 | 50-254 | S |
| | 9612310167* | 50-254 | S |
| | 9612310178 | 50-454 | P |
| Conax Corp. (formerly Conax Buffalo Corp.) | 9612120235* | FOIA | |
| | 9612120248* | FOIA | |
| Conference of Radiation Control Program Directors, Inc. | 9612060226 | STATE PRO | G |
| | 9612090041 | NRCSA | |
| | 9612090064 | NRCSA | |
| | 9612090072 | NRCSA | |
| | 9612090097 | NRCSA | |
| | 9612090098 | NRCSA | |
| | 9612090110 | NRCSA | |
| | 9612090119 | NRCSA | |
| | 9612090163 | NRCSA | |
| | 9612090173 | NRCSA | |
| | 9612090219 | NRCSA | |
| | 9612100238 | NRCSA | |
| | 9612110056 | NRCSA | |
| | 9612110139 | NRCSA | |
| | 9612160263* | STATE PRO | G |
| Connecticut Yankee Atomic Power Co. | 9612040009 | 50-213 | S |
| | 9612040131 | 50-213 | F |
| | 9612050033 | 50-213 | Q |
| | 9612110190 | 50-213 | F |
| | 9612110214 | 50-213 | W |
| | 9612110246 | 50-213 | F |
| | 9612110354 | 50-213 | F |
| | 9612180058 | 50-213 | R |
| | 9612190054 | 50-213 | Q |
| | 9612190073 | 50-213 | W |
| | 9612190413 | 50-213 | S |
| | 9612270053 | 50-213 | W |
| Connecticut, State of | 9612110182 | NRCSA | |
| | 9612190270* | 50-245 | P |
| | 9612240109* | COMMISSIO | N |
| Consolidated Edison Co. of New York, Inc | 9612020080 | 50-247 | P |
| | 9612110279 | 50-247 | S |
| | 9612110284 | 50-3 | F |
| | 9612160147 | 50-247 | S |
| | 9612170071 | 50-3 | H |
| | 9612190013 | 50-3 | J |
| | 9612200164 | 50-247 | R |
| | 9612200288 | 50-247 | P |
| | 9612200291* | 50-247 | P |
| | 9612260302 | 50-247 | F |
| | 9612260305* | 50-247 | F |
| Consumers Power Co. | 9612020231 | 50-255 | P |
| | 9612030190 | 50-255 | P |
| | 9612030295 | 50-255 | F |
| | 9612040211 | 50-255 | P |
| | 9612040217* | 50-255 | P |
| | 9612110196 | 50-255 | F |
| | 9612110205* | 50-255 | F |
| | 9612110304 | 50-255 | R |
| | 9612110325 | 50-155 | R |
| | 9612120089 | 50-255 | F |
| | 9612160420 | 50-255 | Q |
| | 9612170082 | 50-155 | S |
| | 9612170318 | 50-255 | Q |
| | 9612170325* | 50-255 | Q |
| | 9612170336* | 50-255 | Q |
| | 9612170339 | 50-255 | P |
| | 9612170342* | 50-255 | P |
| | 9612180260 | 50-255 | F |
| | 9612180272* | 50-155 | F |
| | 9612180294 | 50-155 | F |
| | 9612180300* | 50-155 | F |
| | 9612190196 | 50-255 | F |
| | 9612190199 | 50-255 | F |
| | 9612190204 | 50-255 | F |
| | 9612190207 | 50-255 | F |
| | 9612190209 | 50-255 | F |
| | 9612190213 | 50-255 | F |
| | 9612190220 | 50-255 | F |
| | 9612190225 | 50-255 | F |
| | 9612190229 | 50-255 | F |
| | 9612190232 | 50-255 | F |
| | 9612190235 | 50-255 | F |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612230401 | 50-255 | F |
| | 9612230410 | 50-255 | F |
| | 9612240188 | 50-255 | S |
| | 9612240199* | 50-255 | S |
| | 9612260228 | 50-255 | F |
| Cornell Univ., Ithaca, NY | 9612060075 | 50-97 | P |
| | 9612230364 | 50-157 | P |
| | 9612240222 | 50-97 | P |
| Dairyland Power Cooperative | 9612260118 | 50-409 | W |
| | 9612260123* | 50-409 | W |
| | 9612310068 | 50-409 | F |
| | 9612310075* | 50-409 | F |
| Data General Corp. | 9612240147 | CONTRACT | |
| Decisive Testing, Inc. | 9612180128 | 71-9033 | |
| Detroit Edison Co. | 9612030125 | 50-341 | F |
| | 9612110034 | 50-341 | P |
| | 9612110049 | 50-341 | S |
| | 9612110059* | 50-341 | S |
| | 9612110452 | 50-341 | P |
| | 9612110453* | 50-341 | P |
| | 9612120319 | NRCSA | |
| | 9612120324 | NRCSA | |
| | 9612120328 | NRCSA | |
| | 9612170368 | 50-341 | P |
| | 9612180010 | 50-341 | R |
| | 9612190067 | 50-341 | F |
| | 9612240177 | 50-341 | S |
| | 9612300086 | 50-341 | Q |
| | 9612300131 | 50-341 | R |
| | 9612300132* | 50-341 | R |
| Don't Waste Michigan | 9612230214* | 50-255 | G |
| | 9612230230* | 50-255 | G |
| | 9612240191* | 50-255 | G |
| Dragon Valves, Inc. | 9612040039 | QA999 | |
| Duke Power Co. | 9612020112 | 50-269 | P |
| | 9612020179 | 50-413 | R |
| | 9612020179 | 50-413 | R |
| | 9612030036 | 50-414 | Q |
| | 9612030315 | 50-270 | S |
| | 9612040130 | 50-369 | P |
| | 9612040130 | 50-369 | P |
| | 9612040137* | 50-369 | P |
| | 9612040137* | 50-369 | P |
| | 9612060006 | 50-414 | S |
| | 9612060058 | 50-414 | S |
| | 9612060079 | 50-269 | Q |
| | 9612060079 | 50-269 | Q |
| | 9612090341 | 50-269 | P |
| | 9612090341 | 50-269 | P |
| | 9612090341 | 50-269 | P |
| | 9612090341 | 50-269 | P |
| | 9612090349 | 50-269 | Q |
| | 9612090349 | 50-269 | Q |
| | 9612090349 | 50-269 | Q |
| | 9612090367 | 50-287 | Q |
| | 9612090371 | 50-269 | P |
| | 9612090371 | 50-269 | P |
| | 9612090371 | 50-269 | P |
| | 9612090371 | 50-269 | P |
| | 9612090371 | 50-269 | P |
| | 9612090371 | 50-269 | P |
| | 9612090375* | 50-269 | P |
| | 9612090375* | 50-269 | P |
| | 9612090375* | 50-269 | P |
| | 9612090375* | 50-269 | P |
| | 9612090375* | 50-269 | P |
| | 9612100119 | 50-269 | P |
| | 9612100119 | 50-269 | P |
| | 9612100119 | 50-269 | P |
| | 9612100127* | 50-269 | P |
| | 9612100154 | 50-413 | S |
| | 9612100177 | 50-369 | Q |
| | 9612110360 | 50-369 | F |
| | 9612110360 | 50-369 | F |
| | 9612120252* | 50-269 | F |
| | 9612120262* | 50-269 | F |
| | 9612130158 | 50-370 | S |
| | 9612130290 | 50-369 | S |
| | 9612160160 | 50-413 | S |
| | 9612160213 | 50-369 | S |
| | 9612160219 | 50-369 | S |
| | 9612160245 | REGGD | |
| | 9612160442 | 50-369 | F |
| | 9612170024 | 50-369 | Q |
| | 9612170028 | 50-269 | P |
| | 9612170028 | 50-269 | P |
| | 9612170028 | 50-269 | P |
| | 9612170031* | 50-269 | P |
| | 9612170031* | 50-269 | P |
| | 9612170031* | 50-269 | P |
| | 9612170037 | 50-270 | S |
| | 9612180037 | 50-413 | R |
| | 9612180040* | 50-413 | R |
| | 9612180043* | 50-413 | R |
| | 9612180056 | 50-369 | R |
| | 9612180059* | 50-369 | R |
| | 9612180063* | 50-369 | R |
| | 9612180063* | 50-369 | R |
| | 9612180099 | 50-269 | R |
| | 9612180106* | 50-269 | R |
| | 9612180129* | 50-269 | R |
| | 9612180202 | 50-269 | F |
| | 9612180202 | 50-269 | F |
| | 9612180202 | 50-269 | F |
| | 9612190064 | 50-369 | F |
| | 9612190077* | 50-369 | F |
| | 9612230394 | 50-369 | F |
| | 9612230394 | 50-369 | F |
| | 9612240073 | 50-369 | P |
| | 9612240073 | 50-369 | P |
| | 9612240079* | 50-369 | P |
| | 9612240079* | 50-369 | P |
| | 9612240083 | 50-269 | P |
| | 9612240083 | 50-269 | P |
| | 9612240102 | 50-413 | P |
| | 9612240102 | 50-413 | P |
| | 9612240104 | 50-369 | K |
| | 9612240104 | 50-369 | K |
| | 9612240105* | 50-413 | P |
| | 9612240105* | 50-413 | P |
| | 9612240118 | 50-269 | F |
| | 9612240118 | 50-269 | F |
| | 9612240124 | 50-269 | F |
| | 9612240142* | 50-369 | F |
| | 9612240142* | 50-369 | F |
| | 9612240187 | 50-269 | P |
| | 9612260062 | 50-413 | P |
| | 9612260101 | 50-287 | Q |
| | 9612310002 | 50-269 | P |
| | 9612310081 | 50-413 | P |
| | 9612310083 | TOPREP | |
| Duquesne Light Co. | 9612060100 | 50-334 | R |
| | 9612110343 | 50-412 | P |
| | 9612110345* | 50-412 | P |
| | 9612130274 | 50-334 | Q |
| | 9612170054 | 50-334 | R |
| | 9612240204 | 50-334 | P |
| | 9612240204 | 50-334 | P |
| | 9612240205* | 50-334 | P |
| | 9612240205* | 50-334 | P |
| | 9612260017 | 50-334 | S |
| | 9612260035 | 50-334 | P |
| | 9612260092 | 50-412 | S |
| Ecodynamics Research Associates, Inc., | 9612110212 | NUREG | |
| Edlow International Co. | 9612050062 | 70-1252 | |
| | 9612160070 | 70-1252 | |
| | 9612160187 | XPORTLIC | |
| | 9612230283 | XPORTLIC | |
| | 9612230324 | 70-1252 | |
| | 9612230327 | 70-1252 | |
| | 9612230337 | 70-1252 | |
| | 9612230339 | 70-1252 | |
| | 9612240032 | XPORTLIC | |
| | 9612240056 | 70-1252 | |
| | 9612240093 | 70-1252 | |
| | 9612260224 | XPORTLIC | |
| | 9612260229* | XPORTLIC | |
| | 9612270098* | XPORTLIC | |
| | 9612270099* | XPORTLIC | |
| | 9612300126 | 70-1252 | |
| Electric Power Research Institute | 9612020132* | TOPREP | |
| | 9612030056 | TOPREP | |
| Elekta Instruments, Inc. | 9612060191 | STATE PRO | G |
| Energy Fuels Nuclear, Inc. | 9612030163 | 40-9024 | |
| Energy, Dept. of | 9612030250 | WASTE MGT | |
| | 9612030253 | WASTE MGT | |
| | 9612030260 | WASTE MGT | |
| | 9612030266 | WASTE MGT | |
| | 9612030293 | WASTE MGT | |
| | 9612040074 | WASTE MGT | |
| | 9612040200 | WASTE MGT | |
| | 9612050051 | WASTE MGT | |
| | 9612050052* | WASTE MGT | |
| | 9612060190 | WASTE MGT | |
| | 9612090174 | PROJ | |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612100002 | WASTE MGT | |
| | 9612100003 | WASTE MGT | |
| | 9612100004 | WASTE MGT | |
| | 9612100005* | WASTE MGT | |
| | 9612100012 | WASTE MGT | |
| | 9612100089 | WASTE MGT | |
| | 9612100095* | WASTE MGT | |
| | 9612100193 | WASTE MGT | |
| | 9612100201* | WASTE MGT | |
| | 9612100206* | WASTE MGT | |
| | 9612110019 | WASTE MGT | |
| | 9612110287 | WASTE MGT | |
| | 9612110289 | WASTE MGT | |
| | 9612110313 | WASTE MGT | |
| | 9612110331 | PROJ | |
| | 9612120001 | WASTE MGT | |
| | 9612120051 | XPORTLIC | |
| | 9612170312 | PROJ | |
| | 9612170428 | PROJ | |
| | 9612180089 | WASTE MGT | |
| | 9612180132 | WASTE MGT | |
| | 9612180176 | WASTE MGT | |
| | 9612180182* | WASTE MGT | |
| | 9612200226 | WASTE MGT | |
| | 9612200229* | WASTE MGT | |
| | 9612230251* | 50-267 | Y |
| | 9612260065 | WASTE MGT | |
| | 9612260104 | WASTE MGT | |
| | 9612260310* | WASTE MGT | |
| | 9612270010* | 71-9212 | |
| | 9612270021 | 50-267 | Y |
| | 9612270023* | 50-267 | Y |
| | 9612270023* | 50-267 | Y |
| | 9612270027* | 50-267 | Y |
| | 9612270027* | 50-267 | Y |
| | 9612270107 | 71-9056 | |
| | 9612270109 | 70-7001 | |
| | 9612300024 | WASTE MGT | |
| | 9612300124 | 71-5957 | |
| | 9612310015 | REGGD | |
| Entergy Operations, Inc. | 9612020098 | 50-313 | Q |
| | 9612020098 | 50-313 | Q |
| | 9612020099 | 50-368 | P |
| | 9612020103 | 50-313 | Q |
| | 9612020166 | 50-382 | F |
| | 9612030021 | 50-368 | P |
| | 9612030053 | 50-458 | P |
| | 9612030119 | 50-416 | K |
| | 9612040025 | 50-313 | V |
| | 9612040029 | 50-313 | F |
| | 9612040029 | 50-313 | F |
| | 9612040037 | 50-382 | P |
| | 9612040041* | 50-382 | P |
| | 9612040065 | 50-382 | S |
| | 9612040110 | 50-416 | S |
| | 9612040138 | 50-458 | S |
| | 9612040173 | 50-368 | P |
| | 9612040175* | 50-368 | P |
| | 9612040192 | 50-313 | Q |
| | 9612050092 | 50-368 | P |
| | 9612060010 | 50-368 | S |
| | 9612060013 | 50-313 | S |
| | 9612060182 | 50-458 | S |
| | 9612060206 | 50-458 | R |
| | 9612060210* | 50-458 | R |
| | 9612090015 | NRCSA | |
| | 9612090086 | NRCSA | |
| | 9612090095 | NRCSA | |
| | 9612090139 | NRCSA | |
| | 9612090159 | NRCSA | |
| | 9612090308 | 50-416 | S |
| | 9612090364 | 50-416 | P |
| | 9612090366* | 50-416 | P |
| | 9612100011 | 50-368 | P |
| | 9612100244 | NRCSA | |
| | 9612100335 | 50-458 | P |
| | 9612110124 | NRCSA | |
| | 9612120070 | 50-313 | P |
| | 9612120073* | 50-313 | P |
| | 9612120263 | 50-382 | S |
| | 9612120484 | 50-368 | P |
| | 9612120492* | 50-368 | P |
| | 9612130314 | 50-382 | P |
| | 9612160111 | 50-313 | P |
| | 9612160432 | 50-458 | Q |
| | 9612170210 | 50-368 | P |
| | 9612180025 | 50-382 | R |
| | 9612180095 | 50-382 | Q |
| | 9612180148 | 50-458 | R |
| | 9612180264 | 50-313 | F |
| | 9612180368 | 50-313 | Q |
| | 9612180405 | 50-458 | K |
| | 9612180409* | 50-458 | K |
| | 9612190096 | 50-458 | S |
| | 9612200335 | 50-382 | F |
| | 9612240075 | 50-416 | Q |
| | 9612240077 | 50-458 | V |
| | 9612260172 | 50-416 | S |
| | 9612260233 | 50-368 | P |
| | 9612260234* | 50-368 | P |
| | 9612260237 | 50-368 | P |
| | 9612260238* | 50-368 | P |
| | 9612260243 | 50-313 | S |
| | 9612260246 | 50-368 | P |
| | 9612260250* | 50-368 | P |
| | 9612260321 | 50-313 | P |
| | 9612260321 | 50-313 | P |
| | 9612260323* | 50-313 | P |
| | 9612260323* | 50-313 | P |
| | 9612260327 | 50-382 | P |
| | 9612260328* | 50-382 | P |
| | 9612260329 | 50-416 | P |
| | 9612270030 | 50-382 | F |
| | 9612270042 | 50-416 | Q |
| | 9612270065 | 50-382 | P |
| | 9612270144 | 50-416 | R |
| | 9612300117 | 50-382 | Q |
| | 9612310046 | 50-368 | S |
| | 9612310131 | 50-416 | F |
| | 9612310152 | 50-382 | P |
| | 9612310154* | 50-382 | P |
| Envirocare of Utah, Inc. | 9612060121 | 40-8989 | |
| | 9612090049* | 40-8989 | |
| | 9612090083 | NRCSA | |
| | 9612110100 | NRCSA | |
| Envirocare, Inc. | 9612030335 | 40-8989 | |
| | 9612030336* | 40-8989 | |
| | 9612090106 | NRCSA | |
| Environmental Coalition on Nuclear Power | 9612060142 | STATE PRO | G |
| | 9612110031 | NRCSA | |
| | 9612110057 | NRCSA | |
| | 9612110061 | NRCSA | |
| | 9612110069 | NRCSA | |
| | 9612110159 | NRCSA | |
| | 9612110167 | NRCSA | |
| | 9612110241 | NRCSA | |
| | 9612130120 | NRCSA | |
| | 9612130141 | NRCSA | |
| | 9612130170 | NRCSA | |
| | 9612130172 | NRCSA | |
| | 9612130173 | NRCSA | |
| | 9612130177 | NRCSA | |
| | 9612130178 | NRCSA | |
| Environmental Protection Agency | 9612040054 | 40-3453 | |
| FRAMATOME | 9612100285 | NRCSA | |
| | 9612110102 | NRCSA | |
| | 9612110118 | NRCSA | |
| | 9612110131 | TOPREP | |
| | 9612120076* | 50-313 | P |
| | 9612170435 | TOPREP | |
| | 9612300129 | PROJ | |
| | 9612310085* | TOPREP | |
| Federal Emergency Management Agency | 9612090354* | 50-213 | F |
| | 9612090361* | 50-213 | F |
| | 9612110062* | 50-416 | F |
| | 9612160381* | 50-482 | F |
| Ferret Exploration Co. of Nebraska, Inc. | 9612090401 | 40-8943 | |
| | 9612180393 | 40-8943 | |
| | 9612200044 | 40-8943 | |
| Florida Power & Light Co. | 9612020035 | 50-335 | S |
| | 9612020208 | 50-335 | S |
| | 9612020212 | 50-335 | Q |
| | 9612030318 | 50-250 | F |
| | 9612060020 | 50-250 | P |
| | 9612060020 | 50-250 | P |
| | 9612060022* | 50-250 | P |
| | 9612060022* | 50-250 | P |
| | 9612100168 | 50-335 | Q |
| | 9612100192 | 50-250 | Q |
| | 9612110283 | 50-335 | F |
| | 9612120449 | 50-335 | P |
| | 9612120454* | 50-335 | P |
| | 9612120456* | 50-335 | P |
| | 9612160249 | REGGD | |
| | 9612180049 | 50-250 | R |
| | 9612180383 | PT21 | |
| | 9612190431 | 50-250 | F |
| | 9612200280 | 50-335 | P |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612200280 | 50-335 | P |
| | 9612200286* | 50-335 | P |
| | 9612200300 | 50-335 | H |
| | 9612200300 | 50-335 | H |
| | 9612230051 | 50-335 | R |
| | 9612240267 | 50-250 | P |
| | 9612240267 | 50-250 | P |
| | 9612240269* | 50-250 | P |
| | 9612240269* | 50-250 | P |
| | 9612260012 | 50-389 | S |
| | 9612260079 | 50-335 | S |
| | 9612260320 | 50-335 | P |
| | 9612260322* | 50-335 | P |
| | 9612260324* | 50-335 | P |
| | 9612260325* | 50-335 | P |
| | 9612260326 | 50-335 | Q |
| | 9612260326 | 50-335 | Q |
| | 9612270036 | 50-335 | F |
| | 9612270036 | 50-335 | F |
| | 9612270073 | 50-335 | P |
| | 9612270074* | 50-335 | P |
| | 9612310141 | 50-250 | P |
| | 9612310185 | 50-250 | I |
| | 9612310185 | 50-250 | I |
| | 9612310185 | 50-250 | I |
| Florida Power Corp. | 9612030238 | 50-302 | S |
| | 9612030244* | 50-302 | S |
| | 9612030284 | 50-302 | Q |
| | 9612040047 | 50-302 | F |
| | 9612040134 | 50-302 | Q |
| | 9612060048 | 50-302 | P |
| | 9612060050* | 50-302 | P |
| | 9612090113 | NRCSA | |
| | 9612110027 | NRCSA | |
| | 9612110123 | 50-302 | F |
| | 9612130147 | 50-302 | Q |
| | 9612160312 | 50-302 | P |
| | 9612170149 | 50-302 | V |
| | 9612170161 | 50-302 | Q |
| | 9612180237 | 50-302 | F |
| | 9612180321 | 50-302 | R |
| | 9612240086 | 50-302 | P |
| | 9612240286 | 50-302 | P |
| | 9612240291* | 50-302 | P |
| | 9612260304 | 50-302 | Q |
| | 9612270039 | 50-302 | S |
| | 9612300060 | 50-302 | Q |
| | 9612300127 | 50-302 | Q |
| Florida, State of | 9612200055 | NRCSA | |
| | 9612200240 | STATE PRO | G |
| Framatome Cogema Fuels (formerly B&W Fue Co.), | 9612120165 | 70-1201 | |
| | 9612120285 | 70-1201 | |
| | 9612200343 | 70-1201 | |
| France | 9612050035* | COMMISSIO | N |
| Fried, Frank, Harris, Shriver & Jacobson | 9612260080 | 70-3070 | |
| Gannon Univ., Erie, PA | 9612050010 | 71-***** | |
| | 9612050015* | 71-***** | |
| General | 9612060311 | STATE PRO | G |
| General Atomics (formerly GA Technologie | 9612130033 | 40-8027 | |
| s, Inc./General Atomic Co.) | 9612160388 | 70-734 | |
| | 9612240151 | 50-89 | P |
| | 9612260064 | 40-8027 | |
| General Electric Co. | 9612050061 | XPORTLIC | |
| | 9612090258 | CONTRACT | |
| | 9612100132* | 50-352 | P |
| | 9612100143 | TOPREP | |
| | 9612110147 | NRCSA | |
| | 9612110213* | 50-333 | Q |
| | 9612110428* | 50-373 | P |
| | 9612110432* | 50-373 | P |
| | 9612130087 | XPORTLIC | |
| | 9612160093* | FOIA | |
| | 9612160375 | PROJ | |
| | 9612170382* | 50-259 | P |
| | 9612180193 | TOPREP | |
| | 9612180248 | TOPREP | |
| | 9612190341 | 70-1113 | |
| | 9612200298 | 70-1113 | |
| | 9612200360 | 70-1113 | |
| | 9612230316 | 70-1113 | |
| | 9612230328* | 70-1113 | |
| | 9612240155 | 70-1113 | |
| | 9612240157* | 70-1113 | |
| | 9612270046 | 70-1113 | |
| General Public Utilities Corp. - GPU | 9612020214 | 50-219 | S |
| Service Corp. | 9612030057 | 50-219 | S |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612030191 | 50-219 | S |
| | 9612030204 | 50-219 | S |
| | 9612030227 | 50-219 | P |
| | 9612030277 | 50-289 | F |
| | 9612040057 | 50-289 | R |
| | 9612040105 | 50-219 | P |
| | 9612060188 | 50-219 | P |
| | 9612060193* | 50-219 | P |
| | 9612060202 | 50-219 | P |
| | 9612060212* | 50-219 | P |
| | 9612060216* | 50-219 | P |
| | 9612060332 | 50-320 | P |
| | 9612060335* | 50-320 | P |
| | 9612090240 | 50-289 | P |
| | 9612090243* | 50-289 | P |
| | 9612160331 | PR | |
| | 9612160427 | 50-219 | P |
| | 9612170168 | 50-289 | Q |
| | 9612180160 | 50-219 | Q |
| | 9612180328 | 50-219 | F |
| | 9612180328 | 50-219 | F |
| | 9612180328 | 50-219 | S |
| | 9612180377 | 50-219 | S |
| | 9612180396 | 50-219 | S |
| | 9612190185 | 50-219 | R |
| | 9612190397 | 50-289 | Q |
| | 9612190428 | 50-289 | R |
| | 9612200002 | 50-289 | S |
| | 9612200176 | 50-321 | F |
| | 9612240111 | 50-289 | S |
| | 9612240192 | 50-289 | P |
| | 9612240196* | 50-289 | P |
| | 9612240198* | 50-289 | P |
| Georgia Institute of Technology, Atlanta GA | 9612260076 | QA999 | |
| Georgia Power Co. | 9612030159 | 50-424 | Q |
| | 9612030159 | 50-424 | Q |
| | 9612030196 | 50-424 | Q |
| | 9612030196 | 50-424 | Q |
| | 9612090321 | 50-424 | S |
| | 9612090339 | 50-321 | Q |
| | 9612090339 | 50-321 | Q |
| | 9612090394 | 50-366 | P |
| | 9612090396* | 50-366 | P |
| | 9612090399 | 50-321 | Q |
| | 9612090399 | 50-321 | Q |
| | 9612100007 | 50-321 | S |
| | 9612100072 | 50-424 | Q |
| | 9612100072 | 50-424 | Q |
| | 9612160154 | 50-424 | F |
| | 9612160304 | 50-321 | H |
| | 9612160304 | 50-321 | H |
| | 9612160304 | 50-424 | H |
| | 9612170375 | 50-321 | S |
| | 9612170449 | 50-321 | P |
| | 9612170449 | 50-321 | P |
| | 9612170453* | 50-321 | P |
| | 9612180042 | 50-424 | R |
| | 9612180138 | 50-321 | R |
| | 9612180178 | 50-321 | H |
| | 9612180178 | 50-321 | H |
| | 9612180190 | 50-321 | S |
| | 9612180360 | 50-424 | P |
| | 9612180360 | 50-424 | P |
| | 9612180371* | 50-424 | P |
| | 9612180371* | 50-424 | P |
| | 9612200242 | 50-321 | P |
| | 9612200242 | 50-321 | P |
| | 9612200243* | 50-321 | P |
| | 9612200243* | 50-321 | P |
| | 9612230359 | 50-321 | Q |
| | 9612230359 | 50-321 | Q |
| | 9612240050 | 50-321 | Q |
| | 9612240050 | 50-321 | Q |
| | 9612260066 | 50-424 | P |
| | 9612260068 | 50-424 | S |
| | 9612260206 | 50-321 | P |
| | 9612260206 | 50-321 | P |
| | 9612260209* | 50-321 | P |
| | 9612260209* | 50-321 | P |
| | 9612260221 | 50-321 | S |
| | 9612260230 | 50-321 | Q |
| | 9612260230 | 50-321 | Q |
| | 9612260244 | 50-321 | P |
| | 9612260244 | 50-321 | P |
| | 9612310066 | 50-321 | P |
| | 9612310069 | 50-424 | P |
| Georgia, State of | 9612060129 | STATE PRO | G |
| | 9612120356 | NRCSA | |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612120362 | NRCSA | |
| | 9612120395 | NRCSA | |
| | 9612120396 | NRCSA | |
| | 9612120413 | NRCSA | |
| | 9612120416 | NRCSA | |
| | 9612120422 | NRCSA | |
| | 9612120428 | NRCSA | |
| | 9612120457 | NRCSA | |
| | 9612120476 | NRCSA | |
| | 9612120491 | NRCSA | |
| | 9612120515 | NRCSA | |
| Germany, Federal Republic of | 9612030256 | NUREG | |
| Greenpeace International | 9612060084* | 71-361 | |
| Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley) | 9612130042 | 40-8027 | |
| Herner & Co. | 9612050027 | CONTRACT | |
| Holtec International | 9612040141 | 71-9261 | |
| | 9612040146 | 71-9261 | |
| | 9612100111 | 71-9261 | |
| | 9612100117 | 71-9216 | |
| | 9612100129 | 71-9261 | |
| | 9612100181 | 71-9261 | |
| Homestake Mining Co. | 9612120106 | 40-8903 | |
| | 9612190016 | 40-8903 | |
| | 9612260216 | 40-8903 | |
| House of Rep. | 9612100234 | NRCSA | |
| | 9612100239 | NRCSA | |
| | 9612160254* | COMMISSIO | N |
| Houston Lighting & Power Co. | 9612030166 | 50-498 | Q |
| | 9612050100 | 50-498 | P |
| | 9612100063 | 50-498 | P |
| | 9612100157 | 50-498 | V |
| | 9612100157 | 50-498 | V |
| | 9612120133 | 50-498 | P |
| | 9612120142* | 50-498 | P |
| | 9612170403 | 50-498 | P |
| | 9612180147 | 50-498 | R |
| | 9612190051 | 50-498 | P |
| | 9612190051 | 50-498 | P |
| | 9612190052* | 50-498 | P |
| | 9612240039 | 50-498 | Q |
| | 9612240039 | 50-498 | Q |
| | 9612240101 | 50-498 | Q |
| | 9612240101 | 50-498 | Q |
| | 9612260044 | 50-498 | F |
| | 9612260047* | 50-498 | F |
| | 9612300066 | 50-498 | P |
| | 9612300091 | 50-498 | P |
| | 9612300091 | 50-498 | P |
| IES Utilities Inc., (formerly Iowa | 9612030048 | 50-331 | P |
| Electric Light & Power Co) | | | |
| | 9612030207 | 50-331 | S |
| | 9612030241 | 50-331 | Q |
| | 9612110256 | 50-331 | Q |
| | 9612180133 | 50-331 | R |
| | 9612190408 | 50-331 | S |
| | 9612200135 | 50-331 | P |
| | 9612240236 | 50-331 | P |
| | 9612260059 | 50-331 | P |
| | 9612260070 | 50-331 | Q |
| Illinois Power Co. | 9612020067 | 50-461 | S |
| | 9612040072 | 50-461 | P |
| | 9612110298 | 50-461 | S |
| | 9612110366 | 50-461 | S |
| | 9612130051 | 50-461 | P |
| | 9612160092 | 50-315 | P |
| | 9612270138 | 50-461 | S |
| | 9612300064 | 50-461 | S |
| | 9612300067 | 50-461 | R |
| | 9612300113 | 50-461 | S |
| | 9612310175 | 50-461 | P |
| | 9612310177* | 50-461 | P |
| Illinois, State of | 9612060180 | STATE PRO | G |
| | 9612060233 | STATE PRO | G |
| | 9612110012 | NRCSA | |
| | 9612110035 | NRCSA | |
| | 9612110060 | NRCSA | |
| | 9612110067 | NRCSA | |
| | 9612110094 | NRCSA | |
| | 9612110105 | NRCSA | |
| | 9612110119 | NRCSA | |
| | 9612110125 | NRCSA | |
| | 9612110134 | NRCSA | |
| | 9612110146 | NRCSA | |
| | 9612110180 | NRCSA | |
| | 9612110247 | NRCSA | |
| | 9612110271 | 40-2061 | |
| | 9612120313 | PR | |
| | 9612130089 | NRCSA | |
| | 9612160243 | PR | |
| | 9612200241 | STATE PRO | G |
| | 9612200254 | STATE PRO | G |
| | 9612240119 | STATE PRO | G |
| | 9612260273 | NRCSA | |
| Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) | 9612030157 | 50-315 | Q |
| Indianapolis Power & Light Co. | 9612160248 | PR | |
| Ingersoll-Rand Co. | 9612060235 | 71-119 | |
| Interior, Dept. of | 9612300004* | STATE PRO | G |
| | 9612300007* | STATE PRO | G |
| International Brotherhood of Electrical Workers | 9612160244 | PR | |
| Iowa State Univ., Ames, IA | 9612300002 | 50-116 | V |
| Jacobs Engineering Group, Inc. | 9612110029* | WASTE MGT | |
| | 9612110290* | WASTE MGT | |
| | 9612110291* | WASTE MGT | |
| Japan | 9612230167* | COMMISSIO | N |
| John Wreathall & Co., Inc. | 9610300316* | 50-285 | P |
| Johns Hopkins Univ., Baltimore, MD | 9612160327 | NUREG | |
| Kennecott Corp. | 9612090040 | NRCSA | |
| | 9612090127 | NRCSA | |
| | 9612100210 | NRCSA | |
| | 9612110389 | 40-8584 | |
| | 9612200066 | 40-8584 | |
| | 9612200103* | 40-8584 | |
| | 9612230056 | 40-8904 | |
| | 9612230059 | 40-8904 | |
| Kerr-McGee Corp. | 9612060046 | 70-3073 | |
| Korea Institute of Nuclear Safety | 9612040171 | NUREG | |
| Labor, Dept. of | 9612050012* | COMMISSIO | N |
| Lake County, OH | 9612310130 | 50-334 | H |
| Lamont-Doherty Earth Observatory | 9612040122 | NUREG | |
| Lawrence Livermore National Laboratory | 9612030267 | NUREG | |
| League of Women Voters of Rockford, IL | 9612130135 | NRCSA | |
| | 9612130180 | NRCSA | |
| Long Island Lighting Co. | 9612100147 | 50-322 | S |
| Louisiana Energy Services | 9612260080 | 70-3070 | |
| Louisiana State Univ., Baton Rouge, LA | 9612190167 | NUREG | |
| Louisiana, State of | 9612120336 | NRCSA | |
| | 9612120353 | NRCSA | |
| | 9612120368 | NRCSA | |
| | 9612120381 | NRCSA | |
| | 9612120398 | NRCSA | |
| | 9612120406 | NRCSA | |
| | 9612120442 | NRCSA | |
| | 9612120445 | NRCSA | |
| | 9612120472 | NRCSA | |
| | 9612120495 | NRCSA | |
| | 9612130025 | NRCSA | |
| | 9612300082 | STATE PRO | G |
| Lubbock Labs, Inc. | 9612240128 | STATE PRO | G |
| MPR Associates, Inc. | 9612020148* | TOPREP | |
| Maine Yankee Atomic Power Co. | 9612020058 | 50-309 | S |
| | 9612040014 | 50-309 | P |
| | 9612040030 | 50-309 | S |
| | 9612090061 | 50-309 | P |
| | 9612090345 | 50-309 | P |
| | 9612090350* | 50-309 | P |
| | 9612110276 | 50-309 | P |
| | 9612110333 | 50-309 | P |
| | 9612110396 | 50-309 | P |
| | 9612160142 | 50-309 | P |
| | 9612160150* | 50-309 | P |
| | 9612170362 | 50-309 | F |
| | 9612170456 | 50-309 | P |
| | 9612180070 | 50-309 | R |
| | 9612230162 | 50-309 | S |
| | 9612260142 | 50-309 | R |
| | 9612260146* | 50-309 | R |
| | 9612300014 | 50-309 | P |
| | 9612310037 | 50-309 | P |
| Mallinckrodt Medical, Inc., St. Paul, MN | 9612100278 | NRCSA | |
| | 9612110117 | NRCSA | |
| | 9612110164 | NRCSA | |
| | 9612110186 | NRCSA | |
| Mallinckrodt, Inc. | 9612100268 | NRCSA | |
| | 9612100284 | NRCSA | |
| | 9612100325 | NRCSA | |
| | 9612110074 | NRCSA | |
| Maryland, State of | 9612090048 | NRCSA | |
| | 9612090050 | NRCSA | |
| | 9612090069 | NRCSA | |
| | 9612090107 | NRCSA | |
| | 9612090109 | NRCSA | |
| | 9612090122 | NRCSA | |
| | 9612090136 | NRCSA | |
| | 9612090206 | NRCSA | |
| | 9612110002 | NRCSA | |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612190190 | NUREG | |
| Massachusetts Institute of Technology, Cambridge, MA | 9610300285 | 50-20 | V |
| | 9612060156 | 50-20 | P |
| Massachusetts, Commonwealth of | 9612110115 | NRCSA | |
| | 9612200213 | STATE PRO | G |
| | 9612240203* | STATE PRO | G |
| Massachusetts, Univ. of, Amherst, MA | 9612310156 | CONTRACT | |
| Mays & Valentine | 9612130033 | 40-8027 | |
| | 9612260064 | 40-8027 | |
| Michigan, State of | 9612040117 | STATE PRO | G |
| | 9612160336 | PR | |
| Miller, Balis & O'Neil | 9612110020 | 50-482 | P |
| Minnesota, State of | 9612130034 | 72-18 | |
| | 9612130041 | 72-18 | |
| Mitsubishi International Corp. | 9612120048* | XPORTLIC | |
| | 9612170079 | XPORTLIC | |
| | 9612170083* | XPORTLIC | |
| Modeling & Computer Services | 9612030233 | CONTRACT | |
| Molycorp, Inc. | 9612030072* | 40-8794 | |
| Montgomery County, MD | 9612120323* | COMMISSIO | N |
| | 9612120329* | COMMISSIO | N |
| | 9612120364* | COMMISSIO | N |
| | 9612120475* | COMMISSIO | N |
| | 9612120478* | COMMISSIO | N |
| | 9612120503* | COMMISSIO | N |
| | 9612120506* | COMMISSIO | N |
| | 9612120510* | COMMISSIO | N |
| Morgan, Lewis & Bockius | 9612130197* | 50-456 | P |
| | 9612130203* | FOIA | |
| | 9612190316* | FOIA | |
| Morton Associates (formerly Morton, H.W. | 9612110046 | NRCSA | |
| | 9612110156 | NRCSA | |
| NAC International Corp. (formerly Nuclea Assurance Corp.), | 9612100145 | 50-29 | W |
| | 9612130143 | 70-3020 | |
| | 9612160216 | 71-18 | |
| | 9612230084 | 71-18 | |
| National Academy of Sciences | 9612040084 | CONTRACT | |
| Native Americans for a Clean Environment | 9612130042 | 40-8027 | |
| Nebraska Public Power District | 9612020020 | 50-298 | S |
| | 9612030308 | 50-298 | S |
| | 9612060227 | 50-298 | Q |
| | 9612170356 | 50-298 | Q |
| | 9612170461 | 50-298 | P |
| | 9612180009 | 50-298 | S |
| | 9612190177 | 50-298 | R |
| | 9612300059* | 50-298 | Q |
| | 9612310090 | 50-298 | P |
| Nebraska, State of | 9612160293* | STATE PRO | G |
| | 9612300070 | STATE PRO | G |
| New Jersey, State of | 9612030300 | 50-272 | P |
| | 9612040108* | 50-272 | P |
| | 9612040120* | 50-272 | P |
| | 9612090006 | NRCSA | |
| | 9612090035 | NRCSA | |
| | 9612090047 | NRCSA | |
| | 9612090068 | NRCSA | |
| | 9612090087 | NRCSA | |
| | 9612090096 | NRCSA | |
| | 9612090121 | NRCSA | |
| | 9612090156 | NRCSA | |
| | 9612090158 | NRCSA | |
| | 9612090171 | NRCSA | |
| | 9612090204 | 50-219 | P |
| | 9612090212 | 50-272 | P |
| | 9612110003 | NRCSA | |
| | 9612110073 | NRCSA | |
| | 9612110109 | NRCSA | |
| | 9612180039 | 50-219 | P |
| New Mexico, State of | 9612130068 | 40-8968 | |
| New York, State of | 9612060209* | STATE PRO | G |
| | 9612060219 | STATE PRO | G |
| | 9612060225 | STATE PRO | G |
| | 9612190033 | NRCSA | |
| | 9612190043 | NRCSA | |
| | 9612190065 | NRCSA | |
| | 9612300071 | STATE PRO | G |
| | 9612300092 | STATE PRO | G |
| Niagara Mohawk Power Corp. | 9612030198 | 50-220 | Q |
| | 9612090245 | 50-220 | S |
| | 9612090253 | 50-410 | S |
| | 9612100162 | 50-220 | S |
| | 9612130053 | 50-410 | S |
| | 9612130137 | 50-220 | S |
| | 9612160379 | 50-220 | S |
| | 9612170126 | 50-410 | S |
| | 9612170348 | 50-410 | S |
| | 9612240060 | 50-410 | R |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612240065 | 50-220 | R |
| Non Destructive Testing Corp. | 9612110237 | NRCSA | |
| Non-Destructive Testing Management Association | 9612110050 | NRCSA | |
| | 9612110086 | NRCSA | |
| North Atlantic Energy Service Corp. (NAESCO) | 9612020093 | 50-443 | S |
| | 9612030268 | 50-443 | F |
| | 9612060083 | 50-443 | S |
| | 9612110327 | 50-443 | Q |
| | 9612110332* | 50-443 | Q |
| | 9612110352* | 50-443 | F |
| | 9612120039 | 50-443 | F |
| | 9612120063* | 50-443 | F |
| | 9612200051 | 50-443 | R |
| | 9612200064 | 50-443 | F |
| North Carolina State Univ., Raleigh, NC | 9612170119 | 50-297 | S |
| North Carolina, State of | 9612030289 | NUREG | |
| North Carolina, Univ. of, Chapel Hill, N | 9612020176 | CONTRACT | |
| Northeast Nuclear Energy Co. | 9612020073 | 50-423 | S |
| | 9612020100 | 50-245 | P |
| | 9612020100 | 50-245 | P |
| | 9612020107 | 50-423 | P |
| | 9612020124 | 50-423 | P |
| | 9612020161 | 50-423 | P |
| | 9612030038 | 50-423 | S |
| | 9612030171 | 50-423 | S |
| | 9612030183* | 50-423 | S |
| | 9612030259 | 50-336 | S |
| | 9612030278* | 50-336 | S |
| | 9612030319 | 50-423 | S |
| | 9612030326* | 50-423 | S |
| | 9612040204 | 50-423 | S |
| | 9612050104 | 50-336 | P |
| | 9612100081 | 50-423 | S |
| | 9612100088* | 50-423 | S |
| | 9612100185 | 50-423 | P |
| | 9612110113 | 50-245 | P |
| | 9612110367 | 50-213 | W |
| | 9612110367 | 50-213 | W |
| | 9612110381 | 50-245 | S |
| | 9612120105 | 50-423 | S |
| | 9612120120* | 50-423 | S |
| | 9612170027 | 50-336 | S |
| | 9612170255 | 50-245 | S |
| | 9612170255 | 50-245 | S |
| | 9612170255 | 50-245 | S |
| | 9612170373 | 50-336 | S |
| | 9612170394* | 50-336 | S |
| | 9612170406 | 50-423 | S |
| | 9612170420* | 50-423 | S |
| | 9612180068 | 50-245 | S |
| | 9612180072* | 50-245 | S |
| | 9612180197 | 50-336 | R |
| | 9612180204* | 50-336 | R |
| | 9612180210* | 50-336 | R |
| | 9612180213* | 50-336 | R |
| | 9612180222* | 50-336 | R |
| | 9612180228* | 50-336 | R |
| | 9612180229* | 50-336 | R |
| | 9612180235* | 50-336 | R |
| | 9612180241* | 50-336 | R |
| | 9612180247* | 50-336 | R |
| | 9612180394 | 50-245 | S |
| | 9612180397* | 50-245 | S |
| | 9612180399 | 50-245 | S |
| | 9612180425* | 50-245 | S |
| | 9612180437 | 50-245 | S |
| | 9612180439* | 50-245 | S |
| | 9612180444 | 50-245 | S |
| | 9612180451* | 50-245 | S |
| | 9612190055 | 50-245 | S |
| | 9612190062 | 50-423 | P |
| | 9612190071* | 50-245 | S |
| | 9612190073 | 50-213 | W |
| | 9612190172 | 50-245 | S |
| | 9612190192* | 50-245 | S |
| | 9612200058 | 50-245 | S |
| | 9612200061* | 50-245 | S |
| | 9612200063 | 50-245 | R |
| | 9612200071* | 50-245 | R |
| | 9612200075* | 50-245 | R |
| | 9612200079 | 50-336 | P |
| | 9612200083* | 50-245 | R |
| | 9612200086* | 50-336 | P |
| | 9612200088* | 50-245 | R |
| | 9612200094* | 50-245 | R |
| | 9612200097* | 50-245 | R |
| | 9612200099 | 50-423 | R |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612200100* | 50-245 | R |
| | 9612200104* | 50-245 | R |
| | 9612200108* | 50-245 | R |
| | 9612200111* | 50-245 | R |
| | 9612200116* | 50-245 | R |
| | 9612200119* | 50-245 | R |
| | 9612200172 | 50-423 | P |
| | 9612240054 | 50-245 | F |
| | 9612240054 | 50-245 | F |
| | 9612240168 | 50-336 | S |
| | 9612260036 | 50-423 | S |
| | 9612260039* | 50-423 | S |
| | 9612260137 | 50-423 | S |
| | 9612260148* | 50-423 | S |
| | 9612260156 | 50-423 | S |
| | 9612260169* | 50-423 | S |
| | 9612260181 | 50-423 | S |
| | 9612260189* | 50-423 | S |
| | 9612260294 | 50-245 | S |
| | 9612260298* | 50-245 | S |
| Northeast Ohio Regional Sewer District | 9612160163* | FOIA | |
| Northeast Utilities | 9612110367 | 50-213 | W |
| | 9612110367 | 50-213 | W |
| | 9612110381 | 50-245 | S |
| | 9612120105 | 50-423 | S |
| | 9612120120* | 50-423 | S |
| | 9612190172 | 50-245 | S |
| Northeast Utilities Service Co. | 9612020073 | 50-423 | S |
| | 9612020100 | 50-245 | P |
| | 9612020100 | 50-245 | P |
| | 9612020107 | 50-423 | P |
| | 9612020124 | 50-423 | P |
| | 9612020161 | 50-423 | P |
| | 9612030038 | 50-423 | S |
| | 9612030171 | 50-423 | S |
| | 9612030259 | 50-336 | S |
| | 9612030319 | 50-423 | S |
| | 9612040009 | 50-213 | S |
| | 9612050104 | 50-336 | P |
| | 9612100081 | 50-423 | S |
| | 9612100185 | 50-423 | P |
| | 9612110113 | 50-245 | P |
| | 9612160189* | 50-245 | P |
| | 9612170027 | 50-336 | S |
| | 9612170255 | 50-245 | S |
| | 9612170255 | 50-245 | S |
| | 9612170255 | 50-245 | S |
| | 9612170373 | 50-336 | S |
| | 9612170406 | 50-423 | S |
| | 9612180068 | 50-245 | S |
| | 9612180394 | 50-245 | S |
| | 9612180399 | 50-245 | S |
| | 9612180437 | 50-245 | S |
| | 9612180444 | 50-245 | S |
| | 9612190055 | 50-245 | S |
| | 9612190062 | 50-423 | P |
| | 9612190073 | 50-213 | W |
| | 9612200058 | 50-245 | S |
| | 9612200063 | 50-245 | R |
| | 9612200079 | 50-336 | P |
| | 9612200099 | 50-423 | R |
| | 9612200172 | 50-423 | P |
| | 9612200175* | 50-423 | P |
| | 9612240168 | 50-336 | S |
| | 9612260036 | 50-423 | S |
| | 9612260137 | 50-423 | S |
| | 9612260156 | 50-423 | S |
| | 9612260181 | 50-423 | S |
| | 9612260294 | 50-245 | S |
| | 9612270053 | 50-213 | W |
| Northern States Power Co. | 9612030185 | 50-282 | Q |
| | 9612030185 | 50-282 | Q |
| | 9612030265 | 50-282 | P |
| | 9612030265 | 50-282 | P |
| | 9612030269* | 50-282 | P |
| | 9612030269* | 50-282 | P |
| | 9612040016 | 50-282 | Q |
| | 9612040053 | 50-282 | P |
| | 9612040053 | 50-282 | P |
| | 9612040055* | 50-282 | P |
| | 9612040055* | 50-282 | P |
| | 9612040212 | 72-18 | |
| | 9612110286 | 50-282 | Q |
| | 9612110405 | 50-282 | P |
| | 9612110405 | 50-282 | P |
| | 9612120072 | 50-282 | Q |
| | 9612120072 | 50-282 | Q |
| | 9612120170 | 50-282 | R |
| | 9612160370 | 50-263 | R |
| | 9612170081 | 50-282 | Q |
| | 9612170377 | 50-263 | S |
| | 9612180419 | 50-263 | P |
| | 9612180423* | 50-263 | P |
| | 9612180428* | 50-263 | P |
| | 9612190354 | 50-263 | P |
| | 9612240178 | 50-282 | P |
| | 9612240185* | 50-282 | P |
| | 9612300055 | 50-282 | S |
| | 9612300055 | 50-282 | S |
| | 9612300088 | 50-282 | Q |
| | 9612300088 | 50-282 | Q |
| Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council) | 9612040208 | NRCSA | |
| | 9612040214 | NRCSA | |
| | 9612040224 | NRCSA | |
| | 9612040227 | NRCSA | |
| | 9612040229 | NRCSA | |
| | 9612040235 | NRCSA | |
| | 9612040238 | NRCSA | |
| | 9612040245 | NRCSA | |
| | 9612040253 | NRCSA | |
| | 9612040260 | NRCSA | |
| | 9612040267 | NRCSA | |
| | 9612040271 | NRCSA | |
| | 9612040274 | NRCSA | |
| | 9612040278 | NRCSA | |
| | 9612040281 | NRCSA | |
| | 9612040287* | COMMISSIO | N |
| | 9612050030 | PR | |
| | 9612050031* | COMMISSIO | N |
| | 9612060189 | STATE PRO | G |
| | 9612090149 | NRCSA | |
| | 9612110274 | PROJ | |
| | 9612160280 | NUREG | |
| | 9612160335 | REGGD | |
| | 9612190252* | PRM | |
| | 9612230058 | PR | |
| Nuclear Fuel Services, Inc. | 9612120097 | 70-143 | |
| | 9612120211 | 70-143 | |
| | 9612180139 | 70-143 | |
| | 9612180392 | 70-143 | |
| | 9612260093 | 70-143 | |
| | 9612260105* | 70-143 | |
| | 9612260116* | 70-143 | |
| | 9612260141* | 70-143 | |
| | 9612260248 | 70-143 | |
| | 9612260254* | 70-143 | |
| | 9612260256* | 70-143 | |
| | 9612260259* | 70-143 | |
| | 9612260261* | 70-143 | |
| | 9612260264 | 70-143 | |
| | 9612260267* | 70-143 | |
| Nuclear Information & Resource Service | 9612050021 | PR | |
| | 9612110093 | NRCSA | |
| | 9612130059 | 50-219 | G |
| Nuclear Utility Backfitting & Reform Group | 9612110071 | NRCSA | |
| Oak Ridge Associated Universities | 9612030018 | 50-344 | Y |
| | 9612030058 | 70-734 | |
| | 9612030133* | 70-734 | |
| Oak Ridge National Laboratory | 9612030256 | NUREG | |
| | 9612030282 | NUREG | |
| | 9612040119 | NUREG | |
| | 9612040202* | WASTE MGT | |
| | 9612060268* | ORG | |
| | 9612160327 | NUREG | |
| | 9612300125* | 71-5957 | |
| Ohio Edison Co. | 9612170265* | 50-334 | P |
| Ohio, State of | 9612090010 | NRCSA | |
| | 9612090075 | NRCSA | |
| | 9612090105 | NRCSA | |
| | 9612090120 | NRCSA | |
| | 9612090281 | NRCSA | |
| | 9612100257 | NRCSA | |
| | 9612110126 | NRCSA | |
| | 9612160353 | 50-346 | H |
| Oklahoma, State of | 9612130210 | 40-8027 | |
| Omaha Public Power District | 9612020096 | 50-285 | R |
| | 9612020097* | 50-285 | R |
| | 9612030303 | 50-285 | F |
| | 9612030331 | 50-285 | P |
| | 9612030333* | 50-285 | P |
| | 9612030334* | 50-285 | P |
| | 9612040042 | 50-285 | F |
| | 9612040043* | 50-285 | F |
| | 9612060053 | 50-285 | S |
| | 9612120068 | 50-285 | F |
| | 9612170197 | 50-285 | S |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612170385 | 50-285 | J |
| | 9612170392 | 50-285 | P |
| | 9612170396 | 50-285 | H |
| | 9612170454 | 50-285 | P |
| | 9612180281 | 50-285 | S |
| | 9612190098 | 50-285 | R |
| | 9612240173 | 50-285 | S |
| Omni Tech International, Ltd. | 9612240085 | NUREG | |
| Organization of Agreement States | 9612060133 | STATE PRO | G |
| PECO Energy Co., (formerly Philadelphia Electric Co.) | 9609230085 | 50-171 | F |
| | 9612030200 | 50-352 | P |
| | 9612030305 | 50-352 | S |
| | 9612090340 | 50-277 | S |
| | 9612090359 | 50-352 | P |
| | 9612100034 | 50-353 | P |
| | 9612100125 | 50-352 | P |
| | 9612100125 | 50-352 | P |
| | 9612100170 | 50-352 | P |
| | 9612100170 | 50-352 | P |
| | 9612120347 | 50-353 | P |
| | 9612120350* | 50-353 | P |
| | 9612130235 | 50-352 | R |
| | 9612160252 | REGGD | |
| | 9612170163 | 50-352 | P |
| | 9612180027 | 50-277 | R |
| | 9612230261 | 50-352 | P |
| | 9612240172 | 50-277 | P |
| | 9612260049 | 50-277 | Q |
| | 9612260050* | 50-277 | Q |
| Pacific Gas & Electric Co. | 9612030141 | 50-275 | P |
| | 9612110076 | 50-323 | S |
| | 9612120121 | 50-275 | K |
| | 9612120126* | 50-275 | K |
| | 9612120126* | 50-275 | K |
| | 9612120141* | 50-275 | K |
| | 9612120141* | 50-275 | K |
| | 9612120148* | 50-275 | K |
| | 9612120148* | 50-275 | K |
| | 9612120174* | 50-275 | K |
| | 9612120174* | 50-275 | K |
| | 9612120184* | 50-275 | K |
| | 9612120184* | 50-275 | K |
| | 9612120186* | 50-275 | K |
| | 9612120186* | 50-275 | K |
| | 9612120192* | 50-275 | K |
| | 9612120192* | 50-275 | K |
| | 9612120201* | 50-275 | K |
| | 9612120201* | 50-275 | K |
| | 9612120240* | 50-275 | K |
| | 9612120240* | 50-275 | K |
| | 9612120254* | 50-275 | K |
| | 9612120254* | 50-275 | K |
| | 9612120259* | 50-275 | K |
| | 9612120259* | 50-275 | K |
| | 9612120365* | 50-275 | K |
| | 9612120365* | 50-275 | K |
| | 9612120372* | 50-275 | K |
| | 9612120372* | 50-275 | K |
| | 9612120379* | 50-275 | K |
| | 9612120379* | 50-275 | K |
| | 9612120386* | 50-275 | K |
| | 9612120386* | 50-275 | K |
| | 9612120392* | 50-275 | K |
| | 9612120392* | 50-275 | K |
| | 9612120400* | 50-275 | K |
| | 9612120400* | 50-275 | K |
| | 9612120404* | 50-275 | K |
| | 9612120404* | 50-275 | K |
| | 9612120414* | 50-275 | K |
| | 9612120414* | 50-275 | K |
| | 9612120421* | 50-275 | K |
| | 9612120421* | 50-275 | K |
| | 9612120432* | 50-275 | K |
| | 9612120432* | 50-275 | K |
| | 9612120435* | 50-275 | K |
| | 9612120435* | 50-275 | K |
| | 9612130093* | 50-275 | K |
| | 9612130093* | 50-275 | K |
| | 9612130105* | 50-275 | K |
| | 9612130105* | 50-275 | K |
| | 9612130121* | 50-275 | K |
| | 9612130121* | 50-275 | K |
| | 9612160162 | 50-275 | P |
| | 9612170132 | 50-275 | Q |
| | 9612170132 | 50-275 | Q |
| | 9612170379 | 50-275 | P |
| | 9612170379 | 50-275 | P |
| | 9612170383* | 50-275 | P |
| | 9612170383* | 50-275 | P |
| | 9612170389* | 50-275 | P |
| | 9612170389* | 50-275 | P |
| | 9612180418 | 50-133 | P |
| | 9612180441* | 50-133 | P |
| | 9612180443* | 50-133 | P |
| | 9612180447* | 50-133 | P |
| | 9612240051 | 50-275 | R |
| | 9612240051 | 50-275 | R |
| | 9612240232 | 50-275 | P |
| | 9612240232 | 50-275 | P |
| | 9612240238* | 50-275 | P |
| | 9612240238* | 50-275 | P |
| | 9612270094 | 50-323 | S |
| Painesville, OH | 9612170330 | 50-346 | H |
| Pathfinder Mines Corp. | 9612040068 | 40-6622 | |
| | 9612060080 | 40-2259 | |
| Pennsylvania Power & Light Co. | 9612030255 | 50-387 | P |
| | 9612030255 | 50-387 | P |
| | 9612030261* | 50-387 | P |
| | 9612030261* | 50-387 | P |
| | 9612030263* | 50-387 | P |
| | 9612030263* | 50-387 | P |
| | 9612030317 | 50-388 | Q |
| | 9612030324 | 50-387 | F |
| | 9612040001 | 50-387 | Y |
| | 9612040001 | 50-387 | Y |
| | 9612110293 | 50-387 | P |
| | 9612110295* | 50-387 | P |
| | 9612110385 | 50-387 | S |
| | 9612160348 | 50-387 | F |
| | 9612160354* | 50-387 | F |
| | 9612160354* | 50-387 | F |
| | 9612160357* | 50-387 | F |
| | 9612160357* | 50-387 | F |
| | 9612240190 | 50-388 | P |
| | 9612240193* | 50-388 | P |
| | 9612260046 | 50-387 | Q |
| | 9612260046 | 50-387 | Q |
| | 9612260061 | 50-387 | S |
| | 9612260225 | 50-387 | R |
| Pennsylvania State Univ., University Park, PA | 9612160071 | 50-5 | R |
| | 9612160074* | 50-5 | R |
| | 9612160369 | 50-5 | R |
| | 9612170141 | CONTRACT | |
| | 9612170195 | CONTRACT | |
| | 9612170457 | 71-470 | |
| | 9612170459* | 71-470 | |
| | 9612180098 | CONTRACT | |
| | 9612270058 | 50-5 | H |
| Pennsylvania, Commonwealth of | 9612120305 | NRCSA | |
| | 9612120310* | NRCSA | |
| | 9612200221 | STATE PRO | G |
| Plateau Resources, Ltd. | 9612100115* | 40-8698 | |
| Portland General Electric Co. | 9612030337 | 50-344 | F |
| | 9612040140 | 50-344 | Y |
| | 9612040181 | 50-344 | Y |
| | 9612040258 | 50-344 | C |
| | 9612040263* | 50-344 | C |
| | 9612050034 | 50-344 | W |
| | 9612050034 | 50-344 | W |
| | 9612050043* | 50-344 | W |
| | 9612050043* | 50-344 | W |
| | 9612050044 | 50-344 | K |
| | 9612050047* | 50-344 | K |
| | 9612050049* | 50-344 | W |
| | 9612100045 | 50-344 | Y |
| | 9612100314 | NRCSA | |
| | 9612170412 | 50-344 | W |
| | 9612170419* | 50-344 | W |
| | 9612180136 | 50-344 | F |
| | 9612180233 | 50-344 | H |
| | 9612190141 | 50-344 | W |
| | 9612190147* | 50-344 | W |
| | 9612190150* | 50-344 | W |
| | 9612260109 | 50-344 | F |
| | 9612260111* | 50-344 | F |
| | 9612260213 | 50-344 | W |
| | 9612260220* | 50-344 | W |
| | 9612270103 | 50-344 | W |
| | 9612270103 | 50-344 | W |
| | 9612270108* | 50-344 | W |
| | 9612270108* | 50-344 | W |
| Power Authority of the State of New York (New York Power Authority) | 9612020049 | 50-333 | P |
| | 9612020218 | 50-333 | F |
| | 9612030037 | 50-333 | P |
| | 9612030251 | 50-333 | P |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612040031 | 50-286 | F |
| | 9612040194 | 50-333 | P |
| | 9612040198* | 50-333 | P |
| | 9612040199* | 50-333 | P |
| | 9612060025 | 50-333 | P |
| | 9612060082 | 50-333 | S |
| | 9612060107 | 50-333 | Q |
| | 9612060184 | 50-333 | R |
| | 9612090141 | 50-286 | Q |
| | 9612090157 | 50-333 | F |
| | 9612090162 | 50-286 | P |
| | 9612090164* | 50-286 | P |
| | 9612090165* | 50-286 | P |
| | 9612090170* | 50-286 | P |
| | 9612100188 | 50-286 | P |
| | 9612110200 | 50-333 | Q |
| | 9612170322 | 50-333 | P |
| | 9612180203 | 50-286 | P |
| | 9612180208* | 50-286 | P |
| | 9612180214* | 50-286 | P |
| | 9612190223 | 50-333 | S |
| | 9612200193 | 50-333 | F |
| | 9612200222 | 50-333 | F |
| | 9612240261 | 50-333 | P |
| | 9612260053 | 50-333 | S |
| Public Citizen's Critical Mass Energy Project | 9612100248 | NRCSA | |
| | 9612100254 | NRCSA | |
| | 9612110008 | NRCSA | |
| | 9612110018 | NRCSA | |
| Public Service Co. of Colorado | 9612030307 | 50-267 | R |
| | 9612030328 | 50-267 | W |
| | 9612240179 | 50-267 | R |
| | 9612260048 | 50-267 | R |
| | 9612260203 | 50-267 | Q |
| Public Service Electric & Gas Co. of New Jersey | 9401260272* | 50-272 | P |
| | 9612020040 | 50-354 | P |
| | 9612020053 | 50-354 | Q |
| | 9612030047 | 50-354 | S |
| | 9612030060 | 50-272 | P |
| | 9612040052* | 50-311 | P |
| | 9612040118 | 50-354 | S |
| | 9612040136 | 50-354 | P |
| | 9612050088* | 50-272 | P |
| | 9612050088* | 50-272 | P |
| | 9612050091 | 50-354 | S |
| | 9612060073 | 50-272 | S |
| | 9612060078 | 50-272 | S |
| | 9612090233 | 50-272 | F |
| | 9612090233 | 50-272 | F |
| | 9612090379 | 50-272 | S |
| | 9612090392 | 50-311 | P |
| | 9612100001 | 50-272 | S |
| | 9612100006 | 50-272 | S |
| | 9612100076 | 50-354 | P |
| | 9612100092* | 50-354 | P |
| | 9612110265 | 50-354 | F |
| | 9612110390 | 50-272 | F |
| | 9612110390 | 50-272 | F |
| | 9612110390 | 50-272 | F |
| | 9612110407 | 50-272 | F |
| | 9612110407 | 50-272 | F |
| | 9612110448 | 50-272 | F |
| | 9612120426 | 50-272 | S |
| | 9612120493 | 50-354 | S |
| | 9612130028 | 50-354 | S |
| | 9612130039* | 50-354 | S |
| | 9612130194 | 50-272 | S |
| | 9612130252 | 50-272 | F |
| | 9612130252 | 50-272 | F |
| | 9612130257 | 50-354 | S |
| | 9612130267 | 50-272 | P |
| | 9612130267 | 50-272 | P |
| | 9612160376 | 50-354 | H |
| | 9612160376 | 50-354 | H |
| | 9612160376 | 50-354 | H |
| | 9612160436 | 50-272 | P |
| | 9612160438* | 50-272 | P |
| | 9612170152 | 50-311 | F |
| | 9612190070 | 50-272 | P |
| | 9612190070 | 50-272 | P |
| | 9612190070 | 50-272 | P |
| | 9612190112 | 50-272 | P |
| | 9612190112 | 50-272 | P |
| | 9612190162 | 50-272 | S |
| | 9612190191 | 50-272 | R |
| | 9612190195 | 50-311 | R |
| | 9612200370 | 50-272 | P |
| | 9612230158 | 50-354 | Q |
| | 9612240002 | 50-272 | R |
| | 9612240002 | 50-272 | R |
| | 9612240145* | 50-354 | P |
| | 9612240252 | 50-272 | F |
| | 9612260023 | 50-272 | S |
| | 9612260074 | 50-272 | S |
| | 9612260075 | 50-272 | S |
| | 9612310072 | 50-272 | P |
| | 9612310072 | 50-272 | P |
| | 9612310073* | 50-272 | P |
| | 9612310073* | 50-272 | P |
| Pulsar Data Systems, Inc. | 9612030003 | CONTRACT | |
| | 9612090070 | CONTRACT | |
| Purdue Univ., West Lafayette, IN | 9612270113 | 50-182 | R |
| | 9612270114* | 50-182 | R |
| | 9612270115* | 50-182 | R |
| | 9612270116* | 50-182 | R |
| | 9612270117* | 50-182 | R |
| | 9612270119* | 50-182 | R |
| | 9612270120* | 50-182 | R |
| | 9612270121* | 50-182 | R |
| | 9612270122* | 50-182 | R |
| | 9612270124* | 50-182 | R |
| | 9612270130* | 50-182 | R |
| | 9612270133* | 50-182 | R |
| | 9612270139* | 50-182 | R |
| | 9612270140* | 50-182 | R |
| | 9612270142* | 50-182 | R |
| | 9612270143* | 50-182 | R |
| | 9612270145* | 50-182 | R |
| | 9612270146* | 50-182 | R |
| | 9612270147* | 50-182 | R |
| | 9612310166 | 50-182 | F |
| Quality Inspection & Testing | 9612270060 | 71-731 | |
| Quivira Mining Co. | 9612030338 | 40-8905 | |
| | 9612030339* | 40-8905 | |
| RMI Co. | 9612100141 | 40-2384 | |
| Resolution Dynamics, Inc. | 9612300121 | CONTRACT | |
| Rhode Island, State of | 9612110195 | 50-193 | P |
| Rochester Gas & Electric Corp. | 9612030208 | 50-244 | P |
| | 9612060102 | 50-244 | S |
| | 9612060128 | 50-244 | S |
| | 9612110429 | 50-244 | P |
| | 9612110450 | 50-244 | F |
| | 9612180076 | 50-244 | R |
| | 9612190258 | 50-244 | P |
| | 9612200085 | 50-244 | P |
| | 9612200087* | 50-244 | P |
| | 9612200268 | 50-244 | P |
| | 9612200271* | 50-244 | P |
| | 9612230393 | 50-244 | K |
| | 9612230396* | 50-244 | K |
| | 9612270091 | 50-244 | R |
| | 9612270095* | 50-244 | R |
| Rockingham Memorial Hosp. Harrisonburg,V | 9612190059 | NUREG | |
| Russia | 9612040179 | NUREG | |
| Russian Research Center (Kurchatov Institute) | 9612040179 | NUREG | |
| SCIENTECH, Inc. | 9610300319* | 50-285 | P |
| Sacramento Municipal Utility District | 9612240283 | 50-312 | J |
| Sandia National Laboratories | 9612020091 | WASTE MGT | |
| | 9612030282 | NUREG | |
| | 9612060351* | 50-315 | P |
| | 9612120081 | NUREG | |
| | 9612260072 | WASTE MGT | |
| Santee Cooper | 9612170193 | 50-395 | I |
| Savignac, N. | 9612100029 | 40-8698 | |
| Science & Engineering Associates, Inc. | 9610300312* | 50-285 | P |
| | 9612190403* | ORG | |
| Science Applications International Corp. (formerly Science Applications, Inc.) | 9612050004 | CONTRACT | |
| | 9612110324 | 40-7580 | |
| Senate | 9612050045* | 50-443 | Q |
| | 9612050046* | 50-443 | Q |
| | 9612100243 | NRCSA | |
| | 9612170131* | COMMISSIO | N |
| | 9612190362* | COMMISSIO | N |
| Sevenson Environmental Services, Inc. | 9612180230 | 70-133 | |
| | 9612180234* | 70-133 | |
| | 9612180236* | 70-133 | |
| Shaw, Pittman, Potts & Trowbridge | 9612030313* | 50-272 | P |
| | 9612110353 | 50-443 | P |
| | 9612170262 | 50-334 | P |
| Shepherd Miller, Inc. | 9612260217* | 40-8903 | |
| Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear | 9612020021 | 70-1257 | |
| | 9612030134 | PT21 | |
| | 9612030322 | TOPREP | |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612040106 | NRCSA | |
| | 9612040126 | NRCSA | |
| | 9612110087 | TOPREP | |
| | 9612110096* | TOPREP | |
| | 9612110269 | 70-1257 | |
| | 9612110372 | 70-1257 | |
| | 9612110398* | 70-1257 | |
| | 9612120261 | 70-1257 | |
| | 9612130149 | NRCSA | |
| | 9612130154 | NRCSA | |
| | 9612190066 | 70-1257 | |
| | 9612240228 | 50-400 | S |
| | 9612260270 | TOPREP | |
| | 9612270076* | 50-335 | P |
| Small Business Administration | 9612030003 | CONTRACT | |
| | 9612040006 | CONTRACT | |
| | 9612090070 | CONTRACT | |
| | 9612090248 | CONTRACT | |
| | 9612130125 | CONTRACT | |
| | 9612160075 | CONTRACT | |
| | 9612230138 | CONTRACT | |
| Society of Nuclear Medicine | 9612090023 | NRCSA | |
| South Carolina Electric & Gas Co. | 9612120308 | NRCSA | |
| | 9612120331 | NRCSA | |
| | 9612120337 | NRCSA | |
| | 9612120345 | NRCSA | |
| | 9612120363 | NRCSA | |
| | 9612120376 | NRCSA | |
| | 9612120401 | NRCSA | |
| | 9612120402 | NRCSA | |
| | 9612120409 | NRCSA | |
| | 9612120412 | NRCSA | |
| | 9612120434 | NRCSA | |
| | 9612120466 | NRCSA | |
| | 9612120470 | NRCSA | |
| | 9612120483 | NRCSA | |
| | 9612120488 | NRCSA | |
| | 9612120520 | NRCSA | |
| | 9612160405 | 50-395 | R |
| | 9612230351 | 50-395 | Q |
| South Carolina, Univ. of, Columbia, SC | 9612160320 | PR | |
| | 9612260120 | CONTRACT | |
| Southern California Edison Co. | 9612020077 | 50-361 | P |
| | 9612020077 | 50-361 | P |
| | 9612030143 | 50-361 | R |
| | 9612030143 | 50-361 | R |
| | 9612090238 | 50-206 | F |
| | 9612090238 | 50-206 | F |
| | 9612090238 | 50-206 | F |
| | 9612120218 | 50-206 | F |
| | 9612120218 | 50-206 | F |
| | 9612120218 | 50-206 | F |
| | 9612160342 | 50-206 | P |
| | 9612160384* | 50-206 | P |
| | 9612200178 | 50-361 | R |
| Southern Company Services, Inc. | 9612180097 | 50-348 | R |
| Southern Nuclear Operating Co. | 9612020131 | TOPREP | |
| | 9612040123 | 50-348 | P |
| | 9612040123 | 50-348 | P |
| | 9612060051 | 50-348 | P |
| | 9612060051 | 50-348 | P |
| | 9612060277 | 50-348 | F |
| | 9612060277 | 50-348 | F |
| | 9612090315 | 50-348 | Q |
| | 9612090315 | 50-348 | Q |
| | 9612090368 | 50-364 | P |
| | 9612090369* | 50-364 | P |
| | 9612100008 | 50-364 | S |
| | 9612100077 | 50-348 | S |
| | 9612100178 | 50-348 | Q |
| | 9612100178 | 50-348 | Q |
| | 9612110121 | 50-348 | P |
| | 9612110121 | 50-348 | P |
| | 9612110267 | 50-364 | S |
| | 9612160374 | 50-348 | F |
| | 9612160387 | 50-348 | H |
| | 9612160387 | 50-348 | H |
| | 9612190076 | TOPREP | |
| | 9612240114 | 50-348 | F |
| | 9612240201 | TOPREP | |
| | 9612260143 | 50-348 | P |
| | 9612260143 | 50-348 | P |
| | 9612260157 | 50-348 | S |
| | 9612300115 | TOPREP | |
| Southwest Research and Information Cente | 9612130068 | 40-8968 | |
| Spiegel & McDiarmid | 9612160270 | PR | |
| St. Peters College, Jersey City, NJ | 9612090297 | 71-***** | |
| | 9612090301* | 71-***** | |
| Stanford Univ., Stanford, CA | 9612240273* | COMMISSIO | N |
| State, Dept. of | 9612040004 | CONTRACT | |
| | 9612090217 | NRCSA | |
| | 9612110013 | NRCSA | |
| Sweden, Govt. of | 9612110037 | NRCSA | |
| Swedish Nuclear Power Inspectorate | 9612110078 | NRCSA | |
| (Statens Kamkraftinspektion) | | | |
| | 9612110088 | NRCSA | |
| TN Technologies, Inc. (formerly Texas | 9612160328 | 71-545 | |
| Nuclear Corp.) | | | |
| Tennessee Valley Authority | 9612030136 | 50-259 | P |
| | 9612030211 | 50-259 | F |
| | 9612030291 | 50-260 | S |
| | 9612030297* | 50-260 | S |
| | 9612030304 | 50-260 | S |
| | 9612040002 | 50-259 | F |
| | 9612040002 | 50-259 | F |
| | 9612040002 | 50-259 | F |
| | 9612040002 | 50-259 | F |
| | 9612040002 | 50-259 | F |
| | 9612040135 | 50-390 | Q |
| | 9612060095 | 50-259 | F |
| | 9612060095 | 50-259 | F |
| | 9612060095 | 50-259 | F |
| | 9612090309 | 50-259 | F |
| | 9612110033 | 50-296 | S |
| | 9612110206 | 50-390 | P |
| | 9612130115 | 50-259 | Q |
| | 9612160152 | 50-328 | Q |
| | 9612170174 | 50-327 | F |
| | 9612170209 | 50-327 | P |
| | 9612170365 | 50-259 | P |
| | 9612170365 | 50-259 | P |
| | 9612170365 | 50-259 | P |
| | 9612170370* | 50-259 | P |
| | 9612170370* | 50-259 | P |
| | 9612170370* | 50-259 | P |
| | 9612170388* | 50-259 | P |
| | 9612180100 | 50-390 | R |
| | 9612180188 | 50-390 | P |
| | 9612180191* | 50-390 | P |
| | 9612190349 | 50-327 | R |
| | 9612200182 | 50-327 | Q |
| | 9612230176 | 50-259 | R |
| | 9612230315 | 50-390 | Q |
| | 9612260291 | 50-327 | S |
| | 9612270057 | 50-390 | S |
| | 9612270141 | 50-327 | Q |
| | 9612270141 | 50-327 | Q |
| | 9612300037 | 50-327 | Q |
| | 9612300037 | 50-327 | Q |
| | 9612300069 | 50-327 | R |
| | 9612310001 | 50-327 | S |
| Tennessee, State of | 9612060145 | STATE PRO | G |
| | 9612060159 | COMMISSIO | N |
| | 9612300081 | STATE PRO | G |
| Texas A&M Univ., College Station, TX | 9612110349 | 50-59 | Q |
| Texas Utilities Electric Co. (TU | 9612040003 | 50-445 | P |
| Electric) | | | |
| | 9612160246 | PR | |
| | 9612170315 | 50-445 | S |
| | 9612170335* | 50-445 | S |
| | 9612180172 | 50-445 | R |
| | 9612180459 | 50-445 | P |
| | 9612180459 | 50-445 | P |
| | 9612190046 | 50-445 | Q |
| | 9612190046 | 50-445 | Q |
| | 9612260056 | 50-445 | F |
| | 9612310187 | 50-445 | Q |
| Texas, State of | 9612060151 | STATE PRO | G |
| | 9612060356 | NRCSA | |
| | 9612090014 | NRCSA | |
| | 9612090055 | NRCSA | |
| | 9612090058 | NRCSA | |
| | 9612090092 | NRCSA | |
| | 9612090118 | NRCSA | |
| | 9612090142 | NRCSA | |
| | 9612090201 | NRCSA | |
| | 9612090214 | NRCSA | |
| | 9612090216 | NRCSA | |
| | 9612100222 | NRCSA | |
| | 9612100252 | NRCSA | |
| | 9612110040 | NRCSA | |
| | 9612110133 | NRCSA | |
| Toledo Edison Co. | 9612020029 | 50-346 | R |
| | 9612160356 | 50-346 | R |
| | 9612200202* | 50-346 | P |
| | 9612240120 | 50-346 | S |
| | 9612240148 | 50-346 | R |
| | 9612240159 | 50-346 | S |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612260106 | 50-346 | F |
| Tracor Technology Resources, Inc. | 9612180064 | CONTRACT | |
| Transnuclear, Inc. | 9612040189 | 50-282 | Y |
| | 9612050079 | 70-1426 | |
| | 9612050089 | 70-1426 | |
| | 9612060343 | 71-250 | |
| | 9612060347* | 71-250 | |
| | 9612060350* | 71-250 | |
| | 9612130088 | 70-1426 | |
| | 9612130092 | 71-250 | |
| | 9612130111 | 70-1426 | |
| | 9612130145 | 70-1426 | |
| | 9612240043 | 70-1426 | |
| | 9612240046 | 70-1426 | |
| | 9612260095 | 72-1021 | |
| | 9612270001 | 72-1021 | |
| | 9612270002* | 72-1021 | |
| Transportation, Dept. of | 9612020057 | 50-272 | P |
| | 9612030024 | 71-3033 | |
| | 9612060060 | 71-3037 | |
| | 9612100174 | 71-3010 | |
| | 9612180410 | 71-3024 | |
| U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.) | 9612020070 | 27-48 | |
| | 9612020071* | 27-48 | |
| | 9612020074* | 27-48 | |
| | 9612020076* | 27-48 | |
| | 9612020079* | 27-48 | |
| | 9612020082* | 27-48 | |
| | 9612020085* | 27-48 | |
| | 9612020088* | 27-48 | |
| UMETCO Minerals Corp. | 9612110285 | 40-299 | |
| | 9612110288* | 40-299 | |
| Underwriters Laboratory, Inc. | 9612040049* | 50-302 | F |
| Union Electric Co. | 9612040035 | 50-483 | Q |
| | 9612040165 | 50-483 | P |
| | 9612060254 | 50-483 | F |
| | 9612090271 | 50-483 | S |
| | 9612130282 | 50-483 | R |
| | 9612160127 | 50-483 | S |
| | 9612160430 | 50-483 | P |
| | 9612170064 | 50-483 | Q |
| | 9612180110 | 50-483 | P |
| United Nuclear Corp. (subs. of UNC, Inc. | 9612060223 | 40-8907 | |
| United States Enrichment Corp. (USEC) | 9612230071 | 70-7002 | |
| | 9612230161 | 70-7001 | |
| | 9612240170 | 70-7001 | |
| | 9612270123 | 70-7001 | |
| Utah, State of | 9612040086 | NRCSA | |
| | 9612040099 | NRCSA | |
| | 9612040114 | NRCSA | |
| | 9612040144 | NRCSA | |
| | 9612040183 | NRCSA | |
| | 9612040187 | NRCSA | |
| | 9612040193 | NRCSA | |
| | 9612050001 | 40-8698 | |
| | 9612060168 | STATE PRO | G |
| | 9612120333 | NRCSA | |
| | 9612120384 | NRCSA | |
| | 9612120424 | NRCSA | |
| | 9612120440 | NRCSA | |
| | 9612120464 | NRCSA | |
| | 9612120486 | NRCSA | |
| | 9612120487 | NRCSA | |
| | 9612130020 | NRCSA | |
| Valley Radiologists Medical Group, Inc., San Jose, CA | 9612090100 | NRCSA | |
| Vectra Technologies, Inc. | 9612170148 | 72-1004 | |
| Vermont Yankee Nuclear Power Corp. | 9612030209 | 50-271 | S |
| | 9612030225 | 50-271 | F |
| | 9612030228 | 50-271 | F |
| | 9612090148 | 50-271 | I |
| | 9612120355 | 50-271 | F |
| | 9612160394 | 50-271 | S |
| | 9612170068 | 50-271 | R |
| | 9612170301 | 50-271 | P |
| | 9612170305* | 50-271 | P |
| | 9612180062 | 50-271 | P |
| | 9612180446 | 50-271 | F |
| | 9612190168 | 50-271 | F |
| | 9612240097 | 50-271 | P |
| | 9612260081 | 50-271 | S |
| | 9612260117 | 50-271 | S |
| | 9612260296 | 50-271 | P |
| | 9612260299* | 50-271 | P |
| | 9612310077 | 50-271 | Q |
| Virginia Power (Virginia Electric & Powe Co.) | 9612020003 | 50-338 | Q |
| | 9612020004 | 50-280 | P |
| | 9612020234 | 50-280 | P |
| | 9612020234 | 50-280 | P |
| | 9612020234 | 50-280 | P |
| | 9612020234 | 50-280 | P |
| | 9612020235* | 50-280 | P |
| | 9612020235* | 50-280 | P |
| | 9612020235* | 50-280 | P |
| | 9612020235* | 50-280 | P |
| | 9612030015 | 50-280 | P |
| | 9612030172 | 50-280 | Q |
| | 9612030172 | 50-280 | Q |
| | 9612030252 | 50-338 | P |
| | 9612030252 | 50-338 | P |
| | 9612040026 | 50-280 | Q |
| | 9612040026 | 50-280 | Q |
| | 9612090180 | 50-280 | Q |
| | 9612090229 | 50-339 | S |
| | 9612110318 | 50-338 | R |
| | 9612170144 | 50-280 | S |
| | 9612170267 | 50-338 | P |
| | 9612170267 | 50-338 | P |
| | 9612170268* | 50-338 | P |
| | 9612170268* | 50-338 | P |
| | 9612190135 | 50-280 | S |
| | 9612230347 | 50-338 | P |
| | 9612230347 | 50-338 | P |
| | 9612230352* | 50-338 | P |
| | 9612230352* | 50-338 | P |
| | 9612240092 | 50-280 | R |
| | 9612260314 | 50-338 | K |
| | 9612260314 | 50-338 | K |
| | 9612260315* | 50-338 | K |
| | 9612260315* | 50-338 | K |
| | 9612310180 | 50-280 | Q |
| Virginia, Univ. of, Charlottesville, VA | 9612260030 | 50-62 | P |
| Washington Public Power Supply System | 9612030131 | 50-397 | Q |
| | 9612030144 | 50-397 | P |
| | 9612030155* | 50-397 | P |
| | 9612030158* | 50-397 | P |
| | 9612030239 | 50-397 | P |
| | 9612030247* | 50-397 | P |
| | 9612110280 | 50-397 | P |
| | 9612120178 | 50-397 | F |
| | 9612130247 | 50-397 | Q |
| | 9612180074 | 50-397 | P |
| | 9612190113 | 50-397 | R |
| | 9612260011* | 50-397 | V |
| | 9612260193 | 50-397 | P |
| | 9612260195* | 50-397 | P |
| | 9612260284 | 50-397 | I |
| | 9612270153 | 50-397 | S |
| Washington, State of | 9612090144* | STATE PRO | G |
| West Valley Nuclear Services Co., Inc. | 9612040027 | PROJ | |
| | 9612090161 | PROJ | |
| Westinghouse Electric Corp. | 9612030288 | 50-482 | P |
| | 9612030301 | 50-286 | P |
| | 9612030316 | 70-1151 | |
| | 9612040023 | 52-3 | |
| | 9612040024* | 52-3 | |
| | 9612050101 | 71-9218 | |
| | 9612060055* | 50-348 | P |
| | 9612060056* | 50-348 | P |
| | 9612060328* | 52-3 | |
| | 9612090168* | 50-286 | P |
| | 9612090176* | PROJ | |
| | 9612090187* | PROJ | |
| | 9612090208 | 52-3 | |
| | 9612090209* | 52-3 | |
| | 9612100187 | 52-3 | |
| | 9612110066 | 52-3 | |
| | 9612110110 | 52-3 | |
| | 9612110254 | 52-3 | |
| | 9612110262* | 52-3 | |
| | 9612110282 | 52-3 | |
| | 9612110320* | PROJ | |
| | 9612120197* | 50-275 | K |
| | 9612120197* | 50-275 | K |
| | 9612120203* | 50-275 | K |
| | 9612120203* | 50-275 | K |
| | 9612130140 | TOPREP | |
| | 9612130155* | TOPREP | |
| | 9612130156* | TOPREP | |
| | 9612130175 | NRCSA | |
| | 9612170283 | TOPREP | |
| | 9612180108 | 50-483 | S |
| | 9612180152* | PROJ | |
| | 9612180348* | PROJ | |
| | 9612180350* | PROJ | |
| | 9612180411 | 52-3 | |

| AUTHOR AFFILIATION | ACCESSION NUMBER | SUBJECT CATEGORY | |
|---|---|---|---|
| | 9612180422 | 52-3 | |
| | 9612180424 | 52-3 | |
| | 9612190079 | 52-3 | |
| | 9612190080 | 52-3 | |
| | 9612190085 | 52-3 | |
| | 9612190097* | 52-3 | |
| | 9612190216 | 52-3 | |
| | 9612190416 | 52-3 | |
| | 9612190418* | 52-3 | |
| | 9612200145 | 52-3 | |
| | 9612200152 | 52-3 | |
| | 9612200159 | 52-3 | |
| | 9612200187 | 52-3 | |
| | 9612200225 | 52-3 | |
| | 9612230151 | 70-1151 | |
| | 9612240089 | 52-3 | |
| | 9612240095 | 52-3 | |
| | 9612240227 | 52-3 | |
| | 9612260018 | 52-3 | |
| | 9612260040 | 70-1151 | |
| | 9612260255 | TOPREP | |
| | 9612260289 | 71-9218 | |
| | 9612260292* | 71-9218 | |
| | 9612270004 | 52-3 | |
| | 9612270005* | 52-3 | |
| | 9612270008 | 71-9212 | |
| | 9612270009* | 71-9212 | |
| | 9612270013 | 52-3 | |
| | 9612270015* | 52-3 | |
| | 9612270090 | REGGD | |
| Westinghouse Operating Plants Owners Group | 9612090052 | PROJ | |
| | 9612110312 | PROJ | |
| | 9612160291 | REGGD | |
| | 9612180150 | PROJ | |
| | 9612180345 | PROJ | |
| Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen) | 9612130042 | 40-8027 | |
| Winston & Strawn | 9612110071 | NRCSA | |
| | 9612260080 | 70-3070 | |
| Wisconsin Electric Power Co. | 9612030257 | 50-266 | P |
| | 9612040005 | 50-266 | P |
| | 9612040005 | 50-266 | P |
| | 9612040062 | 50-266 | P |
| | 9612040062 | 50-266 | P |
| | 9612040064* | 50-266 | P |
| | 9612040064* | 50-266 | P |
| | 9612040081 | 50-266 | P |
| | 9612040081 | 50-266 | P |
| | 9612040083* | 50-266 | P |
| | 9612040083* | 50-266 | P |
| | 9612170057 | 50-266 | Q |
| | 9612170057 | 50-266 | Q |
| | 9612170203 | 50-266 | P |
| | 9612170203 | 50-266 | P |
| | 9612180073 | 50-266 | R |
| | 9612180078* | 50-266 | R |
| | 9612180090* | 50-266 | R |
| | 9612180290 | 50-266 | S |
| | 9612180301 | 50-266 | P |
| | 9612180301 | 50-266 | P |
| | 9612180307* | 50-266 | P |
| | 9612180307* | 50-266 | P |
| | 9612190060 | 50-266 | P |
| | 9612200146 | 50-266 | Q |
| | 9612200146 | 50-266 | Q |
| | 9612200146 | 50-266 | Q |
| | 9612200214 | 50-266 | H |
| | 9612200214 | 50-266 | H |
| | 9612200340 | 50-301 | S |
| | 9612240141 | 50-266 | P |
| | 9612240141 | 50-266 | P |
| | 9612240200 | 50-266 | P |
| | 9612240200 | 50-266 | P |
| | 9612240202* | 50-266 | P |
| | 9612240202* | 50-266 | P |
| | 9612310070 | 50-266 | S |
| Wisconsin Public Service Corp. | 9612030302 | 50-305 | P |
| | 9612030320 | 50-305 | S |
| | 9612040061 | 50-305 | S |
| | 9612170173 | 50-305 | P |
| | 9612170207 | 50-305 | S |
| | 9612180107 | 50-305 | R |
| | 9612270148 | 50-305 | S |
| Wisconsin, State of | 9612160283 | NUREG | |
| | 9612160362 | PR | |
| | 9612170005 | PR | |
| Wolf Creek Nuclear Operating Corp. | 9612030059 | 50-482 | F |
| | 9612030188 | 50-482 | S |
| | 9612100195 | 50-482 | P |
| | 9612100197* | 50-482 | P |
| | 9612100208 | 50-482 | S |
| | 9612100291 | 50-482 | P |
| | 9612100296* | 50-482 | P |
| | 9612110092 | 50-482 | S |
| | 9612110226 | 50-482 | Q |
| | 9612110281 | 50-482 | S |
| | 9612120032 | 50-482 | S |
| | 9612120267 | 50-482 | Q |
| | 9612170180 | 50-482 | P |
| | 9612170289 | 50-482 | F |
| | 9612180121 | 50-482 | R |
| | 9612270102 | 50-482 | P |
| | 9612270105* | 50-482 | P |
| | 9612300005 | 50-482 | S |
| Wyoming Mining Association | 9612090062 | NRCSA | |
| | 9612090084 | NRCSA | |
| | 9612090167 | NRCSA | |
| | 9612110142 | NRCSA | |
| Yankee Atomic Electric Co. | 9612090103 | NRCSA | |
| | 9612090123 | NRCSA | |
| | 9612090132 | NRCSA | |
| | 9612090146 | NRCSA | |
| | 9612090177 | NRCSA | |
| | 9612090179* | NRCSA | |
| | 9612100323 | NRCSA | |
| | 9612110098 | NRCSA | |
| | 9612110143 | NRCSA | |
| | 9612110175 | NRCSA | |
| | 9612180265 | 50-29 | F |
| | 9612270011 | 50-29 | W |
| | 9612270012* | 50-29 | W |

# REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

| REPORT NUMBER | ACCESSION NUMBER | SUBJECT CATEGORY | OTHER REPORT NUMBER |
|---|---|---|---|
| 4R129NS1014 | 9612120142* | 50-498 P | |
| 77-1258569-01 | 9612120076* | 50-313 P | |
| 92-05 | 9612040052* | 50-311 P | |
| 95-77I | 9612160231* | 50-245 P | |
| 96-01S | 9612160225* | FOIA | |
| 96-06S | 9612160207* | 50-245 P | |
| 96-ENG-01528E2 R00 | 9612200086* | 50-336 P | |
| CA/TR 96-019-40 | 9610300316* | 50-285 P | |
| CEN-622-A | 9612120299* | PROJ | |
| CEN-629-NP R01 | 9612040058* | 50-282 P | |
| CEN-630-NP R01 | 9612120519* | 50-368 P | |
| CENPD-279 S07 | 9612030162* | 50-361 R | |
| DOE/AL/62350-050510. | 9612110029* | WASTE MGT | |
| DOE/WIPP 90-045 R00 | 9612270010* | 71-9212 | |
| EA-FPP-95-050 R02 | 9612170336* | 50-255 Q | |
| EA-FPP-95-054 R02 | 9612170325* | 50-255 Q | |
| EC-013-0788 R02 | 9612160354* | 50-387 F | |
| EC-013-0859 R04 | 9612160357* | 50-387 F | |
| EC-QDET-1002 R01 | 9612110295* | 50-387 P | |
| EMF-96-176 R01 | 9612270076* | 50-335 P | |
| EPRI TR-106712 | 9612020148* | TOPREP | |
| ESR 96-00160 R00 | 9612110152* | 50-325 P | |
| GE-NE-B13-01760 R02 | 9612110428* | 50-373 P | |
| GE-NE-B13-01760 R02 | 9612110432* | 50-373 P | |
| GGNS-MS-48.0 R04 | 9612090366* | 50-416 P | |
| GW-GL-021 R10 | 9612270015* | 52-3 | |
| IP3-CALC-SFP-02065 | 9612090170* | 50-286 P | |
| IPS-1494 | 9612120248* | FOIA | IEIN-87-008 |
| IPS-325 RD | 9612120235* | FOIA | |
| J11-02761SRLR R03 | 9612170382* | 50-259 P | |
| JPN-PSL-SEES-96-059 | 9612260325* | 50-335 P | |
| K/PB-ARC-97-06 | 9612200229* | WASTE MGT | HLWR |
| ME-02-96-21 R00 | 9612030155* | 50-397 P | |
| ME-02-96-23 R00 | 9612030158* | 50-397 P | |
| NET-109-01-NP R00 | 9612200291* | 50-247 P | |
| NFK-MM-961023 | 9612100180* | 71-3010 | |
| NSPLMI-96001 R00 | 9612240185* | 50-282 P | |
| NUREG-0540 V18 N07 | 9612040128 | NUREG | |
| NUREG-0540 V18 N09 | 9612110223 | NUREG | |
| NUREG-0750 V43 I02 | 9612040124 | NUREG | |
| NUREG-0750 V44 N01 | 9612040113 | NUREG | |
| NUREG-0750 V44 N03 | 9612110149 | NUREG | |
| NUREG-1214 R14 | 9612030264 | NUREG | |
| NUREG-1272 V09 N02 | 9612120065 | NUREG | |
| NUREG-1272 V09 N03 | 9612030287 | NUREG | |
| NUREG-1415 V09 N01 | 9612120045 | NUREG | |
| NUREG-1518 | 9612040132 | NUREG | |
| NUREG-1550 | 9612110179 | NUREG | |
| NUREG-1556 V01 DR FC | 9612030289 | NUREG | |
| NUREG-1560 V2P2-5DFC | 9612160337 | NUREG | |
| NUREG-1561 | 9612030270 | NUREG | |
| NUREG-1563 | 9612110187 | NUREG | |
| NUREG-1564 | 9612110158 | NUREG | |
| NUREG-1565 | 9612110153 | NUREG | |
| NUREG/BR-0046 R23 | 9612130228 | NUREG | |
| NUREG/BR-0046 R24 | 9612030262 | NUREG | |
| NUREG/BR-0217 | 9612030258 | NUREG | |
| NUREG/BR-0229 | 9612170214 | NUREG | |
| NUREG/CR-5442 | 9612160327 | NUREG | ORNL/TM-13244 |
| NUREG/CR-5591 V06 N2 | 9612040119 | NUREG | ORNL/TM-11568 |
| NUREG/CR-6344 | 9612240090 | NUREG | PNNL-10571 |
| NUREG/CR-6406 | 9612030282 | NUREG | ORNL/TM-13122 |
| NUREG/CR-6457 | 9612030279 | NUREG | |
| NUREG/CR-6458 | 9612030275 | NUREG | |
| NUREG/CR-6460 | 9612030256 | NUREG | ORNL/TM-13207 |
| NUREG/CR-6476 | 9612120081 | NUREG | SAND96-2633 |
| NUREG/CR-6487 | 9612030267 | NUREG | UCRL-ID-124822 |
| NUREG/CR-6492 | 9612110212 | NUREG | BNL-NUREG-52509 |
| NUREG/CR-6494 | 9612240085 | NUREG | |
| NUREG/CR-6495 | 9612040122 | NUREG | |
| NUREG/IA-0129 P01 | 9612040179 | NUREG | |
| NUREG/IA-0130 | 9612040171 | NUREG | CAMP002 |
| NUREG/IA-0135 | 9612110160 | NUREG | CAMP006 |
| OQA-SA-97-004 | 9612100095* | WASTE MGT | HLWR |
| OR-96-11 | 9612270154* | WASTE MGT | HLWR |
| PGE-1061 R02 | 9612260220* | 50-344 W | |
| PGE-1063 R02 | 9612040263* | 50-344 C | |
| PNNL-11419 | 9612110341* | PROJ | UC-731 |
| PSL-OFJE-96-001 R01 | 9612260322* | 50-335 P | |
| PTN-BFJM-96-005 R00 | 9612260324* | 50-335 P | |
| RPC-9-007 R00 | 9612190147* | 50-344 W | |
| RPC-94-008 R00 | 9612190150* | 50-344 W | |
| S-96-26 | 9612040067 | SPEECHES | |
| S-96-28 | 9612130284 | SPEECHES | |
| SCIE-NRC-239-95 | 9610300319* | 50-285 P | |
| SEA-95-2339-010-A:4 | 9610300312* | 50-285 P | |
| SECY-96-193 | 9609120157 | SECY | |
| SECY-96-202 | 9609240117 | SECY | |
| SECY-96-206 | 9610100219 | SECY | |
| SECY-96-212 | 9610090148 | SECY | |
| SECY-96-222 | 9610290109 | SECY | |
| SECY-96-228 | 9611130067 | SECY | |
| SECY-96-236 | 9611220011 | SECY | |
| SECY-96-238 | 9611250030 | SECY | |
| SECY-96-239 | 9611250011 | SECY | |
| SECY-96-241 | 9611290402 | SECY | |
| SECY-96-243 | 9612040277 | COMMISSIO N | |
| SECY-96-244 | 9612040166 | SECY | |
| SECY-96-246 | 9612110194 | COMMISSIO N | |
| SECY-96-247 | 9612100211 | SECY | |
| SECY-96-250 | 9612170316 | COMMISSIO N | |
| SECY-96-253 | 9612200266 | SECY | |
| SECY-96-257 | 9612230115 | COMMISSIO N | |
| SNL-ARP-97-02 | 9612100005* | WASTE MGT | HLWR |
| WCAP-13914 R01 | 9612040024* | 52-3 | |
| WCAP-14696 | 9612110320* | PROJ | |
| WCAP-14754 | 9612060056* | 50-348 P | |
| WCAP-14756 R00 | 9612180152* | PROJ | |
| WCAP-14772 | 9612190418* | 52-3 | |
| WVNS-SAR-001 R02 | 9612090161 | PROJ | |
| YMP-USGS-QMP-4.01 R8 | 9612100201* | WASTE MGT | |
| YMP-USGS-QMP-7.04 R3 | 9612100206* | WASTE MGT | HLWR |

# CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

| ACCESSION NUMBER | | | | | ACCESSION NUMBER | | | | |
|---|---|---|---|---|---|---|---|---|---|
| ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | | ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | |
| 8101100437 | 8101100430 | 78/07/28 | 50-10 | P | 9612030176 | 9612030173 | 96/11/26 | 50-244 | Q |
| 9401260272 | 9612160433 | 96/12/12 | 50-272 | P | 9612030183 | 9612030171 | 96/11/27 | 50-423 | S |
| 9502030005 | 9612160433 | 96/12/12 | FOIA | | 9612030189 | 9612030182 | 96/11/25 | 70-27 | |
| 9512220072 | 9612160433 | 96/12/12 | 50-272 | Q | 9612030195 | 9612030182 | 96/11/25 | 70-27 | |
| 9512220087 | 9612160433 | 96/12/12 | 50-272 | P | 9612030202 | 9612030197 | 96/11/25 | 50-395 | Q |
| 9606060156 | 9612060029 | 96/11/29 | FOIA | | 9612030203 | 9612030197 | 96/11/25 | 50-395 | Q |
| 9606070064 | 9612060029 | 96/11/29 | FOIA | | 9612030219 | 9612030215 | 96/11/27 | 50-255 | Q |
| 9608010200 | 9612030013 | 96/11/19 | 50-302 | P | 9612030220 | 9612030216 | 96/11/26 | 50-373 | Q |
| 9609200114 | 9612060122 | 96/12/05 | ORG | | 9612030221 | 9612030218 | 96/11/27 | 50-282 | Q |
| 9610160271 | 9612020122 | 96/11/22 | 50-309 | H | 9612030222 | 9612030216 | 96/11/26 | 50-373 | Q |
| 9610210118 | 9612090134 | 96/12/02 | 50-206 | H | 9612030223 | 9612030218 | 96/11/27 | 50-282 | Q |
| 9610300312 | 9612240289 | 96/12/09 | 50-285 | P | 9612030224 | 9612030210 | 96/11/26 | 50-313 | Q |
| 9610300316 | 9612240289 | 96/12/09 | 50-285 | P | 9612030226 | 9612030200 | 96/11/25 | 50-352 | P |
| 9610300319 | 9612240289 | 96/12/09 | 50-285 | P | 9612030244 | 9612030238 | 96/11/25 | 50-302 | S |
| 9610310192 | 9612100139 | 96/12/03 | REVIEW GR | P | 9612030247 | 9612030239 | 96/11/25 | 50-397 | P |
| 9612020012 | 9612020009 | 96/11/26 | 50-270 | P | 9612030261 | 9612030255 | 96/11/27 | 50-387 | P |
| 9612020032 | 9612020030 | 96/11/25 | 50-498 | P | 9612030263 | 9612030255 | 96/11/27 | 50-387 | P |
| 9612020041 | 9612020037 | 96/11/25 | 71-771 | | 9612030269 | 9612030265 | 96/11/25 | 50-282 | P |
| 9612020071 | 9612020070 | 96/10/02 | 27-48 | | 9612030273 | 9612030272 | 96/11/26 | 50-317 | P |
| 9612020074 | 9612020070 | 96/10/02 | 27-48 | | 9612030278 | 9612030259 | 96/11/25 | 50-336 | S |
| 9612020076 | 9612020070 | 96/10/02 | 27-48 | | 9612030283 | 9612030276 | 96/11/27 | 50-282 | G |
| 9612020079 | 9612020070 | 96/10/02 | 27-48 | | 9612030286 | 9612030276 | 96/11/27 | 50-282 | G |
| 9612020082 | 9612020070 | 96/10/02 | 27-48 | | 9612030296 | 9612030294 | 96/11/26 | 50-295 | K |
| 9612020085 | 9612020070 | 96/10/02 | 27-48 | | 9612030297 | 9612030291 | 96/11/27 | 50-260 | S |
| 9612020088 | 9612020070 | 96/10/02 | 27-48 | | 9612030313 | 9612030298 | 96/11/20 | 50-272 | P |
| 9612020097 | 9612020096 | 96/11/21 | 50-285 | R | 9612030314 | 9612030311 | 96/11/26 | QA999 | |
| 9612020118 | 9612020114 | 96/11/26 | 50-333 | P | 9612030325 | 9612030323 | 96/11/25 | 50-254 | S |
| 9612020132 | 9612020131 | 96/11/27 | TOPREP | | 9612030326 | 9612030319 | 96/11/27 | 50-423 | S |
| 9612020138 | 9612020134 | 96/11/15 | 50-269 | Q | 9612030329 | 9612030298 | 96/11/20 | 50-272 | P |
| 9612020148 | 9612020131 | 96/11/27 | TOPREP | | 9612030330 | 9612030298 | 96/11/20 | 50-171 | P |
| 9612020167 | 9612020146 | 96/11/25 | 50-327 | Q | 9612030332 | 9612030298 | 96/11/20 | 50-272 | P |
| 9612020168 | 9612020162 | 96/11/22 | 50-321 | Q | 9612030333 | 9612030331 | 96/11/25 | 50-285 | P |
| 9612020172 | 9612020162 | 96/11/22 | 50-321 | Q | 9612030334 | 9612030331 | 96/11/25 | 50-285 | P |
| 9612020177 | 9612020174 | 96/11/19 | 50-327 | Q | 9612030336 | 9612030335 | 96/11/20 | 40-8989 | |
| 9612020225 | 9612020221 | 96/11/13 | 70-1113 | | 9612030339 | 9612030338 | 96/11/30 | 40-8905 | |
| 9612020232 | 9612020227 | 96/11/19 | 50-327 | Q | 9612040019 | 9612040011 | 96/12/02 | CONTRACT | |
| 9612020233 | 9612020227 | 96/11/19 | 50-327 | Q | 9612040024 | 9612040023 | 96/11/25 | 52-3 | |
| 9612020235 | 9612020234 | 96/11/26 | 50-280 | P | 9612040034 | 9612030298 | 96/11/20 | 50-311 | P |
| 9612030010 | 9612030006 | 96/11/22 | 50-324 | Q | 9612040041 | 9612040037 | 96/12/02 | 50-382 | P |
| 9612030012 | 9612030006 | 96/11/22 | 50-324 | Q | 9612040043 | 9612040042 | 96/11/25 | 50-285 | F |
| 9612030033 | 9612030031 | 96/11/25 | 50-344 | Y | 9612040049 | 9612040047 | 96/11/29 | 50-302 | F |
| 9612030035 | 9612030031 | 96/11/25 | 50-344 | Y | 9612040052 | 9612030298 | 96/11/20 | 50-311 | P |
| 9612030042 | 9612030028 | 96/11/27 | 70-7002 | | 9612040055 | 9612040053 | 96/11/27 | 50-282 | P |
| 9612030044 | 9612020155 | 96/11/20 | 70-1151 | | 9612040058 | 9612040053 | 96/11/27 | 50-282 | P |
| 9612030046 | 9612030028 | 96/11/27 | 70-7002 | | 9612040064 | 9612040062 | 96/12/02 | 50-266 | P |
| 9612030054 | 9612030050 | 96/11/27 | 70-***** | | 9612040066 | 9612030298 | 96/11/20 | 50-272 | P |
| 9612030072 | 9612030061 | 96/11/27 | 40-8794 | | 9612040069 | 9612030298 | 96/11/20 | 50-272 | Q |
| 9612030084 | 9612030081 | 96/11/22 | 50-443 | Q | 9612040083 | 9612040081 | 96/12/02 | 50-266 | P |
| 9612030087 | 9612030082 | 96/11/26 | 50-223 | Q | 9612040098 | 9612040094 | 96/11/21 | 70-27 | |
| 9612030092 | 9612030081 | 96/11/22 | 50-443 | Q | 9612040103 | 9612030298 | 96/11/20 | 50-272 | Q |
| 9612030105 | 9612030098 | 96/11/19 | 50-324 | Q | 9612040108 | 9612030298 | 96/11/20 | 50-272 | P |
| 9612030116 | 9612030073 | 96/11/04 | 50-269 | Q | 9612040120 | 9612030298 | 96/11/20 | 50-272 | P |
| 9612030128 | 9612030113 | 96/11/25 | 50-220 | Q | 9612040137 | 9612040130 | 96/11/26 | 50-369 | P |
| 9612030133 | 9612030058 | 96/11/06 | 70-734 | | 9612040145 | 9612040142 | 96/11/25 | 50-10 | W |
| 9612030145 | 9612030113 | 96/11/25 | 50-220 | Q | 9612040158 | 9612040147 | 96/11/15 | 50-352 | Q |
| 9612030149 | 9612030139 | 96/11/26 | 40-8794 | | 9612040160 | 9612040155 | 96/11/14 | 50-289 | Q |
| 9612030151 | 9612030140 | 96/11/26 | 50-416 | Q | 9612040162 | 9612040155 | 96/11/14 | 50-289 | Q |
| 9612030155 | 9612030144 | 96/11/25 | 50-397 | P | 9612040163 | 9612040156 | 96/11/27 | ORG | |
| 9612030158 | 9612030144 | 96/11/25 | 50-397 | P | 9612040169 | 9612040147 | 96/11/15 | 50-352 | Q |
| 9612030162 | 9612030143 | 96/11/26 | 50-361 | R | 9612040175 | 9612040173 | 96/11/24 | 50-368 | P |

| ACCESSION NUMBER | | | | | ACCESSION NUMBER | | | | |
|---|---|---|---|---|---|---|---|---|---|
| ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | | ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | |
| 9612040184 | 9612040177 | 96/11/29 | 50-368 | P | 9612060273 | 9612060270 | 96/11/25 | 50-321 | Q |
| 9612040191 | 9612040186 | 96/11/26 | 50-368 | P | 9612060275 | 9612060270 | 96/11/25 | 50-321 | Q |
| 9612040196 | 9612030298 | 96/11/20 | 50-272 | P | 9612060279 | 9612060272 | 96/11/20 | STATE PRO | G |
| 9612040197 | 9612040176 | 96/11/27 | 50-302 | Q | 9612060290 | 9612060280 | 96/11/27 | 50-302 | Q |
| 9612040198 | 9612040194 | 96/11/26 | 50-333 | P | 9612060292 | 9612060280 | 96/11/27 | 50-302 | Q |
| 9612040199 | 9612040194 | 96/11/26 | 50-333 | P | 9612060297 | 9612060294 | 96/11/29 | 50-334 | Q |
| 9612040202 | 9612040200 | 96/11/18 | WASTE MGT | | 9612060303 | 9612060301 | 96/12/02 | 50-423 | P |
| 9612040203 | 9612040201 | 96/11/27 | 50-261 | Q | 9612060315 | 9612060312 | 96/11/15 | 50-338 | Q |
| 9612040210 | 9612030298 | 96/11/20 | 50-272 | Q | 9612060325 | 9612060313 | 96/12/04 | 72-1004 | |
| 9612040217 | 9612040211 | 96/11/27 | 50-255 | P | 9612060328 | 9612060323 | 96/12/04 | 52-3 | |
| 9612040221 | 9612030298 | 96/11/20 | FOIA | | 9612060335 | 9612060332 | 96/12/02 | 50-320 | P |
| 9612040222 | 9612040216 | 96/11/25 | 71-***** | | 9612060339 | 9612060334 | 96/12/03 | 40-***** | |
| 9612040231 | 9612040205 | 96/12/02 | PROJ | | 9612060341 | 9612060313 | 96/12/04 | 72-1004 | |
| 9612040237 | 9612040233 | 96/11/26 | 40-6940 | | 9612060347 | 9612060343 | 96/12/03 | 71-250 | |
| 9612040239 | 9612030298 | 96/11/20 | 50-272 | Q | 9612060350 | 9612060343 | 96/12/03 | 71-250 | |
| 9612040244 | 9612030298 | 96/11/20 | 50-272 | Q | 9612060351 | 9612060344 | 96/12/02 | 50-315 | P |
| 9612040246 | 9612040242 | 96/11/26 | QA999 | | 9612090002 | 9612090001 | 96/11/15 | 50-335 | Q |
| 9612040248 | 9612040242 | 96/11/26 | QA999 | | 9612090008 | 9612090004 | 96/11/27 | 50-369 | Q |
| 9612040263 | 9612040258 | 96/11/27 | 50-344 | C | 9612090012 | 9612090011 | 96/11/18 | 70-27 | |
| 9612040266 | 9612030298 | 96/11/20 | 50-272 | P | 9612090018 | 9612090016 | 96/11/29 | 50-238 | Q |
| 9612040270 | 9612040269 | 96/10/18 | 72-18 | | 9612090030 | 9612090009 | 96/12/03 | 50-285 | Q |
| 9612040272 | 9612040268 | 96/11/22 | 50-265 | Q | 9612090046 | 9612090042 | 96/11/19 | 50-438 | Q |
| 9612040275 | 9612040273 | 96/11/26 | 40-8943 | | 9612090049 | 9612060121 | 96/10/30 | 40-8989 | |
| 9612040282 | 9612030298 | 96/11/20 | FOIA | | 9612090063 | 9612090054 | 96/11/26 | STATE PRO | G |
| 9612040286 | 9612030298 | 96/11/20 | 50-272 | P | 9612090090 | 9612090085 | 96/11/26 | STATE PRO | G |
| 9612040287 | 9612040185 | 96/12/02 | COMMISSIO | N | 9612090117 | 9612090111 | 96/11/25 | 50-302 | Q |
| 9612040288 | 9612030298 | 96/11/20 | FOIA | | 9612090128 | 9612090125 | 96/11/26 | STATE PRO | G |
| 9612040290 | 9612030298 | 96/11/20 | FOIA | | 9612090143 | 9612090138 | 96/11/25 | 50-324 | F |
| 9612040292 | 9612030298 | 96/11/20 | 50-272 | P | 9612090144 | 9612060311 | 96/10/31 | STATE PRO | G |
| 9612040293 | 9612030298 | 96/11/20 | 50-272 | P | 9612090147 | 9612090134 | 96/12/02 | 50-206 | H |
| 9612040295 | 9612030298 | 96/11/20 | 50-272 | P | 9612090150 | 9612090138 | 96/11/25 | 50-324 | F |
| 9612050009 | 9612050005 | 96/12/02 | 70-7002 | | 9612090155 | 9612090149 | 96/11/27 | NRCSA | |
| 9612050012 | 9612050008 | 96/11/19 | COMMISSIO | N | 9612090164 | 9612090162 | 96/11/22 | 50-286 | P |
| 9612050015 | 9612050010 | 96/11/25 | 71-***** | | 9612090165 | 9612090162 | 96/11/22 | 50-286 | P |
| 9612050029 | 9612050026 | 96/11/28 | 40-8584 | | 9612090168 | 9612090162 | 96/11/22 | 50-286 | P |
| 9612050031 | 9612050023 | 96/11/20 | COMMISSIO | N | 9612090170 | 9612090162 | 96/11/22 | 50-286 | P |
| 9612050035 | 9612050032 | 96/11/27 | COMMISSIO | N | 9612090176 | 9612090174 | 96/12/04 | PROJ | |
| 9612050039 | 9612050036 | 96/12/03 | 50-454 | P | 9612090179 | 9612090177 | 96/12/02 | NRCSA | |
| 9612050043 | 9612050034 | 96/11/27 | 50-344 | W | 9612090187 | 9612090174 | 96/12/04 | PROJ | |
| 9612050045 | 9612050041 | 96/11/14 | 50-443 | Q | 9612090193 | 9612090183 | 96/12/03 | 50-245 | Q |
| 9612050046 | 9612050041 | 96/11/14 | 50-443 | Q | 9612090203 | 9612090183 | 96/12/03 | 50-245 | Q |
| 9612050047 | 9612050044 | 96/11/27 | 50-344 | K | 9612090209 | 9612090208 | 96/11/27 | 52-3 | |
| 9612050049 | 9612050034 | 96/11/27 | 50-344 | W | 9612090225 | 9612090213 | 96/12/03 | 50-317 | Q |
| 9612050050 | 9612050040 | 96/11/22 | 40-7455 | | 9612090243 | 9612090240 | 96/12/03 | 50-289 | P |
| 9612050052 | 9612050051 | 96/11/22 | WASTE MGT | | 9612090249 | 9612090220 | 96/12/03 | 50-454 | V |
| 9612050053 | 9612050040 | 96/11/22 | 40-7455 | | 9612090251 | 9612090246 | 96/12/04 | 50-461 | Q |
| 9612050063 | 9612050057 | 96/12/02 | 50-458 | Q | 9612090255 | 9612090250 | 96/11/25 | FOIA | |
| 9612050065 | 9612050057 | 96/12/02 | 50-458 | Q | 9612090262 | 9612090256 | 96/12/03 | 50-272 | Q |
| 9612050069 | 9612050066 | 96/11/27 | 50-445 | Q | 9612090264 | 9612090250 | 96/11/25 | FOIA | |
| 9612050070 | 9612050066 | 96/11/27 | 50-445 | Q | 9612090265 | 9612090256 | 96/12/03 | 50-272 | Q |
| 9612050088 | 9612030298 | 96/11/20 | 50-272 | P | 9612090267 | 9612090250 | 96/11/25 | FOIA | |
| 9612050098 | 9612050095 | 96/11/27 | 50-295 | Q | 9612090269 | 9612090250 | 96/11/25 | FOIA | |
| 9612060019 | 9612060007 | 96/12/03 | 50-313 | Y | 9612090270 | 9612090250 | 96/11/25 | FOIA | |
| 9612060022 | 9612060020 | 96/11/22 | 50-250 | P | 9612090272 | 9612090250 | 96/11/25 | FOIA | |
| 9612060032 | 9612060026 | 96/11/25 | FOIA | | 9612090274 | 9612090250 | 96/11/25 | FOIA | |
| 9612060033 | 9612060031 | 96/11/26 | 50-254 | Q | 9612090275 | 9612090250 | 96/11/25 | FOIA | |
| 9612060034 | 9612060029 | 96/11/29 | FOIA | | 9612090278 | 9612090250 | 96/11/25 | FOIA | |
| 9612060036 | 9612060031 | 96/11/26 | 50-254 | Q | 9612090280 | 9612090250 | 96/11/25 | FOIA | |
| 9612060037 | 9612060030 | 96/11/29 | 50-416 | Q | 9612090282 | 9612090250 | 96/11/25 | FOIA | |
| 9612060039 | 9612060027 | 96/12/02 | 50-445 | P | 9612090284 | 9612090250 | 96/11/25 | FOIA | |
| 9612060040 | 9612060027 | 96/12/02 | 50-445 | P | 9612090286 | 9612090250 | 96/11/25 | FOIA | |
| 9612060050 | 9612060048 | 96/11/27 | 50-302 | P | 9612090287 | 9612090285 | 96/12/03 | 50-272 | Q |
| 9612060055 | 9612060051 | 96/11/26 | 50-348 | P | 9612090289 | 9612090285 | 96/12/03 | 50-272 | Q |
| 9612060056 | 9612060051 | 96/11/26 | 50-348 | P | 9612090290 | 9612090283 | 96/12/04 | 50-250 | P |
| 9612060070 | 9612060067 | 96/11/29 | FOIA | | 9612090291 | 9612090277 | 96/12/05 | 50-354 | Q |
| 9612060072 | 9612060029 | 96/11/29 | FOIA | | 9612090292 | 9612090250 | 96/11/25 | FOIA | |
| 9612060084 | 9612060081 | 96/11/29 | 71-361 | | 9612090295 | 9612090277 | 96/12/05 | 50-354 | Q |
| 9612060146 | 9612060137 | 96/12/02 | 40-8902 | | 9612090296 | 9612090250 | 96/11/25 | FOIA | |
| 9612060170 | 9612060149 | 96/11/12 | STATE PRO | G | 9612090300 | 9612090250 | 96/11/25 | FOIA | |
| 9612060174 | 9612060149 | 96/11/12 | STATE PRO | G | 9612090301 | 9612090297 | 96/12/02 | 71-***** | |
| 9612060176 | 9612060149 | 96/11/12 | STATE PRO | G | 9612090302 | 9612090250 | 96/11/25 | FOIA | |
| 9612060178 | 9612060149 | 96/11/12 | STATE PRO | G | 9612090303 | 9612090299 | 96/12/03 | 50-361 | P |
| 9612060181 | 9612060149 | 96/11/12 | STATE PRO | G | 9612090305 | 9612090250 | 96/11/25 | FOIA | |
| 9612060192 | 9612060187 | 96/11/26 | 50-293 | P | 9612090310 | 9612090250 | 96/11/25 | FOIA | |
| 9612060193 | 9612060188 | 96/11/27 | 50-219 | P | 9612090312 | 9612090299 | 96/12/03 | 50-361 | P |
| 9612060209 | 9612060203 | 96/12/04 | STATE PRO | G | 9612090320 | 9612090250 | 96/11/25 | FOIA | |
| 9612060210 | 9612060206 | 96/11/27 | 50-458 | R | 9612090326 | 9612090250 | 96/11/25 | FOIA | |
| 9612060212 | 9612060202 | 96/11/27 | 50-219 | P | 9612090328 | 9612090250 | 96/11/25 | FOIA | |
| 9612060214 | 9612060206 | 96/11/27 | 50-458 | R | 9612090331 | 9612090250 | 96/11/25 | FOIA | |
| 9612060216 | 9612060202 | 96/11/27 | 50-219 | P | 9612090332 | 9612090250 | 96/11/25 | FOIA | |
| 9612060240 | 9612060234 | 96/11/26 | 50-335 | Q | 9612090334 | 9612090250 | 96/11/25 | FOIA | |
| 9612060241 | 9612060238 | 96/11/15 | 50-369 | Q | 9612090350 | 9612090345 | 96/12/03 | 50-309 | P |
| 9612060245 | 9612060238 | 96/11/15 | 50-369 | Q | 9612090353 | 9612090347 | 96/12/02 | 50-271 | Q |
| 9612060246 | 9612060235 | 96/12/04 | 71-119 | | 9612090354 | 9612090348 | 96/12/03 | 50-213 | F |
| 9612060251 | 9612060249 | 96/11/15 | 50-413 | Q | 9612090357 | 9612090347 | 96/12/02 | 50-271 | Q |
| 9612060263 | 9612060258 | 96/11/26 | 50-62 | Q | 9612090361 | 9612090348 | 96/12/03 | 50-213 | F |
| 9612060268 | 9612060259 | 96/11/26 | ORG | | 9612090365 | 9612090351 | 96/12/02 | 50-295 | Q |

| ACCESSION NUMBER | | | | | ACCESSION NUMBER | | | | |
|---|---|---|---|---|---|---|---|---|---|
| ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | | ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | |
| 9612090366 | 9612090364 | 96/12/03 | 50-416 | P | 9612120100 | 9612120085 | 96/12/10 | ORG | |
| 9612090369 | 9612090368 | 96/12/05 | 50-364 | P | 9612120103 | 9612120085 | 96/12/10 | ORG | |
| 9612090375 | 9612090371 | 96/12/03 | 50-269 | P | 9612120104 | 9612120085 | 96/12/10 | 50-309 | H |
| 9612090376 | 9612090373 | 96/12/03 | 40-1363 | | 9612120120 | 9612120105 | 96/12/06 | 50-423 | S |
| 9612090381 | 9612090378 | 96/12/05 | 71-***** | | 9612120124 | 9612120114 | 96/12/06 | 50-237 | P |
| 9612090385 | 9612090383 | 96/12/02 | 70-754 | | 9612120126 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612090388 | 9612090377 | 96/12/03 | 50-266 | Q | 9612120134 | 9612120085 | 96/12/10 | ORG | |
| 9612090390 | 9612090389 | 96/12/06 | 50-373 | P | 9612120141 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612090395 | 9612090393 | 96/12/05 | 50-271 | Q | 9612120142 | 9612120133 | 96/12/04 | 50-498 | P |
| 9612090396 | 9612090394 | 96/12/03 | 50-366 | P | 9612120143 | 9612120085 | 96/12/10 | 50-309 | H |
| 9612100005 | 9612100004 | 96/12/02 | WASTE MGT | | 9612120148 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100041 | 9612110041 | 96/12/04 | NRCSA | | 9612120150 | 9612120085 | 96/12/10 | ORG | |
| 9612100065 | 9612100057 | 96/12/04 | 50-324 | P | 9612120155 | 9612120085 | 96/12/10 | ORG | |
| 9612100088 | 9612100081 | 96/12/04 | 50-423 | S | 9612120158 | 9612120085 | 96/12/10 | ORG | |
| 9612100090 | 9612100084 | 96/12/06 | 50-361 | Q | 9612120162 | 9612120085 | 96/12/10 | ORG | |
| 9612100092 | 9612100076 | 96/12/04 | 50-354 | P | 9612120164 | 9612120085 | 96/12/10 | ORG | |
| 9612100095 | 9612100089 | 96/12/04 | WASTE MGT | | 9612120167 | 9612120085 | 96/12/10 | ORG | |
| 9612100109 | 9612100099 | 96/12/06 | 50-483 | Q | 9612120174 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100115 | 9612100029 | 96/11/15 | 40-8698 | | 9612120184 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100118 | 9612100099 | 96/12/06 | 50-483 | Q | 9612120186 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100120 | 9612100113 | 96/12/06 | 50-285 | Q | 9612120191 | 9612120085 | 96/12/10 | ORG | |
| 9612100127 | 9612100119 | 96/12/04 | 50-269 | P | 9612120192 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100132 | 9612100125 | 96/12/02 | 50-352 | P | 9612120197 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100151 | 9612090038 | 96/11/26 | 50-261 | Q | 9612120201 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100169 | 9612100137 | 96/12/05 | 70-1257 | | 9612120203 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100180 | 9612100174 | 96/11/29 | 71-3010 | | 9612120205 | 9612120085 | 96/12/10 | 50-10 | H |
| 9612100197 | 9612100195 | 96/12/03 | 50-482 | P | 9612120207 | 9612120085 | 96/12/10 | ORG | |
| 9612100201 | 9612100193 | 96/12/02 | WASTE MGT | | 9612120219 | 9612120185 | 96/12/04 | 50-317 | P |
| 9612100206 | 9612100193 | 96/12/02 | WASTE MGT | | 9612120221 | 9612120085 | 96/12/10 | ORG | |
| 9612100209 | 9612100152 | 96/12/05 | 70-7002 | | 9612120222 | 9612120085 | 96/12/10 | ORG | |
| 9612100237 | 9612100225 | 96/12/06 | 50-295 | P | 9612120224 | 9612120085 | 96/12/10 | ORG | |
| 9612100270 | 9612100269 | 96/12/04 | 50-275 | Q | 9612120227 | 9612120085 | 96/12/10 | ORG | |
| 9612100275 | 9612100269 | 96/12/04 | 50-275 | Q | 9612120228 | 9612120085 | 96/12/10 | ORG | |
| 9612100276 | 9612100273 | 96/12/04 | 50-285 | Q | 9612120229 | 9612120085 | 96/12/10 | ORG | |
| 9612100280 | 9612100273 | 96/12/04 | 50-285 | Q | 9612120235 | 9612120217 | 96/12/09 | FOIA | |
| 9612100295 | 9612100290 | 96/12/06 | 50-155 | Q | 9612120238 | 9612120085 | 96/12/10 | 50-245 | H |
| 9612100296 | 9612100291 | 96/12/03 | 50-482 | P | 9612120240 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612100309 | 9612100220 | 96/12/04 | 50-445 | Q | 9612120241 | 9612120085 | 96/12/10 | ORG | |
| 9612110006 | 9612110004 | 96/12/06 | 40-***** | | 9612120248 | 9612120217 | 96/12/09 | FOIA | |
| 9612110025 | 9612110016 | 96/12/05 | 50-528 | Q | 9612120252 | 9612120058 | 96/12/10 | 50-269 | F |
| 9612110028 | 9612110016 | 96/12/05 | 50-528 | Q | 9612120254 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612110029 | 9612110019 | 96/12/02 | WASTE MGT | | 9612120257 | 9612120244 | 96/12/09 | 50-128 | V |
| 9612110047 | 9612090250 | 96/11/25 | FOIA | | 9612120259 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612110054 | 9612090250 | 96/11/25 | FOIA | | 9612120262 | 9612120058 | 96/12/10 | 50-269 | F |
| 9612110059 | 9612110049 | 96/12/05 | 50-341 | S | 9612120274 | 9612120268 | 96/12/10 | 50-266 | P |
| 9612110062 | 9612110053 | 96/12/04 | 50-416 | F | 9612120276 | 9612120028 | 96/12/05 | ORG | |
| 9612110096 | 9612110087 | 96/12/03 | TOPREP | | 9612120284 | 9612120269 | 96/12/04 | 70-1100 | |
| 9612110107 | 9612110101 | 96/12/09 | COMMISSIO | N | 9612120291 | 9612120286 | 96/12/09 | 50-286 | P |
| 9612110112 | 9612110101 | 96/12/09 | COMMISSIO | N | 9612120292 | 9612120288 | 96/12/10 | 50-313 | Q |
| 9612110120 | 9612110101 | 96/12/09 | COMMISSIO | N | 9612120299 | 9612120296 | 96/12/04 | PROJ | |
| 9612110132 | 9612110101 | 96/12/09 | COMMISSIO | N | 9612120301 | 9612120294 | 96/12/06 | 50-219 | Q |
| 9612110152 | 9612110148 | 96/12/03 | 50-325 | P | 9612120302 | 9612120085 | 96/12/10 | 50-309 | H |
| 9612110176 | 9612110165 | 96/10/18 | 50-309 | T | 9612120303 | 9612120294 | 96/12/06 | 50-219 | Q |
| 9612110205 | 9612110196 | 96/12/03 | 50-255 | F | 9612120304 | 9612120085 | 96/12/10 | 50-309 | H |
| 9612110213 | 9612110200 | 96/12/05 | 50-333 | Q | 9612120306 | 9612120085 | 96/12/10 | 50-309 | H |
| 9612110252 | 9612110231 | 96/12/04 | QA999 | | 9612120310 | 9612120305 | 96/12/04 | NRCSA | |
| 9612110262 | 9612110254 | 96/11/27 | 52-3 | | 9612120312 | 9612120085 | 96/12/10 | 50-271 | H |
| 9612110288 | 9612110285 | 96/10/11 | 40-299 | | 9612120321 | 9612120085 | 96/12/10 | 50-245 | H |
| 9612110290 | 9612110287 | 96/12/11 | WASTE MGT | | 9612120323 | 9612120315 | 96/12/04 | COMMISSIO | N |
| 9612110291 | 9612110287 | 96/12/11 | WASTE MGT | | 9612120326 | 9612120314 | 96/11/18 | 40-8698 | |
| 9612110295 | 9612110293 | 96/11/27 | 50-387 | P | 9612120327 | 9612120085 | 96/12/10 | 50-309 | H |
| 9612110320 | 9612110312 | 96/11/22 | PROJ | | 9612120329 | 9612120315 | 96/12/04 | COMMISSIO | N |
| 9612110332 | 9612110327 | 96/11/27 | 50-443 | Q | 9612120332 | 9612120085 | 96/12/10 | ORG | |
| 9612110341 | 9612110331 | 96/12/04 | PROJ | | 9612120335 | 9612120085 | 96/12/10 | 50-245 | H |
| 9612110345 | 9612110343 | 96/11/29 | 50-412 | P | 9612120339 | 9612120085 | 96/12/10 | ORG | |
| 9612110348 | 9612110339 | 96/12/03 | 40-8902 | | 9612120342 | 9612120085 | 96/12/10 | ORG | |
| 9612110352 | 9612120039 | 96/11/27 | 50-443 | F | 9612120346 | 9612120085 | 96/12/10 | 50-309 | H |
| 9612110359 | 9612110346 | 96/12/09 | ORG | | 9612120350 | 9612120347 | 96/12/06 | 50-353 | P |
| 9612110364 | 9612110356 | 96/12/04 | QA999 | | 9612120352 | 9612120315 | 96/12/04 | COMMISSIO | N |
| 9612110378 | 9612110356 | 96/12/04 | QA999 | | 9612120361 | 9612120085 | 96/12/10 | ORG | |
| 9612110398 | 9612110372 | 96/11/30 | 70-1257 | | 9612120364 | 9612120315 | 96/12/04 | COMMISSIO | N |
| 9612110417 | 9612110413 | 96/12/02 | 50-346 | R | 9612120365 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612110423 | 9612110397 | 96/12/02 | 50-373 | P | 9612120367 | 9612120085 | 96/12/10 | ORG | |
| 9612110428 | 9612110397 | 96/12/02 | 50-373 | P | 9612120372 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612110432 | 9612110397 | 96/12/02 | 50-373 | P | 9612120379 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612110441 | 9612110427 | 96/12/09 | 40-8724 | | 9612120386 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612110453 | 9612110452 | 96/12/02 | 50-341 | P | 9612120392 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612120034 | 9612120030 | 96/12/10 | COMMISSIO | N | 9612120400 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612120037 | 9612120030 | 96/12/10 | COMMISSIO | N | 9612120404 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612120040 | 9612120030 | 96/12/10 | COMMISSIO | N | 9612120411 | 9612120380 | 96/12/06 | 50-289 | Q |
| 9612120046 | 9612120030 | 96/12/10 | COMMISSIO | N | 9612120414 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612120048 | 9612120043 | 96/12/10 | XPORTLIC | | 9612120421 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612120050 | 9612120030 | 96/12/10 | COMMISSIO | N | 9612120427 | 9612120085 | 96/12/10 | 50-289 | H |
| 9612120063 | 9612120039 | 96/11/27 | 50-443 | F | 9612120432 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612120073 | 9612120070 | 96/11/26 | 50-313 | P | 9612120433 | 9612120380 | 96/12/06 | 50-289 | Q |
| 9612120076 | 9612120070 | 96/11/26 | 50-313 | P | 9612120435 | 9612120121 | 96/11/25 | 50-275 | K |
| 9612120096 | 9612120085 | 96/12/10 | ORG | | 9612120444 | 9612120418 | 96/12/06 | 50-361 | P |

| ACCESSION NUMBER | | | | | ACCESSION NUMBER | | | | |
|---|---|---|---|---|---|---|---|---|---|
| ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | | ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | |
| 9612120446 | 9612120085 | 96/12/10 | 50-289 | H | 9612160026 | 9612160022 | 96/12/09 | 50-305 | Q |
| 9612120451 | 9612120441 | 96/12/05 | 50-272 | F | 9612160027 | 9612160008 | 96/11/29 | 50-454 | P |
| 9612120453 | 9612120085 | 96/12/10 | 50-213 | H | 9612160031 | 9612160020 | 96/12/05 | 50-305 | Q |
| 9612120454 | 9612120449 | 96/12/09 | 50-335 | P | 9612160035 | 9612160020 | 96/12/05 | 50-305 | Q |
| 9612120455 | 9612120418 | 96/12/06 | 50-361 | P | 9612160038 | 9612160033 | 96/12/10 | 40-6264 | |
| 9612120456 | 9612120449 | 96/12/09 | 50-335 | P | 9612160064 | 9612160057 | 96/12/04 | 50-254 | Q |
| 9612120458 | 9612120450 | 96/12/04 | 50-461 | P | 9612160074 | 9612160071 | 96/12/06 | 50-5 | R |
| 9612120459 | 9612120315 | 96/12/04 | 50-424 | H | 9612160077 | 9612160069 | 96/12/12 | MISC | |
| 9612120462 | 9612120450 | 96/12/04 | 50-461 | P | 9612160085 | 9612160072 | 96/12/09 | FOIA | |
| 9612120465 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160093 | 9612160072 | 96/12/09 | FOIA | |
| 9612120469 | 9612120448 | 96/12/09 | 50-369 | P | 9612160099 | 9612160072 | 96/12/09 | FOIA | |
| 9612120475 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160117 | 9612160114 | 96/12/09 | 40-8902 | |
| 9612120477 | 9612120473 | 96/12/09 | 70-1374 | | 9612160150 | 9612160142 | 96/12/10 | 50-309 | P |
| 9612120478 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160163 | 9612160155 | 96/12/12 | FOIA | |
| 9612120479 | 9612120468 | 96/12/06 | 40-8724 | | 9612160174 | 9612160107 | 96/12/10 | 71-867 | |
| 9612120492 | 9612120484 | 96/11/26 | 50-368 | P | 9612160177 | 9612160144 | 96/12/11 | 50-270 | P |
| 9612120500 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160189 | 9612160176 | 96/12/04 | 50-245 | P |
| 9612120501 | 9612120498 | 96/12/09 | 40-6622 | | 9612160194 | 9612160168 | 96/10/27 | 70-7001 | |
| 9612120503 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160195 | 9612160168 | 96/10/27 | 70-7001 | |
| 9612120506 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160200 | 9612160168 | 96/10/27 | 70-7001 | |
| 9612120508 | 9612120497 | 96/12/05 | 50-255 | Q | 9612160205 | 9612160198 | 96/12/10 | 71-869 | |
| 9612120510 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160207 | 9612160176 | 96/12/04 | 50-245 | P |
| 9612120512 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160225 | 9612160176 | 96/12/04 | FOIA | |
| 9612120513 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160231 | 9612160176 | 96/12/04 | 50-245 | P |
| 9612120514 | 9612120315 | 96/12/04 | COMMISSIO | N | 9612160251 | 9612050081 | 96/11/25 | COMMISSIO | N |
| 9612120516 | 9612120497 | 96/12/05 | 50-255 | Q | 9612160254 | 9612050081 | 96/11/25 | COMMISSIO | N |
| 9612120519 | 9612120484 | 96/11/26 | 50-368 | P | 9612160255 | 9612160253 | 96/12/12 | 50-228 | V |
| 9612130001 | 9612120085 | 96/12/10 | 50-245 | H | 9612160263 | 9612160259 | 96/12/05 | STATE PRO | G |
| 9612130003 | 9612120085 | 96/12/10 | 50-213 | H | 9612160275 | 9612160208 | 96/12/11 | FOIA | |
| 9612130009 | 9612120085 | 96/12/10 | ORG | | 9612160278 | 9612160208 | 96/12/11 | FOIA | |
| 9612130013 | 9612120085 | 96/12/10 | ORG | | 9612160282 | 9612160264 | 96/12/11 | FOIA | |
| 9612130014 | 9612120085 | 96/12/10 | ORG | | 9612160293 | 9612160287 | 96/12/09 | STATE PRO | G |
| 9612130016 | 9612120085 | 96/12/10 | 50-213 | H | 9612160302 | 9612100160 | 96/12/02 | 72-18 | |
| 9612130019 | 9612120085 | 96/12/10 | 50-213 | H | 9612160308 | 9612160298 | 96/12/13 | 50-269 | Q |
| 9612130024 | 9612120085 | 96/12/10 | 50-245 | H | 9612160317 | 9612160299 | 96/12/12 | 50-369 | P |
| 9612130026 | 9612120085 | 96/12/10 | ORG | | 9612160322 | 9612160299 | 96/12/12 | 50-369 | P |
| 9612130035 | 9612120085 | 96/12/10 | ORG | | 9612160326 | 9612160315 | 96/12/03 | 50-316 | R |
| 9612130039 | 9612130028 | 96/12/06 | 50-354 | S | 9612160330 | 9612160315 | 96/12/03 | 50-316 | R |
| 9612130055 | 9612120085 | 96/12/10 | 50-245 | H | 9612160341 | 9612160332 | 96/12/12 | 50-410 | P |
| 9612130056 | 9612120085 | 96/12/10 | ORG | | 9612160344 | 9612160332 | 96/12/12 | 50-410 | P |
| 9612130058 | 9612120085 | 96/12/10 | ORG | | 9612160346 | 9612160340 | 96/12/12 | 50-206 | H |
| 9612130062 | 9612120085 | 96/12/10 | ORG | | 9612160354 | 9612160348 | 96/12/06 | 50-387 | F |
| 9612130064 | 9612120085 | 96/12/10 | 50-213 | H | 9612160357 | 9612160348 | 96/12/06 | 50-387 | F |
| 9612130066 | 9612130050 | 96/12/02 | 50-336 | Q | 9612160359 | 9612160351 | 96/12/10 | 70-27 | |
| 9612130072 | 9612120085 | 96/12/10 | 50-213 | H | 9612160381 | 9612160368 | 96/12/13 | 50-482 | F |
| 9612130080 | 9612120085 | 96/12/10 | 50-245 | H | 9612160383 | 9612160367 | 96/12/11 | 50-219 | G |
| 9612130084 | 9612130060 | 96/12/10 | 70-925 | | 9612160384 | 9612160342 | 96/12/11 | 50-206 | P |
| 9612130085 | 9612120085 | 96/12/10 | ORG | | 9612160390 | 9612160367 | 96/12/11 | 50-219 | G |
| 9612130093 | 9612120121 | 96/11/25 | 50-275 | K | 9612160392 | 9612160367 | 96/12/11 | 50-219 | G |
| 9612130095 | 9612120085 | 96/12/10 | ORG | | 9612160397 | 9612160372 | 96/12/10 | 50-397 | Q |
| 9612130096 | 9612130075 | 96/12/06 | 50-219 | G | 9612160399 | 9612160395 | 96/12/12 | 50-483 | Q |
| 9612130099 | 9612130077 | 96/12/11 | XPORTLIC | | 9612160400 | 9612160367 | 96/12/11 | 50-219 | G |
| 9612130100 | 9612120085 | 96/12/10 | ORG | | 9612160403 | 9612160386 | 96/12/12 | 50-313 | Q |
| 9612130103 | 9612120085 | 96/12/10 | 50-245 | H | 9612160404 | 9612160367 | 96/12/11 | 50-219 | G |
| 9612130105 | 9612120121 | 96/11/25 | 50-275 | K | 9612160407 | 9612160395 | 96/12/12 | 50-483 | Q |
| 9612130107 | 9612120085 | 96/12/10 | ORG | | 9612160412 | 9612160408 | 96/12/11 | 70-3020 | |
| 9612130112 | 9612120085 | 96/12/10 | ORG | | 9612160424 | 9612160421 | 96/12/05 | 50-247 | Q |
| 9612130116 | 9612120085 | 96/12/10 | ORG | | 9612160438 | 9612160436 | 96/12/10 | 50-272 | P |
| 9612130119 | 9612120085 | 96/12/10 | ORG | | 9612170014 | 9612170010 | 96/12/11 | 50-498 | P |
| 9612130121 | 9612120121 | 96/11/25 | 50-275 | K | 9612170018 | 9612170007 | 96/12/13 | 50-116 | P |
| 9612130122 | 9612130113 | 96/12/09 | 50-309 | Q | 9612170022 | 9612170007 | 96/12/13 | 50-116 | P |
| 9612130124 | 9612130118 | 96/12/06 | 50-186 | Q | 9612170031 | 9612170028 | 96/12/10 | 50-269 | P |
| 9612130128 | 9612120085 | 96/12/10 | ORG | | 9612170042 | 9612170034 | 96/12/13 | 40-17 | |
| 9612130130 | 9612130113 | 96/12/09 | 50-309 | Q | 9612170055 | 9612170034 | 96/12/13 | 40-17 | |
| 9612130132 | 9612120085 | 96/12/10 | ORG | | 9612170061 | 9612170053 | 96/12/13 | 50-361 | Q |
| 9612130139 | 9612120085 | 96/12/10 | ORG | | 9612170083 | 9612170079 | 96/12/09 | XPORTLIC | |
| 9612130144 | 9612120085 | 96/12/10 | ORG | | 9612170099 | 9612170093 | 96/12/31 | GEN TEC I | S |
| 9612130151 | 9612120085 | 96/12/10 | ORG | | 9612170106 | 9612160433 | 96/12/12 | 50-272 | T |
| 9612130155 | 9612130140 | 96/12/04 | TOPREP | | 9612170108 | 9612170100 | 96/12/09 | 50-245 | P |
| 9612130156 | 9612130140 | 96/12/04 | TOPREP | | 9612170112 | 9612170110 | 96/12/11 | 50-498 | Q |
| 9612130162 | 9612120085 | 96/12/10 | 50-245 | H | 9612170113 | 9612170086 | 96/12/12 | ORG | |
| 9612130166 | 9612120085 | 96/12/10 | 50-245 | H | 9612170120 | 9612160433 | 96/12/12 | 50-272 | P |
| 9612130169 | 9612120085 | 96/12/10 | ORG | | 9612170122 | 9612170109 | 96/12/11 | 50-259 | P |
| 9612130174 | 9612120085 | 96/12/10 | 50-245 | H | 9612170131 | 9612170124 | 96/12/06 | COMMISSIO | N |
| 9612130181 | 9612120085 | 96/12/10 | 50-271 | H | 9612170142 | 9612170134 | 96/12/09 | 50-373 | R |
| 9612130184 | 9612120085 | 96/12/10 | ORG | | 9612170154 | 9612170134 | 96/12/09 | 50-373 | R |
| 9612130188 | 9612120085 | 96/12/10 | ORG | | 9612170211 | 9612160351 | 96/12/10 | 70-27 | |
| 9612130191 | 9612120085 | 96/12/10 | 50-245 | H | 9612170245 | 9612170242 | 96/12/10 | 40-7604 | |
| 9612130196 | 9612120085 | 96/12/10 | 50-245 | H | 9612170250 | 9612170248 | 96/11/27 | 70-1151 | |
| 9612130197 | 9612130186 | 96/12/09 | 50-456 | P | 9612170251 | 9612170248 | 96/11/27 | 70-1151 | |
| 9612130199 | 9612120085 | 96/12/10 | ORG | | 9612170258 | 9612170253 | 96/12/05 | 40-8778 | |
| 9612130203 | 9612130186 | 96/12/09 | FOIA | | 9612170261 | 9612170259 | 96/12/12 | 50-220 | P |
| 9612130204 | 9612120085 | 96/12/10 | ORG | | 9612170264 | 9612170259 | 96/12/12 | 50-220 | P |
| 9612130206 | 9612120085 | 96/12/10 | 50-271 | H | 9612170265 | 9612170262 | 96/12/13 | 50-334 | P |
| 9612160013 | 9612160007 | 96/12/05 | 50-315 | Q | 9612170268 | 9612170267 | 96/12/10 | 50-338 | P |
| 9612160016 | 9612160007 | 96/12/05 | 50-315 | Q | 9612170276 | 9612170272 | 96/12/11 | 50-295 | Q |
| 9612160019 | 9612160018 | 96/12/09 | 50-440 | Q | 9612170282 | 9612170274 | 96/12/05 | 50-424 | Q |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 9612170286 | 9612170280 | 96/11/26 | 50-335 | Q | 9612180395 | 9612180388 | 96/12/10 | 40-6659 | |
| 9612170288 | 9612170274 | 96/12/05 | 50-424 | Q | 9612180397 | 9612180394 | 96/12/12 | 50-245 | S |
| 9612170291 | 9612170242 | 96/12/10 | 40-7604 | | 9612180401 | 9612180379 | 96/12/17 | COMMISSIO | N |
| 9612170294 | 9612170220 | 96/12/05 | 50-309 | H | 9612180403 | 9612180379 | 96/12/17 | COMMISSIO | N |
| 9612170305 | 9612170301 | 96/12/10 | 50-271 | P | 9612180409 | 9612180405 | 96/12/10 | 50-458 | K |
| 9612170309 | 9612170293 | 96/12/10 | REVIEW GR | P | 9612180417 | 9612180410 | 96/04/02 | 71-3024 | |
| 9612170310 | 9612170220 | 96/12/05 | 50-309 | H | 9612180423 | 9612180419 | 96/11/25 | 50-263 | P |
| 9612170321 | 9612170220 | 96/12/05 | 50-289 | H | 9612180425 | 9612180399 | 96/12/16 | 50-245 | S |
| 9612170325 | 9612170318 | 96/12/09 | 50-255 | Q | 9612180428 | 9612180419 | 96/11/25 | 50-263 | P |
| 9612170326 | 9612170297 | 96/12/02 | 50-390 | Q | 9612180438 | 9612180435 | 96/12/02 | 50-346 | K |
| 9612170331 | 9612170297 | 96/12/02 | 50-390 | Q | 9612180439 | 9612180437 | 96/12/16 | 50-245 | S |
| 9612170335 | 9612170315 | 96/12/10 | 50-445 | S | 9612180440 | 9612180435 | 96/12/02 | 50-346 | K |
| 9612170336 | 9612170318 | 96/12/09 | 50-255 | Q | 9612180441 | 9612180418 | 96/12/09 | 50-133 | P |
| 9612170342 | 9612170339 | 96/12/10 | 50-255 | P | 9612180443 | 9612190418 | 96/12/09 | 50-133 | P |
| 9612170345 | 9612170220 | 96/12/05 | 50-289 | H | 9612180447 | 9612190418 | 96/12/09 | 50-133 | P |
| 9612170352 | 9612170351 | 96/12/11 | 50-346 | P | 9612180451 | 9612180444 | 96/12/13 | 50-245 | S |
| 9612170353 | 9612170220 | 96/12/05 | 50-309 | H | 9612180453 | 9612180449 | 96/12/13 | 50-440 | P |
| 9612170354 | 9612170351 | 96/12/11 | 50-346 | P | 9612180457 | 9612180455 | 96/12/13 | 50-346 | P |
| 9612170357 | 9612170349 | 96/12/10 | 50-237 | S | 9612190011 | 9612190009 | 96/12/05 | 50-302 | Q |
| 9612170369 | 9612170360 | 96/12/09 | 50-280 | Q | 9612190034 | 9612190026 | 96/12/13 | 50-333 | Q |
| 9612170370 | 9612170365 | 96/12/11 | 50-259 | P | 9612190037 | 9612190029 | 96/12/12 | 50-220 | Q |
| 9612170374 | 9612170360 | 96/12/09 | 50-280 | Q | 9612190038 | 9612190032 | 96/12/12 | 50-244 | Q |
| 9612170382 | 9612170365 | 96/12/11 | 50-259 | P | 9612190039 | 9612190026 | 96/12/13 | 50-333 | Q |
| 9612170383 | 9612170379 | 96/12/09 | 50-275 | P | 9612190052 | 9612190051 | 96/12/12 | 50-498 | P |
| 9612170388 | 9612170365 | 96/12/11 | 50-259 | P | 9612190071 | 9612190055 | 96/12/16 | 50-245 | S |
| 9612170389 | 9612170379 | 96/12/09 | 50-275 | P | 9612190077 | 9612190064 | 96/11/12 | 50-369 | F |
| 9612170394 | 9612170373 | 96/12/09 | 50-336 | S | 9612190083 | 9612190082 | 96/12/16 | 50-454 | F |
| 9612170401 | 9612170387 | 96/12/02 | 50-302 | Q | 9612190097 | 9612190085 | 96/12/11 | 52-3 | |
| 9612170410 | 9612170407 | 96/12/11 | 50-295 | P | 9612190120 | 9612190118 | 96/12/12 | 50-456 | R |
| 9612170417 | 9612170397 | 96/12/04 | 50-348 | Q | 9612190147 | 9612190141 | 96/12/12 | 50-344 | W |
| 9612170419 | 9612170412 | 96/12/12 | 50-344 | W | 9612190150 | 9612190141 | 96/12/12 | 50-344 | W |
| 9612170420 | 9612170406 | 96/12/06 | 50-423 | S | 9612190178 | 9612180251 | 96/12/16 | COMMISSIO | N |
| 9612170422 | 9612170416 | 96/12/02 | 50-338 | Q | 9612190192 | 9612190172 | 96/12/16 | 50-245 | S |
| 9612170427 | 9612170416 | 96/12/02 | 50-338 | Q | 9612190251 | 9612190227 | 96/11/07 | PR | |
| 9612170436 | 9612170430 | 96/12/04 | 50-269 | Q | 9612190252 | 9612190245 | 96/11/22 | PRM | |
| 9612170442 | 9612170430 | 96/12/04 | 50-269 | Q | 9612190257 | 9612190245 | 96/11/22 | PRM | |
| 9612170443 | 9612170434 | 96/12/06 | 50-395 | Q | 9612190270 | 9612190263 | 96/12/16 | 50-245 | P |
| 9612170453 | 9612170449 | 96/12/11 | 50-321 | P | 9612190287 | 9612190275 | 96/12/17 | 50-255 | H |
| 9612170459 | 9612170457 | 96/12/11 | 71-470 | | 9612190316 | 9612190309 | 96/12/16 | FOIA | |
| 9612180004 | 9612160288 | 96/12/13 | 50-206 | P | 9612190320 | 9612190309 | 96/12/16 | FOIA | |
| 9612180020 | 9612180015 | 96/12/06 | 50-440 | R | 9612190327 | 9612190309 | 96/12/16 | FOIA | |
| 9612180040 | 9612180037 | 96/12/13 | 50-413 | R | 9612190328 | 9612190309 | 96/12/16 | FOIA | |
| 9612180043 | 9612180037 | 96/12/13 | 50-413 | R | 9612190331 | 9612190325 | 96/12/13 | 50-461 | P |
| 9612180048 | 9612170440 | 96/12/12 | 71-***** | | 9612190335 | 9612190325 | 96/12/13 | 50-461 | P |
| 9612180057 | 9612180035 | 96/12/11 | 50-237 | S | 9612190344 | 9612190339 | 96/12/16 | 50-269 | P |
| 9612180059 | 9612180056 | 96/12/13 | 50-369 | R | 9612190345 | 9612190338 | 96/12/13 | 50-305 | P |
| 9612180063 | 9612180056 | 96/12/13 | 50-369 | R | 9612190351 | 9612190338 | 96/12/13 | 50-305 | P |
| 9612180072 | 9612180068 | 96/12/13 | 50-245 | S | 9612190362 | 9612190358 | 96/12/10 | COMMISSIO | N |
| 9612180078 | 9612180073 | 96/12/05 | 50-266 | R | 9612190382 | 9612190370 | 96/12/17 | QA999 | |
| 9612180090 | 9612180073 | 96/12/05 | 50-266 | R | 9612190383 | 9612190373 | 96/12/09 | 50-456 | Q |
| 9612180106 | 9612180099 | 96/12/13 | 50-269 | R | 9612190388 | 9612190370 | 96/12/17 | QA999 | |
| 9612180116 | 9612180087 | 96/12/10 | 50-266 | G | 9612190392 | 9612190387 | 96/12/10 | 50-341 | Q |
| 9612180129 | 9612180099 | 96/12/13 | 50-269 | R | 9612190394 | 9612190370 | 96/12/17 | QA999 | |
| 9612180140 | 9612180087 | 96/12/10 | 50-266 | G | 9612190403 | 9612190396 | 96/12/13 | ORG | |
| 9612180152 | 9612180150 | 96/12/11 | PROJ | | 9612190411 | 9612090235 | 96/11/27 | PR | |
| 9612180156 | 9612180087 | 96/12/10 | 50-266 | G | 9612190412 | 9612190407 | 96/12/10 | 50-346 | Q |
| 9612180182 | 9612180176 | 96/12/12 | WASTE MGT | | 9612190418 | 9612190416 | 96/12/06 | 52-3 | |
| 9612180191 | 9612180188 | 96/12/11 | 50-390 | P | 9612200034 | 9612200031 | 96/12/11 | 50-255 | Q |
| 9612180204 | 9612180197 | 96/12/16 | 50-336 | R | 9612200036 | 9612200033 | 96/12/18 | 40-***** | |
| 9612180208 | 9612180203 | 96/12/10 | 50-286 | P | 9612200053 | 9612200048 | 96/12/16 | 50-298 | Q |
| 9612180210 | 9612180197 | 96/12/16 | 50-336 | R | 9612200056 | 9612200045 | 96/12/18 | 40-***** | |
| 9612180213 | 9612180197 | 96/12/16 | 50-336 | R | 9612200061 | 9612200058 | 96/12/16 | 50-245 | S |
| 9612180214 | 9612180203 | 96/12/10 | 50-286 | P | 9612200067 | 9612200065 | 96/12/16 | 50-361 | Q |
| 9612180222 | 9612180197 | 96/12/16 | 50-336 | R | 9612200069 | 9612200065 | 96/12/16 | 50-361 | Q |
| 9612180225 | 9612180087 | 96/12/10 | 50-266 | G | 9612200070 | 9612200068 | 96/12/16 | 70-7001 | |
| 9612180228 | 9612180197 | 96/12/16 | 50-336 | R | 9612200071 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180229 | 9612180197 | 96/12/16 | 50-336 | R | 9612200074 | 9612200068 | 96/12/16 | 70-7001 | |
| 9612180234 | 9612180230 | 96/11/27 | 70-133 | | 9612200075 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180235 | 9612180197 | 96/12/16 | 50-336 | R | 9612200083 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180236 | 9612180230 | 96/11/27 | 70-133 | | 9612200086 | 9612200079 | 96/12/13 | 50-336 | P |
| 9612180239 | 9612180217 | 96/12/10 | 50-255 | Y | 9612200087 | 9612200085 | 96/12/16 | 50-244 | P |
| 9612180241 | 9612180197 | 96/12/16 | 50-336 | R | 9612200088 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180247 | 9612180197 | 96/12/16 | 50-336 | R | 9612200094 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180272 | 9612180294 | 96/12/11 | 50-155 | F | 9612200097 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180282 | 9612180267 | 96/10/29 | 70-7001 | | 9612200100 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180286 | 9612180267 | 96/10/29 | 70-7001 | | 9612200103 | 9612200066 | 96/12/11 | 40-8584 | |
| 9612180288 | 9612180276 | 96/12/06 | 50-333 | P | 9612200104 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180300 | 9612180294 | 96/12/11 | 50-155 | F | 9612200108 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180303 | 9612180276 | 96/12/06 | 50-333 | P | 9612200111 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180306 | 9612180217 | 96/12/10 | 50-255 | Y | 9612200115 | 9612200109 | 96/12/10 | 50-220 | Q |
| 9612180307 | 9612180301 | 96/12/12 | 50-266 | P | 9612200116 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180348 | 9612180345 | 96/12/12 | PROJ | | 9612200119 | 9612200063 | 96/12/16 | 50-245 | R |
| 9612180350 | 9612180345 | 96/12/12 | PROJ | | 9612200125 | 9612200118 | 96/12/11 | 50-454 | Q |
| 9612180371 | 9612180360 | 96/12/12 | 50-424 | P | 9612200128 | 9612200123 | 96/12/17 | 70-1100 | |
| 9612180374 | 9612180369 | 96/12/16 | 40-8474 | | 9612200136 | 9612200127 | 96/12/10 | 50-265 | S |
| 9612180375 | 9612180372 | 96/12/13 | 52-2 | | 9612200175 | 9612200172 | 96/12/18 | 50-423 | P |
| 9612180386 | 9612180379 | 96/12/17 | COMMISSIO | N | 9612200202 | 9612200196 | 96/12/16 | 50-346 | P |
| 9612180391 | 9612180379 | 96/12/17 | COMMISSIO | N | 9612200218 | 9612190309 | 96/12/16 | FOIA | |

| ACCESSION NUMBER | | | | ACCESSION NUMBER | | | |
|---|---|---|---|---|---|---|---|
| ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY |
| 9612200202 | 9612200196 | 96/12/16 | 50-346 P | 9612260050 | 9612260049 | 96/12/20 | 50-277 Q |
| 9612200218 | 9612190309 | 96/12/16 | FOIA | 9612260060 | 9612260051 | 96/11/27 | WASTE MGT |
| 9612200220 | 9612200216 | 96/12/09 | STATE PRO G | 9612260069 | 9612260063 | 96/12/17 | 72-18 |
| 9612200229 | 9612200226 | 96/12/13 | WASTE MGT | 9612260084 | 9612260082 | 96/12/16 | 50-219 G |
| 9612200233 | 9612200123 | 96/12/17 | 70-1100 | 9612260088 | 9612260086 | 96/12/18 | 50-261 P |
| 9612200239 | 9612200232 | 96/12/09 | STATE PRO G | 9612260100 | 9612260097 | 96/12/23 | 50-341 P |
| 9612200243 | 9612200242 | 96/12/13 | 50-321 P | 9612260103 | 9612260097 | 96/12/23 | 50-341 P |
| 9612200271 | 9612200268 | 96/12/13 | 50-244 P | 9612260105 | 9612260093 | 96/12/17 | 70-143 |
| 9612200286 | 9612200280 | 96/12/16 | 50-335 P | 9612260111 | 9612260109 | 96/12/19 | 50-344 F |
| 9612200291 | 9612200288 | 96/12/11 | 50-247 P | 9612260116 | 9612260093 | 96/12/17 | 70-143 |
| 9612230057 | 9612230048 | 96/12/13 | QA999 | 9612260121 | 9612260112 | 96/12/19 | 50-289 P |
| 9612230070 | 9612230066 | 96/12/19 | 50-382 Q | 9612260123 | 9612260118 | 96/12/10 | 50-409 W |
| 9612230167 | 9612180008 | 96/12/10 | COMMISSIO N | 9612260126 | 9612260119 | 96/10/18 | 50-255 Q |
| 9612230177 | 9612230172 | 96/12/18 | 50-193 P | 9612260129 | 9612260119 | 96/10/18 | 50-255 Q |
| 9612230182 | 9612230172 | 96/12/18 | 50-193 P | 9612260140 | 9612240116 | 96/12/17 | XPORTLIC |
| 9612230214 | 9612230202 | 96/12/19 | 50-255 G | 9612260141 | 9612260093 | 96/12/17 | 70-143 |
| 9612230215 | 9612230211 | 96/12/13 | 50-382 Q | 9612260144 | 9612260135 | 96/12/19 | STATE PRO G |
| 9612230230 | 9612230202 | 96/12/19 | 50-255 G | 9612260146 | 9612260142 | 96/12/16 | 50-309 R |
| 9612230251 | 9612230244 | 96/12/12 | 50-267 Y | 9612260148 | 9612260137 | 96/12/13 | 50-423 S |
| 9612230309 | 9612230295 | 96/12/19 | 70-7002 | 9612260153 | 9612260145 | 96/12/17 | STATE PRO G |
| 9612230310 | 9612230301 | 96/12/11 | 40-8936 | 9612260162 | 9612260145 | 96/12/17 | STATE PRO G |
| 9612230313 | 9612230301 | 96/12/11 | 40-8936 | 9612260168 | 9612260163 | 96/12/19 | 50-382 Q |
| 9612230320 | 9612230314 | 96/12/16 | 50-261 Q | 9612260169 | 9612260156 | 96/12/13 | 50-423 S |
| 9612230323 | 9612230314 | 96/12/16 | 50-261 Q | 9612260170 | 9612260165 | 96/12/23 | 50-267 Q |
| 9612230325 | 9612230317 | 96/12/10 | 50-293 P | 9612260175 | 9612260163 | 96/12/19 | 50-382 Q |
| 9612230328 | 9612230316 | 96/12/18 | 70-1113 | 9612260177 | 9612260145 | 96/12/17 | STATE PRO G |
| 9612230352 | 9612230347 | 96/12/17 | 50-338 P | 9612260185 | 9612260154 | 96/12/20 | 50-298 Q |
| 9612230358 | 9612230353 | 96/12/13 | 50-324 Q | 9612260189 | 9612260181 | 96/12/13 | 50-423 S |
| 9612230369 | 9612230365 | 96/12/13 | 70-143 | 9612260191 | 9612260182 | 96/12/20 | 50-317 Q |
| 9612230370 | 9612230362 | 96/12/06 | 50-261 Q | 9612260192 | 9612260154 | 96/12/20 | 50-298 Q |
| 9612230372 | 9612230362 | 96/12/06 | 50-261 Q | 9612260194 | 9612260182 | 96/12/20 | 50-317 Q |
| 9612230377 | 9612230368 | 96/12/17 | 50-353 P | 9612260195 | 9612260193 | 96/12/12 | 50-397 P |
| 9612230382 | 9612230376 | 96/12/10 | 50-250 Q | 9612260208 | 9612260199 | 96/12/19 | 50-498 Q |
| 9612230386 | 9612230375 | 96/12/16 | 40-9016 | 9612260209 | 9612260206 | 96/12/17 | 50-321 P |
| 9612230396 | 9612230393 | 96/12/16 | 50-244 K | 9612260215 | 9612260211 | 96/12/18 | 50-293 Q |
| 9612230408 | 9612230405 | 96/12/18 | 70-27 | 9612260217 | 9612260216 | 96/12/18 | 40-8903 |
| 9612230415 | 9612230413 | 96/12/17 | 50-361 Q | 9612260218 | 9612260211 | 96/12/18 | 50-293 Q |
| 9612230416 | 9612230413 | 96/12/17 | 50-361 Q | 9612260220 | 9612260213 | 96/12/19 | 50-344 W |
| 9612240006 | 9612240003 | 96/12/17 | 50-247 V | 9612260223 | 9612260216 | 96/12/18 | 40-8903 |
| 9612240020 | 9612240014 | 96/12/09 | 50-373 Q | 9612260226 | 9612260216 | 96/12/18 | 40-8903 |
| 9612240022 | 9612240014 | 96/12/09 | 50-373 Q | 9612260229 | 9612260224 | 96/12/20 | XPORTLIC |
| 9612240026 | 9612230286 | 96/12/18 | STATE PRO G | 9612260234 | 9612260233 | 96/12/19 | 50-368 P |
| 9612240031 | 9612240028 | 96/12/18 | 50-277 Q | 9612260238 | 9612260237 | 96/12/19 | 50-368 P |
| 9612240036 | 9612240028 | 96/12/18 | 50-277 Q | 9612260240 | 9612260236 | 96/09/19 | 50-10 Q |
| 9612240079 | 9612240073 | 96/12/17 | 50-369 P | 9612260250 | 9612260246 | 96/12/19 | 50-368 P |
| 9612240105 | 9612240102 | 96/12/12 | 50-413 P | 9612260252 | 9612260249 | 96/12/18 | 50-454 Q |
| 9612240109 | 9612240088 | 96/12/16 | COMMISSIO N | 9612260254 | 9612260248 | 96/10/10 | 70-143 |
| 9612240113 | 9612230221 | 96/12/09 | 50-352 P | 9612260256 | 9612260248 | 96/10/10 | 70-143 |
| 9612240137 | 9612240133 | 96/12/13 | 50-445 Q | 9612260257 | 9612260247 | 96/12/19 | 50-266 Q |
| 9612240142 | 9612230394 | 96/10/31 | 50-369 F | 9612260259 | 9612260248 | 96/10/10 | 70-143 |
| 9612240144 | 9612240141 | 96/12/16 | 50-266 P | 9612260261 | 9612260248 | 96/10/10 | 70-143 |
| 9612240145 | 9612230392 | 96/12/11 | 50-354 P | 9612260266 | 9612260260 | 96/12/17 | 50-293 P |
| 9612240149 | 9612240143 | 96/12/13 | 50-482 Q | 9612260267 | 9612260264 | 96/12/12 | 70-143 |
| 9612240152 | 9612240143 | 96/12/13 | 50-482 Q | 9612260269 | 9612260265 | 96/12/20 | 50-277 Q |
| 9612240157 | 9612240155 | 96/12/17 | 70-1113 | 9612260277 | 9612260275 | 96/12/18 | 50-272 F |
| 9612240185 | 9612240178 | 96/12/16 | 50-282 P | 9612260292 | 9612260289 | 96/12/13 | 71-9218 |
| 9612240191 | 9612230202 | 96/12/19 | 50-255 G | 9612260295 | 9612260293 | 96/12/20 | 70-36 |
| 9612240193 | 9612240190 | 96/12/18 | 50-388 P | 9612260298 | 9612260294 | 96/12/19 | 50-245 S |
| 9612240194 | 9612240189 | 96/12/19 | 50-10 W | 9612260299 | 9612260296 | 96/12/19 | 50-271 P |
| 9612240196 | 9612240192 | 96/12/16 | 50-289 P | 9612260305 | 9612260302 | 96/12/18 | 50-247 F |
| 9612240197 | 9612240195 | 96/12/13 | STATE PRO G | 9612260309 | 9612260301 | 96/12/16 | STATE PRO G |
| 9612240198 | 9612240192 | 96/12/16 | 50-289 P | 9612260310 | 9612260307 | 96/12/18 | WASTE MGT |
| 9612240199 | 9612240188 | 96/12/16 | 50-255 S | 9612260312 | 9612260301 | 96/12/16 | STATE PRO G |
| 9612240202 | 9612240200 | 96/12/19 | 50-266 P | 9612260315 | 9612260314 | 96/11/14 | 50-338 K |
| 9612240203 | 9612240195 | 96/12/13 | STATE PRO G | 9612260317 | 9612260316 | 96/12/19 | 50-213 Q |
| 9612240205 | 9612240204 | 96/12/20 | 50-334 P | 9612260322 | 9612260320 | 96/12/19 | 50-335 P |
| 9612240238 | 9612240232 | 96/12/16 | 50-275 P | 9612260323 | 9612260321 | 96/12/19 | 50-313 P |
| 9612240269 | 9612240267 | 96/12/17 | 50-250 P | 9612260324 | 9612260320 | 96/12/19 | 50-335 P |
| 9612240273 | 9612240268 | 96/12/16 | COMMISSIO N | 9612260325 | 9612260320 | 96/12/19 | 50-335 P |
| 9612240280 | 9612240271 | 96/12/20 | 50-255 P | 9612260328 | 9612260327 | 96/12/19 | 50-382 P |
| 9612240291 | 9612240286 | 96/12/13 | 50-302 P | 9612270002 | 9612270001 | 96/12/06 | 72-1021 |
| 9612240294 | 9612240289 | 96/12/09 | 50-285 P | 9612270005 | 9612270004 | 96/12/18 | 52-3 |
| 9612240299 | 9612240292 | 96/12/10 | 50-528 P | 9612270009 | 9612270008 | 96/12/20 | 71-9212 |
| 9612240300 | 9612240292 | 96/12/10 | 50-528 P | 9612270010 | 9612270008 | 96/12/20 | 71-9212 |
| 9612240307 | 9612240304 | 96/12/20 | 50-295 P | 9612270012 | 9612270011 | 96/12/17 | 50-29 W |
| 9612240308 | 9612240304 | 96/12/20 | 50-295 P | 9612270015 | 9612270013 | 96/12/19 | 52-3 |
| 9612240317 | 9612240315 | 96/12/19 | 50-261 P | 9612270023 | 9612270021 | 96/12/17 | 50-267 Y |
| 9612240325 | 9612240324 | 96/12/18 | 50-237 P | 9612270027 | 9612270021 | 96/12/17 | 50-267 Y |
| 9612260011 | 9612260007 | 96/12/19 | 50-397 V | 9612270047 | 9612230208 | 96/12/13 | COMMISSIO N |
| 9612260022 | 9612260020 | 96/12/17 | COMMISSIO N | 9612270051 | 9612230208 | 96/12/13 | COMMISSIO N |
| 9612260025 | 9612260020 | 96/12/17 | COMMISSIO N | 9612270052 | 9612270048 | 96/12/26 | 50-237 Q |
| 9612260029 | 9612260020 | 96/12/17 | COMMISSIO N | 9612270064 | 9612270062 | 96/12/13 | 50-324 Q |
| 9612260034 | 9612260020 | 96/12/17 | COMMISSIO N | 9612270067 | 9612270062 | 96/12/13 | 50-324 Q |
| 9612260037 | 9612260020 | 96/12/17 | COMMISSIO N | 9612270071 | 9612270070 | 96/12/17 | 50-254 P |
| 9612260039 | 9612260036 | 96/12/13 | 50-423 S | 9612270074 | 9612270073 | 96/12/20 | 50-335 P |
| 9612260045 | 9612260041 | 96/12/17 | COMMISSIO N | 9612270076 | 9612270073 | 96/12/20 | 50-335 P |
| 9612260047 | 9612260044 | 96/08/29 | 50-498 F | 9612270088 | 9612270082 | 96/12/17 | 50-455 Q |

| ACCESSION NUMBER | | | | ACCESSION NUMBER | | | |
|---|---|---|---|---|---|---|---|
| ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY | ENCLOSURE | PRINCIPAL DOCUMENT | DATE ISSUED | SUBJECT CATEGORY |
| 9612270095 | 9612270091 | 96/12/16 | 50-244 R | 9612300038 | 9612300030 | 96/12/20 | 50-277 Q |
| 9612270098 | 9612270093 | 96/12/24 | XPORTLIC | 9612300053 | 9612300050 | 96/12/26 | 50-382 Q |
| 9612270099 | 9612270093 | 96/12/24 | XPORTLIC | 9612300059 | 9612300057 | 96/12/24 | 50-298 Q |
| 9612270104 | 9612260115 | 96/12/18 | 50-482 P | 9612300063 | 9612300061 | 96/12/20 | 70-139 |
| 9612270105 | 9612270102 | 96/12/20 | 50-482 P | 9612300065 | 9612300062 | 96/12/22 | 40-8027 |
| 9612270106 | 9612270100 | 96/12/11 | 50-255 Q | 9612300125 | 9612300124 | 96/12/12 | 71-5957 |
| 9612270108 | 9612270103 | 96/12/12 | 50-344 W | 9612300132 | 9612300131 | 96/12/19 | 50-341 R |
| 9612270112 | 9612270111 | 96/12/20 | 50-315 P | 9612310018 | 9612310014 | 96/12/20 | 50-254 Q |
| 9612270114 | 9612270113 | 96/12/20 | 50-182 R | 9612310021 | 9612310014 | 96/12/20 | 50-254 Q |
| 9612270115 | 9612270113 | 96/12/20 | 50-182 R | 9612310051 | 9612310044 | 96/12/23 | 50-295 Q |
| 9612270116 | 9612270113 | 96/12/20 | 50-182 R | 9612310053 | 9612310044 | 96/12/23 | 50-295 Q |
| 9612270117 | 9612270113 | 96/12/20 | 50-182 R | 9612310057 | 9612310055 | 96/12/20 | 50-266 Q |
| 9612270119 | 9612270113 | 96/12/20 | 50-182 R | 9612310073 | 9612310072 | 96/12/23 | 50-272 P |
| 9612270120 | 9612270113 | 96/12/20 | 50-182 R | 9612310074 | 9612310083 | 96/12/16 | TOPREP |
| 9612270121 | 9612270113 | 96/12/20 | 50-182 R | 9612310075 | 9612310068 | 96/12/16 | 50-409 F |
| 9612270122 | 9612270113 | 96/12/20 | 50-182 R | 9612310085 | 9612310083 | 96/12/16 | TOPREP |
| 9612270124 | 9612270113 | 96/12/20 | 50-182 R | 9612310092 | 9612310088 | 96/12/11 | 50-272 Q |
| 9612270130 | 9612270113 | 96/12/20 | 50-182 R | 9612310097 | 9612310095 | 96/12/11 | 50-272 Q |
| 9612270131 | 9612270128 | 96/12/13 | 50-244 Q | 9612310143 | 9612310135 | 96/12/24 | 50-213 Q |
| 9612270133 | 9612270113 | 96/12/20 | 50-182 R | 9612310146 | 9612310144 | 96/12/24 | 50-331 P |
| 9612270137 | 9612270136 | 96/12/13 | 70-27 | 9612310147 | 9612310135 | 96/12/24 | 50-213 Q |
| 9612270139 | 9612270113 | 96/12/20 | 50-182 R | 9612310154 | 9612310152 | 96/12/26 | 50-382 P |
| 9612270140 | 9612270113 | 96/12/20 | 50-182 R | 9612310155 | 9612310148 | 96/12/24 | 50-443 Q |
| 9612270142 | 9612270113 | 96/12/20 | 50-182 R | 9612310158 | 9612310151 | 96/12/24 | 50-213 H |
| 9612270143 | 9612270113 | 96/12/20 | 50-182 R | 9612310160 | 9612310148 | 96/12/24 | 50-443 Q |
| 9612270145 | 9612270113 | 96/12/20 | 50-182 R | 9612310162 | 9612310151 | 96/12/24 | 50-213 H |
| 9612270146 | 9612270113 | 96/12/20 | 50-182 R | 9612310165 | 9612310161 | 96/12/23 | 50-334 Q |
| 9612270147 | 9612270113 | 96/12/20 | 50-182 R | 9612310167 | 9612310164 | 96/12/23 | 50-254 S |
| 9612270154 | 9612270152 | 96/12/12 | WASTE MGT | 9612310172 | 9612310170 | 96/12/20 | 50-315 P |
| 9612300004 | 9612300003 | 96/12/19 | STATE PRO G | 9612310176 | 9612270052 | 96/12/24 | 50-237 Q |
| 9612300007 | 9612300003 | 96/12/19 | STATE PRO G | 9612310177 | 9612310175 | 96/12/13 | 50-461 P |
| 9612300032 | 9612300025 | 96/12/26 | 50-298 Q | 9612310181 | 9612310179 | 96/12/23 | ORG |
| 9612300035 | 9612300025 | 96/12/26 | 50-298 Q | 9612310183 | 9612310182 | 96/12/24 | 50-133 P |
| | | | | 9612310188 | 9612310186 | 96/12/24 | 50-354 Q |

# APPENDIX A

## DEFINITIONS OF DOCKET CATEGORIES

### DOCKET 27 – Low-Level Radioactive Waste Disposal Sites

The Docket 27 series contains documentation concerning the licensing of land disposal of low-level radioactive wastes. In the past, waste disposal licensees were assigned unique Docket 27 numbers. Unlike the other docket series, the first two digits of these docket numbers do not correspond to the part of 10 CFR that specifies NRC's authority for issuing these licenses and the regulations that these licensees must follow. The Docket 27 licenses were issued in accordance with Parts 30, 40, and 70 of 10 CFR in the absence of any final regulations governing the licensing of land disposal low-level radioactive wastes.

In the future, these licensing actions will be governed by 10 CFR Part 61, "Licensing Requirements for Land Disposal of Radioactive Waste." The prefix will then become Docket 61 followed by assigned numbers identifying a specific facility. Documents in these files include:

- Application for land disposal of low-level radioactive waste and supporting documents
- License and amendments
- Correspondence to and from the applicant regarding the application, license, and amendments
- Environmental report and supporting documents
- Inspection and enforcement reports and related correspondence
- Adjudicatory documents relating to proceedings before the Licensing Board and the Commission

### DOCKET 30 – Byproduct Material Licenses

The Docket 30 series contains documentation on the possession or use of nuclear byproduct materials for medical, industrial, and academic purposes. **These documents are maintained in the PDR on microfiche only.**

Documents in this series include:

- Application for a license, license amendments, and license renewals or modifications to the byproduct material license and related correspondence
- Denial, revocation, and suspension of a license and related correspondence

# DEFINITIONS OF DOCKET CATEGORIES

## DOCKET 30 – Byproduct Material Licenses (continued)

- Records related to the NRC inspection program and related correspondence
- Preliminary Notifications of Occurrences (PNOs), enforcement actions, civil penalties, and related correspondence
- Event reports, misadministration reports, and related correspondence
- Correspondence to and from local and State governments
- Adjudicatory documentation relating to proceedings before the Licensing Board and the Commission
- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties
- Periodic reports from licensees and related correspondence

## DOCKET 40 – Nuclear Source Material Facilities

The Docket 40 series contains documentation concerning the domestic licensing of nuclear byproduct materials relating to source material licenses. Licenses issued in accordance with 10 CFR Part 40 cover the possession, use, and processing of ores (uranium and thorium) and possession and use of uranium and thorium in a refined form. Each license application is assigned a unique Docket 40 number.

Paper files are maintained in the PDR for only those Docket 40 licensees involved in the nuclear fuel cycle; that is, mines, mills, and research and development facilities. Material on other licensees, such as those for possession of material for medical and industrial uses, are available **on microfiche only**. Documents in these files include:

- Application for a license, license amendments and license renewals for source material license
- Source material license and license amendments
- Licensee-issued Environmental Report (ER) for those license applications that must comply with the National Environmental Policy Act (NEPA)
- NRC-issued Draft and Final Environmental Statements (DES and FES) for license applications that must comply with NEPA
- Site visits and related correspondence
- Inspection reports and related correspondence
- Environmental monitoring reports
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board and the Commission

# DEFINITIONS OF DOCKET CATEGORIES

## DOCKET 40 – Nuclear Source Material Facilities (continued)

- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties

NOTE: For transcripts of Commission meetings and papers submitted for Commission consideration on a specific docket, see the 10 CFR 9.7 and SECY nondocketed files.

## DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants

The Docket 50 series contains documentation concerning the domestic licensing of production and utilization facilities. Licenses issued in accordance with 10 CFR Part 50 cover commercial nuclear power plants; experimental, research, and test reactors; and fuel fabrication facilities. The NRC staff assigns Docket 50 number when it considers that the application and the Preliminary Safety Analysis Report (PSAR) submitted are complete for staff review. "Pre-docketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of a facility, each Docket 50 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types.

A. Application/Construction Stage Documents and Related Correspondence

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

C. Utility Environmental Report (ER), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and Related Correspondence

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence

F. Security, Medical, Emergency, and Fire Protection Plans

G. Non-Antitrust Legal and Adjudicatory Correspondence

H. General Correspondence

I. Financial Information

J. Insurance and Indemnity Information

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence

M. Antitrust Reviews and Related Correspondence

N. Antitrust Transcripts, Testimony, and Briefings

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence

# DEFINITIONS OF DOCKET CATEGORIES

**DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants** (continued)

P. Operating License Stage Documents and Related Correspondence

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence

R. Periodic Operating Reports and Related Correspondence

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notifications of Occurrences (PNOs), Preliminary Notifications of Safeguards Events (PNSs), and Related Correspondence

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters

U. Executive, Congressional, and State Government Correspondence

V. Licensing of Operators and Related Correspondence

W. Decommissioning Stage Documents and Related Correspondence

X. Onsite Storage of Low-Level Waste and Related Correspondence

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence

A detailed description of each category and the documents included in the files for each category follows.

## A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE

Documents in this category track the application from submittal to the day preceding the issuance of an operating license. It contains all correspondence and other documents with substantive technical content that are not in other specific categories. Included are:

- Application for construction permit
- General information submitted with the construction permit application
- Amendments and changes to the application
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Early site reviews
- Correspondence and documents relating to unresolved design and construction issues
- Meeting announcements and summaries of the meetings
- Correspondence relating to the utility's Preliminary Safety Analysis Report (PSAR).

# DEFINITIONS OF DOCKET CATEGORIES

## A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Construction permit, amendments, related correspondence, and orders issued by the Office of Nuclear Reactor Regulation (NRR) show-cause and modification orders which do not involve the former Atomic Safety Licensing and Appeal Board
- Scheduling of license application, amendments, and reviews
- Environmental review information (other environmental documents are filed in categories C, D, P, R, or W)
- Seismic qualification review team (SQRT) reports and related correspondence
- Application for operating license
- General information submitted with the Operating License application
- Amendments and changes to the application for Operating License
- Correspondence related to the utility's Final Safety Analysis Report (FSAR) and Updated Safety Analysis Report (USAR)
- Generic and administrative communications and related documentation that may affect the subject facility and which are *not covered by a bulletin or notice*
- Safety evaluation reports (SER) issued by the NRC on specific generic issues
- Reports on site visits
- Backup technical documents (e.g., topical reports) submitted in support of the application
- Probabilistic risk assessment (PRA) and related documentation
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Documents relating to possible equipment failure and emergency instructions
- NRC's changes in internal organizational structure

## B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category contains the Preliminary Safety Analysis Report (PSAR) submitted by the utility (formerly called Hazards Summary report or Safety Analysis Reports) and the following related material:

# DEFINITIONS OF DOCKET CATEGORIES

## B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS (CONTINUED)

- Amendments and changes to the PSAR
- Transmittal and acknowledgment letters
- Certificates of service to the PSAR

NOTE: All related correspondence is filed in category A.

## C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS, AND RELATED CORRESPONDENCE

The category contains the Environmental Report (ER) submitted by the utility and the following related material:

- Amendments and supplements to the ER
- *Federal Register* notices citing the availability of the ER and amendments
- Transmittal and acknowledgment letters
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs and applicant responses
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

## D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE

This category contains Draft and Final Environmental Statements (DES and FES) prepared by NRC, and the following related material:

- Supplements to the DES and FES
- *Federal Register* notices announcing the availability of the DES, FES, and supplements
- Correspondence relating to the DES and FES

# DEFINITIONS OF DOCKET CATEGORIES

## D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE (CONTINUED)

- Comments from other Federal, State and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER for purposes of preparing the environmental statements
- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meeting which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W

## E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE

This category contains the formal Safety Evaluation Report (SER) prepared by the NRC staff (formerly called NRC–AEC hazard analysis report) in review of PSAR, and the following related material:

- Supplements to the SER
- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER; and responses to such requests
- Meeting announcements and meeting summaries at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

# DEFINITIONS OF DOCKET CATEGORIES

## F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individually submitted by the applicant or licensee. Emergency and fire protection plans submitted as part of the licensing application are filed in this category.

- Fire hazard protection plan and surveys
- Plant evacuation correspondence
- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plan
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgment letters
- Meeting announcements and meeting summaries at which the primary subject of discussion is related to the aforementioned plans and topics

## G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR), and not before the licensing board, are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors

# DEFINITIONS OF DOCKET CATEGORIES

## G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (CONTINUED)

- Board orders and decisions
- Formal petitions for Commission action
- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

## H. GENERAL CORRESPONDENCE

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change–of–address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the facility, and NRC response
- Correspondence on purely administrative matters
- Letters of support, concern, or opposition to the facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational, or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by State and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

## I. FINANCIAL INFORMATION

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

# DEFINITIONS OF DOCKET CATEGORIES

## I. FINANCIAL INFORMATION (CONTINUED)

- Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

## J. INSURANCE AND INDEMNITY INFORMATION

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

## K. UTILITY FINAL AND UPDATED SAFETY ANALYSIS REPORTS (FSAR AND USAR) AND AMENDMENTS

This category contains the following utility documents:

- Final Safety Analysis Report (FSAR), formerly called Final Hazards Summary Report
- Updated Safety Analysis Report (USAR) periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSAR and USAR
- *Federal Register* notices announcing the availability of the FSAR and amendments
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence is filed in category A or P. Emergency and fire protection plans submitted as part of the licensing application are filed in category F.

## L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE

This category contains documents pertaining to the limited work authorization (LWA) whereby applicants can conduct limited site preparation and construction before the NRC grants a construction permit.

- Limited Work Authorization (LWA) and amendments

# DEFINITIONS OF DOCKET CATEGORIES

## L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (CONTINUED)

- Correspondence pertaining to work performed under the LWA

## M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE

This category contains documents submitted as part of the application for a construction permit and operating license that are entitled "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion concerns antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

## N. ANTITRUST TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains verbatim transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence is filed in category M.

## O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to facility license applications
- Announcements of ACRS meetings relating to facility license applications, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to both facility license applications and safety-related matters

# DEFINITIONS OF DOCKET CATEGORIES

## O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (CONTINUED)

- Technical correspondence and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS non-docket file.

## P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical documents dated from the issuance of the operating license until the order for termination of the license. Included are:

- Operating license, amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the operating license
- Correspondence regarding the utility's Final and Updated Safety Analysis Report (FSAR and USAR)
- *Federal Register* notices announcing availability of operating license, amendments, FSAR and USAR
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., topical reports) submitted in support of the aforementioned items
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the operating license, or technical issues arising after the issuance of the operating license
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers), regulations, laws, and changes in policy that may affect plant operation or the operating license
- NRC questions, RAIs, and licensee responses
- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Correspondence relating to NRC's Systematic Evaluation Program (SEP)
- Owners' group meeting announcements and reports

# DEFINITIONS OF DOCKET CATEGORIES

## P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Emergency core cooling system documents
- Radioactive waste information excluding onsite storage of low-level waste (filed in category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of the spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility but is *not covered by a Bulletin or Notice*
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inservice inspections, which are filled in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license and to dismantle and dispose of component parts
- Information on changes in NRC's internal organizational structure

# DEFINITIONS OF DOCKET CATEGORIES

## Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE

This category contains the following applicant/licensee material:

- Inspection reports
- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Circulars (discontinued in 1981) and Information Notices, and related correspondence
- Applicant/licensee determinations of the proprietary nature of inspection reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demands for Information (DFIs)
- Correspondence and orders relating to the imposition and payment of civil penalties, including Enforcement Notifications (ENs) and Significant Enforcement Actions (EAs)
- Notices of deviation and related correspondence
- Notices of enforcement conferences, meetings, and related reports
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk–based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (ITT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification Program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see non-docket I&E file.

# DEFINITIONS OF DOCKET CATEGORIES

## R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommissioning stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic personnel exposure reports
- Periodic fitness for duty performance data
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with licensing board orders)
- Operational logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence and other documents relating to the aforementioned items

## S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, special reports, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a Preliminary Notification of Occurrence (PNO), Preliminary Notification of Safeguards Events (PNS), and related correspondence
- Environmental technical specifications violation reports and environmental event reports

# DEFINITIONS OF DOCKET CATEGORIES

## S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (CONTINUED)

- Part 21 reports of defects and noncompliance
- Correspondence and other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E non-docket file.

## T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) transcripts
- Testimony and statements submitted to ASLB and the former ASLAB
- Transcripts of Commission meeting
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in ACRS and 9.7 nondocket files.

## U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches
- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned

# DEFINITIONS OF DOCKET CATEGORIES

## U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (CONTINUED)

- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

## V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

## W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical items dated from the order to terminate the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling and Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning
- All documentation relating to the ongoing operation of the plant which was formerly filed in category P

# DEFINITIONS OF DOCKET CATEGORIES

## X. ONSITE STORAGE OF LOW–LEVEL WASTE AND RELATED CORRESPONDENCE

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store LLW at a commercial reactor site
- Technical reports and related correspondence

NOTE: The documents in this category will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 50 number.

## Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE

This category contains material related to license applications, license, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such ISFSIs may be on a reactor site or at a separate site.)

- All related correspondence and reports to the aforementioned items

NOTE: The documents in this category will have an NMSS Docket 72 license number. For these installations on a reactor site, the associated Docket 50 number also has been referenced.

## Docket 52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants

The Docket 52 series contains documentation on the domestic licensing of production facilities. Licenses issued in accordance with 10 CFR Part 52 cover preliminary and final design approval of standard designs, early site permits, and combined licenses for nuclear power plants. A Docket 52 number is assigned when the NRC considers that the application submitted is complete for staff review. "Predocketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of an application, each Docket 52 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types. These categories are similar to those used for the Docket 50 files, but have been modified to reflect the special requirements of Docket 52 applications.

# DEFINITIONS OF DOCKET CATEGORIES

A. Application for Preliminary Design Approval (PDA), Final Design Approval and Design Certification (FDA/DC), Early Site Permit, Combined Construction/ Operating License (COL), and Related Correspondence

B. Vendor Preliminary Standard Safety Analysis Report (PSSAR–PDA stage), Utility Preliminary Safety Analysis Report (PSAR–COL stage), and Amendments

C. Severe Accident Mitigation Design Alternative Analysis (SAMDA–PDA andFDA/DC stages), Environmental Reports (ERs–Early Site Permit and COL stages), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and Related Correspondence (Early Site Permit and COL stages)

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

F. Reliability Assurance Program (RAP), Security, Medical, Emergency, and Fire Protection Plans (PDA, FDA/DC, and COL stages)

G. Non-Antitrust Legal and Adjudicatory Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

H. General Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

I. Financial Information (COL stage)

J. Insurance and Indemnity Information (COL stage)

K. Vendor Final Standard Safety Analysis Report (FSSAR–FDA/DC Stage), Utility Final Safety Analysis Report (FSAR–COL Stage), Updated Safety Analysis Report (USAR–COL Stage), and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence (COL Stage)

M. Antitrust Reviews and Related Correspondence (COL Stage)

N. Antitrust Hearing Transcripts, Testimony, and Briefings (COL Stage)

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

P. Post-Combined Construction/Operating License Stage Documents and Related Correspondence (COL Stage)

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence (COL Stage)

R. Periodic Operating Reports and Related Correspondence (COL Stage)

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notifications of Occurrences (PNOs), Preliminary Notifications of Safeguards Events (PNSs), and Related Correspondence (COL Stage)

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters (Early Site Permit, PDA, FDA/DC, and COL Stages)

## DEFINITIONS OF DOCKET CATEGORIES (CONTINUED)

U. Executive, Congressional, and State Government Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

V. Licensing of Operators and Related Correspondence (COL Stage)

W. Decommissioning Stage Documents and Related Correspondence (COL Stage)

X. Onsite Storage of Low-Level Waste and Related Correspondence (COL and Decommissioning Stages)

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence (COL and Decommissioning Stages)

A detailed description of each category and the documents included in each category follows.

### A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE

Documents in this category track the application for Preliminary Design Approval (PDA) or Final Design Approval and Design Certification (FDA/DC) to the issuance of the PDA or FDA, respectively, or the application of the early site permit until issuance of the permit. It contains all correspondence and documents with substantive technical content that are not in other specific categories. Included are:

- Application for preliminary design approval
- Application for final design approval and design certification
- Application for early site permit
- General information submitted with the application
- Amendments and changes submitted by applicants
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Meeting announcements and summaries of the meetings
- Correspondence relating to the Preliminary or Final Standard Safety Analysis Report (SSAR)
- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Preliminary Design Approval (PDA), and amendments and correspondence relating to the PDA
- Final Design Approval (FDA), and amendments and correspondence relating to the FDA
- Early site permit, amendments and related correspondence
- Scheduling documentation
- Backup technical documents (e.g., topical reports) submitted in support of the application

# DEFINITIONS OF DOCKET CATEGORIES

## A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT, COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE (CONTINUED)

- The design-specific Probabilistic Risk Assessment (PRA), and related documentation
- Proposed tests, analyses, and acceptance criteria and related documentation
- Design Acceptance Criteria (DAC) and related correspondence
- Documents addressing policy issues raised to the Commission via Commission papers
- Documents addressing resolution of issues for the application
- Generic and administrative communications and related documentation which may affect the subject facility and which are *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- NRC's changes in internal organizational structure

## B. VENDOR PRELIMINARY STANDARD SAFETY ANALYSIS REPORT (PSSAR–PDA STAGE), UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR–COL STAGE), AND AMENDMENTS

This category contains the following documents:

- Preliminary Standard Safety Analysis Report (PSSAR) submitted by vendor
- Amendments and changes to the PSSAR
- Preliminary Safety Analysis Report (PSAR) submitted by the utility
- Amendments and changes to the PSAR
- Transmittal and acknowledgement letters

NOTE: All related correspondence is filed in category A

## C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA-PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERs-EARLY SITE PERMIT AND COL STAGES), AMENDMENTS, AND RELATED CORRESPONDENCE

This category contains the following documents:

- Severe Accident Mitigation Design Alternatives Analysis (SAMDAs) required under the National Environmental Policy Act (NEPA) submitted by vendor

## DEFINITIONS OF DOCKET CATEGORIES

### C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA-PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERs-EARLY SITE PERMIT AND COL STAGES), AMENDMENTS, AND RELATED CORRESPONDENCE (CONTINUED)

- NRC questions, RAIs, and applicant responses relating to SAMDAS analysis review
- Correspondence relating to the SAMDAS analysis review
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SAMDAS analysis
- Environmental Report (ER) submitted by utility
- Amendments and supplements to the ER
- *Federal Register* notices announcing the availability of the ER and amendments
- Transmittal and acknowledgment letters of ER
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs, and applicant responses relating to review of ER
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the ER
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

### D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES)

This category contains the Draft and Final Environmental Impact Statements (DES and FES) prepared by NRC, and supplements to the DES and FES, as well as:

- *Federal Register* notices announcing the availability of the DES and FES
- Correspondence relating to the DES and FES
- Comments from other Federal, State, and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER obtained for purposes of preparing the environmental statements

# DEFINITIONS OF DOCKET CATEGORIES

## D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES) (CONTINUED)

- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W.

## E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains the formal Safety Evaluation Report (SER) prepared by NRC in review of the early site permit application, PSSAR (PDA stage), FSSAR (FDA/DC stage), PSAR (COL stage), or FSAR (COL stage) and, Supplements to the SER, as well as:

- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER and responses to such requests
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

## F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES)

The plans in this category may be individual submissions or may be combined under the Reliability Assurance Program. These plans may be submitted during the review of the PDA, the FDA/DC, and COL applications. Included are:

- Reliability Assurance Program (RAP)
- Plant evacuation correspondence

# DEFINITIONS OF DOCKET CATEGORIES

## F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plans
- Fire hazard protection plans and surveys
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgement letters
- Meeting announcements and summaries of meetings at which the primary subject of discussion is related to the aforementioned plans

## G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) and not before the Licensing Board are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) hearing related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors
- Board orders and decisions
- Formal petitions for Commission action

# DEFINITIONS OF DOCKET CATEGORIES

## G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

## H. GENERAL CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change of address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the site, design, or facility, and NRC responses
- Correspondence on purley administrative mattters
- Letters of support, concern or opposition to the site, design, or facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by state and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

## I. FINANCIAL INFORMATION (COL STAGE)

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

# DEFINITIONS OF DOCKET CATEGORIES

## I. FINANCIAL INFORMATION (COL STAGE) (CONTINUED)

- Company annual reports, auditor statements and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

## J. INSURANCE AND INDEMNITY INFORMATION (COL STAGE)

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

## K. VENDOR FINAL STANDARD SAFETY ANALYSIS REPORT (FSSAR-FDA/DC STAGE), UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR-COL STAGE), UPDATED FINAL SAFETY ANALYSIS REPORT (USAR-COL STAGE), AND AMENDMENTS

This category contains the following vendor and utility documents:

- Final Standard Safety Analysis Report (FSSAR) submitted by the vendor
- Final Safety Analysis Report (FSAR) submitted by the utility
- Updated Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSSAR, FSAR, and USAR
- *Federal Register* notices announcing the availability of the FSSAR and FSAR
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence falls in category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in category F

# DEFINITIONS OF DOCKET CATEGORIES

## L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (COL STAGE)

This category is limited to documents pertaining to Limited work Authorization (LWA) whereby applicants can conduct limited site preparation and construction before NRC grants a combined construction/operating license.

- Limited Work Authorization (LWA) and amendments
- Correspondence pertaining to work performed under LWAs

## M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains documents submitted as part of the application for a combined construction/operating license entitled, "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion is antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

## N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS (COL STAGE)

This category contains verbatim transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence is filed in category M.

## O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains project-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to a PDA or FDA/DC application, early site review, or facility license application

# DEFINITIONS OF DOCKET CATEGORIES

## O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Announcements of ACRS meetings relating to a PDA or FDA/DC application, early site review, or facility license application, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to a PDA or FDA/DC application, early site review, facility license application, and safety-related matters
- Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgement letters relating to a PDA or FDA/DC application, early site review, or facility license application

NOTE: For generic and document-specific safety related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract and letter), see ACRS non-docket file.

## P. POST–COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical documents dated from the combined construction/operating license until the order for termination of the license. Included are:

- The combined construction/operating license (COL), amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the COL
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., Topical Reports) submitted in support of the aforementioned items
- *Federal Register* notices announcing the availability of the COL, FSAR, and amendments
- Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Safety Analysis Report (USAR)
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the COL, or technical issues arising after the issuance of the COL
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers) regulations, laws, and changes in policy that may affect plant operation or bear on the COL
- NRC questions, RAIs, and licensee responses

# DEFINITIONS OF DOCKET CATEGORIES

## P. POST–COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Owners group meeting announcements and reports
- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Radioactive waste information, excluding onsite storage of low-level waste (filed category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility; *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, and T)
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inspections which are filed in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (Other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license, and to dismantle, and dispose of component parts
- Information on changes in NRC's internal organizational structure

## Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE)

This category contains the following applicant/license material:

- Inspection reports

# DEFINITIONS OF DOCKET CATEGORIES

## Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Information Notices, and related correspondence
- Applicant licensee determination of the proprietary nature of Inspection Reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demand for Information (DFIs)
- Correspondence and orders relating to the opposition and payment of civil penalties, including Enforcement Notification (EN) and Significant Enforcement actions (EA)
- Notices of deviation and related correspondence
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk-based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (IIT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see nondocket I&E file.

# DEFINITIONS OF DOCKET CATEGORIES

## R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommission stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic fitness for duty performance data
- Periodic personnel exposure reports
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with Licensing Board orders)
- Operational Logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence or other documents relating to the items listed

## S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE)

This category contains all materials relating to abnormal, unusual, reportable and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs) and related correspondence

# DEFINITIONS OF DOCKET CATEGORIES

## S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Environmental technical specifications violation reports and environmental event reports
- Part 21 reports of defects and noncompliance
- Correspondence or other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E nondocket files.

## T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) transcripts
- Testimony and statements submitted to ASLB
- Transcripts of Commission meetings
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of vendor or utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in the ACRS and 10 CFR 9.7 nondocket files.

## U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches

# DEFINITIONS OF DOCKET CATEGORIES

## U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned
- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

## V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

## W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical items dated from the order for terminating the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling, and the Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning

# DEFINITIONS OF DOCKET CATEGORIES

## W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- All documentation relating to the ongoing operation of the plant formerly filed in category P

## X. ONSITE STORAGE OF LOW–LEVEL WASTE AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store low–level waste at a commercial reactor
- All related correspondence and reports

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 52 number.

## Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to:

- License applications, license, amendments, and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)
- All related correspondence and reports to the above

NOTE: The documents in this category will have an NMSS Docket 72 number license. For these installations on a reactor site, the associated Docket 52 number also has been referenced.

# DEFINITIONS OF DOCKET CATEGORIES

## DOCKET 70 – Special Nuclear Materials

The Docket 70 files contain documentation concerning the domestic licensing of special nuclear material (SNM). Each SNM license application is assigned a unique Docket 70 number. SNM licenses cover the possession and use of radioactive material, including plutonium-enriched uranium. Paper files are maintained in the PDR only for Docket 70 licensees that possess more than 350 grams of uranium-235 or 200 grams of plutonium. Material on other licensees is available on microfiche only. Documents in these files include:

- Applications for licenses, license amendments, and license renewals for Special Nuclear Material licenses
- Special Nuclear Material licenses and license amendments
- Applicant technical reports concerning the facility, including Safety Analysis Reports (SARs), Environmental Reports (ERs) and amendments
- NRC technical reports concerning the facility
- Emergency and radiological health plans
- Inspection reports and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board
- Other technical, legal, and licensing correspondence between NRC and the licensee or other interested parties

## DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

The Docket 71 files contain documentation concerning the design of radioactive material transport packages and quality assurance (QA) programs for designers, manufacturers, and users of such packages. Each package design and each QA program is individually assigned a unique Docket 71 number.

All NRC licensees who design, manufacture, or use radioactive material packages must comply with NRC-approved package designs and QA programs for these packages. Agreement State licensees who design, manufacture, or use radioactive material packages do not need a QA program approval, but the Department of Transportation requires that NRC approve the package design.

Agreement State licensees who wish to use their packages in States under NRC jurisdiction, or who design and manufacture packages for NRC licensees, must obtain approval for their QA programs. Documents in these files include:

- Application for QA program approval and amendments to the application
- Application for package design approval, including the Safety Analysis Report (SAR), amendments, and engineering drawings

# DEFINITIONS OF DOCKET CATEGORIES

## DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs (continued)

- Certificate of compliance (NRC approval) for the package design and revisions
- Approval of the QA program
- Correspondence between NRC and the designer and the manufacturer concerning particular package designs
- Requests to be registered as a user of a particular package
- Inspection reports and related correspondence

## DOCKET 72 – Independent Spent Fuel Storage Installations

The Docket 72 series contains documentation concerning certification of storage casks and the licensing of independent spent fuel storage installations. These installations store reactor spent fuel and may be on a reactor site or at a separate site. Each installation is assigned a unique Docket 72 number. Documents in these files include:

- Application for license
- Safety Analysis Reports (SAR) and annual updates
- Certification of completion for vendor design of dry cask storage and related correspondence
- Licensee issued Environmental Report (ER) and amendments
- Emergency plan and amendments
- Inspection reports and related correspondence
- Reports on accidental criticality or loss of special nuclear material
- QA plan and amendments
- Correspondence relating to the physical security plan
- Decommissioning plan and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings between the NRC and the applicant

NOTE: Additional nondocketed information concerning spent fuel storage is available in the Project M nondocket file. For installations on reactor sites, see category Y in the Docket 50 or 52 series and Docket 70 for NMSS licenses.

# APPENDIX B

## DEFINITIONS OF NONDOCKETED CATEGORIES

### NONDOCKET FILES

Materials that are not docket-specific are arranged according to the following classification scheme. The capitalized abbreviation is a shorthand description of each topic and corresponds to the way that it appears on the PDR Accession List.

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

I&E MISC—Draft Generic Communications

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PR—Proposed and Final Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RCSSD—Registration of Certificates for Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

# DEFINITIONS OF NONDOCKETED CATEGORIES

## NONDOCKET FILES (CONTINUED)

RM—Rulemakings

SAI — Strategic Assessment Issue Papers

SECY—Staff Position Papers Prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

## 10 CFR 9.7 – Commission Meeting Transcripts and Reports

This file contains documents relating to open and closed Commission Meetings.

- Sunshine Federal Register notices
- Full written explanation of closed meetings
- Certification by the General Counsel on closed meetings
- Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings
- Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with the Sunshine Act and Commission policies
- Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence
- Staff Requirements Memoranda for open meetings, memoranda of record, record of votes of Commissioners on items under consideration at meetings

## ACRS – Advisory Committee on Reactor Safeguards Documents

Documents in this file pertain to safety–related areas reviewed by the ACRS. ACRS serves as an independent advisory committee to the Commission.

## ACRS – Advisory Committee on Reactor Safeguards Documents (continued)

- ACRS reports relating to safety–related matters
- Announcements of ACRS meetings relating to safety-related matters, including meeting agenda
- Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety–related matters
- Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both vendor or facility license applications and safety-related matters
- Minutes of ACRS subcommittee and full committee meetings relating to both vendor or facility license application and safety-related matters
- ACRS consultant reports, comments, and related correspondence relating to both vendor or facility license applications and safety–related matters
- Technical correspondence and memoranda to and from ACRS pertaining to safety-related matters
- General correspondence and related material about ACRS, but not prepared by ACRS or its consultants

NOTE: For docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 and 52.

## ADVCM – NRC Advisory Committees

Documents in this file pertain to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards, including:

- Charters of each advisory committee
- Meeting announcements and meeting agenda
- Minutes and verbatim transcripts of committee meetings
- Committee-generated reports, memoranda, and correspondence that are publicly available
- Committee-related correspondence

# DEFINITIONS OF NONDOCKETED CATEGORIES

## COMMISSION – NRC Commissioner Correspondence

Documents in this file pertain to the daily conduct of Commission business in the Office of the Commission, including:

- Incoming and outgoing Commission–level correspondence relating to official NRC business, including reports and other enclosures to the aforementioned correspondence
- Travel vouchers, telephone logs, and official appointment calendars of participating Commissioners. (These are placed in the PDR at the discretion of individual Commissioners.)
- Speeches, interviews and testimony given by Commissioners at meetings, symposia, and congressional hearings
- Vote sheets
- Weekly information reports (numbered as part of the SECY series) prepared for the Commissioners by the Executive Director for Operations (EDO) summarizing key events and items of interest undertaken by individual staff and program offices

NOTE: For transcripts of Commission meetings, see nondocket File 10 CFR 9.7. For all other staff papers with the SECY-series designation prepared for Commission review, see the SECY nondocket file.

## CONTRACT – NRC Contracts and Grants

Documents in this file pertain to AEC and NRC contracts, grants and interagency agreements, including:

- Notification of contracts and grants execution that specifies contract number, project title, contractor name, contract type, funding, and period of performance
- Contractual documents and modifications to contracts

# DEFINITIONS OF NONDOCKETED CATEGORIES

## FOIA – Freedom of Information Act Requests and Appeals

Documents in this file include requests, denials, and appeals for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA). Each is assigned a sequential identification number based on the year the request is made, for example, 95–110 refers to the 110th FOIA request made in 1995.

- Requests made under the FOIA for NRC records
- Correspondence between NRC and the requester relevant to the processing, granting, denial, and appeal of an FOIA request
- Records or portions thereof released in response to FOIA requests or made under FOIA appeals

## GEN TECH IS – Generic Technical Issues

Documents in this file pertain to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR), including:

- Draft reports of action plans to accomplish generic tasks in the NRR program
- Correspondence with industry and within NRC discussing methodologies, analyses, the program, and technical aspects of issues
- Meeting notifications and minutes
- Interim findings and status reports on generic tasks addressing related aspects of generic technical issues

## I&E – Inspection and Enforcement Issuances

Documents in this file include bulletins and information notices that are issued by the NRC Office of Nuclear Reactor Regulation. These issuances describe some event that has occurred at a facility and that may require some follow–up action by the licensee. Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), Enforcement Notifications (ENs) and significant Enforcement Actions (EAs).

- Circulars, that describe an event at a licensed facility and are informational in nature (these were discontinued in 1981)

## I&E – Inspection and Enforcement Issuances (continued)

- Information Notices, that are similar to Circulars but are preliminary in nature and are issued shortly after an event has occurred
- Bulletins describing an event at a licensed facility and requesting that all recipients perform certain actions as a result of that event
- Preliminary Notification of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest
- Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance
- Enforcement Notifications (ENs) and significant Enforcement Actions (EAs), which provide information on a notice of violation and proposed imposition of civil penalties

NOTE: For utility/vendor responses to such issuances and related correspondence, see categories Q and S in Dockets 50 and 52.

## I&E MANUAL – NRC Inspection Manual

This file contains drafts, finals, revisions, *Federal Register* notices and related correspondence to the NRC Inspection Manual.

## I&E MISC – Draft Generic Communications

Documents in this file include drafts of Generic Letters, Bulletins, Information Notices and other generic communications issued by the NRC Office of Nuclear Reactor Regulation.

- Draft Bulletins and Information Notices that are being considered for issuance, related comments, and evaluations

## I&E MISC – Draft Generic Communications (continued)

- Draft Generic Letters and other generic communications that are being considered for issuance, related comments, and correspondence

## MISC – Public Document Room Miscellaneous

This file contains documents about topics not included in the scope of the other nondocketed categories.

## NUREG – NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

This file contains formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other governmental entities, and the public which are published in the NUREG series.

- Results of licensing studies of specific plants or facilities preliminary to licensing actions
- Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry
- Action and review plans, as well as guidance, for complying with NRC requirements
- Task force reports on specific topics
- Proceedings of conferences and workshops
- Management and program analysis reports
- Statistical analyses that are of interest to the staff, the industry, and the public
- Administrative reports that are of interest to the staff, the industry, and the public
- Correspondence from industry, government, and the public commenting on NUREG series reports
- Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the NUREG reports series

NOTE: NUREG reports on plants or facilities are filed according to each plant's specific docket number.

# DEFINITIONS OF NONDOCKETED CATEGORIES

## ORG – Organizations

This file contains correspondence with professional organizations, government agencies, and associations with which NRC is in contact; records pertaining to specific NRC offices; and petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on a generic issue.

- Meeting summaries and technical correspondence between the NRC and professional associations
- Correspondence between NRC and other government agencies in which both parties have joint regulatory responsibility, e.g., EPA which has authority to control all radioactive pollutants emitted into the air
- Correspondence and technical information between NRC and Congress
- Reports, technical information, and correspondence between NRC, foreign governments and international organizations
- Internal memoranda, trip reports, and scientific papers pertaining to specific NRC offices

## PR – Proposed and Final Rules

This file contains documents of NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive, a staff proposal, or a Commission determination that sufficient grounds exist for it to proceed with a Petition for change in an NRC regulation (PRM) filed by an outside party.

- *Federal Register* notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved
- Text of the Proposed Rule (PR)
- Draft and generic Proposed Rules and *Federal Register* notices
- Comments, statements, information, opinions, or arguments on the proposed change to a part of the *Code of Federal Regulations*
- Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR
- Final rules and *Federal Register* notices

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY nondocket file. For Commission review of staff recommendations, see the 10 CFR 9.7 nondocket file.

# DEFINITIONS OF NONDOCKETED CATEGORIES

## PRESS – Press Releases

This file contains press releases issued by the Office of Public Affairs Headquarters and Regional offices relating to the NRC's regulatory policy and programs, public hearings, and workshops. Press releases are also issued on major licensee programs, changes, proposed fines, and issues effecting the status of licenses.

## PRM – Petitions for Rulemaking

This file contains documents of petitions filed with the Commission by an outside party to issue, amend, or rescind an NRC regulation.

- Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation
- *Federal Register* notice of the filing of the petition
- Correspondence between NRC and the petitioner relevant to the status and substance of the petition
- Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM
- Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a proposed rule, see the SECY nondocket file. For Commission review of staff recommendations, see the 10 CFR 9.7 nondocket file.

## PROJ – Projects

This file contains documents pertaining to four classes of projects: (1) commercial nuclear power plants (Docket 50) for which NRC has full review and licensing responsibilities; (2) Government-owned reactors (also Docket 50) for which NRC provides technical expertise and occasional review; (3) design certification and combined licensing (Docket 52) for which NRC has full review and licensing responsibilities; (4) monitored retrieval storage and Topical Reports for storage casks (Project M's) for which NRC has full review and licensing responsibilities. Each class is identified with a P prefix, followed by a series of numbers.

## PROJ – Projects (continued)

These files contain all documentation up to the time NRC considers the application and the preliminary technical reports complete for review. The project is then assigned a docket number and the file is transferred to a docket series.

- Applications submitted by the vendors or utility
- Backup technical documents and topical reports submitted in support of the application, and related correspondence
- Preliminary Safety Analysis Report (PSAR), amendments, and related correspondence (Docket 50)
- Preliminary Standard Safety Analysis Report (PSSAR), amendments, and related correspondence (Docket 52)
- Application for Preliminary and Final Design Approval and design certification (Docket 52 and Project M), and related correspondence
- Early site review information
- Meeting notices, summaries, and correspondence
- NRC's or the applicant's changes in internal organizational structure
- Reliability Assurance Program and related correspondence (Docket 52)
- Documentation and technical correspondence between NRC and other government agencies relating to the application
- Adjudicatory correspondence
- Quality Assurance documentation, notices of deviation, and related correspondence

## PT 21 – 10 CFR Part 21 Deficiency Reports

This file contains deficiency reports submitted in compliance with Part 21 of Title 10 of the *Code of Federal Regulations.*

- Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects that could create a substantial safety hazard
- Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects
- NRC inspection reports of defects cited

## PT 21 – 10 CFR Part 21 Deficiency Reports (continued)

- Correspondence specifying appropriate followup actions to be taken by the agency

## QA 999 – Vendor Quality Assurance Inspections

This file contains inspection reports of the vendor/licensee interface from the vendor's view, the vendor's products, and the vendor's programs including equipment environmental qualification testing, and followup correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

- Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of nuclear components or in supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, the PSAR and FSAR submitted by utilities for specific facilities, and vendor QA topical reports.
- NRC inspection reports of vendor facilities that cover the design, fabrication, and testing of components for use in nuclear facilities and related correspondence
- Civil penalties notices
- Notices of deviation
- Vendor corrective actions and other followup correspondence associated with resolution of inspection findings

NOTE: For vendor/licensee inspections from the licensee's view, see category Q in Docket 50 and 52.

## RCSSD – Registration of Certificates for Sealed Sources and Devices Change

This file contains documents and related correspondence on radiation sources and device designs. Manufactures and distributors applying for registration of their products must submit for review all safety related information, design specifications, QA programs and amendments. **These documents are maintained in the PDR on microfiche only.**

# DEFINITIONS OF NONDOCKETED CATEGORIES

## REGGD – Regulatory Guides

This file contains new and revised regulatory guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

- *Federal Register* notices announcing the issuance and availability of a proposed Regulatory Guide and revisions
- Revised or newly issued regulatory guides
- Drafts of proposed regulatory guides or proposed revisions
- NRC value/impact assessment
- Comments submitted by the nuclear industry and interested members of the public regarding a proposed regulatory guide
- Summaries of meetings held in the NRC to discuss proposed regulatory guides

NOTE: Industry codes and standards cited in regulatory guides are available for reference use only in the NRC's Technical Library.

## RES – Research and Technical Assistance Reports (1974 through 1988)

This file contains reports and technical letters submitted by NRC contractors providing research and technical assistance to the Commission. It also includes research information letters and conference proceedings pertaining to research activities of the Commission.

For final reports of research conducted by contractors, and for conference proceedings, see the NUREG-series nondocket file. See also the WMRES file for research reports on disposal of high-level waste.

## REVIEW GRP – Review Groups

This file contains documents pertaining to the activities of internal and external research review groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results, possible redirection of research projects, new research projects, and priorities within the technical areas covered by the research review group.

## REVIEW GRP – Review Groups (continued)

- Agenda for quarterly review group meetings
- Summary minutes of review group meetings representing views expressed, including dissenting views
- Research plans and predicted results of major experiments and presentations by research contractors
- Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies
- Internal memoranda relating to topics under discussion
- Correspondence related to the aforementioned items

## RM – Rulemakings

This file contains documents pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission, based on the importance and the magnitude of the subject being considered.

- Designation of the presiding officer and any special directions for the conduct of the hearing
- Notifications of Hearing Board meetings
- Petitions, motions, testimony, and statements submitted by parties to the hearings
- Transcripts of the proceedings
- Hearing Board orders and rulings
- Technical reports submitted as evidence in the proceedings
- Reports, if any, of the special Board to the Commission regarding the subject proceeding

# DEFINITIONS OF NONDOCKETED CATEGORIES

## SAI – Strategic Assessment Issue Papers

This file contains documents pertaining to NRC policy options for assessment and rebaselining for future decisionmaking and regulatory activities.

- Strategic assessment issue papers
- Strategic process and framework papers
- Comments from Congress, other Federal agencies, agreement and nonagreement states, NRC licensees, industry organizations, foreign governments, NRC employees, public interest groups, and the general public (all affected parties are known as stakeholders)
- Transcripts of stakeholder meetings

## SECY – Staff Position Papers Prepared for the Commission

This file contains staff papers (generally referred to as SECY Papers) prepared for the information or approval of the Commission. They are assigned a SECY report number.

- Policy issue papers are used to present matters relating to policy formulation
- Rulemaking issue papers are used to present rulemaking activities of the Commission
- Adjudicatory issue papers are used to present matters relating to the granting, suspending, revoking, or amending of licenses, or relating to construction permits for nuclear power plants, and activities in which the Commission has an interest
- Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provides general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication

These categories of staff papers may be issued as one of the following: (a) a Commission meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper that does not require interactive discussion among the Commissioners in a Commission meeting but by law must be voted upon by the Commissioners in the presence of each other; (c) a notation vote paper that does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a negative consent paper that contains issues which the Commission would like brought to its attention before action is taken but which does not require the formality of a Commission vote; and (e) information papers that provide information to the Commission and do not call for any action by the Commission.

## SECY – Staff Position Papers Prepared for the Commission (continued)

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports (WIR) prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence nondocket file.

## SPCH – Speeches

This file contains speeches by the Chairman and Commissioners presented at National and international regulatory information conferences, industrial forums, advisory committees, symposiums, workshops, and energy policy groups.

## STATE PROG – State Programs

This file contains documents that pertain to the Commission's relations with State governments. Areas covered include: (1) the NRC and State Agreement and its amendments, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing, inspection procedures, and waste disposal.

- Correspondence between the NRC Office of State Programs and State officials, State liaison officers and radiation control management health officials, regarding:
  - Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance
  - NRC reviews of Agreement State radiation control programs
  - Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas
- Notices prohibiting involvement in NRC-licensed activities
- Agenda, reports, and transcripts of regional workshops

### STATE PROG – State Programs (continued)

- Training programs on current matters of policy and regulations; i.e., decommissioning and radioactive waste disposal
- State legislative reports (discontinued in December 1984)
- Agreement State licensing statistics reports (discontinued in December 1984)

NOTE: For specific uranium milling and mining projects in which the NRC is providing technical assistance to States, see the Project nondocket file.

### TOPREP – Topical Reports and Related Correspondence

This file contains Topical Reports, generally of a generic technical nature, submitted by vendors; and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket specific and documents generated by vendor-related owners groups are also included in this file.

- Topical reports dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers, and other vendors
- Revisions, modifications, and amendments to topical reports
- Correspondence between NRC and vendors pertaining to the review of submittals
- Meeting agenda, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria
- Vendor-related Owners' Group meeting announcements, agenda, summaries, reports and correspondence

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the file categories for the docket series.

### WASH – AEC–Issued Formal Reports and Related Correspondence

This file contains formal reports that were issued by the U.S. Atomic Energy Commission (AEC) headquarters staff and related correspondence. The WASH reports, which consisted of administrative, scientific, and technical information, ended in 1975, but correspondence occasionally refers to WASH reports. Post–1975 NRC-issued formal reports carry the NUREG-series designation.

# DEFINITIONS OF NONDOCKETED CATEGORIES

## WM – Waste Management Documents

This file contains documents related to the activities of the NRC Division of Waste Management. Each topic has been assigned a unique number, prefixed by the letters WM. Documents in these files include:

- NRC and DOE prelicensing activities regarding the disposal of high-level waste in geologic repositories, in accordance with the Nuclear Waste Policy Act of 1982 as follows:
  - Technical high-level waste site prelicensing documentation
  - Meeting agenda, minutes and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories
  - Briefings by DOE on current research on nuclear waste management
- NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, in accordance with the Uranium Mill Tailings Radiation Control Act of 1978
- Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high–level waste standard
- NRC topical report reviews and associated correspondence
- Correspondence from the public and other nongovernment organizations for the aforemention items

NOTE: For contractor research on waste management activities, see the WMRES nondocket file.

## WMRES – Waste Management Contract Research Documents

This file contains interim and final reports and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level waste disposal in geologic repositories, including:

- Periodic contractor progress reports
- Trip reports
- Draft and final reports submitted for NRC review or information

## WMRES – Waste Management Contract Research Documents (continued)

- Correspondence between NRC staff and contractors related to technical questions or issues to be resolved

## XPORTLIC – Export and Import Licenses

This file contains records relating to the issuance of licenses to export or import nuclear facilities and materials, including:

- License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials
- Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment
- Commission letters requesting Executive Branch (e.g., U.S. Department of State) views
- Review and findings of the Executive Branch on whether issuance of license would be inimical to the common defense and security of the United States
- Correspondence to and from foreign governments, international organizations, and members of the public
- Hearing records and decisions
- Memoranda from the Office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission's decision on issuing a proposed license
- Licenses, license amendments, and license renewals
- Periodic report on export actions

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.7 and the SECY nondocket file.

NRC FORM 335
(2-89)
NRCM 1102,
3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

# BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER
(Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)

NUREG–0540
Vol. 18, No. 12

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

December 1–31, 1996

3. DATE REPORT PUBLISHED

| MONTH | YEAR |
|---|---|
| March | 1997 |

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION – NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Office of Information Resources Management
U.S. Nuclear Regulatory Commission
Washington, DC 20555–0001

9. SPONSORING ORGANIZATION – NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

V. E. Yanez, NRC Project Manager

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)
Unclassified

(This Report)
Unclassified

15. NUMBER OF PAGES

16. PRICE