NUREG–0540
Vol. 19, No. 3

Title List of Documents Made Publicly Available

March 1–31, 1997

RECEIVED
JUN 10 1997
OSTI

U.S. Nuclear Regulatory Commission

Office of Information Resources Management

MASTER

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555–0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402–9328
3. The National Technical Information Service, Springfield, VA 22161–0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852–2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018–3308.

A year's subscription of this report consists of 12 monthly issues.

NUREG–0540
Vol. 19, No. 3

Title List of Documents Made Publicly Available

March 1–31, 1997

Date Published: May 1997

E. B. Morris, NRC Project Manager

Office of Information Resources Management
U.S. Nuclear Regulatory Commission
Washington, DC 20555–0001

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

CONTENTS

	Page
Preface	v
Arrangement of Items by Docket Number	xi
Alphabetic Arrangement of Docket Items by Facility Name	xvii
Docketed Items	1
Low–Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	9
Standardized Nuclear Power Plant Design — Docket 52	180
Domestic Licensing of Special Nuclear Material — Docket 70	183
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	189
Licensing of Independent Spent Fuel Storage — Docket 72	192
Nondocketed Items	197
10 CFR — Commission Meeting Records	197
ACNW — Advisory Committee on Nuclear Waste	197
ACRS — Advisory Committee on Reactor Safeguards	197
ADVCM — NRC Advisory Committee	197
COMMISSION — NRC Commissioners	198
CONTRACT — NRC Contracts and Modifications	199
FOIA — Freedom of Information Act Requests and Releases	201
GEN TECH IS — Generic Technical Issues	221
I&E — Inspection and Enforcement	221
MISC — Public Document Room Miscellaneous	222
NRCSA — Strategic Assessment Papers	222
NUREG — NUREG Reports and Related Correspondence	222
ORG — Correspondence with Other Organizations	227
PR — Proposed Rule	230
PROJ — Projects—Predocket Licensing	233
PT21 — Noncompliance Reports and Related Correspondence	234
QA999 — Quality Assurance Inspections	235
REG CERT — Registry Certificate	235
REGGD — Regulatory Guides	235
REVIEW GROUP — NRC Research Review Groups	236

CONTENTS

	Page
SECY — Position Papers Before the Commission	237
SPEECHES — Speeches	239
STATE PROG — State Programs	239
TOPREP — Vendor Reports and Related Correspondence	243
WASTE MGMT — Nuclear Waste Management	246
XPORTLIC — Export and Import Licenses	250
Personal Author Index	253
Corporate Source Index	273
Report Number Index	291
Cross Reference of Enclosures to Principal Documents	293
Appendix A — Definitions of Docket 50 Categories	A–1
Appendix B — Definitions of Nondocketed Categories	B–1

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It describes the information received and published by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and published by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies in paper, microfiche, or (selectively) diskette, may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System (BRS), which is accessible both at the PDR and remotely. BRS also has some types of documents in full text. Other recent, selected documents, as well as information about the PDR, may be viewed/downloaded from an electronic bulletin board. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the database. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

Each utility or institution engaged in a nuclear activity licensed and regulated by the U.S. Nuclear Regulatory Commission (NRC) is assigned a docket number. As used by NRC, docket numbers refer to the particular system by which NRC maintains its regulatory records, not to law court dockets. The first two digits of a docket number identify the type of nuclear activity that NRC regulates. These docket categories are as follows:

- 27 – Low-Level Radioactive Waste Disposal Sites
- 30 – Byproduct Material Licenses
- 40 – Nuclear Source Material Facilities
- 50 – Nuclear Reactors and Fuel Reprocessing Plants
- 52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants
- 70 – Special Nuclear Materials

DOCKETED ITEMS (cont.)

71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

72 – Independent Spent Fuel Storage Installations

Except for Docket 27, these numbers correspond to the parts of Title 10 in the *Code of Federal Regulations* (10 CFR) that cover regulations pertaining to those types of licenses. The remaining digits of a docket number uniquely identify a specific facility or institution. For example, Docket 50–317 identifies the Calvert Cliffs Nuclear Power Plant, Unit 1.

(1) P. Operating license stage documents & correspondence

(2) (3)
8907070172 Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

(4) (5) (6)
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 89/06/27

(9) (10) (11) (12) (13)
(7) (8)
CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181–50442:182

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (job code) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are as follows:

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

I&E MISC—Draft Generic Communications

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PR—Proposed and Final Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RCSSD—Registration of Certificates for Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

RM—Rulemakings

SAI — Strategic Assessment Issue Papers

SECY—Staff Position Papers Prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

Appendix B lists these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are—

NONDOCKETED ITEMS (cont.)

(1) NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

(2) (3) (4)

8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

(5) (6)

OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

(7) (8) (9) (10) (11)

FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

(12) (13) (14) (15)

51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number source.
8. Secondary report number, if any.
9. Date of document described
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

Ordering and Viewing Documents:

1. The address for GPO is:

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20402-9328

To place orders, send a check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

NONDOCKETED ITEMS (cont.)

2. The address for NTIS is:

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at 703–487–4650. Specify the NRC report number and title when you place your order. You may charge publications to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is:

   2120 L Street, NW.
   Washington, DC

   The mailing address is:

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL–6
   Washington, DC 20555–0001

   Telefacsimile

   202–634–3343

   Telephone

   202–634–3273 or 1–800–397–4209

   Internet e–mail

   PDR@NRC.GOV

For more information about PDR services, for reference assistance, to place an order for documents, or to arrange for access to the PDR computer retrieval system, write, e–mail, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, may be obtained from the PDR.

To access the PDR electronic bulletin board on FedWorld, contact the FedWorld Help Desk at 703–487–4086.

1

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27		
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1
DOCKET	UNKNOWN	1
Domestic Licensing of Source Material - Docket 40		
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1
40-0341	ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD	1
40-0534	GENERAL ELECTRIC CO., CLEVELAND, OH	1
40-0672	NUCLEAR METALS, INC., CONCORD, MA	1
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	1
40-1822	UNITED NUCLEAR CORP., GRANTS, NM	1
40-2377	KAISER ALUMINUM SPECIALTY PRODUCTS	1
40-2384	RMI CO., ASHTABULA, OH	1
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	2
40-3453	ATLAS CORP., DENVER, CO	2
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	2
40-6264	MICHIGAN CHEMICAL CORP., ST. LOUIS, MI	2
40-6563	MALLINCKRODT, INC., ST. LOUIS, MO	2
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	3
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	3
40-6940	CABOT CORP., BOYERTOWN, PA	3
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	3
40-7397	FOOTE MINERAL CO., EXTON, PA	3
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	4
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	4
40-7924	SCHOTT GLASS TECHNOLOGIES, INC., DURYEA, PA	4
40-7982	HONEYWELL, INC., HOPKINS, MN	4
40-8027	SEQUOYAH FUELS CORP., GORE, OK	4
40-8084	RIO ALGOM MINING CORP., MOAB, UT	4
40-8102	EXXON CORP., HOUSTON, TX	4
40-8188	LEDOUX & CO., TEANECK, NJ	5
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	5
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	5
40-8681	UMETCO MINERALS CORP., BLANDING, UT	5
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	5
40-8702	ARMY, DEPT. OF, ROCK ISLAND, IL	5
40-8724	CHEMETRON CORP., PROVIDENCE, RI	5
40-8778	MOLYCORP, INC., LOS ANGELES, CA	6
40-8794	MOLYCORP, INC., LOS ANGELES, CA	6
40-8805	CERAC, INC., MILWAUKEE, WI	6
40-8838	ARMY, DEPT. OF, MADISON, IN	6
40-8857	POWER RESOURCES, INC., GLENROCK, WY	6
40-8866	NUCLEAR METALS, INC., CONCORD, MA	6
40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	6
40-8903	HOMESTAKE MINING CO., GRANTS, NM	6
40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	6
40-8905	QUIVIRA MINING CO., GRANTS, NM	7
40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	7
40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	7
40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	7
40-8968	HYDRO RESOURCES, INC., DALLAS, TX	7
40-8980	HERITAGE MINERALS, INC., LAKEHURST, NJ	8
40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	8
40-9015	HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI	8
40-9024	ENERGY FUELS NUCLEAR	8
40-9027	CABOT CORP. READING & REVERE	9
Domestic Licensing of Production and Utilization Facilities - Docket 50		
50-2	FORD NUCLEAR REACTOR	9
50-3	INDIAN POINT STATION, UNIT 1	9
50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	9
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	9
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	10
50-22	WESTINGHOUSE TEST REACTOR	10
50-27	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	10
50-29	YANKEE-ROWE NUCLEAR POWER STATION	10

Docket	Name	Page
50-35	DELFT TECHNICAL UNIV. RESEARCH REACTOR	11
50-54	CINTICHEM	11
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	11
50-72	UNIV. OF UTAH RESEARCH REACTOR	11
50-83	UNIV. OF FLORIDA TRAINING REACTOR	11
50-89	GENERAL ATOMICS	11
50-97	CORNELL UNIV. ZERO POWER REACTOR	11
50-116	IOWA STATE UNIV. RESEARCH REACTOR	12
50-123	UNIVERSITY OF MISSOURI RESEARCH REACTOR, ROLLA, MO	12
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	12
50-131	OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	12
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	12
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	12
50-150	OHIO STATE UNIV. RESEARCH REACTOR	12
50-155	BIG ROCK POINT NUCLEAR PLANT	12
50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	13
50-157	CORNELL UNIV. RESEARCH REACTOR	13
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	13
50-166	UNIV. OF MARYLAND RESEARCH REACTOR	14
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	14
50-182	PURDUE UNIV. RESEARCH REACTOR	14
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	14
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	14
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	14
50-213	HADDAM NECK PLANT	15
50-219	OYSTER CREEK NUCLEAR POWER PLANT	17
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	18
50-223	UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	19
50-225	RPI CRITICAL EXPERIMENT	19
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	19
50-243	OREGON STATE UNIV. RESEARCH REACTOR	21
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	21
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	22
50-247	INDIAN POINT STATION, UNIT 2	25
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	26
50-250	TURKEY POINT PLANT, UNIT 3	28
50-251	TURKEY POINT PLANT, UNIT 4	31
50-252	UNIV. OF NEW MEXICO RESEARCH REACTOR	33
50-254	QUAD-CITIES STATION, UNIT 1	33
50-255	PALISADES NUCLEAR PLANT	35
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	36
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	37
50-261	H.B. ROBINSON PLANT, UNIT 2	38
50-263	MONTICELLO NUCLEAR GENERATING PLANT	40
50-264	DOW CHEMICAL CO.	41
50-265	QUAD-CITIES STATION, UNIT 2	41
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	42
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	43
50-269	OCONEE NUCLEAR STATION, UNIT 1	45
50-270	OCONEE NUCLEAR STATION, UNIT 2	46
50-271	VERMONT YANKEE NUCLEAR POWER STATION	47
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	48
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	51
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	52
50-280	SURRY POWER STATION, UNIT 1	53
50-281	SURRY POWER STATION, UNIT 2	55
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	56
50-284	IDAHO STATE UNIV. RESEARCH REACTOR	57
50-285	FORT CALHOUN STATION, UNIT 1	57
50-286	INDIAN POINT STATION, UNIT 3	58
50-287	OCONEE NUCLEAR STATION, UNIT 3	60
50-288	REED COLLEGE RESEARCH REACTOR	61
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	61
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	63
50-295	ZION NUCLEAR POWER STATION, UNIT 1	64
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	65

Docket	Name	Page
50-298	COOPER NUCLEAR STATION	66
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	67
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	69
50-304	ZION NUCLEAR POWER STATION, UNIT 2	71
50-305	KEWAUNEE NUCLEAR POWER PLANT	72
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	73
50-309	MAINE YANKEE ATOMIC POWER PLANT	74
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	76
50-312	RANCHO SECO NUCLEAR GENERATING STATION	78
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	78
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	79
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	81
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	82
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	83
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	84
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	85
50-322	SHOREHAM NUCLEAR POWER STATION	86
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	87
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	88
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	89
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	90
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	91
50-329	MIDLAND PLANT, UNIT 1	93
50-330	MIDLAND PLANT, UNIT 2	93
50-331	DUANE ARNOLD ENERGY CENTER	93
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	94
50-334	BEAVER VALLEY POWER STATION, UNIT 1	95
50-335	ST. LUCIE PLANT, UNIT 1	97
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	104
50-338	NORTH ANNA POWER STATION, UNIT 1	106
50-339	NORTH ANNA POWER STATION, UNIT 2	108
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	109
50-344	TROJAN NUCLEAR PLANT	110
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	111
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	112
50-352	LIMERICK GENERATING STATION, UNIT 1	114
50-353	LIMERICK GENERATING STATION, UNIT 2	115
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	116
50-359	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 2	117
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	117
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	118
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	119
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	121
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	122
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	124
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	124
50-373	LASALLE COUNTY STATION, UNIT 1	125
50-374	LASALLE COUNTY STATION, UNIT 2	127
50-382	WATERFORD GENERATING STATION, UNIT 3	128
50-384	INDONESIA RESEARCH REACTOR	129
50-385	TAKAHAMA, UNIT 1	129
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	129
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	131
50-389	ST. LUCIE PLANT, UNIT 2	133
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	140
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	141
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	141
50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	142
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	142
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	143
50-409	LA CROSSE BOILING WATER REACTOR	145
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	145
50-412	BEAVER VALLEY POWER STATION, UNIT 2	146
50-413	CATAWBA NUCLEAR STATION, UNIT 1	147
50-414	CATAWBA NUCLEAR STATION, UNIT 2	148
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	150
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	150

Docket	Name	Page
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	150
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	153
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	154
STN-50-437	FLOATING NUCLEAR PLANT	155
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	155
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	156
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	156
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	157
50-443	SEABROOK NUCLEAR STATION, UNIT 1	158
50-444	SEABROOK NUCLEAR STATION, UNIT 2	159
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	159
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	161
STN-50-454	BYRON STATION, UNIT 1	162
STN-50-455	BYRON STATION, UNIT 2	164
STN-50-456	BRAIDWOOD STATION, UNIT 1	165
STN-50-457	BRAIDWOOD STATION, UNIT 2	166
50-458	RIVER BEND STATION, UNIT 1	167
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	168
50-461	CLINTON POWER STATION, UNIT 1	168
50-471	PILGRIM NUCLEAR POWER STATION, UNIT 2	170
STN-50-482	WOLF CREEK GENERATING STATION	170
STN-50-483	CALLAWAY PLANT, UNIT 1	171
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	172
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	173
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	174
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	175
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	177
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	178
50-537	CLINCH RIVER BREEDER REACTOR	180
50-602	UNIV. OF TEXAS RESEARCH REACTOR	180
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP	180
DOCKET	UNKNOWN	182

Domestic Licensing of Special Nuclear Material - Docket 70

70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	183
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	183
70-0033	TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	183
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	183
70-0133	CLEVITE CORP., CLEVELAND, OH	183
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	183
70-0139	ENGELHARD CORP., PLAINVILLE, MA	183
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	183
70-0267	NEW YORK, STATE UNIV. OF, BUFFALO, NY	184
70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	184
70-0398	COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	184
70-0687	CINTICHEM, INC., TUXEDO, NY	184
70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	184
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	184
70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	184
70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	184
70-0938	MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	185
70-0946	AUGUSTANA COLLEGE, SIOUX FALLS, SD	185
70-0968	GANNON UNIV., ERIE, PA	185
70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	185
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	185
70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	185
70-1201	B&W FUEL CO., LYNCHBURG, VA	185
70-1220	GENERAL ELECTRIC CO., SAN JOSE, CA	186
70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	186
70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	186
70-1342	CORATOMIC, INC., INDIANA, PA	186
70-1374	IDAHO STATE UNIV., POCATELLO, ID	186
70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	186
70-2377	DENTSPLY INTERNATIONAL, INC., YORK, PA	187
70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	187
70-3085	B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP,	187
70-3087	SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN	187
70-3091	DOE HANFORD TANK WASTE REMEDIATION SYSTEM	187
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	187

Docket	Name	Page
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	188
DOCKET	UNKNOWN	189

Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71

71-0018	NUCLEAR ASSURANCE CORP.	189
71-0108	UNIV. OF MISSOURI	189
71-0238	AGRICULTURE, DEPT. OF	189
71-0250	TRANSNUCLEAR, INC.	189
71-0252	DAYTON X-RAY CO.	189
71-0325	CONSUMERS POWER CO.	189
71-0444	NATIONAL INSPECTION & CONSULTANTS, INC.	189
71-0472	ABC TESTING	189
71-0514	NORTH AMERICAN INSPECTION	189
71-0521	GEORGIA POWER CO.	189
71-0613	ARMY, DEPT. OF	189
71-0625	COPES-VULCAN, INC.	190
71-0627	CONSOLIDATED NDE, INC.	190
71-0630	PROGRESS SERVICES, INC.	190
71-0726	GEORGIA POWER CO.	190
71-0727	CONTINENTAL AIRLINES, INC.	190
71-0729	PAUL SINN TESTING SERVICES	190
71-0770	RUST REMEDIAL SERVICES	190
71-0832	UNITED STATES ENRICHMENT CORPORATION	190
71-0845	WELLSLEY COLLEGE	190
71-0846	WEST VIRGINIA UNIVERSITY HOSPITALS	190
71-0861	BENDICT COLLEGE	190
71-0862	BIONOMICS, INC.	190
71-0872	CONNORS PIPE SYSTEMS, INC.	190
71-0873	UNIVERSITY OF PENNSYLVANIA	190
71-0874	UNIVERSITY OF DETROIT MERCY	190
71-3033	MODEL: TN6-2, TRANSPORTATION, DEPT OF	190
71-3035	MODEL: JRC-80Y-20T (JAPANESE) CASK, TRANSPORTATION,	190
71-5874	MODEL: WAPD-40, ENERGY, DEPT. OF	190
71-5894	MODEL: 2.7 NEW FUEL, ENERGY, DEPT. OF	190
71-6206	MODEL: MODEL B, B&W FUEL CO.	190
71-6294	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	190
71-6347	MODEL: FSV-3, GENERAL ATOMICS	190
71-6553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	191
71-9010	MODEL: NLI-1/2, NAC INTERNATIONAL	191
71-9023	MODEL: NLI-10/24, NAC INTERNATIONAL	191
71-9032	MODEL: 650, AMERSHAM CORP.	191
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	191
71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	191
71-9081	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	191
71-9145	MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC	191
71-9148	MODEL: 770, AMERSHAM CORP.	191
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	191
71-9183	MODEL: NAC-1, NAC INTERNATIONAL	191
71-9203	MODEL: DHTF, B&W FUEL CO.	191
71-9225	MODEL: NAC-LWT, NAC INTERNATIONAL	191
71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	191
71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	191
71-9235	MODEL: NAC-STC, NAC INTERNATIONAL	192
71-9239	MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	192
71-9253	MODEL: TN-FSV, TRANSNUCLEAR, INC.	192
71-9255	MODEL: MP-187, VECTRA TECHNOLOGIES	192
71-9258	MODEL: F-294, NORDION INTERNATIONAL	192
71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	192
71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	192
71-9264	MODEL: MPC-21P, PWR FUEL	192
71-9265	MODEL: MPC-44B, BWR FUEL	192
71-9266	MODEL: MPC-12P, PWR FUEL	192
71-9267	MODEL: MPC-24B, BWR FUEL	192
71-9270	MODEL: UMS, NAC INTERNATIONAL	192
71-9932	MODEL: UC-609, ENERGY, DEPT. OF	192
DOCKET	UNKNOWN	192

Licensing of Independent Spent Fuel Storage - Docket 72

72-0001	MORRIS OPERATIONS, ISFSI	192
72-0002	SURRY ISFSI 50-280 & 50-281	192
72-0003	H.B. ROBINSON ISFSI, 50-261	193
72-0004	OCONEE ISFSI, 50-269, 50-270 & 50-287	193
72-0005	POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	193
72-0007	PALISADES ISFSI GEN LIC/VSC-24, 50-255	193
72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	193
72-0009	FORT ST. VRAIN ISFSI, 50-267	193

Docket	Name	Page
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	194
72-0011	RANCHO SECO ISFSI, 50-312	194
72-0013	ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368	194
72-0014	DAVIS BESSE ISFSI GEN LIC, 50-346	194
72-0016	NORTH ANNA ISFSI - 50-338 & 50-339	194
72-0017	TROJAN ISFSI, 50-344	194
72-0018	GOOD HUE COUNTY	194
72-0021	CENTRAL INTERIM STORAGE	194
72-1002	CASK: NAC S/T, NAC INTERNATIONAL CORP.	195
72-1003	CASK: NAC-C28, NAC INTERNATIONAL CORP.	195
72-1004	CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	195
72-1008	CASK: HI-STAR 100, HOLTEC INTERNATIONAL	195
72-1009	CASK: DOE-MPC-21P, ENERGY, DEPT. OF	195
72-1010	CASK: DOE-MPC-44B, ENERGY, DEPT. OF	195
72-1011	CASK: DOE-MPC-12P, ENERGY, DEPT. OF	195
72-1012	CASK: DOE-MPC-24B, ENERGY, DEPT. OF	195
72-1013	CASK: NAC STC-26, NAC INTERNATIONAL, INC.	195
72-1014	CASK: HI-STORM 100, HOLTEC INTERNATIONAL	195
72-1015	CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.	195
72-1020	CASK: S/T 28 ASSEMBLY BASKET, NAC INTERNATIONAL, INC.	195
72-1023	CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.	196
72-1025	CASK: NAC-MPC	196

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27		
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1
Domestic Licensing of Source Material - Docket 40		
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	2
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	2
ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD	40-0341	1
ARMY, DEPT. OF, MADISON, IN	40-8838	6
ARMY, DEPT. OF, ROCK ISLAND, IL	40-8702	5
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	6
ATLAS CORP., DENVER, CO	40-3453	2
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	5
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	4
CABOT CORP. READING & REVERE	40-9027	9
CABOT CORP., BOYERTOWN, PA	40-6940	3
CERAC, INC., MILWAUKEE, WI	40-8805	6
CHEMETRON CORP., PROVIDENCE, RI	40-8724	5
ENERGY FUELS NUCLEAR	40-9024	8
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	8
EXXON CORP., HOUSTON, TX	40-8102	4
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	4
FOOTE MINERAL CO., EXTON, PA	40-7397	3
GENERAL ELECTRIC CO., CLEVELAND, OH	40-0534	1
HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI	40-9015	8
HERITAGE MINERALS, INC., LAKEHURST, NJ	40-8980	8
HOMESTAKE MINING CO., GRANTS, NM	40-8903	6
HONEYWELL, INC., HOPKINS, MN	40-7982	4
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	7
KAISER ALUMINUM SPECIALTY PRODUCTS	40-2377	1
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	5
LEDOUX & CO., TEANECK, NJ	40-8188	5
MALLINCKRODT, INC., ST. LOUIS, MO	40-6563	2
MICHIGAN CHEMICAL CORP., ST. LOUIS, MI	40-6264	2
MOLYCORP, INC., LOS ANGELES, CA	40-8794	6
MOLYCORP, INC., LOS ANGELES, CA	40-8778	6
NUCLEAR METALS, INC., CONCORD, MA	40-8866	6
NUCLEAR METALS, INC., CONCORD, MA	40-0672	1
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	3
PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	3
PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	5
POWER RESOURCES, INC., GLENROCK, WY	40-8857	6
QUIVIRA MINING CO., GRANTS, NM	40-8905	7
RIO ALGOM MINING CORP., MOAB, UT	40-8084	4
RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	7
RMI CO., ASHTABULA, OH	40-2384	1
SCHOTT GLASS TECHNOLOGIES, INC., DURYEA, PA	40-7924	4
SEQUOYAH FUELS CORP., GORE, OK	40-8027	4
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	7
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	3
SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	6
UMETCO MINERALS CORP., BLANDING, UT	40-8681	5
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	7
UNITED NUCLEAR CORP., GRANTS, NM	40-1822	1
WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	1
Domestic Licensing of Production and Utilization Facilities - Docket 50		
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	153
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	154
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	78
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	122
BEAVER VALLEY POWER STATION, UNIT 1	50-334	95
BEAVER VALLEY POWER STATION, UNIT 2	50-412	146
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	155
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	156
BIG ROCK POINT NUCLEAR PLANT	50-155	12
BRAIDWOOD STATION, UNIT 1	STN-50-456	165
BRAIDWOOD STATION, UNIT 2	STN-50-457	166
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	36
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	37
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	65

Name	Docket	Page
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	89
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	88
BYRON STATION, UNIT 1	STN-50-454	162
BYRON STATION, UNIT 2	STN-50-455	164
CALLAWAY PLANT, UNIT 1	STN-50-483	171
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	82
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	83
CATAWBA NUCLEAR STATION, UNIT 1	50-413	147
CATAWBA NUCLEAR STATION, UNIT 2	50-414	148
CINTICHEM	50-54	11
CLINCH RIVER BREEDER REACTOR	50-537	180
CLINTON POWER STATION, UNIT 1	50-461	168
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	159
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	161
COOPER NUCLEAR STATION	50-298	66
CORNELL UNIV. RESEARCH REACTOR	50-157	13
CORNELL UNIV. ZERO POWER REACTOR	50-97	11
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	69
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	111
DELFT TECHNICAL UNIV. RESEARCH REACTOR	50-35	11
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	50
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	87
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	79
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	81
DOW CHEMICAL CO.	50-264	41
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	9
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	19
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	26
DUANE ARNOLD ENERGY CENTER	50-331	93
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	85
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	121
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	109
FLOATING NUCLEAR PLANT	STN-50-437	155
FORD NUCLEAR REACTOR	50-2	9
FORT CALHOUN STATION, UNIT 1	50-285	57
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	43
GENERAL ATOMICS	50-89	11
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	13
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	150
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	150
H.B. ROBINSON PLANT, UNIT 2	50-261	38
HADDAM NECK PLANT	50-213	15
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	116
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	12
IDAHO STATE UNIV. RESEARCH REACTOR	50-284	57
INDIAN POINT STATION, UNIT 1	50-3	9
INDIAN POINT STATION, UNIT 2	50-247	25
INDIAN POINT STATION, UNIT 3	50-286	58
INDONESIA RESEARCH REACTOR	50-384	129
IOWA STATE UNIV. RESEARCH REACTOR	50-116	12
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	94
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	112
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	119
KEWAUNEE NUCLEAR POWER PLANT	50-305	72
LA CROSSE BOILING WATER REACTOR	50-409	145
LASALLE COUNTY STATION, UNIT 1	50-373	125
LASALLE COUNTY STATION, UNIT 2	50-374	127
LIMERICK GENERATING STATION, UNIT 1	50-352	114
LIMERICK GENERATING STATION, UNIT 2	50-353	115
MAINE YANKEE ATOMIC POWER PLANT	50-309	74
MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	10
MIDLAND PLANT, UNIT 1	50-329	93
MIDLAND PLANT, UNIT 2	50-330	93
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	22
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	104
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	150
MONTICELLO NUCLEAR GENERATING PLANT	50-263	40
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	18
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	145
NORTH ANNA POWER STATION, UNIT 1	50-338	106
NORTH ANNA POWER STATION, UNIT 2	50-339	108
OCONEE NUCLEAR STATION, UNIT 1	50-269	45
OCONEE NUCLEAR STATION, UNIT 2	50-270	46

Name	Docket	Page
OCONEE NUCLEAR STATION, UNIT 3	50-287	60
OHIO STATE UNIV. RESEARCH REACTOR	50-150	12
OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	50-131	12
OREGON STATE UNIV. RESEARCH REACTOR	50-243	21
OYSTER CREEK NUCLEAR POWER PLANT	50-219	17
PALISADES NUCLEAR PLANT	50-255	35
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	175
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	177
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	178
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	14
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	51
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	52
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	9
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	156
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	157
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	63
PILGRIM NUCLEAR POWER STATION, UNIT 2	50-471	170
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	42
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	67
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	56
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	73
PURDUE UNIV. RESEARCH REACTOR	50-182	14
QUAD-CITIES STATION, UNIT 1	50-254	33
QUAD-CITIES STATION, UNIT 2	50-265	41
RANCHO SECO NUCLEAR GENERATING STATION	50-312	78
REED COLLEGE RESEARCH REACTOR	50-288	61
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	14
RIVER BEND STATION, UNIT 1	50-458	167
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	21
RPI CRITICAL EXPERIMENT	50-225	19
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	48
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	76
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	14
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	117
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	118
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	12
SEABROOK NUCLEAR STATION, UNIT 1	50-443	158
SEABROOK NUCLEAR STATION, UNIT 2	50-444	159
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	90
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	91
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	143
SHOREHAM NUCLEAR POWER STATION	50-322	86
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	172
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	173
ST. LUCIE PLANT, UNIT 1	50-335	97
ST. LUCIE PLANT, UNIT 2	50-389	133
SURRY POWER STATION, UNIT 1	50-280	53
SURRY POWER STATION, UNIT 2	50-281	55
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	129
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	131
TAKAHAMA, UNIT 1	50-385	129
TEXAS A&M UNIV. RESEARCH REACTOR	50-128	12
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	61
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	84
TROJAN NUCLEAR PLANT	50-344	110
TURKEY POINT PLANT, UNIT 3	50-250	28
TURKEY POINT PLANT, UNIT 4	50-251	31
UNIV. OF FLORIDA TRAINING REACTOR	50-83	11
UNIV. OF MARYLAND RESEARCH REACTOR	50-166	14
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	14
UNIV. OF NEW MEXICO RESEARCH REACTOR	50-252	33
UNIV. OF TEXAS RESEARCH REACTOR	50-602	180
UNIV. OF UTAH RESEARCH REACTOR	50-72	11
UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	142
UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	11
UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	13
UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	50-223	19
UNIVERSITY OF MISSOURI RESEARCH REACTOR, ROLLA, MO	50-123	12
VERMONT YANKEE NUCLEAR POWER STATION	50-271	47
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	141
WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	50-27	10
WATERFORD GENERATING STATION, UNIT 3	50-382	128

Name	Docket	Page
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	140
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	141
WESTINGHOUSE TEST REACTOR	50-22	10
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	124
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	124
WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 2	50-359	117
WOLF CREEK GENERATING STATION	STN-50-482	170
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	168
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	142
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	174
YANKEE-ROWE NUCLEAR POWER STATION	50-29	10
ZION NUCLEAR POWER STATION, UNIT 1	50-295	64
ZION NUCLEAR POWER STATION, UNIT 2	50-304	71
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	180
Domestic Licensing of Special Nuclear Material - Docket 70		
AUGUSTANA COLLEGE, SIOUX FALLS, SD	70-0946	185
B&W FUEL CO., LYNCHBURG, VA	70-1201	185
B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP,	70-3085	187
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	183
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	183
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	184
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	183
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	184
CINTICHEM, INC., TUXEDO, NY	70-0687	184
CLEVITE CORP., CLEVELAND, OH	70-0133	183
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	183
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	185
COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	70-0398	184
CORATOMIC, INC., INDIANA, PA	70-1342	186
DENTSPLY INTERNATIONAL, INC., YORK, PA	70-2377	187
DOE HANFORD TANK WASTE REMEDIATION SYSTEM	70-3091	187
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	186
ENGELHARD CORP., PLAINVILLE, MA	70-0139	183
GANNON UNIV., ERIE, PA	70-0968	185
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	184
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	184
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1220	186
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	185
IDAHO STATE UNIV., POCATELLO, ID	70-1374	186
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	187
MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	70-0938	185
NEW YORK, STATE UNIV. OF, BUFFALO, NY	70-0267	184
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	183
SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN	70-3087	187
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	186
TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	70-0033	183
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	186
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	187
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	188
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	184
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	185
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ABC TESTING	71-0472	189
AGRICULTURE, DEPT. OF	71-0238	189
ARMY, DEPT. OF	71-0613	189
BENDICT COLLEGE	71-0861	190
BIONOMICS, INC.	71-0862	190
CONNORS PIPE SYSTEMS, INC.	71-0872	190
CONSOLIDATED NDE, INC.	71-0627	190
CONSUMERS POWER CO.	71-0325	189
CONTINENTAL AIRLINES, INC.	71-0727	190
COPES-VULCAN, INC.	71-0625	190
DAYTON X-RAY CO.	71-0252	189
GEORGIA POWER CO.	71-0726	190
GEORGIA POWER CO.	71-0521	189
MODEL: 2.7 NEW FUEL, ENERGY, DEPT. OF	71-5894	190
MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	191
MODEL: 650, AMERSHAM CORP.	71-9032	191
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	191
MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	191

Name	Docket	Page
MODEL: 770, AMERSHAM CORP.	71-9148	191
MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	71-9081	191
MODEL: DHTF, B&W FUEL CO.	71-9203	191
MODEL: F-294, NORDION INTERNATIONAL	71-9258	192
MODEL: FSV-3, GENERAL ATOMICS	71-6347	190
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	192
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	191
MODEL: JRC-80Y-20T (JAPANESE) CASK, TRANSPORTATION,	71-3035	190
MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	71-9239	192
MODEL: MODEL B, B&W FUEL CO.	71-6206	190
MODEL: MP-187, VECTRA TECHNOLOGIES	71-9255	192
MODEL: MPC-12P, PWR FUEL	71-9266	192
MODEL: MPC-21P, PWR FUEL	71-9264	192
MODEL: MPC-24B, BWR FUEL	71-9267	192
MODEL: MPC-44B, BWR FUEL	71-9265	192
MODEL: NAC-1, NAC INTERNATIONAL	71-9183	191
MODEL: NAC-LWT, NAC INTERNATIONAL	71-9225	191
MODEL: NAC-STC, NAC INTERNATIONAL	71-9235	192
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	191
MODEL: NLI-1/2, NAC INTERNATIONAL	71-9010	191
MODEL: NLI-10/24, NAC INTERNATIONAL	71-9023	191
MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC	71-9145	191
MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	191
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	192
MODEL: TN-FSV, TRANSNUCLEAR, INC.	71-9253	192
MODEL: TN6-2, TRANSPORTATION, DEPT OF	71-3033	190
MODEL: UC-609, ENERGY, DEPT. OF	71-9932	192
MODEL: UMS, NAC INTERNATIONAL	71-9270	192
MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	71-6294	190
MODEL: WAPD-40, ENERGY, DEPT. OF	71-5874	190
NATIONAL INSPECTION & CONSULTANTS, INC.	71-0444	189
NORTH AMERICAN INSPECTION	71-0514	189
NUCLEAR ASSURANCE CORP.	71-0018	189
PAUL SINN TESTING SERVICES	71-0729	190
PROGRESS SERVICES, INC.	71-0630	190
RUST REMEDIAL SERVICES	71-0770	190
TRANSNUCLEAR, INC.	71-0250	189
UNITED STATES ENRICHMENT CORPORATION	71-0832	190
UNIV. OF MISSOURI	71-0108	189
UNIVERSITY OF DETROIT MERCY	71-0874	190
UNIVERSITY OF PENNSYLVANIA	71-0873	190
WELLSLEY COLLEGE	71-0845	190
WEST VIRGINIA UNIVERSITY HOSPITALS	71-0846	190
Licensing of Independent Spent Fuel Storage - Docket 72		
ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368	72-0013	194
CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	193
CASK: DOE-MPC-12P, ENERGY, DEPT. OF	72-1011	195
CASK: DOE-MPC-21P, ENERGY, DEPT. OF	72-1009	195
CASK: DOE-MPC-24B, ENERGY, DEPT. OF	72-1012	195
CASK: DOE-MPC-44B, ENERGY, DEPT. OF	72-1010	195
CASK: HI-STAR 100, HOLTEC INTERNATIONAL	72-1008	195
CASK: HI-STORM 100, HOLTEC INTERNATIONAL	72-1014	195
CASK: NAC S/T, NAC INTERNATIONAL CORP.	72-1002	195
CASK: NAC STC-26, NAC INTERNATIONAL, INC.	72-1013	195
CASK: NAC-C28, NAC INTERNATIONAL CORP.	72-1003	195
CASK: NAC-MPC	72-1025	196
CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	72-1004	195
CASK: S/T 28 ASSEMBLY BASKET, NAC INTERNATIONAL, INC.	72-1020	195
CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.	72-1023	196
CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.	72-1015	195
CENTRAL INTERIM STORAGE	72-0021	194
DAVIS BESSE ISFSI GEN LIC, 50-346	72-0014	194
FORT ST. VRAIN ISFSI, 50-267	72-0009	193
GOOD HUE COUNTY	72-0018	194
H.B. ROBINSON ISFSI, 50-261	72-0003	193
MORRIS OPERATIONS, ISFSI	72-0001	192
NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	194
OCONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	193
PALISADES ISFSI GEN LIC/VSC-24, 50-255	72-0007	193
POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	72-0005	193
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	194
RANCHO SECO ISFSI, 50-312	72-0011	194
SURRY ISFSI 50-280 & 50-281	72-0002	192
TROJAN ISFSI, 50-344	72-0017	194
UNKNOWN	DOCKET	192

Name	Docket	Page	Name	Docket	Page
UNKNOWN	DOCKET	182	UNKNOWN	DOCKET	189
UNKNOWN	DOCKET	1			

3

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9703130310 Informs that NCSI has agreed to perform project re reviewing & compiling info verifying compliance w/performance objectives & reverification of long term dose assessment.
AUTRY,V.R. South Carolina, State of. 97/02/24. LOHAUS,P. Office of State Programs (Post 911117). 12pp. 92136:045-92136:056.

9703110118 Forwards insp rept 27-00047/91-01 on 970204.No violations noted.
DECKER,T.R. Region 2 (Post 820201). 97/03/02. VOIT,R.E. Chem-Nuclear Systems, Inc. 2pp. 92078:192-92078:200.

--9703110124 Insp rept 27-00047/97-01 on 970204.No violations noted. Major areas inspected:special nuclear matl safety verification,procedures & training,audits & physical security.
* Region 2 (Post 820201). 97/03/11. 7pp. 92078:194-92078:200.

9703130162 Forwards signed original of consideration of amend request of license to dispose of low-level radwaste containing SNM by Chem-Nuclear Sys,Inc & opportunity for hearing to Ofc of FR for publication.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/10. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 92136:196-92136:204.

--9703130165 Notice of consideration of amend to license for disposal of low-level radwaste containing SNM by Chem-Nuclear,Inc & transfer of license to SC & opportunity for hearing.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/10. 7pp. 92136:198-92136:204.

9703270115 Grants variance from condition 1.c of License 12-13536-01 to dispose of one package containing dry active waste from Environ Mgt & Controls,Inc.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/21. STILL,J. Chem-Nuclear Systems, Inc. 3pp. 92268:059-92268:061.

9703270122 Grants variance from condition 1.c of License 12-13536-01 to dispose six drums of Plutonium-239 from Lockhead Martin Aeronautical Sys Co.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/21. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 92268:070-92268:071.

9703270170 Grants variance from condition 1.c of License 12-13536-01 to dispose of 3 sources by Chem-Nuclear Consolidation facility.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/21. STALL,J. Chem-Nuclear Systems, Inc. 2pp. 92268:099-92268:100.

9703270207 Grants variance from condition 1.c of License 12-13536-01 to dispose of ten packages containing dry active waste from Scientific Ecology Group,Inc.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/21. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 92268:115-92268:116.

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9703060336 Informs of timely renewal of existing license WN-I019-2. License will not expire until dept has taken final action on application for renewal.
ROBERTSON,G. Washington, State of. 97/02/04. BEELER,S. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 92016:301-92016:301.

9703130336 Forwards Richland Operation Procedure ROP 23,rev 3 for review & approval.
BEELER,S.M. United States Enrichment Corp. (USEC). 97/02/28. HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 92136:144-92136:177.

--9703130339 Rev 3 to "Training Lesson Plans for Radiological Workers."
BEELER,S.M. United States Enrichment Corp. (USEC). 97/02/28. 31pp. 92136:147-92136:177.

9703130297 Forwards Richland Operational Procedure 49,Rev 4 for review & approval.
BEELER,S.M. Affiliation Not Assigned. 97/03/06. HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 92136:026-92136:044.

--9703130299 Rev 4 to "Groundwater Monitoring."
* Affiliation Not Assigned. 97/03/06. 11pp. 92136:033-92136:044.

DOCKET DOCKET UNKNOWN

9703040316 Discusses insp rept of license C-4058.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/08/24. HOMBERG,H.C. High Purity Crystals, Inc. (formerly Harshaw/Filtrol Partnership & Harshaw Chemi. 2pp. 92006:094-92006:095.

--9703040344 Forwards insp rept of license C-4058.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 60/08/10. PRICE,H.L. Atomic Energy Commission (Pre 750119). 1p. 92006:096-92006:096.

9703120387 Responds to 970123 TAR for docket 40007753 re response to Comment B.1:Room D372A,refs 10CFR20.1405.Current regulations do not allow site to be released under restricted conditions.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/07. JORGENSEN,B.L. Region 3 (Post 820201). 5pp. 92125:024-92125:029.

9703140018 Responds to NRC 970127 ltr on Docket 40009039,Morgan Matroc, Inc of violations noted in insp of license SUB-1573. Corrective actions:Radiation Consultant was hired to review license requirements & provide training.
HOCEVAR,W.J. Affiliation Not Assigned. 97/03/11. Document Control Branch (Document Control Desk). 1p. 92128:202-92128:202.

9703280055 Forwards Tenneco,Ic insp rept 40-1266/97-01 on 970210 & 25. No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 97/03/13. TOWE,R. Tenneco, Inc. 3pp. 92315:001-92315:005.

--9703280063 Tenneco,Inc insp rept 40-1266/97-01 on 970210 & 25.No violations noted.Major areas inspected:facility status & initial preparations for remediation of U contamination at site.
JACKSON,T.J., BELLAMY,R.R. Region 1 (Post 820201). 97/03/13. 2pp. 92315:004-92315:005.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9703120008 "Gas Hills,WY Second Half of 1996 10CFR40.65 Rept." W/970227 ltr.
* UMETCO Minerals Corp. 96/12/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 180pp. 92121:110-92121:289.

9703280147 Notification of 970415 significant meeting w/Umetco Minerals Corp in Rockville,MD to discuss Umetco proposed rev to reclamation plan for Gas Hills site.
HAQUE,M.W. Division of Waste Management (NMSS 940403). 97/03/20. Division of Waste Management (NMSS 940403). 1p. 92276:161-92276:161.

DOCKET 40-0341 ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD

9703120437 Responds to 970226 ltr,requesting NRC permission to enter former Defense Logistics Agency property in Curtis Bay,MD to set panel points for aerial topography of site.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/05. STEWART,G.J. Anne Arundel County, MD. 2pp. 92124:312-92124:313.

DOCKET 40-0534 GENERAL ELECTRIC CO., CLEVELAND, OH

9703280005 Forwards final survey rept for GE Lighting Tungsten product plant in Euclid,OH,license SMB-191.
JORGENSEN,B.L. Region 3 (Post 820201). 97/03/20. VITKUS,T. Affiliation Not Assigned. 1p. 92264:269-92264:269.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9703100266 ENVIRONMENTAL ASSESSMENT PROPOSED LICENSE RENEWAL OF NUCLEAR METALS,INC. CONCORD, MASSACHUSETTS.
MILLER,R.L., EASTERLY,C.E., LOMBARDI,D.A. Oak Ridge National Laboratory. FIN J-5084. NUREG/CR-6528. 97/02/28. Division of Industrial & Medical Nuclear Safety (Post 870729). 88pp. 92020:152-92020:239.

9703280066 Discusses FRN,which announced availability of EA & staff FONSI to support renewal of licenses SMB-179 & SUB-1452.W/o encl.
MILLER,M. Region 1 (Post 820201). 97/03/12. VUMBACO,F. Nuclear Metals, Inc. 3pp. 92265:038-92265:040.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9703120036 Informs that during 970228 discussions w/legal counsel,NRC granted extension to 970324 of due date for Western Nuclear, Inc response re surety evaluation.
BAKER,S.J. Western Nuclear, Inc. 97/03/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92125:150-92125:150.

DOCKET 40-1822 UNITED NUCLEAR CORP., GRANTS, NM

9703200129 Responds to 970305 ltr on behalf of United Nuclear Corp re request for enforcement conference & request for extension of time to respond to NOV & Proposed Imposition of Civil Penalty.Both requests granted.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/18. NICKLES,P.J. Covington & Burling. 1p. 92188:350-92188:350.

DOCKET 40-2377 KAISER ALUMINUM SPECIALTY PRODUCTS

9703120014 Forwards insp rept 40-2377/97-01 on 970224.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 97/03/05. GORMAN,M. Kaiser Aluminum Specialty Products. 3pp. 92069:146-92069:156.

--9703120022 Insp rept 40-2377/97-01 on 970224.No violations noted.Major areas inspected:site status,mgt organization & controls, radiation protection program & radwaste mgt.
* Region 4 (Post 820201). 97/03/05. 8pp. 92069:150-92069:156.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9703240065 Forwards proprietary copy of RDP-SEC-001, "Security Plan" for review in response to NRC 960503 Decommissioning Plan comments.
HENDERSON,J.W. RMI Co. 96/10/02. ULECK,R. NRC - No Detailed Affiliation Given. 3pp. 92236:219-92236:221.

9703120428 Informs that exemption not needed since financial assurance for decommissioning of RMI facility can be met under 10CFR40.36(e)(4).
ULECK,R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/05. MARSH,E.P. RMI Co. 4pp. 92124:301-92124:304.

9703120407 Ack receipt that NRC received submitted RMI ltr responses to NRC on RMI decommissioning documents.
ULECK,R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/06. MARSH,E.P. RMI Co. 11pp. 92121:333-92121:343.

9703190359 Ack receipt that NRC received RMI ltr dtd 970130,describing position & rationale demonstrating,thorium present at background levels & not concern at RMI site.
ULECK,R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/13. MARSH,E.P. RMI Co. 3pp. 92199:182-92199:183.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9703060233 Forwards "Emergency Response Plan/Radiological Contingency Plan." Licensee eliminated redundancy by placing plans in manual & making refs between plans.
KOSMIDER,M.D. Allied-Signal Corp. 97/02/21. LAMASTRA,M. Licensing Branch. 1p. 92010:001-92010:187.

--9703060242 Revised "Emergency Response Plan/Radiological Contingency." W/four oversize drawings.
* Allied-Signal Corp. 96/06/30. 242pp. 92010:002-92010:187.

9703240174 Application for amend to License SUB-526,including possession of unirradiated U tetrafluoride,contaminated w/ plutonium.
KOSMIDER,M.D. Allied-Signal Corp. 97/03/17. LAMASTRA,M. Licensing Branch. 1p. 92236:212-92236:212.

9703260141 Submits correction to 970221 ltr re Emergency Response Plan/ Radiological Contingency Plan (RCP).Changes made do not decrease effectiveness of RCP and therefore does not require NRC approval.
KOSMIDER,M.D. Allied-Signal Corp. 97/03/18. LAMASTRA,M. Licensing Branch. 1p. 92257:331-92257:331.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9703140145 Forwards NUREG-1532, "Final TER for Proposed Revised Reclamation Plan for Atlas Corp Moab Mill,Source Matl License SUA-917."
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/05. BLUBAUGH,R. Atlas Corp. 205pp. 92137:023-92137:227.

9703060064 Forwards source matl license SUA-917 for Atlas Corp Moab, Utah facility & Atlas 961220 request for amend to source matl license.
TURK,S.E. Office of the General Counsel (Post 860701). #197 18169. 97/02/14. BOLLWERK,G.P., KELBER,C.N. Atomic Safety & Licensing Board Panel. 12pp. 91970:199-91970:212.

9703060093 Informs that Staff has no desire to participate as party in MLA proceeding,per Presiding Officer 970212 Memorandum & Order concerning licensee request to change plant completion date stated in License Condition 55 A.(3).
TURK,S.E. Office of the General Counsel (Post 860701). #197 18172. 97/02/21. BOLLWERK,G.P., KELBER,C.N. Atomic Safety & Licensing Board Panel. 1p. 91970:121-91970:121.

9703140044 Notice of appearance.* Informs that AJ Thompson will enter appearance as counsel in any proceeding related to Atlas Corp.W/Certificate of Svc.
THOMPSON,A.J. Atlas Corp. THOMPSON,A.J. Shaw, Pittman, Potts & Trowbridge. #197 18184. 97/02/24. 2pp. 92106:300-92106:301.

9703140062 Responds to presiding officer memorandum & order (initial order) dtd 970213 re extension of site reclamation plan milestone.Requests to appear pro se.W/ Certificate of Svc.
DARKE,J.F. Affiliation Not Assigned. #197 18180. 97/02/24. BOLLWERK,G.P., KELBER,C.N. Atomic Safety & Licensing Board Panel. 4pp. 92106:344-92106:347.

9703050300 Forwards calculated annual dose for 1996,per 10CFR20.1301 & 20.1302.
BLUBAUGH,R.E. Atlas Corp. 97/02/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 92003:177-92003:179.

9703050303 Informs that semi-annual environ effluent monitoring rept required by 10CFR40.65,will be delayed for approximately one wk,due to unforeseen technical problems w/computer software.
BLUBAUGH,R.E. Atlas Corp. 97/02/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92003:180-92003:180.

9703050261 Responds to 970121 telcon to Chairman Jackson staff requesting re-establishment of local PDR near Atlas Corp Moab,UT facility.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 97/ 02/28. DARKE,J. Affiliation Not Assigned. 4pp. 91999:290-91999:306.

--9703050266 Responds to ltr that NRC received on 890411 in which several concerns were raised as to why Local PDR does not currently exist for Part 40 U mills.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 89/12/20. DARKE,J. Affiliation Not Assigned. 4pp. 91999:294-91999:297.

--9703050269 Informs that no further action is being taken by NRC w/respect to local PDRs for U milling facilities,in response to 890215 postcard to V Stello & undated ltr postmarked 890202.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 89/03/27. DARKE,J. Affiliation Not Assigned. 5pp. 91999:298-91999:306.

9703050310 Forwards "Environ Effluent & Monitoring Program Second Half of 1996." Licensee continuing to experience sofware problems but able to complete rept & distribution on time.
DOIRON,J.E. Atlas Corp. 97/02/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 91985:311-91985:355.

--9703050312 "Environ Effluent & Monitoring Program Second Half of 1996."
* Atlas Corp. 96/12/31. 42pp. 91985:313-91985:355.

9703140035 Submits second response to Presiding Officer memorandum & order,dtd 970212.W/Certificate of Svc.
DARKE,J. Affiliation Not Assigned. #197 18202. 97/03/03. BOLLWERK,G.P., KELBER,C.N. Atomic Safety & Licensing Board Panel. 10pp. 92106:237-92106:246.

9703130063 Informs that NRC will be modifying license SUA-917 to incorporate change in date for placement of final Rn barrier in license condition 55A(3) per 961220.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/04. BLUBAUGH,R. Atlas Corp. 7pp. 92126:337-92126:354.

--9703130076 Amend 28 to license SUA-917,authorizing use of U milling facility at Moab,UT.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/04. 11pp. 92126:344-92126:354.

9703140067 Informs that on 970304 NRC Staff granted license amend at issue in proceeding,IAW 10CFR2.1205(m).
TURK,S.E. Office of the General Counsel (Post 860701). #197 18185. 97/03/05. BOLLWERK,G.P., KELBER,C.N. Atomic Safety & Licensing Board Panel. 19pp. 92107:079-92107:097.

9703120374 Forwards comment letters on Atlas Draft Technical Evaluation Rept.W/o encl.
FLIEGEL,M. Division of Waste Management (NMSS 940403). 97/03/07. Division of Waste Management (NMSS 940403). 1p. 92125:017-92125:017.

9703140038 Memorandum & order (permitting additional filing).* Informs that licensee has up to 970107 in which to respond to petitioner Darke addl filing as well as filing of 970224 & 0303.W/Certificate of Svc.Served on 970311.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #197 18201. 97/03/11. Atlas Corp. 4pp. 92106:247-92106:250.

9703180051 Provides third response to presiding officer memorandum & order dtd 970212.Requests that MOU ride w/record of present proceeding & that presiding officer allow listed corrections to stated responses.W/Certificate of Svc.
DARKE,J.F. Affiliation Not Assigned. #197 18212. 97/03/13. BOLLWERK,G.P., KELBER,C.N. Atomic Safety & Licensing Board Panel. 3pp. 92134:169-92134:171.

9703180009 Re-transmits ltr informing that NRC staff had issued requested license amend re extension of site reclamation plan milestone.
TURK,S.E. Office of the General Counsel (Post 860701). #197 18211. 97/03/14. DARKE,J.F. Affiliation Not Assigned. 1p. 92134:012-92134:012.

9703260195 Advises that licensee conducted annual survey of land use within two mile area of mill.Description of changes in land use within area during past year listed.
BLUBAUGH,R.E. Atlas Corp. 97/03/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 92258:308-92258:310.

9703260201 Provides notification of resignation of one of two remaining employees at Moab Mill Site.Remaining employee DL Edwards, will continue to perform duties.
BLUBAUGH,R.E. Atlas Corp. 97/03/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92258:311-92258:311.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9703060051 "Semi-Annual Rept on Radioactive Effluent 10CFR40.65 for Period From Jul-Dec 1996." W/970228 ltr.
SALISBURY,W.C. American Nuclear Corp. 96/12/31. HOLONICH,J.J. Document Control Branch (Document Control Desk). 17pp. 92003:286-92003:302.

9703060232 Informs that TN 3 5/93,Gas Hills ISL Application incomplete.
MOXLEY,M. Wyoming, State of. 97/02/21. HILDENBRAND,P. Power Resources Corp. 32pp. 92012:243-92012:274.

9703050013 Forwards copy of Settlement Agreement between American Nuclear Corp & Wyoming Dept of Environ Quality,Land Quality Div.
ROAN,T.A. Wyoming, State of. 97/02/25. HOOKS,K. NRC - No Detailed Affiliation Given. 7pp. 92003:220-92003:226.

DOCKET 40-6264 MICHIGAN CHEMICAL CORP., ST. LOUIS, MI

9703260089 Refers to 970307 ltr re delay of preparation of characterization rept for former Michigan Chemical Co low level burial site.
JORGENSEN,B.L. Region 3 (Post 820201). 97/03/20. PHILLIPS,J.D. Michigan Chemical Corp. 1p. 92244:264-92244:265.

--9703260105 Informs that Memphis Environmental Ctr,Inc wil not be able to submit site characterization plan w/supporting documents due to weather conditions.
PHILLIPS,J.D. Michigan Chemical Corp. 97/03/07. MCCANN,M. Region 3 (Post 820201). 1p. 92244:265-92244:265.

DOCKET 40-6563 MALLINCKRODT, INC., ST. LOUIS, MO

9703210103 Forwards for payment,invoice numbers FL0339-97 & FL0340-97 for costs incurred during period 920920 to 961221,associated w/characterization plan for license STB-401 submitted 940112.Invoice number JR0168-93 also encl.
JACKSON,G.C. License Fee & Debt Collection Branch (Post 890827). 97/03/18. BOLAND,R.F. Mallinckrodt Specialty Chemicals Co. 4pp. 92237:305-92237:344.

--9703210106 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 960929 through 961221.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/12/29. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:309-92237:310.

--9703210111 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 960623 through 960928.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/10/08. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:311-92237:312.

--9703210116 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 960331 through 960622.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/06/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:313-92237:314.

--9703210121 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 951224 through 960330.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/09. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:315-92237:316.

--9703210126 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 951001 through 951223.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/12/29. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:317-92237:318.

--9703210127 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 950625 through 950930.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/10/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:319-92237:320.

--9703210130 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 950319 through 950624.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:321-92237:322.

--9703210135 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 941225 through 950318.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:323-92237:324.

--9703210136 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 940918 through 941224.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:325-92237:326.

--9703210139 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 940626 through 940917.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:327-92237:328.

--9703210142 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 940320 through 940625.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/08/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:329-92237:330.

--9703210145 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 931226 through 940319.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/05/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:331-92237:332.

--9703210148 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 930919 through 931225.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 94/02/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 92237:333-92237:335.

--9703210151 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 930321 through 930626.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/04. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:336-92237:337.

--9703210152 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 921227 through 930320.
GASKIN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 92237:338-92237:339.

--9703210156 Submits contract costs incurred & staff hours used in reviewing 920801 application.Period covers 920920 through 921226.
MO,T. Division of Industrial & Medical Nuclear Safety (Post 870729). 93/02/23. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 92237:340-92237:343.

--9703210160 Submits costs & manhours used in reviewing 920801 application.Period covered 920801 through 920919.
MO,T. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/10/30. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 92237:344-92237:344.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9703040056 Forwards annual rept on groundwater corrective action program at Shirley Basin mill & tailings site,in response to license condition 47D.
HARDGROVE,T.W. Pathfinder Mines Corp. 97/02/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91992:001-91992:272.

--9703040063 "Hydrologic Monitoring for Shirley Basin Tailings Seepage Control Plan."
MICHEL,T.G. Hydro-Engineering. 97/03/31. 270pp. 91992:003-91992:272.

9703030493 "Semi-Annual Effluent Monitoring Rept for Period 960701-1231,Third & Fourth Quarters." W/970224 ltr.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/12/31. CAIN,C.L. Region 4 (Post 820201). 14pp. 91966:348-91966:361.

9703140121 Transmits listed documents for use in review of reclamation plan for Pathfinder Mines Corp at Shirley Basin site.
JAGANNATH,B.N. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/11. MACKIN,P. Center for Nuclear Waste Regulatory Analyses. MACKIN,P. Southwest Research Institute. 1p. 92138:012-92138:012.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9703050024 Informs that no radionuclide liquid effluents released to surface unrestricted areas during 6 months prior to 970101.
PFAFF,S.J. Petrotomics Co. (formerly Getty/Petrotomics Co.). 97/02/27. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 91988:001-91988:123.

--9703050027 Forwards environ info for third & fourth quarters of 1996.
PFAFF,S.J. Petrotomics Co. (formerly Getty/Petrotomics Co.). 97/02/27. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 91988:002-91988:002.

--9703050030 "Environ Sample Data,Third Quarter 1996."
* Petrotomics Co. (formerly Getty/Petrotomics Co.). 96/09/30. 80pp. 91988:003-91988:082.

--9703050034 "Environ Sample Data,Fourth Quarter 1996."
* Petrotomics Co. (formerly Getty/Petrotomics Co.). 96/12/31. 41pp. 91988:083-91988:123.

9703060325 Submits annual update to surety amount.No changes made to current reclamation plan design & propose to update surety amount by adjustment for inflation from Dec 1995-96.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 97/02/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92016:297-92016:297.

9703120417 Forwards "Evaluation of Riprap Rock Quality,Petrotomics Mine Site,Shirley Basin,WY."
CHEN,J.C. Lawrence Livermore National Laboratory. 97/03/06. ROM,D.S. Division of Waste Management (NMSS 940403). 1p. 92123:340-92123:356.

--9703120421 "Evaluation of Riprap Rock Quality,Petrotomics Mine Site, Shirley Basin,WY."
CHEN,J.C. Lawrence Livermore National Laboratory. 97/03/06. 16pp. 92123:341-92123:356.

9703260396 Ack receipt of ltr,dated 970227,requesting to amend condition 23 of source material license SUA-551,for Petrotomics Co Shirley Basin Mill.Revised surety amount required within 30 days.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/24. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 1p. 92299:023-92299:023.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9703030494 Revised application for renewal of license SMB-920,revising condition 14.c as listed.
HOLSOPPLE,K.L. Cabot Corp. 97/02/13. LAMASTRA,M. Licensing Branch. 108pp. 91952:001-91952:108.

9703210208 Ack receipt of application for amend to license SMB-920. Document forwarded to MA Lamastra for appropriate action. Initial administrative review complete. LAMASTRA,M. Licensing Branch. 97/03/19. HOLSOPPLE,K.L. Cabot Corp. 2pp. 92238:131-92238:132.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9703180209 Forwards rept 94005/G-6131, "Radiation Dose Estimates from Atmospheric Emissions from Newfield Facility."
BERGER,C.D. Integrated Environmental Services. 97/03/11. COMFORT,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 92179:170-92179:281.

--9703180213 "Radiation Dose Estimates from Atmospheric Emissions from Newfield Facility."
* Integrated Environmental Services. 97/03/11. 109pp. 92179:171-92179:281.

9703280333 Application for amend to license SMB-743,allowing possession & storage of matls containing U & Th when not used for production,but instead sold as tradeable commodity.
EVES,C.S. Shieldalloy Metallurgical Corp. 97/03/06. WEBER,M.F. NRC - No Detailed Affiliation Given. 19pp. 92299:003-92299:021.

9703180111 Ack receipt of 970207 ltr to EDO re modifying license to SMC only to possess licensable matls for purpose of decommissioning.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/07. BAUMAN,S. Affiliation Not Assigned. 2pp. 92196:080-92196:081.

9703260318 Forwards Rev 1.0 to "Std Operating Procedure for U in Urine."
BERGER,C.D. Integrated Environmental Services. 97/03/11. COMFORT,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 92253:243-92253:261.

--9703260321 Rev 1.0 "Std Operating Procedure for U in Urine."
* Integrated Environmental Services. 96/08/01. 17pp. 92253:244-92253:261.

DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA

9703070143 Forwards two copies of Sept 24 Court Order granting preliminary approval of settlement in A Strawsburg v Metallurg Inc case per D Patterson request.
YOUNG,N.N. Beveridge, Fairbanks & Diamond. 96/10/11. KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 210pp. 92015:001-92015:201.

9703070083 Forwards MOU of settlement & supporting matls setting forth court-approved settlement in Cambridge,OH "toxic tort" case Allen Strawsbert vs Metallurg,Inc,et at.Encls listed.
YOUNG,N.N. Affiliation Not Assigned. 97/02/20. KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 218pp. 92016:001-92016:218.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9703200056 Forwards response to 961217 ltr which requested addl info re EA for license SMB-911 renewal.
HUNTER,J.J. Fansteel, Inc. 97/02/25. CHOTOO,S. Licensing Branch. 1p. 92213:001-92214:199.

--9703200058 "Response to NRC EA Comment Request." W/three oversize drawings.
* Earth Science Consultants, Inc. 97/02/20. 600pp. 92213:002-92214:199.

9703060131 Forwards financial assurance Ltr of Credit Amend dtd 970121 to Ltr of Credit S265349 for license SMB-911.
MCENTEE,R.M. Fansteel, Inc. 97/02/24. CHOTOO,S. Licensing Branch. 2pp. 92016:253-92016:254.

9703200068 Forwards replacement pages for environ section of installation permit application info for process operations.
HUNTER,J.J. Fansteel, Inc. 97/03/10. CHOTOO,S. Licensing Branch. 6pp. 92199:323-92199:328.

9703200008 Forwards two executed copies of amend number one to standby trust agreement.
MOCNIAK,M.J. Fansteel, Inc. 97/03/14. CHOTOO,S. NRC - No Detailed Affiliation Given. 9pp. 92199:347-92199:355.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9703130160 Discusses insp rept 40-7604/96-01 on 961213 & 970130-31 & forwards NOV.Areas of concern included personnel training & experience,recordkeeping & overall degree of mgt involvement to ensure adherence to commitments & program requirements.
CANIANO,R.J. Region 3 (Post 820201). 97/03/05. BLYTHE,H. BP Chemicals International. 3pp. 92078:220-92078:231.

--9703130169 Notice of violation from insp on 961213 & 970130-31. Violation noted:decontamination of equipment used in contaminated areas not inspected daily.
* Region 3 (Post 820201). 97/03/05. 1p. 92078:223-92078:223.

--9703130181 Insp rept 40-7604/96-01 on 961213 & 970130-31.Violations noted.Major areas inspected:health physics controls, decontamination surveys,analytical procedures & remediation activities.
* Region 3 (Post 820201). 97/03/05. 8pp. 92078:224-92078:231.

9703120464 Forwards field change request form re mixed waste pond closure project.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/06. RUPERT,W.M. BP Chemicals International. 5pp. 92124:323-92124:327.

9703130278 Informs that NRC has no objections to proposed field change 008 which would revise Specification 02220 based on results of Test Fill pad #2.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/07. RUPERT,W.M. BP Chemicals International. 2pp. 92128:081-92128:082.

9703130283 Informs that NRC has no objections to proposed field change 004 which is necessary to address construction problems related to original design.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/07. RUPERT,W.M. BP Chemicals International. 2pp. 92126:355-92126:356.

9703130286 Informs that NRC has no objections to proposed field change 007 which would secure agreement on QA/QC Contractor's interpretation of pass/fail criteria for optimum moisture content of compacted clay.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/07. RUPERT,W.M. BP Chemicals International. 2pp. 92126:357-92126:358.

9703270062 Responds to NRC 970305 ltr re violations noted in insp of BPCI facility in Lima,OH on 961213.Corrective actions: Condition 18 rewritten eliminating term "Radiological Control Function" & application for amend submitted.
WALPOLE,J.W. BP Chemicals International. 97/03/24. Document Control Branch (Document Control Desk). 7pp. 92267:314-92267:336.

--9703270069 Responds to 970305 NOV & requests Condition 18 be modified clarifying current wording.
WALPOLE,J.W. BP Chemicals International. 97/03/24. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 92267:329-92267:336.

DOCKET 40-7924 SCHOTT GLASS TECHNOLOGIES, INC., DURYEA, PA

9703050086 Responds to 970123 telcon requesting NRC license termination request submitted by Scott Glass Technologies, Inc on 970123.Licensee has met conditions of revised decommissioning plan approved by NRC by amend 7,dtd 960614.
BELLAMY,R.R. Region 1 (Post 820201). 97/02/25. TOMAYKO,W. Pennsylvania, Commonwealth of. 2pp. 91956:073-91956:074.

DOCKET 40-7982 HONEYWELL, INC., HOPKINS, MN

9703050084 Forwards copy of response from SEG dtd 970217,addressing issues raised re 970107-08 confirmatory survey.Review & evaluation of response requested.
JORGENSEN,B.L. Region 3 (Post 820201). 97/02/25. QUAYLE,D.R. Oak Ridge Associated Universities. 1p. 91956:060-91956:072.

--9703050093 Responds to NRC confirmatory survey of PBI range & NW SCAR at Aliant Techsystems proving grounds.
HALL,D.M. Scientific Ecology Group, Inc. 97/02/17. SNELL,W. Region 3 (Post 820201). 12pp. 91956:061-91956:072.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9703070009 Responds to request that OK Dept of Environmental Quality verify Sequoyah Fuels Corp's proposed aquifer classification at Gore site.
BRODERICK,M. Oklahoma, State of. 97/02/20. SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 138pp. 92030:001-92030:138.

9703060117 Brief in support of petition for review filed by state of OK.* W/Certificate of Svc.
HALE,J. Oklahoma, State of. #197 18168. 97/02/11. Commissioners (Post 750119). 21pp. 91970:085-91970:105.

9703060084 Native Americans for Clean Environ & Cherokee Nation brief on review of LBP-96-24.* Suggests that LBP-96-24 be reversed & enforcement proceeding be reopened for further hearings. W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #197 18171. 97/02/18. Commissioners (Post 750119). 29pp. 91970:131-91970:159.

9703060267 Forwards cash flow projection in Table 10-2 which has been updated to incorporate more definitive cost estimates & reflects actual cash flow experience through end of 1996.
ELLIS,J.H. Sequoyah Fuels Corp. 97/02/28. PAPERIELLO,C.J. NRC - No Detailed Affiliation Given. 4pp. 92016:328-92016:331.

9703130176 Forwards copy of ltr from OK Dept of Environ Quality re classification of ground water under SFC facility,IAW MOU between NRC & US EPA.
SHEPHERD,J.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/04. HEBERT,M. Environmental Protection Agency. 3pp. 92128:114-92128:117.

9703140068 General Atomics (GA) motion to file briefs simultaneously.* GA requests permission to file briefs in response to briefs of intervenors & State of Oklahoma no later than 970317. W/Certificate of Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #197 18191. 97/03/07. Commissioners (Post 750119). 4pp. 92107:098-92107:101.

9703140032 NRC staff brief in support of affirmation of LBP-96-24.* Staff believes LBP-96-24 should be affirmed by Commission. W/Certificate of Svc.
HOM,S.R., UTTAL,S.L. Office of the General Counsel (Post 860701). #197 18195. 97/03/10. Commissioners (Post 750119). 35pp. 92106:197-92106:231.

9703140049 Order.* Commission grants General Atomics motion for leave to file two response briefs answering initial briefs of intervenors & State of OK.W/Certificate of Svc.Served on 970310.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18194. 97/03/10. Office of the General Counsel (Post 860701). 3pp. 92106:312-92106:314.

9703240050 Forwards insp rept 40-8027/97-01 on 970225-27 & NOV. Violation of concern because data from instrument was used to demonstrate that property outside restricted area not contaminated.
SCARANO,R.A. Region 4 (Post 820201). 97/03/15. ELLIS,J.H. Sequoyah Fuels Corp. 4pp. 92237:065-92237:078.

--9703240053 Notice of violation from insp on 970225-27.Violation noted:detector used for conducting health physics surveys from 951128 to 960621 not calibr between 950921 & 961217.
* Region 4 (Post 820201). 97/03/15. 1p. 92237:069-92237:069.

--9703240056 Insp rept 40-8027/97-01 on 970225-27.Violations noted. Major areas inspected:review of possession-only license, mgt organization & controls,radiation protection,radioactive waste mgt,environ monitoring & follow-up items.
* Region 4 (Post 820201). 97/03/15. 10pp. 92237:070-92237:078.

9703200004 General Atomics brief in support of affirmation of LBP-96-24.* Recommends that decision of Licensing Board in LBP-96-24 be affirmed.W/Certificate of Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #197 18214. 97/03/17. Commissioners (Post 750119). 40pp. 92184:285-92184:324.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9703050457 Ack receipt of ltr from Rio Algom Mining Corp dtd 961231, transmitting rept submitted to fulfill license condition 55.A.(3) of source matl license SUA-1119.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/02/27. FOSSEY,F. Rio Algom Mining Corp. 2pp. 91996:360-91996:361.

9703240228 Ack receipt of ltr from Rio Algom Mining Corp dtd 970128, requesting NRC approval to terminate settlement monitoring program required by license condition 45.J of SUA-1119.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/18. FOSSEY,F. Rio Algom Mining Corp. 2pp. 92241:330-92241:331.

DOCKET 40-8102 EXXON CORP., HOUSTON, TX

9703180192 Provides NRC staff formal response to 960607 ltr & reiterates NRC position on corrective action assessments as conveyed to D Range during telcon in Sept 1996.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/13. PATTON,J.D. Exxon Corp. 3pp. 92196:198-92196:264.

--9703180194 "Corrective Action Program & ACL Petition."
* Exxon Corp. 97/03/13. 63pp. 92196:201-92196:264.

DOCKET 40-8188 LEDOUX & CO., TEANECK, NJ

9703180115 Ack receipt of 970214 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8188/96-02 on 970113.
KINNEMAN,J.D. Region 1 (Post 820201). 97/03/11. PETERSON,B.E. Ledoux & Co., Inc. 2pp. 92134:176-92134:179.

--9703180118 Responds to NRC 970130 ltr re violations noted in insp rept 40-8188/96-02.Corrective actions:require respirator & proper clothing be worn while changing filter,instruction in proper changing & bagging of filter,clean removeable contamination.
PETERSON,B.E. Ledoux & Co., Inc. 97/02/14. KINNEMAN,J.D. Region 1 (Post 820201). 2pp. 92134:178-92134:179.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9703180112 Notification of significant licensee meeting w/Bear Creek U Co on 970325 to discuss site reclamation activities & licensee application for alternate concentration limits for groundwater resources at Bear Creek U mill site.
ABRAMS,C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/12. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92197:017-92197:017.

9703280368 Ack receipt of request from Bear Creek Uranium Co,dated 970228,for application of alternate concentration limits for groundwater at Bear Creek facility.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/25. CHASE,G. Bear Creek Uranium Co. 1p. 92299:022-92299:022.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9703060449 Forwards "Annual Corrective Action Program Review for Yr 1996" & "Evaluation of Aquifer Test Data."
PAULSON,O.A. Kennecott Corp. 97/02/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92013:001-92014:245.

--9703060450 "Annual Corrective Action Program Review 1996 & Semiannual Groundwater Monitoring Rept."
* Kennecott Corp. 96/12/31. 450pp. 92013:002-92014:116.

--9703060451 "Evaluation of Aquifer Test Data Sweetwater U Project Sweetwater County,WY."
* Shepherd Miller, Inc. 97/02/28. 129pp. 92014:117-92014:245.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9703070025 Forwards reclamation plan & appendices for White Mesa U mill.NRC staff clarified methods for using selected guidance matls.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 97/02/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 92102:001-92105:177.

--9703070031 "Tailings Cover Design White Mesa Mill,Oct 1996 for Reclamation of White Mesa Facilities Blanding,UT."
* Affiliation Not Assigned. 96/10/31. 460pp. 92102:003-92103:098.

--9703070036 "Hydrogeologic Evaluation of White Mesa U Mill,Jul 1994 for Reclamation of White Mesa Facilities Blanding,UT."
* Affiliation Not Assigned. 94/07/31. 484pp. 92103:099-92104:218.

--9703070039 Rev 1.0 to "Reclamation Plan White Mesa Mill Blanding,UT." W/nine oversize drawings.
* Energy Fuels Nuclear, Inc. 97/02/28. 323pp. 92104:219-92105:177.

9703070030 Forwards summary of estimated releases of radioactive matls in effluents from Energy Fuels Nuclear Corp,White Mesa Mill, Blanding,UT for period of 960701-1231.
BERG,R.E. Energy Fuels Nuclear, Inc. 97/03/03. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 75pp. 92056:148-92056:279.

--9703070032 "Semi-Annual Meteorology Monitoring Rept for Blanding Project for period of 960701-1231."
* Energy Fuels Nuclear, Inc. 96/12/31. 55pp. 92056:225-92056:279.

9703140137 Forwards amend 43 to license SUA-1358,allowing receipt & Processing of U bearing potassium diurinate in solution of potassium hydroxide/potassium flouride from Allied Signal of Metropolis,IL.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/20. REHMANN,M. Energy Fuels Nuclear, Inc. 6pp. 92137:260-92137:277.

--9703140139 Amend 43 to license SUA-1358 for Energy Fuels Nuclear, allowing receipt & processing of U-bearing potassium diurinate in solution of potassium hydroxide/potassium flouride from Allied Signal,Inc.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/11/20. 12pp. 92137:266-92137:277.

9703060235 Notice of hearing on adequacy of disclosure statement.
EKLUND,C.A., LEWIS,H.F. Affiliation Not Assigned. 96/12/19. 2pp. 92012:275-92012:276.

9703030103 Forwards FRN of opportunity for hearing on proposed transfer of NRC source matl Licenses SUA-1358 & SUA-1558.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/24. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91946:042-91946:047.

--9703030122 Notice of opportunity for hearing of approval for transfer of source matl licenses SUA-1358 & SUA-1558 for White Mesa U mill & Reno Creek facility,respectively to Intl U Corp.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/24. 4pp. 91946:044-91946:047.

9703030062 Forwards FRN of FONSI for proposed license renewal of source matl License SUA-1358,Energy Fuels Nuclear,Inc White Mesa U mill.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/26. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91946:024-91946:032.

--9703030086 FRN of final FONSI of opportunity for hearing to renew NRC source matl License SUA-1358 to authorize licensee,Energy Fuels Nuclear,Inc for continued commercial operation of White Mesa U mill.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/26. 7pp. 91946:026-91946:032.

9703030324 Forwards EA required to document review of Energy Fuels Nuclear,Inc application,IAW 10CFR51.22.
PARK,J.R. Division of Waste Management (NMSS 940403). 97/02/27. Division of Waste Management (NMSS 940403). 3pp. 91946:195-91946:233.

--9703030325 "Environmental Assessment for Renewal of SML SUA-1358."
* Division of Waste Management (NMSS 940403). 97/02/28. 36pp. 91946:198-91946:233.

9703140085 Forwards calculation for inflation based on Dec 1995 rate of 153.5 & Dec 1996 rate of 158.6 from Consumer Price Index.
BERG,R.E. Energy Fuels Nuclear, Inc. 97/03/04. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. 92137:323-92137:330.

9703240215 Provides calculation for inflation based on Dec 1995 rate of 153.5 & Dec 1996 rate of 158.6 for Consumer Price Index.
BERG,R.E. Energy Fuels Nuclear, Inc. 97/03/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92236:215-92236:215.

9703190286 Forwards SER,SML SUA-1358 & environ assessment for White Mesa U Mill in San Juan County,UT.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/14. ROBERTS,H. Energy Fuels Nuclear, Inc. 3pp. 92198:247-92198:334.

--9703190289 "Environmental Assessment for Renewal of Source Matl License SUA-1358."
* Division of Waste Management (NMSS 940403). 97/02/28. 40pp. 92198:250-92198:289.

--9703190293 "SER for Renewal of Source Matl License SUA-1358."
* Division of Waste Management (NMSS 940403). 97/03/31. 31pp. 92198:290-92198:320.

--9703190298 Renewed license SUA-1358 for Energy Fuels Nuclear,Inc.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/14. 9pp. 92198:321-92198:334.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9703140171 "Effluent Monitoring Rept for Period Jul-Dec 1996." W/ 970225 ltr.
MORRILL,V. Plateau Resources, Ltd. 96/12/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 92137:296-92137:305.

9703240208 Forwards latest copy of ALARA rept in compliance w/license SUA-1371,condition 18.
SAVIGNAC,N. Savignac, N. 97/02/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92241:352-92241:359.

--9703240213 "ALARA & QA Audit of Radiation Safety & Environ Monitoring Programs at Plateau Resources Limited Shootaring Canyon U Mill in Ticaboo,UT."
SAVIGNAC,N. Savignac, N. 97/02/28. 7pp. 92241:353-92241:359.

9703140088 Informs that Yellow Stone will be moving ISL plant to US Energy Shootaring Canyon facility.
CRAFT,F.R. Plateau Resources, Ltd. 97/03/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92384:152-92384:152.

9703140090 Informs that licensee has revised NRC surety account per 970226 ltr.
WEBBER,K. Plateau Resources, Ltd. 97/03/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 92137:356-92137:357.

9703240160 Informs that licensee proposes to increase surety amount by $4,235,023 to new total of $6,784,159 per 10CFR40,App A, Criteria 9 & 10.
WEBBER,K. Plateau Resources, Ltd. 97/03/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 92242:266-92242:267.

9703250006 Forwards "Glen Canyon Natl Recreation Area Visitor Use Summary for Dec 1996."
* Interior, Dept. of, National Park Service. 97/03/20. PARK,J. NRC - No Detailed Affiliation Given. 3pp. 92251:309-92251:311.

DOCKET 40-8702 ARMY, DEPT. OF, ROCK ISLAND, IL

9703140024 Notification of significant licensee meeting 97-26 w/util on 970325 to discuss survey of former arsenal site.
SHAFFER,S.W., BELLAMY,R.R. Region 1 (Post 820201). 97/03/07. Region 1 (Post 820201). 3pp. 92106:194-92106:196.

9703170047 Rev 1 to notification of licensee meting 97-26 in King of Prussia,PA to facilitate scoping survey of former arsenal site.
SHAFFER,S.W., BELLAMY,R.R. Region 1 (Post 820201). 97/03/10. Region 1 (Post 820201). 3pp. 92116:263-92116:265.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9703120484 Notification of 970205 meeting w/licensee in Rockville,MD re amend approval process.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/01/30. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 92124:346-92124:348.

9703120443 Confirms arrangements for Chemetron Regulator meeting on 970307 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/04. PARKER,J. Environmental Protection Agency. 2pp. 92124:314-92124:315.

9703200011 Confirms arrangements for Chemetron public meeting on 970407 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/17. PARKER,J. Ohio, State of. 1p. 92205:282-92205:288.

--9703200013 Confirms arrangements for Chemetron public meeting on 970407 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/17. KOH,B. B. Koh & Associates, Inc. 1p. 92205:283-92205:283.

--9703200014 Confirms arrangements for Chemetron public meeting on 970407 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/17. FANNIN,D.C. Chemetron Corp. 1p. 92205:284-92205:284.

--9703200015 Confirms arrangements for Chemetron public meeting on 970407 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/17. KOLER,E. Newburgh Heights, OH. 1p. 92205:285-92205:285.

--9703200017 Confirms arrangements for Chemetron public meeting on 970407 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/17. LIPP,C. Ohio, State of. 1p. 92205:286-92205:287.

--9703200018 Confirms arrangements for Chemetron public meeting on 970407 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/17. ALLAN,T. Cuyahoga County, OH. 1p. 92205:288-92205:288.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9703140028 Expresses concern re environ concerning toxic waste.
WIER,W.H. Affiliation Not Assigned. 97/02/11. CLINTON,B. President of U.S. & Executive Offices. 10pp. 92128:204-92128:213.

9703060427 Expresses concern re Molycorp Inc proposed radwaste holding site.
WHEATLEY,C.A. Affiliation Not Assigned. 97/02/12. PERSON,L. Region 1 (Post 820201). 2pp. 92010:359-92010:360.

9703060344 Requests public document for residents of Washington County, PA re documents relating to Molycorp,Inc decommissioning of plant located in Canton Township Washington County,PA.
STRAKA,W.A. Affiliation Not Assigned. 97/02/17. NRC - No Detailed Affiliation Given. 1p. 91971:285-91971:285.

9703060398 Expresses concerns re deposit of radwaste by Molycorp,Inc.
WEBER,F.L. Affiliation Not Assigned. 97/02/23. NRC - No Detailed Affiliation Given. 16pp. 92012:277-92012:292.

9703060350 Expresses concern re Molycorp,Inc proposed radwaste holding site & concludes does not want radwaste trucked into area & stored.
PIACENZA,V.J. Affiliation Not Assigned. 97/02/24. PERSON,L. NRC - No Detailed Affiliation Given. 1p. 92016:313-92016:314.

9703120477 Responds to 970217 ltr,requesting NRC establish local PDR for documents re decommissioning of Molycorp,Washington,PA site.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/05. STRAKA,W.A. Pennsylvania, Commonwealth of. 2pp. 92124:339-92124:342.

9703060361 Expresses concern re health risk of radwaste from Molycorp Inc radwaste dump.
ADAMS,L. Affiliation Not Assigned. 97/03/06. PERSON,L. NRC - No Detailed Affiliation Given. 1p. 92016:290-92016:290.

9703260302 Responds to 970223 ltr re concerns of actions proposed by Molycorp.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/19. WEBER,F.L. Affiliation Not Assigned. 3pp. 92259:223-92259:225.

9703260265 Responds to 970211 ltr to President Clinton,expressing concerns re actions proposed by Molycorp.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/21. STRAKA,W., SAKOVICH,T., SAKOVICH,D. Affiliation Not Assigned. 20pp. 92255:204-92255:222.

9703260160 Responds to ltr dtd 970217,requesting NRC establish LPDR for documents re decommissioning of Molycorp Washington,PA,site.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/24. STRAKA,W. Pennsylvania, Commonwealth of. 4pp. 92257:347-92257:350.

9703260317 Responds to recent ltr to L Person,expressing concerns re actions proposed by Molycorp.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/24. WHEATLEY,C. Affiliation Not Assigned. 3pp. 92259:232-92259:234.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9703030219 Forwards insp rept 40-8794/97-01 on 970211.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 97/02/19. DANKMYER,B.K. Molycorp, Inc. 3pp. 91949:052-91949:058.

--9703030228 Insp rept 40-8794/97-01 on 970211.No violations noted.Major areas inpected:status of site facilities,liquid & solid radwaste mgt, & radiation surveys.
JACKSON,T.J., BELLAMY,R.R. Region 1 (Post 820201). 97/02/19. 4pp. 91949:055-91949:058.

9703130342 Responds to 970303 facsimile re Invoice AM2019-97,annual fee assessed for license SMB-1408.
JACKSON,G.C. License Fee & Debt Collection Branch (Post 890827). 97/03/12. DAWES,G.W. Molycorp, Inc. 2pp. 92111:357-92111:361.

DOCKET 40-8805 CERAC, INC., MILWAUKEE, WI

9703280275 Amend 5 to license SMB-1402 for CERAC,Inc.Control:302368.
FRAZIER,C.F. Region 3 (Post 820201). 97/03/14. 29pp. 92273:331-92273:359.

9703200173 Summarizes 970226 predecisional enforcement conference in Lisle,IL.Purpose of conference was to discuss apparent violations identified in insp rept 40-8805/96-01 (DNMS).
CANIANO,R.J. Region 3 (Post 820201). 97/03/17. VERZEL,D. Cerac, Inc. 3pp. 92189:021-92189:023.

DOCKET 40-8838 ARMY, DEPT. OF, MADISON, IN

9703130350 Requests comments re draft "Finding of Suitability to Transfer,Papermill & Woodfill Road Area & Jefferson Proving Ground in Indiana."
CLOUD,P.D. Army, Dept. of. 97/03/04. PITTIGLIO,L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 12pp. 92136:178-92136:189.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9703270310 Informs that SP Morzenti for Power Resources,Inc declined employment,after Cameco Resources Inc acquired co.Delete SP Morzenti from mailing lists & include C Schmitt as submitted.
HILDENBRAND,P. Power Resources Corp. 97/03/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92268:035-92268:035.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9703100266 ENVIRONMENTAL ASSESSMENT PROPOSED LICENSE RENEWAL OF NUCLEAR METALS,INC. CONCORD, MASSACHUSETTS.
MILLER,R.L., EASTERLY,C.E., LOMBARDI,D.A. Oak Ridge National Laboratory. FIN J-5084. NUREG/CR-6528. 97/02/28. Division of Industrial & Medical Nuclear Safety (Post 870729). 88pp. 92020:152-92020:239.

9703280066 Discusses FRN,which announced availability of EA & staff FONSI to support renewal of licenses SMB-179 & SUB-1452.W/o encl.
MILLER,M. Region 1 (Post 820201). 97/03/12. VUMBACO,F. Nuclear Metals, Inc. 3pp. 92265:038-92265:040.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9703030119 "Rept on Compliance w/Clean Air Act Limits for Radionuclide Emissions for 1996." W/970221 ltr.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 96/12/31. DAVIS,A.M. Environmental Protection Agency. 16pp. 91966:329-91966:344.

9703030137 Forwards "Semiannual Radiological Effluent & Environ Data (Jul-Dec 1996) & 1996 Annual Total Effective Dose Equivalent to Public for Bluewater Mill Site."
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 97/02/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91952:223-91952:280.

--9703030154 "Semiannual Radiological Effluent & Environ Data (Jul-Dec 1996) & 1996 Annual Total Effective Dose Equivalent to Public for Bluewater Mill Site."
* Affiliation Not Assigned. 96/12/31. 56pp. 91952:224-91952:280.

9703030041 Informs that documents satisfy requirements of changes made to 10CFR40.36,40.42 & 40.61 as result of rulemaking entitled "Termination or Transfer of Licensed Activities: Recordkeeping Requirements," published in FR on 960516.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/02/24. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 1p. 91946:022-91946:022.

9703070206 Forwards groundwater monitoring well abandonment completion rept for Bluewater U mill site.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 97/02/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 39pp. 92025:308-92025:347.

9703120379 Informs that NRC has reviewed Environmental Rept supplement for Bluewater uranium mill and tailings site & found it to be acceptable.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/04. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 1p. 92125:023-92125:023.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9703060286 "Semi-Annual Environ Rept Jul-Dec 1996." W/970227 ltr.
CELLAN,R.R. Homestake Mining Co. 96/12/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 36pp. 92012:164-92012:197.

9703060282 Submits "1996 Annual Groundwater Monitoring Rept."
CELLAN,R.R. Homestake Mining Co. 97/02/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92008:043-92009:133.

--9703060283 "Ground-Water Monitoring for Homestake's Grant Project,NRC License SUA-1471 & Discharge Plan DP-200,1996."
HOLZER,T.V., HOFFMAN,G.L. Hydro-Engineering. 96/12/31. 454pp. 92008:044-92009:133.

DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT

9703120025 Forwards insp rept 40-8904/97-01 on 970210 & notice of violation.
CAIN,C.L. Region 4 (Post 820201). 97/03/05. CROUCH,D.B. SOHIO Western Mining Co. 4pp. 92069:157-92069:170.

--**9703120031** Notice of violation from insp on 970210.Violation noted: licensee semi-annual ground water monitoring repts for first & second half of 1996 dtd 960815 & 9701 respectively did not include all of required data specified in sample.
* Region 4 (Post 820201). 97/03/05. 2pp. 92069:161-92069:162.

--**9703120034** Insp rept 40-8904/97-01 on 970210.Violation noted.Major areas inspected:Management organization & controls,site operations,radiation protection & environmental monitoring programs.
* Region 4 (Post 820201). 97/03/05. 8pp. 92069:163-92069:170.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9703060388 "Effluent Monitoring Rept for Second Half of 1996." W/970228 ltr.
LUTHIGER,P. Quivira Mining Co. 96/12/31. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 30pp. 92009:287-92009:316.

9703030460 Submits sample recount data for impoundments 1 & 2 in response to RAI re radon flux monitoring program at Ambrosia Lake facility.
LUTHIGER,P. Quivira Mining Co. 97/02/21. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 91956:289-91956:295.

9703100016 Forwards insp rept 40-8905/97-01 on 970213.No violations noted.
CAIN,C.L. Region 4 (Post 820201). 97/03/04. FERDINAND,B. Quivira Mining Co. 4pp. 92019:001-92019:014.

--**9703100019** Insp rept 40-8905/97-01 on 970211-13.No violations noted. Major areas inspected:mgt organization,controls,operating review,radiation protection & radioactive waste mgt.
* Region 4 (Post 820201). 97/03/04. 10pp. 92019:005-92019:014.

9703200145 Notifies of minor liner damage to evaporation pond #19 due to abnormally strong winds.Lower segment of liner sagged below water level allowing pond solutions to seep into earthen berm.Repairs to both liner & berm initiated.
LUTHIGER,P. Quivira Mining Co. 97/03/10. OHRBOM,R. New Mexico, State of. 1p. 92212:309-92212:309.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9703280164 Informs that licensee has significant interest in HRI Inc proposed in situ U mining operation Church Rock/Crownpoint area.
COHOE,B. Navajo Nation. 96/10/09. CARLSON,R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92299:001-92299:001.

9703030007 "Semi-Annual Effluent & Environmental Monitoring Repts for Jul-Dec 1996." W/970221 ltr.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 96/12/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 28pp. 91954:335-91954:363.

9703050296 Submits role & responsibility of NM Environ Dept at United Nuclear Corp site.
HANNING,M. New Mexico, State of. 97/02/26. GHOSE,S. Environmental Protection Agency. 2pp. 92003:175-92003:176.

9703270321 Comments on UNC annual review re 1996 ground water corrective action.
LIU,B. New Mexico, State of. 97/03/18. GHOSE,H. Region 4 (Post 820201). 9pp. 92266:347-92266:355.

9703280175 Forwards annual land use survey rept,per license condition 31.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 97/03/20. Division of Waste Management (NMSS 940403). 4pp. 92291:175-92291:179.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9703120473 Forwards NRC comments on OH EPA preferred remediation plan of 961219.
KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/28. CLERK,H. Ohio, State of. 5pp. 92124:331-92124:335.

9703200023 Forwards number of documents re development of final EIS for decommissioning of slag piles at Shieldalloy Metallurgical Corp facility in Cambridge,OH.
KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/12. WADE,M. Oak Ridge Associated Universities. 12pp. 92199:246-92199:291.

--**9703200026** Presents comments on recently added remedial alternative, offsite disposal of East Slag Pile & onsite disposal of West Slag Pile.
SHIELDS,W.J. PTI Services, Inc. 96/11/26. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 92199:268-92199:289.

--**9703200030** Provides estimate of perimeter disturbance during decommissioning of slag piles.
SHIELDS,W.J. PTI Services, Inc. 97/02/10. KENNEDY,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 92199:290-92199:291.

DOCKET 40-8964 RIO ALGOM MINING CORP., OKLAHOMA CITY, OK

9703280313 Forwards "Rio Alogom Corp Smith Ranch Project,Wellfield One Pre-Operational Data Submittal."
FRENCH,P.S. Rio Algom Mining Corp. 97/03/15. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 92321:001-92322:192.

--**9703280325** "Rio Algom Mining Smith Ranch Project,Wellfield One Pre-Operational Data Submittal." W/eleven oversize drawings.
* Rio Algom Mining Corp. 97/03/15. 550pp. 92321:003-92322:192.

9703180177 Forwards notice of opportunity for hearing on SML SUA-1548 re renewal application for Rio Algom,Smith Ranch U Project, WY.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/14. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 92200:257-92200:262.

--**9703180179** Notice given that Rio Algom has requested NRC approval for renewal of license SUA-1548 for Smith Ranch U Project as performance based license.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/14. 4pp. 92200:259-92200:262.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9703200270 FINAL ENVIRONMENTAL IMPACT STATEMENT TO CONSTRUCT AND OPERATE THE CROWNPOINT URANIUM SOLUTION MINING PROJECT, CROWNPOINT, NEW MEXICO.Docket No. 40-8968.(Hydro Resources, Inc.)
* Division of Waste Management (NMSS 940403). NUREG-1508. 97/02/28. 432pp. 92192:001-92193:068.

9703030076 Forwards info omitted from 960815 submittal re response to RAI on safety analysis review & environ review for uranium solution mining license application for Crownpoint,NM.W/o encl.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/08/16. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91956:357-91956:357.

9703030088 Informs that 960815 submittal re Crownpoint,NM license application can be updated by replacing encl revised page. W/o encl.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/08/21. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91956:356-91956:356.

9703030370 Responds to 960829 phone requests re HRI Crownpoint Project & submits revised version of Attachment Q2/59-3 & Q2/94.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/08/30. CARLSON,B. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. 91956:311-91956:318.

9703030199 Forwards three copies of revised Q1/51.Response to include premining use std of sovereign authority w/regulatory jurisdiction has been rephrased.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/09/06. CARLSON,B. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 91956:218-91956:222.

9703030065 Submits comments re NRC staff status rept to ASLB dtd 960830.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/09/10. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91956:358-91956:358.

9703030098 Forwards Question 3 comments re effect of groundwater drawdown on town of Crownpoint Wells.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/09/13. CARLSON,B. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 91956:337-91956:340.

9703280164 Informs that licensee has significant interest in HRI Inc proposed in situ U mining operation Church Rock/Crownpoint area.
COHOE,B. Navajo Nation. 96/10/09. CARLSON,R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92299:001-92299:001.

9703030191 Responds to RAI re HRI proposed New Mexico ISL operation. Water analyses of Town of Crownpoint water wells,encl.
BARTELS,C.S. HRI, Inc. (Hydro Resources, Inc.). 96/10/20. CARLSON,R.D. NRC - No Detailed Affiliation Given. 3pp. 91946:055-91946:057.

9703030126 Responds to RAI re HRI proposed New Mexico ISL operations & Crownpoint ISL application.
BARTELS,C.S. HRI, Inc. (Hydro Resources, Inc.). 96/10/22. CARLSON,R.D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 91956:331-91956:336.

9703030136 Responds to request re HRI,Inc proposed NM ISL operations. Well list & ltrs dtd 961021 & 961024,encl.
BARTELS,C.S. HRI, Inc. (Hydro Resources, Inc.). 96/10/29. CARLSON,R.D. NRC - No Detailed Affiliation Given. 9pp. 91956:323-91956:330.

9703030132 Responds to 961101 ltr re clarification of NRC position w/respect to primary & secondary groundwater restoration goals for Crownpoint,NM in-situ leach mining project.Ack & acceptance of position in writing,requested.
CLEMENT,R.F. HRI, Inc. (Hydro Resources, Inc.). 96/11/06. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 91956:353-91956:354.

9703280171 Proposes to further address Navajo concerns re leasing provisions & understands NRC will be preparing SER for proposed project & public hearing will be conducted re project.
* Interior, Dept. of, Bureau of Indian Affairs. 96/12/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92299:002-92299:002.

9703030128 Responds to 961220 ltr which requested concurrence on several points of requirements & recommendations determined to be important by NRC staff for licensing Churchrock & Crownpoint projects.Requirements & conditions,accepted.
CLEMENT,R.F. HRI, Inc. (Hydro Resources, Inc.). 96/12/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91956:355-91956:355.

9703140023 Responds to 961024 ltr requesting concurrence that proposed Crown Point Project will not adversely affect any federal listed endangered or threatened species in project area.
PROPST,J. Interior, Dept. of, Fish & Wildlife Service. 97/01/07. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 92137:352-92137:355.

9703030015 Responds to 970114 ltr to Chairman Jackson & JJ Holonich which was sent in support of 961206 ltr received by NRC from S Jordan of NM Environ Law Ctr,who is representing interests of both Eastern Navajo Dine Against U Mining & Info Ctr.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/02/21. BOULANGER,A.R. Affiliation Not Assigned. 5pp. 91946:011-91946:021.

9703060061 Memorandum & Order (request for status rept).* Orders NRC Staff to report when FEIS & SER will be completed. W/Certificate of Svc.Served on 970228.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #197 18178. 97/02/28. Office of the General Counsel (Post 860701). 4pp. 91970:213-91970:216.

9703060061 Memorandum & Order (request for status rept).* Orders NRC Staff to report when FEIS & SER will be completed. W/Certificate of Svc.Served on 970228.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #197 18178. 97/02/28. 4pp. 91970:213-91970:216.

9703140058 Notice of appearance of D Curran on behalf of Southwest Research & Info Ctr.* W/notice of appearance of D Curran on behalf of Eastern Navajo Dine Against U Mining dtd 970304. W/Certificate of Svc.
CURRAN,D. . CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #197 18182. 97/03/04. 4pp. 92106:336-92106:339.

9703140113 Informs that NRC staff completed acceptance review of Hydro Resources,Inc Crownpoint U project consolidated operations plan,dtd 960930.Examples of types of info staff will need before NRC can complete detailed review encl.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/10. CLEMENT,R.F. HRI, Inc. (Hydro Resources, Inc.). 18pp. 92137:278-92137:295.

9703140124 Forwards calculations by staff in support of Crownpoint,NM U solution mining EIS.
FORD,W.H. Performance Assessment & Hydrology Branch (NMSS 940403). 97/03/11. CARLSON,R.C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 30pp. 92137:228-92137:259.

9703180006 NRC Staff supplemental status rept re review of in situ leachate mine application filed by Hydro Resources,Inc.* W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #197 18210. 97/03/14. 4pp. 92134:008-92134:011.

DOCKET 40-8980 HERITAGE MINERALS, INC., LAKEHURST, NJ

9703280072 Notification of significant licensee meeting 97-29 w/listed attendees on 970410 in King of Prussia,PA to discuss licensee final status survey plans.
MILLER,M., BELLAMY,R.R. Region 1 (Post 820201). 97/03/21. Region 1 (Post 820201). 3pp. 92265:048-92265:050.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9703110056 Forwards final insp rept on Envirocare 11e.(2) cell at South Clive,UT for review.Copy of geotechnical engineering section of Reclamation Plan,requested for long term evaluations of other geotechnical problems.
CHEN,J.C. Lawrence Livermore National Laboratory. 96/12/17. ROM,D.S. Division of Waste Management (NMSS 940403). 1p. 92073:328-92073:339.

--9703110071 Insp of license SMC-1559 on 961119.No violations noted. Areas inspected:geotechnical stability of 11e.(2) disposal cell currently under construction.
* Lawrence Livermore National Laboratory. 96/11/27. 11pp. 92073:329-92073:339.

9703060213 Responds to 970108 petition on behalf of Natural Resources Defense Council.NRC has denied request to take action against Envirocare of Utah,Inc for reasons explained in encl DD-97-02 dtd 970205.
THOMPSON,H.L. Ofc of the Executive Director for Operations. #197 18159. 97/02/07. COCHRAN,T.B. Natural Resources Defense Council. 7pp. 92108:224-92108:252.

9703100285 Provides comments on 970123 ABC technical memo,in order to assist efforts in resolution of certain interrogatories related to site characterization & groundwater flow & contaminant transport modeling of license application.
MORTON,L.B. Utah, State of. 97/02/21. ALKEMA,K. Environmental Research & Technology, Inc. 7pp. 92048:333-92048:339.

9703050483 Ack receipt for NRC 970218 ltr,forwarding decision w/respect to petition by Natl Resources Defense Council (NRDC) to revoke licenses issued to Envirocare of UT for disposal of low-level radiological waste matls.
FRISCO,J.S. Energy, Dept. of. 97/02/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 91996:359-91996:359.

9703190183 Forwards copy of ad Envirocare ran in both Salt Lake newspapers.
JUDD,C. Utah, State of. 97/02/25. BANGART,R. Office of State Programs (Post 911117). 7pp. 92152:235-92152:241.

9703030207 Responds to NRC 970128 ltr re violations noted in insp of license SMC-1559.Corrective actions:stds were established if any apparent exceedence of Table S-1 values occur on 961120.
ALKEMA,K.L. Envirocare of Utah, Inc. 97/02/26. Document Control Branch (Document Control Desk). 7pp. 91992:311-91992:318.

9703050277 Responds to NRC 970128 ltr re violations noted in insp of license SMC-1559.Corrective actions:site specific stds for exceedences identified in 961024,Envirocare ltr were established.
ALKEMA,K.L. Envirocare of Utah, Inc. 97/02/26. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 1p. 92025:295-92025:301.

9703110008 Informs of plans to submit rept which will support changes to original groundwater baseline values established in Table S-1 & for site specific in Table STD-1 of radioactive matl license for 11e.(2) waste & mod by 970324.
ALKEMA,K.L. Environmental Research & Technology, Inc. 97/02/27. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 1p. 92078:333-92078:333.

9703210037 Requests Envirocare prepare plan to install addl groundwater monitoring wells at LARW & 11e.(2) Disposal Cells.
MORTON,L.B. Utah, State of. 97/02/27. ALKEMA,K. Envirocare of Utah, Inc. 39pp. 92220:315-92220:353.

9703130098 Responds to 970218 ltr to HL Thompson re opposition of township to shut down action that may be taken against Envirocare of UT,Inc by NRC as result of NRDC 10CFR2.206 petition of 970108.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/04. GERRARD,M.B. Arnold & Porter. 1p. 92128:025-92128:050.

--9703130109 Informs that request to take action re Envirocare of UT,Inc has been denied for reasons stated in encl Director's Decision DD-97-02.
THOMPSON,H.L. Assistant for Operations (Post 890205). 97/02/07. COCHRAN,T.B. Natural Resources Defense Council. 7pp. 92128:026-92128:048.

--9703130128 Opposes any action that would shut down Envirocare of UT,Inc on behalf of Wayne Township.
GERRARD,M.B. Arnold & Porter. 97/02/18. THOMPSON,H.L. Assistant for Operations (Post 890205). 2pp. 92128:049-92128:050.

9703100282 Submits summary of results of audit of American West Analytical.
LOPEZ,G.C. Utah, State of. 97/03/05. MORTON,L.B. Utah, State of. 6pp. 92048:326-92048:331.

9703140052 Responds to 970221 ltr requesting Commission review of Directors Decision DD-97-02.Request denied in accordance w/10CFR2.772.Certificate of Svc encl.Served on 970311.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18198. 97/03/10. COCHRAN,T.B., FINAMORE,B.A. Natural Resources Defense Council. 2pp. 92106:322-92106:323.

9703190401 Discusses news article, "Nuclear-Waste Firm Sued for Paying Regulator Too Little," from 970227 Wallstreet Journal.
JUDD,C.A. Envirocare, Inc. 97/03/10. BANGART,R. Office of State Programs (Post 911117). 5pp. 92175:075-92175:079.

9703200152 Identifies existing monitoring program as compliance monitoring program & existing values in tables S-1 & STD-1 as site specific values for groundwater wells & constituents w/exceedances based on sample results,ensuring compliance.
ALKEMA,K.L. Envirocare of Utah, Inc. 97/03/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 92212:308-92212:308.

9703190371 Responds to 970201 ltr re regulation of Envirocare.Section 274 of AEA as amend provides statutory basis under which NRC can relinquish certain regulatory responsibilities to States including regulatory authority for LLRW disposal facilities.
BANGART,R.L. Office of State Programs (Post 911117). 97/03/17. JOHNSON,S. Affiliation Not Assigned. 5pp. 92184:246-92184:252.

--9703200141 Advises of changes on Envirocare ltr.Concurrence will be given,if changes are agreed upon & incorporated directly into ltr.
HOLONICH,J. NRC - No Detailed Affiliation Given. 97/03/13. SCHNEIDER,K. NRC - No Detailed Affiliation Given. 1p. 92184:251-92184:251.

--9703190376 Discusses interest in petition to revoke Envirocare license. Appreciate efforts in answering questions to understand situation.Concerned w/safety of cite as well as legality.
JOHNSON,S. Affiliation Not Assigned. 97/02/01. BANGART,R. Office of State Programs (Post 911117). 1p. 92184:252-92184:252.

9703250252 Submits request for addl info re groundwater monitoring rept.
MORTON,L.B. Utah, State of. 97/03/17. ALKEMA,K. Envirocare of Utah, Inc. 4pp. 92252:099-92252:102.

9703240083 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8989/96-02 re response to NRC ltr dtd 970128.Corrective actions will be reviewed during future inspection.
SCARANO,R.A. Region 4 (Post 820201). 97/03/20. JUDD,C.A. Envirocare of Utah, Inc. 3pp. 92220:118-92220:127.

9703240153 Requests that 1997 Envirocare of UT Business promotional handout & 1997 Mountain States Analytical Inc Business promotional handout be docketed.
LEFEVRE,H.E. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/20. FRIDLEY,S. Information & Records Management Branch (Post 890827). 1p. 92240:272-92240:331.

--9703240154 "Statement of Qualifications,An Overview of Svcs, Capabilities & Experience."
* . 97/01/01. 44pp. 92240:273-92240:331.

9703260205 Informs that final rept on groundwater issues will be submitted by 970404 due to delay of spiked sample analyses.
ALKEMA,K.L. Envirocare of Utah, Inc. 97/03/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 92253:311-92253:312.

DOCKET 40-9015 HARTLEY & HARTLEY LANDFILL (MDNR), BAY COUNTY, MI

9703170147 Forwards amended application package for MI Dept of Natural Resources owned portion of Hartley & Hartley Landfill State Game Area Site & response to comments & decommissioning funding plan.
SOBEL,K. Michigan, State of. 97/02/25. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 92138:270-92138:335.

--9703170150 "Technical Support Document,10CFR40 License Application for Tobico Marsh State Game Area Site."
* Michigan, State of. 97/02/24. 33pp. 92138:278-92138:310.

--9703170152 "Decommissioning Fundig Plan for Tobico Marsh State Game Area Site."
* Michigan, State of. 97/02/24. 25pp. 92138:311-92138:335.

9703260312 Informs that administrative review identified one deficiency which was omission of signed certification statement IAW Section 13 of application for matl license.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/21. SOBEL,K. Michigan, State of. 5pp. 92259:226-92259:231.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9703030103 Forwards FRN of opportunity for hearing on proposed transfer of NRC source matl Licenses SUA-1358 & SUA-1558.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/24. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91946:042-91946:047.

–**9703030122** Notice of opportunity for hearing of approval for transfer of source matl licenses SUA-1358 & SUA-1558 for White Mesa U mill & Reno Creek facility,respectively to Intl U Corp.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/24. 4pp. 91946:044-91946:047.

DOCKET 40-9027 CABOT CORP. READING & REVERE

9703120470 Informs that addl info may be requested as result of NRC technical review to incorporate changes to conditions 14,15, 16 & 19 of license SMC-1562.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/27. CAMPITELLI,A. Cabot Corp. 2pp. 92124:328-92124:330.

9703060452 Application for amend to License SMC-1562,modifying schedule for submittal of decommissioning plan.
CAMPITELLI,A. Cabot Corp. 97/02/28. NELSON,R.A. Division of Waste Management (NMSS 940403). 3pp. 92011:357-92011:359.

9703120454 Forwards minutes of 970225 meeting w/licensees & NRC to discuss current status of decommissioning plan for Reading facility.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/05. CAMPITELLI,A. Cabot Corp. 5pp. 92122:356-92122:360.

9703130272 Ack receipt of amend request to incorporate changes to condition 11.Addl info may be requested as result of technical review of request.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/10. CAMPITELLI,A. Cabot Corp. 2pp. 92128:096-92128:097.

9703200002 Responds to 961106 ltr re NRC 960625 comments on Cabot Risk Assessment in support of Cabot Decommissioning Plan for Revere,PA facility.Number of comments listed correspond to comments in 961106 ltr.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/12. CAMPITELLI,A. Cabot Corp. 5pp. 92199:342-92199:346.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

9703060303 Discusses completed review by EP & Environ Health Physics Section of Rev 15 of 961016 FNR Emergency Plan.Initial review indicates that plan continues to be in accordance w/10CFR50.54.
ESSIG,T.H. . 97/03/04. MICHAELS,T.S. . 1p. 91999:194-91999:194.

9703170186 Ack receipt of 961028 ltr transmitting rev 15 to emergency plan.NRC approval not required based on determination that changes do not decrease overall effectiveness of emergency plan.
MICHAELS,T.S. . 97/03/12. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. 92128:357-92128:359.

V. Operator Examinations

9703030354 Forwards certificates for newly licensed individuals at University of Michigan.W/o encl.
MARTIN,T.T. . 97/02/24. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 91932:353-91932:353.

9703060147 Forwards reactor operator license exams for R McCue & M Landis.Exams need not be administered at same time.W/o encl.
DOYLE,P.V. . 97/02/28. DUCAMP,B. Michigan, Univ. of, Ann Arbor, MI. 3pp. 91991:333-91991:335.

9703140103 Forwards results of Operator Initial Exam conducted at Univ of Michigan on 970305.W/o encl.
WEISS,S.H. . 97/03/12. FLEMIG,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 92115:342-92115:342.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

J. Insurance & Indemnity Information

9703040227 Forwards table that outlines nuclear property insurance on behalf of util covering Units 1 & 2.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/21. Document Control Branch (Document Control Desk). 2pp. 91992:273-91992:274.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040182 Forwards fitness for duty performance data for period of 960701-1231.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/25. Document Control Branch (Document Control Desk). 9pp. 91960:100-91960:108.

V. Operator Examinations

9703040261 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

H. General correspondence

9703070046 Informs NRC of changes at Penn State that are in formative state that will affect reporting chain for reactor.
KLEVANS,E.H. Pennsylvania State Univ., University Park, PA. 97/02/27. MENDONCA,M. NRC - No Detailed Affiliation Given. 1p. 92031:274-92031:274.

P. Operating license stage documents & correspondence

9703130289 Requests addl info in order to continue review of PA State Univ amend request for Penn State Breazeale reactor submitted on 970206.
MENDONCA,M.M. . 97/03/07. ERICKSON,R.A. Pennsylvania State Univ., Harrisburg, PA. 5pp. 92105:330-92105:334.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060160 Rev 61 to "GSEP Site Annex DNPS."
* Commonwealth Edison Co. 97/02/27. 29pp. 92011:249-92011:276.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

Q. Inspection reports, IE Bulletins & correspondence

9703040282 Constitutes response to NRC independent safety Insp Repts 50-010/96-201,50-237/96-201 & 50-249/96-201.Corrective actions:radiation protection technician immediately dispatched to investigate,when issue identified.
PERRY,J.S. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 56pp. 91972:289-91972:344.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110163 Forwards response to NRC 970206 ltr re violations in insp repts 50-010/97-03,50-237/97-03 & 50-249/97-03 on 970114-23. Corrective actions:problem identification form was written which initiated operability determination for pump.
PERRY,J.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 5pp. 92121:079-92121:083.

9703120045 Forwards response to NRC 970204 ltr re violations noted in insp repts 50-010/96-14,50-237/96-14 & 50-249/96-14 on 961021-1206.Corrective actions:technical manual was updated w/parts bulletin by VETIP.
PERRY,J.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 6pp. 92125:108-92125:113.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703190088 Responds to NRC 970212 ltr re violations noted in insp repts 50-010/97-02,50-237/97-02 & 50-249/97-02.Corrective actions: rev of Dresden Administrative Procedure (DAP) 13-01 "Station Access," review existing station access status levels.
PERRY,J.S. Commonwealth Edison Co. 97/03/12. Document Control Branch (Document Control Desk). 6pp. 92205:300-92205:305.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250154 Responds to SALP 14 rept which covers period 950319-961228.
PERRY,J.S. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 18pp. 92251:130-92251:147.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030498 "Radioactive Effluent Rept for Jan-Dec 1996 for DNPS." W/970224 ltr.
PERRY,J.S. Commonwealth Edison Co. 96/12/31. 91pp. 91951:257-91951:350.

9703180042 Monthly operating repts for Feb 1997 for Dresden Nuclear Power Station.W/970310 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 97/02/28. 13pp. 92304:284-92304:296.

S. Reportable occurrences, LERs & related correspondence

9703170242 Forwards LER 97-001-00.Commitments made by util,listed.
PERRY,J.S. Commonwealth Edison Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92217:304-92217:310.

--9703170245 LER 97-001-00:on 970210,120 volt circuit breaker supplying Alternate Iodine & Particulate Sampling sys tripped.Caused by mgt deficiency.Disconnected auxiliary loads,restricted use of outlets & verified continued sys operation.
QUEALY,P. Commonwealth Edison Co. 97/03/12. 5pp. 92217:306-92217:310.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

W. Decommissioning Stage Documents & Correspondence

9703240118 ODCM,Dresden Annex revs 1.9 to Chapter 10, "Radioactive Effluent Treatment & Monitoring," 1.2 to Chapter 11, "Radiological Environ Monitoring Program" & 1.3 to Chapter 12, "Radiological Effluent Technical Standards."
* Commonwealth Edison Co. 97/01/31. 97pp. 92240:175-92240:271.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703100275 Forwards "Verification Screening of Key Parameters for Twelve Risk Significant Systems."
PERRY,J.S. Commonwealth Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92047:145-92047:310.

--9703100279 "Verification Screening of Key Parameters for Twelve Risk Significant Systems."
SINGH,A.K., WEIR,L. Commonwealth Edison Co. 97/02/28. 164pp. 92047:147-92047:310.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703120157 Submits info required by subsection (c)(2)(ii) of paragraph IAW 10CFR50.64, "Limitations on Use of Highly Enriched U in Domestic Non-Power Reactors." Federal funding for conversion to low enriched U will not be available during FY 1997,encl.
BERNARD,J.A. Nuclear Reactor Laboratory. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92125:007-92125:008.

9703210011 Forwards RAI re amended facility operating license R-37 for MITR submitted 970218.Provides response within 15 days of ltr date.NRC will continue evaluation of amend request.
ADAMS,A. . 97/03/14. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 4pp. 92205:180-92205:183.

9703200116 Responds to 970314 RAI re amend to MITR TS 6.5.
BERNARD,J.A. Nuclear Reactor Laboratory. 97/03/17. Document Control Branch (Document Control Desk). 20pp. 92212:210-92212:229.

DOCKET 50-22 WESTINGHOUSE TEST REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9703120116 Forwards insp rept 50-022/97-01 on 970203-05.No noncompliance noted.
WHITE,J.R. Region 1 (Post 820201). 97/03/06. TRITCH,S.R. Westinghouse Electric Corp. 2pp. 92078:134-92078:144.

--9703120126 Insp rept 50-22/97-01 on 970203-05.No violations noted. Major areas inspected:reactor being maintained as required by possession only license & inspections,surveys,records & repts as required by license.
* Region 1 (Post 820201). 97/03/06. 9pp. 92078:136-92078:144.

DOCKET 50-27 WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)

P. Operating license stage documents & correspondence

9703170027 Notifies NRC that funds for actual conversion of WSU reactor from HEU to LEU will not be available during FY97.
TRIPARD,G.E. Washington State Univ., Pullman, WA. 97/03/08. Document Control Branch (Document Control Desk). 2pp. 92142:356-92142:357.

9703270159 Requests that responses to encl RAI be provided within 60 days in order for NRC to continue review of licensee request to make changes to Univ TRIGA research reactor TSs,submitted on 950925.
MENDONCA,M.M. . 97/03/25. TRIPARD,G.E. Washington State Univ., Pullman, WA. 5pp. 92259:209-92259:213.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040173 Forwards fitness for duty performance data for form for period Jul-Dec 1996.
KAY,J.A. Yankee Atomic Electric Co. 97/02/25. Document Control Branch (Document Control Desk). 3pp. 91960:089-91960:091.

9703040331 Forwards "Yankee Nuclear Power Station 1996 Annual Rept." Attached rept briefly described facility changes,tests & experiments implemented without NRC prior approval under provisions of 10CFR50.59.
KAY,J.A. Yankee Atomic Electric Co. 97/02/28. FAIRTILE,M. . 1p. 91979:229-91979:240.

--9703040339 "Yankee Nuclear Power Station 1996 Annual Rept."
* Yankee Atomic Electric Co. 96/12/31. 11pp. 91979:230-91979:240.

9703070007 Forwards tables that summarize quantities of radioactive liquid & gaseous effluent & solid waste released from Yankee at Rowe,MA for third & fourth quarters of 1996.
KAY,J.A. Yankee Atomic Electric Co. 97/02/28. FAIRTILE,M. . 1p. 92029:001-92029:238.

--9703060410 "Effluent & Waste Disposal Semi-Annual Rept for Third & Fourth Quarters 1996."
KAY,J.A. Yankee Atomic Electric Co. 96/12/31. 26pp. 92029:002-92029:027.

--9703060416 Rev 11 to "Off-Site Dose Calculation Manual."
* Yankee Atomic Electric Co. 96/10/31. 211pp. 92029:028-92029:238.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

W. Decommissioning Stage Documents & Correspondence

9703070007 Forwards tables that summarize quantities of radioactive liquid & gaseous effluent & solid waste released from Yankee at Rowe,MA for third & fourth quarters of 1996.
KAY,J.A. Yankee Atomic Electric Co. 97/02/28. FAIRTILE,M. . 1p. 92029:001-92029:238.

--9703060416 Rev 11 to "Off-Site Dose Calculation Manual."
* Yankee Atomic Electric Co. 96/10/31. 211pp. 92029:028-92029:238.

DOCKET 50-35 DELFT TECHNICAL UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9406300280 Forwards safety evaluation granting relief to use proposed vibration monitoring equipment per 10CFR50.55a(f)(6)(i) based on impracticality of meeting code requirements due to slow speed design of charging pumps & vibration limitations.
WESSMAN,R.H. Mechanical Engineering Branch. 94/06/27. NORRIS,J.A. Project Directorate II-2. 1p. 92285:191-92285:191.

DOCKET 50-54 CINTICHEM

R. Periodic operating reports & related correspondence

9703050095 Forwards results of TLD direct radiation environ monitoring around facility for fourth quarter of 1996.
STRUCKMEYER,R. Region 1 (Post 820201). 97/02/21. MCGOVERN,J.J. Cintichem, Inc. 4pp. 91956:077-91956:080.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9703210284 "Univ of VA Reactor Facility Annual Rept for 1996." W/970318 ltr.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 96/12/31. 44pp. 92233:302-92233:346.

DOCKET 50-72 UNIV. OF UTAH RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9703200339 Forwards order terminating amended license R-25 Univ of Utah AGN-201 research reactor,IAW 900717 application.
ADAMS,A. . 97/03/14. KOEHN,R.K. Utah, Univ. of, Salt Lake City, UT. 6pp. 92204:228-92204:252.

--9703200356 Order directing termination of amended facility operating license R-25.
MARTIN,T.T. . 97/03/14. Utah, Univ. of, Salt Lake City, UT. 4pp. 92204:234-92204:237.

--9703200367 Exemption from requirements of 10CFR50.12 to part of requirements of 10CFR50.82(b)(6)(ii).Regulation for which staff granting exemption requires terminal radiation survey & associated documentation demonstrates site suitable.
COLLINS,S.J. . 97/03/14. Utah, Univ. of, Salt Lake City, UT. 5pp. 92204:238-92204:242.

--9703200375 Safety evaluation supporting amended termination of license R-25.License can be terminated w/o undue risk to health & safety of public or workers & w/o any significant impact on public or environment.
* . 97/03/14. 2pp. 92204:243-92204:244.

--9703200380 Environ assessment & finding of no significant impact re termination of amended facility operating license R-25 Univ of Utah AGN-201 research reactor.NRC concluded issuance of order will have no significant effect on human environ.
WEISS,S.H. . 97/03/06. 4pp. 92204:245-92204:248.

--9703200386 Environ assessment & finding of no significant impact re issuance of specific exemption to requirements of 10CFR50.82(b)(6)(ii).On basis of environ assessment NRC granting exemption will have no effect on human environ.
WEISS,S.H. . 97/03/06. 4pp. 92204:249-92204:252.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

P. Operating license stage documents & correspondence

9703120033 Informs of licensee failure to address major contributing factor to root cause of incident that occurred at facility on 970113 re improper stack calibr.NRC expects licensees to provide appropriate mgt guidance of licensed activities.
MCALPINE,E.J. Region 2 (Post 820201). 97/02/27. VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 3pp. 92034:358-92034:360.

Q. Inspection reports, IE Bulletins & correspondence

9703030509 Forwards operator licensing exam rept 50-083/OL-97-01 on 970210-11.
WEISS,S.H. . 97/02/25. VERNETSON,W. Florida, Univ. of, Gainesville, FL. 3pp. 91938:305-91938:349.

--9703030411 NRC operator licensing exam rept 50-083/OL-97-01 including completed & graded tests for tests administered on 970210-11.Candidate passed exam.
ISAAC,P. . 97/02/24. 42pp. 91938:308-91938:349.

R. Periodic operating reports & related correspondence

9703040394 "Univ of FL Training Reactor Annual Progress Rept for 950901-960831." W/970228 ltr.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. DOE/ER/04014-26. 96/08/31. 322pp. 91962:001-91962:322.

9703240156 Forwards ltr dtd 970228 of "1995-96 Univ of FL Training Reactor Annual Progress Rept."
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92242:277-92242:282.

--9703240161 Forwards "1995-96 Univ of FL Training Reactor Annual Progress Rept."
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92242:278-92242:278.

--9703240164 "195-96 Annual Progress Rept," replacing Pages IV-6,IV-11 & IV-12.
* Florida, Univ. of, Gainesville, FL. 96/12/31. 4pp. 92242:279-92242:282.

V. Operator Examinations

9703030368 Submits copy of results of Operator Initial Examination conducted at University of Florida on 970210.W/o encl.
WEISS,S.H. . 97/02/25. VERNETSON,W. Florida, Univ. of, Gainesville, FL. 1p. 91932:352-91932:352.

9703030509 Forwards operator licensing exam rept 50-083/OL-97-01 on 970210-11.
WEISS,S.H. . 97/02/25. VERNETSON,W. Florida, Univ. of, Gainesville, FL. 3pp. 91938:305-91938:349.

--9703030411 NRC operator licensing exam rept 50-083/OL-97-01 including completed & graded tests for tests administered on 970210-11.Candidate passed exam.
ISAAC,P. . 97/02/24. 42pp. 91938:308-91938:349.

9703260244 Forwards rev 10 to Univ of FL Training Reactor SAR dtd Jan 1981 submitted as part of last relicensing effort.Rev consists of changes to single pp,initiated as result of comments from staff member checking matls re training.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92254:158-92254:160.

9703240170 Informs that encl SRO certificate being forwarded to JW Powers at Univ of FL.W/o encl.
MARTIN,T.T. . 97/03/20. VERNETSON,W. Florida, Univ. of, Gainesville, FL. 1p. 92218:087-92218:087.

DOCKET 50-89 GENERAL ATOMICS

P. Operating license stage documents & correspondence

9703250151 Forwards RAI re review of 961217 amend request for facility OL R-38 for TRIGA Mark I research reactor.Response to be provided within 30 days.
ADAMS,A. . 97/03/20. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 5pp. 92236:345-92236:349.

DOCKET 50-97 CORNELL UNIV. ZERO POWER REACTOR

P. Operating license stage documents & correspondence

9703190003 Application for amends to licenses R-89 & R-80,describing revised organizational structure & responsibilities due to decision of Dean of Engineering to disband budgetary unit called Nuclear Science & Engineering Program.
SCOTT,N.R. Cornell Univ., Ithaca, NY. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92197:193-92197:212.

--**9703190004** Proposed tech specs appointing Responsible Person on Duty to be responsible for all applicable rules,procedures & regulations while on duty,for ensuring adequate exchange of info between operating personnel when shifts change.
* Cornell Univ., Ithaca, NY. 97/03/07. 17pp. 92197:195-92197:212.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

V. Operator Examinations

9703030329 Forwards certificate for listed newly licensed individual. W/o encl.
MARTIN,T.T. . 97/02/24. BULLEN,D.B. Iowa State Univ., Ames, IA. 1p. 91938:355-91938:355.

9703030372 Forwards certificates for newly licensed individuals at Iowa State University.W/o encl.
MARTIN,T.T. . 97/02/24. BULLEN,D.B. Iowa, Univ. of, Iowa City, IA. 1p. 91932:351-91932:351.

DOCKET 50-123 UNIVERSITY OF MISSOURI RESEARCH REACTOR, ROLLA, MO

F. Security, medical, emergency & fire protection plans

9703060453 Revised emergency plan for Univ of Missouri-Rolla Reactor Facility.W/ 970228 ltr.
FREEMAN,D.W. Missouri, Univ. of, Rolla, MO. 97/02/28. 1p. 92016:346-92016:347.

9703140140 Informs that NRC approval not required re 970219 & 28 transmittal of changes to plant emergency plan,per 10CFR50.54(q).
MEDONCA,M.M. . 97/03/13. FREEMAN,D.W. Missouri, Univ. of, Rolla, MO. 3pp. 92128:195-92128:197.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9703250164 Forwards reactor operator license exam,Category B,to be administered to D Beckel on 970324.Pre-exam & post-exam security agreement also encl for signature & to be returned w/exam matls.
ERESIAN,W.J. . 97/03/19. ASHER,W. Texas A&M Univ., College Station, TX. 3pp. 92245:327-92245:329.

J. Insurance & indemnity information

9703050318 Requests that Indemnity Agreement E-12 be changed as listed.
O'KELLY,S. Texas A&M Univ., College Station, TX. 97/02/25. Document Control Branch (Document Control Desk). 3pp. 92002:354-92002:356.

V. Operator Examinations

9703250164 Forwards reactor operator license exam,Category B,to be administered to D Beckel on 970324.Pre-exam & post-exam security agreement also encl for signature & to be returned w/exam matls.
ERESIAN,W.J. . 97/03/19. ASHER,W. Texas A&M Univ., College Station, TX. 3pp. 92245:327-92245:329.

DOCKET 50-131 OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9703260207 Discusses review of facility emergency plan & submits language to be included in ltr to licensee.
ESSIG,T.H. . 97/03/20. ADAMS,A. . 3pp. 92248:175-92248:177.

Q. Inspection reports, IE Bulletins & correspondence

9703250096 Responds to NRC ltr re violations noted in insp rept 50-131/97-02.Corrective actions:operator license status will come under review by reactor safeguards committee during annual audit of performance training & qualifications.
PHILLIPS,J.J. Dept. of Veterans Affairs Medical Center, Omaha, NE (formerly Veterans Admin. Me. 97/03/14. Document Control Branch (Document Control Desk). 6pp. 92252:039-92252:044.

V. Operator Examinations

9703190243 Frowards certificate for JP Claassen,newly licensed individual at Veterans Affairs Med Ctr.W/o encl.
MARTIN,T.T. . 97/03/17. PHILLIPS,J.J. Dept. of Veterans Affairs Medical Center, Omaha, NE (formerly Veterans Admin. Me. 1p. 92178:134-92178:134.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9703040151 Documents utils understanding of results in discussions from meeting w/ NRC personnel to discuss application of new decommissioning rule to HBPP.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/20. Document Control Branch (Document Control Desk). 2pp. 91958:359-91958:360.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9703130141 Forwards notice of consideration of issuance of amend to facility license & proposed NSHC determination & opportunity for hearing re 961125 request to amend facility license DPR-4.
ADAMS,A. . 97/03/06. KUEHN,G.A. Saxton Nuclear Experimental Corp. 3pp. 92105:321-92105:326.

Q. Inspection reports, IE Bulletins & correspondence

9703280128 Forwards insp rept 50-146/97-01 on 970127-29.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 97/03/18. KUEHN,G.A. Saxton Nuclear Experimental Corp. 2pp. 92315:035-92315:046.

--**9703280130** Insp rept 50-146/97-01 on 970127-29.No violations noted. Major areas inspected:procedures development,adherence to procedures & quality assurance oversight of procedures.
* Region 1 (Post 820201). 97/03/18. 10pp. 92315:037-92315:046.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703120453 Forwards amend 17 to license R-75 & safety evaluation.Amend revises license condition 2.B to increase possession limit from 10 g to 30 g of highly enriched U-235 in form of fission chamber linings,foil targets & other applications.
MICHAELS,T.S. . 97/03/06. Ohio State Univ., Columbus, OH. 3pp. 92079:307-92079:313.

--**9703120461** Amend 17 to license R-75,revising license condition 2.B to increase possession limit from 10 g to 30 g of highly enriched U-235 in form of fission chamber linings,foil targets & other research applications.
WEISS,S.H. . 97/03/06. 2pp. 92079:310-92079:311.

--**9703120462** Safety evaluation supporting amend 17 to license R-75.
* . 97/03/06. 2pp. 92079:312-92079:313.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9703180035 Requests that encl emergency plan & procedure revs be signed,dated & returned within two wks to plant Document Control Ctr w/self address envelope.
BROWN,S.C. Consumers Power Co. 97/03/05. Document Control Branch (Document Control Desk). 1p. 92196:082-92196:139.

--**9703180037** Rev 127,Vol 9 to "Site Emergency Plan."
WOOSTER,K. Consumers Power Co. 97/03/03. 31pp. 92196:083-92196:113.

--**9703180041** Revised EPIPs,including rev 179,vol 9A to EPIP-6F, "Emergency Notification," EPIP-6J, "Communications Tests" & EPIP-6L, "Annual Communication Test."
* Consumers Power Co. 97/02/18. 26pp. 92196:114-92196:139.

H. General correspondence

9703120012 Informs that RJ Addy succeeded PM Donnelly as plant manager. Update of mailings,requested.
ADDY,R.J. Consumers Power Co. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92125:151-92125:151.

9703180218 Informs that shareholders due to vote on ballot on 970310 re name remaining as CPC until such time as changed to Consumer Energy Co.
BORDINE,T.C. Consumers Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92200:288-92200:289.

P. Operating license stage documents & correspondence

9703050020 Provides 26th update of plant Integrated Plan.Index of all issues & list of all open issues,encl.
DONNELLY,P.M. Consumers Power Co. 97/02/28. Document Control Branch (Document Control Desk). 20pp. 91963:330-91963:349.

9703060022 Ack receipt of 970206 response to 961009 request for info re adequacy & availability of design bases info.
TRAN,L.N. . 97/02/28. DONNELLY,P.M. Consumers Power Co. 3pp. 91992:344-91992:346.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

Q. Inspection reports, IE Bulletins & correspondence

9703050238 Forwards insp rept 50-155/96-12 on 961130-970117 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/24. POWERS,K.P. Consumers Power Co. 4pp. 91998:032-91998:056.

--**9703050250** Notice of violation from insp on 961130-970117.Violation noted:use of inappropriate surveillance procedure causing uncontrolled leak & inline relief valve lifting due to failure to remove installed blank flange.
* Region 3 (Post 820201). 97/02/24. 2pp. 91998:036-91998:037.

--**9703050252** Insp rept 50-155/96-12 on 961130-970117.Violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
* Region 3 (Post 820201). 97/02/24. 19pp. 91998:038-91998:056.

9703050081 Responds to NRC 970129 ltr re violations noted in insp rept 50-155/96-10.Corrective actions:on 961210 MO-7062 declared operable for startup.
ADDY,R.J. Consumers Power Co. 97/02/26. Document Control Branch (Document Control Desk). 11pp. 91981:349-91981:359.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703260159 Responds to NRC 961130 ltr re violations noted in insp rept 50-155/96-12.Corrective actions:memo was sent to each member of Operations Dept to clarify expectations of operator use of Section 7, "Equipment Tagging" of SOPs.
ADDY,R.J. CMS Energy Corp. 97/03/20. Document Control Branch (Document Control Desk). 8pp. 92257:339-92257:346.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040177 "Big Rock Point Plant - 1996 Annual Rept - Occupational Exposure." W/ 970224 ltr.
ADDY,R.J. Consumers Power Co. 96/12/31. 3pp. 91960:092-91960:094.

9703110286 Monthly operating rept for Feb 1997 for Big Rock Nuclear Plant.W/970306 ltr.
JOHNSTON,J.R., SHIELDS,K.J. Consumers Power Co. 97/02/28. 6pp. 92121:053-92121:058.

S. Reportable occurrences, LERs & related correspondence

9703050162 LER 97-003-00:on 970128,demineralized water piping discovered susceptible to overpressurization during DBA. Caused by design deficiency.Conducted evaluation of surge protection for piping & procedures revised.W/970227 ltr.
BOURASSA,M.D., ADDY,R.J. Consumers Power Co. 97/02/27. 5pp. 91991:016-91991:020.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-156 UNIV. OF WISCONSIN RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703140167 Provides info re federal funding for FY97 per 10CFR50.64.
CASHWELL,R.J. Wisconsin, Univ. of, Madison, WI. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92137:348-92137:349.

Q. Inspection reports, IE Bulletins & correspondence

9703100197 Discusses insp repts 30-03456/97-01 & 50-156/97-01 on 970121-23 & forwards NOV.
PEDERSON,C.D. Region 3 (Post 820201). 97/02/28. TORPHY,J. Wisconsin, Univ. of, Madison, WI. 2pp. 91998:227-91998:230.

--**9703100202** Notice of violation from insp on 970121-23.Violation noted: individual was using Campbell Pacific Nuclear gauge,Model 503 hydroprobe containing 50 mCi of AM-241 to perform moisture measurements at temporary job site locations.
* Region 3 (Post 820201). 97/02/28. 2pp. 91998:229-91998:230.

V. Operator Examinations

9703030323 Forwards ref matl re operator licensing exams scheduled for week of 970519.
ERESIAN,W.J. . 97/02/27. CASHWELL,R.J. Wisconsin State Univ. 11pp. 91939:341-91939:351.

DOCKET 50-157 CORNELL UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703190003 Application for amends to licenses R-89 & R-80,describing revised organizational structure & responsibilities due to decision of Dean of Engineering to disband budgetary unit called Nuclear Science & Engineering Program.
SCOTT,N.R. Cornell Univ., Ithaca, NY. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92197:193-92197:212.

--**9703190004** Proposed tech specs appointing Responsible Person on Duty to be responsible for all applicable rules,procedures & regulations while on duty,for ensuring adequate exchange of info between operating personnel when shifts change.
* Cornell Univ., Ithaca, NY. 97/03/07. 17pp. 92197:195-92197:212.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9703110280 Ack receipt of 970213 ltr informing NRC of steps taken to correct violations noted in insp rept 50-160/96-05 issued on 961220.Addl info required to complete review.Response requested within 30 days of receipt of ltr.
MCALPINE,E.J. Region 2 (Post 820201). 97/02/27. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 92019:310-92019:312.

9703210271 Submits response to NRC insp rept 50-160/96-05.Corrective actions:licensees promised to develop such work sheet & put into practice on or before 971201.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 97/03/14. MCALPINE,E.J. Office of Nuclear Material Safety & Safeguards. 2pp. 92235:253-92235:254.

H. General correspondence

9703260175 Informs that B Statham appointed reactor supervisor for GA Tech Research Reactor,effective immediately.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 96/06/27. MCALPINE,E.J. Region 2 (Post 820201). 2pp. 92258:305-92258:306.

Q. Inspection reports, IE Bulletins & correspondence

9703110280 Ack receipt of 970213 ltr informing NRC of steps taken to correct violations noted in insp rept 50-160/96-05 issued on 961220.Addl info required to complete review.Response requested within 30 days of receipt of ltr.
MCALPINE,E.J. Region 2 (Post 820201). 97/02/27. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 92019:310-92019:312.

9703210271 Submits response to NRC insp rept 50-160/96-05.Corrective actions:licensees promised to develop such work sheet & put into practice on or before 971201.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 97/03/14. MCALPINE,E.J. Office of Nuclear Material Safety & Safeguards. 2pp. 92235:253-92235:254.

R. Periodic operating reports & related correspondence

9703050170 "1996 Annual Rept for GA Institute of Technology Research Reactor." W/ 970226 ltr.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 96/12/31. 18pp. 92002:336-92002:353.

DOCKET 50-166 UNIV. OF MARYLAND RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9703120152 Forwards insp rept 50-166/97-01 on 970113-16.No violations identified.
WHITE,J.R. Region 1 (Post 820201). 97/03/04. DIETER,G.E. Maryland, Univ. of, College Park, MD. 2pp. 92078:145-92078:157.

-9703120154 Insp rept 50-166/97-01 on 970113-16.No violations noted. Major areas inspected:conduct of operations,operational status of facilities & equipment,operations procedures & documentation,operator requalification training.
* Region 1 (Post 820201). 97/03/04. 11pp. 92078:147-92078:157.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-182 PURDUE UNIV. RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9703260210 "Report on Reactor Operations for Period Jan-Dec 1996." W/ 970320 ltr.
MERRITT,E.C., CLIKEMAN,F.M. Purdue Univ., West Lafayette, IN. 96/12/31. 6pp. 92253:313-92253:319.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

P. Operating license stage documents & correspondence

9703120468 Forwards amend 29 to license R-103 & safety evaluation.Amend changes aspects of administrative structure having oversight authority for MURR & corrects inconsistency in TS re meeting requirements of Reactor Advisory Committee.
ADAMS,A. . 97/03/06. MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 3pp. 92079:292-92079:302.

-9703120471 Amend 29 to license R-103,changing aspects of administrative structure having oversight authority for MURR & correcting inconsistency in TS re meeting requirements of Reactor Advisory Committee.
WEISS,S.H. . 97/03/06. 2pp. 92079:295-92079:299.

-9703120472 Safety evaluation supporting amend 29 to license R-103.
* . 97/03/06. 3pp. 92079:300-92079:302.

9703260257 Forwards copy of DOE 970228 ltr,to Univ of MO Research Reactor,notifying licensee that federal funds for conversion unavailable during FY97.
MEYER,W.A., MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 97/03/18. ADAMS,A. . 2pp. 92254:164-92254:165.

Q. Inspection reports, IE Bulletins & correspondence

9703130358 Informs that no further enforcement action appropriate based on results of 961031 OI investigation & review of corrective actions.
BEACH,A.B. Region 3 (Post 820201). 97/03/07. WALLACE,R. Missouri, Univ. of, Columbia, MO. 5pp. 92069:297-92069:301.

R. Periodic operating reports & related correspondence

9703070165 "Reactor Operations Annual Rept for 1996." W/970228 ltr.
MEYER,W.A., MCKIBBEN,J.C. Missouri, Univ. of, Rolla, MO. 96/12/31. 60pp. 92031:001-92031:062.

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

V. Operator Examinations

9703060292 Requests matl listed in encl 1, "Ref Matl for Reactor/Senior Reactor Operator Licensing Exams," at least 60 days prior to 970526.Procedures for administration & review of written exams requested.
ISAAC,P. . 97/03/04. TEHAN,T. Rhode Island, State of. 10pp. 91999:213-91999:222.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703130179 Forwards rev 55 to physical security plan.Encl withheld,per 10CFR50.54(p).
KRIEGER,R.W. Southern California Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92290:055-92290:056.

9703200054 Forwards Rev 54 to physical security plan.Encl withheld,per 10CFR73.21.
KRIEGER,R.W. Southern California Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92290:057-92290:058.

9703180047 Revised EPIPs,including rev 6 to S0123-XX1-1.11.3, "Emergency Plan Training Program Description" & rev 3 to S0123-XXI-1.11.3, "Unit 1 Operations Leader Duties."
DALE,J., SEEVER,D.L., GIBSON,G.T. Southern California Edison Co. 97/02/28. 42pp. 92190:266-92190:307.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9303110081 Provides guidance for staff review of responses to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
MASCIANTONIO,A. Project Directorate III-1. 93/02/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 92284:059-92284:067.

H. General correspondence

9703060026 Responds to 961025 ltr to LJ Callan re NRC ltr dtd 960729 discussing among other things San Onofre Nuclear Generating Station Unit 1 spent fuel pool.
WEISS,S.H. . 97/02/28. MILLS,G.R. Affiliation Not Assigned. 3pp. 91990:358-91990:360.

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

-9703120050 Discusses Japan oil spill & NP intake & possibilities of such event occurring at SONGS or DCNPP.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 1p. 92108:046-92108:046.

-9703130385 Forwards 970122 ltr from R Wise re inspection & review of allegation RIV-96-A-01 26A.NRC Resolution of Concerns also encl.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A., LEE,J.I. . MULLEY,G.A. Office of the Inspector General (Post 890417). 5pp. 92108:197-92108:201.

--**9703130400** Forwards top ten list for SONGS.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A. . VITO,D.J., RAYMOND,W.J. Region 1 (Post 820201). 1p. 92108:202-92108:202.

--**9703130423** Comments that excuses given re SFPs at SONGS are weak. Discusses structural integrity & damage resulting from seismic activity.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . 2pp. 92108:221-92108:222.

9703260282 Responds to 970214 e-mail re request for SONGS units to be shutdown & spent fuel removed.NRC will be temporarily suspending review of petition,until addl info have been received to make final decision re petition.
BATEMAN,W.H. . 97/03/14. DWYER,S. Affiliation Not Assigned. 1p. 92248:173-92248:174.

--**9703260294** Ack receipt of reply re activities at SONGS.
DWYER,S. Affiliation Not Assigned. 97/02/14. FIELDS,M. NRC - No Detailed Affiliation Given. 1p. 92248:174-92248:174.

J. Insurance & Indemnity Information

9703170104 Advises that listed nuclear property & decontamination liability insurance currently in effect for SONGS.
RAINSBERRY,J.L. Southern California Edison Co. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92143:358-92143:359.

P. Operating license stage documents & correspondence

9703030239 Informs NRC that util Attorney of Record for SONGS is DK Porter.
RAINSBERRY,J.L. Southern California Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 1p. 91956:359-91956:359.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--**9303110081** Provides guidance for staff review of responses to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
MASCIANTONIO,A. Project Directorate III-1. 93/02/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 92284:059-92284:067.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703120039 "RG 1.16 Rept for 1996." W/970307 ltr.
GIBSON,G.T. Southern California Edison Co. 96/12/31. 2pp. 92125:096-92125:097.

S. Reportable occurrences, LERs & related correspondence

9703120035 LER 97-001-01:on 970107,security test/insp was missed.Caused by individual responsible for security sys tests/insp failing to ensure tests completed.Implemented required compensatory actions.W/970307 ltr.
KRIEGER,R.W. Southern California Edison Co. 97/03/06. 2pp. 92208:258-92208:259.

9703130039 NPDES noncompliance notification:on 970113,sample obtained on Unit 1 sewage treatment effluent indicated setteable solids value of 3.5 ml/l which was above instantaneous limit of 3.0 ml/l.Caused by operator error.Terminated operator.
GIBSON,G.T. Southern California Edison Co. 97/03/07. Document Control Branch (Document Control Desk). 9pp. 92128:157-92128:165.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703130088 Forwards responses to NRC RAI re TranStor Storage Cask Sys 10CFR72 SAR.Requested EPRI repts,revised chapters & proprietary info being sent under separate cover.
MCCONAGHY,W.J. Sierra Nuclear, Inc. 97/03/11. REID,D. Office of Nuclear Material Safety & Safeguards. 140pp. 92133:001-92134:007.

--**9703130154** Spec S0123-207-15,Rev 0,App 3E, "Spent Fuel Parameters."
* Southern California Edison Co. S0123-207-15 R00. 97/03/11. 62pp. 92133:305-92134:007.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9703110015 Revised EPIPs,including rev 46 to EPIP 1.5-2, "Notification & Communication" & rev 14 to EPIP 1.5-42, "Manager of Operational Support Ctr."
* Connecticut Yankee Atomic Power Co. 97/03/06. 82pp. 92049:268-92049:349.

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

9703250124 Informs that Revs 34 & 35 to HNP Emergency Plan will be implemented in April 1997 & May 1997,respectively.
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 97/03/19. Document Control Branch (Document Control Desk). 1p. 92257:140-92257:140.

9703280421 Rev 34 to "CY Emergency Plan."
HAWXHURST,J.J. Connecticut Yankee Atomic Power Co. 97/03/20. 20pp. 92319:301-92319:321.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--**9703110272** Forwards notice of NRC decommissioning meeting for HNP on 970115 at Haddam-Killingsworth High School Cafetaria.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A, HANNON,J.N. . STRYKER,W.J. Office of the Inspector General (Post 890417). 4pp. 92108:008-92108:011.

--**9703110307** Notification of NRC meeting w/public on 970109 to discuss decommissioning of HNP.
BLANCH,P. Affiliation Not Assigned. 97/01/09. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 1p. 92108:028-92108:028.

--**9703120085** Forwards news article, "Analyses Needed Before Plant Closes," from 970111 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:050-92108:052.

--**9703120166** Forwards news release from Reuters America,Inc,dtd 970110 re decision from federal regulators that utility must complete key components of SA before dismantling plant.
BLANCH,P. Affiliation Not Assigned. 97/01/13. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). MCGURREN,H.J. Office of the General Counsel (Post 860701). 5pp. 92108:079-92108:083.

--**9703130302** Notification of NRC meeting on 970205 w/NEUT to discuss corrective actions, & utilities ability to progress into safe decommissioning of reactor.
BLANCH,P. Affiliation Not Assigned. 97/01/27. ZWOLINSKI,J.A. . MULLEY,G.A., STRYKER,W.J. Office of the Inspector General (Post 890417). 4pp. 92108:153-92108:156.

Q. Inspection reports, IE Bulletins & correspondence

9703040051 Informs NRC of apparent cause of radiation monitor calibr deficiency & corrective actions taken as result of insp of effluent controls program at HNP during week of 970203.
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91959:356-91959:358.

9703040214 Responds to NRC 970204 ltr re violations noted in insp rept 50-213/96-13.Corrective actions:operator was temporarily removed from licensed operator duties.
LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/25. Document Control Branch (Document Control Desk). 5pp. 91960:176-91960:180.

9703100280 Forwards mgt meeting rept 50-213/96-12 on 970205.Meeting to discuss findings detailed in insp rept on 961102.
WHITE,J.R. Region 1 (Post 820201). 97/02/25. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 3pp. 92034:001-92034:286.

--**9703100283** Summary of meeting re insp 50-213/96-12 on 970205 in King of Prussia,PA to discuss findings detailed in insp rept on 961102.Radiation program was deficient in several areas that resulted in potential exposure to radiation.
* Region 1 (Post 820201). 97/02/25. 283pp. 92034:004-92034:286.

9703040072 Forwards "1996 Refuel Outage ISI Summary Rept for CT Yankee Atomic Power Co."
LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 91959:001-91959:092.

--9703040080 "1996 Refuel Outage ISI Summary Rept for CT Yankee Atomic Power Co."
FULLER,R.J., PRITCHARD,R.W., DELAWRENCE,J. Connecticut Yankee Atomic Power Co. 97/02/26. 91pp. 91959:002-91959:092.

9703060429 Forwards proprietary & non-proprietary versions of "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures," in response to initial operator exam rept 50-245/96-12.
THAYER,J.K. Connecticut Yankee Atomic Power Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92004:244-92004:334.

--9703060432 "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures."
BARRON,W.H. Connecticut Yankee Atomic Power Co. 97/02/13. 83pp. 92004:251-92004:334.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703100177 Discusses 961102 findings & observations involving plant radiation protection program which indicated weakness in managing & controlling radiological work at facility.List of actions to be completed,submitted.
MILLER,H.J. Region 1 (Post 820201). 97/03/04. FEIGENBAUM,T.C. Northeast Utilities Service Co. 4pp. 91998:223-91998:226.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140009 Ack receipt of 970213 ltr informing NRC of steps taken to correct violations noted in insp 50-213/96-11.Exam of actions will be done during future insp.
ROGGE,J.F. Region 1 (Post 820201). 97/03/07. FEIGENBAUM,T.C. Northeast Utilities Service Co. 2pp. 92106:161-92106:167.

9703170092 Submits discussion of how plant will undertake & complete actions delineated in NRC confirmatory actions ltr,dtd 970304.
FEIGENBAUM,T. Connecticut Yankee Atomic Power Co. 97/03/07. Document Control Branch (Document Control Desk). 9pp. 92143:344-92143:352.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250157 Forwards supplemental response to 970307 ltr submitted in response to Confirmatory Action Ltr.
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92251:349-92251:353.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280116 Forwards insp rept 50-213/97-02 on 970203-07 & 0224-26. Violation noted & being considered for escalated enforcement actions.
WHITE,J.R. Region 1 (Post 820201). 97/03/21. FEIGENBAUM,T.C. Northeast Utilities Service Co. 3pp. 92293:070-92293:089.

--9703280122 Insp rept 50-213/97-02 on 970207-07 & 0224-26.Violation noted.Major area inspected:programs for radioactive liquid & gaseous effluent control,including organization & effectiveness of program implementation.
* Region 1 (Post 820201). 97/03/21. 17pp. 92293:073-92293:089.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703060425 "Annual Repts for 10CFR50.59 PORV & SV Challenges Primary Coolant Specific Activity Analysis Occupational Radiation Exposure for 1996." W/970228 ltr.
LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 96/12/31. 157pp. 92011:001-92011:157.

9703050090 Forwards semiannual fitness-for-duty performance data for Jul-Dec 1996.Attachment 1 to ltr contains explanation of performance data form,summary of performance data & summary of mgt actions.
ROTHEN,F.C. Northeast Nuclear Energy Co. ROTHEN,F.C. Northeast Utilities Service Co. 97/02/28. Document Control Branch (Document Control Desk). 26pp. 92002:295-92002:320.

9703200166 Monthly operating rept for Feb 1997 for Haddam Neck Plant. W/970315 ltr.
EMMONS,K.W., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/28. 7pp. 92212:299-92212:305.

S. Reportable occurrences, LERs & related correspondence

9703040096 LER 96-025-01:on 960927,spent fuel building air filtration sys failed air flow test.Caused by failure to recognize coincident operation of PAB & SFB effect on air flow test. Adjusted cleanup sys damper.W/970221 ltr.
CARNESI,D., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/21. 6pp. 91972:229-91972:233.

9703040111 LER 96-026-01:on 961009,found weld flaws in svc water piping for spent fuel cooling.Caused by microbiologically influenced corrosion (MIC).Will revise MIC program to treat safety related portion of service water sys.W/970221 ltr.
KASUGA,R., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/21. 5pp. 91972:238-91972:242.

9703060387 Forwards "Evaluation of Intakes by Two Workers at CT Yankee Atomic Power Co," per request.
LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92004:001-92004:243.

--9703060389 "Evaluation of Intakes by Two Workers at CT Yankee Atomic Power Co."
* Connecticut Yankee Atomic Power Co. 96/12/26. 242pp. 92004:002-92004:243.

9703130334 LER 97-002-00:on 970206,RC surveillance sample was not taken w/plant in defueled mode.Caused by personnel error. Reinitiated sampling of RCS.W/970305 ltr.
GONCAROVS,G., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/03/05. 4pp. 92217:171-92217:174.

9703130323 LER 97-003-00:on 960918,non-QA calculation used to support CR habitability design.Caused by programmatic deficiency. Reviewed ISAP issues associated w/defueled condition.W/ 970307 ltr.
BIBBY,J., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/03/07. 5pp. 92217:166-92217:170.

9703200085 LER 96-024-01:on 960901,'B' RHR pump was found inoperable in mode 5.Caused by original mfg defects along w/marginal pump design.Replaced pump rotating element.W/970312 ltr.
CLEARY,T., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/03/12. 7pp. 92246:207-92246:214.

9703250085 LER 97-004-00:on 970219,potential for fuel assembly exceeding maximum load limit over spent fuel pool.Cause due to removing exclusion for fuel assemblies from TS requirements in 1989.TS will be amended.W/970319 ltr.
ACREE,P., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/03/19. 4pp. 92275:059-92275:062.

V. Operator Examinations

9703040214 Responds to NRC 970204 ltr re violations noted in insp rept 50-213/96-13.Corrective actions:operator was temporarily removed from licensed operator duties.
LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/25. Document Control Branch (Document Control Desk). 5pp. 91960:176-91960:180.

9703070171 Informs that license of BD Kelly,SOP-11336,has been discontinued due to transfer to Millstone Station.
LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92031:256-92031:256.

9703070174 Provides notification of operator license status change of listed individuals.
LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92031:263-92031:263.

9703060429 Forwards proprietary & non-proprietary versions of "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures," in response to initial operator exam rept 50-245/96-12.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. THAYER,J.K. Northeast Utilities Service Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92004:244-92004:334.

--9703060432 "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures."
BARRON,W.H., FRYE,S.R., DOOLEY,L.M. Connecticut Yankee Atomic Power Co. 97/02/13. 83pp. 92004:251-92004:334.

9703100254 Requests NRC forward copy of Form 398, "Personal Qualification Statement - Licensee," for each licensed individual listed in encl.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. 97/03/03. MEYER,G.W. Region 1 (Post 820201). 4pp. 92074:350-92074:353.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703170028 Discusses ongoing efforts & commitments to evaluate & correct problems found within licensed operator training programs at Millstone Units 1,2 & 3 & Haddem Neck as described in 970303 ltr.
MILLER,H.J. Region 1 (Post 820201). TRAVERS,W.D. . 97/03/07. KENYON,B.D. Northeast Nuclear Energy Co. 6pp. 92116:224-92116:229.

9703180137 Submits util results of initial reviews of licensed operator records,per 10CFR2.790(a)(6).NNECO requests that unredacted version of matrices & "Nuclear Training LOIT/LOUT Audit Review," be withheld.Affidavit supporting request encl.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. 97/03/14. Document Control Branch (Document Control Desk). 56pp. 92218:230-92218:319.

--**9703250066** Redacted version of rev 1 to "Nuclear Training LOIT/LOUT Audit Reviews."
* Northeast Nuclear Energy Co. 97/03/14. 22pp. 92218:298-92218:319.

W. Decommissioning Stage Documents & Correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--**9703100081** Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--**9703110272** Forwards notice of NRC decommissioning meeting for HNP on 970115 at Haddam-Killingsworth High School Cafetaria.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A . 4pp. 92108:008-92108:011.

9703170182 Ack receipt of 970206 interim response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.Two certifications of permanent cessation of power operation & that fuel removed from reactor received.
FAIRTILE,M. . 97/03/12. FEIGENBAUM,T.C. Northeast Utilities. 3pp. 92130:357-92130:359.

9703190212 Forwards notice of withdrawal for amend to Haddam Neck plant,license DPR-61.Proposed changes would have modified facility TS pertaining to manipulator crane.
DEMBEK,S. . 97/03/13. FEIGENBAUM,T.C., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 2pp. 92178:048-92178:051.

--**9703190213** Notice of withdrawal of application for amend to license DPR-61,Haddam Neck plant.
DEMBEK,S. . 97/03/13. 2pp. 92178:050-92178:051.

9703210074 Submits closeout of commitment from 961115 response to GL 96-05, "Periodic Verification of Design Basis Capability of Motor Operated Valves."
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92235:260-92235:261.

9703190266 Informs that Commission has filed encl notice of withdrawal of application for amend to FOLs w/Ofc of FR for publication.Withdrawn amend requests listed in encl 1.
DEMBEK,S. . 97/03/17. FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. 4pp. 92189:331-92189:338.

--**9703190279** Notice of withdrawal of application for amend to license DPR-61.License amend no longer required due to licensee 961205 ltr certifying permanent cessation of operation & permanent offload of fuel from reactor vessel.
DEMBEK,S. . 97/03/17. 4pp. 92189:335-92189:338.

9703200329 Notification of 970410 meeting w/CYAP in Rockville,Maryland to discuss Defueled Safeguards Plan for HNP.Corrected version of memo.
FAIRTILE,M.B. . 97/03/17. WEISS,S.H. . 4pp. 92204:347-92204:350.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9703120123 Rev 1 to EPIP-COM-.45, "Classified Emergency Termination/ Recovery."
* General Public Utilities Corp. - GPU Service Corp. 97/02/21. 7pp. 92125:080-92125:086.

9703060281 Rev deleting EPIP-COM-.43, "Operation of Parsippany Technical Functions Ctr." W/970228 ltr.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 97/02/28. 3pp. 92016:342-92016:344.

9703110080 Rev 12 to 1000-PLN-1300.01, "GPUN Corporate Emergency Plan for Three Mile Island & Oyster Creek Nuclear Station."
* General Public Utilities Corp. - GPU Service Corp. 97/03/04. 210pp. 92070:171-92071:016.

9703140027 Forwards Director's Decision re 2.206 petitions as of Jan 1997 & ltrs dtd 970211 & 961211 ltrs,in response to ltr from Congressman Saxton informing that licensee had not received decision.
MILANO,P.D. . 97/03/06. DECAMP,W. Affiliation Not Assigned. 1p. 92115:272-92115:296.

--**9703140031** Requests response to W DeCamp concerns re unsafe situation at plant.
SAXTON,J. House of Rep. 97/02/10. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 1p. 92115:288-92115:296.

9703240071 Forwards Rev 12 to Corporate Emergency Plan.
RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92236:001-92236:210.

9703280420 Deletes EPIP-OC-.28, "Activation of Annex to Emergency Operations Facility." W/revised index & 970320 ltr.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 97/03/20. 3pp. 92299:031-92299:033.

G. Adjudicatory correspondence

9703140027 Forwards Director's Decision re 2.206 petitions as of Jan 1997 & ltrs dtd 970211 & 961211 ltrs,in response to ltr from Congressman Saxton informing that licensee had not received decision.
MILANO,P.D. 97/03/06. DECAMP,W. Affiliation Not Assigned. 1p. 92115:272-92115:296.

--**9703140031** Requests response to W DeCamp concerns re unsafe situation at plant.
SAXTON,J. House of Rep. 97/02/10. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 1p. 92115:288-92115:296.

9703140056 Order.* Informs that time within which Commission may take sua sponte review of memorandum & order LBP-97-01 extended to 970326.W/Certificate of Svc.Served on 970312.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18203. 97/03/12. Office of the General Counsel (Post 860701). 3pp. 92106:331-92106:333.

P. Operating license stage documents & correspondence

9703070055 Forwards 120-day response to GL 96-06,including potential mods & procedure changes.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 97/02/26. Document Control Branch (Document Control Desk). 16pp. 92031:189-92031:204.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--**9604300372** Provides list of direct staff hours expended & technical assistance costs per issue on conversation of endangered & threatened species.
NEWBERRY,S.F. . 96/03/27. CORLEY,D.J. Division of Budget & Analysis (Post 890205). 3pp. 92286:318-92286:320.

9703120138 Confirmatory Action Ltr 1-97-08 re insp on 970106-0302 re quality classification of selected plant components at plant.NRC concerned about potential implications of inappropriate equipment classification downgrades.
MILLER,H.J. Region 1 (Post 820201). 97/03/04. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 5pp. 92035:140-92035:144.

9703120408 Forwards amend 188 to license DPR-16 & safety evaluation. Amend updates pressure-temperature limits up to 22,27 & 32 effective full power years.
EATON,R.B. . 97/03/06. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 92079:230-92079:243.

--**9703120411** Amend 188 to license DPR-16,updating pressure-temperature limits up to 22,27 & 32 effective full power years.
MILANO,P.D. . 97/03/06. 11pp. 92079:233-92079:240.

--**9703120413** Safety evaluation supporting amend 188 to license DPR-16.
* . 97/03/06. 3pp. 92079:241-92079:243.

9703130317 Forwards sample ltr & list of 11 utility companies that have been notified of condition of over-stressed auxiliary host on one Whiting crane.Condition believes not to be reportable under Part 21.
KWASNY,M.J. Whiting Corp. 97/03/12. NRC - No Detailed Affiliation Given. 6pp. 92136:073-92136:078.

9703240133 Provides 180-day response to GL 96-05 which requested that licensee establish program to verify on periodic basis that SR MOVs continue to be capable of performing SR functions within current licensing basis of facility.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92247:258-92247:260.

9703250022 Responds to RAI re 10CFR50.54(f) re adequacy & availability of design basis info.
LANGENBACH,J.W. General Public Utilities Corp. - GPU Service Corp. 97/03/19. Document Control Branch (Document Control Desk). 2pp. 92251:307-92251:308.

9703260221 Forwards amend 189 to license DPR-16 & safety evaluation. Amend changes acceptance criteria for individual cell voltage from 2.0v to 2.09v,frequency for battery specific gravities to implement recommendations of IEEE 450-1995.
EATON,R.B. . 97/03/24. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 92247:323-92247:335.

--**9703260229** Amend 189 to license DPR-16 changing TSs to delete surveillance 4.7.B.4.d & adds clarifying phrase "while on a float charge..." where appropriate.
MILANO,P.D. . 97/03/24. 7pp. 92247:326-92247:332.

--**9703260236** Safety evaluation supporting amend 189 to license DPR-16.
* . 97/03/24. 3pp. 92247:333-92247:335.

Q. Inspection reports, IE Bulletins & correspondence

9703110102 Forwards detailed analysis & sketch of refuel floor which displays features cited in text in response to RAI re IEB 96-002, "Movement of Dry Storage Casks Over Spent Fuel in Reactor Core or Safety Related Equipment."
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92078:346-92078:350.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703120138 Confirmatory Action Ltr 1-97-08 re insp on 970106-0302 re quality classification of selected plant components at plant.NRC concerned about potential implications of inappropriate equipment classification downgrades.
MILLER,H.J. Region 1 (Post 820201). 97/03/04. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 5pp. 92035:140-92035:144.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703160170 Discusses arrangements made to conduct baseline insp of maintenance rule program at plant during wk of 970407.
MEYER,G.W. Region 1 (Post 820201). 97/03/13. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 4pp. 92134:221-92134:224.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280321 Forwards insp rept 50-219/97-01 on 970113-0223 & NOV.
ESELGROTH,P.W. Region 1 (Post 820201). 97/03/21. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 92290:163-92290:198.

--9703280324 Notice of violation from insp on 970113-0223.Violation noted:Procedure 108.7, "Lockout/Tagout Procedure," Rev 4, did not include appropriate quantitative or qualitative acceptance criteria.
* Region 1 (Post 820201). 97/03/21. 1p. 92290:166-92290:166.

--9703280327 Insp rept 50-219/97-01 on 970113-0223.Violations noted.Major areas inspected:licensee operations,engineering,maint & plant support.
* Region 1 (Post 820201). 97/03/21. 32pp. 92290:167-92290:198.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110127 "Oyster Creek Nuclear Station Effluent & Off Site Dose Rept for Jan-Dec 1996." W/970228 ltr.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/12/31. 42pp. 92121:001-92121:042.

9703190030 "1996 Environmental Operating Rept for Oyster Creek Nuclear Generating Station." W/970228 ltr.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/12/31. 5pp. 92210:006-92210:027.

9703280437 "1996 Annual Exposure Data Rept for Oyster Creek Nuclear Generating Station." W/970324 ltr.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/12/31. 4pp. 92299:040-92299:043.

9703120030 Forwards FFD performance data repts for TMI,Oyster Creek & corporate headquarters in Parsippany,NJ.
WILSON,J.F. General Public Utilities Corp. - GPU Service Corp. 97/02/28. Document Control Branch (Document Control Desk). 11pp. 92124:290-92124:300.

9703240237 Monthly operating rept for Feb 1997 for OCNPP.W/970317 ltr.
DOUGHER,J.D., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 97/02/28. 7pp. 92241:319-92241:325.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703180008 Revised EPIPs,including rev 1 to EPIP-EPP-03, "Search & Rescue," rev 2 to EPIP-EPP-10, "Security Contingency Event," rev 3 to EPIP-EPP-19, "Site Evacuation Procedure" & rev 5 to EPIP-EPP-20, "Emergency Notifications." W/970312 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 97/02/12. 84pp. 92193:216-92193:298.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130217 Forwards NRC press release, "Fox Announces Senior Nuclear Appointments," from Uranium Nuclear News Daily Special Edition,dtd 970122.
BLANCH,P. Affiliation Not Assigned. 97/01/23. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 10pp. 92108:136-92108:145.

P. Operating license stage documents & correspondence

9703100006 Provides supplemental info re three relief requests VG-2,LP-RR-2 & CRD-RR-3.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92048:324-92048:325.

9703110104 Provides supplemental info to 970207 ltr in response to matters discussed w/staff during recent telcon re GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
MCCORMICK,M.J. Niagara Mohawk Power Corp. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92074:355-92074:359.

9703060307 Forwards safety evaluation re modifications to correct core shroud repair deviation.
HOOD,D. . 97/03/03. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 91991:351-91991:360.

--9703060309 Safety evaluation accepting proposed mods to shroud repair assembly.
* . 97/03/03. 6pp. 91991:355-91991:360.

9703070152 Forwards safety evaluation re four relief requests for valve IST program for plant,unit 1.
BAJWA,S.S. . 97/03/05. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 91997:332-91997:348.

--9703070156 Safety evaluation accepting relief request for valve inservice testing program.
* . 97/03/05. 13pp. 91997:336-91997:348.

9703100145 Ack receipt of NRC response requesting info per 10CFR50.54(f) regarding adequacy & availability of design bases info.
HOOD,D.S. . 97/03/05. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 92018:357-92018:360.

9703180240 Provides addl info requested on 960926 amend application re sys leakage & hydrostatic testing.
ABBOTT,R.B. Niagara Mohawk Power Corp. 97/03/06. Document Control Branch (Document Control Desk). 5pp. 92200:293-92200:301.

--9703180242 Proposed tech specs re sys leakage & hydrostatic testing.
* Niagara Mohawk Power Corp. 97/03/06. 4pp. 92200:298-92200:301.

9703200318 Forwards comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance."
HODGES,M.W. Division of Systems Technology (Post 941217). 97/03/06. VARGA,S.A. . 1p. 92204:315-92204:330.

9703130293 Requests addl info for 960311 submittal re verification of seismic adequacy of mechanical & electrical equipment for operating reactors.
HOOD,D.S. . 97/03/11. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 92079:353-92079:357.

9703190097 Forwards six-month torus wall ultrasonic test results.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 97/03/13. Document Control Branch (Document Control Desk). 4pp. 92205:308-92205:311.

9703250043 Responds to GL 89-10, "Safety Related Motor-Operated Valve Testing & Surveillances" & GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
MCCORMICK,M.J. Niagara Mohawk Power Corp. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92257:106-92257:106.

9703210187 Forwards questions for telcon call w/BWRVIP re recent occurrences of unexpected degradation of BWR internals.
THADANI,A.C. . 97/03/19. TERRY,C. Niagara Mohawk Power Corp. 7pp. 92205:261-92205:267.

Q. Inspection reports, IE Bulletins & correspondence

9703050272 Forwards insp repts 50-220/96-14 & 50-410/96-14 on 961201-970111 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/02/21. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 91998:001-91998:031.

--9703050276 Notice of violation from insp on 961201-970111.Violation noted:failure to close & lock barriers after each entry & checking closed barriers by shaking.
* Region 1 (Post 820201). 97/02/21. 1p. 91998:004-91998:004.

--9703050278 Insp repts 50-220/96-14 & 50-410/96-14 on 961201-970111. Violation noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/02/21. 27pp. 91998:005-91998:031.

9703060312 Forwards SE re Core Shroud reinspection plans for refueling outage 14 of Nine Mile Point Nuclear Station,unit 1.
HOOD,D. . 97/03/03. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 91992:323-91992:331.

--9703060324 Safety evaluation supporting reinspection of core shroud during RFO-14 re license DPR-63.
* . 97/03/03. 5pp. 91992:327-91992:331.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703100106 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/96-13 & 50-410/96-13.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/03/04. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 91998:213-91998:219.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703270212 Summary of 970320 telcon w/util to discuss licensee current observations from insp of core shroud vertical welds & tie rod assemblies in progress at plant,Unit 1.
HOOD,D.S. . 97/03/24. . 16pp. 92255:189-92255:203.

R. Periodic operating reports & related correspondence

9703070192 "Annual Occupational Exposure Repts for Nine Mile Point Units 1 & 2 for CY96." W/970227 ltr.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/12/31. 5pp. 92028:356-92028:360.

9703070193 Forwards FFD program performance data rept.
ABBOTT,R.B. Niagara Mohawk Power Corp. 97/02/26. Document Control Branch (Document Control Desk). 7pp. 92031:227-92031:233.

9703070177 Forwards "NMPNS - Unit 1 Semi-Annual Radioactive Effluent Release Rept for Jul-Dec 1996." Format used for effluent data outlined in App B of Reg Guide 1.21,Rev 1.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92030:165-92030:193.

--9703070162 "NMPNS - Unit 1 Semi-Annual Radioactive Effluent Rept for Jul-Dec 1996."
* Niagara Mohawk Power Corp. 96/12/31. 27pp. 92030:167-92030:193.

9703190076 Monthly operating rept for Feb 1997 for Nine Mile Point Nuclear Station,Unit 1.W/970311 ltr.
COLEMAN,D.E., RADEMACHER,N.L. Niagara Mohawk Power Corp. 97/02/28. 5pp. 92201:344-92201:348.

S. Reportable occurrences, LERs & related correspondence

9703070181 LER 96-013-01:on 961213,potential overpressurization of containment penetrations occurred due to thermal expansion. Affected penetrations & vents,drains, & test connections have been completed in accordance w/GL 91-18.W/970228 ltr.
YAEGER,W., RADEMACHER,N.L. Niagara Mohawk Power Corp. 97/02/28. 10pp. 92074:297-92074:306.

9703100008 LER 96-010-01:on 961101,App R fire induced hot shorts in shutdown cooling valves occurred.Caused by fire induced spurious actuation of MOV result in valve damage from stall thrust misinterpretated.FSAR revised.W/970228 ltr.
YAEGER,W.R., RADEMACHER,N.L. Niagara Mohawk Power Corp. 97/02/28. 5pp. 92108:339-92108:343.

9703170139 LER 97-001-00:on 970206,determined that pipe supports failed to meet design criteria for seismic loads.Caused by design deficiency.Will modify affected supports during next refueling outage.W/970310 ltr.
YAEGER,W.R., RADEMACHER,N.L. Niagara Mohawk Power Corp. 97/03/10. 6pp. 92217:274-92217:279.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-223 UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703250173 Forwards RAI in order to complete review of exemptions to 10CFR36 for Gamma Cave at Univ of Massachusetts Lowell Research Reactor,per 970712 request.
MICHAELS,T.S. . 97/03/21. BETTENHAUSEN,L. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 3pp. 92236:350-92236:353.

V. Operator Examinations

9703030379 Forwards certificates to listed newly licensed individuals. W/o encl.
MARTIN,T.T. . 97/02/24. KEGEL,G. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 1p. 91932:340-91932:340.

DOCKET 50-225 RPI CRITICAL EXPERIMENT

V. Operator Examinations

9703030327 Forwards certificate for listed newly licensed individual. W/o encl.
MARTIN,T.T. . 97/02/24. HARRIS,D.R. Rensselaer Polytechnic Institute, Troy, NY. 1p. 91939:340-91939:340.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060160 Rev 61 to "GSEP Site Annex DNPS."
* Commonwealth Edison Co. 97/02/27. 29pp. 92011:249-92011:276.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

9703250146 Notification of 970331 meeting w/util in Rockville,MD to discuss potential vulnerabilities & corrective actions identified in fire protection/post fire safe shutdown programs & procedures.
PULSIFIER,R.M. . 97/03/24. CAPRA,R.A. . 4pp. 92236:339-92236:342.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 5pp. 92108:187-92108:191.

P. Operating license stage documents & correspondence

9703240118 ODCM,Dresden Annex revs 1.9 to Chapter 10, "Radioactive Effluent Treatment & Monitoring," 1.2 to Chapter 11, "Radiological Environ Monitoring Program" & 1.3 to Chapter 12, "Radiological Effluent Technical Standards."
* Commonwealth Edison Co. 97/01/31. 97pp. 92240:175-92240:271.

9702240108 Application for amend to licenses DPR-19 & DPR-25,App A,TSs, Section 3/4.7.K, "Suppression Chamber" & Section 3/4.8, "Ultimate Heat Sink," to address issues re efforts to reconstitute design basis of containment heat removal sys.
PERRY,J.S. Commonwealth Edison Co. 97/02/17. 99pp. 91872:001-91873:308.

--9702240113 Proposed tech specs 3/4.7.K & 3/4.8.C re issues resulting from ComEds efforts to reconstitute design basis of CHRS.
* Commonwealth Edison Co. 97/02/17. 98pp. 91872:100-91872:197.

--**9702240119** Rev 0 to "Dresden LPCI/Core Spray NPSH Analysis Post-DBA LOCA:Long Term Design Basis."
PALAS,H. Commonwealth Edison Co. DRE97-0010 R00. 97/02/11. 37pp. 91872:198-91872:234.

--**9702240121** Rev 0 to "Dresden LPCI/Core Spray NPSH Analysis Post DBA LOCA: Short Term Design Basis."
* Commonwealth Edison Co. DRE97-0012 R00. 97/02/13. 33pp. 91872:235-91872:268.

--**9702240127** Rev 1 to "Minimum Available CCSW Flow to Maintain 20 psi Differential Between LPCI & CCSW HX."
HAWLEY,J.T. Commonwealth Edison Co. DRE96-0214 R01. 96/11/06. 88pp. 91872:269-91873:062.

--**9702240205** "Cavitation Test Rept 12x14x14-1/2 CVDS Pump."
GARROW,L. Affiliation Not Assigned. 69/05/16. 11pp. 91873:063-91873:073.

--**9702240215** "Dresden Nuclear Power Station Units 2 & 3 Containment Analysis of DBA-LOCA to Update Design Basis for LPCI/CCS," for GENE-637-042-1193.
MINTZ,S., TORBECK,J.E. General Electric Co. GENE-637-042-1193. 94/02/28. 44pp. 91873:074-91873:118.

--**9702240257** Suppl 1 to GENE-770-26-1092, "Long Term Containment Response to DBA-LOCA w/65 FDegrees F Svc Water Temperature,80 Degrees F Initial Pool Temperature & Initiation of Containment Cooling at 1800 Seconds."
MINTZ,S., PARKER,C.R., TORBECK,J.E. General Electric Co. GENE-770-26-1092 S01. 93/01/31. 40pp. 91873:119-91873:308.

9703040147 Documents an inconsistency in design criteria used to resolve SEP Topic III-1 between NRC prepared SE & util basis contained in various sections of USAR.
PERRY,J.S. Commonwealth Edison Co. 97/02/18. . 3pp. 91960:279-91960:281.

9703030236 Confirms 970228 meeting in Lisle,IL to discuss progress in completing actions outlined in CAL dtd 961121 & other improvements initiatives.
HILAND,P.L. Region 3 (Post 820201). 97/02/19. PERRY,J.S. Commonwealth Edison Co. 2pp. 91931:052-91931:053.

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703120469 Informs that encl "Notice of Consideration of Issuance of Amends to FOLs,Proposed NSHC determination & Opportunity for Hearing," has been forwarded to Ofc of FR for publication.
STANG,J.F. . 97/02/26. JOHNSON,I. Commonwealth Edison Co. 2pp. 92076:335-92076:344.

--**9703120474** Notice of consideration of issuance of amends to licenses DPR-19 & DPR-25,proposed NSHC determination & opportunity for hearing.Amends would change Ts by relocating TS requirements associated w/24/48 Vdc batteries.
STANG,J.F. . 97/02/26. 8pp. 92076:337-92076:344.

9703050021 Provides addl set of benchmark calculations to validate pressure response,both short & long term,of SHEX containment analysis model used to support license amend.
PERRY,J.S. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 43pp. 91963:287-91963:329.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--**9703050442** Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703050340 Notification of 970313 meeting w/Commonwealth Edison Co in Rockville,MD to discuss licensee request for TS changes to use containment overpressure to compensate for deficiency in net positive suction head for Dresden,Units 2 & 3.
STANG,J.F. . 97/02/28. CAPRA,R.A. . 3pp. 91960:358-91960:360.

9703050476 Notification of 970304 meeting w/util in Rockville,MD to discuss licensee request for TS change to use containment overpressure to compensate for deficiency in net positive suction head for plant.
STANG,J.F. . 97/02/28. CAPRA,R.A. . 3pp. 91961:187-91961:189.

9703060293 Forwards amends 125,148,172 & 168 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation.Amends update pressure- temperature curves contained in licensee TS to 22 effective full power yrs.
STANG,J.F. . 97/02/28. JOHNSON,I. Commonwealth Edison Co. 2pp. 91991:231-91991:271.

--**9703060297** Amends 153 & 148 to licenses DPR-19 & DPR-25,respectively, updating pressure-temperature curves contained in licensee TS 22 effective full power yrs.
STANG,G.F. . 97/02/28. 16pp. 91991:233-91991:248.

--**9703070069** Amends 172 & 168 to licenses DPR-29 & DPR-30,respectively, updating pressure-temperature curves contained in licensee TS 22 effective full power yrs.
PULSIFER,R.M. . 97/02/28. 16pp. 91991:249-91991:265.

--**9703060298** Safety evaluation supporting amends 153,148,172 & 168 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/02/28. 6pp. 91991:266-91991:271.

9703100275 Forwards "Verification Screening of Key Parameters for Twelve Risk Significant Systems."
PERRY,J.S. Commonwealth Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92047:145-92047:310.

--**9703100279** "Verification Screening of Key Parameters for Twelve Risk Significant Systems."
SINGH,A.K., WEIR,L. Commonwealth Edison Co. 97/02/28. 164pp. 92047:147-92047:310.

9703060310 Forwards amends 154,149,173 & 169 to licenses DPR-19,DPR-25, DPR-29,DPR-30 & safety evaluation.Amends would change TSs by allowing single control rod to be moved when plant in hot shutdown or cold shutdown condition.
PULSIFER,R.M. . 97/03/04. JOHNSON,I. Commonwealth Edison Co. 2pp. 91984:342-91984:360.

--**9703060334** Amends 154 & 149 to licenses DPR-19 & DPR-25,respectively, revising TSs by allowing single CR moved when plant in hot shutdown or cold shutdown condition providing one rod out interlock operable & mode switch in refuel position.
STANG,J.F. . 97/03/04. 7pp. 91984:344-91984:350.

--**9703060345** Amends 173 & 169 to licenses DPR-29 & DPR-30,respectively, revising TSs by allowing single RC moved when plant in hot shutdown or cold shutdown condition providing one rod out interlock operable & mode switch in refuel position.
PULSIFER,R.M. . 97/03/04. 7pp. 91984:351-91984:357.

--**9703060352** Safety evaluation supporting amends 154,149,173 & 169 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/03/04. 3pp. 91984:358-91984:360.

9703070037 Application for amends to licenses DPR-19 & DPR-25, eliminating MSL valve closure & scram function re MSL radiation monitor changes to TS Tables 2.2.A - 1,3.1.A - 1,4.2.A - 1 & limiting safety sys settings bases.
PERRY,J.S. Commonwealth Edison Co. 97/03/05. Document Control Branch (Document Control Desk). 12pp. 92014:289-92014:314.

--**9703070038** Proposed tech specs,removing MSL radiation monitor high scram & MSL tunnel radiation high input to MSL isolation function.
* Commonwealth Edison Co. 97/03/05. 14pp. 92014:301-92014:314.

9703070103 Summary of 970116 meeting w/util re emergency technical specification change requesting use of containment over pressure to compensate for net positive suction head deficiency for emergency core cooling pump.
STANG,J.F. . 97/03/05. . 85pp. 91997:199-91997:283.

9703110034 Suppl application for amends to licenses DPR-19 & DPR-25, revising TS to transition to Siemens Power Corp ATRIUM-9B fuel.
PERRY,J.S. Commonwealth Edison Co. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92078:342-92078:345.

--**9703110210** Proposed tech specs,revising TS to transition to Siemens Power Corp ATRIUM-9B fuel.
* Commonwealth Edison Co. 97/03/05. 2pp. 92078:344-92078:345.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703130013 Summary of 970130 meeting w/ComED re up coming TS change to use containment overpressure to compensate for deficiency in net positive suction head for emergency core cooling pumps.List of attendees & presentation encl.
STANG,J.F. . 97/03/06. . 45pp. 92080:273-92080:318.

9703170226 Provides monthly update of activities re Confirmatory Action Ltr RIII-96-016.
PERRY,J.S. Commonwealth Edison Co. 97/03/07. Document Control Branch (Document Control Desk). 12pp. 92159:320-92159:331.

9703210071 Summary of 970121 meeting w/ComED re emergency TS change requesting use of containment over pressure to compensate for net positive suction head deficiency for emergency core cooling pumps.List of attendees & presentation encl.
STANG,J.F. . 97/03/07. . 21pp. 92205:195-92205:215.

9703140118 Informs that listed documents,including NEDE-30911,SHEX-04 Users Manual,Class II dtd Aug 1985 marked as proprietary will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(b),as amended.
STANG,J.F. . 97/03/12. JOHNSON,I. Commonwealth Edison Co. 4pp. 92128:173-92128:176.

9703140190 Notification of 970313 meeting w/util in Rockville,MD to discuss issues associated w/Dresden & Quad Cities control room heating & ventilation sys.
STANG,J.F. . 97/03/12. CAPRA,R.A. . 3pp. 92115:336-92115:338.

9703180055 Provides addl info re application for amend to licenses DPR-19 & DPR-25,App A,TS Section 3/4.7.K, "Suppression Chamber," & Section 3/4.8.C, "Ultimate Heat Sink."
PERRY,J.S. Commonwealth Edison Co. 97/03/12. Document Control Branch (Document Control Desk). 8pp. 92193:069-92193:165.

--**9703180057** Rev 0 to "Sensitivity Analysis of Post-LOCA Containment Performance for Dresden Units 2/3."
RAMSDEN,K.B. Commonwealth Edison Co. BSA-D-97-03 R00. 97/03/12. 88pp. 92193:078-92193:165.

9703140136 Forwards RAI re licensee 970217 request to review & approve application for amend re TS change & USQ.
STANG,J.F. . 97/03/13. JOHNSON,I. Commonwealth Edison Co. 3pp. 92128:192-92128:194.

9703180186 Forwards amends 155,150,174 & 170 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & SE,respectively.Amends revise TS to clarify & maintain consistency between operability requirements for protective instrumentation.
PULSIFER,R.M. . 97/03/14. JOHNSON,I. Commonwealth Edison Co. 2pp. 92177:160-92177:186.

--**9703180188** Amends 155,150,174 & 170 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,revising TS to clarify & maintain consistancy between operability requirements for protective instrumentation & associated automatic bypass features.
STANG,J.F. . 97/03/14. 22pp. 92177:162-92177:183.

--**9703180193** Safety evaluation approving amends 155,150,174 & 170 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/03/14. 3pp. 92177:184-92177:186.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

9703200369 Application for amends to licenses DPR-19 & DPR-25, requesting to increase High Pressure Coolant Injection Isolation on low reactor vessel pressure setpoint.
PERRY,J.S. Commonwealth Edison Co. 97/03/18. Document Control Branch (Document Control Desk). 5pp. 92212:128-92212:138.

--9703200372 Proposed tech specs 3/4.2 re isolation actuation.
* Commonwealth Edison Co. 97/03/18. 6pp. 92212:133-92212:138.

9703250140 Forwards RAI re CEC request that NRC review & approve application for amend re TS change & USQ.
STANG,J.F. . 97/03/21. JOHNSON,I. Commonwealth Edison Co. 4pp. 92236:335-92236:338.

Q. Inspection reports, IE Bulletins & correspondence

9703040282 Constitutes response to NRC independent safety Insp Repts 50-010/96-201,50-237/96-201 & 50-249/96-201.Corrective actions:radiation protection technician immediately dispatched to investigate,when issue identified.
PERRY,J.S. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 56pp. 91972:289-91972:344.

9703040352 Submits request for deferral w/compliance to IE Bulletin 96-003.
HOSMER,J. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91960:262-91960:263.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110163 *Forwards response to NRC 970206 ltr re violations in insp repts 50-010/* 97-03,50-237/97-03 & 50-249/97-03 on 970114-23. Corrective actions:problem identification form was written which initiated operability determination for pump.
PERRY,J.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 5pp. 92121:079-92121:083.

9703120045 Forwards response to NRC 970204 ltr re violations noted in insp repts 50-010/96-14,50-237/96-14 & 50-249/96-14 on 961021-1206.Corrective actions:technical manual was updated w/parts bulletin by VETIP.
PERRY,J.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 6pp. 92125:108-92125:113.

9703170017 Ack receipt of 970306 ltr informing NRC of steps taken to correct violations noted in insp repts 50-237/97-03 & 50-249/97-03 on 970206.
GRANT,G.E. Region 3 (Post 820201). 97/03/10. PERRY,J.S. Commonwealth Edison Co. 2pp. 92116:217-92116:223.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703190068 Responds to NRC 970212 ltr re violations noted in insp repts 50-010/97-02,50-237/97-02 & 50-249/97-02.Corrective actions: rev of Dresden Administrative Procedure (DAP) 13-01 "Station Access," review existing station access status levels.
PERRY,J.S. Commonwealth Edison Co. 97/03/12. Document Control Branch (Document Control Desk). 6pp. 92205:300-92205:305.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250154 Responds to SALP 14 rept which covers period 950319-961228.
PERRY,J.S. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 18pp. 92251:130-92251:147.

9703190138 *NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."*
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703270175 Provides supplemental response to NRC Bulletin 93-003, "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in BWRs."
PERRY,J.S. Commonwealth Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 3pp. 92268:101-92268:103.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030498 *"Radioactive Effluent Rept for Jan-Dec 1996 for DNPS." W/970224 ltr.*
PERRY,J.S. Commonwealth Edison Co. 96/12/31. 91pp. 91951:257-91951:350.

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703180042 Monthly operating repts for Feb 1997 for Dresden Nuclear Power Station.W/970310 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 97/02/28. 13pp. 92304:284-92304:296.

S. Reportable occurrences, LERs & related correspondence

9703050167 Lists commitments re LER 97-003-00.LER encl.
PERRY,J.S. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 2pp. 91991:021-91991:027.

--9703050180 LER 97-003-00:on 970127,containment penetrations outside design *basis.Caused by analysis of thermally induced post-accident overpressurization.Over* pressure protection installed or penetration specific analysis performed.
MAHENDRANATHAN Commonwealth Edison Co. 97/02/25. 5pp. 91991:023-91991:027.

9703190093 LER 97-S01-00:on 970125,vital area security padlock was found open due to deliberate tampering that could have allowed unauthorized access to vital area.Compensatory measures were immediately implemented.W/970306 ltr.
O'DONNELL,L.O., PERRY,J.S. Commonwealth Edison Co. 97/03/06. 5pp. 92237:252-92237:256.

9703180004 LER 97-004-00:on 970208,discovered that channel checks for reactor level & pressure performed at incorrect frequencies. Caused by personnel error.Counseled personnel,reviewed all operator rounds & revised App D of logsheet.W/970310 ltr.
VOWELS,T., PERRY,J.S. Commonwealth Edison Co. 97/03/10. 6pp. 92237:108-92237:113.

9703190124 LER 97-005-00:on 970213,discovered HPCI low flow setpoint below TS limit.Caused by setpoint drift.Restored switch setpoint to appropiate setting & will monitor switch performance in 1997 for trend evaluation.W/970313 ltr.
GARRETT,P., PERRY,J.S. Commonwealth Edison Co. 97/03/13. 5pp. 92237:279-92237:283.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703280024 Discusses telcon between R Holbrook & H Peterson re arrangements for administration of licensing exams.Exams scheduled wks of 970728 & 0804.
LENNARTZ,J.A. Region 3 (Post 820201). 97/03/17. PERRY,J.S. Commonwealth Edison Co. 3pp. 92264:346-92264:348.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703180182 Submits proposal describing current efforts re conversion of OSTR from *HEU to LEU fuel.Will take no further action re conversion at this time.*
DODD,B. Oregon State Univ., Corvallis, OR. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92200:263-92200:265.

Q. Inspection reports, IE Bulletins & correspondence

9703180197 *Informs of failure to perform shield survey at power after removing wooden* plug & incomplete closing of lead shutter on beam port 2 following insp of beam tube.
DODD,B. Oregon State Univ., Corvallis, OR. 97/03/12. Document Control Branch (Document Control Desk). 6pp. 92190:352-92190:357.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703240169 Revised EPIPs,including Rev 8 to EPIP 2-11,Rev 8 to EPIP 2-14,Rev 4 to EPIP 3-3, Rev 11 to EPIP 5-1,Rev 7 to EPIP 5-5,Rev 9 to EPIP 2-3 & Rev 16 to EPIP 5-2.W/970306 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 97/03/06. 157pp. 92240:018-92240:174.

P. Operating license stage documents & correspondence

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. *Severe Accident Issues Branch* (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703100165 Informs that staff currently evaluating 970207 ltr which responded to 961009 request for info re adequacy & availability of design bases info,per 10CFR50.54(f).
VISSING,G.S. . 97/03/06. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 92031:353-92031:355.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--**9602140106** Forwards agenda for 960122 IPE Senior Review Board meeting re contractor-developed requests for addl info for plants.
HODGES,M.W. Division of Systems Technology (Post 941217). 95/12/21. MARTIN,T.T. Region 1 (Post 820201). 2pp. 92228:017-92228:018.

9703190117 Forwards relief request 32 for review & action.Request has been developed to address technical limitations in ability to perform inner radius exams on regenerative heat exchanger due to size & configuration of nozzles to be examined.
MECREDY,R.C. Rochester Gas & Electric Corp. 97/03/10. VISSING,G. . 3pp. 92206:307-92206:309.

9703200079 Responds to 970124 RAI re revised submittal of QA Program for Station Operation.Clarification of change on page 19, provided.
MECREDY,R.C. Rochester Gas & Electric Corp. 97/03/14. VISSING,G.S. . 2pp. 92205:274-92205:275.

9703200241 Transmits info pertaining to NRC staff review of weld defects in CE designed SG tube sleeves.
KALMAN,G. . 97/03/14. HUTCHINSON,C.R. Entergy Operations, Inc. 11pp. 92204:304-92204:314.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250218 Informs of intention to change reactor coolant pump flywheel insp interval from current 3-yr interval to 10-yr interval, consistent w/WCAP-14535A.
MECREDY,R.C. Rochester Gas & Electric Corp. 97/03/18. VISSING,G. . 2pp. 92257:154-92257:155.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703250176 "Number of Personnel & Person-mRem by Work & Job Function." W/ 970313 ltr.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/12/31. VISSING,G.S. . 3pp. 92251:345-92251:347.

9703030532 Forwards fitness for duty performance data for six months ending 961231.
HESSLER,N.D., MECREDY,R.C. Rochester Gas & Electric Corp. 97/02/25. . 4pp. 91952:349-91952:352.

9703180052 Monthly operating rept for Feb 1997 for R.E. Ginna Nuclear Power Plant.W/970307 ltr.
WALDEN,J.V., WIDAY,J.A. Rochester Gas & Electric Corp. 97/02/28. VISSING,G.S. 5pp. 92190:308-92190:312.

S. Reportable occurrences, LERs & related correspondence

9703110153 LER 97-001-00:on 970131,discovered service water temp was less than specified value.Caused by non-representative method of monitoring.Increased water temp in screenhouse bay to greater than 35 degrees F.W/970303 ltr.
ST. MARTIN,J.T., MECREDY,R.C. Rochester Gas & Electric Corp. 97/03/03. VISSING,G.S . 9pp. 92189:295-92189:303.

9703110202 Special rept:on 970202,Plant Process Computer Sys received alarms on all points for Plant Vent Radiation Monitor R-14A. Skid was flushed & desired flow rate was reestablished.Skid was taken OOS on 970210.Conducted monitoring of R-14A.
MECREDY,R.C. Rochester Gas & Electric Corp. 97/03/03. VISSING,G.S. . 2pp. 92121:069-92121:070.

V. Operator Examinations

9703120215 Requests that listed candidates take PWR Generic Fundamental Exam Section of operator licensing exam to be administered 970409.
POPP,R. Rochester Gas & Electric Corp. 97/03/05. MILLER,H.J. Region 1 (Post 820201). 1p. 92125:037-92125:037.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703110006 Revised EPIPs,including rev 6 to MP 701.9,rev 5 to MP 710.9, rev 9 to MP 712.2,rev 0 to MP 716.9,rev 1 to MP 721.11 & rev 8 to MP 789.1.
* Northeast Nuclear Energy Co. 97/02/28. 170pp. 92070:001-92070:170.

9703130058 Revised Emergency Plan Operating Procedure,including Rev 2 to EPOP 4428, "Assistant Manager of Radiological Dose Assessment - Initial Response" & Rev 1 to EPOP 4431, "Initial Dose Assessment."
KANGLEY,J.P., EAKIN,W.J. Northeast Nuclear Energy Co. 97/03/05. 3pp. 92128:154-92128:156.

9703260186 Forwards Rev 27A to Physical Security Plan.Encl withheld,per 10CFR73.21(b) & 10CFR2.790(a).
ROTHEN,F.R. Northeast Nuclear Energy Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92257:252-92257:253.

9703260137 Revised EPIPs,including rev 4 to MP 707.2, "Test & Adjustment of Refueling Platform Load & Limit Switches," rev 4 to MP 710.7, "Repair of Bettis Air Actuators" & 700 Procedure Index.
* Northeast Nuclear Energy Co. 97/03/21. 76pp. 92290:244-92290:319.

G. Adjudicatory correspondence

9703060015 Provides update on 10CFR2.206 Petition submitted on 950115.
ANDERSEN,J.W. . 97/03/03. ROSS,A.J. Affiliation Not Assigned. 2pp. 91992:347-91992:348.

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--**9703110306** Forwards comments by S Collins on NRC response to 10CFR2.206 petition on plant refueling practices.
BLANCH,P. Affiliation Not Assigned. 97/01/08. ZWOLINSKI,J.A. . MULLEY,G.A., STRYKER,W.J. Office of the Inspector General (Post 890417). 3pp. 92108:025-92108:027.

--**9703120072** Forwards w/o comment,970108 ltr from D Lochbaum to S Collins re NRC response to 10CFR2.206 petition on Millstone Unit 1 refueling practices.Asks if utility obligated under 10CR50.9 to inform NRC of error.
BLANCH,P. Affiliation Not Assigned. 97/01/12. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:047-92108:049.

--**9703120132** Forwards pages 424-425 of 970103 FRN re issuance of partial Director's Decision WRT 950821 petition & supplemented 950828,submitted by G Galatis & We People,Inc,requesting action under 10CFR2.206.
BLANCH,P. Affiliation Not Assigned. 97/01/12. ZWOLINSKI,J.A. . 16pp. 92108:060-92108:075.

--**9703120146** Discusses 970113 ltr from P Blanch to S Collins re NRC response to 10CFR2.206 petition on Millstone Unit 1 refueling practices.
BLANCH,P. Affiliation Not Assigned. 97/01/13. ZWOLINSKI,J.A . 3pp. 92108:076-92108:078.

--**9703130041** Forwards 970117 ltr from S Collins stating retraction of coment on NRC response to 10CFR2.206 petition on Millstone Unit 1 refueling practices.
BLANCH,P. Affiliation Not Assigned. 97/01/17. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 4pp. 92108:103-92108:106.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--**9703110266** Forwards news article, "Audit Adds to Criticism of NU," from 960101 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/02. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:002-92108:004.

--**9703110269** Forwards news article, "Business Group Starts New Yr on Wrong Foot by Choosing B Fox as New Chairman of Board of Directors," from The New London Day.
BLANCH,P. Affiliation Not Assigned. 97/01/03. ZWOLINSKI,J.A. . 2pp. 92108:005-92108:006.

--**9703110272** Forwards notice of NRC decommissioning meeting for HNP on 970115 at Haddam-Killingsworth High School Cafetaria.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A, HANNON,J.N. . STRYKER,W.J. Office of the Inspector General (Post 890417). 4pp. 92108:008-92108:011.

--**9703110297** Forwards M Casey editorial, "A Non decision From NRC," from 970107 New London Day.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:012-92108:014.

-9703120005 Forwards news article from 970108 Dow Jones News re exposure of confidential whistleblower names at Millstone.
BLANCH,P. Affiliation Not Assigned. 97/01/10. ZWOLINSKI,A., HANNON,J.N. MULLEY,G.A. Office of the Inspector General (Post 890417). 1p. 92108:034-92108:034.

-9703120096 Forwards news release informing of B Kenyon appearance on "Nuclear Safety Issues" on 970120.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 4pp. 92108:053-92108:059.

-9703130145 Forwards interview w/B Kenyon re possibility of NEUT shutting down one plant from 970120 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/20. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:122-92108:124.

-9703130172 Forwards news article "NEUT Warns Its NH Utils Could Face Bankruptcy," from 970121 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . SCRENCI,D.P. Region 1 (Post 820201). 7pp. 92108:125-92108:131.

-9703130177 Forwards news article, "NEUTs Fate Linked To Sister Units," from 970121 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:132-92108:134.

-9703130247 Discusses decision to name Seldman as replacement for C Frizzle.
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 1p. 92108:152-92108:152.

-9703130333 Discusses 1995 4th quarter losses of listed amount by NEUT.
BLANCH,P. Affiliation Not Assigned. 97/01/28. ZWOLINSKI,J.A. . 7pp. 92108:162-92108:168.

-9703130355 Forwards 970116 ltr from J Lieberman re Millstone issues related to whistle-blowers & termination of 100 employees.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 3pp. 92108:184-92108:186.

-9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 5pp. 92108:187-92108:191.

-9703130410 Advises that public wants analysis of loss of inventory & not loss of cooling analysis.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . 1p. 92108:204-92108:204.

9703200091 Informs of addl changes that util had instituted to enhance recovery organization.
KENYON,B.D. Northeast Nuclear Energy Co. 97/03/11. Document Control Branch (Document Control Desk). 6pp. 92205:276-92205:281.

9703270241 Responds to 970224 ltr to Chairman Jackson expressing concerns re NRC "Confirmatory Order Suspending Authority for & Limiting Power Operation & Containment Pressure & Demand for Info," dtd 960103.
ZWOLINSKI,J.A. . 97/03/25. PRATT,C., METCALF,M., DOUGHTY,J. Seacoast Anti-Pollution League. 2pp. 92261:305-92261:345.

-9703270254 Responds to 970106 ltr to HJ Miller re Millstone,Salem & MYAP NPPs.Provides answers to questions raised in 961213 ltr to HR Meyer.
COLLINS,S.J. . 97/02/27. LOCHBAUM,D.A. Union of Concerned Scientists. 3pp. 92261:307-92261:343.

P. Operating license stage documents & correspondence

9703040251 Submits listed requests seeking determinations by dept pursuant to Section 22a-430-3(d) & 22a-430-4(p) of regulations of CT State Agencies (RCSA),permit mods not necessary to discharge de minimus levels of hydrazine.
SCACE,S. Northeast Nuclear Energy Co. SCACE,S. Northeast Utilities Service Co. 97/02/20. GRIER,J. Connecticut, State of. 9pp. 91960:245-91960:253.

9703040121 Documents current conditions & future plans for Spent Fuel Pool.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 97/02/21. Document Control Branch (Document Control Desk). 4pp. 91960:065-91960:068.

9703050025 Confirms 970220 telcon discussing use of dye test to trace floor drain path out of Millstone Unit 1 turbine bldg.
SCACE,S. Northeast Nuclear Energy Co. SCACE,S. Northeast Utilities Service Co. 97/02/24. GONYEA,D. Connecticut, State of. 1p. 92003:219-92003:219.

9703040244 Requests withdrawal of two license amend requests re jet pumps & FW coolant injection subsystem.
MCELWAIN,J.P. Northeast Nuclear Energy Co. MCELWAIN,J.P. Northeast Utilities. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 91992:308-91992:309.

9703040266 Transmits action plans in support of 970131 submittal of comprehensive plan for reviewing & dispositioning safety concerns.
GOEBEL,D.M. Northeast Nuclear Energy Co. 97/02/26. COLLINS,S.J. . 14pp. 91979:269-91979:282.

9703040321 Requests relaxation of provisions of Order dtd 961024 re third party organization to oversee licensee.No commitments contained in ltr.
GOEBEL,D.M. Northeast Nuclear Energy Co. 97/02/26. COLLINS,S.J. . 7pp. 91992:295-91992:301.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

-9703100081 Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

9703100163 Ltr contract:mod 3 to task order 211, "Technical Review of Licensing Basis for Millstone,Unit 1," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). 97/02/28. KNIGHT,D. SCIENTECH, Inc. 2pp. 92062:353-92062:354.

9703120121 Notification of significant licensee meeting 97-24 w/util on 970318 to discuss corrective action program,performance indicators,progress of independent corrective action verification program & employee concerns program.
DURR,J. Region 1 (Post 820201). 97/03/04. Region 1 (Post 820201). 3pp. 92035:131-92035:133.

9703120134 Notification of significant licensee meeting 97-25 w/util on 970318 to update public on status of independent corrective action verification program,employee concerns program & restart assessment plans for all three Millstones.
DURR,J. Region 1 (Post 820201). 97/03/04. Region 1 (Post 820201). 3pp. 92035:137-92035:139.

9703100041 Forteenth partial response to FOIA request for documents. Records in App W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6). PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BINDER,N.S. Affiliation Not Assigned. 4pp. 92038:073-92038:203.

-9611180046 Requests that listed info be forwarded to licensee in connection w/unescorted access visits to plant by listed NRC contractor employees during 961118-970110 for purpose of assisting NRC in conduct of design insp.Partially deleted.
GALLO,R.M. . 96/11/05. SHAW,P. Region 2 (Post 820201). 4pp. 92038:192-92038:200.

9703100240 Application for amend to license DPR-21,by incorporating changes representing revs to TS Tables 3.1.1,3.2.1,3.2.2, 3.2.3,Section 3.2.D.2 & Section 3.7/4.7.C.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 97/03/06. 17pp. 92039:290-92039:343.

-9703100243 Proposed tech specs,representing revs to TS Tables 3.1.1, 3.2.1,3.2.2,3.2.3,Section 3.2.D.2, "Air Ejector Off-Gas Sys" & Section 3.7/4.7.C, "Secondary Containment."
* Northeast Nuclear Energy Co. 97/03/06. 36pp. 92039:307-92039:343.

9703120483 Submits followup to questions raised during recent Nuclear Energy Advisory Council meeting re NRC contract w/Sargent & Lundy selected by Northeast Utilities to conduct independent corrective action verification program at Millstone 1 & 3.
IMBRO,E.V. NRC - No Detailed Affiliation Given. 97/03/06. CONCANNON,T., WOOLLACOTT,E. Connecticut, State of. 3pp. 92079:053-92079:106.

9703140127 Discusses clarification of 960814,confirmatory order establishing independent corrective action verification program.
COLLINS,S.J. . 97/03/11. CARNS,N.S., LAUDENAT,R.T. Northeast Nuclear Energy Co. 5pp. 92115:311-92115:315.

9703140131 Discusses 970205 public meeting.NRC RAI re independent corrective action verification program proposed by NNECO for units 1 & 3.Info provided in ltr to NRC B16273 dtd 970221.
TRAVERS,W.D. . 97/03/12. CARNS,N.S., LAUDENAT,R.T. Northeast Nuclear Energy Co. 5pp. 92115:320-92115:324.

9703190162 Forwards notice of withdrawl of amend requests re plant unit 1.
DEMBEK,S. . 97/03/17. CARNS,N.S. Northeast Nuclear Energy Co. 2pp. 92178:043-92178:047.

-9703190165 Notice of withdrawal of applications for amend to license DPR-21.
DEMBEK,S. . 97/03/17. 3pp. 92178:045-92178:047.

9703280093 Forwards independent CR verification program response to questions re proposed contractor for Millstone Nuclear Power Station,Units 1 & 3.
THAYER,J.K. Northeast Nuclear Energy Co. 97/03/26. Document Control Branch (Document Control Desk). 36pp. 92277:153-92278:118.

Q. Inspection reports, IE Bulletins & correspondence

9703070167 Forwards insp repts 50-245/96-09,50-336/96-09 & 50-423/96-09 on 961026-1231 & notice of violation.
LANNING,W.D. Region 1 (Post 820201). 97/02/24. KENYON,B.D. Northeast Utilities Service Co. 5pp. 92002:070-92002:165.

-9703070175 Notice of violation from insp on 961026-1231.Violation noted:individual gained access to PA w/o having authorized or hand geometry confirmed.
* Region 1 (Post 820201). 97/02/24. 3pp. 92002:075-92002:077.

-9703070183 Insp repts 50-245/96-09,50-336/96-09 & 50-423/96-09 on 961026-1231.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 1 (Post 820201). 97/02/24. 90pp. 92002:078-92002:165.

9703060429 Forwards proprietary & non-proprietary versions of "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures," in response to initial operator exam rept 50-245/96-12.
THAYER,J.K. Connecticut Yankee Atomic Power Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92004:244-92004:334.

-9703060432 "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures."
BARRON,W.H. Connecticut Yankee Atomic Power Co. 97/02/13. 83pp. 92004:251-92004:334.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703070015 Requests removal of portion of util 960301 ltr in response to insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 97/03/04. Document Control Branch (Document Control Desk). 12pp. 92031:205-92031:216.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050203 "Annual Operating Rept for 1996." W/970228 ltr.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. 96/12/31. 3pp. 91963:284-91963:286.

9703050090 Forwards semiannual fitness-for-duty performance data for Jul-Dec 1996.Attachment 1 to ltr contains explanation of performance data form,summary of performance data & summary of mgt actions.
ROTHEN,F.C. Northeast Nuclear Energy Co. ROTHEN,F.C. Northeast Utilities Service Co. 97/02/28. Document Control Branch (Document Control Desk). 26pp. 92002:295-92002:320.

9703200131 Monthly operating rept for Feb 1997 for Millstone Nuclear Power Station,Unit 1.W/970311 ltr.
NEWBURGH,G., HINNENKAMP,P. Northeast Nuclear Energy Co. 97/02/28. 6pp. 92212:313-92212:318.

S. Reportable occurrences, LERs & related correspondence

9703040377 Forwards LER 97-004-00 which documents an event that occurred at MNPS,Unit 1 on 970127,per 10CFR50.73(a)(2)(ii). Commitments listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 91990:343-91990:347.

--9703040392 LER 97-004-00:on 970127,RBCCW containment isolation sys single failure vulnerability occurred.Caused by failure to adequately establish design basis.No immediate CA are required.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/02/28. 4pp. 91990:344-91990:347.

9703060098 Forwards LER 97-008-00,documenting condition that was discovered at Millstone Nuclear Power Station,Unit 1 on 970203,per 10CFR50.73(a)(2)(ii).Util commitments made within ltr,listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92039:050-92039:053.

--9703060126 LER 97-008-00:on 970203,discovered starting air sys operating outside design basis.Caused by failure to properly identify & verify design basis.Design basis established & documented in FSAR.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/03. 3pp. 92039:051-92039:053.

9703060138 Forwards LER 97-007-00,documenting condition that was discovered at Millstone Nuclear Power Station,Unit 1 on 970131,per 10CFR50.73(a)(2)(i) & 10CFR50.73(a)(2)(ii). Util commitments made within ltr,listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92039:166-92039:170.

--9703060157 LER 97-007-00:on 970131,flow-biased high flux reactor scram credited in establishing not single failure proof.Cause of event still under investigation.Rept will be supplemented by 970331,w/cause of event.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/03. 4pp. 92039:167-92039:170.

9703060171 Forwards LER 97-006-00,documenting condition that was discovered at Millstone Nuclear Station,Unit 1 on 970131, per 10CFR50.73(a)(2)(i).Util commitments made within ltr, listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92039:236-92039:239.

--9703060194 LER 97-006-00:on 970131,failure to exert best efforts to restore radwaste effluent line radiation monitor to operable status occurred.Caused by failure to provide clear management expectations.Management will be provided.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/03. 3pp. 92039:237-92039:239.

9703060205 Forwards LER 96-046-03,documenting an event that occurred at Millstone Nuclear Power Station,Unit 1 on 960627 per 10CFR50.73(a)(2)(i).Util commitments made within ltr, listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities Service Co. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92039:280-92039:288.

--9703060226 LER 96-046-03:on 960627,failure to perform applicable 10CFR50 Appendix J tests to satisfy TSs occurred. Caused by lack of support for conservative decision making at Millstone Unit 1.Appendix J program has been completed.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/03. 6pp. 92039:283-92039:288.

9703170089 Forwards supplemental LER 96-037-02 which documents an event that occurred at MNPS,Unit 1 on 960327,per 10CFR50.73(a)(2)(ii).
NOLL,W.G. Northeast Nuclear Energy Co. NOLL,W.G. Northeast Utilities Service Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92217:265-92217:270.

--9703170100 LER 96-037-02:on 960327,automatic pressure relief sys may not have been single failure proof.Caused by misinterpretations of APR design requirements.Ongoing engineering review of APR will be completed.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/07. 4pp. 92217:267-92217:270.

9703190086 Provides list of commitments re LER 95-033-01.
HINNINKAMP,P.D. Northeast Nuclear Energy Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92237:245-92237:251.

--9703190090 LER 95-033-01:on 950623,redundant train wiring was w/ inadequate physical separation.Caused by failure to verify that criteria in support of amend 16 fully implemented in as-built plant.Updated UFSAR.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/14. 5pp. 92237:247-92237:251.

9703190098 Forwards LER 97-009-00,documenting condition that was discovered at Millstone Nuclear Power Station,Unit 1 on 970212.Util commitments made within ltr,listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities. 97/03/14. Document Control Branch (Document Control Desk). 1p. 92237:269-92237:273.

--9703190104 LER 97-009-00:on 970212,reactor low-low level ECCS & primary containment initiation setpoints were not conservative. Caused by deficient setpoint methodology.Calculations will be revised & TS change initiated.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/14. 4pp. 92237:270-92237:273.

9703190080 Provides list of commitments made re LER 97-012-00.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92237:240-92237:244.

--9703190081 LER 97-012-00:on 970214,discovered seismic deficiency in gas turbine generator digital control sys.Caused by inadequate interface review during installation of digital control sys in 1987.Implemented physical mod.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/17. 3pp. 92237:242-92237:244.

9703200128 Forwards LER 96-020-02,documenting event occurred at Unit 1 on 960322.Supplemental rept provides update to vol calculations.Commitment B15674-3 updated.
HINNENKAMP,P. Northeast Nuclear Energy Co. HINNENKAMP,P. Northeast Utilities Service Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92246:215-92246:221.

--9703200139 LER 96-020-02:on 960322,determined Unit 1 TS 3.5.C.3 not been met in past & TS 3.5.F.7(f) not met during three past refueling outages.Caused by personnel error.Design calculations will be revised.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/17. 5pp. 92246:217-92246:221.

9703200144 Forwards LER 97-010-00,documenting event occurred at Unit 1 on 970214.Commitments made within ltr submitted as listed.
HINNENKAMP,P. Northeast Nuclear Energy Co. HINNENKAMP,P. Northeast Utilities Service Co. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92246:222-92246:225.

--9703200148 LER 97-010-00:on 970214,determined LLRT pressure being used may be less than accident pressure.Caused by weakness in mgt commitment to App J program.LLRTs modified.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/17. 3pp. 92246:223-92246:225.

9703200160 Forwards LER 97-011-00,documenting event occurred at Unit 1 on 970214.Commitment made within ltr submitted as listed.
HINNENKAMP,P. Northeast Nuclear Energy Co. HINNENKAMP,P. Northeast Utilities Service Co. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92246:226-92246:229.

--9703200163 LER 97-011-00:on 970214,discovered TS Surveillance Requirement 4.7.A.3.d,containment airlock leakage rate test, exceeded.Caused by personnel error.Unit surveillance coordinator rescheduled containment airlock leak rate test.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/17. 3pp. 92246:227-92246:229.

9703250110 Forwards LER 97-014-00,documenting an event that occurred at Millstone Nuclear Power Station,Unit 1 on 970217.Commitments made within ltr,listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities. 97/03/19. Document Control Branch (Document Control Desk). 1p. 92275:027-92275:031.

--9703250121 LER 97-014-00:on 970217,certain core spray components were not included in IST program.Caused by lack of management commitment to support IST program.IST program manual already has been revised to include core spray check valves.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/19. 4pp. 92275:028-92275:031.

9703250127 Forwards LER 97-013-00,documenting an event that occurred at Millstone Nuclear Power Station,Unit 1 on 970217.Commitments made within ltr,listed.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. HINNENKAMP,P.D. Northeast Utilities. 97/03/19. Document Control Branch (Document Control Desk). 1p. 92275:032-92275:036.

--9703250133 LER 97-013-00:on 970217,evaluation of impact load of MP1 refueling platform fuel grapple mast over spent pool racks & reactor vessel guide plate occurred.Caused by failure to maintain design basis.GESTAR-11 analysis will be reviewed.
WALPOLE,R.W. Northeast Nuclear Energy Co. 97/03/19. 4pp. 92275:033-92275:036.

9703280228 Submits change to LER 97-005-00 for Unit 1.Submitted commitment contained in ltr dtd 970214.
HINNENKAMP,P. Northeast Nuclear Energy Co. HINNENKAMP,P. Northeast Utilities Service Co. 97/03/21. Document Control Branch (Document Control Desk). 1p. 92296:078-92296:078.

V. Operator Examinations

9703040124 Provides notification that effective 970212,JW Bauer, SOP-11276-1,no longer maintains Senior Operator License.
HINNENKAMP,P.D. Northeast Nuclear Energy Co. 97/02/20. Document Control Branch (Document Control Desk). 1p. 91960:027-91960:027.

9703030225 Informs that Senior Operator License SOP-11265 is no longer needed for PS Fitzgerald,per 10CFR50.74(a).
HINNENKAMP,P.D. Northeast Nuclear Energy Co. 97/02/27. Document Control Branch (Document Control Desk). 1p. 91956:350-91956:350.

9703060429 Forwards proprietary & non-proprietary versions of "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures," in response to initial operator exam rept 50-245/96-12.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. THAYER,J.K. Northeast Utilities Service Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92004:244-92004:334.

-9703060432 "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures."
BARRON,W.H., FRYE,S.R., DOOLEY,L.M. Connecticut Yankee Atomic Power Co. 97/02/13. 83pp. 92004:251-92004:334.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703170028 Discusses ongoing efforts & commitments to evaluate & correct problems found within licensed operator training programs at Millstone Units 1,2 & 3 & Haddem Neck as described in 970303 ltr.
MILLER,H.J. Region 1 (Post 820201). TRAVERS,W.D. . 97/03/07. KENYON,B.D. Northeast Nuclear Energy Co. 6pp. 92116:224-92116:229.

9703180137 Submits util results of initial reviews of licensed operator records,per 10CFR2.790(a)(6).NNECO requests that unredacted version of matrices & "Nuclear Training LOIT/LOUT Audit Review," be withheld.Affidavit supporting request encl.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. 97/03/14. Document Control Branch (Document Control Desk). 56pp. 92218:230-92218:319.

-9703250066 Redacted version of rev 1 to "Nuclear Training LOIT/LOUT Audit Reviews."
* Northeast Nuclear Energy Co. 97/03/14. 22pp. 92218:298-92218:319.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703070099 Forwards response to violations noted in Insp Rept 50-247/96-07.Corrective actions:all security organization individuals reminded of responsibility to adhere to security procedures & to maintain high stds of self-reporting errors.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/28. Document Control Branch (Document Control Desk). 7pp. 92016:229-92016:235.

9703270137 Requests withdrawal of request for technical exemption from requirements of 10CFR50,App R,for fire zone 74A electrical penetration area.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92268:037-92268:038.

J. Insurance & Indemnity Information

9703040227 Forwards table that outlines nuclear property insurance on behalf of util covering Units 1 & 2.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/21. Document Control Branch (Document Control Desk). 2pp. 91992:273-91992:274.

P. Operating license stage documents & correspondence

9703050496 Requests FR publication of notice of consideration of issuance of amend to license DPR-26 & proposed NSHC determination & opportunity for hearing on 970214 request to revise TS to permit one-time extension of current SG.
HAROLD,J.F. . 97/02/26. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 91990:185-91990:195.

-9703050499 Notice of consideration of issuance of amend to license DPR-26 & proposed NSHC determination & opportunity for hearing.Amend would permit one-time only extension of current SG tube inservice inspection cycle.
HAROLD,J.F. . 97/02/26. 8pp. 91990:188-91990:195.

9703130389 Ack receipt of 970128 response to 961009 request for info re adequacy & availabilty of design bases info for plant,per 10CFR50.54(f).No addl info needed.
HAROLD,J.F. . 97/03/10. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 92109:229-92109:231.

9703190146 Forwards revised pp containing suppl info to proposed amend to Indian Point Unit 2 TS that would permit use of 10CFR50,App J,Option B, "Performance-Based Containment Leakge Rate Testing."
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/03/12. Document Control Branch (Document Control Desk). 2pp. 92201:263-92201:273.

-9703190149 Proposed tech specs permitting use of 10CFR50,App J,Option B, "Performance-Based Containment Leakage Rate Testing."
* Consolidated Edison Co. of New York, Inc. 97/03/12. 9pp. 92201:265-92201:273.

9703190151 Forwards revised pp containing suppl info to proposed amend to IPN Unit 2 TS that would permit one-time only extension of current SG tube inservice insp cycle.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/03/12. Document Control Branch (Document Control Desk). 2pp. 92206:325-92206:328.

-9703190154 Proposed tech specs permitting one-time only extension of current SG tube inservice insp cycle.
* Consolidated Edison Co. of New York, Inc. 97/03/12. 2pp. 92206:327-92206:328.

9703210281 Forwards revised TS bases changes of section 4.5, "Engineered Safety Features."
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/03/12. Document Control Branch (Document Control Desk). 2pp. 92233:347-92233:351.

-9703210287 Proposed tech specs 4.5, "Engineered Safety Features."
* Consolidated Edison Co. of New York, Inc. 97/03/12. 3. 92233:349-92233:351.

9703240231 Provides 180-day response to GL 96-05,requesting that util establish or ensure effectiveness of programs to verify periodically that SR MOVs continue to be capable of performing safety functions.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/03/17. . 4pp. 92242:312-92242:315.

9703260211 Forwards safety evaluation re approval of alternative to ASME code repair for class 2 elbow weld in safety injection sys piping.
BAJWA,S.S. . 97/03/24. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 92247:340-92247:347.

-9703260219 Safety evaluation approving CEC alternative to ASME Code repair of class 2 socket weld in SIS piping.
* . 97/03/24. 4pp. 92247:344-92247:347.

Q. Inspection reports, IE Bulletins & correspondence

9703050066 Rev 1 to notification of significant meeting 97-13 w/util on 970314 to discuss violations identified during integrated performance assessment program insp 96-80 & NRC integrated insp 50-247/96-07.Date was changed.
COWGILL,C.J. Region 1 (Post 820201). 97/02/24. Region 1 (Post 820201). 2pp. 91955:358-91955:359.

9703050496 Requests FR publication of notice of consideration of issuance of amend to license DPR-26 & proposed NSHC determination & opportunity for hearing on 970214 request to revise TS to permit one-time extension of current SG.
HAROLD,J.F. . 97/02/26. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 91990:185-91990:195.

-9703050499 Notice of consideration of issuance of amend to license DPR-26 & proposed NSHC determination & opportunity for hearing.Amend would permit one-time only extension of current SG tube inservice inspection cycle.
HAROLD,J.F. . 97/02/26. 8pp. 91990:188-91990:195.

9703070099 Forwards response to violations noted in Insp Rept 50-247/96-07.Corrective actions:all security organization individuals reminded of responsibility to adhere to security procedures & to maintain high stds of self-reporting errors.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/28. Document Control Branch (Document Control Desk). 7pp. 92016:229-92016:235.

9703070102 Forwards response to violations noted in Insp Rept 50-247/96-80.Corrective actions:all appropriate design drawings,documents & databases will be revised to include dampers.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/28. Document Control Branch (Document Control Desk). 9pp. 92016:236-92016:244.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703120106 Forwards insp rept 50-247/97-01 on 970113-17 & 27-31.No violations noted.
LAZARUS,W. Region 1 (Post 820201). 97/03/05. Consolidated Edison Co. of New York, Inc. 3pp. 92078:122-92078:133.

-9703120111 Insp rept 50-247/97-01 on 970113-17 & 27-31.No violations noted.Major areas inspected:engineering,technical support & plant operations.
* Region 1 (Post 820201). 97/03/05. 9pp. 92078:125-92078:133.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180103 Forwards insp rept 50-247/96-08 on 961222-970215 & 19 & NOV. NRC concerned that previous opportunities to identify & evaluate grit intrusion in 1995 inadequate.
HEHL,C.W. Region 1 (Post 820201). 97/03/12. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 6pp. 92151:052-92151:092.

-9703180104 Notice of violation from insp on 961222-970215 & 19. Violations noted:requirements of IC-AD-4 not met in that inspectors observed neither procedure or ICL developed for calibr performed on components of filter/fire deluge panel.
* Region 1 (Post 820201). 97/03/12. 2pp. 92151:058-92151:059.

--**9703180106** Insp rept 50-247/96-08 on 961222-970215 & 19.Violation noted.Major areas inspected:operations,maintenance, engineering & plant support.
* Region 1 (Post 820201). 97/03/12. 28pp. 92151:060-92151:092.

9703190151 Forwards revised pp containing suppl info to proposed amend to IPN Unit 2 TS that would permit one-time only extension of current SG tube inservice insp cycle.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/03/12. Document Control Branch (Document Control Desk). 2pp. 92206:325-92206:328.

--**9703190154** Proposed tech specs permitting one-time only extension of current SG tube inservice insp cycle.
* Consolidated Edison Co. of New York, Inc. 97/03/12. 2pp. 92206:327-92206:328.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040182 Forwards fitness for duty performance data for period of 960701-1231.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/25. Document Control Branch (Document Control Desk). 9pp. 91960:100-91960:108.

9703240173 Monthly operating rept for Feb 1997 for Indian Point Station,Unit 2.W/ 970317 ltr.
REED,A., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/28. 6pp. 92242:260-92242:265.

S. Reportable occurrences, LERs & related correspondence

9703040374 LER 96-020-01:on 961007,unplanned entry into Tech Spec 3.0.1 took place.Caused by personnel error.Individuals involved in event interviewed by plant mgt,to ensure expectations properly understood.W/970224 ltr.
MAYLATH,J.J., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/11/06. 6pp. 91990:337-91990:342.

9703040332 LER 97-002-00:on 970126,reactor trip occurred due to SG 23 low level.Reactor was safely brought to hot shutdown conditions.W/970225 ltr.
BECK,J., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/25. 5pp. 91972:284-91972:288.

9703240223 Special rept:on 970312,NRC notified by phone of temporary inoperability of high-pressure water fire protection sys due to broken fire hydrant.Portion of header from motor-driven fire pumps & diesel-drive fire pump temporarily isolated.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/03/13. MILLER,H.J. Region 1 (Post 820201). 2pp. 92241:342-92241:343.

V. Operator Examinations

9703040189 Forwards final applications for listed candidates for reactor & senior reactor operator re-examination to be administered on 970317.W/o encl.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/02/25. MILLER,H.J. Region 1 (Post 820201). 2pp. 91960:109-91960:110.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703180102 Informs that NRC authorizes facility to administer retake initial written licensing exam to WE Boulton wk of 970317.
MEYER,G.W. Region 1 (Post 820201). 97/03/13. FERRICK,J. Consolidated Edison Co. of New York, Inc. 1p. 92134:175-92134:175.

9703260018 Submits updated NRC Form 398,Personal Qualifications Statement-Licensee for listed operator,per request of G Meyer.W/o encl.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 97/03/21. MILLER,H.J. Region 1 (Post 820201). 2pp. 92253:309-92253:310.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060160 Rev 61 to "GSEP Site Annex DNPS."
* Commonwealth Edison Co. 97/02/27. 29pp. 92011:249-92011:276.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

9703250146 Notification of 970331 meeting w/util in Rockville,MD to discuss potential vulnerabilities & corrective actions identified in fire protection/post fire safe shutdown programs & procedures.
PULSIFIER,R.M. . 97/03/24. CAPRA,R.A. . 4pp. 92236:339-92236:342.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--**9703130363** Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

P. Operating license stage documents & correspondence

9703240118 ODCM,Dresden Annex revs 1.9 to Chapter 10, "Radioactive Effluent Treatment & Monitoring," 1.2 to Chapter 11, "Radiological Environ Monitoring Program" & 1.3 to Chapter 12, "Radiological Effluent Technical Standards."
* Commonwealth Edison Co. 97/01/31. 97pp. 92240:175-92240:271.

9702240108 Application for amend to licenses DPR-19 & DPR-25,App A,TSs, Section 3/4.7.K, "Suppression Chamber" & Section 3/4.8, "Ultimate Heat Sink," to address issues re efforts to reconstitute design basis of containment heat removal sys.
PERRY,J.S. Commonwealth Edison Co. 97/02/17. 99pp. 91872:001-91873:308.

--**9702240113** Proposed tech specs 3/4.7.K & 3/4.8.C re issues resulting from ComEds efforts to reconstitute design basis of CHRS.
* Commonwealth Edison Co. 97/02/17. 98pp. 91872:100-91872:197.

--**9702240119** Rev 0 to "Dresden LPCI/Core Spray NPSH Analysis Post-DBA LOCA:Long Term Design Basis."
PALAS,H. Commonwealth Edison Co. DRE97-0010 R00. 97/02/11. 37pp. 91872:198-91872:234.

--**9702240121** Rev 0 to "Dresden LPCI/Core Spray NPSH Analysis Post DBA LOCA: Short Term Design Basis."
* Commonwealth Edison Co. DRE97-0012 R00. 97/02/13. 33pp. 91872:235-91872:268.

--**9702240127** Rev 1 to "Minimum Available CCSW Flow to Maintain 20 psi Differential Between LPCI & CCSW HX."
HAWLEY,J.T. Commonwealth Edison Co. DRE96-0214 R01. 96/11/06. 88pp. 91872:269-91873:062.

--**9702240215** "Dresden Nuclear Power Station Units 2 & 3 Containment Analysis of DBA-LOCA to Update Design Basis for LPCI/CCS," for GENE-637-042-1193.
MINTZ,S., TORBECK,J.E. General Electric Co. GENE-637-042-1193. 94/02/28. 44pp. 91873:074-91873:118.

--**9702240257** Suppl 1 to GENE-770-26-1092, "Long Term Containment Response to DBA-LOCA w/65 FDegrees F Svc Water Temperature,80 Degrees F Initial Pool Temperature & Initiation of Containment Cooling at 1800 Seconds."
MINTZ,S., PARKER,C.R., TORBECK,J.E. General Electric Co. GENE-770-26-1092 S01. 93/01/31. 40pp. 91873:119-91873:308.

9703040147 Documents an inconsistency in design criteria used to resolve SEP Topic III-1 between NRC prepared SE & util basis contained in various sections of USAR.
PERRY,J.S. Commonwealth Edison Co. 97/02/18. . 3pp. 91960:279-91960:281.

9703030236 Confirms 970228 meeting in Lisle,IL to discuss progress in completing actions outlined in CAL dtd 961121 & other improvements initiatives.
HILAND,P.L. Region 3 (Post 820201). 97/02/19. PERRY,J.S. Commonwealth Edison Co. 2pp. 91931:052-91931:053.

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703120469 Informs that encl "Notice of Consideration of Issuance of Amends to FOLs,Proposed NSHC determination & Opportunity for Hearing," has been forwarded to Ofc of FR for publication.
STANG,J.F. . 97/02/26. JOHNSON,I. Commonwealth Edison Co. 2pp. 92076:335-92076:344.

--**9703120474** Notice of consideration of issuance of amends to licenses DPR-19 & DPR-25,proposed NSHC determination & opportunity for hearing.Amends would change Ts by relocating TS requirements associated w/24/48 Vdc batteries.
STANG,J.F. . 97/02/26. 8pp. 92076:337-92076:344.

9703050021 Provides addl set of benchmark calculations to validate pressure response,both short & long term,of SHEX containment analysis model used to support license amend.
PERRY,J.S. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 43pp. 91963:287-91963:329.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703050340 Notification of 970313 meeting w/Commonwealth Edison Co in Rockville,MD to discuss licensee request for TS changes to use containment overpressure to compensate for deficiency in net positive suction head for Dresden,Units 2 & 3.
STANG,J.F. . 97/02/28. CAPRA,R.A. . 3pp. 91960:358-91960:360.

9703050476 Notification of 970304 meeting w/util in Rockville,MD to discuss licensee request for TS change to use containment overpressure to compensate for deficiency in net positive suction head for plant.
STANG,J.F. . 97/02/28. CAPRA,R.A. . 3pp. 91961:187-91961:189.

9703060293 Forwards amends 125,148,172 & 168 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation.Amends update pressure- temperature curves contained in licensee TS to 22 effective full power yrs.
STANG,J.F. . 97/02/28. JOHNSON,I. Commonwealth Edison Co. 2pp. 91991:231-91991:271.

--9703060297 Amends 153 & 148 to licenses DPR-19 & DPR-25,respectively, updating pressure-temperature curves contained in licensee TS 22 effective full power yrs.
STANG,G.F. . 97/02/28. 16pp. 91991:233-91991:248.

--9703060298 Safety evaluation supporting amends 153,148,172 & 168 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/02/28. 6pp. 91991:266-91991:271.

9703100275 Forwards "Verification Screening of Key Parameters for Twelve Risk Significant Systems."
PERRY,J.S. Commonwealth Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92047:145-92047:310.

--9703100279 *"Verification Screening of Key Parameters for Twelve Risk Significant* Systems."
SINGH,A.K., WEIR,L. Commonwealth Edison Co. 97/02/28. 164pp. 92047:147-92047:310.

9703060310 Forwards amends 154,149,173 & 169 to licenses DPR-19,DPR-25, DPR-29,DPR-30 & safety evaluation.Amends would change TSs by allowing single control rod to be moved when plant in hot shutdown or cold shutdown condition.
PULSIFER,R.M. . 97/03/04. JOHNSON,I. Commonwealth Edison Co. 2pp. 91984:342-91984:360.

--9703060334 Amends 154 & 149 to licenses DPR-19 & DPR-25,respectively, revising TSs by allowing single CR moved when plant in hot shutdown or cold shutdown condition providing one rod out interlock operable & mode switch in refuel position.
STANG,J.F. . 97/03/04. 7pp. 91984:344-91984:350.

--9703060352 Safety evaluation supporting amends 154,149,173 & 169 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/03/04. 3pp. 91984:358-91984:360.

9703070037 Application for amends to licenses DPR-19 & DPR-25, eliminating MSL valve closure & scram function re MSL radiation monitor changes to TS Tables 2.2.A - 1,3.1.A - 1,4.2.A - 1 & limiting safety sys settings bases.
PERRY,J.S. Commonwealth Edison Co. 97/03/05. Document Control Branch (Document Control Desk). 12pp. 92014:289-92014:314.

--9703070038 Proposed tech specs,removing MSL radiation monitor high scram & MSL tunnel radiation high input to MSL isolation function.
* Commonwealth Edison Co. 97/03/05. 14pp. 92014:301-92014:314.

9703070103 Summary of 970116 meeting w/util re emergency technical specification change requesting use of containment over pressure to compensate for net positive suction head deficiency for emergency core cooling pump.
STANG,J.F. . 97/03/05. . 85pp. 91997:199-91997:283.

9703110034 Suppl application for amends to licenses DPR-19 & DPR-25, revising TS to transition to Siemens Power Corp ATRIUM-9B fuel.
PERRY,J.S. Commonwealth Edison Co. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92078:342-92078:345.

--9703110210 Proposed tech specs,revising TS to transition to Siemens Power Corp ATRIUM-9B fuel.
* Commonwealth Edison Co. 97/03/05. 2pp. 92078:344-92078:345.

9703110039 *Clarifies util position on protection of MOVs during postulated hot shorts.*
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703130013 Summary of 970130 meeting w/ComED re up coming TS change to use containment overpressure to compensate for deficiency in net positive suction head for emergency core cooling pumps.List of attendees & presentation encl.
STANG,J.F. . 97/03/06. . 45pp. 92080:273-92080:318.

9703170226 Provides monthly update of activities re Confirmatory Action Ltr RIII-96-016.
PERRY,J.S. Commonwealth Edison Co. 97/03/07. Document Control Branch (Document Control Desk). 12pp. 92159:320-92159:331.

9703210071 Summary of 970121 meeting w/ComED re emergency TS change requesting use of containment over pressure to compensate for net positive suction head deficiency for emergency core cooling pumps.List of attendees & presentation encl.
STANG,J.F. . 97/03/07. . 21pp. 92205:195-92205:215.

9703140118 Informs that listed documents,including NEDE-30911,SHEX-04 Users *Manual,Class II dtd Aug 1985 marked as proprietary will be withheld from public* disclosure,per 10CFR2.790(b)(5) & Section 103(b),as amended.
STANG,J.F. . 97/03/12. JOHNSON,I. Commonwealth Edison Co. 4pp. 92128:173-92128:176.

9703140190 Notification of 970313 meeting w/util in Rockville,MD to discuss issues associated w/Dresden & Quad Cities control room heating & ventilation sys.
STANG,J.F. . 97/03/12. CAPRA,R.A. . 3pp. 92115:336-92115:338.

9703180055 Provides addl info re application for amend to licenses DPR-19 & DPR-25,App A,TS Section 3/4.7.K, "Suppression Chamber," & Section 3/4.8.C, "Ultimate Heat Sink."
PERRY,J.S. Commonwealth Edison Co. 97/03/12. Document Control Branch (Document Control Desk). 8pp. 92193:069-92193:165.

--9703180057 Rev 0 to "Sensitivity Analysis of Post-LOCA Containment Performance for *Dresden Units 2/3.*"
RAMSDEN,K.B. Commonwealth Edison Co. BSA-D-97-03 R00. 97/03/12. 88pp. 92193:078-92193:165.

9703140136 Forwards RAI re licensee 970217 request to review & approve application for amend re TS change & USQ.
STANG,J.F. . 97/03/13. *JOHNSON,I. Commonwealth Edison Co.* 3pp. 92128:192-92128:194.

9703180186 Forwards amends 155,150,174 & 170 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & SE,respectively.Amends revise TS to clarify & maintain consistency between operability requirements for protective instrumentation.
PULSIFER,R.M. . 97/03/14. JOHNSON,I. Commonwealth Edison Co. 2pp. 92177:160-92177:186.

--9703180188 Amends 155,150,174 & 170 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,revising TS to clarify & maintain consistancy between operability requirements for protective instrumentation & associated automatic bypass features.
STANG,J.F. . 97/03/14. 22pp. 92177:162-92177:183.

--9703180193 Safety evaluation approving amends 155,150,174 & 170 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/03/14. 3pp. 92177:184-92177:186.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

9703200369 Application for amends to licenses DPR-19 & DPR-25, requesting to increase High Pressure Coolant Injection Isolation on low reactor vessel pressure setpoint.
PERRY,J.S. Commonwealth Edison Co. 97/03/18. Document Control Branch (Document Control Desk). 5pp. 92212:128-92212:138.

--9703200372 Proposed tech specs 3/4.2 re isolation actuation.
* Commonwealth Edison Co. 97/03/18. 6pp. 92212:133-92212:138.

9703250140 Forwards RAI re CEC request that NRC review & approve application for amend re TS change & USQ.
STANG,J.F. . 97/03/21. JOHNSON,I. Commonwealth Edison Co. 4pp. 92236:335-92236:338.

Q. Inspection reports, IE Bulletins & correspondence

9703040282 Constitutes response to NRC independent safety Insp Repts 50-010/96-201,50-237/96-201 & 50-249/96-201.Corrective actions:radiation protection technician immediately dispatched to investigate,when issue identified.
PERRY,J.S. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 56pp. 91972:289-91972:344.

9703040352 Submits request for deferral w/compliance to IE Bulletin 96-003.
HOSMER,J. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91960:262-91960:263.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110163 Forwards response to NRC 970206 ltr re violations in insp repts 50-010/97-03,50-237/97-03 & 50-249/97-03 on 970114-23. Corrective actions:problem identification form was written which initiated operability determination for pump.
PERRY,J.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 5pp. 92121:079-92121:083.

9703120045 Forwards response to NRC 970204 ltr re violations noted in insp repts 50-010/96-14,50-237/96-14 & 50-249/96-14 on 961021-1206.Corrective actions:technical manual was updated w/parts bulletin by VETIP.
PERRY,J.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 6pp. 92125:108-92125:113.

9703170017 Ack receipt of 970306 ltr informing NRC of steps taken to correct violations noted in insp repts 50-237/97-03 & 50-249/97-03 on 970206.
GRANT,G.E. Region 3 (Post 820201). 97/03/10. PERRY,J.S. Commonwealth Edison Co. 2pp. 92116:217-92116:223.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 *NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV)* Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703190088 Responds to NRC 970212 ltr re violations noted in insp repts 50-010/97-02,50-237/97-02 & 50-249/97-02.Corrective actions: rev of Dresden Administrative Procedure (DAP) 13-01 "Station Access," review existing station access status levels.
PERRY,J.S. Commonwealth Edison Co. 97/03/12. Document Control Branch (Document Control Desk). 6pp. 92205:300-92205:305.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250154 Responds to SALP 14 rept which covers period 950319-961228.
PERRY,J.S. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 18pp. 92251:130-92251:147.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703270175 Provides supplemental response to NRC Bulletin 93-003, "Resolution of Issues Related to Reactor Vessel Water Level Instrumentation in BWRs."
PERRY,J.S. Commonwealth Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 3pp. 92268:101-92268:103.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030498 "Radioactive Effluent Rept for Jan-Dec 1996 for DNPS." W/970224 ltr.
PERRY,J.S. Commonwealth Edison Co. 96/12/31. 91pp. 91951:257-91951:350.

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703180042 Monthly operating repts for Feb 1997 for Dresden Nuclear Power Station.W/970310 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 97/02/28. 13pp. 92304:284-92304:296.

S. Reportable occurrences, LERs & related correspondence

9703120383 Forwards LER 97-001-00,being submitted pursuant to 10CFR50.73 (a)(2)(i)(b) re condition prohibited by TSs.Util commitments made within ltr,listed.
PERRY,J.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 1p. 92209:065-92209:070.

--9703120391 LER 97-001-00:on 970209,HPCI low flow setpoint calibration found outside TS limit due to inattention to detail during recording of previous calibration data.Event & previous similiar events will be reviewed.
LANE,T. Commonwealth Edison Co. 97/03/06. 5pp. 92209:066-92209:070.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703280024 Discusses telcon between R Holbrook & H Peterson re arrangements for administration of licensing exams.Exams scheduled wks of 970728 & 0804.
LENNARTZ,J.A. Region 3 (Post 820201). 97/03/17. PERRY,J.S. Commonwealth Edison Co. 3pp. 92264:346-92264:348.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9311120155 Advises of 931013 exemption request by util from certain requirements of 10CFR73.55(d)(5) & forwards util 931013 ltr requesting exemption.Encl withheld.
RAGHAVAN,L. Project Directorate II-2. 93/11/05. PASSETTI,B. Florida, State of. 3pp. 92284:300-92284:302.

9703130220 Forwards partially withheld insp repts 50-250/97-02 & 50-251/97-02 on 970203-07 (ref 10CFR73.21) & notice of violation.
FREDICKSON,P.E. Region 2 (Post 820201). 97/03/07. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92107:001-92107:007.

--9703130224 Partially withheld NOV on 970203-07 (ref 10CFR73.21). Violations noted:employee denied unescorted access & was not provided opportunity for review of info on which denial of access authorization was based.
* Region 2 (Post 820201). 97/03/07. 2pp. 92107:004-92107:005.

--9703130229 Partially withheld insp repts 50-250/97-02 & 50-251/97-02 on 970203-07 (ref 10CFR73.21).Violations noted.Major areas inspected:plant support.
* Region 2 (Post 820201). 97/03/07. 2pp. 92107:006-92107:007.

9703130417 Responds to 970129 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Calculations encl.
HOVEY,R.J. Florida Power & Light Co. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92125:154-92125:295.

--9703130422 "Ampacity Derating Response to NRC GL 92-08 for Cables Routed in Conduit & Tray w/Thermo-Lag 330-1 Barrier Sys Coating."
* Florida Power & Light Co. PTN-BFJE-93-001 R00. 97/03/07. 20pp. 92125:159-92125:178.

--9703130426 "Fire Barrier ACF for T-Lag 330-1/770-1 Assemblies."
* Florida Power & Light Co. PTN-BFJM-96-028 R00. 97/03/07. 33pp. 92125:179-92125:211.

--9703130429 "Review of Ampacity Ratings for Power Cables in Conduits & Trays w/ Thermo-Lag 330-1 Covering."
* Florida Power & Light Co. JFN-PTN-SEEP-96011. 97/03/07. 27pp. 92125:212-92125:271.

--9703130432 "Ampacity Derating for Cables in Raceways & Boxes w/Thermo- Lag 330 & w/Thermo-Lag 330 w/Layer of Thermo-Lag 770 Fire Barrier Coating."
* Florida Power & Light Co. PTN-BFSE-96-006 R00. 97/03/07. 24pp. 92125:272-92125:295.

9703280298 Notification of 970506 meeting w/utils in Florida City,FL to discuss fire barrier mods & exemptions at plant,units 3 & 4.
CROTEAU,R.P. . 97/03/26. HEBDON,F.J. . 3pp. 92276:158-92276:160.

G. Adjudicatory correspondence

9703060077 Initial decision.* Concludes that RL Tetrick had passing score of 80% & should be granted license as SRO. W/Certificate of Svc.Served on 970228.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #197 18179. 97/02/28. Florida Power & Light Co. 19pp. 91970:168-91970:186.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100060 Partially withheld memo discussing Directors Decision 95-07 which denies petitioners request for various enforcment actions against Florida Power & Light & its employees.
WINSBERG,K. NRC - No Detailed Affiliation Given. 95/06/05. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92038:224-92038:225.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9505150050 Forwards notice of issuance of Director's Decision under 10CFR2.206,for transmittal to Ofc of FR for publication.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/05/11. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 92286:157-92286:162.

9703140041 NRC staff motion for reconsideration introduction.* Requests that Presiding Officer reconsider determination that Tetrick passed written exam & find,instead,that Tetrick failed written exam.
TURK,S.E. Office of the General Counsel (Post 860701). #197 18196. 97/03/10. Atomic Safety & Licensing Board Panel. 10pp. 92106:009-92106:144.

--9703140048 Supplemental affidavit of B Hughes.* Supports staff motion for reconsideration of Presiding Officer initial decision of 970228.W/Certificate of Svc.
HUGHES,B. Affiliation Not Assigned. 97/03/06. 27pp. 92106:019-92106:144.

9703140065 NRC Staff request for issuance of order staying effectiveness of presiding officers initial decision LBP-97-2.* Staff submits that presiding officer should stay effectiveness of initial decision.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #197 18197. 97/03/10. Atomic Safety & Licensing Board Panel. 8pp. 92107:008-92107:015.

9703140054 Memorandum & order (grant of housekeeping stay).* Informs that initial decision issued by presiding officer on 970228 postponed until 970321 & RL Tetrick may file response by 970318.W/Certificate of Svc.Served on 970312.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #197 18204. 97/03/12. Office of the General Counsel (Post 860701). 3pp. 92106:328-92106:330.

H. General correspondence

9703210067 Requests changes to official svc list for plant Units 3 & 4.
HOVEY,R.J. Florida Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 1p. 92235:268-92235:268.

9703250068 Requests change to util official svc lists for St Lucie 1 & 2 & Turkey Point 3 & 4.
PADUANO,H.N. Florida Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92252:070-92252:070.

J. Insurance & indemnity information

9703250070 Provides info on nuclear property insurance program.
PADUANO,H.N. Florida Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92252:071-92252:071.

P. Operating license stage documents & correspondence

9703040209 Application for amends to Licenses DPR-31 & DPR-41,modifying Tech Specs 6.9.1.7, "COLR" & adding best estimate large break loss of coolant accident analysis to COLR.
HOVEY,R.J. Florida Power & Light Co. 97/02/24. Document Control Branch (Document Control Desk). 8pp. 91960:164-91960:175.

--9703040221 Proposed Tech Specs 6.9.1.7 re COLR & large break loss of coolant accident re-analysis.
* Florida Power & Light Co. 97/02/24. 4pp. 91960:172-91960:175.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100066 Partially withheld summary meeting w/Florida Power & Light held on 961121 re general update on FPL nuclear plants.
OGLE,C. NRC - No Detailed Affiliation Given. 96/11/27. NRC - No Detailed Affiliation Given. 3pp. 92038:226-92038:228.

--9703100086 *Partially withheld memo discussing drop-in visit of J Broadhead,chairman & CEO FPL Group & chairman & CEO FP&L Co & J Goldberg.*
JONES,B. NRC - No Detailed Affiliation Given. 97/02/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 9pp. 92038:234-92038:243.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9302030169 Notification of 930304 meeting w/licensee in Rockville,MD to discuss current issues at plant.
NORRIS,J.A. Project Directorate II-2. 93/01/28. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:038-92284:040.

--9302110121 Requests that FOIA-93-047 request be disposed of by sending existing documents identifying reactors in FL regulated by NRR.
BERKOW,H.N. Project Directorate II-2. 93/02/03. MULLIN,J. Program Management, Policy Development & Analysis Staff (Post 870411). 1p. 92284:049-92284:049.

--9302240199 Informs that util withdrew request to grant proprietary status to util response to NRC request for addl info re resolution of USI A-46.
BERKOW,H.N. Project Directorate II-2. 93/02/22. BAGCHI,G. Civil Engineering & Geosciences Branch. 2pp. 92284:055-92284:058.

--9302240231 Informs of no rational basis for withholding info submitted by licensee for resolution of USI A-46,from public disclosure.
BAGCHI,G. Civil Engineering & Geosciences Branch. 93/01/14. BERKOW,H. Project Directorate II-2. 1p. 92284:057-92284:058.

--9303100026 Notification of 930406 meeting w/util in Rockville,MD to discuss current issues at plants.
NORRIS,J.A. Project Directorate II-2. 93/03/03. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:070-92284:072.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--9304190166 Summary of 930406 meeting w/util in Rockville,MD re three issues involving seismic qualification of electrical & mechanical equipment at plant.List of attendees encl.
NORRIS,J.A. Project Directorate II-2. 93/04/12. Project Directorate II-2. 4pp. 92284:105-92284:108.

--9304290093 Informs that NRC currently performing evaluation of licensee implementation program for resolving USI A-46 as delineated in GL 87-02.Attachment 1 provides background info & request for addl info.
NORBERG,J.A. Mechanical Engineering Branch. 93/04/26. BERKOW,H.N. Project Directorate II-2. 9pp. 92284:115-92284:123.

--9306110282 Summary of 930602 meeting w/util re merits of biometric access control sys that util desires to use at plants.List of attendees & meeting handouts encl.
RAGHAVAN,L. Project Directorate II-2. 93/06/04. Project Directorate II-2. 30pp. 92284:130-92284:160.

--9306290243 Summary of 930610 meeting w/util in Juno Beach,FL re technical & mgt/ administrative issues of common interest to facilities.
NORRIS,J.A. Project Directorate II-2. 93/06/22. Project Directorate II-2. 53pp. 92284:161-92284:213.

--9309150344 Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

--9312010312 Forwards EA & FONSI on util 931013 & 1102 ltrs requesting exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for contractors granted unescorted access to protected areas of site.
NORRIS,J.A., RAGHAVAN,L. Project Directorate II-2. 93/11/17. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:305-92284:311.

--9312230125 Forwards November 1993 monthly rept to provide expeditious dissemination of 10CFR21 matters.
NORRIS,J.A. Project Directorate II-2. 93/12/16. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:319-92284:324.

--9401040006 Summary of 931216 meeting w/Div of Engineering,Div of Reactor Controls & Human Factors & Project Directorate II-2 re appropriateness of reduced USI A-46 program scope for affected plants owned by FPL & FPC.
NORBERG,J.A. Mechanical Engineering Branch. 93/12/22. BERKOW,H.N. Project Directorate II-2. 7pp. 92284:327-92284:333.

--9401130063 Informs that public meeting will be held on 940202 & 03 to discuss proposed generic ltr suppl & draft NUREG-1482 re guidance on developing acceptable inservice testing program.
NORRIS,J.A. Project Directorate II-2. 94/01/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:337-92284:339.

--9402140125 Informs that changes submitted in Rev 7,for plants are consistent w/provisions of 10CFR50.54 & are acceptable for including in respective security plan,in response to 931203 ltr.
RAGHAVAN,L. Project Directorate II-2. 94/02/01. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:345-92284:346.

--9403150232 Discusses site access & dosimetry requirements for NRC inspectors.
STOHR,J.P. Region 2 (Post 820201). 94/02/11. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 92285:081-92285:084.

--9404070312 Forwards SE of topical rept NTH-TR-01, "RETRAN Model *Qualification:Decrease of Heat Removal By Secondary Sys." Licensee has not justi*fied steam generator nodalization for neither Turkey Point nor St Lucie.SALP input also encl.
COLLINS,T.E. Reactor Systems Branch. 94/03/31. BERKOW,H.N. Division of Reactor Projects - I/II (Post 870411). 2pp. 92285:130-92285:149.

--9404080233 Topical safety evaluation of NTH-TR-01, "Retran Model Qualification:Decrease of Heat Removal by Secondary Sys."
** Office of Nuclear Reactor Regulation, Director (Post 870411). 94/03/31. 4pp.* 92285:132-92285:149.

--9404080234 "Technical Evaluation:Retran Model Qualification Decrease in Heat Removal by Secondary Sys NTH-TR-01."
* International Technical Services, Inc. NRC-03-90-027. ITS/NRC/93-10. 94/03/04. NRC - No Detailed Affiliation Given. 14pp. 92285:158-92285:170.

--9404260378 Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification,Decrease in Heat Removal by Secondary Sys." Util has not justified steam generator nodalization for plants.
NORRIS,J.A. Project Directorate II-2. 94/04/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:153-92285:157.

--9404260382 SE of topical rept NTH-TR-01, "RETRAN Model Qualification, Decrease of Heat Removal by Secondary Sys." NRC discontinued review.
** Florida Power & Light Co. 94/04/19. 2pp. 92285:156-92285:170.*

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9411220341 Submits licensee program to resolve safety issue A-46,which requires licensee to be able to bring plant to hot shutdown condition during first 72 h after SSE.
JONES,R.C. Reactor Systems Branch. 94/11/16. MATTHEWS,D. Project Directorate II-3. 6pp. 92285:292-92285:297.

--9501130149 Forwards quarterly status rept of AEOD related action items from OECB tracking sys.Rept identifes actions taken in response to recommendations & suggestions received from AEOD.
CHAFFEE,A.E. . 95/01/09. CONGEL,F.J. Incident Response Branch. 2pp. 92285:352-92285:353.

--9501300149 Forwards SE of util resolution of USI A-46 as delineated in GL 87-02 for plants.Major concern noted re licensee extensive reliance on judgements made by team of seismic engineering experts.
WESSMAN,R.H. Office of Nuclear Reactor Regulation (Post 941001). 95/01/20. MATTHEWS,D.B. Office of Nuclear Reactor Regulation (Post 941001). 14pp. 72391:337-72391:351.

--9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

--9506280333 Forwards SE accepting Topical Rept NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie..." SALP input also encl.
KOPP,L. . 95/05/22. CROTEAU,R. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:178-92286:186.

--9506280347 Topical rept evaluation of NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of...Plants." Rept acceptable.
* . 95/05/22. 8pp. 92286:179-92286:186.

--9508080145 Informs that hurricane warning has been issued for FL east coast by National Hurricane Ctr.Hurricane Erin expected to hit area by 950801.
RAGHAVAN,L. . 95/08/01. ZIMMERMAN,R.P. . 1p. 92286:211-92286:211.

--9508150207 Discusses status of USI A-46/IPEEE activities.
SHERON,B.W. . 95/08/09. THADANI,A.C. . 6pp. 92286:221-92286:221.

--9703170008 Safety evaluation re evaluation of licensee response to GL-87-02.
** NRC - No Detailed Affiliation Given. 95/01/20. 13pp. 92285:354-92286:007.*

9703050512 Ack receipt of 970212 ltr in response to NRC 961009 ltr requesting info pursuant to 10CFR50.54(f) re adequacy & availability of design bases info.
CROTEAU,R.P. . 97/03/03. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 91961:198-91961:199.

9703100041 Forteenth partial response to FOIA request for documents. Records in App *W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6).*
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BINDER,N.S. Affiliation Not Assigned. 4pp. 92038:073-92038:203.

--9412140232 Discusses 930119 ltr to KE Perkins requesting that NRC take enforcement action against Arizona Public Svc Co per 10CFR2.206.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 94/03/23. SAPORITO,T.J. Saporito, T.J. 33pp. 92038:144-92038:187.

--9611180046 Requests that listed info be forwarded to licensee in connection w/unescorted access visits to plant by listed NRC contractor employees during 961118-970110 for purpose of assisting NRC in conduct of design insp.Partially deleted.
GALLO,R.M. . 96/11/05. SHAW,P. Region 2 (Post 820201). 4pp. 92038:192-92038:200.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120193 Provides summary of discussion & staff actions re 950921 plant performance review.List of participants,changes to MIP & matrix trend charts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

--9703130093 Morning rept 2-95-0092:licensee announced,Nov 2,layoffs of 25 employees at plants in Fort Pierce,FL & Nov 1 of 40 employees at plants in Florida City,FL & corporate headquarters.
SCHIN,R. Region 2 (Post 820201). 95/11/03. 1p. 92227:143-92227:143.

--9703130157 Morning rept 2-95-0004:licensee President S Frank resigned on 950104 & J Broadhead will assume Frank duties on iterim basis.
LANDIS,K. Region 2 (Post 820201). 95/01/05. 1p. 92227:145-92227:145.

--9703130161 Morning rept 2-94-0073:plants announced that listed orgainzation changes will become effective 940901.
SCHIN,R. Region 2 (Post 820201). 94/08/08. 1p. 92227:146-92227:146.

--9703130167 Morning rept 2-93-0106:licensee continues w/corporate cost reduction program,including Nuclear Div.Staffing reductions being announced effective 931001.
LANDIS,K.D. Region 2 (Post 820201). 93/10/01. 1p. 92227:147-92227:147.

--9703130171 Morning rept 2-93-0096:mgt changes have been announced affecting licensee organization & plant site,effective 931001.
LANDIS,K. Region 2 (Post 820201). 93/09/20. 1p. 92227:148-92227:168.

9703130417 Responds to 970129 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Calculations encl.
HOVEY,R.J. Florida Power & Light Co. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92125:154-92125:295.

--9703130422 "Ampacity Derating Response to NRC GL 92-08 for Cables Routed in Conduit & Tray w/Thermo-Lag 330-1 Barrier Sys Coating."
* Florida Power & Light Co. PTN-BFJE-93-001 R00. 97/03/07. 20pp. 92125:159-92125:178.

--9703130426 "Fire Barrier ACF for T-Lag 330-1/770-1 Assemblies."
* Florida Power & Light Co. PTN-BFJM-96-028 R00. 97/03/07. 33pp. 92125:179-92125:211.

--9703130429 "Review of Ampacity Ratings for Power Cables in Conduits & Trays w/ Thermo-Lag 330-1 Covering."
* Florida Power & Light Co. JFN-PTN-SEEP-96011. 97/03/07. 27pp. 92125:212-92125:271.

--9703130432 "Ampacity Derating for Cables in Raceways & Boxes w/Thermo- Lag 330 & w/Thermo-Lag 330 w/Layer of Thermo-Lag 770 Fire Barrier Coating."
* Florida Power & Light Co. PTN-BFSE-96-006 R00. 97/03/07. 24pp. 92125:272-92125:295.

9703190391 Provides info per requirements of Section 182a of Atomic Energy Act of 1954,as amended, & 10CFR50.54(f) in response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOVEY,R.J. Florida Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 5pp. 92199:223-92199:227.

9703270174 Advises that proposed alternative of using Code Case N-533 to requirements of ASME Code which requires insulation removal from Class 1 pressure-retaining bolted connections to perform VT-2 visual exam.
HEBDON,F.J. . 97/03/26. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92254:344-92254:349.

--9703270187 Safety evaluation accepting licensee proposed alternative re Code Case N-533.
* . 97/03/26. 4pp. 92254:346-92254:349.

Q. Inspection reports, IE Bulletins & correspondence

9703110177 Forwards response to NRC ltr re violations noted in insp repts 50-250/96-13 & 50-251/96-13 on 961117-1231.Corrective actions:non-licensed operator involved in event was counseled on need for compliance to procedures.
PLUNKETT,T.F. Florida Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 4pp. 92121:071-92121:074.

9609230156 Forwards suppl SE rept re plant resolution of USI A-46 as delineated in GL 87-02.NRC determined that based on results of Turkey Point units 3 & 4 insp,separate insp at St Lucie unit 1 not warranted.
WESSMAN,R.H. . 96/09/19. BERKOW,H.N. . 2pp. 92287:044-92287:045.

--9703140001 Supplemental safety evaluation denying separate insp at plant,unit 1,based on results of plant,units 3 & 4 insps.
* . 96/09/19. 13pp. 92287:046-92287:058.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130220 Forwards partially withheld insp repts 50-250/97-02 & 50-251/97-02 on 970203-07 (ref 10CFR73.21) & notice of violation.
FREDICKSON,P.E. Region 2 (Post 820201). 97/03/07. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92107:001-92107:007.

--9703130224 Partially withheld NOV on 970203-07 (ref 10CFR73.21). Violations noted:employee denied unescorted access & was not provided opportunity for review of info on which denial of access authorization was based.
* Region 2 (Post 820201). 97/03/07. 2pp. 92107:004-92107:005.

--9703130229 Partially withheld insp repts 50-250/97-02 & 50-251/97-02 on 970203-07 (ref 10CFR73.21).Violations noted.Major areas inspected:plant support.
* Region 2 (Post 820201). 97/03/07. 2pp. 92107:006-92107:007.

9703270314 Forwards insp repts 50-250/97-01 & 50-251/97-01 on 970101- 0215.No violations noted.
JULIAN,C.A. Region 2 (Post 820201). 97/03/07. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92264:170-92264:215.

--9703270315 Insp repts 50-250/97-01 & 50-251/97-01 on 970101-0215.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 2 (Post 820201). 97/03/07. 44pp. 92264:173-92264:215.

9703130328 Ack receipt of util 961203 response to NRC NOV & imposition of civil penalty & payment for civil penalty in amount of $100,000.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/11. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92106:001-92106:002.

9703270141 Ack receipt of 970228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-250/96-13 & 50-251/96-13.
JULIAN,C.A. Region 2 (Post 820201). 97/03/11. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92256:089-92256:091.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190055 Requests approval to incorporate Code Case N-533,Alternative Requirements for VT-2 Visual Exam of Class 1,for use in Units 3 & 4 10-Yr ISI program.
HOVEY,R.J. Florida Power & Light Co. 97/03/13. Document Control Branch (Document Control Desk). 3pp. 92201:313-92201:315.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040269 Forwards semi-annual fitness for duty performance rept for period of 960701-1231.
HOVEY,R.J. Florida Power & Light Co. 97/02/25. Document Control Branch (Document Control Desk). 3pp. 91979:346-91979:348.

9703190187 Monthly operating rept for Feb 1997 for Turkey Point,Units 3 & 4.W/ 970311 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 97/02/28. 9pp. 92206:351-92206:359.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120197 "Plant Status Rept,Turkey Point."
* Region 2 (Post 820201). 96/02/29. 32pp. 92225:336-92226:084.

V. Operator Examinations

9703270237 Advises that NRC plans to administer GFE section of written operator licensing exam on 970409.Sample registration ltr encl.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92256:150-92256:152.

9703070112 Informs that FP&L has no candidates from Turkey Point scheduled to participate in General Fundamentals Exam section of written Operator Licensing Exam scheduled for 970409.
HOVEY,R.J. Florida Power & Light Co. 97/02/28. REYES,L.A. Region 2 (Post 820201). 1p. 92015:360-92015:360.

9703280051 Provides response to questions raised during NRC traning managers conference.
PEEPLES,T.A. Region 2 (Post 820201). 97/03/04. LACAL,M. Florida Power & Light Co. 2pp. 92265:020-92265:021.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9311120155 Advises of 931013 exemption request by util from certain requirements of 10CFR73.55(d)(5) & forwards util 931013 ltr requesting exemption.Encl withheld.
RAGHAVAN,L. Project Directorate II-2. 93/11/05. PASSETTI,B. Florida, State of. 3pp. 92284:300-92284:302.

9703130220 Forwards partially withheld insp repts 50-250/97-02 & 50-251/97-02 on 970203-07 (ref 10CFR73.21) & notice of violation.
FREDICKSON,P.E. Region 2 (Post 820201). 97/03/07. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92107:001-92107:007.

--9703130224 Partially withheld NOV on 970203-07 (ref 10CFR73.21). Violations noted:employee denied unescorted access & was not provided opportunity for review of info on which denial of access authorization was based.
* Region 2 (Post 820201). 97/03/07. 2pp. 92107:004-92107:005.

--9703130229 Partially withheld insp repts 50-250/97-02 & 50-251/97-02 on 970203-07 (ref 10CFR73.21).Violations noted.Major areas inspected:plant support.
* Region 2 (Post 820201). 97/03/07. 2pp. 92107:006-92107:007.

9703130417 Responds to 970129 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Calculations encl.
HOVEY,R.J. Florida Power & Light Co. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92125:154-92125:295.

--9703130422 "Ampacity Derating Response to NRC GL 92-08 for Cables Routed in Conduit & Tray w/Thermo-Lag 330-1 Barrier Sys Coating."
* Florida Power & Light Co. PTN-BFJE-93-001 R00. 97/03/07. 20pp. 92125:159-92125:178.

--9703130426 "Fire Barrier ACF for T-Lag 330-1/770-1 Assemblies."
* Florida Power & Light Co. PTN-BFJM-96-028 R00. 97/03/07. 33pp. 92125:179-92125:211.

--9703130429 "Review of Ampacity Ratings for Power Cables in Conduits & Trays w/ Thermo-Lag 330-1 Covering."
* Florida Power & Light Co. JFN-PTN-SEEP-96011. 97/03/07. 27pp. 92125:212-92125:271.

--9703130432 "Ampacity Derating for Cables in Raceways & Boxes w/Thermo- Lag 330 & w/Thermo-Lag 330 w/Layer of Thermo-Lag 770 Fire Barrier Coating."
* Florida Power & Light Co. PTN-BFSE-96-006 R00. 97/03/07. 24pp. 92125:272-92125:295.

9703280298 Notification of 970506 meeting w/utils in Florida City,FL to discuss fire barrier mods & exemptions at plant,units 3 & 4.
CROTEAU,R.P. . 97/03/26. HEBDON,F.J. . 3pp. 92276:158-92276:160.

G. Adjudicatory correspondence

9703060077 Initial decision.* Concludes that RL Tetrick had passing score of 80% & should be granted license as SRO. W/Certificate of Svc.Served on 970228.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #197 18179. 97/02/28. Florida Power & Light Co. 19pp. 91970:168-91970:186.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100060 Partially withheld memo discussing Directors Decision 95-07 which denies petitioners request for various enforcment actions against Florida Power & Light & its employees.
WINSBERG,K. NRC - No Detailed Affiliation Given. 95/06/05. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92038:224-92038:225.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9505150050 Forwards notice of issuance of Director's Decision under 10CFR2.206,for transmittal to Ofc of FR for publication.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/05/11. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 92286:157-92286:162.

9703140041 NRC staff motion for reconsideration introduction.* Requests that Presiding Officer reconsider determination that Tetrick passed written exam & find,instead,that Tetrick failed written exam.
TURK,S.E. Office of the General Counsel (Post 860701). #197 18196. 97/03/10. Atomic Safety & Licensing Board Panel. 10pp. 92106:009-92106:144.

--9703140048 Supplemental affidavit of B Hughes.* Supports staff motion for reconsideration of Presiding Officer initial decision of 970228.W/Certificate of Svc.
HUGHES,B. Affiliation Not Assigned. 97/03/06. 27pp. 92106:019-92106:144.

9703140065 NRC Staff request for issuance of order staying effectiveness of presiding officers initial decision LBP-97-2.* Staff submits that presiding officer should stay effectiveness of initial decision.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #197 18197. 97/03/10. Atomic Safety & Licensing Board Panel. 8pp. 92107:008-92107:015.

9703140054 Memorandum & order (grant of housekeeping stay).* Informs that initial decision issued by presiding officer on 970228 postponed until 970321 & RL Tetrick may file response by 970318.W/Certificate of Svc.Served on 970312.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #197 18204. 97/03/12. Office of the General Counsel (Post 860701). 3pp. 92106:328-92106:330.

H. General correspondence

9703210067 Requests changes to official svc list for plant Units 3 & 4.
HOVEY,R.J. Florida Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 1p. 92235:268-92235:268.

9703250068 Requests change to util official svc lists for St Lucie 1 & 2 & Turkey Point 3 & 4.
PADUANO,H.N. Florida Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92252:070-92252:070.

J. Insurance & Indemnity Information

9703250070 Provides info on nuclear property insurance program.
PADUANO,H.N. Florida Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92252:071-92252:071.

P. Operating license stage documents & correspondence

9403150232 Discusses site access & dosimetry requirements for NRC inspectors.
STOHR,J.P. Region 2 (Post 820201). 94/02/11. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 92285:081-92285:084.

9703040209 Application for amends to Licenses DPR-31 & DPR-41,modifying Tech Specs 6.9.1.7, "COLR" & adding best estimate large break loss of coolant accident analysis to COLR.
HOVEY,R.J. Florida Power & Light Co. 97/02/24. Document Control Branch (Document Control Desk). 8pp. 91960:164-91960:175.

--9703040221 Proposed Tech Specs 6.9.1.7 re COLR & large break loss of coolant accident re-analysis.
* Florida Power & Light Co. 97/02/24. 4pp. 91960:172-91960:175.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100066 Partially withheld summary meeting w/Florida Power & Light held on 961121 re general update on FPL nuclear plants.
OGLE,C. NRC - No Detailed Affiliation Given. 96/11/27. NRC - No Detailed Affiliation Given. 3pp. 92038:226-92038:228.

--9703100086 Partially withheld memo discussing drop-in visit of J Broadhead,chairman & CEO FPL Group & chairman & CEO FP&L Co & J Goldberg.
JONES,B. NRC - No Detailed Affiliation Given. 97/02/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 9pp. 92038:234-92038:243.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9302030169 Notification of 930304 meeting w/licensee in Rockville,MD to discuss current issues at plant.
NORRIS,J.A. Project Directorate II-2. 93/01/28. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:038-92284:040.

--9302110121 Requests that FOIA-93-047 request be disposed of by sending existing documents identifying reactors in FL regulated by NRR.
BERKOW,H.N. Project Directorate II-2. 93/02/03. MULLIN,J. Program Management, Policy Development & Analysis Staff (Post 870411). 1p. 92284:049-92284:049.

--9302240199 Informs that util withdrew request to grant proprietary status to util response to NRC request for addl info re resolution of USI A-46.
BERKOW,H.N. Project Directorate II-2. 93/02/22. BAGCHI,G. Civil Engineering & Geosciences Branch. 2pp. 92284:055-92284:058.

--9302240231 Informs of no rational basis for withholding info submitted by licensee for resolution of USI A-46,from public disclosure.
BAGCHI,G. Civil Engineering & Geosciences Branch. 93/01/14. BERKOW,H. Project Directorate II-2. 1p. 92284:057-92284:058.

--9303100026 Notification of 930406 meeting w/util in Rockville,MD to discuss current issues at plants.
NORRIS,J.A. Project Directorate II-2. 93/03/03. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:070-92284:072.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--9304190166 *Summary of 930406 meeting w/util in Rockville,MD re three issues involving* seismic qualification of electrical & mechanical equipment at plant.List of attendees encl.
NORRIS,J.A. Project Directorate II-2. 93/04/12. Project Directorate II-2. 4pp. 92284:105-92284:108.

--9304290093 Informs that NRC currently performing evaluation of licensee implementation program for resolving USI A-46 as delineated in GL 87-02.Attachment 1 provides background info & request for addl info.
NORBERG,J.A. Mechanical Engineering Branch. 93/04/26. BERKOW,H.N. Project Directorate II-2. 9pp. 92284:115-92284:123.

-9306110282 Summary of 930602 meeting w/util re merits of biometric access control sys that util desires to use at plants.List of attendees & meeting handouts encl.
RAGHAVAN,L. Project Directorate II-2. 93/06/04. Project Directorate II-2. 30pp. 92284:130-92284:160.

-9306290243 Summary of 930610 meeting w/util in Juno Beach,FL re technical & mgt/ administrative issues of common interest to facilities.
NORRIS,J.A. Project Directorate II-2. 93/06/22. Project Directorate II-2. 53pp. 92284:161-92284:213.

-9309150344 Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

-9312010312 Forwards EA & FONSI on util 931013 & 1102 ltrs requesting exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for contractors granted unescorted access to protected areas of site.
NORRIS,J.A., RAGHAVAN,L. Project Directorate II-2. 93/11/17. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:305-92284:311.

-9312230125 Forwards November 1993 monthly rept to provide expeditious dissemination of 10CFR21 matters.
NORRIS,J.A. Project Directorate II-2. 93/12/16. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:319-92284:324.

-9401040006 Summary of 931216 meeting w/Div of Engineering,Div of Reactor Controls & Human Factors & Project Directorate II-2 re appropriateness of reduced USI A-46 program scope for affected plants owned by FPL & FPC.
NORBERG,J.A. Mechanical Engineering Branch. 93/12/22. BERKOW,H.N. Project Directorate II-2. 7pp. 92284:327-92284:333.

-9401130063 Informs that public meeting will be held on 940202 & 03 to discuss proposed generic ltr suppl & draft NUREG-1482 re guidance on developing acceptable inservice testing program.
NORRIS,J.A. Project Directorate II-2. 94/01/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:337-92284:339.

-9402140125 Informs that changes submitted in Rev 7,for plants are consistent w/provisions of 10CFR50.54 & are acceptable for including in respective security plan,in response to 931203 ltr.
RAGHAVAN,L. Project Directorate II-2. 94/02/01. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:345-92284:346.

-9404070312 Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification:Decrease of Heat Removal By Secondary Sys." Licensee has not justified steam generator nodalization for neither Turkey Point nor St Lucie.SALP input also encl.
COLLINS,T.E. Reactor Systems Branch. 94/03/31. BERKOW,H.N. Division of Reactor Projects - I/II (Post 870411). 2pp. 92285:130-92285:149.

-9404080233 Topical safety evaluation of NTH-TR-01, "Retran Model Qualification:Decrease of Heat Removal by Secondary Sys."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/03/31. 4pp. 92285:132-92285:149.

-9404080234 "Technical Evaluation:Retran Model Qualification Decrease in Heat Removal by Secondary Sys NTH-TR-01."
* International Technical Services, Inc. NRC-03-90-027. ITS/NRC/93-10. 94/03/04. NRC - No Detailed Affiliation Given. 14pp. 92285:158-92285:170.

-9404260378 Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification,Decrease in Heat Removal by Secondary Sys." Util has not justified steam generator nodalization for plants.
NORRIS,J.A. Project Directorate II-2. 94/04/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:153-92285:157.

-9404260382 SE of topical rept NTH-TR-01, "RETRAN Model Qualification, Decrease of Heat Removal by Secondary Sys." NRC discontinued review.
* Florida Power & Light Co. 94/04/19. 2pp. 92285:156-92285:170.

-9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

-9411220341 Submits licensee program to resolve safety issue A-46,which requires licensee to be able to bring plant to hot shutdown condition during first 72 h after SSE.
JONES,R.C. Reactor Systems Branch. 94/11/16. MATTHEWS,D. Project Directorate II-3. 6pp. 92285:292-92285:297.

-9501130149 Forwards quarterly status rept of AEOD related action items from OECB tracking sys.Rept identifes actions taken in response to recommendations & suggestions received from AEOD.
CHAFFEE,A.E. . 95/01/09. CONGEL,F.J. Incident Response Branch. 2pp. 92285:352-92285:353.

-9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

-9506280333 Forwards SE accepting Topical Rept NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie...." SALP input also encl.
KOPP,L. . 95/05/22. CROTEAU,R. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:178-92286:186.

-9506280347 Topical rept evaluation of NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of...Plants." Rept acceptable.
* . 95/05/22. 8pp. 92286:179-92286:186.

-9508080145 Informs that hurricane warning has been issued for FL east coast by National Hurricane Ctr.Hurricane Erin expected to hit area by 950801.
RAGHAVAN,L. . 95/08/01. ZIMMERMAN,R.P. . 1p. 92286:211-92286:211.

-9703170008 Safety evaluation re evaluation of licensee response to GL-87-02.
* NRC - No Detailed Affiliation Given. 95/01/20. 13pp. 92285:354-92286:007.

9703050512 Ack receipt of 970212 ltr in response to NRC 961009 ltr requesting info pursuant to 10CFR50.54(f) re adequacy & availability of design bases info.
CROTEAU,R.P. . 97/03/03. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 91961:198-91961:199.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

-9703120193 Provides summary of discussion & staff actions re 950921 plant performance review.List of participants,changes to MIP & matrix trend charts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

-9703130093 Morning rept 2-95-0092:licensee announced,Nov 2,layoffs of 25 employees at plants in Fort Pierce,FL & Nov 1 of 40 employees at plants in Florida City,FL & corporate headquarters.
SCHIN,R. Region 2 (Post 820201). 95/11/03. 1p. 92227:143-92227:143.

-9703130157 Morning rept 2-95-0004:licensee President S Frank resigned on 950104 & J Broadhead will assume Frank duties on iterim basis.
LANDIS,K. Region 2 (Post 820201). 95/01/05. 1p. 92227:145-92227:145.

-9703130161 Morning rept 2-94-0073:plants announced that listed orgainzation changes will become effective 940901.
SCHIN,R. Region 2 (Post 820201). 94/08/08. 1p. 92227:146-92227:146.

-9703130167 Morning rept 2-93-0106:licensee continues w/corporate cost reduction program,including Nuclear Div.Staffing reductions being announced effective 931001.
LANDIS,K.D. Region 2 (Post 820201). 93/10/01. 1p. 92227:147-92227:147.

-9703130171 Morning rept 2-93-0096:mgt changes have been announced affecting licensee organization & plant site,effective 931001.
LANDIS,K. Region 2 (Post 820201). 93/09/20. 1p. 92227:148-92227:168.

9703130417 Responds to 970129 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Calculations encl.
HOVEY,R.J. Florida Power & Light Co. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92125:154-92125:295.

-9703130422 "Ampacity Derating Response to NRC GL 92-08 for Cables Routed in Conduit & Tray w/Thermo-Lag 330-1 Barrier Sys Coating."
* Florida Power & Light Co. PTN-BFJE-93-001 R00. 97/03/07. 20pp. 92125:159-92125:178.

-9703130426 "Fire Barrier ACF for T-Lag 330-1/770-1 Assemblies."
* Florida Power & Light Co. PTN-BFJM-96-028 R00. 97/03/07. 33pp. 92125:179-92125:211.

-9703130429 "Review of Ampacity Ratings for Power Cables in Conduits & Trays w/ Thermo-Lag 330-1 Covering."
* Florida Power & Light Co. JFN-PTN-SEEP-96011. 97/03/07. 27pp. 92125:212-92125:271.

-9703130432 "Ampacity Derating for Cables in Raceways & Boxes w/Thermo- Lag 330 & w/Thermo-Lag 330 w/Layer of Thermo-Lag 770 Fire Barrier Coating."
* Florida Power & Light Co. PTN-BFSE-96-006 R00. 97/03/07. 24pp. 92125:272-92125:295.

9703190391 Provides info per requirements of Section 182a of Atomic Energy Act of 1954,as amended, & 10CFR50.54(f) in response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOVEY,R.J. Florida Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 5pp. 92199:223-92199:227.

9703270174 Advises that proposed alternative of using Code Case N-533 to requirements of ASME Code which requires insulation removal from Class 1 pressure-retaining bolted connections to perform VT-2 visual exam.
HEBDON,F.J. . 97/03/26. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92254:344-92254:349.

-9703270187 Safety evaluation accepting licensee proposed alternative re Code Case N-533.
* . 97/03/26. 4pp. 92254:346-92254:349.

Q. Inspection reports, IE Bulletins & correspondence

9703110177 Forwards response to NRC ltr re violations noted in insp repts 50-250/96-13 & 50-251/96-13 on 961117-1231.Corrective actions:non-licensed operator involved in event was counseled on need for compliance to procedures.
PLUNKETT,T.F. Florida Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 4pp. 92121:071-92121:074.

9609230156 Forwards suppl SE rept re plant resolution of USI A-46 as delineated in GL 87-02.NRC determined that based on results of Turkey Point units 3 & 4 insp,separate insp at St Lucie unit 1 not warranted.
WESSMAN,R.H. . 96/09/19. BERKOW,H.N. . 2pp. 92287:044-92287:045.

-9703140001 Supplemental safety evaluation denying separate insp at plant,unit 1,based on results of plant,units 3 & 4 insps.
* . 96/09/19. 13pp. 92287:046-92287:058.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130220 Forwards partially withheld insp repts 50-250/97-02 & 50-251/97-02 on 970203-07 (ref 10CFR73.21) & notice of violation.
FREDICKSON,P.E. Region 2 (Post 820201). 97/03/07. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92107:001-92107:007.

--9703130224 Partially withheld NOV on 970203-07 (ref 10CFR73.21). Violations noted:employee denied unescorted access & was not provided opportunity for review of info on which denial of access authorization was based.
* Region 2 (Post 820201). 97/03/07. 2pp. 92107:004-92107:005.

--9703130229 Partially withheld insp repts 50-250/97-02 & 50-251/97-02 on 970203-07 (ref 10CFR73.21).Violations noted.Major areas inspected:plant support.
* Region 2 (Post 820201). 97/03/07. 2pp. 92107:006-92107:007.

9703270314 Forwards insp repts 50-250/97-01 & 50-251/97-01 on 970101- 0215.No violations noted.
JULIAN,C.A. Region 2 (Post 820201). 97/03/07. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92264:170-92264:215.

--9703270315 Insp repts 50-250/97-01 & 50-251/97-01 on 970101-0215.No violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 2 (Post 820201). 97/03/07. 44pp. 92264:173-92264:215.

9703270141 Ack receipt of 970228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-250/96-13 & 50-251/96-13.
JULIAN,C.A. Region 2 (Post 820201). 97/03/11. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92256:089-92256:091.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190055 Requests approval to incorporate Code Case N-533,Alternative Requirements for VT-2 Visual Exam of Class 1,for use in Units 3 & 4 10-Yr ISI program.
HOVEY,R.J. Florida Power & Light Co. 97/03/13. Document Control Branch (Document Control Desk). 3pp. 92201:313-92201:315.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040269 Forwards semi-annual fitness for duty performance rept for period of 960701-1231.
HOVEY,R.J. Florida Power & Light Co. 97/02/25. Document Control Branch (Document Control Desk). 3pp. 91979:346-91979:348.

9703190187 Monthly operating rept for Feb 1997 for Turkey Point,Units 3 & 4.W/ 970311 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 97/02/28. 9pp. 92206:351-92206:359.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120197 "Plant Status Rept,Turkey Point."
* Region 2 (Post 820201). 96/02/29. 32pp. 92225:336-92226:084.

V. Operator Examinations

9703270237 Advises that NRC plans to administer GFE section of written operator licensing exam on 970409.Sample registration ltr encl.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92256:150-92256:152.

9703070112 Informs that FP&L has no candidates from Turkey Point scheduled to participate in General Fundamentals Exam section of written Operator Licensing Exam scheduled for 970409.
HOVEY,R.J. Florida Power & Light Co. 97/02/28. REYES,L.A. Region 2 (Post 820201). 1p. 92015:360-92015:360.

9703280051 Provides response to questions raised during NRC traning managers conference.
PEEPLES,T.A. Region 2 (Post 820201). 97/03/04. LACAL,M. Florida Power & Light Co. 2pp. 92265:020-92265:021.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-252 UNIV. OF NEW MEXICO RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

9703190101 Reports that minutes from 2 previous RSAC mtgs were not prepared & distributed within 2 month time frame & that time between RSAC mtgs was longer than 7.5 months required. CA to keep events from happening,listed.
BUSCH,R.D. New Mexico, Univ. of, Albuquerque, NM. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92198:355-92198:355.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703030418 Rev 38 to QEP 0400-00, "On-Site Response Actions," replacing index.
THIEDE,J. Commonwealth Edison Co. 96/12/20. 2pp. 91956:298-91956:300.

9703030423 Rev 16 QEP 0175-00, "Chemistry Director Procedures."
THIEDE,J. Commonwealth Edison Co. 97/02/06. 2pp. 91956:296-91956:297.

9703100093 Rev 24 to QEP 0100-00 index.
THIEDE,J. Commonwealth Edison Co. 97/02/18. 2pp. 92047:351-92047:352.

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703070150 Rev 8m to "ComEd Generating Stations Emergency Plan,Site Annex."
* Commonwealth Edison Co. 97/02/27. 28pp. 92030:194-92030:221.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703180016 Revised EPIPs,including rev 25 to QEP-0120 Index,rev 12 to QEP-0120-01,rev 10 to QEP-0120-S01,rev 6 to QEP-0120-S02, rev 7 to QEP-0120-S03,rev 15 to QEP-0130 Index,rev 7 to QEP-0130-S03,rev 3 to QEP-0130-T01 & rev 4 to QEP-0130-T02.
* Commonwealth Edison Co. 97/02/28. 73pp. 92191:236-92191:308.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703250072 Revised EPIPs,including rev 16 to QEP 0130 Index,rev 6 to QEP 0130-S02, "Maint Director Site Checklist Area Emergency Checklist," rev 31 to QEP 0730 Index & rev 5 to QEP 0730-02, "Offsite Support Agency Agreement Letters."
* Commonwealth Edison Co. 97/03/14. 7pp. 92252:075-92252:082.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

9703250146 Notification of 970331 meeting w/util in Rockville,MD to discuss potential vulnerabilities & corrective actions identified in fire protection/post fire safe shutdown programs & procedures.
PULSIFIER,R.M. . 97/03/24. CAPRA,R.A. . 4pp. 92236:339-92236:342.

9703180025 Revised EPIPs,including rev 27 to QEP Index,rev 10 to QEP 0155-S8, "Station Total Release Rate Calculation Worksheets" & rev 7 to QEP 0155-T1, "Environs Field Team CEPIP Cross Reference."
* Commonwealth Edison Co. 97/03/31. 13pp. 92193:326-92193:338.

P. Operating license stage documents & correspondence

9702240108 Application for amend to licenses DPR-19 & DPR-25,App A,TSs, Section 3/4.7.K, "Suppression Chamber" & Section 3/4.8, "Ultimate Heat Sink," to address issues re efforts to reconstitute design basis of containment heat removal sys.
PERRY,J.S. Commonwealth Edison Co. 97/02/17. 99pp. 91872:001-91873:308.

--9702240205 "Cavitation Test Rept 12x14x14-1/2 CVDS Pump."
GARROW,L. Affiliation Not Assigned. 69/05/16. 11pp. 91873:063-91873:073.

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703060125 Submits info that will be added to clarify bases for TS surveillance 4.8.D.5.c.Changes agree w/NUREG-1433,rev 1.
KRAFT,E.S. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 92012:352-92012:358.

--9703060130 Proposed tech specs,clarifying bases for TS surveillance 4.8.D.5.c.
* Commonwealth Edison Co. 97/02/24. 4pp. 92012:355-92012:358.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703060293 Forwards amends 125,148,172 & 168 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation.Amends update pressure- temperature curves contained in licensee TS to 22 effective full power yrs.
STANG,J.F. . 97/02/28. JOHNSON,I. Commonwealth Edison Co. 2pp. 91991:231-91991:271.

--9703070069 Amends 172 & 168 to licenses DPR-29 & DPR-30,respectively, updating pressure-temperature curves contained in licensee TS 22 effective full power yrs.
PULSIFER,R.M. . 97/02/28. 16pp. 91991:249-91991:265.

--9703060298 Safety evaluation supporting amends 153,148,172 & 168 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/02/28. 6pp. 91991:266-91991:271.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703130365 Application for amends to licenses DPR-29 & DPR-30,revising bases for TS 3/4.9.E to clarify purpose of SR 4.9.E.
KRAFT,E.S. Commonwealth Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92128:070-92128:075.

--9703130381 Proposed tech spec bases 3/4.9.E,clarifying purpose of SR 4.9.E.
* Commonwealth Edison Co. 97/03/03. 3pp. 92128:073-92128:075.

9703060310 Forwards amends 154,149,173 & 169 to licenses DPR-19,DPR-25, DPR-29,DPR-30 & safety evaluation.Amends would change TSs by allowing single control rod to be moved when plant in hot shutdown or cold shutdown condition.
PULSIFER,R.M. . 97/03/04. JOHNSON,I. Commonwealth Edison Co. 2pp. 91984:342-91984:360.

--9703060345 Amends 173 & 169 to licenses DPR-29 & DPR-30,respectively, revising TSs by allowing single RC moved when plant in hot shutdown or cold shutdown condition providing one rod out interlock operable & mode switch in refuel position.
PULSIFER,R.M. . 97/03/04. 7pp. 91984:351-91984:357.

--9703060352 Safety evaluation supporting amends 154,149,173 & 169 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/03/04. 3pp. 91984:358-91984:360.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703140190 Notification of 970313 meeting w/util in Rockville,MD to discuss issues associated w/Dresden & Quad Cities control room heating & ventilation sys.
STANG,J.F. . 97/03/12. CAPRA,R.A. . 3pp. 92115:336-92115:338.

9703180186 Forwards amends 155,150,174 & 170 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & SE,respectively.Amends revise TS to clarify & maintain consistency between operability requirements for protective instrumentation.
PULSIFER,R.M. . 97/03/14. JOHNSON,I. Commonwealth Edison Co. 2pp. 92177:160-92177:186.

--9703180188 Amends 155,150,174 & 170 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,revising TS to clarify & maintain consistancy between operability requirements for protective instrumentation & associated automatic bypass features.
STANG,J.F. . 97/03/14. 22pp. 92177:162-92177:183.

--9703180193 Safety evaluation approving amends 155,150,174 & 170 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/03/14. 3pp. 92177:184-92177:186.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

Q. Inspection reports, IE Bulletins & correspondence

9703030495 Forwards relief request CR-19,rev 0 to third ten yr interval insp plan.
KRAFT,E.S. Commonwealth Edison Co. 97/02/18. Document Control Branch (Document Control Desk). 4pp. 91956:259-91956:262.

9703030071 Forwards insp repts 50-254/96-20 & 50-265/96-20 on 961207- 970127 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/20. KRAFT,E. Commonwealth Edison Co. 3pp. 91957:032-91957:065.

--9703030077 Notice of violation from insp on 961207-970127.Violation noted:operator left SBGT "B" train control switch in "Off" & did not verify that all annunciators were clear.
* Region 3 (Post 820201). 97/02/20. 2pp. 91957:035-91957:036.

--9703030080 Insp repts 50-254/96-20 & 50-265/96-20 on 961207-970127. Violations noted.Major areas inspected:licensee operations, surveillance,engineering,maint & plant support.
* Region 3 (Post 820201). 97/02/20. 30pp. 91957:037-91957:065.

9703030142 Ack receipt of 970131 ltr informing NRC of steps taken to correct deviations noted in insp repts 50-254/96-15 & 50-265/96-01.
RING,M.A. Region 3 (Post 820201). 97/02/25. KRAFT,E. Commonwealth Edison Co. 2pp. 91931:031-91931:034.

9703040352 Submits request for deferral w/compliance to IE Bulletin 96-003.
HOSMER,J. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91960:262-91960:263.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130335 Responds to NRC 970204 ltr re violations noted in insp repts 50-254/96-17 & 50-265/96-17.Corrective actions:bolts were evaluated & approved on Quad Cities Station parts evaluation Q-1992-0013-10 prior to being installed in affected pumps.
KRAFT,E.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 9pp. 92136:135-92136:143.

9703170032 Forwards insp repts 50-254/97-03 & 50-265/97-03 on 970203-05 & notice of violation.
GRANT,G.E. Region 3 (Post 820201). 97/03/07. KRAFT,E. Commonwealth Edison Co. 2pp. 92151:001-92151:015.

--9703170043 Notice of violation from insp on 970203-05.Violation noted: in unit 2 "A" RHR room drainage trough having removable, smearable contamination greater than or equal to 1000 dpm betagamma was not posted w/CAUTION CONTAMINATED AREA sign.
* Region 3 (Post 820201). 97/03/07. 2pp. 92151:003-92151:004.

--9703170051 Insp repts 50-254/97-03 & 50-265/97-03 on 970203-05. Violation noted.Major areas inspected:effluent radiation monitoring program,records & interviews w/sys engineering, chemistry,operations & RP personnel.
* Region 3 (Post 820201). 97/03/07. 11pp. 92151:005-92151:015.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270249 Provides history of establishment of reliability program for plant diesel generators & clarification of use of program re response to NRC Insp Repts 50-254/96-20 & 50-265/96-20.
KRAFT,E.S. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 10pp. 92268:013-92268:023.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703270259 Forwards response to violations noted in Insp Repts 50-254/96-20 & 50-265/96-20.Corrective actions:job performance counseling administered for individuals involved in instance.
KRAFT,E.S. Commonwealth Edison Co. 97/03/23. Document Control Branch (Document Control Desk). 7pp. 92268:039-92268:045.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703030138 Forwards radioactive effluent rept for Jul-Dec 1996 for Quad Cities Nuclear Power Station.
PEARCE,L.W. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 4pp. 91952:281-91952:315.

--**9703030167** "Effluent & Waste Disposable Semi-Annual Rept for Jul-Dec 1996."
* Commonwealth Edison Co. 96/12/31. 31pp. 91952:285-91952:315.

9703250095 Monthly operating repts for Feb 1997 for Quad-Cities Nuclear Power Station Units 1 & 2.W/970310 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 97/02/28. 21pp. 92251:002-92251:022.

S. Reportable occurrences, LERs & related correspondence

9703050458 Forwards LER 97-002-00 documenting condition that was discovered at Quad Cities Nuclear Power Station.Util commitments made within ltr,listed.
PEARCE,L.W. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 92039:022-92039:028.

--**9703050469** LER 97-002-00:on 970127,several isolable piping sections could experience stresses above update FSAR allowables due to post-loss of coolant accident thermal pressurization. Initial operability evaluation was completed on 970124.
PETERSON,C. Commonwealth Edison Co. 97/02/24. 5pp. 92039:024-92039:028.

9703270246 Submits corrective action plan for LER 96-022-00 re inoperable control room emergency ventilation sys.
KRAFT,E.S. Commonwealth Edison Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92268:118-92268:119.

9703260326 LER 97-004-00:on 961026,RHR svc water pumps declared inoperable due to inadequate evaluation of replacement pump casing bolts.RHRSW pump bolting inspected & questionable bolting replaced.W/970320 ltr.
PETERSON,C., PEARCE,L.W. Commonwealth Edison Co. 97/03/20. 4pp. 92275:199-92275:202.

9703270019 Forwards info re LER 96-022-01,per commitments from 970227 pre-decisional enforcement conference.
PEARCE,L.W. Commonwealth Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 3pp. 92296:001-92296:011.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9703060216 Rev 11 to EPIP EI-16.1, "Maint of Emergency Equipment."
BRUNET,J.R. Consumers Power Co. 97/02/24. 21pp. 92004:335-92004:355.

9703070091 Rev 19 to Emergency Implementing Procedure EI-2.1, "Emergency Actions/Notifications/Responsibilities."
BRUNET,J.R., FONTAINE,J.L. Consumers Power Co. 97/02/25. 13pp. 92031:176-92031:188.

9703070094 Rev 16 to Emergency Implementing Procedure EI-3, "Communications & Notifications."
BRUNET,J.R., BROTT,N.K., ROBERTS,W.L. Consumers Power Co. 97/02/25. 16pp. 92031:160-92031:175.

9703120021 Rev 5 to Emergency Implementing Procedure EI-15.2, "Communications Tests."
BRUNET,J.R., BROTT,N.K., TAYLOR,B.A. Consumers Power Co. 97/03/03. 13pp. 92124:200-92124:212.

9703120058 Rev 10 to Emergency Implementing Procedure EI-4.1, "Technical support Ctr Activation."
BRUNET,J.R., BROTT,N.K., PENROD,K.L. Consumers Power Co. 97/03/03. 19pp. 92122:337-92122:355.

9703120063 Rev 12 to Emergency Implementing Procedure EI-4.2, "Operational Support Ctr Activation."
BRUNET,J.R., BROTT,N.K., ANDERSON,T.C. Consumers Power Co. 97/03/03. 30pp. 92122:296-92122:325.

9703120065 Rev 9 to Emergency Implementing Procedure EI-4.3, "Emergency Operations Facility Activation."
BRUNET,J.R., BROTT,N.K., PENROD,K.L. Consumers Power Co. 97/03/03. 10pp. 92121:344-92121:357.

9703120069 Rev 6 to Site Emergency Plan Procedure App D, "Emergency Implementing Procedures."
BRUNET,J.R., BROTT,N.K. Consumers Power Co. 97/03/03. 11pp. 92122:326-92122:336.

9703120074 Rev 5 to Site Emergency Plan App A, "Agreements w/Off-Site Individuals,Agencies & Organizations."
BRUNET,J.R., BROTT,N.K. Consumers Power Co. 97/03/03. 2pp. 92125:144-92125:145.

9703120135 Rev 11 to Emergency Implementing Procedure EI-15.1, "Training & Drills."
BRUNET,J.R., HOBE,M.A., SCHNEIDER,K.M. Consumers Power Co. 97/03/03. 10pp. 92124:190-92124:199.

9703200344 Rev 3 to EPIP EI-5, "Reentry."
* Consumers Power Co. 97/03/07. 8pp. 92212:262-92212:269.

9703200348 Rev 6 to EPIP EI-13, "Evacuation/Reassembly."
* Consumers Power Co. 97/03/07. 4pp. 92212:258-92212:261.

G. Adjudicatory correspondence

9703030110 Responds to 950919 petition,as amended on 960930,per 10CFR2.206,requesting that NRC find that util violated requirements re unloading procedures for dry storage casks for spent nuclear fuel.Director's decision DD-97-01 encl.
MIRAGLIA,F.J. . #197 18144. 97/01/23. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Lake Michigan Federation. 3pp. 91915:001-91915:329.

--**9703030123** Director's decision DD-97-01 under 10CFR2.206 re 950919 petition filed by Don't Waste Michigan & Lake Michigan Federation,requesting that NRC find that util violated NRC requirements re unloading procedures for dry storage casks.
MIRAGLIA,F.J. . 97/01/23. 23pp. 91915:004-91915:026.

--**9703030133** Notice of issuance of director's decision DD-97-01 under 10CFR2.206,requesting that NRC find that util violated NRC requirements re unloading procedures for dry storage casks for spent nuclear fuel.
MIRAGLIA,F.J. . 97/01/23. 3pp. 91915:027-91915:029.

--**9703030168** Petition requesting that NRC determine that util violated requirements of 10CFR72.212(b) by using general license provided by 10CFR72.210 prior to establishing that conditions set forth in certificate of compliance 1007.
SKAVRONECK,S. Lake Michigan Federation. SINCLAIR,M.P., GILL,T. Don't Waste Michigan. 95/09/19. NRC - No Detailed Affiliation Given. 19pp. 91915:030-91915:329.

9703060066 Informs that Commission has determined not to undertake review of Directors Decision DD-97-01.W/Certificate of Svc. Served on 970227.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18176. 97/02/26. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Lake Michigan Federation. 3pp. 91970:196-91970:198.

9703100036 Responds to 951117 Petition,requesting that NRC prohibit loading of VSC-24 casks at nuclear sites until multi-assembly sealed basket at Palisades Nuclear plant unloaded & unloading process evaluated.
COLLINS,S.J. . 97/03/04. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 92027:318-92027:349.

--**9703100038** Directors Decision 97-05 under 10CFR2.206 re 951117 Petition filed by F Shillinglaw requesting that NRC take action to prohibit loading of VSC-24 casks at nuclear sites.
COLLINS,S.J. . 97/03/04. 12pp. 92027:324-92027:335.

--**9703100057** Notice of issuance of Director's Decision under 10CFR2.206 concering 951117 Petiton requesting that NRC prohibit loading of spent nuclear fuel into VSC-24 dry storage casks at nuclear plant.
COLLINS,S.J. . 97/03/04. 2pp. 92027:336-92027:349.

H. General correspondence

9703180218 Informs that shareholders due to vote on ballot on 970310 re name remaining as CPC until such time as changed to Consumer Energy Co.
BORDINE,T.C. Consumers Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92200:288-92200:289.

P. Operating license stage documents & correspondence

9703060030 Ack response to 961009 request for info pursuant to 10CFR50.54(f) re adequacy & availability of design bases info.
SCHAAF,R.G. . 97/02/28. BORDINE,T.C. Consumers Power Co. 3pp. 91999:202-91999:204.

9703120023 Forwards relief request number eight for plant charging pumps P-55A/B/C,per 10CFR50.55a(b).
BORDINE,T.C. Consumers Power Co. 97/02/28. Document Control Branch (Document Control Desk). 17pp. 92124:261-92124:277.

9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703100041 Forteenth partial response to FOIA request for documents. Records in App W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6). PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BINDER,N.S. Affiliation Not Assigned. 4pp. 92038:073-92038:203.

--**9611180046** Requests that listed info be forwarded to licensee in connection w/unescorted access visits to plant by listed NRC contractor employees during 961118-970110 for purpose of assisting NRC in conduct of design insp.
GALLO,R.M. . 96/11/05. SHAW,P. Region 2 (Post 820201). 4pp. 92038:192-92038:200.

9703130377 Ack receipt of revised relief request for inservice testing of licensee charging pumps.
HANNON,J.N. . 97/03/07. BORDINE,T.C. Consumers Power Co. 9pp. 92109:255-92109:263.

9703180222 Forwards "Quality Program Description for Operational NPPs," rev 17.
BORDINE,T.C. Consumers Power Co. 97/03/07. Document Control Branch (Document Control Desk). 4pp. 92201:001-92201:091.

--**9703180228** Rev 17 to "Quality Program Description for Operational NPPs."
JOOS,D.W., FENECH,R.A., NICHOLSON,R.J. Consumers Power Co. 97/02/01. 85pp. 92201:005-92201:091.

9703200117 Submits Palisades Periodic Verification Program as requested in GL 96-05, "Periodic Verification of Design Basis Capability of SR MOVs."
BORDINE,T.C. Consumers Power Co. 97/03/12. Document Control Branch (Document Control Desk). 8pp. 92212:321-92212:328.

9703240181 Informs that pump Relief Request 10 being withdrawn as it is no longer required.Ltr contains no new commitments & no revs to existing commitments.
BORDINE,T.C. Consumers Power Co. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92236:213-92236:213.

9703200220 Ack receipt of 961127 ltr re rev to inservice testing program valve relief request 20.Determined that ltr does not change basis under which relief was granted & no staff review require.
HANNON,J.N. . 97/03/18. BORDINE,T.C. Consumers Power Co. 2pp. 92204:336-92204:337.

Q. Inspection reports, IE Bulletins & correspondence

9703030112 Forwards insp rept 50-255/96-17 on 970110 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/20. PALMISANO,T. Consumers Power Co. 5pp. 91949:216-91949:243.

--9703030117 Notice of violation from insp on 961124-970110.Violations noted:primary coolant sys temp decreased below 525 F for approximately one minute w/reactor critical.
* Region 3 (Post 820201). 97/02/20. 2pp. 91949:221-91949:222.

--9703030121 Insp rept 50-255/96-17 on 961124-970110.Violations noted. Major areas inspected:licensee operations,maint,engineering & plant support.
* Region 3 (Post 820201). 97/02/20. 20pp. 91949:223-91949:243.

9703030519 Responds to NRC 970122 ltr re violations noted in insp rept 50-255/96-14.Corrective actions:SPS050 revised to use terminology of operating procedure SOP 30.
PALMISANO,T.J. Consumers Power Co. 97/02/21. Document Control Branch (Document Control Desk). 12pp. 91958:010-91958:022.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703070093 Discusses outcome of 970226 meeting w/CPC to discuss issues contained in 970212 RAI re CPC response to Bulletin 96-004, "Chemical,Galvanic,or Other Reactions in Spent Fuel Storage & Transportation Casks."
KOBETZ,T.J. Office of Nuclear Material Safety & Safeguards. 97/03/06. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 2pp. 92031:267-92031:268.

9703120141 Forwards response to RAI re Bulletin 96-04, "Chemical, Galvanic or Other Reactions in Spent Fuel Storage & Transportation Casks."
BORDINE,T.C. Consumers Power Co. 97/03/06. Document Control Branch (Document Control Desk). 19pp. 92124:230-92124:248.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270178 Responds to NRC 970205 ltr re violations noted in insp rept 50-255/96-17.Corrective actions:feedwater controls turned to minimize feedwater flow oscillations.
PALMISANO,T.J. Consumers Power Co. 97/03/19. Document Control Branch (Document Control Desk). 5pp. 92268:104-92268:108.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703100274 Monthly operating rept for Feb 1997 for Palisades Nuclear Plant.W/970304 ltr.
KOBIATA,K.A., HAWN,R.S. Consumers Power Co. 97/02/28. 5pp. 92043:355-92043:359.

9703120044 Monthly operating rept for Feb 1997 for Palisades Nuclear Plant.W/970306 ltr.
KAKOBIATA,K.A., HAWN,R.S. Consumers Power Co. 97/02/28. 5pp. 92125:103-92125:107.

S. Reportable occurrences, LERs & related correspondence

9703030529 LER 97-002-00:on 970123,failure to meet TSs 4.5.2d(1)(b) for testing of emergency escape airlock occurred.Caused by missed surveillance.Emergency escape air lock testing was completed & declared operable.W/970221 ltr.
KOZUP,C.S., PALMISANO,T.J. Consumers Power Co. 97/02/21. 5pp. 91971:326-91971:330.

9703270202 Forwards LER 97-005-00 re operation outside design basis in accordance with 10CFR50.73(a)(2)(ii)(B).Commitments listed.
PALMISANO,T.J. Consumers Power Co. 97/03/21. Document Control Branch (Document Control Desk). 2pp. 92296:031-92296:037.

--9703270223 LER 97-005-00:on 961220,operation of plant outside design basis occurred due to an unacceptable repair on main steam isolation valves.Pipe plugs permanently repaired.
KOZUP,C.S. Consumers Power Co. 97/03/21. 5pp. 92296:033-92296:037.

9703270234 LER 97-003-00:on 961101,four piping lines were determined to be potentially susceptible to pressurization due to containment temperature increase during an accident.CAC discharge piping will be verified.W/970321 ltr.
KOZUP,C.S., PALMISANO,T.J. Consumers Power Co. 97/03/21. 5pp. 92296:038-92296:042.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . *97/03/06. Consolidated Edison Co. of New York, Inc. 8pp.* 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703070093 Discusses outcome of 970226 meeting w/CPC to discuss issues contained in 970212 RAI re CPC response to Bulletin 96-004, "Chemical,Galvanic,or Other Reactions in Spent Fuel Storage & Transportation Casks."
KOBETZ,T.J. Office of Nuclear Material Safety & Safeguards. 97/03/06. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 2pp. 92031:267-92031:268.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703250013 Submits goals & objectives for June 1997 BFN REP exercise.
BARON,R.R. Tennessee Valley Authority. 97/03/19. Region 2 (Post 820201). 8pp. 92251:299-92251:306.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

J. Insurance & Indemnity Information

9703240134 Forwards info re onsite property damage insurance,per 10CFR.50.54(w).
BARON,P.R. Tennessee Valley Authority. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:297-92242:299.

P. Operating license stage documents & correspondence

9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703060362 *Summary of 970226 meeting w/util in Rockville,MD to discuss issues* raised by initial staff review of util 960906 submittal of improved TSs for plant,units 1,2 & 3.List of attendees given in encl.
WILLIAMS,J.F. . 97/03/04. . 16pp. 91983:340-91983:355.

9703170034 Forwards proprietary rept NEDC-32410P, "Maximum Extended Load Line Limit & Arts Improvement Program Analyses for BFNP,Units 1,2 & 3," affidavit & TS change 353R1, "Power Range Neutron Monitor Upgrade...." Encls withheld.
ABNEY,T.E. Tennessee Valley Authority. 97/03/06. Document Control Branch (Document Control Desk). 54pp. 92132:001-92132:345.

--9703170052 Proposed TS supporting planned replacement of current power range monitoring portion of existing NMS w/GE digital nuclear measurement analysis & control power range neutron monitor retrofit design.
* Tennessee Valley Authority. 97/03/06. 290pp. 92132:056-92132:345.

9703170217 Forwards analysis erroneously omitted from Encl 1 to 960223 ltr detailing adoption of GE SAFER/GESTR model for evaluation of LOCA analysis for BFN.NEDC-32484P,rev 1 encl. Rept withheld.
ABNEY,T.E. Tennessee Valley Authority. 97/03/11. Document Control Branch (Document Control Desk). 8pp. 92175:349-92175:356.

9703170128 Notification of 970320 meeting w/Tennessee Valley Authority in Rockville,MD to discuss upgrade of Browns Ferry improved TS submittal of 960906.
WILLIAMS,J.F. . 97/03/14. HEBDON,F.J. . 3pp. 92131:300-92131:302.

9703170130 Notification of 970321 meeting w/TVA in Rockville,MD to discuss schedule for upgrade of Browns Ferry improved TS submittal of 960906.
WILLIAMS,J.F. . 97/03/14. HEBDON,F.J. . 3pp. 92131:291-92131:293.

9703180077 Ack receipt of 970212 response to NRC 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.Addl info not needed at this time.
HEBDON,F.J. . 97/03/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92177:116-92177:118.

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

9703250235 Notification of 970327 meeting w/Tennessee Valley Authority in Rockville,MD to discuss planned ECCS suction strainer mod.
WILLIAMS,J.F. . 97/03/21. HEBDON,F.J. . 3pp. 92245:334-92245:336.

Q. Inspection reports, IE Bulletins & correspondence

9703110024 Informs licensee of maint rule baseline insp scheduled at facility on 970314-18,to evaluate effectiveness of implementation of requirements of 10CFR50.65.
HOLLAND,W.E. Region 2 (Post 820201). 97/02/25. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 92019:033-92019:037.

9703040223 Responds to NRC 970127 ltr re violations noted in insp repts 50-259/96-13,50-260/96-13 & 50-296/96-13.Corrective actions: cover over spent fuel pool was removed.
CRANE,C.M. Tennessee Valley Authority. 97/02/26. Document Control Branch (Document Control Desk). 8pp. 91960:186-91960:193.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703270113 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insps 50-259/96-13,50-260/96-13 & 50-296/96-13.Exam of corrective actions will be done during future insp.
LESSER,M.S. Region 2 (Post 820201). 97/03/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92256:070-92256:072.

9703270252 Forwards insp repts 50-259/97-01,50-260/97-01 & 50-296/97-01 on 970105-0215.No violations noted.
LESSER,M.S. Region 2 (Post 820201). 97/03/11. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 92264:102-92264:131.

--9703270256 Insp repts 50-259/97-01,50-260/97-01 & 50-296/97-01 on 970105-0215.No violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/03/11. 24pp. 92264:106-92264:131.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270093 Ack receipt of 970106 ltr from TE Abney responding to request for reevaluation of scope of valves included in plant GL 89-10 program.Requests that NRC be notified if program will not be completed by proposed insp date.
FREDRICKSON,P. Region 2 (Post 820201). 97/03/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92256:050-92256:052.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

9703200340 Monthly operating repts for Feb 1997 for BFN Units 1,2 & 3.W/970314 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 97/02/28. 13pp. 92212:139-92212:151.

9703110004 Forwards annual operating rept for 960101-1231 which contains summary of plant conditions,occupational exposure data,challenges to or failures of main steam relief valves & reactor vessel fatigue usage.
CRANE,C.M. Tennessee Valley Authority. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92072:001-92072:196.

--9703110005 "TVA BFN Units 1,2 & 3 Annual Operating Rept 960101-1231."
* Tennessee Valley Authority. 96/12/31. 193pp. 92072:003-92072:196.

S. Reportable occurrences, LERs & related correspondence

9703120079 LER 97-001-00:on 970203,potential overpressurization containment penetration pipe occurred due to thermal expansion of entrapped water was identified.Plant procedures will be revised.W/970305 ltr.
WALLACE,J.E., CRANE,C.M. Tennessee Valley Authority. 97/03/05. 8pp. 92209:001-92209:008.

V. Operator Examinations

9703280098 Forwards sampling registration ltr re April 1997 generic fundamentals exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. GREENMAN,B. Tennessee Valley Authority. 3pp. 92265:075-92265:077.

9703270150 Forwards response to questions raised during Region II 1996 Training Managers Conference re requalification hours & requalification training.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. GREEMAN,R. Tennessee Valley Authority. 2pp. 92256:093-92256:094.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703250013 Submits goals & objectives for June 1997 BFN REP exercise.
BARON,R.R. Tennessee Valley Authority. 97/03/19. Region 2 (Post 820201). 8pp. 92251:299-92251:306.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

J. Insurance & indemnity information

9703240134 Forwards info re onsite property damage insurance,per 10CFR.50.54(w).
BARON,P.R. Tennessee Valley Authority. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:297-92242:299.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703060362 Summary of 970226 meeting w/util in Rockville,MD to discuss issues raised by initial staff review of util 960906 submittal of improved TSs for plant,units 1,2 & 3.List of attendees given in encl.
WILLIAMS,J.F. . 97/03/04. . 16pp. 91983:340-91983:355.

9703170034 Forwards proprietary rept NEDC-32410P, "Maximum Extended Load Line Limit & Arts Improvement Program Analyses for BFNP,Units 1,2 & 3," affidavit & TS change 353R1, "Power Range Neutron Monitor Upgrade...." Encls withheld.
ABNEY,T.E. Tennessee Valley Authority. 97/03/06. Document Control Branch (Document Control Desk). 54pp. 92132:001-92132:345.

--9703170052 Proposed TS supporting planned replacement of current power range monitoring portion of existing NMS w/GE digital nuclear measurement analysis & control power range neutron monitor retrofit design.
* Tennessee Valley Authority. 97/03/06. 290pp. 92132:056-92132:345.

9703170217 Forwards analysis erroneously omitted from Encl 1 to 960223 ltr detailing adoption of GE SAFER/GESTR model for evaluation of LOCA analysis for BFN,NEDC-32484P,rev 1 encl. Rept withheld.
ABNEY,T.E. Tennessee Valley Authority. 97/03/11. Document Control Branch (Document Control Desk). 8pp. 92175:349-92175:356.

9703260043 Application for amends to Licenses DPR-52 & DPR-68, consisting of TS Change 376,extending EDG allowed outage time.
ABNEY,T.E. Tennessee Valley Authority. 97/03/12. Document Control Branch (Document Control Desk). 4pp. 92253:132-92253:168.

--9703260048 Proposed tech specs re extended EDG allowed outage time.
* Tennessee Valley Authority. 97/03/12. 33pp. 92253:136-92253:168.

9703170128 Notification of 970320 meeting w/Tennessee Valley Authority in Rockville,MD to discuss upgrade of Browns Ferry improved TS submittal of 960906.
WILLIAMS,J.F. . 97/03/14. HEBDON,F.J. . 3pp. 92131:300-92131:302.

9703170130 Notification of 970321 meeting w/TVA in Rockville,MD to discuss schedule for upgrade of Browns Ferry improved TS submittal of 960906.
WILLIAMS,J.F. . 97/03/14. HEBDON,F.J. . 3pp. 92131:291-92131:293.

9703180077 Ack receipt of 970212 response to NRC 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.Addl info not needed at this time.
HEBDON,F.J. . 97/03/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92177:116-92177:118.

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

9703250235 Notification of 970327 meeting w/Tennessee Valley Authority in Rockville,MD to discuss planned ECCS suction strainer mod.
WILLIAMS,J.F. . 97/03/21. HEBDON,F.J. . 3pp. 92245:334-92245:336.

Q. Inspection reports, IE Bulletins & correspondence

9703110024 Informs licensee of maint rule baseline insp scheduled at facility on 970314-18,to evaluate effectiveness of implementation of requirements of 10CFR50.65.
HOLLAND,W.E. Region 2 (Post 820201). 97/02/25. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 92019:033-92019:037.

9703040223 Responds to NRC 970127 ltr re violations noted in insp repts 50-259/96-13,50-260/96-13 & 50-296/96-13.Corrective actions: cover over spent fuel pool was removed.
CRANE,C.M. Tennessee Valley Authority. 97/02/26. Document Control Branch (Document Control Desk). 8pp. 91960:186-91960:193.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703180230 Forwards rev 1 to "Evaluation of Indications on Browns Ferry 3 Annulus Core Spray Piping & Rev 1 to "Internal Core Spray Line Flaw Evaluation Handbook for Browns Ferry....,per IE Bulletin 80-13.Repts discussed.Summary of commitments encl.
ABNEY,T.E. Tennessee Valley Authority. 97/03/07. Document Control Branch (Document Control Desk). 3pp. 92200:128-92200:214.

--9703180234 Rev 1 to GE-NE-B13-01805-22, "Internal Core Spray Line Flaw Evaluation Handbook for Browns Ferry Units 2 & 3."
STARK,R., DANIEL,R., MEHTA,H.S. General Electric Co. 97/01/31. 47pp. 92200:167-92200:214.

9703270113 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insps 50-259/96-13,50-260/96-13 & 50-296/96-13.Exam of corrective actions will be done during future insp.
LESSER,M.S. Region 2 (Post 820201). 97/03/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92256:070-92256:072.

9703270252 Forwards insp repts 50-259/97-01,50-260/97-01 & 50-296/97-01 on 970105-0215.No violations noted.
LESSER,M.S. Region 2 (Post 820201). 97/03/11. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 92264:102-92264:131.

--9703270256 Insp repts 50-259/97-01,50-260/97-01 & 50-296/97-01 on 970105-0215.No violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/03/11. 24pp. 92264:106-92264:131.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270093 Ack receipt of 970106 ltr from TE Abney responding to request for reevaluation of scope of valves included in plant GL 89-10 program.Requests that NRC be notified if program will not be completed by proposed insp date.
FREDRICKSON,P. Region 2 (Post 820201). 97/03/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92256:050-92256:052.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

9703200340 Monthly operating repts for Feb 1997 for BFN Units 1,2 & 3.W/970314 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 97/02/28. 13pp. 92212:139-92212:151.

9703110004 Forwards annual operating rept for 960101-1231 which contains summary of plant conditions,occupational exposure data,challenges to or failures of main steam relief valves & reactor vessel fatigue usage.
CRANE,C.M. Tennessee Valley Authority. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92072:001-92072:196.

--9703110005 "TVA BFN Units 1,2 & 3 Annual Operating Rept 960101-1231."
* Tennessee Valley Authority. 96/12/31. 193pp. 92072:003-92072:196.

V. Operator Examinations

9703280098 Forwards sampling registration ltr re April 1997 generic fundamentals exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. GREENMAN,B. Tennessee Valley Authority. 3pp. 92265:075-92265:077.

9703270150 Forwards response to questions raised during Region II 1996 Training Managers Conference re requalification hours & requalification training.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. GREEMAN,R. Tennessee Valley Authority. 2pp. 92256:093-92256:094.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703110120 Forwards insp repts 50-261/97-02,50-324/97-01,50-325/97-01 & 50-400/97-02 on 970113-0216.Violations noted.Seven apparent violations were identified & being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 97/02/28. ORSER,W.S. Carolina Power & Light Co. 7pp. 92078:201-92078:219.

--9703110129 Insp repts 50-261/97-02,50-324/97-01 & 50-325/97-01 & 50-400-97-02 on 970113-0206.Violations noted.Major areas inspected:access authorization & fitness for duty programs.
* Region 2 (Post 820201). 97/02/28. 12pp. 92078:208-92078:219.

9703060396 Forwards rev 36 to PLP-007, "Plant Program Procedure," rev 2 to EPPRO-00, "Emergency Preparedness Program & Testing," rev 2 to EPPRO-01, "Program & Responsibilities," rev 2 to EPPRO-02, "Maint & Testing" & EPPRO-03, "Training...."
WILKERSON,T.M. Carolina Power & Light Co. 97/03/03. Document Control Branch (Document Control Desk). 4pp. 92123:001-92123:320.

--9703060399 Rev 36 to PLP-007, "Plant Program Procedure." W/two oversize drawings.
* Carolina Power & Light Co. 97/01/30. 229pp. 92123:006-92123:234.

--9703060404 Revised EPIPs including rev 2 to EPPRO-00, "Emergency Preparedness Program & Testing," rev 2 to EPPRO-02, "Maint & Testing" & rev 1 to EPPRO-03, "Training & Qualification."
* Carolina Power & Light Co. 97/02/07. 85pp. 92123:235-92123:320.

H. General correspondence

9703140091 Requests rev of NRC svc/distribution list to reflect recent personnel & title changes.
WALT,T.D. Carolina Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92137:331-92137:333.

P. Operating license stage documents & correspondence

9703060133 Submits advance notification of listed upcoming shipment of irradiated nuclear reactor fuel,IAW 10CFR73.37.
CHERNOFF,H.K. Carolina Power & Light Co. 97/02/04. AUTRY,V.R. South Carolina, State of. STROUD,T.C. North Carolina, State of. 4pp. 91970:078-91970:081.

9703280074 Extends invitation to attend 970325 meeting between NRC & Carolina Power & Light Co to discuss Robinson Nuclear Power Plants performance over past 20 years as observer.
REYES,L.A. Region 2 (Post 820201). 97/02/19. COPELAND,W.R. South Carolina, State of. 4pp. 92265:051-92265:054.

9703030217 Requests addl info re TS change request to convert to improved standard TS for HB Robinson steam electric plant, unit 2.
MOZAFARI,B. . 97/02/24. HINNANT,C.S. Carolina Power & Light Co. 85pp. 91940:230-91940:314.

9703030487 Notifies that tendon testing will commence in late Apr 1997.
CHERNOFF,H.K. Carolina Power & Light Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91956:271-91956:272.

9703100015 Final response to FOIA request for documents.Forwards App C documents available in PDR.App D records being withheld in part (ref FOIA exemption 4).App E completely withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. LAMBERTH,J.A. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 92038:247-92038:300.

--9703100059 Informs that preliminary test results indicate that counterfeit relays provided to util by Spectronics of Mobile,AL,would not function in normal operation.Remaining testing & disassembly should be completed by 900622.
BRACH,W.E. Vendor Inspection Branch. 90/06/21. GRIMES,B.K. Division of Reactor Inspection & Safeguards (870411-921003). 1p. 92038:254-92038:263.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703130018 Informs that addl info needed to complete review of licensee 960827 request to convert to Std TS for plant,Unit 2.
MOZAFARI,B. . 97/03/06. HINNANT,C.S. Carolina Power & Light Co. 3pp. 92107:344-92107:346.

9703140128 Forwards RAI on seismic qualification of mechanical & electrical equipment at plant,unit 2.
MOZAFARI,B. . 97/03/12. HINNANT,C.S. Carolina Power & Light Co. 4pp. 92115:316-92115:319.

9703170127 Notification of 970320 meeting w/Carolina Power & Light in Rockville,MD to discuss questions associated w/review of licensee submittal for conversion to revised standard TS.
MOZAFARI,B. . 97/03/12. REINHART,F.M. . 3pp. 92131:303-92131:305.

9703180253 Responds to NRC RAI re reflood heat transfer coefficient correlation for plant large break LOCA evaluation.Measured recinter density change data encl.Encl withheld.
WILKERSON,T.M. Carolina Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 13pp. 92200:085-92200:097.

9703170170 Notification of 970321 meeting w/util in Rockville,MD to discuss questions associated w/review of licensee submittal for conversion to revised Standard Tech Spec.
MOZAFARI,B. . 97/03/13. REINHART,F. . 3pp. 92131:333-92131:335.

9703210051 Comment on proposed GL on degradation of steam generator internals.Recommends that "degradation mechanism" be replaced w/"type of indication."
WALT,T.D. Carolina Power & Light Co. 97/03/14. NRC - No Detailed Affiliation Given. 2pp. 92210:296-92210:297.

9703240081 Withdraws portion of request,still under review by NRC re emergency power sys periodic testing for TS change request.
WILKERSON,T.M. Carolina Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92242:356-92242:357.

9703240240 Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
WILKERSON,T.M. Carolina Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92241:307-92241:311.

Q. Inspection reports, IE Bulletins & correspondence

9703030491 Ack receipt of 961122 ltr informing NRC of steps taken to correct violations noted in insp 50-261/96-11.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/12/19. HINNANT,C.S. Carolina Power & Light Co. 3pp. 91949:049-91949:051.

9703050069 Responds to NRC 961216 ltr re violations noted in insp rept 50-261/96-12.Corrective actions:MOV program improvements will be implemented.
HINNANT,C.S. Carolina Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92003:209-92003:213.

9703110120 Forwards insp repts 50-261/97-02,50-324/97-01,50-325/97-01 & 50-400/97-02 on 970113-0216.Violations noted.Seven apparent violations were identified & being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 97/02/28. ORSER,W.S. Carolina Power & Light Co. 7pp. 92078:201-92078:219.

--9703110129 Insp repts 50-261/97-02,50-324/97-01 & 50-325/97-01 & 50-400-97-02 on 970113-0206.Violations noted.Major areas inspected:access authorization & fitness for duty programs.
* Region 2 (Post 820201). 97/02/28. 12pp. 92078:208-92078:219.

9703070189 Advises of delay in response to request for addl info re movement of heavy loads.Util will provide response by 970402.
WILKERSON,T.M. Carolina Power & Light Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92015:335-92015:335.

9703110122 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/96-14.
CHRISTENSEN,H. Region 2 (Post 820201). 97/03/03. HINNANT,C.S. Carolina Power & Light Co. 3pp. 92019:155-92019:157.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703270182 Confirms 970123 telcon between H Chernoff & MB Shymlock re 970325 meeting to discuss SALP.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/03/05. HINNANT,C.S. Carolina Power & Light Co. 3pp. 92256:115-92256:117.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703270301 Forwards insp rept 50-261/97-01 on 961229-970208.No violations noted.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/03/06. HINNANT,C.S. Carolina Power & Light Co. 4pp. 92264:132-92264:169.

--9703270304 Insp rept 50-261/97-01 on 961229-970208.No violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 2 (Post 820201). 97/03/06. 33pp. 92264:136-92264:169.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140153 Informs of NRC plans to conduct design insp of plant,unit 2 for periods 970421,28 & 0502-23.
REINHART,M. . 97/03/12. HINNANT,C.S. Carolina Power & Light Co. 2pp. 92128:171-92128:172.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240081 Withdraws portion of request,still under review by NRC re emergency power sys periodic testing for TS change request.
WILKERSON,T.M. Carolina Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92242:356-92242:357.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050002 "Number of Personnel & Man-Rem by Work & Job Function 1996." W/970228 ltr.
WILKERSON,T.M. Carolina Power & Light Co. 96/12/31. 2pp. 91964:334-91964:335.

9703050059 "Effluent & Waste Disposal Semi-Annual Rept for HB Robinson Unit 2 & ISFSI at HB Robinson Unit 2." W/970228 ltr.
WILKERSON,T.M. Carolina Power & Light Co. 96/12/31. 67pp. 91982:087-91982:155.

9703110089 "Effluent & Waste Disposal Semiannual Rept 960701-1231." W/970228 ltr.
WILKERSON,T.M. Carolina Power & Light Co. 96/12/31. REYES,L.A. Region 2 (Post 820201). 66pp. 92068:277-92068:342.

9703050245 Forwards semiannual "FFD Program Performance Data for Period 960701-1231."
WALT,T.D. Carolina Power & Light Co. 97/02/25. Document Control Branch (Document Control Desk). 1p. 91999:278-91999:289.

--9703050251 "FFD Program Performance Data for Period 960701-1231."
GRAVES,A.S. Carolina Power & Light Co. 96/12/31. 11pp. 91999:279-91999:289.

9703050005 Informs of no individual exposures greater than 100 mrem associated w/ ISFSI during CY96.
WILKERSON,T.M. Carolina Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92003:227-92003:227.

9703180014 Monthly operating rept for Feb 1997 for HB Robinson Steam Electric Plant Unit 2.W/970310 ltr.
GARDNER,D., WILKERSON,T.M. Carolina Power & Light Co. 97/02/28. 4pp. 92200:101-92200:104.

V. Operator Examinations

9703270120 Informs that NRC plans to administer Generic Fundamentals Exam section of written operator licensing exam on 970409. Facility must submit in ltr indicating no candidates are scheduled or names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. HERRELL,M.E. Carolina Power & Light Co. 3pp. 92256:076-92256:078.

9703280006 Forwards response to questions raised during Region II 1996 NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. HERRELL,M.E. Carolina Power & Light Co. 3pp. 92264:270-92264:271.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703070113 Submits info in response to inquiry re concrete temp for Horizontal Storage Modules at HB Robinson 2.
RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 97/03/06. LEEDS,E. Office of Nuclear Material Safety & Safeguards. 3pp. 92015:356-92015:358.

9703280058 Forwards rev 13 to SAR for HB Robinson ISFSI.
WILKERSON,T.M. Carolina Power & Light Co. 97/03/18. Office of Nuclear Material Safety & Safeguards. 1p. 92271:073-92271:075.

--9703280062 "HB Robinson Updated ISFSI SAR," rev 13.
* Carolina Power & Light Co. 97/03/18. 2pp. 92271:074-92271:075.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9703060156 Revised EPIPs,including rev 1 to "Table of Contents-Record of Revs," rev 1 to ESP-NEP-2101, "Corporate Emergency...." rev 1 to ESP-NEP-2102,rev 1 to ESP-NEP-2104,rev 1 to ESP-NEP-2105,rev 1 to ESP-NEP-2106 & rev 1 to ESP-NEP-2107.
JOHNSON-LADD Northern States Power Co. 97/02/26. 68pp. 92009:219-92009:286.

9703210345 Forwards Rev 14 to security force training & qualification plan,incorporating changing classification of training & qualification plan from "Safeguards" to "10CFR2.790." Rev withheld (ref 10CFR2.790(b)(1)).
HILL,W.J. Northern States Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92235:275-92235:276.

I. Financial Information

9703130253 Forwards "Amended & Restated Nuclear Decommissioning Trust Agreement," dtd 961126 to ensure that NRC records are current.
ANDERSON,R.O. Northern States Power Co. 97/02/26. Document Control Branch (Document Control Desk). 25pp. 92127:298-92127:322.

J. Insurance & Indemnity Information

9703240085 Forwards summary of nuclear property insurance as of 970401 for util,per 10CFR50.54(w)(3).
ANDERSON,R.O. Northern States Power Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92242:303-92242:304.

P. Operating license stage documents & correspondence

9703040114 Provides revised list of certified simulator malfunctions. Signed NRC Form-474 describing change to malfunction list attached.
HILL,W.J. Northern States Power Co. 97/02/21. Document Control Branch (Document Control Desk). 12pp. 91979:217-91979:228.

9703130253 Forwards "Amended & Restated Nuclear Decommissioning Trust Agreement," dtd 961126 to ensure that NRC records are current.
ANDERSON,R.O. Northern States Power Co. 97/02/26. Document Control Branch (Document Control Desk). 25pp. 92127:298-92127:322.

9703060045 Ack receipt of licensee 970211 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.
KIM,T. . 97/02/28. ANDERSON,R.O. Northern States Power Co. 3pp. 91991:320-91991:322.

9703110018 Application for amend to license DPR-22,updating design basis accident containment temp & pressure response.
HILL,W.J. Northern States Power Co. 97/03/04. Document Control Branch (Document Control Desk). 3pp. 92079:001-92079:052.

--9703110021 "Low Pressure ECCS Net Positive Suction Head."
SPARACINO,J.D., STREIBICH,M.W. *Duke Engineering & Services. V609.000.00001* R01. 97/01/02. 18pp. 92079:005-92079:022.

--9703110023 Rev 1 to "ECCS Analysis for MNP W/NUKON Insulation Sys."
HART,G.H. Performance Contracting, Inc. 93/01/29. 31pp. 92079:023-92079:052.

9703170204 Forwards request for addl info in order to complete review of licensee 970123 license amend requesting review & approval of update to design basis accident containment temperature & pressure response.
KIM,T. . 97/03/12. ANDERSON,R.O. Northern States Power Co. 4pp. 92128:353-92128:356.

9703190134 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
HILL,W.J. Northern States Power Co. 97/03/13. Document Control Branch (Document Control Desk). 9pp. 92205:312-92205:320.

9703200321 Forwards RAI to complete review of NSPs 960314 submittal requesting relief from Section XI of ASME BPV Code, "Rules for Inservice Exam of NPP Components," 1986 edition.
KIM,T. . 97/03/17. ANDERSON,R.O. Northern States Power Co. 3pp. 92205:145-92205:147.

Q. Inspection reports, IE Bulletins & correspondence

9703030162 Ack receipt of 970127 ltr informing NRC of steps taken to correct violations noted in insp rept 50-263/96-08.
JACOBSON,J.M. Region 3 (Post 820201). 97/02/13. WATZL,E. Northern States Power Co. 1p. 91931:044-91931:044.

9703030094 Forwards sys operational performance insp rept 50-263/96-09 on 961118-970108 & NOV.Violation of concern because of continuing problems w/test control & incorporation of corrective design limits.
GRANT,G.E. Region 3 (Post 820201). 97/02/20. WADLEY,M.D. Northern States Power Co. 3pp. 91971:001-91971:109.

--9703030118 Notice of violation from insp on 961118-970108.Violation noted:on 960814,during closeout of design change package "RHR Sys Pressure Upgrade Mod," rev 1,safety evaluation failed to provide bases for determination.
GRANT,G.E. Region 3 (Post 820201). 97/02/20. 3pp. 91971:004-91971:006.

--9703030125 Insp rept 50-263/96-09 on 961118-970108.Violations noted. Major areas inspected:maintenance,engineering & operations.
* Region 3 (Post 820201). 97/02/20. 97pp. 91971:007-91971:109.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703200214 Forwards insp rept 50-263/97-02 on 970109-0219 & notice of violation.
CALDWELL,J. Region 3 (Post 820201). 97/03/11. WADLEY,M. Northern States Power Co. 2pp. 92220:001-92220:024.

--9703200217 Notice of violation from insp on 970109-0219.Violation noted:surveillance test 0466-1 not conducted under suitable environ conditions.
* Region 3 (Post 820201). 97/03/11. 2pp. 92220:003-92220:004.

--9703200218 Insp rept 50-263/97-02 on 970109-0219.Violations noted.Major areas inspected:operations,maint & engineering.
* Region 3 (Post 820201). 97/03/11. 20pp. 92220:005-92220:024.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210352 Forwards Rev 2 to "Inservice Insp Exam Plan." Document reprinted in entirety.Ltr contains no new commitments,nor does it modify any prior commitments.
HILL,W.J. Northern States Power Co. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92233:001-92233:218.

--9703210353 Rev 2 to "Inservice Insp Exam Plan."
TRAN,T., CARSTENS,D., RICKER,J. Northern States Power Co. 97/03/12. 200pp. 92233:002-92233:218.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030510 Forwards fitness for duty program performance data for period ending 961231.
ANDERSON,R.O. Northern States Power Co. 97/02/19. Document Control Branch (Document Control Desk). 7pp. 91956:234-91956:240.

9703100080 Forwards "Effluent & Waste Disposal Semi-Annual Rept for Jul-Dec 1996," "Off-Site Radiation Dose Assessment for Jul- Dec 1996" & "Updated Effluent & Waste Disposal Semi-Annual Rept for Period of Jan-June 1996."
HILL,W.J. Northern States Power Co. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92047:311-92047:337.

--9703100082 "Effluent & Waste Disposal Semi-Annual Rept for Period Jul- Dec 1996."
* Northern States Power Co. 96/12/31. 10pp. 92047:313-92047:322.

--9703100084 "Off-Site Radiation Dose Assessment for Jan-Dec 1996."
* Northern States Power Co. 96/12/31. 5pp. 92047:323-92047:327.

--9703100085 Updated "Effluent & Waste Disposal Semi-Annual Rept Jan- June 1996."
* Northern States Power Co. 96/06/30. 10pp. 92047:328-92047:337.

9703190074 Monthly operating rept for Feb 1997 for Monticello Nuclear Generating Plant.W/970313 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 97/02/28. 5pp. 92201:339-92201:343.

S. Reportable occurrences, LERs & related correspondence

9703040110 LER 97-003-00:on 970128,piping between double containment isolation valves could be stressed greater than code allowables during certain accident conditions.Caused by design deficiency.W/970225 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 97/02/25. 4pp. 91972:234-91972:237.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-264 DOW CHEMICAL CO.

P. Operating license stage documents & correspondence

9703040234 Forwards response to NRC request for addl info re amend request for facility operating license R-108,ltr dtd 961217.Encl includes changes proposed for amend 7 & explanation for question raised in ltr.
RIGOT,W.L. Dow Chemical Co. 97/02/24. ADAMS,A. . 5pp. 91960:204-91960:208.

R. Periodic operating reports & related correspondence

9703250035 "Dow TRIGA Research Reactor Annual Rept - 1996." W/970318 ltr.
RIGOT,W.L. Dow Chemical Co. 96/12/31. 4pp. 92251:290-92251:293.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703030418 Rev 38 to QEP 0400-00, "On-Site Response Actions," replacing index.
THIEDE,J. Commonwealth Edison Co. 96/12/20. 2pp. 91956:298-91956:300.

9703030423 Rev 16 QEP 0175-00, "Chemistry Director Procedures."
THIEDE,J. Commonwealth Edison Co. 97/02/06. 2pp. 91956:296-91956:297.

9703100093 Rev 24 to QEP 0100-00 index.
THIEDE,J. Commonwealth Edison Co. 97/02/18. 2pp. 92047:351-92047:352.

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703070150 Rev 8m to "ComEd Generating Stations Emergency Plan,Site Annex."
* Commonwealth Edison Co. 97/02/27. 28pp. 92030:194-92030:221.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703180016 Revised EPIPs,including rev 25 to QEP-0120 Index,rev 12 to QEP-0120-01,rev 10 to QEP-0120-S01,rev 6 to QEP-0120-S02, rev 7 to QEP-0120-S03,rev 15 to QEP-0130 Index,rev 7 to QEP-0130-S03,rev 3 to QEP-0130-T01 & rev 4 to QEP-0130-T02.
* Commonwealth Edison Co. 97/02/28. 73pp. 92191:236-92191:308.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703250072 Revised EPIPs,including rev 16 to QEP 0130 Index,rev 6 to QEP 0130-S02, "Maint Director Site Checklist Area Emergency Checklist," rev 31 to QEP 0730 Index & rev 5 to QEP 0730-02, "Offsite Support Agency Agreement Letters."
* Commonwealth Edison Co. 97/03/14. 7pp. 92252:075-92252:082.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

9703250146 Notification of 970331 meeting w/util in Rockville,MD to discuss potential vulnerabilities & corrective actions identified in fire protection/post fire safe shutdown programs & procedures.
PULSIFIER,R.M. . 97/03/24. CAPRA,R.A. . 4pp. 92236:339-92236:342.

9703180025 Revised EPIPs,including rev 27 to QEP Index,rev 10 to QEP 0155-S8, "Station Total Release Rate Calculation Worksheets" & rev 7 to QEP 0155-T1, "Environs Field Team CEPIP Cross Reference."
* Commonwealth Edison Co. 97/03/31. 13pp. 92193:326-92193:338.

P. Operating license stage documents & correspondence

9702240108 Application for amend to licenses DPR-19 & DPR-25,App A,TSs, Section 3/4.7.K, "Suppression Chamber" & Section 3/4.8, "Ultimate Heat Sink," to address issues re efforts to reconstitute design basis of containment heat removal sys.
PERRY,J.S. Commonwealth Edison Co. 97/02/17. 99pp. 91872:001-91873:308.

--9702240205 "Cavitation Test Rept 12x14x14-1/2 CVDS Pump."
GARROW,L. Affiliation Not Assigned. 69/05/16. 11pp. 91873:063-91873:073.

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703060125 Submits info that will be added to clarify bases for TS surveillance 4.8.D.5.c.Changes agree w/NUREG-1433,rev 1.
KRAFT,E.S. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 92012:352-92012:358.

--9703060130 Proposed tech specs,clarifying bases for TS surveillance 4.8.D.5.c.
* Commonwealth Edison Co. 97/02/24. 4pp. 92012:355-92012:358.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703060293 Forwards amends 125,148,172 & 168 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation.Amends update pressure- temperature curves contained in licensee TS to 22 effective full power yrs.
STANG,J.F. . 97/02/28. JOHNSON,I. Commonwealth Edison Co. 2pp. 91991:231-91991:271.

--9703060297 Amends 153 & 148 to licenses DPR-19 & DPR-25,respectively, updating pressure-temperature curves contained in licensee TS 22 effective full power yrs.
STANG,G.F. . 97/02/28. 16pp. 91991:233-91991:248.

--9703070069 Amends 172 & 168 to licenses DPR-29 & DPR-30,respectively, updating pressure-temperature curves contained in licensee TS 22 effective full power yrs.
PULSIFER,R.M. . 97/02/28. 16pp. 91991:249-91991:265.

--9703060298 Safety evaluation supporting amends 153,148,172 & 168 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/02/28. 6pp. 91991:266-91991:271.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703130365 Application for amends to licenses DPR-29 & DPR-30,revising bases for TS 3/4.9.E to clarify purpose of SR 4.9.E.
KRAFT,E.S. Commonwealth Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92128:070-92128:075.

--9703130381 Proposed tech spec bases 3/4.9.E,clarifying purpose of SR 4.9.E.
* Commonwealth Edison Co. 97/03/03. 3pp. 92128:073-92128:075.

9703060310 Forwards amends 154,149,173 & 169 to licenses DPR-19,DPR-25, DPR-29,DPR-30 & safety evaluation.Amends would change TSs by allowing single control rod to be moved when plant in hot shutdown or cold shutdown condition.
PULSIFER,R.M. . 97/03/04. JOHNSON,I. Commonwealth Edison Co. 2pp. 91984:342-91984:360.

--9703060345 Amends 173 & 169 to licenses DPR-29 & DPR-30,respectively, revising TSs by allowing single RC moved when plant in hot shutdown or cold shutdown condition providing one rod out interlock operable & mode switch in refuel position.
PULSIFER,R.M. . 97/03/04. 7pp. 91984:351-91984:357.

--9703060352 Safety evaluation supporting amends 154,149,173 & 169 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/03/04. 3pp. 91984:358-91984:360.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703140190 Notification of 970313 meeting w/util in Rockville,MD to discuss issues associated w/Dresden & Quad Cities control room heating & ventilation sys.
STANG,J.F. . 97/03/12. CAPRA,R.A. . 3pp. 92115:336-92115:338.

9703180186 Forwards amends 155,150,174 & 170 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & SE,respectively.Amends revise TS to clarify & maintain consistency between operability requirements for protective instrumentation.
PULSIFER,R.M. . 97/03/14. JOHNSON,I. Commonwealth Edison Co. 2pp. 92177:160-92177:186.

--9703180188 Amends 155,150,174 & 170 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,revising TS to clarify & maintain consistancy between operability requirements for protective instrumentation & associated automatic bypass features.
STANG,J.F. . 97/03/14. 22pp. 92177:162-92177:183.

--9703180193 Safety evaluation approving amends 155,150,174 & 170 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 97/03/14. 3pp. 92177:184-92177:186.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

Q. Inspection reports, IE Bulletins & correspondence

9703030495 Forwards relief request CR-19,rev 0 to third ten yr interval insp plan.
KRAFT,E.S. Commonwealth Edison Co. 97/02/18. Document Control Branch (Document Control Desk). 4pp. 91956:259-91956:262.

9703030071 Forwards insp repts 50-254/96-20 & 50-265/96-20 on 961207- 970127 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/20. KRAFT,E. Commonwealth Edison Co. 3pp. 91957:032-91957:065.

--9703030077 Notice of violation from insp on 961207-970127.Violation noted:operator left SBGT "B" train control switch in "Off" & did not verify that all annunciators were clear.
* Region 3 (Post 820201). 97/02/20. 2pp. 91957:035-91957:036.

--**9703030080** Insp repts 50-254/96-20 & 50-265/96-20 on 961207-970127. Violations noted.Major areas inspected:licensee operations, surveillance,engineering,maint & plant support.
* Region 3 (Post 820201). 97/02/20. 30pp. 91957:037-91957:065.

9703030142 Ack receipt of 970131 ltr informing NRC of steps taken to correct deviations noted in insp repts 50-254/96-15 & 50-265/96-01.
RING,M.A. Region 3 (Post 820201). 97/02/25. KRAFT,E. Commonwealth Edison Co. 2pp. 91931:031-91931:034.

9703040352 Submits request for deferral w/compliance to IE Bulletin 96-003.
HOSMER,J. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91960:262-91960:263.

9703070198 Informs NRC staff of util plans to implement recommendations of BWRVIP "BWR Core Spray Internals Insp & Flaw Evaluation Guidelines."
KRAFT,E.S. Commonwealth Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92031:245-92031:249.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130335 Responds to NRC 970204 ltr re violations noted in insp repts 50-254/96-17 & 50-265/96-17.Corrective actions:bolts were evaluated & approved on Quad Cities Station parts evaluation Q-1992-0013-10 prior to being installed in affected pumps.
KRAFT,E.S. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 9pp. 92136:135-92136:143.

9703170032 *Forwards insp repts 50-254/97-03 & 50-265/97-03 on 970203-05 & notice* of violation.
GRANT,G.E. Region 3 (Post 820201). 97/03/07. KRAFT,E. Commonwealth Edison Co. 2pp. 92151:001-92151:015.

--**9703170043** Notice of violation from insp on 970203-05.Violation noted: in unit 2 "A" RHR room drainage trough having removable, smearable contamination greater than or equal to 1000 dpm betagamma was not posted w/CAUTION CONTAMINATED AREA sign.
* Region 3 (Post 820201). 97/03/07. 2pp. 92151:003-92151:004.

--**9703170051** Insp repts 50-254/97-03 & 50-265/97-03 on 970203-05. Violation noted.Major areas inspected:effluent radiation monitoring program,records & interviews w/sys engineering, chemistry,operations & RP personnel.
* Region 3 (Post 820201). 97/03/07. 11pp. 92151:005-92151:015.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270249 Provides history of establishment of reliability program for plant diesel generators & clarification of use of program re response to NRC Insp Repts 50-254/96-20 & 50-265/96-20.
KRAFT,E.S. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 10pp. 92268:013-92268:023.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703270259 Forwards response to violations noted in Insp Repts 50-254/96-20 & 50-265/96-20.Corrective actions:job performance counseling administered for individuals involved in instance.
KRAFT,E.S. Commonwealth Edison Co. 97/03/23. Document Control Branch (Document Control Desk). 7pp. 92268:039-92268:045.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703030138 Forwards radioactive effluent rept for Jul-Dec 1996 for Quad Cities Nuclear Power Station.
PEARCE,L.W. Commonwealth Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 4pp. 91952:281-91952:315.

--**9703030167** "Effluent & Waste Disposable Semi-Annual Rept for Jul-Dec 1996."
* Commonwealth Edison Co. 96/12/31. 31pp. 91952:285-91952:315.

9703250095 Monthly operating repts for Feb 1997 for Quad-Cities Nuclear Power Station Units 1 & 2.W/970310 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 97/02/28. 21pp. 92251:002-92251:022.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703110213 Forwards Rev 2 of Section 4.0 of ISFSI Security Plan for Point Beach Nuclear Plant Units 1 & 2.Encl withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92073:344-92073:344.

G. Adjudicatory correspondence

9703100036 Responds to 951117 Petition,requesting that NRC prohibit loading of VSC-24 casks at nuclear sites until multi-assembly sealed basket at Palisades Nuclear plant unloaded & unloading process evaluated.
COLLINS,S.J. . 97/03/04. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 92027:318-92027:349.

--**9703100038** Directors Decision 97-05 under 10CFR2.206 re 951117 Petition filed by F Shillinglaw requesting that NRC take action to prohibit loading of VSC-24 casks at nuclear sites.
COLLINS,S.J. . 97/03/04. 12pp. 92027:324-92027:335.

--**9703100057** Notice of issuance of Director's Decision under 10CFR2.206 concering 951117 Petiton requesting that NRC prohibit loading of spent nuclear fuel into VSC-24 dry storage casks at nuclear plant.
COLLINS,S.J. . 97/03/04. 2pp. 92027:336-92027:349.

P. Operating license stage documents & correspondence

9703030134 Confirms discussion between M Kunowski & F Flentje re routine mgt meeting scheduled for 970305 in Manitowoc, Wisconsin,to discuss status of facility performance improvement initiatives & issues required to be resolved.
MCCORMICK-BERGE Region 3 (Post 820201). 97/02/20. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. 91931:030-91931:030.

9703060020 Requests addl info re 970116 submittal to change minimum boron concentration required by refueling water storage tanks,boric acid storage tanks & safety injections accumulators,during normal operation.
GUNDRUM,L.L. . 97/02/28. GRIGG,R.R. Wisconsin Electric Power Co. 4pp. 91983:356-91983:359.

9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703060423 Documents NRC telcons of 970219,issuing NOED & 970221, denying request for 36 h extension of NOED.
BEACH,A.B. Region 3 (Post 820201). 97/03/03. PATULSKI,S.A. Wisconsin Electric Power Co. 6pp. 91969:134-91969:139.

9703140105 Summary of 970224 meeting w/Wisconsin Electric Power Co & GLS Enterprises,Inc in Rockville,MD re environ qualified equipment inside containment to perform function following loss-of-coolant accident affected by revised profiles.
GUNDRUM,L.L. . 97/03/03. . 160pp. 92115:001-92115:158.

9703060426 Forwards documents from 970131,mgt meeting between plant & NRC to be sent to PDR.
* Region 3 (Post 820201). 97/03/04. Region 3 (Post 820201). 185pp. 91968:197-91969:017.

9703120077 Provides suppl info for TS change request 192,proposing to modify TS Section 15.3.3, "ECCS,Auxiliary Cooling Sys,Air Recirculation Fan Coolers & Containment Spray" to incorporate AOTs similar to NUREG-1431,Rev 1.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92125:146-92125:147.

9703180141 Forwards correctly labeled replacement page for insertion into 970212 TS change request 196.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:342-92190:343.

9703200254 Discusses 970305 meeting in Manitowoc,WI re status of facility performance improvement initiatives & issues to be resolved prior to restarting Unit 2.Agenda,core load issues, startup commitment list & restart commitment status encl.
MCCORMICK,J.W. Region 3 (Post 820201). 97/03/13. PATULSKI,S.A. Wisconsin Electric Power Co. 179pp. 92188:001-92188:179.

9703250196 Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92251:340-92251:344.

9703250141 Provides addl info in support of suppl for TS change requests 188 & 189 re unit 2 operations following replacement of SGs.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/20. Document Control Branch (Document Control Desk). 3pp. 92257:141-92257:146.

--**9703250143** Proposed tech specs 15.2.2, "Safety Limit,Reactor Coolant Sys Pressure."
* Wisconsin Electric Power Co. 97/03/20. 3pp. 92257:144-92257:146.

Q. Inspection reports, IE Bulletins & correspondence

9703190386 Discusses investigation rept 3-95-043 re circumstances surrounding violation of NRC requirements while working as laundry/decontamination technician at plant,Units 1 & 2.
BEACH,A.B. Region 3 (Post 820201). 96/09/05. ALLENT,S.R. Affiliation Not Assigned. 4pp. 92153:073-92153:080.

--**9703190389** Investigation rept 3-95-043.Noncompliance noted:on or about 950406,SR Allent engaged in deliberate misconduct by taping radioactively contaminated particle to underside of table in radiological laundry room,at plant.
* Region 3 (Post 820201). 96/09/05. 4pp. 92153:077-92153:080.

9703190377 Discusses investigation rept 3-96-024 re circumstances surrounding violation of NRC requirements while working as radiochemistry technician at plant,Units 1 & 2 & forwards NOV.
BEACH,A.B. Region 3 (Post 820201). 96/11/14. GOODCHILDMG.L. Affiliation Not Assigned. 4pp. 92153:061-92153:066.

--**9703190382** Notice of violation from investigation rept 3-96-024 on 960513-0828.Violation noted:GL Goodchild,radiochemistry technician at plant,engaged in delibrate misconduct by failing to perform QA check HP5890 on 960424.
* Region 3 (Post 820201). 96/11/14. 3pp. 92153:064-92153:066.

9703050130 Responds to NRC 970123 ltr re violations noted in insp repts 50-266/96-03 & 50-301/96-03.Corrective actions:issued temporary change to AOP 0.0 re battery chargers & will incorporate temporary change to permanent procedure rev.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 91964:357-91964:360.

9703060440 Forwards insp repts 50-266/96-19 & 50-301/96-19 on 961217-970127 & NOV.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/27. PATULSKI,S.A. Wisconsin Electric Power Co. 4pp. 92002:001-92002:038.

--**9703060442** Notice of violation from insp on 961217-970127.Violation noted:licensee identified that on 961216,auxiliary operator was preparing Unit 2 residual heat removal sys for fill & vent evolution & did not open valve 2RH-709A,as required.
* Region 3 (Post 820201). 97/02/27. 2pp. 92002:005-92002:006.

--**9703060443** Insp repts 50-266/96-19 & 50-301/96-19 on 961217-970127. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 97/02/27. 32pp. 92002:007-92002:038.

9703260194 Discusses insp repts 50-266/96-18 & 50-301/96-18 on 961202-13,16-20 & 970206-07.Violations noted.Violations of concern because of lack of attention to issues which has been previously identified.
GOBE,J.A. Region 3 (Post 820201). 97/03/03. GRIGG,R.R. Wisconsin Electric Power Co. 7pp. 92264:001-92264:069.

--**9703260200** Notice of violation from insp on 961202-970207.Violation noted:on 961205,inspectors observed that operators did not watch for fluid discharge from diesel generator test ports during jacking of G-02 engine flywheel one revolution.
* Region 3 (Post 820201). 97/03/03. 3pp. 92264:008-92264:010.

--**9703260202** Insp repts 50-266/96-18 & 50-301/96-18 on 961202-13,16-20 & 970206-07.Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 3 (Post 820201). 97/03/03. 56pp. 92264:011-92264:069.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110075 Forwards response to NRC 970204 ltr re violations noted in insp repts 50-266/96-15,50-301/96-15 & 72-0005/96-15. Corrective actions:all spilled waste was promptly cleaned up.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/06. Document Control Branch (Document Control Desk). 8pp. 92049:350-92049:357.

9703200184 Confirms discussion between M Kunowski & F Flentje to conduct predecisional enforcement conference on 970409. Purpose of conference to discuss apparent violations identified in insp repts 50-266/96-18 & 50-301/96-18.
MCCORMICK,J.W. Region 3 (Post 820201). 97/03/11. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. 92189:026-92189:027.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703260178 Submits steam generator tube insp results for facility.
GUNDRUM,L. NRC - No Detailed Affiliation Given. 97/03/24. MALANOWSKI,T. NRC - No Detailed Affiliation Given. 1p. 92277:037-92277:037.

9703270056 Ack receipt of 970131 ltr,in response to civil penalty proposed by NRC in ltr,dtd 961203.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/26. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. 92256:036-92256:037.

R. Periodic operating reports & related correspondence

9703050035 "1996 Annual Results & Data Rept for PBNP,Units 1 & 2." W/970227 ltr.
JOHNSON,D.F. Wisconsin Electric Power Co. 96/12/31. 96pp. 91996:237-91996:333.

9703060161 "ISFSI Point Beach Nuclear Plant Units 1 & 2 Annual Monitoring Rept:1996." W/970225 ltr.
JOHNSON,D.F. Wisconsin Electric Power Co. 96/12/31. 22pp. 92011:277-92011:298.

9703110302 Forwards monthly operating repts for Feb 1997 for Point Beach Nuclear Plant,Units 1 & 2 & revised monthly operating rept for Jan 1997 for Point Beach Nuclear Plant,Unit 2.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/06. Document Control Branch (Document Control Desk). 1p. 92121:060-92121:068.

--**9703110304** Monthly operating repts for Feb 1997 for Point Beach Nuclear Plant,Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 97/02/28. 6pp. 92121:061-92121:066.

--**9703110305** Revised monthly operating rept for Jan 1997 for Point Beach Nuclear Plant,Unit 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 97/01/31. 2pp. 92121:067-92121:068.

9703140078 Forwards correction to FFD program performance data on confirmed positive tests for specific substances for six month period ending 961231.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/10. Document Control Branch (Document Control Desk). 3pp. 92138:001-92138:003.

S. Reportable occurrences, LERs & related correspondence

9703100017 LER 97-008-00:on 970131,non-seismic ductwork located above safety-related equipment in containment occurred.Caused by incomplete seismic evaluation.Mods will be completed during current Unit 2 refueling outage.W/970303 ltr.
ADAMS,G., JOHNSON,D. Wisconsin Electric Power Co. 97/03/03. 6pp. 92109:012-92109:017.

9703110188 LER 97-S01-00:on 970204,compensatory measures for microwave zones had not been implemented.Caused by mgt oversight of CAS & SAS activities was inadequated.Addl mgt oversight of CAS & SAS operations has been implemented.W/970304 ltr.
MCCULLUM,J.E., JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/04. 4pp. 92109:032-92109:035.

9703250061 LER 97-009-00:on 970214,potential for safety injection failure during filling of safety injection accumulator discovered.Caused by situation not adequately covered by procedures.Procedure OI-100 revised.W/970317 ltr.
CASTELL,C.A., JOHNSON,D. Wisconsin Electric Power Co. 97/03/17. 4pp. 92275:008-92275:011.

9703260155 LER 97-010-00:on 970219,svc water & component cooling water TS action requirements were not met.Caused because licensee did not comply w/cold shutdown requirements of TS 15.3.3.C.2 & 15.3.3.D.2.Evaluations were performed.W/970321 ltr.
WEAVER,D., JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/21. 7pp. 92275:143-92275:149.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9703190099 Submits application for transfer of nuclear regulatory License SNM-2504 from util to US DOE re revised security plan.Encl withheld.
HAGERS,J. Energy, Dept. of. 97/03/12. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 2pp. 92199:244-92199:245.

9703280134 Forwards listed info re 1996 exercise of FSV ISFSI Emergency Response Plan,also known as FOSAVEX-96.
BORST,F.J. Public Service Co. of Colorado. 97/03/17. KOKAJKO,L. NRC - No Detailed Affiliation Given. 44pp. 92271:127-92271:170.

H. General correspondence

9703130294 Explains recent organizational changes that util has made re Corporate Executive responsible for nuclear issues.
FISHER,M.J. Public Service Co. of Colorado. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92136:213-92136:214.

Q. Inspection reports, IE Bulletins & correspondence

9703100194 First partial response to FOIA request for documents. Documents listed in app A already available in PDR.Forwards app B documents.App C documents being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. SAURO,B. Affiliation Not Assigned. 5pp. 92038:301-92039:003.

--9703100195 FOIA request for documents re NOV dtd 951030 addressed to Scientific Ecology Group re NRC insp rept 50-267/94-03 & OI investigation repts 4-94-010 & 4-95-015.
SAURO,B.M. Affiliation Not Assigned. 96/10/15. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 92038:306-92038:308.

--9703100196 Forwards OI rept of investigation re alleged falsification of radiation survey records.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 95/05/26. CALLAN,L.J. Region 4 (Post 820201). 4pp. 92038:309-92038:312.

--9703100199 Requests that General Counsel anlayze rept & determine whether sufficient evidence exists to take EA re falsification of records.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/06/20. CALLAN,L.J. Region 4 (Post 820201). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. GOLDBERG,J.R. Office of the General Counsel (Post 860701). 3pp. 92038:313-92038:315.

--9703100200 *Forwards OI rept of investigation re alleged falsification of records.W/o* encl.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 95/08/17. CALLAN,L.J. Region 4 (Post 820201). 6pp. 92038:316-92038:321.

--9703100201 Agrees w/Office of Enforcement regional approach.
MAMISH,N.L. NRC - No Detailed Affiliation Given. 95/08/31. JONES,W.B., SANBORN,G.F. NRC - No Detailed Affiliation Given. 1p. 92038:322-92038:322.

--9703100204 Discusses proposed meeting re OI 4-95-015.
SANBORN,G.F. NRC - No Detailed Affiliation Given. 95/08/31. SANBORN,G.F. NRC - No Detailed Affiliation Given. 1p. 92038:323-92038:323.

--9703100205 Ack receipt of mail.
JONES,W.B. NRC - No Detailed Affiliation Given. 95/08/30. SANBORN,G.F. NRC - No Detailed Affiliation Given. 1p. 92038:324-92038:324.

--9703100209 Confirms 950911 for OI meeting re OI 4-95-015.
MAMISH,N.L. NRC - No Detailed Affiliation Given. 95/08/30. JONES,W.B. NRC - No Detailed Affiliation Given. 1p. 92038:325-92038:325.

--9703100211 Informs that enforcement action will be required re OI 4-95-015 concerning failure to perform response checks.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/08/07. CALLAN,L.J. Region 4 (Post 820201). RUSSELL,W.T. . GOLDBERG,J.R. Office of the General Counsel (Post 860701). 2pp. 92038:326-92038:327.

--9703100213 Forwards repy to NOV dtd 951112.
SANBORN,G. Ofc of Enforcement (Post 870413). 95/11/17. CALLAN,J., COLLINS,S., BROWN,B. NRC - No Detailed Affiliation Given. 1p. 92038:328-92038:328.

--9703100216 Responds to NRC 951112 ltr re violations noted in insp rept. Corrective actions:employee terminated & removed from facility.
ZAHRT,K.L. Affiliation Not Assigned. 95/11/15. NRC - No Detailed Affiliation Given. 2pp. 92038:329-92038:350.

--9703100221 Informs that NOV issued on 951030 revised to reflect NRC reanalysis of info re falsification of radiation survey records.Revised NOV encl.
CALLAN,L.J. Region 4 (Post 820201). 96/04/02. NEELY,D. Scientific Ecology Group, Inc. 4pp. 92038:351-92038:354.

--9703100229 Informs that NOV issued on 951030 revised to reflect NRC reanalysis of info re util failure to assure compliance w/10CFR50.9 concerning accuracy of radiation survey records. Revised NOV encl.
CALLAN,L.J. Region 4 (Post 820201). 96/04/02. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 92038:356-92038:359.

--9703100235 Revised NOV from insp rept 50-267/94-03.Violation noted: numerous required records of radiation surveys were created which were not complete & accurate.
* Region 4 (Post 820201). 96/04/02. 1p. 92038:360-92038:360.

--9703100238 Revised NOV from insp rept 50-267/94-03.Violation noted: contractor to licensee submitted inaccurate radiation surveys.
* Region 4 (Post 820201). 96/04/02. 1p. 92038:355-92038:355.

--9703100242 Informs that NRC will be withdrawing NOV dtd 951030,based on reevaluation of evidence provided & response to NOV dtd 951112.
CALLAN,L.J. Region 4 (Post 820201). 96/04/02. ZAHRT,K. Affiliation Not Assigned. 3pp. 92039:001-92039:003.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703270296 Confirms dates & submits info NRC requested re schedules for both transition plan & May insp activities as encls A & B, respectively.
HAGERS,J. Energy, Dept. of. 97/03/24. KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 14pp. 92266:333-92266:346.

R. Periodic operating reports & related correspondence

9703070022 Forwards "Radiological Environ Monitoring Program for Fort St Vrain ISFSI for Period Jan-Dec 1996."
BORST,F.J. Public Service Co. of Colorado. 97/02/28. Region 4 (Post 820201). 2pp. 92014:246-92014:288.

--9703070026 "Radiological Environ Monitoring Program for FSV ISFSI for Period Jan-Dec 1996."
JONES,V., JOHNSON,J.E. Colorado State Univ., Fort Collins, CO. BORST,F.J. Public Service Co. of Colorado. 96/12/31. 41pp. 92014:248-92014:288.

9703170208 Forwards "Annual Radioactive Effluent Release Rept for Jan-Dec 1996 & Jan-Mar 1997." All effluent releases completed as of 960703.Repts on activities after 960703 reflect disposal of solid waste.
BORST,F.J. Public Service Co. of Colorado. 97/03/11. Document Control Branch (Document Control Desk). 4pp. 92153:294-92153:320.

--9703170209 "Annual Radioactive Effluent Release Rept Jan-Dec 1996 & Jan-Mar 1997."
* Public Service Co. of Colorado. 97/03/31. 23pp. 92153:298-92153:320.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

W. Decommissioning Stage Documents & Correspondence

9703050509 Forwards responses to comments re Fort St Vrain final survey rept.
BORST,F.J. Public Service Co. of Colorado. 97/02/27. HICKEY,J.W. Office of Nuclear Material Safety & Safeguards. 52pp. 91986:253-91986:304.

9703060136 Forwards copy of amend to util NPDES,Wastewater Discharge Permit CO-0001121,which clarifies that monitoring of farm pond outlet required when industrial wastewater being discharged through upstream Goosequill ditch.
BORST,F.J. Public Service Co. of Colorado. 97/02/27. HICKEY,J.W. Office of Nuclear Material Safety & Safeguards. 6pp. 92016:255-92016:260.

9703120418 Forwards signed original of FRN for transmittal to Ofc of Federal Register for publication.
HICKEY,J.W. Division of Waste Management (NMSS 940403). 97/03/04. MEYER,D. Rules & Directives Review Branch (Post 920323). 2pp. 92079:247-92079:253.

--9703120424 Notice of receipt of PSC Decommissioning/Termination plan for plant.
HICKEY,J.W. NRC - No Detailed Affiliation Given. 97/03/04. 5pp. 92079:249-92079:253.

9703240120 Documents that there have been no activities involving release of radioactive matls from FSV Nuclear Station that potentially could have affected environ,subsequent to previous Radiological Envion Operating Rept.
BORST,F.J. Public Service Co. of Colorado. 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92252:036-92252:037.

9703240128 Documents that no personnel has received radiation exposure at FSV in 1997 or at any time subsequent to 961105 ltr.
BORST,F.J. Public Service Co. of Colorado. 97/03/18. Office of Nuclear Regulatory Research (Post 941217). 2pp. 92242:332-92242:333.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703060062 Advises that any subsequent issue that could affect application must be submitted to staff for review & approval as suppl to application.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 97/02/27. WILCYNSKI,J.M. Energy, Dept. of. 9pp. 92012:321-92012:334.

--**9703060065** Notice of consideration of transfer of license SNM-2504 & subsequent license amend for ISFSI from PSC to DOE & opportunity for hearing.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/02/27. 5pp. 92012:330-92012:334.

9703070022 Forwards "Radiological Environ Monitoring Program for Fort St Vrain ISFSI for Period Jan-Dec 1996."
BORST,F.J. Public Service Co. of Colorado. 97/02/28. Region 4 (Post 820201). 2pp. 92014:246-92014:288.

--**9703070026** "Radiological Environ Monitoring Program for FSV ISFSI for Period Jan-Dec 1996."
JONES,V., JOHNSON,J.E. Colorado State Univ., Fort Collins, CO. BORST,F.J. Public Service Co. of Colorado. 96/12/31. 41pp. 92014:248-92014:288.

9703120373 Summary of 970220 meeting w/DOE to discuss Fort Vrain ISFSI license transfer from Public Svc Co of CO to DOE ID.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 97/03/06. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 100pp. 92122:001-92122:100.

9703190099 Submits application for transfer of nuclear regulatory License SNM-2504 from util to US DOE re revised security plan.Encl withheld.
HAGERS,J. Energy, Dept. of. 97/03/12. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 2pp. 92199:244-92199:245.

9703180122 Forwards proprietary data necessary to upgrade redacted DOE FSV ISFSI SAR per NRC 970227 request.Encl withheld.
HAGERS,J. Energy, Dept. of. 97/03/13. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 15pp. 92207:230-92207:245.

9703280134 Forwards listed info re 1996 exercise of FSV ISFSI Emergency Response Plan,also known as FOSAVEX-96.
BORST,F.J. Public Service Co. of Colorado. 97/03/17. KOKAJKO,L. NRC - No Detailed Affiliation Given. 44pp. 92271:127-92271:170.

9703270296 Confirms dates & submits info NRC requested re schedules for both transition plan & May insp activities as encls A & B, respectively.
HAGERS,J. Energy, Dept. of. 97/03/24. KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 14pp. 92266:333-92266:346.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703030243 Revised EPIPs,including consisting of Rev 97-03 to Vol C,Rev 2 to RP/0/B/1000/03A,Rev 1 to RP/0/B/1000/16,Rev 1 to RP/0/B/1000/28 & Rev 0 to RP/0/B/1000/31.W/970226 ltr.
HAMPTON,J.W. Duke Power Co. 97/02/26. 63pp. 91952:160-91952:222.

9703120434 Summary of 970207 meeting w/licensee re security plan changes that are applicable to plants.
NERSES,V. . 97/03/07. . 19pp. 92079:211-92079:229.

9703210340 Forwards Rev 3 to security training & qualification plan.Rev withheld,per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92235:241-92235:243.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

P. Operating license stage documents & correspondence

9703040142 Notification of cancellation of 970226 meeting w/DPC in Rockville,MD to discuss & provide draft for staff info of environ rept statement drafted WRT requirements of 10CFR51 for license renewal.
CRAIG,C.M. . 97/02/18. MATTHEWS,D.B. . 5pp. 91951:113-91951:117.

9703040191 Forwards revised TSs re mod to emergency power sys,per discussions w/ NRC staff.
HAMPTON,J.W. Duke Power Co. 97/02/18. Document Control Branch (Document Control Desk). 4pp. 91960:111-91960:118.

--**9703040198** Proposed Tech Specs 3.7 re Keowee Hydro units during periods of commercial power generation.
* Duke Power Co. 97/02/18. 4pp. 91960:115-91960:118.

9703040202 Forwards corrected pp to revised TS 3.16 Bases submitted 970212.Revised pp 3.16-2 contains correction to editorial discrepency between marked-up & revised pp.
HAMPTON,J.W. Duke Power Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91960:161-91960:163.

--**9703040224** Rev to proposed TS 3.16 Bases,pp 3.16-2,correcting editorial discrepancy.
* Duke Power Co. 97/02/24. 1p. 91960:163-91960:163.

9703070050 Informs that one-time integrated emergency power & ES functional test was performed on 970102-05.Keowee & Lee voltage and frequency protection mod implementation date, also provided.
HAMPTON,J.W. Duke Power Co. 97/02/25. Document Control Branch (Document Control Desk). 2pp. 92015:350-92015:351.

9703070051 Forwards supplemental info which is described in previous submittals & markup of original TS amend request re TS 3.7.
HAMPTON,J.W. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 4pp. 92015:202-92015:324.

--**9703070052** Proposed tech specs revising TS 3.7.
* Duke Power Co. 97/02/27. 118pp. 92015:206-92015:324.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--**9304080293** Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--**9503150165** Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703240242 Forwards Rev 1 to "Oconee Nuclear Station,License Renewal - Technical Info TR, OLRP-1001."
HAMPTON,J.W. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92242:305-92242:309.

--**9703240243** "Oconee Nuclear Station,License Renewal - Technical Info,TR, OLRP-1001," Rev 1.
* Duke Power Co. OLRP-1001 R01. 97/03/12. 2pp. 92242:308-92242:309.

9703240180 Forwards request for relief for use of adequate alternative examinations in lieu of code-required examinations for certain reactor vessel shell welds.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 17pp. 92247:267-92247:283.

9703170174 Summary of 970305 meeting w/util in Rockville,MD re environ rept for license renewal stage.List of participants & non- proprietary presentation matls encl.
CRAIG,C.M. . 97/03/14. MATTHEWS,D.B. . 32pp. 92177:048-92177:079.

9703240098 Submits 180-day response to GL 96-05 re periodic verification of design-basis capability of safety-related MOVs.
TUCKMAN,T.S. Duke Power Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92243:009-92243:014.

9703270299 Provides addl info re 970204 ltr requesting exemption to requirements of 10CFR70.24 re criticality accident requirements.
TUCKMAN,M.S. Duke Power Co. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92267:352-92267:357.

9703250230 Forwards amends 222,222 & 219 to licenses DPR-38,DPR-47 & DPR-55 & safety evaluation.Amends add operability & surveillance requirements re operation & testing of Keowee Hydro Station to Oconee TSs.
LABARGE,D.E. . 97/03/20. HAMPTON,J.W. Duke Power Co. 3pp. 92243:068-92243:086.

--**9703250232** Amends 222,222,219 to license DPR-38,DPR-47 & DPR-55,adding operability & surveillance requirements re operation & testing.
BERKOW,H.N. . 97/03/20. 10pp. 92243:071-92243:082.

--**9703250237** Safety evaluation supporting amends 222,222 & 219 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 97/03/20. 4pp. 92243:083-92243:086.

9703280345 Forwards final rept for AEOD special study, "Oconee Electrical Sys Design & Operation."
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/26. ROSS,D.F. Committee to Review Generic Requirements. THADANI,A.C., ZIMMERMAN,R.P. . 2pp. 92276:166-92276:217.

--**9703280365** "Oconee Electrical Sys Design & Operation Special Study."
LANIK,G.F., ORNSTEIN,H.L., RAUGHLEY,W.S. Division of Safety Programs (Post 870413). 97/03/31. 50pp. 92276:168-92276:217.

9703280376 Forwards resolution of peer review comments on AEOD draft rept "Oconee Electrical System Design And Operation."
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/26. HAMPTON,J.W. Duke Power Co. 17pp. 92276:218-92276:285.

Q. Inspection reports, IE Bulletins & correspondence

9702050227 Requests technical assistance in reviewing acceptability of licensee corrective actions for deficiency involving HPI piping.Licensee revised 10CFR50.59 evaluations for Units 2 & 3 HPI piping mods,per listed insp repts.
MERSCHOFF,E.W. . 96/12/13. BERKOW,H. . 2pp. 91990:275-91990:276.

9703050055 Informs that completion of 1EOC17 refueling outage tentatively scheduled for 970928 re response to violations noted in Insp Repts 50-269/96-09,50-270/96-09,50-287/96-09 & 72-0004/96-09.
HAMPTON,J.W. Duke Power Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92003:228-92003:229.

9703050074 Provides response to violations noted in Insp Repts 50-269/96-17,50-270/96-17 & 50-287/96-17.Corrective actions: site continuous improvement team (CIT) formed to address area of configuration control from operations & maint.
HAMPTON,J.W. Duke Power Co. 97/02/26. Document Control Branch (Document Control Desk). 14pp. 91999:325-91999:338.

9703070207 Forwards Rev 1 to Request for Relief ONS-009,including editorial change,deleting weld identification numbers.W/one oversize drawing.
HAMPTON,J.W. Duke Power Co. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92043:289-92043:293.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703270204 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/96-20, 50-270/96-20 & 50-287/96-20.
CASTO,C. Region 2 (Post 820201). 97/03/10. HAMPTON,J.W. Duke Power Co. 2pp. 92256:128-92256:129.

9703280008 Forwards insp repts 50-269/96-20,50-270/96-20,50-270/96-20 on 970208 & NOV.
CASTO,C. Region 2 (Post 820201). 97/03/10. HAMPTOM,J.W. Duke Power Co. 3pp. 92274:138-92274:186.

--9703280011 Notice of violation from insp on 961229-970208.Violations noted:activities affecting quality were not prescribed by documented instructions &/or procedures w/ appropriate qualitative acceptance criteria.
* Region 2 (Post 820201). 97/03/10. 2pp. 92274:141-92274:142.

--9703280016 Insp repts 50-269/96-20,50-270/96-20 & 50-287/96-20 on 961229-970208.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/03/10. 44pp. 92274:143-92274:186.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703190131 Responds to NRC 970127 ltr re violations noted in insp repts 50-269/96-17,50-270/96-17 & 50-287/96-17.Corrective actions: Pressure Test Requirement Form has been created to communicate required post-maintenance test method.
HAMPTON,J.W. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 6pp. 92206:310-92206:315.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240235 Forwards request for relief from ASME Section XI,1989 Edition.All units being addressed by Request for relief per NRC recommendations delineated in NRC Insp Repts 50-269/95-05,50-270/95-05 & 50-287/95-05,dtd 950505.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 36pp. 92241:080-92241:115.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070199 Forwards fitness-for-duty performance data repts for period of Jul-Dec 1996.
TUCKMAN,M.S. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. 92031:146-92031:159.

9703190145 Forwards monthly operating rept for Feb 1997 for Oconee Nuclear Station & revised monthly operating rept for Jan 1997.
DIMMERY,T. Duke Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92201:173-92201:191.

--9703190147 *Monthly operating repts for Feb 1997 for Oconee Nuclear Station.*
WILLIAMS,R.A. Duke Power Co. 97/02/28. 16pp. 92201:175-92201:190.

--9703190150 Revised monthly operating repts for Jan 1997 for Oconee Nuclear Station.
* Duke Power Co. 97/01/31. 1p. 92201:191-92201:191.

S. Reportable occurrences, LERs & related correspondence

9703040117 LER 97-002-00:on 970124,reactor building cooling units technically inoperable due to design deficiency.Root cause & corrective actions will be addressed in *supplemental rept. W/970220 ltr.*
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 97/02/20. 3pp. 91961:180-91961:182.

9703250088 Informs that LER 50-269/97-02, "Reactor Bldg Cooling Units Technically Inoperable Due to Design Deficiency," was submitted on 970220.More detailed engineering analysis is still in progress to validate preliminary evaluation.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92275:021-92275:022.

V. Operator Examinations

9703270186 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative of facility must submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. HAMPTON,J.W. Duke Power Co. 3pp. 92256:119-92256:121.

9703280149 Forwards responses to four questions raised during Region II 1996 USNRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. JONES,B.K. Duke Power Co. 2pp. 92265:111-92265:112.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703030243 Revised EPIPs,including consisting of Rev 97-03 to Vol C,Rev 2 to RP/0/B/1000/03A,Rev 1 to RP/0/B/1000/16,Rev 1 to RP/0/B/1000/28 & Rev 0 to RP/0/B/1000/31.W/970226 ltr.
HAMPTON,J.W. Duke Power Co. 97/02/26. 63pp. 91952:160-91952:222.

9703120434 Summary of 970207 meeting w/licensee re security plan changes that are applicable to plants.
NERSES,V. . 97/03/07. . 19pp. 92079:211-92079:229.

9703210340 Forwards Rev 3 to security training & qualification plan.Rev withheld,per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92235:241-92235:243.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

P. Operating license stage documents & correspondence

9703040142 Notification of cancellation of 970226 meeting w/DPC in Rockville,MD to discuss & provide draft for staff info of environ rept statement drafted WRT requirements of 10CFR51 for license renewal.
CRAIG,C.M. . 97/02/18. MATTHEWS,D.B. . 5pp. 91951:113-91951:117.

9703040191 Forwards revised TSs re mod to emergency power sys,per discussions w/ NRC staff.
HAMPTON,J.W. Duke Power Co. 97/02/18. Document Control Branch (Document Control Desk). 4pp. 91960:111-91960:118.

--9703040198 Proposed Tech Specs 3.7 re Keowee Hydro units during periods of commercial power generation.
* Duke Power Co. 97/02/18. 4pp. 91960:115-91960:118.

9703040202 Forwards corrected pp to revised TS 3.16 Bases submitted 970212.Revised pp 3.16-2 contains correction to editorial discrepency between marked-up & revised pp.
HAMPTON,J.W. Duke Power Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91960:161-91960:163.

--9703040224 Rev to proposed TS 3.16 Bases,pp 3.16-2,correcting editorial discrepancy.
* Duke Power Co. 97/02/24. 1p. 91960:163-91960:163.

9703070050 *Informs* that one-time integrated emergency power & ES functional test was performed on 970102-05.Keowee & Lee voltage and frequency protection mod implementation date, also provided.
HAMPTON,J.W. Duke Power Co. 97/02/25. Document Control Branch (Document Control Desk). 2pp. 92015:350-92015:351.

9703070051 Forwards supplemental info which is described in previous submittals & markup of original TS amend request re TS 3.7.
HAMPTON,J.W. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 4pp. 92015:202-92015:324.

--9703070052 Proposed tech specs revising TS 3.7.
* *Duke Power Co. 97/02/27. 118pp. 92015:206-92015:324.*

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304060293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--9503150165 *Informs of NRR conclusion that previously submitted proprietary reactor* vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703240242 Forwards Rev 1 to "Oconee Nuclear Station,License Renewal - Technical Info TR, OLRP-1001."
HAMPTON,J.W. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92242:305-92242:309.

--9703240243 "Oconee Nuclear Station,License Renewal - Technical Info,TR, OLRP-1001," Rev 1.
* *Duke Power Co. OLRP-1001 R01. 97/03/12. 2pp. 92242:308-92242:309.*

9703240180 Forwards request for relief for use of adequate alternative examinations in lieu of code-required examinations for certain reactor vessel shell welds.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 17pp. 92247:267-92247:283.

9703240098 Submits 180-day response to GL 96-05 re periodic verification of design-basis capability of safety-related MOVs.
TUCKMAN,T.S. Duke Power Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92243:009-92243:014.

9703270299 Provides addl info re 970204 ltr requesting exemption to requirements of 10CFR70.24 re criticality accident requirements.
TUCKMAN,M.S. Duke Power Co. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92267:352-92267:357.

9703250230 Forwards amends 222,222 & 219 to licenses DPR-38,DPR-47 & DPR-55 & safety evaluation.Amends add operability & surveillance requirements re operation & testing of Keowee Hydro Station to Oconee TSs.
LABARGE,D.E. . 97/03/20. HAMPTON,J.W. Duke Power Co. 3pp. 92243:068-92243:066.

--9703250232 Amends 222,222,219 to license DPR-38,DPR-47 & DPR-55,adding operability & surveillance requirements re operation & testing.
BERKOW,H.N. . 97/03/20. 10pp. 92243:071-92243:082.

--9703250237 Safety evaluation supporting amends 222,222 & 219 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 97/03/20. 4pp. 92243:083-92243:086.

9703280345 Forwards final rept for AEOD special study, "Oconee Electrical Sys Design & Operation."
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/26. ROSS,D.F. Committee to Review Generic Requirements. THADANI,A.C., ZIMMERMAN,R.P. . 2pp. 92276:166-92276:217.

--9703280365 "Oconee Electrical Sys Design & Operation Special Study."
LANIK,G.F., ORNSTEIN,H.L., RAUGHLEY,W.S. Division of Safety Programs (Post 870413). 97/03/31. 50pp. 92276:168-92276:217.

9703280376 Forwards resolution of peer review comments on AEOD draft rept "Oconee Electrical System Design And Operation."
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/26. HAMPTON,J.W. Duke Power Co. 17pp. 92276:218-92276:285.

Q. Inspection reports, IE Bulletins & correspondence

9702050227 Requests technical assistance in reviewing acceptability of licensee corrective actions for deficiency involving HPI piping.Licensee revised 10CFR50.59 evaluations for Units 2 & 3 HPI piping mods,per listed insp repts.
MERSCHOFF,E.W. . 96/12/13. BERKOW,H. . 2pp. 91990:275-91990:276.

9703050055 Informs that completion of 1EOC17 refueling outage tentatively scheduled for 970928 re response to violations noted in Insp Repts 50-269/96-09,50-270/96-09,50-287/96-09 & 72-0004/96-09.
HAMPTON,J.W. Duke Power Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92003:228-92003:229.

9703050074 Provides response to violations noted in Insp Repts 50-269/96-17,50-270/96-17 & 50-287/96-17.Corrective actions: site continuous improvement team (CIT) formed to address area of configuration control from operations & maint.
HAMPTON,J.W. Duke Power Co. 97/02/26. Document Control Branch (Document Control Desk). 14pp. 91999:325-91999:338.

9703070207 Forwards Rev 1 to Request for Relief ONS-009,including editorial change,deleting weld identification numbers.W/one oversize drawing.
HAMPTON,J.W. Duke Power Co. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92043:289-92043:293.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703270204 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/96-20, 50-270/96-20 & 50-287/96-20.
CASTO,C. Region 2 (Post 820201). 97/03/10. HAMPTON,J.W. Duke Power Co. 2pp. 92256:128-92256:129.

9703280008 Forwards insp repts 50-269/96-20,50-270/96-20,50-270/96-20 on 970208 & NOV.
CASTO,C. Region 2 (Post 820201). 97/03/10. HAMPTOM,J.W. Duke Power Co. 3pp. 92274:138-92274:186.

--9703280011 Notice of violation from insp on 961229-970208.Violations noted:activities affecting quality were not prescribed by documented instructions &/or procedures w/ appropriate qualitative acceptance criteria.
* Region 2 (Post 820201). 97/03/10. 2pp. 92274:141-92274:142.

--9703280016 Insp repts 50-269/96-20,50-270/96-20 & 50-287/96-20 on 961229-970208.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/03/10. 44pp. 92274:143-92274:186.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703190131 Responds to NRC 970127 ltr re violations noted in insp repts 50-269/96-17,50-270/96-17 & 50-287/96-17.Corrective actions: Pressure Test Requirement Form has been created to communicate required post-maintenance test method.
HAMPTON,J.W. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 6pp. 92206:310-92206:315.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240235 Forwards request for relief from ASME Section XI,1989 Edition.All units being addressed by Request for relief per NRC recommendations delineated in NRC Insp Repts 50-269/95-05,50-270/95-05 & 50-287/95-05,dtd 950505.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 36pp. 92241:080-92241:115.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070199 Forwards fitness-for-duty performance data repts for period of Jul-Dec 1996.
TUCKMAN,M.S. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. 92031:146-92031:159.

9703190145 Forwards monthly operating rept for Feb 1997 for Oconee Nuclear Station & revised monthly operating rept for Jan 1997.
DIMMERY,T. Duke Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92201:173-92201:191.

--9703190147 Monthly operating repts for Feb 1997 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/02/28. 16pp. 92201:175-92201:190.

--9703190150 Revised monthly operating repts for Jan 1997 for Oconee Nuclear Station.
* Duke Power Co. 97/01/31. 1p. 92201:191-92201:191.

S. Reportable occurrences, LERs & related correspondence

9703070059 LER 96-007-01:on 961205,maint technicians found electric motor rotating in wrong direction.Caused by inadequate work practices,documents not followed correctly.Procedures revised.W/970227 ltr.
BOND,R.T., HAMPTON,J.W. Duke Power Co. 97/02/27. 9pp. 92074:265-92074:273.

9703070062 LER 96-006-01:on 951211,NRC insp of plant implementation of GL 89-10 identified issue w/Anchor/Darling double disc gate valves.Caused by deficient design analysis,unanticipated interaction of components.Procedures revised.W/970227 ltr.
BOND,R.T., HAMPTON,J.W. Duke Power Co. 97/02/27. 8pp. 92074:274-92074:281.

9703250088 Informs that LER 50-269/97-02, "Reactor Bldg Cooling Units Technically Inoperable Due to Design Deficiency," was submitted on 970220.More detailed engineering analysis is still in progress to validate preliminary evaluation.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92275:021-92275:022.

V. Operator Examinations

9703270186 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative of facility must submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. HAMPTON,J.W. Duke Power Co. 3pp. 92256:119-92256:121.

9703280149 Forwards responses to four questions raised during Region II 1996 USNRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. JONES,B.K. Duke Power Co. 2pp. 92265:111-92265:112.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9703060327 Requests that Procedure Writers Guide be replaced w/attached cancellation notice dtd 970221,which has been incorporated into AP 0037,Plant Procedures,rev 5.
* Vermont Yankee Nuclear Power Corp. 97/02/21. 3pp. 92016:298-92016:300.

9703110032 Forwards Vermont Yankee SALP rept 50-271/97-99 for period 950716-970118.
MILLER,H.J. Region 1 (Post 820201). 97/03/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 4pp. 92019:043-92019:052.

--9703110043 SALP rept 50-271/97-99 for 950716-970118.
* Region 3 (Post 820201). 97/03/05. 6pp. 92019:047-92019:052.

9703130007 Forwards copy of notice of environ assessment & finding of no significant impact re application dtd 960617 for exemption from emergency lighting requirements of App R to 10CFR50 for Vermont Yankee Nuclear Power Station.
ROONEY,V.L. . 97/03/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. 92079:347-92079:352.

--**9703130009** Environ assessment & finding of no significant impact re exemption from relief in certain outdoor areas of protected area of facility to allow use of security lighting for outdoor access.
MILANO,P.A. . 97/03/05. 4pp. 92079:349-92079:352.

9703190148 Rev 14 to EPIP OP 3524, "Emergency Actions to Ensure Initial Accountability & Security Response."
* Vermont Yankee Nuclear Power Corp. 97/03/10. 24pp. 92198:001-92198:024.

9703270154 Forwards exemption issued by Commission re requirements of Section III.J of 10CFR50,App R in response to 960617 ltr.
ROONEY,V.L. . 97/03/23. REID,D.A. Vermont Electric Power Co., Inc. 3pp. 92277:061-92277:070.

--**9703270158** Exemption from requirements of section III.J,of 10CFR50,app R issued by Commission in response to 960617 ltr.
COLLINS,S.J. . 97/03/23. Vermont Yankee Nuclear Power Corp. 5pp. 92277:064-92277:068.

--**9703270161** Safety evaluation approving exemption from lighting requirements of 10CFR50,App R,Section III.J.
* . 97/03/23. 2pp. 92277:069-92277:070.

H. General correspondence

9703050129 Provides changes to Vermont Yankee recipients of NRC correspondence as listed.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 97/02/25. Document Control Branch (Document Control Desk). 1p. 92003:273-92003:273.

J. Insurance & Indemnity Information

9703060436 Provides insurance coverage rept per 10CFR50.54(w)(3).
SCHIMELPFENIG Vermont Yankee Nuclear Power Corp. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92016:345-92016:345.

P. Operating license stage documents & correspondence

9703030047 Requests addl info re offsite power sys designs for older operating plants as result of lessons learned from Maine Yankee Independent Safety Assessment.
ROONEY,V.L. . 97/02/25. REID,D.A. Vermont Yankee Nuclear Power Corp. 5pp. 91946:001-91946:005.

9703030479 Ack receipt of 970214 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.
ROONEY,V.L. . 97/02/28. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 91932:341-91932:343.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703070117 Forwards safety assessment re change made at plant to containment isolation valve configuration for containment spray & residual heat removal sys.
ROONEY,V.L. . 97/03/03. SEDANO,R.P. Vermont, State of. 3pp. 91997:321-91997:331.

--**9703070125** Discusses series of telcon w/NRC concluding 961003 re CS & RHR sys containment isolation valves at VYNP.Staff assessment of plant submittals encl.
ROONEY,V.L. . 97/03/03. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 91997:324-91997:326.

--**9703070131** Safety assessment accepting mod of RHR & CS sys containment isolation function configuration.
* . 97/03/03. 5pp. 91997:327-91997:331.

9703130007 Forwards copy of notice of environ assessment & finding of no significant impact re application dtd 960617 for exemption from emergency lighting requirements of App R to 10CFR50 for Vermont Yankee Nuclear Power Station.
ROONEY,V.L. . 97/03/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. 92079:347-92079:352.

--**9703130009** Environ assessment & finding of no significant impact re exemption from relief in certain outdoor areas of protected area of facility to allow use of security lighting for outdoor access.
MILANO,P.A. . 97/03/05. 4pp. 92079:349-92079:352.

9703120051 Informs that IN is being prepared to alert licensees of potential failure of subcomponents in GE Type AMH 4.16kV Magne-Blast circuit breakers.Util has no comments on technical review of applicable portions of draft IN.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92125:118-92125:118.

9703140096 Notification of 970331 meeting w/licensee in Rockville,MD to discuss licensing activities & schedules for Vermont Yankee Nuclear Power Station.
ROONEY,V.L. . 97/03/11. MILANO,P.D. . 3pp. 92115:339-92115:341.

9703190052 Forwards response to RAI per 10CFR50.54(f) re adequacy & availability of design bases info.
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92199:233-92199:234.

9703170228 Provides utils 180 day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
REID,D.A. Vermont Yankee Nuclear Power Corp. 97/03/13. Document Control Branch (Document Control Desk). 6pp. 92159:343-92159:348.

9703240163 Notification of meeting on 970326 w/util in Rockville,MD to discuss continuous improvement initiatives for Vermont Yankee Nuclear Power Station.
ROONEY,V.L. . 97/03/20. MILANO,P.D. . 3pp. 92231:018-92231:020.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703110032 Forwards Vermont Yankee SALP rept 50-271/97-99 for period 950716-970118.
MILLER,H.J. Region 1 (Post 820201). 97/03/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 4pp. 92019:043-92019:052.

--**9703110043** SALP rept 50-271/97-99 for 950716-970118.
* Region 3 (Post 820201). 97/03/05. 6pp. 92019:047-92019:052.

9703120127 Notification of significant licensee meeting 97-22 w/util on 970312 to discuss SALP mgt meeting for period of 950716 through 970118.
CONTE,R.J. Region 1 (Post 820201). 97/03/05. Region 1 (Post 820201). 3pp. 92035:134-92035:136.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703060265 Forwards fitness for duty program data for period ending Jul-Dec 1996.
MARET,G.A. Vermont Yankee Nuclear Power Corp. 97/02/28. Document Control Branch (Document Control Desk). 3pp. 92016:320-92016:323.

9703180020 Monthly operating rept for Feb 1997 for Vermont Yankee Power Station.W/970310 ltr.
WALLIN,G.A., MARET,G.A. Vermont Yankee Nuclear Power Corp. 97/02/28. 6pp. 92193:313-92193:318.

S. Reportable occurrences, LERs & related correspondence

9703050196 LER 97-001-00:on 970207,discovered potential for postulated electrical failure to affect primary containment integrity.Caused by failure to properly coordinate cited design vulnerability.Controls implemented.W/970227 ltr.
MARET,G.A. Vermont Yankee Nuclear Power Corp. 97/02/27. 5pp. 92039:004-92039:008.

9703060209 Special rept:on 970116,Cable Vault CO2 & diesel fire pump day tank room CO2 sys place in ABORT.Caused by installation of new low pressure CO2 sys for switchgear rooms.Established compensatory measures & required manual initiation for sys.
MARET,G.A. Vermont Yankee Nuclear Power Corp. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92000:355-92000:356.

9703280401 LER 96-026-01:on 961007,fire barrier penetration seal improperly installed in 1979.Caused by inadequate design implementation & insp.TS compensatory fire watch in place to support seal repair work.W/970324 ltr.
MARET,G.A. Vermont Yankee Nuclear Power Corp. 97/03/24. 6pp. 92312:267-92312:272.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703060178 Revised EPIPs,including rev 23 to Table of Contents & rev 14 to EPIP 902, "Accountability/Evacuation."
SCHAFFER,J.J. Public Service Electric & Gas Co. of New Jersey. 97/02/24. 25pp. 92011:299-92011:323.

9703030310 First partial response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in entirety (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. SOLOMON,D.D. Affiliation Not Assigned. 4pp. 91938:087-91938:165.

--9703030317 Partially deleted FOIA request for documents re six security violations at Salem/Hope Creek nuclear power plants.
SOLOMON,D.D. Affiliation Not Assigned. 96/11/20. LINTON,T. NRC - No Detailed Affiliation Given. 3pp. 91938:091-91938:165.

9703030511 Responds to NRC 970127 ltr re violations noted in insp repts 50-272/96-18,50-311/96-18 & 50-354/96-10.Corrective actions: individual in protected area without photobadge-keycard was counseled.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/02/26. Document Control Branch (Document Control Desk). 10pp. 91956:224-91956:233.

9703060164 Revised EPIPs,including rev 69 to all Table of Contents & rev 8 to EPIP 105S.
* Public Service Electric & Gas Co. of New Jersey. 97/02/28. 14pp. 92011:345-92011:356.

9703210324 Revised EPIPs,including rev 1 to ECG-ATT.06,07,09,15,ECG- SECG-Table of Contents,ECG-SECT.11.2,ECG-SECT.11.7 & (Basis).
HUGHES,F.J., BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 97/03/04. 43pp. 92235:052-92235:094.

9703180261 Forwards Rev 9 to security plan.Safeguards justification for proposed changes to plan included as Attachment 1 to ltr. Encl withheld,per 10CFR73.55(d)(5).
STORZ,L. Public Service Electric & Gas Co. of New Jersey. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:223-92190:224.

9703210101 Second partial response to FOIA request.Records listed in App D encl & will be available in PDR.App C records withheld in entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/11. Affiliation Not Assigned. 4pp. 92205:009-92205:030.

--9703210153 Forwards proposed notice of violation & proposed imposition of civil penalities based on six violations of security program at mentioned plants.
MILLER,H.J. Region 1 (Post 820201). 96/11/25. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. 92205:017-92205:030.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

9703190143 Revised EPIPs,including Rev 63 to table of contents & Rev 3 to EPIP 1016, "Test Procedures for EOF Backup Generator, Ventilation Sys & HVAC Filter Replacement."
* Public Service Electric & Gas Co. of New Jersey. 97/03/13. 45pp. 92198:108-92198:152.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

9703270241 Responds to 970224 ltr to Chairman Jackson expressing concerns re NRC "Confirmatory Order Suspending Authority for & Limiting Power Operation & Containment Pressure & Demand for Info," dtd 960103.
ZWOLINSKI,J.A. . 97/03/25. PRATT,C., METCALF,M., DOUGHTY,J. Seacoast Anti-Pollution League. 2pp. 92261:305-92261:345.

--9703270254 Responds to 970106 ltr to HJ Miller re Millstone,Salem & MYAP NPPs.Provides answers to questions raised in 961213 ltr to HR Meyer.
COLLINS,S.J. . 97/02/27. LOCHBAUM,D.A. Union of Concerned Scientists. 3pp. 92261:307-92261:343.

P. Operating license stage documents & correspondence

9703030187 Eleventh partial response to FOIA request for documents. App AA document forwarded.App BB documents partially withheld (ref FOIA Exemption 5).App CC documents withheld (ref FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. O'NEILL,J.H., HOLLAWAY,W.R. Shaw, Pittman, Potts & Trowbridge. 11pp. 91938:001-91938:076.

--9703030302 Partially deleted Rev 5 to OP-III-1.3.1, "Turbine Generator Operation."
* Public Service Electric & Gas Co. of New Jersey. 91/05/14. 11pp. 91938:033-91938:051.

9703040039 Ack receipt of 970211 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.
OLSHAN,L.N. . 97/02/26. ELIASON,L.R. Pacific Gas & Electric Co. 3pp. 91951:120-91951:122.

9703130314 Application for amends to licenses DPR-70 & DPR-75,modifying ECCS surveillance test acceptance criteria for centrifugal charging & SI pumps.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/04. Document Control Branch (Document Control Desk). 9pp. 92136:057-92136:072.

--9703130318 Proposed tech specs,modifying ECCS surveillance test acceptance criteria for centrifugal charging & SI pumps.
* Public Service Electric & Gas Co. of New Jersey. 97/03/04. 7pp. 92136:066-92136:072.

9703190084 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/03/13. Document Control Branch (Document Control Desk). 6pp. 92201:355-92201:360.

9703240150 Provides suppl to request to amend TSs 3.4.3 & 3.4.5 per pressurizer power operated relief valves.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/14. Document Control Branch (Document Control Desk). 4pp. 92242:325-92242:328.

9703210005 Forwards safe shutdown capability reassessment for plant units 1 & 2 & technical evaluation rept.
STOLZ,J.F. . 97/03/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 18pp. 92205:148-92205:179.

--9703210009 "Technical Evaluation of Public Service Electric & Gas Co Responses dtd 960619 & 1202 to NRR Rept, 'Safe Shutdown Capability Reassessment for Salem Nuclear Generating Station Units 1 & 2.'"
SULLIVAN,K. Public Service Electric & Gas Co. of New Jersey. 97/01/23. . 14pp. 92205:166-92205:179.

9703240087 Submits suppl to request for change to TSs Section 6.0, administrative controls re Salem & Hope Creek Generating Station Units 1 & 2.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92243:015-92243:017.

9703210268 Ack receipt of 970213 ltr in response to 961006 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.
POSLUSNY,C. . 97/03/18. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92220:308-92220:310.

9703250132 Forwards response to RAI re utils amend request for Margin Recovery Program for plant,dtd 960510.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/19. Document Control Branch (Document Control Desk). 11pp. 92251:167-92251:177.

9703270112 Forwards amends 192 & 175 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends revise Section 6.0 of plant TS to relocate requirements of Section 6.5 to QA program & other listed changes.
OLSHAN,L.N. . 97/03/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 92255:145-92255:188.

--9703270116 Amends 192 & 175 to licenses DPR-70 & DPR-75,respectively, revising Section 6.0 of plant TS to relocate requirements of Section 6.5 to QA program & other listed changes.
STOLZ,J.F. . 97/03/21. 31pp. 92255:148-92255:178.

--9703270119 Safety evaluation supporting amends 192 & 175 to licenses DPR-70 & DPR-75,respectively.
* . 97/03/21. 10pp. 92255:179-92255:188.

Q. Inspection reports, IE Bulletins & correspondence

9703030511 Responds to NRC 970127 ltr re violations noted in insp repts 50-272/96-18,50-311/96-18 & 50-354/96-10.Corrective actions: individual in protected area without photobadge-keycard was counseled.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/02/26. Document Control Branch (Document Control Desk). 10pp. 91956:224-91956:233.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703210101 Second partial response to FOIA request.Records listed in App D encl & will be available in PDR.App C records withheld in entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/11. Affiliation Not Assigned. 4pp. 92205:009-92205:030.

--9703210124 Informs that G Kenna travelled to Hancocks Bridge NJ to assist insp closure re A1-96-029.
LETTS,B.R. Ofc of Investigations (Post 880201). 96/10/29. COOPER,R.W. Region 1 (Post 820201). 1p. 92205:014-92205:014.

--9703210132 Requests answer re plants closure.
NICHOLSON,L. Region 1 (Post 820201). 96/10/02. SMITH,G. Region 1 (Post 820201). 1p. 92205:015-92205:015.

--9703210153 Forwards proposed notice of violation & proposed imposition of civil penalities based on six violations of security program at mentioned plants.
MILLER,H.J. Region 1 (Post 820201). 96/11/25. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. 92205:017-92205:030.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210006 Third final response to FOIA request for documents.Records in App E encl & will be available in PDR.App F records withheld in part (ref FOIA Exemption 3).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. SOLOMON,D.D. Affiliation Not Assigned. 4pp. 92218:121-92218:178.

--9703240061 List of escalated enforcement activities.
* Affiliation Not Assigned. 96/03/11. 5pp. 92218:126-92218:178.

9703240007 Addresses recent facility ltrs related to licensed operator training & forwards notice of violation.
WIGGINS,J.T. Region 1 (Post 820201). 97/03/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 92220:091-92220:096.

--9703240010 Notice of violation identified in correspondence between 961105 & 970212.Violations noted:conducted requalification program such that annual operating test not provided for fourteen plant licensed operators in CY96.
* Region 1 (Post 820201). 97/03/18. 2pp. 92220:095-92220:096.

9703280113 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/96-18, 50-311/96-18 & 50-354/96-18 on 970127.
LINVILLE,J.C. Region 1 (Post 820201). 97/03/18. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 92265:091-92265:103.

9703250216 Responds to NRC 970226 ltr re violations noted in insp repts 50-272/96-18 & 50-311/96-18.Corrective actions:PORV accumulator check valves were satisfactorily tested on 970116.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/20. Document Control Branch (Document Control Desk). 9pp. 92251:316-92251:324.

9703250253 Provides addl technical info discussed in telcon to support relief from commitment to post weld heat treat (PWHT) weld repairs made to SA-351 Grade CD4MCu matl for svc water pumps at Salem & Hope Creek.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92252:094-92252:098.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040020 Forwards "Salem Generating Station Units 1 & 2 Radioactive Effluent Release Report,RERR-41." Rept summarizes liquid & gaseous releases & solid waste shipments from plant for period of Jul-Dec 1996.
GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91979:137-91979:216.

--9703040024 "Salem Generating Radioactive Effluent Release Rept,RERR-41, for Jul-Dec 1996."
* Public Service Electric & Gas Co. of New Jersey. RERR-41. 96/12/31. 80pp. 91979:139-91979:216.

9703040123 Forwards annual repts for Salem & Hope Creek Generating Stations,info per requirements of TS 6.9.1.5.b of App A to licenses DPR-70 & DPR-75 & estimations on annual basis of number of station,util & personnel re greater exposures.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/02/28. Document Control Branch (Document Control Desk). 3pp. 91958:059-91958:277.

--9703040159 "Std Format for Reporting Number of Personnel & Person-Mrem by Work & Job Function for Period from 960101-1231."
* Public Service Electric & Gas Co. of New Jersey. 96/12/31. 216pp. 91958:062-91958:277.

9703240182 Monthly operating rept for Feb 1997 for Salem,Unit 1. W/970311 ltr.
TISDALL,D., PHILLIPS,R., CONICELLA,N. Public Service Electric & Gas Co. of New Jersey. 97/02/28. 8pp. 92242:247-92242:254.

9703280239 "NPDES Discharge Monitoring Rept for Salem Generating Station Units 1 & 2 for Feb 1997." W/970324 ltr.
GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/02/28. CAPORALE,G. New Jersey, State of. 19pp. 92280:058-92280:076.

S. Reportable occurrences, LERs & related correspondence

9703110126 LER 97-003-00:on 970131,new alignment assumes single failure of 125 volt dc channel resulted in two SWS pumps in runout condition which caused insufficient SWS flow rates.Modified SW223 valves for five Unit 2 CFCUs.W/970303 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/03/03. 6pp. 92189:257-92189:262.

9703180195 LER 96-036-01:on 961106,28 volt dc battery capacity was exceeded.Caused by inattention to detail.Replaced lamps installed in CR console push-button stations.W/970307 ltr.
THOMAS,B., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/03/07. 4pp. 92237:171-92237:174.

9703180208 LER 97-002-00:on 970210,chilled water sys single failure vulnerabilities identified.Caused by design deficiency. License change request S97-05 submitted.W/970312 ltr.
HASSLER,D.V., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/03/12. 4pp. 92237:181-92237:184.

9703280229 LER 97-004-00:on 970221,inadequate surveillance testing of molded case circuit breakers were identified.Caused by instantaneous function not accurately specified in procedure.TSSIP has been initiated.W/970321 ltr.
THOMAS,B.J., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/03/21. 4pp. 92296:079-92296:082.

U. Congressional/Executive Correspondence

9703030281 Responds to 970113 & 30 ltrs requesting that full Commission vote to determine whether plant should be permitted to resume operations.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/20. BIDEN,J.R. Senate. 2pp. 91932:289-91932:297.

--9703030309 Commends NRC for decision to place Salem 1 & 2 on watch list.
BIDEN,J.R. Senate. 97/01/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91932:297-91932:297.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703240007 Addresses recent facility ltrs related to licensed operator training & forwards notice of violation.
WIGGINS,J.T. Region 1 (Post 820201). 97/03/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 92220:091-92220:096.

--9703240010 Notice of violation identified in correspondence between 961105 & 970212.Violations noted:conducted requalification program such that annual operating test not provided for fourteen plant licensed operators in CY96.
* Region 1 (Post 820201). 97/03/18. 2pp. 92220:095-92220:096.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703040065 Notifies all NP reactor licensees of potential problem involving protected area access control sys that may exist at site.Suggests that info in safeguards encl be reviewed for applicability to plant & actions be considered.W/o encl.
BLOOM,S.D. . 97/02/20. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 91951:125-91951:126.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703120050 Discusses Japan oil spill & NP intake & possibilities of such event occurring at SONGS or DCNPP.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 1p. 92108:046-92108:046.

P. Operating license stage documents & correspondence

9703040126 Forwards amends to licenses DPR-80 & DPR-82,changing surveillance frequency for several TS from at least once every 18 months to at least once per refueling interval.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/14. Document Control Branch (Document Control Desk). 2pp. 91959:093-91959:182.

--9703040130 Application for amends to licenses DPR-80 & DPR-82,revising at plant.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/14. 14pp. 91959:095-91959:108.

--9703040132 Proposed tech specs,supporting implementation of extended fuel cycles.
* Pacific Gas & Electric Co. 97/02/14. 74pp. 91959:109-91959:182.

9703040035 Submits revised TS pp in support of license amend request 96-04 proposing addition of SR 4.7.4.2.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91960:046-91960:049.

--9703040040 Proposed tech specs adding SR 4.7.4.2 to pp 3/4 7-12.
* Pacific Gas & Electric Co. 97/02/24. 1p. 91960:049-91960:049.

9703050148 Forwards non-proprietary WCAP-14796 & proprietary WCAP-14795, "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methodology." Proprietary rept withheld,per 10CFR2.90.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/25. Document Control Branch (Document Control Desk). 8pp. 91981:001-91981:180.

--9703050161 Requests that proprietary WCAP-14795, "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methology," be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. 96/12/18. MIRAGLIA,F.J. Document Control Branch (Document Control Desk). 7pp. 91981:009-91981:015.

--9703050171 Non-proprietary "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methodology."
* Westinghouse Electric Corp. WCAP-14796. 96/12/31. 166pp. 91981:016-91981:180.

9703060441 Forwards amends to licenses & TS,modifying SG tube plugging criteria in TS 3.4.5 & allowable leakage limit in TS 3.4.6.2.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92001:186-92001:294.

–**9703060444** Application for amends to licenses DPR-80 & DPR-82,revising various TS needed to support implementation of voltage-based SG tube plugging criteria at DCPP.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/26. 16pp. 92001:188-92001:203.

–**9703060446** Proposed tech specs,modifying SG tube plugging criteria in TS 3.4.5 & allowable leakage limit in TS 3.4.6.2.
* Pacific Gas & Electric Co. 97/02/26. 90pp. 92001:204-92001:294.

9703030349 Summary of 970130 meeting w/PG&E in Rockville,MD re status of penetration seal program.List of attendees & handouts encl.
BLOOM,S.D. . 97/02/27. . 31pp. 91938:274-91938:304.

9703070145 Application for amends to licenses DPR-80 & DPR-82,proposing to revise TS 3/4.8.1.1, "AC Sources - Operating," to clarify that EDG testing is initiating from "standby" conditions rather that "ambient" conditions.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/27. Document Control Branch (Document Control Desk). 12pp. 92056:334-92056:358.

–**9703070147** Proposed tech specs revising TS 3/4.8.1.1, "AC Sources - Operating," to clarify that EDG testing is initiated from "standby" conditions rather than "ambient" conditions.
* Pacific Gas & Electric Co. 97/02/27. 13pp. 92056:346-92056:358.

9703120446 Ack receipt of 970206 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
BLOOM,S.D. . 97/03/04. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 92079:278-92079:279.

9703180175 Forwards comments on draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," per 961213 request.
RUEGER,G.M. Pacific Gas & Electric Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92190:345-92190:346.

9703130291 Notification of 970325 meeting w/util in Rockville,MD to discuss ASW bypass piping mod & use of elbow taps.
BLOOM,S.D. . 97/03/11. BATEMAN,W.H. . 3pp. 92109:307-92109:309.

9703200292 Informs that licensee 970131 request to withhold WCAP-11082, Rev 5,WCAP-11594,Rev 2 & WCAP-14646,Rev 1 from public disclosure,per 10CFR2.790,granted.
BLOOM,S.D. . 97/03/13. SEPP,H.A. Westinghouse Electric Corp. 4pp. 92204:355-92204:358.

9703280448 Provides update to response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design-Basis Accident Conditions."
WOMACK,L.F. Pacific Gas & Electric Co. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92291:132-92291:135.

9703250064 Forwards rev of Bases for TS 3/4.9.2, "Refueling Operations - Instrumentation," which allows use of alternate source range detector during Mode 6.
RUEGER,G.M. Pacific Gas & Electric Co. 97/03/18. Document Control Branch (Document Control Desk). 9pp. 92251:266-92251:278.

–**9703250065** Proposed tech specs revising TS 3/4.9.2, "Refueling Operations - Instrumentation," allowing use of an alternate source range detector during Mode 6.
* Pacific Gas & Electric Co. 97/03/18. 4pp. 92251:275-92251:278.

9703280305 Summary of 961120 meeting w/PG&E & Westinghouse in Rockville,MD to discuss SG alternate repair criteria & tube support plate issues.List of attendees & handout,encl.
BLOOM,S.D. Region 2 (Post 820201). 97/03/25. Region 2 (Post 820201). 165pp. 92262:030-92262:195.

Q. Inspection reports, IE Bulletins & correspondence

9703120007 Forwards insp rept 50-275/96-24 & 50-323/96-24 on 961222-970201 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/02/26. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 92069:108-92069:145.

–**9703120011** Notice of violation from insp on 961222-0201.Violation noted:Plant Staff Review Committee approved increasing unit 2 reactor coolant flow-low trip setpoint in TS based on increased measurement uncertainties w/o written SE.
* Region 4 (Post 820201). 97/02/26. 2pp. 92069:113-92069:114.

–**9703120017** Insp repts 50-275/96-24 & 50-323/96-24 on 961222-970201. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 97/02/26. 32pp. 92069:115-92069:145.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703200142 Ack receipt of 970214 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/96-23 & 50-323/96-23.
HOWELL,A.T. Region 4 (Post 820201). 97/03/11. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 92188:356-92188:358.

9703200154 Ack receipt of 970210 informing NRC of steps taken to correct violations noted in insp rept 50-375/96-21 & 50-323/96-21 on 970109.
HOWELL,A.T. Region 4 (Post 820201). 97/03/11. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 92189:012-92189:015.

9703130395 Forwards RAI re plant,units 1 & 2 second 10 yr interval ISI program plan & associated requests for relief.
BLOOM,S.D. . 97/03/12. RUEGER,G.M. Pacific Gas & Electric Co. 10pp. 92080:347-92080:356.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110134 "1996 Annual Summary Rept on Discharge Monitoring at DCPP." W/ 970228 ltr.
POWERS,R.P. Pacific Gas & Electric Co. 96/12/31. BRIGGS,R.W. California, State of. 66pp. 92120:279-92120:344.

9703260315 "Tabulation of Personnel Exposuré to Radiation for 1996." W/970320 ltr.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/31. 5pp. 92253:353-92253:357.

9703070201 Forwards semi-annual fitness for duty performance rept for period of Jul-Dec 1996.
POWERS,R.P. Pacific Gas & Electric Co. 97/02/28. Document Control Branch (Document Control Desk). 7pp. 92030:354-92030:361.

9703240179 Monthly operating repts for Feb 1997 for Diablo Canyon, Units 1 & 2.W/ 970317 ltr.
COLEY,W.E., FARRER,D., POWERS,R.P. Pacific Gas & Electric Co. 97/02/28. 13pp. 92241:189-92241:201.

S. Reportable occurrences, LERs & related correspondence

9703040138 LER 95-003-01:on 950315,fire barriers were noted outside design basis due to inadequate testing qualification basis. Fire watches implemented as compensatory measure IAW equipment control guidance assemblies.W/970226 ltr.
BACKMAN,V.A., POWERS,R.P. Pacific Gas & Electric Co. 97/02/26. 11pp. 91972:247-91972:257.

9703100013 LER 94-010-01:on 940510,plant shut down due to degraded condition on C Phase 500 kV transformer.Replaced all three phases of main bank transformer w/ transformers designed & manufactured by different vendor.W/970228 ltr.
BACKMAN,V.A., POWERS,R.P. Pacific Gas & Electric Co. 97/02/28. 8pp. 92108:353-92108:360.

9703110082 LER 97-001-00:on 970131,CCWS has operated w/procedural guidance that permitted operation outside design basis of plant.Revised EOP E-1.4 "Transfer to Hot Leg Recirculation." W/970303 ltr.
BACKMAN,V., WOMACK,L.F. Pacific Gas & Electric Co. 97/03/03. 13pp. 92109:075-92109:087.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703040239 Revised EPIPs,including revs to PBAPS ERP Index & rev 6 to ERP-680, "Control of Thyroid Blocking Potassium Iodide (KI) Tablets." W/970226 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/26. 11pp. 91979:241-91979:251.

9703190010 Rev 10 to Nuclear Emergency Plan Table of Contents. W/970310 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/10. 12pp. 92197:289-92197:300.

9703170172 Notification of 970414 meeting w/util in North Bethesda,MD to discuss PECO plans & schedules for resolution of Thermo lag fire barrier issues at Peach Bottom & Limerick.
SHEA,J.W. . 97/03/13. STOLZ,J.F. . 4pp. 92131:273-92131:276.

H. General correspondence

9703210350 Request that listed changes be made to document svc list re PBAPS,Units 2 & 3.
HENRICK,W.T. Public Service Electric & Gas Co. of New Jersey. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92235:274-92235:274.

I. Financial information

9703180252 "PECO 1996 Annual Rept." W/970311 ltr.
PAQUETTE,J.F., MCNEILL,C.A., HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/31. 49pp. 92200:001-92200:051.

P. Operating license stage documents & correspondence

9703030022 Forwards amends 218 & 221 to licenses DPR-44 & DPR-56 & safety evaluation.Amends change min allowable charging water header pressure from value of 995 psig to value of 940 psig in TS 3.10.8.
SHEA,J.W. . 97/02/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91945:345-91945:359.

--9703030030 Amends 218 & 221 to licenses DPR-44 & DPR-56,respectively, changing min allowable charging water header pressure from value 955 psig to value of 940 psig in TS 3.10.8.
STOLZ,J.F. . 97/02/19. 9pp. 91945:349-91945:356.

--9703030036 Safety evaluation supporting amends 218 & 221 to licenses DPR-44 & DPR-56,respectively.
* . 97/02/19. 3pp. 91945:357-91945:359.

9703040250 Resubmits proposed changes to QA program re request for approval to change description involving vendor evaluations for Units 1 & 2 & description involving lead auditor qualification for Units 2 & 3.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/24. Document Control Branch (Document Control Desk). 13 pp. 91979:303-91979:315.

9703110076 Forwards response to request for addl info re facility operating license change request 93-18,requesting replacement of source range & intermediate range monitors w/ new wide range neutron monitoring sys.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92071:356-92071:360.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703060183 Ack receipt of 970204 ltr in response to 961009 request for info,per 10CFR50.54(f) re adequancy & availability of design bases info.
SHEA,J.W. . 97/03/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91999:195-91999:198.

9703170172 Notification of 970414 meeting w/util in North Bethesda,MD to discuss PECO plans & schedules for resolution of Thermo lag fire barrier issues at Peach Bottom & Limerick.
SHEA,J.W. . 97/03/13. STOLZ,J.F. . 4pp. 92131:273-92131:276.

9703240229 Forwards response to GL 96-05 re periodic verification of design basis capability of SR MOVs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/14. Document Control Branch (Document Control Desk). 9pp. 92242:316-92242:324.

9703250026 Submits proposed deferral dates for implementation of solution in response to GL 94-02, "Long Term Solutions & Upgrade of Interim Operating Recommendations for Thermal Hydraulic Instabilities in Boiling Water Reactors."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/19. Document Control Branch (Document Control Desk). 2pp. 92249:355-92249:356.

9703250039 Requests withdrawal of 950113 license change request 94-07 re rev to frequency of calibr for Local Power Range Monitors.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/19. Document Control Branch (Document Control Desk). 2pp. 92252:124-92252:125.

Q. Inspection reports, IE Bulletins & correspondence

9703040146 Discusses insp repts 50-277/97-03 & 50-278/97-03 on 961208- 970131 & forwards NOV.
WHITE,J.R. Region 1 (Post 820201). 97/02/10. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91971:110-91971:130.

--9703040149 Notice of violation from insp on 961208-970131.Violation noted:from 960718-29,during mod to turbine bldg,licensee did not assure that turbine bldg atmosphere exhausted through penetrations in bldg wall.
* Region 1 (Post 820201). 97/02/10. 2pp. 91971:114-91971:115.

--9703040154 Insp repts 50-277/97-03 & 50-278/97-03 on 961209-970131. Violations noted.Major areas inspected:areas involving radiological environ monitoring programs.
* Region 4 (Post 820201). 97/02/10. 14pp. 91971:116-91971:130.

9703110025 Responds to NRC 970203 ltr re violations noted in insp repts 50-277/96-11,50-278/96-11,50-352/96-03,50-353/96-03, 50-352/96-08 & 50-353/96-08.Corrective actions:procedures revised & implemented.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/27. Document Control Branch (Document Control Desk). 3pp. 92073:355-92073:357.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703060379 Forwards RAI re Bulletin 95-02 for LGS units 1 & 2 & PBAPS units 2 & 3.
RINALDI,F. . 97/03/04. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 91999:168-91999:172.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703120140 Forwards slides for Pre-Decisional Enforcement Conference held on 961206,inadvertently omitted from insp repts 50-277/96-09 & 50-278/96-09.
PASCIAK,W.J. Region 1 (Post 820201). 97/03/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 19pp. 92035:145-92035:163.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180183 Ack receipt of 970227 ltr informing NRC of steps taken to correct violations noted in insps 50-352/96-08,50-353/96-08, 50-277/96-11 & 50-278/96-11.Exam of corrective actions will be done during future insp.
KEIMIG,R.R. Region 1 (Post 820201). 97/03/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 92134:225-92134:230.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270169 Responds to NRC 970210 ltr re violations noted in insp repts 50-277/97-03 & 50-278/97-03.Corrective actions:will present lessons learned from event & will reinforce use of ODCM & other licensing bases documents.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92268:094-92268:098.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040249 Forwards performance data for util FFD program for period July 1996 through Dec 1996.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/27. Document Control Branch (Document Control Desk). 19pp. 91979:283-91979:302.

9703180018 Monthly operating repts for Feb 1997 for PBAPS.W/970307 ltr.
HYDRICK,L.P., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/28. 14pp. 92193:299-92193:312.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703180100 Notification of 970410 meeting w/util in North Bethesda,MD to discuss util plan to build spent fuel dry storage facility at plant,Units 1 & 2.
SHEA,J.W. . 97/03/14. STOLZ,J.F. . 4pp. 92147:347-92147:350.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703040239 Revised EPIPs,including revs to PBAPS ERP Index & rev 6 to ERP-680, "Control of Thyroid Blocking Potassium Iodide (KI) Tablets." W/970226 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/26. 11pp. 91979:241-91979:251.

9703190010 Rev 10 to Nuclear Emergency Plan Table of Contents. W/970310 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/10. 12pp. 92197:289-92197:300.

9703170172 Notification of 970414 meeting w/util in North Bethesda,MD to discuss PECO plans & schedules for resolution of Thermo lag fire barrier issues at Peach Bottom & Limerick.
SHEA,J.W. . 97/03/13. STOLZ,J.F. . 4pp. 92131:273-92131:276.

H. General correspondence

9703210350 Request that listed changes be made to document svc list re PBAPS,Units 2 & 3.
HENRICK,W.T. Public Service Electric & Gas Co. of New Jersey. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92235:274-92235:274.

I. Financial information

9703180252 "PECO 1996 Annual Rept." W/970311 ltr.
PAQUETTE,J.F., MCNEILL,C.A., HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/31. 49pp. 92200:001-92200:051.

P. Operating license stage documents & correspondence

9703030022 Forwards amends 218 & 221 to licenses DPR-44 & DPR-56 & safety evaluation.Amends change min allowable charging water header pressure from value of 995 psig to value of 940 psig in TS 3.10.8.
SHEA,J.W. . 97/02/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91945:345-91945:359.

--9703030030 Amends 218 & 221 to licenses DPR-44 & DPR-56,respectively, changing min allowable charging water header pressure from value 955 psig to value of 940 psig in TS 3.10.8.
STOLZ,J.F. . 97/02/19. 9pp. 91945:349-91945:356.

--9703030036 Safety evaluation supporting amends 218 & 221 to licenses DPR-44 & DPR-56,respectively.
* . 97/02/19. 3pp. 91945:357-91945:359.

9703040250 Resubmits proposed changes to QA program re request for approval to change description involving vendor evaluations for Units 1 & 2 & description involving lead auditor qualification for Units 2 & 3.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/24. Document Control Branch (Document Control Desk). 13 pp. 91979:303-91979:315.

9703110076 Forwards response to request for addl info re facility operating license change request 93-18,requesting replacement of source range & intermediate range monitors w/ new wide range neutron monitoring sys.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92071:356-92071:360.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703060183 Ack receipt of 970204 ltr in response to 961009 request for info,per 10CFR50.54(f) re adequancy & availability of design bases info.
SHEA,J.W. . 97/03/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91999:195-91999:198.

9703170233 Responds to 970130 telcon RAI re license change application ECR 96-02609,which revises TS Section 2.0, "Safety Limits." Response contains proprietary info & GE requests that document be withheld per 10CFR2.790(a)(4).
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92177:035-92177:037.

9703170172 Notification of 970414 meeting w/util in North Bethesda,MD to discuss PECO plans & schedules for resolution of Thermo lag fire barrier issues at Peach Bottom & Limerick.
SHEA,J.W. . 97/03/13. STOLZ,J.F. . 4pp. 92131:273-92131:276.

9703240229 Forwards response to GL 96-05 re periodic verification of design basis capability of SR MOVs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/14. Document Control Branch (Document Control Desk). 9pp. 92242:316-92242:324.

9703250026 Submits proposed deferral dates for implementation of solution in response to GL 94-02, "Long Term Solutions & Upgrade of Interim Operating Recommendations for Thermal Hydraulic Instabilities in Boiling Water Reactors."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/19. Document Control Branch (Document Control Desk). 2pp. 92249:355-92249:356.

9703250039 Requests withdrawal of 950113 license change request 94-07 re rev to frequency of calibr for Local Power Range Monitors.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/19. Document Control Branch (Document Control Desk). 2pp. 92252:124-92252:125.

9703280336 Forwards RAI re proposed alternative reactor pressure vessel exam for plant unit 3.
SHEA,J.W. . 97/03/26. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 92276:162-92276:165.

Q. Inspection reports, IE Bulletins & correspondence

9703040146 Discusses insp repts 50-277/97-03 & 50-278/97-03 on 961208- 970131 & forwards NOV.
WHITE,J.R. Region 1 (Post 820201). 97/02/10. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91971:110-91971:130.

--9703040149 Notice of violation from insp on 961208-970131.Violation noted:from 960718-29,during mod to turbine bldg,licensee did not assure that turbine bldg atmosphere exhausted through penetrations in bldg wall.
* Region 1 (Post 820201). 97/02/10. 2pp. 91971:114-91971:115.

--9703040154 Insp repts 50-277/97-03 & 50-278/97-03 on 961209-970131. Violations noted.Major areas inspected:areas involving radiological environ monitoring programs.
* Region 4 (Post 820201). 97/02/10. 14pp. 91971:116-91971:130.

9703110025 Responds to NRC 970203 ltr re violations noted in insp repts 50-277/96-11,50-278/96-11,50-352/96-03,50-353/96-03, 50-352/96-08 & 50-353/96-08.Corrective actions:procedures revised & implemented.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/27. Document Control Branch (Document Control Desk). 3pp. 92073:355-92073:357.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703060379 Forwards RAI re Bulletin 95-02 for LGS units 1 & 2 & PBAPS units 2 & 3.
RINALDI,F. . 97/03/04. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 91999:168-91999:172.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703120140 Forwards slides for Pre-Decisional Enforcement Conference held on 961206,inadvertently omitted from insp repts 50-277/96-09 & 50-278/96-09.
PASCIAK,W.J. Region 1 (Post 820201). 97/03/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 19pp. 92035:145-92035:163.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180183 Ack receipt of 970227 ltr informing NRC of steps taken to correct violations noted in insps 50-352/96-08,50-353/96-08, 50-277/96-11 & 50-278/96-11.Exam of corrective actions will be done during future insp.
KEIMIG,R.R. Region 1 (Post 820201). 97/03/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 92134:225-92134:230.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270169 Responds to NRC 970210 ltr re violations noted in insp repts 50-277/97-03 & 50-278/97-03.Corrective actions:will present lessons learned from event & will reinforce use of ODCM & other licensing bases documents.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92268:094-92268:098.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040249 Forwards performance data for util FFD program for period July 1996 through Dec 1996.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/27. Document Control Branch (Document Control Desk). 19pp. 91979:283-91979:302.

9703180018 Monthly operating repts for Feb 1997 for PBAPS.W/970307 ltr.
HYDRICK,L.P., WARNER,M.E. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/28. 14pp. 92193:299-92193:312.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703180100 Notification of 970410 meeting w/util in North Bethesda,MD to discuss util plan to build spent fuel dry storage facility at plant,Units 1 & 2.
SHEA,J.W. . 97/03/14. STOLZ,J.F. . 4pp. 92147:347-92147:350.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

J. Insurance & indemnity information

9703130263 Forwards nuclear liability insurance endorsements for Surry Power Station Units 1 & 2 and North Anna Power Station Units 1 & 2.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. Document Control Branch (Document Control Desk). 45pp. 92127:177-92127:222.

9703130399 Forwards Endorsements 133,134,135,136 & 137 to NELIA Policy NF-186,Endorsements 112,113,114 & 115 to MAELU Policy MF-057 & Endorsements 15 & 16 to NELIA Certificate NW-094.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. . 45pp. 92127:223-92127:267.

9703130407 Confirms that primary policy provided by Nuclear Mutual Ltd. Excess nuclear property insurance provided by Nuclear Electric Insurance Limited II & Nuclear Electric Insurance III.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. Document Control Branch (Document Control Desk). 1p. 92128:069-92128:069.

P. Operating license stage documents & correspondence

9703040001 Advises that improved Tech Specs submittals have been temporarily deferred & schedules for submittals are under evaluation.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91958:357-91958:358.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

-9309150344 Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

-9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703070096 Discusses 961009 response to request for info,per 10CFR50.54 (f) re adequacy & availability of design bases info for listed plants.
EDISON,G.E. . 97/03/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91998:360-91998:361.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

-9703120193 Provides summary of discussion & staff actions re 950921 plant performance review.List of participants,changes to MIP & matrix trend charts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

9703180235 Submits info re GL 96-05, "Periodic Verification of Design- Basis Capability of SR MOVs."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92193:166-92193:172.

9703200236 Notification of 970325 meeting w/util in Glen Allen,VA to discuss detailed assessments & data needs for rebaselining initiative for facility using NUREG-1465 source terms.
ZALCMAN,B. . 97/03/18. MATTHEWS,D.B. . 4pp. 92204:224-92204:227.

9703250200 Requests TS 4.15 be revised to include pp inadvertently omitted from 970203 request for amend to TSs to licenses DPR-32 & DPR-37,deleting specific ref to 1972 Winter Addenda of ASME Section XI Code & replacing it w/generic ref.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92257:147-92257:152.

-9703250204 Proposed tech specs rev to Section 4.15 for Surry Power Station to include pp inadvertently omitted from 970203 request for amend to licenses DPR-32 & DPR-37.
* Virginia Power (Virginia Electric & Power Co.). 97/03/18. 4pp. 92257:149-92257:152.

9703250234 Discusses discharge monitoring report-quality assurance (DMR-QA) results for VA Power facilities.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 97/03/19. STEWARD,R. Virginia, Commonwealth of. 15pp. 92251:083-92251:097.

9703250137 Informs that util current schedule to complete assessment of severe accident mgt capabilities & make identified enhancement revised to 980130 instead of 970731.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92252:103-92252:104.

9703260405 Responds to RAI re exemption from criticality accident monitoring requirements.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/24. Document Control Branch (Document Control Desk). 5pp. 92299:024-92299:028.

Q. Inspection reports, IE Bulletins & correspondence

9703040188 Confirms telcon between D Sommers & G Belisle on 970220 re predecisional enforcement conference scheduled for 970311 to discuss issues re insp of implementation of 10CFR50.65, "Requirements for Monitoring Effectiveness of Maint at NPP."
BELISLE,G.A. Region 2 (Post 820201). 97/02/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91945:081-91945:083.

9703040225 Forwards insp repts 50-280/96-13,50-281/96-13 on 961215- 970125 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 97/02/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 91957:066-91957:095.

-9703040236 Notice of violation from insp on 961215-970125.Violation noted:activities not accomplished in accordance w/documented drawings.
* Region 2 (Post 820201). 97/02/24. 2pp. 91957:070-91957:071.

-9703040315 Insp repts 50-280/96-13,50-281/96-13 on 961215-970125. Violations noted.Major areas inspected:licensee operations, engineering,maintenace & plant support.
* Region 2 (Post 820201). 97/02/24. 24pp. 91957:072-91957:095.

9703040186 Ack receipt of 970210 ltr informing NRC of steps taken to correct violations noted in insps 50-280/96-12 & 50-281/96-12.Corrective actions will be examined during future insps.
BELISLE,G.A. Region 2 (Post 820201). 97/02/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91945:078-91945:080.

9703100220 A PILOT APPLICATION OF RISK-INFORMED METHODS TO ESTABLISH INSERVICE INSPECTION PRIORITIES FOR NUCLEAR COMPONENTS AT SURRY UNIT 1 NUCLEAR POWER STATION.
VO,T.V., PHAN,H.K., GORE,B.F. Division of Engineering Technology (Post 941217). FIN B-2289. NUREG/CR-6181 R01. 97/02/28. 74pp. 92027:244-92027:317.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703280002 Submits summary of 970311 meeting in Atlanta,GA to discuss issues re insp of implementation of 10CFR50.65.List of attendees & matl used in presentation encl.
BELISLE,G.A. Region 2 (Post 820201). 97/03/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 48pp. 92264:216-92264:264.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280225 Responds to NRC 970224 ltr re violations noted in insp repts 50-280/96-13 & 50-281/96-13.Corrective actions:welds on subject pipe supports were reinspected & found to be acceptable.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/24. Document Control Branch (Document Control Desk). 5pp. 92280:040-92280:044.

R. Periodic operating reports & related correspondence

9703040240 Addresses plant Annual Radioactive Effluent Release Rept for 960101-1231 per ISFSI TS 1.4.1 of App C.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/02/28. Document Control Branch (Document Control Desk). 1p. 91992:310-91992:310.

9703180027 Monthly operating repts for Feb 1997 for SPS.W/970312 ltr.
MASON,D.K., KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 97/02/28. 21pp. 92193:339-92193:359.

S. Reportable occurrences, LERs & related correspondence

9703260334 LER 97-003-00:on 970219,loss of pressurizer heaters resulted in Manual U1 trip & U2 ESF actuation.Caused by loss of Group C pressurizer proportional heaters.Reactor trip breakers were verified open.W/970319 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 97/03/19. 6pp. 92275:203-92275:208.

V. Operator Examinations

9703270097 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative of facility to submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92256:053-92256:055.

9703280053 Provides response to questions raised during NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. LLEWELLYN,D.T. Virginia Power (Virginia Electric & Power Co.). 2pp. 92265:022-92265:023.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703120380 Informs that SM McDuffie assumed project mgt responsibilities for plant ISFSI.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 97/03/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92125:001-92125:003.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

J. Insurance & indemnity information

9703130263 Forwards nuclear liability insurance endorsements for Surry Power Station Units 1 & 2 and North Anna Power Station Units 1 & 2.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. Document Control Branch (Document Control Desk). 45pp. 92127:177-92127:222.

9703130399 Forwards Endorsements 133,134,135,136 & 137 to NELIA Policy NF-186,Endorsements 112,113,114 & 115 to MAELU Policy MF-057 & Endorsements 15 & 16 to NELIA Certificate NW-094.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. . 45pp. 92127:223-92127:267.

9703130407 Confirms that primary policy provided by Nuclear Mutual Ltd. Excess nuclear property insurance provided by Nuclear Electric Insurance Limited II & Nuclear Electric Insurance III.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. Document Control Branch (Document Control Desk). 1p. 92128:069-92128:069.

P. Operating license stage documents & correspondence

9703040001 Advises that improved Tech Specs submittals have been temporarily deferred & schedules for submittals are under evaluation.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91958:357-91958:358.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9309150344 Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

--9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703070096 Discusses 961009 response to request for info,per 10CFR50.54 (f) re adequacy & availability of design bases info for listed plants.
EDISON,G.E. . 97/03/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91998:360-91998:361.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120193 Provides summary of discussion & staff actions re 950921 plant performance review.List of participants,changes to MIP & matrix trend charts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

9703180235 Submits info re GL 96-05, "Periodic Verification of Design- Basis Capability of SR MOVs."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92193:166-92193:172.

9703200236 Notification of 970325 meeting w/util in Glen Allen,VA to discuss detailed assessments & data needs for rebaselining initiative for facility using NUREG-1465 source terms.
ZALCMAN,B. . 97/03/18. MATTHEWS,D.B. . 4pp. 92204:224-92204:227.

9703250200 Requests TS 4.15 be revised to include pp inadvertently omitted from 970203 request for amend to TSs to licenses DPR-32 & DPR-37,deleting specific ref to 1972 Winter Addenda of ASME Section XI Code & replacing it w/generic ref.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92257:147-92257:152.

--9703250204 Proposed tech specs rev to Section 4.15 for Surry Power Station to include pp inadvertently omitted from 970203 request for amend to licenses DPR-32 & DPR-37.
* Virginia Power (Virginia Electric & Power Co.). 97/03/18. 4pp. 92257:149-92257:152.

9703250234 Discusses discharge monitoring report-quality assurance (DMR-QA) results for VA Power facilities.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 97/03/19. STEWARD,R. Virginia, Commonwealth of. 15pp. 92251:083-92251:097.

9703250137 Informs that util current schedule to complete assessment of severe accident mgt capabilities & make identified enhancement revised to 980130 instead of 970731.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92252:103-92252:104.

9703280405 *Responds to RAI re exemption from criticality accident monitoring requirements.*
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/24. Document Control Branch (Document Control Desk). 5pp. 92299:024-92299:028.

Q. Inspection reports, IE Bulletins & correspondence

9703040188 Confirms telcon between D Sommers & G Belisle on 970220 re predecisional enforcement conference scheduled for 970311 to discuss issues re insp of implementation of 10CFR50.65, "Requirements for Monitoring Effectiveness of Maint at NPP."
BELISLE,G.A. Region 2 (Post 820201). 97/02/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91945:081-91945:083.

9703040225 Forwards insp repts 50-280/96-13,50-281/96-13 on 961215- 970125 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 97/02/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 91957:066-91957:095.

--9703040236 Notice of violation from insp on 961215-970125.Violation noted:activities not accomplished in accordance w/documented drawings.
* Region 2 (Post 820201). 97/02/24. 2pp. 91957:070-91957:071.

--9703040315 Insp repts 50-280/96-13,50-281/96-13 on 961215-970125. Violations noted.Major areas inspected:licensee operations, engineering,maintenace & plant support.
* Region 2 (Post 820201). 97/02/24. 24pp. 91957:072-91957:095.

9703040186 Ack receipt of 970210 ltr informing NRC of steps taken to correct violations noted in insps 50-280/96-12 & 50-281/96-12.Corrective actions will be examined during future insps.
BELISLE,G.A. Region 2 (Post 820201). 97/02/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91945:078-91945:080.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703280002 Submits summary of 970311 meeting in Atlanta,GA to discuss issues re insp of implementation of 10CFR50.65.List of attendees & matl used in presentation encl.
BELISLE,G.A. Region 2 (Post 820201). 97/03/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 48pp. 92264:216-92264:264.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280225 Responds to NRC 970224 ltr re violations noted in insp repts 50-280/96-13 & 50-281/96-13.Corrective actions:welds on subject pipe supports were reinspected & found to be acceptable.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/24. Document Control Branch (Document Control Desk). 5pp. 92280:040-92280:044.

R. Periodic operating reports & related correspondence

9703040240 Addresses plant Annual Radioactive Effluent Release Rept for 960101-1231 per ISFSI TS 1.4.1 of App C.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/02/28. Document Control Branch (Document Control Desk). 1p. 91992:310-91992:310.

9703180027 Monthly operating repts for Feb 1997 for SPS.W/970312 ltr.
MASON,D.K., KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 97/02/28. 21pp. 92193:339-92193:359.

S. Reportable occurrences, LERs & related correspondence

9703260311 LER 97-001-00:on 970218,manual reactor trip & ESF actuation occurred due to loss of EHC control power.Caused by momentary short.Relay card was replaced.W/970319 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 97/03/19. 6pp. 92275:193-92275:198.

V. Operator Examinations

9703270097 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative of facility to submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92256:053-92256:055.

9703280053 Provides response to questions raised during NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. LLEWELLYN,D.T. Virginia Power (Virginia Electric & Power Co.). 2pp. 92265:022-92265:023.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703120380 Informs that SM McDuffie assumed project mgt responsibilities for plant ISFSI.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 97/03/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92125:001-92125:003.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703060156 Revised EPIPs,including rev 1 to "Table of Contents-Record of Revs," rev 1 to ESP-NEP-2101, "Corporate Emergency...," rev 1 to ESP-NEP-2102,rev 1 to ESP-NEP-2104,rev 1 to ESP-NEP-2105,rev 1 to ESP-NEP-2106 & rev 1 to ESP-NEP-2107.
JOHNSON-LADD Northern States Power Co. 97/02/26. 68pp. 92009:219-92009:286.

9703070138 Revised EPIPs,including Rev 1 to ESP-NEP-2101,Rev 1 to ESP-NEP-2102,Rev 1 to ESP-NEP-2104,Rev 1 to ESP-NEP-2105,Rev 1 to ESP-NEP-2106 & Rev 1 to ESP-NEP-2107.
JOHNSON-LADD Northern States Power Co. 97/02/26. 66pp. 92029:239-92029:306.

G. Adjudicatory correspondence

9703060078 Forwards Northern States Power Co quarterly status rept relating to proposed Goodhue County facility,pursuant to Licensing Board 961203 memo & order.
SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #197 18175. 97/02/21. BECHHOEFER,C., SHON,F.J., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 5pp. 91970:163-91970:167.

H. General correspondence

9703140076 Expresses appreciation for 970205 meeting in Rockville,MD to discuss concerns re Prairie Island Nuclear Generating Plant & safety issues to Prairie Island Indian Community.
CAMPBELL,C.C. Prairie Island Mdewakanton Sioux Indian Community. 97/01/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 92115:352-92115:355.

9703030042 Responds to 970114 ltr to C Haughney re SAR for ISFSI at plant.Unloading procedure for dry cask storage casks inspected by NRC & found to provide adequate guidance to control unloading process.
MARCUS,G.H. . 97/02/25. CROCKER,G. Affiliation Not Assigned. 5pp. 91946:006-91946:010.

9703030089 Responds to 970118 ltr to E Easton & to question re environ radiation associated w/ISFSIs.Licensees required to provide annual rept of effluents released from reactor facilities & ISFSIs.
MARCUS,G.H. . 97/02/25. SMIT,C.T. Affiliation Not Assigned. 6pp. 91940:348-91940:352.

I. Financial information

9703130253 Forwards "Amended & Restated Nuclear Decommissioning Trust Agreement," dtd 961126 to ensure that NRC records are current.
ANDERSON,R.O. Northern States Power Co. 97/02/26. Document Control Branch (Document Control Desk). 25pp. 92127:298-92127:322.

J. Insurance & Indemnity Information

9703240085 Forwards summary of nuclear property insurance as of 970401 for util,per 10CFR50.54(w)(3).
ANDERSON,R.O. Northern States Power Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92242:303-92242:304.

P. Operating license stage documents & correspondence

9703060239 Ack receipt of NSP 970211 response to NRC 961009 RAI,per 10CFR50.54 re adequacy & availibility of design bases info.
WETZEL,B.A. . 97/02/28. ANDERSON,R.O. Northern States Power Co. 6pp. 91991:345-91991:350.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703130251 Forwards rev 0 to COLR for Prairie Island Unit 2 Cycle 18 IAW requirements of TS Section 6.7.A.6.Rept has been revised to incorporate listed changes.
SORENSEN,J.P. Northern States Power Co. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92127:323-92127:348.

--9703130252 Rev 0 to "COLR Unit 2 - Cycle 18."
* Northern States Power Co. 97/03/03. 24pp. 92127:325-92127:348.

9703070104 Forwards correction to amends 127 & 119 to licenses DPR-42 & DPR-60,respectively.Staff SE refer to TS 3.3.4.2.g instead of TS 3.3.A.Amends revised TS 3.3.A & associated bases to allow SI pump testing.
WETZEL,B.A. . 97/03/04. ANDERSON,R.O. Northern States Power Co. 4pp. 91999:160-91999:167.

9703120396 Notification of 970312 meeting w/util in Rockville,MD to discuss issues pertaining to Prairie Island amend of cooling water sys emergency intake design bases.
WETZEL,B.A. . 97/03/07. HANNON,J.N. . 8pp. 92079:281-92079:288.

9703120439 Forwards evaluation of 970213 request for info re application of F* & EF* SG tube criteria for plant,Units 1 & 2.Response consistent w/original assessment provided w/Unit 2 F* license amend,dtd 950515.
WETZEL,B.A. . 97/03/07. ANDERSON,R.O. Northern States Power Co. 6pp. 92079:254-92079:259.

9703130392 Forwards suppl 3 to 970129 license amend request re cooling water sys emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92128:058-92128:068.

--9703130404 Suppl 3 to application for amends to licenses DPR-42 & DPR-60 re cooling water sys emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/07. 4pp. 92128:060-92128:063.

--9703130409 Proposed tech specs re cooling water sys emergency intake design basis.
* Northern States Power Co. 97/03/07. 5pp. 92128:064-92128:068.

9703140082 Provides suppl 3 to LAR dtd 970129 re amend of CWS emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92143:001-92143:230.

--9703140148 Application for amends to licenses DPR-42 & DPR-60,revising CWS Emergency Intake Design Bases.
SORENSEN,J.P. Northern States Power Co. 97/03/10. 2pp. 92143:003-92143:004.

--9703140086 "Response to NRC Addl Info Request dtd 970219."
* Northern States Power Co. 97/02/28. 226pp. 92143:005-92143:230.

9703190026 Forwards suppl 5 to 970129 amend request re cooling water sys emergency intake design basis,in response to insp repts 50-282/96-15 & 50-306/96-15.
SORENSEN,J.P. Northern States Power Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92198:198-92198:246.

--9703190028 Application for amends to licenses DPR-42 & DPR-60,providing suppl info to support amend re CWS emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/11. 21pp. 92198:201-92198:221.

--9703190029 Rev 12 to abnormal procedure AB-3, "Earthquakes."
* Northern States Power Co. 97/01/29. 25pp. 92198:222-92198:246.

9703200241 Transmits info pertaining to NRC staff review of weld defects in CE designed SG tube sleeves.
KALMAN,G. . 97/03/14. HUTCHINSON,C.R. Entergy Operations, Inc. 11pp. 92204:304-92204:314.

9703240037 Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." Requested summary of Prairie Island MOV periodic verification program attached.
SORENSEN,J.P. Northern States Power Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92243:018-92243:022.

9703260298 Submits suppl license amend request,per discussions w/NRC staff.Suppl proposes to revise License Conditions 1 & 2 as submitted.
SORENSEN,J.P. Northern States Power Co. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92254:155-92254:157.

9703260338 Forwards supplement 7 to 970129 license amend request re cooling water sys emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92253:169-92253:195.

--9703260339 Application for amends to licenses DPR-42 & DPR-60,providing supplemental info to amend re cooling water sys emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/20. Document Control Branch (Document Control Desk). 1p. 92253:171-92253:195.

9703270209 Forwards amends 128 & 120 to licenses DPR-42 & DPR-60 & SE. Amends authorize continued operation of plant,Units 1 & 2 on interim basis,through incorporation of 3 license conditions into licenses,until qualified ECW source,provided.
WETZEL,B.A. . 97/03/25. ANDERSON,R.O. Northern States Power Co. 3pp. 92295:130-92295:156.

--**9703270215** Amends 128 & 120 to licenses DPR-42 & DPR-60,respectively, authorizing continued operation of plant,Units 1 & 2 on interim basis,through incorporation of 3 license conditions into licenses,until qualified ECW source,provided.
WETZEL,B.A. . 97/03/25. 10pp. 92295:133-92295:142.

--**9703270219** Safety evaluation supporting amends 126 & 120 to licenses DPR-42 & DPR-60,respectively.
* . 97/03/25. 14pp. 92295:143-92295:156.

Q. Inspection reports, IE Bulletins & correspondence

9703030178 Ack receipt of 970127 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/96-14 & 50-306/96-14 on 961227.
JACOBSON,J.M. Region 3 (Post 820201). 97/02/14. WADLEY,M. Northern States Power Co. 1p. 91931:051-91931:051.

9703030059 Forwards insp repts 50-282/97-04 & 50-306/97-04 on 970203-07.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 97/02/23. WADLEY,M. Northern States Power Co. 2pp. 91949:135-91949:145.

--**9703030069** Insp repts 50-282/97-04 & 50-306/97-04 on 970203-07.No violations noted.Major areas inspected:inspector reviewed several ALARA reviews & RWPs.
* Region 3 (Post 820201). 97/02/23. 9pp. 91949:137-91949:145.

9703030525 Responds to NRC 970123 ltr re violations noted in insp repts 50-282/96-15 & 50-306/96-15.Corrective actions:license amend request submitted.
WADLEY,M.D. Northern States Power Co. 97/02/24. Document Control Branch (Document Control Desk). 5pp. 91951:351-91951:355.

9703050215 Forwards insp repts 50-282/97-02 & 50-306/97-02 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/25. WADLEY,M. Northern States Power Co. 3pp. 91998:057-91998:082.

--**9703050224** Notice of violation from insp on 970108-0220.Violation noted:failure to use appropriate documented instructions while moving heavy loads w/mobile crane.
* Region 3 (Post 820201). 97/02/25. 2pp. 91998:060-91998:061.

--**9703050227** Insp repts 50-282/97-02 & 50-306/97-02 on 970108-0220. Violation noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 3 (Post 820201). 97/02/25. 21pp. 91998:062-91998:082.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703100273 Forwards 1997 steam generator plugged tube & F* tube summary,category C-3 tube insp special rept & F* tube rept.
SORENSEN,J.P. Northern States Power Co. 97/03/05. Document Control Branch (Document Control Desk). 61pp. 92048:046-92048:106.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110168 Ack receipt of 970210 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/96-12 & 50-306/96-12.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. WADLEY,M.D. Northern States Power Co. 2pp. 92019:168-92019:186.

9703130079 Ack receipt of 970303 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/96-05 & 50-306/96-14 on 961101.
ROE,J.W. . 97/03/06. WADLEY,M.D. Northern States Power Co. 5pp. 92105:347-92105:351.

9703190026 Forwards suppl 5 to 970129 amend request re cooling water sys emergency intake design basis,in response to insp repts 50-282/96-15 & 50-306/96-15.
SORENSEN,J.P. Northern States Power Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92198:198-92198:246.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703200178 Confirms plans to conduct enforcement conference on 970318 in Lisle,IL,to discuss apparent violation documented in insp repts 50-282/97-02 & 50-306/97-02.
CALDWELL,J.L. Region 3 (Post 820201). 97/03/12. WADLEY,M. Northern States Power Co. 2pp. 92189:024-92189:025.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703200111 Forwards insp repts 50-282/97-03 & 50-306/97-03 & forwards notice of violation.
GRANT,G.E. Region 3 (Post 820201). 97/03/14. WADLEY,M.D. Northern States Power Co. 2pp. 92220:025-92220:064.

--**9703200115** Notice of violation from insp on 970203-20.Violation noted: on 970210 code volumentric exam requirements not met for seven welds in each unit.
* Region 3 (Post 820201). 97/03/14. 2pp. 92220:027-92220:028.

--**9703200121** Insp repts 50-282/97-03 & 50-306/97-03 on 970203-13. Violations noted.Major areas inspected:performance of listed activities.
* Region 3 (Post 820201). 97/03/14. 36pp. 92220:029-92220:064.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050003 "Annual Repts of Occupational Radiation Exposure & Safety Relief Valve Challenges for Period From 960101-1231." W/970224 ltr.
SORENSEN,J.P. Northern States Power Co. 96/12/31. 7pp. 91975:346-91975:352.

9703030510 Forwards fitness for duty program performance data for period ending 961231.
ANDERSON,R.O. Northern States Power Co. 97/02/19. Document Control Branch (Document Control Desk). 7pp. 91956:234-91956:240.

9703130273 Monthly operating repts for Feb 1997 for Praire Island Nuclear Generating Plant.W/970307 ltr.
DUGSTAD,D., SORENSEN,J.P. Northern States Power Co. 97/02/28. 10pp. 92128:086-92128:094.

S. Reportable occurrences, LERs & related correspondence

9703280352 LER 97-002-00:on 970219,failed to submit relief requests for limited ISI exams.Caused by misinterpretation of 10CFR50.55a(g)(1).Prepared procedure restablishing process to identify,quantify & document ISI exams.W/970321 ltr.
LEVEILLE,J., SORENSEN,J.P. Northern States Power Co. 97/03/21. 5pp. 92312:262-92312:266.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

W. Decommissioning Stage Documents & Correspondence

9703130253 Forwards "Amended & Restated Nuclear Decommissioning Trust Agreement," dtd 961126 to ensure that NRC records are current.
ANDERSON,R.O. Northern States Power Co. 97/02/26. Document Control Branch (Document Control Desk). 25pp. 92127:298-92127:322.

DOCKET 50-284 IDAHO STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703250201 Forwards RAI to complete review of licensee Nov 1995 submittal re application for renewal of license R-110 for Idaho State Univ AGN-201 reactor.
ISAAC,P. . 97/03/20. LAWSON,J. Idaho State Univ., Pocatello, ID. 4pp. 92245:318-92245:321.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703040041 Informs that info being provided to plant security manager that could assist in efforts to protect plant against "insider" requirement of design-basis threat.
WHARTON,L.R. . 97/02/20. GAMBHIR,S.K. Omaha Public Power District. 2pp. 91946:235-91946:236.

9703060266 Ack receipt of 961205 ltr which transmitted rev 13 to Fort Calhoun Station Site Security Plan,submitted under provisions of 10CFR50.54(p).
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/04. GAMBHIR,S.K. Omaha Public Power District. 4pp. 92016:324-92016:327.

9703110009 Revised EPIPs,including rev 3 to "RERP Index," rev 8 to RERP Section C, "Emergency Response Support & Resources," rev 3 to EP-2, "RERP Index," rev 17 to EPIP-OSC-15, "Communicator Actions," & rev 11 to EPIP-TSC-8.W/970307 ltr.
CLAYTON,O., GAMBHIR,S.K. Omaha Public Power District. 97/03/07. 82pp. 92073:228-92073:309.

9703190205 Forwards changes to FCS Radiological Emergency Plan (RERP).
TILLS,J.W. Omaha Public Power District. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92199:108-92199:132.

--**9703190207** Rev 3 to EP-1,Section A, "Assignment of Organizational Responsibility (Organizational Control)" & Section E, "Notification Methods & Procedures."
CLAYTON,Q. Omaha Public Power District. 97/03/11. 23pp. 92199:110-92199:132.

9703260218 Forwards revs to Radiological Emergency Plan.
GAMBHIR,S.K. Omaha Public Power District. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92252:167-92252:306.

--**9703260234** Revs to Radiological Emergency Plan including rev 10 to App C,rev 9 to Section G,rev 8 to Section L & rev 13 to Section M.
CLAYTON,Q. Omaha Public Power District. 97/03/11. 137pp. 92252:170-92252:306.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100048 Partially withheld memo discussing petition filed by JF Doherty requesting six plant reactors be immediately shutdown & Directors Decision 95-22 which denies request.
TSCHILTZ,M. NRC - No Detailed Affiliation Given. 95/12/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 92038:219-92038:223.

9510260004 Responds to request for immediate shutdown of listed six pressurized water reactors.
STROSNIDER,J.R. . 95/10/19. MATTHEWS,D.B. . 7pp. 92286:278-92286:284.

J. Insurance & Indemnity information

9703260174 Provides certification that listed on-site property damage & decontamination insurance covering FCS will be in force as of 970401.
GAMBHIR,S.K. Omaha Public Power District. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92258:304-92258:304.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* 93/06/29. 4pp. 92284:217-92284:220.

9703120430 Ack receipt of 970207 response to 961009 request for addl info per 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
WHARTON,L.R. . 97/03/06. GAMBHIR,S.K. Omaha Public Power District. 2pp. 92079:265-92079:266.

9703170116 Submits summary of 970226 meeting conducted in Region IV re programs,initiatives & actions taken or under consideration for issues associated w/ operation of plant.
HOWELL,A.T. Region 4 (Post 820201). 97/03/06. GAMBHIR,S.K. Omaha Public Power District. 216pp. 92116:001-92116:216.

Q. Inspection reports, IE Bulletins & correspondence

9703030027 Discusses insp rept 50-285/96-17 on 970129 & forwards notice of violation.
DYER,J.E. Region 4 (Post 820201). 97/02/26. GAMBHIR,S.K. Omaha Public Power District. 4pp. 91930:354-91930:360.

--9703030031 Notice of violation from insp on 961122-1220.Violation noted:licensee did not implement program provisions for maint of sampling & analysis equipment.
* Region 4 (Post 820201). 97/02/26. 3pp. 91930:358-91930:360.

9703060089 Ack receipt of 961008 & 970214 ltrs informing NRC of steps taken to correct violations noted in insp rept 50-285/96-07 in response to NRC ltr dtd 960918.Implementation of corrective actions will be reviewed during future insp.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/28. GAMBHIR,S.K. Omaha Public Power District. 4pp. 91970:127-91970:130.

9703060199 Forwards insp rept 50-285/96-18 on 961229-970208.Two unresolved items involving configuration control identified.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. GAMBHIR,S.K. Omaha Public Power District. 4pp. 91998:114-91998:140.

--9703060203 Insp rept 50-285/96-18 on 961229-970208.Vioaltions noted. Major areas inspected:operations,engineering,maint & plant support.
* Region 4 (Post 820201). 97/02/28. 23pp. 91998:118-91998:140.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110140 Submits supplemental response to NRC Bulletin 80-06, "Engineered Safety Feature Reset Controls."
GAMBHIR,S.K. Omaha Public Power District. 97/03/07. Document Control Branch (Document Control Desk). 12pp. 92117:342-92117:353.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Ir tice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear P Plants."
MARTIN,T.T. . /21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257

9703190139 Suppl RC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . /21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-9225

9703200231 NRC otice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nu er Plants."
MARTIN,T.T. . 4. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic oper orts & related correspondence

9703100237 For ess-for-duty program performance data rept for period from Jul-Dec 1996.
GAMBHIR,S.K Public Power District. 97/02/26. Document Control Branch (Document Co k). 4pp. 92047:347-92047:350.

9703100253 Forv "Fort Calhoun Station Performance Indicators Rept Jan 1997."
TILLS,J.W. Om ublic Power District. 97/02/28. Document Control Branch (Document Control De 1p. 92042:072-92042:179.

--9703100256 "Fc alhoun Station Performance Indicators Rept."
* Omaha Public wer District. 97/01/31. 108pp. 92042:073-92042:179.

9703180110 Monthly operating rept for Feb 1997 for Fort Calhoun Station W/970314 ltr.
EDWARDS,M.L., TILLS,J.W. Omaha Public Power District. 97/02/28. 7pp. 92196:168-92196:174.

S. Reportable occurrences, LERs & related correspondence

9703190096 LER 96-005-01:on 960615,tornado venting floor panels encumbered by various attachments.Caused by inadequate initial construction & lack of detailed design info for Auxiliary Building.Encumbrances removed.W/970314 ltr.
LEWIS,R.E., GAMBHIR,S.K. Omaha Public Power District. 97/03/14. 6pp. 92237:263-92237:268.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703180132 Forwards preliminary senior reactor operator license applications,per 961211 request.
TILLS,J.W. Omaha Public Power District. 97/03/14. PELLET,J.L. Region 4 (Post 820201). 2pp. 92191:358-92191:359.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703050465 Revised EPIPs,including Rev 3 to IP-1002, "Post Accident Monitoring of Noble Gas Concentration in Plant Vent," Rev 20 to IP-1011, "Offsite Monitoring/Site Perimeter Surveys" & Rev 21 to IP-1036, "Offsite Emergency Notifications."
* Power Authority of the State of New York (New York Power Authority). 97/02/24. 52pp. 91986:305-91986:356.

9703050477 Revised EPIPs,including table of contents,Rev 2 to IP-2103, Rev 3 to IP-2106,Rev 3 to IP-2207,Rev 2 to IP-2307,Rev 3 to IP-2311 & EP-forms index.
* Power Authority of the State of New York (New York Power Authority). 97/02/24. 36pp. 91988:220-91988:255.

9703120153 Responds to 960426 ltr re changes to Indian Point 3 Physical Security Plan identified as Rev 15,submitted under provision of 10CFR50.54(p).No NRC approval required.
KEIMIG,R.R. Region 1 (Post 820201). 97/02/27. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 92125:064-92125:066.

9703050455 Revised EPIPs,including Vol II to emergency response activation EP-forms index.
* Power Authority of the State of New York (New York Power Authority). 97/02/28. 5pp. 92003:147-92003:151.

9703240025 Forwards insp rept 50-286/96-12 on 961230-970216 & notice of violation.
COWGILL,C.J. Region 1 (Post 820201). 97/03/18. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. 92244:087-92244:165.

--9703240040 Insp rept 50-286/96-12 on 961230-970216.Violations noted. Major areas inspected:operations,maint,engineering & plant support.Rept covers results of insp in areas of radiological protection,emergency preparedness & corrective actions.
* Region 1 (Post 820201). 97/03/18. 73pp. 92244:093-92244:165.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

P. Operating license stage documents & correspondence

9703040238 Submits revs to proposed TS re upgrade to VANTAGE+ fuel. Revs include decrease min RCS flow,modified f(delta) function & change to TS basis to rod drop times.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 97/02/26. Document Control Branch (Document Control Desk). 3pp. 91979:329-91979:341.

--**9703040243** Proposed tech specs rev re upgrade to VANTAGE+ fuel including decrease in min RCS flow,modified f(delta) function & change to TS basis for rod drop times.
* Power Authority of the State of New York (New York Power Authority). 97/02/26. 10pp. 91979:332-91979:341.

9703050228 Forwards proprietary & non-proprietary versions of W rept entitled, "Conditional Extension of Rod Misalignment TS for Indian Point 3." Authorization ltr & affidavit,encl. Proprietary encl withheld per 10CFR2.790.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92003:001-92003:116.

--**9703050237** Authorizes utilization of encl affidavit by util re WCAP-14669,Rev 1, "Conditional Extension of Rod Misalignment TS for Indian Point 3." Rept should be withheld per 10CFR2.790(b)(4).
SEPP,H.A. Westinghouse Electric Corp. 97/02/18. COLLINS,S.L. Document Control Branch (Document Control Desk). 8pp. 92003:003-92003:011.

--**9703050241** "Conditional Extension of Rod Misalignment TS for Indian Point 3."
JOHANSEN,B.J. Westinghouse Electric Corp. WCAP-14848. 97/02/28. 102pp. 92003:012-92003:116.

9703110088 Provides suppl response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design-Basis Accident Conditions."
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92121:043-92121:047.

9703110046 Forwards ltr to inform NRC re schedule for submittal of IPEEE rept has been changed from 970630 to 0930.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/04. Document Control Branch (Document Control Desk). 6pp. 92089:355-92089:360.

9703110117 Provides addl info re request for exemption from 10CFR70.24.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/03/05. Document Control Branch (Document Control Desk). 4pp. 92121:106-92121:109.

9703170159 Responds to NRC 961009 RAI re adequacy & availability of design basis info.Authority commits to following initiatives to improve availability of design basis info.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/10. Document Control Branch (Document Control Desk). 5pp. 92150:352-92150:356.

9703200288 Forwards notice of consideration of issuance of amend to license DPR-64 & proposed NSHC determination & opportunity for hearing,for plant,Unit 3.
WUNDER,G.F. . 97/03/12. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 3pp. 92204:281-92204:292.

--**9703200293** Notice of consideration of issuance of amend to license DPR-64 & proposed NSHC determination & opportunity for hearing.Amend would revise TS to add several containment isolation valves & implement performance-bases requirements.
WUNDER,G.F. . 97/03/12. 9pp. 92204:284-92204:292.

9703240001 Forwards proposed changes to Indian Point 3 state pollutant discharge elimination sys permit.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/03/14. Document Control Branch (Document Control Desk). 5pp. 92241:160-92241:164.

9703200201 Requests addl info re exemption from requirements of 10CFR70.24,per 961220 request.
WUNDER,G.F. . 97/03/18. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 3pp. 92195:318-92195:320.

9703210266 Ack receipt of 970207 & 970310 ltrs in response to NRC 961009 ltr requesting info pursuant to 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
WUNDER,G.F. . 97/03/18. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 3pp. 92217:351-92217:353.

9703260133 Forwards response to 970318 RAI re request for exemption from requirements of 10CFR70.24.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/03/19. Document Control Branch (Document Control Desk). 5pp. 92257:276-92257:280.

9703270260 Provides response to request for addl info re resolution of unresolved safety issue A-46.Calculations encl.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/20. Document Control Branch (Document Control Desk). 48pp. 92267:001-92267:118.

--**9703270264** Rev 0 to Calculation 18904-IP3-SQ017, "Condensate Storage Tank."
PARK,E., BROWN,W.J. Affiliation Not Assigned. 18904-IP3-SQ017 R00. 95/10/23. 21pp. 92267:049-92267:069.

--**9703270272** Rev 0 to Calculation C001, "Refueling Water Storage Tank RWST-31."
* Stevenson & Associates. C001 R00. 97/01/30. 26pp. 92267:070-92267:095.

--**9703270277** *Rev 0 to Calculation C002, "Primary Water Storage Tank PWST-21."*
* Stevenson & Associates. C002 R00. 97/01/30. 23pp. 92267:096-92267:118.

9703260276 Responds to RAI re proposed TS re VANTAGE+ fuel.Encl withheld.
KOKOLAKIS,P. Power Authority of the State of New York (New York Power Authority). 97/03/24. NRC - No Detailed Affiliation Given. 1p. 92257:161-92257:161.

9703280204 Describes several changes to ECCS evaluation model & effects of these changes on PCT.Ltr satisfies annual reporting requirements of 10CFR50.46(a)(3)(ii).
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/24. Document Control Branch (Document Control Desk). 2pp. 92279:358-92279:359.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703170183 Responds to NRC ltr re violations noted in insp rept 50-286/96-11.Corrective actions:deviation event rept procedures revised & engineering support personnel trained.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/03/07. Document Control Branch (Document Control Desk). 6pp. 92159:352-92159:357.

9703200342 Submits updated response to NRC Bulletin 96-001 re recent results & revised commitment for CR testing.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/03/10. Document Control Branch (Document Control Desk). 4pp. 92212:270-92212:273.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210091 Forwards response to NRC ltr re violations noted in insp rept 50-286/96-80 on 961213.Corrective actions:expert panel has agreed to include turbine bldg & power conversion equipment bldg in scope of IP3 Maint Rule Program.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/03/13. Document Control Branch (Document Control Desk). 7pp. 92218:330-92218:336.

9703240025 Forwards insp rept 50-286/96-12 on 961230-970216 & notice of violation. COWGILL,C.J. Region 1 (Post 820201). 97/03/18. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. 92244:087-92244:165.

--**9703240035** Notice of violation from insp on 961230-970216.Violation noted:licensee never installed radiation monitoring sys at plant new fuel storage areas capable of alarming should an accidental criticality occur.
* Region 1 (Post 820201). 97/03/18. 3pp. 92244:090-92244:092.

--**9703240040** Insp rept 50-286/96-12 on 961230-970216.Violations noted. Major areas inspected:operations,maint,engineering & plant support.Rept covers results of insp in areas of radiological protection,emergency preparedness & corrective actions.
* Region 1 (Post 820201). 97/03/18. 73pp. 92244:093-92244:165.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070044 "Effluent & Waste Disposal Semi-Annual Rept for Third & Fourth Quarters of 1996." W/970227 ltr.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/12/31. 53pp. 92028:303-92028:355.

9703070088 "1996 Annual Rept Number of Personnel & Man-Rem By Work & Job Function." W/970228 ltr.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/12/31. 3pp. 92031:271-92031:273.

9703210297 Monthly operating rept for Feb 1997 for IPS,Unit 3. W/970313 ltr.
ORLANDO,T., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/02/28. 6pp. 92235:208-92235:213.

S. Reportable occurrences, LERs & related correspondence

9703040241 NPDES noncompliance notification:on 970114,overflow of water from process tank resulted in discharge of oil along w/water to discharge canal & river.Source of overflow was stopped.W/970224 ltr.
ENGLISH,C. Consolidated Edison Co. of New York, Inc. 97/01/19. 14pp. 91960:219-91960:231.

9703040088 LER 95-015-03:on 950727,maint on EDG room exhaust fan exceeded AOT.Caused by misinterpretation of design inputs as applied to plant operation.C/A:procedural revs & evaluation & mod of power supply assignments.W/970214 ltr.
MIHALIK,A., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/02/14. 13pp. 91961:147-91961:159.

9703210073 LER 95-015-03:on 950727,maint on EDG room exhaust fan exceeded AOT.Caused by misinterpretation of design criteria. Revised procedures.W/970313 ltr.
MIHALIK,A., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/02/14. 13pp. 92246:265-92246:277.

9703030490 Forwards LER 97-002-00 re containment isolation valves for hydrogen monitoring sys,open during testing,listed in TS table of non-automatic valves open continuously.Commitments attached.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/02/21. Document Control Branch (Document Control Desk). 3pp. 91971:318-91971:325.

--9703030497 LER 97-002-00:on 970123,identified control circuitry for containment isolation valves of hydrogen monitor unit sample lines did not meet single failure criteria.Caused by personnel error.Extent of condition assessment reviewed.
CONROY,P. Power Authority of the State of New York (New York Power Authority). 97/02/21. 5pp. 91971:321-91971:325.

9703210047 Forwards copies of cover ltrs & Rept of Noncompliance Event submitted to NYSDEC for those months in 1996 in which there were reported excursions from SPDES Permit effluent limits. Reported as required by App B,Section 3.2 of Tss.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 97/03/12. Document Control Branch (Document Control Desk). 2pp. 92218:354-92218:360.

--9703210078 NPDES noncompliance notification:on 960424,oil sheen observed in floor drain.Caused by oil leaking from nearby equipment.Area & floor cleaned,oil absorbent matl placed in area.
MCAVOY,J. Consolidated Edison Co. of New York, Inc. 96/05/21. New York, State of. 5pp. 92218:356-92218:357.

--9703210090 NPDES noncompliance notification:on 960516,raw sewage released to site grounds & entered site storm water drain. Caused by gasket seal failure on clean out plug.Sewage collected & pumped to transport vehicle for disposal.
MCAVOY,J. Consolidated Edison Co. of New York, Inc. 96/06/17. New York, State of. 3pp. 92218:358-92218:360.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703030243 Revised EPIPs,including consisting of Rev 97-03 to Vol C,Rev 2 to RP/0/B/1000/03A,Rev 1 to RP/0/B/1000/16,Rev 1 to RP/0/B/1000/28 & Rev 0 to RP/0/B/1000/31.W/970226 ltr.
HAMPTON,J.W. Duke Power Co. 97/02/26. 63pp. 91952:160-91952:222.

9703120434 Summary of 970207 meeting w/licensee re security plan changes that are applicable to plants.
NERSES,V. . 97/03/07. . 19pp. 92079:211-92079:229.

9703210340 Forwards Rev 3 to security training & qualification plan.Rev withheld,per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92235:241-92235:243.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

P. Operating license stage documents & correspondence

9703040142 Notification of cancellation of 970226 meeting w/DPC in Rockville,MD to discuss & provide draft for staff info of environ rept statement drafted WRT requirements of 10CFR51 for license renewal.
CRAIG,C.M. . 97/02/18. MATTHEWS,D.B. . 5pp. 91951:113-91951:117.

9703040191 Forwards revised TSs re mod to emergency power sys,per discussions w/ NRC staff.
HAMPTON,J.W. Duke Power Co. 97/02/18. Document Control Branch (Document Control Desk). 4pp. 91960:111-91960:118.

--9703040198 Proposed Tech Specs 3.7 re Keowee Hydro units during periods of commercial power generation.
* Duke Power Co. 97/02/18. 4pp. 91960:115-91960:118.

9703040202 Forwards corrected pp to revised TS 3.16 Bases submitted 970212.Revised pp 3.16-2 contains correction to editorial discrepency between marked-up & revised pp.
HAMPTON,J.W. Duke Power Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91960:161-91960:163.

--9703040224 Rev to proposed TS 3.16 Bases,pp 3.16-2,correcting editorial discrepancy.
* Duke Power Co. 97/02/24. 1p. 91960:163-91960:163.

9703070050 Informs that one-time integrated emergency power & ES functional test was performed on 970102-05.Keowee & Lee voltage and frequency protection mod implementation date, also provided.
HAMPTON,J.W. Duke Power Co. 97/02/25. Document Control Branch (Document Control Desk). 2pp. 92015:350-92015:351.

9703070051 Forwards supplemental info which is described in previous submittals & markup of original TS amend request re TS 3.7.
HAMPTON,J.W. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 4pp. 92015:202-92015:324.

--9703070052 Proposed tech specs revising TS 3.7.
* Duke Power Co. 97/02/27. 118pp. 92015:206-92015:324.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703240242 Forwards Rev 1 to "Oconee Nuclear Station,License Renewal - Technical Info TR, OLRP-1001."
HAMPTON,J.W. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92242:305-92242:309.

--9703240243 "Oconee Nuclear Station,License Renewal - Technical Info,TR, OLRP-1001," Rev 1.
* Duke Power Co. OLRP-1001 R01. 97/03/12. 2pp. 92242:308-92242:309.

9703240180 Forwards request for relief for use of adequate alternative examinations in lieu of code-required examinations for certain reactor vessel shell welds.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 17pp. 92247:267-92247:283.

9703240098 Submits 180-day response to GL 96-05 re periodic verification of design-basis capability of safety-related MOVs.
TUCKMAN,T.S. Duke Power Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92243:009-92243:014.

9703270299 Provides addl info re 970204 ltr requesting exemption to requirements of 10CFR70.24 re criticality accident requirements.
TUCKMAN,M.S. Duke Power Co. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92267:352-92267:357.

9703250230 Forwards amends 222,222 & 219 to licenses DPR-38,DPR-47 & DPR-55 & safety evaluation.Amends add operability & surveillance requirements re operation & testing of Keowee Hydro Station to Oconee TSs.
LABARGE,D.E. . 97/03/20. HAMPTON,J.W. Duke Power Co. 3pp. 92243:068-92243:086.

--9703250232 Amends 222,222,219 to license DPR-38,DPR-47 & DPR-55,adding operability & surveillance requirements re operation & testing.
BERKOW,H.N. . 97/03/20. 10pp. 92243:071-92243:082.

--9703250237 Safety evaluation supporting amends 222,222 & 219 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 97/03/20. 4pp. 92243:083-92243:086.

9703280345 Forwards final rept for AEOD special study, "Oconee Electrical Sys Design & Operation."
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/26. ROSS,D.F. Committee to Review Generic Requirements. THADANI,A.C., ZIMMERMAN,R.P. . 2pp. 92276:166-92276:217.

--9703280365 "Oconee Electrical Sys Design & Operation Special Study."
LANIK,G.F., ORNSTEIN,H.L., RAUGHLEY,W.S. Division of Safety Programs (Post 870413). 97/03/31. 50pp. 92276:168-92276:217.

9703280376 Forwards resolution of peer review comments on AEOD draft rept "Oconee Electrical System Design And Operation."
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/26. HAMPTON,J.W. Duke Power Co. 17pp. 92276:218-92276:285.

Q. Inspection reports, IE Bulletins & correspondence

9702050227 Requests technical assistance in reviewing acceptability of licensee corrective actions for deficiency involving HPI piping.Licensee revised 10CFR50.59 evaluations for Units 2 & 3 HPI piping mods,per listed insp repts.
MERSCHOFF,E.W. . 96/12/13. BERKOW,H. . 2pp. 91990:275-91990:276.

9703050055 Informs that completion of 1EOC17 refueling outage tentatively scheduled for 970928 re response to violations noted in Insp Repts 50-269/96-09,50-270/96-09,50-287/96-09 & 72-0004/96-09.
HAMPTON,J.W. Duke Power Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92003:228-92003:229.

9703050074 Provides response to violations noted in Insp Repts 50-269/96-17,50-270/96-17 & 50-287/96-17.Corrective actions: site continuous improvement team (CIT) formed to address area of configuration control from operations & maint.
HAMPTON,J.W. Duke Power Co. 97/02/26. Document Control Branch (Document Control Desk). 14pp. 91999:325-91999:338.

9703070205 Provides supplemental info to 961217 rept on SG tube ISI performed during Unit 3 End of Cycle 16 refueling outage.
HAMPTON,J.W. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 6pp. 92029:353-92029:358.

9703070207 Forwards Rev 1 to Request for Relief ONS-009,including editorial change,deleting weld identification numbers.W/one oversize drawing.
HAMPTON,J.W. Duke Power Co. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92043:289-92043:293.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703270204 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/96-20, 50-270/96-20 & 50-287/96-20.
CASTO,C. Region 2 (Post 820201). 97/03/10. HAMPTON,J.W. Duke Power Co. 2pp. 92256:128-92256:129.

9703280008 Forwards insp repts 50-269/96-20,50-270/96-20,50-270/96-20 on 970208 & NOV.
CASTO,C. Region 2 (Post 820201). 97/03/10. HAMPTOM,J.W. Duke Power Co. 3pp. 92274:138-92274:186.

--9703280011 Notice of violation from insp on 961229-970208.Violations noted:activities affecting quality were not prescribed by documented instructions &/or procedures w/ appropriate qualitative acceptance criteria.
* Region 2 (Post 820201). 97/03/10. 2pp. 92274:141-92274:142.

--9703280016 Insp repts 50-269/96-20,50-270/96-20 & 50-287/96-20 on 961229-970208.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/03/10. 44pp. 92274:143-92274:186.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703190131 Responds to NRC 970127 ltr re violations noted in insp repts 50-269/96-17,50-270/96-17 & 50-287/96-17.Corrective actions: Pressure Test Requirement Form has been created to communicate required post-maintenance test method.
HAMPTON,J.W. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 6pp. 92206:310-92206:315.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240235 Forwards request for relief from ASME Section XI,1989 Edition.All units being addressed by Request for relief per NRC recommendations delineated in NRC Insp Repts 50-269/95-05,50-270/95-05 & 50-287/95-05,dtd 950505.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 36pp. 92241:080-92241:115.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070199 Forwards fitness-for-duty performance data repts for period of Jul-Dec 1996.
TUCKMAN,M.S. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. 92031:146-92031:159.

9703190145 Forwards monthly operating rept for Feb 1997 for Oconee Nuclear Station & revised monthly operating rept for Jan 1997.
DIMMERY,T. Duke Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92201:173-92201:191.

--9703190147 Monthly operating repts for Feb 1997 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/02/28. 16pp. 92201:175-92201:190.

--9703190150 Revised monthly operating repts for Jan 1997 for Oconee Nuclear Station.
* Duke Power Co. 97/01/31. 1p. 92201:191-92201:191.

S. Reportable occurrences, LERs & related correspondence

9703250088 Informs that LER 50-269/97-02, "Reactor Bldg Cooling Units Technically Inoperable Due to Design Deficiency," was submitted on 970220.More detailed engineering analysis is still in progress to validate preliminary evaluation.
HAMPTON,J.W. Duke Power Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92275:021-92275:022.

V. Operator Examinations

9703270186 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative of facility must submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. HAMPTON,J.W. Duke Power Co. 3pp. 92256:119-92256:121.

9703280149 Forwards responses to four questions raised during Region II 1996 USNRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. JONES,B.K. Duke Power Co. 2pp. 92265:111-92265:112.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

P. Operating license stage documents & correspondence

9703140130 Submits changes to Standby Trust Agreement.
BACH,R.D. Stoel, Rives, Boley, Jones & Grey. 97/03/10. MENDONCA,M.M. . 9pp. 92137:306-92137:314.

9703240162 Responds to 970310 ltr re decommissioning funding assurance review of proposed changes to Reed College standby trust agreement.Proposed standby trust agreement,acceptable.
MENDONCA,M.M. . 97/03/20. MCFARLANE,E.O. Reed College, Portland, OR. 2pp. 92231:024-92231:025.

V. Operator Examinations

9703170179 Requests that licensee furnish matl listed in encl 1 at least 60 days prior to exam date to P Isaac,in order to meet exam scheduled for wk of 970505.
ISAAC,P. . 97/03/10. KOBLIK,S.S. Reed College, Portland, OR. 11pp. 92131:248-92131:258.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9701160009 Forwards two copies of scenario of 1997 Three Mile Island Nuclear Station Biennial Emergency Exercise scheduled to be conducted on 970305.
RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 97/01/03. MILLER,H.J. Region 1 (Post 820201). 1p. 92021:004-92025:294.

--9701160015 Grants permission to administratively process copyrighted TMI 1997 Biennial Emergency Exercise Scenario,including placing it in PDR.Scenario should be kept confidential until completion of exercise to be conducted on 970305.
RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 97/01/06. Document Control Branch (Document Control Desk). 1p. 92021:005-92021:005.

--9701160017 "TMI 1997 Biennial Exercise Scenario,Volumes 1-3."
* General Public Utilities Corp. - GPU Service Corp. 97/01/06. 1,756pp. 92021:006-92025:294.

9703070065 Temporary Change Notice 1-97-0010 to Rev 5 to Procedure 6610-PLN-4200.02, "TMI Emergency Dose Calculation Manual (EDCM)."
PARFITT,B.A. General Public Utilities Corp. - GPU Service Corp. 97/02/07. 25pp. 92030:329-92030:353.

9703120123 Rev 1 to EPIP-COM-.45, "Classified Emergency Termination/ Recovery."
* General Public Utilities Corp. - GPU Service Corp. 97/02/21. 7pp. 92125:080-92125:086.

9703110308 Revised EPIPs,including Rev 10 to EPIP-TMI-.02, "Emergency Direction" & Rev 9 to EPIP-TMI-.27, "Emergency Operations Facility."
* General Public Utilities Corp. - GPU Service Corp. 97/02/28. 120pp. 92117:190-92117:310.

9703110080 Rev 12 to 1000-PLN-1300.01, "GPUN Corporate Emergency Plan for Three Mile Island & Oyster Creek Nuclear Station."
* General Public Utilities Corp. - GPU Service Corp. 97/03/04. 210pp. 92070:171-92071:016.

9703170082 Notification of significant licensee meeting 97-27 w/util on 970317 to discuss emergency preparedness insp exit meeting.
ESELGROTH,P.W. Region 1 (Post 820201). 97/03/04. Region 1 (Post 820201). 2pp. 92116:294-92116:295.

9703180145 Confirms 970312 telcon between M Ross & R Keimig re implementation of listed corrective actions for ERO, indicated during 970305 team insp.
MILLER,H.J. Region 1 (Post 820201). 97/03/12. ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 92134:204-92134:207.

9703240071 Forwards Rev 12 to Corporate Emergency Plan.
RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92236:001-92236:210.

9703280223 Provides response to Item 5 of CAL-1-97-11 actions re insp of 970305,full participation exercise.
LANGENBACH,J. General Public Utilities Corp. - GPU Service Corp. 97/03/24. MILLER,H.J. Region 1 (Post 820201). 2pp. 92279:356-92279:357.

H. General correspondence

9703120027 Informs that MJ Ross has been appointed Acting Director of TMI,effective 970221 until permanent Director is selected.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92125:152-92125:153.

9703250078 Advises that JW Lagenbach has been appointed as Vice President & Director,TMI effective 970317.
LANGENBACH,J.W. General Public Utilities Corp. - GPU Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92252:115-92252:115.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703120138 Confirmatory Action Ltr 1-97-08 re insp on 970106-0302 re quality classification of selected plant components at plant.NRC concerned about potential implications of inappropriate equipment classification downgrades.
MILLER,H.J. Region 1 (Post 820201). 97/03/04. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 5pp. 92035:140-92035:144.

9703130170 Forwards schedule for activities at plant for next few months.
MILLER,M. Region 2 (Post 820201). 96/10/31. JULIAN,C. Region 2 (Post 820201). 9pp. 92227:307-92227:315.

9703130269 Requests implementation schedule for structures,sys & component & plant-level design attribute reviews & expected completion dates as requested in 961009 ltr.
BUCKLEY,B.C. . 97/03/10. ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 92105:327-92105:329.

9703180062 Supplements util ltr 6710-96-221,dtd 960628 which transmitted TS change request 259, "Implementation of 10CFR50,App J,Option B." Table of test data which gives purge valve test results since Apr 1986,encl.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92195:356-92195:358.

9703180153 Forwards RAI in order to continue evaluation of licensee 970207 request for exemption from requirements of 10CFR70.24(a) for plant.
BUCKLEY,B.C. . 97/03/13. ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 92177:203-92177:206.

9703210357 Forwards Rev 11 to 6610-PLN-4200.01, "ODCM." Rev 11 of ODCM contains change bars identifying substantive changes made to ODCM during 1995.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92232:001-92232:193.

--9703210358 Rev 11 to 6610-PLN-4200.01, "ODCM."
* General Public Utilities Corp. - GPU Service Corp. 95/03/22. 192pp. 92232:002-92232:193.

9703200088 Provides clarification to item listed in 970312 CAL,revising Weakness 4 in first paragraph to read as listed.
WIGGINS,J.T. Region 1 (Post 820201). 97/03/14. ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 92188:317-92188:319.

9703240214 Informs that present schedule to submit TS change request to incorporate util NRC approved core reload evaluation methods no later than 970331,in order to support util Cycle 12 core reload evaluation activities.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92242:208-92242:209.

9703250032 Provides 180-day response to GL 96-05 established to verify on periodic basis that SR MOVs continue to be capable of performing SR functions within current licensing basis of facility.
LANGENBACH,J.W. General Public Utilities Corp. - GPU Service Corp. 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92252:119-92252:121.

9703260291 Summary of 970304 meeting w/Florida Power & Light Co to discuss overall status of corrective actions at plant & potential slippage of corrective action schedule from Mar 1998 to 1999.
WIENS,L.A. . 97/03/25. . 30pp. 92248:074-92248:104.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703120138 Confirmatory Action Ltr 1-97-08 re insp on 970106-0302 re quality classification of selected plant components at plant.NRC concerned about potential implications of inappropriate equipment classification downgrades.
MILLER,H.J. Region 1 (Post 820201). 97/03/04. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 5pp. 92035:140-92035:144.

9703170082 Notification of significant licensee meeting 97-27 w/util on 970317 to discuss emergency preparedness insp exit meeting.
ESELGROTH,P.W. Region 1 (Post 820201). 97/03/04. Region 1 (Post 820201). 2pp. 92116:294-92116:295.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180145 Confirms 970312 telcon between M Ross & R Keimig re implementation of listed corrective actions for ERO, indicated during 970305 team insp.
MILLER,H.J. Region 1 (Post 820201). 97/03/12. ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 92134:204-92134:207.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280086 Forwards insp repts 50-289/97-01 & 50-320/97-01 on 970106-970302.Four apparent violations identified & being considered for escalated enforcement action.
HEHL,C.W. Region 1 (Post 820201). 97/03/21. LANGENBACH,J.W. General Public Utilities Corp. - GPU Service Corp. 3pp. 92315:006-92315:034.

--9703280089 Insp repts 50-289/97-01 & 50-320/97-01 on 970106-970302. violations noted.Major areas inspected:plant operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/03/21. 26pp. 92315:009-92315:034.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280223 Provides response to Item 5 of CAL-1-97-11 actions re insp of 970305,full participation exercise.
LANGENBACH,J. General Public Utilities Corp. - GPU Service Corp. 97/03/24. MILLER,H.J. Region 1 (Post 820201). 2pp. 92279:356-92279:357.

R. Periodic operating reports & related correspondence

9703120030 Forwards FFD performance data repts for TMI,Oyster Creek & corporate headquarters in Parsippany,NJ.
WILSON,J.F. General Public Utilities Corp. - GPU Service Corp. 97/02/28. Document Control Branch (Document Control Desk). 11pp. 92124:290-92124:300.

9703180024 Monthly operating rept for Feb 1997 for Three Mile Island Nuclear Station,Unit 1.W/970313 ltr.
HEYSEK,W.G., ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/02/28. 7pp. 92193:319-92193:325.

9704010276 Forwards 1996 annual rept for TMI.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92336:045-92336:071.

--9703280432 "Tabulation of TMI Worker Exposures by Work & Job Function Jan-Dec 1996."
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 96/12/31. 19pp. 92336:047-92336:063.

--9703280438 Rev 0 to "Auxiliary Bldg Sump Sludge Prevention (Regulatory Required)."
* General Public Utilities Corp. - GPU Service Corp. T1-CCD-412680-001 R0. 96/08/27. 8pp. 92336:064-92336:071.

S. Reportable occurrences, LERs & related correspondence

9703070047 LER 97-002-00:on 970129,potential inability of startup feedwater block valves to fully close following main steam line break occurred due to MOV program weakness.Increased torque switch settings on valve operators.W/970228 ltr.
KNIGHT,M.R., ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/02/28. 5pp. 92074:255-92074:264.

9703110105 Forwards corrected copy of LER 97-001-00.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/03/04. Document Control Branch (Document Control Desk). 1p. 92246:012-92246:020.

--9703110108 Forwards corrected copy of LER 97-001-00 re condition found during review of GL 96-06.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 97/02/17. Document Control Branch (Document Control Desk). 1p. 92246:013-92246:013.

--9703110112 LER 97-001-00:on 970117,potential overpressurization of piping between closed reactor building containment isolation valves occurred due to inadequate design code guidance. Results of review will be documented.Pages 2 & 3 corrected.
* General Public Utilities Corp. - GPU Service Corp. 97/02/17. 7pp. 92246:014-92246:020.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703190153 Revised EPIPs,including Rev 41 to table of contents & Rev 2A to EP-IP-501, "Transport of Contaminated Injured Personnel."
* Boston Edison Co. 97/02/27. 16pp. 92198:335-92198:350.

H. General correspondence

9703210043 Second final response to FOIA request for records.Forwards documents listed in App B.Documents being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. SULLIVAN,G.P. Utility Workers Union of America. 2pp. 92218:224-92218:229.

--9703210343 Undated memo discussing BECo reorganization.
* NRC - No Detailed Affiliation Given. 97/03/14. NRC - No Detailed Affiliation Given. 2pp. 92218:228-92218:229.

P. Operating license stage documents & correspondence

9703070178 Informs that plant UFSAR will be revised to reflect different method for computing response of structures & piping to seismic excitation.
BOULETTE,E.T. Boston Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92014:353-92014:354.

9703070180 Supplements ltrs dtd 970120 & 0130 w/oath or affirmation statement IAW 10CFR50.30(b) & clarifies requested NRC action.
BOULETTE,E.T. Boston Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 3pp. 92031:251-92031:253.

9703100014 First partial response to FOIA request for documents.Listed documents in App A forwarded.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. SULLIVAN,G.P. Utility Workers Union of America. 2pp. 92036:185-92037:017.

--9703100024 FOIA request for documents re all correspondence during last twelve months to & from BECO discussing permanent shutdown of plant.
SULLIVAN,G.P. Utility Workers Union of America. 96/11/07. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 92036:187-92036:188.

--9703100033 Morning rept re BECO reorganization.
* Region 1 (Post 820201). 1-95-0096. 95/07/31. 43pp. 92036:336-92037:017.

9703130274 Forwards notice of consideration of issuance of amend to facility OL,proposed NSHC determination & opportunity for hearing,related to 970124 application.Amend would revise UFSAR to reflect new amplified response spectra.
MILANO,P.D. . 97/03/06. BOULETTE,E.T. Boston Edison Co. 4pp. 92080:319-92080:330.

--9703130280 Notice of consideration of issuance of amend to license DPR-35 & proposed NSHC determination & opportunity for hearing.Amend would review & approve engineering analysis used to evaluate effects of damping values.
WANG,A.B. . 97/03/06. 8pp. 92080:323-92080:330.

9703170024 Submits final response to GL 96-01, "Testing of Safety- Related Logic Circuits."
BOULETTE,E.T. Boston Edison Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92159:358-92159:359.

9703200132 Submits changes to TS Bases for Section 3.10, "Core Alterations" for Pilgrim Station.Rev does not constitute amend to license or prior NRC approval.Revised pp 192 attached.
BOULETTE,E.T. Boston Edison Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92212:310-92212:312.

--9703200138 Proposed tech specs rev for Section 3.10, "Core Alterations" allowing removal of suspect fuel bundles out of planned sequence.
* Boston Edison Co. 97/03/07. 1p. 92212:312-92212:312.

9703170137 Forwards RAI on plant to credit containment overpressure in net positive suction head analysis for emergency core cooling pumps.
WANG,A.B. . 97/03/13. BOULETTE,E.T. Boston Edison Co. 10pp. 92131:277-92131:286.

9703190211 Informs that staff currently evaluating 970210 response to request for info per 10CFR50.54(f) re adequacy & availability of design bases info.
WANG,A.B. . 97/03/14. BOULETTE,E.T. Boston Edison Co. 4pp. 92178:001-92178:004.

Q. Inspection reports, IE Bulletins & correspondence

9703070170 Responds to NRC 970131 ltr re violations noted in insp rept 50-293/96-06.Corrective actions:procedure 2.2.87 was revised to require verification & monitoring when tasks being performed.
BOULETTE,E.T. Boston Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 10pp. 92015:325-92015:334.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140116 Discusses 961101 response to NRC Bulletin 96-03, "Potential Plugging of ECCS Strainers by Debris in BWRs." Concludes that existing strainers will provide assurance of continued safe operation of plant until 981231.
MILANO,P.D. . 97/03/11. BOULETTE,E.T. Boston Edison Co. 5pp. 92115:356-92115:360.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250033 Provides rept of results of core spray piping & sparger insps & evaluations of indications.Ltr & GE rept provide insp results & flaw evaluations.
BOULETTE,E.T. Boston Edison Co. 97/03/18. Document Control Branch (Document Control Desk). 8pp. 92250:272-92250:328.

--9703250034 "Evaluation of Indications Detected in Annulus Core Spray Piping at Pilgrim Nuclear Station."
BOTHNE,D., MEHTA,H.S. General Electric Co. GE-NE-B13-01869-028. 97/03/18. 6pp. 92250:280-92250:300.

--9703250038 Rev 1 to GE-NE-B13-01869-02, "Internal Core Spray Line Flaw Evaluation for Pilgrim Nuclear Power Station."
BOTHNE,D., METHTA,H.S. General Electric Co. GE-NE-B13-01869-02. 97/03/18. 25pp. 92250:301-92250:328.

9703280023 Forwards insp rept 50-293/97-01 on 970112-0302 & notice of violation.
CONTE,R. Region 1 (Post 820201). 97/03/18. BOULETTE,E.T. Plymouth, MA. 4pp. 92293:001-92293:056.

--9703280028 Notice of violation from insp on 970112-0302.Violation noted:plastic valve restraint on valve 1301-36 melted & broken.
* Region 1 (Post 820201). 97/03/18. 3pp. 92293:005-92293:007.

--9703280032 Insp rept 50-293/97-01 on 970112-0302.Violations noted.Major areas inspected:operations,engineering & plant support.
* Region 1 (Post 820201). 97/03/18. 48pp. 92293:008-92293:056.

9703250245 Submits third 10 yr interval ISI program plan & associated requests for relief.
MILANO,P.D. 97/03/20. BOULETTE,E. Boston Edison Co. 3pp. 92243:117-92243:170.

--9703250247 Safety evaluation approving third 10 yr interval ISI program & requests for relief.
* 97/03/20. 9pp. 92243:120-92243:128.

--9607090104 "TER on Third 10-Yr Interval ISI Program Plan:Boston Edison Co,Pilgrim Nuclear Power Station."
ANDERSON,M.T., FEIGE,E.J., HALL,K.W. Idaho National Engineering Laboratory. FIN J-2229. INEL-96/0177. 96/06/30. NRC - No Detailed Affiliation Given. 43pp. 92243:129-92243:170.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070185 "Pilgrim Nuclear Power Station Radioactive Effluent & Waste Disposal Rept Including Meteorological Data for 1996." W/ 970226 ltr.
SEJKORA,K.J., GODDARD,C.S., OLIVIER,L.J. Boston Edison Co. 96/12/31. 36pp. 92029:307-92029:342.

9703050101 Forwards "Number of Personnel & Man-Rem by Work & Job Function," for 1996.Total dose measured by self indicating dosimeter (SID) was 138.215 man-rem.
OLIVIER,L.J. Boston Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 1p. 92003:202-92003:204.

--9703050104 "Number of Personnel & Man-Rem by Work & Job Function."
* Boston Edison Co. 96/12/31. 2pp. 92003:203-92003:204.

9703050164 Submits fitness-for-duty program performance data for Pilgrim Nuclear Power Station for period covering Jul-Dec 1996.
OLIVIER,L.J. Boston Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 4pp. 92003:264-92003:267.

9703070061 Forwards semi-annual long term program update.Attachments include schedules for B & C regulatory items.
BOULETTE,E.T. Boston Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 41pp. 92031:063-92031:103.

9703180196 Monthly operating rept for Feb 1997 for Pilgrim Nuclear Power Station.W/ 970314 ltr.
CANNON,R.L., OLIVIER,L.J. Boston Edison Co. 97/02/28. 7pp. 92200:121-92200:127.

9703240095 "NPDES Discharge Monitoring Rept for Feb 1997 for Pilgrim Nuclear Power Station." W/970318 ltr.
SULLIVAN,T.A., OHEIM,H.V. Boston Edison Co. 97/02/28. 10pp. 92252:026-92252:035.

S. Reportable occurrences, LERs & related correspondence

9703070005 LER 97-S01-00:on 970107,security guard found loaded .380 caliber colt automatic pistol while performing routine vehicle check.Operator did not intend to bring pistol on site.W/970206 ltr.
HALADYNA,R.A., BOULETTE,E.T. Boston Edison Co. 97/02/06. 5pp. 92074:194-92074:198.

9703070006 LER 97-S02-00:on 970110,security svcs supervisor received improperly mailed safeguards info.Caused by personnel error. Security force put on heightened awareness & protected area patrol frequency increased.
HALADYNA,R.A., BOULETTE.E.T. Boston Edison Co. 97/02/07. 5pp. 92074:199-92074:203.

9703190094 LER 97-002-00:on 970206,SJAE sampling was not performed in accordance with TS.Caused by improper conclusion contained in response to request for licensing interpretation in 1990. Validation project is now complete.W/970310 ltr.
CANNON,R.L., BOULETTE,E.T. Boston Edison Co. 97/03/10. 6pp. 92237:257-92237:262.

9703250226 LER 97-003-00:on 970215,manual scram occurred due to increasing reactor water level during power reduction for refueling outage.Root cause & corrective actions under investigation.W/970317 ltr.
ELLIS,D.W., BOULETTE,E.T. Boston Edison Co. 97/03/17. 18pp. 92275:083-92275:100.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703060431 Revised EPIPs,including rev 3 to CEPIP-2022-01, "Zion EOF Emergency Relocation" & rev 4 to CEPIP-2121-01, "Augmentation Caller Instructions."
SILCOX,D.L. Commonwealth Edison Co. 97/02/24. 28pp. 92012:293-92012:320.

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703070106 Rev 7m to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex Zion Nuclear Power Station."
* Commonwealth Edison Co. 97/02/28. 23pp. 92030:247-92030:270.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703130085 Forwards insp repts 50-295/97-04 & 50-304/97-04 on 970203- 07.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. MUELLER,J.H. Commonwealth Edison Co. 2pp. 92078:256-92078:259.

--9703130097 Partially withheld insp repts 50-295/97-04 & 50-304/97-04 on 970203-07.No violations noted.Details withheld (ref 10CFR73.21).
* Region 3 (Post 820201). 97/03/06. 2pp. 92078:258-92078:259.

9703190138 Revised CEPIPs,including 2000 series table of contents,Rev 2 to CEPIP 2001-02,Rev 3 to CEPIP-2310-01,Rev 4 to CEPIP-2310-02,Rev 3 to CEPIP-2311-01,Rev 4 to CEPIP-2315-02, Rev 4 to CEPIP-2322-01 & Rev 3 to CEPIP-2330-02.
* Commonwealth Edison Co. 97/03/10. 44pp. 92198:064-92198:107.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703250002 Revised EPIPs,including rev to EPIP Index,Change Request Number (CRN) ER9700731 to rev 7 to EPIP 100-1,CRN ER9700788 to rev 3 to EPIP 110-1,CRN ER9700789 to rev 8 to EPIP 190-2, & CRN ER9700791 to rev 1 to EPIP 200-1.
* Commonwealth Edison Co. 97/03/15. 83pp. 92249:238-92249:321.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

P. Operating license stage documents & correspondence

9703260198 Summary of 970103 meeting w/util in Lisle,IL re findings from util contracted ISA & effects of recently identified technical issue involving degraded containment paint coatings on readiness for restart of unit 2.
DAPAS,M.L. Region 3 (Post 820201). 97/01/23. Region 3 (Post 820201). 4pp. 92244:352-92244:355.

9703210339 Rev 1.9 to Chapter 10, "Zion Annex Index" & rev 1.8 to Chapter 12, "Radioactive Effluent Technical Stds."
* Commonwealth Edison Co. 97/01/31. 84pp. 92233:219-92233:301.

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703030174 Submits CAL re 970221 event involving inadequate control of reactivity changes during reactor shutdown.NRC concerned w/deficiences that may have occurred during event.NRC understands that listed actions taken or will be taken.
BEACH,A.B. Region 3 (Post 820201). 97/02/25. MULLER,J.H. Commonwealth Edison Co. 3pp. 91931:045-91931:047.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100081 Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703200241 Transmits info pertaining to NRC staff review of weld defects in CE designed SG tube sleeves.
KALMAN,G. . 97/03/14. HUTCHINSON,C.R. Entergy Operations, Inc. 11pp. 92204:304-92204:314.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

Q. Inspection reports, IE Bulletins & correspondence

9703030084 Confirms plans to conduct Pre-decisional Enforcement Conference on 970310 at Region III Ofc in Lisle,Illinois to discuss apparent violations indentified in insp.
GRANT,G.E. Region 3 (Post 820201). 97/02/21. MUELLER,J.H. Commonwealth Edison Co. 2pp. 91931:025-91931:026.

9703260259 Discusses 970221 event re improper CR movement during shutdown at plant.AIT charter for insp of circumstances associated w/shutdown & improper CR movement encl.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/25. DAPAS,M. Region 3 (Post 820201). 2pp. 92245:174-92245:175.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130085 Forwards insp repts 50-295/97-04 & 50-304/97-04 on 970203- 07.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. MUELLER,J.H. Commonwealth Edison Co. 2pp. 92078:256-92078:259.

--9703130097 Partially withheld insp repts 50-295/97-04 & 50-304/97-04 on 970203-07.No violations noted.Details withheld (ref 10CFR73.21).
* Region 3 (Post 820201). 97/03/06. 2pp. 92078:258-92078:259.

9703170109 Responds to NRC 970128 ltr re violations noted in insp repts 50-295/96-14,50-304/96-14,50-295/96-17 & 50-304/96-17. Corrective actions:equipment attendant removed from assigned duties.
MUELLER,J.H. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 56pp. 92143:231-92143:286.

9703200307 Confirms revised date for Predecisional Enforcement Conference that was originally scheduled for 970310.Purpose of meeting to discuss violations identified in Insp repts 50-295/96-21 & 50-304/96-21,transporting radioactive matl.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. MUELLER,J.H. Commonwealth Edison Co. 2pp. 92187:351-92187:352.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180116 Discusses insp repts 50-295/96-11 & 50-304/96-11 on 960722- 0822 & forwards notice of violation & proposed imposition of civil penatlty in amount of $100,000.
BEACH,A.B. Region 3 (Post 820201). 97/03/12. MUELLER,J.H. Commonwealth Edison Co. 6pp. 92134:180-92134:193.

--9703180119 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Violation noted:on 960318 licensee did not perform adequate safety evaluation to determine if temporary alteration 96-014 constituted safety questions.
* Region 3 (Post 820201). 97/03/12. 8pp. 92134:186-92134:193.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703180003 "1996 Occupational Radiation Exposures for Zion Nuclear Power Station." W/970211 ltr.
LACEY,W.S. Commonwealth Edison Co. 96/12/31. BEACH,A.B. Region 3 (Post 820201). 3pp. 92200:098-92200:100.

9703200165 "Annual Radiological Effluent Release Rept for 960131-1231." W/970315 ltr.
STARKEY,R. Commonwealth Edison Co. 96/12/31. 51pp. 92212:001-92212:052.

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703200125 Monthly operating repts for Feb 1997 for Zion,Units 1 & 2. W/970314 ltr.
CYGAN,J., STARKEY,R.S. Commonwealth Edison Co. 97/02/28. 13pp. 92212:185-92212:197.

S. Reportable occurrences, LERs & related correspondence

9703070020 Part 21 rept re output drift w/increasing temperature on several RTD amplifiers noted during installation of RTD by-pass mod at station.Action to identify all circuit cards w/affected date codes,identified.
GRAESSER,K.L. Commonwealth Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92469:060-92469:065.

9703190253 Summary of operating reactors events meeting 97-02 on 970312.List of attendees,significant elements of discussed events & reactor scram statistics for weeks ending Feb 16, 23,Mar 2 & 9 encl.
CHAFFEE,A.E. . 97/03/17. MARTIN,T.T. . 22pp. 92178:052-92178:073.

9703280282 Forwards LER 97-004-00 re failure to start pump in required time & led to declaring 1C containment spray pump inoperable.
STARKEY,R. Commonwealth Edison Co. 97/03/24. Document Control Branch (Document Control Desk). 1p. 92312:232-92312:236.

--9703280296 LER 97-004-00:on 970221,identified failure to start pump in required time & led to declaring 1C containment spray inoperable.Caused by clogged fuel filter & defective components.1C containment spray pump fuel drained & flushed.
BRENNAN,N. Commonwealth Edison Co. 97/03/24. 4pp. 92312:233-92312:236.

9703280347 Forwards LER 97-005-00 IAW 10CFR50.73(a)(2)(i)(B).Actions listed.
STARKEY,R. Commonwealth Edison Co. 97/03/24. Document Control Branch (Document Control Desk). 2pp. 92312:135-92312:144.

--9703280361 LER 97-005-00:on 970221,unapproved mode change occurred w/ required equipment inoperable.Caused by lack of effective three way communications.Unit placed in cold shutdown w/RCS at atmospheric pressure.
BRENNAN,N.M. Commonwealth Edison Co. 97/03/24. 8pp. 92312:137-92312:144.

V. Operator Examinations

9703040281 *Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear* power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703250013 Submits goals & objectives for June 1997 BFN REP exercise.
BARON,R.R. Tennessee Valley Authority. 97/03/19. Region 2 (Post 820201). 8pp. 92251:299-92251:306.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

J. Insurance & indemnity information

9703240134 Forwards info re onsite property damage insurance,per 10CFR.50.54(w).
BARON,P.R. Tennessee Valley Authority. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:297-92242:299.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703060362 Summary of 970226 meeting w/util in Rockville,MD to discuss issues raised by initial staff review of util 960906 submittal of improved TSs for plant,units 1,2 & 3.List of attendees given in encl.
WILLIAMS,J.F. . 97/03/04. . 16pp. 91983:340-91983:355.

9703170034 Forwards proprietary rept NEDC-32410P, "Maximum Extended Load Line Limit & Arts Improvement Program Analyses for BFNP,Units 1,2 & 3," affidavit & TS change 353R1, "Power Range Neutron Monitor Upgrade...." Encls withheld.
ABNEY,T.E. Tennessee Valley Authority. 97/03/06. Document Control Branch (Document Control Desk). 54pp. 92132:001-92132:345.

--9703170052 Proposed TS supporting planned replacement of current power range monitoring portion of existing NMS w/GE digital nuclear measurement analysis & control power range neutron monitor retrofit design.
* Tennessee Valley Authority. 97/03/06. 290pp. 92132:056-92132:345.

9703130010 Forwards SE authorizing request for relief to use ASME Code Case N-416-1,per 10CFR50.55a(a)(3)(ii).
HEBDON,F.J. . 97/03/10. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92109:232-92109:239.

--9703130011 Safety evaluation authorizing use of ASME Code Case N-416-1.
* . 97/03/10. 5pp. 92109:235-92109:239.

9703120465 Informs that no technical issues which should prevent restart of plant,Unit 3 from current refueling outage, identified,per 970307 ltr.
WILLIAMS,J.F. . 97/03/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92079:260-92079:262.

9703170217 Forwards analysis erroneously omitted from Encl 1 to 960223 ltr detailing adoption of GE SAFER/GESTR model for evaluation of LOCA analysis for BFN.NEDC-32484P,rev 1 encl. Rept withheld.
ABNEY,T.E. Tennessee Valley Authority. 97/03/11. Document Control Branch (Document Control Desk). 8pp. 92175:349-92175:356.

9703190016 Forwards COLR for BFN Unit 3 Cycle 8 operation IAW requirements of TS 6.9.1.7.
ABNEY,T.E. Tennessee Valley Authority. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92201:094-92201:113.

--9703190018 Rev 0 to "COLR,BFN Unit 3,Cycle 8."
RILEY,E.E., BRUCE,A.L., KEYS,T.A. Tennessee Valley Authority. 97/02/06. 17pp. 92201:097-92201:113.

9703260043 Application for amends to Licenses DPR-52 & DPR-68, consisting of TS Change 376,extending EDG allowed outage time.
ABNEY,T.E. Tennessee Valley Authority. 97/03/12. Document Control Branch (Document Control Desk). 4pp. 92253:132-92253:168.

--9703260048 Proposed tech specs re extended EDG allowed outage time.
* Tennessee Valley Authority. 97/03/12. 33pp. 92253:136-92253:168.

9703170128 *Notification of 970320 meeting w/Tennessee Valley Authority in* Rockville,MD to discuss upgrade of Browns Ferry improved TS submittal of 960906.
WILLIAMS,J.F. . 97/03/14. HEBDON,F.J. . 3pp. 92131:300-92131:302.

9703170130 Notification of 970321 meeting w/TVA in Rockville,MD to discuss schedule for upgrade of Browns Ferry improved TS submittal of 960906.
WILLIAMS,J.F. . 97/03/14. HEBDON,F.J. . 3pp. 92131:291-92131:293.

9703180077 Ack receipt of 970212 response to NRC 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.Addl info not needed at this time.
HEBDON,F.J. . 97/03/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92177:116-92177:118.

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

9703250235 Notification of 970327 meeting w/Tennessee Valley Authority in Rockville,MD to discuss planned ECCS suction strainer mod.
WILLIAMS,J.F. . 97/03/21. HEBDON,F.J. . 3pp. 92245:334-92245:336.

Q. Inspection reports, IE Bulletins & correspondence

9703110024 Informs licensee of maint rule baseline insp scheduled at facility on 970314-18,to evaluate effectiveness of implementation of requirements of 10CFR50.65.
HOLLAND,W.E. Region 2 (Post 820201). 97/02/25. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 92019:033-92019:037.

9703040223 Responds to NRC 970127 ltr re violations noted in insp repts 50-259/96-13,50-260/96-13 & 50-296/96-13.Corrective actions: cover over spent fuel pool was removed.
CRANE,C.M. Tennessee Valley Authority. 97/02/26. Document Control Branch (Document Control Desk). 8pp. 91960:186-91960:193.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703180230 Forwards rev 1 to "Evaluation of Indications on Browns Ferry 3 Annulus Core Spray Piping & Rev 1 to "Internal Core Spray Line Flaw Evaluation Handbook for Browns Ferry....per IE Bulletin 80-13.Repts discussed.Summary of commitments encl.
ABNEY,T.E. Tennessee Valley Authority. 97/03/07. Document Control Branch (Document Control Desk). 3pp. 92200:128-92200:214.

--9703180233 Rev 1 to GE-NE-523-B13-01869-032, "Evaluation of Indications on Browns Ferry 3 Annulus Core Spray Piping."
MCALLISTER,B.A., MEHTA,H., HERRERA,M. General Electric Co. GE-NE-523-B13-01869-. 97/03/07. 36pp. 92200:131-92200:166.

--9703180234 Rev 1 to GE-NE-B13-01805-22, "Internal Core Spray Line Flaw Evaluation Handbook for Browns Ferry Units 2 & 3."
STARK,R., DANIEL,R., MEHTA,H.S. General Electric Co. 97/01/31. 47pp. 92200:167-92200:214.

9703170070 Forwards supplemental info for evaluation of indications at core spray sys piping collar to shroud weld.Encl 2 contains photograph of core spray downcomer & collar.
ABNEY,T.E. Tennessee Valley Authority. 97/03/09. Document Control Branch (Document Control Desk). 12pp. 92138:348-92138:359.

9703170108 Responds to RAI re plans for evaluation of indications at core spray sys piping collar-to-shroud weld.
CRANE,C.M. Tennessee Valley Authority. 97/03/10. Document Control Branch (Document Control Desk). 3pp. 92143:353-92143:355.

9703270113 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insps 50-259/96-13,50-260/96-13 & 50-296/96-13.Exam of corrective actions will be done during future insp.
LESSER,M.S. Region 2 (Post 820201). 97/03/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92256:070-92256:072.

9703270252 Forwards insp repts 50-259/97-01,50-260/97-01 & 50-296/97-01 on 970105-0215.No violations noted.
LESSER,M.S. Region 2 (Post 820201). 97/03/11. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 92264:102-92264:131.

--9703270256 Insp repts 50-259/97-01,50-260/97-01 & 50-296/97-01 on 970105-0215.No violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/03/11. 24pp. 92264:106-92264:131.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270093 Ack receipt of 970106 ltr from TE Abney responding to request for reevaluation of scope of valves included in plant GL 89-10 program.Requests that NRC be notified if program will not be completed by proposed insp date.
FREDRICKSON,P. Region 2 (Post 820201). 97/03/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92256:050-92256:052.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

9703200340 Monthly operating repts for Feb 1997 for BFN Units 1,2 & 3.W/970314 ltr.
DAVENPORT,J.W., ABNEY,T.E. Tennessee Valley Authority. 97/02/28. 13pp. 92212:139-92212:151.

9703110004 Forwards annual operating rept for 960101-1231 which contains summary of plant conditions,occupational exposure data,challenges to or failures of main steam relief valves & reactor vessel fatigue usage.
CRANE,C.M. Tennessee Valley Authority. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92072:001-92072:196.

--9703110005 "TVA BFN Units 1,2 & 3 Annual Operating Rept 960101-1231."
* Tennessee Valley Authority. 96/12/31. 193pp. 92072:003-92072:196.

V. Operator Examinations

9703280098 Forwards sampling registration ltr re April 1997 generic fundamentals exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. GREENMAN,B. Tennessee Valley Authority. 3pp. 92265:075-92265:077.

9703270150 Forwards response to questions raised during Region II 1996 Training Managers Conference re requalification hours & requalification training.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. GREEMAN,R. Tennessee Valley Authority. 2pp. 92256:093-92256:094.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9703070114 Forwards insp rept 50-298/96-25 on 961118-22 & 1209-13 & notice of violation.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/04. HORN,G.R. Nebraska Public Power District. 6pp. 91989:010-91989:060.

--9703070124 Insp rept 50-298/96-25 on 961118-22 & 1209-13.Violations noted.Major areas inspected:review of licensee programs for corrective action & self-assessment process,activities of Safety Review Committee & operating experience feedback.
* Region 4 (Post 820201). 97/03/04. 43pp. 91989:018-91989:060.

9703170054 Forwards FEMA final rept for 961119 of plant exercise.W/o encl.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/13. HORN,G.R. Nebraska Public Power District. 5pp. 92116:271-92116:275.

9703250107 Constitutes utils response to SALP insp rept 50-298/97-99 & outlines focus for improved performance.
GRAHAM,P.D. Nebraska Public Power District. 97/03/19. Document Control Branch (Document Control Desk). 10pp. 92252:105-92252:114.

J. Insurance & Indemnity Information

9703260138 Complies w/property insurance reporting requirements of 10CFR50.54(w)(3) on property insurance coverage.
GRAHAM,P.D. Nebraska Public Power District. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92257:327-92257:329.

P. Operating license stage documents & correspondence

9703120405 Ack receipt of 970214 response to 961009 request for info re adequacy & availability of design bases info,per 10CFR50.54(f).
HALL,J.R. . 97/03/10. HORN,G.R. Nebraska Public Power District. 3pp. 92078:358-92078:360.

9703210070 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
HORN,G.R. Nebraska Public Power District. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92235:262-92235:267.

9703250060 Forwards proprietary Rev 1 to NEDC-32687P, "Copper Nuclear Station SAFER/GESTR-LOCA Loss-of-Coolant Accident Analysis." Encl withheld (ref 10CFR2.790).
STRAMBACK,G.B. Nebraska Public Power District. 97/03/19. Document Control Branch (Document Control Desk). 7pp. 92257:093-92257:099.

Q. Inspection reports, IE Bulletins & correspondence

9703040075 Discusses insp rept 50-298/96-12 on 961106.No violations noted.
DYER,J.E. Region 4 (Post 820201). 97/02/21. HORN,G.R. Nebraska Public Power District. 8pp. 91956:001-91956:013.

9703030455 Forwards insp rept 50-298/96-24 on 961007-970219 & NOV.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/25. HORN,G.R. Nebraska Public Power District. 8pp. 91931:071-91931:130.

--9703030458 Notice of violation from insp on 961007-970219.Violation noted:licensees design criteria documents were not identified as conditions adverse to quality until 961220.
* Region 4 (Post 820201). 97/02/25. 3pp. 91931:079-91931:081.

--9703030475 Insp rept 50-298/96-24 on 961007-970219.Violations noted. Major areas inspected:licensee operations,maint,engineering & safety sys.
* Region 4 (Post 820201). 97/02/25. 49pp. 91931:082-91931:130.

9703060185 Forwards insp rept 50-298/96-31 on 961201-970219 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. HORN,G.R. Nebraska Public Power District. 6pp. 91989:061-91989:099.

--9703060186 Notice of violation from insp on 961201-970219.Violation noted:procedural instructions did not exist for operators to mitigate slush buildup in circulating water intake bays.
* Region 4 (Post 820201). 97/02/28. 2pp. 91989:066-91989:067.

--9703060190 Insp rept 50-298/96-31 on 961201-970219.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 97/02/28. 31pp. 91989:068-91989:099.

9703060192 Ack receipt of 970124 ltr in response to 961220 NOV re insp rept 50-298/96-30.NOV cited failure to comply w/requirements of 10CFR50.59 for conducting SFP activities in manner inconsistent w/that described in USAR.
GWYNN,T.P. Region 4 (Post 820201). 97/02/28. HORN,G.R, Nebraska Public Power District. 5pp. 91969:248-91969:259.

--9703060215 Responds to NRC 961220 ltr re violations noted in insp rept 50-298/96-30 on 961104-08 & 1204.Corrective actions: 10CFR50.59 SE expedited which supported change to wording in USAR.Change articulated current licensing basis for FPC sys.
GRAHAM,P.D. Nebraska Public Power District. 97/01/20. Ofc of Enforcement (Post 870413). 7pp. 91969:253-91969:259.

9703100113 Responds to NRC 931112 ltr re violations noted in insp rept 50-298/93-17.Corrective actions:recommendations of expert were implemented & completed on 960831.
GRAHAM,P.D. Nebraska Public Power District. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92047:358-92047:360.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703070114 Forwards insp rept 50-298/96-25 on 961118-22 & 1209-13 & notice of violation.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/04. HORN,G.R. Nebraska Public Power District. 6pp. 91989:010-91989:060.

--9703070119 Notice of violation from insp on 961118-22 & 1209-13. Violations noted:failure of Stations Operations Review Committee to review station operations to detect potential nuclear safety hazards.
* Region 4 (Post 820201). 97/03/04. 2pp. 91989:016-91989:017.

--9703070124 Insp rept 50-298/96-25 on 961118-22 & 1209-13.Violations noted.Major areas inspected:review of licensee programs for corrective action & self-assessment process,activities of Safety Review Committee & operating experience feedback.
* Region 4 (Post 820201). 97/03/04. 43pp. 91989:018-91989:060.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703180086 Ack receipt of 970210 ltr in response to NRC demand for info dtd 970113.Further action not contemplated at present time. Exam of corrective actions will be done during future insps.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/14. WACKENHUT,G.R. Affiliation Not Assigned. 1p. 92134:173-92134:173.

9703250107 Constitutes utils response to SALP insp rept 50-298/97-99 & outlines focus for improved performance.
GRAHAM,P.D. Nebraska Public Power District. 97/03/19. Document Control Branch (Document Control Desk). 10pp. 92252:105-92252:114.

9703260104 Responds to NRC 961106 ltr re violations noted in insp rept 50-298/96-12.Corrective actions:Auxiliary Steam functions AS-F04,AS-F07,AS-F13 & AS-F14 have been included in scope of CNS Maint Rule Program under NUMARC-93-01.
GRAHAM,P.D. Nebraska Public Power District. 97/03/19. Document Control Branch (Document Control Desk). 7pp. 92257:255-92257:261.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703180019 Monthly operating rept for Feb 1997 for CNS.W/970314 ltr.
BALLINGER,P.L., PECKHAM,M.F. Nebraska Public Power District. 97/02/28. 6pp. 92200:105-92200:110.

S. Reportable occurrences, LERs & related correspondence

9703240191 Special rept:on 970301,electric-driven fire pump made inoperable due to overheating of pump during low flow operation.Electric-driven fire pump FP-P-E restored.
PECKHAM,M.F. Nebraska Public Power District. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92241:349-92241:351.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703110213 Forwards Rev 2 of Section 4.0 of ISFSI Security Plan for Point Beach Nuclear Plant Units 1 & 2.Encl withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92073:344-92073:344.

9703110284 Forwards completed guideline PBSG 7.2, "Vitalization of Unit Two."
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/05. Document Control Branch (Document Control Desk). 1p. 92117:354-92117:360.

--9703110287 Rev 0 to "Vitalization of Unit Two."
* Wisconsin Electric Power Co. 97/01/23. 6pp. 92117:355-92117:360.

G. Adjudicatory correspondence

9703100036 Responds to 951117 Petition,requesting that NRC prohibit loading of VSC-24 casks at nuclear sites until multi-assembly sealed basket at Palisades Nuclear plant unloaded & unloading process evaluated.
COLLINS,S.J. . 97/03/04. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 92027:318-92027:349.

--9703100038 Directors Decision 97-05 under 10CFR2.206 re 951117 Petition filed by F Shillinglaw requesting that NRC take action to prohibit loading of VSC-24 casks at nuclear sites.
COLLINS,S.J. . 97/03/04. 12pp. 92027:324-92027:335.

--9703100057 Notice of issuance of Director's Decision under 10CFR2.206 concering 951117 Petiton requesting that NRC prohibit loading of spent nuclear fuel into VSC-24 dry storage casks at nuclear plant.
COLLINS,S.J. . 97/03/04. 2pp. 92027:336-92027:349.

P. Operating license stage documents & correspondence

9703030134 Confirms discussion between M Kunowski & F Flentje re routine mgt meeting scheduled for 970305 in Manitowoc, Wisconsin,to discuss status of facility performance improvement initiatives & issues required to be resolved.
MCCORMICK-BERGE Region 3 (Post 820201). 97/02/20. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. 91931:030-91931:030.

9703050411 Forwards updated PBNP Unit 2 startup commitment list & restart commitment summary dtd 970220.Documents provide progress summary update for issues identified in 961212 ltr.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/02/21. Document Control Branch (Document Control Desk). 174pp. 91987:184-91987:357.

9703060020 Requests addl info re 970116 submittal to change minimum boron concentration required by refueling water storage tanks,boric acid storage tanks & safety injections accumulators,during normal operation.
GUNDRUM,L.L. . 97/02/28. GRIGG,R.R. Wisconsin Electric Power Co. 4pp. 91983:356-91983:359.

9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703060423 Documents NRC telcons of 970219,issuing NOED & 970221, denying request for 36 h extension of NOED.
BEACH,A.B. Region 3 (Post 820201). 97/03/03. PATULSKI,S.A. Wisconsin Electric Power Co. 6pp. 91969:134-91969:139.

9703140105 Summary of 970224 meeting w/Wisconsin Electric Power Co & GLS Enterprises,Inc in Rockville,MD re environ qualified equipment inside containment to perform function following loss-of-coolant accident affected by revised profiles.
GUNDRUM,L.L. . 97/03/03. . 160pp. 92115:001-92115:158.

9703060426 Forwards documents from 970131,mgt meeting between plant & NRC to be sent to PDR.
* Region 3 (Post 820201). 97/03/04. Region 3 (Post 820201). 185pp. 91968:197-91969:017.

9703110247 Submits documentation for NRC review to support restart issues as identified on Unit 2 Startup Commitment List as result from discussions conducted at 970131 NRC WI Electric senior mgt meeting.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/05. Document Control Branch (Document Control Desk). 44pp. 92120:102-92120:145.

9703120077 Provides suppl info for TS change request 192,proposing to modify TS Section 15.3.3, "ECCS,Auxiliary Cooling Sys,Air Recirculation Fan Coolers & Containment Spray" to incorporate AOTs similar to NUREG-1431,Rev 1.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92125:146-92125:147.

9703180141 Forwards correctly labeled replacement page for insertion into 970212 TS change request 196.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:342-92190:343.

9703190035 Forwards updated Unit 2 startup commitment list & restart commitment summary dtd 970312.Documents provide progress summary update for Unit 2 restart,identified in 961212 ltr.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/13. Document Control Branch (Document Control Desk). 175pp. 92197:018-92197:192.

9703200254 Discusses 970305 meeting in Manitowoc,WI re status of facility performance improvement initiatives & issues to be resolved prior to restarting Unit 2.Agenda,core load issues, startup commitment list & restart commitment status encl.
MCCORMICK,J.W. Region 3 (Post 820201). 97/03/13. PATULSKI,S.A. Wisconsin Electric Power Co. 179pp. 92188:001-92188:179.

9703250196 Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92251:340-92251:344.

9703250212 Forwards documentation for review to support restart issues identified on Unit 2 Startup Commitment List.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/19. Document Control Branch (Document Control Desk). 237pp. 92249:001-92249:237.

9703250141 Provides addl info in support of suppl for TS change requests 188 & 189 re unit 2 operations following replacement of SGs.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/20. Document Control Branch (Document Control Desk). 3pp. 92257:141-92257:146.

--9703250143 Proposed tech specs 15.2.2, "Safety Limit,Reactor Coolant Sys Pressure."
* Wisconsin Electric Power Co. 97/03/20. 3pp. 92257:144-92257:146.

Q. Inspection reports, IE Bulletins & correspondence

9703190386 Discusses investigation rept 3-95-043 re circumstances surrounding violation of NRC requirements while working as laundry/decontamination technician at plant,Units 1 & 2.
BEACH,A.B. Region 3 (Post 820201). 96/09/05. ALLENT,S.R. Affiliation Not Assigned. 4pp. 92153:073-92153:080.

--9703190389 Investigation rept 3-95-043.Noncompliance noted:on or about 950406,SR Allent engaged in deliberate misconduct by taping radioactively contaminated particle to underside of table in radiological laundry room,at plant.
* Region 3 (Post 820201). 96/09/05. 4pp. 92153:077-92153:080.

9703190377 Discusses investigation rept 3-96-024 re circumstances surrounding violation of NRC requirements while working as radiochemistry technician at plant,Units 1 & 2 & forwards NOV.
BEACH,A.B. Region 3 (Post 820201). 96/11/14. GOODCHILDMG.L. Affiliation Not Assigned. 4pp. 92153:061-92153:066.

--9703190382 Notice of violation from investigation rept 3-96-024 on 960513-0828.Violation noted:GL Goodchild,radiochemistry technician at plant,engaged in delibrate misconduct by failing to perform QA check HP5890 on 960424.
* Region 3 (Post 820201). 96/11/14. 3pp. 92153:064-92153:066.

9703030084 Confirms plans to conduct Pre-decisional Enforcement Conference on 970310 at Region III Ofc in Lisle,Illinois to discuss apparent violations indentified in insp.
GRANT,G.E. Region 3 (Post 820201). 97/02/21. MUELLER,J.H. Commonwealth Edison Co. 2pp. 91931:025-91931:026.

9703050130 Responds to NRC 970123 ltr re violations noted in insp repts 50-266/96-03 & 50-301/96-03.Corrective actions:issued temporary change to AOP 0.0 re battery chargers & will incorporate temporary change to permanent procedure rev.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 91964:357-91964:360.

9703060440 Forwards insp repts 50-266/96-19 & 50-301/96-19 on 961217-970127 & NOV.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/27. PATULSKI,S.A. Wisconsin Electric Power Co. 4pp. 92002:001-92002:038.

--9703060442 Notice of violation from insp on 961217-970127.Violation noted:licensee identified that on 961216,auxiliary operator was preparing Unit 2 residual heat removal sys for fill & vent evolution & did not open valve 2RH-709A,as required.
* Region 3 (Post 820201). 97/02/27. 2pp. 92002:005-92002:006.

--9703060443 Insp repts 50-266/96-19 & 50-301/96-19 on 961217-970127. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 97/02/27. 32pp. 92002:007-92002:038.

9703260194 Discusses insp repts 50-266/96-18 & 50-301/96-18 on 961202-13,16-20 & 970206-07.Violations noted.Violations of concern because of lack of attention to issues which has been previously identified.
GOBE,J.A. Region 3 (Post 820201). 97/03/03. GRIGG,R.R. Wisconsin Electric Power Co. 7pp. 92264:001-92264:069.

--9703260200 Notice of violation from insp on 961202-970207.Violation noted:on 961205,inspectors observed that operators did not watch for fluid discharge from diesel generator test ports during jacking of G-02 engine flywheel one revolution.
* Region 3 (Post 820201). 97/03/03. 3pp. 92264:008-92264:010.

--9703260202 Insp repts 50-266/96-18 & 50-301/96-18 on 961202-13,16-20 & 970206-07.Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 3 (Post 820201). 97/03/03. 56pp. 92264:011-92264:069.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110075 Forwards response to NRC 970204 ltr re violations noted in insp repts 50-266/96-15,50-301/96-15 & 72-0005/96-15. Corrective actions:all spilled waste was promptly cleaned up.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/06. Document Control Branch (Document Control Desk). 8pp. 92049:350-92049:357.

9703200184 Confirms discussion between M Kunowski & F Flentje to conduct predecisional enforcement conference on 970409. Purpose of conference to discuss apparent violations identified in insp repts 50-266/96-18 & 50-301/96-18.
MCCORMICK,J.W. Region 3 (Post 820201). 97/03/11. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. 92189:026-92189:027.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703260178 Submits steam generator tube insp results for facility.
GUNDRUM,L. NRC - No Detailed Affiliation Given. 97/03/24. MALANOWSKI,T. NRC - No Detailed Affiliation Given. 1p. 92277:037-92277:037.

9703270056 Ack receipt of 970131 ltr,in response to civil penalty proposed by NRC in ltr,dtd 961203.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/26. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. 92256:036-92256:037.

R. Periodic operating reports & related correspondence

9703050035 "1996 Annual Results & Data Rept for PBNP,Units 1 & 2." W/970227 ltr.
JOHNSON,D.F. Wisconsin Electric Power Co. 96/12/31. 96pp. 91996:237-91996:333.

9703060161 "ISFSI Point Beach Nuclear Plant Units 1 & 2 Annual Monitoring Rept:1996." W/970225 ltr.
JOHNSON,D.F. Wisconsin Electric Power Co. 96/12/31. 22pp. 92011:277-92011:298.

9703110302 Forwards monthly operating repts for Feb 1997 for Point Beach Nuclear Plant,Units 1 & 2 & revised monthly operating rept for Jan 1997 for Point Beach Nuclear Plant,Unit 2.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/06. Document Control Branch (Document Control Desk). 1p. 92121:060-92121:068.

--9703110304 Monthly operating repts for Feb 1997 for Point Beach Nuclear Plant,Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 97/02/28. 6pp. 92121:061-92121:066.

--9703110305 Revised monthly operating rept for Jan 1997 for Point Beach Nuclear Plant,Unit 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 97/01/31. 2pp. 92121:067-92121:068.

9703140078 Forwards correction to FFD program performance data on confirmed positive tests for specific substances for six month period ending 961231.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/10. Document Control Branch (Document Control Desk). 3pp. 92138:001-92138:003.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9703030097 Informs that UL document "Rept on Raceway Fire Barriers for Aluminum Cabletray & Aluminum Wireway Sys," File NC1973, Project 95NK17030,dtd 960819,marked as proprietary will be withheld from public disclosure,per 961022 request.
RAGHAVAN,L. . 97/02/26. BEARD,P.M. Florida Power Corp. 3pp. 91940:345-91940:347.

9703060418 Submits Rev 6-14 to physical security plan including description & evaluation of changes & replacements pp for entire plan.Encl withheld.
BEARD,P.M. Florida Power Corp. 97/02/26. Document Control Branch (Document Control Desk). 1p. 92016:348-92016:348.

9703100118 Revised EPIPs,including rev 91 to "REP Index" & rev 57 to REP-02, "Activation & Notification of Corporate Emergency Support Organization."
STEPHENSON,J.T. Florida Power Corp. 97/02/28. 36pp. 92043:317-92043:352.

9703270226 Discusses insp rept 50-302/96-18 on 961202-19 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.
REYES,L.A. Region 2 (Post 820201). 97/02/28. BEARD,P.M. Florida Power Corp. 5pp. 92256:141-92256:149.

--9703270229 Notice of violation & proposed imposition of civil penalty in amount of $50,000.Violation noted:procedures were not implemented & maintained to detailed requirements necessary to implement security plan for plant operations.
* Region 2 (Post 820201). 97/02/28. 4pp. 92256:146-92256:149.

9703180059 Revised EPIPs,including rev 7 to VP-540, "Runback Verification Procedure" & rev 22 to VP-580, "Plant Safety Verification Procedure."
* Florida Power Corp. 97/03/03. 3pp. 92191:354-92191:356.

9703280045 Ack receipt of 961220 response to SALP issued on 961125 re performance of plant operations,maintenance,engineering & plant support activities at Crystal River facility. Corrective actions will be examined during future insp.
REYES,L.A. Region 2 (Post 820201). 97/03/04. ANDERSON,R.A. Florida Power Corp. 4pp. 92265:009-92265:012.

9703180259 Submits Physical Security Plan 6-14 Page 73.Remove & destroy one copy of page Number 72 & replace w/attached page Number 73.Encl withheld.
WATSON,D.L. Florida Power Corp. 97/03/05. NRC - No Detailed Affiliation Given. 1p. 92190:227-92190:227.

9703240145 Rev 22 to EPIP EM-204B, "Off-Site Dose Assessment During Radiological Emergencies (User Intructions for Raddose-IV)."
STEPHENSON,J.D. Florida Power Corp. 97/03/11. 39pp. 92241:041-92241:079.

9703200209 Requests that pp number 73 be removed,destroyed & replaced w/encl corrected pp number 73 to physical security plan.Page withheld.
WATSON,D.L. Florida Power Corp. 97/03/13. Florida Power Corp. 2pp. 92205:270-92205:271.

9703240149 Rev 9 to EPIP EM-103, "Operation & Staffing of CR-3 Control Room During Emergency Classifications."
STEPHENSON,J.T. Florida Power Corp. 97/03/17. 9pp. 92242:288-92242:296.

9703270305 Forwards order prohibiting involvement in NRC-licensed activities (effective immediately).Order issued based on recipient deliberately conspiring to cover up loss of control of security badge at site on 970209.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 97/03/24. MCNEIL,D.D. Affiliation Not Assigned. 2pp. 92256:166-92256:175.

--9703270307 Order prohibiting involvement in NRC-licensed activities (effective immediately).
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 97/03/24. Affiliation Not Assigned. 8pp. 92256:168-92256:175.

9703280303 Revises completion date for EOPs at Crystal River Unit 3 from 970331 to 970829.Completion of EOP enhancements required to support operating crew training.
COWAN,J.P. Florida Power Corp. 97/03/25. Document Control Branch (Document Control Desk). 1p. 92291:128-92291:128.

G. Adjudicatory correspondence

9703270305 Forwards order prohibiting involvement in NRC-licensed activities (effective immediately).Order issued based on recipient deliberately conspiring to cover up loss of control of security badge at site on 970209.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 97/03/24. MCNEIL,D.D. Affiliation Not Assigned. 2pp. 92256:166-92256:175.

--9703270307 Order prohibiting involvement in NRC-licensed activities (effective immediately).
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 97/03/24. Affiliation Not Assigned. 8pp. 92256:168-92256:175.

9703260225 Forwards order prohibiting involvement in NRC-licensed activities (effective immediately) for transmittal to Ofc of FR.W/o encl.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 97/03/25. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 92245:167-92245:167.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

P. Operating license stage documents & correspondence

9703110300 Confirms telcon between D Kunsemiller & K Landis on 970225 concerning meeting requested by NRC scheduled for 970321 to discuss related items on NRC manual chapter 0350 restart matrix.
JAUDON,J.P. Region 2 (Post 820201). 97/02/25. BEARD,P.M. Florida Power Corp. 3pp. 92019:313-92019:315.

9703050017 Forwards response to RAI re concerns of postulated failure of reactor coolant pump seal area heat exchanger which could cause overpressurization of nuclear services closed cycle cooling sys.
BEARD,P.M. Florida Power Corp. 97/02/28. Document Control Branch (Document Control Desk). 6pp. 91963:350-91963:355.

9703050042 Informs of inaccurate statement in FPC to NRC 970208 ltr re design basis 50.54(f) response.Inaccuracy corrected, effective 970225,by issuing change to CP-111.
KUNSEMILLER,D.F Florida Power Corp. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92003:214-92003:215.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9302110121 Requests that FOIA-93-047 request be disposed of by sending existing documents identifying reactors in FL regulated by NRR.
BERKOW,H.N. Project Directorate II-2. 93/02/03. MULLIN,J. Program Management, Policy Development & Analysis Staff (Post 870411). 1p. 92284:049-92284:049.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--9309150344 Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

--9401040006 Summary of 931216 meeting w/Div of Engineering,Div of Reactor Controls & Human Factors & Project Directorate II-2 re appropriateness of reduced USI A-46 program scope for affected plants owned by FPL & FPC.
NORBERG,J.A. Mechanical Engineering Branch. 93/12/22. BERKOW,H.N. Project Directorate II-2. 7pp. 92284:327-92284:333.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703060019 Ack receipt of 970208 response to ltr dtd 961009,requesting info re adequacy & availability on design bases info.
RAGHAVAN,L. . 97/03/04. ANDERSON,R.A. Florida Power Corp. 2pp. 91990:356-91990:357.

9703060351 Notification of meeting on 970318 w/util in Rockville,MD to discuss licensing & design basis issues re high pressure injection & small break loss of coolant accidents.
RAGHAVAN,L. . 97/03/04. HEBDON,F.J. . 4pp. 91999:183-91999:186.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

9703270172 Confirms 970306 telcon between D Kunsemiller & K Landis concerning meeting requested by NRC scheduled for 970321 to discuss related items on NRC Manual Chapter 0350 restart matrix.
JAUDON,J.P. Region 2 (Post 820201). 97/03/07. ANDERSON,R.A. Florida Power Corp. 3pp. 92256:109-92256:111.

9703130233 Requests confirmation re meeting design basis for plant unit 3 as per 10CFR50R.
RAGHAVAN,L. . 97/03/10. ANDERSON,R.A. Florida Power Corp. 2pp. 92107:359-92107:360.

9703190064 Informs that util will be extending second ISI/IST interval for plant.
COWAN,J.P. Florida Power Corp. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92201:325-92201:325.

9703190191 Confirms util understanding of discussions which took place during 970212 Restart Panel meeting at Crystal River Unit 3.
ANDERSON,R.A. Florida Power Corp. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92198:354-92198:354.

9703240198 Requests that change request be withdrawn from further NRC consideration based on recent evaluation of proposed TS.
COWAN,J.P. Florida Power Corp. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92236:214-92236:214.

9703260261 Forwards relief request 97-001-II which is being submitted per 10CFR50.55a(3)(i) in order to obtain approval for using ASME Code Case N-509.Requests that relief be granted by 970526 in order to implement alternate requirements.
COWAN,J.P. Florida Power Corp. 97/03/24. Document Control Branch (Document Control Desk). 5pp. 92254:166-92254:170.

9703280102 Forwards rev 1 to "Crystal River 3 IPEEE."
HOLDEN,J.J. Florida Power Corp. 97/03/24. Document Control Branch (Document Control Desk). 2p. 92270:073-92271:026.

--9703280105 Rev 1 to "Crystal River 3 IPEEE."
* Florida Power Corp. 97/03/24. 310pp. 92270:075-92271:026.

Q. Inspection reports, IE Bulletins & correspondence

9703040207 Discusses insp rept 50-302/96-10 on 960805-09,investigation rept 2-96-033 re event which occurred on 960326 & forwards notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 97/02/21. BEARD,P.M. Florida Power Corp. 4pp. 91945:097-91945:104.

--9703040222 Notice of violation from insp on 960805-09.Violation noted: fuel handling event involving fuel assembly N8C6 was not recorded in operating logs or refueling log & main fuel handling bridge was not verified for indexing.
* Region 2 (Post 820201). 97/02/21. 4pp. 91945:101-91945:104.

9703270226 Discusses insp rept 50-302/96-18 on 961202-19 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.
REYES,L.A. Region 2 (Post 820201). 97/02/28. BEARD,P.M. Florida Power Corp. 5pp. 92256:141-92256:149.

--9703270229 Notice of violation & proposed imposition of civil penalty in amount of $50,000.Violation noted:procedures were not implemented & maintained to detailed requirements necessary to implement security plan for plant operations.
* Region 2 (Post 820201). 97/02/28. 4pp. 92256:146-92256:149.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703280045 Ack receipt of 961220 response to SALP issued on 961125 re performance of plant operations,maintenance,engineering & plant support activities at Crystal River facility. Corrective actions will be examined during future insp.
REYES,L.A. Region 2 (Post 820201). 97/03/04. ANDERSON,R.A. Florida Power Corp. 4pp. 92265:009-92265:012.

9703280112 Discusses results of insp of FPC implementation of engineering program at plant,Unit 3 & as discussed at 970124 predecisional enforcement conference.
REYES,L.A. Region 2 (Post 820201). 97/03/04. ANDERSON,R.A. Florida Power Corp. 4pp. 92265:087-92265:090.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130351 Responds to NRC 970205 ltr re violations noted in insp rept 50-302/96-20.Corrective actions:required action 3.4.3.C was entered & fracture analysis was performed.
COWAN,J.P. Florida Power Corp. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92136:190-92136:194.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703270308 Discusses insp repts 50-302/96-12 & 50-302/96-19 on 961206 & forwards notice of violation & exercise of enforcement discretion.
REYES,L.A. Region 2 (Post 820201). 97/03/12. ANDERSON,R.A. Florida Power Corp. 6pp. 92256:176-92256:191.

--9703270311 Notice of violation from insp on 961206.Violation noted: in April 96 licensee made change to facility described in FSAR,which involved three USQ w/o prior Commission approval.
* Region 2 (Post 820201). 97/03/12. 10pp. 92256:182-92256:191.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190064 Informs that util will be extending second ISI/IST interval for plant.
COWAN,J.P. Florida Power Corp. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92201:325-92201:325.

9703270221 Ack receipt of 970307 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/96-20.
JAUDON,J.P. Region 2 (Post 820201). 97/03/14. ANDERSON,R.A. Florida Power Corp. 3pp. 92256:136-92256:138.

9703240207 Forwards response to NRC 970211 ltr re violations noted in insp rept 50-302/96-09.Corrective actions:MAR has been closed & incorporated into plant quality records.
COWAN,J.P. Florida Power Corp. 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92242:210-92242:212.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280427 Responds to NRC 970221 ltr re violations noted in insp rept 50-302/96-10.Corrective actions:effect of lowering fuel assembly upon another evaluated.
COWAN,J.P. Florida Power Corp. 97/03/21. Document Control Branch (Document Control Desk). 5pp. 92299:034-92299:038.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030471 Forwards fitness-for-duty program performance data for period Jul-Dec 1996.
KUNSEMILLER,D. Florida Power Corp. 97/02/26. Document Control Branch (Document Control Desk). 10pp. 91956:279-91956:288.

9703190057 Monthly operating rept for Feb 1997 for Crystal River Unit 3.W/970313 ltr.
DAO,T.V., KUNSEMILLER,D.F Florida Power Corp. 97/02/28. 5pp. 92199:239-92199:243.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120218 "Plant Status Rept,Crystal River,Unit 3."
* Region 2 (Post 820201). 96/02/29. 63pp. 92226:085-92226:229.

S. Reportable occurrences, LERs & related correspondence

9703040258 LER 97-001-00:on 970128,cavitation from inadequate NPSH affected availibility of EFP.Cause by ineffective configuration change management.EDG A power upgraded,EFW sys mods & failure modes & effects analyzed.W/970227 ltr.
CATCHPOLE,T.W., HOLDEN,J.J. Florida Power Corp. 97/02/27. 9pp. 91990:306-91990:315.

9703050040 LER 96-005-02:on 960130,inadequate failure modes review creates possibility of cooling water flow outside design limits.Caused by error by architect engineer personnel. Procedures revised.W/970228 ltr.
CATCHPOLE,T.W., HOLDEN,J.J. Florida Power Corp. 97/02/28. 10pp. 91991:001-91991:010.

9703050060 LER 97-002-00:on 970129,out-of-calibration fuel storage pool water level transmitters invalidate TS surveillance due to miscommunication between maint dept & engineering dept. SF-1-LT1 & SF-1-LT2 reinstated.W/970228 ltr.
PETERSON,P., HICKLE,B.J. Florida Power Corp. 97/02/28. 5pp. 91991:011-91991:015.

9703070172 LER 97-S01-00:on 970130,maint activities in circulating water sys resulted in protected area breach.Caused by failure to identify security function of plant.Armed security was established.W/970303 ltr.
CAMPBELL,J.S., KUNSEMILLER,D. Florida Power Corp. 97/03/03. 6pp. 92031:257-92031:262.

9703100027 Submits LER 96-003-00 re GL 96-01 testing deficiencies.FPC review & corrective action expected prior to startup from current outage R-1.Suppl reporting related logic sys testing deficiencies expected by 970630.
HOLDEN,J.J. Florida Power Corp. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92109:024-92109:031.

--9703100042 LER 97-003-00:on 970131,testing deficiencies violating TS SR identified.Caused by personnel not fully identifying all components to be tested.C/As include initiating TS Required Actions,procedure revs & surveillance testing.
LEONARD,W.J. Florida Power Corp. 97/03/03. 7pp. 92109:025-92109:031.

9703210356 LER 97-004-00:on 970207,thermal relief valves inside containment do not meet design basis accident requirements. Root cause team will establish cause of deficiency.Valves & associated matls evaluated to assure integrity.W/970310 ltr.
PETERSON,P.M., HOLDEN,J.J. Florida Power Corp. 97/03/10. 4pp. 92246:319-92246:322.

9703210110 LER 97-005-00:on 970214,discovered unanalyzed condition re emergency feedwater sys & Small Break LOCA mitigation.Caused by misunderstanding of reliance on emergency feedwater.Will upgrade EDGs & develop mitigation strategies.W/970317 ltr.
CATCHPOLE,T.W., HOLDEN,J.J. Florida Power Corp. 97/03/17. 9pp. 92246:328-92246:336.

9703260137 LER 97-006-00:on 970219,surveillance testing results in reduction of EDG rating limit due to inadequate acceptance criteria.Instrument uncertainties evaluated & procedure revs initiated.W/970320 ltr.
MCDOUGAL,L.R., HOLDEN,J.J. Florida Power Corp. 97/03/20. 6pp. 92275:130-92275:135.

V. Operator Examinations

9703280043 Informs that NRC plans to administer GFEC of written operator licensing exam on 970409.Individuals who will take exam should be identified in response ltr.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. WIDELL,R. Florida Power Corp. 3pp. 92265:006-92265:008.

9703270083 Provides response to questions raised during Region II 1996 NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. LIND,J.A. Florida Power Corp. 2pp. 92256:040-92256:041.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703060431 Revised EPIPs,including rev 3 to CEPIP-2022-01, "Zion EOF Emergency Relocation" & rev 4 to CEPIP-2121-01, "Augmentation Caller Instructions."
SILCOX,D.L. Commonwealth Edison Co. 97/02/24. 28pp. 92012:293-92012:320.

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703070106 Rev 7m to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex Zion Nuclear Power Station."
* Commonwealth Edison Co. 97/02/28. 23pp. 92030:247-92030:270.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703130085 Forwards insp repts 50-295/97-04 & 50-304/97-04 on 970203- 07.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. MUELLER,J.H. Commonwealth Edison Co. 2pp. 92078:256-92078:259.

--9703130097 Partially withheld insp repts 50-295/97-04 & 50-304/97-04 on 970203-07.No violations noted.Details withheld (ref 10CFR73.21).
* Region 3 (Post 820201). 97/03/06. 2pp. 92078:258-92078:259.

9703190138 Revised CEPIPs,including 2000 series table of contents,Rev 2 to CEPIP 2001-02,Rev 3 to CEPIP-2310-01,Rev 4 to CEPIP-2310-02,Rev 3 to CEPIP-2311-01,Rev 4 to CEPIP-2315-02, Rev 4 to CEPIP-2322-01 & Rev 3 to CEPIP-2330-02.
* Commonwealth Edison Co. 97/03/10. 44pp. 92198:064-92198:107.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703250002 Revised EPIPs,including rev to EPIP Index,Change Request Number (CRN) ER9700731 to rev 7 to EPIP 100-1,CRN ER9700788 to rev 3 to EPIP 110-1,CRN ER9700789 to rev 8 to EPIP 190-2, & CRN ER9700791 to rev 1 to EPIP 200-1.
* Commonwealth Edison Co. 97/03/15. 83pp. 92249:238-92249:321.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

P. Operating license stage documents & correspondence

9703260198 Summary of 970103 meeting w/util in Lisle,IL re findings from util contracted ISA & effects of recently identified technical issue involving degraded containment paint coatings on readiness for restart of unit 2.
DAPAS,M.L. Region 3 (Post 820201). 97/01/23. Region 3 (Post 820201). 4pp. 92244:352-92244:355.

9703210339 Rev 1.9 to Chapter 10, "Zion Annex Index" & rev 1.8 to Chapter 12, "Radioactive Effluent Technical Stds."
* Commonwealth Edison Co. 97/01/31. 84pp. 92233:219-92233:301.

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703030174 Submits CAL re 970221 event involving inadequate control of reactivity changes during reactor shutdown.NRC concerned w/deficiences that may have occurred during event.NRC understands that listed actions taken or will be taken.
BEACH,A.B. Region 3 (Post 820201). 97/02/25. MULLER,J.H. Commonwealth Edison Co. 3pp. 91931:045-91931:047.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100081 Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703200241 Transmits info pertaining to NRC staff review of weld defects in CE designed SG tube sleeves.
KALMAN,G. . 97/03/14. HUTCHINSON,C.R. Entergy Operations, Inc. 11pp. 92204:304-92204:314.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130085 Forwards insp repts 50-295/97-04 & 50-304/97-04 on 970203- 07.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. MUELLER,J.H. Commonwealth Edison Co. 2pp. 92078:256-92078:259.

--9703130097 Partially withheld insp repts 50-295/97-04 & 50-304/97-04 on 970203-07.No violations noted.Details withheld (ref 10CFR73.21).
* Region 3 (Post 820201). 97/03/06. 2pp. 92078:258-92078:259.

9703170109 Responds to NRC 970128 ltr re violations noted in insp repts 50-295/96-14,50-304/96-14,50-295/96-17 & 50-304/96-17. Corrective actions:equipment attendant removed from assigned duties.
MUELLER,J.H. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 56pp. 92143:231-92143:286.

9703200307 Confirms revised date for Predecisional Enforcement Conference that was originally scheduled for 970310.Purpose of meeting to discuss violations identified in insp repts 50-295/96-21 & 50-304/96-21,transporting radioactive matl.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. MUELLER,J.H. Commonwealth Edison Co. 2pp. 92187:351-92187:352.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180116 Discusses insp repts 50-295/96-11 & 50-304/96-11 on 960722- 0822 & forwards notice of violation & proposed imposition of civil penaltiy in amount of $100,000.
BEACH,A.B. Region 3 (Post 820201). 97/03/12. MUELLER,J.H. Commonwealth Edison Co. 6pp. 92134:180-92134:193.

--9703180119 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Violation noted:on 960318 licensee did not perform adequate safety evaluation to determine if temporary alteration 96-014 constituted safety questions.
* Region 3 (Post 820201). 97/03/12. 8pp. 92134:186-92134:193.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703180003 "1996 Occupational Radiation Exposures for Zion Nuclear Power Station." W/970211 ltr.
LACEY,W.S. Commonwealth Edison Co. 96/12/31. BEACH,A.B. Region 3 (Post 820201). 3pp. 92200:098-92200:100.

9703200165 "Annual Radiological Effluent Release Rept for 960131-1231." W/970315 ltr.
STARKEY,R. Commonwealth Edison Co. 96/12/31. 51pp. 92212:001-92212:052.

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703200125 Monthly operating repts for Feb 1997 for Zion,Units 1 & 2. W/970314 ltr.
CYGAN,J., STARKEY,R.S. Commonwealth Edison Co. 97/02/28. 13pp. 92212:185-92212:197.

S. Reportable occurrences, LERs & related correspondence

9703040254 Special rept:on 970125,failure of 2A EDG.Caused by Train "B" starting air control valve failed to stroke & EDG did not get any starting air.Removed plugs from all other SACVs.
LACEY,W.S. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91980:357-91980:359.

9703070020 Part 21 rept re output drift w/increasing temperature on several RTD amplifiers noted during installation of RTD by-pass mod at station.Action to identify all circuit cards w/affected date codes,identified.
GRAESSER,K.L. Commonwealth Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92469:060-92469:065.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9703170210 Ack receipt of 970220 ltr which transmitted changes to Security Manual for Kewaunee Nuclear Power Plant,submitted per 10CFR50.54(p).Changes do not decrease effectiveness of plan.
CREED,J.R. Region 3 (Post 820201). 97/03/11. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 92177:030-92177:031.

J. Insurance & Indemnity Information

9703240140 Submits rept on onsite property damage insurance,per 10CFR50.54(w)(e).
MARCHI,M.L. Wisconsin Public Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92236:211-92236:211.

9703240220 Forwards Endorsements 124,125 & 126 to Policy NF-204 to NELIA,Endorsements 106,107 & 108 to Policy to MF-071 to MAELU,Endorsements 25 & 26 to Certificate N-044 to NELIA & Endorsements 25 & 26 to Certificate M-044 to MAELU.
MARCHI,M.L. Wisconsin Public Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 13pp. 92241:165-92241:177.

P. Operating license stage documents & correspondence

9703030502 Ack receipt of 970206 response to 961009 request for info re adequacy & availability of design bases & informs that no addl info needed at present time,per 10CFR50.54(f).
LAUFER,R.J. . 97/02/27. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 91940:330-91940:332.

9703120442 Informs that licensee request to withhold WCAP-14685,Rev 1 & WCAP-14686,Rev 1 from public disclosure per 10CFR2.790, granted.
LAUFER,R.J. . 97/03/06. SEPP,H.A. Westinghouse Electric Corp. 4pp. 92079:274-92079:277.

9703130364 Notification of 970324 meeting w/licensee in Rockville,MD to discuss results of analysis performed on pulled SG tube samples from mentioned plant & licensees proposed SG tube repair method.
LAUFER,R.J. . 97/03/11. CARPENTER,C.A. . 3pp. 92109:274-92109:276.

9703190159 Notification of 970324 meeting w/util in Rockville,MD to discuss licensee proposal to repair sleeved SG tubes by replacing existing hybrid expansion joint sleeves w/new sleeves.
LAUFER,R.J. . 97/03/14. CARPENTER,C.A. . 4pp. 92178:039-92178:042.

9703200241 Transmits info pertaining to NRC staff review of weld defects in CE designed SG tube sleeves.
KALMAN,G. . 97/03/14. HUTCHINSON,C.R. Entergy Operations, Inc. 11pp. 92204:304-92204:314.

9703240155 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
STEINHARDT,C.R. Wisconsin Public Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92242:283-92242:287.

Q. Inspection reports, IE Bulletins & correspondence

9703030039 Forwards insp rept 50-305/96-11 on 961029-970206.No violations.
GRANT,G.E. Region 3 (Post 820201). 97/02/20. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 91949:087-91949:096.

--9703030044 Insp rept 50-305/96-11 on 961029-970206.No violations noted. Major areas inspected:maint.
* Region 3 (Post 820201). 97/02/20. 8pp. 91949:089-91949:096.

9703030145 Forwards insp rept 50-305/97-04 on 970128-31 & notice of violation.
GRANT,G.E. Region 3 (Post 820201). 97/02/23. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 91949:059-91949:070.

--9703030155 Notice of violation from insp on 970128-31.Violation noted:radiation source was not posted w/sign bearing radiation symbol & words "CAUTION,HIGH RADIATION AREA."
* Region 3 (Post 820201). 97/02/23. 1p. 91949:062-91949:062.

--9703030158 Insp rept 50-305/97-04 on 970128-31.Violations noted.Major areas inspected:licensees radiological protection & chemistry controls.
* Region 3 (Post 820201). 97/02/23. 8pp. 91949:063-91949:070.

9703050044 Ack receipt of 970204 ltr informing NRC of steps taken to correct violations noted in insp 50-30/96-12.Corrective actions will be examined during future insp.
GRANT,G.E. Region 3 (Post 820201). 97/02/27. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 91955:304-91955:309.

9703050256 Forwards response to NRC 970129 ltr re violations noted in insp rept 50-305/96-14 on 961121-970102.Corrective actions: LER was issued notifying NRC of condition found.
MARCHI,M.L. Wisconsin Public Service Corp. 97/02/27. Document Control Branch (Document Control Desk). 6pp. 92003:127-92003:132.

9703050154 Responds to NRC 970129 ltr re violations noted in insp rept 50-305/96-10 on 961002-1120.Corrective actions:shift crew briefings,plan of actions to prevent personnel errors & improve overall performance developed on each shift.
MARCHI,M.L. Wisconsin Public Service Corp. 97/02/28. Document Control Branch (Document Control Desk). 15pp. 92002:321-92002:335.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070060 "1996 KNPP Annual Operating Rept." W/970303 ltr.
MARCHI,M.L. Wisconsin Public Service Corp. 96/12/31. 76pp. 92028:227-92028:302.

9703140114 Monthly operating rept for Feb 1997 for KNKPP.W/970307 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 97/02/28. 5pp. 92138:004-92138:008.

S. Reportable occurrences, LERs & related correspondence

9703110133 LER 97-001-00:on 970131,NRC insp identified two potential unreviewed safety questions & one potential inadequate TS. Caused by weaknesses in design basis documentation.Reviewed & revised USAR.W/970303 ltr.
WEBB,T.J., MARCHI,M.L. Wisconsin Public Service Corp. 97/03/03. 11pp. 92189:284-92189:294.

9703110131 LER 97-002-00:on 970205,number of weld repaired HEJ sleeved tubes found to be leaking.Plugged & repaired all tubes classified as defective.W/970307 ltr.
BERNHOFT,S.L., MARCHI,M.L. Wisconsin Public Service Corp. 97/03/07. 11pp. 92189:273-92189:283.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703130347 Provides individual exam results for applicants who took Feb 1997 initial license exam.
LENNARTZ,J.A. Region 3 (Post 820201). 97/03/10. BROWN,J.J. Wisconsin Public Service Corp. 2pp. 92069:295-92069:296.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703060156 Revised EPIPs,including rev 1 to "Table of Contents-Record of Revs," rev 1 to ESP-NEP-2101, "Corporate Emergency...." rev 1 to ESP-NEP-2102,rev 1 to ESP-NEP-2104,rev 1 to ESP-NEP-2105,rev 1 to ESP-NEP-2106 & rev 1 to ESP-NEP-2107.
JOHNSON-LADD Northern States Power Co. 97/02/26. 68pp. 92009:219-92009:286.

9703070138 Revised EPIPs,including Rev 1 to ESP-NEP-2101,Rev 1 to ESP-NEP-2102,Rev 1 to ESP-NEP-2104,Rev 1 to ESP-NEP-2105,Rev 1 to ESP-NEP-2106 & Rev 1 to ESP-NEP-2107.
JOHNSON-LADD Northern States Power Co. 97/02/26. 66pp. 92029:239-92029:306.

G. Adjudicatory correspondence

9703060078 Forwards Northern States Power Co quarterly status rept relating to proposed Goodhue County facility,pursuant to Licensing Board 961203 memo & order.
SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #197 18175. 97/02/21. BECHHOEFER,C., SHON,F.J., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 5pp. 91970:163-91970:167.

H. General correspondence

9703140076 Expresses appreciation for 970205 meeting in Rockville,MD to discuss concerns re Prairie Island Nuclear Generating Plant & safety issues to Prairie Island Indian Community.
CAMPBELL,C.C. Prairie Island Mdewakanton Sioux Indian Community. 97/01/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 92115:352-92115:355.

9703030042 Responds to 970114 ltr to C Haughney re SAR for ISFSI at plant.Unloading procedure for dry cask storage casks inspected by NRC & found to provide adequate guidance to control unloading process.
MARCUS,G.H. . 97/02/25. CROCKER,G. Affiliation Not Assigned. 5pp. 91946:006-91946:010.

9703030089 Responds to 970118 ltr to E Easton & to question re environ radiation associated w/ISFSIs.Licensees required to provide annual rept of effluents released from reactor facilities & ISFSIs.
MARCUS,G.H. . 97/02/25. SMIT,C.T. Affiliation Not Assigned. 6pp. 91940:348-91940:352.

I. Financial information

9703130253 Forwards "Amended & Restated Nuclear Decommissioning Trust Agreement," dtd 961126 to ensure that NRC records are current.
ANDERSON,R.O. Northern States Power Co. 97/02/26. Document Control Branch (Document Control Desk). 25pp. 92127:298-92127:322.

J. Insurance & indemnity information

9703240085 Forwards summary of nuclear property insurance as of 970401 for util,per 10CFR50.54(w)(3).
ANDERSON,R.O. Northern States Power Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92242:303-92242:304.

P. Operating license stage documents & correspondence

9703060239 Ack receipt of NSP 970211 response to NRC 961009 RAI,per 10CFR50.54 re adequacy & availibility of design bases info.
WETZEL,B.A. . 97/02/28. ANDERSON,R.O. Northern States Power Co. 6pp. 91991:345-91991:350.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703130250 Clarifies NSP understanding of restrictions on Prairie Island Unit 2 operations resulting from outstanding Unreviewed Safety Question re cooling water sys.
SORENSEN,J.P. Northern States Power Co. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92128:103-92128:104.

9703130251 Forwards rev 0 to COLR for Prairie Island Unit 2 Cycle 18 IAW requirements of TS Section 6.7.A.6.Rept has been revised to incorporate listed changes.
SORENSEN,J.P. Northern States Power Co. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92127:323-92127:348.

--9703130252 Rev 0 to "COLR Unit 2 - Cycle 18."
* Northern States Power Co. 97/03/03. 24pp. 92127:325-92127:348.

9703070104 Forwards correction to amends 127 & 119 to licenses DPR-42 & DPR-60,respectively.Staff SE refer to TS 3.3.4.2.g instead of TS 3.3.A.Amends revised TS 3.3.A & associated bases to allow SI pump testing.
WETZEL,B.A. . 97/03/04. ANDERSON,R.O. Northern States Power Co. 4pp. 91999:160-91999:167.

9703120396 Notification of 970312 meeting w/util in Rockville,MD to discuss issues pertaining to Prairie Island amend of cooling water sys emergency intake design bases.
WETZEL,B.A. . 97/03/07. HANNON,J.N. . 8pp. 92079:281-92079:288.

9703120439 Forwards evaluation of 970213 request for info re application of F* & EF* SG tube criteria for plant,Units 1 & 2.Response consistent w/original assessment provided w/Unit 2 F* license amend,dtd 950515.
WETZEL,B.A. . 97/03/07. ANDERSON,R.O. Northern States Power Co. 6pp. 92079:254-92079:259.

9703130392 Forwards suppl 3 to 970129 license amend request re cooling water sys emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92128:058-92128:068.

--9703130404 Suppl 3 to application for amends to licenses DPR-42 & DPR-60 re cooling water sys emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/07. 4pp. 92128:060-92128:063.

--9703130409 Proposed tech specs re cooling water sys emergency intake design basis.
* Northern States Power Co. 97/03/07. 5pp. 92128:064-92128:068.

9703140082 Provides suppl 3 to LAR dtd 970129 re amend of CWS emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92143:001-92143:230.

--9703140148 Application for amends to licenses DPR-42 & DPR-60,revising CWS Emergency Intake Design Bases.
SORENSEN,J.P. Northern States Power Co. 97/03/10. 2pp. 92143:003-92143:004.

--9703140086 "Response to NRC Addl Info Request dtd 970219."
* Northern States Power Co. 97/02/28. 226pp. 92143:005-92143:230.

9703190026 Forwards suppl 5 to 970129 amend request re cooling water sys emergency intake design basis,in response to insp repts 50-282/96-15 & 50-306/96-15.
SORENSEN,J.P. Northern States Power Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92198:198-92198:246.

--9703190028 Application for amends to licenses DPR-42 & DPR-60,providing suppl info to support amend re CWS emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/11. 21pp. 92198:201-92198:221.

--9703190029 Rev 12 to abnormal procedure AB-3, "Earthquakes."
* Northern States Power Co. 97/01/29. 25pp. 92198:222-92198:246.

9703240037 Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." Requested summary of Prairie Island MOV periodic verification program attached.
SORENSEN,J.P. Northern States Power Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92243:018-92243:022.

9703260298 Submits suppl license amend request,per discussions w/NRC staff.Suppl proposes to revise License Conditions 1 & 2 as submitted.
SORENSEN,J.P. Northern States Power Co. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92254:155-92254:157.

9703260338 Forwards supplement 7 to 970129 license amend request re cooling water sys emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92253:169-92253:195.

--9703260339 Application for amends to licenses DPR-42 & DPR-60,providing supplemental info to amend re cooling water sys emergency intake design bases.
SORENSEN,J.P. Northern States Power Co. 97/03/20. Document Control Branch (Document Control Desk). 1p. 92253:171-92253:195.

9703270209 Forwards amends 128 & 120 to licenses DPR-42 & DPR-60 & SE. Amends authorize continued operation of plant,Units 1 & 2 on interim basis,through incorporation of 3 license conditions into licenses,until qualified ECW source,provided.
WETZEL,B.A. . 97/03/25. ANDERSON,R.O. Northern States Power Co. 3pp. 92295:130-92295:156.

--9703270215 Amends 128 & 120 to licenses DPR-42 & DPR-60,respectively, authorizing continued operation of plant,Units 1 & 2 on interim basis,through incorporation of 3 license conditions into licenses,until qualified ECW source,provided.
WETZEL,B.A. . 97/03/25. 10pp. 92295:133-92295:142.

--9703270219 Safety evaluation supporting amends 126 & 120 to licenses DPR-42 & DPR-60,respectively.
* . 97/03/25. 14pp. 92295:143-92295:156.

Q. Inspection reports, IE Bulletins & correspondence

9703030178 Ack receipt of 970127 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/96-14 & 50-306/96-14 on 961227.
JACOBSON,J.M. Region 3 (Post 820201). 97/02/14. WADLEY,M. Northern States Power Co. 1p. 91931:051-91931:051.

9703030059 Forwards insp repts 50-282/97-04 & 50-306/97-04 on 970203-07.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 97/02/23. WADLEY,M. Northern States Power Co. 2pp. 91949:135-91949:145.

--9703030069 Insp repts 50-282/97-04 & 50-306/97-04 on 970203-07.No violations noted.Major areas inspected:inspector reviewed several ALARA reviews & RWPs.
* Region 3 (Post 820201). 97/02/23. 9pp. 91949:137-91949:145.

9703030525 Responds to NRC 970123 ltr re violations noted in insp repts 50-282/96-15 & 50-306/96-15.Corrective actions:license amend request submitted.
WADLEY,M.D. Northern States Power Co. 97/02/24. Document Control Branch (Document Control Desk). 5pp. 91951:351-91951:355.

9703050215 Forwards insp repts 50-282/97-02 & 50-306/97-02 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/25. WADLEY,M. Northern States Power Co. 3pp. 91998:057-91998:082.

--9703050224 Notice of violation from insp on 970108-0220.Violation noted:failure to use appropriate documented instructions while moving heavy loads w/mobile crane.
* Region 3 (Post 820201). 97/02/25. 2pp. 91998:060-91998:061.

--9703050227 Insp repts 50-282/97-02 & 50-306/97-02 on 970108-0220. Violation noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 3 (Post 820201). 97/02/25. 21pp. 91998:062-91998:082.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703100273 Forwards 1997 steam generator plugged tube & F* tube summary,category C-3 tube insp special rept & F* tube rept.
SORENSEN,J.P. Northern States Power Co. 97/03/05. Document Control Branch (Document Control Desk). 61pp. 92048:046-92048:106.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110168 Ack receipt of 970210 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/96-12 & 50-306/96-12.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. WADLEY,M.D. Northern States Power Co. 2pp. 92019:168-92019:186.

9703130079 Ack receipt of 970303 ltr informing NRC of steps taken to correct violations noted in insp repts 50-282/96-05 & 50-306/96-14 on 961101.
ROE,J.W. . 97/03/06. WADLEY,M.D. Northern States Power Co. 5pp. 92105:347-92105:351.

9703190026 Forwards suppl 5 to 970129 amend request re cooling water sys emergency intake design basis,in response to insp repts 50-282/96-15 & 50-306/96-15.
SORENSEN,J.P. Northern States Power Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92198:198-92198:246.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703200178 Confirms plans to conduct enforcement conference on 970318 in Lisle,IL,to discuss apparent violation documented in insp repts 50-282/97-02 & 50-306/97-02.
CALDWELL,J.L. Region 3 (Post 820201). 97/03/12. WADLEY,M. Northern States Power Co. 2pp. 92189:024-92189:025.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703200111 Forwards insp repts 50-282/97-03 & 50-306/97-03 & forwards notice of violation.
GRANT,G.E. Region 3 (Post 820201). 97/03/14. WADLEY,M.D. Northern States Power Co. 2pp. 92220:025-92220:064.

--9703200115 Notice of violation from insp on 970203-20.Violation noted: on 970210 code volumentric exam requirements not met for seven welds in each unit.
* Region 3 (Post 820201). 97/03/14. 2pp. 92220:027-92220:028.

--9703200121 Insp repts 50-282/97-03 & 50-306/97-03 on 970203-13. Violations noted.Major areas inspected:performance of listed activities.
* Region 3 (Post 820201). 97/03/14. 36pp. 92220:029-92220:064.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050003 "Annual Repts of Occupational Radiation Exposure & Safety Relief Valve Challenges for Period From 960101-1231." W/970224 ltr.
SORENSEN,J.P. Northern States Power Co. 96/12/31. 7pp. 91975:346-91975:352.

9703030510 Forwards fitness for duty program performance data for period ending 961231.
ANDERSON,R.O. Northern States Power Co. 97/02/19. Document Control Branch (Document Control Desk). 7pp. 91956:234-91956:240.

9703130273 Monthly operating repts for Feb 1997 for Praire Island Nuclear Generating Plant.W/970307 ltr.
DUGSTAD,D., SORENSEN,J.P. Northern States Power Co. 97/02/28. 10pp. 92128:086-92128:094.

S. Reportable occurrences, LERs & related correspondence

9703250217 Forwards LER 97-001-00 re transport of heavy load over irradiated fuel or safe SD equipment w/o establishing required conditions.Event reported via Emergency Emergency Notification Sys IAW 10CFR50.72 on 970207.
SORENSEN,J.P. Northern States Power Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92275:063-92275:082.

--9703250236 LER 97-001-00:on 970207,heavy load transported over irradiated fuel or safe SD equipment w/o establishing required conditions.Caused by failure to follow D58.Movement of 22 RCP placed on hold until procedures revised.
LEVEILLE,J. Northern States Power Co. 97/03/17. 18p. 92275:065-92275:082.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

W. Decommissioning Stage Documents & Correspondence

9703130253 Forwards "Amended & Restated Nuclear Decommissioning Trust Agreement," dtd 961126 to ensure that NRC records are current.
ANDERSON,R.O. Northern States Power Co. 97/02/26. Document Control Branch (Document Control Desk). 25pp. 92127:298-92127:322.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9703060341 Informs that in 1996 util initiated assessment of plant fire barrier penetration seals to ensure correct installation & proper configuration.
HEBERT,J.R. Maine Yankee Atomic Power Co. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92016:302-92016:303.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100048 Partially withheld memo discussing petition filed by JF Doherty requesting six plant reactors be immediately shutdown & Directors Decision 95-22 which denies request.
TSCHILTZ,M. NRC - No Detailed Affiliation Given. 95/12/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 92038:219-92038:223.

9510260004 Responds to request for immediate shutdown of listed six pressurized water reactors.
STROSNIDER,J.R. . 95/10/19. MATTHEWS,D.B. . 7pp. 92286:278-92286:284.

9703270199 Provides update on status of 960819 submission of 10CFR2.206 Petition.
TAM,P.S. . 97/03/26. SEARS,P.M. Affiliation Not Assigned. 2pp. 92262:028-92262:029.

H. General correspondence

9703030202 Advises NRC of recent changes for future correspondence to MYAP.
HEBERT,J.R. Maine Yankee Atomic Power Co. 97/02/20. Document Control Branch (Document Control Desk). 1p. 91964:230-91964:230.

9703050501 Responds to 970108 ltr forwarding concerns raised in 961120 e-mail re Maine Yankee plant & NRC Independent Safety Assessment Team findings & request to participate in Commission mtg of 970204 re ISAT findings.
ZWOLINSKI,J.A. . 97/02/28. BLANCH,P.M. Affiliation Not Assigned. 6pp. 91961:204-91961:213.

--9703050504 Requests 15 minutes to present issues to Commission re safe operation of Maine Yankee during 970204 meeting.
BLANCH,P.M. Affiliation Not Assigned. 97/01/08. BATES,A. Office of the Secretary of the Commission. 4pp. 91961:210-91961:213.

9703060218 Responds to 970218 ltr requesting that USNRC require MYAPS to resolve problems already identified by Independent SA insp & to inspect,evaluate, & upgrade all plant sys prior to restarting MYAPS.
ZWOLINSKI,J.A. . 97/02/28. HERZ,M. Affiliation Not Assigned. 5pp. 91992:332-91992:338.

--9703060220 Requests that NRC require all plant (MYAPS) sys be carefully inspected,evaluated & upgraded as part of serious program designed to determine true risks to citizens of Maine.
HERZ,M. Affiliation Not Assigned. 97/02/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91992:337-91992:338.

9703060300 Responds to 970130 ltr to Chairman Jackson concerning participation in Commission meeting on Maine Yankee.Copies of slides encl.
ZWOLINSKI,J.A. . 97/02/28. LINNELL,W.S.S Affiliation Not Assigned. 8pp. 91984:321-91984:341.

--**9703060304** Forwards copies of viewgraphs to be presented at NRC 970204 meeting.
LINNELL,W.S. Affiliation Not Assigned. 97/01/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 10pp. 91984:332-91984:341.

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--**9703110303** Discusses MYAPS decision to select Entergy to run plant.
BLANCH,P. Affiliation Not Assigned. 97/01/08. ZWOLINSKI,J.A. . MULLEY,G.A., STRYKER,W.J. Office of the Inspector General (Post 890417). 10pp. 92108:015-92108:024.

--**9703110309** Requests 15 minutes to present stated issues to NRC during 970204 meeting on MYAPS.
BLANCH,P. Affiliation Not Assigned. 97/01/09. ZWOLINSKI,J.A. . 5pp. 92108:029-92108:033.

--**9703120357** Questions whether MYAPS mgt should be going south to help Entergy w/ problems instead of reverse.
BLANCH,P. Affiliation Not Assigned. 97/01/16. ZWOLINSKI,J.A. . 2pp. 92108:094-92108:095.

--**9703120376** Forwards K Christine ltr to editor of Portland Press Herald re MYAPS intentions to contract Entergy to operate troubled plant.
BLANCH,P. Affiliation Not Assigned. 97/01/16. ZWOLINSKI,J.A., LEE,J.I. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:096-92108:098.

--**9703130240** Forwards 970123 ltr from NRC which ack receipt of 970108 ltr from P Blanch re concerns about MYAPS & NRC independent SA team findings.
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 2pp. 92108:150-92108:151.

--**9703130247** Discusses decision to name Seldman as replacement for C Frizzle.
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 1p. 92108:152-92108:152.

--**9703130320** Forwards article by P Pocha & E Murphy re mounting problems at MYAPS.Advises that plant will remain shut down at least a month longer than expected because of continuing problems w/electrical sys.
BLANCH,P. Affiliation Not Assigned. 97/01/28. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). GIETL,D.R. Region 4 (Post 820201). 5pp. 92108:157-92108:161.

--**9703130343** Forwards 970129 ltr from D Lochbaum to Commissioners re apparent violation by MYAPS involving failure to update FSAR to reflect SAs performed at NRC request.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 13pp. 92108:169-92108:181.

--**9703130363** Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

--**9703130372** Discusses MYAPS being put on "watch list."
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). GIETL,D.R. Region 4 (Post 820201). 4pp. 92108:192-92108:195.

--**9703130375** Forwards D Lettermans top ten list re MYAPS.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A. . 1p. 92108:196-92108:196.

9703130371 Requests copy of Maine Yankee response to staff 961009, request for info,per 10CFR50.54(f) re adequacy & availability of design basis info.
DORMAN,D.H. . 97/03/06. BLOCK,J.M. Affiliation Not Assigned. 1p. 92080:001-92080:131.

9703270241 Responds to 970224 ltr to Chairman Jackson expressing concerns re NRC "Confirmatory Order Suspending Authority for & Limiting Power Operation & Containment Pressure & Demand for Info," dtd 960103.
ZWOLINSKI,J.A. . 97/03/25. PRATT,C., METCALF,M., DOUGHTY,J. Seacoast Anti-Pollution League. 2pp. 92261:305-92261:345.

--**9703270254** Responds to 970106 ltr to HJ Miller re Millstone,Salem & MYAP NPPs.Provides answers to questions raised in 961213 ltr to HR Meyer.
COLLINS,S.J. . 97/02/27. LOCHBAUM,D.A. Union of Concerned Scientists. 3pp. 92261:307-92261:343.

--**9703270258** Requests answers to questions in 961213 ltr from HR Meyer.
PRATT,C., METCALF,M., DOUGHTY,J. Seacoast Anti-Pollution League. 97/02/24. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92261:344-92261:345.

J. Insurance & indemnity information

9703250209 Discusses nuclear property insurance in force to protect util site at Wiscasset,ME.
LYDON,P.S. Maine Yankee Atomic Power Co. 97/03/14. Document Control Branch (Document Control Desk). 1p. 92257:153-92257:153.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--**9703140079** Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703110067 Completes response to RAI re summary of methodology that util plan to use to reanalyze containment pressure response following LOCA.Rev to Methods Summary Rept encl.Encl withheld per 10CFR2.790.
SELLMAN,M.B. Maine Yankee Atomic Power Co. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92073:345-92073:348.

9703110010 Application for amend to license DPR-36,requesting approval of alternative sleeving repair process for SG tubes at plant.
SELLMAN,M.B. Maine Yankee Atomic Power Co. 97/03/05. Document Control Branch (Document Control Desk). 12pp. 92068:343-92068:360.

--**9703110011** Proposed tech specs,requesting approval of alternative sleeving repair process for SG tubes at plant.
* Maine Yankee Atomic Power Co. 97/03/05. 6pp. 92068:355-92068:360.

9703130367 Forwards Restart Readiness Plan for startup of util which contains provisions for short-term & long-term actions following restart which will address & resolve other outstanding issues associated w/plant.
SELLMAN,M.B. Maine Yankee Atomic Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92127:086-92127:176.

--**9703130368** "Restart Readiness Plan."
SELLMAN,M.B. Maine Yankee Atomic Power Co. 97/03/07. 86pp. 92127:088-92127:176.

9703130349 Responds to 961210 ltr re ISAT rept issued on 971007.Informs that response addresses at broad level,major conclusions & concerns raised by ISAT.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/03/10. SELLMAN,M.B. Maine Yankee Atomic Power Co. 5pp. 92106:003-92106:007.

9703170231 Forwards proprietary & nonproprietary responses to NRC questions & affidavits in response to RAI & request for suppl info re SBLOCA.Encl withheld per 10CFR2.790(b).
HEBERT,J.R. Maine Yankee Atomic Power Co. 97/03/10. Document Control Branch (Document Control Desk). 34pp. 92157:300-92157:334.

9703210244 Forwards info requested by committee on electric util deregulation & restructuring & clarifies NRC position on few specific issues.
MILLER,H.J. Region 1 (Post 820201). 97/03/11. CAREY,R.J. Senate. JONES,K.W. House of Rep. 12pp. 92210:328-92210:339.

9703170129 Notification of 970320 meeting w/licensee to discuss proposed TS change 194 re operation w/reduced reactor coolant sys flow rate.
DORMAN,D.H. . 97/03/13. ZWOLINSKI,J.A. . 3pp. 92131:297-92131:299.

9703180076 Forwards restart readiness plan submitted on 970307 by Licensee.W/o encl.
DORMAN,D.H. . 97/03/14. DUNNING,P. Wiscasset, ME. 2pp. 92177:201-92177:202.

9703200264 Forwards copy of licensee 970307 Restart Readiness Plan.
ZWOLINSKI,J.A. . 97/03/17. CHRISTINE,K.L. Affiliation Not Assigned. 1p. 92190:001-92190:222.

9703260139 Withdraws proposed TS change 204,suppl 1 re SG tube surveillance requirements.
HEBERT,J.R. Maine Yankee Atomic Power Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92257:330-92257:330.

9703270089 Forwards Maine Yankee Restart Readiness Plan & 10CFR50.54(f) response,per 970324 request.W/o encl.
DORMAN,D.H. . 97/03/24. BRACK,H.G. Center for Biological Monitoring, Inc. 1p. 92254:301-92254:302.

--**9703270099** Requests copy of Maine Yankee Restart Readiness Plan & 10CFR50.54(f) response.
BRACK,S. NRC - No Detailed Affiliation Given. 97/03/24. NRC - No Detailed Affiliation Given. 1p. 92254:302-92254:302.

Q. Inspection reports, IE Bulletins & correspondence

9703140042 Notification of significant licensee meeting 97-21 w/util on 970311 to discuss apparent violations identified in listed NRC insp repts.
CONTE,R.J. Region 1 (Post 820201). 97/02/27. Region 1 (Post 820201). 3pp. 92106:297-92106:299.

9703040378 Discusses NRC Insp Rept 50-309/96-16.Insp Rept 50-309/96-16 also scheduled predecisional enforcement on 970311 to discuss apparent violations noted within.
SELLMAN,M.B. Maine Yankee Atomic Power Co. 97/02/28. Document Control Branch (Document Control Desk). 57pp. 91959:238-91959:294.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703170131 Notification of 970326 meeting w/licensee in Rockville,MD to discuss SG insp plans & contingencies.
DORMAN,D.H. . 97/03/13. ZWOLINSKI,J.A. . 3pp. 92131:294-92131:296.

9703240008 Forwards insp rept 50-309/96-14 on 961208-970125 & notice of violation.
CONTE,R. Region 1 (Post 820201). 97/03/13. SELLMAN,M. Maine Yankee Atomic Power Co. 4pp. 92244:012-92244:086.

-9703240012 Notice of violation from insp on 961208-970125.Violation noted:on four occasions from 970107-13,problems identified that invalidated checkout.In each problem,cause of crane failure not determined & operability of crane not evaluated.
* Region 1 (Post 820201). 97/03/13. 2pp. 92244:016-92244:017.

-9703240014 Insp rept 50-309/96-14 on 961208-970125.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/03/13. 69pp. 92244:018-92244:086.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703250099 Monthly operating rept for Feb 1997 for Maine Yankee. W/970317 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. 97/02/28. 5pp. 92252:059-92252:063.

S. Reportable occurrences, LERs & related correspondence

9703040300 LER 97-004-00:on 970122,discovered containment primary component cooling piping design inadequacy due to lack of thermal relief valves.Installed relief valve protection.W/ 970224 ltr.
STOWERS,G.N., HEBERT,J.R. Maine Yankee Atomic Power Co. 97/02/24. 4pp. 91990:325-91990:328.

9703260077 LER 97-005-00:on 970218,potential freezing conditions in circulating water pump house occurred.Caused by loss of offsite power.Heater thermostats have been set to maintain temperature in CWPH above 60 F.W/970320 ltr.
LEVESQUE,M.A., HEBERT,J.R. Maine Yankee Atomic Power Co. 97/03/20. 4pp. 92275:119-92275:122.

U. Congressional/Executive Correspondence

9703130033 Forwards SECY-97-042, "Response to OIG Event Inquiry 96-04S Re Maine Yankee," dtd 970218.
ZWOLINSKI,J.A. . 97/03/06. KETTERER,A. Maine, State of. 2pp. 92080:132-92080:192.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of nati exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703060178 Revised EPIPs,including rev 23 to Table of Contents & rev 14 to EPIP 902, "Accountability/Evacuation."
SCHAFFER,J.J. Public Service Electric & Gas Co. of New Jersey. 97/02/24. 25pp. 92011:299-92011:323.

9703030310 First partial response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in entirety (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. SOLOMON,D.D. Affiliation Not Assigned. 4pp. 91938:087-91938:165.

-9703030317 Partially deleted FOIA request for documents re six security violations at Salem/Hope Creek nuclear power plants.
SOLOMON,D.D. Affiliation Not Assigned. 96/11/20. LINTON,T. NRC - No Detailed Affiliation Given. 3pp. 91938:091-91938:165.

9703030511 Responds to NRC 970127 ltr re violations noted in insp repts 50-272/96-18,50-311/96-18 & 50-354/96-10.Corrective actions: individual in protected area without photobadge-keycard was counseled.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/02/26. Document Control Branch (Document Control Desk). 10pp. 91956:224-91956:233.

9703050468 Notifies NRC of changes to plant ERDS Data Point Library, which affect alarm/trip setpoints for ERDS data points U2NM0041FS,U2LT0501S,U2LT0502S,U2LT0503S,U2LT0504S,U2PT0405S & U2LT0938S.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91988:344-91988:360.

9703060164 Revised EPIPs,including rev 69 to all Table of Contents & rev 8 to EPIP 105S.
* Public Service Electric & Gas Co. of New Jersey. 97/02/28. 14pp. 92011:345-92011:356.

9703210324 Revised EPIPs,including rev 1 to ECG-ATT.06,07,09,15,ECG- SECG-Table of Contents,ECG-SECT.11.2,ECG-SECT.11.7 & (Basis).
HUGHES,F.J., BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 97/03/04. 43pp. 92235:052-92235:094.

9703180261 Forwards Rev 9 to security plan.Safeguards justification for proposed changes to plan included as Attachment 1 to ltr. Encl withheld,per 10CFR73.55(d)(5).
STORZ,L. Public Service Electric & Gas Co. of New Jersey. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:223-92190:224.

9703210101 Second partial response to FOIA request.Records listed in App D encl & will be available in PDR.App C records withheld in entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/11. Affiliation Not Assigned. 4pp. 92205:009-92205:030.

-9703210153 Forwards proposed notice of violation & proposed imposition of civil penalities based on six violations of security program at mentioned plants.
MILLER,H.J. Region 1 (Post 820201). 96/11/25. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. 92205:017-92205:030.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

9703190143 Revised EPIPs,including Rev 63 to table of contents & Rev 3 to EPIP 1016, "Test Procedures for EOF Backup Generator, Ventilation Sys & HVAC Filter Replacement."
* Public Service Electric & Gas Co. of New Jersey. 97/03/13. 45pp. 92198:108-92198:152.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

-9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

9703270241 Responds to 970224 ltr to Chairman Jackson expressing concerns re NRC "Confirmatory Order Suspending Authority for & Limiting Power Operation & Containment Pressure & Demand for Info," dtd 960103.
ZWOLINSKI,J.A. . 97/03/25. PRATT,C. Seacoast Anti-Pollution League. 2pp. 92261:305-92261:345.

-9703270254 Responds to 970106 ltr to HJ Miller re Millstone,Salem & MYAP NPPs.Provides answers to questions raised in 961213 ltr to HR Meyer.
COLLINS,S.J. . 97/02/27. LOCHBAUM,D.A. Union of Concerned Scientists. 3pp. 92261:307-92261:343.

P. Operating license stage documents & correspondence

9703030187 Eleventh partial response to FOIA request for documents. App AA document forwarded.App BB documents partially withheld (ref FOIA Exemption 5).App CC documents withheld (ref FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91938:001-91938:076.

-9703030302 Partially deleted Rev 5 to OP-III-1.3.1, "Turbine Generator Operation."
* Public Service Electric & Gas Co. of New Jersey. 91/05/14. 11pp. 91938:033-91938:051.

9703040039 Ack receipt of 970211 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.
OLSHAN,L.N. . 97/02/26. ELIASON,L.R. Pacific Gas & Electric Co. 3pp. 91951:120-91951:122.

9703130314 Application for amends to licenses DPR-70 & DPR-75,modifying ECCS surveillance test acceptance criteria for centrifugal charging & SI pumps.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/04. Document Control Branch (Document Control Desk). 9pp. 92136:057-92136:072.

-9703130318 Proposed tech specs,modifying ECCS surveillance test acceptance criteria for centrifugal charging & SI pumps.
* Public Service Electric & Gas Co. of New Jersey. 97/03/04. 7pp. 92136:066-92136:072.

9703190084 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/03/13. Document Control Branch (Document Control Desk). 6pp. 92201:355-92201:360.

9703240150 Provides suppl to request to amend TSs 3.4.3 & 3.4.5 per pressurizer power operated relief valves.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/14. Document Control Branch (Document Control Desk). 4pp. 92242:325-92242:328.

9703210005 Forwards safe shutdown capability reassessment for plant units 1 & 2 & technical evaluation rept.
STOLZ,J.F. . 97/03/17. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 18pp. 92205:148-92205:179.

--**9703210009** "Technical Evaluation of Public Service Electric & Gas Co Responses dtd 960619 & 1202 to NRR Rept, 'Safe Shutdown Capability Reassessment for Salem Nuclear Generating Station Units 1 & 2.'"
SULLIVAN,K. Public Service Electric & Gas Co. of New Jersey. 97/01/23. . 14pp. 92205:166-92205:179.

9703240087 Submits suppl to request for change to TSs Section 6.0, administrative controls re Salem & Hope Creek Generating Station Units 1 & 2.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92243:015-92243:017.

9703210268 Ack receipt of 970213 ltr in response to 961006 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.
POSLUSNY,C. . 97/03/18. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92220:308-92220:310.

9703250132 Forwards response to RAI re utils amend request for Margin Recovery Program for plant,dtd 960510.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/19. Document Control Branch (Document Control Desk). 11pp. 92251:167-92251:177.

9703270112 Forwards amends 192 & 175 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends revise Section 6.0 of plant TS to relocate requirements of Section 6.5 to QA program & other listed changes.
OLSHAN,L.N. . 97/03/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 92255:145-92255:188.

--**9703270116** Amends 192 & 175 to licenses DPR-70 & DPR-75,respectively, revising Section 6.0 of plant TS to relocate requirements of Section 6.5 to QA program & other listed changes.
STOLZ,J.F. . 97/03/21. 31pp. 92255:148-92255:178.

--**9703270119** Safety evaluation supporting amends 192 & 175 to licenses DPR-70 & DPR-75,respectively.
* 97/03/21. 10pp. 92255:179-92255:188.

Q. Inspection reports, IE Bulletins & correspondence

9703030511 Responds to NRC 970127 ltr re violations noted in insp repts 50-272/96-18,50-311/96-18 & 50-354/96-10.Corrective actions: individual in protected area without photobadge-keycard was counseled.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/02/26. Document Control Branch (Document Control Desk). 10pp. 91956:224-91956:233.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703200022 Requests listed documents re request for restart assessment team insp.
LINVILLE,J.C. Region 1 (Post 820201). 97/03/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 7pp. 92187:353-92187:359.

9703210101 Second partial response to FOIA request.Records listed in App D encl & will be available in PDR.App C records withheld in entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/11. Affiliation Not Assigned. 4pp. 92205:009-92205:030.

--**9703210124** Informs that G Kenna travelled to Hancocks Bridge NJ to assist insp closure re A1-96-029.
LETTS,B.R. Ofc of Investigations (Post 880201). 96/10/29. COOPER,R.W. Region 1 (Post 820201). 1p. 92205:014-92205:014.

--**9703210132** Requests answer re plants closure.
NICHOLSON,L. Region 1 (Post 820201). 96/10/02. SMITH,G. Region 1 (Post 820201). 1p. 92205:015-92205:015.

--**9703210153** Forwards proposed notice of violation & proposed imposition of civil penalities based on six violations of security program at mentioned plants.
MILLER,H.J. Region 1 (Post 820201). 96/11/25. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. 92205:017-92205:030.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180107 Forwards insp rept 50-311/96-21 on 961202-970120 & NOV.
RULAND,W.H. Region 1 (Post 820201). 97/03/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 92151:093-92151:164.

--**9703180108** Notice of violation from insp on 961202-970120.Violation noted:post-modification test procedures for control room area air conditioning sys did not contain required initial conditions or step sign-offs.
* Region 1 (Post 820201). 97/03/12. 2pp. 92151:096-92151:097.

--**9703180109** Insp rept 50-311/96-21 on 961202-970120.Violation noted. Major areas inspected:engineering,procedures,documentation & miscellaneous engineering issues.
* Region 1 (Post 820201). 97/03/12. 73pp. 92151:098-92151:164.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210006 Third final response to FOIA request for documents.Records in App E encl & will be available in PDR.App F records withheld in part (ref FOIA Exemption 3).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. SOLOMON,D.D. Affiliation Not Assigned. 4pp. 92218:121-92218:178.

--**9703240061** List of escalated enforcement activities.
* Affiliation Not Assigned. 96/03/11. 5pp. 92218:126-92218:178.

9703240007 Addresses recent facility ltrs related to licensed operator training & forwards notice of violation.
WIGGINS,J.T. Region 1 (Post 820201). 97/03/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 92220:091-92220:096.

--**9703240010** Notice of violation identified in correspondence between 961105 & 970212.Violations noted:conducted requalification program such that annual operating test not provided for fourteen plant licensed operators in CY96.
* Region 1 (Post 820201). 97/03/18. 2pp. 92220:095-92220:096.

9703280113 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/96-18, 50-311/96-18 & 50-354/96-18 on 970127.
LINVILLE,J.C. Region 1 (Post 820201). 97/03/18. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 92265:091-92265:103.

9703250216 Responds to NRC 970226 ltr re violations noted in insp repts 50-272/96-18 & 50-311/96-18.Corrective actions:PORV accumulator check valves were satisfactorily tested on 970116.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/20. Document Control Branch (Document Control Desk). 9pp. 92251:316-92251:324.

9703250253 Provides addl technical info discussed in telcon to support relief from commitment to post weld heat treat (PWHT) weld repairs made to SA-351 Grade CD4MCu matl for svc water pumps at Salem & Hope Creek.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92252:094-92252:098.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040020 Forwards "Salem Generating Station Units 1 & 2 Radioactive Effluent Release Report,RERR-41." Rept summarizes liquid & gaseous releases & solid waste shipments from plant for period of Jul-Dec 1996.
GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91979:137-91979:216.

--**9703040024** "Salem Generating Radioactive Effluent Release Rept,RERR-41, for Jul-Dec 1996."
* Public Service Electric & Gas Co. of New Jersey. RERR-41. 96/12/31. 80pp. 91979:139-91979:216.

9703040123 Forwards annual repts for Salem & Hope Creek Generating Stations,info per requirements of TS 6.9.1.5.b of App A to licenses DPR-70 & DPR-75 & estimations on annual basis of number of station,util & personnel re greater exposures.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/02/28. Document Control Branch (Document Control Desk). 3pp. 91958:059-91958:277.

--**9703040159** "Std Format for Reporting Number of Personnel & Person-Mrem by Work & Job Function for Period from 960101-1231."
* Public Service Electric & Gas Co. of New Jersey. 96/12/31. 216pp. 91958:062-91958:277.

9703240185 Monthly operating rept for Feb 1997 for Salem,Unit 2. W/970311 ltr.
TISDALL,D., PHILLIPS,R., CONICELLA,N. Public Service Electric & Gas Co. of New Jersey. 97/02/28. 11pp. 92241:178-92241:188.

9703280239 "NPDES Discharge Monitoring Rept for Salem Generating Station Units 1 & 2 for Feb 1997." W/970324 ltr.
GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/02/28. CAPORALE,G. New Jersey, State of. 19pp. 92280:058-92280:076.

S. Reportable occurrences, LERs & related correspondence

9703060048 NPDES noncompliance notification,submitting suppl rept on corrective measures to be taken to reduce potential of future occurrences re discharge of fuel oil into Delaware River.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/02/27. New Jersey, State of. 2pp. 92016:251-92016:252.

9703190083 Provides notification of change in commitment implementation schedule re potential for thermal overpressurization of containment fan coil unit piping per LER 96-020.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92205:325-92205:326.

9703240138 LER 97-002-00:on 970213,discovered non-seismically qualified pressure switches in auxiliary bldg ventilation.Caused by pressure switches being replaced w/ non-qualified pressure switches.Re-installed qualified switches.W/970317 ltr.
HASSLER,D., GARCHOW,D.F. Public Service Electric & Gas Co. of New Jersey. 97/03/17. 4pp. 92246:357-92246:360.

T. Hearing transcripts on non-antitrust matters

9703260124 Forwards for review & response,transcript of 970304 meeting held w/public at Salem Community College re activities relative to Salem 2 restart program.
LINVILLE,J.L. Region 1 (Post 820201). 97/03/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 166pp. 92245:001-92245:166.

U. Congressional/Executive Correspondence

9703030281 Responds to 970113 & 30 ltrs requesting that full Commission vote to determine whether plant should be permitted to resume operations.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/20. BIDEN,J.R. Senate. 2pp. 91932:289-91932:297.

--9703030300 Discusses NRC full vote to determine whether plant should be permitted to resume operations,rather than condition restart on favorable review by regional administration.
BIDEN,J.R. Senate. 97/01/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91932:296-91932:296.

--9703030309 Commends NRC for decision to place Salem 1 & 2 on watch list.
BIDEN,J.R. Senate. 97/01/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91932:297-91932:297.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703240007 Addresses recent facility ltrs related to licensed operator training & forwards notice of violation.
WIGGINS,J.T. Region 1 (Post 820201). 97/03/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 92220:091-92220:096.

--9703240010 Notice of violation identified in correspondence between 961105 & 970212.Violations noted:conducted requalification program such that annual operating test not provided for fourteen plant licensed operators in CY96.
* Region 1 (Post 820201). 97/03/18. 2pp. 92220:095-92220:096.

X. Onsite Storage of Low Level Waste

8009040052 Forwards draft ltr to all power reactor licensees re onsite storage of low level waste,for transmittal within five days.
EISENHUT,D.G. Division of Licensing (800428-851124). 80/06/09. NOVAK,T. Assistant Director for Operating Reactors. TEDESCO,R. Assistant Director for Licensing. LAINAS,G. Assistant Director for Safety Assessment. 11pp. 92246:001-92246:011.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703250100 Forwards insp repts 50-312/97-01 & 72-0011/97-01 on 970224-27.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 97/03/21. FERREIRA,R. Sacramento Municipal Utility District. 5pp. 92244:166-92244:190.

--9703250109 Insp repts 50-312/97-01 & 72-0011/97-01 on 970224-27.No violations noted.Major areas inspected:licensee planned work associated w/dismantlement of turbine bldg & radiological controls being implemented during work activities.
* Region 4 (Post 820201). 97/03/21. 20pp. 92244:171-92244:190.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703060108 "Rancho Seco Nuclear Generating Station Annual Radioactive Effluent Release Rept Jan-Dec 1996." W/970227 ltr.
REDEKER,S.J. Sacramento Municipal Utility District. 96/12/31. 25pp. 92003:303-92003:327.

9703260009 Submits Rancho Seco Exposure Rept for individuals receiving greater than 100 mrem during 1996.Provided IAW TS D6.9.2.2 & guidance contained in NRC Reg Guide 1.16.No one exposed to greater than 100 mrem in 1996.
REDEKER,S.J. Sacramento Municipal Utility District. 97/03/18. Office of Nuclear Regulatory Research (Post 941217). 1p. 92253:336-92253:338.

--9703260012 "Rancho Seco Nuclear Station Reg Guide 1.16,1996 Annual Exposure Rept."
* Sacramento Municipal Utility District. 96/12/31. 2pp. 92253:337-92253:338.

9703260020 Submits,IAW 10CFR20.2206 & TS D6.9.2.1,1996 NRC Form 5 individual monitoring repts for personnel requiring radiation exposure monitoring per 10CFR20.1502 during 1996. W/o encl.
REDEKER,S.J. Sacramento Municipal Utility District. 97/03/18. Office of Nuclear Regulatory Research (Post 941217). 1p. 92253:335-92253:335.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9703050231 Notification of licensee meeting on 970328 w/licensee to discuss two apparent violations involving inadequate FP design features for reactor coolant pump lube oil collection sys for units 1 & 2.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/28. Region 4 (Post 820201). 6pp. 91956:199-91956:204.

9703100251 Forwards response to violations noted in Insp Repts 50-313/96-27 & 50-368/96-27.Corrective actions:evaluated training session immediately completed w/ Unit 2 shift engineer involved w/event.
MIMS,D.C. Entergy Operations, Inc. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92048:356-92048:360.

9703270001 Rev 21-04-00,Change PC-04 to OP-1903.011, "Emergency Response/Notifications."
* Entergy Operations, Inc. OP-1903.011. 97/03/18. 5pp. 92258:218-92258:222.

9703270002 Change 3,Rev 14 to OP-1903.033, "Protective Action Guidelines for Rescue/Repair & Damage Control Teams."
* Entergy Operations, Inc. 97/03/18. 4pp. 92258:223-92258:226.

G. Adjudicatory correspondence

9703100036 Responds to 951117 Petition,requesting that NRC prohibit loading of VSC-24 casks at nuclear sites until multi-assembly sealed basket at Palisades Nuclear plant unloaded & unloading process evaluated.
COLLINS,S.J. . 97/03/04. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 92027:318-92027:349.

--9703100038 Directors Decision 97-05 under 10CFR2.206 re 951117 Petition filed by F Shillinglaw requesting that NRC take action to prohibit loading of VSC-24 casks at nuclear sites.
COLLINS,S.J. . 97/03/04. 12pp. 92027:324-92027:335.

--9703100057 Notice of issuance of Director's Decision under 10CFR2.206 concering 951117 Petiton requesting that NRC prohibit loading of spent nuclear fuel into VSC-24 dry storage casks at nuclear plant.
COLLINS,S.J. . 97/03/04. 2pp. 92027:336-92027:349.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130217 Forwards NRC press release, "Fox Announces Senior Nuclear Appointments," from Uranium Nuclear News Daily Special Edition,dtd 970122.
BLANCH,P. Affiliation Not Assigned. 97/01/23. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 10pp. 92108:136-92108:145.

P. Operating license stage documents & correspondence

9703040037 Submits 120-days response to GL-96-06, "Assurance of Equipment Operability & Containment Integrity During DBA Conditions."
MIMS,D.C. Entergy Operations, Inc. 97/01/28. Document Control Branch (Document Control Desk). 14pp. 91959:342-91959:355.

9703030403 Advises that current EOI programs for snubbers will still be acceptable for next intervals based on current EOI snubber programs adequate as requirements specified in ASME Code, Section XI,1989 Edition.
BECKNER,W.D. . 97/02/28. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91932:344-91932:350.

9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703100230 Submits addl info re RCS pressure & temp limit tech spec change.Tech Specs,encl.
MIMS,D.C. Entergy Operations, Inc. 97/03/04. Document Control Branch (Document Control Desk). 12pp. 92037:346-92037:360.

--9703100234 Proposed tech specs 3.1.2 re RCS pressure & temp limits.
* Entergy Operations, Inc. 97/03/04. 3pp. 92037:358-92037:360.

9703120398 Ack receipt of 970207 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
KALMAN,G. . 97/03/07. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 92079:289-92079:291.

9703180053 Forwards modified TS pp which limit revised svc period to 31 EFPY w/ same pressure & temp limits as previously submitted.
MIMS,D.C. Entergy Operations, Inc. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92200:227-92200:233.

--9703180056 Proposed tech specs revising svc period to 31 EFPY w/same pressure & temp limits as previously submitted.
* Entergy Operations, Inc. 97/03/10. 5pp. 92200:229-92200:233.

9703140126 Forwards exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater NP Reactors for Normal Operation." Exemption permits using safety margins recommended in ASME Case N-514.
KALMAN,G. . 97/03/12. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 92128:177-92128:185.

--9703140135 Exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Lightwater NP Reactors for Normal Operation."
COLLINS,S.J. . 97/03/12. Entergy Operations, Inc. 6pp. 92128:180-92128:185.

9703170178 Forwards request for addl info re use of ASME code cases N-508-1,N-509-,N-524 & 5-46.
DONOHEW,J.N. . 97/03/13. HAGAN,J.J. Entergy Operations, Inc. 8pp. 92131:325-92131:332.

9703180081 Forwards amend 188 to license DPR-51 & safety evaluation. Amend changes RCS P/T limits to incorporate updated parameters & requirements.
KALMAN,G. . 97/03/14. HUTCHINSON,R. Entergy Operations, Inc. 3pp. 92147:328-92147:346.

--9703180097 Amend 188 to license DPR-51,changing RCS P/T limits to incorporate updated parameters & requirements.
KALMAN,G. . 97/03/14. 9pp. 92147:331-92147:339.

--9703180098 Safety evaluation supporting amend 188 to license DPR-51.
* . 97/03/14. 7pp. 92147:340-92147:346.

9703240205 Provides util required 180-day response to GL 96-05 request that licensees establish program,or ensure effectiveness of current program,to verify on periodic basis that SR MOVs continue to be capable of performing their safety functions.
DEWEASE,J.G. Entergy Operations, Inc. 97/03/17. Document Control Branch (Document Control Desk). 8pp. 92242:213-92242:220.

Q. Inspection reports, IE Bulletins & correspondence

9703030496 Responds to NRC ltr re violations noted in insp repts 50-313/96-25 & 72-0013/96-02.Corrective actions:subject nonconformances were reevaluated per requirements of 10CFR72.48 & no safety concerns were identified.
MIMS,D.C. Entergy Operations, Inc. 97/02/21. Document Control Branch (Document Control Desk). 6pp. 91957:352-91957:357.

9703050231 Notification of licensee meeting on 970328 w/licensee to discuss two apparent violations involving inadequate FP design features for reactor coolant pump lube oil collection sys for units 1 & 2.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/28. Region 4 (Post 820201). 6pp. 91956:199-91956:204.

9703060251 Forwards insp repts 50-313/96-09 & 50-368/96-09 on 961222- 970201 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 91990:001-91990:034.

--9703060255 Notice of violation from insp on 961222-970201.Violation noted:on 970113,unit 1 CR supervisor failed to verify that lead craftsman had signed hold card authorization of breaker A-104 to closed position.
* Region 4 (Post 820201). 97/02/28. 2pp. 91990:006-91990:007.

--9703060260 Insp repts 50-313/96-09 & 50-368/96-09 on 961222-970201. Violations noted.Major areas inspected:aspects of licensee operations,engineering,maint & plant support.
* Region 4 (Post 820201). 97/02/28. 25pp. 91990:008-91990:034.

9703100251 Forwards response to violations noted in Insp Repts 50-313/96-27 & 50-368/96-27.Corrective actions:evaluated training session immediately completed w/ Unit 2 shift engineer involved w/event.
MIMS,D.C. Entergy Operations, Inc. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92048:356-92048:360.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110165 Comments on GL 96-XX, "Effectiveness of Ultrasonic Testing Sys in ISI Program."
HUGHEY,W.K. Entergy Operations, Inc. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92121:084-92121:088.

9703130319 Comment supporting proposed generic communication, "Effectiveness of Ultrasonic Testing Systems in Inservice Inspection Programs."
HUGHEY,W.K. Entergy Operations, Inc. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92069:245-92069:249.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703260177 Ack receipt of 970303 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/96-27 & 50-368/96-27.Corrective actions will be reviewed during future inspection.
HOWELL,A.T. Region 4 (Post 820201). 97/03/21. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 92244:348-92244:351.

9703260180 Notification of 970103 meeting w/util in Russellville,AR to discuss insp findings following completion of 3 week onsite insp.
KALMAN,G. . 97/03/21. BECKNER,W.D. . 3pp. 92248:225-92248:227.

9703260189 Confirms telcon on 970318 re arangements made for NRC to inspect licensed operator requalification program at Arkansas Nuclear One facility.
HOWELL,A.T. Region 4 (Post 820201). 97/03/21. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 92244:343-92244:347.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050009 "Annual Occupational Exposure Data Rept for period from 960101-961231." W/970227 ltr.
MIMS,D.C. Entergy Operations, Inc. 96/12/31. 4pp. 91975:353-91975:356.

9703050015 "Semiannual Radioactive Effluent Release Rept for Third & Fourth Quarters of 1996." W/970227 ltr.
MIMS,D.C. Entergy Operations, Inc. 96/12/31. 49pp. 91982:251-91982:301.

9703050120 Forwards fitness for duty program performance data for period 960701-1231.
MIMS,D.C. Entergy Operations, Inc. 97/02/27. Document Control Branch (Document Control Desk). 6pp. 92003:278-92003:283.

9703240189 Monthly operating rept for Feb 1997 for Arkansas Nuclear One,Unit 1.W/ 970317 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 97/02/28. 7pp. 92242:240-92242:246.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703260189 Confirms telcon on 970318 re arangements made for NRC to inspect licensed operator requalification program at Arkansas Nuclear One facility.
HOWELL,A.T. Region 4 (Post 820201). 97/03/21. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 92244:343-92244:347.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703030496 Responds to NRC ltr re violations noted in insp repts 50-313/96-25 & 72-0013/96-02.Corrective actions:subject nonconformances were reevaluated per requirements of 10CFR72.48 & no safety concerns were identified.
MIMS,D.C. Entergy Operations, Inc. 97/02/21. Document Control Branch (Document Control Desk). 6pp. 91957:352-91957:357.

9703260111 Submits commitments related to time limit for draining multi-assembly sealed basket.
MIMS,D.C. Centerior Energy. 97/03/21. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 3pp. 92257:262-92257:264.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703210351 Rev 12 to EPIP PMP-2080-EPP.107, "Notification of Plant Personnel."
* American Electric Power Co., Inc. 97/03/17. 41pp. 92232:318-92232:358.

9703260029 "Re-issue of PMP EPP Index Pages Corrections Made During Audit."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/19. 14pp. 92253:294-92253:307.

9703260168 Responds to 961202 RAI to resolve concerns re thermo-lag related ampacity derating issues.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/20. Document Control Branch (Document Control Desk). 35pp. 92258:228-92258:299.

-9703260172 "Ampacity Test for Power Cables in Randomly-Filled Trays."
SELLMEYER,G.W., MCCALLIN,J.P., LITSKY,A.P. American Electric Power Co., Inc. CL-492. 83/04/05. 28pp. 92258:262-92258:299.

9703280247 Forwards Rev 30 to modified amended security plan.Rev withheld.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92291:130-92291:131.

J. Insurance & indemnity information

9703240091 Forwards annual rept of property insurance for DC Cook Nuclear Plant.
FITZPATRICK,E. American Electric Power Co., Inc. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:300-92242:302.

P. Operating license stage documents & correspondence

9703040005 Forward response to RAI re 961220 application for amend to license to allow for repair of hybrid expansion joint sleeved steam generator tubes.Revised TS page,encl.
FITZPATRICK,E. American Electric Power Co., Inc. 97/02/24. Document Control Branch (Document Control Desk). 6pp. 91958:350-91958:356.

-9703040006 Revised proposed tech specs page re 3/4, "Limiting Condition for Operation & Surveillance Requirements."
* American Electric Power Co., Inc. 97/02/24. 1p. 91958:356-91958:356.

9703050480 Forwards amends 213 & 198 to licenses DPR-58 & DPR-74 & safety evaluation.Amends revise TS to allow increase limit for nominal enrichment of new W fabricated fuel stored in new fuel storage racks.
HICKMAN,J.B. . 97/02/27. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 91960:334-91960:353.

-9703050492 Amends 213 & 198 to licenses DPR-58 & DPR-74,respectively, revising TSs to allow increase limit for nominal enrichment of new W fabricated fuel stored in new fuel storage racks.
HICKMAN,J.B. . 97/02/27. 12pp. 91960:339-91960:350.

-9703050497 Safety evaluation supporting amends 213 & 198 to licenses DPR-58 & DPR-74,respectively.
* . 97/02/27. 3pp. 91960:351-91960:353.

9703130022 Informs that GL 96-04, "Boraflex Degradation in SF Pool Storage Racks," considered closed for plant,units 1 & 2,per 970306 telcon.
HICKMAN,J. . 97/03/06. . 2pp. 92107:352-92107:353.

9703170230 Forwards response to RAI re GL 87-02,including responses to nine items from NRC staff & seismic evaluation work sheets.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/10. Document Control Branch (Document Control Desk). 655pp. 92158:001-92159:291.

9703190225 Forwards amends 214 & 199 to licenses DPR-58 & DPR-74, respectively,& SE.Amends revise TS to allow operation of Cook Unit 1 at steam generator tube plugging levels up to 30%.
HICKMAN,J.B. . 97/03/13. FITZPATRICK,E. Indiana Michigan Power Co. 5pp. 92178:074-92178:129.

-9703190231 Amends 214 & 199 to licenses DPR-58 & DPR-74,respectively, revising TS to allow operation of Unit 1 at steam generator tube plugging levels up to 30%.
HICKMAN,J.B. . 97/03/13. 41pp. 92178:077-92178:116.

-9703190235 Safety evaluation supporting amends 214 & 199 to licenses DPR-58 & DPR-74,respectively.
* . 97/03/13. 11pp. 92178:117-92178:129.

9703240204 Forwards amend 215 to license DPR-58 & safety evaluation. Amend revises TS to allow permanent extension of interim SG tube voltage based repair criteria for SG tubes used in cycles 13,14 & 15 at plant.
HICKMAN,J.B. . 97/03/13. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 92218:092-92218:117.

-9703240209 Amend 215 to license DPR-58,revising TS to allow permanent extension of interim SG tube voltage based repair criteria for SG tubes used in cycles 13,14 & 15 at plant.
HICKMAN,J.B. . 97/03/13. 13pp. 92218:095-92218:107.

-9703240212 Safety evaluation supporting amend 215 to license DPR-58.
* . 97/03/13. 8pp. 92218:108-92218:117.

9703260168 Responds to 961202 RAI to resolve concerns re thermo-lag related ampacity derating issues.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/20. Document Control Branch (Document Control Desk). 35pp. 92258:228-92258:299.

-9703260172 "Ampacity Test for Power Cables in Randomly-Filled Trays."
SELLMEYER,G.W., MCCALLIN,J.P., LITSKY,A.P. American Electric Power Co., Inc. CL-492. 83/04/05. 28pp. 92258:262-92258:299.

Q. Inspection reports, IE Bulletins & correspondence

9703030284 Forwards insp repts 50-315/96-15,50-316/96-15 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/19. FITZPATRICK,E. American Electric Power Co., Inc. 5pp. 91949:286-91949:313.

-9703030307 Notice of violation from insp on 961124-970105.Violation noted:engineering memo authorizing selection of non-safety grade pipe connecting Trico oilers to oil,did not adequately address suitability of use of non-safety grade pipe.
* Region 3 (Post 820201). 97/02/19. 3pp. 91949:291-91949:293.

-9703030314 Insp repts 50-315/96-15 & 50-316/96-15 on 961124-970105.No violations noted.Major areas inspected:operations,maint & engineering.
* Region 3 (Post 820201). 97/02/19. 19pp. 91949:294-91949:313.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180199 Responds to NRC 970204 ltr re violations noted in insp rept 50-315/96-13 & 50-316/96-13.Corrective actions:instructions requiring filter content evaluation were removed from charging pump recurring tasks on 970211.
FITZPATRICK,E. Indiana Michigan Power Co. 97/03/12. Document Control Branch (Document Control Desk). 13pp. 92200:267-92200:283.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703270052 "Annual Radioactive Effluent Release Rept for period of 960101-1231." W/970320 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/12/31. 217pp. 92258:001-92258:217.

9703070203 Forwards fitness for duty program performance data for period from Jul-Dec 1996.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/02/28. Document Control Branch (Document Control Desk). 6pp. 92031:217-92031:222.

9703100078 Forwards "DC Cook Nuclear Plant Units 1 & 2 1996 Annual Operating Rept."
FITZPATRICK,E. American Electric Power Co., Inc. 97/02/28. Document Control Branch (Document Control Desk). 3pp. 92048:294-92048:318.

-9703100079 "Number of Personnel & Man-Rem by Work & Job Function."
* American Electric Power Co., Inc. 96/12/31. 22pp. 92048:297-92048:318.

9703120122 Monthly operating repts for Feb 1997 for Donald C.Cook Nuclear Plant,Unit 1.W/970303 ltr.
RUSSO,M.E., MINOR,J.W., SAMPSON,J.R. Indiana Michigan Power Co. 97/02/28. 5pp. 92125:075-92125:079.

S. Reportable occurrences, LERs & related correspondence

9703040253 LER 97-002-00:on 970128,stresses for piping found to exceed allowable values during postulated design basis accident due to inadequate analysis during original design.Alternate stress analysis was performed.W/970226 ltr.
SCHOEPF,P., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/02/26. 4pp. 91990:302-91990:305.

9703120048 LER 97-003-00:on 970205,interim LER-condition outside design basis occurred due to potential safety injection of pump runout.Update to interim LER will be submitted by 970331.W/970307 ltr.
GILLESPIE,R., BLIND,A.A. Indiana Michigan Power Co. 97/03/07. 2pp. 92208:286-92208:287.

9703210143 Part 21 rept re missing spacers from standard SMB-00 torque switch assemblies.Caused by defective lot received from Limitorque facility.Replaced or repaired defective assemblies by addition of spacer.
DEPUYDT,M.B. American Electric Power Co., Inc. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92218:348-92218:353.

V. Operator Examinations

9703130180 Confirms 970305 telcon between D Loope & R Bailey re arrangements made for administration of licensing exam at DC Cook nuclear station during wk of 970707.
LENNARTZ,J.A. Region 3 (Post 820201). 97/03/05. FITZPATRICK,E. American Electric Power Co., Inc. 5pp. 92069:208-92069:212.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703210351 Rev 12 to EPIP PMP-2080-EPP.107, "Notification of Plant Personnel."
* American Electric Power Co., Inc. 97/03/17. 41pp. 92232:318-92232:358.

9703260029 "Re-issue of PMP EPP Index Pages Corrections Made During Audit."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/19. 14pp. 92253:294-92253:307.

9703260168 Responds to 961202 RAI to resolve concerns re thermo-lag related ampacity derating issues.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/20. Document Control Branch (Document Control Desk). 35pp. 92258:228-92258:299.

--9703260172 "Ampacity Test for Power Cables in Randomly-Filled Trays."
SELLMEYER,G.W. American Electric Power Co., Inc. CL-492. 83/04/05. 28pp. 92258:262-92258:299.

9703280247 Forwards Rev 30 to modified amended security plan.Rev withheld.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92291:130-92291:131.

J. Insurance & Indemnity information

9703240091 Forwards annual rept of property insurance for DC Cook Nuclear Plant.
FITZPATRICK,E. American Electric Power Co., Inc. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:300-92242:302.

P. Operating license stage documents & correspondence

9703050480 Forwards amends 213 & 198 to licenses DPR-58 & DPR-74 & safety evaluation.Amends revise TS to allow increase limit for nominal enrichment of new W fabricated fuel stored in new fuel storage racks.
HICKMAN,J.B. . 97/02/27. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 91960:334-91960:353.

--9703050492 Amends 213 & 198 to licenses DPR-58 & DPR-74,respectively, revising TSs to allow increase limit for nominal enrichment of new W fabricated fuel stored in new fuel storage racks.
HICKMAN,J.B. . 97/02/27. 12pp. 91960:339-91960:350.

--9703050497 Safety evaluation supporting amends 213 & 198 to licenses DPR-58 & DPR-74,respectively.
* 97/02/27. 3pp. 91960:351-91960:353.

9703130022 Informs that GL 96-04, "Boraflex Degradation in SF Pool Storage Racks," considered closed for plant,units 1 & 2,per 970306 telcon.
HICKMAN,J. . 97/03/06. . 2pp. 92107:352-92107:353.

9703170230 Forwards response to RAI re GL 87-02,including responses to nine items from NRC staff & seismic evaluation work sheets.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/10. Document Control Branch (Document Control Desk). 655pp. 92158:001-92159:291.

9703190225 Forwards amends 214 & 199 to licenses DPR-58 & DPR-74, respectively,& SE.Amends revise TS to allow operation of Cook Unit 1 at steam generator tube plugging levels up to 30%.
HICKMAN,J.B. . 97/03/13. FITZPATRICK,E. Indiana Michigan Power Co. 5pp. 92178:074-92178:129.

--9703190231 Amends 214 & 199 to licenses DPR-58 & DPR-74,respectively, revising TS to allow operation of Unit 1 at steam generator tube plugging levels up to 30%. HICKMAN,J.B. . 97/03/13. 41pp. 92178:077-92178:116.

--9703190235 Safety evaluation supporting amends 214 & 199 to licenses DPR-58 & DPR-74,respectively.
* 97/03/13. 11pp. 92178:117-92178:129.

9703260168 Responds to 961202 RAI to resolve concerns re thermo-lag related ampacity derating issues.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/03/20. Document Control Branch (Document Control Desk). 35pp. 92258:228-92258:299.

--9703260172 "Ampacity Test for Power Cables in Randomly-Filled Trays."
SELLMEYER,G.W., MCCALLIN,J.P., LITSKY,A.P. American Electric Power Co., Inc. CL-492. 83/04/05. 28pp. 92258:262-92258:299.

Q. Inspection reports, IE Bulletins & correspondence

9703030284 Forwards insp repts 50-315/96-15,50-316/96-15 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/19. FITZPATRICK,E. American Electric Power Co., Inc. 5pp. 91949:286-91949:313.

--9703030307 Notice of violation from insp on 961124-970105.Violation noted:engineering memo authorizing selection of non-safety grade pipe connecting Trico oilers to oil,did not adequately address suitability of use of non-safety grade pipe.
* Region 3 (Post 820201). 97/02/19. 3pp. 91949:291-91949:293.

--9703030314 Insp repts 50-315/96-15 & 50-316/96-15 on 961124-970105.No violations noted.Major areas inspected:operations,maint & engineering.
* Region 3 (Post 820201). 97/02/19. 19pp. 91949:294-91949:313.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180199 Responds to NRC 970204 ltr re violations noted in insp rept 50-315/96-13 & 50-316/96-13.Corrective actions:instructions requiring filter content evaluation were removed from charging pump recurring tasks on 970211.
FITZPATRICK,E. Indiana Michigan Power Co. 97/03/12. Document Control Branch (Document Control Desk). 13pp. 92200:267-92200:283.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703270052 "Annual Radioactive Effluent Release Rept for period of 960101-1231." W/970320 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/12/31. 217pp. 92258:001-92258:217.

9703070203 Forwards fitness for duty program performance data for period from Jul-Dec 1996.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 97/02/28. Document Control Branch (Document Control Desk). 6pp. 92031:217-92031:222.

9703100078 Forwards "DC Cook Nuclear Plant Units 1 & 2 1996 Annual Operating Rept."
FITZPATRICK,E. American Electric Power Co., Inc. 97/02/28. Document Control Branch (Document Control Desk). 3pp. 92048:294-92048:318.

--9703100079 "Number of Personnel & Man-Rem by Work & Job Function."
* American Electric Power Co., Inc. 96/12/31. 22pp. 92048:297-92048:318.

9703120109 Monthly operating rept for Feb 1997 for Donald C Cook Nuclear Plant,Unit 2.W/970303 ltr.
RUSSO,M.E., MINOR,J.W. Indiana Michigan Power Co. 97/02/28. 5pp. 92125:070-92125:074.

S. Reportable occurrences, LERs & related correspondence

9703210143 Part 21 rept re missing spacers from standard SMB-00 torque switch assemblies.Caused by defective lot received from Limitorque facility.Replaced or repaired defective assemblies by addition of spacer.
DEPUYDT,M.B. American Electric Power Co., Inc. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92218:348-92218:353.

V. Operator Examinations

9703130180 Confirms 970305 telcon between D Loope & R Bailey re arrangements made for administration of licensing exam at DC Cook nuclear station during wk of 970707.
LENNARTZ,J.A. Region 3 (Post 820201). 97/03/05. FITZPATRICK,E. American Electric Power Co., Inc. 5pp. 92069:208-92069:212.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703120388 Forwards Rev 5 to "Calvert Cliffs Nuclear Power Plant Emergency Action Levels Technical Basis Document."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92121:290-92121:332.

--9703120395 "Calvert Cliffs Nuclear Power Plant Emergency Action Levels Technical Basis Document," Rev 5.
RUDIGIER,G.C., GROOMS,J.V., HUBER,J.T. Baltimore Gas & Electric Co. 97/03/06. 41pp. 92121:292-92121:332.

9703250224 Revised ERPIPS,including Rev 49 to ERPIP table of contents, Rev 3,Change 1 to ERPIP 105,Rev 3,Change 1 to ERPIP 209,Rev 3,Change 1 to ERPIP 509,Rev 4,Change 1 to ERPIP 750,Rev 2 ERPIP 760 & Rev 19 to ERPIP B.1.W/ 970320 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 97/03/20. 137pp. 92250:001-92250:137.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100048 Partially withheld memo discussing petition filed by JF Doherty requesting six plant reactors be immediately shutdown & Directors Decision 95-22 which denies request.
TSCHILTZ,M. NRC - No Detailed Affiliation Given. 95/12/19. THE CHAIRMAN Commissioners (Post 750119). 5pp. 92038:219-92038:223.

J. Insurance & indemnity information

9703250183 Submits compliance w/property insurance requirements.Util currently maintain total nuclear property insurance limit of billion,broken down as submitted.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/19. Document Control Branch (Document Control Desk). 1p. 92251:348-92251:348.

P. Operating license stage documents & correspondence

9703040079 Comment supporting comments submitted by NEI & Nuclear Utility Backfitting & Reform Group re proposed GL, "Effectiveness of Ultrasonic Testing Sys in Inservice Insp Programs."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/02/21. Rules & Directives Review Branch (Post 920323). 2pp. 91944:356-91944:357.

9703040215 Forwards slides from 970206 meeting presentation to discuss results of recently completed plant App R self-assessment.
RULAND,W.H. Region 1 (Post 820201). 97/02/27. CRUSE,C.H. Baltimore Gas & Electric Co. 26pp. 91945:115-91945:140.

9703060271 Forwards request for addl info re license amend request change to RCS flow requirements to allow increased steam generator tube plugging.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92000:357-92000:361.

9703170250 EXPERIMENTS TO INVESTIGATE DIRECT CONTAINMENT HEATING PHENOMENA WITH SCALED MODELS OF THE CALVERT CLIFFS NUCLEAR POWER PLANT.
BLANCHAT,T.K., PILCH,M.M., ALLEN,M.D. Sandia National Laboratories. FIN W-6162. NUREG/CR-6469. 97/02/28. Division of Systems Technology (Post 941217). 195pp. 92130:001-92130:196.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703060322 Summary of 970109 meeting w/BGE in Rockville,MD to discuss results of 90 day review effort assigned at last mgt meeting on 960911 & future review activities.Attendee list & meeting handouts encl.
FLANDERS,S.C. . 97/03/04. . 55pp. 91991:097-91991:152.

9703100139 Forwards request for addl info re proposed TS changes to reactor coolant sys flow limit.
DROMERICK,A.W. . 97/03/05. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 92018:353-92018:356.

9703110130 Responds to NRC RAI re 951130 LAR re sleeving option for SG Tube Repair.Final repts CEN-630-NP,rev 1 & CEN-630-P,rev 1 encl.CEN-630-P withheld per 10CFR2.790.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/06. Document Control Branch (Document Control Desk). 3pp. 92118:033-92118:216.

--9703110145 Proposed tech specs,superceding previously submitted marked up pp for ABB-CE sleeves.New info to be incorporated in updated licensing rept,CEN-630-P,Rev 01, "Repair of 3/4" OD SG Tubes Using Leak Tight Sleeves."
* Baltimore Gas & Electric Co. 97/03/06. 14pp. 92118:036-92118:216.

9703140110 Forwards amends 221 & 197 to licenses DPR-53 & DPR-69 & safety evaluation.Amends modify TS requirements to allow use of blind flanges during modes 1-4 in plants 1 & 2 containment purge sys instead of two outboard 48 inch.
DROMERICK,A.W. . 97/03/07. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 92115:210-92115:261.

--9703140123 Amends 221 & 197 to licenses DPR-53 & DPR-69.Amends modify TSs requirements to allow use of blind flanges during modes 1-4 in plants unit 1 & 2 containment purge sys instead of two outboard 48 inch isolation valves.
BAJWA,S.S. . 97/03/07. 46pp. 92115:213-92115:258.

--9703140125 Safety evaluation supporting amends 221 & 197 to licenses DPR-53 & DPR-69.
* . 97/03/07. 2pp. 92115:259-92115:261.

9703190111 Forwards 180 day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety Related MOVs."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/13. Document Control Branch (Document Control Desk). 599. 92206:302-92206:306.

9703210048 Comment opposing proposed Rev 3 to RG 1.134, "Medical Evaluation of Licensed Personnel at NPPs."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/13. NRC - No Detailed Affiliation Given. 6pp. 92210:290-92210:295.

9703250198 Notification of extension of inservice test & ISI program second 10-Yr intervals.Util anticipate submitting third 10-Yr interval ISI program & associated relief requests during first quarter of 1998 for Unit 1 & 1999 for Unit 2.
MILLER,H.J. Baltimore Gas & Electric Co. 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92251:338-92251:339.

9703250167 Notification of 970408 meeting w/util in Rockville,MD to discuss BGE environ rept template effort.
CRAIG,C.M. . 97/03/20. MATTHEWS,D.B. . 4pp. 92245:330-92245:333.

9703270162 Summary of 970307 meeting w/BGE in Rockville MD to provide comments on license renewal ER template proposed by util. List of meeting participants encl.
CRAIG,C.M. . 97/03/24. MATTHEWS,D.B. . 15pp. 92259:194-92259:208.

9703270111 Notification of 970408 meeting w/util in Rockville,MD re BGE response to staff 970830 request for addl info.
FLANDERS,S.C. . 97/03/25. NEWBERRY,S.F. . 4pp. 92254:335-92254:338.

9703280385 Submits review of environ rept template for license renewal.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/25. Document Control Branch (Document Control Desk). 2pp. 92304:298-92304:299.

9703280344 Summary of 970226 meeting w/BGE in Rockville MD to discuss util response to staff 960830 RAI.List of attendees & matls distributed at meeting encl.
FLANDERS,S.C. . 97/03/26. . 17pp. 92275:325-92275:341.

9703280330 Forwards RAI re Section 1.0 of 961204 submittal re request to convert current TSs for plant to be consistent w/improved Std TSs in NUREG-1432,Rev 1.
DROMERICK,A.W. . 97/03/27. CRUSE,C.H. Baltimore Gas & Electric Co. 7pp. 92276:121-92276:127.

Q. Inspection reports, IE Bulletins & correspondence

9703040079 Comment supporting comments submitted by NEI & Nuclear Utility Backfitting & Reform Group re proposed GL, "Effectiveness of Ultrasonic Testing Sys in Inservice Insp Programs."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/02/21. Rules & Directives Review Branch (Post 920323). 2pp. 91944:356-91944:357.

9703040192 Ack receipt of 961217 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/96-07 & 50-318/96-07.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/02/27. CRUSE,C.H. Baltimore Gas & Electric Co. 2pp. 91945:089-91945:093.

9703070133 Forwards insp repts 50-317/96-10 & 50-318/96-10 on 961130-970118 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/02/27. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 92002:039-92002:069.

--9703070135 Notice of violation from insp on 961130-970118.Violations noted:procedures used for spent fuel handling not appropriate to circumstances causing ventilation sys imbalance.
* Region 1 (Post 820201). 97/02/27. 3pp. 92002:042-92002:044.

--9703070136 Insp repts 50-317/96-10 & 50-318/96-10 on 961130-970111. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/02/27. 25pp. 92002:045-92002:069.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250198 Notification of extension of inservice test & ISI program second 10-Yr intervals.Util anticipate submitting third 10-Yr interval ISI program & associated relief requests during first quarter of 1998 for Unit 1 & 1999 for Unit 2.
MILLER,H.J. Baltimore Gas & Electric Co. 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92251:338-92251:339.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110169 "Calvert Cliffs ISFSI Occupational Radiation Exposure Repts." W/970306 ltr.
KATZ,P.E. Baltimore Gas & Electric Co. 96/12/31. 3pp. 92121:092-92121:094.

9703200122 Monthly operating repts for Feb 1997 for Calvert Cliffs Nuclear Power Plant,Units 1 & 2,W/970314 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 97/02/28. 12pp. 92212:198-92212:209.

S. Reportable occurrences, LERs & related correspondence

9703120082 Special rept:on 970208,removed Main Steam Header Radiation Monitors from operable status to allow installation of new Main Steam Header Radiation Monitors per approved mod.Will return monitors to operable status 970307.
KATZ,P.E. Baltimore Gas & Electric Co. 97/03/05. MILLER,H.J. Region 1 (Post 820201). 2pp. 92125:148-92125:149.

9703120105 Special rept:on 970122,declared Halon Fire Suppression Sys inoperable.Caused by failure of damper to stroke fully closed.Removed,overhauled & reinstalled damper 0-DAMP-5443 w/replacement bushings.
KATZ,P.E. Baltimore Gas & Electric Co. 97/03/05. MILLER,H.J. Region 1 (Post 820201). 2pp. 92125:068-92125:069.

9703260416 LER 97-002-00:on 970220,misread TS requirements resulted in inadequate test.Caused by lack of strict adherence to wording of plants TS requirements.EDGS 1B,2A & 2B were successfully tested & returned to svc.W/970324 ltr.
SLY,C.D., KATZ,P.E. Baltimore Gas & Electric Co. 97/03/24. 7pp. 92312:145-92312:151.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703120026 Requests that listed licenses be renewed,per 10CFR55.57. Individuals have satisfactorily discharged license responsibilities competently & safely during effective term of license.W/o encls.
KATZ,P.E. Baltimore Gas & Electric Co. 97/03/06. MILLER,H.J. Region 1 (Post 820201). 2pp. 92125:011-92125:012.

9703260313 Requests that operator license for RJ Cordrey,OP-11056,be removed from active files for Calvert Cliffs Nuclear Power Plant.Individual is no longer employed w/ BG&E.
NIETMANN,K.J. Baltimore Gas & Electric Co. 97/03/19. MILLER,H.J. Region 1 (Post 820201). 1p. 92254:154-92254:154.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703120388 Forwards Rev 5 to "Calvert Cliffs Nuclear Power Plant Emergency Action Levels Technical Basis Document."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92121:290-92121:332.

--9703120395 "Calvert Cliffs Nuclear Power Plant Emergency Action Levels Technical Basis Document," Rev 5.
RUDIGIER,G.C., GROOMS,J.V., HUBER,J.T. Baltimore Gas & Electric Co. 97/03/06. 41pp. 92121:292-92121:332.

9703250224 Revised ERPIPS,including Rev 49 to ERPIP table of contents, Rev 3,Change 1 to ERPIP 105,Rev 3,Change 1 to ERPIP 209,Rev 3,Change 1 to ERPIP 509,Rev 4,Change 1 to ERPIP 750,Rev 2 ERPIP 760 & Rev 19 to ERPIP B.1.W/ 970320 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 97/03/20. 137pp. 92250:001-92250:137.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100048 Partially withheld memo discussing petition filed by JF Doherty requesting six plant reactors be immediately shutdown & Directors Decision 95-22 which denies request.
TSCHILTZ,M. NRC - No Detailed Affiliation Given. 95/12/19. THE CHAIRMAN Commissioners (Post 750119). 5pp. 92038:219-92038:223.

9510260004 Responds to request for immediate shutdown of listed six pressurized water reactors.
STROSNIDER,J.R. . 95/10/19. MATTHEWS,D.B. . 7pp. 92286:278-92286:284.

J. Insurance & indemnity information

9703250183 Submits compliance w/property insurance requirements.Util currently maintain total nuclear property insurance limit of billion,broken down as submitted.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/19. Document Control Branch (Document Control Desk). 1p. 92251:348-92251:348.

P. Operating license stage documents & correspondence

9703040079 Comment supporting comments submitted by NEI & Nuclear Utility Backfitting & Reform Group re proposed GL, "Effectiveness of Ultrasonic Testing Sys in Inservice Insp Programs."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/02/21. Rules & Directives Review Branch (Post 920323). 2pp. 91944:356-91944:357.

9703040215 Forwards slides from 970206 meeting presentation to discuss results of recently completed plant App R self-assessment.
RULAND,W.H. Region 1 (Post 820201). 97/02/27. CRUSE,C.H. Baltimore Gas & Electric Co. 26pp. 91945:115-91945:140.

9703060271 Forwards request for addl info re license amend request change to RCS flow requirements to allow increased steam generator tube plugging.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92000:357-92000:361.

9703170250 EXPERIMENTS TO INVESTIGATE DIRECT CONTAINMENT HEATING PHENOMENA WITH SCALED MODELS OF THE CALVERT CLIFFS NUCLEAR POWER PLANT.
BLANCHAT,T.K., PILCH,M.M., ALLEN,M.D. Sandia National Laboratories. FIN W-6162. NUREG/CR-6469. 97/02/28. Division of Systems Technology (Post 941217). 195pp. 92130:001-92130:196.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703060322 Summary of 970109 meeting w/BGE in Rockville,MD to discuss results of 90 day review effort assigned at last mgt meeting on 960911 & future review activities.Attendee list & meeting handouts encl.
FLANDERS,S.C. . 97/03/04. . 55pp. 91991:097-91991:152.

9703100139 Forwards request for addl info re proposed TS changes to reactor coolant sys flow limit.
DROMERICK,A.W. . 97/03/05. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 92018:353-92018:356.

9703100097 Application for amend to license DPR-69,allowing mod to Unit 2 SW sys which constitutes unreviewed safety question in 10CFR50.59.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/06. Document Control Branch (Document Control Desk). 13pp. 92035:346-92035:358.

9703110130 Responds to NRC RAI re 951130 LAR re sleeving option for SG Tube Repair.Final repts CEN-630-NP,rev 1 & CEN-630-P,rev 1 encl.CEN-630-P withheld per 10CFR2.790.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/06. Document Control Branch (Document Control Desk). 3pp. 92118:033-92118:216.

--9703110145 Proposed tech specs,superceding previously submitted marked up pp for ABB-CE sleeves.New info to be incorporated in updated licensing rept,CEN-630-P,Rev 01, "Repair of 3/4" OD SG Tubes Using Leak Tight Sleeves."
* Baltimore Gas & Electric Co. 97/03/06. 14pp. 92118:036-92118:216.

9703140110 Forwards amends 221 & 197 to licenses DPR-53 & DPR-69 & safety evaluation.Amends modify TS requirements to allow use of blind flanges during modes 1-4 in plants 1 & 2 containment purge sys instead of two outboard 48 inch.
DROMERICK,A.W. . 97/03/07. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 92115:210-92115:261.

–**9703140123** Amends 221 & 197 to licenses DPR-53 & DPR-69.Amends modify TSs requirements to allow use of blind flanges during modes 1-4 in plants unit 1 & 2 containment purge sys instead of two outboard 48 inch isolation valves.
BAJWA,S.S. . 97/03/07. 46pp. 92115:213-92115:258.

–**9703140125** Safety evaluation supporting amends 221 & 197 to licenses DPR-53 & DPR-69.
* . 97/03/07. 2pp. 92115:259-92115:261.

9703200273 Forwards Notice of Consideration of Issuance of Amend to License DPR-69,related to 970306 application.Amend would allow mod to plant svc water sys which constitutes unreviewed safety question as described in 10CFR50.59.
DROMERICK,A.W. . 97/03/12. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 92204:270-92204:280.

–**9703200287** Notice of consideration of issuance of amend to license DPR-69 & proposed NSHC & opportunity for hearing.Amend would allow mod to plant svc water sys which constitutes unreviewed safety question as described in 10CFR50.59.
DROMERICK,A.W. . 97/03/12. 8pp. 92204:273-92204:280.

9703170192 Forwards RAI in order to complete review of licensee request for amend to modify svc water head tanks for plant.
DROMERICK,A.W. . 97/03/13. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 92131:336-92131:339.

9703190111 Forwards 180 day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety Related MOVs."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/13. Document Control Branch (Document Control Desk). 599. 92206:302-92206:306.

9703210048 Comment opposing proposed Rev 3 to RG 1.134, "Medical Evaluation of Licensed Personnel at NPPs."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/13. NRC - No Detailed Affiliation Given. 6pp. 92210:290-92210:295.

9703250198 Notification of extension of inservice test & ISI program second 10-Yr intervals.Util anticipate submitting third 10-Yr interval ISI program & associated relief requests during first quarter of 1998 for Unit 1 & 1999 for Unit 2.
MILLER,H.J. Baltimore Gas & Electric Co. 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92251:338-92251:339.

9703250167 Notification of 970408 meeting w/util in Rockville,MD to discuss BGE environ rept template effort.
CRAIG,C.M. . 97/03/20. MATTHEWS,D.B. . 4pp. 92245:330-92245:333.

9703270162 Summary of 970307 meeting w/BGE in Rockville MD to provide comments on license renewal ER template proposed by util. List of meeting participants encl.
CRAIG,C.M. . 97/03/24. MATTHEWS,D.B. . 15pp. 92259:194-92259:208.

9703270111 Notification of 970408 meeting w/util in Rockville,MD re BGE response to staff 970830 request for addl info.
FLANDERS,S.C. . 97/03/25. NEWBERRY,S.F. . 4pp. 92254:335-92254:338.

9703280385 Submits review of environ rept template for license renewal.
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/25. Document Control Branch (Document Control Desk). 2pp. 92304:298-92304:299.

9703280344 Summary of 970226 meeting w/BGE in Rockville MD to discuss util response to staff 960830 RAI.List of attendees & matls distributed at meeting encl.
FLANDERS,S.C. . 97/03/26. . 17pp. 92275:325-92275:341.

9703280330 Forwards RAI re Section 1.0 of 961204 submittal re request to convert current TSs for plant to be consistent w/improved Std TSs in NUREG-1432,Rev 1.
DROMERICK,A.W. . 97/03/27. CRUSE,C.H. Baltimore Gas & Electric Co. 7pp. 92276:121-92276:127.

Q. Inspection reports, IE Bulletins & correspondence

9703040079 Comment supporting comments submitted by NEI & Nuclear Utility Backfitting & Reform Group re proposed GL, "Effectiveness of Ultrasonic Testing Sys in Inservice Insp Programs."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/02/21. Rules & Directives Review Branch (Post 920323). 2pp. 91944:356-91944:357.

9703040192 Ack receipt of 961217 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/96-07 & 50-318/96-07.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/02/27. CRUSE,C.H. Baltimore Gas & Electric Co. 2pp. 91945:089-91945:093.

9703070133 Forwards insp repts 50-317/96-10 & 50-318/96-10 on 961130-970118 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/02/27. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 92002:039-92002:069.

–**9703070135** Notice of violation from insp on 961130-970118.Violations noted:procedures used for spent fuel handling not appropriate to circumstances causing ventilation sys imbalance.
* Region 1 (Post 820201). 97/02/27. 3pp. 92002:042-92002:044.

–**9703070136** Insp repts 50-317/96-10 & 50-318/96-10 on 961130-970111. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/02/27. 25pp. 92002:045-92002:069.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250198 Notification of extension of inservice test & ISI program second 10-Yr intervals.Util anticipate submitting third 10-Yr interval ISI program & associated relief requests during first quarter of 1998 for Unit 1 & 1999 for Unit 2.
MILLER,H.J. Baltimore Gas & Electric Co. 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92251:338-92251:339.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110169 "Calvert Cliffs ISFSI Occupational Radiation Exposure Repts." W/970306 ltr.
KATZ,P.E. Baltimore Gas & Electric Co. 96/12/31. 3pp. 92121:092-92121:094.

9703200122 Monthly operating repts for Feb 1997 for Calvert Cliffs Nuclear Power Plant,Units 1 & 2.W/970314 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 97/02/28. 12pp. 92212:198-92212:209.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703120026 Requests that listed licenses be renewed,per 10CFR55.57. Individuals have satisfactorily discharged license responsibilities competently & safely during effective term of license.W/o encls.
KATZ,P.E. Baltimore Gas & Electric Co. 97/03/06. MILLER,H.J. Region 1 (Post 820201). 2pp. 92125:011-92125:012.

9703260313 Requests that operator license for RJ Cordrey,OP-11056,be removed from active files for Calvert Cliffs Nuclear Power Plant.Individual is no longer employed w/ BG&E.
NIETMANN,K.J. Baltimore Gas & Electric Co. 97/03/19. MILLER,H.J. Region 1 (Post 820201). 1p. 92254:154-92254:154.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703120123 Rev 1 to EPIP-COM-.45, "Classified Emergency Termination/ Recovery."
* General Public Utilities Corp. - GPU Service Corp. 97/02/21. 7pp. 92125:080-92125:086.

9703110308 Revised EPIPs,including Rev 10 to EPIP-TMI-.02, "Emergency Direction" & Rev 9 to EPIP-TMI-.27, "Emergency Operations Facility."
* General Public Utilities Corp. - GPU Service Corp. 97/02/28. 120pp. 92117:190-92117:310.

9703110080 Rev 12 to 1000-PLN-1300.01, "GPUN Corporate Emergency Plan for Three Mile Island & Oyster Creek Nuclear Station."
* General Public Utilities Corp. - GPU Service Corp. 97/03/04. 210pp. 92070:171-92071:016.

9703240071 Forwards Rev 12 to Corporate Emergency Plan.
RONE,A.H. General Public Utilities Corp. - GPU Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92236:001-92236:210.

H. General correspondence

9703120027 Informs that MJ Ross has been appointed Acting Director of TMI,effective 970221 until permanent Director is selected.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92125:152-92125:153.

9703250078 Advises that JW Lagenbach has been appointed as Vice President & Director,TMI effective 970317.
LANGENBACH,J.W. General Public Utilities Corp. - GPU Service Corp. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92252:115-92252:115.

I. Financial information

9703130244 Informs of status of TMI-2 decommissioning funding target & trust fund balance.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/03/06. Document Control Branch (Document Control Desk). 1p. 92128:107-92128:107.

P. Operating license stage documents & correspondence

9703210357 Forwards Rev 11 to 6610-PLN-4200.01, "ODCM." Rev 11 of ODCM contains change bars identifying substantive changes made to ODCM during 1995.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92232:001-92232:193.

--9703210358 Rev 11 to 6610-PLN-4200.01, "ODCM."
* General Public Utilities Corp. - GPU Service Corp. 95/03/22. 192pp. 92232:002-92232:193.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280086 Forwards insp repts 50-289/97-01 & 50-320/97-01 on 970106-970302.Four apparent violations identified & being considered for escalated enforcement action.
HEHL,C.W. Region 1 (Post 820201). 97/03/21. LANGENBACH,J.W. General Public Utilities Corp. - GPU Service Corp. 3pp. 92315:006-92315:034.

--9703280089 Insp repts 50-289/97-01 & 50-320/97-01 on 970106-970302. violations noted.Major areas inspected:plant operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/03/21. 26pp. 92315:009-92315:034.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703120030 Forwards FFD performance data repts for TMI,Oyster Creek & corporate headquarters in Parsippany,NJ.
WILSON,J.F. General Public Utilities Corp. - GPU Service Corp. 97/02/28. Document Control Branch (Document Control Desk). 11pp. 92124:290-92124:300.

9704010276 Forwards 1996 annual rept for TMI.
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92336:045-92336:071.

--9703280432 "Tabulation of TMI Worker Exposures by Work & Job Function Jan-Dec 1996."
ROSS,M.J. General Public Utilities Corp. - GPU Service Corp. 96/12/31. 19pp. 92336:047-92336:063.

--9703280438 Rev 0 to "Auxiliary Bldg Sump Sludge Prevention (Regulatory Required)."
* General Public Utilities Corp. - GPU Service Corp. T1-CCD-412680-001 R0. 96/08/27. 8pp. 92336:064-92336:071.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703100269 Responds to NRC 970210 ltr re violations noted in insp repts 50-321/96-12 & 50-366/96-12.Corrective actions:will include communications,non-App R emergency lighting,App R emergency lighting & cooling tower systems in Maint Rule Program.
SUMNER,H.L. Georgia Power Co. 97/03/05. Document Control Branch (Document Control Desk). 6pp. 92048:350-92048:355.

9703270203 Extends invitation as observer at 970422 meeting w/util to discuss Hatch NPP performance over past 21 months.
REYES,L.A. Region 2 (Post 820201). 97/03/14. REEVIS,C. Georgia, State of. 4pp. 92256:124-92256:127.

G. Adjudicatory correspondence

9703240131 Responds to 900911,re petition concerning management of GPC illegal transfer of facility operating licences to Southern Nuclear Operating Co.Petitioners request for action pursuant to 10CFR2.206 denied.
MIRAGLIA,F.J. . 97/03/18. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 6pp. 92242:001-92242:207.

--9703240190 Notice of issuance of director's decision under 10CFR2.206 re petition concerning allegations involving mgt of util, illegal transfer of util OLs to SONOPCO & intentional false statements to NRC re util organizational chain.
MIRAGLIA,F.J. . 97/03/18. 4pp. 92242:007-92242:010.

--9703240195 Summary of Director's Decision under 10CFR2.206 of MB Hobby & AL Mosbaugh,dtd 900911.
MIRAGLIA,F.J. . 97/03/18. 26pp. 92242:011-92242:036.

--9703250003 Director's decision under 10CFR2.206 re petition re allegation of illegal transfer of OLs to Southern Nuclear Operating Co.Petitions filed by MB Hobby & AL Mosbaugh denied.
MIRAGLIA,F.J. . 97/03/18. Affiliation Not Assigned. 171pp. 92242:037-92242:207.

H. General correspondence

9703040129 Informs of organizational changes at Plant Hatch.HL Sumner Jr named Vice President,effective 970219 & PH Wells is Nuclear Plant General Manager.
WOODARD,J.D. Georgia Power Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91960:028-91960:029.

J. Insurance & indemnity information

9703110220 Submits summary rept of present level & source of onsite property damage insurance coverage for Edwin I Hatch Nuclear Plant Units 1 & 2.
SUMNER,H.L. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92078:334-92078:335.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703100147 Forwards suppl request for addl info on resolution of unresolved safety issue A-46.
SUMNER,H.L. Georgia Power Co. 97/03/04. Document Control Branch (Document Control Desk). 1p. 92074:354-92074:354.

9703110221 Submits Relief Request,RR-P-13,developed to propose alternate vibration acceptance criteria for Plant Service Water pumps.
SUMNER,H.L. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 4pp. 92078:336-92078:339.

9703210223 Forwards issuance of amends 203 & 144 to licenses DPR-57 & NPF-5,respectively,SE & order.Amends modify licenses,TS & environ protection plant to add Southern Nuclear,as operator of facility,w/control over physical contruction & operation.
JABBOUR,K.N. . 97/03/17. WOODARD,J.D. Georgia Power Co. 5pp. 92214:293-92214:346.

--9703210224 Amends 203 & 144 to licenses DPR-57 & NPF-5,respectively. Amends modify facility operating licenses,TS & environmental protection plan to add Southern Nuclear Operating Co Inc as operator of facility w/exclusive responsibility & control.
MIRAGLIA,F.J. . 97/03/17. 36pp. 92214:298-92214:333.

--9703210226 Safety evaluation supporting amends 203 & 144 to licenses DPR-57 & NPF-5,respectively.
* . 97/03/17. 9pp. 92214:334-92214:342.

--9703210227 Order approving Southern Nuclear Operating Co,Inc as exclusive operator.
MIRAGLIA,F.J. . 97/03/17. Southern Nuclear Operating Co. 3pp. 92214:343-92214:346.

9703240110 Provides 180-day response to GL 96-05, "Periodic Verification of Design Basis Capability of SR MOVs."
SUMNER,H.L. Georgia Power Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92242:354-92242:355.

9703260112 Advises NRC that effective 970322,util will officially transfer responsibilities for operation of EI Hatch Nuclear Plant to Southern Nuclear.
SUMNER,H.L. Georgia Power Co. 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92257:265-92257:267.

9703260161 Forwards copy of document provided to GA Dept of Natural Resources - Environ Protection Division requesting transfer of Hatch Nuclear Plant NPDES Permit GA0004120 from GAP to Southern Nuclear Operating Company.
SUMNER,H.L. Georgia Power Co. 97/03/18. Document Control Branch (Document Control Desk). 4pp. 92257:351-92257:354.

9703270100 Requests change made to Item 2 of QA program approval for radioactive matl package:0521,Rev 3 as submitted.
SUMNER,H.L. Georgia Power Co. 97/03/18. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 2pp. 92268:057-92268:058.

9703250136 Forwards request for addl info re Hatch Units 1 & 2 TS amend on pressure/temp curves.
SUMNER,H.L. Georgia Power Co. 97/03/21. Document Control Branch (Document Control Desk). 2pp. 92257:126-92257:127.

9703250150 Forwards amends 204 & 145 to licenses DPR-57 & NPF-5, respectively & safety evaluation.Amends revise surveillance requirements 3.1.7.7 & 3.4.3.1 & limiting conditions for operation 3.4.3,3.5.1 & 3.6.1.6.
JABBOUR,K.N. . 97/03/21. WOODARD,J.D. Georgia Power Co. 3pp. 92236:222-92236:255.

--9703250153 Amends 204 & 145 to licenses DPR-57 & NPF-5,respectively, revising surveillance requirements 3.1.7.7 & 3.4.3.1 & limiting conditions for operation 3.4.3,3.5.1 & 3.6.1.6 to increase nominal mechanical pressure relief setpoints.
BERKOW,H.N. . 97/03/21. 26pp. 92236:225-92236:250.

--9703250155 Safety evaluation supporting amends 204 & 145 to licenses DPR-57 & NPF-5,respectively.
* . 97/03/21. 5pp. 92236:251-92236:255.

9703250243 Forwards amends 205 & 146 to licenses DPR-57 & NPF-5, respectively & safety evaluation.Amends revise TS associated w/installation of digital power range neutron monitoring sys.
JABBOUR,K.N. . 97/03/21. WOODARD,J.D. Georgia Power Co. 3pp. 92247:284-92247:322.

--9703250249 Amends 205 & 146 to licenses DPR-57 & NPF-5,respectively, revising TS associated w/installation of digital power range neutron monitoring sys.
BERKOW,H.N. . 97/03/21. 30pp. 92247:287-92247:316.

--9703250250 Safety evaluation supporting amends 205 & 146 to licenses DPR-57 & NPF-5,respectively.
* . 97/03/21. 6pp. 92247:317-92247:322.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703100262 Forwards response to violations noted in Insp Repts 50-321/96-15 & 50-366/96-15.Corrective actions:Procedure 51GM-MNT-034-0S revised to include addl step in Section 7.0 & sign-off in procedure attachment.
SUMNER,H.L. Georgia Power Co. 97/03/05. Document Control Branch (Document Control Desk). 5pp. 92048:340-92048:344.

9703100269 Responds to NRC 970210 ltr re violations noted in insp repts 50-321/96-12 & 50-366/96-12.Corrective actions:will include communications,non-App R emergency lighting,App R emergency lighting & cooling tower systems in Maint Rule Program.
SUMNER,H.L. Georgia Power Co. 97/03/05. Document Control Branch (Document Control Desk). 6pp. 92048:350-92048:355.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110212 Provides response to NRC 970218 RAI re util 961202 exemption request from commencement date of Containment Insp Rule repair & replacement requirements for one yr period.
SUMNER,H.L. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92072:356-92072:360.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270203 Extends invitation as observer at 970422 meeting w/util to discuss Hatch NPP performance over past 21 months.
REYES,L.A. Region 2 (Post 820201). 97/03/14. REEVIS,C. Georgia, State of. 4pp. 92256:124-92256:127.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050012 "1996 Annual Operating Rept for Edwin I Hatch NPP,Units 1 & 2." W/ 970228 ltr.
SUMNER,H.L. Georgia Power Co. 96/12/31. 64pp. 91984:001-91984:064.

9703110273 Monthly operating repts for Feb 1997 for EI Hatch Nuclear Plant.W/970307 ltr.
ROGERS,S.B., SUMNER,H.L. Georgia Power Co. 97/02/28. 11pp. 92117:331-92117:341.

S. Reportable occurrences, LERs & related correspondence

9703100268 LER 97-002-00:on 970207,determined TS Surveillance Requirement 3.8.1.9 had not been adequately implemented. Caused by less than adequate procedures in logic sys functional test.Operating order issued.W/970305 ltr.
TIPPS,S.B., SUMNER,H.L. Georgia Power Co. 97/03/05. 7pp. 92108:318-92108:324.

9703210234 PNO-II-97-017:on 970312,licensee reported employee collapses onsite.First Aid administered until ambulance arrived. Employee transported to Appling County General Hosp in Baxley,GA & pronounced dead.Autopsy will be performed.
CARRION,R. Region 2 (Post 820201). 97/03/13. 1p. 92246:292-92246:292.

V. Operator Examinations

9703280090 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. WOODARD,J.D. Georgia Power Co. 3pp. 92265:068-92265:070.

9703270194 Forwards response to questions raised during Region II 1996, US NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. LEWIS,J. Georgia Power Co. 2pp. 92256:122-92256:123.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703040065 Notifies all NP reactor licensees of potential problem involving protected area access control sys that may exist at site.Suggests that info in safeguards encl be reviewed for applicability to plant & actions be considered.W/o encl.
BLOOM,S.D. . 97/02/20. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 91951:125-91951:126.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703120050 Discusses Japan oil spill & NP intake & possibilities of such event occurring at SONGS or DCNPP.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 1p. 92108:046-92108:046.

P. Operating license stage documents & correspondence

9703040126 Forwards amends to licenses DPR-80 & DPR-82,changing surveillance frequency for several TS from at least once every 18 months to at least once per refueling interval.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/14. Document Control Branch (Document Control Desk). 2pp. 91959:093-91959:182.

--9703040130 Application for amends to licenses DPR-80 & DPR-82,revising at plant.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/14. 14pp. 91959:095-91959:108.

--9703040132 Proposed tech specs,supporting implementation of extended fuel cycles.
* Pacific Gas & Electric Co. 97/02/14. 74pp. 91959:109-91959:182.

9703040035 Submits revised TS pp in support of license amend request 96-04 proposing addition of SR 4.7.4.2.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91960:046-91960:049.

--9703040040 Proposed tech specs adding SR 4.7.4.2 to pp 3/4 7-12.
* Pacific Gas & Electric Co. 97/02/24. 1p. 91960:049-91960:049.

9703050148 Forwards non-proprietary WCAP-14796 & proprietary WCAP-14795, "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methodology." Proprietary rept withheld,per 10CFR2.90.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/25. Document Control Branch (Document Control Desk). 8pp. 91981:001-91981:180.

--9703050161 Requests that proprietary WCAP-14795, "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methology," be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. 96/12/18. MIRAGLIA,F.J. Document Control Branch (Document Control Desk). 7pp. 91981:009-91981:015.

--9703050171 Non-proprietary "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methodology."
* Westinghouse Electric Corp. WCAP-14796. 96/12/31. 166pp. 91981:016-91981:180.

9703060441 Forwards amends to licenses & TS,modifying SG tube plugging criteria in TS 3.4.5 & allowable leakage limit in TS 3.4.6.2.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92001:186-92001:294.

--9703060444 Application for amends to licenses DPR-80 & DPR-82,revising various TS needed to support implementation of voltage-based SG tube plugging criteria at DCPP.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/26. 16pp. 92001:188-92001:203.

--9703060446 Proposed tech specs,modifying SG tube plugging criteria in TS 3.4.5 & allowable leakage limit in TS 3.4.6.2.
* Pacific Gas & Electric Co. 97/02/26. 90pp. 92001:204-92001:294.

9703030349 Summary of 970130 meeting w/PG&E in Rockville,MD re status of penetration seal program.List of attendees & handouts encl.
BLOOM,S.D. . 97/02/27. . 31pp. 91938:274-91938:304.

9703070145 Application for amends to licenses DPR-80 & DPR-82,proposing to revise TS 3/4.8.1.1, "AC Sources - Operating," to clarify that EDG testing is initiating from "standby" conditions rather that "ambient" conditions.
RUEGER,G.M. Pacific Gas & Electric Co. 97/02/27. Document Control Branch (Document Control Desk). 12pp. 92056:334-92056:358.

--9703070147 Proposed tech specs revising TS 3/4.8.1.1, "AC Sources - Operating," to clarify that EDG testing is initiated from "standby" conditions rather than "ambient" conditions.
* Pacific Gas & Electric Co. 97/02/27. 13pp. 92056:346-92056:358.

9703120446 Ack receipt of 970206 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
BLOOM,S.D. . 97/03/04. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 92079:278-92079:279.

9703180175 Forwards comments on draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," per 961213 request.
RUEGER,G.M. Pacific Gas & Electric Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92190:345-92190:346.

9703130291 Notification of 970325 meeting w/util in Rockville,MD to discuss ASW bypass piping mod & use of elbow taps.
BLOOM,S.D. . 97/03/11. BATEMAN,W.H. . 3pp. 92109:307-92109:309.

9703200292 Informs that licensee 970131 request to withhold WCAP-11082, Rev 5,WCAP-11594,Rev 2 & WCAP-14646,Rev 1 from public disclosure,per 10CFR2.790,granted.
BLOOM,S.D. . 97/03/13. SEPP,H.A. Westinghouse Electric Corp. 4pp. 92204:355-92204:358.

9703280448 Provides update to response to GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design-Basis Accident Conditions."
WOMACK,L.F. Pacific Gas & Electric Co. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92291:132-92291:135.

9703250064 Forwards rev of Bases for TS 3/4.9.2, "Refueling Operations - Instrumentation," which allows use of alternate source range detector during Mode 6.
RUEGER,G.M. Pacific Gas & Electric Co. 97/03/18. Document Control Branch (Document Control Desk). 9pp. 92251:266-92251:278.

--9703250065 Proposed tech specs revising TS 3/4.9.2, "Refueling Operations - Instrumentation," allowing use of an alternate source range detector during Mode 6.
* Pacific Gas & Electric Co. 97/03/18. 4pp. 92251:275-92251:278.

9703280305 Summary of 961120 meeting w/PG&E & Westinghouse in Rockville,MD to discuss SG alternate repair criteria & tube support plate issues.List of attendees & handout,encl.
BLOOM,S.D. Region 2 (Post 820201). 97/03/25. Region 2 (Post 820201). 165pp. 92262:030-92262:195.

Q. Inspection reports, IE Bulletins & correspondence

9703120007 Forwards insp rept 50-275/96-24 & 50-323/96-24 on 961222-970201 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/02/26. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 92069:108-92069:145.

--9703120011 Notice of violation from insp on 961222-0201.Violation noted:Plant Staff Review Committee approved increasing unit 2 reactor coolant flow-low trip setpoint in TS based on increased measurement uncertainties w/o written SE.
* Region 4 (Post 820201). 97/02/26. 2pp. 92069:113-92069:114.

--9703120017 Insp repts 50-275/96-24 & 50-323/96-24 on 961222-970201. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 4 (Post 820201). 97/02/26. 32pp. 92069:115-92069:145.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703200142 Ack receipt of 970214 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/96-23 & 50-323/96-23.
HOWELL,A.T. Region 4 (Post 820201). 97/03/11. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 92188:356-92188:358.

9703200154 Ack receipt of 970210 informing NRC of steps taken to correct violations noted in insp rept 50-375/96-21 & 50-323/96-21 on 970109.
HOWELL,A.T. Region 4 (Post 820201). 97/03/11. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 92189:012-92189:015.

9703130395 Forwards RAI re plant,units 1 & 2 second 10 yr interval ISI program plan & associated requests for relief.
BLOOM,S.D. . 97/03/12. RUEGER,G.M. Pacific Gas & Electric Co. 10pp. 92080:347-92080:356.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110134 "1996 Annual Summary Rept on Discharge Monitoring at DCPP." W/ 970228 ltr.
POWERS,R.P. Pacific Gas & Electric Co. 96/12/31. BRIGGS,R.W. California, State of. 66pp. 92120:279-92120:344.

9703260315 "Tabulation of Personnel Exposure to Radiation for 1996." W/970320 ltr.
RUEGER,G.M. Pacific Gas & Electric Co. 96/12/31. 5pp. 92253:353-92253:357.

9703070201 Forwards semi-annual fitness for duty performance rept for period of Jul-Dec 1996.
POWERS,R.P. Pacific Gas & Electric Co. 97/02/28. Document Control Branch (Document Control Desk). 7pp. 92030:354-92030:361.

9703240179 Monthly operating repts for Feb 1997 for Diablo Canyon, Units 1 & 2.W/ 970317 ltr.
COLEY,W.E., FARRER,D., POWERS,R.P. Pacific Gas & Electric Co. 97/02/28. 13pp. 92241:189-92241:201.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703040141 Revised EPIPs,including rev 10 to OPEP-03.4.7, "Automation of Off-Site Dose Projection Procedures" & rev 13 to OPEP-04.2, "Emergency Facilities & Equipment."
* Carolina Power & Light Co. 97/02/27. 47pp. 91958:278-91958:324.

9703110120 Forwards insp repts 50-261/97-02,50-324/97-01,50-325/97-01 & 50-400/97-02 on 970113-0216.Violations noted.Seven apparent violations were identified & being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 97/02/28. ORSER,W.S. Carolina Power & Light Co. 7pp. 92078:201-92078:219.

--9703110129 Insp repts 50-261/97-02,50-324/97-01 & 50-325/97-01 & 50-400-97-02 on 970113-0206.Violations noted.Major areas inspected:access authorization & fitness for duty programs.
* Region 2 (Post 820201). 97/02/28. 12pp. 92078:208-92078:219.

H. General correspondence

9703140091 Requests rev of NRC svc/distribution list to reflect recent personnel & title changes.
WALT,T.D. Carolina Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92137:331-92137:333.

K. Utility Final Safety Analysis Report (FSAR) & amends

9703200095 Forwards Rev 14 to "UFSAR for Brunswick Steam Electric Plant Units 1 & 2." Rev 14 revised UFSAR pages submitted in support of BSEP improved TS conversion project.
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92211:229-92211:319.

--9703200103 Rev 14 "UFSAR for Brunswick Steam Electric Plant Units 1 & 2."
* Carolina Power & Light Co. 97/03/17. 88pp. 92211:234-92211:319.

P. Operating license stage documents & correspondence

9703040242 Forwards non-proprietary WCAP-14774, "Analysis of 300 DEG Capsule from Carolina Power & Light Co Brunswick Unit 2 Radiation Surveillance Program."
CAMPBELL,W.R. Carolina Power & Light Co. 97/02/25. Document Control Branch (Document Control Desk). 3pp. 91978:240-91978:353.

--9703040246 Non-proprietary "Analysis of 300 DEG Capsule from Carolina Power & Light Co Brunswick Unit 2 Reactor Vessel Radiation Surveillance Program."
TEREK,E., BURGOS,B.N., ANDERSON,S.L. Westinghouse Electric Corp. WCAP-14774. 96/11/30. 112pp. 91978:243-91978:353.

9703070195 Provides response to request for addl info re actions being taken in response to issues identified through power uprate project at plant.
CAMPBELL,W.R. Carolina Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92031:234-92031:238.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703130325 Application for amends to licenses DPR-71 & DPR-62 to incorporate new TS which applies to condenser vacuum pump isolation instrumentation.
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/05. Document Control Branch (Document Control Desk). 11pp. 92136:079-92136:134.

--9703130326 Proposed tech specs incorporating new TS which applies to condenser vacuum pump isolation instrumentation.
* Carolina Power & Light Co. 97/03/05. 22pp. 92136:089-92136:110.

--9703130330 Rev 0 to "Control Room & Offsite Doses Due to Control Rod Drop Accident."
RENNER,H. Carolina Power & Light Co. CP&L-CED-M-02 R00. 97/01/24. 24pp. 92136:111-92136:134.

9703190063 Forwards ECCS evaluation models which summarizes results & shows absolute value of changes & errors approx 23 F for GE7 fuel.
JURY,K. Carolina Power & Light Co. 97/03/10. Document Control Branch (Document Control Desk). 11pp. 92201:162-92201:172.

9703190058 Requests approval for plant to use alternative to ASME B&PV code requirements for exam of Class 1,2 & 3 integrally welded attachments.
JURY,K.R. Carolina Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 5pp. 92201:316-92201:320.

9703140134 Forwards RAI re seismic qualification of mechanical & electrical equipment at plant,units 1 & 2.
TRIMBLE,D.C. . 97/03/12. CAMPBELL,W.R. Carolina Power & Light Co. 6pp. 92128:186-92128:191.

9703240139 Forwards response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92247:261-92247:266.

9703200343 Forwards SE re CP&L review of power uprate process & commitment preventing operation at uprated power levels for plant Units 1 & 2.
TRIMBLE,D.C. . 97/03/18. ORSER,W.S. Carolina Power & Light Co. 4pp. 92204:253-92204:267.

--9703200346 SER re CP&L review of power uprate process & commitment preventing operation at uprated power levels for plant, Units 1 & 2.
* 97/03/18. 11pp. 92204:256-92204:267.

9703260335 Requests enforcement discretion,permitting continued operation w/o completion of instrumentation response time testing,as currently defined in TS for RPS,ECCS & isolation actuation instrumentation.
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/21. Document Control Branch (Document Control Desk). 9pp. 92253:196-92253:214.

--9703260337 Proposed tech specs permitting continued operation w/o completion of instrumentation response time testing,as currently defined in TS,for RPS,ECCS & isolation actuation instrumentation.
* Carolina Power & Light Co. 97/03/21. 11pp. 92253:204-92253:214.

9703260328 Requests enforcement discretion,permitting continued operation w/o completion of instrumentation response time testing,as currently defined in TS for RPS,ECCS & isolation actuation instrumentation.
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/22. Document Control Branch (Document Control Desk). 9pp. 92253:223-92253:242.

--9703260332 Proposed tech specs permitting continued operation w/o completion of instrumentation response time testing,as currently defined in TS for RPS,ECCS & isolation actuation instrumentation.
* Carolina Power & Light Co. 97/03/22. 11pp. 92253:232-92253:242.

9703270206 Discusses 970321 notice of enforcement discretion re compliance w/definition in TS for instrument response time. NRC concludes that NOED should be granted to avoid undesirable transients.
REINHART,M. . 97/03/25. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 92254:350-92254:353.

Q. Inspection reports, IE Bulletins & correspondence

9703110120 Forwards insp repts 50-261/97-02,50-324/97-01,50-325/97-01 & 50-400/97-02 on 970113-0216.Violations noted.Seven apparent violations were identified & being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 97/02/28. ORSER,W.S. Carolina Power & Light Co. 7pp. 92078:201-92078:219.

--9703110129 Insp repts 50-261/97-02,50-324/97-01 & 50-325/97-01 & 50-400-97-02 on 970113-0206.Violations noted.Major areas inspected:access authorization & fitness for duty programs.
* Region 2 (Post 820201). 97/02/28. 12pp. 92078:208-92078:219.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240158 Responds to NRC 970214 ltr re violations noted in insp repts 50-324/96-18 & 50-325/96-18 on 961208-970118.Corrective actions:test gauges for RHR & HPCI sys replaced & personnel involved was counseled on importance of adherence to SIs.
LEVIS,W. Carolina Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 8pp. 92242:268-92242:276.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging *& Failure of ITE/Gould AC Relays Used in Safety-Related Applications.*"
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703060448 "Semi-Annual Radioactive Effluent Release Rept," Jul-Dec 1996.W/ 970225 ltr.
LEVIS,W. Carolina Power & Light Co. 96/12/31. 322pp. 92000:001-92000:322.

9703050245 Forwards semiannual "FFD Program Performance Data for Period 960701-1231."
WALT,T.D. Carolina Power & Light Co. 97/02/25. Document Control Branch (Document Control Desk). 1p. 91999:278-91999:289.

--9703050251 "FFD Program Performance Data for Period 960701-1231."
GRAVES,A.S. Carolina Power & Light Co. 96/12/31. 11pp. 91999:279-91999:289.

9703190184 Monthly operating repts for Feb 1997 for BSEP,Units 1 & 2. W/970312 ltr.
HARRISON,F., JURY,K.R. Carolina Power & Light Co. 97/02/28. 10pp. 92201:286-92201:295.

V. Operator Examinations

9703280103 *Forwards sampling registration ltr re April 1997 generic fundamentals* exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. BARNES,G.P. Carolina Power & Light Co. 3pp. 92265:081-92265:083.

9703040084 Forwards proprietary notification that individual licensed on Brunswick Steam Electric Plant,Units 1 & 2 has been reassigned to non-licensed activities & license should be terminated.Encl withheld,per 10CFR2.790(a)(6).
CAMPBELL,W.R. Carolina Power & Light Co. 97/02/21. Document Control Branch (Document Control Desk). 2pp. 91961:336-91961:337.

9703270157 Forwards response to questions raised during Region II 1996 Training Managers Conference re requalification hours & requalification training.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. BARNES,G.P. Carolina Power & Light Co. 2pp. 92256:101-92256:102.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703040141 Revised EPIPs,including rev 10 to OPEP-03.4.7, "Automation of Off-Site Dose Projection Procedures" & rev 13 to OPEP-04.2, "Emergency Facilities & Equipment."
* Carolina Power & Light Co. 97/02/27. 47pp. 91958:278-91958:324.

9703110120 Forwards insp repts 50-261/97-02,50-324/97-01,50-325/97-01 & 50-400/97-02 on 970113-0216.Violations noted.Seven apparent violations were identified & being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 97/02/28. ORSER,W.S. Carolina Power & Light Co. 7pp. 92078:201-92078:219.

--9703110129 Insp repts 50-261/97-02,50-324/97-01 & 50-325/97-01 & 50-400-97-02 on 970113-0206.Violations noted.Major areas inspected:access authorization & fitness for duty programs.
* Region 2 (Post 820201). 97/02/28. 12pp. 92078:208-92078:219.

H. General correspondence

9703140091 Requests rev of NRC svc/distribution list to reflect recent personnel & title changes.
WALT,T.D. Carolina Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92137:331-92137:333.

K. Utility Final Safety Analysis Report (FSAR) & amends

9703200095 Forwards Rev 14 to "UFSAR for Brunswick Steam Electric Plant Units 1 & 2." Rev 14 revised UFSAR pages submitted in support of BSEP improved TS conversion project.
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92211:229-92211:319.

--9703200103 Rev 14 "UFSAR for Brunswick Steam Electric Plant Units 1 & 2."
* Carolina Power & Light Co. 97/03/17. 88pp. 92211:234-92211:319.

P. Operating license stage documents & correspondence

9703070195 Provides response to request for addl info re actions being taken in response to issues identified through power uprate project at plant.
CAMPBELL,W.R. Carolina Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92031:234-92031:238.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703130325 *Application for amends to licenses DPR-71 & DPR-62 to incorporate new* TS which applies to condenser vacuum pump isolation instrumentation.
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/05. Document Control Branch (Document Control Desk). 11pp. 92136:079-92136:134.

--9703130326 Proposed tech specs incorporating new TS which applies to condenser vacuum pump isolation instrumentation.
* Carolina Power & Light Co. 97/03/05. 22pp. 92136:089-92136:110.

--9703130330 Rev 0 to "Control Room & Offsite Doses Due to Control Rod Drop Accident."
RENNER,H. Carolina Power & Light Co. CP&L-CED-M-02 R00. 97/01/24. 24pp. 92136:111-92136:134.

9703190063 Forwards ECCS evaluation models which summarizes results & shows absolute value of changes & errors approx 23 F for GE7 fuel.
JURY,K. Carolina Power & Light Co. 97/03/10. Document Control Branch (Document Control Desk). 11pp. 92201:162-92201:172.

9703190058 Requests approval for plant to use alternative to ASME B&PV code requirements for exam of Class 1,2 & 3 integrally welded attachments.
JURY,K.R. Carolina Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 5pp. 92201:316-92201:320.

9703140134 Forwards RAI re seismic qualification of mechanical & electrical equipment at plant,units 1 & 2.
TRIMBLE,D.C. . 97/03/12. CAMPBELL,W.R. Carolina Power & Light Co. 6pp. 92128:186-92128:191.

9703240139 Forwards response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92247:261-92247:266.

9703200343 Forwards SE re CP&L review of power uprate process & commitment preventing operation at uprated power levels for plant Units 1 & 2.
TRIMBLE,D.C. . 97/03/18. ORSER,W.S. Carolina Power & Light Co. 4pp. 92204:253-92204:267.

--9703200346 SER re CP&L review of power uprate process & commitment preventing operation at uprated power levels for plant, Units 1 & 2.
* . 97/03/18. 11pp. 92204:256-92204:267.

9703260335 *Requests enforcement discretion,permitting continued operation w/o com*pletion of instrumentation response time testing,as currently defined in TS for RPS,ECCS & isolation actuation instrumentation.
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/21. Document Control Branch (Document Control Desk). 9pp. 92253:196-92253:214.

--9703260337 Proposed tech specs permitting continued operation w/o completion of instrumentation response time testing,as currently defined in TS,for RPS,ECCS & isolation actuation instrumentation.
* Carolina Power & Light Co. 97/03/21. 11pp. 92253:204-92253:214.

9703260328 Requests enforcement discretion,permitting continued operation w/o completion of instrumentation response time testing,as currently defined in TS for RPS,ECCS & isolation actuation instrumentation.
CAMPBELL,W.R. Carolina Power & Light Co. 97/03/22. Document Control Branch (Document Control Desk). 9pp. 92253:223-92253:242.

--9703260332 Proposed tech specs permitting continued operation w/o completion of instrumentation response time testing,as currently defined in TS for RPS,ECCS & isolation actuation instrumentation.
* Carolina Power & Light Co. 97/03/22. 11pp. 92253:232-92253:242.

9703270206 Discusses 970321 notice of enforcement discretion re compliance w/definition in TS for instrument response time. NRC concludes that NOED should be granted to avoid undesirable transients.
REINHART,M. . 97/03/25. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 92254:350-92254:353.

Q. Inspection reports, IE Bulletins & correspondence

9703110120 Forwards insp repts 50-261/97-02,50-324/97-01,50-325/97-01 & 50-400/97-02 on 970113-0216.Violations noted.Seven apparent violations were identified & being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 97/02/28. ORSER,W.S. Carolina Power & Light Co. 7pp. 92078:201-92078:219.

--9703110129 Insp repts 50-261/97-02,50-324/97-01 & 50-325/97-01 & 50-400-97-02 on 970113-0206.Violations noted.Major areas inspected:access authorization & fitness for duty programs.
* Region 2 (Post 820201). 97/02/28. 12pp. 92078:208-92078:219.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240158 Responds to NRC 970214 ltr re violations noted in insp repts 50-324/96-18 & 50-325/96-18 on 961208-970118.Corrective actions:test gauges for RHR & HPCI sys replaced & personnel involved was counseled on importance of adherence to SIs.
LEVIS,W. Carolina Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 8pp. 92242:268-92242:276.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703060448 "Semi-Annual Radioactive Effluent Release Rept," Jul-Dec 1996.W/ 970225 ltr.
LEVIS,W. Carolina Power & Light Co. 96/12/31. 322pp. 92000:001-92000:322.

9703050245 Forwards semiannual "FFD Program Performance Data for Period 960701-1231."
WALT,T.D. Carolina Power & Light Co. 97/02/25. Document Control Branch (Document Control Desk). 1p. 91999:278-91999:289.

-9703050251 "FFD Program Performance Data for Period 960701-1231."
GRAVES,A.S. Carolina Power & Light Co. 96/12/31. 11pp. 91999:279-91999:289.

9703190184 Monthly operating repts for Feb 1997 for BSEP,Units 1 & 2. W/970312 ltr.
HARRISON,F., JURY,K.R. Carolina Power & Light Co. 97/02/28. 10pp. 92201:286-92201:295.

S. Reportable occurrences, LERs & related correspondence

9703100026 LER 97-001-00:on 970129,rod block monitor surveillance inadequacy discovered.Caused by inadequate administrative review of reformatting changes affecting procedure step refs.Temporary procedure revised.W/970227 ltr.
TABOR,S., LEVIS,W. Carolina Power & Light Co. 97/02/27. 6pp. 92109:018-92109:023.

V. Operator Examinations

9703280103 Forwards sampling registration ltr re April 1997 generic fundamentals exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. BARNES,G.P. Carolina Power & Light Co. 3pp. 92265:081-92265:083.

9703040084 Forwards proprietary notification that individual licensed on Brunswick Steam Electric Plant,Units 1 & 2 has been reassigned to non-licensed activities & license should be terminated.Encl withheld,per 10CFR2.790(a)(6).
CAMPBELL,W.R. Carolina Power & Light Co. 97/02/21. Document Control Branch (Document Control Desk). 2pp. 91961:336-91961:337.

9703270157 Forwards response to questions raised during Region II 1996 Training Managers Conference re requalification hours & requalification training.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. BARNES,G.P. Carolina Power & Light Co. 2pp. 92256:101-92256:102.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703180139 Forwards copies of revs to EPIPs including rev 22 to EPIP-1, rev 12 to EPIP-2,rev 14 to EPIP-3,rev 14 to EPIP-4,rev 19 to EPIP-5 & rev 6 to EPIP-14.W/o encls.
SHELL,R.H. Tennessee Valley Authority. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92195:359-92195:360.

9703250029 Provides final periodic status rept for SQN Fire Protection Improvement Plan.Rept informs NRC on progress of efforts made in conjunction w/improvement plan.
SHELL,R.H. Tennessee Valley Authority. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92249:357-92249:358.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

J. Insurance & Indemnity Information

9703240134 Forwards info re onsite property damage insurance,per 10CFR.50.54(w).
BARON,P.R. Tennessee Valley Authority. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:297-92242:299.

P. Operating license stage documents & correspondence

9703110116 Submits summary of 970226 meeting w/util re operation performance of plant.List of attendees & matl used in presentation encl.
LESSER,M.S. Region 2 (Post 820201). 97/02/28. KINGSLEY,O.D. Tennessee Valley Authority. 59pp. 92019:229-92019:286.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9304060293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703190343 Provides util response to NRC RAI on review of TS change 96-05 re voltage-based alternate repair criteria for SG tubes.
SHELL,R.H. Tennessee Valley Authority. 97/03/12. Document Control Branch (Document Control Desk). 11pp. 92199:171-92199:181.

9703190396 Application for amends to licenses DPR-77 & DPR-79,revising allowed enrichment of fuel in TS Section 5.6.1.2 for new fuel pit storage racks from 4.5 to 5.0 weight % U-235.
SHELL,R.H. Tennessee Valley Authority. 97/03/13. 4pp. 92199:001-92199:040.

-9703190398 Proposed tech specs Section 5.6.1.2,revising enrichment of fuel for new fuel pit storage racks.
* Tennessee Valley Authority. 97/03/13. 19pp. 92199:005-92199:023.

-9703190400 "Criticality Analysis of Sequoyah Units 1 & 2 Fresh Fuel Racks."
FECTEAU,M., BRADFUTE,J., SECKER,J. Tennessee Valley Authority. 90/06/30. 17pp. 92199:024-92199:040.

9703180077 Ack receipt of 970212 response to NRC 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.Addl info not needed at this time.
HEBDON,F.J. . 97/03/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92177:116-92177:118.

9703240196 Provides clarification to Page 6 of Encl 1 from ltr dtd 970312 re NRC request for addl info for review of TS Change 96-05.
SHELL,R.H. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92242:229-92242:232.

9703240221 Provides supplemental response to request for addl info re TS Change Request 96-01 on conversion to Framatome Cogema Fuel.
SHELL,R.H. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92241:344-92241:346.

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

9703200234 Forwards RAI re TS change request TS 96-07 for plant dtd 960828.
HERNAN,R.W. . 97/03/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92195:315-92195:317.

9703250142 Revised TS Change 96-01 to Licenses DPR-77 & DPR-79,revising appropriate specifications,surveillances & bases to allow for conversion from Westinghouse fuel to Framatome Cogema Fuel.
SHELL,R.H. Tennessee Valley Authority. TVA-SQN-TS-96-01. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92251:148-92251:166.

-9703250144 Proposed tech specs re conversion from Westinghouse Electric Corp Fuel to Framatome Cogema Fuel.
* Tennessee Valley Authority. 97/03/19. 16pp. 92251:151-92251:166.

9703240172 Notification of upcoming meeting w/TVA on 970321 in Rockville,MD to discuss status of currently ongoing applications for amend of TS for plant.
MARTIN,R.E. . 97/03/20. HEBDON,F.J. . 3pp. 92231:005-92231:007.

9703260286 Responds to request for addl info re TS change request 96-01 on conversion to Framatome Cogema Fuel.
SHELL,R.H. Tennessee Valley Authority. 97/03/20. Document Control Branch (Document Control Desk). 32pp. 92253:262-92253:293.

9703260316 Provides ltr to document change in util's commitments to satisfy NUREG-0737,Section I.C.2, "Shift & Relief Turnover Procedures," per NRC request.
SHELL,R.H. Tennessee Valley Authority. 97/03/20. Document Control Branch (Document Control Desk). 4pp. 92253:349-92253:352.

9703240136 Requests addl info re TS changes submitted by TVA concerning, "Ice Condenser Ice Weight Reduction & Chemical Analysis Surveillance Intenval Extension."
HERNAN,R.W. . 97/03/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92218:011-92218:013.

Q. Inspection reports, IE Bulletins & correspondence

9703040312 Informs of 970221 meeting w/util to discuss unresolved items documented in insp repts 50-327/96-16 & 50-328/96-16 re environ qualification.List of attendees & presentation handouts encl.
LESSER,M.S. Region 2 (Post 820201). 97/02/24. KINGSLEY,O.D. Tennessee Valley Authority. 25pp. 91951:063-91951:087.

9703040274 Ack receipt of 970207 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/96-12 & 50-328/96-12 on 970102.
HOLLAND,W.E. Region 2 (Post 820201). 97/02/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91945:141-91945:143.

9703110151 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/96-16 & 50-328/96-16.
CHRISTENSEN,H. Region 2 (Post 820201). 97/02/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92033:358-92033:360.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703110121 Forwards response to NRC request for addl info re ISI & inservice pressure test program plans for second ten-yr interval.
SHELL,R.H. Tennessee Valley Authority. 97/03/04. Document Control Branch (Document Control Desk). 17pp. 92118:332-92118:348.

9703270126 Ack receipt of 970124 ltr in response to NRC ltr withdrawing notice of violation noted in insp rept 50-328/96-04-08 & 50-327/96-04-10 issued on 971220.Implementation of on-shift dose assessment capability,examined during future insp.
BARR,K.P. Region 2 (Post 820201). 97/03/04. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 92256:082-92256:085.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703270086 Forwards info re synopsis of NRC OI completed rept re alleged discrimination against former environ qualification engineer at plant.
LESSER,M.S. Region 2 (Post 820201). 97/03/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92256:044-92256:046.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250071 Responds to NRC 961219 ltr re violations noted in insp repts 50-327/96-11 & 50-328/96-11.Corrective actions:design change notice was issued on 970311.
ADNEY,R.J. Tennessee Valley Authority. 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92252:072-92252:074.

9703190032 Forwards order imposing civil monetary penalty in amount of $50,000.Penalty re misconduct of licensee activities in compliance w/NRC requirements.
JORDAN,E.L. Ofc of the Executive Director for Operations. 97/03/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92151:337-92151:352.

--9703190041 Order imposing civil monetary penalty.Order resulted from 960708-0822 *insp which indicated that licensee had not conducted activities in full compliance w/* NRC requirements.
JORDAN,E.L. Ofc of the Executive Director for Operations. 97/03/17. Tennessee Valley Authority. 13pp. 92151:340-92151:352.

9703210014 Forwards signed original of order imposing civil monetary penalty (TVA),for transmittal to Ofc of FR for publication.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 97/03/19. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 92210:283-92210:283.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective *Coatings at Nuclear Power Plants."*
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703100023 "Annual Rept for 1996," consisting of occupational exposure data,RCS specific activity analysis & diesel generator reliability data.W/970228 ltr.
SHELL,R.H. Tennessee Valley Authority. 96/12/31. 12pp. 92042:349-92042:360.

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

9703190089 Monthly operating repts for Feb 1997 for SQN.W/970313 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 97/02/28. 10pp. 92201:202-92201:211.

S. Reportable occurrences, LERs & related correspondence

9703030363 LER 97-001-00:on 970125,failed to perform surveillance testing on EDG start timer relays contained in start logic circuitry.Caused by inadequate surveillance procedures. Revised procedures & performed testing.W/970224 ltr.
BAJRASZEWSKI,J., ADNEY,R.J. Tennessee Valley Authority. 97/02/24. 9pp. 91971:300-91971:308.

9703200323 Forwards LER 97-002-00,documenting condition resulting in granting of enforcement discretion & to deal w/problems encountered during maint activities to 2A-A DG governor.
ADNEY,R.J. Tennessee Valley Authority. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92246:236-92246:243.

--9703200332 LER 97-002-00:on 970214,TS AOT exceeded for DG 2A-A.Caused by mechanical failure of DG 2A-A governor actuator on engine 2.DG 2A-A governor actu*ators on both engines replaced, functional tested & PMT performed.*
PROFFITT,J.W. Tennessee Valley Authority. 97/03/13. 6pp. 92246:238-92246:243.

V. Operator Examinations

9703270114 Informs that NRC plans to administer Generic Fundamentals Exam section of written operator licensing exam on 970409. Facility must submit either ltr indicating no candidates scheduled to participate or listing names of candidates.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. DRISCOLL,R.F. Tennessee Valley Authority. 3pp. 92256:073-92256:075.

9703280009 Forwards response to question raised during Region II 1996 NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. SHEPHERD,M. Tennessee Valley Authority. 2pp. 92264:292-92264:293.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

X. Onsite Storage of Low Level Waste

8009040052 Forwards draft ltr to all power reactor licensees re onsite storage of low level waste,for transmittal within five days.
EISENHUT,D.G. Division of Licensing (800428-851124). 80/06/09. NOVAK,T. Assistant Director for Operating Reactors. TEDESCO,R. Assistant Director for Licensing. LAINAS,G. Assistant Director for Safety Assessment. 11pp. 92246:001-92246:011.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703180139 Forwards copies of revs to EPIPs including rev 22 to EPIP-1, rev 12 to EPIP-2,rev 14 to EPIP-3,rev 14 to EPIP-4,rev 19 to EPIP-5 & rev 6 to EPIP-14.W/o encls.
SHELL,R.H. Tennessee Valley Authority. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92195:359-92195:360.

9703250029 Provides final periodic status rept for SQN Fire Protection Improvement Plan.Rept informs NRC on progress of efforts made in conjunction w/improvement plan.
SHELL,R.H. Tennessee Valley Authority. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92249:357-92249:358.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & *Bellefonte Nuclear Plants.*
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

J. Insurance & indemnity information

9703240134 Forwards info re onsite property damage insurance,per 10CFR.50.54(w).
BARON,P.R. Tennessee Valley Authority. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:297-92242:299.

P. Operating license stage documents & correspondence

9703110116 Submits summary of 970226 meeting w/util re operation performance of plant.List of attendees & matl used in presentation encl.
LESSER,M.S. Region 2 (Post 820201). 97/02/28. KINGSLEY,O.D. Tennessee Valley Authority. 59pp. 92019:229-92019:286.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703190343 Provides util response to NRC RAI on review of TS change 96-05 re voltage-based alternate repair criteria for SG tubes.
SHELL,R.H. Tennessee Valley Authority. 97/03/12. Document Control Branch (Document Control Desk). 11pp. 92199:171-92199:181.

9703190396 Application for amends to licenses DPR-77 & DPR-79,revising allowed enrichment of fuel in TS Section 5.6.1.2 for new fuel pit storage racks from 4.5 to 5.0 weight % U-235.
SHELL,R.H. Tennessee Valley Authority. 97/03/13. 4pp. 92199:001-92199:040.

--**9703190400** "Criticality Analysis of Sequoyah Units 1 & 2 Fresh Fuel Racks."
FECTEAU,M., BRADFUTE,J., SECKER,J. Tennessee Valley Authority. 90/06/30. 17pp. 92199:024-92199:040.

9703180077 Ack receipt of 970212 response to NRC 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.Addl info not needed at this time.
HEBDON,F.J. . 97/03/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92177:116-92177:118.

9703240196 Provides clarification to Page 6 of Encl 1 from ltr dtd 970312 re NRC request for addl info for review of TS Change 96-05.
SHELL,R.H. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92242:229-92242:232.

9703240221 Provides supplemental response to request for addl info re TS Change Request 96-01 on conversion to Framatome Cogema Fuel.
SHELL,R.H. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92241:344-92241:346.

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

9703200234 Forwards RAI re TS change request TS 96-07 for plant dtd 960828.
HERNAN,R.W. . 97/03/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92195:315-92195:317.

9703250142 Revised TS Change 96-01 to Licenses DPR-77 & DPR-79,revising appropriate specifications,surveillances & bases to allow for conversion from Westinghouse fuel to Framatome Cogema Fuel.
SHELL,R.H. Tennessee Valley Authority. TVA-SQN-TS-96-01. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92251:148-92251:166.

--**9703250144** Proposed tech specs re conversion from Westinghouse Electric Corp Fuel to Framatome Cogema Fuel.
* Tennessee Valley Authority. 97/03/19. 16pp. 92251:151-92251:166.

9703240172 Notification of upcoming meeting w/TVA on 970321 in Rockville,MD to discuss status of currently ongoing applications for amend of TS for plant.
MARTIN,R.E. . 97/03/20. HEBDON,F.J. . 3pp. 92231:005-92231:007.

9703260286 Responds to request for addl info re TS change request 96-01 on conversion to Framatome Cogema Fuel.
SHELL,R.H. Tennessee Valley Authority. 97/03/20. Document Control Branch (Document Control Desk). 32pp. 92253:262-92253:293.

9703260316 Provides ltr to document change in util's commitments to satisfy NUREG-0737,Section I.C.2, "Shift & Relief Turnover Procedures," per NRC request.
SHELL,R.H. Tennessee Valley Authority. 97/03/20. Document Control Branch (Document Control Desk). 4pp. 92253:349-92253:352.

9703240136 Requests addl info re TS changes submitted by TVA concerning, "Ice Condenser Ice Weight Reduction & Chemical Analysis Surveillance Intenval Extersion."
HERNAN,R.W. . 97/03/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92218:011-92218:013.

Q. Inspection reports, IE Bulletins & correspondence

9703040312 Informs of 970221 meeting w/util to discuss unresolved items documented in insp repts 50-327/96-16 & 50-328/96-16 re environ qualification.List of attendees & presentation handouts encl.
LESSER,M.S. Region 2 (Post 820201). 97/02/24. KINGSLEY,O.D. Tennessee Valley Authority. 25pp. 91951:063-91951:087.

9703040274 Ack receipt of 970207 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/96-12 & 50-328/96-12 on 970102.
HOLLAND,W.E. Region 2 (Post 820201). 97/02/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 91945:141-91945:143.

9703110151 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/96-16 & 50-328/96-16.
CHRISTENSEN,H. Region 2 (Post 820201). 97/02/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92033:358-92033:360.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703110121 Forwards response to NRC request for addl info re ISI & inservice pressure test program plans for second ten-yr interval.
SHELL,R.H. Tennessee Valley Authority. 97/03/04. Document Control Branch (Document Control Desk). 17pp. 92118:332-92118:348.

9703270126 Ack receipt of 970124 ltr in response to NRC ltr withdrawing notice of violation noted in insp rept 50-328/96-04-08 & 50-327/96-04-10 issued on 971220.Implementation of on-shift dose assessment capability,examined during future insp.
BARR,K.P. Region 2 (Post 820201). 97/03/04. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 92256:082-92256:085.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703270086 Forwards info re synopsis of NRC OI completed rept re alleged discrimination against former environ qualification engineer at plant.
LESSER,M.S. Region 2 (Post 820201). 97/03/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92256:044-92256:046.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250071 Responds to NRC 961219 ltr re violations noted in insp repts 50-327/96-11 & 50-328/96-11.Corrective actions:design change notice was issued on 970311.
ADNEY,R.J. Tennessee Valley Authority. 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92252:072-92252:074.

9703190032 Forwards order imposing civil monetary penalty in amount of $50,000.Penalty re misconduct of licensee activities in compliance w/NRC requirements.
JORDAN,E.L. Ofc of the Executive Director for Operations. 97/03/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92151:337-92151:352.

--**9703190041** Order imposing civil monetary penalty.Order resulted from 960708-0822 insp which indicated that licensee had not conducted activities in full compliance w/ NRC requirements.
JORDAN,E.L. Ofc of the Executive Director for Operations. 97/03/17. Tennessee Valley Authority. 13pp. 92151:340-92151:352.

9703210014 Forwards signed original of order imposing civil monetary penalty (TVA),for transmittal to Ofc of FR for publication.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 97/03/19. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 92210:283-92210:283.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703100023 "Annual Rept for 1996," consisting of occupational exposure data,RCS specific activity analysis & diesel generator reliability data.W/970228 ltr.
SHELL,R.H. Tennessee Valley Authority. 96/12/31. 12pp. 92042:349-92042:360.

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

9703190089 Monthly operating repts for Feb 1997 for SQN.W/970313 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 97/02/28. 10pp. 92201:202-92201:211.

V. Operator Examinations

9703270114 Informs that NRC plans to administer Generic Fundamentals Exam section of written operator licensing exam on 970409. Facility must submit either ltr indicating no candidates scheduled to participate or listing names of candidates.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. DRISCOLL,R.F. Tennessee Valley Authority. 3pp. 92256:073-92256:075.

9703280009 Forwards response to question raised during Region II 1996 NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. SHEPHERD,M. Tennessee Valley Authority. 2pp. 92264:292-92264:293.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

X. Onsite Storage of Low Level Waste

8009040052 Forwards draft ltr to all power reactor licensees re onsite storage of low level waste,for transmittal within five days.
EISENHUT,D.G. Division of Licensing (800428-851124). 80/06/09. NOVAK,T. Assistant Director for Operating Reactors. TEDESCO,R. Assistant Director for Licensing. LAINAS,G. Assistant Director for Safety Assessment. 11pp. 92246:001-92246:011.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9703100291 Deletes rev 12 to EPIP CPIP 4.1.Rev 64 to index provided.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/05. 2pp. 92044:354-92044:355.

9703130094 Forwards emergency preparedness insp rept 50-331/97-03 on 970203-07.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 97/03/05. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 92078:240-92078:255.

--9703130102 Emergency preparedness insp rept 50-331/97-03 on 970203-07. No violations noted.Major areas inspected:review of emergency preparedness program.
* Region 3 (Post 820201). 97/03/05. 14pp. 92078:242-92078:255.

9703170014 Forwards insp rept 50-331/97-02 on 970210-14 & notice of violation.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 92151:036-92151:051.

--9703170018 Notice of violation from insp on 970210-14.Violation noted: licensee personnel failed to inform health physics personnel prior to opening contaminated sys.
* Region 3 (Post 820201). 97/03/06. 2pp. 92151:038-92151:039.

--9703170025 Insp rept 50-331/97-02 on 970210-14.Violation noted.Major areas inspected:radioactive matl transportation program, training & qualifications of personnel & transportation of LSA matl,SCO & HPTs surveys.
* Region 3 (Post 820201). 97/03/06. 12pp. 92151:040-92151:051.

P. Operating license stage documents & correspondence

9703070179 Informs that no safety valve or safety relief valve failures or challenges occurred during CY96.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/02/24.
MIRAGLIA,F.J. . 1p. 92031:250-92031:250.

9703040237 Responds to request to provide confirmation of commitments re compliance w/tech spec instrument setpoints.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/02/25.
BEACH,A.B. Region 3 (Post 820201). 10pp. 91960:209-91960:218.

9703030331 Ack receipt of 970211 ltr in response to NRC ltr dtd 961009 request for info pursuant to 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
KELLY,G.B. . 97/02/27. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 91939:337-91939:339.

9703130037 Informs of completion of installation & operation of on-line stability predictor software in response to GL 94-02.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/05.
COLLINS,S.J. . 2pp. 92128:166-92128:167.

9703120410 Notification of 970320 meeting w/util in Rockville,MD to discuss licensee practices of treating TS setpoints & practices of not entering LCO action statements during certain surveillances.
WEAVER,D. . 97/03/10. CARPENTER,C. . 3pp. 92079:244-92079:246.

9703190040 Provides updated info re calculated reactor vessel level cited in ltr dtd 960118 re request for TS change RTS-2858 concerning reactor water cleanup vessel level isolation setpoint change.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/11.
COLLINS,S.J. . 3pp. 92201:310-92201:312.

9703250102 Forwards 180-day response to GL-96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/17.
COLLINS,S.J. . 8pp. 92257:132-92257:139.

9703210263 Notification of 970403 meeting w/util in Rockville,MD to discuss status of spent fuel storage at plant.
KELLY,G.B. . 97/03/19. CARPENTER,C. . 4pp. 92220:304-92220:307.

9703280243 Documents plant FSAR improvement initiatives re NRC enforcement policy rev,NUREG-1600,dtd 961018.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/21.
. 2pp. 92290:357-92290:358.

Q. Inspection reports, IE Bulletins & correspondence

9703040196 Responds to NRC ltr re violations noted in insp rept 50-331/96-07.Corrective actions:tagout was changed, additional isolations were completed & work proceeded without incident.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/02/21.
Document Control Branch (Document Control Desk). 8pp. 91960:119-91960:126.

9703070197 Forwards response to violations noted in Insp Rept 50-331/96-11.Corrective actions:action request initiated as part of corrective action program.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/02/26.
Document Control Branch (Document Control Desk). 6pp. 92031:239-92031:244.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703130094 Forwards emergency preparedness insp rept 50-331/97-03 on 970203-07.No violations noted.
GRANT,G.E. Region 3 (Post 820201). 97/03/05. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 92078:240-92078:255.

--**9703130102** Emergency preparedness insp rept 50-331/97-03 on 970203-07. No violations noted.Major areas inspected:review of emergency preparedness program.
* Region 3 (Post 820201). 97/03/05. 14pp. 92078:242-92078:255.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703170014 Forwards insp rept 50-331/97-02 on 970210-14 & notice of violation.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 92151:036-92151:051.

--**9703170018** Notice of violation from insp on 970210-14.Violation noted: licensee personnel failed to inform health physics personnel prior to opening contaminated sys.
* Region 3 (Post 820201). 97/03/06. 2pp. 92151:038-92151:039.

--**9703170025** Insp rept 50-331/97-02 on 970210-14.Violation noted.Major areas inspected:radioactive matl transportation program, training & qualifications of personnel & transportation of LSA matl,SCO & HPTs surveys.
* Region 3 (Post 820201). 97/03/06. 12pp. 92151:040-92151:051.

9703130311 Informs of NRC plan to perform safety sys operational performance insp at licensee facility.
GRANT,G.E. Region 3 (Post 820201). 97/03/10. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 4pp. 92069:225-92069:228.

9703200290 Forwards insp rept 50-331/96-13 on 961220-970203 & NOV.
CALDWELL,J.L. Region 3 (Post 820201). 97/03/11. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 92219:341-92219:361.

--**9703200295** Notice of violation from insp on 961220-970203.Violation noted:from 961124-1218,w/reactor power at approx 100% rated power,main steam line radiation monitors were set greater than 3x normal rated power background.
* Region 3 (Post 820201). 97/03/11. 2pp. 92219:345-92219:346.

--**9703200298** Insp rept 50-331/96-13 on 961220-970203.Violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 3 (Post 820201). 97/03/11. 15pp. 92219:347-92219:361.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703060301 "1996 Annual Exposure Rept." W/970228 ltr.
VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/12/31. 2pp. 92000:341-92000:342.

9703120056 Forwards FFD performance info for plant during six month period from 960701-1231,per 10CFR26.71(d).
VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92125:127-92125:131.

9703240104 Monthly operating rept for Feb 1997 for Duane Arnold Energy Center.W/970314 ltr.
WOODWARD,R., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/02/28. BEACH,A.B. Region 3 (Post 820201). 8pp. 92241:297-92241:304.

S. Reportable occurrences, LERs & related correspondence

9703200205 LER 97-002-00:on 970207,both standby gas treatment trains were inoperable due to low carbon bed efficiencies.Approx 80 pounds of carbon was added to each train of SBGT Sys & each train was retested w/satisfactory results.W/970306 ltr.
BARTA,D., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/06. BEACH,A.B. Region 3 (Post 820201). 6pp. 92246:230-92246:235.

9703170221 LER 96-001-02:on 960325,determined that degradation in scram insertion times occurred.Caused by adhesion between Viton SSPV exhaust valve diaphragm & SSPV seat.Replaced Viton SSPV diaphragms W/Buna-N.W/970310 ltr.
SUEPER,L., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/10. BEACH,A.B. Region 3 (Post 820201). 4pp. 92217:300-92217:303.

9703240236 LER 97-003-00:on 970220,reactivity anomalies surveillance requirement were not met due to inadequate technical review of procedure change.Potential for TS change being evaluated.
KERR,J.D., VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/17. BEACH,A.B. Region 3 (Post 820201). 4pp. 92247:012-92247:015.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703280429 Informs,as required by 10CFR50.74,of change in operator license status.G Kaegi terminated employment w/IES Utils & therefore no longer requires license.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/20. BEACH,A.B. Region 3 (Post 820201). 1p. 92299:039-92299:039.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9703070169 Revised JA FitzPatrick Nuclear Power Plant Emergency Plan.
* Power Authority of the State of New York (New York Power Authority). 97/02/28. 460pp. 92017:001-92018:095.

9703280340 Discusses insp rept 50-333/97-01 on 970105-0222 & forwards notice of violation.Response to NOV should follow instruction IAW 10CFR50.59.Emergency preparedness was found to be directed toward public health & safety.
COWGILL,C.J. Region 1 (Post 820201). 97/03/24. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 4pp. 92290:199-92290:243.

--**9703280342** Notice of violation from insp on 970105-0222.Violation noted:no safety evaluation was performed & documented to provide bases for determination that change did not involve unreviewed safety question.
* Region 1 (Post 820201). 97/03/24. 2pp. 92290:203-92290:204.

--**9703280348** Insp rept 50-333/97-01 on 970105-0222.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/03/24. 34pp. 92290:205-92290:243.

P. Operating license stage documents & correspondence

9703050033 Forwards "Semi-Annual Radioactive Effluent Release Rept for Period of 960701-1231" & rev 4 to "Radiological Effluent Controls & ODCM."
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/02/28. MILLER,H. Region 1 (Post 820201). 1p. 91982:214-91982:250.

--**9703050019** Rev 4 to "Radiological Effluent Controls & Offsite Dose Calculation Manual."
MCKEEN,A. Power Authority of the State of New York (New York Power Authority). 96/07/31. 6pp. 91982:245-91982:250.

9703170159 Responds to NRC 961009 RAI re adequacy & availability of design basis info.Authority commits to following initiatives to improve availability of design basis info.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/10. Document Control Branch (Document Control Desk). 5pp. 92150:352-92150:356.

9703190123 Forwards Cycle 13 Start-Up Test Rept for JAFNPP,which was submitted IAW reporting requirements of Section 6.3.a.1 of plant TS.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/03/11. Document Control Branch (Document Control Desk). 6pp. 92198:025-92198:063.

--**9703190126** Rev 0 to "Power Uprate Startup Test Rept for Cycle 13."
* Power Authority of the State of New York (New York Power Authority). 97/03/11. 33pp. 92198:031-92198:063.

9703180075 Ack receipt of 970207 response to NRC 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.Addl info not needed at this time.
COTTON,K.R. . 97/03/14. KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 3pp. 92177:198-92177:200.

9703200361 Forwards response to NRC RAI re EDG TS change.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/17. Document Control Branch (Document Control Desk). 7pp. 92212:245-92212:251.

9703200368 Provides 180 day response to GL 96-05, "Periodic Verification of Design Basis Capability of Safety Related MOVs."
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92212:252-92212:257.

9703260192 Forwards NRC Form 5 equivalent records for all individuals monitored at JAFNPP from 960101-1231,per 10CFR20.2206(b) & App A of NRC Reg Guide 8.7, "Instruction for Recording & Reporting Occupational Radiation." W/o encl.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/03/17. Office of Nuclear Regulatory Research (Post 941217). 1p. 92258:307-92258:307.

9703280230 Informs NRC of change to scope & techniques of core spray sys piping & sparger insps inside RV at JAFNPP.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/24. Document Control Branch (Document Control Desk). 3pp. 92280:045-92280:047.

Q. Inspection reports, IE Bulletins & correspondence

9703040184 Forwards comments re draft NRC Info Notice 97-XX, "Potential Failures of GE Magne-Blast Circuit Breaker Subcomponents" & draft notice.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/02/21. COTTON,K. . 12pp. 91960:030-91960:041.

9703040048 Ack receipt of 970117 ltr informing NRC of steps taken to correct violations noted in insp rept 50-333/96-07 in response to NRC ltr dtd 961213.Actions will be examined during future insp.
COWGILL,C.J. Region 1 (Post 820201). 97/02/24. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 3pp. 91944:321-91944:343.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703110092 Forwards ISI Summary Rept for JAFNPP which provides summary of ISI exams conducted during 1996 refuel outage & info re operating status of feedwater nozzle Leakage Monitoring Sys & measured leakage for feedwater nozzles.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/04. Document Control Branch (Document Control Desk). 3pp. 92073:109-92073:227.

--9703110094 "Inservice Insp Summary Rept for Refueling Outage R012 at JAFNPP."
* Power Authority of the State of New York (New York Power Authority). 97/03/04. 115pp. 92073:112-92073:227.

9703140166 Forwards response to NRC RAI re Bulletin 96-002, "Movement of Dry Storage Casks Over Spent Fuel,Fuel in Reactor Core or Safety-Related Equipment."
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/03/05. Document Control Branch (Document Control Desk). 4pp. 92137:344-92137:347.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140108 Responds to NRC 970130 ltr re violations noted in insp rept 50-333/96-08.*Corrective actions:Operating Procedures OP-13 & OP-13B have been revised to include* precaution statements re potential for water hammer & equipment damage.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/03/07. Document Control Branch (Document Control Desk). 6pp. 92137:334-92137:339.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-*Blast Circuit Breaker Subcomponents.*"
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280230 Informs NRC of change to scope & techniques of core spray sys piping & sparger insps inside RV at JAFNPP.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). 97/03/24. Document Control Branch (Document Control Desk). 3pp. 92280:045-92280:047.

9703280340 Discusses insp rept 50-333/97-01 on 970105-0222 & forwards notice of violation.Response to NOV should follow instruction IAW 10CFR50.59.Emergency preparedness was found to be directed toward public health & safety.
COWGILL,C.J. Region 1 (Post 820201). 97/03/24. COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 4pp. 92290:199-92290:243.

--9703280342 Notice of violation from insp on 970105-0222.Violation noted:no safety evaluation was performed & documented to provide bases for determination that change did not involve unreviewed safety question.
* Region 1 (Post 820201). 97/03/24. 2pp. 92290:203-92290:204.

--9703280348 Insp rept 50-333/97-01 on 970105-0222.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/03/24. 34pp. 92290:205-92290:243.

R. Periodic operating reports & related correspondence

9703050033 Forwards "Semi-Annual Radioactive Effluent Release Rept for Period of 960701-1231" & rev 4 to "Radiological Effluent Controls & ODCM."
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/02/28. MILLER,H. Region 1 (Post 820201). 1p. 91982:214-91982:250.

--9703050018 "Semi-Annual Radioactive Effluent Release Rept for Period 960701-1231."
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/12/31. 30pp. 91982:215-91982:244.

--9703050019 Rev 4 to "Radiological Effluent Controls & Offsite Dose Calculation Manual."
MCKEEN,A. Power Authority of the State of New York (New York Power Authority). 96/07/31. 6pp. 91982:245-91982:250.

9703180032 Monthly operating rept for Feb 1997 for James A. FitzPatrick Nuclear Power Plant.W/970312 ltr.
GAO,Y., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/02/28. 5pp. 92190:256-92190:260.

S. Reportable occurrences, LERs & related correspondence

9703030374 LER 97-001-00:on 970123,manual reactor scram occurred due to fouling of circulating water sys traveling screens.Revised Procedure OP-4, "Circulating Water Sys" & evaluated adequacy of shear pins used on screens.W/970224 ltr.
BROWNELL,G.J., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/02/24. 9pp. 91971:309-91971:317.

9703030381 Documents safety relief valves challenges & failures for CY96,per TS 6.9.A2.b & LERs 96-010 & 96-004.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/02/25. Document Control Branch (Document Control Desk). 2pp. 91957:358-91957:359.

9703210104 LER 97-003-00:on 970213,identified potential overpressurization of containment penetrations due to thermal expansion.Caused by original plant design.Completed operability determinations IAW GL 91-18.W/970317 ltr.
PLASSE,R.A., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 97/03/17. 7pp. 92246:283-92246:289.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703280068 Informs that plant has been chosen for operational safeguards response evaluations for wk of 970331-0403.
WIGGINS,J.T. Region 1 (Post 820201). 97/03/20. CROSS,J.E. Duquesne Light Co. 3pp. 92265:041-92265:043.

H. General correspondence

9703240241 Supports merger of Centerior Energy Corp & OH Edison under new holding company called FirstEnergy.
* Affiliation Not Assigned. 97/01/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92241:305-92241:306.

9703070028 Requests that listed persons be added (as single entry) to headquarters service & distribution list of listed dockets.
LESSY,R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 97/02/13. HOPKINS,J.B. . 1p. 92015:338-92015:338.

9703200070 Forwards copy of Resolution 32-97,at request of Avon Lake City Council.Resolution is no opposition to merger of Centerior Corp & OH Edison under new holding company called FirstEnergy.
LYNCH,K. Affiliation Not Assigned. 97/02/26. Office of Public Affairs (Post 911117). 2pp. 92199:331-92199:332.

P. Operating license stage documents & correspondence

9703070017 Forwards succinct notices,could be published in connection w/FirstEnergy merger.
LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. 97/02/19. HOPKINS,J.B. 13pp. 92014:340-92014:352.

9703050073 Notification of significant licensee meeting 97-27 w/util on 970304 to discuss plant configuration control issues re component mispositionings.
ESELGROTH,P.W. Region 1 (Post 820201). 97/02/20. Region 1 (Post 820201). 2pp. 91956:054-91956:055.

9703030500 Informs that NRC currently evaluating 970207 ltr which responded to *961009 request for info,per 10CFR50.54(f) re adequacy & availability of design bases* info.
BRINKMAN,D.S. . 97/02/27. CROSS,J.E. Duquesne Light Co. 3pp. 91940:333-91940:335.

9703050217 Application for amend to license DPR-66,modifying design feature section 5.3.1.2 increasing new fuel storage rack enrichment limit to 5 weight %.
JAIN,S.C. Duquesne Light Co. *97/02/27. 4pp. 91988:308-91988:343.*

--9703050223 Proposed tech specs,Section 5.3.1.2 mod by increasing new fuel storage rack enrichment limit to 5 weight %.
* Duquesne Light Co. 97/02/27. 11pp. 91988:312-91988:322.

--9703050234 "Criticality Analysis of Beaver Valley Unit 1 Fresh Fuel Racks."
ROBINSON,K.R., PENKROT,J.A., JOHANSEN,B.J. Westinghouse Electric Corp. CAC-97-013. 97/01/31. 21pp. 91988:323-91988:343.

9703110147 Forwards annual rept for 1996 of challenges to PORVs & safety valves at BVPS Units 1 & 2.
JAIN,S.C. Duquesne Light Co. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92118:349-92118:350.

9703170234 Application for amends 237 & 111 to licenses DPR-66 & NPF-73,modifying TS 3.4.5 to allow SG tube sleeving using CE process.CEN-629-NP,rev 2 & CEN-629-P,rev 2 encl.CEN-629-P, rev 2 withheld.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 3pp. 92207:001-92207:229.

--9703170236 Proposed tech specs,modifying Spec 3.4.5 to allow SG tube sleeving using CE process.
* Duquesne Light Co. 97/03/10. 25pp. 92207:004-92207:229.

9703170253 Application for amend to license DPR-66,consisting of change request 240,modifying Spec 3.4.8 by reducing RCS specific activity limits IAW GL 95-05.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92176:001-92177:028.

--9703170254 Proposed tech specs,modifying Spec 3.4.8 by reducing RCS specific activity limits IAW GL 95-05.
* Duquesne Light Co. 97/03/10. 21pp. 92176:003-92176:023.

--9703170255 Rev 0 to "RG 1.145 Short-Term Accident X/Q Values for EAB & LPZ Units 1 & 2 Based on 1986-1995 Observations."
LAVIE,S.F. Duquesne Light Co. ERS-SFL-96-021 R00. 96/12/19. 204pp. 92176:027-92176:227.

--9703180002 Rev 1 to "Unit 1 RCS & SG Isotopic Concentrations,Pre- Incident Spike Concentrations & Iodine Spike Appearance Rates Corresponding to 0.35 & 0.5 uCi/gm RCS Specific Activity."
LAVIE,S.F. Duquesne Light Co. ERS-SFL-96-012 R01. 96/12/19. 26pp. 92176:228-92176:253.

--9703170256 Rev 2 to "SA of Common CR EAB,LPZ Doses from MSLB Outside of CNMT at Unit 1 w/Increased Primary-to-Secondary Leakage."
LAVIE,S.F., KAMMERDEINER,G., IRELAND,R.N. Duquesne Light Co. ERS-SFL-95-008 R02. 97/02/24. 139pp. 92176:254-92177:028.

9703180063 Application for amends to licenses DPR-66 & NPF-73,which modifies Unit 1 Design Feature Section 5.2.1 to add ZIRLO as fuel assembly matl & adds ref to NRC approved WCAP-12610 to Administrative Control 6.9.1.12 for both units.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92190:313-92190:326.

--9703180064 Proposed tech specs modifying Unit 1 Design Feature Section 5.2.1 to add ZIRLO as fuel assembly matls & adds ref to NRC approved WCAP-12610 to Administrative Control 6.9.1.12 for both units.
* Duquesne Light Co. 97/03/10. 12pp. 92190:315-92190:326.

9703180065 Application for amends to licenses DPR-66 & NPF-73,modifying Specification 3.4.5 to allow SG tube sleeving using Framatome process.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92190:327-92190:340.

--9703180067 Proposed tech specs modifying Specification 3.4.5 to allow SG tube sleeving using Framatome process.
* Duquesne Light Co. 97/03/10. 12pp. 92190:329-92190:340.

9703210278 Forwards response to NRC RAI concerning new RV pressurized thermal shock assessment,per 960802 ltr.
JAIN,S.C. Duquesne Light Co. 97/03/14. Document Control Branch (Document Control Desk). 6pp. 92232:194-92232:271.

--9703210285 "Beaver Valley Unit 1 Radiation Analysis & Neutron Dosimetry Evaluation."
BRASSART,G.A. Westinghouse Electric Corp. WCAP-14554. 96/06/30. 74pp. 92232:200-92232:271.

9703250163 Proposed TS Change Requests 1A-236 & 2A-110 to Licenses DPR-66 & NPF-73,relocating TS adminstrative controls re QA to QA program description presented in Section 17.2 of Unit 2 UFSAR.
JAIN,S.C. Duquesne Light Co. 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92250:138-92250:208.

--9703250169 Proposed tech specs re administrative controls related to QA.
* Duquesne Light Co. 97/03/14. 68pp. 92250:141-92250:208.

9703210068 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
JAIN,S.C. Duquesne Light Co. 97/03/17. Document Control Branch (Document Control Desk). 7pp. 92220:354-92220:360.

Q. Inspection reports, IE Bulletins & correspondence

9703030165 Forwards integrated insp repts 50-334/96-10 & 50-412/96-10 on 961222-970208 & NOV.
COOPER,R.W. Region 1 (Post 820201). 97/02/21. CROSS,J.E. Duquesne Light Co. 3pp. 91949:146-91949:215.

--9703030182 Notice of violation from insp on 961222-970208.Violation noted:as of 970201,licensee never installed RMS in plan,unit 1 NFSAs capable of alarming should accidental criticality occur.
* Region 1 (Post 820201). 97/02/21. 2pp. 91949:149-91949:150.

--9703030195 Insp repts 50-334/96-10 & 50-412/96-10 on 961222-970208. Violations noted.Major areas inspected:licensee operations, engineering,maint, & plant support.
* Region 1 (Post 820201). 97/02/21. 65pp. 91949:151-91949:215.

9703040296 Forwards copy of "BVPS 1996 SG Exam Rept," which documents results of SG eddy current exams performed during Unit 1 11th refueling outage & Unit 2 sixth refueling outage.
JAIN,S.C. Duquesne Light Co. 97/02/24. Document Control Branch (Document Control Desk). 101pp. 91966:228-91966:328.

9703060148 Rev 1 to notification of significant licensee meeting 97-20 w/util on 970307 in King of Prussia,PA to discuss plant configuration control issues related to component mispositionings.
ESELGROTH,P.W. Region 1 (Post 820201). 97/02/27. Region 1 (Post 820201). 2pp. 91969:032-91969:033.

9703130307 Comment supporting proposed generic communication, "Effectiveness of Ultrasonic Testing Systems in Inservice Inspection Programs."
JAIN,S.C. Duquesne Light Co. 97/03/03. NRC - No Detailed Affiliation Given. 3pp. 92069:222-92069:224.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703200036 Discusses insp repts 50-334/96-08,50-412/96-08,50-334/96-09 & 50-412/96-09 on 960929 & 1221 & forwards notice of violations & proposed imposition of civil penalties in amount of $160,000.
MILLER,H.J. Region 1 (Post 820201). 97/03/10. CROSS,J.E. Duquesne Light Co. 6pp. 92188:248-92188:258.

--9703200045 Notice of violations & proposed imposition of civil penalties in amount of $160,000.Violations noted:licensee did not provide adequate measures to verify selection of suitable leak sealant matl for use in leak repair.
* Region 1 (Post 820201). 97/03/10. 5pp. 92188:254-92188:258.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250163 Proposed TS Change Requests 1A-236 & 2A-110 to Licenses DPR-66 & NPF-73,relocating TS adminstrative controls re QA to QA program description presented in Section 17.2 of Unit 2 UFSAR.
JAIN,S.C. Duquesne Light Co. 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92250:138-92250:208.

--9703250169 Proposed tech specs re administrative controls related to QA.
* Duquesne Light Co. 97/03/14. 68pp. 92250:141-92250:208.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110157 "NPDES Monthly Rept for Jan 1997." W/970214 ltr.
LEGRAND,R. Duquesne Light Co. 97/01/31. 63pp. 92105:178-92105:212.

9703040390 Forwards fitness for duty program rept for period of 960701- 1231.
JAIN,S.C. Duquesne Light Co. 97/02/24. Document Control Branch (Document Control Desk). 5pp. 91992:282-91992:286.

9703180048 Monthly operating repts for Feb 1997 for Beaver Valley Power Station,Unit 1 & 2.W/970306 ltr.
JONES,D.T., LEGRAND,R.L. Duquesne Light Co. 97/02/28. 9pp. 92196:150-92196:158.

S. Reportable occurrences, LERs & related correspondence

9703180201 LER 97-001-00:on 970213,GL 96-01 inadequate surveillance testing of CR emergency ventilation subsystem heaters identified.Caused by inadequate safety related logic testing of procedures for CR.Tests were performed.W/970310 ltr.
LEGRAND,R.L. Duquesne Light Co. 97/03/10. 6pp. 92237:175-92237:180.

9703260003 LER 97-002-00:on 970219,declared EDGs inoperable due to inaccuracies of watt meter instrument loop.Restored EDG operability via performance of revised Operating Surveillance Tests.W/970319 ltr.
LEGRAND,R.L. Duquesne Light Co. 97/03/19. 6pp. 92247:021-92247:026.

9703270149 LER 97-003-00:on 970220,identified RCS pressure isolation valves were not tested.Caused by operator error.Affected valves declared inoperable & verified to be closed & deenergized & procedures revised.W/970324 ltr.
LEGRAND,R.L. Duquesne Light Co. 97/03/24. 6pp. 92296:018-92296:023.

V. Operator Examinations

9703060222 Provides required submittals for SRO license exam scheduled for Unit 1 during wk of 970317.Completed SRO license applications for three individuals scheduled for exam encl. W/o encl.
LEGRAND,R.L. Duquesne Light Co. 97/02/27. MILLER,H.J. Region 1 (Post 820201). 1p. 92012:242-92012:242.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of nati exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703190091 Informs of authorization to administer written licensing exams to applicants listed,week of 970317.
MEYER,G.W. Region 1 (Post 820201). 97/03/11. BURNS,T.W. Duquesne Light Co. 2pp. 92151:359-92151:360.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

C. Utility Environmental Report (ER), amends & correspondence

9307080320 Forwards safety evaluation supporting C-E Owners Group Rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation."
NORRIS,J.A. Project Directorate II-2. 93/06/29. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:214-92284:216.

F. Security, medical, emergency & fire protection plans

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9311120155 Advises of 931013 exemption request by util from certain requirements of 10CFR73.55(d)(5) & forwards util 931013 ltr requesting exemption.Encl withheld.
RAGHAVAN,L. Project Directorate II-2. 93/11/05. PASSETTI,B. Florida, State of. 3pp. 92284:300-92284:302.

-9609110078 Forwards safety evaluation accepting licensee proposed EAL rev for plant.
ESSIG,T.H. . 96/09/05. HEBDON,F.J. . 3pp. 92287:024-92287:026.

-9611040312 Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Licensee required to submit written repts under oath of affirmation,that provided info specified in RAI.
CALVO,J.A. . 96/10/31. REINHART,F.M. . 4pp. 92287:061-92287:064.

-9611190206 Informs of closure of NRC Bulletin 92-01,suppl 1, "Failure of Thermo-Lag 330 Fire Barrier Sys," for plant units 1 & 2. Util responses to GL 92-08 & subsequent RAI provided corrective action plans & schedule for resolution of issue.
WIENS,L.A. . 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:065-92287:066.

-9703130414 Safety evaluation supporting proposed rev & associated justification.Proposed EAL rev for plant consistent w/guidance provided by NUREG-0654 & allowable deviations.
* . 96/09/05. 2pp. 92287:027-92287:028.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

-9703120147 "Plant Information Book,Vol 1-Emergeny Response,Units 1 & 2."
* Commissioners (Post 750119). 92/07/24. 400pp. 92221:009-92222:057.

9703240076 Revised EPIPs,including rev 12 to HP-200, "Health Physics Emergency Organization" & rev 13 to C-110, "Collecting Initial Set of Post Accident Samples & Guidelines for Establishing....Inventory Control." W/970311 ltr.
SCAROLA,J., STALL,J.A. Florida Power & Light Co. 97/03/11. 40pp. 92241:001-92241:040.

9703240129 Confirms schedule changes in schedule for completion of mods to Thermo-Lag fire barriers at plant,Units 1 & 2,in response to NRC GL 92-08.
PLUNKETT,T.F. Florida Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92242:329-92242:331.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

-9703100028 Partially withheld memo discussing Directors Decision 96-19 under 10CFR2.206 re steam generator issued at St Lucie.
OGLE,C. NRC - No Detailed Affiliation Given. 96/12/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 92038:209-92038:214.

-9703100048 Partially withheld memo discussing petition filed by JF Doherty requesting six plant reactors be immediately shutdown & Directors Decision 95-22 which denies request.
TSCHILTZ,M. NRC - No Detailed Affiliation Given. 95/12/19. THE CHAIRMAN Commissioners (Post 750119). 5pp. 92038:219-92038:223.

-9703100060 Partially withheld memo discussing Directors Decision 95-07 which denies petitioners request for various enforcment actions against Florida Power & Light & its employees.
WINSBERG,K. NRC - No Detailed Affiliation Given. 95/06/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 92038:224-92038:225.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9505150050 Forwards notice of issuance of Director's Decision under 10CFR2.206,for transmittal to Ofc of FR for publication.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/05/11. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 92286:157-92286:162.

-9510260004 Responds to request for immediate shutdown of listed six pressurized water reactors.
STROSNIDER,J.R. . 95/10/19. MATTHEWS,D.B. . 7pp. 92286:278-92286:284.

-9609180315 Responds to 960612 ltr petitioning staff,requesting staff action under 10CFR2.206 re operation at St Lucie Nuclear Station,Units 1 & 2.Requests confirmatory order requiring that licensee not operate Unit 1 above 50%.
STROSNIDER,J.R. . 96/09/12. HEBDON,F.J. . 5pp. 92287:035-92287:039.

H. General correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

-9703100076 Partially withheld ltr ack receipt of 960607 ltr re concerns about being forced to leave Florida Power & Light Co,St Lucie facility because of concerns expressed to NRC.
IGNATONIS,A. Region 2 (Post 820201). 96/06/18. Affiliation Not Assigned. 1p. 92038:231-92038:231.

9703250068 Requests change to util official svc lists for St Lucie 1 & 2 & Turkey Point 3 & 4.
PADUANO,H.N. Florida Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92252:070-92252:070.

J. Insurance & indemnity information

9703250070 Provides info on nuclear property insurance program.
PADUANO,H.N. Florida Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92252:071-92252:071.

P. Operating license stage documents & correspondence

9703040370 Forwards 1996 Annual Radioactive Effluent Release Rept for St Lucie,Units 1 & 2,per 10CFR50.36(a)(2) & Sections 6.9.1.7 & 6.14.3 of plant TS.Rept covers period from 960101-1231. Procedure,encl.
STALL,J.A. Florida Power & Light Co. 97/02/24. Document Control Branch (Document Control Desk). 1p. 91978:013-91978:239.

-9703040376 Rev 18 to "Offsite Dose Calculation Manual (ODCM)."
* Florida Power & Light Co. 96/09/23. 182pp. 91978:058-91978:239.

9703110049 Forwards summary of meeting on 970213 in plants nuclear training ctr to discuss performance improvement plans,self assessment corrective actions & effectiveness of employee concerns program.List of attendees,slide & handouts encl.
JULIAN,C.A. Region 2 (Post 820201). 97/02/26. PLUNKETT,T.F. Florida Power & Light Co. 72pp. 92019:061-92019:132.

9703060272 Forwards "St Lucie Plant Status Meeting."
STALL,J.A. Florida Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92010:268-92010:352.

-9703060273 "St Lucie Plant Status Meeting."
* Florida Power & Light Co. 97/02/21. 84pp. 92010:269-92010:352.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

-9703100072 Partially withheld ltr responding to 960802 ltr informing of difficulties in finding employment.On 960613 NRC reviewed ltr of 960606 & determined that circumstances warranted further review for potential violations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/08/28. GRAHAM,B. Senate. 2pp. 92038:229-92038:230.

-9703100081 Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

-9703100086 Partially withheld memo discussing drop-in visit of J Broadhead,chairman & CEO FPL Group & chairman & CEO FP&L Co & J Goldberg.
JONES,B. NRC - No Detailed Affiliation Given. 97/02/28. THE CHAIRMAN Commissioners (Post 750119). 9pp. 92038:234-92038:243.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9301060292 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 921217 request re rev to TS 3.3.3.2 by changing operability requirements.
NORRIS,J.A. Project Directorate II-2. 93/01/04. NRC - No Detailed Affiliation Given. 3pp. 92284:026-92284:028.

-9302030169 Notification of 930304 meeting w/licensee in Rockville,MD to discuss current issues at plant.
NORRIS,J.A. Project Directorate II-2. 93/01/28. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:038-92284:040.

-9302100463 Forwards Safety Evaluation re removal of autoclosure interlock for shutdown cooling sys section values.Changes acceptable.
JONES,R.C. Reactor Systems Branch. 93/02/02. BERKOW,H. Project Directorate II-2. 1p. 92284:041-92284:041.

-9302110121 Requests that FOIA-93-047 request be disposed of by sending existing documents identifying reactors in FL regulated by NRR.
BERKOW,H.N. Project Directorate II-2. 93/02/03. MULLIN,J. Program Management, Policy Development & Analysis Staff (Post 870411). 1p. 92284:049-92284:049.

-9302110151 Responds to 921022 request for technical assistance in resolving need for & means of continuous core reactivity monitoring for facility.Informs that no action required to change facility current or improved STS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/02/04. MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 92284:050-92284:051.

-9302190296 Confirms temporary waiver of compliance granted per 930212 request re relief from TS 4.6.1.1.a.1, "Containment Vessel Integrity." TS requires vessel integrity be demonstrated once every 31 days by verifying vessel penetrations.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/02/16. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:052-92284:054.

-9302240199 Informs that util withdrew request to grant proprietary status to util response to NRC request for addl info re resolution of USI A-46.
BERKOW,H.N. Project Directorate II-2. 93/02/22. BAGCHI,G. Civil Engineering & Geosciences Branch. 2pp. 92284:055-92284:058.

-9302260287 Requests FR publication of notice of issuance of Amend 119 to License DPR-67.Amend excludes penetrations inside containment from SR of TS 4.6.1.1.a.1 for balance of Fuel Cycle 11.
NORRIS,J.A. Project Directorate II-2. 93/02/23. NRC - No Detailed Affiliation Given. 2pp. 92284:068-92284:069.

-9303030437 Forwards AEOD input to briefing package for Chairman Selin visit to plant on 930315.Input consists of summary analysis of recent operational experience.
NOVAK,T.M. Division of Safety Programs (Post 870413). 93/02/26. MERSCHOFF,E.W. Region 2 (Post 820201). 8pp. 92287:077-92287:084.

-9303100026 Notification of 930406 meeting w/util in Rockville,MD to discuss current issues at plants.
NORRIS,J.A. Project Directorate II-2. 93/03/03. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:070-92284:072.

-9303100136 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on request re GL 89-01 & NUREG-1301 re ODCM.
NORRIS,J.A. Project Directorate II-2. 93/03/05. NRC - No Detailed Affiliation Given. 3pp. 92284:079-92284:081.

-9303100151 Forwards SE granting request for proposed elmination of dynamic effects associated w/high energy pipe rupture in RCS piping from licensing & design bases by application of leak-before-break technology.Use should begin in 1993.
NORRIS,J.A. Project Directorate II-2. 93/03/05. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:073-92284:075.

-9303150199 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 930304 request re excluding penetrations inside containment from 31-day SR.
NORRIS,J.A. Project Directorate II-2. 93/03/10. NRC - No Detailed Affiliation Given. 3pp. 92284:082-92284:084.

-9303230269 Notification of 930331 meeting w/util in Rockville,MD to discuss status of active licensing actions.
NORRIS,J.A. Project Directorate II-2. 93/03/18. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:085-92284:087.

-9303240268 Requests FR publication of notice of issuance of amend 120 to license DPR-67.Amend revises TS 4.5.2.d.1 to delete requirements to verify operability of autoclosure interlock for shutdown cooling sys closure interlock.
NORRIS,J.A. Project Directorate II-2. 93/03/18. NRC - No Detailed Affiliation Given. 1p. 92284:088-92284:088.

-9303310194 Forwards SE accepting util 921130 proposed changes to TS tables 3.3-3,3.3-4 & 4.3-2,which would allow change to setpoints for emergency bus undervoltage protection scheme during both accident & non-accident conditions.
BERLINGER,C.H. Electrical Engineering Branch. 93/03/24. BERKOW,H.N. Project Directorate II-2. 1p. 92284:089-92284:089.

-9304080073 Discusses 930331 meeting w/util in Rockville,MD re status of all active license.
NORRIS,J.A. Project Directorate II-2. 93/04/06. Project Directorate II-2. 2pp. 92284:099-92284:100.

-9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

-9304120308 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 930319 request to reduce RCS design flowrate.
NORRIS,J.A. Project Directorate II-2. 93/04/06. NRC - No Detailed Affiliation Given. 4pp. 92284:101-92284:104.

-9304190166 Summary of 930406 meeting w/util in Rockville,MD re three issues involving seismic qualification of electrical & mechanical equipment at plant.List of attendees encl.
NORRIS,J.A. Project Directorate II-2. 93/04/12. Project Directorate II-2. 4pp. 92284:105-92284:108.

-9304220313 Requests FR publication of notice of issuance of amend 121 to license DPR-67.Amend revises TS Tables 3.3-3,3.3-4 & 4.3-2 re Emergency Bus Undervoltage Protection Devices & permits improvements to be made in relaying scheme.
NORRIS,J.A. Project Directorate II-2. 93/04/14. NRC - No Detailed Affiliation Given. 2pp. 92284:109-92284:110.

-9304260066 Forwards FR notice of withdrawal of 921217 application for amend to License DPR-67,allowing certain monitoring functions to be performed w/reduced number of operable in-core detector locations.Request withdrawn via 930331 ltr.
NORRIS,J.A. Project Directorate II-2. 93/04/20. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:111-92284:114.

-9304290093 Informs that NRC currently performing evaluation of licensee implementation program for resolving USI A-46 as delineated in GL 87-02.Attachment 1 provides background info & request for addl info.
NORBERG,J.A. Mechanical Engineering Branch. 93/04/26. BERKOW,H.N. Project Directorate II-2. 9pp. 92284:115-92284:123.

-9305060275 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 930304 request to exclude penetrations inside containment from TS.
NORRIS,J.A. Project Directorate II-2. 93/05/03. NRC - No Detailed Affiliation Given. 2pp. 92284:124-92284:125.

-9305270264 Informs of 930504 pump shutdown due to signs of pump distress because of heat damage to pump bearing housing during midloop operation.
DESAI,K. Reactor Systems Branch. 93/05/18. JONES,R.C. Reactor Systems Branch. 1p. 92284:126-92284:126.

-9306070197 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & NPF-16 proposed NSHC determination & opportunity for hearing on 930520 request re changing surveillance interval for performing flow test.
NORRIS,J.A. Project Directorate II-2. 93/05/26. NRC - No Detailed Affiliation Given. 3pp. 92284:127-92284:129.

-9306110282 Summary of 930602 meeting w/util re merits of biometric access control sys that util desires to use at plants.List of attendees & meeting handouts encl.
RAGHAVAN,L. Project Directorate II-2. 93/06/04. Project Directorate II-2. 30pp. 92284:130-92284:160.

-9306290243 Summary of 930610 meeting w/util in Juno Beach,FL re technical & mgt/administrative issues of common interest to facilities.
NORRIS,J.A. Project Directorate II-2. 93/06/22. Project Directorate II-2. 53pp. 92284:161-92284:213.

-9307090256 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 930621 request re changes to TSs Section 6.0.
NORRIS,J.A. Project Directorate II-2. 93/07/02. NRC - No Detailed Affiliation Given. 3pp. 92284:221-92284:223.

-9307130155 Informs that some licensees experienced problems w/Merlin Gerin software.Licensees instructed to avoid using ADS & software error corrected soon after initial licensee rept of difficulty.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/07/07. COOPER,R.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). NORELIUS,C.E. Region 3 (Post 820201). 2pp. 92284:224-92284:225.

-9307190047 Discusses 930202 ltr re anomalies identified in NRC SE re relief requests for plant inservice testing program for pumps & valves.Safety evaluation & SALP input encl.
NORBERG,J.A. Mechanical Engineering Branch. 93/07/08. NORRIS,J.A. Project Directorate II-2. 1p. 92284:226-92284:226.

-9308190332 Forwards util 930721 facsimile clarifying info re generic issues 70 & 94,per telcon.
NORRIS,J.A. Project Directorate II-2. 93/08/03. Project Directorate II-2. 4pp. 92284:239-92284:242.

-9308230237 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 930723 request re new stds for protection against radiation.
NORRIS,J.A. Project Directorate II-2. 93/08/16. NRC - No Detailed Affiliation Given. 3pp. 92284:251-92284:253.

-9308260110 Forwards SE accepting licensee 901220,911206,920511 & 1009 responses to GL 90-06, "Power Operated Relief Valves & Block Valves Relievability & Addl Low Temp Overpressure Protection for Light Water Reactors."
JONES,R.C. Reactor Systems Branch. 93/08/09. BERKOW,H.N. Project Directorate II-2. 1p. 92284:243-92284:243.

-9309090092 Forwards safety evaluation accepting util 930122 proposed changes to TS to implement guidance in GL 89-01.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/08/25. BERKOW,H.N. Project Directorate II-2. 1p. 92284:263-92284:263.

-9309150344 Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

-9310040329 Forwards SE accepting util 930723 application for proposed TS changes concurrent plan to implement revised 10CFR20, "Stds for Protection Against Radiation."
CUNNINGHAM,L.J. Radiation Protection Branch. 93/09/28. BERKOW,H.N. Project Directorate II-2. 1p. 92284:281-92284:281.

-9310130445 Forwards safety evaluation granting relief from ASME Code Section XI requirements re repair of ASME Class 1,2 or 3 structures,per 10CFR50.55a(g)(6)(i).SALP input encl.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/10/04. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:287-92284:289.

-9311050142 Requests FR publication of notice of issuance of amends 123 & 61 to licenses DPR-67 & NPF-16,respectively.Amends relocate RETS to ODCM or process control sys.
NORRIS,J.A. Project Directorate II-2. 93/10/27. NRC - No Detailed Affiliation Given. 2pp. 92284:298-92284:299.

-9311180111 Requests FR publication of notice of issuance of amends 124 & 62 to licenses DPR-67 & NPF-16.Amends change surveillance interval specified for performing air or smoke flow test through containment spray headers from 5 to 10 yrs.
NORRIS,J.A. Project Directorate II-2. 93/11/08. NRC - No Detailed Affiliation Given. 2pp. 92284:303-92284:304.

-9312010312 Forwards EA & FONSI on util 931013 & 1102 ltrs requesting exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for contractors granted unescorted access to protected areas of site.
NORRIS,J.A. Project Directorate II-2. 93/11/17. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:305-92284:311.

-9312130330 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 931025 request re dune & mangrove surveys from TSs.
NORRIS,J.A. Project Directorate II-2. 93/12/03. NRC - No Detailed Affiliation Given. 3pp. 92284:312-92284:314.

-9312140352 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 931026 request to change TS 4.6.1.2.a consistent w/NUREG-1432.
NORRIS,J.A. Project Directorate II-2. 93/12/03. NRC - No Detailed Affiliation Given. 4pp. 92284:315-92284:318.

-9312230125 Forwards November 1993 monthly rept to provide expeditious dissemination of 10CFR21 matters.
NORRIS,J.A. Project Directorate II-2. 93/12/16. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:319-92284:324.

-9312270078 Requests FR publication of notice of issuance of amends 125 & 63 to licenses DPR-67 & NPF-16.Amends necessary to implement new Standards for Protection Against Radiation (10CFR20).
NORRIS,J.A. Project Directorate II-2. 93/12/16. NRC - No Detailed Affiliation Given. 1p. 92284:325-92284:325.

-9401040006 Summary of 931216 meeting w/Div of Engineering,Div of Reactor Controls & Human Factors & Project Directorate II-2 re appropriateness of reduced USI A-46 program scope for affected plants owned by FPL & FPC.
NORBERG,J.A. Mechanical Engineering Branch. 93/12/22. BERKOW,H.N. Project Directorate II-2. 7pp. 92284:327-92284:333.

-9401130063 Informs that public meeting will be held on 940202 & 03 to discuss proposed generic ltr suppl & draft NUREG-1482 re guidance on developing acceptable inservice testing program.
NORRIS,J.A. Project Directorate II-2. 94/01/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:337-92284:339.

-9402140125 Informs that changes submitted in Rev 7,for plants are consistent w/provisions of 10CFR50.54 & are acceptable for including in respective security plan,in response to 931203 ltr.
RAGHAVAN,L. Project Directorate II-2. 94/02/01. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:345-92284:346.

-9402150061 Requests FR publication of notice of issuance of amend 64 to license DPR-67.Amend deletes option of using movable incore detector to determine incore instrumentation sys operability from provisions of TS 3.3.3.2.
NORRIS,J.A. Project Directorate II-2. 94/02/08. NRC - No Detailed Affiliation Given. 1p. 92284:034-92284:034.

-9403070236 Advises that util will conduct investigation into allegation RII-94-A-0035 through Nuclear Safety SPEAKOUT Program & results will be forwarded by 940404.
GEIGER,J.E. Florida Power & Light Co. 94/02/22. Document Control Branch (Document Control Desk). 1p. 92285:085-92285:085.

-9403090342 Requests FR publication of notice of issuance of amends 126 & 65 to licenses DPR-67 & NPF-16,respectively.Amends change TS section 6.0, "Administrative Controls."
NORRIS,J.A. Project Directorate II-2. 94/03/02. NRC - No Detailed Affiliation Given. 2pp. 92285:086-92285:087.

-9403150232 Discusses site access & dosimetry requirements for NRC inspectors.
STOHR,J.P. Region 2 (Post 820201). 94/02/11. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 92285:081-92285:084.

-9403160108 Forwards safety evaluation of request to use alternative materials re fabrication & installation of replacement steam generators.
STROSNIDER,J. Materials & Chemical Engineering Branch. 94/03/09. BERKOW,H.N. Project Directorate II-2. 1p. 92285:106-92285:106.

-9403240033 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 940222 request re mod of min stored borated water inventory requirements.
NORRIS,J.A. Project Directorate II-2. 94/03/17. NRC - No Detailed Affiliation Given. 3pp. 92285:107-92285:109.

-9403290316 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940222 request to relocate instrument response time limits.
NORRIS,J.A. Project Directorate II-2. 94/03/22. NRC - No Detailed Affiliation Given. 3pp. 92285:110-92285:112.

-9403300219 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 940228 request to delete minimum frequency criteria for QA audits.
NORRIS,J.A. Project Directorate II-2. 94/03/22. NRC - No Detailed Affiliation Given. 3pp. 92285:113-92285:115.

-9404060048 Requests FR publication of notice of issuance of amends 127 & 66 to licenses DPR-67 & NPF-16.Amends change TS 4.6.1.2.a, "Containment Leakage Surveillance Requirements" to be consistent w/guidance of NUREG-1432.
NORRIS,J.A. Project Directorate II-2. 94/03/30. NRC - No Detailed Affiliation Given. 2pp. 92285:126-92285:127.

-9404070312 Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification:Decrease of Heat Removal By Secondary Sys." Licensee has not justified steam generator nodalization for neither Turkey Point nor St Lucie.SALP input also encl.
COLLINS,T.E. Reactor Systems Branch. 94/03/31. BERKOW,H.N. Division of Reactor Projects - I/II (Post 870411). 2pp. 92285:130-92285:149.

-9404080233 Topical safety evaluation of NTH-TR-01, "Retran Model Qualification:Decrease of Heat Removal by Secondary Sys."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/03/31. 4pp. 92285:132-92285:149.

-9404080234 "Technical Evaluation:Retran Model Qualification Decrease in Heat Removal by Secondary Sys NTH-TR-01."
* International Technical Services, Inc. NRC-03-90-027. ITS/NRC/93-10. 94/03/04. NRC - No Detailed Affiliation Given. 14pp. 92285:158-92285:170.

-9404260378 Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification,Decrease in Heat Removal by Secondary Sys." Util has not justified steam generator nodalization for plants.
NORRIS,J.A. Project Directorate II-2. 94/04/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:153-92285:157.

-9404260382 SE of topical rept NTH-TR-01, "RETRAN Model Qualification, Decrease of Heat Removal by Secondary Sys." NRC discontinued review.
* Florida Power & Light Co. 94/04/19. 2pp. 92285:156-92285:170.

-9406280080 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940523 request re relocating seismic monitoring instrumentation.
NORRIS,J.A. Project Directorate II-2. 94/06/17. NRC - No Detailed Affiliation Given. 3pp. 92285:188-92285:190.

-9407200123 Requests FR publication of notice of issuance of amends 128 & 67 to licenses DPR-67 & NPF-16,respectively.Amends relocate instrument response time limits for RPS & ESFAS from TS to be USAR for both units.
NORRIS,J.A. Project Directorate II-2. 94/07/12. Project Directorate II-2. 3pp. 92285:197-92285:199.

-9408110167 Forwards SE re revised relief request containing addl info to support util proposed alternate method of testing.
NORRIS,J.A. Project Directorate II-2. 94/08/05. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92285:200-92285:201.

-9408120005 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 940728 request to revise TS 3/4.4.13 to incorporate LTOP requirements.
NORRIS,J.A. Project Directorate II-2. 94/08/05. NRC - No Detailed Affiliation Given. 4pp. 92287:073-92287:076.

-9408150077 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940725 request re amend revising various TS sections.
NORRIS,J.A. Project Directorate II-2. 94/08/10. NRC - No Detailed Affiliation Given. 3pp. 92285:209-92285:211.

-9408250207 Informs that review & approval by NRC of licensee 940715 ltr requesting approval of ASME Section IX Codes Cases 2142 & 2143 not required.
NORRIS,J.A. Project Directorate II-2. 94/08/17. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92285:212-92285:213.

-9409120198 Requests that PM for each CE plant review licensee response to GL 89-19 to ensure that 901031 submittal applicable to plant & that licensee response addressed operator training procedures.SER,sample closeout & sample RAI ltrs encl.
JABBOUR,K.N. Project Directorate II-3. 94/09/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:214-92285:215.

-9409210128 Forwards SE which provides review of relief requests VR-29 & VR-30 included in inservice testing program for plant,Unit 1.
WESSMAN,R.H. Materials & Chemical Engineering Branch. 94/09/16. NORRIS,J.A. Project Directorate II-2. 1p. 92285:225-92285:225.

-9410140177 Requests FR publication of notice of issuance of amend 129 to license DPR-67.Amend modifies min stored borated water inventory requirements for operational modes 1 through 4 by revising figure 1.3 & section 3.1.2.8 of TS.
NORRIS,J.A. Project Directorate II-2. 94/10/04. NRC - No Detailed Affiliation Given. 2pp. 92285:277-92285:278.

-9411040241 Forwards human factors safety evaluation re refueling procedures for plant units 1 & 2.
ZWOLINSKI,J.A. Division of Reactor Projects - I/II (Post 870411). 94/10/28. BOGER,B.A. Region 2 (Post 820201). 1p. 92285:285-92285:285.

-9411140047 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 941027 request to improve consistency throughout TS.
NORRIS,J.A. Project Directorate II-2. 94/11/03. NRC - No Detailed Affiliation Given. 3pp. 92285:289-92285:291.

-9411220341 Submits licensee program to resolve safety issue A-46,which requires licensee to be able to bring plant to hot shutdown condition during first 72 h after SSE.
JONES,R.C. Reactor Systems Branch. 94/11/16. MATTHEWS,D. Project Directorate II-3. 6pp. 92285:292-92285:297.

-9411220419 Forwards SE accepting util 940319 proposed changes to TS re change in reduction of RCS design flow for plant.SALP input also encl.
JONES,R.C. Reactor Systems Branch. 94/11/17. MCCREE,V.M. Project Directorate II-2. 1p. 92285:298-92285:298.

-9411290098 Forwards SE accepting licensee 941116 ltr proposing alternative to ASME Code for repair of unit 1 refueling water tank bottom.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 94/11/22. MCCREE,V.M. Project Directorate II-2. 2pp. 92285:310-92285:311.

-9412010203 Requests FR publication of notice of issuance of amend 130 to license DPR-67.Amend allows reduction in RCS design flow flowrate from current value of 370,000 gpm to 355,000 gpm in TSs Figure 2.1-1 & Tables 2.2-1 & 3.2-1.
NORRIS,J.A. Project Directorate II-2. 94/11/25. NRC - No Detailed Affiliation Given. 1p. 92285:317-92285:317.

--**9412010232** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 941102 to upgrade existing TSs 3/4.6.2.1 & 3/4.6.2.3.
NORRIS,J.A. Project Directorate II-2. 94/11/21. NRC - No Detailed Affiliation Given. 3pp. 92285:307-92285:309.

--**9412200119** Forwards SE accepting licensee 941102 application requesting changes to plant TS.Proposed changes would clarify actions required in event of inoperable equipment associated w/ containment depressurization & cooling sys.
BARRETT,R.J. Containment Systems & Severe Accident Branch. 94/12/16. MATTHEWS,D.B. Project Directorate II-1. 1p. 92285:343-92285:343.

--**9501130149** Forwards quarterly status rept of AEOD related action items from OECB tracking sys.Rept identifes actions taken in response to recommendations & suggestions received from AEOD.
CHAFFEE,A.E. . 95/01/09. CONGEL,F.J. Incident Response Branch. 2pp. 92285:352-92285:353.

--**9501180151** Informs that util will conduct investigation into allegation through Nuclear Safety Speakout Program & results will be forwarded by 950213.
GEIGER,J.E. Florida Power & Light Co. 95/01/06. Document Control Branch (Document Control Desk). 1p. 92285:350-92285:350.

--**9501240199** Requests FR publication of notice of issuance of amends 131 & 70 to licenses DPR-67 & NPF-16,respectively.Amends clarify actions required in event of inoperable equipment associated w/containment depressurization & cooling sys.
NORRIS,J.A. . 95/01/18. NRC - No Detailed Affiliation Given. 1p. 92285:351-92285:351.

--**9502010309** Requests FR publication of notice of issuance of amend 132 to license DPR-67.Amend revises TS 3/4.4.13 to incorporate low temperature overpressure protection requirements similar to those in GL 90-06.
NORRIS,J.A. Office of Nuclear Reactor Regulation (Post 941001). 95/01/27. NRC - No Detailed Affiliation Given. 1p. 92286:008-92286:008.

--**9502140260** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950120 request to relocate operability requirements for TS.
NORRIS,J.A. Office of Nuclear Reactor Regulation (Post 941001). 95/02/07. NRC - No Detailed Affiliation Given. 3pp. 92286:009-92286:011.

--**9502140413** Requests FR publication of notice of issuance of amends 133 & 72 to licenses DPR-67 & NPF-16,respectively.Amends revise TS to implement GL 93-05 items 5.8,6.1,7.1 & 7.5.
NORRIS,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/02/09. NRC - No Detailed Affiliation Given. 1p. 92286:012-92286:012.

--**9503160365** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950222 request re deleting automatic air lock tester from TS.
NORRIS,J.A. . 95/03/09. NRC - No Detailed Affiliation Given. 3pp. 92286:028-92286:030.

--**9503220153** Requests FR publication of notice of issuance of amends 134 & 73 to licenses DPR-67 & NPF-16.Amends correct editorial errors,remove deleted pages & clarify confusing statements & eliminate inconsistencies.
NORRIS,J.A. . 95/03/15. NRC - No Detailed Affiliation Given. 1p. 92286:031-92286:031.

--**9503220287** Forwards OM Hepler 950310 ltr forwarding FEMA final rept for 940209 joint exercise of offsite radiological emergency response plans for plant.No deficiencies noted.Three ARCAs identified.
ESSIG,T.H. . 95/03/16. BARR,K.P. Region 2 (Post 820201). 2pp. 92286:032-92286:072.

--**9503220292** Forwards final exercise rept for 940209,plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/03/10. SPESSARD,R.L. . 1p. 92286:034-92286:034.

--**9503220293** "Saint Lucie Nuclear Power Plant Exercise."
* Federal Emergency Management Agency. 95/02/24. 35pp. 92286:035-92286:072.

--**9503290093** Forwards SE accepting proposed amend to relocate seismic monitoring instrumentation "LCO" & "SR" from TS to UFSAR. SALP input also encl.
BAGCHI,G. . 95/03/24. MATTHEWS,D.B. . 4pp. 92286:073-92286:076.

--**9504210157** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950403 request re TSs 3/4.8.1 & 4.8.1.2.2.
NORRIS,J.A. . 95/04/18. NRC - No Detailed Affiliation Given. 3pp. 92286:147-92286:149.

--**9504240320** Ack NRC responsibility to initiate consultation process w/ National Marine Fishery Service re dramatic increase in green turtles caught up in St Lucie intake canal.Requests TAC number for activity.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/14. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:146-92286:146.

--**9505040325** Requests FR publication of notice of issuance of amends 135 & 74 to licenses DPR-67 & NPF-16.Amends relocate seismic monitoring instrumentation LCO,SRs & associated tables contained in TSs 3.3.3.3,4.3.3.3.1 & 4.3.3.3.2 to UFSAR.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/25. NRC - No Detailed Affiliation Given. 1p. 92286:150-92286:150.

--**9505180454** Forwards SE accepting licensee 950120 ltr requesting changes to TS for Units 1 & 2.Proposed changes will relocate TS 3/4.3.3.2 to UFSAR & revise LHR surrveillance 4.2.1.4 & STE surveillance 4.10.2.2,4.10.4.2 & 4.10.5.2,accordingly.
CHATTERTON,M.S. . 95/05/16. MATTHEWS,D.B. . 1p. 92286:172-92286:172.

--**9506200393** Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 950517 request to extend applicability of current RCS pressure/temp limits.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. NRC - No Detailed Affiliation Given. 3pp. 92286:188-92286:190.

--**9506200400** Requests FR publication of notice of issuance of amends 136 & 75 to licenses DPR-67 & NPF-16,respectively.Amends relocates operability requirements for incore detectors in TS 3/4.3.3.2 to updated FSAR.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. NRC - No Detailed Affiliation Given. 1p. 92286:194-92286:194.

--**9506230149** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950517 request re improving consistency of TS.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. NRC - No Detailed Affiliation Given. 3pp. 92286:191-92286:193.

--**9506280153** Requests FR publication of notice of issuance of amends 137 & 77 to licenses DPR-67 & NPF-16,respectively.Amends eliminate ref to automatic containment air lock tester from TS 4.6.1.3.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. NRC - No Detailed Affiliation Given. 1p. 92286:203-92286:203.

--**9507130211** Requests FR publication of notice of issuance of amends 138 & 78 to licenses DPR-67 & DPR-16.Amends incorporate line-item TS improvements to specifications 3/4.8.1 "EPSs-A.C.sources," & 4.8.1.2.2 "EPS-Shutdown."
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. NRC - No Detailed Affiliation Given. 2pp. 92286:204-92286:205.

--**9508290298** Forwards SE approving TS change to remove 1C high pressure safety injection pump option for plant,Unit 1.
WEISS,E.W. . 95/08/24. NORRIS,J. . 1p. 92286:222-92286:222.

--**9509080246** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950816 request re selected TS Monitoring Instrumentation.
NORRIS,J.A. . 95/08/30. NRC - No Detailed Affiliation Given. 5pp. 92286:226-92286:230.

--**9509140188** Requests FR publication of notice of issuance of amends to licenses DPR-67 & NPF-16.Amends will revise action statements & certain surveillances of TS 3/4.5.1.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:245-92286:248.

--**9509140203** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing of 950621 request re revised action statements for inoperable EDG.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:237-92286:240.

--**9509140209** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing of 950621 request re rev of TS 3.5.2.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:241-92286:244.

--**9509180043** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950816 request re TS 3.6.6.1 on shield bldg ventilation sys.
NORRIS,J.A. . 95/08/30. NRC - No Detailed Affiliation Given. 4pp. 92286:231-92286:234.

--**9509180134** Requests FR publication of notice of issuance of amend 139 to license DPR-67.Amend revises TS 3.5.2 for ECCS by removing options that allow HPSI pump 1C to be used as alternative to preferred pump for subsystem operability.
NORRIS,J.A. . 95/09/11. NRC - No Detailed Affiliation Given. 2pp. 92286:249-92286:250.

--**9509220266** Forwards Safety Evaluation approving proposed amend RCS pressure temp limits.
WICHMAN,K.R. . 95/09/20. MATTHEWS,D.B. . 2pp. 92286:251-92286:252.

--**9510110140** Forwards SE accepting licensee 950427 request for authorization of alternative RPV exam at plant Unit 1, per 10CFR50.55a(g)(6)(ii)(A)(5).
STROSNIDER,J.R. . 95/10/04. NORRIS,J. . 9pp. 92286:257-92286:258.

--**9510130235** Forwards SE accepting licensee application for amend to TS for plant.Proposed changes would modify TS related to reactor coolant pressure/temperature limits.
WEISS,E.W. . 95/10/05. NORRIS,J. . 1p. 92286:266-92286:266.

--**9510310101** Forwards technical ltr rept on second 10 year interval ISI program plan,request for relief re code case N-532 for St Lucie Nuclear Plant Units 1 & 2.
ANDERSON,M.T. Idaho National Engineering Laboratory. FIN J-2229. 95/10/24. MCLELLAN,T.K. Engineering & Geosciences Branch (NMSS 940403). 5pp. 92286:285-92286:289.

--**9511010306** Requests FR publication of notice of issuance of amends 140 & 80 to licenses DPR-67 & NPF-16,respectively.Amends delete min frequency criteria prescribed for QA audits from Administrative Controls Sections 6.5.2.8 & 6.8.4 of TSs.
NORRIS,J.A. . 95/10/25. NRC - No Detailed Affiliation Given. 1p. 92286:290-92286:290.

--**9511030084** Requests FR publication of notice of issuance of amend 141 to license DPR-67.Amend extends applicability of current RCS P/T limits & maximum allowed RCS heatup & cooldown rates to 23.6 EFPY of operation.
NORRIS,J.A. . 95/10/27. NRC - No Detailed Affiliation Given. 2pp. 92286:291-92286:292.

--**9512270204** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 951122 request re proposed amends to upgrade TS 3/4.4.6.1.
NORRIS,J.A. . 95/12/21. NRC - No Detailed Affiliation Given. 3pp. 92286:298-92286:301.

--**9601300280** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 960104 request re correction of discrepancy for TS 3.5.3.
NORRIS,J.A. . 96/01/24. NRC - No Detailed Affiliation Given. 4pp. 92286:306-92286:309.

--**9602270137** Forwards AEOD input to briefing package for Chairman Jackson visit to plant on 960402.Input consists of summary analysis of recent operational experience at plant,units 1 & 2.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/02/22. MERSCHOFF,E.W. Region 2 (Post 820201). 11pp. 92287:086-92287:096.

--**9603270188** Forwards SE requesting approval to use ASME Code Case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
BAGCHI,G. . 96/03/14. MATTHEWS,D.B. . 2pp. 92286:310-92286:311.

--**9604170191** Requests FR publication of notice of issuance of amends 142 & 82 to licenses DPR-67 & NPF-16,respectively.Amends modify SR re dune survey & mangrove swamp monitoring & relocate to FSAR.
NORRIS,J.A. . 96/04/11. NRC - No Detailed Affiliation Given. 1p. 92286:321-92286:321.

--**9604300372** Provides list of direct staff hours expended & technical assistance costs per issue on conversation of endangered & threatened species.
NEWBERRY,S.F. . 96/03/27. CORLEY,D.J. Division of Budget & Analysis (Post 890205). 3pp. 92286:318-92286:320.

--**9606040297** Requests FR publication of notice of issuance of amends 143 & 83 to licenses DPR-67 & NPF-16,respectively.Amends rectify discrepancy in TS 3.5.3 & provide assurance administrative controls remain effective in lower operational modes.
WIENS,L.A. . 96/05/30. NRC - No Detailed Affiliation Given. 1p. 92286:322-92286:322.

--**9606040303** Requests FR publication of notice of issuance of amends 144 & 84 to licenses DPR-67 & NPF-16.Amends upgrade existing TS 3/4.4.6.1 for RCS Leakage Detection Sys by adopting Std TS for plants,Units 1 & 2.
WIENS,L.A. . 96/05/30. NRC - No Detailed Affiliation Given. 1p. 92286:323-92286:323.

--**9606120268** Requests for publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 960601 request to reduce RCS flows.
WIENS,L.A. . 96/06/07. NRC - No Detailed Affiliation Given. 1PP. 92286:324-92286:330.

--**9606270310** Forwards safety evaluation relating to revs in TS for thermal margin & RCS flow limits.Staff finds proposed changes to TS acceptable.
BALUKJIAN,H. . 96/06/25. WIENS,L.A. . 1p. 92286:331-92286:331.

--**9607080083** Discusses 960326-27 survey conducted on SF practices,SFP cooling sys design & current licensing basis for plant,Units 1 & 2.
WIENS,L.A. . 96/07/03. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92286:354-92286:356.

--**9607120232** Requests FR publication of notice of issuance of amend 145 to license DPR-67.Amends revise TSs to reflect reduced RCS flows resulting from increased percentage of plugged SG tubes.
WIENS,L.A. . 96/07/09. NRC - No Detailed Affiliation Given. 1p. 92286:357-92287:003.

--**9608050092** Discusses two approaches for CE owners to apply Regulatory Position 2.1 of Reg Guide 1.99,Rev 2 when limiting matl of reactor vessel beltline is not in surveillance program, presented by CEOG rept CEN-405-P,Rev 2.
WICHMAN,K.R. . 96/08/01. HEBDON,F.J. . 3pp. 92287:004-92287:006.

--**9608210178** Requests FR publication of notice of issuance of amends 146 & 85 to licenses DPR-67 & NPF-16.Amends improve consistency between TS & improved CE STS & resolve other inconsistencies in TS.
WIENS,L.A. . 96/08/19. NRC - No Detailed Affiliation Given. 3pp. 92287:020-92287:022.

--**9608220005** Requests FR publication of notice of consideration of issuance of amends 146 & 85 to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 960715 request re improving consistency between TS & CE STS.
WIENS,L.A. . 96/08/14. NRC - No Detailed Affiliation Given. 3pp. 92287:017-92287:019.

--**9608220277** Requests FR publication of notice of issuance of amends 147 & 86 to licenses DPR-67 & NPF-16.Amends revised TSs re instrumentation to UFSAR.
WIENS,L.A. . 96/08/20. NRC - No Detailed Affiliation Given. 1p. 92287:023-92287:023.

--**9609090095** Forwards agenda for 960911-12 IPE Senior Review Board meeting in Rockville,MD to discuss contractor-developed technical evaluation repts for St Lucie & Comanche Peak & staff evaluation rept for Susquehanna.
HODGES,M.W. Division of Systems Technology (Post 941217). 96/08/13. MILLER,H.J. Region 1 (Post 820201). 3pp. 92287:014-92287:016.

--**9609180137** Forwards LER 96-S01 re tampering w/key switches on hot shutdown control panels.
STALL,J.A. Florida Power & Light Co. 96/09/11. Document Control Branch (Document Control Desk). 6pp. 92287:029-92287:034.

--**9609180337** Discusses 960514 ltr re pressurized thermal shock evaluation for St Lucie Units 1 & 2.Requests review of proprietary & non-proprietary copies of CEOG rept CEN-405-P,rev 2, "Application of Reactor Vessel Surveillance Data."
WICHMAN,K.R. . 96/09/16. HEBDON,F.J. . 3pp. 92287:041-92287:043.

--**9611040312** Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Licensee required to submit written repts under oath of affirmation,that provided info specified in RAI.
CALVO,J.A. . 96/10/31. REINHART,F.M. . 4pp. 92287:061-92287:064.

--**9611190153** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 961028 request to change TS to implement 10CFR50,App J,Option B.
WIENS,L.A. . 96/11/18. NRC - No Detailed Affiliation Given. 3pp. 92287:067-92287:069.

--**9611190206** Informs of closure of NRC Bulletin 92-01,suppl 1, "Failure of Thermo-Lag 330 Fire Barrier Sys," for plant units 1 & 2. Util responses to GL 92-08 & subsequent RAI provided corrective action plans & schedule for resolution of issue.
WIENS,L.A. . 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:065-92287:066.

--**9611250200** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 961030 request re proposed amends revising TS 3/4.9.10.
WIENS,L.A. . 96/11/21. NRC - No Detailed Affiliation Given. 3pp. 92287:070-92287:072.

--**9703130012** Safety evaluation accepting analyses supporting proposed TS change.
* . 93/02/02. 7pp. 92284:042-92284:048.

--**9703130024** Safety evaluation accepting Topical Rept CEN-367.
* . 93/03/05. 3pp. 92284:076-92284:078.

--**9703130032** Safety evaluation accepting undervoltage relay setpoint changes.
* . 93/03/24. 6pp. 92284:090-92284:095.

--**9703130207** Safety evaluation accepting removal of requirement to verify that two valves closed w/power removed.
* . 95/10/05. 3pp. 92286:267-92286:269.

--**9703130259** Safety evaluation supporting code case N-416-1 re alternative rules for welded repairs or installation of replacement items by welding in class 1,2, & 3 piping sys.
* . 96/03/14. 5pp. 92286:312-92286:316.

--**9703130357** Safety evaluation accepting TSs changes of reduced RCS flow & increased SGTP including derate to 90% rated thermal power for operation beyond 7000 EFPH in cycle 14.
* . 96/06/25. 16pp. 92286:332-92286:353.

--**9703140046** Forwards Aug 15th news article re alleged improprieties by NRC.
EBNETER,S.D. Region 2 (Post 820201). 96/08/19. BELL,H.T. Office of the Inspector General (Post 890417). 1p. 92287:126-92287:126.

--**9703140059** Discusses OI rept 2-95-008 re plant alleged discrimination against instrumentation & control technician for reporting safety concerns.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/08/15. EBNETER,S.D. Region 2 (Post 820201). RUSSELL,W.T. . GOLDBERG,J.R. Office of the General Counsel (Post 860701). 1p. 92287:127-92287:173.

--**9703140079** Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

--**9703140157** Safety evaluation granting relief for relief request VR-22 IAW GL 89-04.
* . 93/07/08. 6pp. 92284:227-92284:232.

--**9703140179** Safety evaluation accepting licensee response to GL 90-06 re plant.
* . 93/08/09. 7pp. 92284:244-92284:250.

--**9703170004** Safety evaluation re TS change to reactor coolant sys design flow,for plant,unit 1.
* NRC - No Detailed Affiliation Given. 94/11/17. 8pp. 92285:299-92285:306.

--**9703170005** Safety evaluation re review of proposed alternative to ASME Code for Repair of refueling water tank bottom at plant,unit 1.
* . 94/11/22. 5pp. 92285:312-92285:316.

--**9703170007** Safety evaluation accepting proposed changes which provide significant improvement & ensure availability of sufficient containment heat.
* NRC - No Detailed Affiliation Given. 94/12/16. 5pp. 92285:344-92285:348.

--**9703170008** Safety evaluation re evaluation of licensee response to GL-87-02.
* NRC - No Detailed Affiliation Given. 95/01/20. 13pp. 92285:354-92286:007.

--**9703170010** Safety evaluation re TS change to relocate in-core instrument requirement.Change acceptable.
* NRC - No Detailed Affiliation Given. 95/05/16. 5pp. 92286:173-92286:177.

--**9703170015** Safety evaluation accepting licensee proposal to delete pump delineation from TS 3.5.2.a.
* NRC - No Detailed Affiliation Given. 95/08/24. 3pp. 92286:223-92286:225.

--**9703170019** Safety evaluation re licensee submittal dtd 950517, "Proposed License Amend-RCS Pressure/Temperature Limits." Changes to TS 3.1 acceptable.
* NRC - No Detailed Affiliation Given. 95/09/20. 4pp. 92286:253-92286:256.

--**9703170021** Safety evaluation re request for authorization of alternative for plant,unit 1.Licensee request acceptable.
* NRC - No Detailed Affiliation Given. 95/10/04. 7pp. 92286:259-92286:265.

--**9703170171** Safety evaluation accepting changes proposed by licensee.
* . 93/08/25. 11pp. 92284:264-92284:280.

--**9703170189** SER accepting 930723 proposed changes to SLP,Units 1 & 2 TSs in support of plan to implement rev 10CFR20.
* . 93/09/28. 5pp. 92284:282-92284:286.

--**9703170197** SER accepting request for relief from structural integrity requirements for SLP,Unit 1 RWT.
* . 93/10/04. 5pp. 92284:290-92284:294.

--**9703170206** Safety evaluation granting request to use alternative matl in fabrication of SGs for license DPR-67.
* . 94/02/28. 4pp. 92285:102-92285:105.

--**9703260149** Safety evaluation accepting current SG overfill protection sys design & associated plant procedures & operator training at plant.
* Instrumentation & Controls Branch. 94/03/24. 4pp. 92285:118-92285:121.

--**9703260164** Safety evaluation granting relief request to license DPR-67.
* Mechanical Engineering Branch. 94/06/27. 4pp. 92285:192-92285:196.

--**9703260288** Safety evaluation opposing recommended sys mod to install automatic feedwater pump trip.
* Project Directorate II-3. 94/09/07. 10pp. 92285:216-92285:224.

--**9703260293** Safety evaluation supporting in service testing program request for relief to license DPR-67.
* Materials & Chemical Engineering Branch. 94/09/16. 7pp. 92285:226-92285:232.

--**9703260324** Safety evaluation re refueling procedures to licenses DPR-67 & NPF-16.
* Division of Reactor Projects - I/II (Post 870411). 94/10/28. 2pp. 92285:286-92285:287.

9703050508 Ack receipt of 970212 ltr in response to NRC 961009 ltr request for info pursuant to 10CFR50.54(f) re adequacy & availability of design bases info.
WIENS,L.A. . 97/03/03. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 91961:196-91961:197.

9703270092 Confirms telcon between E Weinkam & C Julian on 970227 concerning meeting requested by NRC scheduled on 970327 to discuss status of recent plant performance.
JULIAN,C.A. Region 2 (Post 820201). 97/03/03. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92256:047-92256:049.

9703100041 Forteenth partial response to FOIA request for documents. Records in App W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BINDER,N.S. Affiliation Not Assigned. 4pp. 92038:073-92038:203.

--**9611180046** Requests that listed info be forwarded to licensee in connection w/unescorted access visits to plant by listed NRC contractor employees during 961118-970110 for purpose of assisting NRC in conduct of design insp.
GALLO,R.M. . 96/11/05. SHAW,P. Region 2 (Post 820201). 4pp. 92038:192-92038:200.

--**9703100050** Forwards licensee 951211 response to "chilling effect" ltrss re Phipps v. Florida Power & Light Co,DOL Case 94-ERA-53.
URYC,B. Region 2 (Post 820201). 96/01/04. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 92038:078-92038:143.

--**9703100089** Partially deleted memo re allegation of misconduct by region II inspector.Inspector removed licensee official documents from work area & attempted to direct work of licensee.
EBNETER,S.D. Region 2 (Post 820201). 96/07/03. NORTON,L. Office of the Inspector General (Post 890417). 2pp. 92038:188-92038:189.

--**9703100090** Partially witheld memo informing that Region II Weekly Enforcement Panel will be held on 960710.
BOLAND,A. Region 2 (Post 820201). 96/07/08. NRC - No Detailed Affiliation Given. 1p. 92038:190-92038:190.

9703120440 Requests approval to incorporate Code Case N-524, "Alternative Exam Requirements for Longitudinal Welds in Class 1 & 2 Piping Section XI,Div 1."
STALL,J.A. Florida Power & Light Co. 97/03/05. Document Control Branch (Document Control Desk). 4pp. 92123:357-92123:360.

9308260056 Informs that plant would fit best into schedule outlined at previous meeting re site visit for Prime Minister Chernomyrdin.
STOIBER,C. Office of International Programs (Post 911117). 93/08/10. POTTS,C. . 12pp. 92227:295-92227:306.

--**9602140106** Forwards agenda for 960122 IPE Senior Review Board meeting re contractor-developed requests for addl info for plants.
HODGES,M.W. Division of Systems Technology (Post 941217). 95/12/21. MARTIN,T.T. Region 1 (Post 820201). 2pp. 92228:017-92228:018.

--**9606040260** Requests for assistance in addressing issues re plant emergency diesel generator fuel oil transfer sys leak isolation & using operation action in place of automatic action.
MERSCHOFF,E.W. . 95/08/28. ZWOLINSKI,J.A. . 15pp. 92222:278-92222:319.

--**9703120193** Provides summary of discussion & staff actions re 950921 plant performance review.List of participants,changes to MIP & matrix trend charts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

--**9703120194** Informs that staff believes that NRC interpretation of term "directly supervised" counterproductive.
UHRIG,R.E. Florida Power & Light Co. 81/09/22. O'REILLY,J.P. Region 2, Ofc of the Director (810301-820201). 2pp. 92222:110-92222:115.

--**9703120360** Forwards St Lucie Cycle 11 SALP Input Feeder Form M/S.
HALLSTROM,G.A. Region 2 (Post 820201). 95/12/15. LANDIS,K.D. Region 2 (Post 820201). 47pp. 92223:032-92223:077.

--**9703130048** Submits list of barriers which failed during St Lucie PIG inoperability.
LONG,R. NRC - No Detailed Affiliation Given. 96/04/10. LANDIS,K., MILLER,M. NRC - No Detailed Affiliation Given. 1p. 92226:230-92226:230.

--**9703130051** Morning rept 2-96-0035:licensee announced on 960417 that A Stall will join util as site Vice President at plant effective 960513.
LEA,E. Region 2 (Post 820201). 96/04/24. 1p. 92227:140-92227:140.

--**9703130056** Morning rept 2-96-0031:licensee announced that,effective 960415,D Sager was no longer w/util.B Acosta was named Acting Head of Nuclear Assurance.
LANDIS,K., MILLER,M., MELLEN,L. Region 2 (Post 820201). 96/04/17. 1p. 92227:141-92227:141.

--**9703130065** Morning rept 2-96-0003:on 960109 licensee announced reassignment of DA Sager to position of Vice President of Nuclear Assurance due to retirement of JE Gieger.
LANDIS,K., MILLER,M. Region 2 (Post 820201). 96/01/10. 1p. 92227:142-92227:142.

--**9703130067** Forwards matrix of major work activities & significant mods to be accomplished during refueling outage at plant,Unit 1. Unit scheduled to restart on 960609.
LANDIS,K.D. . 96/04/11. MERSCHOFF,E.W., GIBSON,A.F., IMBRO,E. . 11pp. 92226:231-92226:241.

--**9703130093** Morning rept 2-95-0092:licensee announced,Nov 2,layoffs of 25 employees at plants in Fort Pierce,FL & Nov 1 of 40 employees at plants in Florida City,FL & corporate headquarters.
SCHIN,R. Region 2 (Post 820201). 95/11/03. 1p. 92227:143-92227:143.

--**9703130149** Morning rept 2-95-0072:D Sager announced listed mgt changes to be effective 950822.
SCHIN,R. Region 2 (Post 820201). 95/08/23. 1p. 92227:144-92227:144.

--**9703130157** Morning rept 2-95-0004:licensee President S Frank resigned on 950104 & J Broadhead will assume Frank duties on iterim basis.
LANDIS,K. Region 2 (Post 820201). 95/01/05. 1p. 92227:145-92227:145.

--**9703130161** Morning rept 2-94-0073:plants announced that listed orgainzation changes will become effective 940901.
SCHIN,R. Region 2 (Post 820201). 94/08/08. 1p. 92227:146-92227:146.

--**9703130167** Morning rept 2-93-0106:licensee continues w/corporate cost reduction program,including Nuclear Div.Staffing reductions being announced effective 931001.
LANDIS,K.D. Region 2 (Post 820201). 93/10/01. 1p. 92227:147-92227:147.

--**9703130170** Forwards schedule for activities at plant for next few months.
MILLER,M. Region 2 (Post 820201). 96/10/31. JULIAN,C. Region 2 (Post 820201). 9pp. 92227:307-92227:315.

--**9703130171** Morning rept 2-93-0096:mgt changes have been announced affecting licensee organization & plant site,effective 931001.
LANDIS,K. Region 2 (Post 820201). 93/09/20. 1p. 92227:148-92227:168.

--**9703130192** Forwards matrix containing status of significant issues identified from recent refueling outage at plant Unit 1.
LANDIS,K.D. Region 2 (Post 820201). 96/07/19. JOHNSON,J.R. Region 2 (Post 820201). 3pp. 92226:268-92226:270.

--**9703130211** Requests that all managers & inspectors assigned to plant read self-assessment,for period Jan 1994 & May 1996 & provide brief written assessment of areas responsible for.
EBNETER,S.D. Region 2 (Post 820201). 96/10/08. JOHNSON,J., GIBSON,A. Region 2 (Post 820201). 1p. 92227:224-92227:243.

--**9703130213** Forwards answers to RA questions re plant self assessment.
MILLER,M. Region 2 (Post 820201). 96/10/24. LANDIS,K.D., NINH,S.O. Region 2 (Post 820201). 4pp. 92227:244-92227:247.

--**9703130215** Discusses criticality monitoring ltr & requests response to listed question.
MILLER,M. Region 2 (Post 820201). 96/10/31. JULIAN,C. Region 2 (Post 820201). 2pp. 92227:317-92227:318.

--**9703130218** Forwards document re plant large break LOCA issues.
MILLER,M. Region 2 (Post 820201). 96/10/24. LANDIS,K.D., MELLEN,L.S. Region 2 (Post 820201). 4pp. 92227:248-92227:251.

--**9703130219** Forwards updated schedule for St Lucie FY1.
MILLER,M. Region 2 (Post 820201). 96/11/13. JULIAN,C., NINH,S. Region 2 (Post 820201). 8pp. 92227:319-92227:326.

--**9703130230** Forwards info re plant large break LOCA issue.
MILLER,M. Region 2 (Post 820201). 96/10/24. RAPP,C.W. Region 2 (Post 820201). 4pp. 92227:252-92227:255.

--**9703130231** Forwards file submitted to Kerry on 961024 re PIM-like summary of events from 92-93.
MILLER,M. Region 2 (Post 820201). 96/11/14. JULIAN,C. Region 2 (Post 820201). 9pp. 92227:327-92227:335.

--**9703130237** Forwards plant calendar update.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D. Region 2 (Post 820201). 7pp. 92227:286-92227:292.

--**9703130241** Discusses plant NI EAW.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D. Region 2 (Post 820201). 1p. 92227:293-92227:293.

--**9703130298** Requests info re Sheron St Lucie visit.Info requested by 961120.
MILLER,M. Region 2 (Post 820201). 96/11/19. WIENS,L. . 183pp. 92228:019-92228:203.

9703130045 Forwards proprietary ltr which documents nature of any change to or error discovered in evaluation models for ECCS or in application of such models that affect fuel cladding temp calculations for St Lucie Units 1 & 2.Withheld.
STALL,J.A. Florida Power & Light Co. 97/03/06. Document Control Branch (Document Control Desk). 7pp. 92128:051-92128:057.

9703210294 Forwards supplemental response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
STALL,J.A. Florida Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 4pp. 92235:270-92235:273.

9703240077 Sixteenth partial response to FOIA request for documents. Records subj to request identified in App Z & encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/12. BINDER,N.S. Debevoise & Plimpton. 2pp. 92231:042-92231:187.

--**9605020246** Discusses regulatory acceptability of prelubricating valves prior to surveillance (STROKE) Testing TIA 96-007 re licenses NPF-16 & DPR-67.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/12. IMBRO,E.V. . 84pp. 92231:104-92231:187.

9703170136 Forwards suppl RAI re licensee 960314 ltr submittal of pressurized thermal shock evaluation for plant,Units 1 & 2. Response requested within 60 days of receipt of ltr.
WIENS,L.A . 97/03/13. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92131:357-92131:359.

9703170188 Informs that licensee 970213 request to withhold document prepared by SPC for clarifying info related to proposed license amend for reactor core safety limit from public disclosure per 10CFR2.790,granted.
WIENS,L.A. . 97/03/13. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92131:340-92131:342.

9703240129 Confirms schedule changes in schedule for completion of mods to Thermo-Lag fire barriers at plant,Units 1 & 2,in response to NRC GL 92-08.
PLUNKETT,T.F. Florida Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92242:329-92242:331.

9703260291 Summary of 970304 meeting w/Florida Power & Light Co to discuss overall status of corrective actions at plant & potential slippage of corrective action schedule from Mar 1998 to 1999.
WIENS,L.A. . 97/03/25. . 30pp. 92248:074-92248:104.

Q. Inspection reports, IE Bulletins & correspondence

9703110139 Forwards insp repts 50-335/97-02 & 50-389/97-02 on 970127-31.Violation cited but not noted & will not be subject to enforcement action.
BARR,K.P. Region 2 (Post 820201). 97/02/27. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92034:343-92034:357.

-9703110146 Insp repts 50-335/97-02 & 50-389/97-02 on 970127-31. Violations noted but not cited.Major areas inspected: plant support,radiological protection & chemistry controls.
* Region 2 (Post 820201). 97/02/27. 11pp. 92034:345-92034:357.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9403290072 Forwards safety evaluation re licensee response to GL 89-19 concerning steam generator overfill protection (A-47).Plant provides acceptable automatic steam generator overfill protection sys.SALP input also encl.
WERMIEL,J.S. Instrumentation & Controls Branch. 94/03/24. BERKOW,H.N. Project Directorate II-2. 2pp. 92285:116-92285:117.

-9404070288 Discusses staff review of responses re accuracy of MOV diagnostic equipment & 930924 response to GL 89-10,Suppl 5. During future insp staff will discuss evaluation of MOVs setup w/TMD,schedule for retesting & MOVs setup using VOTES.
NORRIS,J.A. Project Directorate II-2. 94/04/04. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:150-92285:152.

-9409220214 Requests assistance in addressing issues re plant,Units 1 & 2 refueling procedures per insp repts 50-335/94-09 & 50-389/94-09.
BOGER,B.A. Region 2 (Post 820201). 94/09/19. LAINAS,G.C. Division of Reactor Projects - I/II (Post 870411). 9pp. 92285:233-92285:253.

-9410040303 Forwards SER accepting util response to NRC Bulletin 90-01, Suppl 1,for units 1 & 2.
CHIRAMAL,M. Instrumentation & Controls Branch. 94/09/28. MCCREE,V.M. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:254-92285:255.

-9510250085 Forwards SE authorizing implementation of Code Case N-532, "Alternative Requirements to Repair & Replacement Documentation Requirements & Inservice Summary Rept Preparation & Submission as Required by IWA-4000 & 6000."
BAGCHI,G. . 95/10/13. NORRIS,J.A. . 1p. 92286:270-92286:270.

-9511080173 Forwards safety evaluation of licensee amend re flood protection for plant,units 1 & 2.Proposal to modify SRs re dune survey & mangrove swamp monitoring for both units & relocate to FSAR acceptable.
BAGCHI,G. . 95/11/03. MATTHEWS,D.B. . 2pp. 92286:293-92286:294.

-9609230156 Forwards suppl SE rept re plant resolution of USI A-46 as delineated in GL 87-02.NRC determined that based on results of Turkey Point units 3 & 4 insp,separate insp at St Lucie unit 1 not warranted.
WESSMAN,R.H. . 96/09/19. BERKOW,H.N. . 2pp. 92287:044-92287:045.

-9610240217 Informs of plans to conduct design insp of plants,units 1 & 2.On-site insp planned for wks of 961118,12-02,12-09 & 970106.
HEBDON,F.J. . 96/10/23. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:059-92287:060.

-9611190206 Informs of closure of NRC Bulletin 92-01,suppl 1, "Failure of Thermo-Lag 330 Fire Barrier Sys," for plant units 1 & 2. Util responses to GL 92-08 & subsequent RAI provided corrective action plans & schedule for resolution of issue.
WIENS,L.A. . 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:065-92287:066.

-9703120457 Safety evaluation supporting second 10-yr interval inservice insp program plan.
* . 95/10/13. 7pp. 92286:271-92286:277.

-9703130185 Safety evaluation accepting modified SRs consisting of visual insp by qualified engineer after every hurricane & at min visual insp every 5 yrs.
* . 95/11/03. 3pp. 92286:295-92286:297.

-9703140001 Supplemental safety evaluation denying separate insp at plant,unit 1,based on results of plant,units 3 & 4 insps.
* . 96/09/19. 13pp. 92287:046-92287:058.

-9703140022 Discusses 951220 memo re allegation received from anonymous caller 951217.NRC received allegation 951226 & conducted ARB meeting 951228.Scheduled insp for week of 960205.
EBNETER,S.D. Region 2 (Post 820201). 96/02/05. WATKINS,R.A. Office of the Inspector General (Post 890417). 1p. 92287:085-92287:085.

-9703140037 Forwards allegation summary & insp repts 50-335/96-02 & 50-389/96-02.
BARR,K.P. Region 2 (Post 820201). 96/03/27. DE MIRANDA,O. Region 2 (Post 820201). 1p. 92287:097-92287:097.

-9703140043 Forwards allegation evaluation rept re problem w/public alert sys.
EBNETER,S.D. Region 2 (Post 820201). 96/04/05. WATKINS,R.A. Ofc of the Executive Director for Operations. 3pp. 92287:098-92287:125.

-9703260303 Safety evaluation supporting requested actions of NRC Bulletin 90-01.
* Instrumentation & Controls Branch. 94/09/28. 3pp. 92285:256-92285:276.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703070053 Ack receipt of 970206 ltr & check for $100,00 in payment for civil penalties proposed by NRC in 970110 ltr.Corrective actions to be examined during future insps.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/05. PLUNKETT,T.F. Florida Power & Light Co. 1p. 91979:008-91979:008.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

-9703120173 Discusses two unresolved items pending TSs interpretations re insp repts 50-335/94-09 & 50-389/94-09.
BOGER,B.A. Region 2 (Post 820201). 94/03/19. LAINAS,G.C. Region 2 (Post 820201). 5pp. 92222:096-92222:109.

-9703120351 Forwards St Lucie Cycle 11 SALP Input Feeder Form M/S for review & requests outline rept by 960109.
LANDIS,K.D. Region 2 (Post 820201). 95/12/22. MERSCHOFF,E.W. Region 2 (Post 820201). 3pp. 92223:029-92223:031.

-9703120385 "St Lucie SALP for 940102-960106,SALP Board Meeting 960118."
* NRC - No Detailed Affiliation Given. 96/01/18. 245pp. 92223:078-92224:165.

-9703130187 Submits rept from K Clark re plant Special Insp Team News Conference.
HANNAH,R. NRC - No Detailed Affiliation Given. 96/08/23. EBNETER,S.D., LANDIS,K.D. NRC - No Detailed Affiliation Given. 3pp. 92227:169-92227:205.

-9703130195 Forwards allegation evaluation rept RII-96-A-0056,which summarizes findings & insp results re personnel executed switching order & manipulated equipment w/o knowledge of control room personnel.
LANDIS,K.D. Region 2 (Post 820201). 96/08/06. DE MIRANDA,O. Region 2 (Post 820201). 6pp. 92226:271-92226:276.

-9703130201 Informs that violation withdrawn re licensee use of CCW/ICW (svc water) in Mode 5 at plant.
MILLER,M. Region 2 (Post 820201). 96/10/31. GILLESPIE,F. 1p. 92227:316-92227:316.

-9703130202 Forwards Allegation Evaluation Rept which summarizes review & independent insp of failure to adhere to administrative steps in closure of plant action requests when licensee rushed corrective action program change.W/o insp repts.
LANDIS,K.D. . 96/09/14. MCNULTY,W.J. Ofc of Investigations (Post 880201). DE MIRANDA,O. Region 2 (Post 820201). 4pp. 92227:210-92227:213.

-9703130209 Forwards Allegation Evaluation Rept RII-96-A-0129,which summarized findings of review & independent insp re maint manager unprofessionalism & violation of freeze seal procedure.W/o insp repts 50-335/96-11 & 50-389/96-11.
LANDIS,K.D. . 96/09/14. DE MIRANDA,O. Region 2 (Post 820201). 10pp. 92227:214-92227:223.

-9703130234 Forwards draft insp repts 50-335/95-15 & 50-389/95-15 on 960907-1012.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D., NINH,S.O. Region 2 (Post 820201). 29pp. 92227:256-92227:284.

-9703130236 Replies to news summary re escalated enforcement for plant on 961025.
MILLER,M. Region 2 (Post 820201). 96/10/28. HANNAH,R.D. Region 2 (Post 820201). 1p. 92227:285-92227:285.

-9703130238 Forwards util response to violations noted in insp repts 50-335/96-12 & 50-389/96-12 re inconsistencies between NRC position,in response to TIA 95-013 & NRC Insp Manual Chapter,Part 9900 Interim Guidance on 10CFR50.59
MERSCHOFF,E.W. Region 2 (Post 820201). 96/11/14. ZIMMERMAN,R.P. . 1p. 92227:336-92227:348.

-9703130254 Provides list of corrective actions that have been rolled into Speakout Program.
MILLER,M. Region 2 (Post 820201). 96/11/15. JULIAN,C. Region 2 (Post 820201). 1p. 92227:349-92227:349.

-9703130258 Informs that draft IN on operator activities affecting reactivity being distributed.
KOENICK,S. . 96/11/19. DICK,G., WIENSM,L. . LANDIS,K. Region 2 (Post 820201). 1p. 92227:351-92227:351.

-9703130281 Forwards background info on St Lucie Nuclear Instrumentation Insp.
MILLER,M. Region 2 (Post 820201). 96/11/18. TRIPP,A. Region 2 (Post 820201). 10pp. 92227:357-92228:006.

-9703130285 Forwards background info on St Lucie Nuclear Instumentation Insp.
MILLER,M. Region 2 (Post 820201). 96/11/18. CASTO,C. Region 2 (Post 820201). 10pp. 92228:007-92228:016.

-9703130378 Forwards SALP Input Feeder Info at St Lucie facility from 940102-960106 & requests that technical staff complete review by 951222.
LANDIS,K.D. Region 2 (Post 820201). 97/03/06. MERSCHOFF,E.W. Region 2 (Post 820201). 123pp. 92228:204-92228:324.

9703130047 Forwards safety evaluation re licensee request for relief from code hydrostatic pressure test requirement for ISI 10-yr testing.
HEBDON,F.J. . 97/03/10. PLUNKETT,T.F. Florida Power & Light Co. 6pp. 92109:240-92109:245.

-9703130070 Safety evaluation authorizing alternative testing to rules of ASME section XI,per 10CFR50.55a(a)(3).
* . 97/03/10. 4pp. 92109:242-92109:245.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210039 Eighteenth partial response to FOIA request for documents. Forwards documents listed in app CC.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. BINDER,N.S. Debevoise & Plimpton. 2pp. 92218:179-92218:223.

--9703210042 Discusses review of case RII-94-A-0105 to determine whether info obtain constitutes protected activity.
EVANS,C.F. Region 2 (Post 820201). 94/09/27. MCNULTY,W.J. Ofc of Investigations (Post 880201). 5pp. 92218:182-92218:185.

--9703210052 Informs that review has been completed & no violation of regulatory requirements identified.
STOHR,J.P. Region 2 (Post 820201). 95/05/10. NCNULTY,W.J. Ofc of Investigations (Post 880201). 2pp. 92218:189-92218:197.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280231 Forwards insp repts 50-335/96-201 & 50-389/96-201 on 961118-970110.No violations noted.
GALLO,R.M. . 97/03/25. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 92293:110-92293:180.

--9703280234 Insp repts 50-335/96-201 & 50-389/96-201 on 961118-970110. No violations noted.Major areas inspected:design insp of AFS & CCW Sys at plant.
* . 97/03/25. 67pp. 92293:114-92293:180.

9703280267 Forwards insp repts 50-335/96-201 & 50-389/96-201 on 961118-970110.Schedule requested within 60 days of receipt of ltr re completion of corrective actions for items listed in Attachment 1,for planning of re-inspection of items.
GALLO,R.M. Region 2 (Post 820201). 97/03/25. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 92290:059-92290:129.

--9703280271 Insp repts 50-335/96-201 & 50-389/96-201 on 961118-970110. Violations noted.Major areas inspected:design of St Lucie, Unit 1 auxiliary feedwater sys & Unit 2 component cooling water sys.
* Region 2 (Post 820201). 97/03/25. 67pp. 92290:063-92290:129.

R. Periodic operating reports & related correspondence

9703050335 "1996 Man-Rem Rept." W/970224 ltr.
STALL,J.A. Florida Power & Light Co. 96/12/31. 4pp. 92003:117-92003:120.

9703040370 Forwards 1996 Annual Radioactive Effluent Release Rept for St Lucie,Units 1 & 2,per 10CFR50.36(a)(2) & Sections 6.9.1.7 & 6.14.3 of plant TS.Rept covers period from 960101-1231. Procedure,encl.
STALL,J.A. Florida Power & Light Co. 97/02/24. Document Control Branch (Document Control Desk). 1p. 91978:013-91978:239.

--9703040371 "Combined Annual Radioactive Effluent Release Rept for Period 960101-1231."
* Florida Power & Light Co. 96/12/31. 42pp. 91978:014-91978:057.

--9703040376 Rev 18 to "Offsite Dose Calculation Manual (ODCM)."
* Florida Power & Light Co. 96/09/23. 182pp. 91978:058-91978:239.

9703190366 Monthly operating repts for Feb 1997 for St Lucie Units 1 & 2.W/970313 ltr.
ROGERS,J.A., STALL,J.A. Florida Power & Light Co. 97/02/28. 9pp. 92199:188-92199:196.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120161 "Plant Status Rept for St Lucie."
* Region 2 (Post 820201). 94/06/30. 38pp. 92222:058-92222:095.

--9703120176 "Plant Status Rept for St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 95/09/30. 48pp. 92222:320-92223:003.

--9703120188 "Plant Status Rept,St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 96/02/29. 49pp. 92225:287-92225:335.

--9703120371 "Plant Status Rept for St Lucie."
* Commissioners (Post 750119). 94/10/31. 175pp. 92222:116-92222:277.

--9703120429 "Status Rept for St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 96/02/28. 46pp. 92224:166-92225:286.

--9703130043 "Plant Status Rept."
* Region 2 (Post 820201). 96/08/31. 200pp. 92226:296-92227:139.

S. Reportable occurrences, LERs & related correspondence

9703170140 Part 21 rept re followup of 970307 event involving potential spring problem in Bettis Actuator.Recommends that util include two actuator replacements of springs as precautionary measures in next refurbishment cycle.
ERLACH,F.U. Affiliation Not Assigned. 97/03/12. NRC - No Detailed Affiliation Given. 1p. 92217:280-92217:280.

9703280001 LER 97-001-00:on 970221,identified deficiencies in Post Accident Sampling Systems (PASS).Caused by failure of personnel to specify drawing update requirements.Added PASS to list of Maint Rule systems.W/970318 ltr.
BENKEN,E., STALL,J.A. Florida Power & Light Co. 97/03/18. 6pp. 92296:043-92296:048.

9703270101 LER 97-002-00:on 970221,operation in excess of max Rated Thermal Power occurred due to Digital Data Processing Sys (DDPS) calorimetric error.Verified acceptable performance of DDPS functions & reviewed software mods.W/970321 ltr.
DIETZ,R.L., STALL,J.A. Florida Power & Light Co. 97/03/21. 6pp. 92296:012-92296:017.

V. Operator Examinations

9703270237 Advises that NRC plans to administer GFE section of written operator licensing exam on 970409.Sample registration ltr encl.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92256:150-92256:152.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

9703280035 Forwards response to question raised during Region II 1996 NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. ALLEN,M. Florida Power & Light Co. 2pp. 92264:357-92264:358.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703240077 Sixteenth partial response to FOIA request for documents. Records subj to request identified in App Z & encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/12. BINDER,N.S. Debevoise & Plimpton. 2pp. 92231:042-92231:187.

--9509200184 Requests addl info re external event analyses in IPEEE, within 60 days in conformance w/review schedule.
CUNNINGHAM,M. Probabilistic Risk Analysis Branch (Post 941217). 95/08/31. MATTHEWS,D. . 6pp. 92231:098-92231:103.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703110006 Revised EPIPs,including rev 6 to MP 701.9,rev 5 to MP 710.9, rev 9 to MP 712.2,rev 0 to MP 716.9,rev 1 to MP 721.11 & rev 8 to MP 789.1.
* Northeast Nuclear Energy Co. 97/02/28. 170pp. 92070:001-92070:170.

9703130058 Revised Emergency Plan Operating Procedure,including Rev 2 to EPOP 4428, "Assistant Manager of Radiological Dose Assessment - Initial Response" & Rev 1 to EPOP 4431, "Initial Dose Assessment."
KANGLEY,J.P., EAKIN,W.J. Northeast Nuclear Energy Co. 97/03/05. 3pp. 92128:154-92128:156.

9703260186 Forwards Rev 27A to Physical Security Plan.Encl withheld,per 10CFR73.21(b) & 10CFR2.790(a).
ROTHEN,F.R. Northeast Nuclear Energy Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92257:252-92257:253.

9703280137 Revised EPIPs,including rev 4 to MP 707.2, "Test & Adjustment of Refueling Platform Load & Limit Switches," rev 4 to MP 710.7, "Repair of Bettis Air Actuators" & 700 Procedure Index.
* Northeast Nuclear Energy Co. 97/03/21. 76pp. 92290:244-92290:319.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100048 Partially withheld memo discussing petition filed by JF Doherty requesting six plant reactors be immediately shutdown & Directors Decision 95-22 which denies request.
TSCHILTZ,M. NRC - No Detailed Affiliation Given. 95/12/19. THE CHAIRMAN Commissioners (Post 750119). 5pp. 92038:219-92038:223.

9510260004 Responds to request for immediate shutdown of listed six pressurized water reactors.
STROSNIDER,J.R. . 95/10/19. MATTHEWS,D.B. . 7pp. 92286:278-92286:284.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703110266 Forwards news article, "Audit Adds to Criticism of NU," from 960101 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/02. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:002-92108:004.

--9703110269 Forwards news article, "Business Group Starts New Yr on Wrong Foot by Choosing B Fox as New Chairman of Board of Directors," from The New London Day.
BLANCH,P. Affiliation Not Assigned. 97/01/03. ZWOLINSKI,J.A. . 2pp. 92108:005-92108:006.

--9703110272 Forwards notice of NRC decommissioning meeting for HNP on 970115 at Haddam-Killingsworth High School Cafetaria.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A . 4pp. 92108:008-92108:011.

--9703110297 Forwards M Casey editorial, "A Non decision From NRC," from 970107 New London Day.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:012-92108:014.

--9703120005 Forwards news article from 970108 Dow Jones News re exposure of confidential whistleblower names at Millstone.
BLANCH,P. Affiliation Not Assigned. 97/01/10. ZWOLINSKI,A., HANNON,J.N. MULLEY,G.A. Office of the Inspector General (Post 890417). 1p. 92108:034-92108:034.

--9703120096 Forwards news release informing of B Kenyon appearance on "Nuclear Safety Issues" on 970120.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 4pp. 92108:053-92108:059.

--9703130145 Forwards interview w/B Kenyon re possibility of NEUT shutting down one plant from 970120 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/20. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:122-92108:124.

--9703130172 Forwards news article "NEUT Warns Its NH Utils Could Face Bankruptcy," from 970121 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . SCRENCI,D.P. Region 1 (Post 820201). 7pp. 92108:125-92108:131.

--9703130177 Forwards news article, "NEUTs Fate Linked To Sister Units," from 970121 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:132-92108:134.

--9703130247 Discusses decision to name Seldman as replacement for C Frizzle.
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 1p. 92108:152-92108:152.

--9703130333 Discusses 1995 4th quarter losses of listed amount by NEUT.
BLANCH,P. Affiliation Not Assigned. 97/01/28. ZWOLINSKI,J.A. . 7pp. 92108:162-92108:168.

--9703130355 Forwards 970116 ltr from J Lieberman re Millstone issues related to whistle-blowers & termination of 100 employees.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 3pp. 92108:184-92108:186.

--9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

--9703130410 Advises that public wants analysis of loss of inventory & not loss of cooling analysis.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . 1p. 92108:204-92108:204.

9703200091 Informs of addl changes that util had instituted to enhance recovery organization.
KENYON,B.D. Northeast Nuclear Energy Co. 97/03/11. Document Control Branch (Document Control Desk). 6pp. 92205:276-92205:281.

9703270241 Responds to 970224 ltr to Chairman Jackson expressing concerns re NRC "Confirmatory Order Suspending Authority for & Limiting Power Operation & Containment Pressure & Demand for Info," dtd 960103.
ZWOLINSKI,J.A. . 97/03/25. PRATT,C. Seacoast Anti-Pollution League. 2pp. 92261:305-92261:345.

--9703270254 Responds to 970106 ltr to HJ Miller re Millstone,Salem & MYAP NPPs.Provides answers to questions raised in 961213 ltr to HR Meyer.
COLLINS,S.J. . 97/02/27. LOCHBAUM,D.A. Union of Concerned Scientists. 3pp. 92261:307-92261:343.

P. Operating license stage documents & correspondence

9703040251 Submits listed requests seeking determinations by dept pursuant to Section 22a-430-3(d) & 22a-430-4(p) of regulations of CT State Agencies (RCSA),permit mods not necessary to discharge de minimus levels of hydrazine.
SCACE,S. Northeast Nuclear Energy Co. SCACE,S. Northeast Utilities Service Co. 97/02/20. GRIER,J. Connecticut, State of. 9pp. 91960:245-91960:253.

9703040053 Retracts license amend request which proposed clarification to EDG fuel oil supply design basis specified in plant,Unit 2 TS.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91960:050-91960:052.

9703030252 Forwards Unit 2 readiness-for-restart worklist,identifying currently known items to achieve readiness for restart.Plan encl.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/02/26. Document Control Branch (Document Control Desk). 39pp. 91957:197-91957:266.

--9703030256 Rev 0 to "Millstone Unit 2 ORP Oversight Plan."
* Northeast Nuclear Energy Co. 97/02/19. 31pp. 91957:236-91957:266.

9703040266 Transmits action plans in support of 970131 submittal of comprehensive plan for reviewing & dispositioning safety concerns.
GOEBEL,D.M. Northeast Nuclear Energy Co. 97/02/28. COLLINS,S.J. . 14pp. 91979:269-91979:282.

9703040321 Requests relaxation of provisions of Order dtd 961024 re third party organization to oversee licensee.No commitments contained in ltr.
GOEBEL,D.M. Northeast Nuclear Energy Co. 97/02/28. COLLINS,S.J. . 7pp. 91992:295-91992:301.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100081 Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703120121 Notification of significant licensee meeting 97-24 w/util on 970318 to discuss corrective action program,performance indicators,progress of independent corrective action verification program & employee concerns program.
DURR,J. Region 1 (Post 820201). 97/03/04. Region 1 (Post 820201). 3pp. 92035:131-92035:133.

9703120134 Notification of significant licensee meeting 97-25 w/util on 970318 to update public on status of independent corrective action verification program,employee concerns program & restart assessment plans for all three Millstones.
DURR,J. Region 1 (Post 820201). 97/03/04. Region 1 (Post 820201). 3pp. 92035:137-92035:139.

9703130345 Provides NRC w/update re schedule for independent corrective action verification program (ICAVP) for Unit 2.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/03/04. Document Control Branch (Document Control Desk). 3pp. 92128:076-92128:078.

9703100041 Forteenth partial response to FOIA request for documents. Records in App W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BINDER,N.S. Affiliation Not Assigned. 4pp. 92038:073-92038:203.

--9611180046 Requests that listed info be forwarded to licensee in connection w/unescorted access visits to plant by listed NRC contractor employees during 961118-970110 for purpose of assisting NRC in conduct of design insp.
GALLO,R.M. . 96/11/05. SHAW,P. Region 2 (Post 820201). 4pp. 92038:192-92038:200.

9703120483 Submits followup to questions raised during recent Nuclear Energy Advisory Council meeting re NRC contract w/Sargent & Lundy selected by Northeast Utilities to conduct independent corrective action verification program at Millstone 1 & 3.
IMBRO,E.V. NRC - No Detailed Affiliation Given. 97/03/06. CONCANNON,T., WOOLLACOTT,E. Connecticut, State of. 3pp. 92079:053-92079:106.

9703140127 Discusses clarification of 960814,confirmatory order establishing independent corrective action verification program.
COLLINS,S.J. . 97/03/11. CARNS,N.S., LAUDENAT,R.T. Northeast Nuclear Energy Co. 5pp. 92115:311-92115:315.

9703190078 Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
BOWLING,M.L. Northeast Nuclear Energy Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92201:349-92201:354.

9703190158 Forwards notice of withdrawal of application for amend to facility OL re clarification to EDG fuel oil supply design basis,per 941130 amend request.
MCDONALD,D.G. . 97/03/17. CARNS,N.S. Northeast Nuclear Energy Co. 2pp. 92178:034-92178:038.

--9703190161 Notice of withdrawal of application for amend to facility OL DPR-65,to clarify design basis for EDG fuel oil supply.
MCDONALD,D.G. . 97/03/17. 3pp. 92178:036-92178:038.

9703260206 Summary of 970306 meeting w/NNECO in Rockville,MD re licensing activities at facility.List of attendees encl.
MCDONALD,D.G. . 97/03/21. . 14pp. 92277:135-92277:148.

Q. Inspection reports, IE Bulletins & correspondence

9703070167 Forwards insp repts *50-245/96-09,50-336/96-09 & 50-423/96-09* on 961026-1231 & notice of violation.
LANNING,W.D. Region 1 (Post 820201). 97/02/24. KENYON,B.D. Northeast Utilities Service Co. 5pp. 92002:070-92002:165.

--9703070175 Notice of violation from insp on 961026-1231.Violation noted:individual gained access to PA w/o having authorized or hand geometry confirmed.
* Region 1 (Post 820201). 97/02/24. 3pp. 92002:075-92002:077.

--9703070183 Insp repts 50-245/96-09,50-336/96-09 & 50-423/96-09 on 961026-1231.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 1 (Post 820201). 97/02/24. 90pp. 92002:078-92002:165.

9703060429 Forwards proprietary & non-proprietary versions of "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures," in response to initial operator *exam rept 50-245/96-12.*
THAYER,J.K. Connecticut Yankee Atomic Power Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92004:244-92004:334.

--9703060432 "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures."
BARRON,W.H. Connecticut Yankee Atomic Power Co. 97/02/13. 83pp. 92004:251-92004:334.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703070015 Requests removal of portion of util 960301 ltr in response to insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 97/03/04. Document Control Branch (Document Control Desk). 12pp. 92031:205-92031:216.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130234 Forwards draft insp repts 50-335/95-15 & 50-389/95-15 on 960907-1012.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D., NINH,S.O. Region 2 (Post 820201). 29pp. 92227:256-92227:284.

9703140152 Responds to NRC 970203 ltr re violation noted in combined insp rept 50-245/96-13,50-336/96-13 & 50-423/96-13 on 961112-22.CA:test procedure developed for 2 main exhaust sys HEPA filter units,PM mgt sys updated.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/03/07. Document Control Branch (Document Control Desk). 9pp. 92137:315-92137:322.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703280025 Forwards response to request for addl info re Millstone Nuclear Power Station,Unit 2 Third 10-Year ISI program plan & associated requests for relief.
BOWLING,M.L. Northeast Nuclear Energy Co. 97/03/20. Document Control Branch (Document Control Desk). 400pp. 92269:001-92270:072.

9703280080 Ack receipt of 970307 ltr informing NRC of steps taken to correct violations noted in insp rept 50-336/96-13 on 961112-22.
WHITE,J.R. Region 1 (Post 820201). 97/03/20. KENYON,B.D., HARPSTER,T. Northeast Nuclear Energy Co. 3pp. 92265:055-92265:063.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110100 "Millstone Nuclear Power Station Unit 2 Annual Rept Jan-Dec 1996." W/ 970228 ltr.
BOWLING,M.L. Northeast Nuclear Energy Co. 96/12/31. 101pp. 92068:175-92068:276.

9703050090 Forwards semiannual fitness-for-duty performance data for Jul-Dec 1996.Attachment 1 to ltr contains explanation of performance data form,summary of performance data & summary of mgt actions.
ROTHEN,F.C. Northeast Nuclear Energy Co. ROTHEN,F.C. Northeast Utilities Service Co. 97/02/28. Document Control Branch (Document Control Desk). 26pp. 92002:295-92002:320.

9703190108 Forwards monthly operating rept for Feb 1997 for Millstone Nuclear Power Station,Unit 2 & revised monthly operating rept for Jan 1997.
PRICE,J.A. Northeast Nuclear Energy Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92205:343-92205:351.

--9703190113 Monthly operating rept for Feb 1997 for Millstone Nuclear Power Station,Unit 2.
STARK,S. Northeast Nuclear Energy Co. 97/02/28. 6pp. 92205:344-92205:349.

--9703190119 Revised monthly operating rept for Jan 1997 for Millstone Nuclear Power Station,Unit 2.
STARK,S. Northeast Nuclear Energy Co. 97/01/31. 2pp. 92205:350-92205:351.

S. Reportable occurrences, LERs & related correspondence

9703070132 Forwards supplemental LER-95-020-01 which documents event that occurred at MNPS,Unit 2 on 950516.Commitment made within ltr,listed.
PRICE,J.A. Northeast Nuclear Energy Co. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92074:291-92074:296.

--9703070134 LER 95-020-01:on 950516,automatic actuation of engineered safety feature occurred during maint.Caused by procedure deficiency.Revised operations procedure OP-2384 to add appropriate caution for de-energization of cabinets.
JOSHI,R.G. Northeast Nuclear Energy Co. 97/03/03. 4pp. 92074:293-92074:296.

9703140092 Forwards LER 97-005-00 which documents event that occurred at MNPS,Unit 2 on 970204.Commitments made,listed.
PRICE,J.A. Northeast Nuclear Energy Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92217:223-92217:228.

--9703140102 LER 97-005-00:on 970204,inservice test instrumentation did not meet ANSI/ASME Chapter XI requirements.Caused by inadequate administrative structure for IST program. Procedure to administer IST program was implemented.
JOSHI,R.G. Northeast Nuclear Energy Co. 97/02/04. 4pp. 92217:225-92217:228.

9703190178 Forwards LER 97-006-00 which documents an event that occurred on 970211.Commitments made within ltr,listed.
PRICE,J.A. Northeast Nuclear Energy Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92237:290-92237:294.

--9703190180 LER 97-006-00:on 970211,main steam line break inside containment event could result in exceeding design pressure of primary containment during certain scenarios.Caused by inadequate evaluation.CA will be implemented.
JOSHI,R.G. Northeast Nuclear Energy Co. 97/03/13. 3pp. 92237:292-92237:294.

9703250251 Forwards copy of final ASP analysis of operational condition discovered at plant,unit 2 on 950125,reported in LER 336/95-002.
MCDONALD,D.G. . 97/03/21. CARNS,N.S., LAUDENAT,R.T. Northeast Nuclear Energy Co. 15pp. 92243:050-92243:064.

V. Operator Examinations

9703060429 Forwards proprietary & non-proprietary versions of "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures," in response to initial operator exam rept 50-245/96-12.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. THAYER,J.K. Northeast Utilities Service Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92004:244-92004:334.

--9703060432 "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures."
BARRON,W.H., FRYE,S.R., DOOLEY,L.M. Connecticut Yankee Atomic Power Co. 97/02/13. 83pp. 92004:251-92004:334.

9703100254 Requests NRC forward copy of Form 398, "Personal Qualification Statement - Licensee," for each licensed individual listed in encl.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. 97/03/03. MEYER,G.W. Region 1 (Post 820201). 4pp. 92074:350-92074:353.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear *power reactors re elimination of natl exam schedule for operator licensing.*
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703170028 Discusses ongoing efforts & commitments to evaluate & correct problems found within licensed operator training programs at Millstone Units 1,2 & 3 & Haddem Neck as described in 970303 ltr.
MILLER,H.J. Region 1 (Post 820201). TRAVERS,W.D. . 97/03/07. KENYON,B.D. Northeast Nuclear Energy Co. 6pp. 92116:224-92116:229.

9703180137 Submits util results of initial reviews of licensed operator records,per 10CFR2.790(a)(6).NNECO requests that unredacted version of matrices & "Nuclear Training LOIT/LOUT Audit Review," be withheld.Affidavit supporting request encl.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. 97/03/14. Document Control Branch (Document Control Desk). 56pp. 92218:230-92218:319.

--9703250066 Redacted version of rev 1 to "Nuclear Training LOIT/LOUT Audit Reviews."
* Northeast Nuclear Energy Co. 97/03/14. 22pp. 92218:298-92218:319.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703040208 Forwards final SALP repts 50-338/97-99 & 50-339/97-99 for period 941225-970111.
REYES,L.A. Region 2 (Post 820201). 97/02/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 91945:105-91945:114.

--**9703040218** SALP repts 50-338/97-99 & 50-339/97-99 for 941225-970111.
* Region 2 (Post 820201). 97/02/21. 5pp. 91945:110-91945:114.

9703200211 Forwards settlement data info requested during NRC/FERC insp exit mtg on 970212.
WHALEN,M.P. Virginia Power (Virginia Electric & Power Co.). 97/03/12. Virginia Power (Virginia Electric & Power Co.). 10pp. 92212:280-92212:289.

9703280007 Discusses 970306 meeting & forwards SALP presentation. W/list of attendees & viewgraphs.
BELISLE,G.A. Region 2 (Post 820201). 97/03/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 12pp. 92264:272-92264:291.

H. General correspondence

9703040007 Responds to 961226 ltr addressed to Delegate B Orrock expressing concerns that number of spent nuclear fuel rods has increased at plant since 1970s.
COLLINS,S.J. . 97/02/27. SCOTT,M. Affiliation Not Assigned. 14pp. 91946:244-91946:256.

9703120159 Requests change in NRC correspondence distribution for any documentation re North Anna Power Station,Units 1 & 2 & North Anna ISFSI.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92125:056-92125:057.

J. Insurance & Indemnity Information

9703130263 Forwards nuclear liability insurance endorsements for Surry Power Station Units 1 & 2 and North Anna Power Station Units 1 & 2.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. Document Control Branch (Document Control Desk). 45pp. 92127:177-92127:222.

9703130399 Forwards Endorsements 133,134,135,136 & 137 to NELIA Policy NF-186,Endorsements 112,113,114 & 115 to MAELU Policy MF-057 & Endorsements 15 & 16 to NELIA Certificate NW-094.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. . 45pp. 92127:223-92127:267.

9703130407 Confirms that primary policy provided by Nuclear Mutual Ltd. Excess nuclear property insurance provided by Nuclear Electric Insurance Limited II & Nuclear Electric Insurance III.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. Document Control Branch (Document Control Desk). 1p. 92128:069-92128:069.

P. Operating license stage documents & correspondence

9703040001 Advises that improved Tech Specs submittals have been temporarily deferred & schedules for submittals are under evaluation.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91958:357-91958:358.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--**9304080293** Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--**9309150344** Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

9703070096 Discusses 961009 response to request for info,per 10CFR50.54 (f) re adequacy & availability of design bases info for listed plants.
EDISON,G.E. . 97/03/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91998:360-91998:361.

9703120193 Provides summary of discussion & staff actions re 950921 plant performance review.List of participants,changes to MIP & matrix trend charts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

9703180235 Submits info re GL 96-05, "Periodic Verification of Design- Basis Capability of SR MOVs."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92193:166-92193:172.

9703250148 Submits TS bases change for review re containment gaseous & particulate radiation monitors.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/18. Document Control Branch (Document Control Desk). 9pp. 92251:251-92251:265.

--**9703250149** Proposed tech specs re containment gaseous & particulate radiation monitors.
* Virginia Power (Virginia Electric & Power Co.). 97/03/18. 6pp. 92251:260-92251:265.

9703250234 Discusses discharge monitoring report-quality assurance (DMR-QA) results for VA Power facilities.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 97/03/19. STEWARD,R. Virginia, Commonwealth of. 15pp. 92251:083-92251:097.

9703250246 Forwards Relief Requests NDE-34 & 36 for leaking welds for Units 1 & 2,respectively & basis for relief requests re svc water sys leaks.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 97/03/19. Document Control Branch (Document Control Desk). 13pp. 92251:238-92251:250.

9703250137 Informs that util current schedule to complete assessment of severe accident mgt capabilities & make identified enhancement revised to 980130 instead of 970731.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92252:103-92252:104.

9703280405 Responds to RAI re exemption from criticality accident monitoring requirements.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/24. Document Control Branch (Document Control Desk). 5pp. 92299:024-92299:028.

9703280310 Forwards settlement data for structures at ref plant.
ROM,D.S. Division of Waste Management (NMSS 940403). 97/03/25. LYON,J.C. Federal Energy Regulatory Commission. 1p. 92276:108-92276:120.

Q. Inspection reports, IE Bulletins & correspondence

9703040208 Forwards final SALP repts 50-338/97-99 & 50-339/97-99 for period 941225-970111.
REYES,L.A. Region 2 (Post 820201). 97/02/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 91945:105-91945:114.

--**9703040218** SALP repts 50-338/97-99 & 50-339/97-99 for 941225-970111.
* Region 2 (Post 820201). 97/02/21. 5pp. 91945:110-91945:114.

9703040144 Submits relief request from ASME Section XI,paragraph IWA-5250 to permit continued svc water sys operation for up to eighteen months from date of discovery of minor leak.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/02/24. Document Control Branch (Document Control Desk). 13pp. 91979:316-91979:328.

9703040197 Informs that extension granted until 970310 to revise response to violation B from insps 50-338/96-10 & 50-339/96-10.
BELISLE,G.A. Region 2 (Post 820201). 97/02/25. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91945:094-91945:096.

9703110295 Ack receipt of 970205 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/96-12 & 50-339/96-12 on 970106.
BELISLE,G.A. Region 2 (Post 820201). 97/02/27. HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92020:034-92020:036.

9703100294 Requests relief of ASME Code requirements,paragraph IWA-5250(a)(2) for period of 970108-970123.Relief Request NDE-33 for leaking welds & basis for relief request provided in Attachment 1 to ltr.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 97/03/03. Document Control Branch (Document Control Desk). 13pp. 92037:333-92037:345.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703180007 Suppl response to NRC 970123 ltr re violations noted in insp repts 50-338/96-10 & 50-339/96-10 on 960922-1102.C/A: establish maint rule recovery team,provide staff training, revise applicable station procedures & followup assessment.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/10. Document Control Branch (Document Control Desk). 11pp. 92190:228-92190:238.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703200211 Forwards settlement data info requested during NRC/FERC insp exit mtg on 970212.
WHALEN,M.P. Virginia Power (Virginia Electric & Power Co.). 97/03/12. Virginia Power (Virginia Electric & Power Co.). 10pp. 92212:280-92212:289.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703280007 Discusses 970306 meeting & forwards SALP presentation. W/list of attendees & viewgraphs.
BELISLE,G.A. Region 2 (Post 820201). 97/03/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 12pp. 92264:272-92264:291.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703240246 Summary of facility changes,tests & experiments for 1996. W/970317 ltr.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 96/12/31. 380pp. 92239:001-92240:017.

9703120038 Monthly operating repts for Feb 1997 for North Anna Power Station,Units 1 & 2.W/970304 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 97/02/28. 12pp. 92124:249-92124:260.

V. Operator Examinations

9703270097 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative of facility to submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92256:053-92256:055.

9703280151 Forwards response to four questions raised during Region II 1996 USNRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. ROYALS,H. Virginia Power (Virginia Electric & Power Co.). 2pp. 92265:113-92265:114.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703120380 Informs that SM McDuffie assumed project mgt responsibilities for plant ISFSI.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 97/03/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92125:001-92125:003.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703040208 Forwards final SALP repts 50-338/97-99 & 50-339/97-99 for period 941225-970111.
REYES,L.A. Region 2 (Post 820201). 97/02/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 91945:105-91945:114.

--9703040218 SALP repts 50-338/97-99 & 50-339/97-99 for 941225-970111.
* Region 2 (Post 820201). 97/02/21. 5pp. 91945:110-91945:114.

9703200211 Forwards settlement data info requested during NRC/FERC insp exit mtg on 970212.
WHALEN,M.P. Virginia Power (Virginia Electric & Power Co.). 97/03/12. Virginia Power (Virginia Electric & Power Co.). 10pp. 92212:280-92212:289.

9703280007 Discusses 970306 meeting & forwards SALP presentation. W/list of attendees & viewgraphs.
BELISLE,G.A. Region 2 (Post 820201). 97/03/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 12pp. 92264:272-92264:291.

H. General correspondence

9703040007 Responds to 961226 ltr addressed to Delegate B Orrock expressing concerns that number of spent nuclear fuel rods has increased at plant since 1970s.
COLLINS,S.J. . 97/02/27. SCOTT,M. Affiliation Not Assigned. 14pp. 91946:244-91946:256.

9703120159 Requests change in NRC correspondence distribution for any documentation re North Anna Power Station,Units 1 & 2 & North Anna ISFSI.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92125:056-92125:057.

J. Insurance & indemnity information

9703130263 Forwards nuclear liability insurance endorsements for Surry Power Station Units 1 & 2 and North Anna Power Station Units 1 & 2.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. Document Control Branch (Document Control Desk). 45pp. 92127:177-92127:222.

9703130399 Forwards Endorsements 133,134,135,136 & 137 to NELIA Policy NF-186,Endorsements 112,113,114 & 115 to MAELU Policy MF-057 & Endorsements 15 & 16 to NELIA Certificate NW-094.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. . 45pp. 92127:223-92127:267.

9703130407 Confirms that primary policy provided by Nuclear Mutual Ltd. Excess nuclear property insurance provided by Nuclear Electric Insurance Limited II & Nuclear Electric Insurance III.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/05. Document Control Branch (Document Control Desk). 1p. 92128:069-92128:069.

P. Operating license stage documents & correspondence

9703040001 Advises that improved Tech Specs submittals have been temporarily deferred & schedules for submittals are under evaluation.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91958:357-91958:358.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--9309150344 Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

9703070096 Discusses 961009 response to request for info,per 10CFR50.54 (f) re adequacy & availability of design bases info for listed plants.
EDISON,G.E. . 97/03/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 91998:360-91998:361.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120193 Provides summary of discussion & staff actions re 950921 plant performance review.List of participants,changes to MIP & matrix trend charts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

9703180235 Submits info re GL 96-05, "Periodic Verification of Design- Basis Capability of SR MOVs."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92193:166-92193:172.

9703250148 Submits TS bases change for review re containment gaseous & particulate radiation monitors.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/18. Document Control Branch (Document Control Desk). 9pp. 92251:251-92251:265.

--9703250149 Proposed tech specs re containment gaseous & particulate radiation monitors.
* Virginia Power (Virginia Electric & Power Co.). 97/03/18. 6pp. 92251:260-92251:265.

9703250234 Discusses discharge monitoring report-quality assurance (DMR-QA) results for VA Power facilities.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 97/03/19. STEWARD,R. Virginia, Commonwealth of. 15pp. 92251:083-92251:097.

9703250246 Forwards Relief Requests NDE-34 & 36 for leaking welds for Units 1 & 2,respectively & basis for relief requests re svc water sys leaks.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 97/03/19. Document Control Branch (Document Control Desk). 13pp. 92251:238-92251:250.

9703250137 Informs that util current schedule to complete assessment of severe accident mgt capabilities & make identified enhancement revised to 980130 instead of 970731.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92252:103-92252:104.

9703280405 Responds to RAI re exemption from criticality accident monitoring requirements.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/24. Document Control Branch (Document Control Desk). 5pp. 92299:024-92299:028.

9703280310 Forwards settlement data for structures at ref plant.
ROM,D.S. Division of Waste Management (NMSS 940403). 97/03/25. LYON,J.C. Federal Energy Regulatory Commission. 1p. 92276:108-92276:120.

Q. Inspection reports, IE Bulletins & correspondence

9703040208 Forwards final SALP repts 50-338/97-99 & 50-339/97-99 for period 941225-970111.
REYES,L.A. Region 2 (Post 820201). 97/02/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 91945:105-91945:114.

--9703040218 SALP repts 50-338/97-99 & 50-339/97-99 for 941225-970111.
* Region 2 (Post 820201). 97/02/21. 5pp. 91945:110-91945:114.

9703040144 Submits relief request from ASME Section XI,paragraph IWA-5250 to permit continued svc water sys operation for up to eighteen months from date of discovery of minor leak.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/02/24. Document Control Branch (Document Control Desk). 13pp. 91979:316-91979:328.

9703040197 Informs that extension granted until 970310 to revise response to violation B from insps 50-338/96-10 & 50-339/96-10.
BELISLE,G.A. Region 2 (Post 820201). 97/02/25. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 91945:094-91945:096.

9703110295 Ack receipt of 970205 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/96-12 & 50-339/96-12 on 970106.
BELISLE,G.A. Region 2 (Post 820201). 97/02/27. HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92020:034-92020:036.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703180007 Suppl response to NRC 970123 ltr re violations noted in insp repts 50-338/96-10 & 50-339/96-10 on 960922-1102.C/A: establish maint rule recovery team,provide staff training, revise applicable station procedures & followup assessment.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97/03/10. Document Control Branch (Document Control Desk). 11pp. 92190:228-92190:238.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703200211 Forwards settlement data info requested during NRC/FERC insp exit mtg on 970212.
WHALEN,M.P. Virginia Power (Virginia Electric & Power Co.). 97/03/12. Virginia Power (Virginia Electric & Power Co.). 10pp. 92212:280-92212:289.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703280007 Discusses 970306 meeting & forwards SALP presentation. W/list of attendees & viewgraphs.
BELISLE,G.A. Region 2 (Post 820201). 97/03/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 12pp. 92264:272-92264:291.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used In Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703240246 Summary of facility changes,tests & experiments for 1996. W/970317 ltr.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 96/12/31. 380pp. 92239:001-92240:017.

9703120038 Monthly operating repts for Feb 1997 for North Anna Power Station,Units 1 & 2.W/970304 ltr.
MATTHEWS,W.R. Virginia Power (Virginia Electric & Power Co.). 97/02/28. 12pp. 92124:249-92124:260.

V. Operator Examinations

9703270097 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative of facility to submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92256:053-92256:055.

9703280151 Forwards response to four questions raised during Region II 1996 USNRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. ROYALS,H. Virginia Power (Virginia Electric & Power Co.). 2pp. 92265:113-92265:114.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

X. Onsite Storage of Low Level Waste

8009040052 Forwards draft ltr to all power reactor licensees re onsite storage of low level waste,for transmittal within five days.
EISENHUT,D.G. Division of Licensing (800428-851124). 80/06/09. NOVAK,T. Assistant Director for Operating Reactors. 11pp. 92246:001-92246:011.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703120380 Informs that SM McDuffie assumed project mgt responsibilities for plant ISFSI.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 97/03/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92125:001-92125:003.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703030160 Forwards insp rept 50-341/96-15 on 961202-970207 & NOV. Violation of concern because it was identified by NRC & demonstrated lack of attention to detail by security staff.
GRANT,G.E. Region 3 (Post 820201). 97/02/24. GIPSON,D.R. Detroit Edison Co. 3pp. 91949:071-91949:086.

--9703030164 Notice of violation from insp on 961202-970207.Violation noted:review of eight contractor security officer background investigation files showed that employment verification status of five applicants.
* Region 3 (Post 820201). 97/02/24. 1p. 91949:074-91949:075.

--9703030173 Insp rept 50-341/96-15 on 961202-970207.Violations noted. Major areas inspected:review of physical security program performance.
* Region 3 (Post 820201). 97/02/24. 11pp. 91949:076-91949:086.

9703180117 Rev 31 to EPIP EP-290, "Emergency Notifications."
SHELTON,D. Detroit Edison Co. 97/03/07. 23pp. 92196:175-92196:197.

J. Insurance & Indemnity Information

9703110079 Forwards nuclear liability insurance documents.
SMITH,P.W. Detroit Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 18pp. 92073:310-92073:327.

P. Operating license stage documents & correspondence

9703060288 Ack receipt of 970207 ltr responding to 961009 ltr re request for info,per 10CFR50.54(f) re adequacy & availability of design bases info.
KUGLER,A.J. . 97/02/28. GIPSON,D.R. Detroit Edison Co. 3pp. 91999:199-91999:201.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703240152 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
GIPSON,D.R. Detroit Edison Co. 97/03/18. Document Control Branch (Document Control Desk). 18pp. 92241:250-92241:267.

Q. Inspection reports, IE Bulletins & correspondence

9703030083 Ack receipt of 961223 ltr informing NRC of steps taken to correct violations noted in insp rept 50-341/96-07.
JORDAN,M.J. Region 3 (Post 820201). 97/02/20. GIPSON,D.R. Detroit Edison Co. 2pp. 91931:023-91931:024.

9703030063 Forwards revised insp rept 50-341/93-20 on 930916,24 & 1018- 1104.Violations of concern because they highlighted inadequate response to conditions adverse to quality.Error noted in original rept.
GRANT,G.E. Region 3 (Post 820201). 97/02/21. GIPSON,D.R. Detroit Edison Co. 2pp. 91949:314-91949:330.

--9703030421 Corrected insp rept 50-341/93-20 on 930916-24 & 1018-1104. Violation noted.Major inspected:QA program.
SALEHI,K. Region 3 (Post 820201). 97/02/21. 14pp. 91949:317-91949:330.

9703030160 Forwards insp rept 50-341/96-15 on 961202-970207 & NOV. Violation of concern because it was identified by NRC & demonstrated lack of attention to detail by security staff.
GRANT,G.E. Region 3 (Post 820201). 97/02/24. GIPSON,D.R. Detroit Edison Co. 3pp. 91949:071-91949:086.

--9703030164 Notice of violation from insp on 961202-970207.Violation noted:review of eight contractor security officer background investigation files showed that employment verification status of five applicants.
* Region 3 (Post 820201). 97/02/24. 1p. 91949:074-91949:075.

--9703030173 Insp rept 50-341/96-15 on 961202-970207.Violations noted. Major areas inspected:review of physical security program performance.
* Region 3 (Post 820201). 97/02/24. 11pp. 91949:076-91949:086.

9703050186 Responds to NRC 970123 ltr re violations noted in insp rept 50-341/96-10.Corrective actions:critique of incident was immediately held & test was then reperformed without further incident.
GIPSON,D.R. Detroit Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 9pp. 92003:230-92003:238.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703180229 Responds to NRC 970206 ltr re violations noted in insp rept 50-341/96-13.Corrective actions:NSO placed scram discharge vol high level bypass switch in bypass position.
GIPSON,D.R. Detroit Edison Co. 97/03/10. Document Control Branch (Document Control Desk). 11pp. 92191:343-92191:353.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110174 "1996 Annual Operating Rept for Fermi 2." W/970228 ltr.
SMITH,P.W. Detroit Edison Co. 96/12/31. 20pp. 92117:311-92117:330.

9703040252 Forwards semiannual FFD rept for Fermi 2 for 960701-1231.
GIPSON,D.R. Detroit Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 6pp. 91978:354-91978:359.

9703190053 Monthly operating rept for Feb 1997 for Fermi 2.W/970312 ltr.
GILES,H.B., SMITH,P.W. Detroit Edison Co. 97/02/28. 4pp. 92199:235-92199:238.

S. Reportable occurrences, LERs & related correspondence

9703190038 Forwards LER 97-001-00 re an error in mass flow conversion algorithm in heat balance methodology for calculating core thermal power.Util commitments made within ltr.
GIPSON,D.R. Detroit Edison Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92237:213-92237:219.

--9703190049 LER 97-001-00:on 970206,error in mass flow conversion algorithm in heat methodology for calculating core thermal power discovered.Caused by deficiency in calculation software.Calculation will be revised.
JAWORSKY,M. Detroit Edison Co. 97/03/10. 5pp. 92237:215-92237:219.

9703240144 Forwards LER 97-002 documenting failure of HPCI pump discharge valve to open upon manual demand signal,during SD conditions.Util commitment is to evaluate SR & balance of plant valves from overall plant risk perspective.
GIPSON,D.R. Detroit Edison Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92247:007-92247:011.

--9703240148 LER 97-002-00:on 970216,HPCI sys pump discharge valve failed to open.Caused by failure of pinion gear setscrew.Maint procedure controlling work on valve MOs revised,motor shaft for valve E4150-F006,spot drilled & new setscrew installed.
WITTSCHEN,R. Detroit Edison Co. 97/03/18. 4pp. 92247:008-92247:011.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9703070109 Ack receipt of 961211 ltr transmitting changes to rev 46, for Trojan Nuclear Plant security plan.Based on determination that changes do not decrease effectiveness of security,no NRC approval required pursuant to 10CFR50.54(p).
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/04. QUENNOZ,S.M. Portland General Electric Co. 4pp. 91979:016-91979:019.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

Q. Inspection reports, IE Bulletins & correspondence

9703030507 Transmits attachment which contains background info & insp & testing plans for Fuel Bldg Crane,in preparation for loading of spent fuel info ISFSI transfer & storage casks in fuel bldg as described in LCA 237.
QUENNOZ,S.M. Portland General Electric Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91958:001-91958:003.

9703030172 Forwards insp repts 50-344/97-01 & 72-0017/97-01 on 970204- 06 & NOV.
SCARANO,R.A. Region 4 (Post 820201). 97/02/25. QUENNOZ,S.M. Portland General Electric Co. 5pp. 91949:028-91949:048.

--9703030185 Notice of violation from insp on 970204-06.Violation noted: licensee had not audited Annual Radiological Environmental Report TS 6.9.1.5.1 since 890519.
* Region 4 (Post 820201). 97/02/25. 1p. 91949:033-91949:033.

--9703030203 Insp repts 50-344/97-01 & 72-0017/97-01 on 970204-06. Violations noted.Major areas inspected:review of radiation protection program,compliance w/ TS,operations involving licensee insp of spent fuel & Quality Assurance program.
* Region 4 (Post 820201). 97/02/25. 15pp. 91949:034-91949:048.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030514 "Annual Rept of Trojan Nuclear Plant for 1996." W/970224 ltr.
QUENNOZ,S.M. Portland General Electric Co. PGE-1015-96. 96/12/31. 51pp. 91952:109-91952:159.

S. Reportable occurrences, LERs & related correspondence

9703210276 NPDES noncompliance notification:on 970225,pH lower limit of 6.0 at Discharge & Dilution Structure exceeded for approx ten minutes.Caused by inadvertent discharge of excess of sodium bisulfite.Will review drum rinsing process.
QUENNOZ,S.M. Portland General Electric Co. 97/03/17. Region 4 (Post 820201). 7pp. 92235:223-92235:229.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

W. Decommissioning Stage Documents & Correspondence

9703120397 Forwards order in response to application dtd 960820, requesting Commission approval of merger between util & Enron Corp.
MASNIK,M.T. . 97/03/06. QUENNOZ,S.M. Portland General Electric Co. 3pp. 92079:176-92079:191.

--9703120400 Order approving application re planned merger of Portland General Corp,parent holding company for Portland General Electric,w/Enron Corp.
COLLINS,S.J. . 97/03/06. Portland General Electric Co. 5pp. 92079:179-92079:183.

--9703120402 Safety evaluation approving merger between Util & Enron Corp.
* . 97/03/06. 3pp. 92079:184-92079:187.

--9703120409 Environ assessment & finding of no significant impact re order approving application involving proposed merger of holding company for Portlans General Electric Co & Enron Corp.
WEISS,S.H. . 97/03/06. 4pp. 92079:188-92079:191.

9703260212 Transmits suppl info re Trojan ISFSI as result of discussion w/NRC staff at 970226 meeting.Drawings encl.Drawings withheld.
QUENNOZ,S.M. Portland General Electric Co. 97/03/19. Office of Nuclear Material Safety & Safeguards. 16pp. 92257:162-92257:230.

--9703260251 Rev 0 to Bechtel Calculation 20290-615-MN4 "ISFSI (Vertical Cask) Design Parameters for Internal Explosion Evaluation."
* Portland General Electric Co. 20290-615-MN4 R00. 95/05/08. 30pp. 92257:201-92257:230.

9703270319 Requests exemption from certain requirements of 10CFR72 IAW provisions of Section 72.7, "Specific exemptions."
QUENNOZ,S.M. Portland General Electric Co. 97/03/20. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). KANE,W.F. Office of Nuclear Material Safety & Safeguards. 8pp. 92266:325-92266:332.

9703260004 Submits attendance list & slides presented at 970226 mgt & technical exchange meeting w/util to discuss Trogan ISFSI application.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 97/03/21. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 48pp. 92253:084-92253:131.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703030507 Transmits attachment which contains background info & insp & testing plans for Fuel Bldg Crane,in preparation for loading of spent fuel info ISFSI transfer & storage casks in fuel bldg as described in LCA 237.
QUENNOZ,S.M. Portland General Electric Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91958:001-91958:003.

9703130434 Forwards proprietary supplemental Rev 0 to Calculation PGE01-10.02.02.03, "TranStor Basket Criticality Analysis for Trojan Fuel Assemblies." Calculation withheld,per 10CFR2.790.
QUENNOZ,S.M. Portland General Electric Co. 97/03/10. Office of Nuclear Material Safety & Safeguards. 4pp. 92125:354-92125:357.

9703270320 Forwards revised responses to request for addl info re Trojan ISFSI SAR.
YUNDT,C.P. Portland General Electric Co. 97/03/17. STEWART-SMITH Oregon, State of. 18pp. 92266:307-92266:324.

9703260049 Forwards ISFSI calculations for review.
YUNDT,C.P. Portland General Electric Co. 97/03/18. STEWART-SMITH Oregon, State of. 5pp. 92271:068-92271:072.

9703260212 Transmits suppl info re Trojan ISFSI as result of discussion w/NRC staff at 970226 meeting.Drawings encl.Drawings withheld.
QUENNOZ,S.M. Portland General Electric Co. 97/03/19. Office of Nuclear Material Safety & Safeguards. 16pp. 92257:162-92257:230.

-9703260251 Rev 0 to Bechtel Calculation 20290-615-MN4 "ISFSI (Vertical Cask) Design Parameters for Internal Explosion Evaluation."
* Portland General Electric Co. 20290-615-MN4 R00. 95/05/08. 30pp. 92257:201-92257:230.

9703260014 Forwards request for exemption from requirements of 10CFR72.124(b), "Methods of Criticality Control."
QUENNOZ,S.M. Portland General Electric Co. 97/03/20. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). KANE,W.F. Office of Nuclear Material Safety & Safeguards. 8pp. 92253:327-92253:334.

9703260004 Submits attendance list & slides presented at 970226 mgt & technical exchange meeting w/util to discuss Trogan ISFSI application.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 97/03/21. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 48pp. 92253:084-92253:131.

9703270198 Submits follow-up to 970226 meeting re Trojan ISFSI application dtd 960326.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 97/03/24. QUENNOZ,S.M. Portland General Electric Co. 5pp. 92268:109-92268:113.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703030482 Submits response to violations noted in Insp Rept 50-346/96-11.Corrective actions:util revising emergency director section of procedure RA-EP-02010,emergency mgt & emergency plan to designate JPIC.
WOOD,J.K. Centerior Energy. 97/02/21. Document Control Branch (Document Control Desk). 6pp. 91956:273-91956:278.

9703170168 Revised EPIPs,including proposed change C1,rev 0 to "Assembly & Accountability" & proposed change C1,rev 2 to "Station Radiological Survey & Controls During Emergencies."
* Centerior Energy. 97/03/07. 41pp. 92150:305-92150:345.

9703170126 Notification of 970403 meeting w/util in Rockville,MD to discuss progress on Thermo-Lag issue resolution.
HANSEN,A.G. . 97/03/13. CARPENTER,C.A. . 3pp. 92131:306-92131:308.

G. Adjudicatory correspondence

9703140063 Denies request that Commission undertake formal review of DD-97-03.W/ Certificate of Svc.Served on 970312.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18205. 97/03/12. LODGE,T.J. Lodge, T.J. 2pp. 92106:348-92106:349.

9703260273 Discusses petition filed on 951205 by TJ Lodge re safety of DSC sys due to reduction in thickness of cask welds compared to values provided in SAR for NUHOMS cask.Informs that petition granted in part & denied in part.
RECKLEY,W.D. . 97/03/25. SNAVELY,C. Affiliation Not Assigned. 5pp. 92248:143-92248:148.

H. General correspondence

9703240241 Supports merger of Centerior Energy Corp & OH Edison under new holding company called FirstEnergy.
* Affiliation Not Assigned. 97/01/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92241:305-92241:306.

9703070028 Requests that listed persons be added (as single entry) to headquarters service & distribution list of listed dockets.
LESSY,R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 97/02/13. HOPKINS,J.B. . 1p. 92015:338-92015:338.

9703200070 Forwards copy of Resolution 32-97,at request of Avon Lake City Council.Resolution is no opposition to merger of Centerior Corp & OH Edison under new holding company called FirstEnergy.
LYNCH,K. Affiliation Not Assigned. 97/02/26. Office of Public Affairs (Post 911117). 2pp. 92199:331-92199:332.

I. Financial information

9703200315 Provides written confirmation of Toledo Edison 970211 electronic transfer to pay NRC invoices RS0188-97,RL0219-97 RL0166-97 & AM1381-97 for Davis-Besse Nuclear Power Station.
WOOD,J.K. Centerior Energy. 97/03/12. Ofc of the Executive Director for Operations. 2pp. 92212:274-92212:275.

P. Operating license stage documents & correspondence

9703070017 Forwards succinct notices,could be published in connection w/FirstEnergy merger.
LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. 97/02/19. HOPKINS,J.B. . 13pp. 92014:340-92014:352.

9703100246 Responds to NRC GL 96-06, "Assurance of Equipment Operability & Containment Integrity During Design-Basis Accident Conditions."
WOOD,J.K. Centerior Energy. 97/02/28. Document Control Branch (Document Control Desk). 23pp. 92043:294-92043:316.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9503150165 Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

9703170074 Requests relief from certain ASME Code requirements for inservice testing & insp for plant.Relief Request RR-A14 requests relief from Section XI of ASME Code,1896 Edition for exam of Class 1,2 & 3 integrally welded attachments.
WOOD,J.K. Centerior Energy. 97/03/07. Document Control Branch (Document Control Desk). 11pp. 92159:332-92159:342.

9703210303 Forwards summary description in response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety- Related Motor-Operated Valves."
WOOD,J.K. Centerior Energy. 97/03/14. Document Control Branch (Document Control Desk). 8pp. 92238:120-92238:127.

Q. Inspection reports, IE Bulletins & correspondence

9703030482 Submits response to violations noted in Insp Rept 50-346/96-11.Corrective actions:util revising emergency director section of procedure RA-EP-02010,emergency mgt & emergency plan to designate JPIC.
WOOD,J.K. Centerior Energy. 97/02/21. Document Control Branch (Document Control Desk). 6pp. 91956:273-91956:278.

9703050518 Ack receipt of 970127 ltr informing NRC of steps taken to correct violations noted in insp rept 50-346/96-06.
JACOBSON,J. Region 3 (Post 820201). 97/02/24. WOOD,J.K. Centerior Service Co. 1p. 91956:119-91956:119.

9703050194 Forwards insp rept 50-346/96-14 on 961126-970124 & 970213 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/25. WOOD,J.K. Centerior Service Co. 2pp. 91998:083-91998:113.

-9703050201 Notice of violation from insp on 961126-970124 & 970213. Violations noted:failure to perform test prerequisites & procedure steps in numerical sequence,failure to record entry in unit log on 961230.
* Region 3 (Post 820201). 97/02/25. 3pp. 91998:085-91998:087.

-9703050208 Insp rept 50-346/96-14 on 961126-970124 & 970213.Violations noted.Major areas inspected:operations,maintenance, engineering & plant support.
* Region 3 (Post 820201). 97/02/25. 26pp. 91998:088-91998:113.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703070092 Responds to 970213 ltr requesting NRC exercise discretion not to enforce compliance w/actions required in TS 4.5.2.f. Based on evaluation of request,staff concluded NOED warranted.
ROE,J.W. . 97/03/05. WOOD,J.K. Centerior Service Co. WOOD,J.K. Toledo Edison Co. 5pp. 91998:345-91998:349.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110189 Forwards insp rept 50-346/97-02 on 970113-17 & notice of violation.
GRANT,G.E. Region 3 (Post 820201). 97/03/06. WOOD,J.K. Centerior Service Co. 2pp. 92078:014-92078:044.

-9703110192 Notice of violation from insp on 970113-17.Violation noted: licensee had not established adequate reliability performance criteria for 26 risk-significant sys to demonstrate performance or condition.
* Region 3 (Post 820201). 97/03/06. 1p. 92078:016-92078:016.

-9703110193 Insp rept 50-346/97-02 on 970113-17.Violations noted.Major areas inspected:operations,maint,QA & engineering.
* Region 3 (Post 820201). 97/03/06. 28pp. 92078:017-92078:044.

9703170074 Requests relief from certain ASME Code requirements for inservice testing & insp for plant.Relief Request RR-A14 requests relief from Section XI of ASME Code,1896 Edition for exam of Class 1,2 & 3 integrally welded attachments.
WOOD,J.K. Centerior Energy. 97/03/07. Document Control Branch (Document Control Desk). 11pp. 92159:332-92159:342.

9703170107 Responds to NRC 970206 ltr re violations noted in insp rept 50-346/96-13.Corrective actions:walkdown of all other radiological postings was conducted to verify accuracy & addl PCAQRs generated as required to identify deficiencies.
WOOD,J.K. Centerior Energy. 97/03/07. Document Control Branch (Document Control Desk). 3pp. 92142:353-92142:355.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703170185 "1996 Annual Exposure Rept for Davis-Besse Nuclear Power Station." W/ 970306 ltr.
LASH,J.H. Toledo Edison Co. 96/12/31. 2pp. 92175:357-92175:358.

9703030488 "Jan 1997 Telecommunicated Hardcopy Wastewater Rept for Davis-Besse Nuclear Power Station Unit 1." W/970224 ltr.
LASH,J.H. Toledo Edison Co. 97/01/31. WICK,E. Ohio, State of. 7pp. 91956:263-91956:269.

9703180163 Monthly operating rept for Feb 1997 for Davis-Besse Nuclear Station Unit 1.W/970311 ltr.
MATRANGA,E.C., LASH,J.H. Toledo Edison Co. 97/02/28. 6pp. 92196:323-92196:328.

9703240238 "Feb 1997 Telecommunicated Hardcopy Wastewater Rept for Davis-Besse Nuclear Power Station,Unit 1." W/970312 ltr.
LASH,J.H. Toledo Edison Co. 97/02/28. WICK,E. Ohio, State of. 7pp. 92241:312-92241:318.

S. Reportable occurrences, LERs & related correspondence

9703100259 LER 97-003-00:on 970130,non-conservative TS action for degraded reactor coolant flow,occurred because calculations performed in support of amend of DBNPS did not consider need to adjust setpoints.TS will be revised.W/970303 ltr.
MILLER,D.L., LASH,J.H. Toledo Edison Co. 97/03/03. 5pp. 92108:313-92108:317.

9703110053 LER 97-004-00:on 970203,RCP motor oil piping was not protected from leakage as required per 10CFR50 App R.Caused by personnel not realizing pressurized piping in area. Mods made to contain piping as necessary.W/970303 ltr.
WOLF,G.M., LASH,J.H. Toledo Edison Co. 97/03/03. 7pp. 92109:056-92109:062.

9703210327 LER 97-005-00:on 970212,failed to perform surveillance requirement of vacuum leakage rate test.Caused by inadequate safety evaluation.Personnel entered containment & verified "Kamlock" cover was properly installed.W/970313 ltr.
WOLF,G.M., LASH,J.H. Toledo Edison Co. 97/03/14. 6pp. 92246:313-92246:318.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703170072 Confirms 970306 telcon between R Simpkins & D McNeil re arrangements for administration of licensing exams at DBNPS during wk of 970707.Requests proposed exam outlines by 970507 & proposed written exams & operating tests by 970606.
LENNARTZ,J.A. Region 3 (Post 820201). 97/03/07. WOOD,J.K. Centerior Service Co. 4pp. 92116:285-92116:288.

9703170080 Requests that TD Cobbledick,RJ Easterling,MA,Mclaughlim,TL Ploeger,PJ Wadsworth & DR Whalen participate in pressurized water reactor generic fundamentals exam section of operator licensing exam to be administered on 970409.
WOOD,J.K. Centerior Energy. 97/03/07. BEACH,A.B. Region 3 (Post 820201). 2pp. 92143:356-92143:357.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703270283 Revised EPIPs,including rev 5 to GO-EIP-122,rev 5 to GO-EIP-123 & rev 10 to GO-EIP-138.W/970324 ltr.
AJLUNI,M. Southern Nuclear Operating Co. 97/03/24. 75pp. 92267:231-92267:296.

J. Insurance & Indemnity Information

9703130359 Forwards NML Operating Facility Policy P97-001 for verification of property insurance coverage on JM Farley Nuclear Plant Units 1 & 2.
MOREY,D.N. Southern Nuclear Operating Co. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92136:195-92136:195.

P. Operating license stage documents & correspondence

9703040325 Application for amends to licenses NPF-2 & NPF-8,revising specified max power level & definition of rated thermal power.
MOREY,D. Southern Nuclear Operating Co. 97/02/14. Document Control Branch (Document Control Desk). 15pp. 91965:001-91966:227.

--9703040346 Proposed tech specs revising specified max power level & definition of rated thermal power.
* Southern Nuclear Operating Co. 97/02/14. 100pp. 91965:011-91965:110.

--9703040367 Non-proprietary version of WCAP-14723, "Farley Nuclear Plant Units 1 & 2 Power Uprate Project NSSS Licensing Rept."
* Westinghouse Electric Corp. WCAP-14723. 97/01/31. 393pp. 91965:111-91966:139.

--9703040373 "Farley Nuclear Plant Units 1 & 2 Power Uprate Project BOP Licensing Rept."
* Southern Nuclear Operating Co. 97/02/14. 88pp. 91966:140-91966:227.

9703040070 Forwards revised TS pp which assume that voltage-based alternate repair criteria is approved to laser welded sleeve amend.
MOREY,D. Southern Nuclear Operating Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91959:295-91959:341.

--9703040074 Proposed tech specs re SG tube laser welded sleeves.Voltage based alternate repair criteria is approved prior to laser welded sleeve amend.
* Southern Nuclear Operating Co. 97/02/24. 46pp. 91959:297-91959:341.

9703040201 Application for amends to licenses NPF-2 & NPF-8,requesting revision & clarification to surveillance requirements for Control Room Emergency Filtration Sys,Penetration Room Filtration Sys & Containment Purge Exhaust Filter.
MOREY,D. Southern Nuclear Operating Co. 97/02/24. Document Control Branch (Document Control Desk). 9pp. 91960:127-91960:160.

--9703040210 Proposed tech specs re surveillance requirements of control room,penetration room & containment purge filtration systems.
* Southern Nuclear Operating Co. 97/02/24. 25pp. 91960:136-91960:160.

9703110274 Confirms arrangements between M Ajluni & HO Christensen of NRC re meeting scheduled for 970326 to review results of architect/engineer audit for Farley facility.
SKINNER,P. Region 2 (Post 820201). 97/02/25. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 92019:303-92019:306.

9703040369 Provides request for notice of enforcement discretion re TS 3/4.7.7.8 for penetration room filtration sys.
MOREY,D. Southern Nuclear Operating Co. 97/02/27. Document Control Branch (Document Control Desk). 9pp. 91960:269-91960:277.

9703060158 Forwards notice of consideration of issuance of amends to licenses NPF-2 & NPF-8.Proposed amends would revise & clarify SRs for listed sys.
ZIMMERMAN,J.I. . 97/02/28. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 91999:223-91999:233.

--9703060165 Notice of consideration of issuance of amends to licenses NPF-2 & NPF-8 & proposed NSHC determination & opportunity for hearing.Amends rev & clarify surveillance requirements for Control Room Emergency & Penetration Room Sys.
ZIMMERMAN,J.I. . 97/02/28. 8pp. 91999:226-91999:233.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703070086 Forwards safety evaluation accepting relief request from implementation of 10CFR50.55a requirements related to repair & replacement activities for containment at plant.
BERKOW,H.N. . 97/03/04. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 91998:355-91998:359.

--9703070090 Safety evaluation accepting implementation of 10CFR50.55a requirements related to repair & replacement activities for containment at plant.
* . 97/03/04. 2pp. 91998:358-91998:359.

9703270220 Submits response to four questions raised during Region II 1996 NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. WILLIAMS,L. Southern Nuclear Operating Co. 2pp. 92256:134-92256:135.

9703100191 Responds to licensee 961127 request for NRC review of interpretation of application of TS 3/4.9.13, "Storage Pool Ventilation (Fuel Movement)," at plant during modes 5 or 6 or when defueled.
ZIMMERMAN,J.I. . 97/03/06. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 92025:355-92025:358.

9703130424 Forwards Rev 0 Calculation SM-96-1100-001, "MSLB Allowable Tube Leakage." Comparison of results reveals,doses calculated w/ICRP-30 dose conversion factors less than those calculated using ICRP-02.
MOREY,D. Southern Nuclear Operating Co. 97/03/07. Document Control Branch (Document Control Desk). 3pp. 92127:268-92127:297.

--**9703130428** Rev 0 to SM-96-1100-001, "MSLB Allowable Tube Leakage."
WEHRENBERG,J. Southern Nuclear Operating Co. SM-96-1100-001 R00. 96/04/01. 27pp. 92127:271-92127:297.

9703170064 Application for amends to Licenses NPF-2 & NPF-8,revising TS 3/4.6.3 re containment isolation valves surveillance requirements.
MOREY,D. Southern Nuclear Operating Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92138:336-92138:347.

--**9703170067** Proposed Tech Specs 3/4.6.3 re containment isolation valves surveillance requirements.
* Southern Nuclear Operating Co. 97/03/07. 10pp. 92138:338-92138:347.

9703200076 Provides 180-day response to GL 96-05, "Periodic Verification of Design Basis Capability of SR MOVs." Written summary description of revised MOV periodic verification program attached.
MOREY,D. Southern Nuclear Operating Co. 97/03/14. Document Control Branch (Document Control Desk). 5pp. 92199:333-92199:337.

9703210326 Forwards safety evaluation supporting relief request related to 120-month update of facility inservice insp & inservice testing programs & code addition & addenda on ASME/ANSI Parts 6 & 10.
BERKOW,H.N. . 97/03/20. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 92217:354-92217:359.

--**9703210328** SER accepting request for relief for 120-month update of facility inservice insp & inservice testing programs & code addition & addenda of ASME/ANSI Parts 6 & 10.
* . 97/03/20. 3pp. 92217:357-92217:359.

9703240193 Forwards message to M Ajluni of Southern Nuclear Operating re preparing licensee personnel for conference call.
ZIMMERMAN,J.I. . 97/03/20. NRC - No Detailed Affiliation Given. 2pp. 92218:090-92218:091.

9703260263 Forwards ltr dated 961226,requesting that TS amend for voltage-based repair criteria for steam generator tubes be approved for Farley Nuclear Plant,Unit 1.
MOREY,D. Southern Nuclear Operating Co. 97/03/21. Document Control Branch (Document Control Desk). 1p. 92254:171-92254:171.

9703260260 Forwards amend 124 to license NPF-2 & safety evaluation. Amend changes TS 3/4.46, "Steam Generators" & associated Bases to implement voltage-based alternate repair criteria for steam generator tubes.
ZIMMERMAN,J.I. . 97/03/24. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 92248:149-92248:171.

--**9703260264** Amend 124 to license NPF-2,revising TS 3/4.4.6, "Steam Generators" & associated Bases to implement voltage-based alternate repair criteria for steam generator tubes.
BERKOW,H.N. . 97/03/24. 11pp. 92248:152-92248:162.

--**9703260270** Safety evaluation supporting amend 124 to license NPF-2.
* . 97/03/24. 9pp. 92248:163-92248:171.

9703270139 Forwards amends 125 & 119 to licenses NPF-2 & NPF-8, respectively & SE.Amends revises TS to incorporate latest revised topical repts governing installation of laser welded steam generator tube sleeves.
ZIMMERMAN,J.I. . 97/03/24. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 92254:251-92254:288.

--**9703270145** Amends 125 & 119 to licenses NPF-2 & NPF-8,respectively, revising TS to incorporate latest revised topical repts governing installation of laser welded SG tube sleeves.
BERKOW,H.N. . 97/03/24. 26pp. 92254:255-92254:280.

--**9703270148** Safety evaluation supporting amends 125 & 119 to licenses NPF-2 & NPF-8,respectively.
* . 97/03/24. 8pp. 92254:281-92254:288.

9703270124 Forwards amends 126 & 120 to licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends revise listed TSs & associated bases to remove certain cycle-specific parameter limits from TSs & relocate to COLR.
ZIMMERMAN,J.I. . 97/03/25. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 92254:190-92254:250.

--**9703270129** Amends 126 & 120 to licenses NPF-2 & NPF-8,respectively, revising listed TSs & associated bases to remove certain cycle-specific parameter limits from TSs & relocating to COLR.
BERKOW,H.N. . 97/03/25. 54pp. 92254:194-92254:247.

--**9703270132** Safety evaluation supporting amends 126 & 120 to licenses NPF-2 & NPF-8,respectively.
* . 97/03/25. 3pp. 92254:248-92254:250.

Q. Inspection reports, IE Bulletins & correspondence

9703050485 Responds to 970227 ltr requesting NRC exercise discretion not to enforce compliance w/actions required by TS 3/4.7.7, 3/4.7.8,3/4.9.14 & 3.0.3 due to inadequate performance of surveillance requirements.NRC concludes NOED warranted.
BERKOW,H.N. . 97/02/28. MOREY,D.N. Southern Nuclear Operating Co. 6pp. 91961:190-91961:195.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703280064 Ack receipt of 970225 ltr informing NRC of steps taken to correct violations noted in license SOP-20194-3.Violation re confirmed positive test for marijuana.
JAUDON,J.P. Region 2 (Post 820201). 97/03/04. RYAN,J.P. Affiliation Not Assigned. 2pp. 92265:034-92265:035.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190095 Documents 970313 telcon re Notice of Enforcement Discretion issued to require FNP to test HVAC systems to ASME N510,1989 sections 5,8 & 14.Testing results,encl.
MOREY,D. Southern Nuclear Operating Co. 97/03/13. Document Control Branch (Document Control Desk). 45pp. 92198:153-92198:197.

9703270213 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/96-14 & 50-364/96-14.
BARR,K.P. Region 2 (Post 820201). 97/03/18. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 92256:130-92256:132.

9703210326 Forwards safety evaluation supporting relief request related to 120-month update of facility inservice insp & inservice testing programs & code addition & addenda on ASME/ANSI Parts 6 & 10.
BERKOW,H.N. . 97/03/20. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 92217:354-92217:359.

--**9703210328** SER accepting request for relief for 120-month update of facility inservice insp & inservice testing programs & code addition & addenda of ASME/ANSI Parts 6 & 10.
* . 97/03/20. 3pp. 92217:357-92217:359.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050146 "Tabulation of Personnel Radiation Exposure at JM Farley Nuclear Plant for 1996 by Work & Job Functions." W/970227 ltr.
MOREY,D. Southern Nuclear Operating Co. 96/12/31. 2pp. 92003:239-92003:240.

9703180050 Monthly operating repts for Feb 1997 for JM Farley Plant Units 1 & 2.W/ 970311 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 97/02/28. 9pp. 92196:159-92196:167.

S. Reportable occurrences, LERs & related correspondence

9703130416 LER 97-001-00:on 970206,TS ventilation sys deficiencies discovered.Caused by cognitive personnel error.Applicable procedures addressing inadequate flow test revised & responsible person coached on event.W/970307 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 97/03/07. 7pp. 92217:176-92217:182.

9703200060 LER 97-002-00:on 970218,discovered that SR 4160 volt AC breakers not seismically qualified in any position except in connect position.Caused by personnel error.Modified operating procedures.W/970314 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 97/03/14. 5pp. 92246:202-92246:206.

9703250057 LER 94-005-01:on 941021,identified connections to condensate storage tanks that were not missile protected.Caused by personnel error.Installed interim measures until missile protection for connections is resolved.W/970318 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 97/03/18. 6pp. 92275:037-92275:042.

V. Operator Examinations

9703280108 Forwards sampling registration ltr re April 1997 generic fundamentals exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. WILLIAMS,L.S. Southern Nuclear Operating Co. 3pp. 92265:084-92265:086.

9703280064 Ack receipt of 970225 ltr informing NRC of steps taken to correct violations noted in license SOP-20194-3.Violation re confirmed positive test for marijuana.
JAUDON,J.P. Region 2 (Post 820201). 97/03/04. RYAN,J.P. Affiliation Not Assigned. 2pp. 92265:034-92265:035.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703120196 Advises that 960415 & 960723 & 970219 revs 6,7 & 8 to Limerick Physical Security Plan consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 97/02/27. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 92125:031-92125:033.

9703120210 Advises that 960723 revs 0 & 7 to Limerick Safeguards Contingency Plan & Guard Training & Qualification Plan consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 97/02/27. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 92125:034-92125:036.

9703190010 Rev 10 to Nuclear Emergency Plan Table of Contents. W/970310 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/10. 12pp. 92197:289-92197:300.

9703170172 Notification of 970414 meeting w/util in North Bethesda,MD to discuss PECO plans & schedules for resolution of Thermo lag fire barrier issues at Peach Bottom & Limerick.
SHEA,J.W. . 97/03/13. STOLZ,J.F. . 4pp. 92131:273-92131:276.

I. Financial information

9703180252 "PECO 1996 Annual Rept." W/970311 ltr.
PAQUETTE,J.F., MCNEILL,C.A., HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/31. 49pp. 92200:001-92200:051.

P. Operating license stage documents & correspondence

9703040250 Resubmits proposed changes to QA program re request for approval to change description involving vendor evaluations for Units 1 & 2 & description involving lead auditor qualification for Units 2 & 3.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/24. Document Control Branch (Document Control Desk). 13 pp. 91979:303-91979:315.

9703040360 Notifies NRC of implementation dates associated w/recently issued TS change requests for plant.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91960:264-91960:265.

9703050046 Application for amends to licenses NPF-39 & NPF-85, reflecting name change from PA Electric Co to PECO Energy Co.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/25. Document Control Branch (Document Control Desk). 10pp. 91982:156-91982:213.

--9703050049 Proposed tech specs changing corporate name from PA Electric Co to PECO Energy Co & removing obsolete info & correcting typos.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/25. 47pp. 91982:167-91982:213.

9703060183 Ack receipt of 970204 ltr in response to 961009 request for info,per 10CFR50.54(f) re adequancy & availability of design bases info.
SHEA,J.W. . 97/03/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91999:195-91999:198.

9703170172 Notification of 970414 meeting w/util in North Bethesda,MD to discuss PECO plans & schedules for resolution of Thermo lag fire barrier issues at Peach Bottom & Limerick.
SHEA,J.W. . 97/03/13. STOLZ,J.F. . 4pp. 92131:273-92131:276.

9703240229 Forwards response to GL 96-05 re periodic verification of design basis capability of SR MOVs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/14. Document Control Branch (Document Control Desk). 9pp. 92242:316-92242:324.

Q. Inspection reports, IE Bulletins & correspondence

9703110025 Responds to NRC 970203 ltr re violations noted in insp repts 50-277/96-11,50-278/96-11,50-352/96-03,50-353/96-03, 50-352/96-08 & 50-353/96-08.Corrective actions:procedures revised & implemented.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/27. Document Control Branch (Document Control Desk). 3pp. 92073:355-92073:357.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703060379 Forwards RAI re Bulletin 95-02 for LGS units 1 & 2 & PBAPS units 2 & 3.
RINALDI,F. . 97/03/04. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 91999:168-91999:172.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110257 Forwards insp repts 50-352/96-10 & 50-353/96-10 on 961217-970203 & notice of violations.
HEHL,C.W. Region 1 (Post 820201). 97/03/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 92069:038-92069:079.

--9703110258 Notice of violation from insp on 961217-970203.Violation noted:diesel generator fuel oil storage tank level was below TS value & required actions for inoperable diesel generator was not performed.
* Region 1 (Post 820201). 97/03/06. 2pp. 92069:043-92069:044.

--9703110260 Insp repts 50-352/96-10 & 50-353/96-10 on 961217-970203. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 1 (Post 820201). 97/03/06. 32pp. 92069:045-92069:079.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180183 Ack receipt of 970227 ltr informing NRC of steps taken to correct violations noted in insps 50-352/96-08,50-353/96-08, 50-277/96-11 & 50-278/96-11.Exam of corrective actions will be done during future insp.
KEIMIG,R.R. Region 1 (Post 820201). 97/03/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 92134:225-92134:230.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050010 "Occupational Exposure Tabulation Rept for LGS Units 1 & 2 For 1996." W/970225 ltr.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/31. 4pp. 91963:356-91963:359.

9703040249 Forwards performance data for util FFD program for period July 1996 through Dec 1996.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/27. Document Control Branch (Document Control Desk). 19pp. 91979:283-91979:302.

9703040273 Forwards "1996 Annual Effluent Release Rept No 22" & "1996 Annual Tower No 1 Joint Frequency Distributions of Wind Direction & Speed by Atmosphere Stability Rept No 12." Rept submitted IAW TS 6.9.1.8 & 10CFR50.36(a).
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/28. Document Control Branch (Document Control Desk). 1p. 91961:248-91961:335.

--9703040278 "1996 Annual Effluent Release Rept No 22."
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 22. 96/12/31. 63pp. 91961:249-91961:311.

--9703040286 "1996 Annual Tower No 1 Joint Frequency Distribution of Wind Speed & Direction by Atmospheric Stability Class Rept No 12."
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 12. 96/12/31. 24pp. 91961:312-91961:335.

9703130239 Monthly operating repts for Feb 1997 for Limerick Generating Station Units 1 & 2.W/970312 ltr.
BAXLEY,R.A., SPROAT,E.F. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/28. 11pp. 92128:001-92128:011.

S. Reportable occurrences, LERs & related correspondence

9703030010 LER 97-001-00:on 841026,failed to test safety-related logic circuits.Caused by inadequate test procedures.Tested & restored untested contacts to operable status & will revise appropriate surveillance test procedures.W/970221 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/21. 9pp. 91971:291-91971:299.

9703040119 LER 97-002-00:on 970123,failed to perform required visual inspections of blind flanges.Caused by misinterpretation of surveillance requirements.Visually inspected blind flanges & incorporated these into surveillance tests.W/970224 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/24. 4pp. 91972:243-91972:246.

9703120145 LER 97-003-00:on 970204,degraded back pressure dampers needed for pipe rupture mitigation resulted in operation outside design basis.Tested all accessible Unit 1 BPDs.W/ 970306 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/06. 6pp. 92209:032-92209:037.

9703190048 LER 97-004-00:on 841026,TS SRs for 10 fire rated assemblies had not been satisfactorily met since original start-up of each unit & 951220.Caused by inadequate reviews of procedures.Procedures reviewed.W/970312 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/11. 4pp. 92237:231-92237:234.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703120196 Advises that 960415 & 960723 & 970219 revs 6,7 & 8 to Limerick Physical Security Plan consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 97/02/27. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 92125:031-92125:033.

9703120210 Advises that 960723 revs 0 & 7 to Limerick Safeguards Contingency Plan & Guard Training & Qualification Plan consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 97/02/27. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 92125:034-92125:036.

9703190010 Rev 10 to Nuclear Emergency Plan Table of Contents. W/970310 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/10. 12pp. 92197:289-92197:300.

9703170172 Notification of 970414 meeting w/util in North Bethesda,MD to discuss PECO plans & schedules for resolution of Thermo lag fire barrier issues at Peach Bottom & Limerick.
SHEA,J.W. . 97/03/13. STOLZ,J.F. . 4pp. 92131:273-92131:276.

I. Financial information

9703180252 "PECO 1996 Annual Rept." W/970311 ltr.
PAQUETTE,J.F. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/31. 49pp. 92200:001-92200:051.

P. Operating license stage documents & correspondence

9703040250 Resubmits proposed changes to QA program re request for approval to change description involving vendor evaluations for Units 1 & 2 & description involving lead auditor qualification for Units 2 & 3.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/24. Document Control Branch (Document Control Desk). 13 pp. 91979:303-91979:315.

9703040360 Notifies NRC of implementation dates associated w/recently issued TS change requests for plant.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91960:264-91960:265.

9703040203 Forwards copy of COLR for LGS,Unit 2 Cycle 5,Reload 4, (Rev 0) which provides cycle-specific parameter limits for MAPLHGR,MCPR,ARTS MCPR thermal limit adjustments & multipliers & ARTS MAPLHGR thermal limit multipliers.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/25. Document Control Branch (Document Control Desk). 1p. 91958:325-91958:349.

--9703040216 Rev 0 to "COLR for LGS,Unit 2,Reload 4,Cycle 5."
MCHALE,J.L., TUSAR,J.J., HOFFMAN,C.K. PECO Energy Co., (formerly Philadelphia Electric Co.). PECO-COLR-L2R4 R00. 97/01/22. 24pp. 91958:326-91958:349.

9703050046 Application for amends to licenses NPF-39 & NPF-85, reflecting name change from PA Electric Co to PECO Energy Co.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/25. Document Control Branch (Document Control Desk). 10pp. 91982:156-91982:213.

--9703050049 Proposed tech specs changing corporate name from PA Electric Co to PECO Energy Co & removing obsolete info & correcting typos.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/25. 47pp. 91982:167-91982:213.

9703060183 Ack receipt of 970204 ltr in response to 961009 request for info,per 10CFR50.54(f) re adequancy & availability of design bases info.
SHEA,J.W. . 97/03/03. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 91999:195-91999:198.

9703170172 Notification of 970414 meeting w/util in North Bethesda,MD to discuss PECO plans & schedules for resolution of Thermo lag fire barrier issues at Peach Bottom & Limerick.
SHEA,J.W. . 97/03/13. STOLZ,J.F. . 4pp. 92131:273-92131:276.

9703240229 Forwards response to GL 96-05 re periodic verification of design basis capability of SR MOVs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/14. Document Control Branch (Document Control Desk). 9pp. 92242:316-92242:324.

Q. Inspection reports, IE Bulletins & correspondence

9703110025 Responds to NRC 970203 ltr re violations noted in insp repts 50-277/96-11,50-278/96-11,50-352/96-03,50-353/96-03, 50-352/96-08 & 50-353/96-08.Corrective actions:procedures revised & implemented.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/27. Document Control Branch (Document Control Desk). 3pp. 92073:355-92073:357.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703060379 Forwards RAI re Bulletin 95-02 for LGS units 1 & 2 & PBAPS units 2 & 3.
RINALDI,F. . 97/03/04. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 91999:168-91999:172.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110257 Forwards insp repts 50-352/96-10 & 50-353/96-10 on 961217-970203 & notice of violations.
HEHL,C.W. Region 1 (Post 820201). 97/03/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 92069:038-92069:079.

--9703110258 Notice of violation from insp on 961217-970203.Violation noted:diesel *generator fuel oil storage tank level was below TS value & required actions for inoperable* diesel generator was not performed.
* Region 1 (Post 820201). 97/03/06. 2pp. 92069:043-92069:044.

--9703110260 Insp repts 50-352/96-10 & 50-353/96-10 on 961217-970203. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 1 (Post 820201). 97/03/06. 32pp. 92069:045-92069:079.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180183 Ack receipt of 970227 ltr informing NRC of steps taken to correct violations noted in insps 50-352/96-08,50-353/96-08, 50-277/96-11 & 50-278/96-11.Exam of *corrective actions will be done during future insp.*
KEIMIG,R.R. Region 1 (Post 820201). 97/03/12. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 92134:225-92134:230.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050010 "Occupational Exposure Tabulation Rept for LGS Units 1 & 2 For 1996." W/970225 ltr.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/12/31. 4pp. 91963:356-91963:359.

9703040249 Forwards performance data for util FFD program for period July 1996 through Dec 1996.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/27. Document Control Branch (Document Control Desk). 19pp. 91979:283-91979:302.

9703040273 Forwards "1996 Annual Effluent Release Rept No 22" & "1996 Annual Tower No 1 Joint Frequency Distributions of Wind Direction & Speed by Atmosphere Stability Rept No 12." Rept submitted IAW TS 6.9.1.8 & 10CFR50.36(a).
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/28. Document Control Branch (Document Control Desk). 1p. 91961:248-91961:335.

--9703040278 "1996 Annual Effluent Release Rept No 22."
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 22. 96/12/31. 63pp. 91961:249-91961:311.

--9703040286 *"1996 Annual Tower No 1 Joint Frequency Distribution of Wind Speed &* Direction by Atmospheric Stability Class Rept No 12."
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 12. 96/12/31. 24pp. 91961:312-91961:335.

9703130239 Monthly operating repts for Feb 1997 for Limerick Generating Station Units 1 & 2.W/970312 ltr.
BAXLEY,R.A., SPROAT,E.F. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/02/28. 11pp. 92128:001-92128:011.

S. Reportable occurrences, LERs & related correspondence

***9703180049** LER 97-001-00:on 970207,condition prohibited by TS in that control rods* were removed from core w/source range monitors were inoperable.Caused by personnel error.Will revise pre-outage training for affected personnel.W/970310 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/10. 5pp. 92237:133-92237:137.

9703190059 Special rept:on 970103,LPDS declared inoperable.Caused by defective latch board.Board replaced & ST procedure was completed satisfactorily on 970114.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92201:321-92201:322.

9703190087 Special rept:on 961001,suppl for inoperability of loose-part detection sys channel for more than 30 days.Channel/detector malfunction isolated to instrumentation contained within inerted Unit 2 primary containment.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92205:327-92205:328.

9703190105 LER 97-002-00:on 970212,leakage was identified from 2 inch reactor pressure vessel instrument nozzle.Caused by improper installation.N12B connection was removed & sent off-site for analysis.W/970314 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 97/03/14. 5pp. 92237:274-92237:278.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703030310 First partial response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in entirety (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. SOLOMON,D.D. Affiliation Not Assigned. 4pp. 91938:087-91938:165.

-9703030317 Partially deleted FOIA request for documents re six security violations at Salem/Hope Creek nuclear power plants.
SOLOMON,D.D. Affiliation Not Assigned. 96/11/20. LINTON,T. NRC - No Detailed Affiliation Given. 3pp. 91938:091-91938:165.

9703030511 Responds to NRC 970127 ltr re violations noted in insp repts 50-272/96-18,50-311/96-18 & 50-354/96-10.Corrective actions: individual in protected area without photobadge-keycard was counseled.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/02/26. Document Control Branch (Document Control Desk). 10pp. 91956:224-91956:233.

9703060055 Revised EPIPs,including rev 34 to EPIP TOC,rev 9 to EPIP 404, "Protective Action Recommendations" & rev 19 to EPIP 602, "Radiological Dose Assessment."
* Public Service Electric & Gas Co. of New Jersey. 97/02/28. 34pp. 92001:319-92001:352.

9703070173 Revised EPIPs,including rev 8 to EPIP 105H, "Upgrading Protective Action Recommendations,rev 15 to EPIP 301H, "Radiation Protection Technician Onshift Response" & rev 68 to Table of Contents.
* Public Service Electric & Gas Co. of New Jersey. 97/02/28. 32pp. 92118:001-92118:032.

9703120091 Revised EPIPs,including Rev 69 to table of contents & Rev 1 to EPIP 205H, "TSC - Post Accident Core Damage Assessment."
* Public Service Electric & Gas Co. of New Jersey. 97/03/04. 41pp. 92122:191-92122:231.

9703180261 Forwards Rev 9 to security plan.Safeguards justification for proposed changes to plan included as Attachment 1 to ltr. Encl withheld,per 10CFR73.55(d)(5).
STORZ,L. Public Service Electric & Gas Co. of New Jersey. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:223-92190:224.

9703210101 Second partial response to FOIA request.Records listed in App D encl & will be available in PDR.App C records withheld in entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/11. Affiliation Not Assigned. 4pp. 92205:009-92205:030.

-9703210153 Forwards proposed notice of violation & proposed imposition of civil penalities based on six violations of security program at mentioned plants.
MILLER,H.J. Region 1 (Post 820201). 96/11/25. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. 92205:017-92205:030.

9703190143 Revised EPIPs,including Rev 63 to table of contents & Rev 3 to EPIP 1016, "Test Procedures for EOF Backup Generator, Ventilation Sys & HVAC Filter Replacement."
* Public Service Electric & Gas Co. of New Jersey. 97/03/13. 45pp. 92198:108-92198:152.

9703210329 Rev 1 to Event Classification Guide.
HUGHES,F.J., BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 97/03/13. 43pp. 92235:095-92235:137.

P. Operating license stage documents & correspondence

9703100218 Application for amend to License NPF-57,changing TS 3/4.3.1, "Reactor Protection Sys Instrumentation," 3/4.3.2, "Isolation Actuation Instrumentation" & 3/4.3.3, "Emergency Core Cooling Sys Actuation Instrumentation."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/03/03. Document Control Branch (Document Control Desk). 15pp. 92048:263-92048:293.

-9703100225 Proposed Tech Specs 3/4.3.1 re reactor protection sys instrumentation,3/4.3.2 re isolation actuation instrumentation & 3/4.3.3 re emergency core cooling sys actuation instrumentation.
* Public Service Electric & Gas Co. of New Jersey. 97/03/03. 16pp. 92048:278-92048:293.

9703110135 Informs that state of NJ has reviewed & has no comment on license change request 96-05 re change to EDG fuel oil testing program.
TOSCH,K.W. New Jersey, State of. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92121:100-92121:101.

9703100210 Ack receipt of 970211 response to 961009 request for info re adequacy & availability of design bases info for plant,per 10CFR50.54(f).No addl info needed at this time.
JAFFE,D.H. . 97/03/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 92062:357-92062:359.

9703110195 Forwards copy of NJ Pollutant Discharge Elimination Sys recently issued to facility,effective 970401.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/03/05. Document Control Branch (Document Control Desk). 9pp. 92120:146-92120:215.

-9703110197 NPDES permit NJ0025411,issued to PSE&G,Hope Creek Generating Station.
HAMMOND,D. New Jersey, State of. 97/02/19. 61pp. 92120:155-92120:215.

9703190084 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/03/13. Document Control Branch (Document Control Desk). 6pp. 92201:355-92201:360.

9703240087 Submits suppl to request for change to TSs Section 6.0, administrative controls re Salem & Hope Creek Generating Station Units 1 & 2.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92243:015-92243:017.

9703240234 Provides info to NRC updating util current plans to resolve issues re Hope Creek UHS & interfacing sys.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92242:310-92242:311.

,9703270105 Forwards amend 97 to license DPR-57 & safety evaluation. Amend revises Section 6.0 of plant TS to relocate requirements of Section 6.5 to QA Program & other listed changes.
JAFFE,D.H. . 97/03/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 92254:303-92254:334.

-9703270107 Amend 97 to license NPF-57,revising Section 6.0 of plant TS to relocate requirements of Section 6.5 to QA program & other listed changes.
STOLZ,J.F. . 97/03/21. 18pp. 92254:306-92254:323.

-9703270109 Safety evaluation supporting amend 97 to license NPF-57.
* . 97/03/21. 11pp. 92254:324-92254:334.

Q. Inspection reports, IE Bulletins & correspondence

9703030511 Responds to NRC 970127 ltr re violations noted in insp repts 50-272/96-18,50-311/96-18 & 50-354/96-10.Corrective actions: individual in protected area without photobadge-keycard was counseled.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/02/26. Document Control Branch (Document Control Desk). 10pp. 91956:224-91956:233.

9703100218 Application for amend to License NPF-57,changing TS 3/4.3.1, "Reactor Protection Sys Instrumentation," 3/4.3.2, "Isolation Actuation Instrumentation" & 3/4.3.3, "Emergency Core Cooling Sys Actuation Instrumentation."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/03/03. Document Control Branch (Document Control Desk). 15pp. 92048:263-92048:293.

-9703100225 Proposed Tech Specs 3/4.3.1 re reactor protection sys instrumentation,3/4.3.2 re isolation actuation instrumentation & 3/4.3.3 re emergency core cooling sys actuation instrumentation.
* Public Service Electric & Gas Co. of New Jersey. 97/03/03. 16pp. 92048:278-92048:293.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703210101 Second partial response to FOIA request.Records listed in App D encl & will be available in PDR.App C records withheld in entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/11. Affiliation Not Assigned. 4pp. 92205:009-92205:030.

-9703210153 Forwards proposed notice of violation & proposed imposition of civil penalities based on six violations of security program at mentioned plants.
MILLER,H.J. Region 1 (Post 820201). 96/11/25. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. 92205:017-92205:030.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210006 Third final response to FOIA request for documents.Records in App E encl & will be available in PDR.App F records withheld in part (ref FOIA Exemption 3).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. SOLOMON,D.D. Affiliation Not Assigned. 4pp. 92218:121-92218:178.

-9703240061 List of escalated enforcement activities.
* Affiliation Not Assigned. 96/03/11. 5pp. 92218:126-92218:178.

9703280113 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/96-18, 50-311/96-18 & 50-354/96-18 on 970127.
LINVILLE,J.C. Region 1 (Post 820201). 97/03/18. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 3pp. 92265:091-92265:103.

9703250253 Provides addl technical info discussed in telcon to support relief from commitment to post weld heat treat (PWHT) weld repairs made to SA-351 Grade CD4MCu matl for svc water pumps at Salem & Hope Creek.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92252:094-92252:098.

9703190138 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280216 Responds to NRC 970221 ltr re violations noted in insp rept 50-354/96-11.Corrective actions:PSE&G submitted TS amend request (LCR H97-01) to NRC.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 97/03/21. Document Control Branch (Document Control Desk). 9pp. 92280:001-92280:009.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280393 Submits suppl to response to NRC 961122 ltr re violations noted in insp repts 50-354/96-03 & 50-354/96-06 CAs:design & licensing basis overview training course being developed & will be available to engineering support personnel.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 97/03/24. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 92304:300-92304:303.

R. Periodic operating reports & related correspondence

9703190067 "Discharge Monitoring Rept for Jan 1997 for Hope Creek Generating Station." W/970221 ltr.
BEZILLA,M.B. Public Service Electric & Gas Co. of New Jersey. 97/01/31. CORPORALE,G. New Jersey, State of. 22pp. 92197:322-92197:343.

9703040123 Forwards annual repts for Salem & Hope Creek Generating Stations,info per requirements of TS 6.9.1.5.b of App A to licenses DPR-70 & DPR-75 & estimations on annual basis of number of station,util & personnel re greater exposures.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 97/02/28. Document Control Branch (Document Control Desk). 3pp. 91958:059-91958:277.

--9703040159 "Std Format for Reporting Number of Personnel & Person-Mrem by Work & Job Function for Period from 960101-1231."
** Public Service Electric & Gas Co. of New Jersey. 96/12/31. 216pp. 91958:062-91958:277.*

9703260269 Forwards MOR for Feb 1997 & summary of changes,tests & experiments that were implemented during Jan 1997, per requirements of 10CFR50.59(b).
BEZILLA,M.B. Public Service Electric & Gas Co. of New Jersey. 97/03/14. Document Control Branch (Document Control Desk). 1p. 92266:084-92266:094.

--9703260272 Monthly operating rept for Feb 1997 for Hope Creek Generating Station.
PHILLIPS,R. Public Service Electric & Gas Co. of New Jersey. 97/02/28. 7pp. 92266:085-92266:090.

--9703260274 Revised MOR for Jan 1997 for Hope Creek Generating Station.
* Public Service Electric & Gas Co. of New Jersey. 97/01/31. 4pp. 92266:091-92266:094.

S. Reportable occurrences, LERs & related correspondence

9703110123 LER 97-003-00:on 970204,unplanned RCIC sys inoperability occurred due to IST failure of turbine steam exhaust containment isolation valve.Repaired 1FCV-003 prior to next IST.W/970228 ltr.
KEPLEY,L., BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 97/03/06. 6pp. 92189:251-92189:256.

9703170176 Forwards LER 97-004-00, "B Div Primary Containment Isolation Due to Personnel Error During Troubleshooting," per 10CFR50.73(a)(2)(iv).Util commitments listed.
BEZILLA,M. Public Service Electric & Gas Co. of New Jersey. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92217:281-92217:286.

--9703170180 LER 97-004-00:on 970207,B div primary containment isolation sys isolation occurred.Caused by personnel error during troubleshooting.Failed optical isolator replaced & channel calibr satisfactorily completed on 970208.
KARRICK,J.W. Public Service Electric & Gas Co. of New Jersey. 97/03/10. 4pp. 92217:283-92217:286.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-359 WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 2

P. Operating license stage documents & correspondence

9703130051 Morning rept 2-96-0035:licensee announced on 960417 that A Stall will join util as site Vice President at plant effective 960513.
LEA,E. Region 2 (Post 820201). 96/04/24. 1p. 92227:140-92227:140.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703040068 *Informs that NRC notifying all nuclear power reactor licensees of potential problem involving protected area access control sys that may exist at site.*
FIELDS,M.B. . 97/02/20. RAY,H.B. Southern California Edison Co. 2pp. 91946:242-91946:243.

9703130179 Forwards rev 55 to physical security plan.Encl withheld,per 10CFR50.54(p).
KRIEGER,R.W. Southern California Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92290:055-92290:056.

9703200054 Forwards Rev 54 to physical security plan.Encl withheld,per 10CFR73.21.
KRIEGER,R.W. *Southern California Edison Co. 97/02/26. Document Control Branch* (Document Control Desk). 2pp. 92290:057-92290:058.

9703180047 Revised EPIPs,including rev 6 to S0123-XX1-1.11.3, "Emergency Plan Training Program Description" & rev 3 to S0123-XXI-1.11.3, "Unit 1 Operations Leader Duties."
DALE,J., SEEVER,D.L., GIBSON,G.T. Southern California Edison Co. 97/02/28. 42pp. 92190:266-92190:307.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703120050 Discusses Japan oil spill & NP intake & possibilities of such event occurring at SONGS or DCNPP.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 1p. 92108:046-92108:046.

--9703130385 Forwards 970122 ltr from R Wise re inspection & review of allegation RIV-96-A-01 26A.NRC Resolution of Concerns also encl.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A., LEE,J.I. . MULLEY,G.A. Office of the Inspector General (Post 890417). 5pp. 92108:197-92108:201.

--9703130400 Forwards top ten list for SONGS.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A. . VITO,D.J., RAYMOND,W.J. Region 1 (Post 820201). 1p. 92108:202-92108:202.

--9703130423 Comments that excuses given re SFPs at SONGS are weak. Discusses structural integrity & damage resulting from seismic activity.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . 2pp. 92108:221-92108:222.

9703260282 Responds to 970214 e-mail re request for SONGS units to be shutdown & spent fuel removed.NRC will be temporarily suspending review of petition,until addl info have been received to make final decision re petition.
BATEMAN,W.H. . 97/03/14. DWYER,S. Affiliation Not Assigned. 1p. 92248:173-92248:174.

--9703260294 Ack receipt of reply re activities at SONGS.
DWYER,S. Affiliation Not Assigned. 97/02/14. FIELDS,M. NRC - No Detailed Affiliation Given. 1p. 92248:174-92248:174.

J. Insurance & Indemnity Information

9703170104 Advises that listed nuclear property & decontamination liability insurance currently in effect for SONGS.
RAINSBERRY,J.L. Southern California Edison Co. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92143:358-92143:359.

P. Operating license stage documents & correspondence

9703030239 Informs NRC that util Attorney of Record for SONGS is DK Porter.
RAINSBERRY,J.L. Southern California Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 1p. 91956:359-91956:359.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703130021 Ack receipt of 970212 response to 961009 request for info re adequacy & availability of design bases info,per 10CFR50.54(f).No addl info needed at this time.
FIELDS,M.B. . 97/03/04. RAY,H.B. Southern California Edison Co. 2pp. 92107:350-92107:351.

9703180152 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
RAINSBERRY,J.L. Southern California Edison Co. 97/03/13. Document Control Branch (Document Control Desk). 11pp. 92200:243-92200:253.

9703200063 Forwards response to RAI re geologic & seismic issues.
RAINSBERRY,J.L. Southern California Edison Co. 97/03/14. Document Control Branch (Document Control Desk). 19pp. 92202:334-92202:352.

9703260217 Informs that revised schedule for submittal of changes to TS 3.8.1 is 970502.
RAINSBERRY,J.L. Southern California Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 1p. 92253:308-92253:308.

Q. Inspection reports, IE Bulletins & correspondence

9703060096 Discusses insp repts *50-361/96-14 & 50-362/96-14* on *961020-1115* & forwards notice of violation.
DYER,J.E. Region 4 (Post 820201). 97/03/03. RAY,H.B. Southern California Edison Co. 7pp. 91969:018-91969:027.

--**9703060120** Notice of violation from insp on 961020-1115.Violation noted:licensee failed to monitor performance of common control room complex smoke exhaust dampers.
* Region 4 (Post 820201). 97/03/03. 3pp. 91969:025-91969:027.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703110253 Summarizes 970227 mgt meeting in Arlington,TX to discuss three violations identified in NRC insp repts 50-361/96-19 & 50-362/96-19.Attendance list & licensee presentation encl.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/05. RAY,H.B. Southern California Edison Co. 30pp. 92019:316-92019:346.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703180239 Forwards response to NRC 970110 ltr re violations noted in insp repts 50-361/96-19 & 50-362/96-19 on 961216-20. Corrective actions:provided workers w/instructions commensurate w/potential radiological health problems.
NUNN,D.E. Southern California Edison Co. 97/03/07. Document Control Branch (Document Control Desk). 18pp. 92193:173-92193:190.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703180144 Forwards insp repts 50-361/97-02 & 50-362/97-02 on 970112-0222 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/03/13. RAY,H.B. Southern California Edison Co. 5pp. 92151:165-92151:204.

--**9703180154** Notice of violation from insp on 970112-0222.Violations noted:failure to follow steps of procedure S023-3-2.6,rev 10,attachment 15,in sequence as written,failure to maintain pressure for five minutes during in-situ pressure testing.
* Region 4 (Post 820201). 97/03/13. 2pp. 92151:170-92151:171.

--**9703180158** Insp repts 50-361/97-02 & 50-362/97-02 on 970112-0222. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 97/03/13. 33pp. 92151:172-92151:204.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703120039 "RG 1.16 Rept for 1996." W/970307 ltr.
GIBSON,G.T. Southern California Edison Co. 96/12/31. 2pp. 92125:096-92125:097.

9703240176 Monthly operating repts for Feb 1997 for San Onofre Nuclear Generating Station,Units 2 & 3.W/970314 ltr.
WILLIAMS,C.E., GIBSON,G.T. Southern California Edison Co. 97/02/28. 13pp. 92241:237-92241:249.

S. Reportable occurrences, LERs & related correspondence

9703050134 Special rept:on 970214,util recognized range for seismic monitor PSR-1200 did not reflect functional range of monitor.Source of error unknown.Util evaluating rev to table 3.3.104-1 to ref correct range.
GIBSON,G.T. Southern California Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 1p. 92003:274-92003:274.

9703110128 Forwards ltr provided LER 97-001-01 for occurences involving surveillance testing & implementation of new standard TSs re San Onofre Nuclear Generating Station,Units 2 & 3.
KRIEGER,R.W. Southern California Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92189:263-92189:272.

--**9703110142** LER 97-001-01:on 970204,surveillances not current upon improved TS implementation identified.Caused by cognitive personnel error.Meeting will be held with site supervision/ to discuss occurrences & mgt expectations.
KRIEGER,R.W. Southern California Edison Co. 97/03/03. 9pp. 92189:264-92189:272.

9703120032 LER 97-002-00:on 970128,increase in pressurizer level occurred due to valve alignment error.NPEO was temporarily removed from duties & counseled by mgt.W/970307 ltr.
KRIEGER,R.W. Southern California Edison Co. 97/03/07. 4pp. 92208:254-92208:257.

9703200025 Provides description of recently completed fracture toughness evaluation of 970304 pressurizer thermal transient at San Onofre Unit 2.Pressurizer remained within fracture toughness acceptance criteria.
RAINSBERRY,J.L. Southern California Edison Co. 97/03/14. Document Control Branch (Document Control Desk). 9pp. 92212:329-92212:337.

9703240123 LER 97-001-02:on 970214,surveillance was current upon improved TS implementation.Caused by personnel error. Initiated self assessment to review each SR.W/970317 ltr.
KRIEGER,R.W. Southern California Edison Co. 97/03/17. 13pp. 92246:339-92246:351.

9703240096 LER 97-003-00:on 970225,out of tolerance condition identified during testing of pressurizer safety valve setpoints.Caused by setpoints drift.Setpoints bounded by analysis.W/970318 ltr.
KRIEGER,R.W. Southern California Edison Co. 97/03/18. 2pp. 92246:337-92246:338.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703130088 Forwards responses to NRC RAI re TranStor Storage Cask Sys 10CFR72 SAR.Requested EPRI repts,revised chapters & proprietary info being sent under separate cover.
MCCONAGHY,W.J. Sierra Nuclear, Inc. 97/03/11. REID,D. Office of Nuclear Material Safety & Safeguards. 140pp. 92133:001-92134:007.

--**9703130154** Spec S0123-207-15,Rev 0,App 3E, "Spent Fuel Parameters."
* Southern California Edison Co. S0123-207-15 R00. 97/03/11. 62pp. 92133:305-92134:007.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703040068 Informs that NRC notifying all nuclear power reactor licensees of potential problem involving protected area access control sys that may exist at site.
FIELDS,M.B. . 97/02/20. RAY,H.B. Southern California Edison Co. 2pp. 91946:242-91946:243.

9703130179 Forwards rev 55 to physical security plan.Encl withheld,per 10CFR50.54(p).
KRIEGER,R.W. Southern California Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92290:055-92290:056.

9703200054 Forwards Rev 54 to physical security plan.Encl withheld,per 10CFR73.21.
KRIEGER,R.W. Southern California Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92290:057-92290:058.

9703180047 Revised EPIPs,including rev 6 to S0123-XX1-1.11.3, "Emergency Plan Training Program Description" & rev 3 to S0123-XXI-1.11.3, "Unit 1 Operations Leader Duties."
DALE,J., SEEVER,D.L., GIBSON,G.T. Southern California Edison Co. 97/02/28. 42pp. 92190:266-92190:307.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--**9703120050** Discusses Japan oil spill & NP intake & possibilities of such event occurring at SONGS or DCNPP.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 1p. 92108:046-92108:046.

--**9703120209** Forwards page 2 of 970114 Region 4 morning rept re notice of enforcement discretion to extend 24 hr period of SR 3.0.3 to allow time for processing TS amend.
BLANCH,P. Affiliation Not Assigned. 97/01/15. ZWOLINSKI,J.A. . 2pp. 92108:092-92108:093.

--**9703130385** Forwards 970122 ltr from R Wise re inspection & review of allegation RIV-96-A-01 26A.NRC Resolution of Concerns also encl.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A. . 5pp. 92108:197-92108:201.

--**9703130400** Forwards top ten list for SONGS.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A. . 1p. 92108:202-92108:202.

--**9703130423** Comments that excuses given re SFPs at SONGS are weak. Discusses structural integrity & damage resulting from seismic activity.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . 2pp. 92108:221-92108:222.

9703260282 Responds to 970214 e-mail re request for SONGS units to be shutdown & spent fuel removed.NRC will be temporarily suspending review of petition,until addl info have been received to make final decision re petition.
BATEMAN,W.H. . 97/03/14. DWYER,S. Affiliation Not Assigned. 1p. 92248:173-92248:174.

--**9703260294** Ack receipt of reply re activities at SONGS.
DWYER,S. Affiliation Not Assigned. 97/02/14. FIELDS,M. NRC - No Detailed Affiliation Given. 1p. 92248:174-92248:174.

J. Insurance & indemnity information

9703170104 Advises that listed nuclear property & decontamination liability insurance currently in effect for SONGS.
RAINSBERRY,J.L. Southern California Edison Co. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92143:358-92143:359.

P. Operating license stage documents & correspondence

9703040127 Forwards copy of notice of consideration of issuance of amend to license NPF-15 & proposed NSHC determination & opportunity for hearing for plant,Unit 3.Amend would defer implementation of Surveillance Requirement 3.3.5.6 of TS.
FIELDS,M.B. . 97/02/21. RAY,H.B. Southern California Edison Co. 2pp. 91951:103-91951:112.

--9703040133 Notice of consideration of issuance of amend to license NPF-15 & proposed NSHC determination & opportunity for hearing.Amend would defer implementation of Surveillance Requirement 3.3.5.6 of TS 3.3.5 "ESFAS."
FIELDS,M.B. . 97/02/21. 8pp. 91951:105-91951:112.

9703030239 Informs NRC that util Attorney of Record for SONGS is DK Porter.
RAINSBERRY,J.L. Southern California Edison Co. 97/02/26. Document Control Branch (Document Control Desk). 1p. 91956:359-91956:359.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703130021 Ack receipt of 970212 response to 961009 request for info re adequacy & availability of design bases info,per 10CFR50.54(f).No addl info needed at this time.
FIELDS,M.B. . 97/03/04. RAY,H.B. Southern California Edison Co. 2pp. 92107:350-92107:351.

9703130025 Forwards amend 126 to license NPF-15 & safety evaluation. Amend defers implementation of Surveillance Requirement 3.1.5.4 of TS 3.1.5, "Control Element Assembly Alignment," until next SONGS Unit 3 shutdown.
FIELDS,M.B. . 97/03/05. RAY,H.B. Southern California Edison Co. 2PP. 92079:336-92079:346.

--9703130028 Amend 126 to license NPF-15,amend defers implementation of Surveillance Requirement 3.1.5.4 of TS 3.1.5, "Control Element Assembly Alignment," until next SONGS Unit 3 shutdown.
FIELDS,M.B. . 97/03/05. 4pp. 92079:338-92079:341.

--9703130029 Safety evaluation supporting amend 126 to license NPF-15.
* . 97/03/05. 5pp. 92079:342-92079:346.

9703180152 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
RAINSBERRY,J.L. Southern California Edison Co. 97/03/13. Document Control Branch (Document Control Desk). 11pp. 92200:243-92200:253.

9703200063 Forwards response to RAI re geologic & seismic issues.
RAINSBERRY,J.L. Southern California Edison Co. 97/03/14. Document Control Branch (Document Control Desk). 19pp. 92202:334-92202:352.

9703190252 Forwards amend 127 to license NPF-15 & safety evaluation. Amend defers implementation of SR 3.3.5.6 of TS 3.3.5, "ESFAS Instrumentation" for 30 subgroup relays until next SONGS Unit 3 shutdown.
FIELDS,M.B. . 97/03/17. RAY,H.B. Southern California Edison Co. 2pp. 92178:137-92178:149.

--9703190258 Amend 127 to license NPF-15,deferring implementation of SR 3.3.5.6 of TS 3.3.5, "ESFAS Instrumentation," for 30 subgroup relays until next SONGS Unit 3 shutdown.
FIELDS,M.B. . 97/03/17. 4pp. 92178:139-92178:142.

--9703190262 Safety evaluation supporting amend 127 to license NPF-15.
* . 97/03/17. 7pp. 92178:143-92178:149.

9703260217 Informs that revised schedule for submittal of changes to TS 3.8.1 is 970502.
RAINSBERRY,J.L. Southern California Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 1p. 92253:308-92253:308.

Q. Inspection reports, IE Bulletins & correspondence

9703060096 Discusses insp repts 50-361/96-14 & 50-362/96-14 on 961020-1115 & forwards notice of violation.
DYER,J.E. Region 4 (Post 820201). 97/03/03. RAY,H.B. Southern California Edison Co. 7pp. 91969:018-91969:027.

--9703060120 Notice of violation from insp on 961020-1115.Violation noted:licensee failed to monitor performance of common control room complex smoke exhaust dampers.
* Region 4 (Post 820201). 97/03/03. 3pp. 91969:025-91969:027.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703110253 Summarizes 970227 mgt meeting in Arlington,TX to discuss three violations identified in NRC insp repts 50-361/96-19 & 50-362/96-19.Attendance list & licensee presentation encl.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/05. RAY,H.B. Southern California Edison Co. 30pp. 92019:316-92019:346.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703180239 Forwards response to NRC 970110 ltr re violations noted in insp repts 50-361/96-19 & 50-362/96-19 on 961216-20. Corrective actions:provided workers w/instructions commensurate w/potential radiological health problems.
NUNN,D.E. Southern California Edison Co. 97/03/07. Document Control Branch (Document Control Desk). 18pp. 92193:173-92193:190.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703180144 Forwards insp repts 50-361/97-02 & 50-362/97-02 on 970112-0222 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/03/13. RAY,H.B. Southern California Edison Co. 5pp. 92151:165-92151:204.

--9703180154 Notice of violation from insp on 970112-0222.Violations noted:failure to follow steps of procedure S023-3-2.6,rev 10,attachment 15,in sequence as written,failure to maintain pressure for five minutes during in-situ pressure testing.
* Region 4 (Post 820201). 97/03/13. 2pp. 92151:170-92151:171.

--9703180158 Insp repts 50-361/97-02 & 50-362/97-02 on 970112-0222. Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 97/03/13. 33pp. 92151:172-92151:204.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703120039 "RG 1.16 Rept for 1996." W/970307 ltr.
GIBSON,G.T. Southern California Edison Co. 96/12/31. 2pp. 92125:096-92125:097.

9703240176 Monthly operating repts for Feb 1997 for San Onofre Nuclear Generating Station,Units 2 & 3.W/970314 ltr.
WILLIAMS,C.E., GIBSON,G.T. Southern California Edison Co. 97/02/28. 13pp. 92241:237-92241:249.

S. Reportable occurrences, LERs & related correspondence

9703050134 Special rept:on 970214,util recognized range for seismic monitor PSR-1200 did not reflect functional range of monitor.Source of error unknown.Util evaluating rev to table 3.3.104-1 to ref correct range.
GIBSON,G.T. Southern California Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 1p. 92003:274-92003:274.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703130088 Forwards responses to NRC RAI re TranStor Storage Cask Sys 10CFR72 SAR.Requested EPRI repts,revised chapters & proprietary info being sent under separate cover.
MCCONAGHY,W.J. Sierra Nuclear, Inc. 97/03/11. REID,D. Office of Nuclear Material Safety & Safeguards. 140pp. 92133:001-92134:007.

--9703130154 Spec S0123-207-15,Rev 0,App 3E, "Spent Fuel Parameters."
* Southern California Edison Co. S0123-207-15 R00. 97/03/11. 62pp. 92133:305-92134:007.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703270283 Revised EPIPs,including rev 5 to GO-EIP-122,rev 5 to GO-EIP-123 & rev 10 to GO-EIP-138.W/970324 ltr.
AJLUNI,M. Southern Nuclear Operating Co. 97/03/24. 75pp. 92267:231-92267:296.

J. Insurance & Indemnity Information

9703130359 Forwards NML Operating Facility Policy P97-001 for verification of property insurance coverage on JM Farley Nuclear Plant Units 1 & 2.
MOREY,D.N. Southern Nuclear Operating Co. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92136:195-92136:195.

P. Operating license stage documents & correspondence

9703040325 Application for amends to licenses NPF-2 & NPF-8,revising specified max power level & definition of rated thermal power.
MOREY,D. Southern Nuclear Operating Co. 97/02/14. Document Control Branch (Document Control Desk). 15pp. 91965:001-91966:227.

--9703040346 Proposed tech specs revising specified max power level & definition of rated thermal power.
* Southern Nuclear Operating Co. 97/02/14. 100pp. 91965:011-91965:110.

--9703040367 Non-proprietary version of WCAP-14723, "Farley Nuclear Plant Units 1 & 2 Power Uprate Project NSSS Licensing Rept."
* Westinghouse Electric Corp. WCAP-14723. 97/01/31. 393pp. 91965:111-91966:139.

--9703040373 "Farley Nuclear Plant Units 1 & 2 Power Uprate Project BOP Licensing Rept."
* Southern Nuclear Operating Co. 97/02/14. 88pp. 91966:140-91966:227.

9703040070 Forwards revised TS pp which assume that voltage-based alternate repair criteria is approved to laser welded sleeve amend.
MOREY,D. Southern Nuclear Operating Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91959:295-91959:341.

--9703040074 Proposed tech specs re SG tube laser welded sleeves.Voltage based alternate repair criteria is approved prior to laser welded sleeve amend.
* Southern Nuclear Operating Co. 97/02/24. 46pp. 91959:297-91959:341.

9703040201 Application for amends to licenses NPF-2 & NPF-8,requesting revision & clarification to surveillance requirements for Control Room Emergency Filtration Sys,Penetration Room Filtration Sys & Containment Purge Exhaust Filter.
MOREY,D. Southern Nuclear Operating Co. 97/02/24. Document Control Branch (Document Control Desk). 9pp. 91960:127-91960:160.

--9703040210 Proposed tech specs re surveillance requirements of control room,penetration room & containment purge filtration systems.
* Southern Nuclear Operating Co. 97/02/24. 25pp. 91960:136-91960:160.

9703110274 Confirms arrangements between M Ajluni & HO Christensen of NRC re meeting scheduled for 970326 to review results of architect/engineer audit for Farley facility.
SKINNER,P. Region 2 (Post 820201). 97/02/25. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 92019:303-92019:306.

9703040369 Provides request for notice of enforcement discretion re TS 3/4.7.7.8 for penetration room filtration sys.
MOREY,D. Southern Nuclear Operating Co. 97/02/27. Document Control Branch (Document Control Desk). 9pp. 91960:269-91960:277.

9703060158 Forwards notice of consideration of issuance of amends to licenses NPF-2 & NPF-8.Proposed amends would revise & clarify SRs for listed sys.
ZIMMERMAN,J.I. . 97/02/28. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 91999:223-91999:233.

--9703060165 Notice of consideration of issuance of amends to licenses NPF-2 & NPF-8 & proposed NSHC determination & opportunity for hearing.Amends rev & clarify surveillance requirements for Control Room Emergency & Penetration Room Sys.
ZIMMERMAN,J.I. . 97/02/28. 8pp. 91999:226-91999:233.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703070086 Forwards safety evaluation accepting relief request from implementation of 10CFR50.55a requirements related to repair & replacement activities for containment at plant.
BERKOW,H.N. . 97/03/04. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 91998:355-91998:359.

--9703070090 Safety evaluation accepting implementation of 10CFR50.55a requirements related to repair & replacement activities for containment at plant.
* . 97/03/04. 2pp. 91998:358-91998:359.

9703270220 Submits response to four questions raised during Region II 1996 NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. WILLIAMS,L. Southern Nuclear Operating Co. 2pp. 92256:134-92256:135.

9703100191 Responds to licensee 961127 request for NRC review of interpretation of application of TS 3/4.9.13, "Storage Pool Ventilation (Fuel Movement)," at plant during modes 5 or 6 or when defueled.
ZIMMERMAN,J.I. . 97/03/06. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 92025:355-92025:358.

9703130344 Forwards proprietary "Farley Unit 2 1996 Alternate Repair Criteria 90 Day Rept," in response to GL 95-05.Encl withheld.
MOREY,D. Southern Nuclear Operating Co. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92125:353-92125:353.

9703130424 Forwards Rev 0 Calculation SM-96-1100-001, "MSLB Allowable Tube Leakage." Comparison of results reveals,doses calculated w/ICRP-30 dose conversion factors less than those calculated using ICRP-02.
MOREY,D. Southern Nuclear Operating Co. 97/03/07. Document Control Branch (Document Control Desk). 3pp. 92127:268-92127:297.

--9703130428 Rev 0 to SM-96-1100-001, "MSLB Allowable Tube Leakage."
WEHRENBERG,J. Southern Nuclear Operating Co. SM-96-1100-001 R00. 96/04/01. 27pp. 92127:271-92127:297.

9703170064 Application for amends to Licenses NPF-2 & NPF-8,revising TS 3/4.6.3 re containment isolation valves surveillance requirements.
MOREY,D. Southern Nuclear Operating Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92138:336-92138:347.

--9703170067 Proposed Tech Specs 3/4.6.3 re containment isolation valves surveillance requirements.
* Southern Nuclear Operating Co. 97/03/07. 10pp. 92138:338-92138:347.

9703200076 Provides 180-day response to GL 96-05, "Periodic Verification of Design Basis Capability of SR MOVs." Written summary description of revised MOV periodic verification program attached.
MOREY,D. Southern Nuclear Operating Co. 97/03/14. Document Control Branch (Document Control Desk). 5pp. 92199:333-92199:337.

9703210326 Forwards safety evaluation supporting relief request related to 120-month update of facility inservice insp & inservice testing programs & code addition & addenda on ASME/ANSI Parts 6 & 10.
BERKOW,H.N. . 97/03/20. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 92217:354-92217:359.

--9703210328 SER accepting request for relief for 120-month update of facility inservice insp & inservice testing programs & code addition & addenda of ASME/ANSI Parts 6 & 10.
* . 97/03/20. 3pp. 92217:357-92217:359.

9703260263 Forwards ltr dated 961226,requesting that TS amend for voltage-based repair criteria for steam generator tubes be approved for Farley Nuclear Plant,Unit 1.
MOREY,D. Southern Nuclear Operating Co. 97/03/21. Document Control Branch (Document Control Desk). 1p. 92254:171-92254:171.

9703270139 Forwards amends 125 & 119 to licenses NPF-2 & NPF-8, respectively & SE.Amends revises TS to incorporate latest revised topical repts governing installation of laser welded steam generator tube sleeves.
ZIMMERMAN,J.I. . 97/03/24. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 92254:251-92254:288.

--9703270145 Amends 125 & 119 to licenses NPF-2 & NPF-8,respectively, revising TS to incorporate latest revised topical repts governing installation of laser welded SG tube sleeves.
BERKOW,H.N. . 97/03/24. 26pp. 92254:255-92254:280.

--9703270148 Safety evaluation supporting amends 125 & 119 to licenses NPF-2 & NPF-8,respectively.
* . 97/03/24. 8pp. 92254:281-92254:288.

9703270124 Forwards amends 126 & 120 to licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends revise listed TSs & associated bases to remove certain cycle-specific parameter limits from TSs & relocate to COLR.
ZIMMERMAN,J.I. . 97/03/25. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 92254:190-92254:250.

--9703270129 Amends 126 & 120 to licenses NPF-2 & NPF-8,respectively, revising listed TSs & associated bases to remove certain cycle-specific parameter limits from TSs & relocating to COLR.
BERKOW,H.N. . 97/03/25. 54pp. 92254:194-92254:247.

--9703270132 Safety evaluation supporting amends 126 & 120 to licenses NPF-2 & NPF-8,respectively.
* . 97/03/25. 3pp. 92254:248-92254:250.

Q. Inspection reports, IE Bulletins & correspondence

9703050485 Responds to 970227 ltr requesting NRC exercise discretion not to enforce compliance w/actions required by TS 3/4.7.7, 3/4.7.8,3/4.9.14 & 3.0.3 due to inadequate performance of surveillance requirements.NRC concludes NOED warranted.
BERKOW,H.N. . 97/02/28. MOREY,D.N. Southern Nuclear Operating Co. 6pp. 91961:190-91961:195.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703260064 Ack receipt of 970225 ltr informing NRC of steps taken to correct violations noted in license SOP-20194-3.Violation re confirmed positive test for marijuana.
JAUDON,J.P. Region 2 (Post 820201). 97/03/04. RYAN,J.P. Affiliation Not Assigned. 2pp. 92265:034-92265:035.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703180068 Forwards "Interval 2/Period 2/Outage 2 ISI Rept," Vols 1 & 2.
MOREY,D. Southern Nuclear Operating Co. 97/03/11. Document Control Branch (Document Control Desk). 1p. 92180:001-92183:132.

--9703180069 "Refueling 11 Interval 2/Period 2/Outage 2 ISI Rept," Vols 1 & 2.
HILL,R.D. Southern Nuclear Operating Co. 97/03/06. 1,193pp. 92180:002-92183:132.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190095 Documents 970313 telcon re Notice of Enforcement Discretion issued to require FNP to test HVAC systems to ASME N510,1989 sections 5,8 & 14.Testing results,encl.
MOREY,D. Southern Nuclear Operating Co. 97/03/13. Document Control Branch (Document Control Desk). 45pp. 92198:153-92198:197.

9703270213 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/96-14 & 50-364/96-14.
BARR,K.P. Region 2 (Post 820201). 97/03/18. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 92256:130-92256:132.

9703210326 Forwards safety evaluation supporting relief request related to 120-month update of facility inservice insp & inservice testing programs & code addition & addenda on ASME/ANSI Parts 6 & 10.
BERKOW,H.N. . 97/03/20. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 92217:354-92217:359.

--9703210328 SER accepting request for relief for 120-month update of facility inservice insp & inservice testing programs & code addition & addenda of ASME/ANSI Parts 6 & 10.
* . 97/03/20. 3pp. 92217:357-92217:359.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050146 "Tabulation of Personnel Radiation Exposure at JM Farley Nuclear Plant for 1996 by Work & Job Functions." W/970227 ltr.
MOREY,D. Southern Nuclear Operating Co. 96/12/31. 2pp. 92003:239-92003:240.

9703180050 Monthly operating repts for Feb 1997 for JM Farley Plant Units 1 & 2.W/ 970311 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 97/02/28. 9pp. 92196:159-92196:167.

V. Operator Examinations

9703280108 Forwards sampling registration ltr re April 1997 generic fundamentals exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. WILLIAMS,L.S. Southern Nuclear Operating Co. 3pp. 92265:084-92265:086.

9703280064 Ack receipt of 970225 ltr informing NRC of steps taken to correct violations noted in license SOP-20194-3.Violation re confirmed positive test for marijuana.
JAUDON,J.P. Region 2 (Post 820201). 97/03/04. RYAN,J.P. Affiliation Not Assigned. 2pp. 92265:034-92265:035.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703100269 Responds to NRC 970210 ltr re violations noted in insp repts 50-321/96-12 & 50-366/96-12.Corrective actions:will include communications,non-App R emergency lighting,App R emergency lighting & cooling tower systems in Maint Rule Program.
SUMNER,H.L. Georgia Power Co. 97/03/05. Document Control Branch (Document Control Desk). 6pp. 92048:350-92048:355.

9703270203 Extends invitation as observer at 970422 meeting w/util to discuss Hatch NPP performance over past 21 months.
REYES,L.A. Region 2 (Post 820201). 97/03/14. REEVIS,C. Georgia, State of. 4pp. 92256:124-92256:127.

G. Adjudicatory correspondence

9703240131 Responds to 900911,re petition concerning management of GPC illegal transfer of facility operating licences to Southern Nuclear Operating Co.Petitioners request for action pursuant to 10CFR2.206 denied.
MIRAGLIA,F.J. . 97/03/18. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 6pp. 92242:001-92242:207.

--9703240195 Summary of Director's Decision under 10CFR2.206 of MB Hobby & AL Mosbaugh,dtd 900911.
MIRAGLIA,F.J. . 97/03/18. 26pp. 92242:011-92242:036.

--9703250003 Director's decision under 10CFR2.206 re petition re allegation of illegal transfer of OLs to Southern Nuclear Operating Co.Petitions filed by MB Hobby & AL Mosbaugh denied.
MIRAGLIA,F.J. . 97/03/18. Affiliation Not Assigned. 171pp. 92242:037-92242:207.

H. General correspondence

9703040129 Informs of organizational changes at Plant Hatch.HL Sumner Jr named Vice President,effective 970219 & PH Wells is Nuclear Plant General Manager.
WOODARD,J.D. Georgia Power Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91960:028-91960:029.

J. Insurance & indemnity information

9703110220 Submits summary rept of present level & source of onsite property damage insurance coverage for Edwin I Hatch Nuclear Plant Units 1 & 2.
SUMNER,H.L. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92078:334-92078:335.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703100147 Forwards suppl request for addl info on resolution of unresolved safety issue A-46.
SUMNER,H.L. Georgia Power Co. 97/03/04. Document Control Branch (Document Control Desk). 1p. 92074:354-92074:354.

9703110218 Forwards "El Hatch Nuclear Plant Unit 2 Cycle 13 COLR," Rev 1.
SUMNER,H.L. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92072:333-92072:355.

--9703110219 "El Hatch Nuclear Plant Unit 2 Cycle 13 COLR Rept," rev 1.
* Georgia Power Co. 97/03/07. 22pp. 92072:334-92072:355.

9703110221 Submits Relief Request,RR-P-13,developed to propose alternate vibration acceptance criteria for Plant Service Water pumps.
SUMNER,H.L. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 4pp. 92078:336-92078:339.

9703210223 Forwards issuance of amends 203 & 144 to licenses DPR-57 & NPF-5,respectively,SE & order.Amends modify licenses,TS & environ protection plant to add Southern Nuclear,as operator of facility,w/control over physical contruction & operation.
JABBOUR,K.N. . 97/03/17. WOODARD,J.D. Georgia Power Co. 5pp. 92214:293-92214:346.

--9703210224 Amends 203 & 144 to licenses DPR-57 & NPF-5,respectively. Amends modify facility operating licenses,TS & environmental protection plan to add Southern Nuclear Operating Co Inc as operator of facility w/exclusive responsibility & control.
MIRAGLIA,F.J. . 97/03/17. 36pp. 92214:298-92214:333.

--9703210226 Safety evaluation supporting amends 203 & 144 to licenses DPR-57 & NPF-5,respectively.
* . 97/03/17. 9pp. 92214:334-92214:342.

--9703210227 Order approving Southern Nuclear Operating Co,Inc as exclusive operator.
MIRAGLIA,F.J. . 97/03/17. Southern Nuclear Operating Co. 3pp. 92214:343-92214:346.

9703240110 Provides 180-day response to GL 96-05, "Periodic Verification of Design Basis Capability of SR MOVs."
SUMNER,H.L. Georgia Power Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92242:354-92242:355.

9703260112 Advises NRC that effective 970322,util will officially transfer responsibilities for operation of El Hatch Nuclear Plant to Southern Nuclear.
SUMNER,H.L. Georgia Power Co. 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92257:265-92257:267.

9703260161 Forwards copy of document provided to GA Dept of Natural Resources - Environ Protection Division requesting transfer of Hatch Nuclear Plant NPDES Permit GA0004120 from GAP to Southern Nuclear Operating Company.
SUMNER,H.L. Georgia Power Co. 97/03/18. Document Control Branch (Document Control Desk). 4pp. 92257:351-92257:354.

9703270100 Requests change made to Item 2 of QA program approval for radioactive matl package:0521,Rev 3 as submitted.
SUMNER,H.L. Georgia Power Co. 97/03/18. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 2pp. 92268:057-92268:058.

9703250136 Forwards request for addl info re Hatch Units 1 & 2 TS amend on pressure/temp curves.
SUMNER,H.L. Georgia Power Co. 97/03/21. Document Control Branch (Document Control Desk). 2pp. 92257:126-92257:127.

9703250150 Forwards amends 204 & 145 to licenses DPR-57 & NPF-5, respectively & safety evaluation.Amends revise surveillance requirements 3.1.7.7 & 3.4.3.1 & limiting conditions for operation 3.4.3,3.5.1 & 3.6.1.6.
JABBOUR,K.N. . 97/03/21. WOODARD,J.D. Georgia Power Co. 3pp. 92236:222-92236:255.

--**9703250153** Amends 204 & 145 to licenses DPR-57 & NPF-5,respectively, revising surveillance requirements 3.1.7.7 & 3.4.3.1 & limiting conditions for operation 3.4.3,3.5.1 & 3.6.1.6 to increase nominal mechanical pressure relief setpoints.
BERKOW,H.N. . 97/03/21. 26pp. 92236:225-92236:250.

--**9703250155** Safety evaluation supporting amends 204 & 145 to licenses DPR-57 & NPF-5,respectively.
* . 97/03/21. 5pp. 92236:251-92236:255.

9703250243 Forwards amends 205 & 146 to licenses DPR-57 & NPF-5, respectively & safety evaluation.Amends revise TS associated w/installation of digital power range neutron monitoring sys.
JABBOUR,K.N. . 97/03/21. WOODARD,J.D. Georgia Power Co. 3pp. 92247:284-92247:322.

--**9703250249** Amends 205 & 146 to licenses DPR-57 & NPF-5,respectively, revising TS associated w/installation of digital power range neutron monitoring sys.
BERKOW,H.N. . 97/03/21. 30pp. 92247:287-92247:316.

--**9703250250** Safety evaluation supporting amends 205 & 146 to licenses DPR-57 & NPF-5,respectively.
* . 97/03/21. 6pp. 92247:317-92247:322.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703100262 Forwards response to violations noted in Insp Repts 50-321/96-15 & 50-366/96-15.Corrective actions:Procedure 51GM-MNT-034-0S revised to include addl step in Section 7.0 & sign-off in procedure attachment.
SUMNER,H.L. Georgia Power Co. 97/03/05. Document Control Branch (Document Control Desk). 5pp. 92048:340-92048:344.

9703100269 Responds to NRC 970210 ltr re violations noted in insp repts 50-321/96-12 & 50-366/96-12.Corrective actions:will include communications,non-App R emergency lighting,App R emergency lighting & cooling tower systems in Maint Rule Program.
SUMNER,H.L. Georgia Power Co. 97/03/05. Document Control Branch (Document Control Desk). 6pp. 92048:350-92048:355.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110212 Provides response to NRC 970218 RAI re util 961202 exemption request from commencement date of Containment Insp Rule repair & replacement requirements for one yr period.
SUMNER,H.L. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92072:356-92072:360.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270203 Extends invitation as observer at 970422 meeting w/util to discuss Hatch NPP performance over past 21 months.
REYES,L.A. Region 2 (Post 820201). 97/03/14. REEVIS,C. Georgia, State of. 4pp. 92256:124-92256:127.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050012 "1996 Annual Operating Rept for Edwin I Hatch NPP,Units 1 & 2." W/ 970228 ltr.
SUMNER,H.L. Georgia Power Co. 96/12/31. 64pp. 91984:001-91984:064.

9703110273 Monthly operating repts for Feb 1997 for El Hatch Nuclear Plant.W/970307 ltr.
ROGERS,S.B., SUMNER,H.L. Georgia Power Co. 97/02/28. 11pp. 92117:331-92117:341.

S. Reportable occurrences, LERs & related correspondence

9703060122 LER 97-001-00:on 970125,HPCI sys inoperable due to unplanned ESFA.Caused by less than adequate procedures.HPCI sys restored to operable status & use of affected procedures prohibited.W/970224 ltr.
TIPPS,S.B., SUMNER,H.L. Georgia Power Co. 97/02/24. 8pp. 92039:158-92039:165.

9703210234 PNO-II-97-017:on 970312,licensee reported employee collapses onsite.First Aid administered until ambulance arrived. Employee transported to Appling County General Hosp in Baxley,GA & pronounced dead.Autopsy will be performed.
CARRION,R. Region 2 (Post 820201). 97/03/13. 1p. 92246:292-92246:292.

V. Operator Examinations

9703280090 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. WOODARD,J.D. Georgia Power Co. 3pp. 92265:068-92265:070.

9703270194 Forwards response to questions raised during Region II 1996, US NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. LEWIS,J. Georgia Power Co. 2pp. 92256:122-92256:123.

9703040261 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9703050231 Notification of licensee meeting on 970328 w/licensee to discuss two apparent violations involving inadequate FP design features for reactor coolant pump lube oil collection sys for units 1 & 2.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/28. Region 4 (Post 820201). 6pp. 91956:199-91956:204.

9703100251 Forwards response to violations noted in Insp Repts 50-313/96-27 & 50-368/96-27.Corrective actions:evaluated training session immediately completed w/ Unit 2 shift engineer involved w/event.
MIMS,D.C. Entergy Operations, Inc. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92048:356-92048:360.

9703270001 Rev 21-04-00,Change PC-04 to OP-1903.011, "Emergency Response/Notifications."
* Entergy Operations, Inc. OP-1903.011. 97/03/18. 5pp. 92258:218-92258:222.

9703270002 Change 3,Rev 14 to OP-1903.033, "Protective Action Guidelines for Rescue/Repair & Damage Control Teams."
* Entergy Operations, Inc. 97/03/18. 4pp. 92258:223-92258:226.

G. Adjudicatory correspondence

9703100036 Responds to 951117 Petition,requesting that NRC prohibit loading of VSC-24 casks at nuclear sites until multi-assembly sealed basket at Palisades Nuclear plant unloaded & unloading process evaluated.
COLLINS,S.J. . 97/03/04. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 92027:318-92027:349.

--**9703100038** Directors Decision 97-05 under 10CFR2.206 re 951117 Petition filed by F Shillinglaw requesting that NRC take action to prohibit loading of VSC-24 casks at nuclear sites.
COLLINS,S.J. . 97/03/04. 12pp. 92027:324-92027:335.

--**9703100057** Notice of issuance of Director's Decision under 10CFR2.206 concering 951117 Petiton requesting that NRC prohibit loading of spent nuclear fuel into VSC-24 dry storage casks at nuclear plant.
COLLINS,S.J. . 97/03/04. 2pp. 92027:336-92027:349.

P. Operating license stage documents & correspondence

9703040037 Submits 120-days response to GL-96-06, "Assurance of Equipment Operability & Containment Integrity During DBA Conditions."
MIMS,D.C. Entergy Operations, Inc. 97/01/28. Document Control Branch (Document Control Desk). 14pp. 91959:342-91959:355.

9703050143 Forwards non-proprietary repts re ANO-2 SG Cycle 12 operational assessment.
MIMS,D.C. Entergy Operations, Inc. 97/02/26. Document Control Branch (Document Control Desk). 9pp. 91981:181-91981:302.

--**9703050149** Rev 1 to "ANO Unit 2 Leak Rate Model for Circumferential Cracks in SG Tubes."
* Affiliation Not Assigned. TR-96-007(NP) R01. 96/10/16. 20pp. 91981:190-91981:209.

--**9703050151** Rev 1 to "Probability of Burst Model for ANO-2 TTS Circumferential Cracks."
* Affiliation Not Assigned. TR-96-005(NP) R01. 96/10/16. 31pp. 91981:210-91981:241.

--**9703050153** "ANO Unit 2 SG Tubes Evaluation of Bursh Pressures w/Circumferential Flaws Present."
* Affiliation Not Assigned. TR-95-024(NP). 96/04/11. 17pp. 91981:242-91981:258.

--**9703050156** Rev 0 to "ANO Unit 2 Projected End of Cycle 12 Circumferential Crack Population."
* Affiliation Not Assigned. TR-96-021(NP) R00. 96/10/16. 26pp. 91981:259-91981:285.

--**9703050158** "ANO Unit 2 SG Tubes:95/95 Mechanical Properties."
* Affiliation Not Assigned. TR-95-025. 96/03/31. 18pp. 91981:286-91981:302.

9703030403 Advises that current EOI programs for snubbers will still be acceptable for next intervals based on current EOI snubber programs adequate as requirements specified in ASME Code, Section XI,1989 Edition.
BECKNER,W.D. . 97/02/28. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91932:344-91932:350.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703120398 Ack receipt of 970207 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
KALMAN,G. . 97/03/07. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 92079:289-92079:291.

9703120406 Informs that proposed change to bases would add option to test snubbers on-line rather than just during each refueling shutdown.
KALMAN,G. . 97/03/07. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 92079:271-92079:273.

9703120455 Forwards amend 180 to license NPF-06 & safety evaluation. Amend adds low-temperature overpressure protection requirements to TSs as proposed by GL-90-06.
KALMAN,G. . 97/03/07. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 92076:322-92076:334.

--9703120458 Amend 180 to license NPF-06,adding low-temperature overpressure protection requirements to TSs proposed by GL-90-06.
KALMAN,G. . 97/03/07. 6pp. 92076:325-92076:330.

--9703120463 Safety evaluation supporting amend 180 to license NPF-06.
* . 97/03/07. 4pp. 92076:331-92076:334.

9703140122 Notification of 970325 meeting w/util in Rockville,MD to discuss plant steam generator tubes.
KALMAN,G. . 97/03/12. BECKNER,W.D. . 3pp. 92115:161-92115:163.

9703170178 Forwards request for addl info re use of ASME code cases N-508-1,N-509-,N-524 & 5-46.
DONOHEW,J.N. . 97/03/13. HAGAN,J.J. Entergy Operations, Inc. 8pp. 92131:325-92131:332.

9703200241 Transmits info pertaining to NRC staff review of weld defects in CE designed SG tube sleeves.
KALMAN,G. . 97/03/14. HUTCHINSON,C.R. Entergy Operations, Inc. 11pp. 92204:304-92204:314.

9703240205 Provides util required 180-day response to GL 96-05 request that licensees establish program,or ensure effectiveness of current program,to verify on periodic basis that SR MOVs continue to be capable of performing their safety functions.
DEWEASE,J.G. Entergy Operations, Inc. 97/03/17. Document Control Branch (Document Control Desk). 8pp. 92242:213-92242:220.

Q. Inspection reports, IE Bulletins & correspondence

9703050032 Forwards 1996 annual rept of SG tubing ISIs results from forced outage (2F96-1) which began on 961116.
MIMS,D.C. Entergy Operations, Inc. 97/02/27. Document Control Branch (Document Control Desk). 46pp. 91981:303-91981:348.

9703050231 Notification of licensee meeting on 970328 w/licensee to discuss two apparent violations involving inadequate FP design features for reactor coolant pump lube oil collection sys for units 1 & 2.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/28. Region 4 (Post 820201). 6pp. 91956:199-91956:204.

9703060251 Forwards insp repts 50-313/96-09 & 50-368/96-09 on 961222- 970201 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 91990:001-91990:034.

--9703060260 Insp repts 50-313/96-09 & 50-368/96-09 on 961222-970201. Violations noted.Major areas inspected:aspects of licensee operations,engineering,maint & plant support.
* Region 4 (Post 820201). 97/02/28. 25pp. 91990:008-91990:034.

9703100251 Forwards response to violations noted in Insp Repts 50-313/96-27 & 50-368/96-27.Corrective actions:evaluated training session immediately completed w/ Unit 2 shift engineer involved w/event.
MIMS,D.C. Entergy Operations, Inc. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92048:356-92048:360.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110165 Comments on GL 96-XX, "Effectiveness of Ultrasonic Testing Sys in ISI Program."
HUGHEY,W.K. Entergy Operations, Inc. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92121:084-92121:088.

9703130319 Comment supporting proposed generic communication, "Effectiveness of Ultrasonic Testing Systems in Inservice Inspection Programs."
HUGHEY,W.K. Entergy Operations, Inc. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92069:245-92069:249.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703260177 Ack receipt of 970303 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/96-27 & 50-368/96-27.Corrective actions will be reviewed during future inspection.
HOWELL,A.T. Region 4 (Post 820201). 97/03/21. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 92244:348-92244:351.

9703260189 Confirms telcon on 970318 re arangements made for NRC to inspect licensed operator requalification program at Arkansas Nuclear One facility.
HOWELL,A.T. Region 4 (Post 820201). 97/03/21. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 92244:343-92244:347.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050009 "Annual Occupational Exposure Data Rept for period from 960101-961231." W/970227 ltr.
MIMS,D.C. Entergy Operations, Inc. 96/12/31. 4pp. 91975:353-91975:356.

9703050015 "Semiannual Radioactive Effluent Release Rept for Third & Fourth Quarters of 1996." W/970227 ltr.
MIMS,D.C. Entergy Operations, Inc. 96/12/31. 49pp. 91982:251-91982:301.

9703050120 Forwards fitness for duty program performance data for period 960701-1231.
MIMS,D.C. Entergy Operations, Inc. 97/02/27. Document Control Branch (Document Control Desk). 6pp. 92003:278-92003:283.

9703070085 Provides annual diesel generator data rept for CY96.
MIMS,D.C. Entergy Operations, Inc. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92016:227-92016:228.

9703240192 Monthly operating rept for Feb 1997 for Arkansas Nuclear One,Unit 2.W/ 970317 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 97/02/28. 7pp. 92242:233-92242:239.

S. Reportable occurrences, LERs & related correspondence

9703070111 LER 97-001-00:on 970129,2R11 failed to identify existing tube flaws for further evaluation as required by SG tube surveillance program.Caused by personnel error.Entergy oversight of testing process increased.W/970228 ltr.
SCHEIDE,R.H., MIMS,D.C. Entergy Operations, Inc. 97/02/28. 6pp. 92074:285-92074:290.

9703110256 LER 97-002-00:on 970204,function providing automatic transfer of EFW pump suction source to SW inoperable.Caused by inadequate configuration control of instrument isolation valves.Valve lineup verification performed.W/970306 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 97/03/06. 8pp. 92109:048-92109:055.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703260189 Confirms telcon on 970318 re arangements made for NRC to inspect licensed operator requalification program at Arkansas Nuclear One facility.
HOWELL,A.T. Region 4 (Post 820201). 97/03/21. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 92244:343-92244:347.

Y. Dry Cask Independent Spent Fuel Storage Installations

9703260111 Submits commitments related to time limit for draining multi-assembly sealed basket.
MIMS,D.C. Centerior Energy. 97/03/21. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 3pp. 92257:262-92257:264.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703210298 Forwards public version of rev 3 to EPIP RP/0/A/5700/06, "Natural Disasters." W/970320 release memo.
BARRON,H.B. Duke Power Co. 97/02/20. Document Control Branch (Document Control Desk). 3pp. 92217:311-92217:343.

-9703210307 Public version of rev 3 to EPIP RP/0/A/5700/06, "Natural Disasters."
SMALL,J., HASTY,R.L. Duke Power Co. 97/02/20. 30pp. 92217:314-92217:343.

9703180232 Rev 3 to RP/0/A/5700/07, "Earthquake." W/970306 ltr.
SMALL,J., DOLAN,B., BARRON,H.B. Duke Power Co. 97/03/06. 16pp. 92197:001-92197:016.

9703120434 Summary of 970207 meeting w/licensee re security plan changes that are applicable to plants.
NERSES,V. . 97/03/07. . 19pp. 92079:211-92079:229.

9703190021 Submits Emergency Response Data Sys Changes.Util replacing Operator Aid Computer sys at all nuclear units,which will occur during current RO.Data Point Library info should be revised per New Point Data Sheets attached.
BARRON,H.B. Duke Power Co. 97/03/11. Document Control Branch (Document Control Desk). 76pp. 92197:213-92197:288.

9703210340 Forwards Rev 3 to security training & qualification plan.Rev withheld,per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92235:241-92235:243.

P. Operating license stage documents & correspondence

9703030533 Requests exemption from requirements of 10CFR50.71(e)(4) re submission of revs to UFSARs for plants.
TUCKMAN,M.S. Duke Power Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 91952:345-91952:348.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703110028 Forwards required periodic update of dialog between plant & vendor re recovered battery capacity following recharge.
BARRON,H.B. Duke Power Co. 97/03/04. Document Control Branch (Document Control Desk). 24pp. 92071:332-92071:355.

9703100144 Forwards corrected TS page 3/4 8-14 to amends 172 & 154 to licenses NPF-9 & NPF-17,respectively.Typographical error found in TS Surveillance Requirement 4.8.2.1.2.e.
NERSES,V. . 97/03/06. BARRON,H.B. Duke Power Co. 3pp. 92025:348-92025:352.

-9703100154 Corrected page 3/4 8-14 to amends 172 & 154 to licenses NPF-9 & NPF-17,respectively.Typographical error discovered in TS Surveillance Requirement 4.8.2.1.2.e where phrase "battery discharge test" should state "battery svc test."
* . 97/03/06. 2pp. 92025:351-92025:352.

9703240098 Submits 180-day response to GL 96-05 re periodic verification of design-basis capability of safety-related MOVs.
TUCKMAN,T.S. Duke Power Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92243:009-92243:014.

9703270299 Provides addl info re 970204 ltr requesting exemption to requirements of 10CFR70.24 re criticality accident requirements.
TUCKMAN,M.S. Duke Power Co. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92267:352-92267:357.

9703240137 Forwards amends 173 & 155 to licenses NPF-9 & NPF-17 & SE. Amends revise TS so that containment integrated leak rate Type A testing will now be performed consistent w/revised 10CFR50.
NERSES,V. . 97/03/21. BARRON,H.B. Duke Power Co. 3pp. 92218:018-92218:044.

-9703240141 Amends 173 & 155 to licenses NPF-9 & NPF-17,respectively, revising TS so that containment integrated leak rate Type A testing will now be performed consistent w/revised 10CFR50.
BERKOW,H.N. . 97/03/21. 20pp. 92218:021-92218:040.

-9703240142 Safety evaluation supporting amends 173 & 155 to licenses NPF-9 & NPF-17,respectively.
* . 97/03/21. 4pp. 92218:041-92218:044.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703280059 Forwards insp repts 50-369/97-02 & 50-370/97-02 on 970203-06.No violtions noted.
FREDRICKSON,P. Region 2 (Post 820201). 97/03/05. BARRON,B. Duke Power Co. 3pp. 92274:047-92274:057.

-9703280067 Insp repts 50-369/97-02 & 50-370/97-02 on 970203-06.No violations noted.Major area inspected:licensee plant support.
* Region 2 (Post 820201). 97/03/05. 8pp. 92274:050-92274:057.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703190047 Forwards response to NRC 970210 ltr re violations noted in insp repts 50-369/96-11 & 50-370/96-11.Corrective actions: Operations conducted two unannounced drills on 970108 to validate operator response times to Unit 1 valve vault.
BARRON,H.B. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92200:348-92200:354.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030492 "Tabulation of Number of Personnel & Person-Rem by Work & Job Function for 1996." W/970224 ltr.
BARRON,H.B. Duke Power Co. 96/12/31. 3pp. 91952:358-91952:360.

9703070199 Forwards fitness-for-duty performance data repts for period of Jul-Dec 1996.
TUCKMAN,M.S. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. 92031:146-92031:159.

9703190125 Forwards monthly operating rept for Feb 1997 for McGuire Nuclear Station & revised monthly operating rept for Jan 1997.
DIMMERY,T. Duke Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92201:237-92201:249.

-9703190129 Monthly operating repts for Feb 1997 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/02/28. 10pp. 92201:239-92201:248.

-9703190133 Revised monthly operating repts for Jan 1997 for McGuire Nuclear Station.
* Duke Power Co. 97/01/31. 1p. 92201:249-92201:249.

V. Operator Examinations

9703280041 Informs that NRC plans to adminster Generic Fundamentals Exam section of written operator licensing exam on 970409. Authorized representative of facility must submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. MCMEEKIN,T.C. Duke Power Co. 3pp. 92265:003-92265:005.

9703270102 Forwards response to questions raised during Region II 1996 NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. LINDSAY,A. Duke Power Co. 2pp. 92256:059-92256:060.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703210298 Forwards public version of rev 3 to EPIP RP/0/A/5700/06, "Natural Disasters." W/970320 release memo.
BARRON,H.B. Duke Power Co. 97/02/20. Document Control Branch (Document Control Desk). 3pp. 92217:311-92217:343.

-9703210307 Public version of rev 3 to EPIP RP/0/A/5700/06, "Natural Disasters."
SMALL,J., HASTY,R.L. Duke Power Co. 97/02/20. 30pp. 92217:314-92217:343.

9703180232 Rev 3 to RP/0/A/5700/07, "Earthquake." W/970306 ltr.
SMALL,J., DOLAN,B., BARRON,H.B. Duke Power Co. 97/03/06. 16pp. 92197:001-92197:016.

9703120434 Summary of 970207 meeting w/licensee re security plan changes that are applicable to plants.
NERSES,V. . 97/03/07. . 19pp. 92079:211-92079:229.

9703210340 Forwards Rev 3 to security training & qualification plan.Rev withheld,per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92235:241-92235:243.

P. Operating license stage documents & correspondence

9703030533 Requests exemption from requirements of 10CFR50.71(e)(4) re submission of revs to UFSARs for plants.
TUCKMAN,M.S. Duke Power Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 91952:345-91952:348.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703110028 Forwards required periodic update of dialog between plant & vendor re recovered battery capacity following recharge.
BARRON,H.B. Duke Power Co. 97/03/04. Document Control Branch (Document Control Desk). 24pp. 92071:332-92071:355.

9703170241 Responds to RAI which involved rev to portion of Federal Code under which plant submitted Relief Request M-96-003.
BARRON,H.B. Duke Power Co. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92177:038-92177:039.

9703100144 Forwards corrected TS page 3/4 8-14 to amends 172 & 154 to licenses NPF-9 & NPF-17,respectively.Typographical error found in TS Surveillance Requirement 4.8.2.1.2.e.
NERSES,V. . 97/03/06. BARRON,H.B. Duke Power Co. 3pp. 92025:348-92025:352.

--9703100154 Corrected page 3/4 8-14 to amends 172 & 154 to licenses NPF-9 & NPF-17,respectively.Typographical error discovered in TS Surveillance Requirement 4.8.2.1.2.e where phrase "battery discharge test" should state "battery svc test."
* . 97/03/06. 2pp. 92025:351-92025:352.

9703240098 Submits 180-day response to GL 96-05 re periodic verification of design-basis capability of safety-related MOVs.
TUCKMAN,T.S. Duke Power Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92243:009-92243:014.

9703270299 Provides addl info re 970204 ltr requesting exemption to requirements of 10CFR70.24 re criticality accident requirements.
TUCKMAN,M.S. Duke Power Co. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92267:352-92267:357.

9703240137 Forwards amends 173 & 155 to licenses NPF-9 & NPF-17 & SE. Amends revise TS so that containment integrated leak rate Type A testing will now be performed consistent w/revised 10CFR50.
NERSES,V. . 97/03/21. BARRON,H.B. Duke Power Co. 3pp. 92218:018-92218:044.

--9703240141 Amends 173 & 155 to licenses NPF-9 & NPF-17,respectively, revising TS so that containment integrated leak rate Type A testing will now be performed consistent w/revised 10CFR50.
BERKOW,H.N. . 97/03/21. 20pp. 92218:021-92218:040.

--9703240142 Safety evaluation supporting amends 173 & 155 to licenses NPF-9 & NPF-17,respectively.
* . 97/03/21. 4pp. 92218:041-92218:044.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703280059 Forwards insp repts 50-369/97-02 & 50-370/97-02 on 970203-06.No violtions noted.
FREDRICKSON,P. Region 2 (Post 820201). 97/03/05. BARRON,B. Duke Power Co. 3pp. 92274:047-92274:057.

--9703280067 Insp repts 50-369/97-02 & 50-370/97-02 on 970203-06.No violations noted.Major area inspected:licensee plant support.
* Region 2 (Post 820201). 97/03/05. 8pp. 92274:050-92274:057.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703190047 Forwards response to NRC 970210 ltr re violations noted in insp repts 50-369/96-11 & 50-370/96-11.Corrective actions: Operations conducted two unannounced drills on 970108 to validate operator response times to Unit 1 valve vault.
BARRON,H.B. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92200:348-92200:354.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030492 "Tabulation of Number of Personnel & Person-Rem by Work & Job Function for 1996." W/970224 ltr.
BARRON,H.B. Duke Power Co. 96/12/31. 3pp. 91952:358-91952:360.

9703070199 Forwards fitness-for-duty performance data repts for period of Jul-Dec 1996.
TUCKMAN,M.S. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. 92031:146-92031:159.

9703190125 Forwards monthly operating rept for Feb 1997 for McGuire Nuclear Station & revised monthly operating rept for Jan 1997.
DIMMERY,T. Duke Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92201:237-92201:249.

--9703190129 Monthly operating repts for Feb 1997 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/02/28. 10pp. 92201:239-92201:248.

--9703190133 Revised monthly operating repts for Jan 1997 for McGuire Nuclear Station.
* Duke Power Co. 97/01/31. 1p. 92201:249-92201:249.

V. Operator Examinations

9703280041 Informs that NRC plans to adminster Generic Fundamentals Exam section of written operator licensing exam on 970409. Authorized representative of facility must submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. MCMEEKIN,T.C. Duke Power Co. 3pp. 92265:003-92265:005.

9703270102 Forwards response to questions raised during Region II 1996 NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. LINDSAY,A. Duke Power Co. 2pp. 92256:059-92256:060.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703060204 Rev 1 to LZP-1260-6, "Handling Personnel Injuries."
* Commonwealth Edison Co. 97/02/12. 26pp. 92003:328-92003:353.

9703060275 Forwards suppls response to unresolved NRC Insp Repts 50-373/96-11 & 50-374/96-11.Corrective actions:hot shutdown achieved by automatic reactor scram w/full isolations.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 6pp. 92000:345-92000:350.

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703070097 Rev 6j to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex LaSalle County Nuclear Power Station."
* Commonwealth Edison Co. 97/02/28. 28pp. 92030:271-92030:298.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210064 Confirms plans to conduct routine mgt meeting at 1 pm on 970317 at Mazon Emergency Operations Facility to discuss status of LaSalle issues & effectiveness of plant performance improvement actions.
LEACH,M.N. Region 3 (Post 820201). 97/03/10. SUBALUSKY,W.T. Commonwealth Edison Co. 2pp. 92210:298-92210:299.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

P. Operating license stage documents & correspondence

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9307130155 Informs that some licensees experienced problems w/Merlin Gerin software.Licensees instructed to avoid using ADS & software error corrected soon after initial licensee rept of difficulty.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/07/07. COOPER,R.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). NORELIUS,C.E. Region 3 (Post 820201). 2pp. 92284:224-92284:225.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703190034 Informs that station has decided to eliminate Main Control Room from RPA & to adjust boundary of RPA accordingly.Change upgrades station operator work environment.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92201:160-92201:161.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

9703250058 Fulfills 30 day reporting requirement of 10CFR50.45(a)(3) for LaSalle County Nuclear Power Station,Units 1 & 2.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 11pp. 92251:279-92251:289.

Q. Inspection reports, IE Bulletins & correspondence

9703050494 Suppls response to violations noted in insp repts 50-373/96-11 & 50-374/96-11.Corrective actions:on 970104, NEP-12-03LA,Rev 2,LaSalle Nuclear Design info transmittal (NDIT) site,App voided.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91986:357-91986:359.

9703060149 Responds to NRC 970124 ltr re violations noted in insp repts 50-373/96-09 & 50-374/96-09.Corrective actions:reviewed backlog of Action Requests (AR),reclassified ARs & revised LAP-1300-01, "Action/Work Request Processing."
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/24. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 21pp. 92011:324-92011:344.

9703060275 Forwards suppls response to unresolved NRC Insp Repts 50-373/96-11 & 50-374/96-11.Corrective actions:hot shutdown achieved by automatic reactor scram w/full isolations.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 6pp. 92000:345-92000:350.

9703050487 Responds to NRC 970129 ltr re violations noted in insp repts 50-373/96-13 & 50-374/96-13.Corrective actions:revised procedure LAP-820-4, "Temporary Procedures Changes," & developed supplemental instructions to troublshoot leak.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. 91999:254-91999:267.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210273 Responds to NRC 970213 ltr re violations noted in insp repts 50-373/96-18 & 50-374/96-18.Corrective actions:procedure use & adherence expectations procedure,LAP-100-40 was clarified.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/13. Document Control Branch (Document Control Desk). 3pp. 92235:246-92235:248.

9703210283 Responds to NRC 970213 ltr re violations noted in insp repts 50-373/96-13,50-374/96-13,50-373-96-18 & 50-374/96-18.CAs: mod to Unit 1 drain pot piping will be installed prior to Unit 1 restart to prevent recurrence of rupture disk event.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/14. Document Control Branch (Document Control Desk). 23pp. 92235:029-92235:051.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703260325 Responds to NRC ltr re violations noted in insp repts 50-373/96-19 & 50-374/96-19.Corrective actions:Site Engineering Manager required that all NDITs be approved by Engineering Dept Head prior to issue on 970103.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 7pp. 92253:342-92253:348.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703260181 Forwards SER re 960904 ltr submitting relief requests CR-17 & CR-18 for second 10-year inservice insp interval, requesting relief from performing ASME Boiler & Pressure Vessel Code.Relief granted.
CAPRA,R.A. . 97/03/24. JOHNSON,I. Commonwealth Edison Co. 2pp. 92248:228-92248:235.

--9703260183 Safety evaluation of second 10-year interval inservice insp program plan requests for relief CR-17 & CR-18 Commonwealth Edison Co,LaSalle County Station,Units 1 & 2.
* . 97/03/24. 6pp. 92248:230-92248:235.

R. Periodic operating reports & related correspondence

9703050138 "Annual Rept for LaSalle County Nuclear Power Station for Jan-Dec 1996." W/970228 ltr.
DACIMO,F. Commonwealth Edison Co. 96/12/31. 86pp. 91982:001-91982:086.

9703060101 "Effluent & Waste Disposal Semi-Annual Rept Jul-Dec 1996." W/970228 ltr.
DACIMO,F. Commonwealth Edison Co. 96/12/31. 25pp. 92012:021-92012:045.

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703100271 Monthly operating repts for Feb 1997 for LaSalle County Station.W/970304 ltr.
CALFA,L., DACIMO,F. Commonwealth Edison Co. 97/02/28. 13pp. 92039:344-92039:356.

S. Reportable occurrences, LERs & related correspondence

9703050460 LER 96-015-01:on 961126,declared diesel driven fire suppression pumps inoperable due to misinterpretation of TS. Will change frequency for performing maint to correspond w/ TS frequency.W/970225 ltr.
VICKERS,R., DACIMO,F. Commonwealth Edison Co. 97/02/25. 6pp. 92039:029-92039:034.

9703060274 Special rept:on 970218,new seismic monitor equipment was installed.Dimensional incompatibilities was discovered between existing & new equipment.New seismic monitor will be installed,tested & placed in svc by 970306.
DACIMO,F. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92000:343-92000:344.

9703100267 LER 97-002-00:on 970203,main control room & auxiliary equipment room ventilation sys found outside design basis due to inadequate initial design.Will perform analysis to determine whether sys was capable of function.W/970305 ltr.
PANDE,R.P., DACIMO,F. Commonwealth Edison Co. 97/03/05. 5pp. 92048:345-92048:349.

9703260146 LER 97-003-00:on 970213,inadequate procedure for racking 4.16 KV switchgear breakers results in seismically unqualified condition outside design basis.Caused by incomplete procedures.Procedures revised.W/970317 ltr.
MALLAVARAPU,L., DACIMO,F. Commonwealth Edison Co. 97/03/17. 6pp. 92275:137-92275:142.

9703260156 LER 97-004-00:on 970214,discovered that incomplete understanding of engineered safety features occurred.Caused by incomplete understanding of verbatim requirements of TS. TS change submitted.W/970317 ltr.
BURNS,W., DACIMO,R. Commonwealth Edison Co. 97/03/17. 5pp. 92275:150-92275:155.

V. Operator Examinations

9703240232 Requests termination of senior reactor operator license for AA Clark,SOP-30977-1.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/05. Document Control Branch (Document Control Desk). 1p. 92236:218-92236:218.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703200383 Forwards operator licensing exam which was administered during wk of 961216 at Lasalle.
BIES,M.A. Region 3 (Post 820201). 97/03/13. NRC - No Detailed Affiliation Given. 1,074pp. 92185:001-92187:346.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703060204 Rev 1 to LZP-1260-6, "Handling Personnel Injuries."
* Commonwealth Edison Co. 97/02/12. 26pp. 92003:328-92003:353.

9703060275 Forwards suppls response to unresolved NRC Insp Repts 50-373/96-11 & 50-374/96-11.Corrective actions:hot shutdown achieved by automatic reactor scram w/full isolations.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 6pp. 92000:345-92000:350.

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703070097 Rev 6j to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex LaSalle County Nuclear Power Station."
* Commonwealth Edison Co. 97/02/28. 28pp. 92030:271-92030:298.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210064 Confirms plans to conduct routine mgt meeting at 1 pm on 970317 at Mazon Emergency Operations Facility to discuss status of LaSalle issues & effectiveness of plant performance improvement actions.
LEACH,M.N. Region 3 (Post 820201). 97/03/10. SUBALUSKY,W.T. Commonwealth Edison Co. 2pp. 92210:298-92210:299.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

P. Operating license stage documents & correspondence

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9307130155 Informs that some licensees experienced problems w/Merlin Gerin software.Licensees instructed to avoid using ADS & software error corrected soon after initial licensee rept of difficulty.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/07/07. COOPER,R.W. Region 1 (Post 820201). 2pp. 92284:224-92284:225.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703190034 Informs that station has decided to eliminate Main Control Room from RPA & to adjust boundary of RPA accordingly.Change upgrades station operator work environment.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92201:160-92201:161.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

9703250058 Fulfills 30 day reporting requirement of 10CFR50.45(a)(3) for LaSalle County Nuclear Power Station,Units 1 & 2.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 11pp. 92251:279-92251:289.

Q. Inspection reports, IE Bulletins & correspondence

9703050494 Suppls response to violations noted in insp repts 50-373/96-11 & 50-374/96-11.Corrective actions:on 970104, NEP-12-03LA,Rev 2,LaSalle Nuclear Design info transmittal (NDIT) site,App voided.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91986:357-91986:359.

9703060149 Responds to NRC 970124 ltr re violations noted in insp repts 50-373/96-09 & 50-374/96-09.Corrective actions:reviewed backlog of Action Requests (AR),reclassified ARs & revised LAP-1300-01, "Action/Work Request Processing."
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/24. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 21pp. 92011:324-92011:344.

9703060275 Forwards suppls response to unresolved NRC Insp Repts 50-373/96-11 & 50-374/96-11.Corrective actions:hot shutdown achieved by automatic reactor scram w/full isolations.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 6pp. 92000:345-92000:350.

9703050487 Responds to NRC 970129 ltr re violations noted in insp repts 50-373/96-13 & 50-374/96-13.Corrective actions:revised procedure LAP-820-4, "Temporary Procedures Changes," & developed supplemental instructions to troublshoot leak.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. 91999:254-91999:267.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210273 Responds to NRC 970213 ltr re violations noted in insp repts 50-373/96-18 & 50-374/96-18.Corrective actions:procedure use & adherence expectations procedure,LAP-100-40 was clarified.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/13. Document Control Branch (Document Control Desk). 3pp. 92235:246-92235:248.

9703210283 Responds to NRC 970213 ltr re violations noted in insp repts 50-373/96-13,50-374/96-13,50-373-96-18 & 50-374/96-18.CAs: mod to Unit 1 drain pot piping will be installed prior to Unit 1 restart to prevent recurrence of rupture disk event.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/14. Document Control Branch (Document Control Desk). 23pp. 92235:029-92235:051.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703260325 Responds to NRC ltr re violations noted in insp repts 50-373/96-19 & 50-374/96-19.Corrective actions:Site Engineering Manager required that all NDITs be approved by Engineering Dept Head prior to issue on 970103.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/21. Document Control Branch (Document Control Desk). 7pp. 92253:342-92253:348.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703260181 Forwards SER re 960904 ltr submitting relief requests CR-17 & CR-18 for second 10-year inservice insp interval, requesting relief from performing ASME Boiler & Pressure Vessel Code.Relief granted.
CAPRA,R.A. . 97/03/24. JOHNSON,I. Commonwealth Edison Co. 2pp. 92248:228-92248:235.

--9703260183 Safety evaluation of second 10-year interval inservice insp program plan requests for relief CR-17 & CR-18 Commonwealth Edison Co,LaSalle County Station,Units 1 & 2.
* . 97/03/24. 6pp. 92248:230-92248:235.

R. Periodic operating reports & related correspondence

9703050138 "Annual Rept for LaSalle County Nuclear Power Station for Jan-Dec 1996." W/970228 ltr.
DACIMO,F. Commonwealth Edison Co. 96/12/31. 86pp. 91982:001-91982:086.

9703060101 "Effluent & Waste Disposal Semi-Annual Rept Jul-Dec 1996." W/970228 ltr.
DACIMO,F. Commonwealth Edison Co. 96/12/31. 25pp. 92012:021-92012:045.

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703100271 Monthly operating repts for Feb 1997 for LaSalle County Station.W/970304 ltr.
CALFA,L., DACIMO,F. Commonwealth Edison Co. 97/02/28. 13pp. 92039:344-92039:356.

S. Reportable occurrences, LERs & related correspondence

9703060274 Special rept:on 970218,new seismic monitor equipment was installed.Dimensional incompatibilities was discovered between existing & new equipment.New seismic monitor will be installed,tested & placed in svc by 970306.
DACIMO,F. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92000:343-92000:344.

V. Operator Examinations

9703240232 Requests termination of senior reactor operator license for AA Clark,SOP-30977-1.
SUBALUSKY,W.T. Commonwealth Edison Co. 97/03/05. Document Control Branch (Document Control Desk). 1p. 92236:218-92236:218.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703200383 Forwards operator licensing exam which was administered during wk of 961216 at Lasalle.
BIES,M.A. Region 3 (Post 820201). 97/03/13. NRC - No Detailed Affiliation Given. 1,074pp. 92185:001-92187:346.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703100168 Forwards revised EPIPs,including rev 24 to EP-002-010,rev 6 to EP-002-015,rev 24 to EP-002-100,rev 22 to EP-002-101,rev 16 to EP-002-130 & rev 14 to EP-002-190.Proprietary rev 18 to EP-002-010 & rev 6 to EP-002-015 also encl & withheld.
GAUDET,T.J. Entergy Operations, Inc. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92046:033-92046:357.

--9703100182 Revised EPIPs,including rev 24 to EP-002-010,rev 6 to EP-002-015,rev 24 to EP-002-100,rev 22 to EP-002-101,rev 16 to EP-002-130,rev 14 to EP-002-190,rev 13 to EP-003-050 & rev 6,change 1 to EP-004-010.
* Entergy Operations, Inc. 97/02/17. 300pp. 92046:035-92046:357.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

9703240009 Ack ltr of 970221 in response to SALP rept dtd 970106 & forwards revised plant support section of SALP rept 50-382/96-99.
MERSCHOFF,E.W. Region 4 (Post 820201). 97/03/17. DUGGER,C.M. Entergy Operations, Inc. 5pp. 92220:097-92220:106.

--9703240183 Revised plant support section of SALP rept 50-382/96-99.
* Region 4 (Post 820201). 97/03/17. 1p. 92220:102-92220:106.

H. General correspondence

9703120357 Questions whether MYAPS mgt should be going south to help Entergy w/ problems instead of reverse.
BLANCH,P. Affiliation Not Assigned. 97/01/16. ZWOLINSKI,J.A. . 2pp. 92108:094-92108:095.

--9703130247 Discusses decision to name Seldman as replacement for C Frizzle.
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 1p. 92108:152-92108:152.

K. Utility Final Safety Analysis Report (FSAR) & amends

9703130090 Informs that decision made to de-control off-site UFSAR manuals due to identified quality deficiency re tracking of receipt acks for UFSAR updates.Offsite copies proposed to be deleted from controlled copy listing shown as submitted.
BYRD,R.W. Entergy Operations, Inc. 97/03/03. NRC - No Detailed Affiliation Given. 2pp. 92128:138-92128:139.

P. Operating license stage documents & correspondence

9703030024 Notification of licensee meeting w/util on 970324 to discuss update of W3 FOCUS plan.
HOWELL,A.T. Region 4 (Post 820201). 97/02/25. Region 4 (Post 820201). 5pp. 91931:001-91931:005.

9703030229 Requests that Waterford 3 portion of change affecting EDG fuel oil be withdrawn & proposed changes that added 6.8.4.h,Actions g,h & i be deleted.
GAUDET,T.J. Entergy Operations, Inc. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 91958:023-91958:053.

--9703030231 Proposed tech specs requesting that proposed changes that added 6.8.4.h,Actions g,h & i be deleted & portion of change affecting EDG fuel oil be withdrawn.
* Entergy Operations, Inc. 97/02/27. 29pp. 91958:025-91958:053.

9703030403 Advises that current EOI programs for snubbers will still be acceptable for next intervals based on current EOI snubber programs adequate as requirements specified in ASME Code, Section XI,1989 Edition.
BECKNER,W.D. . 97/02/28. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91932:344-91932:350.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

9703070148 Forwards staff evaluation rept of plant,unit 3 IPE submittal for internal events & internal flood & TER.
PATEL,C.P. . 97/03/04. DUGGER,C.M. Entergy Operations, Inc. 11pp. 91998:232-91998:316.

--9703070154 Revised, "TER of IPE Submittal & RAI Responses for Waterford-3 Steam Electric Station."
MUSICKI,Z., LIN,C.C. Brookhaven National Laboratory. FORESTER,J. Sandia National Laboratories. FIN W-6449. 97/02/26. Office of Nuclear Regulatory Research (Post 941217). 73pp. 91998:243-91998:316.

9703130014 Ack receipt of 970206 response to 961009 request for info per 10CFR50.54(f) re adequacy & availabilty of design bases info.No addl info needed.
PATEL,C.P. . 97/03/07. DUGGER,C.M. Entergy Operations, Inc. 3pp. 92107:341-92107:343.

9703140013 Withdraws request to delete visual exam of piping determined to be not readily accessible during operation.
GAUDET,T.J. Entergy Operations, Inc. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92137:350-92137:351.

9703170178 Forwards request for addl info re use of ASME code cases N-508-1,N-509-,N-524 & 5-46.
DONOHEW,J.N. . 97/03/13. HAGAN,J.J. Entergy Operations, Inc. 8pp. 92131:325-92131:332.

9703190092 Requests that listed portions of change affecting EDG fuel oil be withdrawn.
GAUDET,T.J. Entergy Operations, Inc. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92205:306-92205:307.

9703190103 Responds to RAI re TS change request NPF-38-188,permitting use of 10CFR50,App J,Option B for performance-based containment leakage testing for type A,B & C leak rate testing.
GAUDET,T.J. Entergy Operations, Inc. 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92201:212-92201:222.

--9703190106 Proposed tech specs re 10CFR50,App J,Option B performance- based containment leakage testing for type A,B & C leak rate testing.
* Entergy Operations, Inc. 97/03/14. 8pp. 92201:215-92201:222.

9703200049 Requests that TS Bases Change be withdrawn,per conversation w/staff.
GAUDET,T.J. Entergy Operations, Inc. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92205:272-92205:273.

9703190066 Provides addl info to resolve discrepancy re design & testing of containment vacuum relief instrument sensing lines penetrating primary containment.
GAUDET,T.J. Entergy Operations, Inc. 97/03/17. Document Control Branch (Document Control Desk). 7pp. 92201:326-92201:332.

9703240205 Provides util required 180-day response to GL 96-05 request that licensees establish program,or ensure effectiveness of current program,to verify on periodic basis that SR MOVs continue to be capable of performing their safety functions.
DEWEASE,J.G. Entergy Operations, Inc. 97/03/17. Document Control Branch (Document Control Desk). 8pp. 92242:213-92242:220.

9703200238 Notification of 970321 meeting w/util in Rockville,MD to discuss containment isolation design & licensing basis for facility.
PATEL,C.P. . 97/03/18. BECKNER,W.D. . 4pp. 92195:311-92195:314.

9703270195 Forwards corrected amend 123 to license NPF-38.TS page 3/4 7-14 contained typo introduced by NRC staff & 9* under wet cooling tower should be removed.
PATEL,C.P. . 97/03/25. DUGGER,C.M. Entergy Operations, Inc. 3pp. 92275:223-92275:227.

--9703280208 Correction to amend 123 to license NPF-38.TS page 3/4 7-14 contained typo introduced by NRC staff & 9* under wet cooling tower should be removed.
* . 97/03/25. 2pp. 92275:226-92275:227.

9703280038 Forwards engineering evaluation of nitrogen gas pockets in LPSI piping for review.
EWING,E.C. Entergy Operations, Inc. 97/03/26. Document Control Branch (Document Control Desk). 14pp. 92271:045-92271:062.

--9703280042 "Water Hammer Analysis:LPSI 'B'"
SALMON,M.A. Sargent & Lundy, Inc. EC-M97-002 R00. 97/01/29. 4pp. 92271:059-92271:062.

Q. Inspection reports, IE Bulletins & correspondence

9703050232 Ack receipt of 970206 suppl ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/96-24.
HOWELL,A.T. Region 4 (Post 820201). 97/02/27. DUGGER,C.M. Entergy Operations, Inc. 5pp. 91956:186-91956:198.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130113 Forwards insp rept 50-382/97-03 on 970203-28.Violations noted but not cited & being considered for escalated enforcement action.
HOWELL,A.T. Region 4 (Post 820201). 97/03/07. DUGGER,C.M. Entergy Operations, Inc. 5pp. 92078:074-92078:091.

--**9703130120** Insp rept 50-382/97-03 on 970203-28.Violation cited but not noted.Major areas inspected:TS requirement for component cooling water flow through containment fan coolers.
* Region 4 (Post 820201). 97/03/07. 10pp. 92078:079-92078:091.

9703120070 Responds to violations noted in insp rept 50-382/96-14. Corrective actions:emphasized expectations re procedure MI-003-431 & performed testing to determine flow & pressure were set at vendor recommended values.
GAUDET,T.J. Entergy Operations, Inc. 97/03/10. Document Control Branch (Document Control Desk). 7pp. 92125:137-92125:143.

9703140039 Revises relief request ISI-017,rev 1,App 2 to read as listed re authorization requested per 10CFR50.55a(a)(3)(ii).
GAUDET,T.J. Entergy Operations, Inc. 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92137:358-92137:359.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703170083 Notification of licensee meeting w/util on 970408 to discuss inadequate containment fan cooler flows.
HOWELL,A.T. Region 4 (Post 820201). 97/03/13. Region 4 (Post 820201). 5pp. 92116:296-92116:300.

9703240009 Ack ltr of 970221 in response to SALP rept dtd 970106 & forwards revised plant support section of SALP rept 50-382/96-99.
MERSCHOFF,E.W. Region 4 (Post 820201). 97/03/17. DUGGER,C.M. Entergy Operations, Inc. 5pp. 92220:097-92220:106.

--**9703240183** Revised plant support section of SALP rept 50-382/96-99.
* Region 4 (Post 820201). 97/03/17. 1p. 92220:102-92220:106.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280329 Forwards insp rept 50-382/97-01 on 970127-31 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/03/21. DUGGER,C.M. Entergy Operations, Inc. 5pp. 92277:089-92277:133.

--**9703280334** Notice of violation from insp on 970127-31.Violation noted: as of 970131,safety-related containment atmospheric release sys was not included in licensee 10CFR50.65 monitoring program scope.
* Region 4 (Post 820201). 97/03/21. 3pp. 92277:094-92277:096.

--**9703280338** Insp rept 50-382/97-01 on 970127-31.Violations noted. Major areas inspected:operations,maint & engineering.
* Region 4 (Post 820201). 97/03/21. 37pp. 92277:097-92277:133.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280205 Ack receipt of 970310 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/96-14.
GWYNN,T.P. Region 4 (Post 820201). 97/03/24. DUGGER,C.M. Entergy Operations, Inc. 4pp. 92265:150-92265:161.

9703280276 Forwards insp rept 50-382/97-02 on 970112-0222 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 97/03/24. DUGGER,C.M. Entergy Operations, Inc. 4pp. 92290:130-92290:162.

--**9703280280** Notice of violation from insp on 970112-0222.Violation noted:as of 970218,licensee did not perform surveys required by 10CFR20.1501 that resulted in failure to post "Caution, Radioactive Matl" sign.
* Region 4 (Post 820201). 97/03/24. 2pp. 92290:135-92290:136.

--**9703280285** Insp rept 50-382/97-02 on 970112-0222.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 97/03/24. 24pp. 92290:137-92290:162.

R. Periodic operating reports & related correspondence

9703190102 Monthly operating rept for Feb 1997 for Waterford 3.W/970317 ltr.
FREEMAN,D.S., GAUDET,T.J. Entergy Operations, Inc. 97/02/28. 7pp. 92205:329-92205:335.

9703050240 Forwards fitness for duty performance data for six month period from 960701-1231.
GAUDET,T.J. Entergy Operations, Inc. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92003:185-92003:189.

S. Reportable occurrences, LERs & related correspondence

9703040259 LER 97-001-00:on 970129,RG 1.97 containment isolation valve does not have "direct" position indication.Caused by incorrect judgement was made that EFW FCVs had adequate position.Condition Rept 96-1658 was generated.W/970227 ltr.
GAUDET,T.J., LEONARD,T.R. Entergy Operations, Inc. 97/02/27. 9pp. 91990:316-91990:324.

9703050179 LER 97-003-00:on 970130,process analog computer card failed on essential services chilled water train B.Caused by open fuse on process analog control.New PAC card installed & calibrated.W/970303 ltr.
GAUDET,T.J., LEONARD,T.R. Entergy Operations, Inc. 97/03/03. 7pp. 91991:028-91991:035.

9703060082 LER 97-002-00:on 970130,72 h administrative action statement entered due to declaring shutdown cooling HX B inlet & outlet valves SI-125B & SI-412B inoperable.Valves declared operable after installation of relief devices.W/970303 ltr.
GROPP,P.A., LEONARD,T.R. Entergy Operations, Inc. 97/03/03. 9pp. 92039:040-92039:049.

9703100263 LER 97-004-00:on 971031,determined interpretation of TS surveillance 4.6.2.2.B.2 was incorrect.Caused by plant not meeting flow rate specified in TS surveillance requirement. DCT tube cleaned.W/970306 ltr.
GAUDET,T.J., LEONARD,T.R. Entergy Operations, Inc. 97/03/06. 10pp. 92108:325-92108:334.

9703120019 LER 97-005-00:on 890715,failure to perform coolant low flow trip operating bypass surveillance occurred.Caused by failure to implement procedural controls to test reactor coolant low flow bypass.Event will be reviewed.W/970310 ltr.
JARRELL,J., LEONARD,T.R. Entergy Operations, Inc. 97/03/10. 8pp. 92208:246-92208:253.

9703260222 LER 97-006-00:on 970221,discovered void at Penetration 39 during ultrasonic testing of LPSI.Caused by TS 4.5.2j not being completed post-maint.Invoked TS Requirement Surveillance 4.0.3 to complete TS 4.5.2j.W/970324 ltr.
GAUDET,T., LEONARD,T.R. Entergy Operations, Inc. 97/03/24. 8pp. 92275:156-92275:165.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-384 INDONESIA RESEARCH REACTOR

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

DOCKET 50-385 TAKAHAMA, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9511080173 Forwards safety evaluation of licensee amend re flood protection for plant,units 1 & 2.Proposal to modify SRs re dune survey & mangrove swamp monitoring for both units & relocate to FSAR acceptable.
BAGCHI,G. . 95/11/03. MATTHEWS,D.B. . 2pp. 92286:293-92286:294.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703190072 Informs of intention to install modifications to resolve concerns re info notice 92-018 to support completion of review & safety evaluation of SSES Fire Protection Safe Shutdown Methodology.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 1p. 92198:356-92198:356.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

-9703100029 Partially withheld memo re Director Decision 96-18 re petition filed by P Blanch on 940413.
HOLIAN,B. NRC - No Detailed Affiliation Given. 96/11/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 92038:215-92038:215.

P. Operating license stage documents & correspondence

9703030425 Forwards amends 163 & 134 to licenses NPF-14 & NPF-22 & safety evaluation.Amends change TS 3.6.1.2 for each unit to permit primary containment leakage testing of MSIVs at either 22.5 psig or 45 psig according to type of test.
POSLUSNY,C. . 97/02/25. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 91940:315-91940:329.

-9703030441 Amends 163 & 134 to licenses NPF-14 & NPF-22 changing TS 3.6.1.2 for each unit to permit primary containment leakage testing of MSIVs at either 22.5 psig or 45 psig according to type of test to be conducted.
STOLZ,J.F. . 97/02/25. 8pp. 91940:319-91940:326.

-9703030443 Safety evaluation supporting amends 163 & 134 to licenses NPF-14 & NPF-22.
* . 97/02/25. 3pp. 91940:327-91940:329.

9703060365 Forwards notice of consideration of issuance of amends to facility operating licenses & opportunity for hearing.
POSLUSNY,C. . 97/02/28. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 91992:349-91992:356.

-9703060372 Notice of consideration of issuance of amends to licenses NPF-14 & NPF-22 & proposed NSHC determination & opportunity for hearing.Amends would change TSs to include sections that would define & permit withdrawal of control rods.
STOLZ,J.F. . 97/02/28. 5pp. 91992:352-91992:356.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

-9609090095 Forwards agenda for 960911-12 IPE Senior Review Board meeting in Rockville,MD to discuss contractor-developed technical evaluation repts for St Lucie & Comanche Peak & staff evaluation rept for Susquehanna.
HODGES,M.W. Division of Systems Technology (Post 941217). 96/08/13. MILLER,H.J. Region 1 (Post 820201). 3pp. 92287:014-92287:016.

9703130166 Forwards SE granting plant relief requests 1RR-24 & 2RR-21 re 10-yr interval inservice insp program plan.
STOLZ,J.F. . 97/03/07. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92109:220-92109:228.

-9703130190 SE authorizing relief requests 1RR-24 & 2RR-21 for Units 1 & 2,respectively re first 10-yr interval inservice insp program plan.
* . 97/03/07. 6pp. 92109:223-92109:228.

9703130190 SE authorizing relief requests 1RR-24 & 2RR-21 for Units 1 & 2,respectively re first 10-yr interval inservice insp program plan.
* . 97/03/07. 6pp. 92109:223-92109:228.

9703190157 Provides response to NRC staff RAI dtd 970115 re electrical isolation at Susquehanna SES.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/10. Document Control Branch (Document Control Desk). 12pp. 92201:274-92201:285.

9703240210 Forwards monthly operating rept for Feb 1997 for Susquehanna Steam Electric Station,Units 1 & 2 & rev 7 to ODCM.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92247:027-92247:257.

-9703250010 Rev 7 to "Susquehanna SES ODCM."
* Pennsylvania Power & Light Co. 97/01/30. 222pp. 92247:036-92247:257.

9703250049 Submits proposed rev which changes total allowed secondary containment bypass leakage from 5 scfh to 9 scfh,based on revised offsite dose analysis.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 11pp. 92248:345-92248:359.

-9703250051 Proposed tech specs changing total allowed secondary containment bypass leakage from 5 scfh to 9 scfh,based on revised offsite dose analysis.
* Pennsylvania Power & Light Co. 97/03/17. 4pp. 92248:356-92248:359.

9703270240 Provides response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 12pp. 92268:001-92268:012.

9703250011 Forwards proprietary calculation EC-RADN-1028,Rev 0, "SSES Design Basis LOCA Dose Consequence Evaluation Determining Allowable Containment Bypass Leakage Including Effects of Suppression...." Calculation withheld.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 6pp. 92257:100-92257:105.

9703210186 Notification of 970325 meeting w/util in North Bethesda,MD to discuss NRC staff comments on licensee ITS submittal.
POSLUSNY,C. . 97/03/19. STOLZ,J.F. . 4pp. 92220:311-92220:314.

9703270255 Submits RAI re TS change requests to convert to improve TS (PLA-4488),for plant,units 1 & 2.
POSLUSNY,C. . 97/03/24. BYRAM,R.G. Pennsylvania Power & Light Co. 142pp. 92259:001-92259:142.

9703280235 Documents correction to ltr dtd 970213,responding to NRC request for addl info re adequacy & availability of design bases info.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/24. Document Control Branch (Document Control Desk). 2pp. 92280:056-92280:057.

Q. Inspection reports, IE Bulletins & correspondence

9703030148 Informs that predecisional enforcement conference on 961112 re insp conducted at plant during periods of 960611-960730 has been rescheduled for 970321.W/o encl.
COOPER,R.W. . 97/02/19. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 91931:035-91931:039.

9703100005 Responds to NRC 970129 ltr re violations noted in insp repts 50-387/96-13 & 50-388/96-13.Corrective actions:closed HELB doors,issued ltr re HELB door violations & assigned HELB door responsibility under site engineering organization.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92048:319-92048:323.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130166 Forwards SE granting plant relief requests 1RR-24 & 2RR-21 re 10-yr interval inservice insp program plan.
STOLZ,J.F. . 97/03/07. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92109:220-92109:228.

-9703130190 SE authorizing relief requests 1RR-24 & 2RR-21 for Units 1 & 2,respectively re first 10-yr interval inservice insp program plan.
* . 97/03/07. 6pp. 92109:223-92109:228.

9703140008 Ack receipt of 970303 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/96-13 & 50-388/96-13.
PASCIAK,W.J. Region 1 (Post 820201). 97/03/07. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92106:153-92106:160.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703180166 Notification of significant licensee meeting 97-28 w/util on 970321 predecisional enforcement conference to address inoperability of "E" emergency diesel generator for 20 days.
PASCIAK,W.J. Region 1 (Post 820201). 97/03/12. Region 1 (Post 820201). 2pp. 92134:219-92134:220.

9703190072 Informs of intention to install modifications to resolve concerns re info notice 92-018 to support completion of review & safety evaluation of SSES Fire Protection Safe Shutdown Methodology.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 1p. 92198:356-92198:356.

9703190155 Requests approval of revision to Relief Request RRPT-7 to ISI Pressure Test Program for plant,Units 1 & 2.Alternate provisions,listed.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92206:329-92206:335.

9703190156 Requests approval of revision to Relief Request RRPT-8 to ISI Pressure Test Program for plant,Units 1 & 2.Alternate provisions,listed.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 8pp. 92206:336-92206:343.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703200086 Forwards insp repts 50-387/97-01 & 50-388/97-01 on 970114-0224 & notice of violation.Violations either identified by NRC or resulted in degradation of safety- related components.
PASCIAK,W.J. Region 1 (Post 820201). 97/03/14. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92245:193-92245:241.

-9703200093 Notice of violations from insp on 970114-0224.Violations noted:operators failed to ensure automatic actions occurred after "Unit 2 Recomb Discharge H2 Conc Hi-Hi"annunciator alarmed & after grab sample show H concentration of 8%.
* Region 1 (Post 820201). 97/03/14. 8pp. 92245:196-92245:203.

-9703200099 Insp repts 50-387/97-01 & 50-388/97-01 on 970114-0224. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 1 (Post 820201). 97/03/14. 38pp. 92245:204-92245:241.

9703250046 Requests approval of rev to relief request RRPT-6 to ISI Pressure Test Program for plant,Units 1 & 2 & relief from ASME code requirement that if leakage occurs at bolted connection,bolting shall be removed & evaluated w/IWA-3100.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92252:150-92252:154.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280232 Requests reevaluation of NRC denial of Relief Request RR-12 based on submitted info.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/21. Document Control Branch (Document Control Desk). 8pp. 92280:048-92280:055.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070184 "Number of Personnel & Person-REM by Work Code & Job Function Code 1996." W/970228 ltr.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/12/31. 2pp. 92029:359-92029:360.

9703100020 "Generator Residual Waste Biennial Rept for 1996 for Susquehanna Steam Electric Station." W/970226 ltr.
BELLES,T.D. Pennsylvania Power & Light Co. 96/12/31. 12pp. 92044:342-92044:353.

9703140119 Forwards FFD performance rept covering period of 960701- 1231.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92138:009-92138:011.

9703240210 Forwards monthly operating rept for Feb 1997 for Susquehanna Steam Electric Station,Units 1 & 2 & rev 7 to ODCM.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92247:027-92247:257.

--9703240219 Monthly Operating rept for Feb 1997 for Susquehanna Steam Electric Station,Unit 1.
MATTERN,B. Pennsylvania Power & Light Co. 97/02/28. 8pp. 92247:028-92247:035.

--9703250010 Rev 7 to "Susquehanna SES ODCM."
* Pennsylvania Power & Light Co. 97/01/30. 222pp. 92247:036-92247:257.

S. Reportable occurrences, LERs & related correspondence

9703060173 LER 97-004-00:on 970201,reactor core thermal power exceeded 102%.Caused by fuse failure on circuit card in pump generator speed control loop.Core thermal power reduced to within design limits,circuit card replaced.W/ 970228 ltr.
ELLIS,S.J., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 97/02/28. 5pp. 92039:240-92039:244.

9703100002 LER 97-002-00:on 970130,RWCU Sys delta-flow isolation setpoint found to be non-conservative.Caused by inadequate documentation of design basis for setpoint.Revised setpoint calculations & corrected delta-flow setpoint.W/970303 ltr.
CODDINGTON,C.T., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 97/03/03. 4pp. 92108:335-92108:338.

9703100046 LER 97-003-00:on 970131,condition prohibited by plant TSs re testing of individual control rods identified.Caused by personnel error.TS amend request issued to NRC.Training on event provided.W/970303 ltr.
WEHRY,R.R., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 97/03/03. 4pp. 92108:285-92108:288.

9703110211 LER 97-005-00:on 970204,closed sys integrity was verified by testing.Tested redundant containment isolation barriers for penetrations.W/970305 ltr.
CODDINGTON,C.T., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 97/03/05. 4pp. 92109:036-92109:039.

9703170068 Forwards e-mail from A Clark re event at plant,for placement in PDR.
POSLUSNY,C. NRC - No Detailed Affiliation Given. 97/03/13. NRC - No Detailed Affiliation Given. 1p. 92138:049-92138:050.

--9703170076 Submits info re shutdown of plant,Unit 1 due to EHC misoperation causing uncommanded opening of turbine bypass valves during startup.
CLARK,A. Affiliation Not Assigned. 97/03/12. Office of Public Affairs (Post 911117). 1p. 92138:050-92138:050.

9703270134 Forwards copy of resolution of comments on preliminary accident sequence precursor analysis of operational event at plant,unit 1.
POSLUSNY,C. . 97/03/24. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 92254:339-92254:343.

V. Operator Examinations

9703070130 Documents 970220 mgt meeting w/util in Region I office to discuss issues re exam development & applicant performance identified in exam rept 96-12.W/viewgraphs.
MEYER,G.W. Region 1 (Post 820201). 97/02/26. BYRAM,R.G. Pennsylvania Power & Light Co. 13pp. 91979:029-91979:041.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703190072 Informs of intention to install modifications to resolve concerns re info notice 92-018 to support completion of review & safety evaluation of SSES Fire Protection Safe Shutdown Methodology.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 1p. 92198:356-92198:356.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100029 Partially withheld memo re Director Decision 96-18 re petition filed by P Blanch on 940413.
HOLIAN,B. NRC - No Detailed Affiliation Given. 96/11/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 92038:215-92038:215.

P. Operating license stage documents & correspondence

9703030425 Forwards amends 163 & 134 to licenses NPF-14 & NPF-22 & safety evaluation.Amends change TS 3.6.1.2 for each unit to permit primary containment leakage testing of MSIVs at either 22.5 psig or 45 psig according to type of test.
POSLUSNY,C. . 97/02/25. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 91940:315-91940:329.

--9703030441 Amends 163 & 134 to licenses NPF-14 & NPF-22 changing TS 3.6.1.2 for each unit to permit primary containment leakage testing of MSIVs at either 22.5 psig or 45 psig according to type of test to be conducted.
STOLZ,J.F. . 97/02/25. 8pp. 91940:319-91940:326.

--9703030443 Safety evaluation supporting amends 163 & 134 to licenses NPF-14 & NPF-22.
* . 97/02/25. 3pp. 91940:327-91940:329.

9703030499 Provides methodology ref correction to amend 166 to license NPF-22 re changes to plant,Unit 2 TS stemming from scheduled use of Siemens Power Corp ATRIUM -10 fuel & included additions to Administrative Controls Section 6.9.3.2.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91956:255-91956:258.

--9703030504 Proposed tech specs re changes to Unit 2 stemming from scheduled use of Siemens Power Corp ATRIUM-10 fuel & included additions to Administrative Controls Section, specifically 6.9.3.2.
* Pennsylvania Power & Light Co. 97/02/26. 2pp. 91956:257-91956:258.

9703060365 Forwards notice of consideration of issuance of amends to facility operating licenses & opportunity for hearing.
POSLUSNY,C. . 97/02/28. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 91992:349-91992:356.

--9703060372 Notice of consideration of issuance of amends to licenses NPF-14 & NPF-22 & proposed NSHC determination & opportunity for hearing.Amends would change TSs to include sections that would define & permit withdrawal of control rods.
STOLZ,J.F. . 97/02/28. 5pp. 91992:352-91992:356.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9609090095 Forwards agenda for 960911-12 IPE Senior Review Board meeting in Rockville,MD to discuss contractor-developed technical evaluation repts for St Lucie & Comanche Peak & staff evaluation rept for Susquehanna.
HODGES,M.W. Division of Systems Technology (Post 941217). 96/08/13. MILLER,H.J. Region 1 (Post 820201). 3pp. 92287:014-92287:016.

9703130166 Forwards SE granting plant relief requests 1RR-24 & 2RR-21 re 10-yr interval inservice insp program plan.
STOLZ,J.F. . 97/03/07. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92109:220-92109:228.

--9703130190 SE authorizing relief requests 1RR-24 & 2RR-21 for Units 1 & 2,respectively re first 10-yr interval inservice insp program plan.
* . 97/03/07. 6pp. 92109:223-92109:228.

9703190157 Provides response to NRC staff RAI dtd 970115 re electrical isolation at Susquehanna SES.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/10. Document Control Branch (Document Control Desk). 12pp. 92201:274-92201:285.

9703170173 Forwards notice of consideration of issuance of amend to license NPF-22 & opportunity for hearing,related to 961218 application which will initiate 24 month operating cycle & authorize use of ATRIUM-10 fuel in reactor.
POSLUSNY,C. . 97/03/12. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92131:317-92131:324.

--9703170175 Notice of consideration of issuance of amend to license NPF-22 & proposed NSHC determination & opportunity for hearing.Amend would make listed changes to TS for plant to reflect initiation of 24mo fuel cycle.
BRINKMAN,D.S. . 97/03/12. 5pp. 92131:320-92131:324.

9703190239 Forwards addendum to application for amend to license NPF-22 re scheduled use of Siemens Power Corp ATRIUM-10 fuel. Proprietary EMF-97-01(P),rev 1 encl.Encl withheld.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 5pp. 92201:135-92201:159.

--9703190242 Application for addendum to amend 166 to license NPF-22 re scheduled use of Siemens Power Corp ATRIUM-10 fuel.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. 9pp. 92201:140-92201:148.

--9703190349 Proposed tech specs,revising ANFB methodology & core flow dependent MCPR safety limits.
* Pennsylvania Power & Light Co. 97/03/12. 11pp. 92201:149-92201:159.

9703240210 Forwards monthly operating rept for Feb 1997 for Susquehanna Steam Electric Station,Units 1 & 2 & rev 7 to ODCM.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92247:027-92247:257.

--**9703250010** Rev 7 to "Susquehanna SES ODCM."
* Pennsylvania Power & Light Co. 97/01/30. 222pp. 92247:036-92247:257.

9703250007 Application for amend to license NPF-22,requesting rev to permit loading of ATRIUM-10 fuel in Unit 2 core during Operational Conditon 5,Refueling.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 13pp. 92243:345-92243:359.

--**9703250008** Proposed tech specs 5.3, "Reactor Core."
* Pennsylvania Power & Light Co. 97/03/17. 2pp. 92243:358-92243:359.

9703250049 Submits proposed rev which changes total allowed secondary containment bypass leakage from 5 scfh to 9 scfh,based on revised offsite dose analysis.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 11pp. 92248:345-92248:359.

--**9703250051** Proposed tech specs changing total allowed secondary containment bypass leakage from 5 scfh to 9 scfh,based on revised offsite dose analysis.
* Pennsylvania Power & Light Co. 97/03/17. 4pp. 92248:356-92248:359.

9703270240 Provides response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 12pp. 92268:001-92268:012.

9703250011 Forwards proprietary calculation EC-RADN-1028,Rev 0, "SSES Design Basis LOCA Dose Consequence Evaluation Determining Allowable Containment Bypass Leakage Including Effects of Suppression...." Calculation withheld.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 6pp. 92257:100-92257:105.

9703210186 Notification of 970325 meeting w/util in North Bethesda,MD to discuss NRC staff comments on licensee ITS submittal.
POSLUSNY,C. . 97/03/19. STOLZ,J.F. . 4pp. 92220:311-92220:314.

9703270227 Forwards notice of consideration of issuance of amend to license NPF-22,proposed NSHC determination & opportunity for hearing.Notice relates to 970317 application re loading of ATRIUM-10 fuel into reactor core during CONDITION-5.
POSLUSNY,C. . 97/03/19. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92261:346-92261:359.

--**9703270228** Notice of consideration of issuance of amend to license NPF-22 & proposed NSHC determination & opportunity for hearing.Amend would modify design features Section 5.3.1 of TS to reflect ATRIUM-10 design.
POSLUSNY,C. . 97/03/19. 11pp. 92261:349-92261:359.

9703260187 Notification of 970326 meeting w/Pennsylvania Power & Light in Rockville,MD to discuss submittals supporting use of Atrium-10 fuel in Susquehanna Steam Electric Station,Unit 2.
POSLUSNY,C. . 97/03/24. STOLZ,J.F. . 4pp. 92248:236-92248:239.

9703270255 Submits RAI re TS change requests to convert to improve TS (PLA-4488),for plant,units 1 & 2.
POSLUSNY,C. . 97/03/24. BYRAM,R.G. Pennsylvania Power & Light Co. 142pp. 92259:001-92259:142.

9703280235 Documents correction to ltr dtd 970213,responding to NRC request for addl info re adequacy & availability of design bases info.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/24. Document Control Branch (Document Control Desk). 2pp. 92280:056-92280:057.

Q. Inspection reports, IE Bulletins & correspondence

9703030148 Informs that predecisional enforcement conference on 961112 re insp conducted at plant during periods of 960611-960730 has been rescheduled for 970321.W/o encl.
COOPER,R.W. . 97/02/19. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 91931:035-91931:039.

9703100005 Responds to NRC 970129 ltr re violations noted in insp repts 50-387/96-13 & 50-388/96-13.Corrective actions:closed HELB doors,issued ltr re HELB door violations & assigned HELB door responsibility under site engineering organization.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92048:319-92048:323.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130166 Forwards SE granting plant relief requests 1RR-24 & 2RR-21 re 10-yr interval inservice insp program plan.
STOLZ,J.F. . 97/03/07. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92109:220-92109:228.

9703130190 SE authorizing relief requests 1RR-24 & 2RR-21 for Units 1 & 2,respectively re first 10-yr interval inservice insp program plan.
* . 97/03/07. 6pp. 92109:223-92109:228.

9703140008 Ack receipt of 970303 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/96-13 & 50-388/96-13.
PASCIAK,W.J. Region 1 (Post 820201). 97/03/07. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92106:153-92106:160.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703170205 Forwards RAI re plant second 10-year interval inservice insp plan request for relief RR-13.
POSLUSNY,C. . 97/03/12. BYRAM,R.G. Pennsylvania Power & Light Co. 6pp. 92128:347-92128:352.

9703180166 Notification of significant licensee meeting 97-28 w/util on 970321 predecisional enforcement conference to address inoperability of "E" emergency diesel generator for 20 days.
PASCIAK,W.J. Region 1 (Post 820201). 97/03/12. Region 1 (Post 820201). 2pp. 92134:219-92134:220.

9703190072 Informs of intention to install modifications to resolve concerns re info notice 92-018 to support completion of review & safety evaluation of SSES Fire Protection Safe Shutdown Methodology.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 1p. 92198:356-92198:356.

9703190155 Requests approval of revision to Relief Request RRPT-7 to ISI Pressure Test Program for plant,Units 1 & 2.Alternate provisions,listed.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92206:329-92206:335.

9703190158 Requests approval of revision to Relief Request RRPT-8 to ISI Pressure Test Program for plant,Units 1 & 2.Alternate provisions,listed.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 8pp. 92206:336-92206:343.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703200086 Forwards insp repts 50-387/97-01 & 50-388/97-01 on 970114-0224 & notice of violation.Violations either identified by NRC or resulted in degradation of safety- related components.
PASCIAK,W.J. Region 1 (Post 820201). 97/03/14. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 92245:193-92245:241.

--**9703200093** Notice of violations from insp on 970114-0224.Violations noted:operators failed to ensure automatic actions occurred after "Unit 2 Recomb Discharge H2 Conc Hi-Hi"annunciator alarmed & after grab sample show H concentration of 8%.
* Region 1 (Post 820201). 97/03/14. 8pp. 92245:196-92245:203.

--**9703200099** Insp repts 50-387/97-01 & 50-388/97-01 on 970114-0224. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 1 (Post 820201). 97/03/14. 38pp. 92245:204-92245:241.

9703250046 Requests approval of rev to relief request RRPT-6 to ISI Pressure Test Program for plant,Units 1 & 2 & relief from ASME code requirement that if leakage occurs at bolted connection,bolting shall be removed & evaluated w/IWA-3100.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92252:150-92252:154.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703280232 Requests reevaluation of NRC denial of Relief Request RR-12 based on submitted info.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/21. Document Control Branch (Document Control Desk). 8pp. 92280:048-92280:055.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070184 "Number of Personnel & Person-REM by Work Code & Job Function Code 1996." W/970228 ltr.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/12/31. 2pp. 92029:359-92029:360.

9703100020 "Generator Residual Waste Biennial Rept for 1996 for Susquehanna Steam Electric Station." W/970226 ltr.
BELLES,T.D. Pennsylvania Power & Light Co. 96/12/31. 12pp. 92044:342-92044:353.

9703140119 Forwards FFD performance rept covering period of 960701- 1231.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92138:009-92138:011.

9703240210 Forwards monthly operating rept for Feb 1997 for Susquehanna Steam Electric Station,Units 1 & 2 & rev 7 to ODCM.
BYRAM,R.G. Pennsylvania Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 1p. 92247:027-92247:257.

--**9703240219** Monthly Operating rept for Feb 1997 for Susquehanna Steam Electric Station,Unit 1.
MATTERN,B. Pennsylvania Power & Light Co. 97/02/28. 8pp. 92247:028-92247:035.

S. Reportable occurrences, LERs & related correspondence

9703170068 Forwards e-mail from A Clark re event at plant,for placement in PDR.
POSLUSNY,C. NRC - No Detailed Affiliation Given. 97/03/13. NRC - No Detailed Affiliation Given. 1p. 92138:049-92138:050.

9703260002 LER 97-001-00:on 970216,loss of both trains of emergency switchgear room cooling occurred.Caused by under-sized thermal overload protection.Replaced thermal overload protection & repaired fan discharge damper.W/970318 ltr.
CODDINGTON,C.T., KUCZYNSKI,G.J. Pennsylvania Power & Light Co. 97/03/18. 5pp. 92247:016-92247:020.

V. Operator Examinations

9703070130 Documents 970220 mgt meeting w/util in Region I office to discuss issues re exam development & applicant performance identified in exam rept 96-12.W/viewgraphs.
MEYER,G.W. Region 1 (Post 820201). 97/02/26. BYRAM,R.G. Pennsylvania Power & Light Co. 13pp. 91979:029-91979:041.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

C. Utility Environmental Report (ER), amends & correspondence

9307080320 Forwards safety evaluation supporting C-E Owners Group Rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation."
NORRIS,J.A. Project Directorate II-2. 93/06/29. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:214-92284:216.

F. Security, medical, emergency & fire protection plans

--9311120155 Advises of 931013 exemption request by util from certain requirements of 10CFR73.55(d)(5) & forwards util 931013 ltr requesting exemption.Encl withheld.
RAGHAVAN,L. Project Directorate II-2. 93/11/05. PASSETTI,B. Florida, State of. 3pp. 92284:300-92284:302.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9609110078 Forwards safety evaluation accepting licensee proposed EAL rev for plant.
ESSIG,T.H. . 96/09/05. HEBDON,F.J. . 3pp. 92287:024-92287:026.

--9611040312 Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Licensee required to submit written repts under oath of affirmation,that provided info specified in RAI.
CALVO,J.A. . 96/10/31. REINHART,F.M. . 4pp. 92287:061-92287:064.

--9611190206 Informs of closure of NRC Bulletin 92-01,suppl 1, "Failure of Thermo-Lag 330 Fire Barrier Sys," for plant units 1 & 2. Util responses to GL 92-08 & subsequent RAI provided corrective action plans & schedule for resolution of issue.
WIENS,L.A. . 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:065-92287:066.

--9703130414 Safety evaluation supporting proposed rev & associated justification.Proposed EAL rev for plant consistent w/guidance provided by NUREG-0654 & allowable deviations.
* . 96/09/05. 2pp. 92287:027-92287:028.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120147 "Plant Information Book,Vol 1-Emergeny Response,Units 1 & 2."
* Commissioners (Post 750119). 92/07/24. 400pp. 92221:009-92222:057.

9703240076 Revised EPIPs,including rev 12 to HP-200, "Health Physics Emergency Organization" & rev 13 to C-110, "Collecting Initial Set of Post Accident Samples & Guidelines for Establishing....Inventory Control." W/970311 ltr.
SCAROLA,J., STALL,J.A. Florida Power & Light Co. 97/03/11. 40pp. 92241:001-92241:040.

9703240129 Confirms schedule changes in schedule for completion of mods to Thermo-Lag fire barriers at plant,Units 1 & 2,in response to NRC GL 92-08.
PLUNKETT,T.F. Florida Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92242:329-92242:331.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100060 Partially withheld memo discussing Directors Decision 95-07 which denies petitioners request for various enforcment actions against Florida Power & Light & its employees.
WINSBERG,K. NRC - No Detailed Affiliation Given. 95/06/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 92038:224-92038:225.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9505150050 Forwards notice of issuance of Director's Decision under 10CFR2.206,for transmittal to Ofc of FR for publication.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/05/11. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 92286:157-92286:162.

H. General correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100076 Partially withheld ltr ack receipt of 960607 ltr re concerns about being forced to leave Florida Power & Light Co,St Lucie facility because of concerns expressed to NRC.
IGNATONIS,A. Region 2 (Post 820201). 96/06/18. Affiliation Not Assigned. 1p. 92038:231-92038:231.

9703250068 Requests change to util official svc lists for St Lucie 1 & 2 & Turkey Point 3 & 4.
PADUANO,H.N. Florida Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92252:070-92252:070.

J. Insurance & Indemnity Information

9703250070 Provides info on nuclear property insurance program.
PADUANO,H.N. Florida Power & Light Co. 97/03/18. Document Control Branch (Document Control Desk). 1p. 92252:071-92252:071.

P. Operating license stage documents & correspondence

9403290318 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940222 request to relocate instrument response time limits.
NORRIS,J.A. Project Directorate II-2. 94/03/22. NRC - No Detailed Affiliation Given. 3pp. 92285:110-92285:112.

9703040370 Forwards 1996 Annual Radioactive Effluent Release Rept for St Lucie,Units 1 & 2,per 10CFR50.36(a)(2) & Sections 6.9.1.7 & 6.14.3 of plant TS.Rept covers period from 960101-1231. Procedure,encl.
STALL,J.A. Florida Power & Light Co. 97/02/24. Document Control Branch (Document Control Desk). 1p. 91978:013-91978:239.

--9703040376 Rev 18 to "Offsite Dose Calculation Manual (ODCM)."
* Florida Power & Light Co. 96/09/23. 182pp. 91978:058-91978:239.

9703110049 Forwards summary of meeting on 970213 in plants nuclear training ctr to discuss performance improvement plans,self assessment corrective actions & effectiveness of employee concerns program.List of attendees,slide & handouts encl.
JULIAN,C.A. Region 2 (Post 820201). 97/02/26. PLUNKETT,T.F. Florida Power & Light Co. 72pp. 92019:061-92019:132.

9703060272 Forwards "St Lucie Plant Status Meeting."
STALL,J.A. Florida Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92010:268-92010:352.

--9703060273 "St Lucie Plant Status Meeting."
* Florida Power & Light Co. 97/02/21. 84pp. 92010:269-92010:352.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100072 Partially withheld ltr responding to 960802 ltr informing of difficulties in finding employment.On 960613 NRC reviewed ltr of 960606 & determined that circumstances warranted further review for potential violations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/08/28. GRAHAM,B. Senate. 2pp. 92038:229-92038:230.

--9703100081 Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

--9703100086 Partially withheld memo discussing drop-in visit of J Broadhead,chairman & CEO FPL Group & chairman & CEO FP&L Co & J Goldberg.
JONES,B. NRC - No Detailed Affiliation Given. 97/02/28. THE CHAIRMAN Commissioners (Post 750119). 9pp. 92038:234-92038:243.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9302010316 Discusses technical assistance request in resolving need & means of continuous core reactivity monitoring for C-E reactors,per E Merschoff 921022 request.No action required to change either current or improved STS.
JONES,R. Reactor Systems Branch. 93/01/22. BERKOW,H. Project Directorate II-2. 3pp. 92284:035-92284:037.

--9302030169 Notification of 930304 meeting w/licensee in Rockville,MD to discuss current issues at plant.
NORRIS,J.A. Project Directorate II-2. 93/01/28. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:038-92284:040.

--9302110121 Requests that FOIA-93-047 request be disposed of by sending existing documents identifying reactors in FL regulated by NRR.
BERKOW,H.N. Project Directorate II-2. 93/02/03. MULLIN,J. Program Management, Policy Development & Analysis Staff (Post 870411). 1p. 92284:049-92284:049.

--9302110151 Responds to 921022 request for technical assistance in resolving need for & means of continuous core reactivity monitoring for facility.Informs that no action required to change facility current or improved STS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/02/04. MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 92284:050-92284:051.

-9302190296 Confirms temporary waiver of compliance granted per 930212 request re relief from TS 4.6.1.1.a.1, "Containment Vessel Integrity." TS requires vessel integrity be demonstrated once every 31 days by verifying vessel penetrations.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/02/16. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:052-92284:054.

-9302240199 Informs that util withdrew request to grant proprietary status to util response to NRC request for addl info re resolution of USI A-46.
BERKOW,H.N. Project Directorate II-2. 93/02/22. BAGCHI,G. Civil Engineering & Geosciences Branch. 2pp. 92284:055-92284:058.

-9303100026 Notification of 930406 meeting w/util in Rockville,MD to discuss current issues at plants.
NORRIS,J.A. Project Directorate II-2. 93/03/03. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:070-92284:072.

-9303100136 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on request re GL 89-01 & NUREG-1301 re ODCM.
NORRIS,J.A. Project Directorate II-2. 93/03/05. NRC - No Detailed Affiliation Given. 3pp. 92284:079-92284:081.

-9303100151 Forwards SE granting request for proposed elmination of dynamic effects associated w/high energy pipe rupture in RCS piping from licensing & design bases by application of leak-before-break technology.Use should begin in 1993.
NORRIS,J.A. Project Directorate II-2. 93/03/05. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:073-92284:075.

-9303230269 Notification of 930331 meeting w/util in Rockville,MD to discuss status of active licensing actions.
NORRIS,J.A. Project Directorate II-2. 93/03/18. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:085-92284:087.

-9304080073 Discusses 930331 meeting w/util in Rockville,MD re status of all active license.
NORRIS,J.A. Project Directorate II-2. 93/04/06. Project Directorate II-2. 2pp. 92284:099-92284:100.

-9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

-9306070197 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & NPF-16 proposed NSHC determination & opportunity for hearing on 930520 request re changing surveillance interval for performing flow test.
NORRIS,J.A. Project Directorate II-2. 93/05/26. NRC - No Detailed Affiliation Given. 3pp. 92284:127-92284:129.

-9306110282 Summary of 930602 meeting w/util re merits of biometric access control sys that util desires to use at plants.List of attendees & meeting handouts encl.
RAGHAVAN,L. Project Directorate II-2. 93/06/04. Project Directorate II-2. 30pp. 92284:130-92284:160.

-9306290243 Summary of 930610 meeting w/util in Juno Beach,FL re technical & mgt/ administrative issues of common interest to facilities.
NORRIS,J.A. Project Directorate II-2. 93/06/22. Project Directorate II-2. 53pp. 92284:161-92284:213.

-9307090256 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 930621 request re changes to TSs Section 6.0.
NORRIS,J.A. Project Directorate II-2. 93/07/02. NRC - No Detailed Affiliation Given. 3pp. 92284:221-92284:223.

-9307130155 Informs that some licensees experienced problems w/Merlin Gerin software.Licensees instructed to avoid using ADS & software error corrected soon after initial licensee rept of difficulty.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/07/07. COOPER,R.W. Region 1 (Post 820201). 2pp. 92284:224-92284:225.

-9308190332 Forwards util 930721 facsimile clarifying info re generic issues 70 & 94,per telcon.
NORRIS,J.A. Project Directorate II-2. 93/08/03. Project Directorate II-2. 4pp. 92284:239-92284:242.

-9308230237 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 930723 request re new stds for protection against radiation.
NORRIS,J.A. Project Directorate II-2. 93/08/16. NRC - No Detailed Affiliation Given. 3pp. 92284:251-92284:253.

-9308260110 Forwards SE accepting licensee 901220,911206,920511 & 1009 responses to GL 90-06, "Power Operated Relief Valves & Block Valves Relievability & Addl Low Temp Overpressure Protection for Light Water Reactors."
JONES,R.C. Reactor Systems Branch. 93/08/09. BERKOW,H.N. Project Directorate II-2. 1p. 92284:243-92284:243.

-9309080348 Forwards safety evaluation & technical evaluation rept granting relief or authorizing alternatives in TER,from inservice testing program requirements for pumps & valves.
BERKOW,H.N. Project Directorate II-2. 93/08/23. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:254-92284:256.

-9309090092 Forwards safety evaluation accepting util 930122 proposed changes to TS to implement guidance in GL 89-01.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/08/25. BERKOW,H.N. Project Directorate II-2. 1p. 92284:263-92284:263.

-9309150344 Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

-9310040329 Forwards SE accepting util 930723 application for proposed TS changes concurrent plan to implement revised 10CFR20, "Stds for Protection Against Radiation."
CUNNINGHAM,L.J. Radiation Protection Branch. 93/09/28. BERKOW,H.N. Project Directorate II-2. 1p. 92284:281-92284:281.

-9310150115 Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 930923 request re changes made to TS 6.2.3.
NORRIS,J.A. Project Directorate II-2. 93/10/12. NRC - No Detailed Affiliation Given. 3pp. 92284:295-92284:297.

-9311050142 Requests FR publication of notice of issuance of amends 123 & 61 to licenses DPR-67 & NPF-16,respectively.Amends relocate RETS to ODCM or process control sys.
NORRIS,J.A. Project Directorate II-2. 93/10/27. NRC - No Detailed Affiliation Given. 2pp. 92284:298-92284:299.

-9311180111 Requests FR publication of notice of issuance of amends 124 & 62 to licenses DPR-67 & NPF-16.Amends change surveillance interval specified for performing air or smoke flow test through containment spray headers from 5 to 10 yrs.
NORRIS,J.A. Project Directorate II-2. 93/11/08. NRC - No Detailed Affiliation Given. 2pp. 92284:303-92284:304.

-9312010312 Forwards EA & FONSI on util 931013 & 1102 ltrs requesting exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for contractors granted unescorted access to protected areas of site.
NORRIS,J.A. Project Directorate II-2. 93/11/17. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:305-92284:311.

-9312130330 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 931025 request re dune & mangrove surveys from TSs.
NORRIS,J.A. Project Directorate II-2. 93/12/03. NRC - No Detailed Affiliation Given. 3pp. 92284:312-92284:314.

-9312140352 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 931026 request to change TS 4.6.1.2.a consistent w/NUREG-1432.
NORRIS,J.A. Project Directorate II-2. 93/12/03. NRC - No Detailed Affiliation Given. 4pp. 92284:315-92284:318.

-9312230125 Forwards November 1993 monthly rept to provide expeditious dissemination of 10CFR21 matters.
NORRIS,J.A. Project Directorate II-2. 93/12/16. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:319-92284:324.

-9312270078 Requests FR publication of notice of issuance of amends 125 & 63 to licenses DPR-67 & NPF-16.Amends necessary to implement new Standards for Protection Against Radiation (10CFR20).
NORRIS,J.A. Project Directorate II-2. 93/12/16. NRC - No Detailed Affiliation Given. 1p. 92284:325-92284:325.

-9312290116 Discusses recent Director's highlight on facility low power operation to stretch fuel to next refueling outage scheduled for Feb 1994.Licensee has not been entering TS LCOs & has limited such work only to secondary sys.
BERKOW,H.N. Project Directorate II-2. 93/12/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 92284:326-92284:326.

-9401130063 Informs that public meeting will be held on 940202 & 03 to discuss proposed generic ltr suppl & draft NUREG-1482 re guidance on developing acceptable inservice testing program.
NORRIS,J.A. Project Directorate II-2. 94/01/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:337-92284:339.

-9401240294 Forwards safety evaluation re util 930823 request for TS change re deletion of movable incore detector option from TS.Proposed change acceptable.
JONES,R.C. Reactor Systems Branch. 94/01/12. BERKOW,H.N. Project Directorate II-2. 5pp. 92284:340-92284:340.

-9402140125 Informs that changes submitted in Rev 7,for plants are consistent w/provisions of 10CFR50.54 & are acceptable for including in respective security plan,in response to 931203 ltr.
RAGHAVAN,L. Project Directorate II-2. 94/02/01. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:345-92284:346.

-9402140278 Forwards SE re updated methodology for statistical combination of uncertainties.Methodology acceptable for application to Unit 2 when C-E 16x16 fuel assemblies utilized.
JONES,R.C. Reactor Systems Branch. 94/02/08. BERKOW,H.N. Project Directorate II-2. 5pp. 92284:029-92284:033.

-9403070236 Advises that util will conduct investigation into allegation RII-94-A-0035 through Nuclear Safety SPEAKOUT Program & results will be forwarded by 940404.
GEIGER,J.E. Florida Power & Light Co. 94/02/22. Document Control Branch (Document Control Desk). 1p. 92285:085-92285:085.

-9403090342 Requests FR publication of notice of issuance of amends 126 & 65 to licenses DPR-67 & NPF-16,respectively.Amends change TS section 6.0, "Administrative Controls."
NORRIS,J.A. Project Directorate II-2. 94/03/02. NRC - No Detailed Affiliation Given. 2pp. 92285:086-92285:087.

-9403150232 Discusses site access & dosimetry requirements for NRC inspectors.
STOHR,J.P. Region 2 (Post 820201). 94/02/11. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 92285:081-92285:084.

-9403300219 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 940228 request to delete minimum frequency criteria for QA audits.
NORRIS,J.A. Project Directorate II-2. 94/03/22. NRC - No Detailed Affiliation Given. 3pp. 92285:113-92285:115.

-9404050193 Discusses review of flaw evaluation for instrument nozzle penetration in pressurizer.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 94/03/31. BERKOW,H.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 2pp. 92285:128-92285:129.

-9404050251 Forwards SE re request to use alternative material for repair of pressurizer instrument nozzles.SALP input also encl.
STROSNIDER,J. Materials & Chemical Engineering Branch. 94/03/29. BERKOW,H.N. Division of Reactor Projects - I/II (Post 870411). 1p. 92285:122-92285:122.

--9404060048 Requests FR publication of notice of issuance of amends 127 & 66 to licenses DPR-67 & NPF-16.Amends change TS 4.6.1.2.a, "Containment Leakage Surveillance Requirements" to be consistent w/guidance of NUREG-1432.
NORRIS,J.A. Project Directorate II-2. 94/03/30. NRC - No Detailed Affiliation Given. 2pp. 92285:126-92285:127.

--9404070312 Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification:Decrease of Heat Removal By Secondary Sys." Licensee has not justified steam generator nodalization for neither Turkey Point nor St Lucie.SALP input also encl.
COLLINS,T.E. Reactor Systems Branch. 94/03/31. BERKOW,H.N. Division of Reactor Projects - I/II (Post 870411). 2pp. 92285:130-92285:149.

--9404080233 Topical safety evaluation of NTH-TR-01, "Retran Model Qualification:Decrease of Heat Removal by Secondary Sys."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/03/31. 4pp. 92285:132-92285:149.

--9404080234 "Technical Evaluation:Retran Model Qualification Decrease in Heat Removal by Secondary Sys NTH-TR-01."
* International Technical Services, Inc. NRC-03-90-027. ITS/NRC/93-10. 94/03/04. NRC - No Detailed Affiliation Given. 14pp. 92285:158-92285:170.

--9404260378 Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification,Decrease in Heat Removal by Secondary Sys." Util has not justified steam generator nodalization for plants.
NORRIS,J.A. Project Directorate II-2. 94/04/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:153-92285:157.

--9404260382 SE of topical rept NTH-TR-01, "RETRAN Model Qualification, Decrease of Heat Removal by Secondary Sys." NRC discontinued review.
* Florida Power & Light Co. 94/04/19. 2pp. 92285:156-92285:170.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9406280080 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940523 request re relocating seismic monitoring instrumentation.
NORRIS,J.A. Project Directorate II-2. 94/06/17. NRC - No Detailed Affiliation Given. 3pp. 92285:188-92285:190.

--9407200123 Requests FR publication of notice of issuance of amends 128 & 67 to licenses DPR-67 & NPF-16,respectively.Amends relocate instrument response time limits for RPS & ESFAS from TS to be USAR for both units.
NORRIS,J.A. Project Directorate II-2. 94/07/12. Project Directorate II-2. 3pp. 92285:197-92285:199.

--9408150077 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940725 request re amend revising various TS sections.
NORRIS,J.A. Project Directorate II-2. 94/08/10. NRC - No Detailed Affiliation Given. 3pp. 92285:209-92285:211.

--9408150172 Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 940725 request to upgrade TS 3/4.7.1.6 for MFL Isolation Valves.
NORRIS,J.A. Project Directorate II-2. 94/08/10. NRC - No Detailed Affiliation Given. 3pp. 92285:206-92285:208.

--9408250207 Informs that review & approval by NRC of licensee 940715 ltr requesting approval of ASME Section IX Codes Cases 2142 & 2143 not required.
NORRIS,J.A. Project Directorate II-2. 94/08/17. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92285:212-92285:213.

--9409120198 Requests that PM for each CE plant review licensee response to GL 89-19 to ensure that 901031 submittal applicable to plant & that licensee response addressed operator training procedures.SER,sample closeout & sample RAI ltrs encl.
JABBOUR,K.N. Project Directorate II-3. 94/09/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:214-92285:215.

--9410180185 Forwards SE providing review of proposed change to plant TS for inservice testing of main steam safety valves.
WESSMAN,R.H. Mechanical Engineering Branch. 94/10/14. MCCREE,V. Project Directorate II-2. 4pp. 92285:279-92285:282.

--9411040241 Forwards human factors safety evaluation re refueling procedures for plant units 1 & 2.
ZWOLINSKI,J.A. Division of Reactor Projects - I/II (Post 870411). 94/10/28. BOGER,B.A. Region 2 (Post 820201). 1p. 92285:285-92285:285.

--9411090170 Requests FR publication of notice of issuance of amend 68 to license NPF-16.Amend revises TS 3/4.7.1.1 to delete specific reference to 1994 edition of ASME code.
NORRIS,J.A. Project Directorate II-2. 94/11/01. NRC - No Detailed Affiliation Given. 1p. 92285:288-92285:288.

--9411140047 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-87 & NPF-16 & proposed NSHC determination & opportunity for hearing on 941027 request to improve consistency throughout TS.
NORRIS,J.A. Project Directorate II-2. 94/11/03. NRC - No Detailed Affiliation Given. 3pp. 92285:289-92285:291.

--9412010232 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 941102 to upgrade existing TSs 3/4.6.2.1 & 3/4.6.2.3.
NORRIS,J.A. Project Directorate II-2. 94/11/21. NRC - No Detailed Affiliation Given. 3pp. 92285:307-92285:309.

--9412090219 Transmits technical evaluation ltr rept on second 10-yr interval ISI request for relief 18 for plant.
BROWN,B.W. Idaho National Engineering Laboratory. FIN L-2556. 94/12/06. MCLELLAN,T.K. Materials & Chemical Engineering Branch. 9pp. 92285:333-92285:342.

--9412200119 Forwards SE accepting licensee 941102 application requesting changes to plant TS.Proposed changes would clarify actions required in event of inoperable equipment associated w/ containment depressurization & cooling sys.
BARRETT,R.J. Containment Systems & Severe Accident Branch. 94/12/16. MATTHEWS,D.B. Project Directorate II-1. 1p. 92285:343-92285:343.

--9412300102 Requests FR publication of notice of issuance of amend 69 to license NPF-16.Amend makes changes to TS 6.2.3,ISEG.
NORRIS,J. Project Directorate II-2. 94/12/22. NRC - No Detailed Affiliation Given. 1p. 92285:349-92285:349.

--9501130149 Forwards quarterly status rept of AEOD related action items from OECB tracking sys.Rept identifes actions taken in response to recommendations & suggestions received from AEOD.
CHAFFEE,A.E. . 95/01/09. CONGEL,F.J. Incident Response Branch. 2pp. 92285:352-92285:353.

--9501180151 Informs that util will conduct investigation into allegation through Nuclear Safety Speakout Program & results will be forwarded by 950213.
GEIGER,J.E. Florida Power & Light Co. 95/01/06. Document Control Branch (Document Control Desk). 1p. 92285:350-92285:350.

--9501240199 Requests FR publication of notice of issuance of amends 131 & 70 to licenses DPR-67 & NPF-16,respectively.Amends clarify actions required in event of inoperable equipment associated w/containment depressurization & cooling sys.
NORRIS,J.A. . 95/01/18. NRC - No Detailed Affiliation Given. 1p. 92285:351-92285:351.

--9502140260 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950120 request to relocate operability requirements for TS.
NORRIS,J.A. Office of Nuclear Reactor Regulation (Post 941001). 95/02/07. NRC - No Detailed Affiliation Given. 3pp. 92286:009-92286:011.

--9502140413 Requests FR publication of notice of issuance of amends 133 & 72 to licenses DPR-67 & NPF-16,respectively.Amends revise TS to implement GL 93-05 items 5.8,6.1,7.1 & 7.5.
NORRIS,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/02/09. NRC - No Detailed Affiliation Given. 1p. 92286:012-92286:012.

--9502140422 Requests FR publication of notice of issuance of amend 71 to license NPF-16.Amend will upgrade TS 3/4.7.1.6 for main feedwater line isolation valves to be consistent w/NUREG-1432.
NORRIS,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/02/09. NRC - No Detailed Affiliation Given. 1p. 92286:013-92286:013.

--9503160363 Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 950227 request re changing Table 3.3-3 & 3.3-4.
NORRIS,J.A. . 95/03/09. NRC - No Detailed Affiliation Given. 3pp. 92286:014-92286:016.

--9503160365 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950222 request re deleting automatic air lock tester from TS.
NORRIS,J.A. . 95/03/09. NRC - No Detailed Affiliation Given. 3pp. 92286:028-92286:030.

--9503160369 Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 950227 request re modifying SR 4.9.8.1 & 4.9.8.2.
NORRIS,J.A. . 95/03/09. NRC - No Detailed Affiliation Given. 3pp. 92286:017-92286:019.

--9503220153 Requests FR publication of notice of issuance of amends 134 & 73 to licenses DPR-67 & NPF-16.Amends correct editorial errors,remove deleted pages & clarify confusing statements & eliminate inconsistencies.
NORRIS,J.A. . 95/03/15. NRC - No Detailed Affiliation Given. 1p. 92286:031-92286:031.

--9503220287 Forwards OM Hepler 950310 ltr forwarding FEMA final rept for 940209 joint exercise of offsite radiological emergency response plans for plant.No deficiencies noted.Three ARCAs identified.
ESSIG,T.H. . 95/03/16. BARR,K.P. Region 2 (Post 820201). 2pp. 92286:032-92286:072.

--9503220292 Forwards final exercise rept for 940209,plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/03/10. SPESSARD,R.L. . 1p. 92286:034-92286:034.

--9503220293 "Saint Lucie Nuclear Power Plant Exercise."
* Federal Emergency Management Agency. 95/02/24. 35pp. 92286:035-92286:072.

--9503290093 Forwards SE accepting proposed amend to relocate seismic monitoring instrumentation "LCO" & "SR" from TS to UFSAR. SALP input also encl.
BAGCHI,G. . 95/03/24. MATTHEWS,D.B. . 4pp. 92286:073-92286:076.

--9504040251 Forwards INEL-94/0147, "TER on Second 10-Yr Interval ISI Program Plan:FPL,St Lucie Nuclear Plant,Unit 2."
BROWN,B.W. Idaho National Engineering Laboratory. FIN L-2556. 95/03/30. MCLELLAN,T.K. . MCLELLAN,T.K. Document Control Branch (Document Control Desk). 1p. 92286:077-92286:138.

--9504040254 "TER on Second 10-Yr Interval ISI Program Plan:FPL,St Lucie Nuclear Plant,Unit 2."
BROWN,B.W., FEIGE,E.J., HALL,K.W. Idaho National Engineering Laboratory. FIN L-2556. INEL-94/0147. 95/03/31. . 61pp. 92286:078-92286:138.

--9504170005 "Technical Assistance in Support of NRC ISI Program," technical ltr rept.
BROWN,B.W. Idaho National Engineering Laboratory. FIN L-2556. 95/04/10. MCLELLAN,T.K. Engineering & Geosciences Branch (NMSS 940403). 7pp. 92286:139-92286:145.

--**9504210157** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950403 request re TSs 3/4.8.1 & 4.8.1.2.2.
NORRIS,J.A. . 95/04/18. NRC - No Detailed Affiliation Given. 3pp. 92286:147-92286:149.

--**9504240320** Ack NRC responsibility to initiate consultation process w/ National Marine Fishery Service re dramatic increase in green turtles caught up in St Lucie intake canal.Requests TAC number for activity.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/14. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:146-92286:146.

--**9505020461** Forwards safety evaluation accepting util 950227 ltr re TS change for emergency bus undervoltage protection sys at plant.
BERLINGER,C.H. . 95/04/27. MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:151-92286:151.

--**9505040325** Requests FR publication of notice of issuance of amends 135 & 74 to licenses DPR-67 & NPF-16.Amends relocate seismic monitoring instrumentation LCO,SRs & associated tables contained in TSs 3.3.3.3,4.3.3.3.1 & 4.3.3.3.2 to UFSAR.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/25. NRC - No Detailed Affiliation Given. 1p. 92286:150-92286:150.

--**9505180454** Forwards SE accepting licensee 950120 ltr requesting changes to TS for Units 1 & 2.Proposed changes will relocate TS 3/4.3.3.2 to UFSAR & revise LHR surrveillance 4.2.1.4 & STE surveillance 4.10.2.2,4.10.4.2 & 4.10.5.2,accordingly.
CHATTERTON,M.S. . 95/05/16. MATTHEWS,D.B. . 1p. 92286:172-92286:172.

--**9505190394** Forwards safety evaluation accepting util proposed rev to TS to allow reduction in required minimum shutdown cooling flow rate under certain conditions during operation MODE 6.
WEISS,E.W. . 95/05/12. NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 9pp. 92286:163-92286:163.

--**9506200400** Requests FR publication of notice of issuance of amends 136 & 75 to licenses DPR-67 & NPF-16,respectively.Amends relocates operability requirements for incore detectors in TS 3/4.3.3.2 to updated FSAR.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. NRC - No Detailed Affiliation Given. 1p. 92286:194-92286:194.

--**9506230149** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950517 request re improving consistency of TS.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. NRC - No Detailed Affiliation Given. 3pp. 92286:191-92286:193.

--**9506280153** Requests FR publication of notice of issuance of amends 137 & 77 to licenses DPR-67 & NPF-16,respectively.Amends eliminate ref to automatic containment air lock tester from TS 4.6.1.3.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. NRC - No Detailed Affiliation Given. 1p. 92286:203-92286:203.

--**9506280231** Requests FR publication of notice of issuance of amend 76 to license NPF-16.Amend modifies SRs 4.9.8.1 & 4.9.8.2 to allow reduction in required min shutdown cooling flow rate under certain conditions during operational mode 6.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/14. NRC - No Detailed Affiliation Given. 1p. 92286:187-92286:187.

--**9507130211** Requests FR publication of notice of issuance of amends 138 & 78 to licenses DPR-67 & DPR-16.Amends incorporate line-item TS improvements to specifications 3/4.8.1 "EPSs-A.C.sources," & 4.8.1.2.2 "EPS-Shutdown."
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. NRC - No Detailed Affiliation Given. 2pp. 92286:204-92286:205.

--**9507180020** "Technical Assistance in Support of NRC ISI Program," technical ltr rept.
ANDERSON,M.T. Idaho National Engineering Laboratory. FIN J-2229. 95/07/06. MCLELLAN,T.K. Engineering & Geosciences Branch (NMSS 940403). 5pp. 92286:206-92286:210.

--**9508160344** Forwards SE accepting util 950302 submittal of rept re fracture mechanics evaluation of plant pressurizer instrument nozzles.
WICHMAN,K.R. . 95/08/09. MATTHEWS,D.B. . 2pp. 92286:212-92286:213.

--**9509080180** Requests FR publication of notice of issuance of amend 79 to license NPF-16.Amend changes Table 3.3-3 & 3.3-4 to accommodate improved coincidence logic & relay replacement for 4.16 kV Loss of Voltage Relays.
NORRIS,J.A. . 95/09/01. NRC - No Detailed Affiliation Given. 2pp. 92286:235-92286:236.

--**9509080246** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950816 request re selected TS Monitoring Instrumentation.
NORRIS,J.A. . 95/08/30. NRC - No Detailed Affiliation Given. 5pp. 92286:226-92286:230.

--**9509140188** Requests FR publication of notice of issuance of amends to licenses DPR-67 & NPF-16.Amends will revise action statements & certain surveillances of TS 3/4.5.1.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:245-92286:248.

--**9509140203** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing of 950621 request re revised action statements for inoperable EDG.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:237-92286:240.

--**9509140209** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing of 950621 request re rev of TS 3.5.2.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:241-92286:244.

--**9509180043** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950816 request re TS 3.6.6.1 on shield bldg ventilation sys.
NORRIS,J.A. . 95/08/30. NRC - No Detailed Affiliation Given. 4pp. 92286:231-92286:234.

--**9510310101** Forwards technical ltr rept on second 10 year interval ISI program plan,request for relief re code case N-532 for St Lucie Nuclear Plant Units 1 & 2.
ANDERSON,M.T. Idaho National Engineering Laboratory. FIN J-2229. 95/10/24. MCLELLAN,T.K. Engineering & Geosciences Branch (NMSS 940403). 5pp. 92286:285-92286:289.

--**9511010306** Requests FR publication of notice of issuance of amends 140 & 80 to licenses DPR-67 & NPF-16,respectively.Amends delete min frequency criteria prescribed for QA audits from Administrative Controls Sections 6.5.2.8 & 6.8.4 of TSs.
NORRIS,J.A. . 95/10/25. NRC - No Detailed Affiliation Given. 1p. 92286:290-92286:290.

--**9512270204** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 951122 request re proposed amends to upgrade TS 3/4.4.6.1.
NORRIS,J.A. . 95/12/21. NRC - No Detailed Affiliation Given. 3pp. 92286:298-92286:301.

--**9601250141** Forwards safety evaluation accepting proposed changes to modify TS 3.6.6.1, "Shield Bldg Ventilation Sys."
BERLINGER,C.H. . 96/01/19. MATTHEWS,D.E. . 2pp. 92286:302-92286:303.

--**9601300280** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 960104 request re correction of discrepancy for TS 3.5.3.
NORRIS,J.A. . 96/01/24. NRC - No Detailed Affiliation Given. 4pp. 92286:306-92286:309.

--**9602270137** Forwards AEOD input to briefing package for Chairman Jackson visit to plant on 960402.Input consists of summary analysis of recent operational experience at plant,units 1 & 2.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/02/22. MERSCHOFF,E.W. Region 2 (Post 820201). 11pp. 92287:086-92287:096.

--**9603260075** Requests FR publication of notice of issuance of amend 81 to license NPF-16.Amend modifies TS 3.6.6.1,"Shield SBVs" to more effectively address design functions performed by SBVs for both shield bldg & fuel handling bldg.
NORRIS,J.A. . 96/03/20. NRC - No Detailed Affiliation Given. 1p. 92286:317-92286:317.

--**9603270188** Forwards SE requesting approval to use ASME Code Case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
BAGCHI,G. . 96/03/14. MATTHEWS,D.B. . 2pp. 92286:310-92286:311.

--**9604170191** Requests FR publication of notice of issuance of amends 142 & 82 to licenses DPR-67 & NPF-16,respectively.Amends modify SR re dune survey & mangrove swamp monitoring & relocate to FSAR.
NORRIS,J.A. . 96/04/11. NRC - No Detailed Affiliation Given. 1p. 92286:321-92286:321.

--**9604300372** Provides list of direct staff hours expended & technical assistance costs per issue on conversation of endangered & threatened species.
NEWBERRY,S.F. . 96/03/27. CORLEY,D.J. Division of Budget & Analysis (Post 890205). 3pp. 92286:318-92286:320.

--**9606040297** Requests FR publication of notice of issuance of amends 143 & 83 to licenses DPR-67 & NPF-16,respectively.Amends rectify discrepancy in TS 3.5.3 & provide assurance administrative controls remain effective in lower operational modes.
WIENS,L.A. . 96/05/30. NRC - No Detailed Affiliation Given. 1p. 92286:322-92286:322.

--**9606040303** Requests FR publication of notice of issuance of amends 144 & 84 to licenses DPR-67 & NPF-16.Amends upgrade existing TS 3/4.4.6.1 for RCS Leakage Detection Sys by adopting Std TS for plants,Units 1 & 2.
WIENS,L.A. . 96/05/30. NRC - No Detailed Affiliation Given. 1p. 92286:323-92286:323.

--**9607080083** Discusses 960326-27 survey conducted on SF practices,SFP cooling sys design & current licensing basis for plant,Units 1 & 2.
WIENS,L.A. . 96/07/03. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92286:354-92286:356.

--**9608050092** Discusses two approaches for CE owners to apply Regulatory Position 2.1 of Reg Guide 1.99,Rev 2 when limiting matl of reactor vessel beltline is not in surveillance program, presented by CEOG rept CEN-405-P,Rev 2.
WICHMAN,K.R. . 96/08/01. HEBDON,F.J. . 3pp. 92287:004-92287:006.

--**9608120287** Forwards 960730 memo responding to TIA 95-013 addressing issues re adequacy of 50.59 evaluation.
HEBDON,F.J. . 96/08/06. JOHNSON,J.R. Region 2 (Post 820201). 1p. 92287:007-92287:013.

--**9608210178** Requests FR publication of notice of issuance of amends 146 & 85 to licenses DPR-67 & NPF-16.Amends improve consistency between TS & improved CE STS & resolve other inconsistencies in TS.
WIENS,L.A. . 96/08/19. NRC - No Detailed Affiliation Given. 3pp. 92287:020-92287:022.

--**9608220005** Requests FR publication of notice of consideration of issuance of amends 146 & 85 to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 960715 request re improving consistency between TS & CE STS.
WIENS,L.A. . 96/08/14. NRC - No Detailed Affiliation Given. 3pp. 92287:017-92287:019.

--**9608220277** Requests FR publication of notice of issuance of amends 147 & 86 to licenses DPR-67 & NPF-16.Amends revised TSs re instrumentation to UFSAR.
WIENS,L.A. . 96/08/20. NRC - No Detailed Affiliation Given. 1p. 92287:023-92287:023.

--**9609090095** Forwards agenda for 960911-12 IPE Senior Review Board meeting in Rockville,MD to discuss contractor-developed technical evaluation repts for St Lucie & Comanche Peak & staff evaluation rept for Susquehanna.
HODGES,M.W. Division of Systems Technology (Post 941217). 96/08/13. MILLER,H.J. Region 1 (Post 820201). 3pp. 92287:014-92287:016.

--9609180137 Forwards LER 96-S01 re tampering w/key switches on hot shutdown control panels.
STALL,J.A. Florida Power & Light Co. 96/09/11. Document Control Branch (Document Control Desk). 6pp. 92287:029-92287:034.

--9609180337 Discusses 960514 ltr re pressurized thermal shock evaluation for St Lucie Units 1 & 2.Requests review of proprietary & non-proprietary copies of CEOG rept CEN-405-P,rev 2, "Application of Reactor Vessel Surveillance Data."
WICHMAN,K.R. . 96/09/16. HEBDON,F.J. . 3pp. 92287:041-92287:043.

--9609180352 Informs of review of 10CFR50.59 rept & rev 10 to updated UFSAR for plant.
WIENS,L.A. . 96/09/16. HEBDON,F.J. . 1p. 92287:040-92287:040.

--9611040312 Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Licensee required to submit written repts under oath of affirmation,that provided info specified in RAI.
CALVO,J.A. . 96/10/31. REINHART,F.M. . 4pp. 92287:061-92287:064.

--9611190153 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 961028 request to change TS to implement 10CFR50,App J,Option B.
WIENS,L.A. . 96/11/18. NRC - No Detailed Affiliation Given. 3pp. 92287:067-92287:069.

--9611190206 Informs of closure of NRC Bulletin 92-01,suppl 1, "Failure of Thermo-Lag 330 Fire Barrier Sys," for plant units 1 & 2. Util responses to GL 92-08 & subsequent RAI provided corrective action plans & schedule for resolution of issue.
WIENS,L.A. . 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:065-92287:066.

--9611250200 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 961030 request re proposed amends revising TS 3/4.9.10.
WIENS,L.A. . 96/11/21. NRC - No Detailed Affiliation Given. 3pp. 92287:070-92287:072.

--9703130024 Safety evaluation accepting Topical Rept CEN-367.
* . 93/03/05. 3pp. 92284:076-92284:078.

--9703130242 Safety evaluation supporting revised TSs 3.6.6.1 SBVS. Proposed changes are administrative in nature & provides clearer & more concise direction to FPL operators.
* . 96/01/19. 2pp. 92286:304-92286:305.

--9703130259 Safety evaluation supporting code case N-416-1 re alternative rules for welded repairs or installation of replacement items by welding in class 1,2, & 3 piping sys.
* . 96/03/14. 5pp. 92286:312-92286:316.

--9703140046 Forwards Aug 15th news article re alleged improprieties by NRC.
EBNETER,S.D. Region 2 (Post 820201). 96/08/19. BELL,H.T. Office of the Inspector General (Post 890417). 1p. 92287:126-92287:126.

--9703140059 Discusses OI rept 2-95-008 re plant alleged discrimination against instrumentation & control technician for reporting safety concerns.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/08/15. EBNETER,S.D. Region 2 (Post 820201). RUSSELL,W.T. . GOLDBERG,J.R. Office of the General Counsel (Post 860701). 1p. 92287:127-92287:173.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

--9703140179 Safety evaluation accepting licensee response to GL 90-06 re plant.
* . 93/08/09. 7pp. 92284:244-92284:250.

--9703140193 Safety evaluation granting IST program requests for relief.
* . 93/08/23. 6pp. 92284:257-92284:262.

--9703170007 Safety evaluation accepting proposed changes which provide significant improvement & ensure availability of sufficient containment heat.
* NRC - No Detailed Affiliation Given. 94/12/16. 5pp. 92285:344-92285:348.

--9703170009 Safety evaluation re rev in TS for surveillance requirements on required minimum shutdown cooling.
* NRC - No Detailed Affiliation Given. 95/05/12. 8pp. 92286:164-92286:171.

--9703170010 Safety evaluation re TS change to relocate in-core instrument requirement.Change acceptable.
* NRC - No Detailed Affiliation Given. 95/05/16. 5pp. 92286:173-92286:177.

--9703170013 Safety evaluation accepting licensee 950302 submittals.
* NRC - No Detailed Affiliation Given. 95/08/09. 7pp. 92286:214-92286:220.

--9703170171 Safety evaluation accepting changes proposed by licensee.
* . 93/08/25. 11pp. 92284:264-92284:280.

--9703170189 SER accepting 930723 proposed changes to SLP,Units 1 & 2 TSs in support of plan to implement rev 10CFR20.
* . 93/09/28. 5pp. 92284:282-92284:286.

--9703170252 SER accepting deletion of MICDS Option from TSs.
* . 94/01/12. 4pp. 92284:341-92284:344.

--9703170258 SER accepting IST Program requests for relief for SLP, Unit 2.
* . 94/02/07. 75pp. 92284:349-92285:080.

--9703260149 Safety evaluation accepting current SG overfill protection sys design & associated plant procedures & operator training at plant.
* Instrumentation & Controls Branch. 94/03/24. 4pp. 92285:118-92285:121.

--9703260158 Safety evaluation granting relief to employ alternative welding matl of code case 2142 & benefits of code case for procedure.
* Materials & Chemical Engineering Branch. 94/03/28. 3pp. 92285:123-92285:125.

--9703260188 Safety evaluation accepting TS change for emergency bus undervoltage relays.
* . 95/04/27. 5pp. 92286:152-92286:156.

--9703260288 Safety evaluation opposing recommended sys mod to install automatic feedwater pump trip.
* Project Directorate II-3. 94/09/07. 10pp. 92285:216-92285:224.

--9703260319 Safety evaluation supporting inservice testing of main steam safety valves re license NPF-16.
* Mechanical Engineering Branch. 94/10/14. 2pp. 92285:283-92285:284.

--9703260324 Safety evaluation re refueling procedures to licenses DPR-67 & NPF-16.
* Division of Reactor Projects - I/II (Post 870411). 94/10/28. 2pp. 92285:286-92285:287.

9703050508 Ack receipt of 970212 ltr in response to NRC 961009 ltr request for info pursuant to 10CFR50.54(f) re adequacy & availability of design bases info.
WIENS,L.A. . 97/03/03. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 91961:196-91961:197.

9703270092 Confirms telcon between E Weinkam & C Julian on 970227 concerning meeting requested by NRC scheduled on 970327 to discuss status of recent plant performance.
JULIAN,C.A. Region 2 (Post 820201). 97/03/03. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92256:047-92256:049.

9703100041 Forteenth partial response to FOIA request for documents. Records in App W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6). PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BINDER,N.S. Affiliation Not Assigned. 4pp. 92038:073-92038:203.

--9611180046 Requests that listed info be forwarded to licensee in connection w/unescorted access visits to plant by listed NRC contractor employees during 961118-970110 for purpose of assisting NRC in conduct of design insp.
GALLO,R.M. . 96/11/05. SHAW,P. Region 2 (Post 820201). 4pp. 92038:192-92038:200.

--9703100050 Forwards licensee 951211 response to "chilling effect" ltrss re Phipps v. Florida Power & Light Co,DOL Case 94-ERA-53.
URYC,B. Region 2 (Post 820201). 96/01/04. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 92038:078-92038:143.

--9703100089 Partially deleted memo re allegation of misconduct by region II inspector.Inspector removed licensee official documents from work area & attempted to direct work of licensee.
EBNETER,S.D. Region 2 (Post 820201). 96/07/03. NORTON,L. Office of the Inspector General (Post 890417). 2pp. 92038:188-92038:189.

--9703100090 Partially witheld memo informing that Region II Weekly Enforcement Panel will be held on 960710.
BOLAND,A. Region 2 (Post 820201). 96/07/08. NRC - No Detailed Affiliation Given. 1p. 92038:190-92038:190.

9308260056 Informs that plant would fit best into schedule outlined at previous meeting re site visit for Prime Minister Chernomyrdin.
STOIBER,C. Office of International Programs (Post 911117). 93/08/10. POTTS,C. 12pp. 92227:295-92227:306.

--9602140106 Forwards agenda for 960122 IPE Senior Review Board meeting re contractor-developed requests for addl info for plants.
HODGES,M.W. Division of Systems Technology (Post 941217). 95/12/21. MARTIN,T.T. Region 1 (Post 820201). 2pp. 92228:017-92228:018.

--9606040260 Requests for assistance in addressing issues re plant emergency diesel generator fuel oil transfer sys leak isolation & using operation action in place of automatic action.
MERSCHOFF,E.W. . 95/08/28. ZWOLINSKI,J.A. . 15pp. 92222:278-92222:319.

--9703120193 Provides summary of discussion & staff actions re 950921 plant performance review.List of participants,changes to MIP & matrix trend charts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

--9703120360 Forwards St Lucie Cycle 11 SALP Input Feeder Form M/S.
HALLSTROM,G.A. Region 2 (Post 820201). 95/12/15. LANDIS,K.D. Region 2 (Post 820201). 47pp. 92223:032-92223:077.

--9703130048 Submits list of barriers which failed during St Lucie PIG inoperability.
LONG,R. NRC - No Detailed Affiliation Given. 96/04/10. LANDIS,K., MILLER,M. NRC - No Detailed Affiliation Given. 1p. 92226:230-92226:230.

--9703130056 Morning rept 2-96-0031:licensee announced that,effective 960415,D Sager was no longer w/util.B Acosta was named Acting Head of Nuclear Assurance.
LANDIS,K., MILLER,M., MELLEN,L. Region 2 (Post 820201). 96/04/17. 1p. 92227:141-92227:141.

--9703130065 Morning rept 2-96-0003:on 960109 licensee announced reassignment of DA Sager to position of Vice President of Nuclear Assurance due to retirement of JE Gieger.
LANDIS,K., MILLER,M. Region 2 (Post 820201). 96/01/10. 1p. 92227:142-92227:142.

--9703130093 Morning rept 2-95-0092:licensee announced,Nov 2,layoffs of 25 employees at plants in Fort Pierce,FL & Nov 1 of 40 employees at plants in Florida City,FL & corporate headquarters.
SCHIN,R. Region 2 (Post 820201). 95/11/03. 1p. 92227:143-92227:143.

--9703130149 Morning rept 2-95-0072:D Sager announced listed mgt changes to be effective 950822.
SCHIN,R. Region 2 (Post 820201). 95/08/23. 1p. 92227:144-92227:144.

--9703130157 Morning rept 2-95-0004:licensee President S Frank resigned on 950104 & J Broadhead will assume Frank duties on iterim basis.
LANDIS,K. Region 2 (Post 820201). 95/01/05. 1p. 92227:145-92227:145.

--9703130161 Morning rept 2-94-0073:plants announced that listed orgainzation changes will become effective 940901.
SCHIN,R. Region 2 (Post 820201). 94/08/08. 1p. 92227:146-92227:146.

--**9703130167** Morning rept 2-93-0106:licensee continues w/corporate cost reduction program,including Nuclear Div.Staffing reductions being announced effective 931001.
LANDIS,K.D. Region 2 (Post 820201). 93/10/01. 1p. 92227:147-92227:147.

--**9703130171** Morning rept 2-93-0096:mgt changes have been announced affecting licensee organization & plant site,effective 931001.
LANDIS,K. Region 2 (Post 820201). 93/09/20. 1p. 92227:148-92227:168.

--**9703130211** Requests that all managers & inspectors assigned to plant read self-assessment,for period Jan 1994 & May 1996 & provide brief written assessment of areas responsible for.
EBNETER,S.D. Region 2 (Post 820201). 96/10/08. JOHNSON,J., GIBSON,A. Region 2 (Post 820201). 1p. 92227:224-92227:243.

--**9703130213** Forwards answers to RA questions re plant self assessment.
MILLER,M. Region 2 (Post 820201). 96/10/24. LANDIS,K.D., NINH,S.O. Region 2 (Post 820201). 4pp. 92227:244-92227:247.

--**9703130215** Discusses criticality monitoring ltr & requests response to listed question.
MILLER,M. Region 2 (Post 820201). 96/10/31. JULIAN,C. Region 2 (Post 820201). 2pp. 92227:317-92227:318.

--**9703130218** Forwards document re plant large break LOCA issues.
MILLER,M. Region 2 (Post 820201). 96/10/24. LANDIS,K.D., MELLEN,L.S. Region 2 (Post 820201). 4pp. 92227:248-92227:251.

--**9703130219** Forwards updated schedule for St Lucie FY1.
MILLER,M. Region 2 (Post 820201). 96/11/13. JULIAN,C., NINH,S. Region 2 (Post 820201). 8pp. 92227:319-92227:326.

--**9703130230** Forwards info re plant large break LOCA issue.
MILLER,M. Region 2 (Post 820201). 96/10/24. RAPP,C.W. Region 2 (Post 820201). 4pp. 92227:252-92227:255.

--**9703130231** Forwards file submitted to Kerry on 961024 re PIM-like summary of events from 92-93.
MILLER,M. Region 2 (Post 820201). 96/11/14. JULIAN,C. Region 2 (Post 820201). 9pp. 92227:327-92227:335.

--**9703130237** Forwards plant calendar update.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D. Region 2 (Post 820201). 7pp. 92227:286-92227:292.

--**9703130241** Discusses plant NI EAW.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D. Region 2 (Post 820201). 1p. 92227:293-92227:293.

--**9703130298** Requests info re Sheron St Lucie visit.Info requested by 961120.
MILLER,M. Region 2 (Post 820201). 96/11/19. WIENS,L. . 183pp. 92228:019-92228:203.

9703130045 Forwards proprietary ltr which documents nature of any change to or error discovered in evaluation models for ECCS or in application of such models that affect fuel cladding temp calculations for St Lucie Units 1 & 2.Withheld.
STALL,J.A. Florida Power & Light Co. 97/03/06. Document Control Branch (Document Control Desk). 7pp. 92128:051-92128:057.

9703210294 Forwards supplemental response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
STALL,J.A. Florida Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 4pp. 92235:270-92235:273.

9703240077 Sixteenth partial response to FOIA request for documents. Records subj to request identified in App Z & encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/12. BINDER,N.S. Debevoise & Plimpton. 2pp. 92231:042-92231:187.

--**9307120167** "Pump & Valve Inservice Testing Program St Lucie Unit 2 FPL," technical evaluation rept.
FRESCO,A., BIBIASIO,A.M. Brookhaven National Laboratory. FIN L-2301. 93/06/22. CAMPBELL,P. Division of Engineering (Post 921004). 52pp. 92231:045-92231:097.

--**9605020246** Discusses regulatory acceptability of prelubricating valves prior to surveillance (STROKE) Testing TIA 96-007 re licenses NPF-16 & DPR-67.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/12. IMBRO,E.V. . 84pp. 92231:104-92231:187.

9703170136 Forwards suppl RAI re licensee 960314 ltr submittal of pressurized thermal shock evaluation for plant,Units 1 & 2. Response requested within 60 days of receipt of ltr.
WIENS,L.A . 97/03/13. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92131:357-92131:359.

9703240129 Confirms schedule changes in schedule for completion of mods to Thermo-Lag fire barriers at plant,Units 1 & 2,in response to NRC GL 92-08.
PLUNKETT,T.F. Florida Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 3pp. 92242:329-92242:331.

Q. Inspection reports, IE Bulletins & correspondence

9703030008 Requests approval of Interim Relief Request 21 for non-code repair of Class 3 intake cooling water pump piping,per ISI plan second 10-yr interval.
STALL,J.A. Florida Power & Light Co. 97/02/21. Document Control Branch (Document Control Desk). 6pp. 91956:341-91956:346.

9703110139 Forwards insp repts 50-335/97-02 & 50-389/97-02 on 970127-31.Violation cited but not noted & will not be subject to enforcement action.
BARR,K.P. Region 2 (Post 820201). 97/02/27. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92034:343-92034:357.

--**9703110146** Insp repts 50-335/97-02 & 50-389/97-02 on 970127-31. Violations noted but not cited.Major areas inspected: plant support,radiological protection & chemistry controls.
* Region 2 (Post 820201). 97/02/27. 11pp. 92034:345-92034:357.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--**9403290072** Forwards safety evaluation re licensee response to GL 89-19 concerning steam generator overfill protection (A-47).Plant provides acceptable automatic steam generator overfill protection sys.SALP input also encl.
WERMIEL,J.S. Instrumentation & Controls Branch. 94/03/24. BERKOW,H.N. Project Directorate II-2. 2pp. 92285:116-92285:117.

--**9404070288** Discusses staff review of responses re accuracy of MOV diagnostic equipment & 930924 response to GL 89-10,Suppl 5. During future insp staff will discuss evaluation of MOVs setup w/TMD,schedule for retesting & MOVs setup using VOTES.
NORRIS,J.A. Project Directorate II-2. 94/04/04. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:150-92285:152.

--**9406070239** Requests that encl list of questions re second 10-yr interval inservice insp program plan & associated requests for relief be forwarded to util for response within 60 days to meet NRC review schedule.
STROSNIDER,J. Materials & Chemical Engineering Branch. 94/05/31. NORRIS,J.A. Project Directorate II-2. 7pp. 92285:172-92285:178.

--**9406230100** Requests addl info identified in encl re St Lucie Unit 2 second 10-year ISI program.
NORRIS,J.A. Project Directorate II-2. 94/06/17. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92285:182-92285:187.

--**9409220214** Requests assistance in addressing issues re plant,Units 1 & 2 refueling procedures per insp repts 50-335/94-09 & 50-389/94-09.
BOGER,B.A. Region 2 (Post 820201). 94/09/19. LAINAS,G.C. Division of Reactor Projects - I/II (Post 870411). 9pp. 92285:233-92285:253.

--**9410040303** Forwards SER accepting util response to NRC Bulletin 90-01, Suppl 1,for units 1 & 2.
CHIRAMAL,M. Instrumentation & Controls Branch. 94/09/28. MCCREE,V.M. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:254-92285:255.

--**9412010048** Forwards SE of second 10-yr interval insp program plan associated request for relief 18 for plant.Alternative contained in request for relief 18 authorized.Part A of request denied.SALP input also encl.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 94/11/26. NORRIS,J.A. Project Directorate II-2. 2pp. 92285:318-92285:319.

--**9506280464** Forwards SE re second ten-year interval insp program plan request for relief number 19 for plant & SALP input. Interim relief for currently scheduled refueling outage in Sept 1995,authorized.
BAGCHI,G. . 95/06/15. NORRIS,J. . 8pp. 92286:195-92286:195.

--**9510250085** Forwards SE authorizing implementation of Code Case N-532, "Alternative Requirements to Repair & Replacement Documentation Requirements & Inservice Summary Rept Preparation & Submission as Required by IWA-4000 & 6000."
BAGCHI,G. . 95/10/13. NORRIS,J.A. . 1p. 92286:270-92286:270.

--**9610240217** Informs of plans to conduct design insp of plants,units 1 & 2.On-site insp planned for wks of 961118,12-02,12-09 & 970106.
HEBDON,F.J. . 96/10/23. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:059-92287:060.

--**9611190206** Informs of closure of NRC Bulletin 92-01,suppl 1, "Failure of Thermo-Lag 330 Fire Barrier Sys," for plant units 1 & 2. Util responses to GL 92-08 & subsequent RAI provided corrective action plans & schedule for resolution of issue.
WIENS,L.A. . 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:065-92287:066.

--**9703120457** Safety evaluation supporting second 10-yr interval inservice insp program plan.
* . 95/10/13. 7pp. 92286:271-92286:277.

--**9703130185** Safety evaluation accepting modified SRs consisting of visual insp by qualified engineer after every hurricane & at min visual insp every 5 yrs.
* . 95/11/03. 3pp. 92286:295-92286:297.

--**9703140022** Discusses 951220 memo re allegation received from anonymous caller 951217.NRC received allegation 951226 & conducted ARB meeting 951228.Scheduled insp for week of 960205.
EBNETER,S.D. Region 2 (Post 820201). 96/02/05. WATKINS,R.A. Office of the Inspector General (Post 890417). 1p. 92287:085-92287:085.

--**9703140037** Forwards allegation summary & insp repts 50-335/96-02 & 50-389/96-02.
BARR,K.P. Region 2 (Post 820201). 96/03/27. DE MIRANDA,O. Region 2 (Post 820201). 1p. 92287:097-92287:097.

--**9703140043** Forwards allegation evaluation rept re problem w/public alert sys.
EBNETER,S.D. Region 2 (Post 820201). 96/04/05. WATKINS,R.A. Ofc of the Executive Director for Operations. 3pp. 92287:098-92287:125.

--**9703170006** Safety evaluation re second 10-yr interval inservice insp program plan.
* NRC - No Detailed Affiliation Given. 94/11/26. 13pp. 92285:320-92285:332.

--**9703170012** Safety evaluation re second 10-yr interval inservice insp program plan.
* NRC - No Detailed Affiliation Given. 95/06/15. 7pp. 92286:196-92286:202.

--**9703260303** Safety evaluation supporting requested actions of NRC Bulletin 90-01.
* Instrumentation & Controls Branch. 94/09/28. 3pp. 92285:256-92285:276.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703070053 Ack receipt of 970206 ltr & check for $100,00 in payment for civil penalties proposed by NRC in 970110 ltr.Corrective actions to be examined during future insps.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/05. PLUNKETT,T.F. Florida Power & Light Co. 1p. 91979:008-91979:008.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120173 Discusses two unresolved items pending TSs interpretations re insp repts 50-335/94-09 & 50-389/94-09.
BOGER,B.A. Region 2 (Post 820201). 94/03/19. LAINAS,G.C. Region 2 (Post 820201). 5pp. 92222:096-92222:109.

--9703120351 Forwards St Lucie Cycle 11 SALP Input Feeder Form M/S for review & requests outline rept by 960109.
LANDIS,K.D. Region 2 (Post 820201). 95/12/22. MERSCHOFF,E.W. Region 2 (Post 820201). 3pp. 92223:029-92223:031.

--9703120385 "St Lucie SALP for 940102-960106,SALP Board Meeting 960118."
* NRC - No Detailed Affiliation Given. 96/01/18. 245pp. 92223:078-92224:165.

--9703130187 Submits rept from K Clark re plant Special Insp Team News Conference.
HANNAH,R. NRC - No Detailed Affiliation Given. 96/08/23. EBNETER,S.D., LANDIS,K.D. NRC - No Detailed Affiliation Given. 3pp. 92227:169-92227:205.

--9703130195 Forwards allegation evaluation rept RII-96-A-0056,which summarizes findings & insp results re personnel executed switching order & manipulated equipment w/o knowledge of control room personnel.
LANDIS,K.D. Region 2 (Post 820201). 96/08/06. DE MIRANDA,O. Region 2 (Post 820201). 6pp. 92226:271-92226:276.

--9703130201 Informs that violation withdrawn re licensee use of CCW/ICW (svc water) in Mode 5 at plant.
MILLER,M. Region 2 (Post 820201). 96/10/31. GILLESPIE,F. . 1p. 92227:316-92227:316.

--9703130202 Forwards Allegation Evaluation Rept which summarizes review & independent insp of failure to adhere to administrative steps in closure of plant action requests when licensee rushed corrective action program change.W/o insp repts.
LANDIS,K.D. . 96/09/14. MCNULTY,W.J. Ofc of Investigations (Post 880201). DE MIRANDA,O. Region 2 (Post 820201). 4pp. 92227:210-92227:213.

--9703130209 Forwards Allegation Evaluation Rept RII-96-A-0129,which summarized findings of review & independent insp re maint manager unprofessionalism & violation of freeze seal procedure.W/o insp repts 50-335/96-11 & 50-389/96-11.
LANDIS,K.D. . 96/09/14. DE MIRANDA,O. Region 2 (Post 820201). 10pp. 92227:214-92227:223.

--9703130236 Replies to news summary re escalated enforcement for plant on 961025.
MILLER,M. Region 2 (Post 820201). 96/10/28. HANNAH,R.D. Region 2 (Post 820201). 1p. 92227:285-92227:285.

--9703130238 Forwards util response to violations noted in insp repts 50-335/96-12 & 50-389/96-12 re inconsistencies between NRC position,in response to TIA 95-013 & NRC Insp Manual Chapter,Part 9900 Interim Guidance on 10CFR50.59
MERSCHOFF,E.W. Region 2 (Post 820201). 96/11/14. ZIMMERMAN,R.P. . 1p. 92227:336-92227:348.

--9703130254 Provides list of corrective actions that have been rolled into Speakout Program.
MILLER,M. Region 2 (Post 820201). 96/11/15. JULIAN,C. Region 2 (Post 820201). 1p. 92227:349-92227:349.

--9703130258 Informs that draft IN on operator activities affecting reactivity being distributed.
KOENICK,S. . 96/11/19. DICK,G., WIENSM,L. . LANDIS,K. Region 2 (Post 820201). 1p. 92227:351-92227:351.

--9703130285 Forwards background info on St Lucie Nuclear Instumentation Insp.
MILLER,M. Region 2 (Post 820201). 96/11/18. CASTO,C. Region 2 (Post 820201). 10pp. 92228:007-92228:016.

--9703130378 Forwards SALP Input Feeder Info at St Lucie facility from 940102-960106 & requests that technical staff complete review by 951222.
LANDIS,K.D. Region 2 (Post 820201). 97/03/06. MERSCHOFF,E.W. Region 2 (Post 820201). 123pp. 92228:204-92228:324.

9703130047 Forwards safety evaluation re licensee request for relief from code hydrostatic pressure test requirement for ISI 10-yr testing.
HEBDON,F.J. . 97/03/10. PLUNKETT,T.F. Florida Power & Light Co. 6pp. 92109:240-92109:245.

--9703130070 Safety evaluation authorizing alternative testing to rules of ASME section XI,per 10CFR50.55a(a)(3).
* . 97/03/10. 4pp. 92109:242-92109:245.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190387 Submits info in response to RAI re ISI Plan Second Ten-Yr Interval Relief Request 14,providing addl justification on rescheduling of exams in relief request.
STALL,J.A. Florida Power & Light Co. 97/03/13. Document Control Branch (Document Control Desk). 6pp. 92199:212-92199:217.

9703210039 Eighteenth partial response to FOIA request for documents. Forwards documents listed in app CC.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. BINDER,N.S. Debevoise & Plimpton. 2pp. 92218:179-92218:223.

--9703210042 Discusses review of case RII-94-A-0105 to determine whether info obtain constitutes protected activity.
EVANS,C.F. Region 2 (Post 820201). 94/09/27. MCNULTY,W.J. Ofc of Investigations (Post 880201). 5pp. 92218:182-92218:185.

--9703210052 Informs that review has been completed & no violation of regulatory requirements identified.
STOHR,J.P. Region 2 (Post 820201). 95/05/10. NCNULTY,W.J. Ofc of Investigations (Post 880201). 2pp. 92218:189-92218:197.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280231 Forwards insp repts 50-335/96-201 & 50-389/96-201 on 961118-970110.No violations noted.
GALLO,R.M. . 97/03/25. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 92293:110-92293:180.

--9703280234 Insp repts 50-335/96-201 & 50-389/96-201 on 961118-970110. No violations noted.Major areas inspected:design insp of AFS & CCW Sys at plant.
* . 97/03/25. 67pp. 92293:114-92293:180.

9703280267 Forwards insp repts 50-335/96-201 & 50-389/96-201 on 961118-970110.Schedule requested within 60 days of receipt of ltr re completion of corrective actions for items listed in Attachment 1,for planning of re-inspection of items.
GALLO,R.M. Region 2 (Post 820201). 97/03/25. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 92290:059-92290:129.

--9703280271 Insp repts 50-335/96-201 & 50-389/96-201 on 961118-970110. Violations noted.Major areas inspected:design of St Lucie, Unit 1 auxiliary feedwater sys & Unit 2 component cooling water sys.
* Region 2 (Post 820201). 97/03/25. 67pp. 92290:063-92290:129.

9703130281 Forwards background info on St Lucie Nuclear Instrumentation Insp.
MILLER,M. Region 2 (Post 820201). 96/11/18. TRIPP,A. Region 2 (Post 820201). 10pp. 92227:357-92228:006.

R. Periodic operating reports & related correspondence

9703050335 "1996 Man-Rem Rept." W/970224 ltr.
STALL,J.A. Florida Power & Light Co. 96/12/31. 4pp. 92003:117-92003:120.

9703040370 Forwards 1996 Annual Radioactive Effluent Release Rept for St Lucie,Units 1 & 2,per 10CFR50.36(a)(2) & Sections 6.9.1.7 & 6.14.3 of plant TS.Rept covers period from 960101-1231. Procedure,encl.
STALL,J.A. Florida Power & Light Co. 97/02/24. Document Control Branch (Document Control Desk). 1p. 91978:013-91978:239.

--9703040371 "Combined Annual Radioactive Effluent Release Rept for Period 960101-1231."
* Florida Power & Light Co. 96/12/31. 42pp. 91978:014-91978:057.

9703190366 Monthly operating repts for Feb 1997 for St Lucie Units 1 & 2.W/970313 ltr.
ROGERS,J.A., STALL,J.A. Florida Power & Light Co. 97/02/28. 9pp. 92199:188-92199:196.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703120161 "Plant Status Rept for St Lucie."
* Region 2 (Post 820201). 94/06/30. 38pp. 92222:058-92222:095.

--9703120176 "Plant Status Rept for St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 95/09/30. 48pp. 92222:320-92223:003.

--9703120188 "Plant Status Rept,St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 96/02/29. 49pp. 92225:287-92225:335.

--9703120371 "Plant Status Rept for St Lucie."
* Commissioners (Post 750119). 94/10/31. 175pp. 92222:116-92222:277.

--9703120429 "Status Rept for St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 96/02/28. 46pp. 92224:166-92225:286.

--9703130043 "Plant Status Rept."
* Region 2 (Post 820201). 96/08/31. 200pp. 92226:296-92227:139.

S. Reportable occurrences, LERs & related correspondence

9703170140 Part 21 rept re followup of 970307 event involving potential spring problem in Bettis Actuator.Recommends that util include two actuator replacements of springs as precautionary measures in next refurbishment cycle.
ERLACH,F.U. Affiliation Not Assigned. 97/03/12. NRC - No Detailed Affiliation Given. 1p. 92217:280-92217:280.

V. Operator Examinations

9703270237 Advises that NRC plans to administer GFE section of written operator licensing exam on 970409.Sample registration ltr encl.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92256:150-92256:152.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

9703280035 Forwards response to question raised during Region II 1996 NRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. ALLEN,M. Florida Power & Light Co. 2pp. 92264:357-92264:358.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703240077 Sixteenth partial response to FOIA request for documents. Records subj to request identified in App Z & encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/12. BINDER,N.S. Debevoise & Plimpton. 2pp. 92231:042-92231:187.

--9509200184 Requests addl info re external event analyses in IPEEE, within 60 days in conformance w/review schedule.
CUNNINGHAM,M. Probabilistic Risk Analysis Branch (Post 941217). 95/08/31. MATTHEWS,D. . 6pp. 92231:098-92231:103.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703210118 Forwards Rev 0 to physical security/contingency plan,per GL 95-08.Rev withheld,per 10CFR73.21.
SCALICE,J.A. Tennessee Valley Authority. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92235:244-92235:245.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

J. Insurance & indemnity information

9703240134 Forwards info re onsite property damage insurance,per 10CFR.50.54(w).
BARON,P.R. Tennessee Valley Authority. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:297-92242:299.

P. Operating license stage documents & correspondence

9703030350 Forwards response to RAI re license amend request for spent fuel pool storage capacity increase.
SCALICE,J.A. Tennessee Valley Authority. 97/02/24. Document Control Branch (Document Control Desk). 27pp. 91957:325-91957:351.

9703060046 Ack receipt of 970212 ltr which responded to 961009 request for info re adequacy & availability of design bases info.
MARTIN,R.E. . 97/03/03. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 91991:323-91991:324.

9703180247 Provides response to NRC comments in 970212 ltr re no significant hazard determination for SFP reracking & enrichment increase.
SCALICE,J.A. Tennessee Valley Authority. 97/03/11. Document Control Branch (Document Control Desk). 8pp. 92200:309-92200:327.

--9703180249 Proposed tech specs re SFP reracking & enrichment increase.
* Tennessee Valley Authority. 97/03/11. 11pp. 92200:317-92200:327.

9703130313 Summary of 970226 meeting w/TVA representatives in Rockville,MD re status of licensing actions currently under review & planned for near future.List of attendees encl.
MARTIN,R.E. . 97/03/12. . 8pp. 92109:299-92109:306.

9703250040 Informs NRC of plans to reduce scope of seismic evaluation for IPEEE program for "focused scope" review to "reduced scope" review.Encl provides details of WBN program mod & justification for reduction in scope.
SCALICE,J.A. Tennessee Valley Authority. 97/03/13. Document Control Branch (Document Control Desk). 13pp. 92252:126-92252:138.

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

9703240135 Forwards RAI in order to continue review of 961023 application for amend to plant TS.Amend would allow increase in spent fuel pool storage capacity.
MARTIN,R.E. . 97/03/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92231:031-92231:033.

Q. Inspection reports, IE Bulletins & correspondence

9703110226 Forwards insp repts 50-390/96-14 & 50-391/96-14 on 961222-970201.No violations noted.
LESSER,M.S. Region 2 (Post 820201). 97/02/26. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 92034:318-92034:342.

--9703110228 Insp repts 50-390/96-14 & 50-391/96-14 on 961222-970201.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 97/02/26. 19pp. 92034:322-92034:342.

9703110111 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/96-13 & 50-391/96-13.Implementation of corrective actions will be examined during future inspections.
LESSER,M.S. Region 2 (Post 820201). 97/02/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92019:152-92019:154.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703270271 Forwards response to RAI re first 10-yr interval inservice insp program plan & associated requests for relief.
SCALICE,J.A. Tennessee Valley Authority. 97/03/24. Document Control Branch (Document Control Desk). 113pp. 92267:119-92267:230.

R. Periodic operating reports & related correspondence

9703210312 "WBN 1996 Annual Occupational Radiation Exposure Rept." W/970317 ltr.
SCALICE,J.A. Tennessee Valley Authority. 96/12/31. 8pp. 92233:352-92233:359.

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

9703210290 Monthly operating rept for Feb 1997 for WBN,Unit 1.W/970317 ltr.
TOLLEY,R.D., SCALICE,J.A. Tennessee Valley Authority. 97/02/28. 8pp. 92235:214-92235:222.

S. Reportable occurrences, LERs & related correspondence

9703050263 LER 97-003-00:on 970201,performance of surveillance instruction was not current following return to applicable mode.Caused by failure to follow procedures by individuals involved.Counseled individual involved.W/970227 ltr.
BUSHNELL,J., SCALICE,J.A. Tennessee Valley Authority. 97/03/03. 9pp. 92039:009-92039:017.

9703190014 LER 96-025-01:on 961211,determined inadequate surveillance program re maint of oxygen limits.Caused by failure of sequential oxygen analyzer to operate automatically between seven tanks.Replaced,tested & calibr analyzer.W/970311 ltr.
MAYS,R.N., SCALICE,J.A. Tennessee Valley Authority. 97/03/11. 11pp. 92237:202-92237:212.

9703250238 LER 97-004-00:on 970118,auxiliary building gas treatment sys declared inoperable.Caused by lack of questioning attitude by operations personnel.Thermal overloads have been replaced on breaker O-BKR-030-156-B.W/970317 ltr.
BROWN,R.M., SCALICE,J.A. Tennessee Valley Authority. 97/03/17. 8pp. 92275:111-92275:118.

V. Operator Examinations

9703270131 Forwards sample registration for 970409 GFE section of written operator licensing exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. THOMPSON,W.W. Tennessee Valley Authority. 3pp. 92256:086-92256:088.

9703280065 Forwards response to questions raised during NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. THOMPSON,W. Tennessee Valley Authority. 2pp. 92265:036-92265:037.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

9703240135 Forwards RAI in order to continue review of 961023 application for amend to plant TS.Amend would allow increase in spent fuel pool storage capacity.
MARTIN,R.E. . 97/03/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92231:031-92231:033.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

J. Insurance & indemnity information

9703240134 Forwards info re onsite property damage insurance,per 10CFR.50.54(w).
BARON,P.R. Tennessee Valley Authority. 97/03/19. Document Control Branch (Document Control Desk). 3pp. 92242:297-92242:299.

Q. Inspection reports, IE Bulletins & correspondence

9703110226 Forwards insp repts 50-390/96-14 & 50-391/96-14 on 961222-970201.No violations noted.
LESSER,M.S. Region 2 (Post 820201). 97/02/26. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 92034:318-92034:342.

--9703110228 Insp repts 50-390/96-14 & 50-391/96-14 on 961222-970201.No violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 97/02/26. 19pp. 92034:322-92034:342.

9703110111 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/96-13 & 50-391/96-13.Implementation of corrective actions will be examined during future inspections.
LESSER,M.S. Region 2 (Post 820201). 97/02/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 92019:152-92019:154.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

V. Operator Examinations

9703270131 Forwards sample registration for 970409 GFE section of written operator licensing exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. THOMPSON,W.W. Tennessee Valley Authority. 3pp. 92256:086-92256:088.

9703280065 Forwards response to questions raised during NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. THOMPSON,W. Tennessee Valley Authority. 2pp. 92265:036-92265:037.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703110137 Revised emergency plan procedures (EPPs),including Rev 24 to EPP-001, "Activation & Implementation of Emergency Plan," Rev 6 to EPP-001.1, "Notification of Unusual Event" & Rev 31 to EPP-002, "Communication & Notification." W/970303 ltr.
RICE,A.R. South Carolina Electric & Gas Co. 97/03/03. 63pp. 92120:216-92120:278.

P. Operating license stage documents & correspondence

9703040297 Submits request for relief to provide alternative to current commitments w/ regard to leaks to bolted connections re Section XI of ASME Code.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/02/25. Document Control Branch (Document Control Desk). 7pp. 91992:275-91992:281.

9703050467 Ack receipt of 970206 response to NRC 961009 request for info re adequacy & availability of design bases info.
JOHNSON,A.R. . 97/02/28. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 91961:185-91961:186.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703190380 Comment opposing draft regulatory guide 1068, "Medical Evaluation of Licensed Personnel at Nuclear Power Plants."
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/03/05. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92153:022-92153:022.

9703200318 Forwards comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance."
HODGES,M.W. Division of Systems Technology (Post 941217). 97/03/06. VARGA,S.A. . 1p. 92204:315-92204:330.

--9703200328 Provides comments on NRC draft NUREG-1560 which documents insight gained through review of IPE.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/02/17. DROUIN,M. Office of Nuclear Regulatory Research (Post 941217). 2pp. 92204:316-92204:324.

9703190188 Comment opposing proposed GL on loss of reactor coolant inventory & associated potential for loss of emergency mitigation functions while in shuddown condition.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/03/12. NRC - No Detailed Affiliation Given. 1p. 92152:245-92152:245.

9703190045 Submits response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/03/13. Document Control Branch (Document Control Desk). 4pp. 92197:357-92197:360.

9703200194 Forwards RAI re 961017 request for deviation from commitment to meet technical requirements of Section III.G.2 of App R to 10CFR50.
JOHNSON,A.R. . 97/03/17. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 92204:338-92204:340.

9703240088 Informs that Westinghouse Nuclear Safety Advisory Ltr 96-004 is not applicable to VC Summer Nuclear Station.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/03/17. JOHNSON,A.R. Document Control Branch (Document Control Desk). 2pp. 92242:358-92242:359.

Q. Inspection reports, IE Bulletins & correspondence

9703060059 Comment on proposed generic communication, "Effectiveness of Ultrasonic Testing Sys in Inservice Inspection Programs." GL seems to approach mandating implementation of App VIII requirements.
LAVIGNE,D.A. South Carolina Electric & Gas Co. 97/02/25. NRC - No Detailed Affiliation Given. 3pp. 91970:217-91970:219.

9703040361 Forwards response to Level IV violation delineated in NRC Insp Rept 50-395/96-14.Corrective actions:facilities personnel inpecting ladder storage areas once per shift until program improvement initiatives can be implemented.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/02/26. Document Control Branch (Document Control Desk). 3pp. 91960:266-91960:268.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703270176 Confirms 970303 & 10 telcon between A Rice & GA Belisle re mgt meeting scheduled for 970318,in Atlanta,GA to discuss SALP functional area of plant support.
BELISLE,G.A. Region 2 (Post 820201). 97/03/10. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 92256:112-92256:114.

9703280069 Discusses insp rept 50-395/96-15 on 961229-970208 & forwards NOV.Violation of concern because there were several missed opportunities to identify & correct violation prior to date of discovery.
BELISLE,G.A. Region 2 (Post 820201). 97/03/10. TAYLOR,G.J. South Carolina Electric & Gas Co. 6pp. 92274:001-92274:046.

--9703280076 Notice of violation from insp on 961229-970208.Violation noted:between 940628-961202,EFW pump quarterly SG low-low actuation slave relay test was not performed within required frequency specified in TS surveillance requirement 4.3.2.1.
* Region 2 (Post 820201). 97/03/10. 2pp. 92274:007-92274:008.

--9703280081 Insp rept 50-395/96-15 on 961229-970208.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 2 (Post 820201). 97/03/10. 34pp. 92274:009-92274:046.

9703280054 Ack receipt of 970226 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/96-14 issued on 970127.Implementation of corrective actions will be examined during future inspections.
BELISLE,G.A. Region 2 (Post 820201). 97/03/11. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 92265:024-92265:025.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270151 Announces maintenance rule baseline insp at plant facility on 970512-16.Description of info needed for insp encl.
HOLLAND,W.E. Region 2 (Post 820201). 97/03/13. TAYLOR,G.J. South Carolina Electric & Gas Co. 5pp. 92256:095-92256:099.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050295 "VC Summer Nuclear Station 1996 Annual Operating Rept." W/ 970225 ltr.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/12/31. 10pp. 91999:268-91999:277.

9703180022 Monthly operating rept for Feb 1997 for VSNS.W/970311 ltr.
BELL,W.H., TAYLOR,G.J. South Carolina Electric & Gas Co. 97/02/28. 5pp. 92190:251-92190:255.

S. Reportable occurrences, LERs & related correspondence

9703060253 Part 21 rept re notification on Model 763 wire failures.ITT Barton presently investigating understanding of situation & intends to identify suitable repair,can be implemented in field.
HOLDREDGE,T. ITT Barton. 96/12/13. FOWLKES,M. South Carolina Electric & Gas Co. 3pp. 92039:277-92039:279.

V. Operator Examinations

9703270242 Informs that NRC plans to administer GFE section of written operator licensing exam on 970409.Sample registration ltr encl.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 92256:153-92256:155.

9703040073 Comment on NRC draft NUREG 1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance;Vols 1 & 2." Comment provided to enhance accuracy of NUREG,per request.
TAYLOR,G.J. South Carolina Electric & Gas Co. 97/02/17. DROUIN,M. Office of Nuclear Regulatory Research (Post 941217). 2pp. 91945:001-91945:002.

9703280039 Responds to questions raised during Region II 1996 NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. MATLOSZ,T. South Carolina Electric & Gas Co. 2pp. 92265:001-92265:002.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR

R. Periodic operating reports & related correspondence

9703210284 "Univ of VA Reactor Facility Annual Rept for 1996." W/970318 ltr.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 96/12/31. 44pp. 92233:302-92233:346.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703040057 Informs that info will be provided to plant security manager to assist in efforts to protect plant against "insider" requirement of design-basis threat.
COLBURN,T.G. . 97/02/20. PARRISH,J.V. Washington Public Power Supply System. 2pp. 91946:237-91946:238.

9703070118 Ack receipt of 961206 ltr transmitting changes to physical security plan for Washington Nuclear Plant 2,rev 33.Based on determination that changes do not decrease effectiveness of security,no NRC approval required.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/04. PARRISH,J.V. Washington Public Power Supply System. 5pp. 91979:024-91979:028.

9703110148 Forwards insp rept 50-397/97-02 on 970127-31 & 0212-14. Inspector determined that physical security program was effectively implemented.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/06. PARRISH,J.V. Washington Public Power Supply System. 3pp. 92069:001-92069:007.

--9703110154 Insp rept 50-397/97-02 on 970127-31 & 0212-14.No violations noted.Major areas inspected:Engineering & plant support security.
* Region 4 (Post 820201). 97/03/06. 4pp. 92069:004-92069:007.

9703260032 Forwards changes to WNP-2 ERDS Data Point Library.
SWANK,D.A. Washington Public Power Supply System. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92253:322-92253:323.

J. Insurance & indemnity information

9703210355 Submits repts that listed property & liability insurance coverage for plant in force.
KUCERA,G.J. Washington Public Power Supply System. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92235:202-92235:202.

P. Operating license stage documents & correspondence

9703060256 Forwards Revs 23 & 24 to TR WPPS-QA-004, "Operational QA Program Description." Revs reflect organizational changes & modifies reporting requirements as listed.
SWANK,D.A. Washington Public Power Supply System. 97/02/19. Document Control Branch (Document Control Desk). 8pp. 92010:188-92010:267.

--9703060258 Rev 23 to "Operational QA Program Description."
* Washington Public Power Supply System. 96/01/12. 34pp. 92010:196-92010:229.

--9703060262 Rev 24 to "Operational QA Program Description."
BARLEY,W.H. Washington Public Power Supply System. 97/02/19. 38pp. 92010:230-92010:267.

9703110003 Forwards "Radioactive Effluent Release Rept for 1996" & "Offsite Dose Calculation Manual."
BEMIS,P.R. Washington Public Power Supply System. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92049:001-92049:267.

--9703100289 "Offsite Dose Calculation Manual."
* Washington Public Power Supply System. 96/05/31. 191pp. 92049:073-92049:267.

9703180070 Forwards amend 149 to license NPF-21,safety evaluation & FR notice.Amend replaces,in entirety,current TS w/set of TS based on NUREG-1434,new license condition 2.C.(30) reflecting licensee commitment re relocation of TS.
COLBURN,T.G. . 97/03/04. PARRISH,J.V. Washington Public Power Supply System. 2pp. 92144:001-92147:314.

--9703180071 Amend 149 to license NPF-21,replacing in entirety,current TS w/set of TS based on NUREG-1434,adding new license condition 1.C.(30) reflecting licensee commitments re relocation of TS requirements to licensee-controlled documents.
COLBURN,T.G. . 97/03/04. 1,060pp. 92144:003-92146:340.

--9703180073 Safety evaluation supporting amend 149 to license NPF-21.
* . 97/03/04. 336pp. 92146:341-92147:312.

--9703180074 Notice of issuance of amend 149 to facility OL NPF-21.
COLBURN,T.G. . 97/03/04. 2pp. 92147:313-92147:314.

9703130023 Ack receipt of 970207 response to 961009 request for info re adequacy & availability of design bases info,per 10CFR54.54(f).No addl info needed at this time.
COLBURN,T.G. . 97/03/07. PARRISH,J.V. Washington Public Power Supply System. 2pp. 92107:354-92107:355.

9703210337 Forwards response to GL 96-05,re "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
PARRISH,J.V. Washington Public Power Supply System. 97/03/13. Document Control Branch (Document Control Desk). 5pp. 92235:203-92235:207.

9703260203 Documents 970320 discussion w/util re performance of response time measurements at facility & provides overview of NRC conclusion.
GWYNN,T.P. Region 4 (Post 820201). 97/03/20. PARRISH,J.V. Washington Public Power Supply System. 11pp. 92245:176-92245:186.

9703260342 Informs of intent to exercise discretion not to enforce compliance w/specific required action in TS SR 3.3.1.1.15 identified in NRC 970320 ltr.
BATEMAN,W.H. . 97/03/24. PARRISH,J.V. Washington Public Power Supply System. 4pp. 92277:149-92277:152.

9703280331 Notification of 970403 meeting w/util in Rockville,MD to discuss licensees FSAR Upgrade Program.
COLBURN,T.G. . 97/03/27. BATEMAN,W.H. . 4pp. 92275:351-92275:354.

Q. Inspection reports, IE Bulletins & correspondence

9703060201 Comment supporting proposed generic communications, "Effectiviness of Ultrasonic Testing Sys in ISI Program."
SWANK,D.A. Washington Public Power Supply System. 97/02/25. NRC - No Detailed Affiliation Given. 2pp. 92002:290-92002:291.

9703060154 Confirms electronic transfer of $100,000 as payment for civil penalty imposed in EA 96-327 re insp rept 50-397/96-19.
SWANK,D.A. Washington Public Power Supply System. 97/02/27. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 92012:359-92012:359.

9703060295 Confirms understanding & agreement w/following regulatory commitments made in response to 970106-09,in NRC Insp Rept 50-397/97-01.
SWANK,D.A. Washington Public Power Supply System. 97/02/28. GWYNN,T.P. Region 4 (Post 820201). 1p. 92000:340-92000:340.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110148 Forwards insp rept 50-397/97-02 on 970127-31 & 0212-14. Inspector determined that physical security program was effectively implemented.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/06. PARRISH,J.V. Washington Public Power Supply System. 3pp. 92069:001-92069:007.

-9703110154 Insp rept 50-397/97-02 on 970127-31 & 0212-14.No violations noted.Major areas inspected:Engineering & plant support security.
* Region 4 (Post 820201). 97/03/06. 4pp. 92069:004-92069:007.

9703170039 Forwards response to NRC 970205 ltr re violations noted in insp rept 50-397/96-26.Corrective actions:modified channel check procedure to use alternate source of core flow data instead of MS-SUM-608.
BEMIS,P.R. Washington Public Power Supply System. 97/03/06. Document Control Branch (Document Control Desk). 4pp. 92157:356-92157:359.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703180091 Ack receipt of 970227 ltr & wire transfer of payment for civil penalty imposed by NRC in 970314 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/14. PARRISH,J.V. Washington Public Power Supply System. 1p. 92134:174-92134:174.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703260239 Ack receipt of 970228 ltr,in response to 970207 ltr re insp rept 50-397/97-01.
HOWELL,A.T. Region 4 (Post 820201). 97/03/20. PARRISH,J.V. Washington Public Power Supply System. 4pp. 92244:356-92244:360.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703260342 Informs of intent to exercise discretion not to enforce compliance w/specific required action in TS SR 3.3.1.1.15 identified in NRC 970320 ltr.
BATEMAN,W.H. . 97/03/24. PARRISH,J.V. Washington Public Power Supply System. 4pp. 92277:149-92277:152.

R. Periodic operating reports & related correspondence

9703050144 "1996 Annual Environ Operating Rept." W/970224 ltr.
SWANK,D.A. Washington Public Power Supply System. 96/12/31. 2pp. 92003:262-92003:263.

9703100241 "Annual Operating Rept for 1996." W/970228 ltr.
WEBRING,R.L. Washington Public Power Supply System. 96/12/31. 89pp. 92042:180-92042:268.

9703030522 Forwards fitness for duty semiannual performance data rept for Jul-Dec 1996.
WEBRING,R.L. Washington Public Power Supply System. 97/02/26. Document Control Branch (Document Control Desk). 5pp. 91952:353-91952:357.

9703110003 Forwards "Radioactive Effluent Release Rept for 1996" & "Offsite Dose Calculation Manual."
BEMIS,P.R. Washington Public Power Supply System. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92049:001-92049:267.

-9703100288 "Radioactive Effluent Release Rept for Jan through Dec 1996."
BEMIS,P.R. Washington Public Power Supply System. 96/12/31. 71pp. 92049:002-92049:072.

-9703100289 "Offsite Dose Calculation Manual."
* Washington Public Power Supply System. 96/05/31. 191pp. 92049:073-92049:267.

9703190082 Monthly operating rept for Feb 1997 for WNP-2.W/970313 ltr.
KASKO,B., SMITH,G.O. Washington Public Power Supply System. 97/02/28. 4pp. 92198:357-92198:360.

S. Reportable occurrences, LERs & related correspondence

9703210322 LER 97-001-00:on 970211,reactor water cleanup sys blowdown flow isolation setpoint was slightly above TS allowable valve occurred due to calculation error.LDS FSs LD-FS-15 LD-FS-16 were declared inoperable.W/970313 ltr.
ARBUCKLE,J.D., BEMIS,P.R. Washington Public Power Supply System. 97/03/13. 7pp. 92246:306-92246:312.

9703250092 LER 97-002-00:on 970218,determined that Rod Block Monitor (RBM) calibr values were not set IAW tech specs.Caused by calibr procedures inadequacies.Revised & re-performed RBM channel calibr procedures.W/970330 ltr.
BROWNLEE,R.E., BEMIS,P.R. Washington Public Power Supply System. 97/03/20. 4pp. 92275:023-92275:026.

9703250079 PNO-IV-97-016:on 970320,licensee commenced plant shutdown as required by TS 3.0.3.Licensee requested enforcement discretion until received TS amend,allowing previously conducted tests.State of WA will be informed of event.
JOHNSTON,G., REPLOGLE,G. Region 4 (Post 820201). 97/03/21. 1p. 92275:058-92275:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703250139 Submits list of individuals requesting renewal of operating licenses.NRC Forms 396 & 398,encl.W/o encl.
BEMIS,P.R. Washington Public Power Supply System. 97/03/17. MERSCHOFF,W.E. Region 4 (Post 820201). 1p. 92251:355-92251:355.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703110120 Forwards insp repts 50-261/97-02,50-324/97-01,50-325/97-01 & 50-400/97-02 on 970113-0216.Violations noted.Seven apparent violations were identified & being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 97/02/28. ORSER,W.S. Carolina Power & Light Co. 7pp. 92078:201-92078:219.

-9703110129 Insp repts 50-261/97-02,50-324/97-01 & 50-325/97-01 & 50-400-97-02 on 970113-0206.Violations noted.Major areas inspected:access authorization & fitness for duty programs.
* Region 2 (Post 820201). 97/02/28. 12pp. 92078:208-92078:219.

9703190068 Transmits Rev 30 to Shearon Harris Nuclear Power Plant Emergency Plan (PLP-201).Changes include evacuation time estimate update,positions of responsibility,changes to general info & correction of clerical errors.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/12. Document Control Branch (Document Control Desk). 7pp. 92209:208-92209:352.

-9703190073 Rev 30 to HNP Plant Operating Manual,Vol 1,Part 2, "Emergency Plan." W/three oversize drawings.
* Carolina Power & Light Co. PLP-201 R30. 97/03/12. 140pp. 92209:215-92209:352.

H. General correspondence

9703140091 Requests rev of NRC svc/distribution list to reflect recent personnel & title changes.
WALT,T.D. Carolina Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92137:331-92137:333.

P. Operating license stage documents & correspondence

9703040166 Application for amend to License NPF-63,revising Tech Specs 3/4.7.1, "Turbine Cycle Safety Valves."
ROBINSON,W.R. Carolina Power & Light Co. 97/02/18. Document Control Branch (Document Control Desk). 3pp. 91960:069-91960:088.

--9703040169 Proposed Tech Specs 3/4.7.1, "Turbine Cycle Safety Valves."
* Carolina Power & Light Co. 97/02/18. 17pp. 91960:072-91960:088.

9703040245 Requests revision to TS for HNP which revises 3.3.2 in Action 16 of Table 3.3-3 to add specific time interval of six h to place an inoperable channel in bypassed condition, IAW 10CFR50.90.
ROBINSON,W.R. Carolina Power & Light Co. 97/02/21. Document Control Branch (Document Control Desk). 9pp. 91960:232-91960:244.

--9703040248 Proposed tech specs revising TS 3.3.2 in Action 16 of Table 3.3-3 to add specific time interval of six h to place an inoperable channel in bypassed condition.
* Carolina Power & Light Co. 97/02/21. 4pp. 91960:241-91960:244.

9703040391 Application for amend to license NPF-63,amending TS 3/4.4.5, "SGs," & associated Bases,to add sleeve installation as alternative to tube plugging for repairing degraded ST tubes.TRs encl.CEN-630-P,rev 1 withheld.
ROBINSON,W.R. Carolina Power & Light Co. 97/02/27. Document Control Branch (Document Control Desk). 12pp. 91977:170-91978:012.

--9703040393 Proposed tech specs,amending TS 3/4.4.5, "SGs," & associated Bases,to add sleeve installation as alternative to tube plugging for repairing degraded SG tubes.
* Carolina Power & Light Co. 97/02/27. 24pp. 91977:182-91978:012.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703070163 Provides addl info re 970110 license amend request to clarify pressure testing requirements for isolable & non- isolable diesel fuel oil piping.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92015:336-92015:337.

9703130376 Forwards amend 68 to license NPF-63 & safety evaluation. Amend revises chemistry data shown on TS 3.4-2 & 3.4-3 for RCS P/T Limits & associated bases. LE,N.B. . 97/03/07. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 92105:304-92105:320.

--9703130380 Amend 68 to license NPF-63,revising chemistry data shown on TS 3.4-2 & 3.4-3 for RCS P/T Limits associated bases.
REINHART,M. . 97/03/07. 10pp. 92105:306-92105:315.

--9703130382 Safety evaluation supporting amend 68 to license NPF-63.
* . 97/03/07. 4pp. 92105:316-92105:320.

9703190005 Application for amend to license NPF-63,revising TS 3.5.1 to provide optional method of meeting surveillance requirement & to add new Action statement re boron concentration.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/10. Document Control Branch (Document Control Desk). 13pp. 92200:328-92200:347.

--9703190006 Proposed tech specs 3/4.5 re emergency core cooling systems.
* Carolina Power & Light Co. 97/03/10. 7pp. 92200:341-92200:347.

9703180189 Application for amend to license NPF-63,increasing AOT for refueling water storage tank to twelve hs while performing TS surveillance 4.4.6.2.2.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 14pp. 92191:309-92191:328.

--9703180191 Proposed tech specs,increasing AOT for refueling water storage tank to twelve hs while performing TS surveillance 4.4.6.2.2.
* Carolina Power & Light Co. 97/03/14. 6pp. 92191:323-92191:328.

9703200089 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
ROBINSON,W.R. Carolina Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 4pp. 92199:338-92199:341.

9703200106 Provides addl info to support evaluation of potential cask drop scenario while reactor at power,in response to NRC Bulletin 96-002.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 10pp. 92218:320-92218:329.

9703210051 Comment on proposed GL on degradation of steam generator internals.Recommends that "degradation mechanism" be replaced w/"type of indication."
WALT,T.D. Carolina Power & Light Co. 97/03/14. NRC - No Detailed Affiliation Given. 2pp. 92210:296-92210:297.

9703200191 Forwards amend 69 to license NPF-63 & safety evaluation. Amend adds new TS 3.0.5 & associated bases.
LE,N.B. . 97/03/17. ROBINSON,W.R. Carolina Power & Light Co. 2pp. 92195:321-92195:333.

--9703200193 Amend 69 to license NPF-63,adding new TS 3.0.5 & associated bases.
REINHART,M. . 97/03/17. 7pp. 92195:324-92195:330.

--9703200196 Safety evaluation supporting amend 69 to license NPF-63.
* . 97/03/17. 3pp. 92195:331-92195:333.

9703240121 Application for amend to License NPF-63,revising Tech Specs Surveillances 4.1.2.2.c,4.5.2.e,4.6.2.1.c,4.6.2.2.c,4.6.3.2, 4.7.1.2.1.b,4.7.3b & 4.7.4.b to delete specific restrictions in text of surveillances.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92240:332-92240:360.

--9703240132 Proposed Tech Specs Surveillances 4.1.2.2c,4.5.2.e, 4.6.2.1c,4.6.2.2.c,4.6.3.2,4.7.1.2.1.b,4.7.3.b & 4.7.4.b to delete specific restrictions in text of surveillances.
* Carolina Power & Light Co. 97/03/17. 25pp. 92240:336-92240:360.

9703210175 Forwards amend 70 to license NPF-63 & safety evaluation. Amend revises TS 4.8.1.1.2 to clarify pressure testing requirements for isolable & non-isolable portions of diesel fuel oil piping.
LE,N.B. . 97/03/19. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 92212:343-92212:355.

--9703210178 Amend 70 to license NPF-63,revising TS 4.8.1.1.2 to clarify pressure testing requirements for isolable & non-isolable portions of diesel fuel oil piping.
REINHART,M. . 97/03/19. 6pp. 92212:345-92212:350.

--9703210183 Safety evaluation supporting amend 70 to license NPF-63.
* . 97/03/19. 4pp. 92212:351-92212:355.

Q. Inspection reports, IE Bulletins & correspondence

9703050471 Submits supplemental response to insp rept 50-400/96-09 re corrective action to violation of failure to scope required systems & components within Maint Rule.
ROBINSON,W.R. Carolina Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 91985:356-91985:357.

9703110120 Forwards insp repts 50-261/97-02,50-324/97-01,50-325/97-01 & 50-400/97-02 on 970113-0216.Violations noted.Seven apparent violations were identified & being considered for escalated enforcement action.
JAUDON,J.P. Region 2 (Post 820201). 97/02/28. ORSER,W.S. Carolina Power & Light Co. 7pp. 92078:201-92078:219.

--9703110129 Insp repts 50-261/97-02,50-324/97-01 & 50-325/97-01 & 50-400-97-02 on 970113-0206.Violations noted.Major areas inspected:access authorization & fitness for duty programs.
* Region 2 (Post 820201). 97/02/28. 12pp. 92078:208-92078:219.

9703070058 Forwards response to NRC 970131 ltr re violations noted in insp rept 50-400/96-11.Corrective actions:SG "A" feed flow red pen was reprimed to allow trace to be read.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/03. Document Control Branch (Document Control Desk). 8pp. 92016:219-92016:226.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703270182 Confirms 970123 telcon between H Chernoff & MB Shymlock re 970325 meeting to discuss SALP.
SHYMLOCK,M.B. Region 2 (Post 820201). 97/03/05. HINNANT,C.S. Carolina Power & Light Co. 3pp. 92256:115-92256:117.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130324 Forwards SE authorizing relief request through end of second 10-yr ISI.
REINHART,M. . 97/03/10. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 92079:329-92079:335.

--9703130356 Safety evaluation authorizing relief request to use ASME code case N-522 through end of second 10-yr ISI.
* Office of Nuclear Reactor Regulation (Post 941001). 97/03/10. 4pp. 92079:331-92079:335.

9703190166 Confirms 970214 telcon re potential inability to completely satisfy requirements of augmented reactor pressure vessel shell weld exams scheduled for upcoming Apr 1997 refueling outage at HNP.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92206:344-92206:346.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703140188 Concludes that 961008 inservice insp program relief requests for regenerative heat exchanger not required.
LE,N.B. . 97/03/13. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 92115:333-92115:335.

9703180187 Responds to RAI re Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over SR Equipment."
ROBINSON,W.R. Carolina Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 8pp. 92200:113-92200:120.

9703200106 Provides addl info to support evaluation of potential cask drop scenario while reactor at power,in response to NRC Bulletin 96-002.
ROBINSON,W.R. Carolina Power & Light Co. 97/03/14. Document Control Branch (Document Control Desk). 10pp. 92218:320-92218:329.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703060261 "Numbers of Personnel & Man-Rem by Work & Job Function,1996 Harris Plant." W/970227 ltr.
ROBINSON,W.R. Carolina Power & Light Co. 96/12/31. 5pp. 92004:356-92004:360.

9703050245 Forwards semiannual "FFD Program Performance Data for Period 960701-1231."
WALT,T.D. Carolina Power & Light Co. 97/02/25. Document Control Branch (Document Control Desk). 1p. 91999:278-91999:289.

-9703050251 "FFD Program Performance Data for Period 960701-1231."
GRAVES,A.S. Carolina Power & Light Co. 96/12/31. 11pp. 91999:279-91999:289.

9703200021 Monthly operating rept for Feb 1997 for PNPP.W/970314 ltr.
COON,H.M., MYERS,L.W. Centerior Energy. 97/02/28. 4pp. 92199:356-92199:359.

9703240197 Monthly operating rept for Feb 1997 for Shearon Harris Nuclear Power Plant.W/970312 ltr.
ROGERS,S.G., DONAHUE,J.W. Carolina Power & Light Co. 97/02/28. 5pp. 92242:224-92242:228.

S. Reportable occurrences, LERs & related correspondence

9703070191 LER 97-001-00:on 970131,automatic reactor tripped resulting from SG low-low level.Caused by inadvertent closure of MFIV (1FW-159) & faulty hydraulic relays.Shuttle valves replaced, SG level discrepancy investigated.W/970303 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 97/03/03. 3pp. 92074:315-92074:317.

9703240125 LER 96-020-01:on 960906,inadvertent RWST boron dilution event occurred.Caused by personnel error.Operating procedure was revised to reflect "locked-closed" designation for RWST fill valve 1DW-5.W/970317 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 97/03/03. 5pp. 92246:352-92246:356.

9703140100 LER 97-002-00:on 970207,main FW isolation valves inoperable due to cold weather conditions.Monitored steam tunnel temp once per 12 h shift.W/970310 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 97/03/10. 4pp. 92217:234-92217:237.

9703240130 LER 97-005-00:on 960320,failure to perform core flux mapping following plant operation with reactor power greater than 100% occurred.Cause was implemented containing inappropriate guidance for short excursions.Change withdrawn.W/970317 ltr.
VERRILLI,M., ROBINSON,W.R. Carolina Power & Light Co. 97/03/17. 4pp. 92275:004-92275:007.

V. Operator Examinations

9703280046 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative of facility must submit ltr listing names of candidates for exam.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. COLLINS,J.M. Carolina Power & Light Co. 3pp. 92265:013-92265:015.

9703280155 Forwards response to four questions raised during Region II USNRC Training Managers Conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. COLLINS,J.M. Carolina Power & Light Co. 2pp. 92265:115-92265:116.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

P. Operating license stage documents & correspondence

9703260066 Notice of NRC relocation of LPDR for records re DPC Lacrosse BWR.Requests public comments on possible LPDR locations.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/20. 3pp. 92248:218-92248:220.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040011 "Annual Rept for 1996 - Rept of Changes,Tests & Experiments." W/970214 ltr.
JOHNSEN,M., BERG,W.L. Dairyland Power Cooperative. 96/12/31. 13pp. 91960:013-91960:025.

9703040029 "Radioactive Effluent Rept & Radiological Environ Rept for La Crosse Boiling Water Reactor (LACBWR) Jan-Dec 1996." W/970225 ltr.
BERG,W.L. Dairyland Power Cooperative. 96/12/31. 145pp. 91967:231-91968:009.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703180008 Revised EPIPs,including rev 1 to EPIP-EPP-03, "Search & Rescue," rev 2 to EPIP-EPP-10, "Security Contingency Event," rev 3 to EPIP-EPP-19, "Site Evacuation Procedure" & rev 5 to EPIP-EPP-20, "Emergency Notifications." W/970312 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 97/02/12. 84pp. 92193:216-92193:298.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

P. Operating license stage documents & correspondence

9703100145 Ack receipt of NRC response requesting info per 10CFR50.54(f) regarding adequacy & availability of design bases info.
HOOD,D.S. . 97/03/05. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 92018:357-92018:360.

9703200318 Forwards comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance."
HODGES,M.W. Division of Systems Technology (Post 941217). 97/03/06.
VARGA,S.A. . 1p. 92204:315-92204:330.

9703250053 Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
MCCORMICK,M.J. Niagara Mohawk Power Corp. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92257:107-92257:110.

Q. Inspection reports, IE Bulletins & correspondence

9703050272 Forwards insp repts 50-220/96-14 & 50-410/96-14 on 961201-970111 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/02/21. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 91998:001-91998:031.

-9703050278 Insp repts 50-220/96-14 & 50-410/96-14 on 961201-970111. Violation noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 1 (Post 820201). 97/02/21. 27pp. 91998:005-91998:031.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703100106 Ack receipt of 970218 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/96-13 & 50-410/96-13.
DOERFLEIN,L.T. Region 1 (Post 820201). 97/03/04. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 91998:213-91998:219.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703070168 "Nine Mile Point Nuclear Station Unit 2 Semi-Annual Radioactive Effluent Release Rept for Jul-Dec 1996." W/ 970228 ltr.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 96/12/31. 226pp. 92028:001-92028:226.

9703070192 "Annual Occupational Exposure Repts for Nine Mile Point Units 1 & 2 for CY96." W/970227 ltr.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/12/31. 5pp. 92028:356-92028:360.

9703070193 Forwards FFD program performance data rept.
ABBOTT,R.B. Niagara Mohawk Power Corp. 97/02/26. Document Control Branch (Document Control Desk). 7pp. 92031:227-92031:233.

9703190085 Monthly operating rept for Feb 1997 for Nine Mile Point, Unit 2.W/970312 ltr.
CAROCCIO,C., CONWAY,J.T. Niagara Mohawk Power Corp. 97/02/28. 5pp. 92205:295-92205:299.

S. Reportable occurrences, LERs & related correspondence

9703030531 LER 96-016-01:on 961220,potential overpressurization of containment penetrations occurred due to thermal expansion. Operability determinations have been completed in accordance with Station Procedures & GL 91-18.W/970224 ltr.
DEAN,R.J., CONWAY,J.T. Niagara Mohawk Power Corp. 97/02/24. 5pp. 91971:331-91971:335.

9703070108 Confirms 970227 telcon re delay in issuance of supplement 1 to LER 96-15 until 970328.
CONWAY,J.T. Niagara Mohawk Power Corp. 97/02/27. Document Control Branch (Document Control Desk). 1p. 92015:359-92015:359.

9703070194 Special rept:on 970117,Division II H2/O2 analyzer was declared inoperable due to low sample bypass flow.Sample pump has been replaced.
CONWAY,J.T. Niagara Mohawk Power Corp. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92014:359-92014:360.

9703070014 Part 21 rept re high failure rates of BW/IP pressure switches installed on BW/IP electric hydraulic actuators. Caused by deviation/non-conformance of SR pressure switch. Enertech & BW/IP are currently investigating issue.
ERLACH,F.U. Paul-Munroe Hydraulics, Inc. 97/03/03. NRC - No Detailed Affiliation Given. 11pp. 92074:204-92074:214.

9703210302 LER 96-016-02:on 961220,potential overpressurization of containment penetrations occurred due to thermal expansion. Operability determinations were completed.W/970313 ltr.
DEAN,R.J., CONWAY,J.T. Niagara Mohawk Power Corp. 97/03/13. 6pp. 92246:300-92246:305.

9703270188 Part 21 rept re failure of several BWIP pressure switches during operation & initial calibr.Operability determination performed verifying affected components & sys in plant operable.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92296:026-92296:030.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703280068 Informs that plant has been chosen for operational safeguards response evaluations for wk of 970331-0403.
WIGGINS,J.T. Region 1 (Post 820201). 97/03/20. CROSS,J.E. Duquesne Light Co. 3pp. 92265:041-92265:043.

H. General correspondence

9703240241 Supports merger of Centerior Energy Corp & OH Edison under new holding company called FirstEnergy.
* Affiliation Not Assigned. 97/01/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92241:305-92241:306.

9703070028 Requests that listed persons be added (as single entry) to headquarters service & distribution list of listed dockets.
LESSY,R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 97/02/13. HOPKINS,J.B. . 1p. 92015:338-92015:338.

9703200070 Forwards copy of Resolution 32-97,at request of Avon Lake City Council.Resolution is no opposition to merger of Centerior Corp & OH Edison under new holding company called FirstEnergy.
LYNCH,K. Affiliation Not Assigned. 97/02/26. Office of Public Affairs (Post 911117). 2pp. 92199:331-92199:332.

P. Operating license stage documents & correspondence

9703070017 Forwards succinct notices,could be published in connection w/FirstEnergy merger.
LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. 97/02/19. HOPKINS,J.B. . 13pp. 92014:340-92014:352.

9703050073 Notification of significant licensee meeting 97-27 w/util on 970304 to discuss plant configuration control issues re component mispositionings.
ESELGROTH,P.W. Region 1 (Post 820201). 97/02/20. Region 1 (Post 820201). 2pp. 91956:054-91956:055.

9703030500 Informs that NRC currently evaluating 970207 ltr which responded to 961009 request for info,per 10CFR50.54(f) re adequacy & availability of design bases info.
BRINKMAN,D.S. . 97/02/27. CROSS,J.E. Duquesne Light Co. 3pp. 91940:333-91940:335.

9703110147 Forwards annual rept for 1996 of challenges to PORVs & safety valves at BVPS Units 1 & 2.
JAIN,S.C. Duquesne Light Co. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92118:349-92118:350.

9703170234 Application for amends 237 & 111 to licenses DPR-66 & NPF-73,modifying TS 3.4.5 to allow SG tube sleeving using CE process.CEN-629-NP,rev 2 & CEN-629-P,rev 2 encl.CEN-629-P, rev 2 withheld.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 3pp. 92207:001-92207:229.

-9703170236 Proposed tech specs,modifying Spec 3.4.5 to allow SG tube sleeving using CE process.
* Duquesne Light Co. 97/03/10. 25pp. 92207:004-92207:229.

9703180063 Application for amends to licenses DPR-66 & NPF-73,which modifies Unit 1 Design Feature Section 5.2.1 to add ZIRLO as fuel assembly matl & adds ref to NRC approved WCAP-12610 to Administrative Control 6.9.1.12 for both units.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92190:313-92190:326.

-9703180064 Proposed tech specs modifying Unit 1 Design Feature Section 5.2.1 to add ZIRLO as fuel assembly matls & adds ref to NRC approved WCAP-12610 to Administrative Control 6.9.1.12 for both units.
* Duquesne Light Co. 97/03/10. 12pp. 92190:315-92190:326.

9703180065 Application for amends to licenses DPR-66 & NPF-73,modifying Specification 3.4.5 to allow SG tube sleeving using Framatome process.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92190:327-92190:340.

-9703180067 Proposed tech specs modifying Specification 3.4.5 to allow SG tube sleeving using Framatome process.
* Duquesne Light Co. 97/03/10. 12pp. 92190:329-92190:340.

9703250163 Proposed TS Change Requests 1A-236 & 2A-110 to Licenses DPR-66 & NPF-73,relocating TS adminstrative controls re QA to QA program description presented in Section 17.2 of Unit 2 UFSAR.
JAIN,S.C. Duquesne Light Co. 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92250:138-92250:208.

-9703250169 Proposed tech specs re administrative controls related to QA.
* Duquesne Light Co. 97/03/14. 68pp. 92250:141-92250:208.

9703210068 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
JAIN,S.C. Duquesne Light Co. 97/03/17. Document Control Branch (Document Control Desk). 7pp. 92220:354-92220:360.

Q. Inspection reports, IE Bulletins & correspondence

9703030165 Forwards integrated insp repts 50-334/96-10 & 50-412/96-10 on 961222-970208 & NOV.
COOPER,R.W. Region 1 (Post 820201). 97/02/21. CROSS,J.E. Duquesne Light Co. 3pp. 91949:146-91949:215.

–9703030182 Notice of violation from insp on 961222-970208.Violation noted:as of 970201,licensee never installed RMS in plan,unit 1 NFSAs capable of alarming should accidental criticality occur.
* Region 1 (Post 820201). 97/02/21. 2pp. 91949:149-91949:150.

–9703030195 Insp repts 50-334/96-10 & 50-412/96-10 on 961222-970208. Violations noted.Major areas inspected:licensee operations, engineering,maint, & plant support.
* Region 1 (Post 820201). 97/02/21. 65pp. 91949:151-91949:215.

9703040296 Forwards copy of "BVPS 1996 SG Exam Rept," which documents results of SG eddy current exams performed during Unit 1 11th refueling outage & Unit 2 sixth refueling outage.
JAIN,S.C. Duquesne Light Co. 97/02/24. Document Control Branch (Document Control Desk). 101pp. 91966:228-91966:328.

9703060148 Rev 1 to notification of significant licensee meeting 97-20 w/util on 970307 in King of Prussia,PA to discuss plant configuration control issues related to component mispositionings.
ESELGROTH,P.W. Region 1 (Post 820201). 97/02/27. Region 1 (Post 820201). 2pp. 91969:032-91969:033.

9703110090 Forwards "ISI Ninety-Day Rept" on ASME Class 1,2 & 3 components examined during sixth refueling outage at BVNP.
JAIN,S.C. Duquesne Light Co. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92071:017-92071:247.

–9703110091 "ISI Ninety-Day Rept BVPS Unit 2 for Outage 6 for 1996."
* Duquesne Light Co. 97/02/24. 229pp. 92071:019-92071:247.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703200036 Discusses insp repts 50-334/96-08,50-412/96-08,50-334/96-09 & 50-412/96-09 on 960929 & 1221 & forwards notice of violations & proposed imposition of civil penalties in amount of $160,000.
MILLER,H.J. Region 1 (Post 820201). 97/03/10. CROSS,J.E. Duquesne Light Co. 6pp. 92188:248-92188:258.

–9703200045 Notice of violations & proposed imposition of civil penalties in amount of $160,000.Violations noted:licensee did not provide adequate measures to verify selection of suitable leak sealant matl for use in leak repair.
* Region 1 (Post 820201). 97/03/10. 5pp. 92188:254-92188:258.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250163 Proposed TS Change Requests 1A-236 & 2A-110 to Licenses DPR-66 & NPF-73,relocating TS adminstrative controls re QA to QA program description presented in Section 17.2 of Unit 2 UFSAR.
JAIN,S.C. Duquesne Light Co. 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92250:138-92250:208.

–9703250169 Proposed tech specs re administrative controls related to QA.
* Duquesne Light Co. 97/03/14. 68pp. 92250:141-92250:208.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110157 "NPDES Monthly Rept for Jan 1997." W/970214 ltr.
LEGRAND,R. Duquesne Light Co. 97/01/31. 63pp. 92105:178-92105:212.

9703040390 Forwards fitness for duty program rept for period of 960701- 1231.
JAIN,S.C. Duquesne Light Co. 97/02/24. Document Control Branch (Document Control Desk). 5pp. 91992:282-91992:286.

9703180048 Monthly operating repts for Feb 1997 for Beaver Valley Power Station,Unit 1 & 2.W/970306 ltr.
JONES,D.T., LEGRAND,R.L. Duquesne Light Co. 97/02/28. 9pp. 92196:150-92196:158.

V. Operator Examinations

9703030056 Discusses arrangements made for administration of licensing exams at plant,unit 2 during wk of 970428.
MEYER,G.W. Region 1 (Post 820201). 97/02/18. CROSS,J.E. Duquesne Light Co. 5pp. 91931:014-91931:018.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703120328 Informs that addl time is needed to provide info re NUMARC/NESP-007 submittal.
MCCOLLUM,W.R. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 1p. 92125:055-92125:055.

9703170223 Revised EPIPs,including rev 4 to RP/O/B/5000/09,rev 0 to RP/O/B/5000/28 & rev 26 to OP/O/A/6200/21.W/970306 ltr.
MITCHELL,G.L., CHRISTOPHER,S, MCCOLLUM,W.R. Duke Power Co. 97/03/06. 167pp. 92179:001-92179:169.

9703120434 Summary of 970207 meeting w/licensee re security plan changes that are applicable to plants.
NERSES,V. . 97/03/07. . 19pp. 92079:211-92079:229.

9703210340 Forwards Rev 3 to security training & qualification plan.Rev withheld,per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92235:241-92235:243.

9703140141 Informs that info contained in 970218 ltr re several Catawba EPIPs,will be withheld from public disclosure,per 10CFR2.790(a)(6) & Section 103(b) of AEC of 1954.
TAM,P.S. . 97/03/13. MCCOLLUM,W.R. Duke Power Co. 4pp. 92128:198-92128:201.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

9703260176 Submits results & conclusions of Operations Safeguards Response Evaluation conducted 970121-24 at facility.
CUNNINGHAM,L.J. . 97/03/20. TUCKMAN,M.S. Duke Power Co. 3pp. 92244:341-92244:342.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

–9703100034 Partially withheld memo discussing two 2.206 petitions filed by C Morris re lack of circuit breaker coordination & undervoltage relay settings & related electrical distribution sys design issues identified at Catawba.
HOLIAN,B. NRC - No Detailed Affiliation Given. 96/11/26. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92038:216-92038:217.

P. Operating license stage documents & correspondence

9703030533 Requests exemption from requirements of 10CFR50.71(e)(4) re submission of revs to UFSARs for plants.
TUCKMAN,M.S. Duke Power Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 91952:345-91952:348.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

–9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703070098 Informs that licensee request to withhold revised EPIPs containing privacy info from public disclosure per 10CFR2.790,granted.
TAM,P.S. . 97/03/05. MCCOLLUM,W.R. Duke Power Co. 4pp. 91998:336-91998:339.

9703170238 Application for amends to licenses NPF-35 & NPF-52, requesting changes to TS 3/4.7.1.6 & UFSAR section 15.6.3 re SGTR.
MCCOLLUM,W.R. Duke Power Co. 97/03/07. Document Control Branch (Document Control Desk). 13pp. 92159:292-92159:319.

–9703170249 Proposed tech specs re SGTR evaluation.
* Duke Power Co. 97/03/07. 15pp. 92159:305-92159:319.

9703120478 Informs that Commission has requested that encl "Notice of Consideration of Issuance of Amends to Licenses NPF-35 & NPF-52,Proposed NSHC determination & Opportunity for Hearing," be published.
TAM,P.S. . 97/03/10. MCCOLLUM,W.R. Duke Power Co. 3pp. 92076:345-92076:355.

–9703120479 Notice of consideration of issuance of amends to licenses NPF-35 & NPF-52,proposed NSHC determination & opportunity for hearing.Amends would revise Section 3/4.7.1.6 of TS & Section 15.6.3 of updated FSAR.
TAM,P.S. . 97/03/10. 8pp. 92076:348-92076:355.

9703130338 Forwards faxed message to M Kitlan re conference call.
TAM,P.S. . 97/03/12. . 2pp. 92105:341-92105:342.

9703140141 Informs that info contained in 970218 ltr re several Catawba EPIPs,will be withheld from public disclosure,per 10CFR2.790(a)(6) & Section 103(b) of AEC of 1954.
TAM,P.S. . 97/03/13. MCCOLLUM,W.R. Duke Power Co. 4pp. 92128:198-92128:201.

9703180085 Forwards amends 157 & 149 to licenses NPF-35 & NPF-52 & SE. Amend revise TS Section 4.7.13.1.c to eliminate requirement that 18-month Standby Shutdown Sys DG insp be performed only during shutdown of both reactors.
TAM,P.S. . 97/03/13. MCCOLLUM,W.R. Duke Power Co. 3pp. 92147:315-92147:327.

--9703180087 Amends 157 & 149 to licenses NPF-35 & NPF-52,respectively, revising TS Section 4.7.13.1.c to eliminate requirements that 18-month Standby Shutdown Sys DG insp be performed only during shutdown of both reactors.
BERKOW,H.N. . 97/03/13. 8pp. 92147:318-92147:325.

--9703180090 Safety evaluation supporting amends 157 & 149 to licenses NPF-35 & NPF-52,respectively.
* . 97/03/13. 2pp. 92147:326-92147:327.

9703240098 Submits 180-day response to GL 96-05 re periodic verification of design-basis capability of safety-related MOVs.
TUCKMAN,T.S. Duke Power Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92243:009-92243:014.

9703200336 Forwards RAI re DPC proposed amends for CNS to eliminate from plant TSs SIS on low steam line pressure.
TAM,P.S. . 97/03/18. MCCOLLUM,W.R. Duke Power Co. 4pp. 92204:351-92204:354.

9703270299 Provides addl info re 970204 ltr requesting exemption to requirements of 10CFR70.24 re criticality accident requirements.
TUCKMAN,M.S. Duke Power Co. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92267:352-92267:357.

9703250187 Requests addl info re proposed TS change re PORVs to be submitted on schedule consistent w/urgency of need for requested amends.
TAM,P.S. . 97/03/24. MCCOLLUM,W.R. Duke Power Co. 6pp. 92243:023-92243:028.

Q. Inspection reports, IE Bulletins & correspondence

9703110033 Forwards insp repts 50-413/96-16 & 50-414/96-19 on 961007, 961127, & 970206.Violation noted re failure to identify USQ & seek licenseamend.Concludes while violation did occur, enforcement discretion warranted & NOV inappropriate.
REYES,L.A. Region 2 (Post 820201). 97/02/21. MCCOLLUM,W.R. Duke Power Co. 3pp. 92078:185-92078:191.

--9703110055 Insp repts 50-413/96-19 & 50-414/96-19 on 961007, 961127, & 970206.Violation noted.Major areas inspected:in-office review of licensee 941229 ltr describing changes to CNS UFSAR re lack of circuit breaker coordination for 600-Vac.
* Region 2 (Post 820201). 97/02/21. 4pp. 92078:188-92078:191.

9703050121 Forwards Catawba Unit 1 EC09 Inservice Insp Rept,as required by ASME Section XI,IWA 6230.
MCCOLLUM,W.R. Duke Power Co. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91985:001-91985:310.

--9703050125 "Inservice Insp Rept,Unit 1 Catawba 1996 Refueling Outage 9."
HOGGE,A.J., CHERRY,J. Duke Power Co. 96/12/02. 308pp. 91985:003-91985:310.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703120423 Forwards request for addl info re second 1-year interval inservice insp program plant request for relief 96-04.
TAM,P.S. . 97/03/07. MCCOLLUM,W.R. Duke Power Co. 5pp. 92079:314-92079:318.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703180085 Forwards amends 157 & 149 to licenses NPF-35 & NPF-52 & SE. Amend revise TS Section 4.7.13.1.c to eliminate requirement that 18-month Standby Shutdown Sys DG insp be performed only during shutdown of both reactors.
TAM,P.S. . 97/03/13. MCCOLLUM,W.R. Duke Power Co. 3pp. 92147:315-92147:327.

--9703180087 Amends 157 & 149 to licenses NPF-35 & NPF-52,respectively, revising TS Section 4.7.13.1.c to eliminate requirements that 18-month Standby Shutdown Sys DG insp be performed only during shutdown of both reactors.
BERKOW,H.N. . 97/03/13. 8pp. 92147:318-92147:325.

--9703180090 Safety evaluation supporting amends 157 & 149 to licenses NPF-35 & NPF-52,respectively.
* . 97/03/13. 2pp. 92147:326-92147:327.

9703270167 Discusses insp repts 50-413/96-02 & 50-414/96-02.No violations noted.Concurs w/conclusion that example 1 did not constitute violation.
JAUDON,J.P. Region 2 (Post 820201). 97/03/14. MCCOLLUM,W.R. Duke Power Co. 3pp. 92256:066-92256:068.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050135 "DPC CNS Tabulation of Number of Personnel & Person-Rem by Work & Job Function for 1996." W/970224 ltr.
MCCOLLUM,W.R. Duke Power Co. 96/12/31. 3pp. 92003:275-92003:277.

9703070199 Forwards fitness-for-duty performance data repts for period of Jul-Dec 1996.
TUCKMAN,M.S. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. 92031:146-92031:159.

9703190137 Forwards monthly operating rept Feb 1997 for Catawba Nuclear Station & revised monthly operating rept for Jan 1997.
DIMMERY,T. Duke Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92201:250-92201:262.

--9703190140 Monthly operating repts for Feb 1997 for Catawba Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/02/28. 10pp. 92201:252-92201:261.

--9703190142 Monthly operating repts for Jan 1997 for Catawba Nuclear Station.
* Duke Power Co. 97/01/31. 1p. 92201:262-92201:262.

S. Reportable occurrences, LERs & related correspondence

9703190044 LER 97-001-00:on 970210,unanalyzed postulated single failure affected SG tube rupture analysis.Caused by less than adequate single failure analysis of SG PORV.Proposed amend to TS 3/4.7.1.6 & UFSAR has been submitted.W/970312 ltr.
KIMBALL,D.P., MCCOLLUM,W.R. Duke Power Co. 97/03/12. 11pp. 92237:220-92237:230.

V. Operator Examinations

9703280003 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative must submit either of listed ltrs to register candidates.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. MCCOLLUM,W.R. Duke Power Co. 3pp. 92264:265-92264:267.

9703280088 Responds to questions raised during Region II 1996 NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. MILLER,W. Duke Power Co. 2pp. 92265:066-92265:067.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703120328 Informs that addl time is needed to provide info re NUMARC/NESP-007 submittal.
MCCOLLUM,W.R. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 1p. 92125:055-92125:055.

9703170223 Revised EPIPs,including rev 4 to RP/O/B/5000/09,rev 0 to RP/O/B/5000/28 & rev 26 to OP/O/A/6200/21.W/970306 ltr.
MITCHELL,G.L., CHRISTOPHER,S, MCCOLLUM,W.R. Duke Power Co. 97/03/06. 167pp. 92179:001-92179:169.

9703120434 Summary of 970207 meeting w/licensee re security plan changes that are applicable to plants.
NERSES,V. . 97/03/07. . 19pp. 92079:211-92079:229.

9703210340 Forwards Rev 3 to security training & qualification plan.Rev withheld,per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 97/03/12. Document Control Branch (Document Control Desk). 3pp. 92235:241-92235:243.

9703140141 Informs that info contained in 970218 ltr re several Catawba EPIPs,will be withheld from public disclosure,per 10CFR2.790(a)(6) & Section 103(b) of AEC of 1954.
TAM,P.S. . 97/03/13. MCCOLLUM,W.R. Duke Power Co. 4pp. 92128:198-92128:201.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

9703260176 Submits results & conclusions of Operations Safeguards Response Evaluation conducted 970121-24 at facility.
CUNNINGHAM,L.J. . 97/03/20. TUCKMAN,M.S. Duke Power Co. 3pp. 92244:341-92244:342.

G. Adjudicatory correspondence

9703100018 Twelfth partial response for FOIA request for documents.App U records *being withheld in part (ref FOIA exemptions 4,5 & 6).*
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100034 Partially withheld memo discussing two 2.206 petitions filed by C Morris re lack of circuit breaker coordination & undervoltage relay settings & related electrical *distribution sys design issues identified at Catawba.*
HOLIAN,B. NRC - No Detailed Affiliation Given. 96/11/26. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92038:216-92038:217.

P. Operating license stage documents & correspondence

9703030533 Requests exemption from requirements of 10CFR50.71(e)(4) re submission of revs to UFSARs for plants.
TUCKMAN,M.S. Duke Power Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 91952:345-91952:348.

9703030521 Forwards faxed message to M Kitlan of Duke Power Co to prepare plant personnel for conference call.
TAM,P.S. . 97/02/27. NRC - No Detailed Affiliation Given. 2pp. 91940:336-91940:337.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. *92284:096-92284:098.*

9703070098 Informs that licensee request to withhold revised EPIPs containing privacy info from public disclosure per 10CFR2.790,granted.
TAM,P.S. . 97/03/05. MCCOLLUM,W.R. Duke Power Co. 4pp. 91998:336-91998:339.

9703170238 Application for amends to licenses *NPF-35 & NPF-52,* requesting changes to TS 3/4.7.1.6 & UFSAR section 15.6.3 re SGTR.
MCCOLLUM,W.R. Duke Power Co. 97/03/07. Document Control Branch (Document Control Desk). 13pp. *92159:292-92159:319.*

--9703170249 Proposed tech specs re SGTR evaluation.
* *Duke Power Co. 97/03/07. 15pp. 92159:305-92159:319.*

9703120478 Informs that Commission has requested that encl "Notice of Consideration of Issuance of Amends to Licenses NPF-35 & NPF-52,Proposed NSHC determination & Opportunity for Hearing," be published.
TAM,P.S. . 97/03/10. MCCOLLUM,W.R. Duke Power Co. 3pp. 92076:345-92076:355.

--9703120479 Notice of consideration of issuance of amends to licenses NPF-35 & NPF-52,proposed NSHC determination & opportunity for hearing.Amends would revise *Section 3/4.7.1.6 of TS & Section 15.6.3 of updated FSAR.*
TAM,P.S. . 97/03/10. 8pp. 92076:348-92076:355.

9703130338 Forwards faxed message to M Kitlan re conference call.
TAM,P.S. . 97/03/12. . 2pp. 92105:341-92105:342.

9703180085 Forwards amends 157 & 149 to licenses *NPF-35 & NPF-52 & SE.* Amend revise TS Section 4.7.13.1.c to eliminate requirement that 18-month Standby Shutdown Sys DG insp be performed only during shutdown of both reactors.
TAM,P.S. . *97/03/13. MCCOLLUM,W.R. Duke Power Co. 3pp. 92147:315-92147:327.*

--9703180087 Amends 157 & 149 to licenses NPF-35 & NPF-52,respectively, revising *TS Section 4.7.13.1.c to eliminate requirements that 18-month Standby Shutdown Sys* DG insp be performed only during shutdown of both reactors.
BERKOW,H.N. . 97/03/13. 8pp. 92147:318-92147:325.

--9703180090 Safety evaluation supporting amends 157 & 149 to licenses NPF-35 & NPF-52,respectively.
* . *97/03/13. 2pp. 92147:326-92147:327.*

9703240098 Submits 180-day response to GL 96-05 re periodic verification of design-*basis capability of safety-related MOVs.*
TUCKMAN,T.S. Duke Power Co. 97/03/17. Document Control Branch (Document Control Desk). 6pp. 92243:009-92243:014.

9703200336 Forwards RAI re DPC proposed amends for CNS to eliminate from plant TSs SIS on low steam line pressure.
TAM,P.S. . 97/03/18. MCCOLLUM,W.R. *Duke Power Co. 4pp. 92204:351-92204:354.*

9703270299 Provides addl info re 970204 ltr requesting exemption to requirements of 10CFR70.24 re criticality accident requirements.
TUCKMAN,M.S. Duke Power Co. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92267:352-92267:357.

9703250187 Requests addl info re proposed TS change re PORVs to be submitted on schedule consistent w/urgency of need for requested amends.
TAM,P.S. . 97/03/24. MCCOLLUM,W.R. Duke Power Co. 6pp. 92243:023-92243:028.

Q. Inspection reports, IE Bulletins & correspondence

9703110033 Forwards insp repts 50-413/96-16 & 50-414/96-19 on 961007, 961127, & *970206.Violation noted re failure to identify USQ & seek licenseamend.Concludes* while violation did occur, enforcement discretion warranted & NOV inappropriate.
REYES,L.A. Region 2 (Post 820201). 97/02/21. MCCOLLUM,W.R. Duke Power Co. 3pp. 92078:185-92078:191.

--9703110055 Insp repts 50-413/96-19 & 50-414/96-19 on 961007, 961127, & *970206.Violation noted.Major areas inspected:in-office review of licensee 941229 ltr* describing changes to CNS UFSAR re lack of circuit breaker coordination for 600-Vac.
* Region 2 (Post 820201). 97/02/21. 4pp. 92078:188-92078:191.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703180085 Forwards amends 157 & 149 to licenses NPF-35 & NPF-52 & SE. Amend *revise TS Section 4.7.13.1.c to eliminate requirement that 18-month Standby Shut-*down Sys DG insp be performed only during shutdown of both reactors.
TAM,P.S. . 97/03/13. MCCOLLUM,W.R. Duke Power Co. 3pp. 92147:315-92147:327.

--9703180087 Amends 157 & 149 to licenses NPF-35 & NPF-52,respectively, revising TS Section 4.7.13.1.c to eliminate requirement that 18-month Standby Shutdown Sys *DG insp be performed only during shutdown of both reactors.*
BERKOW,H.N. . 97/03/13. 8pp. 92147:318-92147:325.

--9703180090 Safety evaluation supporting amends 157 & 149 to licenses NPF-35 & NPF-52,respectively.
* . 97/03/13. 2pp. 92147:326-92147:327.

9703270167 Discusses insp repts 50-413/96-02 & 50-414/96-02.No violations noted.Concurs w/conclusion that example 1 did not constitute violation.
JAUDON,J.P. Region 2 (Post 820201). 97/03/14. MCCOLLUM,W.R. Duke Power Co. 3pp. 92256:066-92256:068.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 *Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging* & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050135 "DPC CNS Tabulation of Number of Personnel & Person-Rem by Work & *Job Function for 1996." W/970224 ltr.*
MCCOLLUM,W.R. Duke Power Co. 96/12/31. 3pp. 92003:275-92003:277.

9703070199 Forwards fitness-for-duty performance data repts for period of *Jul-Dec* 1996.
TUCKMAN,M.S. Duke Power Co. 97/02/27. Document Control Branch (Document Control Desk). 14pp. *92031:146-92031:159.*

9703190137 Forwards monthly operating rept Feb 1997 for Catawba Nuclear Station & revised monthly operating rept for Jan 1997.
DIMMERY,T. Duke Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92201:250-92201:262.

--9703190140 Monthly operating repts for Feb 1997 for Catawba Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 97/02/28. 10pp. 92201:252-92201:261.

--9703190142 Monthly operating repts for Jan 1997 for Catawba Nuclear Station.
* Duke Power Co. 97/01/31. 1p. 92201:262-92201:262.

V. *Operator Examinations*

9703280003 Informs that NRC plans to administer GFES of written operator licensing exam on 970409.Authorized representative must submit either of listed ltrs to register candidates.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. MCCOLLUM,W.R. Duke Power Co. 3pp. 92264:265-92264:267.

9703280088 Responds to questions raised during Region II 1996 NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. MILLER,W. Duke Power Co. 2pp. 92265:066-92265:067.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703130089 Revised EPIPs,including temporary change number 6,rev 101 to 01-S-04-21, "Emergency Preparedness Training Program" & rev 1 to 10-S-01-35, "Core Damage Assessment." W/970306 ltr.
HUGHEY,W.K. Entergy Operations, Inc. 97/02/17. 50pp. 92126:288-92126:336.

9703030053 Ack receipt of 961220 submittal as part of responses to GL 92-08 on Thermo-Lag fire barriers.RAI encl.
DONOHEW,J.N. . 97/02/26. HAGAN,J.J. Entergy Operations, Inc. 5pp. 91940:353-91940:357.

9703130370 Submits response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HAGAN,J.J. Entergy Operations, Inc. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92136:217-92136:221.

P. Operating license stage documents & correspondence

9703030053 Ack receipt of 961220 submittal as part of responses to GL 92-08 on Thermo-Lag fire barriers.RAI encl.
DONOHEW,J.N. . 97/02/26. HAGAN,J.J. Entergy Operations, Inc. 5pp. 91940:353-91940:357.

9703050498 Notification of significant licensee meeting w/Entergy Operations,Inc on 970319 in Arlington,TX to discuss current performance.
HOWELL,A.T. Region 4 (Post 820201). 97/02/27. Region 4 (Post 820201). 6pp. 91956:120-91956:125.

9703030403 Advises that current EOI programs for snubbers will still be acceptable for next intervals based on current EOI snubber programs adequate as requirements specified in ASME Code, Section XI,1989 Edition.
BECKNER,W.D. . 97/02/28. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91932:344-91932:350.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703060041 Notification of 970325 meeting w/util in Port Gibson,MS to discuss MOV thurst methodology developed by util.Subj methodology being applied in licensee response to GL 95-07.
DONOHEW,J.N. . 97/03/03. BECKNER,W.D. . 4pp. 91999:205-91999:208.

9703130370 Submits response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
HAGAN,J.J. Entergy Operations, Inc. 97/03/03. Document Control Branch (Document Control Desk). 5pp. 92136:217-92136:221.

9703070161 Notification of 970327 meeting w/util in Port Gibson,MS to discuss application of NUREG-1465, "Accident Source Terms for Light-Water NPPs," to pilot program for plant.
DONOHEW,J.N. . 97/03/04. BECKNER,J.N. . 4pp. 91997:354-91997:357.

9703110182 Notification of significant licensee meeting w/util on 970319 to discuss current performance.Meeting cancelled.
HOWELL,A.T. Region 4 (Post 820201). 97/03/06. Region 4 (Post 820201). 6pp. 92019:197-92019:202.

9703120435 Responds to 970129 RAI re proposed exemption to criticality monitoring requirements in 10CFR70.24(a).
HUGHEY,W.K. Entergy Operations, Inc. 97/03/07. Document Control Branch (Document Control Desk). 7pp. 92124:305-92124:311.

9703170044 Notification of 970424 licensee meeting w/util in Arlington, TX to discuss current performance.
HOWELL,A.T. Region 4 (Post 820201). 97/03/13. Region 4 (Post 820201). 6pp. 92116:250-92116:255.

9703170178 Forwards request for addl info re use of ASME code cases N-508-1,N-509-,N-524 & 5-46.
DONOHEW,J.N. . 97/03/13. HAGAN,J.J. Entergy Operations, Inc. 8pp. 92131:325-92131:332.

9703240205 Provides util required 180-day response to GL 96-05 request that licensees establish program,or ensure effectiveness of current program,to verify on periodic basis that SR MOVs continue to be capable of performing their safety functions.
DEWEASE,J.G. Entergy Operations, Inc. 97/03/17. Document Control Branch (Document Control Desk). 8pp. 92242:213-92242:220.

Q. Inspection reports, IE Bulletins & correspondence

9703040044 Forwards insp rept 50-416/96-21 on 961221-970208.No violations noted.
HOWELL,A.T. Region 4 (Post 820201). 97/02/25. HAGAN,J.J. Entergy Operations, Inc. 5pp. 91944:297-91944:316.

--9703040047 Insp rept 50-416/96-21 on 961221-970208.No violations noted. Major areas inspected:operations,maintenance,surveillance, engineering & plant support.
* Region 4 (Post 820201). 97/02/25. 15pp. 91944:301-91944:316.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130319 Comment supporting proposed generic communication, "Effectiveness of Ultrasonic Testing Systems in Inservice Inspection Programs."
HUGHEY,W.K. Entergy Operations, Inc. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92069:245-92069:249.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050195 "Annual Operating Rept for 1996," per RG 1.16,Rev 4,Part C.1.b.W/970225 ltr.
HAGAN,J.J. Entergy Operations, Inc. 96/12/31. 9pp. 92003:252-92003:261.

9703180044 Monthly operating rept for Feb 1997 for Grand Gulf Nuclear Station,Unit 1.W/970311 ltr.
LIN,S.D., HAGAN,J.J. Entergy Operations, Inc. 97/02/28. 5pp. 92190:261-92190:265.

V. Operator Examinations

9703120150 Requests that seven listed individuals take BWR Generic Fundamentals Exams section of written operator licensing exam to be administered on 970409.
HUGHEY,W.K. Entergy Operations, Inc. 97/02/27. DYER,J.E. Region 4 (Post 820201). 3pp. 92125:004-92125:006.

9703130108 Advises of change in status of license for JK McDonald. Revised license SOP-20114-3 encl.
HAGAN,J.J. Entergy Operations, Inc. 97/02/27. DYER,J.E. Region 4 (Post 820201). 2pp. 92128:127-92128:128.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

Q. Inspection reports, IE Bulletins & correspondence

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703110006 Revised EPIPs,including rev 6 to MP 701.9,rev 5 to MP 710.9, rev 9 to MP 712.2,rev 0 to MP 716.9,rev 1 to MP 721.11 & rev 8 to MP 789.1.
* Northeast Nuclear Energy Co. 97/02/28. 170pp. 92070:001-92070:170.

9703130058 Revised Emergency Plan Operating Procedure,including Rev 2 to EPOP 4428, "Assistant Manager of Radiological Dose Assessment - Initial Response" & Rev 1 to EPOP 4431, "Initial Dose Assessment."
KANGLEY,J.P., EAKIN,W.J. Northeast Nuclear Energy Co. 97/03/05. 3pp. 92128:154-92128:156.

9703260186 Forwards Rev 27A to Physical Security Plan.Encl withheld,per 10CFR73.21(b) & 10CFR2.790(a).
ROTHEN,F.R. Northeast Nuclear Energy Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92257:252-92257:253.

9703280137 Revised EPIPs,including rev 4 to MP 707.2, "Test & Adjustment of Refueling Platform Load & Limit Switches," rev 4 to MP 710.7, "Repair of Bettis Air Actuators" & 700 Procedure Index.
* Northeast Nuclear Energy Co. 97/03/21. 76pp. 92290:244-92290:319.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703110266 Forwards news article, "Audit Adds to Criticism of NU,"+from 960101 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/02. ZWOLINSKI,J.A. . 3pp. 92108:002-92108:004.

--9703110269 Forwards news article, "Business Group Starts New Yr on Wrong Foot by Choosing B Fox as New Chairman of Board of Directors," from The New London Day.
BLANCH,P. Affiliation Not Assigned. 97/01/03. ZWOLINSKI,J.A. . 2pp. 92108:005-92108:006.

--9703110272 Forwards notice of NRC decommissioning meeting for HNP on 970115 at Haddam-Killingsworth High School Cafetaria.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A . 4pp. 92108:008-92108:011.

--9703110297 Forwards M Casey editorial, "A Non decision From NRC," from 970107 New London Day.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A. . 3pp. 92108:012-92108:014.

--9703120005 Forwards news article from 970108 Dow Jones News re exposure of confidential whistleblower names at Millstone.
BLANCH,P. Affiliation Not Assigned. 97/01/10. ZWOLINSKI,A. . 1p. 92108:034-92108:034.

--9703120096 Forwards news release informing of B Kenyon appearance on "Nuclear Safety Issues" on 970120.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 4pp. 92108:053-92108:059.

--9703130145 Forwards interview w/B Kenyon re possibility of NEUT shutting down one plant from 970120 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/20. ZWOLINSKI,J.A. . 3pp. 92108:122-92108:124.

--9703130172 Forwards news article "NEUT Warns Its NH Utils Could Face Bankruptcy," from 970121 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . 7pp. 92108:125-92108:131.

--9703130177 Forwards news article, "NEUTs Fate Linked To Sister Units," from 970121 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . 3pp. 92108:132-92108:134.

--9703130217 Forwards NRC press release, "Fox Announces Senior Nuclear Appointments," from Uranium Nuclear News Daily Special Edition,dtd 970122.
BLANCH,P. Affiliation Not Assigned. 97/01/23. ZWOLINSKI,J.A. . 10pp. 92108:136-92108:145.

--9703130247 Discusses decision to name Seldman as replacement for C Frizzle.
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 1p. 92108:152-92108:152.

--9703130333 Discusses 1995 4th quarter losses of listed amount by NEUT.
BLANCH,P. Affiliation Not Assigned. 97/01/28. ZWOLINSKI,J.A. . 7pp. 92108:162-92108:168.

--9703130355 Forwards 970116 ltr from J Lieberman re Millstone issues related to whistle-blowers & termination of 100 employees.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 3pp. 92108:184-92108:186.

--9703130363 Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 5pp. 92108:187-92108:191.

--9703130410 Advises that public wants analysis of loss of inventory & not loss of cooling analysis.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . 1p. 92108:204-92108:204.

9703200091 Informs of addl changes that util had instituted to enhance recovery organization.
KENYON,B.D. Northeast Nuclear Energy Co. 97/03/11. Document Control Branch (Document Control Desk). 6pp. 92205:276-92205:281.

9703270241 Responds to 970224 ltr to Chairman Jackson expressing concerns re NRC "Confirmatory Order Suspending Authority for & Limiting Power Operation & Containment Pressure & Demand for Info," dtd 960103.
ZWOLINSKI,J.A. . 97/03/25. PRATT,C. Seacoast Anti-Pollution League. 2pp. 92261:305-92261:345.

--9703270254 Responds to 970106 ltr to HJ Miller re Millstone,Salem & MYAP NPPs.Provides answers to questions raised in 961213 ltr to HR Meyer.
COLLINS,S.J. . 97/02/27. LOCHBAUM,D.A. Union of Concerned Scientists. 3pp. 92261:307-92261:343.

P. Operating license stage documents & correspondence

9703040251 Submits listed requests seeking determinations by dept pursuant to Section 22a-430-3(d) & 22a-430-4(p) of regulations of CT State Agencies (RCSA),permit mods not necessary to discharge de minimus levels of hydrazine.
SCACE,S. Northeast Nuclear Energy Co. SCACE,S. Northeast Utilities Service Co. 97/02/20. GRIER,J. Connecticut, State of. 9pp. 91960:245-91960:253.

9703040266 Transmits action plans in support of 970131 submittal of comprehensive plan for reviewing & dispositioning safety concerns.
GOEBEL,D.M. Northeast Nuclear Energy Co. 97/02/28. COLLINS,S.J. . 14pp. 91979:269-91979:282.

9703040321 Requests relaxation of provisions of Order dtd 961024 re third party organization to oversee licensee.No commitments contained in ltr.
GOEBEL,D.M. Northeast Nuclear Energy Co. 97/02/28. COLLINS,S.J. . 7pp. 91992:295-91992:301.

9703070186 Forwards engineering evaluation of Phase III containment basemat mock-up testing rept,as follow-up to ltr dtd 961231.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/02/28. Document Control Branch (Document Control Desk). 26pp. 92030:139-92030:164.

9703070204 Provides responses & commitments to 970117 RAI re design of Millstone Unit 3 Station Blackout Sys.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/02/28. Document Control Branch (Document Control Desk). 10pp. 92029:343-92029:352.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100061 Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

9703120121 Notification of significant licensee meeting 97-24 w/util on 970318 to discuss corrective action program,performance indicators,progress of independent corrective action verification program & employee concerns program.
DURR,J. Region 1 (Post 820201). 97/03/04. Region 1 (Post 820201). 3pp. 92035:131-92035:133.

9703120134 Notification of significant licensee meeting 97-25 w/util on 970318 to update public on status of independent corrective action verification program,employee concerns program & restart assessment plans for all three Millstones.
DURR,J. Region 1 (Post 820201). 97/03/04. Region 1 (Post 820201). 3pp. 92035:137-92035:139.

9703100041 Forteenth partial response to FOIA request for documents. Records in App W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BINDER,N.S. Affiliation Not Assigned. 4pp. 92038:073-92038:203.

--9611180046 Requests that listed info be forwarded to licensee in connection w/unescorted access visits to plant by listed NRC contractor employees during 961118-970110 for purpose of assisting NRC in conduct of design insp.
GALLO,R.M. . 96/11/05. SHAW,P. Region 2 (Post 820201). 4pp. 92038:192-92038:200.

9703120483 Submits followup to questions raised during recent Nuclear Energy Advisory Council meeting re NRC contract w/Sargent & Lundy selected by Northeast Utilities to conduct independent corrective action verification program at Millstone 1 & 3.
IMBRO,E.V. NRC - No Detailed Affiliation Given. 97/03/06. CONCANNON,T., WOOLLACOTT,E. Connecticut, State of. 3pp. 92079:053-92079:106.

9703110285 Forwards ltr providing NNECO's revised commitment re issuance of procedure NGP 2.25,Reportability Determinations & LER processing.Revised date for completion of training & implementation of procedure is 970425.
BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 97/03/07. Document Control Branch (Document Control Desk). 4pp. 92121:049-92121:052.

9703140127 Discusses clarification of 960814,confirmatory order establishing independent corrective action verification program.
COLLINS,S.J. . 97/03/11. CARNS,N.S., LAUDENAT,R.T. Northeast Nuclear Energy Co. 5pp. 92115:311-92115:315.

9703170195 Forwards amend 134 to license NPF-49 & safety evaluation. Amend modifies description of time constants associated w/Overtemperature Delta-T & Overpower Delta-T calculations used to establish trip setpoints & time constant.
ANDERSEN,J.W. . 97/03/11. KENYON,B.D. Northeast Utilities Service Co. 4pp. 92131:259-92131:272.

--9703170198 Amend 134 to license NPF-49 modifying description of time & constants associated w/Overtemperature Delta-T & Overpower Delta-T calculations.
MCKEE,P.F. . 97/03/11. 6pp. 92131:263-92131:268.

--9703170199 Safety evaluation supporting amend 134 to license NPF-49.
* . 97/03/11. 4pp. 92131:269-92131:272.

9703140131 Discusses 970205 public meeting.NRC RAI re independent corrective action verification program proposed by NNECO for units 1 & 3.Info provided in ltr to NRC B16273 dtd 970221.
TRAVERS,W.D. . 97/03/12. CARNS,N.S., LAUDENAT,R.T. Northeast Nuclear Energy Co. 5pp. 92115:320-92115:324.

9703260115 Provides 180 day response to GL 96-05, "Periodic Verification of Design Basis Capability of Safety-Related MOV's."
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92257:268-92257:272.

9703280219 Application for amend to license NPF-49 re changes to Bases Section 3/4.7.5,providing expanded description of potential variation in temp averaging methodology for determining plant UHS temp.
BROTHERS,M.H. Northeast Nuclear Energy Co. 97/03/21. Document Control Branch (Document Control Desk). 4pp. 92280:010-92280:022.

--9703280221 Proposed tech specs,providing expanded description of potential variations in temp averaging methodology for determining plant UHS temp.
* Northeast Nuclear Energy Co. 97/03/21. 9pp. 92280:014-92280:022.

9703280093 Forwards independent CR verification program response to questions re proposed contractor for Millstone Nuclear Power Station,Units 1 & 3.
THAYER,J.K. Northeast Nuclear Energy Co. 97/03/26. Document Control Branch (Document Control Desk). 36pp. 92277:153-92278:118.

Q. Inspection reports, IE Bulletins & correspondence

9703070167 Forwards insp repts 50-245/96-09,50-336/96-09 & 50-423/96-09 on 961026-1231 & notice of violation.
LANNING,W.D. Region 1 (Post 820201). 97/02/24. KENYON,B.D. Northeast Utilities Service Co. 5pp. 92002:070-92002:165.

--9703070175 Notice of violation from insp on 961026-1231.Violation noted:individual gained access to PA w/o having authorized or hand geometry confirmed.
* Region 1 (Post 820201). 97/02/24. 3pp. 92002:075-92002:077.

--9703070183 Insp repts 50-245/96-09,50-336/96-09 & 50-423/96-09 on 961026-1231.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 1 (Post 820201). 97/02/24. 90pp. 92002:078-92002:165.

9703060429 Forwards proprietary & non-proprietary versions of "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures," in response to initial operator exam rept 50-245/96-12.
THAYER,J.K. Connecticut Yankee Atomic Power Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92004:244-92004:334.

--9703060432 "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures."
BARRON,W.H. Connecticut Yankee Atomic Power Co. 97/02/13. 83pp. 92004:251-92004:334.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703070015 Requests removal of portion of util 960301 ltr in response to insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34.
MCELWAIN,J.P. Northeast Nuclear Energy Co. 97/03/04. Document Control Branch (Document Control Desk). 12pp. 92031:205-92031:216.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110064 "Millstone Nuclear Power Station Unit 3,Annual Rept,Jan-Dec 1996." W/970228 ltr.
BROTHERS,M.H. Northeast Nuclear Energy Co. 96/12/31. 136pp. 92072:197-92072:332.

9703050090 Forwards semiannual fitness-for-duty performance data for Jul-Dec 1996.Attachment 1 to ltr contains explanation of performance data form,summary of performance data & summary of mgt actions.
ROTHEN,F.C. Northeast Nuclear Energy Co. 97/02/28. Document Control Branch (Document Control Desk). 26pp. 92002:295-92002:320.

9703250211 Monthly operating rept for Feb 1997 for Millstone Nuclear Power Station Unit 3.W/970314 ltr.
EMMONS,K.W., HICKS,G.D. Northeast Nuclear Energy Co. 97/02/28. 8pp. 92251:325-92251:332.

S. Reportable occurrences, LERs & related correspondence

9703040363 Forwards LER 97-009-00 which documents condition that was determined at MNPS,Unit 3 on 970123,per 10CFR50.73 (a)(2)(v)(D).
HICK,G.D. Northeast Nuclear Energy Co. HICKS,G.D. Northeast Utilities Service Co. 97/02/13. Document Control Branch (Document Control Desk). 4pp. 91990:329-91990:336.

--9703040365 LER 97-009-00:on 970123,opening HELB barrier door in mode 1 resulted in violation of HELB requirements.Caused by failure to develop effective HELB door control program.Door requirements were reviewed.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/02/13. 4pp. 91990:333-91990:336.

9703040348 LER 95-019-01:on 951201,reactor coolant sys pressure boundary leak occurred due to instrument line & drain line socket weld failure.All 16 RCS loop flow instrument line socket & weld bosses have been cut & removed.W/970214 ltr.
PESCHEL,J.M., HICKS,G.D. Northeast Nuclear Energy Co. HICKS,G.D. Northeast Utilities Service Co. 97/02/14. 7pp. 91971:353-91971:359.

9703040172 LER 96-009-01:on 960423,inoperable shutdown margin monitors from low count rate occurred due to inadequate design control.Reduced SMM setpoint.W/970221 ltr.
PESCHEL,J.M., HICKS,G.D. Northeast Nuclear Energy Co. 97/02/21. 7pp. 91972:271-91972:277.

9703040219 Provides list of commitments made re LER 97-015-03 per 10CFR50.7.(a)(2)(ii)(B),10CFR50.73(a)(2)(v)(D) & 10CFR50.73 (a)(2)(vii).
HICKS,G.D. Northeast Nuclear Energy Co. 97/02/21. Document Control Branch (Document Control Desk). 4pp. 91990:293-91990:301.

--9703040230 LER 96-015-03:on 960610,discovered inadequate electrical separation between redundant protection trains associated w/RT switches & RT breaker indicating lights.Caused by inadequate job skills.Trained on electrical separation.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/02/21. 5pp. 91990:297-91990:301.

9703040211 LER 97-008-00:on 970124,TS 3.0.3 action statement for MSIV closure was entered due to TS being inconsistent w/MSIV safety function & design.Submitted proposed license amend request PTSCR 3-13-95.W/970222 ltr.
PESCHEL,J.M., HICKS,G.D. Northeast Nuclear Energy Co. 97/02/22. 6pp. 91972:278-91972:283.

9703040307 Corrects numbering inconsistency in commitments addressing LER 97-005-00.
HICKS,G.D. Northeast Nuclear Energy Co. 97/02/25. Document Control Branch (Document Control Desk). 3pp. 91979:358-91979:360.

9703070190 Forwards LER 97-012-00,documenting condition that was discovered at Millstone Nuclear Power Station,Unit 3 on 970129.Util commitments made within ltr,listed.
HICKS,G.D. Northeast Nuclear Energy Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92074:307-92074:314.

--9703070196 LER 97-012-00:on 970129,noncompliance of Tornado Missle protection for manhole covers occurred due to removal of temporary anchoring ballast for approx three minutes. Personnel involved in event have received counseling.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/02/28. 3pp. 92074:312-92074:314.

9703070200 Forwards LER 97-010-00,documenting condition determined at Millstone Unit 3 on 970129 per 10CFR50.73(a)(2)(v). Commitments attached.
HICKS,G.D. Northeast Nuclear Energy Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92074:318-92074:326.

--9703070202 LER 97-010-00:on 970129,electrical calculation discrepancies identified in min voltage analysis for Class 1E electrical sys.Caused by lack of configuration mgt for comprehensive calculation program.Program being revised.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/02/28. 4pp. 92074:323-92074:326.

9703100009 Forwards LER 97-011-00 which document events that occurred at Millstone Unit 3 on 970129.Commitments listed in attachment.
HICKS,G.D. Northeast Nuclear Energy Co. 97/02/28. Document Control Branch (Document Control Desk). 5pp. 92108:344-92108:352.

--9703100012 LER 97-011-00:on 970129,found hydrogen recombiner heaters to be outside design basis.Caused by lack of configuration mgt.Will perform evaluation of hydrogen recombiner heater performance under degraded voltage conditions.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/02/28. 4pp. 92108:349-92108:352.

9703100010 Forwards LER 97-013-00,documenting condition determined at Millstone Unit 3 on 970130 per 10CFR50.73(a)(2)(ii)(B).Util commitments attached.
HICKS,G.D. Northeast Nuclear Energy Co. 97/02/28. Document Control Branch (Document Control Desk). 4pp. 92109:001-92109:011.

--9703100022 LER 97-013-00:on 970130,determined TDAFW steam supply CI valves do not satisfy GDC 57 requirements.Caused by inadequate review & process control.Prepared design change package to update design & licensing info.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/02/28. 7pp. 92109:005-92109:011.

9703100187 Forwards LER 97-014-00,documenting condition determined at Millstone Unit 3 on 970203.Util commitments attached.
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/05. Document Control Branch (Document Control Desk). 5pp. 92108:289-92108:296.

--9703100189 LER 97-014-00:on 970203,both trains of CR Envelope Pressure Sys inoperable due to personnel error.Valves closed, reestablishing TS compliance & terminating event,personnel involved counseled on procedure adherence.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/05. 3pp. 92108:294-92108:296.

9703100190 Forwards LER 97-015-00,documenting condition determined at Millstone Unit 3 on 970204 per 10CFR50.73(a)(2)(ii)(B).Utils commitments attached.
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/05. Document Control Branch (Document Control Desk). 4pp. 92108:297-92108:306.

--9703100203 LER 97-015-00:on 970204,review of design calculations identified min water level in containment sump at time of RSS pumps below vortex suppression grating during LOCA. Caused by inadequate review/process control.Program revised.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/05. 5pp. 92108:302-92108:306.

9703140081 Forwards LER 97-017-00 which documents events that occurred on 970206 & 13.Commitments,encl.
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/07. Document Control Branch (Document Control Desk). 4pp. 92217:210-92217:217.

--9703140087 LER 97-017-00:on 970206,inadequate overlap testing of logic circuits was noted.Caused by inadequate initial development of applicable procedures.Self-assessment of GL 96-01 review program has been completed.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/07. 4pp. 92217:214-92217:217.

9703140106 Provides list of commitments re LER 97-016-00 per 10CFR50.73(a)(2)(ii)(B).
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92217:240-92217:248.

--9703140111 LER 97-016-00:on 970206,piping supports for portions of RHR sys in condition inconsistent w/design installation details.Caused by improper installation of *spacer during initial const activities.Restored piping supports.*
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/07. 4pp. 92217:245-92217:248.

9703140107 Forwards LER 97-018-00,documenting condition determined at Millstone Unit 3 on 970208.Util commitments attached.
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92217:249-92217:259.

--9703140117 *LER 97-018-00:on 970208,determined plant operated in conditions prohibited by 3 different TS.Caused by interpreting TS for intent rather than compliance w/spec.TS &/or Bases will be revised.*
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/07. 6pp. 92217:254-92217:259.

9703250229 Forwards LER 97-021-00,documenting condition that occurred at Millstone Nuclear Power Station,Unit 3 on 970218. Commitments made within ltr,listed.
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/19. Document Control Branch (Document Control Desk). 5pp. 92275:101-92275:110.

--9703250231 LER 97-021-00:on 970218,defective design of RSS expansion joints tie rod assembly discovered.Caused by defective design which had been issued by temp flex division of Johnson Controls.Mods completed.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/19. 5pp. 92275:106-92275:110.

9703280227 Forwards LER 97-020-00,documenting condition determined at Millstone Unit 3 on 970218.Util commitments attached.
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92296:069-92296:077.

--9703280233 LER 97-020-00:on 970218,elevated containment temp due to reduced cooling capability restricts ability to enter & operate equipment required for cold SD during certain fire events.Caused by throttle valve placement.Reconfigure CARS.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/20. 4pp. 92296:074-92296:077.

9703280264 Forwards LER 97-019-00,documenting conditions that occurred at Millstone Nuclear Power Station,Unit 3 on 970218. Commitments made within ltr,listed.
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92312:224-92312:231.

--9703280268 LER 97-019-00:on 970218,TSs limiting condition for LCO for DWST had not been met on some historical occasions.Caused by failure to adequately define within TS LCO requirement. Provisions will be made by 971010.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/20. 3pp. 92312:229-92312:231.

9703280288 Forwards LER 97-022-00,documenting conditions that occurred at Millstone Nuclear Power Station,Unit 3 on 970218.Util commitments made within ltr,listed.
HICKS,G.D. Northeast Nuclear Energy Co. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92312:237-92312:246.

--9703280315 LER 97-022-00:on 970218,improper survillance testing of CR emergency air filtration sys filters occurred.Caused by lack of trigger mechanisms within applicable maintenance procedures.CR air filtration sys will be revised by 970315.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/20. 4pp. 92312:242-92312:246.

9703260249 Forwards LER 97-023-00 which documents condition that was determined at MNPS,Unit 3 on 970320,per 10CFR50.73(a)(2)(i).
HICKS,G.D. Northeast Nuclear Energy Co. HICKS,G.D. Northeast Utilities Service Co. 97/03/22. Document Control Branch (Document Control Desk). 4pp. 92275:168-92275:177.

--9703260254 LER 97-023-00:on 970220,MSIV had not been tested IAW literal requirements contained within TS due to inadequate review during development & certification.License amend request will be submitted by 970430.
PESCHEL,J.M. Northeast Nuclear Energy Co. 97/03/22. 6pp. 92275:172-92275:177.

V. Operator Examinations

9703060429 Forwards proprietary & non-proprietary versions of "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures," in response to initial operator exam rept 50-245/96-12.
THAYER,J.K. Connecticut Yankee Atomic Power Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92004:244-92004:334.

--9703060432 "Independent Review Team Rept 1996 MP -1 LOUT NRC Exam Failures."
BARRON,W.H. Connecticut Yankee Atomic Power Co. 97/02/13. 83pp. 92004:251-92004:334.

9703100254 Requests NRC forward copy of Form 398, "Personal Qualification Statement - Licensee," for each licensed individual listed in encl.
THAYER,J.K. Connecticut Yankee Atomic Power Co. THAYER,J.K. Northeast Nuclear Energy Co. 97/03/03. MEYER,G.W. Region 1 (Post 820201). 4pp. 92074:350-92074:353.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703170028 Discusses ongoing efforts & commitments to evaluate & correct problems found within licensed operator training programs at Millstone Units 1,2 & 3 & Haddem Neck as described in 970303 ltr.
MILLER,H.J. Region 1 (Post 820201). 97/03/07. KENYON,B.D. Northeast Nuclear Energy Co. 6pp. 92116:224-92116:229.

9703180137 Submits util results of initial reviews of licensed operator records,per 10CFR2.790(a)(6).NNECO requests that unredacted version of matrices & "Nuclear Training LOIT/LOUT Audit Review," be withheld.Affidavit supporting request encl.
THAYER,J.K. Connecticut Yankee Atomic Power Co. 97/03/14. Document Control Branch (Document Control Desk). 56pp. 92218:230-92218:319.

--9703250066 Redacted version of rev 1 to "Nuclear Training LOIT/LOUT Audit Reviews."
* Northeast Nuclear Energy Co. 97/03/14. 22pp. 92218:298-92218:319.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

G. Adjudicatory correspondence

9703240131 Responds to 900911,re petition concerning management of GPC illegal transfer of facility operating licences to Southern Nuclear Operating Co.Petitioners request for action pursuant to 10CFR2.206 denied.
MIRAGLIA,F.J. . 97/03/18. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 6pp. 92242:001-92242:207.

--9703240190 Notice of issuance of director's decision under 10CFR2.206 re petition concerning allegations involving mgt of util, illegal transfer of util OLs to SONOPCO & intentional false statements to NRC re util organizational chain.
MIRAGLIA,F.J. . 97/03/18. 4pp. 92242:007-92242:010.

--9703240195 Summary of Director's Decision under 10CFR2.206 of MB Hobby & AL Mosbaugh,dtd 900911.
MIRAGLIA,F.J. . 97/03/18. 26pp. 92242:011-92242:036.

--9703250003 Director's decision under 10CFR2.206 re petition re allegation of illegal transfer of OLs to Southern Nuclear Operating Co.Petitions filed by MB Hobby & AL Mosbaugh denied.
MIRAGLIA,F.J. . 97/03/18. Affiliation Not Assigned. 171pp. 92242:037-92242:207.

J. Insurance & indemnity information

9703130248 Forwards summary rept of present level & source of onsite property damage insurance coverage for VEGP.
MCCKOY,C.K. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92128:105-92128:106.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703130264 Submits rept re inoperable meteorological monitoring instrument channel.
MCCOY,C.K. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92128:100-92128:101.

9703190061 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
MCCOY,C.K. Georgia Power Co. 97/03/12. Document Control Branch (Document Control Desk). 21pp. 92197:301-92197:321.

9703200065 Notifies NRC of utils intent to submit updated VEGP-1 & VEGP-2 IST Program Documents no later than 970601 for second 10-yr ISI interval & wishes to phase-in implementation of updated programs over one year period starting 960601.
MCCOY,C.K. Georgia Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92199:321-92199:322.

9703200069 Responds to 961107 RAI re extended allowed outage times for EDGs.
MCCOY,C.K. Georgia Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92199:329-92199:330.

9703210250 Forwards amends 97 & 75 to licenses NPF-68 & NPF-81, respectively & SE.Amends modify licenses,TS,EPPs & Antitrust conditions to add Southern Nuclear,as operator of facility w/control over physical construction,operation & maint.
WHEELER,L.L. . 97/03/17. MCCOY,C.K. Georgia Power Co. 4pp. 92214:209-92214:292.

--9703210255 Amends 97 & 75 to licenses NPF-68 & NPF-81,respectively, modifying *licenses,TS,EPP & Antitrust conditions to add Southern Nuclear as operator of facility.*
MIRAGLIA,F.J . 97/03/17. 50pp. 92214:213-92214:260.

--9703210260 Safety evaluation supporting amends 97 & 75 to licenses NPF-68 & NPF-81,respectively.
* . 97/03/17. 25pp. 92214:261-92214:284.

–**9703210275** Order approving Southern Nuclear Operating Co,Inc.,as exclusive operator Vogtle licenses.
MIRAGLIA,F.J. . 97/03/17. Southern Nuclear Operating Co. 5pp. 92214:285-92214:289.

–**9703210288** Notice of issuance of amends 97 & 75 to licenses NPF-68 & NPF-81,respectively & final determination of NSHC.
BERKOW,H.N. . 97/03/17. 3pp. 92214:290-92214:292.

9703260134 Forwards document discussing transfer of NPDES permit (GA0026786) from GAP to Southern Nuclear Operating Co.
MCCOY,C.K. Georgia Power Co. 97/03/18. Document Control Branch (Document Control Desk). 4pp. 92257:323-92257:326.

9703260142 Advises NRC that effective 970322,util will officially transfer responsibilities for operation of Vogtle Electric Generating Plant to Southern Nuclear.
MCCOY,C.K. Georgia Power Co. 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92257:332-92257:334.

9703270088 Requests change made to Item 2 of QA program approval for radioactive matl package:0726,Rev 1 as submitted.
MCCOY,C.K. Georgia Power Co. 97/03/18. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 2pp. 92268:054-92268:055.

Q. Inspection reports, IE Bulletins & correspondence

9703040185 Ack receipt of 970130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/96-11 & 50-425/96-11 in response to NRC ltr dtd 961231.Actions will be examined during future inspections.
SKINNER,P.H. Region 2 (Post 820201). 97/02/21. MCCOY,C.K. Georgia Power Co. 3pp. 91945:075-91945:077.

9703040333 Forwards insp repts 50-424/96-14 & 50-425/96-14 on 961222-970201.Violations noted being considered for escalated EA. Predecisional enforcement conference scheduled for 970310 to discuss violations.
SKINNER,P.H. Region 2 (Post 820201). 97/02/24. MCCOY,C.K. Georgia Power Co. 5pp. 91957:096-91957:126.

–**9703040340** Insp repts 50-424/96-14 & 50-425/96-14 on 961222-970201. Violations noted.Major areas inspected:aspects of licensee operations,engineering,maintenance & plant support.
* Region 2 (Post 820201). 97/02/24. 26pp. 91957:101-91957:126.

9703110173 Ack receipt of 970213 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/96-12 & 50-425/96-12.
SKINNER,P.H. Region 2 (Post 820201). 97/02/28. MCCOY,C.K. Georgia Power Co. 3pp. 92019:194-92019:196.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270098 Ack receipt of 970214 ltr informing NRC of steps taken to correct violations noted in insp repts 30-424/96-13 & 50-425/96-13.
BARR,K.P. Region 2 (Post 820201). 97/03/18. MCCOY,C.K. Georgia Power Co. 3pp. 92256:056-92256:058.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703180012 Monthly operating repts for Feb 1997 for Vogtle Electric Generating Plant Units 1 & 2.W/970311 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 97/02/28. 12pp. 92200:215-92200:226.

9703250023 Forwards Part 1 of 1996 Annual Rept of operating info.Part 2 of 1996 Annual Rept will be submitted by 970501.
MCCOY,C.K. Georgia Power Co. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92251:294-92251:298.

–**9703240222** "Vogtle Electric Generating Plant,Units 1 & 2 1996 Annual Rept-Part 1."
MCCOY,C.K. Georgia Power Co. 96/12/31. 4pp. 92251:295-92251:298.

S. Reportable occurrences, LERs & related correspondence

9703180033 LER 97-003-00:on 970213,unlatched doors on MCC changed seismic qualifications.Caused by failure to maintain MCC doors secured.MCC doors were secured as necessary. W/970311 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 97/03/11. 5pp. 92237:123-92237:127.

V. Operator Examinations

9703270123 Forwards sample registration ltr for 970409 GFE section of written operator licensing exam at plant.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. BROWN,B. Georgia Power Co. 3pp. 92256:079-92256:081.

9703280060 Forwards response to questions raised during NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. BROWN,B. Georgia Power Co. 2pp. 92265:032-92265:033.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

G. Adjudicatory correspondence

9703240131 Responds to 900911,re petition concerning management of GPC illegal transfer of facility operating licences to Southern Nuclear Operating Co.Petitioners request for action pursuant to 10CFR2.206 denied.
MIRAGLIA,F.J. . 97/03/18. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 6pp. 92242:001-92242:207.

–**9703240190** Notice of issuance of director's decision under 10CFR2.206 re petition concerning allegations involving mgt of util, illegal transfer of util OLs to SONOPCO & intentional false statements to NRC re util organizational chain.
MIRAGLIA,F.J. . 97/03/18. 4pp. 92242:007-92242:010.

–**9703240195** Summary of Director's Decision under 10CFR2.206 of MB Hobby & AL Mosbaugh,dtd 900911.
MIRAGLIA,F.J. . 97/03/18. 26pp. 92242:011-92242:036.

–**9703250003** Director's decision under 10CFR2.206 re petition re allegation of illegal transfer of OLs to Southern Nuclear Operating Co.Petitions filed by MB Hobby & AL Mosbaugh denied.
MIRAGLIA,F.J. . 97/03/18. Affiliation Not Assigned. 171pp. 92242:037-92242:207.

J. Insurance & indemnity information

9703130248 Forwards summary rept of present level & source of onsite property damage insurance coverage for VEGP.
MCCKOY,C.K. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92128:105-92128:106.

P. Operating license stage documents & correspondence

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

–**9304080293** Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

9703130264 Submits rept re inoperable meteorological monitoring instrument channel.
MCCOY,C.K. Georgia Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92128:100-92128:101.

9703190061 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
MCCOY,C.K. Georgia Power Co. 97/03/12. Document Control Branch (Document Control Desk). 21pp. 92197:301-92197:321.

9703200065 Notifies NRC of utils intent to submit updated VEGP-1 & VEGP-2 IST Program Documents no later than 970601 for second 10-yr ISI interval & wishes to phase-in implementation of updated programs over one year period starting 960601.
MCCOY,C.K. Georgia Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92199:321-92199:322.

9703200069 Responds to 961107 RAI re extended allowed outage times for EDGs.
MCCOY,C.K. Georgia Power Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92199:329-92199:330.

9703210250 Forwards amends 97 & 75 to licenses NPF-68 & NPF-81, respectively & SE.Amends modify licenses,TS,EPPs & Antitrust conditions to add Southern Nuclear,as operator of facility w/control over physical construction,operation & maint.
WHEELER,L.L. . 97/03/17. MCCOY,C.K. Georgia Power Co. 4pp. 92214:209-92214:292.

–**9703210255** Amends 97 & 75 to licenses NPF-68 & NPF-81,respectively, modifying licenses,TS,EPP & Antitrust conditions to add Southern Nuclear as operator of facility.
MIRAGLIA,F.J . 97/03/17. 50pp. 92214:213-92214:260.

–**9703210260** Safety evaluation supporting amends 97 & 75 to licenses NPF-68 & NPF-81,respectively.
* . 97/03/17. 25pp. 92214:261-92214:284.

--**9703210275** Order approving Southern Nuclear Operating Co,Inc.,as exclusive operator Vogtle licenses.
MIRAGLIA,F.J. . 97/03/17. Southern Nuclear Operating Co. 5pp. 92214:285-92214:289.

--**9703210288** Notice of issuance of amends 97 & 75 to licenses NPF-68 & NPF-81,respectively & final determination of NSHC.
BERKOW,H.N. . 97/03/17. 3pp. 92214:290-92214:292.

9703260134 Forwards document discussing transfer of NPDES permit (GA0026786) from GAP to Southern Nuclear Operating Co.
MCCOY,C.K. Georgia Power Co. 97/03/18. Document Control Branch (Document Control Desk). 4pp. 92257:323-92257:326.

9703260142 Advises NRC that effective 970322,util will officially transfer responsibilities for operation of Vogtle Electric Generating Plant to Southern Nuclear.
MCCOY,C.K. Georgia Power Co. 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92257:332-92257:334.

9703270088 Requests change made to Item 2 of QA program approval for radioactive matl package:0726,Rev 1 as submitted.
MCCOY,C.K. Georgia Power Co. 97/03/18. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 2pp. 92268:054-92268:055.

Q. Inspection reports, IE Bulletins & correspondence

9703040185 Ack receipt of 970130 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/96-11 & 50-425/96-11 in response to NRC ltr dtd 961231.Actions will be examined during future inspections.
SKINNER,P.H. Region 2 (Post 820201). 97/02/21. MCCOY,C.K. Georgia Power Co. 3pp. 91945:075-91945:077.

9703040333 Forwards insp repts 50-424/96-14 & 50-425/96-14 on 961222-970201.Violations noted being considered for escalated EA. Predecisional enforcement conference scheduled for 970310 to discuss violations.
SKINNER,P.H. Region 2 (Post 820201). 97/02/24. MCCOY,C.K. Georgia Power Co. 5pp. 91957:096-91957:126.

--**9703040340** Insp repts 50-424/96-14 & 50-425/96-14 on 961222-970201. Violations noted.Major areas inspected:aspects of licensee operations,engineering,maintenance & plant support.
* Region 2 (Post 820201). 97/02/24. 26pp. 91957:101-91957:126.

9703110173 Ack receipt of 970213 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/96-12 & 50-425/96-12.
SKINNER,P.H. Region 2 (Post 820201). 97/02/28. MCCOY,C.K. Georgia Power Co. 3pp. 92019:194-92019:196.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703270098 Ack receipt of 970214 ltr informing NRC of steps taken to correct violations noted in insp repts 30-424/96-13 & 50-425/96-13.
BARR,K.P. Region 2 (Post 820201). 97/03/18. MCCOY,C.K. Georgia Power Co. 3pp. 92256:056-92256:058.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703180012 Monthly operating repts for Feb 1997 for Vogtle Electric Generating Plant Units 1 & 2.W/970311 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 97/02/28. 12pp. 92200:215-92200:226.

9703250023 Forwards Part 1 of 1996 Annual Rept of operating info.Part 2 of 1996 Annual Rept will be submitted by 970501.
MCCOY,C.K. Georgia Power Co. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92251:294-92251:298.

--**9703240222** "Vogtle Electric Generating Plant,Units 1 & 2 1996 Annual Rept-Part 1."
MCCOY,C.K. Georgia Power Co. 96/12/31. 4pp. 92251:295-92251:298.

S. Reportable occurrences, LERs & related correspondence

9703190079 LER 97-001-00:on 970213,surveillances were not performed for unlocked valves.Caused by failure of engineering & operations personnel to ensure appropriate TS surveillance requirements were met.AFW valves were locked.W/970313 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 97/03/13. 5pp. 92237:235-92237:239.

V. Operator Examinations

9703270123 Forwards sample registration ltr for 970409 GFE section of written operator licensing exam at plant.
PEEBLES,T.A. Region 2 (Post 820201). 97/02/06. BROWN,B. Georgia Power Co. 3pp. 92256:079-92256:081.

9703280060 Forwards response to questions raised during NRC training managers conference.
PEEBLES,T.A. Region 2 (Post 820201). 97/03/04. BROWN,B. Georgia Power Co. 2pp. 92265:032-92265:033.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9703250069 Provides 180-day response to NRC GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs." dtd 960918.
SALAS,P. Tennessee Valley Authority. 97/03/17. Document Control Branch (Document Control Desk). 14pp. 92257:111-92257:124.

H. General correspondence

9703040233 Provides updated distribution lists for Browns Ferry, Sequoyah,Watts Bar & Bellefonte Nuclear Plants.
BARON,R.R. Tennessee Valley Authority. 97/02/25. REYES,L. Region 2 (Post 820201). 7pp. 91960:197-91960:203.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050163 Forwards fitness for duty performance data for six-month period of 960731-1231.
BARON,P.R. Tennessee Valley Authority. 97/02/28. Document Control Branch (Document Control Desk). 21pp. 91964:336-91964:356.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703110085 Rev 13/PIC 3 to "Emergency Plan for Perry Nuclear Power Plant." W/ 970227 ltr.
MYERS,L.W. Centerior Energy. 97/02/27. 108pp. 92073:001-92073:108.

9703120171 Forwards changes to emergency plan for plant which constitute revs,temporary changes or reissued pages.
MYERS,L.W. Centerior Energy. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92135:293-92135:360.

-9703120180 Revised emergency plan implementing instruction,including Rev 5 to EPI-A1, "Emergency Action Levels" & Rev 9 to EPI-B1, "Emergency Notification Sys."
ANDERSON,J.D. Centerior Energy. 97/02/10. 64pp. 92135:296-92135:360.

9703250206 Revised EPIPs,including Rev 7 to EPI-B3, "Radiological Surveys for Emergencies" & Rev 9 to EPI-B4, "First Aid & Medical Care." W/970320 ltr.
MYERS,L.W. Centerior Energy. 97/03/20. 30pp. 92250:329-92250:358.

H. General correspondence

9703240241 Supports merger of Centerior Energy Corp & OH Edison under new holding company called FirstEnergy.
* Affiliation Not Assigned. 97/01/07. THE CHAIRMAN Commissioners (Post 750119). 2pp. 92241:305-92241:306.

9703070028 Requests that listed persons be added (as single entry) to headquarters service & distribution list of listed dockets.
LESSY,R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 97/02/13. HOPKINS,J.B. . 1p. 92015:338-92015:338.

9703200070 Forwards copy of Resolution 32-97,at request of Avon Lake City Council.Resolution is no opposition to merger of Centerior Corp & OH Edison under new holding company called FirstEnergy.
LYNCH,K. Affiliation Not Assigned. 97/02/26. Office of Public Affairs (Post 911117). 2pp. 92199:331-92199:332.

K. Utility Final Safety Analysis Report (FSAR) & amends

9703130090 Informs that decision made to de-control off-site UFSAR manuals due to identified quality deficiency re tracking of receipt acks for UFSAR updates.Offsite copies proposed to be deleted from controlled copy listing shown as submitted.
BYRD,R.W. Entergy Operations, Inc. 97/03/03. NRC - No Detailed Affiliation Given. 2pp. 92128:138-92128:139.

P. Operating license stage documents & correspondence

9703070017 Forwards succinct notices,could be published in connection w/FirstEnergy merger.
LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. 97/02/19. HOPKINS,J.B. . 13pp. 92014:340-92014:352.

9703030351 Ack receipt of 970207 ltr in response to 961009 RAI re adequacy & availability of design bases info.NRC in process of evaluating response.
HOPKINS,J.B. . 97/02/27. MYERS,L.W. Centerior Energy. 3pp. 91932:336-91932:338.

9703070087 Notification of 970306 meeting w/Cleveland Electric Illuminating Co in Rockville,MD to review emergency core cooling sys suction strainer 1/4 scale test rept.Meeting cancelled.
HOPKINS,J.B. . 97/03/05. MARCUS,G.H. . 4pp. 91998:350-91998:353.

9703200318 Forwards comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance."
HODGES,M.W. Division of Systems Technology (Post 941217). 97/03/06. VARGA,S.A. . 1p. 92204:315-92204:330.

--**9703200335** Provides comments on draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
DROUIN,M. Centerior Energy. 97/02/25. Office of Administration, Director. (Post 940714). 6pp. 92204:325-92204:330.

9703180238 Responds to certified ltrs dtd 961127 & 970106 which requested info sufficient to answer several questions.
MYERS,L.W. Centerior Energy. 97/03/11. MELI,N. Ohio, State of. 2pp. 92190:358-92190:359.

9703170134 Notification of 970324 meeting w/Cleveland Electric Illuminating Co in Rockville,MD to discuss emergency core cooling sys suction strainer 1/4 scale test rept & to discuss acoustic methodology applied to upper lift load.
HOPKINS,J.B. . 97/03/13. CARPENTER,C.A. . 4pp. 92131:287-92131:290.

9703190395 Submits supplemental response to GL 96-06, "Assurance of Equipment *Operability & Containment Integrity During Design-Basis Accident Conditions.*"
MYERS,L.W. Centerior Energy. 97/03/14. Document Control Branch (Document Control Desk). 4pp. 92199:228-92199:231.

9703200350 Provides 180 day response to GL 96-05, "Periodic Verification of Design Basis Capability of Safety Related MOVs."
MYERS,L.W. Centerior Energy. 97/03/17. Document Control Branch (Document Control Desk). 10pp. 92212:235-92212:244.

9703210203 Submits summary of 970306 telcons between NRC & BWROG re Topical Rept NEDC-31858P,Rev 2, "BWROG Rept for Increasing MSIV Leakage Rate Limits & Elimination of Leakage Control Systems."
STOLZ,J.F. . 97/03/19. DONOVAN,K.P. Centerior Energy. 7pp. 92214:347-92214:353.

9703210282 Summarizes 970306 telcon between NRC & BWR Owners Group re topical rept NEDC-31858P Rev 2, "BWROG Rept for Increasing MSIV Leakage Rate Limits & Elimination of Leakage Control Systems."
STOLZ,J.F. . 97/03/19. DONOVAN,K.P. Babcock & Wilcox Fuel Assembly Owners Group. DONOVAN,K.P. Centerior Energy. 7pp. 92217:344-92217:350.

Q. Inspection reports, IE Bulletins & correspondence

9703050449 Responds to NRC 970129 ltr re violations noted in insp rept 50-440/96-14.Corrective actions:separate risk assessment procedure will be developed in order to consolidate guidance for risk assessment process under one procedure.
MYERS,L.W. Centerior Energy. 97/02/28. Document Control Branch (Document Control Desk). 8pp. 92003:139-92003:146.

9703040265 *NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."*
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140143 *NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV)* Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703260023 Ack receipt of 970228 ltr informing NRC of steps taken to correct violations noted in insp rept 50-440/96-14.
GRANT,G.E. Region 3 (Post 820201). 97/03/19. MYERS,L.W. Centerior Service Co. 2pp. 92244:191-92244:200.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703180243 "Perry Nuclear Power Plant Jan-Dec 1996 Annual Rept." W/970305 ltr.
MYERS,L.W. Centerior Energy. 96/12/31. 7pp. 92200:302-92200:308.

9703050124 Forwards fitness for duty program performance data for period 960701-1231.
MYERS,L.W. Centerior Energy. 97/02/28. Document Control Branch (Document Control Desk). 4pp. 92003:269-92003:272.

9703180221 "NPDES Monthly Discharge Monitoring Rept for Feb 1997 for Perry Nuclear Power Plant." W/970311 ltr.
MYERS,L.W. Centerior Energy. 97/02/28. 5pp. 92191:338-92191:342.

9703190388 Forwards quarterly self-monitoring repts for Perry Nuclear Power Plant sanitary waste sys for months of Dec,Jan & Feb.
STETZ,J.P. Centerior Energy. 97/03/13. SHELBY,R. Lake County, OH. 1p. 92199:218-92199:222.

--**9703190392** "Industrial Pretreatment Quarterly Self-Monitoring Results."
* Centerior Energy. 96/12/10. 1p. 92199:219-92199:219.

--**9703190393** "Industrial Pretreatment Quarterly Self-Monitoring Results."
* Centerior Energy. 97/01/14. 1p. 92199:220-92199:220.

--**9703190394** "Industrial Pretreatment Quarterly Self-Monitoring Results."
* Centerior Energy. 97/02/18. 2pp. 92199:221-92199:222.

9703250001 Forwards diskette that contains personnel exposure & monitoring rept for 1996.W/o encl.
MYERS,L.W. Centerior Energy. 97/03/21. Office of Nuclear Regulatory Research (Post 941217). 1p. 92251:001-92251:001.

S. Reportable occurrences, LERs & related correspondence

9703180227 LER 97-002-00:on 970211,breaker trip caused loss of electrical power to Non-Class 1E bus & resulted in ESF actuation.Caused by random component failure.Ground fault replaced.W/970313 ltr.
HENDERSON,T.A., MYERS,L.W. Centerior Energy. 97/03/13. 6pp. 92237:185-92237:190.

V. Operator Examinations

9703130246 Submits revised NRC Form 396, "Certification of Medical Exam by Facility Licensee," per 10CFR55.25 & 10CFR50.74(c).W/o encl.
MYERS,L.W. Centerior Energy. 97/03/05. Region 3 (Post 820201). 1p. 92128:102-92128:102.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9703200318 Forwards comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance."
HODGES,M.W. Division of Systems Technology (Post 941217). 97/03/06. VARGA,S.A. . 1p. 92204:315-92204:330.

--**9703200335** Provides comments on draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
DROUIN,M. Centerior Energy. 97/02/25. Office of Administration, Director (Post 940714). 6pp. 92204:325-92204:330.

9703180238 Responds to certified ltrs dtd 961127 & 970106 which requested info sufficient to answer several questions.
MYERS,L.W. Centerior Energy. 97/03/11. MELI,N. Ohio, State of. 2pp. 92190:358-92190:359.

9703210203 Submits summary of 970306 telcons between NRC & BWROG re Topical Rept NEDC-31858P,Rev 2, "BWROG Rept for Increasing MSIV Leakage Rate Limits & Elimination of Leakage Control Systems."
STOLZ,J.F. . 97/03/19. DONOVAN,K.P. Centerior Energy. 7pp. 92214:347-92214:353.

9703210282 Summarizes 970306 telcon between NRC & BWR Owners Group re topical rept NEDC-31858P Rev 2, "BWROG Rept for Increasing MSIV Leakage Rate Limits & *Elimination of Leakage Control Systems.*"
STOLZ,J.F. . 97/03/19. DONOVAN,K.P. Babcock & Wilcox Fuel Assembly Owners Group. DONOVAN,K.P. Centerior Energy. 7pp. 92217:344-92217:350.

F. Security, medical, emergency & fire protection plans

9703110085 Rev 13/PIC 3 to "Emergency Plan for Perry Nuclear Power Plant." W/970227 ltr.
MYERS,L.W. Centerior Energy. 97/02/27. 108pp. 92073:001-92073:108.

9703120171 Forwards changes to emergency plan for plant which constitute revs,temporary changes or reissued pages.
MYERS,L.W. Centerior Energy. 97/03/03. Document Control Branch (Document Control Desk). 3pp. 92135:293-92135:360.

--**9703120180** Revised emergency plan implementing instruction,including Rev 5 to EPI-A1, "Emergency Action Levels" & Rev 9 to EPI-B1, "Emergency Notification Sys."
ANDERSON,J.D. Centerior Energy. 97/02/10. 64pp. 92135:296-92135:360.

9703250206 Revised EPIPs,including Rev 7 to EPI-B3, "Radiological Surveys for Emergencies" & Rev 9 to EPI-B4, "First Aid & Medical Care." W/970320 ltr.
MYERS,L.W. Centerior Energy. 97/03/20. 30pp. 92250:329-92250:358.

K. Utility Final Safety Analysis Report (FSAR) & amends

9703130090 Informs that decision made to de-control off-site UFSAR manuals due to identified quality deficiency re tracking of receipt acks for UFSAR updates.Offsite copies proposed to be deleted from controlled copy listing shown as submitted.
BYRD,R.W. Entergy Operations, Inc. 97/03/03. NRC - No Detailed Affiliation Given. 2pp. 92128:138-92128:139.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703050006 Change 1,Rev 26 to Emergency Response Manual ER 1.1, "Classification of Emergencies." W/970225 ltr.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/02/14. 62pp. 91964:271-91964:333.

9703110047 Forwards ltr from LA Elisa transmitting FEMA,Region 1 rept for 970110,MS1-Drill.
KEIMIG,R.R. Region 1 (Post 820201). 97/02/28. FEIGENBAUM,T.C. Northeast Utilities Service Co. 3pp. 92019:347-92019:360.

--9703110062 Forwards exercise rept for 970110,MS-1 Drill at Sts Memorial Hosp in Lowell,in support of Commonwealth of MA,offsite radiological emergency response plans,site-specific to plant.
ELISA,L.A. Federal Emergency Management Agency. 97/02/11. MILLER,H.J. Region 1 (Post 820201). 1p. 92019:350-92019:350.

--9703110077 "Exercise Rept," conducted on 970110 for Seabrook Nuclear Power Station.
* Federal Emergency Management Agency. 97/02/10. 10pp. 92019:351-92019:360.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130172 Forwards news article "NEUT Warns Its NH Utils Could Face Bankruptcy," from 970121 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . 7pp. 92108:125-92108:131.

--9703130217 Forwards NRC press release, "Fox Announces Senior Nuclear Appointments," from Uranium Nuclear News Daily Special Edition,dtd 970122.
BLANCH,P. Affiliation Not Assigned. 97/01/23. ZWOLINSKI,J.A. . 10pp. 92108:136-92108:145.

9703140133 Requests all correspondence addressed to TC Feigenbaum be directed to listed address.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/03/11. Document Control Branch (Document Control Desk). 1p. 92138:015-92138:015.

J. Insurance & indemnity information

9703250223 Forwards listed endorsements re nuclear liability insurance for Seabrook Station.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/03/10. COLLINS,S.J. . 14pp. 92251:098-92251:111.

P. Operating license stage documents & correspondence

9703030382 Forwards amend 49 to license NPF-86 & safety evaluation. Amend revises plant App A TSs 1.7, "Containment Integrity," 3/4.6.1, "Primary Containment," & 3/4.6.5,to incorporate provisions of Option B of 10CFR50 App J.
DE AGAZIO,A.W. . 97/02/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 4pp. 91939:290-91939:319.

--9703030390 Amend 49 to license NPF-86,revising plant App A TSs 1.7, "Containment Integrity," 3/4.6.1, "Primary Containment," & 3/4.6.5, "Containment Enclosure Bldg," to incorporate provisions of Option B to 10CFR50,App J.
MILANO,P.D. . 97/02/24. 23pp. 91939:294-91939:316.

--9703030392 Safety evaluation supporting amend 49 to license NPF-86.
* . 97/02/24. 3pp. 91939:317-91939:319.

9703030489 Repts that during 1996,primary coolant specific activity did not exceed limits of TS 3.4.8 IAW requirement.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/02/26. Document Control Branch (Document Control Desk). 1p. 91956:270-91956:270.

9703030513 Forwards retyped page 5-9 of Section III, "Retype of Proposed Changes" re design features fuel assembly reconstitution.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91958:004-91958:006.

--9703030515 Proposed tech specs,providing retyped page of proposed changes re design features fuel assembly reconstitution.
* North Atlantic Energy Service Corp. (NAESCO). 97/02/26. 1p. 91958:006-91958:006.

9703070107 Ack receipt of response to 961009 request for info per 10CFR50.54(f), "Adequacy & Availability of Design Basis Info."
DE AGAZIO,A.W. . 97/02/28. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 4pp. 91997:350-91997:353.

9703100035 Final response to FOIA request for documents.Records in App A already available in PDR.App B records encl & will be released in entirety.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 3pp. 92036:079-92036:184.

--9703100040 Responds to FOIA request for documents re all copies in NRC possession which describe or discuss any aspect of on-line maint program for Seabrook nuclear power plant.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 97/01/30. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 92036:082-92036:090.

9703110190 Final response to FOIA request for documents.Records subj to request identified in App C & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/07. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 1p. 92109:136-92109:145.

9703130301 Ack receipt of 970117 ltr concerning 8-k filing to Securities & Exchange Commission that described potential impact of New Hampshire Electric Utility deregulation.
MATTHEWS,D.B. . 97/03/11. FOX,B.M. Northeast Utilities. 3pp. 92109:310-92109:313.

9703170181 Forwards amend 50 to license NPF-86 & safety evaluation. Amend revises APP A TSs relating to in-core detector sys, seismic instrumentation,meteorological instrumentation & turbine overspeed protection.
DE AGAZIO,A.W. . 97/03/12. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 92130:314-92130:352.

--9703170187 Amend 50 to license NPF-86 revising App A TSs related to in-core detector sys,seismic instrumentation,meteorological instrumentation & turbine overspeed protection.
MILANO,P.A. . 97/03/12. 28pp. 92130:319-92130:346.

--9703170190 Safety evaluation supporting amend 50 to license NPF-86.
* . 97/03/12. 6pp. 92130:347-92130:352.

9703240239 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 97/03/18. Document Control Branch (Document Control Desk). 13pp. 92241:202-92241:217.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140002 Forwards insp rept 50-443/96-11 on 961130-970113.No violations noted.
ROGGE,J.F. Region 1 (Post 820201). 97/03/07. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 92184:013-92184:047.

--9703140003 Insp rept 50-443/96-11 on 961130-970113.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
* Region 1 (Post 820201). 97/03/07. 30pp. 92184:016-92184:047.

9703130374 Forwards request for addl info re first 10-yr interval inservice insp program plan requests for relief.
DE AGAZIO,A.W. . 97/03/10. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 5pp. 92109:264-92109:270.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040030 "1996 Annual Rept of Radiation Exposure by Job Function." W/970226 ltr.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 96/12/31. 3pp. 91960:043-91960:045.

9703180017 Monthly operating rept for Feb 1997 for Seabrook Station Unit 1.W/970312 ltr.
NARDONE,P.E., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/02/28. 5pp. 92190:239-92190:243.

S. Reportable occurrences, LERs & related correspondence

9703040027 Repts that during 1996 one challenge to plant pressurizer PORVs was identified.Description of event in LER 96-001-00 re automatic RT.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/02/26. Document Control Branch (Document Control Desk). 1p. 91960:042-91960:042.

9703170073 LER 97-004-00:on 970206,remote shutdown sys circuits were not tested completely.Caused by procedural technical inaccuracies resulting in required testing not performed. Operability determination was completed.W/970307 ltr.
LEGENDRE,A.L., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 97/03/07. 5pp. 92217:260-92217:264.

9703210095 LER 97-S01-00:on 970212,off-going duty firefighter identified firefighters shift key ring missing.Cause of lost firefighter shift key ring unknown.Lock changed.W/970314 ltr.
FEIGENBAUM,T. North Atlantic Energy Service Corp. (NAESCO). 97/03/14. 5pp. 92246:278-92246:282.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9703110190 Final response to FOIA request for documents.Records subj to request identified in App C & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/07. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 1p. 92109:136-92109:145.

H. General correspondence

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703130172 Forwards news article "NEUT Warns Its NH Utils Could Face Bankruptcy," from 970121 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . 7pp. 92108:125-92108:131.

--9703130217 Forwards NRC press release, "Fox Announces Senior Nuclear Appointments," from Uranium Nuclear News Daily Special Edition,dtd 970122.
BLANCH,P. Affiliation Not Assigned. 97/01/23. ZWOLINSKI,J.A. . 10pp. 92108:136-92108:145.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703050221 Provides response to SE open items on CPSES Unit 1 re Thermo-Lag cable functionality issues.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/02/28. Document Control Branch (Document Control Desk). 252pp. 91986:001-91986:252.

9703070149 Forwards insp repts 50-445/97-03 & 50-446/97-03 on 970203- 07.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 7pp. 91989:001-91989:009.

--9703070151 Partially withheld insp repts 50-445/97-03 & 50-446/97-03.No violations noted.Major areas inspected:plant support.
* Region 4 (Post 820201). 97/03/03. 2pp. 91989:008-91989:009.

9703110227 Forwards insp rept 50-445/97-04 & 50-446/97-04 on 970210-14 & notice of violation.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 92034:288-92034:317.

--9703110230 Notice of violation from insp on 970210-14.Violation noted: licensee had not corrected weakness involving implementation of site evacuation procedures that was identified during emergency preparedness insp.
* Region 4 (Post 820201). 97/03/05. 2pp. 92034:293-92034:294.

9703120024 Revised EPIPs,including PCN to EPP-100-R0-5, "Maintaining Emergency Preparedness," PCN to EPP-204-R11-1, "Activation & Operation of TSC," PCN to EPP-304-R15-1, "Protective Action Recommendation" & Rev 140 to Form Index.W/970305 ltr.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/05. 19pp. 92123:321-92123:339.

P. Operating license stage documents & correspondence

9703050221 Provides response to SE open items on CPSES Unit 1 re Thermo-Lag cable functionality issues.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/02/28. Document Control Branch (Document Control Desk). 252pp. 91986:001-91986:252.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--9609090095 Forwards agenda for 960911-12 IPE Senior Review Board meeting in Rockville,MD to discuss contractor-developed technical evaluation repts for St Lucie & Comanche Peak & staff evaluation rept for Susquehanna.
HODGES,M.W. Division of Systems Technology (Post 941217). 96/08/13. MILLER,H.J. Region 1 (Post 820201). 3pp. 92287:014-92287:016.

9703120445 Forwards revised "CPSES Unit 1 Cycle 6 COLR."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/07. Document Control Branch (Document Control Desk). 1p. 92124:213-92124:229.

--9703120448 "CPSES Unit 1 Cycle 6 COLR,"
BROZAK,D.E., MAIER,S.M., CHOE,W.G. Texas Utilities Electric Co. (TU Electric). ERX-96-004 R01. 97/03/07. 16pp. 92124:214-92124:229.

9703130019 Ack receipt of 970207 response to NRC 961009 request for info,per 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
POLICH,T.J. . 97/03/10. TERRY,L.C. Texas Utilities Electric Co. (TU Electric). 3pp. 92107:347-92107:349.

9703130361 Forwards staff evaluation rept,which does not constitute NRC approval or endorsement of any IPE matl for purposes other than those associated w/meeting intent of GL 88-20.
POLICH,T.J. . 97/03/10. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 79pp. 92109:146-92109:219.

--**9701310074** "Technical Evaluation Rept of IPE Submittal & RAI Responses for Comanche Peak Steam Electric Station,Unit 1."
MUSICKI,Z. Brookhaven National Laboratory. 97/01/02. Office of Nuclear Regulatory Research (Post 941217). 68pp. 92109:157-92109:219.

9703140160 Forwards second RAI to complete review of licensee 951127 request to utilize risk-informed IST program at plant,Units 1 & 2.
POLICH,T.J. . 97/03/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 13pp. 92135:174-92135:219.

--**9703030016** Expands upon some of data developed in draft ltr rept ORNL/NRC/LTR-96-32, "Characterization Update of Pump & Related Equipment Failure Experience in Nuclear Power Industry (1994-1995)."
POOLE,A.B. Oak Ridge National Laboratory. 96/11/22. JACKSON,J.E. NRC - No Detailed Affiliation Given. 6pp. 92135:188-92135:193.

--**9703030040** Forwards summary rept, "Evaluation of Candidate LSSC Check Valves for Risk Based IST Extension at Comanche Peak Units 1,2."
POOLE,A.B. Oak Ridge National Laboratory. 97/01/09. JACKSON,J.E. NRC - No Detailed Affiliation Given. 2pp. 92135:194-92135:195.

--**9703030045** "Evaluation of Candidate LSSC Check Valves for Risk Based IST Extension at Comanche Peak Units 1,2."
MCELHANEY,K.L. Oak Ridge National Laboratory. FIN W-6324. 97/01/06. NRC - No Detailed Affiliation Given. 21pp. 92135:196-92135:208.

--**9703030018** Forwards summary rept "Exam of Motor-Operated Valve Failures W/Application to Increasing Surveillance Testing Period at Texas Utility Co,Comanche Peak,Units 1 & 2."
POOLE,A.B. Oak Ridge National Laboratory. 97/01/08. JACKSON,J.E. NRC - No Detailed Affiliation Given. 2pp. 92135:209-92135:210.

--**9703030029** "Exam of Motor-Operated Valve Failures W/Application to Increasing Surveillance Testing Period at Texas Utilities Co. Comanche Peak,Units 1 & 2."
* Oak Ridge National Laboratory. 97/02/24. NRC - No Detailed Affiliation Given. 9pp. 92135:211-92135:219.

9703180038 Forwards Rev 23 to "CPSES Units 1 & 2 Technical Requirements Manual."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/13. Document Control Branch (Document Control Desk). 4pp. 92196:140-92196:149.

--**9703180040** Rev 23 to "CPSES Units 1 & 2 Technical Requirements Manual."
* Texas Utilities Electric Co. (TU Electric). 97/03/13. 6pp. 92196:144-92196:149.

9703240100 Provides response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 8pp. 92243:001-92243:008.

9703240188 Submits relief request V-8 to ISI plant for pumps & valves per 10CFR50.55a(a)(3)(i).
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 11pp. 92241:218-92241:236.

9703240202 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power Operated Gate Valves."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92242:221-92242:223.

9703260143 Forwards CPSES station Engineering self-assessment for period of 970127-0207.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92257:281-92257:322.

--**9703260145** "Engineering Self-Assessment Rept."
AHMAD,I., COCKREL,R.G., ELLIS,S.L. Texas Utilities Electric Co. (TU Electric). 97/03/20. 38pp. 92257:284-92257:322.

Q. Inspection reports, IE Bulletins & correspondence

9703030527 Confirms & makes publicly available voluntary initiatives in progress & will be completed by 981018 to identify & correct FSAR discrepancies.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/02/21. Document Control Branch (Document Control Desk). 4pp. 91951:356-91951:359.

9703030517 Forwards response to violations noted in Insp Repts 50-445/96-12 & 50-446/96-12.Corrective actions:ASME Code safety & relief valves,used "Valve Disc Lift Method" to remove entrapped air prior to testing.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91958:007-91958:009.

9703060099 Forwards insp repts 50-445/97-02 & 50-446/97-02 on 970210- 14.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/28. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91998:172-91998:193.

--**9703060107** Insp repts 50-445/97-02 & 50-446/97-02 on 970210-14.No violations noted.Major areas inspected:liquid & gaseous radioactive waste effluent mgt program,organization & mgt controls,radioactive effluent monitoring for plant support.
* Region 4 (Post 820201). 97/02/28. 18pp. 91998:176-91998:193.

9703070149 Forwards insp repts 50-445/97-03 & 50-446/97-03 on 970203- 07.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 7pp. 91989:001-91989:009.

--**9703070151** Partially withheld insp repts 50-445/97-03 & 50-446/97-03.No violations noted.Major areas inspected:plant support.
* Region 4 (Post 820201). 97/03/03. 2pp. 91989:008-91989:009.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703110227 Forwards insp rept 50-445/97-04 & 50-446/97-04 on 970210-14 & notice of violation.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 92034:288-92034:317.

--**9703110230** Notice of violation from insp on 970210-14.Violation noted: licensee had not corrected weakness involving implementation of site evacuation procedures that was identified during emergency preparedness insp.
* Region 4 (Post 820201). 97/03/05. 2pp. 92034:293-92034:294.

--**9703110232** Insp repts 50-445/97-04 & 50-446/97-04 on 970210-14. Violations noted.Major areas inspected:engineering & plant support.
* Region 4 (Post 820201). 97/03/05. 24pp. 92034:295-92034:317.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110184 Forwards insp repts 50-445/96-17 & 50-446/96-17 on 961222-970201 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/03/07. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 92035:175-92035:202.

--**9703110187** Notice of violation from insp on 961222-970201.Violation noted:corrective actions taken to prevent repetition of 1993 unit two grid synchronization event not effective.
* Region 4 (Post 820201). 97/03/07. 1p. 92035:180-92035:180.

--**9703110191** Insp repts 50-445/96-17 & 50-446/96-17 on 961222-970201. Violation noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 97/03/07. 22pp. 92035:181-92035:202.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703170037 Ack receipt of 970224 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/96-12 & 50-446/96-12 on 960929-1109.
HOWELL,A.T. Region 4 (Post 820201). 97/03/13. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 92116:234-92116:240.

9703240188 Submits relief request V-8 to ISI plant for pumps & valves per 10CFR50.55a(a)(3)(i).
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 11pp. 92241:218-92241:236.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050301 "Comanche Peak SES Annual Operating Rept 1996." W/970228 ltr.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 96/12/31. 25pp. 91996:334-91996:358.

9703070188 Forwards fitness for duty program performance data for six-month period of 960701-1231.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 97/03/03. Document Control Branch (Document Control Desk). 4pp. 92031:223-92031:226.

9703240111 Forwards MORs for Feb 1997 for CPSES Units 1 and 2 & revised MOR for Unit 2.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 1p. 92242:344-92242:353.

--**9703240114** Monthly operating repts for Feb 1997 for CPSES Units 1 & 2.
REIBLE,B. Texas Utilities Electric Co. (TU Electric). 97/02/28. 8pp. 92242:345-92242:352.

--**9703240117** Revised MOR for Jan 1997 CPSES Unit 2.
REIBLE,B. Texas Utilities Electric Co. (TU Electric). 97/01/31. 1p. 92242:353-92242:353.

S. Reportable occurrences, LERs & related correspondence

9703120055 LER 97-001-00:on 970124,identified single failure outside of design basis.Caused by failure to identify events as credible scenario during design of facility.Util will implement design mod on each unit.W/970305 ltr.
KILLGORE,M.R., TERRY,C.L. Texas Utilities Co. 97/03/05. 6pp. 92208:288-92208:293.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703140160 Forwards second RAI to complete review of licensee 951127 request to utilize risk-informed IST program at plant,Units 1 & 2.
POLICH,T.J. . 97/03/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 13pp. 92135:174-92135:219.

–9703030018 Forwards summary rept "Exam of Motor-Operated Valve Failures W/Application to Increasing Surveillance Testing Period at Texas Utility Co,Comanche Peak,Units 1 & 2."
POOLE,A.B. Oak Ridge National Laboratory. 97/01/08. JACKSON,J.E. NRC - No Detailed Affiliation Given. 2pp. 92135:209-92135:210.

–9703030029 "Exam of Motor-Operated Valve Failures W/Application to Increasing Surveillance Testing Period at Texas Utilities Co. Comanche Peak,Units 1 & 2."
* Oak Ridge National Laboratory. 97/02/24. NRC - No Detailed Affiliation Given. 9pp. 92135:211-92135:219.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703070149 Forwards insp repts 50-445/97-03 & 50-446/97-03 on 970203- 07.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 7pp. 91989:001-91989:009.

–9703070151 Partially withheld insp repts 50-445/97-03 & 50-446/97-03.No violations noted.Major areas inspected:plant support.
* Region 4 (Post 820201). 97/03/03. 2pp. 91989:008-91989:009.

9703110227 Forwards insp rept 50-445/97-04 & 50-446/97-04 on 970210-14 & notice of violation.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 92034:288-92034:317.

–9703110230 Notice of violation from insp on 970210-14.Violation noted: licensee had not corrected weakness involving implementation of site evacuation procedures that was identified during emergency preparedness insp.
* Region 4 (Post 820201). 97/03/05. 2pp. 92034:293-92034:294.

9703120024 Revised EPIPs,including PCN to EPP-100-R0-5, "Maintaining Emergency Preparedness," PCN to EPP-204-R11-1, "Activation & Operation of TSC," PCN to EPP-304-R15-1, "Protective Action Recommendation" & Rev 140 to Form Index.W/ 970305 ltr.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/05. 19pp. 92123:321-92123:339.

P. Operating license stage documents & correspondence

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

–9609090095 Forwards agenda for 960911-12 IPE Senior Review Board meeting in Rockville,MD to discuss contractor-developed technical evaluation repts for St Lucie & Comanche Peak & staff evaluation rept for Susquehanna.
HODGES,M.W. Division of Systems Technology (Post 941217). 96/08/13. MILLER,H.J. Region 1 (Post 820201). 3pp. 92287:014-92287:016.

9703130019 Ack receipt of 970207 response to NRC 961009 request for info,per 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
POLICH,T.J. . 97/03/10. TERRY,L.C. Texas Utilities Electric Co. (TU Electric). 3pp. 92107:347-92107:349.

9703130361 Forwards staff evaluation rept,which does not constitute NRC approval or endorsement of any IPE matl for purposes other than those associated w/meeting intent of GL 88-20.
POLICH,T.J. . 97/03/10. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 79pp. 92109:146-92109:219.

–9701310074 "Technical Evaluation Rept of IPE Submittal & RAI Responses for Comanche Peak Steam Electric Station,Unit 1."
MUSICKI,Z. Brookhaven National Laboratory. 97/01/02. Office of Nuclear Regulatory Research (Post 941217). 68pp. 92109:157-92109:219.

9703140160 Forwards second RAI to complete review of licensee 951127 request to utilize risk-informed IST program at plant,Units 1 & 2.
POLICH,T.J. . 97/03/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 13pp. 92135:174-92135:219.

–9703030016 Expands upon some of data developed in draft ltr rept ORNL/NRC/LTR-96-32, "Characterization Update of Pump & Related Equipment Failure Experience in Nuclear Power Industry (1994-1995)."
POOLE,A.B. Oak Ridge National Laboratory. 96/11/22. JACKSON,J.E. NRC - No Detailed Affiliation Given. 6pp. 92135:188-92135:193.

–9703030040 Forwards summary rept, "Evaluation of Candidate LSSC Check Valves for Risk Based IST Extension at Comanche Peak Units 1,2."
POOLE,A.B. Oak Ridge National Laboratory. 97/01/09. JACKSON,J.E. NRC - No Detailed Affiliation Given. 2pp. 92135:194-92135:195.

–9703030045 "Evaluation of Candidate LSSC Check Valves for Risk Based IST Extension at Comanche Peak Units 1,2."
MCELHANEY,K.L. Oak Ridge National Laboratory. FIN W-6324. 97/01/06. NRC - No Detailed Affiliation Given. 21pp. 92135:196-92135:208.

–9703030018 Forwards summary rept "Exam of Motor-Operated Valve Failures W/Application to Increasing Surveillance Testing Period at Texas Utility Co,Comanche Peak,Units 1 & 2."
POOLE,A.B. Oak Ridge National Laboratory. 97/01/08. JACKSON,J.E. NRC - No Detailed Affiliation Given. 2pp. 92135:209-92135:210.

–9703030029 "Exam of Motor-Operated Valve Failures W/Application to Increasing Surveillance Testing Period at Texas Utilities Co. Comanche Peak,Units 1 & 2."
* Oak Ridge National Laboratory. 97/02/24. NRC - No Detailed Affiliation Given. 9pp. 92135:211-92135:219.

9703180038 Forwards Rev 23 to "CPSES Units 1 & 2 Technical Requirements Manual."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/13. Document Control Branch (Document Control Desk). 4pp. 92196:140-92196:149.

–9703180040 Rev 23 to "CPSES Units 1 & 2 Technical Requirements Manual."
* Texas Utilities Electric Co. (TU Electric). 97/03/13. 6pp. 92196:144-92196:149.

9703240100 Provides response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 8pp. 92243:001-92243:008.

9703240188 Submits relief request V-8 to ISI plant for pumps & valves per 10CFR50.55a(a)(3)(i).
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 11pp. 92241:218-92241:236.

9703240202 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power Operated Gate Valves."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92242:221-92242:223.

9703260143 Forwards CPSES station Engineering self-assessment for period of 970127-0207.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92257:281-92257:322.

–9703260145 "Engineering Self-Assessment Rept."
AHMAD,I., COCKREL,R.G., ELLIS,S.L. Texas Utilities Electric Co. (TU Electric). 97/03/20. 38pp. 92257:284-92257:322.

Q. Inspection reports, IE Bulletins & correspondence

9703030527 Confirms & makes publicly available voluntary initiatives in progress & will be completed by 981018 to identify & correct FSAR discrepancies.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 97/02/21. Document Control Branch (Document Control Desk). 4pp. 91951:356-91951:359.

9703030517 Forwards response to violations noted in Insp Repts 50-445/96-12 & 50-446/96-12.Corrective actions:ASME Code safety & relief valves,used "Valve Disc Lift Method" to remove entrapped air prior to testing.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91958:007-91958:009.

9703060099 Forwards insp repts 50-445/97-02 & 50-446/97-02 on 970210- 14.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/28. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 91998:172-91998:193.

–9703060107 Insp repts 50-445/97-02 & 50-446/97-02 on 970210-14.No violations noted.Major areas inspected:liquid & gaseous radioactive waste effluent mgt program,organization & mgt controls,radioactive effluent monitoring for plant support.
* Region 4 (Post 820201). 97/02/28. 18pp. 91998:176-91998:193.

9703070149 Forwards insp repts 50-445/97-03 & 50-446/97-03 on 970203- 07.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 7pp. 91989:001-91989:009.

–9703070151 Partially withheld insp repts 50-445/97-03 & 50-446/97-03.No violations noted.Major areas inspected:plant support.
* Region 4 (Post 820201). 97/03/03. 2pp. 91989:008-91989:009.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703110227 Forwards insp rept 50-445/97-04 & 50-446/97-04 on 970210-14 & notice of violation.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 92034:288-92034:317.

–9703110230 Notice of violation from insp on 970210-14.Violation noted: licensee had not corrected weakness involving implementation of site evacuation procedures that was identified during emergency preparedness insp.
* Region 4 (Post 820201). 97/03/05. 2pp. 92034:293-92034:294.

–9703110232 Insp repts 50-445/97-04 & 50-446/97-04 on 970210-14. Violations noted.Major areas inspected:engineering & plant support.
* Region 4 (Post 820201). 97/03/05. 24pp. 92034:295-92034:317.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110184 Forwards insp repts 50-445/96-17 & 50-446/96-17 on 961222-970201 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/03/07. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 92035:175-92035:202.

--9703110187 Notice of violation from insp on 961222-970201.Violation noted:corrective actions taken to prevent repetition of 1993 unit two grid synchronization event not effective.
* Region 4 (Post 820201). 97/03/07. 1p. 92035:180-92035:180.

--9703110191 Insp repts 50-445/96-17 & 50-446/96-17 on 961222-970201. Violation noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 4 (Post 820201). 97/03/07. 22pp. 92035:181-92035:202.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703170037 Ack receipt of 970224 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/96-12 & 50-446/96-12 on 960929-1109.
HOWELL,A.T. Region 4 (Post 820201). 97/03/13. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 92116:234-92116:240.

9703240188 Submits relief request V-8 to ISI plant for pumps & valves per 10CFR50.55a(a)(3)(i).
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 11pp. 92241:218-92241:236.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703050301 "Comanche Peak SES Annual Operating Rept 1996." W/970228 ltr.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 96/12/31. 25pp. 91996:334-91996:358.

9703070188 Forwards fitness for duty program performance data for six-month period of 960701-1231.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 97/03/03. Document Control Branch (Document Control Desk). 4pp. 92031:223-92031:226.

9703240111 Forwards MORs for Feb 1997 for CPSES Units 1 and 2 & revised MOR for Unit 2.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 97/03/14. Document Control Branch (Document Control Desk). 1p. 92242:344-92242:353.

--9703240114 Monthly operating repts for Feb 1997 for CPSES Units 1 & 2.
REIBLE,B. Texas Utilities Electric Co. (TU Electric). 97/02/28. 8pp. 92242:345-92242:352.

--9703240117 Revised MOR for Jan 1997 CPSES Unit 2.
REIBLE,B. Texas Utilities Electric Co. (TU Electric). 97/01/31. 1p. 92242:353-92242:353.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703140160 Forwards second RAI to complete review of licensee 951127 request to utilize risk-informed IST program at plant,Units 1 & 2.
POLICH,T.J. . 97/03/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 13pp. 92135:174-92135:219.

--9703030018 Forwards summary rept "Exam of Motor-Operated Valve Failures W/Application to Increasing Surveillance Testing Period at Texas Utility Co,Comanche Peak,Units 1 & 2."
POOLE,A.B. Oak Ridge National Laboratory. 97/01/08. JACKSON,J.E. NRC - No Detailed Affiliation Given. 2pp. 92135:209-92135:210.

--9703030029 "Exam of Motor-Operated Valve Failures W/Application to Increasing Surveillance Testing Period at Texas Utilities Co. Comanche Peak,Units 1 & 2."
* Oak Ridge National Laboratory. 97/02/24. NRC - No Detailed Affiliation Given. 9pp. 92135:211-92135:219.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703070129 Rev 4l to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex Byron Nuclear Power Station."
* Commonwealth Edison Co. 97/02/27. 25pp. 92030:222-92030:246.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

9703270263 Ack receipt of 961016 ltr which transmitted changes identified as Rev 48 to Byron Nuclear Power Security Plan submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 97/03/19. JOHNSON,R. Commonwealth Edison Co. 2pp. 92268:127-92268:128.

9703280442 Revised EPIPs,including rev 8 to BZP 100-1,rev 2 to BZP 100-2,rev 2 to BZP 100-A1,rev 1 to BZP100-A2,rev 1 to BZP 100-A3,rev 1 to BZP 100-A4,rev 1 to BZP 100-A5,rev 2 to BZP 100-A6,rev 3 to BZP 100-A7 & rev 20 to BZP 100-T1.
* Commonwealth Edison Co. 97/03/24. 141pp. 92296:083-92296:223.

P. Operating license stage documents & correspondence

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703030102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
TULON,T.J. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 92154:001-92157:299.

--9703030107 Proposed tech specs changing TS from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
* Commonwealth Edison Co. 97/02/24. 600pp. 92154:005-92155:339.

--9703170220 Proposed tech specs,reflecting conversion to improved TS to be consistent w/NUREG-1431.
* Commonwealth Edison Co. 97/02/24. 600pp. 92155:340-92157:299.

9703030380 Submits second RAI re proposed extension of 3.0 volt lower repair limit for another operating cycle for plant,Unit 1.
LYNCH,M.D. . 97/02/27. JOHNSON,I. Commonwealth Edison Co. 5pp. 91939:352-91939:356.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703120062 Submits specific commitments re making procedure changes as compensatory measures for Boraflex degradation in spent fuel storage pool water.
TULON,T. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92125:132-92125:133.

9703100102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,replacing original Westinghouse D4 SG at Byron & Braidwood w/B&W International SGs.
HOSMER,J.B. Commonwealth Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 12pp. 92048:107-92048:173.

--9703100107 Proposed tech specs,replacing original W D4 SG at Byron & Braidwood w/B&W International SGs.
* Commonwealth Edison Co. 97/02/28. 55pp. 92048:119-92048:173.

9703240102 Revs 1.3 to Chapter 10, "Radioactive Effluent Treatment & Monitoring," 1.4 to Chapter 11, "Radiological Environ Monitoring Program" & 1.4 to Chapter 12, "Radioactive Effluent Technical Standards," ODCM,Byron Annex.
* Commonwealth Edison Co. 97/02/28. 106pp. 92238:252-92238:358.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9307130155 Informs that some licensees experienced problems w/Merlin Gerin software.Licensees instructed to avoid using ADS & software error corrected soon after initial licensee rept of difficulty.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/07/07. COOPER,R.W. Region 1 (Post 820201). 2pp. 92284:224-92284:225.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703130258 Informs that draft IN on operator activities affecting reactivity being distributed.
KOENICK,S. . 96/11/19. DICK,G. . 1p. 92227:351-92227:351.

9703170200 Forwards Environ Assessment & Finding of No Significant Impact related to Util 961105 application for amends. Proposed amends would revise TS to permit Util to take credit for soluble boron in SFSP water.
DICK,G.F. . 97/03/13. JOHNSON,I. Commonwealth Edison Co. 3pp. 92131:343-92131:349.

--9703170202 Environ assessment & finding of no significant impact re Util 961105 application for amends.Proposed amends would amend TS to permit Util to take credit for soluble boron in SFSP water in maintaining acceptable subcriticality margin.
CAPRA,R.A. . 97/03/13. 4pp. 92131:346-92131:349.

9703190132 Responds to RAI re proposed extension of Byron & Braidwood Unit 1 3.0 volt IPC license amend for ODSCC.
HOSMER,J.B. Commonwealth Edison Co. 97/03/13. Document Control Branch (Document Control Desk). 9pp. 92206:316-92206:324.

9703250054 Application for amends to licenses NPF-37 & NPF-66,reducing allowable Unit 1 RCS dose equivalent I-131 from 0.35 uCi/ gram to 0.20 uCi/gram for remainder of Cycle 8.
HOSMER,J.B. Commonwealth Edison Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92252:084-92252:093.

--9703250067 Proposed tech specs,reducing allowable Unit 1 RCS dose equivalent I-131 from 0.35 uCi/gram to 0.20 uCi/gram for remainder of Cycle 8.
* Commonwealth Edison Co. 97/03/14. 8pp. 92252:086-92252:093.

9703250126 Application for amends to licenses NPF-37 & NPF-66,deleting 12 license conditions from Unit 1 operating license & two license conditions from Unit 2 operating license.
GRAESSER,G.L. Commonwealth Edison Co. 97/03/14. . 14pp. 92250:209-92250:247.

--9703250131 Proposed tech specs deleting 12 license conditions from Unit 1 operating license & two license conditions from Unit 2 operating license.
* Commonwealth Edison Co. 97/03/14. 25pp. 92250:223-92250:247.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

9703240127 Forwards RAI re primary containment & RCS volume for Byron units 1 & 2 & Braidwood units 1 & 2.Requests propose to revise TSs to incorporate effect of increased RCS volume resulting from planned replacement of SG at plants.
DICK,G.F. . 97/03/20. JOHNSON,I.M. Commonwealth Edison Co. 3pp. 92244:009-92244:011.

9703250134 Requests approval IAW 10CFR50.55a(a)(3) to use American Welding Society Std in lieu of requirements of 10CFR50.55a(g) for repair of activities of containment structures at Byron,Unit 1 & Braidwood,Unit 1.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 9pp. 92252:045-92252:053.

9703270309 Submits answers to specific questions raised in RAI re LAR to allow removal of grease from tendon sheathing to facilitate tendon removal during SG replacement.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 3pp. 92268:032-92268:034.

9703280061 Submits response to RAI re revised SG tube rupture analysis- Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 21pp. 92271:076-92271:096.

Q. Inspection reports, IE Bulletins & correspondence

9703050047 Discusses insp rept 50-454/96-09 & 50-455/96-09 on 960927-1217 & forwards notice of violation & proposed imposition of civil penalties for $100,000.
BEACH,A.B. Region 3 (Post 820201). 97/02/27. GRAESSER,K. Commonwealth Edison Co. 6pp. 91955:313-91955:323.

--9703050057 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Noncompliance noted:design control measures were inadequate.
* Region 3 (Post 820201). 97/02/27. 5pp. 91955:319-91955:323.

9703060414 Ack receipt of 970210 ltr informing NRC of steps taken to correct violations noted in insp rept 50-454/96-09 & 50-455/96-09.
LANKSBURY,R.D. Region 3 (Post 820201). 97/02/27. GRAESSER,K. Commonwealth Edison Co. 2pp. 91969:132-91969:133.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703200316 Discusses 970124 meeting w/util in Lisle,ILL re actions related to excessive silt buildup in ESW cooling tower basins at Byron station.Issue discussed in detail in insp repts 50-454/96-09 & 50-455/96-09.
LANKSBURY,R.D. Region 3 (Post 820201). 97/03/13. GRAESSER,K. Commonwealth Edison Co. 57pp. 92188:191-92188:247.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110063 "BNPS Effluent & Waste Disposal Rept Jan-Dec 1996." W/970305 ltr.
KOFRON,K.L. Commonwealth Edison Co. 96/12/31. 40pp. 92069:306-92069:345.

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703190190 Monthly operating repts for Feb 1997 for Byron Nuclear Power Station,Units 1 & 2.W/970310 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 97/02/28. 14pp. 92201:296-92201:309.

S. Reportable occurrences, LERs & related correspondence

9703110061 LER 96-019-03:on 961015,SX cooling tower basin insp revealed silt buildup exceeding surveillance acceptance criteria. Caused by inadequate acceptance criteria & cognitive personnel error.Silt has been removed.W/970228 ltr.
ROBINSON,M., KOFRON,K.L. Commonwealth Edison Co. 97/02/28. 7pp. 92109:063-92109:069.

9703100244 LER 97-001-00:on 970131,failed to perform surveillance on testing on hydrostatic on DG.Caused by inadequate tracking mechanism.Developed & executed special surveillance procedures & will enhance TS interpretation.W/970301 ltr.
ZULAUF,S., KOFRON,K.L. Commonwealth Edison Co. 97/03/01. 6pp. 92108:307-92108:312.

9703070020 Part 21 rept re output drift w/increasing temperature on several RTD amplifiers noted during installation of RTD by-pass mod at station.Action to identify all circuit cards w/affected date codes,identified.
GRAESSER,K.L. Commonwealth Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92469:060-92469:065.

9703190169 LER 97-002-00:on 970211,480 vac breakers were found in remove position instead of qualified disconnect position. Caused by failure of mgt to implement measures to assure work practices were maintained.Revised ACBs.W/970312 ltr.
SPITZER,D., KOFRON,K.L. Commonwealth Edison Co. 97/03/12. 6pp. 92237:284-92237:289.

9703240151 LER 97-004-00:on 970215,thrust bearings were installed backwards on RH & CS pumps due to lack of specific sys/component.Completion of NWRs written to check end play on RH & CS pump motors will be tracked.W/970315 ltr.
KOEPLIN,J., KOFRON,K.L. Commonwealth Edison Co. 97/03/15. 6pp. 92247:001-92247:006.

9703260123 LER 97-003-00:on 970218,equipment hatch gallery was not properly attached to containment structure.Caused by original construction deficiency.Unit 1 containment equipment hatch gallery will be restored.W/970319 ltr.
SHIER,P., KOFRON,K.L. Commonwealth Edison Co. 97/03/19. 7pp. 92275:123-92275:129.

9703260001 Provides status of listed LERs for 1996 for Byron Stations, Units 1 & 2.
KOFRON,K.L. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92253:325-92253:326.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703070129 Rev 4I to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex Byron Nuclear Power Station."
* Commonwealth Edison Co. 97/02/27. 25pp. 92030:222-92030:246.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

9703270263 Ack receipt of 961016 ltr which transmitted changes identified as Rev 48 to Byron Nuclear Power Security Plan submitted under provisions of 10CFR50.54(p).
CREED,J.R. Region 3 (Post 820201). 97/03/19. JOHNSON,R. Commonwealth Edison Co. 2pp. 92268:127-92268:128.

9703280442 Revised EPIPs,including rev 8 to BZP 100-1,rev 2 to BZP 100-2,rev 2 to BZP 100-A1,rev 1 to BZP100-A2,rev 1 to BZP 100-A3,rev 1 to BZP 100-A4,rev 1 to BZP 100-A5,rev 2 to BZP 100-A6,rev 3 to BZP 100-A7 & rev 20 to BZP 100-T1.
* Commonwealth Edison Co. 97/03/24. 141pp. 92296:083-92296:223.

P. Operating license stage documents & correspondence

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703030102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
TULON,T.J. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 92154:001-92157:299.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703120062 Submits specific commitments re making procedure changes as compensatory measures for Boraflex degradation in spent fuel storage pool water.
TULON,T. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92125:132-92125:133.

9703100102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,replacing original Westinghouse D4 SG at Byron & Braidwood w/B&W International SGs.
HOSMER,J.B. Commonwealth Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 12pp. 92048:107-92048:173.

--9703100107 Proposed tech specs,replacing original W D4 SG at Byron & Braidwood w/B&W International SGs.
* Commonwealth Edison Co. 97/02/28. 55pp. 92048:119-92048:173.

9703240102 Revs 1.3 to Chapter 10, "Radioactive Effluent Treatment & Monitoring," 1.4 to Chapter 11, "Radiological Environ Monitoring Program" & 1.4 to Chapter 12, "Radioactive Effluent Technical Standards," ODCM,Byron Annex.
* Commonwealth Edison Co. 97/02/28. 106pp. 92238:252-92238:358.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9307130155 Informs that some licensees experienced problems w/Merlin Gerin software.Licensees instructed to avoid using ADS & software error corrected soon after initial licensee rept of difficulty.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/07/07. COOPER,R.W. Region 1 (Post 820201). 2pp. 92284:224-92284:225.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9703130258 Informs that draft IN on operator activities affecting reactivity being distributed.
KOENICK,S. . 96/11/19. DICK,G. . 1p. 92227:351-92227:351.

9703170200 Forwards Environ Assessment & Finding of No Significant Impact related to Util 961105 application for amends. Proposed amends would revise TS to permit Util to take credit for soluble boron in SFSP water.
DICK,G.F. . 97/03/13. JOHNSON,I. Commonwealth Edison Co. 3pp. 92131:343-92131:349.

--9703170202 Environ assessment & finding of no significant impact re Util 961105 application for amends.Proposed amends would amend TS to permit Util to take credit for soluble boron in SFSP water in maintaining acceptable subcriticality margin.
CAPRA,R.A. . 97/03/13. 4pp. 92131:346-92131:349.

9703250054 Application for amends to licenses NPF-37 & NPF-66,reducing allowable Unit 1 RCS dose equivalent I-131 from 0.35 uCi/ gram to 0.20 uCi/gram for remainder of Cycle 8.
HOSMER,J.B. Commonwealth Edison Co. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92252:084-92252:093.

--9703250067 Proposed tech specs,reducing allowable Unit 1 RCS dose equivalent I-131 from 0.35 uCi/gram to 0.20 uCi/gram for remainder of Cycle 8.
* Commonwealth Edison Co. 97/03/14. 8pp. 92252:086-92252:093.

9703250126 Application for amends to licenses NPF-37 & NPF-66,deleting 12 license conditions from Unit 1 operating license & two license conditions from Unit 2 operating license.
GRAESSER,G.L. Commonwealth Edison Co. 97/03/14. . 14pp. 92250:209-92250:247.

--9703250131 Proposed tech specs deleting 12 license conditions from Unit 1 operating license & two license conditions from Unit 2 operating license.
* Commonwealth Edison Co. 97/03/14. 25pp. 92250:223-92250:247.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

9703240127 Forwards RAI re primary containment & RCS volume for Byron units 1 & 2 & Braidwood units 1 & 2.Requests propose to revise TSs to incorporate effect of increased RCS volume resulting from planned replacement of SG at plants.
DICK,G.F. . 97/03/20. JOHNSON,I.M. Commonwealth Edison Co. 3pp. 92244:009-92244:011.

9703270309 Submits answers to specific questions raised in RAI re LAR to allow removal of grease from tendon sheathing to facilitate tendon removal during SG replacement.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 3pp. 92268:032-92268:034.

9703280061 Submits response to RAI re revised SG tube rupture analysis- Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 21pp. 92271:076-92271:096.

Q. Inspection reports, IE Bulletins & correspondence

9703050047 Discusses insp rept 50-454/96-09 & 50-455/96-09 on 960927-1217 & forwards notice of violation & proposed imposition of civil penalties for $100,000.
BEACH,A.B. Region 3 (Post 820201). 97/02/27. GRAESSER,K. Commonwealth Edison Co. 6pp. 91955:313-91955:323.

--9703050057 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Noncompliance noted:design control measures were inadequate.
* Region 3 (Post 820201). 97/02/27. 5pp. 91955:319-91955:323.

9703060414 Ack receipt of 970210 ltr informing NRC of steps taken to correct violations noted in insp rept 50-454/96-09 & 50-455/96-09.
LANKSBURY,R.D. Region 3 (Post 820201). 97/02/27. GRAESSER,K. Commonwealth Edison Co. 2pp. 91969:132-91969:133.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703200316 Discusses 970124 meeting w/util in Lisle,ILL re actions related to excessive silt buildup in ESW cooling tower basins at Byron station.Issue discussed in detail in insp repts 50-454/96-09 & 50-455/96-09.
LANKSBURY,R.D. Region 3 (Post 820201). 97/03/13. GRAESSER,K. Commonwealth Edison Co. 57pp. 92188:191-92188:247.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703110063 "BNPS Effluent & Waste Disposal Rept Jan-Dec 1996." W/970305 ltr.
KOFRON,K.L. Commonwealth Edison Co. 96/12/31. 40pp. 92069:306-92069:345.

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703190190 Monthly operating repts for Feb 1997 for Byron Nuclear Power Station,Units 1 & 2.W/970310 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 97/02/28. 14pp. 92201:296-92201:309.

S. Reportable occurrences, LERs & related correspondence

9703070020 Part 21 rept re output drift w/increasing temperature on several RTD amplifiers noted during installation of RTD by-pass mod at station.Action to identify all circuit cards w/affected date codes,identified.
GRAESSER,K.L. Commonwealth Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92469:060-92469:065.

9703260001 Provides status of listed LERs for 1996 for Byron Stations, Units 1 & 2.
KOFRON,K.L. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92253:325-92253:326.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703200055 Rev 2 to BWZP 2000-4A7.
* Commonwealth Edison Co. 96/11/26. 29pp. 92199:292-92199:320.

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703070095 Rev 3i to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex Braidwood Nuclear Power Station."
* Commonwealth Edison Co. 97/02/28. 28pp. 92030:299-92030:328.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260304 EPIP consisting of list of procedure numbers & deleted titles.
* Commonwealth Edison Co. 97/03/11. 970311. 92253:358-92253:360.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

P. Operating license stage documents & correspondence

9703200351 Rev 2 to "ODCM,Braidwood Annex,Chapter 12 & App F."
* Commonwealth Edison Co. 96/12/31. 123pp. 92210:161-92210:282.

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703030102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
TULON,T.J. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 92154:001-92157:299.

--9703030107 Proposed tech specs changing TS from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
* Commonwealth Edison Co. 97/02/24. 600pp. 92154:005-92155:339.

9703030380 Submits second RAI re proposed extension of 3.0 volt lower repair limit for another operating cycle for plant,Unit 1.
LYNCH,M.D. . 97/02/27. JOHNSON,I. Commonwealth Edison Co. 5pp. 91939:352-91939:356.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703120062 Submits specific commitments re making procedure changes as compensatory measures for Boraflex degradation in spent fuel storage pool water.
TULON,T. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92125:132-92125:133.

9703100102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,replacing original Westinghouse D4 SG at Byron & Braidwood w/B&W International SGs.
HOSMER,J.B. Commonwealth Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 12pp. 92048:107-92048:173.

--9703100107 Proposed tech specs,replacing original W D4 SG at Byron & Braidwood w/B&W International SGs.
* Commonwealth Edison Co. 97/02/28. 55pp. 92048:119-92048:173.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703170200 Forwards Environ Assessment & Finding of No Significant Impact related to Util 961105 application for amends. Proposed amends would revise TS to permit Util to take credit for soluble boron in SFSP water.
DICK,G.F. . 97/03/13. JOHNSON,I. Commonwealth Edison Co. 3pp. 92131:343-92131:349.

--9703170202 Environ assessment & finding of no significant impact re Util 961105 application for amends.Proposed amends would amend TS to permit Util to take credit for soluble boron in SFSP water in maintaining acceptable subcriticality margin.
CAPRA,R.A. . 97/03/13. 4pp. 92131:346-92131:349.

9703190132 Responds to RAI re proposed extension of Byron & Braidwood Unit 1 3.0 volt IPC license amend for ODSCC.
HOSMER,J.B. Commonwealth Edison Co. 97/03/13. Document Control Branch (Document Control Desk). 9pp. 92206:316-92206:324.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

9703240127 Forwards RAI re primary containment & RCS volume for Byron units 1 & 2 & Braidwood units 1 & 2.Requests propose to revise TSs to incorporate effect of increased RCS volume resulting from planned replacement of SG at plants.
DICK,G.F. . 97/03/20. JOHNSON,I.M. Commonwealth Edison Co. 3pp. 92244:009-92244:011.

9703250134 Requests approval IAW 10CFR50.55a(a)(3) to use American Welding Society Std in lieu of requirements of 10CFR50.55a(g) for repair of activities of containment structures at Byron,Unit 1 & Braidwood,Unit 1.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 9pp. 92252:045-92252:053.

9703270309 Submits answers to specific questions raised in RAI re LAR to allow removal of grease from tendon sheathing to facilitate tendon removal during SG replacement.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 3pp. 92268:032-92268:034.

9703280061 Submits response to RAI re revised SG tube rupture analysis- Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 21pp. 92271:076-92271:096.

Q. Inspection reports, IE Bulletins & correspondence

9703030061 Forwards insp rept 50-456/96-21 & 50-457/96-21 on 961130- 970110 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/18. STANLEY,H.G. Commonwealth Edison Co. 3pp. 91957:001-91957:031.

--9703030067 Notice of violation from insp on 961130-970110.Violation noted:tag required to maintain traceability of safety-related item was removed.
* Region 3 (Post 820201). 97/02/18. 5pp. 91957:004-91957:008.

--**9703030073** Insp repts 50-456/96-21 & 50-457/96-21 on 961130-970110. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 97/02/18. 23pp. 91957:009-91957:031.

9703030099 Forwards insp repts 50-456/96-19 & 50-457/96-19 on 961019- 1129 & NOV.
CALDWELL,J. Region 3 (Post 820201). 97/02/18. STANLEY,H.G. Commonwealth Edison Co. 2pp. 91949:097-91949:122.

--**9703030113** Notice of violation from insp on 961019-1129.Violation noted:construction of scaffolding on 961107,in vicinity of essential service water sys forebay not prescribed by documented procedures appropriate to circumstances.
* Region 3 (Post 820201). 97/02/18. 2pp. 91949:099-91949:100.

--**9703030144** Insp repts 50-456/96-19 & 50-457/96-19 on 961019-1129. Violations noted.Major areas inspected:aspects of licensee operations,maint,engineering & plant support.
* Region 3 (Post 820201). 97/02/18. 22pp. 91949:101-91949:122.

9703040287 Forwards response to request for addl info re first 10-yr ISI relief request NR-29.
TULON,T.J. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 8pp. 91960:254-91960:261.

9703050519 Ack receipt of 970121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/96-14 & 50-457/96-14.
LANKSBURY,R.D. Region 3 (Post 820201). 97/02/25. STANLEY,H.G. Commonwealth Edison Co. 2pp. 91956:117-91956:118.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703130044 Forwards insp repts 50-456/97-03 & 50-457/97-03 on 970203-07 & notice of violation.First violation concerns four examples of failure to adhere to procedures & to adequately establish procedures.
GRANT,G.E. Region 3 (Post 820201). 97/03/04. STANLEY,H.G. Commonwealth Edison Co. 2pp. 92078:286-92078:305.

--**9703130052** Notice of violation from insp on 970203-07.Violation noted: since 960221,procedure BwCP 210-14,rev 2,970221,did not provide instructions to ensure validity of intrinsic germanium detector calibrations in accordance w/App A.
* Region 3 (Post 820201). 97/03/04. 3pp. 92078:288-92078:290.

--**9703130061** Insp repts 50-456/97-03 & 50-457/97-03 on 970203-07. violations noted.Major areas inspected:plant support.
* Region 3 (Post 820201). 97/03/04. 15pp. 92078:291-92078:305.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210190 Forwards RAI re first ten-year inservice insp program for plant.Copy of response to be sent to INEL in order to expedite review process.
DICK,G.F. . 97/03/19. JOHNSON,I.M. Commonwealth Edison Co. 7pp. 92214:354-92214:360.

9703250195 Responds to NRC 970218 ltr re violations noted in insp repts 50-456/96-21 & 50-457/96-21.Corrective actions:individuals were counseled for their actions of performing oil addition w/o having reviewed procedure prior to performing task.
STANLEY,H.G. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 18pp. 92251:112-92251:129.

9703250202 Responds to NRC 970218 ltr re violations noted in insp repts 50-456/96-19 & 50-457/96-19.Corrective actions:scaffold tube was removed from forebay using diver.
STANLEY,H.G. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92251:333-92251:337.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703100277 Monthly operating repts for Feb 1997 for Braidwood Nuclear Power Station,Units 1 & 2.W/970304 ltr.
PERSHEY,C., TULON,T.J. Commonwealth Edison Co. 97/02/28. 10pp. 92035:336-92035:345.

S. Reportable occurrences, LERs & related correspondence

9703070020 Part 21 rept re output drift w/increasing temperature on several RTD amplifiers noted during installation of RTD by-pass mod at station.Action to identify all circuit cards w/affected date codes,identified.
GRAESSER,K.L. Commonwealth Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92469:060-92469:065.

9703120066 Forwards special rept detailing cause of radiation monitor inoperability,actions taken & plans to restore channel to operable status.
TULON,T.J. Commonwealth Edison Co. 97/03/04. BEACH,A.B. Region 3 (Post 820201). 1p. 92125:134-92125:136.

--**9703120071** Special rept:on 970303,Braidwood Auxiliary Bldg vent stack wide range gas monitor was inoperable for greater than seven days.Caused by removing monitoring from operation to perform 18-month channel calibr.Calibr was completed.
* Commonwealth Edison Co. 97/03/04. 2pp. 92125:135-92125:136.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703200055 Rev 2 to BWZP 2000-4A7.
* Commonwealth Edison Co. 96/11/26. 29pp. 92199:292-92199:320.

9703040306 Forwards response to RAI re review of central emergency operations facility.
BRONS,J.C. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 17pp. 91979:252-91979:268.

9703060313 "Commonwealth Edison Co Nuclear GSEP."
* Commonwealth Edison Co. 97/02/27. 185pp. 92001:001-92001:185.

9703100296 Revised EPIPs,including rev 5 to CEPIP-2200-01,rev 1 to CEPIP-2221-01,rev 6 to CEPIP-2300-01,rev 4 to CEPIP-2315-01, & rev 4 to CEPIP-2322-03.
* Commonwealth Edison Co. 97/02/27. 45pp. 92048:001-92048:045.

9703070095 Rev 3i to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex Braidwood Nuclear Power Station."
* Commonwealth Edison Co. 97/02/28. 28pp. 92030:299-92030:326.

9703130387 Revised EPIPs,including rev 2 to CEPIP-2231-02,rev 1 to CEPIP-2310-03,rev 1 to CEPIP-2320-03,rev 3 to CEPIP-2322-02, rev 3 to CEPIP-2330-01,rev 1 to CEPIP-2330-03,rev 3 to CEPIP-2332-01 & rev 5 to CEPIP-2332-02.
* Commonwealth Edison Co. 97/02/28. 89pp. 92127:001-92127:085.

9703110106 Advises that on revs of GSEP Manual Rev 7J,Sections 0.0,2.0, 4.0,6.0 & 9.0 that were recently distributed,Section Headers dtd Feb 1997 are correct.
* Commonwealth Edison Co. 97/03/04. Commonwealth Edison Co. 1p. 92078:351-92078:351.

9703210335 Revised CEPIPs,including 2000 series Table of Contents,rev 1 to CEPIP-2001-01,rev 3 to CEPIP-2210-01,rev 2 to CEPIP-2211- 01,rev 0 to CEPIP-2211-02,rev 0 to CEPIP-2221-03,rev 6 to CEPIP-2230-01 & rev 1 to CEPIP-2231-01.
* Commonwealth Edison Co. 97/03/10. 41pp. 92235:138-92235:178.

9703260304 EPIP consisting of list of procedure numbers & deleted titles.
* Commonwealth Edison Co. 97/03/11. 970311. 92253:358-92253:360.

9703260008 Revised EPIPs,including rev 6 to CEPIP-2220-01,rev 7 to CEPIP-2300-02 & rev 7 CEPIP-2320-01.
* Commonwealth Edison Co. 97/03/15. 39pp. 92253:001-92253:039.

P. Operating license stage documents & correspondence

9703200351 Rev 2 to "ODCM,Braidwood Annex,Chapter 12 & App F."
* Commonwealth Edison Co. 96/12/31. 123pp. 92210:161-92210:282.

9703030070 Confirms plans to have meeting on 970306 in Lisle,IL to discuss issues involving corporate engineering organization.
HILAND,P.L. Region 3 (Post 820201). 97/02/24. HOSMER,J. Commonwealth Edison Co. 2pp. 91931:019-91931:020.

9703030102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
TULON,T.J. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 92154:001-92157:299.

--**9703030107** Proposed tech specs changing TS from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
* Commonwealth Edison Co. 97/02/24. 600pp. 92154:005-92155:339.

9703050423 Forwards revised "ODCM." Manual changes submitted to NRC ofcs as part of normal controlled document distributions.
SAGER,D. Commonwealth Edison Co. 97/02/27. . 34pp. 91993:001-91996:236.

--9703050442 Rev 1.7 to "ODCM."
* Commonwealth Edison Co. 96/09/30. 1,294pp. 91993:035-91996:236.

9703120062 Submits specific commitments re making procedure changes as compensatory measures for Boraflex degradation in spent fuel storage pool water.
TULON,T. Commonwealth Edison Co. 97/02/27. Document Control Branch (Document Control Desk). 2pp. 92125:132-92125:133.

9703100102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,replacing original Westinghouse D4 SG at Byron & Braidwood w/B&W International SGs.
HOSMER,J.B. Commonwealth Edison Co. 97/02/28. Document Control Branch (Document Control Desk). 12pp. 92048:107-92048:173.

--9703100107 Proposed tech specs,replacing original W D4 SG at Byron & Braidwood w/B&W International SGs.
* Commonwealth Edison Co. 97/02/28. 55pp. 92048:119-92048:173.

9703110039 Clarifies util position on protection of MOVs during postulated hot shorts.
HOSMER,J.B. Commonwealth Edison Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92049:358-92049:359.

9703170200 Forwards Environ Assessment & Finding of No Significant Impact related to Util 961105 application for amends. Proposed amends would revise TS to permit Util to take credit for soluble boron in SFSP water.
DICK,G.F. . 97/03/13. JOHNSON,I. Commonwealth Edison Co. 3pp. 92131:343-92131:349.

--9703170202 Environ assessment & finding of no significant impact re Util 961105 application for amends.Proposed amends would amend TS to permit Util to take credit for soluble boron in SFSP water in maintaining acceptable subcriticality margin.
CAPRA,R.A. . 97/03/13. 4pp. 92131:346-92131:349.

9703210117 Forwards 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
HOSMER,J.B. Commonwealth Edison Co. 97/03/15. Document Control Branch (Document Control Desk). 6pp. 92238:112-92238:117.

9703240127 Forwards RAI re primary containment & RCS volume for Byron units 1 & 2 & Braidwood units 1 & 2.Requests propose to revise TSs to incorporate effect of increased RCS volume resulting from planned replacement of SG at plants.
DICK,G.F. . 97/03/20. JOHNSON,I.M. Commonwealth Edison Co. 3pp. 92244:009-92244:011.

9703270309 Submits answers to specific questions raised in RAI re LAR to allow removal of grease from tendon sheathing to facilitate tendon removal during SG replacement.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 3pp. 92268:032-92268:034.

9703280061 Submits response to RAI re revised SG tube rupture analysis- Byron Station,Units 1 & 2 & Braidwood Station,Units 1 & 2.
HOSMER,J.B. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 21pp. 92271:076-92271:096.

Q. Inspection reports, IE Bulletins & correspondence

9703030061 Forwards insp rept 50-456/96-21 & 50-457/96-21 on 961130- 970110 & notice of violation.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/18. STANLEY,H.G. Commonwealth Edison Co. 3pp. 91957:001-91957:031.

--9703030067 Notice of violation from insp on 961130-970110.Violation noted:tag required to maintain traceability of safety-related item was removed.
* Region 3 (Post 820201). 97/02/18. 5pp. 91957:004-91957:008.

--9703030073 Insp repts 50-456/96-21 & 50-457/96-21 on 961130-970110. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 3 (Post 820201). 97/02/18. 23pp. 91957:009-91957:031.

9703030099 Forwards insp repts 50-456/96-19 & 50-457/96-19 on 961019- 1129 & NOV.
CALDWELL,J. Region 3 (Post 820201). 97/02/18. STANLEY,H.G. Commonwealth Edison Co. 2pp. 91949:097-91949:122.

--9703030113 Notice of violation from insp on 961019-1129.Violation noted:construction of scaffolding on 961107,in vicinity of essential service water sys forebay not prescribed by documented procedures appropriate to circumstances.
* Region 3 (Post 820201). 97/02/18. 2pp. 91949:099-91949:100.

--9703030144 Insp repts 50-456/96-19 & 50-457/96-19 on 961019-1129. Violations noted.Major areas inspected:aspects of licensee operations,maint,engineering & plant support.
* Region 3 (Post 820201). 97/02/18. 22pp. 91949:101-91949:122.

9703040287 Forwards response to request for addl info re first 10-yr ISI relief request NR-29.
TULON,T.J. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 8pp. 91960:254-91960:261.

9703050519 Ack receipt of 970121 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/96-14 & 50-457/96-14.
LANKSBURY,R.D. Region 3 (Post 820201). 97/02/25. STANLEY,H.G. Commonwealth Edison Co. 2pp. 91956:117-91956:118.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703130044 Forwards insp repts 50-456/97-03 & 50-457/97-03 on 970203-07 & notice of violation.First violation concerns four examples of failure to adhere to procedures & to adequately establish procedures.
GRANT,G.E. Region 3 (Post 820201). 97/03/04. STANLEY,H.G. Commonwealth Edison Co. 2pp. 92078:286-92078:305.

--9703130052 Notice of violation from insp on 970203-07.Violation noted: since 960221,procedure BwCP 210-14,rev 2,970221,did not provide instructions to ensure validity of intrinsic germanium detector calibrations in accordance w/App A.
* Region 3 (Post 820201). 97/03/04. 3pp. 92078:288-92078:290.

--9703130061 Insp repts 50-456/97-03 & 50-457/97-03 on 970203-07. violations noted.Major areas inspected:plant support.
* Region 3 (Post 820201). 97/03/04. 15pp. 92078:291-92078:305.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210190 Forwards RAI re first ten-year inservice insp program for plant.Copy of response to be sent to INEL in order to expedite review process.
DICK,G.F. . 97/03/19. JOHNSON,I.M. Commonwealth Edison Co. 7pp. 92214:354-92214:360.

9703250195 Responds to NRC 970218 ltr re violations noted in insp repts 50-456/96-21 & 50-457/96-21.Corrective actions:individuals were counseled for their actions of performing oil addition w/o having reviewed procedure prior to performing task.
STANLEY,H.G. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 18pp. 92251:112-92251:129.

9703250202 Responds to NRC 970218 ltr re violations noted in insp repts 50-456/96-19 & 50-457/96-19.Corrective actions:scaffold tube was removed from forebay using diver.
STANLEY,H.G. Commonwealth Edison Co. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92251:333-92251:337.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703030478 Forwards fitness for duty performance data for six month period ending 961231.
BRONS,J.C. Commonwealth Edison Co. 97/02/25. Document Control Branch (Document Control Desk). 22pp. 91954:313-91954:334.

9703100277 Monthly operating repts for Feb 1997 for Braidwood Nuclear Power Station,Units 1 & 2.W/970304 ltr.
PERSHEY,C., TULON,T.J. Commonwealth Edison Co. 97/02/28. 10pp. 92035:336-92035:345.

S. Reportable occurrences, LERs & related correspondence

9703070020 Part 21 rept re output drift w/increasing temperature on several RTD amplifiers noted during installation of RTD by-pass mod at station.Action to identify all circuit cards w/affected date codes,identified.
GRAESSER,K.L. Commonwealth Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92469:060-92469:065.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703060106 Forwards SALP rept 50-458/97-99 on 950730-970201.Operations area,routine plant activities & minor plant transients were handled well,configuration mgt problems persisted & weaknesses observed w/crew performance in simulator.
DYER,J.E. Region 4 (Post 820201). 97/03/03. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 91970:106-91970:117.

--9703060113 SALP rept 50-458/97-99 for 950730-970201.
* Region 4 (Post 820201). 97/03/03. 6pp. 91970:112-91970:117.

9703060263 Informs that changes do not decrease effectiveness of security plan & no NRC approval is required,IAW 10CFR50.54(p).
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/04. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 92016:315-92016:319.

K. Utility Final Safety Analysis Report (FSAR) & amends

9703130090 Informs that decision made to de-control off-site UFSAR manuals due to identified quality deficiency re tracking of receipt acks for UFSAR updates.Offsite copies proposed to be deleted from controlled copy listing shown as submitted.
BYRD,R.W. Entergy Operations, Inc. 97/03/03. NRC - No Detailed Affiliation Given. 2pp. 92128:138-92128:139.

P. Operating license stage documents & correspondence

9703040317 Provides NRR Project Manager w/revised implementation target date for BWROG accident mgt guidelines.
KING,R.J. Entergy Operations, Inc. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91992:302-91992:303.

9703030403 Advises that current EOI programs for snubbers will still be acceptable for next intervals based on current EOI snubber programs adequate as requirements specified in ASME Code, Section XI,1989 Edition.
BECKNER,W.D. . 97/02/28. DEWEASE,J.G. Entergy Operations, Inc. 7pp. 91932:344-91932:350.

9703170178 Forwards request for addl info re use of ASME code cases N-508-1,N-509-,N-524 & 5-46.
DONOHEW,J.N. . 97/03/13. HAGAN,J.J. Entergy Operations, Inc. 8pp. 92131:325-92131:332.

9703240205 Provides util required 180-day response to GL 96-05 request that licensees establish program,or ensure effectiveness of current program,to verify on periodic basis that SR MOVs continue to be capable of performing their safety functions.
DEWEASE,J.G. Entergy Operations, Inc. 97/03/17. Document Control Branch (Document Control Desk). 8pp. 92242:213-92242:220.

Q. Inspection reports, IE Bulletins & correspondence

9703060116 Provides addl info re util plans to address issues raised in Bulletin 96-003.Meeting to discuss plans requested.
KING,R.J. Entergy Operations, Inc. 97/02/27. Document Control Branch (Document Control Desk). 8pp. 92001:353-92001:360.

9703060106 Forwards SALP rept 50-458/97-99 on 950730-970201.Operations area,routine plant activities & minor plant transients were handled well,configuration mgt problems persisted & weaknesses observed w/crew performance in simulator.
DYER,J.E. Region 4 (Post 820201). 97/03/03. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 91970:106-91970:117.

–9703060113 SALP rept 50-458/97-99 for 950730-970201.
* Region 4 (Post 820201). 97/03/03. 6pp. 91970:112-91970:117.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703110165 Comments on GL 96-XX, "Effectiveness of Ultrasonic Testing Sys in ISI Program."
HUGHEY,W.K. Entergy Operations, Inc. 97/03/07. Document Control Branch (Document Control Desk). 5pp. 92121:084-92121:088.

9703120401 Notification of 970313 meeting w/util in Rockville,MD to discuss proposed program & design for ECCS strainers for plant,in response to NRC Bulletin 96-003, "Potential Plugging of ECCS Strainers by Debris in BWRs."
WIGGINTON,D.L. . 97/03/10. BECKNER,W.D. . 4pp. 92079:267-92079:270.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703210081 Forwards insp rept 50-458/97-05 on 970210-14.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/14. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 92210:343-92210:358.

–9703210085 Insp rept 50-458/97-05 on 970210-14.No violations noted. Major areas inspected:licensee implementation of std TS.
* Region 4 (Post 820201). 97/03/14. 11pp. 92210:348-92210:358.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703040178 Forwards fitness for duty performance data rept for period 960701-1231.
KING,R.J. Entergy Operations, Inc. 97/02/27. Document Control Branch (Document Control Desk). 5pp. 91960:095-91960:099.

9703200020 Monthly operating rept for Feb 1997 for RBS,Unit 1.W/970311 ltr.
WILLIAMSON,D.H., KING,R.J. Entergy Operations, Inc. 97/02/28. 7pp. 92205:289-92205:294.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703110007 Responds to NRC ltr re violations noted in insp rept 50-461/96-16.Corrective actions:all personnel that had access to screenhouse vital area were directed to present adequate justification for continued access.
CONNELL,W. Illinois Power Co. 97/03/03. Document Control Branch (Document Control Desk). 4pp. 92073:340-92073:343.

9703280177 Rev 10 to "Clinton Power Station Emergency Plan."
* Illinois Power Co. 97/03/07. 33pp. 92291:180-92291:212.

9703190337 Informs that change 11/3 to rev 10 of Clinton Power Station emergency plan does not decrease effectiveness of emergency plan & continues to meet std of 10CFR50.47(b) & requirements of App E to Part 50.NRC approval not required.
CREED,J.R. Region 3 (Post 820201). 97/03/13. CONNELL,W. Illinois Power Co. 2pp. 92153:006-92153:007.

9703190352 Forwards insp rept 50-461/97-02 on 970106-10 & 31 & forwards NOV.
CALDWELL,J.L. Region 3 (Post 820201). 97/03/13. CONNELL,W. Illinois Power Co. 3pp. 92184:218-92184:245.

–9703190358 Insp rept 50-461/97-02 on 960106-10 & 31.Violations noted. Major areas inspected:review of EP program,an aspect of plant support.
* Region 3 (Post 820201). 97/03/13. 24p. 92184:222-92184:245.

9703250062 Revised EPIPs,including rev 2 to FE-05, "EOF Emergency Equipment," rev 3 to FE-05, "TSC Administrative Suppliers" & rev 10 to AP-02, "PR-01 Form 10,Rev,JPIC Media Response Team."
* Illinois Power Co. 97/03/20. 39pp. 92251:044-92251:082.

G. Adjudicatory correspondence

9703140064 Forwards Southwestern Electric Cooperative 970228 request for hearing,submitted in response to FR addressing Commission consideration of issuance of order approving transfer of OL from Soyland Power to Illinois Power Co.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18189. 97/03/05. COTTER,B.P. Atomic Safety & Licensing Board Panel. 1p. 92106:350-92106:357.

–9703140072 Petition for leave to intervene of Southwestern Electric Cooperative,Inc.* Requests that Commission grant petition for leave to intervene & grant other relief as Commission deems appropriate.W/Certificate of Svc.
POSTAR,M. Affiliation Not Assigned. POSTAR,M. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 97/02/28. Commissioners (Post 750119). 7pp. 92106:351-92106:357.

9703140053 Discusses licensee 970228 Petition for Leave to Intervene in ILPR,Soyland Power Cooperative,license transfer,per 10CFR50.80 & 90.Petition does not constitute separate request for hearing.W/Certificate of Svc.Served on 970310.
POSTAR,M. Illinois Power Co. POSTAR,M., WEINBERG,R. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #197 18193. 97/03/07. Office of the Secretary of the Commission. 4pp. 92106:324-92106:327.

9703140060 Establishment of Atomic Safety & Licensing Board.* Board being established in following proceeding to rule on petitions for leave to intervene and/or requests for hearings.Certificate of Svc encl.Served on 970307.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #197 18190. 97/03/07. 4pp. 92106:340-92106:343.

9703140045 Discusses licensee request for termination of hearing on license transfer.Licensee moves Board to terminate proceeding.W/Certificate of Svc.
POSTAR,M. Illinois Power Co. POSTAR,M., WEINBERG,R. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). #197 18199. 97/03/11. DEWEY,L. Atomic Safety & Licensing Board Panel. 5pp. 92106:302-92106:306.

9703140050 Memorandum & order (terminating proceeding).* Grants Southwestern Electric Cooperative 970311 motion to terminate proceeding & dismisses 970228 petition for leave to intervene.W/Certificate of Svc.Served on 970311.
BOLLWERK,G.P., MURPHY,T.D. Atomic Safety & Licensing Board Panel. #197 18200. 97/03/11. Affiliation Not Assigned. 5pp. 92106:315-92106:319.

J. Insurance & indemnity information

9703180241 Submits info re property damage insurance coverage for Clinton Power Station.
TELTHORST,P.J. Illinois Power Co. 97/03/14. Document Control Branch (Document Control Desk). 1p. 92191:357-92191:357.

K. Utility Final Safety Analysis Report (FSAR) & amends

9703130090 Informs that decision made to de-control off-site UFSAR manuals due to identified quality deficiency re tracking of receipt acks for UFSAR updates.Offsite copies proposed to be deleted from controlled copy listing shown as submitted.
BYRD,R.W. Entergy Operations, Inc. 97/03/03. NRC - No Detailed Affiliation Given. 2pp. 92128:138-92128:139.

P. Operating license stage documents & correspondence

9703030335 Ack receipt of 970212 ltr in response to NRC request for info dtd 961009,pursuant to 10CFR50.54(f) re adequacy & availability of design bases info.No additional info needed.
PICKETT,D.V. . 97/02/28. TELTHORST,P.J. Illinois Power Co. 3pp. 91932:354-91932:356.

9703190348 Forwards amend 114 to license NPF-62 & safety evaluation. Amend revises OL to reflect transfer of Soyland Power Cooperatives 13.21-percent minority ownership of CPS to ILPR.
PICKETT,D.V. . 97/03/13. TELTHORST,P.J. Illinois Power Co. 4pp. 92177:345-92177:360.

--9703190355 Amend 114 to license NPF-62 revising OL to reflect transfer of Soyland Power Cooperatives 13.21-percent minority ownership of CPS to ILPR.
COLLINS,S.J. . 97/03/13. 3pp. 92177:349-92177:355.

--9703190369 Safety evaluation supporting amend 114 to license NPF-62.
* . 97/03/13. 5pp. 92177:356-92177:360.

9703200235 Forwards order approving transfer of license NPF-62,for plant,Unit 1.
PICKETT,D.V. . 97/03/13. TELTHORST,P.J. Illinois Power Co. 4pp. 92204:293-92204:303.

--9703200240 Order approving transfer of license NPF-62 for plant,Unit 1.
* Illinois Power Co. 97/03/13. COLLINS,S.J. . 7pp. 92204:297-92204:303.

9703200169 Forwards Rev 5 to "App IV Second 10-Yr Interval Inservice Exam Plan" & Rev 19 to "App V Second 10-Yr Interval Pump & Valve Testing Program Plan."
TELTHORST,P.J. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92211:009-92211:228.

--9703200175 Rev 5 to "App IV Second 10-Yr Interval Inservice Exam Plan."
* Wisconsin Electric Power Co. 96/07/10. 131pp. 92211:012-92211:142.

--9703200180 Rev 19 to "App V Second 10-Yr Interval Pump & Valve Testing Program Plan."
* Wisconsin Electric Power Co. 96/08/14. 86pp. 92211:143-92211:228.

9703200207 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
CONNELL,W. Illinois Power Co. 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92212:290-92212:293.

9703200245 Confirms plans to conduct mgt meeting on 970320 to discuss current activities at CPS,status of CPS Startup Readiness Action Plan, & schedule for completing Action Plan items.
WRIGHT,G.C. Region 3 (Post 820201). 97/03/14. CONNELL,W. Illinois Power Co. 2pp. 92189:033-92189:034.

9703250047 Forwards "CPS COLR for Reload 6 Cycle 7," rev 0.
TDLTHORST,P.J. Illinois Power Co. 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92250:248-92250:271.

--9703250048 Rev 0 to "CPS COLR for Reload 6 Cycle 7."
ROWE,S.L., PENG,S.J. Illinois Power Co. 97/03/20. 22pp. 92250:250-92250:271.

Q. Inspection reports, IE Bulletins & correspondence

9703050052 Forwards insp rept 50-461/96-12 on 960930-970123.Violations noted being considered for escalated enforcement action. Predecisional enforcement conference scheduled for 970320 to discuss violations.
CALDWELL,J.L. Region 3 (Post 820201). 97/02/27. CONNELL,W. Illinois Power Co. 4pp. 91971:131-91971:157.

--9703050058 Insp rept 50-461/96-12 on 960930-970123.No violations noted. Major areas inspected:reviewed circumstances surrounding event involving apparent violation of Radiation Safety Work Plan 96-01 re entries into drywall during refueling.
* Region 3 (Post 820201). 97/02/27. 23pp. 91971:135-91971:157.

9703110007 Responds to NRC ltr re violations noted in insp rept 50-461/96-16.Corrective actions:all personnel that had access to screenhouse vital area were directed to present adequate justification for continued access.
CONNELL,W. Illinois Power Co. 97/03/03. Document Control Branch (Document Control Desk). 4pp. 92073:340-92073:343.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190352 Forwards insp rept 50-461/97-02 on 970106-10 & 31 & forwards NOV.
CALDWELL,J.L. Region 3 (Post 820201). 97/03/13. CONNELL,W. Illinois Power Co. 3pp. 92184:218-92184:245.

--9703190356 Notice of violation from insp on 970106-10 & 31.Violation noted:condition rept (1-94-10-002) dtd 940930 & issued on 941003,indicated that backup meteorological tower wind speed & wind direction sensors were inoperable.
* Region 3 (Post 820201). 97/03/13. 1p. 92184:221-92184:221.

--9703190358 Insp rept 50-461/97-02 on 960106-10 & 31.Violations noted. Major areas inspected:review of EP program,an aspect of plant support.
* Region 3 (Post 820201). 97/03/13. 24p. 92184:222-92184:245.

9703200169 Forwards Rev 5 to "App IV Second 10-Yr Interval Inservice Exam Plan" & Rev 19 to "App V Second 10-Yr Interval Pump & Valve Testing Program Plan."
TELTHORST,P.J. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 97/03/14. Document Control Branch (Document Control Desk). 3pp. 92211:009-92211:228.

--9703200175 Rev 5 to "App IV Second 10-Yr Interval Inservice Exam Plan."
* Wisconsin Electric Power Co. 96/07/10. 131pp. 92211:012-92211:142.

--9703200180 Rev 19 to "App V Second 10-Yr Interval Pump & Valve Testing Program Plan."
* Wisconsin Electric Power Co. 96/08/14. 86pp. 92211:143-92211:228.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703250076 "Annual Occupational Radiation Exposure Rept for Period of 960101-1231." W/970320 ltr.
TELTHORST,P.J. Illinois Power Co. 96/12/31. 3pp. 92252:116-92252:118.

9703120041 Monthly operating rept for Feb 1997 for Clinton Power Station,Unit 1.W/970307 ltr.
DEMARK,W.E., TELTHORST,P.J. Illinois Power Co. 97/02/28. 5pp. 92125:098-92125:102.

S. Reportable occurrences, LERs & related correspondence

9703060024 LER 97-003-00:on 970128,disconnection of channel E cable caused second IRM trip signal to reactor protection sys (RPS).Caused by personnel error.Will submit supplemental rept to identify cause & CA.W/970225 ltr.
BEDFORD,R.B., CONNELL,W. Illinois Power Co. 97/02/25. 5pp. 92039:035-92039:039.

9703060182 Part 21 rept re regulated power transformer 1AP75ERT tripping several times.Caused by addition of step load from low or no load condition.Will disconnect four potentially affected transformers from Div 2 electrical sys.
CONNELL,W. Illinois Power Co. 97/02/27. Document Control Branch (Document Control Desk). 3pp. 92039:245-92039:247.

9703110084 LER 97-004-00:on 970204,failed to properly implement TS SR 3.6.5.3.3 due to inadequate procedure.Revised surveillance procedure to verify valves closed.W/970306 ltr.
LAKEBRINK,S., CONNELL,W. Illinois Power Co. 97/03/06. 6pp. 92109:112-92109:117.

9703120404 Part 21 rept re transformer not being stable in no load condition & tripping when lightly loaded.
CAMP,B. United Controls, Inc. 97/03/07. Document Control Branch (Document Control Desk). 48pp. 92209:071-92209:118.

9703180190 LER 97-005-00:on 860929,seventeen containment penetrations susceptible to thermally induced over-pressurization identified.Cause unknown.Penetrations not required for post- LOCA drained.W/970313 ltr.
HALVERSON,E.D., CONNELL,W. Illinois Power Co. 97/03/13. 6pp. 92237:165-92237:170.

9703250077 LER 97-006-00:on 970219,lack of coordination of 120 volt non-safe shutdown circuit breakers in distribution panels w/shutdown circuit breakers causes plant to be outside its basis.Corrected circuit breaker problems.W/970320 ltr.
TOCKSTEIN,D.G., CONNELL,W. Illinois Power Co. 97/03/20. 5pp. 92275:053-92275:057.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703130074 Advises that JR Kaineg license SOP-31188 temporarily removed from licensed duties.
TELTHORST,R.J. Illinois Power Co. 97/03/07. BEACH,A.B. Region 3 (Post 820201). 1p. 92128:151-92128:151.

DOCKET 50-471 PILGRIM NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703190153 Revised EPIPs,including Rev 41 to table of contents & Rev 2A to EP-IP-501, "Transport of Contaminated Injured Personnel."
* Boston Edison Co. 97/02/27. 16pp. 92198:335-92198:350.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9611290016 Forwards Objectives for 1997 Wolf Creek Generating Station Emergency Preparedness Field Exercise scheduled for 970225.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/11/20. Document Control Branch (Document Control Desk). 3pp. 92021:001-92021:003.

9703100137 Forwards emergency prepardness field exercise scenario for 1997,scheduled for 970225 which should not be released to PDR before 970303.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 96/12/19. Document Control Branch (Document Control Desk). 2pp. 92018:096-92018:298.

-9703100192 "1997 Field Exercise 970225."
BIRK,D.E., BRINKMEYER,M.D., DEES,D.L. Wolf Creek Nuclear Operating Corp. 96/12/12. 201pp. 92018:098-92018:298.

9703170111 Revised EPIPs,including rev 4 to EPP 01-1.6,rev 12 to EPP 01-6.1,rev 6 to EPP 01-4.7,rev 15 to EPP 01-4.1, rev 2 to EPP 01-13.1,rev 13 to EPP 01-10.1,rev 2 to EP 01-1.1-11 & rev 2 to EP 01-1.2-17.W/970312 ltr.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/02/13. 216pp. 92138:054-92138:269.

9703040064 Informs that info that could assist in efforts to protect plant against "Insider" requirement for design basis threat being provided to plant security manager.
STONE,J.C. . 97/02/20. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 2pp. 91951:123-91951:124.

9703030111 Forwards insp rept 50-482/97-07 on 970203-07.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/26. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 91949:008-91949:027.

-9703030120 Insp rept 50-482/97-07 on 970203-07.No violations noted. Major areas inspected:licensee physical security program, including,updated FSAR records & repts,testing & maint, assessment aids,detection aids-protected area & vital area.
* Region 4 (Post 820201). 97/02/26. 15pp. 91949:013-91949:027.

9703130408 Informs that NRC approval not required,IAW 10CFR50.54(p) re change to plant security plan.
BATEMAN,W.H. . 97/03/11. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 2pp. 92109:294-92109:295.

9703240018 Forwards insp rept 50-482/97-02 on 970224-27.One exercise weakness was identified for ineffective internal & external communications in technical support IAW 10CFR50,App E.IV.F.2.g.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/14. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 92237:004-92237:030.

-9703240023 Insp rept 50-482/97-02 on 970224-27.Violations noted. Major areas inspected:activities in control room simulator, technical support ctr/operations support ctr & EOF.
* Region 4 (Post 820201). 97/03/14. 22pp. 92237:009-92237:030.

9703240178 Ack completion of licensing action of GL 92-08, "Thermo-Lag 330-1 Fire Barriers," dtd 921217 & requests to retain all documentation related for future NRC audits & insp.
STONE,J.C. . 97/03/20. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. 92231:001-92231:004.

K. Utility Final Safety Analysis Report (FSAR) & amends

9703170016 Forwards rev 10 to Updated SAR for Wolf Creek,including specific technical changes & several editorial changes.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/07. Document Control Branch (Document Control Desk). 31pp. 92139:001-92142:335.

-9703170020 Rev 10 to updated SAR for Wolf Creek.
* Wolf Creek Nuclear Operating Corp. 97/03/11. 1,396pp. 92139:032-92142:335.

P. Operating license stage documents & correspondence

9703070166 Requests withdrawal of 961203 application for amend to license requesting change to engineered safety features actuation sys instrumentation Action Statement.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92031:254-92031:255.

9703120427 Ack receipt of 970207 response to 961009 request for info per 10CFR50.54(f) re adequacy & availability of design bases info.No addl info needed.
STONE,J.C. . 97/03/06. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 2pp. 92079:263-92079:264.

9703140080 Submits addl info for SRO re license renewal.Encl withheld.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 97/03/07. Document Control Branch (Document Control Desk). 1p. 92128:221-92128:221.

9703140132 Informs that W rept, "Wolf Creek Incomplete Rod Insertion During Cycle 8,Interim Rept on Insp Results & Root Cause, Rev 1," will be withheld from public disclosure,per request.
STONE,J.C. . 97/03/07. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 92115:343-92115:345.

9703190226 Comment opposing proposed NRC GL 97-XX "Loss of Reactor Coolant Inventory & Associated Potential For Loss of Emergency Mitigation Functions While in Shutdown Condition."
BARON,R.R. Tennessee Valley Authority. 97/03/14. Rules & Directives Review Branch (Post 920323). 4pp. 92152:260-92152:263.

9703200267 Forwards notice of withdrawal of application for amend to facility operating license NPF-42.Amend would change ref to Action Statement for item 7.b,RWST Level.
STONE,J.C. . 97/03/17. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 92205:140-92205:144.

-9703200384 Notice of withdrawal of application for amend to facility operating license NPF-42.
STONE,J.C. . 97/03/17. 2pp. 92205:143-92205:144.

9703200303 Summary of 970212 meeting w/Wolf Creek Nuclear Operating Corp to discuss status of licensing actions currently under review by NRR staff & to discuss upcoming requests identified by licensee.
STONE,J.C. . 97/03/17. . 6pp. 92204:341-92204:346.

9703200357 Forwards 180 day response to GL 96-05, "Periodic Verification of Design Basis Capability of Safety Related MOV."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/17. Document Control Branch (Document Control Desk). 7pp. 92211:355-92211:361.

9703240097 Application for amend to license NPF-42,revising TS SR 4.5.2.c to clarify when containment entry visual insp is required.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/18. Document Control Branch (Document Control Desk). 12pp. 92241:283-92241:296.

-9703240101 Proposed tech specs,revising TS SR 4.5.2.c to clarify when containment entry visual insp is required.
* Wolf Creek Nuclear Operating Corp. 97/03/18. 2pp. 92241:295-92241:296.

9703240105 Application for amend to license NPF-42,revising TS Section 5.3.1,fuel assemblies to allow use of alternate Zr based fuel cladding matl ZIRLO.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/18. Document Control Branch (Document Control Desk). 13pp. 92241:268-92241:282.

-9703240107 Proposed tech specs,revising TS Section 5.3.1,fuel assemblies to allow use of alternate Zr-based fuel cladding matl ZIRLO.
* Wolf Creek Nuclear Operating Corp. 97/03/18. 2pp. 92241:281-92241:282.

9703240175 Forwards corrections to TS Bases pp of amend 92 to WCGS TSs.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/19. Document Control Branch (Document Control Desk). 2pp. 92242:255-92242:259.

-9703240177 Proposed tech specs Bases pp reflecting corrections to ref made on those pp.
* Wolf Creek Nuclear Operating Corp. 97/03/19. 3pp. 92242:257-92242:259.

9703240178 Ack completion of licensing action of GL 92-08, "Thermo-Lag 330-1 Fire Barriers," dtd 921217 & requests to retain all documentation related for future NRC audits & insp.
STONE,J.C. . 97/03/20. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. 92231:001-92231:004.

9703270156 Forwards response to 970130 RAI re exemption request to 10CFR70.24 for criticality accident monitors.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 97/03/21. Document Control Branch (Document Control Desk). 5pp. 92268:085-92268:089.

9703270232 Application for amend to License NPF-42,revising Tech Specs 6.8.5b re reactor coolant pump flywheel insp program to provide exception to exam requirements in Reg Guide 1.14,Rev 1, "Reactor Coolant Pump Flywheel Integrity."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/21. Document Control Branch (Document Control Desk). 12pp. 92267:337-92267:351.

-9703270235 Proposed tech specs re reactor coolant pump flywheel insp program.
* Wolf Creek Nuclear Operating Corp. 97/03/21. 2pp. 92267:350-92267:351.

9703270275 Describes changes to ECCS evaluation models & estimated effect on limiting ECCS analysis for 1996 IAW criteria & reporting requirements of 10CFR50.46 (a)(3)(i) & (ii).
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/21. Document Control Branch (Document Control Desk). 8pp. 92268:046-92268:053.

Q. Inspection reports, IE Bulletins & correspondence

9703040054 Forwards insp rept 50-482/97-01 on 970113-17.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/24. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 91955:001-91955:028.

--**9703040059** Insp rept 50-482/97-01 on 970113-17.No violations noted. Major areas inspected:engineering & plant support.
* Region 4 (Post 820201). 97/02/24. 23pp. 91955:006-91955:028.

9703030111 Forwards insp rept 50-482/97-07 on 970203-07.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/26. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 91949:008-91949:027.

--**9703030120** Insp rept 50-482/97-07 on 970203-07.No violations noted. Major areas inspected:licensee physical security program, including,updated FSAR records & repts,testing & maint, assessment aids,detection aids-protected area & vital area.
* Region 4 (Post 820201). 97/02/26. 15pp. 91949:013-91949:027.

9703060184 Ack receipt of 970110 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/96-23 in response to NRC ltr dtd 961213.Implementation of corrective actions will be reviewed during future inspection.
DYER,J.E. Region 4 (Post 820201). 97/02/28. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 91970:022-91970:032.

9703060269 Responds to NRC 970130 ltr re violations noted in insp repts 50-482/96-24.Corrective actions:engineering revised vendor manual M-021-0086,spindle nut cotter pin installed on valve ABV0046,Performance Improvement Request 97-0083 initiated.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 97/02/28. Document Control Branch (Document Control Desk). 7pp. 92016:332-92016:338.

9703060141 Forwards insp rept 50-482/97-06 on 970128-31.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/03. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 91970:058-91970:072.

--**9703060150** Insp rept 50-482/97-06 on 970128-31.No violations noted. Major areas inspected:engineering & plant support.
* Region 4 (Post 820201). 97/03/03. 10pp. 91970:063-91970:072.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703060339 Forwards RAI re plant,second 10-yr internal ISI program plan & associated requests for relief.
STONE,J.C. . 97/03/04. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 91999:178-91999:182.

9703110162 Ack receipt of 970228 ltr informing NRC of steps taken to correct violations noted in insp rept 50-485/96-24.
HOWELL,A.T. Region 4 (Post 820201). 97/03/05. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 4pp. 92020:007-92020:017.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703130152 Forwards insp rept 50-482/97-04 on 970111-0222 & NOV.
HOWELL,A.T. Region 4 (Post 820201). 97/03/10. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 92078:045-92078:073.

--**9703130158** Notice of violation from insp on 970111-0222.Violation noted:on 960728,shift supervisor logged failure of CI Valve EF HV0034 to close on demand,but failed to recognize that failure resulted in entry into TS action statement 3.6.3.
* Region 4 (Post 820201). 97/03/10. 4pp. 92078:050-92078:053.

--**9703130163** Insp rept 50-482/97-04 on 970111-0222.Violations noted.Major areas inspected:operations,maint,engineering & plant support.
* Region 4 (Post 820201). 97/03/10. 18pp. 92078:054-92078:073.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240018 Forwards insp rept 50-482/97-02 on 970224-27.One exercise weakness was identified for ineffective internal & external communications in technical support IAW 10CFR50,App E.IV.F.2.g.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/14. MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 5pp. 92237:004-92237:030.

--**9703240023** Insp rept 50-482/97-02 on 970224-27.Violations noted. Major areas inspected:activities in control room simulator, technical support ctr/operations support ctr & EOF.
* Region 4 (Post 820201). 97/03/14. 22pp. 92237:009-92237:030.

9703240097 Application for amend to license NPF-42,revising TS SR 4.5.2.c to clarify when containment entry visual insp is required.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/18. Document Control Branch (Document Control Desk). 12pp. 92241:283-92241:296.

--**9703240101** Proposed tech specs,revising TS SR 4.5.2.c to clarify when containment entry visual insp is required.
* Wolf Creek Nuclear Operating Corp. 97/03/18. 2pp. 92241:295-92241:296.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703270232 Application for amend to License NPF-42,revising Tech Specs 6.8.5b re reactor coolant pump flywheel insp program to provide exception to exam requirements in Reg Guide 1.14,Rev 1, "Reactor Coolant Pump Flywheel Integrity."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/21. Document Control Branch (Document Control Desk). 12pp. 92267:337-92267:351.

--**9703270235** Proposed tech specs re reactor coolant pump flywheel insp program.
* Wolf Creek Nuclear Operating Corp. 97/03/21. 2pp. 92267:350-92267:351.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703180021 Monthly operating rept for Feb 1997 for Wolf Creek Generating Station.W/ 970312 ltr.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/02/28. 7pp. 92190:244-92190:250.

9703170110 Forwards "Annual SER 12 for Jan-Dec 1996," for Wolf Creek Generating Station.
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. 97/03/11. Document Control Branch (Document Control Desk). 1p. 92153:082-92153:293.

--**9703170112** "Annual SER 12 for Jan-Dec 1996," for Wolf Greek Generating Station.
* Wolf Creek Nuclear Operating Corp. 96/12/31. 211pp. 92153:083-92153:293.

9703190017 Forwards disk containing "WCGS Annual Exposure Rept for 1996." W/o encl.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/03/12. . 1p. 92199:232-92199:232.

S. Reportable occurrences, LERs & related correspondence

9703140095 LER 97-004-00:on 970206,failed to accurately perform containment integrated LRT.Caused by incorrect start-up procedure.Revised applicable procedures & performed required LRT.W/970307 ltr.
FLANNIGAN,R.D., MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 97/03/07. 5pp. 92217:229-92217:233.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703210330 Requests that listed personnel be administered exam for Senior Reactor Operator during week of 970414.
WARREN,C.C. Wolf Creek Nuclear Operating Corp. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92235:200-92235:201.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703040004 Informs that NRC notifying all nuclear power reactor licensee of potential problem involving protected area access control sys that may exist at site.
THOMAS,K.M. . 97/02/20. SCHNELL,D. Union Electric Co. 2pp. 91946:240-91946:241.

9703280317 Summary of 970220 meeting w/util re June 1997 operational safeguards response evaluation at plant.
THOMAS,K.M. . 97/03/27. . 4pp. 92275:355-92275:358.

H. General correspondence

9703130156 Responds to 970122 ltr responding to NRC 970121 ltr re investigation rept 4-95-056.
DYER,J.E. Region 4 (Post 820201). 97/03/11. HARRIS,D.A Affiliation Not Assigned. 2pp. 92069:202-92069:203.

I. Financial information

9703260285 "1996 Annual Rept for Union Electric." W/970318 ltr.
SCHNELL,D.F. Union Electric Co. 96/12/31. 46pp. 92262:228-92262:275.

J. Insurance & indemnity information

9703040229 Forwards cash flow projection & certification to satisfy guarantee of payment of retrospective premiums as required by regulation,per requirements of 10CFR140.21.
SCHNELL,D.F. Union Electric Co. 97/02/19. DINITZ,I. . 3pp. 91960:194-91960:196.

P. Operating license stage documents & correspondence

9703100121 Forwards test repts from previous proprietary status FTCR/ 96/ 0077,FTCR/96/0099 & FTCR/96/0108.
SCHNELL,D.F. Union Electric Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92045:001-92046:032.

--9703100141 "Tests to Determine Ampacity Derating Factors for Electrical Conductors Installed in 1" & 4" Diameter Rigid Steel Conduits Encapsulated by KM1 Darmatt One H Replacement Matl."
PALLISTER,S., AYLING,D.P. . FTCR/96/0077. 96/12/11. 139pp. 92045:003-92045:141.

--9703100149 "Tests to Determine Ampacity Derating Factors for Electrical Conductors Installed in 1" & 4" Diameter Rigid Steel Conduits Encapsulated by KM1 Darmatt Three H Replacement Matl."
PALLISTER,S., AYLING,D.P. . FTCR/96/0099. 96/12/11. 144pp. 92045:142-92045:286.

--9703100151 "Test to Determine Ampacity Derating Factor for Electrical Conductors Installed in 600mm x 101mm x 3650mm Long Cable Tray Encapsulated by KM1 Darmatt Three H Replacement Matl."
PALLISTER,S., AYLING,D.P. . FTCR/96-0108. 96/12/11. 106pp. 92045:287-92046:032.

9406210119 Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

9703130026 Ack receipt of 970206 response to 961009 request for info re adequacy & availability of design bases info,per 10CFR50.54(f).No addl info needed at this time.
THOMAS,K.M. . 97/03/06. SCHNELL,D.F. Union Electric Co. 2pp. 92107:339-92107:340.

9703190109 Responds to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related MOVs."
SCHNELL,D.F. Union Electric Co. 97/03/13. Document Control Branch (Document Control Desk). 8pp. 92205:352-92205:359.

Q. Inspection reports, IE Bulletins & correspondence

9703030501 Submits comments on proposed GL on "Effectiveness of Ultrasonic Testing Systems in Inservice Insp Programs."
NASLUND,C.D. Union Electric Co. 97/02/27. Document Control Branch (Document Control Desk). 4pp. 91956:251-91956:254.

9703050218 Ack receipt of 970210 ltr informing NRC of steps taken to correct violations noted in insp rept 50-483/96-14 on 970116.
HOWELL,A.T. Region 4 (Post 820201). 97/02/27. SCHNELL,D.F. Union Electric Co. 5pp. 91956:205-91956:213.

9703060119 Forwards insp rept 50-483/97-03 on 970105-0215 & notice of violation.Violation involved failure to authorize & document approval for licensed operators to exceed overtime limitations.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. SCHNELL,D.F. Union Electric Co. 5pp. 91998:141-91998:162.

--9703060123 Notice of violation from insp on 970105-0215.Violation noted:on 970123,inspectors identified two licensed operators exceeded overtime limits by working greater than 24 hours in a 48-hour period w/o prior approval & documentation.
* Region 4 (Post 820201). 97/02/28. 2pp. 91998:145-91998:146.

--9703060127 Insp rept 50-483/97-03 on 970105-0215.Violations noted. Major areas inspected:operations,maintenance,engineering & plant support.
* Region 4 (Post 820201). 97/02/28. 14pp. 91998:147-91998:162.

9703060243 Forwards insp rept 50-483/97-04 on 970127-31.No violations noted.
BROCKMAN,K.E. Region 4 (Post 820201). 97/02/28. SCHNELL,D.F. Union Electric Co. 4pp. 91989:329-91989:347.

--9703060249 Insp rept 50-483/97-04 on 970127-31.No violations noted. Major areas inspected:routine insp reviewed program to maintain occupational exposures ALARA,training & qualifications of radiation protection organizations.
* Region 3 (Post 820201). 97/02/28. 14pp. 91989:334-91989:347.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140115 Amends response to 961212 ltr re violations noted in insp rept 50-483/96-11.Corrective actions:Operations will revise OTN-EG-00001 & Operator Logs to ensure CCW Sys design parameters for flow & temperature are properly maintained.
AFFOLTER,R.D. Union Electric Co. 97/03/07. Document Control Branch (Document Control Desk). 4pp. 92137:340-92137:343.

9703170235 Informs that all actions required by NRC Bulletin 89-001 have been completed.
SCHNELL,D.F. Union Electric Co. 97/03/07. Document Control Branch (Document Control Desk). 3pp. 92159:349-92159:351.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703200107 Forwards response to violations noted in Insp Rept 50-483/96-10.Corrective actions:failure to incorporate span & phase rotation criteria into guidance procedure for setup of point ECT probe not identified until after outage.
SCHNELL,D.F. Union Electric Co. 97/03/13. Document Control Branch (Document Control Desk). 5pp. 92212:338-92212:342.

9703250059 Responds to NRC 970228 ltr re violations noted in insp rept 50-483/97-03.Corrective actions:violation has been discussed with operations management personnel.
SCHNELL,D.F. Union Electric Co. 97/03/14. Document Control Branch (Document Control Desk). 4pp. 92252:066-92252:069.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703280252 Ack receipt of 970307 ltr informing NRC of steps taken to correct violations noted in insp rept 50-483/96-11.
GWYNN,T.P. Region 4 (Post 820201). 97/03/24. SCHNELL,D.F. Union Electric Co. 5pp. 92277:001-92277:010.

9703280206 Ack receipt of 970314 ltr informing NRC of steps taken to correct violations noted in insp 50-483/97-03.Review of implementation of corrective actions will be done during future insp.
GWYNN,T.P. Region 4 (Post 820201). 97/03/25. SCHNELL,D.F. Union Electric Co. 5pp. 92265:162-92265:170.

R. Periodic operating reports & related correspondence

9703040220 Forwards fitness for duty semi-annual performance data rept for period 960701-1231.
PEEVY,J.R. Union Electric Co. 97/02/25. Document Control Branch (Document Control Desk). 5pp. 91960:181-91960:185.

9703100056 Forwards "Callaway Plant Exposure & Monitoring Rept for 1996." Rept required to include results of specific activity analysis of reactor coolant sys in limits of TS 3.4.8 exceeded.
SCHNELL,D.F. Union Electric Co. 97/02/26. Office of Nuclear Regulatory Research (Post 941217). 2pp. 92047:353-92047:357.

--9703100061 "Callaway Plant Personnel Exposure & Monitoring Rept for 1996."
* Union Electric Co. 96/12/31. 3pp. 92047:355-92047:357.

9703120129 Monthly operating rept for Feb 1997 for Callaway Plant, Unit 1.W/970305 ltr.
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 97/02/28. 6pp. 92125:087-92125:092.

V. Operator Examinations

9703060119 Forwards insp rept 50-483/97-03 on 970105-0215 & notice of violation.Violation involved failure to authorize & document approval for licensed operators to exceed overtime limitations.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. SCHNELL,D.F. Union Electric Co. 5pp. 91998:141-91998:162.

--9703060123 Notice of violation from insp on 970105-0215.Violation noted:on 970123,inspectors identified two licensed operators exceeded overtime limits by working greater than 24 hours in a 48-hour period w/o prior approval & documentation.
* Region 4 (Post 820201). 97/02/28. 2pp. 91998:145-91998:146.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9703200080 Forwards Amend 11 to "Fire Hazards Analysis Rept."
CLONINGER,T.H. Houston Lighting & Power Co. 97/03/10. Document Control Branch (Document Control Desk). 4pp. 92215:001-92216:128.

--9703200084 Amend 11 to "Fire Hazards Analysis Rept."
* Houston Lighting & Power Co. 97/03/10. 488pp. 92215:005-92216:128.

9703280415 Rescinds submitted temporary addendum four to physical security plan,Rev 7A.Temporary addendum four described measures taken during const activities associated with intrusion detection sys upgrade project.
SHEPPARD,J.J. Houston Lighting & Power Co. 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92299:029-92299:030.

9703260271 Forwards RAI re 10CFR50 app R,deviation request for fire area 7,plant,units 1 & 2.
ALEXION,T.W. . 97/03/24. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 92247:336-92247:339.

H. General correspondence

9703280248 Requests that listed changes be made for tranmittals related to South Texas Project,Units 1 & 2.
MARTIN,L.E. Houston Lighting & Power Co. 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92291:106-92291:107.

J. Insurance & indemnity information

9703280254 Submits rept of nuclear insurance protection,per 10CFR50.54(w)(2).
ROSEN,S.L. Houston Lighting & Power Co. 97/03/20. Document Control Branch (Document Control Desk). 9pp. 92291:108-92291:116.

P. Operating license stage documents & correspondence

9703040275 Submits request for approval to allow use of ASME Section XI Code Case N-546, "Alternate Requirements for Qualification of VT-2 Exam Personnel,Section XI,Div 1."
REHKUGLER,R.J. Houston Lighting & Power Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 91992:304-91992:307.

9703070187 Provides corrected organizational chart.Replacement of page six in Chapter 1 of Operations QA Plan requested.
MARTIN,L.E. Houston Lighting & Power Co. 97/03/03. Document Control Branch (Document Control Desk). 4pp. 92014:355-92014:358.

9703110093 Forwards response to request for addl info re Steam Generator Tube Voltage-Based repair criteria 90-day rept.
THOMAS,S.E. Houston Lighting & Power Co. 97/03/04. Document Control Branch (Document Control Desk). 6pp. 92073:349-92073:354.

9703130006 Ack receipt of 970206 response to 961009 request for info re adequacy & availability of design bases info,per 10CFR50.54(f).No addl info needed at this time.
ALEXION,T.W. . 97/03/07. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 92107:356-92107:358.

9703240108 Application for amends to Licenses NPF-76 & NPF-80,amending Tech Specs 3/4.4.5 & 3.4.6.2 to allow installation of laser welded tube sleeves as alternative to plugging defective SG tubes.
CLONINGER,T.H. Houston Lighting & Power Co. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92241:116-92241:138.

--9703240113 Proposed Tech Specs 3/4.4.5 & 3.4.6.2 re SG tube repair using laser welded sleeves.
* Houston Lighting & Power Co. 97/03/17. 20pp. 92241:120-92241:138.

9703280445 Provides response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
CLONINGER,T.H. Houston Lighting & Power Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92299:044-92299:048.

9703250227 Notification of 970403 meeting w/HL&P in Rockville,MD to discuss licensee recent submittal for conversion of South Texas Project TS.
KENNEDY,J.L. . 97/03/18. BECKNER,W.D. . 3pp. 92243:029-92243:032.

9703280307 Notification of 970331 meeting w/utils in Rockville,MD to discuss licensees graded quality assurance application.
ALEXION,T.W. . 97/03/26. BECKNER,W.D. . 4pp. 92276:001-92276:004.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240108 Application for amends to Licenses NPF-76 & NPF-80,amending Tech Specs 3/4.4.5 & 3.4.6.2 to allow installation of laser welded tube sleeves as alternative to plugging defective SG tubes.
CLONINGER,T.H. Houston Lighting & Power Co. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92241:116-92241:138.

--9703240113 Proposed Tech Specs 3/4.4.5 & 3.4.6.2 re SG tube repair using laser welded sleeves.
* Houston Lighting & Power Co. 97/03/17. 20pp. 92241:120-92241:138.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703260226 Forwards insp rept 50-498/97-10 & 50-499/97-10 on 970217-21 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/03/20. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 92256:001-92256:026.

--9703260232 Notice of violation from insp on 970217-21.Violation noted:contamination surveys were not performed to determine concentration or quantities of radioactive matl inside primary side of SG prior to start of work.
* Region 4 (Post 820201). 97/03/20. 2pp. 92256:007-92256:008.

--9703260241 Insp repts 50-498/97-10 & 50-499/97-10 on 970217-21. Violations noted.Major areas inspected:engineering & plant support.
* Region 4 (Post 820201). 97/03/20. 18pp. 92256:009-92256:026.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703270238 Forwards SE re revised response to NRC Bulletin 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant,units 1 & 2.
ALEXION,T.W. . 97/03/24. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 92259:143-92259:151.

--9703270250 Safety evaluation accepting revised response to NRC Bulletion 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant,units 1 & 2.
* . 97/03/24. 4pp. 92259:148-92259:151.

R. Periodic operating reports & related correspondence

9703040398 "Annual Radioactive Effluent Release Rept for 1996 for South TX Project Electric Generating Station." W/970227 ltr.
REYNOLDS,K.W., WILLIAMS,G.E., GANGLUFF,R.A. Houston Lighting & Power Co. 96/12/31. 533pp. 91976:001-91977:169.

9703050478 "Annual Personnel Exposure Rept." W/970227 ltr.
LOGAN,R.V. Houston Lighting & Power Co. 96/12/31. 6pp. 91989:348-91989:353.

9703210315 Monthly operating repts for Feb 1997 for STP.W/970312 ltr.
BERGENDAHL,D.M., PARKEY,G.L., MASSE,R.E. Houston Lighting & Power Co. 97/02/28. 18pp. 92231:343-92231:360.

S. Reportable occurrences, LERs & related correspondence

9703040049 LER 97-003-00:on 970123,potential for overpressurization of piping identified.Caused by deficiency in original design. Thermal insulation installed on lines 3"WL-1009 & 3"WL-2009 & lines have been returned to service.W/970224 ltr.
HEAD,S.M., THOMAS,S.E. Houston Lighting & Power Co. 97/02/24. 5pp. 91971:336-91971:340.

9703060385 LER 97-S01-00:on 970130,security door intrusion alarm was disabled.Caused because risk assessment for testing plan did not ensure adequate compensatory actions were in place to prevent error.Modified startup & testing plan.W/970227 ltr.
HEAD,S.M., PARKEY,G.L. Houston Lighting & Power Co. 97/02/27. 5pp. 92012:347-92012:351.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703280258 Notifies that senior reactor operator JE Grant will no longer serve in position requiring license.
MARTIN,L.E. Houston Lighting & Power Co. 97/03/19. Document Control Branch (Document Control Desk). 2pp. 92291:117-92291:118.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9703200080 Forwards Amend 11 to "Fire Hazards Analysis Rept."
CLONINGER,T.H. Houston Lighting & Power Co. 97/03/10. Document Control Branch (Document Control Desk). 4pp. 92215:001-92216:128.

--9703200084 Amend 11 to "Fire Hazards Analysis Rept."
* Houston Lighting & Power Co. 97/03/10. 488pp. 92215:005-92216:128.

9703280415 Rescinds submitted temporary addendum four to physical security plan,Rev 7A.Temporary addendum four described measures taken during const activities associated with intrusion detection sys upgrade project.
SHEPPARD,J.J. Houston Lighting & Power Co. 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92299:029-92299:030.

9703260271 Forwards RAI re 10CFR50 app R,deviation request for fire area 7,plant,units 1 & 2.
ALEXION,T.W. . 97/03/24. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 92247:336-92247:339.

H. General correspondence

9703280248 Requests that listed changes be made for tranmittals related to South Texas Project,Units 1 & 2.
MARTIN,L.E. Houston Lighting & Power Co. 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92291:106-92291:107.

J. Insurance & indemnity information

9703280254 Submits rept of nuclear insurance protection,per 10CFR50.54(w)(2).
ROSEN,S.L. Houston Lighting & Power Co. 97/03/20. Document Control Branch (Document Control Desk). 9pp. 92291:108-92291:116.

P. Operating license stage documents & correspondence

9703040275 Submits request for approval to allow use of ASME Section XI Code Case N-546, "Alternate Requirements for Qualification of VT-2 Exam Personnel,Section XI,Div 1."
REHKUGLER,R.J. Houston Lighting & Power Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 91992:304-91992:307.

9703070187 *Provides corrected organizational chart.Replacement of page six in Chapter 1 of Operations QA Plan requested.*
MARTIN,L.E. Houston Lighting & Power Co. 97/03/03. Document Control Branch (Document Control Desk). 4pp. 92014:355-92014:358.

9703130006 Ack receipt of 970206 response to 961009 request for info re adequacy & availability of design bases info,per 10CFR50.54(f).No addl info needed at this time.
ALEXION,T.W. . 97/03/07. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 92107:356-92107:358.

9703240108 Application for amends to Licenses NPF-76 & NPF-80,amending Tech Specs 3/4.4.5 & 3.4.6.2 to allow installation of laser welded tube sleeves as alternative to plugging defective SG tubes.
CLONINGER,T.H. Houston Lighting & Power Co. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92241:116-92241:138.

--9703240113 Proposed Tech Specs 3/4.4.5 & 3.4.6.2 re SG tube repair using laser welded sleeves.
* Houston Lighting & Power Co. 97/03/17. 20pp. 92241:120-92241:138.

9703250050 Forwards "STP Unit 2 Cycle 6 COLR."
LEAZAR,D.A. Houston Lighting & Power Co. 97/03/17. Document Control Branch (Document Control Desk). 2pp. 92252:155-92252:166.

--9703250052 "STP Unit 2 Cycle 6 COLR."
* Houston Lighting & Power Co. 97/02/28. 10pp. 92252:157-92252:166.

9703280445 Provides response to GL 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves."
CLONINGER,T.H. Houston Lighting & Power Co. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92299:044-92299:048.

9703250227 Notification of 970403 meeting w/HL&P in Rockville,MD to discuss licensee recent submittal for conversion of South Texas Project TS.
KENNEDY,J.L. . 97/03/18. BECKNER,W.D. . 3pp. 92243:029-92243:032.

9703280307 Notification of 970331 meeting w/utils in Rockville,MD to discuss licensees graded quality assurance application.
ALEXION,T.W. . 97/03/26. BECKNER,W.D. . 4pp. 92276:001-92276:004.

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703240108 Application for amends to Licenses NPF-76 & NPF-80,amending Tech Specs 3/4.4.5 & 3.4.6.2 to allow installation of laser welded tube sleeves as alternative to plugging defective SG tubes.
CLONINGER,T.H. Houston Lighting & Power Co. 97/03/17. Document Control Branch (Document Control Desk). 4pp. 92241:116-92241:138.

--9703240113 Proposed Tech Specs 3/4.4.5 & 3.4.6.2 re SG tube repair using laser welded sleeves.
* Houston Lighting & Power Co. 97/03/17. 20pp. 92241:120-92241:138.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703260226 Forwards insp rept 50-498/97-10 & 50-499/97-10 on 970217-21 & notice of violation.
HOWELL,A.T. Region 4 (Post 820201). 97/03/20. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 92256:001-92256:026.

--9703260232 Notice of violation from insp on 970217-21.Violation noted:contamination surveys were not performed to determine concentration or quantities of radioactive matl inside primary side of SG prior to start of work.
* Region 4 (Post 820201). 97/03/20. 2pp. 92256:007-92256:008.

--9703260241 Insp repts 50-498/97-10 & 50-499/97-10 on 970217-21. Violations noted.Major areas inspected:engineering & plant support.
* Region 4 (Post 820201). 97/03/20. 18pp. 92256:009-92256:026.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703270238 Forwards SE re revised response to NRC Bulletin 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant,units 1 & 2.
ALEXION,T.W. . 97/03/24. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 92259:143-92259:151.

--9703270250 Safety evaluation accepting revised response to NRC Bulletion 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant,units 1 & 2.
* . 97/03/24. 4pp. 92259:148-92259:151.

R. Periodic operating reports & related correspondence

9703040398 "Annual Radioactive Effluent Release Rept for 1996 for South TX Project Electric Generating Station." W/970227 ltr.
REYNOLDS,K.W., WILLIAMS,G.E., GANGLUFF,R.A. Houston Lighting & Power Co. 96/12/31. 533pp. 91976:001-91977:169.

9703050478 "Annual Personnel Exposure Rept." W/970227 ltr.
LOGAN,R.V. Houston Lighting & Power Co. 96/12/31. 6pp. 91989:348-91989:353.

9703210315 *Monthly operating repts for Feb 1997 for STP.W/970312 ltr.*
BERGENDAHL,D.M., PARKEY,G.L., MASSE,R.E. Houston Lighting & Power Co. 97/02/28. 18pp. 92231:343-92231:360.

S. Reportable occurrences, LERs & related correspondence

9703120363 LER 97-001-00:on 970205,main steam safety valve setpoints discovered outside required tolerance occurred.Caused by MSSV above & beyond previously documented setpoint drift. Lift setting of five MSSV were adjusted.W/970306 ltr.
HEAD,S.M., JORDAN,T.J. Houston Lighting & Power Co. 97/03/06. 10pp. 92209:055-92209:064.

9703180244 Forwards LER 97-002-00,for HLP re all four Steam Generators being Classified Category C-3.
WOHLEBER,D.O. Houston Lighting & Power Co. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92237:191-92237:201.

--9703180257 LER 97-002-00:on 970215,Steam Generators 2A eddy current insp results fell into Category C-3.Caused by stress corrosion cracking at tube-to-tube support plate.SG tubes were plugged in four Unit 2 steam generators.
HEAD,S.M. Houston Lighting & Power Co. 97/03/13. 9pp. 92237:193-92237:201.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703280258 Notifies that senior reactor operator JE Grant will no longer serve in position requiring license.
MARTIN,L.E. Houston Lighting & Power Co. 97/03/19. Document Control Branch (Document Control Desk). 2pp. 92291:117-92291:118.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

Q. Inspection reports, IE Bulletins & correspondence

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9703030333 Summary of 970124 meeting w/Arizona Public Service Co in Rockville,MD re security issues at Palo Verde Nuclear Generating Station.
THOMAS,C.R. . 97/02/13. . 4pp. 91932:357-91932:360.

9703040069 Informs that info being provided to plant security manager that could assist in efforts to protect plant against "insider" requirement of design-basis threat.
CLIFFORD,J.W. . 97/02/20. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 91961:183-91961:184.

9703130403 Notification of 970318 meeting w/util in Rockville,MD to discuss security issues.
CLIFFORD,J.W. . 97/03/11. BATEMAN,W.H. . 4pp. 92109:290-92109:293.

9703180256 Forwards response to violations noted in Insp Repts 50-528/96-20,50-529/96-20 & 50-530/96-20.Response withheld, per 10CFR73.21.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:225-92190:226.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

9703200120 Informs that based on review of 970220 ltr & enclosed objectives for plant emergency plan exercise scheduled for 970521,NRC determined that exercise objectives are appropriate to meet emergency plan requirements.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/14. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92188:331-92188:335.

9703250004 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Rept re analysis of potential fire exposure,encl.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 22pp. 92243:171-92243:344.

--9703250005 "Analysis of Potential Fire Exposures to Pressurizer Auxiliary Valve J-CHA-HV-205 & Associated Circuits Currently Protected w/Radiant Energy Heat Shield (REHS)."
HUNT,S.P. Affiliation Not Assigned. 96/04/10. 152pp. 92243:193-92243:344.

9703260087 Ack receipt of 960730 ltr informing of changes to emergency classification procedure for Palo Verde Nuclear Generating Station submitted under provisions of 10CFR50.54(q).Changes acceptable.
HOWELL,A.T. Region 4 (Post 820201). 97/03/19. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92244:259-92244:263.

9703280297 Summary of 970219 meeting w/APS re Thermo-Lag issues.List of meeting attendees & viewgraphs encl.
THOMAS,C.R. . 97/03/27. . 56pp. 92276:052-92276:107.

H. General correspondence

9703110167 Informs of changes in reporting structure for PVNGS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/06. Document Control Branch (Document Control Desk). 3pp. 92121:089-92121:091.

J. Insurance & indemnity information

9703250115 Submits rept of present levels & sources of property insurance maintained for PVNGS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92251:358-92251:359.

P. Operating license stage documents & correspondence

9703060004 Forwards response to RAI per 10CFR50.54(f) re adequacy & availability of design bases info.
LEWIS,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/11. Document Control Branch (Document Control Desk). 84pp. 92009:134-92009:218.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9409120198 Requests that PM for each CE plant review licensee response to GL 89-19 to ensure that 901031 submittal applicable to plant & that licensee response addressed operator training procedures.SER,sample closeout & sample RAI ltrs encl.
JABBOUR,K.N. Project Directorate II-3. 94/09/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:214-92285:215.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

--9703260288 Safety evaluation opposing recommended sys mod to install automatic feedwater pump trip.
* Project Directorate II-3. 94/09/07. 10pp. 92285:216-92285:224.

9703060326 Ack receipt of 970211 ltr in response to NRC 961009 request for info,per 10CFR50.54(f) re adequacy & availability of design bases info.
CLIFFORD,J.W. . 97/03/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 91992:357-91992:359.

9703130295 Forwards copy of environmental assessment & finding of no significant impact related to application for amend dtd 950502,supplemented by 960307 ltr for FR publication.
CLIFFORD,J.W. . 97/03/10. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 92105:335-92105:340.

--9703130300 Notice of environmental assessment & finding of no significant impact for Palo Verde Nuclear Generating Station Units 1,2 & 3.
CLIFFORD,J.W. . 97/03/10. 4pp. 92105:337-92105:340.

9703170096 Ack receipt of 961122 ltr which transmitted condition rept disposition request 9-6-0953 as requested by office.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/13. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92116:346-92116:350.

9703250024 Provides response to RAI re Section 3.5.2 of license amend to implement improved STS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 11pp. 92249:322-92249:351.

--9703250027 Proposed tech specs,providing addl info re increase in SIT minimum N cover pressure.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/16. 19pp. 92249:333-92249:351.

9703250158 Forwards amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74,respectively & safety evaluation.Amends authorize through license condition in each license,to incorporate changes to description of facilities in updated UFSAR.
CLIFFORD,J.W. . 97/03/17. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 92236:256-92236:281.

--9703250160 Amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74, respectively,authorizing through license condition in each license,to incorporate changes to description of facilities in updated UFSAR.
CLIFFORD,J.W. . 97/03/17. 15pp. 92236:259-92236:273.

--9703250161 Safety evaluation supporting amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 97/03/17. 8pp. 92236:274-92236:281.

9703240119 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 10pp. 92242:334-92242:343.

9703250004 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Rept re analysis of potential fire exposure,encl.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 22pp. 92243:171-92243:344.

--9703250005 "Analysis of Potential Fire Exposures to Pressurizer Auxiliary Valve J-CHA-HV-205 & Associated Circuits Currently Protected w/Radiant Energy Heat Shield (REHS)."
HUNT,S.P., BUDNICK,E.K. Affiliation Not Assigned. 96/04/10. 152pp. 92243:193-92243:344.

9703260173 Requests NRC review of revised grid stability analysis under emergency circumstances.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92258:301-92258:303.

9703240166 Forwards copy of environmental assessment & finding of no significant impact re 961227 application for amend to licenses authorizing incorporation in UFSAR of revised electric grid stability analysis.
CLIFFORD,J.W. . 97/03/20. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 92218:080-92218:086.

--9703240168 Environmental assessment & finding of no significant impact re proposed amend to modify licenses to authorize rev of UFSAR to reflect revised electrical grid stability analysis.
CLIFFORD,J.W. . 97/03/20. 4pp. 92218:083-92218:086.

9703260237 Forwards request for addl info re plant pilot proposal for risk-informed in-service testing.
CLIFFORD,J.W. . 97/03/21. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 37pp. 92248:107-92248:142.

9703260277 Summary of 970220 meeting w/APS to discuss results of SG tube current insp particularly as they relate to issue of appropriate cycle length for plant,unit 2.
THOMAS,C. . 97/03/25. . 55pp. 92248:001-92248:055.

9703280297 Summary of 970219 meeting w/APS re Thermo-Lag issues.List of meeting attendees & viewgraphs encl.
THOMAS,C.R. . 97/03/27. . 56pp. 92276:052-92276:107.

Q. Inspection reports, IE Bulletins & correspondence

9703110171 Discusses investigation rept 4-96-025 re investigation conducted by OI at plant to review circumstances surrounding apparent false info provided by contract employees to gain access to Palo Verde facility.
CALLAN,L.J. Region 4 (Post 820201). 96/11/21. BELTRAN,R. Affiliation Not Assigned. 3pp. 92019:187-92019:193.

--9703110203 Notice of violation from investigation rept 4-96-025 in Sept 1996.Violations noted:R Beltran submitted false employment info,claiming employment w/employer for five years when in fact,he had never been employed by employer.
* Region 4 (Post 820201). 96/11/21. 3pp. 92019:191-92019:193.

9703050418 Forwards insp repts 50-528/96-18,50-529/96-18 & 50-530/96-18 on 961229-970208.No violations noted.
HOWELL,A.T. Region 4 (Post 820201). 97/02/26. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91968:015-91968:040.

--9703050424 Insp repts 50-528/96-18,50-529/96-18 & 50-530/96-18 on 961229-970208.No violations noted.Major areas inspected: operations,maint,enginering & plant support.
* Region 4 (Post 820201). 97/02/06. 21pp. 91968:020-91968:040.

9703110026 Ack receipt of 970220 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/96-17, 50-529/96-17 & 50-530/96-17 on 970114.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 92019:038-92019:041.

9703060445 Forwards NRC operator licensing exam repts 50-528/96-14, 50-529/96-14 & 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 1p. 91989:100-91989:328.

--9703060454 *Forwards insp repts 50-528/96-14,50-529/96-14 & 530/96-14 on* 961118-22.Insp included evaluation of four applicants for SRO licenses.
GWYNN,T.P. Region 4 (Post 820201). 96/12/27. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91989:101-91989:104.

--9703070011 NRC Operator Licensing Exam Rept 50-528/96-14;50-529/96-14; 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
* Region 4 (Post 820201). 97/03/03. 224pp. 91989:105-91989:328.

9703100128 Forwards info re OL exams on 961118-22 for distribution to NRC.Facility submitted outline & initial exam submittal encl.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 159pp. 91999:001-91999:159.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703170094 Forwards revised insp procedure 40501, "Licensee Self Assessments RE Area of Emphasis Insp," on 970211.Request for performance of self assessment as alternative to engineering team insp scheduled for May 1997,denied.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/11. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92116:310-92116:345.

--9703170106 Insp procedure 40501, "Licensee Self Assessments Re Team Insps."
* Region 4 (Post 820201). 97/02/11. 5pp. 92116:315-92116:345.

9703180256 Forwards response to violations noted in Insp Repts 50-528/96-20,50-529/96-20 & 50-530/96-20.Response withheld, per 10CFR73.21.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:225-92190:226.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703260340 Responds to insp repts 50-528/96-14,50-529/96-14 & 50-530/96-14.Insp included evaluation of four applicants for senior reactor operator licenses.Three of four candidates satisfied requirements.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92259:236-92259:237.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703250111 "Personnel Monitoring Rept for 1996." W/970318 ltr.
KRAINICK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/12/31. 5pp. 92252:054-92252:058.

9703120037 Forwards fitness for duty program semi-annual performance rept for Jul-Dec 1996.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/28. Document Control Branch (Document Control Desk). 12pp. 92124:278-92124:289.

9703180028 Monthly operating repts for Feb 1997 for PVNGS,Units 1,2 & 3.W/970311 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/28. 16pp. 92195:340-92195:355.

S. Reportable occurrences, LERs & related correspondence

9703040091 Forwards LER 95-007-02 re adverse affect of low bench set on fisher air operated letdown/containment isolation valves.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/20. Document Control Branch (Document Control Desk). 2pp. 91971:341-91971:352.

--9703040103 LER 95-007-02:on 950512,personnel determined low bench settings of air-operated letdown/containment isolation valves adversely affected ability of valves.Caused by undersized air actuators.Affected valves modified.
MARKS,D.G. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/20. 10pp. 91971:343-91971:352.

V. Operator Examinations

9703070027 Forwards proposed test outlines for Initial License Exam to be administered in Nov 1996 at PVNGS.
BAUGHMAN,M.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/08/22. MCCRORY,S. Region 4 (Post 820201). 17pp. 91980:001-91980:356.

--9703070033 Forwards proposed initial license exam w/two mods made to sample plan to be administered in Nov 1996 at PVNGS.
NUNEZ,R.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/09/27. MCCRORY,S. Region 4 (Post 820201). 356pp. 91980:018-91980:356.

9703060445 Forwards NRC operator licensing exam repts 50-528/96-14, 50-529/96-14 & *50-530/96-14 (including completed & graded tests) for tests administered on* 961118-22.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 1p. 91989:100-91989:328.

--9703060454 Forwards insp repts 50-528/96-14,50-529/96-14 & 530/96-14 on 961118-22.Insp included evaluation of four applicants for SRO licenses.
GWYNN,T.P. Region 4 (Post 820201). 96/12/27. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91989:101-91989:104.

--9703070011 NRC Operator Licensing Exam Rept 50-528/96-14;50-529/96-14; 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
* Region 4 (Post 820201). 97/03/03. 224pp. 91989:105-91989:328.

9703100128 Forwards info re OL exams on 961118-22 for distribution to NRC.Facility submitted outline & initial exam submittal encl.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 159pp. 91999:001-91999:159.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703250031 Informs that no candidates taking Generic Fundamentals Exam section of written operator licensing exam scheduled on 970409.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/07. DYER,J.E. Region 4 (Post 820201). 2pp. 92249:359-92249:360.

9703260340 Responds to insp repts 50-528/96-14,50-529/96-14 & 50-530/96-14.Insp included evaluation of four applicants for senior reactor operator licenses.Three of four candidates satisfied requirements.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92259:236-92259:237.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9703030333 Summary of 970124 meeting w/Arizona Public Service Co in Rockville,MD re security issues at Palo Verde Nuclear Generating Station.
THOMAS,C.R. . 97/02/13. . 4pp. 91932:357-91932:360.

9703040069 Informs that info being provided to plant security manager that could assist in efforts to protect plant against "insider" requirement of design-basis threat.
CLIFFORD,J.W. . 97/02/20. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 91961:183-91961:184.

9703130403 Notification of 970318 meeting w/util in Rockville,MD to discuss security issues.
CLIFFORD,J.W. . 97/03/11. BATEMAN,W.H. . 4pp. 92109:290-92109:293.

9703180256 Forwards response to violations noted in Insp Repts 50-528/96-20,50-529/96-20 & 50-530/96-20.Response withheld, per 10CFR73.21.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:225-92190:226.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

9703200120 Informs that based on review of 970220 ltr & enclosed objectives for plant emergency plan exercise scheduled for 970521,NRC determined that exercise objectives are appropriate to meet emergency plan requirements.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/14. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92188:331-92188:335.

9703250004 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Rept re analysis of potential fire exposure,encl.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 22pp. 92243:171-92243:344.

--9703250005 "Analysis of Potential Fire Exposures to Pressurizer Auxiliary Valve J-CHA-HV-205 & Associated Circuits Currently Protected w/Radiant Energy Heat Shield (REHS)."
HUNT,S.P. Affiliation Not Assigned. 96/04/10. 152pp. 92243:193-92243:344.

9703260087 Ack receipt of 960730 ltr informing of changes to emergency classification procedure for Palo Verde Nuclear Generating Station submitted under provisions of 10CFR50.54(q).Changes acceptable.
HOWELL,A.T. Region 4 (Post 820201). 97/03/19. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92244:259-92244:263.

9703280297 Summary of 970219 meeting w/APS re Thermo-Lag issues.List of meeting attendees & viewgraphs encl.
THOMAS,C.R. . 97/03/27. . 56pp. 92276:052-92276:107.

H. General correspondence

9703110167 Informs of changes in reporting structure for PVNGS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/06. Document Control Branch (Document Control Desk). 3pp. 92121:089-92121:091.

J. Insurance & indemnity information

9703250115 Submits rept of present levels & sources of property insurance maintained for PVNGS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92251:358-92251:359.

P. Operating license stage documents & correspondence

9703060004 Forwards response to RAI per 10CFR50.54(f) re adequacy & availability of design bases info.
LEWIS,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/11. Document Control Branch (Document Control Desk). 84pp. 92009:134-92009:218.

9409120198 Requests that PM for each CE plant review licensee response to GL 89-19 to ensure that 901031 submittal applicable to plant & that licensee response addressed operator training procedures.SER,sample closeout & sample RAI ltrs encl.
JABBOUR,K.N. Project Directorate II-3. 94/09/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:214-92285:215.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

--9703260288 Safety evaluation opposing recommended sys mod to install automatic feedwater pump trip.
* Project Directorate II-3. 94/09/07. 10pp. 92285:216-92285:224.

9703060326 Ack receipt of 970211 ltr in response to NRC 961009 request for info,per 10CFR50.54(f) re adequacy & availability of design bases info.
CLIFFORD,J.W. . 97/03/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 91992:357-91992:359.

9703130295 Forwards copy of environmental assessment & finding of no significant impact related to application for amend dtd 950502,supplemented by 960307 ltr for FR publication.
CLIFFORD,J.W. . 97/03/10. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 92105:335-92105:340.

--9703130300 Notice of environmental assessment & finding of no significant impact for Palo Verde Nuclear Generating Station Units 1,2 & 3.
CLIFFORD,J.W. . 97/03/10. 4pp. 92105:337-92105:340.

9703170096 Ack receipt of 961122 ltr which transmitted condition rept disposition request 9-6-0953 as requested by office.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/13. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92116:346-92116:350.

9703250024 Provides response to RAI re Section 3.5.2 of license amend to implement improved STS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/16. Document Control Branch (Document Control Desk). 11pp. 92249:322-92249:351.

--9703250027 Proposed tech specs,providing addl info re increase in SIT minimum N cover pressure.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/16. 19pp. 92249:333-92249:351.

9703250158 Forwards amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74,respectively & safety evaluation.Amends authorize through license condition in each license,to incorporate changes to description of facilities in updated UFSAR.
CLIFFORD,J.W. . 97/03/17. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 92236:256-92236:281.

--9703250160 Amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74, respectively,authorizing through license condition in each license,to incorporate changes to description of facilities in updated UFSAR.
CLIFFORD,J.W. . 97/03/17. 15pp. 92236:259-92236:273.

--9703250161 Safety evaluation supporting amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 97/03/17. 8pp. 92236:274-92236:281.

9703240119 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 10pp. 92242:334-92242:343.

9703250004 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Rept re analysis of potential fire exposure,encl.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 22pp. 92243:171-92243:344.

--9703250005 "Analysis of Potential Fire Exposures to Pressurizer Auxiliary Valve J-CHA-HV-205 & Associated Circuits Currently Protected w/Radiant Energy Heat Shield (REHS)."
HUNT,S.P., BUDNICK,E.K. Affiliation Not Assigned. 96/04/10. 152pp. 92243:193-92243:344.

9703260173 Requests NRC review of revised grid stability analysis under emergency circumstances.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92258:301-92258:303.

9703240166 Forwards copy of environmental assessment & finding of no significant impact re 961227 application for amend to licenses authorizing incorporation in UFSAR of revised electric grid stability analysis.
CLIFFORD,J.W. . 97/03/20. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 92218:080-92218:086.

--9703240168 Environmental assessment & finding of no significant impact re proposed amend to modify licenses to authorize rev of UFSAR to reflect revised electrical grid stability analysis.
CLIFFORD,J.W. . 97/03/20. 4pp. 92218:083-92218:086.

9703260237 Forwards request for addl info re plant pilot proposal for risk-informed in-service testing.
CLIFFORD,J.W. . 97/03/21. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 37pp. 92248:107-92248:142.

9703260277 Summary of 970220 meeting w/APS to discuss results of SG tube current insp particularly as they relate to issue of appropriate cycle length for plant,unit 2.
THOMAS,C. . 97/03/25. . 55pp. 92248:001-92248:055.

9703280297 Summary of 970219 meeting w/APS re Thermo-Lag issues.List of meeting attendees & viewgraphs encl.
THOMAS,C.R. . 97/03/27. . 56pp. 92276:052-92276:107.

Q. Inspection reports, IE Bulletins & correspondence

9703110171 Discusses investigation rept 4-96-025 re investigation conducted by OI at plant to review circumstances surrounding apparent false info provided by contract employees to gain access to Palo Verde facility.
CALLAN,L.J. Region 4 (Post 820201). 96/11/21. BELTRAN,R. Affiliation Not Assigned. 3pp. 92019:187-92019:193.

--9703110203 Notice of violation from investigation rept 4-96-025 in Sept 1996.Violations noted:R Beltran submitted false employment info,claiming employment w/employer for five years when in fact,he had never been employed by employer.
* Region 4 (Post 820201). 96/11/21. 3pp. 92019:191-92019:193.

9703050418 Forwards insp repts 50-528/96-18,50-529/96-18 & 50-530/96-18 on 961229-970208.No violations noted.
HOWELL,A.T. Region 4 (Post 820201). 97/02/26. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91968:015-91968:040.

--9703050424 Insp repts 50-528/96-18,50-529/96-18 & 50-530/96-18 on 961229-970208.No violations noted.Major areas inspected: operations,maint,enginering & plant support.
* Region 4 (Post 820201). 97/02/06. 21pp. 91968:020-91968:040.

9703110026 Ack receipt of 970220 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/96-17, 50-529/96-17 & 50-530/96-17 on 970114.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 92019:038-92019:041.

9703060445 Forwards NRC operator licensing exam repts 50-528/96-14, 50-529/96-14 & 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 1p. 91989:100-91989:328.

--9703060454 Forwards insp repts 50-528/96-14,50-529/96-14 & 530/96-14 on 961118-22.Insp included evaluation of four applicants for SRO licenses.
GWYNN,T.P. Region 4 (Post 820201). 96/12/27. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91989:101-91989:104.

--9703070011 NRC Operator Licensing Exam Rept 50-528/96-14;50-529/96-14; 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
* Region 4 (Post 820201). 97/03/03. 224pp. 91989:105-91989:328.

9703100128 Forwards info re OL exams on 961118-22 for distribution to NRC.Facility submitted outline & initial exam submittal encl.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 159pp. 91999:001-91999:159.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703170094 Forwards revised insp procedure 40501, "Licensee Self Assessments RE Area of Emphasis Insp," on 970211.Request for performance of self assessment as alternative to engineering team insp scheduled for May 1997,denied.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/11. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92116:310-92116:345.

--9703170106 Insp procedure 40501, "Licensee Self Assessments Re Team Insps."
* Region 4 (Post 820201). 97/02/11. 5pp. 92116:315-92116:345.

9703180256 Forwards response to violations noted in Insp Repts 50-528/96-20,50-529/96-20 & 50-530/96-20.Response withheld, per 10CFR73.21.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:225-92190:226.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703250171 Forwards documentation of meeting conducted in Region 4 office on 970225 to discuss NRC enforcement policy as applied to nonescalated enforcement.
VASQUEZ,M. Region 4 (Post 820201). 97/03/20. Region 4 (Post 820201). 17pp. 92237:081-92237:097.

9703260340 Responds to insp repts 50-528/96-14,50-529/96-14 & 50-530/96-14.Insp included evaluation of four applicants for senior reactor operator licenses.Three of four candidates satisfied requirements.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92259:236-92259:237.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703250111 "Personnel Monitoring Rept for 1996." W/970318 ltr.
KRAINICK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/12/31. 5pp. 92252:054-92252:058.

9703120037 Forwards fitness for duty program semi-annual performance rept for Jul-Dec 1996.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/28. Document Control Branch (Document Control Desk). 12pp. 92124:278-92124:289.

9703160028 Monthly operating repts for Feb 1997 for PVNGS,Units 1,2 & 3.W/970311 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/28. 16pp. 92195:340-92195:355.

V. Operator Examinations

9703070027 Forwards proposed test outlines for Initial License Exam to be administered in Nov 1996 at PVNGS.
BAUGHMAN,M.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/08/22. MCCRORY,S. Region 4 (Post 820201). 17pp. 91980:001-91980:356.

--9703070033 Forwards proposed initial license exam w/two mods made to sample plan to be administered in Nov 1996 at PVNGS.
NUNEZ,R.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/09/27. MCCRORY,S. Region 4 (Post 820201). 356pp. 91980:018-91980:356.

9703060445 Forwards NRC operator licensing exam repts 50-528/96-14, 50-529/96-14 & 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 1p. 91989:100-91989:328.

--9703060454 Forwards insp repts 50-528/96-14,50-529/96-14 & 530/96-14 on 961118-22.Insp included evaluation of four applicants for SRO licenses.
GWYNN,T.P. Region 4 (Post 820201). 96/12/27. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91989:101-91989:104.

--9703070011 NRC Operator Licensing Exam Rept 50-528/96-14;50-529/96-14; 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
* Region 4 (Post 820201). 97/03/03. 224pp. 91989:105-91989:328.

9703100128 Forwards info re OL exams on 961118-22 for distribution to NRC.Facility submitted outline & initial exam submittal encl.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 159pp. 91999:001-91999:159.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703250031 Informs that no candidates taking Generic Fundamentals Exam section of written operator licensing exam scheduled on 970409.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/07. DYER,J.E. Region 4 (Post 820201). 2pp. 92249:359-92249:360.

9703260340 Responds to insp repts 50-528/96-14,50-529/96-14 & 50-530/96-14.Insp included evaluation of four applicants for senior reactor operator licenses.Three of four candidates satisfied requirements.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92259:236-92259:237.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9703030333 Summary of 970124 meeting w/Arizona Public Service Co in Rockville,MD re security issues at Palo Verde Nuclear Generating Station.
THOMAS,C.R. . 97/02/13. . 4pp. 91932:357-91932:360.

9703040069 Informs that info being provided to plant security manager that could assist in efforts to protect plant against "insider" requirement of design-basis threat.
CLIFFORD,J.W. . 97/02/20. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 91961:183-91961:184.

9703130403 Notification of 970318 meeting w/util in Rockville,MD to discuss security issues.
CLIFFORD,J.W. . 97/03/11. BATEMAN,W.H. . 4pp. 92109:290-92109:293.

9703180256 Forwards response to violations noted in Insp Repts 50-528/96-20,50-529/96-20 & 50-530/96-20.Response withheld, per 10CFR73.21.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:225-92190:226.

9703180159 Forwards ER Data Sys implementation documents.
JOLICOEUR,J.R. Incident Response Branch. 97/03/13. SAUL,K.L. SCIENTECH, Inc. 1p. 92177:233-92177:233.

9703200120 Informs that based on review of 970220 ltr & enclosed objectives for plant emergency plan exercise scheduled for 970521,NRC determined that exercise objectives are appropriate to meet emergency plan requirements.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/14. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92188:331-92188:335.

9703250004 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Rept re analysis of potential fire exposure,encl.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 22pp. 92243:171-92243:344.

--9703250005 "Analysis of Potential Fire Exposures to Pressurizer Auxiliary Valve J-CHA-HV-205 & Associated Circuits Currently Protected w/Radiant Energy Heat Shield (REHS)."
HUNT,S.P. Affiliation Not Assigned. 96/04/10. 152pp. 92243:193-92243:344.

9703260087 Ack receipt of 960730 ltr informing of changes to emergency classification procedure for Palo Verde Nuclear Generating Station submitted under provisions of 10CFR50.54(q).Changes acceptable.
HOWELL,A.T. Region 4 (Post 820201). 97/03/19. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92244:259-92244:263.

9703260297 Summary of 970219 meeting w/APS re Thermo-Lag issues.List of meeting attendees & viewgraphs encl.
THOMAS,C.R. . 97/03/27. . 56pp. 92276:052-92276:107.

H. General correspondence

9703110167 Informs of changes in reporting structure for PVNGS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/06. Document Control Branch (Document Control Desk). 3pp. 92121:089-92121:091.

J. Insurance & Indemnity Information

9703250115 Submits rept of present levels & sources of property insurance maintained for PVNGS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92251:358-92251:359.

P. Operating license stage documents & correspondence

9703060004 Forwards response to RAI per 10CFR50.54(f) re adequacy & availability of design bases info.
LEWIS,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/11. Document Control Branch (Document Control Desk). 84pp. 92009:134-92009:218.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9409120198 Requests that PM for each CE plant review licensee response to GL 89-19 to ensure that 901031 submittal applicable to plant & that licensee response addressed operator training procedures.SER,sample closeout & sample RAI ltrs encl.
JABBOUR,K.N. Project Directorate II-3. 94/09/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:214-92285:215.

--9703140079 Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . 93/06/29. 4pp. 92284:217-92284:220.

--9703260288 Safety evaluation opposing recommended sys mod to install automatic feedwater pump trip.
* Project Directorate II-3. 94/09/07. 10pp. 92285:216-92285:224.

9703060326 Ack receipt of 970211 ltr in response to NRC 961009 request for info,per 10CFR50.54(f) re adequacy & availability of design bases info.
CLIFFORD,J.W. . 97/03/03. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 91992:357-91992:359.

9703130295 Forwards copy of environmental assessment & finding of no significant impact related to application for amend dtd 950502,supplemented by 960307 ltr for FR publication.
CLIFFORD,J.W. . 97/03/10. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 92105:335-92105:340.

--9703130300 Notice of environmental assessment & finding of no significant impact for Palo Verde Nuclear Generating Station Units 1,2 & 3.
CLIFFORD,J.W. . 97/03/10. 4pp. 92105:337-92105:340.

9703170096 Ack receipt of 961122 ltr which transmitted condition rept disposition request 9-6-0953 as requested by office.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/13. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92116:346-92116:350.

9703250024 Provides response to RAI re Section 3.5.2 of license amend to implement improved STS.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/16. Document Control Branch (Document Control Desk). 11pp. 92249:322-92249:351.

--9703250027 Proposed tech specs,providing addl info re increase in SIT minimum N cover pressure.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/16. 19pp. 92249:333-92249:351.

9703250158 Forwards amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74,respectively & safety evaluation.Amends authorize through license condition in each license,to incorporate changes to description of facilities in updated UFSAR.
CLIFFORD,J.W. . 97/03/17. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 92236:256-92236:281.

--9703250160 Amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74, respectively,authorizing through license condition in each license,to incorporate changes to description of facilities in updated UFSAR.
CLIFFORD,J.W. . 97/03/17. 15pp. 92236:259-92236:273.

--9703250161 Safety evaluation supporting amends 111,103 & 83 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 97/03/17. 8pp. 92236:274-92236:281.

9703240119 Provides 180-day response to GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 10pp. 92242:334-92242:343.

9703250004 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Rept re analysis of potential fire exposure,encl.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 22pp. 92243:171-92243:344.

--9703250005 "Analysis of Potential Fire Exposures to Pressurizer Auxiliary Valve J-CHA-HV-205 & Associated Circuits Currently Protected w/Radiant Energy Heat Shield (REHS)."
HUNT,S.P., BUDNICK,E.K. Affiliation Not Assigned. 96/04/10. 152pp. 92243:193-92243:344.

9703260173 Requests NRC review of revised grid stability analysis under emergency circumstances.
IDE,W.E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/18. Document Control Branch (Document Control Desk). 3pp. 92258:301-92258:303.

9703240166 Forwards copy of environmental assessment & finding of no significant impact re 961227 application for amend to licenses authorizing incorporation in UFSAR of revised electric grid stability analysis.
CLIFFORD,J.W. . 97/03/20. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 92218:080-92218:066.

--9703240168 Environmental assessment & finding of no significant impact re proposed amend to modify licenses to authorize rev of UFSAR to reflect revised electrical grid stability analysis.
CLIFFORD,J.W. . 97/03/20. 4pp. 92218:083-92218:086.

9703260237 Forwards request for addl info re plant pilot proposal for risk-informed inservice testing.
CLIFFORD,J.W. . 97/03/21. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 37pp. 92248:107-92248:142.

9703260277 Summary of 970220 meeting w/APS to discuss results of SG tube current insp particularly as they relate to issue of appropriate cycle length for plant,unit 2.
THOMAS,C. . 97/03/25. . 55pp. 92248:001-92248:055.

9703280297 Summary of 970219 meeting w/APS re Thermo-Lag issues.List of meeting attendees & viewgraphs encl.
THOMAS,C.R. . 97/03/27. . 56pp. 92276:052-92276:107.

Q. Inspection reports, IE Bulletins & correspondence

9703110171 Discusses investigation rept 4-96-025 re investigation conducted by OI at plant to review circumstances surrounding apparent false info provided by contract employees to gain access to Palo Verde facility.
CALLAN,L.J. Region 4 (Post 820201). 96/11/21. BELTRAN,R. Affiliation Not Assigned. 3pp. 92019:187-92019:193.

--9703110203 Notice of violation from investigation rept 4-96-025 in Sept 1996.Violations noted:R Beltran submitted false employment info,claiming employment w/employer for five years when in fact,he had never been employed by employer.
* Region 4 (Post 820201). 96/11/21. 3pp. 92019:191-92019:193.

9703050416 Forwards insp repts 50-528/96-18,50-529/96-18 & 50-530/96-18 on 961229-970208.No violations noted.
HOWELL,A.T. Region 4 (Post 820201). 97/02/26. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 91968:015-91968:040.

--9703050424 Insp repts 50-528/96-18,50-529/96-18 & 50-530/96-18 on 961229-970208.No violations noted.Major areas inspected: operations,maint,enginering & plant support.
* Region 4 (Post 820201). 97/02/06. 21pp. 91968:020-91968:040.

9703110026 Ack receipt of 970220 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/96-17, 50-529/96-17 & 50-530/96-17 on 970114.
HOWELL,A.T. Region 4 (Post 820201). 97/02/28. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 92019:038-92019:041.

9703060445 Forwards NRC operator licensing exam repts 50-528/96-14, 50-529/96-14 & 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 1p. 91989:100-91989:328.

--9703060454 Forwards insp repts 50-528/96-14,50-529/96-14 & 530/96-14 on 961118-22.Insp included evaluation of four applicants for SRO licenses.
GWYNN,T.P. Region 4 (Post 820201). 96/12/27. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91989:101-91989:104.

--9703070011 NRC Operator Licensing Exam Rept 50-528/96-14;50-529/96-14; 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
* Region 4 (Post 820201). 97/03/03. 224pp. 91989:105-91989:328.

9703100128 Forwards info re OL exams on 961118-22 for distribution to NRC.Facility submitted outline & initial exam submittal encl.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 159pp. 91999:001-91999:159.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703170094 Forwards revised insp procedure 40501, "Licensee Self Assessments RE Area of Emphasis Insp," on 970211.Request for performance of self assessment as alternative to engineering team insp scheduled for May 1997,denied.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/11. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 92116:310-92116:345.

--**9703170106** Insp procedure 40501, "Licensee Self Assessments Re Team Insps."
* Region 4 (Post 820201). 97/02/11. 5pp. 92116:315-92116:345.

9703180256 Forwards response to violations noted in Insp Repts 50-528/96-20,50-529/96-20 & 50-530/96-20.Response withheld, per 10CFR73.21.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92190:225-92190:226.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703260340 Responds to insp repts 50-528/96-14,50-529/96-14 & 50-530/96-14.Insp included evaluation of four applicants for senior reactor operator licenses.Three of four candidates satisfied requirements.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92259:236-92259:237.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

R. Periodic operating reports & related correspondence

9703250111 "Personnel Monitoring Rept for 1996." W/970318 ltr.
KRAINICK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/12/31. 5pp. 92252:054-92252:058.

9703120037 Forwards fitness for duty program semi-annual performance rept for Jul-Dec 1996.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/28. Document Control Branch (Document Control Desk). 12pp. 92124:278-92124:289.

9703180028 Monthly operating repts for Feb 1997 for PVNGS,Units 1,2 & 3.W/970311 ltr.
FULTON,J.D., OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/02/28. 16pp. 92195:340-92195:355.

V. Operator Examinations

9703070027 Forwards proposed test outlines for Initial License Exam to be administered in Nov 1996 at PVNGS.
BAUGHMAN,M.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/08/22. MCCRORY,S. Region 4 (Post 820201). 17pp. 91980:001-91980:356.

--**9703070033** Forwards proposed initial license exam w/two mods made to sample plan to be administered in Nov 1996 at PVNGS.
NUNEZ,R.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/09/27. MCCRORY,S. Region 4 (Post 820201). 356pp. 91980:018-91980:356.

9703060445 Forwards NRC operator licensing exam repts 50-528/96-14, 50-529/96-14 & 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 1p. 91989:100-91989:328.

--**9703060454** Forwards insp repts 50-528/96-14,50-529/96-14 & 530/96-14 on 961118-22.Insp included evaluation of four applicants for SRO licenses.
GWYNN,T.P. Region 4 (Post 820201). 96/12/27. LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 91989:101-91989:104.

--**9703070011** NRC Operator Licensing Exam Rept 50-528/96-14;50-529/96-14; 50-530/96-14 (including completed & graded tests) for tests administered on 961118-22.
* Region 4 (Post 820201). 97/03/03. 224pp. 91989:105-91989:328.

9703100128 Forwards info re OL exams on 961118-22 for distribution to NRC.Facility submitted outline & initial exam submittal encl.
HURLEY,L. Region 4 (Post 820201). 97/03/03. Document Control Branch (Document Control Desk). 159pp. 91999:001-91999:159.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703250031 Informs that no candidates taking Generic Fundamentals Exam section of written operator licensing exam scheduled on 970409.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/07. DYER,J.E. Region 4 (Post 820201). 2pp. 92249:359-92249:360.

9703260340 Responds to insp repts 50-528/96-14,50-529/96-14 & 50-530/96-14.Insp included evaluation of four applicants for senior reactor operator licenses.Three of four candidates satisfied requirements.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 97/03/20. Document Control Branch (Document Control Desk). 2pp. 92259:236-92259:237.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

V. Operator Examinations

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

DOCKET 50-602 UNIV. OF TEXAS RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9703200378 "1996 Annual Rept for Nuclear Engineering Teaching Lab JJ Pickle Research Campus." W/970311 ltr.
BAUER,T.L. Texas, Univ. of, Austin, TX. 96/12/31. 75pp. 92212:053-92212:127.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9703030009 Forwards non-proprietary & proprietary versions of response to RAI dtd 970103 which presents sensitivity analysis of PRHR heat exchanger under limiting accident conditions. Results listed.Encl withheld,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/20. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 91957:304-91957:324.

--**9703030011** Requests that W responses to RAI on AP600 be withheld from public disclosure,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/20. QUAY,T.R. Document Control Branch (Document Control Desk). 19pp. 91957:306-91957:324.

9703030472 Forwards non-proprietary & proprietary versions of responses to 970103 comments on revised AP600 PRHR heat exchanger test rept.Affidavit,encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/21. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 91972:209-91972:228.

--**9703030474** Requests that W responses to NRC RAI on AP600 be withheld from public disclosure,per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/21. QUAY,T.R. Document Control Branch (Document Control Desk). 17pp. 91972:212-91972:228.

9703060092 Forwards diskette that contains AP600 MAAP4 file called 3BE.TAB.Diskette located in NRC File Ctr.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/24. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 92016:247-92016:247.

9703060151 Forwards AP600 external reactor vessel cooling RAI for June 1992 application for design certification.Portion of info being withheld from public disclosure pending staff final determination.
SEBROSKY,J.M. . 97/02/24. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 91999:209-91999:212.

9703040329 Provides Commission w/schedule for staff review of AP600 design certification application.
CALLAN,L.J. Ofc of the Executive Director for Operations. SECY-97-051. 97/02/26. 13pp. 92108:253-92108:265.

9703070057 Forwards three copies of W response to open items on AP600 topics.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/27. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 92015:352-92015:355.

9703050346 Notification of 970305 meeting w/Westinghouse in Rockville, MD to discuss completion of Westinghouse repts for AP600 passive containment cooling sys & resolution paths for open items.
JACKSON,D.T. . 97/02/28. QUAY,T.R. . 3pp. 91990:035-91990:037.

9703060191 Forwards WCAP-14845, "Scaling Analysis for AP600 Containment Pressure During Design Basis Accidents," & attachments supporting NRC review of WCAP-14845.WCAP-14845 withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/26. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 92012:212-92012:241.

--**9703060212** Requests that WCAP-14845, "Scaling Analysis for AP600 Containment Pressure During DBA," be withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/26. QUAY,T.R. Document Control Branch (Document Control Desk). 25pp. 92012:217-92012:241.

9703060280 Forwards draft AP600 PRA Table 59-30,AP600 PRA-based insights,summarizing important design features,operational assumptions & risk insights of AP600 PRA.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/26. QUAY,T.R. Document Control Branch (Document Control Desk). 17pp. 92000:323-92000:339.

9703060170 Summary of 970121-22 meeting w/W in Monroeville,PA to discuss issues associated w/insights form AP600 PRA.
SEBROSKY,J.M. . 97/03/03. . 20pp. 91999:234-91999:253.

9703070048 Forwards non-proprietary copies of WCAP-14808, "NOTRUMP Final Validation Rept for AP600," Revs 0 & 1.TRs address aspects of AP600 Design Certification Application.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/03. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 92040:001-92042:071.

--**9703070054** Non-proprietary Rev 1 to WCAP-14808, "NOTRUMP Final Validation Rept for AP600."
FITTANTE,R.L., GAGON,A.F., HALAC,K.E. Westinghouse Electric Corp. WCAP-14808 R01. 97/02/28. 146pp. 92040:002-92040:146.

--**9703070063** Non-proprietary Rev 0 to WCAP-14808, "NOTRUMP Final Validation Rept for AP600."
FITTANTE,R.L., GAGON,A.F., HALAC,K.E. Westinghouse Electric Corp. WCAP-14808 R00. 97/01/31. 653pp. 92040:147-92042:071.

9703050514 Requests addl info re use of WCOBRA/TRAC large break LOCA analysis computer code for assessing long term cooling performance of AP600.
HUFFMAN,W.C. . 97/03/04. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 91961:200-91961:203.

9703060155 Notification of 970313 meeting w/Westinghouse Electric Corp in Rockville,MD to discuss final AP600 NOTRUMP validation rept results w/emphasis on SPES & OSU.NOTRUMP related items to be discussed before ACRS will also be reviewed.
HUFFMAN,W.C. . 97/03/04. QUAY,T.R. . 4pp. 91991:336-91991:339.

9703070100 Summary of 961220,970129-30 & 0219 telcons w/W re AP600 adverse sys interaction rept WCAP-14477.List of participants encl.
HUFFMAN,W.C. . 97/03/04. . 14pp. 92006:132-92006:145.

9703070105 Summary of 961209-13 meeting w/W in Monroeville,PA re audit W calculations & discuss pertinent open items related to SSAR Sections 3.7 & 3.8 on AP600 structural design. W/list of attendees,agenda & handouts.
JACKSON,D.T. . 97/03/04. . 200pp. 91997:001-91997:198.

9703100231 Submits response to question posed by staff in 970117,to clarify basis for AP600 passive containment sys PIRT as shown in WCAP-14811,Rev 0,submitted to NRC in Dec 1996.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/04. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 92035:359-92035:360.

9703060356 Notification of 970312 meeting w/W in Rockville,MD to discuss use of WCOBRA/TRAC for long term cooling analyses.
HUFFMAN,W.C. . 97/03/05. QUAY,T.R. . 7pp. 91999:187-91999:193.

9703120362 Discusses Westinghouse support of NRC review of AP600 design certification review.
COLLINS,S.J. . 97/03/06. BRUSCHI,H.J. Wisconsin Electric Power Co. 3pp. 92079:192-92079:210.

9703130401 Summary of 970130 telcon between listed members of W & NRC re W retraction of request to apply leak-before-break methodology to AP600 feedwater line.
JACKSON,D.T. . 97/03/07. . 54pp. 92107:282-92107:336.

9703170257 Forwards non-proprietary & proprietary SAE-APS-97-20, "WC/T Validation for AP600 long Term Cooling." Proprietary info withheld (ref 10CFR2.790).
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/10. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 92157:335-92157:352.

--**9703170259** Requests that proprietary SAE-APS-97-20, "WC/T Validation for AP600 Long Term Cooling," be withheld (ref 10CFR2.790).
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/10. QUAY,T.R. Document Control Branch (Document Control Desk). 8pp. 92157:339-92157:346.

--**9703170260** Non-proprietary SAE-APS-97-20, "WC/T Validation for AP600 Long Term Cooling."
GARNER,D.C. Westinghouse Electric Corp. SAE-APS-97-20. 97/03/06. 6pp. 92157:347-92157:352.

9703180010 Forwards WCAP-14857, "AP600 Long Term Cooling Summary Rept," which provides overview of matl presented in WCOBRA/TRAC Long-Term Cooling Validation Rept (WCAP-14776).
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/10. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 92200:052-92200:084.

--**9703180015** TR WCAP-14857, "AP600 Long-Term Core Cooling Summary Rept."
GARNER,D.C., HOCHREITER,L.E., KEMPER,R.M. Westinghouse Electric Corp. WCAP-14857. 97/03/31. 30pp. 92200:054-92200:084.

9703140120 Discusses NUREG/CR-6414, "Piping Benchmark Problems for Westinghouse AP600 Standardized Plant."
JACKSON,D.T. . 97/03/11. MCINTYRE,B.A. Westinghouse Electric Corp. 2pp. 92115:159-92115:160.

9703140147 Summary of 970130 telcon w/W to discuss draft safety evaluation rept open item 19.1.3.1-9 on W updating shutdown PRA model.
SEBROSKY,J.M. . 97/03/11. . 10pp. 92115:262-92115:271.

9703190054 Forwards recommended schedule for TS comment resolution mtgs which provides date,time/agenda & location.Review of schedule requested by 970318 so final arrangements can be made for 970320 telcon re AP600 TS/SSAR Section 16.1.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/11. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 92200:355-92200:361.

9703170222 Forwards responses to listed ref 1 comments as partial completion of open item 4970.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/12. QUAY,T.R. Document Control Branch (Document Control Desk). 19pp. 92153:321-92153:339.

9703170166 Forwards review of Westinghouse response to staff position ltrs dtd 970131 & 0210.Evaluation of Westinghouse response to NRC position ltrs encl.
BAGCHI,G. . 97/03/13. QUAY,T.R. . 8pp. 92131:350-92131:356.

9703170201 Forwards addl comments on comparison of AP600 ERGs to ASI evaluation rept.
HUFFMAN,W.C. . 97/03/13. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 92131:313-92131:316.

9703190107 Forwards comments on SECY-97-044, "Policy & Key Technical Issues Pertaining to Westinghouse AP600 Standard Pressurized Reactor Design."
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/13. HOYLE,J. Office of the Secretary of the Commission. 7pp. 92205:336-92205:342.

9703210098 Forwards three copies of W responses to open items on AP600 topics,including SSAR & PRHR HXs modeling.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/13. QUAY,T.R. Document Control Branch (Document Control Desk). 11pp. 92218:337-92218:347.

9703250055 Responds to NRC phone request to verify identity of radiation monitor re AP600 design certification, clarification of sampling room.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/13. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 92252:083-92252:083.

9703250073 Provides formal response to NRC re definition of prohibitions on antimony in reactor coolant in RCP journal bearings,per chapter 12 of SSAR.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/13. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 92252:038-92252:038.

9703170191 Notification of 970324 meeting w/Westinghouse in Rockville,MD to discuss potential water hammer events observed during AP600 OSU testing & applicability to AP600.
HUFFMAN,W.C. . 97/03/14. QUAY,T.R. . 4pp. 92130:353-92130:356.

9703190046 Transmits Chapter 12, "Clime Noding Study," of WCAP 14407, "WGOTHIC Applications to AP600," for NRC review.Calculation summary indicates that results insensitive to either clime noding pattern/structure over range.Encl withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/14. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 92201:124-92201:134.

--**9703190056** Submits application for withholding requesting proprietary W responses to NRC RAIs on AP600 be withheld per provisions of paragraph (b)(1) of Section 2.790 of Commission's regulations.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/05. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 92201:128-92201:134.

9703190275 Summary of 970211-12 meeting w/Westinghouse in Los Altos,CA re issues related to AP600 source term.List of attendees encl.
SEBROSKY,J.M. . 97/03/14. . 106pp. 92177:239-92177:344.

9703250086 Provides W responses to items discussed in NRC ltr dtd 970218.Attachment includes dates for completion of certain analytical activities re AP600 design changes addressing post 72 h actions.NRC comments requested by 970331.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/14. QUAY,T.R. Document Control Branch (Document Control Desk). 18pp. 92251:206-92251:223.

9703200247 Notification of 970325 meeting w/W in Rockville,MD to discuss W "WGOTHIC Application to AP600" rept re mixing & stratification (Section 9) & water coverage (Section 7). Draft agenda encl.
JACKSON,D.T. . 97/03/18. QUAY,T.R. . 4pp. 92189:353-92189:356.

9703240074 Forwards draft seismic margin analysis (PRA Chapter 55) & responses to requests for addl info.NRC expected to review draft PRA Chapter 55 & responses provided in Encl 2 preparation for meeting between Westinghouse & NRC.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/18. QUAY,T.R. Document Control Branch (Document Control Desk). 300pp. 92234:001-92235:028.

9703240146 Summary of 970114-16 meeting w/W in Rockville,MD to discuss W AP600 structural modules.W/list of attendees,agenda,list of open items proposed for discussion & list of technical questions from 960522-23 meeting.
JACKSON,D.T. . 97/03/18. . 35pp. 92218:045-92218:079.

9703250081 Submits revised response & markup of LCOs 3.0.2 & 3.0.3 & bases for NRC review.Rev deletes exemption for entry into LCO 3.0.3.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/19. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 92251:224-92251:237.

--**9703250082** Proposed tech specs rev re LCO 3.0.3,Key Licensing Issue 19 deleting exemption for entry.
* Westinghouse Electric Corp. 97/03/19. 9pp. 92251:229-92251:237.

9703240157 Forwards comments & RAI re WCOBRA/TRAC Oregon State Univ long term cooling final validation rept.
HUFFMAN,W.C. . 97/03/20. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 92231:026-92231:030.

9703270041 Ltr contract:task order 113, "Evaluation of AP-600 Leak-Before-Break Methodology & Application" under contract NRC-03-95-026.
WEBER,R.B. Division of Contracts (Post 940714). FIN J-2412-5. 97/03/21. KNIGHT,D. SCIENTECH, Inc. 2pp. 92254:188-92254:189.

9703270276 Requests withdrawal of chapter 13 of WCAP-14407 from review of WGOTHIC computer code.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/21. QUAY,T.R. Document Control Branch (Document Control Desk). 1pp. 92268:129-92268:129.

9703280425 Summary of 970306 meeting w/W in Rockville MD to discuss revised WCAP14845,14812 & WGOTHIC computer code & PCS design issue closure process.List of meeting participants encl.
JACKSON,D.T. . 97/03/25. . 40pp. 92276:005-92276:045.

9703280434 Summary of 970303 meeting w/W in Rockville MD to discuss siting of AP600 on shallow soil sites & design of basement. List of attendees,meeting agenda,staff handouts & W handouts encl.
JACKSON,D.T. . 97/03/25. . 93pp. 92275:228-92275:324.

9703040125 Submits W responses to 9 RAIs re open items on AP600 topics from section 3 of SSAR.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/21. QUAY,T.R. Document Control Branch (Document Control Desk). 12pp. 91960:001-91960:012.

9703060143 Responds to RAI 100.10,revised to address NRC concerns re unavailability of Technical Support Ctr per DSER tracking sys.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/21. QUAY,T.R. Document Control Branch (Document Control Desk). pp. 92016:261-92016:269.

9703050513 Forwards non-proprietary Rev 0 to WCAP-14822, "AP600 QA Procedures Supporting NRC Review of AP600 SSAR Section 18.2 & 18.8."
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/24. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 91987:001-91987:183.

--**9703060060** Non-proprietary "AP600 QA Procedures Supporting NRC Review of AP600 SSAR Sections 18.2 & 18.8."
NYDES,R.K. Westinghouse Electric Corp. WCAP-14822 R00. 97/02/25. 179pp. 91987:003-91987:183.

9703030058 Forwards response to NRC RAI re open items associated w/ leak before break evaluation for rev 11 to SSAR.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/25. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 91958:054-91958:058.

9703030334 Forwards informal correspondence previously sent to NRC re SSAR.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/25. QUAY,T.R. Document Control Branch (Document Control Desk). 216pp. 91954:097-91954:312.

9703030037 Forwards questions & comments related to Rev 1 to WCAP-14171 "WCOBRA/TRAC Applicability to AP600 Large-Break LOCA."
HUFFMAN,W.C. . 97/02/26. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 91932:241-91932:245.

9703040309 Submits refs & changes for SSAR Chapter 7.Encl 1 will be included in SSAR Rev 11.NRC requested to review Encl 2 & provide Westinghouse w/NRC status for item,including 1052 & 1053 for interlocks.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/26. QUAY,T.R. Document Control Branch (Document Control Desk). 59pp. 91979:078-91979:136.

9703070105 Summary of 961209-13 meeting w/W in Monroeville,PA re audit W calculations & discuss pertinent open items related to SSAR Sections 3.7 & 3.8 on AP600 structural design. W/list of attendees,agenda & handouts.
JACKSON,D.T. . 97/03/04. . 200pp. 91997:001-91997:198.

9703100174 Provides staff comments on three key repts WCAP-14783, WCAP-14812 & WCAP-14407 re AP600 PCS & WGOTHIC computer code.
QUAY,T.R. . 97/03/04. LIPARULO,N.J. Westinghouse Electric Corp. 11pp. 92020:350-92020:361.

9703120451 Forwards response to staff questions on carbon dioxide that developed during phone call discussing main CR emergency habitability sys.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/05. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 92121:358-92121:360.

9703120456 Responds to RAI 410.295 re classification of mechanical and fluid systems.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/05. Document Control Branch (Document Control Desk). 7pp. 92124:316-92124:322.

9703130401 Summary of 970130 telcon between listed members of W & NRC re W retraction of request to apply leak-before-break methodology to AP600 feedwater line.
JACKSON,D.T. . 97/03/07. . 54pp. 92107:282-92107:336.

9703170225 Forwards markup of subsection 3.6.2.1.1.4 od SSAR,including change re break exclusion area pipe volumetric insp.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/11. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 92177:032-92177:034.

9703190054 Forwards recommended schedule for TS comment resolution mtgs which provides date,time/agenda & location.Review of schedule requested by 970318 so final arrangements can be made for 970320 telcon re AP600 TS/SSAR Section 16.1.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/11. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 92200:355-92200:361.

9703170163 Submits responses to four NRC open items re piping identified as Action W in Encl 7 of NRC 970207 ltr.Responses & associated SSAR revs permit staff to close out open items in Section 3.12 & provide FSER input.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/13. QUAY,T.R. Document Control Branch (Document Control Desk). 19pp. 92153:340-92153:358.

9703210098 Forwards three copies of W responses to open items on AP600 topics,including SSAR & PRHR HXs modeling.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/13. QUAY,T.R. Document Control Branch (Document Control Desk). 11pp. 92218:337-92218:347.

9703250055 Responds to NRC phone request to verify identity of radiation monitor re AP600 design certification, clarification of sampling room.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/13. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 92252:083-92252:083.

9703250073 Provides formal response to NRC re definition of prohibitions on antimony in reactor coolant in RCP journal bearings,per chapter 12 of SSAR.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/13. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 92252:038-92252:038.

9703250086 Provides W responses to items discussed in NRC ltr dtd 970218.Attachment includes dates for completion of certain analytical activities re AP600 design changes addressing post 72 h actions.NRC comments requested by 970331.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/14. QUAY,T.R. Document Control Branch (Document Control Desk). 18pp. 92251:206-92251:223.

9703270313 Constitutes formal consolidated responses & resolutions of items discussed in 960411 telcon re AP600 design certification.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/14. QUAY,T.R. Document Control Branch (Document Control Desk). 17pp. 92267:297-92267:313.

9703200247 Notification of 970325 meeting w/W in Rockville,MD to discuss W "WGOTHIC Application to AP600" rept re mixing & stratification (Section 9) & water coverage (Section 7). Draft agenda encl.
JACKSON,D.T. . 97/03/18. QUAY,T.R. . 4pp. 92189:353-92189:356.

9703250075 Forwards number of responses to DSER open items & RAI responses on valve design qualification & testing.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/19. QUAY,T. Document Control Branch (Document Control Desk). 21pp. 92251:023-92251:043.

9703240157 Forwards comments & RAI re WCOBRA/TRAC Oregon State Univ long term cooling final validation rept.
HUFFMAN,W.C. . 97/03/20. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 92231:026-92231:030.

9703250147 Summary of 970321 telcon between NRC staff & W re exvessel severe accident phenomena.
SEBROSKY,J.M. . 97/03/21. . 2pp. 92236:343-92236:344.

9703270276 Requests withdrawal of chapter 13 of WCAP-14407 from review of WGOTHIC computer code.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/21. QUAY,T.R. Document Control Branch (Document Control Desk). 1pp. 92268:129-92268:129.

9703280148 Submits formal transmittal of correspondence previously sent informally covering period 970205-0316.Index of encl matl attached.
MCINTYRE,B.A Westinghouse Electric Corp. 97/03/21. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 92279:012-92279:355.

--**9703280152** Submits revised NOTRUMP agenda for 970312 meeting & proposed agenda for WC/T meeting on 970313.
NOVENDSTERN,E. Westinghouse Electric Corp. 97/02/07. HUFFMAN,B. NRC - No Detailed Affiliation Given. 132pp. 92279:017-92279:148.

--**9703280165** Provides responses to resolve WC/T discussion items issued re WCAP-14171,Rev 1.Items 1a-1i,2a-2g,4,5,6,7a-7d,8c-8e,9b & 9d,10e,12a,12b & 12f closed,IAW past telcons.
KEMPER,R. Westinghouse Electric Corp. 97/02/14. HUFFMAN,B. NRC - No Detailed Affiliation Given. FINEMAN,C. Idaho National Engineering Laboratory. HOCHREITER,L. Westinghouse Electric Corp. 34pp. 92279:149-92279:180.

--**9703280178** Provides D Garner notes from conversation w/L Lois re Lois concerns on WCT LTC.
NOVENDSTERN,E.H Westinghouse Electric Corp. 97/02/07. HUFFMAN,B. NRC - No Detailed Affiliation Given. 13pp. 92279:181-92279:195.

--**9703280183** Forwards proposed draft agenda for 970313 NOTRUMP meeting. Also wish to discuss possibility of having WC/T LTC meeting to discuss results of addl analyses believed to address Lambrose concerns.
NOVENDSTERN,E.H Westinghouse Electric Corp. 97/02/07. HUFFMAN,B. NRC - No Detailed Affiliation Given. 17pp. 92279:196-92279:212.

--**9703280186** Submits draft SSAR changes to support senior mgt meeting.
LINDGREN,D. Westinghouse Electric Corp. 97/02/27. JACKSON,D. NRC - No Detailed Affiliation Given. 32pp. 92279:213-92279:244.

--**9703280189** Responds,IAW 970218 telcon to closed discussion items 1i(3), 2a,12a & 12b.Responses to remaining discussion items provides as they become available.
KEMPER,R. Westinghouse Electric Corp. 97/02/28. HUFFMAN,B., LOIS,L. NRC - No Detailed Affiliation Given. FINEMAN,C. Idaho National Engineering Laboratory. 10pp. 92279:245-92279:254.

--**9703280190** Submits partially complete table on "road-map" to close OIS/RAIs/etc for NOTRUMP V&V related issues.
NOVENDSTERN,E.H Westinghouse Electric Corp. 97/03/05. HUFFMAN,B. NRC - No Detailed Affiliation Given. 86pp. 92279:255-92279:345.

--**9703280191** Forwards draft write-up from T/H Uncertainty rept & figure attempting to explain Quench Model discussed last wk.
NOVENDSTERN,E.H Westinghouse Electric Corp. 97/03/10. LANDRY,R. NRC - No Detailed Affiliation Given. FINEMAN,C. Idaho National Engineering Laboratory. 10pp. 92279:346-92279:350.

--**9703280194** Forwards draft LTC agenda for ACRS 970328 meeting.
NOVENDSTERN,E. Westinghouse Electric Corp. 97/03/10. BOEHNART,P. NRC - No Detailed Affiliation Given. 5pp. 92279:351-92279:355.

9703250168 Summary of telecon on 970313 w/W to discuss staff comments WGOTHIC computer code & passive containment cooling sys rept.
JACKSON,D.T. . 97/03/24. . 11pp. 92236:282-92236:292.

9703040118 Submits W responses to NRC RAIs re AP600 internal fire SD analysis documented in Chapter 57 of AP600 Probabilistic Risk Assessment rept.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/21. QUAY,T.R. Document Control Branch (Document Control Desk). 12pp. 91960:053-91960:064.

9703170201 Forwards addl comments on comparison of AP600 ERGs to ASI evaluation rept.
HUFFMAN,W.C. . 97/03/13. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 92131:313-92131:316.

9703060402 Forwards rev 11 to "Simplified Passive Advanced LWR Plant Program AP600 SSAR."
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/04. QUAY,T.R. Document Control Branch (Document Control Desk). 12pp. 92057:001-92062:224.

--**9703060424** "Simplified Passive Advanced LWR Plant Program AP600 SSAR."
LINDGREN,D.A., MCINTYRE,B.A. Westinghouse Electric Corp. 97/02/28. 2,042pp. 92057:003-92062:224.

9703170225 Forwards markup of subsection 3.6.2.1.1.4 od SSAR,including change re break exclusion area pipe volumetric insp.
MCINTYRE,B.A. Westinghouse Electric Corp. 97/03/11. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 92177:032-92177:034.

DOCKET DOCKET UNKNOWN

9703180204 Summary of 970213 meeting on docket 70003089,w/USEC in Rockville,MD re Part 76 rulemaking status,internal guidance/ procedures,status of privatization,TSR transition,compliance plan & certificate amend requests status.
HORN,M., MARTIN,D. NRC - No Detailed Affiliation Given. TING,P. Office of Nuclear Material Safety & Safeguards. 97/02/13. NRC - No Detailed Affiliation Given. 9pp. 92191:329-92191:337.

9703180200 "AVLIS Project Update," for docket 70003089,United States Enrichment Corp.
HORN,M., EVERLY,J.K., WINSBERG,K. United States Enrichment Corp. (USEC). 97/02/26. 16pp. 92196:308-92196:322.

9703280087 Notification of 970327 meeting w/USEC re docket 07003089 in Rockville,MD to discuss issues related to privatization.
* NRC - No Detailed Affiliation Given. 97/03/25. NRC - No Detailed Affiliation Given. 2pp. 92262:196-92262:197.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),

9703050096 *Summarizes factors pertinent to radiological status of retired Battelle Research Reactor facility for CY96 as required by Battelle NRC License SNM-7.*
LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 97/02/20. PEDERSON,C. Region 3 (Post 820201). 4pp. 92003:205-92003:208.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9703200376 Application for amend to License SNM-42,reflecting organizational changes.Changes described in Encl 1 of ltr & denoted on replacement pages by vertical lines in right margin.
OLSEN,A.F. Babcock & Wilcox Co. 97/03/11. WEBER,M.F. Licensing Branch. 133pp. 92210:028-92210:160.

9703110271 "Semi-Annual Effluent Monitoring Rept for Jul-Dec 1996." W/970227 ltr.
OLSEN,A.F. Babcock & Wilcox Co. 96/12/31. 8pp. 92120:345-92120:352.

9703030512 Provides notification of discovery of radioactivity,greater than that which is suitable for unrestricted release,in area of site referred to as Contaminated Equipment Storage Area.
OLSEN,A.F. Babcock & Wilcox Co. 97/02/10. Office of Nuclear Material Safety & Safeguards. 1p. 91956:223-91956:223.

9703260197 Forwards revised pp to "Emergency Plan," dtd 970115 IAW 10CFR70.32(i).
OLSEN,A.F. Babcock & Wilcox Co. 97/02/19. WEBER,M.F. Licensing Branch. 3pp. 92262:287-92262:363.

--9703260199 Revised pp to "Emergency Plan." W/one oversize drawing.
* Babcock & Wilcox Co. 97/02/19. 73pp. 92262:290-92262:363.

9703040268 Refers to 970124 ltr from J Noel transmitting Rev 30 of Physical Security Plan & informs that Rev 30 acceptable for inclusion into plan.
MCALPINE,E.J. Region 2 (Post 820201). 97/02/20. CONNER,J.A. Babcock & Wilcox Co. 2pp. 91951:061-91951:062.

9703030402 Forwards rev published in FR,dtd 970210 for info.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 97/02/25. CONNER,J.A. Babcock & Wilcox Co. 8pp. 91956:301-91956:309.

9703110059 Ack receipt of 970207 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/96-18 on 970110.
MCALPINE,E.J. Region 2 (Post 820201). 97/02/26. CONNER,J.A. Babcock & Wilcox Co. 2pp. 92019:136-92019:137.

9703100160 Summary of 970210 meeting w/representatives of B&W re B&W industrial waste landfills decommissioning.
FLACK,E.D. Licensing Branch. 97/02/27. WEBER,M.F. Licensing Branch. 3pp. 92039:357-92039:359.

9703110298 Informs that B&W needs addl time to fully research historical records of ponds & then to meet w/NMSS,licensing to determine appropriate actions.Activities will be completed by 970331.
OLSEN,A.F. Babcock & Wilcox Co. 97/02/28. Region 2 (Post 820201). 1p. 92121:059-92121:059.

9703180105 Requests addl time to fully research & determine appropriate corrective actions re evaluation of Emergency Ponds adjacent to Waste Treatment facility.These activities will be completed by 970331.
OLSEN,A.F. Babcock & Wilcox Co. 97/02/28. Region 3 (Post 820201). 1p. 92190:341-92190:341.

9703100170 Notification of 970310 meeting w/licensees & NRC in Rockville,MD to discuss B&W industrial waste landfills decommissioning.
FLACK,E. Office of Nuclear Material Safety & Safeguards. 97/03/03. Office of Nuclear Material Safety & Safeguards. 2pp. 92047:343-92047:344.

9703270231 Forwards insp rept 70-0027/97-03 on 970225-28.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 97/03/11. CONNER,J.A. Babcock & Wilcox Co. 2pp. 92264:094-92264:101.

--9703270233 Insp rept 70-0027/97-03 on 970225-28.No violations noted. Major areas inspected:access controls,security barriers & exit meeting.
* Region 2 (Post 820201). 97/03/11. 5pp. 92264:096-92264:101.

9703180185 Forwards response to NRC 970214 ltr re violations noted in insp rept 70-0027/96-19 on 961208-970118.Corrective actions: promptly notified appropriate mgt & regulatory authorities.
CONNER,J.A. Babcock & Wilcox Co. 97/03/13. Document Control Branch (Document Control Desk). 5pp. 92190:347-92190:351.

9703210200 Summary of 970310 meeting w/B&W Co Naval Nuclear Fuel Div re B&W industrial waste landfills decommissioning.Meeting list & attendance list,encl.
FLACK,E.D., EID,B. Licensing Branch. 97/03/14. WEBER,M.F. Licensing Branch. 13pp. 92238:133-92238:145.

9703280272 Submits justification for NRC to accept 970304 response in lieu of addl full scale exercise,planned for 970626.
CONNER,J.A. Babcock & Wilcox Co. 97/03/17. WEBER,M.F. Licensing Branch. 4pp. 92291:121-92291:127.

DOCKET 70-0033 TEXAS INSTRUMENTS, INC., ATTLEBORO, MA

9703210181 Concludes that licensee site meets NRC criteria for release for unrestricted use.
BELLAMY,R.R. Region 1 (Post 820201). 97/03/12. LEDERER,D. Environmental Protection Agency. 3pp. 92210:359-92210:361.

9703250105 Informs Commission that remedial action has been completed at Texas Instruments,Inc.
CALLAN,L.J. Ofc of the Executive Director for Operations. SECY-97-061. 97/03/13. 10pp. 92312:037-92312:046.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9703100164 Trip rept of 970123 & 24 visit to Hematite,MO re site familiarization tour.
CHOTOO,S.D. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/26. WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 4pp. 92047:338-92047:341.

9703130038 Submits effluent monitoring data for facilities operated under license SNM-33.Effluent data covers period Jul-Dec 1996.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 97/02/26. SHEAR,G.L. Region 3 (Post 820201). 1p. 92128:080-92128:080.

9703130054 Forwards insp rept 70-0036/97-01 on 970203-07 & notice of violation.Violation represents inadequate staff review of revised operating procedures after change in facility operations occurred.
CANIANO,R.J. Region 3 (Post 820201). 97/03/06. KAISER,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 92078:260-92078:285.

--9703130062 *Notice of violation from insp on 970203-07.Violation noted: failure to include specified safety instructions re collisions that could effect criticality safety controls employed for respective sys.*
* Region 3 (Post 820201). 97/03/06. 2pp. 92078:262-92078:263.

--9703130068 Insp rept 70-0036/97-01 on 970203-07.Violation noted.Major areas inspected:mgt organization & controls,operations, maintenance/surveillance testing,radwaste mgt,operator training,radiation protection & transportation.
* Region 3 (Post 820201). 97/03/06. 22pp. 92078:264-92078:285.

DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH

9703260267 Forwards summary of 970311 meeting w/licensee & NRC to discuss NRC comments on documents for site characterization, remediation & health & safety plan for former Clevite Corp site,dtd 961127.
BUCKLEY,J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/21. LICKFIELD,K. Sevenson Environmental Services, Inc. 5pp. 92258:312-92258:317.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9701240102 Informs Commission that remedial actions have been completed at B&W Apollo site located in Apollo,PA & that staff plans to release site for unrestricted use & remove site from Site Decommissioning Mgt Plan.
THOMPSON,H.L. Ofc of the Executive Director for Operations. SECY-97-015. 97/01/17. 16pp. 91990:277-91990:292.

9703050230 Forwards results of subject monitoring for fourth quarter of 1996 for B&W Pennsylvania operations facility.
STRUCKMEYER,R. Region 1 (Post 820201). 97/02/21. YOUNG,D. Babcock & Wilcox Co. 4pp. 91968:062-91968:065.

9703060025 Staff requirements memo re SECY-97-015, "Removal of B&W Apollo Site from SDMP.
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/25. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 91991:318-91991:319.

DOCKET 70-0139 ENGELHARD CORP., PLAINVILLE, MA

9703120422 Informs that staff has completed review of remediation activities.Final Status Survey Rept acceptable.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/06. CABOT,D. Engelhard Corp. 5pp. 92124:170-92124:189.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9703040368 *"Bi-annual Effluent Monitoring Rept for Jul-Dec 1996." W/970225 ltr.*
BAER,T.S. Nuclear Fuel Services, Inc. 96/12/31. REYES,L.A. Region 2 (Post 820201). 8pp. 91992:287-91992:294.

9703050433 Informs of import of shipment of UF6 heels contained in model 5B cylinders,approx 6,000 lb.
PUGH,J. Nuclear Fuel Services, Inc. 97/02/05. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. Region 2 (Post 820201). 6pp. 91956:135-91956:140.

9703050464 Informs that due to delays in meeting originally planned shipment dates,project shipment schedule been revised as listed on page 2.
PUGH,J. Nuclear Fuel Services, Inc. 97/02/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91956:131-91956:131.

9703050466 Informs of incoming shipment of UF6 Heels contained in model 5B cylinders,approx 6,000 lb.
PUGH,J. Nuclear Fuel Services, Inc. 97/02/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. Region 2 (Post 820201). 3pp. 91956:128-91956:130.

9703050453 Informs that LMUS UF6 heels project shipment 1 arrived at NFS on 970219 at 1856 hours.
STOUT,J.C. Nuclear Fuel Services, Inc. 97/02/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91956:134-91956:134.

9703050461 Informs of incoming shipment of UF6 Heels contained in model 5B cylinders,approx 6,000 lb.
PUGH,J. Nuclear Fuel Services, Inc. 97/02/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. Region 2 (Post 820201). 2pp. 91956:132-91956:133.

9703070045 Forwards response to RAI re NFS escrow account assuring funds for decommissioning of newly installed Rocky Flats UNH conversion equipment.
BAER,T.S. Nuclear Fuel Services, Inc. 97/02/21. WEBER,M.F. Licensing Branch. 20pp. 92031:104-92031:123.

9703170065 Revised notification of shipment two & three of approx 6,000 lb UF6 Heels contained in Model 5B cylinders from Piketon,OH to Erwin,TN.
PUGH,J. Nuclear Fuel Services, Inc. 97/02/24. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. Region 2 (Post 820201). 5pp. 92116:280-92116:284.

9703050428 Informs that LMUS shipment 2 arrived at NFS on 970225 at 1707 hours.
STOUT,J.C. Nuclear Fuel Services, Inc. 97/02/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 91956:141-91956:141.

9703200391 Provides info re planned groundwater monitoring program as it relates to excavation of two burial trenches located on property leased from CSX Railroad,adjacent to Southwest portion of NFS site,per request of T Cox.
BAER,T.S. Nuclear Fuel Services, Inc. 97/03/04. WEBER,M.F. Licensing Branch. 2pp. 92212:233-92212:234.

9703250191 Informs that LMUS shipment arrived at Nuclear Fuel Svc on 970306.
STOUT,J.C. Nuclear Fuel Services, Inc. 97/03/06. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 92237:103-92237:103.

9703280022 Ack receipt of 970123 & 970203 ltrs informing NRC of steps taken to correct violations noted in insp rept 70-0143/96-14.Exam of corrections will be done during future insps.
MALLETT,B.S. Region 2 (Post 820201). 97/03/06. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 92264:344-92264:345.

9703200040 Forwards copy of 961211 resolution by NFS Board of Directors authorizing establishment of subject escrow agreement. Individuals authorized to act on company behalf re agreement have been designated.
BAER,T.S. Nuclear Fuel Services, Inc. 97/03/11. WEBER,M.F. Licensing Branch. 8pp. 92202:353-92202:360.

9703250177 Informs that LMUS shipment four arrived at NFS on 970312.
STOUT,J.C. Nuclear Fuel Services, Inc. 97/03/12. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 92237:101-92237:101.

9703280029 Forwards insp rept 70-0143/97-01 on 970113-17,23-24 & 970127-28.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 97/03/13. FERGUSON,D. Nuclear Fuel Services, Inc. 3pp. 92274:058-92274:137.

–9703280036 Insp rept 70-0143/97-01 on 970113-17,23-24 & 970127-28.No violations noted.Major areas inspected:review of adequacy of licensees chemical & nuclear criticality safety programs, maintenance program & configuration control program.
* Region 2 (Post 820201). 97/03/13. 77pp. 92274:061-92274:137.

9703280184 Forwards proprietary Rev 3 to "NFS Fundamental Nuclear Matl Control Plan." Plan withheld per 10CFR2.790(d).
BAER,T.S. Nuclear Fuel Services, Inc. 97/03/18. COX,T.H. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 92291:129-92291:129.

9703210210 Ack receipt of decommissioning financial assurance documents for Rocky Flats project.Listed documents provide reasonable assurance of adequate funds for decommissioning of equipment & structures obtained specifically for processing of matl.
WEBER,M.F. Licensing Branch. 97/03/19. MAXIN,A.M. Nuclear Fuel Services, Inc. 3pp. 92238:128-92238:130.

9703250175 Submits advance notification of shipment of UF6 heels contained in model 5B cylinders,approximately 6000 lbs.
PUGH,J. Nuclear Fuel Services, Inc. 97/03/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. TOBIN,B. Region 2 (Post 820201). 3pp. 92237:098-92237:100.

9703250181 Informs that LMUS UF6 heels project shipment 5 arrived at NFS on 970320 at 1945 hours.
STOUT,J.C. Nuclear Fuel Services, Inc. 97/03/21. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 92237:102-92237:102.

DOCKET 70-0267 NEW YORK, STATE UNIV. OF, BUFFALO, NY

9703110282 Certifies that Scientific Ecology Group,Inc has completed processing of all radioactive matls shipped to company on listed manifest sent by State Univ NY/Buffalo.
* Scientific Ecology Group, Inc. 97/02/08. PIERRO,M.A. New York, State Univ. of, Buffalo, NY. 1p. 92121:048-92121:048.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9703050230 Forwards results of subject monitoring for fourth quarter of 1996 for B&W Pennsylvania operations facility.
STRUCKMEYER,R. Region 1 (Post 820201). 97/02/21. YOUNG,D. Babcock & Wilcox Co. 4pp. 91968:062-91968:065.

9703060381 Forwards "Parks Facilities Pu-241 Screening Dose Assessment & ALARA Assessment."
SGARLATA,D.K. Babcock & Wilcox Co. 97/02/21. ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 92009:317-92009:352.

–9703060383 "Parks Facilities Pu-241 Screening Dose Assessment & ALARA Assessment."
POTTER,T.E. Babcock & Wilcox Co. 97/02/19. 35pp. 92009:318-92009:352.

9703060347 Forwards response to 970214 RAI re Decommissioning Plan. Radiological analysis for Kiskiminetas River samples also encl,per 970225 telcon request.
SGARLATA,D.K. Babcock & Wilcox Co. 97/02/26. ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 9pp. 92016:304-92016:312.

9703170035 Forwards response to NRC 970131 ltr re violations noted in insp rept 70-0364/96-03 on 961022-25.Corrective actions: required 100% insp of containers for free-standing liquid immediately prior to loading into final shipping containers.
SGARLATA,D.K. Babcock & Wilcox Co. 97/03/11. Document Control Branch (Document Control Desk). 3pp. 92150:357-92150:359.

DOCKET 70-0398 COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &

9703110114 Forwards six copies of response to RAI re license renewal. Revised version of text for Matls License Document encl.
PEVEY,L.E. National Institute of Standards & Technology (formerly National Bureau of Standa. 97/02/28. SOONG,S. Licensing Branch. 46pp. 92118:286-92118:331.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9703050095 Forwards results of TLD direct radiation environ monitoring around facility for fourth quarter of 1996.
STRUCKMEYER,R. Region 1 (Post 820201). 97/02/21. MCGOVERN,J.J. Cintichem, Inc. 4pp. 91956:077-91956:080.

9703070034 Responds to NRC 970206 ltr re violations noted in insp of license SNM-639.Corrective actions:application to amend license reflecting operational requirements of licensee submitted on 970220.
MCGOVERN,J.J. Cintichem, Inc. 97/03/03. Document Control Branch (Document Control Desk). 4pp. 92015:339-92015:344.

9703130099 Responds to 970220 ltr re request for amend to Condition H of radioactive matls license.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/06. MCGOVERN,J.J. Cintichem, Inc. 3pp. 92128:129-92128:137.

–9703130107 Amend 8 to license SNM-639,authorizing possession & storage at site of Cintichem Inc facility in Tuxedo,NY.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/06. 6pp. 92128:132-92128:137.

DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9703050145 Refers to 970207 correspondence submitting rept concerning plant liquid discharges in excess of 3 mCi during fourth quarter of 1996.Informs that rept made IAW Condition 22 of license SNM-0770.
JOHANSEN,J.M. Region 1 (Post 820201). 97/02/24. NARDI,J. Westinghouse Electric Corp. 2pp. 91956:090-91956:093.

–9703050155 Submits Westinghouse Electric Corp rept re plant liquid discharge during fourth quarter 1996 IAW Condition 22 of USNRC License SNM-0770.
NARDI,J.A. Westinghouse Electric Corp. 97/02/07. HEHL,C.W. Region 1 (Post 820201). 2pp. 91956:092-91956:093.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9703110215 Forwards insp rept 70-0734/97-01 on 970225-27 & notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 97/03/06. EDWARDS,J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 92019:214-92019:228.

–9703110222 Notice of violation from insp on 970225-27.Violations noted:licensee had not changed lock cores to all controlled access areas at least annually.Specifically lock cores for Sorrento Valley facility & for station 1.
* Region 4 (Post 820201). 97/03/06. 2pp. 92019:218-92019:219.

–9703110225 Insp rept 70-0734/97-01 on 970225-27.Violations noted.Major areas inspected:repts of safeguards events,control of special nuclear matl,detection aids & locks,response & communication & testing & maint.
* Region 4 (Post 820201). 97/03/06. 9pp. 92019:220-92019:228.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9703170046 Forwards info re request for route approval IAW 10CFR73, for shipment of irradiated test fuel rods.
KIRKLAND,M.W. General Electric Co. 97/02/24. BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 92116:256-92116:262.

9703170040 Forwards info re request for route approval IAW 10CFR73,for shipment of irradiated test fuel rods.
KIRKLAND,M.W. General Electric Co. 97/02/25. BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 92116:241-92116:247.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9703050053 "1996 Annual Environmental Sample Results Cimarron Corp - Cimarron Facility Soil Samples." W/970224 ltr.
LARSEN,J. Cimarron Corp. 96/12/31. KALMAN,K. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 9pp. 92003:193-92003:201.

9703060419 Forwards annual environ air,vegetation & soil sampling results for 1996.
LARSEN,J. Cimarron Corp. 97/02/24. KALMAN,K. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 10pp. 92009:353-92009:361.

9703120392 Forwards comments on Cimarron Corp response to 960711 NRC staff comments on Decommissioning Plan dtd 960910.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/25. LARSEN,J. Cimarron Corp. 7pp. 92124:349-92124:355.

9703120327 Forwards comments on Cimarron Corp response to NRC staff comments re Radiation Protection Plan.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/05. LARSEN,J. Cimarron Corp. 8pp. 92125:047-92125:054.

9703120339 Requests schedule of major decommissioning activities for contaminated or potentially contaminated areas of facility. Response requested within 30 days from date of ltr.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/05. LARSEN,J. Cimarron Corp. 3pp. 92124:356-92124:359.

--9703130002 Informs that R Fonner has no legal objection to ltr re submittal of schedule for decommissioning activities at Cimarron.
FONNER,R. NRC - No Detailed Affiliation Given. 97/03/04. KALMAN,K.L. NRC - No Detailed Affiliation Given. 1p. 92124:359-92124:359.

9703190375 Forwards staff comments on "Groundwater & Surface Water Assessment," & "Recharge & Groundwater Quality Study." Requests response to comments within 30 days.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/13. LARSEN,J. Cimarron Corp. 5pp. 92199:203-92199:207.

9703190378 Informs that issues re Cimarron Corp FSSP for Phase II Areas are resolved & FSSP for Phase II are approved.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/14. LARSEN,J. Cimarron Corp. 4pp. 92199:208-92199:211.

9703260289 Requests legal analysis on licensing for possession of Tc-99.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/19. TREBY,S.A. Office of the General Counsel (Post 860701). 4pp. 92259:214-92259:217.

9703260296 Informs that determination of classification & potability of groundwater at site important in determining what groundwater criteria will be acceptable.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/24. BRODERICK,M. Oklahoma, State of. 4pp. 92259:218-92259:222.

--9703260297 Informs of no legal objection to ltr re groundwater classification at Cimarron.
FONNER,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/20. KALMAN,K.L. Office of the General Counsel (Post 860701). 1p. 92259:222-92259:222.

DOCKET 70-0938 MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA

9703050177 Forwards documentation collected to support NUREG-1535, "Ingestion of P-32 at MIT,Cambridge,MA,Identified on 950819."
SIEGEL,C. Office for Analysis & Evaluation of Operational Data, Director. 97/01/17. DAVIS,W.E. Information & Records Management Branch (Post 890827). 17pp. 92081:001-92089:204.

--9703050262 Submits proposed resolutions to questions submitted re renewal application for license SNM-986.
MASSE,F. Massachusetts Institute of Technology, Cambridge, MA. 93/10/12. ADAMS,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 92084:333-92084:334.

--9703050270 Forwards RAI re 901025 application requesting renewal of license SNM-986.W/o encl.
ADAMS,T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/19. MASSE,F.X. Massachusetts Institute of Technology, Cambridge, MA. 7pp. 92084:335-92084:338.

DOCKET 70-0946 AUGUSTANA COLLEGE, SIOUX FALLS, SD

9703280326 Safety insp on 970211 of license SNM-888.Insp findings: no violations were observed.
LEONARDI,R.A. Region 4 (Post 820201). * Augustana College, Sioux Falls, SD. 97/02/11. 1p. 92265:192-92265:192.

DOCKET 70-0968 GANNON UNIV., ERIE, PA

9703050062 Ack receipt of 970131 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0968/96-01.
KINNEMAN,J.D. Region 1 (Post 820201). 97/02/24. SEIGLEY,L. Gannon Univ., Erie, PA. 2pp. 91955:345-91955:350.

--9703050071 Informs that as of 970129,PuBe source will be in possession of Bionomics,Inc & en route to Los Alamos Natl Lab.Gannon Univ response to NOV encl.
SEIGLEY,L. Gannon Univ., Erie, PA. 97/01/31. KINNEMAN,J.D. Region 1 (Post 820201). 6pp. 91955:347-91955:350.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9703270006 Responds to 960930 ltr requesting FY97 annual fee for license SNM-1067 be assessed pursuant to fee category 14 rather than any other category.NRC agrees that license SNM-1067 not subj to annual fees for FY97.
DANDOIS,D.B. License Fee Management Branch (890205-890826). 97/03/21. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 92255:356-92255:360.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9703070008 "Semi-Annual Effluent Rept for Jul-Dec 1996." W/970225 ltr.
REDA,R.J. General Electric Co. 96/12/31. REYES,L.A. Region 2 (Post 820201). 2pp. 92016:245-92016:246.

9703060001 Forwards proprietary revision to Design Info Questionnaire & Transitional Facility Attachment.Encl withheld,per 10CFR2.790.
REDA,R.J. General Electric Co. 97/02/12. WEBER,M.F. Licensing Branch. 8pp. 92016:279-92016:286.

9703110296 Forwards insp rept 70-1113/97-01 on 970127-31.No violations or deviations noted.
MCALPINE,E.J. Region 2 (Post 820201). 97/02/27. KIPP,C.P. General Electric Co. 2pp. 92069:088-92069:107.

--9703110301 Insp rept 70-1113/97-01 on 970127-31.No violations noted. Major areas inspected:plant operations,management organization & controls,maintenance/surveillance,training & DCF project.
* Region 2 (Post 820201). 97/02/27. 16pp. 92069:090-92069:107.

9703100161 Requests that addl info be provided in form of response to individual comments or as revised pp to application within 30 days of date of ltr.
LAMASTRA,M. Licensing Branch. 97/03/05. REDA,R.J. General Electric Co. 3pp. 92044:356-92044:358.

9703270222 Ack receipt of 970225 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1113/96-12.
MCALPINE,E.J. Region 2 (Post 820201). 97/03/13. KIPP,C.P. General Electric Co. 2pp. 92256:139-92256:140.

9703280158 Submits listed info in support of request for addl 120 days to review submission of request of delay of decommissioning or alternative schedule of decommissioning.
REDA,R.J. General Electric Co. 97/03/24. WEBER,M.F. Licensing Branch. 4pp. 92291:136-92291:139.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9703280133 Submits rept which fulfills regulatory requirements as listed in 10CFR40.65 & 10CFR70.59, "Effluent Monitoring Requirements."
GOODWIN,W.L. Westinghouse Electric Corp. 97/02/25. Region 2 (Post 820201). 3pp. 92271:124-92271:126.

9703030321 Grants three wk extension in order to provide sufficient time to further consider points raised by respective staff during 970225 telcon in response to request dtd 970226.
TING,P. Operations Branch. 97/02/27. GOODWIN,W.L. Westinghouse Electric Corp. 1p. 91946:194-91946:194.

9703270193 Forwards insp rept 70-1151/97-01 on 970203-06 & notice of violations.
MCALPINE,E.J. Region 2 (Post 820201). 97/03/06. FICI,J.A. Westinghouse Electric Corp. 2pp. 92264:070-92264:093.

--9703270201 Notice of violation from insp on 970203-06.Violation noted:chewing gum & food products were used in chemical area as evidenced by discarded chewing gum & candy wrappers & MCC containers had not been reinspected in 5 yrs.
* Region 2 (Post 820201). 97/03/06. 2pp. 92264:072-92264:073.

--9703270208 Insp rept 70-1151/97-01 on 970203-06.Violations noted. Major areas inspected:exam procedures & representative records,interviews w/personnel & observation of activities in progress.
* Region 2 (Post 820201). 97/03/06. 20pp. 92264:074-92264:093.

9703190240 Discusses insp rept 70-1151/97-202 on 970210-14 & forwards notice of violation.Violation involved failure to adequately review & approve Plant Emergency Procedures prior to issuance.
TING,P. Operations Branch. 97/03/14. FICI,J.A. Westinghouse Electric Corp. 3pp. 92199:089-92199:103.

--9703190244 Notice of violation from insp on 970210-14.Violation noted:as of 970214 Emergency Procedures issued by licensee were not approved by cognizant Regulatory Component Manager until after procedures had been issued & implemented.
* Operations Branch. 97/03/14. 2pp. 92199:092-92199:093.

--9703190250 Insp rept 70-1151/97-202 on 970210-14.Violations noted. Major areas inspected:chemical safety program at W & selected areas that focused on high risk chemicals & use of chemicals.
* Operations Branch. 97/03/14. 10pp. 92199:094-92199:103.

9703280222 Responds to NRC 970123 ltr re violations noted in insp rept 70-1151/96-204 on 961216-20.Corrective actions:Regulatory Component & RCC will continually review self-assessment program ensuring it meets license requirements.
FICI,J.A. Westinghouse Electric Corp. 97/03/21. Document Control Branch (Document Control Desk). 10pp. 92280:023-92280:039.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9703050403 Forwards notice of violation & proposed imposition of civil penalties in amount of $12,500 re insp rept 70-1201/96-202 on 961113-15.Violations discussed.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/04. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 4pp. 91956:161-91956:170.

--9703050413 Notice of violation & proposed imposition of civil penalty in amount of $12,500.Noncompliance noted:from 960914-25, procedure MA-587 not adhered to,operators performing fuel assembly off loading operations failed to ensure unloading.
* Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/04. 6pp. 91956:164-91956:170.

9703200123 Forwards insp rept 70-1201/97-02 on 970224-0306 & notice of deviation.
MCALPINE,E.J. Region 2 (Post 820201). 97/03/11. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. 92220:065-92220:072.

--9703200135 Notice of deviation from insp on 970224-0306.Deviation noted:licensee failure to meet commitment that procedure would be completed by 960430.
* Region 2 (Post 820201). 97/03/11. 1p. 92220:067-92220:067.

--9703200140 Insp rept 70-1201/97-02 on 970224 & 970306.Deviation noted. Major areas inspected:physical security plan.
* Region 2 (Post 820201). 97/03/11. 5pp. 92220:068-92220:072.

9703170135 Forwards insp rept 70-1201/97-202 on 970213-14.No violations noted.Six inspector follow-up items identified.
TING,P. Operations Branch. 97/03/13. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 1p. 92184:063-92184:077.

–9703170151 Insp rept 70-1201/97-202 on 970213 & 14.No violations noted. Major areas inspected:adminstrative practices for NCS,NCS function,plant activities,NCS change control,NCR training activities,NCS insp,audits & investigations & NCS ER.
TROSKOSKI,W.M., DAVIS,J.R., MOREY,D.C. Operations Branch. 97/02/14. 14pp. 92184:064-92184:077.

9703260242 Responds to NRC 970304 ltr re violations noted in insp rept 70-1201/96-202.Corrective actions:retraining has been conducted on listed new or revised procedures & procedure compliance has been stressed w/all personnel.
CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 97/03/21. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. 92252:348-92252:361.

9703270152 Ack receipt of 970321 ltr & check for $12,500 in payment for civil penalty proposed by NRC in 970304 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/27. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 1p. 92256:100-92256:100.

DOCKET 70-1220 GENERAL ELECTRIC CO., SAN JOSE, CA

9703270037 Application for renewal of License SNM-1270,permitting GE to act as shipper of developmental fuel rods & hardware components from reactor power stations.
MURRAY,B.M. General Electric Co. 97/03/14. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92258:227-92258:227.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9703170062 Informs of upcoming shipment of UF6 contained in twelve cylinders from Almedo to Richland,WA.
* Edlow International Co. 97/01/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 92116:279-92116:279.

9703170029 Submits notification of upcoming shipment of UF6, non-fissile,approx 256,000 lb,approx net weight 220,480 1b, enrichment:N/A;UF6 contained in eight cylinders.
* Edlow International Co. 97/01/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 92116:230-92116:230.

9703170059 Informs of upcoming shipment of UF6 contained in six cylinders from Metropolis,IL to Almelo,Netherlands.
* Edlow International Co. 97/01/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 92116:278-92116:278.

9703170091 Provides notification of upcoming shipment,to Netherlands,of U Hexafluoride,non-fissile,app gross 192000 lbs,app net 165360 lbs,UF6 contained in six cylinders on 970213-0301.
* Edlow International Co. 97/01/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 92116:304-92116:304.

9703170031 Provides list of deliveries made between 970213 & 0310,IAW requirements of convention on physical protection of nuclear materials.
CONDREY,D. Edlow International Co. 97/03/10. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 92116:233-92116:233.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9703050488 Forwards affidavit attesting to proprietary nature of info contained on specific pages of Siemens Power Corp 1995 ALARA rept,submitted w/ltr dtd 961028.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/01/02. WEBER,M.F. Licensing Branch. 2pp. 91985:358-91985:359.

9703110027 Forwards "Gaseous Effluent for Period Jul-Dec 1996." All data indicate continued compliance w/applicable discharge limits.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/02/05. CALLAN,L.J. Region 4 (Post 820201). 1p. 92073:358-92073:361.

–9703110041 "Gaseous Effluent for Period Jul-Dec 1996."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/12/31. 3pp. 92073:359-92073:361.

9703070023 Application for amend to License SNM-1227,authorizing max batch size for release of hydrofluoric acid mfg by dry conversion process to be increased from 20,000 liters to 46,000 liters.
EDGAR,J.B. Siemens Corp. 97/02/21. WEBER,M.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 53pp. 92056:280-92056:333.

9703100153 Informs that NRC determined encls to 961111 & 970121 ltrs, containing info of type specified in 10CFR2.790(d) & matl will be withheld.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/25. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 92043:353-92043:354.

9703050011 Responds to NRC 970130 ltr re violations noted in insp rept 70-1257/97-01.Corrective actions:NOV was reviewed w/every manager,supervisor,engineer & engineering assistant in noted dept to help stress seriousness of not following procedures.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/02/27. Document Control Branch (Document Control Desk). 3pp. 91975:357-91975:359.

9703100162 Notification of 970305 meeting w/Siemens Power Corp in Richland,WA to discuss implementation of 10CFR73.67.
* Office of Nuclear Material Safety & Safeguards. 97/03/05. Office of Nuclear Material Safety & Safeguards. 2pp. 92044:359-92044:360.

9703110283 Forwards insp rept 70-1257/97-02 on 970210-12.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 97/03/07. FEMREITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. 92069:080-92069:087.

–9703110288 Insp rept 70-1257/97-02 on 970210-12.No violation noted. Major areas inspected:physical security plan,safeguards events,fixed site physical protection of special nuclear matl of low strategic significance & insp followup item.
* Region 4 (Post 820201). 97/03/07. 4pp. 92069:085-92069:087.

9703200389 Submits rev of pp 4-17 of license SNM-1227 clarifying minor change to Table I-4.1 under "Component" column.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/03/07. WEBER,M.F. Licensing Branch. 3pp. 92212:230-92212:232.

9703240233 Submits update of decommissioning cost estimate,per Section 6 of Decommissioning Funding Plan.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/03/12. WEBER,M.F. Licensing Branch. 4pp. 92241:326-92241:329.

9703210123 Ack receipt of 970227 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1257/97-01 on 970130.
WENSLAWSKI,F.A. Region 4 (Post 820201). 97/03/13. FEMREITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 92210:307-92210:311.

9703280187 Forwards pages 15-31 through 15-31h,15-32 through 15-32h & 15-33 through 15-33q,providing summaries of criticality SA for line 1 powder preparation sys,lines 2 & 3 powder preparation sys.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/03/17. WEBER,M.J. Licensing Branch. 36pp. 92290:320-92290:356.

9703200192 Ack receipt of 970130 response to violations noted in NRC Insp Rept 70-1257/96-206.
TING,P. Operations Branch. 97/03/18. FEMREITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 92212:294-92212:294.

9703280044 Forwards two copies of pp 4-20 of Siemens Power Corp license to add mop powder U recovery process rotary vacuum filter to Table 1-4.1 to describe criticality safety controls.Mop powder U recovery process will be restarted by 970501.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/03/18. WEBER,M.F. Licensing Branch. 5pp. 92271:063-92271:067.

9703210180 Notification of 970401 meeting w/Siemens Power Corp in Rockville,MD to discuss pending license amend requests.
CHOTOO,S. Licensing Branch. 97/03/19. Licensing Branch. 2pp. 92238:146-92238:147.

9703210317 Requests technical assistance in reviewing Siemens Power Corp (SPC) parent co guarantee for financial assurance for decommissioning dtd 960614.
WEBER,M.F. Licensing Branch. 97/03/19. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 92235:179-92235:199.

–9703210323 Submits revised financial assurance documentation to comply w/actions required by NRC as listed.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/03/05. WEBER,M.F. Licensing Branch. 14pp. 92235:182-92235:199.

DOCKET 70-1342 CORATOMIC, INC., INDIANA, PA

9703210172 Ack receipt of 970207 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1342/96-01.
KINNEMAN,J.D. Region 1 (Post 820201). 97/03/12. PURDY,D.L. Biocontrol Technology, Inc. (formerly Coratomic, Inc.). 2pp. 92211:001-92211:005.

–9703210189 Responds to NRC 970107 NOV re violations noted in insp rept 70-1342/96-01 on 961212.Corrective actions:Physical inventory accounting for all licensed matl was completed on 970127 & annual rept for 1995/1996 sent on 961226.
KLINGENSMITH,J. Biocontrol Technology, Inc. (formerly Coratomic, Inc.). 97/02/07. Document Control Branch (Document Control Desk). 3pp. 92211:003-92211:005.

DOCKET 70-1374 IDAHO STATE UNIV., POCATELLO, ID

9703210215 Forwards amend 1 to SNM-1373 which authorizes organizational & administrative changes.
WEBER,M.F. Licensing Branch. 97/03/17. KUNZE,J. Idaho State Univ., Pocatello, ID. 2pp. 92235:231-92235:240.

–9703210216 Amend 1 to SNM-1373 for Idaho State University.
WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 97/03/17. 7pp. 92235:233-92235:239.

–9703210217 SER approving administrative & organizational changes for license SNM-1373.
WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 97/03/17. 1p. 92235:240-92235:240.

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9703050422 Submits advance notification in compliance w/10CFR73.74 for import shipment of max 20 kgs U metal enriched to 19.75% U235 loaded in 2 FS51 packagings (USA/0162/B(U)F).
MCLAUGHLIN,J. Transnuclear, Inc. 97/01/31. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 91956:142-91956:143.

9703170056 Submits advance notification for import shipment of 20 kgs U metal enriched to 19.75% U-235 loaded in 2 FS51 packagings, (USA/0162/B(U)F) from France.
MCLAUGHLIN,J. Transnuclear, Inc. 97/01/31. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 92116:276-92116:277.

9703250207 Submits advance notification of import shipment of nuclear matl from countries that are not party to Convention on Physical Protection of Nuclear Matl.
MCLAUGHLIN,J. Transnuclear, Inc. 97/02/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 92237:104-92237:105.

9703250241 Rev 1 to advance notification of upcoming shipment of nuclear matl from countries not party to Convention on Physical Protection of Nuclear Matl.
* Transnuclear, Inc. 97/03/06. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 92237:106-92237:107.

DOCKET 70-2377 DENTSPLY INTERNATIONAL, INC., YORK, PA

9703240034 Safety insp on 970131 of license SNM-1669.
* Region 1 (Post 820201). * Dentsply International. 97/01/31. 1p. 92220:112-92220:112.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9703180013 Order.* Informs that petitions filed by NRC & LES for Commission review of ASLB 961203 partial initial decision LBP-96-25 granted & issues raised in petitions will be reviewed.W/Certificate of Svc.Served on 970213.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18206. 97/02/13. Office of the General Counsel (Post 860701). 5pp. 92134:049-92134:053.

9703060068 Motion of intervenor,Citizens Against Nuclear Trash,for extension of time to respond to Louisiana Energy Svc & NRC staff appeal briefs.* Brief extension should be granted so intervenor responsive brief due 970417.W/Certificate of Svc.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #197 18173. 97/02/19. Commissioners (Post 750119). 5pp. 91970:191-91970:195.

9703060095 Order.* Citizens Against Nuclear Trash directed to file responsive brief in appeal of ASLB partial initial decision LBP-96-25 on or before 970417 & staff & licensee should file reply by 970501.W/Certificate of Svc.Served on 970227.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18177. 97/02/26. Office of the General Counsel (Post 860701). 3pp. 91970:118-91970:120.

9703140066 Partial Initial Decision (resolving contentions B & J.3).* Concludes that Louisiana Energy Svcs cost estimate in listed amount for conversion of DUF6 to U3O8 to be unreasonable. W/Certificate of Svc.Served on 970307.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #197 18192. 97/03/07. Louisiana Energy Services. 63pp. 92107:016-92107:078.

9703180011 NRC Staff brief in support of Commission reversal of LBP-96-25.* Informs that Board partial initial decision in LBP-96-25 should be reversed.W/Certificate of Svc.
BACHMANN,R.G. Office of the General Counsel (Post 860701). #197 18209. 97/03/13. Commissioners (Post 750119). 36pp. 92177:080-92177:115.

9703180023 Motion by Nuclear Energy Inst for leave to file amicus brief on review of LBP-96-25.* Seeks leave to file amicus brief due to Board partial initial decision that could severely affect interests of nuclear energy industry.
BISHOP,R.W., SILBERG,J.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #197 18208. 97/03/13. Commissioners (Post 750119). 3pp. 92134:054-92134:105.

--9703180043 NEI amicus brief on review of licensing board decision LBP-96-25.* Commission should reverse Board decision. W/Certificate of Svc.
BISHOP,R.W., SILBERG,J.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. 97/03/13. Commissioners (Post 750119). 49pp. 92134:057-92134:105.

9703180026 Applicant brief in support of petition for review of LBP-96-25.* Concludes that Commission should reverse ASLB decision.W/Certificate of Svc.
MCGARRY,J.M., ROWDEN,M.A. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #197 18207. 97/03/13. Commissioners (Post 750119). 50pp. 92134:106-92134:155.

9703180036 Opposition of intervenor,Citizens Against Nuclear Trash,to motion by Nuclear Energy Institute for leave to file amicus brief on review of LBP-96-25.* Citizens Against Nuclear Trash requests NRC to deny motion.W/Certificate of Svc.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #197 18213. 97/03/14. Commissioners (Post 750119). 6pp. 92134:161-92134:166.

9703200010 Forwards Table of Authorities to "NRC Staff Brief in Support of Commission Reversal of LBP-96-25" & pages 12 & 14 of same brief which corrects typos.
BACHMANN,R.G. Office of the General Counsel (Post 860701). #197 18215. 97/03/18. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92184:348-92184:354.

--9703200012 Table of authorities & pages 12 & 14 of "NRC Staff Brief in Support of Commission Reversal of LBP-96-25."
* Office of the General Counsel (Post 860701). 97/03/18. Commissioners (Post 750119). 6pp. 92184:349-92184:354.

DOCKET 70-3085 B&W SHALLOW LAND DISPOSAL AREA (SLDA), PARKS TOWNSHIP,

9703060437 Forwards "Criticality SAR." Rept prepared using latest gamma logging data as provided to NRC by ltr dtd 970205.
ROSENTHAL,P.R. Babcock & Wilcox Co. 97/02/21. ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 92011:158-92011:248.

--9703060438 "Criticality SAR."
* Babcock & Wilcox Co. 97/02/21. 88pp. 92011:159-92011:248.

DOCKET 70-3087 SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN

9703110282 Certifies that Scientific Ecology Group,Inc has completed processing of all radioactive matls shipped to company on listed manifest sent by State Univ NY/Buffalo.
* Scientific Ecology Group, Inc. 97/02/08. PIERRO,M.A. New York, State Univ. of, Buffalo, NY. 1p. 92121:048-92121:048.

DOCKET 70-3091 DOE HANFORD TANK WASTE REMEDIATION SYSTEM

9703060054 Submits comments on document, "Guidance for Review of TWRS Privitization Contractor Employee Concerns Mgt Sys," dtd Oct 1996.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/27. SHERIDAN,T.R. Energy, Dept. of. 6pp. 92010:353-92010:358.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9703070121 Requests meeting to discuss process & criteria to be used in implementing 10CFR76.76, "Backfitting."
RIFAKES,G.P. United States Enrichment Corp. (USEC). 97/01/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 92031:264-92031:266.

9703060075 Resubmittal of application for rev to COC,revising technical safety requirement 2.2.5.2 to correct discrepancy between actual plant configuration & design features specified in TSR.Caused by expiration of Notary Public Commission.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 97/02/25. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 20pp. 92012:001-92012:020.

9703050344 Requests that addl info be provided to complete final action on request for amend to COC for Paducah Gaseous Diffusion Plant.
HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/28. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. 92003:121-92003:122.

9703050405 Requests support in conducting joint DOE/NRC review of Compliance Plan.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/28. PARKS,J.W. Energy, Dept. of. 2pp. 92003:125-92003:126.

9703050415 Informs that notice of enforcment discretion is warranted because NMSS is clearly satisfied that noted action involves minimal or no safety impact.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/02/28. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 92003:153-92003:155.

9703050421 Responds to request for review of & response to USEC's understanding related to certain requirements imposed by TSRs & Compliance Plan for CAAS audibility re two ltrs dtd 970214.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/28. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 92003:156-92003:158.

9703050426 Discusses ltrs dtd 960522 for Portsmouth Gaseous Diffusion Plant & 960419 & 0815,for Paducah Gaseous Diffusion Plant requesting exclusions of areas within USEC leased areas from Criticality Accident Alarm Sys monitoring.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/28. MILLER,J.H. United States Enrichment Corp. (USEC). 7pp. 92003:159-92003:165.

9703060040 Application for rev to certificate of compliance 7001 for Paducah Gaseous Diffusion Plant,revising technical safety requirements sections 1.2 & 1.6 to provide definitions for completion times.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/02/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 23pp. 92012:046-92012:068.

9703060063 Discusses interim measures in effect re Compliance Plan Issue 36 of seismic capability of buildings C-331 & C-335.
WOOLEY,R.L. United States Enrichment Corp. (USEC). 97/02/28. PIERSON,R.C. Office of Nuclear Material Safety & Safeguards. 2pp. 92016:277-92016:278.

9703070089 Confirms understanding of requirements of 10CFR76.66(b) re evaluation of as-found conditions discussed in telcons on 970220 & 25.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/02/28. PIERSON,R.C. Office of Nuclear Material Safety & Safeguards. 2pp. 92031:269-92031:270.

9703100175 Discusses CAL-RIII-97-03 re improper implementation of double-contingency control on 970218.List of requirements, per Section 182 of AEC,142 USC 2232,submitted.
BEACH,A.B. Region 3 (Post 820201). 97/02/28. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 91998:220-91998:222.

9703050205 Forwards list of open USEC commitments to DOE re Compliance Plan Issue C1/X1.
WOOLEY,R.L. United States Enrichment Corp. (USEC). 97/03/01. PIERSON,R.C. Office of Nuclear Material Safety & Safeguards. 52pp. 91988:256-91988:307.

9703100171 Notice of transition of regulatory authority over US Enrichment Corp Gaseous Diffusion Plants.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/03. 3pp. 92046:358-92046:360.

9703060367 Notification of 970312 meeting w/USEC in Piketon,OH to regulatory issues.
* Office of Nuclear Material Safety & Safeguards. 97/03/04. Office of Nuclear Material Safety & Safeguards. 1p. 92016:291-92016:291.

9703190118 Application for amend to COC for Paducah,KY gaseous diffusion plant.Proprietary changes to FNMCP encl.Encl withheld.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/03/04. PAPERIELLO,C.J. Document Control Branch (Document Control Desk). 10pp. 92201:114-92201:123.

9703060369 Forwards certificate of compliance GDP-1,amend 1.
PAERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/05. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 92016:292-92016:296.

--9703060374 Certificate of compliance GDP-1 for Paducah Gaseous Diffusion Plant in Paducah,KY,rev 1.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/05. 2pp. 92016:295-92016:296.

9703060373 Discusses Paducah certificate amend request & definition of completion times.
HORN,M. Office of Nuclear Material Safety & Safeguards. 97/03/05. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 92016:287-92016:287.

9703100167 Informs that Compliance Plan Issue 41 for Portsmouth Gaseous Diffusion Plant & Compliance Plan Issue 45 for Paducah Gaseous Diffusion Plant will remain open until review is completed.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/07. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 92047:342-92047:342.

9703130117 Submits Rev 7 to USEC-01,application for US NRC certification,Paducah Gaseous Diffusion plant.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/03/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 13pp. 92128:012-92128:024.

9703170154 Forwards response to RAI re certificate amend request to correct discrepancy between actual plant configuration & design feature specified in TSR.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/03/10. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 17pp. 92142:336-92142:352.

9703260154 Submits commitments made as result of response to Insp Repts 70-7001/96-08,70-7002/96-07 & 70-7001/97-01.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/11. DEVAULT,R.M. Energy, Dept. of. 2pp. 92257:335-92257:336.

9703140129 Summary of 970327 meeting w/USEC to discuss activities re gaseous diffusion plants operated by USEC.
* NRC - No Detailed Affiliation Given. 97/03/12. NRC - No Detailed Affiliation Given. 2pp. 92138:013-92138:014.

9703180046 Comment supporting proposed rules 10CFR2,40,70 & 76 re "USEC Privatization Act Certification & Licensing of Uranium Enrichment Facilities."
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/14. Office of the Secretary of the Commission. 2pp. 92134:167-92134:168.

9703180058 Part 21 rept re cracked nuts showing stress corrosion cracking.Caused by matl & mfg problems.Valves placed in storage & not exposed to plant process chemicals.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/03/14. Document Control Branch (Document Control Desk). 7pp. 92200:234-92200:240.

9703190019 Comments on NRC Policy & Procedure for Enforcement Actions; Policy Statement,in response to USEC Privatization Act.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/14. Office of the Secretary of the Commission. 10pp. 92160:001-92170:136.

9703180168 Forwards FRN that announces that NRC has assumed regulatory jurisdiction over gaseous diffusion plants from DOE.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/17. HIATT,S.L. Ohio Citizens for Responsible Energy. LEROY,P.G. Louisiana Energy Services. SCOHY,L.R. Affiliation Not Assigned. 12pp. 92196:329-92196:340.

9703190276 Discusses process of placing operation in safe condition or timing of conditions,per 970228 ltr.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/17. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 2pp. 92199:166-92199:167.

9703200258 Requests FR Notice announcing availability of criteria for Staff implementation of "Backfitting" requirements for GDPs & NMSS GDP backfit procedure be published & placed in PDR & LPDRs assigned to Portsmouth & Paducah GDPs.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/17. HALMAN,E.L. Office of Administration, Director (Post 940714). 29pp. 92211:320-92211:354.

-9703200272 Notice of availability of criteria for Staff implementation of "Backfitting" requirements for GDPs.
GREEVES,J.T. Office of Nuclear Material Safety & Safeguards. 97/03/17. 6pp. 92211:349-92211:354.

9703250114 Application for amend to COC for Paducah,KY gaseous diffusion plant,revising LCO statements & applicability statements for technical safety requirements 2.1.4.21, 2.2.4.12 & 2.3.4.23 concerning Nuclear Matl Control.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/03/17. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 15pp. 92251:178-92251:192.

9703210218 Ack receipt of application to amend COC GDP-1.Initial administrative review complete.
HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/18. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 92235:230-92235:230.

9703210332 Forwards proprietary quarterly repts on implementation status of compliance plans.Encl withheld,per 10CFR2.790(d)(1) & 9.17(a)(4).
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/18. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 46pp. 92232:272-92232:317.

9703240216 Requests technical assistance in review of certificate amend request for Paducah Gaseous Diffusion Plant to revise Fundamental Nuclear Materials Control Plan.
PIERSON,R.C. Office of Nuclear Material Safety & Safeguards. 97/03/21. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 1p. 92236:216-92236:216.

9703240218 Informs that review of 970228 application for certificate amend request will be completed by 970425.
FARAZ,Y.H. Office of Nuclear Material Safety & Safeguards. 97/03/21. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 92236:217-92236:217.

9703260216 Summary of 970312 meeting w/licensee & DOE in Piketon,OH to discuss proposed changes to 10CFR76 & status backfit procedures for gaseous diffusion plants.
FARAZ,Y. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/25. PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 41pp. 92252:307-92252:347.

9703270118 Forwards copy of gaseous diffusion plant event notification worksheet for informational purposes for awareness of info needed when Operations Ctr receives call from GDPs.No action required.
HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/26. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 3pp. 92268:067-92268:069.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9703270318 Transmits classified ref in SAR Section 3.7,Rev 3 of USEC application for COC for Portsmouth,OH gaseous diffusion plant.Encl withheld.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/07/12. HICKEY,J.W. Enrichment Branch. 2pp. 92267:358-92267:359.

9703070121 Requests meeting to discuss process & criteria to be used in implementing 10CFR76.76, "Backfitting."
RIFAKES,G.P. United States Enrichment Corp. (USEC). 97/01/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 92031:264-92031:266.

9703030485 Amends COC GDP-2 to allow vent path from compression loop to cascade to be open in Standby Operational Mode for X-326 ERP,X-333 LAW & X-330 Tails Withdrawal Stations.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/02/04. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 91964:266-91964:270.

-9703040002 Certificate of compliance GDP-2,amend 1,issued to US Enrichment Corp,Portsmouth Gaseous Diffusion Plant,Piketon, OH.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 97/02/27. 2pp. 91964:269-91964:270.

9703250104 Application for amend to COC for Portsmouth,OH gaseous diffusion plant re 3% assay limit for X-333 facility approved by NRC.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 97/02/13. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 13pp. 92251:193-92251:205.

9703190115 Application for amend to COC re 3% assay limit for X-333 facility approved by NRC under COC GDP-2 as documented in SAR Section 3.1.4.3.5,SAR Table 3.1.1.6-1,TSR 2.2.3.8,TSR 2.2.3.9,TSR 2.3.3.2 & TSR 2.4.3.4.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 97/02/25. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 14pp. 92201:223-92201:236.

9703050405 Requests support in conducting joint DOE/NRC review of Compliance Plan.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/28. PARKS,J.W. Energy, Dept. of. 2pp. 92003:125-92003:126.

9703050426 Discusses ltrs dtd 960522 for Portsmouth Gaseous Diffusion Plant & 960419 & 0815,for Paducah Gaseous Diffusion Plant requesting exclusions of areas within USEC leased areas from Criticality Accident Alarm Sys monitoring.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/02/28. MILLER,J.H. United States Enrichment Corp. (USEC). 7pp. 92003:159-92003:165.

9703060053 Application for rev to certificate of compliance 7002 for Paducah Gaseous Diffusion Plant,revising technical safety requirements sections 1.2 & 1.6 to provide definitions for completion times.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/02/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 24pp. 92001:295-92001:318.

9703070089 Confirms understanding of requirements of 10CFR76.68(b) re evaluation of as-found conditions discussed in telcons on 970220 & 25.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/02/28. PIERSON,R.C. Office of Nuclear Material Safety & Safeguards. 2pp. 92031:269-92031:270.

9703050205 Forwards list of open USEC commitments to DOE re Compliance Plan Issue C1/X1.
WOOLEY,R.L. United States Enrichment Corp. (USEC). 97/03/01. PIERSON,R.C. Office of Nuclear Material Safety & Safeguards. 52pp. 91988:256-91988:307.

9703100171 Notice of transition of regulatory authority over US Enrichment Corp Gaseous Diffusion Plants.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/03. 3pp. 92046:358-92046:360.

9703060367 Notification of 970312 meeting w/USEC in Piketon,OH to regulatory issues.
* Office of Nuclear Material Safety & Safeguards. 97/03/04. Office of Nuclear Material Safety & Safeguards. 1p. 92016:291-92016:291.

9703100167 Informs that Compliance Plan Issue 41 for Portsmouth Gaseous Diffusion Plant & Compliance Plan Issue 45 for Paducah Gaseous Diffusion Plant will remain open until review is completed.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/07. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 92047:342-92047:342.

9703130125 Submits Rev 7 to USEC-02,application for US NRC certification,Portsmouth Gaseous Diffusion plant.Rev bars provided in right-hand margin to identify changes.
MILLER,J.H. United States Enrichment Corp. (USEC). 97/03/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 9pp. 92128:118-92128:126.

9703130268 Requests technical assistance in review of certificate amend request for hypothetical criticality accident scenario dose at Portsmouth Gaseous Diffusion Plant.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/11. WEBER,M.F. Licensing Branch. 2pp. 92128:098-92128:099.

9703260154 Submits commitments made as result of response to Insp Repts 70-7001/96-08,70-7002/96-07 & 70-7001/97-01.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/11. DEVAULT,R.M. Energy, Dept. of. 2pp. 92257:335-92257:336.

9703140129 Summary of 970327 meeting w/USEC to discuss activities re gaseous diffusion plants operated by USEC.
* NRC - No Detailed Affiliation Given. 97/03/12. NRC - No Detailed Affiliation Given. 2pp. 92138:013-92138:014.

9703180046 Comment supporting proposed rules 10CFR2,40,70 & 76 re "USEC Privatization Act Certification & Licensing of Uranium Enrichment Facilities."
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/14. Office of the Secretary of the Commission. 2pp. 92134:167-92134:168.

9703180143 Corrects record re an error made in issuing Certificate Amend Number 1 for Portsmouth Gaseous Diffusion Plant.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/14. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 92190:344-92190:344.

9703190019 Comments on NRC Policy & Procedure for Enforcement Actions; Policy Statement,in response to USEC Privatization Act.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/14. Office of the Secretary of the Commission. 10pp. 92160:001-92170:136.

9703180168 Forwards FRN that announces that NRC has assumed regulatory jurisdiction over gaseous diffusion plants from DOE.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/17. HIATT,S.L. Ohio Citizens for Responsible Energy. LEROY,P.G. Louisiana Energy Services. SCOHY,L.R. Affiliation Not Assigned. 12pp. 92196:329-92196:340.

9703190276 Discusses process of placing operation in safe condition or timing of conditions,per 970228 ltr.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/17. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 2pp. 92199:166-92199:167.

9703200258 Requests FR Notice announcing availability of criteria for Staff implementation of "Backfitting" requirements for GDPs & NMSS GDP backfit procedure be published & placed in PDR & LPDRs assigned to Portsmouth & Paducah GDPs.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/17. HALMAN,E.L. Office of Administration, Director (Post 940714). 29pp. 92211:320-92211:354.

--9703200272 Notice of availability of criteria for Staff implementation of "Backfitting" requirements for GDPs.
GREEVES,J.T. Office of Nuclear Material Safety & Safeguards. 97/03/17. 6pp. 92211:349-92211:354.

9703210257 Provides supplemental rept of open US Enrichment Corp commitments to DOE as committed in ltr dtd 970301.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/17. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 4pp. 92235:249-92235:252.

9703200276 Forwards compliance evaluation rept prepared to support amend of COC GDP-2.Notice of amend,forwarded to Ofc of FR for publication encl also.
FARAZ,Y.H. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/18. MILLER,J.H. United States Enrichment Corp. (USEC). 3pp. 92212:152-92212:164.

--9703200284 Notice of amend to COC for US Enrichment Corp Portsmouth Gaseous Diffusion Plant,Portsmouth,OH.
GREEVES,J.T. Office of Nuclear Material Safety & Safeguards. 97/03/18. 10pp. 92212:155-92212:164.

9703210332 Forwards proprietary quarterly repts on implementation status of compliance plans.Encl withheld,per 10CFR2.790(d)(1) & 9.17(a)(4).
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/18. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 46pp. 92232:272-92232:317.

9703260157 Submits correction to info re DOE matl storage areas (DMSAs).
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 97/03/21. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 92257:337-92257:338.

9703260216 Summary of 970312 meeting w/licensee & DOE in Piketon,OH to discuss proposed changes to 10CFR76 & status backfit procedures for gaseous diffusion plants.
FARAZ,Y. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/25. PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 41pp. 92252:307-92252:347.

9703270118 Forwards copy of gaseous diffusion plant event notification worksheet for informational purposes for awareness of info needed when Operations Ctr receives call from GDPs.No action required.
HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 97/03/26. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 3pp. 92268:067-92268:069.

DOCKET DOCKET UNKNOWN

9703190374 For docket 71000875,EWR Testing & Inspection,Inc revised "QA Program for Shipping Packages Consisting of Exposure Device, Source Chargers & Other Shielded Containers for Radioactive Sources."
EWER,L.R., EWER,C.A. ETI. ETI-QA-1. 97/02/12. 5pp. 92199:198-92199:202.

9703110058 Forwards QA program for docket 71000873,Univ of PA for shipment of Pu-239-Be neutron sources.
MCCUE,J. Pennsylvania, Univ. of, Philadelphia, PA. 97/02/26. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 92118:356-92118:359.

--9703110065 For docket 71000873,Univ of PA, "10CFR71 QA Program for Shipment of Pu-239-Be Neutron Sources."
MCCUE,J. Pennsylvania, Univ. of, Philadelphia, PA. 97/02/27. 3pp. 92118:357-92118:359.

9703110031 Forwards for docket 71000874,Univ of Detroit Mercy,QA program for shipment of Pu-239-Be neutron sources.
BLACKWELL,L.H. Detroit, Univ. of, School of Dentistry, Detroit, MI. 97/03/03. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 92118:351-92118:355.

--9703110038 For docket 71000874,Univ of Detroit Mercy, "10CFR71 QA Program for Shipment of Pu-239-Be Neutron Sources."
BLACKWELL,L.H. Detroit, Univ. of, School of Dentistry, Detroit, MI. 97/03/03. 3pp. 92118:352-92118:355.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0018 NUCLEAR ASSURANCE CORP.

9703110078 Provides interim rept re corrective actions completion status of committed actions re Confirmatory Action Ltr 96-01.
DAVIS,E.M. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/02/26. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 92120:353-92120:356.

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

DOCKET 71-0108 UNIV. OF MISSOURI

9703260162 Application for renewal of QA program approval for radioactive matl package:0108,Rev 4.
MEYER,W.A., MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 97/03/18. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 5pp. 92257:355-92257:359.

DOCKET 71-0238 AGRICULTURE, DEPT. OF

9703110044 Requests termination of QA program 0238.
JENSEN,J.T. Agriculture, Dept. of. 97/03/04. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 92121:102-92121:103.

DOCKET 71-0250 TRANSNUCLEAR, INC.

9703260038 Submits advance notification of listed import shipment of nuclear matl from countries that are not party to convention on physical protection of nuclear matl,in compliance w/ requirements outlined in 10CFR73.72 & 10CFR73.74.
MCLAUGHLIN,J. Transnuclear, Inc. 97/02/11. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 92244:226-92244:227.

DOCKET 71-0252 DAYTON X-RAY CO.

9703040131 Application for renewal of QA program approval IAW certain provisions of Subpart C of 10CFR71 in order to satisfy provisions of Subpart H of 10CFR150.20.
SMALL,C.N. Dayton X-Ray Co. 97/02/21. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 91960:278-91960:278.

9703270257 Informs that request for renewal of QA approval for radioactive matl packages 0252,rev 3 under timely renewal.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/19. SMALL,C.N. Dayton X-Ray Co. 1p. 92268:122-92268:122.

DOCKET 71-0325 CONSUMERS POWER CO.

9703180218 Informs that shareholders due to vote on ballot on 970310 re name remaining as CPC until such time as changed to Consumer Energy Co.
BORDINE,T.C. Consumers Power Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92200:288-92200:289.

DOCKET 71-0444 NATIONAL INSPECTION & CONSULTANTS, INC.

9703050383 Advises QA program approval for radioactive matl package 0444,rev 3 received & under timely renewal.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/03. VIGNE,D.J. National Inspections & Consultants. 1p. 92003:123-92003:123.

DOCKET 71-0472 ABC TESTING

9703190224 Requests registration renewal as user of Amersham Corp (Sentinel) Models 660,650 & 680,package identification numbers USA/9033/B,USA/9032/B (U) & USA/9035/B.
RICHARDSON,C.A. ABC Testing. 97/03/04. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 92199:133-92199:158.

--9703190313 "ABC Testing Inc 10CFR71 QA Program for Industrial Radiography License."
RICHARDSON,C.A. ABC Testing. 97/03/04. 23pp. 92199:134-92199:158.

9703190370 Ack receipt of 970304 application for renewal of QA program for radioactive matl package 0472.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/18. RICHARDSON,C.A. ABC Testing. 1p. 92199:197-92199:197.

DOCKET 71-0514 NORTH AMERICAN INSPECTION

9703120162 Requests name change on QA Plan,Approval Number 0514,dtd 940406.Copy of request to Licensing Div & resulting Matls License attached.
SHUMWAY,D.B. North American Inspection, Inc. 97/03/05. JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 92125:058-92125:063.

--9703120172 Application for amend to license 37-23370-01,requesting permission & guidance in transferring ownership of matl license.
SHUMAY,R.K. North American Inspection, Inc. 97/01/06. 2pp. 92125:059-92125:060.

--9703120175 Amend 9 to license 37-23370-01 for Prime NDT Svcs,Inc.
WHITE,D. Region 1 (Post 820201). 97/02/07. 3pp. 92125:061-92125:063.

DOCKET 71-0521 GEORGIA POWER CO.

9703270100 Requests change made to Item 2 of QA program approval for radioactive matl package:0521,Rev 3 as submitted.
SUMNER,H.L. Georgia Power Co. 97/03/18. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 2pp. 92268:057-92268:058.

DOCKET 71-0613 ARMY, DEPT. OF

9703060079 Advises that application for renewal of QA program for radioactive matl package 0613,rev 1 timely filed & transportation activities may continue.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/03. DUBOIS,R.K. Army, Dept. of. 1p. 92012:360-92012:360.

DOCKET 71-0625 COPES-VULCAN, INC.

9703190171 Advises that QA program approval for radioactive matl package:0625 expired on 970228.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/17. PORTER,F.R. Copes-Vulcan, Inc. 1p. 92198:352-92198:352.

DOCKET 71-0627 CONSOLIDATED NDE, INC.

9703040381 Application for renewal of QA program approval for radioactive matl package:0627.
BALLARD,B.R. Consolidated NDE, Inc. (formerly Consolidated X-Ray Service Corp. East). 97/02/28. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 91979:345-91979:345.

9703190181 Advises that 970228 application for renewal of QA program approval for radioactive matl package 0627,rev 1 under timely renewal.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/17. BALLARD,B.R. Consolidated NDE, Inc. (formerly Consolidated X-Ray Service Corp. East). 1p. 92198:353-92198:353.

DOCKET 71-0630 PROGRESS SERVICES, INC.

9703030385 Informs that QA approval under timely renewal & may continue transportation activities in accordance w/current QA program.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/02/27. BECKER,M.A. Progress Services, Inc. 1p. 91956:310-91956:310.

DOCKET 71-0726 GEORGIA POWER CO.

9703270088 Requests change made to Item 2 of QA program approval for radioactive matl package:0726,Rev 1 as submitted.
MCCOY,C.K. Georgia Power Co. 97/03/18. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 2pp. 92268:054-92268:055.

DOCKET 71-0727 CONTINENTAL AIRLINES, INC.

9703050392 Advises QA program approval for radioactive matl package 0727,rev 0 received & under timely renewal.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/03. Continental Airlines, Inc. 1p. 92003:124-92003:124.

DOCKET 71-0729 PAUL SINN TESTING SERVICES

9703050373 Advises QA program approval for radioactive matl package 0729,rev 0 received & under timely renewal.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/03. SINN,P.W. Affiliation Not Assigned. 1p. 92003:152-92003:152.

DOCKET 71-0770 RUST REMEDIAL SERVICES

9703260169 Notification of name & address change for company & requests approval reflect changes.Fee paid.
CURETON,J.A. OHM Corp. 97/03/17. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 92257:360-92257:360.

DOCKET 71-0832 UNITED STATES ENRICHMENT CORPORATION

9703030358 Forwards QA program approval for radioactive matl packages: 0832,Rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/02/28. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 91956:319-91956:320.

--9703030362 QA program approval for radioactive matl package:0832,Rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/02/28. 1p. 91956:320-91956:320.

DOCKET 71-0845 WELLSLEY COLLEGE

9703270205 Advises that QA program approval for radioactive matl package:0845 expired on 970228.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/21. PETERMAN,T.K. Wellesley College, Wellesley, MA. 1p. 92268:114-92268:114.

DOCKET 71-0846 WEST VIRGINIA UNIVERSITY HOSPITALS

9703270251 Advises that QA program approval for radioactive matl package:0846 expired on 970228.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/19. RAUDENBUSH,E. West Virginia Univ., Morgantown, WV. 1p. 92268:121-92268:121.

DOCKET 71-0861 BENDICT COLLEGE

9703270248 Advises that QA program approval for radioactive matl package:0861 expired on 970131.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/19. SINGH,R. Affiliation Not Assigned. 1p. 92268:120-92268:120.

DOCKET 71-0862 BIONOMICS, INC.

9703270236 Advises that QA program approval for radioactive matl package:0862 expired on 970131.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/19. NIPPER,P.I. . 1p. 92268:117-92268:117.

DOCKET 71-0872 CONNORS PIPE SYSTEMS, INC.

9703210075 Ack receipt of NRC recent comments on license application. Changes to QA program,as NRC requested,briefly described as submitted encl.
NODES,R.E. Connex Pipe Systems, Inc. 97/03/13. SPETS,J. Office of Nuclear Material Safety & Safeguards. 1p. 92235:257-92235:259.

--9703210079 "10CFR71 QA Program."
* Connex Pipe Systems, Inc. 97/03/13. 2pp. 92235:258-92235:259.

DOCKET 71-0873 UNIVERSITY OF PENNSYLVANIA

9703130277 Forwards QA program approval for radioactive matl package 0873,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/10. MCCUE,J. Pennsylvania, Univ. of, Philadelphia, PA. 1p. 92128:084-92128:085.

--9703130279 QA program approval for radioactive matl package:0873,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/10. 1p. 92128:085-92128:085.

DOCKET 71-0874 UNIVERSITY OF DETROIT MERCY

9703190192 Forwards QA program approval for radioactive matl package 0470,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/17. BLACKWELL,L.H. Detroit, Univ. of, School of Dentistry, Detroit, MI. 1p. 92205:321-92205:322.

--9703190195 QA program approval for radioactive matl package:0874,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 97/03/17. 1p. 92205:322-92205:322.

DOCKET 71-3033 MODEL: TN6-2, TRANSPORTATION, DEPT OF

9703130081 Requests that all future RAI include individual responses to each item in RAI w/revs to SAR.Specified addl info should be submitted within 60 days of ltr.
MCGINTY,T.J. Office of Nuclear Material Safety & Safeguards. 97/03/10. BOYLE,R. Transportation, Dept. of. 6pp. 92128:140-92128:145.

DOCKET 71-3035 MODEL: JRC-80Y-20T (JAPANESE) CASK, TRANSPORTATION,

9703120476 Informs that specified addl info should be submitted within 60 days of date of ltr.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 97/03/10. BOYLE,R.W. Transportation, Dept. of. 3pp. 92124:336-92124:338.

DOCKET 71-5874 MODEL: WAPD-40, ENERGY, DEPT. OF

9703260171 Requests that NRC COC for package be canceled,effective 980101.
WALKER,J.A. Energy, Dept. of. 97/03/12. KANE,W. Office of Nuclear Material Safety & Safeguards. 1p. 92258:300-92258:300.

DOCKET 71-5894 MODEL: 2.7 NEW FUEL, ENERGY, DEPT. OF

9703190232 Informs of termination of COC 5894,in response to 970121 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/18. MILES,B.K. Energy, Dept. of. 1p. 92199:159-92199:159.

DOCKET 71-6206 MODEL: MODEL B, B&W FUEL CO.

9703110109 Requests registration as user of Model B Framatome Cogema Fuels shipping package.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/04. Office of Nuclear Material Safety & Safeguards. 1p. 92121:105-92121:105.

9703130288 Informs that NRC has registered util as user of COC 6206 IAW general license provisions of 10CFR71.12,per 970304 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/10. SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 1p. 92126:359-92126:359.

DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

9703050274 Forwards UNC 2091 shipping container drawing D-5018-8484, Rev 0.Drawing was produced by modifying an existing UNC-2901 drawing to revise tolerance limit & to incorporate various non-substantive changes.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 97/02/26. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 5pp. 92025:302-92025:307.

9703190322 Advises that certificate of compliance 6294 for Model UNC-2901 package amended as listed.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/17. RICKARD,I. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 92199:168-92199:170.

DOCKET 71-6347 MODEL: FSV-3, GENERAL ATOMICS

9703100286 Application for renewal of certificate of compliance 6347 for Model FSV-3 USA/6347/AF shipping containers.
ASMUSSEN,K.A. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 97/02/28. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 92043:360-92043:360.

DOCKET 71-6553 MODEL: PADUCAH TIGER, ENERGY, DEPT. OF

9703190363 Forwards COC 6553,rev 11 for model Paducah Tiger package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/18. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 92199:184-92199:187.

--9703190364 Certificate of compliance 6553,rev 11,for model Paducah Tiger package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/18. 3pp. 92199:185-92199:187.

DOCKET 71-9010 MODEL: NLI-1/2, NAC INTERNATIONAL

9703040113 Requests registration as user of model NLI-1/2 shipping package.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 97/02/19. Office of Nuclear Material Safety & Safeguards. 1p. 91960:026-91960:026.

9703130292 Informs that GPU Nuclear,Inc has been registered as user of COC 9010 IAW general license provisions of 10CFR71.12, per 970219 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/10. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 1p. 92136:212-92136:212.

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

DOCKET 71-9023 MODEL: NLI-10/24, NAC INTERNATIONAL

9703060145 Requests timely renewal of COC 9023 for model NLI-10/24 packaging IAW provisions of 10CFR71.38.
THOMPSON,T.C. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/02/28. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 7pp. 92016:270-92016:276.

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9703190224 Requests registration renewal as user of Amersham Corp (Sentinel) Models 660,650 & 680,package identification numbers USA/9033/B,USA/9032/B (U) & USA/9035/B.
RICHARDSON,C.A. ABC Testing. 97/03/04. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 92199:133-92199:158.

--9703190313 "ABC Testing Inc 10CFR71 QA Program for Industrial Radiography License."
RICHARDSON,C.A. ABC Testing. 97/03/04. 23pp. 92199:134-92199:158.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9703100284 Requests registration as user of model 9263,9033 & 9157.
BARNETT,L. Affiliation Not Assigned. 97/01/09. Office of Nuclear Material Safety & Safeguards. 1p. 92048:332-92048:332.

9703190224 Requests registration renewal as user of Amersham Corp (Sentinel) Models 660,650 & 680,package identification numbers USA/9033/B,USA/9032/B (U) & USA/9035/B.
RICHARDSON,C.A. ABC Testing. 97/03/04. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 92199:133-92199:158.

--9703190313 "ABC Testing Inc 10CFR71 QA Program for Industrial Radiography License."
RICHARDSON,C.A. ABC Testing. 97/03/04. 23pp. 92199:134-92199:158.

9703130341 Notification of registration as user of COCs 9033,9157 & 9263,in response to 970109 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/10. BARNETT,L. Barnett Industrial X-Ray. 1p. 92136:216-92136:216.

DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9703190224 Requests registration renewal as user of Amersham Corp (Sentinel) Models 660,650 & 680,package identification numbers USA/9033/B,USA/9032/B (U) & USA/9035/B.
RICHARDSON,C.A. ABC Testing. 97/03/04. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 92199:133-92199:158.

--9703190313 "ABC Testing Inc 10CFR71 QA Program for Industrial Radiography License."
RICHARDSON,C.A. ABC Testing. 97/03/04. 23pp. 92199:134-92199:158.

DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.

9703050309 Notification of registration as user of certificate of compliance 9081,in response to 970212 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/02/28. GAMBHIR,S.K. Omaha Public Power District. 1p. 92003:181-92003:181.

DOCKET 71-9145 MODEL: NUPAC 50-1.5L, NUPAC 50-2.5L, ET AL, NUPAC

9703110110 Informs of receiving notification from Vectra that CPC had not been placed on registered users list for Vectra cask (50-2.5),package identification USA/9145/A.Copy of 960615 ltr requesting registration as user of 50-2.5 cask,encl.
HOAGLUND,W.M. Consumers Power Co. 97/02/27. NRC - No Detailed Affiliation Given. 1p. 92120:357-92120:359.

--9703110113 Requests registration as user of NuPac Model 50-2.5 radioactive materials shipping package.
HOAGLAND,W.M. Consumers Power Co. 96/06/15. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 92120:358-92120:359.

9703130332 Notification of registration as user of Certificate of Compliance 9145,in response to 970227 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/10. HOAGLUND,W.M. Consumers Power Co. 1p. 92136:215-92136:215.

DOCKET 71-9148 MODEL: 770, AMERSHAM CORP.

9703270292 Forwards COC 9148,Rev 5 for model 770 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/19. ROUGHAN,C. Amersham Corp. 1p. 92266:356-92266:359.

--9703270295 Certificate of compliance 9148,Rev 5 for model 770.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/19. 3pp. 92266:357-92266:359.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9703100284 Requests registration as user of model 9263,9033 & 9157.
BARNETT,L. Affiliation Not Assigned. 97/01/09. Office of Nuclear Material Safety & Safeguards. 1p. 92048:332-92048:332.

9703130321 Notification of registration as user of Certificate of Compliance 9157,in response to request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/10. JACKSON,D.R. Affiliation Not Assigned. 1p. 92128:079-92128:079.

9703130341 Notification of registration as user of COCs 9033,9157 & 9263,in response to 970109 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/10. BARNETT,L. Barnett Industrial X-Ray. 1p. 92136:216-92136:216.

9703110107 Informs NRC that dept of Type B transporter for radioactive matl Ir-192 unit industrial nuclear Model Ir-100.
JACKSON,D.R. Affiliation Not Assigned. 97/03/11. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 92121:104-92121:104.

DOCKET 71-9183 MODEL: NAC-1, NAC INTERNATIONAL

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

DOCKET 71-9203 MODEL: DHTF, B&W FUEL CO.

9703130290 Discusses resolution of deviations in transportation packages reported under provisions of 10CFR71.95.
OSGOOD,N. Office of Nuclear Material Safety & Safeguards. 97/03/12. RAMSEY,K. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 92128:083-92128:083.

DOCKET 71-9225 MODEL: NAC-LWT, NAC INTERNATIONAL

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

DOCKET 71-9228 MODEL: 2000, GENERAL ELECTRIC CO.

9703190264 Summary of 970311 meeting w/GE in Rockville,MD re model 2000 transportation package.
OSGOOD,N.L. Office of Nuclear Material Safety & Safeguards. 97/03/17. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92199:165-92199:165.

DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.

9703040382 Forwards Rev 2 to "SAR for NCI-21PF-1 Protective Shipping Package." Responses to questions included as attachment to ltr.
ARNOLD,W.M. Nuclear Containers, Inc. 97/02/26. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 7pp. 91963:001-91963:283.

--9703040387 Rev 2 to "SAR for NCI-21PF-1 Protective Shipping Package."
* Nuclear Containers, Inc. 97/02/26. 276pp. 91963:008-91963:283.

DOCKET 71-9235 MODEL: NAC-STC, NAC INTERNATIONAL

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

DOCKET 71-9239 MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.

9703260266 Notifies of violation of Shipping Container COC USA/9239/AF, per provisions of 10CFR71.95(a).Corrective actions:Container Preparation & Packing Supervisor was directed to expedite identification of all shipping containers on 970218.
FICI,J.A. Westinghouse Electric Corp. 97/03/17. Office of Nuclear Material Safety & Safeguards. 3pp. 92254:172-92254:174.

DOCKET 71-9253 MODEL: TN-FSV, TRANSNUCLEAR, INC.

9703280027 Requests that COC 9253,currently issued to PSC,be revised to show DOE-ID as registered owner & users of TN-FSV spent fuel shipping packages.COC,encl.
WILCYNSKI,J. Energy, Dept. of. 97/03/24. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 3pp. 92271:027-92271:044.

DOCKET 71-9255 MODEL: MP-187, VECTRA TECHNOLOGIES

9703270117 Forwards RAI to VECTRA Technologies,Inc for docket 71009255 re NRC Bulletin 96-004, "Chemical,Galvanic,or Other Reactions in Spent Fuel Storage & Transportation Casks."
KOBETZ,T.J. Office of Nuclear Material Safety & Safeguards. 97/03/24. FRANCESCHI,V. Vectra Technologies, Inc. 5pp. 92268:062-92268:066.

DOCKET 71-9258 MODEL: F-294, NORDION INTERNATIONAL

9703190245 Requests addl info for review of 940228 application as supplemented 960214,requesting COC for model F-294 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/18. STIRLING,J. Nordion International, Inc. 4pp. 92199:104-92199:107.

DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9703060294 Forwards proprietary Vol 1,Rev 5 to HI-951251, "SAR for HI-STAR 100 Cask Sys," new title pp for each volume,revised cover sheet & new list of effective pp.Encl withheld per 10CFR2.790.
TJERSLAND,G.T. Holtec International. 97/02/24. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 6pp. 92012:205-92012:211.

9703060360 Forwards non-proprietary Rev 5 to Holtec Rept HI-951251, "SAR for HI-STAR 100 Cask Sys." List of effective pages should be inserted in front of table of contents in Vol 1 of SAR.
TJERSLAND,G.T. Holtec International. 97/02/24. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 5pp. 92012:069-92012:120.

--**9703060366** Non-proprietary "SAR for HI-STAR 100 Cask Sys."
* Holtec International. HI-951251 R05. 97/02/28. 46pp. 92012:075-92012:120.

9703030520 Summary of 970210 meeting w/representatives of Holtec Intl Corp on 970210 re major changes in Holtec's recently submitted Rev 4 to SAR & topical SAR for HI-STAR 100 cask sys.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 97/02/27. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 120pp. 91951:137-91951:256.

9703060284 Appreciates interaction w/staff & G Thomas of LLNL on matter of effective thermal conductivity of fuel assembly used in HI-STAR 100 thermal analysis.
TJERSLAND,G.T. Holtec International. 97/02/27. DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 3pp. 92016:339-92016:341.

9703270038 Forwards info re HI-STAC meeting scheduled on 970417-18,per telcon request.
TJERSLAND,G.T. Holtec International. 97/03/17. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 5pp. 92254:149-92254:153.

9703270094 Informs that NRC now projecting month delay in completion of review of licensee response to RAI & in staff review of Rev 4.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 97/03/24. TJERSLAND,G. Holtec International. 1p. 92268:056-92268:056.

9703270298 Summary of 970319 meeting w/Private Fuel Storage LLC in Rockville,MD to discuss environ issues associated w/PFS proposed application to construct & operate away-from- reactor ISFSI in Skull Valley,UT.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 97/03/24. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 4pp. 92268:026-92268:029.

DOCKET 71-9263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9703100284 Requests registration as user of model 9263,9033 & 9157.
BARNETT,L. Affiliation Not Assigned. 97/01/09. Office of Nuclear Material Safety & Safeguards. 1p. 92048:332-92048:332.

9703130341 Notification of registration as user of COCs 9033,9157 & 9263,in response to 970109 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/10. BARNETT,L. Barnett Industrial X-Ray. 1p. 92136:216-92136:216.

DOCKET 71-9264 MODEL: MPC-21P, PWR FUEL

9703120389 Submits closure of TAC numbers for US DOE multi-purpose canister designs.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 97/03/10. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 92125:030-92125:030.

DOCKET 71-9265 MODEL: MPC-44B, BWR FUEL

9703120389 Submits closure of TAC numbers for US DOE multi-purpose canister designs.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 97/03/10. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 92125:030-92125:030.

DOCKET 71-9266 MODEL: MPC-12P, PWR FUEL

9703120389 Submits closure of TAC numbers for US DOE multi-purpose canister designs.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 97/03/10. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 92125:030-92125:030.

DOCKET 71-9267 MODEL: MPC-24B, BWR FUEL

9703120389 Submits closure of TAC numbers for US DOE multi-purpose canister designs.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 97/03/10. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 92125:030-92125:030.

DOCKET 71-9270 MODEL: UMS, NAC INTERNATIONAL

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

DOCKET 71-9932 MODEL: UC-609, ENERGY, DEPT. OF

9703270261 Forwards application for COC 9932,Rev 4 to model UC-609 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/19. WANGLER,M.E. Energy, Dept. of. 1p. 92268:123-92268:126.

--**9703270262** Certificate of compliance 9932,Rev 4 for model UC-609.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/19. 2pp. 92268:124-92268:126.

9703270290 Informs of info needed re request for amend to COC 9932 for model UC-609 package.Info should be provided within 30 days from date of ltr.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 97/03/19. WANGLER,M.E. Energy, Dept. of. 2pp. 92268:024-92268:025.

DOCKET DOCKET UNKNOWN

9703270056 Ack receipt of 970131 ltr,in response to civil penalty proposed by NRC in ltr,dtd 961203.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/26. GRIGG,R.R. Wisconsin Electric Power Co. 2pp. 92256:036-92256:037.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0001 MORRIS OPERATIONS, ISFSI

9703030074 Errata sheet 4 to NEDO-32094, "Environ,Safety & Health Plan for GE Morris Operation."
DENIO,L.L. General Electric Co. NEDO-32094 ERR. 97/02/12. 8pp. 91946:033-91946:041.

DOCKET 72-0002 SURRY ISFSI 50-280 & 50-281

9703040225 Forwards insp repts 50-280/96-13,50-281/96-13 on 961215- 970125 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 97/02/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 91957:066-91957:095.

--**9703040315** Insp repts 50-280/96-13,50-281/96-13 on 961215-970125. Violations noted.Major areas inspected:licensee operations, engineering,maintenace & plant support.
* Region 2 (Post 820201). 97/02/24. 24pp. 91957:072-91957:095.

9703040240 Addresses plant Annual Radioactive Effluent Release Rept for 960101-1231 per ISFSI TS 1.4.1 of App C.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/02/28. Document Control Branch (Document Control Desk). 1p. 91992:310-91992:310.

9703120380 Informs that SM McDuffie assumed project mgt responsibilities for plant ISFSI.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 97/03/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92125:001-92125:003.

DOCKET 72-0003 H.B. ROBINSON ISFSI, 50-261

9703050059 "Effluent & Waste Disposal Semi-Annual Rept for HB Robinson Unit 2 & ISFSI at HB Robinson Unit 2." W/970228 ltr.
WILKERSON,T.M. Carolina Power & Light Co. 96/12/31. 67pp. 91982:087-91982:155.

9703110089 "Effluent & Waste Disposal Semiannual Rept 960701-1231." W/970226 ltr.
WILKERSON,T.M. Carolina Power & Light Co. 96/12/31. REYES,L.A. Region 2 (Post 820201). 66pp. 92068:277-92068:342.

9703050005 Informs of no individual exposures greater than 100 mrem associated w/ ISFSI during CY96.
WILKERSON,T.M. Carolina Power & Light Co. 97/02/28. Document Control Branch (Document Control Desk). 1p. 92003:227-92003:227.

9703070113 Submits info in response to inquiry re concrete temp for Horizontal Storage Modules at HB Robinson 2.
RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 97/03/06. LEEDS,E. Office of Nuclear Material Safety & Safeguards. 3pp. 92015:356-92015:358.

9703280058 Forwards rev 13 to SAR for HB Robinson ISFSI.
WILKERSON,T.M. Carolina Power & Light Co. 97/03/18. Office of Nuclear Material Safety & Safeguards. 1p. 92271:073-92271:075.

--9703280062 "HB Robinson Updated ISFSI SAR," rev 13.
* Carolina Power & Light Co. 97/03/18. 2pp. 92271:074-92271:075.

DOCKET 72-0004 OCONEE ISFSI, 50-269, 50-270 & 50-287

9703050055 Informs that completion of 1EOC17 refueling outage tentatively scheduled for 970928 re response to violations noted in Insp Repts 50-269/96-09,50-270/96-09,50-287/96-09 & 72-0004/96-09.
HAMPTON,J.W. Duke Power Co. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92003:228-92003:229.

9703280008 Forwards insp repts 50-269/96-20,50-270/96-20,50-270/96-20 on 970208 & NOV.
CASTO,C. Region 2 (Post 820201). 97/03/10. HAMPTOM,J.W. Duke Power Co. 3pp. 92274:138-92274:186.

--9703280016 Insp repts 50-269/96-20,50-270/96-20 & 50-287/96-20 on 961229-970208.Violations noted.Major areas inspected: operations,maint,engineering & plant support.
* Region 2 (Post 820201). 97/03/10. 44pp. 92274:143-92274:186.

DOCKET 72-0005 POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301

9703060161 "ISFSI Point Beach Nuclear Plant Units 1 & 2 Annual Monitoring Rept:1996." W/970225 ltr.
JOHNSON,D.F. Wisconsin Electric Power Co. 96/12/31. 22pp. 92011:277-92011:298.

9703030134 Confirms discussion between M Kunowski & F Flentje re routine mgt meeting scheduled for 970305 in Manitowoc, Wisconsin,to discuss status of facility performance improvement initiatives & issues required to be resolved.
MCCORMICK-BERGE Region 3 (Post 820201). 97/02/20. PATULSKI,S.A. Wisconsin Electric Power Co. 1p. 91931:030-91931:030.

9703110213 Forwards Rev 2 of Section 4.0 of ISFSI Security Plan for Point Beach Nuclear Plant Units 1 & 2.Encl withheld.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92073:344-92073:344.

9703260194 Discusses insp repts 50-266/96-18 & 50-301/96-18 on 961202-13,16-20 & 970206-07.Violations noted.Violations of concern because of lack of attention to issues which has been previously identified.
GOBE,J.A. Region 3 (Post 820201). 97/03/03. GRIGG,R.R. Wisconsin Electric Power Co. 7pp. 92264:001-92264:069.

--9703260200 Notice of violation from insp on 961202-970207.Violation noted:on 961205,inspectors observed that operators did not watch for fluid discharge from diesel generator test ports during jacking of G-02 engine flywheel one revolution.
* Region 3 (Post 820201). 97/03/03. 3pp. 92264:008-92264:010.

--9703260202 Insp repts 50-266/96-18 & 50-301/96-18 on 961202-13,16-20 & 970206-07.Violations noted.Major areas inspected:operations, maintenance,engineering & plant support.
* Region 3 (Post 820201). 97/03/03. 56pp. 92264:011-92264:069.

9703100036 Responds to 951117 Petition,requesting that NRC prohibit loading of VSC-24 casks at nuclear sites until multi-assembly sealed basket at Palisades Nuclear plant unloaded & unloading process evaluated.
COLLINS,S.J. . 97/03/04. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 92027:318-92027:349.

--9703100038 Directors Decision 97-05 under 10CFR2.206 re 951117 Petition filed by F Shillinglaw requesting that NRC take action to prohibit loading of VSC-24 casks at nuclear sites.
COLLINS,S.J. . 97/03/04. 12pp. 92027:324-92027:335.

--9703100057 Notice of issuance of Director's Decision under 10CFR2.206 concering 951117 Petiton requesting that NRC prohibit loading of spent nuclear fuel into VSC-24 dry storage casks at nuclear plant.
COLLINS,S.J. . 97/03/04. 2pp. 92027:336-92027:349.

9703110075 Forwards response to NRC 970204 ltr re violations noted in insp repts 50-266/96-15,50-301/96-15 & 72-0005/96-15. Corrective actions:all spilled waste was promptly cleaned up.
JOHNSON,D.F. Wisconsin Electric Power Co. 97/03/06. Document Control Branch (Document Control Desk). 6pp. 92049:350-92049:357.

9703200184 Confirms discussion between M Kunowski & F Flentje to conduct predecisional enforcement conference on 970409. Purpose of conference to discuss apparent violations identified in insp repts 50-266/96-18 & 50-301/96-18.
MCCORMICK,J.W. Region 3 (Post 820201). 97/03/11. PATULSKI,S.A. Wisconsin Electric Power Co. 2pp. 92189:026-92189:027.

DOCKET 72-0007 PALISADES ISFSI GEN LIC/VSC-24, 50-255

9703030110 Responds to 950919 petition,as amended on 960930,per 10CFR2.206,requesting that NRC find that util violated requirements re unloading procedures for dry storage casks for spent nuclear fuel.Director's decision DD-97-01 encl.
MIRAGLIA,F.J. . #197 18144. 97/01/23. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Lake Michigan Federation. 3pp. 91915:001-91915:329.

--9703030123 Director's decision DD-97-01 under 10CFR2.206 re 950919 petition filed by Don't Waste Michigan & Lake Michigan Federation,requesting that NRC find that util violated NRC requirements re unloading procedures for dry storage casks.
MIRAGLIA,F.J. . 97/01/23. 23pp. 91915:004-91915:026.

--9703030133 Notice of issuance of director's decision DD-97-01 under 10CFR2.206,requesting that NRC find that util violated NRC requirements re unloading procedures for dry storage casks for spent nuclear fuel.
MIRAGLIA,F.J. . 97/01/23. 3pp. 91915:027-91915:029.

--9703030168 Petition requesting that NRC determine that util violated requirements of 10CFR72.212(b) by using general license provided by 10CFR72.210 prior to establishing that conditions set forth in certificate of compliance 1007.
SKAVRONECK,S. Lake Michigan Federation. SINCLAIR,M.P., GILL,T. Don't Waste Michigan. 95/09/19. NRC - No Detailed Affiliation Given. 19pp. 91915:030-91915:329.

9703060066 Informs that Commission has determined not to undertake review of Directors Decision DD-97-01.W/Certificate of Svc. Served on 970227.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18176. 97/02/26. SINCLAIR,M.P. Don't Waste Michigan. ROEMER,E. Lake Michigan Federation. 3pp. 91970:196-91970:198.

9703100036 Responds to 951117 Petition,requesting that NRC prohibit loading of VSC-24 casks at nuclear sites until multi-assembly sealed basket at Palisades Nuclear plant unloaded & unloading process evaluated.
COLLINS,S.J. . 97/03/04. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 92027:318-92027:349.

--9703100038 Directors Decision 97-05 under 10CFR2.206 re 951117 Petition filed by F Shillinglaw requesting that NRC take action to prohibit loading of VSC-24 casks at nuclear sites.
COLLINS,S.J. . 97/03/04. 12pp. 92027:324-92027:335.

--9703100057 Notice of issuance of Director's Decision under 10CFR2.206 concering 951117 Petiton requesting that NRC prohibit loading of spent nuclear fuel into VSC-24 dry storage casks at nuclear plant.
COLLINS,S.J. . 97/03/04. 2pp. 92027:336-92027:349.

9703070093 Discusses outcome of 970226 meeting w/CPC to discuss issues contained in 970212 RAI re CPC response to Bulletin 96-004, "Chemical,Galvanic,or Other Reactions in Spent Fuel Storage & Transportation Casks."
KOBETZ,T.J. Office of Nuclear Material Safety & Safeguards. 97/03/06. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 2pp. 92031:267-92031:268.

DOCKET 72-0008 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9703110169 "Calvert Cliffs ISFSI Occupational Radiation Exposure Repts." W/970306 ltr.
KATZ,P.E. Baltimore Gas & Electric Co. 96/12/31. 3pp. 92121:092-92121:094.

9703120388 Forwards Rev 5 to "Calvert Cliffs Nuclear Power Plant Emergency Action Levels Technical Basis Document."
CRUSE,C.H. Baltimore Gas & Electric Co. 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92121:290-92121:332.

--9703120395 "Calvert Cliffs Nuclear Power Plant Emergency Action Levels Technical Basis Document," Rev 5.
RUDIGIER,G.C., GROOMS,J.V., HUBER,J.T. Baltimore Gas & Electric Co. 97/03/06. 41pp. 92121:292-92121:332.

9703250224 Revised ERPIPS,including Rev 49 to ERPIP table of contents, Rev 3,Change 1 to ERPIP 105,Rev 3,Change 1 to ERPIP 209,Rev 3,Change 1 to ERPIP 509,Rev 4,Change 1 to ERPIP 750,Rev 2 ERPIP 760 & Rev 19 to ERPIP B.1.W/ 970320 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 97/03/20. 137pp. 92250:001-92250:137.

DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267

9703060062 Advises that any subsequent issue that could affect application must be submitted to staff for review & approval as suppl to application.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 97/02/27. WILCYNSKI,J.M. Energy, Dept. of. 9pp. 92012:321-92012:334.

--9703060065 Notice of consideration of transfer of license SNM-2504 & subsequent license amend for ISFSI from PSC to DOE & opportunity for hearing.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/02/27. 5pp. 92012:330-92012:334.

9703070022 Forwards "Radiological Environ Monitoring Program for Fort St Vrain ISFSI for Period Jan-Dec 1996."
BORST,F.J. Public Service Co. of Colorado. 97/02/28. Region 4 (Post 820201). 2pp. 92014:246-92014:288.

--9703070026 "Radiological Environ Monitoring Program for FSV ISFSI for Period Jan-Dec 1996."
JONES,V., JOHNSON,J.E. Colorado State Univ., Fort Collins, CO. BORST,F.J. Public Service Co. of Colorado. 96/12/31. 41pp. 92014:248-92014:288.

9703130294 Explains recent organizational changes that util has made re Corporate Executive responsible for nuclear issues.
FISHER,M.J. Public Service Co. of Colorado. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92136:213-92136:214.

9703120373 Summary of 970220 meeting w/DOE to discuss Fort Vrain ISFSI license transfer from Public Svc Co of CO to DOE ID.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 97/03/06. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 100pp. 92122:001-92122:100.

9703190099 Submits application for transfer of nuclear regulatory License SNM-2504 from util to US DOE re revised security plan.Encl withheld.
HAGERS,J. Energy, Dept. of. 97/03/12. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 2pp. 92199:244-92199:245.

9703180122 Forwards proprietary data necessary to upgrade redacted DOE FSV ISFSI SAR per NRC 970227 request.Encl withheld.
HAGERS,J. Energy, Dept. of. 97/03/13. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 15pp. 92207:230-92207:245.

9703280134 Forwards listed info re 1996 exercise of FSV ISFSI Emergency Response Plan,also known as FOSAVEX-96.
BORST,F.J. Public Service Co. of Colorado. 97/03/17. KOKAJKO,L. NRC - No Detailed Affiliation Given. 44pp. 92271:127-92271:170.

9703270296 Confirms dates & submits info NRC requested re schedules for both transition plan & May insp activities as encls A & B, respectively.
HAGERS,J. Energy, Dept. of. 97/03/24. KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 14pp. 92266:333-92266:346.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9703050003 "Annual Repts of Occupational Radiation Exposure & Safety Relief Valve Challenges for Period From 960101-1231." W/970224 ltr.
SORENSEN,J.P. Northern States Power Co. 96/12/31. 7pp. 91975:346-91975:352.

9703030042 Responds to 970114 ltr to C Haughney re SAR for ISFSI at plant.Unloading procedure for dry cask storage casks inspected by NRC & found to provide adequate guidance to control unloading process.
MARCUS,G.H. . 97/02/25. CROCKER,G. Affiliation Not Assigned. 5pp. 91946:006-91946:010.

9703030089 Responds to 970118 ltr to E Easton & to question re environ radiation associated w/ISFSIs.Licensees required to provide annual rept of effluents released from reactor facilities & ISFSIs.
MARCUS,G.H. . 97/02/25. SMIT,C.T. Affiliation Not Assigned. 6pp. 91940:348-91940:352.

9703070138 Revised EPIPs,including Rev 1 to ESP-NEP-2101,Rev 1 to ESP-NEP-2102,Rev 1 to ESP-NEP-2104,Rev 1 to ESP-NEP-2105,Rev 1 to ESP-NEP-2106 & Rev 1 to ESP-NEP-2107.
JOHNSON-LADD Northern States Power Co. 97/02/26. 66pp. 92029:239-92029:306.

DOCKET 72-0011 RANCHO SECO ISFSI, 50-312

9703250100 Forwards insp repts 50-312/97-01 & 72-0011/97-01 on 970224-27.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 97/03/21. FERREIRA,R. Sacramento Municipal Utility District. 5pp. 92244:166-92244:190.

--9703250109 Insp repts 50-312/97-01 & 72-0011/97-01 on 970224-27.No violations noted.Major areas inspected:licensee planned work associated w/dismantlement of turbine bldg & radiological controls being implemented during work activities.
* Region 4 (Post 820201). 97/03/21. 20pp. 92244:171-92244:190.

DOCKET 72-0013 ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368

9703050015 "Semiannual Radioactive Effluent Release Rept for Third & Fourth Quarters of 1996." W/970227 ltr.
MIMS,D.C. Entergy Operations, Inc. 96/12/31. 49pp. 91982:251-91982:301.

9703030496 Responds to NRC ltr re violations noted in insp repts 50-313/96-25 & 72-0013/96-02.Corrective actions:subject nonconformances were reevaluated per requirements of 10CFR72.48 & no safety concerns were identified.
MIMS,D.C. Entergy Operations, Inc. 97/02/21. Document Control Branch (Document Control Desk). 6pp. 91957:352-91957:357.

9703100036 Responds to 951117 Petition,requesting that NRC prohibit loading of VSC-24 casks at nuclear sites until multi-assembly sealed basket at Palisades Nuclear plant unloaded & unloading process evaluated.
COLLINS,S.J. . 97/03/04. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 92027:318-92027:349.

--9703100038 Directors Decision 97-05 under 10CFR2.206 re 951117 Petition filed by F Shillinglaw requesting that NRC take action to prohibit loading of VSC-24 casks at nuclear sites.
COLLINS,S.J. . 97/03/04. 12pp. 92027:324-92027:335.

--9703100057 Notice of issuance of Director's Decision under 10CFR2.206 concering 951117 Petiton requesting that NRC prohibit loading of spent nuclear fuel into VSC-24 dry storage casks at nuclear plant.
COLLINS,S.J. . 97/03/04. 2pp. 92027:336-92027:349.

9703260111 Submits commitments related to time limit for draining multi-assembly sealed basket.
MIMS,D.C. Centerior Energy. 97/03/21. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 3pp. 92257:262-92257:264.

DOCKET 72-0014 DAVIS BESSE ISFSI GEN LIC, 50-346

9703140063 Denies request that Commission undertake formal review of DD-97-03.W/ Certificate of Svc.Served on 970312.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18205. 97/03/12. LODGE,T.J. Lodge, T.J. 2pp. 92106:348-92106:349.

DOCKET 72-0016 NORTH ANNA ISFSI - 50-338 & 50-339

9703120159 Requests change in NRC correspondence distribution for any documentation re North Anna Power Station,Units 1 & 2 & North Anna ISFSI.
SARVER,S.P. Virginia Power (Virginia Electric & Power Co.). 97/03/06. Document Control Branch (Document Control Desk). 2pp. 92125:056-92125:057.

9703120380 Informs that SM McDuffie assumed project mgt responsibilities for plant ISFSI.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 97/03/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 92125:001-92125:003.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9703030507 Transmits attachment which contains background info & insp & testing plans for Fuel Bldg Crane,in preparation for loading of spent fuel info ISFSI transfer & storage casks in fuel bldg as described in LCA 237.
QUENNOZ,S.M. Portland General Electric Co. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 91958:001-91958:003.

9703030172 Forwards insp repts 50-344/97-01 & 72-0017/97-01 on 970204- 06 & NOV.
SCARANO,R.A. Region 4 (Post 820201). 97/02/25. QUENNOZ,S.M. Portland General Electric Co. 5pp. 91949:028-91949:048.

--9703030203 Insp repts 50-344/97-01 & 72-0017/97-01 on 970204-06. Violations noted.Major areas inspected:review of radiation protection program,compliance w/ TS,operations involving licensee insp of spent fuel & Quality Assurance program.
* Region 4 (Post 820201). 97/02/25. 15pp. 91949:034-91949:048.

9703130434 Forwards proprietary supplemental Rev 0 to Calculation PGE01-10.02.02.03, "TranStor Basket Criticality Analysis for Trojan Fuel Assemblies." Calculation withheld,per 10CFR2.790.
QUENNOZ,S.M. Portland General Electric Co. 97/03/10. Office of Nuclear Material Safety & Safeguards. 4pp. 92125:354-92125:357.

9703270320 Forwards revised responses to request for addl info re Trojan ISFSI SAR.
YUNDT,C.P. Portland General Electric Co. 97/03/17. STEWART-SMITH Oregon, State of. 18pp. 92266:307-92266:324.

9703280049 Forwards ISFSI calculations for review.
YUNDT,C.P. Portland General Electric Co. 97/03/18. STEWART-SMITH Oregon, State of. 5pp. 92271:068-92271:072.

9703260212 Transmits suppl info re Trojan ISFSI as result of discussion w/NRC staff at 970226 meeting.Drawings encl.Drawings withheld.
QUENNOZ,S.M. Portland General Electric Co. 97/03/19. Office of Nuclear Material Safety & Safeguards. 16pp. 92257:162-92257:230.

--9703260251 Rev 0 to Bechtel Calculation 20290-615-MN4 "ISFSI (Vertical Cask) Design Parameters for Internal Explosion Evaluation."
* Portland General Electric Co. 20290-615-MN4 R00. 95/05/08. 30pp. 92257:201-92257:230.

9703260014 Forwards request for exemption from requirements of 10CFR72.124(b), "Methods of Criticality Control."
QUENNOZ,S.M. Portland General Electric Co. 97/03/20. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). KANE,W.F. Office of Nuclear Material Safety & Safeguards. 8pp. 92253:327-92253:334.

9703270319 Requests exemption from certain requirements of 10CFR72 IAW provisions of Section 72.7, "Specific exemptions."
QUENNOZ,S.M. Portland General Electric Co. 97/03/20. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). KANE,W.F. Office of Nuclear Material Safety & Safeguards. 8pp. 92266:325-92266:332.

9703260004 Submits attendance list & slides presented at 970226 mgt & technical exchange meeting w/util to discuss Trogan ISFSI application.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 97/03/21. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 48pp. 92253:084-92253:131.

9703270198 Submits follow-up to 970226 meeting re Trojan ISFSI application dtd 960326.
REID,D.G. Office of Nuclear Material Safety & Safeguards. 97/03/24. QUENNOZ,S.M. Portland General Electric Co. 5pp. 92268:109-92268:113.

DOCKET 72-0018 GOOD HUE COUNTY

9703060078 Forwards Northern States Power Co quarterly status rept relating to proposed Goodhue County facility,pursuant to Licensing Board 961203 memo & order.
SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #197 18175. 97/02/21. BECHHOEFER,C., SHON,F.J., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 5pp. 91970:163-91970:167.

DOCKET 72-0021 CENTRAL INTERIM STORAGE

9703130275 Summary of 970219 third pre-application mtg re proposed submittal of non-site-specific topical SAR for central interim storage facility.Resubmitted due to incorrect date of 970317 on previous copy.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 97/03/06. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 1p. 92128:095-92128:095.

9703100143 Summary of 970219 third pre-application meeting held between representative of DOE,associated contractors & NRC to discuss proposed submittal of non-site-specific topical SAR for central interim storage facility.
KAKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 97/03/17. KANE,L.E. Office of Nuclear Material Safety & Safeguards. 79pp. 92042:269-92042:348.

DOCKET 72-1002 CASK: NAC S/T, NAC INTERNATIONAL CORP.

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

9703270168 Forwards SE of licensee response to Bulletin 96-004.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 97/03/24. LEE,W.J. NAC International Corp. (formerly Nuclear Assurance Corp.),. 2pp. 92268:090-92268:093.

--9703270180 SER accepting licensee response to NRC Bulletin 96-004.
* . 97/03/24. 2pp. 92268:092-92268:093.

DOCKET 72-1003 CASK: NAC-C28, NAC INTERNATIONAL CORP.

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

9703270168 Forwards SE of licensee response to Bulletin 96-004.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 97/03/24. LEE,W.J. NAC International Corp. (formerly Nuclear Assurance Corp.),. 2pp. 92268:090-92268:093.

--9703270180 SER accepting licensee response to NRC Bulletin 96-004.
* . 97/03/24. 2pp. 92268:092-92268:093.

DOCKET 72-1004 CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.

9703030336 Discusses NRC Insp Rept 72-1004/95-202 & notice of nonconformance.
SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 97/02/27. FRANCESCHI,V. Vectra Technologies, Inc. 2pp. 91956:321-91956:322.

9703050438 Requests that addl info be provided re Vectra response to insp rept 72-1004/96-207.
KOBETZ,T.J. Office of Nuclear Material Safety & Safeguards. 97/02/28. FRANCESCHI,V. Vectra Technologies, Inc. 4pp. 92003:166-92003:169.

9703120384 Informs that NRC has no objection to extending response to nonconformances discussed in insp rept 72-1004/96-211,until 970411.
SHANKMAN,S.F. Office of Nuclear Material Safety & Safeguards. 97/03/07. FRACESCHI,V. Vectra Technologies, Inc. 2pp. 92384:150-92384:151.

9703140063 Denies request that Commission undertake formal review of DD-97-03.W/ Certificate of Svc.Served on 970312.
HOYLE,J.C. Office of the Secretary of the Commission. #197 18205. 97/03/12. LODGE,T.J. Lodge, T.J. 2pp. 92106:348-92106:349.

9703180171 Grants extension to allow sufficient time for independent review of concerns stated in demand for info & to ensure that actions prescribed fully respond to problems identified.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/03/13. FRANCESCHI,V. Vectra Technologies, Inc. 2pp. 92200:255-92200:256.

9703200200 Forwards RAI re 960216 application,as supplemented 961115, requesting amend to technical specifications for COC 1004 to expand fuel qualification specifications for both PWR & BWR fuels.
KOBETZ,T.J. Office of Nuclear Material Safety & Safeguards. 97/03/17. FRANCESCHI,V. Vectra Technologies, Inc. 4pp. 92212:295-92212:298.

9703270117 Forwards RAI to VECTRA Technologies,Inc for docket 71009255 re NRC Bulletin 96-004, "Chemical,Galvanic,or Other Reactions in Spent Fuel Storage & Transportation Casks."
KOBETZ,T.J. Office of Nuclear Material Safety & Safeguards. 97/03/24. FRANCESCHI,V. Vectra Technologies, Inc. 5pp. 92268:062-92268:066.

DOCKET 72-1008 CASK: HI-STAR 100, HOLTEC INTERNATIONAL

9703060305 Forwards proprietary rev 5 to HI-941184, "HI-STAR 100 Topical SAR," revised text,tables,figures,cover sheets,new title pp & list of effective pp.Encl withheld per 10CFR2.790.
TJERSLAND,G.T. Holtec International. 97/02/24. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 6pp. 92012:198-92012:204.

9703060370 Forwards non-proprietary Rev 5 to Holtec Rept HI-941184, "Topical SAR for HI-STAR 100 Cask Sys." List of effective pages should be inserted in front of table of contents in Vol 1 of topical SAR.
TJERSLAND,G.T. Holtec International. 97/02/24. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 6pp. 92012:121-92012:163.

--9703060376 Non-proprietary "Topical SAR for HI-Star 100 Cask Sys."
* Holtec International. HI-941184 V01 R05. 97/02/28. 34pp. 92012:127-92012:163.

9703030520 Summary of 970210 meeting w/representatives of Holtec Intl Corp on 970210 re major changes in Holtec's recently submitted Rev 4 to SAR & topical SAR for HI-STAR 100 cask sys.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 97/02/27. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 120pp. 91951:137-91951:256.

9703060284 Appreciates interaction w/staff & G Thomas of LLNL on matter of effective thermal conductivity of fuel assembly used in HI-STAR 100 thermal analysis.
TJERSLAND,G.T. Holtec International. 97/02/27. DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 3pp. 92016:339-92016:341.

9703270038 Forwards info re HI-STAC meeting scheduled on 970417-18,per telcon request.
TJERSLAND,G.T. Holtec International. 97/03/17. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 5pp. 92254:149-92254:153.

9703270094 Informs that NRC now projecting month delay in completion of review of licensee response to RAI & in staff review of Rev 4.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 97/03/24. TJERSLAND,G. Holtec International. 1p. 92268:056-92268:056.

DOCKET 72-1009 CASK: DOE-MPC-21P, ENERGY, DEPT. OF

9703120389 Submits closure of TAC numbers for US DOE multi-purpose canister designs.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 97/03/10. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 92125:030-92125:030.

DOCKET 72-1010 CASK: DOE-MPC-44B, ENERGY, DEPT. OF

9703120389 Submits closure of TAC numbers for US DOE multi-purpose canister designs.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 97/03/10. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 92125:030-92125:030.

DOCKET 72-1011 CASK: DOE-MPC-12P, ENERGY, DEPT. OF

9703120389 Submits closure of TAC numbers for US DOE multi-purpose canister designs.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 97/03/10. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 92125:030-92125:030.

DOCKET 72-1012 CASK: DOE-MPC-24B, ENERGY, DEPT. OF

9703120389 Submits closure of TAC numbers for US DOE multi-purpose canister designs.
BAILEY,M. Office of Nuclear Material Safety & Safeguards. 97/03/10. LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 92125:030-92125:030.

DOCKET 72-1013 CASK: NAC STC-26, NAC INTERNATIONAL, INC.

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

9703270168 Forwards SE of licensee response to Bulletin 96-004.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 97/03/24. LEE,W.J. NAC International Corp. (formerly Nuclear Assurance Corp.),. 2pp. 92268:090-92268:093.

--9703270180 SER accepting licensee response to NRC Bulletin 96-004.
* . 97/03/24. 2pp. 92268:092-92268:093.

DOCKET 72-1014 CASK: HI-STORM 100, HOLTEC INTERNATIONAL

9703030326 Ack receipt for 970214 ltr,submitting Rev 1 of HI-STORM (Holtec Intl Storage & Transfer Operation Reinforced Module) 100 topical SAR.
DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 97/02/27. TJERSLAND,G. Holtec International. 1p. 91946:234-91946:234.

9703030520 Summary of 970210 meeting w/representatives of Holtec Intl Corp on 970210 re major changes in Holtec's recently submitted Rev 4 to SAR & topical SAR for HI-STAR 100 cask sys.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 97/02/27. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 120pp. 91951:137-91951:256.

9703070018 Submits two diskettes containing proprietary version of Rev 1 to HI-STORM 100 Topical Safety Analysis Rept.
TJERSLAND,G.T. Holtec International. 97/03/03. DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 1p. 92031:275-92031:275.

DOCKET 72-1015 CASK: UMS UNIVERSAL MPC SYSTEM, NAC INTERNATIONAL, INC.

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

DOCKET 72-1020 CASK: S/T 28 ASSEMBLY BASKET, NAC INTERNATIONAL, INC.

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

9703270168 Forwards SE of licensee response to Bulletin 96-004.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 97/03/24. LEE,W.J. NAC International Corp. (formerly Nuclear Assurance Corp.),. 2pp. 92268:090-92268:093.

--9703270180 SER accepting licensee response to NRC Bulletin 96-004.
* . 97/03/24. 2pp. 92268:092-92268:093.

DOCKET 72-1023 CASK: TRANSTOR CASK, SIERRA NUCLEAR CORP.

9703130222 Forwards Rev B to SNC-96-72SAR, "SAR for TranStor Storage Cask Sys," consisting of complete revised chapters for chapters incorporate Sierra Nuclear Corp responses to RAI, per 970312 ltr.
MCCONAGHY,W.J. Sierra Nuclear, Inc. 97/03/11. REID,D. Office of Nuclear Material Safety & Safeguards. 3pp. 92126:001-92126:287.

--9703130226 Rev B to SNC-96-72SAR, "SAR for TranStor Storage Cask Sys."
* Sierra Nuclear, Inc. SNC-96-72SAR. 97/03/11. 284pp. 92126:004-92126:287.

9703130068 Forwards responses to NRC RAI re TranStor Storage Cask Sys 10CFR72 SAR.Requested EPRI repts,revised chapters & proprietary info being sent under separate cover.
MCCONAGHY,W.J. Sierra Nuclear, Inc. 97/03/11. REID,D. Office of Nuclear Material Safety & Safeguards. 140pp. 92133:001-92134:007.

--9703130106 Rev 0, "Benchmark Calculations & Validation of Scale-4.1 Code Package (PC Version) for Analysis of Cask Sys w/Highly Enriched Fresh Fuel,Fixed Poisons & Unborated Water."
HOPF,J.E., THOMPSON,T. Sierra Nuclear, Inc. BNFL1.10.06.16 R00. 95/09/06. 72pp. 92133:165-92133:236.

--9703130118 "Criticality Experiments w/Subcritical Cluster of 2.35 Wt% & 4.29 Wt% 235U Enriched U02 Rods in Water w/Uranium or Lead Reflecting Walls."
* Commerce, Dept. of. PB-295 078. 79/04/30. 16pp. 92133:237-92133:252.

--9703130136 "Criticality Experiments w/Neutron Flux Traps Containing Voids."
BIERMAN,S.R. Battelle Memorial Institute, Pacific Northwest Laboratory. DE-AC06-76RLO 1830. PNL-7167. 90/04/30. 49pp. 92133:253-92133:304.

--9703130154 Spec S0123-207-15,Rev 0,App 3E, "Spent Fuel Parameters."
* Southern California Edison Co. S0123-207-15 R00. 97/03/11. 62pp. 92133:305-92134:007.

9703130212 Submits proprietary info related to responses to NRC RAI re TransStor Storage Cask Sys 10CFR72 SAR.Revised calculation packages,drawings & list of all matl requested to be proprietary IAW 10CFR2.790 encl.Encls withheld.
MCCONAGHY,W.J. Sierra Nuclear, Inc. 97/03/11. REID,D. Office of Nuclear Material Safety & Safeguards. 5pp. 92125:358-92125:362.

9703270316 Forwards addl copy of TranStor submittals.W/o encl.
MCONAGHY,W.J. Sierra Nuclear, Inc. 97/03/23. REID,D. Office of Nuclear Material Safety & Safeguards. 1p. 92268:036-92268:036.

DOCKET 72-1025 CASK: NAC-MPC

9703260322 Informs that TC Thompson has taken over position from Tjersland as NAC Licensing Manager & point of contact.
STUART,I.F. NAC International Corp. (formerly Nuclear Assurance Corp.),. 97/03/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 92259:235-92259:235.

4

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

9612170063 Staff requirements memo re briefing on spent fuel pool study held on 961114 in Rockvile,MD.Staff should provide explanation for apparent discrepancy of curve of "hours to boil" versus "days to offload" for outage 3 data,slide 13.
HOYLE,J.C. Office of the Secretary of the Commission. FACA. 96/12/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 91124:201-91124:201.

9703040386 Staff requirements memo re COMSECY-96-069, "Draft NRC Strategic Plan."
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/26. SCROGGINS,R. Office of the Controller (Post 890205). 1p. 91947:359-91947:359.

9703060025 Staff requirements memo re SECY-97-015, "Removal of B&W Apollo Site from SDMP.
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/25. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 91991:318-91991:319.

9703100101 Staff requirements memo re briefing on EEO program on 970220.
HOYLE,J.C. Office of the Secretary of the Commission. M970220. 97/03/07. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92031:338-92031:338.

9703130083 Staff requirements memo re SECY-97-031, "Final Rulemaking Plan:Exempt Distribution & Use of Radioactive Drug Containing One uCi of C-14 UREA."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/03. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92105:352-92105:352.

9703130123 Staff requirements memo re SECY-97-032, "Agreement Between Commonwealth of Massachusetts & Commission,Per Section 274 of AEA of 1954,as Amended."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/03. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92109:271-92109:272.

9703130243 Transcript of 970310 public meeting in Rockville,MD re briefing on implementation of maint rule,revised reg guide, & consequences.Pp 1-71.Supporting documentation encl.
* Commissioners (Post 750119). 97/03/10. 91pp. 92105:213-92105:303.

9703130255 Transcript of 970310 public meeting in Rockville,MD re briefing on 10CFR50.59 regulatory process improvements. Pp 1-59.W/related documentation.
* Commissioners (Post 750119). 97/03/10. 79pp. 92080:193-92080:271.

9703140158 Commission voting record on SECY-97-032 re agreement between Commonwealth of Massachusetts & Commission,per Section 274 AEA of 1954,as amended.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/03. 2pp. 92115:297-92115:310.

9703180079 Staff requirements memo re SECY-97-023, "Rept to Congress on Abnormal Occurrences for FY96."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/07. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92177:119-92177:119.

9703180093 Staff requirements memo re SECY-96-242, Use of NUREG-1465 Source Term at Operating Reactors."
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/12. THOMPSON,H.L. Ofc of the Executive Director for Operations. 2pp. 92177:209-92177:210.

9703180096 Staff requirements memo re SECY-97-028, "Rulemaking Plan For Rev of Prototype Testing Requirements for Hands,Dials & Pointers Using Tritium:Response to PRM-32-4 to Put Timepiece w/Gaseous Tritium Light Sources on Same Regulatory...."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/07. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92177:211-92177:212.

9703180101 Staff requirements memo re 970213 briefing on OR oversight program & status of improvements in NRC insp program.
HOYLE,J.C. Office of the Secretary of the Commission. M970213A. 97/03/17. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92177:213-92177:214.

9703180160 Staff requirements memo re 970218 briefing in Rockville,MD on analysis of quantifying plant watch list indicators.
HOYLE,J.C. Office of the Secretary of the Commission. M970218B. 97/03/14. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92177:156-92177:157.

9703260295 Staff requirements memo re SECY-97-061, "Removal of Texas Instruments,Inc From Site Decommissioning Management Plan." Commission has not objected to proposed removal of Attleboro site from site decommissioning management plan.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/18. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92248:257-92248:257.

9703260299 Staff requirements memo re approved issuance of requested license to DOE.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/19. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 92248:172-92248:172.

9703260300 Staff requirements memo re SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/17. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92248:105-92248:106.

9703260301 Staff requirements memo re SECY-96-110, "Completion of Response to SRM for SECY-95-249 on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Standards."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/20. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92247:359-92247:360.

9703260305 Staff requirements memo re SECY-96-110, "Completion of Response to SRM For SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/20. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92248:067-92248:068.

9703260307 Commission voting record on SECY-97-029, "Abnormal Occurence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/17. 2pp. 92248:056-92248:066.

9703260330 Commission voting record on SECY-96-110 re completion of response to SRM for SECY-95-249 on risk harmonization white paper & recommendations by interagency steering committee on radiation standards.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/20. 2pp. 92254:175-92254:184.

9703270273 Staff requirements memo re 970219 briefing on Millstone & Maine Yankee lessons learned (SECY-97-036) in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M970219. 97/03/26. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92259:152-92259:152.

9703280237 Commission voting record on SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development (XMAT0393).
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/19. 2pp. 92295:157-92295:164.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9703270030 Transcript of ACNW 90th meeting in Rockville,MD on 970320.Pp 1-106.
* Advisory Committee on Nuclear Waste. 97/03/20. 148pp. 92254:001-92254:148.

9703270073 Transcript of ACNW 90th Meeting on 970321 in Rockville,MD. Pages 107-241.
* Advisory Committee on Nuclear Waste. 97/03/21. 212pp. 92266:095-92266:306.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9703100133 Transcript of ACRS joint meeting of Matls & Metallurgy & Severe Accident Subcommittees on 970304 in Rockville,MD.Pp 1-262.
* ACRS - Advisory Committee on Reactor Safeguards. 97/03/04. 341pp. 92044:001-92044:341.

9703100287 Transcript of 970305 ACRS Joint Meeting of Matls & Metallurgy & Severe Accident Subcommittees.Pp 263-390.
* ACRS - Advisory Committee on Reactor Safeguards. 97/03/05. 143pp. 92047:001-92047:144.

9703110224 Transcript of ACRS 439th meeting on 970306 in Rockville,MD. Pp 1-7,72-79 & 124-243.Pp 10-71 & 80-123 closed session also provided.Certificate & related info encl.
* ACRS - Advisory Committee on Reactor Safeguards. 97/03/06. 146pp. 92117:017-92117:189.

9703110259 Transcript of 970307 ACRS 439th Meeting in Rockville,MD.Pp 244-623.
* ACRS - Advisory Committee on Reactor Safeguards. 97/03/07. 465pp. 92119:001-92120:101.

9703280148 Submits formal transmittal of correspondence previously sent informally covering period 970205-0316.Index of encl matl attached.
MCINTYRE,B.A Westinghouse Electric Corp. NSD-NRC-97-5033. 97/03/21. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 92279:012-92279:355.

--**9703280194** Forwards draft LTC agenda for ACRS 970328 meeting.
NOVENDSTERN,E. Westinghouse Electric Corp. 97/03/10. BOEHNART,P. NRC - No Detailed Affiliation Given. 5pp. 92279:351-92279:355.

ADVCM NRC ADVISORY COMMITTEE

9703250120 Forwards meeting notices for upcoming Nuclear Safety Research Review meetings.
CORTEZ,J.L. Nuclear Safety Research Review Committee. 97/03/19. Nuclear Safety Research Review Committee. CALLAN,L.J., THOMPSON,H.L. Ofc of the Executive Director for Operations. 2pp. 92257:061-92257:068.

--**9703250130** Notice of Nuclear Safety Research Review Committee Meeting of Severe Accident Analyses Subcommittee & Matls & Engineering Subcommittee on 970402 in Rockville,MD.
CORTEZ,J.L. Nuclear Safety Research Review Committee. 97/03/18. 2pp. 92257:063-92257:066.

--**9703250135** Notice of Nuclear Safety Research Committee meeting on 970403-04 in Rockville,MD,to review repts of PRA/I&C & Human Factors joint Subcommittee,Accident Analysis Subcommittee meeting, & Matls & Engineering Subcommittee meeting.
BATES,A.L. Nuclear Safety Research Review Committee. 97/03/17. 2pp. 92257:067-92257:068.

9703270030 Transcript of ACNW 90th meeting in Rockville,MD on 970320.Pp 1-106.
* Advisory Committee on Nuclear Waste. 97/03/20. 148pp. 92254:001-92254:148.

9703270073 Transcript of ACNW 90th Meeting on 970321 in Rockville,MD. Pages 107-241.
* Advisory Committee on Nuclear Waste. 97/03/21. 212pp. 92266:095-92266:306.

COMMISSION NRC COMMISSIONERS

8712070031 Forwards NRC response to 871009 request for documents re threat of sabotage & terrorism to NRC-licensed facilities by "insiders" & external attackers.NRC primary concern is prevention of radiological sabotage.
ZECH,L.W. Commissioners (Post 750119). 87/11/06. GEJDENSON,S. House of Rep., Interior & Insular Affairs. 60pp. 92074:001-92074:060.

9703030197 Informs that for quarter beginning on 961001 & extending through 961231,NRC neither released nor denied to public any documents containing safeguards info.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/20. GORE,A. Senate. GINGRICH,N. House of Rep. 1p. 91939:320-91939:320.

9703030220 Informs that for quarter beginning on 961001 & extending through 961231,NRC neither released nor denied to public any documents containing safeguards info.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/20. GINGRICH,N. House of Rep. 1p. 91932:249-91932:249.

9703030248 Discusses need to perform timely reviews of licensees responses to 10CFR50.54(f) ltr of 961009 on adequacy & accuracy of design bases info for nuclear power plants.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/02/25. THE CHAIRMAN, JACKSON,S.A, ROGERS,K.C. Commissioners (Post 750119). 13pp. 91932:268-91932:280.

9703030268 *Provides info which may be useful in review of proposed EPA radiation site* cleanup regulation.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/11/15. KATZEN,S. Office of Management & Budget. 4pp. 91932:284-91932:287.

9703030281 Responds to 970113 & 30 ltrs requesting that full Commission vote to determine whether plant should be permitted to resume operations.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/20. BIDEN,J.R. Senate. 2pp. 91932:289-91932:297.

--9703030300 Discusses NRC full vote to determine whether plant should be permitted to resume operations,rather than condition restart on favorable review by regional administration.
BIDEN,J.R. Senate. 97/01/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91932:296-91932:296.

--9703030309 Commends NRC for decision to place Salem 1 & 2 on watch list.
BIDEN,J.R. Senate. 97/01/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 91932:297-91932:297.

9703030316 Requests circular 175 authority to agree to terms of reference document establishing INRA.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/21. MCNAMARA,T.E. State, Dept. of. 8pp. 91932:319-91932:325.

9703040271 SECY-97-048 Weekly info rept for wk ending 970221.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/02/26. 21pp. 91961:114-91961:134.

9703100037 Responds to 961112 appeal for denial of documents.App I records being released in entirety.App II records being withheld in part (ref Exemption 4).
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/28. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 6pp. 92037:283-92037:332.

--9703100043 Discusses SECY-96-124, "Financial Assurance for General Atomics Facilities."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/06/28. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92037:304-92037:307.

9703100110 Submits Republic of Korea primary points of opposition to Taiwan Power Co recently concluded contract to ship up to 200,00 drums of low-level waste from Taiwan to Democratic People Republic of Korea for storage & mgt.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/26. DAVIS,L.E. State, Dept. of. 10pp. 92027:350-92027:359.

9703120436 Speech S-97-03, "Nuclear Regulation & Career Experiences by SA Jackson,Chairman US NRC at Lucent Technologies Bell Labs Innovations Breinigsville,PA."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/14. 9pp. 92209:119-92209:127.

9703120441 SECY-97-057 Weekly info rept for wk ending 970228.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/03/05. 25pp. 92136:001-92136:025.

9703140076 Expresses appreciation for 970205 meeting in Rockville,MD to discuss *concerns re Prairie Island Nuclear Generating Plant & safety issues to Prairie Island* Indian Community.
CAMPBELL,C.C. Prairie Island Mdewakanton Sioux Indian Community. 97/01/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 92115:352-92115:355.

9703140158 Commission voting record on SECY-97-032 re agreement between Commonwealth of Massachusetts & Commission,per Section 274 AEA of 1954,as amended.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/03. 2pp. 92115:297-92115:310.

--9703140159 Notation vote response sheet approving w/comments, SECY-97-032, "Agreement Between Commonwealth of Massachusetts & Commission,per Section 274 of AEA of 1954,as Amended."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/25. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92115:299-92115:300.

--9703140161 Notation vote response sheet approving w/o comments, SECY-97-032, "Agreement Between Commonwealth of Massachusetts & Commission,Per Section 274 of AEA of 1954,as Amended."
ROGERS,K.C. Commissioners (Post 750119). 97/02/24. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92115:301-92115:301.

--9703140162 Notation vote response sheet approving w/comments, SECY-97-032, "Agreement Between Commonwealth of Massachusetts & Commission,Per Section 274 of Atomic Energy Act of 1954,As Amended."
DICUS,G.J. Commissioners (Post 750119). 97/02/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92115:302-92115:302.

--9703140163 Notation vote response sheet approving w/o comments, SECY-97-032, "Agreement Between Commonwealth of Masschusetts & Commission,Per Section 274 of AEA of 1954,as Amended."
DIAZ,N.J. Commissioners (Post 750119). 97/02/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92115:303-92115:303.

--9703140164 Notation vote response sheet approving w/comments, SECY-97-032, "Agreement Between Commonwealth of Masschusetts & Commission,Per Section 274 of AEA of 1954,as Amended."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/02/21. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 92115:304-92115:310.

9703180206 Commission voting record on SECY-96-242, "Use of NUREG-1465 Source *Term at Operating Reactors.*"
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/12. 2pp. 92177:187-92177:197.

--9703180220 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/01/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92177:189-92177:190.

--9703180237 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
ROGERS,K.C. Commissioners (Post 750119). 97/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92177:191-92177:192.

--9703180245 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
DICUS,G.J. Commissioners (Post 750119). 97/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:193-92177:193.

--9703180251 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
DIAZ,N.J. Commissioners (Post 750119). 96/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:194-92177:194.

--9703180258 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:195-92177:197.

9703180224 SECY-97-060 Weekly info rept for wk ending 970307.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/03/12. 26pp. 92231:317-92231:342.

9703210205 Responds to 970124 & 0204 ltrs re mods to 10CFR33 for broad scope licensees & alleged errors in accuracy of certain NRC documents re recommendations by NAS/IOM in rept entitled "Radiation in Medicine - Need for Regulatory Reform."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/14. MARCUS,C.S. California, Univ. of, Los Angeles, CA. 12pp. 92266:040-92266:073.

--9703210233 Requests that NRC reevaluate errors re recommendation of Natl Academy of Sciences-Institute of Medicine evaluation of NRC medical progam published 951214.
MARCUS,C.S. California, Univ. of, Los Angeles, CA. 97/02/04. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 92266:052-92266:073.

9703240165 Informs that J Greenwald has been designated as NRC representative on White House Task Force on Climate Change.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/13. MCGINTY,K.A. Council on Environmental Quality. 1p. 92231:021-92231:023.

--9703240167 Requests that J Greenwald of INS be designated as agency representative at newly created White House Task Force on Climate Change.
MCGINTY,K.A. Council on Environmental Quality. 97/02/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 92231:023-92231:023.

9703240171 Forwards US NRC rept on administration of FOIA for yr 1996. This rept submitted in accordance w/*Public Law 93-502 of 741121 (5 USC 552(e))*.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/13. GORE,A. Senate. GINGRICH,N. House of Rep. 10pp. 92231:008-92231:017.

9703240184 Requests that application process be expedited along lines discussed,to take advantage of one-year extension of US-India Fund.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/14. RAO,P.R. India. 2pp. 92218:088-92218:089.

9703250090 Submits update on 10CFR50.54(f) pilot review process.During week of 970210 staff & regional representatives selected one facility per region to undergo pilot review process.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/03/19. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 11pp. 92236:312-92236:322.

9703250125 Informs that NRC approved proposal to enter into Agreement under which NRC will discontinue & Commonwealth of MA will assume regulatory authority over acquisition,receipt possession,use,transfer & disposal of by-product matl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/10. WELD,W.F. Massachusetts, Commonwealth of. 1p. 92243:033-92243:041.

--9703250128 Agreement w/NRC & Commonwealth of MA for discontinuance of certain commission regulatory authority & responsibility within Commonwealth pursuant to Section 274 of Atomic Energy Act of 1954,as amended.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/10. 8pp. 92243:034-92243:041.

9703260028 SECY-97-065 Weekly info rept for wk ending 970314.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/03/19. 24pp. 92424:251-92424:274.

9703260307 Commission voting record on SECY-97-029, "Abnormal Occurence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/17. 2pp. 92248:056-92248:066.

--9703260320 Notation vote approving w/o comment SECY-97-029, "Abnormal Occurence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92248:058-92248:058.

--9703260323 Notation vote approving w/comments SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
ROGERS,K.C. Commissioners (Post 750119). 97/02/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92248:059-92248:060.

--9703260329 Notation vote approving w/o comment SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
DICUS,G.J. Commissioners (Post 750119). 97/02/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92248:061-92248:061.

--9703260333 Notation vote approving w/comments SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy reorganization Act of 1974;Rev to Policy Statement."
DIAZ,N.J. Commissioners (Post 750119). 97/02/25. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92248:062-92248:062.

--9703260341 Notation vote approving w/comment SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Acy of 1974;Rev to Policy Statement."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/02/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92248:063-92248:066.

9703260330 Commission voting record on SECY-96-110 re completion of response to SRM for SECY-95-249 on risk harmonization white paper & recommendations by interagency steering committee on radiation standards.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/20. 2pp. 92254:175-92254:184.

--9703270076 Notation approving w/o comments,SECY-96-110, "Completion of Response to SRM,for SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/06/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92254:177-92254:177.

--9703270077 Notation vote approving w/o comments,SECY-96-110, "Completion of Response to SRM,for SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
ROGERS,K.C. Commissioners (Post 750119). 97/02/04. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92254:178-92254:178.

--9703270078 Notation vote approving,w/o comment,SECY-96-110, "Completion of Response to SRM,for SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
DICUS,G.J. Commissioners (Post 750119). 97/02/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92254:179-92254:179.

--9703270079 Notation vote approving,w/o comments,SECY-96-110, "Completion of Response to SRM for SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
DIAZ,N.J. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92254:180-92254:180.

--9703270080 Notation vote approving w/comments,SECY-96-110, "Completion of Response to SRM for,SECY-95-249 on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/02/13. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92254:181-92254:184.

9703280237 Commission voting record on SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development (XMAT0393).
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/19. 2pp. 92295:157-92295:164.

--9703280244 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:159-92295:159.

--9703280249 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:160-92295:160.

--9703280253 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
DICUS,G.J. Commissioners (Post 750119). 97/03/18. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:161-92295:161.

--9703280257 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
DIAZ,N.J. Commissioners (Post 750119). 97/03/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:162-92295:162.

--9703280262 Notation vote approving SECY-97-049 re proposed license to export graphite & deleted U to Canada for avlis feed conversion process development.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/03/12. HOYLY,J.C. Office of the Secretary of the Commission. 1p. 92295:163-92295:164.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9703030343 Mod 17 to contract NRC-28-83-604.
GALLOWAY,D. Connecticut, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/14. 2pp. 91961:103-91961:104.

9703030356 Mod 4 to contract NRC-33-96-188.
* Faxon Co., Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/25. 1p. 91932:339-91932:339.

9703030461 Ltr contract,to task order 63, "Insp Rept Coding for Months of Jan & Feb 1997," under contract NRC-03-93-036.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2015-7. NRC-03-93-036. 97/02/19. COLINA,I. Science & Engineering Associates, Inc. 2pp. 91940:340-91940:341.

9703030505 Mod 23 to contract NRC-10-93-133.
* . MACE,M.H. Division of Contracts (Post 940714). 97/02/26. 2pp. 91940:338-91940:339.

9703030506 Mod 4 to contract NRC-04-96-041.
KNIGHT,D.A. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6460. 97/02/24. 4pp. 91939:357-91939:360.

9703030508 Informs of closeout of contract NRC-04-94-047.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-94-047. 97/02/27. VUKOVICH,A. Maryland, Univ. of, College Park, MD. 1p. 91932:238-91932:238.

9703040055 Task order 27 under contract NRC-02-95-003 awarded to Science Applications Intl Corp.
HOFT,N. Science Applications International Corp. (formerly Science Applications, Inc.). WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-5073. 97/02/21. 1p. 91946:239-91946:239.

9703040081 Mod 1 to grant NRC-G-04-96-078.
WESTBROOK,D.P. National Academy of Sciences. WIGGINS,E.J. Division of Contracts (Post 940714). FIN G-6714. 97/02/21. 2pp. 91951:118-91951:119.

9703050123 Mod 18 to contract NRC-29-83-625.
RELIEIS,H.F. Georgia, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2477. 97/02/27. 3pp. 91961:245-91961:247.

9703050127 Mod 5 to contract NRC-02-92-003.
ANDRESS,H.W. Federal Emergency Management Agency. MACE,M.H. Division of Contracts (Post 940714). FIN L-2051. 97/02/26. 2pp. 91961:243-91961:244.

9703050132 Mod 3 to contract NRC-10-95-145.
* Small Business Administration. FERGUSON,T. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-145. 97/02/24. 2pp. 91961:241-91961:242.

9703050137 Ltr contract:mod 2 to task order 302, "New Thermal Hydraulic Code Planning," under contract NRC-03-95-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. 97/02/25. AFABLE,S. SCIENTECH, Inc. 1p. 91961:240-91961:240.

9703050139 Mod 17 to contract NRC-28-83-611.
SCHAUB,J.B. New Hampshire, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/20. 3pp. 91961:237-91961:239.

9703050141 Mod 4 to grant NRC-G-04-94-095.
* Lehigh Univ., Bethlehem, PA. WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/28. 1p. 91961:236-91961:236.

9703050152 Mod 6 to contract NRC-10-96-155.
SCHLOSSER,A. Affiliation Not Assigned. WEBBER,R.B. Division of Contracts (Post 940714). FIN D-2318. 97/02/14. 2pp. 91989:354-91989:355.

9703050166 Contract NRC-26-97-262, "GE BWR Nuclear Engineering Course (R801B)," awarded to GE Nuclear Energy.
LINFORD,R.B. General Electric Co. MATTIA,M.J. Division of Contracts (Post 940714). FIN J-8228. 97/02/10. 17pp. 91961:219-91961:235.

9703050188 Mod 2 to contract NRC-26-96-266.
* Accu-Weather, Inc. * Division of Contracts (Post 940714). 97/02/27. 2pp. 91961:217-91961:218.

9703050193 Mod 17 to contract NRC-29-83-626.
WILLIAMSON,D.E. Alabama, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/01/31. 3pp. 91961:214-91961:216.

9703060207 Mod 21 to contract NRC-31-83-667.
NICHOLS,S.B. Arkansas, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2487. 97/02/18. 3pp. 91991:340-91991:342.

9703060217 Ltr contract,task order 117, "Brunswick Engineering Inspection," under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2407. 97/02/27. LOFY,R.A. PARAMETER, Inc. 2pp. 91991:343-91991:344.

9703060328 Supports request by Athey Consulting for copy of HASCAL/SCIPUFF software as currently under contract w/NRC to do development of RASCAL CODE.
GIITTER,J.G. Office for Analysis & Evaluation of Operational Data, Director. 97/03/04. COOPER,R. Defense, Dept. of. 1p. 91990:355-91990:355.

9703100094 Mod 5 to contract NRC-38-94-286.
HUMMER,J. . WEBBER,R. Division of Contracts (Post 940714). 97/03/05. 2pp. 92031:351-92031:352.

9703100096 Ltr contract:mod 1 to task order 9,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:341-92062:350.

--9703100099 Ltr contract:mod 1 to task order 7,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:342-92062:342.

--9703100104 Ltr contract:mod 1 to task order 8,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:343-92062:343.

--**9703100109** Ltr contract:mod 1 to task order 11,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:344-92062:344.

--**9703100114** Ltr contract:mod 1 to task order 3,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:345-92062:345.

--**9703100116** Ltr contract:mod 1 to task order 4,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:346-92062:346.

--**9703100119** Ltr contract:mod 1 to task order 12,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:347-92062:347.

--**9703100124** Ltr contract:mod 1 to task order 5,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:348-92062:348.

--**9703100127** Ltr contract:mod 1 to task order 10,under contract NRC-02-96-0004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:349-92062:349.

--**9703100129** Ltr contract:mod 1 to task order 6,under contract NRC-02-96-004.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-96-004. 97/03/05. PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 1p. 92062:350-92062:350.

9703100098 Mod 5 to contract NRC-10-96-155.
SCHLOSSER,A. Affiliation Not Assigned. WEBBER,R.B. Division of Contracts (Post 940714). FIN D-2318. 97/02/26. 2pp. 92031:336-92031:337.

9703100120 Ltr contract,mod 4 to task order 2, "Reassessment of Debris Ingestion Effects on Emergency Core Cooling Sys Pump Perfomance" under contract NRC-04-95-047.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-95-047. FIN W-6325. 97/02/10. COLINA,I.R. Science & Engineering Associates, Inc. 2pp. 92109:132-92109:133.

9703100135 Mod 3 to contract NRC-04-96-042.
LIEBROCK,L.M. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 97/01/15. 2pp. 92031:334-92031:335.

9703100146 Mod 8 to contract NRC-26-95-261.
* Halliburton NUS Environmental Corp. MACE,M. Division of Contracts (Post 940714). FIN E-8269. 97/03/06. 2pp. 92031:348-92031:349.

9703100155 Ltr contract:mod 4 to task order 19,under contract NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-02-95-003. FIN J-5074. 97/03/05. HOFT,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 92062:351-92062:352.

9703100163 Ltr contract:mod 3 to task order 211, "Technical Review of Licensing Basis for Millstone,Unit 1," under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). 97/02/28. KNIGHT,D. SCIENTECH, Inc. 2pp. 92062:353-92062:354.

9703100207 Mod 5 to contract NRC-06-96-300.
MUNUZ,M. Small Business Administration. WIGGINS,E. Division of Contracts (Post 940714). NRC-06-96-300. 97/02/24. 3pp. 92031:345-92031:347.

9703110115 Mod 23 to contract NRC-30-83-646.
SOMANI,P. Ohio, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2485. 97/02/16. 3pp. 92031:331-92031:333.

9703110119 Mod 12 to contract NRC-10-94-144.
* Facilities Management Co., Inc., Lanham, MD. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2354. 97/03/04. 3pp. 92109:129-92109:131.

9703120226 Mod 100 to contract NRC-02-93-005.
* Southwest Research Institute. MEEHAN,B.D. Division of Contracts (Post 940714). NRC-02-93-005. 97/03/07. 6pp. 92078:352-92078:357.

9703130057 Mod 4 to contract NRC-04-96-042.
* . WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/28. 2pp. 92109:251-92109:252.

9703130084 Mod 7 to contract NRC-04-93-061.
KILLOREN,R. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). FIN J-6030. 97/03/06. 2pp. 92105:353-92105:354.

9703130086 Ltr contract NRC-26-94-263 definitizing task order 9,to "Task Order Procedures."
MACE,M.H. Division of Contracts (Post 940714). NRC-26-94-263. FIN E-8219. 97/03/03. CONGER,D.S. Conger & Elsea, Inc. 2pp. 92109:253-92109:254.

9703130095 Mod 19 to contract NRC-28-83-608.
CAMPBELL,A. Maryland, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2468. 97/02/28. 3pp. 92105:355-92105:357.

9703130104 Mod 2 to contract NRC-10-96-160.
NOBARIAN,B. Small Business Administration. NOBARIAN,B. . MACE,M.H. Division of Contracts (Post 940714). FIN D-2362. 97/02/27. 3pp. 92105:358-92105:360.

9703130105 Ltr contract:task order 120 under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2407-7. 97/03/05. LOFY,R.A. PARAMETER, Inc. 2pp. 92080:357-92080:358.

9703130116 Ltr contract:mod 1 to task order 5, "Non-Profit Financial Assurance Self Guarantee:Technical Assistance for Rulemaking Support," under contract NRC-04-95-065.
MACE,M. Division of Contracts (Post 940714). NRC-04-95-065. 97/03/05. ALERS,P. ICF, Inc. 2pp. 92107:337-92107:338.

9703130415 Mod 18 to contract NRC-29-83-622.
HAMILTON,M.H. Tennessee, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/04. 3pp. 92109:296-92109:298.

9703130420 Mod 1 to contract NRC-33-97-182.
LAVIGNE,R. Small Business Administration. * Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 97/03/07. 3pp. 92109:314-92109:316.

9703140077 Mod 20 to contract NRC-31-84-502.
O'CONNELL,J.J. Kansas, State of. WIGGINS,E.J. Division of Freedom of Information & Publications Services (Post 940714). NRC-31-84-502. 97/02/23. 3pp. 92128:168-92128:170.

9703180061 Mod 9 to contract NRC-38-92-287.
HOLDAN,B. Radiation Detection Co. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-38-92-287. FIN A-8410. 97/02/28. 2pp. 92177:207-92177:208.

9703180178 Mod 31 to contract NRC-10-94-141.
GILCHRIST,J.R. . FIELDS,J.A. Division of Contracts (Post 940714). 97/03/12. 2pp. 92177:158-92177:159.

9703190233 Ltr contract,mod 5 to task order 5, "Hydrogen Combustion," under contract NRC-04-92-046.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-92-046. 97/03/12. KHATIB-RAHBAR Energy Research & Consultants Corp. 2pp. 92178:130-92178:131.

9703190238 Mod 4 to contract NRC-33-96-175.
YAHR,S.H. Small Business Administration. MACE,M.H. Division of Contracts (Post 940714). 97/03/10. 2pp. 92178:132-92178:133.

9703200046 Ltr contract:mod 7 to interagency agreement NRC-10-95-146, entitled "Optical Character Recognition of Text & Scanning of Images"
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-146. 97/03/11. MOY,V. Federal Prison Industries, Inc. (UNICOR). 2pp. 92195:338-92195:339.

9703200075 Ltr contract:task order 10 under contract NRC-26-94-263.
MACE,M.H. Division of Contracts (Post 940714). NRC-26-94-263. FIN J-5172. 97/03/10. CONGER,D.S. Affiliation Not Assigned. 2pp. 92195:336-92195:337.

9703210027 Mod 21 to contract NRC-33-93-191.
* Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 97/03/17. 2pp. 92205:186-92205:187.

9703210029 Ltr contract,mod 21 to task order 1 under contract NRC-33-92-203.
MACE,M. Division of Contracts (Post 940714). NRC-33-92-203. 97/03/10. HUTCHISON,M. Applied Science Associates, Inc. 2pp. 92205:188-92205:189.

9703210031 Mod 6 to contract NRC-38-96-282.
* Resolution Dynamics, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN T-8415. 97/03/14. 1p. 92205:190-92205:191.

9703210033 Ltr contract,definitizing mod 20 to task order 5 to contract NRC-33-92-203.
MACE,M. Division of Contracts (Post 940714). NRC-33-92-203. 97/03/10. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 92208:001-92208:002.

9703210038 Ltr contract:mod 6,to task order 202 under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN J-2313-7. 97/03/12. KNIGHT,D. SCIENTECH, Inc. 2pp. 92220:302-92220:303.

9703210083 Contract NRC-04-97-040, "Independent Evaluations For Severe Accident Research," awarded to Energy Research Inc.
RAHBAR,M. Energy Research, Inc. MACE,M.H. Division of Contracts (Post 940714). 97/03/19. 40pp. 92205:216-92205:255.

9703210247 Mod 7 to contract NRC-33-95-188.
* Small Business Administration. * Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). FIN L-1423. 97/03/17. 3pp. 92220:299-92220:301.

9703240089 Ltr contract,definitizing mod 2 to task order 109 to contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. 97/03/17. KNIGHT,D. Scientific Technical, Inc. 2pp. 92218:008-92218:009.

9703240092 Ltr contract,task order 86 to contract NRC-03-93-026,awarded to Parameter,Inc.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2407. 97/03/20. LOFY,R.A. PARAMETER, Inc. 1p. 92218:010-92218:010.

9703240109 Mod 6 to contract NRC-09-94-202.
BELLAMY-GRAHAM Small Business Administration. COX,D. Cox & Associates, P.C. WIGGINS,E.J. Division of Contracts (Post 940714). 97/03/18. 4pp. 92218:014-92218:017.

9703250015 Mod 9 to contract NRC-21-95-297.
* Neal R. Gross & Co., Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN B-8183. 97/03/19. 2pp. 92236:296-92236:297.

9703250016 Mod 7 to contract NRC-09-93-232.
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-09-93-232. 97/03/19. 2pp. 92236:328-92236:329.

9703250020 Mod 23 to contract NRC-32-83-684.
STAHLBERG,E. California, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/03/04. 3pp. 92236:293-92236:295.

9703250030 Ltr contract:mod 11,10 & 10 to task orders 8,9 & 17, respectively,under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. 97/03/19. LOFY,R.A. PARAMETER, Inc. 2pp. 92236:323-92236:324.

9703250044 Mod 9 to contract NRC-38-94-281.
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 97/03/20. 2pp. 92236:330-92236:331.

9703250188 Mod 1 to contract NRC-04-96-074.
MACRUM,E.M. Maryland, Univ. of, College Park, MD. MACE,M.H. Division of Contracts (Post 940714). 97/03/19. 3pp. 92257:069-92257:071.

9703250194 Mod 2 to contract NRC-26-96-265.
* Simulation, Systems & Services Technologies Co. MACE,M.H. Division of Contracts (Post 940714). 97/03/21. 2pp. 92236:354-92236:355.

9703260182 Mod 4 to contract NRC-04-96-044.
ECH,P.M. . MACE,M.H. Division of Contracts (Post 940714). 97/03/15. 2pp. 92248:072-92248:073.

9703260185 Mod 4 to contract NRC-03-96-022.
* Battelle Human Affairs Research Centers. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2393. 97/03/24. 2pp. 92248:070-92248:071.

9703260213 Ltr contract:task order 216 under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). NRC-03-95-026. FIN J-2414. 97/03/19. KNIGHT,D. SCIENTECH, Inc. 2pp. 92248:240-92248:241.

9703260231 Mod 2 to contract NRC-03-96-027.
STAMM,S.L. Stone & Webster Engineering Corp. MEARSE,S.D. Division of Contracts (Post 940714). 97/03/24. 2pp. 92248:242-92248:243.

9703260233 Mod 3 to contract NRC-26-96-262.
SCHWEE,S. General Electric Co. MACE,M.H. Division of Contracts (Post 940714). FIN E-8270. 97/03/24. 2pp. 92248:244-92248:245.

9703260243 Ltr contract:mod 3 to task order 23 under contract NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-5073. NRC-02-95-003. 97/03/21. STRIKE,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 92248:246-92248:247.

9703260246 Mod 15 to contract NRC-04-92-048.
EASON,E.D. Modeling & Computer Services. MACE,M. Division of Contracts (Post 940714). FIN L-1107. 97/03/18. 2pp. 92248:248-92248:249.

9703260252 Mod 32 to contract NRC-10-94-141.
LAYCOCK,R.L. . FIELDS,J.A. Division of Contracts (Post 940714). FIN R-0125. 97/03/21. 7pp. 92248:250-92248:256.

9703270040 Mod 11 to contract NRC-33-91-205.
* Ruland Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN J-7007. 97/03/24. 3pp. 92254:185-92254:187.

9703270041 Ltr contract:task order 113, "Evaluation of AP-600 Leak-Before-Break Methodology & Application" under contract NRC-03-95-026.
WEBER,R.B. Division of Contracts (Post 940714). FIN J-2412-5. NRC-03-95-026. 97/03/21. KNIGHT,D. SCIENTECH, Inc. 2pp. 92254:188-92254:189.

9703270051 Mod 9 to contract NRC-10-96-155.
* . WEBBER,R.B. Division of Contracts (Post 940714). 97/03/21. 2pp. 92254:299-92254:300.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9702270218 Amend 12 to license 24-02261-03,authorizing use of H-3 & Sr-90 in Jarrell-Ash Co gas chromatography units for sample analysis.
BRINKMAN,R.E Atomic Energy Commission (Pre 750119). 65/07/02. 1p. 92172:280-92172:299.

9703040304 Application for license,authorizing use of listed licensed matl.
SMITH,D. High Purity Crystals, Inc. (formerly Harshaw/Filtrol Partnership & Harshaw Chemi. 66/07/28. 3pp. 92005:343-92005:345.

--9703040316 Discusses insp rept of license C-4058.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/08/24. HOMBERG,H.C. High Purity Crystals, Inc. (formerly Harshaw/Filtrol Partnership & Harshaw Chemi. 2pp. 92006:094-92006:095.

--9703040344 Forwards insp rept of license C-4058.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 60/08/10. PRICE,H.L. Atomic Energy Commission (Pre 750119). 1p. 92006:096-92006:096.

--9703040351 Insp rept of license C-4058.No violations noted.
* Atomic Energy Commission (Pre 750119). 60/06/30. 4pp. 92006:097-92006:103.

9703030005 Final response to FOIA request for documents.Records listed in App A already available in PDR.Forwards App B documents. Documents also available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/02/25. KING,L.S. Affiliation Not Assigned. 7pp. 92002:166-92002:267.

--9703030006 FOIA request for documents re list of products containing by-product matl distributed under exempt distribution license 20-00320-14E belonging to El De Nemours & Co,Inc.
KING,L.S. Affiliation Not Assigned. 97/02/11. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92002:173-92002:173.

--9703030017 Forwards application for specific license to manufacture, process,produce,package,re-package,import & transfer quantities of radioactive by-product materials for distribution to persons exempt pursuant to 10CFR30.19.
KILLIAN,C.B. New England Nuclear Corp. 72/10/27. Atomic Energy Commission (Pre 750119). 1p. 92002:174-92002:174.

--9703030408 Application for license,authorizing 10 curies of any form of tritium to be manufactured & distributed.
* New England Nuclear Corp. 78/10/27. 5pp. 92002:175-92002:179.

--9703030430 License 20-00320-14E for New England Nuclear Corporation.
BASSIN,N. Atomic Energy Commission, Directorate of Licensing (720101-750118). 72/11/28. 1p. 92002:180-92002:180.

--9703030453 Application for amend to license 20-00320-14,authorizing additional steroid reagents to be added to license.
KILLIAN,C.B. New England Nuclear Corp. 73/02/22. Atomic Energy Commission (Pre 750119). 4pp. 92002:181-92002:184.

--9703030457 Informs it is not necessary for license to be amended to include additional compounds containing tritium.
BASSIN,N. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/12. KILLIAN,C.E. New England Nuclear Corp. 1p. 92002:185-92002:185.

--9703040003 Application for amend to license 20-00321-14E,authorizing distribution of exempt quantities of any byproduct material w/atomic numbers 3-83 inclusive.
KILLIAN,C.B. New England Nuclear Corp. 73/10/24. Atomic Energy Commission (Pre 750119). 3pp. 92002:186-92002:188.

--9703040009 Amend 1 to license 20-00320-14E for New England Nuclear Corp.
BASSIN,N. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/11. 1p. 92002:189-92002:189.

--9703040013 Informs of filing of annual rept of shipping of tritium labelled compounds under AEC license 20-00320-14E.
BATCHELDER,M. New England Nuclear Corp. 74/07/03. Atomic Energy Commission (Pre 750119). 1p. 92002:190-92002:190.

--9703040016 Submits list of isotopes & quantities transferred as exempt shipments in period ending 740630.
DELEO,F.R. New England Nuclear Corp. 74/07/23. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 92002:191-92002:191.

--9703040019 Application for amend to license 20-00320-14E,authorizing distribution of exempt quantities of sealed sources as defined in 10CFR30.4.
KILLAIN,C.B. New England Nuclear Corp. 74/08/23. Atomic Energy Commission (Pre 750119). 3pp. 92002:192-92002:194.

--9703040023 Informs sample labels should have words "radioactive material" written on them.
BASSIN,N. Atomic Energy Commission, Directorate of Licensing (720101-750118). 51428. 74/09/10. KILLIAN,C.B. New England Nuclear Corp. 1p. 92002:195-92002:195.

--9703040025 Informs that New England Nuclear will attach label to immediate container & label will read "radioactive material."
KILLIAN,C.B. New England Nuclear Corp. 51428. 74/09/25. BASSIN,N. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 92002:196-92002:196.

--9703040028 Amend 2 to license 20-00320-14E for New England Nuclear Coporation.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/10/22. 1p. 92002:197-92002:197.

--9703040032 Application for amend to license 20-00320-14E,authorizing distribution of exempt quantities of byproduct material for Scientific Products.
KILLIAN,C.B. New England Nuclear Corp. 54618. 75/02/04. BASSIN,N. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 92002:198-92002:199.

--9703040095 Amend 3 to license 20-00320-14E for New England Nuclear Corporation.
* NRC - No Detailed Affiliation Given. 75/03/28. 1p. 92002:200-92002:200.

--9703040112 Informs of filing of annual rept of shipping of tritium labelled compounds under AEC license 20-00320-14E.
BATCHELDER,M. New England Nuclear Corp. 76/07/21. Office of Nuclear Material Safety & Safeguards. 1p. 92002:201-92002:201.

--9703040134 Submits list of isotopes & quantities transferred in period ending 760630.
DELEO,F.R. New England Nuclear Corp. 76/07/30. Office of Nuclear Material Safety & Safeguards. 1p. 92002:202-92002:202.

--9703040163 Application for amend 3,renewing license 20-00320-14E.
KILLIAN,C.B. New England Nuclear Corp. 77/10/07. Office of Nuclear Material Safety & Safeguards. 1p. 92002:203-92002:203.

--9703040165 Ack receipt of application for renewal of materials license 20-00320-14E.
GUINN,P.R. Radioisotopes Licensing Branch (Pre 790501). 90296. 77/11/17. KILLIAN,C.B. New England Nuclear Corp. 1p. 92002:204-92002:204.

--9703040167 Amend 4 to license 20-00320-14E for New England Nuclear Corporation.
GUINN,P.R. Radioisotopes Licensing Branch (Pre 790501). 77/12/08. 1p. 92002:205-92002:205.

--9703040175 Informs of filing of annual report of shippng of tritium labelled compounds under license 20-00320-14E.
BATCHELDER,M. New England Nuclear Corp. 78/07/31. Office of Nuclear Material Safety & Safeguards. 1p. 92002:206-92002:206.

--9703040204 Confirms understanding that New England Nuclear Corporation not required to obtain consent of NRC in order for New England Nuclear to consumate merger described & submits list of such licenses.
STOLBERG,M.S. New England Nuclear Corp. 81/04/02. MILLER,V.L. Materials Licensing Branch. 2pp. 92002:208-92002:209.

--9703040345 Informs that NEN-DuPont transaction may proceed w/o amending by-product licenses currently held by NEN.
MILLER,V.L. Materials Licensing Branch. 81/04/06. STOLBERG,M.S. New England Nuclear Corp. 1p. 92002:210-92002:210.

--9703050226 Lists isotopes & quantities transferred in period ending 810730.
DELEO,F.R. New England Nuclear Corp. 1556. 81/07/31. Office of Nuclear Material Safety & Safeguards. 1p. 92002:211-92002:211.

--9703050233 Submits list of isotopes & quantities transferred in 12 month period ending 820630.
DELEO,F.R. New England Nuclear Corp. 82/07/07. Office of Nuclear Material Safety & Safeguards. 1p. 92002:212-92002:212.

--9703050287 Application for amend 4,renewing license 20-00320-14E.
DUMAS,D. New England Nuclear Corp. 82/11/29. Office of Nuclear Material Safety & Safeguards. 25pp. 92002:213-92002:237.

--9703050291 Informs of additional forty dollars owed to NRC re renewal fee.
JACKSON,G. License Fee Management Branch (Pre 861124). 13247. 82/12/27. DUMAS,D. New England Nuclear Corp. 1p. 92002:238-92002:238.

--9703050294 Submits New England Nuclear check for forty dollars.
DUMAS,D. New England Nuclear Corp. 13247. 83/01/21. JACKSON,G. License Fee Management Branch (Pre 861124). 1p. 92002:239-92002:239.

--**9703050297** Ack receipt of application for renewal of material license 20-00320-14E.
HICKEY,J.W. Materials Licensing Branch. 13247. 83/02/01. DUMAS,D. New England Nuclear Corp. 1p. 92002:240-92002:240.

--**9703050304** Requests addl clarification of listed items re license 20-00320-14E renewal.
CARRICO,J.B. Materials Licensing Branch. 13247. 83/04/12. DUMAS,D. New England Nuclear Corp. 2pp. 92002:241-92002:242.

--**9703050306** Submits additional info requested in ltr dtd 830412 re license ^0-00320-14E.
DUMAS,D. New England Nuclear Corp. 13247. 83/06/15. CARRIO,J.B. Materials Licensing Branch. 1p. 92002:243-92002:243.

--**9703050324** Amend 5 to license 20-00320-14E for New England Nuclear Corp.
HICKEY,J.W. Materials Licensing Branch. 83/09/28. 1p. 92002:244-92002:244.

--**9703050333** Application for amend to license authorizing commercial distribution & ensure proper registration of DuPont "Multi-mount" type sealed reference sources.
ROY,F. E.I. du Pont de Nemours & Co., Inc. 109322. 88/07/25. GLENN,J.E. Region 1 (Post 820201). 7pp. 92002:245-92002:251.

--**9703050341** Application for amend to license 20-00320-14E,authorizing distribution of by-product material as specified in section 30.71 to persons exempt from licensing.
ROY,F.E. E.I. du Pont de Nemours & Co., Inc. 109512. 88/08/30. Region 1 (Post 820201). 2pp. 92002:252-92002:253.

--**9703050348** Application for license,authorizing renewal of license 20-00320-14E.
DUMAS,D. E.I. du Pont de Nemours & Co., Inc. 88/09/20. 1p. 92002:254-92002:254.

--**9703050361** Submits summary of total quantitiy of each isotope transferred under license 20-00320-14E to persons exempt from licensing pursuant to regulations of 10CFR30.
ROY,F.E. E.I. du Pont de Nemours & Co., Inc. 88/09/19. Office of Nuclear Material Safety & Safeguards. 1p. 92002:255-92002:255.

--**9703050364** Submits isotopes & quantities transferred in twelve month period ending 840921.
BYRNE,M. E.I. du Pont de Nemours & Co., Inc. 88/08/01. Office of Nuclear Material Safety & Safeguards. 1p. 92002:256-92002:256.

--**9703050370** Submits list of isotopes & quantities transferred in twelve month period ending 850924.
BYRNE,M. E.I. du Pont de Nemours & Co., Inc. 88/08/01. Office of Nuclear Material Safety & Safeguards. 1p. 92002:257-92002:257.

--**9703050372** Submits isotopes & quantities transferred in twelve month period ending 890926.
BYRNE,M. E.I. du Pont de Nemours & Co., Inc. 88/08/01. Office of Nuclear Material Safety & Safeguards. 1p. 92002:258-92002:258.

--**9703050377** Submits isotopes & quantities transferred in twelve month period ending 870930.
BYRNE,M. E.I. du Pont de Nemours & Co., Inc. 88/08/01. Office of Nuclear Material Safety & Safeguards. 1p. 92002:259-92002:259.

--**9703050380** Submits isotopes & quantities transferred in twelve month period ending 880901.
LEBLANC,P. E.I. du Pont de Nemours & Co., Inc. 88/09/08. Office of Nuclear Material Safety & Safeguards. 1p. 92002:260-92002:260.

--**9703050381** Ack receipt of application for renewal of material license 20-00320-14E.
CARRICO,J.B. Medical, Academic & Commercial Use Safety Branch. 109512. 88/09/29. E.I. du Pont de Nemours & Co., Inc. 1p. 92002:261-92002:261.

--**9703050394** Advises that application voided on 890405.Application combined w/control 109512.
CARRICO,B. NRC - No Detailed Affiliation Given. 109322. 89/04/05. NRC - No Detailed Affiliation Given. 1p. 92002:262-92002:262.

--**9703050398** Requests additional info re renewal of application re license 20-00320-14E.
CARRICO,J.B. Medical, Academic & Commercial Use Safety Branch. 89/04/13. ROY,F.E. E.I. du Pont de Nemours & Co., Inc. 2pp. 92002:263-92002:264.

--**9703050401** Requests extension of time to respond to NRC request for info re renewal of license 20-00320-14E.
ROY,F.E. E.I. du Pont de Nemours & Co., Inc. 109512. 89/06/16. CARRICO,J.B. Medical, Academic & Commercial Use Safety Branch. 1p. 92002:265-92002:265.

--**9703050404** Forwards amend 7,renewing license 20-00320-14E in entirety.
CARRICO,J.B. Medical, Academic & Commercial Use Safety Branch. 89/09/12. ROY,F.E. E.I. du Pont de Nemours & Co., Inc. 1p. 92002:266-92002:267.

9703030019 Final response to FOIA request for documents.Forwards documents listed in App A being made available in PDR. Records in App B being withheld in part (ref Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/02/20. GLADE,M.A. Affiliation Not Assigned. 29pp. 92160:001-92160:071.

--**7903060116** Forwards IE Circular 79-01,"Administration of Unauthorized Byproduct Matl to Humans." W/list of 1978 IE Circulars.
SEYFRIT,K.V. Region IV, IE (720101-810228). 79/01/12. Fitzsimons Army Medical Center, Aurora, CO. 6pp. 92167:134-92167:139.

--**7903080195** Submits findings of insp on 790118 of License 05-00046-13. No noncompliance noted.
BROWN,G.D. Fuel Facility & Materials Safety Branch, R4. 79/02/05. GHAED,N. Fitzsimons Army Medical Center, Aurora, CO. 14pp. 92167:140-92167:153.

--**7904210441** Forwards application for renewal of Matl/Byproduct License 05-00046-13.
WANGEMANN,R.T. Fitzsimons Army Medical Center, Aurora, CO. DASG-PSP-E. 79/03/19. Radioisotopes Licensing Branch (Pre 790501). 1p. 92167:359-92167:359.

--**7904210453** Application for renewal & amend of Matl/Byproduct Licenser 05-00046-13 authorizing N Aarestad,N Ghaed,D Richardson R Telepak & others to use &/or supervise use of radioactive matls.Amend requested for specific license of broad scope.
DEFFER,P.A. Fitzsimons Army Medical Center, Aurora, CO. 99158. 79/03/06. 200pp. 92167:154-92167:354.

--**7904250547** Ack receipt of application for renewal of Matl/Byproduct License 05-00046-13.License will not expire until final action has been taken by NOMCMRL.
WALKER,W.J. Radioisotopes Licensing Branch (Pre 790501). 99158. 79/03/31. WANGEMANN,R.T. Army, Dept. of, Office of Surgeon General. 1p. 92167:360-92167:360.

--**7905070605** Forwards IE Circular 79-06, "Failure to Use Syringe & Bottle Shields in Nuclear Medicine."
SEYFRIT,K.V. Region IV, IE (720101-810228). 79/04/19. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92168:001-92168:006.

--**8006240551** Ack receipt of 790306 application for renewal of Matl/ Byproduct License 05-00046-13.Addl info requested re criteria followed in approving new users,calibr procedures, personnel training program & storage of Tc-99m generators.
LAMASTRA,M.A. Materials Licensing Branch. 99158. 80/05/13. CULLINGS,H.M. Fitzsimons Army Medical Center, Aurora, CO. 3pp. 92167:020-92167:022.

--**8007150450** Forwards response from Fitzsimons Army Medical Ctr re Matl/Byproduct License 05-00046-13 & NRC 800513 ltr.
WANGEMANN,R.T. Army, Dept. of. DASG-PSP-E. 80/06/16. Materials Licensing Branch. 1p. 92167:023-92167:023.

--**8007150459** Submits info requested in NRC 800513 ltr re Matl/Byproduct License 05-00046-13.Discusses radioisotope approval of users,calibr of souces used w/App D procedures for dose calibrator & method for disposing of Mo-99/Tc-99m generator.
TOUCHARD,G.H. Fitzsimons Army Medical Center, Aurora, CO. HSF-PM-HP. 80/06/03. LAMASTRA,M.A. Materials Licensing Branch. 7pp. 92167:024-92167:030.

--**8007290577** Forwards IE Circular 80-06, "Control & Accountability Sys for Implant Therapy Sources." No response required.
SEYFRIT,K.V. Region IV, IE (720101-810228). 80/04/14. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92168:024-92168:027.

--**8008190415** Responds to IE Bulletin 79-19 re packaging & disposal of low level radwaste.One shipment,containing 12.499 mCi low level radwaste disposed from January 1978 through June 1979.
CRAFT,J.L. Army, Dept. of. IEB-79-19. 80/08/07. SEYFRIT,K.V. Region IV, IE (720101-810228). 4pp. 92160:072-92160:075.

--**8008200378** Forwards IE Bulletin 79-19, "Packaging of Low Level Radwaste for Transport & Burial." Written response required.
SEYFRIT,K.V. Region IV, IE (720101-810228). IEB-79-19. 79/08/10. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92168:013-92168:023.

--**8009100802** Forwards IE Circular 80-19, "Noncompliance W/License Requirements for Medical Licensees." No written response required.
SEYFRIT,K.V. Region IV, IE (720101-810228). 80/08/26. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92167:037-92167:039.

--**8012240193** Forwards 801107 ltr re authorized limits for possession of radioimmunoassay matls under License 05-00046-13.
WANGEMANN,R.T. Army, Dept. of, Office of Surgeon General. 2517. 80/11/25. Materials Licensing Branch. 2pp. 92167:043-92167:044.

--**8101200034** Ack receipt of 801107 ltr re License 05-00046-13.R&D per 10CFR30,encompasses use of radioactive matls for radioimmunoassay studies.
LAMASTRA,M.A. Materials Licensing Branch. 80/12/08. WANGEMANN,R.T. Army, Dept. of, Office of Surgeon General. 6pp. 92167:045-92167:050.

--**8506260241** Amend 41 to License 05-00046-13 for Dept of Army, Fitzsimons Army Medical Ctr,changing mailing address & authorizing use of max 1.5 Ci Gd-153 in bone mineral analysis spine scanner.
CAIN,C.L. Region 4 (Post 820201). 85/05/22. 3pp. 92166:131-92166:133.

--**8506260244** Application to amend License 05-00046-13,authorizing use of max 2 Ci Gd-153 in Lunar DP3 device for bone mineral analysis.Also requests change of mailing address due to redrawn city boundaries.
CRAFT,J.L. Fitzsimons Army Medical Center, Aurora, CO. 18714. 85/01/28. Materials Licensing Branch. 1p. 92166:130-92166:130.

--**8510240216** Amend 20 to License 10-06493-02 for Martin Army Community Hosp,authorizing S Moore as radiation safety officer & D Galloway as alternate.
GUINN,P.R. Region 2 (Post 820201). 85/09/16. 2pp. 92164:329-92164:330.

--**8602120302** Amend 42 to License 05-00046-13 for Fitzsimons Army Medical Ctr & Medical Research & Nutrition Lab,amending license in entirety.
CAIN,C.L. Region 4 (Post 820201). 85/12/09. 4pp. 92166:174-92166:177.

--**8602120308** Forwards info re Fitzsimons Army Medical Ctr 840206 application for renewal of License 05-00046-13,per request.
FIELD,R.W. Army, Dept. of, Office of Surgeon General. 418398. 85/10/29. Region 4 (Post 820201). 2pp. 92166:138-92166:138.

--**8602120313** Submits addl info re 840206 application for renewal of License 05-00046-13,in response to 850822 ltr.Info provided includes criteria for radiation protection committee approval of users.
SHETLER,P.L. Fitzsimons Army Medical Center, Aurora, CO. HAHG-PMH. 85/10/15. CAIN Region 4 (Post 820201). 9pp. 92166:139-92166:147.

--**8602120321** Requests addl info re 840206 application for renewal of License 05-00046-13,including criteria used by radioisotope committee in approving new users of byproduct matl for nonhuman use.Request & training forms encl.
CAIN,C.L. Region 4 (Post 820201). 18398. 85/08/22. RUSSELL,P.K. Fitzsimons Army Medical Center, Aurora, CO. 3pp. 92166:134-92166:136.

--**8602120334** Advises that unless response to 850822 request for addl info re renewal of License 05-00046-13 received within 30 days, application may be denied & license terminated.
EVERETT,R.J. Region 4 (Post 820201). 418398. 85/10/11. RUSSELL,P.K. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92166:137-92166:137.

--**8602120338** Ack receipt of application for renewal of License 05-00046-13.
ST MARY,F.A. Materials Licensing Branch. 18398. 84/11/23. RUSSELL,P.K. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92166:129-92166:129.

--8602120342 Application for renewal of broad scope medical byproduct matl license,originally requested in Mar 1979 application for license renewal.
RUSSELL,P.K. Fitzsimons Army Medical Center, Aurora, CO. HAHG-ZA. 84/02/06. Materials Licensing Branch. 1p. 92166:229-92166:229.

--8602120344 Forwards application for amend to License 05-00046-13.Amend changes license from limited scope to broad scope license. Index encl.
GOMEZ,A. Fitzsimons Army Medical Center, Aurora, CO. HAHG-ZB. 84/02/06. Materials Licensing Branch. 5pp. 92166:230-92167:019.

--8602120347 Application for amend to License 05-00046-13,authorizing broad scope license for use of I-125,I-131,Kr-85,Xe-133,H-3, Mo-99,Tc-99m,Cs-137,Sr-90,Cs-137 & Group VI matls for diagnosis & R&D.Supporting documentation encl.
RUSSELL,P.K. Fitzsimons Army Medical Center, Aurora, CO. 18398. 84/02/06. 147pp. 92166:235-92167:019.

--8603130064 Amend 43 to License 05-00046-13 for Dept of Army,Fitzsimons Army Medical Ctr & Medical Research & Nutrition Lab,changing Condition 21 as listed.
WHITTEN,J.E. Region 4 (Post 820201). 86/02/20. 3pp. 92166:178-92166:180.

--8603130069 Forwards application to amend Licenses 05-00046-13 & 05-00046-15.
FIELD,R.W. Army, Dept. of, Office of Surgeon General. 460881. 85/12/04. Region 4 (Post 820201). 1p. 92166:165-92166:173.

--8603130074 Application for amends to Licenses 05-00046-13 & 05-00046-15,changing radiation protection officer from S Dunston to MD Williams.
RUSSELL,P.K. Fitzsimons Army Medical Center, Aurora, CO. 460881. 85/11/13. Materials Licensing Branch. 8pp. 92166:166-92166:173.

--8606090419 Amend 44 to License 05-00046-13 for Dept of Army,Fitzsimons Army Medical Ctr & Medical Research Ctr & Nutrition Lab, modifying Condition 21 re conduct of licensee program.
WHITTEN,J.E. Region 4 (Post 820201). 86/04/22. 1p. 92166:181-92166:181.

--8606090433 Forwards application for amends to Licenses 05-00046-13 & 05-00046-15.
FIELD,R.W. Army, Dept. of. 460983. 86/03/10. Region 4 (Post 820201). 1p. 92160:275-92160:285.

--8606090449 Application for amends to Licenses 05-00046-13 & 05-00046-15,designating DC Ward & CF Ferris as alternate radiation protection officers,replacing MD Williams. Supporting documentation encl.
RUSSELL,P.K. Fitzsimons Army Medical Center, Aurora, CO. HSHG-RP. 86/02/27. Materials Licensing Branch. 10pp. 92160:276-92160:285.

--8607170268 Forwards application for amend to Licenses 05-00046-13 & 05-00046-15.Approval recommended.
FIELD,R.W. Army, Dept. of, Office of Surgeon General. 461128. 86/06/13. Region 4 (Post 820201). 1p. 92166:190-92166:190.

--8607170477 Amend 44 to License 05-00046-13 for Dept of Army,Fitzsimons Army Medical Ctr & Medical Research & Nutrition Lab,amending license in entirety.
CAIN,C.L. Region 4 (Post 820201). 86/06/30. 4pp. 92166:006-92166:009.

--8607170479 Application for amends to Licenses 05-00046-13 & 05-00046-15,appointing RR Bresell as radiation protection officer.
FAIRCHILD,L.S. Fitzsimons Army Medical Center, Aurora, CO. 461127. 86/05/21. Region 4 (Post 820201). 7pp. 92166:191-92166:197.

--8609090502 Insp Findings & Licensee Ack on 860822 of License 05-00046-13.Insp findings:no violations observed.
HOLLEY,W.L. Region 4 (Post 820201). 86/08/22. 1p. 92166:098-92166:098.

--8612110230 Corrected Amend 45 to License 05-00046-13 for Dept of Army, Fitzsimons Army Medical Ctr & Medical Research & Nutrition Lab,amending license in entirety.
CAIN,C.L. Region 4 (Post 820201). 86/08/13. 4pp. 92166:010-92166:013.

--8612110232 Forwards corrected Amend 45 to License 05-00046-13,changing amend number to 45 & Condition 18.
CAIN,C.L. Region 4 (Post 820201). 86/08/13. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92166:189-92166:189.

--8701140268 Amend 46 to License 05-00046-13 for Dept of Army,Fitzsimons Medical Ctr,amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 86/12/08. 4pp. 92166:099-92166:102.

--8701140275 Forwards application for amend to Licenses 05-00046-13 & 05-00046-15.
FIELD,R.W. Fitzsimons Army Medical Center, Aurora, CO. 461231. 86/09/08. Region 4 (Post 820201). 1p. 92166:097-92166:097.

--8701140281 Application for amend to Licenses 05-00046-15 & 05-00046-13, correcting facility address,deleting medical research & nutrition lab & incorporating FAMC Reg 40-604, "Radiation Protection," signed ALARA document & trap for Xe-133.
SPAULDING,H.S. Fitzsimons Army Medical Center, Aurora, CO. HSHG-RP. 86/08/18. Region 4 (Post 820201). 2pp. 92166:014-92166:096.

--8701140300 "Medical Svcs Radiation Protection."
* Fitzsimons Army Medical Center, Aurora, CO. 461232. 86/08/01. 82pp. 92166:016-92166:096.

--8701140305 "Program for Maintaining Occupational Radiation Exposures at Fitzsimons Army Medical Ctr ALARA." Related info encl.
GEER,T.M. Fitzsimons Army Medical Center, Aurora, CO. 461232. 86/06/09. 7pp. 92166:182-92166:188.

--8707290329 Amend 47 to License 05-00046-13 for Dept of Army,Fitzsimons Army Medical Ctr,amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 87/07/10. 4pp. 92166:114-92166:117.

--8707290333 Forwards RR Bresell 870429 ltr re Licenses 05-00046-13 & 05-00046-15 for info.
FIELD,R.W. Army, Dept. of, Office of Surgeon General. 461520. 87/05/28. Region 4 (Post 820201). 1p. 92166:103-92166:104.

--8707290342 Informs that R Bresell assigned as radiation protection officer for Licenses 05-00046-13 & 05-00046-15.States address for radiation protection ofc.
BRESELL,R.R. Fitzsimons Army Medical Center, Aurora, CO. 461520. 87/04/29. NRC - No Detailed Affiliation Given. 1p. 92166:104-92166:104.

--8709040478 Amend 48 to License 05-00046-13 for Dept of Army,Fitzsimmons Army Medical Ctr,amending license in entirety.
CAIN,C.L. Region 4 (Post 820201). 87/08/27. 4pp. 92166:119-92166:122.

--8710050236 Responds to 870918 ltr requesting clarification of NRC regulations re use of individuals under supervision of authorized user.Concurs w/planned delegation as long as aforementioned criteria instituted.
CAIN,C.L. Region 4 (Post 820201). 87/09/25. BRESELL Fitzsimons Army Medical Center, Aurora, CO. 1p. 92166:123-92166:123.

--8710140251 Informs of recent & impending changes in Region IV.Changes involve restructuring Region IV to augment mgt team & make organization more in line w/that of larger NRC regions.
BANGART,R.L. Region 4 (Post 820201). 87/10/08. Army, Dept. of. 4pp. 92166:124-92166:127.

--8711200338 Clarifies NRC regulations re recentness of training of authorized user physicians,per 10CFR35.970 & 35.920,Reg Guide 10.8,in response to 871022 ltr.
CAIN,C.L. Region 4 (Post 820201). 87/11/16. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92166:128-92166:128.

--8802040384 Amend 49 to License 05-00046-13 for Dept of Army,Fitzsimons Army Medical Ctr,amending license in entirety.
WHITTEN,J.E. Region 4 (Post 820201). 87/12/23. 4pp. 92165:228-92165:231.

--8802040386 Application for amend to License 05-00046-13,increasing amount of Mo-99 & Tc-99 possessed from 5 Ci to 10 Ci to allow procurement of larger generators & adding F Scudiery as assistant radiation officer for listed licenses.
SPAULDING,H.S. Army, Dept. of. 87/11/04. Region 4 (Post 820201). 2pp. 92165:225-92165:226.

--8802040388 Forwards application for amend to License 05-00046-13.W/o encl.
FIELD,R.W. Army, Dept. of, Office of Surgeon General. 87/12/08. Region 4 (Post 820201). 1p. 92165:227-92165:227.

--8903170421 Amend 50 to License 05-00046-13 for Dept of Army,amending license in entirety.
CAIN,C.L. Region 4 (Post 820201). 89/02/22. 4pp. 92165:259-92165:262.

--8903170425 Requests release from requirements to maintain records & controls over area once used as radioactive waste burial site.
DAY,C.E. Army, Dept. of. 462218. 88/10/11. Region 4 (Post 820201). 1p. 92165:232-92165:232.

--8903170426 Requests that licensee be allowed to no longer maintain records on or control of low level radioactive animal waste sites.Sites no longer emit radioactivity.
BOWEN,T.E. Army, Dept. of. 462218. 88/10/11. Region 4 (Post 820201). 26pp. 92165:233-92165:258.

--8903170428 Forwards application for amend to license 05-00046-13.
FIELD,R.W. Army, Dept. of. 87/08/11. Region 4 (Post 820201). 1p. 92166:118-92166:118.

--8903170430 Application for amend to License 05-00046-13,authorizing use of Xe-133 for lung function studies.
SPAULDING,H.S. Army, Dept. of. 87/07/08. Region 4 (Post 820201). 9pp. 92166:105-92166:113.

--8908090025 Amend 51 to License 05-00046-13 for Dept of Army,Fitzsimons Army Medical Ctr,amending license in entirety.W/JE Whitten 890626 & CE Day 890605 ltrs.
WHITTEN,J.E. Region 4 (Post 820201). 462588. 89/06/26. 1p. 92165:191-92165:194.

--8908090030 Application for amends to Licenses 05-00046-13 & 05-00046-15,authorizing EV Potter & JA Woods as radiation protection officer (RPO) & assistant RPO,respectively.
BRESELL,R.R. Fitzsimons Army Medical Center, Aurora, CO. 462588. 89/05/10. Region 4 (Post 820201). 77pp. 92165:263-92165:347.

--8910190013 Discusses Safety Insps 30-00107/89-01 & 30-01233/89-01 on 890914 & 15.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 89/10/13. POTTER,E.W. Fitzsimons Army Medical Center, Aurora, CO. 24pp. 92165:198-92165:221.

--9005010011 Advises of upcoming 900727 deadline to amend license limiting possession authorizations below ref thresholds or submit appropriate financial assurance mechanism required by regulation.Info Notice 90-016 encl.W/o encl.
VASQUEZ,G.M. Region 4 (Post 820201). IEIN-90-016. 90/04/25. POTTER,E. Fitzsimons Army Medical Center, Aurora, CO. 10pp. 92164:271-92164:279.

--9008140497 Matls licensing package for Amend 52 to License 05-00046-13 for Dept of Army.Control:463092.
CAMPBELL,V.H. Region 4 (Post 820201). 463092. 90/06/04. 4pp. 92164:280-92164:283.

--9010030007 Discusses Radiation Safety Insps 30-01233/90-01 & 30-00107/90-01.No violations noted.Small increase in staff could prevent potential problems when training activities transferred since key individuals working 60-80 h/wk.
BEACH,A.B. Region 4 (Post 820201). 90/09/24. CLAYTON,C.J. Army, Dept. of. 22pp. 92164:294-92164:315.

--9011010047 Voided matls licensing action for Licenses 05-00046-13 & 05-00046-15 for Dept of Army.Control:463099.
GRUSZYNSKI,B. Region 4 (Post 820201). 463099. 90/07/23. NRC - No Detailed Affiliation Given. 8pp. 92164:286-92164:293.

--9105200303 Voided matls licensing action for licenses 05-00046-13 & 05-00046-15 for Dept of Army.Control:463505.
GRUSZYNSKI,B. Region 4 (Post 820201). 463505. 91/04/23. NRC - No Detailed Affiliation Given. 8pp. 92164:336-92164:343.

--9107160188 Submits mods to 900531 decommissioning financial assurance package.
FISHER,W.L. Region 4 (Post 820201). 463689. 91/07/09. DAY,C.E. Army, Dept. of. 3pp. 92164:344-92164:346.

--**9201140166** Discusses radiation safety insp repts 30-00107/91-01 & 30-01233/91-01 on 911218-19.No violations or deviations noted.Inspector observed that safety committee & RSO managed respective roles adequately.
CAIN,C.L. Region 4 (Post 820201). 92/01/08. BOWEN,T. Army, Dept. of. 31pp. 92164:347-92165:089.

--**9204130001** Responds to 900531 & 910826 decommissioning financial assurance submittals.No deficiencies noted in submittals. Required cost estimate for decommissioning should be submitted w/level of detail illlustrated per Reg Guide 3.66.
CALLAN,L.J. Region 4 (Post 820201). 463689. 92/04/06. MYERS,P.H. Army, Dept. of. 4pp. 92163:210-92163:213.

--**9204230296** Matls licensing package for amend 53 to license 05-00046-13 for Dept of Army.Control:464160.
CAMPBELL,V.H. Region 4 (Post 820201). 464160. 92/03/10. 4pp. 92165:090-92165:093.

--**9207010255** Voided matls licensing action for Syncor Corp. Control:463594.
GRUSZYNSKI,B. Region 4 (Post 820201). 463594. 92/04/09. NRC - No Detailed Affiliation Given. 8pp. 92164:164-92164:270.

--**9503310152** Forwards nonstandard submittal for contractor review re license 05-00046-13.W/o encl.
SPITZBERG,D.B. Region 4 (Post 820201). 95/03/28. BYKOSKI,L.M. Division of Low-Level Waste Management & Decommissioning (870413-940402). 1p. 92163:274-92163:274.

--**9507260161** Informs that for NRC to continue review of licensee 941026 submittal of revised decommissioning cost estimate,licensee needs to modify submission as listed.
SPITZBERG,D.B. Region 4 (Post 820201). 95/07/21. PARKER,J.S. Fitzsimons Army Medical Center, Aurora, CO. 3pp. 92162:146-92162:148.

--**9508240011** Informs that request for extension has been granted until 951001 for decommissioning funding plan for NRC license 05-00046-13.
SPITZBERG,D.B. Region 4 (Post 820201). 95/08/21. PARKER,J.S. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92164:089-92164:105.

--**9703030028** FOIA request for any type of agency documents pertaining to historical radiation operations to assist in completion of historical survey for NRC decommissioning & license termination at Fitzsimons.
GLADE,M.J. Affiliation Not Assigned. 96/09/30. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 41pp. 92160:031-92160:071.

--**9703030034** Recommends approval of encl application for renewal of AEC license 05-00046-13 for Fitzsimons General Hosp,Denver CO.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 68/06/28. Atomic Energy Commission (Pre 750119). 1p. 92160:286-92160:286.

--**9703030048** Application for renewal of license 05-00046-13.
OVERHOLT,E.L. Army, Dept. of. 68/06/25. 300pp. 92160:287-92161:212.

--**9703030081** Recommends approval of encl application for amend of AEC byproduct matl license 05-00046-13 for Fitzsimons General Hosp,Denver CO.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 69/04/24. Atomic Energy Commission (Pre 750119). 1p. 92161:213-92161:213.

--**9703030101** Application for amend to license 05-00046-13,authorizing use of C-14.
JONES,C.C. Army, Dept. of. 69/04/25. 106pp. 92161:214-92161:318.

--**9703030114** Application for amend to license 05-00046-13,authorizing inclusion of new protocol & changing supervisor to listed individual.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 71/03/24. BOWYER,J. Atomic Energy Commission (Pre 750119). 1p. 92161:319-92161:319.

--**9703030124** Application for renewal of license 05-00046-13.
COWGILL,H.J. Fitzsimons Army Medical Center, Aurora, CO. 74/02/22. 185pp. 92168:028-92168:215.

--**9703030139** Application for amend to license 05-00046-13,authorizing use of C-14.
CAMPBELL,J.B. Army, Dept. of. 71/01/05. 200pp. 92161:320-92162:144.

--**9703030140** Recommends that application re amend to licenses 05-00046-09 & 05-00046-10 be approved.
DANIELS,R.G. Army, Dept. of. MEDPS-PO. 63/07/08. Atomic Energy Commission (Pre 750119). 1p. 92160:076-92160:076.

--**9703030163** Application for amend to licenses 05-00046-09 & 05-00046-10 authorizing appointment of officer to radioisotope committee.
LYTER,C.S. Fitzsimons Army Medical Center, Aurora, CO. 63/04/29. 34pp. 92160:077-92160:110.

--**9703030176** Requests change in designation of Radiation Safety Officer due to pending permanent change of station of RL Russell.
PARKER,J.S. Army, Dept. of. 463369. 95/04/25. CAMPBELL,V.H. Region 4 (Post 820201). 12pp. 92163:303-92163:314.

--**9703030177** Recommends approval for renewal of licenses 05-00046-11 & 05-00046-12.
DANIELS,R.G. Army, Dept. of. MEDPS-PO. 63/07/09. Atomic Energy Commission (Pre 750119). 1p. 92160:111-92160:111.

--**9703030180** Recommends approval of encl application for amend to AEC byproduct matl license 05-00046-13 for Fitzsimons General Hosp,Denver CO.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 71/04/01. BOWYER,J. Atomic Energy Commission (Pre 750119). 1p. 92162:145-92162:145.

--**9703030189** Requests addl info re licensee request that A Boatwright be designated RSO for Dept of Army.
BURKS,J.D. Region 4 (Post 820201). 465634. 95/05/04. PARKER,J.S. Army, Dept. of. 4pp. 92163:315-92163:318.

--**9703030196** Requests interim RSO due to unforeseen military operations.
ZALOZNIK,A.J. Army, Dept. of. 463369. 95/05/10. CAMPBELL,V.H. Region 4 (Post 820201). 11pp. 92163:319-92163:328.

--**9703030213** Application for renewal of license 05-00046-11.
MCDOWELL,M.E. Fitzsimons Army Medical Center, Aurora, CO. 63/05/24. 4pp. 92160:112-92160:115.

--**9703030214** Requests addl info in support of application for broad specific byproduct matl license.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 70/06/29. WILLIAMS,S.K. Roger Williams General Hosp. Providence,RI. 5pp. 92160:129-92160:133.

--**9703030221** Discusses possible 10CFR19.13 violation at facility.
BROWN,G.D. Region IV, IE (720101-810228). 76/12/16. WHITT,K. Region IV, IE (720101-810228). 2pp. 92168:216-92168:218.

--**9703030223** Application for renewing license 05-00046-12.
MCDOWELL,M.E. Fitzsimons Army Medical Center, Aurora, CO. 63/05/24. 13pp. 92160:116-92160:128.

--**9703030230** Discusses amend to license 05-00046-12.Condition 15 states "By product matl specified in item 6.J. may also be used at Ft Carson,CO for determination of total body water in 112 volunteers".Appreciate clarification of this matter.
KINNAMON,K.E. Fitzsimons Army Medical Center, Aurora, CO. MEDEN-RI. 63/07/19. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 92170:006-92170:006.

--**9703030237** Recommends approval of encl application for amend to AEC byproduct matl license 05-00046-13 for Fitzsimons General Hosp,Denver CO.
ANDERSON,J.E. Army, Dept. of. DASG-HEQ. 72/11/27. BOWYER,J. Atomic Energy Commission (Pre 750119). 2pp. 92160:134-92160:135.

--**9703030238** Refers to 630429 application requesting possession of 150 mCi of Ir & 150 mCi of Tentalum.Physical form of matl not specified.
BASSIN,N. Atomic Energy Commission (Pre 750119). 63/07/26. Fitzsimons Army Medical Center, Aurora, CO. 2pp. 92170:007-92170:008.

--**9703030244** Application for amend to license 05-00046-13,authorizing possession & use at any time,max of 100 mCi of Tc-99m stannous polyphosphate agent.
VERDON,T.A. Army, Dept. of. 72/11/16. CUNNINGHAM,R. Atomic Energy Commission (Pre 750119). 39pp. 92160:136-92160:174.

--**9703030246** License 05-00046-13 for Fitzsimons General Hosp.
BASSIN,N Atomic Energy Commission (Pre 750119). 64/02/03. 4pp. 92170:009-92170:013.

--**9703030247** Recommends approval of encl application for amend to AEC byproduct matl license 05-00046-13 for Fitzsimons Army Medical Ctr,Denever CO.
ANDERSON,J.E. Army, Dept. of. DASG-HEQ. 73/03/22. BOWYER,J. Atomic Energy Commission (Pre 750119). 1p. 92160:175-92160:175.

--**9703030250** Submits requested info in response to NRC ltr.Table of contents requested to be replaced w/new table of contents.
ZALOZNIK,A.J. Army, Dept. of. 463369. 95/05/10. CAMPBELL,V.H. Region 4 (Post 820201). 55pp. 92163:329-92164:014.

--**9703030259** Application for amend to license 05-00046-13,authorizing use of Ce-137.
COWGILL,H.F. Army, Dept. of. 73/03/12. 140pp. 92160:176-92160:271.

--**9703030260** Forwards license 05-00046-13 for review & understanding of all conditions.
CAMPBELL,V.H. Region 4 (Post 820201). 465639. 95/05/18. ZALOZNIK,A.J. Army, Dept. of. 3pp. 92164:015-92164:046.

--**9703030261** Recommends approval of 640203 application for amend to license 05-00046-13.
DANIELS,R.G. Army, Dept. of. MEDPS-PO. 64/03/27. Atomic Energy Commission (Pre 750119). 63pp. 92170:014-92170:076.

--**9703030270** Requests that Fitzsimons Army Medical Ctr continue to operate under guidelines set forth in current license.
PARKER,J.S. Army, Dept. of. 463369. 95/08/08. CAMPBELL,V. Region 4 (Post 820201). 41pp. 92164:047-92164:087.

--**9703030274** Partially deleted memo re wrist & hand exposure of ring badge 043.
CULLINGS,H.M. NRC - No Detailed Affiliation Given. 80/04/03. NRC - No Detailed Affiliation Given. 3pp. 92160:272-92160:274.

--**9703030279** Refers to your review of application from Fitzsimons General Hospital.Control:58638.Army has developed program for hospitals whereby all isotopes & uses are specified in license.Second review of application appreciated.
BASSIN,N. Atomic Energy Commission (Pre 750119). 58638. 64/06/17. QUIMBY,E.H. Fitzsimons Army Medical Center, Aurora, CO. 9pp. 92170:077-92170:085.

--**9703030285** Forwards amend 1 to license 05-00046-13.
BASSIN,N. Atomic Energy Commission (Pre 750119). 64/07/31. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92170:086-92170:086.

--**9703030290** Amend 1 to license 05-00046-13,authorizing use of byproduct matl element & mass number,chemical & or physical form & max amount of radioactivity which licensee may possess at any one time.
BASSIN,N. Atomic Energy Commission (Pre 750119). 64/07/31. 1p. 92170:087-92170:087.

--**9703030304** Application for license 05-00046-13,authorizing use as specified in 631206 application.
OVERHOLT,E.L. Fitzsimons Army Medical Center, Aurora, CO. 64/08/12. 4pp. 92170:088-92170:091.

--**9703030312** Recommends approval for amend to license 05-00046-13.Request expenditious handling of request to permit meeting deadline. Target date 640910.
RAPALSKI,A.J. Army, Dept. of. MEDPS-PO. 64/08/31. Atomic Energy Commission (Pre 750119). 8pp. 92170:092-92170:099.

--**9703030319** Recommends approval for amend 1 to license 05-00046-13. Request expeditious handling to permit meeting deadline.
DANIELS,R.G. Army, Dept. of. MEDPS-PO. 64/09/04. Atomic Energy Commission (Pre 750119). 1p. 92170:100-92170:100.

--**9703030322** Application for license 05-00046-13,authorizing use of C-14.
OVERHOLT,E.L. Fitzsimons Army Medical Center, Aurora, CO. 64/09/02. 18pp. 92170:101-92170:118.

--**9703030338** Forwards request for personnel monitoring records.
KERR,G.W. Assistant Director for State Agreements Programs. 76/11/17. ROY Office of Inspection & Enforcement (750101-801210). 4pp. 92168:219-92168:222.

--**9703030339** Amend 2 to license 05-00046-13,authorizing use of carbon 14 ascorbic acid at Fort Devans,MA & on summit of Pikes Peak,CO for nutrition & metabolism studies.
BASSIN,N. Atomic Energy Commission (Pre 750119). 64/09/08. 1p. 92170:119-92170:119.

--**9703030340** Amend 33 to license 05-00046-13 for Dept of Army Fitzsimons Army Medical Ctr.
BOWYER,J.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/03/08. 1p. 92168:223-92168:223.

--**9703030344** Amend 3 to license 05-00046-13,authorizing use of 0.5 mCi of iodine 131 as iodide & 0.5 mCi of iodine 125 as iodide for studies in lower animals.
BASSIN,N. Atomic Energy Commission (Pre 750119). 64/09/11. 1p. 92170:120-92170:120.

--**9703030345** Requests 40 day extension to respond to NRC 950721 ltr in order for new RSO to review previous submissions of decommissioning fund plan in entirety.
ZALOZNIK,A.J. Army, Dept. of. 95/08/11. SPITZBERG,D.B. Region 4 (Post 820201). 1p. 92164:088-92164:088.

--**9703030348** Recommends approval of application for amend of byproduct matl license 05-00046-13.
BLACKBURN,E.W. Army, Dept. of, Office of Surgeon General. DASG-HCH-E. 74/03/21. BOWYER,J. Atomic Energy Commission (Pre 750119). 2pp. 92168:224-92168:225.

--**9703030353** Recommends approval of application for renewal of byproduct matl license 05-00046-13 for Fitzsimons Army Medical Ctr.
BLACKBURN,E.W. Army, Dept. of, Office of Surgeon General. DASG-HCH-E. 74/04/16. BOWYER,J. Atomic Energy Commission (Pre 750119). 1p. 92167:078-92167:078.

--**9703030357** Ack receipt of application for renewal of byproduct matl license 05-00046-13.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 74/04/22. WIER,J.A. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92167:079-92167:079.

--**9703030398** Notice of noncompliance from insp on 650426-28.Noncompliance noted:During 640501-650426 5 mc quantities of I-131 in physical form of cholografin were procured on 16 separate occasions contrary to provisions of this item.
SMITH,G.H., WOOLSEY,R.T. Region IV, IE (720101-810228). 65/05/11. 14pp. 92170:121-92170:134.

--**9703030399** Discusses decontamination survey rept for license 05-00046-13.
BURKS,J.D. Region 4 (Post 820201). MCHG-RP. 95/10/11. BOATWRIGHT Army, Dept. of. 1p. 92163:076-92163:076.

--**9703030401** Informs of 870501 misadministration of radiopharm.Wrong patient injected w/21.7 mCi Tc-99m MDP.Caused by technician failure to check identification bracelet.Employee counseled to follow procedure.
BRESELL,R.R. Fitzsimons Army Medical Center, Aurora, CO. HAHG-RP. 87/05/14. Region 4 (Post 820201). 18pp. 92165:348-92166:005.

--**9703030404** Responds to TAR on 951117 re request by Fitzsimons Army Medical Ctr to continue operating under current license until base closure in Dec 1999.
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 96/03/14. SPITZBERG,B. Region 4 (Post 820201). 14pp. 92163:077-92163:090.

--**9703030405** Amend 34 to license 05-00046-13 for Dept of Army Fitzsimons Army Medical Ctr.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/17. 8pp. 92167:080-92167:088.

--**9703030410** Safety insp on 650426-28 of license 05-00046-13.Insp findings:During 640501-650426 5 mCi quantities on I-131 in form of cholografin were procured on 16 occasions contrary to provisions of license 8.F. which limits I-131.
SMITH,G.H. Atomic Energy Commission (Pre 750119). * Fitzsimons Army Medical Center, Aurora, CO. 65/05/11. 1p. 92170:135-92170:135.

--**9703030412** Forwards license 05-00046-13 for review & understanding of all conditions.
CAMPBELL,V.H. Region 4 (Post 820201). 463369. 96/03/26. BOATWRIGHT,A. Army, Dept. of. 3pp. 92163:091-92163:102.

--**9703030416** Application for amend to license 05-00046-13,authorizing administration change,designating JM Bull as new commanding officer,effective 960608.
BULL,J.M. Army, Dept. of. 463369. 96/06/14. CAMPBELL,V. Region 4 (Post 820201). 1p. 92163:103-92163:103.

--**9703030417** Amend 35 to license 05-00046-13 to Dept of Army Fitzsimons Army Medical Ctr.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/24. 3pp. 92167:089-92167:092.

--**9703030422** Forwards license 05-00046-13 for review & understanding of all conditions.
HERNANDEZ,C. Region 4 (Post 820201). 466151. 96/07/26. BOATWRIGHT,A. Army, Dept. of. 41pp. 92163:104-92163:157.

--**9703030427** Ack receipt of 960912 ltr notifying NRC of former onsite burial of radwaste & complying w/notification requirements of decommissioning timeless rule in 10CFR30.36(d).
SPITZBERG,D.B. Region 4 (Post 820201). 96/09/26. BULL,J.M. Army, Dept. of. 1p. 92163:158-92163:159.

--**9703030433** Application for license,authorizing use of byproduct matl license.
SIEBERT,P. Fitzsimons Army Medical Center, Aurora, CO. 75/03/12. 4pp. 92167:093-92167:096.

--**9703030438** Notifies that low-level radwaste burial site still located at landfill number five,as required by 10CFR30.36.
BULL,J.M. Army, Dept. of. 463369. 96/09/12. HERNANDEZ,C. Region 4 (Post 820201). 13pp. 92163:160-92163:172.

--**9703030439** Refers to discussion between Smith & GS Lyter at end of recent insp.Certain activities conducted in connection w/license appeared to be in noncompliance w/AEC requirements.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/05/11. LYTER,C.S. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92170:136-92170:136.

--**9703030446** Resubmits decommissioning cost estimate in entirety. Previously submitted statement of intent that provides financial assurance in listed amount still current.
PARKER,J.S. Army, Dept. of. 94/11/01. Region 4 (Post 820201). 37pp. 92163:173-92163:209.

--**9703030447** Forwards reply to 650511 ltr.Reply adequate.
WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 65/05/19. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 92169:252-92169:252.

--**9703030449** Forwards decommissioning funding plan for byproduct matl license 05-00046-13.
DAY,C.E. Army, Dept. of. 90/05/31. Region 4 (Post 820201). 1p. 92163:214-92163:214.

--**9703030450** Updates 840617 correspondence listing army points of contact.
TARAS,D.N. Army, Dept. of. 89/05/17. Region 4 (Post 820201). 3pp. 92165:094-92165:096.

--**9703030462** Responds to decommissioning funding plan submittal,dtd 920526.
FISHER,W.L. Region 4 (Post 820201). 92/12/22. CLAYTON,C.J. Army, Dept. of. 14pp. 92163:230-92163:243.

--**9703030463** Discusses 650511 ltr re violations.
LYTER,C.S. Fitzsimons Army Medical Center, Aurora, CO. MEDEO. 65/05/18. WALKER,D.I. Region IV, IE (720101-810228). 2pp. 92169:253-92169:254.

--**9703030464** Informs of 860616 misadministration of radiopharm.Patient injected w/Tc-99m DTPA instead of Tc-99m MDP.No adverse effects on patient noted.Yellow colored prescription card confused w/dose color code.
NAKAYAMA,H.K. Fitzsimons Army Medical Center, Aurora, CO. 86/07/02. Region 4 (Post 820201). 10pp. 92165:097-92165:106.

--**9703030465** Forwards two copies of response to inquiry re request to renew byproduct matl license 05-00046-13.
MYERS,P.H. Army, Dept. of. 94/10/26. Region 4 (Post 820201). 28pp. 92163:244-92163:273.

--**9703030466** Recommends approval for amend to license 05-00046-13.
FROEMMING,W.E. Army, Dept. of. MEDPS-PO. 65/06/02. Atomic Energy Commission (Pre 750119). 1p. 92169:255-92169:255.

--**9703030467** Application for license 05-00046-13,authorizing use of listed matls.
OVERHOLT,E.L. Fitzsimons Army Medical Center, Aurora, CO. 65/08/04. 2pp. 92169:256-92169:257.

--**9703030468** Recommends approval of encl application for renewal of AEC byproduct matl license for Fitzsimons General Hosp & US Army Medical Research & Nutrition Lab.Listed byproduct matl license numbers should be canceled.
GOLDSTEIN,B.L. Army, Dept. of. MEDPS-PO. 64/01/14. Atomic Energy Commission (Pre 750119). 1p. 92162:162-92162:162.

--**9703030470** Amend 4 to license 05-00046-13,authorizing condition 18 to read as listed.
BASSIN,N. Atomic Energy Commission (Pre 750119). 65/06/15. 2pp. 92169:258-92169:259.

--**9703030473** Amend 5 to license 05-00046-13,authorizing expiration date in item 4 changed to 660731.
BASSIN,N. Atomic Energy Commission (Pre 750119). 66/05/11. 1p. 92169:260-92169:260.

--**9703030477** Application for amend to licenses 05-00046-13 & 05-00046-15, authorizing listed individuals to be reflected on licenses as RSO.
POTTER,E.W. Fitzsimons Army Medical Center, Aurora, CO. HSHG-RP. 90/04/05. Region 4 (Post 820201). 3pp. 92165:222-92165:224.

--**9703030480** Forwards amend 5 to license 05-00046-13,which extends date of expiration to 660731.
BASSIN,N. Atomic Energy Commission (Pre 750119). 66/05/11. GOLDSTEIN,B. Army, Dept. of. 4pp. 92169:261-92169:264.

--**9703030484** Recommends approval for amend to license 05-00046-13.
LEWIS,C.R. Army, Dept. of. MEDPS-PE. 66/04/15. Atomic Energy Commission (Pre 750119). 4pp. 92169:265-92169:268.

--**9703030486** Recommends approval for renewal of license 05-00046-13.
LEWIS,C.R. Army, Dept. of. MEDPS-PE. 65/12/17. Atomic Energy Commission (Pre 750119). 1p. 92169:269-92169:269.

--**9703030516** Forwards request for renewal of byproduct matl license 05-00046-13 & current version of Fitzsimons Army Medical Ctr Regulation 40-604,Radiation Protection,dtd 900801.
BOWEN,T.E. Fitzsimons Army Medical Center, Aurora, CO. HSHG-RP. 90/10/01. Region 4 (Post 820201). 1p. 92164:316-92164:316.

--**9703030523** Application for amend,renewing license 05-00046-13.
BOWEN,T.E. Fitzsimons Army Medical Center, Aurora, CO. 90/10/02. 2pp. 92164:317-92164:318.

--**9703030528** Forwards two copies of request to renew byproduct matl license 05-00046-13.
DAY,C.E. Fitzsimons Army Medical Center, Aurora, CO. 90/11/07. Region 4 (Post 820201). 1p. 92164:319-92164:321.

--**9703030530** Ack receipt of application for renewal of byproduct matl license 05-00046-13.
FISHER,W.L. Region 4 (Post 820201). 463369. 90/11/29. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92164:322-92164:322.

--**9703030534** Forwards application for renewal & amend to license 05-00046-13.Recommends approval of encl.
LEWIS,C.R. Army, Dept. of. MEDPS-PE. 66/06/28. Atomic Energy Commission (Pre 750119). 72pp. 92169:270-92169:341.

--**9703030535** Application for amend to licenses 05-00046-13 & 05-00046-15, authorizing change of RSO to R Russell.
CLAYTON,C.J. Fitzsimons Army Medical Center, Aurora, CO. HSHG-RP. 92/10/09. Region 4 (Post 820201). 2pp. 92164:107-92164:108.

--**9703030536** Forwards request for amend to NRC byproduct matl licenses 05-00046-13 & 05-00046-15,authorizing designating RL Russell as RSO.
MYERS,P.H. Army, Dept. of. 92/10/23. Region 4 (Post 820201). 10pp. 92164:109-92164:126.

--**9703040008** Recommends approval of application for amend to license 05-00046-13 for Fitzsimons Army Medical Ctr.
BLACKBURN,E.W. Army, Dept. of, Office of Surgeon General. DASG-HCH-E. 75/04/01. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 92167:097-92167:097.

--**9703040010** Requests addl info to support application for amend to license 05-00046-13.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/07/16. SIEBER,P.E. Fitzsimons Army Medical Center, Aurora, CO. 2pp. 92167:098-92167:099.

--**9703040012** Forwards documentation on DE Thomas under license 05-00046-13,for info & file.
DANIELS,R.G. Army, Dept. of. MEDPS-PO. 64/09/03. Atomic Energy Commission (Pre 750119). 5pp. 92162:242-92162:246.

--**9703040014** Ack receipt of requested addl info in support of application for amend to license 05-00046-13.
WHITE,C.E. Fitzsimons Army Medical Center, Aurora, CO. HSF-X. 75/07/30. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 92167:100-92167:101.

--**9703040015** Forwards changes in radioisotope committees,for info & file.
GOLDSTEIN,B.L. Army, Dept. of. MEDPS-PO. 65/02/18. Atomic Energy Commission (Pre 750119). 6pp. 92162:247-92162:252.

--**9703040017** Forwards curriculum vitae for CG Liddle,for info & file.
FROEMMING,W.E. Army, Dept. of. MEDPS-PM. 66/03/25. Atomic Energy Commission (Pre 750119). 4pp. 92162:253-92162:257.

--**9703040018** Amend 36 to license 05-00046-13 for Fitzsimons Army Medical Ctr.
BOWYER,J.E. Materials Licensing Branch. 75/08/25. 8pp. 92167:102-92167:110.

--**9703040021** Forwards, "Request for Approval for Human Use of Radioisotopes in Tracer Amounts in Volunteer Experimental Research Subjects."
KRAUSE,W.O. Fitzsimons Army Medical Center, Aurora, CO. MEDEN-AD. 66/11/18. BASSIN,N. Atomic Energy Commission (Pre 750119). 94pp. 92162:258-92162:355.

--**9703040022** Ack receipt of undated ltr received 761208 in response to notice of violation,dtd 761124.
BROWN,G.D. Region IV, IE (720101-810228). 76/12/09. DIRKS,K.R. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92167:111-92167:111.

--**9703040026** Responds to NRC 761124 ltr re violations noted in insp rept conducted on 761111.Corrective actions:directive has been published & posted.
DIRKS,K.R. Fitzsimons Army Medical Center, Aurora, CO. HSF-X. 97/02/20. BROWN,G.D. NRC - No Detailed Affiliation Given. 2pp. 92167:112-92167:113.

--**9703040031** Discusses insp rept conducted on 761111 & forwards notice of violation.
BROWN,G. Region IV, IE (720101-810228). 76/11/24. DIRKS,K.R. Fitzsimons Army Medical Center, Aurora, CO. 6pp. 92167:114-92167:115.

--**9703040033** Requests 30 day extension until 930301 for mod of statement of intent for decommissioning cost estimate for byproduct matl license 05-00046-13.
RUSSELL,R.L. Fitzsimons Army Medical Center, Aurora, CO. HSXE-RPO. 93/02/12. WHITTEN,J.E. Region 4 (Post 820201). 20pp. 92164:127-92164:146.

--**9703040034** Notice of violation from insp on 761111.Violation noted: licensee byproduct matl not secured against unauthorized removal from nuclear medicine hot lab during period on 761111 when area was unrestricted due to lack of control.
* Region IV, IE (720101-810228). 76/11/24. 15pp. 92167:116-92167:128.

--**9703040036** Reinspection rept of license 05-00046-13 on 660708-13.Items of noncompliance noted:during listed dates,I-131 was procured in quantities up to 1.63 mc on 21 occasions.
WOOLSEY,R.T., BROWN,G.D. Region IV, IE (720101-810228). 66/07/22. 10pp. 92169:342-92169:351.

--**9703040043** Safety reinspection on 660708-13 of license 05-00046-13.Insp findings:matl used to perform lung scans on 64 occasions, contrary to license condition 9.
WOOLSEY,R.T. Region IV, IE (720101-810228). * Fitzsimons Army Medical Center, Aurora, CO. 66/07/22. 1p. 92169:352-92169:352.

--**9703040050** Discusses telcon w/Russell re request for extension of new RPO until 930601.
FISHER,W.L. NRC - No Detailed Affiliation Given. 93/04/20. WHITTEN,J. Region 1 (Post 820201). 17pp. 92164:147-92164:163.

--**9703040058** Gives licensee opportunity to advise in writing position re item of noncompliance or any corrective steps taken.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 66/07/22. BLOUNT,R.E. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92169:353-92169:353.

--**9703040083** Forwards IE Circular 78-10, "Control of Sealed Sources Used in Radiation Therapy." W/1978 list of IE circulars.
SEYFRIT,K.V. Region IV, IE (720101-810228). 78/06/14. Fitzsimons Army Medical Center, Aurora, CO. 5pp. 92167:129-92167:133.

--**9703040085** Amend 6 to license 05-00046-13,authorizing use of listed matls.
BASSIN,N. Atomic Energy Commission (Pre 750119). 66/08/04. 5pp. 92169:354-92169:358.

--**9703040089** Forwards amend 6 to license 05-00046-13.
BASSIN,N. Atomic Energy Commission (Pre 750119). 66/08/04. FROEMMING,W.E. Army, Dept. of. 1p. 92169:359-92169:359.

--**9703040098** Forwards application for byproduct matl license w/approval for amend.
GRIFFIN,H.E. Army, Dept. of. MEDPS-PE. 66/08/08. Atomic Energy Commission (Pre 750119). 1p. 92170:001-92170:001.

--**9703040100** Forwards order modifying medical licenses.
DIRKS,W.J. Office of Nuclear Material Safety & Safeguards. 79/03/12. Fitzsimons Army Medical Center, Aurora, CO. 4pp. 92167:355-92167:358.

--**9703040104** Application for license 05-00046-13,authorizing use of macroaggregated iodinated human serum albumin 3 mCi.
OVERHOLT,E.L. Fitzsimons Army Medical Center, Aurora, CO. 66/08/02. 4pp. 92170:002-92170:005.

--**9703040106** Forwards IE Circular 79-14, "Unathorized Procurement & Distribution of Xenon-133." W/list of IE Circulars issued between 780630-790713.
SEYFRIT,K.V. Region IV, IE (720101-810228). 79/07/13. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92168:007-92168:012.

--**9703040109** Forwards 660805 ltr re reply to form AEC 592.
WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 66/08/16. PAGE,R.G. Atomic Energy Commission (Pre 750119). 2pp. 92169:119-92169:120.

--**9703040116** Amend 7 to license 05-00046-13,authorizing addition to listed items.
* Atomic Energy Commission (Pre 750119). 66/08/22. 1p. 92169:121-92169:121.

--**9703040120** Forwards repts of nutrition & metabolism studies.
GRIFFIN,H.E. Army, Dept. of. MEDPS-PE. 66/09/15. Atomic Energy Commission (Pre 750119). 85pp. 92169:122-92169:216.

--**9703040128** Amend 8 to license 05-00046-13,authorizing CC for use in Glowall Corp model AD-10 Ionization Detector in gas chromatograph,DD source of Technetium 99m Pertechnetate & EE Brain scanning.
BASSIN,N Atomic Energy Commission (Pre 750119). 67/01/09. 1p. 92169:217-92169:217.

--**9703040135** Amend 37 to license 05-00046-13 for Fitzsimons Army Medical Ctr.
* Division of Fuel Cycle & Material Safety (Pre 870413). 80/07/14. 6pp. 92167:031-92167:036.

--**9703040139** Forwards IE Notice 80-35, "Leaking & Dislodged Iodine-125 Implant Seeds."
SEYFRIT,K.V. Region IV, IE (720101-810228). IEIN-80-35. 80/10/10. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92167:040-92167:042.

--**9703040143** Safety insp on 810422 of license 05-00046-13.Insp findings: no items of noncompliance or unsafe conditions found.
SHOPENN,N.M. Region IV, IE (720101-810228). * Fitzsimons Army Medical Center, Aurora, CO. 81/04/22. 10pp. 92167:051-92167:060.

--**9703040145** Amend 9 to license 05-00046-13,authorizing use of listed matls.
BASSIN,N. Atomic Energy Commission (Pre 750119). 67/03/24. 1p. 92169:218-92169:218.

--**9703040148** Forwards IN 81-32, "Transfer & Disposal of Spent Generators." W/list of info notice issued between 810804- 811008.
SEYFRIT,K.V. Region 4, Ofc of the Director (810301-820201). IEIN-81-32. 81/10/23. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92167:061-92167:065.

--**9703040150** Amend 10 to license 05-00046-13,authorizing measurement of myocardial blood flow.
BASSIN,N. Atomic Energy Commission (Pre 750119). 67/03/11. 1p. 92169:219-92169:219.

--**9703040152** Application for amend to license 05-00046-13,authorizing continue use of procuring Np-59.
MCDERMOTT,F.E. Fitzsimons Army Medical Center, Aurora, CO. DASG-PSP-E. 83/02/04. Division of Fuel Cycle & Material Safety (Pre 870413). 2pp. 92167:066-92167:067.

--**9703040153** Amend 11 to license 05-00046-13,authorizing 10 volunteers to study effects of high altitude on man.
BASSIN,N. Atomic Energy Commission (Pre 750119). 67/09/15. 1p. 92169:220-92169:220.

--**9703040155** Application for amend to license 05-00046-13,authorizing dispensing of nonsealed source I-131 within patient private room or within isotope administration area of nuclear medical clinic.
MCDERMOTT,F.E. Fitzsimons Army Medical Center, Aurora, CO. 83/02/23. Division of Fuel Cycle & Material Safety (Pre 870413). 5pp. 92167:068-92167:069.

--**9703040156** Amend 12 to license 05-00046-13,authorizing determination of red cell mass,red cell survival time,platelet survival time, gastrointestinal bleeding & spleen scanning.
BASSIN,N. Atomic Energy Commission (Pre 750119). 67/11/06. 1p. 92169:221-92169:221.

--**9703040158** Amend 38 to license 05-00046-13 for Fitzsimons Army Medical Ctr.
ST MARY,F.A. Division of Fuel Cycle & Material Safety (Pre 870413). 83/03/23. 3pp. 92167:075-92167:077.

--**9703040160** Reinspection rept of licenses 05-00046-13 & 05-00046-14 on 680215-19.Noncompliance noted:licensee procured Sr-85 in form of nitrate for use in bone scans in quantities between 1.5 & 2.0 mc.
PAAS,H.J., BROWN,G.D. Atomic Energy Commission (Pre 750119). 68/02/27. 14pp. 92169:222-92169:235.

--**9703040168** Application for 3 amends to license 05-00046-13,authorizing use of Chromium 51 & platelet survival studies approved & returned.No response on other 2 requests.
HELLMAN,N. Army, Dept. of. MEDEO-X. 68/02/21. BASSIN,N Atomic Energy Commission (Pre 750119). 2pp. 92169:236-92169:237.

--**9703040170** Forwards decommissioning plan for Fitzsimons Army Medical Ctr,IAW 10CFR30.35,for licenses 05-00046-13 & 05-00046-15.
POTTER,E.W. Fitzsimons Army Medical Center, Aurora, CO. HSHG-RP. 90/05/18. Region 4 (Post 820201). 1p. 92163:215-92163:215.

--**9703040171** Refers to 830204 ltr & 830318 telcon & 830610 telcon w/J Meyers & P Vaca.Dept of Army issued IND #12,605 for subj protocol.Request NRC reconsider decision & amend license per 830223 request.
MCDERMOTT,F.E. Army, Dept. of, Office of Surgeon General. DASG-PSP-E. 83/06/13. Materials Licensing Branch. 4pp. 92166:198-92166:201.

--**9703040174** Forwards licensee 680311 reply to NRC 680228 ltr.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 68/03/13. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p. 92169:238-92169:238.

--**9703040176** "Decommissioning Funding Plan,Statement of Intent."
CLAYTON,C.J., SEWELL,B.C. Army, Dept. of. 90/05/18. 9pp. 92163:216-92163:224.

--**9703040179** Discusses SE & insp conducted 680215,16 & 19 to license 05-00046-13 & 14.
PAAS,H.J. Atomic Energy Commission (Pre 750119). 68/02/27. Atomic Energy Commission (Pre 750119). 1p. 92169:239-92169:239.

--**9703040180** Amend 39 to license 05-00046-13 for Fitzsimons Army Medical Ctr.
* Division of Fuel Cycle & Material Safety (Pre 870413). 83/08/10. 4pp. 92166:202-92166:215.

--**9703040181** Submits response to NRC questions re decommissioning funding plan for licensee.
CLAYTON,C.J. Fitzsimons Army Medical Center, Aurora, CO. 463689. 91/08/06. Region 4 (Post 820201). 2pp. 92163:225-92163:226.

--**9703040183** "Decommissioning Funding Plan,Statement of Intent."
CLAYTON,C.J., HEESE,R. Fitzsimons Army Medical Center, Aurora, CO. 91/08/09. 2pp. 92163:227-92163:229.

--**9703040187** Requests that license for strontium 85 for use in bone scans be altered so that we can maintain 3.0 mc in possession at any one time & cesium 137 be placed on license for use as calibration standard.
BLOUNT,R.E. Army, Dept. of. MEDEO. 68/03/11. WALKER,D.I. Atomic Energy Commission (Pre 750119). 1p. 92169:240-92169:240.

--**9703040193** Forwards form AEC-592 re noncompliance.
WALKER,D.I. Atomic Energy Commission (Pre 750119). 68/02/28. BLOUNT,R.E. Army, Dept. of. 1p. 92169:241-92169:241.

--**9703040199** Application for amend to license 05-00046-13,allowing dose calibr to be checked for dose linearity w/model 086-508 lineator.
CRAFT,J.L. Fitzsimons Army Medical Center, Aurora, CO. HAHG-PMH. 83/09/13. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 92166:217-92166:225.

--**9703040205** Safety insp on 680215-19 to license 05-00046-13.Insp findings:Sr-85 in form of nitrate for use in bone scans procured & possessed in quantities up to 2.0 mCi.
PAAS,H.J. Atomic Energy Commission (Pre 750119). * Fitzsimons Army Medical Center, Aurora, CO. 68/02/27. 1p. 92169:242-92169:242.

--**9703040206** Forwards two copies of request for amend of USNRC license 05-00046-13.Approval recommended.
MCDERMOTT,F.E. Army, Dept. of, Office of Surgeon General. 83/10/14. Materials Licensing Branch. 1p. 92166:216-92166:216.

--**9703040213** Amend 13 to license 05-00046-13,authorizing metabolic & physiological tracer studies in volunteers in accordance w/application submitted 661118.
BASSIN,N. Atomic Energy Commission (Pre 750119). 68/03/14. 2pp. 92169:243-92169:244.

--**9703040226** Recommends approval of amend to license 05-00046-13 to include procedures & increased quantities or radioactive matl.Also recommend use of Tc-99m for cardiac scans,placenta localization & arteriograms included in this amend.
GRIFFIN,H.E. Army, Dept. of. MEDPS-PO. 68/04/30. Atomic Energy Commission (Pre 750119). 3pp. 92169:245-92169:247.

--**9703040228** Amend 40 to license 05-00046-13 for Dept of Army,Fitzsimons Army Medical Ctr.
VACCA,P.C. Materials Licensing Branch. 83/11/02. 3pp. 92166:226-92166:228.

--**9703040235** Application for license 05-00046-13,authorizing increase in amounts permitted to possess as listed.Increase necessary to handle present workload.
OVERHOLT,E. Fitzsimons Army Medical Center, Aurora, CO. 67/10/12. 4pp. 92169:248-92169:251.

--**9703040247** Application for renewal of license 05-00046-13 in entirety.
PARKER,J.S. Fitzsimons Army Medical Center, Aurora, CO. 97/02/20. Region 4 (Post 820201). 28pp. 92163:275-92163:302.

--**9703040256** Forwards amend 14 to license 05-00046-13.Amend does not authorize use of technetium 99m for cardiac scans,placenta localization & vascular studies.
BASSIN,N. Atomic Energy Commission (Pre 750119). 68/05/23. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92169:064-92169:064.

--**9703040257** Application for license 05-00046-13,authorizing use of listed matls.
OVERHOLT,E.L. Fitzsimons Army Medical Center, Aurora, CO. 68/04/01. 6pp. 92169:065-92169:070.

--**9703040261** Amend 14 to license 05-00046-13,authorizing determination of gastrointestinal protein loss,standard for assay of molybdenum content of eluate of molybdenum generator & 9.U brain scanning w/mercury 203.
BASSIN,N. Atomic Energy Commission (Pre 750119). 68/05/23. 2pp. 92169:071-92169:072.

--**9703040264** Amend 15 to license 05-00046-13,authorizing renewal to subj license as listed.
BASSIN,N. Atomic Energy Commission (Pre 750119). 69/04/28. 5pp. 92169:073-92169:077.

--**9703040267** Forwards amend 15 to license 05-00046-13.License provides for all uses specified in groups 1 & 2,schedule A,section 35.100,10CFR35.
BASSIN,N. Atomic Energy Commission (Pre 750119). 69/04/28. ANDERSON,J. Army, Dept. of. 7pp. 92169:078-92169:084.

--**9703040272** Forwards amend 16 to license 05-00046-13.
BASSIN,N. Atomic Energy Commission (Pre 750119). 69/05/15. ANDERSON,J.E. Army, Dept. of. 1p. 92169:085-92169:085.

--**9703040276** Amend 16 to license 05-00046-13,authorizing study of glucose metabolism in 8 normal male volunteers at summit of Pikes Peak,CO & in 8 normal male volunteers at Fort Sam Houston, TX in accordance w/690425 application.
BASSIN,N. Atomic Energy Commission (Pre 750119). 69/05/15. 1p. 92169:086-92169:086.

--**9703040295** Forwards info to support Fitzsimons Army Medical Ctr request to amend NRC license 05-00046-13 for changes in use of Xe-133.
RUSSELL,P.K. Fitzsimons Army Medical Center, Aurora, CO. HAHG-PMH. 85/09/10. Materials Licensing Branch. 7pp. 92166:148-92166:154.

--**9703040302** Forwards application for amend to license 05-00046-13.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 69/10/24. Atomic Energy Commission (Pre 750119). 2pp. 92169:087-92169:088.

--**9703040303** Discusses decommissioning funding plan & statement of intent for NRC License 05-00046-13.
PARKER,J.S. Fitzsimons Army Medical Center, Aurora, CO. 95/09/22. SPITZBERG,D.B. Region 4 (Post 820201). 13pp. 92162:149-92162:161.

--**9703040308** Application for license 05-00046-13,authorizing use of listed matl.
SIEBERT,P.E. Fitzsimons Army Medical Center, Aurora, CO. 69/10/17. 5pp. 92169:089-92169:093.

--**9703040310** Application for licenses 05-00046-09,05-00046-10,05-00046-11 & 05-00046-12,authorizing use of any byproduct matl w/Atomic numbers 1 to 83 inclusive for animal & in vitro use byproduct matl for human use as itemized in encl.
WIER,J.A. Army, Dept. of. 63/12/06. Atomic Energy Commission (Pre 750119). 69pp. 92162:163-92162:235.

--**9703040313** Amend 17 to license 05-00046-13,authorizing use of liver & spleen scanning & technetium 99m labeled sulfur colloid shall be procured & or prepared in accordance w/691017 application.
BASSIN,N. Atomic Energy Commission (Pre 750119). 69/11/03. 1p. 92169:094-92169:094.

--**9703040314** Discusses 630726 ltr to Commanding General re change in AEC license.Listed factors may clarify application.
SIEBERT,P.E. Fitzsimons Army Medical Center, Aurora, CO. 52563. 63/08/27. BASSIN,N. Atomic Energy Commission (Pre 750119). 6pp. 92162:236-92162:241.

--**9703040318** Forwards 691230 ltr re recommendation that license 05-00046-13 be amended to include procedures & dose schedules shown in this correspondence.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 70/01/16. Atomic Energy Commission (Pre 750119). 3pp. 92169:095-92169:097.

--**9703040319** Recommends encl applications for amends to be approved.
FROEMMING,W.E. Army, Dept. of. MEDPS-PO. 67/10/30. Atomic Energy Commission (Pre 750119). 1p. 92162:356-92162:356.

--**9703040326** Forwards protocol of planned study re effects of altitude on body fluids.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 70/01/16. Atomic Energy Commission (Pre 750119). 12pp. 92169:098-92169:110.

--**9703040327** Application for license 05-00046-13,authorizing use of Cr-51.
OVERHOLT,E.L. Fitzsimons Army Medical Center, Aurora, CO. 67/10/12. 70pp. 92162:357-92163:065.

--**9703040330** Recommends approval of application for amend of byproduct matl license 05-00046-13.
GRIFFIN,H.E. Army, Dept. of. MEDPS-PM. 66/11/23. Atomic Energy Commission (Pre 750119). 1p. 92163:066-92163:066.

--**9703040334** Amend 18 to license 05-00046-13,authorizing 1 mCi of carbon 14,1 mCi of iodine 131,1 mCi of iodine 125,1 mCi of chromium 51 & other listed elements.
BASSIN,N Atomic Energy Commission (Pre 750119). 70/01/26. 1p. 92169:111-92169:111.

--**9703040335** Discusses changes in radioisotope committee under license 05-00046-13.
FROEMMING,W.E. Army, Dept. of. MEDPS-PM. 66/10/31. Atomic Energy Commission (Pre 750119). 4pp. 92163:067-92163:070.

--**9703040342** Approves new members of radioisotope committee at Fitzsimons General Hosp.
FROEMMING,W.E. Army, Dept. of. MEDPS-PM. 66/07/22. Atomic Energy Commission (Pre 750119). 5pp. 92163:071-92163:075.

--**9703040343** Discusses unauthorize use of up to 5 mCi of I-131 for determination of functioning metastases in patients w/thyroid carcinoma.
BASSIN,N. Atomic Energy Commission (Pre 750119). 70/01/29. ANDERSON,J. Army, Dept. of. 1p. 92169:112-92169:112.

--**9703040349** Forwards amend to license 05-00046-13 recommending approval.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 70/04/29. Atomic Energy Commission (Pre 750119). 1p. 92169:113-92169:113.

--**9703040353** Application for license 05-00046-13,authorizing use of listed matls.
SIEBERT,P.E. Fitzsimons Army Medical Center, Aurora, CO. 70/04/11. 5pp. 92169:114-92169:118.

--**9703040354** Amend 19 to license 05-00046-13,authorizing use of elements listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 70/05/11. 1p. 92168:348-92168:348.

--**9703040358** Recommends that AEC license 05-00046-13 be amended to include four encl research procedures.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 70/07/02. Atomic Energy Commission (Pre 750119). 30pp. 92168:349-92169:018.

--**9703040366** Amend 20 to license 05-00046-13,authorizing use of treatment & protocol listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 70/09/11. 1p. 92169:019-92169:019.

--**9703040372** Requests that encl application for amend to license 05-00046-13 be approved.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 70/11/12. Atomic Energy Commission (Pre 750119). 1p. 92169:020-92169:020.

--**9703040375** Application for license 05-00046-13,authorizing use of matl.
CAMPBELL,J.B. Fitzsimons Army Medical Center, Aurora, CO. 70/11/12. 4pp. 92169:021-92169:024.

--**9703040384** Forwards amend 51 to NRC matl license.License amended w/listed stipulations & restrictions.
WHITTEN,J.E. Region 4 (Post 820201). HSHG-RP. 89/06/26. Fitzsimons Army Medical Center, Aurora, CO. 3pp. 92165:195-92165:197.

--**9703040385** Discusses faulty calibr data supplied by tracerlab to license 05-00046-13.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 70/12/18. ROY, Atomic Energy Commission (Pre 750119). 1p. 92169:025-92169:025.

--**9703040388** Amend 21 to license 05-00046-13,authorizing use of listed elements.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 70/12/18. 1p. 92169:026-92169:026.

--**9703040400** Forwards request for amends to byproduct matl licenses 05-00046-13 & 05-00046-15 to temporarily approve new RP officer in connection w/desert storm assignments.
DAY,C.E. Army, Dept. of, Office of Surgeon General. 91/03/05. Region 4 (Post 820201). 3pp. 92164:323-92164:325.

--**9703040401** Responds to 910128 request for authorization from NRC to work for US Army in facilities licensed by NRC.Authorization granted.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 91/01/29. MOORE,S.W. Office of Nuclear Material Safety & Safeguards. 3pp. 92164:326-92164:328.

--**9703040402** Ack receipt of 910215 ltr requesting amend to Type A Broad license to authorize 1LT S Moore as RP Officer.RAI re training & experience.
CAMPBELL,V.H. Region 4 (Post 820201). 463505. 91/03/15. Fitzsimons Army Medical Center, Aurora, CO. 2pp. 92164:331-92164:332.

--**9703040403** Responds to NRC 910315 ltr requesting further info on 1LT S Moores training & experience to be authorized RP Officer. Received word of return of 2LT C Clayton & dropping original request for amend,dtd 910215.
BOWEN,T.E. Fitzsimons Army Medical Center, Aurora, CO. HSHG-RP. 91/04/10. Region 4 (Post 820201). 3pp. 92164:333-92164:335.

--**9703050041** Responds to 710106 request for inquiry ref license 05-00046-13,dtd 710106.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 71/04/20. ROY,W. Atomic Energy Commission (Pre 750119). 14pp. 92169:027-92169:040.

--**9703050048** Amend 22 to license 05-00046-13,authorizing study of glucose metabolism in 24 normal male volunteers at Fort Sam Houston, TX & Summit of Pikes Peak,CO in accordance w/710105 application.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 71/04/26. 1p. 92169:041-92169:041.

--**9703050056** Forwards form AEC-592 re noncompliance w/AEC requirements. Opportunity given to advise AEC in writing of position re items of noncompliance.
FLORA,J.W. Atomic Energy Commission (Pre 750119). 71/04/27. WIER,J.A. Fitzsimons Army Medical Center, Aurora, CO. 2pp. 92169:042-92169:042.

--**9703050068** Safety insp on 701104,710122 & 0407 of license 05-00046-13. Insp findinga:during 690115-701104,records of solid waste disposed from isotope clinic were not maintained contrary to 10CFR30.51 "Records."
PAAS,H.J. Atomic Energy Commission (Pre 750119). * Fitzsimons Army Medical Center, Aurora, CO. 71/04/27. 1p. 92169:043-92169:043.

--**9703050077** Discusses licensee use of byproduct matl for diagnostic & therapeutic procedures in radioisotope clinic.
PAAS,H.J. Atomic Energy Commission (Pre 750119). 71/04/27. Atomic Energy Commission (Pre 750119). 1p. 92169:044-92169:044.

--**9703050085** Submits listed paragraphs which provide summary of actions taken from rept of compliance insp,dtd 710427.
WIER,J.A. Fitzsimons Army Medical Center, Aurora, CO. MEDEO. 71/05/10. Atomic Energy Commission (Pre 750119). 1p. 92169:045-92169:045.

--**9703050089** Forwards licensee reply to AEC 710427 ltr.W/o encl.
BROWN,G.D. Atomic Energy Commission (Pre 750119). 71/05/12. ROY,W. Atomic Energy Commission (Pre 750119). 1p. 92169:046-92169:046.

--**9703050094** Forwards correspondence re amend to license 05-00046-13. Approval recommended.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 71/05/18. BOWYER,J. Atomic Energy Commission (Pre 750119). 15pp. 92169:047-92169:061.

--**9703050098** Amend 23 to license 05-00046-13,authorizing addition of listed element.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 71/05/28. 1p. 92169:062-92169:062.

--**9703050102** Amend 24 to license 05-00046-12,authorizing pulmonary function studies & blood flow studies.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 71/07/14. 1p. 92169:063-92169:063.

--**9703050105** Forwards 710728 ltr re amend request to license 05-00046-13.
ANDERSON,J.E. Army, Dept. of. MEDPS-PO. 71/08/04. BOWYER,J. Atomic Energy Commission (Pre 750119). 2pp. 92168:263-92168:264.

--**9703050109** Corrected amend 24 to license 05-00046-13 for Fitzsimons General Hospital & US Army Medical Research & Nutrition Laboratory.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 71/08/11. 2pp. 92168:265-92168:266.

--**9703050112** Forwards application for amend re license 05-00046-13. Approval recommended.
ANDERSON,J.E. Army, Dept. of. DASG-HEQ. 72/07/12. BOWYER,J. Atomic Energy Commission (Pre 750119). 2pp. 92168:267-92168:268.

--**9703050116** Application for license 05-00046-13,authorizing as specified & approved by radioisotope committee FGH.
COWGILL,H.F. Fitzsimons Army Medical Center, Aurora, CO. 72/06/22. 16pp. 92168:269-92168:284.

--**9703050119** Informs that 720619 submission requesting use of kit to prepare Tc-99m labeled albumin microspheres (human) for lung imaging should be supported w/ checked info.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/08/07. VERDAN,T. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92168:285-92168:285.

--**9703050128** Responds to 720807 ltr re technetium 99m labeled albumin microspheres.
WIER,J.A. Fitzsimons Army Medical Center, Aurora, CO. MEDEO-X. 72/11/09. Atomic Energy Commission (Pre 750119). 2pp. 92168:286-92168:287.

--**9703050131** Amend 25 to license 05-00046-13,authorizing lung imaging & other listed items.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/11/22. 1p. 92168:288-92168:288.

--**9703050140** Amend 26 to license 05-00046-13,authorizing use of bone imaging in 25 patients in accordance w/721116 ltr.Within 6 weeks after completion of study licensee to submit rept w/results obtained.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/12/29. 1p. 92168:289-92168:289.

--**9703050142** Forwards 15 case repts re license 05-00046-13 on use of Tc-99m stannous polyphosphate for bone imaging.
ANDERSON,J.E. Fitzsimons Army Medical Center, Aurora, CO. DASG-HEQ. 73/03/20. BOWYER,J. Atomic Energy Commission (Pre 750119). 13pp. 92168:290-92168:302.

--**9703050147** Informs that 730309 application requesting authorization to use kit to prepare Tc-99m labeled polyphosphates for bone imaging should be supported w/info listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/04/03. WHITE,C.E. Fitzsimons Army Medical Center, Aurora, CO. 1p. 92168:303-92168:303.

--**9703050157** Amend 27 to license 05-00046-13,authorizing bone imaging in 100 addl patients in accordance w/721116 & 730309 ltrs. Within 6 weeks after completion of study licensee to submit rept w/results obtained.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/04/03. 1p. 92168:304-92168:304.

--**9703050160** Amend 28 to license 05-00046-13,authorizing use of listed elements.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/04/24. 6pp. 92168:305-92168:310.

--**9703050165** Forwards correspondence & application for amend to license 05-00046-13.Approval recommended.
ANDERSON,J.E. Army, Dept. of. DASG-HCH. 73/04/25. BOWYER,J. Atomic Energy Commission (Pre 750119). 5pp. 92168:311-92168:315.

--**9703050174** Application for amend to license 05-00046-13,authorizing change of paragraph 19 to add following condition listed.
COWGILL,H.F. Fitzsimons Army Medical Center, Aurora, CO. 73/04/12. 3pp. 92168:316-92168:318.

--**9703050175** Forwards new info applicable to byproduct matl licenses 05-00046-13 & 05-00046-15.
DAY,C.E. Army, Dept. of. 89/06/05. Region 4 (Post 820201). 1p. 92165:107-92165:190.

--**9703050181** Amend 29 to license 05-00046-13,authorizing use of in vitro studies.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/05/23. 1p. 92168:319-92168:319.

--**9703050184** Amend 30 to license 05-00046-13,authorizing condition 18 to read as listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/07/31. 1p. 92168:320-92168:320.

--**9703050189** Forwards correspondence & application for amend to license 05-00046-13.Approval recommended.
BLACKBURN,E.W. Army, Dept. of. DASG-HCH-E. 73/07/31. BOWYER,J. Atomic Energy Commission (Pre 750119). 2pp. 92168:321-92168:322.

--**9703050209** Amend 28 to license 05-00046-13,authorizing change to paragraph 9cc to read bone imaging.
COWGILL,H.F. Fitzsimons Army Medical Center, Aurora, CO. 73/07/23. 25pp. 92168:323-92168:347.

--**9703050216** Amend 31 to license 05-00046-13,authorizing subitems 7.CC, 9.CC & condition 19 as listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/09/13. 1p. 92168:240-92168:240.

--**9703050244** Forwards amend 52 to license.Amend should be reviewed carefully & all conditions should be understood.
CAMPBELL,V.H. Region 4 (Post 820201). 90/06/04. Fitzsimons Army Medical Center, Aurora, CO. 2pp. 92164:284-92164:285.

--**9703050286** Application for amend to license 05-00046-13,authorizing addition of Am-241 sealed source,not to exceed 2 mCi.
CLAYTON,C.J. Fitzsimons Army Medical Center, Aurora, CO. HSHG-RP. 92/02/28. Region 4 (Post 820201). 1p. 92164:106-92164:106.

--**9703050320** Forwards application for amend to license 05-00046-13. Approval recommended.
BLACKBURN,E.W. Army, Dept. of. DASG-HCH-E. 73/11/23. BOWYER,J. Atomic Energy Commission (Pre 750119). 5pp. 92168:241-92168:245.

--**9703050327** Application for license 05-00046-13,authorizing use of Tc-99m-Fe-Ascorbate-DTPA,100 mCi prepared by use of RENOTEC.
COWGILL,H.F. Fitzsimons Army Medical Center, Aurora, CO. 73/10/30. 6pp. 92168:246-92168:251.

--**9703050332** Amend 32 to license 05-00046-13,authorizing use of kidney imaging & condition 20 as listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/12/15. 1p. 92168:252-92168:252.

--**9703050338** Forwards application for amend to license 05-00046-13.
BLACKBURN,E.W. Army, Dept. of. DASG-HCH-E. 74/02/15. BOWYER,J. Atomic Energy Commission (Pre 750119). 2pp. 92168:253-92168:254.

--**9703050349** Application for amend to license 05-00046-13,authorizing use of listed elements.
COWGILL,H.F. Fitzsimons Army Medical Center, Aurora, CO. 74/02/15. 8pp. 92168:255-92168:262.

--**9703060375** Application for license 05-00046-13,authorizing use of Mo-99.
COWGILL,H.F. Fitzsimons Army Medical Center, Aurora, CO. 74/03/21. 5pp. 92168:226-92168:231.

--**9703060391** Informs that 740312 application requesting authorization to use Mo-99/Tc-99m generator containing fission product should be supported w/listed addl info.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 74/03/26. WIER,J.A. Fitzsimons Army Medical Center, Aurora, CO. 2pp. 92168:232-92168:233.

--**9703060393** Submits listed info re application for amend authorzing use of Tc-99m,as requested.
WHITE,C.E. Fitzsimons Army Medical Center, Aurora, CO. MEDEO-X. 74/04/15. Atomic Energy Commission (Pre 750119). 6pp. 92168:234-92168:239.

--**9703120187** Application for appropriate amend to license 05-00046-13, authorizing plan to utilize compacting machine mfg by Intl Dynetics Corp,model slugger,serial HSCD-2-10031.
MCDERMOTT,F.E. Army, Dept. of. 83/02/24. Division of Fuel Cycle & Material Safety (Pre 870413). 5pp. 92167:070-92167:074.

--**9703120221** Undated, "Instruction Manual,Pulmonex Xenon Sys,130-500."
* Atomic Products Corp. 97/02/20. 10pp. 92166:155-92166:164.

9703030020 Second partial response to FOIA request for documents. Forwards documents listed in app C.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/02/21. BABCOCK,R.E. Travelers Insurance, Inc. 6pp. 91933:001-91934:300.

--**9703030021** "Radiation Worker Training Course."
* Foster Wheeler Corp. 97/02/21. 95pp. 91933:009-91933:108.

--**9703030033** Forwards copy of bldg "C" site assessment rept dtd July 1992 for review prior to NRC proposed 921220-21 site visit. Arrangements for conference call can be made after reviewing rept.
POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 93/12/13. LAMBERT,K.J. Region 3 (Post 820201). 1p. 91933:109-91933:111.

--**9703030043** "The Building 'C' Site Assessment Rept."
* Chevron Chemical Co. (subs of Standard Oil Co. of California). 46875. 97/07/31. 129pp. 91933:112-91933:239.

--**9703030054** PL-NRS-0593-094 R00 "Decommissioning Plan for Plant C 1000 Harvard Ave Cleveland,OH."
* Chevron Chemical Co. (subs of Standard Oil Co. of California). 94/11/29. 47pp. 91933:240-91933:286.

--**9703030066** ADA-092694 R00 "Decontamination Plan for Engelhard Corp Pavement & Soils Areas Surrounding Bldg G-1 1000 Harvard Ave,Cleveland,OH."
KOPAS,A., ROBERTS,M.W., SCOTT,L.M. Affiliation Not Assigned. 94/12/13. 45pp. 91933:287-91933:331.

--**9703030078** Forwards new copy of branch technical position on site characterization for decommissioning Harshaw chemical bldg "C" site due to coping error.W/o encl.
SNELL,W.G. Region 3 (Post 820201). 95/02/09. POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 1p. 91933:332-91933:332.

--**9703030090** Submits documents that attest to fact that radiological contamination not natural U but purified U w/o long-lived daughters.
KOPAS,A.G. Engelhard Corp. 95/02/13. SNELL,W. Region 3 (Post 820201). 7pp. 91933:333-91933:339.

--**9703030092** Forwards brief chronology & current status on Chevron & Engelhard.
SNELL,W.G. Region 3 (Post 820201). 95/02/16. JOHNSON,T.C. Office of Nuclear Material Safety & Safeguards. 5pp. 91933:340-91933:348.

--**9703030104** Discusses why NRC did not take lead in decommissioning of Engelhard site.
SNELL,W.G. Region 3 (Post 820201). 95/03/01. JOHNSON,T.C. Office of Nuclear Material Safety & Safeguards. 2pp. 91933:349-91933:351.

--**9703030109** Forwards results of alpha spectrometry analysis,performed on soil samples collected from Chevron-Englehard Corp in Cleveland,OH.Soil analysis indicates radiological contaminant processed natural U.
ABELQUIST,E.W. Oak Ridge Associated Universities. 95/04/20. SNELL,W. Region 3 (Post 820201). 2pp. 91933:352-91933:353.

--**9703030130** "Radiological Control Plan" for Engelhard Corp,rev 0.
* B. Koh & Associates, Inc. 95/05/31. 78pp. 91933:354-91934:071.

--**9703030135** "Site Characterization Plan Engelhard Corp Cleveland,OH," May 1995.
* B. Koh & Associates, Inc. 95/05/31. 80pp. 91934:072-91934:150.

--**9703030146** Forwards response to NRC comments on previously submitted decommissioning & demolition plan & two copies of site specific radiological health & safety plan.
POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 95/05/18. SNELL,B. Region 3 (Post 820201). 18pp. 91934:151-91934:169.

--**9703030151** Submits documents in duplicate relative to decomtamination of pavement & soils surrounding bldg G-1 pursuant to 950221 ltr.
KOPAS,A.G. Engelhard Corp. 95/05/30. SNELL,W. Region 3 (Post 820201). 1p. 91934:170-91934:170.

--**9703030161** Responds to 950526 ltr concerning role of "cleaning team" referred to in decommissioning plan.
POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 95/06/06. SNELL,B. Region 3 (Post 820201). 5pp. 91934:171-91934:177.

--**9703030166** Trip rept of 950613 visit to Engelhard Corp site at 1000 Harvard Ave,Cleveland,OH to familiarize site prior to review & approval of remediation plan.
SNELL,W.G. Region 3 (Post 820201). 95/06/16. MCCORMICK Region 3 (Post 820201). 1p. 91934:178-91934:178.

--**9703030179** Expresses appreciation for meeting on 950608 & forwards supporting reference "Use of One-sided Tolerance Tests for Surveys During Decontamination & Decommissioning."
POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 95/06/21. SNELL,B. NRC - No Detailed Affiliation Given. 12pp. 91934:179-91934:192.

--**9703030184** Informs that review of 950530 submittal of site characterization plan & health & safety plan for characterization & remediation of soils & paved areas surrounding bldg G-1,1000 Harvard Ave completed.
MCCORMICK Region 3 (Post 820201). 95/06/23. KOPAS,A.G. Engelhard Corp. 1p. 91934:193-91934:193.

--**9703030190** Trip rept of 950725 visit to Engelhard Corp,1000 Harvard Ave,Cleveland,OH re progress of characterization/remediation work.
SNELL,W. Region 3 (Post 820201). 95/08/02. MCCORMICK-BARGE Region 3 (Post 820201). 4pp. 91934:194-91934:197.

--**9703030194** Discusses conversation w/B Potter from Chevron re Harvard Ave,Cleveland,site cleanup.
SNELL,W.G. Region 3 (Post 820201). 95/08/29. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 1p. 91934:198-91934:198.

--**9703030200** Discusses misunderstanding about involvement in Engelhard re remediation efforts underway.
SNELL,W.G. Region 3 (Post 820201). 95/08/30. MCCORMICK Region 3 (Post 820201). 3pp. 91934:199-91934:201.

--**9703030204** Discusses involvement w/Engelhard.
MCCORMICK NRC - No Detailed Affiliation Given. 95/08/17. SNELL,W.G. NRC - No Detailed Affiliation Given. 1p. 91934:202-91934:202.

--**9703030206** Requests to be contacted if need to engage DOE headquarters colleagues.
WEBER,M.F. NRC - No Detailed Affiliation Given. 95/08/29. SNELL,W.G. NRC - No Detailed Affiliation Given. 1p. 91934:203-91934:203.

--**9703030209** Expresses appreciation for clarification re NRC involvement in Engelhard & Chevron.
WEBER,M.F. Region 3 (Post 820201). 95/08/30. SNELL,W.G. Region 3 (Post 820201). 1p. 91934:204-91934:209.

--**9703030234** Informs that Koh & Assoc completed preliminary assessment of contamination in pavement/soils surrounding bldg G-1 & forwards phase II site characterization plan which will further delineate extent of contamination.
KOPAS,A.G. Engelhard Corp. 95/10/06. SNELL,W. Region 3 (Post 820201). 1p. 91934:210-91934:210.

--**9703030240** "Site Characterization Plant (Phase II) Engelhard Corp, Cleveland,OH," October 1995.
ADAM,T.G. B. Koh & Associates, Inc. 95/10/31. 15pp. 91934:211-91934:224.

--**9703030241** Informs that review of "Site Characterization Plan (Phase II)" submitted by 951006 ltr completed.Plan found acceptable & have no additional questions.
MCCORMICK Region 3 (Post 820201). 95/10/19. KOPAS,A.G. Engelhard Corp. 1p. 91934:225-91934:231.

--**9703030245** Forwards copy of procedure Foster Wheeler will be using for pipe decontamination at Harshaw Chemical facility located in Cleveland,OH.Method selected for pipe decontamination will be vacuum blasting.W/o encl.
DAVIS,J. Foster Wheeler Corp. 95/11/17. SNELL,W.G. Region 3 (Post 820201). 2pp. 91934:232-91934:233.

--**9703030253** Forwards copy of procedure Foster Wheeler Environmental Corp will be using for verification of pipe decontamination at Harshaw Chemical facility.Pipe will be decontaminated by vaccum blasting.
ROCK,F. Foster Wheeler Corp. 95/11/15. SNELL,W.G. Region 3 (Post 820201). 1p. 91934:234-91934:234.

--**9703030255** "Piping Decontamination Procedure," rev 1.0.
* Foster Wheeler Corp. 95/11/01. 6pp. 91934:235-91934:247.

--**9703030271** Responds to NRC 951024-25 special inspection.Corrective actions:form 5 will be provided to employees upon request, prior to leaving jobsite.Health & safety coordinator will evaluate incoming personnel to determine if bioassay needed.
POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 96/01/10. SNELL,W. Region 3 (Post 820201). 4pp. 91934:248-91934:251.

--**9703030276** Submits description of temporary treatment sys used to treat approx 1,500 gallons of laundry water in reply to 960502 conversation.
ROCK,F. Foster Wheeler Corp. 96/05/16. SNELL,W. Region 3 (Post 820201). 10pp. 91934:252-91934:261.

--**9703030280** Responds to 960703 ltr re special inspection conducted by GM McCann on 960522 & 960621 telcon.Field portion of decommissioning project temporary suspended while resolving issues of waste disposal & funding w/DOE.
POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 96/07/31. MCCORMICK-BARGE Region 3 (Post 820201). 4pp. 91934:262-91934:265.

--**9703030292** "Work Plan For Dismantlement & Removal of Filter Baghouse & Conveyor Assembly Located in G-1 Bldg At 1000 Harvard Ave, Cleveland,OH," Sept 1996,Rev 0.
ADAMS,T.G., BERGHOFF,J., RAFFEL,D.A. B. Koh & Associates, Inc. 96/09/30. 19pp. 91934:266-91934:286.

--9703030295 Forwards Engelhard radiological control plan & workplan for removal of baghouse & conveyor,in response to 960703 request.
ADAMS,T.G. B. Koh & Associates, Inc. 96/09/27. SNELL,B. Region 3 (Post 820201). 1p. 91934:287-91934:287.

--9703030296 Informs that review of "Baghouse & Conveyor Workplan" submitted on 960927 completed.Workplan found acceptable.
MCCORMICK-BARGE Region 3 (Post 820201). 96/10/16. ADAMS,T.G. B. Koh & Associates, Inc. 1p. 91934:288-91934:288.

--9703030303 Submits update on former Harshaw Chemical Bldg,Plant "C" in Cleveland,OH.
POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 97/01/29. SNELL,W.G. Region 3 (Post 820201). 4pp. 92162:149-92162:161.

--9703030313 Requests assistance in determining if NRC has any regulatory authority over Chevron plant C on Harvard Ave,Cleveland,OH.
GROBE,J.A. Region 3 (Post 820201). 93/06/07. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 6pp. 91934:293-91934:298.

--9703030315 Forwards request from Region III to determine if NRC has any regulatory authority over Chevron Corp Plant C site on Harvard Ave in Cleveland,OH.
AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/06/21. TREBY,S.A. *Assistant General Counsel for Rulemaking & Fuel Cycle.* 1p. 91934:299-91934:299.

--9703030320 Informs that file number for Chevron Plant C case project code 687.
JOHNSON,T.C. Office of Nuclear Material Safety & Safeguards. 94/09/13. LAMBERT,K.J. Region 3 (Post 820201). 1p. 91934:300-91934:300.

9703030187 Eleventh partial response to FOIA request for documents. App AA document forwarded.App BB documents partially withheld (ref FOIA Exemption 5).App CC documents withheld (ref FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. O'NEILL,J.H., HOLLAWAY,W.R. Shaw, Pittman, Potts & Trowbridge. 11pp. 91938:001-91938:076.

--9703030302 Partially deleted Rev 5 to OP-III-1.3.1, "Turbine Generator Operation."
* Public Service Electric & Gas Co. of New Jersey. 91/05/14. 11pp. 91938:033-91938:051.

--9703030318 SECY-93-216 Partially withheld SECY-93-216, "Enforcement Action Re:Incomplete & Inaccurate Plant Records."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/02. 24pp. 91938:052-91938:076.

--9703030302 Partially deleted Rev 5 to OP-III-1.3.1, "Turbine Generator Operation."
* Public Service Electric & Gas Co. of New Jersey. 91/05/14. 11pp. 91938:033-91938:051.

--9703030318 SECY-93-216 Partially withheld SECY-93-216, "Enforcement Action Re:Incomplete & Inaccurate Plant Records."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/02. 24pp. 91938:052-91938:076.

9703030308 Final response to FOIA request for documents.No agency records located.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. CAMPI,F. Affiliation Not Assigned. 2pp. 91938:166-91938:168.

--9703030311 Partially deleted FOIA request for documents re record of total radiation FA Campi exposed to during employment at Nevada test site.
CAMPI,F.A. Affiliation Not Assigned. 97/02/05. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91938:168-91938:168.

9703030310 First partial response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in entirety (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. SOLOMON,D.D. Affiliation Not Assigned. 4pp. 91938:087-91938:165.

--9703030317 Partially deleted FOIA request for documents re six security violations at Salem/Hope Creek nuclear power plants.
SOLOMON,D.D. Affiliation Not Assigned. 96/11/20. LINTON,T. NRC - No Detailed Affiliation Given. 3pp. 91938:091-91938:165.

9703030407 Final response to FOIA request for documents.Forwards documents listed in App A.Documents will be released to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/02/21. GARDE,B., SHEPHERD,S. *Garde, B.P. 2pp. 91938:077-91938:086.*

--9703030437 FOIA request for documents re use of radioactive materials at TSU &/or TSU College of Pharmaceutical & Health Sciences.
GARDE,B.P. Garde, B.P. 97/01/17. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91938:079-91938:080.

--9703030451 Forwards ltr from LL Woods.
HARMON,J.H. Affiliation Not Assigned. 58/02/10. BUCHANAN,C. Atomic Energy Commission (Pre 750119). 3pp. 91938:081-91938:083.

--9703030456 Informs that hood do not have to be individually inspected prior to procurement of radioisotopes.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 58/03/19. WOODS,L.L. Texas, Univ. of, Houston, TX. 1p. 91938:084-91938:086.

--9703030437 FOIA request for documents re use of radioactive materials at TSU &/or TSU College of Pharmaceutical & Health Sciences.
GARDE,B.P. Garde, B.P. 97/01/17. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 91938:079-91938:080.

--9703030451 Forwards ltr from LL Woods.
HARMON,J.H. Affiliation Not Assigned. 58/02/10. BUCHANAN,C. Atomic Energy Commission (Pre 750119). 3pp. 91938:081-91938:083.

--9703030456 Informs that hood do not have to be individually inspected prior to procurement of radioisotopes.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 58/03/19. WOODS,L.L. Texas, Univ. of, Houston, TX. 1p. 91938:084-91938:086.

9703100014 First partial response to FOIA request for documents.Listed documents in App A forwarded.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. SULLIVAN,G.P. Utility Workers Union of America. 2pp. 92036:185-92037:017.

--9703100024 FOIA request for documents re all correspondence during last twelve months to & from BECO discussing permanent shutdown of plant.
SULLIVAN,G.P. Utility Workers Union of America. 96/11/07. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 92036:187-92036:188.

--9703100030 "Comments of Boston Edison Co Concerning Restructuring of Electric Utility Industry in MA."
HORAN,D.S. Boston Edison Co. 95/03/31. 147pp. 92036:189-92036:335.

--9703100033 1-95-0096 Morning rept re BECO reorganization.
* Region 1 (Post 820201). 95/07/31. 43pp. 92036:336-92037:017.

9703100015 Final response to FOIA request for documents.Forwards App C documents available in PDR.App D records being withheld in part (ref FOIA exemption 4).App E completely withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. LAMBERTH,J.A. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 92038:247-92038:300.

--9703100032 Informs that K Naidu of VIB will be visiting plant site on 900614 to inspect counterfeit Potter & Brumfield relays. Requests OI participation in pending site visit.
BRACH,W.E. Vendor Inspection Branch. 90/06/13. HAYES,B.B. Ofc of Investigations (Post 880201). 1p. 92038:253-92038:253.

--9703100059 Informs that preliminary test results indicate that counterfeit relays provided to util by Spectronics of Mobile,AL,would not function in normal operation.Remaining testing & disassembly should be completed by 900622.
BRACH,W.E. Vendor Inspection Branch. 90/06/21. GRIMES,B.K. Division of Reactor Inspection & Safeguards (870411-921003). 1p. 92038:254-92038:263.

--9703100074 Responds to NRC 900706 telcon re possible receipt by Nutherm Intl of counterfeit electrical relays supplied by Spectronics Inc.Corrective actions currently in process & expected to be completed by 900831.
PATTERSON,L.D. Nutherm International, Inc. 90/08/16. BRACH,W.E. Vendor Inspection Branch. 5pp. 92038:264-92038:268.

--9703100138 Forwards trip repts of VIB visits to Spectronics,Stokley, Potter & Brumfield & Nutherm facilities to review P&B rotary-type relays.
BRACH,E.W. Vendor Inspection Branch. 90/09/27. VORSE,J.Y. Region 2 (Post 820201). 10pp. 92038:269-92038:278.

--9703100156 Provides advice on consultation of draft referral ltr to DOJ re investigations at Western Stress,Inc & Spectronics Inc.
FITZGERALD,J.A. Assistant General Counsel for Adjudications & Opinions. 91/03/08. HAYES,B.B. Ofc of Investigations (Post 880201). 1p. 92038:279-92038:281.

--9703100206 Informs that Chairman suggests that encl ltr be forwarded to appropriate contacts in Dept of Navy.
BURNS,S.G. Commissioners (Post 750119). 91/03/27. HAYES,B.B. Ofc of Investigations (Post 880201). 1p. 92038:282-92038:283.

--9703100215 Informs that no applicable NRC regulations were violated re OI Rept Q2-90-014.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 91/03/28. EBNETER,S.D. Region 2 (Post 820201). 1p. 92038:284-92038:290.

--9703100232 Discusses OI investigation of counterfeit electronic parts, (Case 2-90-014).
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/07/08. VORSE,J.Y. Ofc of Investigations (Post 880201). 1p. 92038:291-92038:291.

--9703100257 Forwards press release from DOJ re guilty plea by W Stokely in case involving counterfeit electronic parts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/08/02. THE CHAIRMAN, CHILK,S.J., ROGERS,K.C. Commissioners (Post 750119). 5pp. 92038:292-92038:296.

--9703100265 Rept of 900702 interview w/EP Tolbert.
CLAXTON,G.H. Ofc of Investigations (Post 880201). 90/09/20. 2pp. 92038:297-92038:298.

--9703100270 Rept of 900706 interview w/MA Earl.
CLAXTON,G.H. Ofc of Investigations (Post 880201). 91/01/24. 2pp. 92038:299-92038:300.

9703100018 Twelfth partial response for FOIA request for documents.App U records being withheld in part (ref FOIA exemptions 4,5 & 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. BINDER,N.S. Debevoise & Plimpton. 4pp. 92038:204-92038:246.

--9703100028 Partially withheld memo discussing Directors Decision 96-19 under 10CFR2.206 re steam generator issued at St Lucie.
OGLE,C. NRC - No Detailed Affiliation Given. 2.206. 96/12/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 6pp. 92038:209-92038:214.

--9703100029 Partially withheld memo re Director Decision 96-18 re petition filed by P Blanch on 940413.
HOLIAN,B. NRC - No Detailed Affiliation Given. 2.206. 96/11/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 92038:215-92038:215.

--9703100034 Partially withheld memo discussing two 2.206 petitions filed by C Morris re lack of circuit breaker coordination & undervoltage relay settings & related electrical distribution sys design issues identified at Catawba.
HOLIAN,B. NRC - No Detailed Affiliation Given. 2.206. 96/11/26. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92038:216-92038:217.

--9703100039 Partially withheld memo discussing request for review of Directors Decision 96-03 from NIRS ltr dtd 960419 re thermo-lag barrier protection issues.
BONSER,B. NRC - No Detailed Affiliation Given. DD-96-03. 96/04/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 92038:218-92038:218.

--**9703100048** Partially withheld memo discussing petition filed by JF Doherty requesting six plant reactors be immediately shutdown & Directors Decision 95-22 which denies request.
TSCHILTZ,M. NRC - No Detailed Affiliation Given. 2.206. 95/12/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 92038:219-92038:223.

--**9703100060** Partially withheld memo discussing Directors Decision 95-07 which denies petitioners request for various enforcment actions against Florida Power & Light & its employees.
WINSBERG,K. NRC - No Detailed Affiliation Given. 2.206. 95/06/05. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92038:224-92038:225.

--**9703100066** Partially withheld summary meeting w/Florida Power & Light held on 961121 re general update on FPL nuclear plants.
OGLE,C. NRC - No Detailed Affiliation Given. 96/11/27. NRC - No Detailed Affiliation Given. 3pp. 92038:226-92038:228.

--**9703100072** Partially withheld ltr responding to 960802 ltr informing of difficulties in finding employment.On 960613 NRC reviewed ltr of 960606 & determined that circumstances warranted further review for potential violations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/08/28. GRAHAM,B. Senate. 2pp. 92038:229-92038:230.

--**9703100076** Partially withheld ltr ack receipt of 960607 ltr re concerns about being forced to leave Florida Power & Light Co,St Lucie facility because of concerns expressed to NRC.
IGNATONIS,A. Region 2 (Post 820201). 96/06/18. Affiliation Not Assigned. 1p. 92038:231-92038:231.

--**9703100081** Partially withheld memo discussing Director Decision 95-08, DD-95-09,DD-95-10 & DD-95-11.
MCKENNA,E. NRC - No Detailed Affiliation Given. DD-95-08. 95/06/05. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 92038:232-92038:233.

--**9703100086** Partially withheld memo discussing drop-in visit of J Broadhead,chairman & CEO FPL Group & chairman & CEO FP&L Co & J Goldberg.
JONES,B. NRC - No Detailed Affiliation Given. 97/02/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 9pp. 92038:234-92038:243.

--**9703100087** Partially withheld memo discussing 930624 visit FP&L re FP&L program for handling employees concerns, called "Speakout."
MCKENNA,E. NRC - No Detailed Affiliation Given. 93/06/25. NRC - No Detailed Affiliation Given. 3pp. 92038:244-92038:246.

9703100021 Final response to FOIA request for documents.Records in App A & B encl & available in PDR.
PUGH,L.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. CURRAN,D. Affiliation Not Assigned. 4pp. 92036:001-92036:078.

--**9411080107** Temporary Instruction 2515/126, "Evaluation of On-Line Maint."
* NRC - No Detailed Affiliation Given. 94/10/27. 6pp. 92036:011-92036:019.

--**9501050342** Forwards TI 2515/126, "Evaluation of On-Line Maint," issued on 941027.
BLACK,S. . 94/12/15. GODY,A. . 2pp. 92036:020-92036:032.

--**9703100025** FOIA request for documents re NRC TI 2515/126, "Evaluation of On-line Maint," including initial phase & any final or follow-up phases.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 97/02/11. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 92036:005-92036:010.

--**9703100044** Discusses compressed schedule for review of TI submittal & preparation of summary rept by NRR TI 2515/126 Review Committee.Committee schedule & questions to be addressed when reviewing submittal encl.
FRAHM,R.K. . 95/02/02. ALLSOPP,D., JOHNSON,M.R., GODY,A.T. . 2pp. 92036:034-92036:035.

--**9703100063** Informs of meeting scheduled for 950203 to discuss first eight submittals from Region III & ideas for std format to assure consistent reviews of TI 2515/126.
FRAHM,R.K. . 95/02/02. ALLSOPP,D., LUEHMAN,J., THOMAS,G. . 1p. 92036:036-92036:036.

--**9703100070** Discusses TI 126 reviews & requests that particular strengths & weaknesses of subj reviews be identified for discussion at upcoming meeting.
FRAHM,R.K. . 95/02/03. THOMAS,G., LUEHMAN,J., ALLSOPP,D. . 2pp. 92036:037-92036:038.

--**9703100077** Informs of series of questions/checklist developed at recent meeting to record staff review of TI 2515/126 submittal.
FRAHM,R.K. . 95/02/03. ALLSOPP,D., LUEHMAN,J., THOMAS,G. . 3pp. 92036:039-92036:041.

--**9703100105** Discusses 950206 meeting re TI 126 & informs of completed review of second half of Region III submittals.
FRAHM,R.K. . 95/02/07. ALLSOPP,D., LUEHMAN,J., THOMAS,G. . 1p. 92036:042-92036:042.

--**9703100123** Discusses 950207 meeting & informs that staff has reviewed first half of Region II submittals & format for summary rept.Next meeting scheduled for 950208.
FRAHM,R.K. . 95/02/07. ALLSOPP,D., LUEHMAN,J., THOMAS,G. . 1p. 92036:043-92036:043.

--**9703100134** Provides results & conclusions from evaluation of insp findings using TI 2515/126, "Evaluation of On-line Maint."
SPESSARD,R.L. . 95/06/12. WIGGINS,J.T. Region 1 (Post 820201). 2pp. 92036:044-92036:078.

9703100031 Final response to FOIA request for documents.Records in App A encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. FELTON,J.M. Nuclear Licensing Reports. 2pp. 92032:001-92033:316.

--**9611290077** Forwards revised insp procedures for nuclear medicine, teletherapy,radiopharm,brachytherapy & medical broad scope, for review & comment.
COOL,D.A. Office of Nuclear Material Safety & Safeguards. 96/11/22. LIEBERMAN,J. Ofc of Enforcement (Post 870413). HEHL,C.W. Region 1 (Post 820201). MALLETT,B.S. Region 2 (Post 820201). 303pp. 92032:004-92032:284.

--**9612240274** Requests comments on draft inspection guidance constraint rule,patient release rule & radiography equipment rule.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/12/20. HEHL,C.W. Region 1 (Post 820201). 21pp. 92032:285-92033:079.

--**9702180199** Transmits state agreements program info (SP-97-004) re request for comments on draft insp procedure & insp guidance for 10CFR35.32 & 35.33.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-004. 97/01/21. General. 40pp. 92033:080-92033:231.

--**9703100052** FOIA request for documents re Insp Manuals or instructions which apply to medical licenses issued since 961101.
FELTON,J.M. Nuclear Licensing Reports. 97/02/11. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92032:003-92032:003.

--**9703110180** "NRC Insp Manual Change Notice 97-001."
* NRC - No Detailed Affiliation Given. 97/02/03. 1p. 92033:232-92033:316.

9703100035 Final response to FOIA request for documents.Records in App A already available in PDR.App B records encl & will be released in entirety.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 3pp. 92036:079-92036:184.

--**9703100040** Responds to FOIA request for documents re all copies in NRC possession which describe or discuss any aspect of on-line maint program for Seabrook nuclear power plant.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 97/01/30. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 92036:082-92036:090.

--**9703100045** Rev 0 to Technical Support Group Instructions TSGI-24, "Maint Rule Goal Setting & Monitoring."
* Affiliation Not Assigned. 97/01/04. 3pp. 92036:091-92036:093.

--**9703100049** Rev 0 to Technical Support Group Instructions TSGI-25, "Maint Rule Periodic Assessment."
* Affiliation Not Assigned. 97/01/03. 4pp. 92036:094-92036:097.

--**9703100053** Rev 0 to Technical Support Group Instructions TGSI-26, "Maint Rule Program Interfaces."
* Affiliation Not Assigned. 97/01/03. 45pp. 92036:098-92036:142.

--**9703100064** "Planning & Scheduling Manual."
* Affiliation Not Assigned. 96/07/01. 23pp. 92036:143-92036:165.

--**9703100067** "RSED-06 Risk Evaluation Process for On-Line Maint (OLM)."
KIPER,K.L. Affiliation Not Assigned. 96/11/08. 14pp. 92036:166-92036:184.

9703100037 Responds to 961112 appeal for denial of documents.App I records being released in entirety.App II records being withheld in part (ref Exemption 4).
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/28. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 6pp. 92037:283-92037:332.

--**9606180615** SECY-96-124 Partially deleted SECY,informing Commission of staff intent to forbear from instituting enforcement action against General Atomics.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/06/10. 19pp. 92037:314-92037:332.

--**9703100043** Discusses SECY-96-124, "Financial Assurance for General Atomics Facilities."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/06/28. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92037:304-92037:307.

--**9703100047** Partially deleted 960617 ltr re SECY-96-124, "Financial Assurance for General Atomics Facilities."
DAVIS,R. Affiliation Not Assigned. 96/06/17. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 92037:308-92037:311.

--**9703100055** Partially deleted 960612 ltr re SECY-96-124, "Financial Assurance for General Atomics Facilities."
KARMAN,M. NRC - No Detailed Affiliation Given. 96/06/12. ROGERS Commissioners (Post 750119). 2pp. 92037:312-92037:313.

--**9606180615** SECY-96-124 Partially deleted SECY,informing Commission of staff intent to forbear from instituting enforcement action against General Atomics.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/06/10. 19pp. 92037:314-92037:332.

--**9703100043** Discusses SECY-96-124, "Financial Assurance for General Atomics Facilities."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/06/28. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92037:304-92037:307.

--**9703100047** Partially deleted 960617 ltr re SECY-96-124, "Financial Assurance for General Atomics Facilities."
DAVIS,R. Affiliation Not Assigned. 96/06/17. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 92037:308-92037:311.

--**9703100055** Partially deleted 960612 ltr re SECY-96-124, "Financial Assurance for General Atomics Facilities."
KARMAN,M. NRC - No Detailed Affiliation Given. 96/06/12. ROGERS Commissioners (Post 750119). 2pp. 92037:312-92037:313.

9703100041 Forteenth partial response to FOIA request for documents. Records in App W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BINDER,N.S. Affiliation Not Assigned. 4pp. 92038:073-92038:203.

--**9412140232** Forteenth partial response to FOIA request for documents. Records in App W encl & available in PDR.App X records withheld in part (ref FOIA exemption 6).
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2.206. 94/03/23. SAPORITO,T.J. Saporito, T.J. 33pp. 92038:144-92038:187.

--9611180046 Requests that listed info be forwarded to licensee in connection w/unescorted access visits to plant by listed NRC contractor employees during 961118-970110 for purpose of assisting NRC in conduct of design insp.Partially deleted.
GALLO,R.M. . 96/11/05. SHAW,P. Region 2 (Post 820201). 4pp. 92038:192-92038:200.

--9703100050 Forwards licensee 951211 response to "chilling effect" ltrss re Phipps v. Florida Power & Light Co,DOL Case 94-ERA-53.
URYC,B. Region 2 (Post 820201). 96/01/04. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 92038:078-92038:143.

--9703100089 Partially deleted memo re allegation of misconduct by region II inspector.Inspector removed licensee official documents from work area & attempted to direct work of licensee.
EBNETER,S.D. Region 2 (Post 820201). 96/07/03. NORTON,L. Office of the Inspector General (Post 890417). 2pp. 92038:188-92038:189.

--9703100090 Partially withheld memo informing that Region II Weekly Enforcement Panel will be held on 960710.
BOLAND,A. Region 2 (Post 820201). 96/07/08. NRC - No Detailed Affiliation Given. 1p. 92038:190-92038:190.

--9703100095 Partially deleted memo re OI rept 2-95-008.
LIEBERMAN,G. Ofc of Enforcement (Post 870413). 96/08/15. CAPUTO,G. Ofc of Investigations (Post 880201). 1p. 92038:191-92038:191.

--9703100100 Discusses concerns re E-Plan.
MILLER,M. Region 2 (Post 820201). 96/11/06. DE MIRANDA,O., ENNIS,J. Region 2 (Post 820201). 1p. 92038:201-92038:201.

--9703100103 Partially deleted memo re concerns that E-Plan effective response time & staffing is compromised w/recent "Duty Week" mandate by mgt.
LEIFHELM,J. NRC - No Detailed Affiliation Given. 96/11/01. NRC - No Detailed Affiliation Given. 2pp. 92038:202-92038:203.

9703100051 First partial response to FOIA request for documents. Forwards documents listed in App A already available in PDR. Records in App B being made available in PDR.
POWELL,R Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. LISCHESKE,C. California, State of. 3pp. 92038:001-92038:072.

--9703100058 FOIA request for documents re all correspondence,memoranda & other documentation of communications between NRC & DOI from 930101 to present.
LISCHESKE,C. California, State of. 96/10/24. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 15pp. 92038:004-92038:026.

--9703100068 Forwards DOI request for LLNL tritium tests at Ward Valley, CA.
NELSON NRC - No Detailed Affiliation Given. 96/03/19. STABLEIN,K., PAPERIELLO,C., GREEVES,J. NRC - No Detailed Affiliation Given. 46pp. 92038:027-92038:072.

9703100083 Third final response to FOIA request for documents.Records in App D partially withheld (ref FOIA exemption 6).App E documents withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. BABCOCK,R. Affiliation Not Assigned. 4pp. 92037:018-92037:282.

--9703100193 "Radiological Health & Safety Plan for Building Decontamination/Decommissioning At Harshaw Chemical Site Plant C In Cleveland,Ohio." Rev 0.
* Foster Wheeler Eviresponse, Inc. 95/05/31. 74pp. 92037:024-92037:097.

--9703100198 "Engelhard Corp.Health & Safety Plan - Engelhard Site Cleveland,Ohio." May 1995,Rev 0.
JOHNSON,P.G. Engelhard Corp. GIFFORD,A.C., ADAMS,T.G. B. Koh & Associates, Inc. 95/05/31. 82pp. 92037:098-92037:257.

--9703100208 Discusses results of 951024-25 insp re concerns raised in allegation RIII-95-A-0117.Item 2 substantiated re provision of copy of dose record.
MCCORMICK-BARGE Region 3 (Post 820201). 95/11/22. FUNK,D.E. Region 3 (Post 820201). 15pp. 92037:258-92037:272.

--9703100212 Discusses 950823 telcon received by M Weber from concerned individual re engineer taking pictures of work area & not wearing dosimetry or anti-contamination clothing.
MCCORMICK-BARGE Region 3 (Post 820201). 95/08/23. FUNK,D.E. Region 3 (Post 820201). 1p. 92037:273-92037:273.

--9703100214 Provides clarification to allegation documented in earlier e-mail.
MCCORMICK-BARGE Region 3 (Post 820201). 95/08/23. FUNK,D.E. Region 3 (Post 820201). 2pp. 92037:274-92037:275.

--9703100219 Discusses 950911 telcon w/J Davis re Chevron allegation RIII-95-A-0098.
SNELL,W.G. Region 3 (Post 820201). 95/09/11. GLINSKI,R., HOUSE,J. Region 3 (Post 820201). 5pp. 92037:276-92037:282.

9703100194 First partial response to FOIA request for documents. Documents listed in app A already available in PDR.Forwards app B documents.App C documents being withheld in entirety (ref FOIA exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. SAURO,B. Affiliation Not Assigned. 5pp. 92038:301-92039:003.

--9703100195 FOIA request for documents re NOV dtd 951030 addressed to Scientific Ecology Group re NRC insp rept 50-267/94-03 & OI investigation repts 4-94-010 & 4-95-015.
SAURO,B.M. Affiliation Not Assigned. 96/10/15. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 92038:306-92038:308.

--9703100196 Forwards OI rept of investigation re alleged falsification of radiation survey records.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 95/05/26. CALLAN,L.J. Region 4 (Post 820201). 4pp. 92038:309-92038:312.

--9703100199 Requests that General Counsel anlayze rept & determine whether sufficient evidence exists to take EA re falsification of records.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/06/20. CALLAN,L.J. Region 4 (Post 820201). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. GOLDBERG,J.R. Office of the General Counsel (Post 860701). 3pp. 92038:313-92038:315.

--9703100200 Forwards OI rept of investigation re alleged falsification of records.W/o encl.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 95/08/17. CALLAN,L.J. Region 4 (Post 820201). 6pp. 92038:316-92038:321.

--9703100201 Agrees w/Office of Enforcement regional approach.
MAMISH,N.L. NRC - No Detailed Affiliation Given. 95/08/31. JONES,W.B., SANBORN,G.F. NRC - No Detailed Affiliation Given. 1p. 92038:322-92038:322.

--9703100204 Discusses proposed meeting re OI 4-95-015.
SANBORN,G.F. NRC - No Detailed Affiliation Given. 95/08/31. SANBORN,G.F. NRC - No Detailed Affiliation Given. 1p. 92038:323-92038:323.

--9703100205 Ack receipt of mail.
JONES,W.B. NRC - No Detailed Affiliation Given. 95/08/30. SANBORN,G.F. NRC - No Detailed Affiliation Given. 1p. 92038:324-92038:324.

--9703100209 Confirms 950911 for OI meeting re OI 4-95-015.
MAMISH,N.L. NRC - No Detailed Affiliation Given. 95/08/30. JONES,W.B. NRC - No Detailed Affiliation Given. 1p. 92038:325-92038:325.

--9703100211 Informs that enforcement action will be required re OI 4-95-015 concerning failure to perform response checks.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/08/07. CALLAN,L.J. Region 4 (Post 820201). RUSSELL,W.T. . GOLDBERG,J.R. Office of the General Counsel (Post 860701). 2pp. 92038:326-92038:327.

--9703100213 Forwards repy to NOV dtd 951112.
SANBORN,G. Ofc of Enforcement (Post 870413). 95/11/17. CALLAN,J., COLLINS,S., BROWN,B. NRC - No Detailed Affiliation Given. 1p. 92038:328-92038:328.

--9703100216 Responds to NRC 951112 ltr re violations noted in insp rept. Corrective actions:employee terminated & removed from facility.
ZAHRT,K.L. Affiliation Not Assigned. 95/11/15. NRC - No Detailed Affiliation Given. 2pp. 92038:329-92038:350.

--9703100221 Informs that NOV issued on 951030 revised to reflect NRC reanalysis of info re falsification of radiation survey records.Revised NOV encl.
CALLAN,L.J. Region 4 (Post 820201). EA-95-164. 96/04/02. NEELY,D. Scientific Ecology Group, Inc. 4pp. 92038:351-92038:354.

--9703100229 Informs that NOV issued on 951030 revised to reflect NRC reanalysis of info re util failure to assure compliance w/10CFR50.9 concerning accuracy of radiation survey records. Revised NOV encl.
CALLAN,L.J. Region 4 (Post 820201). EA-95-110. 96/04/02. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 92038:356-92038:359.

--9703100235 Revised NOV from insp rept 50-267/94-03.Violation noted: numerous required records of radiation surveys were created which were not complete & accurate.
* Region 4 (Post 820201). EA-95-110. 96/04/02. 1p. 92038:360-92038:360.

--9703100238 Revised NOV from insp rept 50-267/94-03.Violation noted: contractor to licensee submitted inaccurate radiation surveys.
* Region 4 (Post 820201). EA-95-164. 96/04/02. 1p. 92038:355-92038:355.

--9703100242 Informs that NRC will be withdrawing NOV dtd 951030,based on reevaluation of evidence provided & response to NOV dtd 951112.
CALLAN,L.J. Region 4 (Post 820201). IA-95-046. 96/04/02. ZAHRT,K. Affiliation Not Assigned. 3pp. 92039:001-92039:003.

9703110190 Final response to FOIA request for documents.Records subj to request identified in App C & encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/07. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 1p. 92109:136-92109:145.

--9703110196 Forwards summay of NRC 970131 Maint Rule exit meeting.
SOBOTKA,J.E. NRC - No Detailed Affiliation Given. 97/01/31. AGAZIO,A.D. NRC - No Detailed Affiliation Given. 4pp. 92109:142-92109:145.

9703110250 Final response to FOIA request for documents.No agency records subject to request have been located & no fee assessed for processing since minimal fee limit has not been exceeded.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/07. FELTON,J.M. Nuclear Licensing Reports. 1p. 92109:134-92109:135.

--9703110252 FOIA request for documents re individuals recommended to White House Ofc of Presidential Personnel to replace Commissioner Rogers.
FELTON,J.M. Nuclear Licensing Reports. 97/02/11. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92109:135-92109:135.

9703120081 Fifteenth partial response to FOIA request for records. App Y records encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/06. BINDER,N.S. Debevoise & Plimpton. 7pp. 92221:001-92228:324.

--9308260056 Informs that plant would fit best into schedule outlined at previous meeting re site visit for Prime Minister Chernomyrdin.
STOIBER,C. Office of International Programs (Post 911117). 93/08/10. POTTS,C. 12pp. 92227:295-92227:306.

--9602140106 Forwards agenda for 960122 IPE Senior Review Board meeting re contractor-developed requests for addl info for plants.
HODGES,M.W. Division of Systems Technology (Post 941217). 95/12/21. MARTIN,T.T. Region 1 (Post 820201). 2pp. 92228:017-92228:018.

--9606040260 Requests for assistance in addressing issues re plant emergency diesel generator fuel oil transfer sys leak isolation & using operation action in place of automatic action.
MERSCHOFF,E.W. . 95/08/28. ZWOLINSKI,J.A. . 15pp. 92222:278-92222:319.

--9703120147 "Plant Information Book,Vol 1-Emergeny Response,Units 1 & 2."
* Commissioners (Post 750119). 92/07/24. 400pp. 92221:009-92222:057

--9703120161 "Plant Status Rept for St Lucie."
* Region 2 (Post 820201). 94/06/30. 38pp. 92222:058-92222:095.

--**9703120173** Discusses two unresolved items pending TSs interpretations re insp repts 50-335/94-09 & 50-389/94-09.
BOGER,B.A. Region 2 (Post 820201). 94/03/19. LAINAS,G.C. Region 2 (Post 820201). 5pp. 92222:096-92222:109.

--**9703120176** "Plant Status Rept for St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 95/09/30. 48pp. 92222:320-92223:003.

--**9703120188** "Plant Status Rept,St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 96/02/29. 49pp. 92225:287-92225:335.

--**9703120193** Provides summary of discussion & staff actions re 950921 plant performance review.*List of participants,changes to MIP & matrix trend charts encl.*
LANDIS,K.D. Region 2 (Post 820201). 95/10/10. MERSCHOFF,E.W. Region 2 (Post 820201). 25pp. 92223:004-92223:028.

--**9703120194** Informs that staff believes that NRC interpretation of term "directly supervised" counterproductive.
UHRIG,R.E. Florida Power & Light Co. L-81-415. 81/09/22. O'REILLY,J.P. Region 2, Ofc of the Director (810301-820201). 2pp. 92222:110-92222:115.

--**9703120197** "Plant Status Rept,Turkey Point."
* Region 2 (Post 820201). 96/02/29. 32pp. 92225:336-92226:084.

--**9703120218** "Plant Status Rept,Crystal River,Unit 3."
* Region 2 (Post 820201). 96/02/29. 63pp. 92226:085-92226:229.

--**9703120351** Forwards St Lucie Cycle 11 SALP Input Feeder Form M/S for review & requests outline rept by 960109.
LANDIS,K.D. Region 2 (Post 820201). 95/12/22. MERSCHOFF,E.W. Region 2 (Post 820201). 3pp. 92223:029-92223:031.

--**9703120360** Forwards St Lucie Cycle 11 SALP Input Feeder Form M/S.
HALLSTROM,G.A. Region 2 (Post 820201). 95/12/15. LANDIS,K.D. Region 2 (Post 820201). 47pp. 92223:032-92223:077.

--**9703120371** "Plant Status Rept for St Lucie."
* Commissioners (Post 750119). 94/10/31. 175pp. 92222:116-92222:277.

--**9703120385** "St Lucie SALP for 940102-960106,SALP Board Meeting 960118."
* NRC - No Detailed Affiliation Given. 96/01/18. 245pp. 92223:078-92224:165.

--**9703120429** "Status Rept for St Lucie,Units 1 & 2."
* Region 2 (Post 820201). 96/02/28. 46pp. 92224:166-92225:286.

--**9703130043** "Plant Status Rept."
* Region 2 (Post 820201). 96/08/31. 200pp. 92226:296-92227:139.

--**9703130048** Submits list of barriers which failed during St Lucie PIG inoperability.
LONG,R. NRC - No Detailed Affiliation Given. EA-96-127. 96/04/10. LANDIS,K., MILLER,M. NRC - No Detailed Affiliation Given. 1p. 92226:230-92226:230.

--**9703130051** Morning rept 2-96-0035:licensee announced on 960417 that A Stall will join util as site Vice President at plant effective 960513.
LEA,E. Region 2 (Post 820201). 96/04/24. 1p. 92227:140-92227:140.

--**9703130056** Morning rept 2-96-0031:licensee announced that,effective 960415,D Sager was no longer w/util.B Acosta was named Acting Head of Nuclear Assurance.
LANDIS,K., MILLER,M., MELLEN,L. Region 2 (Post 820201). 96/04/17. 1p. 92227:141-92227:141.

--**9703130065** *Morning rept 2-96-0003:on 960109 licensee announced reassignment of* DA Sager to position of Vice President of Nuclear Assurance due to retirement of JE Gieger.
LANDIS,K., MILLER,M. Region 2 (Post 820201). 96/01/10. 1p. 92227:142-92227:142.

--**9703130067** Forwards matrix of major work activities & significant mods to be accomplished during refueling outage at plant,Unit 1. Unit scheduled to restart on 960609.
LANDIS,K.D. . 96/04/11. MERSCHOFF,E.W., GIBSON,A.F., IMBRO,E. . 11pp. 92226:231-92226:241.

--**9703130093** Morning rept 2-95-0092:licensee announced,Nov 2,layoffs of 25 employees at plants in Fort Pierce,FL & Nov 1 of 40 employees at plants in Florida City,FL & corporate headquarters.
SCHIN,R. Region 2 (Post 820201). 95/11/03. 1p. 92227:143-92227:143.

--**9703130149** Morning rept 2-95-0072:D Sager announced listed mgt changes to be effective 950822.
SCHIN,R. Region 2 (Post 820201). 95/08/23. 1p. 92227:144-92227:144.

--**9703130157** Morning rept 2-95-0004:licensee President S Frank resigned on 950104 & J Broadhead will assume Frank duties on iterim basis.
LANDIS,K. Region 2 (Post 820201). 95/01/05. 1p. 92227:145-92227:145.

--**9703130161** Morning rept 2-94-0073:plants announced that listed orgainzation changes will become effective 940901.
SCHIN,R. Region 2 (Post 820201). 94/08/08. 1p. 92227:146-92227:146.

--**9703130167** Morning rept 2-93-0106:licensee continues w/corporate cost reduction program,including Nuclear Div.Staffing reductions being announced effective 931001.
LANDIS,K.D. Region 2 (Post 820201). 93/10/01. 1p. 92227:147-92227:147.

--**9703130170** Forwards schedule for activities at plant for next few months.
MILLER,M. Region 2 (Post 820201). 96/10/31. JULIAN,C. Region 2 (Post 820201). 9pp. 92227:307-92227:315.

--**9703130171** Morning rept 2-93-0096:mgt changes have been announced affecting licensee organization & plant site,effective 931001.
LANDIS,K. Region 2 (Post 820201). 93/09/20. 1p. 92227:148-92227:168.

--**9703130187** Submits rept from K Clark re plant Special Insp Team News Conference.
HANNAH,R. NRC - No Detailed Affiliation Given. 96/08/23. EBNETER,S.D., LANDIS,K.D. NRC - *No Detailed Affiliation Given.* 3pp. 92227:169-92227:205.

--**9703130188** Forwards allegation evaluation rept RII-95-A-0065 re management communication & configuration control.
LANDIS,K.D. Region 2 (Post 820201). RII-95-A-0065. 96/07/01. DE MIRANDA,O. Region 2 (Post 820201). 20pp. 92226:242-92226:267.

--**9703130192** Forwards matrix containing status of significant issues identified from recent refueling outage at plant Unit 1.
LANDIS,K.D. Region 2 (Post 820201). 96/07/19. JOHNSON,J.R. Region 2 (Post 820201). 3pp. 92226:268-92226:270.

--**9703130195** Forwards allegation evaluation rept RII-96-A-0056,which summarizes findings & insp results re personnel executed switching order & manipulated equipment w/o knowledge of control room personnel.
LANDIS,K.D. Region 2 (Post 820201). 96/08/06. DE MIRANDA,O. Region 2 (Post 820201). 6pp. 92226:271-92226:276.

--**9703130196** Responds to D Herubin column on 960205 which made reference to telcon w/D Weimer during which cartoon character Homer Simpson was discussed before answering questions related to events at plant.
CLARK,K. Region 2 (Post 820201). 96/02/05. Affiliation Not Assigned. 4pp. 92227:206-92227:209.

--**9703130201** Informs that violation withdrawn re licensee use of CCW/ICW (svc water) in Mode 5 at plant.
MILLER,M. Region 2 (Post 820201). 96/10/31. GILLESPIE,F. . 1p. 92227:316-92227:316.

--**9703130202** Forwards Allegation Evaluation Rept which summarizes review & independent insp of failure to adhere to administrative steps in closure of plant action requests when licensee rushed corrective action program change.W/o insp repts.
LANDIS,K.D. . 96/09/14. MCNULTY,W.J. Ofc of Investigations (Post 880201). DE MIRANDA,O. Region 2 (Post 820201). 4pp. 92227:210-92227:213.

--**9703130209** Forwards Allegation Evaluation Rept *RII-96-A-0129,which* summarized findings of review & independent insp re maint manager unprofessionalism & violation of freeze seal procedure.W/o insp repts 50-335/96-11 & 50-389/96-11.
LANDIS,K.D. . RII-96-A-0129. 96/09/14. DE MIRANDA,O. Region 2 (Post 820201). 10pp. 92227:214-92227:223.

--**9703130211** Requests that all managers & inspectors assigned to plant read self-assessment,for period Jan 1994 & May 1996 & provide brief written assessment of *areas responsible for.*
EBNETER,S.D. Region 2 (Post 820201). 96/10/08. JOHNSON,J., GIBSON,A. Region 2 (Post 820201). 1p. 92227:224-92227:243.

--**9703130213** Forwards answers to RA questions re plant self assessment.
MILLER,M. Region 2 (Post 820201). 96/10/24. LANDIS,K.D., NINH,S.O. Region 2 (Post 820201). 4pp. 92227:244-92227:247.

--**9703130214** *Forwards allegation rept RII-96-A-0120 which summarizes findings of* alleged safety problems due to down-sizing.
LANDIS,K.D. Region 2 (Post 820201). RII-96-A-0120. 96/08/17. DE MIRANDA,O. Region 2 (Post 820201). 16pp. 92226:277-92226:295.

--**9703130215** Discusses criticality monitoring ltr & requests response to listed question.
MILLER,M. Region 2 (Post 820201). 96/10/31. JULIAN,C. Region 2 (Post 820201). 2pp. 92227:317-92227:318.

--**9703130218** Forwards document re plant large break LOCA issues.
MILLER,M. Region 2 (Post 820201). 96/10/24. LANDIS,K.D., MELLEN,L.S. Region 2 (Post 820201). 4pp. 92227:248-92227:251.

--**9703130219** Forwards updated schedule for St Lucie FY1.
MILLER,M. Region 2 (Post 820201). 96/11/13. JULIAN,C., NINH,S. Region 2 (Post 820201). 8pp. 92227:319-92227:326.

--**9703130230** Forwards info re plant large break LOCA issue.
MILLER,M. Region 2 (Post 820201). 96/10/24. RAPP,C.W. Region 2 (Post 820201). 4pp. 92227:252-92227:255.

--**9703130231** Forwards file submitted to Kerry on 961024 re PIM-like summary of events from 92-93.
MILLER,M. Region 2 (Post 820201). 96/11/14. JULIAN,C. Region 2 (Post 820201). 9pp. 92227:327-92227:335.

--**9703130234** Forwards draft insp repts 50-335/95-15 & 50-389/95-15 on 960907-1012.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D., NINH,S.O. Region 2 (Post 820201). 29pp. 92227:256-92227:284.

--**9703130236** Replies to news summary re escalated enforcement for plant on 961025.
MILLER,M. Region 2 (Post 820201). 96/10/28. HANNAH,R.D. Region 2 (Post 820201). 1p. 92227:285-92227:285.

--**9703130237** Forwards plant calendar update.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D. Region 2 (Post 820201). 7pp. 92227:286-92227:292.

--**9703130238** Forwards util response to violations noted in insp repts 50-335/96-12 & 50-389/96-12 re inconsistencies between NRC position,in response to TIA 95-013 & NRC Insp Manual Chapter,Part 9900 Interim Guidance on 10CFR50.59
MERSCHOFF,E.W. Region 2 (Post 820201). 96/11/14. ZIMMERMAN,R.P. . 1p. 92227:336-92227:348.

--**9703130241** Discusses plant NI EAW.
MILLER,M. Region 2 (Post 820201). 96/10/28. LANDIS,K.D. Region 2 (Post 820201). 1p. 92227:293-92227:293.

--**9703130245** Informs that T Plunkett scheduled for drop in visit w/ Commissioners Diaz,Dicus & Chairman Jackson on Nov 21. Review,changes & comments on briefing paper prepared for visit,requested.W/o briefing paper.
WIENS,L. . 96/11/01. LANDIS,K.D. Region 2 (Post 820201). 1p. 92227:294-92227:294.

--**9703130254** Provides list of corrective actions that have been rolled into Speakout Program.
MILLER,M. Region 2 (Post 820201). 96/11/15. JULIAN,C. Region 2 (Post 820201). 1p. 92227:349-92227:349.

--**9703130257** Informs that info notice on operator activities affecting reactivity forwarded.
MILLER,M. Region 2 (Post 820201). 96/11/21. SANDIN,S. NRC - No Detailed Affiliation Given. 1p. 92227:350-92227:350.

-9703130258 Informs that draft IN on operator activities affecting reactivity being distributed.
KOENICK,S. . 96/11/19. DICK,G., WIENSM,L. . LANDIS,K. Region 2 (Post 820201). 1p. 92227:351-92227:351.

-9703130262 Informs of no negative response on CERG proposal & propose first conf call on 961209.
MILLER,M. Region 2 (Post 820201). 96/11/15. NRC - No Detailed Affiliation Given. 1p. 92227:352-92227:352.

-9703130267 Informs that no negative responses received on CERG proposal.Positive responses listed.
MILLER,M. Region 2 (Post 820201). 96/11/16. KELLER,L. Region 2 (Post 820201). 1p. 92227:353-92227:353.

-9703130270 Forwards EOF Dose Assessor received via internet.
MILLER,M. Region 2 (Post 820201). 96/11/18. DE MIRANDA,O. Region 2 (Post 820201). 1p. 92227:354-92227:354.

-9703130276 Confirms that listed individuals will be added to pool for EOF Dose Assessor,per 961107 ERO Roster Meeting.
MILLER,M. Region 2 (Post 820201). 96/11/15. NRC - No Detailed Affiliation Given. 2pp. 92227:355-92227:356.

-9703130281 Forwards background info on St Lucie Nuclear Instrumentation Insp.
MILLER,M. Region 2 (Post 820201). 96/11/18. TRIPP,A. Region 2 (Post 820201). 10pp. 92227:357-92228:006.

-9703130285 Forwards background info on St Lucie Nuclear Instumentation Insp.
MILLER,M. Region 2 (Post 820201). 96/11/18. CASTO,C. Region 2 (Post 820201). 10pp. 92228:007-92228:016.

-9703130298 Requests info re Sheron St Lucie visit.Info requested by 961120.
MILLER,M. Region 2 (Post 820201). 96/11/19. WIENS,L. . 183pp. 92228:019-92228:203.

-9703130378 Forwards SALP Input Feeder Info at St Lucie facility from 940102-960106 & requests that technical staff complete review by 951222.
LANDIS,K.D. Region 2 (Post 820201). 97/03/06. MERSCHOFF,E.W. Region 2 (Post 820201). 123pp. 92228:204-92228:324.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9301060292 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 921217 request re rev to TS 3.3.3.2 by changing operability requirements.
NORRIS,J.A. Project Directorate II-2. TAC M85225. 93/01/04. NRC - No Detailed Affiliation Given. 3pp. 92284:026-92284:028.

-9302010316 Discusses technical assistance request in resolving need & means of continuous core reactivity monitoring for C-E reactors,per E Merschoff 921022 request.No action required to change either current or improved STS.
JONES,R. Reactor Systems Branch. TAC M84757. 93/01/22. BERKOW,H. Project Directorate II-2. 3pp. 92284:035-92284:037.

-9302030169 Notification of 930304 meeting w/licensee in Rockville,MD to discuss current issues at plant.
NORRIS,J.A. Project Directorate II-2. 93/01/28. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:038-92284:040.

-9302100463 Forwards Safety Evaluation re removal of autoclosure interlock for shutdown cooling sys section values.Changes acceptable.
JONES,R.C. Reactor Systems Branch. TAC M84541. 93/02/02. BERKOW,H. Project Directorate II-2. 1p. 92284:041-92284:041.

-9302110121 Requests that FOIA-93-047 request be disposed of by sending existing documents identifying reactors in FL regulated by NRR.
BERKOW,H.N. Project Directorate II-2. 93/02/03. MULLIN,J. Program Management, Policy Development & Analysis Staff (Post 870411). 1p. 92284:049-92284:049.

-9302110151 Responds to 921022 request for technical assistance in resolving need for & means of continuous core reactivity monitoring for facility.Informs that no action required to change facility current or improved STS.
LAINAS,G.C. Assistant Director for Region II Reactors. TAC M84757. 93/02/04. MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 92284:050-92284:051.

-9302190296 Confirms temporary waiver of compliance granted per 930212 request re relief from TS 4.6.1.1.a.1, "Containment Vessel Integrity." TS requires vessel integrity be demonstrated once every 31 days by verifying vessel penetrations.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/02/16. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:052-92284:054.

-9302240199 Informs that util withdrew request to grant proprietary status to util response to NRC request for addl info re resolution of USI A-46.
BERKOW,H.N. Project Directorate II-2. GL-87-02. 93/02/22. BAGCHI,G. Civil Engineering & Geosciences Branch. 2pp. 92284:055-92284:058.

-9302240231 Informs of no rational basis for withholding info submitted by licensee for resolution of USI A-46,from public disclosure.
BAGCHI,G. Civil Engineering & Geosciences Branch. 93/01/14. BERKOW,H. Project Directorate II-2. 1p. 92284:057-92284:058.

-9302260287 Requests FR publication of notice of issuance of Amend 119 to License DPR-67.Amend excludes penetrations inside containment from SR of TS 4.6.1.1.a.1 for balance of Fuel Cycle 11.
NORRIS,J.A. Project Directorate II-2. TAC M85791. 93/02/23. NRC - No Detailed Affiliation Given. 2pp. 92284:068-92284:069.

-9303030437 Forwards AEOD input to briefing package for Chairman Selin visit to plant on 930315.Input consists of summary analysis of recent operational experience.
NOVAK,T.M. Division of Safety Programs (Post 870413). 93/02/26. MERSCHOFF,E.W. Region 2 (Post 820201). 8pp. 92287:077-92287:084.

-9303100026 Notification of 930406 meeting w/util in Rockville,MD to discuss current issues at plants.
NORRIS,J.A. Project Directorate II-2. 93/03/03. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:070-92284:072.

-9303100136 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on request re GL 89-01 & NUREG-1301 re ODCM.
NORRIS,J.A. Project Directorate II-2. TAC M85766. 93/03/05. NRC - No Detailed Affiliation Given. 3pp. 92284:079-92284:081.

-9303100151 Forwards SE granting request for proposed elmination of dynamic effects associated w/high energy pipe rupture in RCS piping from licensing & design bases by application of leak-before-break technology.Use should begin in 1993.
NORRIS,J.A. Project Directorate II-2. TAC M84560. 93/03/05. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:073-92284:075.

-9303110081 Provides guidance for staff review of responses to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
MASCIANTONIO,A. Project Directorate III-1. GL-92-08. 93/02/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 92284:059-92284:067.

-9303150199 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 930304 request re excluding penetrations inside containment from 31-day SR.
NORRIS,J.A. Project Directorate II-2. TAC M85926. 93/03/10. NRC - No Detailed Affiliation Given. 3pp. 92284:082-92284:084.

-9303230269 Notification of 930331 meeting w/util in Rockville,MD to discuss status of active licensing actions.
NORRIS,J.A. Project Directorate II-2. 93/03/18. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:085-92284:087.

-9303240268 Requests FR publication of notice of issuance of amend 120 to license DPR-67.Amend revises TS 4.5.2.d.1 to delete requirements to verify operability of autoclosure interlock for shutdown cooling sys closure interlock.
NORRIS,J.A. Project Directorate II-2. TAC M84752. 93/03/18. NRC - No Detailed Affiliation Given. 1p. 92284:088-92284:088.

-9303310194 Forwards SE accepting util 921130 proposed changes to TS tables 3.3-3,3.3-4 & 4.3-2,which would allow change to setpoints for emergency bus undervoltage protection scheme during both accident & non-accident conditions.
BERLINGER,C.H. Electrical Engineering Branch. TAC M85122. 93/03/24. BERKOW,H.N. Project Directorate II-2. 1p. 92284:089-92284:089.

-9304080073 Discusses 930331 meeting w/util in Rockville,MD re status of all active license.
NORRIS,J.A. Project Directorate II-2. 93/04/06. Project Directorate II-2. 2pp. 92284:099-92284:100.

-9304080293 Concludes that Region II plants have or are taking appropriate actions to remove requirements for alternate train testing from TS.
LAINAS,G.C. Assistant Director for Region II Reactors. 93/03/31. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 92284:096-92284:098.

-9304120308 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 930319 request to reduce RCS design flowrate.
NORRIS,J.A. Project Directorate II-2. TAC M86064. 93/04/06. NRC - No Detailed Affiliation Given. 4pp. 92284:101-92284:104.

-9304190166 Summary of 930406 meeting w/util in Rockville,MD re three issues involving seismic qualification of electrical & mechanical equipment at plant.List of attendees encl.
NORRIS,J.A. Project Directorate II-2. GL-87-02. 93/04/12. Project Directorate II-2. 4pp. 92284:105-92284:108.

-9304220313 Requests FR publication of notice of issuance of amend 121 to license DPR-67.Amend revises TS Tables 3.3-3,3.3-4 & 4.3-2 re Emergency Bus Undervoltage Protection Devices & permits improvements to be made in relaying scheme.
NORRIS,J.A. Project Directorate II-2. TAC M85122. 93/04/14. NRC - No Detailed Affiliation Given. 2pp. 92284:109-92284:110.

-9304260066 Forwards FR notice of withdrawal of 921217 application for amend to License DPR-67,allowing certain monitoring functions to be performed w/reduced number of operable in-core detector locations.Request withdrawn via 930331 ltr.
NORRIS,J.A. Project Directorate II-2. TAC M85225. 93/04/20. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:111-92284:114.

-9304290093 Informs that NRC currently performing evaluation of licensee implementation program for resolving USI A-46 as delineated in GL 87-02.Attachment 1 provides background info & request for addl info.
NORBERG,J.A. Mechanical Engineering Branch. GL-87-02. 93/04/26. BERKOW,H.N. Project Directorate II-2. 9pp. 92284:115-92284:123.

-9305060275 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 930304 request to exclude penetrations inside containment from TS.
NORRIS,J.A. Project Directorate II-2. TAC M85926. 93/05/03. NRC - No Detailed Affiliation Given. 2pp. 92284:124-92284:125.

-9305270264 Informs of 930504 pump shutdown due to signs of pump distress because of heat damage to pump bearing housing during midloop operation.
DESAI,K. Reactor Systems Branch. 93/05/18. JONES,R.C. Reactor Systems Branch. 1p. 92284:126-92284:126.

-9306070197 Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & NPF-16 proposed NSHC determination & opportunity for hearing on 930520 request re changing surveillance interval for performing flow test.
NORRIS,J.A. Project Directorate II-2. TAC M86455. 93/05/26. NRC - No Detailed Affiliation Given. 3pp. 92284:127-92284:129.

-9306110282 Summary of 930602 meeting w/util re merits of biometric access control sys that util desires to use at plants.List of attendees & meeting handouts encl.
RAGHAVAN,L. Project Directorate II-2. 93/06/04. Project Directorate II-2. 30pp. 92284:130-92284:160.

-9306290243 Summary of 930610 meeting w/util in Juno Beach,FL re technical & mgt/administrative issues of common interest to facilities.
NORRIS,J.A. Project Directorate II-2. 93/06/22. Project Directorate II-2. 53pp. 92284:161-92284:213.

--**9307080320** Forwards safety evaluation supporting C-E Owners Group Rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation."
NORRIS,J.A. Project Directorate II-2. IEB-88-011. 93/06/29. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:214-92284:216.

--**9307090256** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 930621 request re changes to TSs Section 6.0.
NORRIS,J.A. Project Directorate II-2. 93/07/02. NRC - No Detailed Affiliation Given. 3pp. 92284:221-92284:223.

--**9307130155** Informs that some licensees experienced problems w/Merlin Gerin software.Licensees instructed to avoid using ADS & software error corrected soon after initial licensee rept of difficulty.
CUNNINGHAM,L.J. Radiation Protection Branch. 93/07/07. COOPER,R.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). NORELIUS,C.E. Region 3 (Post 820201). 2pp. 92284:224-92284:225.

--**9307190047** Discusses 930202 ltr re anomalies identified in NRC SE re relief requests for plant inservice testing program for pumps & valves.Safety evaluation & SALP input encl.
NORBERG,J.A. Mechanical Engineering Branch. TAC M86317. 93/07/08. NORRIS,J.A. Project Directorate II-2. 1p. 92284:226-92284:226.

--**9308190332** Forwards util 930721 facsimile clarifying info re generic issues 70 & 94,per telcon.
NORRIS,J.A. Project Directorate II-2. TAC M77382. 93/08/03. Project Directorate II-2. 4pp. 92284:239-92284:242.

--**9308230237** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 930723 request re new stds for protection against radiation.
NORRIS,J.A. Project Directorate II-2. TAC M87159. 93/08/16. NRC - No Detailed Affiliation Given. 3pp. 92284:251-92284:253.

--**9308260110** Forwards SE accepting licensee 901220,911206,920511 & 1009 responses to GL 90-06, "Power Operated Relief Valves & Block Valves Relievability & Addl Low Temp Overpressure Protection for Light Water Reactors."
JONES,R.C. Reactor Systems Branch. TAC M77382. 93/08/09. BERKOW,H.N. Project Directorate II-2. 1p. 92284:243-92284:243.

--**9309080348** Forwards safety evaluation & technical evaluation rept granting relief or authorizing alternatives in TER,from inservice testing program requirements for pumps & valves.
BERKOW,H.N. Project Directorate II-2. TAC M84563. 93/08/23. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:254-92284:256.

--**9309090092** Forwards safety evaluation accepting util 930122 proposed changes to TS to implement guidance in GL 89-01.
CUNNINGHAM,L.J. Radiation Protection Branch. GL-89-10. 93/08/25. BERKOW,H.N. Project Directorate II-2. 1p. 92284:263-92284:263.

--**9309150344** Requests addl info re PWR plants under PD II-2 re response to GL 92-01,rev 1.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. TAC M83731. 93/07/19. BERKOW,H.N. Project Directorate I-2. 6pp. 92284:233-92284:238.

--**9310040329** Forwards SE accepting util 930723 application for proposed TS changes concurrent plan to implement revised 10CFR20, "Stds for Protection Against Radiation."
CUNNINGHAM,L.J. Radiation Protection Branch. TAC M87159. 93/09/28. BERKOW,H.N. Project Directorate II-2. 1p. 92284:281-92284:281.

--**9310130445** Forwards safety evaluation granting relief from ASME Code Section XI requirements re repair of ASME Class 1,2 or 3 structures,per 10CFR50.55a(g)(6)(i).SALP input encl.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. TAC M87217. 93/10/04. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:287-92284:289.

--**9310150115** Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 930923 request re changes made to TS 6.2.3.
NORRIS,J.A. Project Directorate II-2. TAC M87842. 93/10/12. NRC - No Detailed Affiliation Given. 3pp. 92284:295-92284:297.

--**9311050142** Requests FR publication of notice of issuance of amends 123 & 61 to licenses DPR-67 & NPF-16,respectively.Amends relocate RETS to ODCM or process control sys.
NORRIS,J.A. Project Directorate II-2. TAC M85766. 93/10/27. NRC - No Detailed Affiliation Given. 2pp. 92284:298-92284:299.

--**9311120155** Advises of 931013 exemption request by util from certain requirements of 10CFR73.55(d)(5) & forwards util 931013 ltr requesting exemption.Encl withheld.
RAGHAVAN,L. Project Directorate II-2. TAC M87316. 93/11/05. PASSETTI,B. Florida, State of. 3pp. 92284:300-92284:302.

--**9311180111** Requests FR publication of notice of issuance of amends 124 & 62 to licenses DPR-67 & NPF-16.Amends change surveillance interval specified for performing air or smoke flow test through containment spray headers from 5 to 10 yrs.
NORRIS,J.A. Project Directorate II-2. TAC M86455. 93/11/08. NRC - No Detailed Affiliation Given. 2pp. 92284:303-92284:304.

--**9312010312** Forwards EA & FONSI on util 931013 & 1102 ltrs requesting exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for contractors granted unescorted access to protected areas of site.
NORRIS,J.A., RAGHAVAN,L. Project Directorate II-2. TAC M87316. 93/11/17. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:305-92284:311.

--**9312130330** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 931025 request re dune & mangrove surveys from TSs.
NORRIS,J.A. Project Directorate II-2. TAC M88319. 93/12/03. NRC - No Detailed Affiliation Given. 3pp. 92284:312-92284:314.

--**9312140352** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 931026 request to change TS 4.6.1.2.a consistent w/NUREG-1432.
NORRIS,J.A. Project Directorate II-2. TAC M88317. 93/12/03. NRC - No Detailed Affiliation Given. 4pp. 92284:315-92284:318.

--**9312230125** Forwards November 1993 monthly rept to provide expeditious dissemination of 10CFR21 matters.
NORRIS,J.A. Project Directorate II-2. 93/12/16. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:319-92284:324.

--**9312270078** Requests FR publication of notice of issuance of amends 125 & 63 to licenses DPR-67 & NPF-16.Amends necessary to implement new Standards for Protection Against Radiation (10CFR20).
NORRIS,J.A. Project Directorate II-2. TAC M87159. 93/12/16. NRC - No Detailed Affiliation Given. 1p. 92284:325-92284:325.

--**9312290116** Discusses recent Director's highlight on facility low power operation to stretch fuel to next refueling outage scheduled for Feb 1994.Licensee has not been entering TS LCOs & has limited such work only to secondary sys.
BERKOW,H.N. Project Directorate II-2. 93/12/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 92284:326-92284:326.

--**9401040006** Summary of 931216 meeting w/Div of Engineering,Div of Reactor Controls & Human Factors & Project Directorate II-2 re appropriateness of reduced USI A-46 program scope for affected plants owned by FPL & FPC.
NORBERG,J.A. Mechanical Engineering Branch. 93/12/22. BERKOW,H.N. Project Directorate II-2. 7pp. 92284:327-92284:333.

--**9401100185** Submits Individual Plant Exam in accordance w/GL 88-20, "Individual Plant Exam for Service Accident Vulnerabilities - 10CFR50.54(f)" & NUREG-1335, "IPE Guidance."
NORRIS,J.A. Project Directorate II-2. TAC M74474. 94/01/04. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:334-92284:336.

--**9401130063** Informs that public meeting will be held on 940202 & 03 to discuss proposed generic ltr suppl & draft NUREG-1482 re guidance on developing acceptable inservice testing program.
NORRIS,J.A. Project Directorate II-2. GL-89-04. 94/01/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:337-92284:339.

--**9401240294** Forwards safety evaluation re util 930823 request for TS change re deletion of movable incore detector option from TS.Proposed change acceptable.
JONES,R.C. Reactor Systems Branch. TAC M87723. 94/01/12. BERKOW,H.N. Project Directorate II-2. 5pp. 92284:340-92284:340.

--**9402140125** Informs that changes submitted in Rev 7,for plants are consistent w/provisions of 10CFR50.54 & are acceptable for including in respective security plan,in response to 931203 ltr.
RAGHAVAN,L. Project Directorate II-2. 94/02/01. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92284:345-92284:346.

--**9402140278** Forwards SE re updated methodology for statistical combination of uncertainties.Methodology acceptable for application to Unit 2 when C-E 16x16 fuel assemblies utilized.
JONES,R.C. Reactor Systems Branch. TAC M87722. 94/02/08. BERKOW,H.N. Project Directorate II-2. 5pp. 92284:029-92284:033.

--**9402150061** Requests FR publication of notice of issuance of amend 64 to license DPR-67.Amend deletes option of using movable incore detector to determine incore instrumentation sys operability from provisions of TS 3.3.3.2.
NORRIS,J.A. Project Directorate II-2. TAC M87723. 94/02/08. NRC - No Detailed Affiliation Given. 1p. 92284:034-92284:034.

--**9402150403** Forwards SE granting interim relief requests for pumps & valves.
NORBERG,J.A. Mechanical Engineering Branch. TAC M87207. 94/02/07. NORRIS,J.A. Project Directorate II-2. 2pp. 92284:347-92284:348.

--**9403070236** Advises that util will conduct investigation into allegation RII-94-A-0035 through Nuclear Safety SPEAKOUT Program & results will be forwarded by 940404.
GEIGER,J.E. Florida Power & Light Co. L-94-43. 94/02/22. Document Control Branch (Document Control Desk). 1p. 92285:085-92285:085.

--**9403090342** Requests FR publication of notice of issuance of amends 126 & 65 to licenses DPR-67 & NPF-16,respectively.Amends change TS section 6.0, "Administrative Controls."
NORRIS,J.A. Project Directorate II-2. TAC M86952. 94/03/02. NRC - No Detailed Affiliation Given. 2pp. 92285:086-92285:087.

--**9403150232** Discusses site access & dosimetry requirements for NRC inspectors.
STOHR,J.P. Region 2 (Post 820201). 94/02/11. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 92285:081-92285:084.

--**9403160108** Forwards safety evaluation of request to use alternative materials re fabrication & installation of replacement steam generators.
STROSNIDER,J. Materials & Chemical Engineering Branch. TAC M88439. 94/03/09. BERKOW,H.N. Project Directorate II-2. 1p. 92285:106-92285:106.

--**9403240033** Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 940222 request re mod of min stored borated water inventory requirements.
NORRIS,J.A. Project Directorate II-2. TAC M88976. 94/03/17. NRC - No Detailed Affiliation Given. 3pp. 92285:107-92285:109.

--**9403290072** Forwards safety evaluation re licensee response to GL 89-19 concerning steam generator overfill protection (A-47).Plant provides acceptable automatic steam generator overfill protection sys.SALP input also encl.
WERMIEL,J.S. Instrumentation & Controls Branch. GL-89-19. 94/03/24. BERKOW,H.N. Project Directorate II-2. 2pp. 92285:116-92285:117.

--**9403290318** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940222 request to relocate instrument response time limits.
NORRIS,J.A. Project Directorate II-2. TAC M88974. 94/03/22. NRC - No Detailed Affiliation Given. 3pp. 92285:110-92285:112.

--**9403300219** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & proposed NSHC determination & opportunity for hearing on 940228 request to delete minimum frequency criteria for QA audits.
NORRIS,J.A. Project Directorate II-2. TAC M88978. 94/03/22. NRC - No Detailed Affiliation Given. 3pp. 92285:113-92285:115.

--**9404050193** Discusses review of flaw evaluation for instrument nozzle penetration in pressurizer.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 94/03/31. BERKOW,H.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 2pp. 92285:128-92285:129.

--**9404050251** Forwards SE re request to use alternative material for repair of pressurizer instrument nozzles.SALP input also encl.
STROSNIDER,J. Materials & Chemical Engineering Branch. TAC M89060. 94/03/29. BERKOW,H.N. Division of Reactor Projects - I/II (Post 870411). 1p. 92285:122-92285:122.

--**9404060048** Requests FR publication of notice of issuance of amends 127 & 66 to licenses DPR-67 & NPF-16.Amends change TS 4.6.1.2.a, "Containment Leakage Surveillance Requirements" to be consistent w/guidance of NUREG-1432.
NORRIS,J.A. Project Directorate II-2. TAC M88317. 94/03/30. NRC - No Detailed Affiliation Given. 2pp. 92285:126-92285:127.

--**9404070288** Discusses staff review of responses re accuracy of MOV diagnostic equipment & 930924 response to GL 89-10,Suppl 5. During future insp staff will discuss evaluation of MOVs setup w/TMD,schedule for retesting & MOVs setup using VOTES.
NORRIS,J.A. Project Directorate II-2. TAC M88005. 94/04/04. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:150-92285:152.

--**9404070312** Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification:Decrease of Heat Removal By Secondary Sys." Licensee has not justified steam generator nodalization for neither Turkey Point nor St Lucie.SALP input also encl.
COLLINS,T.E. Reactor Systems Branch. TAC M75082. 94/03/31. BERKOW,H.N. Division of Reactor Projects - I/II (Post 870411). 2pp. 92285:130-92285:149.

--**9404080233** Topical safety evaluation of NTH-TR-01, "Retran Model Qualification:Decrease of Heat Removal by Secondary Sys."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/03/31. 4pp. 92285:132-92285:149.

--**9404080234** ITS/NRC/93-10 "Technical Evaluation:Retran Model Qualification Decrease in Heat Removal by Secondary Sys NTH-TR-01."
* International Technical Services, Inc. NRC-03-90-027. FIN L-1318. 94/03/04. NRC - No Detailed Affiliation Given. 14pp. 92285:158-92285:170.

--**9404260378** Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification,Decrease in Heat Removal by Secondary Sys." Util has not justified steam generator nodalization for plants.
NORRIS,J.A. Project Directorate II-2. TAC M82874. 94/04/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:153-92285:157.

--**9404260382** SE of topical rept NTH-TR-01, "RETRAN Model Qualification, Decrease of Heat Removal by Secondary Sys." NRC discontinued review.
* Florida Power & Light Co. 94/04/19. 2pp. 92285:156-92285:170.

--**9406070239** Requests that encl list of questions re second 10-yr interval inservice insp program plan & associated requests for relief be forwarded to util for response within 60 days to meet NRC review schedule.
STROSNIDER,J. Materials & Chemical Engineering Branch. TAC M87208. 94/05/31. NORRIS,J.A. Project Directorate II-2. 7pp. 92285:172-92285:178.

--**9406210119** Lists IPEs being sent under separate cover for use in performing work on IPE Risk Insights program.
DROUIN,M.T. Severe Accident Issues Branch (880717-941217). FIN W-6188. 94/05/16. CAMP,A.L. Sandia National Laboratories. 1p. 92285:171-92285:171.

--**9406210325** Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 940523 request re rev to TS 3/4.7.1.1,turbine cycle,safety valves.
NORRIS,J.A. Project Directorate II-2. TAC M89642. 94/06/16. NRC - No Detailed Affiliation Given. 3pp. 92285:179-92285:181.

--**9406230100** Requests addl info identified in encl re St Lucie Unit 2 second 10-year ISI program.
NORRIS,J.A. Project Directorate II-2. TAC M87208. 94/06/17. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92285:182-92285:187.

--**9406280080** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940523 request re relocating seismic monitoring instrumentation.
NORRIS,J.A. Project Directorate II-2. 94/06/17. NRC - No Detailed Affiliation Given. 3pp. 92285:188-92285:190.

--**9406300280** Forwards safety evaluation granting relief to use proposed vibration monitoring equipment per 10CFR50.55a(f)(6)(i) based on impracticality of meeting code requirements due to slow speed design of charging pumps & vibration limitations.
WESSMAN,R.H. Mechanical Engineering Branch. TAC M88783. 94/06/27. NORRIS,J.A. Project Directorate II-2. 1p. 92285:191-92285:191.

--**9407200123** Requests FR publication of notice of issuance of amends 128 & 67 to licenses DPR-67 & NPF-16,respectively.Amends relocate instrument response time limits for RPS & ESFAS from TS to be USAR for both units.
NORRIS,J.A. Project Directorate II-2. TAC M88974. 94/07/12. Project Directorate II-2. 3pp. 92285:197-92285:199.

--**9408110167** Forwards SE re revised relief request containing addl info to support util proposed alternate method of testing.
NORRIS,J.A. Project Directorate II-2. TAC M88783. 94/08/05. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92285:200-92285:201.

--**9408120005** Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 940728 request to revise TS 3/4.4.13 to incorporate LTOP requirements.
NORRIS,J.A. Project Directorate II-2. GL-90-06. 94/08/05. NRC - No Detailed Affiliation Given. 4pp. 92287:073-92287:076.

--**9408150077** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 940725 request re amend revising various TS sections.
NORRIS,J.A. Project Directorate II-2. GL-93-05. 94/08/10. NRC - No Detailed Affiliation Given. 3pp. 92285:209-92285:211.

--**9408150172** Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 940725 request to upgrade TS 3/4.7.1.6 for MFL Isolation Valves.
NORRIS,J.A. Project Directorate II-2. 94/08/10. NRC - No Detailed Affiliation Given. 3pp. 92285:206-92285:208.

--**9408250207** Informs that review & approval by NRC of licensee 940715 ltr requesting approval of ASME Section IX Codes Cases 2142 & 2143 not required.
NORRIS,J.A. Project Directorate II-2. TAC M89954. 94/08/17. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 92285:212-92285:213.

--**9409120198** Requests that PM for each CE plant review licensee response to GL 89-19 to ensure that 901031 submittal applicable to plant & that licensee response addressed operator training procedures.SER,sample closeout & sample RAI ltrs encl.
JABBOUR,K.N. Project Directorate II-3. GL-89-19. 94/09/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:214-92285:215.

--**9409210126** Forwards SE which provides review of relief requests VR-29 & VR-30 included in inservice testing program for plant,Unit 1.
WESSMAN,R.H. Materials & Chemical Engineering Branch. TAC M88977. 94/09/16. NORRIS,J.A. Project Directorate II-2. 1p. 92285:225-92285:225.

--**9409220214** Requests assistance in addressing issues re plant,Units 1 & 2 refueling procedures per insp repts 50-335/94-09 & 50-389/94-09.
BOGER,B.A. Region 2 (Post 820201). 94/09/19. LAINAS,G.C. Division of Reactor Projects - I/II (Post 870411). 9pp. 92285:233-92285:253.

--**9410040303** Forwards SER accepting util response to NRC Bulletin 90-01, Suppl 1,for units 1 & 2.
CHIRAMAL,M. Instrumentation & Controls Branch. TAC M85446. 94/09/28. MCCREE,V.M. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:254-92285:255.

--**9410140177** Requests FR publication of notice of issuance of amend 129 to license DPR-67.Amend modifies min stored borated water inventory requirements for operational modes 1 through 4 by revising figure 1.3 & section 3.1.2.8 of TS.
NORRIS,J.A. Project Directorate II-2. TAC M88976. 94/10/04. NRC - No Detailed Affiliation Given. 2pp. 92285:277-92285:278.

--**9410180185** Forwards SE providing review of proposed change to plant TS for inservice testing of main steam safety valves.
WESSMAN,R.H. Mechanical Engineering Branch. TAC M89642. 94/10/14. MCCREE,V. Project Directorate II-2. 4pp. 92285:279-92285:282.

--**9411040241** Forwards human factors safety evaluation re refueling procedures for plant units 1 & 2.
ZWOLINSKI,J.A. Division of Reactor Projects - I/II (Post 870411). TAC M90425. 94/10/28. BOGER,B.A. Region 2 (Post 820201). 1p. 92285:285-92285:285.

--**9411090170** Requests FR publication of notice of issuance of amend 68 to license NPF-16.Amend revises TS 3/4.7.1.1 to delete specific reference to 1994 edition of ASME code.
NORRIS,J.A. Project Directorate II-2. TAC M89642. 94/11/01. NRC - No Detailed Affiliation Given. 1p. 92285:288-92285:288.

--**9411140047** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-87 & NPF-16 & proposed NSHC determination & opportunity for hearing on 941027 request to improve consistency throughout TS.
NORRIS,J.A. Project Directorate II-2. 94/11/03. NRC - No Detailed Affiliation Given. 3pp. 92285:289-92285:291.

--**9411220341** Submits licensee program to resolve safety issue A-46,which requires licensee to be able to bring plant to hot shutdown condition during first 72 h after SSE.
JONES,R.C. Reactor Systems Branch. TAC M69483. 94/11/16. MATTHEWS,D. Project Directorate II-3. 6pp. 92285:292-92285:297.

--**9411220419** Forwards SE accepting util 940319 proposed changes to TS re change in reduction of RCS design flow for plant.SALP input also encl.
JONES,R.C. Reactor Systems Branch. TAC M86064. 94/11/17. MCCREE,V.M. Project Directorate II-2. 1p. 92285:298-92285:298.

--**9411290098** Forwards SE accepting licensee 941116 ltr proposing alternative to ASME Code for repair of unit 1 refueling water tank bottom.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. TAC M90762. 94/11/22. MCCREE,V.M. Project Directorate II-2. 2pp. 92285:310-92285:311.

--**9412010048** Forwards SE of second 10-yr interval insp program plan associated request for relief 18 for plant.Alternative contained in request for relief 18 authorized.Part A of request denied.SALP input also encl.
STROSNIDER,J.R. Materials & Chemical Engineering Branch. 94/11/26. NORRIS,J.A. Project Directorate II-2. 2pp. 92285:318-92285:319.

--**9412010203** Requests FR publication of notice of issuance of amend 130 to license DPR-67.Amend allows reduction in RCS design flow flowrate from current value of 370,000 gpm to 355,000 gpm in TSs Figure 2.1-1 & Tables 2.2-1 & 3.2-1.
NORRIS,J.A. Project Directorate II-2. TAC M86064. 94/11/25. NRC - No Detailed Affiliation Given. 1p. 92285:317-92285:317.

--**9412010232** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 941102 to upgrade existing TSs 3/4.6.2.1 & 3/4.6.2.3.
NORRIS,J.A. Project Directorate II-2. 94/11/21. NRC - No Detailed Affiliation Given. 3pp. 92285:307-92285:309.

--**9412090219** Transmits technical evaluation ltr rept on second 10-yr interval ISI request for relief 18 for plant.
BROWN,B.W. Idaho National Engineering Laboratory. FIN L-2556. TAC M88087. 94/12/06. MCLELLAN,T.K. Materials & Chemical Engineering Branch. 9pp. 92285:333-92285:342.

--**9412200119** Forwards SE accepting licensee 941102 application requesting changes to plant TS.Proposed changes would clarify actions required in event of inoperable equipment associated w/ containment depressurization & cooling sys.
BARRETT,R.J. Containment Systems & Severe Accident Branch. 94/12/16. MATTHEWS,D.B. Project Directorate II-1. 1p. 92285:343-92285:343.

--**9412300102** Requests FR publication of notice of issuance of amend 69 to license NPF-16.Amend makes changes to TS 6.2.3,ISEG.
NORRIS,J. Project Directorate II-2. TAC M87842. 94/12/22. NRC - No Detailed Affiliation Given. 1p. 92285:349-92285:349.

--**9501130149** Forwards quarterly status rept of AEOD related action items from OECB tracking sys.Rept identifes actions taken in response to recommendations & suggestions received from AEOD.
CHAFFEE,A.E. . GL-87-02. 95/01/09. CONGEL,F.J. Incident Response Branch. 2pp. 92285:352-92285:353.

--**9501180151** Informs that util will conduct investigation into allegation through Nuclear Safety Speakout Program & results will be forwarded by 950213.
GEIGER,J.E. Florida Power & Light Co. L-95-12. 95/01/06. Document Control Branch (Document Control Desk). 1p. 92285:350-92285:350.

--**9501240199** Requests FR publication of notice of issuance of amends 131 & 70 to licenses DPR-67 & NPF-16,respectively.Amends clarify actions required in event of inoperable equipment associated w/containment depressurization & cooling sys.
NORRIS,J.A. . TAC M90789. 95/01/18. NRC - No Detailed Affiliation Given. 1p. 92285:351-92285:351.

--**9501300149** Forwards SE of util resolution of USI A-46 as delineated in GL 87-02 for plants.Major concern noted re licensee extensive reliance on judgements made by team of seismic engineering experts.
WESSMAN,R.H. Office of Nuclear Reactor Regulation (Post 941001). GL-87-02. 95/01/20. MATTHEWS,D.B. Office of Nuclear Reactor Regulation (Post 941001). 14pp. 72391:337-72391:351.

--**9502010309** Requests FR publication of notice of issuance of amend 132 to license DPR-67.Amend revises TS 3/4.4.13 to incorporate low temperature overpressure protection requirements similar to those in GL 90-06.
NORRIS,J.A. Office of Nuclear Reactor Regulation (Post 941001). TAC M90026. 95/01/27. NRC - No Detailed Affiliation Given. 1p. 92286:008-92286:008.

--**9502140260** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950120 request to relocate operability requirements for TS.
NORRIS,J.A. Office of Nuclear Reactor Regulation (Post 941001). TAC M91406. 95/02/07. NRC - No Detailed Affiliation Given. 3pp. 92286:009-92286:011.

--**9502140413** Requests FR publication of notice of issuance of amends 133 & 72 to licenses DPR-67 & NPF-16,respectively.Amends revise TS to implement GL 93-05 items 5.8,6.1,7.1 & 7.5.
NORRIS,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). TAC M90028. 95/02/09. NRC - No Detailed Affiliation Given. 1p. 92286:012-92286:012.

--**9502140422** Requests FR publication of notice of issuance of amend 71 to license NPF-16.Amend will upgrade TS 3/4.7.1.6 for main feedwater line isolation valves to be consistent w/NUREG-1432.
NORRIS,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). TAC M90027. 95/02/09. NRC - No Detailed Affiliation Given. 1p. 92286:013-92286:013.

--**9503150165** Informs of NRR conclusion that previously submitted proprietary reactor vessel info submitted in response to GL 92-01 "RV Structural Integrity," may need to be released so that all licensees have access to subj info.
GAMBERONI,M. . GL-92-01. 95/03/09. CARPENTER,C. . 5pp. 92286:020-92286:027.

--**9503160363** Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 950227 request re changing Table 3.3-3 & 3.3-4.
NORRIS,J.A. . 95/03/09. NRC - No Detailed Affiliation Given. 3pp. 92286:014-92286:016.

--**9503160365** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950222 request re deleting automatic air lock tester from TS.
NORRIS,J.A. . 95/03/09. NRC - No Detailed Affiliation Given. 3pp. 92286:028-92286:030.

--**9503160369** Requests FR publication of notice of consideration of issuance of amend to license NPF-16 & proposed NSHC determination & opportunity for hearing on 950227 request re modifying SR 4.9.8.1 & 4.9.8.2.
NORRIS,J.A. . 95/03/09. NRC - No Detailed Affiliation Given. 3pp. 92286:017-92286:019.

--**9503220153** Requests FR publication of notice of issuance of amends 134 & 73 to licenses DPR-67 & NPF-16.Amends correct editorial errors,remove deleted pages & clarify confusing statements & eliminate inconsistencies.
NORRIS,J.A. . TAC M90782. 95/03/15. NRC - No Detailed Affiliation Given. 1p. 92286:031-92286:031.

--**9503220287** Forwards OM Hepler 950310 ltr forwarding FEMA final rept for 940209 joint exercise of offsite radiological emergency response plans for plant.No deficiencies noted.Three ARCAs identified.
ESSIG,T.H. . 95/03/16. BARR,K.P. Region 2 (Post 820201). 2pp. 92286:032-92286:072.

--**9503220292** Forwards final exercise rept for 940209,plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/03/10. SPESSARD,R.L. . 1p. 92286:034-92286:034.

--**9503220293** "Saint Lucie Nuclear Power Plant Exercise."
* Federal Emergency Management Agency. 95/02/24. 35pp. 92286:035-92286:072.

--**9503290093** Forwards SE accepting proposed amend to relocate seismic monitoring instrumentation "LCO" & "SR" from TS to UFSAR. SALP input also encl.
BAGCHI,G. . TAC M89643. 95/03/24. MATTHEWS,D.B. . 4pp. 92286:073-92286:076.

--**9504040251** Forwards INEL-94/0147, "TER on Second 10-Yr Interval ISI Program Plan:FPL,St Lucie Nuclear Plant,Unit 2."
BROWN,B.W. Idaho National Engineering Laboratory. FIN L-2556. BWB-14-95. 95/03/30. MCLELLAN,T.K. . MCLELLAN,T.K. Document Control Branch (Document Control Desk). 1p. 92286:077-92286:138.

--**9504040254** INEL-94/0147 "TER on Second 10-Yr Interval ISI Program Plan:FPL,St Lucie Nuclear Plant,Unit 2."
BROWN,B.W., FEIGE,E.J., HALL,K.W. Idaho National Engineering Laboratory. FIN L-2556. 95/03/31. . 61pp. 92286:078-92286:138.

--**9504170005** "Technical Assistance in Support of NRC ISI Program," technical ltr rept.
BROWN,B.W. Idaho National Engineering Laboratory. FIN L-2556. TAC M90788. 95/04/10. MCLELLAN,T.K. Engineering & Geosciences Branch (NMSS 940403). 7pp. 92286:139-92286:145.

--**9504210157** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950403 request re TSs 3/4.8.1 & 4.8.1.2.2.
NORRIS,J.A. . GL-95-05. 95/04/18. NRC - No Detailed Affiliation Given. 3pp. 92286:147-92286:149.

--**9504240320** Ack NRC responsibility to initiate consultation process w/ National Marine Fishery Service re dramatic increase in green turtles caught up in St Lucie intake canal.Requests TAC number for activity.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/14. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:146-92286:146.

--**9505020461** Forwards safety evaluation accepting util 950227 ltr re TS change for emergency bus undervoltage protection sys at plant.
BERLINGER,C.H. . TAC M91696. 95/04/27. MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:151-92286:151.

--**9505040325** Requests FR publication of notice of issuance of amends 135 & 74 to licenses DPR-67 & NPF-16.Amends relocate seismic monitoring instrumentation LCO,SRs & associated tables contained in TSs 3.3.3.3,4.3.3.3.1 & 4.3.3.3.2 to UFSAR.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). TAC M89643. 95/04/25. NRC - No Detailed Affiliation Given. 1p. 92286:150-92286:150.

--**9505150050** Forwards notice of issuance of Director's Decision under 10CFR2.206,for transmittal to Ofc of FR for publication.
GRAY,J.R. Ofc of Enforcement (Post 870413). 2.206. 95/05/11. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 92286:157-92286:162.

--**9505180454** Forwards SE accepting licensee 950120 ltr requesting changes to TS for Units 1 & 2.Proposed changes will relocate TS 3/4.3.3.2 to UFSAR & revise LHR surveillance 4.2.1.4 & STE surveillance 4.10.2.2,4.10.4.2 & 4.10.5.2,accordingly.
CHATTERTON,M.S. . TAC M91406. 95/05/16. MATTHEWS,D.B. . 1p. 92286:172-92286:172.

--**9505190394** Forwards safety evaluation accepting util proposed rev to TS to allow reduction in required minimum shutdown cooling flow rate under certain conditions during operation MODE 6.
WEISS,E.W. . TAC M91695. 95/05/12. NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 9pp. 92286:163-92286:163.

--**9506200393** Requests FR publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 950517 request to extend applicability of current RCS pressure/temp limits.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. NRC - No Detailed Affiliation Given. 3pp. 92286:188-92286:190.

--**9506200400** Requests FR publication of notice of issuance of amends 136 & 75 to licenses DPR-67 & NPF-16,respectively.Amends relocates operability requirements for incore detectors in TS 3/4.3.3.2 to updated FSAR.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). TAC M91406. 95/06/06. NRC - No Detailed Affiliation Given. 1p. 92286:194-92286:194.

--**9506230149** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950517 request re improving consistency of TS.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. NRC - No Detailed Affiliation Given. 3pp. 92286:191-92286:193.

--**9506280153** Requests FR publication of notice of issuance of amends 137 & 77 to licenses DPR-67 & NPF-16,respectively.Amends eliminate ref to automatic containment air lock tester from TS 4.6.1.3.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). TAC M91697. 95/06/22. NRC - No Detailed Affiliation Given. 1p. 92286:203-92286:203.

--**9506280231** Requests FR publication of notice of issuance of amend 76 to license NPF-16.Amend modifies SRs 4.9.8.1 & 4.9.8.2 to allow reduction in required min shutdown cooling flow rate under certain conditions during operational mode 6.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). TAC M91695. 95/06/14. NRC - No Detailed Affiliation Given. 1p. 92286:187-92286:187.

--**9506280333** Forwards SE accepting Topical Rept NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie...." SALP input also encl.
KOPP,L. . TAC M91393. 95/05/22. CROTEAU,R. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:178-92286:186.

--**9506280347** Topical rept evaluation of NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of...Plants." Rept acceptable.
* . 95/05/22. 8pp. 92286:179-92286:186.

--**9506280464** Forwards SE re second ten-year interval insp program plan request for relief number 19 for plant & SALP input. Interim relief for currently scheduled refueling outage in Sept 1995,authorized.
BAGCHI,G. . 95/06/15. NORRIS,J. . 8pp. 92286:195-92286:195.

--**9507130211** Requests FR publication of notice of issuance of amends 138 & 78 to licenses DPR-67 & DPR-16.Amends incorporate line-item TS improvements to specifications 3/4.8.1 "EPSs-A.C.sources," & 4.8.1.2.2 "EPS-Shutdown."
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). TAC M92016. 95/06/29. NRC - No Detailed Affiliation Given. 2pp. 92286:204-92286:205.

--**9507180020** "Technical Assistance in Support of NRC ISI Program," technical ltr rept.
ANDERSON,M.T. Idaho National Engineering Laboratory. FIN J-2229. TAC M92013. 95/07/06. MCLELLAN,T.K. Engineering & Geosciences Branch (NMSS 940403). 5pp. 92286:206-92286:210.

--**9508080145** Informs that hurricane warning has been issued for FL east coast by National Hurricane Ctr.Hurricane Erin expected to hit area by 950801.
RAGHAVAN,L. . 95/08/01. ZIMMERMAN,R.P. . 1p. 92286:211-92286:211.

--**9508150207** Discusses status of USI A-46/IPEEE activities.
SHERON,B.W. . GL-87-02. 95/08/09. THADANI,A.C. . 6pp. 92286:221-92286:221.

--**9508160344** Forwards SE accepting util 950302 submittal of rept re fracture mechanics evaluation of plant pressurizer instrument nozzles.
WICHMAN,K.R. . TAC M91704. 95/08/09. MATTHEWS,D.B. . 2pp. 92286:212-92286:213.

--**9508290298** Forwards SE approving TS change to remove 1C high pressure safety injection pump option for plant,Unit 1.
WEISS,E.W. . TAC M89641. 95/08/24. NORRIS,J. . 1p. 92286:222-92286:222.

--**9509080180** Requests FR publication of notice of issuance of amend 79 to license NPF-16.Amend changes Table 3.3-3 & 3.3-4 to accommodate improved coincidence logic & relay replacement for 4.16 kV Loss of Voltage Relays.
NORRIS,J.A. . TAC M91696. 95/09/01. NRC - No Detailed Affiliation Given. 2pp. 92286:235-92286:236.

--**9509080246** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950816 request re selected TS Monitoring Instrumentation.
NORRIS,J.A. . 95/08/30. NRC - No Detailed Affiliation Given. 5pp. 92286:226-92286:230.

--**9509140188** Requests FR publication of notice of issuance of amends to licenses DPR-67 & NPF-16.Amends will revise action statements & certain surveillances of TS 3/4.5.1.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:245-92286:248.

--**9509140203** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing of 950621 request re revised action statements for inoperable EDG.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:237-92286:240.

--**9509140209** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing of 950621 request re rev of TS 3.5.2.
NORRIS,J.A. . 95/09/08. NRC - No Detailed Affiliation Given. 4pp. 92286:241-92286:244.

--**9509180043** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 950816 request re TS 3.6.6.1 on shield bldg ventilation sys.
NORRIS,J.A. . 95/08/30. NRC - No Detailed Affiliation Given. 4pp. 92286:231-92286:234.

--**9509180134** Requests FR publication of notice of issuance of amend 139 to license DPR-67.Amend revises TS 3.5.2 for ECCS by removing options that allow HPSI pump 1C to be used as alternative to preferred pump for subsystem operability.
NORRIS,J.A. . TAC M89641. 95/09/11. NRC - No Detailed Affiliation Given. 2pp. 92286:249-92286:250.

--**9509220266** Forwards Safety Evaluation approving proposed amend RCS pressure temp limits.
WICHMAN,K.R. . TAC M92412. 95/09/20. MATTHEWS,D.B. . 2pp. 92286:251-92286:252.

--**9510110140** Forwards SE accepting licensee 950427 request for authorization of alternative RPV exam at plant Unit 1, per 10CFR50.55a(g)(6)(ii)(A)(5).
STROSNIDER,J.R. . TAC M92465. 95/10/04. NORRIS,J. . 9pp. 92286:257-92286:258.

--**9510130235** Forwards SE accepting licensee application for amend to TS for plant.Proposed changes would modify TS related to reactor coolant pressure/temperature limits.
WEISS,E.W. . TAC M92412. 95/10/05. NORRIS,J. . 1p. 92286:266-92286:266.

--**9510250085** Forwards SE authorizing implementation of Code Case N-532, "Alternative Requirements to Repair & Replacement Documentation Requirements & Inservice Summary Rept Preparation & Submission as Required by IWA-4000 & 6000."
BAGCHI,G. . TAC M93297. 95/10/13. NORRIS,J.A. . 1p. 92286:270-92286:270.

--**9510260004** Responds to request for immediate shutdown of listed six pressurized water reactors.
STROSNIDER,J.R. . TAC M92325. 95/10/19. MATTHEWS,D.B. . 7pp. 92286:278-92286:284.

--**9510310101** Forwards technical ltr rept on second 10 year interval ISI program plan,request for relief re code case N-532 for St Lucie Nuclear Plant Units 1 & 2.
ANDERSON,M.T. Idaho National Engineering Laboratory. FIN J-2229. MTA-44-95. 95/10/24. MCLELLAN,T.K. Engineering & Geosciences Branch (NMSS 940403). 5pp. 92286:285-92286:289.

--**9511010306** Requests FR publication of notice of issuance of amends 140 & 80 to licenses DPR-67 & NPF-16,respectively.Amends delete min frequency criteria prescribed for QA audits from Administrative Controls Sections 6.5.2.8 & 6.8.4 of TSs.
NORRIS,J.A. . TAC M88978. 95/10/25. NRC - No Detailed Affiliation Given. 1p. 92286:290-92286:290.

--**9511030084** Requests FR publication of notice of issuance of amend 141 to license DPR-67.Amend extends applicability of current RCS P/T limits & maximum allowed RCS heatup & cooldown rates to 23.6 EFPY of operation.
NORRIS,J.A. . TAC M92412. 95/10/27. NRC - No Detailed Affiliation Given. 2pp. 92286:291-92286:292.

--**9511080173** Forwards safety evaluation of licensee amend re flood protection for plant,units 1 & 2.Proposal to modify SRs re dune survey & mangrove swamp monitoring for both units & relocate to FSAR acceptable.
BAGCHI,G. . TAC M88319. 95/11/03. MATTHEWS,D.B. . 2pp. 92286:293-92286:294.

--**9512270204** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 951122 request re proposed amends to upgrade TS 3/4.4.6.1.
NORRIS,J.A. . 95/12/21. NRC - No Detailed Affiliation Given. 3pp. 92286:298-92286:301.

--**9601250141** Forwards safety evaluation accepting proposed changes to modify TS 3.6.6.1, "Shield Bldg Ventilation Sys."
BERLINGER,C.H. . TAC M93338. 96/01/19. MATTHEWS,D.E. . 2pp. 92286:302-92286:303.

--**9601300280** Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 960104 request re correction of discrepancy for TS 3.5.3.
NORRIS,J.A. . 96/01/24. NRC - No Detailed Affiliation Given. 4pp. 92286:306-92286:309.

--**9602270137** Forwards AEOD input to briefing package for Chairman Jackson visit to plant on 960402.Input consists of summary analysis of recent operational experience at plant,units 1 & 2.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/02/22. MERSCHOFF,E.W. Region 2 (Post 820201). 11pp. 92287:086-92287:096.

--**9603260075** Requests FR publication of notice of issuance of amend 81 to license NPF-16.Amend modifies TS 3.6.6.1,"Shield SBVs" to more effectively address design functions performed by SBVs for both shield bldg & fuel handling bldg.
NORRIS,J.A. . TAC M93338. 96/03/20. NRC - No Detailed Affiliation Given. 1p. 92286:317-92286:317.

--**9603270188** Forwards SE requesting approval to use ASME Code Case N-416-1 in lieu of performing code required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
BAGCHI,G. . TAC M94246. 96/03/14. MATTHEWS,D.B. . 2pp. 92286:310-92286:311.

--**9604170191** Requests FR publication of notice of issuance of amends 142 & 82 to licenses DPR-67 & NPF-16,respectively.Amends modify SR re dune survey & mangrove swamp monitoring & relocate to FSAR.
NORRIS,J.A. . TAC M88319. 96/04/11. NRC - No Detailed Affiliation Given. 1p. 92286:321-92286:321.

--**9604300372** Provides list of direct staff hours expended & technical assistance costs per issue on conversation of endangered & threatened species.
NEWBERRY,S.F. . 96/03/27. CORLEY,D.J. Division of Budget & Analysis (Post 890205). 3pp. 92286:318-92286:320.

--**9606040297** Requests FR publication of notice of issuance of amends 143 & 83 to licenses DPR-67 & NPF-16,respectively.Amends rectify discrepancy in TS 3.5.3 & provide assurance administrative controls remain effective in lower operational modes.
WIENS,L.A. . TAC M94519. 96/05/30. NRC - No Detailed Affiliation Given. 1p. 92286:322-92286:322.

--**9606040303** Requests FR publication of notice of issuance of amends 144 & 84 to licenses DPR-67 & NPF-16.Amends upgrade existing TS 3/4.4.6.1 for RCS Leakage Detection Sys by adopting Std TS for plants,Units 1 & 2.
WIENS,L.A. . TAC M94248. 96/05/30. NRC - No Detailed Affiliation Given. 1p. 92286:323-92286:323.

--**9606120268** Requests for publication of notice of consideration of issuance of amend to license DPR-67 & proposed NSHC determination & opportunity for hearing on 960601 request to reduce RCS flows.
WIENS,L.A. . TAC M95472. 96/06/07. NRC - No Detailed Affiliation Given. 1PP. 92286:324-92286:330.

--**9606270310** Forwards safety evaluation relating to revs in TS for thermal margin & RCS flow limits.Staff finds proposed changes to TS acceptable.
BALUKJIAN,H. . TAC M95472. 96/06/25. WIENS,L.A. . 1p. 92286:331-92286:331.

--**9607080083** Discusses 960326-27 survey conducted on SF practices,SFP cooling sys design & current licensing basis for plant,Units 1 & 2.
WIENS,L.A. . 96/07/03. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 92286:354-92286:356.

--**9607120232** Requests FR publication of notice of issuance of amend 145 to license DPR-67.Amends revise TSs to reflect reduced RCS flows resulting from increased percentage of plugged SG tubes.
WIENS,L.A. . TAC M95472. 96/07/09. NRC - No Detailed Affiliation Given. 1p. 92286:357-92287:003.

--**9608050092** Discusses two approaches for CE owners to apply Regulatory Position 2.1 of Reg Guide 1.99,Rev 2 when limiting matl of reactor vessel beltline is not in surveillance program, presented by CEOG rept CEN-405-P,Rev 2.
WICHMAN,K.R. . TAC M95484. 96/08/01. HEBDON,F.J. . 3pp. 92287:004-92287:006.

--**9608120287** Forwards 960730 memo responding to TIA 95-013 addressing issues re adequacy of 50.59 evaluation.
HEBDON,F.J. . TAC M93372. 96/08/06. JOHNSON,J.R. Region 2 (Post 820201). 1p. 92287:007-92287:013.

--**9608210178** Requests FR publication of notice of issuance of amends 146 & 85 to licenses DPR-67 & NPF-16.Amends improve consistency between TS & improved CE STS & resolve other inconsistencies in TS.
WIENS,L.A. . TAC M92410. 96/08/19. NRC - No Detailed Affiliation Given. 3pp. 92287:020-92287:022.

--**9608220005** Requests FR publication of notice of consideration of issuance of amends 146 & 85 to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 960715 request re improving consistency between TS & CE STS.
WIENS,L.A. . TAC M92410. 96/08/14. NRC - No Detailed Affiliation Given. 3pp. 92287:017-92287:019.

--**9608220277** Requests FR publication of notice of issuance of amends 147 & 86 to licenses DPR-67 & NPF-16.Amends revised TSs re instrumentation to UFSAR.
WIENS,L.A. . TAC M93340. 96/08/20. NRC - No Detailed Affiliation Given. 1p. 92287:023-92287:023.

--**9609090095** Forwards agenda for 960911-12 IPE Senior Review Board meeting in Rockville,MD to discuss contractor-developed technical evaluation repts for St Lucie & Comanche Peak & staff evaluation rept for Susquehanna.
HODGES,M.W. Division of Systems Technology (Post 941217). 96/08/13. MILLER,H.J. Region 1 (Post 820201). 3pp. 92287:014-92287:016.

--**9609110078** Forwards safety evaluation accepting licensee proposed EAL rev for plant.
ESSIG,T.H. . 96/09/05. HEBDON,F.J. . 3pp. 92287:024-92287:026.

--**9609180137** Forwards LER 96-S01 re tampering w/key switches on hot shutdown control panels.
STALL,J.A. Florida Power & Light Co. L-96-227. 96/09/11. Document Control Branch (Document Control Desk). 6pp. 92287:029-92287:034.

--**9609180315** Responds to 960612 ltr petitioning staff,requesting staff action under 10CFR2.206 re operation at St Lucie Nuclear Station,Units 1 & 2.Requests confirmatory order requiring that licensee not operate Unit 1 above 50%.
STROSNIDER,J.R. . TAC M95758. 96/09/12. HEBDON,F.J. . 5pp. 92287:035-92287:039.

--**9609180337** Discusses 960514 ltr re pressurized thermal shock evaluation for St Lucie Units 1 & 2.Requests review of proprietary & non-proprietary copies of CEOG rept CEN-405-P,rev 2, "Application of Reactor Vessel Surveillance Data."
WICHMAN,K.R. . TAC M95484. 96/09/16. HEBDON,F.J. . 3pp. 92287:041-92287:043.

--**9609180352** Informs of review of 10CFR50.59 rept & rev 10 to updated UFSAR for plant.
WIENS,L.A. . TAC M96268. 96/09/16. HEBDON,F.J. . 1p. 92287:040-92287:040.

--**9609230156** Forwards suppl SE rept re plant resolution of USI A-46 as delineated in GL 87-02.NRC determined that based on results of Turkey Point units 3 & 4 insp,separate insp at St Lucie unit 1 not warranted.
WESSMAN,R.H. . GL-87-02. 96/09/19. BERKOW,H.N. . 2pp. 92287:044-92287:045.

--**9610240217** Informs of plans to conduct design insp of plants,units 1 & 2.On-site insp planned for wks of 961118,12-02,12-09 & 970106.
HEBDON,F.J. . 96/10/23. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:059-92287:060.

--**9611040312** Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Licensee required to submit written repts under oath of affirmation,that provided info specified in RAI.
CALVO,J.A. . GL-92-08. 96/10/31. REINHART,F.M. . 4pp. 92287:061-92287:064.

--**9611190153** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 961028 request to change TS to implement 10CFR50,App J,Option B.
WIENS,L.A. . TAC M97156. 96/11/18. NRC - No Detailed Affiliation Given. 3pp. 92287:067-92287:069.

--**9611190206** Informs of closure of NRC Bulletin 92-01,suppl 1, "Failure of Thermo-Lag 330 Fire Barrier Sys," for plant units 1 & 2. Util responses to GL 92-08 & subsequent RAI provided corrective action plans & schedule for resolution of issue.
WIENS,L.A. . GL-92-08. 96/11/15. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 92287:065-92287:066.

--**9611250200** Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 961030 request re proposed amends revising TS 3/4.9.10.
WIENS,L.A. . TAC M97211. 96/11/21. NRC - No Detailed Affiliation Given. 3pp. 92287:070-92287:072.

--**9703120457** Safety evaluation supporting second 10-yr interval inservice insp program plan.
* . 95/10/13. 7pp. 92286:271-92286:277.

--**9703130012** Safety evaluation accepting analyses supporting proposed TS change.
* . 93/02/02. 7pp. 92284:042-92284:048.

--**9703130024** Safety evaluation accepting Topical Rept CEN-367.
* . 93/03/05. 3pp. 92284:076-92284:078.

--**9703130032** Safety evaluation accepting undervoltage relay setpoint changes.
* . 93/03/24. 6pp. 92284:090-92284:095.

--**9703130185** Safety evaluation accepting modified SRs consisting of visual insp by qualified engineer after every hurricane & at min visual insp every 5 yrs.
* . TAC M88319. 95/11/03. 3pp. 92286:295-92286:297.

--**9703130207** Safety evaluation accepting removal of requirement to verify that two valves closed w/power removed.
* . 95/10/05. 3pp. 92286:267-92286:269.

--**9703130242** Safety evaluation supporting revised TSs 3.6.6.1 SBVS. Proposed changes are administrative in nature & provides clearer & more concise direction to FPL operators.
* . 96/01/19. 2pp. 92286:304-92286:305.

--**9703130259** Safety evaluation supporting code case N-416-1 re alternative rules for welded repairs or installation of replacement items by welding in class 1,2, & 3 piping sys.
* . 96/03/14. 5pp. 92286:312-92286:316.

--**9703130357** Safety evaluation accepting TSs changes of reduced RCS flow & increased SGTP including derate to 90% rated thermal power for operation beyond 7000 EFPH in cycle 14.
* . 96/06/25. 16pp. 92286:332-92286:353.

--**9703130414** Safety evaluation supporting proposed rev & associated justification.Proposed EAL rev for plant consistent w/guidance provided by NUREG-0654 & allowable deviations.
* . 96/09/05. 2pp. 92287:027-92287:028.

--**9703140001** Supplemental safety evaluation denying separate insp at plant,unit 1,based on results of plant,units 3 & 4 insps.
* . GL-87-02. 96/09/19. 13pp. 92287:046-92287:058.

--**9703140022** Discusses 951220 memo re allegation received from anonymous caller 951217.NRC received allegation 951226 & conducted ARB meeting 951228.Scheduled insp for week of 960205.
EBNETER,S.D. Region 2 (Post 820201). 96/02/05. WATKINS,R.A. Office of the Inspector General (Post 890417). 1p. 92287:085-92287:085.

--**9703140037** Forwards allegation summary & insp repts 50-335/96-02 & 50-389/96-02.
BARR,K.P. Region 2 (Post 820201). 96/03/27. DE MIRANDA,O. Region 2 (Post 820201). 1p. 92287:097-92287:097.

--**9703140043** Forwards allegation evaluation rept re problem w/public alert sys.
EBNETER,S.D. Region 2 (Post 820201). 96/04/05. WATKINS,R.A. Ofc of the Executive Director for Operations. 3pp. 92287:098-92287:125.

--**9703140046** Forwards Aug 15th news article re alleged improprieties by NRC.
EBNETER,S.D. Region 2 (Post 820201). 96/08/19. BELL,H.T. Office of the Inspector General (Post 890417). 1p. 92287:126-92287:126.

--**9703140059** Discusses OI rept 2-95-008 re plant alleged discrimination against instrumentation & control technician for reporting safety concerns.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/08/15. EBNETER,S.D. Region 2 (Post 820201). RUSSELL,W.T. . GOLDBERG,J.R. Office of the General Counsel (Post 860701). 1p. 92287:127-92287:173.

--**9703140079** Safety evaluation accepting CEOG rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluaton."
* . IEB-88-011. 93/06/29. 4pp. 92284:217-92284:220.

--**9703140157** Safety evaluation granting relief for relief request VR-22 IAW GL 89-04.
* . GL-89-04. 93/07/08. 6pp. 92284:227-92284:232.

--**9703140179** Safety evaluation accepting licensee response to GL 90-06 re plant.
* . GL-90-06. 93/08/09. 7pp. 92284:244-92284:250.

--**9703140193** Safety evaluation granting IST program requests for relief.
* . 93/08/23. 6pp. 92284:257-92284:262.

--**9703170004** Safety evaluation re TS change to reactor coolant sys design flow,for plant,unit 1.
* NRC - No Detailed Affiliation Given. 94/11/17. 8pp. 92285:299-92285:306.

--**9703170005** Safety evaluation re review of proposed alternative to ASME Code for Repair of refueling water tank bottom at plant,unit 1.
* . 94/11/22. 5pp. 92285:312-92285:316.

--**9703170006** Safety evaluation re second 10-yr interval inservice insp program plan.
* NRC - No Detailed Affiliation Given. 94/11/26. 13pp. 92285:320-92285:332.

--**9703170007** Safety evaluation accepting proposed changes which provide significant improvement & ensure availability of sufficient containment heat.
* NRC - No Detailed Affiliation Given. 94/12/16. 5pp. 92285:344-92285:348.

--**9703170008** Safety evaluation re evaluation of licensee response to GL-87-02.
* NRC - No Detailed Affiliation Given. 95/01/20. 13pp. 92285:354-92286:007.

--**9703170009** Safety evaluation re rev in TS for surveillance requirements on required minimum shutdown cooling.
* NRC - No Detailed Affiliation Given. 95/05/12. 8pp. 92286:164-92286:171.

--**9703170010** Safety evaluation re TS change to relocate in-core instrument requirement.Change acceptable.
* NRC - No Detailed Affiliation Given. 95/05/16. 5pp. 92286:173-92286:177.

--**9703170012** Safety evaluation re second 10-yr interval inservice insp program plan.
* NRC - No Detailed Affiliation Given. 95/06/15. 7pp. 92286:196-92286:202.

--**9703170013** Safety evaluation accepting licensee 950302 submittals.
* NRC - No Detailed Affiliation Given. 95/08/09. 7pp. 92286:214-92286:220.

--**9703170015** Safety evaluation accepting licensee proposal to delete pump delineation from TS 3.5.2.a.
* NRC - No Detailed Affiliation Given. 95/08/24. 3pp. 92286:223-92286:225.

--**9703170019** Safety evaluation re licensee submittal dtd 950517, "Proposed License Amend-RCS Pressure/Temperature Limits." Changes to TS 3.1 acceptable.
* NRC - No Detailed Affiliation Given. 95/09/20. 4pp. 92286:253-92286:256.

--**9703170021** Safety evaluation re request for authorization of alternative for plant,unit 1.Licensee request acceptable.
* NRC - No Detailed Affiliation Given. 95/10/04. 7pp. 92286:259-92286:265.

--**9703170171** Safety evaluation accepting changes proposed by licensee.
* . 93/08/25. 11pp. 92284:264-92284:280.

--**9703170189** SER accepting 930723 proposed changes to SLP,Units 1 & 2 TSs in support of plan to implement rev 10CFR20.
* . 93/09/28. 5pp. 92284:282-92284:286.

--**9703170197** SER accepting request for relief from structural integrity requirements for SLP,Unit 1 RWT.
* . TAC M87217. 93/10/04. 5pp. 92284:290-92284:294.

--**9703170206** Safety evaluation granting request to use alternative matl in fabrication of SGs for license DPR-67.
* . 94/02/28. 4pp. 92285:102-92285:105.

--**9703170252** SER accepting deletion of MICDS Option from TSs.
* . 94/01/12. 4pp. 92284:341-92284:344.

--**9703170258** SER accepting IST Program requests for relief for SLP, Unit 2.
* . 94/02/07. 75pp. 92284:349-92285:080.

--**9703260149** Safety evaluation accepting current SG overfill protection sys design & associated plant procedures & operator training at plant.
* Instrumentation & Controls Branch. GL-89-19. 94/03/24. 4pp. 92285:118-92285:121.

--**9703260158** Safety evaluation granting relief to employ alternative welding matl of code case 2142 & benefits of code case for procedure.
* Materials & Chemical Engineering Branch. 94/03/28. 3pp. 92285:123-92285:125.

--**9703260164** Safety evaluation granting relief request to license DPR-67.
* Mechanical Engineering Branch. 94/06/27. 4pp. 92285:192-92285:196.

--**9703260170** Safety evaluation supporting request for relief re license DPR-67.
* Project Directorate II-2. 94/08/05. 4pp. 92285:202-92285:205.

--9703260188 Safety evaluation accepting TS change for emergency bus undervoltage relays.
* . 95/04/27. 5pp. 92286:152-92286:156.

--9703260288 Safety evaluation opposing recommended sys mod to install automatic feedwater pump trip.
* Project Directorate II-3. GL-89-19. 94/09/07. 10pp. 92285:216-92285:224.

--9703260293 Safety evaluation supporting in service testing program request for relief to license DPR-67.
* Materials & Chemical Engineering Branch. GL-89-04. 94/09/16. 7pp. 92285:226-92285:232.

--9703260303 Safety evaluation supporting requested actions of NRC Bulletin 90-01.
* Instrumentation & Controls Branch. IEB-90-01. 94/09/28. 3pp. 92285:256-92285:276.

--9703260319 Safety evaluation supporting inservice testing of main steam safety valves re license NPF-16.
* Mechanical Engineering Branch. 94/10/14. 2pp. 92285:283-92285:284.

--9703260324 Safety evaluation re refueling procedures to licenses DPR-67 & NPF-16.
* Division of Reactor Projects - I/II (Post 870411). TIA-94-023. 94/10/28. 2pp. 92285:286-92285:287.

9703200278 Final response to FOIA request for documents.No records subject to request located.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. HOWE,P.C. Affiliation Not Assigned. 1p. 92205:031-92205:032.

--9703200283 FOIA request for documents re copies of all correspondence between agency & US Senators P Wellstone & R Grams & US Rep G Gutknecht between 950101 & present.
HOWE,P.C. Affiliation Not Assigned. 97/02/28. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92205:032-92205:032.

9703200300 Eleventh partial response to FOIA request for documents. Documents listed in App T encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/11. ENGLISH,L.K. Northeast Ohio Regional Sewer District. 2pp. 92205:033-92205:139.

--9703200305 Submits questions re contaminated water in basement of Advanced Medical Sys facility.
STAIB,R.O. Cleveland, OH. 94/02/16. GROBE,J. Region 3 (Post 820201). 2pp. 92205:036-92205:037.

--9703200308 Forwards final re-draft per changes to Cleveland ltr.
GROBE,J.A. Region 3 (Post 820201). 95/03/13. HANEY,C. Office of Nuclear Material Safety & Safeguards. ZOBLER,M.L. Office of the General Counsel (Post 860701). 1p. 92205:038-92205:050.

--9703200313 Response to questions in 950615 ltr re 950322 application for amend to license 34-19089-01.
MESCHTER,R. Advanced Medical Systems, Inc. 98334. 95/06/16. CALDWELL,J. Region 3 (Post 820201). 8pp. 92205:051-92205:058.

--9703200319 Assumes that authorization for listed items re application to amend license 34-19089-01 has been given & written confirmation will follow shortly,per 950620 telcon w/J Madera.
MESCHTER,R. Advanced Medical Systems, Inc. 95/06/20. CALDWELL,J. Region 3 (Post 820201). 33pp. 92205:059-92205:093.

--9703200326 Forwards amend 41 to license 34-19089-01.W/o encl.
NULL,K.G. Region 3 (Post 820201). 96/04/16. MESCHTER,R. Advanced Medical Systems, Inc. 15pp. 92205:094-92205:139.

9703210006 Third final response to FOIA request for documents.Records in App E encl & will be available in PDR.App F records withheld in part (ref FOIA Exemption 3).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. SOLOMON,D.D. Affiliation Not Assigned. 4pp. 92218:121-92218:178.

--9703240061 List of escalated enforcement activities.
* Affiliation Not Assigned. 96/03/11. 5pp. 92218:126-92218:178.

9703210018 Twelfth partial response to FOIA request for documents. Records in App U withheld in part (ref FOIA Exemptions 4 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. ENGLISH,L. Northeast Ohio Regional Sewer District. 3pp. 92245:242-92245:279.

--9703250018 Fax transmittal fowarding organizations interested in AMS issues.
BERGER,C.D. . 96/06/10. PEDERSON,C.D. Region 3 (Post 820201). 4pp. 92245:245-92245:279.

9703210030 First partial response to FOIA request for documents.Records in App A available in PDR,App B records encl & App C records withheld in part (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. WILLIAMS,O.G. JRA Associates. 7pp. 92208:003-92208:202.

--9306110195 Forwards draft GL to obtain info on voluntary basis re licensee self-initiated design bases reconstitution programs.Intends to forward GL to Commission for info prior to issuing for public comment.
IMBRO,E.V. Special Inspection Branch. 92/10/07. FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 11pp. 92208:118-92208:150.

--9703210036 FOIA requests for documents re info pursuant to 10CFR50.54(f) re adequacy & availability of design bases info to provide NRC added confidence & assurance that NPP operated & maintained within design bases.
WILLIAMS,O.G. JRA Associates. OGW-96-193. 96/10/25. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 65pp. 92208:010-92208:117.

--9703210063 Forwards differing views re aspects of proposed Generic 50.54(f) ltr re adequacy & availability of design bases info.
CONRAN,J.H. Office for Analysis & Evaluation of Operational Data, Director. 96/08/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 92208:151-92208:155.

--9703210076 Forwards documents discussed during earlier telcon.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/08/30. KARL,W. Region 1 (Post 820201). 2pp. 92208:156-92208:157.

--9703210080 Requests info that will provide NRC confidence & assurance that plants operated & maintain within design bases & deviations ar reconciled in timely manner.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/10/08. POINDEXTER,C.M. Baltimore Gas & Electric Co. 9pp. 92208:158-92208:166.

--9703210086 Forwards final version of 50.54(f) ltr on design bases that has been approved for issuance.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/10/09. NRC - No Detailed Affiliation Given. 1p. 92208:167-92208:167.

--9703210093 Discusses excerpt from minutes of CRGR Meeting 290.W/o encl.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/10/11. BURNS,S.G. Office of the General Counsel (Post 860701). 1p. 92208:168-92208:168.

--9703210097 Discusses release of documents from CRGR Meeting 290.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/10/15. MCKELNIS,S.L. Office for Analysis & Evaluation of Operational Data, Director. 3pp. 92208:169-92208:171.

--9703210100 Discusses generic ltr, "Effectiveness of UT Sys in ISI."
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/10/24. 2pp. 92208:172-92208:173.

--9703210102 Informs telephone message re participation in backfit workshop on 961114.
MCKELVIN,S. Office for Analysis & Evaluation of Operational Data, Director. 96/11/01. CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 1p. 92208:174-92208:181.

--9703210108 Forwards Issue Sheet for CRGR Meeting 296 on 961119.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/11/18. ZIMMERMAN,J. . 1p. 92208:182-92208:187.

--9703210112 Forwards Design Bases 50.54(f) ltr re CRGR Meeting 296.W/o encl.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/11/18. CROCHETT,S.F. Office of the General Counsel (Post 860701). 1p. 92208:188-92208:188.

--9703210119 Requests confirmation of attendance at CRGR meeting on 961118.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/11/18. BURNS,S.G. Assistant General Counsel for Hearings & Enforcement. 1p. 92208:189-92208:189.

--9703210125 Requests attendance at CRGR meeting scheduled for 961119 to discuss use of "require" vs "discuss" in invoking 50.54(f) generic correspondence to obtain info from licensees.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/11/18. GOLDBERG,J.R. Office of the General Counsel (Post 860701). 1p. 92208:190-92208:190.

--9703210128 Discusses CRGR Meeting 296.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/11/18. ZANIS,G., NAUJOCK,P., STROSNIDER,J. . 1p. 92208:191-92208:191.

--9703210129 Discusses email re CRGR meeting on 961118.
CONRAN,J. Office for Analysis & Evaluation of Operational Data, Director. 96/11/18. BURNS,S.G. Office of the General Counsel (Post 860701). 11pp. 92208:192-92208:202.

9703210039 Eighteenth partial response to FOIA request for documents. Forwards documents listed in app CC.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. BINDER,N.S. Debevoise & Plimpton. 2pp. 92218:179-92218:223.

--9703210042 Discusses review of case RII-94-A-0105 to determine whether info obtain constitutes protected activity.
EVANS,C.F. Region 2 (Post 820201). 94/09/27. MCNULTY,W.J. Ofc of Investigations (Post 880201). 5pp. 92218:182-92218:185.

--9703210046 Forwards mail re allegation of discrimination by utility.
URYC,B. Region 2 (Post 820201). 95/02/27. DEMIRANDA,O. Region 2 (Post 820201). 2pp. 92218:186-92218:187.

--9703210049 Informs that file requested re allegation RII-95-A-0026 available for review.
SLACK,L.M. Region 2 (Post 820201). 95/03/13. DOCKERY,J. Ofc of Investigations (Post 880201). 1p. 92218:188-92218:188.

--9703210052 Informs that review has been completed & no violation of regulatory requirements identified.
STOHR,J.P. Region 2 (Post 820201). 95/05/10. NCNULTY,W.J. Ofc of Investigations (Post 880201). 2pp. 92218:189-92218:197.

--9703210058 Informs that licensee granted 15-day extension & response due 951210.
URYC,B. Region 2 (Post 820201). 95/10/30. DOCKERY,J. Ofc of Investigations (Post 880201). 1p. 92218:198-92218:199.

--9703210059 Partially deleted memo forwarding AEOD input to Nov 1996 Senior Management meeting prebriefings in response to WT Russel 960816 memo.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/10/30. YANDELL,L. Region 4 (Post 820201). LANKSBURY,R. Region 3 (Post 820201). COOPER,D. Region 1 (Post 820201). 23pp. 92218:200-92218:223.

9703210043 Second final response to FOIA request for records.Forwards documents listed in App B.Documents being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/14. SULLIVAN,G.P. Utility Workers Union of America. 2pp. 92218:224-92218:229.

--9703210343 Undated memo discussing BECo reorganization.
* NRC - No Detailed Affiliation Given. 97/03/14. NRC - No Detailed Affiliation Given. 2pp. 92218:228-92218:229.

9703210066 Seventeenth partial response to FOIA request for documents. App BB records being withheld in part & App AA being withheld in their entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/13. BINDER,N.S. Debevoise & Plimpton. 4pp. 92205:001-92205:008.

-9611130471 Requests comments on third draft quarter 1996 Performance Indicator no later than 961127.
MAYS,S.E. Division of Safety Programs (Post 870413). 96/11/08. COOPER,R.W. Region 1 (Post 820201). VIAS,S.J. Region 2 (Post 820201). LANKSBURY,R.D. Region 3 (Post 820201). 1p. 73078:014-73078:014.

-9703210105 Requests comments on third draft quarter 1996 Performance Indicator data no later than 951130.
MAYS,S.E. Division of Safety Programs (Post 870413). 95/11/09. LANNING,W.D. Region 1 (Post 820201). VIAS,S.J. Region 2 (Post 820201). JORGENSEN,B.L. Region 3 (Post 820201). 2pp. 92205:007-92205:008.

9703210101 Second partial response to FOIA request.Records listed in App D encl & will be available in PDR.App C records withheld in entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/11. Affiliation Not Assigned. 4pp. 92205:009-92205:030.

-9703210124 Informs that G Kenna travelled to Hancocks Bridge NJ to assist insp closure re A1-96-029.
LETTS,B.R. Ofc of Investigations (Post 880201). 96/10/29. COOPER,R.W. Region 1 (Post 820201). 1p. 92205:014-92205:014.

-9703210132 Requests answer re plants closure.
NICHOLSON,L. Region 1 (Post 820201). 96/10/02. SMITH,G. Region 1 (Post 820201). 1p. 92205:015-92205:015.

-9703210137 Informs of no need to expend further resources on AI tape incident.
KEIMIG,R. Region 1 (Post 820201). 96/10/02. Region 1 (Post 820201). 1p. 92205:016-92205:016.

-9703210153 Forwards proposed notice of violation & proposed imposition of civil penalities based on six violations of security program at mentioned plants.
MILLER,H.J. Region 1 (Post 820201). EA-96-344. 96/11/25. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 14pp. 92205:017-92205:030.

9703210202 Final response to FOIA request for documents.Forwards documents listed in App A.Documents also available in PDR. App B documents partially withheld (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/17. SAVAGE,J. Morgan, Lewis & Bockius. 4pp. 92231:188-92231:267.

-9111060136 SECY-91-342 Partially deleted Policy Issue seeking Commission approval of timely remediation of sites listed in Site Decommissioning Mgt Plan.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/10/24. 12pp. 92231:193-92231:204.

-9201080066 SECY-91-342A Informs Commission of staff analysis of issues associated w/ ensuring timely remediation of sites listed in site decommissioning mgt plan.Partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/12/31. 63pp. 92231:205-92231:267.

-9703210220 FOIA request for documents re criteria or procedures used by NRC to evaluate & approve remediation of sites w/terminated NRC or AEC licenses.
SAVAGE,J. Morgan, Lewis & Bockius. 96/12/06. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92231:192-92231:192.

9703240077 Sixteenth partial response to FOIA request for documents. Records subj to request identified in App Z & encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/12. BINDER,N.S. Debevoise & Plimpton. 2pp. 92231:042-92231:187.

-9307120167 "Pump & Valve Inservice Testing Program St Lucie Unit 2 FPL," technical evaluation rept.
FRESCO,A., BIBIASIO,A.M. Brookhaven National Laboratory. FIN L-2301. TAC M84563. 93/06/22. CAMPBELL,P. Division of Engineering (Post 921004). 52pp. 92231:045-92231:097.

-9509200184 Requests addl info re external event analyses in IPEEE, within 60 days in conformance w/review schedule.
CUNNINGHAM,M. Probabilistic Risk Analysis Branch (Post 941217). 95/08/31. MATTHEWS,D. . 6pp. 92231:098-92231:103.

-9605020246 Discusses regulatory acceptability of prelubricating valves prior to surveillance (STROKE) Testing TIA 96-007 re licenses NPF-16 & DPR-67.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/12. IMBRO,E.V. . 84pp. 92231:104-92231:187.

GEN TEC IS GENERIC TECHNICAL ISSUES

9703100147 Forwards suppl request for addl info on resolution of unresolved safety issue A-46.
SUMNER,H.L. Georgia Power Co. HL-5330. 97/03/04. Document Control Branch (Document Control Desk). 1p. 92074:354-92074:354.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9308190332 Forwards util 930721 facsimile clarifying info re generic issues 70 & 94,per telcon.
NORRIS,J.A. Project Directorate II-2. TAC M77383. 93/08/03. Project Directorate II-2. 4pp. 92284:239-92284:242.

-9703140179 Safety evaluation accepting licensee response to GL 90-06 re plant.
* . GL-90-06. 93/08/09. 7pp. 92284:244-92284:250.

-9308190332 Forwards util 930721 facsimile clarifying info re generic issues 70 & 94,per telcon.
NORRIS,J.A. Project Directorate II-2. TAC M77383. 93/08/03. Project Directorate II-2. 4pp. 92284:239-92284:242.

-9703140179 Safety evaluation accepting licensee response to GL 90-06 re plant.
* . GL-90-06. 93/08/09. 7pp. 92284:244-92284:250.

-9302240199 Informs that util withdrew request to grant proprietary status to util response to NRC request for addl info re resolution of USI A-46.
BERKOW,H.N. Project Directorate II-2. GL-87-02. 93/02/22. BAGCHI,G. Civil Engineering & Geosciences Branch. 2pp. 92284:055-92284:058.

-9302240231 Informs of no rational basis for withholding info submitted by licensee for resolution of USI A-46,from public disclosure.
BAGCHI,G. Civil Engineering & Geosciences Branch. 93/01/14. BERKOW,H. Project Directorate II-2. 1p. 92284:057-92284:058.

-9304190166 Summary of 930406 meeting w/util in Rockville,MD re three issues involving seismic qualification of electrical & mechanical equipment at plant.List of attendees encl.
NORRIS,J.A. Project Directorate II-2. GL-87-02. 93/04/12. Project Directorate II-2. 4pp. 92284:105-92284:108.

-9304290093 Informs that NRC currently performing evaluation of licensee implementation program for resolving USI A-46 as delineated in GL 87-02.Attachment 1 provides background info & request for addl info.
NORBERG,J.A. Mechanical Engineering Branch. GL-87-02. 93/04/26. BERKOW,H.N. Project Directorate II-2. 9pp. 92284:115-92284:123.

-9401040006 Summary of 931216 meeting w/Div of Engineering,Div of Reactor Controls & Human Factors & Project Directorate II-2 re appropriateness of reduced USI A-46 program scope for affected plants owned by FPL & FPC.
NORBERG,J.A. Mechanical Engineering Branch. 93/12/22. BERKOW,H.N. Project Directorate II-2. 7pp. 92284:327-92284:333.

-9411220341 Submits licensee program to resolve safety issue A-46,which requires licensee to be able to bring plant to hot shutdown condition during first 72 h after SSE.
JONES,R.C. Reactor Systems Branch. TAC M68303. 94/11/16. MATTHEWS,D. Project Directorate II-3. 6pp. 92285:292-92285:297.

-9501130149 Forwards quarterly status rept of AEOD related action items from OECB tracking sys.Rept identifes actions taken in response to recommendations & suggestions received from AEOD.
CHAFFEE,A.E. . GL-87-02. 95/01/09. CONGEL,F.J. Incident Response Branch. 2pp. 92285:352-92285:353.

-9508150207 Discusses status of USI A-46/IPEEE activities.
SHERON,B.W. . GL-87-02. 95/08/09. THADANI,A.C. . 6pp. 92286:221-92286:221.

-9609230156 Forwards suppl SE rept re plant resolution of USI A-46 as delineated in GL 87-02.NRC determined that based on results of Turkey Point units 3 & 4 insp,separate insp at St Lucie unit 1 not warranted.
WESSMAN,R.H. . GL-87-02. 96/09/19. BERKOW,H.N. . 2pp. 92287:044-92287:045.

-9703140001 Supplemental safety evaluation denying separate insp at plant,unit 1,based on results of plant,units 3 & 4 insps.
* . GL-87-02. 96/09/19. 13pp. 92287:046-92287:058.

-9403290072 Forwards safety evaluation re licensee response to GL 89-19 concerning steam generator overfill protection (A-47).Plant provides acceptable automatic steam generator overfill protection sys.SALP input also encl.
WERMIEL,J.S. Instrumentation & Controls Branch. TAC M75002. 94/03/24. BERKOW,H.N. Project Directorate II-2. 6pp. 92285:116-92285:117.

-9409120198 Requests that PM for each CE plant review licensee response to GL 89-19 to ensure that 901031 submittal applicable to plant & that licensee response addressed operator training procedures.SER,sample closeout & sample RAI ltrs encl.
JABBOUR,K.N. Project Directorate II-3. GL-89-19. 94/09/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 92285:214-92285:215.

9703270260 Provides response to request for addl info re resolution of unresolved safety issue A-46.Calculations encl.
KNUBEL,J. Power Authority of the State of New York (New York Power Authority). IPN-97-041. 97/03/20. Document Control Branch (Document Control Desk). 48pp. 92267:001-92267:118.

-9703270272 C001 R00 Rev 0 to Calculation C001, "Refueling Water Storage Tank RWST-31."
* Stevenson & Associates. 97/01/30. 26pp. 92267:070-92267:095.

-9703270277 C002 R00 Rev 0 to Calculation C002, "Primary Water Storage Tank PWST-21."
* Stevenson & Associates. 97/01/30. 23pp. 92267:096-92267:118.

I&E INSPECTION AND ENFORCEMENT

9703040090 Comment on proposed generic communication, "Effectiveness of Ultrasonic Testing Sys in ISI Program." Proposed GL inappropriate regulatory vehicle to impose new performance- based ultrasonic qualifications methods.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR69120 00005. 97/02/21. NRC - No Detailed Affiliation Given. 12pp. 91945:027-91945:038.

9703040136 Comments supporting proposed GL 96-XX, "Effectiveness of Ultrasonic Testing Sys in IST Programs."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 61FR69120 00004. 97/02/19. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 91945:049-91945:051.

9703040161 Comment on proposed generic ltr re effectiveness of ultrasonic testing sys in inservice insp programs.Use of compliance exemption of 10CFR50.109(a)(4)(i) considered inappropriate.
PERRY,J.A. Affiliation Not Assigned. 61FR69120 00003. 97/02/18. NRC - No Detailed Affiliation Given. 2pp. 91945:073-91945:074.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . GL-89-10. 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703050323 Submits corrections to previously written ltr NRC-96-008.
REEDY,R.F. R.F. Reedy, Inc. 97/01/02. THADANI,A. . 1p. 92002:357-92002:359.

--9703050325 Provides details for conclusion re NRC GL 96-06.Ltr,revised.
REEDY,R.F. R.F. Reedy, Inc. GL-96-06. 96/12/20. THADANI,A. . 2pp. 92002:358-92002:359.

9703060035 Submits comments on draft IN re 10CFR50.46, "Nonconservative Errors & Changes in Siemens Power Corp Large-Break Loss-of- Coolant Accident Evaluation Model & Compliance."
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:97:014. 97/03/05. KOENICK,S. NRC - No Detailed Affiliation Given. 5pp. 91992:339-91992:343.

9703060042 Comment opposing proposed GL-96-XX, "Effectiveness of Ultrasonic Testing Sys in ISIs."
TELTHORST,P.J. Illinois Power Co. 61FR69120 00007. 97/02/25. Rules & Directives Review Branch (Post 920323). 2pp. 91970:359-91970:360.

9703060067 Provides reasons why changes may be appropriate for draft IN 97-XX, "Nonconservative Errors & Changes in Large-Break LOCA Evaluation Model of Fuel Vendor & Compliance W/10CFR50.46(a)(3)."
STRAMBACK,G.B., REDA,R.J. General Electric Co. MFN 97-005. 97/02/17. KOENICK,S. . 8pp. 91991:325-91991:332.

9703060211 Comment opposing proposed generic communication, "Effectiveness of Ultrasonic Testing Systems in Inservice Inspection Porgrams." Safety concern does not exist which would warrant immediate backfitting of App VIII.
WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 61FR69120 00012. 97/02/28. NRC - No Detailed Affiliation Given. 3pp. 91969:358-91969:360.

9703060221 Comment opposing proposed generic communication, "Effectiveness of Ultrasonic Testing Sys in Insp Programs." Premature implementation of App VIII would not justify burdens as discussed.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 61FR69120 00010. 97/02/26. NRC - No Detailed Affiliation Given. 3pp. 92002:292-92002:294.

9703060289 Comment opposing proposed generic communication, Effectiveness of Testing Sys In Inservice Insp Programs." Proposed GL should be withdrawn.
STENGER,D.F. Winston & Strawn. 61FR69120 00011. 97/02/28. NRC - No Detailed Affiliation Given. 6pp. 91969:125-91969:130.

9703070056 Comment on proposed GL, "Effectiveness of Ultrasonic Testing Sys in Inservice Insp Programs." Supports NEI comments.
SALAS,P. Tennessee Valley Authority. 61FR69120 00013. 97/02/28. NRC - No Detailed Affiliation Given. 3pp. 91979:009-91979:011.

9703130306 Comment on proposed NRC GL on effectiveness of ultrasonic testing systems in inservice insp program.Requests that GL be revised to ack qualification practices developed by PDI as acceptable alternative to current ultrasonic exam.
WALT,T.D. Carolina Power & Light Co. 61FR69120 00014. 97/02/28. NRC - No Detailed Affiliation Given. 2pp. 92069:220-92069:221.

9703130383 PNO-I-97-015:on 970312,identified among recently-obtained equipment,gauge labelled as containing 200 mCi of Cs-137. Commonwealth of PA notified & will dispatch inspectors to site.Region I prepared to address press inquiries.
JOUSTRA,J., JOHANSEN,J. Region 1 (Post 820201). 97/03/13. 1p. 92217:175-92217:175.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . IEIN-90-041. 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Ediscn Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . IEIN-92-027. 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703190164 Comment opposing generic communication, "Degradation of SG Internals," 61 fed reg 69,116 issued on 961231 until backfitting analysis completed,justifying need for info & any new positions on inspection requirements.
STENGER,D.F., CAMPBELL,P.L. Nuclear Utility Backfitting & Reform Group. STENGER,D.F. Winston & Strawn. 61FR69116 00002. 97/03/14. NRC - No Detailed Affiliation Given. 3pp. 92152:001-92152:003.

9703190167 Comment on proposed generic communication, "Degradation of SG Internals," submitted on 961231.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR69116 00003. 97/03/14. MEYER,D.L. NRC - No Detailed Affiliation Given. 3pp. 92152:004-92152:006.

9703190176 Comment on proposed generic ltr requesting licensees to assess susceptibility of emergency core cooling sys to common-cause failure as result of reactor coolant sys drain-down while in shutdown condition.
PIETRANGELO,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR7075 00001. 97/03/17. NRC - No Detailed Affiliation Given. 4pp. 92152:128-92152:131.

9703190312 Comment opposing proposed GL, "Loss of Reactor Coolant Inventory & Associated Potential for Loss of Emergency Mitigation Functions While in Shutdown Condition."
STENGER,D.F. Winston & Strawn. STENGER,D.F. Nuclear Utility Backfitting & Reform Group. 62FR7075 00004. 97/03/17. NRC - No Detailed Affiliation Given. 4pp. 92175:112-92175:115.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703210034 Comments on proposed NRC GL, "Loss of RC Inventory & Associated Potential for Loss of Emergency Mitigation Functions While in Shutdown Condition."
WALT,T.D. Carolina Power & Light Co. 62FR7075 00005. 97/03/14. NRC - No Detailed Affiliation Given. 2pp. 92210:286-92210:287.

9703210045 Comment supporting proposed GL re SG tube insp techniques.
WALT,T.D. Carolina Power & Light Co. 61FR69116 00004. 97/03/14. NRC - No Detailed Affiliation Given. 2pp. 92210:288-92210:289.

9703210234 PNO-II-97-017:on 970312,licensee reported employee collapses onsite.First Aid administered until ambulance arrived. Employee transported to Appling County General Hosp in Baxley,GA & pronounced dead.Autopsy will be performed.
CARRION,R. Region 2 (Post 820201). 97/03/13. 1p. 92246:292-92246:292.

9703250079 PNO-IV-97-016:on 970320,licensee commenced plant shutdown as required by TS 3.0.3.Licensee requested enforcement discretion until received TS amend,allowing previously conducted tests.State of WA will be informed of event.
JOHNSTON,G., REPLOGLE,G. Region 4 (Post 820201). 97/03/21. 1p. 92275:058-92275:058.

9703260063 Comment opposing proposed GL, "Loss of Reactor Coolant Inventory & Associated Potential for Loss of Emergency Mitigation Functions While in Shutdown Condition."
STENGER,D.F. Winston & Strawn. 62FR7075 00006. 97/03/17. NRC - No Detailed Affiliation Given. 4pp. 92244:244-92244:247.

9703260140 PNO-III-97-028:on 970320,notified NRC of moisture density gauge missing during transport.Licensee informed NRC, Airborne Express,Seattle,WA will conduct physical search in addition to tracking to locate device on 970324.
MULAY,S.J., PHILLIPS,M.P. Region 3 (Post 820201). 97/03/26. 1p. 92275:136-92275:136.

9703260151 Informs that comments on GL 62FR7806 addressing assurance of sufficient net positive suction head for ECC & containment heat removal pumps will be submitted by 970331.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR7806 00001. 97/03/18. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 92244:340-92244:340.

9703260230 PNO-III-97-027:on 970321,notification of restricted access to contaminated facilities made.NRC Region III monitoring licensee investigation,w/assistance from Region I.Info in preliminary notification reviewed w/licensee mgt.
CAMERON,J., PHILLIPS,M. Region 3 (Post 820201). 97/03/25. 2pp. 92275:166-92275:167.

9703280084 PNO-III-97-029:on 970326,notified Commonwealth of PA,Dept of Environ Resources of contaminated scrap metal incident.True Temper Hardware still had two rolls unprocessed contaminated steel at facility.
PISKURA,D.A., MADERA,J.R. Region 3 (Post 820201). 97/03/27. 2pp. 92312:133-92312:134.

9703280440 PNO-II-97-019:on 970327,portable filtration & demineralization unit from Chem-Nuclear Sys,Inc missing valve.Unknown how or where valve dislodged.NRC Region I & EPA contacted.
PARKER,B.A. Region 2 (Post 820201). 97/03/28. 1p. 92312:273-92312:273.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9703040289 Extends invitation to participate in symposium entitled, "Global Fissile Matls Situation:Nuclear Terrorism & Response form Governments & Private Sector" held 970304 at Leavey Conference Ctr.
GALLUCCI,R.L. Georgetown Univ., Washington, DC. 97/02/05. HAUGHNEY,C. NRC - No Detailed Affiliation Given. 12pp. 91972:347-91972:358.

9703040396 Ack receipt of 970131 ltr in response to 970113 order prohibiting JR Byrum from engaging in or exercising control over individuals engaged in NRC-licensed activities for period set forth in order.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-96-101. 97/03/03. BYNUM,J.R. Affiliation Not Assigned. 2pp. 91945:151-91945:152.

9703060279 Transcript of 970205 verbatim proceedings re public forum. Pp 2-150.Supporting documentation encl.
* NRC - No Detailed Affiliation Given. 97/02/05. 150pp. 91984:065-91984:215.

NRCSA STRATEGIC ASSESSMENT PAPERS

9612270084 Comments on DSI-22 re HLW & LLW research.
SILBERBERG,M. Affiliation Not Assigned. FACA. 96/12/12. THE CHAIRMAN Commissioners (Post 750119). 6pp. 91247:340-91247:345.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9609120019 Forwards Appendices to draft PSER for MHTGR (NUREG-1338).
QUAY,T.R. . 96/09/09. Public Document Branch. 1p. 92148:001-92150:304.

--9703180167 NUREG-1338 V02 "Preapplication Safety Evaluation Report for Modular High- Temperature Gas-Cooled Reactor (MHTGR)," advanced copy of final rept.Volume 2: Appendices.
* Office of Nuclear Reactor Regulation (Post 941001). 95/09/30. 1,031pp. 92148:002-92150:304.

9611290343 SECY-96-242 Informs Commission of staff approach to allow use of rev accident source term described in NUREG-1465, "Accident Source Terms for Light-Water Nuclear Power Plants," in design-basis analyses for operating nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/25. 17pp. 92217:049-92217:065.

9702050318 SECY-97-023 Forwards Abnormal Occurrences FY96 & "Rept to Congress on Abnormal Occurrences," final draft.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/01/28. 67pp. 92217:066-92217:132.

9703030102 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
TULON,T.J. Commonwealth Edison Co. 97/02/24. Document Control Branch (Document Control Desk). 4pp. 92154:001-92157:299.

-9703030107 Proposed tech specs changing TS from current TS to improved TS consistent w/NUREG-1431,Rev 1, "STS - W Plants," dtd Apr 1995.
* Commonwealth Edison Co. 97/02/24. 600pp. 92154:005-92155:339.

-9703170220 Proposed tech specs,reflecting conversion to improved TS to be consistent w/NUREG-1431.
* Commonwealth Edison Co. 97/02/24. 600pp. 92155:340-92157:299.

9703030170 NUREG-0750 V44 N05 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR NOVEMBER 1996. Pages 229-314.
* Office of Information Resources Management (Post 890205). 97/01/31. 95pp. 91940:135-91940:229.

9703030205 NUREG/BR-0184 REGULATORY ANALYSIS TECHNICAL EVALUATION HANDBOOK.Final Report.
* Office of Nuclear Regulatory Research (Post 941217). 97/01/31. 289pp. 91939:001-91939:289.

9703030211 NUREG-1571 INFORMATION HANDBOOK ON INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS.
RADDATZ,M.G., WATERS,M.D. Office of Nuclear Material Safety & Safeguards. 96/12/31. 140pp. 91940:001-91940:134.

9703030527 Confirms & makes publicly available voluntary initiatives in progress & will be completed by 981018 to identify & correct FSAR discrepancies.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). TXX-97049. 97/02/21. Document Control Branch (Document Control Desk). 4pp. 91951:356-91951:359.

9703040001 Advises that improved Tech Specs submittals have been temporarily deferred & schedules for submittals are under evaluation.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97-091. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 91958:357-91958:358.

9703040073 Comment on NRC draft NUREG 1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance;Vols 1 & 2." Comment provided to enhance accuracy of NUREG,per request.
TAYLOR,G.J. South Carolina Electric & Gas Co. 61FR65248 00001. 97/02/17. DROUIN,M. Office of Nuclear Regulatory Research (Post 941217). 2pp. 91945:001-91945:002.

9703040077 Comment supporting Draft NUREG-1556,vol 1 re NRC identifying relative risk of stated devices & license application.
MANCUSO,W. Affiliation Not Assigned. 61FR51729 00003. 97/02/10. VACCA,P. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 91945:016-91945:021.

9703040263 Forwards NUREG/BR-0240, "Reporting Safety Concerns to NRC." W/o encl.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/26. Affiliation Not Assigned. 1p. 91979:349-91979:349.

9703050177 Forwards documentation collected to support NUREG-1535, "Ingestion of P-32 at MIT,Cambridge,MA,Identified on 950819."
SIEGEL,C. Office for Analysis & Evaluation of Operational Data, Director. 97/01/17. DAVIS,W.E. Information & Records Management Branch (Post 890827). 17pp. 92081:001-92089:204.

-8203050543 PNA-82-002:on 820208 State of RI informed NRC of 820205 ingestion of as much as 350 uCi P-32 labelled adenosine triphosphate.Caused by contamination of worker's lunch. Independent state & univ investigation being conducted.
BOLLING,L.A. Office of State Programs (Pre 870413). 82/02/09. 1p. 92088:200-92088:219.

-9511090392 Manual Chapter 2800, "Matls Insp Program."
* NRC - No Detailed Affiliation Given. 95/04/17. 35pp. 92086:290-92086:324.

-9703050159 Summary of 920122 meeting 104 of Radiation Protection Committee re ratification of administratively approved authorizations & renewal of authorizations.
* Massachusetts Institute of Technology, Cambridge, MA. 92/01/22. Massachusetts Institute of Technology, Cambridge, MA. 3pp. 92084:307-92084:309.

-9703050219 Summary of 920424 meeting 105 of Radiation Protection Committee.Items discussed,listed.
* Massachusetts Institute of Technology, Cambridge, MA. 92/04/24. Massachusetts Institute of Technology, Cambridge, MA. 9pp. 92084:310-92084:312.

-9703050229 Summary of 921201 meeting 107 of Radiation Protection Committee.Administratively approved authorizations,listed.
* Massachusetts Institute of Technology, Cambridge, MA. 92/12/01. Massachusetts Institute of Technology, Cambridge, MA. 4pp. 92084:322-92084:325.

-9703050236 Summary of 930413 meeting 108 of Radiation Protection Committee.Minutes of meeting 107 were approved w/corrections to spelling of Petrasso & Wenzel.
* Massachusetts Institute of Technology, Cambridge, MA. 93/04/13. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 92084:326-92084:327.

-9703050239 Summary of 930623 meeting 109 of Radiation Protection Committee.Minutes of meeting 108 were approved w/listed addition.
* Massachusetts Institute of Technology, Cambridge, MA. 93/06/23. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 92084:328-92084:329.

-9703050247 Transcript of RK Burgess 951018 investigation interview.
* NRC - No Detailed Affiliation Given. 95/10/18. 33pp. 92082:280-92082:313.

-9703050254 Summary of 931027 meeting 110 of Radiation Protection Committee.Minutes of meeting 109 were approved as presented.
* Massachusetts Institute of Technology, Cambridge, MA. 93/10/27. Massachusetts Institute of Technology, Cambridge, MA. 3pp. 92084:330-92084:332.

-9703050260 Informs that 950814 incident re P-32 internal contamination at MIT being investigated by independent team from NRC.
GLENN,J. NRC - No Detailed Affiliation Given. 95/10/17. NRC - No Detailed Affiliation Given. 3pp. 92081:040-92081:043.

-9703050262 Submits proposed resolutions to questions submitted re renewal application for license SNM-986.
MASSE,F. Massachusetts Institute of Technology, Cambridge, MA. TAC L21687. 93/10/12. ADAMS,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 92084:333-92084:334.

-9703050270 Forwards RAI re 901025 application requesting renewal of license SNM-986.W/o encl.
ADAMS,T. Division of Fuel Cycle Safety & Safeguards (Post 930207). TAC L21687. 93/08/19. MASSE,F.X. Massachusetts Institute of Technology, Cambridge, MA. 7pp. 92084:335-92084:338.

-9703050271 Transcript of 951017 Incident Investigation Team Meeting. Pp 1-33.W/related info.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/17. 151pp. 92081:044-92081:190.

-9703050273 Summary of 940126 meeting 111 of Radiation Protection Committee.Minutes of meeting 110 were approved as presented.
* Massachusetts Institute of Technology, Cambridge, MA. 94/01/26. Massachusetts Institute of Technology, Cambridge, MA. 9pp. 92084:339-92084:350.

-9703050275 Transcript of 951018 interview of MS Galanek.
* NRC - No Detailed Affiliation Given. 95/10/18. 84pp. 92081:253-92081:336.

-9703050279 Transcript of 951018 interview of D King.W/related info. Radiation worker registration forms encl.
* NRC - No Detailed Affiliation Given. 95/10/18. 207pp. 92081:337-92082:185.

-9703050280 Summary of 940524 meeting 112 of Radiation Protection Committee.Minutes of meeting 111 were reviewed.
* Massachusetts Institute of Technology, Cambridge, MA. 94/05/24. Massachusetts Institute of Technology, Cambridge, MA. 13pp. 92084:351-92085:003.

-9703050281 Summary of 950912 117th meeting of Radiation Protection Committee.
* Massachusetts Institute of Technology, Cambridge, MA. 95/09/12. Massachusetts Institute of Technology, Cambridge, MA. 18pp. 92082:186-92082:203.

-9703050282 "Site Environ Rept for Period of January -December 1993."
* Massachusetts Institute of Technology, Cambridge, MA. 94/03/31. 13pp. 92085:004-92085:016.

-9703050284 Transcript of 951018 interview w/Y Li.W/related info.
* NRC - No Detailed Affiliation Given. 95/10/18. 76pp. 92082:204-92082:279.

-9703050285 Summary of 941005 meeting 113 of Radiation Protection Committee.Minutes of meeting 112 were reviewed & accepted as presented.
* Massachusetts Institute of Technology, Cambridge, MA. 94/10/05. Massachusetts Institute of Technology, Cambridge, MA. 10pp. 92085:017-92085:026.

-9703050290 Summary of 950110 meeting 114 of Radiation Protection Committee.Minutes of meeting 113 were reviewed & accepted as presented.
* Massachusetts Institute of Technology, Cambridge, MA. 95/01/10. Massachusetts Institute of Technology, Cambridge, MA. 35pp. 92085:027-92085:059.

-9703050292 Summary of 950523 meeting 116 of Radiation Protection Committee.Minutes of meeting 115 were reviewed & accepted as presented.
* Massachusetts Institute of Technology, Cambridge, MA. 95/05/23. Massachusetts Institute of Technology, Cambridge, MA. 101pp. 92085:062-92085:166.

-9703050313 Requests MIT official position,in order for IIT to assess incident response actions.
GLENN,J. NRC - No Detailed Affiliation Given. 95/10/20. MASSE,F. Massachusetts Institute of Technology, Cambridge, MA. 1p. 92082:314-92082:314.

-9703050316 Transcript of MS Galanek 951019 interview in Cambridge, Massachusetts.Pp 1-18.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/19. 20pp. 92082:315-92082:334.

-9703050321 Transcript of T Iwasato 951019 interview in Cambridge, Massachusetts.Pp 1-19.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/19. 22pp. 92082:335-92082:356.

-9703050330 Transcript of HM Prosser 951019 interview in Cambridge, Massachusetts.Pp 1-27.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/19. 31pp. 92082:357-92083:027.

-9703050339 Transcript of Y Li 951019 interview in Cambridge, Massachusetts.Pp 1-96.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/19. 100pp. 92083:028-92083:128.

-9703050342 Transcript of Z Qian 951019 interview in Cambridge, Massachusetts.Pp 1-46.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/19. 49pp. 92083:129-92083:177.

-9703050347 Transcript of J Shen 951019 interview in Cambridge, Massachusetts.Pp 1-27.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/19. 32pp. 92083:178-92083:211.

-9703050350 Transcript of Y Li 951020 interview in Cambridge, Massachusetts.Pp 1-81.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/20. 85pp. 92083:212-92083:296.

--9703050352 Transcript of F Masse 951020 interview in Cambridge, Massachusetts.Pp 1-59.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/20. 63pp. 92083:297-92084:002.

--9703050355 Transcript of DL Haes 951020 interview in Cambridge, Massachusetts.Pp 1-58.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/20. 61pp. 92084:003-92084:063.

--9703050358 Transcript of S Tonegawa 951020 interview in Cambridge, Massachusetts.Pp 1-32.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/20. 35pp. 92084:064-92084:117.

--9703050371 Insp repts 30-00763/95-01,30-09177/95-01 & 30-21272/95-01 on 950308.Violation noted.Major areas inspected:licensee organization,training,internal audits,radiation survey, radioactive waste & transportation programs.
DOLCE,K. Region 1 (Post 820201). 30-09177/95-01. 95/04/05. 20pp. 92084:118-92084:172.

--9703050385 Transcript of SY Huang 951020 interview in Cambridge, Massachusetts.Pp 1-31.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/20. 35pp. 92084:173-92084:212.

--9703050406 Transcript of S Shankman 951102 investigation interview in Rockville,MD.Pp 1-46.W/related info.
* NRC - No Detailed Affiliation Given. 95/11/02. 47pp. 92088:065-92088:133.

--9703050436 Forwards event repts concerning use of P-32 resulting in incidents other than contamination,for info.
KARAGIANNIS,H. Safeguards & Matls Program Br,Div of QA,Safeguards & Insp Programs,IE. 95/07/25. SCHLUETER,J. Office of Nuclear Material Safety & Safeguards. 49pp. 92088:134-92088:173.

--9703050462 Trip rept of 951026 visit to MIT re splitting of urine samples reported to be from individual w/intake of 579 uCi of P-32 on 950814.Info partially deleted.
MCFADDEN,J.R. Region 1 (Post 820201). 95/11/02. GLENN,J.E. Radiation Protection & Health Effects Branch (870413-941217). 12pp. 92088:187-92088:199.

--9703050470 Transcript of 951023 interview of W Irwin in Cambridge,MA. Pp 1-31.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 33pp. 92085:167-92085:199.

--9703050475 Transcript of 951023 interview w/RJ McCunney in Cambridge,MA.Pp 1-26.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 28pp. 92085:200-92085:227.

--9703050479 Transcript of 951023 interview w/J Yanch in Cambridge,MA. Pp 1-23.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 25pp. 92085:228-92085:252.

--9703050503 Transcript of H Karagiannis & S Pettijohn 951106 interview in Rockville,MD.Pp 1-30.W/related info.
* NRC - No Detailed Affiliation Given. 95/11/06. 47pp. 92088:220-92088:254.

--9703050507 Transcript of P Baranowski 951106 interview in Rockville,MD. Pp 1-12.W/related info.
* Commissioners (Post 750119). 95/11/06. 13pp. 92088:255-92088:269.

--9703050515 Transcript of P Lohaus & R Bangart 951106 interview in Rockville,MD.Pp 1-17.W/related info.
* NRC - No Detailed Affiliation Given. 95/11/06. 17pp. 92088:270-92088:291.

--9703050517 Transcript of J Lubenau 951107 investigative interview in Rockville,MD.Pp 1-8.W/related info.
* NRC - No Detailed Affiliation Given. 95/11/07. 209pp. 92088:292-92089:098.

--9703060085 Transcript of 951023 interview w/J Ring in Cambridge,MA. Pp 1-22.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 25pp. 92085:253-92085:277.

--9703060223 Transcript of 951023 interview w/P Dedon in Cambridge,MA. Pp 1-29.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 34pp. 92085:278-92085:310.

--9703060225 Transcript of 951023 interview w/K Wentzel in Cambridge,MA. Pp 1-19.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 21pp. 92085:311-92085:331.

--9703060227 Transcript of 951023 interview w/HF Hemond in Cambridge,MA. Pp 1-34.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 36pp. 92085:332-92086:007.

--9703060228 Transcript of 951023 interview w/G Sirr in Cambridge,MA. Pp 1-28.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 32pp. 92086:008-92086:039.

--9703060236 Transcript of 951023 interview w/J Lafaille in Cambridge,MA. Pp 1-27.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 28pp. 92086:040-92086:067.

--9703060244 Transcript of 951023 interview w/DE Housman in Cambridge,MA. Pp 1-40.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/23. 42pp. 92086:068-92086:109.

--9703060250 Advises that IAW agreement between J Glenn & L Robinson, records collected & maintained by IIT will be available to OI on as-needed basis.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/10/23. CAPUTO,G.P. Ofc of Investigations (Post 880201). 1p. 92086:110-92086:110.

--9703060257 "For comment" issue of draft reg guide,task DG-0005, "Applications for Licenses of Broad Scope."
* Office of Nuclear Regulatory Research (860720-941217). 94/10/31. 61pp. 92086:325-92087:028.

--9703060264 Notification of 951025 meeting w/MIT in Boston,MA to discuss investigation into ingestion of radioactive matl by MIT researcher.Related correspondence encl.
SCRENCI,D. NRC - No Detailed Affiliation Given. 1-95-62. 95/10/24. GLENN,J. NRC - No Detailed Affiliation Given. 96pp. 92086:111-92086:256.

--9703060268 Responds to 951017 ltr re reported intake of 579 uCi of 32P by researcher for cancer research.
LITSTER,J.D. Massachusetts Institute of Technology, Cambridge, MA. 95/10/24. MARTIN,T.T. NRC - No Detailed Affiliation Given. 2pp. 92086:257-92086:258.

--9703060276 Rev 3 to reg guide 10.005, "Std Review Plan for Applications for Licenses of Broad Scope."
* Office of Nuclear Regulatory Research (860720-941217). 94/06/30. 105pp. 92087:029-92087:133.

--9703060285 PNO-IIT-95-03:on 951025,IIT completed initial onsite phase of investigation & conducted exit meeting w/licensee.
GLENN,J. Incident Investigation Team. 95/10/25. 1p. 92086:259-92086:259.

--9703060287 Discusses issue of reportability of 32P intake.
MASSE,F. Massachusetts Institute of Technology, Cambridge, MA. 95/10/23. GLENN,J. NRC - No Detailed Affiliation Given. 2pp. 92086:260-92086:261.

--9703060291 Forwards receipt logs or packages delivered to Tonnegawa lab from 950807-950819.
GALANEK,M. Region 1 (Post 820201). 95/11/08. ULRICH,B. Region 1 (Post 820201). 21pp. 92089:099-92089:150.

--9703060299 Transcript of final exit of 951208 incident investigation in Cambridge,MA.Pp 1-51.W/related info.
* NRC - No Detailed Affiliation Given. 95/12/08. 64pp. 92089:151-92089:204.

--9703060317 Transcript of 951025 IIT MIT exit interview in Boston,MA. Pp 1-24.Related correspondence encl.
* NRC - No Detailed Affiliation Given. NRC-370. 95/10/25. 28pp. 92086:262-92086:289.

--9703060318 Forwards events obtained from NMED & NUDOCS re deliberate internal or external contamination of radioactive matl that occurred at power plants & facilities.
BARANOWSKY,P. Office for Analysis & Evaluation of Operational Data, Director. 95/10/19. RUBIN,S. Office for Analysis & Evaluation of Operational Data, Director. 9pp. 92088:174-92088:186.

--9703060330 Rev 1 to reg guide 10.005, "Applications for Type A Licenses of Broad Scope." Draft notice encl.
* Office of Nuclear Regulatory Research (860720-941217). 80/12/31. 23pp. 92087:134-92087:156.

--9703060335 "For comment" issue of draft rev 2 to reg guide 10.005, task FC 408-4, "Guide for Preparation of Applications for Type A Licenses of Broad Scope."
* Office of Nuclear Regulatory Research (860720-941217). 85/02/28. 28pp. 92087:157-92087:183.

--9703060354 Transcript of 951031 MIT Incident Investigation Team interview of CJ Paperiello.Pp 1-41.W/related info.
* NRC - No Detailed Affiliation Given. NRC-388. 95/10/31. 45pp. 92087:184-92087:228.

--9703060359 Transcript of 951031 MIT Incident Investigation Team Interview of J Dwyer.Pp 1-74.W/related info.
* NRC - No Detailed Affiliation Given. NRC-388. 95/10/31. 80pp. 92087:229-92087:308.

--9703100131 "Required Procedures for Radiation Protection."
* Massachusetts Institute of Technology, Cambridge, MA. 83/05/31. 34pp. 92081:191-92081:252.

--9703100226 Transcript of J Murray 951022 interview in Cambridge, Massachusetts.Pp 1-16.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/22. 18pp. 92084:213-92084:306.

--9703100233 Summary of 920722 meeting number 106 of Radiation Protection Committee.Minutes of 105th meeting were approved as presented.
* Massachusetts Institute of Technology, Cambridge, MA. 92/07/22. Massachusetts Institute of Technology, Cambridge, MA. 3pp. 92084:313-92084:321.

--9703100250 Summary of 950405 meeting 115 of Radiation Protection Committee.Minutes of 114th meeting were reviewed & accepted as presented w/correction on pp 2 of Langer to Lanza.
* Massachusetts Institute of Technology, Cambridge, MA. 95/04/05. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 92085:060-92085:061.

--9703100292 Abbreviated listing of communications sorted per program menu requests.
* NRC - No Detailed Affiliation Given. 95/11/03. 147pp. 92087:309-92088:064.

9703050343 NUREG-1021 R08 OPERATOR LICENSING EXAMINATION STANDARDS FOR POWER REACTORS.
* Office of Nuclear Reactor Regulation (Post 941001). 97/01/31. 460pp. 91953:001-91954:096.

9703060029 Informs that on 970122,MRB met to consider proposed final IMPEP rept on NE Agreement State Program.Program found to be adequate to protect public health & safety but needs improvement & compatible w/NRC program.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/02/12. THOMAS,D. Nebraska, State of. 5pp. 91970:230-91970:353.

--9703060036 "Integrated Matl Performance Evaluation Program Review of Nebraska Agreement State Program,for 970715-19."
* NRC - No Detailed Affiliation Given. 97/02/03. 118pp. 91970:236-91970:353.

9703060086 Comments on draft NUREG-1567, "Std Review Plan for SF Dry Storage Facilities," dtd Oct 1996.
MELLOR,R.A. Yankee Atomic Electric Co. 61FR57926 00002. 97/02/27. Division of Freedom of Information & Publications Services (Post 940714). 16pp. 91968:180-91968:196.

9703060125 Submits info that will be added to clarify bases for TS surveillance 4.8.D.5.c.Changes agree w/NUREG-1433,rev 1.
KRAFT,E.S. Commonwealth Edison Co. ESK-97-023. 97/02/24. Document Control Branch (Document Control Desk). 3pp. 92012:352-92012:358.

9703060169 Comment on notice of issuance & availability of draft NUREG-1567, "Standard Review Plan for Spent Fuel Dry Storage Facilities." NUREG should provide reasonable insight into regulatory review process for applicants.
NELSON,A.P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR57926 00003. 97/02/28. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 107pp. 91969:141-91969:247.

9703060196 Comment on NRC draft NUREG-1560, "IPE Program:Perspective on Reactor Safety & Plant Performance,Summary Rept."
MYERS,L.W. Centerior Energy. 61FR65248 00002. 97/02/25. Office of Administration, Director (Post 940714). 6pp. 91970:002-91970:007.

9703060277 Comment on draft NUREG 1567 re SRP for spent nuclear fuel dry storage facilities.
HAGERS,J. Energy, Dept. of. 61FR57926 00001. 97/02/26. Division of Freedom of Information & Publications Services (Post 940714). 14pp. 91969:111-91969:124.

9703070161 Notification of 970327 meeting w/util in Port Gibson,MS to discuss application of NUREG-1465, "Accident Source Terms for Light-Water NPPs," to pilot program for plant.
DONOHEW,J.N. . 97/03/04. BECKNER,J.N. . 4pp. 91997:354-91997:357.

9703100006 Provides supplemental info re three relief requests VG-2,LP-RR-2 & CRD-RR-3.
MCCORMICK,M.J. Niagara Mohawk Power Corp. NMP1L 1189. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92048:324-92048:325.

9703100220 NUREG/CR-6181 R01 A PILOT APPLICATION OF RISK-INFORMED METHODS TO ESTABLISH INSERVICE INSPECTION PRIORITIES FOR NUCLEAR COMPONENTS AT SURRY UNIT 1 NUCLEAR POWER STATION.
VO,T.V., PHAN,H.K., GORE,B.F. Division of Engineering Technology (Post 941217). FIN B-2289. PNNL-9020. 97/02/28. 74pp. 92027:244-92027:317.

9703100224 NUREG/CR-6493 DOSES TO THE HAND DURING THE ADMINISTRATION OF RADIOLABELED ANTIBODIES CONTAINING Y-90,TC-99M,I-131, AND LU-177.
BARBER,D.E. Minnesota, Univ. of, Minneapolis, MN. CARSTEN,A.L., KAURIN,D.G.L. Brookhaven National Laboratory. FIN L-1284. BNL-NUREG-52510. 97/02/28. Division of Regulatory Applications (Post 941217). 60pp. 92035:235-92035:294.

9703100227 NUREG-1545 EVALUATION CRITERIA FOR COMMUNICATIONS-RELATED CORRECTIVE ACTION PLANS.
* Office of Nuclear Reactor Regulation (Post 941001). * Division of Systems Technology (Post 941217). 97/02/28. 69pp. 92020:240-92020:308.

9703100239 NUREG-0304 V21 N03 REGULATORY AND TECHNICAL REPORTS (ABSTRACT INDEX JOURNAL). Compilation For Third Quarter 1996,July-September.
* Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. 41pp. 92020:309-92020:349.

9703100252 NUREG/CR-6446 FRACTURE TOUGHNESS EVALUATIONS OF TP304 STAINLESS STEEL PIPES.
RUDLAND,D.L., BRUST,F.W., WILKOWSKI,G.M. Battelle Memorial Institute, Columbus Laboratories. FIN D-2060. BMI-2194. 97/02/28. Division of Engineering Technology (Post 941217). 116pp. 92062:225-92062:340.

9703100260 NUREG/CR-6529 VALIDATION OF TECTONIC MODELS FOR AN INTRAPLATE SEISMIC ZONE,CHARLESTON,SOUTH CAROLINA WITH GPS GEODETIC DATA.
TALWANI,P., KELLOGG,J.N., TRENKAMP,R. South Carolina, Univ. of, Columbia, SC. FIN G-2519. 97/02/28. Division of Engineering Technology (Post 941217). 54pp. 92018:299-92018:352.

9703100266 NUREG/CR-6528 ENVIRONMENTAL ASSESSMENT PROPOSED LICENSE RENEWAL OF NUCLEAR METALS,INC. CONCORD, MASSACHUSETTS.
MILLER,R.L., EASTERLY,C.E., LOMBARDI,D.A. Oak Ridge National Laboratory. FIN J-5084. 97/02/28. Division of Industrial & Medical Nuclear Safety (Post 870729). 88pp. 92020:152-92020:239.

9703100272 NUREG/CP-0154 PROCEEDINGS OF THE CNRA/CSNI WORKSHOP ON STEAM GENERATOR TUBE INTEGRITY IN NUCLEAR POWER PLANTS.
DIERCKS,D.R. Argonne National Laboratory. FIN W-6165. ANL-96/14. 97/02/28. Division of Engineering Technology (Post 941217). 625pp. 92026:001-92027:243.

9703110128 Forwards ltr provided LER 97-001-01 for occurences involving surveillance testing & implementation of new standard TSs re San Onofre Nuclear Generating Station,Units 2 & 3.
KRIEGER,R.W. Southern California Edison Co. 97/03/03. Document Control Branch (Document Control Desk). 1p. 92189:263-92189:272.

9703120077 Provides suppl info for TS change request 192,proposing to modify TS Section 15.3.3, "ECCS,Auxiliary Cooling Sys,Air Recirculation Fan Coolers & Containment Spray" to incorporate AOTs similar to NUREG-1431,Rev 1.
JOHNSON,D.F. Wisconsin Electric Power Co. NPL 97-072. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92125:146-92125:147.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9703130414 Safety evaluation supporting proposed rev & associated justification.Proposed EAL rev for plant consistent w/guidance provided by NUREG-0654 & allowable deviations.
* 96/09/05. 2pp. 92287:027-92287:028.

-9303100136 Requests FR publication of notice of consideration of issuance of amends to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on request re GL 89-01 & NUREG-1301 re ODCM.
NORRIS,J.A. Project Directorate II-2. TAC M85767. 93/03/05. NRC - No Detailed Affiliation Given. 3pp. 92284:079-92284:081.

-9401100185 Submits Individual Plant Exam in accordance w/GL 88-20, "Individual Plant Exam for Service Accident Vulnerabilities - 10CFR50.54(f)" & NUREG-1335, "IPE Guidance."
NORRIS,J.A. Project Directorate II-2. TAC M74474. 94/01/04. BERKOW,H.N. Project Directorate II-2. 3pp. 92284:334-92284:336.

-9312140352 Requests FR publication of notice of consideration of issuance of amend to licenses DPR-67 & NPF-16 & proposed NSHC determination & opportunity for hearing on 931026 request to change TS 4.6.1.2.a consistent w/NUREG-1432.
NORRIS,J.A. Project Directorate II-2. TAC M88318. 93/12/03. NRC - No Detailed Affiliation Given. 4pp. 92284:315-92284:318.

-9404060048 Requests FR publication of notice of issuance of amends 127 & 66 to licenses DPR-67 & NPF-16.Amends change TS 4.6.1.2.a, "Containment Leakage Surveillance Requirements" to be consistent w/guidance of NUREG-1432.
NORRIS,J.A. Project Directorate II-2. TAC M88318. 94/03/30. NRC - No Detailed Affiliation Given. 2pp. 92285:126-92285:127.

-9502140422 Requests FR publication of notice of issuance of amend 71 to license NPF-16.Amend will upgrade TS 3/4.7.1.6 for main feedwater line isolation valves to be consistent w/NUREG-1432.
NORRIS,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). TAC M90027. 95/02/09. NRC - No Detailed Affiliation Given. 1p. 92286:013-92286:013.

-9401130063 Informs that public meeting will be held on 940202 & 03 to discuss proposed generic ltr suppl & draft NUREG-1482 re guidance on developing acceptable inservice testing program.
NORRIS,J.A. Project Directorate II-2. GL-89-04. 94/01/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:337-92284:339.

9703120266 NUREG/CP-0157 V01 PROCEEDINGS OF THE TWENTY-FOURTH WATER REACTOR SAFETY INFORMATION MEETING.Plenary Session, High Burnup Fuel, Containment And Structural Aging.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 97/01/31. Office of Nuclear Regulatory Research (Post 941217). 357pp. 92077:003-92077:359.

9703120276 NUREG/CP-0157 V02 PROCEEDINGS OF THE TWENTY-FOURTH WATER REACTOR SAFETY INFORMATION MEETING.Reactor Pressure Vessel Embrittlement And Thermal Annealing,Reactor Vessel Lower Head Integrity And Evaluation And Projection of Steam Generator tube....
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 97/02/28. Office of Nuclear Regulatory Research (Post 941217). 444pp. 92075:001-92076:080.

9703120285 NUREG/CP-0157 V03 PROCEEDINGS OF THE TWENTY-FOURTH WATER REACTOR SAFETY INFORMATION MEETING.PRA And HRA, And Probabilistic Seismic Hazard Assessment And Seismic Siting Criteria.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 97/02/28. Office of Nuclear Regulatory Research (Post 941217). 180pp. 92076:081-92076:256.

9703130178 Comment on draft NUREG 1560, "IPE Program:Perspectives on Reactor Safety & Plant Performance."
TUCKMAN,M.S Duke Power Co. 61FR65248 00003. 97/03/03. Rules & Directives Review Branch (Post 920323). 4pp. 92069:204-92069:207.

9703130315 Comment on draft NUREG-1567, "SRP for Spent Fuel Dry Storage Facilities."
MELLOR,R.A. Yankee Atomic Electric Co. 61FR57962 00004. 97/02/27. NRC - No Detailed Affiliation Given. 16pp. 92069:229-92069:244.

9703130386 NUREG-1536 STANDARD REVIEW PLAN FOR DRY SPENT FUEL STORAGE SYSTEMS. Final Report.
* Office of Nuclear Material Safety & Safeguards. 97/01/31. 179pp. 92107:104-92107:281.

9703140120 Discusses NUREG/CR-6414, "Piping Benchmark Problems for Westinghouse AP600 Standardized Plant."
JACKSON,D.T. . 97/03/11. MCINTYRE,B.A. Westinghouse Electric Corp. 2pp. 92115:159-92115:160.

9703140145 Forwards NUREG-1532, "Final TER for Proposed Revised Reclamation Plan for Atlas Corp Moab Mill,Source Matl License SUA-917."
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/05. BLUBAUGH,R. Atlas Corp. 205pp. 92137:023-92137:227.

9703170064 Application for amends to Licenses NPF-2 & NPF-8,revising TS 3/4.6.3 re containment isolation valves surveillance requirements.
MOREY,D. Southern Nuclear Operating Co. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92138:336-92138:347.

9703170237 NUREG-1275 V12 OPERATING EXPERIENCE FEEDBACK REPORT.Assessment Of Spent Fuel Cooling.
IBARRA,J.G., JONES,W.R., LANIK,G.F. Division of Safety Programs (Post 870413). 97/02/28. 48pp. 92131:199-92131:247.

9703170239 NUREG/CR-6389 IPIRG-2 TASK 1 - PIPE SYSTEM EXPERIMENTS WITH CIRCUMFERENTIAL CRACKS IN STRAIGHT-PIPE LOCATIONS.Final Report.September 1991 - November 1995.
SCOTT,P., OLSON,R., MARSCHALL,C. Battelle Memorial Institute, Columbus Laboratories. FIN D-2060. BMI-2187. 97/02/28. Division of Engineering Technology (Post 941217). 363pp. 92129:001-92129:363.

9703170243 NUREG-0750 V44 N06 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR DECEMBER 1996. Pages 315-432.
* Office of Information Resources Management (Post 890205). 97/02/28. 123pp. 92128:222-92128:346.

9703170247 NUREG/CR-6295 REASSESSMENT OF SELECTED FACTORS AFFECTING SITING OF NUCLEAR POWER PLANTS.
DAVIS,R.E., HANSON,A.L., MUBAYI,V. Brookhaven National Laboratory. FIN B-6331. BNL-NUREG-52442. 97/02/28. Division of Systems Technology (Post 941217). 117pp. 92130:197-92130:313.

9703170250 NUREG/CR-6469 EXPERIMENTS TO INVESTIGATE DIRECT CONTAINMENT HEATING PHENOMENA WITH SCALED MODELS OF THE CALVERT CLIFFS NUCLEAR POWER PLANT.
BLANCHAT,T.K., PILCH,M.M., ALLEN,M.D. Sandia National Laboratories. FIN W-6162. SAND96-2289. 97/02/28. Division of Systems Technology (Post 941217). 195pp. 92130:001-92130:196.

9703180070 Forwards amend 149 to license NPF-21,safety evaluation & FR notice.Amend replaces,in entirety,current TS w/set of TS based on NUREG-1434,new license condition 2.C.(30) reflecting licensee commitment re relocation of TS.
COLBURN,T.G. . TAC M94226. 97/03/04. PARRISH,J.V. Washington Public Power Supply System. 2pp. 92144:001-92147:314.

--9703180071 Amend 149 to license NPF-21,replacing in entirety,current TS w/set of TS based on NUREG-1434,adding new license condition 1.C.(30) reflecting licensee commitments re relocation of TS requirements to licensee-controlled documents.
COLBURN,T.G. . 97/03/04. 1,060pp. 92144:003-92146:340.

9703180093 Staff requirements memo re SECY-96-242, Use of NUREG-1465 Source Term at Operating Reactors."
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/12. THOMPSON,H.L. Ofc of the Executive Director for Operations. 2pp. 92177:209-92177:210.

9703180113 "Generic Aging Lessons Learned Database Interface Program Users Manual."
EDSON,J.L., FLITTON,M.L. Idaho National Engineering Laboratory. 96/05/14. 36pp. 92177:120-92177:155.

9703180175 Forwards comments on draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance Summary Rept," per 961213 request.
RUEGER,G.M. Pacific Gas & Electric Co. DCL-97-042. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92190:345-92190:346.

9703180206 Commission voting record on SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/12. 2pp. 92177:187-92177:197.

--9703180220 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/01/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92177:189-92177:190.

--9703180237 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
ROGERS,K.C. Commissioners (Post 750119). 97/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92177:191-92177:192.

--9703180245 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
DICUS,G.J. Commissioners (Post 750119). 97/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:193-92177:193.

--9703180251 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
DIAZ,N.J. Commissioners (Post 750119). 96/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:194-92177:194.

--9703180258 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:195-92177:197.

9703190019 Comments on NRC Policy & Procedure for Enforcement Actions; Policy Statement,in response to USEC Privatization Act.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 62FR6677 00001. 97/03/14. Office of the Secretary of the Commission. 10pp. 92160:001-92170:136.

9703190039 Comment supporting NUREG-1574 & NUREG-1577 re draft standard review plans on antitrust & financial qualifications & decommissioning funding assurance.
RAY,H.B. Southern California Edison Co. 61FR68309 00001. 97/03/14. Docketing & Services Branch. 6pp. 92151:353-92151:358.

9703200019 Forwards documents for regulatory history AF55-1 re proposed rules 10CFR170 & 171, "Proposed Rev of Fee Schedule:100% Fee Recovery,FY97."
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 001. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92202:001-92202:333.

--9703200083 Discusses portable gauge RSO issue under NUREG 1556.
JACKSON,G. NRC - No Detailed Affiliation Given. AF55-1 019. 97/02/06. HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 1p. 92202:219-92202:219.

9703200074 Comment supporting NRC draft SRPs on financial qualifications & decommissioning funding assurance & antitrust.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR68309 00002. 97/03/17. HOYLE,J.C. Office of the Secretary of the Commission. 16pp. 92188:301-92188:316.

9703200109 Comment on Policy & Procedure for Enforcement Actions:Policy Statement (NUREG-1600),dtd 970212.
EDGAR,J.B. Siemens Corp. 62FR6677 00002. 97/03/13. Office of the Secretary of the Commission. 5pp. 92188:326-92188:330.

9703200170 Forwards two 3-1/2 inch diskettes containing DMA demonstration & data files,part of work associated with NUREG/CR-4199.Table describing files encl.Diskettes not encl.
COFFMAN,F. Control, Instrumentation & Human Factors Branch (Post 941217). 97/03/11. ASHMORE,B. Affiliation Not Assigned. 2pp. 92195:334-92195:335.

9703200188 Comment on proposed rule re policy & procedure for enforcement actions;policy statement.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR6677 00003. 97/03/14. Office of the Secretary of the Commission. 4pp. 92189:029-92189:032.

9703200236 Notification of 970325 meeting w/util in Glen Allen,VA to discuss detailed assessments & data needs for rebaselining initiative for facility using NUREG-1465 source terms.
ZALCMAN,B. . 97/03/18. MATTHEWS,D.B. . 4pp. 92204:224-92204:227.

9703200250 NUREG-0040 V20 N04 LICENSEE CONTRACTOR AND VENDOR INSPECTION STATUS REPORT. Quarterly Report,October-December 1996.(White Book)
* Office of Nuclear Reactor Regulation (Post 941001). 97/03/31. 154pp. 92191:001-92191:155.

9703200259 NUREG-1492 REGULATORY ANALYSIS ON CRITERIA FOR THE RELEASE OF PATIENTS ADMINISTERED RADIOACTIVE MATERIAL.Final Report.
SCHNEIDER,S., MCGUIRE,S.A. Division of Regulatory Applications (Post 941217). 97/02/28. 79pp. 92191:156-92191:235.

9703200270 NUREG-1508 FINAL ENVIRONMENTAL IMPACT STATEMENT TO CONSTRUCT AND OPERATE THE CROWNPOINT URANIUM SOLUTION MINING PROJECT, CROWNPOINT, NEW MEXICO.Docket No. 40-8968.(Hydro Resources, Inc.)
* Division of Waste Management (NMSS 940403). BLM NM010-93-02. 97/02/28. 432pp. 92192:001-92193:068.

9703200279 NUREG/CR-6426 V02 DUCTILE FRACTURE TOUGHNESS OF MODIFIED A 302 GRADE B PLATE MATERIALS.Data Records.
MCCABE,D.E., MANNESCHMIDT,E., SWAIN,R.L. Oak Ridge National Laboratory. FIN B-0119. ORNL-6892. 97/02/28. Division of Engineering Technology (Post 941217). 600pp. 92194:001-92195:310.

9703200285 NUREG/CR-6474 PRELIMINARY PHENOMENA IDENTIFICATION AND RANKING TABLES (PIRT) FOR SBWR STARTUP STABILITY.
ROHATGI,U.S., CHENG,H.S., KHAN,H.J. Brookhaven National Laboratory. FIN L-2187. BNL-NUREG-52504. 97/03/31. Division of Systems Technology (Post 941217). 81pp. 92196:001-92196:079.

9703200304 Forwards AJ Spurgin comments re draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance."
DROUIN,M. . 97/03/06. HODGES,M.W. Division of Systems Technology (Post 941217). 1p. 92189:343-92189:351.

--9703200349 Forwards comments on draft version of NUREG-1560,published by NRC in Nov 1996.
SPURGIN,A.J. Affiliation Not Assigned. 97/02/18. DROUIN,M. Office of Nuclear Regulatory Research (Post 941217). 8pp. 92189:344-92189:351.

9703200318 Forwards comments re draft NUREG-1560, "IPE Program: Perspectives on Reactor Safety & Plant Performance."
HODGES,M.W. Division of Systems Technology (Post 941217). 97/03/06. VARGA,S.A. . 1p. 92204:315-92204:330.

--9703200328 Provides comments on NRC draft NUREG-1560 which documents insight gained through review of IPE.
TAYLOR,G.J. South Carolina Electric & Gas Co. RC-97-0030. 97/02/17. DROUIN,M. Office of Nuclear Regulatory Research (Post 941217). 2pp. 92204:316-92204:324.

--9703200335 Provides comments on draft NUREG-1560, "Individual Plant Exam Program:Perspectives on Reactor Safety & Plant Performance,Summary Rept."
DROUIN,M. Centerior Energy. PY-CEI/NRR-2138. 97/02/25. Office of Administration, Director (Post 940714). 6pp. 92204:325-92204:330.

9703210082 Comment on draft standard review plans on antitrust & financial qualifications & decommissioning funding assurance 61FR68309,961227.
KNOTTS,J.B., HORIN,W.A., TURNIPSEED,T.L. Winston & Strawn. 61FR68309 00004. 97/03/17. Docketing & Services Branch. 7pp. 92210:300-92210:306.

9703210133 Comment on NRC draft SRPs on antitrust & financial qualifications & decommissioning funding.NRC should adopt some procedure to allow non-substantive changes to licenses, just as correction of certain typos permitted w/o amend.
LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. 61FR68309 00003. 97/03/15. Docketing & Services Branch. 7pp. 92210:312-92210:318.

9703240015 Comment on NUREG-1577 draft review plan re power reactor licensee financial qualifications & decommissioning funding assurance.
ANDERSON,R.O. Northern States Power Co. 61FR68309 00005. 97/03/17. Office of the Secretary of the Commission. 3pp. 92220:108-92220:110.

9703250099 Monthly operating rept for Feb 1997 for Maine Yankee. W/970317 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. MN-97-45. 97/02/28. 5pp. 92252:059-92252:063.

9703250198 Notification of extension of inservice test & ISI program second 10-Yr intervals.Util anticipate submitting third 10-Yr interval ISI program & associated relief requests during first quarter of 1998 for Unit 1 & 1999 for Unit 2.
MILLER,H.J. Baltimore Gas & Electric Co. TAC M64977. 97/03/18. Document Control Branch (Document Control Desk). 2pp. 92251:338-92251:339.

9703260108 Comment on draft std review plan on antitrust.Urges NRC to consider listed comments in developing final SRP on antitrust.
WALT,T.D. Carolina Power & Light Co. 61FR68309 00006. 97/03/14. NRC - No Detailed Affiliation Given. 2pp. 92244:280-92244:281.

9703260135 Notice of amend to policy statement & procedure for enforcement actions re predecisional enforcement conferences based on findings of discrimination.
HOYLE,J.C. Office of the Secretary of the Commission. 61FR13906. 97/03/17. 11pp. 92244:303-92244:313.

9703260316 Provides ltr to document change in util's commitments to satisfy NUREG-0737,Section I.C.2, "Shift & Relief Turnover Procedures," per NRC request.
SHELL,R.H. Tennessee Valley Authority. 97/03/20. Document Control Branch (Document Control Desk). 4pp. 92253:349-92253:352.

9703260328 Requests enforcement discretion,permitting continued operation w/o completion of instrumentation response time testing,as currently defined in TS for RPS,ECCS & isolation actuation instrumentation.
CAMPBELL,W.R. Carolina Power & Light Co. BSEP 97-0119. 97/03/22. Document Control Branch (Document Control Desk). 9pp. 92253:223-92253:242.

9703270155 Submits comments on NUREG/CR-5512,Vol 2, "Residual Radioactive Contamination from Decommissioning - Users Manual,Draft for Review," per 970203 request.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/03/17. MORRIS,B.M. Division of Regulatory Applications (Post 941217). 8pp. 92268:077-92268:084.

9703270183 Notification of meeting w/Nuclear Energy Institue on 970402 in Rockville,MD to discuss staff activities & schedule re SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors"
ZALCMAN,B. . 97/03/21. MATTHEWS,D.B. . 4pp. 92259:190-92259:193.

9703280232 Requests reevaluation of NRC denial of Relief Request RR-12 based on submitted info.
BYRAM,R.G. Pennsylvania Power & Light Co. PLA-4537. 97/03/21. Document Control Branch (Document Control Desk). 8pp. 92280:048-92280:055.

9703280243 Documents plant FSAR improvement initiatives re NRC enforcement policy rev,NUREG-1600,dtd 961018.
PEVELER,K.E. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-97-0514. 97/03/21. . 2pp. 92290:357-92290:358.

9703280330 Forwards RAI re Section 1.0 of 961204 submittal re request to convert current TSs for plant to be consistent w/improved Std TSs in NUREG-1432,Rev 1.
DROMERICK,A.W. . TAC M97363. 97/03/27. CRUSE,C.H. Baltimore Gas & Electric Co. 7pp. 92276:121-92276:127.

9703280357 Forwards two 3-1/2 inch diskettes containing DMA demonstration & data files that are part of work associated w/NUREG/CR-4199 & table describing files. W/ o encls.
COFFMAN,F. Control, Instrumentation & Human Factors Branch (Post 941217). 97/ 03/11. ASHMORE,B. . 2pp. 92262:211-92262:212.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

8908110256 Forwards Aug 1989 monthly status rept on rulemakings underway in RES.
DIPALO,A.J. Regulation Development Branch (870413-941217). 89/08/01. Division of Technical Information & Document Control (Pre 870120). 65pp. 92304:219-92304:283.

9703030218 Informs that Governor W Weld submitted,on behalf of Commonwealth of MA,proposed Agreement between NRC & MA under Section 274 of Atomic Energy Act of 1954,as amended.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/01/15. INHOFE,J.M. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. KERRY,J.F. Senate. 14pp. 91964:231-91964:265.

9703030272 Discusses status of performance assessment program phase I. Informs that plan consists of developing draft assessment procedure & conducting pilot assessments.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/02/26. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 91932:288-91932:288.

9703040157 Forwards for public release memo dtd 970107 forwarding to Commission,A Andersen Study of "Senior Management Process & Info Base."
BARRETT,R.J. Incident Response Branch. 97/01/29. Public Document Branch. 1p. 91946:257-91946:327.

--9701100037 Forwards A Anderson final rept, "Recommendations to Improve Senior Mgt Meeting Process."
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/01/07. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 4pp. 91946:258-91946:327.

--9701100053 "Recommendations to Improve Senior Mgt Meeting Process."
ANDERSON,A. Affiliation Not Assigned. 96/12/30. 69pp. 91946:262-91946:327.

9703040265 NRC Info Notice 97-006, "Weaknesses in Plant-Specific Emergency Operating Procedures for Refilling Secondary Side of Dry Once-Through SGs."
MARTIN,T.T. . 97/03/04. Consolidated Edison Co. of New York, Inc. 9pp. 92035:203-92035:211.

9703040338 NRC Info Notice 97-007, "Problems Identified During Generic Ltr 89-10 Closeout Insps."
MARTIN,T.T. . IEIN-96-048. 97/03/06. Consolidated Edison Co. of New York, Inc. 14pp. 92035:212-92035:225.

9703050430 Nominates TT Martin to serve as NRC representative on ANS Executive Conference Review Committee,per 970127 request to LJ Callan.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 97/02/14. JEFFRIES,J.D. American Nuclear Society. 1p. 91960:354-91960:354.

9703060340 Notification of 970310 meeting in Rockville,MD w/ASME to discuss ASME Code Case 560.
BAGCHI,G. . 97/03/04. SHERON,B.W. . 2pp. 91989:356-91989:357.

9703060382 Notice of OMB review of info collection & solicitaion of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 97/ 02/28. 4pp. 91991:272-91991:316.

--9703060384 Request for OMB review & supporting statement re reactor Operator & Senior Reactor Licensing Training & Requalification Programs.Estimated respondent burden is 28,006 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0101. 97/02/28. 40pp. 91991:276-91991:316.

9703060422 Notice of OMB review of info collection & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 97/ 02/26. 43pp. 91984:216-91984:257.

9703070013 Notification of 970319 meeting w/listed attendees in Rockville,MD to discuss environ aspects of application for proposed private fuel storage independent SF storage installation.
* Office of Nuclear Material Safety & Safeguards. 97/03/04. Office of Nuclear Material Safety & Safeguards. 1p. 91997:349-91997:349.

9703070070 Informs that Staff completed review of Section 8.3 of DOE rept PNNL-11419, "Rept on Evaluation of Tritium Producing Burnable Absorber Rod Lead Test Assembly," & decided to retain security clearance over facilities in question.
MARTIN,T.T. . 97/03/05. SOHINKI,S.M. Energy, Dept. of. 3pp. 91997:358-91997:360.

9703110047 Forwards ltr from LA Elisa transmitting FEMA,Region 1 rept for 970110,MS1-Drill.
KEIMIG,R.R. Region 1 (Post 820201). 97/02/28. FEIGENBAUM,T.C. Northeast Utilities Service Co. 3pp. 92019:347-92019:360.

--9703110062 Forwards exercise rept for 970110,MS-1 Drill at Sts Memorial Hosp in Lowell,in support of Commonwealth of MA,offsite radiological emergency response plans,site-specific to plant.
ELISA,L.A. Federal Emergency Management Agency. 97/02/11. MILLER,H.J. Region 1 (Post 820201). 1p. 92019:350-92019:350.

--9703110077 "Exercise Rept," conducted on 970110 for Seabrook Nuclear Power Station.
* Federal Emergency Management Agency. 97/02/10. 10pp. 92019:351-92019:360.

9703110254 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment re 10CFR40, "Domestic Licensing of Source Matl."
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0020. 97/03/10. 35pp. 92031:277-92031:311.

9703110265 Forwards correspondence transmitted via internet to J Zwolinski from P Blanch during 970102-31.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92108:001-92108:223.

--9703110266 Forwards news article, "Audit Adds to Criticism of NU," from 960101 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/02. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:002-92108:004.

--9703110269 Forwards news article, "Business Group Starts New Yr on Wrong Foot by Choosing B Fox as New Chairman of Board of Directors," from The New London Day.
BLANCH,P. Affiliation Not Assigned. 97/01/03. ZWOLINSKI,J.A. . 2pp. 92108:005-92108:006.

--9703110270 Requests comments re missing water from SFP & plant operator who commited suicide within 2 days of event.
BLANCH,P. Affiliation Not Assigned. 97/01/03. ZWOLINSKI,J.A. . 1p. 92108:007-92108:007.

--9703110272 Forwards notice of NRC decommissioning meeting for HNP on 970115 at Haddam-Killingsworth High School Cafetaria.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A, HANNON,J.N. . STRYKER,W.J. Office of the Inspector General (Post 890417). 4pp. 92108:008-92108:011.

--9703110297 Forwards M Casey editorial, "A Non decision From NRC," from 970107 New London Day.
BLANCH,P. Affiliation Not Assigned. 97/01/07. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:012-92108:014.

--9703110303 Discusses MYAPS decision to select Entergy to run plant.
BLANCH,P. Affiliation Not Assigned. 97/01/08. ZWOLINSKI,J.A. . MULLEY,G.A., STRYKER,W.J. Office of the Inspector General (Post 890417). 10pp. 92108:015-92108:024.

--9703110306 Forwards comments by S Collins on NRC response to 10CFR2.206 petition on plant refueling practices.
BLANCH,P. Affiliation Not Assigned. 2.206. 97/01/08. ZWOLINSKI,J.A. . MULLEY,G.A., STRYKER,W.J. Office of the Inspector General (Post 890417). 3pp. 92108:025-92108:027.

--9703110307 Notification of NRC meeting w/public on 970109 to discuss decommissioning of HNP.
BLANCH,P. Affiliation Not Assigned. 97/01/09. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 1p. 92108:028-92108:028.

--9703110309 Requests 15 minutes to present stated issues to NRC during 970204 meeting on MYAPS.
BLANCH,P. Affiliation Not Assigned. 97/01/09. ZWOLINSKI,J.A. . 5pp. 92108:029-92108:033.

--9703120005 Forwards news article from 970108 Dow Jones News re exposure of confidential whistleblower names at Millstone.
BLANCH,P. Affiliation Not Assigned. 97/01/10. ZWOLINSKI,A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 1p. 92108:034-92108:034.

--9703120015 Forwards 970109 ltr from S Johnson to S Jackson re NRC promotion of acceptance & utilization of dimensionally suspect matl in safety-related applications.Requests copies of documentation generated as result of 960513 ltr.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . MULLEY,G.A., STRYKER,W.J. Office of the Inspector General (Post 890417). 11pp. 92108:035-92108:045.

--9703120050 Discusses Japan oil spill & NP intake & possibilities of such event occurring at SONGS or DCNPP.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 1p. 92108:046-92108:046.

--9703120072 Forwards w/o comment,970108 ltr from D Lochbaum to S Collins re NRC response to 10CFR2.206 petition on Millstone Unit 1 refueling practices.Asks if utility obligated under 10CR50.9 to inform NRC of error.
BLANCH,P. Affiliation Not Assigned. 2.206. 97/01/12. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:047-92108:049.

--**9703120085** Forwards news article, "Analyses Needed Before Plant Closes," from 970111 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:050-92108:052.

--**9703120096** Forwards news release informing of B Kenyon appearance on "Nuclear Safety Issues" on 970120.
BLANCH,P. Affiliation Not Assigned. 97/01/11. ZWOLINSKI,J.A. . 4pp. 92108:053-92108:059.

--**9703120132** Forwards pages 424-425 of 970103 FRN re issuance of partial Director's Decision WRT 950821 petition & supplemented 950828,submitted by G Galatis & We People,Inc,requesting action under 10CFR2.206.
BLANCH,P. Affiliation Not Assigned. 2.206. 97/01/12. ZWOLINSKI,J.A. . 16pp. 92108:060-92108:075.

--**9703120146** Discusses 970113 ltr from P Blanch to S Collins re NRC response to 10CFR2.206 petition on Millstone Unit 1 refueling practices.
BLANCH,P. Affiliation Not Assigned. 2.206. 97/01/13. ZWOLINSKI,J.A . 3pp. 92108:076-92108:078.

--**9703120166** Forwards news release from Reuters America,Inc,dtd 970110 re decision from federal regulators that utility must complete key components of SA before dismantling plant.
BLANCH,P. Affiliation Not Assigned. 97/01/13. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). MCGURREN,H.J. Office of the General Counsel (Post 860701). 5pp. 92108:079-92108:083.

--**9703120174** Discusses possibility of request for info rather than allegation.
BLANCH,P. Affiliation Not Assigned. 97/01/14. ZWOLINSKI,J.A. . 1p. 92108:084-92108:084.

--**9703120178** Forwards news article, "Ontario Hydro Swallows Bitter Pill, Turns To US For Help," from The Energy Daily,dtd 970114 & "Energy Dept Finalizes Plutonium Plan" from Reuters America Inc.,dtd 970114.
BLANCH,P. Affiliation Not Assigned. 97/01/15. ZWOLINSKI,J.A. . 6pp. 92108:085-92108:090.

--**9703120201** Forwards directions to location of 970115 decommissioning meeting for reactor.
BLANCH,P. Affiliation Not Assigned. 97/01/15. ZWOLINSKI,J.A. . 1p. 92108:091-92108:091.

--**9703120209** Forwards page 2 of 970114 Region 4 morning rept re notice of enforcement discretion to extend 24 hr period of SR 3.0.3 to allow time for processing TS amend.
BLANCH,P. Affiliation Not Assigned. 97/01/15. ZWOLINSKI,J.A. . 2pp. 92108:092-92108:093.

--**9703120357** Questions whether MYAPS mgt should be going south to help Entergy w/ problems instead of reverse.
BLANCH,P. Affiliation Not Assigned. 97/01/16. ZWOLINSKI,J.A. . 2pp. 92108:094-92108:095.

--**9703120376** Forwards K Christine ltr to editor of Portland Press Herald re MYAPS intentions to contract Entergy to operate troubled plant.
BLANCH,P. Affiliation Not Assigned. 97/01/16. ZWOLINSKI,J.A., LEE,J.I. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:096-92108:098.

--**9703120386** *Discusses questions raised at 970115 meeting.*
BLANCH,P. Affiliation Not Assigned. 97/01/16. ZWOLINSKI,J.A. . 2pp. 92108:099-92108:100.

--**9703120390** Informs that note sent by mistake.Read new rule on decommissioning & now an expert.
BLANCH,P. Affiliation Not Assigned. 97/01/16. ZWOLINSKI,J.A. . 1p. 92108:101-92108:101.

--**9703130034** Discusses high level waste,why should NEUT apply more stringent requirements of 10CFR72 when NRC only asks them to abide by 10CFR50.
BLANCH,P. Affiliation Not Assigned. 97/01/17. ZWOLINSKI,J.A. . 1p. 92108:102-92108:102.

--**9703130041** Forwards 970117 ltr from S Collins stating retraction of coomment on NRC response to 10CFR2.206 petition on Millstone Unit 1 refueling practices.
BLANCH,P. Affiliation Not Assigned. 2.206. 97/01/17. ZWOLINSKI,J.A., HANNON,J.N. . MULLEY,G.A. Office of the Inspector General (Post 890417). 4pp. 92108:103-92108:106.

--**9703130059** Forwards 970117 press release discussing new MOU signed by NRC & DOE governing joint cooperation on significant projects between two agencies.
BLANCH,P. Affiliation Not Assigned. 97/01/18. ZWOLINSKI,J.A. . 6pp. 92108:107-92108:112.

--**9703130073** *Comments on DOE & NRC joining forces to better serve public.*
BLANCH,P. Affiliation Not Assigned. 97/01/18. ZWOLINSKI,J.A. . 1p. 92108:113-92108:113.

--**9703130087** Forwards 970117 ltr from DOL District Director & Associate Solicitor which states that paragraph 4 of agreement,which makes complainants liable for NEUT legal costs,to be deemed severed & unforceable.
BLANCH,P. Affiliation Not Assigned. 97/01/18. ZWOLINSKI,J.A. . 3pp. 92108:114-92108:116.

--**9703130101** Informs that MY hired Morgan,Lewis, & Bokius,who represent NEUT,to conduct inquiry into whether anything wrong in way MY handled RELAP5.
BLANCH,P. Affiliation Not Assigned. 97/01/19. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 5pp. 92108:117-92108:121.

--**9703130145** Forwards interview w/B Kenyon re possibility of NEUT shutting down one plant from 970120 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/20. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:122-92108:124.

--**9703130172** Forwards news article "NEUT Warns Its NH Utils Could Face Bankruptcy," from 970121 Reuters America,Inc.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . SCRENCI,D.P. Region 1 (Post 820201). 7pp. 92108:125-92108:131.

--**9703130177** Forwards news article, "NEUTs Fate Linked To Sister Units," from 970121 Courant.
BLANCH,P. Affiliation Not Assigned. 97/01/21. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 3pp. 92108:132-92108:134.

--**9703130206** Informs of establishment of new WWW site by IFOE to provide info on nuclear safety,environ protection & worker safety issues to public.
BLANCH,P. Affiliation Not Assigned. 97/01/23. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). RAYMOND,W.J. Region 1 (Post 820201). 1p. 92108:135-92108:135.

--**9703130217** Forwards NRC press release, "Fox Announces Senior Nuclear Appointments," from Uranium Nuclear News Daily Special Edition,dtd 970122.
BLANCH,P. Affiliation Not Assigned. 97/01/23. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 10pp. 92108:136-92108:145.

--**9703130221** Comments on plant being clearly outside design bases & NRC allowing them to continue operation.
BLANCH,P. Affiliation Not Assigned. 97/01/23. ZWOLINSKI,J.A. . 1p. 92108:146-92108:146.

--**9703130223** Forwards licensee response to NRC GL 96-06.
BLANCH,P. Affiliation Not Assigned. GL-96-06. 97/01/23. ZWOLINSKI,J.A. . 2pp. 92108:147-92108:148.

--**9703130227** Discusses time allotment at 970204 NRC meeting for P Blanch.
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 1p. 92108:149-92108:149.

--**9703130240** Forwards 970123 ltr from NRC which ack receipt of 970108 ltr from P Blanch re concerns about MYAPS & NRC independent SA team findings.
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 2pp. 92108:150-92108:151.

--**9703130247** *Discusses decision to name Seldman as replacement for C Frizzle.*
BLANCH,P. Affiliation Not Assigned. 97/01/24. ZWOLINSKI,J.A. . 1p. 92108:152-92108:152.

--**9703130302** Notification of NRC meeting on 970205 w/NEUT to discuss corrective actions, & utilities ability to progress into safe decommissioning of reactor.
BLANCH,P. Affiliation Not Assigned. 97/01/27. ZWOLINSKI,J.A. . MULLEY,G.A., STRYKER,W.J. Office of the Inspector General (Post 890417). 4pp. 92108:153-92108:156.

--**9703130320** Forwards article by P Pocha & E Murphy re mounting problems at MYAPS.Advises that plant will remain shut down at least a month longer than expected because of continuing problems w/electrical sys.
BLANCH,P. Affiliation Not Assigned. 97/01/28. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). GIETL,D.R. Region 4 (Post 820201). 5pp. 92108:157-92108:161.

--**9703130333** Discusses 1995 4th quarter losses of listed amount by NEUT.
BLANCH,P. Affiliation Not Assigned. 97/01/28. ZWOLINSKI,J.A. . 7pp. 92108:162-92108:168.

--**9703130343** Forwards 970129 ltr from D Lochbaum to Commissioners re apparent violation by MYAPS involving failure to update FSAR to reflect SAs performed at NRC request.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 13pp. 92108:169-92108:181.

--**9703130348** Informs of availability of positions at Enercon & forwards address for mailing resumes.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 1p. 92108:182-92108:182.

--**9703130352** Discusses meeting on 970205.Informs public wants to hear about loss of inventory & not effects of loss of cooling of SFPs.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 1p. 92108:183-92108:183.

--**9703130355** Forwards 970116 ltr from J Lieberman re Millstone issues related to whistle-blowers & termination of 100 employees.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . 3pp. 92108:184-92108:186.

--**9703130363** Forwards NRC 970129 press release listing 14 NPPs that warrant increased NRC regulatory action.
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 5pp. 92108:187-92108:191.

--**9703130372** Discusses MYAPS being put on "watch list."
BLANCH,P. Affiliation Not Assigned. 97/01/29. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). GIETL,D.R. Region 4 (Post 820201). 4pp. 92108:192-92108:195.

--**9703130375** Forwards D Lettermans top ten list re MYAPS.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A. . 1p. 92108:196-92108:196.

--**9703130385** Forwards 970122 ltr from R Wise re inspection & review of allegation RIV-96-A-01 26A.NRC Resolution of Concerns also encl.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A., LEE,J.I. . MULLEY,G.A. Office of the Inspector General (Post 890417). 5pp. 92108:197-92108:201.

--**9703130400** Forwards top ten list for SONGS.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A. . VITO,D.J., RAYMOND,W.J. Region 1 (Post 820201). 1p. 92108:202-92108:202.

--**9703130406** Responds to 970128 conversation & ref to "saving tax dollars" by holding 970205 meeting at regional office.States that if NRC concerned w/saving tax dollars then they should have been effectively regulating industry.
BLANCH,P. Affiliation Not Assigned. 97/01/30. ZWOLINSKI,J.A. . 1p. 92108:203-92108:203.

--**9703130410** Advises that public wants analysis of loss of inventory & not loss of cooling analysis.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . 1p. 92108:204-92108:204.

--**9703130411** Forwards notice of pendency of class action against NEUT,dtd 970130.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 16pp. 92108:205-92108:220.

--**9703130423** Comments that excuses given re SFPs at SONGS are weak. Discusses structural integrity & damage resulting from seismic activity.
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . 2pp. 92108:221-92108:222.

--**9703130425** Forwards quote, "Power comes not through barrel of gun but through barrel of ink."
BLANCH,P. Affiliation Not Assigned. 97/01/31. ZWOLINSKI,J.A. . MULLEY,G.A. Office of the Inspector General (Post 890417). 1p. 92108:223-92108:223.

9703120003 Forwards correspondence transmitted via Internet to J Zwolinski from P Blanch during 970201-28.Requests correspondence be placed in PDR.
CLARK,R.J. . 97/03/06. Document Control Branch (Document Control Desk). 1p. 92076:257-92076:320.

--**9703120004** Provides reasons why NRC need part 72 license for storage of spent fuel.
BLANCH,P. NRC - No Detailed Affiliation Given. 97/02/01. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 2pp. 92076:258-92076:259.

--**9703120009** Discusses whistleblowers issues.
BLANCH,P. Affiliation Not Assigned. 97/02/02. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 3pp. 92076:260-92076:262.

--**9703120018** Advises that statement should be sent to J Lee.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 97/02/01. Affiliation Not Assigned. 5pp. 92076:263-92076:267.

--**9703120028** Dicusses depth of "monitor well."
BLANCH,P. Affiliation Not Assigned. 97/02/02. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 1p. 92076:268-92076:268.

--**9703120029** Discusses problems with "monitor well".
BLANCH,P. Affiliation Not Assigned. 97/02/03. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 4pp. 92076:269-92076:272.

--**9703120064** Comfirms 970205 meeting between NRC & facility.
BLANCH,P. Affiliation Not Assigned. 97/02/03. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 5. 92076:273-92076:277.

--**9703120073** Discusses safety concerns re spent fuel pool.
BLANCH,P. Affiliation Not Assigned. 97/02/03. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 6pp. 92076:278-92076:283.

--**9703120100** Discusses safety concerns re spent fuel pool.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 97/02/04. Affiliation Not Assigned. 2pp. 92076:284-92076:285.

--**9703120119** Discusses problems w/monitor well.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 97/02/04. Affiliation Not Assigned. 2pp. 92076:286-92076:287.

--**9703120133** Informs of that NRC has another satisfied customer.
BLANCH,P. Affiliation Not Assigned. 97/02/04. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 1p. 92076:288-92076:288.

--**9703120151** Expresses appreciation for T Linton help.
BLANCH,P. Affiliation Not Assigned. 97/02/04. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 1p. 92076:289-92076:289.

--**9703120158** Discusses facility financial pressures.
BLANCH,P. Affiliation Not Assigned. 97/02/04. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 3pp. 92076:290-92076:292.

--**9703120190** Ack receipt of alert notice re S 104.
BLANCH,P. Affiliation Not Assigned. 97/02/04. GOULD,J. NRC - No Detailed Affiliation Given. 2pp. 92076:293-92076:294.

--**9703120206** Submits article from New York Times re noisy critic.
BLANCH,P. Affiliation Not Assigned. 97/02/11. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 3pp. 92076:295-92076:297.

--**9703120217** Discusses noisy critic reaction.
BLANCH,P. Affiliation Not Assigned. 97/02/13. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 2pp. 92076:298-92076:299.

--**9703120248** Submits article from North County News re ltr to editor.
BLANCH,P. Affiliation Not Assigned. 97/02/13. ZWOLINSKI,J. NRC - No Detailed Affiliation Given. 2pp. 92076:300-92076:301.

--**9703120260** Informs that E Jordan used at least three of Letterman top ten in presentation.
BLANCH,P. Affiliation Not Assigned. 97/02/19. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 8pp. 92076:302-92076:309.

--**9703120273** Informs that BM Fox proposed to retire as chairman of Northeast Utilities.
BLANCH,P. Affiliation Not Assigned. 97/02/23. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 6pp. 92076:310-92076:315.

--**9703120277** Submits note from friend.
BLANCH,P. Affiliation Not Assigned. 97/02/26. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 2pp. 92076:316-92076:317.

--**9703120289** Discusses HR Myers 970226 ltr to Chairman S Jackson.
BLANCH,P.M. Affiliation Not Assigned. 97/02/28. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 3pp. 92076:318-92076:320.

9703120010 Forwards revised response to NRC RAI & informational copy of PNNL project QA plan which reflects incorporation of staff position stated in ltr dtd 970213.
SOHINKI,S.M. Energy, Dept. of. 97/03/07. WILSON,J.H. Document Control Branch (Document Control Desk). 11pp. 92122:232-92122:295.

--**9703120016** Rev 2 to "PNWL,Commercial LWR Tritium Target Qualification Project QA Plan."
ETHRIDGE,J.L., BATES,S.R., ENGLISH,S.L. Battelle Memorial Institute, Pacific Northwest Laboratory. 97/02/28. 52pp. 92122:243-92122:295.

9703120042 Forwards technical rept on sampling plans for dedicating simple,metallic commercial grade items at NPPs.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 97/02/27. COLLINS,S.J. . 1p. 92079:107-92079:175.

--**9703120043** "Sampling Plans For Dedicating Simple,Metallic Commercial Grade Items at NPPs."
* Office of Nuclear Regulatory Research (Post 941217). 97/02/28. 68pp. 92079:108-92079:175.

9503220287 Forwards OM Hepler 950310 ltr forwarding FEMA final rept for 940209 joint exercise of offsite radiological emergency response plans for plant.No deficiencies noted.Three ARCAs identified.
ESSIG,T.H. . 95/03/16. BARR,K.P. Region 2 (Post 820201). 2pp. 92286:032-92286:072.

--**9503220292** Forwards final exercise rept for 940209,plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/03/10. SPESSARD,R.L. . 1p. 92286:034-92286:034.

--**9503220293** "Saint Lucie Nuclear Power Plant Exercise."
* Federal Emergency Management Agency. 95/02/24. 35pp. 92286:035-92286:072.

9703120290 General distribution Vol 6,Number 1, "Review," Jan/Feb 1997.
* Institute of Nuclear Power Operations. 97/02/28. 12pp. 92078:001-92078:013.

9703120481 Expresses appreciation for enlighting update on worldwide activities to store or dispose of radwaste, "Geological Problems in Radwaste Isolation-Second Worldwide Review."
JUSTUS,P.S. Division of Waste Management (NMSS 940403). 97/02/28. WITHERSPOON,P. California, Univ. of, Berkeley, CA. 1p. 92079:280-92079:280.

9703130003 Summary of 970225 meeting w/Nuclear Energy Institute re A Anderson study of senior mgt meeting process.Reissued attendees list & NRC briefing handout encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/07. ROSS,D.F. Office for Analysis & Evaluation of Operational Data, Director. 16pp. 92080:331-92080:346.

9703130388 Expresses appreciation for prompt & thorough response of staff to Agency needs.
CONGEL,F.J. Incident Response Branch. 97/03/11. FOUNTAINE,D.D. National Communications System. 1p. 92109:286-92109:286.

9703140142 NRC Info Notice 97-008, "Potential Failures of General Electric Magne-Blast Circuit Breaker Subcomponents."
MARTIN,T.T. . IEIN-96-046. 97/03/12. Consolidated Edison Co. of New York, Inc. 8pp. 92257:001-92257:010.

9703140143 NRC Info Notice 97-009, "Inadequate Main Steam Safety Valve (MSSV) Setpoints & Performance Issues Associated W/Long MSSV Inlet Piping."
MARTIN,T.T. . 97/03/12. Consolidated Edison Co. of New York, Inc. 9pp. 92257:011-92257:019.

9703140144 NRC Info Notice 97-010, "Liner Plate Corrosion in Concrete Containments."
MARTIN,T.T. . 97/03/13. Consolidated Edison Co. of New York, Inc. 12pp. 92257:020-92257:031.

9703170048 Summary of 970227 meeting w/EPRI in Argonne,IL re NRC Office of Research Steam Generator Tube Integrity Program & SG status & issues.List of attendees & copy of slides presentation encl.
BEARDSLEE,C. . 97/03/07. STROSNIDER,J. . 166pp. 92131:001-92131:166.

9703170054 Forwards FEMA final rept for 961119 of plant exercise.W/o encl.
BROCKMAN,K.E. Region 4 (Post 820201). 97/03/13. HORN,G.R. Nebraska Public Power District. 5pp. 92116:271-92116:275.

9703180001 Forwards two documents that have been verbally requested by NRC to support review of Tritium Producing Burnable Absorber Rod (TPBAR) Lead Test Assembly (LTA) Evaluation Rept,for info.
SOHINKI,S.M. Energy, Dept. of. 97/03/12. WILSON,J.H. Document Control Branch (Document Control Desk). 10pp. 92193:206-92193:215.

9703190001 Provides update to dry cask storage action plan,developed to identify major issues & problems in area of dry cask storage & to discuss resolution of issues.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. MIRAFLIA,F.J. . 97/01/30. THOMPSON,H.L. Ofc of the Executive Director for Operations. 4pp. 92178:005-92178:033.

--**9703190002** "Dry Cask Storage Action Plan Update."
* Office of Nuclear Material Safety & Safeguards. 97/01/31. 25pp. 92178:009-92178:033.

9703190136 NRC Info Notice 97-011, "Cement Erosion From Containment Subfoundations at Nuclear Power Plants."
MARTIN,T.T. . 97/03/21. Consolidated Edison Co. of New York, Inc. 11pp. 92257:032-92257:042.

9703190139 Suppl 1 to NRC Info Notice 92-027, "Thermally Induced Accelerated Aging & Failure of ITE/Gould AC Relays Used in Safety-Related Applications."
MARTIN,T.T. . IEIN-92-027. 97/03/21. Consolidated Edison Co. of New York, Inc. 10pp. 92257:043-92257:052.

9703190246 Responds to 970204 ltr to Chairman Jackson re independent project peer reviews.
ROSS,D.F. Office for Analysis & Evaluation of Operational Data, Director. 97/03/17. GNAEDINGER,J.P. Affiliation Not Assigned. 1p. 92178:135-92178:135.

9703190253 Summary of operating reactors events meeting 97-02 on 970312.List of attendees,significant elements of discussed events & reactor scram statistics for weeks ending Feb 16, 23,Mar 2 & 9 encl.
CHAFFEE,A.E. . OREM-97-002. 97/03/17. MARTIN,T.T. . 22pp. 92178:052-92178:073.

9703190367 Submits EGM re guidance for dispositioning violations of clarification of decommissioning funding assurance rule. Attaches standard form 2-I & standard citations 30-23 through 30-26.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EGM-97-07. 97/03/17. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 8pp. 92153:008-92153:015.

9703190372 Submits EGM re recent changes to enforcement policy.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EGM-97-08. 97/03/17. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 3pp. 92153:019-92153:021.

9703200149 Forwards transmittal of supplementary pressure locking data from flexible wedge gate valve tests.
MAYFIELD,M.E. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 97/03/19. WESSMAN,R.H. . 4pp. 92231:304-92231:307.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703200232 Discusses 970228 public meeting w/DOE re DOE Topical Rept, "Actinide Only Burnup Credit for PWR Spent Nuclear Fuel Packages."
EASTON,E.P. Office of Nuclear Material Safety & Safeguards. 97/03/17. KANE,W.F. Office of Nuclear Material Safety & Safeguards. 3pp. 92204:331-92204:333.

9703200244 Notification of 970325 meeting w/industry in Rockville,MD to discuss core research capabilities of NRR in order for office to continue active participation in cooperative safety research activities w/other government agencies.
CORTEZ,J.L. Office of Nuclear Regulatory Research (Post 941217). 97/03/06. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 2pp. 92189:357-92189:358.

9703200255 Notification of 970409 meeting w/industry in Rockville,MD to discuss flexible-wedge gate valve pressure locking thrust methodologies in review of licensee submittals in response to GL-95-07.
WESSMAN,R.H. . GL-95-07. 97/03/18. MILANO,P.D. . 1p. 92189:352-92189:352.

9703200257 Notification of 970212 meeting w/ASME in Rockville,MD to discuss technical details of statistical sampling approach for selecting number of welds to be inspected in risk informed ISI program.
GUTTMANN,J. Probabilistic Risk Analysis Branch (Post 941217). 97/01/27. CUNNINGHAM,M.A. Probabilistic Risk Analysis Branch (Post 941217). 2pp. 92204:359-92204:360.

9703200265 Forwards ORNL/NRC/LTR-96/29, "Study of Most Populous Check Valve Types Installed in NPPS," & ORNL/NRC/LTR/96-32, "Characterization Update of Pump & Related Equipment Failure Experience in NP Industry (1994-1995)."
MAYFIELD,M.E. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 97/03/10. WESSMAN,R.H. . 1p. 92209:132-92209:207.

-9703200269 ORNL/NRC/LTR-96/29 "Study of Most Populous Check Valve Types Installed in NPPs."
MCELHANEY,K.L. Oak Ridge National Laboratory. FIN W-6324. 96/10/31. Office of Nuclear Regulatory Research (Post 941217). 24pp. 92209:133-92209:155.

-9703200275 ORNL/NRC/LTR/96-32 "Characterization Update of Pump & Related Equipment Failure Experience in NP Industry (1994-1995)."
STAUNTON,R.H. Oak Ridge National Laboratory. 97/02/28. Office of Nuclear Regulatory Research (Post 941217). 53pp. 92209:156-92209:207.

9703200393 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
LEVIN,A.E. Office of Information Resources Management (Post 890205). 97/03/19. 9pp. 92231:308-92231:316.

9703210168 Discusses NRC assessment of PDI program,per listed refs.
OSMAN,C.R. Affiliation Not Assigned. PDI. 97/02/17. STROSNIDER,J.R. . 2pp. 92205:259-92205:260.

9703210191 Provides security info assuring outline of security aspects for Lead Test Assembly Safeguards clear for all parties.
SOHINKI,S.M. Energy, Dept. of. 97/03/18. WILSON,J.H. Document Control Branch (Document Control Desk). 2pp. 92238:118-92238:119.

9703210305 Responds to 970228 request re acquisition of Idaho Natl Engineering Lab pressure locking test data for 6 inch Walworth flexible wedge gate valve.
WEIDENHAMER,G. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 97/03/20. KALSI,M.S. Kalsi Engineering, Inc. 2pp. 92245:187-92245:191.

-9703240230 Requests addl info re INEL pressure locking test data for 6 Walworth flexible wedge gate valve for purpose of validating enhanced ComEd pressure locking methodology.
KALSI,M.S. Kalsi Engineering, Inc. 97/02/28. WEIDENHAMER,G. Division of Engineering Technology (Post 941217). 3pp. 92245:189-92245:191.

9703250021 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
LEVIN,A.E. Office of Information Resources Management (Post 890205). 97/03/20. 14pp. 92236:298-92236:311.

9703260204 Ack receipt of ltr informing of potential safety problem that may require action by DOE.Problem re shipments of enriched U to Babcock & Wilcox for processing in DOT specification 6M packaging.
SCHMITT,E.C. Energy, Dept. of. 97/03/12. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. 92247:348-92247:358.

-9703260215 Informs of potential safety problem that may require action by DOT.Safety assessment should be performed for model 6M container to ensure that adequate safety being provided for all authorized contents.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/02/25. ROBERTS,A. Transportation, Dept. of. 8pp. 92247:350-92247:358.

9703270043 Summary of 970225 public meeting on DOE program to produce tritium in commercial light-water reactors in Rockville,MD.
WILSON,J.H. . 97/02/28. MATTHEWS,D.B. . 87pp. 92255:001-92255:144.

-9703270047 Transcript of 970225 public meeting in Rockville,MD re DOE proposal to produce tritium in commercial light-water reactors.Pp 1-44.
* NRC - No Detailed Affiliation Given. 97/02/25. 46pp. 92255:099-92255:144.

9703270239 Forwards Feb 1997 rept on status of public petition under 10CFR2.206,decisions pending before Commission & Courts & other sensitive matters for internal distribution only.
ZIMMERMAN,R.P. . 2.206. 97/03/20. CALLAN,L.J. Region 4 (Post 820201). 24pp. 92259:165-92259:189.

9703270303 Discusses 970219 meeting w/FRPCC Transportation Accidents Subcommittee in Washington,DC to review & discuss REP-5 comments.Agenda,schedule for rev of REP-5 & subcommittee membership list encl.
SCHNEIDER,J.F. NRC - No Detailed Affiliation Given. 97/02/20. EASTON,E. NRC - No Detailed Affiliation Given. 6pp. 92256:160-92256:165.

9703280217 Expresses appreciation for agreeing to participate in Ninth NRC Regulatory Info Conference,to be held on 970401-02 in Washington,DC.
SHERON,B.W. . 97/03/18. DYLE,R. Southern Nuclear Operating Co. 3pp. 92276:143-92276:157.

9703280218 Expresses appreciation for agreeing to participate in Ninth NRC Regulatory Info Conference,to be held on 970401-02 in Washington,DC.
SHERON,B.W. . 97/03/18. TUCKMAN,M.S. Duke Power Co. 3pp. 92276:128-92276:142.

9703280274 Notification of 970515 meeting w/util to familiarize industry w/microsoft access version of reactor vessel integrity database.
LEE,A.D. . 97/03/19. STROSNIDER,J.R. . 5pp. 92275:342-92275:346.

9703280372 Submits summary of review of draft white paper,"External Regulation of DOE Facilities," attached to Commissioner Diaz memo dtd 970313.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/21. CALLAN,L.J. Ofc of the Executive Director for Operations. 4pp. 92268:130-92268:164.

-9703280378 Forwards white paper on DOE oversight by NRC prepared by staff as info item.
DIAZ,N.J. Commissioners (Post 750119). 97/03/13. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 31pp. 92268:134-92268:164.

9703280408 Expresses appreciation for agreeing to participate in 970401-02 Ninth NRC Regulatory Info Conference in Washington,DC.Latest agenda & info on conference,encl.
SHERON,B.W. . 97/03/26. HARDIES,B. Affiliation Not Assigned. 3pp. 92268:168-92268:184.

PR PROPOSED RULE

9701280118 Final rule 10CFR150 & 170, "Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within Agreement State." Rule would clarify NRC regulatory requirements for reciprocity & appropriate fees & filing.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF49-2 003. 96/12/30. 18pp. 91563:001-91563:018.

9701290380 Comment opposing PR 10CFR150 & 170 re "Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within Agreement State."
WORK,S.D. Affiliation Not Assigned. AF49-2 004. 97/01/21. Office of the Secretary of the Commission. 2pp. 91545:074-91545:075.

9703030263 Forwards final rule that amends 10CFR9 which reflects changes resulting from Commission award of new contract for copying of records.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/01/24. SCHAEFER,D. House of Rep. INHOFE,J. Senate. 2pp. 91946:092-91946:103.

-9703030267 Submits final rule that reflects changes resulting from Commissions award of new contract for copying of records,per Subtitled E of Small Business Regulatory Enforcement Fairness Act of 1996.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/01/24. MURPHY,R.P. General Accounting Office. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. 3pp. 91946:094-91946:103.

9703030289 Forwards final amend to 10CFR20 & 35 dealing w/criteria for release of patients administered radioactive matls.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/01/28. INHOFE,J. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 91946:104-91946:170.

-9703030298 Submits final,amending Commission regulations re criteria for release of patients administered radioactive matl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/01/28. MURPHY,R.P. General Accounting Office. GINGRICH,N. House of Rep., Speaker of the House. GORE,A. Senate, President of the Senate. 3pp. 91946:106-91946:170.

9703030291 Informs that Ofc of FR has been sent encl final amends to rules in 10CFR Parts 150 & 170 for publication.Amends will clarify NRC regulatory requirements re Agreement State licensees,filing procedures & fee requirements.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/01/14. INHOFE,J.M. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 91946:171-91946:193.

-9703030297 Submits final amends to NRC rules in 10CFR150 & 170, clarifying regulatory requirements applicable to Agreement State licensees,filing procedures & fee requirements.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 97/01/14. GORE,A. Senate, President of the Senate. 3pp. 91946:173-91946:193.

9703050051 Comment on proposed rule 10CFR50, "Draft Policy Statement on Restructuring & Economic Deregulation of Electric Util Industry."
SCHLISSEL,D.A. Affiliation Not Assigned. 61FR49711 00031. 97/02/09. Docketing & Services Branch. 16pp. 91955:329-91955:344.

9703050065 Comment supporting proposed rule 10CFR50, "Draft Policy Statement on Restructuring & Economic Deregulation of Electric Util Industry."
GRAY,C.D., RAMSAY,J.B. National Association of Regulatory Utility Commissioners. 61FR49711 00032. 97/02/27. NRC - No Detailed Affiliation Given. 7pp. 91955:351-91955:357.

9703050122 Proposed rule 10CFR170 & 171, "Revision of Fee Schedules; 100% Fee Recovery,FY97." Rule would amend licensing,insp & annual fees charged to applicants & licensees.
SCROGGINS,R.M. Office of the Controller (Post 890205). 62FR8885. 97/02/19. 113pp. 91955:030-91955:142.

9703060038 Comment opposing multi-agency radiation survey & site manual.
CAMMENGA,J.A. Cammenga & Associates, Inc. 62FR763 00001. 97/02/04. Division of Freedom of Information & Publications Services (Post 940714). 1p. 91971:203-91971:203.

9703110198 Comment supporting proposed rule 10CFR33, "Specific Domestic Licenses of Broad Scope for Byproduct Matl."
ZOON,R.A. Health & Human Services, Dept. of, U.S. Public Health Service. 61FR58346 00022. 97/02/28. Docketing & Services Branch. 7pp. 92019:203-92019:209.

9703130265 Comment on emergency rule change to 10CFR71, "Fissile Matl Shipments & Exemptions."
SHEAFFER,M.K. Affiliation Not Assigned. 62FR5907 00001. 97/03/07. NRC - No Detailed Affiliation Given. 3pp. 92069:213-92069:215.

9703130396 Comment supporting proposed rule 10CFR71 re fissile matls shipments & exemptions.
REDA,R.J. General Electric Co. 61FR5907 00002. 97/03/12. Docketing & Services Branch. 1p. 92069:304-92069:304.

9703180030 Comment opposing proposed rule 10CFR71, "Fissile Exemptions."
WANGLER,M.E. Energy, Dept. of. 62FR5907 00003. 97/03/12. Docketing & Services Branch. 3pp. 92134:156-92134:158.

9703180034 Comment opposing proposed rule 10CFR71 re fissile matl shipments & exemptions.
OLSEN,A.F. Babcock & Wilcox Co. 62FR5907 00004. 97/03/12. Docketing & Services Branch. 2pp. 92134:159-92134:160.

9703180046 Comment supporting proposed rules 10CFR2,40,70 & 76 re "USEC Privatization Act Certification & Licensing of Uranium Enrichment Facilities."
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 62FR6672 00001. 97/03/14. Office of the Secretary of the Commission. 2pp. 92134:167-92134:168.

9703190024 Comment opposing proposed rules 10CFR170 & 171 re adjustment of annual fee by 8%.Rural hosps are suffering financial difficulties due to medicare cut backs & 8% increase in annual fees seems fair if no budgetary cut backs.
WOODS,D. Woodward Hosp. & Health Center, Woodward, OK (formerly Woodward Memorial Hosp.). 62FR8885 00001. 97/03/12. Office of the Secretary of the Commission. 1p. 92151:336-92151:336.

9703190360 Comment on NRC strategies for establishing & maintaining safety-conscious work environment.All workers in nuclear facilities should be trained to identify safety problems.
CHENEY,G. Affiliation Not Assigned. 62FR8785 00001. 97/03/12. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 92152:268-92152:270.

9703200019 Forwards documents for regulatory history AF55-1 re proposed rules 10CFR170 & 171, "Proposed Rev of Fee Schedule:100% Fee Recovery,FY97."
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 001. 97/03/17. Document Control Branch (Document Control Desk). 5pp. 92202:001-92202:333.

-9611220014 Responds to 961028 memo requesting review of export & import license application fees & associated effort expended in processing & reviewing such applications.
STOIBER,C.R. Office of International Programs (Post 911117). AF55-1 006. 96/11/18.
SCROGGINS,R.M. Office of the Controller (Post 890205). 2pp. 92202:035-92202:038.

-9702030001 Informs of concurrence of proposed fee rule for FY97.
STOIBER,C.R. Office of International Programs (Post 911117). AF55-1 010. 97/01/29.
SCROGGINS,R.M. Office of the Controller (Post 890205). 1p. 92202:152-92202:152.

-9702030002 Forwards proposed rule for FY97 fees to be assessed to recover 100% of NRC budget authority.W/o enclosure.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 008. 97/01/24.
HALMAN,E.L. Office of Administration, Director (Post 940714). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. MIRAGLIA,F.J. . 1p. 92202:039-92202:151.

-9702100020 Concludes that estimates of MNSS time spent on import/export licensing word should remain same for biennial review.
HAUBER,R.D. Office of International Programs (Post 911117). AF55-1 013. 97/02/05.
HOLLOWAY,C.J. Office of the Controller (Post 890205). 1p. 92202:209-92202:209.

-9703200024 Requests review of biennial fees by 961015.Info will be used to develop matls license fees for FY97.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 002. 96/08/07.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 92202:006-92202:007.

-9703200029 Requests estimate of collections from part 170 fees by classes of licensees similar to that provided in attached 960304 memo.
FUNCHES,J.L. Office of the Controller (Post 890205). AF55-1 003. 96/09/26.
TURDICI,J. Division of Accounting & Finance (Post 890205). 1p. 92202:008-92202:033.

-9703200041 Requests biennial review of fees by 961115 that evidences 1996 review & provides bases for any changes in fee info.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 005. 96/10/28.
STOIBER,C.R. Office of International Programs (Post 911117). 1p. 92202:034-92202:034.

-9703200053 Responds to request for comment & concurrence on proposed rule 10CFR170, "Rev of Fee Schedule:100% Fee Recovery,FY97."
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF55-1 011. 97/01/30. LESAR,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92202:153-92202:153.

-9703200062 Concurs on final rulemaking plan that amends part 170 & 171. Marked-up package reflecting addl comments encl.
MEYER,D.L. Office of Administration, Director (Post 940714). AF55-1 012. 97/02/03.
SCROGGINS,R.M. Office of the Controller (Post 890205). 55pp. 92202:154-92202:208.

-9703200066 Concurs w/proposed rulemaking re 10CFR170 & 171, "100 Percent Fee Recovery for FY97." Detailed comments attached.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. AF55-1 014. 97/02/05. SCROGGINS,R.M. Office of the Controller (Post 890205). 3pp. 92202:210-92202:212.

-9703200072 Responds to 781106 handwritten note requesting expression of scope of applicability of 10CFR70.32(e),re ltr from Rockwell Intl Energy Systems Group advising of revised security plan.
FONNER,R.L. NRC - No Detailed Affiliation Given. AF55-1 015. 78/11/09.
RENTSCHLER,R. Office of Nuclear Material Safety & Safeguards. 2pp. 92202:213-92202:216.

-9703200077 Concurs w/application of 10CFR170 to contingency plans required by regulations in 10CFR70.32(g),73.40(b) & 50.34(d).
FONNER,R.L. Office of the Executive Legal Director (Pre 860701). AF55-1 017. 79/05/16. ROTHCHILD,I.B. Office of the General Counsel (Post 860701). 1p. 92202:217-92202:217.

-9703200081 Responds to 820323 memo requesting decision as to whether licensees should be charged for routine safeguards reviews performed by office of license renewal applications.Based on info in memo.Fee should not be charged.
MILLER,W.O. Office of Administration (Pre 870413). AF55-1 018. 82/06/21.
EVANS,L.J. Fuel Facility Safeguards Licensing Branch (Pre 850707). 1p. 92202:218-92202:218.

-9703200083 Discusses portable gauge RSO issue under NUREG 1556.
JACKSON,G. NRC - No Detailed Affiliation Given. AF55-1 019. 97/02/06.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 1p. 92202:219-92202:219.

-9703200090 Forwards copy of proposed notice of rulemaking 10CFR170 & 171, "100% Fee Recovery for FY97," annotated w/suggested changes.Changes concur in proposed rule.
TURDICI,J. NRC - No Detailed Affiliation Given. AF55-1 020. 97/02/07.
FUNCHES,J.L. NRC - No Detailed Affiliation Given. 46pp. 92202:220-92202:265.

-9703200092 Concurs w/proposed fee rule.
JONES,B. NRC - No Detailed Affiliation Given. AF55-1 021. 97/02/10.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 1p. 92202:266-92202:266.

-9703200094 Forwards copy of draft announcement proposing to amend licensing,inspection & annual fees to be put out when package published in FR.
LANDAU,M. NRC - No Detailed Affiliation Given. AF55-1 022. 97/02/11.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 3pp. 92202:267-92202:269.

-9703200097 Concurs w/changes discussed.
SEELIG,C. NRC - No Detailed Affiliation Given. AF55-1 023. 97/02/11.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 2pp. 92202:270-92202:271.

-9703200100 Forwards revised press release based on changes.
LANDAU,M. NRC - No Detailed Affiliation Given. AF55-1 024. 97/02/11.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 3pp. 92202:272-92202:274.

-9703200102 Forwards NRC proposal to amend licensing,inspection & annual fees.
LANDAU,M. NRC - No Detailed Affiliation Given. AF55-1 025. 97/02/13.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 3pp. 92202:275-92202:277.

-9703200104 Delegates authority to develop & promulgate rules needed to carry out responsibilities,including annual revisions to fee regulations in 10CFR170 & 171.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). AF55-1 026. 97/02/18. SCROGGINS,R.M. Office of the Controller (Post 890205). 1p. 92202:278-92202:278.

-9703200105 Forwards for action items relating to publication of proposed notice of rulemaking, "100% Recovery for FY97," signed by acting chief financial officer on 970219.W/o encl.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 027. 97/02/20.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92202:279-92202:279.

-9703200110 Discusses notice of proposed rulemaking, "100 percent Fee Recovery FY97," signed on 970219.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 028. 97/02/20.
BANGART,R.L. Office of State Programs (Post 911117). BEECHER,W.M. Office of Public Affairs (Post 911117). BELL,H.T. Office of the Inspector General (Post 890417). 3pp. 92202:280-92202:283.

-9703200118 Requests 9,000 copies of attached notice sheet,ltr notice to "all parts 30,40,50,61,70,71,72,73 & 110 licensees, applicants & vendors" & proposed notice of rulemaking relating to fees.W/o encls.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 030. 97/02/21.
BLUNT,A.B. Office of Administration, Director (Post 940714). 2pp. 92202:284-92202:285.

-9703200126 Forwards copy of proposed rule amending fee regulations in 10CFR170 & 171 to be transmitted to FR for publication. W/o encl.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 031. 97/02/24.
MCDADE,J.M. House of Rep., Appropriations. 1p. 92202:286-92202:286.

-9703200134 Forwards copy of proposed rule amending fee regulations in 10CFR170 & 171,to be transmitted to FR for publication. W/o encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). AF55-1 032. 97/02/24.
DOMENICI,P.V. Senate, Appropriations. KASICH,J.R. House of Rep. INHOFE,J.M. Senate, Environment & Public Works. 5pp. 92202:287-92202:291.

--**9703200147** Discusses proposed rev to 10CFR170 & 171 on license, inspection & annual fees for FY97 to be published in FR for public comment.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 033. 97/02/25. Affiliation Not Assigned. 4pp. 92202:292-92202:295.

--**9703200150** Forwards copy of proposed rule amending fee regulations in 10CFR170 & 171,to be transmitted to FR for publication. W/o encl.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 034. 97/02/25.
PFEIFFER,J. Office of Management & Budget. 1p. 92202:296-92202:296.

--**9703200151** Forwards two sets of workpapers for 10CFR170 & 171 proposed rule FY97 scheduled for publication in FR in next few days.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 035. 97/02/25.
LANHAM,D.H. Document Control Branch (Document Control Desk). 25pp. 92202:297-92202:322.

--**9703200153** Submits items to be corrected on FRN re proposed rule (62FR8885-8906).
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 036. 97/02/28.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92202:323-92202:323.

--**9703200157** Informs that on 970227,NRC published proposed rule to amend fee schedules in 10CFR170 & 171 of Commission regulations.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 037. 97/03/04.
JOYNER,J.H. Region 1 (Post 820201). BENOIT,G.G. Region 2 (Post 820201).
KERLIN,M.J. Region 3 (Post 820201). 1p. 92202:324-92202:324.

--**9703200159** Forwards proposed ltr to Agreement States informing of NRC proposed fee rule & identifying you contact for additional copies if needed.Please email back w/ concurrence if ltr ok.
SOLLENBERGER,D. NRC - No Detailed Affiliation Given. AF55-1 038. 97/03/06.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 3pp. 92202:325-92202:329.

--**9703200164** Discusses regulatory history procedures for "Rev of Fee Schedule;100% Fee Recovery,FY97," for 10CFR170 & 171.
GOLDEN,B. Office of Administration, Director (Post 940714). AF55-1 041. 97/03/14.
HOLLOWAY,J. Office of the Controller (Post 890205). 2pp. 92202:330-92202:333.

--**9611220014** Responds to 961028 memo requesting review of export & import license application fees & associated effort expended in processing & reviewing such applications.
STOIBER,C.R. Office of International Programs (Post 911117). AF55-1 006. 96/11/18.
SCROGGINS,R.M. Office of the Controller (Post 890205). 2pp. 92202:035-92202:038.

--**9702030001** Informs of concurrence of proposed fee rule for FY97.
STOIBER,C.R. Office of International Programs (Post 911117). AF55-1 010. 97/01/29.
SCROGGINS,R.M. Office of the Controller (Post 890205). 1p. 92202:152-92202:152.

--**9702030002** Forwards proposed rule for FY97 fees to be assessed to recover 100% of NRC budget authority.W/o enclosure.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 008. 97/01/24.
HALMAN,E.L. Office of Administration, Director (Post 940714). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. MIRAGLIA,F.J. . 1p. 92202:039-92202:151.

--**9702100020** Concludes that estimates of MNSS time spent on import/export licensing word should remain same for biennial review.
HAUBER,R.D. Office of International Programs (Post 911117). AF55-1 013. 97/02/05.
HOLLOWAY,C.J. Office of the Controller (Post 890205). 1p. 92202:209-92202:209.

--**9703200024** Requests review of biennial fees by 961015.Info will be used to develop matls license fees for FY97.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 002. 96/08/07.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 92202:006-92202:007.

--**9703200029** Requests estimate of collections from part 170 fees by classes of licensees similar to that provided in attached 960304 memo.
FUNCHES,J.L. Office of the Controller (Post 890205). AF55-1 003. 96/09/26.
TURDICI,J. Division of Accounting & Finance (Post 890205). 1p. 92202:008-92202:033.

--**9703200041** Requests biennial review of fees by 961115 that evidences 1996 review & provides bases for any changes in fee info.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 005. 96/10/28.
STOIBER,C.R. Office of International Programs (Post 911117). 1p. 92202:034-92202:034.

--**9703200053** Responds to request for comment & concurrence on proposed rule 10CFR170, "Rev of Fee Schedule:100% Fee Recovery,FY97."
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF55-1 011. 97/01/30. LESAR,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92202:153-92202:153.

--**9703200062** Concurs on final rulemaking plan that amends part 170 & 171. Marked-up package reflecting addl comments encl.
MEYER,D.L. Office of Administration, Director (Post 940714). AF55-1 012. 97/02/03.
SCROGGINS,R.M. Office of the Controller (Post 890205). 55pp. 92202:154-92202:208.

--**9703200066** Concurs w/proposed rulemaking re 10CFR170 & 171, "100 Percent Fee Recovery for FY97." Detailed comments attached.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. AF55-1 014. 97/02/05. SCROGGINS,R.M. Office of the Controller (Post 890205). 3pp. 92202:210-92202:212.

--**9703200072** Responds to 781106 handwritten note requesting expression of scope of applicability of 10CFR70.32(e),re ltr from Rockwell Intl Energy Systems Group advising of revised security plan.
FONNER,R.L. NRC - No Detailed Affiliation Given. AF55-1 015. 78/11/09.
RENTSCHLER,R. Office of Nuclear Material Safety & Safeguards. 2pp. 92202:213-92202:216.

--**9703200077** Concurs w/application of 10CFR170 to contingency plans required by regulations in 10CFR70.32(g),73.40(b) & 50.34(d).
FONNER,R.L. Office of the Executive Legal Director (Pre 860701). AF55-1 017. 79/05/16. ROTHCHILD,I.B. Office of the General Counsel (Post 860701). 1p. 92202:217-92202:217.

--**9703200081** Responds to 820323 memo requesting decision as to whether licensees should be charged for routine safeguards reviews performed by office of license renewal applications.Based on info in memo.Fee should not be charged.
MILLER,W.O. Office of Administration (Pre 870413). AF55-1 018. 82/06/21.
EVANS,L.J. Fuel Facility Safeguards Licensing Branch (Pre 850707). 1p. 92202:218-92202:218.

--**9703200083** Discusses portable gauge RSO issue under NUREG 1556.
JACKSON,G. NRC - No Detailed Affiliation Given. AF55-1 019. 97/02/06.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 1p. 92202:219-92202:219.

--**9703200090** Forwards copy of proposed notice of rulemaking 10CFR170 & 171, "100% Fee Recovery for FY97," annotated w/suggested changes.Changes concur in proposed rule.
TURDICI,J. NRC - No Detailed Affiliation Given. AF55-1 020. 97/02/07.
FUNCHES,J.L. NRC - No Detailed Affiliation Given. 46pp. 92202:220-92202:265.

--**9703200092** Concurs w/proposed fee rule.
JONES,B. NRC - No Detailed Affiliation Given. AF55-1 021. 97/02/10.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 1p. 92202:266-92202:266.

--**9703200094** Forwards copy of draft announcement proposing to amend licensing,inspection & annual fees to be put out when package published in FR.
LANDAU,M. NRC - No Detailed Affiliation Given. AF55-1 022. 97/02/11.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 3pp. 92202:267-92202:269.

--**9703200097** Concurs w/changes discussed.
SEELIG,C. NRC - No Detailed Affiliation Given. AF55-1 023. 97/02/11.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 2pp. 92202:270-92202:271.

--**9703200100** Forwards revised press release based on changes.
LANDAU,M. NRC - No Detailed Affiliation Given. AF55-1 024. 97/02/11.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 3pp. 92202:272-92202:274.

--**9703200102** Forwards NRC proposal to amend licensing,inspection & annual fees.
LANDAU,M. NRC - No Detailed Affiliation Given. AF55-1 025. 97/02/13.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 3pp. 92202:275-92202:277.

--**9703200104** Delegates authority to develop & promulgate rules needed to carry out responsibilities,including annual revisions to fee regulations in 10CFR170 & 171.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). AF55-1 026. 97/02/18. SCROGGINS,R.M. Office of the Controller (Post 890205). 1p. 92202:278-92202:278.

--**9703200105** Forwards for action items relating to publication of proposed notice of rulemaking, "100% Recovery for FY97," signed by acting chief financial officer on 970219.W/o encl.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 027. 97/02/20.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92202:279-92202:279.

--**9703200110** Discusses notice of proposed rulemaking, "100 percent Fee Recovery FY97," signed on 970219.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 028. 97/02/20.
BANGART,R.L. Office of State Programs (Post 911117). BEECHER,W.M. Office of Public Affairs (Post 911117). BELL,H.T. Office of the Inspector General (Post 890417). 3pp. 92202:280-92202:283.

--**9703200118** Requests 9,000 copies of attached notice sheet,ltr notice to "all parts 30,40,50,61,70,71,72,73 & 110 licensees, applicants & vendors" & proposed notice of rulemaking relating to fees.W/o encls.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 030. 97/02/21.
BLUNT,A.B. Office of Administration, Director (Post 940714). 2pp. 92202:284-92202:285.

--**9703200126** Forwards copy of proposed rule amending fee regulations in 10CFR170 & 171 to be transmitted to FR for publication. W/o encl.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 031. 97/02/24.
MCDADE,J.M. House of Rep., Appropriations. 1p. 92202:286-92202:286.

--**9703200134** Forwards copy of proposed rule amending fee regulations in 10CFR170 & 171,to be transmitted to FR for publication. W/o encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). AF55-1 032. 97/02/24.
DOMENICI,P.V. Senate, Appropriations. KASICH,J.R. House of Rep. INHOFE,J.M. Senate, Environment & Public Works. 5pp. 92202:287-92202:291.

--**9703200147** Discusses proposed rev to 10CFR170 & 171 on license, inspection & annual fees for FY97 to be published in FR for public comment.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 033. 97/02/25. Affiliation Not Assigned. 4pp. 92202:292-92202:295.

--**9703200151** Forwards two sets of workpapers for 10CFR170 & 171 proposed rule FY97 scheduled for publication in FR in next few days.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 035. 97/02/25.
LANHAM,D.H. Document Control Branch (Document Control Desk). 25pp. 92202:297-92202:322.

--**9703200153** Submits items to be corrected on FRN re proposed rule (62FR8885-8906).
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 036. 97/02/28.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92202:323-92202:323.

--**9703200157** Informs that on 970227,NRC published proposed rule to amend fee schedules in 10CFR170 & 171 of Commission regulations.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF55-1 037. 97/03/04.
JOYNER,J.H. Region 1 (Post 820201). BENOIT,G.G. Region 2 (Post 820201).
KERLIN,M.J. Region 3 (Post 820201). 1p. 92202:324-92202:324.

--**9703200159** Forwards proposed ltr to Agreement States informing of NRC proposed fee rule & identifying you contact for additional copies if needed.Please email back w/ concurrence if ltr ok.
SOLLENBERGER,D. NRC - No Detailed Affiliation Given. AF55-1 038. 97/03/06.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. 3pp. 92202:325-92202:329.

--**9703200164** Discusses regulatory history procedures for "Rev of Fee Schedule;100% Fee Recovery,FY97," for 10CFR170 & 171.
GOLDEN,B. Office of Administration, Director (Post 940714). AF55-1 041. 97/03/14. HOLLOWAY,J. Office of the Controller (Post 890205). 2pp. 92202:330-92202:333.

9703200155 Comment supporting proposed rule 10CFR70 re recent changes made to 10CFR71,which revised paragraphs 71.18,71.22 & 71.53.
BAER,T.S. Nuclear Fuel Services, Inc. 62FR5907 00005. 97/03/12. Docketing & Services Branch. 3pp. 92189:016-92189:018.

9703210122 Forwards regulatory documents comprising regulatory history of proposed rules 10CFR150 & 170, "Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within Agreement State."
HAISFIELD,M. Office of Nuclear Regulatory Research (Post 941217). 61FR30839. 97/03/13. NRC - No Detailed Affiliation Given. 1p. 92231:268-92231:284.

--**9601250105** Errata to SECY-95-310 re changes to 10CFR150.20,Recognition of Agreement State Licenses.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 61FR30839. 96/01/17. 2pp. 92231:285-92231:303.

9703210240 Forwards regulatory documents compromising regulatory history of notice of final RM, "Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within Agreement State," which amended 10CFR150 & 10CFR170.
HAISFIELD,M. Division of Regulatory Applications (Post 941217). AF49-2 001. 97/03/13. NRC - No Detailed Affiliation Given. 1p. 92245:280-92245:317.

--**9703200358** Informs that neither recent amends nor rule 10CFR150.20 grant any new jurisdiction to state governments over that currently provided by law.
NEWSOME,H. Office of the General Counsel (Post 860701). AF49-2 006. 97/02/06. WORK,S.D. Affiliation Not Assigned. 6pp. 92245:303-92245:308.

--**9703210261** Forwards brief descriptions of final statements that NRC may issue in next 30 to 60 days.Requests concurrence on ltr.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF49-2 002. 96/11/08. MICHLOVICH,E. Office of Management & Budget. 1p. 92245:281-92245:301.

--**9703210310** Expresses appreciation on behalf of Spokane Tribe of Indians,for 970206 response to comments submitted in Jan re NRC recently published Agreement State reciprocity rule.
WORK,S.D. Affiliation Not Assigned. AF49-2 005. 97/02/28. HAMPTON,N. Office of the General Counsel (Post 860701). 1p. 92245:302-92245:302.

--**9703210347** Forwards 2 copies of Congressional ltrs prepared for FRN, "Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within Agreement State."
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF49-2 007. 96/06/12. CALLAHAN,M.S. Office of Congressional Affairs (Post 911117). 1p. 92245:309-92245:311.

--**9703210359** Forwards 2 copies of Congressional ltrs prepared for FRN, "Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within Agreement State." FRN forwarded to ofc of FR on 970108.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF49-2 009. 97/01/08. CALLAHAN,M.S. Office of Congressional Affairs (Post 911117). 1p. 92245:312-92245:317.

--**9703200358** Informs that neither recent amends nor rule 10CFR150.20 grant any new jurisdiction to state governments over that currently provided by law.
NEWSOME,H. Office of the General Counsel (Post 860701). AF49-2 006. 97/02/06. WORK,S.D. Affiliation Not Assigned. 6pp. 92245:303-92245:308.

--**9703210261** Forwards brief descriptions of final statements that NRC may issue in next 30 to 60 days.Requests concurrence on ltr.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF49-2 002. 96/11/08. MICHLOVICH,E. Office of Management & Budget. 1p. 92245:281-92245:301.

--**9703210310** Expresses appreciation on behalf of Spokane Tribe of Indians,for 970206 response to comments submitted in Jan re NRC recently published Agreement State reciprocity rule.
WORK,S.D. Affiliation Not Assigned. AF49-2 005. 97/02/28. HAMPTON,N. Office of the General Counsel (Post 860701). 1p. 92245:302-92245:302.

--**9703210347** Forwards 2 copies of Congressional ltrs prepared for FRN, "Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within Agreement State."
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF49-2 007. 96/06/12. CALLAHAN,M.S. Office of Congressional Affairs (Post 911117). 1p. 92245:309-92245:311.

--**9703210359** Forwards 2 copies of Congressional ltrs prepared for FRN, "Recognition of Agreement State Licenses in Areas Under Exclusive Federal Jurisdiction Within Agreement State." FRN forwarded to ofc of FR on 970108.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF49-2 009. 97/01/08. CALLAHAN,M.S. Office of Congressional Affairs (Post 911117). 1p. 92245:312-92245:317.

9612120383 Informs that IRM has no concerns w/subject rule & concurs in publication of 10CFR150 & 170.
STMARY,B. NRC - No Detailed Affiliation Given. AF49-2 017. 96/10/23. HAISFIELD,M. NRC - No Detailed Affiliation Given. 1p. 73104:290-73104:291.

9703260135 Notice of amend to policy statement & procedure for enforcement actions re predecisional enforcement conferences based on findings of discrimination.
HOYLE,J.C. Office of the Secretary of the Commission. 61FR13906. 97/03/17. 11pp. 92244:303-92244:313.

PROJ PROJECTS - PREDOCKET LICENSING

9609120019 Forwards Appendices to draft PSER for MHTGR (NUREG-1338).
QUAY,T.R. . 96/09/09. Public Document Branch. 1p. 92148:001-92150:304.

--**9703180167** NUREG-1338 V02 "Preapplication Safety Evaluation Report for Modular High- Temperature Gas-Cooled Reactor (MHTGR)," advanced copy of final rept.Volume 2: Appendices.
* Office of Nuclear Reactor Regulation (Post 941001). 95/09/30. 1,031pp. 92148:002-92150:304.

9703030277 Informs of NRC initiation of preparation of final license renewal RG, "Std Format & Content for Applications to Renew NPP OLs." Review of attachment on issues & NRC positions requested.
NEWBERRY,S.F. . 97/02/27. WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 16pp. 91939:321-91939:336.

9703030286 Notification of 970303 meeting w/NEI in Rockville,MD to discuss enforcement policy issues re maint rule insp w/OE & NRR.
MAGRUDER,S.L. . 97/02/27. MATTHEWS,D.B. . 5pp. 91938:350-91938:354.

9703040194 Advises that info submitted in 970131 ltr re proprietary version of accepted rept BAW-10168,Rev 3, "BWNT LOCA Evaluation Model for Recirculating SG Plants," will be withheld from public disclosure,per 10CFR2.790(b)(5).
BIRMINGHAM,J.L. . 97/02/28. TAYLOR,J.H. FRAMATOME. 4pp. 91951:130-91951:133.

9703040200 Notification of 970312 meeting w/BWROG in Huntersville,NC to discuss staff 961218 RAI re BWROG proposed alternate BWR feedwater nozzle insp requirements.
WILSON,J.H. . 97/03/03. MATTHEWS,D.B. . 3pp. 91951:134-91951:136.

9703040217 Notification of 970312 meeting w/BWROG in Rockville,MD to discuss results of suppl response time testing work done by BWROG to address instrument loops w/shorter response time requirements than previously addressed.
WILSON,J.H. . 97/03/03. MATTHEWS,D.B. . 3pp. 91951:127-91951:129.

9703060109 Forwards proprietary rev 1 to lead test assembly evaluation Rept.W/o encl.
SOHINKI,S.M. Energy, Dept. of. 97/03/03. WILSON,J.H. Document Control Branch (Document Control Desk). 2pp. 92016:249-92016:250.

9703060348 Notification of 970328 public meeting w/NRC & Boiling Water Reactors Owners Group in Rockville,MD to discuss staff status ltr dtd 960613 re NEDC-32160P, "Calibration Interval Extension."
WILSON,J.H. . TAC M85776. 97/03/04. MATTHEWS,D.B. 3pp. 91989:358-91989:360.

9703060355 Summary of 970220 meeting w/NEI in Rockville,MD re views on proposed guidance for inclusion in final version of either NEI "Industry Guideline for Implementing Requirements of 10CFR54,License Renewal Rule."
HOFFMAN,S.T. . 97/03/05. . 7pp. 91990:348-91990:354.

9703060364 Notification of 970312 meeting w/util in Rockville,MD to define course of action to develop acceptable methods for licensees to use reduced seismic criteria under temporary conditions.Draft agendas encl.
MAGRUDER,S.L. . 97/03/03. MATTHEWS,D.B. . 5pp. 91999:173-91999:177.

9703060368 Forwards approved versions of Enhanced Option I-A(E1A) Licensing TR Suppls.TRs NEDO-32339-A,Suppls 3 & 4 non-proprietary,TRs NEDC-32339P-A,Suppls 1 & 2 (proprietary).Proprietary repts withheld.
DONOVAN,K.P. BWR Owners Group. BWROG-97058. 97/02/10. Document Control Branch (Document Control Desk). 2pp. 92006:146-92007:007.

--**9703060390** NEDO-32339-A S03 Licensing TR "Reactor Stability Long-Term Solution:Enhanced Option I-A Flow Mapping Methodology," Suppl 3.
POST,J.S., STARK,S.J., MOWRY,C.M. General Electric Co. 96/12/31. 70pp. 92006:148-92006:290.

--**9703060394** NEDO-32339-A S04 Licensing TR, "Reactor Stability Long-Term Solution:Enhanced Option I-A,Generic TSs."
STARK,S.J. General Electric Co. GANTHNER,S.J. Carolina Power & Light Co. NIR,I. Entergy Operations, Inc. 96/12/31. 50pp. 92006:291-92007:007.

9703070070 Informs that Staff completed review of Section 8.3 of DOE rept PNNL-11419, "Rept on Evaluation of Tritium Producing Burnable Absorber Rod Lead Test Assembly," & decided to retain security clearance over facilities in question.
MARTIN,T.T. . 97/03/05. SOHINKI,S.M. Energy, Dept. of. 3pp. 91997:358-91997:360.

9703070072 Notification of 970318 meeting w/Westinghouse Owners Group & Westinghouse to provide update,addl details & topical rept submittal schedule for application-specific integrated circuit project.
CRAIG,C.M. . 97/03/05. MATTHEWS,D.B. . 5pp. 91998:331-91998:335.

9703100178 Informs that NRC reviewed revised ltr rept,documenting review of SAR for fuel receiving & storage facility, WVNS-SAR-012,Rev 0,Draft C,dtd 970114 & found to be acceptable.
COMFORT,G.C. Licensing Branch. 97/03/04. SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. 2pp. 92047:345-92047:346.

9703110158 Forwards NEDC-32719, "BWR Owners Group Program on Motor- Operated Valve (MOV) Periodic Verification," per GL 96-05.
DONOVAN,K.P. BWR Owners Group. BWROG-97061. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92071:248-92071:331.

--**9703110205** NEDC-32719 "BWR Owners Group Program on Motor-Operated Valve (MOV) Periodic Verification."
FIOCK,W.G., SEDNEY,K.K. General Electric Co. MPR-1807. 97/03/07. 79pp. 92071:250-92071:331.

9703110172 Discusses issue that arose in recent review of DEIS for decommissioning of West Valley site was that on-site disposal option consistent w/NRC requirement was not offered as one alternative for site cleanup.Paper for info,encl.
MAYO,P.J. Affiliation Not Assigned. 97/03/01. COMFORT,G.C. NRC - No Detailed Affiliation Given. 2pp. 92078:318-92078:332.

--**9703110236** "Drift Mine Disposal of Low-Level & Greater Than Class C Radioactive Waste."
* Affiliation Not Assigned. 97/03/01. 13pp. 92078:320-92078:332.

9703110217 Notification of 970312 meeting w/Boiling Water Reactor Owners Group to discuss staff RAI dtd 961218,re BWROG proposed alternate BWR feedwater nozzle insp requirements. Meeting cancelled.
WILSON,J.H. . 97/03/05. MATTHEWS,D.B. . 3pp. 92031:356-92031:358.

9703110248 Summary of 970207 meeting w/NEI in Rockville,MD re concerns concerning NRC info notice 92-18, "Potential for Loss of Remote Shutdown Capability During Control Room Fire." List of attendees encl.
MALLOY,M. . IEIN-92-018. 97/03/07. MATTHEWS,D.B. . 16pp. 92031:312-92031:327.

9703110277 Forwards copies of program document MPR-1807,Rev 0 entitled "Joint BWR & W Owners Group Program on MOV Periodic Verification," dtd Feb 1997 for NRC review & comment.
LIBERATORI,L.F. Westinghouse Operating Plants Owners Group. OG-97-018. 97/03/03. . 1p. 92135:220-92135:292.

--9703110281 MPR-1807 R00 Rev 0 to "Joint BWR & W Owners Group Program on Motor Operated Valve (MOV) Periodic Verification."
* MPR Associates, Inc. 97/02/28. 72pp. 92135:221-92135:292.

9703120010 Forwards revised response to NRC RAI & informational copy of PNNL project QA plan which reflects incorporation of staff position stated in ltr dtd 970213.
SOHINKI,S.M. Energy, Dept. of. 97/03/07. WILSON,J.H. Document Control Branch (Document Control Desk). 11pp. 92122:232-92122:295.

--9703120016 Rev 2 to "PNWL,Commercial LWR Tritium Target Qualification Project QA Plan."
ETHRIDGE,J.L., BATES,S.R., ENGLISH,S.L. Battelle Memorial Institute, Pacific Northwest Laboratory. 97/02/28. 52pp. 92122:243-92122:295.

9703130035 Notification of 970318 meeting w/Nuclear Energy Inst in Rockville,MD to discuss proposed STS changes.
JOHNSON,D.L. . 97/03/04. GRIMES,C.I. . 3pp. 92109:277-92109:279.

9703130266 *Forwards requested W ltr QA-96-1940,dtd 961204 & audit checklists re* audit performed on 961118-21.
SOHINKI,S.M. Energy, Dept. of. 97/03/10. WILSON,J.H. Document Control Branch (Document Control Desk). 56pp. 92125:296-92125:352.

9703130284 Responds to 970114 ltr re IN 92-18, "Potential For Loss of Remote Shutdown Capability During Control Room Fire," on 920228.Staff response to technical issues raised in ltr encl.
COLLINS,S.J. . IEIN-92-018. 97/03/11. BEEDLE,R.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 10pp. 92079:319-92079:328.

9703130304 Forwards non-proprietary & proprietary repts of BAW-2292, "Mark-B Fuel Assembly Spacer Grid Deformation in B&W Designed 177 Fuel Assembly Plants," which summarize calculations performed to confirm evaluations.Withheld.
SCHOMAKER,R.J. Babcock & Wilcox Fuel Assembly Owners Group. OG-1641. 97/03/06. Document Control Branch (Document Control Desk). 6pp. 92257:075-92257:092.

--9703130308 BAW-2292(NP) R00 Rev 0 to "Framatome Mark-B Fuel Assembly Spacer Grid Deformation in B&W Designed 177 Fuel Assembly Plants."
WILLIAMS,G.T., GREGORY,F.M., SHAH,S.J. Babcock & Wilcox Fuel Assembly Owners Group. 97/02/28. 13pp. 92257:081-92257:092.

9703130329 Notification of 970320 meeting w/NEI in Rockville,MD to discuss development of final version of regulatory guide & industry guideline.
HOFFMAN,S.T. . 97/03/12. NEWBERRY,S.F. . 4pp. 92105:343-92105:346.

9703140151 Summary of 970110 meeting w/Combustion Engineering Owners re status of draft shutdown & fuel storage pool operations rule.List of attendees encl.
MAGRUDER,S.L. . 97/03/07. MATTHEWS,D.B. . 5pp. 92115:346-92115:351.

9703170042 Forwards copies of Rev 0 to "Risk Ranking Approach for MOVs in Response to Generic Ltr 96-05."
LIBERATORI,L.F. Westinghouse Operating Plants Owners Group. OG-97-019. 97/03/12. . 1p. 92143:287-92143:330.

--9703170049 V-EC-1658 R00 "Risk Ranking Approach for Motor-Operated Valves in Response to GL 96-05."
ANDRE,G.R., EZEKOYE,L.I. Westinghouse Electric Corp. GL-96-05. 97/03/12. 39pp. 92143:288-92143:330.

9703170058 Requests NRC assistance in voiding License Fee Invoice RL0320-97 dtd 970121,re EPRI Rept NP 7480-L-"SG Tubing Outside Stress Corrosion Cracking at Tube Support Plates Database for Alternate Repair Limits."
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/02/06. MAGRUDER,S.L. . 2pp. 92157:353-92157:355.

9703170078 Notification of revised 970318 meeting w/listed attendees in Rockville,MD to discuss STS changes.Room & agenda were changed.
JOHNSON,D.L. . 97/03/11. GRIMES,C.I. . 4pp. 92131:309-92131:312.

9703170194 Discusses 961209-12 follow-up audit of ABB-CE dynamic control Hamilton std option III OPRM software.Rept of audit encl.
MATTHEWS,D.B. . 97/03/14. DONOVAN,K.P. BWR Owners Group. 5pp. 92132:352-92132:356.

9703180001 Forwards two documents that have been verbally requested by NRC to support review of Tritium Producing Burnable Absorber Rod (TPBAR) Lead Test Assembly (LTA) Evaluation Rept,for info.
SOHINKI,S.M. Energy, Dept. of. 97/03/12. WILSON,J.H. Document Control Branch (Document Control Desk). 10pp. 92193:206-92193:215.

9703180212 Responds to 970201 & 08 ltrs re plans for closure & decommissioning of West Valley Demonstration Project. MF Weber plans to make presentation at upcoming 970412 CTF meeting in Ashford of final RM decommissioning criteria.
WEBER,M.F. Licensing Branch. 97/03/12. VAUGHAN,R.C. West Valley Nuclear Wastes. 4pp. 92200:284-92200:287.

9703190257 Notification of 970320 meeting w/NEI in Rockville,MD to discuss development of final versions of regulatory guide & industry guideline which guide proposes to endorse. Meeting cancelled.
HOFFMAN,S.T. . 97/03/12. NEWBERRY,S.F. . 4pp. 92178:150-92178:153.

9703190259 Summary of 970206 meeting w/BWROG in Rockville,MD to discuss status of current BWROG topics.List of attendees & affiliations & copy of handouts used by BWROG encl.
WILSON,J.H. . 97/03/17. MATTHEWS,D.B. . 36pp. 92178:154-92178:189.

9703210191 Provides security info assuring outline of security aspects for Lead Test Assembly Safeguards clear for all parties.
SOHINKI,S.M. Energy, Dept. of. 97/03/18. WILSON,J.H. Document Control Branch (Document Control Desk). 2pp. 92238:118-92238:119.

9703240004 Summary of 970306 meeting w/NEI in Rockville,MD re NRC RG & NEI guideline for implementing license renewal rule.
HOFFMAN,S.T. . 97/03/20. . 7pp. 92218:001-92218:007.

9703250106 Notification of 970403 meeting w/Westinghouse in Rockville,MD to allow Westinghouse to provide update on mechanical model developed w/regard to RCCA insertion issue, including discussion on sensitivity studies.
CRAIG,C.M. . 97/03/21. MATTHEWS,D.B. . 5pp. 92245:322-92245:326.

9703260151 Informs that comments on GL 62FR7806 addressing assurance of sufficient net positive suction head for ECC & containment heat removal pumps will be submitted by 970331.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR7806 00001. 97/03/18. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 92244:340-92244:340.

9703260214 Notification of 970422 senior mgt meeting w/NEI to present views on topics associated w/industry guideline & staff regulatory guide for implementing license renewal rule.
HOFFMAN,S.T. . 97/03/24. NEWBERRY,S.F. . 4pp. 92248:178-92248:181.

9703270043 Summary of 970225 public meeting on DOE program to produce tritium in commercial light-water reactors in Rockville,MD.
WILSON,J.H. . 97/02/28. MATTHEWS,D.B. . 87pp. 92255:001-92255:144.

--9703270047 Transcript of 970225 public meeting in Rockville,MD re DOE proposal to produce tritium in commercial light-water reactors.Pp 1-44.
* NRC - No Detailed Affiliation Given. 97/02/25. 46pp. 92255:099-92255:144.

9703270183 Notification of meeting w/Nuclear Energy Institue on 970402 in Rockville,MD to discuss staff activities & schedule re SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors"
ZALCMAN,B. . 97/03/21. MATTHEWS,D.B. . 4pp. 92259:190-92259:193.

9703280095 Notification of 970422 meeting w/Westinghouse Owners Group in Rockville,MD to discuss pressurizer rept RAIs.
PRATO,R.J. . 97/03/25. NEWBERRY,S.F. . 4pp. 92262:198-92262:201.

9703280120 Notification of 970402-03 meeting w/CEOG to discuss status of CEOG risk-informed TS pilot proj.
MAGRUDER,S.L. . 97/03/25. MATTHEWS,D.B. . 4pp. 92275:347-92275:350.

9703280168 Summary of 970303 meeting w/Nuclear Energy Institute in Rockville,MD re enforcement policy issues.List of meeting attendees encl.
MAGRUDER,S.L. . 97/03/24. MATTHEWS,D.B. . 6pp. 92276:046-92276:051.

9703280193 Rev 15 to "Annual Waste Mgt Plan."
HOLLINDEN,J.J. West Valley Nuclear Services Co., Inc. 97/02/28. 104pp. 92291:001-92291:105.

9703280263 Requests that NRC not terminate review of NEDC-32160P as suggested in ltr dtd 970224.
DONOVAN,K.P. BWR Owners Group. BWROG-97067. 97/03/25. WILSON,J.H. . 2pp. 92291:119-92291:120.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9703050308 Forwards error notices received from former software suppliers.Listed former customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. G-1151-SJA-97-0. 97/02/25. Document Control Branch (Document Control Desk). 4pp. 92039:018-92039:021.

9703060182 Part 21 rept re regulated power transformer 1AP75ERT tripping several times.Caused by addition of step load from low or no load condition.Will disconnect four potentially affected transformers from Div 2 electrical sys.
CONNELL,W. Illinois Power Co. U-602704. 97/02/27. Document Control Branch (Document Control Desk). 3pp. 92039:245-92039:247.

9703060253 Part 21 rept re notification on Model 763 wire failures.ITT Barton presently investigating understanding of situation & intends to identify suitable repair,can be implemented in field.
HOLDREDGE,T. ITT Barton. 96/12/13. FOWLKES,M. South Carolina Electric & Gas Co. 3pp. 92039:277-92039:279.

9703070014 Part 21 rept re high failure rates of BW/IP pressure switches installed on BW/IP electric hydraulic actuators. Caused by deviation/non-conformance of SR pressure switch. Enertech & BW/IP are currently investigating issue.
ERLACH,F.U. Paul-Munroe Hydraulics, Inc. DER 2-96-3145. 97/03/03. NRC - No Detailed Affiliation Given. 11pp. 92074:204-92074:214.

9703070020 Part 21 rept re output drift w/increasing temperature on several RTD amplifiers noted during installation of RTD by-pass mod at station.Action to identify all circuit cards w/affected date codes,identified.
GRAESSER,K.L. Commonwealth Edison Co. BYRON 97-5045. 97/03/03. Document Control Branch (Document Control Desk). 6pp. 92469:060-92469:065.

9703120094 Part 21 rept re potential spring problem concerning part 015895,used in HD732-SR100,T3XX-SR4,T3XX-SR5.Enertech notified by Federal Express,spring supplier removed from Bettis Approved Vendor List.
LOCASCIO,A.T. GH-Bettis Co. 97/03/07. NRC - No Detailed Affiliation Given. 1p. 92209:009-92209:009.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9312230125 Forwards November 1993 monthly rept to provide expeditious dissemination of 10CFR21 matters.
NORRIS,J.A. Project Directorate II-2. 93/12/16. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:319-92284:324.

9703120404 Part 21 rept re transformer not being stable in no load condition & tripping when lightly loaded.
CAMP,B. United Controls, Inc. 97/03/07. Document Control Branch (Document Control Desk). 48pp. 92209:071-92209:118.

9703120444 Part 21 rept re nonconformance of heavy hex bolts supplied by Cardinal Industrial Products,L.P. in 1992.Caused by insufficient heat treatments at NV site.Affected customers formally notified on 970131.
SULHAN,W.P. B&G Manufacturing Co. 97/03/10. Document Control Branch (Document Control Desk). 4pp. 92209:128-92209:131.

9703170140 Part 21 rept re followup of 970307 event involving potential spring problem in Bettis Actuator.Recommends that util include two actuator replacements of springs as precautionary measures in next refurbishment cycle.
ERLACH,F.U. Affiliation Not Assigned. 97/03/12. NRC - No Detailed Affiliation Given. 1p. 92217:280-92217:280.

9703180058 Part 21 rept re cracked nuts showing stress corrosion cracking.Caused by matl & mfg problems.Valves placed in storage & not exposed to plant process chemicals.
MILLER,J.H. United States Enrichment Corp. (USEC). GDP 97-0036. 97/03/14. Document Control Branch (Document Control Desk). 7pp. 92200:234-92200:240.

9703190043 Interim DR for Lucent Technologies re explosions of List 1S Round Cell at two non-nuclear customer sites.Initially reported on 970127.Reminded customers to follow safety guidelines.Proprietary details encl.Encl withheld.
DONNELL,A.J. Affiliation Not Assigned. 97/03/13. Document Control Branch (Document Control Desk). 1p. 92209:358-92209:358.

9703210143 Part 21 rept re missing spacers from standard SMB-00 torque switch assemblies.Caused by defective lot received from Limitorque facility.Replaced or repaired defective assemblies by addition of spacer.
DEPUYDT,M.B. American Electric Power Co., Inc. 97/03/19. Document Control Branch (Document Control Desk). 6pp. 92218:348-92218:353.

9703270188 Part 21 rept re failure of several BWIP pressure switches during operation & initial calibr.Operability determination performed verifying affected components & sys in plant operable.
MCCORMICK,M.J. Niagara Mohawk Power Corp. NMP2L 1696. 97/03/20. Document Control Branch (Document Control Desk). 5pp. 92296:026-92296:030.

QA999 QUALITY ASSURANCE INSPECTIONS

9703030406 Forwards insp rept 99901311/97-01 on 970127.Violations noted.
GALLO,R.M. . 97/02/27. HASTINGS,C.R. . 4pp. 91931:059-91931:068.

--9703030414 Insp rept 99901311/97-01 on 970121.Violations noted.Major areas inspected:activities associated w/adequacy of Caldon corrective actions in response to plant LER 94-001-01, "Potential Feedwater Flow Measurement Inaccuracies."
* . 97/02/27. 6pp. 91931:063-91931:068.

9703050308 Forwards error notices received from former software suppliers.Listed former customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. G-1151-SJA-97-0. 97/02/25. Document Control Branch (Document Control Desk). 4pp. 92039:018-92039:021.

9703060413 Ack receipt of 970116 ltr informing NRC of steps taken to correct violations noted in insp rept 99901306/96-01.
GALLO,R.M. . 97/02/04. FITZGERALD,F.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 91971:288-91971:290.

9703070073 Forwards insp rept 99901307/96-01 on 961112-14 & 970128-30, notice of violation & notice of nonconformance.Violations noted.
GALLO,R.M. . 97/03/04. REINDL,R.P. B&G Manufacturing Co. 2pp. 91979:047-91979:077.

--9703070078 Notice of violation from insp on 961112-14 & 970128-30. Violations noted:failure to notify NRC within two days of obtaining info of defect affecting basic component & to provide written notification within 30 days.
* . 97/03/04. 2pp. 91979:049-91979:050.

--9703070080 Notice of nonconformance from insp on 961112-14 & 970128-30. Nonconformance/Deviation noted:failure to ref or include mill heat analysis as identified attachment & failure to ref mill heat analysis or certification for heat treatment.
* . 97/03/04. 4pp. 91979:051-91979:054.

--9703070082 Insp rept 99901307/96-01 on 961112-14 & 970128-30.Violations & deviations/noncompliance noted.Major areas inspected: implementation of selected portions of QA program w/emphasis on commercial grade matl dedication practices.
* . 97/03/04. 23pp. 91979:055-91979:077.

9703140173 Forwards insp rept 99900100/97-01 on 970226.Inspectors did not identify any instances where quality assurance program failed to meet NRC requirements for areas inspected.
GALLO,R.M. . 97/03/11. WILKINSON,I.E. Limitorque Corp. 1p. 92184:007-92184:012.

--9703140177 Insp rept 99900100/97-01 on 970226.No violations or deviations/noncompliance noted.Major areas inspected:root cause analysis that Limitorque Corp performed on SMB size 1 MOV actuator to determine cause of failure.
* . 97/03/11. 5pp. 92184:009-92184:012.

9703140176 Forwards Caldon,Inc insp rept 99901311/97-01 on 970121,which identified concern re calibr of leading edge flow meter model 8300,installed at nuclear plants.
GALLO,R.M. . 97/03/11. WERMIEL,J.S. . 2pp. 92184:048-92184:062.

9703200381 Deficiency rept re worn shaft gear counter bore staking operation to secure motor clutch gear can pin was omitted. Worn shaft gear assembly was not mfg by Limitorque Corp.
WILKINSON,I.E. Limitorque Corp. 97/02/26. NRC - No Detailed Affiliation Given. 1p. 92246:244-92246:264.

9703250042 Provides requested W response to unresolved item identified in Section 3.1.b.3 of insp rept 99901307/96-01,dtd 961231 & designated by NRC as unresolved item 99901307/96-01-01.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-97-5025. 97/03/18. GALLO,R.M. . 4pp. 92252:139-92252:142.

9703250101 Forwards corrected page 2 for notice of violation for insp rept 99901307/96-01.Page 2 was missing first line.Based on 970318 telcon,response to both NOV & notice of conformance is due 30 days from date of ltr.
GALLO,R.M. . 97/03/19. REINDL,R.P. B&G Manufacturing Co. 1p. 92266:001-92266:002.

--9703280413 Corrected page 2 to notice of violation,adding first line due to inadvertent omission in original NOV.
* NRC - No Detailed Affiliation Given. 97/03/19. 1p. 92266:002-92266:002.

REG CERT REGISTRY CERTIFICATE

9703280320 Rev 1 to, "Operators Guide,Step for PRISM 2000XP Simultaneous Transmission & Emission Protocol."
* Picker International, Inc. NR-104-D-102-S. 96/10/07. 200pp. 92323:108-92324:198.

REGGD REGULATORY GUIDES

9703040259 LER 97-001-00:on 970129,RG 1.97 containment isolation valve does not have "direct" position indication.Caused by incorrect judgement was made that EFW FCVs had adequate position.Condition Rept 96-1658 was generated.W/970227 ltr.
GAUDET,T.J., LEONARD,T.R. Entergy Operations, Inc. W3F1-97-0019. 97/02/27. 9pp. 91990:316-91990:324.

9703050177 Forwards documentation collected to support NUREG-1535, "Ingestion of P-32 at MIT,Cambridge,MA,Identified on 950819."
SIEGEL,C. Office for Analysis & Evaluation of Operational Data, Director. 97/01/17. DAVIS,W.E. Information & Records Management Branch (Post 890827). 17pp. 92081:001-92089:204.

--9703060257 "For comment" issue of draft reg guide,task DG-0005, "Applications for Licenses of Broad Scope."
* Office of Nuclear Regulatory Research (860720-941217). 94/10/31. 61pp. 92086:325-92087:028.

--9703060276 Rev 3 to reg guide 10.005, "Std Review Plan for Applications for Licenses of Broad Scope."
* Office of Nuclear Regulatory Research (860720-941217). 94/06/30. 105pp. 92087:029-92087:133.

--9703060330 Rev 1 to reg guide 10.005, "Applications for Type A Licenses of Broad Scope." Draft notice encl.
* Office of Nuclear Regulatory Research (860720-941217). 80/12/31. 23pp. 92087:134-92087:156.

--9703060335 "For comment" issue of draft rev 2 to reg guide 10.005, task FC 408-4, "Guide for Preparation of Applications for Type A Licenses of Broad Scope."
* Office of Nuclear Regulatory Research (860720-941217). 85/02/28. 28pp. 92087:157-92087:183.

9703050195 "Annual Operating Rept for 1996," per RG 1.16,Rev 4,Part C.1.b.W/ 970225 ltr.
HAGAN,J.J. Entergy Operations, Inc. GNRO-97/00009. 96/12/31. 9pp. 92003:252-92003:261.

9703070177 Forwards "NMPNS - Unit 1 Semi-Annual Radioactive Effluent Release Rept for Jul-Dec 1996." Format used for effluent data outlined in App B of Reg Guide 1.21,Rev 1.
MCCORMICK,M.J. Niagara Mohawk Power Corp. NMP1L 1191. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 92030:165-92030:193.

9703100262 Forwards response to violations noted in Insp Repts 50-321/96-15 & 50-366/96-15.Corrective actions:Procedure 51GM-MNT-034-0S revised to include addl step in Section 7.0 & sign-off in procedure attachment.
SUMNER,H.L. Georgia Power Co. HL-5326. 97/03/05. Document Control Branch (Document Control Desk). 5pp. 92048:340-92048:344.

9703110121 Forwards response to NRC request for addl info re ISI & inservice pressure test program plans for second ten-yr interval.
SHELL,R.H. Tennessee Valley Authority. TAC M94115. 97/03/04. Document Control Branch (Document Control Desk). 17pp. 92118:332-92118:348.

9703120039 "RG 1.16 Rept for 1996." W/970307 ltr.
GIBSON,G.T. Southern California Edison Co. 96/12/31. 2pp. 92125:096-92125:097.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--9608050092 Discusses two approaches for CE owners to apply Regulatory Position 2.1 of Reg Guide 1.99,Rev 2 when limiting matl of reactor vessel beltline is not in surveillance program, presented by CEOG rept CEN-405-P,Rev 2.
WICHMAN,K.R. . TAC M95485. 96/08/01. HEBDON,F.J. . 3pp. 92287:004-92287:006.

9703130397 Comments on RG DG-1045, "Setpoints for Safety-Related Instrumentation." Believes that document should not be issued in present form.
BROWN,W. Affiliation Not Assigned. 61FR55675 00004. 97/03/04. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92106:008-92106:008.

9703170253 Application for amend to license DPR-66,consisting of change request 240,modifying Spec 3.4.8 by reducing RCS specific activity limits IAW GL 95-05.
JAIN,S.C. Duquesne Light Co. GL-95-05. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92176:001-92177:028.

--9703170255 ERS-SFL-96-021 R00 Rev 0 to "RG 1.145 Short-Term Accident X/Q Values for EAB & LPZ Units 1 & 2 Based on 1986-1995 Observations."
LAVIE,S.F. Duquesne Light Co. 96/12/19. 204pp. 92176:027-92176:227.

9703180088 "For comment" issue of draft reg guide DG-0009 (proposed rev 2 to Reg Guide 10.8), "Guide for Preparation of Applications for Medical Use Programs."
* Office of Nuclear Regulatory Research (Post 941217). 97/03/31. 16pp. 92177:215-92177:232.

9703190380 Comment opposing draft regulatory guide 1068, "Medical Evaluation of Licensed Personnel at Nuclear Power Plants."
TAYLOR,G.J. South Carolina Electric & Gas Co. 62FR7811 00001. 97/03/05. Division of Freedom of Information & Publications Services (Post 940714). 1p. 92153:022-92153:022.

9703200231 NRC Info Notice 97-013, "Deficient Conditions Associated w/ Protective Coatings at Nuclear Power Plants."
MARTIN,T.T. . 97/03/24. Consolidated Edison Co. of New York, Inc. 6pp. 92257:053-92257:058.

9703210015 Comment on NRC reg guide 1.155 1988 "Station Black Out."
JAGANNATH,K. India. 53FR45831 00017. 97/02/18. NRC - No Detailed Affiliation Given. 1p. 92210:284-92210:284.

9703210048 Comment opposing proposed Rev 3 to RG 1.134, "Medical Evaluation of Licensed Personnel at NPPs."
CRUSE,C.H. Baltimore Gas & Electric Co. 62FR7811 00002. 97/03/13. NRC - No Detailed Affiliation Given. 6pp. 92210:290-92210:295.

9703240115 "For comment" issue of draft reg guide DG-0006, "Guide Regulatory Preparation of Applications for Commercial Nuclear Pharmacy Licenses."
* Office of Nuclear Regulatory Research (Post 941217). 97/03/31. 80pp. 92238:148-92238:251.

9703250148 Submits TS bases change for review re containment gaseous & particulate radiation monitors.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 97-102. 97/03/18. Document Control Branch (Document Control Desk). 9pp. 92251:251-92251:265.

9703250242 "For comment" issue of draft reg guide,task DG-0007, "Guide for Preparation of Applications for Licenses to Authorize Distribution of Various Items to Commercial Nuclear Pharmacies & Medical Use Licensees."
* Office of Nuclear Regulatory Research (Post 941217). 97/03/31. 28pp. 92243:087-92243:116.

9703260009 Submits Rancho Seco Exposure Rept for individuals receiving greater than 100 mrem during 1996.Provided IAW TS D6.9.2.2 & guidance contained in NRC Reg Guide 1.16.No one exposed to greater than 100 mrem in 1996.
REDEKER,S.J. Sacramento Municipal Utility District. MPC&D 97-051. 97/03/18. Office of Nuclear Regulatory Research (Post 941217). 1p. 92253:336-92253:338.

--9703260012 "Rancho Seco Nuclear Station Reg Guide 1.16,1996 Annual Exposure Rept."
* Sacramento Municipal Utility District. 96/12/31. 2pp. 92253:337-92253:338.

9703260192 Forwards NRC Form 5 equivalent records for all individuals monitored at JAFNPP from 960101-1231,per 10CFR20.2206(b) & App A of NRC Reg Guide 8.7, "Instruction for Recording & Reporting Occupational Radiation." W/o encl.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). JAFP-97-0098. 97/03/17. Office of Nuclear Regulatory Research (Post 941217). 1p. 92258:307-92258:307.

9703270232 Application for amend to License NPF-42,revising Tech Specs 6.8.5b re reactor coolant pump flywheel insp program to provide exception to exam requirements in Reg Guide 1.14,Rev 1, "Reactor Coolant Pump Flywheel Integrity."
MUENCH,R.A. Wolf Creek Nuclear Operating Corp. ET 97-0027. 97/03/21. Document Control Branch (Document Control Desk). 12pp. 92267:337-92267:351.

9703270294 Rev 2 to reg guide 01.160,task DG-1051, "Monitoring Effectiveness of Maintenance at Nuclear Power Plants."
* Office of Nuclear Regulatory Research (Post 941217). 97/03/31. 10pp. 92259:153-92259:164.

9703280350 Comment supporting draft regulatory guide DG-1068, "Medical Evaluation of Licensed Personnel at NPP."
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 62FR7811 00003. 97/03/17. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 92265:194-92265:196.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

9701240005 Summary of 970109 meeting w/NEI on maint rule issues. Attendees list & related info encl.
BLACK,S.C. . 97/01/17. MATTHEWS,D.B. . 5pp. 91990:203-91990:226.

9703030037 Forwards questions & comments related to Rev 1 to WCAP-14171 "WCOBRA/TRAC Applicability to AP600 Large-Break LOCA."
HUFFMAN,W.C. . 97/02/26. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 91932:241-91932:245.

9703030277 Informs of NRC initiation of preparation of final license renewal RG, "Std Format & Content for Applications to Renew NPP OLs." Review of attachment on issues & NRC positions requested.
NEWBERRY,S.F. . 97/02/27. WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 16pp. 91939:321-91939:336.

9703030286 Notification of 970303 meeting w/NEI in Rockville,MD to discuss enforcement policy issues re maint rule insp w/OE & NRR.
MAGRUDER,S.L. . 97/02/27. MATTHEWS,D.B. . 5pp. 91938:350-91938:354.

9703030330 Responds to 951115 ltr requesting NRC to review facility Technical Rept TR-105909.Staff concludes rept adequately identifies technical issues & assumptions that licensees should address to implement revised source term.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/02/26. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 6pp. 91932:326-91932:333.

9703040079 Comment supporting comments submitted by NEI & Nuclear Utility Backfitting & Reform Group re proposed GL, "Effectiveness of Ultrasonic Testing Sys in Inservice Insp Programs."
CRUSE,C.H. Baltimore Gas & Electric Co. 61FR69120 00006. 97/02/21. Rules & Directives Review Branch (Post 920323). 2pp. 91944:356-91944:357.

9703040090 Comment on proposed generic communication, "Effectiveness of Ultrasonic Testing Sys in ISI Program." Proposed GL inappropriate regulatory vehicle to impose new performance- based ultrasonic qualifications methods.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR69120 00005. 97/02/21. NRC - No Detailed Affiliation Given. 12pp. 91945:027-91945:038.

9703060169 Comment on notice of issuance & availability of draft NUREG-1567, "Standard Review Plan for Spent Fuel Dry Storage Facilities." NUREG should provide reasonable insight into regulatory review process for applicants.
NELSON,A.P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR57926 00003. 97/02/28. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 107pp. 91969:141-91969:247.

9703060337 Summary of 970225 meeting w/Nuclear Energy Institute re A Anderson study of senior mgt meeting process.
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/03. ROSS,D.F. Office for Analysis & Evaluation of Operational Data, Director. 15pp. 91983:325-91983:339.

9703060355 Summary of 970220 meeting w/NEI in Rockville,MD re views on proposed guidance for inclusion in final version of either NEI "Industry Guideline for Implementing Requirements of 10CFR54,License Renewal Rule."
HOFFMAN,S.T. . 97/03/05. . 7pp. 91990:348-91990:354.

9703070126 Transmits summary of 970130 TS Task Force meeting in Rockville,MD.
GRIMES,C.I. . 97/03/05. DAVIS,J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 5pp. 91998:340-91998:344.

9703110248 Summary of 970207 meeting w/NEI in Rockville,MD re concerns concerning NRC info notice 92-18, "Potential for Loss of Remote Shutdown Capability During Control Room Fire." List of attendees encl.
MALLOY,M. . IEIN-92-018. 97/03/07. MATTHEWS,D.B. . 16pp. 92031:312-92031:327.

9703130003 Summary of 970225 meeting w/Nuclear Energy Institute re A Anderson study of senior mgt meeting process.Reissued attendees list & NRC briefing handout encl.
ROSSI,C.E. Division of Safety Programs (Post 870413). 97/03/07. ROSS,D.F. Office for Analysis & Evaluation of Operational Data, Director. 16pp. 92080:331-92080:346.

9703130035 Notification of 970318 meeting w/Nuclear Energy Inst in Rockville,MD to discuss proposed STS changes.
JOHNSON,D.L. . 97/03/04. GRIMES,C.I. . 3pp. 92109:277-92109:279.

9703130329 Notification of 970320 meeting w/NEI in Rockville,MD to discuss development of final version of regulatory guide & industry guideline.
HOFFMAN,S.T. . 97/03/12. NEWBERRY,S.F. . 4pp. 92105:343-92105:346.

9703170058 Requests NRC assistance in voiding License Fee Invoice RL0320-97 dtd 970121,re EPRI Rept NP 7480-L-"SG Tubing Outside Stress Corrosion Cracking at Tube Support Plates Database for Alternate Repair Limits."
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 97/02/06. MAGRUDER,S.L. . 2pp. 92157:353-92157:355.

--9703170069 Informs that cost for NRC review of four repts listed re SG degradation specific mgt,will be assessed under 10CFR170.21,but recovered through annual fees.
SCROGGINS,R.M. NRC - No Detailed Affiliation Given. 94/05/20. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 92157:355-92157:355.

9703170078 Notification of revised 970318 meeting w/listed attendees in Rockville,MD to discuss STS changes.Room & agenda were changed.
JOHNSON,D.L. . 97/03/11. GRIMES,C.I. . 4pp. 92131:309-92131:312.

9703180023 Motion by Nuclear Energy Inst for leave to file amicus brief on review of LBP-96-25.* Seeks leave to file amicus brief due to Board partial initial decision that could severely affect interests of nuclear energy industry.
BISHOP,R.W., SILBERG,J.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #197 18208. ML. 97/03/13. Commissioners (Post 750119). 3pp. 92134:054-92134:105.

--9703180043 NEI amicus brief on review of licensing board decision LBP-96-25.* Commission should reverse Board decision. W/Certificate of Svc.
BISHOP,R.W., SILBERG,J.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. ML. 97/03/13. Commissioners (Post 750119). 49pp. 92134:057-92134:105.

9703190167 Comment on proposed generic communication, "Degradation of SG Internals," submitted on 961231.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR69116 00003. 97/03/14. MEYER,D.L. NRC - No Detailed Affiliation Given. 3pp. 92152:004-92152:006.

9703190176 Comment on proposed generic ltr requesting licensees to assess susceptibility of emergency core cooling sys to common-cause failure as result of reactor coolant sys drain-down while in shutdown condition.
PIETRANGELO,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR7075 00001. 97/03/17. NRC - No Detailed Affiliation Given. 4pp. 92152:128-92152:131.

9703190257 Notification of 970320 meeting w/NEI in Rockville,MD to discuss development of final versions of regulatory guide & industry guideline which guide proposes to endorse. Meeting cancelled.
HOFFMAN,S.T. . 97/03/12. NEWBERRY,S.F. . 4pp. 92178:150-92178:153.

9703200074 Comment supporting NRC draft SRPs on financial qualifications & decommissioning funding assurance & antitrust.
RYAN,T.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR68309 00002. 97/03/17. HOYLE,J.C. Office of the Secretary of the Commission. 16pp. 92188:301-92188:316.

9703200188 Comment on proposed rule re policy & procedure for enforcement actions;policy statement.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR6677 00003. 97/03/14. Office of the Secretary of the Commission. 4pp. 92189:029-92189:032.

9703240004 Summary of 970306 meeting w/NEI in Rockville,MD re NRC RG & NEI guideline for implementing license renewal rule.
HOFFMAN,S.T. . 97/03/20. . 7pp. 92218:001-92218:007.

9703250093 Notification of 970328 meeting w/NEI in Washington,DC to discuss overview of NEI activities & issues of mutual interest.
DEAN,W.M. Ofc of the Executive Director for Operations. 97/03/20. CALLAN,L.J. Ofc of the Executive Director for Operations. 3pp. 92236:325-92236:327.

9703260151 Informs that comments on GL 62FR7806 addressing assurance of sufficient net positive suction head for ECC & containment heat removal pumps will be submitted by 970331.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 62FR7806 00001. 97/03/18. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 92244:340-92244:340.

9703260214 Notification of 970422 senior mgt meeting w/NEI to present views on topics associated w/industry guideline & staff regulatory guide for implementing license renewal rule.
HOFFMAN,S.T. . 97/03/24. NEWBERRY,S.F. . 4pp. 92248:178-92248:181.

9703270183 Notification of meeting w/Nuclear Energy Institue on 970402 in Rockville,MD to discuss staff activities & schedule re SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors"
ZALCMAN,B. . 97/03/21. MATTHEWS,D.B. . 4pp. 92259:190-92259:193.

9703280077 Expresses appreciation to K Cozens for agreeing to participate in 970401-02 Ninth NRC Regulatory Info Conference,in Washington,DC.Latest agenda & info on conference,encl.
SHERON,B.W. . 97/03/18. COZENS,K. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. 92262:213-92262:215.

--9701310367 Notification of 970401-02 Ninth NRC Regulatory Info Conference in Washington,DC.
MIRAGLIA,F.J. . 97/01/29. POMEROY,P.W. Advisory Committee on Nuclear Waste. 13pp. 92262:216-92262:227.

9703280168 Summary of 970303 meeting w/Nuclear Energy Institute in Rockville,MD re enforcement policy issues.List of meeting attendees encl.
MAGRUDER,S.L. . 97/03/24. MATTHEWS,D.B. . 6pp. 92276:046-92276:051.

9703280353 Responds to 970305 ltr from DJ Modeen,NEI to GM Holahan,NRC, requesting extension of comment period for draft generic ltr "Assurance of Sufficient Net Positive Suction Head for Emergency Core Cooling & Containment Heat Removal Pumps."
HOLAHAN,G.M. . 97/03/25. MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 92262:202-92262:202.

SECY POSITION PAPERS BEFORE THE COMMISSION

9611290343 SECY-96-242 Informs Commission of staff approach to allow use of rev accident source term described in NUREG-1465, "Accident Source Terms for Light-Water Nuclear Power Plants," in design-basis analyses for operating nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/11/25. 17pp. 92217:049-92217:065.

9701240102 SECY-97-015 Informs Commission that remedial actions have been completed at B&W Apollo site located in Apollo,PA & that staff plans to release site for unrestricted use & remove site from Site Decommissioning Mgt Plan.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/01/17. 16pp. 91990:277-91990:292.

9702050318 SECY-97-023 Forwards Abnormal Occurrences FY96 & "Rept to Congress on Abnormal Occurrences," final draft.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/01/28. 67pp. 92217:066-92217:132.

9702110070 SECY-97-028 Informs Commission that EDO intends to approve rulemaking plan to amend 10CFR32.14(d)(1) re prototype testing requirements for hands,dials & pointers containing tritium (used primarily in timepieces).
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/02/04. 21pp. 92217:028-92217:048.

9702130193 SECY-97-031 Informs Commission of staff rulemaking plan for amending Parts 30 & 32 to allow distribution of radioactive drug containing one microcurie of C-urea as exempt matl for "in vivo" diagnostic testing.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/02/07. 31pp. 92189:219-92189:250.

9702130296 SECY-97-029 Requests Commission approval to publish minor rev to AO policy statement that revises AO criteria for fuel cycle facilities to include gaseous diffusion plants.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/02/05. 21pp. 92312:016-92312:036.

9702200058 SECY-97-035 Requests Commission approval to seek public comment on proposed regulatory guidance related to implementation of 10CFR50.59.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/02/12. 71pp. 91990:111-91990:183.

9702260203 SECY-97-032 Requests commission approval of proposed agreement Massachusetts,per section 274 of AEA of 1954,as amended.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/02/07. 41pp. 92189:175-92189:218.

9703030187 Eleventh partial response to FOIA request for documents. App AA document forwarded.App BB documents partially withheld (ref FOIA Exemption 5).App CC documents withheld (ref FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/02/26. O'NEILL,J.H. Shaw, Pittman, Potts & Trowbridge. 11pp. 91938:001-91938:076.

--9703030318 SECY-93-216 Partially withheld SECY-93-216, "Enforcement Action Re:Incomplete & Inaccurate Plant Records."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/08/02. 24pp. 91938:052-91938:076.

9703040271 SECY-97-048 Weekly info rept for wk ending 970221.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/02/26. 21pp. 91961:114-91961:134.

9703040281 Issues NRC Administrative Ltr 97-02 to all holders of OLs or CPs for nuclear power reactors re elimination of natl exam schedule for operator licensing.
MARTIN,T.T. . AL-97-02. 97/03/06. Consolidated Edison Co. of New York, Inc. 8pp. 92177:040-92177:047.

9703040329 SECY-97-051 Provides Commission w/schedule for staff review of AP600 design certification application.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/02/26. 13pp. 92108:253-92108:265.

9703050311 SECY-97-050 Informs Commission of progress made in 1996 on research sponsored by NRC at Russian Research Cntr & Institute of Nuclear Safety of Russian Academy of Sciences.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/02/27. 19pp. 92108:266-92108:284.

9703060025 Staff requirements memo re SECY-97-015, "Removal of B&W Apollo Site from SDMP.
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/25. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 91991:318-91991:319.

9703070146 SECY-97-055 Informs Commission of maint rule status,results & lessons learned.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/03/04. 37pp. 92189:138-92189:174.

9703100037 Responds to 961112 appeal for denial of documents.App I records being released in entirety.App II records being withheld in part (ref Exemption 4).
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/28. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 6pp. 92037:283-92037:332.

--9606180615 SECY-96-124 Partially deleted SECY,informing Commission of staff intent to forbear from instituting enforcement action against General Atomics.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/06/10. 19pp. 92037:314-92037:332.

--9703100043 Discusses SECY-96-124, "Financial Assurance for General Atomics Facilities."
THE CHAIRMAN Commissioners (Post 750119). 96/06/28. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92037:304-92037:307.

--9703100047 Partially deleted 960617 ltr re SECY-96-124, "Financial Assurance for General Atomics Facilities."
DAVIS,R. Affiliation Not Assigned. 96/06/17. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 92037:308-92037:311.

--9703100055 Partially deleted 960612 ltr re SECY-96-124, "Financial Assurance for General Atomics Facilities."
KARMAN,M. NRC - No Detailed Affiliation Given. 96/06/12. ROGERS Commissioners (Post 750119). 2pp. 92037:312-92037:313.

9703120441 SECY-97-057 Weekly info rept for wk ending 970228.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/03/05. 25pp. 92136:001-92136:025.

9703130033 Forwards SECY-97-042, "Response to OIG Event Inquiry 96-04S Re Maine Yankee," dtd 970218.
ZWOLINSKI,J.A. 97/03/06. KETTERER,A. Maine, State of. 2pp. 92080:132-92080:192.

9703130083 Staff requirements memo re SECY-97-031, "Final Rulemaking Plan:Exempt Distribution & Use of Radioactive Drug Containing One uCi of C-14 UREA."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/03. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92105:352-92105:352.

9703130123 Staff requirements memo re SECY-97-032, "Agreement Between Commonwealth of Massachusetts & Commission,Per Section 274 of AEA of 1954,as Amended."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/03. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92109:271-92109:272.

9703140158 Commission voting record on SECY-97-032 re agreement between Commonwealth of Massachusetts & Commission,per Section 274 AEA of 1954,as amended.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/03. 2pp. 92115:297-92115:310.

--9703140159 Notation vote response sheet approving w/comments, SECY-97-032, "Agreement Between Commonwealth of Massachusetts & Commission,per Section 274 of AEA of 1954,as Amended."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/25. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92115:299-92115:300.

--9703140161 Notation vote response sheet approving w/o comments, SECY-97-032, "Agreement Between Commonwealth of Massachusetts & Commission,Per Section 274 of AEA of 1954,as Amended."
ROGERS,K.C. Commissioners (Post 750119). 97/02/24. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92115:301-92115:301.

–9703140162 Notation vote response sheet approving w/comments, SECY-97-032, "Agreement Between Commonwealth of Massachusetts & Commission,Per Section 274 of Atomic Energy Act of 1954,As Amended."
DICUS,G.J. Commissioners (Post 750119). 97/02/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92115:302-92115:302.

–9703140163 Notation vote response sheet approving w/o comments, SECY-97-032, "Agreement Between Commonwealth of Masschusetts & Commission,Per Section 274 of AEA of 1954,as Amended."
DIAZ,N.J. Commissioners (Post 750119). 97/02/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92115:303-92115:303.

–9703140164 Notation vote response sheet approving w/comments, SECY-97-032, "Agreement Between Commonwealth of Masschusetts & Commission,Per Section 274 of AEA of 1954,as Amended."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/02/21. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 92115:304-92115:310.

9703180079 Staff requirements memo re SECY-97-023, "Rept to Congress on Abnormal Occurrences for FY96."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/07. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92177:119-92177:119.

9703180096 Staff requirements memo re SECY-97-028, "Rulemaking Plan For Rev of Prototype Testing Requirements for Hands,Dials & Pointers Using Tritium:Response to PRM-32-4 to Put Timepiece w/Gaseous Tritium Light Sources on Same Regulatory...."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/07. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92177:211-92177:212.

9703180206 Commission voting record on SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
HOYLE,J.C. Office of the Secretary of the Commission. 97/02/12. 2pp. 92177:187-92177:197.

–9703180220 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/01/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92177:189-92177:190.

–9703180237 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
ROGERS,K.C. Commissioners (Post 750119). 97/01/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92177:191-92177:192.

–9703180245 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
DICUS,G.J. Commissioners (Post 750119). 97/01/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:193-92177:193.

–9703180251 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
DIAZ,N.J. Commissioners (Post 750119). 96/12/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:194-92177:194.

–9703180258 Notation vote response sheet approving,w/comments SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors."
MCGAFFIGAN,E. Commissioners (Post 750119). 96/12/18. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92177:195-92177:197.

9703180224 SECY-97-060 Weekly info rept for wk ending 970307.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/03/12. 26pp. 92231:317-92231:342.

9703190107 Forwards comments on SECY-97-044, "Policy & Key Technical Issues Pertaining to Westinghouse AP600 Standard Pressurized Reactor Design."
MCINTYRE,B.A. Westinghouse Electric Corp. DCP/NRC0771. 97/03/13. HOYLE,J. Office of the Secretary of the Commission. 7pp. 92205:336-92205:342.

9703210202 Final response to FOIA request for documents.Forwards documents listed in App A.Documents also available in PDR. App B documents partially withheld (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/17. SAVAGE,J. Morgan, Lewis & Bockius. 4pp. 92231:188-92231:267.

–9111060136 SECY-91-342 Partially deleted Policy Issue seeking Commission approval of timely remediation of sites listed in Site Decommissioning Mgt Plan.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/10/24. 12pp. 92231:193-92231:204.

–9201080066 SECY-91-342A Informs Commission of staff analysis of issues associated w/ ensuring timely remediation of sites listed in site decommissioning mgt plan.Partially deleted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/12/31. 63pp. 92231:205-92231:267.

9703250105 SECY-97-061 Informs Commission that remedial action has been completed at Texas Instruments,Inc.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/03/13. 10pp. 92312:037-92312:046.

9703250138 SECY-97-063 Informs Commission of proposed NRC GL, "Degradation of Control Rod Drive Mechanism & Other Vessel Closure Head Penetrations."
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/03/18. 15pp. 92312:001-92312:015.

9703260028 SECY-97-065 Weekly info rept for wk ending 970314.
BLAHA,J.L. Assistant for Operations (Post 890205). 97/03/19. 24pp. 92424:251-92424:274.

9703260295 Staff requirements memo re SECY-97-061, "Removal of Texas Instruments,Inc From Site Decommissioning Management Plan." Commission has not objected to proposed removal of Attleboro site from site decommissioning management plan.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/18. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92248:257-92248:257.

9703260299 Staff requirements memo re approved issuance of requested license to DOE.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/19. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 92248:172-92248:172.

9703260300 Staff requirements memo re SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/17. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92248:105-92248:106.

9703260301 Staff requirements memo re SECY-96-110, "Completion of Response to SRM for SECY-95-249 on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Standards."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/20. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92247:359-92247:360.

9703260305 Staff requirements memo re SECY-96-110, "Completion of Response to SRM For SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/20. CALLAN,L.J. Ofc of the Executive Director for Operations. 2pp. 92248:067-92248:068.

9703260307 Commission voting record on SECY-97-029, "Abnormal Occurence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/17. 2pp. 92248:056-92248:066.

–9703260320 Notation vote approving w/o comment SECY-97-029, "Abnormal Occurence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92248:058-92248:058.

–9703260323 Notation vote approving w/comments SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
ROGERS,K.C. Commissioners (Post 750119). 97/02/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92248:059-92248:060.

–9703260329 Notation vote approving w/o comment SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Act of 1974;Rev to Policy Statement."
DICUS,G.J. Commissioners (Post 750119). 97/02/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92248:061-92248:061.

–9703260333 Notation vote approving w/comments SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy reorganization Act of 1974;Rev to Policy Statement."
DIAZ,N.J. Commissioners (Post 750119). 97/02/25. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92248:062-92248:062.

–9703260341 Notation vote approving w/comment SECY-97-029, "Abnormal Occurrence Repts:Implementation of Section 208 Energy Reorganization Acy of 1974;Rev to Policy Statement."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/02/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92248:063-92248:066.

9703260330 Commission voting record on SECY-96-110 re completion of response to SRM for SECY-95-249 on risk harmonization white paper & recommendations by interagency steering committee on radiation standards.
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/20. 2pp. 92254:175-92254:184.

–9703270076 Notation approving w/o comments,SECY-96-110, "Completion of Response to SRM,for SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/06/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92254:177-92254:177.

–9703270077 Notation vote approving w/o comments,SECY-96-110, "Completion of Response to SRM,for SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
ROGERS,K.C. Commissioners (Post 750119). 97/02/04. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92254:178-92254:178.

–9703270078 Notation vote approving,w/o comment,SECY-96-110, "Completion of Response to SRM,for SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
DICUS,G.J. Commissioners (Post 750119). 97/02/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92254:179-92254:179.

–9703270079 Notation vote approving,w/o comments,SECY-96-110, "Completion of Response to SRM for SECY-95-249,on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
DIAZ,N.J. Commissioners (Post 750119). 96/11/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92254:180-92254:180.

–9703270080 Notation vote approving w/comments,SECY-96-110, "Completion of Response to SRM for,SECY-95-249 on Risk Harmonization White Paper & Recommendations by Interagency Steering Committee on Radiation Stds."
MCGAFFIGAN,E. Commissioners (Post 750119). 97/02/13. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 92254:181-92254:184.

9703270183 Notification of meeting w/Nuclear Energy Institue on 970402 in Rockville,MD to discuss staff activities & schedule re SECY-96-242, "Use of NUREG-1465 Source Term at Operating Reactors"
ZALCMAN,B. . 97/03/21. MATTHEWS,D.B. . 4pp. 92259:190-92259:193.

9703270224 SECY-96-110 Submits completion of response to staff requirements memo for SECY-95-249,on risk harmonization white paper & recommendations by Interagency Steering Committee on Radiation Stds.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/05/17. 19pp. 92424:275-92424:293.

9703270273 Staff requirements memo re 970219 briefing on Millstone & Maine Yankee lessons learned (SECY-97-036) in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M970219. 97/03/26. CALLAN,L.J. Ofc of the Executive Director for Operations. 1p. 92259:152-92259:152.

9703280097 SECY-97-049 Requests Commission review of proposed issuance of license to DOE for export to Canada of nuclear grade graphite & depleted U in support of joint program to develop atomic vapor laser isotope separation (AVLIS) feed process.
STOIBER,C.R. Office of International Programs (Post 911117). 97/02/27. 9pp. 92424:294-92424:302.

9703280237 Commission voting record on SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development (XMAT0393).
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/19. 2pp. 92295:157-92295:164.

--9703280244 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:159-92295:159.

--9703280249 Notation vote approving SECY-97-049 re proposed license to export *graphite & depleted U to Canada for avlis feed conversion process development.*
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:160-92295:160.

--9703280253 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
DICUS,G.J. Commissioners (Post 750119). 97/03/18. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:161-92295:161.

--9703280257 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
DIAZ,N.J. Commissioners (Post 750119). 97/03/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:162-92295:162.

--9703280262 Notation vote approving SECY-97-049 re proposed license to export graphite & deleted U to Canada for avlis feed conversion process development.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/03/12. HOYLY,J.C. Office of the Secretary of the Commission. 1p. 92295:163-92295:164.

SPEECHES SPEECHES

9703120436 Speech S-97-03, "Nuclear Regulation & Career Experiences by SA Jackson,Chairman US NRC at Lucent Technologies Bell Labs Innovations Breinigsville,PA."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/02/14. 9pp. 92209:119-92209:127.

STATE PROG STATE PROGRAMS

9702130300 Forwards suppl rept of joint NRC-Agreement State Working Group for Development of Implementing Procedures for Policy Statement on Adequacy & Compatibility of Agreement State Programs.
MAUPIN,C.H. Office of State Programs (Post 911117). GODWIN,A.V. Arizona, State of. NEWSOME,H. Office of the General Counsel (Post 860701). 97/01/29. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 91972:001-91972:208.

--9702130302 "Suppl Rept of Joint NRC-Agreement State Working Group for Development of Implementing Procedures for Final Policy Statement on Adequacy & Compatibility of Agreement State Programs."
* NRC - No Detailed Affiliation Given. 97/01/29. 251pp. 91972:004-91972:208.

9703030079 Safety insp on 961120 & 1203 of license CA 5324-56.Insp findings:licensee did not provide for testing of personnel involved w/shipment of radioactive matl to/ from areas under exclusive federal jurisdiction in 1995 & 1996,per 10CFR71.5.
* Walnut Creek Field Ofc, R4 (Post 940404). LUPO,M. Western X-Ray, Inc. 96/12/03. 1p. 91931:021-91931:021.

9703030343 Mod 17 to contract NRC-28-83-604.
GALLOWAY,D. Connecticut, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/14. 2pp. 91961:103-91961:104.

9703040190 Ack receipt of rept of proposed activities in non-Agreement States dtd 970217 & receipt of initial recognition fee as required by 10CFR150.2(b) & 10CFR170.31.
COLLINS,D.J. Region 2 (Post 820201). 97/02/24. MANN,R.C. Kentucky, Commonwealth of. 2pp. 91945:084-91945:088.

--9703040195 Informs that Commission recognizes licensee named on enclosed form 241 "Rept of Proposed Activities in Non-Agreement States," for work to be performed in non-Agreement States or exclusive federal jurisdiction.
COLLINS,D.J. Region 2 (Post 820201). 97/02/24. VOLPE,J. Kentucky, Commonwealth of. 1p. 91945:086-91945:086.

--9703040212 Forwards rept of proposed activities in non-Agreement States & Agreement State license.NRC granted recognition of Agreement State license for activities to be performed at federal installation under 10CFR150.20.
COLLINS,D.J. Region 2 (Post 820201). 97/02/24. Air Force, Dept. of. 2pp. 91945:087-91945:088.

9703040251 Submits listed requests seeking determinations by dept pursuant to Section 22a-430-3(d) & 22a-430-4(p) of regulations of CT State Agencies (RCSA),permit mods not necessary to discharge de minimus levels of hydrazine.
SCACE,S. Northeast Nuclear Energy Co. D10727. 97/02/20. GRIER,J. Connecticut, State of. 9pp. 91960:245-91960:253.

9703040262 Responds to 961226 ltr concerning disposal of some 11e.(2) byproduct matl originating at three sites in New Mexico.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/28. DECKLER,J. Colorado, State of. 2pp. 91972:345-91972:346.

9703040263 Forwards NUREG/BR-0240, "Reporting Safety Concerns to NRC." W/o encl.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/26. Affiliation Not Assigned. 1p. 91979:349-91979:349.

9703050013 Forwards copy of Settlement Agreement between American Nuclear Corp & Wyoming Dept of Environ Quality,Land Quality Div.
ROAN,T.A. Wyoming, State of. 97/02/25. HOOKS,K. NRC - No Detailed Affiliation Given. 7pp. 92003:220-92003:226.

9703050025 Confirms 970220 telcon discussing use of dye test to trace floor drain path out of Millstone Unit 1 turbine bldg.
SCACE,S. Northeast Nuclear Energy Co. SCACE,S. Northeast Utilities Service Co. D10838. 97/02/24. GONYEA,D. Connecticut, State of. 1p. 92003:219-92003:219.

9703050086 Responds to 970123 telcon requesting NRC license termination request submitted by Scott Glass Technologies, Inc on 970123.Licensee has met conditions of revised decommissioning plan approved by NRC by amend 7,dtd 960614.
BELLAMY,R.R. Region 1 (Post 820201). 97/02/25. TOMAYKO,W. Pennsylvania, Commonwealth of. 2pp. 91956:073-91956:074.

9703050123 Mod 18 to contract NRC-29-83-625.
RELIEIS,H.F. Georgia, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2477. 97/02/27. 3pp. 91961:245-91961:247.

9703050139 Mod 17 to contract NRC-28-83-611.
SCHAUB,J.B. New Hampshire, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/20. 3pp. 91961:237-91961:239.

9703050193 Mod 17 to contract NRC-29-83-626.
WILLIAMSON,D.E. Alabama, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/01/31. 3pp. 91961:214-91961:216.

9703050222 Submits response to noted violations during NRC insp conducted on 961211.Corrective actions:licensee will begin training immediately by requiring affected employees to view listed DOT matl.
JAMMA,R., BALLARD,R. Construction Testing Engineers. 97/02/25. Document Control Branch (Document Control Desk). 3pp. 92003:182-92003:184.

9703050296 Submits role & responsibility of NM Environ Dept at United Nuclear Corp site.
HANNING,M. New Mexico, State of. 97/02/26. GHOSE,S. Environmental Protection Agency. 2pp. 92003:175-92003:176.

9703050336 Requests info re prospect of Virginia participating in Agreement States program.
DEKRAFFT,J.A. Virginia, Commonwealth of. 97/01/31. TROJANOWSKI,R. Region 2 (Post 820201). 1p. 91956:185-91956:185.

9703050354 Forwards summary of incidents reported to Dept during interval of Oct 1996-Jan 1997.During reporting period,no medical events from Illinois licensees reported.
SANZA,B.J. Illinois, State of. 97/02/11. LARKINS,P. Office of State Programs (Post 911117). 10pp. 91956:175-91956:184.

9703050366 *Forwards for review draft of integrated matls performance evaluation pro*gram rept which documents results of Agreement States review held in Baton Rouge,LA on 961007-11.
BANGART,R.L. Office of State Programs (Post 911117). 97/02/14. GIVENS,J.D. Louisiana, State of. 69pp. 91957:127-91957:196.

9703050379 Summarizes review of draft info containing draft guidance to Agreement States for submitting regulations for NRC staff review,draft OSP intl procedure D.7 *procedure for reviewing state regulations.*
PARKER,G.S. Affiliation Not Assigned. 97/02/26. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 91956:114-91956:115.

9703050416 Submits topics to be discussed at upcoming meeting between NRC & New York Department of Health re status of NY City Bureau of Radiological Health matls program.
BANGART,R.L. Office of State Programs (Post 911117). 97/02/12. COLLINS,K. New *York, State of. 6pp. 91956:155-91956:160.*

9703050419 Comments on proposed rev to chapter 336, "Radioactive Substance Rules" of Texas Natural Resource Conservation Commission.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/02/11. ROHERS,A.H. Texas, State of. 4pp. 91956:144-91956:154.

--9701160155 Forwards copy of updated & amended propsed radiation rules for review & comment.Rules published in Texas Register on 970103.Written comments must be submitted within 30 days of date of publication.
ROGERS,A.H. Texas, State of. 96/12/20. BANGART,R. Office of State Programs (Post 911117). 7pp. 91956:148-91956:154.

9703050473 Forwards, "Procedures for Emergency Suspension Termination & Suspension of Section 274b Agreement & Procedure for Placing Agreement State on Probation," & revised table of contents, for use & to provide guidelines for NRC decisions.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/02/11. GORDON,C.Z. Region 1 (Post 820201). WOODRUFF,R.L. Region 2 (Post 820201). LYNCH,J.L. Region 3 (Post 820201). 158pp. 91955:143-91955:300.

9703050481 Confirms 970214 telcon w/H Porter in response to 970210 e-mail & encl draft amend 47 to South Carolina Radioactive Matls license 097 issued to Chem Nuclear Sys.
LOHAUS,P.H Office of State Programs (Post 911117). 97/02/18. AUTRY,V.R. South *Carolina, State of. 2pp. 91968:041-91968:045.*

--9703050484 Informs of call from J Greeves re concurrence on Autry ltr.
BELMORE,N. NRC - No Detailed Affiliation Given. 97/02/18. LOHAUS,P.H. NRC - No Detailed Affiliation Given. 1p. 91968:043-91968:043.

--9703050489 Submits revs re comments from B Reamer.
REAMER,C.W. NRC - No Detailed Affiliation Given. 97/02/18. GREEVES,J.T., CAMERON,F., *LOHAUS,P.H.* NRC - No Detailed Affiliation Given. 2pp. 91968:044-91968:045.

9703050491 Forwards comments re 961216 ltr forwarding draft, "IMPEP," rept for MD.
ZAW-MON,M. Maryland, State of. 97/02/03. BANGART,R.L. Office of State Programs (Post 911117). 16pp. 92002:274-92002:289.

9703060006 Forwards amend 42 to Kerr-McGee license STA-583.Amend extends expiration date to 970131.
KERR,G.W. Illinois, State of. 97/02/05. BANGART,R. Office of State Programs (Post 911117). 2pp. 91968:070-91968:071.

9703060014 Discusses overexposure reading on employee TLD badge at Kansas Univ Medical Ctr.
DAKOTAS,R.S. Affiliation Not Assigned. 97/02/05. COOPER,V. Kansas, State of. 3pp. 91970:354-91970:356.

9703060027 Forwards sections of rationale for part G for 960229 rev to SSRCR that NRC recommends revising to clarify differences between SSRCR & 10CFR35.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/02/06. FRAZEE,T. Washington, State of. 68pp. 91971:204-91971:282.

-9612190430 Submits comment on, "Rationale of Part G for 960229 Revs to Suggested State Regulations for Control of Radiation."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/12/18. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 91971:272-91971:282.

9703060029 Informs that on 970122,MRB met to consider proposed final IMPEP rept on NE Agreement State Program.Program found to be adequate to protect public health & safety but needs improvement & compatible w/NRC program.
THOMPSON,H.L. Ofc of the Executive Director for Operations. 97/02/12. THOMAS,D. Nebraska, State of. 5pp. 91970:230-91970:353.

-9703060036 "Integrated Matl Performance Evaluation Program Review of Nebraska Agreement State Program,for 970715-19."
* NRC - No Detailed Affiliation Given. 97/02/03. 118pp. 91970:236-91970:353.

9703060031 Submits notification of workshop for sealed source & device evaluations to be held 970407-11 in Rockville,MD.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-008. 97/02/04. General. 33pp. 91968:076-91968:107.

9703060039 *Forwards for info,Enforcement Guidance Memo EGM 97-002 from* OE,providing guidance to NRC on handling of enforcement actions against Agreement State licensees working in areas of exclusive federal jurisdiction in Agreement States.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-011. 97/02/26. General. 3pp. 91971:194-91971:202.

-9703060044 Discusses enforcement guidance memo re recognition of Agreement State licenses in areas under exclusive federal jurisdiction.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 97/02/05. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 6pp. 91971:197-91971:202.

9703060069 Discusses Diagnostic & Therapeutic Nuclear Medicine course to be held 970317-21.Application form & course description encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-009. 97/02/04. General. 33pp. 91968:108-91968:139.

9703060083 Discusses acceptance to Applied Health Physics course (H-109).List of students from listed states selected to attend 970303-0404 course encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-010. 97/02/06. General. 35pp. 91968:144-91968:179.

9703060117 Brief in support of petition for review filed by state of OK.* W/Certificate of Svc.
HALE,J. Oklahoma, State of. #197 18168. EA. 97/02/11. Commissioners (Post 750119). 21pp. 91970:085-91970:105.

9703060133 Submits advance notification of listed upcoming shipment of irradiated nuclear reactor fuel,IAW 10CFR73.37.
CHERNOFF,H.K. Carolina Power & Light Co. RNP-RA/97-0028. 97/02/04. AUTRY,V.R. South Carolina, State of. STROUD,T.C. North Carolina, State of. 4pp. 91970:078-91970:081.

9703060153 Ack receipt of ltr dtd 970121 re NRC timely review of conduct of Utah Agreement State Program w/respect to issues raised in ltr from R Hoffman.
BANGART,R.L. Office of State Programs (Post 911117). 97/02/11. MARCUS,C.S. American College of Nuclear Physicians. 8pp. 91970:037-91970:057.

-9703060162 Petitions NRC to conduct timely review of Utah Agreement State Program w/respect to issues raised to ensure Agreement State compatability requirements properly implemented.
MARCUS,C.S. American College of Nuclear Physicians. 97/01/21. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 13pp. 91970:045-91970:057.

9703060195 Discusses insp rept 15000004/97-01 on 970212.Insp exam of licensed activities re radiation safety & compliance w/NRC regulations & license conditions.No violations identified.
JOHANSEN,J.M. Region 1 (Post 820201). 97/02/28. HEDGER,B. Alpha-Omega Services, Inc. 3pp. 91970:008-91970:010.

9703060207 Mod 21 to contract NRC-31-83-667.
NICHOLS,S.B. Arkansas, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2487. 97/02/18. 3pp. 91991:340-91991:342.

9703060231 Forwards proposed final rept documenting IMPEP review of MD Radiation Control Program & agenda for meeting to consider rept on 970306.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/02/28. THOMPSON,H.L. Ofc of the Executive Director for Operations. BANGART,R.L. Office of State Programs (Post 911117). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 91969:260-91969:354.

-9703060237 "IMPEP Review of MD Agreement State Program Sept 23-27,1996, Proposed Final Rept."
* Office of State Programs (Post 911117). 97/02/28. 92pp. 91969:263-91969:354.

9703060232 Informs that TN 3 5/93,Gas Hills ISL Application incomplete.
MOXLEY,M. Wyoming, State of. 97/02/21. HILDENBRAND,P. Power Resources Corp. 32pp. 92012:243-92012:274.

9703060234 Discusses appointment by Governor Almond as State Liaison Officer to NRC from State of Rhode Island.
BANGART,R.L. Office of State Programs (Post 911117). 97/02/26. TODD,P. Rhode Island, State of. 6pp. 91969:062-91969:069.

-9703060240 Ack receipt of 970127 ltr requesting replacement for R Bouchard who retired in Dec 1996.
ALMOND,L. Rhode Island, State of. 97/02/11. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 91969:068-91969:069.

9703060246 Submits contention & explanations of events that occurred during insp rept 15000004/96-17 because rept does not present entire events that occurred which would impact civil penalties imposed by licensee.
BALLARD,R., JAMMA,R. Construction Testing Engineers. 97/02/25. Region 4 (Post 820201). 5pp. 92003:354-92003:358.

9703060292 Requests matl listed in encl 1, "Ref Matl for Reactor/Senior Reactor Operator Licensing Exams," at least 60 days prior to 970526.Procedures for administration & review of written exams requested.
ISAAC,P. . 97/03/04. TEHAN,T. Rhode Island, State of. 10pp. 91999:213-91999:222.

9703060336 Informs of timely renewal of existing license WN-I019-2. License will not expire until dept has taken final action on application for renewal.
ROBERTSON,G. Washington, State of. 97/02/04. BEELER,S. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 92016:301-92016:301.

9703070009 Responds to request that OK Dept of Environmental Quality verify Sequoyah Fuels Corp's proposed aquifer classification at Gore site.
BRODERICK,M. Oklahoma, State of. 97/02/20. SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 138pp. 92030:001-92030:138.

9703070117 Forwards safety assessment re change made at plant to containment isolation valve configuration for containment spray & residual heat removal sys.
ROONEY,V.L. . 97/03/03. SEDANO,R.P. Vermont, State of. 3pp. 91997:321-91997:331.

9703100031 Final response to FOIA request for documents.Records in App A encl & available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 97/03/05. FELTON,J.M. Nuclear Licensing Reports. 2pp. 92032:001-92033:316.

-9702180199 Transmits state agreements program info (SP-97-004) re request for comments on draft insp procedure & insp guidance for 10CFR35.32 & 35.33.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-004. 97/01/21. General. 40pp. 92033:080-92033:231.

9703100051 First partial response to FOIA request for documents. Forwards documents listed in App A already available in PDR. Records in App B being made available in PDR.
POWELL,R Division of Freedom of Information & Publications Services (Post 940714). 97/02/28. LISCHESKE,C. California, State of. 3pp. 92038:001-92038:072.

-9703100058 FOIA request for documents re all correspondence,memoranda & other documentation of communications between NRC & DOI from 930101 to present.
LISCHESKE,C. California, State of. 96/10/24. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 15pp. 92038:004-92038:026.

9703100282 Submits summary of results of audit of American West Analytical.
LOPEZ,G.C. Utah, State of. 97/03/05. MORTON,L.B. Utah, State of. 6pp. 92048:326-92048:331.

9703100285 Provides comments on 970123 ABC technical memo,in order to assist efforts in resolution of certain interrogatories related to site characterization & groundwater flow & contaminant transport modeling of license application.
MORTON,L.B. Utah, State of. 97/02/21. ALKEMA,K. Environmental Research & Technology, Inc. 7pp. 92048:333-92048:339.

9703110134 "1996 Annual Summary Rept on Discharge Monitoring at DCPP." W/ 970228 ltr.
POWERS,R.P. Pacific Gas & Electric Co. DCL-97-514. 96/12/31. BRIGGS,R.W. California, State of. 66pp. 92120:279-92120:344.

9703110135 Informs that state of NJ has reviewed & has no comment on license change request 96-05 re change to EDG fuel oil testing program.
TOSCH,K.W. New Jersey, State of. 97/03/03. Document Control Branch (Document Control Desk). 2pp. 92121:100-92121:101.

9703110195 Forwards copy of NJ Pollutant Discharge Elimination Sys recently issued to facility,effective 970401.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. LR-E970163. 97/03/05. Document Control Branch (Document Control Desk). 9pp. 92120:146-92120:215.

-9703110197 NPDES permit NJ0025411,issued to PSE&G,Hope Creek Generating Station.
HAMMOND,D. New Jersey, State of. 97/02/19. 61pp. 92120:155-92120:215.

9703110235 Responds to 970124 ltr expressing concern of recent transfer of NRC staff qualified in QA from high-level waste program.
GREEVES,J.T. Office of Nuclear Material Safety & Safeguards. HLWR. 97/03/06. LOUX,R.R. Nevada, State of. 2pp. 92109:046-92109:047.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

-9311120155 Advises of 931013 exemption request by util from certain requirements of 10CFR73.55(d)(5) & forwards util 931013 ltr requesting exemption.Encl withheld.
RAGHAVAN,L. Project Directorate II-2. TAC M87318. 93/11/05. PASSETTI,B. Florida, State of. 3pp. 92284:300-92284:302.

9703120473 Forwards NRC comments on OH EPA preferred remediation plan of 961219.
KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/28. CLERK,H. Ohio, State of. 5pp. 92124:331-92124:335.

9703120477 Responds to 970217 ltr,requesting NRC establish local PDR for documents re decommissioning of Motycorp,Washington,PA site.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/05. STRAKA,W.A. Pennsylvania, Commonwealth of. 2pp. 92124:339-92124:342.

9703120483 Submits followup to questions raised during recent Nuclear Energy Advisory Council meeting re NRC contract w/Sargent & Lundy selected by Northeast Utilities to conduct independent corrective action verification program at Millstone 1 & 3.
IMBRO,E.V. NRC - No Detailed Affiliation Given. 97/03/06. CONCANNON,T. Connecticut, State of. 3pp. 92079:053-92079:106.

9703130033 Forwards SECY-97-042, "Response to OIG Event Inquiry 96-04S Re Maine Yankee," dtd 970218.
ZWOLINSKI,J.A. . 97/03/06. KETTERER,A. Maine, State of. 2pp. 92080:132-92080:192.

9703130064 Responds to R Suppes ltr of 970203 re meeting to discuss Cypress Foote Mineral offsite slag in Cambridge,OH area.
KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/28. WEBB,J. Ohio, State of. 2pp. 92128:152-92128:153.

9703130075 Responds to 970206 ltr inviting JT Greeves to make presentation at 42nd Annual Mtg of Health Physics Society to be held in San Antonio,TX on 970629-0703.Accepts invitation & encls hard copy of abstract of talk.W/o encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/02/28. YUSKO,J.G. Pennsylvania, Commonwealth of. 5pp. 92128:146-92128:150.

9703130082 Forwards insp rept 15000005/96-01 & investigation rept 4-96-040 on 961011 & NOV.
SCARANO,R.A. Region 4 (Post 820201). EA-96-459. 97/03/07. FIFE,J.R. Colorado, State of. 5pp. 92078:092-92078:106.

--9703130096 Notice of violation from insp on 970203.Violation noted: licensee permitted radioactive matl to be used by two individuals who had not successfully completed training course in safe use & handling of portable gauges.
* Region 4 (Post 820201). 97/02/07. 2pp. 92078:097-92078:098.

--9703130103 Insp rept 15000005/96-01 on 960716-970203.Violations noted. Major areas inspected:review of portable nuclear gauge activities.
* Region 4 (Post 820201). 97/03/07. 8pp. 92078:099-92078:106.

9703130095 Mod 19 to contract NRC-28-83-608.
CAMPBELL,A. Maryland, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2468. 97/02/28. 3pp. 92105:355-92105:357.

9703130228 Responds to violation noted in insp rept 150-00026/96-01. Corrective actions:will comply w/NRC & file for state licensing & allow NRC opportunity to conduct inspections to verify activities are IAW NRC requirements.
JENSEN,B.L. Affiliation Not Assigned. EA-97-033. 97/02/28. SCARANO,R.A. Region 4 (Post 820201). 1p. 92128:108-92128:108.

9703130415 Mod 18 to contract NRC-29-83-622.
HAMILTON,M.H. Tennessee, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/02/04. 3pp. 92109:296-92109:298.

9703140077 Mod 20 to contract NRC-31-84-502.
O'CONNELL,J.J. Kansas, State of. WIGGINS,E.J. Division of Freedom of Information & Publications Services (Post 940714). NRC-31-84-502. 97/02/23. 3pp. 92128:168-92128:170.

9703140084 Responds to 970124 ltr,expressing concern about recent transfer of US NRC staff qualified in QA from HLW program.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 97/03/06. LOUX,R.R. Nevada, State of. 5pp. 92217:218-92217:222.

9703170120 Responds to 970127 ltr expressing concerns about DOE/NRC attempts to address issues re ongoing high-level radwaste program at Yucca Mountain.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 97/03/12. LOUX,R.R. Nevada, State of. 3pp. 92217:271-92217:273.

9703170145 Ack receipt of 970225 ltr informing NRC of steps taken to correct violations noted in insp rept 15000004/96-17.
HOWELL,L.L. Region 4 (Post 820201). EA-97-037. 97/03/11. BALLARD,R.D. Construction Testing Engineers. 3pp. 92117:009-92117:014.

9703170147 Forwards amended application package for MI Dept of Natural Resources owned portion of Hartley & Hartley Landfill State Game Area Site & response to comments & decommissioning funding plan.
SOBEL,K. Michigan, State of. 97/02/25. HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 92138:270-92138:335.

--9703170150 "Technical Support Document,10CFR40 License Application for Tobico Marsh State Game Area Site."
* Michigan, State of. 97/02/24. 33pp. 92138:278-92138:310.

--9703170152 "Decommissioning Fundig Plan for Tobico Marsh State Game Area Site."
* Michigan, State of. 97/02/24. 25pp. 92138:311-92138:335.

9703180182 Provides guidance for processing enforcement actions involving Agreement State licensees that perform work under reciprocity in areas under exclusive Federal jurisdiction.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EGM 97-006. 97/03/14. MILLER,H.J. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 5pp. 92134:214-92134:218.

9703180238 Responds to certified ltrs dtd 961127 & 970106 which requested info sufficient to answer several questions.
MYERS,L.W. Centerior Energy. PY-CEI/OEPA-026. 97/03/11. MELI,N. Ohio, State of. 2pp. 92190:358-92190:359.

9703190168 Forwards for comments & approval,draft minutes of 970122 mgt review board meeting.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 97/02/14. THOMPSON,H. Ofc of the Executive Director for Operations. BANGART,R. Office of State Programs (Post 911117). PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 26pp. 92152:007-92152:032.

9703190170 Discusses NRC proposed fee schedule rule for FY97 dtd 970225.Comment period for proposed rule expires 970331.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-017. 97/03/10. General. 1p. 92151:205-92151:325.

--9703190200 Concurs w/ltr to agreement states on proposed fee rule received 970225.
HOLLOWAY,C.J. NRC - No Detailed Affiliation Given. AF55-1 039. 97/03/06. SOLLENBERG,D. NRC - No Detailed Affiliation Given. 1p. 92151:206-92151:208.

--9703190203 Forwards Notice of Proposed Rulemaking relating to FY97 NRC license,insp & annual fees that will be published in FR.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF55-1 029. 97/02/21. BANGART,R.L. Office of State Programs (Post 911117). 1p. 92151:209-92151:325.

9703190173 Forwards draft Integrated Matls Performance Evaluation Program rept which documents results of Agreement State review held on 961021-25.
BANGART,R.L. Office of State Programs (Post 911117). 97/03/11. BELSHE,S.K. California, State of. 4pp. 92189:050-92189:137.

--9703190182 "Integrated Matls Performance Evaluation Program Review of CA Agreement State Program 96-1021-25 Draft Rept."
* NRC - No Detailed Affiliation Given. 96/10/25. 85pp. 92189:054-92189:137.

9703190174 Forwards final minutes of 960807 mgt review board meeting.
BLANTON,R. Office of State Programs (Post 911117). 97/02/18. THOMPSON,H. Ofc of the Executive Director for Operations. BANGART,R. Office of State Programs (Post 911117). PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 7pp. 92152:121-92152:127.

9703190177 Transmits State Agreements Program Info SP-97-012 re requests for review of Utah Agreement State Program.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-012. 97/02/27. General. 4pp. 92152:132-92152:228.

--9703190237 Notice revoking license or licenses or cause State of Utah to revoke Agreement State license or licenses under which Envirocare currently permitted to accept low-level radwaste & mixed waste for permanent disposal.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2.206. 97/02/07. 4pp. 92152:165-92152:228.

9703190179 Forwards CO Agreement State Program statistical update rept for CY96.
QUILLIN,R.M. Colorado, State of. 97/02/21. BANGART,R.L. Office of State Programs (Post 911117). 6pp. 92152:229-92152:234.

9703190183 Forwards copy of ad Envirocare ran in both Salt Lake newspapers.
JUDD,C. Utah, State of. 97/02/25. BANGART,R. Office of State Programs (Post 911117). 7pp. 92152:235-92152:241.

9703190185 Ack receipt of 970214 ltr re IMPEP review conducted by NRC staff during wk of 961007-11.Two items in rept need to be addressed in order for state program to be found compatible with NRC program.
GIVENS,J.D. Louisiana, State of. 97/02/28. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 92152:242-92152:244.

9703190189 Informs that effective 970303,NRC will assume regulatory jurisdiction over U enrichment plants operated by US Enrichment Corp.
BANGART,R.L. Office of State Programs (Post 911117). SP-97-014. 97/02/28. General. 14pp. 92152:246-92152:259.

9703190208 Forwards draft Integrated Matls Performance Evaluation that documents results of Agreement State review held in offices on 961202-06.
BANGART,R.L. Office of State Programs (Post 911117). 97/03/11. SCHARBER,W.K. Tennessee, State of. 4pp. 92184:078-92184:146.

--9703190215 "Integrated Matls Performance Evaluation Program Review of TN Agrement State Program on 961202-06."
* NRC - No Detailed Affiliation Given. 96/12/06. 65pp. 92184:082-92184:146.

9703190236 Informs that NRC will proceed according to terms of site-specific MOU between US EPA & NRC which was consummated after EPA R6 signed an Administrative Order on Consent w/SFC,based on previous response.
SHEPHERD,J.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/13. BRODERICK,M. Oklahoma, State of. 5pp. 92199:160-92199:164.

9703190248 Submits comments on Oklahoma Dept of Environ Quality request that after Oklahoma becomes Agreement State,NRC retain jurisdiction over large sites undergoing decommissioning.
CAVES,H.A. Oklahoma, State of. 97/03/10. BANGART,R. Office of State Programs (Post 911117). 2pp. 92184:147-92184:148.

9703190281 Confirms selection to serve on Working Group to rev 10CFR35, "Medical Use of Byproduct Matl."
LOHAUS,P.H. Office of State Programs (Post 911117). 97/03/12. HOWARD,M. Ohio, State of. 3pp. 92152:264-92152:266.

9703190291 Ack receipt of ltr re Indiana continued participation in NRC State Liaison Officer Program.Advises that HW Cundiff will continue to be appointed individual form Indiana State Dept of Health to work w/organization on program.
O'BANNON,F. Indiana, State of. 97/03/03. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 92153:023-92153:026.

9703190306 Discusses review of draft regulations 3701-38-021 & 3701-39-021 conducted in accordance w/current B.7 policy for review of Agreement State regulations.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/03/12. HOWARD,M. Ohio, State of. 7pp. 92184:149-92184:175.

9703190314 Submits comments on 961218 Ortciger ltr to PH Lohaus re Foreign Stds.
BOLLING,L. Office of State Programs (Post 911117). 97/01/13. Illinois, State of. 3pp. 92153:001-92153:005.

9703190315 Discusses civil penalties for documented premature disposal of radioactive waste to be decayed in storage or illegal disposal of any radioactive source.
DIBBLEE,M. Oregon, State of. 97/02/14. Affiliation Not Assigned. 1p. 92184:176-92184:176.

9703190321 Transmits State Agreements Program Info SP-97-013 re training course info involving acceptance to (H-313) teletherapy & brachytherapy course.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-013. 97/02/27. General. 5pp. 92153:027-92153:060.

--9703190335 Informs that teletherapy & brachytherapy course (H-313) will be held in Houston,TX on 970310-14.List of attendees,general info sheet,lodging & transportation info & course schedule encl.
RAGLIN,K.A. Office for Analysis & Evaluation of Operational Data, Director. 97/02/18. O'ROURKE,C. Region 1 (Post 820201). ROBBINS,V. Region 2 (Post 820201). LANE,C. Region 4 (Post 820201). 12pp. 92153:032-92153:060.

9703190331 Discusses proposed amends to department rules "Licensing Requirements for Source Matl Milling Facilities," 32 Ill Adm Code 332 submitted on 961104.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/03/10. HOLTSCLAW,R.B. Illinois, State of. 6pp. 92184:177-92184:217.

-9703190341 Responds to 961104 proposed changes to Part 332 Mill regulations.
LYNCH,J. NRC - No Detailed Affiliation Given. 96/11/20. LOHAUS,P.H. NRC - No Detailed Affiliation Given. 1p. 92184:183-92184:183.

-9703190344 Forwards proposed amends to department rules entitled "Licensing Requirements for Source Material Milling Facilities," 32ILL Adm Code 332.
MILLER,R. Illinois, State of. 96/11/04. LYNCH,J. NRC - No Detailed Affiliation Given. 34pp. 92184:184-92184:217.

9703190357 Forwards 970228 ltr providing comments on currently effective rules as background for MRB meeting 970306.W/o encl.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/03/04. THOMPSON,H. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). BANGART,R. Office of State Programs (Post 911117). PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. 92175:116-92175:117.

9703190361 Discusses results of review & evaluation of Final Maryland Rules,COMAR 26.12.01.01 for compatibility w/equivalent NRC regulatins contained in 10CFR1,Parts 0-199.Final Maryland Rules found to be uncompatible.
LOHAUS,P.H. Office of State Programs (Post 911117). 97/02/28. FLETCHER,R.G. Maryland, State of. 32pp. 92175:080-92175:111.

9703190371 Responds to 970201 ltr re regulation of Envirocare.Section 274 of AEA as amend provides statutory basis under which NRC can relinquish certain regulatory responsibilities to States including regulatory authority for LLRW disposal facilities.
BANGART,R.L. Office of State Programs (Post 911117). 97/03/17. JOHNSON,S. Affiliation Not Assigned. 5pp. 92184:246-92184:252.

-9703200141 Advises of changes on Envirocare ltr.Concurrence will be given,if changes are agreed upon & incorporated directly into ltr.
HOLONICH,J. NRC - No Detailed Affiliation Given. 97/03/13. SCHNEIDER,K. NRC - No Detailed Affiliation Given. 1p. 92184:251-92184:251.

-9703190376 Discusses interest in petition to revoke Envirocare license. Appreciate efforts in answering questions to understand situation.Concerned w/safety of cite as well as legality.
JOHNSON,S. Affiliation Not Assigned. 97/02/01. BANGART,R. Office of State Programs (Post 911117). 1p. 92184:252-92184:252.

9703190381 Discusses 970304 telcon re conditions on NRC license for Deaconess Hosp in Boston related to use of boron-neutron capture therapy.
BLANTON,R.L. Office of State Programs (Post 911117). 97/03/05. NRC - No Detailed Affiliation Given. 6pp. 92153:067-92153:072.

9703190385 Responds to concerns & suggestions made following IMPEP review conducted by NRC & Agreement State Staff during wk of 961007-11.
SPELL,W.H. Louisiana, State of. 97/03/04. BANGART,R.L. Office of State Programs (Post 911117). 7pp. 92175:001-92175:073.

9703190397 Confirms 970320 meeting to discuss issues associated w/ allegations,review of Columbia Univ Radiation Safety Program,newly established NRC general performance evaluation review procedures, & update on Bureau Director vacancy.
COLLINS,K. New York, State of. 97/03/12. BANGART,R.L. Office of State Programs (Post 911117). 1p. 92175:074-92175:074.

9703190401 Discusses news article, "Nuclear-Waste Firm Sued for Paying Regulator Too Little," from 970227 Wallstreet Journal.
JUDD,C.A. Envirocare, Inc. 97/03/10. BANGART,R. Office of State Programs (Post 911117). 5pp. 92175:075-92175:079.

9703200001 Forwards list of students from states selected to attend April 1997 sealed source & device evaluations workshop in Rockville MD & requests list of students & instructions to individuals listed.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-018. 97/03/11. General. 32pp. 92184:253-92184:284.

9703200007 Forwards advance notification of transportation of nuclear waste & SF through listed states.
BANGART,R.L. Office of State Programs (Post 911117). 97/03/04. General. 22pp.. 92184:325-92184:347.

9703200011 Confirms arrangements for Chemetron public meeting on 970407 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/17. PARKER,J. Ohio, State of. 1p. 92205:282-92205:288.

-9703200017 Confirms arrangements for Chemetron public meeting on 970407 to discuss current decommissioning activities.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/17. LIPP,C. Ohio, State of. 1p. 92205:286-92205:287.

9703200016 Discusses GAO recommendation, "Better Criteria & Data Would Help Ensure Safety of Nuclear Matls," GAO RCED-93-90 dtd April 1993.
BANGART,R.L. Office of State Programs (Post 911117). 97/03/17. STABLEIN,K. Ofc of the Executive Director for Operations. 3pp. 92184:355-92184:358.

-9703200028 Informs that Hugh requesting that OSP,w/help of other ofcs, go back to GAO audit & do check on whether answer at meeting essentially correct.
STABLEIN,N.K. NRC - No Detailed Affiliation Given. 97/01/31. BANGART,R.L. NRC - No Detailed Affiliation Given. 1p. 92184:358-92184:358.

9703200061 Forwards for info,final rulemaking plan re proposed rule which will allow exempt distribution of capsules containing 1 uCi C-14 Urea to any person for diagnostic testing.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-97-015. 97/03/07. General. 20pp. 92188:267-92188:298.

-9703200098 Forwards questions on FR plan addressing Tri-Med petition from Commissioner Dicus re position of Agreement States on staff plan to not limit receipt of drug to physicians & requirements mandated by other regulations.
TROTTIER,C. NRC - No Detailed Affiliation Given. 97/03/03. LOHAUS,P.H. NRC - No Detailed Affiliation Given. 1p. 92188:288-92188:288.

-9610100217 Forwards draft rulemaking plan entitled, "Medical Use of Capsules Containing One Microcurie of Carbon-14," for review & comment.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-107. 96/10/01. General. 11pp. 92188:289-92188:298.

9703200145 Notifies of minor liner damage to evaporation pond #19 due to abnormally strong winds.Lower segment of liner sagged below water level allowing pond solutions to seep into earthen berm.Repairs to both liner & berm initiated.
LUTHIGER,P. Quivira Mining Co. 97/03/10. OHRBOM,R. New Mexico, State of. 1p. 92212:309-92212:309.

9703200146 Documents most recent rulemaking activity for Radioactive Matls Section.Copy of 970128 memo to all radioactive matls licensees,notifying of proposed changes relating to decommissioning requirements encl.
FRAZEE,T.C. Washington, State of. 97/03/13. LOHAUS,P. Office of International Programs (Post 911117). 11pp. 92189:001-92189:011.

9703210037 Requests Envirocare prepare plan to install addl groundwater monitoring wells at LARW & 11e.(2) Disposal Cells.
MORTON,L.B. Utah, State of. 97/02/27. ALKEMA,K. Envirocare of Utah, Inc. 39pp. 92220:315-92220:353.

9703240094 Responds to notice of violation of license LO4935.Corrective actions:Robco has begun to survey & will make survey before & after each profile & will keep records for 3 years of results.
ROBINSON,W.H. Affiliation Not Assigned. EA-96-378. 97/03/11. HOWELL,L. Region 4 (Post 820201). 2pp. 92231:038-92231:039.

9703240095 "NPDES Discharge Monitoring Rept for Feb 1997 for Pilgrim Nuclear Power Station." W/970318 ltr.
SULLIVAN,T.A., OHEIM,H.V. Boston Edison Co. BECO 5.97.028. 97/02/28. 10pp. 92252:026-92252:035.

9703250020 Mod 23 to contract NRC-32-83-684.
STAHLBERG,E. California, State of. WIGGINS,E.J. Division of Contracts (Post 940714). 97/03/04. 3pp. 92236:293-92236:295.

9703250125 Informs that NRC approved proposal to enter into Agreement under which NRC will discontinue & Commonwealth of MA will assume regulatory authority over acquisition,receipt possession,use,transfer & disposal of by-product matl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/10. WELD,W.F. Massachusetts, Commonwealth of. 1p. 92243:033-92243:041.

9703250234 Discusses discharge monitoring report-quality assurance (DMR-QA) results for VA Power facilities.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 97/03/19. STEWARD,R. Virginia, Commonwealth of. 15pp. 92251:083-92251:097.

9703250252 Submits request for addl info re groundwater monitoring rept.
MORTON,L.B. Utah, State of. 97/03/17. ALKEMA,K. Envirocare of Utah, Inc. 4pp. 92252:099-92252:102.

9703260147 Ack receipt of 970307 ltr re Agreement States ltr SP-97-015 concerning rulemaking plan 10CFR30 & 32 C-14 Urea H Pylori Diagnostis Test.
MOBLEY,M.H. Tennessee, State of. SP-97-015. 97/03/13. LOHAUS,P. Office of State Programs (Post 911117). 2pp. 92244:335-92244:336.

9703260160 Responds to ltr dtd 970217,requesting NRC establish LPDR for documents re decommissioning of Molycorp Washington,PA,site.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 97/03/24. STRAKA,W. Pennsylvania, Commonwealth of. 4pp. 92257:347-92257:350.

9703260296 Informs that determination of classification & potability of groundwater at site important in determining what groundwater criteria will be acceptable.
KALMAN,K.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/24. BRODERICK,M. Oklahoma, State of. 4pp. 92259:218-92259:222.

9703260312 Informs that administrative review identified one deficiency which was omission of signed certification statement IAW Section 13 of application for matl license.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/21. SOBEL,K. Michigan, State of. 5pp. 92259:226-92259:231.

9703270082 Safety insp on 970224 of license NC009-0998-1.Insp findings: no violations observed.
JONES,A. Region 2 (Post 820201). * North Carolina, State of. 97/02/24. 1p. 92256:039-92256:039.

9703270203 Extends invitation as observer at 970422 meeting w/util to discuss Hatch NPP performance over past 21 months.
REYES,L.A. Region 2 (Post 820201). 97/03/14. REEVIS,C. Georgia, State of. 4pp. 92256:124-92256:127.

9703270320 Forwards revised responses to request for addl info re Trojan ISFSI SAR.
YUNDT,C.P. Portland General Electric Co. CPY-007-97. 97/03/17. STEWART-SMITH Oregon, State of. 18pp. 92266:307-92266:324.

9703270321 Comments on UNC annual review re 1996 ground water corrective action.
LIU,B. New Mexico, State of. 97/03/18. GHOSE,H. Region 4 (Post 820201). 9pp. 92266:347-92266:355.

9703280013 Forwards recommended decision & order by Office of Administrative Law Judges dtd 970314,concerning DOL case involving Kentucky licensee.
WOODRUFF,R.L. Region 2 (Post 820201). 97/03/19. JEFFS,V. Kentucky, Commonwealth of. 26pp. 92264:296-92264:321.

9703280015 Ack receipt of rept of proposed activities in Non-Agreement States,dtd 970307.
COLLINS,D.J. Region 2 (Post 820201). 97/03/17. RADER,F. Affiliation Not Assigned. 3pp. 92264:322-92264:324.

9703280049 Forwards ISFSI calculations for review.
YUNDT,C.P. Portland General Electric Co. CPY-008-97. 97/03/18. STEWART-SMITH Oregon, State of. 5pp. 92271:068-92271:072.

9703280074 Extends invitation to attend 970325 meeting between NRC & Carolina Power & Light Co to discuss Robinson Nuclear Power Plants performance over past 20 years as observer.
REYES,L.A. Region 2 (Post 820201). 97/02/19. COPELAND,W.R. South Carolina, State of. 4pp. 92265:051-92265:054.

9703280209 Ack receipt of 970228 ltr informing NRC of steps taken to correct violations noted in insp rept 150-00026/96-01.
HOWELL,L.L. Region 4 (Post 820201). 97/03/24. JENSEN,B. . 3pp. 92265:171-92265:174.

--9703280213 Responds to NRC 970206 ltr re violations noted in insp rept 150-00026/96-01.Corrective actions:informed of procedures to be in compliance when using Troxler moisture density equipment in South Dakota Dept.
JENSEN,B.L. Nebraska, State of. 97/02/28. SCARANO,R.A. Region 4 (Post 820201). 1p. 92265:174-92265:174.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9703030013 Forwards 10 copies of proprietary & non-proprietary versions of final rept on "Incomplete Rod Cluster Control Assembly Insertion." Proprietary rept withheld per 10CFR2.790.
SEPP,H.A. Westinghouse Electric Corp. NSD-NRC-97-5000. 97/02/26. CRAIG,C.M. Document Control Branch (Document Control Desk). 2pp. 91950:001-91951:060.

--9703030014 Requests that proprietary version of TR WCAP-14782, "Incomplete Rod Cluster Control Assembly Insertion" be withheld per 10CFR2.790.
SEPP,H.A. Westinghouse Electric Corp. AW-97-1082. 97/02/26. CRAIG,C.M. Document Control Branch (Document Control Desk). 9pp. 91950:003-91950:014.

--9703030050 WCAP-14783 "Final Rept Incomplete RCCA Insertion."
KNOTT,R.P., ESPOSITO,V.J. Westinghouse Electric Corp. 97/02/28. 410pp. 91950:015-91951:060.

9703030074 NEDO-32094 ERR Errata sheet 4 to NEDO-32094, "Environ,Safety & Health Plan for GE Morris Operation."
DENIO,L.L. General Electric Co. 97/02/12. 8pp. 91946:033-91946:041.

9703030181 Forwards non-proprietary & proprietary versions of presentation matl from meeting held at NRC offices in White Flint on 970219-20 on subject of incomplete rod cluster control assembly insertion.Affidavit,encl.Encl withheld.
SEPP,H.A. Westinghouse Electric Corp. NSD-NRC-97-4999. 97/02/26. CRAIG,C.M. Document Control Branch (Document Control Desk). 2pp. 91957:267-91957:303.

--9703030188 Requests that W presentation, "Fuel Assembly Mechanical Model Associated w/Incomplete RCCA Insertion," dtd 970219-20 be withheld from public disclosure.Encl withheld, per 10CFR2.790.
SEPP,H.A. Westinghouse Electric Corp. AW-97-1081. 97/02/26. CRAIG,C.M. Document Control Branch (Document Control Desk). 9pp. 91957:269-91957:303.

9703030328 Requests addl info re ABB Combustion Engineering ltr LD-93-142,dtd 930930,submitted CENPD-289-P, "Use of Inert Replacement Rods in ABB CENF Fuel Assemblies" for staff review.
MAGRUDER,S.L. . CENPD-289-P. 97/02/27. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 5pp. 91938:356-91938:360.

9703030330 Responds to 951115 ltr requesting NRC to review facility Technical Rept TR-105909.Staff concludes rept adequately identifies technical issues & assumptions that licensees should address to implement revised source term.
CALLAN,L.J. Ofc of the Executive Director for Operations. 97/02/26. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 6pp. 91932:326-91932:333.

9703030431 Forwards comments on ABB Combustion Engineering (ABB-CE) ltr LD-96-017,dtd 960523 which submitted CENPD-137,Suppl 2-P, "Calculative Methods for ABB-CE Small Break LOCA Evaluation Model." Encl filed in Central Files.
MAGRUDER,S.L. . 97/02/27. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 91951:101-91951:102.

9703040097 Forwards proprietary CEN-348(B)-P-A,Suppl 1-P-A & nonproprietary CEN-348(B)-NP-A,Suppl 1-NP-A, "Extended Statistical Combination of Uncertainties." Proprietary rept withheld per 10CFR2.790(a)(4).
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). LD-97-006. 97/02/26. Document Control Branch (Document Control Desk). 6pp. 91959:183-91959:237.

--9703040102 CEN-348(B)-NP-A S01 Suppl 1-NP-A to "Extended Statistical Combination of Uncertainties."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 97/01/31. 49pp. 91959:189-91959:237.

9703040137 Forwards responses to RAI re WCAP-14449-P, "Application of Best Estimate Large Break LOCA Methodology to Westinghouse PWRs W/Upper Plenum Injection." Response withheld (per 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-97-5004. 97/02/28. Document Control Branch (Document Control Desk). 2pp. 91961:338-91961:339.

9703040194 Advises that info submitted in 970131 ltr re proprietary version of accepted rept BAW-10168,Rev 3, "BWNT LOCA Evaluation Model for Recirculating SG Plants," will be withheld from public disclosure,per 10CFR2.790(b)(5).
BIRMINGHAM,J.L. . 97/02/28. TAYLOR,J.H. FRAMATOME. 4pp. 91951:130-91951:133.

9703040217 Notification of 970312 meeting w/BWROG in Rockville,MD to discuss results of suppl response time testing work done by BWROG to address instrument loops w/shorter response time requirements than previously addressed.
WILSON,J.H. . 97/03/03. MATTHEWS,D.B. . 3pp. 91951:127-91951:129.

9703040242 Forwards non-proprietary WCAP-14774, "Analysis of 300 DEG Capsule from Carolina Power & Light Co Brunswick Unit 2 Radiation Surveillance Program."
CAMPBELL,W.R. Carolina Power & Light Co. BSEP 97-0051. 97/02/25. Document Control Branch (Document Control Desk). 3pp. 91978:240-91978:353.

--9703040246 WCAP-14774 Non-proprietary "Analysis of 300 DEG Capsule from Carolina Power & Light Co Brunswick Unit 2 Reactor Vessel Radiation Surveillance Program."
TEREK,E., BURGOS,B.N., ANDERSON,S.L. Westinghouse Electric Corp. 96/11/30. 112pp. 91978:243-91978:353.

9703040325 Application for amends to licenses NPF-2 & NPF-8,revising specified max power level & definition of rated thermal power.
MOREY,D. Southern Nuclear Operating Co. 97/02/14. Document Control Branch (Document Control Desk). 15pp. 91965:001-91966:227.

--9703040367 WCAP-14723 Non-proprietary version of WCAP-14723, "Farley Nuclear Plant Units 1 & 2 Power Uprate Project NSSS Licensing Rept."
* Westinghouse Electric Corp. 97/01/31. 393pp. 91965:111-91966:139.

9703040380 Forwards description of ATRIUM-10 growth evaluation & growth correlations used in evaluation.Encl withheld per 10CFR2.790(b).
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:97:019. 97/02/24. Document Control Branch (Document Control Desk). 2pp. 91979:342-91979:344.

9703040391 Application for amend to license NPF-63,amending TS 3/4.4.5, "SGs," & associated Bases,to add sleeve installation as alternative to tube plugging for repairing degraded ST tubes.TRs encl.CEN-630-P,rev 1 withheld.
ROBINSON,W.R. Carolina Power & Light Co. HNP-97-043. 97/02/27. Document Control Branch (Document Control Desk). 12pp. 91977:170-91978:012.

9703050145 Refers to 970207 correspondence submitting rept concerning plant liquid discharges in excess of 3 mCi during fourth quarter of 1996.Informs that rept made IAW Condition 22 of license SNM-0770.
JOHANSEN,J.M. Region 1 (Post 820201). 97/02/24. NARDI,J. Westinghouse Electric Corp. 2pp. 91956:090-91956:093.

--9703050155 Submits Westinghouse Electric Corp rept re plant liquid discharge during fourth quarter 1996 IAW Condition 22 of USNRC License SNM-0770.
NARDI,J.A. Westinghouse Electric Corp. 97/02/07. HEHL,C.W. Region 1 (Post 820201). 2pp. 91956:092-91956:093.

9703050148 Forwards non-proprietary WCAP-14796 & proprietary WCAP-14795, "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methodology." Proprietary rept withheld,per 10CFR2.90.
RUEGER,G.M. Pacific Gas & Electric Co. DCL-97-033. 97/02/25. Document Control Branch (Document Control Desk). 8pp. 91981:001-91981:180.

--9703050161 Requests that proprietary WCAP-14795, "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methology," be withheld (ref 10CFR2.790(b)(4)).
LIPARULO,N.J. Westinghouse Electric Corp. CAW-96-1054. 96/12/18. MIRAGLIA,F.J. Document Control Branch (Document Control Desk). 7pp. 91981:009-91981:015.

--9703050171 WCAP-14796 Non-proprietary "NRC/Util Meeting on Model 51 SG Tube Integrity & ARC Methodology."
* Westinghouse Electric Corp. 96/12/31. 166pp. 91981:016-91981:180.

9703050228 Forwards proprietary & non-proprietary versions of W rept entitled, "Conditional Extension of Rod Misalignment TS for Indian Point 3." Authorization ltr & affidavit,encl. Proprietary encl withheld per 10CFR2.790.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). IPN-97-024. 97/02/26. Document Control Branch (Document Control Desk). 2pp. 92003:001-92003:116.

--9703050237 Authorizes utilization of encl affidavit by util re WCAP-14669,Rev 1, "Conditional Extension of Rod Misalignment TS for Indian Point 3." Rept should be withheld per 10CFR2.790(b)(4).
SEPP,H.A. Westinghouse Electric Corp. CAW-97-1078. 97/02/18. COLLINS,S.L. Document Control Branch (Document Control Desk). 8pp. 92003:003-92003:011.

--9703050241 WCAP-14848 "Conditional Extension of Rod Misalignment TS for Indian Point 3."
JOHANSEN,B.J. Westinghouse Electric Corp. 97/02/28. 102pp. 92003:012-92003:116.

9703050482 Submits BAW-10164A,Rev 3 "RELAP5/MOD2-B&W,Advanced Computer Program for LWR LOCA & Non-LOCA Transient..." & BAW-1064P-A, "RELAP5/MOD-B&W...Analysis." BAW-10164P-A withheld.
TAYLOR,J.H. Babcock & Wilcox Co. JHT/97-13. 97/02/25. THADANI,A.C. Document Control Branch (Document Control Desk). 8pp. 91973:001-91975:345.

--9703050505 BAW-10164-A R03 Rev 3 to TR BAW-10164-A, "RELAP5/MOD2-B&W,Advanced Computer Program for Light Water Reactor LOCA & Non-LOCA Transient Analysis."
* Babcock & Wilcox Co. 96/10/31. 1,429pp. 91973:009-91975:345.

9703050513 Forwards non-proprietary Rev 0 to WCAP-14822, "AP600 QA Procedures Supporting NRC Review of AP600 SSAR Section 18.2 & 18.8."
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-97-4995. 97/02/24. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 91987:001-91987:183.

--9703060060 WCAP-14822 R00 Non-proprietary "AP600 QA Procedures Supporting NRC Review of AP600 SSAR Sections 18.2 & 18.8."
NYDES,R.K. Westinghouse Electric Corp. 97/02/25. 179pp. 91987:003-91987:183.

9703060067 Provides reasons why changes may be appropriate for draft IN 97-XX, "Nonconservative Errors & Changes in Large-Break LOCA Evaluation Model of Fuel Vendor & Compliance W/10CFR50.46(a)(3)."
STRAMBACK,G.B., REDA,R.J. General Electric Co. MFN 97-005. 97/02/17. KOENICK,S. . 8pp. 91991:325-91991:332.

9703060191 Forwards WCAP-14845, "Scaling Analysis for AP600 Containment Pressure During Design Basis Accidents," & attachments supporting NRC review of WCAP-14845.WCAP-14845 withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-97-5006. 97/02/28. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 92012:212-92012:241.

--**9703060212** Requests that WCAP-14845, "Scaling Analysis for AP600 Containment Pressure During DBA," be withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. AW-97-1083. 97/02/28. QUAY,T.R. Document Control Branch (Document Control Desk). 25pp. 92012:217-92012:241.

9703060348 Notification of 970328 public meeting w/NRC & Boiling Water Reactors Owners Group in Rockville,MD to discuss staff status ltr dtd 960613 re NEDC-32160P, "Calibration Interval Extension."
WILSON,J.H. . TAC M85776. 97/03/04. MATTHEWS,D.B. . 3pp. 91989:358-91989:360.

9703060368 Forwards approved versions of Enhanced Option I-A(E1A) Licensing TR Suppls.TRs NEDO-32339-A,Suppls 3 & 4 non-proprietary,TRs NEDC-32339P-A,Suppls 1 & 2 (proprietary).Proprietary repts withheld.
DONOVAN,K.P. BWR Owners Group. BWROG-97058. 97/02/10. Document Control Branch (Document Control Desk). 2pp. 92006:146-92007:007.

--**9703060390** NEDO-32339-A S03 Licensing TR "Reactor Stability Long-Term Solution:Enhanced Option I-A Flow Mapping Methodology," Suppl 3.
POST,J.S., STARK,S.J., MOWRY,C.M. General Electric Co. 96/12/31. 70pp. 92006:148-92006:290.

--**9703060394** NEDO-32339-A S04 Licensing TR, "Reactor Stability Long-Term Solution:Enhanced Option I-A,Generic TSs."
STARK,S.J. General Electric Co. GANTHNER,S.J. Carolina Power & Light Co. NIR,I. Entergy Operations, Inc. 96/12/31. 50pp. 92006:291-92007:007.

9703070048 Forwards non-proprietary copies of WCAP-14808, "NOTRUMP Final Validation Rept for AP600," Revs 0 & 1.TRs address aspects of AP600 Design Certification Application.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-97-4974. 97/03/03. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 92040:001-92042:071.

--**9703070054** WCAP-14808 R01 Non-proprietary Rev 1 to WCAP-14808, "NOTRUMP Final Validation Rept for AP600."
FITTANTE,R.L., GAGON,A.F., HALAC,K.E. Westinghouse Electric Corp. 97/02/28. 146pp. 92040:002-92040:146.

--**9703070063** WCAP-14808 R00 Non-proprietary Rev 0 to WCAP-14808, "NOTRUMP Final Validation Rept for AP600."
FITTANTE,R.L., GAGON,A.F., HALAC,K.E. Westinghouse Electric Corp. 97/01/31. 653pp. 92040:147-92042:071.

9703070072 Notification of 970318 meeting w/Westinghouse Owners Group & Westinghouse to provide update,addl details & topical rept submittal schedule for application-specific integrated circuit project.
CRAIG,C.M. . 97/03/05. MATTHEWS,D.B. . 5pp. 91998:331-91998:335.

9703070100 Summary of 961220,970129-30 & 0219 telcons w/W re AP600 adverse sys interaction rept WCAP-14477.List of participants encl.
HUFFMAN,W.C. . 97/03/04. . 14pp. 92006:132-92006:145.

9703070162 Forwards comments on proposed rev 1 to NMAC application guide for motor-operated butterfly valves in NPPs.
WESSMAN,R.H. . 97/03/05. VARMA,V. Nuclear Maintenance Applications Center. 14pp. 91998:317-91998:330.

9703100174 Provides staff comments on three key repts WCAP-14783, WCAP-14812 & WCAP-14407 re AP600 PCS & WGOTHIC computer code.
QUAY,T.R. . 97/03/04. LIPARULO,N.J. Westinghouse Electric Corp. 11pp. 92020:350-92020:361.

9703100231 Submits response to question posed by staff in 970117,to clarify basis for AP600 passive containment sys PIRT as shown in WCAP-14811,Rev 0,submitted to NRC in Dec 1996.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-97-5007. 97/03/04. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 92035:359-92035:360.

9703110095 Forwards TR WCAP-14422,Rev 2, "License Renewal Evaluation: Aging Mgt for RCS Supports."
NEWTON,R.A., LIBERATORI,L.F. Westinghouse Electric Corp. OG-97-024. 97/03/04. Document Control Branch (Document Control Desk). 3pp. 92068:001-92068:174.

--**9703110099** WCAP-14422 R02 Rev 2 to "License Renewal Evaluation:Aging Mgt for RCS Supports."
OSBORNE,M.P. Westinghouse Electric Corp. 97/02/28. 171pp. 92068:004-92068:174.

9703110130 Responds to NRC RAI re 951130 LAR re sleeving option for SG Tube Repair.Final repts CEN-630-NP,rev 1 & CEN-630-P,rev 1 encl.CEN-630-P withheld per 10CFR2.790.
CRUSE,C.H. Baltimore Gas & Electric Co. TAC M94205. 97/03/06. Document Control Branch (Document Control Desk). 3pp. 92118:033-92118:216.

--**9703110145** Proposed tech specs,superceding previously submitted marked up pp for ABB-CE sleeves.New info to be incorporated in updated licensing rept,CEN-630-P,Rev 01, "Repair of 3/4" OD SG Tubes Using Leak Tight Sleeves."
* Baltimore Gas & Electric Co. 97/03/06. 14pp. 92118:036-92118:216.

9703110158 Forwards NEDC-32719, "BWR Owners Group Program on Motor- Operated Valve (MOV) Periodic Verification," per GL 96-05.
DONOVAN,K.P. BWR Owners Group. BWROG-97061. 97/03/07. Document Control Branch (Document Control Desk). 2pp. 92071:248-92071:331.

--**9703110205** NEDC-32719 "BWR Owners Group Program on Motor-Operated Valve (MOV) Periodic Verification."
FIOCK,W.G., SEDNEY,K.K. General Electric Co. MPR-1807. 97/03/07. 79pp. 92071:250-92071:331.

9703110178 Requests an extension for submitting revised W rept WCAP-12945(P) in order to satisfy documentation date of 970530.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-97-5011. 97/03/05. Document Control Branch (Document Control Desk). 2pp. 92078:340-92078:341.

9703110217 Notification of 970312 meeting w/Boiling Water Reactor Owners Group to discuss staff RAI dtd 961218,re BWROG proposed alternate BWR feedwater nozzle insp requirements. Meeting cancelled.
WILSON,J.H. . 97/03/05. MATTHEWS,D.B. . 3pp. 92031:356-92031:358.

9703110276 Submits Caldon,Inc topical rept ER-80P,Rev 0, "Improving Thermal Power Accuracy & Plant Safety While Increasing Operating Power Level Using LEFM Check Sys." Rept withheld.
HASTINGS,C.R. Affiliation Not Assigned. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92147:351-92147:359.

--**9703110289** Submits application for withholding from public disclosure, TR, "Improving Thermal Power Accuracy & Plant Safety While Increasing Operating Power Level Using LEFM Check Sys.," Caldon,Inc Engineering Rept ER-80P (Proprietary),Mar 1997.
HASTINGS,C.R. Affiliation Not Assigned. CAW-97-01. 97/03/10. MATTHEWS,D.B. 7pp. 92147:353-92147:359.

--**9703120207** ER-80 R00 Non-proprietary Caldon,Inc Engineering Rept-80,ER-80,Rev 0, "Improving Thermal Power Accuracy & Plant Safety While Increasing Operating Power Level Using LEFM Check Sys."
REGAN,J., ESTRADA,H. Affiliation Not Assigned. 97/03/31. 65pp. 92152:280-92152:346.

9703110277 Forwards copies of program document MPR-1807,Rev 0 entitled "Joint BWR & W Owners Group Program on MOV Periodic Verification," dtd Feb 1997 for NRC review & comment.
LIBERATORI,L.F. Westinghouse Operating Plants Owners Group. OG-97-018. 97/03/03. . 1p. 92135:220-92135:292.

9703120104 Thirteenth partial response to FOIA request for documents. Forwards App V records being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 97/03/01. BINDER,N.S. Debevoise & Plimpton. 24pp. 92284:001-92287:173.

--**9303100151** Forwards SE granting request for proposed elmination of dynamic effects associated w/high energy pipe rupture in RCS piping from licensing & design bases by application of leak-before-break technology.Use should begin in 1993.
NORRIS,J.A. Project Directorate II-2. TAC M84561. 93/03/05. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 92284:073-92284:075.

--**9307080320** Forwards safety evaluation supporting C-E Owners Group Rept CEN-387-P,Rev 1, "Pressurizer Surge Line Thermal Stratification Evaluation."
NORRIS,J.A. Project Directorate II-2. TAC M72169. 93/06/29. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92284:214-92284:216.

--**9608050092** Discusses two approaches for CE owners to apply Regulatory Position 2.1 of Reg Guide 1.99,Rev 2 when limiting matl of reactor vessel beltline is not in surveillance program, presented by CEOG rept CEN-405-P,Rev 2.
WICHMAN,K.R. . TAC M95485. 96/08/01. HEBDON,F.J. . 3pp. 92287:004-92287:006.

--**9609180337** Discusses 960514 ltr re pressurized thermal shock evaluation for St Lucie Units 1 & 2.Requests review of proprietary & non-proprietary copies of CEOG rept CEN-405-P,rev 2, "Application of Reactor Vessel Surveillance Data."
WICHMAN,K.R. . TAC M95485. 96/09/16. HEBDON,F.J. . 3pp. 92287:041-92287:043.

--**9703130024** Safety evaluation accepting Topical Rept CEN-367.
* . 93/03/05. 3pp. 92284:076-92284:078.

--**9404070312** Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification:Decrease of Heat Removal By Secondary Sys." Licensee has not justified steam generator nodalization for neither Turkey Point nor St Lucie.SALP input also encl.
COLLINS,T.E. Reactor Systems Branch. TAC M75084. 94/03/31. BERKOW,H.N. Division of Reactor Projects - I/II (Post 870411). 2pp. 92285:130-92285:149.

--**9404080233** Topical safety evaluation of NTH-TR-01, "Retran Model Qualification:Decrease of Heat Removal by Secondary Sys."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 94/03/31. 4pp. 92285:132-92285:149.

--**9404260378** Forwards SE of topical rept NTH-TR-01, "RETRAN Model Qualification,Decrease in Heat Removal by Secondary Sys." Util has not justified steam generator nodalization for plants.
NORRIS,J.A. Project Directorate II-2. TAC M75082. 94/04/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 92285:153-92285:157.

--**9506280333** Forwards SE accepting Topical Rept NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St Lucie...." SALP input also encl.
KOPP,L. . TAC M91394. 95/05/22. CROTEAU,R. Project Directorate II-1 (PD2-1) (Post 941001). 1p. 92286:178-92286:186.

--**9506280347** Topical rept evaluation of NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of...Plants." Rept acceptable.
* . 95/05/22. 8pp. 92286:179-92286:186.

9703120442 Informs that licensee request to withhold WCAP-14685,Rev 1 & WCAP-14686,Rev 1 from public disclosure per 10CFR2.790, granted.
LAUFER,R.J. . CAW-97-1061. 97/03/06. SEPP,H.A. Westinghouse Electric Corp. 4pp. 92079:274-92079:277.

9703130050 Responds to 970210 ltr to Chairman Jackson providing copy of DOE draft request for proposal for commercial spent nuclear fuel acceptance,transportation & delivery svcs.
KANE,W.F. Office of Nuclear Material Safety & Safeguards. 97/03/10. GALLAGHER,J.L. Westinghouse Electric Corp. 2pp. 92109:273-92109:273.

9703130304 Forwards non-proprietary & proprietary repts of BAW-2292, "Mark-B Fuel Assembly Spacer Grid Deformation in B&W Designed 177 Fuel Assembly Plants," which summarize calculations performed to confirm evaluations.Withheld.
SCHOMAKER,R.J. Babcock & Wilcox Fuel Assembly Owners Group. OG-1641. 97/03/06. Document Control Branch (Document Control Desk). 6pp. 92257:075-92257:092.

--**9703130308** BAW-2292(NP) R00 Rev 0 to "Framatome Mark-B Fuel Assembly Spacer Grid Deformation in B&W Designed 177 Fuel Assembly Plants."
WILLIAMS,G.T., GREGORY,F.M., SHAH,S.J. Babcock & Wilcox Fuel Assembly Owners Group. 97/02/28. 13pp. 92257:081-92257:092.

9703130401 Summary of 970130 telcon between listed members of W & NRC re W retraction of request to apply leak-before-break methodology to AP600 feedwater line.
JACKSON,D.T. . 97/03/07. . 54pp. 92107:282-92107:336.

9703140007 Comment on draft document "Multi-Agency Radiation Survey & Site Investigation Manual," dtd Dec 1996.
GILBERT,R.O. Battelle Memorial Institute, Pacific Northwest Laboratory. 62FR736 00002. 97/02/26. FAUVER,D.N. NRC - No Detailed Affiliation Given. 5pp. 92106:148-92106:152.

9703140118 Informs that listed documents,including NEDE-30911,SHEX-04 Users Manual,Class II dtd Aug 1985 marked as proprietary will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(b),as amended.
STANG,J.F. . 97/03/12. JOHNSON,I. Commonwealth Edison Co. 4pp. 92128:173-92128:176.

9703140132 Informs that W rept, "Wolf Creek Incomplete Rod Insertion During Cycle 8,Interim Rept on Insp Results & Root Cause, Rev 1," will be withheld from public disclosure,per request.
STONE,J.C. . 97/03/07. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 92115:343-92115:345.

9703140150 Forwards non-proprietary & proprietary draft rept "Literature Review of Repair Welding of Irradiated Stainless Steel Matls." Proprietary rept withheld.
MCLEOD,B. Southern Nuclear Operating Co. 97-195. 97/02/17. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. 92128:214-92128:220.

--9703140154 Requests that proprietary draft rept "Literature Review of Repair Welding of Irradiated Stainless Steel Matls," be withheld (ref 10CFR2.790(a)(4)).
KENNY,A. Electric Power Research Institute. 97/01/31. Document Control Branch (Document Control Desk). 3pp. 92128:215-92128:217.

--9703140155 Non-proprietary draft rept "Literature Review of Repair Welding of Irradiated Stainless Steel Matls."
CHIN,B.A. Electric Power Research Institute. GROSSBECK,M. Oak Ridge National Laboratory. 96/11/30. 4pp. 92128:218-92128:220.

9703140151 Summary of 970110 meeting w/Combustion Engineering Owners re status of draft shutdown & fuel storage pool operations rule.List of attendees encl.
MAGRUDER,S.L. . 97/03/07. MATTHEWS,D.B. . 5pp. 92115:346-92115:351.

9703140175 Informs that applicable portions of graph submitted on 961014 will be withheld from public disclosure,per 10CFR2.790(b)(5).
DONOHEW,J.N. . TAC M96355. 97/02/21. CURET,D.H. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 92115:325-92115:327.

9703140181 Notification of 970318 meeting w/util in Rockville,MD to discuss ABB-CE plans to license new SG tube repair technology.
MAGRUDER,S.L. . 97/03/11. MATTHEWS,D.B. . 5pp. 92115:328-92115:332.

9703170034 Forwards proprietary rept NEDC-32410P, "Maximum Extended Load Line Limit & Arts Improvement Program Analyses for BFNP,Units 1,2 & 3," affidavit & TS change 353R1, "Power Range Neutron Monitor Upgrade...." Encls withheld.
ABNEY,T.E. Tennessee Valley Authority. 97/03/06. Document Control Branch (Document Control Desk). 54pp. 92132:001-92132:345.

9703170042 Forwards copies of Rev 0 to "Risk Ranking Approach for MOVs in Response to Generic Ltr 96-05."
LIBERATORI,L.F. Westinghouse Operating Plants Owners Group. OG-97-019. 97/03/12. . 1p. 92143:287-92143:330.

--9703170049 V-EC-1658 R00 "Risk Ranking Approach for Motor-Operated Valves in Response to GL 96-05."
ANDRE,G.R., EZEKOYE,L.I. Westinghouse Electric Corp. GL-96-05. 97/03/12. 39pp. 92143:288-92143:330.

9703170048 Summary of 970227 meeting w/EPRI in Argonne,IL re NRC Office of Research Steam Generator Tube Integrity Program & SG status & issues.List of attendees & copy of slides presentation encl.
BEARDSLEE,C. . 97/03/07. STROSNIDER,J. . 166pp. 92131:001-92131:166.

9703170194 Discusses 961209-12 follow-up audit of ABB-CE dynamic control Hamilton std option III OPRM software.Rept of audit encl.
MATTHEWS,D.B. . 97/03/14. DONOVAN,K.P. BWR Owners Group. 5pp. 92132:352-92132:356.

9703170201 Forwards addl comments on comparison of AP600 ERGs to ASI evaluation rept.
HUFFMAN,W.C. . 97/03/13. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 92131:313-92131:316.

9703170217 Forwards analysis erroneously omitted from Encl 1 to 960223 ltr detailing adoption of GE SAFER/GESTR model for evaluation of LOCA analysis for BFN.NEDC-32484P,rev 1 encl. Rept withheld.
ABNEY,T.E. Tennessee Valley Authority. 97/03/11. Document Control Branch (Document Control Desk). 8pp. 92175:349-92175:356.

9703170234 Application for amends 237 & 111 to licenses DPR-66 & NPF-73,modifying TS 3.4.5 to allow SG tube sleeving using CE process.CEN-629-NP,rev 2 & CEN-629-P,rev 2 encl.CEN-629-P, rev 2 withheld.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 3pp. 92207:001-92207:229.

9703180010 Forwards WCAP-14857, "AP600 Long Term Cooling Summary Rept," which provides overview of matl presented in WCOBRA/TRAC Long-Term Cooling Validation Rept (WCAP-14776).
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-97-5016. 97/03/10. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 92200:052-92200:084.

--9703180015 WCAP-14857 TR WCAP-14857, "AP600 Long-Term Core Cooling Summary Rept."
GARNER,D.C., HOCHREITER,L.E., KEMPER,R.M. Westinghouse Electric Corp. 97/03/31. 30pp. 92200:054-92200:084.

9703180063 Application for amends to licenses DPR-66 & NPF-73,which modifies Unit 1 Design Feature Section 5.2.1 to add ZIRLO as fuel assembly matl & adds ref to NRC approved WCAP-12610 to Administrative Control 6.9.1.12 for both units.
JAIN,S.C. Duquesne Light Co. 97/03/10. Document Control Branch (Document Control Desk). 2pp. 92190:313-92190:326.

--9703180064 Proposed tech specs modifying Unit 1 Design Feature Section 5.2.1 to add ZIRLO as fuel assembly matls & adds ref to NRC approved WCAP-12610 to Administrative Control 6.9.1.12 for both units.
* Duquesne Light Co. 97/03/10. 12pp. 92190:315-92190:326.

9703180225 Summary of 961023 meeting w/Siemens Power Corp to review status of various submittals currently under review.Approval of topical repts such as EMF-92-139,volumes one through five & suppl would correct some problems.W/list of attendees.
WANG,E.Y. . 97/03/17. MATTHEWS,D.B. . 5pp. 92177:234-92177:238.

9703190046 Transmits Chapter 12, "Clime Noding Study," of WCAP 14407, "WGOTHIC Applications to AP600," for NRC review.Calculation summary indicates that results insensitive to either clime noding pattern/structure over range.Encl withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-97-5010. 97/03/14. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 92201:124-92201:134.

--9703190056 Submits application for withholding requesting proprietary W responses to NRC RAIs on AP600 be withheld per provisions of paragraph (b)(1) of Section 2.790 of Commission's regulations.
MCINTYRE,B.A. Westinghouse Electric Corp. AW-97-1084. 97/03/05. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 92201:128-92201:134.

9703190062 Informs that Framatome Cogema Fuels has agreed to accept limits included in topical rept BAW-10186P,as non-proprietary.Completion of SER for rept is requested by 970331.
TAYLOR,J.H. FRAMATOME. JHT/97-16. 97/03/13. Document Control Branch (Document Control Desk). 2pp. 92201:323-92201:324.

9703190071 Forwards memo dtd 970131 which provides conclusion of investigation & recommendation for change to volume average flow model in RELAP4 code.
CURET,H.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. HDC:97:022. 97/03/11. . 4pp. 92201:335-92201:338.

9703190075 Requests guidance on situation of concern re QA Program.
MUNCHRATH,R. . 97/03/11. Document Control Branch (Document Control Desk). 2pp. 92209:353-92209:354.

9703190128 Forwards proprietary series of preliminary response to request for addl info on WCAP-14449-P, "Application of Best Estimate Large LOCA Methodology to Westinghouse PWRs w/Upper Plenum Injection." Response withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-97-5021. 97/03/14. Document Control Branch (Document Control Desk). 2pp. 92275:001-92275:003.

9703190259 Summary of 970206 meeting w/BWROG in Rockville,MD to discuss status of current BWROG topics.List of attendees & affiliations & copy of handouts used by BWROG encl.
WILSON,J.H. . 97/03/17. MATTHEWS,D.B. . 36pp. 92178:154-92178:189.

9703190270 Forwards comments & questions re review of NEDC-32523P, "General Evaluations of GE Boiling Water Reactor Extended Power Update."
KIM,W. . TAC M95087. 97/03/17. MARQUINO,W. General Electric Co. 4pp. 92178:190-92178:193.

9703200226 Grants GE request for withholding from public disclosure, topocal rept NEDC-32523P, "Generic Evaluation of GE BWR Extended Power Uprate," per 10CFR2.790.
KIM,T. . 97/03/17. STRAMBACK,G.B. General Electric Co. 2pp. 92204:334-92204:335.

9703200247 Notification of 970325 meeting w/W in Rockville,MD to discuss W "WGOTHIC Application to AP600" rept re mixing & stratification (Section 9) & water coverage (Section 7). Draft agenda encl.
JACKSON,D.T. . 97/03/18. QUAY,T.R. . 4pp. 92189:353-92189:356.

9703200292 Informs that licensee 970131 request to withhold WCAP-11082, Rev 5,WCAP-11594,Rev 2 & WCAP-14646,Rev 1 from public disclosure,per 10CFR2.790,granted.
BLOOM,S.D. . CAW-97-1068. 97/03/13. SEPP,H.A. Westinghouse Electric Corp. 4pp. 92204:355-92204:358.

9703210203 Submits summary of 970306 telcons between NRC & BWROG re Topical Rept NEDC-31858P,Rev 2, "BWROG Rept for Increasing MSIV Leakage Rate Limits & Elimination of Leakage Control Systems."
STOLZ,J.F. . TAC M87911. 97/03/19. DONOVAN,K.P. Centerior Energy. 7pp. 92214:347-92214:353.

9703210253 Summary of 970225 meeting w/Westinghouse in Rockville,MD re qualification of ovation distributed control & info system. List of attendees & non-proprietary presentation matl provided at meeting encl.
CRAIG,C.M. . 97/03/19. MATTHEWS,D.B. . 68pp. 92220:169-92220:298.

9703210264 Notification of 970402 meeting w/Westinghouse Electric Corp in Rockville,MD to discuss status & scheduling plans for facility multi-purpose program.
BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 97/03/19. Office of Nuclear Material Safety & Safeguards. 2pp. 92212:358-92212:359.

9703210282 Summarizes 970306 telcon between NRC & BWR Owners Group re topical rept NEDC-31858P Rev 2, "BWROG Rept for Increasing MSIV Leakage Rate Limits & Elimination of Leakage Control Systems."
STOLZ,J.F. . TAC M87911. 97/03/19. DONOVAN,K.P. Babcock & Wilcox Fuel Assembly Owners Group. DONOVAN,K.P. Centerior Energy. 7pp. 92217:344-92217:350.

9703240022 Responds to 960530 petition,filed pursuant to 10CFR2.206 requesting NRC show cause proceeding & imposing civil penalty upon Westinghouse.Petition denied.Director's decision DD-97-07 & FRN encl.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). DD-97-07. 97/03/20. DOYLE,S.T. Affiliation Not Assigned. 1p. 92219:001-92219:291.

--9703240031 Directors Decision DD-97-07 re S Doyle 960530 petition filed under 10CFR2.206 requesting that NRC take immediate action against Westinghouse re allegations that Westinghouse willfully provided false info to Dept of Labor.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). DD-97-07. 97/03/20. Affiliation Not Assigned. 8pp. 92219:002-92219:009.

--9703240038 Notice of issuance of director's decision under 10CFR2.206 filed by S Doyle,requesting that NRC action take immediate action against Westighouse.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). DD-97-07. 97/03/20. 3pp. 92219:010-92219:012.

--9703240042 Forwards request for investigation into allegations re false matl statements by respondent as illicit defense to damages portion of matter arising under sec 210 of Energy Reorganization Act.
DOYLE,S.T. Affiliation Not Assigned. 96/05/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 92219:013-92219:013.

--9703240048 Requests NRC,per 10CFR2.206,investigate submitted listed allegations.
DOYLE,S.T. Affiliation Not Assigned. 2.206. 96/05/30. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 39pp. 92219:014-92219:067.

--9703240051 Responds to several issues raised in 960816 ltr acknowleging receipt of petition filed w/Chairman of NRC.
DOYLE,S.T. Affiliation Not Assigned. 96/10/08. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 60pp. 92219:068-92219:127.

--9703240054 Responds to 960212 telcon w/R Emch informing that 960209 ltr did not fully address question re NRRPT registration. Registration by NRRPT not generally licensee qualification requirement for position of HP technician at NRC plants.
MILLER,C.L. . 96/02/15. DOYLE,S.T. Affiliation Not Assigned. 1p. 92219:128-92219:128.

--9703240059 Responds to 970816 ltr requesting specific questions posed in connection w/petition filed pursuant to 10CFR2.206 dtd 960530 by ST Doyle.Appendix A encl provides formal response to questions posed in ltr.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4882. 96/11/08. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 146pp. 92219:129-92219:274.

--9703240066 Forwards matl representing correspondence re S Doyle & complaint alleging unlawful discrimination by Hydro Nuclear Services,Morrestown,NJ.
RICHARDS,R.C. Labor, Dept. of. 89/01/13. Ofc of Enforcement (Post 870413). 17pp. 92219:275-92219:291.

9703240203 Forwards signed notice of director's decision under 10CFR2.206,for transmittal to ofc of FR for publication.W/o encl.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 2.206. 97/03/21. MEYER,D.L. NRC - No Detailed Affiliation Given. 1p. 92220:135-92220:135.

9703250025 Informs that W is in process of publishing accepted version of WCAP-13749, "SE Supporting Conditional Exemption of Most Negative EOL Moderator Temperature Coefficient Measurement," per 961009 request.Benchmark criteria,discussed.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-97-5027. 97/03/18. LYONS,J.E. . 3pp. 92249:352-92249:354.

9703250036 Provides info re W ENDF/B-VI based library for PHOENIX-P/ANC code sys.Library for code sys will be implemented when qualification is complete.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-97-5026. 97/03/18. CRAIG,C.M. . 2pp. 92252:122-92252:123.

9703250060 Forwards proprietary Rev 1 to NEDC-32687P, "Copper Nuclear Station SAFER/GESTR-LOCA Loss-of-Coolant Accident Analysis." Encl withheld (ref 10CFR2.790).
STRAMBACK,G.B. Nebraska Public Power District. NLS970040. 97/03/19. Document Control Branch (Document Control Desk). 7pp. 92257:093-92257:099.

9703250094 Confirms dates of 970519-21 for NRC insp of Framatome Technologies,Inc.
CWALINA,G.C. . 97/03/20. MOORE,K. Babcock & Wilcox Co. 3pp. 92236:332-92236:334.

9703250106 Notification of 970403 meeting w/Westinghouse in Rockville,MD to allow Westinghouse to provide update on mechanical model developed w/regard to RCCA insertion issue, including discussion on sensitivity studies.
CRAIG,C.M. . 97/03/21. MATTHEWS,D.B. . 5pp. 92245:322-92245:326.

9703250218 Informs of intention to change reactor coolant pump flywheel insp interval from current 3-yr interval to 10-yr interval, consistent w/WCAP-14535A.
MECREDY,R.C. Rochester Gas & Electric Corp. 97/03/18. VISSING,G. . 2pp. 92257:154-92257:155.

9703260011 Responds to 970218 ltr & preprint "Validation of EPRI Methodology for Analysis of Cask Drop & Tipover Accidents at Spent Fuel Storage Facilities," to be presented at 5th Intl Conference on Nuclear Engineering in May of year.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 97/03/19. OZER,O. Electric Power Research Institute. 2pp. 92248:182-92248:183.

9703260019 Summary of 970219-20 meeting w/Westinghouse in Rockville,MD re mechanical model associated w/incomplete RCCA issue. List of attendees & copy of non-proprietary version of presentation matl encl.
CRAIG,C.M. . 97/03/20. MATTHEWS,D.B. . 32pp. 92248:184-92248:215.

9703260101 Forwards ten copies of document "BWRVIP Vessel & Internals Project,Internal Core Spray Piping & Sparger Replacement Design Criteria (BWRVIP-16)" EPRI TR-106708.
TERRY,C. Niagara Mohawk Power Corp. TERRY,C. Affiliation Not Assigned. 97/03/18. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. 92257:231-92257:251.

--9703260107 Requests that proprietary version of TR-106708, "BWRVIP Vessel & Internals Project:Core Spray Piping & Sparger Replacement Design Criteria" be withheld from public disclosure per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 97/03/21. Document Control Branch (Document Control Desk). 3pp. 92257:232-92257:234.

--9703260114 EPRI TR-106708 "BWR Vessel & Internals Project Internal Core Spray Piping & Sparger Replacement Design Criteria (BWRVIP-16)."
* Electric Power Research Institute. 97/03/18. 14pp. 92257:235-92257:251.

9703260167 Discusses reluctance of NRC to approve licensing applications that utilize cask drop & tipover analyses based on EPRI methodology described in April 1993 EPRI rept NP-7551, "Structural Design of Concrete Storage Pads...."
OZER,O. Electric Power Research Institute. 97/02/18. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 10pp. 92266:074-92266:083.

9703260283 Submits request for withholding of proprietary document, EPRI rept TR-103824, "SG Ref Book." Encl withheld,per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 97/03/10. SULLIVAN,E. Document Control Branch (Document Control Desk). 4pp. 92257:156-92257:160.

9703260331 Submits licensing TR re RGR & Assoc for review & acceptance in licensing actions.
ROGERS,L.R. . 97/03/18. Document Control Branch (Document Control Desk). 9pp. 92262:276-92262:284.

9703270302 Forwards revised agenda for 970402 meeting.
QUINN,R.D. Westinghouse Electric Corp. CPC-NRC-002. 97/03/14. BAILEY,M.G. Office of Nuclear Material Safety & Safeguards. 2pp. 92268:030-92268:031.

9703280120 Notification of 970402-03 meeting w/CEOG to discuss status of CEOG risk-informed TS pilot proj.
MAGRUDER,S.L. . 97/03/25. MATTHEWS,D.B. . 4pp. 92275:347-92275:350.

9703280148 Submits formal transmittal of correspondence previously sent informally covering period 970205-0316.Index of encl matl attached.
MCINTYRE,B.A Westinghouse Electric Corp. NSD-NRC-97-5033. 97/03/21. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 92279:012-92279:355.

--9703280165 Provides responses to resolve WC/T discussion items issued re WCAP-14171,Rev 1.Items 1a-1i,2a-2g,4,5,6,7a-7d,8c-8e,9b & 9d,10e,12a,12b & 12f closed,IAW past telcons.
KEMPER,R. Westinghouse Electric Corp. 97/02/14. HUFFMAN,B. NRC - No Detailed Affiliation Given. FINEMAN,C. Idaho National Engineering Laboratory. HOCHREITER,L. Westinghouse Electric Corp. 34pp. 92279:149-92279:180.

9703280174 Forwards EPRI Interim Rept, "Underwater Wet Welding for Repair of Reactor Pressure Vessel Internals," NP7481, dtd 920123,which supports generic regulatory improvements re repair of BWR internal components.
BILANIN,W. Babcock & Wilcox Co. 97/03/25. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. 92312:080-92312:112.

--9206050017 NP 7481 "Underwater Wet Welding Repair of Reactor Pressure Vessel Internals."
FINDLAN,S.J. Electric Power Research Institute. 92/01/23. 32pp. 92312:081-92312:112.

9703280263 Requests that NRC not terminate review of NEDC-32160P as suggested in ltr dtd 970224.
DONOVAN,K.P. BWR Owners Group. BWROG-97067. 97/03/25. WILSON,J.H. . 2pp. 92291:119-92291:120.

9703280425 Summary of 970306 meeting w/W in Rockville MD to discuss revised WCAP14845,14812 & WGOTHIC computer code & PCS design issue closure process.List of meeting participants encl.
JACKSON,D.T. . 97/03/25. . 40pp. 92276:005-92276:045.

9703280435 Notification of 970429 meeting w/BWR Vessel & Internals Project (BWRVIP) in San Jose,CA to discuss concerns re BWRVIP.Portions of meeting may be proprietary in nature.
CARPENTER,C.E. . 97/03/26. STROSNIDER,J.R. . 3pp. 92268:165-92268:167.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9701070118 Responds to 961120 ltr to Chairman re annual prioritization process & resulting priority issues for 1997.
TAYLOR,J.M. Ofc of the Executive Director for Operations. HLWR. 96/12/19. POMEROY,P.W. Advisory Committee on Nuclear Waste. 4pp. 91401:127-91401:130.

9703030055 Informs that review of Naturita remedial action plan will be suspended until DOE response complete.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/24. SENA,R. Energy, Dept. of. 1p. 91946:023-91946:023.

9703030141 Informs that DOE has not properly addressed open issues as identified in enclosed NRC staff evaluation of DOE response to comments on Lowman,ID vicinity LO-021 completion rept.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/02/26. SENA,R. Energy, Dept. of. 2pp. 91946:048-91946:049.

9703030147 Informs that DOE has not properly addressed open issues as discussed in enclosed NRC staff evaluation of DOE response to comments on completion rept & application of supplemental stds for Lowman,ID vicinity property LO-023S.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/02/26. SENA,R. Energy, Dept. of. 2pp. 91946:050-91946:051.

9703030156 Forwards copy of minutes from meeting held between NRC, K Sweeney & A Thompson on 970128 re relevant issues in U recovery program.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/02/26. SWEENEY,K. Affiliation Not Assigned. 3pp. 91946:052-91946:054.

9703030301 Informs that Western Nuclear Inc working toward 971231 license termination/site transfer date for Sherwood site.
VIRGONA,J.E. Energy, Dept. of. HLWR. 97/02/14. BAKER,S.J. Western Nuclear, Inc. 3pp. 91966:345-91966:347.

9703040062 Evaluates Amended Response to Deficiency Rept (DR) YM-96-D-093 resulting from Ofc of QA (OQA) Supplier Audit OQA-SA-96-027 of Desert Research Inst.
HORTON,D.G. Energy, Dept. of. HLWR. 97/02/21. CRAIG,R.W. Interior, Dept. of, Geological Survey. 12pp. 91961:135-91961:146.

9703040092 Informs of voiding & closure of DR YM-96-D-072 from Ofc QA surveillance of CRWMS M&O contractor.
HORTON,D.G. Energy, Dept. of. HLWR. 97/02/24. FOUST,L.D. TRW Environmental Safety Systems, Inc. 16pp. 91961:160-91961:175.

9703040094 Forwards DR YM-97-D-026 resulting from Ofc of QA audit of CRWMS M&O contractor.
HORTON,D.G. Energy, Dept. of. HLWR. 97/02/24. FOUST,L.D. TRW Environmental Safety Systems, Inc. 4pp. 91961:176-91961:179.

9703040162 Forwards Surveillance Record YMP-SR-97-008 resulting from Ofc QA (OQA) surveillance of Los Alamos Natl Lab (LANL).
HORTON,D.G. Energy, Dept. of. HLWR. 97/02/21. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 91972:258-91972:264.

9703040164 Evaluates Response to Deficiency Rept (DR) Resulting from US DOE Headquarters Audit HQ-ARC-96-003.
HORTON,D.G. Energy, Dept. of. HLWR. 97/02/21. BARNES,W.E. Energy, Dept. of. 6pp. 91972:265-91972:270.

9703040255 Informs that QA has evaluated amended response to DR YM-96-D-042 & response has been determined satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 97/02/24. FOUST,L.D. TRW Environmental Safety Systems, Inc. 61pp. 91991:036-91991:096.

9703040260 *Informs that DOE needs to demonstrate that U Mill Tailings Remedial* Action Project has provided for long-term protection of public health & safety at Vitro Site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/21. SENA,R. Energy, Dept. of. 8pp. 91979:350-91979:357.

9703040262 Responds to 961226 ltr concerning disposal of some 11e.(2) byproduct matl originating at three sites in New Mexico.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/28. DECKLER,J. Colorado, State of. 2pp. 91972:345-91972:346.

9703040263 Forwards NUREG/BR-0240, "Reporting Safety Concerns to NRC." W/o encl.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/26. Affiliation Not Assigned. 1p. 91979:349-91979:349.

9703050212 Submits statement that should be included in text of appendix of Insp Procedure 87103,which would increase awareness for OGC consultation by inspectors who may need to secure site after licensee has filed for bankruptcy.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/02/16. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 92003:190-92003:192.

9703060012 Forwards one copy of "Final Completion Rept," for UMTRA Cheney Reservoir Disposal Site located in Grand Junction, CO,which provides documentation of all site activities through Aug 1994.
PAPE,J.M. Energy, Dept. of. 97/02/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 92050:001-92056:147.

–9703060017 Volumes 1 App A-J,2 App E,3 App B & 3A App B to "Final Completion Rept."
* Energy, Dept. of. 97/02/28. 2,693pp. 92050:003-92056:147.

9703060102 Forwards Rev 1 to CNWRA 96-007 of Major Milestone 20-5708-471-650, "Type 1 Faults in Yucca Mountain Region."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/01/30. MEEHAN,B. Division of Contracts (Post 940714). 7pp. 92039:054-92039:151.

–9703060128 CNWRA 96-007 R01 "Type 1 Faults in Yucca Mountain Region."
MCKAGUE,H.L., STAMATAKOS,J., FERRILL,D. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/11/30. NRC - No Detailed Affiliation Given. 91pp. 92039:061-92039:151.

9703060105 Forwards record of surveillance YM-SR-97-012 as verification of compliance w/selected requirements from Yucca Mountain Project USGS Quality Mgt Procedure-12.01,Rev 7, "Control of Measuring & Test Equipment."
HORTON,D.G. Energy, Dept. of. HLWU. 97/02/28. CRAIG,R.W. Interior, Dept. of, Geological Survey. 6pp. 92039:152-92039:157.

9703060146 Forwards Intermediate Milestone (IM) 20-5709-105-710, "Rept on DOE Hanford Tank Waste Classification."
SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/20. TOKAR,M. Office of Nuclear Material Safety & Safeguards. 1p. 92039:171-92039:217.

–9703060152 "Rept on DOE Hanford Tank Waste Classification."
MACKIN,P., SAGAR,B., PABALAN,R. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/28. NRC - No Detailed Affiliation Given. 44pp. 92039:172-92039:217.

9703060166 Submits Intermediate Milestone 5708-762-710, "Total Performance Assessment (TPA) Code Version 3.0 Software Requirements Description."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/01/28. MCCARTIN,T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 2pp. 92039:218-92039:235.

–9703060174 "Total Performance Assessment (TPA) Code Version 3.0 Software Requirements Description."
MANTEUFEL,R. Center for Nuclear Waste Regulatory Analyses. HLWR. 97/01/28. 16pp. 92039:220-92039:235.

9703060198 Forwards revised rept documenting review of SAR for fuel receiving & storage facility,WVNS-SAR-012,Rev 0,Draft C & resolution of responses from West Valley Demonstration Project staff & contractor,Dames & Moore.
SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. *97/01/14. PANGBURN,G. Office of Nuclear Material Safety & Safeguards. 21pp.* 92039:248-92039:276.

9703060343 Notification of 970309 meeting w/public in Riverton,WY to obtain suggestions from public re content of proposed Standard Review Plan of Uranium In Situ mining applications.
FORD,W. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. *97/02/28. High-Level Waste & Uranium Recovery Projects Branch (NMSS* 940403). 1p. 92039:289-92039:289.

9703060353 Forwards memo to H Astwood to meet submission deadline re comments/ screening results on draft BTP.Ltr dtd 970128,encl.
ECKBERG,S. Washington State Univ., Pullman, WA. 97/02/04. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 12pp. 92012:335-92012:346.

9703060358 Submits comments on draft branch technical position on screening methodology for assessing prior land burials radwaste.
COLLINS,S.C. Illinois, State of. 97/02/05. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 92016:288-92016:289.

9703070021 Forwards DOE responses to CDPHE Grand Junction,CO,Site Observational Workplan Rev 0,comments,per 970211 telcon request.
METZLER,D. Energy, Dept. of. 97/02/12. ABRAMS,C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 22pp. 92031:124-92031:145.

9703070040 Forwards "CNWRA Program Managers Periodic Rept on Activities of CNWRA," for reporting period 970118-0214.
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/27. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 92074:221-92074:254.

–9703070041 PMPR 97-5 "CNWRA Program Managers Periodic Rept on Activities of CNWRA," for reporting period 970118-0214.
* Center for Nuclear Waste Regulatory Analyses. HLWR. 97/02/28. NRC - No Detailed Affiliation Given. 33pp. 92074:222-92074:254.

9703070064 Notification of 970313 meeting w/DOE & NRC in Rockville,MD to discuss items re Exploratory Studies facility videoconference.
LEE,M.P. Division of Waste Management (NMSS 940403). HLWR. 97/03/05. AUSTIN,J.H. Division of Waste Management (NMSS 940403). 3pp. 92074:282-92074:284.

9703110073 Forwards Issuance of Corrective Action Request (CAR) YM-97-C-001 resulting from Ofc of QA (OQA) Audit M&O-ARC-97-09 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor (CRWMS M&O).
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/03. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 92109:070-92109:074.

9703110083 Verifies Corrective Actions & Closure of Corrective Action Request (CAR) YM-96-C-009 Resulting from Ofc of QA (OQA) Supplier Audit OQA-SA-96-021 of Activation Labs,Ltd.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/03. FOUST,L.D. TRW Environmental Safety Systems, Inc. 24pp. 92109:088-92109:111.

9703110087 Forwards corrective action request YM-97-C-002 resulting from Ofc of QA Supplier Audit OQA-SA-97-011 of PNL.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/03. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 92109:118-92109:122.

9703110097 Forwards "Ofc of Civilian Radwaste Mgt QA Audit Plan for Audit LLNL-ARC-97-13 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor at Lawrence Livermore Natl Lab Livermore,CA," to be conducted on 970407-11.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/04. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 92109:123-92109:128.

–9703110101 "Ofc of Civilian Radwaste Mgt QA Audit Plan for Audit LLNL-ARC-97-13 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor at Lawrence Livermore Natl Lab Livermore,CA," to be conducted on 970407-11.
HARRIS,D.J., HORTON,D.G. Energy, Dept. of. HLWR. 97/03/04. 4pp. 92109:125-92109:128.

9703110231 *Advises that team of auditors from US DOE Ofc of QA will conduct audit of* implementation of OCRWM QA program at Idaho Falls,ID on 970331-0404.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/07. BOYD,J.H. Energy, Dept. of. 2pp. 92109:040-92109:045.

–9703110233 "OCRWM QA Audit Plan for Audit of National Spent Nuclear Fuel Program at Idaho Falls,ID on 970331-0404."
WOOD,G.D., HORTON,D.G. Energy, Dept. of. HLWR. 97/03/06. 4pp. 92109:042-92109:045.

9703110235 Responds to 970124 ltr expressing concern of recent transfer of NRC staff qualified in QA from high-level waste program.
GREEVES,J.T. Office of Nuclear Material Safety & Safeguards. HLWR. 97/03/06. LOUX,R.R. Nevada, State of. 2pp. 92109:046-92109:047.

9703110267 Submits comments/documents re "General Guidelines for Recommendation of Sites for Nuclear Waste Repositories."
* Energy, Dept. of. HLWR. 97/03/11. Energy, Dept. of. 68pp. 92118:217-92118:285.

9703110268 Forwards updated public comment log sheets & letters commenting on 10CFR960, "General Guidelines for Recommendation of Sites for Nuclear Waste Repositories."
* Energy, Dept. of. HLWR. 97/02/21. Energy, Dept. of. 20pp. 92189:304-92189:323.

9703120040 Forwards Surveillance Record YM-SR-97-007 conducted by Ofc of Quality Assurance which evaluated adequacy & effectiveness of planning associated w/ Tunnel Boring Machine operations while tunneling through adverse ground.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/04. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 92208:260-92208:267.

9703120046 Informs of verification of corrective action & closure of DR YM-96-D-094 & PR YM-97-P-032 resulting from Ofc of QA audit of Ball Corp.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/05. CRAIG,R.W. Interior, Dept. of, Geological Survey. 18pp. 92208:268-92208:285.

9703120059 Forwards audit rept conducted by Ofc of QA at CRWMS M&O offices in Las Vegas,NV on 970127-31 & in Vienna,VA on 970204-07.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/05. STRICKLER,R.L. TRW Environmental Safety Systems, Inc. 2pp. 92208:294-92208:313.

–9703120061 M&O-ARC-97-09 "US DOE OCRWM Ofc of QA Audit Rept of CRWMS M&O Contractor at Las Vegas,NV & Vienna,VA conducted 970127-0207."
WARRENS,C.C., HOROTN,D.G. Energy, Dept. of. HLWR. 97/03/04. 18pp. 92208:296-92208:313.

9703120114 Informs that corrective action to encl DR YM-96-D-103 has been verified & determined results unsatisfactory due to listed reason.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/06. FOUST,L.D. TRW Environmental *Safety Systems, Inc. 8pp. 92209:010-92209:017.*

9703120128 Informs that corrective action to encl DR YM-95-D-009 has been verified & determined results satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/06. CRAIG,R.W. Interior, Dept. of, Geological Survey. 6pp. 92208:356-92208:361.

9703120137 Informs that staff has evaluated amended response to DR YM-97-D-014 & determined response satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/06. FOUST,L.D. TRW Environmental Safety Systems, Inc. 42pp. 92208:314-92208:355.

9703120142 Forwards evaluation of response to deficiency rept YM-97-D-020 resulting from Ofc of QA (OQA) Supplier Audit OQA-SA-97-006.Response is satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/04. FOUST,L.D. TRW Environmental Safety Systems, Inc. 14pp. 92209:018-92209:031.

9703120160 Forwards "US DOE OCRWM Ofc of QA Supplier Survey Rept of Huesser Neweigh in Clayton,CA on 970120-21."
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/04. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 92209:038-92209:043.

--9703120163 "US DOE OCRWM Ofc of QA Supplier Survey Rept of Huesser Neweigh in Clayton,CA on 970120-21."
KLIMAS,D.A., HORTON,D.G. Energy, Dept. of. HLWR. 97/03/04. 4pp. 92209:040-92209:043.

9703120165 Forwards two copies of Rev 2 of subject document,dtd 970306, which contains page changes omitted in 961210 transmission as well as responses to 970214 ltr.
WOODWORTH,L.A. Energy, Dept. of. 97/03/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 92124:001-92124:104.

--9703120170 Rev 2 to "Vicinity Property Completion Rept."
* MK-Ferguson Co. 97/03/06. 102pp. 92124:003-92124:104.

9703120169 Advises that due date for extension of CAR YM-96-C-006 is acceptable.New due date for second extension is accepted IAW Administrative Procedure 16.2Q,Rev 1.chewan.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/04. CRAIG,R.W. Interior, Dept. of, Geological Survey. 1p. 92209:044-92209:044.

9703120177 Requests that corrective action be taken & implemented to correct deficiency contained in performance rept YM-97-P-004.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/06. CRAIG,R.W. Interior, Dept. of, Geological Survey. 3pp. 92209:045-92209:047.

9703120179 Forwards approval of corrective action extension request for (CAR) HQ-96-C-001 resulting from US DOE,Headquarters QA Surveillance HQ-SRC-96-002.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/05. LUKASIK,C.M. Energy, Dept. of. 1p. 92209:048-92209:048.

9703120183 Forwards evaluation of response & closure of deficiency rept YM-96-D-097 resulting from US DOE Headquarters QA Audit HQ-ARC-96-003.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/06. BARNES,W.E. Energy, Dept. of. 6pp. 92209:049-92209:054.

9703120216 Responds to open issues re Concord Oil allegations at Falls, City,TX.Comments to Concord Oil responses contained in 970129 ltr to R O'Connell from law firm of Henry,Lowerre, Johnson,Hess & Frederick,also encl.
WOODWORTH,L.A. Energy, Dept. of. 97/03/06. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 92125:038-92125:046.

9703120482 Responds to 970219 ltr,requesting US DOE assigned cooperating agency status under 10CFR51 for NRC licensed sites that may be considered for transfer of ownership to DOE.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/03/05. FIORE,J.J. Energy, Dept. of. 3pp. 92124:343-92124:345.

9703120486 Ack receipt for sending info on Wallace Industries & potential of using coal combustion byproducts in mine reclamation.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/03/06. CRAWFORD,D.C. Affiliation Not Assigned. 1p. 92125:013-92125:013.

9703130064 Responds to R Suppes ltr of 970203 re meeting to discuss Cypress Foote Mineral offsite slag in Cambridge,OH area.
KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/28. WEBB,J. Ohio, State of. 2pp. 92128:152-92128:153.

9703130075 Responds to 970206 ltr inviting JT Greeves to make presentation at 42nd Annual Mtg of Health Physics Society to be held in San Antonio,TX on 970629-0703.Accepts invitation & encls hard copy of abstract of talk.W/o encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/02/28. YUSKO,J.G. Pennsylvania, Commonwealth of. 5pp. 92128:146-92128:150.

9703130140 Informs that no addl actions need to be taken by NRC or US Geological Survey for site re review of land burial of radioactive matl at former DOE Project Charlot site in Alaska.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/27. SPITZBERG,D.B. Region 4 (Post 820201). 3pp. 92128:109-92128:111.

9703130155 Requests assistance from NMSS to review encl new & revised insp procedures for power reactor decommissioning because insp procedures included cover aspects of office responsibility included spent fuel handling.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/26. HAUGHNEY,C.F. Office of Nuclear Material Safety & Safeguards. 2pp. 92128:112-92128:113.

9703130168 Forwards table which shows current status of Regional & Headquarters open items from instrument security evaluations performed in Dec 1995.Listed table shows remaining open items.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/03/07. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. 92136:205-92136:209.

9703130173 Informs that L Bykoski has asked J Hickey to add Cabot-Revere to LTS entries.Info was earlier incorrectly assigned to FCSS.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/05. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 92136:210-92136:211.

9703130191 Forwards Intermediate Milestone 20-5709-107-710, "QA Program Survey Rept."
SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/26. SPRAUL,J.G. Office of Nuclear Material Safety & Safeguards. 1p. 92217:133-92217:165.

--9703130194 "QA Program Survey Rept."
BRIENT,R.D. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/28. NRC - No Detailed Affiliation Given. 31pp. 92217:134-92217:165.

9703130418 Forwards comments re general guidelines for recommendation of sites for nuclear waste repositories.
* Energy, Dept. of. 97/03/05. Energy, Dept. of. 25pp. 92217:183-92217:207.

9703140021 Submits comments on paper summarizing dam activity in United States for May icold meeting in response to 970203 request.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 97/02/24. WALZ,A.H. Affiliation Not Assigned. 1p. 92128:203-92128:203.

9703140026 Informs that review of Intermediate Milestone 5708-762-710 entitled "Software Requirements Document for TPA," found to be acceptable.
MCCONNELL,K.I. Division of Waste Management (NMSS 940403). HLWR. 97/02/18. BACA,R.G. Southwest Research Institute. 2pp. 92217:208-92217:209.

9703140084 Responds to 970124 ltr,expressing concern about recent transfer of US NRC staff qualified in QA from HLW program.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 97/03/06. LOUX,R.R. Nevada, State of. 5pp. 92217:218-92217:222.

9703140101 Informs of review & acceptance of CNWRA ltr rept documenting completion of ASHPLUME Module.
MCCONNELL,K.I. Division of Waste Management (NMSS 940403). HLWR. 97/03/12. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 2pp. 92217:238-92217:239.

9703170061 Forwards request re United States NRC Rules & Regulations, Title 10,Chapter 1,Code of Federal Regulations,Part 9. W/o encl.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/03/11. DARKE,J. Affiliation Not Assigned. 1p. 92177:029-92177:029.

9703170120 Responds to 970127 ltr expressing concerns about DOE/NRC attempts to address issues re ongoing high-level radwaste program at Yucca Mountain.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 97/03/12. LOUX,R.R. Nevada, State of. 3pp. 92217:271-92217:273.

9703170218 Requests clarification for completion of SNL procedure revisions commitment within 10 working days of ltr.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/11. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 92217:287-92217:294.

9703170219 Informs that response to DR YM-97-D-025 has been determined to be satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/11. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 92217:295-92217:299.

9703180029 Forwards record of Surveillance YM-SR-97-010 conducted by Ofc of QA at USGS Exploratory Studies Facility,at Yucca Mountain Site,NV.Purpose of surveillance was to assess implementation of quality controls for moisture studies.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/11. CRAIG,R.W. Interior, Dept. of, Geological Survey. 9pp. 92237:114-92237:122.

9703180045 Forwards audit rept for DOE Ofc of Civilian Radwaste Mgt Ofc of QA Supplier Audit OQA-SA-97-010 of Beta Analytical,Inc on 970218-19 at Miami,FL facility.Audit resulted in issuance of Satisfactory Implementation & considered complete & closed.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/11. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 92237:128-92237:132.

--9703180054 OQA-SA-97-010 "Supplier Audit Rept of Beta Analytical,Inc Miami,FL."
MAUDIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 97/03/10. 3pp. 92237:130-92237:132.

9703180114 Advises that extension date to 970328 acceptable.Addl requests will be escalated through OCRWM.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/11. CRAIG,R.W. Interior, Dept. of, Geological Survey. 1p. 92237:138-92237:138.

9703180164 Advises that response to DR YM-96-D095 resulting from Ofc of OQA audit HQ-ARC-96-03 determined to be unsatisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/11. COMPTON,J.R. Energy, Dept. of. 10pp. 92237:139-92237:148.

9703180174 Forwards OCRWM QA audit SNL-ARP-97-08 of CRWMS M&O contractor Las Vegas,NV & Albuquerque,NM on 970130-0205.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/11. FOUST,L.D. TRW Environmental Safety Systems, Inc. 1p. 92237:149-92237:164.

--9703190025 SNL-ARP-97-08 "OCRWM Ofc of QA Audit of CRWM Sys M&O Contractor Las Vegas, NV & Albuquerque,NM on 970130-0205."
THREATT,D.C., HORTON,D.G. Energy, Dept. of. HLWR. 97/03/10. 15pp. 92237:150-92237:164.

9703180202 Summary of Oct 1996-Jan 1997 meetings of Interagency Steering Committee on Radiation Stds Subcommittee.
SOBEL,P. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/27. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 43pp. 92196:265-92196:307.

9703180203 Extends invitation to attend next meeting of ISCORS Sewage Subcommittee to be held on 970312.
SOBEL,P. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/02/28. BASTIAN,R., GOODE,P., DOEHNERT,M. Environmental Protection Agency. 7pp. 92196:341-92196:347.

9703180231 Provides info re source matl,byproduct matl licensing & submission of license application to NRC.
GILLEN,D.M. Division of Waste Management (NMSS 940403). 97/03/14. COOK,J. Anaconda Co. (div. of Atlantic Richfield Co.). 3pp. 92200:290-92200:292.

9703180246 Discusses review of Lowman's annual insp rept entitled, "1996 Annual Inspof Lowman,Idaho,Project Disposal Site."
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 97/03/13. VIRGONA,J. Energy, Dept. of. 2pp. 92193:191-92193:205.

--9703180248 Submits observations & comments which resulted from 961107 site visit.
ABT,S.R. Colorado State Univ., Fort Collins, CO. 96/11/18. HAQUE,M. Office of Nuclear Material Safety & Safeguards. 5pp. 92193:193-92193:205.

9703190221 Responds to 970129 TAR re review of accidental dosposal of AM-241 sealed source in municipal landfill by SC Johnson & Sons Inc.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/13. MADERA,J.R. Region 3 (Post 820201). 4pp. 92210:001-92210:005.

9703190236 Informs that NRC will proceed according to terms of site-specific MOU between US EPA & NRC which was consummated after EPA R6 signed an Administrative Order on Consent w/SFC,based on previous response.
SHEPHERD,J.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/13. BRODERICK,M. Oklahoma, State of. 5pp. 92199:160-92199:164.

9703190320 Forwards copies of FRN for transmittal to Ofc of FR for publication.
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/13. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 92199:041-92199:088.

--9703190328 "Disposition of Cesium-137 Contaminated Emission Control Dust & Other Incident-Related Material;Final Staff Technical Position."
HICKEY,J.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/13. 46pp. 92199:043-92199:088.

9703200033 Forwards Issuance of Deficiency Rept YM-97-D-027 resulting from Ofc of QA audit of Work Package Process - First Access Topopah Springs Excavation,Work Breakdown Structure 1.2.6.4.2.Response due in twenty days.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/13. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 92246:021-92246:025.

9703200034 Forwards Intermediate Milestone 5708-762-720, "ASHPLUME Version 1.0 - Code for Contaminated Ash Dispersal & Deposition Technical Description & User Guide."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/25. MCCONNELL,K. Division of Waste Management (NMSS 940403). 1p. 92246:026-92246:076.

--9703200043 CNWRA 97-004 "ASHPLUME Version 1.0 - Code for Contaminated Ash Dispersal & Deposition Technical Description & User Guide."
JARZEMBA,M.S., LAPLANTE,P., POOR,K.J. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/28. NRC - No Detailed Affiliation Given. 48pp. 92246:027-92246:076.

9703200037 Submits verification of CR & closure of DR YM-96-D-042 resulting from DOE headquarter ofc of QA Audit HQ-96-D-01.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/14. FOUST,L.D. TRW Environmental Safety Systems, Inc. 105pp. 92246:077-92246:181.

9703200039 Forwards surveillance record YM-SR-97-013 resulting from Ofc of QA surveillance of Las Almos Natl Labs.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/13. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 92246:182-92246:186.

9703200047 Forwards "US DOE OCRWM Ofc of QA Supplier Audit Rept of Pacific Northwest Natl Laboratory Richland,WA conducted on 970213-14."
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/13. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 92246:187-92246:193.

--9703200050 OQA-SA-97-011 "US DOE OCRWM Ofc of QA Supplier Audit Rept of Pacific Northwest Natl Laboratory Richland,WA Conducted 970213-14."
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 97/03/12. 5pp. 92246:189-92246:193.

9703200051 Advises that extension of due date for DR YM-96-D-093 to 970411,is acceptable.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/13. CRAIG,R.W. Interior, Dept. of, Geological Survey. 1p. 92246:194-92246:194.

9703200052 *Informs that CA to DR YM-97-D-013 have been verified & determined* results to be satisfactory.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/13. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 92246:195-92246:201.

9703200277 Informs that NRC has reviewed intermediate milestone 5708-761-710 & response was found to be programmatically acceptable based on reduced scope.
MCCONNELL,K.I. Division of Waste Management (NMSS 940403). HLWR. 97/03/18. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 4pp. 92212:276-92212:279.

9703210094 Forwards Audit rept for US DOE Ofc of Civilian Radwaste Mgt QA (OQA) Audit OQA-SA-97-009 of Natl Ocean Sciences.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/17. CRAIG,R.W. Interior, Dept. of, Geological Survey. 1p. 92246:323-92246:327.

--9703210107 "Supplier Audit Rept of Natl Ocean Sciences,Woodshole,MA," for period from 970304-05.
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 97/03/13. 4pp. 92246:324-92246:327.

9703210140 Forwards sets of page changes for final completion rept for Falls City disposal site,Falls City,TX.Changes in form of attachments & involve App H,Vol 4 only.
WOODWORTH,L.A. Energy, Dept. of. 97/03/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 102pp. 92238:001-92238:108.

--9703210146 "Thorium-230 Issue Tailings Piles 4 & 5 Falls City UMTRA Site,TX," for Aug 1994.
*, * Jacobs Engineering Group, Inc. 94/08/31. 6pp. 92238:103-92238:108.

9703210232 Submits follow-up rept for US DOE Ofc of Civilian Radwaste Mgt,Ofc of QA supplier audit OQA-SA-96-016 of Setra Sys,Inc.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/14. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 92246:290-92246:291.

9703210238 Forwards issuance of surveillance record YM-SR-97-014, resulting from Ofc of QA Surveillance of Lawrence Berkeley Natl Laboratory.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/14. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 92246:293-92246:299.

9703250012 Forwards Completion Repts for Lowman,ID Vicinity Property LO-0021S & LO-0023S.
WOODWORTH,L.A. Energy, Dept. of. 97/03/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 92248:258-92248:344.

--9703250014 "Vicinity Property Completion Rept at LO-021S," Rev 2.
* MK-Ferguson Co. * . 96/10/03. 22pp. 92248:260-92248:281.

--9703250017 "Vicinity Property Completion Rept Rev 2 at LO-023S."
* MK-Ferguson Co. * . 96/10/15. 62pp. 92248:282-92248:344.

9703250080 Verifies issuance of surveillance record YM-SR-97-011 resulting from Ofc of QA surveillance of USGS at Yucca Mountain Site,Nevada.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/19. CRAIG,R.W. Interior, Dept. of, Geological Survey. 10pp. 92275:043-92275:052.

9703250083 *Verifies Corrective Action & Closure of Deficiency (DR) YM-96-D-058 re*sulting from Ofc of QA audit of Setra Sys.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/19. CRAIG,R.W. Interior, Dept. of, Geological Survey. 9pp. 92275:012-92275:020.

9703260290 Addresses two NRC questions & one comment made in ltr dtd 950815 as result of preliminary NRC evaluation of Chapter 10.0, "Quality Assurance," of Mined *Geologic Disposal Sys LA AO.*
BROCCOUM,S.J. Energy, Dept. of. HLWR. 97/03/21. THOMA,J.O. Division of Waste Management (NMSS 940403). 4pp. 92275:178-92275:181.

9703260306 Forwards "OCRWM QA Program Trend Rept for Jul-Dec 1996."
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/20. THOMA,J.O. NRC - No Detailed Affiliation Given. 2pp. 92275:182-92275:192.

--9703260308 "OCRWM QA Program Trend Rept for Jul-Dec 1996."
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/20. 9pp. 92275:183-92275:192.

9703270049 Submits summary of items discussed during App 7 meeting on Rev 1 to topical rept "Preclosure Seismic Design Methodology for Geologic Repository at Yucca Mountain."
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 97/03/21. BROCOUM,S.J. Energy, Dept. of. 14pp. 92275:209-92275:222.

9703270136 Confirms JT Greeves participation in roundtable discussion on "Managing Radioactive & Mixed Wastes into 21st Century" on 970520.Provided in response to 970226 ltr re confirmation of Greeves as speaker.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/03/19. *GALLAGHAR,R.G. Applied Health Physics, Inc. 3pp. 92268:072-92268:076.*

--9703270142 Confirms 970226 telcon re J Greeves participation as speaker at 970520 Roundtable: "Managing Radioactive & Mixed Wastes into 21st Century," in Dallas,TX.
GALLAGHAR,R.G. Applied Health Physics, Inc. 97/02/26. GREEVES,J. Division of Waste Management (NMSS 940403). 2pp. 92268:075-92268:076.

9703270155 *Submits comments on NUREG/CR-5512,Vol 2, "Residual Radioactive Con*tamination from Decommissioning - Users Manual,Draft for Review," per 970203 request.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 97/03/17. MORRIS,B.M. Division of Regulatory Applications (Post 941217). 8pp. 92268:077-92268:084.

9703270181 Submits list of NRC comments on High Level Waste Chemistry Manual Preliminary Outline submitted on 970310.
TOKAR,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). HLWR. 97/03/25. SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. 2pp. 92296:024-92296:025.

9703280106 Forwards Intermediate Milestone 20-5708-861-710, "Commentary on Studies of CI-36 in Exploratory Studies Facility at Yucca Mountain."
PEARCY,E.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/13. COLEMAN,N. NRC - No Detailed Affiliation Given. 1p. 92296:049-92296:068.

--9703280114 "Commentary on Studies of CI-36 in Exploratory Studies Facility at Yucca Mountain."
MURPHY,W.M. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/02/28. NRC - No Detailed Affiliation Given. 19pp. 92296:050-92296:068.

9703280117 Responds to 961122 ltr re whether NRC believes that two waste streams resulting from remediation of steel mill in TN suitable for disposal in hazardous waste disposal facility.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 97/03/21. STERN,C. . 27pp. 92271:097-92271:123.

9703280138 Requests that KA Gruss participate in rotational assignment at CNWRA for ongoing corrosion research activities. Participation requested for period 970407-0530.
FORTUNA,S.L. Program Management, Policy Development & Analysis Staff (Post 870413). HLWR. 97/03/19. SAGAR,B. Center for Nuclear Waste Regulatory Analyses. 7pp. 92312:152-92312:158.

9703280162 Forwards CNWRA 97-003, "Review of Low-Temperature Oxidation of Carbon Steels & Low-Alloy Steels for Use as High-Level Radwaste Package Matls."
PEARCY,E. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 97/03/07. LESLIE,B. Engineering & Geosciences Branch (NMSS 940403). 2pp. 92312:159-92312:223.

--9703280173 CNWRA 97-003 "Review of Low-Temperature Oxidation of Carbon Steels & Low-Alloy Steels for Use as High-Level Radwaste Package Matls."
LAROSE,S., RAPP,R.A. Ohio State Univ., Columbus, OH. NRC-02-93-005. HLWR. 97/02/28. NRC - No Detailed Affiliation Given. 61pp. 92312:161-92312:223.

9703280300 Forwards rept of QA audit K/PB-ARP-97-11 conducted in Las Vegas,NV during period of 970224-28.
HORTON,D.G. Energy, Dept. of. HLWR. 97/03/21. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 92312:247-92312:261.

--9703280339 K/PB-ARP-97-11 "Audit Rept of CRWMS Mgt & Operating Contractor at Kiewit/ Parsons Brinckerhoff Las Vegas,NV on 970224-28."
HODGES,K.A., HORTON,D.G. Energy, Dept. of. HLWR. 97/03/20. 13pp. 92312:249-92312:261.

XPORTLIC EXPORT AND IMPORT LICENSES

9703030171 Forwards application for export license XSNM-2967,for export of low-enriched U to Taiwan for use as reload fuel in Chinshan Units I & II.
HAUBER,R.D. Office of International Programs (Post 911117). 97/02/27. DELABARRE,R. State, Dept. of. 1p. 91940:342-91940:344.

9703030192 Forwards application for export license XSNM-2966,for export of low-enriched U to Taiwan for use as reload fuel in Kuosheng Units 1 & 2.
HAUBER,R.D. Office of International Programs (Post 911117). 97/02/27. DELABARRE,R. State, Dept. of. 1p. 91932:246-91932:248.

9703030258 Forwards revised application noting all countries of origin source material,to be exported.
MANN,M. Edlow International Co. 97/02/21. WRIGHT,B. Office of International Programs (Post 911117). 1p. 91932:281-91932:283.

--9703030269 Application for license to export 92,969 kg of UF6 to Republic of Korea.
FISK,R.H. Edlow International Co. SAM-LIC-2. 97/02/21. 2pp. 91932:282-91932:283.

9703030283 Forwards 970221 ltr from Edlow International providing addl info re country of origin for license application XSNM-2965.
HAUBER,R.D. Office of International Programs (Post 911117). 97/02/27. DELABARRE,R. State, Dept. of. 1p. 91932:298-91932:301.

9703030299 Application for license to export molybdenum fabricated parts:30 base plates & 110 studs to United States.
* Philips Electronic Instruments, Inc. PHUSXC-001. 97/02/25. 17pp. 91932:302-91932:318.

9703030409 Forwards application for license XCOM-1103 for export to Argentinal of molybdenum boats for use in U-oxide fuel fabrication.Requests views as to whether requested export meets applicable criteria in Atomic Energy Act of 1954.
HAUBER,R.D. Office of International Programs (Post 911117). 97/02/27. DELABARRE,R. State, Dept. of. 1p. 91932:250-91932:267.

--9703030424 Application for license to export molybdenum fabricated parts to Argentina.
WIGGINTON,P.L. Affiliation Not Assigned. PHUSXC-001. 97/02/25. 17pp. 91932:251-91932:267.

9703060245 Forwards copy of export license application XB-1295 dtd 970225 requesting authority to export 2.4 Ci Cm-244 to China,for info.
HAUBER,R.D. Office of International Programs (Post 911117). 97/02/28. DELABARRE,R. State, Dept. of. 1p. 91992:319-91992:322.

--9703060252 Application for license to export 2.4 Ci Cm-244 incorporated in ceramic enamel & sealed in welded monel capsule w/brazed berylium window to China.
* Measurex Corp. 968687. 97/02/19. 3pp. 91992:320-91992:322.

9703070141 Informs that US Embessy has exchanged w/Goverment of Japan diplomatic notes for cases 371,378,379,380 & 381.
ELLIS,L. U.S. Embassies. 97/03/03. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 91998:354-91998:354.

9703100003 Requests GOJ assurances for cooperation re diplomatic notes exchanged for case numbers 371,378,379,380 & 381.
DEMING U.S. Embassies. 97/03/03. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 92031:350-92031:350.

9703100088 License for Edlow International Co to export 158.0 kgs U-235 contained in 3,789.0 kgs U,enriched to 4.15 w/o maximum,as UF6 to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). KLK-115. 97/03/06. 2pp. 92031:339-92031:340.

9703100091 License for Mitsui & Co to export 588.0 kgs U-235 contained in 16,989.0 kgs natural U & U enriched to 4.45 w/o maximum, as UO2 to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). MBK-2F2-R11. 97/03/06. 2pp. 92031:341-92031:342.

9703100117 License for Mitsui & Co to export 537.0 kgs of U-235 contained in 13,639.0 kgs of U,enriched 4.95 w/o max,as U hexafluoride (UF6) to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). MBK-F5-R16. 97/03/06. 2pp. 92025:359-92025:360.

9703100122 License for Edlow Intl Co to export 195.0 kg of Uranium-235, contained in 4,679.0 kgs of U,enriched to 4.15 w/o max,as U hexafluoride (UF6) to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). KLK-116. 97/03/06. 2pp. 92025:353-92025:354.

9703100172 License for Mitsui & Co.(U.S.A),Inc to export 1250 kg U-235, contained in 35,027 kgs of U,to Japan.
HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 97/03/06. 2pp. 92062:355-92062:356.

9703130402 Forwards application for license to export enriched U in UO2 fuel assemblies to Taiwan Power Co.Fee in listed amount encl.W/o encl.
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DLN-97-018. 97/02/27. HAUBER,R.D. Assistant Director for Cooperative Exchange Programs. 1p. 92109:287-92109:289.

--9703130405 Application for license to export UO2 fuel assemblies containing 1,250,000 Kg U enriched to max of 5.0 w/o U,to Taiwan.
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/02/27. 2pp. 92109:288-92109:289.

9703130431 Application to amend export license XB-1279,changing name from Atlas Wireline Svc to Western Atlas Logging Svc, contact from B Rose to P Stoehr,ultimate consignee change, country of ultimate destination changed & expiration.
STOEHR,P. Affiliation Not Assigned. 97/02/13. HAUBER,R. Office of International Programs (Post 911117). 2pp. 92109:317-92109:318.

9703130435 Forwards application to export U to United Kingdom for use as fuel in commercial power reactors.
MANN,M. Edlow International Co. 97/03/03. WRIGHT,B. Office of International Programs (Post 911117). 1p. 92109:246-92109:250.

--9703130436 Application for license to export U to United Kingdom.
FISK,R.H. Edlow International Co. 97/03/03. 4pp. 92109:247-92109:250.

9703170022 Forwards application for license XSNM-2968 to export low-enriched U for use in commercial power reactors in UK.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/12. DEDIK,T. Energy, Dept. of. 1p. 92132:346-92132:351.

--9703170026 Forwards copy of attachment to application form,noting max element weight & max isotope weight,ref BNFL-OB-FERNALD.
MANN,M. Edlow International Co. 97/03/07. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 92132:348-92132:351.

9703170038 Forwards application for license XSNM-2969 to export low-enriched U to Taiwan for use as reload fuel in Chinshan, Units I & II,Kousheng,Units I & II & Maanshan I & II.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/12. DELABARRE,R. State, Dept. of. 1p. 92138:028-92138:031.

--9703170045 Forwards request for issuance of export license to authorize shipment of enriched U in UO2 fuel assemblies to listed Taiwan Power Co reactors.Fee in listed amount encl.W/o encl.
NOSS,D.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 97/02/27. HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 1p. 92138:031-92138:031.

9703170041 Submits rev 1 to advance notification of import shipment consisting of 4x30B cylinders of UF6,enriched to max of 5%, in overpacks.
ROBERTS,S. Affiliation Not Assigned. 0197-789. 97/02/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 92116:248-92116:249.

9703170060 Forwards 970213 ltr from Western Atlas International,Inc requesting amends to export license XBOO-1279.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/13. DELABARRE,R. State, Dept. of. 1p. 92138:051-92138:053.

9703170066 Forwards 970303 & 970305 facsimiles from Siemens Power Corp providing addl info pertinent to license applications XSNM-2963 & XSNM-2964.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/13. DELABARRE,R. State, Dept. of. 4pp. 92132:357-92132:360.

9703170075 Notification of import shipment IAW requirements for implementation of convention of physical protection of nuclear matl.
ROBERTS,S. Affiliation Not Assigned. 0197-789. 97/01/28. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 92116:289-92116:290.

9703170132 Confirms that items listed in attachment to Note 37 will be held subj to Agreement upon entries into territorial jurisdiction of Japan & that proposed recipients,authorized persons in Japan.
* U.S. Embassies. 97/02/24. Japan. 6pp. 92138:043-92138:048.

9703170156 Confirms that items listed in attachments to note 648 dtd 961023 will be held subj to agreement upon their entries into territorial jurisdication of Japan.
MIN,P.A. U.S. Embassies. 97/02/24. Japan. 4pp. 92138:039-92138:042.

9703170160 Confirms that items listed in attachments to note 50 dtd 970124 will be held subj to agreement upon their entries into territorial jurisdiction of Japan.
MIN,P.A. U.S. Embassies. 97/02/24. Japan. 7pp. 92138:032-92138:038.

9703190220 Application for license to export U to Canada or Australia.
GEORGE,M. Transnuclear, Inc. ABB 537. 97/03/14. 2pp. 92189:324-92189:326.

9703190247 Forwards repts listing all NRC export & import cases which were completed,received or pending during month of Feb 1997. Three cases were completed,eight new license applications & amend requests were received & 33 cases pending as of 0228.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/17. DELABARRE,R. State, Dept. of. 5pp. 92214:200-92214:208.

9703190249 License for Measurex DMC to export 2.4 Ci of Curium-224 to Peoples Republic of China.
HAUBER,R.D. Office of International Programs (Post 911117). 968687. 97/03/17. 1p. 92178:136-92178:136.

9703190267 Forwards application for export license XSNM-2970 for export of low enriched U for use as reload fuel in Barseback units 1 & 2 in Sweden.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/18. DEDIK,T. Energy, Dept. of. 1p. 92189:327-92189:330.

--9703190283 Application for license to export U in form of U Hexafluoride enriched to 5.0 w/o maximum to Barseback units 1 & 2 in Sweden.
GEORGE,M. Transnuclear, Inc. ABB-537. 97/03/14. 2pp. 92189:328-92189:329.

--9703190292 Forwards application for license to export nuclear martial & equipment.
GEORGE,M. Transnuclear, Inc. 97/03/14. WRIGHT,B.L. Office of International Programs (Post 911117). 1p. 92189:330-92189:330.

9703200352 Forwards Annex IB ack notification of intended transfer related w/license application XSOU-8750.
BEVERE,E. European Communities, Comm. .) of. 97/03/17. DEDIK,T. Energy, Dept. of. 2pp. 92204:268-92204:269.

9703210021 License for Edlow International Co to export 116.0 kg natural U as U hexafluoride (UF6) "heels" in cylinders to France.
HAUBER,R.D. Office of International Programs (Post 911117). NCT-OB-8. 97/03/19. 2pp. 92205:184-92205:185.

9703210041 Discusses 961223 ltr re US origin nuclear items concerned will be subject to all terms & conditions of agreement for cooperation concerning civil uses of atomic energy between Govt of Republic of Korea & Govt of US.
MOON,Y. Korea, Democratic Peoples Republic (North Korea). 97/03/04. DEDIK,T. Energy, Dept. of. 4pp. 92205:192-92205:194.

9703210114 Forwards facsimile dtd 970319 from Transnuclear,Inc, providing addl info re license application XSNM-2970.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/19. DEDIK,T. Energy, Dept. of. 2pp. 92205:256-92205:258.

9703210243 License for Cameco Corporation to export 41.0 g of graphite, containing 69.660 kg of depleted U to Livermore,CA.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/20. 2pp. 92212:356-92212:357.

9703240224 Refers to export license XSNM-2748 which authorized export of Fort St Vrain unirradiated fuel to COGEMA in France for downblending & use as low enriched fuel in research reactors.COGEMA ltr dtd 970210 encl.
HAUBER,R.D. Office of International Programs (Post 911117). 97/03/20. DELABARRE,R. State, Dept. of. 1p. 92218:118-92218:119.

–9703240226 Responds to 970113 ltr re export license XSNM-2748.Status rept re COGEMA progress in blending down to low enriched U 280 kg of 93.1 percent enriched U exported to France submitted.
SHALLO,F.A. COGEMA, Inc. 97/02/10. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 92218:119-92218:119.

9703260045 Application for license to export 11,358 kg UF6,to Japan.
MAEDA,Y. Mitsubishi International Corp. HSA-5497-05. 97/03/21. 1p. 92248:216-92248:216.

9703260050 Application for license to export 25,023 kg UF6,to Japan.
MAEDA,Y. Mitsubishi International Corp. HSA-5497-06. 97/03/21. 1p. 92248:217-92248:217.

9703260102 Application for license to export enriched 8,788 kg UF6,to Japan.
MAEDA,Y. Mitsui & Co. (USA), Inc. HSA 5497-04. 97/03/21. 1p. 92248:221-92248:221.

9703260119 Requests for GOJ assurances for cooperation re diplomatic note exchanged for case 374.
DEMING U.S. Embassies. 97/03/24. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 92248:222-92248:222.

9703260120 License for Mitsui & Company USA Inc to export 1,007.0 kg U-235 contained in 26,977.0 kg of U enriched to 4.65 w/o max as U hexafluoride to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). MBK-H4-R4. 97/03/24. 2pp. 92248:223-92248:224.

9703260165 Confirms that items listed in 970227 ltr will be held subj to Agreement re international transfer of nuclear matl.
LEE,M. Korea, Democratic Peoples Republic (North Korea). 97/03/21. DEDIK,T. Energy, Dept. of. 1p. 92277:134-92277:134.

9703280237 Commission voting record on SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development (XMAT0393).
HOYLE,J.C. Office of the Secretary of the Commission. 97/03/19. 2pp. 92295:157-92295:164.

–9703280244 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:159-92295:159.

–9703280249 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 97/03/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:160-92295:160.

–9703280253 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
DICUS,G.J. Commissioners (Post 750119). 97/03/18. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:161-92295:161.

–9703280257 Notation vote approving SECY-97-049 re proposed license to export graphite & depleted U to Canada for avlis feed conversion process development.
DIAZ,N.J. Commissioners (Post 750119). 97/03/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 92295:162-92295:162.

–9703280262 Notation vote approving SECY-97-049 re proposed license to export graphite & deleted U to Canada for avlis feed conversion process development.
MCGAFFIGAN,E. Commissioners (Post 750119). 97/03/12. HOYLY,J.C. Office of the Secretary of the Commission. 1p. 92295:163-92295:164.

5

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT,R.B.	9703070192	50-220 R
ABBOTT,R.B.	9703070193	50-220 R
ABBOTT,R.B.	9703180240	50-220 P
ABELQUIST,E.W.	9703030109*	FOIA
ABNEY,T.E.	9703170034	50-259 P
ABNEY,T.E.	9703170070	50-296 Q
ABNEY,T.E.	9703170217	50-259 P
ABNEY,T.E.	9703180230	50-296 Q
ABNEY,T.E.	9703190016	50-296 P
ABNEY,T.E.	9703200340	50-259 R
ABNEY,T.E.	9703260043	50-260 P
ABRAMS,C.	9703180112	40-8452
ABRELL,G.A.	9703180042	50-10 R
ABT,S.R.	9703180248*	WASTE MGT
ACREE,P.	9703250085	50-213 S
ADAM,T.G.	9703030240*	FOIA
ADAMS,A.	9703120468	50-186 P
ADAMS,A.	9703130141	50-146 P
ADAMS,A.	9703200339	50-72 W
ADAMS,A.	9703210011	50-20 P
ADAMS,A.	9703250151	50-89 P
ADAMS,G.	9703100017	50-266 S
ADAMS,L.	9703060361	40-8778
ADAMS,T.	9703050270*	70-936
ADAMS,T.G.	9703030292*	FOIA
ADAMS,T.G.	9703030295*	FOIA
ADAMS,T.G.	9703100198*	FOIA
ADDY,R.J.	9703040177	50-155 R
ADDY,R.J.	9703050081	50-155 Q
ADDY,R.J.	9703050162	50-155 S
ADDY,R.J.	9703120012	50-155 H
ADDY,R.J.	9703260159	50-155 Q
ADNEY,R.J.	9703030363	50-327 S
ADNEY,R.J.	9703200323	50-327 S
ADNEY,R.J.	9703250071	50-327 Q
AFFOLTER,R.D.	9703120129	50-483 R
AFFOLTER,R.D.	9703140115	50-483 Q
AHMAD,I.	9703260145*	50-445 P
AJLUNI,M.	9703270283	50-348 F
ALEXION,T.W.	9703130006	50-498 P
ALEXION,T.W.	9703260271	50-498 F
ALEXION,T.W.	9703270238	50-498 Q
ALEXION,T.W.	9703280307	50-498 P
ALKEMA,K.L.	9703030207	40-8989
ALKEMA,K.L.	9703050277	40-8989
ALKEMA,K.L.	9703110008	40-8989
ALKEMA,K.L.	9703200152	40-8989
ALKEMA,K.L.	9703260205	40-8989
ALLEN,M.D.	9703170250	50-317 P
ALMOND,L.	9703060240*	STATE PRO G
ANDERSEN,J.W.	9703060015	50-245 G
ANDERSEN,J.W.	9703170195	50-423 P
ANDERSON,A.	9701100053*	ORG
ANDERSON,J.D.	9703120180*	50-440 F
ANDERSON,J.E.	9703030034*	FOIA
ANDERSON,J.E.	9703030081*	FOIA
ANDERSON,J.E.	9703030114*	FOIA
ANDERSON,J.E.	9703030180*	FOIA
ANDERSON,J.E.	9703030237*	FOIA
ANDERSON,J.E.	9703030247*	FOIA
ANDERSON,J.E.	9703040302*	FOIA
ANDERSON,J.E.	9703040318*	FOIA
ANDERSON,J.E.	9703040326*	FOIA
ANDERSON,J.E.	9703040349*	FOIA
ANDERSON,J.E.	9703040358*	FOIA
ANDERSON,J.E.	9703040372*	FOIA
ANDERSON,J.E.	9703050094*	FOIA
ANDERSON,J.E.	9703050105*	FOIA
ANDERSON,J.E.	9703050112*	FOIA
ANDERSON,J.E.	9703050142*	FOIA
ANDERSON,J.E.	9703050165*	FOIA
ANDERSON,M.L.	9703140114	50-305 R
ANDERSON,M.T.	9507180020*	50-389 P
ANDERSON,M.T.	9510310101*	50-335 P
ANDERSON,M.T.	9607090104*	50-293 Q
ANDERSON,R.A.	9703190191	50-302 P
ANDERSON,R.O.	9703030510	50-263 R
ANDERSON,R.O.	9703130253	50-263 I
ANDERSON,R.O.	9703190074	50-263 R
ANDERSON,R.O.	9703240015	NUREG
ANDERSON,R.O.	9703240085	50-263 J
ANDERSON,S.L.	9703040246*	50-324 P
ANDERSON,T.C.	9703120063	50-255 F
ANDRE,G.R.	9703170049*	TOPREP
ANDRESS,H.W.	9703050127	CONTRACT
ANDREWS,S.J.	9703050308	QA999
ARBUCKLE,J.D.	9703210322	50-397 S
ARNOLD,W.M.	9703040382	71-9234
ASMUSSEN,K.A.	9703100286	71-6347
AUSTIN,J.H.	9703030315*	FOIA
AUTRY,V.R.	9703130310	27-47
AYLING,D.P.	9703100141*	50-483 P
AYLING,D.P.	9703100149*	50-483 P
AYLING,D.P.	9703100151*	50-483 P
BACA,R.G.	9703060166	WASTE MGT
BACA,R.G.	9703200034	WASTE MGT
BACH,R.D.	9703140130	50-288 P
BACHMANN,R.G.	9703180011	70-3070
BACHMANN,R.G.	9703200010	70-3070
BACKMAN,V.	9703110082	50-275 S
BACKMAN,V.A.	9703040138	50-275 S
BACKMAN,V.A.	9703100013	50-275 S
BAER,T.S.	9703040368	70-143
BAER,T.S.	9703070045	70-143
BAER,T.S.	9703200040	70-143
BAER,T.S.	9703200155	PR
BAER,T.S.	9703200391	70-143
BAER,T.S.	9703280184	70-143
BAGCHI,G.	9302240231*	50-250 P
BAGCHI,G.	9503290093*	50-335 P
BAGCHI,G.	9506280464*	50-389 Q
BAGCHI,G.	9510250085*	50-335 Q
BAGCHI,G.	9511080173*	50-335 Q
BAGCHI,G.	9603270188*	50-335 P
BAGCHI,G.	9703060340	ORG
BAGCHI,G.	9703170166	52-3
BAILEY,M.	9703120389	71-9264
BAILEY,M.G.	9703210264	TOPREP
BAILEY,S.J.	9703250099	50-309 R
BAJRASZEWSKI,J.	9703030363	50-327 S
BAJWA,S.S.	9703070152	50-220 P
BAJWA,S.S.	9703140123*	50-317 P
BAJWA,S.S.	9703260211	50-247 P
BAKER,S.J.	9703120036	40-1162
BALLARD,B.R.	9703040381	71-627
BALLARD,R.	9703050222	STATE PRO G
BALLARD,R.	9703060246	STATE PRO G
BALLINGER,P.L.	9703180019	50-298 R
BALUKJIAN,H.	9606270310*	50-335 P
BANGART,R.L.	8710140251*	FOIA
BANGART,R.L.	9703050366	STATE PRO G
BANGART,R.L.	9703050416	STATE PRO G
BANGART,R.L.	9703060153	STATE PRO G
BANGART,R.L.	9703060234	STATE PRO G
BANGART,R.L.	9703190173	STATE PRO G
BANGART,R.L.	9703190189	STATE PRO G
BANGART,R.L.	9703190208	STATE PRO G
BANGART,R.L.	9703190371	40-8989
BANGART,R.L.	9703200007	STATE PRO G
BANGART,R.L.	9703200016	STATE PRO G
BANNER,C.W.	9703210324	50-272 F
BANNER,C.W.	9703210329	50-354 F
BARANOWSKY,P.	9703060318*	NUREG
BARBER,D.E.	9703100224	NUREG
BARLEY,W.H.	9703060262*	50-397 P
BARNETT,L.	9703100284	71-9033
BARON,P.R.	9703050163	50-259 R
BARON,P.R.	9703240134	50-259 J
BARON,R.R.	9703040233	50-259 H
BARON,R.R.	9703190226	50-482 P
BARON,R.R.	9703250013	50-259 F
BARR,K.P.	9703110139	50-335 Q
BARR,K.P.	9703140037*	50-335 Q
BARR,K.P.	9703270098	50-424 Q
BARR,K.P.	9703270126	50-327 Q
BARR,K.P.	9703270213	50-348 Q
BARRETT,R.J.	9412200119*	50-335 P
BARRETT,R.J.	9703030490	50-286 S
BARRETT,R.J.	9703040088	50-286 S
BARRETT,R.J.	9703040157	ORG
BARRETT,R.J.	9703070044	50-286 R
BARRETT,R.J.	9703070088	50-286 R
BARRETT,R.J.	9703110088	50-286 P
BARRETT,R.J.	9703110117	50-286 P
BARRETT,R.J.	9703170183	50-286 Q
BARRETT,R.J.	9703200342	50-286 Q
BARRETT,R.J.	9703210047	50-286 S
BARRETT,R.J.	9703210073	50-286 S
BARRETT,R.J.	9703210091	50-286 Q
BARRETT,R.J.	9703210297	50-286 R
BARRETT,R.J.	9703240001	50-286 P
BARRETT,R.J.	9703260133	50-286 P
BARRON,H.B.	9703030492	50-369 R
BARRON,H.B.	9703110028	50-369 P
BARRON,H.B.	9703170241	50-370 P
BARRON,H.B.	9703180232	50-369 F
BARRON,H.B.	9703190021	50-369 F
BARRON,H.B.	9703190047	50-369 Q
BARRON,H.B.	9703210298	50-369 F
BARRON,W.H.	9703060432*	50-213 V

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BARTA,D.	9703200205	50-331 S
BARTELS,C.S.	9703030126	40-8968
BARTELS,C.S.	9703030136	40-8968
BARTELS,C.S.	9703030191	40-8968
BASSIN,N	9703030246*	FOIA
BASSIN,N	9703040128*	FOIA
BASSIN,N	9703040334*	FOIA
BASSIN,N.	9703030238*	FOIA
BASSIN,N.	9703030279*	FOIA
BASSIN,N.	9703030285*	FOIA
BASSIN,N.	9703030290*	FOIA
BASSIN,N.	9703030339*	FOIA
BASSIN,N.	9703030344*	FOIA
BASSIN,N.	9703030430*	FOIA
BASSIN,N.	9703030457*	FOIA
BASSIN,N.	9703030470*	FOIA
BASSIN,N.	9703030473*	FOIA
BASSIN,N.	9703030480*	FOIA
BASSIN,N.	9703040009*	FOIA
BASSIN,N.	9703040023*	FOIA
BASSIN,N.	9703040085*	FOIA
BASSIN,N.	9703040089*	FOIA
BASSIN,N.	9703040145*	FOIA
BASSIN,N.	9703040150*	FOIA
BASSIN,N.	9703040153*	FOIA
BASSIN,N.	9703040156*	FOIA
BASSIN,N.	9703040213*	FOIA
BASSIN,N.	9703040256*	FOIA
BASSIN,N.	9703040261*	FOIA
BASSIN,N.	9703040264*	FOIA
BASSIN,N.	9703040267*	FOIA
BASSIN,N.	9703040272*	FOIA
BASSIN,N.	9703040276*	FOIA
BASSIN,N.	9703040313*	FOIA
BASSIN,N.	9703040343*	FOIA
BATCHELDER,M.	9703040013*	FOIA
BATCHELDER,M.	9703040112*	FOIA
BATCHELDER,M.	9703040175*	FOIA
BATEMAN,W.H.	9703130408	50-482 F
BATEMAN,W.H.	9703260282	50-206 H
BATEMAN,W.H.	9703260342	50-397 P
BATES,A.L.	9703250135*	ADVCM
BATES,S.R.	9703120016*	PROJ
BAUER,T.L.	9703200378	50-602 R
BAUGHMAN,M.D.	9703070027	50-528 V
BAUM,J.W.	9703100224	NUREG
BAXLEY,R.A.	9703130239	50-352 R
BEACH,A.B.	8910190013*	FOIA
BEACH,A.B.	9010030007*	FOIA
BEACH,A.B.	9703030174	50-295 P
BEACH,A.B.	9703050047	50-454 Q
BEACH,A.B.	9703060423	50-266 P
BEACH,A.B.	9703100175	70-7001
BEACH,A.B.	9703130358	50-186 Q
BEACH,A.B.	9703180116	50-295 Q
BEACH,A.B.	9703190377	50-266 Q
BEACH,A.B.	9703190386	50-266 Q
BEARD,P.M.	9703050017	50-302 P
BEARD,P.M.	9703060418	50-302 F
BEARDSLEE,C.	9703170048	TOPREP
BECK,J.	9703040332	50-247 S
BECKNER,W.D.	9703030403	50-313 P
BEDFORD,R.B.	9703060024	50-461 S
BEELER,S.M.	9703130297	27-48
BEELER,S.M.	9703130336	27-48
BEELER,S.M.	9703130339*	27-48
BELISLE,G.A.	9703040186	50-280 Q
BELISLE,G.A.	9703040188	50-280 Q
BELISLE,G.A.	9703040197	50-338 Q
BELISLE,G.A.	9703040225	50-280 Q
BELISLE,G.A.	9703110295	50-338 Q
BELISLE,G.A.	9703270176	50-395 Q
BELISLE,G.A.	9703280002	50-280 Q
BELISLE,G.A.	9703280007	50-338 Q
BELISLE,G.A.	9703280054	50-395 Q
BELISLE,G.A.	9703280069	50-395 Q
BELL,M.J.	9703270049	WASTE MGT
BELL,W.H.	9703180022	50-395 R
BELLAMY,R.R.	9703030219	40-8794
BELLAMY,R.R.	9703030228*	40-8794
BELLAMY,R.R.	9703050086	40-7924
BELLAMY,R.R.	9703140024	40-8702
BELLAMY,R.R.	9703170047	40-8702
BELLAMY,R.R.	9703210181	70-33
BELLAMY,R.R.	9703280055	40-*****
BELLAMY,R.R.	9703280063*	40-*****
BELLAMY,R.R.	9703280072	40-8980
BELLAMY-GRAHAM	9703240109	CONTRACT
BELLES,T.D.	9703100020	50-387 R
BELMORE,N.	9703050484*	STATE PRO G
BEMIS,P.R.	9703100288*	50-397 R
BEMIS,P.R.	9703110003	50-397 R
BEMIS,P.R.	9703170039	50-397 Q
BEMIS,P.R.	9703210322	50-397 S
BEMIS,P.R.	9703250092	50-397 S
BEMIS,P.R.	9703250139	50-397 V
BENKEN,E.	9703280001	50-335 S
BERG,R.E.	9703070030	40-8681
BERG,R.E.	9703140085	40-8681
BERG,R.E.	9703240215	40-8681
BERG,W.L.	9703040011	50-409 R
BERG,W.L.	9703040029	50-409 R
BERGENDAHL,D.M.	9703210315	50-498 R
BERGER,C.D.	9703180209	40-7102
BERGER,C.D.	9703250018*	FOIA
BERGER,C.D.	9703260318	40-7102
BERGHOFF,J.	9703030292*	FOIA
BERKOW,H.N.	9302110121*	50-250 P
BERKOW,H.N.	9302240199*	50-250 P
BERKOW,H.N.	9309080348*	50-389 P
BERKOW,H.N.	9312290116*	50-389 P
BERKOW,H.N.	9703050485	50-348 Q
BERKOW,H.N.	9703070086	50-348 P
BERKOW,H.N.	9703180087*	50-413 P
BERKOW,H.N.	9703210288*	50-424 P
BERKOW,H.N.	9703210326	50-348 P
BERKOW,H.N.	9703240141*	50-369 P
BERKOW,H.N.	9703250153*	50-321 P
BERKOW,H.N.	9703250232*	50-269 P
BERKOW,H.N.	9703250249*	50-321 P
BERKOW,H.N.	9703260264*	50-348 P
BERKOW,H.N.	9703270129*	50-348 P
BERKOW,H.N.	9703270145*	50-348 P
BERLINGER,C.H.	9303310194*	50-335 P
BERLINGER,C.H.	9505020461*	50-389 P
BERLINGER,C.H.	9601250141*	50-389 P
BERNARD,J.A.	9703120157	50-20 P
BERNARD,J.A.	9703200116	50-20 P
BERNHOFT,S.L.	9703110131	50-305 S
BEVERE,E.	9703200352	XPORTLIC
BEZILLA,M.	9703110123	50-354 S
BEZILLA,M.	9703170176	50-354 S
BEZILLA,M.B.	9703190067	50-354 R
BEZILLA,M.B.	9703260269	50-354 R
BIBBY,J.	9703130323	50-213 S
BIBIASIO,A.M.	9307120167*	50-389 P
BIDEN,J.R.	9703030300*	50-311 U
BIDEN,J.R.	9703030309*	50-272 U
BIERMAN,S.R.	9703130136*	72-1023
BIES,M.A.	9703200383	50-373 V
BILANIN,W.	9703280174	TOPREP
BIRK,D.E.	9703100192*	50-482 F
BIRMINGHAM,J.L.	9703040194	TOPREP
BISHOP,R.W.	9703180023	70-3070
BISHOP,R.W.	9703180043*	70-3070
BLACK,S.	9501050342*	FOIA
BLACK,S.C.	9701240005	REVIEW GR P
BLACKBURN,E.W.	9703030348*	FOIA
BLACKBURN,E.W.	9703030353*	FOIA
BLACKBURN,E.W.	9703040008*	FOIA
BLACKBURN,E.W.	9703050189*	FOIA
BLACKBURN,E.W.	9703050320*	FOIA
BLACKBURN,E.W.	9703050338*	FOIA
BLACKWELL,L.H.	9703110031	71-*****
BLACKWELL,L.H.	9703110038*	71-*****
BLAHA,J.L.	9703040271	COMMISSIO N
BLAHA,J.L.	9703120441	COMMISSIO N
BLAHA,J.L.	9703180224	COMMISSIO N
BLANCH,P.	9703260028	COMMISSIO N
BLANCH,P.	9703110266*	50-245 H
BLANCH,P.	9703110269*	50-245 H
BLANCH,P.	9703110270*	ORG
BLANCH,P.	9703110272*	50-213 H
BLANCH,P.	9703110297*	50-245 H
BLANCH,P.	9703110303*	50-309 H
BLANCH,P.	9703110306*	50-245 G
BLANCH,P.	9703110307*	50-213 H
BLANCH,P.	9703110309*	50-309 H
BLANCH,P.	9703120004*	ORG
BLANCH,P.	9703120005*	50-245 H
BLANCH,P.	9703120009*	ORG
BLANCH,P.	9703120015*	ORG
BLANCH,P.	9703120028*	ORG
BLANCH,P.	9703120029*	ORG
BLANCH,P.	9703120050*	50-206 H
BLANCH,P.	9703120064*	ORG
BLANCH,P.	9703120072*	50-245 G
BLANCH,P.	9703120073*	ORG
BLANCH,P.	9703120085*	50-213 H
BLANCH,P.	9703120096*	50-245 H
BLANCH,P.	9703120132*	50-245 G
BLANCH,P.	9703120133*	ORG
BLANCH,P.	9703120146*	50-245 G
BLANCH,P.	9703120151*	ORG
BLANCH,P.	9703120158*	ORG
BLANCH,P.	9703120166*	50-213 H
BLANCH,P.	9703120174*	ORG
BLANCH,P.	9703120178*	ORG
BLANCH,P.	9703120190*	ORG
BLANCH,P.	9703120201*	ORG
BLANCH,P.	9703120206*	ORG
BLANCH,P.	9703120209*	50-362 H
BLANCH,P.	9703120217*	ORG
BLANCH,P.	9703120248*	ORG
BLANCH,P.	9703120260*	ORG
BLANCH,P.	9703120273*	ORG
BLANCH,P.	9703120277*	ORG
BLANCH,P.	9703120357*	50-309 H
BLANCH,P.	9703120376*	50-309 H
BLANCH,P.	9703120386*	ORG
BLANCH,P.	9703120390*	ORG
BLANCH,P.	9703130034*	ORG
BLANCH,P.	9703130041*	50-245 G
BLANCH,P.	9703130059*	ORG
BLANCH,P.	9703130073*	ORG
BLANCH,P.	9703130087*	ORG
BLANCH,P.	9703130101*	ORG
BLANCH,P.	9703130145*	50-245 H
BLANCH,P.	9703130172*	50-245 H
BLANCH,P.	9703130177*	50-245 H
BLANCH,P.	9703130206*	ORG
BLANCH,P.	9703130217*	50-220 H
BLANCH,P.	9703130221*	ORG
BLANCH,P.	9703130223*	ORG
BLANCH,P.	9703130227*	ORG
BLANCH,P.	9703130240*	50-309 H
BLANCH,P.	9703130247*	50-245 H
BLANCH,P.	9703130302*	50-213 H
BLANCH,P.	9703130320*	50-309 H
BLANCH,P.	9703130333*	50-245 H
BLANCH,P.	9703130343*	50-309 H
BLANCH,P.	9703130348*	ORG
BLANCH,P.	9703130352*	ORG
BLANCH,P.	9703130355*	50-245 H
BLANCH,P.	9703130363*	50-237 H
BLANCH,P.	9703130372*	50-309 H
BLANCH,P.	9703130375*	50-309 H
BLANCH,P.	9703130385*	50-206 H
BLANCH,P.	9703130400*	50-206 H
BLANCH,P.	9703130406*	ORG
BLANCH,P.	9703130410*	50-245 H
BLANCH,P.	9703130411*	ORG
BLANCH,P.	9703130423*	50-206 H
BLANCH,P.	9703130425*	ORG
BLANCH,P.M.	9703050504*	50-309 H
BLANCH,P.M.	9703120289*	ORG
BLANCHAT,T.K.	9703170250	50-317 P
BLANTON,R.	9703190174	STATE PRO G
BLANTON,R.L.	9703190381	STATE PRO G
BLIND,A.A.	9703040253	50-315 S
BLIND,A.A.	9703120048	50-315 S
BLOCH,P.B.	9703060077	50-250 G
BLOCH,P.B.	9703140054	50-250 G
BLOOM,S.D.	9703030349	50-275 P
BLOOM,S.D.	9703040065	50-275 F
BLOOM,S.D.	9703120446	50-275 P
BLOOM,S.D.	9703130291	50-275 P
BLOOM,S.D.	9703130395	50-275 Q
BLOOM,S.D.	9703200292	50-275 P
BLOOM,S.D.	9703280305	50-275 P
BLOUNT,R.E.	9703040187*	FOIA
BLUBAUGH,R.E.	9703050300	40-3453
BLUBAUGH,R.E.	9703050303	40-3453
BLUBAUGH,R.E.	9703260195	40-3453
BLUBAUGH,R.E.	9703260201	40-3453
BOGER,B.A.	9409220214*	50-335 Q
BOGER,B.A.	9703120173*	50-335 Q
BOLAND,A.	9703100090*	50-335 P
BOLLING,L.	9703190314	STATE PRO G
BOLLING,L.A.	8203050543*	NUREG
BOLLWERK,G.P.	9703140038	40-3453
BOLLWERK,G.P.	9703140050	50-461 G
BOND,R.T.	9703070059	50-270 S
BOND,R.T.	9703070062	50-270 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BONSER,B.	9703100039*	FOIA
BORDINE,T.C.	9703120023	50-255 P
BORDINE,T.C.	9703120141	50-255 Q
BORDINE,T.C.	9703180218	50-155 H
BORDINE,T.C.	9703180222	50-255 P
BORDINE,T.C.	9703200117	50-255 P
BORDINE,T.C.	9703240181	50-255 P
BORST,F.J.	9703050509	50-267 W
BORST,F.J.	9703060136	50-267 W
BORST,F.J.	9703070022	50-267 R
BORST,F.J.	9703070026*	50-267 R
BORST,F.J.	9703170208	50-267 R
BORST,F.J.	9703240120	50-267 W
BORST,F.J.	9703240128	50-267 W
BORST,F.J.	9703280134	50-267 F
BOTHNE,D.	9703250034*	50-293 Q
BOTHNE,D.	9703250038*	50-293 Q
BOULETTE,E.T.	9703070005	50-293 S
BOULETTE,E.T.	9703070061	50-293 R
BOULETTE,E.T.	9703070170	50-293 Q
BOULETTE,E.T.	9703070178	50-293 P
BOULETTE,E.T.	9703070180	50-293 P
BOULETTE,E.T.	9703170024	50-293 P
BOULETTE,E.T.	9703190094	50-293 S
BOULETTE,E.T.	9703200132	50-293 P
BOULETTE,E.T.	9703250033	50-293 Q
BOULETTE,E.T.	9703250226	50-293 S
BOULETTE,E.T.	9703070006	50-293 S
BOURASSA,M.D.	9703050162	50-155 S
BOWEN,T.E.	8903170426*	FOIA
BOWEN,T.E.	9703030516*	FOIA
BOWEN,T.E.	9703030523*	FOIA
BOWEN,T.E.	9703040403*	FOIA
BOWLING,M.L.	9703030252	50-336 P
BOWLING,M.L.	9703040053	50-336 P
BOWLING,M.L.	9703110100	50-336 R
BOWLING,M.L.	9703130345	50-336 P
BOWLING,M.L.	9703140152	50-336 Q
BOWLING,M.L.	9703190078	50-336 P
BOWLING,M.L.	9703280025	50-336 Q
BOWYER,J.E.	9703030214*	FOIA
BOWYER,J.E.	9703030340*	FOIA
BOWYER,J.E.	9703030357*	FOIA
BOWYER,J.E.	9703040018*	FOIA
BOWYER,J.E.	9703040354*	FOIA
BOWYER,J.E.	9703040366*	FOIA
BOWYER,J.E.	9703040388*	FOIA
BOWYER,J.E.	9703050048*	FOIA
BOWYER,J.E.	9703050098*	FOIA
BOWYER,J.E.	9703050102*	FOIA
BOWYER,J.E.	9703050109*	FOIA
BOWYER,J.E.	9703050119*	FOIA
BOWYER,J.E.	9703050131*	FOIA
BOWYER,J.E.	9703050140*	FOIA
BOWYER,J.E.	9703050147*	FOIA
BOWYER,J.E.	9703050157*	FOIA
BOWYER,J.E.	9703050160*	FOIA
BOWYER,J.E.	9703050181*	FOIA
BOWYER,J.E.	9703050184*	FOIA
BOWYER,J.E.	9703050216*	FOIA
BOWYER,J.E.	9703050332*	FOIA
BOWYER,J.E.	9703060391*	FOIA
BOYCE,R.W.	9703030010	50-352 S
BOYCE,R.W.	9703040119	50-352 S
BOYCE,R.W.	9703040273	50-352 R
BOYCE,R.W.	9703040278*	50-352 R
BOYCE,R.W.	9703040286*	50-352 R
BOYCE,R.W.	9703050010	50-352 R
BOYCE,R.W.	9703120145	50-352 S
BOYCE,R.W.	9703180049	50-353 S
BOYCE,R.W.	9703190048	50-352 S
BOYCE,R.W.	9703190059	50-353 S
BOYCE,R.W.	9703190087	50-353 S
BOYCE,R.W.	9703190105	50-353 S
BRACH,E.W.	9703100138*	FOIA
BRACH,W.E.	9703100032*	FOIA
BRACH,W.E.	9703100059*	50-261 P
BRACK,S.	9703270099*	50-309 P
BRADFUTE,J.	9703190400*	50-327 P
BRASSART,G.A.	9703210285*	50-334 P
BRENNAN,N.	9703280296*	50-295 S
BRENNAN,N.M.	9703280361*	50-295 S
BRESELL,R.R.	8707290342*	FOIA
BRESELL,R.R.	8906090030*	FOIA
BRESELL,R.R.	9703030401*	FOIA
BRIENT,R.D.	9703130194*	WASTE MGT
BRINKMAN,D.S.	9703030500	50-334 P
BRINKMAN,D.S.	9703170175*	50-388 P
BRINKMAN,R.E	9702270218*	FOIA
BRINKMEYER,M.D.	9703100192*	50-482 F
BROCCOUM,S.J.	9703260290	WASTE MGT
BROCKMAN,K.E.	9703030111	50-482 Q
BROCKMAN,K.E.	9703030455	50-298 Q
BROCKMAN,K.E.	9703040054	50-482 Q
BROCKMAN,K.E.	9703050231	50-313 Q
BROCKMAN,K.E.	9703060089	50-285 Q
BROCKMAN,K.E.	9703060099	50-445 Q
BROCKMAN,K.E.	9703060141	50-482 Q
BROCKMAN,K.E.	9703060243	50-483 Q
BROCKMAN,K.E.	9703060263	50-458 F
BROCKMAN,K.E.	9703060266	50-285 F
BROCKMAN,K.E.	9703070109	50-344 F
BROCKMAN,K.E.	9703070114	50-298 Q
BROCKMAN,K.E.	9703070118	50-397 F
BROCKMAN,K.E.	9703070149	50-445 Q
BROCKMAN,K.E.	9703110148	50-397 Q
BROCKMAN,K.E.	9703110227	50-445 Q
BROCKMAN,K.E.	9703110253	50-361 Q
BROCKMAN,K.E.	9703170054	50-298 F
BROCKMAN,K.E.	9703170094	50-528 Q
BROCKMAN,K.E.	9703170096	50-528 P
BROCKMAN,K.E.	9703200120	50-528 F
BROCKMAN,K.E.	9703210081	50-458 Q
BROCKMAN,K.E.	9703240018	50-482 Q
BRODERICK,M.	9703070009	40-8027
BRONS,J.C.	9703030478	50-237 R
BRONS,J.C.	9703040306	50-10 F
BROTHERS,M.H.	9703070186	50-423 P
BROTHERS,M.H.	9703070204	50-423 P
BROTHERS,M.H.	9703110064	50-423 R
BROTHERS,M.H.	9703110285	50-423 P
BROTHERS,M.H.	9703110285	50-423 P
BROTHERS,M.H.	9703260115	50-423 P
BROTHERS,M.H.	9703280219	50-423 P
BROTT,N.K.	9703070094	50-255 F
BROTT,N.K.	9703120021	50-255 F
BROTT,N.K.	9703120058	50-255 F
BROTT,N.K.	9703120063	50-255 F
BROTT,N.K.	9703120065	50-255 F
BROTT,N.K.	9703120069	50-255 F
BROTT,N.K.	9703120074	50-255 F
BROWN,B.W.	9412090219*	50-389 P
BROWN,B.W.	9504040251*	50-389 P
BROWN,B.W.	9504040254*	50-389 P
BROWN,B.W.	9504170005*	50-389 P
BROWN,G.	9703040031*	FOIA
BROWN,G.D.	7903080195*	FOIA
BROWN,G.D.	9703030221*	FOIA
BROWN,G.D.	9703040022*	FOIA
BROWN,G.D.	9703040036*	FOIA
BROWN,G.D.	9703040160*	FOIA
BROWN,G.D.	9703040174*	FOIA
BROWN,G.D.	9703050041*	FOIA
BROWN,G.D.	9703050089*	FOIA
BROWN,R.M.	9703250238	50-390 S
BROWN,S.C.	9703180035	50-155 F
BROWN,W.	9703130397	REGGD
BROWN,W.J.	9703270264*	50-286 P
BROWNELL,G.J.	9703030374	50-333 S
BROWNLEE,R.E.	9703250092	50-397 S
BROZAK,D.E.	9703120448*	50-445 P
BRUCE,A.L.	9703190018*	50-296 P
BRUNET,J.R.	9703060216	50-255 F
BRUNET,J.R.	9703070091	50-255 F
BRUNET,J.R.	9703070094	50-255 F
BRUNET,J.R.	9703120021	50-255 F
BRUNET,J.R.	9703120058	50-255 F
BRUNET,J.R.	9703120063	50-255 F
BRUNET,J.R.	9703120065	50-255 F
BRUNET,J.R.	9703120069	50-255 F
BRUNET,J.R.	9703120074	50-255 F
BRUNET,J.R.	9703120135	50-255 F
BRUST,F.W.	9703100252	NUREG
BUCHANAN,C.R.	9703030456*	FOIA
BUCHANAN,C.R.	9703040385*	FOIA
BUCKLEY,B.C.	9703130269	50-289 P
BUCKLEY,B.C.	9703180153	50-289 P
BUCKLEY,J.T.	9703260267	70-133
BUDNICK,E.K.	9703250005*	50-528 P
BULL,J.M.	9703030416*	FOIA
BULL,J.M.	9703030438*	FOIA
BURGOS,B.N.	9703040246*	50-324 P
BURKS,J.D.	9703030189*	FOIA
BURKS,J.D.	9703030399*	FOIA
BURNS,S.G.	9703100206*	FOIA
BURNS,W.	9703260156	50-373 S
BUSCH,R.D.	9703190101	50-252 P
BUSHNELL,J.	9703050263	50-390 S
BYRAM,R.G.	9703030499	50-388 P
BYRAM,R.G.	9703070184	50-387 R
BYRAM,R.G.	9703100005	50-387 Q
BYRAM,R.G.	9703140119	50-387 R
BYRAM,R.G.	9703190072	50-387 Q
BYRAM,R.G.	9703190155	50-387 Q
BYRAM,R.G.	9703190156	50-387 Q
BYRAM,R.G.	9703190157	50-387 P
BYRAM,R.G.	9703190239	50-388 P
BYRAM,R.G.	9703190242*	50-388 P
BYRAM,R.G.	9703240210	50-387 R
BYRAM,R.G.	9703250007	50-388 P
BYRAM,R.G.	9703250011	50-387 P
BYRAM,R.G.	9703250046	50-387 Q
BYRAM,R.G.	9703250049	50-387 P
BYRAM,R.G.	9703270240	50-387 P
BYRAM,R.G.	9703280232	50-387 Q
BYRAM,R.G.	9703280235	50-387 P
BYRD,R.W.	9703130090	50-382 K
BYRNE,M.	9703050364*	FOIA
BYRNE,M.	9703050370*	FOIA
BYRNE,M.	9703050372*	FOIA
BYRNE,M.	9703050377*	FOIA
CAIN,C.L.	8506260241*	FOIA
CAIN,C.L.	8602120302*	FOIA
CAIN,C.L.	8602120321*	FOIA
CAIN,C.L.	8607170477*	FOIA
CAIN,C.L.	8612110230*	FOIA
CAIN,C.L.	8612110232*	FOIA
CAIN,C.L.	8709040478*	FOIA
CAIN,C.L.	8710050236*	FOIA
CAIN,C.L.	8711200338*	FOIA
CAIN,C.L.	8903170421*	FOIA
CAIN,C.L.	9201140166*	FOIA
CAIN,C.L.	9703100016	40-8905
CAIN,C.L.	9703120025	40-8904
CALDWELL,J.	9703030099	50-456 Q
CALDWELL,J.	9703200214	50-263 Q
CALDWELL,J.L.	9703030061	50-456 Q
CALDWELL,J.L.	9703030071	50-254 Q
CALDWELL,J.L.	9703030112	50-255 Q
CALDWELL,J.L.	9703030284	50-315 Q
CALDWELL,J.L.	9703050052	50-461 Q
CALDWELL,J.L.	9703050194	50-346 Q
CALDWELL,J.L.	9703050215	50-282 Q
CALDWELL,J.L.	9703050238	50-155 Q
CALDWELL,J.L.	9703060440	50-266 Q
CALDWELL,J.L.	9703190352	50-461 Q
CALDWELL,J.L.	9703200178	50-282 Q
CALDWELL,J.L.	9703200290	50-331 Q
CALDWELL,J.L.	9703260259	50-295 Q
CALFA,L.	9703100271	50-373 R
CALLAN,L.J.	9204130001*	FOIA
CALLAN,L.J.	9703030248	COMMISSION
CALLAN,L.J.	9703030330	REVIEW GR P
CALLAN,L.J.	9703040329	52-3
CALLAN,L.J.	9703050311	SECY
CALLAN,L.J.	9703070146	SECY
CALLAN,L.J.	9703100221*	50-267 Q
CALLAN,L.J.	9703100229*	50-267 Q
CALLAN,L.J.	9703100242*	50-267 Q
CALLAN,L.J.	9703110171	50-528 Q
CALLAN,L.J.	9703130349	50-309 P
CALLAN,L.J.	9703250090	COMMISSION
CALLAN,L.J.	9703250105	70-33
CALLAN,L.J.	9703250138	SECY
CALVO,J.A.	9611040312*	50-335 P
CAMERON,J.	9703260230	I&E
CAMMENGA,J.A.	9703060038	PR
CAMP,B.	9703120404	50-461 S
CAMPBELL,A.	9703130095	CONTRACT
CAMPBELL,C.C.	9703140076	50-282 H
CAMPBELL,J.B.	9703030139*	FOIA
CAMPBELL,J.B.	9703040375*	FOIA
CAMPBELL,J.S.	9703070172	50-302 S
CAMPBELL,P.L.	9703190164	I&E
CAMPBELL,V.H.	9008140497*	FOIA
CAMPBELL,V.H.	9204230296*	FOIA
CAMPBELL,V.H.	9703030260*	FOIA
CAMPBELL,V.H.	9703030412*	FOIA
CAMPBELL,V.H.	9703040402*	FOIA
CAMPBELL,V.H.	9703050244*	FOIA
CAMPBELL,W.R.	9703040084	50-324 V
CAMPBELL,W.R.	9703040242	50-324 P
CAMPBELL,W.R.	9703070195	50-324 P
CAMPBELL,W.R.	9703130325	50-324 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CAMPBELL,W.R.	9703200095	50-324 K
CAMPBELL,W.R.	9703240139	50-324 P
CAMPBELL,W.R.	9703260328	50-324 P
CAMPBELL,W.R.	9703260335	50-324 P
CAMPER,L.W.	9703030404*	FOIA
CAMPI,F.A.	9703030311*	FOIA
CAMPITELLI,A.	9703060452	40-9027
CANIANO,R.J.	9703130054	70-36
CANIANO,R.J.	9703130160	40-7604
CANIANO,R.J.	9703200173	40-8805
CANNON,R.L.	9703180196	50-293 R
CANNON,R.L.	9703190094	50-293 S
CAPRA,R.A.	9703170202*	50-454 P
CAPRA,R.A.	9703260181	50-373 Q
CARNESI,D.	9703040096	50-213 S
CAROCCIO,C.	9703190085	50-410 R
CARPENTER,C.E.	9703280435	TOPREP
CARR,C.W.	9703260242	70-1201
CARRICO,B.	9703050394*	FOIA
CARRICO,J.B.	9703050304*	FOIA
CARRICO,J.B.	9703050381*	FOIA
CARRICO,J.B.	9703050398*	FOIA
CARRICO,J.B.	9703050404*	FOIA
CARRION,R.	9703210234	50-321 S
CARSTEN,A.L.	9703100224	NUREG
CARSTENS,D.	9703210353*	50-263 Q
CASHWELL,R.J.	9703140167	50-156 P
CASTELL,C.A.	9703250061	50-266 S
CASTO,C.	9703270204	50-269 Q
CASTO,C.	9703280008	50-269 Q
CATCHPOLE,T.W.	9703040258	50-302 S
CATCHPOLE,T.W.	9703050040	50-302 S
CATCHPOLE,T.W.	9703210110	50-302 S
CAVES,H.A.	9703190248	STATE PRO G
CELLAN,R.R.	9703060282	40-8903
CELLAN,R.R.	9703060286	40-8903
CHAFFEE,A.E.	9501130149*	50-250 P
CHAFFEE,A.E.	9703190253*	50-295 S
CHAPPELL,C.R.	9703050309	71-9081
CHAPPELL,C.R.	9703130288	71-6206
CHAPPELL,C.R.	9703130292	71-9010
CHAPPELL,C.R.	9703130321	71-9157
CHAPPELL,C.R.	9703130332	71-9145
CHAPPELL,C.R.	9703130341	71-9033
CHAPPELL,C.R.	9703190232	71-5894
CHAPPELL,C.R.	9703190245	71-9258
CHAPPELL,C.R.	9703190322	71-6294
CHAPPELL,C.R.	9703190363	71-6553
CHAPPELL,C.R.	9703190364*	71-6553
CHAPPELL,C.R.	9703270261	71-9932
CHAPPELL,C.R.	9703270262*	71-9932
CHAPPELL,C.R.	9703270290	71-9932
CHAPPELL,C.R.	9703270292	71-9148
CHAPPELL,C.R.	9703270295*	71-9148
CHATTERTON,M.S.	9505180454*	50-335 P
CHEN,J.C.	9703110056	40-8989
CHEN,J.C.	9703120417	40-6659
CHEN,J.C.	9703120421*	40-6659
CHENEY,G.	9703190360	PR
CHENG,H.S.	9703200285	NUREG
CHERNOFF,H.K.	9703030487	50-261 P
CHERNOFF,H.K.	9703060133	50-261 P
CHERRY,J.	9703050125*	50-413 Q
CHIN,B.A.	9703140155*	TOPREP
CHIRAMAL,M.	9410040303*	50-335 Q
CHOE,W.G.	9703120448*	50-445 P
CHOTOO,S.	9703210180	70-1257
CHOTOO,S.D.	9703100164	70-36
CHRISTENSEN,H.	9703110122	50-261 Q
CHRISTENSEN,H.	9703110151	50-327 Q
CHRISTIAN,D.A.	9703260311	50-281 S
CHRISTIAN,D.A.	9703260334	50-280 S
CHRISTOPHER,S	9703170223	50-413 F
CLARK,A.	9703170076*	50-387 S
CLARK,K.	9703130196*	FOIA
CLARK,R.J.	9703110265	50-245 G
CLARK,R.J.	9703120003	ORG
CLAXTON,G.H.	9703100265*	FOIA
CLAXTON,G.H.	9703100270*	FOIA
CLAYTON,C.J.	9703030535*	FOIA
CLAYTON,C.J.	9703040176*	FOIA
CLAYTON,C.J.	9703040181*	FOIA
CLAYTON,C.J.	9703040183*	FOIA
CLAYTON,C.J.	9703050286*	FOIA
CLAYTON,O.	9703110009	50-285 F
CLAYTON,Q.	9703190207*	50-285 F
CLAYTON,Q.	9703260234*	50-285 F
CLEARY,T.	9703200085	50-213 S
CLEMENT,R.F.	9703030128	40-8968
CLEMENT,R.F.	9703030132	40-8968
CLIFFORD,J.W.	9703040069	50-528 F
CLIFFORD,J.W.	9703060326	50-528 P
CLIFFORD,J.W.	9703130295	50-528 P
CLIFFORD,J.W.	9703130300*	50-528 P
CLIFFORD,J.W.	9703130403	50-528 F
CLIFFORD,J.W.	9703240166	50-528 P
CLIFFORD,J.W.	9703240168*	50-528 P
CLIFFORD,J.W.	9703250158	50-528 P
CLIFFORD,J.W.	9703250160*	50-528 P
CLIFFORD,J.W.	9703260237	50-528 P
CLIKEMAN,F.M.	9703260210	50-182 R
CLONINGER,T.H.	9703200080	50-498 F
CLONINGER,T.H.	9703240108	50-498 P
CLONINGER,T.H.	9703280445	50-498 P
CLOUD,P.D.	9703130350	40-8838
COCKREL,R.G.	9703260145*	50-445 P
CODDINGTON,C.T.	9703100002	50-387 S
CODDINGTON,C.T.	9703110211	50-387 S
CODDINGTON,C.T.	9703260002	50-388 S
COFFMAN,F.	9703200170	NUREG
COFFMAN,F.	9703280357	NUREG
COHOE,B.	9703280164	40-8907
COLBURN,T.G.	9703040057	50-397 F
COLBURN,T.G.	9703130023	50-397 P
COLBURN,T.G.	9703180070	50-397 P
COLBURN,T.G.	9703180071*	50-397 P
COLBURN,T.G.	9703180074*	50-397 P
COLBURN,T.G.	9703280331	50-397 P
COLE,R.F.	9703140066	70-3070
COLEMAN,D.E.	9703190076	50-220 R
COLEY,W.E.	9703240179	50-275 R
COLLINS,D.J.	9703040190	STATE PRO G
COLLINS,D.J.	9703040195*	STATE PRO G
COLLINS,D.J.	9703040212*	STATE PRO G
COLLINS,D.J.	9703280015	STATE PRO G
COLLINS,K.	9703190397	STATE PRO G
COLLINS,S.C.	9703060358	WASTE MGT
COLLINS,S.J.	9703040007	50-338 H
COLLINS,S.J.	9703100036	50-255 G
COLLINS,S.J.	9703100038*	50-255 G
COLLINS,S.J.	9703100057*	50-255 G
COLLINS,S.J.	9703120362	52-3
COLLINS,S.J.	9703120400*	50-344 W
COLLINS,S.J.	9703130284	PROJ
COLLINS,S.J.	9703140127	50-245 P
COLLINS,S.J.	9703140135*	50-313 P
COLLINS,S.J.	9703190355*	50-461 P
COLLINS,S.J.	9703200367*	50-72 W
COLLINS,S.J.	9703270158*	50-271 F
COLLINS,S.J.	9703270254*	50-309 H
COLLINS,T.E.	9404070312*	50-250 P
COLOMB,M.J.	9703030374	50-333 S
COLOMB,M.J.	9703030381	50-333 S
COLOMB,M.J.	9703040184	50-333 Q
COLOMB,M.J.	9703050018*	50-333 R
COLOMB,M.J.	9703050033	50-333 R
COLOMB,M.J.	9703140108	50-333 Q
COLOMB,M.J.	9703140166	50-333 Q
COLOMB,M.J.	9703180032	50-333 R
COLOMB,M.J.	9703190123	50-333 P
COLOMB,M.J.	9703210104	50-333 S
COLOMB,M.J.	9703260192	50-333 P
COMFORT,G.C.	9703100178	PROJ
CONDREY,D.	9703170031	70-1252
CONGEL,F.J.	9703130388	ORG
CONICELLA,N.	9703240182	50-272 R
CONICELLA,N.	9703240185	50-311 R
CONNELL,W.	9703060024	50-461 S
CONNELL,W.	9703060182	50-461 S
CONNELL,W.	9703110007	50-461 Q
CONNELL,W.	9703110084	50-461 S
CONNELL,W.	9703180190	50-461 S
CONNELL,W.	9703200207	50-461 P
CONNELL,W.	9703250077	50-461 S
CONNER,J.A.	9703180185	70-27
CONNER,J.A.	9703280272	70-27
CONRAN,J.	9703210076*	FOIA
CONRAN,J.	9703210086*	FOIA
CONRAN,J.	9703210093*	FOIA
CONRAN,J.	9703210097*	FOIA
CONRAN,J.	9703210100*	FOIA
CONRAN,J.	9703210108*	FOIA
CONRAN,J.	9703210112*	FOIA
CONRAN,J.	9703210119*	FOIA
CONRAN,J.	9703210125*	FOIA
CONRAN,J.	9703210128*	FOIA
CONRAN,J.	9703210129*	FOIA
CONRAN,J.H.	9703210063*	FOIA
CONROY,P.	9703030497*	50-286 S
CONTE,R.	9703240008	50-309 Q
CONTE,R.	9703280023	50-293 Q
CONTE,R.J.	9703120127	50-271 Q
CONTE,R.J.	9703140042	50-309 Q
CONWAY,J.T.	9703030531	50-410 S
CONWAY,J.T.	9703070108	50-410 S
CONWAY,J.T.	9703070194	50-410 S
CONWAY,J.T.	9703190085	50-410 R
CONWAY,J.T.	9703210302	50-410 S
COOL,D.A.	9611290077*	FOIA
COOL,D.A.	9612190430*	STATE PRO G
COOL,D.A.	9612240274*	FOIA
COON,H.M.	9703200021	50-400 R
COOPER,R.W.	9703030148	50-387 Q
COOPER,R.W.	9703030165	50-334 Q
CORTEZ,J.L.	9703200244	ORG
CORTEZ,J.L.	9703250120	ADVCM
CORTEZ,J.L.	9703250130*	ADVCM
COTTER,B.P.	9703060061	40-8968
COTTER,B.P.	9703060061	40-8968
COTTER,B.P.	9703140060	50-461 G
COTTON,K.R.	9703180075	50-333 P
COWAN,J.P.	9703130351	50-302 Q
COWAN,J.P.	9703190064	50-302 P
COWAN,J.P.	9703240198	50-302 P
COWAN,J.P.	9703240207	50-302 Q
COWAN,J.P.	9703260261	50-302 P
COWAN,J.P.	9703280303	50-302 F
COWAN,J.P.	9703280427	50-302 Q
COWGILL,C.J.	9703040048	50-333 Q
COWGILL,C.J.	9703050066	50-247 Q
COWGILL,C.J.	9703240025	50-286 Q
COWGILL,C.J.	9703280340	50-333 Q
COWGILL,H.F.	9703030259*	FOIA
COWGILL,H.F.	9703050116*	FOIA
COWGILL,H.F.	9703050174*	FOIA
COWGILL,H.F.	9703050209*	FOIA
COWGILL,H.F.	9703050327*	FOIA
COWGILL,H.F.	9703050349*	FOIA
COWGILL,H.F.	9703060375*	FOIA
COWGILL,H.J.	9703030124*	FOIA
COX,D.	9703240109	CONTRACT
CRAFT,F.R.	9703140088	40-8698
CRAFT,J.L.	8008190415*	FOIA
CRAFT,J.L.	8506260244*	FOIA
CRAFT,J.L.	9703040199*	FOIA
CRAIG,C.M.	9703040142	50-269 P
CRAIG,C.M.	9703070072	TOPREP
CRAIG,C.M.	9703170174	50-269 P
CRAIG,C.M.	9703210253	TOPREP
CRAIG,C.M.	9703250106	TOPREP
CRAIG,C.M.	9703250167	50-317 P
CRAIG,C.M.	9703260019	TOPREP
CRAIG,C.M.	9703270162	50-317 P
CRANE,C.M.	9703040223	50-259 Q
CRANE,C.M.	9703110004	50-259 R
CRANE,C.M.	9703120079	50-259 S
CRANE,C.M.	9703170108	50-296 Q
CRANFORD,G.F.	9703050261	40-3453
CRANFORD,G.F.	9703060382	ORG
CRANFORD,G.F.	9703060384*	ORG
CRANFORD,G.F.	9703060422	ORG
CRANFORD,G.F.	9703110254	ORG
CREED,J.R.	9703170210	50-305 F
CREED,J.R.	9703190337	50-461 F
CREED,J.R.	9703270263	50-454 F
CROTEAU,R.P.	9703050512	50-250 P
CROTEAU,R.P.	9703280298	50-250 F
CRUSE,C.H.	9703040079	50-317 P
CRUSE,C.H.	9703060271	50-317 P
CRUSE,C.H.	9703100097	50-318 P
CRUSE,C.H.	9703110130	50-317 P
CRUSE,C.H.	9703120388	50-317 F
CRUSE,C.H.	9703190111	50-317 P
CRUSE,C.H.	9703210048	50-317 P
CRUSE,C.H.	9703250183	50-317 J
CRUSE,C.H.	9703280385	50-317 P
CULLINGS,H.M.	9703030274*	FOIA
CUNNINGHAM,L.J.	9307130155*	50-335 P
CUNNINGHAM,L.J.	9309090092*	50-335 P
CUNNINGHAM,L.J.	9310040329*	50-335 P
CUNNINGHAM,L.J.	9703260176	50-413 F
CUNNINGHAM,M.	9509200184*	50-335 V
CURET,H.D.	9703040380	TOPREP
CURET,H.D.	9703060035	I&E

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CURET,H.D.	9703190071	TOPREP
CURETON,J.A.	9703260169	71-770
CURRAN,D.	9703060084	40-8027
CURRAN,D.	9703060084	40-8027
CURRAN,D.	9703100025*	FOIA
CURRAN,D.	9703100040*	50-443 P
CURRAN,D.	9703140058	40-8968
CURRAN,D.	9703140058	40-8968
CWALINA,G.C.	9703250094	TOPREP
CYGAN,J.	9703200125	50-295 R
DACIMO,F.	9703050138	50-373 R
DACIMO,F.	9703050460	50-373 S
DACIMO,F.	9703060101	50-373 R
DACIMO,F.	9703060274	50-373 S
DACIMO,F.	9703100267	50-373 S
DACIMO,F.	9703100271	50-373 R
DACIMO,F.	9703260146	50-373 S
DACIMO,R.	9703260156	50-373 S
DAKOTAS,R.S.	9703060014	STATE PRO G
DALE,J.	9703180047	50-206 F
DANDOIS,D.B.	9703270006	70-1100
DANIEL,R.	9703180234*	50-296 Q
DANIELS,R.G.	9703030140*	FOIA
DANIELS,R.G.	9703030177*	FOIA
DANIELS,R.G.	9703030261*	FOIA
DANIELS,R.G.	9703030319*	FOIA
DANIELS,R.G.	9703040012*	FOIA
DAO,T.V.	9703190057	50-302 R
DAPAS,M.L.	9703260198	50-295 P
DARKE,J.	9703140035	40-3453
DARKE,J.F.	9703140062	40-3453
DARKE,J.F.	9703180051	40-3453
DAVENPORT,J.W.	9703200340	50-259 R
DAVIS,E.M.	9703110078	71-18
DAVIS,J.	9703030245*	FOIA
DAVIS,J.R.	9703170151*	70-1201
DAVIS,R.	9703100047*	FOIA
DAVIS,R.E.	9703170247	NUREG
DAY,C.E.	8903170425*	FOIA
DAY,C.E.	9703030449*	FOIA
DAY,C.E.	9703030528*	FOIA
DAY,C.E.	9703040400*	FOIA
DAY,C.E.	9703050175*	FOIA
DE AGAZIO,A.W.	9703030382	50-443 P
DE AGAZIO,A.W.	9703070107	50-443 P
DE AGAZIO,A.W.	9703130374	50-443 Q
DE AGAZIO,A.W.	9703170181	50-443 P
DEAN,R.J.	9703030531	50-410 S
DEAN,R.J.	9703210302	50-410 S
DEAN,W.M.	9703250093	REVIEW GR P
DECKER,T.R.	9703110118	27-47
DEES,D.L.	9703100192*	50-482 F
DEFFER,P.A.	7904210453*	FOIA
DEKRAFFT,J.A.	9703050336	STATE PRO G
DELAWRENCE,J.	9703040080*	50-213 Q
DELEO,F.R.	9703040016*	FOIA
DELEO,F.R.	9703040134*	FOIA
DELEO,F.R.	9703050226*	FOIA
DELEO,F.R.	9703050233*	FOIA
DELLIGATTI,M.	9703030326	72-1014
DELLIGATTI,M.S.	9703030520	71-9261
DELLIGATTI,M.S.	9703270094	71-9261
DELLIGATTI,M.S.	9703270298	71-9261
DEMARK,W.E.	9703120041	50-461 R
DEMBEK,S.	9703190162	50-245 P
DEMBEK,S.	9703190165*	50-245 P
DEMBEK,S.	9703190212	50-213 W
DEMBEK,S.	9703190213*	50-213 W
DEMBEK,S.	9703190266	50-213 W
DEMBEK,S.	9703190279*	50-213 W
DEMING	9703100003	XPORTLIC
DEMING	9703260119	XPORTLIC
DENIO,L.L.	9703030074	72-1
DEPUYDT,M.B.	9703210143	50-315 S
DESAI,K.	9305270264*	50-335 P
DEWEASE,J.G.	9703240205	50-313 P
DIAZ,N.J.	9703140163*	COMMISSIO N
DIAZ,N.J.	9703180251*	COMMISSIO N
DIAZ,N.J.	9703260333*	COMMISSIO N
DIAZ,N.J.	9703270079*	COMMISSIO N
DIAZ,N.J.	9703280257*	COMMISSIO N
DIAZ,N.J.	9703280378*	ORG
DIBBLEE,M.	9703190315	STATE PRO G
DICK,G.F.	9703170200	50-454 P
DICK,G.F.	9703210190	50-456 Q
DICK,G.F.	9703240127	50-454 P
DICUS,G.J.	9703140162*	COMMISSIO N
DICUS,G.J.	9703180245*	COMMISSIO N
DICUS,G.J.	9703260329*	COMMISSIO N
DICUS,G.J.	9703270078*	COMMISSIO N
DICUS,G.J.	9703280253*	COMMISSIO N
DIERCKS,D.R.	9703100272	NUREG
DIETZ,R.L.	9703270101	50-335 S
DIMMERY,T.	9703190125	50-369 R
DIMMERY,T.	9703190137	50-413 R
DIMMERY,T.	9703190145	50-269 R
DIPALO,A.J.	8908110256	ORG
DIRKS,K.R.	9703040026*	FOIA
DIRKS,W.J.	9703040100*	FOIA
DOCTOR,S.R.	9703100220	50-280 Q
DODD,B.	9703180182	50-243 P
DODD,B.	9703180197	50-243 Q
DOERFLEIN,L.T.	9703040192	50-317 Q
DOERFLEIN,L.T.	9703050272	50-220 Q
DOERFLEIN,L.T.	9703070133	50-317 Q
DOERFLEIN,L.T.	9703100106	50-220 Q
DOIRON,J.E.	9703050310	40-3453
DOLAN,B.	9703180232	50-369 F
DOLCE,K.	9703050371*	NUREG
DONAHUE,J.W.	9703070191	50-400 S
DONAHUE,J.W.	9703140100	50-400 S
DONAHUE,J.W.	9703240125	50-400 S
DONAHUE,J.W.	9703240197	50-400 R
DONNELL,A.J.	9703190043	PT21
DONNELLY,P.M.	9703050020	50-155 P
DONOHEW,J.N.	9703030053	50-416 P
DONOHEW,J.N.	9703060041	50-416 P
DONOHEW,J.N.	9703070161	50-416 P
DONOHEW,J.N.	9703140175	TOPREP
DONOHEW,J.N.	9703170178	50-313 P
DONOVAN,K.P.	9703060368	TOPREP
DONOVAN,K.P.	9703110158	TOPREP
DONOVAN,K.P.	9703280263	TOPREP
DOOLEY,L.M.	9703060432*	50-213 V
DORMAN,D.H.	9703130371	50-309 H
DORMAN,D.H.	9703170129	50-309 P
DORMAN,D.H.	9703170131	50-309 Q
DORMAN,D.H.	9703180076	50-309 P
DORMAN,D.H.	9703270089	50-309 P
DOUGHER,J.D.	9703240237	50-219 R
DOUGHTY,J.	9703270258*	50-309 H
DOYLE,P.V.	9703060147	50-2 V
DOYLE,S.T.	9703240042*	TOPREP
DOYLE,S.T.	9703240048*	TOPREP
DOYLE,S.T.	9703240051*	TOPREP
DRAWBRIDGE,B.L.	9703240239	50-443 P
DROMERICK,A.W.	9703100139	50-317 P
DROMERICK,A.W.	9703140110	50-317 P
DROMERICK,A.W.	9703170192	50-318 P
DROMERICK,A.W.	9703200273	50-318 P
DROMERICK,A.W.	9703200287*	50-318 P
DROMERICK,A.W.	9703280330	50-317 P
DROUIN,M.	9703200304	NUREG
DROUIN,M.	9703200335*	50-440 P
DROUIN,M.T.	9406210119*	50-155 P
DUFFY,J.J.	9703050129	50-271 H
DUFFY,J.J.	9703120051	50-271 P
DUGSTAD,D.	9703130273	50-282 R
DUMAS,D.	9703050287*	FOIA
DUMAS,D.	9703050294*	FOIA
DUMAS,D.	9703050306*	FOIA
DUMAS,D.	9703050348*	FOIA
DUNCAN,S.M.	9703140068	40-8027
DUNCAN,S.M.	9703140068	40-8027
DUNCAN,S.M.	9703200004	40-8027
DUNCAN,S.M.	9703200004	40-8027
DURR,J.	9703120121	50-245 P
DURR,J.	9703120134	50-245 P
DWYER,S.	9703260294*	50-206 H
DYER,J.E.	9703030027	50-285 Q
DYER,J.E.	9703040075	50-298 Q
DYER,J.E.	9703060096	50-361 Q
DYER,J.E.	9703060106	50-458 Q
DYER,J.E.	9703060184	50-482 Q
DYER,J.E.	9703130156	50-483 H
EAKIN,W.J.	9703130058	50-245 F
EASON,E.D.	9703260246	CONTRACT
EASTERLY,C.E.	9703100266	40-672
EASTON,E.P.	9703200232	ORG
EATON,R.B.	9703120408	50-219 P
EATON,R.B.	9703260221	50-219 P
EBNETER,S.D.	9703100089*	50-335 P
EBNETER,S.D.	9703130211*	50-335 P
EBNETER,S.D.	9703140022*	50-335 Q
EBNETER,S.D.	9703140043*	50-335 Q
EBNETER,S.D.	9703140046*	50-335 P
ECH,P.M.	9703260182	CONTRACT
ECKBERG,S.	9703060353	WASTE MGT
EDGAR,J.B.	9703050011	70-1257
EDGAR,J.B.	9703050488	70-1257
EDGAR,J.B.	9703070023	70-1257
EDGAR,J.B.	9703200109	NUREG
EDGAR,J.B.	9703200389	70-1257
EDGAR,J.B.	9703240233	70-1257
EDGAR,J.B.	9703280044	70-1257
EDGAR,J.B.	9703280187	70-1257
EDISON,G.E.	9703070096	50-280 P
EDSON,J.L.	9703180113	NUREG
EDWARDS,M.L.	9703180110	50-285 R
EID,B.	9703210200	70-27
EISENHUT,D.G.	8009040052	50-311 X
EKLUND,C.A.	9703060235	40-8681
ELISA,L.A.	9703110062*	50-443 F
ELLIS,D.W.	9703250226	50-293 S
ELLIS,J.H.	9703060267	40-8027
ELLIS,L.	9703070141	XPORTLIC
ELLIS,S.J.	9703060173	50-387 S
ELLIS,S.L.	9703260145*	50-445 P
EMMONS,K.W.	9703200166	50-213 R
EMMONS,K.W.	9703250211	50-423 R
ENGLISH,C.	9703040241	50-286 S
ENGLISH,S.L.	9703120016*	PROJ
ERESIAN,W.J.	9703030323	50-156 V
ERESIAN,W.J.	9703250164	50-128 V
ERLACH,F.U.	9703070014	50-410 S
ERLACH,F.U.	9703170140	50-335 S
ESELGROTH,P.W.	9703050073	50-334 P
ESELGROTH,P.W.	9703060148	50-334 Q
ESELGROTH,P.W.	9703170082	50-289 F
ESELGROTH,P.W.	9703280321	50-219 Q
ESPOSITO,V.J.	9703030050*	TOPREP
ESSIG,T.H.	9503220287*	50-335 P
ESSIG,T.H.	9609110078*	50-335 F
ESSIG,T.H.	9703060303	50-2 F
ESSIG,T.H.	9703260207	50-131 F
ESTRADA,H.	9703120207*	TOPREP
ETHRIDGE,J.L.	9703120016*	PROJ
EVANS,C.F.	9703210042*	50-335 Q
EVERETT,R.J.	8602120334*	FOIA
EVERLY,J.K.	9703180200	70-*****
EVES,C.S.	9703260333	40-7102
EWER,L.R.	9703190374	71-*****
EWING,E.C.	9703280038	50-382 P
EZEKOYE,L.I.	9703170049*	TOPREP
FAIRCHILD,L.S.	8607170479*	FOIA
FAIRTILE,M.	9703170182	50-213 W
FAIRTILE,M.B.	9703200329	50-213 W
FARAZ,Y.	9703260216	70-7001
FARAZ,Y.H.	9703200276	70-7002
FARAZ,Y.H.	9703240218	70-7001
FARRAR,J.P.	9703210284	50-62 R
FARRER,D.	9703240179	50-275 R
FECTEAU,M.	9703190400*	50-327 P
FEIGE,E.J.	9504040254*	50-389 P
FEIGE,E.J.	9607090104*	50-293 Q
FEIGENBAUM,T.	9703170092	50-213 Q
FEIGENBAUM,T.	9703210095	50-443 S
FEIGENBAUM,T.C.	9703030489	50-443 P
FEIGENBAUM,T.C.	9703030513	50-443 P
FEIGENBAUM,T.C.	9703040027	50-443 S
FEIGENBAUM,T.C.	9703040030	50-443 R
FEIGENBAUM,T.C.	9703040051	50-213 Q
FEIGENBAUM,T.C.	9703050006	50-443 F
FEIGENBAUM,T.C.	9703140133	50-443 H
FEIGENBAUM,T.C.	9703170073	50-443 S
FEIGENBAUM,T.C.	9703180017	50-443 R
FEIGENBAUM,T.C.	9703210074	50-213 W
FEIGENBAUM,T.C.	9703250124	50-213 F
FEIGENBAUM,T.C.	9703250157	50-213 Q
FEIGENBAUM,T.C.	9703250223	50-443 J
FELTON,J.M.	9703100052*	FOIA
FELTON,J.M.	9703110252*	FOIA
FENECH,R.A.	9703180228*	50-255 P
FERGUSON,T.	9703050132	CONTRACT
FERRILL,D.	9703060128*	WASTE MGT
FICI,J.A.	9703260266	71-9239
FICI,J.A.	9703280222	70-1151
FIELD,R.W.	8602120308*	FOIA
FIELD,R.W.	8603130069*	FOIA
FIELD,R.W.	8606090433*	FOIA
FIELD,R.W.	8607170268*	FOIA
FIELD,R.W.	8701140275*	FOIA
FIELD,R.W.	8707290333*	FOIA
FIELD,R.W.	8802040388*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
FIELD,R.W.	8903170428*	FOIA
FIELDS,J.A.	9703180178	CONTRACT
FIELDS,J.A.	9703260252	CONTRACT
FIELDS,M.B.	9703040068	50-361 F
FIELDS,M.B.	9703040127	50-362 P
FIELDS,M.B.	9703040133*	50-362 P
FIELDS,M.B.	9703130021	50-361 P
FIELDS,M.B.	9703130025	50-362 P
FIELDS,M.B.	9703130028*	50-362 P
FIELDS,M.B.	9703190252	50-362 P
FIELDS,M.B.	9703190258*	50-362 P
FINDLAN,S.J.	9206050017*	TOPREP
FIOCK,W.G.	9703110205*	TOPREP
FISHER,M.J.	9703130294	50-267 H
FISHER,W.L.	9107160188*	FOIA
FISHER,W.L.	9703030462*	FOIA
FISHER,W.L.	9703030530*	FOIA
FISHER,W.L.	9703040050*	FOIA
FISK,R.H.	9703030269*	XPORTLIC
FISK,R.H.	9703130436*	XPORTLIC
FITTANTE,R.L.	9703070054*	52-3
FITTANTE,R.L.	9703070063*	52-3
FITZGERALD,J.A.	9703100156*	FOIA
FITZPATRICK,E.	9703040005	50-315 P
FITZPATRICK,E.	9703070203	50-315 R
FITZPATRICK,E.	9703100078	50-315 R
FITZPATRICK,E.	9703170230	50-315 P
FITZPATRICK,E.	9703180199	50-315 Q
FITZPATRICK,E.	9703240091	50-315 J
FITZPATRICK,E.	9703260168	50-315 P
FITZPATRICK,E.	9703270052	50-315 R
FITZPATRICK,E.	9703280247	50-315 F
FLACK,E.	9703100170	70-27
FLACK,E.D.	9703100160	70-27
FLACK,E.D.	9703210200	70-27
FLANDERS,S.C.	9703060322	50-317 P
FLANDERS,S.C.	9703270111	50-317 P
FLANDERS,S.C.	9703280344	50-317 P
FLANNIGAN,R.D.	9703140095	50-482 S
FLIEGEL,M.	9703120374	40-3453
FLITTON,M.L.	9703180113	NUREG
FLORA,J.W.	9703050056*	FOIA
FONNER,R.	9703130002*	70-925
FONNER,R.	9703260297*	70-925
FONNER,R.L.	9703200072*	PR
FONNER,R.L.	9703200077*	PR
FONTAINE,J.L.	9703070091	50-255 F
FORD,W.	9703060343	WASTE MGT
FORD,W.H.	9703140124	40-8968
FORESTER,J.	9703070154*	50-382 P
FORGETTE,T.E.	9703250224	50-317 F
FORTUNA,S.L.	9703280138	WASTE MGT
FOSTER,W.W.	9703040117	50-269 S
FRAHM,R.K.	9703100044*	FOIA
FRAHM,R.K.	9703100063*	FOIA
FRAHM,R.K.	9703100070*	FOIA
FRAHM,R.K.	9703100077*	FOIA
FRAHM,R.K.	9703100105*	FOIA
FRAHM,R.K.	9703100123*	FOIA
FRANCINI,R.	9703170239	NUREG
FRANZ,J.F.	9703040196	50-331 Q
FRANZ,J.F.	9703040237	50-331 P
FRANZ,J.F.	9703070197	50-331 Q
FRANZ,J.F.	9703130037	50-331 P
FRANZ,J.F.	9703190040	50-331 P
FRANZ,J.F.	9703250102	50-331 P
FRANZ,J.F.	9703280429	50-331 V
FRAZEE,T.C.	9703200146	STATE PRO G
FRAZIER,C.F.	9703280275	40-8805
FREDICKSON,P.E.	9703130220	50-250 Q
FREDRICKSON,P.	9703270093	50-259 Q
FREDRICKSON,P.	9703280059	50-369 Q
FREEMAN,D.S.	9703190102	50-382 R
FREEMAN,D.W.	9703060453	50-123 F
FRENCH,P.S.	9703280313	40-8964
FRESCO,A.	9307120167*	50-389 P
FRISCO,J.S.	9703050483	40-8989
FROEMMING,W.E.	9703030466*	FOIA
FROEMMING,W.E.	9703040017*	FOIA
FROEMMING,W.E.	9703040319*	FOIA
FROEMMING,W.E.	9703040335*	FOIA
FROEMMING,W.E.	9703040342*	FOIA
FRYE,S.R.	9703060432*	50-213 V
FULLER,R.J.	9703040080*	50-213 Q
FULTON,J.D.	9703180028	50-528 R
FUNCHES,J.L.	9703200029*	PR
GAGON,A.F.	9703070054*	52-3
GAGON,A.F.	9703070063*	52-3
GALANEK,M.	9703060291*	NUREG
GALLAGHAR,R.G.	9703270142*	WASTE MGT
GALLO,R.M.	9611180046*	50-245 P
GALLO,R.M.	9703030406	QA999
GALLO,R.M.	9703060413	QA999
GALLO,R.M.	9703070073	QA999
GALLO,R.M.	9703140173	QA999
GALLO,R.M.	9703140176	QA999
GALLO,R.M.	9703250101	QA999
GALLO,R.M.	9703280231	50-335 Q
GALLO,R.M.	9703280267	50-335 Q
GALLOWAY,D.	9703030343	CONTRACT
GALLUCCI,R.L.	9703040289	MISC
GAMBERONI,M.	9503150165*	50-269 P
GAMBHIR,S.K.	9703100237	50-285 R
GAMBHIR,S.K.	9703110009	50-285 F
GAMBHIR,S.K.	9703110140	50-285 Q
GAMBHIR,S.K.	9703190096	50-285 S
GAMBHIR,S.K.	9703260174	50-285 J
GAMBHIR,S.K.	9703260218	50-285 F
GANGLUFF,R.A.	9703040398	50-498 R
GANTHNER,S.J.	9703060394*	TOPREP
GAO,Y.	9703180032	50-333 R
GARCHOW,D.F.	9703040020	50-272 R
GARCHOW,D.F.	9703110126	50-272 S
GARCHOW,D.F.	9703180195	50-272 S
GARCHOW,D.F.	9703180208	50-272 S
GARCHOW,D.F.	9703240138	50-311 S
GARCHOW,D.F.	9703240182	50-272 R
GARCHOW,D.F.	9703240185	50-311 R
GARCHOW,D.F.	9703280229	50-272 S
GARCHOW,D.F.	9703280239	50-272 R
GARCIA,A.	9703170061	WASTE MGT
GARDE,B.P.	9703030437*	FOIA
GARDNER,D.	9703180014	50-261 R
GARNER,D.C.	9703170260*	52-3
GARNER,D.C.	9703180015*	52-3
GARRETT,P.	9703190124	50-237 S
GARROW,L.	9702240205*	50-237 P
GASKIN,C.	9703210106*	40-6563
GASKIN,C.	9703210111*	40-6563
GASKIN,C.	9703210116*	40-6563
GASKIN,C.	9703210121*	40-6563
GASKIN,C.	9703210126*	40-6563
GASKIN,C.	9703210127*	40-6563
GASKIN,C.	9703210130*	40-6563
GASKIN,C.	9703210135*	40-6563
GASKIN,C.	9703210136*	40-6563
GASKIN,C.	9703210139*	40-6563
GASKIN,C.	9703210142*	40-6563
GASKIN,C.	9703210145*	40-6563
GASKIN,C.	9703210148*	40-6563
GASKIN,C.	9703210151*	40-6563
GASKIN,C.	9703210152*	40-6563
GAUDET,T.	9703260222	50-382 S
GAUDET,T.J.	9703030229	50-382 P
GAUDET,T.J.	9703040259	50-382 S
GAUDET,T.J.	9703050179	50-382 S
GAUDET,T.J.	9703050240	50-382 R
GAUDET,T.J.	9703100168	50-382 F
GAUDET,T.J.	9703100263	50-382 S
GAUDET,T.J.	9703120070	50-382 Q
GAUDET,T.J.	9703140013	50-382 P
GAUDET,T.J.	9703140039	50-382 Q
GAUDET,T.J.	9703190066	50-382 P
GAUDET,T.J.	9703190092	50-382 P
GAUDET,T.J.	9703190102	50-382 R
GAUDET,T.J.	9703190103	50-382 P
GAUDET,T.J.	9703200049	50-382 P
GEER,T.M.	8701140305*	FOIA
GEIGER,J.E.	9403070236*	50-335 P
GEIGER,J.E.	9501180151*	50-335 P
GEORGE,M.	9703190220	XPORTLIC
GEORGE,M.	9703190283*	XPORTLIC
GEORGE,M.	9703190292*	XPORTLIC
GERRARD,M.B.	9703130128*	40-8989
GIBSON,G.T.	9703050134	50-361 S
GIBSON,G.T.	9703120039	50-206 R
GIBSON,G.T.	9703130039	50-206 S
GIBSON,G.T.	9703180047	50-206 F
GIBSON,G.T.	9703240176	50-361 R
GIFFORD,A.C.	9703100198*	FOIA
GIITTER,J.G.	9703060328	CONTRACT
GILBERT,R.O.	9703140007	TOPREP
GILCHRIST,J.R.	9703180178	CONTRACT
GILES,H.B.	9703190053	50-341 R
GILL,T.	9703030168*	50-255 G
GILLEN,D.M.	9703180231	WASTE MGT
GILLESPIE,R.	9703120048	50-315 S
GIPSON,D.R.	9703040252	50-341 R
GIPSON,D.R.	9703050186	50-341 Q
GIPSON,D.R.	9703180229	50-341 Q
GIPSON,D.R.	9703190038	50-341 S
GIPSON,D.R.	9703240144	50-341 S
GIPSON,D.R.	9703240152	50-341 P
GIVENS,J.D.	9703190185	STATE PRO G
GLADE,M.J.	9703030028*	FOIA
GLENN,J.	9703050260*	NUREG
GLENN,J.	9703050313*	NUREG
GLENN,J.	9703060285*	NUREG
GOBE,J.A.	9703260194	50-266 Q
GODDARD,C.S.	9703070185	50-293 R
GODWIN,A.V.	9702130300	STATE PRO G
GOEBEL,D.M.	9703040266	50-245 P
GOEBEL,D.M.	9703040321	50-245 P
GOLDEN,B.	9703200164*	PR
GOLDSTEIN,B.L.	9703030468*	FOIA
GOLDSTEIN,B.L.	9703040015*	FOIA
GOMEZ,A.	8602120344*	FOIA
GONCAROVS,G.	9703130334	50-213 S
GOODWIN,W.L.	9703280133	70-1151
GORE,B.F.	9703100220	50-280 Q
GRAESSER,G.L.	9703250126	50-454 P
GRAESSER,K.L.	9703070020	50-295 S
GRAHAM,P.D.	9703060215*	50-298 Q
GRAHAM,P.D.	9703100113	50-298 Q
GRAHAM,P.D.	9703250107	50-298 Q
GRAHAM,P.D.	9703260104	50-298 Q
GRAHAM,P.D.	9703260138	50-298 J
GRANT,G.E.	9703030039	50-305 Q
GRANT,G.E.	9703030059	50-282 Q
GRANT,G.E.	9703030063	50-341 Q
GRANT,G.E.	9703030084	50-295 Q
GRANT,G.E.	9703030094	50-263 Q
GRANT,G.E.	9703030118*	50-263 Q
GRANT,G.E.	9703030145	50-305 Q
GRANT,G.E.	9703030160	50-341 Q
GRANT,G.E.	9703050044	50-305 Q
GRANT,G.E.	9703110168	50-282 Q
GRANT,G.E.	9703110189	50-346 Q
GRANT,G.E.	9703130044	50-456 Q
GRANT,G.E.	9703130085	50-295 Q
GRANT,G.E.	9703130094	50-331 Q
GRANT,G.E.	9703130311	50-331 Q
GRANT,G.E.	9703170014	50-331 Q
GRANT,G.E.	9703170017	50-237 Q
GRANT,G.E.	9703170032	50-254 Q
GRANT,G.E.	9703200111	50-282 Q
GRANT,G.E.	9703200307	50-295 Q
GRANT,G.E.	9703260023	50-440 Q
GRAVES,A.S.	9703050251*	50-261 R
GRAY,C.D.	9703050065	PR
GRAY,J.R.	9505150050*	50-250 G
GRAY,J.R.	9703100199*	50-267 Q
GRAY,J.R.	9703100211*	50-267 Q
GRAY,J.R.	9703140059*	50-335 P
GREEVES,J.T.	9703050212	WASTE MGT
GREEVES,J.T.	9703110235	WASTE MGT
GREEVES,J.T.	9703120482	WASTE MGT
GREEVES,J.T.	9703130075	WASTE MGT
GREEVES,J.T.	9703130168	WASTE MGT
GREEVES,J.T.	9703140084	WASTE MGT
GREEVES,J.T.	9703170120	WASTE MGT
GREEVES,J.T.	9703200272*	70-7001
GREEVES,J.T.	9703200284*	70-7002
GREEVES,J.T.	9703270136	WASTE MGT
GREEVES,J.T.	9703270155	WASTE MGT
GREGORY,F.M.	9703130308*	PROJ
GRIFFIN,H.E.	9703040098*	FOIA
GRIFFIN,H.E.	9703040120*	FOIA
GRIFFIN,H.E.	9703040226*	FOIA
GRIFFIN,H.E.	9703040330*	FOIA
GRIMES,C.I.	9703070126	REVIEW GR P
GRIMSLEY,D.H.	9703050266*	40-3453
GRIMSLEY,D.H.	9703050269*	40-3453
GROBE,J.A.	9703030313*	FOIA
GROBE,J.A.	9703200308*	FOIA
GROOMS,J.V.	9703120395*	50-317 F
GROPP,P.A.	9703060082	50-382 S
GROSSBECK,M.	9703140155*	TOPREP
GRUSZYNSKI,B.	9011010047*	FOIA
GRUSZYNSKI,B.	9105200303*	FOIA
GRUSZYNSKI,B.	9207010255*	FOIA
GUINN,P.R.	8510240216*	FOIA
GUINN,P.R.	9703040165*	FOIA
GUINN,P.R.	9703040167*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GUNDRUM,L.	9703260178	50-266 Q
GUNDRUM,L.L.	9703060020	50-266 P
GUNDRUM,L.L.	9703140105	50-266 P
GUTTMANN,J.	9703200257	ORG
GWYNN,T.P.	9703060192	50-298 Q
GWYNN,T.P.	9703060454*	50-528 V
GWYNN,T.P.	9703260203	50-397 P
GWYNN,T.P.	9703280205	50-382 Q
GWYNN,T.P.	9703280206	50-483 Q
GWYNN,T.P.	9703280252	50-483 Q
GWYNN,T.P.	9703280276	50-382 Q
HADDER,A.W.	9703250234	50-280 P
HAGAN,J.J.	9703050195	50-416 R
HAGAN,J.J.	9703130108	50-416 V
HAGAN,J.J.	9703130370	50-416 P
HAGAN,J.J.	9703180044	50-416 R
HAGEMAN,R.C.	9703040344*	40-*****
HAGERS,J.	9703060277	NUREG
HAGERS,J.	9703180122	50-267 Y
HAGERS,J.	9703190099	50-267 Y
HAGERS,J.	9703270296	50-267 Y
HAISFIELD,M.	9703210122	PR
HAISFIELD,M.	9703210240	PR
HALAC,K.E.	9703070054*	52-3
HALAC,K.E.	9703070063*	52-3
HALADYNA,R.A.	9703070005	50-293 S
HALADYNA,R.A.	*9703070006*	*50-293* S
HALE,J.	9703060117	40-8027
HALL,D.M.	9703050093*	40-7982
HALL,J.R.	9703120405	50-298 P
HALL,K.W.	9504040254*	50-389 P
HALL,K.W.	9607090104*	50-293 Q
HALLSTROM,G.A.	9703120360*	50-335 P
HALVERSON,E.D.	9703180190	50-461 S
HAMILTON,M.H.	9703130415	CONTRACT
HAMMOND,D.	9703110197*	50-354 P
HAMPTON,J.W.	9703030243	50-269 F
HAMPTON,J.W.	9703040117	50-269 S
HAMPTON,J.W.	9703040191	50-269 P
HAMPTON,J.W.	9703040202	50-269 P
HAMPTON,J.W.	9703050055	50-269 Q
HAMPTON,J.W.	9703050074	50-269 Q
HAMPTON,J.W.	9703070050	50-269 P
HAMPTON,J.W.	9703070051	50-269 P
HAMPTON,J.W.	9703070059	50-270 S
HAMPTON,J.W.	9703070062	50-270 S
HAMPTON,J.W.	9703070205	50-287 Q
HAMPTON,J.W.	9703070207	50-269 Q
HAMPTON,J.W.	9703190131	50-269 Q
HAMPTON,J.W.	9703240180	50-269 P
HAMPTON,J.W.	9703240235	50-269 Q
HAMPTON,J.W.	9703240242	50-269 P
HAMPTON,J.W.	9703250088	50-269 S
HANNAH,R.	9703130187*	50-335 Q
HANNING,M.	9703050296	40-8907
HANNON,J.N.	9703130377	50-255 P
HANNON,J.N.	9703200220	50-255 P
HANSEN,A.G.	9703170126	50-346 F
HANSON,A.L.	9703170247	NUREG
HAQUE,M.W.	9703280147	40-299
HARDGROVE,T.W.	9703030493	40-6622
HARDGROVE,T.W.	9703040056	40-6622
HARMON,J.H.	9703030451*	FOIA
HAROLD,J.F.	9703050496	50-247 P
HAROLD,J.F.	9703050499*	50-247 P
HAROLD,J.F.	9703130389	50-247 P
HARRIS,D.J.	9703110101*	WASTE MGT
HARRIS,T.E.	9703120454	40-9027
HARRIS,T.E.	9703120470	40-9027
HARRIS,T.E.	9703130272	40-9027
HARRIS,T.E.	9703200002	40-9027
HARRIS,T.E.	9703270115	27-47
HARRIS,T.E.	9703270122	27-47
HARRIS,T.E.	9703270170	27-47
HARRIS,T.E.	9703270207	27-47
HARRISON,F.	9703190184	50-324 R
HART,G.H.	9703110023*	50-263 P
HASSLER,D.	9703240138	50-311 S
HASSLER,D.V.	9703110126	50-272 S
HASSLER,D.V.	9703180208	50-272 S
HASTINGS,C.R.	9703110276	TOPREP
HASTINGS,C.R.	9703110289*	TOPREP
HASTY,R.L.	9703210307*	50-369 F
HAUBER,R.D.	9702100020*	PR
HAUBER,R.D.	9703030171	XPORTLIC
HAUBER,R.D.	9703030192	XPORTLIC
HAUBER,R.D.	9703030283	XPORTLIC
HAUBER,R.D.	9703030409	XPORTLIC
HAUBER,R.D.	9703060245	XPORTLIC
HAUBER,R.D.	9703100088	XPORTLIC
HAUBER,R.D.	9703100091	XPORTLIC
HAUBER,R.D.	9703100117	XPORTLIC
HAUBER,R.D.	9703100122	XPORTLIC
HAUBER,R.D.	9703100172	XPORTLIC
HAUBER,R.D.	9703170022	XPORTLIC
HAUBER,R.D.	9703170038	XPORTLIC
HAUBER,R.D.	9703170060	XPORTLIC
HAUBER,R.D.	9703170066	XPORTLIC
HAUBER,R.D.	9703190247	XPORTLIC
HAUBER,R.D.	9703190249	XPORTLIC
HAUBER,R.D.	9703190267	XPORTLIC
HAUBER,R.D.	9703210021	XPORTLIC
HAUBER,R.D.	9703210114	XPORTLIC
HAUBER,R.D.	9703210243	XPORTLIC
HAUBER,R.D.	9703240224	XPORTLIC
HAUBER,R.D.	9703260120	XPORTLIC
HAUGHNEY,C.J.	9703030272	ORG
HAUGHNEY,C.J.	9703060065*	50-267 Y
HAUGHNEY,C.J.	9703260011	TOPREP
HAWLEY,J.T.	9702240127*	50-237 P
HAWN,R.S.	9703100274	50-255 R
HAWN,R.S.	9703120044	50-255 R
HAWXHURST,J.J.	9703280421	50-213 F
HEAD,S.M.	9703040049	50-498 S
HEAD,S.M.	*9703060385*	*50-498* S
HEAD,S.M.	9703120363	50-499 S
HEAD,S.M.	9703180257*	50-499 S
HEBDON,F.J.	9608120287*	50-389 P
HEBDON,F.J.	9610240217*	50-335 Q
HEBDON,F.J.	9703130010	50-296 P
HEBDON,F.J.	9703130047	50-335 Q
HEBDON,F.J.	9703180077	50-259 P
HEBDON,F.J.	9703270174	50-250 P
HEBERT,J.R.	9703030202	50-309 H
HEBERT,J.R.	9703040300	50-309 S
HEBERT,J.R.	9703060341	50-309 F
HEBERT,J.R.	9703170231	50-309 P
HEBERT,J.R.	9703250099	50-309 R
HEBERT,J.R.	9703260077	50-309 S
HEBERT,J.R.	9703260139	50-309 P
HEESE,R.	9703040183*	FOIA
HEHL,C.W.	9703110257	50-352 Q
HEHL,C.W.	9703180103	50-247 Q
HEHL,C.W.	9703280086	50-289 Q
HELLMAN,N.	9703040168*	FOIA
HENDERSON,J.W.	9703240065	40-2384
HENDERSON,T.A.	9703180227	50-440 S
HENRICK,W.T.	9703210350	50-277 H
HEPLER,O.M.	9503220292*	50-335 P
HERNAN,R.W.	9703200234	50-327 P
HERNAN,R.W.	9703240136	50-327 P
HERNANDEZ,C.	9703030422*	FOIA
HERRERA,M.	9703180233*	50-296 Q
HERZ,M.	9703060220*	50-309 H
HESSLER,N.D.	9703030532	50-244 R
HEYSEK,W.G.	9703180024	50-289 R
HICK,G.D.	9703040363	50-423 S
HICKEY,J.W.	9703050297*	FOIA
HICKEY,J.W.	9703050324*	FOIA
HICKEY,J.W.	9703120387	40-*****
HICKEY,J.W.	9703120418	50-267 W
HICKEY,J.W.	9703120422	70-139
HICKEY,J.W.	9703120424*	50-267 W
HICKEY,J.W.	9703120464	40-7604
HICKEY,J.W.	9703130099	70-687
HICKEY,J.W.	9703130107*	70-687
HICKEY,J.W.	9703130140	WASTE MGT
HICKEY,J.W.	9703130155	WASTE MGT
HICKEY,J.W.	9703130162	27-47
HICKEY,J.W.	9703130165*	27-47
HICKEY,J.W.	9703130173	WASTE MGT
HICKEY,J.W.	9703130278	40-7604
HICKEY,J.W.	9703130283	40-7604
HICKEY,J.W.	9703130286	40-7604
HICKEY,J.W.	9703190221	WASTE MGT
HICKEY,J.W.	9703190320	WASTE MGT
HICKEY,J.W.	9703190328*	WASTE MGT
HICKEY,J.W.	9703260289	70-925
HICKEY,J.W.	9703260312	40-9015
HICKLE,B.J.	9703050060	50-302 S
HICKMAN,J.	9703130022	50-315 P
HICKMAN,J.B.	9703050480	50-315 P
HICKMAN,J.B.	9703050492*	50-315 P
HICKMAN,J.B.	9703190225	50-315 P
HICKMAN,J.B.	9703190231*	50-315 P
HICKMAN,J.B.	9703240204	50-315 P
HICKMAN,J.B.	9703240209*	50-315 P
HICKS,G.D.	9703040172	50-423 S
HICKS,G.D.	9703040211	50-423 S
HICKS,G.D.	9703040219	50-423 S
HICKS,G.D.	9703040307	50-423 S
HICKS,G.D.	9703040348	50-423 S
HICKS,G.D.	9703040348	50-423 S
HICKS,G.D.	9703040363	50-423 S
HICKS,G.D.	9703070190	50-423 S
HICKS,G.D.	9703070200	50-423 S
HICKS,G.D.	9703100009	50-423 S
HICKS,G.D.	9703100010	50-423 S
HICKS,G.D.	9703100187	50-423 S
HICKS,G.D.	9703100190	50-423 S
HICKS,G.D.	9703140081	50-423 S
HICKS,G.D.	9703140106	50-423 S
HICKS,G.D.	9703140107	50-423 S
HICKS,G.D.	9703250211	50-423 R
HICKS,G.D.	9703250229	50-423 S
HICKS,G.D.	9703260249	50-423 S
HICKS,G.D.	9703260249	50-423 S
HICKS,G.D.	9703280227	50-423 S
HICKS,G.D.	9703280264	50-423 S
HICKS,G.D.	9703280288	50-423 S
HILAND,P.L.	9703030070	50-237 P
HILAND,P.L.	9703030236	50-237 P
HILDENBRAND,P.	*9703270310*	*40-8857*
HILL,R.D.	9703130416	50-348 S
HILL,R.D.	9703180069*	50-364 Q
HILL,R.D.	9703200060	50-348 S
HILL,R.D.	9703250057	50-348 S
HILL,W.J.	9703040110	50-263 S
HILL,W.J.	9703040114	50-263 P
HILL,W.J.	9703100080	50-263 R
HILL,W.J.	9703110018	50-263 P
HILL,W.J.	9703190134	50-263 P
HILL,W.J.	9703210345	50-263 F
HILL,W.J.	9703210352	50-263 Q
HINNANT,C.S.	9703050069	50-261 Q
HINNENKAMP,P.	9703200128	50-245 S
HINNENKAMP,P.	9703200128	50-245 S
HINNENKAMP,P.	9703200131	50-245 R
HINNENKAMP,P.	9703200144	50-245 S
HINNENKAMP,P.	9703200144	50-245 S
HINNENKAMP,P.	9703200160	50-245 S
HINNENKAMP,P.	9703200160	50-245 S
HINNENKAMP,P.	9703280228	50-245 S
HINNENKAMP,P.	9703280228	50-245 S
HINNENKAMP,P.D.	9703030225	50-245 V
HINNENKAMP,P.D.	9703040124	50-245 V
HINNENKAMP,P.D.	9703040377	50-245 S
HINNENKAMP,P.D.	9703040377	50-245 S
HINNENKAMP,P.D.	9703050203	50-245 R
HINNENKAMP,P.D.	9703060098	50-245 S
HINNENKAMP,P.D.	9703060138	50-245 S
HINNENKAMP,P.D.	9703060138	50-245 S
HINNENKAMP,P.D.	9703060171	50-245 S
HINNENKAMP,P.D.	9703060171	50-245 S
HINNENKAMP,P.D.	9703060205	50-245 S
HINNENKAMP,P.D.	9703060205	50-245 S
HINNENKAMP,P.D.	9703190080	50-245 S
HINNENKAMP,P.D.	9703190080	50-245 S
HINNENKAMP,P.D.	9703190098	50-245 S
HINNENKAMP,P.D.	9703190098	50-245 S
HINNENKAMP,P.D.	9703250110	50-245 S
HINNENKAMP,P.D.	9703250110	50-245 S
HINNENKAMP,P.D.	9703250127	50-245 S
HINNENKAMP,P.D.	*9703250127*	*50-245* S
HINNINKAMP,P.D.	9703190086	50-245 S
HOAGLAND,W.M.	9703110113*	71-9145
HOAGLUND,W.M.	9703110110	71-9145
HOBE,M.A.	9703120135	50-255 F
HOCEVAR,W.J.	9703140018	40-*****
HOCHREITER,L.E.	9703180015*	52-3
HODGES,K.A.	9703280339*	WASTE MGT
HODGES,M.W.	9602140106*	50-244 P
HODGES,M.W.	9609090095*	50-335 P
HODGES,M.W.	9703200318	50-220 P
HOFFMAN,C.K.	9703040216*	50-353 P
HOFFMAN,G.L.	9703060283*	40-8903
HOFFMAN,S.T.	9703060355	PROJ
HOFFMAN,S.T.	9703130329	PROJ
HOFFMAN,S.T.	9703190257	REVIEW GR P
HOFFMAN,S.T.	9703240004	REVIEW GR P
HOFFMAN,S.T.	9703260214	REVIEW GR P
HOFT,N.	9703040055	CONTRACT
HOGGE,A.J.	9703050125*	50-413 Q
HOLAHAN,G.M.	9703280353	REVIEW GR P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOLDAN,B.	9703180061	CONTRACT
HOLDEN,J.J.	9703040258	50-302 S
HOLDEN,J.J.	9703050040	50-302 S
HOLDEN,J.J.	9703100027	50-302 S
HOLDEN,J.J.	9703210110	50-302 S
HOLDEN,J.J.	9703210356	50-302 S
HOLDEN,J.J.	9703260137	50-302 S
HOLDEN,J.J.	9703280102	50-302 P
HOLDREDGE,T.	9703060253	50-395 S
HOLIAN,B.	9703100029*	50-387 G
HOLIAN,B.	9703100034*	50-413 G
HOLLAND,W.E.	9703040274	50-327 Q
HOLLAND,W.E.	9703110024	50-259 Q
HOLLAND,W.E.	9703270151	50-395 Q
HOLLEY,W.L.	8609090502*	FOIA
HOLLINDEN,J.J.	9703280193	PROJ
HOLLOMON,T.J.	9703190089	50-327 R
HOLLOWAY,C.J.	9703190200*	STATE PRO G
HOLLOWAY,C.J.	9703200019	PR
HOLLOWAY,C.J.	9703200105*	PR
HOLLOWAY,C.J.	9703200118*	PR
HOLLOWAY,C.J.	9703200151*	PR
HOLLOWAY,C.J.	9703200153*	PR
HOLLOWAY,C.J.	9703200157*	PR
HOLMES,M.A.	9703120129	50-483 R
HOLONICH,J.	9703200141*	40-8989
HOLONICH,J.J.	9703030041	40-8902
HOLONICH,J.J.	9703030055	WASTE MGT
HOLONICH,J.J.	9703030062	40-8681
HOLONICH,J.J.	9703030086*	40-8681
HOLONICH,J.J.	9703030103	40-8681
HOLONICH,J.J.	9703030122*	40-8681
HOLONICH,J.J.	9703030141	WASTE MGT
HOLONICH,J.J.	9703030147	WASTE MGT
HOLONICH,J.J.	9703030156	WASTE MGT
HOLONICH,J.J.	9703040260	WASTE MGT
HOLONICH,J.J.	9703040262	WASTE MGT
HOLONICH,J.J.	9703040263	STATE PRO G
HOLONICH,J.J.	9703050457	40-8084
HOLONICH,J.J.	9703120379	40-8902
HOLONICH,J.J.	9703120486	WASTE MGT
HOLONICH,J.J.	9703130063	40-3453
HOLONICH,J.J.	9703130076*	40-3453
HOLONICH,J.J.	9703130098	40-8989
HOLONICH,J.J.	9703140021	WASTE MGT
HOLONICH,J.J.	9703140113	40-8968
HOLONICH,J.J.	9703140137	40-8681
HOLONICH,J.J.	9703140139*	40-8681
HOLONICH,J.J.	9703140145	40-3453
HOLONICH,J.J.	9703180177	40-8964
HOLONICH,J.J.	9703180179*	40-8964
HOLONICH,J.J.	9703180192	40-8102
HOLONICH,J.J.	9703180246	WASTE MGT
HOLONICH,J.J.	9703190286	40-8681
HOLONICH,J.J.	9703190298*	40-8681
HOLONICH,J.J.	9703240228	40-8084
HOLONICH,J.J.	9703280368	40-8452
HOLONICH,J.J.	9703280396	40-6659
HOLSOPPLE,K.L.	9703030494	40-6940
HOLZER,T.V.	9703060283*	40-8903
HOM,S.R.	9703140032	40-8027
HOOD,D.	9703060307	50-220 P
HOOD,D.	9703060312	50-220 Q
HOOD,D.S.	9703100145	50-220 P
HOOD,D.S.	9703130293	50-220 P
HOOD,D.S.	9703270212	50-220 Q
HOOPER,G.L.	9703180012	50-424 R
HOPF,J.E.	9703130106*	72-1023
HOPKINS,J.B.	9703030351	50-440 P
HOPKINS,J.B.	9703070087	50-440 P
HOPKINS,J.B.	9703170134	50-440 P
HOPPER,A.	9703170239	NUREG
HORAN,D.S.	9703100030*	FOIA
HORIN,W.A.	9703210082	NUREG
HORN,G.R.	9703210070	50-298 P
HORN,M.	9703050344	70-7001
HORN,M.	9703060373	70-7001
HORN,M.	9703180200	70-*****
HORN,M.	9703180204	70-*****
HORN,M.	9703210218	70-7001
HORN,M.	9703270118	70-7001
HOROTN,D.G.	9703120061*	WASTE MGT
HORTON,D.G.	9703040062	WASTE MGT
HORTON,D.G.	9703040092	WASTE MGT
HORTON,D.G.	9703040094	WASTE MGT
HORTON,D.G.	9703040162	WASTE MGT
HORTON,D.G.	9703040164	WASTE MGT
HORTON,D.G.	9703040255	WASTE MGT
HORTON,D.G.	9703060105	WASTE MGT
HORTON,D.G.	9703110073	WASTE MGT
HORTON,D.G.	9703110083	WASTE MGT
HORTON,D.G.	9703110087	WASTE MGT
HORTON,D.G.	9703110097	WASTE MGT
HORTON,D.G.	9703110101*	WASTE MGT
HORTON,D.G.	9703110231	WASTE MGT
HORTON,D.G.	9703110233*	WASTE MGT
HORTON,D.G.	9703120040	WASTE MGT
HORTON,D.G.	9703120046	WASTE MGT
HORTON,D.G.	9703120059	WASTE MGT
HORTON,D.G.	9703120114	WASTE MGT
HORTON,D.G.	9703120128	WASTE MGT
HORTON,D.G.	9703120137	WASTE MGT
HORTON,D.G.	9703120142	WASTE MGT
HORTON,D.G.	9703120160	WASTE MGT
HORTON,D.G.	9703120163*	WASTE MGT
HORTON,D.G.	9703120169	WASTE MGT
HORTON,D.G.	9703120177	WASTE MGT
HORTON,D.G.	9703120179	WASTE MGT
HORTON,D.G.	9703120183	WASTE MGT
HORTON,D.G.	9703170218	WASTE MGT
HORTON,D.G.	9703170219	WASTE MGT
HORTON,D.G.	9703180029	WASTE MGT
HORTON,D.G.	9703180045	WASTE MGT
HORTON,D.G.	9703180054*	WASTE MGT
HORTON,D.G.	9703180114	WASTE MGT
HORTON,D.G.	9703180164	WASTE MGT
HORTON,D.G.	9703180174	WASTE MGT
HORTON,D.G.	9703190025*	WASTE MGT
HORTON,D.G.	9703200033	WASTE MGT
HORTON,D.G.	9703200037	WASTE MGT
HORTON,D.G.	9703200039	WASTE MGT
HORTON,D.G.	9703200047	WASTE MGT
HORTON,D.G.	9703200050*	WASTE MGT
HORTON,D.G.	9703200051	WASTE MGT
HORTON,D.G.	9703200052	WASTE MGT
HORTON,D.G.	9703210094	WASTE MGT
HORTON,D.G.	9703210107*	WASTE MGT
HORTON,D.G.	9703210232	WASTE MGT
HORTON,D.G.	9703210238	WASTE MGT
HORTON,D.G.	9703250080	WASTE MGT
HORTON,D.G.	9703250083	WASTE MGT
HORTON,D.G.	9703260306	WASTE MGT
HORTON,D.G.	9703260308*	WASTE MGT
HORTON,D.G.	9703280300	WASTE MGT
HORTON,D.G.	9703280339*	WASTE MGT
HOSMER,J.	9703040352	50-237 Q
HOSMER,J.B.	9703100102	50-454 P
HOSMER,J.B.	9703110039	50-237 P
HOSMER,J.B.	9703190132	50-454 P
HOSMER,J.B.	9703210117	50-237 P
HOSMER,J.B.	9703250054	50-454 P
HOSMER,J.B.	9703250134	50-454 P
HOSMER,J.B.	9703270309	50-454 P
HOSMER,J.B.	9703280061	50-454 P
HOVEY,R.J.	9703040209	50-250 P
HOVEY,R.J.	9703040269	50-250 R
HOVEY,R.J.	9703070112	50-250 V
HOVEY,R.J.	9703130417	50-250 P
HOVEY,R.J.	9703190055	50-250 Q
HOVEY,R.J.	9703190187	50-250 R
HOVEY,R.J.	9703190391	50-250 P
HOVEY,R.J.	9703210067	50-250 H
HOWE,P.C.	9703200283*	FOIA
HOWELL,A.T.	9703030024	50-382 P
HOWELL,A.T.	9703040044	50-416 Q
HOWELL,A.T.	9703050218	50-483 Q
HOWELL,A.T.	9703050232	50-382 Q
HOWELL,A.T.	9703050418	50-528 Q
HOWELL,A.T.	9703050498	50-416 P
HOWELL,A.T.	9703060119	50-483 Q
HOWELL,A.T.	9703060185	50-298 Q
HOWELL,A.T.	9703060199	50-285 Q
HOWELL,A.T.	9703060251	50-313 Q
HOWELL,A.T.	9703110026	50-528 Q
HOWELL,A.T.	9703110162	50-482 Q
HOWELL,A.T.	9703110182	50-416 P
HOWELL,A.T.	9703110184	50-445 Q
HOWELL,A.T.	9703120007	50-275 Q
HOWELL,A.T.	9703130113	50-382 Q
HOWELL,A.T.	9703130152	50-482 Q
HOWELL,A.T.	9703170037	50-445 Q
HOWELL,A.T.	9703170044	50-416 P
HOWELL,A.T.	9703170083	50-382 Q
HOWELL,A.T.	9703170116	50-285 P
HOWELL,A.T.	9703180144	50-361 Q
HOWELL,A.T.	9703200142	50-275 Q
HOWELL,A.T.	9703200154	50-275 Q
HOWELL,A.T.	9703260087	50-528 F
HOWELL,A.T.	9703260177	50-313 Q
HOWELL,A.T.	9703260189	50-313 Q
HOWELL,A.T.	9703260226	50-498 Q
HOWELL,A.T.	9703260239	50-397 Q
HOWELL,A.T.	9703280329	50-382 Q
HOWELL,L.L.	9703170145	STATE PRO G
HOWELL,L.L.	9703280209	STATE PRO G
HOYLE,J.C.	9612170063	10CFR
HOYLE,J.C.	9703040386	10CFR
HOYLE,J.C.	9703060025	70-135
HOYLE,J.C.	9703060066	50-255 G
HOYLE,J.C.	9703060095	70-3070
HOYLE,J.C.	9703100037	FOIA
HOYLE,J.C.	9703100101	10CFR
HOYLE,J.C.	9703130083	10CFR
HOYLE,J.C.	9703130123	10CFR
HOYLE,J.C.	9703140049	40-8027
HOYLE,J.C.	9703140052	40-8989
HOYLE,J.C.	9703140056	50-219 G
HOYLE,J.C.	9703140063	50-346 G
HOYLE,J.C.	9703140064	50-461 G
HOYLE,J.C.	9703140158	COMMISSION
HOYLE,J.C.	9703180013	70-3070
HOYLE,J.C.	9703180079	10CFR
HOYLE,J.C.	9703180093	10CFR
HOYLE,J.C.	9703180096	10CFR
HOYLE,J.C.	9703180101	10CFR
HOYLE,J.C.	9703180160	10CFR
HOYLE,J.C.	9703180206	COMMISSION
HOYLE,J.C.	9703260135	NUREG
HOYLE,J.C.	9703260295	10CFR
HOYLE,J.C.	9703260299	10CFR
HOYLE,J.C.	9703260300	10CFR
HOYLE,J.C.	9703260301	10CFR
HOYLE,J.C.	9703260305	10CFR
HOYLE,J.C.	9703260307	COMMISSION
HOYLE,J.C.	9703260330	COMMISSION
HOYLE,J.C.	9703270273	10CFR
HOYLE,J.C.	9703280237	COMMISSION
HUBER,J.T.	9703120395*	50-317 F
HUFFMAN,W.C.	9703030037	52-3
HUFFMAN,W.C.	9703050514	52-3
HUFFMAN,W.C.	9703060155	52-3
HUFFMAN,W.C.	9703060356	52-3
HUFFMAN,W.C.	9703070100	52-3
HUFFMAN,W.C.	9703170191	52-3
HUFFMAN,W.C.	9703170201	52-3
HUFFMAN,W.C.	9703240157	52-3
HUGHES,B.	9703140048*	50-250 G
HUGHES,F.J.	9703210324	50-272 F
HUGHES,F.J.	9703210329	50-354 F
HUGHEY,W.K.	9703110165	50-313 Q
HUGHEY,W.K.	9703120150	50-416 V
HUGHEY,W.K.	9703120435	50-416 P
HUGHEY,W.K.	9703130089	50-416 F
HUGHEY,W.K.	9703130319	50-313 Q
HUMMER,J.	9703100094	CONTRACT
HUNGER,G.A.	9703040136	I&E
HUNGER,G.A.	9703040203	50-353 P
HUNGER,G.A.	9703040239	50-277 F
HUNGER,G.A.	9703040249	50-277 R
HUNGER,G.A.	9703040250	50-277 P
HUNGER,G.A.	9703040360	50-352 P
HUNGER,G.A.	9703050046	50-352 P
HUNGER,G.A.	9703110025	50-277 Q
HUNGER,G.A.	9703110076	50-277 P
HUNGER,G.A.	9703170233	50-278 P
HUNGER,G.A.	9703180252	50-277 I
HUNGER,G.A.	9703190010	50-277 F
HUNGER,G.A.	9703240229	50-277 P
HUNGER,G.A.	9703250026	50-277 P
HUNGER,G.A.	9703250039	50-277 P
HUNT,S.P.	9703250005*	50-528 P
HUNTER,J.J.	9703200056	40-7580
HUNTER,J.J.	9703200068	40-7580
HURLEY,L.	9703060445	50-528 V
HURLEY,L.	9703100128	50-528 V
HYDRICK,L.P.	9703180018	50-277 R
IBARRA,J.G.	9703170237	NUREG
IDE,W.E.	9703250004	50-528 P
IDE,W.E.	9703260173	50-528 P
IGNATONIS,A.	9703100076*	50-335 H
IMBRO,E.V.	9306110195*	FOIA
IMBRO,E.V.	9703120483	50-245 P
IRELAND,R.N.	9703170256*	50-334 P
ISAAC,P.	9703030411*	50-83 V

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ISAAC,P.	9703060292	50-193 V
ISAAC,P.	9703170179	50-288 V
ISAAC,P.	9703250201	50-284 P
JABBOUR,K.N.	9409120198*	50-335 P
JABBOUR,K.N.	9703210223	50-321 P
JABBOUR,K.N.	9703250150	50-321 P
JABBOUR,K.N.	9703250243	50-321 P
JACKSON,D.R.	9703110107	71-9157
JACKSON,D.T.	9703050346	52-3
JACKSON,D.T.	9703070105	52-3
JACKSON,D.T.	9703130401	52-3
JACKSON,D.T.	9703140120	52-3
JACKSON,D.T.	9703200247	52-3
JACKSON,D.T.	9703240146	52-3
JACKSON,D.T.	9703250168	52-3
JACKSON,D.T.	9703280425	52-3
JACKSON,D.T.	9703280434	52-3
JACKSON,G.	9703050291*	FOIA
JACKSON,G.	9703200083*	PR
JACKSON,G.C.	9703130342	40-8794
JACKSON,G.C.	9703210103	40-6563
JACKSON,S.A.	9703030197	COMMISSIO N
JACKSON,S.A.	9703030220	COMMISSIO N
JACKSON,S.A.	9703030268	COMMISSIO N
JACKSON,S.A.	9703030281	50-311 U
JACKSON,S.A.	9703030316	COMMISSIO N
JACKSON,S.A.	9703100043*	FOIA
JACKSON,S.A.	9703100110	COMMISSIO N
JACKSON,S.A.	9703120436	SPEECHES
JACKSON,S.A.	9703140159*	COMMISSIO N
JACKSON,S.A.	9703180220*	COMMISSIO N
JACKSON,S.A.	9703200104*	PR
JACKSON,S.A.	9703210205	COMMISSIO N
JACKSON,S.A.	9703240165	COMMISSIO N
JACKSON,S.A.	9703240171	COMMISSIO N
JACKSON,S.A.	9703240184	COMMISSIO N
JACKSON,S.A.	9703250125	COMMISSIO N
JACKSON,S.A.	9703250128*	COMMISSIO N
JACKSON,S.A.	9703260320*	COMMISSIO N
JACKSON,S.A.	9703270076*	COMMISSIO N
JACKSON,S.A.	9703280244*	COMMISSIO N
JACKSON,S.A.	9703280249*	COMMISSIO N
JACKSON,T.J.	9703030228*	40-8794
JACKSON,T.J.	9703280063*	40-*****
JACOBSON,J.	9703050518	50-346 Q
JACOBSON,J.M.	9703030162	50-263 Q
JACOBSON,J.M.	9703030178	50-282 Q
JAFFE,D.H.	9703100210	50-354 P
JAFFE,D.H.	9703270105	50-354 P
JAGANNATH,B.N.	9703140121	40-6622
JAGANNATH,K.	9703210015	REGGD
JAIN,S.C.	9703040296	50-334 Q
JAIN,S.C.	9703040390	50-334 R
JAIN,S.C.	9703050217	50-334 P
JAIN,S.C.	9703110090	50-412 Q
JAIN,S.C.	9703110147	50-334 P
JAIN,S.C.	9703130307	50-334 Q
JAIN,S.C.	9703170234	50-334 P
JAIN,S.C.	9703170253	50-334 P
JAIN,S.C.	9703180063	50-334 P
JAIN,S.C.	9703180065	50-334 P
JAIN,S.C.	9703210068	50-334 P
JAIN,S.C.	9703210278	50-334 P
JAIN,S.C.	9703250163	50-334 P
JAMMA,R.	9703050222	STATE PRO G
JAMMA,R.	9703060246	STATE PRO G
JANKOVICH,J.P.	9703030358	71-832
JANKOVICH,J.P.	9703030362*	71-832
JANKOVICH,J.P.	9703030385	71-630
JANKOVICH,J.P.	9703050373	71-729
JANKOVICH,J.P.	9703050383	71-444
JANKOVICH,J.P.	9703050392	71-727
JANKOVICH,J.P.	9703060079	71-613
JANKOVICH,J.P.	9703130277	71-873
JANKOVICH,J.P.	9703130279*	71-873
JANKOVICH,J.P.	9703190171	71-625
JANKOVICH,J.P.	9703190181	71-627
JANKOVICH,J.P.	9703190192	71-874
JANKOVICH,J.P.	9703190195*	71-874
JANKOVICH,J.P.	9703190370	71-472
JANKOVICH,J.P.	9703270205	71-845
JANKOVICH,J.P.	9703270236	71-862
JANKOVICH,J.P.	9703270248	71-861
JANKOVICH,J.P.	9703270251	71-846
JANKOVICH,J.P.	9703270257	71-252
JARRELL,J.	9703120019	50-382 S
JARZEMBA,M.S.	9703200043*	WASTE MGT
JAUDON,J.P.	9703040207	50-302 Q
JAUDON,J.P.	9703110120	50-261 Q
JAUDON,J.P.	9703110300	50-302 P
JAUDON,J.P.	9703270167	50-413 Q
JAUDON,J.P.	9703270172	50-302 P
JAUDON,J.P.	9703270221	50-302 Q
JAUDON,J.P.	9703280064	50-348 V
JAWORSKY,M.	9703190049*	50-341 S
JENSEN,B.L.	9703130228	STATE PRO G
JENSEN,B.L.	9703280213*	STATE PRO G
JENSEN,J.T.	9703110044	71-238
JOHANSEN,B.J.	9703050234*	50-334 P
JOHANSEN,B.J.	9703050241*	50-286 P
JOHANSEN,J.	9703130383	I&E
JOHANSEN,J.M.	9703050145	70-698
JOHANSEN,J.M.	9703060195	STATE PRO G
JOHNSEN,M.	9703040011	50-409 R
JOHNSON,A.R.	9703050467	50-395 P
JOHNSON,A.R.	9703200194	50-395 P
JOHNSON,D.	9703100017	50-266 S
JOHNSON,D.	9703250061	50-266 S
JOHNSON,D.F.	9703050035	50-266 R
JOHNSON,D.F.	9703050130	50-266 Q
JOHNSON,D.F.	9703050411	50-301 P
JOHNSON,D.F.	9703060161	50-266 R
JOHNSON,D.F.	9703110075	50-266 Q
JOHNSON,D.F.	9703110188	50-266 S
JOHNSON,D.F.	9703110213	50-266 F
JOHNSON,D.F.	9703110247	50-301 P
JOHNSON,D.F.	9703110284	50-301 F
JOHNSON,D.F.	9703110302	50-266 R
JOHNSON,D.F.	9703120077	50-266 P
JOHNSON,D.F.	9703140078	50-266 R
JOHNSON,D.F.	9703180141	50-266 P
JOHNSON,D.F.	9703190035	50-301 P
JOHNSON,D.F.	9703250141	50-266 P
JOHNSON,D.F.	9703250196	50-266 P
JOHNSON,D.F.	9703250212	50-301 P
JOHNSON,D.F.	9703260155	50-266 S
JOHNSON,D.L.	9703130035	PROJ
JOHNSON,D.L.	9703170078	REVIEW GR P
JOHNSON,J.E.	9703070026*	50-267 R
JOHNSON,L.	9703040316*	40-*****
JOHNSON,P.G.	9703100198*	FOIA
JOHNSON,S.	9703190376*	40-8989
JOHNSON,T.C.	9703030320*	FOIA
JOHNSON,T.C.	9703120443	40-8724
JOHNSON,T.C.	9703120484	40-8724
JOHNSON,T.C.	9703200011	40-8724
JOHNSON,T.C.	9703200013*	40-8724
JOHNSON,T.C.	9703200014*	40-8724
JOHNSON,T.C.	9703200015*	40-8724
JOHNSON,T.C.	9703200017*	40-8724
JOHNSON,T.C.	9703200018*	40-8724
JOHNSON-LADD	9703060156	50-263 F
JOHNSON-LADD	9703070138	50-282 F
JOHNSTON,G.	9703250079	50-397 S
JOHNSTON,J.R.	9703110286	50-155 R
JOLICOEUR,J.R.	9703180159	50-269 F
JONES,A.	9703270082	STATE PRO G
JONES,B.	9703100086*	50-250 P
JONES,B.	9703200092*	PR
JONES,C.C.	9703030101*	FOIA
JONES,D.T.	9703180048	50-334 R
JONES,R.	9302010316*	50-389 P
JONES,R.C.	9302100463*	50-335 P
JONES,R.C.	9308260110*	50-335 P
JONES,R.C.	9401240294*	50-389 P
JONES,R.C.	9402140278*	50-389 P
JONES,R.C.	9411220341*	50-250 P
JONES,R.C.	9411220419*	50-335 P
JONES,V.	9703070026*	50-267 R
JONES,W.B.	9703100205*	50-267 Q
JONES,W.R.	9703170237	NUREG
JOOS,D.W.	9703180228*	50-255 P
JORDAN,E.L.	9703060250*	NUREG
JORDAN,E.L.	9703190032	50-327 Q
JORDAN,E.L.	9703190041*	50-327 Q
JORDAN,E.L.	9703270305	50-302 G
JORDAN,E.L.	9703270307*	50-302 G
JORDAN,M.J.	9703030083	50-341 Q
JORDAN,T.J.	9703120363	50-499 S
JORGENSEN,B.L.	9703050084	40-7982
JORGENSEN,B.L.	9703260089	40-6264
JORGENSEN,B.L.	9703280005	40-534
JOSHI,R.G.	9703070134*	50-336 S
JOSHI,R.G.	9703140102*	50-336 S
JOSHI,R.G.	9703190180*	50-336 S
JOUSTRA,J.	9703130383	I&E
JUDAY,R.A.	9703060325	40-6659
JUDD,C.	9703190183	40-8989
JUDD,C.A.	9703190401	40-8989
JULIAN,C.A.	9703110049	50-335 P
JULIAN,C.A.	9703270092	50-335 P
JULIAN,C.A.	9703270141	50-250 Q
JULIAN,C.A.	9703270314	50-250 Q
JURY,K.	9703190063	50-324 P
JURY,K.R.	9703190058	50-324 P
JURY,K.R.	9703190184	50-324 R
JUSTUS,P.S.	9703120481	ORG
KAKAJKO,L.E.	9703100143	72-21
KAKOBIATA,K.A.	9703120044	50-255 R
KALMAN,G.	9703120398	50-313 P
KALMAN,G.	9703120406	50-368 P
KALMAN,G.	9703120455	50-368 P
KALMAN,G.	9703120458*	50-368 P
KALMAN,G.	9703140122	50-368 P
KALMAN,G.	9703140126	50-313 P
KALMAN,G.	9703180081	50-313 P
KALMAN,G.	9703180097*	50-313 P
KALMAN,G.	9703200241	50-244 P
KALMAN,G.	9703260180	50-313 Q
KALMAN,K.L.	9703120327	70-925
KALMAN,K.L.	9703120339	70-925
KALMAN,K.L.	9703120392	70-925
KALMAN,K.L.	9703190375	70-925
KALMAN,K.L.	9703190378	70-925
KALMAN,K.L.	9703260296	70-925
KALSI,M.S.	9703240230*	ORG
KAMMERDEINER,G.	9703170256*	50-334 P
KANE,W.F.	9703130050	TOPREP
KANGLEY,J.P.	9703130058	50-245 F
KANSLER,M.R.	9703180027	50-280 R
KANSLER,M.R.	9703280350	REGGD
KANTNER,J.L.	9703030010	50-352 S
KANTNER,J.L.	9703040119	50-352 S
KANTNER,J.L.	9703120145	50-352 S
KANTNER,J.L.	9703180049	50-353 S
KANTNER,J.L.	9703190048	50-352 S
KANTNER,J.L.	9703190105	50-353 S
KARAGIANNIS,H.	9703050436*	NUREG
KARAM,R.A.	9703050170	50-160 R
KARAM,R.A.	9703210271	50-160 Q
KARAM,R.A.	9703260175	50-160 H
KARMAN,M.	9703100055*	FOIA
KARRICK,J.W.	9703170180*	50-354 S
KASKO,B.	9703190082	50-397 R
KASUGA,R.	9703040111	50-213 S
KATZ,P.E.	9703110169	50-317 R
KATZ,P.E.	9703120026	50-317 V
KATZ,P.E.	9703120082	50-317 S
KATZ,P.E.	9703120105	50-317 S
KATZ,P.E.	9703200122	50-317 R
KATZ,P.E.	9703280416	50-317 S
KAURIN,D.G.L.	9703100224	NUREG
KAY,J.A.	9703040173	50-29 R
KAY,J.A.	9703040331	50-29 R
KAY,J.A.	9703060410*	50-29 R
KAY,J.A.	9703070007	50-29 R
KEIMIG,R.	9703210137*	FOIA
KEIMIG,R.R.	9703110047	50-443 F
KEIMIG,R.R.	9703120153	50-286 F
KEIMIG,R.R.	9703120196	50-352 F
KEIMIG,R.R.	9703120210	50-352 F
KEIMIG,R.R.	9703180183	50-277 Q
KELLOGG,J.N.	9703100260	NUREG
KELLY,G.B.	9703030331	50-331 P
KELLY,G.B.	9703210263	50-331 P
KEMPER,R.	9703280165*	52-3
KEMPER,R.	9703280189*	52-3
KEMPER,R.M.	9703180015*	52-3
KENNEDY,J.E.	9703120473	40-8948
KENNEDY,J.E.	9703130064	WASTE MGT
KENNEDY,J.E.	9703200023	40-8948
KENNEDY,J.L.	9703250227	50-498 P
KENNY,A.	9703140154*	TOPREP
KENNY,A.	9703260107*	TOPREP
KENNY,A.	9703260283	TOPREP
KENYON,B.D.	9703200091	50-245 H
KEPLEY,L.	9703110123	50-354 S
KERR,G.W.	9703030338*	FOIA
KERR,G.W.	9703060006	STATE PRO G
KERR,J.D.	9703240236	50-331 S
KEYS,T.A.	9703190018*	50-296 P
KHAN,H.J.	9703200285	NUREG
KILLAIN,C.B.	9703040019*	FOIA
KILLAR,F.M.	9703200188	NUREG

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KILLGORE,M.R.	9703120055	50-445 S
KILLIAN,C.B.	9703030017*	FOIA
KILLIAN,C.B.	9703030453*	FOIA
KILLIAN,C.B.	9703040003*	FOIA
KILLIAN,C.B.	9703040025*	FOIA
KILLIAN,C.B.	9703040032*	FOIA
KILLIAN,C.B.	9703040163*	FOIA
KILLOREN,R.	9703130084	CONTRACT
KIM,T.	9703060045	50-263 P
KIM,T.	9703170204	50-263 P
KIM,T.	9703200226	TOPREP
KIM,T.	9703200321	50-263 P
KIM,W.	9703190270	TOPREP
KIMBALL,D.P.	9703190044	50-413 S
KING,L.S.	9703030006*	FOIA
KING,R.J.	9703040178	50-458 R
KING,R.J.	9703040317	50-458 P
KING,R.J.	9703060116	50-458 Q
KING,R.J.	9703200020	50-458 R
KINNAMON,K.E.	9703030230*	FOIA
KINNEMAN,J.D.	9703050062	70-968
KINNEMAN,J.D.	9703180115	40-8188
KINNEMAN,J.D.	9703210172	70-1342
KIPER,K.L.	9703100067*	FOIA
KIRKLAND,M.W.	9703170040	70-754
KIRKLAND,M.W.	9703170046	70-754
KLEVANS,E.H.	9703070046	50-5 H
KLIMAS,D.A.	9703120163*	WASTE MGT
KLINGENSMITH,J.	9703210189*	70-1342
KNIGHT,D.A.	9703030506	CONTRACT
KNIGHT,M.R.	9703070047	50-289 S
KNORR,J.E.	9703190187	50-250 R
KNOTT,R.P.	9703030050*	TOPREP
KNOTTS,J.B.	9703210082	NUREG
KNUBEL,J.	9703040113	71-9010
KNUBEL,J.	9703110046	50-286 P
KNUBEL,J.	9703110092	50-333 Q
KNUBEL,J.	9703110108*	50-289 S
KNUBEL,J.	9703170159	50-286 P
KNUBEL,J.	9703200361	50-333 P
KNUBEL,J.	9703200368	50-333 P
KNUBEL,J.	9703270260	50-286 P
KNUBEL,J.	9703280204	50-286 P
KNUBEL,J.	9703280230	50-333 P
KOBETZ,T.J.	9703050438	72-1004
KOBETZ,T.J.	9703070093	50-255 Q
KOBETZ,T.J.	9703200200	72-1004
KOBETZ,T.J.	9703270117	71-9255
KOBIATA,K.A.	9703100274	50-255 R
KOENICK,S.	9703130258*	50-335 Q
KOEPLIN,J.	9703240151	50-454 S
KOFRON,K.L.	9703100244	50-454 S
KOFRON,K.L.	9703110061	50-454 S
KOFRON,K.L.	9703110063	50-454 R
KOFRON,K.L.	9703190169	50-454 S
KOFRON,K.L.	9703190190	50-454 R
KOFRON,K.L.	9703240151	50-454 S
KOFRON,K.L.	9703260001	50-454 S
KOFRON,K.L.	9703260123	50-454 S
KOKAJKO,L.E.	9703060062	50-267 Y
KOKAJKO,L.E.	9703120373	50-267 Y
KOKAJKO,L.E.	9703130275	72-21
KOKOLAKIS,P.	9703260276	50-286 P
KOPAS,A.	9703030066*	FOIA
KOPAS,A.G.	9703030090*	FOIA
KOPAS,A.G.	9703030151*	FOIA
KOPAS,A.G.	9703030234*	FOIA
KOPP,L.	9506260333*	50-250 P
KOSMIDER,M.D.	9703060233	40-3392
KOSMIDER,M.D.	9703240174	40-3392
KOSMIDER,M.D.	9703260141	40-3392
KOUDELKA,M.B.	9703110304*	50-266 R
KOUDELKA,M.B.	9703110305*	50-266 R
KOZUP,C.S.	9703030529	50-255 S
KOZUP,C.S.	9703270223*	50-255 S
KOZUP,C.S.	9703270234	50-255 S
KRAFT,E.S.	9703030495	50-254 Q
KRAFT,E.S.	9703060125	50-254 P
KRAFT,E.S.	9703070198	50-265 Q
KRAFT,E.S.	9703130335	50-254 Q
KRAFT,E.S.	9703130365	50-254 P
KRAFT,E.S.	9703270246	50-254 S
KRAFT,E.S.	9703270249	50-254 Q
KRAFT,E.S.	9703270259	50-254 Q
KRAINICK,A.K.	9703250111	50-528 R
KRAINIK,A.K.	9703120037	50-528 R
KRAUSE,W.O.	9703040021*	FOIA
KRIEGER,R.W.	9703110128	50-361 S
KRIEGER,R.W.	9703110142*	50-361 S
KRIEGER,R.W.	9703120032	50-361 S
KRIEGER,R.W.	9703120035	50-206 S
KRIEGER,R.W.	9703130179	50-206 F
KRIEGER,R.W.	9703200054	50-206 F
KRIEGER,R.W.	9703240096	50-361 S
KRIEGER,R.W.	9703240123	50-361 S
KUCERA,G.J.	9703210355	50-397 J
KUCZYNSKI,G.J.	9703060173	50-387 S
KUCZYNSKI,G.J.	9703100002	50-387 S
KUCZYNSKI,G.J.	9703100046	50-387 S
KUCZYNSKI,G.J.	9703110211	50-387 S
KUCZYNSKI,G.J.	9703260002	50-388 S
KUGLER,A.J.	9703060288	50-341 P
KUNSEMILLER,D.	9703030471	50-302 R
KUNSEMILLER,D.	9703070172	50-302 S
KUNSEMILLER,D.F	9703050042	50-302 P
KUNSEMILLER,D.F	9703190057	50-302 R
KWASNY,M.J.	9703130317	50-219 P
LABARGE,D.E.	9703250230	50-269 P
LACEY,W.S.	9703040254	50-304 S
LACEY,W.S.	9703180003	50-295 R
LAINAS,G.C.	9302110151*	50-335 P
LAINAS,G.C.	9302190296*	50-335 P
LAINAS,G.C.	9304080293*	50-250 P
LAKEBRINK,S.	9703110084	50-461 S
LAMASTRA,M.	9703100161	70-1113
LAMASTRA,M.	9703210208	40-6940
LAMASTRA,M.A.	8006240551*	FOIA
LAMASTRA,M.A.	8101200034*	FOIA
LANDAU,M.	9703200094*	PR
LANDAU,M.	9703200100*	PR
LANDAU,M.	9703200102*	PR
LANDIS,K.	9703130056*	50-335 P
LANDIS,K.	9703130065*	50-335 P
LANDIS,K.	9703130157*	50-250 P
LANDIS,K.	9703130171*	50-250 P
LANDIS,K.D.	9703120193*	50-250 P
LANDIS,K.D.	9703120351*	50-335 Q
LANDIS,K.D.	9703130067*	50-335 P
LANDIS,K.D.	9703130167*	50-250 P
LANDIS,K.D.	9703130188*	FOIA
LANDIS,K.D.	9703130192*	50-335 P
LANDIS,K.D.	9703130195*	50-335 Q
LANDIS,K.D.	9703130202*	50-335 Q
LANDIS,K.D.	9703130209*	50-335 Q
LANDIS,K.D.	9703130214*	FOIA
LANDIS,K.D.	9703130378*	50-335 Q
LANE,T.	9703120391*	50-249 S
LANGENBACH,J.	9703280223	50-289 Q
LANGENBACH,J.W.	9703250022	50-219 P
LANGENBACH,J.W.	9703250032	50-289 P
LANGENBACH,J.W.	9703250078	50-289 H
LANIK,G.F.	9703170237	NUREG
LANIK,G.F.	9703280365*	50-269 P
LANKSBURY,R.D.	9703050519	50-456 Q
LANKSBURY,R.D.	9703060414	50-454 Q
LANKSBURY,R.D.	9703200316	50-454 Q
LANNING,W.D.	9703070167	50-245 Q
LAPLANTE,P.	9703200043*	WASTE MGT
LAPLATNEY,J.J.	9703040072	50-213 Q
LAPLATNEY,J.J.	9703040096	50-213 S
LAPLATNEY,J.J.	9703040111	50-213 S
LAPLATNEY,J.J.	9703040214	50-213 Q
LAPLATNEY,J.J.	9703060387	50-213 S
LAPLATNEY,J.J.	9703060425	50-213 R
LAPLATNEY,J.J.	9703070171	50-213 V
LAPLATNEY,J.J.	9703070174	50-213 V
LAPLATNEY,J.J.	9703130323	50-213 S
LAPLATNEY,J.J.	9703130334	50-213 S
LAPLATNEY,J.J.	9703200085	50-213 S
LAPLATNEY,J.J.	9703200166	50-213 R
LAPLATNEY,J.J.	9703250085	50-213 S
LAROSE,S.	9703280173*	WASTE MGT
LARSEN,J.	9703050053	70-925
LARSEN,J.	9703060419	70-925
LASH,J.H.	9703030488	50-346 R
LASH,J.H.	9703100259	50-346 S
LASH,J.H.	9703110053	50-346 S
LASH,J.H.	9703170185	50-346 R
LASH,J.H.	9703180163	50-346 R
LASH,J.H.	9703210327	50-346 S
LASH,J.H.	9703240238	50-346 R
LAUFER,R.J.	9703030502	50-305 P
LAUFER,R.J.	9703120442	50-305 P
LAUFER,R.J.	9703130364	50-305 P
LAUFER,R.J.	9703190159	50-305 P
LAVIE,S.F.	9703170255*	50-334 P
LAVIE,S.F.	9703170256*	50-334 P
LAVIE,S.F.	9703180002*	50-334 P
LAVIGNE,D.A.	9703060059	50-395 Q
LAVIGNE,R.	9703130420	CONTRACT
LAYCOCK,R.L.	9703260252	CONTRACT
LAYENDECKER,S.	9703050096	70-8
LAZARUS,W.	9703120106	50-247 Q
LE,N.B.	9703130376	50-400 P
LE,N.B.	9703140188	50-400 Q
LE,N.B.	9703200191	50-400 P
LE,N.B.	9703210175	50-400 P
LEA,E.	9703130051*	50-335 P
LEACH,M.N.	9703210064	50-373 F
LEAZAR,D.A.	9703250050	50-499 P
LEBLANC,P.	9703050380*	FOIA
LEE,A.D.	9703280274	ORG
LEE,M.	9703260165	XPORTLIC
LEE,M.P.	9703070064	WASTE MGT
LEEDS,E.J.	9703120380	50-280 Y
LEFEVRE,H.E.	9703240153	40-8989
LEGENDRE,A.L.	9703170073	50-443 S
LEGRAND,R.	9703110157	50-334 R
LEGRAND,R.L.	9703060222	50-334 V
LEGRAND,R.L.	9703180048	50-334 R
LEGRAND,R.L.	9703180201	50-334 S
LEGRAND,R.L.	9703260003	50-334 S
LEGRAND,R.L.	9703270149	50-334 S
LEIFHELM,J.	9703100103*	FOIA
LENNARTZ,J.A.	9703130180	50-315 V
LENNARTZ,J.A.	9703130347	50-305 V
LENNARTZ,J.A.	9703170072	50-346 V
LENNARTZ,J.A.	9703280024	50-237 V
LEONARD,T.R.	9703040259	50-382 S
LEONARD,T.R.	9703050179	50-382 S
LEONARD,T.R.	9703060082	50-382 S
LEONARD,T.R.	9703100263	50-382 S
LEONARD,T.R.	9703120019	50-382 S
LEONARD,T.R.	9703260222	50-382 S
LEONARD,W.J.	9703100042*	50-302 S
LEONARDI,R.A.	9703280326	70-946
LESAR,M.T.	9703210261*	PR
LESAR,M.T.	9703210347*	PR
LESAR,M.T.	9703210359*	PR
LESSER,M.S.	9703040312	50-327 Q
LESSER,M.S.	9703110111	50-390 Q
LESSER,M.S.	9703110116	50-327 P
LESSER,M.S.	9703110226	50-390 Q
LESSER,M.S.	9703270086	50-327 Q
LESSER,M.S.	9703270113	50-259 Q
LESSER,M.S.	9703270252	50-259 Q
LESSY,R.P.	9703070028	50-334 H
LETTS,B.R.	9703210124*	50-272 Q
LEVEILLE,J.	9703250236*	50-306 S
LEVEILLE,J.	9703280352	50-282 S
LEVESQUE,M.A.	9703260077	50-309 S
LEVIN,A.E.	9703200393	ORG
LEVIN,A.E.	9703250021	ORG
LEVINE,J.M.	9703110167	50-528 H
LEVINE,J.M.	9703180256	50-528 Q
LEVINE,J.M.	9703240119	50-528 P
LEVINE,J.M.	9703250024	50-528 P
LEVINE,J.M.	9703250115	50-528 J
LEVIS,W.	9703060448	50-324 R
LEVIS,W.	9703100026	50-325 S
LEVIS,W.	9703240158	50-324 Q
LEWIS,C.R.	9703030484*	FOIA
LEWIS,C.R.	9703030486*	FOIA
LEWIS,C.R.	9703030534*	FOIA
LEWIS,D.R.	9703070017	50-334 P
LEWIS,D.R.	9703210133	NUREG
LEWIS,H.F.	9703060235	40-8681
LEWIS,J.M.	9703060004	50-528 P
LEWIS,R.E.	9703190096	50-285 S
LIBERATORI,L.F.	9703110095	TOPREP
LIBERATORI,L.F.	9703110277	PROJ
LIBERATORI,L.F.	9703170042	TOPREP
LIEBERMAN,G.	9703100095*	FOIA
LIEBERMAN,J.	9412140232*	50-250 P
LIEBERMAN,J.	9703040396	MISC
LIEBERMAN,J.	9703060044*	STATE PRO G
LIEBERMAN,J.	9703070053	50-335 Q
LIEBERMAN,J.	9703100215*	FOIA
LIEBERMAN,J.	9703130328	50-250 Q
LIEBERMAN,J.	9703180086	50-298 Q
LIEBERMAN,J.	9703180091	50-397 Q
LIEBERMAN,J.	9703180162	STATE PRO G
LIEBERMAN,J.	9703180171	72-1004
LIEBERMAN,J.	9703190367	ORG

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LIEBERMAN,J.	9703190372	ORG
LIEBERMAN,J.	9703200129	40-1822
LIEBERMAN,J.	9703240022	TOPREP
LIEBERMAN,J.	9703240031*	TOPREP
LIEBERMAN,J.	9703240038*	TOPREP
LIEBERMAN,J.	9703270056	50-266 Q
LIEBERMAN,J.	9703270152	70-1201
LIEBROCK,L.M.	9703100135	CONTRACT
LIN,C.C.	9703070154*	50-382 P
LIN,S.D.	9703180044	50-416 R
LINDGREN,D.	9703280186*	52-3
LINDGREN,D.A.	9703060424*	52-3
LINFORD,R.B.	9703050166	CONTRACT
LINNELL,W.S.	9703060304*	50-309 H
LINVILLE,J.C.	9703200022	50-311 Q
LINVILLE,J.C.	9703280113	50-272 Q
LINVILLE,J.L.	9703260124	50-311 T
LIPARULO,N.J.	9703040137	TOPREP
LIPARULO,N.J.	9703050161*	50-275 P
LIPARULO,N.J.	9703110178	TOPREP
LIPARULO,N.J.	9703190128	TOPREP
LIPARULO,N.J.	9703240059*	TOPREP
LIPARULO,N.J.	9703250025	TOPREP
LIPARULO,N.J.	9703250036	TOPREP
LIPARULO,N.J.	9703250042	QA999
LISCHESKE,C.	9703100058*	FOIA
LITSKY,A.P.	9703260172*	50-315 P
LITSTER,J.D.	9703060268*	NUREG
LIU,B.	9703270321	40-8907
LOCASCIO,A.T.	9703120094	PT21
LOGAN,R.V.	9703050478	50-498 R
LOHAUS,P.H	9703050481	STATE PRO G
LOHAUS,P.H.	9610100217*	STATE PRO G
LOHAUS,P.H.	9702180199*	FOIA
LOHAUS,P.H.	9703050419	STATE PRO G
LOHAUS,P.H.	9703050473	STATE PRO G
LOHAUS,P.H.	9703060027	STATE PRO G
LOHAUS,P.H.	9703060031	STATE PRO G
LOHAUS,P.H.	9703060039	STATE PRO G
LOHAUS,P.H.	9703060069	STATE PRO G
LOHAUS,P.H.	9703060083	STATE PRO G
LOHAUS,P.H.	9703060231	STATE PRO G
LOHAUS,P.H.	9703190170	STATE PRO G
LOHAUS,P.H.	9703190177	STATE PRO G
LOHAUS,P.H.	9703190281	STATE PRO G
LOHAUS,P.H.	9703190306	STATE PRO G
LOHAUS,P.H.	9703190321	STATE PRO G
LOHAUS,P.H.	9703190331	STATE PRO G
LOHAUS,P.H.	9703190357	STATE PRO G
LOHAUS,P.H.	9703190361	STATE PRO G
LOHAUS,P.H.	9703200001	STATE PRO G
LOHAUS,P.H.	9703200061	STATE PRO G
LOMBARDI,D.A.	9703100266	40-672
LONG,R.	9703130048*	50-335 P
LOPEZ,G.C.	9703100282	40-8989
LUPO,M.	9703030079	STATE PRO G
LUSARDI,M.	9703270168	72-1002
LUTHIGER,P.	9703030460	40-8905
LUTHIGER,P.	9703060388	40-8905
LUTHIGER,P.	9703200145	40-8905
LYDON,P.S.	9703250209	50-309 J
LYNCH,J.	9703190341*	STATE PRO G
LYNCH,K.	9703200070	50-334 H
LYNCH,M.D.	9703030380	50-454 P
LYTER,C.S.	9703030163*	FOIA
LYTER,C.S.	9703030463*	FOIA
MAAS,L.J.	9703110027	70-1257
MAAS,L.J.	9703210323*	70-1257
MACE,M.	9703100146	CONTRACT
MACE,M.	9703130116	CONTRACT
MACE,M.	9703210029	CONTRACT
MACE,M.	9703210033	CONTRACT
MACE,M.	9703260246	CONTRACT
MACE,M.H.	9703030505	CONTRACT
MACE,M.H.	9703030506	CONTRACT
MACE,M.H.	9703030508	CONTRACT
MACE,M.H.	9703050127	CONTRACT
MACE,M.H.	9703100096	CONTRACT
MACE,M.H.	9703100099*	CONTRACT
MACE,M.H.	9703100104*	CONTRACT
MACE,M.H.	9703100109*	CONTRACT
MACE,M.H.	9703100114*	CONTRACT
MACE,M.H.	9703100116*	CONTRACT
MACE,M.H.	9703100119*	CONTRACT
MACE,M.H.	9703100120	CONTRACT
MACE,M.H.	9703100124*	CONTRACT
MACE,M.H.	9703100127*	CONTRACT
MACE,M.H.	9703100129*	CONTRACT
MACE,M.H.	9703130084	CONTRACT
MACE,M.H.	9703130086	CONTRACT
MACE,M.H.	9703130104	CONTRACT
MACE,M.H.	9703130420	CONTRACT
MACE,M.H.	9703190233	CONTRACT
MACE,M.H.	9703190238	CONTRACT
MACE,M.H.	9703200075	CONTRACT
MACE,M.H.	9703210027	CONTRACT
MACE,M.H.	9703210083	CONTRACT
MACE,M.H.	9703210247	CONTRACT
MACE,M.H.	9703250188	CONTRACT
MACE,M.H.	9703250194	CONTRACT
MACE,M.H.	9703260182	CONTRACT
MACE,M.H.	9703260233	CONTRACT
MACE,M.H.	9703270040	CONTRACT
MACKIN,P.	9703060152*	WASTE MGT
MACRUM,E.M.	9703250188	CONTRACT
MADERA,J.R.	9703280084	I&E
MAEDA,Y.	9703260045	XPORTLIC
MAEDA,Y.	9703260050	XPORTLIC
MAEDA,Y.	9703260102	XPORTLIC
MAGRUDER,S.L.	9703030286	PROJ
MAGRUDER,S.L.	9703030328	TOPREP
MAGRUDER,S.L.	9703030431	TOPREP
MAGRUDER,S.L.	9703060364	PROJ
MAGRUDER,S.L.	9703140151	TOPREP
MAGRUDER,S.L.	9703140181	TOPREP
MAGRUDER,S.L.	9703280120	TOPREP
MAGRUDER,S.L.	9703280168	PROJ
MAHENDRANATHAN	9703050180*	50-237 S
MAIER,S.M.	9703120448*	50-445 P
MALLAVARAPU,L.	9703260146	50-373 S
MALLETT,B.S.	9703280022	70-143
MALLOY,M.	9703110248	REVIEW GR P
MAMISH,N.L.	9703100201*	50-267 Q
MAMISH,N.L.	9703100209*	50-267 Q
MANCUSO,W.	9703040077	NUREG
MANN,M.	9703030258	XPORTLIC
MANN,M.	9703130435	XPORTLIC
MANN,M.	9703170026*	XPORTLIC
MANNESCHMIDT,E.	9703200279	NUREG
MANTEUFEL,R.	9703060174*	WASTE MGT
MARCHI,M.L.	9703050154	50-305 Q
MARCHI,M.L.	9703050256	50-305 Q
MARCHI,M.L.	9703070060	50-305 R
MARCHI,M.L.	9703110131	50-305 S
MARCHI,M.L.	9703110133	50-305 S
MARCHI,M.L.	9703140114	50-305 R
MARCHI,M.L.	9703240140	50-305 J
MARCHI,M.L.	9703240220	50-305 J
MARCUS,C.S.	9703060162*	STATE PRO G
MARCUS,C.S.	9703210233*	COMMISSIO N
MARCUS,G.H.	9703030042	50-282 H
MARCUS,G.H.	9703030089	50-282 H
MARET,G.A.	9703050196	50-271 S
MARET,G.A.	9703060209	50-271 S
MARET,G.A.	9703060265	50-271 R
MARET,G.A.	9703180020	50-271 R
MARET,G.A.	9703280401	50-271 S
MARKS,D.G.	9703040103*	50-528 S
MARSCHALL,C.	9703170239	NUREG
MARSHALL,J.S.	9703070188	50-445 R
MARSHALL,J.S.	9703240111	50-445 R
MARTIN,D.	9703180204	70-*****
MARTIN,L.E.	9703070187	50-498 P
MARTIN,L.E.	9703280248	50-498 H
MARTIN,L.E.	9703280258	50-498 V
MARTIN,R.E.	9703060046	50-390 P
MARTIN,R.E.	9703130313	50-390 P
MARTIN,R.E.	9703240135	50-390 P
MARTIN,R.E.	9703240172	50-327 P
MARTIN,T.T.	9703030327	50-225 V
MARTIN,T.T.	9703030329	50-116 V
MARTIN,T.T.	9703030354	50-2 V
MARTIN,T.T.	9703030372	50-116 V
MARTIN,T.T.	9703030379	50-223 V
MARTIN,T.T.	9703040265	50-3 Q
MARTIN,T.T.	9703040281	50-3 V
MARTIN,T.T.	9703040338	50-3 Q
MARTIN,T.T.	9703070070	PROJ
MARTIN,T.T.	9703140142	50-3 Q
MARTIN,T.T.	9703140143	50-3 Q
MARTIN,T.T.	9703140144	50-3 Q
MARTIN,T.T.	9703190136	50-3 Q
MARTIN,T.T.	9703190139	50-3 Q
MARTIN,T.T.	9703190243	50-131 V
MARTIN,T.T.	9703200231	50-3 Q
MARTIN,T.T.	9703200356*	50-72 W
MARTIN,T.T.	9703240170	50-83 V
MASCIANTONIO,A.	9303110081*	50-206 P
MASNIK,M.T.	9703120397	50-344 W
MASON,D.K.	9703180027	50-280 R
MASSE,F.	9703050262*	70-938
MASSE,F.	9703060287*	NUREG
MASSE,R.E.	9703210315	50-498 R
MATRANGA,E.C.	9703180163	50-346 R
MATTERN,B.	9703240219*	50-387 R
MATTHEWS,D.B.	9703130301	50-443 P
MATTHEWS,D.B.	9703170194	TOPREP
MATTHEWS,W.R.	9703120038	50-338 R
MATTIA,M.J.	9703050166	CONTRACT
MAUDIN,R.L.	9703180054*	WASTE MGT
MAUDLIN,R.L.	9703200050*	WASTE MGT
MAUDLIN,R.L.	9703210107*	WASTE MGT
MAUPIN,C.H.	9702130300	STATE PRO G
MAYFIELD,M.E.	9703200149	ORG
MAYFIELD,M.E.	9703200265	ORG
MAYLATH,J.J.	9703040374	50-247 S
MAYNARD,O.L.	9703060269	50-482 Q
MAYNARD,O.L.	9703140080	50-482 P
MAYNARD,O.L.	9703140095	50-482 S
MAYNARD,O.L.	9703270156	50-482 P
MAYO,P.J.	9703110172	PROJ
MAYS,R.N.	9703190014	50-390 S
MAYS,S.E.	9611130471*	FOIA
MAYS,S.E.	9703210105*	FOIA
MCALLISTER,B.A.	9703180233*	50-296 Q
MCALPINE,E.J.	9703040268	70-27
MCALPINE,E.J.	9703110059	70-27
MCALPINE,E.J.	9703110280	50-160 Q
MCALPINE,E.J.	9703110296	70-1113
MCALPINE,E.J.	9703120033	50-83 P
MCALPINE,E.J.	9703200123	70-1201
MCALPINE,E.J.	9703270193	70-1151
MCALPINE,E.J.	9703270222	70-1113
MCALPINE,E.J.	9703270231	70-27
MCALPINE,E.J.	9703280029	70-143
MCANULTY,M.W.	9703180050	50-348 R
MCAVOY,J.	9703210078*	50-286 S
MCAVOY,J.	9703210090*	50-286 S
MCCABE,D.E.	9703200279	NUREG
MCCALLIN,J.P.	9703260172*	50-315 P
MCCKOY,C.K.	9703130248	50-424 J
MCCOLLUM,W.R.	9703050121	50-413 Q
MCCOLLUM,W.R.	9703050135	50-413 R
MCCOLLUM,W.R.	9703120328	50-413 F
MCCOLLUM,W.R.	9703170223	50-413 F
MCCOLLUM,W.R.	9703170238	50-413 P
MCCOLLUM,W.R.	9703190044	50-413 S
MCCONAGHY,W.J.	9703130088	72-1023
MCCONAGHY,W.J.	9703130212	72-1023
MCCONAGHY,W.J.	9703130222	72-1023
MCCONNELL,K.I.	9703140026	WASTE MGT
MCCONNELL,K.I.	9703140101	WASTE MGT
MCCONNELL,K.I.	9703200277	WASTE MGT
MCCORMICK	9703030184*	FOIA
MCCORMICK	9703030204*	FOIA
MCCORMICK	9703030241*	FOIA
MCCORMICK,J.W.	9703200184	50-266 Q
MCCORMICK,J.W.	9703200254	50-266 P
MCCORMICK,M.J.	9703070168	50-410 R
MCCORMICK,M.J.	9703070177	50-220 R
MCCORMICK,M.J.	9703100006	50-220 P
MCCORMICK,M.J.	9703110104	50-220 P
MCCORMICK,M.J.	9703190097	50-220 P
MCCORMICK,M.J.	9703250043	50-220 P
MCCORMICK,M.J.	9703250053	50-410 P
MCCORMICK,M.J.	9703270188	50-410 S
MCCORMICK-BARGE	9703030296*	FOIA
MCCORMICK-BARGE	9703100208*	FOIA
MCCORMICK-BARGE	9703100212*	FOIA
MCCORMICK-BARGE	9703100214*	FOIA
MCCORMICK-BERGE	9703030134	50-266 P
MCCOY,C.K.	9703130264	50-424 P
MCCOY,C.K.	9703180012	50-424 R
MCCOY,C.K.	9703180033	50-424 S
MCCOY,C.K.	9703190061	50-424 P
MCCOY,C.K.	9703190079	50-425 S
MCCOY,C.K.	9703200065	50-424 P
MCCOY,C.K.	9703200069	50-424 P
MCCOY,C.K.	9703240222*	50-424 R
MCCOY,C.K.	9703250023	50-424 R
MCCOY,C.K.	9703260134	50-424 P
MCCOY,C.K.	9703260142	50-424 P
MCCOY,C.K.	9703270088	50-424 P
MCCUE,J.	9703110058	71-*****

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCCUE,J.	9703110065*	71-*****
MCCULLUM,J.E.	9703110188	50-266 S
MCDERMOTT,F.E.	9703040152*	FOIA
MCDERMOTT,F.E.	9703040155*	FOIA
MCDERMOTT,F.E.	9703040171*	FOIA
MCDERMOTT,F.E.	9703040206*	FOIA
MCDERMOTT,F.E.	9703120187*	FOIA
MCDONALD,D.G.	9703190158	50-336 P
MCDONALD,D.G.	9703190161*	50-336 P
MCDONALD,D.G.	9703250251	50-336 S
MCDONALD,D.G.	9703260206	50-336 P
MCDOUGAL,L.R.	9703260137	50-302 S
MCDOWELL,M.E.	9703030213*	FOIA
MCDOWELL,M.E.	9703030223*	FOIA
MCELHANEY,K.L.	9703030045*	50-445 P
MCELHANEY,K.L.	9703200269*	ORG
MCELWAIN,J.P.	9703040121	50-245 P
MCELWAIN,J.P.	9703040244	50-245 P
MCELWAIN,J.P.	9703040244	50-245 P
MCELWAIN,J.P.	9703070015	50-245 Q
MCELWAIN,J.P.	9703100240	50-245 P
MCENTEE,R.M.	9703060131	40-7580
MCFADDEN,J.R.	9703050462*	NUREG
MCGAFFIGAN,E.	9703140164*	COMMISSION
MCGAFFIGAN,E.	9703180258*	COMMISSION
MCGAFFIGAN,E.	9703260341*	COMMISSION
MCGAFFIGAN,E.	9703270080*	COMMISSION
MCGAFFIGAN,E.	9703280262*	COMMISSION
MCGARRY,J.M.	9703180026	70-3070
MCGARRY,J.M.	9703180026	70-3070
MCGINTY,K.A.	9703240167*	COMMISSION
MCGINTY,T.J.	9703130081	71-3033
MCGOVERN,J.J.	9703070034	70-687
MCGUIRE,S.A.	9703200259	NUREG
MCHALE,J.L.	9703040216*	50-353 P
MCINTYRE,B.A	9703280148	52-3
MCINTYRE,B.A.	9703030009	52-3
MCINTYRE,B.A.	9703030011*	52-3
MCINTYRE,B.A.	9703030058	52-3
MCINTYRE,B.A.	9703030334	52-3
MCINTYRE,B.A.	9703030472	52-3
MCINTYRE,B.A.	9703030474*	52-3
MCINTYRE,B.A.	9703040118	52-3
MCINTYRE,B.A.	9703040125	52-3
MCINTYRE,B.A.	9703040309	52-3
MCINTYRE,B.A.	9703050513	52-3
MCINTYRE,B.A.	9703060092	52-3
MCINTYRE,B.A.	9703060143	52-3
MCINTYRE,B.A.	9703060191	52-3
MCINTYRE,B.A.	9703060212*	52-3
MCINTYRE,B.A.	9703060280	52-3
MCINTYRE,B.A.	9703060402	52-3
MCINTYRE,B.A.	9703060424*	52-3
MCINTYRE,B.A.	9703070048	52-3
MCINTYRE,B.A.	9703070057	52-3
MCINTYRE,B.A.	9703100231	52-3
MCINTYRE,B.A.	9703120451	52-3
MCINTYRE,B.A.	9703120456	52-3
MCINTYRE,B.A.	9703170163	52-3
MCINTYRE,B.A.	9703170222	52-3
MCINTYRE,B.A.	9703170225	52-3
MCINTYRE,B.A.	9703170257	52-3
MCINTYRE,B.A.	9703170259*	52-3
MCINTYRE,B.A.	9703180010	52-3
MCINTYRE,B.A.	9703190046	52-3
MCINTYRE,B.A.	9703190054	52-3
MCINTYRE,B.A.	9703190056*	52-3
MCINTYRE,B.A.	9703190107	52-3
MCINTYRE,B.A.	9703210098	52-3
MCINTYRE,B.A.	9703240074	52-3
MCINTYRE,B.A.	9703250055	52-3
MCINTYRE,B.A.	9703250073	52-3
MCINTYRE,B.A.	9703250075	52-3
MCINTYRE,B.A.	9703250081	52-3
MCINTYRE,B.A.	9703250086	52-3
MCINTYRE,B.A.	9703270276	52-3
MCINTYRE,B.A.	9703270313	52-3
MCKAGUE,H.L.	9703060128*	WASTE MGT
MCKEE,P.F.	9703170198*	50-423 P
MCKEEN,A.	9703050019*	50-333 R
MCKELVIN,S.	9703210102*	FOIA
MCKENNA,E.	9703100081*	50-213 W
MCKENNA,E.	9703100087*	FOIA
MCKIBBEN,J.C.	9703070165	50-186 R
MCKIBBEN,J.C.	9703260162	71-108
MCKIBBEN,J.C.	9703260257	50-186 P
MCLAUGHLIN,J.	9703050422	70-1426
MCLAUGHLIN,J.	9703170056	70-1426
MCLAUGHL	9703250207	70-1426
MCLAUGHL	9703260038	71-250
MCLEOD,B	9703140150	TOPREP
MCNEILL,C	9703180252	50-277 I
MCONAGH J.	9703270316	72-1023
MEARSE,S.I	9703260231	CONTRACT
MECREDY,P	9703030532	50-244 R
MECREDY,R	9703110153	50-244 S
MECREDY,R.	9703110202	50-244 S
MECREDY,R.C	9703190117	50-244 P
MECREDY,R.C.	9703200079	50-244 P
MECREDY,R.C.	9703250176	50-244 R
MECREDY,R.C.	9703250218	50-244 Q
MEDONCA,M.M.	9703140140	50-123 F
MEEHAN,B.D.	9703120226	CONTRACT
MEHTA,H.	9703180233*	50-296 Q
MEHTA,H.S.	9703180234*	50-296 Q
MEHTA,H.S.	9703250034*	50-293 Q
MELLEN,L.	9703130056*	50-335 P
MELLOR,R.A.	9703060086	NUREG
MELLOR,R.A.	9703130315	NUREG
MENDONCA,M.M.	9703130289	50-5 P
MENDONCA,M.M.	9703240162	50-288 P
MENDONCA,M.M.	9703270159	50-27 P
MERRITT,E.C.	9703260210	50-182 R
MERSCHOFF,E.W.	9605020246*	50-335 P
MERSCHOFF,E.W.	9606040260*	50-335 P
MERSCHOFF,E.W.	9702050227	50-269 Q
MERSCHOFF,E.W.	9703130238*	50-335 Q
MERSCHOFF,E.W.	9703240009	50-382 Q
MESCHTER,R.	9703200313*	FOIA
MESCHTER,R.	9703200319*	FOIA
METCALF,M.	9703270258*	50-309 H
METHTA,H.S.	9703250038*	50-293 Q
METZLER,D.	9703070021	WASTE MGT
MEYER,D.L.	9703200062*	PR
MEYER,G.W.	9703030056	50-412 V
MEYER,G.W.	9703070130	50-387 V
MEYER,G.W.	9703180102	50-247 V
MEYER,G.W.	9703180170	50-219 Q
MEYER,G.W.	9703190091	50-334 V
MEYER,W.A.	9703070165	50-186 R
MEYER,W.A.	9703260162	71-108
MEYER,W.A.	9703260257	50-186 P
MICHAELS,T.S.	9703120453	50-150 P
MICHAELS,T.S.	9703170186	50-2 F
MICHAELS,T.S.	9703250173	50-223 P
MICHEL,T.G.	9703040063*	40-6622
MIHALIK,A.	9703040088	50-286 S
MIHALIK,A.	9703210073	50-286 S
MILANO,P.A.	9703130009*	50-271 P
MILANO,P.A.	9703170187*	50-443 P
MILANO,P.D.	9703030390*	50-443 P
MILANO,P.D.	9703120411*	50-219 P
MILANO,P.D.	9703130274	50-293 P
MILANO,P.D.	9703140027	50-219 G
MILANO,P.D.	9703140116	50-293 Q
MILANO,P.D.	9703250245	50-293 Q
MILANO,P.D.	9703260229*	50-219 P
MILLER,C.L.	9703240054*	TOPREP
MILLER,D.L.	9703100259	50-346 S
MILLER,H.J.	9703100177	50-213 Q
MILLER,H.J.	9703110032	50-271 Q
MILLER,H.J.	9703120138	50-219 P
MILLER,H.J.	9703170028	50-213 V
MILLER,H.J.	9703180145	50-289 Q
MILLER,H.J.	9703200036	50-334 Q
MILLER,H.J.	9703210153*	50-272 Q
MILLER,H.J.	9703210244	50-309 P
MILLER,H.J.	9703250198	50-317 P
MILLER,J.H.	9703060040	70-7001
MILLER,J.H.	9703060053	70-7002
MILLER,J.H.	9703130117	70-7001
MILLER,J.H.	9703130125	70-7002
MILLER,J.H.	9703170154	70-7001
MILLER,J.H.	9703180058	70-7001
MILLER,J.H.	9703190118	70-7001
MILLER,J.H.	9703250114	70-7001
MILLER,M.	9703100100*	FOIA
MILLER,M.	9703130056*	50-335 P
MILLER,M.	9703130065*	50-335 P
MILLER,M.	9703130170*	50-335 P
MILLER,M.	9703130201*	50-335 Q
MILLER,M.	9703130213*	50-335 P
MILLER,M.	9703130215*	50-335 P
MILLER,M.	9703130218*	50-335 P
MILLER,M.	9703130219*	50-335 P
MILLER,M.	9703130230*	50-335 P
MILLER,M.	9703130231*	50-335 P
MILLER,M.	9703130234*	50-335 Q
MILLER,M.	9703130236*	50-335 Q
MILLER,M.	9703130237*	50-335 P
MILLER,M.	9703130241*	50-335 P
MILLER,M.	9703130254*	50-335 Q
MILLER,M.	9703130257*	FOIA
MILLER,M.	9703130262*	FOIA
MILLER,M.	9703130267*	FOIA
MILLER,M.	9703130270*	FOIA
MILLER,M.	9703130276*	FOIA
MILLER,M.	9703130281*	50-335 Q
MILLER,M.	9703130285*	50-335 Q
MILLER,M.	9703130298*	50-335 P
MILLER,M.	9703280066	40-672
MILLER,M.	9703280072	40-8980
MILLER,R.	9703190344*	STATE PRO G
MILLER,R.L.	9703100266	40-672
MILLER,V.L.	9703040345*	FOIA
MILLER,W.O.	9703200081*	PR
MIMS,D.C.	9703030496	50-313 Q
MIMS,D.C.	9703040037	50-313 P
MIMS,D.C.	9703050009	50-313 R
MIMS,D.C.	9703050015	50-313 R
MIMS,D.C.	9703050032	50-368 Q
MIMS,D.C.	9703050120	50-313 R
MIMS,D.C.	9703050143	50-368 P
MIMS,D.C.	9703070085	50-368 R
MIMS,D.C.	9703070111	50-368 S
MIMS,D.C.	9703100230	50-313 P
MIMS,D.C.	9703100251	50-313 Q
MIMS,D.C.	9703110256	50-368 S
MIMS,D.C.	9703180053	50-313 P
MIMS,D.C.	9703240189	50-313 R
MIMS,D.C.	9703240192	50-368 R
MIMS,D.C.	9703260111	50-313 Y
MIN,P.A.	9703170156	XPORTLIC
MIN,P.A.	9703170160	XPORTLIC
MINOR,J.W.	9703120109	50-316 R
MINOR,J.W.	9703120122	50-315 R
MINTZ,S.	9702240215*	50-237 P
MINTZ,S.	9702240257*	50-237 P
MIRAFLIA,F.J.	9703190001	ORG
MIRAGLIA,F.J	9703210255*	50-424 P
MIRAGLIA,F.J.	9701310367*	REVIEW GR P
MIRAGLIA,F.J.	9703030110	50-255 G
MIRAGLIA,F.J.	9703030123*	50-255 G
MIRAGLIA,F.J.	9703030133*	50-255 G
MIRAGLIA,F.J.	9703210224*	50-321 P
MIRAGLIA,F.J.	9703210227*	50-321 P
MIRAGLIA,F.J.	9703210275*	50-424 P
MIRAGLIA,F.J.	9703240131	50-321 G
MIRAGLIA,F.J.	9703240190*	50-321 G
MIRAGLIA,F.J.	9703240195*	50-321 G
MIRAGLIA,F.J.	9703250003*	50-321 G
MITCHELL,G.L.	9703170223	50-413 F
MITCHELL,T.N.	9703270169	50-277 Q
MO,T.	9703210156*	40-6563
MO,T.	9703210160*	40-6563
MOBLEY,M.H.	9703260147	STATE PRO G
MOCNIAK,M.J.	9703200008	40-7580
MODEEN,D.J.	9703040090	I&E
MODEEN,D.J.	9703170058	REVIEW GR P
MODEEN,D.J.	9703190167	I&E
MODEEN,D.J.	9703260151	I&E
MONTELEONE,S.	9703120266	NUREG
MONTELEONE,S.	9703120276	NUREG
MONTELEONE,S.	9703120285	NUREG
MOON,Y.	9703210041	XPORTLIC
MOORE,K.	9703250095	50-254 R
MOORE,T.S.	9703140066	70-3070
MORALES,E.M.	9703030007	40-8907
MORALES,E.M.	9703280175	40-8907
MOREY,D.	9703040070	50-348 P
MOREY,D.	9703040201	50-348 P
MOREY,D.	9703040325	50-348 P
MOREY,D.	9703040369	50-348 P
MOREY,D.	9703050146	50-348 R
MOREY,D.	9703130344	50-364 P
MOREY,D.	9703130416	50-348 S
MOREY,D.	9703130424	50-348 P
MOREY,D.	9703170064	50-348 P
MOREY,D.	9703180050	50-348 R
MOREY,D.	9703180068	50-364 Q
MOREY,D.	9703190095	50-348 Q
MOREY,D.	9703200060	50-348 S
MOREY,D.	9703200076	50-348 P
MOREY,D.	9703250057	50-348 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MOREY,D.	9703260263	50-348 P
MOREY,D.C.	9703170151*	70-1201
MOREY,D.N.	9703130359	50-348 J
MORRILL,V.	9703140171	40-8698
MORRISON,D.L.	9703050430	ORG
MORRISON,D.L.	9703120042	ORG
MORTON,L.B.	9703100285	40-8989
MORTON,L.B.	9703210037	40-8989
MORTON,L.B.	9703250252	40-8989
MOWRY,C.M.	9703060390*	TOPREP
MOXLEY,M.	9703060232	40-4492
MOZAFARI,B.	9703030217	50-261 P
MOZAFARI,B.	9703130018	50-261 P
MOZAFARI,B.	9703140128	50-261 P
MOZAFARI,B.	9703170127	50-261 P
MOZAFARI,B.	9703170170	50-261 P
MUBAYI,V.	9703170247	NUREG
MUELLER,J.H.	9703170109	50-295 Q
MUENCH,R.A.	9703070166	50-482 P
MUENCH,R.A.	9703170016	50-482 K
MUENCH,R.A.	9703170110	50-482 R
MUENCH,R.A.	9703200357	50-482 P
MUENCH,R.A.	9703240097	50-482 P
MUENCH,R.A.	9703240105	50-482 P
MUENCH,R.A.	9703240175	50-482 P
MUENCH,R.A.	9703270232	50-482 P
MUENCH,R.A.	9703270275	50-482 P
MULAY,S.J.	9703260140	I&E
MUNCHRATH,R.	9703190075	TOPREP
MUNUZ,M.	9703100207	CONTRACT
MURPHY,T.D.	9703140050	50-461 G
MURPHY,W.M.	9703280114*	WASTE MGT
MURRAY,B.M.	9703270037	70-1220
MUSICKI,Z.	9701310074*	50-445 P
MUSICKI,Z.	9703070154*	50-382 P
MYERS,L.W.	9703050124	50-440 R
MYERS,L.W.	9703050449	50-440 Q
MYERS,L.W.	9703060196	NUREG
MYERS,L.W.	9703110085	50-440 F
MYERS,L.W.	9703120171	50-440 F
MYERS,L.W.	9703130246	50-440 V
MYERS,L.W.	9703180221	50-440 R
MYERS,L.W.	9703180227	50-440 S
MYERS,L.W.	9703180238	50-440 P
MYERS,L.W.	9703180243	50-440 R
MYERS,L.W.	9703190395	50-440 P
MYERS,L.W.	9703200021	50-400 R
MYERS,L.W.	9703200350	50-440 P
MYERS,L.W.	9703250001	50-440 R
MYERS,L.W.	9703250206	50-440 F
MYERS,P.H.	9703030465*	FOIA
MYERS,P.H.	9703030536*	FOIA
NAKAYAMA,H.K.	9703030464*	FOIA
NARDI,J.A.	9703050155*	70-698
NARDONE,P.E.	9703180017	50-443 R
NASLUND,C.D.	9703030501	50-483 Q
NELSON	9703100068*	FOIA
NELSON,A.P.	9703060169	NUREG
NELSON,R.A.	9703260302	40-8778
NELSON,R.A.	9703260317	40-8778
NERSES,V.	9703100144	50-369 P
NERSES,V.	9703120434	50-269 F
NERSES,V.	9703240137	50-369 P
NEWBERRY,S.F.	9604300372*	50-219 P
NEWBERRY,S.F.	9703030277	PROJ
NEWBURGH,G.	9703200131	50-245 R
NEWSOME,H.	9702130300	STATE PRO G
NEWSOME,H.	9703200358*	PR
NEWTON,R.A.	9703110095	TOPREP
NICHOLS,S.B.	9703060207	CONTRACT
NICHOLSON,L.	9703210132*	50-272 Q
NICHOLSON,R.J.	9703180228*	50-255 P
NIETMANN,K.J.	9703260313	50-317 V
NIR,I.	9703060394*	TOPREP
NOBARIAN,B.	9703130104	CONTRACT
NOBARIAN,B.	9703130104	CONTRACT
NODES,R.E.	9703210075	71-872
NOLL,W.G.	9703170089	50-245 S
NOLL,W.G.	9703170089	50-245 S
NORBERG,J.A.	9304290093*	50-250 P
NORBERG,J.A.	9307190047*	50-335 P
NORBERG,J.A.	9401040006*	50-250 P
NORBERG,J.A.	9402150403*	FOIA
NORRIS,J.	9412300102*	50-389 P
NORRIS,J.A.	9301060292*	50-335 P
NORRIS,J.A.	9302030169*	50-250 P
NORRIS,J.A.	9302260287*	50-335 P
NORRIS,J.A.	9303100026*	50-250 P
NORRIS,J.A.	9303100136*	50-335 P
NORRIS,J.A.	9303100151*	50-335 P
NORRIS,J.A.	9303150199*	50-335 P
NORRIS,J.A.	9303230269*	50-335 P
NORRIS,J.A.	9303240268*	50-335 P
NORRIS,J.A.	9304080073*	50-335 P
NORRIS,J.A.	9304120308*	50-335 P
NORRIS,J.A.	9304190166*	50-250 P
NORRIS,J.A.	9304220313*	50-335 P
NORRIS,J.A.	9304260066*	50-335 P
NORRIS,J.A.	9305060275*	50-335 P
NORRIS,J.A.	9306070197*	50-335 P
NORRIS,J.A.	9306290243*	50-250 P
NORRIS,J.A.	9307080320*	50-335 C
NORRIS,J.A.	9307090256*	50-335 P
NORRIS,J.A.	9308190332*	50-335 P
NORRIS,J.A.	9308230237*	50-335 P
NORRIS,J.A.	9310150115*	50-389 P
NORRIS,J.A.	9311050142*	50-335 P
NORRIS,J.A.	9311180111*	50-335 P
NORRIS,J.A.	9312010312*	50-250 P
NORRIS,J.A.	9312130330*	50-335 P
NORRIS,J.A.	9312140352*	50-335 P
NORRIS,J.A.	9312230125*	50-250 P
NORRIS,J.A.	9312270078*	50-335 P
NORRIS,J.A.	9401100185*	FOIA
NORRIS,J.A.	9401130063*	50-250 P
NORRIS,J.A.	9402150061*	50-335 P
NORRIS,J.A.	9403090342*	50-335 P
NORRIS,J.A.	9403240033*	50-335 P
NORRIS,J.A.	9403290318*	50-335 P
NORRIS,J.A.	9403300219*	50-335 P
NORRIS,J.A.	9404060048*	50-335 P
NORRIS,J.A.	9404070288*	50-335 Q
NORRIS,J.A.	9404260378*	50-250 P
NORRIS,J.A.	9406210325*	30-389
NORRIS,J.A.	9406230100*	50-389 Q
NORRIS,J.A.	9406280080*	50-335 P
NORRIS,J.A.	9407200123*	50-335 P
NORRIS,J.A.	9408110167*	50-335 P
NORRIS,J.A.	9408120005*	50-335 P
NORRIS,J.A.	9408150077*	50-335 P
NORRIS,J.A.	9408150172*	50-389 P
NORRIS,J.A.	9408250207*	50-335 P
NORRIS,J.A.	9410140177*	50-335 P
NORRIS,J.A.	9411090170*	50-389 P
NORRIS,J.A.	9411140047*	50-335 P
NORRIS,J.A.	9412010203*	50-335 P
NORRIS,J.A.	9412010232*	50-335 P
NORRIS,J.A.	9501240199*	50-335 P
NORRIS,J.A.	9502010309*	50-335 P
NORRIS,J.A.	9502140260*	50-335 P
NORRIS,J.A.	9502140413*	50-335 P
NORRIS,J.A.	9502140422*	50-389 P
NORRIS,J.A.	9503160363*	50-389 P
NORRIS,J.A.	9503160365*	50-335 P
NORRIS,J.A.	9503160369*	50-389 P
NORRIS,J.A.	9503220153*	50-335 P
NORRIS,J.A.	9504210157*	50-335 P
NORRIS,J.A.	9504240320*	50-335 P
NORRIS,J.A.	9505040325*	50-335 P
NORRIS,J.A.	9506200393*	50-335 P
NORRIS,J.A.	9506200400*	50-335 P
NORRIS,J.A.	9506230149*	50-335 P
NORRIS,J.A.	9506280153*	50-335 P
NORRIS,J.A.	9506280231*	50-389 P
NORRIS,J.A.	9507130211*	50-335 P
NORRIS,J.A.	9509080180*	50-389 P
NORRIS,J.A.	9509080246*	50-335 P
NORRIS,J.A.	9509140188*	50-335 P
NORRIS,J.A.	9509140203*	50-335 P
NORRIS,J.A.	9509140209*	50-335 P
NORRIS,J.A.	9509180043*	50-335 P
NORRIS,J.A.	9509180134*	50-335 P
NORRIS,J.A.	9511010306*	50-335 P
NORRIS,J.A.	9511030084*	50-335 P
NORRIS,J.A.	9512270204*	50-335 P
NORRIS,J.A.	9601300280*	50-335 P
NORRIS,J.A.	9603260075*	50-389 P
NORRIS,J.A.	9604170191*	50-335 P
NOSS,D.L.	9703130402	XPORTLIC
NOSS,D.L.	9703130405*	XPORTLIC
NOSS,D.L.	9703170045*	XPORTLIC
NOURBAKHSH,H.P.	9703170247	NUREG
NOVAK,T.M.	9303030437*	50-335 P
NOVENDSTERN,E.	9703280152*	52-3
NOVENDSTERN,E.	9703280194*	52-3
NOVENDSTERN,E.H	9703280178*	52-3
NOVENDSTERN,E.H	9703280183*	52-3
NOVENDSTERN,E.H	9703280190*	52-3
NOVENDSTERN,E.H	9703280191*	52-3
NULL,K.G.	9703200326*	FOIA
NUNEZ,R.A.	9703070033*	50-528 V
NUNN,D.E.	9703180239	50-361 Q
NYDES,R.K.	9703060060*	52-3
O'BANNON,F.	9703190291	STATE PRO G
O'CONNELL,J.J.	9703140077	CONTRACT
O'DONNELL,L.O.	9703190093	50-237 S
O'HANLON,J.P.	9703040001	50-280 P
O'HANLON,J.P.	9703040144	50-338 Q
O'HANLON,J.P.	9703180007	50-338 Q
O'HANLON,J.P.	9703180235	50-280 P
O'HANLON,J.P.	9703250137	50-280 P
O'HANLON,J.P.	9703250148	50-338 P
O'HANLON,J.P.	9703250200	50-280 P
O'HANLON,J.P.	9703280225	50-280 Q
O'HANLON,J.P.	9703280405	50-280 P
O'KELLY,S.	9703050318	50-128 J
OGLE,C.	9703100028*	50-335 G
OGLE,C.	9703100066*	50-250 P
OHEIM,H.V.	9703240095	50-293 R
OLIVIER,L.J.	9703050101	50-293 R
OLIVIER,L.J.	9703050164	50-293 R
OLIVIER,L.J.	9703070185	50-293 R
OLIVIER,L.J.	9703180196	50-293 R
OLSEN,A.F.	9703030512	70-27
OLSEN,A.F.	9703110271	70-27
OLSEN,A.F.	9703110298	70-27
OLSEN,A.F.	9703180034	PR
OLSEN,A.F.	9703180105	70-27
OLSEN,A.F.	9703200376	70-27
OLSEN,A.F.	9703260197	70-27
OLSEN,H.O.	9703200122	50-317 R
OLSHAN,L.N.	9703040039	50-272 P
OLSHAN,L.N.	9703270112	50-272 P
OLSON,R.	9703170239	NUREG
ORLANDO,D.A.	9703120437	40-341
ORLANDO,D.A.	9703280117	WASTE MGT
ORLANDO,T.	9703210297	50-286 R
ORNSTEIN,H.L.	9703170237	NUREG
ORNSTEIN,H.L.	9703280365*	50-269 P
OSBORNE,M.P.	9703110099*	TOPREP
OSGOOD,N.	9703130290	71-9203
OSGOOD,N.L.	9703190264	71-9228
OSMAN,C.R.	9703210168	ORG
OVERBECK,G.R.	9703040091	50-528 S
OVERBECK,G.R.	9703180028	50-528 R
OVERBECK,G.R.	9703250031	50-528 V
OVERBECK,G.R.	9703260340	50-528 Q
OVERHOLT,E.	9703040235*	FOIA
OVERHOLT,E.L.	9703030048*	FOIA
OVERHOLT,E.L.	9703030304*	FOIA
OVERHOLT,E.L.	9703030322*	FOIA
OVERHOLT,E.L.	9703030467*	FOIA
OVERHOLT,E.L.	9703040104*	FOIA
OVERHOLT,E.L.	9703040257*	FOIA
OVERHOLT,E.L.	9703040327*	FOIA
OZER,O.	9703260167	TOPREP
PAAS,H.J.	9703040160*	FOIA
PAAS,H.J.	9703040179*	FOIA
PAAS,H.J.	9703040205*	FOIA
PAAS,H.J.	9703050068*	FOIA
PAAS,H.J.	9703050077*	FOIA
PABALAN,R.	9703060152*	WASTE MGT
PADUANO,H.N.	9703250068	50-250 H
PADUANO,H.N.	9703250070	50-250 J
PAERIELLO,C.J.	9703060369	70-7001
PALAS,H.	9702240119*	50-237 P
PALLISTER,S.	9703100141*	50-483 P
PALLISTER,S.	9703100149*	50-483 P
PALLISTER,S.	9703100151*	50-483 P
PALMISANO,T.J.	9703030519	50-255 Q
PALMISANO,T.J.	9703030529	50-255 S
PALMISANO,T.J.	9703270178	50-255 Q
PALMISANO,T.J.	9703270202	50-255 S
PALMISANO,T.J.	9703270234	50-255 S
PANDE,R.P.	9703100267	50-373 S
PAPE,J.M.	9703060012	WASTE MGT
PAPERIELLO,C.	9703030402	70-27
PAPERIELLO,C.	9703040002*	70-7002
PAPERIELLO,C.J.	9703030015	40-8968
PAPERIELLO,C.J.	9703030485	70-7002
PAPERIELLO,C.J.	9703050415	70-7001
PAPERIELLO,C.J.	9703060374*	70-7001
PAPERIELLO,C.J.	9703100171	70-7001
PAPERIELLO,C.J.	9703180111	40-7102

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PAPERIELLO,C.J.	9703190001	ORG
PAPERIELLO,C.J.	9703190237*	STATE PRO G
PAPERIELLO,C.J.	9703200066*	PR
PAPERIELLO,C.J.	9703200258	70-7001
PAPERIELLO,C.J.	9703260215*	ORG
PAPERIELLO,C.J.	9703260265	40-8778
PAPERIELLO,C.J.	9703280372	ORG
PAQUETTE,J.F.	9703180252	50-277 I
PARFITT,B.A.	9703070065	50-289 F
PARK,E.	9703270264*	50-286 P
PARK,J.R.	9703030324	40-8681
PARKER,B.A.	9703280440	I&E
PARKER,C.R.	9702240257*	50-237 P
PARKER,G.S.	9703050379	STATE PRO G
PARKER,J.S.	9703030176*	FOIA
PARKER,J.S.	9703030270*	FOIA
PARKER,J.S.	9703030446*	FOIA
PARKER,J.S.	9703040247*	FOIA
PARKER,J.S.	9703040303*	FOIA
PARKER,T.	9703040110	50-263 S
PARKEY,G.L.	9703060385	50-498 S
PARKEY,G.L.	9703210315	50-498 R
PARRISH,J.V.	9703210337	50-397 P
PASCIAK,W.J.	9703120140	50-277 Q
PASCIAK,W.J.	9703140008	50-387 Q
PASCIAK,W.J.	9703180166	50-387 Q
PASCIAK,W.J.	9703200086	50-387 Q
PATEL,C.P.	9703070148	50-382 P
PATEL,C.P.	9703130014	50-382 P
PATEL,C.P.	9703200238	50-382 P
PATEL,C.P.	9703270195	50-382 P
PATRICK,W.C.	9703060102	WASTE MGT
PATRICK,W.C.	9703070040	WASTE MGT
PATTERSON,L.D.	9703100074*	FOIA
PAULSON,O.A.	9703060449	40-8584
PAUSTIAN,H.H.	9703190074	50-263 R
PEARCE,L.W.	9703030138	50-254 R
PEARCE,L.W.	9703050458	50-254 S
PEARCE,L.W.	9703250095	50-254 R
PEARCE,L.W.	9703260326	50-254 S
PEARCE,L.W.	9703270019	50-254 S
PEARCY,E.	9703280162	WASTE MGT
PEARCY,E.C.	9703280106	WASTE MGT
PECKHAM,M.F.	9703180019	50-298 R
PECKHAM,M.F.	9703240191	50-298 S
PEDERSON,C.D.	9703100197	50-156 Q
PEEBLES,T.A.	9703270083	50-302 V
PEEBLES,T.A.	9703270097	50-280 V
PEEBLES,T.A.	9703270102	50-369 V
PEEBLES,T.A.	9703270114	50-327 V
PEEBLES,T.A.	9703270120	50-261 V
PEEBLES,T.A.	9703270123	50-424 V
PEEBLES,T.A.	9703270131	50-390 V
PEEBLES,T.A.	9703270150	50-259 V
PEEBLES,T.A.	9703270157	50-324 V
PEEBLES,T.A.	9703270186	50-269 V
PEEBLES,T.A.	9703270194	50-321 V
PEEBLES,T.A.	9703270220	50-348 P
PEEBLES,T.A.	9703270237	50-250 V
PEEBLES,T.A.	9703270242	50-395 V
PEEBLES,T.A.	9703280003	50-413 V
PEEBLES,T.A.	9703280006	50-261 V
PEEBLES,T.A.	9703280009	50-327 V
PEEBLES,T.A.	9703280035	50-335 V
PEEBLES,T.A.	9703280039	50-395 V
PEEBLES,T.A.	9703280041	50-369 V
PEEBLES,T.A.	9703280043	50-302 V
PEEBLES,T.A.	9703280046	50-400 V
PEEBLES,T.A.	9703280053	50-280 V
PEEBLES,T.A.	9703280060	50-424 V
PEEBLES,T.A.	9703280065	50-390 V
PEEBLES,T.A.	9703280088	50-413 V
PEEBLES,T.A.	9703280090	50-321 V
PEEBLES,T.A.	9703280098	50-259 V
PEEBLES,T.A.	9703280103	50-324 V
PEEBLES,T.A.	9703280108	50-348 V
PEEBLES,T.A.	9703280149	50-269 V
PEEBLES,T.A.	9703280151	50-338 V
PEEBLES,T.A.	9703280155	50-400 V
PEEPLES,T.A.	9703280051	50-250 V
PEEVY,J.R.	9703040220	50-483 R
PELIZZA,M.S.	9703030065	40-8968
PELIZZA,M.S.	9703030076	40-8968
PELIZZA,M.S.	9703030088	40-8968
PELIZZA,M.S.	9703030098	40-8968
PELIZZA,M.S.	9703030199	40-8968
PELIZZA,M.S.	9703030370	40-8968
PENG,S.J.	9703250048*	50-461 P
PENKROT,J.A.	9703050234*	50-334 P
PENROD,K.L.	9703120058	50-255 F
PENROD,K.L.	9703120065	50-255 F
PERRY,J.A.	9703040161	I&E
PERRY,J.S.	9702240108	50-237 P
PERRY,J.S.	9703030498	50-10 R
PERRY,J.S.	9703040147	50-237 P
PERRY,J.S.	9703040282	50-10 Q
PERRY,J.S.	9703050021	50-237 P
PERRY,J.S.	9703050167	50-237 S
PERRY,J.S.	9703070037	50-237 P
PERRY,J.S.	9703100275	50-10 W
PERRY,J.S.	9703110034	50-237 P
PERRY,J.S.	9703110163	50-10 Q
PERRY,J.S.	9703120045	50-10 Q
PERRY,J.S.	9703120383	50-249 S
PERRY,J.S.	9703170226	50-237 P
PERRY,J.S.	9703170242	50-10 S
PERRY,J.S.	9703180004	50-237 S
PERRY,J.S.	9703180042	50-10 R
PERRY,J.S.	9703180055	50-237 P
PERRY,J.S.	9703190088	50-10 Q
PERRY,J.S.	9703190093	50-237 S
PERRY,J.S.	9703190124	50-237 S
PERRY,J.S.	9703200369	50-237 P
PERRY,J.S.	9703250154	50-10 Q
PERRY,J.S.	9703270175	50-237 Q
PERSHEY,C.	9703100277	50-456 R
PERSON,L.S.	9703120477	40-8778
PESCHEL,J.M.	9703040172	50-423 S
PESCHEL,J.M.	9703040211	50-423 S
PESCHEL,J.M.	9703040230*	50-423 S
PESCHEL,J.M.	9703040348	50-423 S
PESCHEL,J.M.	9703040365*	50-423 S
PESCHEL,J.M.	9703070196*	50-423 S
PESCHEL,J.M.	9703070202*	50-423 S
PESCHEL,J.M.	9703100012*	50-423 S
PESCHEL,J.M.	9703100022*	50-423 S
PESCHEL,J.M.	9703100189*	50-423 S
PESCHEL,J.M.	9703100203*	50-423 S
PESCHEL,J.M.	9703140087*	50-423 S
PESCHEL,J.M.	9703140111*	50-423 S
PESCHEL,J.M.	9703140117*	50-423 S
PESCHEL,J.M.	9703250231*	50-423 S
PESCHEL,J.M.	9703260254*	50-423 S
PESCHEL,J.M.	9703280233*	50-423 S
PESCHEL,J.M.	9703280268*	50-423 S
PESCHEL,J.M.	9703280315*	50-423 S
PETERSON,B.E.	9703180118*	40-8188
PETERSON,C.	9703050469*	50-254 S
PETERSON,C.	9703260326	50-254 S
PETERSON,P.	9703050060	50-302 S
PETERSON,P.M.	9703210356	50-302 S
PEVELER,K.E.	9703070179	50-331 P
PEVELER,K.E.	9703280243	50-331 P
PEVEY,L.E.	9703110114	70-398
PFAFF,S.J.	9703050024	40-6659
PFAFF,S.J.	9703050027*	40-6659
PHAN,H.K.	9703100220	50-280 Q
PHILLIPS,J.D.	9703260105*	40-6264
PHILLIPS,J.J.	9703250096	50-131 Q
PHILLIPS,M.	9703260230	I&E
PHILLIPS,M.P.	9703260140	I&E
PHILLIPS,R.	9703240182	50-272 R
PHILLIPS,R.	9703240185	50-311 R
PHILLIPS,R.	9703260272*	50-354 R
PIACENZA,V.J.	9703060350	40-8778
PICKETT,D.V.	9703030335	50-461 P
PICKETT,D.V.	9703190348	50-461 P
PICKETT,D.V.	9703200235	50-461 P
PIERSON,R.C.	9703050421	70-7001
PIERSON,R.C.	9703050426	70-7001
PIERSON,R.C.	9703060054	70-3091
PIERSON,R.C.	9703100167	70-7001
PIERSON,R.C.	9703130268	70-7002
PIERSON,R.C.	9703180143	70-7002
PIERSON,R.C.	9703180168	70-7001
PIERSON,R.C.	9703190276	70-7001
PIERSON,R.C.	9703240216	70-7001
PIETRANGELO,A.	9703190176	I&E
PILCH,M.M.	9703170250	50-317 P
PISKURA,D.A.	9703280084	I&E
PLASSE,R.A.	9703210104	50-333 S
PLUNKETT,T.F.	9703110177	50-250 Q
PLUNKETT,T.F.	9703240129	50-335 P
POLICH,T.J.	9703130019	50-445 P
POLICH,T.J.	9703130361	50-445 P
POLICH,T.J.	9703140160	50-445 P
POOLE,A.B.	9703030016*	50-445 P
POOLE,A.B.	9703030018*	50-445 P
POOLE,A.B.	9703030040*	50-445 P
POOR,K.J.	9703200043*	WASTE MGT
POPP,R.	9703120215	50-244 V
POSLUSNY,C.	9703030425	50-387 P
POSLUSNY,C.	9703060365	50-387 P
POSLUSNY,C.	9703170068	50-387 S
POSLUSNY,C.	9703170173	50-388 P
POSLUSNY,C.	9703170205	50-388 Q
POSLUSNY,C.	9703210186	50-387 P
POSLUSNY,C.	9703210268	50-272 P
POSLUSNY,C.	9703260187	50-388 P
POSLUSNY,C.	9703270134	50-387 S
POSLUSNY,C.	9703270227	50-388 P
POSLUSNY,C.	9703270228*	50-388 P
POSLUSNY,C.	9703270255	50-387 P
POST,J.S.	9703060390*	TOPREP
POSTAR,M.	9703140045	50-461 G
POSTAR,M.	9703140045	50-461 G
POSTAR,M.	9703140053	50-461 G
POSTAR,M.	9703140053	50-461 G
POSTAR,M.	9703140072*	50-461 G
POSTAR,M.	9703140072*	50-461 G
POTTER,E.W.	9703030477*	FOIA
POTTER,E.W.	9703040170*	FOIA
POTTER,R.W.	9703030033*	FOIA
POTTER,R.W.	9703030146*	FOIA
POTTER,R.W.	9703030161*	FOIA
POTTER,R.W.	9703030179*	FOIA
POTTER,R.W.	9703030271*	FOIA
POTTER,R.W.	9703030280*	FOIA
POTTER,R.W.	9703030303*	FOIA
POTTER,T.E.	9703060383*	70-364
POWELL,D.R.	9703040123	50-272 R
POWELL,D.R.	9703050468	50-311 F
POWELL,D.R.	9703060048	50-311 S
POWELL,D.R.	9703110195	50-354 P
POWELL,D.R.	9703190083	50-311 S
POWELL,D.R.	9703240087	50-272 P
POWELL,D.R.	9703250253	50-272 Q
POWELL,R	9703100051	FOIA
POWELL,R.	9703030005	FOIA
POWELL,R.	9703030310	50-272 F
POWELL,R.	9703120104	50-206 P
POWELL,R.	9703240077	50-335 P
POWELL,R.A.	9703030019	FOIA
POWELL,R.A.	9703030020	FOIA
POWELL,R.A.	9703030187	50-272 P
POWELL,R.A.	9703030308	FOIA
POWELL,R.A.	9703030407	FOIA
POWELL,R.A.	9703100015	50-261 P
POWELL,R.A.	9703110190	50-443 P
POWELL,R.A.	9703110250	FOIA
POWELL,R.A.	9703200278	FOIA
POWELL,R.A.	9703200300	FOIA
POWELL,R.A.	9703210006	50-272 Q
POWELL,R.A.	9703210018	FOIA
POWELL,R.A.	9703210030	FOIA
POWELL,R.A.	9703210039	50-335 Q
POWELL,R.A.	9703210043	50-293 H
POWELL,R.A.	9703210066	FOIA
POWELL,R.A.	9703210101	50-272 F
POWELL,R.A.	9703210202	FOIA
POWELL,R.A.	9703260066	50-409 P
POWELL,R.A.	9703260160	40-8778
POWERS,R.P.	9703040138	50-275 S
POWERS,R.P.	9703070201	50-275 R
POWERS,R.P.	9703100013	50-275 S
POWERS,R.P.	9703110134	50-275 R
POWERS,R.P.	9703240179	50-275 R
PRATO,R.J.	9703280095	PROJ
PRATT,C.	9703270258*	50-309 H
PRICE,J.A.	9703070132	50-336 S
PRICE,J.A.	9703140092	50-336 S
PRICE,J.A.	9703190108	50-336 R
PRICE,J.A.	9703190178	50-336 S
PRITCHARD,R.W.	9703040080*	50-213 Q
PROFFITT,J.W.	9703200332*	50-327 S
PROPST,J.	9703140023	40-8968
PUGH,J.	9703050433	70-143
PUGH,J.	9703050461	70-143
PUGH,J.	9703050464	70-143
PUGH,J.	9703050466	70-143
PUGH,J.	9703170065	70-143
PUGH,J.	9703250175	70-143
PUGH,L.L.	9703100021	FOIA
PUGH,N.L.	9703100014	50-293 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PUGH,N.L.	9703100018	50-213 W
PUGH,N.L.	9703100031	FOIA
PUGH,N.L.	9703100035	50-443 P
PUGH,N.L.	9703100041	50-245 P
PUGH,N.L.	9703100083	FOIA
PUGH,N.L.	9703100194	50-267 Q
PUGH,N.L.	9703120081	50-244 P
PULLANI,S.V.	9703170237	NUREG
PULSIFER,R.M.	9703060310	50-237 P
PULSIFER,R.M.	9703060345*	50-237 P
PULSIFER,R.M.	9703070069*	50-237 P
PULSIFER,R.M.	9703180186	50-237 P
PULSIFIER,R.M.	9703250146	50-237 F
QUAY,T.R.	9609120019	PROJ
QUAY,T.R.	9703100174	52-3
QUEALY,P.	9703170245*	50-10 S
QUENNOZ,S.M.	9703030507	50-344 Y
QUENNOZ,S.M.	9703030514	50-344 R
QUENNOZ,S.M.	9703130434	50-344 Y
QUENNOZ,S.M.	9703210276	50-344 S
QUENNOZ,S.M.	9703260014	50-344 Y
QUENNOZ,S.M.	9703260212	50-344 W
QUENNOZ,S.M.	9703270319	50-344 W
QUILLIN,R.M.	9703190179	STATE PRO G
QUINN,R.D.	9703270302	TOPREP
QUINN,S.E.	9703040182	50-3 R
QUINN,S.E.	9703040189	50-247 V
QUINN,S.E.	9703040227	50-3 J
QUINN,S.E.	9703040332	50-247 S
QUINN,S.E.	9703040374	50-247 S
QUINN,S.E.	9703070099	50-247 Q
QUINN,S.E.	9703070102	50-247 Q
QUINN,S.E.	9703190146	50-247 P
QUINN,S.E.	9703190151	50-247 P
QUINN,S.E.	9703210281	50-247 P
QUINN,S.E.	9703240173	50-247 R
QUINN,S.E.	9703240223	50-247 S
QUINN,S.E.	9703240231	50-247 P
QUINN,S.E.	9703260018	50-247 V
QUINN,S.E.	9703270137	50-247 F
RADDATZ,M.	9703070113	50-261 Y
RADDATZ,M.G.	9703030211	NUREG
RADDATZ,M.G.	9703120476	71-3035
RADEMACHER,N.L.	9703070181	50-220 S
RADEMACHER,N.L.	9703100008	50-220 S
RADEMACHER,N.L.	9703170139	50-220 S
RADEMACHER,N.L.	9703190076	50-220 R
RAFFEL,D.A.	9703030292*	FOIA
RAGHAVAN,L.	9306110282*	50-250 P
RAGHAVAN,L.	9311120155*	50-250 F
RAGHAVAN,L.	9312010312*	50-250 P
RAGHAVAN,L.	9402140125*	50-250 P
RAGHAVAN,L.	9508080145*	50-250 P
RAGHAVAN,L.	9703030097	50-302 F
RAGHAVAN,L.	9703060019	50-302 P
RAGHAVAN,L.	9703060351	50-302 P
RAGHAVAN,L.	9703130233	50-302 P
RAGLIN,K.A.	9703190335*	STATE PRO G
RAHBAR,M.	9703210083	CONTRACT
RAINSBERRY,J.L.	9703030239	50-206 P
RAINSBERRY,J.L.	9703170104	50-206 J
RAINSBERRY,J.L.	9703180152	50-361 P
RAINSBERRY,J.L.	9703200025	50-361 S
RAINSBERRY,J.L.	9703200063	50-361 P
RAINSBERRY,J.L.	9703260217	50-361 P
RAMSAY,J.B.	9703050065	PR
RAMSDEN,K.B.	9703180057*	50-237 P
RAPALSKI,A.J.	9703030312*	FOIA
RAPP,R.A.	9703280173*	WASTE MGT
RATHBUN,D.K.	9703030218	ORG
RATHBUN,D.K.	9703030263	PR
RATHBUN,D.K.	9703030267*	PR
RATHBUN,D.K.	9703030289	PR
RATHBUN,D.K.	9703030291	PR
RATHBUN,D.K.	9703030297*	PR
RATHBUN,D.K.	9703030298*	PR
RATHBUN,D.K.	9703200134*	PR
RAUGHLEY,W.S.	9703280365*	50-269 P
RAY,H.B.	9703190039	NUREG
REAMER,C.W.	9703050489*	STATE PRO G
RECKLEY,W.D.	9703260273	50-346 G
REDA,R.J.	9703060001	70-1113
REDA,R.J.	9703060067	I&E
REDA,R.J.	9703070008	70-1113
REDA,R.J.	9703130396	PR
REDA,R.J.	9703280158	70-1113
REDEKER,S.J.	9703060108	50-312 R
REDEKER,S.J.	9703260009	50-312 R
REDEKER,S.J.	9703260020	50-312 R
REED,A.	9703240173	50-247 R
REEDY,R.F.	9703050323	I&E
REEDY,R.F.	9703050325*	I&E
REGAN,J.	9703120207*	TOPREP
REHKUGLER,R.J.	9703040275	50-498 P
REIBLE,B.	9703240114*	50-445 R
REIBLE,B.	9703240117*	50-445 R
REID,D.A.	9703170228	50-271 P
REID,D.A.	9703190052	50-271 P
REID,D.G.	9703260004	50-344 W
REID,D.G.	9703270198	50-344 Y
REINHART,M.	9703130324	50-400 Q
REINHART,M.	9703130380*	50-400 P
REINHART,M.	9703140153	50-261 Q
REINHART,M.	9703200193*	50-400 P
REINHART,M.	9703210178*	50-400 P
REINHART,M.	9703270206	50-324 P
RELIEIS,H.F.	9703050123	CONTRACT
RENNER,H.	9703130330*	50-324 P
REPLOGLE,G.	9703250079	50-397 S
REYES,L.A.	9703040208	50-338 Q
REYES,L.A.	9703110033	50-413 Q
REYES,L.A.	9703270203	50-321 Q
REYES,L.A.	9703270226	50-302 Q
REYES,L.A.	9703270308	50-302 Q
REYES,L.A.	9703280045	50-302 Q
REYES,L.A.	9703280074	50-261 P
REYES,L.A.	9703280112	50-302 Q
REYNOLDS,K.W.	9703040398	50-498 R
RICE,A.R.	9703110137	50-395 F
RICHARDS,R.C.	9703240066*	TOPREP
RICHARDSON,C.A.	9703190224	71-472
RICHARDSON,C.A.	9703190313*	71-472
RICKARD,I.C.	9703040097	TOPREP
RICKARD,I.C.	9703050274	71-6294
RICKARD,I.C.	9703050274	71-6294
RICKER,J.	9703210353*	50-263 Q
RIFAKES,G.P.	9703060075	70-7001
RIFAKES,G.P.	9703070121	70-7001
RIFAKES,G.P.	9703190115	70-7002
RIFAKES,G.P.	9703250104	70-7002
RIGOT,W.L.	9703040234	50-264 P
RIGOT,W.L.	9703250035	50-264 R
RILEY,E.E.	9703190018*	50-296 P
RINALDI,F.	9703060379	50-277 Q
RING,M.A.	9703030142	50-254 Q
ROAN,T.A.	9703050013	40-4492
ROBERTS,H.R.	9703070025	40-8681
ROBERTS,M.W.	9703030066*	FOIA
ROBERTS,S.	9703170041	XPORTLIC
ROBERTS,S.	9703170075	XPORTLIC
ROBERTS,W.L.	9703070094	50-255 F
ROBERTSON,G.	9703060336	27-48
ROBINSON,K.R.	9703050234*	50-334 P
ROBINSON,M.	9703110061	50-454 S
ROBINSON,W.H.	9703240094	STATE PRO G
ROBINSON,W.R.	9703040166	50-400 P
ROBINSON,W.R.	9703040245	50-400 P
ROBINSON,W.R.	9703040391	50-400 P
ROBINSON,W.R.	9703050471	50-400 Q
ROBINSON,W.R.	9703060261	50-400 R
ROBINSON,W.R.	9703070058	50-400 Q
ROBINSON,W.R.	9703070163	50-400 P
ROBINSON,W.R.	9703180187	50-400 Q
ROBINSON,W.R.	9703180189	50-400 P
ROBINSON,W.R.	9703190005	50-400 P
ROBINSON,W.R.	9703190068	50-400 F
ROBINSON,W.R.	9703190166	50-400 Q
ROBINSON,W.R.	9703200089	50-400 P
ROBINSON,W.R.	9703200106	50-400 P
ROBINSON,W.R.	9703240121	50-400 P
ROBINSON,W.R.	9703240130	50-400 S
ROCHE,M.B.	9703060281	50-219 F
ROCHE,M.B.	9703070055	50-219 P
ROCHE,M.B.	9703110102	50-219 Q
ROCHE,M.B.	9703110127	50-219 R
ROCHE,M.B.	9703190030	50-219 R
ROCHE,M.B.	9703240133	50-219 P
ROCHE,M.B.	9703240237	50-219 R
ROCHE,M.B.	9703280420	50-219 F
ROCHE,M.B.	9703280437	50-219 R
ROCK,F.	9703030253*	FOIA
ROCK,F.	9703030276*	FOIA
ROE,J.W.	9703070092	50-346 Q
ROE,J.W.	9703130079	50-282 Q
ROGERS,A.H.	9701160155*	STATE PRO G
ROGERS,J.A.	9703190366	50-395 R
ROGERS,K.C.	9703140161*	COMMISSION
ROGERS,K.C.	9703180237*	COMMISSION
ROGERS,K.C.	9703260323*	COMMISSION
ROGERS,K.C.	9703270077*	COMMISSION
ROGERS,L.R.	9703260331	TOPREP
ROGERS,S.B.	9703110273	50-321 R
ROGERS,S.G.	9703240197	50-400 R
ROGGE,J.F.	9703140002	50-443 Q
ROGGE,J.F.	9703140009	50-213 Q
ROHATGI,U.S.	9703200285	NUREG
ROM,D.S.	9703280310	50-338 P
RONE,A.H.	9701160009	50-289 F
RONE,A.H.	9701160015*	50-289 F
RONE,A.H.	9703240071	50-219 F
ROONEY,V.L.	9703030047	50-271 P
ROONEY,V.L.	9703030479	50-271 P
ROONEY,V.L.	9703070117	50-271 P
ROONEY,V.L.	9703070125*	50-271 P
ROONEY,V.L.	9703130007	50-271 P
ROONEY,V.L.	9703140096	50-271 P
ROONEY,V.L.	9703240163	50-271 P
ROONEY,V.L.	9703270154	50-271 F
ROSEN,S.L.	9703280254	50-498 J
ROSENTHAL,P.R.	9703060437	70-3085
ROSS,D.F.	9703190246	ORG
ROSS,M.J.	9703070047	50-289 S
ROSS,M.J.	9703110105	50-289 S
ROSS,M.J.	9703120027	50-289 H
ROSS,M.J.	9703130244	50-320 I
ROSS,M.J.	9703180024	50-289 R
ROSS,M.J.	9703180062	50-289 P
ROSS,M.J.	9703210357	50-289 P
ROSS,M.J.	9703240214	50-289 P
ROSS,M.J.	9703280432*	50-289 R
ROSS,M.J.	9704010276	50-289 R
ROSSI,C.E.	9602270137*	50-335 P
ROSSI,C.E.	9703060337	REVIEW GR P
ROSSI,C.E.	9703130003	REVIEW GR P
ROSSI,C.E.	9703210059*	FOIA
ROSSI,C.E.	9703280345	50-269 P
ROSSI,C.E.	9703280376	50-269 P
ROTHEN,F.C.	9703050090	50-213 R
ROTHEN,F.C.	9703050090	50-213 R
ROTHEN,F.R.	9703260186	50-245 F
ROWDEN,M.A.	9703180026	70-3070
ROWDEN,M.A.	9703180026	70-3070
ROWE,S.L.	9703250048*	50-461 P
ROY,F.	9703050333*	FOIA
ROY,F.E.	9703050341*	FOIA
ROY,F.E.	9703050361*	FOIA
ROY,F.E.	9703050401*	FOIA
RUDIGIER,G.C.	9703120395*	50-317 F
RUDLAND,D.	9703170239	NUREG
RUDLAND,D.L.	9703100252	NUREG
RUEGER,G.M.	9703040035	50-275 P
RUEGER,G.M.	9703040126	50-275 P
RUEGER,G.M.	9703040130*	50-275 P
RUEGER,G.M.	9703040151	50-133 P
RUEGER,G.M.	9703050148	50-275 P
RUEGER,G.M.	9703060441	50-275 P
RUEGER,G.M.	9703060444*	50-275 P
RUEGER,G.M.	9703070145	50-275 P
RUEGER,G.M.	9703180175	50-275 P
RUEGER,G.M.	9703250064	50-275 P
RUEGER,G.M.	9703260315	50-275 R
RULAND,W.H.	9703040215	50-317 P
RULAND,W.H.	9703180107	50-311 Q
RUSSELL,P.K.	8602120342*	FOIA
RUSSELL,P.K.	8602120347*	FOIA
RUSSELL,P.K.	8603130074*	FOIA
RUSSELL,P.K.	8606090449*	FOIA
RUSSELL,P.K.	9703040295*	FOIA
RUSSELL,R.L.	9703040033*	FOIA
RUSSO,M.E.	9703120109	50-316 R
RUSSO,M.E.	9703120122	50-315 R
RYAN,T.D.	9703200074	NUREG
SAGAR,B.	9703060152*	WASTE MGT
SAGER,D.	9703050423	50-10 W
SALAS,P.	9703070056	I&E
SALAS,P.	9703250069	50-259 P
SALEHI,K.	9703030421*	50-341 Q
SALISBURY,W.C.	9703060051	40-4492
SALMON,H.P.	9703040238	50-286 P
SALMON,H.P.	9703050228	50-286 P
SALMON,M.A.	9703280042*	50-382 P
SAMPSON,J.R.	9703120122	50-315 R
SANBORN,G.	9703100213*	50-267 Q
SANBORN,G.F.	9703100204*	50-267 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SANZA,B.J.	9703050354	STATE PRO G
SARVER,S.P.	9703040240	50-280 R
SARVER,S.P.	9703110109	71-6206
SARVER,S.P.	9703120159	50-338 H
SARVER,S.P.	9703130263	50-280 J
SARVER,S.P.	9703130399	50-280 J
SARVER,S.P.	9703130407	50-280 J
SARVER,S.P.	9703240246	50-338 R
SATORIUS,M.A.	9703210014	50-327 Q
SATORIUS,M.A.	9703240203	TOPREP
SATORIUS,M.A.	9703260225	50-302 G
SAUNDERS,R.F.	9703100294	50-338 Q
SAUNDERS,R.F.	9703250246	50-338 P
SAURO,B.M.	9703100195*	50-267 Q
SAVAGE,J.	9703210220*	FOIA
SAVIGNAC,N.	9703240208	40-8698
SAVIGNAC,N.	9703240213*	40-8698
SAXTON,J.	9703140031*	50-219 G
SCACE,S.	9703040251	50-245 P
SCACE,S.	9703040251	50-245 P
SCACE,S.	9703050025	50-245 P
SCACE,S.	9703050025	50-245 P
SCALICE,J.A.	9703030350	50-390 P
SCALICE,J.A.	9703050263	50-390 S
SCALICE,J.A.	9703180247	50-390 P
SCALICE,J.A.	9703190014	50-390 S
SCALICE,J.A.	9703210118	50-390 F
SCALICE,J.A.	9703210290	50-390 R
SCALICE,J.A.	9703210312	50-390 R
SCALICE,J.A.	9703250040	50-390 P
SCALICE,J.A.	9703250238	50-390 S
SCALICE,J.A.	9703270271	50-390 Q
SCARANO,R.A.	9703030172	50-344 Q
SCARANO,R.A.	9703110215	70-734
SCARANO,R.A.	9703110283	70-1257
SCARANO,R.A.	9703120014	40-2377
SCARANO,R.A.	9703130082	STATE PRO G
SCARANO,R.A.	9703240050	40-8027
SCARANO,R.A.	9703240083	40-8989
SCARANO,R.A.	9703250100	50-312 Q
SCAROLA,J.	9703240076	50-335 F
SCHAAF,R.G.	9703060030	50-255 P
SCHAFFER,J.J.	9703060178	50-272 F
SCHAUB,J.B.	9703050139	CONTRACT
SCHEIDE,R.H.	9703070111	50-368 S
SCHIMELPFENIG	9703060436	50-271 J
SCHIN,R.	9703130093*	50-250 P
SCHIN,R.	9703130149*	50-335 P
SCHIN,R.	9703130161*	50-250 P
SCHLISSEL,D.A.	9703050051	PR
SCHLOSSER,A.	9703050152	CONTRACT
SCHLOSSER,A.	9703100098	CONTRACT
SCHMITT,E.C.	9703260204	ORG
SCHNEIDER,J.F.	9703270303	ORG
SCHNEIDER,K.M.	9703120135	50-255 F
SCHNEIDER,K.N.	9703190168	STATE PRO G
SCHNEIDER,S.	9703200259	NUREG
SCHNELL,D.F.	9703040229	50-483 J
SCHNELL,D.F.	9703100056	50-483 R
SCHNELL,D.F.	9703100121	50-483 P
SCHNELL,D.F.	9703170235	50-483 Q
SCHNELL,D.F.	9703190109	50-483 P
SCHNELL,D.F.	9703200107	50-483 Q
SCHNELL,D.F.	9703250059	50-483 Q
SCHNELL,D.F.	9703260285	50-483 I
SCHOEPF,P.	9703040253	50-315 S
SCHOMAKER,R.J.	9703130304	PROJ
SCHWEE,S.	9703260233	CONTRACT
SCOTT,L.M.	9703030066*	FOIA
SCOTT,N.R.	9703190003	50-97 P
SCOTT,P.	9703170239	NUREG
SCOTT,T.F.	9703110256	50-368 S
SCRENCI,D.	9703060264*	NUREG
SCROGGINS,R.M.	9702030002*	PR
SCROGGINS,R.M.	9703050122	PR
SCROGGINS,R.M.	9703170069*	REVIEW GR P
SCROGGINS,R.M.	9703190203*	STATE PRO G
SCROGGINS,R.M.	9703200024*	PR
SCROGGINS,R.M.	9703200041*	PR
SCROGGINS,R.M.	9703200110*	PR
SCROGGINS,R.M.	9703200126*	PR
SCROGGINS,R.M.	9703200147*	PR
SCROGGINS,R.M.	9703200150*	PR
SEBROSKY,J.M.	9703060151	52-3
SEBROSKY,J.M.	9703060170	52-3
SEBROSKY,J.M.	9703140147	52-3
SEBROSKY,J.M.	9703190275	52-3
SEBROSKY,J.M.	9703250147	52-3
SECKER,J.	9703190400*	50-327 P
SEDNEY,K.K.	9703110205*	TOPREP
SEELIG,C.	9703200097*	PR
SEEVER,D.L.	9703180047	50-206 F
SEIGLEY,L.	9703050071*	70-968
SEJKORA,K.J.	9703070185	50-293 R
SELLMAN,M.B.	9703040378	50-309 Q
SELLMAN,M.B.	9703110010	50-309 P
SELLMAN,M.B.	9703110067	50-309 P
SELLMAN,M.B.	9703130367	50-309 P
SELLMAN,M.B.	9703130368*	50-309 P
SELLMEYER,G.W.	9703260172*	50-315 P
SEPP,H.A.	9703030013	TOPREP
SEPP,H.A.	9703030014*	TOPREP
SEPP,H.A.	9703030181	TOPREP
SEPP,H.A.	9703030188*	TOPREP
SEPP,H.A.	9703050237*	50-286 P
SEWELL,B.C.	9703040176*	FOIA
SEYFRIT,K.V.	7903060116*	FOIA
SEYFRIT,K.V.	7905070605*	FOIA
SEYFRIT,K.V.	8007290577*	FOIA
SEYFRIT,K.V.	8008200378*	FOIA
SEYFRIT,K.V.	8009100802*	FOIA
SEYFRIT,K.V.	9703040083*	FOIA
SEYFRIT,K.V.	9703040106*	FOIA
SEYFRIT,K.V.	9703040139*	FOIA
SEYFRIT,K.V.	9703040148*	FOIA
SGARLATA,D.K.	9703060347	70-364
SGARLATA,D.K.	9703060381	70-364
SGARLATA,D.K.	9703170035	70-364
SHAFFER,S.W.	9703140024	40-8702
SHAFFER,S.W.	9703170047	40-8702
SHAH,S.J.	9703130308*	PROJ
SHALLO,F.A.	9703240226*	XPORTLIC
SHANKMAN,S.F.	9703030336	72-1004
SHANKMAN,S.F.	9703120384	72-1004
SHARKEY,R.W.	9703130038	70-36
SHEA,J.W.	9703030022	50-277 P
SHEA,J.W.	9703060183	50-277 P
SHEA,J.W.	9703170172	50-277 P
SHEA,J.W.	9703180100	50-277 Y
SHEA,J.W.	9703280336	50-278 P
SHEAFFER,M.K.	9703130265	PR
SHEIBANI,M.	9703180033	50-424 S
SHEIBANI,M.	9703190079	50-425 S
SHELL,R.H.	9703100023	50-327 R
SHELL,R.H.	9703110121	50-327 Q
SHELL,R.H.	9703180139	50-327 F
SHELL,R.H.	9703190089	50-327 R
SHELL,R.H.	9703190343	50-327 P
SHELL,R.H.	9703190396	50-327 P
SHELL,R.H.	9703240196	50-327 P
SHELL,R.H.	9703240221	50-327 P
SHELL,R.H.	9703250029	50-327 F
SHELL,R.H.	9703250142	50-327 P
SHELL,R.H.	9703260286	50-327 P
SHELL,R.H.	9703260316	50-327 P
SHELTON,B.J.	9703200053*	PR
SHELTON,D.	9703180117	50-341 F
SHEPHERD,J.C.	9703130176	40-8027
SHEPHERD,J.C.	9703190236	WASTE MGT
SHEPPARD,J.J.	9703280415	50-498 F
SHERON,B.W.	9508150207*	50-250 P
SHERON,B.W.	9703280077	REVIEW GR P
SHERON,B.W.	9703280217	ORG
SHERON,B.W.	9703280218	ORG
SHERON,B.W.	9703280408	ORG
SHETLER,P.L.	8602120313*	FOIA
SHIELDS,K.J.	9703110286	50-155 R
SHIELDS,W.J.	9703200026*	40-8948
SHIELDS,W.J.	9703200030*	40-8948
SHIER,P.	9703260123	50-454 S
SHON,F.J.	9703140066	70-3070
SHONKWILER,T.M.	9703140045	50-461 G
SHONKWILER,T.M.	9703140053	50-461 G
SHOPENN,N.M.	9703040143*	FOIA
SHUMAY,R.K.	9703120172*	71-514
SHUMWAY,D.B.	9703120162	71-514
SHYMLOCK,M.B.	9703030491	50-261 Q
SHYMLOCK,M.B.	9703270182	50-261 Q
SHYMLOCK,M.B.	9703270301	50-261 Q
SIEBERT,P.	9703030433*	FOIA
SIEBERT,P.E.	9703040308*	FOIA
SIEBERT,P.E.	9703040314*	FOIA
SIEBERT,P.E.	9703040353*	FOIA
SIEGEL,C.	9703050177	70-938
SILBERBERG,M.	9612270084	NRCSA
SILBERG,J.E.	9703060078	72-18
SILBERG,J.E.	9703180023	70-3070
SILBERG,J.E.	9703180023	70-3070
SILBERG,J.E.	9703180043*	70-3070
SILBERG,J.E.	9703180043*	70-3070
SILCOX,D.L.	9703060431	50-295 F
SIMOMEN,F.A.	9703100220	50-280 Q
SIMPSON,E.C.	9703100218	50-354 P
SIMPSON,E.C.	9703190084	50-272 P
SIMPSON,E.C.	9703240234	50-354 P
SIMPSON,E.C.	9703280393	50-354 Q
SINCLAIR,M.P.	9703030168*	50-255 G
SINGH,A.K.	9703100279*	50-10 W
SKAVRONECK,S.	9703030168*	50-255 G
SKINNER,P.	9703110274	50-348 P
SKINNER,P.H.	9703040185	50-424 Q
SKINNER,P.H.	9703040333	50-424 Q
SKINNER,P.H.	9703110173	50-424 Q
SLACK,L.M.	9703210049*	FOIA
SLY,C.D.	9703280416	50-317 S
SMALL,C.N.	9703040131	71-252
SMALL,J.	9703180232	50-369 F
SMALL,J.	9703210307*	50-369 F
SMITH,D.	9703040304*	FOIA
SMITH,G.H.	9703030398*	FOIA
SMITH,G.H.	9703030410*	FOIA
SMITH,G.O.	9703190082	50-397 R
SMITH,P.W.	9703110079	50-341 J
SMITH,P.W.	9703110174	50-341 R
SMITH,P.W.	9703190053	50-341 R
SNELL,W.	9703030190*	FOIA
SNELL,W.G.	9703030078*	FOIA
SNELL,W.G.	9703030092*	FOIA
SNELL,W.G.	9703030104*	FOIA
SNELL,W.G.	9703030166*	FOIA
SNELL,W.G.	9703030194*	FOIA
SNELL,W.G.	9703030200*	FOIA
SNELL,W.G.	9703100219*	FOIA
SOBEL,K.	9703170147	40-9015
SOBEL,P.	9703180202	WASTE MGT
SOBEL,P.	9703180203	WASTE MGT
SOBOTKA,J.E.	9703110196*	FOIA
SOHINKI,S.M.	9703060109	PROJ
SOHINKI,S.M.	9703120010	PROJ
SOHINKI,S.M.	9703130266	PROJ
SOHINKI,S.M.	9703180001	PROJ
SOHINKI,S.M.	9703210191	PROJ
SOLLENBERGER,D.	9703200159*	PR
SOLOMON,D.D.	9703030317*	50-272 F
SOMANI,P.	9703110115	CONTRACT
SORENSEN,J.P.	9703050003	50-282 R
SORENSEN,J.P.	9703100273	50-282 Q
SORENSEN,J.P.	9703130250	50-306 P
SORENSEN,J.P.	9703130251	50-282 P
SORENSEN,J.P.	9703130273	50-282 R
SORENSEN,J.P.	9703130392	50-282 P
SORENSEN,J.P.	9703130404*	50-282 P
SORENSEN,J.P.	9703140082	50-282 P
SORENSEN,J.P.	9703140148*	50-282 P
SORENSEN,J.P.	9703190026	50-282 P
SORENSEN,J.P.	9703190028*	50-282 P
SORENSEN,J.P.	9703240037	50-282 P
SORENSEN,J.P.	9703250217	50-306 S
SORENSEN,J.P.	9703260298	50-282 P
SORENSEN,J.P.	9703260338	50-282 P
SORENSEN,J.P.	9703260339*	50-282 P
SORENSEN,J.P.	9703280352	50-282 S
SPARACINO,J.D.	9703110021*	50-263 P
SPAULDING,H.S.	8701140281*	FOIA
SPAULDING,H.S.	8802040386*	FOIA
SPAULDING,H.S.	8903170430*	FOIA
SPELL,W.H.	9703190385	STATE PRO G
SPESSARD,R.L.	9703100134*	FOIA
SPITZBERG,D.B.	9503310152*	FOIA
SPITZBERG,D.B.	9507260161*	FOIA
SPITZBERG,D.B.	9508240011*	FOIA
SPITZBERG,D.B.	9703030427*	FOIA
SPITZER,D.	9703190169	50-454 S
SPROAT,E.F.	9703130239	50-352 R
SPURGIN,A.J.	9703200349*	NUREG
SRIDHAR,N.	9703060146	WASTE MGT
SRIDHAR,N.	9703060198	WASTE MGT
SRIDHAR,N.	9703130191	WASTE MGT
ST MARY,F.A.	8602120338*	FOIA
ST MARY,F.A.	9703040158*	FOIA
ST. MARTIN,J.T.	9703110153	50-244 S
STABLEIN,N.K.	9703200028*	STATE PRO G
STAHLBERG,E.	9703250020	CONTRACT
STAIB,R.O.	9703200305*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STALL,J.A.	9609180137*	50-335 P
STALL,J.A.	9703030008	50-389 Q
STALL,J.A.	9703040370	50-335 R
STALL,J.A.	9703050335	50-335 R
STALL,J.A.	9703060272	50-335 P
STALL,J.A.	9703120440	50-335 P
STALL,J.A.	9703130045	50-335 P
STALL,J.A.	9703190366	50-335 R
STALL,J.A.	9703190387	50-389 Q
STALL,J.A.	9703210294	50-335 P
STALL,J.A.	9703240076	50-335 F
STALL,J.A.	9703270101	50-335 S
STALL,J.A.	9703280001	50-335 S
STAMATAKOS,J.	9703060128*	WASTE MGT
STAMM,S.L.	9703260231	CONTRACT
STANG,G.F.	9703060297*	50-237 P
STANG,J.F.	9703050340	50-237 P
STANG,J.F.	9703050476	50-237 P
STANG,J.F.	9703060293	50-237 P
STANG,J.F.	9703060334*	50-237 P
STANG,J.F.	9703070103	50-237 P
STANG,J.F.	9703120469	50-237 P
STANG,J.F.	9703120474*	50-237 P
STANG,J.F.	9703130013	50-237 P
STANG,J.F.	9703140118	50-237 P
STANG,J.F.	9703140136	50-237 P
STANG,J.F.	9703140190	50-237 P
STANG,J.F.	9703180188*	50-237 P
STANG,J.F.	9703210071	50-237 P
STANG,J.F.	9703250140	50-237 P
STANLEY,H.G.	9703250195	50-456 Q
STANLEY,H.G.	9703250202	50-456 Q
STARK,R.	9703180234*	50-296 Q
STARK,S.	9703190113*	50-336 R
STARK,S.	9703190119*	50-336 R
STARK,S.J.	9703060390*	TOPREP
STARK,S.J.	9703060394*	TOPREP
STARKEY,R.	9703200165	50-295 R
STARKEY,R.	9703280282	50-295 S
STARKEY,R.	9703280347	50-295 S
STARKEY,R.S.	9703200125	50-295 R
STAUNTON,R.H.	9703200275*	ORG
STEINHARDT,C.R.	9703240155	50-305 P
STENGER,D.F.	9703060289	I&E
STENGER,D.F.	9703190164	I&E
STENGER,D.F.	9703190164	I&E
STENGER,D.F.	9703190312	I&E
STENGER,D.F.	9703190312	I&E
STENGER,D.F.	9703260063	I&E
STEPHENSON,J.D.	9703240145	50-302 F
STEPHENSON,J.T.	9703100118	50-302 F
STEPHENSON,J.T.	9703240149	50-302 F
STETZ,J.P.	9703190388	50-440 R
STMARY,B.	9612120383*	PR
STOEHR,P.	9703130431	XPORTLIC
STOHR,J.P.	9403150232*	50-250 P
STOHR,J.P.	9703210052*	50-335 Q
STOIBER,C.	9308260056*	50-335 P
STOIBER,C.R.	9611220014*	PR
STOIBER,C.R.	9702030001*	PR
STOIBER,C.R.	9703280097	SECY
STOLBERG,M.S.	9703040204*	FOIA
STOLZ,J.F.	9703030030*	50-277 P
STOLZ,J.F.	9703030441*	50-387 P
STOLZ,J.F.	9703060372*	50-387 P
STOLZ,J.F.	9703130166	50-387 P
STOLZ,J.F.	9703210005	50-272 P
STOLZ,J.F.	9703210203	50-440 P
STOLZ,J.F.	9703210282	50-440 P
STOLZ,J.F.	9703270107*	50-354 P
STOLZ,J.F.	9703270116*	50-272 P
STONE,J.C.	9703040064	50-482 F
STONE,J.C.	9703060339	50-482 Q
STONE,J.C.	9703120427	50-482 P
STONE,J.C.	9703140132	50-482 P
STONE,J.C.	9703200267	50-482 P
STONE,J.C.	9703200303	50-482 P
STONE,J.C.	9703200384*	50-482 P
STONE,J.C.	9703240178	50-482 P
STORZ,L.	9703180261	50-272 F
STORZ,L.F.	9703030511	50-272 Q
STORZ,L.F.	9703130314	50-272 P
STORZ,L.F.	9703240150	50-272 P
STORZ,L.F.	9703250132	50-272 P
STORZ,L.F.	9703250216	50-272 Q
STORZ,L.F.	9703280216	50-354 Q
STOUT,J.C.	9703050428	70-143
STOUT,J.C.	9703050453	70-143
STOUT,J.C.	9703250177	70-143
STOUT,J.C.	9703250181	70-143
STOUT,J.C.	9703250191	70-143
STOWERS,G.N.	9703040300	50-309 S
STRAKA,W.A.	9703060344	40-8778
STRAMBACK,G.B.	9703060067	I&E
STRAMBACK,G.B.	9703250060	50-298 P
STREIBICH,M.W.	9703110021*	50-263 P
STROSNIDER,J.	9403160108*	50-335 P
STROSNIDER,J.	9404050251*	50-389 P
STROSNIDER,J.	9406070239*	50-389 Q
STROSNIDER,J.R.	9309150344*	50-250 P
STROSNIDER,J.R.	9310130445*	50-335 P
STROSNIDER,J.R.	9404050193*	50-389 P
STROSNIDER,J.R.	9411290098*	50-335 P
STROSNIDER,J.R.	9412010048*	50-389 Q
STROSNIDER,J.R.	9510110140*	50-335 P
STROSNIDER,J.R.	9510260004*	50-285 G
STROSNIDER,J.R.	9609180315*	50-335 G
STRUCKMEYER,R.	9703050095	50-54 R
STRUCKMEYER,R.	9703050230	70-135
STUART,I.F.	9703260322	71-18
SUBALUSKY,W.T.	9703050487	50-373 Q
SUBALUSKY,W.T.	9703050494	50-373 Q
SUBALUSKY,W.T.	9703060149	50-373 Q
SUBALUSKY,W.T.	9703060275	50-373 Q
SUBALUSKY,W.T.	9703190034	50-373 P
SUBALUSKY,W.T.	9703210273	50-373 Q
SUBALUSKY,W.T.	9703210283	50-373 Q
SUBALUSKY,W.T.	9703240232	50-373 V
SUBALUSKY,W.T.	9703250058	50-373 P
SUBALUSKY,W.T.	9703260325	50-373 Q
SUEPER,L.	9703170221	50-331 S
SULHAN,W.P.	9703120444	PT21
SULLIVAN,G.P.	9703100024*	50-293 P
SULLIVAN,K.	9703210009*	50-272 P
SULLIVAN,T.A.	9703240095	50-293 R
SUMNER,H.L.	9703050012	50-321 R
SUMNER,H.L.	9703060122	50-366 S
SUMNER,H.L.	9703100147	50-321 P
SUMNER,H.L.	9703100262	50-321 Q
SUMNER,H.L.	9703100268	50-321 S
SUMNER,H.L.	9703100269	50-321 Q
SUMNER,H.L.	9703110212	50-321 Q
SUMNER,H.L.	9703110218	50-366 P
SUMNER,H.L.	9703110220	50-321 J
SUMNER,H.L.	9703110221	50-321 P
SUMNER,H.L.	9703110273	50-321 R
SUMNER,H.L.	9703240110	50-321 P
SUMNER,H.L.	9703250136	50-321 P
SUMNER,H.L.	9703260112	50-321 P
SUMNER,H.L.	9703260161	50-321 P
SUMNER,H.L.	9703270100	50-321 P
SWAIN,R.L.	9703200279	NUREG
SWANK,D.A.	9703050144	50-397 R
SWANK,D.A.	9703060154	50-397 Q
SWANK,D.A.	9703060201	50-397 Q
SWANK,D.A.	9703060256	50-397 P
SWANK,D.A.	9703060295	50-397 Q
SWANK,D.A.	9703260032	50-397 F
TABOR,S.	9703100026	50-325 S
TALWANI,P.	9703100260	NUREG
TAM,P.S.	9703030521	50-414 P
TAM,P.S.	9703070098	50-413 P
TAM,P.S.	9703120423	50-413 Q
TAM,P.S.	9703120478	50-413 P
TAM,P.S.	9703120479*	50-413 P
TAM,P.S.	9703130338	50-413 P
TAM,P.S.	9703140141	50-413 F
TAM,P.S.	9703180085	50-413 P
TAM,P.S.	9703200336	50-413 P
TAM,P.S.	9703250187	50-413 P
TAM,P.S.	9703270199	50-309 G
TARAS,D.N.	9703030450*	FOIA
TAYLOR,B.A.	9703120021	50-255 F
TAYLOR,G.J.	9703040073	50-395 V
TAYLOR,G.J.	9703040297	50-395 P
TAYLOR,G.J.	9703040361	50-395 Q
TAYLOR,G.J.	9703050295	50-395 R
TAYLOR,G.J.	9703180022	50-395 R
TAYLOR,G.J.	9703190045	50-395 P
TAYLOR,G.J.	9703190188	50-395 P
TAYLOR,G.J.	9703190380	50-395 P
TAYLOR,G.J.	9703200328*	50-395 P
TAYLOR,G.J.	9703240088	50-395 P
TAYLOR,J.H.	9703050482	TOPREP
TAYLOR,J.H.	9703190062	TOPREP
TAYLOR,J.M.	9111060136*	FOIA
TAYLOR,J.M.	9201080066*	FOIA
TAYLOR,J.M.	9601250105*	PR
TAYLOR,J.M.	9606180615*	FOIA
TAYLOR,J.M.	9611290343	SECY
TAYLOR,J.M.	9701070118	WASTE MGT
TAYLOR,J.M.	9701280118	PR
TAYLOR,J.M.	9703030318*	FOIA
TAYLOR,J.M.	9703100072*	50-335 P
TAYLOR,J.M.	9703100232*	FOIA
TAYLOR,J.M.	9703100257*	FOIA
TAYLOR,J.M.	9703210080*	FOIA
TAYLOR,J.M.	9703270224	SECY
TDLTHORST,P.J.	9703250047	50-461 P
TELTHORST,P.J.	9703060042	I&E
TELTHORST,P.J.	9703120041	50-461 R
TELTHORST,P.J.	9703180241	50-461 J
TELTHORST,P.J.	9703200169	50-461 P
TELTHORST,P.J.	9703250076	50-461 R
TELTHORST,R.J.	9703130074	50-461 V
TEN EYCK,E.Q.	9703050403	70-1201
TEN EYCK,E.Q.	9703050405	70-7001
TEN EYCK,E.Q.	9703100153	70-1257
TEREK,E.	9703040246*	50-324 P
TERRY,C.	9703260101	TOPREP
TERRY,C.	9703260101	TOPREP
TERRY,C.D.	9703180008	50-220 F
TERRY,C.L.	9703030517	50-445 Q
TERRY,C.L.	9703030527	50-445 Q
TERRY,C.L.	9703050221	50-445 P
TERRY,C.L.	9703050301	50-445 R
TERRY,C.L.	9703120024	50-445 F
TERRY,C.L.	9703120055	50-445 S
TERRY,C.L.	9703120445	50-445 P
TERRY,C.L.	9703180038	50-445 P
TERRY,C.L.	9703240100	50-445 P
TERRY,C.L.	9703240188	50-445 P
TERRY,C.L.	9703240202	50-445 P
TERRY,C.L.	9703260143	50-445 P
THADANI,A.C.	9703210187	50-220 P
THAYER,J.K.	9703060429	50-213 V
THAYER,J.K.	9703060429	50-213 V
THAYER,J.K.	9703060429	50-213 V
THAYER,J.K.	9703100254	50-213 V
THAYER,J.K.	9703100254	50-213 V
THAYER,J.K.	9703180137	50-213 V
THAYER,J.K.	9703180137	50-213 V
THAYER,J.K.	9703260093	50-245 P
THE CHAIRMAN	9703030197	COMMISSION
THE CHAIRMAN	9703030220	COMMISSION
THE CHAIRMAN	9703030268	COMMISSION
THE CHAIRMAN	9703030281	50-311 U
THE CHAIRMAN	9703030316	COMMISSION
THE CHAIRMAN	9703100043*	FOIA
THE CHAIRMAN	9703100110	COMMISSION
THE CHAIRMAN	9703120436	SPEECHES
THE CHAIRMAN	9703140159*	COMMISSION
THE CHAIRMAN	9703180220*	COMMISSION
THE CHAIRMAN	9703200104*	PR
THE CHAIRMAN	9703210205	COMMISSION
THE CHAIRMAN	9703240165	COMMISSION
THE CHAIRMAN	9703240171	COMMISSION
THE CHAIRMAN	9703240184	COMMISSION
THE CHAIRMAN	9703250125	COMMISSION
THE CHAIRMAN	9703250128*	COMMISSION
THE CHAIRMAN	9703260320*	COMMISSION
THE CHAIRMAN	9703270076*	COMMISSION
THE CHAIRMAN	9703280244*	COMMISSION
THE CHAIRMAN	9703280249*	COMMISSION
THIEDE,J.	9703030418	50-254 F
THIEDE,J.	9703030423	50-254 F
THIEDE,J.	9703100093	50-254 F
THOMAS,B.	9703180195	50-272 S
THOMAS,B.J.	9703280229	50-272 S
THOMAS,C.	9703260277	50-528 P
THOMAS,C.R.	9703030333	50-528 F
THOMAS,C.R.	9703280297	50-528 P
THOMAS,K.M.	9703040004	50-483 F
THOMAS,K.M.	9703130026	50-483 P
THOMAS,K.M.	9703280317	50-483 F
THOMAS,S.E.	9703040049	50-498 S
THOMAS,S.E.	9703110093	50-498 P
THOMPSON,A.J.	9703140044	40-3453
THOMPSON,A.J.	9703140044	40-3453
THOMPSON,H.L.	9701100037*	ORG
THOMPSON,H.L.	9701240102	70-135
THOMPSON,H.L.	9702050318	SECY
THOMPSON,H.L.	9702110070	SECY
THOMPSON,H.L.	9702130193	SECY

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
THOMPSON,H.L.	9702130296	SECY
THOMPSON,H.L.	9702200058	SECY
THOMPSON,H.L.	9702260203	SECY
THOMPSON,H.L.	9703040401*	FOIA
THOMPSON,H.L.	9703060029	NUREG
THOMPSON,H.L.	9703060213	40-8989
THOMPSON,H.L.	9703130109*	40-8989
THOMPSON,T.	9703130106*	72-1023
THOMPSON,T.C.	9703060145	71-9023
THREATT,D.C.	9703190025*	WASTE MGT
TILLS,J.W.	9703100253	50-285 R
TILLS,J.W.	9703180110	50-285 R
TILLS,J.W.	9703180132	50-285 V
TILLS,J.W.	9703190205	50-285 F
TING,P.	9703030321	70-1151
TING,P.	9703170135	70-1201
TING,P.	9703170151*	70-1201
TING,P.	9703180204	70-*****
TING,P.	9703190240	70-1151
TING,P.	9703200192	70-1257
TIPPS,S.B.	9703060122	50-366 S
TIPPS,S.B.	9703100268	50-321 S
TISDALL,D.	9703240182	50-272 R
TISDALL,D.	9703240185	50-311 R
TJERSLAND,G.T.	9703060284	71-9261
TJERSLAND,G.T.	9703060294	71-9261
TJERSLAND,G.T.	9703060305	72-1008
TJERSLAND,G.T.	9703060360	71-9261
TJERSLAND,G.T.	9703060370	72-1008
TJERSLAND,G.T.	9703070018	72-1014
TJERSLAND,G.T.	9703270038	71-9261
TOCKSTEIN,D.G.	9703250077	50-461 S
TOKAR,M.	9703270181	WASTE MGT
TOLLEY,R.D.	9703210290	50-390 R
TORBECK,J.E.	9702240215*	50-237 P
TORBECK,J.E.	9702240257*	50-237 P
TOSCH,K.W.	9703110135	50-354 P
TOUCHARD,G.H.	8007150459*	FOIA
TRAN,L.N.	9703060022	50-155 P
TRAN,T.	9703210353*	50-263 Q
TRAVERS,W.D.	9703140131	50-245 P
TRAVERS,W.D.	9703170028	50-213 V
TREITLER,I.E.	9703100266	40-672
TRENKAMP,R.	9703100260	NUREG
TRIMBLE,D.C.	9703140134	50-324 P
TRIMBLE,D.C.	9703200343	50-324 P
TRIPARD,G.E.	9703170027	50-27 P
TROSKOSKI,W.M.	9703170151*	70-1201
TROTTIER,C.	9703200098*	STATE PRO G
TSCHILTZ,M.	9703100048*	50-285 G
TUCKMAN,M.S	9703130178	NUREG
TUCKMAN,M.S.	9703030533	50-369 P
TUCKMAN,M.S.	9703070199	50-269 R
TUCKMAN,M.S.	9703210340	50-269 F
TUCKMAN,M.S.	9703270299	50-269 P
TUCKMAN,T.S.	9703240098	50-269 P
TULON,T.	9703120062	50-454 P
TULON,T.J.	9703030102	50-454 P
TULON,T.J.	9703040287	50-456 Q
TULON,T.J.	9703100277	50-456 R
TULON,T.J.	9703120066	50-456 S
TURDICI,J.	9703200090*	PR
TURK,S.E.	9703060064	40-3453
TURK,S.E.	9703060093	40-3453
TURK,S.E.	9703140041	50-250 G
TURK,S.E.	9703140065	50-250 G
TURK,S.E.	9703140067	40-3453
TURK,S.E.	9703180006	40-8968
TURK,S.E.	9703180009	40-3453
TURNIPSEED,T.L.	9703210082	NUREG
TUSAR,J.J.	9703040216*	50-353 P
UHRIG,R.E.	9703120194*	50-335 P
ULECK,R.B.	9703120407	40-2384
ULECK,R.B.	9703120428	40-2384
ULECK,R.B.	9703190359	40-2384
URYC,B.	9703100050*	50-335 P
URYC,B.	9703210046*	FOIA
URYC,B.	9703210058*	FOIA
UTTAL,S.L.	9703140032	40-8027
VACCA,P.C.	9703040228*	FOIA
VAN MIDDLESWORT	9703170221	50-331 S
VAN MIDDLESWORT	9703200205	50-331 S
VAN MIDDLESWORT	9703240104	50-331 R
VAN MIDDLESWORT	9703240236	50-331 S
VANMIDDLESWORTH	9703060301	50-331 R
VANMIDDLESWORTH	9703120056	50-331 R
VASQUEZ,G.M.	9005010011*	FOIA
VASQUEZ,M.	9703250171	50-382 Q
VERDON,T.A.	9703030244*	FOIA
VERNETSON,W.G.	9703040394	50-83 R
VERNETSON,W.G.	9703240156	50-83 R
VERNETSON,W.G.	9703240161*	50-83 R
VERNETSON,W.G.	9703260244	50-83 V
VERRILLI,M.	9703070191	50-400 S
VERRILLI,M.	9703140100	50-400 S
VERRILLI,M.	9703240125	50-400 S
VERRILLI,M.	9703240130	50-400 S
VICKERS,R.	9703050460	50-373 S
VIRGONA,J.E.	9703030301	WASTE MGT
VISSING,G.S.	9703100165	50-244 P
VO,T.V.	9703100220	50-280 Q
VOGL,J.	9703190190	50-454 R
VOWELS,T.	9703180004	50-237 S
WADE,L.	9703030405*	FOIA
WADE,L.	9703040010*	FOIA
WADLEY,M.D.	9703030525	50-282 Q
WALDEN,J.V.	9703180052	50-244 R
WALKER,D.I.	9703030439*	FOIA
WALKER,D.I.	9703040058*	FOIA
WALKER,D.I.	9703040193*	FOIA
WALKER,J.A.	9703260171	71-5874
WALKER,N.M.	9703060068	70-3070
WALKER,N.M.	9703060068	70-3070
WALKER,N.M.	9703180036	70-3070
WALKER,N.M.	9703180036	70-3070
WALKER,R.D.	9703030527	50-445 Q
WALKER,R.D.	9703050221	50-445 P
WALKER,R.D.	9703050301	50-445 R
WALKER,R.D.	9703060211	I&E
WALKER,R.D.	9703240188	50-445 P
WALKER,R.D.	9703240202	50-445 P
WALKER,W.J.	7904250547*	FOIA
WALLACE,J.E.	9703120079	50-259 S
WALLIN,G.A.	9703180020	50-271 R
WALPOLE,J.W.	9703270062	40-7604
WALPOLE,J.W.	9703270069*	40-7604
WALPOLE,R.W.	9703040392*	50-245 S
WALPOLE,R.W.	9703060126*	50-245 S
WALPOLE,R.W.	9703060157*	50-245 S
WALPOLE,R.W.	9703060194*	50-245 S
WALPOLE,R.W.	9703060226*	50-245 S
WALPOLE,R.W.	9703170100*	50-245 S
WALPOLE,R.W.	9703190081*	50-245 S
WALPOLE,R.W.	9703190090*	50-245 S
WALPOLE,R.W.	9703190104*	50-245 S
WALPOLE,R.W.	9703200139*	50-245 S
WALPOLE,R.W.	9703200148*	50-245 S
WALPOLE,R.W.	9703200163*	50-245 S
WALPOLE,R.W.	9703250121*	50-245 S
WALPOLE,R.W.	9703250133*	50-245 S
WALT,T.D.	9703050245	50-261 R
WALT,T.D.	9703130306	I&E
WALT,T.D.	9703140091	50-261 H
WALT,T.D.	9703210034	I&E
WALT,T.D.	9703210045	I&E
WALT,T.D.	9703210051	50-261 P
WALT,T.D.	9703260108	NUREG
WANCZYK,R.J.	9703060221	I&E
WANG,A.B.	9703130280*	50-293 P
WANG,A.B.	9703170137	50-293 P
WANG,A.B.	9703190211	50-293 P
WANG,E.Y.	9703180225	TOPREP
WANGEMANN,R.T.	7904210441*	FOIA
WANGEMANN,R.T.	8007150450*	FOIA
WANGEMANN,R.T.	8012240193*	FOIA
WANGLER,M.E.	9703180030	PR
WARNER,M.E.	9703180018	50-277 R
WARREN,C.C.	9611290016	50-482 F
WARREN,C.C.	9703100137	50-482 F
WARREN,C.C.	9703170111	50-482 F
WARREN,C.C.	9703180021	50-482 R
WARREN,C.C.	9703190017	50-482 R
WARREN,C.C.	9703210330	50-482 V
WARRENS,C.C.	9703120061*	WASTE MGT
WATERS,M.D.	9703030211	NUREG
WATSON,D.L.	9703180259	50-302 F
WATSON,D.L.	9703200209	50-302 F
WATTS,R.J.	9703240169	50-244 F
WEAVER,D.	9703120410	50-331 P
WEAVER,D.	9703260155	50-266 S
WEBB,T.J.	9703110133	50-305 S
WEBBER,K.	9703140090	40-8698
WEBBER,K.	9703240160	40-8698
WEBBER,R.	9703100094	CONTRACT
WEBBER,R.B.	9703050152	CONTRACT
WEBBER,R.B.	9703100098	CONTRACT
WEBBER,R.B.	9703100163	50-245 P
WEBBER,R.B.	9703210038	CONTRACT
WEBBER,R.B.	9703240089	CONTRACT
WEBBER,R.B.	9703260213	CONTRACT
WEBBER,R.B.	9703270051	CONTRACT
WEBER,F.L.	9703060398	40-8778
WEBER,M.F.	9703030206*	FOIA
WEBER,M.F.	9703030209*	FOIA
WEBER,M.F.	9703180212	PROJ
WEBER,M.F.	9703210210	70-143
WEBER,M.F.	9703210215	70-1374
WEBER,M.F.	9703210216*	70-1374
WEBER,M.F.	9703210217*	70-1374
WEBER,M.F.	9703210317	70-1257
WEBER,R.B.	9703270041	52-3
WEBRING,R.L.	9703030522	50-397 R
WEBRING,R.L.	9703100241	50-397 R
WEHRENBERG,J.	9703130428*	50-348 P
WEHRY,R.R.	9703100046	50-387 S
WEIDENHAMER,G.	9703210305	ORG
WEINBERG,R.	9703140045	50-461 G
WEINBERG,R.	9703140053	50-461 G
WEIR,L.	9703100279*	50-10 W
WEISS,E.W.	9505190394*	50-389 P
WEISS,E.W.	9508290298*	50-335 P
WEISS,E.W.	9510130235*	50-335 P
WEISS,S.H.	9703030368	50-83 V
WEISS,S.H.	9703030509	50-83 V
WEISS,S.H.	9703060026	50-206 H
WEISS,S.H.	9703120409*	50-344 W
WEISS,S.H.	9703120461*	50-150 P
WEISS,S.H.	9703120471*	50-186 P
WEISS,S.H.	9703140103	50-2 V
WEISS,S.H.	9703200380*	50-72 W
WEISS,S.H.	9703200386*	50-72 W
WENSLAWSKI,F.A.	9703210123	70-1257
WERMIEL,J.S.	9403290072*	50-335 Q
WESSMAN,R.H.	9406300280*	50-35 P
WESSMAN,R.H.	9409210128*	50-335 P
WESSMAN,R.H.	9410180185*	50-389 P
WESSMAN,R.H.	9501300149*	50-250 P
WESSMAN,R.H.	9609230156*	50-250 Q
WESSMAN,R.H.	9703070162	TOPREP
WESSMAN,R.H.	9703200255	ORG
WESTBROOK,D.P.	9703040081	CONTRACT
WETZEL,B.A.	9703060239	50-282 P
WETZEL,B.A.	9703070104	50-282 P
WETZEL,B.A.	9703120396	50-282 P
WETZEL,B.A.	9703120439	50-282 P
WETZEL,B.A.	9703270209	50-282 P
WETZEL,B.A.	9703270215*	50-282 P
WHALEN,M.P.	9703200211	50-338 Q
WHARTON,L.R.	9703040041	50-285 F
WHARTON,L.R.	9703120430	50-285 P
WHEATLEY,C.A.	9703060427	40-8778
WHEELER,L.L.	9703210250	50-424 P
WHITE,C.E.	9703040014*	FOIA
WHITE,C.E.	9703060393*	FOIA
WHITE,D.	9703120175*	71-514
WHITE,J.R.	9703040146	50-277 Q
WHITE,J.R.	9703100280	50-213 Q
WHITE,J.R.	9703120116	50-22 Q
WHITE,J.R.	9703120152	50-166 Q
WHITE,J.R.	9703280080	50-336 Q
WHITE,J.R.	9703280116	50-213 Q
WHITE,J.R.	9703280128	50-146 Q
WHITT,M.S.	9703240189	50-313 R
WHITT,M.S.	9703240192	50-368 R
WHITTEN,J.E.	8603130064*	FOIA
WHITTEN,J.E.	8606090419*	FOIA
WHITTEN,J.E.	8701140268*	FOIA
WHITTEN,J.E.	8707290329*	FOIA
WHITTEN,J.E.	8802040384*	FOIA
WHITTEN,J.E.	8908090025*	FOIA
WHITTEN,J.E.	9703040364*	FOIA
WICHMAN,K.R.	9508160344*	50-389 P
WICHMAN,K.R.	9509220266*	50-335 P
WICHMAN,K.R.	9608050092*	50-335 P
WICHMAN,K.R.	9609180337*	50-335 P
WIDAY,J.A.	9703180052	50-244 R
WIENS,L.	9703130245*	FOIA
WIENS,L.A	9703170136	50-335 P
WIENS,L.A.	9606040297*	50-335 P
WIENS,L.A.	9606040303*	50-335 P
WIENS,L.A.	9606120268*	50-335 P
WIENS,L.A.	9607080083*	50-335 P
WIENS,L.A.	9607120232*	50-335 P
WIENS,L.A.	9608210178*	50-335 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WIENS,L.A.	9608220005*	50-335 P
WIENS,L.A.	9608220277*	50-335 P
WIENS,L.A.	9609180352*	50-389 P
WIENS,L.A.	9611190153*	50-335 P
WIENS,L.A.	9611190206*	50-335 P
WIENS,L.A.	9611250200*	50-335 P
WIENS,L.A.	9703050508	50-335 P
WIENS,L.A.	9703170188	50-335 P
WIENS,L.A.	9703260291	50-335 P
WIER,J.A.	9703040310*	FOIA
WIER,J.A.	9703050085*	FOIA
WIER,J.A.	9703050128*	FOIA
WIER,W.H.	9703140028	40-8778
WIGGINS,E.	9703100207	CONTRACT
WIGGINS,E.J.	9703030343	CONTRACT
WIGGINS,E.J.	9703030356	CONTRACT
WIGGINS,E.J.	9703030461	CONTRACT
WIGGINS,E.J.	9703040055	CONTRACT
WIGGINS,E.J.	9703040081	CONTRACT
WIGGINS,E.J.	9703050123	CONTRACT
WIGGINS,E.J.	9703050132	CONTRACT
WIGGINS,E.J.	9703050137	CONTRACT
WIGGINS,E.J.	9703050139	CONTRACT
WIGGINS,E.J.	9703050141	CONTRACT
WIGGINS,E.J.	9703050193	CONTRACT
WIGGINS,E.J.	9703060207	CONTRACT
WIGGINS,E.J.	9703060217	CONTRACT
WIGGINS,E.J.	9703100135	CONTRACT
WIGGINS,E.J.	9703100155	CONTRACT
WIGGINS,E.J.	9703110115	CONTRACT
WIGGINS,E.J.	9703110119	CONTRACT
WIGGINS,E.J.	9703130057	CONTRACT
WIGGINS,E.J.	9703130095	CONTRACT
WIGGINS,E.J.	9703130105	CONTRACT
WIGGINS,E.J.	9703130415	CONTRACT
WIGGINS,E.J.	9703140077	CONTRACT
WIGGINS,E.J.	9703180061	CONTRACT
WIGGINS,E.J.	9703200046	CONTRACT
WIGGINS,E.J.	9703210031	CONTRACT
WIGGINS,E.J.	9703240092	CONTRACT
WIGGINS,E.J.	9703240109	CONTRACT
WIGGINS,E.J.	9703250015	CONTRACT
WIGGINS,E.J.	9703250016	CONTRACT
WIGGINS,E.J.	9703250020	CONTRACT
WIGGINS,E.J.	9703250030	CONTRACT
WIGGINS,E.J.	9703250044	CONTRACT
WIGGINS,E.J.	9703260185	CONTRACT
WIGGINS,E.J.	9703260243	CONTRACT
WIGGINS,J.T.	9703200088	50-289 P
WIGGINS,J.T.	9703240007	50-272 Q
WIGGINS,J.T.	9703280068	50-334 F
WIGGINTON,D.L.	9703120401	50-458 Q
WIGGINTON,P.L.	9703030424*	XPORTLIC
WILCOXEN,J.G.	9703060084	40-8027
WILCOXEN,J.G.	9703060084	40-8027
WILCYNSKI,J.	9703280027	71-9253
WILKERSON,T.M.	9703050002	50-261 R
WILKERSON,T.M.	9703050005	50-261 R
WILKERSON,T.M.	9703050059	50-261 R
WILKERSON,T.M.	9703060396	50-261 F
WILKERSON,T.M.	9703070189	50-261 Q
WILKERSON,T.M.	9703110089	50-261 R
WILKERSON,T.M.	9703180014	50-261 R
WILKERSON,T.M.	9703180253	50-261 P
WILKERSON,T.M.	9703240081	50-261 P
WILKERSON,T.M.	9703240240	50-261 P
WILKERSON,T.M.	9703280058	50-261 Y
WILKINSON,I.E.	9703200381	QA999
WILKOWSKI,G.	9703170239	NUREG
WILKOWSKI,G.M.	9703100252	NUREG
WILLIAMS,C.E.	9703240176	50-361 R
WILLIAMS,G.E.	9703040398	50-498 R
WILLIAMS,G.T.	9703130308*	PROJ
WILLIAMS,J.F.	9703060362	50-259 P
WILLIAMS,J.F.	9703120465	50-296 P
WILLIAMS,J.F.	9703170128	50-259 P
WILLIAMS,J.F.	9703170130	50-259 P
WILLIAMS,J.F.	9703250235	50-259 P
WILLIAMS,O.G.	9703210036*	FOIA
WILLIAMS,R.A.	9703190129*	50-369 R
WILLIAMS,R.A.	9703190140*	50-413 R
WILLIAMS,R.A.	9703190147*	50-269 R
WILLIAMSON,D.E.	9703050193	CONTRACT
WILLIAMSON,D.H.	9703200020	50-458 R
WILLIAMSON,E.L.	9703100196*	50-267 Q
WILLIAMSON,E.L.	9703100200*	50-267 Q
WILSON,J.F.	9703120030	50-219 R
WILSON,J.H.	9703040200	PROJ
WILSON,J.H.	9703040217	TOPREP
WILSON,J.H.	9703060348	TOPREP
WILSON,J.H.	9703110217	TOPREP
WILSON,J.H.	9703190259	TOPREP
WILSON,J.H.	9703270043	ORG
WINBOW,R.T.	9703100266	40-672
WINSBERG,K.	9703100060*	50-250 G
WINSBERG,K.	9703180200	70-*****
WITTSCHEN,R.	9703240148*	50-341 S
WOHLEBER,D.O.	9703180244	50-499 S
WOLF,G.M.	9703110053	50-346 S
WOLF,G.M.	9703210327	50-346 S
WOLTERMAN,R.	9703170239	NUREG
WOMACK,L.F.	9703110082	50-275 S
WOMACK,L.F.	9703280448	50-275 P
WOOD,G.D.	9703110233*	WASTE MGT
WOOD,J.K.	9703030482	50-346 Q
WOOD,J.K.	9703100246	50-346 P
WOOD,J.K.	9703170074	50-346 P
WOOD,J.K.	9703170080	50-346 V
WOOD,J.K.	9703170107	50-346 Q
WOOD,J.K.	9703200315	50-346 I
WOOD,J.K.	9703210303	50-346 P
WOODARD,J.D.	9703040129	50-321 H
WOODRUFF,R.L.	9703280013	STATE PRO G
WOODS,D.	9703190024	PR
WOODWARD,R.	9703240104	50-331 R
WOODWORTH,L.A.	9703120165	WASTE MGT
WOODWORTH,L.A.	9703120216	WASTE MGT
WOODWORTH,L.A.	9703210140	WASTE MGT
WOODWORTH,L.A.	9703250012	WASTE MGT
WOOLEY,R.L.	9703050205	70-7001
WOOLLEY,R.L.	9703060063	70-7001
WOOLLEY,R.L.	9703070089	70-7001
WOOLLEY,R.L.	9703180046	PR
WOOLLEY,R.L.	9703190019	70-7001
WOOLLEY,R.L.	9703210257	70-7002
WOOLLEY,R.L.	9703210332	70-7001
WOOLLEY,R.L.	9703260154	70-7001
WOOLLEY,R.L.	9703260157	70-7002
WOOLLEY,R.L.	9703270318	70-7002
WOOLSEY,R.T.	9703030398*	FOIA
WOOLSEY,R.T.	9703030447*	FOIA
WOOLSEY,R.T.	9703040036*	FOIA
WOOLSEY,R.T.	9703040043*	FOIA
WOOLSEY,R.T.	9703040109*	FOIA
WOOSTER,K.	9703180037*	50-155 F
WORK,S.D.	9701290360	PR
WORK,S.D.	9703210310*	PR
WRIGHT,G.C.	9703200245	50-461 P
WULFF,W.	9703200285	NUREG
WUNDER,G.F.	9703200201	50-286 P
WUNDER,G.F.	9703200288	50-286 P
WUNDER,G.F.	9703200293*	50-286 P
WUNDER,G.F.	9703210266	50-286 P
YAEGER,W.	9703070181	50-220 S
YAEGER,W.R.	9703100008	50-220 S
YAEGER,W.R.	9703170139	50-220 S
YAHR,S.H.	9703190238	CONTRACT
YOUNG,N.N.	9703070083	40-7397
YOUNG,N.N.	9703070143	40-7397
YUNDT,C.P.	9703270320	50-344 Y
YUNDT,C.P.	9703280049	50-344 Y
ZAHRT,K.L.	9703100216*	50-267 Q
ZALCMAN,B.	9703200236	50-280 P
ZALCMAN,B.	9703270183	REVIEW GR P
ZALOZNIK,A.J.	9703030196*	FOIA
ZALOZNIK,A.J.	9703030250*	FOIA
ZALOZNIK,A.J.	9703030345*	FOIA
ZAW-MON,M.	9703050491	STATE PRO G
ZECH,L.W.	8712070031	COMMISSIO N
ZIEGLER,R.S.	9703030119	40-8902
ZIEGLER,R.S.	9703030137	40-8902
ZIEGLER,R.S.	9703070206	40-8902
ZIMMERMAN,G.P.	9703100266	40-672
ZIMMERMAN,J.I.	9703060158	50-348 P
ZIMMERMAN,J.I.	9703060165*	50-348 P
ZIMMERMAN,J.I.	9703100191	50-348 P
ZIMMERMAN,J.I.	9703240193	50-348 P
ZIMMERMAN,J.I.	9703260260	50-348 P
ZIMMERMAN,J.I.	9703270124	50-348 P
ZIMMERMAN,J.I.	9703270139	50-348 P
ZIMMERMAN,R.P.	9703270239	ORG
ZOON,R.A.	9703110198	PR
ZULAUF,S.	9703100244	50-454 S
ZWOLINSKI,J.A.	9411040241*	50-335 P
ZWOLINSKI,J.A.	9703050501	50-309 H
ZWOLINSKI,J.A.	9703060218	50-309 H
ZWOLINSKI,J.A.	9703060300	50-309 H
ZWOLINSKI,J.A.	9703120018*	ORG
ZWOLINSKI,J.A.	9703120100*	ORG
ZWOLINSKI,J.A.	9703120119*	ORG
ZWOLINSKI,J.A.	9703130033	50-309 U
ZWOLINSKI,J.A.	9703200264	50-309 P
ZWOLINSKI,J.A.	9703270241	50-309 H

6

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9703040097	TOPREP	
	9703040102*	TOPREP	
	9703050274	71-6294	
	9703130038	70-36	
ABC Testing	9703190224	71-472	
	9703190224	71-472	
	9703190224	71-472	
	9703190224	71-472	
	9703190313*	71-472	
	9703190313*	71-472	
	9703190313*	71-472	
	9703190313*	71-472	
ASEA Brown Boveri, Inc.	9703040102*	TOPREP	
	9703050274	71-6294	
Accu-Weather, Inc.	9703050188	CONTRACT	
Advanced Medical Systems, Inc.	9703200313*	FOIA	
	9703200319*	FOIA	
Agriculture, Dept. of	9703110044	71-238	
Akin, Gump, Strauss, Hauer & Feld	9703070028	50-334	H
(formerly Akin, Gump, Hauer & Feld)			
Alabama, State of	9703050193	CONTRACT	
Allied-Signal Corp.	9703060233	40-3392	
	9703060242*	40-3392	
	9703240174	40-3392	
	9703260141	40-3392	
American College of Nuclear Physicians	9703060162*	STATE PRO	G
American Electric Power Co., Inc.	9703040005	50-315	P
	9703040006*	50-315	P
	9703100078	50-315	R
	9703100079*	50-315	R
	9703210143	50-315	S
	9703210143	50-315	S
	9703210351	50-315	F
	9703240091	50-315	J
	9703240091	50-315	J
	9703260172*	50-315	P
American Nuclear Corp.	9703060051	40-4492	
Applied Health Physics, Inc.	9703270142*	WASTE MGT	
Argonne National Laboratory	9703100272	NUREG	
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9703040091	50-528	S
	9703040103*	50-528	S
	9703060004	50-528	P
	9703070027	50-528	V
	9703070033*	50-528	V
	9703110167	50-528	H
	9703120037	50-528	R
	9703120037	50-528	R
	9703120037	50-528	R
	9703180028	50-528	R
	9703180028	50-528	R
	9703180028	50-528	R
	9703180256	50-528	Q
	9703240119	50-528	P
	9703240119	50-528	P
	9703240119	50-528	P
	9703250004	50-528	P
	9703250004	50-528	P
	9703250004	50-528	P
	9703250024	50-528	P
	9703250024	50-528	P
	9703250024	50-528	P
	9703250027*	50-528	P
	9703250027*	50-528	P
	9703250027*	50-528	P
	9703250031	50-528	V
	9703250111	50-528	R
	9703250115	50-528	J
	9703250115	50-528	J
	9703250115	50-528	J
	9703260173	50-528	P
	9703260173	50-528	P
	9703260173	50-528	P
	9703260340	50-528	Q
Arizona, State of	9702130300	STATE PRO	G
Arkansas, State of	9703060207	CONTRACT	
Army, Dept. of	8007150450*	FOIA	
	8008190415*	FOIA	
	8606090433*	FOIA	
	8802040386*	FOIA	
	8903170425*	FOIA	
	8903170426*	FOIA	
	8903170428*	FOIA	
	8903170430*	FOIA	
	9703030034*	FOIA	
	9703030048*	FOIA	
	9703030081*	FOIA	
	9703030101*	FOIA	
	9703030114*	FOIA	
	9703030139*	FOIA	
	9703030140*	FOIA	
	9703030176*	FOIA	
	9703030177*	FOIA	
	9703030180*	FOIA	
	9703030196*	FOIA	
	9703030237*	FOIA	
	9703030244*	FOIA	
	9703030247*	FOIA	
	9703030250*	FOIA	
	9703030259*	FOIA	
	9703030261*	FOIA	
	9703030270*	FOIA	
	9703030312*	FOIA	
	9703030319*	FOIA	
	9703030345*	FOIA	
	9703030416*	FOIA	
	9703030438*	FOIA	
	9703030446*	FOIA	
	9703030449*	FOIA	
	9703030450*	FOIA	
	9703030465*	FOIA	
	9703030466*	FOIA	
	9703030468*	FOIA	
	9703030484*	FOIA	
	9703030486*	FOIA	
	9703030534*	FOIA	
	9703030536*	FOIA	
	9703040012*	FOIA	
	9703040015*	FOIA	
	9703040017*	FOIA	
	9703040098*	FOIA	
	9703040120*	FOIA	
	9703040168*	FOIA	
	9703040176*	FOIA	
	9703040187*	FOIA	
	9703040226*	FOIA	
	9703040302*	FOIA	
	9703040310*	FOIA	
	9703040318*	FOIA	
	9703040319*	FOIA	
	9703040326*	FOIA	
	9703040330*	FOIA	
	9703040335*	FOIA	
	9703040342*	FOIA	
	9703040349*	FOIA	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703040358*	FOIA	
	9703040372*	FOIA	
	9703050094*	FOIA	
	9703050105*	FOIA	
	9703050112*	FOIA	
	9703050165*	FOIA	
	9703050175*	FOIA	
	9703050189*	FOIA	
	9703050320*	FOIA	
	9703050338*	FOIA	
	9703120187*	FOIA	
	9703130350	40-8838	
Army, Dept. of, Office of Surgeon Genera	8012240193*	FOIA	
	8602120308*	FOIA	
	8603130069*	FOIA	
	8607170268*	FOIA	
	8707290333*	FOIA	
	8802040388*	FOIA	
	9703030348*	FOIA	
	9703030353*	FOIA	
	9703040008*	FOIA	
	9703040171*	FOIA	
	9703040206*	FOIA	
	9703040400*	FOIA	
Arnold & Porter	9703130128*	40-8989	
Atlantic Richfield Co. (ARCO)	9703030119	40-8902	
	9703030137	40-8902	
	9703070206	40-8902	
Atlas Corp.	9703050300	40-3453	
	9703050303	40-3453	
	9703050310	40-3453	
	9703050312*	40-3453	
	9703140044	40-3453	
	9703260195	40-3453	
	9703260201	40-3453	
Atomic Products Corp.	9703120221*	FOIA	
Augustana College, Sioux Falls, SD	9703280326	70-946	
B&G Manufacturing Co.	9703120444	PT21	
B. Koh & Associates, Inc.	9703030130*	FOIA	
	9703030135*	FOIA	
	9703030240*	FOIA	
	9703030292*	FOIA	
	9703030295*	FOIA	
	9703100198*	FOIA	
BP Chemicals International	9703270062	40-7604	
	9703270069*	40-7604	
BWR Owners Group	9703060368	TOPREP	
	9703110158	TOPREP	
	9703280263	TOPREP	
Babcock & Wilcox Co.	9703030512	70-27	
	9703050482	TOPREP	
	9703050505*	TOPREP	
	9703060347	70-364	
	9703060381	70-364	
	9703060383*	70-364	
	9703060437	70-3085	
	9703060438*	70-3085	
	9703110271	70-27	
	9703110298	70-27	
	9703170035	70-364	
	9703180034	PR	
	9703180105	70-27	
	9703180185	70-27	
	9703200376	70-27	
	9703260197	70-27	
	9703260199*	70-27	
	9703280174	TOPREP	
	9703280272	70-27	
Babcock & Wilcox Fuel Assembly Owners Group	9703130304	PROJ	
	9703130308*	PROJ	
Baltimore Gas & Electric Co.	9703040079	50-317	P
	9703060271	50-317	P
	9703060271	50-317	P
	9703100097	50-318	P
	9703110130	50-317	P
	9703110130	50-317	P
	9703110145*	50-317	P
	9703110145*	50-317	P
	9703110169	50-317	R
	9703120026	50-317	V
	9703120026	50-317	V
	9703120082	50-317	S
	9703120105	50-317	S
	9703120388	50-317	F
	9703120388	50-317	F
	9703120388	50-317	F
	9703120395*	50-317	F
	9703120395*	50-317	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703120395*	50-317	F
	9703190111	50-317	P
	9703190111	50-317	P
	9703200122	50-317	R
	9703200122	50-317	R
	9703210048	50-317	P
	9703210048	50-317	P
	9703250183	50-317	J
	9703250183	50-317	J
	9703250198	50-317	P
	9703250224	50-317	F
	9703260313	50-317	V
	9703260313	50-317	V
	9703280385	50-317	P
	9703280416	50-317	S
Battelle Human Affairs Research Centers	9703260185	CONTRACT	
Battelle Memorial Institute, Columbus Laboratories	9703050096	70-8	
	9703100252	NUREG	
	9703170239	NUREG	
Battelle Memorial Institute, Pacific Northwest Laboratory	9703120016*	PROJ	
	9703130136*	72-1023	
	9703140007	TOPREP	
Beveridge, Fairbanks & Diamond	9703070143	40-7397	
Biocontrol Technology, Inc. (formerly Coratomic, Inc.)	9703210189*	70-1342	
Boeing Co.	9703050308	QA999	
Boston Edison Co.	9703050101	50-293	R
	9703050104*	50-293	R
	9703050164	50-293	R
	9703070005	50-293	S
	9703070006	50-293	S
	9703070061	50-293	R
	9703070170	50-293	Q
	9703070178	50-293	P
	9703070180	50-293	P
	9703070185	50-293	R
	9703100030*	FOIA	
	9703170024	50-293	P
	9703180196	50-293	R
	9703190094	50-293	S
	9703190153	50-293	F
	9703200132	50-293	P
	9703200138*	50-293	P
	9703240095	50-293	R
	9703250033	50-293	Q
	9703250226	50-293	S
Brookhaven National Laboratory	9307120167*	50-389	P
	9701310074*	50-445	P
	9703070154*	50-382	P
	9703100224	NUREG	
	9703120266	NUREG	
	9703120276	NUREG	
	9703120285	NUREG	
	9703170247	NUREG	
	9703200285	NUREG	
CMS Energy Corp.	9703260159	50-155	Q
COGEMA, Inc.	9703240226*	XPORTLIC	
Cabot Corp.	9703030494	40-6940	
	9703060452	40-9027	
California, State of	9703100058*	FOIA	
	9703250020	CONTRACT	
California, Univ. of, Los Angeles, CA	9703210233*	COMMISSIO	N
Cammenga & Associates, Inc.	9703060038	PR	
Carolina Power & Light Co.	9703030487	50-261	P
	9703040084	50-324	V
	9703040141	50-324	F
	9703040166	50-400	P
	9703040169*	50-400	P
	9703040242	50-324	P
	9703040245	50-400	P
	9703040248*	50-400	P
	9703040391	50-400	P
	9703040393*	50-400	P
	9703050002	50-261	R
	9703050005	50-261	R
	9703050005	50-261	R
	9703050059	50-261	R
	9703050059	50-261	R
	9703050069	50-261	Q
	9703050245	50-261	R
	9703050245	50-261	R
	9703050251*	50-261	R
	9703050251*	50-261	R
	9703050251*	50-261	R
	9703050251*	50-261	R
	9703050471	50-400	Q
	9703060133	50-261	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703060261	50-400	R
	9703060394*	TOPREP	
	9703060396	50-261	F
	9703060399*	50-261	F
	9703060404*	50-261	F
	9703060448	50-324	R
	9703060448	50-324	R
	9703070058	50-400	Q
	9703070183	50-400	P
	9703070189	50-261	Q
	9703070191	50-400	S
	9703070195	50-324	P
	9703070195	50-324	P
	9703100026	50-325	S
	9703110089	50-261	R
	9703110089	50-261	R
	9703130306	I&E	
	9703130325	50-324	P
	9703130325	50-324	P
	9703130326*	50-324	P
	9703130326*	50-324	P
	9703130330*	50-324	P
	9703140091	50-261	H
	9703140091	50-261	H
	9703140091	50-261	H
	9703140100	50-400	S
	9703180014	50-261	R
	9703180187	50-400	Q
	9703180189	50-400	P
	9703180191*	50-400	P
	9703180253	50-261	P
	9703190005	50-400	P
	9703190006*	50-400	P
	9703190058	50-324	P
	9703190058	50-324	P
	9703190063	50-324	P
	9703190068	50-400	F
	9703190073*	50-400	F
	9703190166	50-400	Q
	9703190184	50-324	R
	9703190184	50-324	R
	9703200089	50-400	P
	9703200095	50-324	K
	9703200095	50-324	K
	9703200103*	50-324	K
	9703200103*	50-324	K
	9703200106	50-400	P
	9703210034	I&E	
	9703210045	I&E	
	9703210051	50-261	P
	9703210051	50-261	P
	9703240081	50-261	P
	9703240121	50-400	P
	9703240125	50-400	S
	9703240130	50-400	S
	9703240132*	50-400	P
	9703240139	50-324	P
	9703240139	50-324	P
	9703240158	50-324	Q
	9703240158	50-324	Q
	9703240197	50-400	R
	9703240240	50-261	P
	9703260108	NUREG	
	9703260328	50-324	P
	9703260328	50-324	P
	9703260332*	50-324	P
	9703260332*	50-324	P
	9703260335	50-324	P
	9703260335	50-324	P
	9703260337*	50-324	P
	9703260337*	50-324	P
	9703280058	50-261	Y
	9703280058	50-261	Y
	9703280062*	50-261	Y
	9703280062*	50-261	Y
Center for Nuclear Waste Regulatory Analyses	9703060102	WASTE MGT	
	9703060128*	WASTE MGT	
	9703060146	WASTE MGT	
	9703060152*	WASTE MGT	
	9703060166	WASTE MGT	
	9703060174*	WASTE MGT	
	9703060198	WASTE MGT	
	9703070040	WASTE MGT	
	9703070041*	WASTE MGT	
	9703130191	WASTE MGT	
	9703130194*	WASTE MGT	
	9703200034	WASTE MGT	
	9703200043*	WASTE MGT	
	9703280106	WASTE MGT	
	9703280114*	WASTE MGT	
	9703280162	WASTE MGT	
Centerior Energy	9703030482	50-346	Q
	9703050124	50-440	R
	9703050449	50-440	Q
	9703060196	NUREG	
	9703100246	50-346	P
	9703110085	50-440	F
	9703120171	50-440	F
	9703120180*	50-440	F
	9703130246	50-440	V
	9703170074	50-346	P
	9703170080	50-346	V
	9703170107	50-346	Q
	9703170168	50-346	F
	9703180221	50-440	R
	9703180227	50-440	S
	9703180238	50-440	P
	9703180243	50-440	R
	9703190388	50-440	R
	9703190392*	50-440	R
	9703190393*	50-440	R
	9703190394*	50-440	R
	9703190395	50-440	P
	9703200021	50-400	R
	9703200315	50-346	I
	9703200335*	50-440	P
	9703200350	50-440	P
	9703210303	50-346	P
	9703250001	50-440	R
	9703250206	50-440	F
	9703260111	50-313	Y
	9703260111	50-313	Y
Cherokee Nation	9703060084	40-8027	
Chevron Chemical Co. (subs of Standard Oil Co. of California)	9703030033*	FOIA	
	9703030043*	FOIA	
	9703030054*	FOIA	
	9703030146*	FOIA	
	9703030161*	FOIA	
	9703030179*	FOIA	
	9703030271*	FOIA	
	9703030280*	FOIA	
	9703030303*	FOIA	
Cimarron Corp.	9703050053	70-925	
	9703060419	70-925	
Cintichem, Inc.	9703070034	70-687	
Citizens Against Nuclear Trash	9703060068	70-3070	
	9703180036	70-3070	
Cleveland, OH	9703200305*	FOIA	
Colorado State Univ., Fort Collins, CO	9703070026*	50-267	R
	9703180248*	WASTE MGT	
Colorado, State of	9703190179	STATE PRO	G
Commerce, Dept. of	9703130118*	72-1023	
Commonwealth Edison Co.	9702240108	50-237	P
	9702240108	50-237	P
	9702240113*	50-237	P
	9702240113*	50-237	P
	9702240119*	50-237	P
	9702240121*	50-237	P
	9702240127*	50-237	P
	9703030102	50-454	P
	9703030102	50-454	P
	9703030102	50-454	P
	9703030102	50-454	P
	9703030107*	50-454	P
	9703030107*	50-454	P
	9703030138	50-254	R
	9703030138	50-254	R
	9703030167*	50-254	R
	9703030418	50-254	F
	9703030423	50-254	F
	9703030478	50-237	R
	9703030478	50-237	R
	9703030478	50-237	R
	9703030478	50-237	R
	9703030495	50-254	Q
	9703030495	50-254	Q
	9703030498	50-10	R
	9703040147	50-237	P
	9703040254	50-304	S
	9703040282	50-10	Q
	9703040282	50-10	Q
	9703040287	50-456	Q
	9703040287	50-456	Q
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F
	9703040306	50-10	F
	9703040352	50-237	Q
	9703040352	50-237	Q
	9703040352	50-237	Q
	9703040352	50-237	Q
	9703050021	50-237	P
	9703050021	50-237	P
	9703050138	50-373	R
	9703050138	50-373	R
	9703050167	50-237	S
	9703050180*	50-237	S
	9703050423	50-10	W
	9703050423	50-10	W
	9703050423	50-10	W
	9703050423	50-10	W
	9703050423	50-10	W
	9703050423	50-10	W
	9703050423	50-10	W
	9703050423	50-10	W
	9703050423	50-10	W
	9703050442*	50-10	W
	9703050458	50-254	S
	9703050460	50-373	S
	9703050469*	50-254	S
	9703050487	50-373	Q
	9703050487	50-373	Q
	9703050494	50-373	Q
	9703050494	50-373	Q
	9703060101	50-373	R
	9703060101	50-373	R
	9703060125	50-254	P
	9703060125	50-254	P
	9703060130*	50-254	P
	9703060130*	50-254	P
	9703060149	50-373	Q
	9703060149	50-373	Q
	9703060160	50-10	F
	9703060160	50-10	F
	9703060160	50-10	F
	9703060204	50-373	F
	9703060274	50-373	S
	9703060274	50-373	S
	9703060275	50-373	Q
	9703060275	50-373	Q
	9703060313	50-10	F
	9703060313	50-10	F
	9703060313	50-10	F
	9703060313	50-10	F
	9703060313	50-10	F
	9703060313	50-10	F
	9703060313	50-10	F
	9703060313	50-10	F
	9703060313	50-10	F
	9703060431	50-295	F
	9703060431	50-295	F
	9703070020	50-295	S
	9703070037	50-237	P
	9703070037	50-237	P
	9703070038*	50-237	P
	9703070038*	50-237	P
	9703070095	50-456	F
	9703070095	50-456	F
	9703070097	50-373	F
	9703070097	50-373	F
	9703070106	50-295	F
	9703070106	50-295	F
	9703070129	50-454	F
	9703070129	50-454	F
	9703070150	50-254	F
	9703070150	50-254	F
	9703070198	50-265	Q
	9703100093	50-254	F
	9703100093	50-254	F
	9703100102	50-454	P
	9703100102	50-454	P
	9703100102	50-454	P
	9703100102	50-454	P
	9703100107*	50-454	P
	9703100107*	50-454	P
	9703100107*	50-454	P
	9703100107*	50-454	P
	9703100244	50-454	S
	9703100267	50-373	S
	9703100271	50-373	R
	9703100271	50-373	R
	9703100275	50-10	W
	9703100275	50-10	W
	9703100275	50-10	W
	9703100277	50-456	R
	9703100277	50-456	R
	9703100279*	50-10	W
	9703100279*	50-10	W
	9703100279*	50-10	W
	9703100296	50-237	F
	9703100296	50-237	F
	9703100296	50-237	F
	9703100296	50-237	F
	9703100296	50-237	F
	9703100296	50-237	F
	9703100296	50-237	F
	9703100296	50-237	F
	9703100296	50-237	F
	9703100296	50-237	F
	9703110034	50-237	P
	9703110034	50-237	P
	9703110039	50-237	P
	9703110039	50-237	P
	9703110039	50-237	P
	9703110039	50-237	P
	9703110039	50-237	P
	9703110039	50-237	P
	9703110039	50-237	P
	9703110061	50-454	S
	9703110063	50-454	R
	9703110106	50-237	F
	9703110106	50-237	F
	9703110163	50-10	Q
	9703110163	50-10	Q
	9703110163	50-10	Q
	9703110210*	50-237	P
	9703110210*	50-237	P
	9703120045	50-10	Q
	9703120045	50-10	Q
	9703120045	50-10	Q
	9703120062	50-454	P
	9703120062	50-454	P
	9703120062	50-454	P
	9703120062	50-454	P
	9703120066	50-456	S
	9703120071*	50-456	S
	9703120383	50-249	S
	9703120391*	50-249	S
	9703130335	50-254	Q
	9703130335	50-254	Q
	9703130365	50-254	P
	9703130365	50-254	P
	9703130381*	50-254	P
	9703130381*	50-254	P
	9703130387	50-10	F
	9703130387	50-10	F
	9703130387	50-10	F
	9703130387	50-10	F
	9703130387	50-10	F
	9703130387	50-10	F
	9703130387	50-10	F
	9703130387	50-10	F
	9703130387	50-10	F
	9703130387	50-10	F
	9703170109	50-295	Q
	9703170109	50-295	Q
	9703170220*	50-454	P
	9703170220*	50-454	P
	9703170226	50-237	P
	9703170242	50-10	S
	9703170245*	50-10	S
	9703180003	50-295	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703180003	50-295	R
	9703180004	50-237	S
	9703180016	50-254	F
	9703180016	50-254	F
	9703180025	50-254	F
	9703180042	50-10	R
	9703180042	50-10	R
	9703180042	50-10	R
	9703180055	50-237	P
	9703180055	50-237	P
	9703180057*	50-237	P
	9703180057*	50-237	P
	9703190034	50-373	P
	9703190034	50-373	P
	9703190088	50-10	Q
	9703190088	50-10	Q
	9703190088	50-10	Q
	9703190093	50-237	S
	9703190124	50-237	S
	9703190132	50-454	P
	9703190138	50-295	F
	9703190138	50-295	F
	9703190169	50-454	S
	9703190190	50-454	R
	9703190190	50-454	R
	9703200055	50-456	F
	9703200125	50-295	R
	9703200125	50-295	R
	9703200165	50-295	R
	9703200165	50-295	R
	9703200351	50-456	P
	9703200369	50-237	P
	9703200369	50-237	P
	9703200372*	50-237	P
	9703200372*	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210117	50-237	P
	9703210273	50-373	Q
	9703210283	50-373	Q
	9703210335	50-10	F
	9703210335	50-10	F
	9703210335	50-10	F
	9703210335	50-10	F
	9703210335	50-10	F
	9703210335	50-10	F
	9703210339	50-295	P
	9703240102	50-454	P
	9703240102	50-454	P
	9703240118	50-10	W
	9703240151	50-454	S
	9703240232	50-373	V
	9703250002	50-295	F
	9703250002	50-295	F
	9703250054	50-454	P
	9703250054	50-454	P
	9703250058	50-373	P
	9703250058	50-373	P
	9703250067*	50-454	P
	9703250067*	50-454	P
	9703250072	50-254	F
	9703250095	50-254	R
	9703250095	50-254	R
	9703250126	50-454	P
	9703250126	50-454	P
	9703250131*	50-454	P
	9703250131*	50-454	P
	9703250134	50-454	P
	9703250134	50-454	P
	9703250154	50-10	Q
	9703250195	50-456	Q
	9703250195	50-456	Q
	9703250202	50-456	Q
	9703250202	50-456	Q
	9703260001	50-454	S
	9703260001	50-454	S
	9703260008	50-10	F
	9703260008	50-10	F
	9703260008	50-10	F
	9703260008	50-10	F
	9703260008	50-10	F
	9703260008	50-10	F
	9703260008	50-10	F
	9703260008	50-10	F
	9703260008	50-10	F
	9703260123	50-454	S
	9703260146	50-373	S
	9703260156	50-373	S
	9703260304	50-456	F
	9703260325	50-373	Q
	9703260325	50-373	Q
	9703260326	50-254	S
	9703270019	50-254	S
	9703270175	50-237	Q
	9703270246	50-254	S
	9703270249	50-254	Q
	9703270259	50-254	Q
	9703270309	50-454	P
	9703270309	50-454	P
	9703270309	50-454	P
	9703270309	50-454	P
	9703280061	50-454	P
	9703280061	50-454	P
	9703280061	50-454	P
	9703280061	50-454	P
	9703280282	50-295	S
	9703280296*	50-295	S
	9703280347	50-295	S
	9703280361*	50-295	S
	9703280442	50-454	F
Connecticut Yankee Atomic Power Co.	9703040051	50-213	Q
	9703040072	50-213	Q
	9703040080*	50-213	Q
	9703040096	50-213	S
	9703040111	50-213	S
	9703040214	50-213	Q
	9703060387	50-213	S
	9703060389*	50-213	S
	9703060425	50-213	R
	9703060429	50-213	V
	9703060429	50-213	V
	9703060429	50-213	V
	9703060432*	50-213	V
	9703070171	50-213	V
	9703070174	50-213	V
	9703100254	50-213	V
	9703100254	50-213	V
	9703100254	50-213	V
	9703110015	50-213	F
	9703130323	50-213	S
	9703130334	50-213	S
	9703170092	50-213	Q
	9703180137	50-213	V
	9703180137	50-213	V
	9703200085	50-213	S
	9703200166	50-213	R
	9703210074	50-213	W
	9703250085	50-213	S
	9703250124	50-213	F
	9703250157	50-213	Q
	9703280421	50-213	F
Connecticut, State of	9703030343	CONTRACT	
Connex Pipe Systems, Inc.	9703210075	71-872	
	9703210079*	71-872	
Consolidated Edison Co. of New York, Inc	9703040182	50-3	R
	9703040189	50-247	V
	9703040227	50-3	J
	9703040241	50-286	S
	9703040332	50-247	S
	9703040374	50-247	S
	9703070099	50-247	Q
	9703070102	50-247	Q
	9703190146	50-247	P
	9703190149*	50-247	P
	9703190151	50-247	P
	9703190154*	50-247	P
	9703210078*	50-286	S
	9703210090*	50-286	S
	9703210281	50-247	P
	9703210287*	50-247	P
	9703240173	50-247	R
	9703240223	50-247	S
	9703240231	50-247	P
	9703260018	50-247	V
	9703270137	50-247	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Consolidated NDE, Inc. (formerly Consolidated X-Ray Service Corp. East)	9703040381	71-627	
Construction Testing Engineers	9703050222	STATE PRO	G
	9703060246	STATE PRO	G
Consumers Power Co.	9703030519	50-255	Q
	9703030529	50-255	S
	9703040177	50-155	R
	9703050020	50-155	P
	9703050081	50-155	Q
	9703050162	50-155	S
	9703060216	50-255	F
	9703070091	50-255	F
	9703070094	50-255	F
	9703100274	50-255	R
	9703110110	71-9145	
	9703110113*	71-9145	
	9703110286	50-155	R
	9703120012	50-155	H
	9703120021	50-255	F
	9703120023	50-255	P
	9703120044	50-255	R
	9703120058	50-255	F
	9703120063	50-255	F
	9703120065	50-255	F
	9703120069	50-255	F
	9703120074	50-255	F
	9703120135	50-255	F
	9703120141	50-255	Q
	9703180035	50-155	F
	9703180037*	50-155	F
	9703180041*	50-155	F
	9703180218	50-155	H
	9703180218	50-155	H
	9703180218	50-155	H
	9703180222	50-255	P
	9703180228*	50-255	P
	9703200117	50-255	P
	9703200344	50-255	F
	9703200348	50-255	F
	9703240181	50-255	P
	9703270178	50-255	Q
	9703270202	50-255	S
	9703270223*	50-255	S
	9703270234	50-255	S
Cornell Univ., Ithaca, NY	9703190003	50-97	P
	9703190003	50-97	P
	9703190004*	50-97	P
	9703190004*	50-97	P
Council on Environmental Quality	9703240167*	COMMISSIO	N
Cox & Associates, P.C.	9703240109	CONTRACT	
Dairyland Power Cooperative	9703040011	50-409	R
	9703040029	50-409	R
Dayton X-Ray Co.	9703040131	71-252	
Dentsply International	9703240034	70-2377	
Dept. of Veterans Affairs Medical Center	9703250096	50-131	Q
Omaha, NE (formerly Veterans Admin. Me			
Detroit Edison Co.	9703040252	50-341	R
	9703050186	50-341	Q
	9703110079	50-341	J
	9703110174	50-341	R
	9703180117	50-341	F
	9703180229	50-341	Q
	9703190038	50-341	S
	9703190049*	50-341	S
	9703190053	50-341	R
	9703240144	50-341	S
	9703240148*	50-341	S
	9703240152	50-341	P
Detroit, Univ. of, School of Dentistry, Detroit, MI	9703110031	71-*****	
	9703110038*	71-*****	
Don't Waste Michigan	9703030168*	50-255	G
Dow Chemical Co.	9703040234	50-264	P
	9703250035	50-264	R
Duke Engineering & Services	9703110021*	50-263	P
Duke Power Co.	9703030243	50-269	F
	9703030243	50-269	F
	9703030243	50-269	F
	9703030492	50-369	R
	9703030533	50-369	P
	9703030533	50-369	P
	9703040117	50-269	S
	9703040191	50-269	P
	9703040191	50-269	P
	9703040191	50-269	P
	9703040198*	50-269	P
	9703040198*	50-269	P
	9703040198*	50-269	P
	9703040202	50-269	P
	9703040202	50-269	P
	9703040224*	50-269	P
	9703040224*	50-269	P
	9703040224*	50-269	P
	9703050055	50-269	Q
	9703050055	50-269	Q
	9703050055	50-269	Q
	9703050055	50-269	Q
	9703050074	50-269	Q
	9703050074	50-269	Q
	9703050074	50-269	Q
	9703050121	50-413	Q
	9703050125*	50-413	Q
	9703050135	50-413	R
	9703070050	50-269	P
	9703070051	50-269	P
	9703070051	50-269	P
	9703070051	50-269	P
	9703070052*	50-269	P
	9703070052*	50-269	P
	9703070052*	50-269	P
	9703070059	50-270	S
	9703070062	50-270	S
	9703070199	50-269	R
	9703070199	50-269	R
	9703070199	50-269	R
	9703070199	50-269	R
	9703070199	50-269	R
	9703070205	50-287	Q
	9703070207	50-269	Q
	9703110028	50-369	P
	9703120328	50-413	F
	9703120328	50-413	F
	9703130178	NUREG	
	9703170223	50-413	F
	9703170238	50-413	P
	9703170238	50-413	P
	9703170241	50-370	P
	9703170249*	50-413	P
	9703170249*	50-413	P
	9703180232	50-369	F
	9703190021	50-369	F
	9703190044	50-413	S
	9703190047	50-369	Q
	9703190047	50-369	Q
	9703190125	50-369	R
	9703190129*	50-369	R
	9703190131	50-269	Q
	9703190131	50-269	Q
	9703190131	50-269	Q
	9703190133*	50-369	R
	9703190137	50-413	R
	9703190140*	50-413	R
	9703190142*	50-413	R
	9703190145	50-269	R
	9703190147*	50-269	R
	9703190150*	50-269	R
	9703210298	50-369	F
	9703210298	50-369	F
	9703210307*	50-369	F
	9703210307*	50-369	F
	9703210340	50-269	F
	9703210340	50-269	F
	9703210340	50-269	F
	9703210340	50-269	F
	9703210340	50-269	F
	9703210340	50-269	F
	9703240098	50-269	P
	9703240180	50-269	P
	9703240180	50-269	P
	9703240180	50-269	P
	9703240235	50-269	Q
	9703240235	50-269	Q
	9703240235	50-269	Q
	9703240242	50-269	P
	9703240242	50-269	P
	9703240242	50-269	P
	9703240243*	50-269	P
	9703240243*	50-269	P
	9703240243*	50-269	P
	9703250088	50-269	S
	9703250088	50-269	S
	9703250088	50-269	S
	9703270299	50-269	P
Duncan, Weinberg, Miller & Pembroke, P.C (formerly Duncan, Weinberg & Miller)	9703140045	50-461	G
	9703140053	50-461	G
	9703140072*	50-461	G

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Duquesne Light Co.	9703040296	50-334	Q
	9703040296	50-334	Q
	9703040390	50-334	R
	9703040390	50-334	R
	9703050217	50-334	P
	9703050223*	50-334	P
	9703060222	50-334	V
	9703110090	50-412	Q
	9703110091*	50-412	Q
	9703110147	50-334	P
	9703110147	50-334	P
	9703110157	50-334	R
	9703130307	50-334	Q
	9703170234	50-334	P
	9703170234	50-334	P
	9703170236*	50-334	P
	9703170236*	50-334	P
	9703170253	50-334	P
	9703170254*	50-334	P
	9703170255*	50-334	P
	9703170256*	50-334	P
	9703180002*	50-334	P
	9703180048	50-334	R
	9703180048	50-334	R
	9703180063	50-334	P
	9703180063	50-334	P
	9703180064*	50-334	P
	9703180064*	50-334	P
	9703180065	50-334	P
	9703180065	50-334	P
	9703180067*	50-334	P
	9703180067*	50-334	P
	9703180201	50-334	S
	9703210068	50-334	P
	9703210278	50-334	P
	9703250163	50-334	P
	9703250163	50-334	P
	9703250169*	50-334	P
	9703250169*	50-334	P
	9703260003	50-334	S
	9703270149	50-334	S
E.I. du Pont de Nemours & Co., Inc.	9703050333*	FOIA	
	9703050341*	FOIA	
	9703050348*	FOIA	
	9703050361*	FOIA	
	9703050364*	FOIA	
	9703050370*	FOIA	
	9703050372*	FOIA	
	9703050377*	FOIA	
	9703050380*	FOIA	
	9703050401*	FOIA	
ETI	9703190374	71-*****	
Earth Science Consultants, Inc.	9703200058*	40-7580	
Edlow International Co.	9703030258	XPORTLIC	
	9703030269*	XPORTLIC	
	9703130435	XPORTLIC	
	9703130436*	XPORTLIC	
	9703170026*	XPORTLIC	
	9703170029	70-1252	
	9703170031	70-1252	
	9703170059	70-1252	
	9703170062	70-1252	
	9703170091	70-1252	
Electric Power Research Institute	9206050017*	TOPREP	
	9703140154*	TOPREP	
	9703140155*	TOPREP	
	9703260107*	TOPREP	
	9703260114*	TOPREP	
	9703260167	TOPREP	
	9703260283	TOPREP	
Energy Fuels Nuclear, Inc.	9703070025	40-8681	
	9703070030	40-8681	
	9703070032*	40-8681	
	9703070039*	40-8681	
	9703140085	40-8681	
	9703240215	40-8681	
Energy Research, Inc.	9703210083	CONTRACT	
Energy, Dept. of	9703030301	WASTE MGT	
	9703040062	WASTE MGT	
	9703040092	WASTE MGT	
	9703040094	WASTE MGT	
	9703040162	WASTE MGT	
	9703040164	WASTE MGT	
	9703040255	WASTE MGT	
	9703050483	40-8989	
	9703060012	WASTE MGT	
	9703060017*	WASTE MGT	
	9703060105	WASTE MGT	
	9703060109	PROJ	
	9703060277	NUREG	
	9703070021	WASTE MGT	
	9703110073	WASTE MGT	
	9703110083	WASTE MGT	
	9703110087	WASTE MGT	
	9703110097	WASTE MGT	
	9703110101*	WASTE MGT	
	9703110231	WASTE MGT	
	9703110233*	WASTE MGT	
	9703110267	WASTE MGT	
	9703110268	WASTE MGT	
	9703120010	PROJ	
	9703120040	WASTE MGT	
	9703120046	WASTE MGT	
	9703120059	WASTE MGT	
	9703120061*	WASTE MGT	
	9703120114	WASTE MGT	
	9703120128	WASTE MGT	
	9703120137	WASTE MGT	
	9703120142	WASTE MGT	
	9703120160	WASTE MGT	
	9703120163*	WASTE MGT	
	9703120165	WASTE MGT	
	9703120169	WASTE MGT	
	9703120177	WASTE MGT	
	9703120179	WASTE MGT	
	9703120183	WASTE MGT	
	9703120216	WASTE MGT	
	9703130266	PROJ	
	9703130418	WASTE MGT	
	9703170218	WASTE MGT	
	9703170219	WASTE MGT	
	9703180001	PROJ	
	9703180029	WASTE MGT	
	9703180030	PR	
	9703180045	WASTE MGT	
	9703180054*	WASTE MGT	
	9703180114	WASTE MGT	
	9703180122	50-267	Y
	9703180164	WASTE MGT	
	9703180174	WASTE MGT	
	9703190025*	WASTE MGT	
	9703190099	50-267	Y
	9703190099	50-267	Y
	9703200033	WASTE MGT	
	9703200037	WASTE MGT	
	9703200039	WASTE MGT	
	9703200047	WASTE MGT	
	9703200050*	WASTE MGT	
	9703200051	WASTE MGT	
	9703200052	WASTE MGT	
	9703210094	WASTE MGT	
	9703210107*	WASTE MGT	
	9703210140	WASTE MGT	
	9703210191	PROJ	
	9703210232	WASTE MGT	
	9703210238	WASTE MGT	
	9703250012	WASTE MGT	
	9703250080	WASTE MGT	
	9703250083	WASTE MGT	
	9703260171	71-5874	
	9703260204	ORG	
	9703260290	WASTE MGT	
	9703260306	WASTE MGT	
	9703260308*	WASTE MGT	
	9703270296	50-267	Y
	9703270296	50-267	Y
	9703280027	71-9253	
	9703280300	WASTE MGT	
	9703280339*	WASTE MGT	
Engelhard Corp.	9703030090*	FOIA	
	9703030151*	FOIA	
	9703030234*	FOIA	
	9703100198*	FOIA	
Entergy Operations, Inc.	9703030229	50-382	P
	9703030231*	50-382	P
	9703030496	50-313	Q
	9703040037	50-313	P
	9703040178	50-458	R
	9703040259	50-382	S
	9703040317	50-458	P
	9703050009	50-313	R
	9703050009	50-313	R
	9703050015	50-313	R
	9703050015	50-313	R
	9703050015	50-313	R
	9703050032	50-368	Q
	9703050120	50-313	R
	9703050120	50-313	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703050143	50-368	P
	9703050179	50-382	S
	9703050195	50-416	R
	9703050240	50-382	R
	9703060082	50-382	S
	9703060116	50-458	Q
	9703060394*	TOPREP	
	9703070085	50-368	R
	9703070111	50-368	S
	9703100168	50-382	F
	9703100182*	50-382	F
	9703100230	50-313	P
	9703100234*	50-313	P
	9703100251	50-313	Q
	9703100263	50-382	S
	9703110165	50-313	Q
	9703110165	50-313	Q
	9703110165	50-313	Q
	9703110256	50-368	S
	9703120019	50-382	S
	9703120070	50-382	Q
	9703120150	50-416	V
	9703120435	50-416	P
	9703130089	50-416	F
	9703130090	50-382	K
	9703130090	50-382	K
	9703130108	50-416	V
	9703130319	50-313	Q
	9703130319	50-313	Q
	9703130319	50-313	Q
	9703130370	50-416	P
	9703140013	50-382	P
	9703140039	50-382	Q
	9703180044	50-416	R
	9703180053	50-313	P
	9703180056*	50-313	P
	9703190066	50-382	P
	9703190092	50-382	P
	9703190102	50-382	R
	9703190103	50-382	P
	9703190106*	50-382	P
	9703200020	50-458	R
	9703200049	50-382	P
	9703240189	50-313	R
	9703240192	50-368	R
	9703240205	50-313	P
	9703240205	50-313	P
	9703260222	50-382	S
	9703270001	50-313	F
	9703270001	50-313	F
	9703270002	50-313	F
	9703270002	50-313	F
	9703280038	50-382	P
Envirocare of Utah, Inc.	9703030207	40-8989	
	9703050277	40-8989	
	9703200152	40-8989	
Envirocare, Inc.	9703260205	40-8989	
Environmental Research & Technology, Inc	9703190401	40-8989	
European Communities, Commission of	9703110008	40-8989	
	9703200352	XPORTLIC	
Exxon Corp.	9703180194*	40-8102	
FRAMATOME	9703190062	TOPREP	
Facilities Management Co., Inc., Lanham, MD	9703110119	CONTRACT	
Fansteel, Inc.	9703060131	40-7580	
	9703200008	40-7580	
	9703200056	40-7580	
	9703200068	40-7580	
Faxon Co., Inc.	9703030356	CONTRACT	
Federal Emergency Management Agency	9503220292*	50-335	P
	9503220293*	50-335	P
	9703050127	CONTRACT	
	9703110062*	50-443	F
	9703110077*	50-443	F
Fitzsimons Army Medical Center, Aurora, CO	7904210441*	FOIA	
	7904210453*	FOIA	
	8007150459*	FOIA	
	8506260244*	FOIA	
	8602120313*	FOIA	
	8602120342*	FOIA	
	8602120344*	FOIA	
	8602120347*	FOIA	
	8603130074*	FOIA	
	8606090449*	FOIA	
	8607170479*	FOIA	
	8701140275*	FOIA	
	8701140281*	FOIA	
	8701140300*	FOIA	
	8701140305*	FOIA	
	8707290342*	FOIA	
	8908090030*	FOIA	
	9703030124*	FOIA	
	9703030163*	FOIA	
	9703030213*	FOIA	
	9703030223*	FOIA	
	9703030230*	FOIA	
	9703030304*	FOIA	
	9703030322*	FOIA	
	9703030401*	FOIA	
	9703030410*	FOIA	
	9703030433*	FOIA	
	9703030463*	FOIA	
	9703030464*	FOIA	
	9703030467*	FOIA	
	9703030477*	FOIA	
	9703030516*	FOIA	
	9703030523*	FOIA	
	9703030528*	FOIA	
	9703030535*	FOIA	
	9703040014*	FOIA	
	9703040021*	FOIA	
	9703040026*	FOIA	
	9703040033*	FOIA	
	9703040043*	FOIA	
	9703040104*	FOIA	
	9703040143*	FOIA	
	9703040152*	FOIA	
	9703040155*	FOIA	
	9703040170*	FOIA	
	9703040181*	FOIA	
	9703040183*	FOIA	
	9703040199*	FOIA	
	9703040205*	FOIA	
	9703040235*	FOIA	
	9703040247*	FOIA	
	9703040257*	FOIA	
	9703040295*	FOIA	
	9703040303*	FOIA	
	9703040308*	FOIA	
	9703040314*	FOIA	
	9703040327*	FOIA	
	9703040353*	FOIA	
	9703040375*	FOIA	
	9703040403*	FOIA	
	9703050068*	FOIA	
	9703050085*	FOIA	
	9703050116*	FOIA	
	9703050128*	FOIA	
	9703050142*	FOIA	
	9703050174*	FOIA	
	9703050209*	FOIA	
	9703050286*	FOIA	
	9703050327*	FOIA	
	9703050349*	FOIA	
	9703060375*	FOIA	
	9703060393*	FOIA	
Florida Power & Light Co.	9403070236*	50-335	P
	9404260382*	50-250	P
	9501180151*	50-335	P
	9609180137*	50-335	P
	9703030008	50-389	Q
	9703040209	50-250	P
	9703040209	50-250	P
	9703040221*	50-250	P
	9703040221*	50-250	P
	9703040269	50-250	R
	9703040370	50-335	R
	9703040371*	50-335	R
	9703040371*	50-335	R
	9703040376*	50-335	R
	9703050335	50-335	R
	9703050335	50-335	R
	9703060272	50-335	P
	9703060272	50-335	P
	9703060273*	50-335	P
	9703060273*	50-335	P
	9703070112	50-250	V
	9703070112	50-250	V
	9703110177	50-250	Q
	9703110177	50-250	Q
	9703120194*	50-335	P
	9703120440	50-335	P
	9703130045	50-335	P
	9703130417	50-250	P
	9703130417	50-250	P
	9703130422*	50-250	P
	9703130422*	50-250	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703130426*	50-250	P
	9703130426*	50-250	P
	9703130429*	50-250	P
	9703130429*	50-250	P
	9703130432*	50-250	P
	9703130432*	50-250	P
	9703190055	50-250	Q
	9703190187	50-250	R
	9703190187	50-250	R
	9703190366	50-335	R
	9703190366	50-335	R
	9703190387	50-389	Q
	9703190391	50-250	P
	9703210067	50-250	H
	9703210294	50-335	P
	9703210294	50-335	P
	9703240076	50-335	F
	9703240076	50-335	F
	9703240129	50-335	P
	9703250068	50-250	H
	9703250068	50-250	H
	9703250068	50-250	H
	9703250068	50-250	H
	9703250070	50-250	J
	9703250070	50-250	J
	9703250070	50-250	J
	9703250070	50-250	J
	9703270101	50-335	S
	9703280001	50-335	S
Florida Power Corp.	9703030471	50-302	R
	9703040258	50-302	S
	9703050017	50-302	P
	9703050040	50-302	S
	9703050042	50-302	P
	9703050060	50-302	S
	9703060418	50-302	F
	9703070172	50-302	S
	9703100027	50-302	S
	9703100042*	50-302	S
	9703100118	50-302	F
	9703130351	50-302	Q
	9703180059	50-302	F
	9703180259	50-302	F
	9703190057	50-302	R
	9703190064	50-302	P
	9703190191	50-302	P
	9703200209	50-302	F
	9703210110	50-302	S
	9703210356	50-302	S
	9703240145	50-302	F
	9703240149	50-302	F
	9703240198	50-302	P
	9703240207	50-302	Q
	9703260137	50-302	S
	9703260261	50-302	P
	9703280102	50-302	P
	9703280105*	50-302	P
	9703280303	50-302	F
	9703280427	50-302	Q
Florida, Univ. of, Gainesville, FL	9703040394	50-83	R
	9703240156	50-83	R
	9703240161*	50-83	R
	9703240164*	50-83	R
	9703260244	50-83	V
Foster Wheeler Corp.	9703030021*	FOIA	
	9703030245*	FOIA	
	9703030253*	FOIA	
	9703030255*	FOIA	
	9703030276*	FOIA	
Foster Wheeler Evireponse, Inc.	9703100193*	FOIA	
Framatome Cogema Fuels (formerly B&W Fue Co.),	9703260242	70-1201	
Fried, Frank, Harris, Shriver & Jacobson	9703180026	70-3070	
GH-Bettis Co.	9703120094	PT21	
Gannon Univ., Erie, PA	9703050071*	70-968	
Garde, B.P.	9703030437*	FOIA	
General Atomics (formerly GA Technologie s, Inc./General Atomic Co.)	9703100286	71-6347	
	9703140068	40-8027	
	9703200004	40-8027	
General Electric Co.	9702240215*	50-237	P
	9702240257*	50-237	P
	9703030074	72-1	
	9703050166	CONTRACT	
	9703060001	70-1113	
	9703060067	I&E	
	9703060390*	TOPREP	
	9703060394*	TOPREP	
	9703070008	70-1113	
	9703110205*	TOPREP	
	9703130396	PR	
	9703170040	70-754	
	9703170046	70-754	
	9703180233*	50-296	Q
	9703180234*	50-296	Q
	9703250034*	50-293	Q
	9703250038*	50-293	Q
	9703260233	CONTRACT	
	9703270037	70-1220	
	9703280158	70-1113	
General Public Utilities Corp. - GPU Service Corp.	9701160009	50-289	F
	9701160015*	50-289	F
	9701160017*	50-289	F
	9703040113	71-9010	
	9703060281	50-219	F
	9703070047	50-289	S
	9703070055	50-219	P
	9703070065	50-289	F
	9703110080	50-219	F
	9703110080	50-219	F
	9703110102	50-219	Q
	9703110105	50-289	S
	9703110108*	50-289	S
	9703110112*	50-289	S
	9703110127	50-219	R
	9703110308	50-289	F
	9703110308	50-289	F
	9703120027	50-289	H
	9703120030	50-219	R
	9703120030	50-219	R
	9703120030	50-219	R
	9703120123	50-219	F
	9703130244	50-320	I
	9703180024	50-289	R
	9703180062	50-289	P
	9703190030	50-219	R
	9703210357	50-289	P
	9703210358*	50-289	P
	9703240071	50-219	F
	9703240071	50-219	F
	9703240071	50-219	F
	9703240133	50-219	P
	9703240214	50-289	P
	9703240237	50-219	R
	9703250022	50-219	P
	9703250032	50-289	P
	9703250078	50-289	H
	9703250078	50-289	H
	9703280223	50-289	Q
	9703280420	50-219	F
	9703280432*	50-289	R
	9703280437	50-219	R
	9703280438*	50-289	R
	9704010276	50-289	R
	9704010276	50-289	R
Georgetown Univ., Washington, DC	9703040289	MISC	
Georgia Institute of Technology, Atlanta GA	9703050170	50-160	R
	9703210271	50-160	Q
	9703260175	50-160	H
Georgia Power Co.	9703040129	50-321	H
	9703050012	50-321	R
	9703060122	50-366	S
	9703100147	50-321	P
	9703100262	50-321	Q
	9703100262	50-321	Q
	9703100268	50-321	S
	9703100269	50-321	Q
	9703100269	50-321	Q
	9703110212	50-321	Q
	9703110212	50-321	Q
	9703110218	50-366	P
	9703110219*	50-366	P
	9703110220	50-321	J
	9703110220	50-321	J
	9703110221	50-321	P
	9703110221	50-321	P
	9703110273	50-321	R
	9703130248	50-424	J
	9703130248	50-424	J
	9703130264	50-424	P
	9703130264	50-424	P
	9703180012	50-424	R
	9703180033	50-424	S
	9703190061	50-424	P
	9703190079	50-425	S
	9703200065	50-424	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703200065	50-424	P
	9703200069	50-424	P
	9703200069	50-424	P
	9703240110	50-321	P
	9703240222*	50-424	R
	9703250023	50-424	R
	9703250023	50-424	R
	9703250136	50-321	P
	9703260112	50-321	P
	9703260112	50-321	P
	9703260134	50-424	P
	9703260134	50-424	P
	9703260142	50-424	P
	9703260142	50-424	P
	9703260161	50-321	P
	9703260161	50-321	P
	9703270088	50-424	P
	9703270088	50-424	P
	9703270088	50-424	P
	9703270100	50-321	P
	9703270100	50-321	P
	9703270100	50-321	P
Georgia, State of	9703050123	CONTRACT	
HRI, Inc. (Hydro Resources, Inc.)	9703030065	40-8968	
	9703030076	40-8968	
	9703030088	40-8968	
	9703030098	40-8968	
	9703030126	40-8968	
	9703030128	40-8968	
	9703030132	40-8968	
	9703030136	40-8968	
	9703030191	40-8968	
	9703030199	40-8968	
	9703030370	40-8968	
Halliburton NUS Environmental Corp.	9703100146	CONTRACT	
Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9703060084	40-8027	
	9703100025*	FOIA	
	9703100040*	50-443	P
	9703140058	40-8968	
Health & Human Services, Dept. of, U.S. Public Health Service	9703110198	PR	
High Purity Crystals, Inc. (formerly Harshaw/Filtrol Partnership & Harshaw	9703040304*	FOIA	
Holtec International	9703060284	71-9261	
	9703060294	71-9261	
	9703060305	72-1008	
	9703060360	71-9261	
	9703060366*	71-9261	
	9703060370	72-1008	
	9703060376*	72-1008	
	9703070018	72-1014	
	9703270038	71-9261	
Homestake Mining Co.	9703060282	40-8903	
	9703060286	40-8903	
House of Rep.	9703140031*	50-219	G
Houston Lighting & Power Co.	9703040049	50-498	S
	9703040275	50-498	P
	9703040398	50-498	R
	9703040398	50-498	R
	9703050478	50-498	R
	9703050478	50-498	R
	9703060385	50-498	S
	9703070187	50-498	P
	9703110093	50-498	P
	9703120363	50-499	S
	9703180244	50-499	S
	9703180257*	50-499	S
	9703200080	50-498	F
	9703200080	50-498	F
	9703200084*	50-498	F
	9703200084*	50-498	F
	9703210315	50-498	R
	9703240108	50-498	P
	9703240108	50-498	P
	9703240113*	50-498	P
	9703240113*	50-498	P
	9703250050	50-499	P
	9703250052*	50-499	P
	9703280248	50-498	H
	9703280248	50-498	H
	9703280254	50-498	J
	9703280254	50-498	J
	9703280258	50-498	V
	9703280415	50-498	F
	9703280445	50-498	P
	9703280445	50-498	P
Hydro-Engineering	9703040063*	40-6622	
	9703060283*	40-8903	
IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9703040196	50-331	Q
	9703040237	50-331	P
	9703060301	50-331	R
	9703070179	50-331	P
	9703070197	50-331	Q
	9703100291	50-331	F
	9703120056	50-331	R
	9703130037	50-331	P
	9703170221	50-331	S
	9703190040	50-331	P
	9703200169	50-461	P
	9703200205	50-331	S
	9703240104	50-331	R
	9703240236	50-331	S
	9703250102	50-331	P
	9703280243	50-331	P
	9703280429	50-331	V
ITT Barton	9703060253	50-395	S
Idaho National Engineering Laboratory	9412090219*	50-389	P
	9504040251*	50-389	P
	9504040254*	50-389	P
	9504170005*	50-389	P
	9507180020*	50-389	P
	9510310101*	50-335	P
	9607090104*	50-293	Q
	9703180113	NUREG	
Illinois Power Co.	9703060024	50-461	S
	9703060042	I&E	
	9703060182	50-461	S
	9703110007	50-461	Q
	9703110084	50-461	S
	9703120041	50-461	R
	9703130074	50-461	V
	9703140045	50-461	G
	9703140053	50-461	G
	9703180190	50-461	S
	9703180241	50-461	J
	9703200207	50-461	P
	9703200240*	50-461	P
	9703250047	50-461	P
	9703250048*	50-461	P
	9703250062	50-461	F
	9703250076	50-461	R
	9703250077	50-461	S
	9703280177	50-461	F
Illinois, State of	9703050354	STATE PRO	G
	9703060006	STATE PRO	G
	9703060358	WASTE MGT	
	9703190344*	STATE PRO	G
India	9703210015	REGGD	
Indiana Michigan Power Co.	9703120048	50-315	S
	9703120109	50-316	R
	9703120122	50-315	R
	9703180199	50-315	Q
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9703040253	50-315	S
	9703070203	50-315	R
	9703170230	50-315	P
	9703260029	50-315	F
	9703260168	50-315	P
	9703260168	50-315	P
	9703270052	50-315	R
	9703280247	50-315	F
	9703280247	50-315	F
Indiana, State of	9703190291	STATE PRO	G
Institute of Nuclear Power Operations	9703120290	ORG	
Integrated Environmental Services	9703180209	40-7102	
	9703180213*	40-7102	
	9703260318	40-7102	
	9703260321*	40-7102	
Interior, Dept. of, Bureau of Indian Affairs	9703280171	40-8968	
Interior, Dept. of, Fish & Wildlife Service	9703140023	40-8968	
Interior, Dept. of, National Park Servic	9703250006	40-8698	
International Technical Services, Inc.	9404080234*	50-250	P
JRA Associates	9703210036*	FOIA	
Jacobs Engineering Group, Inc.	9703210146*	WASTE MGT	
Kalsi Engineering, Inc.	9703240230*	ORG	
Kansas, State of	9703140077	CONTRACT	
Kennecott Corp.	9703060449	40-8584	
	9703060450*	40-8584	
Korea, Democratic Peoples Republic (Nort Korea)	9703210041	XPORTLIC	
	9703260165	XPORTLIC	
Labor, Dept. of	9703240066*	TOPREP	
Lake Michigan Federation	9703030168*	50-255	G
Lawrence Livermore National Laboratory	9703110056	40-8989	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703110071*	40-8989	
	9703120417	40-6659	
	9703120421*	40-6659	
Ledoux & Co., Inc.	9703180118*	40-8188	
Lehigh Univ., Bethlehem, PA	9703050141	CONTRACT	
Limitorque Corp.	9703200381	QA999	
Louisiana Energy Services	9703180026	70-3070	
Louisiana, State of	9703190185	STATE PRO	G
	9703190385	STATE PRO	G
MK-Ferguson Co.	9703120170*	WASTE MGT	
	9703250014*	WASTE MGT	
	9703250017*	WASTE MGT	
MPR Associates, Inc.	9703110281*	PROJ	
Maine Yankee Atomic Power Co.	9703030202	50-309	H
	9703040300	50-309	S
	9703040378	50-309	Q
	9703060341	50-309	F
	9703110010	50-309	P
	9703110011*	50-309	P
	9703110067	50-309	P
	9703130367	50-309	P
	9703130368*	50-309	P
	9703170231	50-309	P
	9703250099	50-309	R
	9703250209	50-309	J
	9703260077	50-309	S
	9703260139	50-309	P
Maryland, State of	9703050491	STATE PRO	G
	9703130095	CONTRACT	
Maryland, Univ. of, College Park, MD	9703250188	CONTRACT	
Massachusetts Institute of Technology, Cambridge, MA	9703050159*	NUREG	
	9703050219*	NUREG	
	9703050229*	NUREG	
	9703050236*	NUREG	
	9703050239*	NUREG	
	9703050254*	NUREG	
	9703050262*	70-938	
	9703050273*	NUREG	
	9703050280*	NUREG	
	9703050281*	NUREG	
	9703050282*	NUREG	
	9703050285*	NUREG	
	9703050290*	NUREG	
	9703050292*	NUREG	
	9703060268*	NUREG	
	9703060287*	NUREG	
	9703100131*	NUREG	
	9703100233*	NUREG	
	9703100250*	NUREG	
Mays & Valentine	9703140068	40-8027	
	9703200004	40-8027	
Measurex Corp.	9703060252*	XPORTLIC	
Michigan Chemical Corp.	9703260105*	40-6264	
Michigan, State of	9703170147	40-9015	
	9703170150*	40-9015	
	9703170152*	40-9015	
Minnesota, Univ. of, Minneapolis, MN	9703100224	NUREG	
Missouri, Univ. of, Columbia, MO	9703260162	71-108	
	9703260257	50-186	P
Missouri, Univ. of, Rolla, MO	9703060453	50-123	F
	9703070165	50-186	R
Mitsubishi International Corp.	9703260045	XPORTLIC	
	9703260050	XPORTLIC	
Mitsui & Co. (USA), Inc.	9703260102	XPORTLIC	
Modeling & Computer Services	9703260246	CONTRACT	
Morgan, Lewis & Bockius	9703210220*	FOIA	
NAC International Corp. (formerly Nuclea Assurance Corp.),	9703060145	71-9023	
	9703110078	71-18	
	9703260322	71-18	
National Academy of Sciences	9703040081	CONTRACT	
National Association of Regulatory Utility Commissioners	9703050065	PR	
National Institute of Standards & Technology (formerly National Bureau of	9703110114	70-398	
Native Americans for a Clean Environment	9703060084	40-8027	
Navajo Nation	9703280164	40-8907	
Neal R. Gross & Co., Inc.	9703250015	CONTRACT	
Nebraska Public Power District	9703060215*	50-298	Q
	9703100113	50-298	Q
	9703180019	50-298	R
	9703210070	50-298	P
	9703240191	50-298	S
	9703250060	50-298	P
	9703250107	50-298	Q
	9703260104	50-298	Q
	9703260138	50-298	J
Nebraska, State of	9703280213*	STATE PRO	G
New England Nuclear Corp.	9703030017*	FOIA	
	9703030408*	FOIA	
	9703030453*	FOIA	
	9703040003*	FOIA	
	9703040013*	FOIA	
	9703040016*	FOIA	
	9703040019*	FOIA	
	9703040025*	FOIA	
	9703040032*	FOIA	
	9703040112*	FOIA	
	9703040134*	FOIA	
	9703040163*	FOIA	
	9703040175*	FOIA	
	9703040204*	FOIA	
	9703050226*	FOIA	
	9703050233*	FOIA	
	9703050287*	FOIA	
	9703050294*	FOIA	
	9703050306*	FOIA	
New Hampshire, State of	9703050139	CONTRACT	
New Jersey, State of	9703110135	50-354	P
	9703110197*	50-354	P
New Mexico, State of	9703050296	40-8907	
	9703270321	40-8907	
New Mexico, Univ. of, Albuquerque, NM	9703190101	50-252	P
New York, State of	9703190397	STATE PRO	G
Niagara Mohawk Power Corp.	9703030531	50-410	S
	9703070108	50-410	S
	9703070168	50-410	R
	9703070177	50-220	R
	9703070181	50-220	S
	9703070182*	50-220	R
	9703070192	50-220	R
	9703070192	50-220	R
	9703070193	50-220	R
	9703070194	50-410	S
	9703100006	50-220	P
	9703100008	50-220	S
	9703110104	50-220	P
	9703170139	50-220	S
	9703180008	50-220	F
	9703180240	50-220	P
	9703180242*	50-220	P
	9703190076	50-220	R
	9703190085	50-410	R
	9703190097	50-220	P
	9703210302	50-410	S
	9703250043	50-220	P
	9703250053	50-410	P
	9703260101	TOPREP	
	9703270188	50-410	S
North American Inspection, Inc.	9703120162	71-514	
	9703120172*	71-514	
North Atlantic Energy Service Corp. (NAESCO)	9703030489	50-443	P
	9703030513	50-443	P
	9703030515*	50-443	P
	9703040027	50-443	S
	9703040030	50-443	R
	9703050006	50-443	F
	9703140133	50-443	H
	9703170073	50-443	S
	9703180017	50-443	R
	9703210095	50-443	S
	9703240239	50-443	P
	9703250223	50-443	J
North Carolina, State of	9703270082	STATE PRO	G
Northeast Nuclear Energy Co.	9703030225	50-245	V
	9703030252	50-336	P
	9703030256*	50-336	P
	9703040053	50-336	P
	9703040121	50-245	P
	9703040124	50-245	V
	9703040172	50-423	S
	9703040211	50-423	S
	9703040219	50-423	S
	9703040230*	50-423	S
	9703040244	50-245	P
	9703040251	50-245	P
	9703040266	50-245	P
	9703040266	50-245	P
	9703040266	50-245	P
	9703040307	50-423	S
	9703040321	50-245	P
	9703040321	50-245	P
	9703040321	50-245	P
	9703040348	50-423	S
	9703040363	50-423	S
	9703040365*	50-423	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703040377	50-245	S
	9703040392*	50-245	S
	9703050025	50-245	P
	9703050090	50-213	R
	9703050090	50-213	R
	9703050090	50-213	R
	9703050090	50-213	R
	9703050203	50-245	R
	9703060098	50-245	S
	9703060126*	50-245	S
	9703060138	50-245	S
	9703060157*	50-245	S
	9703060171	50-245	S
	9703060194*	50-245	S
	9703060205	50-245	S
	9703060226*	50-245	S
	9703060429	50-213	V
	9703060429	50-213	V
	9703070015	50-245	Q
	9703070015	50-245	Q
	9703070132	50-336	S
	9703070134*	50-336	S
	9703070186	50-423	P
	9703070190	50-423	S
	9703070196*	50-423	S
	9703070200	50-423	S
	9703070202*	50-423	S
	9703070204	50-423	P
	9703100009	50-423	S
	9703100010	50-423	S
	9703100012*	50-423	S
	9703100022*	50-423	S
	9703100187	50-423	S
	9703100189*	50-423	S
	9703100190	50-423	S
	9703100203*	50-423	S
	9703100240	50-245	P
	9703100243*	50-245	P
	9703100254	50-213	V
	9703100254	50-213	V
	9703110006	50-245	F
	9703110006	50-245	F
	9703110006	50-245	F
	9703110064	50-423	R
	9703110100	50-336	R
	9703110285	50-423	P
	9703130058	50-245	F
	9703130058	50-245	F
	9703130345	50-336	P
	9703140081	50-423	S
	9703140087*	50-423	S
	9703140092	50-336	S
	9703140102*	50-336	S
	9703140106	50-423	S
	9703140107	50-423	S
	9703140111*	50-423	S
	9703140117*	50-423	S
	9703140152	50-336	Q
	9703170089	50-245	S
	9703170100*	50-245	S
	9703180137	50-213	V
	9703180137	50-213	V
	9703180137	50-213	V
	9703190078	50-336	P
	9703190080	50-245	S
	9703190081*	50-245	S
	9703190086	50-245	S
	9703190090*	50-245	S
	9703190098	50-245	S
	9703190104*	50-245	S
	9703190108	50-336	R
	9703190113*	50-336	R
	9703190119*	50-336	R
	9703190178	50-336	S
	9703190180*	50-336	S
	9703200091	50-245	H
	9703200128	50-245	S
	9703200131	50-245	R
	9703200139*	50-245	S
	9703200144	50-245	S
	9703200148*	50-245	S
	9703200160	50-245	S
	9703200163*	50-245	S
	9703250066*	50-213	V
	9703250066*	50-213	V
	9703250066*	50-213	V
	9703250110	50-245	S
	9703250121*	50-245	S
	9703250127	50-245	S
	9703250133*	50-245	S
	9703250211	50-423	R
	9703250229	50-423	S
	9703250231*	50-423	S
	9703260115	50-423	P
	9703260186	50-245	F
	9703260186	50-245	F
	9703260186	50-245	F
	9703260249	50-423	S
	9703260254*	50-423	S
	9703280025	50-336	Q
	9703280093	50-245	P
	9703280137	50-245	F
	9703280137	50-245	F
	9703280219	50-423	P
	9703280221*	50-423	P
	9703280227	50-423	S
	9703280228	50-245	S
	9703280233*	50-423	S
	9703280264	50-423	S
	9703280268*	50-423	S
	9703280288	50-423	S
	9703280315*	50-423	S
Northeast Utilities	9703040244	50-245	P
	9703190080	50-245	S
	9703190098	50-245	S
	9703250110	50-245	S
	9703250127	50-245	S
Northeast Utilities Service Co.	9703040251	50-245	P
	9703040348	50-423	S
	9703040363	50-423	S
	9703040377	50-245	S
	9703050025	50-245	P
	9703050090	50-213	R
	9703050090	50-213	R
	9703060138	50-245	S
	9703060171	50-245	S
	9703060205	50-245	S
	9703060429	50-213	V
	9703060429	50-213	V
	9703110285	50-423	P
	9703170089	50-245	S
	9703200128	50-245	S
	9703200144	50-245	S
	9703200160	50-245	S
	9703260249	50-423	S
	9703280228	50-245	S
Northern States Power Co.	9703030510	50-263	R
	9703030525	50-282	Q
	9703040110	50-263	S
	9703040114	50-263	P
	9703050003	50-282	R
	9703060156	50-263	F
	9703060156	50-263	F
	9703060156	50-263	F
	9703070138	50-282	F
	9703070138	50-282	F
	9703070138	50-282	F
	9703100080	50-263	R
	9703100082*	50-263	R
	9703100084*	50-263	R
	9703100085*	50-263	R
	9703100273	50-282	Q
	9703110018	50-263	P
	9703130250	50-306	P
	9703130251	50-282	P
	9703130251	50-282	P
	9703130252*	50-282	P
	9703130252*	50-282	P
	9703130253	50-263	I
	9703130253	50-263	I
	9703130253	50-263	I
	9703130273	50-282	R
	9703130273	50-282	R
	9703130392	50-282	P
	9703130392	50-282	P
	9703130404*	50-282	P
	9703130404*	50-282	P
	9703130409*	50-282	P
	9703130409*	50-282	P
	9703140082	50-282	P
	9703140082	50-282	P
	9703140086*	50-282	P
	9703140086*	50-282	P
	9703140148*	50-282	P
	9703140148*	50-282	P
	9703190026	50-282	P
	9703190026	50-282	P
	9703190028*	50-282	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703190028*	50-282	P
	9703190029*	50-282	P
	9703190074	50-263	R
	9703190134	50-263	P
	9703210345	50-263	F
	9703210352	50-263	Q
	9703210353*	50-263	Q
	9703240015	NUREG	
	9703240037	50-282	P
	9703240085	50-263	J
	9703250217	50-306	S
	9703250236*	50-306	S
	9703260298	50-282	P
	9703260338	50-282	P
	9703260338	50-282	P
	9703260339*	50-282	P
	9703260339*	50-282	P
	9703280352	50-282	S
Nuclear Containers, Inc.	9703040382	71-9234	
	9703040387*	71-9234	
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9703040090	I&E	
	9703060169	NUREG	
	9703170058	REVIEW GR	P
	9703180023	70-3070	
	9703180043*	70-3070	
	9703190167	I&E	
	9703190176	I&E	
	9703200074	NUREG	
	9703200188	NUREG	
	9703260151	I&E	
Nuclear Fuel Services, Inc.	9703040368	70-143	
	9703050428	70-143	
	9703050433	70-143	
	9703050453	70-143	
	9703050461	70-143	
	9703050464	70-143	
	9703050466	70-143	
	9703070045	70-143	
	9703170065	70-143	
	9703200040	70-143	
	9703200155	PR	
	9703200391	70-143	
	9703250175	70-143	
	9703250177	70-143	
	9703250181	70-143	
	9703250191	70-143	
	9703280184	70-143	
Nuclear Licensing Reports	9703100052*	FOIA	
	9703110252*	FOIA	
Nuclear Reactor Laboratory	9703120157	50-20	P
	9703200116	50-20	P
Nuclear Utility Backfitting & Reform Group	9703190164	I&E	
	9703190312	I&E	
Nutherm International, Inc.	9703100074*	FOIA	
OHM Corp.	9703260169	71-770	
Oak Ridge Associated Universities	9703030109*	FOIA	
Oak Ridge National Laboratory	9703030016*	50-445	P
	9703030018*	50-445	P
	9703030029*	50-445	P
	9703030040*	50-445	P
	9703030045*	50-445	P
	9703100266	40-672	
	9703140155*	TOPREP	
	9703200269*	ORG	
	9703200275*	ORG	
	9703200279	NUREG	
Ohio State Univ., Columbus, OH	9703280173*	WASTE MGT	
Ohio, State of	9703110115	CONTRACT	
Oklahoma, State of	9703060117	40-8027	
	9703070009	40-8027	
	9703190248	STATE PRO	G
Omaha Public Power District	9703100237	50-285	R
	9703100253	50-285	R
	9703100256*	50-285	R
	9703110009	50-285	F
	9703110140	50-285	Q
	9703180110	50-285	R
	9703180132	50-285	V
	9703190096	50-285	S
	9703190205	50-285	F
	9703190207*	50-285	F
	9703260174	50-285	J
	9703260218	50-285	F
	9703260234*	50-285	F
Oregon State Univ., Corvallis, OR	9703180182	50-243	P
	9703180197	50-243	Q
Oregon, State of	9703190315	STATE PRO	G
PECO Energy Co., (formerly Philadelphia Electric Co.)	9703030010	50-352	S
	9703040119	50-352	S
	9703040136	I&E	
	9703040203	50-353	P
	9703040216*	50-353	P
	9703040239	50-277	F
	9703040249	50-277	R
	9703040249	50-277	R
	9703040249	50-277	R
	9703040249	50-277	R
	9703040250	50-277	P
	9703040250	50-277	P
	9703040250	50-277	P
	9703040273	50-352	R
	9703040273	50-352	R
	9703040278*	50-352	R
	9703040278*	50-352	R
	9703040286*	50-352	R
	9703040286*	50-352	R
	9703040360	50-352	P
	9703040360	50-352	P
	9703050010	50-352	R
	9703050010	50-352	R
	9703050046	50-352	P
	9703050046	50-352	P
	9703050049*	50-352	P
	9703050049*	50-352	P
	9703110025	50-277	Q
	9703110025	50-277	Q
	9703110025	50-277	Q
	9703110025	50-277	Q
	9703110076	50-277	P
	9703110076	50-277	P
	9703120145	50-352	S
	9703130239	50-352	R
	9703130239	50-352	R
	9703170233	50-278	P
	9703180018	50-277	R
	9703180018	50-277	R
	9703180049	50-353	S
	9703180252	50-277	I
	9703180252	50-277	I
	9703180252	50-277	I
	9703190010	50-277	F
	9703190010	50-277	F
	9703190048	50-352	S
	9703190059	50-353	S
	9703190087	50-353	S
	9703190105	50-353	S
	9703240229	50-277	P
	9703240229	50-277	P
	9703250026	50-277	P
	9703250026	50-277	P
	9703250039	50-277	P
	9703250039	50-277	P
	9703270169	50-277	Q
PTI Services, Inc.	9703200026*	40-8948	
	9703200030*	40-8948	
Pacific Gas & Electric Co.	9703040035	50-275	P
	9703040035	50-275	P
	9703040040*	50-275	P
	9703040040*	50-275	P
	9703040126	50-275	P
	9703040126	50-275	P
	9703040130*	50-275	P
	9703040130*	50-275	P
	9703040132*	50-275	P
	9703040132*	50-275	P
	9703040138	50-275	S
	9703040151	50-133	P
	9703050148	50-275	P
	9703060441	50-275	P
	9703060441	50-275	P
	9703060444*	50-275	P
	9703060444*	50-275	P
	9703060446*	50-275	P
	9703060446*	50-275	P
	9703070145	50-275	P
	9703070145	50-275	P
	9703070147*	50-275	P
	9703070147*	50-275	P
	9703070201	50-275	R
	9703070201	50-275	R
	9703100013	50-275	S
	9703110082	50-275	S
	9703110134	50-275	R
	9703110134	50-275	R
	9703180175	50-275	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703240179	50-275	R
	9703240179	50-275	R
	9703250064	50-275	P
	9703250064	50-275	P
	9703250065*	50-275	P
	9703250065*	50-275	P
	9703260315	50-275	R
	9703260315	50-275	R
	9703280448	50-275	P
Pathfinder Mines Corp.	9703030493	40-6622	
	9703040056	40-6622	
Paul-Munroe Hydraulics, Inc.	9703070014	50-410	S
Pennsylvania Power & Light Co.	9703030499	50-388	P
	9703030504*	50-388	P
	9703060173	50-387	S
	9703070184	50-387	R
	9703070184	50-387	R
	9703100002	50-387	S
	9703100005	50-387	Q
	9703100005	50-387	Q
	9703100020	50-387	R
	9703100020	50-387	R
	9703100046	50-387	S
	9703110211	50-387	S
	9703140119	50-387	R
	9703140119	50-387	R
	9703190072	50-387	Q
	9703190072	50-387	Q
	9703190155	50-387	Q
	9703190155	50-387	Q
	9703190156	50-387	Q
	9703190156	50-387	Q
	9703190157	50-387	P
	9703190239	50-388	P
	9703190242*	50-388	P
	9703190349*	50-388	P
	9703240210	50-387	R
	9703240210	50-387	R
	9703240219*	50-387	R
	9703250007	50-388	P
	9703250008*	50-388	P
	9703250010*	50-387	R
	9703250011	50-387	P
	9703250046	50-387	Q
	9703250046	50-387	Q
	9703250049	50-387	P
	9703250049	50-387	P
	9703250051*	50-387	P
	9703250051*	50-387	P
	9703260002	50-388	S
	9703270240	50-387	P
	9703270240	50-387	P
	9703280232	50-387	Q
	9703280235	50-387	P
Pennsylvania State Univ., University Park, PA	9703070046	50-5	H
	9703130084	CONTRACT	
Pennsylvania, Univ. of, Philadelphia, PA	9703110058	71-*****	
	9703110065*	71-*****	
Performance Contracting, Inc.	9703110023*	50-263	P
Petrotomics Co. (formerly Getty/Petrotomics Co.)	9703050024	40-6659	
	9703050027*	40-6659	
	9703050030*	40-6659	
	9703050034*	40-6659	
	9703060325	40-6659	
Philips Electronic Instruments, Inc.	9703030299	XPORTLIC	
Picker International, Inc.	9703280320*	REG CERT	
Plateau Resources, Ltd.	9703140088	40-8698	
	9703140090	40-8698	
	9703140171	40-8698	
	9703240160	40-8698	
Portland General Electric Co.	9703030507	50-344	Y
	9703030514	50-344	R
	9703130434	50-344	Y
	9703210276	50-344	S
	9703260014	50-344	Y
	9703260014	50-344	Y
	9703260212	50-344	W
	9703260251*	50-344	W
	9703270319	50-344	W
	9703270319	50-344	W
	9703270320	50-344	Y
	9703280049	50-344	Y
Power Authority of the State of New York (New York Power Authority)	9703030374	50-333	S
	9703030381	50-333	S
	9703030490	50-286	S
	9703030497*	50-286	S
	9703040088	50-286	S
	9703040184	50-333	Q
	9703040238	50-286	P
	9703040243*	50-286	P
	9703050018*	50-333	R
	9703050019*	50-333	R
	9703050033	50-333	R
	9703050228	50-286	P
	9703050455	50-286	F
	9703050465	50-286	F
	9703050477	50-286	F
	9703070044	50-286	R
	9703070088	50-286	R
	9703070169	50-333	F
	9703110046	50-286	P
	9703110088	50-286	P
	9703110092	50-333	Q
	9703110094*	50-333	Q
	9703110117	50-286	P
	9703140108	50-333	Q
	9703140166	50-333	Q
	9703170159	50-286	P
	9703170159	50-286	P
	9703170183	50-286	Q
	9703180032	50-333	R
	9703190123	50-333	P
	9703190126*	50-333	P
	9703200342	50-286	Q
	9703200361	50-333	P
	9703200368	50-333	P
	9703210047	50-286	S
	9703210073	50-286	S
	9703210091	50-286	Q
	9703210104	50-333	S
	9703210297	50-286	R
	9703240001	50-286	P
	9703260133	50-286	P
	9703260192	50-333	P
	9703260276	50-286	P
	9703270260	50-286	P
	9703280204	50-286	P
	9703280230	50-333	P
Power Resources Corp.	9703270310	40-8857	
Prairie Island Mdewakanton Sioux Indian Community	9703140076	50-282	H
Public Service Co. of Colorado	9703050509	50-267	W
	9703060136	50-267	W
	9703070022	50-267	R
	9703070026*	50-267	R
	9703130294	50-267	H
	9703170208	50-267	R
	9703170209*	50-267	R
	9703240120	50-267	W
	9703240128	50-267	W
	9703280134	50-267	F
Public Service Electric & Gas Co. of New Jersey	9703030302*	50-272	P
	9703030511	50-272	Q
	9703030511	50-272	Q
	9703030511	50-272	Q
	9703040020	50-272	R
	9703040020	50-272	R
	9703040024*	50-272	R
	9703040024*	50-272	R
	9703040123	50-272	R
	9703040123	50-272	R
	9703040123	50-272	R
	9703040159*	50-272	R
	9703040159*	50-272	R
	9703050468	50-311	F
	9703060048	50-311	S
	9703060055	50-354	F
	9703060164	50-272	F
	9703060164	50-272	F
	9703060178	50-272	F
	9703070173	50-354	F
	9703100218	50-354	P
	9703100225*	50-354	P
	9703110123	50-354	S
	9703110126	50-272	S
	9703110195	50-354	P
	9703120091	50-354	F
	9703130314	50-272	P
	9703130314	50-272	P
	9703130318*	50-272	P
	9703130318*	50-272	P
	9703170176	50-354	S
	9703170180*	50-354	S
	9703180195	50-272	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703180208	50-272	S
	9703180261	50-272	F
	9703190067	50-354	R
	9703190083	50-311	S
	9703190084	50-272	P
	9703190084	50-272	P
	9703190084	50-272	P
	9703190143	50-272	F
	9703190143	50-272	F
	9703190143	50-272	F
	9703210009*	50-272	P
	9703210324	50-272	F
	9703210324	50-272	F
	9703210329	50-354	F
	9703210350	50-277	H
	9703240087	50-272	P
	9703240087	50-272	P
	9703240138	50-311	S
	9703240150	50-272	P
	9703240182	50-272	R
	9703240185	50-311	R
	9703240234	50-354	P
	9703250132	50-272	P
	9703250216	50-272	Q
	9703250216	50-272	Q
	9703250253	50-272	Q
	9703250253	50-272	Q
	9703260269	50-354	R
	9703260272*	50-354	R
	9703260274*	50-354	R
	9703280216	50-354	Q
	9703280229	50-272	S
	9703280239	50-272	R
	9703280239	50-272	R
	9703280393	50-354	Q
Purdue Univ., West Lafayette, IN	9703260210	50-182	R
Quivira Mining Co.	9703030460	40-8905	
	9703060388	40-8905	
	9703200145	40-8905	
R.F. Reedy, Inc.	9703050323	I&E	
	9703050325*	I&E	
RMI Co.	9703240065	40-2384	
Radiation Detection Co.	9703180061	CONTRACT	
Resolution Dynamics, Inc.	9703210031	CONTRACT	
Rhode Island, State of	9703060240*	STATE PRO	G
Rio Algom Mining Corp.	9703280313	40-8964	
	9703280325*	40-8964	
Rochester Gas & Electric Corp.	9703030532	50-244	R
	9703110153	50-244	S
	9703110202	50-244	S
	9703120215	50-244	V
	9703180052	50-244	R
	9703190117	50-244	P
	9703200079	50-244	P
	9703240169	50-244	F
	9703250176	50-244	R
	9703250218	50-244	Q
Ruland Associates, Inc.	9703270040	CONTRACT	
SCIENTECH, Inc.	9703030506	CONTRACT	
Sacramento Municipal Utility District	9703060108	50-312	R
	9703260009	50-312	R
	9703260012*	50-312	R
	9703260020	50-312	R
Sandia National Laboratories	9703070154*	50-382	P
	9703170250	50-317	P
Sargent & Lundy, Inc.	9703280042*	50-382	P
Savignac, N.	9703240208	40-8698	
	9703240213*	40-8698	
Science Applications International Corp. (formerly Science Applications, Inc.)	9703040055	CONTRACT	
Scientific Ecology Group, Inc.	9703050093*	40-7982	
	9703110282	70-267	
Seacoast Anti-Pollution League	9703270258*	50-309	H
Senate	9703030300*	50-311	U
	9703030309*	50-272	U
Sequoyah Fuels Corp.	9703060267	40-8027	
Shaw, Pittman, Potts & Trowbridge	9703060078	72-18	
	9703070017	50-334	P
	9703140044	40-3453	
	9703180023	70-3070	
	9703180043*	70-3070	
	9703210133	NUREG	
Shepherd Miller, Inc.	9703060451*	40-8584	
Shieldalloy Metallurgical Corp.	9703280333	40-7102	
Siemens Corp.	9703070023	70-1257	
	9703200109	NUREG	
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9703040380	TOPREP	
	9703050011	70-1257	
	9703050488	70-1257	
	9703060035	I&E	
	9703110027	70-1257	
	9703110041*	70-1257	
	9703130402	XPORTLIC	
	9703130405*	XPORTLIC	
	9703170045*	XPORTLIC	
	9703190071	TOPREP	
	9703200389	70-1257	
	9703210323*	70-1257	
	9703240233	70-1257	
	9703280044	70-1257	
	9703280187	70-1257	
Sierra Club Legal Defense Fund, Inc.	9703060068	70-3070	
	9703180036	70-3070	
Sierra Nuclear, Inc.	9703130088	72-1023	
	9703130106*	72-1023	
	9703130212	72-1023	
	9703130222	72-1023	
	9703130226*	72-1023	
	9703270316	72-1023	
Simulation, Systems & Services Technologies Co.	9703250194	CONTRACT	
Small Business Administration	9703050132	CONTRACT	
	9703100207	CONTRACT	
	9703130104	CONTRACT	
	9703130420	CONTRACT	
	9703190238	CONTRACT	
	9703210247	CONTRACT	
	9703240109	CONTRACT	
South Carolina Electric & Gas Co.	9703040073	50-395	V
	9703040297	50-395	P
	9703040361	50-395	Q
	9703050295	50-395	R
	9703060059	50-395	Q
	9703110137	50-395	F
	9703180022	50-395	R
	9703190045	50-395	P
	9703190188	50-395	P
	9703190380	50-395	P
	9703200328*	50-395	P
	9703240088	50-395	P
South Carolina, State of	9703130310	27-47	
South Carolina, Univ. of, Columbia, SC	9703100260	NUREG	
Southern California Edison Co.	9703030239	50-206	P
	9703030239	50-206	P
	9703030239	50-206	P
	9703050134	50-361	S
	9703110128	50-361	S
	9703110142*	50-361	S
	9703120032	50-361	S
	9703120035	50-206	S
	9703120039	50-206	R
	9703130039	50-206	S
	9703130154*	72-1023	
	9703130154*	72-1023	
	9703130154*	72-1023	
	9703130179	50-206	F
	9703130179	50-206	F
	9703130179	50-206	F
	9703170104	50-206	J
	9703170104	50-206	J
	9703170104	50-206	J
	9703180047	50-206	F
	9703180047	50-206	F
	9703180152	50-361	P
	9703180239	50-361	Q
	9703190039	NUREG	
	9703200025	50-361	S
	9703200054	50-206	F
	9703200054	50-206	F
	9703200054	50-206	F
	9703200063	50-361	P
	9703240096	50-361	S
	9703240123	50-361	S
	9703240176	50-361	R
	9703240176	50-361	R
	9703260217	50-361	P
Southern Nuclear Operating Co.	9703040070	50-348	P
	9703040070	50-348	P
	9703040074*	50-348	P
	9703040074*	50-348	P
	9703040201	50-348	P
	9703040201	50-348	P
	9703040210*	50-348	P
	9703040210*	50-348	P
	9703040325	50-348	P
	9703040325	50-348	P
	9703040346*	50-348	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703040346*	50-348	P
	9703040369	50-348	P
	9703040373*	50-348	P
	9703040373*	50-348	P
	9703050146	50-348	R
	9703130344	50-364	P
	9703130359	50-348	J
	9703130359	50-348	J
	9703130416	50-348	S
	9703130424	50-348	P
	9703130424	50-348	P
	9703130428*	50-348	P
	9703140150	TOPREP	
	9703170064	50-348	P
	9703170064	50-348	P
	9703170067*	50-348	P
	9703170067*	50-348	P
	9703180050	50-348	R
	9703180068	50-364	Q
	9703180069*	50-364	Q
	9703190095	50-348	Q
	9703200060	50-348	S
	9703200076	50-348	P
	9703250057	50-348	S
	9703260263	50-348	P
	9703270283	50-348	F
Southwest Research Institute	9703120226	CONTRACT	
Stevenson & Associates	9703270272*	50-286	P
	9703270277*	50-286	P
Stoel, Rives, Boley, Jones & Grey	9703140130	50-288	P
Stone & Webster Engineering Corp.	9703260231	CONTRACT	
Tennessee Valley Authority	9703030350	50-390	P
	9703030363	50-327	S
	9703040223	50-259	Q
	9703040233	50-259	H
	9703050163	50-259	R
	9703050163	50-259	R
	9703050163	50-259	R
	9703050163	50-259	R
	9703050163	50-259	R
	9703050163	50-259	R
	9703050163	50-259	R
	9703050263	50-390	S
	9703070056	I&E	
	9703100023	50-327	R
	9703110004	50-259	R
	9703110005*	50-259	R
	9703110121	50-327	Q
	9703120079	50-259	S
	9703170034	50-259	P
	9703170034	50-259	P
	9703170034	50-259	P
	9703170052*	50-259	P
	9703170052*	50-259	P
	9703170052*	50-259	P
	9703170070	50-296	Q
	9703170108	50-296	Q
	9703170217	50-259	P
	9703180139	50-327	F
	9703180230	50-296	Q
	9703180247	50-390	P
	9703180249*	50-390	P
	9703190014	50-390	S
	9703190016	50-296	P
	9703190018*	50-296	P
	9703190089	50-327	R
	9703190089	50-327	R
	9703190226	50-482	P
	9703190343	50-327	P
	9703190396	50-327	P
	9703190396	50-327	P
	9703190398*	50-327	P
	9703190398*	50-327	P
	9703190400*	50-327	P
	9703200323	50-327	S
	9703200332*	50-327	S
	9703200340	50-259	R
	9703200340	50-259	R
	9703200340	50-259	R
	9703210118	50-390	F
	9703210290	50-390	R
	9703210312	50-390	R
	9703240134	50-259	J
	9703240134	50-259	J
	9703240134	50-259	J
	9703240134	50-259	J
	9703240134	50-259	J
	9703240196	50-327	P
	9703240196	50-327	P
	9703240221	50-327	P
	9703240221	50-327	P
	9703250013	50-259	F
	9703250013	50-259	F
	9703250013	50-259	F
	9703250029	50-327	F
	9703250029	50-327	F
	9703250040	50-390	P
	9703250069	50-259	P
	9703250069	50-259	P
	9703250069	50-259	P
	9703250069	50-259	P
	9703250071	50-327	Q
	9703250071	50-327	Q
	9703250142	50-327	P
	9703250142	50-327	P
	9703250144*	50-327	P
	9703250144*	50-327	P
	9703250238	50-390	S
	9703260043	50-260	P
	9703260043	50-260	P
	9703260048*	50-260	P
	9703260048*	50-260	P
	9703260286	50-327	P
	9703260286	50-327	P
	9703260316	50-327	P
	9703260316	50-327	P
	9703270271	50-390	Q
Tennessee, State of	9703130415	CONTRACT	
	9703260147	STATE PRO	G
Texas A&M Univ., College Station, TX	9703050318	50-128	J
Texas Utilities Co.	9703120055	50-445	S
Texas Utilities Electric Co. (TU Electric)	9703030517	50-445	Q
	9703030527	50-445	Q
	9703050221	50-445	P
	9703050301	50-445	R
	9703060211	I&E	
	9703070188	50-445	R
	9703120024	50-445	F
	9703120445	50-445	P
	9703120448*	50-445	P
	9703180038	50-445	P
	9703180038	50-445	P
	9703180040*	50-445	P
	9703180040*	50-445	P
	9703240100	50-445	P
	9703240100	50-445	P
	9703240111	50-445	R
	9703240111	50-445	R
	9703240114*	50-445	R
	9703240117*	50-445	R
	9703240188	50-445	P
	9703240188	50-445	P
	9703240202	50-445	P
	9703240202	50-445	P
	9703260143	50-445	P
	9703260143	50-445	P
	9703260145*	50-445	P
	9703260145*	50-445	P
Texas, State of	9701160155*	STATE PRO	G
Texas, Univ. of, Austin, TX	9703200378	50-602	R
Toledo Edison Co.	9703030488	50-346	R
	9703100259	50-346	S
	9703110053	50-346	S
	9703170185	50-346	R
	9703180163	50-346	R
	9703210327	50-346	S
	9703240238	50-346	R
Transnuclear, Inc.	9703050422	70-1426	
	9703170056	70-1426	
	9703190220	XPORTLIC	
	9703190283*	XPORTLIC	
	9703190292*	XPORTLIC	
	9703250207	70-1426	
	9703250241	70-1426	
	9703260038	71-250	
U.S. Embassies	9703070141	XPORTLIC	
	9703100003	XPORTLIC	
	9703170132	XPORTLIC	
	9703170156	XPORTLIC	
	9703170160	XPORTLIC	
	9703260119	XPORTLIC	
UMETCO Minerals Corp.	9703120008	40-299	
Union Electric Co.	9703030501	50-483	Q
	9703040220	50-483	R
	9703040229	50-483	J
	9703100056	50-483	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703100061*	50-483	R
	9703100121	50-483	P
	9703120129	50-483	R
	9703140115	50-483	Q
	9703170235	50-483	Q
	9703190109	50-483	P
	9703200107	50-483	Q
	9703250059	50-483	Q
	9703260285	50-483	I
United Controls, Inc.	9703120404	50-461	S
United Nuclear Corp. (subs. of UNC, Inc.	9703030007	40-8907	
	9703280175	40-8907	
United States Enrichment Corp. (USEC)	9703050205	70-7001	
	9703060040	70-7001	
	9703060053	70-7002	
	9703060063	70-7001	
	9703060075	70-7001	
	9703070089	70-7001	
	9703070089	70-7001	
	9703070121	70-7001	
	9703130117	70-7001	
	9703130125	70-7002	
	9703130336	27-48	
	9703130339*	27-48	
	9703170154	70-7001	
	9703180046	PR	
	9703180046	PR	
	9703180058	70-7001	
	9703180200	70-*****	
	9703190019	70-7001	
	9703190019	70-7001	
	9703190115	70-7002	
	9703190118	70-7001	
	9703210257	70-7002	
	9703210332	70-7001	
	9703250104	70-7002	
	9703250114	70-7001	
	9703260154	70-7001	
	9703260157	70-7002	
	9703270318	70-7002	
Utah, State of	9703100282	40-8989	
	9703100285	40-8989	
	9703190183	40-8989	
	9703210037	40-8989	
	9703250252	40-8989	
Utility Workers Union of America	9703100024*	50-293	P
Vermont Yankee Nuclear Power Corp.	9703050129	50-271	H
	9703050196	50-271	S
	9703060209	50-271	S
	9703060221	I&E	
	9703060265	50-271	R
	9703060327	50-271	F
	9703060436	50-271	J
	9703120051	50-271	P
	9703170228	50-271	P
	9703180020	50-271	R
	9703190052	50-271	P
	9703190148	50-271	F
	9703280401	50-271	S
Virginia Power (Virginia Electric & Powe	9703040001	50-280	P
Co.)			
	9703040144	50-338	Q
	9703040240	50-280	R
	9703040240	50-280	R
	9703040240	50-280	R
	9703100294	50-338	Q
	9703110109	71-6206	
	9703120038	50-338	R
	9703120159	50-338	H
	9703130263	50-280	J
	9703130263	50-280	J
	9703130263	50-280	J
	9703130263	50-280	J
	9703130399	50-280	J
	9703130399	50-280	J
	9703130399	50-280	J
	9703130399	50-280	J
	9703130407	50-280	J
	9703130407	50-280	J
	9703130407	50-280	J
	9703130407	50-280	J
	9703180007	50-338	Q
	9703180027	50-280	R
	9703180027	50-280	R
	9703180235	50-280	P
	9703180235	50-280	P
	9703200211	50-338	Q
	9703200211	50-338	Q
	9703240246	50-338	R
	9703250137	50-280	P
	9703250148	50-338	P
	9703250148	50-338	P
	9703250149*	50-338	P
	9703250149*	50-338	P
	9703250200	50-280	P
	9703250200	50-280	P
	9703250204*	50-280	P
	9703250204*	50-280	P
	9703250234	50-280	P
	9703250234	50-280	P
	9703250234	50-280	P
	9703250234	50-280	P
	9703250246	50-338	P
	9703250246	50-338	P
	9703260311	50-281	S
	9703260334	50-280	S
	9703280225	50-280	Q
	9703280225	50-280	Q
	9703280350	REGGD	
	9703280405	50-280	P
	9703280405	50-280	P
Virginia, Commonwealth of	9703050336	STATE PRO	G
Virginia, Univ. of, Charlottesville, VA	9703210284	50-62	R
Washington Public Power Supply System	9703030522	50-397	R
	9703050144	50-397	R
	9703060154	50-397	Q
	9703060201	50-397	Q
	9703060256	50-397	P
	9703060258*	50-397	P
	9703060262*	50-397	P
	9703060295	50-397	Q
	9703100241	50-397	R
	9703100288*	50-397	R
	9703100289*	50-397	R
	9703110003	50-397	R
	9703170039	50-397	Q
	9703190082	50-397	R
	9703210322	50-397	S
	9703210337	50-397	P
	9703210355	50-397	J
	9703250092	50-397	S
	9703250139	50-397	V
	9703260032	50-397	F
Washington State Univ., Pullman, WA	9703060353	WASTE MGT	
	9703170027	50-27	P
Washington, State of	9703060336	27-48	
	9703200146	STATE PRO	G
West Valley Nuclear Services Co., Inc.	9703260193	PROJ	
Western Nuclear, Inc.	9703120036	40-1162	
Western X-Ray, Inc.	9703030079	STATE PRO	G
Westinghouse Electric Corp.	9703030009	52-3	
	9703030011*	52-3	
	9703030013	TOPREP	
	9703030014*	TOPREP	
	9703030050*	TOPREP	
	9703030058	52-3	
	9703030181	TOPREP	
	9703030188*	TOPREP	
	9703030334	52-3	
	9703030472	52-3	
	9703030474*	52-3	
	9703040118	52-3	
	9703040125	52-3	
	9703040137	TOPREP	
	9703040246*	50-324	P
	9703040309	52-3	
	9703040367*	50-348	P
	9703050155*	70-698	
	9703050161*	50-275	P
	9703050171*	50-275	P
	9703050234*	50-334	P
	9703050237*	50-286	P
	9703050241*	50-286	P
	9703050513	52-3	
	9703060060*	52-3	
	9703060092	52-3	
	9703060143	52-3	
	9703060191	52-3	
	9703060212*	52-3	
	9703060280	52-3	
	9703060402	52-3	
	9703060424*	52-3	
	9703070048	52-3	
	9703070054*	52-3	
	9703070057	52-3	
	9703070063*	52-3	
	9703100231	52-3	
	9703110095	TOPREP	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9703110099*	TOPREP	
	9703110178	TOPREP	
	9703120451	52-3	
	9703120456	52-3	
	9703170049*	TOPREP	
	9703170163	52-3	
	9703170222	52-3	
	9703170225	52-3	
	9703170257	52-3	
	9703170259*	52-3	
	9703170260*	52-3	
	9703180010	52-3	
	9703180015*	52-3	
	9703190046	52-3	
	9703190054	52-3	
	9703190056*	52-3	
	9703190107	52-3	
	9703190128	TOPREP	
	9703210098	52-3	
	9703210285*	50-334	P
	9703240059*	TOPREP	
	9703240074	52-3	
	9703250025	TOPREP	
	9703250036	TOPREP	
	9703250042	QA999	
	9703250055	52-3	
	9703250073	52-3	
	9703250075	52-3	
	9703250081	52-3	
	9703250082*	52-3	
	9703250086	52-3	
	9703260266	71-9239	
	9703270276	52-3	
	9703270302	TOPREP	
	9703270313	52-3	
	9703280133	70-1151	
	9703280148	52-3	
	9703280152*	52-3	
	9703280165*	52-3	
	9703280178*	52-3	
	9703280183*	52-3	
	9703280186*	52-3	
	9703280189*	52-3	
	9703280190*	52-3	
	9703280191*	52-3	
	9703280194*	52-3	
	9703280222	70-1151	
Westinghouse Operating Plants Owners Group	9703110277	PROJ	
	9703170042	TOPREP	
Whiting Corp.	9703130317	50-219	P
Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen)	9703060084	40-8027	
Winston & Strawn	9703060289	I&E	
	9703180026	70-3070	
	9703190164	I&E	
	9703190312	I&E	
	9703210082	NUREG	
	9703260063	I&E	
Wisconsin Electric Power Co.	9703050035	50-266	R
	9703050035	50-266	R
	9703050130	50-266	Q
	9703050411	50-301	P
	9703060161	50-266	R
	9703060161	50-266	R
	9703100017	50-266	S
	9703110075	50-266	Q
	9703110075	50-266	Q
	9703110075	50-266	Q
	9703110188	50-266	S
	9703110213	50-266	F
	9703110247	50-301	P
	9703110284	50-301	F
	9703110287*	50-301	F
	9703110302	50-266	R
	9703110302	50-266	R
	9703110304*	50-266	R
	9703110305*	50-266	R
	9703120077	50-266	P
	9703120077	50-266	P
	9703140078	50-266	R
	9703180141	50-266	P
	9703190035	50-301	P
	9703200175*	50-461	P
	9703200180*	50-461	P
	9703250061	50-266	S
	9703250141	50-266	P
	9703250141	50-266	P
	9703250143*	50-266	P
	9703250143*	50-266	P
	9703250196	50-266	P
	9703250212	50-301	P
	9703260155	50-266	S
Wisconsin Public Service Corp.	9703050154	50-305	Q
	9703050256	50-305	Q
	9703070060	50-305	R
	9703110131	50-305	S
	9703110133	50-305	S
	9703140114	50-305	R
	9703240140	50-305	J
	9703240155	50-305	P
	9703240220	50-305	J
Wisconsin, Univ. of, Madison, WI	9703140167	50-156	P
Wolf Creek Nuclear Operating Corp.	9611290016	50-482	F
	9703060269	50-482	Q
	9703070166	50-482	P
	9703100137	50-482	F
	9703100192*	50-482	F
	9703140080	50-482	P
	9703140095	50-482	S
	9703170016	50-482	K
	9703170020*	50-482	K
	9703170110	50-482	R
	9703170111	50-482	F
	9703170112*	50-482	R
	9703180021	50-482	R
	9703190017	50-482	R
	9703200357	50-482	P
	9703210330	50-482	V
	9703240097	50-482	P
	9703240101*	50-482	P
	9703240105	50-482	P
	9703240107*	50-482	P
	9703240175	50-482	P
	9703240177*	50-482	P
	9703270156	50-482	P
	9703270232	50-482	P
	9703270235*	50-482	P
	9703270275	50-482	P
Woodward Hosp. & Health Center, Woodward OK (formerly Woodward Memorial Hosp.)	9703190024	PR	
Wyoming, State of	9703050013	40-4492	
	9703060232	40-4492	
Yankee Atomic Electric Co.	9703040173	50-29	R
	9703040331	50-29	R
	9703040339*	50-29	R
	9703060086	NUREG	
	9703060410*	50-29	R
	9703060416*	50-29	R
	9703070007	50-29	R
	9703130315	NUREG	

7

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY		OTHER REPORT NUMBER
1-95-0096	9703100033*	50-293	P	
12	9703040286*	50-352	R	
18904-IP3-SQ017 R00	9703270264*	50-286	P	
20290-615-MN4 R00	9703260251*	50-344	W	
22	9703040278*	50-352	R	
ADA-092694 R00	9703030066*	FOIA		
BAW-10164-A R03	9703050505*	TOPREP		
BAW-2292(NP) R00	9703130308*	PROJ		
BNFL1.10.06.16 R00	9703130106*	72-1023		
BSA-D-97-03 R00	9703180057*	50-237	P	
C001 R00	9703270272*	50-286	P	
C002 R00	9703270277*	50-286	P	
CAC-97-013	9703050234*	50-334	P	
CEN-348(B)-NP-A S01	9703040102*	TOPREP		
CL-492	9703260172*	50-315	P	
CNWRA 96-007 R01	9703060128*	WASTE MGT		HLWR
CNWRA 97-003	9703280173*	WASTE MGT		HLWR
CNWRA 97-004	9703200043*	WASTE MGT		HLWR
CP&L-CED-M-02 R00	9703130330*	50-324	P	
DOE/ER/04014-26	9703040394	50-83	R	
DRE96-0214 R01	9702240127*	50-237	P	
DRE97-0010 R00	9702240119*	50-237	P	
DRE97-0012 R00	9702240121*	50-237	P	
EC-M97-002 R00	9703280042*	50-382	P	
EPRI TR-106708	9703260114*	TOPREP		
ER-80 R00	9703120207*	TOPREP		
ERS-SFL-95-008 R02	9703170256*	50-334	P	
ERS-SFL-96-012 R01	9703180002*	50-334	P	
ERS-SFL-96-021 R00	9703170255*	50-334	P	
ERX-96-004 R01	9703120448*	50-445	P	
ETI-QA-1	9703190374	71-*****		
FTCR/96-0108	9703100151*	50-483	P	
FTCR/96/0077	9703100141*	50-483	P	
FTCR/96/0099	9703100149*	50-483	P	
GE-NE-523-B13-01869-	9703180233*	50-296	Q	
GE-NE-B13-01869-02	9703250038*	50-293	Q	
GE-NE-B13-01869-028	9703250034*	50-293	Q	
GENE-637-042-1193	9702240215*	50-237	P	
GENE-770-26-1092 S01	9702240257*	50-237	P	DRF T23-685
HI-941184 V01 R05	9703060376*	72-1008		
HI-951251 R05	9703060366*	71-9261		
INEL-94/0147	9504040254*	50-389	P	
INEL-96/0177	9607090104*	50-293	Q	
ITS/NRC/93-10	9404080234*	50-250	P	FIN L-1318
JFN-PTN-SEEP-96011	9703130429*	50-250	P	
K/PB-ARP-97-11	9703280339*	WASTE MGT		HLWR
M&O-ARC-97-09	9703120061*	WASTE MGT		HLWR
MPR-1807 R00	9703110281*	PROJ		
NEDC-32719	9703110205*	TOPREP		MPR-1807
NEDO-32094 ERR	9703030074	72-1		
NEDO-32339-A S03	9703060390*	TOPREP		
NEDO-32339-A S04	9703060394*	TOPREP		
NP 7481	9206050017*	TOPREP		
NUREG-0040 V20 N04	9703200250	NUREG		
NUREG-0304 V21 N03	9703100239	NUREG		
NUREG-0750 V44 N05	9703030170	NUREG		
NUREG-0750 V44 N06	9703170243	NUREG		
NUREG-1021 R08	9703050343	NUREG		
NUREG-1275 V12	9703170237	NUREG		
NUREG-1338 V02	9703180167*	PROJ		
NUREG-1492	9703200259	NUREG		
NUREG-1508	9703200270	40-8968		BLM NM010-93-02
NUREG-1536	9703130386	NUREG		
NUREG-1545	9703100227	NUREG		
NUREG-1571	9703030211	NUREG		
NUREG/BR-0184	9703030205	NUREG		
NUREG/CP-0154	9703100272	NUREG		ANL-96/14
NUREG/CP-0157 V01	9703120266	NUREG		
NUREG/CP-0157 V02	9703120276	NUREG		
NUREG/CP-0157 V03	9703120285	NUREG		
NUREG/CR-6181 R01	9703100220	50-280	Q	PNNL-9020
NUREG/CR-6295	9703170247	NUREG		BNL-NUREG-52442
NUREG/CR-6389	9703170239	NUREG		BMI-2187
NUREG/CR-6426 V02	9703200279	NUREG		ORNL-6892
NUREG/CR-6446	9703100252	NUREG		BMI-2194
NUREG/CR-6469	9703170250	50-317	P	SAND96-2289
NUREG/CR-6474	9703200285	NUREG		BNL-NUREG-52504
NUREG/CR-6493	9703100224	NUREG		BNL-NUREG-52510
NUREG/CR-6528	9703100266	40-672		
NUREG/CR-6529	9703100260	NUREG		
OLRP-1001 R01	9703240243*	50-269	P	
OP-1903.011	9703270001	50-313	F	
OQA-SA-97-010	9703180054*	WASTE MGT		HLWR
OQA-SA-97-011	9703200050*	WASTE MGT		HLWR
ORNL/NRC/LTR-96/29	9703200269*	ORG		
ORNL/NRC/LTR/96-32	9703200275*	ORG		
PB-295 078	9703130118*	72-1023		
PECO-COLR-L2R4 R00	9703040216*	50-353	P	
PGE-1015-96	9703030514	50-344	R	
PL-NRS-0593-094 R00	9703030054*	FOIA		
PLP-201 R30	9703190073*	50-400	F	
PMPR 97-5	9703070041*	WASTE MGT		HLWR
PNL-7167	9703130136*	72-1023		TTC-0969
PTN-BFJE-93-001 R00	9703130422*	50-250	P	GL-92-08
PTN-BFJM-96-028 R00	9703130426*	50-250	P	
PTN-BFSE-96-006 R00	9703130432*	50-250	P	
RERR-41	9703040024*	50-272	R	
S0123-207-15 R00	9703130154*	72-1023		
SAE-APS-97-20	9703170260*	52-3		
SECY-91-342	9111060136*	FOIA		
SECY-91-342A	9201080066*	FOIA		
SECY-93-216	9703030318*	FOIA		
SECY-96-110	9703270224	SECY		
SECY-96-124	9606180615*	FOIA		
SECY-96-242	9611290343	SECY		
SECY-97-015	9701240102	70-135		
SECY-97-023	9702050318	SECY		
SECY-97-028	9702110070	SECY		
SECY-97-029	9702130296	SECY		
SECY-97-031	9702130193	SECY		
SECY-97-032	9702260203	SECY		
SECY-97-035	9702200058	SECY		
SECY-97-048	9703040271	COMMISSIO	N	
SECY-97-049	9703280097	SECY		
SECY-97-050	9703050311	SECY		
SECY-97-051	9703040329	52-3		
SECY-97-055	9703070146	SECY		
SECY-97-057	9703120441	COMMISSIO	N	
SECY-97-060	9703180224	COMMISSIO	N	
SECY-97-061	9703250105	70-33		
SECY-97-063	9703250138	SECY		
SECY-97-065	9703260028	COMMISSIO	N	
SM-96-1100-001 R00	9703130428*	50-348	P	
SNC-96-72SAR	9703130226*	72-1023		
SNL-ARP-97-08	9703190025*	WASTE MGT		HLWR
T1-CCD-412680-001 R0	9703280438*	50-289	R	
TR-95-024(NP)	9703050153*	50-368	P	
TR-95-025	9703050158*	50-368	P	
TR-96-005(NP) R01	9703050151*	50-368	P	
TR-96-007(NP) R01	9703050149*	50-368	P	
TR-96-021(NP) R00	9703050156*	50-368	P	
V-EC-1658 R00	9703170049*	TOPREP		GL-96-05

REPORT NUMBER	ACCESSION NUMBER	SUB-JECT CATE-GORY	OTHER REPORT NUMBER
V609.000.00001 R01	9703110021*	50-263	P
WCAP-14422 R02	9703110099*	TOPREP	
WCAP-14554	9703210285*	50-334	P
WCAP-14723	9703040367*	50-348	P
WCAP-14774	9703040246*	50-324	P
WCAP-14783	9703030050*	TOPREP	
WCAP-14796	9703050171*	50-275	P
WCAP-14808 R00	9703070063*	52-3	
WCAP-14808 R01	9703070054*	52-3	
WCAP-14822 R00	9703060060*	52-3	
WCAP-14848	9703050241*	50-286	P
WCAP-14857	9703180015*	52-3	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
7903060116	9703030019	97/02/20	FOIA	8908090025	9703030019	97/02/20	FOIA	
7903080195	9703030019	97/02/20	FOIA	8908090030	9703030019	97/02/20	FOIA	
7904210441	9703030019	97/02/20	FOIA	8910190013	9703030019	97/02/20	FOIA	
7904210453	9703030019	97/02/20	FOIA	9005010011	9703030019	97/02/20	FOIA	
7904250547	9703030019	97/02/20	FOIA	9008140497	9703030019	97/02/20	FOIA	
7905070605	9703030019	97/02/20	FOIA	9010030007	9703030019	97/02/20	FOIA	
8006240551	9703030019	97/02/20	FOIA	9011010047	9703030019	97/02/20	FOIA	
8007150450	9703030019	97/02/20	FOIA	9105200303	9703030019	97/02/20	FOIA	
8007150459	9703030019	97/02/20	FOIA	9107160188	9703030019	97/02/20	FOIA	
8007290577	9703030019	97/02/20	FOIA	9111060136	9703210202	97/03/17	FOIA	
8008190415	9703030019	97/02/20	FOIA	9201080066	9703210202	97/03/17	FOIA	
8008200378	9703030019	97/02/20	FOIA	9201140166	9703030019	97/02/20	FOIA	
8009100802	9703030019	97/02/20	FOIA	9204130001	9703030019	97/02/20	FOIA	
8012240193	9703030019	97/02/20	FOIA	9204230296	9703030019	97/02/20	FOIA	
8101200034	9703030019	97/02/20	FOIA	9206050017	9703280174	97/03/25	TOPREP	
8203050543	9703050177	97/01/17	NUREG	9207010255	9703030019	97/02/20	FOIA	
8506260241	9703030019	97/02/20	FOIA	9301060292	9703120104	97/03/01	50-335	P
8506260244	9703030019	97/02/20	FOIA	9302010316	9703120104	97/03/01	50-389	P
8510240216	9703030019	97/02/20	FOIA	9302030169	9703120104	97/03/01	50-250	P
8602120302	9703030019	97/02/20	FOIA	9302100463	9703120104	97/03/01	50-335	P
8602120308	9703030019	97/02/20	FOIA	9302110121	9703120104	97/03/01	50-250	P
8602120313	9703030019	97/02/20	FOIA	9302110151	9703120104	97/03/01	50-335	P
8602120321	9703030019	97/02/20	FOIA	9302190296	9703120104	97/03/01	50-335	P
8602120334	9703030019	97/02/20	FOIA	9302240199	9703120104	97/03/01	50-250	P
8602120338	9703030019	97/02/20	FOIA	9302240231	9703120104	97/03/01	50-250	P
8602120342	9703030019	97/02/20	FOIA	9302260287	9703120104	97/03/01	50-335	P
8602120344	9703030019	97/02/20	FOIA	9303030437	9703120104	97/03/01	50-335	P
8602120347	9703030019	97/02/20	FOIA	9303100026	9703120104	97/03/01	50-250	P
8603130064	9703030019	97/02/20	FOIA	9303100136	9703120104	97/03/01	50-335	P
8603130069	9703030019	97/02/20	FOIA	9303100151	9703120104	97/03/01	50-335	P
8603130074	9703030019	97/02/20	FOIA	9303110081	9703120104	97/03/01	50-206	P
8606090419	9703030019	97/02/20	FOIA	9303150199	9703120104	97/03/01	50-335	P
8606090433	9703030019	97/02/20	FOIA	9303230269	9703120104	97/03/01	50-335	P
8606090449	9703030019	97/02/20	FOIA	9303240268	9703120104	97/03/01	50-335	P
8607170268	9703030019	97/02/20	FOIA	9303310194	9703120104	97/03/01	50-335	P
8607170477	9703030019	97/02/20	FOIA	9304080073	9703120104	97/03/01	50-335	P
8607170479	9703030019	97/02/20	FOIA	9304080293	9703120104	97/03/01	50-250	P
8609090502	9703030019	97/02/20	FOIA	9304120308	9703120104	97/03/01	50-335	P
8612110230	9703030019	97/02/20	FOIA	9304190168	9703120104	97/03/01	50-250	P
8612110232	9703030019	97/02/20	FOIA	9304220313	9703120104	97/03/01	50-335	P
8701140268	9703030019	97/02/20	FOIA	9304260066	9703120104	97/03/01	50-335	P
8701140275	9703030019	97/02/20	FOIA	9304290093	9703120104	97/03/01	50-250	P
8701140281	9703030019	97/02/20	FOIA	9305060275	9703120104	97/03/01	50-335	P
8701140300	9703030019	97/02/20	FOIA	9305270264	9703120104	97/03/01	50-335	P
8701140305	9703030019	97/02/20	FOIA	9306070197	9703120104	97/03/01	50-335	P
8707290329	9703030019	97/02/20	FOIA	9306110195	9703210030	97/03/14	FOIA	
8707290333	9703030019	97/02/20	FOIA	9306110282	9703120104	97/03/01	50-250	P
8707290342	9703030019	97/02/20	FOIA	9306290243	9703120104	97/03/01	50-250	P
8709040476	9703030019	97/02/20	FOIA	9307080320	9703120104	97/03/01	50-335	C
8710050236	9703030019	97/02/20	FOIA	9307090256	9703120104	97/03/01	50-335	P
8710140251	9703030019	97/02/20	FOIA	9307120167	9703240077	97/03/12	50-389	P
8711200338	9703030019	97/02/20	FOIA	9307130155	9703120104	97/03/01	50-335	P
8802040384	9703030019	97/02/20	FOIA	9307190047	9703120104	97/03/01	50-335	P
8802040386	9703030019	97/02/20	FOIA	9308190332	9703120104	97/03/01	50-335	P
8802040388	9703030019	97/02/20	FOIA	9308230237	9703120104	97/03/01	50-335	P
8903170421	9703030019	97/02/20	FOIA	9308260056	9703120081	97/03/06	50-335	P
8903170425	9703030019	97/02/20	FOIA	9308260110	9703120104	97/03/01	50-335	P
8903170426	9703030019	97/02/20	FOIA	9309080348	9703120104	97/03/01	50-389	P
8903170428	9703030019	97/02/20	FOIA	9309090092	9703120104	97/03/01	50-335	P
8903170430	9703030019	97/02/20	FOIA	9309150344	9703120104	97/03/01	50-250	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9310040329	9703120104	97/03/01	50-335	P	9503310152	9703030019	97/02/20	FOIA	
9310130445	9703120104	97/03/01	50-335	P	9504040251	9703120104	97/03/01	50-389	P
9310150115	9703120104	97/03/01	50-389	P	9504040254	9703120104	97/03/01	50-389	P
9311050142	9703120104	97/03/01	50-335	P	9504170005	9703120104	97/03/01	50-389	P
9311120155	9703120104	97/03/01	50-250	F	9504210157	9703120104	97/03/01	50-335	P
9311180111	9703120104	97/03/01	50-335	P	9504240320	9703120104	97/03/01	50-335	P
9312010312	9703120104	97/03/01	50-250	P	9505020461	9703120104	97/03/01	50-389	P
9312130330	9703120104	97/03/01	50-335	P	9505040325	9703120104	97/03/01	50-335	P
9312140352	9703120104	97/03/01	50-335	P	9505150050	9703120104	97/03/01	50-250	G
9312230125	9703120104	97/03/01	50-250	P	9505180454	9703120104	97/03/01	50-335	P
9312270078	9703120104	97/03/01	50-335	P	9505190394	9703120104	97/03/01	50-389	P
9312290116	9703120104	97/03/01	50-389	P	9506200393	9703120104	97/03/01	50-335	P
9401040006	9703120104	97/03/01	50-250	P	9506200400	9703120104	97/03/01	50-335	P
9401100185	9703120104	97/03/01	FOIA		9506230149	9703120104	97/03/01	50-335	P
9401130063	9703120104	97/03/01	50-250	P	9506280153	9703120104	97/03/01	50-335	P
9401240294	9703120104	97/03/01	50-389	P	9506280231	9703120104	97/03/01	50-389	P
9402140125	9703120104	97/03/01	50-250	P	9506280333	9703120104	97/03/01	50-250	P
9402140278	9703120104	97/03/01	50-389	P	9506280347	9703120104	97/03/01	50-250	P
9402150061	9703120104	97/03/01	50-335	P	9506280464	9703120104	97/03/01	50-389	Q
9402150403	9703120104	97/03/01	FOIA		9507130211	9703120104	97/03/01	50-335	P
9403070236	9703120104	97/03/01	50-335	P	9507180020	9703120104	97/03/01	50-389	P
9403090342	9703120104	97/03/01	50-335	P	9507260161	9703030019	97/02/20	FOIA	
9403150232	9703120104	97/03/01	50-250	P	9508080145	9703120104	97/03/01	50-250	P
9403160108	9703120104	97/03/01	50-335	P	9508150207	9703120104	97/03/01	50-250	P
9403240033	9703120104	97/03/01	50-335	P	9508160344	9703120104	97/03/01	50-389	P
9403290072	9703120104	97/03/01	50-335	Q	9508240011	9703030019	97/02/20	FOIA	
9403290318	9703120104	97/03/01	50-335	P	9508290298	9703120104	97/03/01	50-335	P
9403300219	9703120104	97/03/01	50-335	P	9509080180	9703120104	97/03/01	50-389	P
9404050193	9703120104	97/03/01	50-389	P	9509080246	9703120104	97/03/01	50-335	P
9404050251	9703120104	97/03/01	50-389	P	9509140188	9703120104	97/03/01	50-335	P
9404060048	9703120104	97/03/01	50-335	P	9509140203	9703120104	97/03/01	50-335	P
9404070288	9703120104	97/03/01	50-335	Q	9509140209	9703120104	97/03/01	50-335	P
9404070312	9703120104	97/03/01	50-250	P	9509180043	9703120104	97/03/01	50-335	P
9404080233	9703120104	97/03/01	50-250	P	9509180134	9703120104	97/03/01	50-335	P
9404080234	9703120104	97/03/01	50-250	P	9509200184	9703240077	97/03/12	50-335	V
9404260378	9703120104	97/03/01	50-250	P	9509220266	9703120104	97/03/01	50-335	P
9404260382	9703120104	97/03/01	50-250	P	9510110140	9703120104	97/03/01	50-335	P
9406070239	9703120104	97/03/01	50-389	Q	9510130235	9703120104	97/03/01	50-335	P
9406210119	9703120104	97/03/01	50-155	P	9510250085	9703120104	97/03/01	50-335	Q
9406210325	9703120104	97/03/01	30-389		9510260004	9703120104	97/03/01	50-285	G
9406230100	9703120104	97/03/01	50-389	Q	9510310101	9703120104	97/03/01	50-335	P
9406280080	9703120104	97/03/01	50-335	P	9511010306	9703120104	97/03/01	50-335	P
9406300280	9703120104	97/03/01	50-35	P	9511030084	9703120104	97/03/01	50-335	P
9407200123	9703120104	97/03/01	50-335	P	9511080173	9703120104	97/03/01	50-335	Q
9408110167	9703120104	97/03/01	50-335	P	9511090392	9703050177	97/01/17	NUREG	
9408120005	9703120104	97/03/01	50-335	P	9512270204	9703120104	97/03/01	50-335	P
9408150077	9703120104	97/03/01	50-335	P	9601250105	9703210122	97/03/13	PR	
9408150172	9703120104	97/03/01	50-389	P	9601250141	9703120104	97/03/01	50-389	P
9408250207	9703120104	97/03/01	50-335	P	9601300280	9703120104	97/03/01	50-335	P
9409120198	9703120104	97/03/01	50-335	P	9602140106	9703120081	97/03/06	50-244	P
9409210128	9703120104	97/03/01	50-335	P	9602270137	9703120104	97/03/01	50-335	P
9409220214	9703120104	97/03/01	50-335	Q	9603260075	9703120104	97/03/01	50-389	P
9410040303	9703120104	97/03/01	50-335	Q	9603270188	9703120104	97/03/01	50-335	P
9410140177	9703120104	97/03/01	50-335	P	9604170191	9703120104	97/03/01	50-335	P
9410180185	9703120104	97/03/01	50-389	P	9604300372	9703120104	97/03/01	50-219	P
9411040241	9703120104	97/03/01	50-335	P	9605020246	9703240077	97/03/12	50-335	P
9411080107	9703100021	97/03/05	FOIA		9606040260	9703120081	97/03/06	50-335	P
9411090170	9703120104	97/03/01	50-389	P	9606040297	9703120104	97/03/01	50-335	P
9411140047	9703120104	97/03/01	50-335	P	9606040303	9703120104	97/03/01	50-335	P
9411220341	9703120104	97/03/01	50-250	P	9606120268	9703120104	97/03/01	50-335	P
9411220419	9703120104	97/03/01	50-335	P	9606180615	9703100037	97/02/28	FOIA	
9411290098	9703120104	97/03/01	50-335	P	9606270310	9703120104	97/03/01	50-335	P
9412010048	9703120104	97/03/01	50-389	Q	9607080083	9703120104	97/03/01	50-335	P
9412010203	9703120104	97/03/01	50-335	P	9607090104	9703250245	97/03/20	50-293	Q
9412010232	9703120104	97/03/01	50-335	P	9607120232	9703120104	97/03/01	50-335	P
9412090219	9703120104	97/03/01	50-389	P	9608050092	9703120104	97/03/01	50-335	P
9412140232	9703100041	97/03/05	50-250	P	9608120287	9703120104	97/03/01	50-389	P
9412200119	9703120104	97/03/01	50-335	P	9608210178	9703120104	97/03/01	50-335	P
9412300102	9703120104	97/03/01	50-389	P	9608220005	9703120104	97/03/01	50-335	P
9501050342	9703100021	97/03/05	FOIA		9608220277	9703120104	97/03/01	50-335	P
9501130149	9703120104	97/03/01	50-250	P	9609090095	9703120104	97/03/01	50-335	P
9501180151	9703120104	97/03/01	50-335	P	9609110078	9703120104	97/03/01	50-335	F
9501240199	9703120104	97/03/01	50-335	P	9609180137	9703120104	97/03/01	50-335	P
9501300149	9703120104	97/03/01	50-250	P	9609180315	9703120104	97/03/01	50-335	G
9502010309	9703120104	97/03/01	50-335	P	9609180337	9703120104	97/03/01	50-335	P
9502140260	9703120104	97/03/01	50-335	P	9609180352	9703120104	97/03/01	50-389	P
9502140413	9703120104	97/03/01	50-335	P	9609230156	9703120104	97/03/01	50-250	Q
9502140422	9703120104	97/03/01	50-389	P	9610100217	9703200061	97/03/07	STATE PRO	G
9503150165	9703120104	97/03/01	50-269	P	9610240217	9703120104	97/03/01	50-335	Q
9503160363	9703120104	97/03/01	50-389	P	9611040312	9703120104	97/03/01	50-335	P
9503160365	9703120104	97/03/01	50-335	P	9611130471	9703210066	97/03/13	FOIA	
9503160369	9703120104	97/03/01	50-389	P	9611180046	9703100041	97/03/05	50-245	P
9503220153	9703120104	97/03/01	50-335	P	9611190153	9703120104	97/03/01	50-335	P
9503220287	9703120104	97/03/01	50-335	P	9611190206	9703120104	97/03/01	50-335	P
9503220292	9703120104	97/03/01	50-335	P	9611220014	9703200019	97/03/17	PR	
9503220293	9703120104	97/03/01	50-335	P	9611250200	9703120104	97/03/01	50-335	P
9503290093	9703120104	97/03/01	50-335	P	9611290077	9703100031	97/03/05	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9612120383	9703210383	97/03/13	PR		9703030176	9703030019	97/02/20	FOIA	
9612190430	9703060027	97/02/06	STATE PRO	G	9703030177	9703030019	97/02/20	FOIA	
9612240274	9703100031	97/03/05	FOIA		9703030179	9703030020	97/02/21	FOIA	
9701100037	9703040157	97/01/29	ORG		9703030180	9703030019	97/02/20	FOIA	
9701100053	9703040157	97/01/29	ORG		9703030182	9703030165	97/02/21	50-334	Q
9701160015	9701160009	97/01/03	50-289	F	9703030184	9703030020	97/02/21	FOIA	
9701160017	9701160009	97/01/03	50-289	F	9703030185	9703030172	97/02/25	50-344	Q
9701160155	9703050419	97/02/11	STATE PRO	G	9703030188	9703030181	97/02/26	TOPREP	
9701310074	9703130361	97/03/10	50-445	P	9703030189	9703030019	97/02/20	FOIA	
9701310367	9703280077	97/03/18	REVIEW GR	P	9703030190	9703030020	97/02/21	FOIA	
9702030001	9703200019	97/03/17	PR		9703030194	9703030020	97/02/21	FOIA	
9702030002	9703200019	97/03/17	PR		9703030195	9703030165	97/02/21	50-334	Q
9702100020	9703200019	97/03/17	PR		9703030196	9703030019	97/02/20	FOIA	
9702130302	9702130300	97/01/29	STATE PRO	G	9703030200	9703030020	97/02/21	FOIA	
9702180199	9703100031	97/03/05	FOIA		9703030203	9703030172	97/02/25	50-344	Q
9702240113	9702240108	97/02/17	50-237	P	9703030204	9703030020	97/02/21	FOIA	
9702240119	9702240108	97/02/17	50-237	P	9703030206	9703030020	97/02/21	FOIA	
9702240121	9702240108	97/02/17	50-237	P	9703030209	9703030020	97/02/21	FOIA	
9702240127	9702240108	97/02/17	50-237	P	9703030213	9703030019	97/02/20	FOIA	
9702240205	9702240108	97/02/17	50-237	P	9703030214	9703030019	97/02/20	FOIA	
9702240215	9702240108	97/02/17	50-237	P	9703030221	9703030019	97/02/20	FOIA	
9702240257	9702240108	97/02/17	50-237	P	9703030223	9703030019	97/02/20	FOIA	
9702270218	9702130136	97/01/06	FOIA		9703030228	9703030219	97/02/19	40-8794	
9703030006	9703030005	97/02/25	FOIA		9703030230	9703030019	97/02/20	FOIA	
9703030011	9703030009	97/02/20	52-3		9703030231	9703030229	97/02/27	50-382	P
9703030014	9703030013	97/02/26	TOPREP		9703030234	9703030020	97/02/21	FOIA	
9703030016	9703140160	97/03/12	50-445	P	9703030237	9703030019	97/02/20	FOIA	
9703030017	9703030005	97/02/25	FOIA		9703030238	9703030019	97/02/20	FOIA	
9703030018	9703140160	97/03/12	50-445	P	9703030240	9703030020	97/02/21	FOIA	
9703030021	9703030020	97/02/21	FOIA		9703030241	9703030020	97/02/21	FOIA	
9703030028	9703030019	97/02/20	FOIA		9703030244	9703030019	97/02/20	FOIA	
9703030029	9703140160	97/03/12	50-445	P	9703030245	9703030020	97/02/21	FOIA	
9703030030	9703030022	97/02/19	50-277	P	9703030246	9703030019	97/02/20	FOIA	
9703030031	9703030027	97/02/26	50-285	Q	9703030247	9703030019	97/02/20	FOIA	
9703030033	9703030020	97/02/21	FOIA		9703030250	9703030019	97/02/20	FOIA	
9703030034	9703030019	97/02/20	FOIA		9703030253	9703030020	97/02/21	FOIA	
9703030036	9703030022	97/02/19	50-277	P	9703030255	9703030020	97/02/21	FOIA	
9703030040	9703140160	97/03/12	50-445	P	9703030256	9703030252	97/02/26	50-336	P
9703030043	9703030020	97/02/21	FOIA		9703030259	9703030019	97/02/20	FOIA	
9703030044	9703030039	97/02/20	50-305	Q	9703030260	9703030019	97/02/20	FOIA	
9703030045	9703140160	97/03/12	50-445	P	9703030261	9703030019	97/02/20	FOIA	
9703030048	9703030019	97/02/20	FOIA		9703030267	9703030263	97/01/24	PR	
9703030050	9703030013	97/02/26	TOPREP		9703030269	9703030258	97/02/21	XPORTLIC	
9703030054	9703030020	97/02/21	FOIA		9703030270	9703030019	97/02/20	FOIA	
9703030066	9703030020	97/02/21	FOIA		9703030271	9703030020	97/02/21	FOIA	
9703030067	9703030061	97/02/18	50-456	Q	9703030274	9703030019	97/02/20	FOIA	
9703030069	9703030059	97/02/23	50-282	Q	9703030276	9703030020	97/02/21	FOIA	
9703030073	9703030061	97/02/18	50-456	Q	9703030279	9703030019	97/02/20	FOIA	
9703030077	9703030071	97/02/20	50-254	Q	9703030280	9703030020	97/02/21	FOIA	
9703030078	9703030020	97/02/21	FOIA		9703030285	9703030019	97/02/20	FOIA	
9703030080	9703030071	97/02/20	50-254	Q	9703030290	9703030019	97/02/20	FOIA	
9703030081	9703030019	97/02/20	FOIA		9703030292	9703030020	97/02/21	FOIA	
9703030086	9703030062	97/02/26	40-8681		9703030295	9703030020	97/02/21	FOIA	
9703030090	9703030020	97/02/21	FOIA		9703030296	9703030020	97/02/21	FOIA	
9703030092	9703030020	97/02/21	FOIA		9703030297	9703030291	97/01/14	PR	
9703030101	9703030019	97/02/20	FOIA		9703030298	9703030289	97/01/28	PR	
9703030104	9703030020	97/02/21	FOIA		9703030300	9703030281	97/02/20	50-311	U
9703030107	9703030102	97/02/24	50-454	P	9703030302	9703030187	97/02/26	50-272	P
9703030109	9703030020	97/02/21	FOIA		9703030303	9703030020	97/02/21	FOIA	
9703030113	9703030099	97/02/18	50-456	Q	9703030304	9703030019	97/02/20	FOIA	
9703030114	9703030019	97/02/20	FOIA		9703030307	9703030284	97/02/19	50-315	Q
9703030117	9703030112	97/02/20	50-255	Q	9703030309	9703030281	97/02/20	50-272	U
9703030118	9703030094	97/02/20	50-263	Q	9703030311	9703030308	97/02/26	FOIA	
9703030120	9703030111	97/02/26	50-482	Q	9703030312	9703030019	97/02/20	FOIA	
9703030121	9703030112	97/02/20	50-255	Q	9703030313	9703030020	97/02/21	FOIA	
9703030122	9703030103	97/02/24	40-8681		9703030314	9703030284	97/02/19	50-315	Q
9703030123	9703030110	97/01/23	50-255	G	9703030315	9703030020	97/02/21	FOIA	
9703030124	9703030019	97/02/20	FOIA		9703030317	9703030310	97/02/26	50-272	F
9703030125	9703030094	97/02/20	50-263	Q	9703030318	9703030187	97/02/26	FOIA	
9703030130	9703030020	97/02/21	FOIA		9703030319	9703030019	97/02/20	FOIA	
9703030133	9703030110	97/01/23	50-255	G	9703030320	9703030020	97/02/21	FOIA	
9703030135	9703030020	97/02/21	FOIA		9703030322	9703030019	97/02/20	FOIA	
9703030139	9703030019	97/02/20	FOIA		9703030325	9703030324	97/02/27	40-8681	
9703030140	9703030019	97/02/20	FOIA		9703030338	9703030019	97/02/20	FOIA	
9703030144	9703030099	97/02/18	50-456	Q	9703030339	9703030019	97/02/20	FOIA	
9703030146	9703030020	97/02/21	FOIA		9703030340	9703030019	97/02/20	FOIA	
9703030151	9703030020	97/02/21	FOIA		9703030344	9703030019	97/02/20	FOIA	
9703030154	9703030137	97/02/21	40-8902		9703030345	9703030019	97/02/20	FOIA	
9703030155	9703030145	97/02/23	50-305	Q	9703030348	9703030019	97/02/20	FOIA	
9703030158	9703030145	97/02/23	50-305	Q	9703030353	9703030019	97/02/20	FOIA	
9703030161	9703030020	97/02/21	FOIA		9703030357	9703030019	97/02/20	FOIA	
9703030163	9703030019	97/02/20	FOIA		9703030362	9703030358	97/02/28	71-832	
9703030164	9703030160	97/02/24	50-341	Q	9703030390	9703030382	97/02/24	50-443	P
9703030166	9703030020	97/02/21	FOIA		9703030392	9703030382	97/02/24	50-443	P
9703030167	9703030138	97/02/26	50-254	R	9703030398	9703030019	97/02/20	FOIA	
9703030168	9703030110	97/01/23	50-255	G	9703030399	9703030019	97/02/20	FOIA	
9703030173	9703030160	97/02/24	50-341	Q	9703030401	9703030019	97/02/20	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703030404	9703030019	97/02/20	FOIA		9703040074	9703040070	97/02/24	50-348	P
9703030405	9703030019	97/02/20	FOIA		9703040080	9703040072	97/02/28	50-213	Q
9703030408	9703030005	97/02/25	FOIA		9703040083	9703030019	97/02/20	FOIA	
9703030410	9703030019	97/02/20	FOIA		9703040085	9703030019	97/02/20	FOIA	
9703030411	9703030509	97/02/25	50-83	V	9703040089	9703030019	97/02/20	FOIA	
9703030412	9703030019	97/02/20	FOIA		9703040095	9703030005	97/02/25	FOIA	
9703030414	9703030406	97/02/27	QA999		9703040098	9703030019	97/02/20	FOIA	
9703030416	9703030019	97/02/20	FOIA		9703040100	9703030019	97/02/20	FOIA	
9703030417	9703030019	97/02/20	FOIA		9703040102	9703040097	97/02/26	TOPREP	
9703030421	9703030063	97/02/21	50-341	Q	9703040103	9703040091	97/02/20	50-528	S
9703030422	9703030019	97/02/20	FOIA		9703040104	9703030019	97/02/20	FOIA	
9703030424	9703030409	97/02/27	XPORTLIC		9703040106	9703030019	97/02/20	FOIA	
9703030427	9703030019	97/02/20	FOIA		9703040109	9703030019	97/02/20	FOIA	
9703030430	9703030005	97/02/25	FOIA		9703040112	9703030005	97/02/25	FOIA	
9703030433	9703030019	97/02/20	FOIA		9703040116	9703030019	97/02/20	FOIA	
9703030437	9703030407	97/02/21	FOIA		9703040120	9703030019	97/02/20	FOIA	
9703030438	9703030019	97/02/20	FOIA		9703040128	9703030019	97/02/20	FOIA	
9703030439	9703030019	97/02/20	FOIA		9703040130	9703040126	97/02/14	50-275	P
9703030441	9703030425	97/02/25	50-387	P	9703040132	9703040126	97/02/14	50-275	P
9703030443	9703030425	97/02/25	50-387	P	9703040133	9703040127	97/02/21	50-362	P
9703030446	9703030019	97/02/20	FOIA		9703040134	9703030005	97/02/25	FOIA	
9703030447	9703030019	97/02/20	FOIA		9703040135	9703030019	97/02/20	FOIA	
9703030449	9703030019	97/02/20	FOIA		9703040139	9703030019	97/02/20	FOIA	
9703030450	9703030019	97/02/20	FOIA		9703040143	9703030019	97/02/20	FOIA	
9703030451	9703030407	97/02/21	FOIA		9703040145	9703030019	97/02/20	FOIA	
9703030453	9703030005	97/02/25	FOIA		9703040148	9703030019	97/02/20	FOIA	
9703030456	9703030407	97/02/21	FOIA		9703040149	9703040146	97/02/10	50-277	Q
9703030457	9703030005	97/02/25	FOIA		9703040150	9703030019	97/02/20	FOIA	
9703030458	9703030455	97/02/25	50-298	Q	9703040152	9703030019	97/02/20	FOIA	
9703030462	9703030019	97/02/20	FOIA		9703040153	9703030019	97/02/20	FOIA	
9703030463	9703030019	97/02/20	FOIA		9703040154	9703040146	97/02/10	50-277	Q
9703030464	9703030019	97/02/20	FOIA		9703040155	9703030019	97/02/20	FOIA	
9703030465	9703030019	97/02/20	FOIA		9703040156	9703030019	97/02/20	FOIA	
9703030466	9703030019	97/02/20	FOIA		9703040158	9703030019	97/02/20	FOIA	
9703030467	9703030019	97/02/20	FOIA		9703040159	9703040123	97/02/28	50-272	R
9703030468	9703030019	97/02/20	FOIA		9703040160	9703030019	97/02/20	FOIA	
9703030470	9703030019	97/02/20	FOIA		9703040163	9703030005	97/02/25	FOIA	
9703030473	9703030019	97/02/20	FOIA		9703040165	9703030005	97/02/25	FOIA	
9703030474	9703030472	97/02/21	52-3		9703040167	9703030005	97/02/25	FOIA	
9703030475	9703030455	97/02/25	50-298	Q	9703040168	9703030019	97/02/20	FOIA	
9703030477	9703030019	97/02/20	FOIA		9703040169	9703040166	97/02/18	50-400	P
9703030480	9703030019	97/02/20	FOIA		9703040170	9703030019	97/02/20	FOIA	
9703030484	9703030019	97/02/20	FOIA		9703040171	9703030019	97/02/20	FOIA	
9703030486	9703030019	97/02/20	FOIA		9703040174	9703030019	97/02/20	FOIA	
9703030497	9703030490	97/02/21	50-286	S	9703040175	9703030005	97/02/25	FOIA	
9703030504	9703030499	97/02/26	50-388	P	9703040176	9703030019	97/02/20	FOIA	
9703030515	9703030513	97/02/26	50-443	P	9703040179	9703030019	97/02/20	FOIA	
9703030516	9703030019	97/02/20	FOIA		9703040180	9703030019	97/02/20	FOIA	
9703030523	9703030019	97/02/20	FOIA		9703040181	9703030019	97/02/20	FOIA	
9703030528	9703030019	97/02/20	FOIA		9703040183	9703030019	97/02/20	FOIA	
9703030530	9703030019	97/02/20	FOIA		9703040187	9703030019	97/02/20	FOIA	
9703030534	9703030019	97/02/20	FOIA		9703040193	9703030019	97/02/20	FOIA	
9703030535	9703030019	97/02/20	FOIA		9703040195	9703040190	97/02/24	STATE PRO	G
9703030536	9703030019	97/02/20	FOIA		9703040198	9703040191	97/02/18	50-269	P
9703040002	9703030485	97/02/04	70-7002		9703040199	9703030019	97/02/20	FOIA	
9703040003	9703030005	97/02/25	FOIA		9703040204	9703030005	97/02/25	FOIA	
9703040006	9703040005	97/02/24	50-315	P	9703040205	9703030019	97/02/20	FOIA	
9703040008	9703030019	97/02/20	FOIA		9703040206	9703030019	97/02/20	FOIA	
9703040009	9703030005	97/02/25	FOIA		9703040210	9703040201	97/02/24	50-348	P
9703040010	9703030019	97/02/20	FOIA		9703040212	9703040190	97/02/24	STATE PRO	G
9703040012	9703030019	97/02/20	FOIA		9703040213	9703030019	97/02/20	FOIA	
9703040013	9703030005	97/02/25	FOIA		9703040216	9703040203	97/02/25	50-353	P
9703040014	9703030019	97/02/20	FOIA		9703040218	9703040208	97/02/21	50-338	Q
9703040015	9703030019	97/02/20	FOIA		9703040221	9703040209	97/02/24	50-250	P
9703040016	9703030005	97/02/25	FOIA		9703040222	9703040207	97/02/21	50-302	Q
9703040017	9703030019	97/02/20	FOIA		9703040224	9703040202	97/02/24	50-269	P
9703040018	9703030019	97/02/20	FOIA		9703040226	9703030019	97/02/20	FOIA	
9703040019	9703030005	97/02/25	FOIA		9703040228	9703030019	97/02/20	FOIA	
9703040021	9703030019	97/02/20	FOIA		9703040230	9703040219	97/02/21	50-423	S
9703040022	9703030019	97/02/20	FOIA		9703040235	9703030019	97/02/20	FOIA	
9703040023	9703030005	97/02/25	FOIA		9703040236	9703040225	97/02/24	50-280	Q
9703040024	9703040020	97/02/26	50-272	R	9703040243	9703040238	97/02/26	50-286	P
9703040025	9703030005	97/02/25	FOIA		9703040246	9703040242	97/02/25	50-324	P
9703040026	9703030019	97/02/20	FOIA		9703040247	9703030019	97/02/20	FOIA	
9703040028	9703030005	97/02/25	FOIA		9703040248	9703040245	97/02/21	50-400	P
9703040031	9703030019	97/02/20	FOIA		9703040256	9703030019	97/02/20	FOIA	
9703040032	9703030005	97/02/25	FOIA		9703040257	9703030019	97/02/20	FOIA	
9703040033	9703030019	97/02/20	FOIA		9703040261	9703030019	97/02/20	FOIA	
9703040034	9703030019	97/02/20	FOIA		9703040264	9703030019	97/02/20	FOIA	
9703040036	9703030019	97/02/20	FOIA		9703040267	9703030019	97/02/20	FOIA	
9703040040	9703040035	97/02/24	50-275	P	9703040272	9703030019	97/02/20	FOIA	
9703040043	9703030019	97/02/20	FOIA		9703040276	9703030019	97/02/20	FOIA	
9703040047	9703040044	97/02/25	50-416	Q	9703040278	9703040273	97/02/28	50-352	R
9703040050	9703030019	97/02/20	FOIA		9703040286	9703040273	97/02/28	50-352	R
9703040058	9703030019	97/02/20	FOIA		9703040295	9703030019	97/02/20	FOIA	
9703040059	9703040054	97/02/24	50-482	Q	9703040302	9703030019	97/02/20	FOIA	
9703040063	9703040056	97/02/28	40-6622		9703040303	9703030019	97/02/20	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703040304	9702260014	97/02/18	FOIA		9703050171	9703050148	97/02/25	50-275	P
9703040308	9703030019	97/02/20	FOIA		9703050174	9703030019	97/02/20	FOIA	
9703040310	9703030019	97/02/20	FOIA		9703050175	9703030019	97/02/20	FOIA	
9703040313	9703030019	97/02/20	FOIA		9703050180	9703050167	97/02/25	50-237	S
9703040314	9703030019	97/02/20	FOIA		9703050181	9703030019	97/02/20	FOIA	
9703040315	9703040225	97/02/24	50-280	Q	9703050184	9703030019	97/02/20	FOIA	
9703040316	9702260014	97/02/18	40-*****		9703050189	9703030019	97/02/20	FOIA	
9703040318	9703030019	97/02/20	FOIA		9703050201	9703050194	97/02/25	50-346	Q
9703040319	9703030019	97/02/20	FOIA		9703050208	9703050194	97/02/25	50-346	Q
9703040326	9703030019	97/02/20	FOIA		9703050209	9703030019	97/02/20	FOIA	
9703040327	9703030019	97/02/20	FOIA		9703050216	9703030019	97/02/20	FOIA	
9703040330	9703030019	97/02/20	FOIA		9703050219	9703050177	97/01/17	NUREG	
9703040334	9703030019	97/02/20	FOIA		9703050223	9703050217	97/02/27	50-334	P
9703040335	9703030019	97/02/20	FOIA		9703050224	9703050215	97/02/25	50-282	Q
9703040339	9703040331	97/02/28	50-29	R	9703050226	9703030005	97/02/25	FOIA	
9703040340	9703040333	97/02/24	50-424	Q	9703050227	9703050215	97/02/25	50-282	Q
9703040342	9703030019	97/02/20	FOIA		9703050229	9703050177	97/01/17	NUREG	
9703040343	9703030019	97/02/20	FOIA		9703050233	9703030005	97/02/25	FOIA	
9703040344	9702260014	97/02/18	40-*****		9703050234	9703050217	97/02/27	50-334	P
9703040345	9703030005	97/02/25	FOIA		9703050236	9703050177	97/01/17	NUREG	
9703040346	9703040325	97/02/14	50-348	P	9703050237	9703050228	97/02/26	50-286	P
9703040349	9703030019	97/02/20	FOIA		9703050239	9703050177	97/01/17	NUREG	
9703040351	9702260014	97/02/18	FOIA		9703050241	9703050228	97/02/26	50-286	P
9703040353	9703030019	97/02/20	FOIA		9703050244	9703030019	97/02/20	FOIA	
9703040354	9703030019	97/02/20	FOIA		9703050247	9703050177	97/01/17	NUREG	
9703040358	9703030019	97/02/20	FOIA		9703050250	9703050238	97/02/24	50-155	Q
9703040365	9703040363	97/02/13	50-423	S	9703050251	9703050245	97/02/25	50-261	R
9703040366	9703030019	97/02/20	FOIA		9703050252	9703050238	97/02/24	50-155	Q
9703040367	9703040325	97/02/14	50-348	P	9703050254	9703050177	97/01/17	NUREG	
9703040371	9703040370	97/02/24	50-335	R	9703050260	9703050177	97/01/17	NUREG	
9703040372	9703030019	97/02/20	FOIA		9703050262	9703050177	97/01/17	70-938	
9703040373	9703040325	97/02/14	50-348	P	9703050266	9703050261	97/02/28	40-3453	
9703040375	9703030019	97/02/20	FOIA		9703050269	9703050261	97/02/28	40-3453	
9703040376	9703040370	97/02/24	50-335	R	9703050270	9703050177	97/01/17	70-938	
9703040384	9703030019	97/02/20	FOIA		9703050271	9703050177	97/01/17	NUREG	
9703040385	9703030019	97/02/20	FOIA		9703050273	9703050177	97/01/17	NUREG	
9703040387	9703040382	97/02/26	71-9234		9703050275	9703050177	97/01/17	NUREG	
9703040388	9703030019	97/02/20	FOIA		9703050276	9703050272	97/02/21	50-220	Q
9703040392	9703040377	97/02/28	50-245	S	9703050278	9703050272	97/02/21	50-220	Q
9703040393	9703040391	97/02/27	50-400	P	9703050279	9703050177	97/01/17	NUREG	
9703040400	9703030019	97/02/20	FOIA		9703050280	9703050177	97/01/17	NUREG	
9703040401	9703030019	97/02/20	FOIA		9703050281	9703050177	97/01/17	NUREG	
9703040402	9703030019	97/02/20	FOIA		9703050282	9703050177	97/01/17	NUREG	
9703040403	9703030019	97/02/20	FOIA		9703050284	9703050177	97/01/17	NUREG	
9703050018	9703050033	97/02/28	50-333	R	9703050285	9703050177	97/01/17	NUREG	
9703050019	9703050033	97/02/28	50-333	R	9703050286	9703030019	97/02/20	FOIA	
9703050027	9703050024	97/02/27	40-6659		9703050287	9703030005	97/02/25	FOIA	
9703050030	9703050024	97/02/27	40-6659		9703050290	9703050177	97/01/17	NUREG	
9703050034	9703050024	97/02/27	40-6659		9703050291	9703030005	97/02/25	FOIA	
9703050041	9703030019	97/02/20	FOIA		9703050292	9703050177	97/01/17	NUREG	
9703050048	9703030019	97/02/20	FOIA		9703050294	9703030005	97/02/25	FOIA	
9703050049	9703050046	97/02/25	50-352	P	9703050297	9703030005	97/02/25	FOIA	
9703050056	9703030019	97/02/20	FOIA		9703050304	9703030005	97/02/25	FOIA	
9703050057	9703050047	97/02/27	50-454	Q	9703050306	9703030005	97/02/25	FOIA	
9703050058	9703050052	97/02/27	50-461	Q	9703050312	9703050310	97/02/28	40-3453	
9703050068	9703030019	97/02/20	FOIA		9703050313	9703050177	97/01/17	NUREG	
9703050071	9703050062	97/02/24	70-968		9703050316	9703050177	97/01/17	NUREG	
9703050077	9703030019	97/02/20	FOIA		9703050320	9703030019	97/02/20	FOIA	
9703050085	9703030019	97/02/20	FOIA		9703050321	9703050177	97/01/17	NUREG	
9703050089	9703030019	97/02/20	FOIA		9703050324	9703030005	97/02/25	FOIA	
9703050093	9703050084	97/02/25	40-7982		9703050325	9703050323	97/01/02	I&E	
9703050094	9703030019	97/02/20	FOIA		9703050327	9703030019	97/02/20	FOIA	
9703050098	9703030019	97/02/20	FOIA		9703050330	9703050177	97/01/17	NUREG	
9703050102	9703030019	97/02/20	FOIA		9703050332	9703030019	97/02/20	FOIA	
9703050104	9703050101	97/02/26	50-293	R	9703050333	9703030005	97/02/25	FOIA	
9703050105	9703030019	97/02/20	FOIA		9703050338	9703030019	97/02/20	FOIA	
9703050109	9703030019	97/02/20	FOIA		9703050339	9703050177	97/01/17	NUREG	
9703050112	9703030019	97/02/20	FOIA		9703050341	9703030005	97/02/25	FOIA	
9703050116	9703030019	97/02/20	FOIA		9703050342	9703050177	97/01/17	NUREG	
9703050119	9703030019	97/02/20	FOIA		9703050347	9703050177	97/01/17	NUREG	
9703050125	9703050121	97/02/24	50-413	Q	9703050348	9703030005	97/02/25	FOIA	
9703050128	9703030019	97/02/20	FOIA		9703050349	9703030019	97/02/20	FOIA	
9703050131	9703030019	97/02/20	FOIA		9703050350	9703050177	97/01/17	NUREG	
9703050140	9703030019	97/02/20	FOIA		9703050352	9703050177	97/01/17	NUREG	
9703050142	9703030019	97/02/20	FOIA		9703050355	9703050177	97/01/17	NUREG	
9703050147	9703030019	97/02/20	FOIA		9703050358	9703050177	97/01/17	NUREG	
9703050149	9703050143	97/02/26	50-368	P	9703050361	9703030005	97/02/25	FOIA	
9703050151	9703050143	97/02/26	50-368	P	9703050364	9703030005	97/02/25	FOIA	
9703050153	9703050143	97/02/26	50-368	P	9703050370	9703030005	97/02/25	FOIA	
9703050155	9703050145	97/02/24	70-698		9703050371	9703050177	97/01/17	NUREG	
9703050156	9703050143	97/02/26	50-368	P	9703050372	9703030005	97/02/25	FOIA	
9703050157	9703030019	97/02/20	FOIA		9703050377	9703030005	97/02/25	FOIA	
9703050158	9703050143	97/02/26	50-368	P	9703050380	9703030005	97/02/25	FOIA	
9703050159	9703050177	97/01/17	NUREG		9703050381	9703030005	97/02/25	FOIA	
9703050160	9703030019	97/02/20	FOIA		9703050385	9703050177	97/01/17	NUREG	
9703050161	9703050148	97/02/25	50-275	P	9703050394	9703030005	97/02/25	FOIA	
9703050165	9703030019	97/02/20	FOIA		9703050398	9703030005	97/02/25	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703050401	9703030005	97/02/25	FOIA		9703060345	9703060310	97/03/04	50-237	P
9703050404	9703030005	97/02/25	FOIA		9703060352	9703060310	97/03/04	50-237	P
9703050406	9703050177	97/01/17	NUREG		9703060354	9703050177	97/01/17	NUREG	
9703050413	9703050403	97/03/04	70-1201		9703060359	9703050177	97/01/17	NUREG	
9703050424	9703050418	97/02/26	50-528	Q	9703060366	9703060360	97/02/24	71-9261	
9703050436	9703050177	97/01/17	NUREG		9703060372	9703060365	97/02/28	50-387	P
9703050442	9703050423	97/02/27	50-10	W	9703060374	9703060369	97/03/05	70-7001	
9703050462	9703050177	97/01/17	NUREG		9703060375	9703030019	97/02/20	FOIA	
9703050469	9703050458	97/02/24	50-254	S	9703060376	9703060370	97/02/24	72-1008	
9703050470	9703050177	97/01/17	NUREG		9703060383	9703060381	97/02/21	70-364	
9703050475	9703050177	97/01/17	NUREG		9703060384	9703060382	97/02/28	ORG	
9703050479	9703050177	97/01/17	NUREG		9703060389	9703060387	97/02/28	50-213	S
9703050484	9703050481	97/02/18	STATE PRO	G	9703060390	9703060368	97/02/10	TOPREP	
9703050489	9703050481	97/02/18	STATE PRO	G	9703060391	9703030019	97/02/20	FOIA	
9703050492	9703050480	97/02/27	50-315	P	9703060393	9703030019	97/02/20	FOIA	
9703050497	9703050480	97/02/27	50-315	P	9703060394	9703060368	97/02/10	TOPREP	
9703050499	9703050496	97/02/26	50-247	P	9703060399	9703060396	97/03/03	50-261	F
9703050503	9703050177	97/01/17	NUREG		9703060404	9703060396	97/03/03	50-261	F
9703050504	9703050501	97/02/28	50-309	H	9703060410	9703070007	97/02/28	50-29	R
9703050505	9703050482	97/02/25	TOPREP		9703060416	9703070007	97/02/28	50-29	R
9703050507	9703050177	97/01/17	NUREG		9703060424	9703060402	97/03/04	52-3	
9703050515	9703050177	97/01/17	NUREG		9703060432	9703060429	97/03/03	50-213	V
9703050517	9703050177	97/01/17	NUREG		9703060438	9703060437	97/02/21	70-3085	
9703060017	9703060012	97/02/24	WASTE MGT		9703060442	9703060440	97/02/27	50-266	Q
9703060036	9703060029	97/02/12	NUREG		9703060443	9703060440	97/02/27	50-266	Q
9703060044	9703060039	97/02/26	STATE PRO	G	9703060444	9703060441	97/02/26	50-275	P
9703060060	9703050513	97/02/24	52-3		9703060446	9703060441	97/02/26	50-275	P
9703060065	9703060062	97/02/27	50-267	Y	9703060450	9703060449	97/02/11	40-8584	
9703060085	9703050177	97/01/17	NUREG		9703060451	9703060449	97/02/11	40-8584	
9703060107	9703060099	97/02/28	50-445	Q	9703060454	9703060445	97/03/03	50-528	V
9703060113	9703060106	97/03/03	50-458	Q	9703070011	9703060445	97/03/03	50-528	V
9703060120	9703060096	97/03/03	50-361	Q	9703070026	9703070022	97/02/28	50-267	R
9703060123	9703060119	97/02/28	50-483	Q	9703070031	9703070025	97/02/28	40-8681	
9703060126	9703060098	97/03/03	50-245	S	9703070032	9703070030	97/03/03	40-8681	
9703060127	9703060119	97/02/28	50-483	Q	9703070033	9703070027	96/08/22	50-528	V
9703060128	9703060102	97/01/30	WASTE MGT		9703070036	9703070025	97/02/28	40-8681	
9703060130	9703060125	97/02/24	50-254	P	9703070038	9703070037	97/03/05	50-237	P
9703060150	9703060141	97/03/03	50-482	Q	9703070039	9703070025	97/02/28	40-8681	
9703060152	9703060146	97/02/20	WASTE MGT		9703070041	9703070040	97/02/27	WASTE MGT	
9703060157	9703060138	97/03/03	50-245	S	9703070052	9703070051	97/02/27	50-269	P
9703060162	9703060153	97/02/11	STATE PRO	G	9703070054	9703070048	97/03/03	52-3	
9703060165	9703060158	97/02/28	50-348	P	9703070063	9703070048	97/03/03	52-3	
9703060174	9703060166	97/01/28	WASTE MGT		9703070069	9703060293	97/02/28	50-237	P
9703060186	9703060185	97/02/28	50-298	Q	9703070078	9703070073	97/03/04	QA999	
9703060190	9703060185	97/02/28	50-298	Q	9703070080	9703070073	97/03/04	QA999	
9703060194	9703060171	97/03/03	50-245	S	9703070082	9703070073	97/03/04	QA999	
9703060203	9703060199	97/02/28	50-285	Q	9703070090	9703070086	97/03/04	50-348	P
9703060212	9703060191	97/02/28	52-3		9703070119	9703070114	97/03/04	50-298	Q
9703060215	9703060192	97/02/28	50-298	Q	9703070124	9703070114	97/03/04	50-298	Q
9703060220	9703060218	97/02/28	50-309	H	9703070125	9703070117	97/03/03	50-271	P
9703060223	9703050177	97/01/17	NUREG		9703070131	9703070117	97/03/03	50-271	P
9703060225	9703050177	97/01/17	NUREG		9703070134	9703070132	97/03/03	50-336	S
9703060226	9703060205	97/03/03	50-245	S	9703070135	9703070133	97/02/27	50-317	Q
9703060227	9703050177	97/01/17	NUREG		9703070136	9703070133	97/02/27	50-317	Q
9703060228	9703050177	97/01/17	NUREG		9703070147	9703070145	97/02/27	50-275	P
9703060236	9703050177	97/01/17	NUREG		9703070151	9703070149	97/03/03	50-445	Q
9703060237	9703060231	97/02/28	STATE PRO	G	9703070154	9703070148	97/03/04	50-382	P
9703060240	9703060234	97/02/26	STATE PRO	G	9703070156	9703070152	97/03/05	50-220	P
9703060242	9703060233	97/02/21	40-3392		9703070175	9703070167	97/02/24	50-245	Q
9703060244	9703050177	97/01/17	NUREG		9703070182	9703070177	97/02/28	50-220	R
9703060249	9703060243	97/02/28	50-483	Q	9703070183	9703070167	97/02/24	50-245	Q
9703060250	9703050177	97/01/17	NUREG		9703070196	9703070190	97/02/28	50-423	S
9703060252	9703060245	97/02/28	XPORTLIC		9703070202	9703070200	97/02/28	50-423	S
9703060255	9703060251	97/02/28	50-313	Q	9703100012	9703100009	97/02/28	50-423	S
9703060257	9703050177	97/01/17	NUREG		9703100019	9703100016	97/03/04	40-8905	
9703060258	9703060256	97/02/19	50-397	P	9703100022	9703100010	97/02/28	50-423	S
9703060260	9703060251	97/02/28	50-313	Q	9703100024	9703100014	97/03/05	50-293	P
9703060262	9703060256	97/02/19	50-397	P	9703100025	9703100021	97/03/05	FOIA	
9703060264	9703050177	97/01/17	NUREG		9703100028	9703100018	97/02/28	50-335	G
9703060268	9703050177	97/01/17	NUREG		9703100029	9703100018	97/02/28	50-387	G
9703060273	9703060272	97/02/28	50-335	P	9703100030	9703100014	97/03/05	FOIA	
9703060276	9703050177	97/01/17	NUREG		9703100032	9703100015	97/03/01	FOIA	
9703060283	9703060282	97/02/27	40-8903		9703100033	9703100014	97/03/05	50-293	P
9703060285	9703050177	97/01/17	NUREG		9703100034	9703100018	97/02/28	50-413	G
9703060287	9703050177	97/01/17	NUREG		9703100038	9703100036	97/03/04	50-255	G
9703060291	9703050177	97/01/17	NUREG		9703100039	9703100018	97/02/28	FOIA	
9703060297	9703060293	97/02/28	50-237	P	9703100040	9703100035	97/03/05	50-443	P
9703060298	9703060293	97/02/28	50-237	P	9703100042	9703100027	97/03/03	50-302	S
9703060299	9703050177	97/01/17	NUREG		9703100043	9703100037	97/02/28	FOIA	
9703060304	9703060300	97/02/28	50-309	H	9703100044	9703100021	97/03/05	FOIA	
9703060309	9703060307	97/03/03	50-220	P	9703100045	9703100035	97/03/05	FOIA	
9703060317	9703050177	97/01/17	NUREG		9703100047	9703100037	97/02/28	FOIA	
9703060318	9703050177	97/01/17	NUREG		9703100048	9703100018	97/02/28	50-285	G
9703060324	9703060312	97/03/03	50-220	Q	9703100049	9703100035	97/03/05	FOIA	
9703060330	9703050177	97/01/17	NUREG		9703100050	9703100041	97/03/05	50-335	P
9703060334	9703060310	97/03/04	50-237	P	9703100052	9703100031	97/03/05	FOIA	
9703060335	9703050177	97/01/17	NUREG		9703100053	9703100035	97/03/05	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703100055	9703100037	97/02/28	FOIA		9703100270	9703100015	97/03/01	FOIA	
9703100057	9703100036	97/03/04	50-255	G	9703100279	9703100275	97/02/28	50-10	W
9703100058	9703100051	97/02/28	FOIA		9703100283	9703100280	97/02/25	50-213	Q
9703100059	9703100015	97/03/01	50-261	P	9703100288	9703110003	97/02/28	50-397	R
9703100060	9703100018	97/02/28	50-250	G	9703100289	9703110003	97/02/28	50-397	R
9703100061	9703100056	97/02/26	50-483	R	9703100292	9703050177	97/01/17	NUREG	
9703100063	9703100021	97/03/05	FOIA		9703110005	9703110004	97/03/03	50-259	R
9703100064	9703100035	97/03/05	FOIA		9703110011	9703110010	97/03/05	50-309	P
9703100066	9703100018	97/02/28	50-250	P	9703110021	9703110018	97/03/04	50-263	P
9703100067	9703100035	97/03/05	FOIA		9703110023	9703110018	97/03/04	50-263	P
9703100068	9703100051	97/02/28	FOIA		9703110038	9703110031	97/03/03	71-*****	
9703100070	9703100021	97/03/05	FOIA		9703110041	9703110027	97/02/05	70-1257	
9703100072	9703100018	97/02/28	50-335	P	9703110043	9703110032	97/03/05	50-271	Q
9703100074	9703100015	97/03/01	FOIA		9703110055	9703110033	97/02/21	50-413	Q
9703100076	9703100018	97/02/28	50-335	H	9703110062	9703110047	97/02/28	50-443	F
9703100077	9703100021	97/03/05	FOIA		9703110065	9703110058	97/02/26	71-*****	
9703100079	9703100078	97/02/28	50-315	R	9703110071	9703110056	96/12/17	40-8989	
9703100081	9703100018	97/02/28	50-213	W	9703110077	9703110047	97/02/28	50-443	F
9703100082	9703100080	97/02/28	50-263	R	9703110091	9703110090	97/02/27	50-412	Q
9703100084	9703100080	97/02/28	50-263	R	9703110094	9703110092	97/03/04	50-333	Q
9703100085	9703100080	97/02/28	50-263	R	9703110099	9703110095	97/03/04	TOPREP	
9703100086	9703100018	97/02/28	50-250	P	9703110101	9703110097	97/03/04	WASTE MGT	
9703100087	9703100018	97/02/28	FOIA		9703110108	9703110105	97/03/04	50-289	S
9703100089	9703100041	97/03/05	50-335	P	9703110112	9703110105	97/03/04	50-289	S
9703100090	9703100041	97/03/05	50-335	P	9703110113	9703110110	97/02/27	71-9145	
9703100095	9703100041	97/03/05	FOIA		9703110124	9703110118	97/03/02	27-47	
9703100099	9703100096	97/03/05	CONTRACT		9703110129	9703110120	97/02/28	50-261	Q
9703100100	9703100041	97/03/05	FOIA		9703110142	9703110128	97/03/03	50-361	S
9703100103	9703100041	97/03/05	FOIA		9703110145	9703110130	97/03/06	50-317	P
9703100104	9703100096	97/03/05	CONTRACT		9703110146	9703110139	97/02/27	50-335	Q
9703100105	9703100021	97/03/05	FOIA		9703110154	9703110148	97/03/06	50-397	Q
9703100107	9703100102	97/02/28	50-454	P	9703110180	9703100031	97/03/05	FOIA	
9703100109	9703100096	97/03/05	CONTRACT		9703110187	9703110184	97/03/07	50-445	Q
9703100114	9703100096	97/03/05	CONTRACT		9703110191	9703110184	97/03/07	50-445	Q
9703100116	9703100096	97/03/05	CONTRACT		9703110192	9703110189	97/03/06	50-346	Q
9703100119	9703100096	97/03/05	CONTRACT		9703110193	9703110189	97/03/06	50-346	Q
9703100123	9703100021	97/03/05	FOIA		9703110196	9703110190	97/03/07	FOIA	
9703100124	9703100096	97/03/05	CONTRACT		9703110197	9703110195	97/03/05	50-354	P
9703100127	9703100096	97/03/05	CONTRACT		9703110203	9703110171	96/11/21	50-528	Q
9703100129	9703100096	97/03/05	CONTRACT		9703110205	9703110158	97/03/07	TOPREP	
9703100131	9703050177	97/01/17	NUREG		9703110210	9703110034	97/03/05	50-237	P
9703100134	9703100021	97/03/05	FOIA		9703110219	9703110218	97/03/07	50-366	P
9703100138	9703100015	97/03/01	FOIA		9703110222	9703110215	97/03/06	70-734	
9703100141	9703100121	97/02/26	50-483	P	9703110225	9703110215	97/03/06	70-734	
9703100149	9703100121	97/02/26	50-483	P	9703110228	9703110226	97/02/26	50-390	Q
9703100151	9703100121	97/02/26	50-483	P	9703110230	9703110227	97/03/05	50-445	Q
9703100154	9703100144	97/03/06	50-369	P	9703110232	9703110227	97/03/05	50-445	Q
9703100156	9703100015	97/03/01	FOIA		9703110233	9703110231	97/03/07	WASTE MGT	
9703100182	9703100168	97/03/05	50-382	F	9703110236	9703110172	97/03/01	PROJ	
9703100189	9703100187	97/03/05	50-423	S	9703110252	9703110250	97/03/07	FOIA	
9703100192	9703100137	96/12/19	50-482	F	9703110258	9703110257	97/03/06	50-352	Q
9703100193	9703100083	97/03/05	FOIA		9703110260	9703110257	97/03/06	50-352	Q
9703100195	9703100194	97/02/28	50-267	Q	9703110266	9703110265	97/03/06	50-245	H
9703100196	9703100194	97/02/28	50-267	Q	9703110269	9703110265	97/03/06	50-245	H
9703100198	9703100083	97/03/05	FOIA		9703110270	9703110265	97/03/06	ORG	
9703100199	9703100194	97/02/28	50-267	Q	9703110272	9703110265	97/03/06	50-213	H
9703100200	9703100194	97/02/28	50-267	Q	9703110281	9703110277	97/03/03	PROJ	
9703100201	9703100194	97/02/28	50-267	Q	9703110287	9703110284	97/03/05	50-301	F
9703100202	9703100197	97/02/28	50-156	Q	9703110288	9703110283	97/03/07	70-1257	
9703100203	9703100190	97/03/05	50-423	S	9703110289	9703110276	97/03/10	TOPREP	
9703100204	9703100194	97/02/28	50-267	Q	9703110297	9703110265	97/03/06	50-245	H
9703100205	9703100194	97/02/28	50-267	Q	9703110301	9703110296	97/02/27	70-1113	
9703100206	9703100015	97/03/01	FOIA		9703110303	9703110265	97/03/06	50-309	H
9703100208	9703100083	97/03/05	FOIA		9703110304	9703110302	97/03/06	50-266	R
9703100209	9703100194	97/02/28	50-267	Q	9703110305	9703110302	97/03/06	50-266	R
9703100211	9703100194	97/02/28	50-267	Q	9703110306	9703110265	97/03/06	50-245	G
9703100212	9703100083	97/03/05	FOIA		9703110307	9703110265	97/03/06	50-213	H
9703100213	9703100194	97/02/28	50-267	Q	9703110309	9703110265	97/03/06	50-309	H
9703100214	9703100083	97/03/05	FOIA		9703120004	9703120003	97/03/06	ORG	
9703100215	9703100015	97/03/01	FOIA		9703120005	9703110265	97/03/06	50-245	H
9703100216	9703100194	97/02/28	50-267	Q	9703120009	9703120003	97/03/06	ORG	
9703100219	9703100083	97/03/05	FOIA		9703120011	9703120007	97/02/26	50-275	Q
9703100221	9703100194	97/02/28	50-267	Q	9703120015	9703110265	97/03/06	ORG	
9703100225	9703100218	97/03/03	50-354	P	9703120016	9703120010	97/03/07	PROJ	
9703100226	9703050177	97/01/17	NUREG		9703120017	9703120007	97/02/26	50-275	Q
9703100229	9703100194	97/02/28	50-267	Q	9703120018	9703120003	97/03/06	ORG	
9703100232	9703100015	97/03/01	FOIA		9703120022	9703120014	97/03/05	40-2377	
9703100233	9703050177	97/01/17	NUREG		9703120028	9703120003	97/03/06	ORG	
9703100234	9703100230	97/03/04	50-313	P	9703120029	9703120003	97/03/06	ORG	
9703100235	9703100194	97/02/28	50-267	Q	9703120031	9703120025	97/03/05	40-8904	
9703100238	9703100194	97/02/28	50-267	Q	9703120034	9703120025	97/03/05	40-8904	
9703100242	9703100194	97/02/28	50-267	Q	9703120043	9703120042	97/02/27	ORG	
9703100243	9703100240	97/03/06	50-245	P	9703120050	9703110265	97/03/06	50-206	H
9703100250	9703050177	97/01/17	NUREG		9703120061	9703120059	97/03/05	WASTE MGT	
9703100256	9703100253	97/02/28	50-285	R	9703120064	9703120003	97/03/06	ORG	
9703100257	9703100015	97/03/01	FOIA		9703120071	9703120066	97/03/04	50-456	S
9703100265	9703100015	97/03/01	FOIA		9703120072	9703110265	97/03/06	50-245	G

300 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703120073	9703120003	97/03/06	ORG		9703130061	9703130044	97/03/04	50-456	Q
9703120085	9703110265	97/03/06	50-213	H	9703130062	9703130054	97/03/06	70-36	
9703120096	9703110265	97/03/06	50-245	H	9703130065	9703120081	97/03/06	50-335	P
9703120100	9703120003	97/03/06	ORG		9703130067	9703120081	97/03/06	50-335	P
9703120111	9703120106	97/03/05	50-247	Q	9703130068	9703130054	97/03/06	70-36	
9703120119	9703120003	97/03/06	ORG		9703130070	9703130047	97/03/10	50-335	Q
9703120126	9703120116	97/03/06	50-22	Q	9703130073	9703110265	97/03/06	ORG	
9703120132	9703110265	97/03/06	50-245	G	9703130076	9703130063	97/03/04	40-3453	
9703120133	9703120003	97/03/06	ORG		9703130087	9703110265	97/03/06	ORG	
9703120146	9703110265	97/03/06	50-245	G	9703130093	9703120081	97/03/06	50-250	P
9703120147	9703120081	97/03/06	50-335	F	9703130096	9703130082	97/03/07	STATE PRO	G
9703120151	9703120003	97/03/06	ORG		9703130097	9703130085	97/03/06	50-295	Q
9703120154	9703120152	97/03/04	50-166	Q	9703130101	9703110265	97/03/06	ORG	
9703120158	9703120003	97/03/06	ORG		9703130102	9703130094	97/03/05	50-331	Q
9703120161	9703120081	97/03/06	50-335	R	9703130103	9703130082	97/03/07	STATE PRO	G
9703120163	9703120160	97/03/04	WASTE MGT		9703130106	9703130088	97/03/11	72-1023	
9703120166	9703110265	97/03/06	50-213	H	9703130107	9703130099	97/03/06	70-687	
9703120170	9703120165	97/03/07	WASTE MGT		9703130109	9703130098	97/03/04	40-8989	
9703120172	9703120162	97/03/05	71-514		9703130118	9703130088	97/03/11	72-1023	
9703120173	9703120081	97/03/06	50-335	Q	9703130120	9703130113	97/03/07	50-382	Q
9703120174	9703110265	97/03/06	ORG		9703130128	9703130098	97/03/04	40-8989	
9703120175	9703120162	97/03/05	71-514		9703130136	9703130088	97/03/11	72-1023	
9703120176	9703120081	97/03/06	50-335	R	9703130145	9703110265	97/03/06	50-245	H
9703120178	9703110265	97/03/06	ORG		9703130149	9703120081	97/03/06	50-335	P
9703120180	9703120171	97/03/03	50-440	F	9703130154	9703130088	97/03/11	72-1023	
9703120187	9703030019	97/02/20	FOIA		9703130157	9703120081	97/03/06	50-250	P
9703120188	9703120081	97/03/06	50-335	R	9703130158	9703130152	97/03/10	50-482	Q
9703120190	9703120003	97/03/06	ORG		9703130161	9703120081	97/03/06	50-250	P
9703120193	9703120081	97/03/06	50-250	P	9703130163	9703130152	97/03/10	50-482	Q
9703120194	9703120081	97/03/06	50-335	P	9703130165	9703130162	97/03/10	27-47	
9703120197	9703120081	97/03/06	50-250	R	9703130167	9703120081	97/03/06	50-250	P
9703120201	9703110265	97/03/06	ORG		9703130169	9703130160	97/03/05	40-7604	
9703120206	9703120003	97/03/06	ORG		9703130170	9703120081	97/03/06	50-335	P
9703120207	9703110276	97/03/10	TOPREP		9703130171	9703120081	97/03/06	50-250	P
9703120209	9703110265	97/03/06	50-362	H	9703130172	9703110265	97/03/06	50-245	H
9703120217	9703120003	97/03/06	ORG		9703130177	9703110265	97/03/06	50-245	H
9703120218	9703120081	97/03/06	50-302	R	9703130181	9703130160	97/03/05	40-7604	
9703120221	9703030019	97/02/20	FOIA		9703130185	9703120104	97/03/01	50-335	Q
9703120248	9703120003	97/03/06	ORG		9703130187	9703120081	97/03/06	50-335	Q
9703120260	9703120003	97/03/06	ORG		9703130188	9703120081	97/03/06	FOIA	
9703120273	9703120003	97/03/06	ORG		9703130190	9703130166	97/03/07	50-387	P
9703120277	9703120003	97/03/06	ORG		9703130192	9703120081	97/03/06	50-335	P
9703120289	9703120003	97/03/06	ORG		9703130194	9703130191	97/02/26	WASTE MGT	
9703120351	9703120081	97/03/06	50-335	Q	9703130195	9703120081	97/03/06	50-335	Q
9703120357	9703110265	97/03/06	50-309	H	9703130196	9703120081	97/03/06	FOIA	
9703120360	9703120081	97/03/06	50-335	P	9703130201	9703120081	97/03/06	50-335	Q
9703120371	9703120081	97/03/06	50-335	R	9703130202	9703120081	97/03/06	50-335	Q
9703120376	9703110265	97/03/06	50-309	H	9703130206	9703110265	97/03/06	ORG	
9703120385	9703120081	97/03/06	50-335	Q	9703130207	9703120104	97/03/01	50-335	P
9703120386	9703110265	97/03/06	ORG		9703130209	9703120081	97/03/06	50-335	Q
9703120390	9703110265	97/03/06	ORG		9703130211	9703120081	97/03/06	50-335	P
9703120391	9703120383	97/03/06	50-249	S	9703130213	9703120081	97/03/06	50-335	P
9703120395	9703120388	97/03/06	50-317	F	9703130214	9703120081	97/03/06	FOIA	
9703120400	9703120397	97/03/06	50-344	W	9703130215	9703120081	97/03/06	50-335	P
9703120402	9703120397	97/03/06	50-344	W	9703130217	9703110265	97/03/06	50-220	H
9703120409	9703120397	97/03/06	50-344	W	9703130218	9703120081	97/03/06	50-335	P
9703120411	9703120408	97/03/06	50-219	P	9703130219	9703120081	97/03/06	50-335	P
9703120413	9703120408	97/03/06	50-219	P	9703130221	9703110265	97/03/06	ORG	
9703120421	9703120417	97/03/06	40-6659		9703130223	9703110265	97/03/06	ORG	
9703120424	9703120418	97/03/04	50-267	W	9703130224	9703130220	97/03/07	50-250	Q
9703120429	9703120081	97/03/06	50-335	R	9703130226	9703130222	97/03/11	72-1023	
9703120448	9703120445	97/03/07	50-445	P	9703130227	9703110265	97/03/06	ORG	
9703120457	9703120104	97/03/01	50-335	Q	9703130229	9703130220	97/03/07	50-250	Q
9703120458	9703120455	97/03/07	50-368	P	9703130230	9703120081	97/03/06	50-335	P
9703120461	9703120453	97/03/06	50-150	P	9703130231	9703120081	97/03/06	50-335	P
9703120462	9703120453	97/03/06	50-150	P	9703130234	9703120081	97/03/06	50-335	Q
9703120463	9703120455	97/03/07	50-368	P	9703130236	9703120081	97/03/06	50-335	Q
9703120471	9703120468	97/03/06	50-186	P	9703130237	9703120081	97/03/06	50-335	P
9703120472	9703120468	97/03/06	50-186	P	9703130238	9703120081	97/03/06	50-335	Q
9703120474	9703120469	97/02/26	50-237	P	9703130240	9703110265	97/03/06	50-309	H
9703120479	9703120478	97/03/10	50-413	P	9703130241	9703120081	97/03/06	50-335	P
9703130002	9703120339	97/03/05	70-925		9703130242	9703120104	97/03/01	50-389	P
9703130009	9703130007	97/03/05	50-271	P	9703130245	9703120081	97/03/06	FOIA	
9703130011	9703130010	97/03/10	50-296	P	9703130247	9703110265	97/03/06	50-245	H
9703130012	9703120104	97/03/01	50-335	P	9703130252	9703130251	97/03/03	50-282	P
9703130024	9703120104	97/03/01	50-335	P	9703130254	9703120081	97/03/06	50-335	Q
9703130028	9703130025	97/03/05	50-362	P	9703130257	9703120081	97/03/06	FOIA	
9703130029	9703130025	97/03/05	50-362	P	9703130258	9703120081	97/03/06	50-335	Q
9703130032	9703120104	97/03/01	50-335	P	9703130259	9703120104	97/03/01	50-335	P
9703130034	9703110265	97/03/06	ORG		9703130262	9703120081	97/03/06	FOIA	
9703130041	9703110265	97/03/06	50-245	G	9703130267	9703120081	97/03/06	FOIA	
9703130043	9703120081	97/03/06	50-335	R	9703130270	9703120081	97/03/06	FOIA	
9703130048	9703120081	97/03/06	50-335	P	9703130276	9703120081	97/03/06	FOIA	
9703130051	9703120081	97/03/06	50-335	P	9703130279	9703130277	97/03/10	71-873	
9703130052	9703130044	97/03/04	50-456	Q	9703130280	9703130274	97/03/06	50-293	P
9703130056	9703120081	97/03/06	50-335	P	9703130281	9703120081	97/03/06	50-335	Q
9703130059	9703110265	97/03/06	ORG		9703130285	9703120081	97/03/06	50-335	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703130298	9703120081	97/03/06	50-335	P	9703170021	9703120104	97/03/01	50-335	P
9703130299	9703130297	97/03/06	27-48		9703170025	9703170014	97/03/06	50-331	Q
9703130300	9703130295	97/03/10	50-528	P	9703170026	9703170022	97/03/12	XPORTLIC	
9703130302	9703110265	97/03/06	50-213	H	9703170043	9703170032	97/03/07	50-254	Q
9703130308	9703130304	97/03/06	PROJ		9703170045	9703170038	97/03/12	XPORTLIC	
9703130318	9703130314	97/03/04	50-272	P	9703170049	9703170042	97/03/12	TOPREP	
9703130320	9703110265	97/03/06	50-309	H	9703170051	9703170032	97/03/07	50-254	Q
9703130326	9703130325	97/03/05	50-324	P	9703170052	9703170034	97/03/06	50-259	P
9703130330	9703130325	97/03/05	50-324	P	9703170067	9703170064	97/03/07	50-348	P
9703130333	9703110265	97/03/06	50-245	H	9703170069	9703170058	97/02/06	REVIEW GR	P
9703130339	9703130336	97/02/28	27-48		9703170076	9703170068	97/03/13	50-387	S
9703130343	9703110265	97/03/06	50-309	H	9703170100	9703170089	97/03/07	50-245	S
9703130348	9703110265	97/03/06	ORG		9703170106	9703170094	97/03/11	50-528	Q
9703130352	9703110265	97/03/06	ORG		9703170112	9703170110	97/03/11	50-482	R
9703130355	9703110265	97/03/06	50-245	H	9703170150	9703170147	97/02/25	40-9015	
9703130356	9703130324	97/03/10	50-400	Q	9703170151	9703170135	97/03/13	70-1201	
9703130357	9703120104	97/03/01	50-335	P	9703170152	9703170147	97/02/25	40-9015	
9703130363	9703110265	97/03/06	50-237	H	9703170171	9703120104	97/03/01	50-335	P
9703130368	9703130367	97/03/07	50-309	P	9703170175	9703170173	97/03/12	50-388	P
9703130372	9703110265	97/03/06	50-309	H	9703170180	9703170176	97/03/10	50-354	S
9703130375	9703110265	97/03/06	50-309	H	9703170187	9703170181	97/03/12	50-443	P
9703130378	9703120081	97/03/06	50-335	Q	9703170189	9703120104	97/03/01	50-335	P
9703130380	9703130376	97/03/07	50-400	P	9703170190	9703170181	97/03/12	50-443	P
9703130381	9703130365	97/03/03	50-254	P	9703170197	9703120104	97/03/01	50-335	P
9703130382	9703130376	97/03/07	50-400	P	9703170198	9703170195	97/03/11	50-423	P
9703130385	9703110265	97/03/06	50-206	H	9703170199	9703170195	97/03/11	50-423	P
9703130400	9703110265	97/03/06	50-206	H	9703170202	9703170200	97/03/13	50-454	P
9703130404	9703130392	97/03/07	50-282	P	9703170206	9703120104	97/03/01	50-335	P
9703130405	9703130402	97/02/27	XPORTLIC		9703170209	9703170208	97/03/11	50-267	R
9703130406	9703110265	97/03/06	ORG		9703170220	9703030102	97/02/24	50-454	P
9703130409	9703130392	97/03/07	50-282	P	9703170236	9703170234	97/03/10	50-334	P
9703130410	9703110265	97/03/06	50-245	H	9703170245	9703170242	97/03/10	50-10	S
9703130411	9703110265	97/03/06	ORG		9703170249	9703170238	97/03/07	50-413	P
9703130414	9703120104	97/03/01	50-335	F	9703170252	9703120104	97/03/01	50-389	P
9703130422	9703130417	97/03/07	50-250	P	9703170254	9703170253	97/03/10	50-334	P
9703130423	9703110265	97/03/06	50-206	H	9703170255	9703170253	97/03/10	50-334	P
9703130425	9703110265	97/03/06	ORG		9703170256	9703170253	97/03/10	50-334	P
9703130426	9703130417	97/03/07	50-250	P	9703170258	9703120104	97/03/01	50-389	P
9703130428	9703130424	97/03/07	50-348	P	9703170259	9703170257	97/03/10	52-3	
9703130429	9703130417	97/03/07	50-250	P	9703170260	9703170257	97/03/10	52-3	
9703130432	9703130417	97/03/07	50-250	P	9703180002	9703170253	97/03/10	50-334	P
9703130436	9703130435	97/03/03	XPORTLIC		9703180015	9703180010	97/03/10	52-3	
9703140001	9703120104	97/03/01	50-250	Q	9703180037	9703180035	97/03/05	50-155	F
9703140003	9703140002	97/03/07	50-443	Q	9703180040	9703180038	97/03/13	50-445	P
9703140022	9703120104	97/03/01	50-335	Q	9703180041	9703180035	97/03/05	50-155	F
9703140031	9703140027	97/03/06	50-219	G	9703180043	9703180023	97/03/13	70-3070	
9703140037	9703120104	97/03/01	50-335	Q	9703180054	9703180045	97/03/11	WASTE MGT	
9703140043	9703120104	97/03/01	50-335	Q	9703180056	9703180053	97/03/10	50-313	P
9703140046	9703120104	97/03/01	50-335	P	9703180057	9703180055	97/03/12	50-237	P
9703140048	9703140041	97/03/10	50-250	G	9703180064	9703180063	97/03/10	50-334	P
9703140059	9703120104	97/03/01	50-335	P	9703180067	9703180065	97/03/10	50-334	P
9703140072	9703140064	97/03/05	50-461	G	9703180069	9703180068	97/03/11	50-364	Q
9703140079	9703120104	97/03/01	50-255	P	9703180071	9703180070	97/03/04	50-397	P
9703140086	9703140082	97/03/10	50-282	P	9703180073	9703180070	97/03/04	50-397	P
9703140087	9703140081	97/03/07	50-423	S	9703180074	9703180070	97/03/04	50-397	P
9703140102	9703140092	97/03/06	50-336	S	9703180087	9703180085	97/03/13	50-413	P
9703140111	9703140106	97/03/07	50-423	S	9703180090	9703180085	97/03/13	50-413	P
9703140117	9703140107	97/03/07	50-423	S	9703180097	9703180081	97/03/14	50-313	P
9703140123	9703140110	97/03/07	50-317	P	9703180098	9703180081	97/03/14	50-313	P
9703140125	9703140110	97/03/07	50-317	P	9703180104	9703180103	97/03/12	50-247	Q
9703140135	9703140126	97/03/12	50-313	P	9703180106	9703180103	97/03/12	50-247	Q
9703140139	9703140137	96/11/20	40-8681		9703180108	9703180107	97/03/12	50-311	Q
9703140148	9703140082	97/03/10	50-282	P	9703180109	9703180107	97/03/12	50-311	Q
9703140154	9703140150	97/02/17	TOPREP		9703180118	9703180115	97/03/11	40-8188	
9703140155	9703140150	97/02/17	TOPREP		9703180119	9703180116	97/03/12	50-295	Q
9703140157	9703120104	97/03/01	50-335	P	9703180154	9703180144	97/03/13	50-361	Q
9703140159	9703140158	97/03/03	COMMISSIO	N	9703180158	9703180144	97/03/13	50-361	Q
9703140161	9703140158	97/03/03	COMMISSIO	N	9703180167	9609120019	96/09/09	PROJ	
9703140162	9703140158	97/03/03	COMMISSIO	N	9703180179	9703180177	97/03/14	40-8964	
9703140163	9703140158	97/03/03	COMMISSIO	N	9703180188	9703180186	97/03/14	50-237	P
9703140164	9703140158	97/03/03	COMMISSIO	N	9703180191	9703180189	97/03/14	50-400	P
9703140177	9703140173	97/03/11	QA999		9703180193	9703180186	97/03/14	50-237	P
9703140179	9703120104	97/03/01	50-335	P	9703180194	9703180192	97/03/13	40-8102	
9703140193	9703120104	97/03/01	50-389	P	9703180213	9703180209	97/03/11	40-7102	
9703170004	9703120104	97/03/01	50-335	P	9703180220	9703180206	97/02/12	COMMISSIO	N
9703170005	9703120104	97/03/01	50-335	P	9703180228	9703180222	97/03/07	50-255	P
9703170006	9703120104	97/03/01	50-389	Q	9703180233	9703180230	97/03/07	50-296	Q
9703170007	9703120104	97/03/01	50-335	P	9703180234	9703180230	97/03/07	50-296	Q
9703170008	9703120104	97/03/01	50-250	P	9703180237	9703180206	97/02/12	COMMISSIO	N
9703170009	9703120104	97/03/01	50-389	P	9703180242	9703180240	97/03/06	50-220	P
9703170010	9703120104	97/03/01	50-335	P	9703180245	9703180206	97/02/12	COMMISSIO	N
9703170012	9703120104	97/03/01	50-389	Q	9703180248	9703180246	97/03/13	WASTE MGT	
9703170013	9703120104	97/03/01	50-389	P	9703180249	9703180247	97/03/11	50-390	P
9703170015	9703120104	97/03/01	50-335	P	9703180251	9703180206	97/02/12	COMMISSIO	N
9703170018	9703170014	97/03/06	50-331	Q	9703180257	9703180244	97/03/13	50-499	S
9703170019	9703120104	97/03/01	50-335	P	9703180258	9703180206	97/02/12	COMMISSIO	N
9703170020	9703170016	97/03/07	50-482	K	9703190002	9703190001	97/01/30	ORG	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703190004	9703190003	97/03/07	50-97	P	9703200072	9703200019	97/03/17	PR	
9703190006	9703190005	97/03/10	50-400	P	9703200077	9703200019	97/03/17	PR	
9703190018	9703190016	97/03/11	50-296	P	9703200081	9703200019	97/03/17	PR	
9703190025	9703180174	97/03/11	WASTE MGT		9703200083	9703200019	97/03/17	PR	
9703190028	9703190026	97/03/11	50-282	P	9703200084	9703200080	97/03/10	50-498	F
9703190029	9703190026	97/03/11	50-282	P	9703200090	9703200019	97/03/17	PR	
9703190041	9703190032	97/03/17	50-327	Q	9703200092	9703200019	97/03/17	PR	
9703190049	9703190038	97/03/10	50-341	S	9703200093	9703200086	97/03/14	50-387	Q
9703190056	9703190046	97/03/14	52-3		9703200094	9703200019	97/03/17	PR	
9703190073	9703190068	97/03/12	50-400	F	9703200097	9703200019	97/03/17	PR	
9703190081	9703190080	97/03/17	50-245	S	9703200098	9703200061	97/03/07	STATE PRO	G
9703190090	9703190086	97/03/14	50-245	S	9703200099	9703200086	97/03/14	50-387	Q
9703190104	9703190098	97/03/14	50-245	S	9703200100	9703200019	97/03/17	PR	
9703190106	9703190103	97/03/14	50-382	P	9703200102	9703200019	97/03/17	PR	
9703190113	9703190108	97/03/13	50-336	R	9703200103	9703200095	97/03/17	50-324	K
9703190119	9703190108	97/03/13	50-336	R	9703200104	9703200019	97/03/17	PR	
9703190126	9703190123	97/03/11	50-333	P	9703200105	9703200019	97/03/17	PR	
9703190129	9703190125	97/03/14	50-369	R	9703200110	9703200019	97/03/17	PR	
9703190133	9703190125	97/03/14	50-369	R	9703200111	9703200111	97/03/14	50-282	Q
9703190140	9703190137	97/03/14	50-413	R	9703200118	9703200019	97/03/17	PR	
9703190142	9703190137	97/03/14	50-413	R	9703200121	9703200111	97/03/14	50-282	Q
9703190147	9703190145	97/03/14	50-269	R	9703200126	9703200019	97/03/17	PR	
9703190149	9703190146	97/03/12	50-247	P	9703200134	9703200019	97/03/17	PR	
9703190150	9703190145	97/03/14	50-269	R	9703200135	9703200123	97/03/11	70-1201	
9703190154	9703190151	97/03/12	50-247	P	9703200138	9703200132	97/03/07	50-293	P
9703190161	9703190158	97/03/17	50-336	P	9703200139	9703200128	97/03/17	50-245	S
9703190165	9703190162	97/03/17	50-245	P	9703200140	9703200123	97/03/11	70-1201	
9703190180	9703190178	97/03/13	50-336	S	9703200141	9703190371	97/03/17	40-8989	
9703190182	9703190173	97/03/11	STATE PRO	G	9703200147	9703200019	97/03/17	PR	
9703190195	9703190192	97/03/17	71-874		9703200148	9703200144	97/03/17	50-245	S
9703190200	9703190170	97/03/10	STATE PRO	G	9703200150	9703200019	97/03/17	PR	
9703190203	9703190170	97/03/10	STATE PRO	G	9703200151	9703200019	97/03/17	PR	
9703190207	9703190205	97/03/11	50-285	F	9703200153	9703200019	97/03/17	PR	
9703190213	9703190212	97/03/13	50-213	W	9703200157	9703200019	97/03/17	PR	
9703190215	9703190208	97/03/11	STATE PRO	G	9703200159	9703200019	97/03/17	PR	
9703190231	9703190225	97/03/13	50-315	P	9703200163	9703200160	97/03/17	50-245	S
9703190235	9703190225	97/03/13	50-315	P	9703200164	9703200019	97/03/17	PR	
9703190237	9703190177	97/02/27	STATE PRO	G	9703200175	9703200169	97/03/14	50-461	P
9703190242	9703190239	97/03/12	50-388	P	9703200180	9703200169	97/03/14	50-461	P
9703190244	9703190240	97/03/14	70-1151		9703200193	9703200191	97/03/17	50-400	P
9703190250	9703190240	97/03/14	70-1151		9703200196	9703200191	97/03/17	50-400	P
9703190258	9703190252	97/03/17	50-362	P	9703200217	9703200214	97/03/11	50-263	Q
9703190262	9703190252	97/03/17	50-362	P	9703200218	9703200214	97/03/11	50-263	Q
9703190279	9703190266	97/03/17	50-213	W	9703200240	9703200235	97/03/13	50-461	P
9703190283	9703190267	97/03/18	XPORTLIC		9703200269	9703200265	97/03/10	ORG	
9703190289	9703190286	97/03/14	40-8681		9703200272	9703200258	97/03/17	70-7001	
9703190292	9703190267	97/03/18	XPORTLIC		9703200275	9703200265	97/03/10	ORG	
9703190293	9703190286	97/03/14	40-8681		9703200283	9703200278	97/03/14	FOIA	
9703190298	9703190286	97/03/14	40-8681		9703200284	9703200276	97/03/18	70-7002	
9703190313	9703190224	97/03/04	71-472		9703200287	9703200273	97/03/12	50-318	P
9703190328	9703190320	97/03/13	WASTE MGT		9703200293	9703200288	97/03/12	50-286	P
9703190335	9703190321	97/02/27	STATE PRO	G	9703200295	9703200290	97/03/11	50-331	Q
9703190341	9703190331	97/03/10	STATE PRO	G	9703200298	9703200290	97/03/11	50-331	Q
9703190344	9703190331	97/03/10	STATE PRO	G	9703200305	9703200300	97/03/11	FOIA	
9703190349	9703190239	97/03/12	50-388	P	9703200308	9703200300	97/03/11	FOIA	
9703190355	9703190348	97/03/13	50-461	P	9703200313	9703200300	97/03/11	FOIA	
9703190356	9703190352	97/03/13	50-461	Q	9703200319	9703200300	97/03/11	FOIA	
9703190358	9703190352	97/03/13	50-461	Q	9703200326	9703200300	97/03/11	FOIA	
9703190364	9703190363	97/03/18	71-6553		9703200328	9703200318	97/03/06	50-395	P
9703190369	9703190348	97/03/13	50-461	P	9703200332	9703200323	97/03/13	50-327	S
9703190376	9703190371	97/03/17	40-8989		9703200335	9703200318	97/03/06	50-440	P
9703190382	9703190377	96/11/14	50-266	Q	9703200346	9703200343	97/03/18	50-324	P
9703190389	9703190386	96/09/05	50-266	Q	9703200349	9703200304	97/03/06	NUREG	
9703190392	9703190388	97/03/13	50-440	R	9703200356	9703200339	97/03/14	50-72	W
9703190393	9703190388	97/03/13	50-440	R	9703200358	9703210240	97/03/13	PR	
9703190394	9703190388	97/03/13	50-440	R	9703200367	9703200339	97/03/14	50-72	W
9703190398	9703190396	97/03/13	50-327	P	9703200372	9703200369	97/03/18	50-237	P
9703190400	9703190396	97/03/13	50-327	P	9703200375	9703200339	97/03/14	50-72	W
9703200012	9703200010	97/03/18	70-3070		9703200380	9703200339	97/03/14	50-72	W
9703200013	9703200011	97/03/17	40-8724		9703200384	9703200267	97/03/17	50-482	P
9703200014	9703200011	97/03/17	40-8724		9703200386	9703200339	97/03/14	50-72	W
9703200015	9703200011	97/03/17	40-8724		9703210009	9703210005	97/03/17	50-272	P
9703200017	9703200011	97/03/17	40-8724		9703210036	9703210030	97/03/14	FOIA	
9703200018	9703200011	97/03/17	40-8724		9703210042	9703210039	97/03/14	50-335	Q
9703200024	9703200019	97/03/17	PR		9703210046	9703210039	97/03/14	FOIA	
9703200026	9703200023	97/03/12	40-8948		9703210049	9703210039	97/03/14	FOIA	
9703200028	9703200016	97/03/17	STATE PRO	G	9703210052	9703210039	97/03/14	50-335	Q
9703200029	9703200019	97/03/17	PR		9703210058	9703210039	97/03/14	FOIA	
9703200030	9703200023	97/03/12	40-8948		9703210059	9703210039	97/03/14	FOIA	
9703200041	9703200019	97/03/17	PR		9703210063	9703210030	97/03/14	FOIA	
9703200043	9703200034	97/02/25	WASTE MGT		9703210076	9703210030	97/03/14	FOIA	
9703200045	9703200036	97/03/10	50-334	Q	9703210078	9703210047	97/03/12	50-286	S
9703200050	9703200047	97/03/13	WASTE MGT		9703210079	9703210075	97/03/13	71-872	
9703200053	9703200019	97/03/17	PR		9703210080	9703210030	97/03/14	FOIA	
9703200058	9703200056	97/02/25	40-7580		9703210085	9703210081	97/03/14	50-458	Q
9703200062	9703200019	97/03/17	PR		9703210086	9703210030	97/03/14	FOIA	
9703200066	9703200019	97/03/17	PR		9703210090	9703210047	97/03/12	50-286	S

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703210093	9703210030	97/03/14	FOIA		9703240161	9703240156	97/03/17	50-83	R
9703210097	9703210030	97/03/14	FOIA		9703240164	9703240156	97/03/17	50-83	R
9703210100	9703210030	97/03/14	FOIA		9703240167	9703240165	97/03/13	COMMISSIO	N
9703210102	9703210030	97/03/14	FOIA		9703240168	9703240166	97/03/20	50-528	P
9703210105	9703210066	97/03/13	FOIA		9703240177	9703240175	97/03/19	50-482	P
9703210106	9703210103	97/03/18	40-6563		9703240183	9703240009	97/03/17	50-382	Q
9703210107	9703210094	97/03/17	WASTE MGT		9703240190	9703240131	97/03/18	50-321	G
9703210108	9703210030	97/03/14	FOIA		9703240195	9703240131	97/03/18	50-321	G
9703210111	9703210103	97/03/18	40-6563		9703240209	9703240204	97/03/13	50-315	P
9703210112	9703210030	97/03/14	FOIA		9703240212	9703240204	97/03/13	50-315	P
9703210116	9703210103	97/03/18	40-6563		9703240213	9703240208	97/02/14	40-8698	
9703210119	9703210030	97/03/14	FOIA		9703240219	9703240210	97/03/17	50-387	R
9703210121	9703210103	97/03/18	40-6563		9703240222	9703250023	97/03/13	50-424	R
9703210124	9703210101	97/03/11	50-272	Q	9703240226	9703240224	97/03/20	XPORTLIC	
9703210125	9703210030	97/03/14	FOIA		9703240230	9703210305	97/03/20	ORG	
9703210126	9703210103	97/03/18	40-6563		9703240243	9703240242	97/03/12	50-269	P
9703210127	9703210103	97/03/18	40-6563		9703250003	9703240131	97/03/18	50-321	G
9703210128	9703210030	97/03/14	FOIA		9703250005	9703250004	97/03/18	50-528	P
9703210129	9703210030	97/03/14	FOIA		9703250008	9703250007	97/03/17	50-388	P
9703210130	9703210103	97/03/18	40-6563		9703250010	9703240210	97/03/17	50-387	R
9703210132	9703210101	97/03/11	50-272	Q	9703250014	9703250012	97/03/14	WASTE MGT	
9703210135	9703210103	97/03/18	40-6563		9703250017	9703250012	97/03/14	WASTE MGT	
9703210136	9703210103	97/03/18	40-6563		9703250018	9703210018	97/03/14	FOIA	
9703210137	9703210101	97/03/11	FOIA		9703250027	9703250024	97/03/16	50-528	P
9703210139	9703210103	97/03/18	40-6563		9703250034	9703250033	97/03/18	50-293	Q
9703210142	9703210103	97/03/18	40-6563		9703250038	9703250033	97/03/18	50-293	Q
9703210145	9703210103	97/03/18	40-6563		9703250048	9703250047	97/03/20	50-461	P
9703210146	9703210140	97/03/17	WASTE MGT		9703250051	9703250049	97/03/17	50-387	P
9703210148	9703210103	97/03/18	40-6563		9703250052	9703250050	97/03/17	50-499	P
9703210151	9703210103	97/03/18	40-6563		9703250065	9703250064	97/03/18	50-275	P
9703210152	9703210103	97/03/18	40-6563		9703250066	9703180137	97/03/14	50-213	V
9703210153	9703210101	97/03/11	50-272	Q	9703250067	9703250054	97/03/14	50-454	P
9703210156	9703210103	97/03/18	40-6563		9703250082	9703250081	97/03/19	52-3	
9703210160	9703210103	97/03/18	40-6563		9703250109	9703250100	97/03/21	50-312	Q
9703210178	9703210175	97/03/19	50-400	P	9703250121	9703250110	97/03/19	50-245	S
9703210183	9703210175	97/03/19	50-400	P	9703250128	9703250125	97/03/10	COMMISSIO	N
9703210189	9703210172	97/03/12	70-1342		9703250130	9703250120	97/03/19	ADVCM	
9703210216	9703210215	97/03/17	70-1374		9703250131	9703250126	97/03/14	50-454	P
9703210217	9703210215	97/03/17	70-1374		9703250133	9703250127	97/03/19	50-245	S
9703210220	9703210202	97/03/17	FOIA		9703250135	9703250120	97/03/19	ADVCM	
9703210224	9703210223	97/03/17	50-321	P	9703250143	9703250141	97/03/20	50-266	P
9703210226	9703210223	97/03/17	50-321	P	9703250144	9703250142	97/03/19	50-327	P
9703210227	9703210223	97/03/17	50-321	P	9703250149	9703250148	97/03/18	50-338	P
9703210233	9703210205	97/03/14	COMMISSIO	N	9703250153	9703250150	97/03/21	50-321	P
9703210255	9703210250	97/03/17	50-424	P	9703250155	9703250150	97/03/21	50-321	P
9703210260	9703210250	97/03/17	50-424	P	9703250160	9703250158	97/03/17	50-528	P
9703210261	9703210240	97/03/13	PR		9703250161	9703250158	97/03/17	50-528	P
9703210275	9703210250	97/03/17	50-424	P	9703250169	9703250163	97/03/14	50-334	P
9703210285	9703210278	97/03/14	50-334	P	9703250204	9703250200	97/03/18	50-280	P
9703210287	9703210281	97/03/12	50-247	P	9703250231	9703250229	97/03/19	50-423	S
9703210288	9703210250	97/03/17	50-424	P	9703250232	9703250230	97/03/20	50-269	P
9703210307	9703210298	97/02/20	50-369	F	9703250236	9703250217	97/03/17	50-306	S
9703210310	9703210240	97/03/13	PR		9703250237	9703250230	97/03/20	50-269	P
9703210323	9703210317	97/03/19	70-1257		9703250247	9703250245	97/03/20	50-293	Q
9703210328	9703210326	97/03/20	50-348	P	9703250249	9703250243	97/03/21	50-321	P
9703210343	9703210043	97/03/14	50-293	H	9703250250	9703250243	97/03/21	50-321	P
9703210347	9703210240	97/03/13	PR		9703260012	9703260009	97/03/18	50-312	R
9703210353	9703210352	97/03/13	50-263	Q	9703260048	9703260043	97/03/12	50-260	P
9703210358	9703210357	97/03/13	50-289	P	9703260105	9703260089	97/03/20	40-6264	
9703210359	9703210240	97/03/13	PR		9703260107	9703260101	97/03/18	TOPREP	
9703240010	9703240007	97/03/18	50-272	Q	9703260114	9703260101	97/03/18	TOPREP	
9703240012	9703240008	97/03/13	50-309	Q	9703260145	9703260143	97/03/20	50-445	P
9703240014	9703240008	97/03/13	50-309	Q	9703260149	9703120104	97/03/01	50-335	P
9703240023	9703240018	97/03/14	50-482	Q	9703260158	9703120104	97/03/01	50-389	P
9703240031	9703240022	97/03/20	TOPREP		9703260164	9703120104	97/03/01	50-335	P
9703240035	9703240025	97/03/18	50-286	Q	9703260170	9703120104	97/03/01	FOIA	
9703240038	9703240022	97/03/20	TOPREP		9703260172	9703260168	97/03/20	50-315	P
9703240040	9703240025	97/03/18	50-286	Q	9703260183	9703260181	97/03/24	50-373	Q
9703240042	9703240022	97/03/20	TOPREP		9703260188	9703120104	97/03/01	50-389	P
9703240048	9703240022	97/03/20	TOPREP		9703260199	9703260197	97/02/19	70-27	
9703240051	9703240022	97/03/20	TOPREP		9703260200	9703260194	97/03/03	50-266	Q
9703240053	9703240050	97/03/15	40-8027		9703260202	9703260194	97/03/03	50-266	Q
9703240054	9703240022	97/03/20	TOPREP		9703260215	9703260204	97/03/12	ORG	
9703240056	9703240050	97/03/15	40-8027		9703260219	9703260211	97/03/24	50-247	P
9703240059	9703240022	97/03/20	TOPREP		9703260229	9703260221	97/03/24	50-219	P
9703240061	9703210006	97/03/14	50-272	Q	9703260232	9703260226	97/03/20	50-498	Q
9703240066	9703240022	97/03/20	TOPREP		9703260234	9703260218	97/03/19	50-285	F
9703240101	9703240097	97/03/18	50-482	P	9703260236	9703260221	97/03/24	50-219	P
9703240107	9703240105	97/03/18	50-482	P	9703260241	9703260226	97/03/20	50-498	Q
9703240113	9703240108	97/03/17	50-498	P	9703260251	9703260212	97/03/19	50-344	W
9703240114	9703240111	97/03/14	50-445	R	9703260254	9703260249	97/03/22	50-423	S
9703240117	9703240111	97/03/14	50-445	R	9703260264	9703260260	97/03/24	50-348	P
9703240132	9703240121	97/03/17	50-400	P	9703260270	9703260260	97/03/24	50-348	P
9703240141	9703240137	97/03/21	50-369	P	9703260272	9703260269	97/03/14	50-354	R
9703240142	9703240137	97/03/21	50-369	P	9703260274	9703260269	97/03/14	50-354	R
9703240148	9703240144	97/03/18	50-341	S	9703260288	9703120104	97/03/01	50-335	P
9703240154	9703240153	97/03/20	40-8989		9703260293	9703120104	97/03/01	50-335	P

ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703260294	9703260282	97/03/14	50-206	H
9703260297	9703260296	97/03/24	70-925	
9703260303	9703120104	97/03/01	50-335	Q
9703260308	9703260306	97/03/20	WASTE MGT	
9703260319	9703120104	97/03/01	50-389	P
9703260320	9703260307	97/03/17	COMMISSIO	N
9703260321	9703260318	97/03/11	40-7102	
9703260323	9703260307	97/03/17	COMMISSIO	N
9703260324	9703120104	97/03/01	50-335	P
9703260329	9703260307	97/03/17	COMMISSIO	N
9703260332	9703260328	97/03/22	50-324	P
9703260333	9703260307	97/03/17	COMMISSIO	N
9703260337	9703260335	97/03/21	50-324	P
9703260339	9703260338	97/03/20	50-282	P
9703260341	9703260307	97/03/17	COMMISSIO	N
9703270047	9703270043	97/02/28	ORG	
9703270069	9703270062	97/03/24	40-7604	
9703270076	9703260330	97/03/20	COMMISSIO	N
9703270077	9703260330	97/03/20	COMMISSIO	N
9703270078	9703260330	97/03/20	COMMISSIO	N
9703270079	9703260330	97/03/20	COMMISSIO	N
9703270080	9703260330	97/03/20	COMMISSIO	N
9703270099	9703270069	97/03/24	50-309	P
9703270107	9703270105	97/03/21	50-354	P
9703270109	9703270105	97/03/21	50-354	P
9703270116	9703270112	97/03/21	50-272	P
9703270119	9703270112	97/03/21	50-272	P
9703270129	9703270124	97/03/25	50-348	P
9703270132	9703270124	97/03/25	50-348	P
9703270142	9703270136	97/03/19	WASTE MGT	
9703270145	9703270139	97/03/24	50-348	P
9703270148	9703270139	97/03/24	50-348	P
9703270158	9703270154	97/03/23	50-271	F
9703270161	9703270154	97/03/23	50-271	F
9703270180	9703270168	97/03/24	72-1002	
9703270187	9703270174	97/03/26	50-250	P
9703270201	9703270193	97/03/06	70-1151	
9703270208	9703270193	97/03/06	70-1151	
9703270215	9703270209	97/03/25	50-282	P
9703270219	9703270209	97/03/25	50-282	P
9703270223	9703270202	97/03/21	50-255	S
9703270228	9703270227	97/03/19	50-388	P
9703270229	9703270226	97/02/28	50-302	Q
9703270233	9703270231	97/03/11	70-27	
9703270235	9703270232	97/03/21	50-482	P
9703270250	9703270238	97/03/24	50-498	Q
9703270254	9703270241	97/03/25	50-309	H
9703270256	9703270252	97/03/11	50-259	Q
9703270258	9703270241	97/03/25	50-309	H
9703270262	9703270261	97/03/19	71-9932	
9703270264	9703270260	97/03/20	50-286	P
9703270272	9703270260	97/03/20	50-286	P
9703270277	9703270260	97/03/20	50-286	P
9703270295	9703270292	97/03/19	71-9148	
9703270304	9703270301	97/03/06	50-261	Q
9703270307	9703270305	97/03/24	50-302	G
9703270311	9703270308	97/03/12	50-302	Q

ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9703270315	9703270314	97/03/07	50-250	Q
9703280011	9703280008	97/03/10	50-269	Q
9703280016	9703280008	97/03/10	50-269	Q
9703280028	9703280023	97/03/18	50-293	Q
9703280032	9703280023	97/03/18	50-293	Q
9703280036	9703280029	97/03/13	70-143	
9703280042	9703280038	97/03/26	50-382	P
9703280062	9703280058	97/03/18	50-261	Y
9703280063	9703280055	97/03/13	40-******	
9703280067	9703280059	97/03/05	50-369	Q
9703280076	9703280069	97/03/10	50-395	Q
9703280081	9703280069	97/03/10	50-395	Q
9703280089	9703280086	97/03/21	50-289	Q
9703280105	9703280102	97/03/24	50-302	P
9703280114	9703280106	97/02/13	WASTE MGT	
9703280122	9703280116	97/03/21	50-213	Q
9703280130	9703280128	97/03/18	50-146	Q
9703280152	9703280148	97/03/21	52-3	
9703280165	9703280148	97/03/21	52-3	
9703280173	9703280162	97/03/07	WASTE MGT	
9703280178	9703280148	97/03/21	52-3	
9703280183	9703280148	97/03/21	52-3	
9703280186	9703280148	97/03/21	52-3	
9703280189	9703280148	97/03/21	52-3	
9703280190	9703280148	97/03/21	52-3	
9703280191	9703280148	97/03/21	52-3	
9703280194	9703280148	97/03/21	52-3	
9703280208	9703270195	97/03/25	50-382	P
9703280213	9703280209	97/03/24	STATE PRO	G
9703280221	9703280219	97/03/21	50-423	P
9703280233	9703280227	97/03/20	50-423	S
9703280234	9703280231	97/03/25	50-335	Q
9703280244	9703280237	97/03/19	COMMISSIO	N
9703280249	9703280237	97/03/19	COMMISSIO	N
9703280253	9703280237	97/03/19	COMMISSIO	N
9703280257	9703280237	97/03/19	COMMISSIO	N
9703280262	9703280237	97/03/19	COMMISSIO	N
9703280268	9703280264	97/03/20	50-423	S
9703280271	9703280267	97/03/25	50-335	Q
9703280280	9703280276	97/03/24	50-382	Q
9703280285	9703280276	97/03/24	50-382	Q
9703280296	9703280282	97/03/24	50-295	S
9703280315	9703280288	97/03/20	50-423	S
9703280320	9703270285	97/02/21	REG CERT	
9703280324	9703280321	97/03/21	50-219	Q
9703280325	9703280313	97/03/15	40-8964	
9703280327	9703280321	97/03/21	50-219	Q
9703280334	9703280329	97/03/21	50-382	Q
9703280338	9703280329	97/03/21	50-382	Q
9703280339	9703280300	97/03/21	WASTE MGT	
9703280342	9703280340	97/03/24	50-333	Q
9703280348	9703280340	97/03/24	50-333	Q
9703280361	9703280347	97/03/24	50-295	S
9703280365	9703280345	97/03/26	50-269	P
9703280378	9703280372	97/03/21	ORG	
9703280413	9703250101	97/03/19	QA999	
9703280432	9704010276	97/02/28	50-269	R
9703280438	9704010276	97/02/28	50-289	R

APPENDIX A

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 27 – Low-Level Radioactive Waste Disposal Sites

The Docket 27 series contains documentation concerning the licensing of land disposal of low-level radioactive wastes. In the past, waste disposal licensees were assigned unique Docket 27 numbers. Unlike the other docket series, the first two digits of these docket numbers do not correspond to the part of 10 CFR that specifies NRC's authority for issuing these licenses and the regulations that these licensees must follow. The Docket 27 licenses were issued in accordance with Parts 30, 40, and 70 of 10 CFR in the absence of any final regulations governing the licensing of land disposal low-level radioactive wastes.

In the future, these licensing actions will be governed by 10 CFR Part 61, "Licensing Requirements for Land Disposal of Radioactive Waste." The prefix will then become Docket 61 followed by assigned numbers identifying a specific facility. Documents in these files include:

- Application for land disposal of low-level radioactive waste and supporting documents
- License and amendments
- Correspondence to and from the applicant regarding the application, license, and amendments
- Environmental report and supporting documents
- Inspection and enforcement reports and related correspondence
- Adjudicatory documents relating to proceedings before the Licensing Board and the Commission

DOCKET 30 – Byproduct Material Licenses

The Docket 30 series contains documentation on the possession or use of nuclear byproduct materials for medical, industrial, and academic purposes. **These documents are maintained in the PDR on microfiche only.**

Documents in this series include:

- Application for a license, license amendments, and license renewals or modifications to the byproduct material license and related correspondence
- Denial, revocation, and suspension of a license and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 30 – Byproduct Material Licenses (continued)

- Records related to the NRC inspection program and related correspondence
- Preliminary Notifications of Occurrences (PNOs), enforcement actions, civil penalties, and related correspondence
- Event reports, misadministration reports, and related correspondence
- Correspondence to and from local and State governments
- Adjudicatory documentation relating to proceedings before the Licensing Board and the Commission
- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties
- Periodic reports from licensees and related correspondence

DOCKET 40 – Nuclear Source Material Facilities

The Docket 40 series contains documentation concerning the domestic licensing of nuclear byproduct materials relating to source material licenses. Licenses issued in accordance with 10 CFR Part 40 cover the possession, use, and processing of ores (uranium and thorium) and possession and use of uranium and thorium in a refined form. Each license application is assigned a unique Docket 40 number.

Paper files are maintained in the PDR for only those Docket 40 licensees involved in the nuclear fuel cycle; that is, mines, mills, and research and development facilities. Material on other licensees, such as those for possession of material for medical and industrial uses, are available **on microfiche only**. Documents in these files include:

- Application for a license, license amendments and license renewals for source material license
- Source material license and license amendments
- Licensee-issued Environmental Report (ER) for those license applications that must comply with the National Environmental Policy Act (NEPA)
- NRC-issued Draft and Final Environmental Statements (DES and FES) for license applications that must comply with NEPA
- Site visits and related correspondence
- Inspection reports and related correspondence
- Environmental monitoring reports
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board and the Commission

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 40 – Nuclear Source Material Facilities (continued)

- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties

NOTE: For transcripts of Commission meetings and papers submitted for Commission consideration on a specific docket, see the 10 CFR 9.7 and SECY nondocketed files.

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants

The Docket 50 series contains documentation concerning the domestic licensing of production and utilization facilities. Licenses issued in accordance with 10 CFR Part 50 cover commercial nuclear power plants; experimental, research, and test reactors; and fuel fabrication facilities. The NRC staff assigns Docket 50 number when it considers that the application and the Preliminary Safety Analysis Report (PSAR) submitted are complete for staff review. "Pre-docketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of a facility, each Docket 50 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types.

A. Application/Construction Stage Documents and Related Correspondence

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

C. Utility Environmental Report (ER), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and Related Correspondence

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence

F. Security, Medical, Emergency, and Fire Protection Plans

G. Non-Antitrust Legal and Adjudicatory Correspondence

H. General Correspondence

I. Financial Information

J. Insurance and Indemnity Information

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence

M. Antitrust Reviews and Related Correspondence

N. Antitrust Transcripts, Testimony, and Briefings

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants (continued)

P. Operating License Stage Documents and Related Correspondence

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence

R. Periodic Operating Reports and Related Correspondence

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notifications of Occurrences (PNOs), Preliminary Notifications of Safeguards Events (PNSs), and Related Correspondence

T. Transcripts, Testimony, and Briefings on Non-Antitrust Matters

U. Executive, Congressional, and State Government Correspondence

V. Licensing of Operators and Related Correspondence

W. Decommissioning Stage Documents and Related Correspondence

X. Onsite Storage of Low-Level Waste and Related Correspondence

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence

A detailed description of each category and the documents included in the files for each category follows.

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE

Documents in this category track the application from submittal to the day preceding the issuance of an operating license. It contains all correspondence and other documents with substantive technical content that are not in other specific categories. Included are:

- Application for construction permit
- General information submitted with the construction permit application
- Amendments and changes to the application
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Early site reviews
- Correspondence and documents relating to unresolved design and construction issues
- Meeting announcements and summaries of the meetings
- Correspondence relating to the utility's Preliminary Safety Analysis Report (PSAR).

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Construction permit, amendments, related correspondence, and orders issued by the Office of Nuclear Reactor Regulation (NRR) show-cause and modification orders which do not involve the former Atomic Safety Licensing and Appeal Board
- Scheduling of license application, amendments, and reviews
- Environmental review information (other environmental documents are filed in categories C, D, P, R, or W)
- Seismic qualification review team (SQRT) reports and related correspondence
- Application for operating license
- General information submitted with the Operating License application
- Amendments and changes to the application for Operating License
- Correspondence related to the utility's Final Safety Analysis Report (FSAR) and Updated Safety Analysis Report (USAR)
- Generic and administrative communications and related documentation that may affect the subject facility and which are *not covered by a bulletin or notice*
- Safety evaluation reports (SER) issued by the NRC on specific generic issues
- Reports on site visits
- Backup technical documents (e.g., topical reports) submitted in support of the application
- Probabilistic risk assessment (PRA) and related documentation
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Documents relating to possible equipment failure and emergency instructions
- NRC's changes in internal organizational structure

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category contains the Preliminary Safety Analysis Report (PSAR) submitted by the utility (formerly called Hazards Summary report or Safety Analysis Reports) and the following related material:

DEFINITIONS OF DOCKET CATEGORIES

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS (CONTINUED)

- Amendments and changes to the PSAR
- Transmittal and acknowledgment letters
- Certificates of service to the PSAR

NOTE: All related correspondence is filed in category A.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS, AND RELATED CORRESPONDENCE

The category contains the Environmental Report (ER) submitted by the utility and the following related material:

- Amendments and supplements to the ER
- *Federal Register* notices citing the availability of the ER and amendments
- Transmittal and acknowledgment letters
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs and applicant responses
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE

This category contains Draft and Final Environmental Statements (DES and FES) prepared by NRC, and the following related material:

- Supplements to the DES and FES
- *Federal Register* notices announcing the availability of the DES, FES, and supplements
- Correspondence relating to the DES and FES

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE (CONTINUED)

- Comments from other Federal, State and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER for purposes of preparing the environmental statements
- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meeting which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE

This category contains the formal Safety Evaluation Report (SER) prepared by the NRC staff (formerly called NRC–AEC hazard analysis report) in review of PSAR, and the following related material:

- Supplements to the SER
- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER; and responses to such requests
- Meeting announcements and meeting summaries at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individually submitted by the applicant or licensee. Emergency and fire protection plans submitted as part of the licensing application are filed in this category.

- Fire hazard protection plan and surveys
- Plant evacuation correspondence
- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plan
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgment letters
- Meeting announcements and meeting summaries at which the primary subject of discussion is related to the aforementioned plans and topics

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR), and not before the licensing board, are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors

DEFINITIONS OF DOCKET CATEGORIES

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (CONTINUED)

- Board orders and decisions
- Formal petitions for Commission action
- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change-of-address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the facility, and NRC response
- Correspondence on purely administrative matters
- Letters of support, concern, or opposition to the facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational, or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by State and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (CONTINUED)

- Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. UTILITY FINAL AND UPDATED SAFETY ANALYSIS REPORTS (FSAR AND USAR) AND AMENDMENTS

This category contains the following utility documents:

- Final Safety Analysis Report (FSAR), formerly called Final Hazards Summary Report
- Updated Safety Analysis Report (USAR) periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSAR and USAR
- *Federal Register* notices announcing the availability of the FSAR and amendments
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence is filed in category A or P. Emergency and fire protection plans submitted as part of the licensing application are filed in category F.

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE

This category contains documents pertaining to the limited work authorization (LWA) whereby applicants can conduct limited site preparation and construction before the NRC grants a construction permit.

- Limited Work Authorization (LWA) and amendments

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (CONTINUED)

- Correspondence pertaining to work performed under the LWA

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE

This category contains documents submitted as part of the application for a construction permit and operating license that are entitled "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion concerns antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains verbatim transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to facility license applications
- Announcements of ACRS meetings relating to facility license applications, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to both facility license applications and safety-related matters

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (CONTINUED)

- Technical correspondence and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS non-docket file.

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical documents dated from the issuance of the operating license until the order for termination of the license. Included are:

- Operating license, amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the operating license
- Correspondence regarding the utility's Final and Updated Safety Analysis Report (FSAR and USAR)
- *Federal Register* notices announcing availability of operating license, amendments, FSAR and USAR
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., topical reports) submitted in support of the aforementioned items
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the operating license, or technical issues arising after the issuance of the operating license
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers), regulations, laws, and changes in policy that may affect plant operation or the operating license
- NRC questions, RAIs, and licensee responses
- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Correspondence relating to NRC's Systematic Evaluation Program (SEP)
- Owners' group meeting announcements and reports

DEFINITIONS OF DOCKET CATEGORIES

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Emergency core cooling system documents
- Radioactive waste information excluding onsite storage of low-level waste (filed in category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of the spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility but is *not covered by a Bulletin or Notice*
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inservice inspections, which are filled in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license and to dismantle and dispose of component parts
- Information on changes in NRC's internal organizational structure

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE

This category contains the following applicant/licensee material:

- Inspection reports
- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Circulars (discontinued in 1981) and Information Notices, and related correspondence
- Applicant/licensee determinations of the proprietary nature of inspection reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demands for Information (DFIs)
- Correspondence and orders relating to the imposition and payment of civil penalties, including Enforcement Notifications (ENs) and Significant Enforcement Actions (EAs)
- Notices of deviation and related correspondence
- Notices of enforcement conferences, meetings, and related reports
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk–based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (ITT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification Program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see non-docket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommissioning stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic personnel exposure reports
- Periodic fitness for duty performance data
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with licensing board orders)
- Operational logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence and other documents relating to the aforementioned items

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, special reports, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a Preliminary Notification of Occurrence (PNO), Preliminary Notification of Safeguards Events (PNS), and related correspondence
- Environmental technical specifications violation reports and environmental event reports

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (CONTINUED)

- Part 21 reports of defects and noncompliance
- Correspondence and other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E non-docket file.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) transcripts
- Testimony and statements submitted to ASLB and the former ASLAB
- Transcripts of Commission meeting
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in ACRS and 9.7 nondocket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches
- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (CONTINUED)

- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical items dated from the order to terminate the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling and Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning
- All documentation relating to the ongoing operation of the plant which was formerly filed in category P

DEFINITIONS OF DOCKET CATEGORIES

X. ONSITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store LLW at a commercial reactor site
- Technical reports and related correspondence

NOTE: The documents in this category will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE

This category contains material related to license applications, license, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such ISFSIs may be on a reactor site or at a separate site.)

- All related correspondence and reports to the aforementioned items

NOTE: The documents in this category will have an NMSS Docket 72 license number. For these installations on a reactor site, the associated Docket 50 number also has been referenced.

Docket 52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants

The Docket 52 series contains documentation on the domestic licensing of production facilities. Licenses issued in accordance with 10 CFR Part 52 cover preliminary and final design approval of standard designs, early site permits, and combined licenses for nuclear power plants. A Docket 52 number is assigned when the NRC considers that the application submitted is complete for staff review. "Predocketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of an application, each Docket 52 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types. These categories are similar to those used for the Docket 50 files, but have been modified to reflect the special requirements of Docket 52 applications.

DEFINITIONS OF DOCKET CATEGORIES

A. Application for Preliminary Design Approval (PDA), Final Design Approval and Design Certification (FDA/DC), Early Site Permit, Combined Construction/ Operating License (COL), and Related Correspondence

B. Vendor Preliminary Standard Safety Analysis Report (PSSAR–PDA stage), Utility Preliminary Safety Analysis Report (PSAR–COL stage), and Amendments

C. Severe Accident Mitigation Design Alternative Analysis (SAMDA–PDA andFDA/DC stages), Environmental Reports (ERs–Early Site Permit and COL stages), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and Related Correspondence (Early Site Permit and COL stages)

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

F. Reliability Assurance Program (RAP), Security, Medical, Emergency, and Fire Protection Plans (PDA, FDA/DC, and COL stages)

G. Non-Antitrust Legal and Adjudicatory Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

H. General Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

I. Financial Information (COL stage)

J. Insurance and Indemnity Information (COL stage)

K. Vendor Final Standard Safety Analysis Report (FSSAR–FDA/DC Stage), Utility Final Safety Analysis Report (FSAR–COL Stage), Updated Safety Analysis Report (USAR–COL Stage), and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence (COL Stage)

M. Antitrust Reviews and Related Correspondence (COL Stage)

N. Antitrust Hearing Transcripts, Testimony, and Briefings (COL Stage)

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

P. Post-Combined Construction/Operating License Stage Documents and Related Correspondence (COL Stage)

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence (COL Stage)

R. Periodic Operating Reports and Related Correspondence (COL Stage)

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notifications of Occurrences (PNOs), Preliminary Notifications of Safeguards Events (PNSs), and Related Correspondence (COL Stage)

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters (Early Site Permit, PDA, FDA/DC, and COL Stages)

DEFINITIONS OF DOCKET CATEGORIES (CONTINUED)

U. Executive, Congressional, and State Government Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

V. Licensing of Operators and Related Correspondence (COL Stage)

W. Decommissioning Stage Documents and Related Correspondence (COL Stage)

X. Onsite Storage of Low-Level Waste and Related Correspondence (COL and Decommissioning Stages)

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence (COL and Decommissioning Stages)

A detailed description of each category and the documents included in each category follows.

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE

Documents in this category track the application for Preliminary Design Approval (PDA) or Final Design Approval and Design Certification (FDA/DC) to the issuance of the PDA or FDA, respectively, or the application of the early site permit until issuance of the permit. It contains all correspondence and documents with substantive technical content that are not in other specific categories. Included are:

- Application for preliminary design approval
- Application for final design approval and design certification
- Application for early site permit
- General information submitted with the application
- Amendments and changes submitted by applicants
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Meeting announcements and summaries of the meetings
- Correspondence relating to the Preliminary or Final Standard Safety Analysis Report (SSAR)
- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Preliminary Design Approval (PDA), and amendments and correspondence relating to the PDA
- Final Design Approval (FDA), and amendments and correspondence relating to the FDA
- Early site permit, amendments and related correspondence
- Scheduling documentation
- Backup technical documents (e.g., topical reports) submitted in support of the application

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT, COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE (CONTINUED)

- The design-specific Probabilistic Risk Assessment (PRA), and related documentation
- Proposed tests, analyses, and acceptance criteria and related documentation
- Design Acceptance Criteria (DAC) and related correspondence
- Documents addressing policy issues raised to the Commission via Commission papers
- Documents addressing resolution of issues for the application
- Generic and administrative communications and related documentation which may affect the subject facility and which are *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- NRC's changes in internal organizational structure

B. VENDOR PRELIMINARY STANDARD SAFETY ANALYSIS REPORT (PSSAR–PDA STAGE), UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR–COL STAGE), AND AMENDMENTS

This category contains the following documents:

- Preliminary Standard Safety Analysis Report (PSSAR) submitted by vendor
- Amendments and changes to the PSSAR
- Preliminary Safety Analysis Report (PSAR) submitted by the utility
- Amendments and changes to the PSAR
- Transmittal and acknowledgement letters

NOTE: All related correspondence is filed in category A

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA–PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERs – EARLY SITE PERMIT AND COL STAGES), AMENDMENTS, AND RELATED CORRESPONDENCE

This category contains the following documents:

- Severe Accident Mitigation Design Alternatives Analysis (SAMDAs) required under the National Environmental Policy Act (NEPA) submitted by vendor

DEFINITIONS OF DOCKET CATEGORIES

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA–PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERs—EARLY SITE PERMIT AND COL STAGES), AMENDMENTS, AND RELATED CORRESPONDENCE (CONTINUED)

- NRC questions, RAIs, and applicant responses relating to SAMDAS analysis review
- Correspondence relating to the SAMDAS analysis review
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SAMDAS analysis
- Environmental Report (ER) submitted by utility
- Amendments and supplements to the ER
- *Federal Register* notices announcing the availability of the ER and amendments
- Transmittal and acknowledgment letters of ER
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs, and applicant responses relating to review of ER
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the ER
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES)

This category contains the Draft and Final Environmental Impact Statements (DES and FES) prepared by NRC, and supplements to the DES and FES, as well as:

- *Federal Register* notices announcing the availability of the DES and FES
- Correspondence relating to the DES and FES
- Comments from other Federal, State, and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER obtained for purposes of preparing the environmental statements

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES) (CONTINUED)

- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains the formal Safety Evaluation Report (SER) prepared by NRC in review of the early site permit application, PSSAR (PDA stage), FSSAR (FDA/DC stage), PSAR (COL stage), or FSAR (COL stage) and, Supplements to the SER, as well as:

- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER and responses to such requests
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES)

The plans in this category may be individual submissions or may be combined under the Reliability Assurance Program. These plans may be submitted during the review of the PDA, the FDA/DC, and COL applications. Included are:

- Reliability Assurance Program (RAP)
- Plant evacuation correspondence

DEFINITIONS OF DOCKET CATEGORIES

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plans
- Fire hazard protection plans and surveys
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgement letters
- Meeting announcements and summaries of meetings at which the primary subject of discussion is related to the aforementioned plans

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) and not before the Licensing Board are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) hearing related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors
- Board orders and decisions
- Formal petitions for Commission action

DEFINITIONS OF DOCKET CATEGORIES

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change of address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the site, design, or facility, and NRC responses
- Correspondence on purely administrative matters
- Letters of support, concern or opposition to the site, design, or facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by state and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION (COL STAGE)

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (COL STAGE) (CONTINUED)

- Company annual reports, auditor statements and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION (COL STAGE)

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. VENDOR FINAL STANDARD SAFETY ANALYSIS REPORT (FSSAR-FDA/DC STAGE), UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR-COL STAGE), UPDATED FINAL SAFETY ANALYSIS REPORT (USAR-COL STAGE), AND AMENDMENTS

This category contains the following vendor and utility documents:

- Final Standard Safety Analysis Report (FSSAR) submitted by the vendor
- Final Safety Analysis Report (FSAR) submitted by the utility
- Updated Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSSAR, FSAR, and USAR
- *Federal Register* notices announcing the availability of the FSSAR and FSAR
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence falls in category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in category F.

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (COL STAGE)

This category is limited to documents pertaining to Limited work Authorization (LWA) whereby applicants can conduct limited site preparation and construction before NRC grants a combined construction/operating license.

- Limited Work Authorization (LWA) and amendments
- Correspondence pertaining to work performed under LWAs

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains documents submitted as part of the application for a combined construction/operating license entitled, "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion is antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS (COL STAGE)

This category contains verbatim transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains project-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to a PDA or FDA/DC application, early site review, or facility license application

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Announcements of ACRS meetings relating to a PDA or FDA/DC application, early site review, or facility license application, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to a PDA or FDA/DC application, early site review, facility license application, and safety-related matters
- Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgement letters relating to a PDA or FDA/DC application, early site review, or facility license application

NOTE: For generic and document-specific safety related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract and letter), see ACRS non-docket file.

P. POST-COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical documents dated from the combined construction/operating license until the order for termination of the license. Included are:

- The combined construction/operating license (COL), amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the COL
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., Topical Reports) submitted in support of the aforementioned items
- *Federal Register* notices announcing the availability of the COL, FSAR, and amendments
- Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Safety Analysis Report (USAR)
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the COL, or technical issues arising after the issuance of the COL
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers) regulations, laws, and changes in policy that may affect plant operation or bear on the COL
- NRC questions, RAIs, and licensee responses

DEFINITIONS OF DOCKET CATEGORIES

P. POST-COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Owners group meeting announcements and reports
- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Radioactive waste information, excluding onsite storage of low-level waste (filed category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility; *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, and T)
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inspections which are filed in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (Other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license, and to dismantle, and dispose of component parts
- Information on changes in NRC's internal organizational structure

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE)

This category contains the following applicant/license material:

- Inspection reports

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Information Notices, and related correspondence
- Applicant licensee determination of the proprietary nature of Inspection Reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demand for Information (DFIs)
- Correspondence and orders relating to the opposition and payment of civil penalties, including Enforcement Notification (EN) and Significant Enforcement actions (EA)
- Notices of deviation and related correspondence
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk-based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (IIT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see nondocket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommission stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic fitness for duty performance data
- Periodic personnel exposure reports
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with Licensing Board orders)
- Operational Logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence or other documents relating to the items listed

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE)

This category contains all materials relating to abnormal, unusual, reportable and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs) and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Environmental technical specifications violation reports and environmental event reports
- Part 21 reports of defects and noncompliance
- Correspondence or other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E nondocket files.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) transcripts
- Testimony and statements submitted to ASLB
- Transcripts of Commission meetings
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of vendor or utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in the ACRS and 10 CFR 9.7 nondocket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned
- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical items dated from the order for terminating the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling, and the Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning

DEFINITIONS OF DOCKET CATEGORIES

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- All documentation relating to the ongoing operation of the plant formerly filed in category P

X. ONSITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store low-level waste at a commercial reactor
- All related correspondence and reports

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 52 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to:

- License applications, license, amendments, and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)
- All related correspondence and reports to the above

NOTE: The documents in this category will have an NMSS Docket 72 number license. For these installations on a reactor site, the associated Docket 52 number also has been referenced.

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 70 – Special Nuclear Materials

The Docket 70 files contain documentation concerning the domestic licensing of special nuclear material (SNM). Each SNM license application is assigned a unique Docket 70 number. SNM licenses cover the possession and use of radioactive material, including plutonium-enriched uranium. Paper files are maintained in the PDR only for Docket 70 licensees that possess more than 350 grams of uranium-235 or 200 grams of plutonium. Material on other licensees is available on microfiche only. Documents in these files include:

- Applications for licenses, license amendments, and license renewals for Special Nuclear Material licenses
- Special Nuclear Material licenses and license amendments
- Applicant technical reports concerning the facility, including Safety Analysis Reports (SARs), Environmental Reports (ERs) and amendments
- NRC technical reports concerning the facility
- Emergency and radiological health plans
- Inspection reports and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board
- Other technical, legal, and licensing correspondence between NRC and the licensee or other interested parties

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

The Docket 71 files contain documentation concerning the design of radioactive material transport packages and quality assurance (QA) programs for designers, manufacturers, and users of such packages. Each package design and each QA program is individually assigned a unique Docket 71 number.

All NRC licensees who design, manufacture, or use radioactive material packages must comply with NRC-approved package designs and QA programs for these packages. Agreement State licensees who design, manufacture, or use radioactive material packages do not need a QA program approval, but the Department of Transportation requires that NRC approve the package design.

Agreement State licensees who wish to use their packages in States under NRC jurisdiction, or who design and manufacture packages for NRC licensees, must obtain approval for their QA programs. Documents in these files include:

- Application for QA program approval and amendments to the application
- Application for package design approval, including the Safety Analysis Report (SAR), amendments, and engineering drawings

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs (continued)

- Certificate of compliance (NRC approval) for the package design and revisions
- Approval of the QA program
- Correspondence between NRC and the designer and the manufacturer concerning particular package designs
- Requests to be registered as a user of a particular package
- Inspection reports and related correspondence

DOCKET 72 – Independent Spent Fuel Storage Installations

The Docket 72 series contains documentation concerning certification of storage casks and the licensing of independent spent fuel storage installations. These installations store reactor spent fuel and may be on a reactor site or at a separate site. Each installation is assigned a unique Docket 72 number. Documents in these files include:

- Application for license
- Safety Analysis Reports (SAR) and annual updates
- Certification of completion for vendor design of dry cask storage and related correspondence
- Licensee issued Environmental Report (ER) and amendments
- Emergency plan and amendments
- Inspection reports and related correspondence
- Reports on accidental criticality or loss of special nuclear material
- QA plan and amendments
- Correspondence relating to the physical security plan
- Decommissioning plan and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings between the NRC and the applicant

NOTE: Additional nondocketed information concerning spent fuel storage is available in the Project M nondocket file. For installations on reactor sites, see category Y in the Docket 50 or 52 series and Docket 70 for NMSS licenses.

10

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

NONDOCKET FILES

Materials that are not docket-specific are arranged according to the following classification scheme. The capitalized abbreviation is a shorthand description of each topic and corresponds to the way that it appears on the PDR Accession List.

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

I&E MISC—Draft Generic Communications

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PR—Proposed and Final Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RCSSD—Registration of Certificates for Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

DEFINITIONS OF NONDOCKETED CATEGORIES

NONDOCKET FILES (CONTINUED)

RM—Rulemakings

SAI — Strategic Assessment Issue Papers

SECY—Staff Position Papers Prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

10 CFR 9.7 – Commission Meeting Transcripts and Reports

This file contains documents relating to open and closed Commission Meetings.

- Sunshine Federal Register notices
- Full written explanation of closed meetings
- Certification by the General Counsel on closed meetings
- Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings
- Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with the Sunshine Act and Commission policies
- Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence
- Staff Requirements Memoranda for open meetings, memoranda of record, record of votes of Commissioners on items under consideration at meetings

ACRS – Advisory Committee on Reactor Safeguards Documents

Documents in this file pertain to safety-related areas reviewed by the ACRS. ACRS serves as an independent advisory committee to the Commission.

ACRS – Advisory Committee on Reactor Safeguards Documents (continued)

- ACRS reports relating to safety–related matters
- Announcements of ACRS meetings relating to safety-related matters, including meeting agenda
- Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety–related matters
- Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both vendor or facility license applications and safety-related matters
- Minutes of ACRS subcommittee and full committee meetings relating to both vendor or facility license application and safety-related matters
- ACRS consultant reports, comments, and related correspondence relating to both vendor or facility license applications and safety–related matters
- Technical correspondence and memoranda to and from ACRS pertaining to safety-related matters
- General correspondence and related material about ACRS, but not prepared by ACRS or its consultants

NOTE: For docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 and 52.

ADVCM – NRC Advisory Committees

Documents in this file pertain to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards, including:

- Charters of each advisory committee
- Meeting announcements and meeting agenda
- Minutes and verbatim transcripts of committee meetings
- Committee-generated reports, memoranda, and correspondence that are publicly available
- Committee-related correspondence

DEFINITIONS OF NONDOCKETED CATEGORIES

COMMISSION – NRC Commissioner Correspondence

Documents in this file pertain to the daily conduct of Commission business in the Office of the Commission, including:

- Incoming and outgoing Commission-level correspondence relating to official NRC business, including reports and other enclosures to the aforementioned correspondence
- Travel vouchers, telephone logs, and official appointment calendars of participating Commissioners. (These are placed in the PDR at the discretion of individual Commissioners.)
- Speeches, interviews and testimony given by Commissioners at meetings, symposia, and congressional hearings
- Vote sheets
- Weekly information reports (numbered as part of the SECY series) prepared for the Commissioners by the Executive Director for Operations (EDO) summarizing key events and items of interest undertaken by individual staff and program offices

NOTE: For transcripts of Commission meetings, see nondocket File 10 CFR 9.7. For all other staff papers with the SECY-series designation prepared for Commission review, see the SECY nondocket file.

CONTRACT – NRC Contracts and Grants

Documents in this file pertain to AEC and NRC contracts, grants and interagency agreements, including:

- Notification of contracts and grants execution that specifies contract number, project title, contractor name, contract type, funding, and period of performance
- Contractual documents and modifications to contracts

DEFINITIONS OF NONDOCKETED CATEGORIES

FOIA – Freedom of Information Act Requests and Appeals

Documents in this file include requests, denials, and appeals for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA). Each is assigned a sequential identification number based on the year the request is made, for example, 95–110 refers to the 110th FOIA request made in 1995.

- Requests made under the FOIA for NRC records
- Correspondence between NRC and the requester relevant to the processing, granting, denial, and appeal of an FOIA request
- Records or portions thereof released in response to FOIA requests or made under FOIA appeals

GEN TECH IS – Generic Technical Issues

Documents in this file pertain to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR), including:

- Draft reports of action plans to accomplish generic tasks in the NRR program
- Correspondence with industry and within NRC discussing methodologies, analyses, the program, and technical aspects of issues
- Meeting notifications and minutes
- Interim findings and status reports on generic tasks addressing related aspects of generic technical issues

I&E – Inspection and Enforcement Issuances

Documents in this file include bulletins and information notices that are issued by the NRC Office of Nuclear Reactor Regulation. These issuances describe some event that has occurred at a facility and that may require some follow-up action by the licensee. Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), Enforcement Notifications (ENs) and significant Enforcement Actions (EAs).

- Circulars, that describe an event at a licensed facility and are informational in nature (these were discontinued in 1981)

I&E – Inspection and Enforcement Issuances (continued)

- Information Notices, that are similar to Circulars but are preliminary in nature and are issued shortly after an event has occurred
- Bulletins describing an event at a licensed facility and requesting that all recipients perform certain actions as a result of that event
- Preliminary Notification of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest
- Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance
- Enforcement Notifications (ENs) and significant Enforcement Actions (EAs), which provide information on a notice of violation and proposed imposition of civil penalties

NOTE: For utility/vendor responses to such issuances and related correspondence, see categories Q and S in Dockets 50 and 52.

I&E MANUAL – NRC Inspection Manual

This file contains drafts, finals, revisions, *Federal Register* notices and related correspondence to the NRC Inspection Manual.

I&E MISC – Draft Generic Communications

Documents in this file include drafts of Generic Letters, Bulletins, Information Notices and other generic communications issued by the NRC Office of Nuclear Reactor Regulation.

- Draft Bulletins and Information Notices that are being considered for issuance, related comments, and evaluations

I&E MISC – Draft Generic Communications (continued)

- Draft Generic Letters and other generic communications that are being considered for issuance, related comments, and correspondence

MISC – Public Document Room Miscellaneous

This file contains documents about topics not included in the scope of the other nondocketed categories.

NUREG – NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

This file contains formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other governmental entities, and the public which are published in the NUREG series.

- Results of licensing studies of specific plants or facilities preliminary to licensing actions
- Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry
- Action and review plans, as well as guidance, for complying with NRC requirements
- Task force reports on specific topics
- Proceedings of conferences and workshops
- Management and program analysis reports
- Statistical analyses that are of interest to the staff, the industry, and the public
- Administrative reports that are of interest to the staff, the industry, and the public
- Correspondence from industry, government, and the public commenting on NUREG series reports
- Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the NUREG reports series

NOTE: NUREG reports on plants or facilities are filed according to each plant's specific docket number.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG – Organizations

This file contains correspondence with professional organizations, government agencies, and associations with which NRC is in contact; records pertaining to specific NRC offices; and petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on a generic issue.

- Meeting summaries and technical correspondence between the NRC and professional associations
- Correspondence between NRC and other government agencies in which both parties have joint regulatory responsibility, e.g., EPA which has authority to control all radioactive pollutants emitted into the air
- Correspondence and technical information between NRC and Congress
- Reports, technical information, and correspondence between NRC, foreign governments and international organizations
- Internal memoranda, trip reports, and scientific papers pertaining to specific NRC offices

PR – Proposed and Final Rules

This file contains documents of NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive, a staff proposal, or a Commission determination that sufficient grounds exist for it to proceed with a Petition for change in an NRC regulation (PRM) filed by an outside party.

- *Federal Register* notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved
- Text of the Proposed Rule (PR)
- Draft and generic Proposed Rules and *Federal Register* notices
- Comments, statements, information, opinions, or arguments on the proposed change to a part of the *Code of Federal Regulations*
- Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR
- Final rules and *Federal Register* notices

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY nondocket file. For Commission review of staff recommendations, see the 10 CFR 9.7 nondocket file.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRESS – Press Releases

This file contains press releases issued by the Office of Public Affairs Headquarters and Regional offices relating to the NRC's regulatory policy and programs, public hearings, and workshops. Press releases are also issued on major licensee programs, changes, proposed fines, and issues effecting the status of licenses.

PRM – Petitions for Rulemaking

This file contains documents of petitions filed with the Commission by an outside party to issue, amend, or rescind an NRC regulation.

- Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation
- *Federal Register* notice of the filing of the petition
- Correspondence between NRC and the petitioner relevant to the status and substance of the petition
- Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM
- Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a proposed rule, see the SECY nondocket file. For Commission review of staff recommendations, see the 10 CFR 9.7 nondocket file.

PROJ – Projects

This file contains documents pertaining to four classes of projects: (1) commercial nuclear power plants (Docket 50) for which NRC has full review and licensing responsibilities; (2) Government-owned reactors (also Docket 50) for which NRC provides technical expertise and occasional review; (3) design certification and combined licensing (Docket 52) for which NRC has full review and licensing responsibilities; (4) monitored retrieval storage and Topical Reports for storage casks (Project M's) for which NRC has full review and licensing responsibilities. Each class is identified with a P prefix, followed by a series of numbers.

PROJ – Projects (continued)

These files contain all documentation up to the time NRC considers the application and the preliminary technical reports complete for review. The project is then assigned a docket number and the file is transferred to a docket series.

- Applications submitted by the vendors or utility
- Backup technical documents and topical reports submitted in support of the application, and related correspondence
- Preliminary Safety Analysis Report (PSAR), amendments, and related correspondence (Docket 50)
- Preliminary Standard Safety Analysis Report (PSSAR), amendments, and related correspondence (Docket 52)
- Application for Preliminary and Final Design Approval and design certification (Docket 52 and Project M), and related correspondence
- Early site review information
- Meeting notices, summaries, and correspondence
- NRC's or the applicant's changes in internal organizational structure
- Reliability Assurance Program and related correspondence (Docket 52)
- Documentation and technical correspondence between NRC and other government agencies relating to the application
- Adjudicatory correspondence
- Quality Assurance documentation, notices of deviation, and related correspondence

PT 21 – 10 CFR Part 21 Deficiency Reports

This file contains deficiency reports submitted in compliance with Part 21 of Title 10 of the *Code of Federal Regulations.*

- Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects that could create a substantial safety hazard
- Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects
- NRC inspection reports of defects cited

PT 21 – 10 CFR Part 21 Deficiency Reports (continued)

- Correspondence specifying appropriate followup actions to be taken by the agency

QA 999 – Vendor Quality Assurance Inspections

This file contains inspection reports of the vendor/licensee interface from the vendor's view, the vendor's products, and the vendor's programs including equipment environmental qualification testing, and followup correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

- Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of nuclear components or in supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, the PSAR and FSAR submitted by utilities for specific facilities, and vendor QA topical reports.
- NRC inspection reports of vendor facilities that cover the design, fabrication, and testing of components for use in nuclear facilities and related correspondence
- Civil penalties notices
- Notices of deviation
- Vendor corrective actions and other followup correspondence associated with resolution of inspection findings

NOTE: For vendor/licensee inspections from the licensee's view, see category Q in Docket 50 and 52.

RCSSD – Registration of Certificates for Sealed Sources and Devices Change

This file contains documents and related correspondence on radiation sources and device designs. Manufactures and distributors applying for registration of their products must submit for review all safety related information, design specifications, QA programs and amendments. **These documents are maintained in the PDR on microfiche only.**

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD – Regulatory Guides

This file contains new and revised regulatory guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

- *Federal Register* notices announcing the issuance and availability of a proposed Regulatory Guide and revisions
- Revised or newly issued regulatory guides
- Drafts of proposed regulatory guides or proposed revisions
- NRC value/impact assessment
- Comments submitted by the nuclear industry and interested members of the public regarding a proposed regulatory guide
- Summaries of meetings held in the NRC to discuss proposed regulatory guides

NOTE: Industry codes and standards cited in regulatory guides are available for reference use only in the NRC's Technical Library.

RES – Research and Technical Assistance Reports (1974 through 1988)

This file contains reports and technical letters submitted by NRC contractors providing research and technical assistance to the Commission. It also includes research information letters and conference proceedings pertaining to research activities of the Commission.

For final reports of research conducted by contractors, and for conference proceedings, see the NUREG-series nondocket file. See also the WMRES file for research reports on disposal of high-level waste.

REVIEW GRP – Review Groups

This file contains documents pertaining to the activities of internal and external research review groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results, possible redirection of research projects, new research projects, and priorities within the technical areas covered by the research review group.

REVIEW GRP – Review Groups (continued)

- Agenda for quarterly review group meetings
- Summary minutes of review group meetings representing views expressed, including dissenting views
- Research plans and predicted results of major experiments and presentations by research contractors
- Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies
- Internal memoranda relating to topics under discussion
- Correspondence related to the aforementioned items

RM – Rulemakings

This file contains documents pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission, based on the importance and the magnitude of the subject being considered.

- Designation of the presiding officer and any special directions for the conduct of the hearing
- Notifications of Hearing Board meetings
- Petitions, motions, testimony, and statements submitted by parties to the hearings
- Transcripts of the proceedings
- Hearing Board orders and rulings
- Technical reports submitted as evidence in the proceedings
- Reports, if any, of the special Board to the Commission regarding the subject proceeding

DEFINITIONS OF NONDOCKETED CATEGORIES

SAI – Strategic Assessment Issue Papers

This file contains documents pertaining to NRC policy options for assessment and rebaselining for future decisionmaking and regulatory activities.

- Strategic assessment issue papers
- Strategic process and framework papers
- Comments from Congress, other Federal agencies, agreement and nonagreement states, NRC licensees, industry organizations, foreign governments, NRC employees, public interest groups, and the general public (all affected parties are known as stakeholders)
- Transcripts of stakeholder meetings

SECY – Staff Position Papers Prepared for the Commission

This file contains staff papers (generally referred to as SECY Papers) prepared for the information or approval of the Commission. They are assigned a SECY report number.

- Policy issue papers are used to present matters relating to policy formulation
- Rulemaking issue papers are used to present rulemaking activities of the Commission
- Adjudicatory issue papers are used to present matters relating to the granting, suspending, revoking, or amending of licenses, or relating to construction permits for nuclear power plants, and activities in which the Commission has an interest
- Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provides general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication

These categories of staff papers may be issued as one of the following: (a) a Commission meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper that does not require interactive discussion among the Commissioners in a Commission meeting but by law must be voted upon by the Commissioners in the presence of each other; (c) a notation vote paper that does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a negative consent paper that contains issues which the Commission would like brought to its attention before action is taken but which does not require the formality of a Commission vote; and (e) information papers that provide information to the Commission and do not call for any action by the Commission.

SECY – Staff Position Papers Prepared for the Commission (continued)

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports (WIR) prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence nondocket file.

SPCH – Speeches

This file contains speeches by the Chairman and Commissioners presented at National and international regulatory information conferences, industrial forums, advisory committees, symposiums, workshops, and energy policy groups.

STATE PROG – State Programs

This file contains documents that pertain to the Commission's relations with State governments. Areas covered include: (1) the NRC and State Agreement and its amendments, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing, inspection procedures, and waste disposal.

- Correspondence between the NRC Office of State Programs and State officials, State liaison officers and radiation control management health officials, regarding:
  - Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance
  - NRC reviews of Agreement State radiation control programs
  - Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas
- Notices prohibiting involvement in NRC-licensed activities
- Agenda, reports, and transcripts of regional workshops

STATE PROG – State Programs (continued)

- Training programs on current matters of policy and regulations; i.e., decommissioning and radioactive waste disposal
- State legislative reports (discontinued in December 1984)
- Agreement State licensing statistics reports (discontinued in December 1984)

NOTE: For specific uranium milling and mining projects in which the NRC is providing technical assistance to States, see the Project nondocket file.

TOPREP – Topical Reports and Related Correspondence

This file contains Topical Reports, generally of a generic technical nature, submitted by vendors; and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket specific and documents generated by vendor-related owners groups are also included in this file.

- Topical reports dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers, and other vendors
- Revisions, modifications, and amendments to topical reports
- Correspondence between NRC and vendors pertaining to the review of submittals
- Meeting agenda, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria
- Vendor-related Owners' Group meeting announcements, agenda, summaries, reports and correspondence

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the file categories for the docket series.

WASH – AEC–Issued Formal Reports and Related Correspondence

This file contains formal reports that were issued by the U.S. Atomic Energy Commission (AEC) headquarters staff and related correspondence. The WASH reports, which consisted of administrative, scientific, and technical information, ended in 1975, but correspondence occasionally refers to WASH reports. Post–1975 NRC-issued formal reports carry the NUREG-series designation.

DEFINITIONS OF NONDOCKETED CATEGORIES

WM – Waste Management Documents

This file contains documents related to the activities of the NRC Division of Waste Management. Each topic has been assigned a unique number, prefixed by the letters WM. Documents in these files include:

- NRC and DOE prelicensing activities regarding the disposal of high-level waste in geologic repositories, in accordance with the Nuclear Waste Policy Act of 1982 as follows:
  - Technical high-level waste site prelicensing documentation
  - Meeting agenda, minutes and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories
  - Briefings by DOE on current research on nuclear waste management
- NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, in accordance with the Uranium Mill Tailings Radiation Control Act of 1978
- Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard
- NRC topical report reviews and associated correspondence
- Correspondence from the public and other nongovernment organizations for the aforemention items

NOTE: For contractor research on waste management activities, see the WMRES nondocket file.

WMRES – Waste Management Contract Research Documents

This file contains interim and final reports and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level waste disposal in geologic repositories, including:

- Periodic contractor progress reports
- Trip reports
- Draft and final reports submitted for NRC review or information

WMRES – Waste Management Contract Research Documents (continued)

- Correspondence between NRC staff and contractors related to technical questions or issues to be resolved

XPORTLIC – Export and Import Licenses

This file contains records relating to the issuance of licenses to export or import nuclear facilities and materials, including:

- License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials
- Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment
- Commission letters requesting Executive Branch (e.g., U.S. Department of State) views
- Review and findings of the Executive Branch on whether issuance of license would be inimical to the common defense and security of the United States
- Correspondence to and from foreign governments, international organizations, and members of the public
- Hearing records and decisions
- Memoranda from the Office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission's decision on issuing a proposed license
- Licenses, license amendments, and license renewals
- Periodic report on export actions

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.7 and the SECY nondocket file.

NRC FORM 335 (2-89) NRCM 1102, 3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)

NUREG–0540
Vol. 19, No. 3

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

March 1–31, 1997

3. DATE REPORT PUBLISHED

MONTH: May YEAR: 1997

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION – NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Office of Information Resources Management
U.S. Nuclear Regulatory Commission
Washington, DC 20555–0001

9. SPONSORING ORGANIZATION – NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

E. B. Morris, NRC Project Manager

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list
NRC Reports
NUREG–Series Reports
docketed material
nondocketed material

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page) Unclassified

(This Report) Unclassified

15. NUMBER OF PAGES

16. PRICE