
490
11/3/80 1.5.

[redacted]
Dr. 1979



DOE/METC/12594-12

AN EASTERN GAS SHALES BIBLIOGRAPHY SELECTED ANNOTATIONS GAS, OIL, URANIUM, ETC. CITATIONS IN BITUMINOUS SHALES WORLDWIDE

June 1980

Under Contract DE-AP21-79MC12594

For

UNITED STATES DEPARTMENT OF ENERGY
Morgantown Energy Technology Center
Morgantown, West Virginia

TECHNICAL INFORMATION CENTER
UNITED STATES DEPARTMENT OF ENERGY

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

DISCLAIMER

"This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof."

This report has been reproduced directly from the best available copy.

Available from the National Technical Information Service, U. S. Department of Commerce, Springfield, Virginia 22161.

Price: Paper Copy $26.00
Microfiche $3.50

DOE/METC/12594-12
Distribution Category UC-92

AN EASTERN GAS SHALES BIBLIOGRAPHY
SELECTED ANNOTATIONS

GAS, OIL, URANIUM, ETC. CITATIONS IN BITUMINOUS SHALES WORLDWIDE

Compiled by

Vivian S. Hall

Geology Librarian
University of Kentucky
Lexington, Kentucky 40506

June 1980

Prepared for the

United States Department of Energy
Morgantown Energy Technology Center

Under Contract No. DE-AP21-79MC12594

AN EASTERN GAS SHALES BIBLIOGRAPHY
SELECTED ANNOTATIONS

Gas, Oil, Uranium, etc. Citations In Bituminous Shales Worldwide

Compiled by

Vivian S. Hall

ABSTRACT

This bibliography contains 2,702 citations, most of which are annotated. They are arranged by author in numerical order with a geographical index following the listing. The work is international in scope and covers the early geological literature, continuing through 1979 with a few 1980 citations in Addendum II.

Addendum I contains a listing of the reports, well logs and symposiums of the Unconventional Gas Recovery Program (UGR) through August 1979. There is an author-subject index for these publications following the listing. The second part of Addendum I is a listing of the UGR maps which also has a subject-author index following the map listing.

Addendum II includes several important new titles on the Devonian shale as well as a few older citations which were not found until after the bibliography had been numbered and essentially completed. A geographic index for these citations follows this listing.

This bibliography has been funded 1978-1980 under the auspices of the Morgantown Energy Technology Center, U.S. Department of Energy, Morgantown, West Virginia.

PREFACE and ACKNOWLEDGEMENTS

The United States Department of Energy (DOE) is supporting many investigations aimed at solutions to the energy problem. Among them is a program called the Eastern Gas Shales Program (EGSP) intended to stimulate gas production from this extensive rock body. Personnel of industrial companies, research laboratories, research centers, geological surveys, both federal and state, and university researchers in 12 states (CA, DC, KY, NM, NY, NC, OH, PA, TN, VA, WA, WV) are involved in the Eastern Gas Shales Project.

Each of the EGSP investigators needs quick access to findings of the other investigators and to published data on the Devonian black shale.

To meet this need this comprehensive annotated bibliography was compiled by searching manual bibliographies and the GEOREF on line data base. It is international in scope and covers all aspects of the Devonian shales.

The reports, maps and well logs in the Morgantown Energy Technology Center's Unconventional Gas Recovery Program are listed in Addendum I. Addendum II includes several important new titles on the Devonian shale as well as a few hidden titles which were found after the bibliography had been numbered and essentially completed.

I wish to express my gratitude to Dr. Wm. H. Dennen, Chairman of the Geology Department, University of Kentucky and to the

following graduate research assistants: Rob Reeves, William Hopper, Pamela Rockwell, Tim Elam and Sandy Moore. Sean Lynch, undergraduate assistant has also contributed many hours to the bibliography.

I'd like to thank the Morgantown Energy Technology Center, U. S. Department of Energy, Morgantown, West Virginia for the funding of this project 1978-1980.

Vivian S. Hall

CONTENTS

	Page
Abstract	i
Preface and Acknowledgements	iii
Contents page	v
Introduction	vi
Bibliography	1
Geographical index	443
Addendum I UGR reports, well logs and symposiums	484
Author-subject index for UGR reports, logs and symposiums	504
UGR maps	517
Author-subject index for UGR maps	525
Addendum II	529
Geographic index for Addendum II	532

INTRODUCTION

The purpose of this bibliography is to provide access to published and unpublished data on Devonian shales for researchers, oil company personnel, consulting geologists, faculty and students.

The work is world wide in scope, however, English languages publications predominate. Some citations were not annotated because the publications were not available. Among the materials searched in order to compile this bibliography were:

A search on the GEOREF Data Base

U. S. Geological Survey
Publications of the Geological Survey,
1879-1961, 1964 457 pages
1962-1970, 1972 586 pages
1971 -- annuals
1979, Jan. - to date - monthly listings
Washington, Government Printing office

Bibliography of North American Geology, 1732-1970. This bibliography lists publications of the North American continent, Greenland, the West Indies and adjacent islands, Hawaii, and Guam. Washington, D. C. U. S. Gov't Printing Office.

Geological Society of America
Bibliography and Index of Geology Exclusive of North America: 1933-1968.

Bibliography and Index of Geology: 1969 - to date
This tool covers all geoscience literature monthly with annual cumulative bibliography and subject indices. It replaces the Bibliography of North American Geology; Abstracts of North American Geology; and Geophysical Abstracts.

This work has 3 different sets of citations. The major section is the first one of 2,395 references, most of which have annotations arranged alphabetically in numerical order with a geographical index following the references. The second section

Addendum I is a listing of the Unconventional Gas Recovery Program publications (UGR). The reports, well logs and symposiums are listed first, followed by an author-subject index. The UGR maps are listed next and also have an author-subject index.

Addendum II includes several important new references on the Devonian as well as a few older ones which were missed earlier. This listing has a geographical index.

A BIBLIOGRAPHY OF GAS, OIL, URANIUM, ETC. CITATIONS IN BITUMINOUS SHALES, WORLDWIDE WITH SELECTED ANNOTATIONS

00001 Abel, J. F., Jr.; Hoskins, W. N.
Confined core pillar design for Colorado oil shale: Colo. Sch. Mines, Q., Vol. 71, No. 4 (Proceedings from Ninth oil shale symposium), p. 287-308, illus., incl. tables, 1976.
The authors discuss pillar design and how the physical properties of oil shale can vary according to oil content. They go on to state reasons why the confined core design is superior to other designs.

00002 Abelson, Philip H., ed.
Conversion of biochemicals to kerogen and n-paraffins, in Researches in geochemistry, Vol. 2, p. 63-89, illus., tables: New York, John Wiley and Sons, 1967.
Discusses the formation of kerogen in sediments, relating the chemicals found in living organisms with the hydrocarbons found in rocks and oils.

Abelson, P. H. See Hoering, T. C. 01022

00003 Abreu, S. Froes
Brazilian oil fields and oil shale reserves: Am. Assoc. Pet. Geol., Bull., Vol. 33, No. 9, p. 1590-1599, 6 figs., 1949.
Petroleum and oil shale reserves of Brazil are discussed. The most promising oil shale reserves occur in the Paraiba Valley and the Gondwanna series of southern Brazil with yields of from 23 to 25 gallons per ton. Some shales yield up to 50 gallons per ton but are not present in sufficient quantity to supply a large scale commercial operation.

Adam, H. See Scott, Donald W. 01871

Adams, J. A. S. See Pliler, R. 01651

00004 Adams, J. A. S.; Weaver, C. E.
Thorium-to-uranium ratios as indicators of sedimentary processes - example of concept of geochemical facies: Am. Assoc. Pet. Geol., Bull.; Vol. 42, p. 387-430, 1958.
The authors relate thorium-to-uranium ratios to sedimentary processes and depositional environment, showing that the above ratios are greater for oxidized

continental deposits than for marine deposits. The use of this ratio is shown in a cyclothem and several other sedimentary sequences, including limestones, dolomites, evaporites, shales, residual clays, and bauxite. Three major geochemical facies are discussed.

Adams, L. G. See Heady, H. H. 00995

00005 Adkinson, Henry M.
The oil shales of Utah and Colorado: Salt Lake M. Rv., Vol. 20, No. 8, p. 21-25, 1918.

Agapito, J. F. T. See Hardy, M. P. 00972

00006 Agrargitis, G.; Schermann, O.
Ueber Urananreicherung in kohliger substanze im Bereich der Mitterberge Kupferlagerstaette (Salzburg/Oesterreich) (Uranium concentration in carbonaceous matter in rocks of the Mitterberg copper deposits, Salzburg, Austria): Tschermaks Mineral. Petrogr. Mitt., Vol. 19, No. 2, p. 81-86 (incl. Eng. sum.), illus., 1973.
Associated with plants, metaanthracite, fine dispersion, no thorium, U, C, N, S.

Aitken, J. D. See McIlreath, I. A. 01535

00007 Akasegawa, Y.
On the oil shale deposits of Chin-fo-tang, Jehol province, South Manchuria Ry. Co.: Geol. Inst., Bull., No. 88, p. 30-34 (Japanese), 4 figs., 2 geol. maps, 1937.

00008 Akhmedzhanov, M. A.; Aripov, A. A.; Borisov, O. M.
Geotektonicheskiy faktor perspektivnosti Paleozoyskikh obrazovaniy na neft' i gaz (Geotectonic factors of oil and gas prospects in Paleozoic deposits): Geol. Nefti Gaza, No. 7, p. 37-42, illus., incl. sketch map. Soviet Central Asia, 1973.

Albrecht, P. See Greiner, A. C. 00922

Albrecht, P. See Spykerelle, C. 01986

Albrecht, P. See Vandenbroucke, M. 02232

00009 Alcock, Frederick James
Exploration of oil shales in the Albert mines area (New Brunswick): in summary of investigations on New Brunswick oil shales: Can. Dept. Mines and Resour., Pub. 825, p. 11-18, illus., 1948.

00010 Alcock, Frederick James
Exploration of oil shales in Taylor Village area (New Brunswick): in summary of investigations on New Brunswick oil shales: Can. Dept. Mines and Resour., Pub. 825, p. 8-10, illus., 1948.

00011 Alderson, V. C.
The oil shale industry. 175 p., 15 pls., New York, Frederick A. Stokes Co., 1920.

00012 Alderson, V. C.
Colorado oil shale: Colo. Sch. Mines, Q., Vol. 20, No. 2, 53 p., illus., 1925.
This is by far the better of the four papers by Alderson. Not only are the major Colorado oil shales discussed in detail, but methods for mining and refining are described in detail. Also, legal aspects of mine operation are discussed which may be of interest to the geologist.

00013 Alderson, V. C.
The oil shale industry: Colo. Sch. Mines, Q., Vol. 13, No. 2, p. 3-30, 1918.
The major oil shale deposits of the world are described. A case is put forth for development of Colorado shales from physical, chemical, and economical points.

00014 Alderson, V. C.
The oil shale industry: Colo. Sch. Mines Q., Vol. 14, No. 4, p. 3-15, 1919.
The 1919 article follows the 1918 article and says essentially the same things. This article does contain a detailed flow chart which illustrates the method of refining oil shale and the products which can be obtained.

00015 Alderson, V. C.
The oil shale of Kentucky: Colo. Sch. Mines, Q., Vol. 17, No. 4, p. 3-15, 10 figs., 1922.
Alderson describes the geology. location, extent and contents of the Devonian black shale of Kentucky. He further discusses what is being and what could be done in the future.

00016 Alderson, V. C.
Oil shale: Inst. Petrol. Technologists, Jour., Vol. 12, No. 57, p. 366-374, 1926.

Alekseyenka, V. D. See Gregor'yev, K. A. 00928

00017 Alexander, F. M.
The Chattanooga Black Shale - a possible future source of uranium. The Tennessee Conservationist, June: reprinted as Tenn. Div. Geol. Inf. Circ. 1, 1953.
A very general report explaining what black shale is and how it occurred. Written for the non-geologist.

Alexandresu, Gi See Papia, V. C. 01602

Algermissen, S. T. See Bardsley, Stanford R. 00113

Algermissen, S. T. See Bardsley, S. R. 00112

Allbright, C. S. See Dinneen, G. U. 00646

Allbright, C. S. See Jackson, L. P. 01088

00018 Allbright, C. S.; Van Meter, R. A.; Dinneen, G. U.
Analysis of crude shale oils; some Brazilian and U. S. A. oils: U. S. Bur. Mines, Rep. Invest. 5286, 28 p., 1956.
This report gives the results of analyzing three groups of crude shale oils by the Bureau of Mines procedure. Complete analysis of the oils are included in report form in the appendix.

00019 Allen, J. R. L.
Sedimentology of the Old Red Sandstone (Siluro-Devonian) in the Clee Hills area. Shropshire, England: Sediment. Geol., Vol. 12, No. 2, p. 73-167, illus., 1974.
Shales here are green silty types composed mainly of quartz, illite and chlorite with occasional kaolinite. Article deals primarily with Old Red Sandstones of the Shropshire area with no mention of oil.

00020 Allen, R. J.
Hydrocarbon significance of upper Palaeozoic sediments associated with the Koburra Trough, Galilee Basin: Aust. Pet. Explor. Assoc., Vol. 14, No. 1, p. 59-65, 1974.

Almasy, Felix See Hradil, Guido 01039

Alpern, B. See Blakquart, P. 00200

00021 Al'tgauzen, M. N.
Uran v asadochnykh porodakh (Uranium in sedimentary rocks): Akad. Nauk SSSR, Sib. Otd., Inst., Geol. Geofiz., Tr., No. 286 (Radioaktivnyye elementy v gornykh poradakh), p. 19-30, 1975.

Altschuld, K. See Donnelly, T. W. 00687

00022 Amato, R. V.
Geology of the Salem Quadrangle, Virginia: Va., Div. Miner. Resour., Rep. Invest., No. 37, 40 p., illus., 1974.
Brief mention of the Marcellus shale, a thin bedded, soft to fissil, gray and black shale. No mention of oil or kerogens.

00023 American Chemical Society
Shale oil, tar sands and related fuel sources: a symposium cosponsored by the Division of Fuel Chemistry and the Division of Petroleum Chemistry, Inc., at the 167th meeting of the American Chemical Society, Los Angeles, Calif., April 3-5, 1974. (1976).
Consists of 6 papers dealing with shale oil, tar sands and related fuel sources.

00024 American Petroleum Institute
Facts about oil: in Perspectives on energy; issues, ideas, and environmental dilemmas (Ruedisili, L. C., editor; et al), 2nd edition, New York, New York, Oxford Univ. Press. p. 140-166, illus., incl. sects. 1978.
Article is an abbreviated version of facts about oil prepared by the American Petroleum Institute in 1977. (From abstract)

00025 American Petrol. Institute Subcommittee
Determination of nitrogen in petroleum and shale oil: Anal. Chem., Vol. 24, p. 1806-1811, 1952.
This report describes the cooperative work of 20 laboratories who demonstrated that nitrogen in petroleum and shale oils may be determined by the Kjeldohl, Duman or ter Meulen methods.

00026 Amit, Ora
Organochemical evaluation of Gevar'am Shales (Lower Cretaceous) Israel, as possible oil source rock: Am. Assoc. Pet. Geol., Bull., Vol. 62, No. 5, p. 827-836, 5 figs., 2 tables, May 1978.
The degree of maturation of the organic material in the shales, evaluated from the study of vitrinite reflectance measurements and the organochemical characteristics of 13 core extracts, appears to increase from immature in the east to the stage of thermal generation of oil in the west, in response to an increase in burial depth. Analytical techniques and possible time of generation of the oil are also discussed.

Ampian, S. G. See Jackson, J. Jr. 01087

00027 Amsden, Thomas W.
Silurian and Devonian strata in Oklahoma, in Symposium - Silurian - Devonian rocks of Oklahoma and environs:

Tulsa Geol. Soc. Digest, Vol. 35, p. 25-34, illus., 1967.
Locates the devonian black shale within the stratigraphic column of the study area. Also describes the fossils and minerals present in the formation but with no mention of oil or kerogens.

00028 Amstutz, G. C.; Bernard, A. J. (eds.)
Ores in Sediments: Int. Union Geol. Sci. Ser. A, No. 3, Springer - Verlag, 1973.
A comprehensive discussion of ore deposits occurring in sedimentary rocks. Although no direct mention of black shale is made, certain sections may applicable to black shale chemistry.

00029 Anders, Donald E.
Cycloalkanes from Green River Oil Shale and their relationships to living organisms: Master of Sci. Thesis, Univ. of Wyo., Dec., 1970.

00030 Anders, D. E.; Robinson, W. E.
Geochemical aspects of the saturated hydrocarbon constituents of Green River Oil Shale-Colorado No. 1 Core: U. S. Bur. Mines Rep. Invest., No. 7737, 23 p., illus., 1973.
Methods, detailed analysis of soluble portion of 60 samples, changes in hydrocarbon content with depth, diagenesis, Eocene, Piceance Creek Basin, Colorado. Saturated hydrocarbons from 60 samples of 2300 ft. Green River Formation oil-shale core were analyzed by gas-liquid chromatography methods. The results showed evidence of maturation of the N-alkanes and the cyclic alkanes.

00031 Anders, D. E.; Doolittle, F. G.; Robinson, W. E.
Polar constituents isolated from Green River oil shale: Geochim. Cosmochim. Acta, Vol. 39, p. 1423-1430, 1975.
Anders interprets the mass spectrometric, i.r. adsorption, and NMR data for 22 compounds from a polar fraction of Green River shale, determining compositional types for the major constituents.

00032 Anders, D. E.; Doolittle, F. G.; Robinson, W. E.
Analysis of some aromatic hydrocarbons in a benzene-soluble bitumen from the Green River oil shale: Geochim Cosmochim. Acta, Vol. 37, No. 5, p. 1213-1228, illus., 1973.
Analytical data are given on the aromatic fraction of the total bituminous fraction. Carbon number range, empirical formulae and mass spectra are reported. (Organic geochemistry)

00033 Anders, D. E.; Robinson, W. E.
Cycloalkane constituents of the bitumen from Green River shale: Geochim. Cosmochim. Acta, Vol. 35, p. 661-678, 1971.
Fifty-two cyclic alkanes were analyzed by mass spectrometry. The cycloalkanes structurally resemble biologically derived isoprenoid lipids. The compounds appear to have originated from carotenoid pigments, steroidal plant debris, and pentacyclic triterpenoids.

00034 Anderson, C. C.
Petroleum reserves and oil-shale deposits: Producers Monthly, Vol. 23, p. 32-35, Sept., 1959.

00035 Anderson, C. C.
Underground nuclear explosions-awesome recovery promise: Pet. Eng., Vol. 31, No. 9, p. B28-B31, illus., Aug., 1959, slightly revised, Producers Monthly, Vol. 23, No. 11, p. 32-35, Sept., 1959.

Anderson, C. C. See Watkins, J. Wade 02287

Anderson, H. C. See Golumbic, Norma 00907

00036 Anderson, J. C.
Coal evaluation of the Bandanna Formation: Queensl. Govt. Min. J., Vol. 77, No. 895, p. 201-203, 1976.

Anderson J. See Nejib, U. R. 01549

00037 Anderson P. C.; Gardner, P. M.; Whiteheady, E. V.; et al.
The isolation of steranes from Green River oil shale: Geochim. Cosmochim. Acta, Vol. 33, No. 10, p. 1304-1307, illus., tables, 1969.
By comparing the spectra of isolated components with authentic standards, the C_{28} sterane was identified and the presence of the C_{27} and C_{29}steranes in Green River Oil Shale was confirmed.

Andia, Kh. See Kheynsalu, Yu 01182

00038 Andrichuk, J. M.
Stratigraphy and facies analysis of upper Devonian reefs in Ledue, Slettler and Redwater areas, Alberta: Am. Assoc. Pet. Geol., Bull., Vol. 42 (1), p. 1-93, 1958.
A detailed stratigraphic and petrologic study of the Cooking Lake formation in the Redwater, Ledue, and Sletter areas of Alberta, Canada where oil producing Devonian reefs occur. Black shales are present above the Cooking Lake Formation but are not discussed.

00039 Anessi, Thomas Joseph
Strength and consolidation properties of raw and stabilized Oklahoma Shales (abstr.): Disserst. Abs. Internat., See. B, Sci. and Eng., Vol. 31, No. 5, p. 2661B, 1970.

00040 Angelova, G.; Totsev, D.; Munkova, V.
Priroda i sustav no organichnata masa no bituminozni skali ot nyakoi nakhodishcha v Bulgariya (Nature and composition of the organic mass of bituminous rocks of some deposits in Bulgaria): Neft. Vuglishna Geol., Vol. 7, p. 53-60 (incl. Eng. sum.), illus., incl. tables, 1977.
The volatile yield, gross heating value, and moisture, ash, sulfur, and carbon dioxide contents of samples from five oil shale deposits in Bulgaria were found. Thermal gas separation was determined and oil yields catagorized.

00041 Anhaeusser, C. R.; Button, A.; Wolf, K. H.
A review of southern African stratiform ore deposits, their position in time and space in Handbook of stratibound and stratiform ore deposits: II. Regional studies and specific deposits: Vol. 5, Regional studies: Elsevier Publ. Co., New York, p. 257-319, 1976.
This chapter is concerned primarily with ore deposits of Southern Africa. There is a very brief reference to South African torbanites and oil shales on page 273 stating simply that they are indistinguishable from the Kerosene Shales of New South Wales in Australia, or the oil shales of Kentucky in the United States.

00042 Ananymous
Where is oil found and how did it get there?: Drill. Bit., Vol. 26, No. 10, p. 21-23, (special issue; energy information special), illus., 1977.

00043 Anonymous
Utah energy resource data: Utah Dep. Nat. Resour., Salt Lake City, Utah, 27 p., 1976.

00044 Anonymous
One hundred billions of barrels of shale oil and recoverable from shaded area on map: Shale Rev., Vol. 4, p. 11, sketch map, Denver, Colo., 1922.

00045 Anonymous
Oil shale technology; hearings before the Subcommittee on Energy of the committee on Science and Astronautics, U. S. House of Representatives, Ninety-third Congress, second session on H. R. 9693, May 8, 14, 30, 1974: No. 48: U. S. Congress, Wash., D. C., 528 p., 1974.

Antweiler, J. C. See Cottingham, P. L. 00532

00046 Applachian Geological Society
Devonian shales; a symposium by the Appalachian Geological Cosiety: Vol. 1, 1035. Charleston, W. Va. The Society, 44 pages mimiographed 1935.
Topics include: black Devonian shales; gas in Devonian shales; structure; porosity and reservoir facilities; origin and movement of material; methods for shooting and cleaning shale wells; computing capacities of shale wells.

Appleman, M. D. See Findley, J. E. 00795

00047 April. R. H.
Clay mineralogy and geochemistry of the East Berlin Formation, Newark Group, Connecticut and Massachusetts, (abstr.): Geol. Soc. Am., Abstr. Programs, Vol. 10, No. 2, p. 30, 1978.

00048 Arato, J.; Bella, L.
Results of technological and chemical analyses of the oil-shale of Pula and Gerce, (Transdanubia, Hungary): Hung. Magy. All. Foldt. Intez., Evi Jel., 1974, p. 287-300 (incl. Eng. sum.), 1976.
The composition of organic matter of the sapropelic sediments of Pula is roughly equivalent of that characteristic for oil shales. The sediments may be regarded as calcareous-clayey oil-shales. Bitumen yields of the Pula complex are about 6.6% while those of the Cerce series are about 4.3%.

Aref'yen, N. A. See Tverdova, R. A. 02141

00049 Arendt, J. W. (Project manager); Union Carbide, Oak Ridge Gaseous Diffusion Plant
National Uranium Resource Evaluation Program; Hydrogeochemical and stream sediment survey in central United States; second quarter FY 1976, October 1, 1975 through December 31, 1975, p. 67, illus., 1976. (Rep. No. GJBX-31, Part 3)(Rep. No. KTL524) available from: U. S. Atomic Energy Comm., Washington, D. C., United States.

00050 Arendt, J. W. (Project Manager); Union Carbide, Oak Ridge Gaseous Diffusion Plant
National Uranium Resource Evaluation Program; Hydrogeochemical and stream sediment survey in central United States, first quarter FY 1976, July 1, 1975, through September 30, 1975: p. 47, illus., 1975. (Rep. No. GJBX-30, Part 2) available from: U. S. Atomic Energy Comm., Washington, D. C., United States.

Aripov, A. A. See Akhmedzhanov, M. A. 00008

00052 Armands, Goesta
Geochemical studies of uranium, molybdenum and vanadium in a Swedish alum shale: Stockh. Contrib. Geol., Vol. 27, No. 1, p. 1-148, illus. (Incl. sketch map), 1972.
113 samples from drill cores of black alum shale from the Middle and Upper Cambrian were analyzed for trace elements using X-ray fluorescence methods. Calculated norms were based on combined X-ray diffraction and chemical data. (From abstract)

00053 Armon, W. J.; Ress, O. W.
Chemical evaluation of Illinois oil shales: Ill. Geol. Surv., Circ. 307, 22 p., 1960.
This is a discussion of the chemical and physical properties of four Illinois black shales and one limestone. The reported results yield information on characteristics of crude oils and gases from comparison of shales and retorted products.

Armon, W. J. See Lamar, J. E. 01264

00054 Arnold. C. A.
Petrified wood in the New Albany shale: Science (new ser.), Vol. 70, p. 581-582, 1929.
This 1929 article discusses the various occurrences of petrified wood (callixylon) in the New Albany shale.

00055 Arnold, G. O.; Henderson, R. A.
Lower Palaeozoic history of the southwestern Broken River Province, North Queensland: Geol. Soc. Aust., J., Vol. 23, No. 1, p. 73-93, 1976.

00056 Arnold, Lionel K.
Destructive distillation products of certain Iowa carbonaceous shales: Iowa Acad. Sci. Proc. 1962, Vol. 69, p. 379-383, tables, 1963.

00057 Arrhenius, G.
Shale-oil production in Sweden by in situ pyrolysis and by aboveground retorting: environmental restoration, in Identification of research and development priorities and of costing problems associated with implementation of it situ recovery of shale oil: Rpt. No. NSF-RA-N-75-001, p. 302-311, 1975.

Arrhenius, G. See Revelle, R. 01727

00058 Arthur, M. A.; Fischer A. G.; Schlanger, S. O.
Paleoenvironments of early Cretaceous "Black Shale" deposition: Geol. Soc. Am., Abstr. Programs. Vol. 10, No. 7, p. 361, 1978.
Two major "ocean anoxic events" can be recognized during which organic-rich facies are best developed and most widespread, one in the Aptian-Middle Albian and another in the Cenomanian-Early Turonian. Rhythmic bedding is typical of black shale sequences suggesting renewal of oxygen and successive anoxic conditions. Burrowing infaunas return rapidly following renewal of oxygen.

00059 Ash, Henry O.
Federal oil shale leasing and administration: Rocky Mt. Assoc. Geol., Field Conf., Guide b., No. 25 (Guides to the energy resource of the Piceance Creek Basin, Colo.), p. 185-191, sketch map, 1974.
A history of oil shale leasing requirements, rules and regulations from 1920 through 1974.

00060 Ash, J. L.; Stone, R. B.; Craig, W. E.; et al.
Technical and economic study of the modified in situ process for oil shale: Vol. 1, Rept. No. PB-260-547/5WN, 344 p., NTIS, Springfield, Va., 1976.

00061 Ash, J. L.; Stone, R. B.; Craig, W. E.; et al.
Technical and economic study of the modified in situ process for oil shale: Vol. 2, Rept. No. PB-260-548/3WN, 373 p., NTIS, Springfield, Va., 1976.

00062 Ashley, G. H.
Oil resources of black shales of the eastern United States: U. S. Geol. Surv., Bull. 641, p. 311-324; (abstr.) Wash. Acad. Sci., J., Vol. 7, p. 564-565, 1917.
Reconnaissance investigation of oil shales of the eastern United States, including study of samples from Ohio, Indiana, and Kentucky (after Hoover, 1960).

00063 Asiskulova, O. A.; Basitova, S. M.; Zasorina Ye. F.
Raspredeleniye rangia i molibdena a organicheskom vashshestve goryuchikh slantsev (The distribution of rhenium and molybdenum in oil shales): Akad. Nauk Tadzh. SSSR, Dol.; Vol. 17, No. 6, p. 20-22, (incl. Tadzhikistan sum.), tables, 1974.

Aswathana rayana, U. See Murty, P. S. M. 01504

00064 Atalla, L. T.; Lima, F. W.
Determination of uranium in thorium matrixes by epithermal neutron activation analysis: J. Radioanal. Chem., Vol. 20 No. 2, p. 607-618, illus. (incl. tables), 1974.

00065 Atherton, Elwood; Collinson, C. W.; Lineback, J. A. Mississippian System: in Willman, H. B., et al., Handbook of Illinois Stratigraphy: Ill., Geol. Surv., Bull. 95, p. 123-163, 1975.
This is a comprehensive work on Mississippian stratigraphy in the Illinois Basin. The Mississippian sequence is up to 3200 ft. thick there and provides an excellent section of the Kinderhookian, Valmeyeran, and Chesterian series. A good reference.

Atherton, Elwood, See Collinson, C. W. 00472

Atherton, Elwood, See Willman, H. B. 02343

Atwood, Mark T. See Goodfellow, Lawrence 00908

Atwood, Mark T. See Kilburn, Paul D. 01184

Atwood, M. T. See Smith, J. W. 01929

Aurand, Harry A. See Baster, R. E. 00145

00066 Austin, C. R.
Surface clays and shales of Ohio: Ohio State Univ. Expt. sta., Bull. 81, 53 p., 1934.
Preliminary report on the physical tests and properties, from a ceramic view, of the Devonian-Mississippian shales (Hoover, 1960).

Austin, C. R. See Lamborn, R. E. 01266

Austin, M. M. See Parr, S. W. 01607

00067 Avila, J.
Devonian shales as source of gas, in Natural gas from unconventional geologic sources; p. 73-85, illus., (incl. sketch maps), available from: Natl. Acad. Sci., Washington, D. C., United States, 1976.
Devonian brown shale of Eastern Kentucky is being considered as a source of methane. The article covers structure of the formation and its potential in terms of quantity of gas available and profits feasible by exploitation.

Aydelotte, J. T. See Gavin, M. J. 00872

Ayres, Eugene, See Heald, D. C. 00996

00068 Azhgirevich, L. F.; Paler, L. M.; Savchenko, N. A.
Kharakteristika slantsenosnosti verkhnego devona pripyatskogo progiba. (Upper Devonain shales in the Pripet depression): Akad. Nauk. SSSR, Dokl., Vol. 13, No. 11, p. 1016-1018, 1969.

00069 Azhgirevich, L. F.; Paler, L. A.; Savchenko, N. A. Slantse - i uglenoxnyye formatsii Paleozoya Pripyatskogo progiba (The shale - and coal - bearing formation of Paleozoic age in the Pripet Basin): Geol. Geokim. Goryuch. Iskip. (Akad. Nauk Ukr. SSSR), No. 38, p. 82-91, sketch maps, 1974.

00070 Azhgirevich, L. F.; Paler, L. M.; Savchenco, N. A. Veschchestvennyy sostav i kachestvennaya kharakteristika goryuchikh slantsev pripyatskoy vpadiny (The composition and quantitative characterization of the bituminous shales of the Pripet Basin): in Litologiya, Geokhimiya i Peleznyye Iskopayemyye Belorussii i Pribalti, p. 338-345, sketch map, USSR, Minist. Geol., Inst. Geol. Nauk, Minsk, 1970.

00071 Azizkulova, O. A.; Basitova, S. M.; Zasorina, Ye. F. Paspredeleniye eniya i molibdena v organiccheskom veshchestve goryuchikh slantsev (The distribution of rhenium and molybdenum in oil shales): Akad. Nauk Tadzh. SSSR, Dokl., Vol. 17, No. 6, p. 20-22 (incl. Tadzhikisian sum.), tables, 1974.

Azizkulova, O. A. See Basitova, S. M. 00124

Azizkulova, O. A. See Basitova, S. M. 00123

Azuaga, C. H. C. See Maciel, A. C. 01366

Azuaga, C. H. C. See Maciel, A. C. 01367

Azuaga, C. H. C. See Maciel, A. C. 01368

00072 Bachleda, Tadeusz; Burzewske, Waclaw; Hryniewiecka, Ann; et al.
Possibilities of determining optimal places of accumulation of natural gas in lower Permian reservoir rocks of the Foresudetic Monocline: Geofiz. Geol. Naft., No. 5-6, p. 109-120, 1974.

00073 Bachman, George O.
Reconnaissance for uranium-bearing carbonaceous rocks in new Mexico, 1952: U. S. Geol. Surv., Trace Elem. Inv. Rept. 198, 20 p., map, tables, 1953. For official use only.

00074 Bachman, George O.; Read, Charles B.
Results of recent reconnaissance investigations of uranium in coal, black shale, and related deposits, Sandoval and Rio Arriba Counties, New Mexico: U. S. Geol. Surv., Trace Elem. Inv. Mem. Rept. 309, map, diagrs., tables. For official use only.

Bachman, G. O. See Vine, J. D. 02255

00075 Bachman, George O.; Vine, J. A.; Read, C. B.; et al. Uranium-bearing coal and carbonaceous shale in the La Ventana Mesa area, Sandoval County, New Mexico: U. S. Geol. Surv., Bull. 1055, p. 295-307 (out of print but available through libraries), 1959.
Uranium, probably from groundwater solutions, was discovered in coal, carbonaceous shale, and carbonaceous sandstone on and adjacent to La Ventana Mesa, Sandoval County, NM. Estimates show 132,000 tons of coal and shale containing an average of 0.10% uranium.

Back, R. See Muller-Vonmoss, M. 01490

Badak, J. See Kita-Badak, M. 01201

00076 Badon, C. L.
Stratigraphy and Petrology of Jurassic Norphlet Formation, Clarke County, Miss.: Am. Assoc. Pet. Geol., Bull., Vol. 59, No. 3, p. 377-392, illus., 1975.
Good description of the stratigraphy and petrology of the Norphlet Formation in Mississippi, Alabama, and Florida. The formation consists of three lithofacies including a basal black shale and is an important oil and gas reservoir.

00077 Bagnall, W. D.; Ryan, W. M.
The geology, reserves, and production characteristics of the Devonian shale in Southwestern West Virginia, in Devonian shale production and potential: Proceedings of the 7th Appalacian Petroleum Geology Symposium, MERC 1 SP-7612, ERDA, Morgantown, W. Va., p. 41-53, 1976.

00078 Bailes, R. H.
Progress report July 1953: U. S. Atomic Energy Comm. Dow-100, 67 p. (dep., mc: 16.75, LX)(recovery of uranium from shales and other materials)(prepared by Dow Chemical Co.), 1953.
Presented are the results of investigations of the recovery of uranium and vanadium from leach solutions of carnotite ores and of the recovery of uranium from shales and from acid leach solutions of Florida leach zone material. (From author's abstract). July, 1953.

00079 Bailes, R. H.
Progress report September 1953: U. S. Atomic Energy Comm., Dow-103, 78 p., (dep., mc: 19.50, LC)(recovery of uranium from shales and other materials)(prepared by Dow Chemical Co.), 1953.
Presented are the results of investigations of the recovery uranium and vanadium from leach solutions

of carontite ores and of the recovery of uranium from shales and from acid leach solutions of Florida leach zone material.

00080 Bailes, R. H.
Progress report August 1953: U. S. Atomic Energy Comm., Dow-101, 79 p., (dep.,mc; 19.75, LC)(recovery of uranium from shales and other materials)(prepared by Dow Chemical Co.), 1953.
Presented are the results of investigations of the recovery of uranium and vanadium from leach solutions of carnotite ores and of the recovery of uranium from shales and from acid leach solutions of Florida leach zone material. (From author's abstract)

Bailey, C. W. See Ball, J. S. 00092

Bailey, C. W. See Dinneen, G. U. 00654

Bailey, C. W. See Dinneen, G. U. 00659

Bailey, C. W. See Van Meter, Robin 02237

Bailey, C. W. See Van Meter, R. 02238

00081 Bain, H. F.
Central Iowa section of the Mississippian Series: Am. Geol., Vol. 15, p. 317-325, 1895.
The author notes fauna which sets one time apart from another in the central Iowa section. The same information can be found elsewhere in more comprehensive works, though.

00082 Bains, T. M.
Problems in the extraction of oil shale: Eng. Min., J. press, Vol. 121, p. 1009, 1926.
This 1926 article describes some problems involved with oil shale extraction: fire-risk, deep and flat holes, expense, etc. Includes sketches of two methods of extraction.

00083 Baird, G.
Coral encrusted concretions; a key to recognition of a 'shale on shale' erosion surface: Lethaia, Vol. 9, No. 3, p. 293-302, illus. (incl. block diags., sketch map), 1976.
Points out that in order for septarian concretions to be coral encrusted they must have been exposed by submarine erosion prior to further shale deposition.

00084 Baird, G. C.
Mud floored submarine discontinuities in the Middle Devonian of West-central New York; physical character and mode of formation of two diastems within the King

Ferry Shale Member, abstr: Geol. Soc. Am., Abstr. Programs, Vol. 9, No. 3, p. 239-240, 1977. (The Geological Society of America, Northeastern Section, 12th annual meeting, Binghamton, N. Y., March 31-April 2, 1977).

00085 Barid, R.; Greenberg, A. L.
The energy crisis; hydrocarbons; the intermediate solution in Energy sources '76: Denver Secur. Traders, Assoc., Denver, Colo., p. 23-26, 1976.

Baker, B. L. See Hodgson, G. W. 01020

Baker, Donald R. See James, Gerald W. 01110

00086 Bakhshandeh, F.
A study of the aromatic fraction of oil shales and other carbonaceous deposits from the Green River Formation in Utah: Master's, Colo. Sch. Mines, Golden, Colo., unpaginated p., 1976.

Baldeschwieler, E. L. See Odell. W. W. 01579

00087 Baldwin, W. F.
Slim hole logging in Colorado oil shale, in SPWLA Logging Symposium, 7th Ann., Tulsa, Okla., 1966, Trans.: Houston, Tex., Soc. Prof. Well Log Analysis, p. C1-C17, illus., tables, 1966.
The present paper is to show that good oil yield values can be obtained in slim holes using small diameter tools (From Abstract). The log results were compared with assay analysis of cores taken from the holes logged.

00088 Ball Associates Ltd.
Surface and shallow oil-impregnated rocks and shallow oil fields in the United States: U. S. Bur. of Mines Monograph 12, 375 p., 40 figs., 1965. Results of 1964 survey conducted by Ball Associates, in behalf of the Joint Committee of Petroleum-Impregnated Rocks of the Interstate Oil Compact Commission and the Bureau of Mines and Geological Survey, U. S. Dept. of the Interior.
County-by-county description of oil-impregnated rocks in the U. S. with an introduction providing definitions, usages, and classifications. The study is a survey of surface rocks and their extensions to 500 feet. Oil shales are excluded.

00089 Ball, J. S.
Geology and mineral resources of the Carlinville quadrangle: Ill. Geol. Surv., Bull. 77, 110 p., 1952.
Brief comments of lithology, thickness, and age of Grassy Creek Shale (Classified here as Lower Mississippian). List of deep wells, cross-section.

00090 Ball. J. S.
Composition of shale oil: Presented before Ind. Bureau of Mines Oil-Shale Conf., Wyo., Aug. 1954. Pub. in Minutes of Conf., U. S. Bur. of Mines Administrative Pub.

00091 Ball, J. S.
Sulfur compounds, organic: Encyclopedia of Chem. Technol., Vol. 13, p. 4030-4045, 1954.

00092 Ball, J. S.; Dinneen, G. U.; Bailey, C. W.
Composition of Colorado shale-oil naphtha: Ind. Eng. Chem., Vol. 41, p. 581-587, 1949.
This study involved separation of the raw naphtha into neutral naphtha, tar acids, and tar bases; reports results on material in the naphtha boiling range. Includes many tables and graphs.

00093 Ball, J. S.; Van Meter, Robin
Determination of nitrogen in shale oil and petroleum; application of established methods: Anal. Chem., Vol. 23, p. 1632-1634, 1951.
This describes the investigations of 17 laboratories as to whether the determination of shale oil nitrogen presents a real problem. Results of analysis made by Kjeldohl and Dumas methods are reported.

Ball, J. S. See Dinneen, G. U. 00641

Ball, J. S. See Dinneen, G. U. 00648

Ball, J. S. See Dinneen, G. U. 00646

Ball, J, S. See Kinney, I. W., Jr. 01197

Ball, J. S. See Stevens, R. F. 02012

Ball, J. S. See Thorne, H. M. 02093

Ball, J. S. See Thorne, H. M. 02092

Ball, J. S. See Thorne, H. M. 02089

00094 Ball, L. C.
Oil shale and coal, Acland: Queensl, Govt. Min. J., Vol. 47, NO. 540, p. 311-312, 1946.

00095 Ball, Lionel Clive
Oil shales in the Port Curtis district: Queensl. Dept. of Mines Geol. Survey, Pub. No. 249, 35 p., illus. (maps), 1915.

00096 Ball, L. C.
Oil shales of the Narrows, central Queensland: Queensl. Govt. Min. J., Vol. 47, No. 536, p. 176-179, 3 figs., 1946.

00097 Ball, L. C.
Oil shales in Queensland: Queensl. Govt. Min. J., Vol. 46, No. 521, p. 74-75, 1945.

00098 Balla, Zoltan; Dudko, Antonyina
Az uranathalmozodas erckepzodesben jatszott szereperod (The role of redeposition in uranium mineralization): Foeldt. Koezl., Vol. 103, No. 1, p. 49-57 (incl. Russian sum.), illus., 1973.

00099 Ballard, Norval
Stratigraphy and structural history of east central United States: Am. Assoc. Pet. Geol., Bull. Vol. 22, p. 1519-1559, 3 figs., 1938.
Compares Ohio shale with its correlatives in other states. Correlations and cross-sections are included (Hoover, 1960).

00100 Ballinger, H. J.
Development of a successful multiple percussion drill carriage: U. S. Bur. of Mines Rep. Invest. 4625, 6 p., 1950.
This paper outlines the development of a successful multiple drill carriage. Its use resulted in a 75% reduction in drill labor and lower drilling cost.

Ballinger, H. J. See Brown, B. C. 00281

Ballinger, H. J. See Sipprelle, E. M. 01901

Ballinger, H. J. See Wright, F. D. 02371

Ballinger, H. J. See Wright, F. D. 02372

Balog, B. See Schmidt-Kollerus, Dzh. Dzh. 01843

Balog, B. See Schmidt-Kollerus, Dzh. Dzh. 01844

00101 Balogh, B.; Wilson, D. M.; Christiansen, P.
17 (H) Hopane identified in Oil shale of the Green River Formation (Eocene) by carbon - 13 NMR: Nature, Vol. 242, No. 5400, p. 603-605, illus., 1973.
This article reports the result of a 13_C NMR study on one of the most abundant components of the hexane soluble fraction of oil shale bitumen of the Green River Formation. (From p. 603)

00102 Balogi, M.; Vadkerti Toth, M.
Determination of methoxy-group content of insoluble organic substances of sediments: Acta Mineral - Petrogr. (Szeged), Vol. 21, No. 2, p. 253-257, illus., 1974.

00103 Baltz, Elmer H., Jr.
A reconnaissance for uranium in carbonaceous rocks in southwestern Colorado and parts of New Mexico: U. S. Atomie Energy Comm. TEM-915, 52 p. (ERDA depository libraries)(Dep.): $13, Photoduplication Service, Library of Congress (LC), Washington, D. C. 20540 (Prepared by U. S. Geological Survey), 1955.
Authors were most interested in coals and carbonaceous rocks of the Dakota Formation but some older and younger rocks were also sampled for uranium content. Areas sampled were on the Los Vegas Plateau and Canadian Escarpment in Harding and San Miguel Counties, northeastern New Mexico.

00104 Bandel, Klaus
Deep-water limestones from the Devonain-Carboniferous of the Carnic Alps, Austria: Int. Assoc. Sedimentol. Spec. Publ., No. 1, p. 93-115, 1974.

00105 Bandy, J. C.
Geology of the McKinely pool. Washington County, Illinois: M. A. thesis)Unpub.) Univ. of Ill., 24 p., 3 pl. (in Survey open-file reports), 1950.
Brief mention of New Albany shale. Includes structure map on top of Devonian, two E-log cross-sections.

00106 Bands, C. E.; Bradley, W. S.; Franciscotti, B. C.
Simulated dewatering requirements at an oil shale surface mine, Piceance Creek Basin Colorado: Colo. Sch. Mines, Miner. Ind., Bull., Vol. 21, No. 2, 11 p., tables, sketch maps, 1978.
A model is presented for hydrology simulation in the Piceance Creek basin that is similar to Sun Company's Beta model. Three dewatering cases were outlines using this model.

00107 Bands, C. E.; Fransiscotti, B. C.
Resource appraisal and preliminary planning for surface mining of oil shale, Piceance Creek basin, Colorado: Colo. Sch. Mines, Q., Vol. 71, No. 4, (Proceedings at Ninth oil shale symposium), p. 257-285, illus. (incl. tables, geol. sketch map), 1976.
A good reference for anyone thinking about stripping black shale. Resource evaluation, best location, ground water supplies, environmental considerations,

and cost of operation are considered here. Although this paper applies to the Piceance Basin of Colorado, consideration would be valid for any other black shale areas.

Baranov, G. M. See Brigor'yev, K. A. 00928

00108 Barb, C. F.
Hydrocarbons in the Uinta Basin of Utah and Colorado; Review of geol. and fieldwork by C. F. Barb; Survey of bitumin alalysis and extraction methods by J. O. Ball: Colo. Sch. Mines, Q., Vol. 39, No. 1, 115 p., 2 pls., 19 figs., incl. index geol. sk. maps, 26 tables, Jan. 1944.
Describes the numerous and diverse types of hydrocarbon deposits in the areas. Good reference in a general sense. Should be followed by more detailed, specific work.

00109 Barb, C. F.
The oil and gas industry of Colorado: Colo. Sch. Mines, Q., Vol. 37, No. 2, 129 p., 1 pl., 29 figs., incl. index maps, 16 tables, Apr. 1942.
A good description. Covers the history of production, legal aspects, and producing beds of Colorado up to 1942. There is also a chapter on the status of the oil shale industry and data on Colorado refineries in 1942.

00110 Barbier, Reynold
Les hydrocarbons naturels dans les departments du lot et de la Dordogne: Ann. Mines s. 14, T. 3, Iv. 4, p. 77-87, 1 fig., 1943. (Jurassic oil shale in Dordogne, France)

00111 Bardossy, G.; Fontbote, J. M.
Observations on the age and origin of the reported bauxite at Portilla de Luna, Spain: Econ. Geol., Vol. 72, No. 7, p. 1355-1358, 1977.
Discusses the secondary oxidation of Devonian shales near Portilla de Luna, Spain, creating gibbsite with impurities. The gibbsite had been mistakenly identified as bauxite in a previously published paper (Font-Altaba Closas, 1960).

00112 Bardsley, S. R.; Algermissen, S. T.
Evaluating oil shale by log analysis: Jour. Pet. Tech., Vol. 15, No. 1, p. 81-84, illus., 1963; reprinted, World Oil, Vol. 161, No. 2, p. 94-97, illus., 1965.
This paper deals with a study conducted on the Green River Formation oil shale in which the application on induction, sonic and nuclear well logs to oil-shale evaluation was tested and proved. (From intro.) Includes figures.

00113 Bardsley, Stanford R.; Algermissen, S. T.
Evaluation of oil shale by log analysis (abstr.): Jour. Pet. Tech., Vol. 14, No. 9, p. 997, 1962.
The application of induction, sonic and radioactive well logs to oil shale evaluation was tested and proved in a study conducted of Green River Formation oil shale in Uintah County, Utah. The physical and chemical properties of an oil shale section, were used to evaluate the response of various logs. (From Abstract)

Barefoot, R. R. See Foscolos, A. E. 00817

Barefoot, R. R. See MacQueen, R. W. 01371

00114 Barghoorn, Elso S.
Organic extractives from Precambrian carbonaceous sediments: Biological Laboratories, Harvard University, Cambridge, Mass. Also GSA Bull., Vol. 67, No. 12, p. 1667-1668.
In determining the biogenic origin of coal-like sediments from Pre-cambrian (Huronian) rocks, organic compounds have been obtained by acid-alkali extractions. Black shales associated with Gunflint Formation are devoid of extractions. Studies continue.

00115 Barker, D.
Uranium in shales: Univ. Sheffield Geol. Soc. J., Vol. 3, No. 1, p. 1-5 (Great Britian and elsewhere), 1958.

00116 Barker, L. K.; Cottingham, P. L.
Refining improvements of shale-oil naphtha: U. S. Bur. of Mines Rep. Invest. 7740, 15 p., 1973.
The purpose of this research was to determine whether any improvements would be made by applying a catalytic reforming process to hydrogenated shale-oil naphtha. Results indicated improvement by the increase of octane.

00117 Barker, L. K.; Cottingham, P. L.
Catalytic reforming of hydrogenated shale-oil naphtha: A. C. S. reprints, Div. Fuel Chem., Vol. 16, No. 1, p. 97-111, 1972. See also I. & E. C. Prod. Res. and Develop., Vol. 11, p. 399-404, Dec. 1972.
The purpose of this research was to evaluate naphtha from hydrogenated crude shale oil as a feedstock for established reforming processes. Results indicate that a higher temperature could have produced a higher yield-octane number. (From Author's Abstract)

00118 Barker, L. K.
Producing SNG by hydrogasifying in situ crude shale oil: U. S. Bur. of Mines Rep. Invest. 8011, 37 p., 1975.
The purpose of this research was to determine the effect

of temperature and pressure on the yield and composition of gas which could be obtained from an in situ crude shale oil and find out what effect extended operating times would have on gasification. (From intro.) Contains many tables.

Barker, L. K. See Cottingham, P. L. 00534

Barker, L. K. See Cottingham, P. L. 00533

Barkov, V. G. See Crechukhin, V. V. 00921

Barksdale, W. L. See Chancellor, Robert E. 00405

00119 Barlot, Jean
La pyrogenation des schistes bitunineux du Jura franceomtois: Acad. Sci. Paris, C. R. t. 197, No. 16, p. 850-852, O 16'33, Oil shales of Burgundy, France.

00120 Barnea, J.
The future supply of nature-made petroleum and gas, Meyer, R. F., editor, in the future supply of nature-made petroleum and gas; technical reports, p. 23-40, table, charts, Pergamon Press, 1977. Reserves, exploration, economics.

Barnes, Robert H. See Wilson, Charles, W., Jr. 02346

00121 Barnet, W. I.
Bibliography of investment and operating costs for chemical and petroleum plants: U. S. Bur. of Mines, Inform. Circ. 7516, 53 p., 1949.
This bibliography was prepared as an aid in making cost estimates for processes for the petroleum refining and chemical industries. The main purpose was to provide a listing of sources of information.

Barnet, W. I. See Jensen, H. B. 01114

00122 Barrett, N. O.
Notes on Illinois bituminous shales, including results of their experimental distillation: Ill. Geol. Surv. Bull. 38, p. 441-460; Geol. Surv. Extract Bull. 38 F, 20 p., 1922.
Includes some data on New Albany equivalents from southern Illinois.

Bartashevich, O. V. See Voytov, G. J. 02265

00123 Basitova, S. M.; Zasorina, Ye. F.; Azizkulova, O. A. et al.
Concentration and distribution of rhenium and molybdenum in the oil shales of middle Asia: Geochim. Int., Vol. 11,

No. 2, p. 743-747, tables, 1974.
Extraction of rhenium and molybdenum from Tertiary oil shales of Central Asia using solutions of hydrochloric, oxalic, and tartaric acids.

00124 Basitova, S. M.; Zasorina, Ye. F.; Azizkulova, O. A.; et al.
Konsentratsiya i raspredeleniya reniye i molibdena v goryuchikh slantsakh sredney Asii (Concentration and distribution of rhenium and molybednum in the oil shales of middle Asia): Geokhim. (Akad. Nauk SSSR), No. 7, p. 1077-1081 (incl. Eng. sum.), tables, 1974.

Basitova, S. M. See Asiskulova, O. A. 00063

Basitova, S. M. See Azizkulova, O. A. 00071

00125 Baskerville, Charles
Oil shales of Canada: Int. Congr. Applied Chem., 7th, London, 1909, Sec. IV A 1:22-31 (1910).

Bass, N. Wood See Leatherock, Constance 01294

00126 Bass, Yu. B.; Galaka, A. I.; Grabovskiy, V. K.; et al.
Slantsenoshost paleogena (Paleogene oil shales): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor, et al.) p. 41-57, Izd. Akad. Nauk SSSR, Tallin, Union of Soviet Socialist Republics, 1974.

00127 Bassett, C. G.
The stratigraphy of the Devonian Formations of the Alto Pass quadrangle, Illinois: (in Survey open-file reports), 36 p., 1924.
Brief consideration of Mountain Glen shale-lithology, fauna, correlation chart, aerial geology map of Devonian formations.

00128 Bassett, C. G.
The Devonian strata of the Alto pass quadrangle: Ill. Acad. Sci. Trans., Vol. 18, p. 360-368, 1925.
Brief descritpion of lithologic character and outcrop of the Mountain Glen shale in the Alto Pass quadrangle, tentative correlation with upper part of New Albany and Chattanooga shales.

00129 Bassler, R. S.
The Waverlyan period of Tennessee: U. S. National Museum Proceedings, Vol. 41, p. 209-224, 1911.
Correlates the Waverly series of Ohio with the formations of the same age in Tennessee. Regards the Chattanooga shale as equivalent to Cleveland,

Bedford, Berea, and Sunbury of Ohio. Includes correlation chart (Hoover, 1960).

00130 Bateman, Andrew F., Jr.
Distillation tests of oil shale from the Phosphoria Formation of southwestern Montana: U. S. Geol. Surv., Prof. Pap., No. 800-C, p. C161-164, sketch map, 1972.
Results indicate oil shale too lean to be of economic value in the forseeable future.

Bates, T. F. See Weaver, C. E. 02290

00131 Bates, Thomas F.; Wright, H. D.; Strahl, E. O.
An investigation of the mineralogy, petrography and paleobotany of uranium-bearing shales and lignites (Scope A - Shales), quarterly progress report, period of April 1 - June 30, 1956 (Appendix: A study of trace element distribution in Chattanooga shale (thesis), by Robert L. O'Neil): U. S. Atomic Energy Comm., NYO-7414, 75 p. (dep., mc; $18.75, LC)(prepared by Pennsylvania State College), 1956.
The trace elements in 61 samples from the upper Devonian Chattanooga Shale and 42 samples from seven shales of Ordovician, Devonian, and Penn. age were determined spectrochemically. (From abstract) Statistical analysis of the data obtained from these samples was done.

00132 Bates, Thomas F.; Wright, H. D.; Camilli, E.
An investigation of mineralogy...shales, quarterly progress report, period of April 1, 1953, to June 30, 1953: U. S. Atomic Energy Comm. NYO-3365, 35 p., (dep., mc; $8.75, LC)(prepared by Pennsylvania State College), 1953.
X-ray analysis showed the main constituents of 12 samples of the Chattanooga bentonite to be quartz, kaolinite, and mica. A number of experiments were carried out to calibrate the fluorimeter and to standardize a working procedure.

00133 Bates, Thomas F.; Wright, H. D.; Weaver, C. E.
An investigation of the mineralogy and petrography of uranium-bearing shales, quarterly progress report for period April 1 - June 30, 1952: U. S. Atomic Energy Comm. NYO-3358, 23 p., (dep., mc)(prepared by Pennsylvania State College), 1952.
This report says that work on the clay mineralogy o the Chattanooga bentonite has been essentially completed. The 2:1 clay minerals appear to be the result of leaching and lydration of muscovite. A 1:1 kaolin clay is apparently the result of alteration of volcanic glass and muscovite.

00134 Bates, Thomas F.; Strahl, Erwin; O'Neil, Robert
An investigation of the mineralogy and petrography of uranium-bearing shales - - Analyses of shale samples: U. S. Atomic Energy Comm. NYO-7909, 91 p. (dep.; $22.75, LC)(prepared by Pennsylvania State University), 1958.
Analyses of 1,135 shale samples from 29 drill cores of 9 formations. Samples were checked for; total Fe, free Fe, CO_3=carbon, total C, total SiO_4, U, organics, and trace elements. Samples were taken from the Chattanooga, Ohio, Woodford, Kansas, St. Hippolyte, Swedish Alum, and selected German shales.

00135 Bates, Thomas F.; Strahl, Erwin, O.
Mineralogy, petrography and radioactivity of representative samples of Chattanooga shale: Geol. Soc. Am. Bull., Vol. 68, p. 1305-1313, 1957.
X-ray diffraction, light and electron microscopy, and nuclear track studies are used to separate mineral from organic components. Alpha track studies of emulsion covered thin sections show no uranium mineral to be present. Rather, 70 percent of uranium atoms are randomly distributed throughout the fine grained matrix and 25 percent are concentrated in organicpyrite-clay complexes.

00136 Battelle Memorial Institute
Quarterly report for the period December 15, 1948, to March 15, 1949: U. S. Atomic Energy Conn. BMI-JDS-175, 188 p. (dep.; $29.50, LC), 1949.
Progress is reported on the recovery of U from domestic shales. Included is a discussion covering fuel values of shales.

00137 Baturin, G. N.
Uran v sovremennom morskom osadochrom tsikle (Uranium in the recent sedimentary cycle): Geokim. (Akad. Nauk SSSR), No. 10, p. 1529-1536 (incl. Eng. sum.), illus., 1973.

00138 Baturin, G. N.
O sootnoshenii srednikh konsentratsiy urana i organicheskogo veschestva v sovremennykh morskikh i okeanskikh osadkakh (Ratios of average concentrations of uranium and organic material in present-day marine and oceanic sediments): Akad. Nauk SSSR, Dokl., Vol. 207, No. 1, p. 186-189, 1972.

00139 Baturin, G. N.; Kichenov, A. V.
Soderzhaniye urana v okeanskikh fosforitakh (Uranium content in marine phosphorites): Litol. Palex. Iskop., No. 1, p. 130-138, sketch map, 1973.

Bauer, A. D. See Horne, J. W. 01030

Bauer, A. D. See Finley, W. L. 00796

00140 Bauer, C. B.; Wood, W. J.; Fleece, J. B.
The government, the computer, and oil shale (abs.): Am. Assoc. Pet. Geol., Soc. Econ. Paleontol. Mineral, Annu. Mtg. Abstr., Vol. 2, p. 2, 1975.
Abstract of the U. S. G. S. program designed to provide acreage evaluations and basic yield calculations for the Piceance Basin of Northwestern Colorado. Yield estimated of from 10-30 gallons/ton (depending on location) were cited. A series of contour maps in terms of gallons/ton and barrels/acre was another outcome of the program.

00141 Baukov, S. S.
Geotektonicheskie usloviya slantsenskopleniya: Eesti NSV Teaduste Akad., Geol. Inst., Uurimused (Akad. Nauk Eston. SSSR, Inst. Geol., Tr.) 1, p. 95-104, illus., 1956. Ordovician and Jurassic oil shales.

00142 Baukov, S. S.; Kotlukov, V. A.
The formation of combustible shales; methods of study and a genetic classification: Izd Balgus, Tallin, 160 p., 1973.

Baukov, S. S. See Kotlukov, V. A. 01236

00143 Baxter, J. W.; Desborough, G. A.
A real geology of the Illinois fluorspar district. Pt. 2, Karbers Ridge and Rosiclare quadrangles: Ill. Geol. Surv. Circ. 385, 40 p., 1965.
Mentions New Albany Group - outcrop area, lithology, composition, thickness. Geologic quadrangle map.

00144 Baxter, R. A.; Buell, Arthur Whitcomb
Colorado oil shale, past, present, future: Miners Mag., Vol. 34, No. 9, p. 493-494, illus., 1964.

00145 Baxter, R. E.; Aurand, Harry A.
Oil shales of the Rocky Mountain area (abs.): Am. Assoc. Pet. Geol. Bull., Vol. 26, No. 3, p. 906, May 1942.
An abstract which simply states that not much is known about retorting of shales on a commercial scale.

Baxter, J. W. See Cluff, R. M. 00450

Bayliss, G. S. See McIver, R. D. 01537

00146 Bayliss, P.; Levinson, A. A.
Clay-mineralogy and boron determinations of the shales

from the Reindeer Well, Mackenzie River delta, N. W. T., Canada: Bull. Can. Pet. Geol., Vol. 18, No. 1, p. 80-83, illus., 1970.
Study of the clay minerals in shales of the Reindeer D-27 well, Mackenzie River delta. The major clay minerals are kaolin and illite. Maximum oil potential occurs around 5,000 ft. where temperature-dependent transformations convert montmorillonite into chlorite. The article does not state whether or not oil actually occurs.

Bayliss, P. See Hitchon, B. 01015

00147 Bayushkin, I. M.; Divok, Yu. P.
Uranium silicates in hydrothermal uranium mineralization: Geochem. Int., Vol. 11, No. 6, p. 1162-1170, illus. (incl. tables), 1974.
Experimental data which indicates that secondary uranium minerals may form in the hydrothermal process together with U^4 + oxide and silicates. From investigation of the system UO_2 - SiO_2 - Na_2O - HCL - H_2O.

Beard, M. E. See Bradley, W. H. 00241

Beard, Tom See Dole, Hollis 00669

Beard, T. N. See Smith, J. W. 01930

Beard, Thomas N. See Trudell, L. G. 02131

Beard, Thomas See Trudell, L. G. 02132

00148 Beard, Thomas N.; Tait, Donald B.; Smith, John Ward
Nalcolite and dawsonite resources in the Green River Formation, Piceance Creek Basin, Colorado, in Guidebook to the energy resource of Piceance Creek Basin, Colo.: Rocky Mt. Assoc. Geol., Field Conf., Guideb., No. 25, p. 101-109, illus. (incl. tables, sketch maps), 1974.
The authors have evaluated the resources of nalcolite and dawsonite in the lower part of the Parachute Creek Member of the Green River Formation. Maps showing thickness, average content and isoreserves are included.

00149 Bearse, A. E.
Recovery of uranium from shales: Battelle Memorial Institute. Contract No. 30-1-Gen-202. BMI-JDS-194, 1949.
Summary of work done between March 1949 to June 1949. Leaching studies continued. Most important variables: sulfuric acid concentration, time and temperature. Research on anion exchange resin was initiated.

00150 Bearse, A. E.; Bevine, R. F.; Ewing, R. A. Recovery of uranium from shales: U. S. Atomic Energy Comm. BMI-JDS-130, 91 p. (dep.; $22.75, LC)(prepared by Battelle Memorial Institute), 1948.
Summary of work between Jan. 1948 - June 1948. Eighty percent extraction achieved by previous methods are too costly. Further research is concentrated on finding more economical method to achieve optimum efficiency. Samples used contained from .006 - .008 percent of uranium. This work concerned mainly with utilizing high sulphur content (5 - 7 percent) as means of solubilizing uranium present. Achieved 70 percent extraction.

00151 Bearse, A. E.; Ewing, R. A.; Calvert, S. Recovery of uranium from shales: U. S. Atomic Energy Comm. BMI-JDS-175, Battelle Memorial Institute, Columbus, Ohio, 118 p., 1949.
Summary of work during the period December 1948 - March 1949. Roasting operations were increased by the use of rotary kiln. Study was directed towards roasting time and temperatures with the indication that maximum temperature improves the ratios of contaminants to uranium in leach liquors. Time, however, was found to be of minor significance. Caustic soda and other carbonates showed promise in removal of contaminants from uranium precipitate.

00152 Bearse, A. E.; Ewing, R. A.; Calvert, S. Recovery of uranium from shales: U. S. Atomic Energy Comm. BMI-JDS-156, 67 p. (dep.; $16.75, LC)(prepared by Battelle Memorial Institute), 1948.
Summary of work done between September, 1948 and December, 1948. This report shows uranium extractions in the 60 - 70 percent range are possible by acid leaching at room temperature after roasting in a Herreshoff type of single hearth roaster. The importance of roasting conditions in further realized.

00153 Bearse, A. E.; Calvert, S.; Cichock, C. G. Recovery of uranium from shales: U. S. Atomic Energy Comm. BMI-JDS-141, 41 p. (dep.; $10.25, LC)(prepared by Bettelle Memorial Institute), 1948.
Summary of work between June 1948 - September 1948. Leaching studies are directed toward the use of dilute H_2SO_4 and countercurrent operation. Seventy percent extraction was achieved with roasted shale. Roasting conditions are important, and studied in both muffle furnace and horizontal rotating tube furnace.

00154 Bearse, A. E.; Chocholak, J.; Devine, R. F.
Recovery of uranium from shales: U. S. Atomic Energy Comm. BMI-JDS-101, 21 p. (dep.; $5.25, LC)(prepared by Battelle Memorial Institute), 1948.
Summary of work between September, 1946 to January, 1948. Acid leaching of shale has given 80 percent extraction. HNO_3 more favorable than H_2SO_4 or HCL. Better results from raw shale that retorted shale. Samples used contained .006 - .011 percent uranium.

00155 Bearse, A. E.; Ewing, R. A.; Devine, R. F.
Recovery of uranium from shales, quarterly progress report March 15, to June 15, 1949: U. S. Atomic Energy Conn. BMI-JDS-194, 130 p. (dep.; $32.50, LC) (prepared by Battelle Memorial Institute), 1949.
Summary of developments in uranium recovery from Chattanooga shales containing from .008 to .01 percent uranium. Anion-exchange resins were found to effectively remove uranium from sulphuric acid leach solutions. A furthur simplification may be accomplished by omitting the roasting step and and substituting leaching under more vigorous conditions, permitting the utilization of highly contaminated leach solutions.

Bearse, A. E. See Ewing, Robert A. 00768

00156 Beasley, A. W.
The petrography of some Queensland oil shales: Queensl. Mus., Mem. Vol. 12, Pt. 3, p. 124-133, 2 figs., 1 pl., 1945.

00157 Bebout, C. G.; Loucks, R. G.
Geopressured geothermal prospects in Frio Formation of Texas Gulf Coast; ideal versus models. (abs.): Vol. 60, No. 9, AAPG and SEPM Gulf Coast sections annual meeting, p. 1606-1607, 1976.
The Bureau of Economic Geology, Univ. of Texas, at Austin, is searching for geopressured, geothermal prospects in sandstone and shale along the Texas Gulf Coast. Three geothermal prospects are identified in the Frio Formation and represent the models.

00158 Beck, Paul
Vorweisung bitumino ser Schiefer aus dem Kandertal (abs.): Schweizer Maturf. Ges., Verh. 121 (Bâle), p. 130, 1941. Tertiary oil shale in Switzerland.

00159 Becker, L. E.; Deoste, J. B.
General sedimentologic history of late Silurian and early Devonian events in southwestern Indiana (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 9 (Basin and arch relations of east-central United States),

p. 1618, 1976.
The general sedimentologic history of late Silurian and early Devonian events in southwestern Indiana. The finished paper could be interesting.

Becker, L. E. See Collinson, C. W. 00473

00160 Becraft, G. E.
Uranium in carbonaceous rocks in the Townsend and Helena valleys, Montana: U. S. Geol. Surv., Bull. 1046-G, p. 149-164 (out of print, but available through libraries), 1958.
Description of uranium occurence in the Helena and Townsend valleys of Montana. It is suggested the uranium was leached from bentonites and bentonized tuffs and concentrated in carbonaceous shales and lignites. As of 1958 the deposits were not commercial.

00161 Beers and Heroy, firm, Dallac Tex.
The radioactivity of black shales: U. S. Atomic Energy Comm. Pub. RMO-865, 1951.

00162 Beers, R. F.
Radioactivity and organic content of some Paleozoic shales: Am. Assoc. Pet. Geol. Bull., Vol. 29, p. 1-22, 1945.
Black shales containing up to 16 percent organic matter have been found to contain high concentrations of uranium, thorium, and potassium (K40). Excellent correlations exist between uranium-thorium ratio, and carbon content in individual shale formations (Hoover, 1960).

00163 Beers, R. F.; Goodman, Clark
Distribution of radioactivity in ancient sediments: Geol. Soc. Am. Bull., Vol. 55, p. 1229-;259, 1944.
The authors relate high Thorium/Uranium to potential petroleum source beds. It is suggested that uranium content, total alpha activity, total beta activity and Th/Ur could be indices of potential petroleum source beds. Beta-ray counters described in the text were used to measure potassium, thorium, and uranium in various sediments.

00164 Behling, M. C.
Computer techniques employed in Eastern Gas Shales Project: Mountain State Geol., No. 1, p. 17, illus., 1977.

00165 Beltskaya, S. N.; Syrova, G. M.
Novyy metod diagnostiki sostoyaniya migratsionnykh protsessov i opredeleniya pirody rasseyannykh bit-

umoidov osadochnyk porod (A new method of identifying the components of migration processes and the determination of the natural distribumins in sedimentary rocks): in Organicheskoye veshchestvo sovremennykh i iskopayemkh osadkov i metody yego izucheniya (Vassoyevich, N. B., editor), p. 242-252, illus. (incl. tables), Izd. Nauka, Moscow, Union of Soviet Socialist Republics, 1974.

00166 Bell, A. H.
Natural gas in Eastern Interior coal basin, in Geology of Natural gas: Am. Assoc. Pet. Geol., p. 813-842, 1935.
Brief mention of New Albany shale - correlated in part with Sweetland Creek, Grassy Creek, and Chattanooga shales. Includes cross-section, structure map of Illinois Basin on base of New Albany.

00167 Bell, A. H.
Oil reserves and possibilities in Illinois: Ill. State Geol. Surv., Ill. Pet. 72, 12 p., 1955.
Structure contour map on the base of the New Albany shale for central and southern Illinois.

00168 Bell, A. H.
Possible producing strata below the McClasky in Illinois: Oil and Gas J., Vol. 37, No. 5, p. 30-31: Ill. State Geol. Surv., Circ. 38, 4 p., 1939.
Brief mentions of New Albany shale. Structure map of Illinois Basin on base of New Albany. New Albany appears in generalized stratigraphic columns and a NE-SW cross-section across Illinois Basin.

00169 Bell, A. H.
Subsurface structure of the base of the Kinder-hook-New Albany shale in central and southern Illinois: Ill. State Geol. Surv. Rept. Invest. 92, 13 p., 1943.
Includes structure map for much of Illinois on base of New Albany shale.

Bell, A. H. See Swann, D. H. 02046

Bell, A. H. See Bond, D. C. 00212

Bell, A. H. See Illinois Geological Survey 01066

Bell, A. H. See Illinois Geological Survey 01065

Bell, A. H. See Moulton, G. F. 01483

Bell, A. H. See Willman, J. B. 02344

Bell, A. H. See William, H. B. 02336

Bell, C. N. See Gardner, E. D. 00851

00170 Bell. Harold Sill
Oil shales and shale oils: New York, D. Van Nostrand Co., illus., 1948.

00171 Bell, Kenneth G.
Uranium and other trace elements in petroleums and rock asphalts: U. S. G. S. Prof. paper 356-B, p. 45-65, diagrs., tables, 1960.
Comparison of the amounts of uranium in the crude oils, petroleums, and rock asphalts from 498 samples in the U. S. is made, citing especially high or low amounts detected. Source and mode of occurence of uranium in these materials from many localities is noted. Possible derivation of uranium from these sources is mentioned. Throughout the article, reference is made to oil fields in the midwest and west.

00172 Bell, Kenneth G.; Hunt, John M.
Native bitumens associated with oil shales, Chpt. 8 in Organic Geochemistry: New York, MacMillan Co. (Int. Ser. Mons. Earth Sci., Vol. 16), p. 333-366, illus., 1963.

00173 Bell, Kenneth G.; Goodman, Clark; Whitehead, W. L.
Radioactivity of sedimentary rocks and associated petroleum: Am. Assoc. Pet. Geol. Bull., Vol. 24, p. 1529-1547, 1940.
The role of radioactivity in the genesis of petroleum. Determinations of radioactivity were made on 21 sedimentary rocks and 7 crude oils. Bell concludes that pressure and temperature are probably more important, but much work remains to be done on the role of radioactivity.

Bella, L. See Arato, J. 00048

00174 Belser, Carl
Oil shale resources of Colorado, Utah and Wyoming: A. I. M. E. Tech. Pub. 2358, Pet. Tech., Vol. 11, No. 3, 11 p., 6 figs. incl. index, geol. maps, May 1948.
This paper summarizes the data on the oil-shale deposits of western Colorado, Utah and Wyoming. It also contains a revised estimate of the grade and tonnage of minable thickness of oil. Shale of western Colorado. (From Abstract)

00175 Belser, Carl
Green River oil shale reserves of northwestern Colorado: U. S. Bur. of Mines Rept. Invest. 4769, 13 p., illus., Feb. 1951.
This report is the first of a series which deal with the oil shales of the Green River formations, Northwestern Colorado, which are an important natural resources for the production of synthetic liquid fuels.

Contains many illustrations.

00176 Belser, Carl
Apparatus for producing oil from oil shale in situ: U. S. Patent 2,725,939, Dec. 6, 1955.

Belser, Carl See Duncan, D. C. 00711

00177 Belyanian, Yu. I.; Kaninskiy, U. S.; Proskuryakov, V. A.
Polucheniye malozol'nogo kerogena iz goryuchikh slantsev (The extraction of low-ash kerogen from oil shale): in Razrabetka i ispol'zovaniye zapasov goryuchikh slantsev, p. 150-155, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

00178 Belyea, Helen R.; et al.
Upper Devonian, Chpt. 6 in Geological history of western Canada: Calgary, Albstrs, Alberta Soc, Pet. Geol., p. 60-88, illus., tables, 1966.

00179 Benson, R. H.; Collinson, C. W.
Three ostracode faunas from Lower and Middle Mississippian strata in southern Illinois: Ill. Geol. Surv. Circ. 225, 26 p., 1958.
Brief mentions of Grassy Creek and Hannibal shales as New Albany equivalents. Section descriptions include black shales.

00180 Bentley, C. B.
Mineral fuel resources - Oil shale, in mineral and water resources of Montana: U. S. Cong., 88th, 1st Sess., Comm. Print, p. 45-46, geol. map, 1963.

00181 Berendsen, P.; Nodine-Zeller, D. E.
Radiolarian-sponge-bearing phosphate nodules from Pennsylvanian black shales, southeastern Kansas (abs.): Geol. Soc. Am., Abstr. Programs, Vol. 10, No. 1, p. 1-2, 1978 (The Geological Society of America, Southcentral Section, 12th annual meeting, Tulsa, Okla., March 6-7, 1978).
Survey by the university of Kansas on phosphatic nodules from black shales. Analysis showed phosphate (up to 30 wt. percent), uranium (up to 300 ppm), and minor elements. This black shale, thought to have accumulated under anoxic conditions, is believed to mark maximum marine transgression.

00182 Berg, R. R.
Deformation of Mesozoic shales at Hamilton Dome, Bighorn, Wyoming: Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 9, p. 1425-1433, 1976.
Description of diastrophic displacement of rocks along the Hamilton Dome oil field anticline. Based on fold

geometry, a significant volume of Paleozoic rocks and Mesozoic shales is thought to be present beneath the anticline. Mesozoic shales may be deformed by plastic flow and/or lost from the anticlinal flank by transfer to the adjacent syncline.

00183 Berg, R. R.; Powell, R. R.
Density-flow origin for Frio reservoir sandstones, Nine Mile Point Field, Aransas County, Texas: Gulf Coast Assoc. Geol. Soc., Trans., No. 26, p. 310-319, 1976.
Article concerned primarily with Upper Frio Sandstones which are reservoirs for natural gas. Only passing reference to interbedded sandy shales.

00184 Bergstorm, Robert E.; Shimp, Neil F.
Geological and geochemical studies of the New Albany Group in Illinois (Devonian black shale) to evaluate its characteristics as a source of hydrocarbons: University of Illinois/Ill. State Geol. Surv., Annual Rept., September 30, 1977.

00185 Berklund, Curt
Managing the public lands for minerals-energy in Pacific Southwest Energy and Minerals Conference: U. S. Bur. Land Manage., p. 5-10, 1974.

Bernard, A. J. See Amstutz, G. C. 00028

00186 Bernat, M.
Les istopes de l'uranium et du thorium et los terres rare dans l'environment marin (Uranium and thorium, and rara earth isotopes in the marine environment): Fr. Off. Rech. Sci. Tech. Outre-Mer, Cah., Sor. Geol., Vol. 7, No. 1, p. 65-85 (incl. English, Russian sum.), illus. (incl. tables, sketch maps), 1975.

00187 Beroni, E. P.; McKeown, F. A.
Reconnaissance for uraniferous rocks in northwestern Colorado, southwestern Wyoming and northeastern Utah: U. S. Atomic Energy Comm. TEI-308-A, 41 p., (dep.; $10.25, LC)(prepared by U. S. Geological Survey), 1952.
Reconnaissance in the Green River and Uinta Basin of Wyoming and Utah and done and no deposits commercially exploitable under present conditions were found. Maps were made and samples taken at the Skull Creek carnotite deposits in Moffat County, Colo.

Beroni, Ernest P. See Gott, Garland B. 00916

Beroni, E. P. See Gott, G. B. 00914

Berry, K. L. See Ruark, J. R. 01793

00188 Berry, W. B. N.
Great Basin Devonian western assemblage rocks: Geol. Soc. Am., Abstr. Programs Vol. 9, No. 7, p. 895-896, 1977, (The Geological Society of America, 90th annual meeting, Seattle, Wash., No. 7-9, 1977).
This is a discussion of the three generalized types of Great Basin Devonian western assemblage rocks.

00189 Beskrovnyy, N. S.; Yermakova, U. N.; Taliyeu, S. D.
Bitumoidy neftesaderzhashchikh gravelitov i glin v Uzonskoy gidrotermal'noy sisteme (Bitumens from the oil-bearing gritstones and clays in the Uzon hydrothermal system): in Gidrotermal'nyye mineraloobrazuyyshchiye rastvory oblastey aktivnogo vulkanizma (Naboko, S. I., editor) p. 135-143, illus., Izd. Nauka, Sib. Otd. Novosibirsk, Union of Soviet Socialist Republics, 1974.

00190 Bestougeff, M. Combaz, A.
Action d'H#SUB'Z#BASE'S et de D surguleques substances organiques actuelles et fossiles (The action of H#SUB'-A#BASE'S and S on some present-day and fossil organic substances), in Advances in organic geochemistry 1973, Int. Mtg. Org. Geochim., Programme Abstr., No. 6, p. 747-759, illus. (incl. tables), 1974.

00191 Bettis, F.
Gas detection in sands of high silt-clay content in the Cook Inlet area: Soc. Prof. Well Log Analy., Annu. Logging Symp., No. 17, 13 p., 1976.
Gas may be detected in some shaly formations using certain quick-look techniques. Log examples of these are presented in this paper. (From abstract)

Bhattiacharyya, K. K. See Rejaram, V. 01697

Bicke, W. E. See Dinneen, G. U. 00658

Bieberman, R. A. See Kottlowski, F. E. 01239

Bigg-Wither, A. L. See Mayne, S. J. 01414

Bills, J. B. See Hoskins, W. N. 01035

Biscar, J. P. See Miknis, F. P. 01435

Biscar, J. P. See Miknis, F. P. 01434

Biscar, J. P. See Miknis, F. P. 01433

00192 Bishop, William F.
Petrology of upper Smackover Limestone in North Haynesville Field. Claiborne Parish, La. Jurassic of the Gulf Coast II,

Local Stratigraphy and Deposition: Am. Assoc. Pet. Geol., Repr. Ser., No. 13, p. 110-146, 1974.
Reconstruction of the environment of deposition of the Upper Smackover carbonate rocks (Late Jurassic). The study interval includes the oolitic and pelletoid reservoir which contains about 16 million bbl of oil in place. The Smackover transition facies is gradational into the overlying Suchner shale and includes a shaly subfacies.

00193 Bitterli, P.
Bituminous Posidonien schiefer (lias epsilon) of Mont Terri, Jura Mtsn.: Ver. Schweiz. Pet. - Geol. u. - Ing., B, Vol. 26, No. 71, p. 41-48, illus., 1960.

00194 Bitterli, P.
On the classification of bituminous rocks from Western Europe (with discussion): World Pet. Cong., 6th, Frankfurt am Main, Pr. Sec. 1, p. 155-165 (incl. Fr. sum.), illus. (incl. sketch map), 1964.
An investigation of a wide variety of primary bituminous rock types to obtain comprehensive information of lithological composition; nature and origin of the bituminous material; stratigraphic position and regional distribution; depositional environment; and their role as oil source rocks.

00195 Bitz, Mary Carol; Nagy, Bartholomew
Method for structural studies of coal and kerogen (abs.): Geol. Soc. Am. Spec. Paper 87, p. 13, 1966.
An analytical method has been developed for structural studies of bituminous coal and kerogen incorporating ozonolysis, seprartion of the oxide products by means of vapor phase chromatography, and mass spectrometry. Infrared, ultraviolet, and NMR analysis provide confirmatory data regarding the constitution and structure of the compounds.

00196 Bizot, John
Petroleum and oil shale in Kentucky: Compass, Vol. 16, No. 4, p. 172-173, May, 1936.

00197 Bjorlykke, K.
Depositional history and geochemical composition of lower Palaeozoic epicontinental sediments from the Oslo Region: Norg. Geol. Unders., No. 305, 81 p., 1974.
A sedimentological and geochemical description of the Lower Paleozoic sediments of the Oslo Region. Sr. and dolomite are present in the marly shales. Shales above the Ceratopyge limestone contain chlorite and illite with low carbon and sulphur content.

Blackburn, C. O. See Van Tuyl, F. M. 02239

Blackburn, C. O. See Van Tuyl, F. M. 02240

Blair, R. W., Jr. See Donnell, John R. 00679

Blair, R. W., Jr. See Donnell, J. R. 00680

00198 Blake, V. N.
A paper on the Chattanooga black shale: MA thesis Vanderbilt Univ., 1910.

Blakely, J. P. See Grimes, W. R. 00932

00199 Blanc, R. P.
Outlook for developments in the solid mineral fuels: Am. Inst. Prof. Geol., Calif. Sect., Annu., Proc., No. 9, p. 16-25, 1973.

00200 Blanquart, P.; Meriaux, E.; Alpern, B.
Comparative study of the reflectance values in seams, inlets, beds, veinlets, stringers and grains of dispersed organic matter of sediments in the Nord region and Pas-de-Calis coal basin: C. N. R. S., Paric, p. 27-39, 1975.

Blatchlay, R. S. See Savage, T. E. 01826

00201 Blatx, Elmer H., Jr.
A Reconnaissance for uranium in carbonaceous rocks in southwestern Colorado and parts of New Mexico: U. S. Dept. of the Interior Preliminary Rept. TEM-915; Geol. Surv. Wash., D. C., 52 p., maps, Feb. 1955.
Coal and carbonaceous shale of the Dakota formation (Cretaceous) were examined for radioactivity. Weak radioactivity was detected but no deposits of economic importance discovered. The highest radio-activity was detected in black shale, siltstone, and sandstone of the Paradox member of the Hermosa formation (Pennsylvanian).

00202 Bloomfield, C.; Kelso, W. I.
The mobilization and fixation of molybdenum, vanadium, and uranium by decomposing plant matter (with discussion): J. Soil Sci., Vol. 24, No. 3, p. 368-379, illus., 1973.

00203 Bloustine, D. A.
Producing characteristics of lower Morrow Sandstone in southern Ellis County, Oklahoma: Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 2, AAPG Mid-Continent Section meeting, p. 318, 1976.
Brief abstract stating that drilling activity has increased in the lower Morrow formation (a thick sequence of linticular sand and shale deposited in a

cyclic transgressive-regressive sequence). The formation exhibits excellent reservoir characteristics.

00204 Bloxam, T. W.
Uranium, thorium, potassium, and carbon in some black shales from the South Wales coal field: Geochim. Cosmochim. Acta, Vol. 28, p. 1177-1185, 1964.
Black shales from the South Wales coal field and analysed for uranium, thorium are 4.0 and 12.3 pp, respectively.

00205 Bloxam, T. W.
Organic geochemistry of some carboniferous shales from the South Wales coal field: G. B. Inst. Geol. Sci., Rep., No. 71-5, 6 p., (incl. Fr., Ger. sum.), illus., 1971.
Types, distribution, relationships to paleoenvironment, extractable organic materials from 63 shales, G. subcrenatum horizon.

00206 Blumer, M.; Rudrum, M.
High molecular weight fossil porphyrins - Evidence for monomeric and dimeric tetraphyrroles of about 1100 molecular weight: Inst. Pet. J., Vol. 56, NO. 548, p. 99-106, tables, 1970: reprinted in Woods Hole Oceanographic Inst. Ref. No. 70-27, 6 p., tables, 1970.

00207 Blusson, S. L.
Selwyn Basin: Yukon and District of Mackenzie: Can., Geol. Surv., Paper No. 76-1A, Report of activities, Part A, p. 131-132, 1976.
Black shales studied comprise 2 main groups: 1) a lower group of early Ordovician to middle Devonian age consisting of carbonaceous shale, shaly limestone, minor argillaceous calcarenite and chert; and 2) an upper informal 'Black Clastic' group. Barite, lead and zinc occur in this group. Highest radioactivity comes from red shales of the 'Grit' unit and syenitic intrusive rocks of the Rogue Range. Tuffaceous rocks anomalous in U_3O_8 are associated with copper deposits in unite H_0 of Norris, 1974.

Boade, R. R. See Reed, R. P. 01709

Bobrov, V. A. See Gavshin, V. M. 00879

Bobrov, V. A. See Gavshin, V. M. 00878

00208 Bodholt, F.
Relation of shale petrology to variations in physical properties of elastic sediment across the Montana

Disturbed Belt: Ph. D. Dissertation, Montana, 1976.
P-wave velocities average 1.5 km/sec east of the disturbed belt, 2.5 km/sec adjacent to the Sawtooth range, and 2.2-2.3 km/sec west of the disturbed belt. Earth resistivity increases from east to west toward the mountain front.

Boetez, Cornelia See Filipecu, M. G. 00794

00209 Boething, F. C., Jr.
Increase in gas prices rekindles Viking-sandstone interest: Oil Gas J., Vol. 75, No. 12, p. 196-200, sects., sketch maps, (Viking Sandstone, Alberta; Part 1), 1977.
Article concerned primarily with Lower Cretaceous Viking Sandstone with passing reference to interbedded shales. Original proven reserves for the Viking are about 8.5 trillion cu ft of gas and 850 million bbl. oil.

00210 Boething, F. C., Jr.
Typical Viking sequence; a marine sand enclosed with marine shales: Oil Gas J., Vol. 75, No. 13, p. 172, 174, 176, illus. (Viking Sandstone, Alberta; Part 2), 1977.
Detailed description of typical Viking sequence (marine sand enclosed within marine shales). Includes photographs of coredrillings. The author reconstructs the paleoenvironment, paleogeography, and ancient flora and fauna of the region.

00211 Bond, D. C.
Petroleum-where it came from-where it is found, How it got there, in Kentucky Oil and Gas Assoc., 30th-31st Ann. Mtgs., 1966-1967, Proc. Tech. Sess.: Ky. Geol. Surv., Ser. 10, spec. Pub. 15, p. 26-29, table, 1968.
This is a discussion of the origin, migration, maturation and accumulation of petroleum.

00212 Bond, D. C.; Bell, A. H.; Meents, W. F.
Gas in Illinois Basin: in Natural Gases of North America; Part 3, Natural gases in rocks of Paleozoic Age: Am. Assoc. Pet. Geol., Mem., No. 9, Vol. 2, p. 1746-1753, illus., 1968.
A general description of gas production in the Illinois Basin. Producing locations and volume produced.

00213 Bond, H. E.
Synthetic fuel resources: Am. Assoc. Pet. Geol. Bull., Vol. 59, No. 4, p. 711-714, 1975.
The author gives a very basic general description of what oil shale is, how it forms, and its geographic distribution. A brief history of commercial development

and exploitation is outlined and the Colony Development Group/Atlantic Richfield recovery project is discussed in terms of mining technique, expenditure, production and profits. Bond also discusses briefly the outlook for oil shale exploitation and developmental problems involved.

00214 Bond, H. E.
Synthetic fuel resources: Am. Assoc. Pet. Geol., Soc., Econ. Paleontol. Mineral, Ann. Mtg. Abstr., Vol. 1, p. 10, 1974.

Boner, Dzh. Ye See Schmidt-Kollerus, Dzh. Dzh. 01844

Boner, Dzh. Ye See Schmidt-Kollerus, Dzh. Dzh. 01843

Bonome, F. See Schmidt-Collerus, J. J. 01841

00215 Bookins, D. G.
Shales as a repository for radioactive waste; the evidence from Oklo.: Environ. Geol., Vol. 1, No. 5, p. 255-259, 1976.
Study of the 1.8 billion-year-oil "fossil nuclear reactor" zones at the Oklo Mine in the Republic of Gabon shows that many of the elements produced by fission have been almost completely retained in shale infilled into a fracture system in organo-argillaceous sandstone. Shale, in geographically stable areas, is considered here for radioactive waste disposal.

00216 Boos, C. M.
Geology of the Dongola quadrangle: Master's thesis, 1922 (unpub.), U. of Chicago, 53 p. (in Survey Open - File Reports), 1921.
Brief mention of Mountain Glen shale lithology. Suggested correlation with Chattanooga and Ohio shales.

00217 Borden, W. W.
Report of a geological survey of Clark and Floyd Counties, Indiana: Indiana Geol. Surv., Ann. Rept. 5, p. 134-189, 1874

00218 Borello, Angel V.
Recursos minerales de la Republica Argentina: III, Combustibles sólidas minerales: Inst. Noc. Inves. Cienc. Nat., Buenos Aires, Rev., Cienc. Geol. T. 5, 665 p., illus. (incl. geol. sk. maps), 1956.

Borisov, O. M. See Akhmedzhanov, M. A. 00008

00219 Borovec, Zdenek
Uran v usazenych horninach (Uranium in sedimentary rocks): Cas. Min. Geol., Vol. 18, No. 2, p. 199-208, illus., 1973.

00220 Botinelly, Theodore
Summary report of the project "Mineralogy of the Chattanooga shale." U. S. G. S. Trace elements memorandum report 474. For official use only.

Boucot, A. J. See Dinnison, John M. 00621

Boughton, E. M. See Cowles, J. O. 00542

Boulmier, J. L. See Oberlin, A. 01576

00221 Bowden, Charles
The impact of energy development on water resources in arid lands: Ariz. Univ., Off. Arid Lands Stud., Arid Lands Resour. Inf. Pap., No. 6, 278 p., 1975.
Very sketchy discussion of water needs for a shale extraction operation. Cites rough estimate of 2-3 barrels water per 1 barrel oil for mining, retorting, revegetating spent shale and human consumption. Remainder of discussion deals with the problem of shale waste disposal but no satisfactory solutions are offered.

00222 Bowen, C. F.
Phosphatic oil shale near Dell and Dillon, Beaverhead County, Montana: U. S. Geol. Surv., Bull. 661-I, p. 315-328, 1918.
Stratigraphy, structure, occurence, properties, and distribution of phosphatic oil shale at two locations in Beaverhead County, Montana.

00223 Bowen, C. H.
Further studies of Ohio coals and oil shales; pt. III, Ohio shales; Ohio shales and cannel coals: Ohio State Univ. Studies, Eng. Ser., Vol. 20, No. 1 and Eng. Expt. Sta. Bull. 143.
Discusses the Ohio Shale potentialities for oil shale use (Hoover, 1960).

00224 Bowerman, J. N.; Coffman, R. C.
The geology of the Taglu gas field in the Beaufort Basin: Can. Soc. Pet. Geol., Mem. No. 4, p. 649-662, 1975.

00225 Bowie, Clifford P.
The Bowie-Gavin process: its application to the cracking of tars and heavy oils, also to the recovery of oil from oil soaked sands or shales, or from oil shales: U. S. Dept. of Commerce, Bur. of Mines, Tech. Paper 370, 42 p., incl. tables, 1926.
Gives a detailed description of the process and apparatus. Includes tables.

00226 Bowie, S. H. U.
Methods, trends and requirements in uranium exploration (with discussion): in Uranium exploration methods, I. A. E. A., Pabel Proc. Ser., p. 57-65, 1973.

00227 Boyd, James
Oil from shale: Ind. and Power, Vol. 55, No. 5, p. 7879, 1948.

00228 Boyd, James
Petroleum industry has defininte rule in synthetics development: Pet. Refiner, Vol. 29, p. 77-85.

00229 Boyd, James
Progress in oil shale development and research: Mines Magazine, Vol. 38, No. 12, p. 47-50, 64, Dec. 1948.

Boyer, D. L. See Cole, R. D. 00459

00230 Box, T. W.; Gillette, E. R.
Some environment effects of water use in western energy development in Energy, water and the west; a workshop focusing on the impact of energy development on western water resources; November 2-5, 1975, in Albuquerque, New Mexico: Am. Assoc. Adv. Sci., Wash. D. C., p. 37-40, 1976.

Brackeburch. R. W. See Zambas, P. G. 02390

00231 Bradbury, J. C.; Ostrom, M. E.; McVicker, L. D.
Preliminary reports on uranium in Hardin County, Illinois: Ill. Geol. Surv. Circ. 200, 21 p., 1955.
Data on uranium content of samples from New Albany Shale at Hicks Dome. Includes tabulated analyses.

Bradley, W. F. See Grim, R. E. 00929

00232 Bradley, W. H.
A contribution to the origin of the Green River Formation and its oil shale: Am. Assoc. Pet. Geol., Bull., Vol. 9, No. 2, p. 247-262, 410, March-Apr., 1925.
A summary of what Bradley has discovered about the Green River Formation since field work began. Suggested environmental interpretation.

00233 Bradley, W. H.
Geology of the Green River Formation and associated Eocene rocks in Southwestern Wyoming and adjacent parts of Colorado and Utah: U. S. Geol. Surv. Prof. Paper 496-A, p. A81-A86, illus., tables, geol. maps, 1964.
Detailed report on the geology of the Green River and Washakic Basins. Assembled from contributions over a forty year period. Read this!

00234 Bradley, W. H.
Green River oil shale-concept of origin extended, an interdisciplinary problem being attacked from both ends: Geol. Soc. Am. Bull., Vol. 81, No. 4, p. 985-1000, illus., tables, 1970.
Biologic progenitors of the oil shale were micro-organisms, microscopic algae and nonalcustrine pollens and waxy spores in shallow lake environments. This organic material consists of a bitumen fraction, an inert fraction, and kerogen. Good description of the shale and how it formed.

00235 Bradley, W. H.
An interpretation of the Green River Formation and its oil shale: Washington, Acad. Sci., J., Vol. 16, No. 3, p. 74-75, Feb. 4, 1926.

00236 Bradley, W. H.
An oil shale and its microorganisms from the Fuson Formation of Wyoming: Am. J. Sci., 5th Ser., Vol. 8, p. 228-234, 4 figs., September, 1924.
Epipolaia corymbus is identified and compared with the living genus Botrycoccus. Also noted that preservation is better in the Fuson than the Green River.

00237 Bradley, W. H.
Origin and microfossils of the Green River Formation of Colorado and Utah: U. S. Geol. Surv. Prof. Paper 168, 58 p., incl. maps, tables, diag., 1931.
Geological aspects of the Green River Formation are discussed at length. Topics covered include structure, stratigraphy, lithology, topography, and origin. Oil shales in this formation are also discussed in terms of occurence, structure, minerology, and especially microfossils. No discussion of economic importance is included.

00238 Bradley. W. H.
Precursors of oil shale (with Fr. and Span. abs.); in Drilling and Production: World Pet. Congr. 7th, 1967, Mexico, Proc., Vol. 3: London, Elsevier Publ. Co., p. 695-697, illus., table, 1967.

00239 Bradley. W. H.
Shorephases of the Green River Formation in northwestern Sweetwater County, Wyoming: U. S. Geol. Surv. Prof. Paper 140, p. 121-131, 2 figs., 5 pls. (incl. map), Feb. 13, 1026.
A good description of intertonguing relations in the Green River Formation, sediment source, and microorganisms.

00240 Bradley, W. H.
Tropical lakes, copropel, and oil shale: Geol. Soc. Am., Bull., Vol. 77, No. 12, p. 1333-1337, illus., table, 1966.
Bradley located a present day, fresh water lake which could be modern analogue to Green River sedimentation. Organic decomposition to hydrocarbons is discussed.

Bradley, W. H. See Iovino, A. J. 01082

00241 Bradley, W. H. Beard, M. E.
Mud Lake, Florida; its algae and alkalines brown water: Limnology and Oceanography, Vol. 14, No. 6, p. 889-897, illus., table, 1969.

Bradley, W. S. See Banks, C. E. 00106

00242 Brakel, L. H.
Mechanical design in oil-shale retorting plants: Trans. ASME, Vol. 75, p. 441-451, 1953.
Retorting and the latest (in 1955) design developments of retorting equipment for oil shale are discussed in this paper.

Brakel, L. H. See Wright, F. D. 02374

Brakel, Lewis H. See Wright, Fred D. 02373

Bramlette, M. See Revelle, R. 01727

00243 Brandenburg, Charles F.
Thermal rearrangements of vinyl dihydrofurans and related isomeric systems: Ph. D. Thesis, Univ. of Wyoming, 103 p., April 1969.

00244 Branson, E. B.
Devonian of northeastern Missouri: Ill. Geol. Surv. Bull. 68, p. 174-181, 1944.
Brief discussion of Grassy Creek Shale-lithology, thickness, correlations. Generalized columnar sections, cross-sections.

00245 Branson, Edwin B.
Notes on the Ohio shales and their faunas: Univ. of Missouri Bull., Sci. Ser., Vol. 2, No. 2, p. 23-32, pl., 1911.
A study of invertebrate and vertebrate fossil faunas from Devonian black shales in north-central Ohio. There was some mention of stratigraphy in describing the twelve fossil horizons author collected from. There was no mention of oil or gas.

00246 Branson, E. B.; Mehl. M. G.
Conodonts from the Grassy Creek Shale of Missouri: Univ. of Missouri Studies, Vol. 8, No. 3, p. 161-259, 1934.
Mostly systematic paleontology of conodonts, but includes discussion of Grassy Creek age and correlations. Generalized stratigraphic sections and descriptions.

00247 Branson, F. A.; Miller. R. F.; McQueen, I. S.
Plant communities and associated soil and water factors of shale-derived soils in northeastern Montana: Ecology, Vol. 51, No. 3, p. 391-407, illus., 1974.

00248 Branthoover, Gerald L.
Evaluating slope stability in jointed rocks; in 12th Ann. Eng. Geol. and Soils Engineering Symp., p. 49-57, illus., 1974.

00249 Brantley, F. E.
High-temperature shale oil; production and utilization: Ind. Eng. Chem., Vol. 44, p. 2641-2647, 1952.
The study was directed at determining the effects of temperature on the quantity and quality of liquid and gaseous products obtained from the experiments.

Braun, R. L. See Mallon, R. G. 01382

00250 Braun, W. K.
Usefulness of ostracodes in correlation Middle and Upper Devonian rock sequences in western Canada: Geol. Soc. Am., Abstr. Programs, Vol. 9, No. 7, p. 909-910, 1977. (The Geological Society of America, 90th annual meeting, Seattle, Wash., No. 7-9, 1977).
Ostracodes are useful in regional correlations in Canada, determining facies relationships reconstructing the geologic history of the Norman Wells reef complex, and in discussing the Middle-Upper Devonian boundary in the Northwest Territories.

Bray, B. G. See Lombard, D. B. 01348

Bredehoeft, John See Dole, Hollis 00669

00251 Breger, Irving A.
Chemical and structural relationship of lignin to humic substances: Fuel, Vol. 30, No. 9, p. 204-208, illus., London, Sept. 1951: Nova Scotia Dept. Mines, Conf. on the origin and constitution of coal, June 1950, Crystal Cliffs, p. 111-119, illus. (1951?): reprinted, slightly revised, Cong. Av. Etudes de Stratigraphic et de Geologie du Carbonifere, 3e, Heerlen, June 25-30, 1951, Compte Rendu, Tome 1, p. 61-64, illus., Maer stricht, 1952.

00252 Breger, Irving A.
Effects of destructive distillation on the uranium associated with selected naturally occuring carbonaceous substances: U. S. G. S. Trace Elem. Inv. Rept. 338, 11 p., tables, 1953. For official use only.

00253 Breger, Irving A.
Germanium and uranium in coalified wood from Upper Devonian black shale: U. S. G. S. Trace Elem. Inv. Rept. 496, 12 p., tables, 1954. For official use only.

00254 Breger, I. A.
Radioactive equilibrium in ancient marine sediments: Geochim. Cosmochim. Acta, Vol. 8, p. 63-73, 1955.
Radioactive equilibrium in eight marine sedimentary formations has been studied by means of direct determinations of uranium, radium, and thorium.

00255 Breger, I. A.
The role of organic matter in the accumulation of uranium; the organic geochemistry of the coal-uranium association with discussion; in Formation of Uranium Ore Deposits (see Nininger, R. D.); Chemical and physical mechanisms in the formation of uranium mineralization, geochronology, isotope geology and mineralogy: I. A. E. A., Proc. Ser., No. STI/PUB/374, p. 99-124, illus., 1974.
Geochemical studies were carried out on 64 specimens of coalified logs from Traissic and Jurassic uranium-bearing sediments of the Colorado Plateau and from Paleocene and Eocene sediments of Wyoming. (From abstract) This work has led to a generalization of principals underlying the association of uranium with coal. (Author)

00256 Breger, Irving A.; Brown, Andrew
Kerogen in the Chattanooga Shale: Sci., Vol. 137, p. 221-224, 1962.
The study reported here of the origin and composition of Chattanooga shale suggest why these shales are not source beds for petroleum. Includes tables of results and a sketch map of the area.

00257 Breger, I. A.; Deul, Maurice
Geochemistry of uranium-bearing carbonaceous rocks: U. S. Atomic Energy Comm. TEI-540, p. 183-190 (dep.; $6, National Technical Information Service)(NTIS, U. S. Dept. of Commerce, Springfield, Virginia 22161)(prepared by U. S. Geological Survey). 1955.
Data collected during research supports the conclusion that the uranium in the Chattanooga Shale is present as a colloidal phase disseminated through the matrix as organic matter (Hoover, 1960).

00258 Breger, I. A.; Meyer, R. F.
Geochemical interrelationships among fossil fuels, marsh, and landfill gas in The future supply of nature-made petroleum and gas; Technical Reports: Pergamon Press, New York, N. Y., p. 913-918, 1977.

00259 Breger, I. A.; Meyrowitz, R.; Deul, M.
Effects of destructive distillation on the uranium associated with selected naturally occuring carbonaceous substances: Sci., Vol. 120, p. 310-312, 1954.
A number of carbonaceous substances were subjected to dry distillation in small-shale glass apparatus. Experimental results were evaluated on the basin of material balances. Includes tables of results.

00260 Breger, I. A.; Schopf, J. M.
Germanium and uranium in coalified wood from Upper Devonian black shale (Tennessee-Ohio): Geochim. Cosmochim. Acta, Vol. 7, p. 287-293, 1955.
Some samples of the Cleveland Shale coalified wood show enough detail to be identified with the gerus Callizylon. The germanium is believed to have been part of the element constituents of the living wood. The wood probably absorbed uranium with the formation of organi-uranium compounds after replacement of the wood in the sediments. Tables give quantitative information on the component wood, ash, etc. (Hoover, 1960).

00261 Breger, Irving, A.; Tourtelot, H. A.; Chandler, J. C.
Geochemistry of kerogen from the Sharon Springs Member of the Pierre shale (abs.): Geol. Soc. Am. Bull., Vol. 71, No. 12, Pt. 2, p. 1822-1833, 1960.
The Sharon Springs Member underwent sedimentation without a corresponding rise in influx of clay. This is responsible for the Sharon Springs Member being more organic rich that other members of the Pierre.

00262 Brennan, Joseph P.
Environmental impact of large scale development of coal and oil shale: Am. Astronaut. Soc., Publ., Sci, Technol., Vol. 35, (Energy delta; supply vs. demand), p. 273-282, 1975.

00263 Breton, R.; Clarac, E.; Combaz, A.
Les schistes bitumineus francais (French oil shale): Ann. Mines (Paris), Vol. 184, No. 4, p. 97-114 (incl. Eng. sum.), illus., incl. maps, tables, 1978.

00264 Bretshy, P. W.
Gradual species replacement in the Mahantango Shales (Middle Devonian , Central Penn.): Geol. Soc. Am. Abstr.

Programs, 1978 Annual Mtg. Vol. 10, No. 7, p. 371, 1978.
Within a 7 meter interval a gradual progradational event successively replaced Devonochonetes by Mucrospirifer and Cypricardella; Mucrospirifer and Paracyclas; and finally be Paracyclas which then abruptly terminated. This analysis emphasizes the futility of assigning any isolated sample to a paleocommunity though community-type studies of coevolving populations is more promising.

00265 Brett, C. E.
Trip G - A selected Middle Devonian (Hamilton) fossil locality reference selection: Guidebook - 46th Ann. Mtg., N. Y. Geol. Assoc., p. G11-G15, 1974

00266 Brett, C. E.; Peterson, D. N.
Biostratigraphy and paleoecology of the Windom Shale Member (Moscow Formation) in Erie County, N. Y., in Guidebook, 46th Ann. Mtg., N. Y. Geol. Assoc., G1-G10, 1974.

00267 Brett, C. E.; Peterson, D. N.
Contacts of the Windom Member (Moscow Formation) in Erie County, New York, in Guidebook, 46th Ann. Mtg., N. Y. Assoc., C1-C22, 1974.

Brinegar, Claude S. See Hartly, Fred L. 00979

00268 Britton, H.
Bibliography of petroleum and allied substances 1922-1923: U. S. Bur. of Mines Bull. 290, 667 p., 1929.
Brief bibliography including noteworthy writings from both the U. S. and foreign countries.

Broadhead, R. L. See Kinney, C. R. 01193

Broadhead, R. L. See Kinney, C. R. 01194

00269 Broadhead, T. W.
Biostratigraphy and paleoecology of the Floyd Shale, Upper Mississippian, northwest Georgia: Master's, Texas (Austin), 1975.

Brobst, D. A. See Culbertson, J. K. 00559

Brodie, E. C. See Van Meter, Robin 02237

Browman, W. M. See Kilburn, Paul D. 01184

00270 Brongersma-Sanders, Margaretha
Mass mortality in the sea, Ch. 29 of Hedgpeth, J. W., (ed.)

Ecology: Geol. Soc. Am. Mem. 67, p. 941-1010, illus., Dec. 30, 1957.
A survey of mass mortality in the sea and in the land waters and the causes, a significance to paleontology. Also a discussion of mass mortality occuring in regions where future deposits of phosphorite and highly bituminous rocks are developing. Causes: volcanism, earth and seaquakes, salinity, temperature, waterbloom, H_2S, stranding, storms, etc. Plus an appendix of documented mass mortalities.

00271 Brookins, D. G.
Favorable criteria for radioactive-waste-disposal sites in shales based on geologic, geochemical, and theroretical study of Oklo uranium mine, Gabon: Am. Assoc. Pet. Geol., Bull., Vol. 61, No. 5, p. 771, 1977, (abs.)(annual meeting, Washington, D. C., June 12-16, 1977).
Oklo data support the feasibilitly of radioactive-waste disposal in tectonically favorable shale sites with an outside packing of high CEC K-bentonite and sulfate. The 1.8 billion-year-old fissionogenic elements from the reaction have been retained in the shale or only locally redistributed.

00272 Brookins, D. G.
Shale as a repository for radioactive waste; the evidence from Oklo.: Environ. Geol.; Vol. 1, No. 5, p. 255-259, 14 Ref. table, 1976.
The author points out the apparently desirable qualities of a highly mineralized shale as a repository for radioactive waste disposal. He discusses a study of the 1.8 billion-year-old "fossil nuclear reactor" zones at the Oklo Mine, in the Republic of Gabon. Includes abstract.

00273 Brookins, Douglas G.; Chaudhuri, Sambudhas; Dulekoz, Erhan
Rb-Sr isotopic age of Eskridge Shale (Lower Permian), eastern Kansas: Sed. Geology, Vol. 4, No. 2, p. 103-115, illus., tables, 1970.
Good description of methods and procedures for Rb-Sr age determinations. Samples of Eskridge Shale with 87 Rb-86 Sr ratios less than 1 define a least-squares isochron of 300 ± 4 million years mazimum age, using 50 billion years as a half life of 87 Rb. (There is some controversy as to whether the half life is 47 b. y. or 50 b. y.). The base of the Eskridge Shale lies approzimately 280 feet above the Pennsylvanian-Permian boundary which is dated at 270-280 million years (?).

00274 Brooks, P. T.; Potter, G. M.
Recovering vanadium from dolomitic Nevada shale: U. S. Bur. of Mines, Rept. Invest., No. 7932, 20 p., 1974.
This is a report of the process of extracting vanadium from Nevada dolomitic shale. The process is comprised of salt roasting, leaching with dilute sulfuric acid, sobrient extraction and precipitation of vanadium as ammonium metareanadate.

00275 Brooner, Frank I.
The North LaWard shale diapir: South Texas Geol. Soc. Bull., Vol. 6, No. 19, p. 6-19, illus., 1966.

00276 Brooner, Frank I., Jr.
Shale diapirs of the Lower Texas Gulf Coast as typified by the North LaWard diapir: Corpus Christ. Geol. Soc. Bull., Vol. 10, No. 6, p. 6-10, 14-24, illus., 1970.
Detailed description of the North LaWard diapir. A necessary condition for the formation of a shale diapir is the presence of a thick deep water marine shale with plastic flowage characteristics. Diapirs may form at varied depth ranges, and may or may not have associated faults. As a general rule, diapirs that piere the Frio sediments are less attractive oil exploration targets that the deep-seated non-piercement types.

00277 Brooner, Frank I., Jr.
Shale diapirs of the Lower Texas Gulf Coast as typified by the North LaWard diapir: Gulf Coast Assoc. Geol. Soc. Trans., Vol. 17, p. 126-134, illus., 1967.
Detailed description of the North LaWard diapir. A necessary condition for the formation of a shale diapir is the presence of a thick deep-water marine shale with plastic flowage characteristics. Diapirs may form at varied depth ranges, and may or may not have associated faults. As a general rule, diapirs that pierce the Frio sediments are less attractive oil exploration targets that the deep-seated nonpiercement types.

00278 Brown, Andrew
Notes of Eastern oil shale drilling: U. S. G. S. Trace Elem. Mem. Rep. 333, 1952. For official use only.

00279 Brown, Andrew
Experimental drilling in Chattanooga shale: U. S. G. S. Trace elements Mem. Report 363, 1958.

00280 Brown, Andrew
Uranium in the Chattanooga shale of eastern Tennessee: U. S. Geol. Surv. Prof. Paper 300, p. 457-462 (out of

print, but available through libraries), 1956.
Chattanooga shale (especially in the Eastern Highland Rim in Tennessee), contains in places sufficient uranium to make it a potential low-grade ore. The Gassaway member, ranging in thickness from 13.4-18.5 feet, is the most promising containing from 0.005-0.008 per cent uranium. The form in which the uranium occurs is not yet known.

Brown, Andrew See Breger, Irving A. 00256

Brown, B. C. See Wright, F. D. 02376

00281 Brown, B. C.; Wright, F. D.; Ballinger, H. J.
Some innovations in equipment for scaling high roofs and mine walls: U. S. Bur. of Mines Rept. of Invest. 4739, 11 p., 1950.
Describes new and unique equipment developed by the Bureau of Mines for placing men in position to scale loose rock from walls, pillars, and roofs of underground mines. (From abstract)

00282 Brown, Dennis; Earnshaw, D. G.; McDonald, F. R.
Gas-liquid chromatographic separation and spectrometric identification of nitrogen bases in hydrocracked shale oil naphtha: Anal. Chem., Vol. 42, No. 2, p. 146-151, illus., tables, 1970.
A tar lease concentrate from a hydrocracked shale oil naphtha was separated by gas-liquid partition chromatography using nonpolar and polar columns. This analysis is valuable for determining the nature of a material which could become a by-product of shale and refining.

00283 Brown, J. C.; Dey, A. K.
The mineral and nuclear fuels of the Indian subcontinent and Burma; a guide to the study of coal, oil, natural gas, uranium and thorium resources of the area: p. 517, illus. (incl. tables, sect.; geol. maps), Oxford Univ. Press, Delhi, India, 1975.
Appendix 1 gives a general description of oil shales and a more detailed description of Tertiary shales in depositional basins of lower Burma. The freshwater deposits consist of a lower division of sands and boulder beds and an upper one of shales and oil shales.

Brown, J. F. See Cottingham, P. L. 00539

Brown, J. F. See Tihen, S. S. 0210;

Brown, J. H., Jr. See Cashion, W. B. 00387

Brown, J. H., Jr. See Donnell, J. R. 00681

00284 Brown, Jon T.
The associated minerals dilemma and the new federal oil shale policy: Rocky Mt. Mineral Law Rev., Vol. 5, No. 1, p. 1-17, reprinted, 1967.

00285 Brown, J. W.; Repsher, R. C.
Detection of rubble zones in oil shale by the electrical resistivity technique: U. S. Bur. of Mines Rept. of Invest. 7674, 17 p., 1972.
Electrical resistivity studies were conducted at three sites in Wyoming in an effort to find underground rubble zones in oil shale and determine size and resistivity contrast.

00286 Brown, K. B.; Grimes, W. R.; Susano, C. D.
Progress report on shale studies, August 1948: U. S. Atomic Energy Comm. Y-235, 33 p. (dep., mc; $8.25, LC) (prepared by Carbide and Carbon Chemicals Corp.), 1948.

00287 Brown, K. B.; Grimes, W. R.; Susano, C. D.
Progress report on shale studies for the month of September 1948: U. S. Atomic Energy Comm. Y-279, 24 p. (dep., mc; $7.20, LC)(prepared by Carbide and Carbon Chemicals Corp.), 1948.
Experiments are reported on the recovery of U from oil shale by H_2O leaching of the roasted ores. Techniques for the precipitation of hexavalent U from oil shales batches are discussed. (From abstract)

00288 Brown, K. B.; Grimes, W. R.; Susano, C. D.
Progress report on shale studies for the month of October 1948: U. S. Atomic Energy Comm. Y-279, 26 p. (dep., mc; $6.50, LC)(prepared by Carbide and Carbon Chemicals Corp.), 1948.
A study was made of U recovery from oil shale including cascade waste leaching of roasted ore, leaching of burned shale, and analytical development and recovery of U from leach solutions. (From abstract)

00289 Brown, K. B.; Grimes, W. R.; Susano, C. D.
Progress report of shale studies for the month of November 1948: U. S. Atomic Energy Comm. Y-304, 18 p., (dep., mc; $5.40, LC)(prepared by Carbide and Carbon Chemicals Corp.), 1948.

00290 Brown, K. B.; Grimes, W. R.; Susano. C. D.
Progress report on shale studies for the month of December 1948: U. S. Atomic Energy Comm. Y-130, 27 p., (dep., mc; $6.25. LC)(prepared by Carbide and Carbon Chemicals Corp.), 1948.

00291 Brown, K. B.; Grimes, W. R.; Susano, C. D.
Progress report on shale studies for the month of January 1949: U. S. Atomic Energy Comm. Y0341, 27 p., (dep., mc; $6.25, LC)(prepared by Carbide and Carbon Chemicals Corp.), 1949.

00292 Brown, K. B.; Grimes, W. R.; Susano, C. D.
Progress report on shale studies for the month of May 1949: U. S. Atomic Energy Comm. Y-420, 27 p. (dep., mc; $6.25, LC)(prepared by Carbide and Carbon Chemicals Corp.), 1949.

00293 Brown, K. B.; Grimes, W. R.; Susano. C. D.
Progress report on shale studies for the month of June 1949: U. S. Atomic Energy Comm. Y-446, 25 p. (dep., mc; $6.25, LC)(prepared by Carbide and Carbon Chemicals Corp.), 1959.

00294 Brown, K. B.; Schmitt, J. M.; Hurst, F. J.
(Final report) Recovery of uranium from oil shales; Pt. 1, Extraction of uranium from the shale gangue (Chattanooga shale, Tennessee): U. S. Atomic Energy Comm. Y-564, 154 p. (dep.; $10.75, NT15)(prepared by Carbide and Carbon Chemicals Corp.), 1949.

00295 Brown, P. J.
Energy from shale; a little used natural resource: in Natural gas from unconventional geologic sources, p. 88-89, illus. (incl. table, strat. col., sketch), available from: Natl. Acad. Sci., Washington, D. C. 1976.

00296 Brown, R. W.
Ecology of nonalgal marine plants Nat'l Research Council, rept. of the committee on a treatise on marine ecology and paleoecology, 1948-1949, No. 9, p. 105-110, 1949.
Discusses briefly the spread of land plants along shores of salt water bodies and even into brackish and marine waters, and their usefulness in ecological studies. Includes annotated bibliography (Hoover, 1960)

Brown, S. See Philip, R. P. 01642

Brown, S. See Philip, R. P. 01640

00297 Bruce, Clemont H.
Pressured shale and related sediment deformation; mechanism for development of regional contemporaneous faults, in Abnormal Subsurface pressure, Am. Assoc. Pet. Geol. Repr. Ser., No. 11, p. 166-174, illus., 1974.
The author indicates that, in southern Texas, low

density shale is a dominant factor in the formation of regional contemporaneous fault systems. He discusses some observations concerning fault development in this area.

00298 Brunkin, K.; Shishkov, G.
Bituminozni skali pri s Mandra, Khaskovsko, i petrologishna kharakteristika na rezseyanoto organichno veshchestvo (Bituminous rocks near the village of Mandra, Khaskovo region, and the petrological characteristics of the disseminated organic matter): Neft. Vuglishchna Geol., Vol. 7, p. 16-21 (incl. Eng. sum.), 1977.
The bituminous rocks (oil shales) near the village of Mandra are of Upper Eocene age and the deposit is a graben-horst structure. The disseminated organic matter in the rocks of the bituminous group can be classified into four types: humic, sapropelic, naphthidic, and organogenic pigment. It is of mixed humic-sapropelic origin. An epigene bituminite is also found. (Author's abstract)

00299 Bryant, M. B.; Doroshenko, J.; Miller, W. R.; et al.
Cut bank in Energy Resources of Montana: Mont. Geol. Soc., Billings, Mont., p. 60-63, 1975.

Bryzgalova, Ye. V. See Klimenki, V. I. 01205

Buchan, F. E. See Kraemer, A. J. 01247

00300 Buchheim, H. P.; Surdam, R. C.
Fossil catfish and the depositional environment of the Green River Formation, Wyoming: Geology (Boulder), Vol. 5, No. 4, p. 196-198, illus. (incl. table, sketch map), 1977.

00301 Bucky, P. B.
Colorado oil-shale mine demonstration: Explosives Eng., Vol. 28, p. 12-15, Jan. 1950.

Bucky, P. B. See Wright, F. D. 02375

Buell, Arthur Whitecomb, See Baxter, R. A. 00144

00302 Bugle, R. C.; Wilson, K.; Olsen, G.
Oil shale kerogen; low temperature degradation in molten salts: Nature, Vol. 274, No. 5671, p. 578-580, illus., 1978.
This work is mostly concerned with the degradation of Green River oil shale, using a NaCl saturated tetra-chloro-aluminate melt. Shown is a flow diagram of the reaction process.

00303 Bukowy, S.; Siewniak-Witruck, A.
The Paleozoic column in the Sloarnia IG-1 borehole near Lubliniec Profil: Pol., Inst., Geol., Biul., No. 282, p. 399-418, 1975.

00304 Bunker, Carl M.
Comparison of thickness, grade, and depth of radioactive layers as determined by gamma-ray logging and by core sampling: U. S. G. S. Trace Elem. Invest. Rept. No. 612, 33 p., diagrs., 1959.

00305 Burger, J.
L'exploitation des pyroschistes ou schistes bitumeux i donnees generales et perspectives d'avenie (Exploitation of pyroschists or oil shales; general data and future prospects): Inst. Fr. Pet., Rev., Vol. 28, No. 3, p. 315-372 (incl. Eng., Span. sum.), illus. (incl. sketch maps), 1973.

Burgh, E. E. See Ertle, Tell 00760

Burgh, E. E. See Ertle. Tell 00761

Burgh, E. E. See Wright, F. D. 02376

00306 Burgh, E. E.; Lankford, J. D.
Liquid fuels from Colorado oil shale: Mines Magazine, Vol. 39, p. 65-73, Dec. 1949.

00307 Burgh, Ernest E.
Northwestern Colorado oil shales, in Exploration for oil and gas in northwestern Colorado: Rocky Mt. Assoc. Geologists, p. 34-36, illus., 1962.
Burgh reviews exploration, mining, retorting, and refining of Colorado oil shale. The technology exists for a commercial oil shale industry in Colorado.

00308 Burghardt, Oscar
Die Tonminerale des Brandschiefers (Cabargilit) und ihre Genese (The clay minerals of bituminous shales (carbargillites) and their genesis): in Zur Geologie des nordwestdentscher Steinkohlengebirges; ein Symposium, Fortschr. Geol. Rheinland Westfalen, Vol. 13, Part 2, p. 98;-995 (incl. Fr., Eng. sum.), illus., 1966-1967.

Burkov, Yu. K. See Ozeroy, I. M. 01600

00309 Burlingame, A. L.; Haug, Patricia A.; Schnoes, Heinrick, K.; et al.
Fatty acids derived from the Green River Formation oil shale by extractions and oxidations - A review, in Advances in organic geochemistry 1968 - Internat. Mtg.,

4th, Amsterdam, 1968, Proc.: Oxford, England, and New York, Pergamon Press (Internat. Ser. Mons. Earth Sci., Vol. 31), p. 85-129, illus., tables, discussion, 1969.

00310 Burlingame, A. L.; Simoneit, B. R.
Isoprenoid fatty acids isolated from the kerogen matrix of the Green River Formation (Eocene): Sci., Vol. 160, No. 3827, p. 531-533, illus., 1968.
Demineralized oil shale was oxidized with chromic acid, and C_{14} to C_{12} isoprenoid fatty acids were isolated and identified. (From abstract) Includes figures.

Burlingame, A. L. See Haug, Pat 00989

Burlingame, A. L. See Simoneit, B. R. 01896

00311 Burroughs, E. G.
Bibliography of petroleum and allied substances, 1919: U. S. Bur. of Mines Bull. 165, 159 p., 1919.
This bibliography follows same general scheme as the one for 1915. (Bull. 149). American and foreign patents have been entered by title, without abstracts. Includes author index.

00312 Burroughs, E. H.
Bibliography of petroleum and allied substances 1915: U. S. Bur. of Mines Bull. 149, 147 p., 1918.
Brief bibliography including noteworthy writings from both the U. S. and foreign countries.

00313 Burroughs, E. H.
Bibliography of petroleum and allied substances 1916: U. S. Bur. of Mines Bull. 165, 159 p., 1919.
Brief bibliography including noteworthy writings from both the U. S. and foreign countries.

00314 Burroughs, E. H.
Bibliography of petroleum and allied substances 1917: U. S. Bur. of Mines Bull. 180, 170 p., 1920.
Brief bibliography including noteworthy writings from both the U. S. and foreign countries.

00315 Burroughs, E. H.
Bibliography of petroleum and allied substances 1918: U. S. Bur. of Mines Bull. 189, 180 p., 1921.
Brief bibliography including noteworthy writings from both the U. S. and foreign countries.

00316 Burroughs, E. H.
Bibliography of petroleum and allied substances 1919-1920: U. S. Bur. of Mines Bull. 216, 374 p., 1923.
Brief bibliography including noteworthy writings from both the U. S. and foreign countries.

00317 Burroughs, E. H.
Bibliography of petroleum and allied substances 1921: U. S. Bur. of Mines Bull. 220, 230 p., 1923.
Brief bibliography including noteworthy writings from both the U. S. and foreign countries.

00318 Burton, V. L.; Sullivan, G. R.
Carbon content and radioactivity of marine rocks: Trans. Am. Geophys., Union 32, 881-4, 1951.
Determinations were made of organic C and B-ray emission and K content for samples of 8 formations, including 4 shales, 2 sandstones, and 2 limestones. Nine core sections of Miocene shale, California, and 8 of Cherokee shale, Oklahoma, were studied in detail. The net B-ray activity after deduction of activity due to K varies directly with the organic C content.

Burwell, E. L. See Carpenter, H. C. 00359

Burwell, E. L. See Carpenter, H. C. 00358

Burwell, E. L. See Jacobson, I. A., Jr. 01095

Burwell. E. L. See Jacobson, I. A. 01096

00319 Burwell, E. L.; Jacobson, I. A.
Concurrent gasification and retorting of oil shale - a dual energy source: A. I. M. E. - S. P. E. 5335, Preprint, 8 p., 1975.

00320 Burwell, E. L.; Sterner, T. E.; Carpenter, H. C.
Shale oil recovery by in situ retorting - a pilot study: J. of Pet. Tech., Vol. 22, p. 1520-1524, Dec. 1970.

00321 Burwell. E. L.; Carpenter, H. C.; Sohns, H. W.
Experimental in situ retorting of oil shale at Rock Springs, Wyo.: U. S. Bur. of Mines Tech. Prog. Rept. 16, 8 p., 1969.
Described are the preliminary results of an in situ oil shale retorting experiment in a shallow bed of Green River oil shale at Rock Springs, Wyo.

00322 Burwell, Edward L.; Jacobson, I. A., Jr.
Usable gas from oil shale during retorting. Effects of oxygen content, pressure, and oil shale grade: U. S. Bur. of Mines Tech. Prog. Rept. 85, 8 p., 1974.
This report describes a lab study conducted to determine the effects of pressure, oxygen content, and oil shale grade on the quality and quantity of the offgas. Contains many illustrations and maps.

00323 Burwell. E. L.; Sterner, T. E.; Carpenter, H. C.
In situ retorting of oil-shale-results of two field experiments: U. S. Bur. of Mines Rept. of Invest. 7783, 41 p., 1973.
This report gives the results of two field experiments, near Rock Springs, Wyo., to test the in situ retorting process of oil shale. Includes abstract, illustrations, and tables.

00324 Burwell. E. L.; Tihen, Samuel S.; Sohns, H. S.
Permeability changes and compaction of broken shale during retorting: U. S. Bur. of Mines Rept. of Invest. 7860, 16 p., 1974.
This report is of laboratory experiments conducted to determine the change during retorting in the permeability and the degree of compaction of beds of broken oil shale. Includes many illustrations.

00325 Burwell. E. L.; Jacobson, I. S., Jr.
Pipeline gas from oil shale: Colo. Sch. of Mines Q., Vol. 17, No. 4, p. 139-152, Oct. 1976.
Encouraging results were obtained from the gasification of oil shale during in situ retorting. The author reports on the volume and calorific value of gas produced, using various combinations of pressure and CO_2 and O_2 injection. Production of pipeline quality gas concurrent with shale oil production appears technically feasible.

00326 Buryak, V. A.
Volcanic, sedimentary and hydrothermal minerogenesis as a factor in the deposition of gold ore in black shale (Carbonaceous) formations: Sci. USSR, Dokl., Earth Sci. Sect., Vol. 226, No. 1-6, p. 79081, 1976.
The author states that gold sulfide mineralization of the Stringer dissemination type occurs in miogeosynclinal volcanic, sedimentary and metamorphic formations; he also discusses the three subtypes.

Burzewske, Waclaw See Bachleda, Tadeusz 00072

Buschback, T. C. See Willman, H. B. 02343

00327 Butler, A. P., Jr.
Some unsettled aspects of potential uranium resources (abs.): Min. Eng., Vol. 25, No. 12, p. 58, 1973.
Discussed is the potential U resources: possible amount and location.

Butler, A. P. See Narten, Perry F. 01546

Button. A. See Anhaeusser, C. R. 00041

00328 Butts, C.
Descriptions and correlations of the Mississippian formations of western Kentucky, Part 1 of the Mississippian formations of western Kentucky: Ky. Geol. Surv., 119 p., 1917a.
Brief consideration of Chattanooga Shale - lithology, thickness, outcrop area, correlated with Ohio and New Albany Shales. Columnar sections.

00329 Butts, C.
Geology and mineral resources of the Equality-Shawneetown area (parts of Gallatin and Saline Counties): Ill. State Geol. Surv. Bull. 47, 76 p., 1925.
Discussion of Chattanooga Shale - Distribution, lithology, thickness, fossils, correlation.

00330 Butts, C.
Oil investigations in parts of Hardin, Pope, and Saline Counties: Ill. State Geol. Surv. Bull. 35, p. 75-78, 1817b.
Brief consideration of Chattanooga Shale-outcrop, thickness. Structure coutour map on Chattanooga Shale.

Butts, C. See Saller, Stuart 02311

00331 Byers, Charles W.
Analysis of paleoenvironments in Devonian black shale by means of biogenic structures (abs.): Geol. Soc. Am., Abstr., Vol. 4, No. 7, p. 464, 1972.
A basinal model is proposed to account for facies changes in the Upper Devonian of New York, State.

00332 Byers, Charles, Wesley, II
Biogenic structures of black shale paleoenvironments (abs.): Diss. Abstr. Int., Vol. 34, No. 4, p. 2095B, 1973.
Studies Upper Devonain Sonyea Group of New York and Cretaceous Pierre Shale of western interior. Recognizes four biofacies within the black shale facies. Includes environmental interpretations.

00333 Byers, C. W.
Shale fissility; relation to bioturbation: Sedimentology, Vol. 21, No. 3, p. 479-484, illus., 1974.
Fissility in shales appears to be related to the parrallel orientation of mineral grains in the rock fabric. A lack of fissility is characteristic of marine mudrock fabric produced by bioturbation while azoic marine mudrocks exhibit good fissility due to the lack of biogenic reworking.

00334 Byington, Alberto Jackson, Jr.; Werneck, Jorge Eiras Furquim; et al.
A problema dos zistros pirobituminosos (The problem of pyrobituminous shales): Bol. Geogr. Vol. 27, No. 205, p. 72-76, 1968.

00335 Cadman, W. H.
The oil shale deposits of the world and recent development in their exploitation and utilization, reviewed, to May, 1947: J. Inst. Pet., Vol. 34, p. 109-132, 1948.
Reports that yields per ton of Upper Devonian shale from Kentucky and other eastern states are as follows: 16 gallons of oil and 58.6 pounds of $(NH_4)_2SO_4$ (Hoover, 1960).

00336 Cady, G. H.
Geology and mineral resources of the West Frankfort and Galtia quadrangles: unpub. report 217 p., (in Survey open-file reports), 1923.
Considers Chattanooga Shale - lithology, thickness, correlation, stratigraphic relations.

Caldwell. W. See Sneddon, J. B. 01962

Calvert, S. See Bearse, A. E. 00153

Calvert, S. See Bearse, A. E. 00152

Calvert, S. See Bearse, A. E. 00151

Calvert, W. L. See Weaver, O. D. 02292

Calvin, M. See Philip, R. P. 01640

Calvin, M. See Philip, R. P. 01641

Calvin, M. See Philip, R. P. 01642

00337 Cameron, A. R.; Leclair, G.
Extraction of uranium from aqueous solutions by coal of different rank and petrographic composition: Geol. Surv. of Can. Paper 74-35, 11 p., illus., 1975.
Discussion, data, and results of laboratory tests to determine the uranium extraction capabilities of coals of different rank and petrographic composition.

00338 Cameron and James, Inc.
The development of the Utah oil shale resources: Denver, Colo., Cameron and James, Inc. (for Utah State Land Board), 36 p., illus., 1964.

00339 Cameron, Russell J.
Outlook for oil shale: in Future energy outlook, Colo. Sch. Mines, Q., Vol. 68, No. 2, p. 145-151, 1973.
A good statement of problems that exist in development of Colorado oil shale reserves. However, no solutions are proposed.

Cameron, R. J. See Guthrie, B. 00945

Cameron, R. J. See Guthrie, B. 00946

Cameron, R. J. See Morris, Boyd 01475

Cameron, R. J. See Putman, M. W. 01689

00340 Cameron, R. J.; Guthrie, Boyd
Oil from shale: Chem. Eng. Progress, Vol. 50, p. 336-341, 1954.
This paper traces the developmental work on a oil-shale retorting process which led to the construction and operation of such an engineering plant. (From author's abstract)

Camilli, E. See Bates, Thomas F. 00132

Camilli, E. See Strahl, Erwin, O. 02028

Camilli, E. See Strahl, Erwin, O. 02029

Camilli, E. See Strahl, Erwin, O. 02030

Campbell, C. O. See Douglas, George V. 00694

00341 Campbell, D. L.
Electrical sounds near Yellow Creek, Rio Blanco County, Colorado: U. S. Geol. Surv., J. of Research, Vol. 5, No. 2, p. 193-205, 1977.

00342 Campbell, D. L.
Electrical anisotropy of oil shales in the Piceance Basin, Colorado: Soc. Explor. Geophys., Ann. Int. Meet., Abstr., No. 45, p. 47-48, 1975.

00343 Campbell. D. L.; Olhoeft, G. R.
Laboratory measurements of complex resisitivity characteristics of oil-shales from Piceance Creek, Colorado: Soc. Explor. Geophys., Ann. Int. Meet., (abs.), No. 46, p. 43-44, 1976.

00344 Campbell, Guy
New Albany Shale and Kinderhook Series in Indiana (abs.): Geol. Soc. Am. Bull., Vol. 67, p. 1679, 1956.
Brief consideration of New Albany sequence in Clark County, Indiana. Correlation with sequence in Illinois.

00345 Campbell, Guy
New Albany Shale: Geol. Soc. Am. Bull., Vol. 57, p. 829-908, 3 pls., 7 figs., 1946.
Reports on the Devonian-Mississippian shale sequence of Ohio as correlated with rocks of adjacent states, based on a rapid reconnaissance survey, extrapolations from adjacent areas, and literature survey (Hoover, 1960).

00346 Campbell, G. G.; Scott, W. G.; Miller, J. S.
Evaluation of oil-shale fracturing tests near Rock Springs, Wyo.: U. S. Bur. of Mines Rept. of Invest. 7397, 21 p., 1970.
This report describes research done to develop an in situ retorting method for oil shale which involved field testing of fracturing techniques for creating fluid-flow paths in impermeable oil shale. (From author's abstract)

00347 Campbell. J. A.
Depositional environments of the uranium-bearing Cutler Formation, eastern Utah, Geol. Soc. Am., Abstr. Programs, Vol. 8, No. 6, p. 801-802, 1976.
Primary and secondary uranium deposits have been found in arkose and arkosic sandstones interbedded with green to red shale. The only major uranium production is from the Lisbon Valley district which has an average sand-to-shale ratio of 1:3.

00348 Canada. Bureau of Mines
Summary of investigations of New Brunswick oil shales conducted by the former Mines and Geology Branch, Dept. of Mines and Resources and New Brunswick, 1942: Ottawa, E. Clouttier, Kings Printer, 24 p., maps, illus., 1948.
Discussion of results of government sponsored program to determine the value, if any of the New Brunswick oil shales. Cores were taken from three areas, and laboratory tests run on them. Study revealed one area, Albert Mines, contained shales of possible economic importance.

00349 Candito, R. J.
A geochemical baseline study of surficial materials in the vicinity of oil shale trace C-a, Rio Blanco County, Colorado: M. S. Thesis, Colo. Sch. of Mines. Golden, Colo., unpaginated p., 1977.

00350 Cane, R. F.
A bibliography of tasmanite with an introduction and annotations: R. Soc. Tasmania, Pap. Proc., Vol. 108, p. 211-215, 1974.

00351 Cane, R. F.
Coorongite and the genesis of oil shale: Geochim. Cosmochim. Acta, Vol. 33, No. 2, p. 257-265, illus., 1969.
The chemistry of coorongite is investigated by means of mass spectrophotometry, pyrochromatography, and other methods. Coorongite is similar to kerogen.

00352 Cane, R. F.
The origin and formation of oil shale: in Oil shale (Yen, T. F., editor), No. 5, p. 27-60, illus. (incl. tables, sketch maps), Elsevier, Sci, publ. Co., Amsterdam, Netherlands, 1976.

Capp, J. P. See Wang, Chi-Shing 02277

00353 Carlier, A.
Uranium-bearing shale deposits at St. Hippolyte (Haut-Rhin): an example of a study be statistical calculations: United Nations Internat. Conf. on the Peaceful Uses of Atomic Energy, 2nd, Proc., Vol. 3, p. 87-94, 1958.
This paper presents the results of a study on the Teufelsloch deposit through the use of arithmetical and statistical methods. The structure of the deposit is defined and the distribution of the mineralization is described briefly. (From intr.) Includes many tables and graphs of results.

Carlier, A. See Grimbert, Arnold 00931

00354 Carlson, A. J.
Inorganic environment in kerogen transformation: Univ. California, Pub. in Eng., Vol. 3, No. 6, 44 p., 1937.

00355 Carlson, E. H.; Holden, W. F.
Barite concretions from the Cleveland Shale: Geol. Soc. Am., Abstr. Programs, Vol. 9, No. 5, p. 580-581, 1977.
This abstract described concretions which occur in some outcrops of the Cleveland Shale along the Vermillion River in Erie and Lorian Counties, Ohio.

00356 Carlton, J. L.
Geology of the Bartelso oil field, Clinton County, Illinois: M. S. thesis (unpub.), 4 pls. (in Survey open-file reports), 1940.
Brief consideration of Devonian black shale - lithology, thickness, correlation. Includes structure map of oil field on top of Devonian producting horizon.

Carpenter, G. L. See Nosow, Edward 01573

Carpenter, H. C. See Burwell. E. L. 00321

Carpenter, H. C. See Burwell, E. L. 00320

Carpenter, H. C. See Burwell. E. L. 00323

Carpenter, H. C. See Cottingham, P. L. 00535

Carpenter, H. C. See Cottingham, P. L. 00536

Carpenter, H. C. See Fausett, D. W. 00775

Carpenter, H. C. See Frost, C. M. 00831

Carpenter, H. C. See Harak, A. E. 00968

Carpenter, H. C. See Harak, A. E. 00967

Carpenter, H. C. See Lekas, M. A. 01299

Carpenter, H. C. See Lekas, M. A. 01300

Carpenter, H. C. See Ruark, J. R. 01794

Carpenter, H. C. See Ruark, J. R. 01795

Carpenter, H. C. See Sterner, T. E. 02011

Carpenter, H. C. See Sohns, H. W. 01968

Carpenter, H. C. See Thomas, H. E. 02077

Carpenter, H. C. See Tihen, S. S. 02102

00358 Carpenter, H. C.; Burwell. E. L.; Cummins, J. J. Preliminary results of five oil-shale conversion experiments at Laramie Energy Research Center: Colo. Sch. of Mines Q., Vol. 71, No. 4, p. 125-138, Oct. 1976.
Includes concurrent gasification and retorting studies using varying heat values; retorting tests using air instead of nitrogen; retorting under pressure in both nitrogen and hydrogen atmospheres; and conversion of kerogen to usable products using carbon monozide water reaction.

00359 Carpenter, H. C.; Burwell, E. L. Sohns, H. W. Evaluation of an in situ retorting experiment in Green River oil shale: J. Pet. Tech., Vol. 24, p. 21-26, Jan. 1972.

00360 Carpenter, H. C.; Cottingham, P. L. Evaluation of catalysts for hydrogenating shale oil: U. S. Bur. of Mines Rept. of Invest. 5533, 29 p., 1959.

Data are presented comparing results obtained with 17 different catalysts in hydrogenating crude shale oil to gasoline in single-pass operation. (From author's summary). Includes many tables and illustrations.

00361 Carpenter, H. C.; Cottingham, P. L.
A survey of methods for desulfurizing residual fuel oil: U. S. Bur. of Mines Inform, Circ. 8156, 29 p., 1963.
This is a discussion of methods for desulfurizing residual fuel oil of which hydrodesulfurization appears to be the most promising.

00362 Carpenter, H. C.; Cottingham, P. L.
A study of shale oil pipeline gas production: Pipe Line Ind., Vol. 25, No. 1, p. 19-22, 1966.

00363 Carpenter, H. C.; Cottingham, P. L.
Pipeline gas by hydrogasification of shale oil: A. I. Ch. E., 58th National Meeting, Dallas, Tex., Feb. 29, 1966, Preprint 37B, 7 p.

00364 Carpenter, H. C.; Cottingham, P. L.; Frost, C. M.
Hydrocracking low-temperature tar from a North Dakota lignite: U. S. Bur. of Mines Rept. of Invest. 6237, 13 p., 1963.
This report described hydrocracking of lignite tar from a North Dakota lignite in a single-pass, fixed bed operation at 3000 psi over cobalt molybdate catalyst. This work was done in cooperation with the Univ. of Wyoming.

00365 Carpenter, H. C.; Hoskins, C. B.; Kelley, R. E.
A method for refining shale oil: Ind. Eng. Chem., Vol. 48, p. 1139-1145, 1956.
This article describes four steps in a method for refining shale oil produced from oil shale of the Green River Formation in Colorado. Includes many tables, diagrams, and illustrations.

00366 Carpenter, H. C.; Lombard, D. B.
Recovering oil by retorting a nuclear chimney in oil shale: J. Pet. Tech., Vol. 19, No. 6, p. 727-734, 1967.
A method is proposed for recovering oil by retorting oil shale shattered by deep underground nuclear explosions. A study of the heat economy of the retorting process in an underground nuclear chimney suggests that the detonation itself and the subsequent controlled combustion of residual carbon will provide ample energy. (From author's abstract)

00367 Carpenter, H. C.; Sohns, H. W.
Application of aboveground retorting variables to in situ oil shale processing: Colo. Sch. of Mines Q., Vol. 63, No. 4, p. 71-82, Oct. 1968.
The authors discuss procedure and results of a study using an experimental oil shale chimney simulating one produced by nuclear fracturing. The series of experiments emphasizes particle size in retorting.

00368 Carpenter, Harry C.; Sohns, Harold W.
Development of technology for in situ oil shale processes: in Oil Shale Symposium, 7th, Proceedings: Colo. Sch. Mines, Q., Vol. 60, No. 2, p. 143-169, illus., April, 1974.
Results of pilot plant research. Parameters investigated are: gas velocity, oxygen concentration, and retorting advance rate.

00369 Carpenter, H. C.; Sohns, H. W.; Dinneen, G. U.
Oil shale research related to proposed nuclear projects: Proc. Symp. on Engineering with Nuclear Explosives, Las Vegas, Nev., Jan. 14-16, 1970, Vol. 2, CONF-700101, p. 1364-1375, May 1970.

00370 Carpenter, H. C.; Tihen, S. S.; Sohns, H. W.
Retorting ungraded oil shale as related to in situ processing: A. C. S. Preprints, Div. of Pet. Chem., Vol. 13, No. 2, p. F50-F57, 1968.
A study of the retorting characteristics of large pieces of oil shale has been started to obtain information applicable to processing broken oil shale. Yields of oil as high as 80.8% of Fischer assay were obtained. (From abstract)

00371 Carruthers, R. G.
The oil shale of the Lothians: 3rd edition: Great Britain Geol. Surv., Edinburgh, H. M. Stat. Off., 1927.
Lengthy volume outlining in detail the geology of the oil-shale fields of Scotland, methods for working the oil shales, and the chemistry and technology of the shales.

00372 Carter, A. D.
Conodont biostratigraphy of the Maury Shale, Northcentra Alabama, Master's 1975. Florida: Gainesville, Devonian

Carter, R. D. See Maher, J. C. 01376

00373 Carter, W. J. (compiler)
Explosively produced fracture of oil shale; April-June, 1977: Los Alamos Sci. Lab., Rep. No. 6901, 47 p.,

illus., incl. tables, 1978. Available from NTIS, Springfield, Va. Individual papers within scope are cited under the separate authors.

00374 Carter, W. J. (compiler)
Explosively produced fracture of oil shale; July-September, 1977: Los Alamos Sci. Lab., Rep. No. 7031, 33 p., illus., incl. tables, 1978. Available from NTIS, Springfield, Va. Individual papers within scope are cited under the separate authors.

00375 Carter, W. J. (compiler)
Explosively produced fracture of oil shale; October-December, 1977: Los Alamos Sci. Lab. Rep. No. 7164, 45 p., illus., 1978. Availabel from NTIS, Springfield, Va. Individual papers are cited herein under the separate authors.

00376 Carthew, D. J.
Hydrocarbons: 100th annual survey and outlook of mineral commodities, Eng. Min. J., Vol. 170, No. 3, p. 160G-160H, 1969.

00377 Carver, H. E.
U. S. energy outlook; oil shale availability, in Proceedings; Symposium on Energy Sources, p. 60-75, illus. (incl. sketch map), Univ. Sask., Regina, Sask., Canada, 1974.

00378 Cash, F. E.; Von Bernewitz, N. W.
Oil shale - can it be mined by stripping methods? Min. Cong J., Vol. 14, p. 665-668, 733, 1928.
Investigations by the Bur. of Mines led to the conclusion that only a small percentage of oil shale deposits can be recovered through stripping methods. Includes a review of the various deposits and a description of possible methods of mining to use in their recovery. (From p. 665)

00379 Cashion, W. B., Jr.
Stratigraphic relations and oil shale in the Green River Formation in the eastern Utah Basin (Utah), in Intermountain Assoc. Pet. Geol. Guidebook, 8th Ann. Field Conf. 1957, p. 131-135, illus., incl. geol. sk. map, 1957.
Stratigraphic relations of the Green River Formation to the Wasatch and Uinta formations in the Uinta Basin. Oil yield estimates made by examining color, luster, specific gravity and texture of hand specimen.

00380 Cashion, William B.
Geology and oil-shale resources of Naval Oil Shale Reserve No. 2, Uintah and Carbon Counties, Utah:

U. S. G. S. Bull. 1072-0 p. 753-793, maps, diagr., tables, 1959.
Discussion of structure and stratigraphy of the Naval Oil Reserve #2 in the Uinta Basin. Describes the two oil shale zones in Reserve #2 that could be of economic importance. Lithologic logs and assays from cores of holes are presented in tables. Oil and gas possibilities are outlined.

00381 Cashion, W. B.
Potential oil shale reserves of the Green River Formation in the southeastern Uinta Basin, Utah and Colorado, Art. 154: U. S. Geol. Surv. Prof. Paper 424-C, p. C22-C24, illus., 1961.
Very general description of yields and thickness of oil shales of the entire Uinta Basin.

00382 Cashion, W. B.
Distribution and quality of oil shale in the Green River Formation of the Uinta Basin, in Guidebook to the geology and mineral resources of the Uinta Basin, Utah's hydrocarbon storehouse, 13th Ann. Field Conf. 1964: Salt Lake City, Utah, Intermountain Assoc. Pet. Geol., p. 209-212, illus., 1964.
Comparison and evaluation of methods of sampling oil yield from oil shale. Cores, drill cuttings, and density logging either gamma-gamma or sonic.

00383 Cashion, W. B.
Mineral fuels and associated resources-oil shale: in Mineral and water resources of Utah: U. S. Cong., 88th 2nd session, Comm. Print, p. 61-63, illus., 1964.

00384 Cashion, W. B.
The distribution and quality of oil shale in the Green River Formation of the Uinta Basin, Utah-Colorado: in Geol. Surv. Research, 1964: U. S. Geol. Surv. Prof. Paper 501-D, p. D86-D89, illus., 1964.
Kerogen content of the Green River Formation in the Uinta Basin and suggestion that both the Uinta and Piceance basins were once one body of water.

00385 Cashion, W. B.
Geology and fuel resources of the Green River Formation, southeastern Uinta Basin, Utah and Colorado: U. S. Geol. Surv. Prof. Paper 548, 48 p., illus., tables, geol. map, 1967.
Detailed stratigraphy of the Wasatch, Green River, and Duchesne Formations. Also, detailed report on economic geology of the area.

00386 Cashion, W. B.
Bitumen-bearing rocks: in United States Mineral Resources, U. S. Geol. Surv., Prof. Paper 820, p. 515-525, 1973.
A survey of existing data on bitumen-bearing rocks of the U. S. exploitation, geologic environment, resources, and prospecting techniques are covered.

Cashion, W. B. See Donnell, John R. 00682

Cashion, W. B. See Donnell, J. R. 00681

Cashion, W. B. See Donnell, John R. 00683

00387 Cashion, W. B. Jr.; Brown, J. H., Jr.
Geology of the Bonanza-Dragon oil shale area, Uinta County, Utah, and Rio Blanco County, Colorado: U. S. Geol. Surv. Oil and Gas Inv. Map OM 153, 2 sheets, scale 1:62,500 (about 1 in. to 1 mile) with sections and text.
Stratigraphy of the Uinta Basin. Structure contours drawn on the Mahogany marker of the Parachute Creek member. Gilsonite veins shown. Also, areas where there is less than a hundred feet of overburden over the Mahogany ledge are mapped.

00388 Casimir, Emil E.; (Dimitriu, M.; Pasca, V.)
Etude shimique de quelques schistes menilitiques de la zone marginale du flysch des Carpates orientales: Rumania, Inst. Geol., C-R. Seances, t. 20, p. 181-191, 1935. Bituminour schiestes of the eastern Carpathians Rumania.

00389 Caspers, H.
Black Sea and Sea of Azov: Treatise on Marine Ecology and Paleocology: Geol. Soc. Am., Mem. 67, Vol. 1, p. 801-890, 1957.
A comprehensive work on ecology, paleoecology, and sedimentation in the Black Sea and Sea of Azov, and relations to Mediterranean and Caspian Sea fauna.
Note: Prepared from limited sources because of very poor relations with Russia at the time.

00390 Cassidy, Martin M.
Excello Shale, Northeastern Oklahoma - Clue to locating buried reefs: Am. Assoc. Pet. Geol. Bull., Vol. 52, No. 2, p. 295-312, illus., tables, 1968.
The black phosphatic shale was determined to have 2 facies, a bituminous facies on the south and a carbonaceous facies on the north. Since the facies change appears to occur just south of a limestone reef, it is believed that tha location of the reef can probably be determined by carefully mapping the 2 shale facies.

00391 Cassidy, Martin M.
Reply (to discussion by D. M. Triplehorn of "Excello Shale, northeastern Oklahoma - Clue to locating buried reefs", 1968): Am. Assoc. Pet. Geol. Bull., Vol. 52, No. 11, pt. 1, p. 2266, 1968.
In this reply Cassidy defends certain points from his previous publication that Triplehorn had inferred were subworthy of publication.

00392 Caster, K. E.
The stratigraphy and paleontology of northwestern Pennsylvania: Amer. Paleon. Bull., Vol. 21, No. 71, 185 p., 12 figs., 2 plr., 1934.
The purpose of Caster's study was to correlate the Upper Devonian and Lower Mississippian strata in northeastern Pennsylvania and adjoining parts of Ohio and New York. There is no geologic map, and much more of the report is devoted to a system of stratigraphic nomenclature proposed by Caster than to rock thickness and comparative stratigraphic relations. The discussion of the facies problems, however, is very significant for any consideration of the lithologic change in Ohio correlation units. (Hoover, 1960)

00393 Cattell, R. A.
Bureau of Mines research on the production of liquid fuels from oil shale: The Interstate Oil Compact Q. Bull., Vol. 6, No. 2, p. 26-31, 1947.
Speech presented to members of the Interstate Oil Compact Commission concerning Bur. of Mines experimental oil shale program designed to develop the technology of synthetic liquid fuels and furnish cost and engineering data. Cattell outlines unit operations required in development of oil-shale technology.

00394 Cattell, R. A.
Oil from oil shale - experience in the U. S.: J. Inst. Pet., Vol. 35, p. 841-847, 1949.

00395 Cattell, R. A.
Progress being made in shale-to-oil program: Ind. and Power, 5 p., Nov. 1949.

00396 Cattell, R. A.; Dohergy, J. D.
Synthetic liquid fuels: Producers Monthly, Vol. 12, No. 11, p. 21-29, Sept. 1948.

00397 Cattell, R. A.; Guthrie, B.; Schramm, L. W.
Retorting of Colorado oil shale - a review or work by the U. S. Bur. of Mines: Chap. in Conf. on Oil Shale and Cannel Coal, Proc., Vol. 2, Inst. of Pet., London, p. 345-398, 1951.

00398 Cattell, R. A.; et al.
Annual report on the Petroleum and Natural-Gas Division, Fiscal Year 1939: U. S. Bur. of Mines Rept. of Invest. 3501, 41 p., 1940.
Reviews work done by Petroleum and Natural-Gas Division during the fiscal year. Includes studies of oil and natural-gas production methods.

00399 Caughey, C. A.
Pleistocene depositional trends host valuable Gulf oil reserves: Oil Gas J., Vol. 73, No. 36, p. 90-94, 1975.
Detailed report with maps and cross sections of the types of sedimentary facies recognizable in the Pleistocene section of the northwestern Gulf of Mexico. The author interprets depositional environments, reconstructs main avenues of sediment dispersal, and relates this depositional framework to the occurrence of economic accumulations of petroleum.

00400 Cazes, P.; Reyre, Y.
The fossilization of kerogen in a clay-carbonate environment; statistical study of the relationship between lithologic and petrologic properties in the Oxfordian of the eastern part of the Paris Basin: Fr., Bur. Rech. Geol. Mineres, Bull. (Ser. 2), Sect. 4, No. 2, p. 85-102 (incl. Eng. sum.), illus., 1976.
A comprehensive study (in French) of amorphous kerogen from a clay-calcareous formation for the purpose of establishing which lithologic and/or petrologic features kerogen abundance is more dependent on. The most important variables are clay amount, smallness and homogeneity of mineral grain size, thinness of stratification and primary horizontality of the deposit.

00401 Center, G. E.
Spectrographic determination of small amounts of uranium in phosphate rock, shales, and similar materials: U. S. Atomic Energy Comm. BMI-97, 19 p. (dep., mc; $5.70, LC)(prepared by Battelle Memorial Institute), 1947.
The procedures are given for sample decomposition and the determination of small amounts of U in the phosphate rocks and shales. The comparison of results by various methods is given. (Auth)

Cha, C. Y. See McCarthy, H. E. 01514

00402 Chadwick, G. H.
Great Catskill delta and revision of late Devonian succession: Pan-Am. Geo., Vol. 60, No. 2, p. 91-107;

No. 3, p. 189-204; No. 4, p. 275-286; No. 5, p. 348-360, 1933.
A comprehensive survey on past work and reasons site for reclassification of the work.

Chafetz, H. S. See Kocurek, G. 01214

00403 Chakrabarti, A. K.
The oil shale deposits of Thailand: Econ. Geol. Vol. 71, No. 2, p. 812-813, sketch map, 1976.
Tertiary oil shale deposits occur in several areas of Thailand. Mae-Sod basin shale (lacustrine or fluvial) contains 20-25% oil by weight and has a range of oil yield between 25 and 70 gallons per ton. Reserves in Mae-Sod and Li areas are estimated at about 1,250 million barrels of crude oil. Oil shale is found in close association with diatomite and lignite.

00404 Chan, Y. C.: Chou, Tzu-Hsiung
Study on the Talu shale in northern Taiwan as a source rock for petroleum: in Commemoration of the tenth anniversary of the Chinese Petroleum Institute, Pet. Geol. Taiwan, No. 10, p. 89-107 (incl. Chin. sum.), sketch maps, 1972.

00405 Chancellor, Robert E.; Barksdale, W. L.: Dolezal, George, Jr.
Occurrence of oil and gas in the Tertiary System, Rio Blanco Unit, Rio Blanco County, Colorado: Rocky Mt. Assoc. Geol., Field Conf., Guidebook, (RMGCA3), No. 25, p. 225-234, 1974.

00406 Chancellor, R. E.; Holmes, M.
Petroleum geology of Fort Union and Mesaverde formations; its relation to fracture stimulation results in Rio Blanco Unit, Rio Blanco County, Colorado, (abs.): Am. Assoc. Pet. Geol., Bull. (AAPGBS), Vol. 60, No. 8, p. 1393-1394, 1976.
Natural gas reserves in the lenticular nonmarine sandstone-siltstone-shales complex exceed an average of 30 Bcf per Sq. mi. Depositional environment was hydrocarbon rich, paludal, and lacustrine. Fracture stimulation treatments confirm that economically useful stimulation (with presently available technology), can be performed on sandstone zones more that 20 ft. thick with average permeabilities exceeding 0.03 md.

00407 Chancellor, R. E.; Linville, B. (ed.)
The potential role of geology in choosing fracture stimulation canadidates; Mesaverde Formation, northern Piceance Basin, Colorado, in Proceedings of the Second

ERDA symposium on enhanced oil and gas recovery; Tulsa, Oklahoma, September 9-10, 1976; Vol. 2, Gas, Pet. Publ. Co., Tulsa, Okla., E4.1-E4.11, 1976.

Chandler, J. C. See Breger, Irving A. 00261

Chang, Bin. See Chong, K. P. 00435

Chang, Juei-Ian See Wang, Pi-Chen 02279

00408 Chanpong, R. R.
Depositional environment of the Adrath Shale, San Diego, California: M. S. thesis, 1975, San Diego State.

Chantler, Howard M. See Rosewarne, Pearce V. 01784

00409 Chapman, Richard E.
Clays with abnormal interstitial fluid pressures: Pet. Geol., Repr. Ser., (APGRAI), No. 11, p. 131-136, illus., 1974.
Consideration of the stresses in clay rocks, and their compaction processes, leads to the conclusion that abnormally pressured clay sequences generally have been abnormally pressured since burial to a shallow depth in areas of gravity loading under sediments. (From abstract) Includes figures.

Chapman, R. W. See Lawlor, John Mary 01292

00410 Charrin, Victor
L'exploitation des phyoschistes liasiques de Creveney (Haute-Saône): Le Genie Civil, Paris, T. 102, No. 14, p. 327-329, 5 figs. (incl. sk. map), Ap. 8'33. Jurassic oil shales at Crevèney, Haute-Saône, France.

00411 Charrin, V.
Pyroschistes à ichtyol du jura: Rev. Scient., Paris, an. 7A, No. 7, p. 216-217, 1 fig., Ap 11'36. Upper Jurassic 'pyroschists' of France.

00412 Charrin, Victor
Les pyroschistes calcaires de Bugey: Mines, Carrieres an. 18, No. 199, p. 9-10, 2 g. sk. maps, May 1939. Kinneridgian (Jurassic) oil shales of Bugey, Jura Mns., France.

00413 Charrin, Victor
Les pyroschistes Francais: Mines Carrieres an. 14, No. 151, p. 9-12, My '35. Carboniferous and Tertiary oil shales in France.

00414 Charrin, Victor
Les pyroschistes jurassiques d'Orbagnoux et de Belley (Ain): Le Génie Civil, Paris, T. 106, No. 3, p. 67-69, 2 figs. (sk. maps), Jan. 1935. Oil shales in Jurassic formations of Orbagnoux and Belley, France.

00415 Charrin, Victor
Les pyroschistes perimens du Dauphine, leur association auec les couches de houille: Le Génie Civil, Paris, T. 111, No. 19, p. 400, Nov. 1937. Permian oil shales of Dauphiné France, and their geol relations to the coal deposits.

00416 Charrin, Victor
La region bitumineuse du Bugey: Chaleur and Industrie, Paris, an. 14, No. 157, p. 231-233, 1 fig. (g. sk. map), My 1933. Pyroshales of Bugey, Ain., France.

00417 Charrin, Victor
Les roches bitumineuses metropolitaines; Génie Civil T. 131, No. 23, p. 449-453, sk. map., 1954.

00418 Charrin, Victor
Les roches petroligenes en France et leur position geologique: Rev. Scient., Paris, an. 72, No. 3, p. 87-88, F., 1934. Perm., Carb., Jur., Cret., and Miocene oil shales in France.

00419 Charrin. Victor
Relations entre les pyroschistes de Vegnas et le bassin lignito-asphaltiquc terriare d'Ales: Le Génie Civil, Paris, T. 110, No. 9, p. 212-213, 3 figs., (incl. g. sk. map), F., 1937. Cretaceous oil shale of Vagnas, France.

00420 Charrin, Victor
Les schistes bitumineux toarcians du Génvandan: Le Génie Civil, Paris, T. 105, No. 20, p. 462-464, 2 figs. (incl. sk. map), N. 1934. Toarcian (Jurassic) oil shales in the Gevandan region, France.

00421 Chase, R. L.
The oil shale of Colorado: M. Sc. Press 116: p. 445-446, 1918.

00422 Chase, R. L.
The oil shale industry in Colorado: Min. and Sci. Press, Vol. 118, p. 82, 1 fig., Jan. 18, 1919.

Chaudhuri, Sanbudhas See Brookins, Douglas G. 00273

Chen, J. P. See Kinney, C. R. 01195

00423 Chenevert, Martin E.
Adsorptive pore pressure of argillaceous rocks, Chpt. 30 in Rock mechanics, theory and practive -- 11th Symposium on Rock Mechanics, Berkely, Calif., 1969, Proc.: New York, Soc. Mining Engineers, Am. Inst. Mining, Metall. and Petroleum Engineers, p. 599-627, illus., tables, 1970.

00424 Chenevert, M. E.
Shale alteration by water adsorption: J. Pet. Tech., Vol. 22, September, p. 114-148, illus., tables, 1970.
The purpose of this work was to observe the behavior and measure the properties of three shale types, montmorillonitic, illitic and chloritic, when exposed to water. (From intro.) Includes many tables, graphs, and illustrations.

00425 Chenevert, M. E.
Shale control with balanced-activity oil-continuous muds. J. Pet. Tech., Vol. 22, p. 1309-1316, illus., 1970.
This article (1970) discusses some of the problems associated with unstable shales and the balanced much concept of shale control. Includes many graphs and diagrams concerning field work done.

00426 Chernyshev, A. B. (editor)
Khimiya i genezis tverdykh goryuchikh iskopaemykh (Trudy pervogo Vsesoyuznogo soveshaniya 1950 g.), 419 p., illus., Akad. Nauk SSSR, Inst. Goryuch. Iskopaemykh, Moscow, 1953. Compilation of papers on solid fuels.

00427 Cherry, J. Theodore
Computer simulation of stress wave propagation in one and two space dimensions--Simulacion en computadora de la propagacion de la onda de comprsion en espacios uniy-y dibimensionales: (abs.), Soc. Explor. Geophys., Ann. Int. Meet., No. 43, p. 25-26 (Eng.), p. 26-27(Span.), 1973.

00428 Chew, Randall T., III
Geology, hydrology and extraction operations at the Occidental Petroleum Corporation oil shale plant near Debeque, Colorado: Rocky Mt. Assoc. Geol., Field Conf., Guidebook (RMG-CA3), No. 25, p. 135-140, 1974.
Description of Occidental Petroleum Corp.'s pilot retorting plant. Summary of the geology and hydrology of the site and outline of mining and retorting processes. Also a brief discussion on environmental considerations.

00429 Chew, R. T., III
The Occidental in situ process; research recommendations, in Identification of research and development priorities

and of costing problems associated with implementation, of in situ recovery of shale oil: Rept. No. NSF-RA-N-75-001, p. 211-217, 1975.

00430 Chew, R. T., III; Yen, R. F.
Operations and environmental considerations, Occidental Petroleum Corporation in situ operations, in Science and technology of oil shale: Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., p. 73-81, 1976.

Chew, Randall T., III See Garrett, Donald E. 00856

00431 Chiarelli, Andre
Hydrodynamic framework of eastern Algeria Sahara-Influence on hydrocarbon occurence: Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 4, 1976.

00432 Childs, Orlo E.
Esquistos betuminosos de Lonquimay y Pular: Santiage de Chile, Imprenta Nascimento, 174 p., plates, 1936.

Chilingarian, G. V. See Yen, T. F. 02384

Chilingarian, G. V. See Yen, T. F. 02385

Chocholak, J. See Bearse, A. E. 00154

00434 Chomnanti, S.; Deemak, P.; Gaines, A. F.
A study of an oil shale: Fuel, Vol. 49, No. 2, p. 188-196, illus., table, 1970.

00435 Chong, K. P.; Bin Chang,; Smith, John WArd
Characterization of oil shale under uniaxial compression: Wyo., USA; Energy Res. Develop. Admin, Symp. Rock Mech., No. 17, p. 5C5-1 to 5C5-8, 1976.

00436 Chong, K. P. ; Smith, John Ward; Roin, Sigmund
Mechanical properties of oil shale by modified split cylinder testing: in Energy Resources and Excavation Technology, Vol. 1, p. 5B3, 1 to 5B3-5. Proceedings of the 18th U. S. Symposium on Rock Mechanics, held at Keystone, Colo., June 22-24, 1977.
A model is developed for tensile strength of oil shale from Green River Formation. Data from stress, strain, X-ray, and Fischer assay measure properties of oil shale with differing composition.

00437 Chong, Shuang-Ling; Cummins, J. J.; Robinson, W. E.
Fractionation of soluble extracts obtained from kerogen thermal degradation with CO and H_2O: A. C. S. Preprints, Div. of Fuel Chem., Vol. 21, No. 6, p. 265-277, Aug-Sept.

1976.
The purpose of this study was to determine semiqualitatively the types of compounds present in the extracts obtained from a time-temp. series of CO-H_2O reactions with kerogen. (From abs.)

Chou, Tzu-Hsiung See Chan, Y. C. 00404

Christiansen, P. See Balogh, B. 00101

Christie, W. H. See Gentry, R. V. 00883

00438 Chronic, John; Matsushita, Hiromi
Selected bibliography of the geology of northwestern Colorado, with special emphasis on oil shale geology and technology: Rocky Mt. Assoc. Geol., Field Conf., Guidebook (RMGCA3), No. 25, p. 261-274, 1974.

Chuneva, V. See Konstantinova, V. 01227

Church, F. M. See Cook, G. L. 00515

Church, F. M. See Cook, G. L. 00514

Cichock, C. G. See Bearse, A. E. 00153

00439 Cieslewicz, W. John
Selected topics of recent Estanian-Russian oil shale research and development: Colo. Sch. Mines, Q., Vol. 66, No. 1, 154 p., illus., 1971.
Review of the Russian oil shale industry. Topics covered are: room and pillar mining, wettabilitly of oil pyrolysis products, tar processing, chromatographic techniques, oil shale phenols, corrosion studies, and use of waste materials.

Clabaugh, S. E. See Slaughter, Archibald L. 01907

Clarac, E. See Breton, R. 00263

00440 Clark, C. E.; Varisco, D. C.
Net energy and oil shale in Identification of research and development priorities and of costing problems associated with implementation of in situ recovery of shale oil: Rept. No. NSF-RA-N-75-001, p. 345-372, 1975.

Clark, George B. See Wang, Fun-Den 02278

00441 Clarke, E. L.; Hiteshue, R. W.; Kandiner, H. J.
Hydrogenation of shale-oil coker distillate: Ind. Eng. Chem., Vol. 43, p. 2173-2178, 1951.
This work was undertaken to prepare a large quantity

of jet and diesel fuel from crude shale oil by recycle coking followed by hydrogenation of the coker distillate. (From abstract) Includes tables and diagrams.

00442 Clarke, M. J.; Farmer, N.; Gulline, A. B.
Oil shale in Tasmania: Australas. Inst. Min. Metall., Monogr. Ser., No. 7, p. 524-526, 1976.

00443 Clarke, W. B.; and Kugler, G.
Dissolved helium in groundwater; a possible method for uranium and thorium prospecting: Econ. Geo., Vol. 68, No. 2, p. 243-251, illus. (incl. sk. maps), 1973.
Contents up to 600 times normal solubility, He-4/He-3 ratio correlates with He-4 content, tritium content (water residence time less that 20 years), neon content, Canada.

Claus, G. See Schneiderhohn, H. 01845

Clavier, C. See Poupon, A. 01674

00444 Claypool. G. E.; Love, A. H.; Manghan, E. K.
Organic geochemistry, incipient metamorphism, and oil generation in black shale members of Permian Phosphoria Formation, Western Interior United States, (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 61, No. 8, p. 1375, 1977. Original article in AAPG Bull., Vol. 62, No. 1, p. 98-120.
Conversion of organic matter to hydrocarbons increases with burial depth. He concludes that if all oil in Paleozoic reserviors in central Wyoming were derived from Phosphoria black shale, then much of that oil must have been generated as far away as Idaho.

00445 Clayton, Joshua E.
Oil shales of Utah: Eng. Min. J. Vol. 39, p. 168-169, 1885.

00446 Clayton, J. L.; Swetland, P. J.
Subaerial weathering of sedimentary organic matter (abs.): Geol. Soc. Am., Abstr. with Programs, Vol. 8, p. 815, 1976.
Effects of surface weathering were determined for cores taken from the Phosphoria, Green River, and Pierre Shale. Organic richness and thermal maturity were evaluated.

00447 Clegg, M. W.
New sources of oil; Oil sands, shales, and synthetics; in Energy; from surplus to scarcity?, p. 141-150, John Wiley & Sons, New York & Troronto, 1973.

Clewitt, G. H. See Grimes, W. R. 00933

00448 Clifton, H. E.
The carbonate concentrations of the Ohio Shale: Ohio J. Sci., Vol. 57, p. 114-124, 1956.
Report upon field, petrographic, and structural features of the carbonate concretions, with interpretation of their formation (Hoover, 1960).

Cloud, P. E., Jr. See Licari, Gerald 01322

00449 Cluff, Robert M.
Organism-sediment relationships in the New Albany Shale Group (Devonian-Mississippian) of Illinois: Geol. Soc. of Am. Abstr. Programs. 1978 Ann. Mtg. Vol. 10, No. 7, p. 381, 1978.
A transect from the margin of the Illinois Basin to its center reveals a complete transition from high energy aerobic, shallow-water environments to quiet, anerobic, deep-water environments.

Cluff, R. M. See Hansman, Mary 00965

00450 Cluff, R. M.; Baxter, J. W.
Problematical icrofossils from the New Albany Shale Group (Devonian-Mississippian) in western Kentucky: Geol. Soc. of Am. Abstr. Programs. 1978 Ann. Mtg. Vol. 10, No. 7, p. 381, 1978.
Calcareous microfossils found in the upper 40 feet of Grassy Creek Shale at several locations may have biostratigraphic significance. Similar microfossils found in Upper Devonian in Central Russia. Overall structure suggests that they are protozoans. May represent an unusual early varient of radiolarians or a previously unrecognized group of planktonic protozoans.

00451 Clyde, Calvin G.
Energy production and water supply, in Energy, environment and water resources: Univ. Counc. Water Res., Lincoln, Nebr., p. 319-331, 1974.

00452 Cobb, J. C.; Kulp, J. Lawrence
Isotopic geochemistry of uranium and lead in the Swedish Kolm and its associated shale: Geochim. Cosmochim, Acta, Vol. 24, p. 226-249, 1961.
Measurements of lead, uranium lead isotope, Th^{230}, Ra^{226}, and Pb^{210} were performed in an effort to establish absolute dates for black shales.

Cobban, William A. See Gill, James R. 00894

00453 Cochran, Gilbert F.
Energy-water relationships; management and conservation in the California, Colorado River, Great Basin regions, in Energy, environment and water resources: Univ. Counc. Water Res., Lincoln, Nebr., p. 332-340, 1974.

00454 Coffer, H. F.; Spiess, Erick P.
Commercial applications of nuclear explosives: the answer to oil shale? Colo. Sch. Mines, Q., Vol. 61, No. 3, p. 69-89, illus., table, 1966.
An informative discussion on the use of nuclear explosions to recover oil and copper. Coffer sites problems and engineering aspects. He advocates more research and pressure on the government to lighten restrictions on nuclear blasts.

00455 Coffey, G. H.
Frio stratigraphic traps in Krotz Springs Field, Southwest Louisiana: Gulf Coast Assoc. Geol. Soc., Vol. 25, Technical papers and abstracts, p. 305-314, 1975.
Krotz Springs Field exemplifies both a structural and stratigraphic hydrocarbon trap. The Lower Frio is mainly shale which increases downwards while the sand beds decrease. The main structural feature is a faulted dome. Production is controlled by uplifting and subsequent trapping of hydrocarbons in sand bodies overlain by impermeable shales.

00456 Cogbill, Alfred M.
A study of oil from shale: Compass, Vol. 35, No. 3, p. 154-172, March, 1958.
Good summation on the mode of occurence, state by state reserves, history of the oil shale industry, and processing and refining of shale oil.

00457 Cohen, Z.
Early Cretaceous buried canyon; influence on accumulation of hydrocarbons in Helez Oil Field, Israel: Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 1, p. 108-114, 1976.
A fossil canyon of submarine origin exists in the southern coastal plain of Israel. Sediment fill is mostly dark grey shale with several sandy beds present and limestone breccia from the canyon walls. Oil accumulations in an adjoining field were the result of contact between reservoir beds and source beds through an embayment formed by local subsidence.

00458 Cole, R. D.
Sedimentology and sulfur isotope geochemistry of Green River Formation (Eocene), Uinta Basin, Utah, Piceance

Creek Basin, Colorado: Doctoral, 1975, Utah, Diss. Abstr. Int., Vol. 36, No. 4, p. 1618B-1619B, 1975.

00459 Cole, R. D.; Boyer, D. L.
Iron sulfied mineralogy and morphology in oil shale and marlstone, Green River Formation, Piceance Creek Basin, Colorado (abs.): Am. Assoc. Pet. Geol. Bull., Vol. 62, No. 3, p. 505, 1978.
Oil shale and marlstone of this formation usually contain less that 2 wt.% sulfur, which is mostly in iron sulfide minerals. Reflected light microscopy suggests disseminated, stratified pyrite formed from a marcasite precursor.

00460 Cole, R. D.; Picard, M. D.
Primary and secondary sedimentary structures in oil shale and other fine-grained rocks, Green River Formation (Eocene), Utah and Colorado: Utah Geol. Surv., Vol. 2, No. 1, p. 49-67, illus. (incl. tables, sketch map), 1975.

00461 Cole, R. D.; Sexton, J. L.
Rhythmic variations in oil-shale stratification; Green River Formation, Piceance Creek Basin, Colorado (abs.): Geol. Soc. Am., Abstr. Programs, Vol. 9, No. 5, p. 584, 1977.
A study of rhythmic laminations in oil shale beds of the Parachute Creek Member. Suggested cycles in varve deposition of 12, 50, and 21,000 years are suggested by maximum energy spectral analysis.

00462 Cole, R. D.; Smith, G. V.; Liu, J. H.
A preliminary Mossbauer spectroscopy study of iron partioning in oil shale, Green River Formation, Colorado (abs.): Geol. Soc. Am., Abstr. Programs, Vol. 9, No. 5, p. 584-585, 1977.
Mossbauer spectroscopy was used to study partitioning in iron bearing carbonate minerals found in samples of oil shale in the Piceance Basin.

00463 Coleman, D. D.
Isotpoic characterization of Illinois natural gas: Ph. D. Dissertation, University of Illinois, 175 p., 1976.

00464 Colgate, S. A.
Stress field engineering: in Explosively produced fracture of oil shale, July-September, 1977 (Carter, W. J., compiler). Los Alamos Sci. Lab. Rep. No. 7031, p. 11-12, 1978. Available from NTIS, Springfield, Va.

00465 Collingwood, D. M.; contribs. by G. E. Ekblaw, L. E. Workman
Oil and gas possibilities of parts of New Jersey, Greene and Madison Counties: Ill. Geol. Surv. Rept. of Invest. 30, 91 p., 1933.
Brief consideration of Sweetland Creek Shale - outcrop, thickness. Regarded as probable petroleum source bed. Includes well records, cross-sections, tabulated thickness data, structure map on base of Osage Group.

Collins, A. See Donovan, R. N. 00689

00466 Collins, George E.
Hydrocarbon veindikes and oil shales: Eng. and Min. J. Press, Vol. 119, No. 19, p. 773, May 9, 1925.
This note to the editor concerns the gilsonite veins of northeast Utah.

00467 Collins, Horace R.
Devonian bentonites in eastern Ohio, Bull. Am. Assoc. of Pet. Geol., Vol. 63, No. 4, p. 655-660, April 1979.
The purpose of this study was (1) to determine the area distribution of a previously unreported bentonite in the lower part of the Devonian black-shale sequence in Ohio, (2) to investigate the areal distribution of the Tioga bentonite in Ohio; and (3) to determine the stratigraphic position of these units relative to each other. (From p. 655)

00468 Collinson, C. W.
Devonian of the north-central region, United States: in International Symposium on the Devonian System: Alberta Soc. Pet. Geol. Vol. 1, p. 933-971, 1971.
Fairly extensive discussion of Devonian System in the Illinois and Central Iowa Basins. Includes distribution and isopach maps, generalized stratigraphic columns, correlation chart, cross-sections, facies maps.

00469 Collinson, C. W.
The Kinderhookian Series in northeastern Missouri and west-central Illinois: Kans. Geol. Soc. Guidebook, 26th Ann. Field Conf., p. 100-109, Ill. Geol. Surv. Reprint 1961-v, 10 p.

00470 Collinson, C. W.
Ordovician, Silurian, Devonian, and Mississippian rocks of western Illinois: Field Trip Guidebook, Ill. Geol. Soc., 24 p;, 1957.
New Albany Group shown in regional correlation chart (considered Mississippian) and in columnar section (Jersey County).

00471 Collinson, C. W.
Western Illinois: 28th Ann. Tri-state Field Conf., Ouincy, Ill., Ill. Geol. Surv. Guidebook Ser. 6, 30 p., 1964.
Grassy Creek and Saverton Shales appear in generalized columnar section.

Collinson, C. W. See Atherton, Elwood 00065

Collinson, C. W. See Benson, R. H. 00179

Collinson, C. W. See Scott, A. J. 01870

00472 Collinson, C. W.; Atherton, Elwood
Devonian system: in Willman, H. B., et al. 1975, Handbook of Illinois Stratigraphy: Ill. State Geol. Surv. Bull. 95, p. 104-123.
Devonian system of Illinois. Shales occur in the Upper Devonian series. (Sweetland shale - Grassy Creek shale - Saverton shale). Good reference for Illinois stratigraphy.

00473 Collinson, C. W.; Becker, L. E.; James, G. W.; et al.
Illinois Basin: in International Symposium on the Devonian System: Alberta Society of Petroleum Geolgists, Vol. 1, p. 940-962; Ill. State Geol. Surv. Repr. 1968-G., 1967.

00474 Collinson, C. W.; Scott, A. J.
Age of the Springville Shale (Mississippian) of southern Illinois: Ill. Geol. Surv. Circ. 254, 12 p., 1958.
Revises stratigraphic classifications in Upper Devonian and Lower Mississippian. Applies name Grassy Creek to shale called New Albany by Workman and Gillette (1956). Dates Grassy Creek Shale and Sylamore Sandstone as Upper Devonian on basis of conodonts.

00475 Collinson, C. W.; Scott, A. J.; Rexroad, C. B.
Six charts showing biostratigraphic zones and correlations based on conodonts from the Devonian and Mississippian rocks of the Upper Mississippian Valley: Ill. Geol. Surv. Circ. 328, 32 p., 6 charts, 1962.
Conodont zonation places Grassy Creek and Saverton Shales in Upper Devonian. Generalized stratigraphic column and correlation chart.

00476 Collinson, C. W.; Swann, D. H.
Mississippian rocks of western Illinois: Field Trip Guidebook, Geol. Soc. Am., p. 21-52, 1958.
Brief considerations of New Albany equivalents in western Illinois. Generalized columnar sections.

00477 Collinson, C. W.; Swann, D. H.; Willman, H. B.
Guide to the structure and Paleozoic stratigraphy along the Lincoln Fold in western Illinois: Ill. Geol. Surv. Guidebook Ser. 3, 75 p., 1954.
This is a guidebook to a field trip giving descriptions of stratigraphic units in the area of the Lincoln Fold. Discussions include units from the Pleistocene, Mississippian, Silurian, and Ordovician.

00478 Colorado Energy Research Institute
Colorado energy resources handbook: Vol. 2 Oil shale: Golden, Colo., Colo. Sch. of Mines, 1976.

00479 Colorado Geological Survey
Radioactive mineral occurences of Colorado and bibliography: Colo. Geol. Surv. Bull. 30, 1954 p., 1978.
Locations and descriptions of nearly 3000 radioactive occurences. Includes information on mineralogy, host rock characteristics, structural ore controls, production and development. Comprehensive cross-indexed bibliography of nearly 2,500 citations is given and many maps are diagrammed.

Colton, G. W. See Harris, L. D. 00976

00480 Columbia University
Recovery of uranium from Chattanooga Shale, quarterly report: U. S. Atomic Energy Comm. RMO-4010, 54 p. (dep.; $13.50, LC), 1956.
This is a continuation of investigations aimed at finding the reasons for low yields in continuous lab equipment is reported. (Auth)

00481 Columbia University
Recovery of uranium from Chattanooga Shale, quarterly progress report: U. S. Atomic Energy Comm. RMO-4011, 72 p., (dep.; mc; $18, LC), 1957.
Rate experiments in O_2 pressure leaching show that the acid concentration attained is the major factor affecting extraction. Data was obtained which correlated weight loss and metal removals with residence time. (From abstract)

00482 Columbia University
Recovery of uranium from Chattanooga Shale, Pt. A, Chlorination studies; Pt. B, Leaching studies; status report for September 1955: U. S. Atomic Energy Comm. RMO-4005, Pt. A 116 p. (dep.; $29, LC); Pt. B, 195 p. (dep.; $29, LC), 1955.
A study was made of the separation of U from chloride products produced by chlorination or retorted Chattanooga Shale in a fluidized bed.

00483 Columbia University
Recovery of uranium from Chattanooga Shale, quarterly progress report: U. S. Atomic Energy Comm. RMO-4012, 65 p. (dep. mc; $16.25, LC), 1957.
The investigation of countercurrent leaching by the pseudo continous method that was detailed in earlier reports has been concluded.

00484 Columbia University
Recovery of uranium from Chattanooga Shale, final report: U. S. Atomic Energy Comm. RMO-4015, 256 p. (dep.; $6, NTIS), 1960.
Comprehensive discussion of the two most promising processes: countercurrent leaching of raw shale with sulfuric acid and oxygen pressure leaching. Final summation of work done by the Columbia Mineral Beneficiation Laboratory.

00485 Columbia University
Recovery of uranium from Chattanooga Shale. Cost estimation of a solvent extraction plant: U. S. Atomic Energy Comm. RMO-4016, 66 p. (dep.; $6, NTIS), 1959.
Design and cost estimation of an amine complexant solvent extraction plant. Listing of materials, chemicals, and operating parameters. Includes cost estimation formulae.

00486 Columbia University
Recovery of uranium from Chattanooga Shale. Cost estimation of an ion-exchange plant: U. S. Atomic Energy Comm. RMO-4017, 54 p. (dep.; $6, NTIS), 1959.
A complete listing of materials, chemicals, operating parameters, and detailed flow charts of ion exchange recovery. Formulas are given to estimate total cost vs. profit of the operation.

00487 Combaz, A.
The energy of rocks; oil shale: 2000 Duen Mille, (Paris), No. 30, p. 36-40, 1975.

Combaz, A. See Breton, R. 00263

00488 Combaz, A.; Goni, J.
Research in bituminous shale in France: in The future supply of nature-made petroleum and gas; technical reports (Meyer, R. F., editor) p. 857-871, illus. (incl. sketch maps), Pergamon Press, New York, N. Y., United States, 1977.
Reserves, Carboniferous, Permian, Jurassic, exploration, programs, 1973-1977.

Combs, E. J. See Swann, D. H. 02047

00489 Conacher, H. R. J.
Native hydrocarbons associated with the oil shales of the Lothians (Scotland): Edinburgh Geol. Soc., Tr. Vol. 13, pt. 1, p. 89-97, 1934.
Occurence of ozokerite, zeitrisikite, uintaite, wurtzlite, elatrite, and ixolite in the Scottish oil shale series. Also, properties and suggested origin.

00490 Conacher, H. R. J.
Oil shale; occurrence and geology: in The science of Petroleum (Dunstan and others), Vol. 4, p. 3089-3093, 1938.
Oil shales of various parts of the world including their geolgoy and products therefrom. Scotland, South Wales, Tasmania, Burma, France, Kentucky, Ohio, Indiana, Utah, California, Wyoming, Estonia, Russia, South Africa, New Brunswick, Nova Scotia, Manchuria, Brazil, and Chile.

00491 Conant, L. C.
Chattanooga Shale investigation: U. S. Atomic Energy Comm. TEI-330, Oak Ridge, Tenn., p. 145-146, 1953.
All recent analyses suggest that for a north-south airline distance about 60 miles along the eastern Highland Rim, there is not great difference in uranium content (Hoover, 1960).

00492 Conant, Louis C.
Environment of accumulation of the Chattanooga Shale: U. S. Geol. Surv. Prof. Paper 300, p. 463-467 (out of print), 1956.
The Chattanooga shale accumulated on a vast limestone peneplain that was gradually inundated by a broad, shallow sea. The sea was tranquil, agitating the bottom muds only enough to stratify them. Oil in the rock is attributed to abundant planktonic organisms and spores from land or hydorphitic plants.

00493 Conant, Louis Cowles
Origin of the Chattanooga shale: Read to Kentucky Geological Society meeting of November 2, 1951. n. p. 1952, 22 p. (trace element investigation report, 237), United States Dept. of the Interior, Geol. Surv.
The Chattanooga shale accumulated on a vast limestone peneplain that was gradually inundated by a broad, shallow sea. The sea was tranquil, agitating the bottom muds only enough to stratify them. Oil in the rock is attributed to abundant planktonic organisms and spores from land or hydrophitic plants.

00494 Conant, Louis C.
Preliminary summary report on Chattanooga shale invest-

igations: U. S. G. S. Trace Elem. Mem. Rep. 781, 1954. For official use only.

Conant. Louis C. See Robreck, Raymond C. 01746

00495 Conant, Louis C.; Stansfield, Robert G.
Oil shale, in Mineral Resources of the Appalachian Region: U. S. Geol. Surv. Prof. Paper 580, p. 133-136, illus., 1968.
Covers all aspects of rock and mineral resources in the Appalachian area, dealing in depth with economic uses. A minor summary of Devonian and Mississippian black shales containing oil, gas, and uranium is given.

00496 Conant, Louis C.; Stansfield, Robert G.
Oil shale (eastern U. S.): U. S. Geol. Surv. Prof. Paper 580, p. 133-136, (out of print, but available through libraries), 1958.
A description of and reported economic values of eastern black shales. The Devonian-Mississippian sequence extending from Alabama to New York and widespread shale units in coal bearing beds of Pennsylvanian age.

00497 Conant, L. C.; Swanson, V. E.
Chattanooga Shale and related rocks of central Tennessee and nearby areas: U. S. Geol. Surv. Prof. Paper 357, 91 p., 1 7 pls., 18 figs., 19 tables, 1961.
Comprehensive study considers lithology, structure, stratigraphy, paleontology, composition, paleogeography, depositional environment, economic uses (including oil shale potential). Includes columnar sections, cross-sections, drill hole localities, isopach maps, data tables of composition, etc.

00498 Conant, Louis C.
Uranium content of the Chattanooga shale in east-central Tennessee and southern Kentucky: U. S. G. S. Trace Elem. Inv. Rep. 224, 87 p., maps, diagrs., tables, 1952. For official use only.

00499 Conant, M. A.; Gold, F. R.
The geopolitics of energy: in the collection Westview special studies in natural resources and energy management, 224 p., illus. (incl, tables), Westview Press, Boulder, Colo., 1978.

00500 Condit, Daniel Dale
Oil shale in western Montana; southeastern Idaho, and adjacent parts of Wyoming and Utah: U. S. Geol. Surv., Bull. 711-B, p. 15-40, 1 pl. (map), 2 figs.,

Sept. 27, 1919. Abstr. by R. W. Stone, Washington Acad. Sci., J., Vol. 9, No. 20, p. 628, Dec. 4, 1919.
Listing of section measures and samples taken from western Montana and bordering areas. Good work for the time, but better references now exist.

00501 Conference on Oil Shale and Cannel Coal Scotland, June 1938, Proceedings, 476 p., figs., pls., London, Inst. of Pet. (n. d., 1939?), 35 papers.

00502 Conference on Oil Shale and Cannel Coal, Glasgow, 1950 Oil shale and cannel coal, Vol. 2. Proceedings of the Second Oil Shale and Cannel Coal Conference, organized by the Institute of Petroleum and held in Glasgow in 1950. Ed. by George Sell. 832 p., illus., tables, diag., 1951.

00503 Conley, J. E.; Wilson, H.; Klinefelter, T. A. Production of light weight concrete aggregates from clay, shales, and other materials with directory of producers: U. S. Bur. of Mines Rept. of Invest. 4401, 121 p., 1948.
This report describes an investigation undertaken to determine availability of suitable raw materials and to study methods, procedures and equipment to supply need for use in concrete products and structures. Includes bibliography.

00504 Connah, T. H.
Torbanite deposit, Alpha, central Queensland: Queensland Geol. Surv. Rept., No. 3, 8 p., illus., (incl. sk. maps), 1964.

00505 Connan, J.
Signification geochimique de l'extraction des amino acids des sediments: Centre Rach. Pau, Bull., Vol. 1, No. 1, p. 165-171 (incl. Eng. sum.), illus., 1967.
Geochemistry of kerogen bearing shales.

Connan, J. See Correia, M. 00524

Connant, L. C. See Milton, Charles E. 01451

00506 Connell, Horton, R.
China's Petroleum Industry: an Enigma: Am. Assoc. Pet. Geol., Bull., Vol. 58, No. 10, p. 2157-2172, 1974.
Report on production rates of some of China's major oil fields. Of total production about 88% is from natural oil, 9% from oil shale and 3% from coal liquifaction.

Conner, J. J. See Tidball, R. R. 02100

Cook, A. C. See Kantsler, A. J. 01144

00507 Cook, C. W.
Surface rehabilitation of land disturbances resulting from oil shale development; final report, phase I: Environ. Resour. Cent., 160 p., Fort Collins, Colorado, 1974.

00508 Cook, Edward Werner
Thermal analysis of oil shales: in Synthetic Liquid Fuels from Oil Shale, Tar Sands and Coal, Colo. Sch. Mines, Q., Vol. 65, No. 4, p. 133-140, 1970.
Effects of heating to retort temperature on oil shale mineral components and total heat content of the spent shale. Good source for engineering application.

00509 Cook, Glenn L.
Oil shale - recent developments: North America Gasoline Tax Conference, 42nd Ann. Rept., Santa Barbara, Calif., p. 12-17, 1971.

00510 Cook, Glenn L.
Energy from oil shale: Environmental research: 46th Ann. Fall Meeting Soc. Pet. Eng. A. I. M. E., New Orleans, La., Oct. 3-6, 1971, Preprint 3455, 5 p., 1971.

00511 Cook, G. L.
The mass spectrometry of organic nitrogen compounds: A. P. I. Proceedings, Vol. 42, (VIII), p. 73-74, 1962.

00512 Cook, G. L.
Oil shale: Chapter in McGraw-Hill Yearbook Sci. and Tech., McGraw-Hill Book Co., New York, p. 320-322, 1974.

00513 Cook, Glenn L.
Oil shale - an impending energy source: Northern Plains Sec., Soc. Pet. Eng., A. I. M. E., 4th Biennial Symp., Omaha, Neb., May 18-19, 1972, Preprint S. P. E. 3861, 7 p., J. Pet. Tech., Vol. 24, p. 1325-1330, Nov. 1972.
This report includes a review of the size, location, and characteristics of the oil-shale deposits, the status of the processing technology and describes a planning program for development of oil-shale.

Cook, G. L. See Decora, A. W. 00609

Cook, G. L. See Dinneen, G. U. 00652

Cook, G. L. See Dinneen, G. U. 00656

Cook. G. L. See Dinneen, G. U. 00657

Cook, G. L. See Dinneen, G. U. 00649

Cook, G. L. See Dinneen, G. U. 00651

Cook, Glenn L. See Dinneen, G. U. 00650

Cook, G. L. See Haines, W. E. 00958

Cook, G. L. See Jacobson, I. A. 01097

Cook, G. L. See Jacobson, I. A. 01098

Cook, G. L. See Jacobson, I. A. 01099

Cook, G. L. See Jensen, H. B. 01115

Cook, G. L. See Jensen, H. B. 01116

Cook, G. L. See Kinney, I. W. 01196

Cook, G. L. See Miknis, F. P. 01438

Cook, G. L. See Miknis, F. P. 01437

Cook, G. L. See McDonald, F. R. 01523

Cook, G. L. See McDonald, F. R. 01522

Cook, G. L. See McDonald, F. R. 01521

Cook, G. L. See McDonald, F. R. 01525

Cook, G. L. See McDonald, F. R. 01526

Cook, G. L. See McDonald, F. R. 01524

Cook, G. L. See Poulson, R. E. 01672

Cook, G. L. See Robinson, W. E. 01753

Cook, G. L. See Robinson, W. E. 01754

Cook, G. L. See Robinson, W. E. 01755

Cook, G. L. See Smith, E. B. 01911

00514 Cook, G. L.; Church, F. M.
Correlation of the infrared spectra of some pyridines:
J. Phys. Chem., Vol. 61, p. 458-462, 1957.
This paper presens correlations based on the infrared spectra of pyridine and 33 substituted pyridines.

The infrared absorption spectra are discussed in relation to each of five classes.

00515 Cook, G. L.; Church, F. M.
Determination of pyridines by infrared spectroscopy: Anal. Chem., Vol. 28, p. 993-995, 1956.
A procedure for analyzing mixtures of pyridines by infrared spectroscopy is applicable to distillation fractions. Reliability is illustrated by results on two known blends of pyridines. On applying the method to the analysis of low-boiling tar bases extracted from on oil produced by retorting Colorado oil shale, 11 pyridines were identified and concentrations of nine were quanlitatively estimated. (From author's abs.)

00516 Cook, G. L.; Foster, N. G.
Relation of molecular structure to fragmentation of some sulfur compounds in the mass spectrometer: API Div. of Refining, Proceedings, Vol. 41 (III), p. 199-214, 1861.

00517 Cook, G. L.; Meyer, R. A.; Earnshaw, D. G.
Daul-inlet system for a mass spectrometer: U. S. Bur. of Mines Rept. of Invest. 5663, 8 p., 1960.
This report describes the design of a dual-inlet system for a consolidated model 21-103C mass spectrometer in detail.

00518 Cook, G. L.: Miknis, F. P.; Morris, J. C.
Thiophenes: Chapter 9 in the Analytical Chemistry of Sulfur and Its Compounds - Part II, Interscience Publishers, Div. of John Wiley and Sons, Inc., New York, N. Y., Vol. 29, p. 433-490, 1972.

00519 Cook, R. B.
The lower Pottsville Formation in the Coalburg Syncline, Jefferson County, Alabama, (abs.): Geol. Soc. Am., Vol. 10, No. 4, p. 165-166, 1978.
A core section of lower Pottersville formation revealed a 1095-foot interval of shale, sandstone, siltstone, and quartzite. The Boyles sandstone is split into two orthoquartzite sequences. Ten coal seams were intersected between the Black Creek seam and the Boyles sandstone.

Cookston, J. W. See Scott, Donald W. 01871

00520 Cooley, Frank G.
The growing awareness of oil shale's impaction communities: Rocky Mt. Assoc. Geol., Field Conf. Guidebook No. 25 (Guideb. to the energy resour. of the Piceance Creek

Basin, Colo.), p. 174-179, illus., 1974.
Article deals only with the growth of awareness of social and economic impacts which the oil shale industry will have on communities such as Rifle, Rangely, Meeker, DeBeque, and Grand Valley, Colorado. Does not discuss size and complexity of those effects.

Cooper, B. S. See Freyfus, D. A. 00699

00521 Cooper. C. L.
Kinderhook micropaleontology: in Weller, J. M., (ed.), Symposium on problems of Mississippian Stratigraphy and correlation: J. Geol., Vol. 56, p. 353-366; (abs.), Geol. Soc. Am. Bull., Vol. 58, p. 1272-1273, 1947.
"Black shale problems" of the New Albany shale areas are discussed.

00522 Cooper, G. A.
Correlation of the Devonian sedimentary formations of North America: Geol. Soc. Am. Bull., Vol. 53, p. 1729-1794, et al, 1942.
Discussion of Devonian vs. Mississippian age of black shales. Brief discussions of numerous individual formations. Includes North American Devonian correlation chart.

00523 Cooper. G. A.
Remarks on the correlation of Devonian formations in Illinois and adjacent states: Ill. Geol. Surv. Bull., Vol. 68, p. 217-222, 1944.
Brief mentions of Upper Devonian shales. Includes correlation chart.

Coppens, R. See Predali, J. J. 01676

00524 Correia, M.; Connan, J.
Analyses phyico-chimiques et observervations microscopiques de la matiere organique de schistes bitumineux (Physicochemical analyses and microscopic observations of the organic materials in oil shales): in Advances in organic geochemistry, 1973, Int. Mtg. Org. Geochem., Programme Abstr., No. 6, p. 153-161 (incl. Eng. sum.), illus. (incl. charts, plates), 1974.

00525 Corsentino, J. S.
Projects to expand fuel sources in Western States; a survey of planned proposed coal, oil shale, tar sand, uranium, and geothermal supply expansion projects, and related infrastructure, in states west of the Mississippi River (as of May 1976): U. S. Bur. of Mines

Inf. Circ., No. 8719, 208 p., 1976.
This study is a listing by state of fuels-related projects presently under construction, planned, or proposed.

00526 Cottingham, P. L.
Diesel fuels from shale oil: Mono. on Alternate Fuel Resources, A. I. A. A., Vandenberg Sec., Dr. Frank J. Hendel, ed., San Luis Obispos, Calif., Vol. 20, p. 119-135, July 1976.

00527 Cottingham, P. L.
Distribution of nitrogen in hydrocracked in situ shale oil: A. C. S. Preprints, Div. of Fuel Chem., Vol. 20, No. 2, p. 175 (abs.), 1975.
Crude shale oil from in situ retorting of Wyoming oil shale by the underground combustion method was hydrocracked over a nickel-molybdena catalyst in a single-pass operation at 800°F, 1.500 psig pressure, and 0.5 volume of oil per volume of catalyst per hour. The distribution of nitrogen in 57 distillate fractions is reported. (From abs.)

00528 Cottingham, P. L.
Distribution of nitrogen in hydrocracked in situ shale oil: Ind. Eng. Chem., Proc. Res. and Develop., Vol. 15, No. 3, p. 197-201, 1976.
This paper reports tha distribution of nitrogen among 56 fractions of the liquid products from simple, once-through hydrocracking of in situ crude shale oil. (From p. 197)

00529 Cottingham, P. L.
Gasoline from shale? Catalytic hydrogenating at cracking temperatures offers possibility of producing gasoline in high yields: Chem. Eng. News, Vol. 34, p. 4816-4817, 1956.
This abstract deals with the possibilities of producing gasoline in high yields through catalytic hydrogen at cracking temperatures.

00530 Cottingham, P. L.
Motor gasoline from shale oil: Mon. on Alternate Fuel Resources, A. I. A. A., Vandenberg Sec., Dr. Frank J. Hendel, ed., San Luis Obispos, Calif., Vol. 20, p. 281-293, July 1976.

00531 Cottingham, P. L.
Refining considerations for chemical analyses pertaining to shale oil: Analytical chemistry pertaining to oil shale to shale oil, N. S. E. Conf. Workshop, Report, June 24-25, 1975 (Pub. April 1975), p. 80-100.

Cottingham, P. L. See Barker, L. K. 00117

Cottingham, P. L. See Barker, L. K. 00116

Cottingham, P. L. See Carpenter, H. C. 00360

Cottingham, P. L. See Carpenter, H. C. 00361

Cottingham, P. L. See Carpenter, H. C. 00364

Cottingham, P. L. See Carpenter, H. C. 00363

Cottingham, P. L. See Carpenter, H. C. 00362

Cottingham, P. L. See Frost, C. M. 00832

Cottingham, P. L. See Frost, C. M. 00833

Cottingham, P. L. See Frost, C. M. 00834

00532 Cottingham, P. L.; Antweiler, J. C.; Mayfield, L. G. Hydrofining thermally cracked shale-oil naphtha: Ind. Eng. Chem., Vol. 48, p. 1146-1151, 1956.
This paper presents the results of hydrofining raw naphthas of full boiling range and heavy naphthas from thermally cracked shale oil. Included are tables, graphs, and illustrations.

00533 Cottingham, P. L.; Barker, L. K.
Depleted uranium as a catalyst for hydrocracking shale oil: I. & E. C. Prod. Res. and Develop., Vol. 12, p. 41-47, March 1973.
This paper reports the preparation and testing of two depleted uranium oxide catalysts for use in hydrocracking crude shale oil. The objectives of the hydrocracking experiments were to convert high-boiling shale oil into gasoline-boiling range products and to eliminate sulfur and nitrogen from the gasolines produced. (From p. 41-42)

00534 Cottingham, P. L.; Barker, L. K.
Testing depleted uranium as a catalyst for hydrocracking shale oil: A. C. S. Preprints, Div. Fuel Chem., Vol. 16, No. 2, p. 24-46, 1972. Also: (abs.) Abstracts of Papers 163rd National Meeting, Boston, Mass., Apr. 9-14, 1972.
Depleted uranium oxide was evaluated for catlytic use in hydrocracking crude shale oil at 3000 psig with temperatures from 807 degrees to 1010 degrees F.

00535 Cottingham, P. L.; Carpenter, H. C.
Catalytic gasification of shale oil: Fuel Gasification

Advances in Chemistry series 69, p. 180-189, 1967.
This study is concerned with catalytic hydrogasification of crude shale oil, using depleted uranium and cobalt molybdate on alumina supports as catalysts. Includes description of apparatus and discussion of procedure.

00536 Cottingham, P. L.; Carpenter, H. C.
Hydrocracking prehydrogenated shale oil: I. & E. C. Proc. Design and Develop. Q., Vol. 6, No. 2, p. 212-217, 1967.
The purpose of this study was to investigate the hydrocracking prehydrogenated shale oil at pressure of 100° and 1500 p. s. i. which would be in the range of present petroleum hydrocracking equipment. (From p. 212)

00537 Cottingham, P. L.; Nickerson. L. G.
Hydrocracking of in situ shale oil: A. C. S. Preprints, Div. of Fuel Chem., Vol. 21, No. 6, Aug.-Sept. 1976, p. 175. Also: 172nd National Meeting, San Francisco, Calif., Aug. 29-Sept. 3, 1976, Abstracts of Papers (abs.) Fuel 060, 1976.
A group of laboratory hydrocracking experiments was made with crude in situ shale oil from underground combustion retorting of Green River oil shale. Yields and properties of gasoline-bailing-range naphthas and diesel fuels are given. (From abstract)

00538 Cottingham, P. L.; Tihen, S. S.
Refining research: Presented before Ind. Bur. of Mines Oil-Shale Conf., Univ. Wyo. Summer Science Camp, Laramie, Wyo., Aug. 1954. Pub. in Minutes on Conf., U. S. Bur. of Mines Administrative Pub.

00539 Cottingham, P. L.; Tihen, S. S.; Brown, J. F.
Gilsonite as a source of snythetic liquid fuels: Ind. Eng. Chem., Vol. 47, p. 328-332, 1955.
The work reported here was done at the Laramie, Wyo. lab of the Bur. of Mines, in cooperation with the American Gilsonite Co. to evaluate as a source of liquid fuels a distillate produced in the laboratory coking of gilsonite.

00540 Cottingham, P. L.; White, E. F.; Frost, C. M.
Hydrogenating shale oil to catalytic reforming stock: Ind. Eng. Chem., Vol. 49, p. 679-684, 1957.
The effect of hydrogenation temperature has been investigated at higher ranges than those used by previous workers. The charge stock was crude shale oil prepared from Colorado shale in the gas-combustion retort and the catalyst, cobalt molybdate. (From intro.)

00541 Coveney, R. M.; Parizek, E. J.
Deformation of mine floors by sulfide alteration: Assoc. Eng. Geol., Bull., Vol. 14, No. 3, p. 131-156, 1977.

00542 Cowles, J. O.; Boughton, E. M.
In situ recovery of oil and minerals from Piceance Creek basin oil shale: Intersoc. Energy Convers. Eng. Conf., No. 11, Vol. 1, p. 336-340, 1976.

00543 Cox, B. B.
Geology and mineral resources of the Quincy and Liberty quadrangles: unpub. report, 114 p. (in Survey open-file reports), 1929.
Considers Grassy Creek and Saverton Shales - lithology, thickness, distribution, correlation, stratigraphic relations. Includes well records, outcrop descriptions.

Cox, R. J. See Brantley, F. E. 00249

Cox, R. J. See Sohns, H. W. 01975

Cox, R. J. See Sohns, H. W. 01973

00544 Cox, R. M.
Mining uranium and oil from the Chattanooga Shale Formation (abs.): Ala. Acad. Sci., J., Vol. 45, p. 243, 1974. 51st Annual Meeting.

00545 Craig, E. H. C.
On "Kerogen" - Am. Assoc. Pet. Geol. Bull., Vol. 9, No. 1, p. 180, Jan. - Feb., 1925.
A reply to an article by Mr. Earl Trager suggesting the word "Kerogen" is obsolete in light of the differing compositions of the substance.

00546 Crawford, A. L.
Ozokerite - a possible new source: Utah Acad. Sci., Proc. 1952-1953, Vol. 30, p. 74-82, 1953.

Crawford, J. E. See Narten, Perry F. 01546

00547 Crecelius, R. L.
Recycle hydrogenation of shale-oil crudes: Pet. Refiner, Vol. 35, p. 171-175, June 1956.

00548 Crickmay, C. H.
A note on the term bocanne: Am. J. Sci., Vol. 265, No. 7, p. 626-627, 1967.
The term bocanne was created by Selwyn from a French-Canadian work for smoke, to refer to naturally burning shale banks. (From author's abstract)

00549 Cronshaw, Harry B.
Oil shales: London, J. Murray, 80 p., incl. map, 1921.

Cross, A. T. See Hoskins, J. H. 01034

00550 Cross, A. T.; Hoskins, J. H.
Paleobotany of the Devonian-Mississippian black shales: J. Paleo., Vol. 25, p. 713-728, 7 figs., 1951.
Reviews the Devonian-Mississippian black shale floral assemblages from the east-central interior of the United States and contrasts them with the typical Devonian and the pre-Pennsylvanian type of later Mississippian flora of North America. Some conclusions based on the geographic distribution on these fossils and on the nature of the fossils themselves are discussed briefly. (Hoover, 1960)

Cross, T. S. See Melton, N. M. 01420

Cross, T. S. See Melton, N. M. 01421

00551 Crouch, M. C., III; Nydegger, G. L.
Exploitation of gas reserves at Bowdoin Area, Montana: Low permeability, sandy-shale, biogenic gas reservoir: Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 8, p. 1395, 1976.
Importance and feasability of producing gas from shallow, shaly reservoirs, as illustrated by renewed activity in the Bowdoin field of north-central Montana.

00552 Crouse, Charles S.
Economic possibilities of eastern oil shales: Min. Congress J., Vol. 12, No. 2, p. 166-169, 5 figs., March 1926.

00553 Crouse, Charles S.
An economic study of the black Devonian shales of Kentucky: Kentucky Geol. Surv., ser. 6, Vol. 21, p. 59-97, 4 figs., 1925.
This article defines economic possibilities of black Devonian shales of Kentucky. Crouse discusses in detail the factors controlling economic development of Devonian shales such as amount of shale available, oil content of the shale, methods and costs of mining and refining, availability of supplies and market etc.

00554 Crouse, Charles S.
Oil shales of Estill County, Kentucky: Eng. and Min. J., Vol. 110, No. 1, p. 24-27, July 3, 1920.
This 1920 article concerns the commercial possibilities of the Estill shales, Ky. and describes laboratory retorting tests which disclose the lack of coking action occurring.

00555 Crouse, Charles S.
The precious metal content of the black Devonian shales of Kentucky: Kentucky Geol. Surv., ser. 6, Vol. 21, p. 49-58, 1925.
A report on the amount of gold and silver present in the oil shales of Ky. Crouse gives values in cents per ton and ounces per ton for gold and silver in the shale. Both gold and silver are present in practically all the oil shales of Ky. but in amounts too small to be of commercial value.

Crouse, Charles S. See Theissen, Reinhardt 02074

00556 Crowley, D. M.
The role of oil shale as an erergy resource, (abs.) Am. Assoc. Pet. Geol., Soc. Econ. Paleontol. Mineral. Ann. Mtg. Abs., Vol. 2, p. 15, 1975.
Mining, crushing, retorting, and upgrading methods proposed for use in commercial plants are described, as well as large scale materials handling and spent shale disposal problems. Projections are made of oil shale's future role.

00557 Crump, Lulie H.; Readling, Charles L.
Fuel and Energy Data: United States by states and regions, 1972: U. S. Bur. of Mines Inform. Circ. 8647, 82 p., 1974.
Summarized by state information on reserves, production, and consumption of fuels and energy. The data are broken down by fossil fuels and hydropower and nuclear for the major consuming sectors.

Cruz, P. R. See Maciel, A. C. 01366

Cruz, P. R. See Maciel, A. C. 01367

Cruz, P. R. See Maciel, A. C. 01368

00558 Cruz, R. B.
Direct hydrocarbon detection; modeling and interpretation, (abs.): Soc. Explor. Geophys., No. 45, p. 7, 1975.

00559 Culbertson, J. K.; Kyni, J. P.; Brobst, D. A.
Eocene Green River Formation-Multiple mineral resource (abs.): Am. Assoc. Pet. Geol. Bull., Vol. 51, No. 9, p. 1900, 1967.
Suggests the use of X-ray diffraction and fluorescoence to discover new reserves of disseminated minerals in the Green River Formation in addition to those already known to exist.

Culbertson, William J. See Nevens, Thomas D. 01556

00560 Culbertson, William C.
Oil shale in the Green River Formation, Green River Basin, Wyoming, in Symposium on Tertiary rocks of Wyoming - Wyoming Geol. Assoc., 21st Field Conf., 1969, Guidebook: Casper, Wyo., Pet. Inf., p. 191-195, illus., 1969.
Summary of the lithology, thickness, and distribution of the Green River oil shale beds. Oil shales of the area are primarily dolomite, limy dolomite, or dolomitic limestone with varying amounts of kerogen. Shallow lake deposition. Yields as much as 60 gallons of oil per ton of rock. Stratigraphic units are discussed separately.

Culbertson, William C. See Donnell, John R. 00683

00561 Culbertson, William C.; Pitman, Janet K.
Oil shale: in United States mineral resources, U. S. Geol. Surv., Prof. Paper No. 820, p. 497-503, 1973.
A general survey of oil shale production and potential from lacustrine oil-shales, marine black shales, and shales associated with coal beds.

Culver, L. G. See Foster, Ray W. 00821

Cumer, L. W. See Weller, Stuart 02311

00562 Cumming, L. M.
Devonian of Canadian Appalachians and New England states, in Internat. Symposium on the Devonian System, Calgary, 1967 (Proc.), Vol. 1: Calgary Alberts, Alberta Soc. Pet. Geol., p. 1041-1055, illus., tables, 1967 (1968).

0563 Cummins, J. J.
Pyrolysis of kerogen concentrate in the presence of calcium hydride: A. C. S. Preprint, Div. of Pet. Chem., Vol. 11, No. 2, p. C66-C70, 1966.
The results of the kerogen pyrolysis tests showed that when calcium hydride was present, the product contained more paraffins plus aromatic oil, less resins plus polar oil, and less pentane-incoluble material than when calcium hydride was absent.

Cummins, J. J. See Carpenter, H. C. 00368

Cummins, J. J. See Chong, Shuang-Ling 00437

Cummins, J. J. See Robinson, W. E. 01760

Cummins, J. J. See Robinson, W. E. 01756

Cummins, J. J. See Robinson, W. E. 01766

Cummins, J. J. See Robinson, W. E. 01758

Cummins, J. J. See Robinson, W. E. 01759

Cummins, J. J. See Robinson, W. E. 01757

00564 Cummins, J. J.; Doolittle, F. G.; Robinson, W. E. Thermal degradation of Green River kerogen at 150 degrees to 350 degrees C - Composition of products: U. S. Bur. of Mines Rept. of Invest. 7924, 18 p., 1974.
The Bureau of Mines heated (at 150 degrees to 350 degrees C for 0.5 days to 360 days) Green River oil shale that had been extracted by benzene to provide information on in situ processing conditions, to determine the effect of low-temparature heating on the composition of benzene-soluble thermal products. (From author's abstrace) Includes illustrations and tables.

00565 Cummins, J. J.; Poulson, R. E.; Robinson, W. E. Nitrogen-compound types in Green River oil shale and in kerogen degradation products: A. C. S. Preprints, Div. of Fuel Chem., Vol. 20, No. 2, p. 154-161, 1975.
Compositional information concerning Green River oil shale products is needed because of the possibility of using this resource to meet increased demand for energy. The Bur. of Mines is study the conversion of oil shale to useable soluble products by both above and below-ground processes. (From abs.)

00566 Cummins J. J.; Robinson, W. E. Controlled low-temparature pyrolysis of benzene-extracted Green River oil shale: A. C. S. Reprints Div. of Pet. Chem., Vol. 12, No. 4, p. 41-47, Sept. 1968.
Green River oil-shale kerogen was pyrolyzed at 300 degrees and 350 degrees C for 12-96 hours to determine the decomposition rate of kerogen and the composition of the pyrolytic products.

00567 Cummins, J. J.; Robinson, W. E. Normal and isoprenoid hydrocarbons isolated from oil shale bitumen: J. Chem. Eng. Data, Vol. 9, p. 304-307, 1964.
This report describes the identification and determination of the carbon preference index of C_{13} to C_{33} n-paraffins and the identification of a series of 5 isoprenoid compounds in a benzene-soluble extract from Colorado oil shale (From author's intro.) Includes tables of results.

00568 Cummins, J. J.; Robinson, W. E.
Thermal conversion of oil-shale kerogen in the presence of carbon monoxide and water: A. C. S. Preprints, Div. Fuel Chem., Vol. 21, No. 6, p. 94-109, Aug. - Sept. 1976.
Oil-shale kerogen conversion to gaseous and benzene-methanol soluble products using the carbon monoxide and water reaction were studies. The soluble degradation products obtained from the kerogen have compositions similar to Fischer Assay shale oil and would be suitable materials for hydrocracking and refining feedstocks. (From abs.)

00569 Cummins, J. J.; Robinson, W. E.
Thermal degradation of Green River kerogen at 150 degrees to 350 degrees C - Rate of product formation: U. S. Bur. of Mines Rept. of Invest. 7620, 15 p., 1972.
This paper discusses the thermal degradation of benzene-extracted oil-shale kerogen to pyrolytic products. (From author's introduction) Includes tables and illustrations.

Curran, W. V. See Schwartz, Donald 01866

00570 Current, Andrew Max
Review of geology and activities in the Uinta Basin, in Moore, C. A., ed., 3rd subsurface geological symposium procs., Univ. Okla., Mar. 1953, p. 63-71, illus. (1953); Colo. Sch. Mines, Q., Vol. 48, No. 3, 36 p., illus., July 1953, summary, Tulsa Geol. Soc. Digest, Vol. 21, p. 52-61, illus., 1953.
Hydrocarbon prospecting in the Uinta Basin. Discussion of geology, structure, faulting, oil sands, and gilsonite veins. Development of Roosevelt, Red Wash, Duchesne, Flat Mesa, and County fields with Formation reports on Red Wash Unit No. 4 and Gusher Unit No. 3.

00571 Curry, H. G.
Oil content correlations of Green River oil shales, Uinta and Piceance Creek Basin, in Guidebook to geology and mineral resources of the Uinta Basin, Utah's hydrocarbon storehouse, 13th Ann. Field Conf., 1964: Salt Lake City, Utah, Intermountain Assoc. Pet. Geol., p. 169-171, illus., 1964.
Depositional environment, significance of depositional features, general nature of oil shales, and continuity and correlation of the most minute units of the section observed in two coreholes in eastern Uinta county, Utah. Also, bar graph plots of oil content from each core. Cores did not penetrate the Mahogany Bed.

Curtis, M. R. See Tixier, M. R. 02116

00572 Dall'Aglio, M.
Geochemical exploration for uranium (with discussion): in Uranium exploration methods, I. A. E. A., Panel Proc. Ser., p. 189-208, illus. (incl. sketch maps), 1973.

00573 Dall'Aglio, M.
Planning and interpretation criteria in hydrogeochemical prospecting for uranium (with discussion): Com. Naz. Energ. Nucl. (repr.), Vol. 73, No. 1, 14 p. (incl. Ital. sum.), illus., 1973. (Reprint)

00574 D'An, C. H.
The oil shale (Jurassic) deposit of northern Shensi (China): China Geol. Surv., B. No. 24, p. 9-14 (Eng.), p. 33-46 (Chinese), 4 pls. (incl. col. geol. map, 1:2,000,000, S'34.

00575 Dana, G. F.
Black trona water, Green River Basin, Wyoming (abs.): Assoc. Pet. Geol., Bull., Vol. 59, No. 5, p. 907, 1975.
Abstract. Water, blackened by organic acids dissolved in a sodium carbonate solution, has been found in unusually porous and permeable oil shales. It is postulated that the water is original lake water incorporated in the sediments. An average accesian flow of 6,856 bbl/say would bring to surface 130 tons organic matter - 560 bbl oil and 62 tons sodium carbonate.

00576 Dana, George F.
Bureau of Mines-Atomic Energy Commission Colorado Corehole No. 2, Rio Blanco County, Colo., December 1966. OPEN FILE at Laramie Petroleum Research Center Library and Bureau of Mines, Denver Mining Research Center, Building 20, Federal Center, Denver, Colorado.

00577 Dana, George F.
Bureau of Mines - Atomic Energy Commission Colorado Corehole No. 3, Rio Blanco County, Colorado, July 1968. OPEN FILE at Laramie Petroleum Research Center Library, Bureau of Mines, Denver Mining Research Center, Building 20, Federal Center, Denver, Colorado, and United States Geological Survey Public Inquiry Office, Room 1012, Federal Building, 1916 Stout street, Denver, Colroado. NO PUBLIC DISTRIBUTION.

Dana, G. F. See Smith, J. W. 01947

Dana, George F. See Stanfield, K. E. 01998

00578 Dana, G. F.; Smith, J. W.
Oil yields and stratigraphy of the Green River Formation's Tipton Member at Bureau of Mines sites near Green River, Wyo.: U. S. Bur. Mines Rept. Invest. No. 7681, 46 p., 1972.
Oil yields, lithology, and stratigraphy have been evaluated for 15 core wells and two sampled wells representing 10 sq. miles of the Tipton Member of the Green River Formation near Green River, Wyo. This area is being used for experimental production of oil from the oil shales in place.

00579 Dana, George F.; Smith, J. W.
Artesian aquifer, New Fork Tongue of the Wasatch Formation, northern Green River Basin: Wyo. Geol. Assoc. Greater Green River Basin Guidebook, p. 201-206, 1973.

00580 Dana, George F.; Smith, J. W.
Black Trona Water, northern Green River Basin: Wyo. Geol. Assoc. Greater Green River Basin Guidebook, p. 153-156, 1973.

00581 Dana George F.; Smith, J. W.
Nature of black water occurrence, northern Green River Basin: Earth Sic. Bull., Vol. 9, No. 1, p. 9-16, March 1976.
The unique black trona water aquifer was cored by Laramie Energy Research Center. Its nature was established as one or two horizontal partings in oil shale (rather than cavities created by secondary crystallization) pressurized by overburden.

00582 Danchev, V. I.; Strelyanov, N. P.
Uranougol'nyye mestorozhdeniya i ikh glavmeyshiye geneticheskiye tipy (The main genetic types of uranium deposits associated with coal): Geol. Rud. Mestorozhd., Vol. 15, No. 3, p. 66-81, illus., (incl. geol. sketch map), 1973. Occurrance of uranium in deposits of coal humus and peat, epigenetic and diagenetic processes.

00583 Danchev, V. I.; Vinokurov, S. F.; Heymushev, M. V.; et al.
Nekotoryye ofobennosti geokhimii urana v uglerodistykh osadkakh (Some geochemical features of uranium in coal-bearing sediments): Akad. Nauk SSSR, Sib, Otd., Inst. Geol. Geofiz., Tr., No. 286 (Radioaktivnyye elementy v gornykh porodakh), p. 31-38, illus. (incl. tables), 1975.

Danilchik, Walter See Hyden, Harold J. 01061

Dannenberg, R. O. See Matzick, A. 01407

Dannenberg, R. O. See Matzick, A. 01408

00584 Dannenberg, R. O.; Matzick, A.
Bureau of Mines gas-combustion retort for oil shale, a study of effects of process variables: U. S. Bur. of Mines Rept. of Invest. 5545, 73 p., 1960.
This is a study of effects of the process variables on operation, product yields, and product properties in the gas-combustion retorting of oil shale. Includes many tables and illustrations.

Danyushevskaya, A. I. See Fedina, I. P. 00777

Dapples, E. O. See Sloss, L. L. 01908

Darasik, T. G. See Poplavko, E. M. 01663

00585 Davidson, Charles F.
The Kolm deposits of Sweden: Min. Mag., Vol. 105, No. 4, p. 201-207, 1961.

00586 Davidson, Donald M., Jr.; Kerr, Paul F.
Uranium bearing veins in Plateua strata, Kane Creek, Utah: Geol. Soc. Am. Bull., Vol. 79, No. 11, p. 1503-1525, illus., tables, geol. map, 1968.
Nearly vertical uranium-bearing mineralized fractures penetrate older strata in Kane Creek deposits. Incomplete evidence suggests an original hydrothermal source for the uranium ions. Two periods of fluid invasion caused mineral alteration along faults.

00587 Davis, D.; Lytle, J.; Kasameyer, P.
Instrumentation for evaluation of in-situ recovery projects (asb.): Am. Assoc. Pet. Geol. Bull., Vol. 62, No. 5, p. 1092, 1978. AAPG-SEPM annual meeting; late abs.
A technique of high-frequency electromagnetic mapping (HFEM) has been developed. It has been successful in following the progress of a burnfront during an underground coal-conversion experiment.

00588 Davis, D. G.
Histogrammatic projection of gas and heavy mineral effects in shaly sands: Soc. Prof. Well Log Anal., Annu. Logging Symp., No. 17, 19 p., 1976.
The technique described here is to project data points that have been plotted (By porosity difference) parallel to a liquid-bearing sandshale line to

produce a frequency histogram of the data. (From abstract)

00589 Davis, J. F.
A practical approach to uranium exploration drilling from reconnaissonce to reserves (with discussion), in Uranium exploration methods: A. I. E. A., Panel Proc. Ser., p. 109-123, illus. (incl, sketch maps), 1973.
Exploration phases and techniques, drilling equipment, gamma-tesistivity logging used for collecting data from drill holes, application to sedimentary type uranium deposits, costs.

00590 Davis, John Clements
Petrology of Cretaceous Mowry Shale of Wyoming: Am. Assoc. Pet. Geol. Bull., Vol. 54, No. 3, p. 487-502, 1970.
Mineral distribution patterns and other evidence suggest that this widespread shale is a transgressive deposit. One of the very few regional studies of shales. Many maps. A possible model study?

00591 Davis, H.
Hydrocarbons: Eng. Min. J., Vol. 171, No. 3, p. 148-149, 1970.

00592 Davis, H.
Hydrocarbons: Eng. Min. J., Vol. 173, No. 3, 103rd annual survey and outlook of mineral commodities, p. 182-183, 1972.

00593 Davis, H.
Hydrocarbon; with an energy crisis at hand, the U. S. examines all fuel sources: Eng. Min. J., Vol. 174, No. 3, (Review 1972; outlook 1973), p. 156-157, 1973.

00594 Davydova, T. N.; Gol'dshteyn, Ts. L.; Sukhanova, S. M.
Facies, geochemistry and distribution of uranium in black shales: in Sidorenko, A. J.; et al, Sostoyaniyei zadachi sovetskoy litholgi i Zadachi soveshch., 8th Proc., Vol. 2, p. 172-179 (in Russian), 1970.

00595 Dawson, J. C.
Oil shales: Canadian Inst. Min. and Met., Bull., No. 153, p. 25-59, 4 figs., Jan., 1925.

00596 Dawson, T. A.
Outcrop in southern Indiana, Pt. I of Devonian formations of Indiana: Ind. Div. Geol. 48 p., 4 pls., 20 figs., 1941.
Discusses New Albany Shale - lithology, distribution, age (Devonian or Mississippian), correlations.

00597 Day, D. T.; Woodruff, Elmer G.
Oil shale of northwestern Colorado and northeastern Utah: U. S. Geol. Surv., Bull., No. 581, p. 1-21, map, 1914.
Very general work on oil shales of the Green River formation in the Uinta Basin. Some measured sections.

00598 Day, D. T.; Woodruff, Elmer G.
Oil shale of northwestern Colorado and northeastern Utah (abs.): Wash. Acad. Sci., J., Vol. 4, p. 170-171, 1914.

00599 Dayton, S. H. (ed.)
The quest for U. S. energy sufficiency; national mission for the 1970's: Eng. Min. J., Vol. 175, No. 4, 69-116, 1974.

00600 Dean, C. J.
Gas developments in the United States: in This Changing World, Geography, Vol. 5, Part 1, No. 262, p. 41-45, tables, 1974.

00601 Dean, Claude S.; Overby, W. K., J.
Possible interaction between thin-skinned and basement tectonics in the Appalacian Basin and its bearing on exploration for fractured resevoirs in the Devonian shale: Geol. Soc. Am., Abstr., Southeastern Section, 27th Annual Mtg., Vol. 10, No. 4, p. 166, 1-78.
Most Devonian gas comes from natural gractures, permeability primarily due to the net result of jointing. The jointing provides a cumulative record of stress history. Using tectonic history, prodiction of ensugin jointing pattersn is possible which aids in location of concentrated fracturing.

00602 Dean, E. W.
Fuel for automotive apparatus. J. Soc. Automotive Eng., Vol. 2, Jan. 1918, p. 47-53. See also Automotive Ind., Vol. 38, Jan. 24, 1918, p. 224-228, 251; Nat. Pet. News, Vol. 10, Feb. 20, 1918, p. 34, 36, 38, 40, 42 (Extracts)

00603 Dean, E. W.
Shale oil and alcohol possible substitutes for gasoline. Chem. Eng., Vol. 27, p. 313, 1919.

00604 Dean, W. E.; Ringrose, C. D.; Dlusman, R. W.; et al.
Geochemical baselines for soils in a major oil shale region; Piceance Creek basin, Colorado, in American Association for the Advancement of Science; contributed papers of the 143rd national meeting, held in conjunction

with 53rd annual meeting of the AAAS Southwestern and Rocky Mountain Division, 20-25 February 1977, Denver, Colo. (abs.): Am. Assoc. Adv. Sci., Washington, D. C., unpaginated, 1977.

00605 DeBeque, G. Robert
The bituminous shale industry in northwestern Colorado: Eng. Min. J., Vol. 102, p. 1011-1012, 1916.
Tests conducted at DeBeque, Colorado indicated the possibility of producing at a low cost oils high in cresols and phenols, suitable for use in flotation processes.

00606 DeBeque, G. Robert
Oil shales of DeBeque, Colorado: Eng. and Min. J., Vol. 109, p. 348-353, 3 figs., Jan. 31, 1920.
This 1920 article describes the possible importance in the future of the oil-shale deposits of Colorado and Utah. The stratigraphy of the area is described in detail.

Decora, A. W. See Earnshaw, D. G. 00727

Decora, A. W. See Jackson, L. P. 01089

Decora, A. W. See Jackson, L. P. 01090

Decora, A. W. See Jacobson, I. A. 01097

Decora, A. W. See Jacobson, I. A. 01098

Decora, A. W. See Jacobson, I. A. 01099

Decora, A. W. See Miknis, F. P. 01436

Decora, A. W. See Miknis, F. P. 01438

Decora, A. W. See Miknis, F. P. 01437

Decora, A. W. See McDonald, F. R. 01526

Decora, A. W. See McDonald, F. R. 01525

Decora, A. W. See McDonald, F. R. 01524

Decora, A. W. See Smith, E. B. 01911

00607 Decora, A. W.; Dinneen, G. U.
A solid support for the gas-liquid chromatography of strongly basic nitrogen compounds: Gas Chromatography, Academic Press Ind., New York, Chap. IV, p. 33-38, 1961.
The development of the modified solid support

described in this work exploited the properties of a spray-dried commercial detergent to obtain a support for the analysis of strongly basis nitrogen compounds.

00608 Decora, A. W.; Dinneen, G. U.
Gas-liquid chromatography of pyridines using a new solid support: Anal. Chem., Vol. 32, p. 164-169, 1960.
A new solid support has been developed for the gas-liquid chromatography of pyridines, by heating a commercial detergent and extracting it with petroleum ether. The new solid support was used to study the selectivity of several nonpolar and slightly polar liquid substances. This study was used to select two columns employed in a series to separate a test mixture of 14 pyridines.

00609 Decora, A. W.; McDonald, F. R.; Cook, G. L.
Using broad-line nuclear resonance spectrometry to estimate potential oil yields of oil shales: U. S. Bur. of Mines Rept. of Invest. 7523, 30 p., 1971.
This report describes the use of broad-line nuclear magnetic resonance spectrometry to estimate the organic carbon contents and the potential oil yields of five domestic oil shales.

00610 Decora, A. W.; Dinneen, G. U.
Gas-liquid chromatography of basic nitrogen compounds: U. S. Bur. of Mines Rept. of Invest. 5768, 23 p., Apr. 1961.
The subject of this investigation is the adaptation of gas-liquid chromatography to analysis of tar leases. Included are many illustrations and tables.

00611 Decora, Andrew; Johnson, Harry R.
Accelerated oil shale in situ program of the U. S. government: Colo. Sch. of Mines Q., Vol. 70, No. 3, p. 147-157, July 1975.
Development of a viable in situ recovery technology offers the potential of both significant environmental advantages and an increase in the amount of recoverable resources. The program goal is to develop the technology by 1980. Emphasis is on western oil shales but research will be initiated in eastern areas.

Deemak, P. See Chomnanti, S. 00434

00612 Degens, E. T.; Williams, E. G.; Keith, M. L.
Geochemical criteria for distinguishing marine from fresh-water shales: Pennsylvania State University, Univeristy Park, Pa.
Quantative spectrochemical analyses are presented

determining that the presence of five elements differ appreciably in amounts in marine versus fresh water shales. Clay (illite kaolinite) ratios were measured but were less helpful in determination of depositional environment.

00613 DeGrijs, J. W.
Dimensional grain orientation and preliminary radiographic studies of the sandstones from the Finger Lakes stone quarry: Bachelor's McMaster (Canada), unpaginated p., 1971.

Degtereva, Z. A. See Fomina, A. S. 00812

DeLeeuw, J. W. See Van der Berg, M. L. J. 02233

00614 Delgado, José I.
Evluación de la produccion y utilización de los combustibles solidos (Evaluation of the production and utilization of the solid combustibles): Geolgia y Metlaurgía, Vol. 2, No. 15, p. 28-35, 1966.

00615 Damison, J. M.; Shibaoka, M.
Contribution to the study of hydrocarbon generation from hydrogen poor kerogen: World Pet. Congr., Proc., No. 9, Vol. 2 (Geology), p. 195-197, illus., 1975. With discussion.

deNemours, E. I. Dupont (and Company) See Price, V. 01677

00616 deNevers, Noel
Tar sands and oil shales: Sci. American, Vol. 214, No. 2, p. 21-29, illus., 1966.
This 1966 article discusses the technical, economic and political factors involved with attempting to recover oil from oil shales.

00617 Denmead, A. K.
Carvarvon oil shale: Queensland Govt. Min. J., Vol. 44, No. 504, p. 70-71, 1 fig., (g. sk. map), 1943.

00618 Dennison, Johm M.
Petroleum related to Middle and Upper Devonian deltaic facies in Central Appalachians (abs.) Am. Assoc. Pet. Geol. Bull., Vol. 54, No. 5, p. 844, 1970.
Petroleum production occurs in permeable sandstone and prodelta dark shale in the Appalachian basin. Depositional patterns of petroliferous sands resulted from infilling of a subsiding basin interrupted by abrupt eastward transgressions. Five distinct clastic pulses were isolated in the Late Devonian during shoreline shifts.

00619 Dennison, John M.
Petroleum related to Middle and Upper Devonian deltaic facies in central Appalachians: Am. Assoc. Pet. Geol., Bull., Vol. 55, No. 8, p. 1179-1193, illus. (incl. sketch maps), 1971.
Specific correlations from Virginia to New York are developed by matching times of sea level fluctuation. Devonian Catskill delta and prodelta complex.

00620 Dennison, J. M.
Tuff-reworking model for uranium concentration in Chattanooga Shale (abs.): Geol. Soc. Am., Abstr. Programs, Vol. 8, No. 2, p. 160-161, 1976.
Suggested source of Chattanooga uranium and mode of introduction into Devonian seas by paleo currents.

00621 Dennison, John M.; Boucot, A. J.
Little War Gap at Clinch mountain provides standard reference section for Silurian Clinch Sandstone and most nearly complete Devonian section in eastern Tennessee: Southeast Geol., Vol. 16, No. 3, p. 79-101, 1974.
Extensive cuts along Tennessee Route 70 at the southeast slope of Clinch Mountain display excellent exposures of the stratigraphic interval from the Juanita Formation (Upper Ordovicion) through the Grainger Formation (Lower Mississippian). The article describes the section in detail.

Dennison, J. M. See Jones, M. L. 01132

Denny, M. D. See Toman, J. 02118

00622 Denson, Norman M.; et al.
Summary of uranium-bearing coal, lignite, and carbonaceous shale investigations in the Rocky Mountain region during 1951: U. S. G. S. Trace Elem. Mem. Rep. 341, 45 p., map, tables, 1952. For official use only.

Denson, N. M. See Duncan, D. C. 00713

Deoste, J. B. See Becker, L. E. 00159

00623 Department of Energy, Mines and Resources of Canada
Oil and natural gas resources of Canada 1976: Dept. of Energy, Mines and Resources of Canada Rept. EP-77-1, 1977.
Part I: A geologic appraisal of Canada's potential oil and gas resources with estimated values described in terms of probability. Part II: Detailed look at economically recoverable reserves of the oil sands of Alberta.

00624 Department of Energy, Mines and Resources of Canada
Oil sands and heavy oils: the prospects: Dept. of Energy, Mines and Resources of Canada Rept. EP 77-2, 1977.
A report of production potential of three of Canada's major oil-producing formations. The article gives a general description of the Lloydminster, Cold Lake, and Athabaska areas with projections on recoverable oil and resource estimates given for each. Recovery technology, economic considerations and government initiatives are discussed.

00625 de Quadros, L. P.
Effects of diabase intrustions on the sedimentary rocks of the eastern and southern Parana Basin: Bol. Tec. Petrobras, Vol. 19, No. 3, p. 139-155, 1976.

00626 Desborough, G. A.
Authigenic albite and potassium feldspar in the Green River Formation, Colorado and Wyoming: A. Mineral., Vol. 60, No. 3-4 p. 235-239, 1975.
Authigenic albite occurs as the major mineral constituent in a tuff enclosed in rock oil shale. Authigenic albite and k-feldspar as crystal aggregates and subhedral to euhedral crystals are ubiquitous minor constituents in Piceance Creek oil shale.

00627 Desborough, G. A.
A biogenic-chemical stratified lake model for the origin of the oil shale of the Green River Formation; an alternative to the playa-lake model: Geol. Soc. Am. Bull., Vol. 89, No. 7, p. 961-971, illus., incl. tables, maps, 1978.
"A model is proposed which involves biogenic Mg enrichment, a stratified lake environment, and authigenic growth of minerals that led to the development of oil shale in the lacustrine Green River Formation." Samples were drilled cores from nine locations in Piceance basin. Much information about inorganic constituents of the oil shale, especially the Ca- Mg- and Fe- carbonates is given. This model suggests a biochemical origin for the carbonates rather that a strict chemical (playa lake) origin.

Desborough, G. A. See Baxter, J. W. 00143

00628 Desborough, George A.; Pitman, Janet K.
Origin of Ca, Fe, and Mg carbonates in oil shales of

Eocene Green River Formation in Colorado, Wyoming, and Utah (abs.): in Rocky Mountain Section SEPM, 5th Annual Meeting, Am. Assoc. Pet. Geol. Bull., Vol. 58, No. 5, p. 913, 1974.
The authors propose biogenic precipitation of carbonates in hypersaline waters of Green River Lake rather than reworking and transport of carbonates to the basin center from the basin margin.

00629 Desborough, George A.; Pitman, Janet K.
Significance of applied mineralogy to oil shale in the upper part of the Parachute Creek Member of the Green River Formation, Piceance Creek Basin, Colorado: Rocky Mt. Assoc. Geol., Field Conf., Guideb. 25 (Guideb. to the energy resour. of the Piceance Creek Basin, Colo.), p. 81-89, illus. (incl. sketch map), 1974.
Eight cores from the Mahogany Bed and the R-4 zone indicate the presence of complex mineral assemblages which would influence thermal requirements during retorting. Reported minerals of the Ca-Mg-Fe carbonates are; Mg-calcite, Ca-dolomite, Ca-ankerite, and Mg-siderite.

00630 Desborough, G. A.; Pitman, J. K.; Huffman, C., Jr.
Concentration and mineralogical residence of elements in rich oil shales of the Green River Formation, Piceance Creek Basin, Colorado, and the Uinta Basin, Utah; a preliminary report: Chem. Geol., Vol. 17, No. 1, p. 13-26, illus. (incl. tables, sketch map), 1976.
Ten samples were analyzed for 37 major, minor, and trace elements. Principal mineralogical residence was established or suggested for 23 of the elements. Studies may by useful for prediction of kinds and amounts of elements released into the environment by oil-shale mining operations.

00631 Desio, A.; Pasquare, G.
Sedimentary formations; area east of Faydzabad: Ital. Exped. Karakorum Hindu Kush, Sci. Rep., Vol. 3, No. 3, p. 24-44, 1975.

Desmond, J. S. See Gavin, M. J. 00873

00632 Deul, Maurice
Geochemistry of uranium-bearing shales: U. S. Atomic Energy Comm., TEI-700, p. 213-224 (dep.; $6, NTIS) (prepared by U. S. Geological Survey), 1957.
This investigation was mainly concerned with organic matter in Chattanooga shale, because of the relationship between radioactivity and carbon content. Includes tables of results.

Deul, M. See Breger, I. A. 00259

Deul, Maurice See Breger, I. A. 00257

00633 Deul, Maurice
Concentration of minor elements in carbonaceous fractions mechanically segragated from sedimentary rocks: (abs.) Geol. Soc. Am., Vol. 7, No. 12, pt. 2, p. 1686-1687, 1956.
In some sedimentary rocks, certain elements are concentrated in organic fractions and are enriched as compared with mineral fractions. Carbon, boron, iron, vanadium, and arsenic were detectable in the shales tested. These included Chattanooga Shale, Pierre Shale, and Dakota Formation.

Devine, F. R. See Bearse, A. E. 00154

Devine, F. R. See Bearse, A. E. 00150

00634 DeWitt, W.
Current investigations of Devonian shale by the U. S. Geological Survey: in Natural gas from unconventional geologic sources, p. 113-115, available from: Natl. Acad. Sci., Washington, D. C., United States, 1976.

DeWitt, W., Jr. See Roen, John B. 01772

DeWitt, W. See Harris, L. D. 00976

DeWitt, W., Jr. See Wallace, Laure G. 02272

00635 DeWitt, Wallace, Jr.; Perry, W. J., Jr.; Wallace, L. G.
Oil and gas data from Devonian and Silurian rocks of the Appalachian Basin: U. S. Geol. Surv. Misc. Geol. Inv. Map 1-917-B, 1975.
A compredium of subsurface data on the oil and gas resources of the Appalachian basin. data are grouped mainly by geologic periods.

DeWitt, Wallace Jr. See Janssens, Adriaan 01112

00636 Dhere, Charles; Hradil, Guido; Schneider, A.
Flourszenz-spektrographische untersuchungen an Oelschiefern: Schqeiz. Mines. U. petrogr. Min. Bd. 14, H. 1, p. 279-295, 2 figs., 1 pls., 1934. Flourescent spectrographic properties of oil shale.

Dickerson, D. R. See Stevenson, D. L. 02013

00637 Dickey, Parke Atherton
Natural potentials in sedimentary rocks: Am. Inst. of Min. and Met. Eng. Tech. Pub. No. 1625. Class f, Petroleum Div., No. 199, Class L, Geophysics, No. 97,

10 p., illus. diag., 1943. Pub. also in Pet. Tech., Sept. 1943.
The author suggests that potential differences between sandstones and shales are natural and specific properties of the rocks. The disturbing effects of water in the drill hole of a well modify the measurement of these differences.

Dickey, Parke See Rathbun, Fred C. 01699

00638 Diebel, Jurt
Ein Ö'lshiefer im Pias Alpha be: Bielefeld: Germany, Reichsstelle f. Bodenf. Jb. Bd. 60, p. 157-196, 8 figs., 3 pls., 1941. Stratigraphy of oil shale near Bielefeld, Germany.

00639 Diedrich, R. A.
The mineral industry of Wyoming: U. S. Bur. Mines, Vol. 1973, No. 2, p. 777-800, 1976.

00640 Dienes, J. K.; Margolin, L. G.
Anistropy fragmentation: in Explosively produced fracture of oil shale; October-December, 1977: (Carter, W. J. compiler). Los Alamos Sic. Lab. Rep. No. 7164, p. 1-4, illus., 1978. Available from NTIS, Springfield, Va.

Dimitriu, M. See Casimir, Emil E. 00388

00641 Dinneen, G. U.
Effect of retorting temperature on the composition of shale oil: Chem. Eng. Progress Symp. Ser., Vol. 61, No. 54, p. 42-47, 1965.
Four crude oils by entrained solids retorting of Colorado oil shale were studied in this investigation. (From p. 43) They were analyzed by the Bur. of Mines method for crude shale oil. (From p. 42) Includes graphs, tables and diagrams.

00642 Dinneen, G. U.
Retorting technology of oil shale: in Oil shale (Yen, T. F., editor; et al), No. 5, p. 181-198, illus. (incl. tables), Elseveir Sci. Publ. Co., Amsterdam, Netherlands, 1976.

00643 Dinneen, G. U.
Shale oil-what is it? Pet. Refiner, Vol. 33, p. 113-116, 1954.

00644 Dinneen, G. U.
Sulfur and nitrogen compounds in shale oil: Am. Pet. Inst. Proc. 1962, Vol. 42, sec. 8, p. 41-43, illus., 1962.

Dinneen, G. U. See Allbright, C. S. 00018

Dinneen, G. U. See Ball, J. S. 00092

Dinneen, G. U. See Carpenter, H. C. 00369

Dinneen, G. U. See Decora, A. W. 00608

Dinneen, G. U. See Decora, A. W. 00607

Dinneen, G. U. See Decora, A. W. 00610

Dinneen, G. U. See Haines, W. E. 00958

Dinneen, G. U. See Heady, H. H. 00995

Dinneen, G. U. See Jacobson, I. A. 01100

Dinneen, G. U. See Robinson, W. E. 01758

Dinneen, G. U. See Robinson, W. E. 01759

Dinneen, G. U. See Robinson, W. E. 01761

Dinneen, G. U. See Smith, J. R. 01916

Dinneen, G. U. See Smith, J. R. 01915

Dinneen, G. U. See Stevens, R. F. 02012

Dinneen, G. U. See Thorne, H. M. 02097

Dinneen, G. U. See Thorne, H. M. 02095

Dinneen, G. U. See Thorne, H. M. 02096

00645 Dinneen, G. U.; Allbright, C. S.; Ball, J. S. Comparison of Brazilian and Colorado shale oils: Chem. Eng. Data Series, Vol. 2, No. 1, p. 91-95, Aug. 1957.
In this investigation, oils obtained by retorting Paraida Valley shale from Brazil in six experimental retorts have been analyzed. (From intro.) Selected properties of these oils were compared with those on a similar series of Colorado oils. Includes diagrams, tables, and graphs.

00646 Dinneen, G. U.; Bailey, C. W.; Smith, J. R. Shale-oil naphthas, analysis of small samples by the silica gel adsorption method: Ind. Eng. Chem. (anal. Ed.), Vol. 19, p. 992-998, 1947.
A method for the analysis of small samples of shale-oil naphthas is based upon the selective adsorption of the various classes of compounds

by silica gel. Data are presented on adsorbability of some classes of hydrocarbons, sulfur compounds, and nitrogen compounds. (From author's abstract) Includes illustrations and graphs.

00647 Dinneen, G. U.; Ball, J. S.; Thorne, H. M.
Composition of crude shale oils: Ind. Eng. Chem., Vol. 44, p. 2632-2635, 1952.
Shale oils produced in the U. S. and in several foreign countries were analyzed by a standardized laboratory method. (From summary) Comparison of the results obtained permits characterization of the crude shale oils, evaluation of the factors affecting composition, and determination of the relationship between American and foreign shale oils. (From author's abstract)

00648 Dinneen, G. U.; Bicke, W. D.
Gum formation in shale-oil naphtha: Ind. Eng., Chem., Vol. 43, p. 1604-1607, 1951.

00649 Dinneen, G. U.; Cook, G. L.
Oil shale and the energy crisis: A. S. M. E. Preprints, Fuel Div., Ann. Winter Meeting, 9 p., 1972.

00650 Dinneen, G. U.; Cook, Glenn L.
Oil shale and the energy crisis: in Prespectives on Energy; Issues, Ideas, and Environmental Dilemmas (Green River Formation; et al), p. 377-385, illus. (incl. tables, sketch map), Oxford Univ. Press, Inc., New York, United States, 1975.

00651 Dinneen, G. U.; Cook, G. L.
Oil shale and the energy crisis: Tech. Rev., Vol. 76, No. 3, p. 26-33, Jan. 1974.

00652 Dinneen, G. U.; Cook, G. L.; Jensen, H. B.
Estimation of types of nitrogen compounds in shale-oil gas oil: Anal. Chem., Vol. 30, p. 2026-2030, 1958.
This paper presents a systematic procedure for the separation and characterization of the types of nitrogen compounds in shale-oil gas. A quantitative estimate of the composition of the nitrogen-compound concentrate in terms of model compounds was made. Includes tables of results.

00653 Dinneen, G. U.; Smith, J. R.; Bailey, C. W.
High-temperature shale oil, product composition: Ind. Eng. Chem., Vol. 44, p. 2647-2650, 1952.
The purpose of this investigation was to determine the composition of oils produced by retorting at temperatures higher than normally used. Fractional distrillation, adsorption, and spectrometry are used to get an adequate picture of the composition

of shale-oil distillates.

00654 Dinneen, G. U.; Smith, J. R.; Ball, J. S. Olefins in naphtha: Pet. Refiner, Vol. 29, p. 129-134, May 1950.

00655 Dinneen, G. U.; Smith, J. R.; VanMeter, R. A. Application of separation techniques to a high-boiling shale-oil distillate: Anal. Chem., Vol. 27, p. 185-190, 1955.
Modern separation techniques have been used to resolve a gas oil from Colorado shale oil into simpler fractions to facilitate studies of composition. (From author's abstract) Adsorption techniques, supplemented by vacuum distillation, thermal diffusion, and adduct formation were used. Information presented in this paper should aid in composition studies in other fields.

00656 Dinneen, G. U.; Stanfield, K. E.; Cook, G. L. Developments in oil-shale technology: A. I. Ch. E. Preprints, Preprint 12B, 1967.
This paper discusses some representative studies on the occurrence and utilization of oil shale in the Green River Formation of Colo., Utah, and Wyoming.

00657 Dinneen, G. U.; Stanfield, K. E.; Cook, G. L. Developments in oil-shale technology: Chem. and Eng. Prog. Symp. Ser., Vol. 64, No. 85, p. 15-21, 1968.
This paper discusses some representative past and present studies on the occurrence and utilization of an oil shale deposit in the Green River Formation, Colorado. Includes tables of results obtained.

00658 Dinneen, G. U.; Thompson, C. J.; Smith, J. R. Adsorption analysis by displacement techniques applies to shale-oil distillates: Anal. Chem., Vol. 22, p. 871-876, 1950.
A displacement technique is described for the determination of saturates, olefins, and aromatics on small samples in the boiling range from 200° to 325°C. Variables affecting this method of analysis are discussed. (From Summary) Several applications for this techniques are described.

00659 Dinneen, G. U.; VanMeter, R. A.; Smith, J. R. Composition of shale-oil naphtha: U. S. Bur. of Mines Bull. 593, 74 p., 1961.
This report describes the analysis of shale-oil

naphtha and discusses their composition, based on investigation by the Federal Bureau of Mines. Included is a description of the general analytical approach used and of techniques developed especially for analyzing shale-oil distillates.

00660 Dinnin, G. Yu.; Smit, Dzh. U.; Tizot, P. R.; et al. Sostav goryuchikh slantsev Grin River (The composition of the Green River oil shale): in Razrabatka i ispol'-zovaniye gorychikh slantsev (Baum, V., chairperson), p. 172-183, illus. (incl. tables, sketch map), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

00661 Dinnin, G. Yu.; Stenfild, K. Ye.; Kuk, G. L.; et al. Razrabotka teknologii pereabotki Grinriverskikh goryuchikh slantsev (The development of the technology for the processing of the Green River oil shales): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 261-271, table, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

00662 Disher, David; Randle, Sam
Direct detection of gas for land and water work: Soc. Explor. Geophys., Ann. Int. Mtg., No. 43, p. 8 (Eng.), p. 8-9 (Span.), 1973.

Divok, Yu. P. See Bayushkin, I. M. 00147

Dixon, D. A. See Lindner, A. W. 01327

Djuricic, M. V. See Murphy, Robert C. 01493

Djuricic, M. V. See Vitarovic, D. 02259

Dlushman, R. W. See Dean, W. E. 00604

Dmitriyeva, L. P. See Laput, V. A. 01284

00663 Dobrynin, V. M.; Serebrayakov, V. A.
Otsenka koeffsyenta vodopronitsayemosti glinistykh plotyshek v yestestvennom zalegganni po kimpleksu geolgo-geifizicheskikh nablyudeniy (Estimation of the water penetration coefficiant of in situ shale cover according to complex geological and geophysical observations): Geol. Nefti Gaza, No. 7, p. 69-74, illus., 1974.

00664 Dockter, Leroy
Combustion of oil-shale carbon residue: A. I. Ch. E. Symp. Series, Vol. 72, No. 155, p. 24-31, 1975.

00665 Dockter, L.
The creation of high fluid conductivity in an oil shale by injection of explosives: Proc., Symp. on Stimulation of Low Permeability Reservoirs, Colo. Sch. of Mines, Golden, Colo., Feb. 1976.

Dockter, L. See Harak, A. E. 00967

Dockter, L. See Harak, A. E. 00966

00666 Dockter, L.; Long, A.; Harak, A. E.
Retorting ungraded oil shale as related to in situ processing, II: A. C. S. Preprints, Div. Fuel Chem., Vol. 15, No. 1, p. 2-11, 1971.
This report presents results obtained from a continuing research project on the retorting of unsized oil shale conducted by the Bur. of Mines at its Laramie Energy Research Center.

00667 Dockter, L.; Harak, A. E.
Scale-up comparisons between 10-ton and 150-ton oil-shale batch retorts: Laramie Energy Research Center/ Tech. Prog. Rept. -76/2, 23 p., 1976.

00668 Dodd, Philip H.
Quantitative logging and interpretation systems to evaluate uranium deposits, in SPWLA Logging Symposium, 7th Ann., Tulsa, Okla., 1966, Trans.: Huston, Tex., Soc. Prof. Well Log Analysis, p. P1-P21, illus., 1966.

Doherty, J. D. See Cattell, R. A. 00396

00669 Dole, Hollis; Beurd, Tom; Bredehoeft, John
Development of oil shale in the Green River Formation. Report of the Committee on Environment and Public Planning: The Geologist, Vol. 9, No. 4, p. 1-8, July 1974.

Dolezal, George Jr. See Chancellor, Robert E. 00405

Dolsen, C. P. See Strahl, Erwin, O. 02029

00670 Domenico, S. N.
Effect of water saturation of seismic reflectivity of sand reservoirs encased in shale: Soc. Explor. Geophys., Annu. Int. Mtg., No. 43, p. 5 (Eng.), p. 5 (Span.), 1973.

00671 Donaldson, A. C.; Heald, M. T.; Renton, J. J.; et al.
Depositional environment of Rome Trough rocks, Mingo County Well, West Virginia, (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 59, No. 9, p. 1735, 1975.
Wells penetrating Precambrian crystalline rocks at

19,527 feet and the Rome sequence from 10,840-19,527 feet, failed to yield commercial gas. Instead, shallow marine shales were encountered with interbedded carbonate sequences. Petroleum-gas prospects are good but reservoir conditions appear "tight".

Donnel, Dzh. R. See Keshn, V. B. 01174

00672 Donnell, J. R.
Environments of deposition of oil shale: Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 4, p. 666, 1976.
Oil shales occur in marine, brackish-water, and fresh-water sequences deposited on shallow-marine platforms of in geosnyclines, lagoons, or lake bottoms. Organic material varies from humic (1/3 of which will convert to oil), to sapropelic (2/3 of which will convert to oil).

00673 Donnell, John R.
Geology and oil shale resources of Green River Formation, in First symposium on oil shale: Colo. Sch. Mines, Q., Vol. 59, No. 3, p. 153-163, illus., 1964, discussion, ibid, supp., p. 12-13, 1964.
Describes general geology and structural setting of the area. Suggests sediment sources for Eocene Lake Gosiute and Lake Uinta. Also describes measured sections from various locations and gives thickness and yields of rich oil shale layers.

00674 Donnell, John R.
Geology and oil-shale resources of the Green River Formation: Mtn. Geologists, Vol. 2, No. 3, p. 95-102, illus., reprinted 1965; originally published 1964.
The Green River Formation was deposited in 3 Eocene lakes covering more than 34,000 square miles. Deposits reach a maximum thickness of 2,000 feet in the Piceance Creek Basin. More than 2 trillion barrels of oil is contained in shales that yield greater than 10 gallons oil/ton.

00675 Donnell, J. R.
Global oil-shale resources and costs: in Future supply of nature-made petroleum and gas; tech-reports: (Meyer, R. F., editor), p. 843-856, illus., (incl. tables, sketch map), Pergamon Press, New York, N. Y., United States, 1977.

00676 Donnell, J. R.
Mineral fuels and associated resources-oil shale, in Mineral and water resources of Colorado: U. S. Congr., 88th, 2nd sess., Comm. Print, p. 67-73, illus., table, 1964.
The thickest and richest known oil shale deposits in the world occur in Colorado's Green River Formation.

The four principal members are outlined in terms of lithologic character and stratigraphic situation. 1¼ trillion barrels is the estimated oil content of 15-gallons-or-more-per-ton shale in the Piceance Creek Basin.

00677 Donnell, J. R.
Preliminary report on oil-shale resources of Piceance Creek basin, north western Colorado: U. S. Geol. Surv. Bull. 1042-H, p. iii, 255-271, illus., 1957.

00678 Donnell, John R.
Teritary geology and oil shale resources of the Piceance Creek basin between the Colorado and White Rivers, northwestern Colorado: U. S. Geol. Surv. Bull. 1082-L, p. 835-891, illus., table, geol. maps, 1961.
Good overall summary of geography, industry, population, accessibility, previous investigations, stratigraphy, structure, and economic geology of the area between the White and Colorado Rivers. Rangely, Meeker, and Rifle are towns bordering study areas.

Donnell, John R. See Pitman, Janet K. 01649

Donnell, John R. See Pitman, Janet K. 01648

Donnell, John R. See Tourtelot, Harry A. 02125

Donnell, J. R. See Tourtelot, Harry A. 02126

Donnell, J. R. See Waldron, Fred R. 02271

00679 Donnell, John R.; Blair, R. W., Jr.
Resource appraisal of three rich oil-shale zones in the Green River Formation, Piceance Creek Basin, Colorado: Colo. Sch. Mines Q., Vol. 65, No. 4, p. 73-87, illus., tables, 1970.
Oil-shale resource-appraisal study of 3 oil rich zones in the Parachute Creek Member. The 3 zones have total resources of 317 billion barrels of oil in the appraised areas.

00680 Donnell, J. R.; Blair, R. W., Jr.
Oil shale resources of selected rich zones in the Green River Formation (abs.): Mining Eng., Vol. 22, No. 1, p. 39, 1970.
Three of the rich oil-shale zones of the Parachute Creek Member of the Green River Formation, Colorado were chosen for an oil-shale resource appraisal study. Preliminary estimates were made of grade and tonnage of the oil shale in these zones.

00681 Donnell, J. R.; Cashion, W. B.; Brown, J. H., Jr. Geology of the Catherdral Bluffs oil-shale area, Rio Blanco and Garfield Counties, Colorado: U. S. Geol. Surv. Oil and Gas Inv. Map OM 134, scale about 1 in. to 1½ mi., geol. map with section chart, text, 1953.
Geologic map showing cross sections and correlated cores. Legend describes stratigraphy, structure, and oil shale resources of the area.

00682 Donnell, John R.; Cashion, W. B.; Zilbersher, W. M. Stratigraphic sections of the oil shale deposits in the western part of the Piceance Creek Basin, Garfield and Rio Blanco Counties, Colorado: U. S. G. S. Reports-Open File series No. 64. Diagrams, 1950.

00683 Donnell, John R.; Culbertson, William C.; Cashion, W. B. Oil shale in the Green River Formation (with Fr. and Span. abstr.): in Drilling and production, World Pet. Congr. 7th, 1967, Mexico, Proc., Vol. 3: London, Elsevier Publ. Co., p. 699-702, illus., 1967.

00684 Donnell, J. R.; Shaw, V. E.
Mercury in oil shale, the Mahogany Zone of the Green River Formation, eastern Utah and western Colorado: U. Res. U. S. Geol. Surv., Vol. 5, No. 2, p. 221-226, illus. (incl. tables, sketch map), 1977.
Mercury in concentrations as high as 4 ppm was reported in some Green River shales. Spent shale was found to contain only 2% of the total mercury in the assay products and the gas fraction about 58%. No strong relationship exists between oil yield and mercury content.

00685 Donnell, John R.; Tailleur, Irvin L.; Tourtelot, Harry A. Alaskan oil shale: in Symposium on Oil Shale, 4th: Colo. Sch. Mines, Q., Vol. 62, No. 3, p. 39-43, 1967.
A survey of oil shale of the North Slope of Alaska. Described are; 1) Tasmanite, 2) black oil shale resembling the Green River oil shale, 3) whale blubber rock. Au, Ag, and Hg also noted. No measured section.

00686 Donnell, John R.; Tailleur, J. L.; Tourtelot, H. A. Northern Alaskan oil shale (abs.): Geol. Soc. Am., Spec. Paper 101, p. 56, 1968.
Alaskan oil shale along the Brooks Range front. Reported occurrence of tasmanite, black carbonaceous shale with significant trace metals present.

00687 Donnelly, T. W.; Altschuld, K.; Olander, P.; et al. Chemical sedimentology of shales and silts from the New York Paleozoic, (abs.): Geol. Soc. Am., Vol. 9, No. 3, p. 257, 1977.

00688 Donovan, R. N.
Middle Devonian lacustrine rocks in northern Scotland, (abs.): Geol. Soc. Am., Vol. 10, No. 1, p. 4, 1978.

00689 Donovan, R. N.; Collins, A.
Mound structures from the Caithness Flagstones (Middle Devonian), northern Scotland: J. Sediment, Pet., Vol. 48, No. 1, p. 171-173, 1978.
Large numbers of circular mound structures c. 2mm wide by 1mm high, occur on bedding planes of carbon-rich shales and siltstones. The mounds could have been formed from sediment falling from the surface of gas bubbles rising from the lake bottom.

00690 Boolittle, F. G.; Earnshaw, D. G.
A method for calculating m/e's of peaks from time-of-flight mass spectra: Applied Spectroscopy, Vol. 26, No. 3, p. 403-404, 1972.
This study shows that m/e's can be determined to the nearest unit mass from TOF spectra by the use of one equation along with a calibration curve.

00691 Doolittle, F. G.; et al.
Spectroscopic identification of some alkyl substituted tetralins in Green River oil shale: Tabloid newspaper form of abstracts of papers presented at the Pittsburg Conference on Analytical Chemistry and Applied Spectroscopy, Inc., Cleveland, Ohio, Paper 167, p. 168, March 6-10, 1972.

Doolittle, F. G. See Anders, D. E. 00032

Doolittle, F. G. See Anders, D. E. 00031

Doolittle, F. G. See Cummins. J. J. 00564

Doolittle, F. G. See Earnshaw, D. G. 00727

00692 Dorheim, F. H.; Kock, D. L.
Devonian of northern Iowa, Cedar Valley, Shell Rock, and Lime Creek: Road log, Tri-State 30th Ann. Geol. Field Conf. Guideb., 45 p., 1966.
Discusses shales in Upper Devonian Lime Creek Formation of Iowa - possibly equivalent to New Albany.

00693 Dougan, Paul M.; Reynolds, Fred S.; Root, Paul J.
The potential for in situ retorting of oil shale in the Piceance Creek Basin of northwestern Colorado: in Synthetic Liquid Fuels from Oil Shale, Tar Sands, and Coal: Colo. Sch. Mines, Q., Vol. 65, No. 4, p. 57-72, illus., 1970.
Use of heated natural gas to retort oil-shale in situ in the Piceance Creek Basin. Including:

process, model, pattern selection, and conclusions.

00694 Douglas, George V.; Campbell, C. O.
Pictou County (Nova Scotia) oil shales: Nova Scotia Dept. Mines Ann. Rept. 1941, p. 113-126, 3 pls. incl. index map, 1 fig., 1942.

00695 Douglas, A. G.; Douraghi-Zadeh, K.; Eglinton, G.
Fatty acids in sediments including the Green River (Eocene) and Scottish Torbanite (Carboniferous), in Advances in Organic Geochemistry - Internat. Cong., 3rd. Proc. (G. D. Hobson and G. C. Speers, editors): London and New York, Pergamon Press (Internat. Ser. Mons. Earth Sci., Vol. 32), p. 315-334, illus., tables, 1970.
Describes organic compounds found in shales. Includes charts showing distribution of fatty acids in nature, and in ancient sediments.

00696 Douglas, J. G. (ed.); Ferguson, J. A. (ed.)
Geol. Soc. Aust., Spec. Publ., No. 5, 528 p., 1976.

Douglas, Richard F. See Robertson, David S. 01747

Douglas, Richard F. See Robertson, David S. 01748

Douraghi,-Zadeh, K. See Douglas, A. G. 00695

00697 Dow, W. G.
Kerogen studies and geological interpretations: J. Geochem. Explor., Vol. 7, No. 2 (Application of geochemistry to the search for crude and natural gas), p. 79-99, illus. (incl. tables), 1977.
Kerogen is partially converted into petroleum by catagenesis. Catagenesis of hydrogenrich algal and liptinitic kerogen accounts for most oil and gas in sedimentary rocks. Kerogen studies are important in predicting amount, type and distribution of petroleum that can be expected in a basin.

Dow, W. G. See Pearson, D. B. 01615

00698 Drabkin, M. L.; Grand, S.; Killelea, J. R.
Recovery of uranium from Chattanooga shales, quarterly report for March 15 to June 15, 1954: U. S. Atomic Energy Comm. RMO-4002, 78 p., (dep., mc; $19.50, LC) (prepared by Columbia University), 1954.
Investigation is reported of the effect of thermal treatment on the physical properties of shale and the effect they have upon subsequent leaching (From abstract)

Drapeau, J. E. See Maier, C. G. 01377

00699 Dreyfus, D. A. (preparer); Cooper, B. S. (preparer)
Water and energy self-sufficiency: U. S. Gov. Print. Off., Washington, D. C., 1151 p., 1974.

00700 Dryden, J. R.
Method for producing retorting channels in shale deposits: U. S. Patent No. 3,696,866, Oct. 10, 1972.

00701 Duba, A.; Lytle, R. J
Use of electrical techniques to monitor in situ processes: (abs.) in Abstracts of the papers of the 144th national meeting, 12-17 February, 1978 (Herschman, A. ed.), p. 122, Am. Assoc. Adv. Sci., Washington, 1978.

DuBois, E. P. See Lowenstam, H. A. 01360

00702 Duden, Hans
Some notes of the Black Slate of Tennessee Shale of New Albany, Indiana: Ind. Dept. Geol. and Nat. Resources Ann. Rept. 21, p. 108-120, 2 pls., 1897.
Discusses New Albany Shale - chemical composition, hydrocarbon potential, source of bitumen.

Dudko, Antonyina See Balla, Zoltan 00098

00703 Duffy, Leo J.
An investigation of the chemical nature of uraniferous shales. Concentrated nitric acid, oxidation of the organic matter of Chattanooga black Shale (thesis), annual report covering the period January 1, 1954 to December 1, 1960: U. S. Atomic Energy Comm. NYO-2712, 18 p. (dep.; $6, NTIS)(prepared by Pennsylvania State University), 1961.
The character of the organic matter of Chattanooga shale kerogen was determined by studying the products obtained by the oxidation of the shale and kerogen with concentrated nitric acid. (From abstract)

00704 Dugan, P. M.; Khill, Dzh. R.; Reynold's, F. S.; et al.
Tselesoobraznost' pereabotki goryuchikh slantsev basseyna Paysens Krik neposredstvenno v slopy (The expediency of oil shale from the Piceance Creek basin deposits); in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 348-357, illus. (incl. table, chart), Izd. Valgus, Tallin, Union of Soviet Socialists Republics, 1970.

Dulekoz, Erhan See Brookins, Douglas G. 00273

Dumanoir, J. See Poupon, A. 01674

00705 Duncan, D. C.
Black shale in Colorado, New Mexico, and eastern Utah: U. S. Geol. Surv. Trace Elem. Invest. Rept. No. TEI-390, p. 128, 1953.
Summarizes black shale investigations in Mesozoic and Upper Paleozoic strata. Field investigations for economic wealth were studied. No extensive black shales of mineable thickness and significant radioactivity were found.

00706 Duncan, D. C.
Geologic setting of oil shale deposits and world prospects: in Oil shale (Yen, T. F.; editor; et al), No. 5, p. 13-26, sketch maps, Elsevier Sci. Publ. Co., Amsterdam, Netherlands, 1976.

00707 Duncan, Donald C.
Pipleline gas from oil shale in the United States: in special reports, p. 81-89, tables, sketch map, U. S. Federal Power Comm., Washington, D. C., United States, 1973.

00708 Duncan, Donald C.
Preliminary statement of results of black-shale investigations in the western states: U. S. G. S. Trace Elem. Mem. Rept. 338, 1952. For official use only.

00709 Duncan, D. C. (Compiler)
Reconnaissance investigations for uranium in black shale deposits at the Western States during 1951 and 1952: U. S. Geol. Surv., Trace Elem. Invest. Rept., TEI-381, p. 89, illus. (incl. sketch map), 1953.
Field investigations of black shale of 80 formations in nine western states led to collection of 380 samples. These samples were tested for radioactivity and uranium content, with samples from four formations showing .01% or greater uranium. Shorter descriptions of the formations, their ages, and economic interest is mentioned.

00710 Duncan, D. C.
Up-to-date on shale oil, known reserves-oil shale deposits in the United States: Independent Petroleum Assoc. Am. Monthly, Vol. 29, No. 4, p. 22, 49-51, illus., Aug. 1958.

Duncan D. C. See McKelvey, V. E. 01541

00711 Duncan, D. C.; Belser, Carl
Geology and oil shale resources of the eastern part of the Piceance Creek Basin Rio Blanco and Garfield Counties, Colorado: U. S. Geol. Surv. Oil and Gas Inv.

Map OM119, 1950, index map, cross section, structural map and columnar section.
Report of reserves, gas field development, stratigraphy, and structural features of the Piceance Creek Basin, Rio Blanco and Garfield Counties, Colorado. Maps showing geologic surface features and area of study. Columnar section, drill logs, diagrammatic distribution of oil shale in area.

00712 Duncan. D. C.
Geologic selling of oil shale deposits and world prospects (with Fr. and Span. abs.): in Drilling and production-World Petroleum Congr., 7th, Mexico, 1967, Proc., Vol. 3: London, Elsevier Publ. Co., p. 659-667, illus., 1967.

00713 Duncan, D. C.; Denson, N. M.
Geology of naval oil shale reserves 1 and 3, Garfield County, Colorado (geol. map and text): U. S. Geol. Surv. Oil and Gas Inv. Prelim. Map No. 94 (2 sheets). Scale 1 in. to ½ mile, 1949.
Report on stratigraphy, structure, oil reserves and oil shale of Naval Reserves 1 and 3 in Garfield Counties, Colo. Geologic and topographic surface map and geologic cross section of area of study (Sheet 1). Columnar section and core analysis (Sheet 2).

00714 Duncan, Donald C.; Swanson, V. E.
Organic-rich shale of the United States and world land areas: U. S. Geol. Surv., Circ. 523, 30 p., sk. maps, 1965.
Review of organic rich shale deposits around the world and the U. S. to include tonnage and energy estimates. (Organic rich shale, black shale, cannel shale, Carbonaceous shale, bitumen). Is comprehensive listing of shale reserves!

00715 Duncan, Robert L.
Energy resources of Rocky Mountain region (abs.): Am. Assoc. Pet. Geol. Bull., Vol. 53, No. 1, p. 211, 1969.
Review of sources of energy in the U. S. and the expected increase in energy consumption. Discussion of the increasing role of the Rocky Mtn. region as an important energy supplier due to the largest U. S. reserves of oil shale, coal, and uranium there.

00716 Dunkan, D. K.; Svonson, V. Ye.
Geologiya i zapasy goryuchikh slantsev SShA (Geology and oil shale resources of the USA): in Razrabotka

i ispol'zovaniy zapasov goryuchikh slantsev (Baum, V. chairperson), p. 36-41, sketch map, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

00717 Dunn, C. E.
Upper Devonian Duperow sedimentary rocks in southeastern Saskatchewan; why no oil yet? (abs.): in Rocky Mountain Section AAPG, 23rd Annual Meeting, Am. Assoc Pet. Geol., Bull., Vol. 58, No. 5, p. 907, 1974.
An explanation of why no commercially viable oil accumulations have been found in the Duperow Formation, even though oil exists there. Reasons given explaining why this formation is still a good oil prospect.

Dunning, H. N. See Moore, J. W. 01464

00718 Dunoyer de Segonzac, G.
The transformation of clay minerals during diagensis and low grade metamorphism: A Review. Sedimentology, Vol. 15, p. 281-346, 1970.
A long review of the changes in clay minerals during burial which is by far the best introduction to this subject. Reactions involving smetite and illite are fairly well understood, but much more work on chlorite is needed.

00719 Durand, B.; Espitalie, J.; Nicaise, G.; et al.
Etude de la matiere organique isoluble (kerogen) des argiles du Toarcien du Bassin de Paris; preimere partie, Etude par les procedures optiques, Analyse elementaire, etude an microscopie, et diffraction electronoques (Study of the insoluble organic matter (kerogen) of the Toarcian shales of the Paris Basin; part I, study elementary optical analysis and by electron microscopy and diffraction analysis): Inst. Fr. Pet. Rev., Vol. 27, No. 6, p. 865-884 (incl. sketch map), 1972. Possibilities of petroleum generation.

Durand, B. See Oberlin, A. 01576

00720 Dutoit, Alexander
Report on the oil shales of Impendhle County, Natal: Pretoria, the Govt. Print. and Stat. Office, map, diagrs., 11 p., 1916.

00721 Duvall, J. J.; Jensen, H. B.
Reactions in the cobalt-60 irradiation of pyridine and methylpyridines: J. Phys. Chem., Vol. 72, No. 13, p. 4528-4534, Dec. 1968.
This paper reports the action of irradiation from

cobalt-60 upon pyridine, the three monomethyl-pyridines, and one dimethypyridine. Possible reaction mechanisms are discussed. (From authors' intro.)

00722 Duvall, J. J.; Jensen, H. B.
Simulated in situ retorting in a controlled state retort: Colo. Sch. of Mines, Q., Vol. 70, No. 3, p. 187-205, July 1975.
Discussion of oil shale retorting of a system simulating in situ retorting. Samples obtained at various stages of the retorting process show new information about the product shale oil.

Dwornik, E. J. See Milton, Charles 01452

Dwrand, B. See Vanderbroucke, M. 02232

Dyni, John R. See Hite, Robert J. 01016

00723 Dyni, J. R.
Distribution and origin of sulfur in Colorado oil-shale deposits (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 61, No. 8, p. 1376-1377, 1977.
Statistics are given concerning sulfur content of two cores drilled in Green River deposits. Minerals in which the sulfur is contained are given, and a deposition model tracing evolution of sulfur deposits is discussed.

00724 Dysart, J. E.; Osmond, J. K.
Uranium and thorium in port water of pleagic cores (abs.): Eos. (Am. Geophys. Union, Trans.), Vol. 56, No. 12 (Fall Ann. Mtg.), p. 1006, 1975.
Discussion of uranium and thorium concentrations in pore water which was extracted from deep sea cores by a new method using silica gel. The activity ratio of these radioactive elements was studied and measured relative to depth.

Eadie, Brian J. See Sackett. William M. 01807

Eakin, J. L. See Miller, J. S. 01444

00725 Eargle, D. H.
Black shales-Texas: U. S. Atomic Energy Comm. TEI-440, p. 132-136 (dep)(prepared by U. S. Geol. Surv.), 1954.
70 samples of Cretaceous strata were examined for uranium and effective uranium content. Low uranium, but high effective uranium content was found, especially in the Eagle Ford clay. Two Devonian and one Ordovician samples were taken.

00726 Earnshaw, D. G.
A study of selected ions in the mass spectra of benzenethiol and deuterated benzenethiol: J. Phys. Chem., Vol. 68, p. 296-300, 1964.
A study of benzenethiol is reported in this paper as an addition to the research done by the Bur. of Mines concerning sulfur compounds in petroleum and shale oil.

Earnshaw, D. G. See Brown, Dennis 00282

Earnshaw, D. G. See Cook, G. L. 00517

Earnshaw, D. G. See Doolittle, F. G. 00690

Earnshaw, D. G. See Weber, J. H. 02293

00727 Earnshaw, D. G.; Doolittle, F. G.; Decora, A. W.
Some mass spectral and analytical aspects of deuterium labeling of straightchain olefins: Org. Mass Spectrometry, Vol. 5, No. 7, p. 801-815, 1971.
A calculation method has been developed to enhance the effect of deuterium labeling in the mass spectra of linear vicinal dideuterioalkanes (LUDA). Identifications and results on the LUDA studied can be used to identify toe precursor oleins. (From author's abstract)

00728 East, J. H., Jr.; Gardner, E. D.
Oil-shale mining, Rifle, Colorado, 1944-1956: U. S. Bur. of Mines Bull. 611, 163 p., illus., tables, 1964.
Detailed report of the Bureau of Mines experimental oil shale mining facility. The major divisions of mining, including drilling, scaling, blasting, loading, haulage, and dangers such as roof falls are all discussed in relation to operations there.

00729 East, H. J.; Rose, C. K.
Oil-shale mining program does two jobs: Min. Eng., Vol. 7, p. 925-929, 1955.
The operations of Bur. of Mines oil shale experimental plant at Rifle, Colorado are discussed. This operation is primarily concerned with the development of methods and techniques to make oil shale an economical source of petroleum for the future.

Eaton, D. See Rattien, S. 01700

Edgerton, Curt D., Jr. See Meyer, Richard F. 01428

00730 Ebner, Hans Georg; Schwartz, Wilhelm
Untersuchungen ueber die Laugung von Uranerzen mit

Hilfe von Bakterien (Stuides of leaching of uranium ore by bacteria): Erzmetall, Vol. 26, No. 10, p. 484-490, illus., 1973.
Tests on reserves, optimization, thiobacillus, Germany.

00731 Edling, E.
Distribution of uranium in upper Cambrian alum shale from Ranstad, Eillingen, Vaestergoetland (Sweden): Sweden, Uppsala Univ. thesis, 119 p. (dep.; $9, NTIS, U. S. sales only)(in Swedish), 1974.

00732 Edmunds, Francis H.
Memorandium report to the Department of Natural Resources on oil shale in Colorado: Regina, Saskatchewan, 1943.

00733 Edwards, C. L.
Rubblization studies in a modified in situ geometry: in Explosively produced fracture of oil shale; July-September, 1977 (Carter, W. J., compiler). Los Alamos Sci. Lab. Rep. No. 7031, p. 16-29, 1978. Available from NTIS, Springfield, Va.

00734 Edzwald, J. K.; O'Melia, C. R.
Clay distributions in recent estuarine Sediments: Clay and Clay Minerals, Vol. 23, p. 39-44, 1975.
Can clay minerals differentially flocculate in a salinity gradient? Field studies showed kaolinite landward of illite as predicted by laboratory work. Possible paleosalinity indicator if used in a careful mapping study. Compared with Parham's (1966) review of lateral variations observed in ancient sediments.

Eglinton, G. See Douglas, A. E. 00695

Eglinton, G. See Kimble, B. J. 01188

Eglinton, G. See Murphy, Mary T. J. 01492

00735 Eglinton, G.; Maxwell, J. R.; Murphy, Sister M. T. J.
Hydrocarbons and fatty acids in algal shales and related materials (abs.): Geol. Soc. America Spec. Paper 101, p. 59-60, 1966.
An outline of separation and identification techniques of organics extractable from sediments and fossils. Use of these geochemical techniques have been applied to a range of samples including Green River shale and Scottish algal shale. Biologic and geologic histories are interpreted.

00736 Ehlers, G. M.; Stumm, E. C.; Kesling, R. V.
Devonian rocks of southeastern Michigan and northwestern Ohio: Ann Arbor, Mich., Edward Bros., Inc., Geol. Soc. Am. Strat. Field Trip, Detroit Mtg., 1951, 40 p., 1951.
Describes stratigraphy, structure and paleontology of the shale sequence (after Hoover, 1960).

00737 Eisenberg, Jerome M.
The Green River oil shales: Earth Sci. Digest, Vol. 4, No. 2, p. 13-16, illus., Sept. 1949.
A description of the area underlain with oil shale deposits, and of physical characteristics and thicknesses of basin shale deposits. A description of the new oil shale pilot plant at Rifle Colo., discusses refining.

00738 Ekblaw, G. E.
Concerning the stratigraphy of the Paleozoic rocks along the Mississippi River between Alton and Warsaw, Illinois: M. S. thesis (unpub.), 54 ., (in Survey open-file reports), 1923.
Brief consideration of Grassy Creek Shale -lithology, thickness, paleontology, problems with type section.

Ekblaw, G. E. See Collingwood, D. M. 00465

Ekblaw, G. E. See Weller, J. M. 02307

Eldridge, H. B. See Flaherty, John P. 00805

00739 Eldrige, Husdon, B.; Flaherty, John O.
Identification of crude oils by their gamma spectra following neutron irradiation: Ind. Eng. Chem. Prod. Res. Develop., Vol. 9, No. 3, p. 422-423, 1970.
High resolution gamma-ray spectrometry in the range of 1 to 4 mev, following neutron irradiation of crude oil, was investigated as a means of identifying origin of the shale oil. (From abstract)

Ellis, C. F. See Lankford, J. D. 02179

00740 Ellison, Samuel P.
Subsurface Woodford black shale, West Texas and Southeast New Mexico: Texas Univ. Bureau of Econ. Geol. Rep. of Inv. No. 7, 20 p., illus., pl., 1950.
Data assembled on the geographic distribution, lithology, thickness, and paleontology of the Woodford shale. Cuttings, cores, sample logs, electric logs, and radioactive logs were used in these determinations. Fossils assemblages are used in geologic age interpretations.

00741 Ells, Robert W.
Bituminous shale of Nova Scotia and New Brunswick, with notes on the geology of the oil-shales of Scotland: Canada Geol. Surv., Sum. Pet. 1908; p. 132-142, 1909.

00742 Ells, Robert W.
The commercial value of the oil shales of eastern Canada, based on their contents by analysis in crude oil and sulphate.: Min. Soc., Nova Soctia, J. 15, p. 29-56, 1910.

00743 Ells, Robert W.
Geological position and character of the oil-shale deposits of Canada: Can. Geol. Surv., 75 p., 1909. Forms pt. II of joint report on bituminous, of oil-shales, of New Brunswick and Nova Soctia, also, on the oil shale industry of Scotland. Can. Dept. Mines, 1909.
There are two reports presented. One concerns the economics and technology of early Scottish shale oil refineries and tests conducted there on eastern Canadian shales. The second portion discusses distribution, geologic position, and character of oil shales from various countries.

00744 Ells, Robert W.
Joint report on the bituminous, or oil-shales of New Brunswick and Nova Scotia, also on the oil shale industry of Scotland: Part 1 - Economics. Part 2 - Geology: Canada, Dept. of Mines. Mines Branch, Geological Survey Branch, 61, 75 p., plates, diagrs., 1910.
Early discussion of character and lithology of bituminous oil-coals, oil shales, and related deposits in Canada. Much attention given to deposits in New Brunswick and Nova Scotia. Discussion of Scotch oil shale industry also given.

00745 Ells, Robert W.
Notes of the geology of the oil shales of Scotland, and their relations to somewhat similar oil shales in eastern Canada: R. Soc., Can., Pr. Tr. (3) 3 iv: 35-44 (1910).

00746 Ells, Robert W.
Oil shales of eastern Canada: Can. Geol. Surv., Sum. Rept. 1909: p. 200-216, 1910.

00747 Ells, Robert W.
The oil shales of the Maritime Provinces (Canada): Min. Soc., Nova Scotia, J. 14, p. 1-12, 1910.

00748 Ells, Sidney Clark
Exploration of oil shales in the Rosevale area (New

Brunswick) in summary of investigations of New Brunswick oil shales: Canada Dept. Mines and Res., Pub. 825, p. 4-7, illus., 1948.

Ells, S. C. See McKee, Ralph H. 01538

00749 Elmer, N. C.
Oil and gas exploration potential of the Devonian of southwestern Montana, in Eastern Montana symposium - Montana Geol. Soc., 20th Ann. Conf. 1969: Billings, Mont., Montana Geol. Soc., p. 45-52, illus., 1969.
A tectonic-regional structure outline of the study area is presented, along with stratigraphic information of the normally petroliferous Devonian in this area of Montana. The report concludes that although untapped, Devonian oil and gas potential is great.

Emerson, D. A. See Toman, J. 02118

Emergy, K. O. See Orr, Wilson, L. 01589

00750 Engineering and Mining Journal
Chillicothe is site of first uranium mine in Ohio: Eng. Mining J., Vol. 156, p. 166, 1955.
"Samples of ore (Ohio black shale) from the property owned by R. W. Mowery's O-Ky Mining Co. were assayed by the University of Maryland and reported favorable" (Hoover, 1960).

00751 Ensminger, A.; Van Dorsselaer, A.; Spyuckerelle, Ch.; et al.
Pentcyclic triterpenes of the hopane type as ubiquitous geochemical markers; origin and significance: in Advances in organic geochemistry, 1973, Int. Mtg. Org. Geochem., Programme Abstr. No. 6, p. 245-260, illus. (incl. table), 1974.

Epstein, J. B. See Harris, Anita G. 00975

Erickson, R. L. See Gott, G. B. 00915

00752 Erickson, Ralph L.; et al.
The association of uranium and other metals with crude oils, asphalts, and petroliferous rocks: U. S. G. S. Trace Elem. Mem. Rept. 513, 33 p., maps, tables. For official use only.

00753 Ertle. Tell
Colorado oil shale, its geology and economic significance: Tulsa Geol. Soc. Digest, Vol. 23, p. 98-106, illus., 1955.
A presentation of the stratigraphy, topography, lithology and origin of the Colorado oil shale in

the Piceance Basin of Colorado. Aspects of economic significance and mining-processing operations at Rifle, Colo., pilot plant are discussed.

00754 Ertle, Tell
Guides to prospecting for oil shales (with Fr. and Span. abs.): in Drilling and production - World Petroleum Congr., 7th, Mexico, 1967, Proc., Vol. 3: London, Elsevier, Publ., Co., p. 717-718, 1967.

00755 Ertle, Tell
Mining of Colorado oil shale: Engineer's Bull., Vol. 32, No. 11, p. 8-9, illus., Nov. 1948.

00756 Ertle, Tell
Oil-shale mining: A. I. M. E. Tech. Pub. No. 2359, Petrol. Tech., Vol. 11, 8 p., May 1948.
This 1948 article outlines the Bur. of Mines opening of two areas for underground mining in Western Colorado. New and improved practices for the mining of oil shale were researched.

00757 Ertle, Tell
Prospecting the Piceance Creek Basin (Colo.) for oil shale: Min. Eng., Vol. 4, No. 6, sec. 1, p. 601-604, illus., June 1952; A. I. M. E. Trans., Vol. 193, 1952.
The Piceance Creek Basin oil shale was prospected by many shortly after WWII. In 1944, the writer, employed by the Bur. of Mines, prospected the high grade oil shale in places along the southern outcrop.

00758 Ertle, Tell
Shale oil - A competitive fuel in the 1960's: J. Pet. Tech., Vol. 13, No. 10, p. 983-986, illus., 1961.
This 1961 article claims that oil shale will be in the future a competitive source of liquid fuels in both the U. S. and Brazil. Described is the composition of oil shale, production techniques, retorting and the refining methods.

00759 Ertle, Tell
Sodium bicarbonate (nahcolite) from Colorado oil shale: Am. Mineralogist, Vol. 32, Nos. 3-4, p. 117-120, 1 fig., Mar.-April, 1947.

00760 Ertle, Tell; Burgh, E. E.
Obserfation of the relation of drilling speed to the size of cuttings: A. I. M. E. Tech. Pub. No. 2409, Min. Tech., Vol. 12, 4 p., July 1948.

00761 Ertle, Tell; Wagner, J. R., Jr.; Burgh, E. E.
Development of a successful bit for drilling oil shale: U. S. Bureau of Mines Rept. of Invest. 4177, 8 p., 1948.
Drilling record of hard-surface bits with measurement of depth drilled, drilling rate, gauge loss, etc. are cited. Improvements to hard-surfacing drill bits are suggested. These drill bits were determined successful.

00762 Esarey, Ralph E.
The oil shales of Indiana: Min. Congr. J., Vol. 14, No. 1, p. 5-7, 11, 7 figs., Jan., 1928.
This 1928 article gives a brief review of Indiana shales and describes the physical characteristics, quarry conditions, chemical composition and oil content of these shales.

Esarey, R. E. See Harris, J. R. 00977

00763 Esarey, R. E.; Malcott, C. A.; Galloway, J. J.
Silurian and Devonian formations in southeastern Indiana: Road Log, Ind. Geol. Field Conf. Guidebook, 22 p., 1947.
Discusses New Albany Shale - lithology, thickness. Includes scction descriptions, generalized columnar section.

00764 Eslinger, E. V.; Savin, S. M.
Oxygen isotope geothermometry of diagenetically altered shales (abs.): Geol. Soc. Am., Abstr. Programs, Vol. 8, No. 2, p. 168, 1976.
A discussion of changes that result when shales undergo diagenetic reactions. Temperatures the shales were exposed to can sometimes be determined from ratios of oxygen isotopes.

Espitlie, J. See Durand, B. 00719

00765 Estep, Patricia A.; Kovach, J. J.; Hiser, A. L.
Characterization of carbonate minerals in oil shales and coals by infrared spectroscopy: Spectrometry of Fuels, ed. by R. A. Friedel. Planum Press, New York, p. 228-247, 1970.
The purpose of this chapter is to present the infrared data collected for 18 carbonate minerals that are associated with oil shales and coals. The usefulness of data is demonstrated by analysis of some typical samples. Includes tables and graphs of results.

00766 Esthonia
Riigi polewkiwitoostus, 25, now, 1918, a kuni 25, now 1923a.: Tallina, Eesti kirjastus uhiuse trukikoda, pikk uul 2, 1923. 15 p. illus., diagra., 1923.

Ettensohn, Frank R. See Swager, Dennis R. 02045

Ettensohn, Frank R. See Miller, Micheal L. 01445

Evans, H. J. See Leslie, R. B. 01304

00767 Evans, John K,
Environment of deposition of a Pennsylvanian "black shale" (Heebner) in Kansas and adjacent states (abs.): Geol. Soc. Am., Spec. Pap. No. 121, p. 92-93, 1969.
A discussion of the origin of the Heebner Shale, a black organic shale, after investigation of stratigraphy, petrology, paleontology, and geochemistry. Paleoenvriomentis interpreted.

00768 Ewing, Robert A.; Lutz, G. A.; Bearse, A. E.
Recovery of uranium from shale; final report: U. S. Atomic Energy Comm. BMI-JDS-210, 2 vil., 373 p. (dep.; $93.25, LC)(prepared by Battele Memorial Institute), 1949.
Describes investigations to recover uranium from Chattanooga black shale. Two tentative processes to do this were developed. One involves roasting of the shale at controlled temperature and extraction of uranium by leaching with H_2SO_4. The second process eliminates roasting, instead leaching finely ground shale. Capital investment and operating costs are estimated for recovery uranium.

Ewing, R. A. See Bearse, A. E. 00150

Ewing, R. A. See Bearse, A. E. 00152

Ewing, R. A. See Bearse, A. E. 00151

Ewing, R. A. See Bearse, A. E. 00155

Ewing. R. A. See Wilson, Robert Q. 02249

00769 Extraction of Energy Fuel Panel for the Committee on Energy Research and Development Goals
Extraction of Energy Fuels: Open File Rep. No. 30-73, 252 p., 1972. Available for reference during working hours at Bur. of Mines libraries in Pittsburg, Ph.; Denver, Colo.; Spolane, Wash.; Fort Snelling Minn.; Bartlesille, Okla.; Grand Forks, N. Dak.; Laramie Wyo.; Morgantown, W. Va.; San Francisco, Calif.; and at the Central Library, U. S. Dept. of the Interior, Washington, D. C.

00770 Faber, Gustav
Beitrag zur Kenntnis des luxemburgischen Oelschiefers: Petroleum Jg. 35, No. 5, p. 65-66, F1'39. Oil shale of the Lias, Luxemburg.

00771 Faber, Gustav
Les schistes bitumineux de Toarcien dans l'aire de sedimentation luxembourgeoisL Nouvelles recherches sur les possibilities d'une exploitation industrielle: Luxembourg service geologique, publ. Vol. 12, maps, tables, diagrs., 1956.

00772 Faber, Gustav
Recherches en vue de la possibilite d'une exploitation industrielle du schiste bitumineux de toarcien dans le Grand-Duche de Luxembourg, Serv. Geol., Pub., Vol. 7, 170 p., illus. (incl. geol. sk. map), 1947. Oil shales in Luxemburg.

00773 Fagerstrom, J. A.
Stratigraphic and paleographic significance of the Holland Quarry Shale (Lower Devonian), northwestern Ohio: Geol. Soc. Am. Bull., Vol. 78, No. 9, p. 1185-1190, illus., table, 1967.
A discussion of this black shale, which is limited to only one outcrop, and its local and regional stratigraphic relations. Paleoccology and fossil assemblages in this member are also studied.

Farmer, N. See Clarke, M. J. 00442

00774 Farmer, Verne Eugene, Jr.
Discovery of oil in Tertiary Green River Formation in Uinta Basin, Utah (abs.): Am. Assoc. Pet. Geol. Bull., Vol. 35, No. 5, p. 1105, May 1951.
A brief history of search for oil in the Green River Basin and the discovery of the first large-volume fractured shale oil production in the Rocky Mtn. area.

Farris, Clifford B. See Houghton, A. S. 01036

00775 Fausett, D. W.; George, J. H.; Carpenter, H. C.
Second-order effects in the kinetics of oil shale pyrolysis: U. S. Bur. Mines, Rept. Invest., No. 7889, 21 p., illus., 1974.
"This Bureau of Mines publication presents a system of thermal decomposition providing an adequate description of the mechanism of oil shale pyrolysis." (Authors abstract)

00776 Fauth, H.
Hydrogeochemicl reconnaissance prospecting (with discussion): in Uranium exploration methods I. A. E. A., Panel Proc. Ser., p. 209-218, illus. (incl. sketch map), 1973.
Chemical determination of uranium in springs, streams and wells, laboratory procedures, costs, example from the Black Forrest in West Germany.

Faya, E. See Kaliuin, S. K. 01141

00777 Fedina, I. P.; Danyushevekaya, A. I.
Metodika udaleniya pirita iz ostatochogo organicheskogo veshchestva (kerogena) osadochnykh porod (Methods of extracting pyrite from residual organic matter (kerogen) in sedimentary rocks): in Novyye metody issledovaniye osadochnykh porod s tsel'ye poiskov blagopriyatnykh dlya nefte-i gazoobrabovaniya usiloviy, p. 37-43, Inst. Geol. Arktiki, Leningrad, 1971.

Fedlkirchner, H. L. See Weil, G. A. 02297

Feldkirchner, H. L. See Tarman, P. B. 02066

Fel'dkirchner, Kh. L. See Linden, Kh. R. 01325

00778 Fenneman, N. M.
Abstract of results, resources survey of the Commerical Club of Cincinnati: Univ. of Cincinnati, Inst. of Sci. Research, Ser. 2, No. 1, 86 p., 1927.
Reports that Bucher's early work on the oil shales from Pike County (Ohio) indicates no Ohio shale beds which yield more than 12½ gallons per ton: the average obtained was about 6 gallons per ton (Hoover, 1960).

Fergeson, R. B. See Price, V. 01677

Ferguson, J. A. (ed.) See Douglas, J. G. 00696

00779 Fergusson, W. B.
Stratigraphic analysis of the Upper Devonian and Mississippian rocks between the LaSalle Anticline and Cincinnati Arch: PhD. Thesis (unpub.), Univ. of Ariz., 1965.
Stratigraphic analysis accomplished through use of isopach, lithofacies, and structure contour maps.

00780 Ferm, J. C.
Radioactivity of coals and associated rocks in Beaver, Clearfield, and Jefferson Counties, Pennsylvania: U. S. Atomic Energy Comm. TEI-468, 52 p. (dep.; $13, LC)(prepared by U. S. Geol. Surv.).
56 localities are shown in terms of structural position, stratigraphic position, lithology, uranium and radioactive content. No mention of black shales, but greatest radioactive areas are clays under coal beds. Effects of weathering and structure on uranium content is discussed.

00781 Fernandez, S. M.; Sackreiter, D. K.
Developments in eastern and northwestern Colorado in 1977: Am. Assoc. Pet. Geol., Bull., Vol. 62, No. 8, p. 1355-1359, tables, sketch map, 1978.
Within the Denver basin the Muddy "J" remains the primary objective in the Creatceous rocks. Other cretaceous objectives include the Muddy "D" and the Sussex and Shannon sandstones. (From p. 1356)

00782 Ferris, Bernard J.
Are oil shales the natural source beds for petroleum? World Oil, Vol. 131, No. 3, p. 80, 82, 84, 86, 88, illus., Aug. 1950, pt. 2, No. 5, p. 73-76, 78, 81, illus., Oct. 1950.
The purpose of this paper is to describe experiments which investigated the possibility that oil shales are natural source beds of petroleum and hydrocarbon gases. (From p. 80) Includes figures.

00783 Fertl, Walter H.; Timko, Donald J.
Distinction of oil and gas in clean and shaly sands as derived from well logs, in SPWLA Logging Symposium, 11th Ann., Los Angeles, Calif., 1970, Trans.: Houston, Tex., Soc. Prof. Well Log Analysts, p. I1-I120, illus., table, 1970.
Several field examples illustrate the application of computational techniques and qualitative methods to assist in the distinction of oil and gas in clean and shaly pay sands.

00784 Fester, Gustavo A.
Observaciones qurmicas sobre los esquistos bitaminosos del sur de Mendoza: Rev. Minera, Buenos Aires, añ. 8 No. 2, p. 53-55, Ap-Je 1937. Oil shales of Mendoza, Argentina.

Fester, J. I. See Hubbard, A. B. 01044

Fester, J. I. See Lawlor, D. L. 01288

00785 Fester, J. I.; Robinson, W. E.
Method for determining carboxyl content in insoluble carbonaceous materials: Anal. Chem., Vol. 36, p. 1392-1394, 1964.
This paper describes a revised method for carboxyl content determination in insoluble carbonaceous materials. This method utilizes steam distillation to remove the acetic acid formed and permits titration of the acid in a saltfree distillate.

00786 Fester, J. I.; Robinson, W. E.
Oxygen funtional groups in Green River oil shale kerogen

and trona acids, (Chap. 2) in Coal science - Am. Conf. Coal Science, University Park, Pa., 1964: Washington, C. D., Am. Chem. Soc. (Adv. Chemistry Series 55), p. 22-31, illus., tables, 1966.
Carboxyl ester, amide, hydroxye, aldehyde and ketone groups were estimated for oil-shale kerogen from the Green River Formation. Includes tables and graphs of results.

00787 Fettke, C. R.
Cannel coal and carbonaceous shales in Pennsylvania (with discussion): Am. Inst. Min. and Met. Eng., Trans., Vol. 69, p. 1167-1181, 7 figs., 1923 (preprint), No. 1233, 15 p., 7 figs., Feb., 1923; (abs.), Mining and Metallurgy, Vol. 4, No. 194, p. 93, Feb., 1923.
This 1923 article discusses cannel coal and carbonaceous shales, the differences between them, and describes the occurrences of these in Pennsylvania.

00788 Fettke, C. R.
Oil resources in coal and carbonaceous shales of Pennsylvania Geol. Surv., 4th ser., 119 p., 16 figs., 6 pls., 1923.
A discussion of the petroleum industry, substitutes for petroleum, products and by-products of coal and shale carbonization. Outline of composition and location of Pennsylvanian coal and organic shales are given. Methods of testing coals and shales led to analyzation of products of Penn. deposits.

00789 Feys, Robert
Bassin carbonifére et permien d'Epinas et d'Autun: Cong. Int. stratig. et Géol. Carbonifere, 5th C. R. T. I., p. 45-51, illus. (Incl. g. sk. maps), 1964. Bituminous shales of Autun-Epinas Basin, France.

00790 Fieldner, A. C.
The national fuel reserves: Mech. Eng., Vol. 69, p. 221-226, 228, 1947.
This 1947 article presents a long-term view of the national fuel reserves. Includes many tables, graphs and estimates.

00791 Fieldner, A. C.
U. S. Fuel reserves; solid fuels and their suitability for production of liquid and gaseous fuels: Oil and Gas J., Vol. 47, o . 138-140, 142, 145, Mar. 17, 1949.
A summary of types of solid fuels, primarily coal oil shale and synthetic gases manufactures from them. Discussed in terms of location, potential, BTU values and their future as energy sources.

00792 Fieldner, A. C.; Selvig, W. A.; Taylor, G. B.
The determination of combustible matter in silicate and carbonate rocks. U. S. Bur. of Mines Tech. Paper 212, 22 p., 1919.
Methods are described for determination of organic carbon and organic hydrogen in silicate and carbonate rocks. Removal of inorganics by treatment with acids is discussed, and results of analyses of shales, clays, limestones, and synthetic mixtures of coal, kaolin, and $CoCO_3$ are mentioned.

00793 Fieldner, A. C.; Schroeder, W. C.
Oil and gasoline from oil shale and coal: Ohio State Univ. Eng. Exper. Sta. News, Vol. 16, No. 2, p. 22-27, 2 figs., incl. index map, Apr. 1944, reprinted without figs. in Fuel, Vol. 23, No. 2, p. 34-36, Mar. - Apr. 1944.
This 1944 article discusses the possibility of producing liquid fuel from oil shale. Includes estimates of oil recoverable from oil shale.

00794 Filipescu, M. G.; Boetez, Cornelia; et al.
Organic carbon and the trace elements content in the black shales of Covasna: Stud. Cercet. Geol. Geofiz., Geog. Ser. Geol., Vol. 13, No. 2, p. 29-37, (in Roumanian with French Summary).

00795 Findley, J. E.; Appleman, M. D.; Yen T. F.
Microbial degredation of oil shale; in Science and Technology of oil shale (Yen, R. F., editor), p. 175-181, illus. (incl. tables), Ann Arbor, Mich., United States, 1976.
Investigations into the separation of organic material from the inorganics by using microorganisms that can produce chemicals with enough strength to leach out inorganic materials.

Finkehman, R. B. See Milton, Charles 01452

00796 Finley, W. L.; Bauer, A. D.
Coking of oil shales: U. S. Bur. of Mines Tech. Paper 398, 11 p., incl. illus., tables, 1926.
Tests were performed on normally coking (sticking together) oil shales attempting to keep them unstuck during pyrolysis. These tests included mixing coking and non-coking varieties, extraction of the shales with organic solvents, and oxidation. Oil shales used were from Colorado and Nevada.

00797 Finley, W. L.; Horne, J. W.; Gould, D. W.
Assay-retort studies of ten typical oil shales: U. S. Bur. of Mines Rept. of Invest. 2603, 9 p., 1924.
Presents results of study of shales from Colorado, Scotland, Utah, Kentucky, Brazil, Nevada, and Austraila.

Fischer, A. G. See Arthur, M. A. 00058

00798 Fischer, Roland C.
Colorado oil shale and water: in Oil Shale Symposium, 7th, proceedings, Colo. Sch. Mines, Q., Vol. 69, p. 133-139, sketch map, 1974.
Examination of shale oil mining operations and production as companies begin a stepped up role in Western Colo. Their use of the waters of the Colorado River is studied to determine if there will be enough water for all.

00799 Fischer, R. P.
Guides to new uranium districts and belts; Exploration targets for tomorrow (abs.): Min. Eng. Vol. 25, No. 12, p. 58-59, 1973.
The principal domestic source of U is deposits in continental, lenticluar sandstone beds. (From Abstract). A model is evolved from the productive districts to help recognize relations useful as guides in selecting the areas most likely to contain significant deposits.

00800 Fischer, J. H.
Paleoecology of the Chattanooga-Kinderhook Shale: Ph. D. thesis (unpub.), Univ. of Illinois, General survey of Chattanooga shale and equivalents for large area of mid-continent. Considers stratigraphy, tectonic history, stratigraphy, paleoecology, and environmental interpretations. Lists of wells and surface sections, lithofacies map, isopach map, paleogeographic map, 1953.

00801 Fischer, R. A. B.
Isopachous maps of the Appalachian geosyncline: Univ. of Ill., M. A. thesis (unpub.), 15 p., 7 maps, 1941.

00802 Fitch, David C.
Uranium resources of New Mexico: in Energy Crisis Symposium, Papers, N. M., Bur. Mines Min. Resour., Circ., No. 140, p. 82-99, illus., (incl. sketch maps), 1974.
Past, present, and future view of uranium resources in this state. The location, composition and energy impact of ores is given, and tables show other states uranium deposits.

00803 Fix, Carolyn E.
Selected annotated bibiligraphy of the geology and occurrence of uranium-bearing marine black shales in the United States: U. S. Geol. Surv. Bull. 1059-F p. 263-325 (out of print).
A bibliography consisting of 81 annotated references concerned with the geology and occurrence of uranium in marine black shales.

00804 Flaherty, John P.
Some practical applications of experimental nuclear physics: Ph. D. thesis, Univ. of Wyo., 87 p., July 1971.

Flaherty, John P. See Eldridge, Hudson B. 00739

00805 Flaherty, John P.; Eldridge, H. B.
Neutron activation analysis of residual oil from vanadium: Applied Spectroscopy, Vol. 24, No. 5, p. 534-538, 1970.
This investigation showed that the technique of neutron activiation analysis method for relative vanadium concentration analysis in residual oil. (From conclusion) Includes graphs and table of resutls.

00806 Flanagan, Francis
Relationship of color of shale to uranium content: U. S. Atomic Energy Comm. TEI-390, p. 163-164 (dep.) (prepared by U. S. Geol. Surv.), 1953.
Samples of Chattanooga shale were taken from a core. Density of reflected light, uranium content and radioactivity were measured and plotted on a graph. Comparison of these values may lead to an easy way to estimate uranium content.

00807 Flawn, Peter T.
Uranium in Texas - 1967: Texas Univ. Bur. Econ. Geol., Geol. Circ. 67 - 1, 16 p., 1967.

Fleece, J. B. See Bauer, C. G. 00140

00808 Flessa, Karl W.
Comparative community ecology of the Chagin and Bedford shales (Devonian-Mississippian, Ohio)(abs.): in North Eastern Section, 8th annual mtg., Geol. Soc. Am., Abs., Vol. 5, No. 2, p. 160, 1973.
Considers faunal assemblages and paleoenvironmental interpretation.

00809 Flynn, Arthur E.
Investigations of the treatment of Nova Scotia oil shales: National Research Council, Canada, Rept. No. 18, Also Nova Scotia Dept. of Public Works and Mines. 92 p., incl. tables, illus., diagrs., 1926.

00810 Folk, Robert L.
Petrography and origin of the Tuscarora, Rose Hill, and Keefer Formation, Lower and Middle Silurian of Eastern West Virginia. J. Sediment. Petrology, Vol. 30,

p. 1-59, 1960.
This classic paper by a famous petrographer has some excellent thin section descriptions of Silurian shales, descriptions that can be usefully copied.

00811 Folk, S. H.; Swan, D. H.
King Oil Field, Jefferson County, Illinois: Ill. Geol. Survey Rept. of Invest. 119, 27 p., 1946.
Brief consideration of New Albany Shale character and thickness.

Folley, John D., Jr. See Hedling, William G. 01000

00812 Fomina, A. S.; Degtereva, Z. A.; Nappa, L. A.; et al.
Khimicheskiy sostav kerogenov Pribaltiyskikh goryuchikh slantsev (The Chemical composition of kerogen from the Baltic Region oil shale): in Razrabotka i isopol'zovaniye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 184-194, table, Izd. Valgus, Tallin, Union of Soviet Socialists Republics, 1970.

00813 Fomina, A. S.; Veski, R. E.; Degtereva, Z. A.; et al.
Polucheniye nasyshchennykh dikarbonevykh dislot i stimulyatora rosta rasteniy okiskeniyen kerogena kekersita kislorodom vozdukh (The extraction of saturated dicarboxylic acid and plant fertilizers from oxidized kerogen from Kukersite by atomspheric oxygen): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev, p. 217-228, table, Izd., Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

00814 Fons, Lloyd
New way to evaluate shaly formations: Oil and Gas J., Vol. 68, No. 31, p. 74-77, illus., 1970.
Description and calculations of a method for determining oil potential in shaly formations.

Fontbote, J. M. See Bardossy, G. 00111

00815 Forman, D. J.
Assessment of undiscovered petroleum resources. (abs.): BMR J. Aust. Geol. Geophys., Vol. 2, No. 3, p. 234-235, 1977.

Forreste, A. F. S-e Morse, W. C. 01481

00816 Forsman, James P.
Geochemistry of kerogen, Chap. 5 in Organic Geochemistry: New York, MacMillan Co. (Internat. Ser. Mons. Earth Sci., Vol. 16), p. 148-182, illus., 1963.
Definition, inolation methods, physical and chemical properties of kerogen and some related coals, waxes, and asphaltines are presented.

Products of oxidation, hydrogenolysis are given. Also origins of world wide oil shales discussed.

00817 Foscolos, A. E.; Barefoot, R. R.
A rapid determination of total organic and inorganic carbon in shales and carbonates: Canada Geol. Surv. Paper 70-11, p. 1-8, illus., tables, 1970.

00818 Foscolos, A. E.; Powell, T. G.; Gunther, P. R.
The use of clay minerals and organic and inorganic geochemical indicators for evaulating the degree of diagenesis and oil generating potential of shales: Geochim et Cosmochim. Acta, Vol. 40, No. 8, p. 953-966, illus., (incl. tables), 1976.
Clays and organic matter from two stratigraphic sequences, the Buchinghorse Formation, and the Sully-Lepine Series are geochemically examined. The two sequences differ greatly in amount of diagensis undergone. Using this fact a diagenetic scale can be related to clays and organic matter.

00819 Foster, J. C.
A new gas supply; Devonian Shales: Oil and Gas J., Vol. 75, No. 1, p. 100-101, illus. (incl. geol. sketch map), 1977.
The results of a Columbia Gas System study determining the gas yielding potential of deep Devonian shales underlying areas of Ky., W. Va., Penn., Ohio and N. Y. Discussion of reserves and mining technology that could be used is presented.

Foster, N. G. See Cook, G. L. 00516

00820 Foster, R. W.
Oil shale: in Mineral and water resources of New Mexico: U. S. Cong., 89th, 1st sess., Senate Comm. Interior and Insular Affairs, Comm. Print, New Mexico Bur. of Mines and Mineral Resources Bull. 87, p. 119-120, 126-130, 1965.
Brief definition and history of oil shale is given. Prospects of Devonian, Pennsylvanian, Cretaceous, and Tertiary black shales are presented.

00821 Foster, Ray W.; Luce, P. B.; Culver, L. G.
Preliminary investigations of the oil shale potential in New Mexico: New Mexico Bur. of Mines and Mineral Resources Circ. 87, 22 p., illus., tables, 1966.
Results of tests on New Mexico shales from many localities show no extensive rich deposits exists.

00822 Fouch, T. D.; Hanley, J. H.
Interdisciplinary analysis of some potential petroleum source rocks in east-central Utah; implications of hydrocarbon exploration in non-marine rocks of western

U. S. (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 61, No. 8, p. 1377-;378, 1977.
Attrital coal, comprised of organic matter, skeletal fragments, and mud-supported carbonaceous claystone, are significant petroleum source rock assemblages. Three areas, Price River canyon, Soldier Summit, and Willow Creek Canyon, have high yields of oil, up to 83 gallons per ton of rock.

Franciscotti, B. C. See Banks, C. E. 00107

Franciscotti, B. C. See Banks, C. E. 00106

00823 Franks, A. J.
Studies in Colorado shale Oils: Chem. and Met. Eng., Vol. 24, p. 561-564, New York, 1921.
The purpose of this study was to investigate the general character of the crude oils, their fractions and the distribution of the sulfur and nitrogen compounds in the fractions. There is a discussion of the methods of analysis used. Includes tables and graphs.

Franks, A. J. See Matthews, R. R. 01404

00824 Franks, A. J.; Goodlier, B. D.
Organic matter of Colorado Oil Shales: Oil Eng. & Financ., Aug. 18, p. 175-177, 1923.

00825 Franks, A. J.; Goodlier, B. D.
Organic matter of Colorado Oil Shales (continued): Oil Eng. & Financ., Spet. 1, p. 257-261, 1923.

00826 Franks, A. J.; Goodlier, B. D.
Preliminary study of the organic matter of Colorado oil shales: Colo. Sch. Mines, Q., Vol. 17, No. 4, Supplement A, pt. 16, 1922.

00827 Frias Rocha, Edgard
Estudo do oleo obtido pela destilacao do arenito betuminoso de Guarei, e suas possibilidades industriais: Brazil. Instituto Nacional de Tecnologia Publocacoes, No. 117. Ministerio do Trabalho, Industria e Comercio. 51 p., illus., plates, diagrs., tables, 1950.

00828 Frick, T. C.
Fossil fuel resources in the United States: J. Pet. Tech., Vol. 18, No. 2, p. 155-157, illus., table, 1966.
This 1966 article concerns fuel reserves in the U. S. The author discusses mainly crude oil, shale oil, natural gas and coal.

Fritsch, A. J. See McDonald, A. 01519

00829 Froes, Abrue S.
Rochas oleigenas de Brasil e seu aproveitamente, 15 p. (Portugese, Eng. sum.), 6 figs., 10 pls., (Brazil), Ministero do Trabalho Industria e Commercio, Instituto Nacional de Technologia, Rio de Janeiro, 1936. Oil shales in Brazil (Cret. - Tert.)
Summary of information regarding the existence of oil shales, and present and future problems in its utilization. Chemical and physical analysis of the Marahuito oleigenous schist is discussed.

00830 Frost, C. M.
Refining of crude shale oil produced by in situ retorting: A. C. S. Preprints, Div. Fuel Chem., Vol. 16, No. 1, p. 73-87, 1972.
Crude shale oil produced during in situ combustion experiments by the Bur. of Mines at Rock Springs, Wyo. was refined using methods applied before to the refining of shale oil coker distillates.

Frost, C. M. See Carpenter, H. 1. 00364

Frost, C. M. See Cottingham, P. L. 00540

Frost, C. M. See Poulson, R. E. 01669

Frost, C. M. See Poulson, R. E. 01668

00831 Frost, C. M.; Carpenter, H. C.; Hopkins, C. B., Jr.
Hydrogenating shale oil and catalytic cracking of hydrogenated stocks: U. S. Bur. of Mines Rept. of Invest. 5574, 17 p., 1960.
Test procedure and results of two recycle hydrogenation experiments of Green River shale oil, tested after retorting by the gas combustion process. Hydrogenated products and nitrogen content were measured and octane numbers were calculated for the first experiment. Yields of cracked products were compared to those of Texas gas oil.

00832 Frost, C. M.; Cottingham, P. L.
Hydrogenating shale oil at low space velocity: U. S. Bur. of Mines Rept. of Invest. 7738, 9 p., 1973.
Procedure and results of tests on Colorado crude shale oil propared by gas combustion retorting. Oil was hydrogenated at a pressure of 1000 PSIG, temperature 761, 781°C and liquid hourly space velocities of .10 and 105 Vo/Vc/hr. This compared favorably with tests at higher pressure and greater space velocity. Properties of these oils and liquid products from hydrogenation (including composition, specific gravity, etc. are given.

00833 Frost, C. M.; Cottingham, P. L.
Methods for refining crude shale oil produced by in situ retorting: U. S. Bur. of Mines Rept. of Invest. 7844, 21 p., 1974.
Crude shale oil from in situ mining and retorting was refined by three schemes. The schemes differed in the catalyst used, temperature, and pressure. Yields of reformate and cat-cracked gasoline for each of the methods was given, along with other distillate products.

00834 Frost, C. M.; Cottingham, P. L.
Some effects of pressure on the hydrocracking of crude shale oil over cobalt molybdate catalyst: U. S. Bur. of Mines Rept. of Invest. 7835, 11 p., 1973.
Results of tests showing that hydrogention of Colorado crude shale oil at pressures comparable with those used in the hydrogenation of shale oil coker distillate is feasible. Shows gasoline and other valuble distillates may be obtained.

00835 Frost, C. M.; Jensen, H. B.
Hydrodenitrification of crude shale oil: A. C. S. Preprints, Div. Pet. Chem., Vol. 18, No. 1, p. 119-128, 1973.
Hydrodentrification tests were made on crude shale oil at certain temperatures, pressures, and space velocities. The tests were carried out in a flow-type reactor with a cobalte molybdate-on-alumina catalyst.

00836 Frost, C. M.; Poulson, R. E.; Jensen, H. B.
Hydrodenitrification of crude shale oil: Laramie Energy Research Center/Rept. of Invest. -75/3, 19 p., July 1975.

00837 Frost, C. M.; Poulson, R. E.
Nitrogen types in syncrudes from in situ crude shale oil: A. C. S. Preprints, Div. of Fuel Chem., Vol. 20, No. 2, p. 176-182, 1975.
Crude shale oil from underground, combustion retorting of Green River oil shale was hydrogenated over a nickel-molybdenum catalyst. The amounts and types of nitrogen compounds present were determined. When compared with an earlier study the results showed that the method of hydrogenation has an effect on the distribution and types of nitrogen compound in the finished syncrude.

00838 Frost, C. M.; Poulson, R. E.; Jensen, H. B.
Production of synthetic crude from crude shale oil produced by in situ combustion retorting: A. C. S.

Preprints, Div. of Fuel Chem., Vol. 19, No. 2, p. 156-168, 1974.
Of six modern hydrogenation catalysts tested on a shale oil heavy gas oil, a Ni-Mo-on-alumina catalyst was found superior at 1500 psig and 800°F. This catalyst was used to prepare a premuim synthetic crude oil from in situ combustion produced crude shale oil; by hydrogenation of naptha, light oil, and heavy oil fractions. (From Author's Abstract)

00839 Frost, C. M.; Poulson, R. E.; Jensen, H. B.
Production of synthetic crude from crude shale oil produced by in situ combustion retorting: Shale Oil, Tar Sands, and Related Fuel Sources, T. F. Yen, ed., Advances in Chem., Ser., p. 77-91, 1976.
Results from tests made with 6 hydrogenation catalysts on a heavy gas oil from crude shale oil produced by in situ combustion retorting, showing that a nickel-molybdenum-on-alumina or nickel-tungsten-on-alumina catalysts for removing nitrogen from shale oil fractions. (From Author's Abstract)

Frost, I. C. See Stanfield, K. E. 01999

00840 Frost, I. C.; Stanfield, K. E.
Estimating oil yield of oil shale from its specific gravity: Anal. Chem., Vol. 22, p. 491-492, 1950.
The oil yield-specific gravity relationship, shown by a study of Bur. of Mines oil shale mine at Rifle, Colo., provides a convenient means of estimating the oil yields of similar shales from the same sources. This method may be adapted to rapid routine testing of oil shales where circumstances might not permit assays by the modified Fisher-retort method.

00841 Fruchter, J. S.; Petersen, M. R.
Characterization of oil shale materials for trace elements and organic contituents (abs.) in Abstracts of papers of the 144th national metg., 12-17 February 1978 (Herschman, ed.) p. 116, Am. Assoc. Adv. Sci., Washington, 1978.

Fuller, G. W. See Tschanz, C. M. 02135

00842 Fulton, L. J. P.
Stratigraphy and sedimentology of radioactive Devonian-Mississippian shales of the central Appalachian Basin: Doctoral, Univ. of Cincinnati, Cincinnati, Ohio, 1977, 192 p. (Diss. abs. Int., Vol. 38, No. 7, p. 3093B, 1978).

Furnish, W. M. See Klapper, B. 01202

Futa, Kiyotot See Smith, John Ward 01931

Gaines, A. F. See Chomnanti, S. 00434

Gala, K. See Schmidt-Collerus, J. J. 01841

Galaka, A. I. See Bass, Yu. B. 00126

00843 Gallegos, E. J.
Biological fossil hydrocarbons in oil shale: in Oil shale, No. 5, p. 149-180, illus., Elseveir Sci. Publ. Co., Amsterdam, Netherlands, 1976.

00844 Gallois, R. W.
The origin of oil shales in the Kimmeridge Clay of Europe: Int. Geol. Cong. Abs.-Cong. Geol. Int., Resumes, No. 25, Vol. 1, p. 242-243, 1976.

00845 Gallois, R. W.
The origin of oil shales in the Kimmeridge Clay of Europe (abs.): Int. Geol. Cong. Abst.-Cong. Geol. Int., Resumes, No. 25, Vol. 1, (Section 5, Fossil fuels; genetic relationships of hydrocarbons), p. 242-243, 1976.
Analysis of Kimmeridge Clay, a Jurassic clastic sediment of N. W. Europe. Tests conducted to assess its possible fuel source. Studies of sedimentology, paleontology, petrology, and geochemistry conducted determining conditions of deposition lead to presentation of paleoenvironment.

Galloway, J. J. See Esarey, R. E. 00763

Gamlde, J. c. See Hendron , A. J., Jr. 01005

00846 Gardner, E. D.
Innovations in equipment and underground mining procedure at the Bureau of Mines oil-shale mine, Rifle, Colorado: Colorado Min. Assoc., Denver, Colorado, 1949 Mining Yearbook, p. 29, 31-33.

00847 Gardner, E. D.
Mining program, Bureau of Mines oil-shale project, Rifle, Colorado: U. S. Bur. of Mines Rept. of Invest. 4269, 19 p., 1948.
A progress report of the Bureau of Mines oil shale plant at Rifle, Colo. Mine development and mining problems incurred are cited. Plans for loading, hauling drilling, and blasting, either in use of soon to be in use, are briefly discussed.

00848 Gardner, Eugene Delos
Progress of mining studies at Bureau of Mines oil shale mine, Anvil Points, Rifle, Colo.: Am. Inst. Min. Eng. Tech. Pub. 2286, 11 p., 4 figs., incl. index map, 1947.

00849 Gardner, E. D.
Shale oil - synthetic fuel: Colo. Soc. of Eng. Bull., Vol. 32, Nov. 1948.

00850 Gardner, E. D.
Unique equipment helps in cutting shale mining costs: Eng. Min. J., Vol. 150, p. 92-94, Nov. 1949.

Gardner, E. D. See East, J. H., Jr. 00728

00851 Gardner, E. D.; Bell, C. N.
Proposed methods and estimated costs of mining oil shale at Rulison, Colorado: U. S. Bur. of Mines Inform. Circ. 7218, 59 p., 1942. See also Oil and Gas J., Vol. 41, p. 47-49, Jan. 14, 1943.
Paper presents estimates of mining costs of shale of the Green River Formation of western Colorado. Reports mining costs probably equal price of crude oil they contain, but extraction costs drive the prices up. Tables presented summarizing cost of mining and production.

00852 Cardner, E. D.; Sipprelle, E. M.
Investigations for production of oil shale on a commercial scale; U. S. Dept. of the Interior, Bur. of Mines experimental oil-shale mine, Rifle, Colorado, U. S. A. Chap. in Conf. on Oil Shale and Cannel Coal: Oil Shale and Cannel Coal, Proc., Vol. 2, Inst. Pet., London, p. 162-179, 1951.

00853 Gardner, E. D.; Sipprelle, E. M.
Mechanization at the Bureau of Mines oil-shale mine; with cost data: Min. Eng. Vol. 1, Sec. 3, p. 317-323, 1949. See Also A. I. M. E. Tech. Pub. No. 2666A, Min. Trans. Vol. 184, p. 317-323, 1949.
This 1949 paper discusses the operations of the Bur. of Mines oil-shale mine at Rifle, Colorado.

00854 Gardner, E. D.; Sipprelle, E. M.
Oil-shale mining; equipment and underground procedures at Rifle, Colorado: Mech. Eng., Vol. 72, p. 701-706, 1950.
This is a discussion of innovations in equipment and underground procedure at the Rifle, Colo. experimental plant.

00855 Gardner, E. D.; Sipprelle, E. M.; Guthrie B.
Shale oil becoming competitive; abstract: Chem., Eng., Vol. 57, p. 273-274, July 1950.
This 1950 article describes the developments in mechanized mining at the U. S. Bur. of Mines oil-shale mine near Rifle, Colorado.

Gardner, P. M. See Anderson, P. C. 00037

Garmasheva, L. F. See Laput, V. A. 01283

Garrels, Robert M. See Machenzie, Fred T. 01369

00856 Garrett, Donald E.; Ridley, Richard D.; Chew, Randall, T., III
Development in situ oil shale processing for shale oil recovery (abs.): in Rocky Mountain Section AAPG, 23rd Ann. Mtg., Am. Assoc. Pet. Geol., Bull., Vol. 58, No. 5, p. 906-907, 1974.
The occidental process of mining in situ tested at Laramie Research Station, is discussed. It can exploit thicker sections of oil shale than other methods, and less rock is mined per barrel of oil. It is also environmentally favorable.

00857 Gartner, Han Rudolf von
Organic matter in Posidonia shales as an indication of residual oil deposit (with discussion): World Pet. Cong. 6th, Frankfurt am Main, Pr. sec. 1, p. 355-363, (incl. Fr. sum.), illus., 1964.
Analysis of Posidonia shales (Germany), yields distinguishing characteristics which can be duplicated synthetically. Two types were discovered, Type A, allied with carbonization, Type B, with oil or asphalts. These types distinguished regions-whether they are oil-bearing regions or not.

00858 Garvey, M. J.
Uranium, thorium and potassium abundances in the rock of the Piedmont of Georgia: Master's 1975, Florida: Gainesville.

00859 Gary, James H. (ed.)
Proceedings of the Seventh Oil Shale Symposium: Colo. Sch. Mines, Q., Vol. 69, No. 2, 231 p., illus., (incl. sketch maps), 1974. A symposium sponsored by the Colorado School of Mines and the American Institute of Mining, Metallurgical, and Petroleum Engineers, Held April 18-19, 1974; individual papers cited under separate authors.
19 articles concerning oil shale, especially environmental impacts, its effect on Colorado, and development of oil shale processing.

00860 Gary, J. H. (ed.)
Proceedings of the eight Oil Shale Symposium: Colo. Sch. Mines, Q., Vol. 70, No. 3, p. 313, illus. (incl. tables, sketch map), 1975. Individual papers within the scope of this bibliography are cited under the separate authors.
20 articles concerning oil shale, including energy efficiency, retorting processes, and energy demand in the United States.

00861 Gary, J. H. (ed.)
Proceedings of the Ninth Oil Shale Symposium: Colo. Sch. Mines, Q., Vol. 71, No. 4, p. 344, illus. (incl. tables, sketch maps), individual papers within the scope of this bibliography are cited under separate authors, 1976.
24 articles covering varying aspects of oil shale, primarily geared toward processing and commercial development in the Rocky Mtn. area. Also presented are energy appraisals of oil shale.

00862 Gavin, M. J.
Analytical distillation of typical shale oils: U. S. Bur. of Mines Rept. of Invest. 2332, 12 p., 1922.
This investigation describes results of tests of oils distilled from Scottish, Utah, and Colorado Shale. (From abstract)

00863 Gavin, M. J.
The destructuve distillation of oil shales. Railroad Red Book, Vol. 37, p. 442-445, 1920.

00864 Gavin, M. J.
Economic importance of shale: Mountain State Miner. Age, Vol. 8, p. 16, 1923.

00865 Gavin, M. J.
Experimental oil-shale plant of the Bureau of Mines: Ind. Eng. Chem., Vol. 20, p. 784-791, 1928.
A description is given of the experimental oil-shale plant operated by the U. S. Bur. of Mines at Rulison, Colo. during 1926 and 1927. Two retorts are described, the N-T-U and the Pumpherston.

00866 Gavin, M. J.
Oil-shale experimental plant of the Bureau of Mines: Min. Cong. J., Vol. 15, p. 191-196, 200, 1929.
This 1929 article describes the drilling and blasting procedure, types of retort used, and refining technique at the U. S. Bur. of Mines experimental oil-shale plant near Rifle, Colorado.

00867 Gavin, Martin Joseph
Oil shale - an historical, technical and economic study: U. S. Bur. of Mines, Bull. 210, 201 p., 4 figs., 19 pls., Denver, 1922. See also Pet. World (London), Vol. 20, p. 105-106, Mar. 1923; Oil Age, Vol. 10, p. 14-16, Feb. 7, 1923; Pet. Times, Vol. 9, p. 393-394, 1923; Oil Field Eng., Vol. 25, p. 122-125, June 1923; Ind. Australian and Min. Standard, Vol. 69, p. 665-666, 1923.
This comprehensive paper covers many aspects of oil shale. Among topics covered in this early paper are: national energy supply, foreign oil shale industries (particularly Scotch), history of American oil shale industry, nature and origin of oil shales, assaying techniques, physical-chemical data, distilling and retorting, and problems of the current industry.

00868 Gavin, M. J.
Oil-shale industry in 1927: Eng. Min. J., Vol. 125, p. 167, 1928.
This 1928 article described the developments in the oil shale industry in 1927.

00869 Gavin, M. J.
Oil shale in 1928: Eng. Min. J., Vol. 127, p. 100-101, 1929.
This is a discussion of developments in oil shale in 1928 and possible ones in the future.

00870 Gavin, M. J.
Scottish oil-shale industry: Pet. Times, Vol. 9, p. 245-247; 285-287, 1923.

00871 Gavin, M. J.
Some problems of the American oil-shale industry. Proc. Am. Min. Cong., Vol. 23, p. 646-660, 1919.

00872 Gavin, M. J.; Aydelotte, J. T.
Solubility of oil shales in solvents for petroleum: U. S. Bur. of Mines Rept. of Invest. 2313, 3 p., 1922. See also Oil Field Eng., Vol. 24, p. 20-21, Jan. 1922; Salt Lake Min. Rev., Vol. 23, p. 17-18, Feb. 28, 1922; Eng. Min. J., Vol. 113, p. 369, 1922.
This 1922 article discusses experimentation done by the U. S. Bur. of Mines of five oil shales. It was concluded that the solubility of a shale is not an index of its relative oil yield.

00873 Gavin, M. J.; Desmond, J. S.
Construction and operation of the Bur. of Mines experimental oil-shale plant, 1925-27: U. S. Bur. of Mines Bull. 315, 154 p., 1930.
"This report described the construction of the Bureau of Mines experimental oil shale plant at Rulison, Colo., during 1925 and 1926; its operation from the time the first shale was retorted on September 17, 1926, until July 1, 1927; and the results obtained to August, 1928, from refinery studies of the oil produced." (Authors abstract) Particular attention is given to the NTU and Pumpherston retorts and to difficulties encountered and avoided.

00874 Gavin, M. J.; Hill. H. H.; Perdew, W. E.
Notes on the oil-shale industry with particluar reference to the Rocky Mountain District. U. S. Bur. of Mines Rept. of Invest. 2256, 1921.
Gives resume of status of oil-shale industry, including its history in Scotland. A comprehensive bibliography is appended. (From abstract)

00875 Gavin, M. J.; Karrick, L. C.
Fractional education of oil from oil shale: U. S. Bur. of Mines Rept. of Invest. 2588, 9 p., 1924.
See also Oil Gas J., Vol. 23, p. 94, 96, 98, April 17, 1924.
Discussion of the fractionation of products in an oil shale retort. Dismisses theory of "fractional education" - direct fractionation from shale - as being valid. Supports possible use of fractional condensation as possible. Test results presented regarding direct fractionation.

00876 Gavin, M. J.; Sharp, L. H.
Investigation of the fundamentals of oil-shale retorting. U. S. Bur. of Mines Rept. of Invest. 2141, 4 p., 1920;
See also Oil Age, Vol. 16, Aug. 1920, p. 25-28; Pet. Age, Vol. 7, Aug. 1920, p. 64-65; Oil, Paint, Dry Reporter, Vol. 98, July 26, 1920; Pet. Sec., p. 11; Railroad Red Book, Vol. 37, 1920, p. 729, 271; Oil and Gas J., Vol. 19, Aug. 13, 1920, p. 94-95; Oil Weekly, Vol. 18, Sept. 11, 1920, p. 66-67; Chem. Age, Vol. 28, 1920, p. 293-294; Nat. Gas Gasoline J., Vol. 14, July 1920, p. 211-212; Colo. Sch. Mines Magazine, Vol. 10, Sept. 1920, p. 178-179; Pet. World (London), Vol. 17, 1920, p. 373-374; Shale Review, Vol. 2, p. 7, August. 1920.
Presentation of objectives of a project cosponsored by the U. S. Bur. of Mines and the State of Colorado to gather any information regarding future use of oil shale and its products.

00877 Gavshin, V. M.
Kontsentratsiyr urana v prirodnykh sloistykh alyumosilikatakh (Uranium content in sheet aluminosilicates): Akad. Nauk SSSR, Dokl., Vol. 205, No. 4, p. 956-059, 1972.

00878 Gavshin, V. M.; Bobrov, V. A.; Pyalling, A. O.
Dva Tipa sorbtsinonnogo nakopleniya urana v osodochnykh porodakh (Two types of sorption accumulation of uranium in sedimentary rocks): Geokhim. (akad. Nauk SSSR), No. 6, p. 887-896 (incl. Eng. sum.), illus., 1973.
Occurrence of uranium in phospate rocks and layered silicated (mainly hydromicas & chlerite), leaching of uranium from layered silicates by aqueous solutions, no such process taking plant in phosphate rocks.

00879 Gavshin, V. M.; Bobrov, V. A.; Pyalling, A. O.; et al
Sorbenty urana v osadochnykh porodakh i voprosy proiskhozhdeniya rudoobrazuyushchilch rastvoror (Sorbents of uranium in sedimentary rocks and ore-forming solutions): Akad. Nauk SSSR, Sib. Otd., Inst. Geol. Geofiz., Tr., No. 286 (Radioaktivnyye elementy v gornykh porodakh), p. 90-94, tables, 1975.

00880 Gaynard, R.; Poupon, A.
Response of neutron and formation density logs in hydrocarbon bearing formations: Log Analyst, Vol. 9, No. 5, p. 3-12, illus., tables, 1968.

00881 Gazizov, M. S. Gornogeologicheskiye usloviya razrabotki mestorozhdeniy Pribaltiyskikh slantsev (Mining geology conditions for the development of the Baltic region shale deposits): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 99-117, illus. (incl. tables, charts, sk. map), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

00882 Gehron, Barry W.; Kosstrin, Herbert M.; Peterson, Gary
Potential use of wood and agriculture wastes as steam generator fuel for thermal enhanced oil recovery: Fossil Energy Final Rept., 1979.
The purpose of this study is to evaluate the potential to use wood and agriculture wastes to replace crude oil as steam generator fuel. The Bakersfield area of California's San Joaquin Valley is the focus of this paper. (From Intro. and Sum.)

Generalova, V. A. See Manskaya, S. M. 01386

00883 Gentry, R. V.; Christie, W. H.; Smith, D. H.
Radiohalos in coalified wood: New evidence relating the time of uranium introduction and coalification: Science, Vol. 194 (4262), p. 315-318, 1976.
The discovery of embryonic halos around U-rich sites that exhibit very high 238U/206Pb ratios suggests that U introduction may have occured more recently than supposed. (From abstract)

George, J. H. See Fausett, D. W. 00775

00884 George, Russell D.
Geology and distribution of oil shales: in Shale oil, Chapter 3, New York, Chemi-catalog Co., 326 p., illus. tables, 1925.
The geology of oil shales is presented by brief descriptions of some of the typical and best known deposits, including Scotland, England, Colorado, Utah, Wyoming, Canada, Brazil, and New South Wales, Aust. Richness and thickness of shale strata are given, mostly comprised from other reports.

00885 George, R. D.
Kerogen of Colorado oil shales (abs.): Colo.-Wyo. Acad. Sci. J., Vol. 1, No. 1, p. 57-58, Denver, Colorado, 1929.

00886 George, Russell D.
Kerogen of Colorado oil shales (abs.): Colorado-Wyoming Acad. Sci. J., Vol. 1, No. 1, p. 57-58, April, 1929.

00887 George, Russell D.
Oil shales of Colorado: Colo. Geol. Surv., Bull. 25, 78 p., 10 figs., 2 maps, 1921.
Complete study of Colorado oil shales by state geologist. All aspects of origin, location, mining, refining, products, and problems of these are considered. It does not consider economics. A collection of data by the work of other people.

00888 George, Russell D.
Origin of oil shales; geology and distribution of oil shales; in McKee, Ralph H., Shale oil, p. 27-36, 37-43, 60-73, s figs., New York, 1925.
Types of "oil shales", and discussion of how the physical processes generate the product. Connection in the formation with other carbonaceous sediments is shown.

00889 Garber, M. I.; Zhuze, T. P.; Kandrat'yev, V. P.
Study of bituminoids extracted from sedimentary rocks by compressed hydrocarbon gases: Pet. Geol., Vol. 10, No. 6, (1966), p. 255-260, illus., 1972.
Comparison with extraction by chloroform, data

for limestone, marl, and shale from U. S. S. R. The hydrocarbon part of bitumen in extracted by compressed methanepropane, yielding wide fractionation range. Gas fractions are extracted first, then aromatic and tarry matter.

00890 Geyrot, K.
Isoteriya, tekhnologiya i ekanemika isol'zovaniya goryuchikh slantsev v shetsii (The history, technology, & economic utilization of oil shale in Switzerland): in Razrabotka i ispol'zovaniye zapasoz goryuchikh slantsev (Baum, V., chairperson), p. 236-247, illus. (incl. tables), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Ghent, E. D. See MacQueen, R. W. 01370

00891 Gibbon, Anthony
Oil shale development (U. S.): Oil Weekly, Vol. 119, No. 10, p. 30-33, 4 figs., Nov. 5, 1945.
This 1945 article discusses the costs involved with the development of oil shale. Includes tables of cost estimates.

00892 Gibbs, Ronald J.
The bottom sediments of the Amazon Shelf and tropical Atlantic Ocean. Marine Geol., Vol. 14, p. 39-45, 1973.
One of the very few regional studies--this one about on elongate, muddy shelf almost 2000 km long-- of variation in composition and grain size of a modern mud. See also Heath, et al. (1974)

00893 Gil-Av, E.; Heller, S.; Steckel, F.
The Um Barek oil shales: Resources Council Israel Bull., Vol. 4, No. 2, p. 136-143, 1954.

Gilbert, D. L. See Morris, H. B. 01477

Gill, James R. See Hail, William J. 00957

00894 Gill, James R.; Cobban, William A.; Schultz, Leonard G.
Stratigraphy and composition of the Sharon Springs Member of the Pierre Shale in western Kansas: U. S. Geol. Surv. Prof. Paper 728, 50 p., 1972.
A widespread shale that is very "layer cake" with a persistant three-fold internal stratigraphy, the middle one being organic rich. These units can be recognized on wire line logs. Interesting diagrams about rates of sedimentation and facies migration based on ammonite zones, p. 15-20, plus some schematic maps. Also some clay mineralogy and goodly amount of trace element study. Fig. 23 is interesting. Compare with Chattanooga.

Gillette, E. R. See Box, T. W. 00230

Gillette, Tracy See Workman, L. E. 02367

00895 Ginburg, A. I.
Organicheskoye veshchestvo petrografichiskikh tipov goryuchikh slantsev (na preimere nekotorykh mestorozhdeniy SSSR)(Organic matter in various petrographic types of pyroshales with some deposits in USSR as an example): Litol. Polez. Iskop., No. 4, p. 39-52, illus., 1969.

00896 Gingrich, J. E.
Results from a new uranium exploration method (abs.): Min. Eng., Vol. 25, No. 12, p. 58, 1973.
This paper discusses the basis for the Track Etch method its application in fields exploration programs and the results obtained in locating uranium orebodies. (From Abstract)

Ginvberg, H. See Pelipetz, M. G. 01618

00897 Ginzburg, A. I.; Letushova, I. A.
Use of chemical or petrographic methods for investigating oil shale exemplified by the Novo-Dimitrovsk Deposit of the Ukraine: Lithol. Miner. Resour., Vol. 11, No. 4, p. 450-460, illus., 1976.
The results of a chemical and petrographic investigation of the oil shale of the Novo-Dimitrovsk area are presented. Correlations of certain beds of oil shales of this deposit are discussed. The petrographic types of oil shales, their quality, and distribution in the stratigraphic section are characterized.

Girard, O. W., Jr. See Mattick, R. E. 01405

00898 Girty, G. H.
Description of a fauna in the Devonian black shale of eastern Kentucky: Am. J. Sci. (4), Vol. 6, p. 384-385, 1898.
Describes fauna, summarizes literature pertaining to Devonian age of black shales of the eastern interior (after Hoover, 1960).

00899 Glebov, S. M.
Radioactivity of Dictyonema shales: Leningrad, Leningradski Gorny: Inst., Vol. 14, p. 1-12 (in Russian), 1941.

00900 Gleen, L. C.
Devonian and Carboniferous formations of southwestern New York: New York State Mus. Bull. 69, p. 957-990, 1903.
This paper precipitated the dispute concerning the boundary line between the Devonian and Mississippian

systems. Practically all subsequent work on these formations in New York, Pennsylvanian, and Ohio has concerned this question (Hoover, 1960).

00901 Gleen Wayne E.
Oil shale and energy situation: in Oil Shale Symposium, 7th, Proceeding Colo. Sch. Mines, Q., Vol. 69, No. 2, p. 71-77, 1974.
An overall look at why the U. S. is in an energy bind and what the effect of a temporary lack of energy has proven. Solutions suggesting what the public can do to help, and what reserves must be utilized to help the U. S. become as self-sufficient as possible.

00902 Glover, Lynn
Chattanooga shale investigations along the Sequatchie Anticline of Tennessee and Alabama: U. S. G. S. Trace Elem. Invest. Rept. 470, maps, diagrs., 1954.

00903 Glover, Lynn
Stratigraphy and uranium content of the Chattanooga Shale in the folded belt of Alabama, Georgia, and Tennessee: U. S. G. S. Trace Elem. Invest. Rept. 563, 76 p., illus., maps, tables, diagrs., 1955. For official use only.

00904 Glover, Lynn
Stratigraphy and uranium content of the Chattanooga Shale in northeastern Alabama, northwestern Georgia and eastern Tennessee: U. S. Geol. Surv. Bull. 1087-E, p. 133-168 (out of print), 1959.
Description of the stratigraphy and paleoenvironment of the Chattanooga shale in this area. Also, the low uranium content of this shale is discussed. Local variations of lithology and paleontological lists of fossils found at some localities in this area are also discussed.

Gnoevaya, N. A. See Konstantinova, V. 01227

Gold, F. R. See Conant, M. A. 00499

00906 Gol'tser, G. F.
Zalezhi goryuchikh slatnsev v Austrii (Oil shale deposits in Austria): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 50-52, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

00907 Golumbic, Norma: Anderson, H. C.; Grass, R. C.
Revised bibliography of Bureau of Mines investigations on the production of liquid fuels from oil shales,

coal, lignite, and natural gas (to 1949): U. S. Bur. of Mines Inform. Circ. 7534, 53 p., 1949. (Revision of Inform. Circ. 7304).
120 references are made to articles concerning oil shale and shale oil through 1949.

Goni, J. See Combaz, A. 00488

00908 Goodfellow, Lawrence; Atwood, Mark T.
Fischer assay oil shale; Proceedings of the Oil Shale Corporation: in Oil Shale Symposium, 7th, Proceeding, Colo. Sch. Mines, Q., Vol. 69, No. 2, p. 205-219, illus., 1974.
Equipment and techniques discussed for retorting cores of oil shale by the Fischer method. Analysis of products in terms of typing to balance materials versus yield.

Goodlier, B. D. See Franks, A. J. 00824

Goodman, Clark See Beers, R. F. 00163

Goodman, Clark See Bell, Kenneth G. 00173

Goodwin, R. T. See McKee, Ralph H. 01539

Goodwin, R. T. See McKee, Ralph H. 01538

00909 Gordon, Glen H.
A subsurface study of the black shale of western Kansas: Kans. Acad. Sci., Trans., Vol. 41, p. 201-204, illus., 1938.

00910 Gore, R. D.
Oil shale in Santa Barbara County, California: Am. Assoc. Pet. Geol., Bull., Vol. 8, No. 4, p. 459-472, 5 figs., July-August, 1924.
A comparison of the Santa Barbara oil shales with those of other U. S. localities. Breif descriptions of geologic conditions and locations of deposits are discussed. Presents shale operations of two companies presently mining there and future economic possibilities

00911 Gore, R. D.
Oil shale in Santa Barbara County California: California State Min. Bur., Mining in California, Vol. 19, No. 4, p. 221-224, 5 figs., 2 pls. (maps), Sept., 1923.

00912 Gor'kiy, Yu. I.
Slantsenost' famenskogo yarusa ueskhenego devona (Oil shale from the Famennian stage of the Upper Devonian): in prognoz goryuchikh slantsev Yevropeyskov chasti

SSSR (Kotlukov V. A., editor; et al.), p. 21-25, table, Izd. Akad. Nauk ESST, Tallin, Union of Soviet Socialist Republics, 1974.

00913 Gott, Garland B.
Uranium-bearing black shales and styolite fillings in Spergen limestone, Bussen's Quarry, Ste. Genevieve, Missouri: U. S. G. S. Trace Elem. Mem. Rep. 28, 11 p., map, diagrs., tables, 1950.

00914 Gott, Garland B.
Uranium in black shales, lignites and limestone in the United States, in U. S. Geol. Surv. Circ. 220, p. 31-35, 1952.
Reports a uranium content for the Chattanooga Shale ranging from 0.00. to 0.03 percent (Hoover, 1960).

00915 Gott, G. B.; Erickson, R. L.
Reconnaisance of uranium and copper deposits in parts of New Mexico, Colorado, Utah, Idaho, and Wyoming: U. S. Geol. Surv. Circ. 219, 16 p. (free, U. S. Geol. Surv. Reston, Va. 22092), 1952.
Attempts to relate uranium, copper, and carbonaceous materials by spectrographic analyses of carbonaceous rock. Theory presented for the association of uranium with asphaltic materials in this western U. S. region.

00916 Gott, Garland B.; Wyant, Donald G.; Beroni, Ernest P.
Uranium in black shales, lignities, and limestones in the United States: U. S. Geol. Surv., Circ., No. 220, 1952.
General view of uranium in black shales and lignites in a few localities explaining why uranium occurs in these sediments.

Gould, Douglas See Karrick, L. C. 01149

Gould, D. W. See Finley, W. L. 00797

Govett, G. J. S. See Thomas, T. M. 02084

00917 Grabau, A. W.
Types of sedimentary overlap: Geol. Soc. Am. Bull., Vol. 17, p. 567-636; 1905 (abs.) Science (new ser.), Vol. 21, p. 991-992, 1906.
Grabau was the first writer to suggest a Mississippian age for the Chattanooga Shale. Discusses depositional environment and time-transgressive nature of black shale deposits (after Hoover, 1960).

Grabovkiy, V. K. See Bass, Yu. B. 00126

Grand, S. See Drabkin, M. L. 00698

00918 Graner, John W.; Rosenzweig, Abraham; Smith, D. K., Jr. Progress report for April 1 to October 1, 1952: U. S., A. E. C., Rep., No. RMI-3060, p. 9, 1953. Uranium, Ore Deposits, Shale.
Uranium may be in the form of a black ore below the oxidized zone and where impermeable reducing carbonaceous shale may concentrate the uranium in above levels. The location of this study is in the Painted Desert.

Grass, R. C. See Golumbic, Norma 00907

Grauert, Borwin See Ryback, Ladislaus 01806

00919 Gravin, M. S.
Analytical distillation of typical American shale oils: U. S. Bur. of Mines Rept. Invest. 2332, 1922.
No specific mention of New Albany Shale, but may be of interest for analytical data.

Gray, B. G. See Lekas, M. A. 01299

Gray, B. G. See Lombard, D. B. 01349

Gray, K. E. See Podio-L, A. 01654

Gray, K. E. See Podio-L, A. 01655

00920 Gray, Ralph J.
Laboratory study of uranium-bearing carbonaceous shale and impure coal from Goose Creek district, Cassia County, Idaho: U. S. G. S. Trace Elem. Inv. Rep. 669, 22 p., map, diagrs., tables, 1957.

00921 Grechukhin, V. V.; Barkov, V. G.
Poiski i razvedka ugley i goryuchikh slantsev (Prospecting & exploring for coal & oil shale): in Kimpleksirovaniye geofizicheskikh metodov pri reshenii geologicheskikh zadach (Nikitskiy, V. Ye., editor; et al.), p. 191-220, illus. (incl. sects., charts, table), Izd. Nedra, Moscow, Union of Soviet Socialist Republics, 1976. Geophysical methods, well logging.

Green, T. E. See Huggins, Charles W. 01054

Green, Thomas E. See Huggins, Charles W. 01055

Greenberg, A. L. See Baird, R. 00085

Grego, J. A. See Tatlock, D. B. 02068

Gregory, A. See Podio-L., A. 01654

Greiner, A. C. See Spykerelle, C. 01986

00922 Greiner, A. C.; Spykerelle, C.; Albrecht, P.
Hydrocarbures aromatiques d'origine geologique; V, Derives mono- et diaromatiques du hopane (Aromatic hydrocarbons of geological origin; V monoaromatic and di-aromatic derivatives of hopane): J. Chem. Res., miniprint, No. 12, p. 3829-3871 (incl. Eng. sum.), illus., 1977.

00923 Greiner, H. R.
Facies and sedimentary environment of Albert shale, New Brunswick: Am. Assoc. Pet. Geol., Bull., Vol. 46, No. 2, p. 219-234, illus., 1962.
Stratigraphy of the Albert Formation, and the three distinct members of this formation are presented. Sedimentary structures and depositional environments are also discussed. Well logs are given for each member at one locality. Discussion of the oil shales of the Frederick Brook member and its similarity in appearance and depositional environment to the Green River shales (U. S.)

00924 Grenon, M.
Global energy resources: Annu. Rev. Energy, Vol. 2, p. 67-84, illus., incl. tables, 1977.

00925 Gries, John Paul
Economic possibilities of the Pierre shale: South Dakota State Geol. and Natural History Surv., Rept. of Invest. No. 43, 81 p., illus., maps, tables, 1942.
Includes discussion of lithology of the Sharon Springs Member, a bituminous shale. Also includes a short discussion on one sample from this member. Distribution, thickness, and lithologies of the members of this widespread formation are outlined, using many cross-sections.

00926 Griffin, J. J.; Windom, J.; Goldberg, E. D.
The distribution of clay minerals in the World Ocean: Deep Sea Research, Vol. 15, p. 433-459, 1968.
One of the most definitive papers ever written on the origin of clay minerals. This paper is based on geology's oldest technique--systematic mapping--which shows that climate plays a significant role in clay mineral composition at low latitudes, but not a high latitudes. This and other evidence indicate that the vast majority of clay in the recent sediments of the world ocean are detrital.

Griffith, Lawrence S. See McCamis, John G. 01513

00927 Grigroescu, Dan I.
Etude microlithestratigraphique du complexe schisteux de l'unitc des schistes noirs (profil de la vallee de Covasna)(Microlithostratigraphy of the shale complex of the black shale unit, Covasna Valley): Buchar., Unsv., An., Geol., Vol. 21, p. 147-158, illus., 1972.

Grigorov, G. See Kamenov, B. 01143

00928 Grigor'yev, K. A.; Alekseyenko, V. D.; Baranov, G. M.; et al.
Uran i toriy u osadochnykh porodakh geosinklinal'no-skladchatykh sistem Vostochnog kazakhstone (Uranium and thorium in sedimentary rocks of geolsynclinal fold systems of eastern Kazakhstan): Akad. Nauk SSSR, Sib. Otd. Inst. Geol. Geofiz., Tr., No. 286 (Radioaktivnyye elementy v gorykh porodakh), p. 72-76, table, 1975.

00929 Grim, R. E.; Bradley, W. F.; White, W. A.
Petrology of the Paleozoic shales of Illinois: Ill. Geol. Surv., Rept. of Invest. 203, 35 p., 1957.
Includes petrologic data for New Albany Shale samples - clay mineralogy, x-ray diffractions, chemical analyses.

Grimaldi, F. S. See Rader, L. F. 01695

00930 Grimbert, Arnold
On the origin of the uraniferous impregnations of the carbonaceous shales of Saint - Hippolyly (Upper Rhine): Soc. Geol. France Bull., 6th ser., Vol. 6, No. 6, p. 707-712 (in French).

00931 Grimbert, Arnold; Carlier, A.
The uraniferous shales of the Alsacian side of the Vosges Mountains: Alsace - Lorraine, Service Carte Geol. Bull., Vol. 9, No. 2, 43 p. (in French), 1957.

Grimes, W. R. See Brown, K. B. 00286

Grimes, W. R. See Brown, K. B. 00287

Grimes, W. R. See Brown, K. B. 00288

Grimes, W. R. See Brown, K. B. 00289

Grimes, W. R. See Brown, K. B. 00290

Grimes, W. R. See Brown, K. B. 00291

Grimes, W. R. See Brown, K. B. 00292

Grimes, W. R. See Brown, K. B. 00293

00932 Grimes, W. R.; Blakely, J. P.
(final report) Recovery of uranium from oil shales; Pt. 2, Recovery of uranium from acid leaches of shale (Chattanooga shale, Tennessee): U. S. Atomic Energy Comm. 7-582, 101 p. (dep.; $8.25, NTIS)(prepared by Carbide and Carbon Chemicals Corp.), 1950.
Discusses a search practical methods for recovery of uranium from acid leaches of Chattanooga Black Shale. A method of precipitation of a uraniferous phosphate that was most successful was described in detail. A variety of other methods are also discussed, and results for all of the these are shown.

00933 Grimes, W. R.; Clewett, G. H.
Recovery from shale leach liquors as uranous phosphate: U. S. Atomic Energy Comm. Y-464, 20 p., (dep., mc; $6, LC)(prepared by Carbide and Carbon Chemicals Corp.), 1949.
Presented is a general picture of the problem of U recovery from H_2SO_4 leaches of oil shales. Some experiments are offered to show that carried precipitations of U_3 (PO_4) serves to produce a residue containing from 12 to 15% U_3O_8 and 90% of the U originally present. (From abstract)

00934 Grimmer, John C.
Stratigraphy of the Middle Devonian shales of southern Illinois: Illinois Acad. Sci. Trans., Vol. 61, No. 4, p. 407-415, illus., tables, 1968.

Grogan, R. M. See Weller, J. M. 02308

00935 Grossman, W. L.
Stratigraphy of the Genesee Group: Geol. Soc. Am. Bull., Vol. 55, p. 41-76, 1944.
Considers the microscopic petrography of these rocks (Hoover, 1960).

Gude, A. J., III See Stugard, Frederick 02035

Gulline, A. B. See Clarke, M. J. 00442

00936 Gulyayeva, L. A.; Itkina, Ye. S.
Microelementy ugley, goryuchikh slantsev i ikh bituminoznykh fomponentov (Coals, oil shales and their bitumen components; trace elements): 91 p., tables, Izd. Nauda, Moscow, Union of Soviet Socialist Republics, 1974.

Gunther, P. R. See Roscolos, A. E. 00818

00937 Gupta, Sujoy
Palynology of Grassy Creek and Saverton Shales of Missouri (abs.): Dissert, Abs., Sec. B, Sci. and Eng., Vol. 27, No. 6, p. 1982B, 1966.

00938 Gupta, Sujoy
Palynology of Grassy Creek and Saverton Shales of Missouri: Ph. D. thesis (unpub.), Univ. of Missouri, 1965.

00939 Guthrie, Boyd
Oil shale: Min. World, Mine Development and Directory No., Vol. 14, p. 49, Apr. 1952.

00940 Guthrie, Boyd
Oil shale: Min. World, Mine Development and Directory No., Vol. 15, p. 74, April, 1953.

00941 Guthrie, Boyd
Oil shale: Min. World, Mine Development and Directory No., Vol. 16, p. 41, Apr. 15, 1954.

00942 Guthrie, B.
Studies of certain properties of oil shale and shale oil: U. S. Bur. of Mines Bull. 415, 159 p., 1938.
A compilation of published and unpublished articles written at various times by members of the Bureau of Mines. A wide variety of topics are presented, divided into nine chapters: 1-testing methods for oil shale and shale oil, 2-effects of temperature and time of reaction in distilling oil shales on yields and properties of crude oils, 3-assay-retort studies of ten typical shales, 4-'fractional education' of oil from oil shale, 5-explosibility of oil shale dust, 6-comparison of oils derived from coal and oil shale, 7-weathering of Green River shales, 8-isolation and analysis of oil shale kerogen, 9-nitrogen and its compounds in oil shale and shale oil.

00943 Guthrie, B.
Synthetic liquid fuels from oil shale: Proc. of the 41st Ann. Mtg. of the Am. Railway Development Assoc., p. 136-149, Apr. 19-21, 1950.

00944 Guthrie, Boyd
Technological developments in retorting Colorado oil shale, 1944-1954: World Petroleum Cong., 4th, Rome, Italy, Proc., Sec. III, p. 415-436, 1955.

Guthrie, Boyd See Cameron, R. J. 00340

Guthrie, B. See Cattell, R. A. 00397

Guthrie, B. See Gardner, E. D. 00855

Guthrie, B. See Hull, Wm. Q. 01056

Guthrie, Boyd See Lankford, J. D. 01280

Guthrie, B. See Matzick, A. 01407

Guthrie, B. See Ruark, J. R. 01793

Guthrie, Boyd See Tripp, J. G. 02130

00945 Guthrie, B.; Cameron, R. J.
Industrial fuels from oil shale: Colorado Soc. of Eng. Bull., July 1950, p. 4-6, 21. See also Proc. of Midwest Power Conf., Vol. 12, p. 88-97, 1950.

00946 Guthrie, B.; Cameron, R. J.
New oil shale refinery: Pet., Vol- 13, p. 36-38, Feb. 1950.

00947 Guthrie, Boyd; Klosky, Simon
The oil-shale industries of Europe: U. S. Bur. of Mines Rept. of Invest. 4476, 73 p., 1951.
Oil shale industries in Scotland, France, Sweden, Spain, Germany and Estonia are discussed in terms of geology and geography, retorting methods, refining and processing, along with short summaries of history and future of oil shale in each of those countries.

00948 Guthrie, Boyd; Rose, C. K.
Oil shale reserves and mining research: Presented before Ind. Bur. of Mines Oil-Shale Cong., Univ. Wyo. Summer Science Camp, Laramie, Wyo., Aug. 1954. Pub. in Minutes of Conf., U. S. Bur. of Mines Administrative Pub.

00949 Guthrie, Boyd; Ruark, J. R.
The Bureau of Mines oil-shale demonstration plant program: The Vortex (Bull. of the California Section of the American Chemical Society), Vol. 7, No. 8, p. 418-436. Abstract of address given by Boyd Guthrie before the July 1946 A. C. S. meeting at Berkeley, California.

00950 Guthrie, B.; Schramm, L.
Extraction and refining of shale oil: Mech. Eng., Vol. 72, p. 707-711, 1950.
The purpose of this paper is to briefly tell the nature and characteristics of oil shale, to explain how the oil is obtained from the rock, and to describe the method and equipment being used at Rifle, Colo. to refine the oil. (From intro.)

00951 Guthrie, Boyd; Thorne, H. M.
Shale oil: Encyclopedia of Chem. Tech., Vol. 12, p. 207-220, 1954.

Gutjahr, Ll. M. See Hood, A. 01025

00952 Gutschick, R. C.
Origin of some bitumen in the Devonian-Mississippian black shales and the Eocenc Green River Shale (abs.): Geol. Soc. Am. Bull., Vol. 58, p. 1185, 1947.
Theory for the deposition of bituminous black shales of Green River (Colo.), Chattanooga (Ky.-Tenn.), and Genessee (N. Y.), is presented. Author implies erosion of oil reservoirs and rapid burial of these sediments in positive areas led to the shales.

Hackman, R. J. See Haynes, Donald D. 00993

00953 Hagemann, H. W.
Petrographische und palynologische Untersuchung der organischen Substanz (kerogen) in den Liassischen Sedimenten Luxemburgs (A petrographic and palynologic study of the Liassic sediments in Luxembourg): in Advances in organic geochemistry, 1973, Int. Mtg. Org. Geochem., Programme Abstr., No. 6, p. 29-37 (incl. Eng. sum.), illus., (incl. sketch map), 1974.

00954 Hail, William J.
Radioactive carbonaceous shale and lignite deposits in the Goose Creek District, Cassia County, Idaho: U. S. G. S. Trace Elem. Invest. Rept. 272, 34 p., maps, diagrs., 1953. For official use only.

00955 Hail, William J., Jr.
Results of reconnaissance for uraniferous coal, lignite and carbonaceous shale in Western Montana: U. S. Geol. Surv. Circ. 251, 9 p. (out of print), 1953.
Description of a search for uranium in carbonaceous substances, particularly those associated with volcanic rock. 23 areas were searched, with only two containing carbonaceous materials with a higher than trace uranium content. Tables listing uranium and ash content for each location given.

00956 Hail, W. J., Jr.
Stweart Gulch Tongue; a new tongue of the Eocene Green River Formation, Piceance Creek Basin, Colorado: U. S. Geol. Surv., Bull., No. 1422-E, p. 8, illus. (incl. sect., sketch map), Contributions to stratigraphy), 1977.
Description of lithology, thickness, and location of the newly named Stewart Gulch Tongue of the Parachute Creek member of the Green River Formation. Some discussion on the minor oil content of its marlstone.

Hail, W. J., Jr. See Mapel, William J. 01390

Hail, W. J., Jr. See Mapel, William J. 01389

00957 Hail, William J.; Gill, James R.
Results of reconnaissance for uraniferous coal lignite, and carbonaceous shale in western Montana: U. S. G. S. Trace Elem. Mem. Rept. 446, 22 p., map, tables, 1952. For official use only.

00958 Haines, W. E.; Cook, G. L.; Dinneen, G. U.
Techniques for separating and identifying nitrogen compounds in petroleum and shale oil: 7th World Petroleum Cong. Proc., Vol. 8, p. 83-92, 1967.

00959 Haji-Vassiliou, Andreas
The association of uranium with naturally occurring organic materials in the Colorado Plateau and other areas (abs.): Dissert. Abs. Internat., Sec. B, Sci. and Eng., Vol. 30, No. 6, p. 2829B, 1969.

00960 Halbouty, Michel T.
Shale oil-will it ever be a reality? in Fifth Symposium on Oil Shale: Colo. Sch. of Mines, Q., Vol. 63, No. 4, p. 127-134, 1968.
Explanation of our mushrooming oil and gas needs, and the public's misconception of impact oil shale could make and how much oil is recoverable from the shale, unless action is taken soon. Problems of private exploitation versus public ownership and the politics of oil shale developments cited.

00961 Hale, I.
Oil shale, an idea whose time has not yet come: in Energy Sources '76 (Greenberg, A. L., ed.), p. 45-50, table sect., geol. sketch map, Denver Secur. Traders Assoc., Denver, Colo., United States, 1976.

00962 Hall, Vivian S.
Open file repository and black shale bibliography: Geol. Soc. of Am. Abstr. Programs. 1978 Ann. Mtg. Vol. 10, No. 7, p. 414, 1978.
Two programs, funded by the U. S. Dept. of Energy as part of the Eastern Gas Shales Project, are: 1) an Open File Repository of all documents published by Eastern Gas Shales Investigators, and 2) a comprehensive annotated bibliography covering all aspects of the Devonian Shales.

00963 Hall, Vivian S.
A preliminary eastern gas shale bibliography: Eastern Gas Shale Project, Open File #115, Geology Library

Eastern Gas Shale Repository, University of Kentucky, 1978.
A preliminary bibliography of citations on gas, oil, uranium, and other aspects of bituminous shales.

00964 Hand, John W.
Planning for disposal of oil shale, chemical and mine wastes, in Governor's Conf. on Environmental Geology: Colo. Geol. Surv., Spec. Pub., No. 1, p. 33-37, 1970.

Hanley, J. H. See Fouch, T. D. 00822

00965 Hansman, Mary; Cluff, R. M.; Harvey, R. D.
Organic maturity of the New Albany Shale Group in Illinois: Geol. Soc. of Am. Abs. Programs. 1978 Ann. Mtg. Vol. 10, No. 7, p. 416, 1978.
New Albany Shales were studied to evaluate their thermal history for gas resource purposes. There was observed a regional trend of increasing vitrinite reflectance towards the deep portion of the basin though reflections are anomalously lower than those of the overlying Pennsylvanian coals. The level of organic maturity of New Albany Shales in Ill. is less than the main stage of oil generation.

Hanway, J. E. See Wilson, Robert Q. 02349

Harak, A. E. See Dockter, L. 00666

Harak, A. E. See Dockter, L. 00667

Harak, A. E. See Jacobson, I. A. 01096

Harak, A. E. See Minster, R. A. 01455

00966 Harak, A. E.; Dockter, L.; Long, A.
Oil shale retorting in a 150-ton batch-type pilot plant: U. S. Bur. of Mines Rept. of Invest. 7995, 31 p., 1974.
Describes the 150 ton retort constucted at the Laramie Energy Research Center. Results of the last ten of eleven runs using Piceance Creek Basin oil shale are presented. Experimental procedure is outlined, and temperature history of various levels of the retort were studied. Other variables studied were the oxygen content and space velocity of the retorting gas.

00967 Harak, A. E.; Dockter, L.; Carpenter, H. C.
Some results from the operation of a 150-ton oil shale retort: U. S. Bur. of Mines Tech. Prog. Rept. 30, 14 p., 1971.
Describes the 150 ton retort constructed at the

Laramie Energy Research Center. Results of the second and third of nine runs using Piceance Creek Basin oil shale are presented. Variables studied were the oxygen content of the retorting gas and space velocity of the retorting gas.

00968 Harak, A. E.; Long, A., Jr.; Carpenter, H. C.
Preliminary design and operation of a 150-ton oil shale retort: Colo. Sch. of Mines, Q., Vol. 65, No. 4, p. 41-56, Oct. 1970.
Description of design of a 150-ton oil shale retort built at the Laramie Petroleum Research Center. Operating procedures for the retort were outlined, and results of the first experimental run of the retort, a 24-day period were given. Comparison of results of this retort with smaller ones.

Harbaugh, J. W. See Smith, J. W. 01932

00969 Hard, E. W.
Black shale deposition in central New York: Am. Assoc. Pet. Geol. Bull., Vol. 15, p. 165-181, 1931.
Describes probably manner of development for typical Paleozic shales and reviews current theories of black shale deposition. Believes Upper Devonian bituminous shales of New York to be relatively shallow water deposits. Bituminous content directly related to type of organic material. (Hoover, 1960).

00970 Hardin, George C., Jr.
Exploration and development of natural gas resources, 1970-75: in Future Energy Outlook, Colo. Sch. Mines, A., Vol. 68, No. 2, p. 47-57, illus. (incl. sketch map), 1973.
A summary of our natural gas shortage and what can be done about it. Discusses pricing regulation, incentives and dis-incentives for drilling, and statements regarding alternative future gas sources. Suggests more onshore and offshore drilling could help.

00971 Hardin George C., Jr.
Outlook for nuclear fuels: in Future Energy Outlook, Colo. Sch. Mines, Q., Vol. 68, No. 2, p. 163-177, illus. (incl. sketch map), 1973.
Forecasts the U. S. need for greater amounts of uranium ore to be mined, expecially for use in the generation of electricity. Maps of uranium districts in the U. S. and Canada, and the normal occurrence of uranium in sediments and ground water. Processing of uranium and future use of nuclear fuels and their impact on the energy market.

00972 Hardy, M. P.; Agapito, J. F. T.; Page, J.
Roof design considerations in underground oil shale mining: Symp. Rock Mech., Proc., No. 19, Vol. 1, p. 370-377, illus. incl. table, 1978.

00973 Harper, L. F.
Annual report of the Geological Survey Branch: by M. Morrison and E. J. Kenny on Wollar oil shale (p. 80-91), on Barigan oil shale (p. 81-82): New South Wales, Dept. Mines Ann. Rept. 1933.

00974 Harper, L. F.
Annual report of the Geological Survey Branch: by M. Morrison and E. J. Kenney on the Baerami-Widdin oil shale deposits (p. 82-86); New South Wales, Dept. Mines, Ann. Report, 1932.

Harris, L. D. See Harris, Anita G. 00975

00975 Harris, Anita G.; Harris, L. D.; Epstein, J. B.
Oil and gas data from Paleozoic rocks in the Appalachian Basin: Maps for Assessing Hydrocarbon Potential and Thermal Maturity (Conodont Color Alteration Isograds and Overburden Isopachs). USGS Mics. Invest. Ser. Map I-917-E.
Four maps showing use of Conodont color to measure organic diagenesis and thermal maturity. These two properties are important determinants in finding hydrocarbon deposits. Isopachs are shown divided into time periods.

00976 Harris, L. D.; DeWitt, W.; Colton, G. W.
What are possible stratigraphic controls for gas fields in Eastern black shale: Oil and Gas J., p. 162-165, April 3, 1978.
Isopachs of black shale facies in eastern U. S. is given. Depositional history of differing black shale belts studied. Discussion of western (Ky., Ohio, W. Va.) Black Shale Belt and the gas producing Big Sandy Field. Possibilities of production of gas in Eastern Black Shale Belt due to structural traps, not thicker beds.

00977 Harris, J. r.; Esarey, R. E.
Structural conditions, pt. 2 of the Devonian Formations of Indiana: Ind. Div. of Geol., 32 p., 1941.
Includes cross-sections, generalized stratigraphic sections, structure contour maps (many are of oil fields).

00978 Harrison, W. E.
Laboratory graphitization of a modern estuarine kerogen: Geochim. Cosmochim. Acta, Vol. 40, No. 2, p. 247-248,

illus. (incl. table), 1976.
Analysis of pyrolysis tests to determine the thermal effects of a modern kerogen. X-ray diffraction tests were used to find the enhancement of crystallization.

00979 Hartley, Fred L.; Brinegar, Claude S.
Oil shale and bituminous sand: Sci. Monthly, Vol. 84, No. 6, p. 275-289, illus., June, 1957. Also presented at Energy Resources Conf., Denver, Colo., 1956.

00980 Harton, E. E.
Bibliography of investment and operating costs for chemical and petroleum plants: Supplement 2 (July 1952-June 1954): U. S. Bur. of Mines Inform. Circ. 7751, 127 p., 1956.
A bibliography for items written about the economics of chemical or petroleum plants was prepared for the period 1952-1954 to supplement two earlier publications. Annotations are given. It was hoped that these bibliographies may aid in estimating and operating costs of manufactured synthetic fuels.

00981 Harton, E. E.; Tisot, P. R.
Supplemental bibliography of investment and operating costs for chemical and petroleum plants: U. S. Bur. of Mines Inform. Circ. 7705, 67 p., 1955. (Supplement to Inform. Circ. 7516).
A bibliography for items written about the economics of chemical and petroleum plants was prepared for the period 1948-1952 to supplement an earlier publciation. One or two sentence annotations are given. It was hoped that these bibliographies may aid in estimating investment and operating cost of manufactured synthetic fuels.

Harvey, R. D. See Hansman, Mary 00965

00982 Harwood, Robert J.
Oil and gas generation by laboratory pyrolysis of kerogen. Am. Assoc. Pet. Geol., Bull., Vol. 61, No. 12, p. 2082-2102, 1977.
Discussion of pyrolysis tests conducted on mineral-free kerogens to determine under what conditions and what compositions liquid hydrocarbons rather than gas hydrocarbons occurred. Samples of kerogen from various localities in the U. S. and Ecuador were used. Included is a chemical evaluation of the products.

00983 Hass, W. H.
Age and correlation of the Chattanooga Shale and Maury Formation: U. S. G. S. Prof. Paper 286, 47 p., 5 pls., 1 fig., 8 tables, 1956.
Correlates the black shales by presence of conodonts. Reviews the correlations of Ohio Shale with Chattanooga.

Regards Chattanooga Shale as Late Devonian, though the oldest beds of the formation could be late Middle Devonian. Maury Shale is Mississippian (Kinderhook and possible Osage)(Hoover, 1960).

00984 Hassan, M.
The use of radioelements in diagenetical studies of shale and carbonate sediments: in Petrographie de la matiete organique des sediments, relations avec la paleotemperature et le potentiel petrolier, p. 173-186 (incl. French sum.), illus., C. N. R. S., Paris, France, 1975.
Shale and carbonate samples from Europe and Africa were studied to determine diagenetic changes affecting geochemistry of the sediment. Mobility and association of three naturally radioactive elements (uranium, thorium, and potassium) is examined.

00985 Hasson, Kenneth O.
Stratigraphic distribution of Devonian Harrell Shale fauna: Geol. Soc. of Am. Abs. Programs. 1978 Ann. Mtg. Vol. 10, No. 7, p. 417, 1978.
Analysis of the relationship between faunal distribution and lithic subdisivions of the Harrell Shale definite stratigraphic control of the Harrell fauna. Results of study are interpreted to represent faunal reaction to increased silt and shallowing of waters as the Brallier silts and muds prograded westward.

00987 Hasson, Kenneth O.; Dennison, John M.
Relation of type Millboro Shale in Virginia to Romney Group (Devonian) of West Virginia and Maryland (abs.): Geol. Soc. Am. Spec. Paper 115, p. 476-477, 1968.
An attempt at stratigraphic correlation of the Millboro shale, a black shale, to sections west and northwest of its Virginia type locality. Classification of names given to formations of the area.

00987 Hattin, Donald E.
Stratigraphy of the Carlisle Shale (Upper Cretaceous) in Kansas: Kansas State Geol. Surv. Bull., Vol. 56, 155 p., 1962.
Comprehensive stratigraphy plus reconstruction of depositional environment and paleogeography. The Carlisle and its equivalents (Colorado, Cody, Benton and Mancos) are believed to represent the regressive half of the first major late Cretaceous cycle in the Western Interior region. Useful as a model.

00988 Hattin, Donald E.
Stratigraphy of the Graneros Shale (Upper Cretaceous) in central Kansas: Kansas State Geol. Surv. Bull., Vol. 178, 83 p., 1965.
A careful, fully integrated and comprehensive

stratigraphic study of a thin (70m), but very widespread, shale extending from Arizona to southern Canada and beyond. Discussion of its paleontology, tracks and trails, petrology, paleoecology and provenance plus paleogeography all nicely summarized in ten conclusions. More shales need to be studied in this manner. Compare with Davis (1970), Pelzer (1966), and Gill, et al. (1972).

Haug, Patricia A. See Burlingame, A. L. 00309

Haug, P. See Simoneit, B. R. 01897

00989 Haug, Pat; Schnoes, H. K.; Burlingame, A. L.
Isoprenoid and dicarboxylic acids isolated from Colorado Green River shale (Eocene): Science, Vol. 158, No. 3802, p. 772-773, illus., 1967.
Reported is isolation of the C_9 and C_{10} isporenoid carboxylic acids, the C_{12} to $C_{18}2$, W-dicarboxylic acids, and 2-methyl 1, n-dicarboxylic acids for organic extract of the Colo. Green River Shale. (From abstract)

00990 Haught, Oscar L.
Devonian Shale Gas in west Virginia: Dallas, Am. Pet. Inst. Div. of Production, 1958. 4 p., map, table. Paper 826-29-G. For presentation at Spring mtg. of Eastern Dist., A. P. I. Div. of Div. of Production, Columbus, Ohio, May 7-9, 1958.

Haum, John D. See Murray, Keith D. 01501

00991 Hawkes, H. E.
Exploration geochemistry bibliography, period January 1972 to December 1975; Assoc. of Exploration Geochemists, Spec. Vol., No. 5, 1975.

00992 Hawley, James E.
Generation of oil in rocks by shearing pressures; I, The problems - methods of determining the soluble organic content of oil shales: Am. Assoc. Pet. Geol. Bull., Vol. 13, No. 2, p. 303-328, 1 figs., April 1929; II, Effects of shearing pressures on oil shales and oil bearing rocks: Am. Assoc. Pet. Geol. Bull., Vol. 13, No. 4, p. 329-365, 8 figs., April 1929; III, Further effects of high shearing pressures on oil shales: Am. Assoc. Pet. Geol. Bull., Vol. 14, No. 4, p. 451-481, 3 figs., April 1930.
Hawley-Part 1
Description of tests to determine the soluble organic content of oil shales. Also gives results of tests on oxidation of organic matter in oil shales, and

extraction of oil shales from Colorado.
Hawley-Part 2
Oil shales from Colorado, Kentucky, and other locales subjected to high shearing pressures of varying intensity to determine if this had any effect on oil yield. Tests described and results presented in tables. There was some mention of testing apparatus.
Hawley-Part 3
Test results, procedure, and description similar to those of Parts 1 and 2, but Indiana oil shale and Kentucky cannel coal also tested. Results conclude shearing pressure tests all failed to generate oil, but show that more soluble organic matter may be extracted from sheared than unsheared specimens.

Haworth, G. R. See Zambas, P. G. 02390

00993 Haynes, Donald D.; Hackman, R. J.
Geology, structure, and uranium deposits of the Marble Canyon Quadrangel (1° 2°), Arizona: U. S. Geol. Surv. Misc. Invest. Map I-1003, 1978.
Geologic map of Marble Canyon section, northeastern Arizona. Section is 1°2°. Brief description of exposed formations on Sheet 2.

Hazek, N. M. T. See Shazly, E. M. 01885

Heacock, R. L. See Hood, A. 01025

00994 Heady, H. H.
Differential thermal study of Colorado oil shale: Am. Mineral., Vol. 37, p. 804-811, 1952.
This investigation concerns an application of differential thermal analysis to Colorado oil shale. Its purpose was to determine in any mineral constituents, espec. clays, could be identified in the oil shale and to determine the types of thermal reactions taking place during pyrolyses of the organic constituent of the shale. (From abstract)

Heady, H. H. See Hubbard, A. B. 01046

Heady, H. H. See Jacobson, I. A. 01100

Heady, H. H. See Robinson, W. E. 01762

Heady, H. H. See Smith, H. N. 01913

00995 Heady, H. H.; Adams, L. G.; Dinneen, G. U.
Composition of naphtha from hydrogenation of gas-combustion

shale oil: U. S. Bur. of Mines Rept. of Invest. 5662, 12 p., 1960.
This report describes the composition of a naptha produced by retorting of Colorado oil shale. Paraffins, cycloparaffins, aromatics, and olefins were identified from analyses of 105 narrow-boiling distillation fractions. Character of these major groups is cited.

00996 Heald, D. C.; Ayres, Eugene
Our reserves of coal and shale, in Our Oil Resources, Fanning, ed., p. 157-209, 3 figs., index maps, 1945.
The oil shale resource locations, richness, reserves, and availability are discussed. Yields of oil shale, production costs, initial investments, and manpower have to do with the economics of development.

Heald, M. T. See Donaldson, A. C. 00671

00997 Heckel, P. H.
Origin of phosphatic black shale facies in Pennsylvanian cyclothems of midcontinent North America: Am. Assoc. Pet. Geol., Bull., Vol. 61, No. 7, p. 1045-1068, 1977.
Cyclothems are the reasons for Upper Penn. facies. Phosphatic black shale explained by the fact that oceance were deep enough to develop thermoclines. This prevented oxidation. Continental and regional depositional models are presented, as well as paleontological data.

00998 Hedberg, H.
Mud and methane: in Geological Principles of World Oil Occurrence: Natl. Conf. Earth Sci., (Pap.)(Alberta Univ.), Vol. 1974, p. 61-69, 1975.

00999 Hedberg, Hollis D.
Relation of methane generation to uncompacted shales, shale diapirs, and mud volcanoes: Am. Assoc. Pet. Geol., Bull., Vol. 58, No. 4, p. 661-673, illus., 1974.
Discusses how and why through biochemical processes organic matter can be broken down in to methane. Illustrates how this methane can become trapped in normal sedimentation processes. Relates this situation in shale diapirs and mud volcanoes to petroleum exploration.

01000 Hedling, William G.; Folley, John D., Jr.
Standardization of continuous minor control configurations: U. S. Bur. of Mines OFR-25-72, 24 p. ($3, NTIS), 1972.
From compiled data, a tentative standardized continous minor control configuration was designed with applicable principles and guidelines of human engineering factors.

01001 Heling, D.
Micro-fabrics of shales and their rearrangement by compaction: Sedimentology, Vol. 15, p. 247-260, 1970.
The best paper to date on shale fabric. Grain-size distribution, total porosity, pore-size distribution, (by mercury porosimetry) and specific surface area (by BET sorptometry, were measured. Down to 1000m, these properties are controlled only by compaction, but below this zone recrystallization effects become important.

Heller, S. See Bil-Av, E. 00893

01002 Hemmer, A.
Informe geologico sobre el terciaro con esquitos nituminosos en la region del curso superior del rio Queuco (prov. Bio-Bio, departmento de la Laja): Bol. Mines y Petrol., Santiago de Chile, t. 5, No. 48, p. 311-328, 2 figs., J1'35. Tertiary oil shales near Queco River.

Henderson, J. W. See Swann, D. H. 02047

Henderson, R. A. See Arnold, G. O. 00055

01003 Hendrickson, Thomas A.
Oil shale processing methods: in Oil shale symposium, 7th Proceedings, Colo. Sch. Mines, Q., Vol. 69, No. 2, p. 45-69, illus. (incl. sketch map), 1974.
Rough description of different oil shale processing methods, including Fischer Assay, NTU method, gas combustion method, Union oil process, TOSCO 2 process, Lurgi-Ruhrgas process, Paraho demonstration project, and Petrosix process. Tables, pictures, and diagrams for these processes are shown.

01004 Henderickson, Thomas A.
Synthetic fuels data handbook: Cameron Eng. Inc., 308 p., illus., Denver, Colorado, 1975.

01005 Hendron, A. J., Jr.; Mesri, G.; Camlde, J. C.
Compressibility characteristics of shales measured by laboratory and in situ tests, in Determination of the in Situ Modulus of Deformation of Rock (Symposium, ASTM, Winter Mtg., Denver, Colo., 1969): Am. Soc. Testing and Materials Spec. Tech. Pub. 477, p. 137-153, illus., table, 1970.

01006 Herbosch, A.
Facteurs controlant la distribution des éléments dans les shales uranifères du bassin Permien de Lodeve

(Herault), France, in Athens, Greece 6-10 May 1974: Internat. Atomic Energy Agency STI/PUB/374, p. 359-380, with discussion ($38, UNIPUB, Inc., P. O. Box 433, Murray Hill Station, New York, N. Y. 10016)(English abstract), 1974.

Petrographic, chemical, and minerological studies on one hundred samples determine the composition of this bituminous "pelite". Fundamental geologic processes, a heavy metal anomaly, presence of fine organic matter, and low temperature formation of recent minerals leads to reconstruction of the sedimentation medium and paleogeographic environment. Environs of higher uranium deposition outlined.

01007 Heron, S. Duncan, Jr.; Johnson, Henry S., Jr. Radioactive mineral resources of South Carolina: South Carolina Div. Geol. Misc. Rept. MR-4, 4 p., illus., 1969.

Hess, Frank D. See Marx, Paul C. 01400

01008 Hess, Reinhard
Turbiditic and non-turbiditic mudstone of Cretaceous Flysch Sections of the East Alps and other basins.: Sedimentology, Vol. 22, p. 387-416, 1975.

Comprehensive criteria in Table 3 to differentiate between turbidite and non-turbidits mudstones in Mesozoic and Cenozoic turbidite basins. Significant because many thick basinal shales are associated with distal turbidities. To what extent can these and related criteria be applied to differentiate subenvironments of mudstones in non-turbidite basins?

01009 Hevia, Torcuato; Zalona, Manual
Pizarras bituminosas de la sierra de Bodes, provincia de Oviedo: Spain, Inst. Geol. y Min., Notas y Com., No. 12, p. 169-175, illus. (incl. geol. sketch map), 1944. Cretaceous oil shale in Spain.

01010 Hickman, R. C.; Lynch, V. J.
Chattanooga Shale investigations: U. S. Bur. of Mines RI-6932, 55 p. (free, Publications Distribution Brand, U. S. Bureau of Mines - USBM), 4800 Forbes Avenue, Pittsburg, Pennsylvania 15213), 1967.

Investigations were conducted on the Chattanooga Shale in Tennessee to determine if it is a potential source of uranium or oil. Core drillings from 72 holes proved the resources are not now economically comparable to those in western states. Complete data on each hole is given.

Hicks, W. G. See Musgrave, A. W. 01505

Higa, J. A. See Kim, K. E. 01187

01011 Hizazy, R. A.; Hussein, H. A. M.
Remarks on the uranium contents of some black shales and phosphates from Kesseir and Safage: Egyptian Acad. Sciences Proc., Vol. 11, p. 63-66, 1955.

01012 Hill, H. H.
Oil from shale: Proc. World Power Conf., London, Vol. 1, p. 753-762, Sept. 24-Oct. 6, 1928.

01013 Hill, Harry H.
Shale and the production of oil from shale: Fuel Conference (World Power Conference, London, 1928), Trans., Vol. 1, p. 753-762, 1929.

Hill, H. H. See Gavin, M. J. 00874

01014 Hills, I. R.; Whitehead, E. V.
An optically active triterpane, gammacerane in Green River, Colorado oil shale bitumen: Chem. Comm. (London), No. 20, p. 752-754, Oct. 19, 1966.
These experimental results confirm the identity of the hydrocarbon Kr 62-148 as gammacerane in Green River, Colorado oil shale bitumen.

Hiser, A. L. See Estep, Patricia, A. 00765

01015 Hitchon, B.; Holloway, L. R.; Bayliss, P.
Formation of ralstonite during low-temperature acid digestion of shales: Can. Mineral., Vol. 14, Part 3, p. 39;-392, 1976, Alberta Res. Counc.; Contrib. No. 772.
Discussion of treatment of shales containing kerogen from western Canada with acid that yields ralstonite. This is determined from X-ray diffraction and infrared spectral analysis. Methods of other workers in producing ralstonite are cited.

01016 Hite, Robert J.; Dyni, John R.
Potantial resources of dawsonite and nahcolite in the Piceance Creek Basin, northwest Colorado, in Symposium on Oil Shale, 4th: Colo. Sch. Mines, Q., Vol. 62, No. 3, p. 25-38, illus., 1967.
Areas of Green River Formation in Piceance Creek Basin that contain two potential economic by-products of oil shale in the area are discussed. Stratigraphy and geochemistry of the area are presented. Economics of mining dawsonite and nahcolite are outlined.

Hiteschue, R. W. See Clarke, E. L.

01017 Hixon, Hiram W.
Hydrocarbon veindikes and oil shales: Eng. and Mining J. -Press, Vol. 119, No. 16, p. 653, April 18, 1925.
This 1925 letter to the editor discusses the origin of hydrocarbon veindikes and oil shales.

01018 Hlavin, W. J.
Biostratigraphy of the Late Devonian black shales on the cratonal margin of the Appalachian Geosyncline: Ph. D. theses, Boston Univ., 211 p.: Abs. No. 76-21, 285, Diss. Abs. Int., Sect. B, Vol. 37, p. 1150-B, Spet. 1976.
Paleoenvironmental analysis, faunal lists. Correlation with Eurpoean Standard Section. Black shale lithosome considered time-transgressive; Devonian-Mississippian boundary higher in shales to east than in shales to west.

01019 Hochhalter, J. A.
Advanced stimulation systems applied to massive hydraulic fracturing; techniques and results: in The future supply of naturemade petroleum and gas; technical reports (Meyer, R. F.; editor), p. 723-729, illus., Pergamon Press, New York, N. Y., U. S. 1977.

01020 Hodgson, G. W.; Baker, B. L.; Peake, E.
The role of porphyrins in the goechemistry of petroleum with French abs., in Petroleum industry - General problems - World Petroleum Cong., 7th Mexico, 1967, Proc. Vol. 9: London, Elsevier Publishing Co., p. 117-128, illus., tables, 1967.

01021 Hoering T. C.
The extractable organic matter in Precambrian rocks and the problem of contamination: in Geochemistry and the Origin of Life, Vol. 14, p. 297-300, illus., (incl. table), Dowden, Hutchison & Ross, Inc., Stroudsburg, Pa., United States, 1974, Reprint from Carnegie Inst. Washington, Yearbook 64, 1965.

01022 Hiering, T. C.; Abelson, P. H.
Saturated fatty acids from the oxidation of kerogen (abs.): Geol. Soc. Am. Spec Paper 101, p. 96, 1968.
Tests conducted on kerogan from recent to Precambrian age, including Freen River shale samples. Yields of carbon in saturated fatty acids were given.

01023 Holden, Roy Jay
Oil shale in Virginia (abs.): Geol. Soc. Am. Bull., Vol. 49, No. 12, pt. 2, p. 1950-1951, December 1, 1938.
Discussion of oil shale in the Romney Formation, which is unusually due to structural and metamorphic charac-

teristics. Little or no economic importance is given to this shale, but it could be connected to neighboring oil and gas deposits.

Holden, W. F. See Carlson, E. H. 00355

01024 Holland, F. R.
Some detailed sections of the New Albany Shale near North Vernon, Indiana: Cincinnati, Univ. of Cincinnati, 78 p., 15 pls., 14 figs., 1953.

Holland, H. D. See Rick, R. A. 01732

Hollingshead, R. D. See Nevens, Thomas D. 01556

Holloway, L. R. See Hitchon, B. 01015

Holmes, M. See Chancellor, R. E. 00406

01025 Hood, A.; Gutjahr, L. L. M.; Heacock, R. L.
Organic metamorphism and generation of petoleum: Am. Assoc. Pet. Geol., Bull., Vol. 59, No. 6, p. 986-996, 1975.
Discusses the 'Level of Organic Metamorphism Scale,' which measures the extent of thermal metamorphism or organic matter buried in sediments. Relates temperature and time to LOM in petroleum and gas gormation. Depths of two wells versus the maturity and LOM show how zones of hydrocarbon formation can be predicted. One well analysed was in Piceance Creek Basin in Colo.

Hooker, V. See Rajaram, V. 01698

01026 Hoots, Harold W.
Oil shale in a producing oil field in California: U. S. Geol. Surv. Prof. Paper 154, p. 171-173, 1 pls., March 20, 1929.
General account of oil shale taken from cores at south end of San Joaquin Valley, Cal. Richness and microscopic examination are summarized. Stratigraphic relations of oil shale to nearby oil producing zones are presented.

01027 Hoover, K. V.
Devonian - Mississippian shale sequence in Ohio: Ohio Div. of Geol. Surv., Inform. Circ., No. 27, 154 p., 3 pls., 1960.
Extensive study of Devonian-Mississippian shales in Ohio. Discusses stratigraphy, paleoecology, paleogeography, structure, sedimentary structures, geochemistry, and economic geology. Includes

generalized stratigraphic column, cross-section, structure maps, isopach maps. Extensive annotated bibliography of Ohio black shales and correlative units.

01028 Hoover, L.
The coal and oil shale research programs of the U. S. Geol. Surv.: Explor. Econ. Pet. Ind., Vol. 13 (New ideas, new methods, new developments), p. 159-174, 1975.

01029 Hoover, W. F.
Correlation of subsurface Devonian of Sandoval Pool. Marion County, Illinois, with Devonian outcrop of southwestern Illinois: Am. Assoc. Pet. Geol. Bull., Vol. 28, No. 10, p. 1528-1542, 1944.
Brief mention of New Albany Shale (considered Mississippian). Generalized stratigraphic sections.

Hopkins, C. B. See Carpenter, H. C. 00365

Hopkins, C. B., Jr., See Frost, C. M. 00831

Hopkins, M. E. See Ostrom, M. E. 01595

Horne, J. W. See Finley, W. L. 00797

Horne, J. W. See Tisot, P. R. 02108

01030 Horne, J. W.; Bauer, A. D.
Comparison of oils derived from coal and from oil shale: U. S. Bur. of Mines, Rept. of Invest. 2832, 34 p., 1927.
Properties and yields of oil shale, lignite, and sub-bituminous coal were compared to see if their yeild of crude oil and tar was different from typical oil shales, and the yield of naptha would be suitable for use in motor fuels. The coals were subjected to conditions similar to those of oil shale retorting. Complete locations of the samples and results of experiments are given.

01031 Horne, J. W.; Shirley, W. B.
Apparatus for determination of hydrogen sulfide in gases: U. S. Bur. of Mines Rept. of Invest. 3135, 6 p., 1931.
"This paper deals with the apparatus and method used in determining the amount of hydrogen sulfide evolved in the laboratory experimental cracking stills." (author) The gas is extracted after the cracking of crude shale oil.

01032 Horne, J. W.; Tisot, P. R.
Recovery of waxes from shale oil: U. S. Patent 2,642, 380, June 16, 1953.
The patent is a method for recovery of paraffinic and olefinic waxes of high melting point from the oil of oil shale. Flow diagram for the process is shown. (Note: See Klosky for all oil shale patents through 1959.)

01033 Hoskin, Aurthur Joseph
The oil shale industry (northwestern Colorado): M. Sc. Press, Vol. 116, p. 509-516, 1918.

Hoskins, J. H. See Cross, A. T. 00550

01034 Hoskins, J. H.; Cross, A. T.
Petrifaction flora of the Devonian - Mississippian black shale: The Paleobotanist (Birbal Sahni Memorial volume), Vol. 1, p. 215-238, 1951.
An analysis of the longer ranging components of the petrification flora occurring in the upper part of the New Albany-Ohio black shale of East-central interior region of the United States. Clarifies the general character of the flora and determines the possible stratigraphic significance (Hoover, 1960).

Hoskins, W. N. See Abel, J. F. 00001

01035 Hoskins, W. N.; Upadhyay, R. P.; Bills, J. B.; et al.
A technical and economic study of candidate underground mining systems for deep, thick oil shale deposits: Colo. Sch. Mines, Q., Vol. 71, No. 4, (Proceedings of the Ninth Oil Shale symposium), p. 199-234, illus. (incl. table, sketch map), 1976.
Results of first phase of study of Cameron Engineering of technical and economic feasibility of mining Colorado oil shales. Short descriptions of resources, hydrology, geology, and physical properties of the Green River shales in this basin. Outlines and illustrates four mining methods recommended to the U. S. Bureau of Mines.

01036 Houthton, A. S.; Farris, Clifford B.
Oil shale research: Mines Mag., Vol. 56, No. 1, p. 10-20, illus., 1966.
This article deals with research conducted on Colorado oil shale in the Green River Formation being done by the Colorado School of Mines. The subjects being studied are: 1) oil shale assaying, 2) organic metal complexes in oil shale, 3) continuous oil shale retorting. (From p. 10) Includes illustrations.

01037 Houghton, A. Sherrill; Howe, W. Warren
Organic metal complexes in the Uinta Basin (with Spanish abs.), in Drilling and production - World Petroleum Cong., 7th, Mexico, 1967, Proc., Vol. 3: London, Elsevier Publishing Co., p. 703-705, tables, 1967.

Howe, W. Warren See Houghton, A. Sherrill 01037

Hower, J. See Perry, E. 01629

Hoyer, W. A. See Kern, J. W. 01170

01038 Hradil, Guido
Die olschiefer Tirols: Ieipzig, J. A. Barth, 121 p., 1930.

Hradil, Guido See Dhéré, Charles 00636

01039 Hradi, Guido (and Felix Almasy)
Ueber den chemischen Bestand des Oelschiefer bitumens von Meride im Kanton Tessin: Schweizer. Miner. U. Petrogr. Mitt. Bd. 18, p. 451-459, 4 figs., 1 pls., 1938. Chemistry of oil shales of Meride, Ticino, Switzerland.

Hryniewiecka, Anna See Backleda, Tadeusz 00072

01040 Hubbard, Arnold B.
Automated modified Fischer retorts for assaying oil shale and bituminous materials: Bur. of Mines Rept. of Invest. 6676, U. S. Dept. of the Interior. Bur. of Mines, 19 p., illus., 1965.
This report describes an improved and more efficient procedure devised by the Bureau of Mines for assaying large numbers of oil shale samples and other bituminous materials by the modified Fischer retort method. The standard Fischer assay method was automated by automatically controlling the heating cycles of a battery of 12 electric heaters with electronic controllers and programmers. The condensers were cooled with a modified automatically controlled refrigeration bath. Includes numerous photographs, sketchs and diagrams of the 12 retort units. necessary control instruments, and refrigeration bath.

01041 Hubbard, A. B.
Method of reclaiming waste water from oil-shale processing: A. C. S. Preprints, Div. Fuel Chem., Vol. 15, No. 1, p. 21-24, 1971.
Described in this paper is a procedure for reclaiming the waste water from oil-shale processing. This procedure successively removes the components stepwise to allow the effluent from any step to be converted for plant use in cases where further surification may not be needed.

01042 Hubbard, Arnold B.
Oil shale assay method for product balance studies: Fuel, Vol. 41, No. 1, p. 49-54, illus., tables, 1962.
Describes the advantages of refined assay method for product balance studies materials, developed to assist in the evaulation of the large oil-shale deposits of Colorado, Utah, and Wyoming. (From abstract)

Hubbard, Arnold B. See Robinson, W. E. 01763

Hubbard, A. B. See Robinson, W. E. 01762

01043 Hubbard, A. B.; Fester, J. I.
Hydrogenolysis of Colorado oil-shale kerogen: Chem. Eng. Data Series, Vol. 3, No. 1, p. 147-152, 1958.
This report describes the procedure used by the U. S. Bur. of Mines to degrade Colorado oil-shale kerogen into hydrogenolysis products, the yields of the soluble fractions obtained, and some of the products. (From intro.)

01044 Hubbard, A. B.; Fester, J. I.
A hydrogenolysis study of kerogen in Colorado oil shale: U. S. Bur. of Mines Rept. of Invest. 5458, 26 p., 1959.
This hydrogenolysis study gives information on the components of kerogen in Colorado oil shale and identifies and determines properties of the products. Physical and chemical procedures are described, and results and conclusions showed almost all of the kerogen could be converted to gas and soluble products by hydrogenolysis at temperature below normal retorting temperatures.

01045 Hubbard, A. B.; Robinson, W. E.
A thermal decomposition study of Colorado oil shale: U. S. Bur. of Mines Rept. of Invest. 4744, 24 p., 1950.
This article studies the thermal decomposition of the kerogen in three Colorado oil shales to gas, oil, and bitumen. Determination of specific reaction rates leads to an understanding of amount of decompostiion in a certain time with a given temperature range.

01046 Hubbard, A. B.; Smith, H. N.; Heady, H. H.
Method of concentrating kerogen in Colorado oil shale by treatment with acetic acid and gravity separation: U. S. Bur. of Mines Rept. of Invest. 4872, 8 p., 1952.
"This report describes a method of concentrating the insoluble organic material (kerogen) in a rich Colorado oil shale without any apparent alteration of its original chemical form" (Author). Treatment

involved using acetic acid to remove carbonates and a centrifuge to effect mechanical separation. Other methods of isolation are cited, and procedure, results of tests, and photomicrographs of fossils are presented.

01047 Hubbard, Rethel L.; Stanfield, K. E.
Determination of asphaltenes, oils and resins in asphalt: Anal. Chem., Vol. 20, p. 460-465, 1948.
A method is described for the quantitative determination of the 3 groups of constituents in petroleum and native asphalts. (From Author's Abstract) Includes many diagrams, figures, and tables.

01048 Hubbard, R. L.; Stanfield, K. E.; Kommes, W. C.
Andyrous alumina as adsorbent in constituent analysis of asphalt: Anal. Chem., Vol. 24, p. 1490-1491, 1952.
This work shows that, although a blend of alumina can be prepared that has similar adsorption characteristics to another alumina in analyses of a given asphalt, they may show different adsorption characteristics in analyses of a different asphalt type.

01049 Hubbert, M. K.; Willis, D. G.
Mechanics of hydraulic fracturing: Transactions of the Society of Petroleum Engineering AIME, Vol. 210, p. 153-168, 1957.
The fracturing of rocks by means of pressure applied in boreholes is examined theoretically. Includes explanation of techniques used, figures and illustrations.

01050 Hubscher, Jakob
Untersuchung sergebnisse uber die Olschiefer im Kanton Schaffhouson: Naturf. Ges. Schaffhausen, Mitt. Bd. 22, p. 153-160, 1948. Jurassic oil shale in Switzerland.

01051 Huc, A. Y.
Mise en evidence de provinces geochimiques dans les schistes bitumineux du Toarcian de l'est du bassin de Paris; Etude de la fraction organique soluble (Geochemical provinces revealed in Toarcien oil shales in the eastern Paris Basin; analysis of the soluble organic fraction): Inst. Fr. Pet., Rev., Vol. 31, No. 6, p. 933-953, illus. (incl. table, Geol. Sketch maps), 1976.

01052 Huddle, J. W.
Conodonts from the New Albany Shale of Indiana; Bull. Am. Paleo., Vol. 21, No. 72, 136 p., 13 pls., 2 figs., 1934.
Based on conodonts, New Albany Shale considered Devonian-Mississippian. Callixylon newberryi and

Devonian brachiopods indicate Devonian age to within 5 or 10 feet of top (after Hoover, 1960).

01053 Huddle, J. W.
Marine fossils from the top of the New Albany Shale of Indiana: Am. J. Sci., ser. 5, Vol. 25, p. 303-314, 1933.
Considers entire New Albany Shale Devonian based on brachiopods and gastropods. Some statements regarding regional correlation.

Huffman, C., Jr. See Descorouth, G. A. 00630

Huggins, C. W. See Jackson, J., Jr. 01087

01054 Huggins, Charles W.; Green, Thomas E.
Thermal decomposition of dawsonite: Am. Mineral., Vol. 58, p. 548-550, 1973.
X-ray diffraction, infrared spectroscopy, and thermal methods of analysis were used to resolve conflicting statements in the literature on the thermal decomposition of dawsonite. (From abstract)

01055 Huggins, Charles W.; Green, T. E.; Turner, T. L.
Evaluation of methods for determining nahcolite and dawsonite in oil shales: U. S. Bur. of Mines Rept. Invest. 7781, 21 p., 1973.
In this paper, the Bureau of Mines compared X-ray diffraction, infrared specteoscopy, thermal methods, and the Smith and Young method in determining the nahcolite and dawsonite content in oil shales. Methods are described and results of tests conducted by the Bureau of Mines are presented. A conclusion was reached by deciding the best methods of measuring content of the two minerals from Colorado, Wyoming, African and synthetic samples.

01056 Hull, Wm. A.; Guthrie, G.; Sipprelle, E. M.
Liquid fuels from oil shale: Ind. Eng. Chem., Vol. 43, p. 2-15, 1951.
This 1951 article describes oil shale, the history of shale oil recovery, the demonstration plant at Rifle, Colo. as well as the cruching, retorting and refining of shale oil. Includes diagrams, tables and graphs.

Humphrey, J. H. See Musser, W. N. 01506

01057 Huner, J.
Subsurface stratigraphy of the Devonian of western Illinois: B. S. thesis (unpub.), 19 p. (in Survey

open - file reports), 1934.
Brief mentions of Grassy Creek and Sweetland Creek Shale; Shown in generalized columnar section, cross sections.

Huner, J. See Workman, L. E. 02368

Hunt, John M. See Bell, Kenneth G. 00172

01058 Hunter, C. D.
Gas development, production, and estimated ultimate recovery of Devonian shale in eastern Kentucky: Kentucky Geol. Surv., ser. 10, Spec. Publ. 8, p. 21-29, 1964.
General veiw of development oil gas production in the Eastern Kentucky (Big Sandy and Ashland) gas fields. Petrographic analyses of components of black shale are given. Also discusses lithology and stratigraphic relations of area.

01059 Hunter, C. D.; Young, C. M.
Relationship of natural gas occurrence and productions in eastern Kentucky (Big Sandy gas field) to joints and fractures in Devonian bituminous shale: Am. Assoc. Pet. Geol. Bull., Vol. 37, No. 2, p. 282-299, 1953.
Discussion of mode of shale-gas occurrence in the producing fields of Eastern Kentucky. Deals primarily with-shooting, well performance, and production-rock-pressures.

Hurst, F. J. See Brown, K. B. 00294

Hussein, H. A. M. See Higazy, R. A. 01011

01060 Hutch, G. F.
Saskatshewan (Section F-G, Plate 6), in Stratigraphic cross section of Paleozoic rocks - Oklahoma to Saskatchewan: Am. Assoc. Pet. Geol. Cross Sec. Publ. 5, p. 16-18, illus., 1967.
Short articles separately written on stratigraphy of each state along a rough line from Oklahoma to Saskatchewa. Lithologies are briefly mentioned. There is little discussion of black shale sequences.

01061 Hyden, Harold J.; Danilchik, Walter
Uranium in some rocks of Pennsylvania age in Oklahoma, Kansas and Missouri: U. S. Geol. Surv. Bull. 1147-B, p. B1-B82 (out of print, but available through libraries), 1962.
Uranium and trace element contents of Pennsylvanian black shale and coal in these three states are measured by chemical and spectrographic analyses. Description of sample collecting localities with analytical data

given. The black shale studied included both phosphatic and carbonaceous varieties.

01062 Igo, H.; Koike, T.
On the base of the Devonian System in Japan: Jap. Acad., Proc., Vol. 51, No. 8, p. 653-658, illus. (incl. sketch map), 1975. Conodonts.

Ilic, B. See Vitorovic, D. 02259

01063 Il'ina, A. A.
O stadiyakh generatsii rasseyannoy nefti v organicheskom veshchestve osadochnykh porod (Stages in generation of petroleum dispersed in organic materials of sedimentary rocks): in Issledovaniya organicheskovo veshchestva sovremennykh i iskopayemykh osadkov (Vassoyevich, N. B., ed. et al.) p. 324-328, illus., Izd. Nauka, Moscow, U. S. S. R. 1976.

01064 Illinois State Geological Survey
Background materials for Symposium of Future Petroleum Potential of NPC REgion 9 (Illinois Basin, Cincinnati Arch, and Northern Part of Mississippian Embayment), 1971.

01065 Illinois Geological Survey - A. H. Bell
Oil resources and possibilities in Illinois: Ill. Geol. Surv., Ill. Pet. 72, 12 p., 1955.
Brief discussion of the Illinois oil industry, its present status, and the future outlook. Isopach map of the New Albany "black" shale, and state maps of oil and gas production and possibilities are diagrammed.

01066 Illinois Geological Survey - A. H. Bell
Subsurface structure of the Kinderhook New Albany Shale in central and southern Illinois: Ill. Geol. Surv. Rept. of Invest. 92, 13 p., 1943.
Principle structural features in Illinois, (anticlines, monoclines, atc.), are related to the Illinois Basin-Eastern Interior Basin area. Discusses relationship of oil production to structures in these basins. Geologic column for southern Illinois is presented.

01067 Illinois State Geological Survey
Symposium on Devonian stratigraphy, in Ill. Geol. Surv. Bull. 68, p. 89-222, 1944.
Series of papers presented by distinguished authorities dealing with the Devonian stratigraphic units of Illinois and surrounding states (Hoover, 1960).

01068 Institute of Gas Technology
Eastern oil shale, a new resource for clean fuels: Chicago, Ill., Institute of Gas Technology, 20 p., 1977.

01069 International Atomic Energy Agency
Comparative assessment of effectiveness of exploration methods; I. A. E. A., Panel Proc. Ser., p. 293-296, 1973.
Tabulations of the information received from 21 countries and 17 western states of the U. S. A. Responding to the question: "What prospecting method was principally responsible for the discoveries made".

01070 International Atomic Energy Agency
Exploration costs: in Uranium Exploration Methods; Panel Reports, I. A. E. A., Panel Proc. Ser., p. 297-299, 1973.

01071 International Atomic Energy Agency
Exploration for uranium ore deposits: Proceedings of a symposium, Vienna, 20 March - 2 April, 1976. Jointly organized by the IAEA and NEA(OECD).
Proceedings include: Exploration policy, Exploration techniques (gamma-rayspectometry, radon and geochemical surveys, non-raciometric geophysical methods, exploration drilling and logging), Case histories of recent exploration, Preliminary evaluation techniques, Research and development of exploration techniques, and Reports from the working groups.

01072 International Atomic Energy Agency
Formation of uranium ore deposits: Proceedings of a Symposium Athens, 6-10 May 1974, International Atomic Energy Agency, Vienna, 1974.
Papers on subjects related to the genesis and formation of uranium ore deposits including chemical and physical mechanisms in the formation of uranium, types of deposits, and the relation of metallogenic, tectonic, and zoning factors to the origin of uranium deposits.

01073 International Atomic Energy Agency
Future research and development: in Uranium exploration methods; Panel Proc. Ser., p. 301-304, 1973.

01074 International Atomic Energy Agency
General policy on future exploration requirements (with discussion): in Uranium exploration methods; Panel reports, I. A. E. A., Panel Proc. Ser., p. 253-256, 1973.

01075 International Atomic Energy Agency
The Oklo phenomenon: Proceedings of a Symposium, Libreville, 23-27, June 1975, International Atomic Energy Agency, Vienna, 1975.
Proceedings of a symposium including 40 papers covering geologic, geographic, physical, and geochemical aspects of the Oklo phenomenon.

01076 International Atomic Energy Agency
Policy of developing countries in regard to uranium exploration (with discussion): in Uranium Exploration Methods; Panel reports A. I. E. A., Panel Proc. Ser., p. 307-313, 1973.

01077 International Atomic Energy Agency
Prospects for uranium in apparently unpromising environments: in Uranium Exploration Methods; Panel reports, I. A. E. A., Panel Proc. Ser., p. 305-306, 1973.

01078 International Atomic Energy Agency
Survey of present methods: in Uranium Exploration Methods, Panel Proc. Ser., p. 257-291, illus., 1973.
Applications, advantages and limitations of existing methods and techniques in uranium exploration, taking into account geological environment, topography, climate, temperature, and cost.

01079 International Symposium on Hydrocarbon Exploration, Drilling, and Production Techniques, Paris, 1975.
Etat acteul et avenir de 1'industrie petroliere d'extraction: exploses presentes lors de le jounrnee d'iuverture ey la seance de cloture/Colloque international sur les techniques d'exploration et d'exploitation des hydrocarbures. Paris, 10-12 Decembee 1975; (organise par l;) Association de recherche sur les techniques de'exploitation du petrole, Comite d'etudes petrolieres marines. Paris: Editions Techniq, 1976, p. 187-258, illus., dist. in U. S. A. by S. M. P. F. Corp., New York.

01080 International Symposium on Hydrocarbon Exploration, Drilling, and Production Techniques, Paris, 1975.
Exploitation des gisements: methodes de recuperation assistee, techniques de production: Colloque international sur les techniques d'exploration et d'exploitation des hydrocarbures, Paris, 10-12 Dec. 1975. Association de rechche sur les techniques d'exploitation du petrole, Comite d'etudes petroliers marines. 275 p., illus., dist. in U. S. A. by S. M. P. F. Corp., New York.

01081 International Symposium on Hydrocarbon Exploration, Drilling, and Production Techniques, Paris, 1975.
Forage et production en mers profondes: forage, production,

transfert, evacuation: Colloque international sur les techniques e'dxploration et d'exploitation des hydrocarbures, Paris, 10-12 December 1975. Association de recherche sur les techniques d'exploitation du petrole, Comite d'etudes petrolieres marine. Paris: Technip, c1976, 150 p., illus., dist. in U. S. A. by S. M. P. E. Corp., New York.

Isof, V. See Papia, V. C. 01602

01082 Iovino, A. J.; Bradley, W. H.
The role of larval Chironomidae in the production of lacustrine copropel in Mud Lake, Marion County, Florida: Limnology and Oceanography, Vol. 14, No. 6, p. 898-905, illus., table, 1969.

Ishiwatari, M. See Ishiwatari, R. 01083

01083 Ishiwatari, R.; Ishiwatari, M.; Kaplan, I. R.
Thermal alteration of young kerogen in relation to petroleum genesis: Nature, Vol. 264, No. 5584, p. 347-349, illus., 1976.

01084 Ishiwatari, R.; Rohrback R. B.; Kaplan, I. R.
Hydrocarbon generation by thermal alteration of kerogen from different sediments. Am. Assoc. Pet. Geol., Bull., Vol. 62, No. 4, p. 687-692, (April, 1978).
A study of kerogen samples from recent sediments off the California coast and in the Gulf of California. Thermal alteration, simulating maturation, leads to different hydrocarbon potentials of the three sediments. The nature of chemical changes are described.

01085 Itkina, E. S.
Distribution of copper in sedimentary rocks of the oil bearing regions of Azerbaijan: Comptes Rendus (Doklady) de l'VRSS, Vol. 51, p. 43-46, 1946.
No relation between copper and carbon in rocks. Highest soil copper in red and yellow soils. Upper soil horizons higher in copper than lower. Soils and rocks have about the same copper. Quotes Arkhangeisky and Rozhkova saying that in bituminous shales there is a direct relationship between Cu. and C.

Itkina, Ye. S. See Gulyayeva, L. A. 00936

Ivanov, G. F. See Zefirov, A. P. 02391

Ivanov, V. V. See Poplavko, E. M. 01663

Ivanov, V. V. See Poplavko, Ye. M. 01664

01086 Jackson, D. Jr.
Hydrocarbons; energy crisis spotlights all fuel sources: Eng. Min. J., Vol. 175, No. 3, (105th annual review and outlook for mineral commodities; 1973-1974), p. 90-91, tables, 1974.

01087 Jackson, J., Jr.; Huggins, C. W.; Ampian. S. G.
Synthesis and characterization of dawsonite: U. S. Bur. of Mines Rept. of Invest. 7664, 14 p., 1972.
This article describes the synthesis of dawsonite which has crystallinity similar to the dawsonite found in the Piceance Creek basin oil shales. Optimum experimental conditions are given, and results of tests including infrared spectrophotometry, electron microscopy, and X-ray diffraction demonstrate the mineral's purity.

01088 Jackson, L. P.; Allbright, C. S.; Jensen, H. B.
Semimicro procedures for the determination of hydrocarbon types in shale-oil distillates: Anal. Chem., Vol. 46, No. 4, p. 604-607, April 1974.
This paper describes an anlytical procedure for the determination of hydrocarbon types in shale-oil distillate based on a new application of the reaction of olefins with diborone.

01089 Jackson, L. P.; Decora, A. W.
Kerogen constituents: Reduced chlorophyllin as a model for the precursors of nitrogenous compounds in shale oil: A. C. S. Preprints, Div. of Fuel Chem., Vol. 20 No. 2, p. 147-153, 1975. Also, 169th National Meeting, A. C. S., Philadelphia, PA, Apr. 6-11, 1975.
To elucidate the origin of nitrogenous compounds in shale oil, chlorophyllin, a plant pigment extract, and its reduced products were pyrolyzed. The types of nitrogen compounds in reduced-chlorophyllin pyrolysate were compared with the types in a light distillate. (From abstract)

01090 Jackson, L. P.; Decora, A. W.
Thermal reactions of shale-oil components: Plant pigments as probably precursors of nitrogenous compounds in shale oil: U. S. Bur. of Mines Rept. of Invest. 8081, 22 p., 1975.
Chlorophyllins were reduced and pyrolyzed to show if they had any relation to the nitrogen compounds found in the products of oil shale pyrolysis. Characterization of products of both chlorophyllin tests and oil shale distillates are shown. Results showed the reduced chlorophyllin represents a good model of shale kerogen.

01091 Jackson, L. P.; Poulson. R. E.; Spedding, T. J.
Characteristics and possible roles of various waters significant to in situ oil-shale processing: Colo. Sch. Mines, Q., Vol. 70, p. 105-134, Oct. 1975.
A study of water occurring as a result of retorting, and natural waters significant to oil shale processing, in the environment. Water quality and elemental analysis of samples from the Rock Springs in situ retorting area. Natural groundwaters in northern Green River Basin examined.

01092 Jackson, T. A.; Moore, C. B.
Secular variations in kerogen structure and carbon, nitrogen, and phosphorous concentrations in pre-Phanerozoic and PHanerozoic sedimentary rocks: Chem. Geol., Vol. 18, No. 2, p. 107-136, illus. (incl. tables), 1976.
A study in the variations in certain elemental components of differing age. Ratios of carbon (before pyrolysis), carbon (after pyrolysis), nitrogen, and phosphorus were measured. Theories advanced explaining why certain ratios may occur.

01093 Jacobson, I. A., Jr.
Thermal decomposition of organic nitrogen and sulfur compounds: U. S. Bur. of Mines Inform. Circ. 7947, 99 p., 1960.
Consists of references dealing with gaseous-state thermal decomposition reactions of organic nitrogen and sulfur compounds. (From abstract) Work was done in cooperation with the University of Wyoming.

01094 Jacobson, Irven A., Jr.
Thermal reaction of 1-methylindole: U. S. Bur. of Mines Rept. of Invest. 7529, 8 p., 1971.
The thermal reactions of 1-methylindole were studied in the temperature range of 525° to 627°C in a flow reactor. The work was done in cooperation with the University of Wyoming. (From Abstract)

Jacobson, I. A., Jr. See Burwell, Edward L. 00322

Jacobson, I. A. See Burwell, E. L. 00319

Jacobson, I. A., Jr. See Burwell, E. L. 00325

01095 Jacobson, I. A., Jr.; Burwell. E. L.
Effects of space velocity on quality and quantity of gas from oil-shale retorting: Laramie Energy Research Center/Rept. of Invest. 76/1, 17 p., 1976.

01096 Jacobson, I. A., Jr. Burwell, E. L.; Harak, A. E. Current developments in oil shale research at the Laramie Energy Research Center: Mono. on Alternate Fuel Resources, A. I. A. A., Vandenbergy Sec., Dr. Frank J. Hendel, ed., San Luis Obisop, Calif., Vol. 20, p. 211-215, July 1976.

01097 Jacobson, I. A.; Decora, A. W.; Cook, G. L. Retorting indexes for oil-shale pryolysis for ethylene-ethane ratios: A. C. S. Preprints, Div. of Fuel Chem., Vol. 19, No. 2, p. 183-191, 1974.
In a closely-controlled laboratory retorting system for oil shale, a relationship was developed between the temperature in the retort and the weight ratio of ethylene to ethane in the gases produced. (From abstract) A number, called the retorting index was defined from this relationship.

01098 Jacobson, I. A., Jr.; Decora, A. W.; Cook, G. L. Retorting indexes for oil shale pyrolyses from ethylene/ethane ratios of product gases: in Science and Technology of oil shale (Yen, T. F. editor), p. 103-114, tables, Ann Arbor Sci. Publ. Inc. Ann Arbor, Mich., United States, 1976. See also U. S. Bur. of Mines Rept. of Invest. 7921, 22 p., 1974.
Laboratory pyrolysis tests conducted on oil shales from three states are discussed. A parameter is developed for the comparison or control of the retorting process that is dependent on temperature. Application of this parameter to different types of retorts is explained.

01099 Jacobson, I. A., Jr.; Decora, A. W.; Cook, G. L.; et al. Retorting indexes for oil shale pyrolyses from ethylene/ethane ratios of product gases: Ann Arbor Sci. Publ. Inc., p. 103-114, 10 ref., tables, 1976.

01100 Jacobson, I. A.; Heady, H. H.; Dinneen, G. U. Thermal reactions of organic nitrogen compounds. I 1-methylpyrrole: J. Phys. Chem., Vol. 62, p. 1563-1565, 1958.
This investigation was part of a general study relating to the nitrogen compounds in Colorado shale oil. The present study was designed to obtain information that would be useful for correlation the structure of the organic matter in oil shale with the compounds found in retorted shale oil. (From p. 1563)

01101 Jacobson, I. A., Jr.; Jensen, H. B. Thermal reactions of organic nitrogen compounds: J. Phys. Chem., Vol. 66, p. 1245-1247, 1962.
This paper is the second coming from a continuing

study of the thermal reactions of compounds occurring in shale oil. 1-n-butylpyrrole was selected to obtain information on the thermal reactions of other alkylpyrroles.

01102 Jacobson, I. A., Jr.; Jensen, H. B.
Thermal reactions of organic nitrogen compounds. III 1-isopyrpylpyrrole: J. Phys. Chem. Vol. 68, p. 3068-3070, 1964.
This is the 3rd and final publication of a series dealing with the thermal reactions of alkypyrroles. (From p. 3068) To obtain information of the thermal reactions of other types al alkyl-substuted pyrroles, 1-isopropylpyrrole was selected as a representative branched-chain alkyl member. (From p. 3069)

01103 Jacobson, I. A., Jr.; Jensen, H. B.
Thermal reactions of shale-oil components; methylpyrroles, butylpyrroles, and isopropoylpyrroles: U. S. Bur. of Mines Rept. of Invest. 6720, 60 p., 1966.
This paper involves the organic chemistry of nitrogen compounds of thermal reactions of 1-methylpyrrole, 1-butylpyrrole and 1-isopropylpyrrole were conducted.

01104 Jaffe, Felix C.
Oil shale - Pt. 1, Nomenclature, uses, reserves and production: Colorado Sch. Mines Mineral Industries Bull., Vol. 5, No. 2, 11 p., illus., tables, 1962.

01105 Jakosky, J. J.
Uses of water in the oil-shale industry, with particular reference to engineering and sanitary requirements, with a chapter on the sanitation of oil-shale camps by A. L. Murray: U. S. Bur. of Mines Tech. Paper 324, 57 p., 1923.
Scottish mining, retorting, and refining are discussed with reference to use of water. Power and water requirements for selected American coal mines and oil refeineries are outlined. Water recovery from shales and types of purification of natural water in shale regions are discussed. The relations of domestic water supply to the oil shale mines are anlaysed and national and state regulations of water use and treatment are summarized.

01106 Jakosky, J. J.; Sibly. F. H.
Shale deposits of the United States rich in oil. Oil Gas J., Vol. 18, Nov. 7, 1919, p. 58, 60, 62-64.
Describes the types of oil shale nationwide, methods of recovery, and illustrates diagrams and pictures of retorts. Examines the commercial point of view in other countries already producing shale oil, and its future outlook in the U. S.

01107 Jambor, A.; Solti, G.
A Balaton-felvideken es a Kemenshaton felkutrtott gelsopannoniai olajpalaelofordulas fold tau; Viszonyai (The geology of the upper Pannonian oil shale deposit in the Beleton Highland and Kemeneshat, Bunantal, Hungary): Hung., Foelt. Intex., Evi Jef., Vol. 1974, p. 193-219 (incl. Eng. sum.), illus. (incl. sects., strat. col, geol. sketch maps), 1976.
Discussion of the geology of an area where a bright green oil shale was found in a volcanic sequence. Stratigraphic relations and paleontologic data are presented to prove that this material is much older that Pleistocene age. No mention of economic importance was made regarding this relatively thin layer.

01108 James, G. W.
Age and distribution of the Late Devonian Sweetland Creek Shale in western Illinois: B. S. thesis (unpub.), Univ. of Illinois, 1965.
Considers distribution, thickness, lithology, stratigraphic relations, conodont biostratigraphy. Includes isopach map, cross-section, lists of wells and cross-sections.

01109 James, Gerard W.
Stratigraphic geochemistry of a Pennsylvanian black shale (Excello) in the mid-continent and Illinois basin (abs.): Dissert. Abs. Internat., Sec. B, Sci. and Eng., Vol. 31, No. 6, p. 3481, 1970.

James, G. W. See Collinson, C. W. 00473

01110 James, Gerard W.; Baker, Donald R.
Organic geochemistry of a Pennsylvanian black shale (Excello) in the Midcontinent and the Illinois Basin: in Short papers on research in 1971, Kansas Geol. Surv., Bull., No. 204, Part 1, p. 3-10, illus. (incl. sketch maps), 1972. In Midcontinent: more extractable hydrocarbons and less organic carbon, diagensis.
Organic geochemical studies of the Excello shale in the Illinois Basin and the Kansas-Oklahoma area are compared with regard to extractable hydrocarbons and organic carbon. Geologic setting presented, and interpretations of results are summarized.

01111 Janssen, A. G.; Schierz, E. R.; Van Meter, R.
Isolation and identification of pyrrole and 2-methlo-pyrrole from shale oil: J. Am. Chem. Soc., Vol. 73, p. 4040-4041, 1951.
Pyrrole and 2-methylpyrrole, were isolated and identified from an oil prepared from Colorado oil shale. Includes explanation of experimental procedure.

01112 Jannssens, Adriaan, deWitt, Wallace, Jr.
Potential natural gas resources in the Devonian shales of Ohio; Ohio Div. of Geological Surv., Geol. Note No. 3, 12 p., 1976.
Stratigraphy, thickness of Devonian shales are discussed. Isopach maps of state are shown. Major radioactive zones of the Devonian shales are examined, along with gas production of the Devonian shale sequence. Related eastern Kentucky gas fields, which are also derived from Devonian shales.

01113 Jennings, J. K.; Leventhal, J. S.
A literature review of interaction of oxidized uranium species and uranium compleses with soluble organic matter: U. S. G. S. Open-File Report No. 78-179, 21 p., illus., 1978. Available from U. S. G. S. Open-Fiel Rept. Serv. Sect., Br. Distrib., Denver, Colo.

Jensen, H. B. See Dinneen, G. U. 00652

Jensen, H. B. See Duvall, J. J. 00721

Jensen, H. B. See Duvall, J. J. 00722

Jensen, H. B. See Frost, C. M. 00835

Jensen, H. B. See Frost, C. M. 00838

Jensen, H. B. See Frost, C. M. 00836

Jensen, H. B. See Frost, C. M. 00839

Jensen, H. B. See Jackson, L. P. 01088

Jensen, H. B. See Jacobson, I. A. 01101

Jensen, H. B. See Jacobson, I. A. 01102

Jensen, H. B. See Jacobson, I. A. 01103

Jensen, H. B. See Lessley, G. E. 01307

Jensen, H. B. See Morandi, J. R. 01470

Jensen, H. B. See Morandi, J. R. 01469

Jensen, H. B. See Poulson, R. E. 01671

Jensen, H. B. See Poulson, R. E. 01672

Jensen, H. B. See Poulson, R. E. 01669

Jensen, H. B. See Poulson, R. E. 01670

Jensen, H. B. See Poulson, R. E. 01668

Jensen, H. B. See Silver, H. F. 01895

Jensen, H. B. See Silver, H. F. 01894

Jensen, H. B. See Smith, E. B. 01912

Jensen, H. B. See Tihen, S. S. 02101

01114 Jensen, H. B.; Barnet, W. I.; Murphy, W. I. R.
Thermal solution and hydroganation of oil shale: U. S. Bur. of Mines Bull. 533, 42 p., 1953.
Thermal solution process was examined in depth with three units: a small batch autoclave, a seimcontinous unit, and a large continous unit. Results of experiments are presented and advantages and disadvantages weighed against a normal retort. A 159 source bibliography with abstracts on thermal solution process is cited at the end.

01115 Jensen, H. B. Morandi, J. R.; Cook, G. L.
Characterization of the saturates and olefins in shale-oil gas oil: A. C. S. Preprints, Div. of Pet. Chem., Vol. 13, No. 2, p. F98-F110, 1968.
Spectral and chemical methods were used to characterize the saturate and olefinic compounds in a Green River shale oil gas oil. The saturates comprise 16% of the gas oil and were shown to be 50% n-paraffins, 40% branched paraffins, and 10% cyclic naphthenes. (From abstract)

01116 Jensen, H. B.; Poulson, R. E.; Cook, G. L.
Characterization of a shale oil produced by in situ retorting: A. C. S. Preprints, Div. Fuel Chem., Vol. 15, No. 1, p. 113-121, 1971.
This paper reports on the chatacter of two oils produced by in situ combustion experiments. These oils will be compared with oils produced in experimental aboveground retorts that retort mine-run shale and with an oil produced in a commercial type aboveground retort that retorts crushed and screened shale of less than 4-inch size. (From Abstract)

01117 Jensen, James B.
Commerical and engineering aspects of the new oil shale industry of the western slope: Salt Lake City, Century Printing Co., 46 p., 1921.

01118 Jensen, J. B.
The aspect of petro-shales of the western slope (Colorado, Utah, and Wyoming): Am. Mining Congr., 23rd. Ann. Convention, Rept. of Proc; p. 532-550, 1921.

01119 Jillson, Willard Rouse
The geology of the oil shales of the eastern United States: 14th Internat. Geol. Congress, Spain, 1926, Compte Rendu fasc. 4, p. 2045-2052, 1928 (1929).
The decline in U. S. oil production is summarized. Stratigraphy and structure of eastern U. S. oil shales is presented. Oil and gas richness in the shale, along with total oil and gas reserves are discussed.

Johaus, R. T. See Miller, J. S. 01442

Johns, Earl See Fons, Llody 00814

Johnson, D. R. See Smith, J. W. 01937

Johnson, Donald R. See Smith, J. W. 01936

Johnson, D. R. See Smith, J. W. 01938

Johnson, D. R. See Smith, J. W. 01935

Johnson, D. R. See Smith, J. W. 01933

Johnson, Donald R. See Smith, J. W. 01934

01120 Johnson, Donald R.; Robb, William A.
Gaylussite: Thermal properties by simultaneous thermal analysis: Am. Mineral, Vol. 58, p. 778-784, 1973.
This paper briefly reviews the history of gaylussite and presents new data on the thermal properties of natural and synthetic gaylussite. (From intro.)

01121 Johnson, Donald R.; Smith, J. W.
Bureau of Mines apparatus for thermal analysis: simultaneous DTA-TG-EGA for oil shale and solid fuels: U. S. Bur. of Mines Rept. of Invest. 7429, 17 p., 1970.
This report describes an apparatus that can simultaneously to differental thermal analyses, thermogravimetric analyses, and evolved gas analyses. Explanation is made of how the apparatus works, and results of testing of two samples, nahcolite and a synthetic calcium compound are given. It was hoped that this may aid in finding complete knowledge of the thermal properties of oil shale.

01122 Johnson, D. R.; Smith, J. W.
Glass filter paper suspension of precipitates for liquid scintillation counting: Anal. Chem., Vol. 35, No. 12, p. 1991-1992, 1963.
This paper describes preparation method for scintillation counting. The most important features of this technique are the speed of preparation and elimination of sample handling steps.

01123 Johnson, Donald R., Smith, S. W.; Robb, W. A.
Thermal characteristics of shortite: U. S. Bur. of Mines Rept. of Invest. 7862, 9 p., 1974.

01124 Johnson, D. R.; Young, N. B.; Smith, J. W.
Thermal analysis on oil shale; determination of potential oil yields and dawsonite, nahcoline and nordstrandite content: Rept. No. LER C/RI-77/6, availabel from NTIS, Springfield, Va. 18 p., illus. (incl. tables), 1977.

01125 Johnson, Donald R.; Young, N. B. Robb, W. A.
Thermal characteristics of analcime and its effect on heat requirements for oil-shale retorting: Field, Vol. 54, p. 249-252, Oct. 1975.
This paper presents the determined thermal properties of a Green River Formation analcime from 25 to 600°C and discusses the possible effects of analcime on oil-shale processing. (From p. 249)

01126 Johnson, Gerald W.
Mineral resource development by the use of nuclear explosives: in Colo. Sch. Mines, 3rd symposium on rock mechanics: Colo. Sch. Mines, Q., Vol. 54, NO. 3, p. 319-331, illus., July, 1950.
Explosion sequence and cratering effects of nuclear blasts are discussed, along with a table outlining results of experimental nuclear tests. Application of nuclear explosions to recovery of oil shales, tar sands, and low grade ores are briefly outlined.

Johnson, Harry R. See Decora, Andrew 00611

Johnson, Henry S., Jr. See Xeron, S. Duncan, Jr. 01007

Johnson, R. D. See Nelson, S. J. 01552

01127 Jones, C. A.
A classification of uranium deposits in sedimentary rocks: in a preliminary classification of uranium deposits (Mickle, D. G., ed.), p. 1-15, illus., 1978. (Rept. No. GJBX-63(78)). Available from U. S. Dept. of Energy, Grand Junction office, Grand Junction, Colo.

01128 Jones, Daphne L.; Knauth, L. Paul
Oxygen isotopic evidence relevant to the origin of the Arkansas novaculite: Geol. Soc. of Am. Abs. Programs. 1978 Ann. Mtg. Vol. 10, No. 7, p. 430, 1978.
Outcrops of the Novaculite in Oklahoma are distinctly richer in 0 than are outcrops in Arkansas. The 0 -

rich western samples reveal well preserved early diagenetic textures while eastern localities localities display no evidence of such. Shallow deposition occurred in western areas with chert crystallization at lower isotopic temperatures than in the deeper eastern waters.

01129 Jones, J. B., Jr.
Gas-combustion retorting process: Presented before Ind. Bur. of Mines Oil-Shale Conf., Univ. Wyo. Summer Science Camp, Laramie, Wyo., Aug. 1954. Pub. in Minutes of Conf., U. S. Bur. of Mines Administrative Pub.

Jones, J. B. See Reeves, A. A. 01711

01130 Jones, J. C.
Suggestive evidence on the origin of petroleum and oil shale: Am. Assoc. Pet. Geol. Bull., Vol. 7, No. 1, p. 67-72, Jan. - Feb., 1923.
Description of a modern environment in Lake Lahanton, western Nevada. Suggests that, given enough time, consolidation of algae and sand deposits in this lake would yield oil shales. Relationships of origins of coal, oil, and oil shales are discussed.

01131 Jones, M. J. (ed.)
Geology, mining and extractive processing of uranium. An internat. symposium cosponsored by the Inst. of mining and metallurgy and the Commission of the European Communities, London, 1977.
Discussion of some worldwide uranium deposits and the rocks they are found in. Some methods of extraction used worldwide are presented. New exploration techniques and global reserves regarding uranium are cited.

01132 Jones, M. L.; Dennison, J. B.
Oriented fossils as paleocurrent indicators in Paleozoic lutites of southern Appalachians: J. Sed. Pet. Vol. 40, No. 2, p. 642-649, illus., 1970.
Paleocurrent study of a shale. First advocated by Ruedemann in the 1890's, this technique has very rarely been used in the regional analysis of a shale sequence. Includes consideration of paleocurrents in Chattanooga shale in northeastern Tennessee.

01133 Jukkola, E. E.
Thermal decomposition rates of carbonates in Green River oil shale: Ind. Eng. Chem., Vol. 45, p. 2711-2714, 1953.
Data on the extent and rate of the decomposition of the carbonates in 30-gallon-per-ton Green River oil shale, at various temperatures are essential in the

operations of retort for producing shale oil economically and are the subject of this papers. (From Abstract)

Jukkola, E. E. See Sohns, H. W. 01973

Jukkola, E. E. See Sohns, H. W. 01972

01134 Jung, Jean
Sur la presence de bogheads a Pila dans le bassin houiller du Reyran (Var): Soc. Geol. France C. R. Seances f. 12, p. 173-174, JE-21'37. Oil shales of the Reyran Basin, France.

01135 Kaarik, Kaljo
Determination of uranium, especially in shale and kolm: Helsinki, 1965. Reprinted from Suomen Kemistileti B 29 (1956) 1-2, 2 p.,

Kabrakchieva, M. See Vuchev, V. 02267

01136 Kaganovich, I. Z.; Tenno, K. L.
Ekonomikomatematicheskoye issledovaniye perspektiv energeticheskoye i teckhnologic heskogo ispol'zovaniya slantsa (Economic & mathematical studies on the possibilities of energy and technological development of shale): in Razrabotak i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 592-597, Izd. Valgus, Tallin Union of Soviet Socialist Republics, 1970.

01137 Kahn, J. S.
A proposal for an AEC in situ oil shale program, in Identification of research and development priorities and of costing problems associated with implementation of in situ recovery of shale oil: Rept. No. NSF-RA-N-75-001, p. 237-250, 1975.

Kaike, T. See Igo, H. 01062

01138 Kaikow, J.
Oil shales and tar sands in North America: in 21st International Geographic Congress, selected papers; Vol. 2, Economic geography, p. 164-166, Nat'l. Comm. Geogr., Calentta, India, 1970.

01139 Kaiser, W. R.
Delta cycles in the Middle Devonian of central Pennsylvania (abs.): Diss. Abstr. Int. Vol. 38, No. 11, p. 5349B, 1973.

01140 Kalcevic, V.; Lankford, J. D.
Pilot-plant operation of gas-flow oil-shale retort: U. S. Bur. of Mines Rept. of Invest. 5507, 34 p., 1959.
Summarized is the operation of the gas-flow retort

at the Bureau of Mines Rifle, Colo., plant, which used Mahogany Zone Green River shale. Oil yields, heat requirements, and properties of the recovered shale are given. Many figures compare variable factors such as heat flow, temperature, bed thickness versus oil yield and gas yield.

01141 Kaliuin, S. K.; Ponomarev, P. A.; Faya, E.
O Soderzhanii renya u nekoterykh geryuchikh slantsakh Kazakhstana (Rhenium content of some oil shales in Kazakhstana): Akad. Nauk Kaz. SSSR, Izd., Ser. Geol., No. 6, p. 40-50, illus. (incl. tables), 1974.

01142 Kalliokoski, J.
Uranium and thorium occurrences in Precambrian rocks, Upper Peninsula of Michigan and northern Wisconsin, with thought on other possible settings: Rept. No. GJBX-48, 294 p., 1976.

01143 Kamenov, B.; Panov, G.; Grigorov, G.
Geolozkha kharakteristika na bituminoznite skali ot nakhodishchata Krasova, Gurkova I Borov Dol (Geological characteristics of the bituminous rocks of the Krasava, Gurkovo and Borov Dol deposits): Neft. Vuglishchna Geol. Vol. 7, p. 5-15, (incl. Eng. sum.), tables, maps, 1977.
This article describes the Krassava, Gurkovo, and Borov Dol deposits as Paleogene molassoidal-caustobiolithic formations that are structurally superimposed on the Srednogorie tectonic zone. Attitude and composition of the three deposits are briefly described, and organic matter is said to have a sapropelic composition. Association of these bituminous rocks with coal deposits is mentioned.

Kandiner, H. J. See Clarke, E. L. 00441

Kandrat'yev, V. P. See Gerber, M. I. 00889

Kaininskiy, V. S. See Belyanin, Yu. I. 00177

01144 Kantsler, A. J.; Cook, A. C.; Smith, C. G.
Rank variation, calculated paleotemperatures in understanding oil, gas occurrence: Oil and Gas J., Vol. 76, No. 47, p. 196-205, Nov. 20, 1978.
Regional variation in thermal maturity of the organic material in eastern gas shales affects the amount and kind of hydrocarbons generated in the formations. Article discusses organic maturation with regard to Tertiary rocks in Australia.

Kaplan, I. R. See Ishiwatari, R. 01084

Kaplan, I. R. See Ishiwatari, R. 01083

Karalova, Z. K. See Nemodruk, A. A. 01554

Karasik, T. G. See Poplavko, Ye. Mu. 01664

01145 Karpov, A. F.; Kyabbi, M. E.
National reserves and raw materials of combustible shale mining industry of USSR: Int. Geol. Review, Vol. 13, No. 5, p. 641-643, 1971.
Total reserves of the U. S. S. R. in their 80 known deposits of combustible shales are summarized. Thickness and grades of six of the most important deposits are discussed. Production of the fifteen presently operating shale mines and plans for industry expansion are discussed.

Karpova, I. P. See Petrova, Yu. N. 01638

01146 Karrick, L. C.
Effects of temperature and time of reaction in distilling oil shales on the yields or properties of crude oils: U. S. Bur. of Mines Rept. of Invest. 2456, 8 p., 1923. See also Petrol. World (london), Vol. 20, p. 187, 191, May 1923; Petrol. Times, Vol. 9, p. 751-752, 1923; Petrol. Times, Vol. 10, p. 367-368, 1923; Oil News, Vol. 11, p. 32-33, 38, Apr. 5, 1923; Railroad Red Book, Vol. 30, p. 695, 698, 759-762, 1923; Oil Field Eng., Vol. 25, p. 156, 158-159, 164, July 1923; Min. Cong. J., Vol. 9, p. 252, July 1923.
This July 1923 article discusses experiments in the distillation of oil shale and the results obtained.

01147 Karrick, Lewis C.
Manual of testing methods for oil shale and shale oil: U. S. Bur. of Mines Bull. No. 249, 70 p., illus., incl. tables, diagrs., 1926.
Theoretical considerations of retorting and operation of a retort are discussed. Collection of products through condensation and scrubbing are qualitatively discussed. The second half of the article shows testing techniques for determination of dust, specific gravity of the oil, melting points, per cent unsaturated fractions, viscosity, and carbon residue. Analysis of components of gases and their values are also shown.

01148 Karrick, L. C.
Some factors affecting products from destructive distillation of oil shales: U. S. Bur. of Mines Rept. of Invest. 2324, 5 p., 1922. See also Chem. Age, Vol. 30, p. 112-114, Mar. 1922.
What actually happens to the character of oil shale,

its continuents, and its structure are explained as the effects of thermal action. Low and high heating rates are said to give differing products, and explanation is given why there are differing products after the destructuve distillation of kerogen.

Karrick, L. C. See Gavin, M. J. 00875

01149 Karrick, L. C.; Gould, Douglas
The extraction apparatus and extract-recovery and solvent regenerative devices: J. Franklin Inst., Vol. 194, p. 537-540, 1922.

01150 Karrick, L. C.; Parry, V. F.
A melting point guide for petrolatums, shale oils, and shale-oil distillates: Ind. Eng. Chem., Vol. 15, p. 600-602, 1923.
The testing of oil shales requires a simple, accurate, and rapidly operated melting - pt. determination method. (From Intro.) This 1923 article describes that apparatus and method.

Kasameyor, P. See Davis, D. 00587

01151 Katell, Sidney
Oil shale as a potential source of liquid fuels (abs.): Min. Eng., Vol. 20, No. 12, p. 56, 1968.
The economics of a system using oil shale in the production of liquid fuels is examined in this paper. Included are mining, retorting, and refining to produce the salable product. (From abstract)

01152 Katell, Sidney
Oil shale as a potential source of liquid fuels: Proc. Council of Economics, A. I. M. E., p. 147-155, 1969.

01153 Katell, Sidney; Stone, Reid; Wellman, Paul
Oil shale; a clean energy source: in Oil Shale Symposium 7th, Proceeding, Colo. Sch. Mines, Q., Vol. 69, No. 2, p. 1-19, illus., 1974.
This paper focuses on the industrial activites and responsibilities of a potential developer of oil shales. Study estimates concern a 50,000 barrel-a-day plant. Rough summarization of plans for the mining, crushing and screening, briquetting, and retorting plants, H_2S removal from retort gas, solid waste disposal, and refining are considered. Capital and operating costs with a financial analysis are estimated.

01154 Katell, Sidney; Wellman, Paul
An economic analysis of oil shale operations featuring gas combustion retorting: U. S. Bur. of Mines Tech. Prog. Rept. 81, 18 p., 1974.
This report is involved with economics of producing semirefined shale oil from oil shale. Summarized are plans involving mining, crushing and screening, briquetting, retorting, and solid waste disposal of oil shale. Capital investment, operating cost, and financial analyses are presented for both 50,000 barrel-a-day and 100,000 barrel-a-day plants.

01155 Katell, S.; Wellman, P.
Mining and conversion of oil shale in a gas combustion retort: U. S. Bur. of Mines, Tech. Prog. Rept. No. 44, 11 p., 1971.
An economic analysis for one proposed system of production of synthetic crude oil from oil shale is presented. Summaries of mining plans, crushing and screening plants, briquetting and retorting plants, and the refinery are shown and a block diagram relates the processes. Capital investment, operating cost, and financial analyses show the economics for 30 gal/ton oil shale.

01156 Kauffman, E. G.
Benthic communities in black shales of an "anaerobic" Jurassic basin: The Posidonienschiefer (abs.): J. Paleontol., Vol. 51, No. 2, Suppl., Part III, p. 16-17, 1977.
The German Liassic "Posidonienschiefer" is noted fro exceptional preservation of complete organisms. Bulk sampling from 1 cm intervals throughout the unit indicate the presence of low diversity benthic communites at many levels. Comparsion with other Mesozoic black shales reveals similar benthic community structure.

01157 Kaufman, David Zachary
Water for Project Independence; Water Spectrum, Vol. 6, No. 4, p. 11-20, illus., 1974.

01158 Kaya, Orhan
The Devonian and Lower Carboniferous stratigraphy of the Istinye, Bostanci, and Buyukada subareas: in Paleozoic of Istanbul, Ege Univ., Fen Fak., Kitaplar Serisi, Jeol., No. 40, p. 1-35 (incl. Ger., Turk sum.), 1973.

01159 Keele, Joseph
Clay and shale deposits of the western provinces (Part V): Ottawa, GPB, 83, 74 p. wraps. Canada, Geol. Survey Memoir 65-66, 1915.

01160 Keele, Joseph
Preliminary report on the clay and shale deposits of the province of Quebec: Canada Geol. Surv. Memoir 64, Geol. Ser. No. 52, 280 p., illus., plates, maps, diagrs., 1915.

Keele, Joseph See Ries, Heinrich 01735

Keele, Joseph See Ries, Heinrich 01736

01161 Keeley, James Chestern
A geologic study of the Chattanooga shale (Devonian) in the Elkmont Quadrangel (Limestone County), Alabama: Master's Thesis, Alabama, 1969.

01162 Kehn, T. M.
Selected annotated bibliography of the geology of uranium-bearing coal and carbonaceous shale in the United States: U. S. Geol. Surv., Bull., No. 1059-A, 1957.
A bibliography with abstracts of 56 references to uranium in coals and carbonaceous shales.

01163 Kehn, T. M.
Uranium in the Chattanooga shale, Youngs Bend area, Eastern Highland Rim, Tennessee: U. S. Atomic Energy Comm. TEI-528-A, 60 p. (dep.; $15, LC)(prepared by U. S. Geol. Surv.), 1955.
This article discusses a drilling program whose purposes were to determines the continuity of grade and thickness of the shale, determine uranium reserves, and obtain structural and stratigraphic information. The accomplishment of these objectives is presented, and sites suitable to mining are cited. Logs of the cores show uranium rich intervals.

Kehn, Thomas M. See Swanson, V. E. 02053

01164 Kehrer, P.
Energie-Ressource der Erde-Grenzen aus geowissen schaftlicher Sicht (Energy resources of the earth from a geologic point of view): Geol. Rundsch. Vol. 66, No. 3, p. 697-711 (incl. Eng., French, Russian sum.), illus., 1977. Geowissen-schaften und die Aukunft des Menschen.
A few results of a study about the future energy-supply of the world by the Federal Institute for Geosciences and Natural Resources are discussed. (From Abstract)

01165 Keighin, C. W.
Resource appraisal of oil shale in the Green River Formation, Piceance Creek Basin, Colorado: Colo. Sch. Mines, Q., Vol. 79, No. 3, (Proceedings from the

eighth oil shale symposium), p. 57-68, illus. (incl. tables, sketch maps), 1975.
Oil shale resource potential of seven zones in the Parachute Creek member was evaluated. Fischer assay data on 230 cores were run through a computer to yield results. Isopach and isoresource maps are given.

Keith, M. L. See Degins, E. T. 00612

Kelley, R. E. See Carpenter, H. C1. 00365

01166 Kentucky Geological Survey
Geology of the oil shales of the eastern United States: KGS Ser. 6, Vol. 30, p. 274-288, maps, diagrs., 1928.
Stratigraphy of the black shales of the Eastern U. S., mostly concerned with black shales in Kentucky. Structural geology and economics are briefly discussed.

01167 Kentucky Geological Survey
The Sixth Geological survey. An administrative report of the several mineral resources and general geological investigations undertaken and completed in Kentucky during the biennal period 1920-1921: Ky. Geol. Surv. Ser. 6, Vol. 6, illus., maps, tables, plates, 1921.
Contains chapter "Retorting methods as applied to Kentucky oil shales." Discusses many processes to retort oil shales, including the Scotch process and one developed at Univ. Ky.

01168 Kepferle, Roy C.
Uranium in the Sharon Springs member of the Pierre Shale in South Dakota and northeastern Nebraska: U. S. Geol. Surv. Bull. 1046-R, p. 577-604 (out of print), 1959.
Uranium content in cored shales and exposures and water flowing through this shale are measured. Lithology and stratigraphy of area are discussed. Chemical and spectrographic analyses for trace metal content wer measured and relationships between them examined.

01169 Kepferle, Roy C.
Uranium in the Sharon Springs member of the Pierre Shale in South Dakota and northeastern Nebraska: U. S. Geol. Surv. Trace Elem. Inv. Rept. 587, 47 p., maps, diagrs., tables, 1956. For official use only.

Kepferle, R. C. See Provo, Linda J. 01683

Kerakova, Ye. See Vychez, V. 02268

01170 Kern, J. W.; Hoyer, W. A.; Spann, M. M.
Low porosity gas sand analysis using cation exchange and dielectric constant data: Soc. Prof. Well Log Anal., Ann. Logging Symp., Tans., No. 17 17 p., 1976.
Core sample and well-log data from tight gas-sand reservoirs were used to calculate in-situ formation water saturations, (From author's abstract). The objectives of this study were: 1) to measure the electrical effects of shaliness on a sample of rocks from a specific type of reservoir, and to apply the results in estimating water saturations 2) to determine which log parameters quantified the independently measured shaliness effects. (From p. 2).

01171 Kerr, J. W.
Stratigraphy of Central and Eastern Ellesmere Island, Aretic Canada, Part III. Upper Ordovician (Richmondian). Silurian and Devonian: Can., Geol. Surv., Bull., No. 260, 55 p. (incl. French sum.), illus. (incl. chart, sect., geol. sketch map), 1976.
This paper presents the final depositional phase of the Franklinian Miogeosyncline. Westward, the carbonates grade upward to graptolite shale of the Cape Phillips Formation and then to fine-grained, deep-water clastics of the Imina Formation. Major bodies of carbonate strata occur partly or completely isolated in the shale belt.

Kerr, Paul F. See Davidson, Donald M., Jr. 00586

01172 Kerr, R. D.; McTernan, W. F.
An environmental reconnaissance study for Sweetwater County in situ oil-shale research: Univ. of Wyo., Water Resources Res. Inst., 140 p., July 31, 1975.

01173 Kerr, T. H.
Some studies of Ohio coals, shales and oils: Ohio State Univ. Eng. Expt. Sta. Bull. 133, p. 32-44, 1948.

01174 Keshn, V. B.; Donnel, Dzh. R.
Zalezhi goryuchikh slantsa u ozera Uinta, Oil shale of the Uinta Basin: in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum V.; chairperson), p. 74-76, sect., sketch map, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Kesling, R. V. See Ehleis, G. M. 00736

01175 Kettenbrink, Edwin C.
Depositional history of the Devonian Cedar Valley Formation, east-central Iowa: Am. Assoc. Pet. Geol.,

Soc. Econ. Paleontol, Mineral., Ann. Mtg. Abs., Vol. 1, p. 53, 1974.

01176 Keyes, C. R.
Age of the Chattanooga black shales: Pan. Am. Geologist, Vol. 70, p. 344-366, 1938.
Suggests that the "Black Shales" may not be a stratigraphic formation. They may be an oil oil-gathering zone, now almost dried up, which crosses the bedding indiscriminately, but which, when originally deposited, was paralled with an oil erosion surface. In such case there would be great difficulty in working out any sort of nomenclature (Hoover, 1960).

01177 Keyes, C. R.
Louisville vs. New Albany black shales in Illinois and Indiana: Pan-Am Geol., Vol. 79, No. 1, p. 69-70, 1942.
Considers the name Louisville Shale to have precedence over the names New Albany, Chattanooga, Grassy Creek, etc. "New Albany is no more."

01178 Keyes, C. R.
Serial subdivision of the early Carbonic succession in the continental interior: Iowa Acad. Sci., Proc., Vol. 21, p. 189-193, 1914.
Upper Devonian shales shown in correlation chart for states of midcontent.

01179 Keyes, C. R.
Some geological formations of the Cap-au-Gres Uplift: Iowa Acad. Soc. Prov., Vol. 5, p. 58-63, 1898.
Brief consideration of Crassy Creek Shale - lithology, thickness, outcrop areas.

01180 Keyes, C. R.
Some provincial and local phases of the general geologic section of Iowa: Iowa Acad. Soc. Proc., Vol. 19, p. 147-151, 1912.

01181 Keyes, C. R.
Terranal affinites of original Chouteau Limestone: Iowa Acad. Sci. Proc., Vol. 23, p. 113-118, 1916.
Brief mention of Grassy Creek and Saverton Shales, which are said to disappear from the section to the west in Missouri. Includes cross-section.

01182 Keyn, R. F.
Piroda i stroyeniye kurongita (The nature and structure of coorongite): in Razrbotka i ispol'zovamoue zapaospv goryuchikh slantsev, p. 195-201, illus. (incl. table), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

01183 Kheynsalu, Yu.; Andra, Kh.
Jointing in the Estonian oil shale basin and the geophysical methods for its study: Izd. Valgus, Tallin, 116 p., 1975.

Khiggins, C. Kh. See Koffer, G. F. 01219

Khill, Dzh. R. See Dugan, P. M. 00704

01184 Kilburn, Paul D.; Atwood, Mark T.; Broman, W. M.
Oil shale development in Colorado; processing technology and environmental impact: Rocky Mt. Assoc. Geol., Field Conf., Guideb., No. 25, Guideb. to the energy resour. of the Piceance Creek Basin, Colo., p. 151-164, 1974.
Several shale retorting processes either now available or in large-scale field testing. Description of seven of these are made. Environmental concerns of air and water quality, hydrology, surface disposal, revegatation, and ecology are cited.

01185 Kilburn, P. D.; Legatski, M. W.
An environmental program for a commercial shale oil complex: Ann. Miner. Symp., Proc., No. 17, p. 19-31, 1974.

01186 Kilburn, P. D.; Thames, J. L.
The implications of oil shale development, in Reclamation and Use of Disturbed Land in the Southwest: Univ. Ariz. Press, Tucson, Ariz., p. 135-155, 1977.

Killelea, J. R. See Pollara, F. Z. 01658

Killelea, J. R. See Drabkin, M. L. 00698

01187 Kim, K. E.; Higa, J. A.; Yen, T. F.
Sulfur recovery by desulfovbrio in a biochemical method of oil shale production; in Science and Technology of oil shale (Yen, T. F., ed.), p. 157-162, illus., Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976.
Discussion of experiments using two bacteria, one to generate sulfuric acid to dissolve oil shales' mineral matrix, and the other to reduce sulfur to the element after the process was completed. This method was tested on 40 gallon/ton Green River shale. The feasibility was examined.

01188 Kimble, B. J.; Maxwell, J. R.; Eglington, G.; et al.
Tri-and tetraterpenoid hydrocarbons in the Messel oil shale: Geochim. Cosmochim. Acta, Vol. 38, No. 7, p. 1165-1181, illus. (incl. tables), 1974.
An examination of the high molecular weight constituents

of the Messel Oil Shale (European) leads to a list of isolated hydrocarbons. A comparison of certain hydrocarbons with those of Green River shale show the difference in organisms contributing to the sediments, despite the sameness in age.

01189 Kindle, E. M.
The Devonian fossils and stratigraphy of Indiana: Ind. Dept. Geol. and Nat. Resources, Ann. Rept. 25, p. 529-758, 773-775, 33 pls., 1901.
Discussion of New Albany Shale - lithology, thickness, outcrop areas, paleontology. Includes section descriptions.

01190 Kindle, E. M.
The Devonian and Lower Carboniferous faunas of southern Indiana and Central Kentucky: Bull. Am. Paleo., Vol. 3, No. 12, 111 p., 1899.
Brief consideration of New Albany Shale - lithology, thickness, paleontology, correlation. Includes section descriptions.

01191 King, Lewis H.
The origin of Albert Mines oil shale (New Brunswich) and its associated albertite: Canada Dept. Mines and Tech. Surv. Mines Br. Research Rept. R115, 24 p., illus., 1963.

01192 Kinney, C. R.
An investigation of the chemical nature of the organic matter of uraniferous shales, first annual report, January 1, 1953 to December 31, 1953: U. S. Atomic Energy Comm. NYO-6086, 19 p., (dep.)(prepared by Pennsylvania State College), 1953.
Reported is the progress made toward finding optimum conditions to alkali-soluble products. The results suggest that the U of this shale is present in several different chemicl combinations. (auth)

Kinney, C. R. See Schwartz, Donald 01866

01193 Kinney, C. R.; Broadhead, R. L.; Leonard, J. T.
An investigation of the chemical shales, annual report covering the period January 1 to December 31, 1956: U. S. Atomic Energy Comm. NYO-6675, 36 p. (dep., mc; $9, LC) (prepared by Pennsylvania State University), 1957.
Semiannual report NYO-6674 contains work completed from Oct. 1, 1955 to March 31, 1956 and is an integral part of this report. (From abstract)

01194 Kinney, C. R.; Broadhead, R. L.; Leonard, J. T.
An investigation of the chemical shales, semiannual report covering the period October 1, 1956 to March 31,

1957: U. S. Atomic Energy Comm. NYO-6676, 30 p., (dep., mc)(prepared by Pennsylvania State Univeristy), 1957.
Continuation of work on air oxidation, ozonization, and solvent extraction. The work on solvent extraction has led to a study of chemical reactions of the organic matter in situ. (Auth)

01195 Kinney, C. R.; Leonard, J. T.; Chen. J. P.
An investigation of the chemical ... shales, semiannual report, October 1, 1957 to March 31, 1958: U. S. Atomic Energy Comm. NYO-6678, 25 p., (dep.)(prepared by Pennsylvania State University), 1958.
Described in this report are the results thus far in studies on ozonization, solvent extraction, and chemical properties of the organic matter of uraniferous shales.

01196 Kinney, I. W., Jr.; Cook, G. L.
Identification of thiophene and benzene homologs, mass sepctral correlations: Anal. Chem., Vol. 24, p. 1391-1396, 1952.
A new method for the identification of unknown organic compounds, through the use of mass spectral correlations has been developed. The procedure is illustrated by the identification of two thiophenes, isoplated from Colo. shale-oil naptha.

01197 Kinney, I. W., Jr.; Smith, J. R.; Ball, J. S.
Thiophenes in shale oil naptha: Anal. Chem., Vol. 24, p. 1749-1454, 1952.
This paper describes the techniques used for the isolation and identification of 17 thiophenes from a shale-oil naptha. Includes tables of results.

01198 Kirchgasser, William Thomas
Revision of Probeloceras Clark, 1898 and related ammonoids, from the Upper Devonian of western New York: J. Paleontol., Vol. 49, No. 1, p. 59-60, illus., 1975.
Paleontological study of ammonoids and conodonts from Upper Devonian strata. Discussion is made of those species found in black shales. Some discussion of stratigraphy is presented.

01199 Kiselev, G. I.
Perspektivy razvitiya otkrytogo sposoba dobychi slantsa v Pribaltiyskom basseyne (The possibilities of developing methods for shale mining in the Baltic Basin): in Razrabotka i isol;zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 134-139, illus., Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

01200 Kissell. F. N.
The potential hazards of methane gas in oil shale mines: Colo. Sch. Mines, Q., Vol. 70, No. 4, p. 19-27, 1976.
Methane is measured from selected oil shale and coal beds by degassing drill cores. This proves that where mining is deep, methane accumulation could be a problem. Comparison of methane in Pennsylvania and Illinois coal mines and Wyoming shale mines is given.

01201 KitaBadak, M.; Badak, J.; Salsan, M.
Remarks on the occurrence and origin of uranium-bearing shales of the Minilile Series in the Middle Carpathians; Acad. Polonaise Sci. Bull., Ser. Sci. Geol. et Geol., Vol. 12, No. 2, p. 71-77 (in English), 1964.

Kivimyagi, E. K. See Kotlukov, V. A. 01237

Kivimyagi, E. K. See Kotlujov, V. A. 01238

01202 Klapper, B.; Furnish, W. N.
Conodont zonation the early Upper Devonian of eastern Iowa: Iowa Acad. Sci. Proc., Vol. 69, p. 400-411, 1962.
Conodont zonation of Sweetland Creek Shale type section. Includes section descriptions, generalized columnar sections.

01203 Klepser, Harry J.
An investigation of the Chattanooga black shale of Tennessee as a source of uranium progress report, July 1, 1956, to June 30, 1957: U. S. Atomic Energy Comm. ORO-167, 10 p. (dep.; $3, LC)(prepared by Univ. of Tenn.), 1957.
The aim of this study is to present as complete a geologic picture as possible of the Chattanooga Shale in its outcrop area of the Eastern Highland Rim and Northern Highland Rim of Tenn. and Ky. (From abstract)

Klepser, Harry J. See Stockdale, Paris B. 02020

01204 Kler, V. R.
Formatisii, vmeshchayushchiye goryuchiye slantsy (Formations enclosing bituminous shales): in Geneticheskiye tipy osadochnykh rudonosnykh i uglenosnykh formatisky, p. 234-243, illus., Izd. Nauka, Moscow, Union of Soviet Socialist Republics, 1974.

Klinepelter, T. A. See Conley, J. E. 00503

01204 Kler, V. R.
Formatisii, vmeshchayushchiye goryuchiye slantsy (Formations enclosing bituminous shales): in Geneticheskiye tipy osadochnykh rudonosnykh i ugleno-snykh formatsiy, p. 234-243, illus., Izd. Nauka, Moscow, Union of Soviet Socialist Republics, 1974.

Klinepelter, T. A. See Conley, J. E. 00503

01205 Klimenko, V. I. Bryzgalova, Ye. V.
Ekonomika promyshlennoy pererabotki slantsa (The economics of the industrial development of shale): in Tazrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 588-591, table, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

01206 Klosky, S.
A century of oil-shale patents (1845-1945): Chem., Eng. News, Vol. 24, p. 2342-2344, 1946.
This 1946 paper presents some interesting facts concerning oil-shale patents (1845-1945).

01207 Klosky, Simon
An index of shale-oil patents: U. S. Bur. of Mines Bull. 467, 360 p., 1948.
Patents involving functions from distillation and fractionation of shale oil to separation and recovery of products are given. U. S. patents, other English language patents, and European language patents are shown with a short description of function and procedure. Diagrams are shown for some.

01208 Klosky, Simon
An index of oil-shale patents: U. S. Bur. of Mines Bull. 468, 650 p., 1949.
Patents involving functions from mining and retorting to separation of products is given. U. S. patents, other English language patents, and European language patents are shown in abstract form. Diagrams are given for some.

01209 Klosky, Simon
Index of oil-shale and shale-oil patents, 1946-56; a supplement to Bulletins 467 and 468 (in three parts), I. U. S. Patents; II. United Kingdom patents: U. S. Bur. of Mines Bull. 574, I. 134 p., 1958; II. 75 p., 1958.
300 patents issued in the U. S. and 180 issued in the U. K. are abstracted. Diagrams are shown for a few of the processes. The patents relate to retorting (and underground distilling), refining, and utilization of oil shale and its products. The largest single group related to fluidized handling of shale.

01210 Klosky, Simon
Index of oil-shale and shale-oil patents, 1946-56; a supplement to Bulletins 467 and 468 (in three parts). III. European Patents: U. S. Bur. of Mines Bull. 574, III, 62 p., 1959.
250 patents issued in European countries are abstracted with diagrams illustrated for some. The patents relate to retorting (and distilling underground), refining, and utilization of oil shale and its products. The largest single group related to fluidized handling of shale.

01211 Klosky, S.
Mineral facts and problems; oil shale: U. S. Bur. of Mines Bull. 556, p. 577-594, 1956.
This paper covers a wide range of oil shale topics, including the mineralogy, properties, and composition of Green River shale, development technology, retorting and refining, the last three in terms of Bureau of Mines accomplishments. This paper also summarized foreign oil shale technology, outlook worldwide, and problems for the industry.

01212 Klosky, Simon
Russia's oil shale industry: Chem. Eng. News, Vol. 26, p. 862-864, 1948.
This 1948 paper discusses Russian oil shale industry development from 1930 to 1945. Includes tables.

Klosky, Simon See Guthrie, Boyd 00947

Klusman, R. W. See Meinschein, W. G. 01417

Knauth, L. Paul See Jones, Daphne L. 01128

Knight, C. L. See Leslie, R. B. 01304

Knight, J. B. See Wen, C. S. 02315

01213 Koch, C. A.
Wyoming, in Mining and mineral operations in the Rocky Mountain states; visitor guide: U. S. Gov. Print. Off., Washington, D. C., p. 78-87, 1977.

Koch, D. L. See Dorheim, M. J. 00692

Kochenov, A. V. See Baturin, G. N. 00139

01214 Kocurek, G.; Chafetz, H. S.
Environment of deposition of the Percha Shale, southwestern New Mexico: Geol. Soc. Am., Abs. Programs, Vol. 9, No. 1, p. 31-30, 1977.
Discusses depositional environment of the Devonian

Percha Shale. Differing shale facies are discussed, with the middle "black" shale facies being sandwiched by a siltstone and shale facies and a green fossiliferous shalefacies. Paleoenvironment and sedimentary strucutres are discussed.

01215 Koczy, F. F.
The thorium content of Cambrian alum shales of Sweden: Sveriges Geol. Under. Arsbok 43, pt. 7, ser. C, No. 509, 12 p., 1949.
The theoretical principles for determining thorium by means of the emanation method are presented and testing shows a low thorium content. In relation to some American black shales, at attempt is made to explain these low values.

Kodina, L. A. See Manskaya, S. M. 01386

01216 Koenig, J. W.
Devonian System: Missouri Div. Geol. Survey and Water Resources, Vol. 40, 2nd series, p. 36-49, 1961.
Considers Grassy Creek, Saverton, Chattanooga, and Kinderhook Shales - lithology, thickness, stratigraphic relations, correlations.

01217 Koepf, E. H.; Meyer, R. F.
Nature-made petroleum and gas in place; methods of measurement and reliability of measurements in The future supply of naturemade petroleum and gas; technical reports: Pergamon Press, New York, N. Y., p. 193-216, 1977.

01218 Koesoemadinata, R. P.
Stratigraphy and petroleum occurrence, Green River Formation, Red Wash Field, Utah, Pt. A: Colo. Sch. Mines, Q., Vol. 65, No. 1, 77 p., illus., tables, geol. map, 1970.
This paper discusses the stratigraphy and lithology of the Green River Formation in the northeastern section of the Uinta Basin. Deals most specifically with depositional environments and facies of the lowermost part of that formation. Discusses oil and gas reservoirs that occur in this area.

01219 Koffer, G. F.; Khiggins, G. Kh.
Preimeneniye yadernykh vzryvo & dlya stimulyastsii dobychi nefti i prirodnogo gaza i proizvodstva smoly iz goryuchikh slantsev (The application of nuclear explosions in the extraction of petroleum, natural gas and resins from oil shale): in Razrobtoka i ispol'-zovanye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 358-368, illus., Izd, Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

01220 Kohout, D. L.; Malcuit, R. J.
Environmental analysis of the Bedford Formation and associated strata in the civinity of Cleveland, Ohio: Compass, Vol. 46, No. 4, p. 192-206, illus., tables, 1969.
Environmental analysis. Includes distribution map, generalized columnar section, lithofacies and environmental cross-section.

Koike, T. See Igo, H. 01062

Koisar, B. See Mastella, L. 01402

01221 Koma, Taksehi
Chemical composition of muddy rocks from Tertiary formations in Niigata oil field, central Japan: Jap., Geol. Surv., Rept., No. 205 2, Stratig, and tectonics Niigata Tertiary Basin; struct. geol. and geochem., p. 211-227, 1974.

Kommes, W. C. See Smith, H. N. 01914

Kommes, W. C. See Hubbard, R. L. 01048

01222 Kommes, W. C.; Stanfield, K. E.
Properties of shale-oil asphalts from Colorado oil shale: Proc. Assoc. Asphalt Paving Technol., Vol. 20, p. 473-489, 1951.
This paper describes a preliminary laboratory study of the asphaltic material contained in shale oil retorted from oil shale of the Green River Formation in Colorado. Includes explanation of experimental procedure and tables of results obtained.

01223 Konivets, V, I.
Pozdnemelouyye slantseproyye slantseproyauleniya (Late Cretaceous oil shale): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 39-40, table, Izd. Akad. Nauk, ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01224 Konivets, V. I.
Slantseproyavleniye pozdnetriasovo-ranneyreskogo vozrosta (Oil shale of the Middle Jurassic): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 26-28, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01225 Konivets, V. I.
Slantseproyavleniye pozdentriasovo-ranneyurskogo vozrasta (Oil shale in the early Triassic to late Jurassic age): in Prognoz goryuchikh slantsev

Yevsopeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 25-26, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

Konivets, V, I. See Pivevar, M. A. 01650

01226 Konivets, V. I.; Samarin, M. A.
Slantsevosnost' paleogen-neogenovykh otlozheniy (Oil shale from Paleogene and Neogenic deposits): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor, et al.), p. 58-60, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01227 Konstantiova, V.; Gnoevaya, N. A.; Chuneva, V.
Bituminoznite skali pris Krasava, Bresnishko (Oil shales near the village of Krasava, Brenznic region): Neft. Vuglishchna Geol., Vol. 5, p. 33-47, (incl. Russian English sum.), illus. (incl. tables, plates), 1976.
Discusses the minerals and organic matter of the Krassava oil shales and classifies them as bituminous (due to earlier naming). Examines the two lithologic units and defines them in a tricomponent system. Discusses the source material of organic matter. An environmental scheme is presented.

01228 Korff, S. A.
Exploration for energy sources: Explor. J., Vol. 51, No. 4, p. 178-180, 1973.

Koskinas, G. J. See Stout, N. D. 02022

01229 Kotlukov, V. A.
Obshchaya kharakteristika etapov slantseobrazovaniya na territorii Yevropeyskoy chasti SSSR (Characteristics of the stages of shale formation in the European part of the USSR): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 7-14, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01230 Kotlukov, V. A.
Obshchiye printsipy i metodika prognozirovvaniya (Principles and methods of evaluation): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 5-7, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01231 Kotlukov, V. A.
Slantsenosnost' domanikovogo gorizonia verkhnego devona (Oil shale of the Domanik Facies of the

Upper Devonian): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 19-21, Izd. Akad. Nauk ESSR, Tallin, Union of Soveit Socialist Republics, 1974.

01232 Kotlukov, V. A.
Slantseproyauleniya v verkhnem ordovike i nizhnem silure Pribaltiki (Oil shale of the Upper Ordovician and Lower Silurian of the Baltic region): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 18-19, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01233 Kotlukov, V. A.
Slantseproyavleniye v verkhnem proterozoye (?) (Oil shale in the upper Preterozoic?): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V, A., editor; et al.), p. 14, Izd. Akad. Nauk ESSR, Tallin, Union of the Soviet Socialist Republics, 1974.

01234 Kotlukov, V. A.
Slantseproyavleniye v verkhnem permi (Oil shale of the Upper Permian): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 25, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01235 Kotlukov, V. A.
Zaklycheniye (Conclusion): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 66-68, table, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974. A survey of oil shale production in the European USSR.

01236 Kotlukov, V. A.; Baukov, S. S. (editors)
Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Oil shale possibilities in the European part of the USSR): p. 69, illus. (incl. tables, colored geol. map), Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974. Individual papers are cited in this Bibliography under the various authors.

01237 Kotlukov, V. A.; Kivimyagi, E. K.
Slantsenosnost' nizhengo ordovika (Oil shale of the middle Ordovician): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor, et al.), p. 14-16, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01238 Kotlukov, V. A.; Kivimyagi, E. K.
Slantsenosnost' srednego ordovika (Oil shale of the middle Ordovician): in Prognoz goryuchikh slantsev

Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor, et al.), p. 16-17, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

01239 Kottlowski, F. E.; Bieberman, R. A.; Weber, R. H.; et al.
Annual report: N. M., State Sur. Mines Miner. Resour., Ann. Rept., Vol. 1973-1974, 31 p., 1975.

Kovach, J. J. See Estep, Patricia A. 00765

Kovarchew, G. See Vychev, V. 02268

01240 Kozlov, V. P.; Tokarev, L. V.
Geochemical characteristics of the organic matter and bitumens dispersed in deposits of the coal measures of the lower carboniferous of the Kuibyshev Volga Region; Doklandy Akad. Nauk SSSR, 113, No. 2, 391-4, 1957.

01241 Kraemer, A. J.
Availability and cost of production of shale oil in the United States: Statements at Hearings before a Subcommittee of the Committee on Public Lands and Surveys, U. S. Senate, 77th Cong., 2nd Sess., Pursuant to S. R. 53, Part 4, p. 1524-1536, 1942.

01242 Kraemer, A. J.
Gasoline substitutes from oil shale, and alcohol as as motor fuel: Sections in Review of the Petroleum Industry in the United States. Compiled by H. B. Soyster. U. S. Geol. Surv. Circ. 11, p. 42-48, 1934.
Discusses oil shale as not being ready to be an important source of fuel in a national emergency. Reasons are given for the lack of competition between the petroleum and shale industries. Proposes alcohol from celluar waste as a motor fuel.

01243 Kraemer, A. J.
Liquid fuels from oil shale. Bureau of Mines program: World Oil, Vol. 128, No. 8, p. 48-54, Dec. 1948.
This 1948 article discusses the Bur. of Mines Program for oil-shale development and describes the operations of the experimental plant near Rifle, Colorado.

01244 Kraemer, A. J.
The motor-fuel situation: U. S. Bur. of Mines Inform. Circ. 6015, 5 p., 1927.
This 1927 circular says that the decline of crude-oil production, when it comes, will be gradual and that the petroleum industry will be prepared to meet it by substitution of alternative products.

01245 Kraemer, A. J.
Oil shale in Brazil: U. S. Bur. of Mines Rept. of Invest. 4655, 36 p., 1950.
A number of Brazilian oil shales were tested by the Bureau of Mines with oil yield and character presented for som. Colorado and foreign oil shale assays by the modified Fischer method are compared. A few of retorts are briefly described.

01246 Kraemer, A. J.
Oil shale and shale oil. A brief review of work of the U. S. Bur. of Mines: Chap. in Conf. on Oil Shale and Cannel Coal. Oil Shale and Cannel Cal., Proc., Vol. 1, Inst. of Petrol., London, p. 227-247, 1938.

Kraemer, A. J. See Throne, H. M. 02091

Kraemer, A. J. See Thorne, H. M. 02090

01247 Kraemer, A. J.; Buchan, F. E.
Development of oil-shale resources undertaken by U. S. Bur. of Mines: Chem. Eng. News, Vol. 23, p. 1523-1527, 1945.
This paper reviews the events leading up to the passage of the Synthetic Liquid Fuels Act and outlines the Bur. of Mines program that deals with the development of the oil-shale resources of the nation. (From Abstract)

01248 Kraemer, A. J.; Rue, H. P.
The Bureau of Mines oil-shale program: Colo. Min. Assoc., Denver, Colorado, 1945 Mining Yearbook, p. 40-43.

01249 Kraemer, A. J.; Thorne, H. M.
Oil-shale operations in New South Wales, Australia: U. S. Bur. of Mines Rept. of Invest. 4796, 47 p., 1951.
This article describes the equipment and operations of the only oil shale plant active in Australia for mining and retorting oil shale and refining shale oil.

01250 Kraemer, A. J.; Thorne, H. M.
Petroleum substitutes from oil shales: Petroleum Investigation, Part II, Hearings before a Subcommittee of the Committee on Interstate and Foreign Commerce, House of Representatives, 76th Cong., on H. R. 290 and H. R. 7372, p. 281-285, 1939.
Status of the oil shale industry in America is presented, and the oil shale industries in foreign countries such as Scotland, Australia, Canada, Estonia, France, Mweden, and Japan is summarized.

01251 Kraikunassai, S.
Energy resources and their management Pac. Soc. Congr., Rec. Proc., No. 13, Vol. 1, p. 152-153, 1975.

01252 Krey, F.
Dongola quadrangle report: Unpubl. report, 96 p. (in Survey open file reports), 1922.
Considers Mountain Glen and Kinderhook Shales - lithology, thickness, outcrop areas, fossils, correlation, stratigraphic relations. Considers Mountain Glen Shale as potash shale.

01253 Krey, F.
Geology, distribution, and occurrence of the Potash-bearing shale of union County: Univ. Ill. Agr. Exp. Sta. Bull. 232, pt. 2, p. 237-243, 1921.
Considers Mountain Glen Shale - lithology thickness, distribution, potential as potash resource.

01254 Krey, F.
Structural reconnaissance of the Mississippi Valley area from Old Monroe, Missouri to Nauvoo, Illinois: Ill. Geol. Surv. Bull. 45, 86 p.: Mo. Sur. Geol. and Mines, ser. 2, Vol. 18, 86 p., 1924.
Considers Sweetland Creek (Grassy Creek) Shale to be closely related to the overlying Mississippian rocks, although perhaps Upper Devonian itself. Discusses outcrop area. Includes cross-sections, well records structure contour map on base of Burlington Limestones (Mississippian).

Krey, Frank See Weller, Stuart 02309

01255 Krug, J. A.
Synthetic fuels work loans urged; (abs.): Oil, Paint, Drug Reporter, Vol. 155, p. 5, Feb. 7, 1949. See also Oil Gas J., Vol. 47, p. 49, Feb. 10, 1949.
This article was written by the Sec. of Interior recommending immediate development of a synthetic fuels industry. Cited was America's dependence on foreign oil. Coal hydrogenation, shale oil, and alcohol are ways that should be explored.

01256 Krumbein, William C.; Slack, Howard A.
Statistical analysis of low-level radioactivity of Pennsylvania black fossil shale in Illinois: Geol. Soc. Am. Bull., Vol. 67, p. 739-761, 1956.
This paper is concerned with the radioactive content of the thin, black, fossile shale that lies above coal beds in the upper half of Pennsylvanian cyclothems. Sampling design and statistical data are presented. The results lead to interpretations of radioactive accumulation and environment of deposition of the shale.

Krumbein, W. C. See Sloss, L. L. 01908

01257 Krumin, P. O.
Further studies of Ohio coals and oil shale, pt. 1, shales: Ohio State Univ. Studies, Eng. Ser., Vol. 20, No. 1; and Ohio State Univ. eng. Expt. Sta. Bull. 143, 29 p., 1951.
Considers Ohio Shale as an oil shale possibility. (Hoover, 1960).

01258 Krumin, P. O.
Review of the Estonian oil shale industry, with a brief account of oil shale development in U. S.: Ohio State Univ. Studies, Eng. Ser., Vol. 18, No. 6, 125 p., 42 figs., 53 tables, 1949.
Considers Ohio Shale for its oil potential (Hoover, 1960).

Kuk, G. L. See Dinnin, G. Yu. 00661

01259 Kuklis, A.
The mineral industry of Colorado: U. S. Bur. Mines, Miner. Yearb. Vol. 1973, No. 2, p. 133-163, 1976.
Oil shale is briefly covered in this article. Production of 25-30 barrels of oil per day by Garrett Research is noted.

Kugler, G. See Clarke, W. B. 00443

Kulp, J. Lawrence See Cobb, J. C. 00452

Kurbatov, L. M. See Orlov, N. A. 01586

Kyabbi, M. E. See Karpov, A. F. 01145

Kyni, J. R. See Culbertson, J. K. 00559

Kyrdzhieva, L. See Yankov, L. 02377

Labhart, Toni See Rybach, Ladislaus 01806

01260 Lafferty, R. C.
Central Basin of the Appalchian Geosyncline: Am. Assoc. Pet. Geol., Bull., Vol. 25 (3): p. 781-825, 1941.
Discussion of stratigraphy-mostly subsurface-of the area between the Cincinnati Arch and the deepest part of the Central Appalachian Basin. Mostly relates this to structural features and oil and gas reservoirs.

01261 Lake, G. R.; McCutchan, P.; Van Meter, R.
Effects of digestion temperature on Kjeldahl analysis: Anal. Chem., Vol. 23, p. 1634-1638, 1951.
This 1951 paper describes a modification of the

Kjeldahl Analyses for nitrogen determination. The amount of potassium sulfate in the digestion mixtures was adjusted to give the proper temperatures. Includes tables of results.

01262 Lamar, J. E.
Clays and shales of extreme southern Illinois: Ill. Geol. Surv. Rept. of Invest. 128, 107 p., 1948.
Considers Mountain Glen Shale - lithology, outcrop areas. Discusses high potash content, possible value for cement making or fertilizer.

01263 Lamar, J. E.
Limestone resources in extreme southern Illinois: Ill. Geol. Surv. Rept. of Invest. 211, 81 p., 1959.
Outcrop areas and thicknesses of New Albany Shale mentioned. Brief consideration of cement making possiblities. Includes tabulated chemical analyses of clays and shales.

01264 Lamar, J. E.; Armon, W. J.; Simon, J. A.
Illinois oil shales: Ill. Geol. Surv. Circ. 208, 21 p., 1956.
Analyses of Illinois shales for oil content. Shales of New Albany Group considered. Includes date tables.

Lamb, G. C. See Steele, K. F. 02008

01265 Lamborn, C. E.
Notes on the character and occurrence of the Olentangy Shale in southern Ohio: Ohio J. Sci., Vol. 29, p. 27-38, map, 1929.
Discusses the Olentangy Shale, which is a Devonian blue shale lying between the Ohio black shale and Silurian strata. Twenty-two exposures of these lower shale beds in southern Ohio are described in detail in terms of character, thickness, and stratigraphic relations. There is no paleontology mentioned.

Lamborn, R. E. See Stout, Wilker 02025

01266 Lamborn, R. E.; Austin, C. R.; Schaaf, D.
Shales and surface clays of Ohio: Ohio Geol. Surv. Bull. 39, 281 p., 4 pls., maps, 1938.
Comprehensive treatment of the ceramic qualities or rocks in the Devonian-Mississippian shale sequence (Hoover, 1960).

01267 Lamont, W.
Tax lead time study: Colo. Geol. Surv., Variously paginated, 1974.

01268 Landis, Edwin Robert
Black shale; western Kansas and eastern Colorado: (Title unavailable; See coden), No. 490, p. 158-159, sketch map, 1954. U. S. G. S. Trace Elem. Invest. Rept. 490.
"Outcrops of black shale in the lower part of the Pierre Formation of Cretaceous age were examined and sampled in four general areas in western Kansas and eastern Colorado." Exposures of the Sharon Springs member are shown on the map. Tuffaceous and carbonaceous rock sample results are also cited.

01269 Landis, Edwin Robert
Black shale investigations; western Kansas and eastern Colorado: (Title unavailable; See coden), No. 540, p. 159, 1955. U. S. G. S. Trace Elem, Invest. Rept. 540.
In this one paragraph section, a suggestion is made of beds in the Pierre Shale and Niobrara Formation which are more radioactive. The sequence of radioacitve beds were detected form surface and gamma-ray log data.

01270 Landis, Edwin Robert
Midcontinent Devonian shale, Kansas: (Title unavailable; See coden), No. 590, p. 249-252, sketch map, 1955. U. S. G. S. Trace Elem. Invest. Rept. 590.
This brief article studies Chattanooga Shale in subsurface eastern Kansas by use of radioactive logs. These logs are presented, and the most highly radioactive zones are noted.

01271 Landis, Edwin Robert
Radioactivity and uranium content of Devonian and Mississippian black shales in the Central midcontinent area: (Title unavailable; See coden), No. 740, p. 202-208, illus., 1958. U. S. G. S. Trace Elem. Invest. Rept. 740.
Chattanooga Shale, Woodford Shale, and Arkansas novaculite were sampled from 52 localities. Uranium, equivalent uranium, and other trace elements were measured spectographically. Also for the 261 samples modal, median, and mean values were calculated for the uranium content. Exceptionally high U values were noted, and a few samples were anlysed for organic carbon content.

01272 Landis, Edwin R.
Radioactivity and uranium content of the Sharon Springs member of the Pierre Shale and associated rocks in western Kansas and eastern Colorado: U. S. G. S. Trace Elem. Invest. Rept. 573, 38 p., maps, diagrs., tables, 1955. For official use only.

01273 Landis, Edwin Robert
Radioactivity and uranium content, Sharon Springs Member of the Pierre Shale, Kansas and Colorado: U. S. Geol. Surv. Bull. 1046-L, p. 229-319, (out of print but available through libraries), 1959.
Percent uranium of certain beds is developed by gamma ray and neutron logs. Stratigraphy of the area, and origin of the uranium deposits are discussed. Analysis of other metals and trace elements conducted, along with study of possible epigenetic uranium deposits.

01274 Landis, Edwin Robert
Uranium and other trace elements in Devonian and Mississippian black shales in the central midcontinent area: U. S. Geol. Surv. Bull. 1107-E, p. 289-336 (out of print), 1962.
Examines three marine black shales, the Woodford and Chattanooga shales, and the Arkansas novaculite. Range of study includes Arkansas, Missouri, Oklahoma, and Kansas. 120 samples, mostly Chattanooga shale, were measured for uranium content. Some samples analysed for organic carbon content, oil yield, and relations with these to uranium content. Trace elements were also measured.

01275 Landis, Edwin R.
Uranium and other trace elements in Devonian and Mississippian black shales in the Central midcontinent area: U. S. G. S. Trace Elemm Invest. Rept. 726, 5 p., 1958. For official use only.

Landis, Edwin R. See Swanson, Vernon E. 02052

01276 Landsberg, Helmut
Radioactivity tests of rock samples for the correlation of sedimentary horizons: Am. Inst. of Min. and Met. Engrs. Tech. Pub. 1103. Class L, Geophysical methods of exploration, No. 68, 9 p., tables, diagrs., 1939.

01277 Lankford, J., Jr.
Dynamic strength of oil shale: Soc. Pet Eng. AIME, Trans. Vol. 261, variously paginated, 1976.
The principle goal of this study was to investigate the strain-rate dependence of strength and ductility for oil shale to predict the strength levels required for fracture under dynamic loading. (From Intro.) Includes figures and tables of results obtained.

01278 Lankford, J.
Study of effect of strain rates, pressure and kerogen content upon failure strength of oil shale (abs.):

Geol. Soc. Am., Abs. Programs, Vol. 7, No. 2, (South-Central Section, 9th Annual Meeting), p. 181, 1975.
Discusses testing of strengths of oil shales with kerogen contents of from 11 to 45 barrels per ton of shale. Tests simulated in situ methods of mining where overburden pressure is great. Stresses, strains, strenghts, and pressures were measured.

Lankford, J. D. See Burgh, E. E. 00306

Lankford, J. D. See Kalcevic, V. 01140

01279 Lankford, J. D.; Ellis, C. F.
Shale oil refining: Ind. Eng. Chem., Vol. 43, p. 27-32, 1951.
Thermal cracking and chemical treatment processes were carried out on a demonstration plant scale, as an approach to the study of the refining of Colorado crude shale oil. This is the first exploratory study on this scale made on crude oil from Colorado oil shale. (From abstract)

01280 Lankford, J. D.; Guthrie, Boyd
Oil-shale processing: A. I. M. E. Tech. Publ. No. 2360, Petrol. Tech. Vol. 11, 12 p., May 1948.
This is a progress report on the oil shale and shale-oil processing research program at the U. S. Bur. of Mines Oil-Shale Demonstration Plant near Rifle, Colorado. The crushing plant and the two 40-ton N-T-U retorts are described in detail.

01281 Lankford, J. D.; Morris, Boyd
Refining of Colorado shale oil - a review of work by the U. S. Bur. of Mines: Chap. in Conf. on Oil Shale and Cannel Coal. Oil Shale and Cannel Coal, Proc., Vol. 2, Inst. of Petrol., London, p. 500-532, 1951.

01282 Lankford, J. D.; Trotter, F. J.; Taylor, F. W.
Solids level control: U. S. Patent 2,620,933, 1952.
The patent concerns a device for maintaining a predetermined level of particulate solid material in a container comprising a piston. Rough diagrams of the device are shown. (Note: See Klosky for all oil shale patents through 1959).

Lantz, F. J. See Maher, J. C. 01376

01283 Laput, V. A.; Garmasheva, L. F.
Raspredeleniye organicheskogo veshchestva v Devonskikh i verkhneproterozoyskikh otlozheniyakh orshanskoy

Upper Proterozoic deposits of the Orshanskiy Basin): Akad. Nauk SSSR, Dokl., Vol. 218, N-. 1, p. 59-62, illus., 1974.

01284 Laput, V. A.; Rodiko, N. S.; Dmitriyeva, L. P.
Izucheniye ostatochnogo organicheskogo veshestva paleozoyskikh i verkhneproterozoyskikh otlozheniy Orshcnskoy vpadiny (Investigating residual organic matter of upper Proterozoic and Paleozoic sedimentary rocks in the Orsha Basin): Akad. Nauk SSSR, Dokl., Vol. 18, No. 10, p. 925-926, table, 1974.

01285 Laramie petroleum Research Center Staff
Barcue Creek Corehole No. 1 Data. Open File Report No. 15-69. Open File at Bureau of Mines libraries at Denver, Colo., and Laramie, Wyo.: and the U. S. Geol. Surv. Public Inquiry Office, Denver, Colo. NO PUBLIC DISTRIBUTION.

Larkin, E. D. See Oparysheva, L. G. 01585

01286 Larsson, A.
Uranium and radium in Kolm: Stockholm, Svensk Kem. Tidskr., Vol. 31, p. 63-70 (in Swedish), 1919.

01287 Latzko, D. G. H.
Energy prospects in the Netherlands. (Delfl Progress) Report. General Issue, p. 1-24, 1976.

Laub, D. E. See Tschanz, C. M. 02135

Lawlor, D. L. See Robinson, W. E. 01764

Lawlor, D. L. See Robinson, W. E. 01765

Lawlor, D. L. See Robinson, W. E. 01766

Lawlor, Dale L. See Smith, John Ward 01954

01288 Lawlor, D. L.; Fester, J. I.; Robinson, W. E.
Pyrite removal from oil-shale concentrates using lithium aluminum hydrite: Fuel, Vol. 42, p. 239-244, 1963.
This 1963 article describes a technique, developed by the Bur. of Mines, for removing pyrite from oil-shale concentrates. Concentrates obtained by this technique would be useful in kerogen structural studies. (From abstract)

01289 Lawlor, D. L.; Robinson, W. E.
Fatty acids in Green River Formation oil shale: A. C. S. Prepirnts, Div. of Petrol. Chem., Vol. 10, No. 1, p. 5-7, March 1965.

01290 Lawlor, D. L.; Robinson, W. E.
Fatty acids and n-alkanes in Green River oil shale: Changes with depth: A. C. S. Preprints, Div. of Fuel Chem., Fol. II, No. 2, Part 2, p. 480-486, April 1967.
This paper discusses the changes with depth for fatty acids extracted from Green River Formation oil shale. These changes were compared to the already reported n-alkane changes. (From Abstract)

02191 Lawlor, D, L.; et al.
Pyrite removal for oil-shale concentrates using lithium aluminum hydride: A. C. S. Preprints, Div. of Fuel Chem., Vol. 1, p. 156-159, Sept. 1961.

01292 Lawlor, John M.; Murphy, M. T. J.; Chapman, R. W.
Hydrocarbons isolated from shales of the East Berlin Formation, Connecticut (abs.): Geol. Soc. Am. Spec. Paper 115, p. 128-129, 1968.
Hydrocarbons in black, red, and grey shales of this Traissic formation were studied. Extraction methods using benzene-methanol mixtures removed the soluble hydrocarbons. Components were identified by chromatography, ultraviolet and infrared spectroscopy, and mass spectrometry. Grey shale had most hydrocarb.

01293 Lease, L. W.; et al.
Uranium favorability of Tertiary sediments in the northern Green River Basin and Hoback Basin, Wyoming: Bendex Field Eng. Corp. Rep. No. GJBS-64 (77), 92 p., illus., incl. tables, sketch map, 1977.

01294 Leatherock, Constance; Bass, N. Wood
Chattanooga Shales in Osage County, Okla., and adjacent areas: Am. Assoc. Pet. Geol. Bull., Vol. 20, No. 1, p. 91-101, 5 figs., incl. sketch map, Jan., 1936.
Discussion of the Chattanooga shale in this area and its stratigraphic relations to a basal sand and an overlying shale. An intertonguing gray shale is also studied. Microscopic studies of well cuttings and petrographic thin sections prove the absence of the Chattanooga in at least one large area.

Leclair, G. See Cameron, A. R. 00337

01295 Lecomte, P.; Willemyns, P.; Martin, H.
Geochimie de surface et mineralization dans le Cambrian et le Devonian in Belgique; II, Cuive et plomb an massif de serpont (Geochemistry of the surface and mineralization in the Cambrian and Devonian in Belgium; II, Copper and lead from the massif of Serpant.: Belg. Serv. Geol. Prof. Paper No. 12, p. 1-18, illus., 1974.

01296 Lee, D. S.
Discovery of oil shale beds at southwest coast of Korea (abs.): Pac. Sci. Congr., Rec. Proc., No. 13, Vol. 1, p. 153-154, 1975.

01297 Lee, Kwang K.; Smith, J. W.
Paleolimnology and oil-shale genesis in Green River Formation, Colorado: Wasserwertschaft und Gewinnumg Fossiler Energietrager Intl. Symp. Dusseldorf, Bundesrepublik Deutschland, Paper 15, 17 p., Sept. 1976.

01298 Lee, R.
Nature of clay-kerogen associations in the oil shales from the Washakie Basin of the Green River Formation (Wyoming): Master's Texas Tech: Lubback, 1975.

Leeuw, J. W. See Vander Berg, M. L. J. 02234

Legatski, M. W. See Kilburn, P. D. 01185

01299 Lekas, M. A.; Gray, B. G.; Caprenter, H. C.
The Bronco Oil Shale Study. Part I. The feasibility of using nuclear explosives in the production of shale oil. Project Bronco. PNE 1400, p. 1-21. Available from: Clearinghouse for Federal Scientific and Technical Information, National Bureau of Standards, U. S. Dept. of Commerce, Springfield, Virginia, 22151. Price: $3.00.
This article "... examines the feasibility of using deeply buried underground nuclear explosions to break oil shale deposits for in situ retorting, and recommends that a nuclear explosion experiment be designed to test the concept." (Authors) Oil shales are described as an energy source and the sequence of events in the experiment is outlined.

01300 Lekas, M. A.; Carpenter, H. C.
Fracturing oil shale with nuclear explosives for in-situ retorting: Colo. Sch. Mines, Q., Vol. 60, No. 3, p. 7-28, illus., tables, discussion, p. 29-30, 1965.
This paper is divided into three sections. The first discusses the processes and effects of fracturing oil shale with nuclear explosives. In situ retorting of the oil shale by the nuclear method and by the Ntu method are studied. The last part is a question and answer discussion with one of the authors.

01301 Lemcke, K.
Oelschifer im Meteoritenkrater des Noerdlinger Rieses (Oil shales in the Noerdlinger Ries meteorite crater): Ver. Schweiz. Pet. - Geol. Ing., Bull., Vol. 44, No. 106, p. 1-12 (incl. Eng. sum.), illus. (incl. sects., maps), 1978.

01302 Leonard, Joseph T.
Ozonolysis of the Chattanooga black shale (with a brief progress report by C. R. Kinney, J. T. Leonard, and others) annual report, January 1, 1958, to December 31, 1958: U. S. Atomic Energy Comm. NYO-6679, 135 p. (dep.; $6, NTIS)(prepared by the Pennsylvania State University), 1958.

Leonard, J. T. See Kinney, C. R. 01193

Leonard, J. T. See Kinney, C. R. 01194

Leonard, J. T. See Kinney, C. R. 01195

01303 Leplat P.; Noel, R.; Paulet, J.
Comparaison de la diagenese organique de roches a kerogene et de la compaction des argiles en fonction de l' enfouissenent (Comparison of organic diagenesis and compaction of clay as a function of burial depth); in Petrographie de la matiere organique des sediments, relations avec la paleotemperature et le potentiel petrolier (Alpern, V., editor), p. 127-152 (incl. Eng. sum.), illus. (incl. tables), C. N. R. S., Paris, France, 1975.
Suggests diagenesis is a function of depth. Through techniques of pyrolysis, reflectance, electron spin resistance, gas chromatography, the state of diagenesis of kerogen can be determined. Through the examination of clay compaction diagrams of the three coreholes, estimates of presence, though not in accumulated pools, of petroleum are given.

01304 Leslie, R. B.; Evans, H. J.; Knight, C. L.
Economic geology of Australia and Papua, New Guinea; 3, Petroleum: Australia, Inst. Min. Metall., Monogr. Ser., No. 7, 541 p., 1976.

01305 Lesnoy, D. A.
Kriterii parageneticheskogo oglozheniya uranonosnykh bitumov i urania po geologicheskim i eksperimental'nym dannym (Criteria of the paragenetic deposition of uranium-bearing bituments and uranium bases on field and experimental data): in Rudoobrazovaniye i met-allogeniya, p. 116-182, Akad. Nauk, Ukr., SSR, Inst. Geokim. Fiz. Miner., Kiev, 1971.

01306 Lessley, George E.
Kinetic study of the non-catalytic hydrogenation of shale gas oil: Master of Science Thesis, Univ. of Wyo., 135 p., July 1968.

01307 Lessley, G. E.; Silver, H. F.; Jensen, H. B.
Thermal cracking of shale gas oil under a hydrogen

atmosphere: A. C. S. Preprints, Div. of Petrol. Chem., Vol. 15, No. 4, p. A84-A92, 1970.
The results obtained in this work show that the rate at which shale gas oil cracks at constant temperature under hydrogen, pressure, decreases as the extent of cracking conversion increases. (From Abstract)

Letushova, I. A. See Ginzburg, A. I. 00897

01308 Leung, Samuel S.
Neutron activation analysis of seven trace elements in some selected samples of New Albany Shale (Abs.); in Southeastern Section, 23rd Atlanta Meeting, Geol. Soc. Am., Abstr., Vol. 6, No. 4, p. 376, 1974.
21 samples of New Albany shale from five Kentucky counties were analysed by neutron activation for seven trace elements. The range of element content in parts per million and the arithmetic mean are given. The author reports that minor variations in element content are similar to those of other investigations.

01309 Leung, Samuel S.; Sanders, Thomas
A geochemical study of the New Albany Shale in Kentucky (abs.): in Southeastern Section, Geol. Soc. Am. Abs., Vol. 5, No. 5, p. 413, 1973.
259 samples of New Albany shale from 25 Kentucky counties were analysed for twelve trace elements, some by neutron activation and some by X-ray flourescence. Authors report the lack of regional variation and the similarity of their findings to other trace element studies of the area.

01310 Leutwein, Friedrich
Geochemical studies of the alum-silica shales of Thuringia: Arch. Lagerstattenforsch, Vol. 82, p. 1-45, 1951.
120 shale samples for Cu, Ni, Co, Zn, V, Mo, Cr, Zr, Ti, Y, La, Pb, Av V 700; Mo 250; No 60; Cr 30 ppm. V Mo, Cr parallel Carbonrich fraction separated and abnormal enriched Au, Mo, Ni; low in V. Clay rich fraction enriched in V, Ti, Mo, and Cr.

01311 Leventhal, Joel S.
Sources of organic matter in Devonian black shales: Geol. Soc. of Am. Abs. Programs. 1978 Annual Mtg. Vol. 10, No. 7, p. 444, 1978.
Kerogens from black shales of the central Great Basin are derived predominantly from marine organisms such as Tasmanites and yield n-alkanes and alkanes upon pyrolosis. The Chattanooga and associated shales of the Appalachian Basin contain both marine and terrestial (Vitrinite) components and yield mainly substituted aromatics.

01312 Leventhal, J. S.
Stepwise pyrolysis-gas chromatography of Kerogen in sedimentary rocks: Chem. Geol., Vol. 18, No. 1, p 5-20, 1976.
Description of testing of carbonaceous matter by stepwise pyrolysis-gas chromatography methods. The molecular sizes (C-chain length) of kerogens were determined and chromatograms were compared. Rocks tested included Green River, Antrim, Kupferletten, Monterey, Pierre, and Romney.

Leventhal, J. S. See Jennings, J. K. 01113

01313 Levin, A. S.
Secondary alterations in oil shales of the Leningradskoye Deposit: Int. Geol. Rev., Vol. 19, No. 10, p. 1225-1229, 1977.
Discusses epigenetic changes in the oil shales of the Leningradskoye deposit. Composition of the geochemical zones is studied, and changes in composition are measured.

Levine, N. See Pollara, F. Z. 01658

01314 Levine, N. M.; Pesold, W. F.; Ruby, S.
Recovery of uranium from Chattanooga shale, progress report, September 1953: U. S. Atomic Energy Comm. RMO-4000, 44 p. (dep.; $11, LC)(prepared by Columbia University), 1953.
Described is the work done on the structure of the Chattanooga Shale are and the chemical processes for its concentration.

Levinson, A. A. See Bayliss, P. 00146

01315 Lewis, A. E.
Nuclear in situ recovery of oil from oil shale: in Peaceful nuclear explosions IV, p. 153-207, (incl. French, Russian, Spanish sum.) illus. (incl. tables, sketch maps), IAEA, Vienna, Austria, (IAEA-TC-1-412), with discussion, 1975.

01316 Lewis, Authur E.
The outlook for shale oil: Am. Astronaut. Soc. Publ., Sci. Technol., Vol. 35 (Energy delta; supply vs. demand), p. 241-259, illus., (incl. tables, sketch maps), 1975.

01317 Lewis, A. E.
The outlook for shale oil, in Identification of Research and Development Priorities and of Costing Problems Associated with Implementation of in Situ Reocvery of Shale Oil: Rept. No. NSF-RA-N-75-001, p. 218-236, 1975.

01318 Lewis, R. S.; Varley, T.
The mineral industry of Utah: Univ. of Utah Bull., Vol. 10, No. 11, 208 p., Dec. 1919.

01319 Lewis, T. L.
Late Devonian and early Mississippian paleoenvironments, northern Ohio: Geol. Soc. Am., Abstr. Programs, Vol. 8, No. 2, p. 220, 1976.
Paleoenvironments of northern Ohio formations are discussed. Deltaic and channel sequences are studied, and mention of the Cleveland black shale is made.

01320 Lewis, T. L.; Schwietering, J. R.
Distributions of the Cleveland black shale in Ohio: Geol. Soc. Am. Bull., Vol. 82, No. 12, p. 3477-3482, illus. (incl. sketch maps), 1971.
Study of a single unit within a thick shale sequence. Isopach maps show marked pinching and swelling along strike that may be related to positions of turbidite fans to the east, coming from the Catskill Delta. Interprets depositional environment. Includes E-log cross-sections, isopach map, etc.

01321 Leythaeuser, Detlev
Effects of weathering on organic matter in shales: Geochim. Cosmochim. Acta, Vol. 37, No. 1, p. 113-120, illus., 1973.
Near surface three-meter intervals, upper Cretaceous shale, semi-arid climate, changes in organic carbons, soluble and insoluble organic matter, Utah.

01322 Licari, Gerald; Cloud, P. E., Jr.
Eucaryotic nannofossils in kerogens from the pre-Paleozoic Windermere Series of Alberta (abs.): Geol. Soc. Am. Spec. Paper 121, p. 174-175, 1969.
Discusses the microbiota of kerogen from shales of the Hector Formation in Alberta. The fossils, which appear to be planktonic green algae, are discussed briefly in terms of shape and size. Their relationship to dependent heterotrophic organisms is suggested.

01323 Lightbur, Ken
Mountains of oil; oil shale, Colorado: Eng. Bull., Vol. 27, No. 9, p. 4-5, illus.

Liktionov, V. P. See Orlova, V. S. 01587

01324 Lilienthal, Richard R.
Subsurface geology of Barry County, Michigan; Mich., Geol. Surv. Div., Rep. Invest., No. 15, 36 p., illus., 1974.
This report is a subsurface investigation of rock strata underlying Barry County aimed at providing basic and general geologic data. The author's intent is

to provide mechanical log correlation sections, structure maps and other helpful data.

Lima, F. W. See Atalla, L. T. 00064

01325 Linden, Kh. R.; Tsaros, Ch. L.; Fel'dkirkner, Kh. L; et al.
Dytovoy gas is goryuchikh slantsev (Natural gas from oil shale): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 311-326, illus. (incl. tables), Izd. Valgus, Tallin, Union of Soveit Socialist Republics, 1974.

01326 Lindêr, A. W.
Rundle oil shale deposit, Queensland, Australia (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 61, No. 5, p. 809, 1977.
The author has found that a renewed interest in oil shale has brought new core drilling with findings of possible economic significance.

01327 Lindner, A. W.; Sixon, D. A.
Some aspects of the geology of the Rundle oil-shale deposit, Queensland: APEA J. (Aust. Pet. Explor. Assoc.), Vol. 16, Part 1, p. 165-172, illus. 1976.

01328 Lineback, J. A.
Stratigraphy and depositional environment of the New Albany Shale (Upper Devonian and Lower Mississippian) in Indiana: Ph. D. Thesis (unpub.), Indiana Univ., 136 p., 10 pls., 20 figs., 2 tables, 1964.
Lithologic subdivisions and environmental conditions based on surface sections, subsurface logs, and cores. Correlations with equivalent units in surrounding states. Deoxygenated marine environment of deposition is postulated. Includes photomicrographys, cross-sections, isopach maps, descriptions of measured sections.

01329 Lineback, J. A.
Stratigraphy of the New Albany Shale of Indiana: Ind. Geol. Surv. Bull. 4, 73 p., 1970.
Subdivision of New Albany Shale into members. Correlations with equivalent units in neighboring states. Discussion of age. Environmental interpretation. Isopach maps, cross-sections, descriptions of measured sections.

01330 Lineback, J. A.
Stratigraphy of the New Albany Shale in southeastern Indiana (abs.): Geol. Soc. Am. Spec. Paper 76, p. 102-103, 1963.
Describes stratigraphic succession, considers age from early Late Devonian to Kinderhookian, comments of depositional environment.

01331 Lineback, Jerry A.
Subdivisions and depositional environments of the New Albany Shale (Devonian-Mississippian) in Indiana: Am. Assoc. Pet. Geol., Bull., Vol. 52, No. 7, p. 1291-1303, illus., 1968.
Considers lithology, subdivision, correlations distribution, depositional environment. Includes maps of shale color, isopachs, section descriptions, etc.

Lineback, J. A. See Atherton, Elwood 00065

01332 Linker, S.
The relations of peat to oil shale: Am. Peat Soc., J., Vol. 18, No. 2, p. 45-49, Apr., 1925.

01333 Linville, B.
Petroleum and oil-shale research of the Bureau of Mines, fiscal year 1969: U. S. Bur. of Mines, Inf. Circ., No. 8525, 117 p., illus. (incl. sketch map), 1971.
p. 66-80: Objectivies and accomplishments of a variety of Bureau of Mines projects concerning oil shale and kerogen are noted. Most of the projects have to do with characteristics of oil shale products, reactions of shale oil components, and constitution of oil shale.

Linville, B. See Chancellor, R. E. 00407

Linville, Bill See Spencer, John D. 01985

Linville, Bill See Spencer, John D. 01984

01334 Linville, Bill; Spencer, John D.
Bureau of Mines Energy Program, 1972: U. S. Bur. of Mines Inform. Circ. 8612, 107 p., 1973.
A wide variety of Bureau of Mines projects concerning oil shale are briefly summarized. These included evaluating in situ fracturing systems in Colorado and Wyoming, control and management of oil shale wastes, method for estimation of nahcolite, and NMR method for quick assay of oil shales, and new methods for determining characteristics of shale oils.

01335 Linville, B.; Spencer, J. D.
Review of Bureau of Mines Energy Program, 1970: U. S. Bur. of Mines, Inf. Circ. No. 8526, 111 p., 1971.
A wide variety of Bureau of Mines projects concerning oil shale are briefly summarized. Among these topics are fracturing and in situ research conducted at Rock Springs, Wyoming, control and management of oil shale wastes, and characteristics of oil shales and shale oils.

01336 Linville, B.; U. S. Bureau of Mines
Petroleum and oil-shale research of the Bureau of Mines, fiscal years 1967-1968: U. S. Bur. of Mines, Inf. Circ., No. 8448, 162 p., illus. incl. table, 1970.
Production, utilization, conservation. 11 oil shale research projects of the Bureau of Mines active in fiscal 1967-1968 are summarized. Among topics discussed are: use of nuclear explosives in processing oil shale; evaluation of research at Anvil Point, Colo., shale oil conversion; characteristics of oil shale products; spectroscopic analyses, shale oil components and reactions; and constitution and bonding of kerogen.

01337 Liquornik, M.
Extraction of uranium from Un-Barek oil shale: Israel Research Council Bull., Vol. 10C, p. 171-176, 1962.

01338 Lishmund, S. R.
Oil shale; The mineral industry of New South Wales, No. 30, 80 p., illus. (incl. geol. maps), 1974.

01339 Little, H. W.
Favorable geological environments for uranium prospecting, in Guidelines to Prospecting, a symposium: Canadian Mining J., Vol. 89, No. 5, p. 51-54, illus., tables, 1968.
This paper covers the highlights of the subject of favorable geological environments for uranium prospecting. Gives a simplified classification of uranium deposits and their characteristics. Includes figures.

Liu, J. H. See Cole, R. D. 00462

01340 Livingston, Clifton W.
Oil shale; a roadblock and a solution: in Oil Shale Symposium, 7th, Proceedings, Colo. Schm. Mines, Q., Vol. 69, No. 2, p. 185-203, illus. (incl. sketch map), 1974.
Discusses the roadblock that oil shale of the west Colorado area connot be mined using conventional concepts of mine layout and mine development. The solution is that federal, state, and local governments must coordinate with industry to bring about successful development. Many models of mining methods are presented.

01341 Livingston, C. W.
Oil shale; a solution to the roadblock: Eng. Min. J., Vol. 175, No. 6, p. 109-117, 1974.

01342 Linvingstone, Jennie
Organic constituents of oil shales and related rocks: Colorado, Univ. studies, Vol. 16, No. 2, p. 149-170, 3 pls., April. 1928.

01343 Livingstone, Jennie
Organic Constituents of oil shales and related rocks; Garfield County Coloardo: Master's, Colorado, 1927.

01344 Lockett, Robert
Production of gas in northern Cincinnati Arch province: in Natural gases of North America; Part 3, Natural gases in Rocks of Paleozoic Age, Am. Assoc. Pet. Geol., Mem., No. 7, Vol. 2, p. 1716-1745, illus., 1968.
Discusses history of gas production on the flanks of the Cincinnati Arch in Kentucky, Ohio, Indiana, and West Virginia. Structure and stratigraphy are discussed, and reservoirs and classified in order of age of host rock. Also mentions gas storage projects.

01345 Logan, William N.
The mineral fuel resources of Indiana: Indiana Dept. Conserv., 11th Ann. Rept., p. 27-37, 1929.

01346 Logomerac, U. G.
The extraction of uranium from Sconza shales (Yugoslavia): United Nations, Internat. Conf. on the Peaceful Uses of Atomic Energy, 1st, proc., Vol. 8, p. 111-115, 1956.
This paper attempts to examine the problems of leaching bituminous shales with uranium content of average 136 gm per ton of ore and to describe the data of leaching, precipitation scheme and techniques, as well as extraction. (From Conclusion).

01347 Loisy, Gueronik
Rechurches sur le schistes bitumineux du toarcien (departments de l"Aveyron et de la Lazere): France, Office Nat. Combustibles Liquides, Ann. an. 13, No. 6, p. 1035-1069, 5 figs., 3 maps, 1938. Toarcien oil shales, France.

Lombard, D. B. See Carpenter, H. C. 00366

01348 Lombard, D. B.; Gray, B. G.; Sohs, H. W.
The Bronco Oil Shale Study. Part II. A design for project Bronco, an experiment for nuclear fracturing and in-situ retorting of oil shale. Project Bronco. PNE 1400, p. 22-45. Available from: Clearinghouse for Federal Scientific and Technical Information, National Bureau of Standards, U. S. Dept. of Commerce, Springfield, Virginia, 22151. Price: $3.00.
Describes Project Bronco, a "proposed 50-kiloton nuclear explosion experiment." The four phases of experimentation are outlined: 1-site confirmation, 2-construction, detonation, and evaluation, 3-chimney treatment, 40fracture zone treatment. Site characteristics and explosion effects are outlined and well specifications are shown.

01349 Lombard, D. B.; Gray, B. G.; Sohns, H. W.
Technical considerations for plowshare applications to oil shale: Proc. Symp. on Engineering with Nuclear Explosives, Las Vegas, Nev., Jan. 14-16, 1970, Vol. 2, CONF-700101, p. 1343-1363, May 1970.

01350 Lombard, D. E.
Recovering oil from shale with nuclear explosives: J. Petroleum Technology, Vol. 17, No. 8, p. 877-881, illus., tables, 1965.
Basic features of a plan to break shale for in situ retorting by the use of nucelar explosives is discussed. Includes diagrams.

Long, A. See Dockter, L. 00666

Long, A., Jr. See Harak, A. E. 00968

Long, A. See Harak, A. E. 00966

Long, A., Jr. See Sohns, H. W. 01974

Long, J. S. See Rajaram, V. 01697

Longchambon, Henri See Longchambon, Louis 01351

01351 Longchambon, Louis; Longchambon, Henri
Sur l'extension du facies hydrocarbure toarcian dans l'ess de la France: Acad. Sci., Paris, C. R. t. 200, No. 14, p. 1229-1231, Ap. 1 '35. (Toarcian oil shales in France).

01352 Longchambon, Louis
Sur le schistes bitumineux de Fecocourt: Acad. Sci. Paris, C. R. t. 202, No. 14, p. 1293-1295, 1 fig., Ap. 6 '36. (Oil shales of Fecocourt Meurthe-et-Moselle, France.)

01353 Longchambon, Louis
Sur les schistes bitumineux de Saulz-de-Vesoul: Acad. Sci., Paris, C. R. T. 201, No. 26, p. 1407-1409, 1 fig., (sk. map), p. 23 '35. Toarcian (Jurassic) oil shales in Saulz-de-Vesoul, France.

Lord, N. W. See Oeton, Edward 01594

01354 Lorenz, P. B.
Radioactive tracer pulse method of evaluating fracturing of underground oil shale formations: U. S. Bur. of Mines, Rept. of Invest., No. 7791, 33 p., 1973.
A Bureau of Mines feasibility study on the use of tracer pulses to assess the degree of fracturing

in an underground formation consisted of three phases: 1-a laboratory study using sand packs and open tubes, 2-a test on a retort, and 3-a field test on underground fractured shale. Measurements of void space, flow channel size, dispersion, counting systems, pulse size, and statistical analyses are given for these systems.

Lorenz, Phillip B. See thomas, Rex D. 02083

Loucks, R. G. See Bebout, D. G. 00157

Love, A. H. See Claypool, G. E. 00444

01355 Love, David
Uranium content of Middle Pennsylvanian black shales penetrated in wells in southeastern Wyoming: U. S. G. S. Trace Elem. Mem. Rep. 122, 14 p., maps, tables, 1951.

01356 Love, J. D.
Uraniferous zones in the Green River formation, southwestern Wyoming: U. S. Atomic Energy Comm. TEI-590, p. 263, (dep.)(prepared by the U. S. Geol. Surv.), 1955.
Four low grade uraniferous zones in the Laney Shale tongue were examined and sampled along a 90 mile distance. Lithology and thickness of the zones is mentioned with detected U content given for each.

01357 Love, L. G.
Further studies of micro-organisms and the presence of syngenetic pyrite: Paleontology, Vol. 5(3): p. 444-459, 1962.
A paleontological study concerning the solution of pyrite revealing microfossiles in bituminous limestones and shales of Lower Jurassic and Carboniferous age in England. Little discussion of the shales themselves.

01358 Lowe, C. W.
A survey of methods for extracting uranium from slag by-product of elemental phosphorus furnaces and Chattanooga Shale: U. S. Atomic Energy Comm. MLM-748, 15 p. (dep.;$4.50, LC)(prepared by Mound Laboratory), 1952.

01359 Lowenstam, H. A.
Marine pool, Madison County, Illinois, Silurian reef producer; in J. V. Howell, ed., Structure of Typical American Oil Field, Vol. 3: Am. Assoc. Pet. Geol., p. 153-188, Ill. Geol. Surv. Rept. of Invest. 131, 40 p., 1948.
Brief mention of New Albany Shale stratigraphic relations. Appears in general columnar section and E-log cross-section.

01360 Lowenstam, H. A. DuBois, E. P.
Marine pool, Madison County, a new type of reservoir in Illinois: Ill. Geol. Surv. Rept. of Invest. 114, 30 p., 1946.
Brief mention of New Albany Shale, appears in E-log cross-sections. Structure map of oil pool on top of Devonian limestone (base of New Albany).

Luce, P. B. See Foster, Ray W. 00821

Luedke, R. G. See Shoemaker, Eugene M. 01890

01361 Lukovic, Milan T.
Oil shale in Yugoslavia: Anglo-Yugoslav Rev., Vol. 1, No. 1-2, p. 33-37, 3 figs., Ja-Ap '36. Cret. and Tert.

01362 Lundell, L. L.
Depositional environment of the Eocene Green River Formation, Piceance Creek Basin, Colorado: Doctoral, Univ. of Wyoming, Laramie, Wyoming, 147 p. Available from Univ. Microfilms.

Lundell, L. L. See Surdam, R. C. 02042

01363 Lundell, L. L.; Surdam, R. C.
Playa-lake deposition; Green River Formation, Piceance Creek Basin, Colorado: Geology (Boulder), Vol. 3, No. 9, p. 493-497, 1975.
The structure of sedimentary rocks in the Green River Formation are discussed relative to the origin of the formation, Physical chemical, and biological evidence lead to depositional interpretations. Brine evolution and evaportie deposits are discussed.

01364 Lunt, H. F.
The oil shales of northwestern Colorado: Colo. Bur. Mines, Bull., No. 8, 59 p., 3 pls., 5 figs., 1919.
A general view of occurrence and origin of oil shales. Commercial considerations and speculation of a future mining industry are discussed. Tests determining crude oil and ammonium sulfate were conducted.

Lutz, G. A. See Weing, Robert A. 00768

Lynch, V. J. See Hickman, R. C. 01010

Lytle, J. See Davis, D. 00587

Lytle, R. J. See Duba, A. 00701

01365 MacFarlane, John M.
The quantity and sources of our petroleum supplies; a review and criticism: Philadelphia, Noel Printing Co., Inc. 250 p., illus., diagr., 1931.

Machada, Romeu Viera See Byington, Alberta Jackson, Jr. 00334

01366 Maciel, A. C.; Azuaga, C. H. C.; Cruz, P. R. Methodologia de prospeccao de torio e terras raras (The methodology of exploration for thorium and rare earths)(abs.): in Resumo das Comunicacoes, Simposios e Conferencias; Simposia de persquisa mineral, Congr. Bras. Geol., No. 27, Bol. 2, p. 169, 1973.

01367 Maciel, A. C.; Azuaga, C. H. C.; Cruz, P. R. Methodologia de propseccao de uranio no Brasil (The methodology of uranium exploration in Brazil)(abs.): in Resumo das Comuicacoes, Simposios e Conferencias: Simposio de pesquisa mineral, Cong. Bras. Geol., No. 27, Bol. 2, p. 119-121, 1973.

01368 Maciel, A. C.; Azuaga, C. H. C.; Cruz, P. R. Reservas de uranio e torio no Brasil e no mundo (The reserves of uranium and throium in Brazil and the world; production capacity and demand perspectives.)(abs.): in Resumo das Communicacoes, Simposios e Conferencias; Simposio de economia mineral, Cong. Bras. Geol., No. 27, Bol. 2, p. 119-121, 1973.

Machenzie, Fred T. Sec Thorstenson, Donald C. 02098

01369 Machenzie, Fred T.; Garrels, Robert M. Diagenesis of shaly rocks (abs.): Am. Assoc. Pet. Geol. Bull., Vol. 54, No. 5, p. 858, 1970.
Ratios of various metal oxides to Al_2O_3 plotted against geologic age from three distinct groups during diagenesis. Reactions between the clay minerals, and iron oxide ratios are discussed. H_2O, CaO, and CO_2 loss due to compaction and leaching is cited.

Machowsky, Dr. M. Th. See Stach, F. 01988

MacLeod, W. D. See Modzeleski, Vincent 01460

01370 MacQueen, R. W.; Ghent, E. D. Occurence of zinc in Devonian metalliferous shales, Pine Point Region, District of Mac Kenzie: in Report of activities, Part B, Can. Geol. Surv., Pap., No. 75-1B, p. 53-57, illus., (incl. tables), Project 710033, 1975.
Discusses amount of zinc from zinc and uranium bearing shales in northern Canada. Analytical methods, results, and interpretations of data are summarized. Some of the shales are in or close to Middle Devonian bituminous deposits.

01371 MacQueen, R. W.; Williams, G. K.; Barefoot, R. R.; et al.
Devonian metalliferous shales, Pine Point Region, District of MacKenzie: in Report of Activities, April to October 1974; Stratigraphy, Can. Geol. Surv., Pap. No. 75-1, Part A, p. 553-556, illus. (incl. sketch map), 1975.
Zinc, lead, and uranium amounts from Devonian shales and mudstones, some bituminous, are presented. Methods, results, and interpretations of the trace element contents are discussed. Samples gathered were from northern Canada.

01372 Magara, Kinji
Reevaluation of Montnirukkuibute Dehydratuib as Case of abnormal pressure and hydrocarbon migration: Am. Assoc. pet. Geol. Bull., Vol. 59, No. 2, p. 292-302, illus., 1975.
Discusses hyoptheses for abnormal sub-surface pressures that develop in Gulf Coast sediments. Discusses montmorillionite dehydration in moving hydrocarbons out of source rocks. Pore space and pore water are mentioned.

01373 Magara, Kinji
Upward and downware migrations of fluids in the subsurface: Bull. Canadian Petroleum Geology, Vol. 17, No. 1, p. 20-46, illus., 1969.
Discusses compaction of shales after deposition. Porositypermeability relationships and thicknesses of zones of upward or downward fluid movement are mentioned.

01374 Maggiore, Ludovico
Combustibili fossili ed idrocarburi solidi; giacimenti ed indizinell' Italia meridionale continentale: L'Industria Miner. Roma an. 12, figs., Ag., S., N., '38. (Oil shales in southern Italy.)

01375 Magnien, M.
Utilizing alternative energy sources in France: Int. J. Energy Res., Vol. 1, NO. 1, p. 55-67, illus., 1977.

Mahadevan, C. See Murty, P. S. M. 01504

Mahadevan, T. M. See Udas, G. R. 02145

01376 Maher, J. C.; Carter, R. D.; Lantz, R. J.
Petroleum geology of Naval Petroleum Reserve No. 1, Elk Hills, Kern County, California: U. S. Geol. Surv., Prof. Pap., No. 912, p. 109, 1975.
Deals in depth with oil and gas reserves in sandstones and fractured shales of area. Previous oil and gas

drilling and regional stratigraphy and structures are discussed. Oil is in the form of petroleum. Stratigraphic columns and isopachs showing wells are included in the 25 plates given.

01377 Maier, C. G.; Drapeau, J. E.
Effect of various gases on the recovery of ammonia from oil shales: Univ. Utah Bull., Vol. 14, p. 42-61, 1924.

01378 Maier, C. G.; Zimmerley, S. R.
Chemical dynamics of the transformation of the organic matter to bitumen in oil shale: Univ. Utah Bull., Vol. 14, p. 62-81, 1924.

01379 Mains, C. J.; Matzick, A.
Theoretical consideration of heat transfer in the gas-flow oil-shale retort: U. S. Bur. of Mines Rept. of Invest. 4995, 11 p., 1953.
"... a method for calculation of heat transfer coefficient and temperature histories of gas and solid in the gas-flow retort operating at equilibtium conditions" is shown in this article. Calculations show application of the method to conditions of a run made in a gas-flow retort.

01380 Makarova, S. P.
Pogrbennyye organogennyye postroyki devona Orenburgskoy oblast: (Buried organic structures in the Devonian Chkalov region): in Lithologiya i paleogeografiya biogermnykh massivov. (iskopayemykh i sov emennykh) (Krasheninnikov, G. F., editor), p. 94-99, illus. (incl. sect., sketch map), Izd. Nauka, Moscow, Union of Soviet Socialist Republics, 1975.

01381 Makovskiy, Yu. A.
Metoky obogashcheniya goryuchikh slantsev (Methods of correlating oil shale): in Razrabotka i isopol'zovaniye goryuchikh slantsev (Baum, V., Chairperson), p. 142-149, illus. (incl. tables), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Malcott, 1. A. See Esarey, R. E. 00763

Malcuit, R. J. See Kohout, D. L. 01220

01382 Mallon, R. G.; Braun, R. L.
Reactivity of oil shale carbonaceous residue with oxygen and carbon dioxide: Colo. Sch. Mines, Q., Vol. 71, No. 4, (Proceedings of the Ninth oil shale symposium), p. 309-333, illus. (incl. tables), 1976.
Discusses the use of char left after pyrolysis of oil shales which can contribute energy to the retorting

process. Reactivity of char was measured in lab controlled experiments. A model for oxygen diffusion, carbonate decomposition and simultaneous removal of char by reaction with CO_2 and O_2 is suggested.

Manghan, E. K. See Claypool. G. E. 00444

01383 Manning, Paul DeVries
The genesis of oil shale and its relation to petroleum and other fuels: Dissertation...Columbia University, 73 p., 13 figs., New York, N. Y., 1927.

01384 Manning, Van H.
Oil industry. Oil Gas J., Vol. 17, No. 30, p. 48-50, 1918. See also Oil Gas News, Vol. 4, No. 17, p. 18-24, 1918.
Address given by the author, Director of the U. S. Bureau of Mines urging America to conserve resources and use wisely. Discusses shale oil prospect and world petroleum situation.

01385 Manning, Van H.
Urges efficient methods in production. Nat. Petrol. News, Vol. 10, p. 23-24, Dec. 11, 1918.

01386 Manskaya, S. M.; Kodina, L. A.; Generalova, V. A.
Condensed structures of kerogen: Int. Mtg. Org. Geochem., Programme Abs., No. 6 (Advances in organic geochemistry, 1973), p. 97-105, illus., (incl. tables, charts), 1974.
Lignin, in algea, pollen, and spores. Recent and Carboniferous, USSR.

01387 Mapel, William J.
Reconnaisance for uranium in black shale, northern Rocky Mountains and Great Plains: U. S. Geol. Surv., Trace Elem. Invest. Rept. 464, 49 p., maps, diagrs., tables, 1953. For official use only.

01388 Mapel, W. J.
Uranium in black shale deposits, northern Rocky Mountains and Great Plains: U. S. Geol. Surv. Bull. 1030-H, p. 211-235 (out of print, but available through libraries), 1956.
150 samples from 80 outcrops in 22 formations were tested for uranium content. Results for each sample are presented and two of the most uraniferous beds, the black shale at the base of the Brazer Limestone, and the Heath Shale are discussed.

01389 Mapel, William J.; Hail, W. J., Jr.
Results of core-drilling for uranium-bearing carbonaceous shale and lignite in the Goose Creek district, Cassis

County, Idaho. U. S. G. S. Trace Elem. Invest. Rept. 438, 32 p., maps, diagrs., tables, 1954.

01390 Mapel, William J.; Hail, W. J., Jr.
Uranium-bearing carbonaceous shale and lignite in the Goose Creek district, Cassia County, Idaho, Baxelder County, Utah, and Elko County, Nevada: U. S. Geol. Surv. Trace Elem. Invest. Rept. 339, 57 p., maps, diagrs., tables, 1953. For official use only.

01391 Mara, S. J.
Quantification of land distrubance from oil shale development and resulting impacts on the upper Colorado River basin: Geol. Soc. Am., Abs. Programs, Vol. 6, No. 7, p. 856, 1974.
Explores land and erosion consequences of oil shale industry development. Four scenarios of relative mining development were constructed. Sedimentation and erosion rates locally and regionally were explored.

01392 Marchand, A.
La resonnance para magnetique electroniqne (R. P. E.) Sa mise en oeuvre pour l'etude des ke ogenes. (The application of electron para-magnetic resonance to the study of kerogen): Cent. Rech. Pan., Bull., Vol. 10, No. 1 (La matiere organique dans les sediments), p. 233-243 (incl. English sum.), illus., 1976.

01393 Largheim, G. A.
Water pollution from spent oil shale: Doctoral, Colorado State; Fort collins, 148 p., 1975. (Diss. Abs. Int., Vol. 36, No. 12, Part 1, p. 6339B, 1976).
Physical properties including porosity, permeability, particle size distribution and density of spent oil shale from 3 different retorting operations have been determined. A soil mechanics study was conducted to determine moisture-density relationships. (From Abstract)

Margolin, L. G. See Dienes, J. K. 00640

01394 Marjaniemi, D. K.; Robins, J. W.
Uranium favorability of Tertiary sedimentary rocks of the Pend Oreillie River valley, Washington: Rept. No. GJBX-3(76), 62 p., 1975.

Markey, S, P. See Murphy, Robert C. 01493

01395 Markus, Eduard
Der brennschiferbau Estlands; eine geographische analyse: Tartu. Ulkool. Acta et commentationes Universitatis tartuensis (dorpatensis). 14 p., (incl. maps, plans), 1938.

01396 Maroney, D. G.; Orr, R. W.
Ctenoconularis dephinensis, new species of the Conulata from the New Albany Shale (Upper Devonian) at Dephi, Indiana: Indiana Geol. Surv. Occas. Pap., No. 7, 6 p., 1974.
Description of a new fossil species found in phosphatic nodular beds of sandstone at the base of the New Albany Black Shale.

01397 Marshall, Paul W.
Colony development operation; room-and-pillar oil shale mining: in Oil Shale Symposium, 7th, proceedings, Colo. Sch. Mines, Q., Vol. 69, No. 2, p. 171-184, illus. (incl. sketch map), 1974.
Discusses Colony's plans to develop a commercial oil shale plant in Piceance Creek Basin. Upper bench and lower bench mining by room and pillar method is discussed as are hazards due to rock mechanics.

Martel, R. A. See Minster, R. A. 01455

Martin, H. See Lecomte, P. 01295

01398 Martin, H. M.; Straight, M. T.
An index of Michigan geology, 1923-1955: Michigan Geol. Surv. Pub. 50, 461 p., charts, maps, 1956.
Bibliographic references to the Devonian-Mississippian strata of Michigan that may be correlated with similar units in Ohio (Hoover, 1960).

01399 Martin, S. J.
Thermally evolved hydrocarbons from bitumen and kerogen constituents of whole rock (abs.): Geol. Soc. Am., Abs. Programs, Vol. 8, No. 1, p. 54, 1976.
Discusses petroleum hydrocarbons as generated by thermal alteration of kerogen. Types of hydrocarbons generated by thermal extraction and differentation due to temperature is discussed.

Martin, S. J. See McIver, R. D. 01537

01400 Marx, Paul C.; Hess, Frank D.
Green River kerogen from petroleum - An unanswered possibility (abs.): Geol. Soc. Am. Spec. Paper 101, p. 133, 1968.
Hypothesizes kerogen is degraded petroleum deposited in shales. A depositional mechanism is proposed to advance this theory. Compositional features of kerogen, shale oil, and their relationship to petroleum were presented.

01401 Marzouk, I.
Development of the ancient Nile Delta in space and time and its bearing on oil and gas potentialities: Geol. Soc. Egypt, Ann. Mtg., Abs. Pap., No. 12, p. 5-7, 1974.

01402 Mastella, L.; Koisar, B.
Zwiazek objawaw bitumicznosci flizu z budowa tektoniczna wschodniego Padhala (Relationships between bitumen occurring in flysh and the tectonic structure of eastern Podhale): Kwart. Geol. (Pol. Inst. Geol.), Vol. 19, No. 4, p. 861-873 (incl. Russian, English sum.) illus. (incl. sects., table, splate, sketch map), 1975.
Discusses the bitumen (asphaltites, oil) and gas in a flysch synclinorium that formed epigenetically. Relates the bitumen to tectonics of the flysch. Substances composing the bitumens are given, and movement of the bitumens to association with hydrothermal minerals in discussed.

Matsushita, Hiromi See Chronic, John 00438

01403 Matthews, A. F. M.
U. S. Oil shales; past and possible future exploitation; a report to the Secretary of State for Energy: G. B., Dept. Energy, Energy Pap., No. 1, p. 20, tables, econ. Geol. map 1:1,968,500, 1975.

01404 Matthews, R. R.; Franks, A. J.
Studies in Colorado shale oils; discussion; Chem. and Met. Eng., Vol. 25, p. 452-453, New York, 1921.
This 1921 letter to the editor discusses two different methods of sulfur determination in shale oil.

01405 Mattick, R. E.; Girard, O. W., Jr.; Schoolle, P. A.; et al.
Potential of deep Atlantic targets examined: Oil Gas J., Vol. 75, No. 51, p. 102-107, 1977.
Core samples drilled off New Jersey coast indicate a black shale of Cretaceous age may be a potential source rock for petroleum. Carbonate facies oil traps in Atlantic examined along with paleoshelf and paleoenvironments interpretations lead to potantial hydrocarbon sources.

01406 Matyukhov, I. P.
Novaya slantsevaya shakhta v Extonskoy SSSR (New shale layers in Estonia): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 130-131, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Matzick, A. See Dannenberg, R. P. 00584

Matzick, A. See Mains, C. J. 01379

01407 Matzick, A.; Dannenberg, R. O.; Guthrie, B.
Experiments in crushing Green River oil shale: U. S. Bur. of Mines Rept. of INvest. 5562, 64 p., 1960.
Relationship of mining, crushing, and retorting steps

are noted, and properties of Colorado oil shale that affect crushing are shown. Description and performance of the three types of crushing used at Rifle, Colorado, are discussed. Equipment at the crushing plant other than crushers are also cited. Results of thirteen tests of ten different crushers not employed at the Rifle plant are reported.

01408 Matzick, A.; Dennenberg, R. O.; Ruark, J. R.
Development of the Bureau of Mines gas-combustion oil-shale retorting process: U. S. Bur. of Mines Bull. 635, 199 p., 1966.
This is a very comprehensive paper on development and operation of gas-flow combustion retorts. "Effects of process variables, results of gas and shale distribution studies, tests on shale particle size, and other details of experimental programs are discussed,..." (Author) Problems of the retorting process are noted as well. "Tabulations of the retorting test data and detailed oil recovery flow diagrams for the 6-, 25-, and 150-ton-per-day retorts, and drawings relating to retorting equipment are given." (Author)

01409 Matzick, A.; Ruark, J. R.; Putnam, M. W.
Development and preliminary operation of the gas-combustion oil-shale pilot retort: U. S. Bur. of Mines Rept. of Invest. 5145, 56 p., 1955.
Development of the Bureau of Mines 6-ton-per-day pilot plant scale continous, gravity-fed retort is described. Operation of the components of the retort is described and illustrated. Desirable features and operation problems of the process are outlined. Results of some of the more than 300 pilot plant tests are tiven in the form of many tables and graphs.

01410 Matzick, A.; Ruark, J. R.; Putnam, M. W.
Development and preliminary operation of the gas-combustion oil-shale pilot retort, abs.: World Oil, Vol. 143, p. 84-85, Sept. 1956.
This is a disucssion of methods to produce oil from shale at the same cost that crude oil is being recovered in many U. S. fields. Costs could be held down by volume throughout and continous retorting operation. (From Abstract)

01411 Maugh, T. II
Natural gas; United States has it if the price is right: Science, Vol. 191, No. 4227, p. 549-550, 1976.
The author discusses the availability of natural gas and some of the problems associated with retrieving it.

01412 Maugh, II, T. H.
Oil shale: Prospects on the upswing...again: Science, Vol. 198, No. 4321, p. 1023, Dec. 9, 1977.
This is the 1st of 3 articles exploring unconventional approaches to fossil fuels. (p. 1023). Discusses the problems with in situ conversion of oil shale.

01413 Maughan, E. K.
Organic carbon in the shale beds of the Permian Phosphoria Formation of eastern Idaho and adjacent states-- a summary report: Wyoming Geol. Assoc. 27th Ann. Field Conf., p. 107-115, 1975.
Stratigraphy and isopach maps of the Phosphoria Formation in Wyoming are presented. Meade Peak and Retort Phosphatic Shale Members are discussed. 45 samples collected from these two members were analysed for organic carbon content.

Maxwell, J. R. See Eglinton, G. 00735

Maxwell, J. R. See Kimble, B. J. 01188

Mayfield, L. G. See Cottingham, P. L. 00532

01414 Mayne, S. J.; Nicholas, E.; Bigg-Wither, A. L.; et al.
Geology of the Sydney Basin: a review: Aust. Bur. Miner. Resour., Geol. Geophys., Bull., No. 149, 229 p., illus., 1974.
One page section mentions yields of five deposits of oil shale. Mentions deposits in the western part of the basin which were worked for more than 25 years. Oil shale in Permian strata in southern Basin is cited.

01415 Mead, Walter J.
The workability of competition in federal oil shale leasing, in Public land policy (Phillip O. Foss, editor) - Western Resources Conference, Ft. Collins, Colo., 1968, Proc.: Boulder, Colo., Colorado Assoc. Univ. Press, p. 205-218, table, 1970.

Meents, W. F. See Bond, D. C. 00212

01416 Meents, W. F.; Swann, D. H.
Grand Tower Limestone (Devonian) of southern Illinois: Ill. Geol. Surv. Circ. 389, 34 p., 1965.
New Albany Group shales appear in E-log cross-sections.

Mehl, M. G. See Dranson, E. B. 00246

01417 Meinschein, W. G.; Sternberg, Y. M.; Klusman, R. W.
Origins of natural gas and petroleum: Nature, Vol. 220, No. 5173, p. 1185-1189, illus., tables, 1968.
Crude oils seem to be products of processes which

started with the isolation of natural gases by analyses of ground water solutions. Includes many figures.

01418 Melhorn, W. N.
Revision of the Mississippian-Devonian boundaries in White and Benton Counties, Indnana: Ind. Acad. Sci. Proc., Vol. 67, p. 194-198, 2 figs., 1958.
Brief mentions of New Albany Shale. Includes cross-sections.

01419 Mel'nikov, N. V. (ed.)
Teplivno- energeticheskiye resursy (Fuel resources): in Energeticheskiye Resursy SSSR (I. T. Novikov, ed.), Vol. 1, Izd. Nauka, 631 p., illus. (incl. sketch maps), Moscow, 1968.

01420 Melton, N. M.; Cross, T. S.
Fracturing oil shale with electricity: Colo. Sch. of Mines Q., Vol. 62, No. 3, p. 46-61, July 1967.
Experiments to study electrical characteristics of oil shale when subjected to overburden pressure. Tests evaulating fracturing of oil shale were made. Description of laboratory scale, small scale mine tunnel and shallow well tests of electrical fracturing were made.

01421 Melton, Noel M.; Cross, Theodore S.
Fracturing oil shale with electricity: J. Pet. Tech., Vol. 20, No. 1, p. 37-41, Jan. 1968.
This article discusses some laboratory experiments and preliminary field tests made to study high-voltage electricity as a method of fracturing oil shale. (From Intro.) Includes figures.

Meriaux, E. See Blanquart, P. 00200

01422 Merrill, R. H.
Design of underground mine openings, oil-shale mine, Rifle, Colorado: U. S. Bur. of Mines Rept. of Invest. 5089, 56 p., 1954.
"This report contains a summary of the various studies made to determine the structural design of the production mine area of the oil shale min, Rifle, Colo." (Author) Mining concerns such as maximum safe roof span, optimum extraction ratio, and pillar size were studied and answers were found from theoretical calculations and model studies. Geologic structure of the deposit, physical properties of the oil shale, and magnitude and distribution of stress around proposed underground operings are discussed. Roof sagging with time was measured and a mechanism for this was cited.

01423 Mesolella, Kenneth J.
Paleogeography of some Silurain and Devonian reef trends, Central Appalachian Basin: Am. Assoc. Pet. Geol., Bull. Vol. 62, No. 9, p. 1607-1644, 1978.
Paleogeography of the "Carniferous" limestone which directly underlies the Eastern Gas Shales of Kentucky. Its variable internal stratigraphy warns of tectonism which influenced the stratigraphy of the shales.

Mesri, G. See Hendron, A. J., Jr. 01005

01424 Metz, William D.
A huge resource of low-grade fuel: Science (AAAS), Vol. 184, No. 4143, p. 1271-1272, 1274-1275, sketch map, 1974.
Discusses the potential possibilities of using oil shale as a low-grade fuel. Environmental factors are also discussed.

01425 Metz, William D.
Oil shale; a huge resource of low-grade fuel: in Energy; use, conservation and supply (Abelson, Phillip H., ed.), p. 71-73, sketch map, Am. Assoc. Adv. Sci., Washington, D. C., United States, 1974.

Meyer, F. F. See Meyer, R. F. 01429

Meyer, F. A. See Cook, G. L. 00517

01426 Meyer, R. F.
The future supply of nature-made petroleum and gas: technical reports: and international conference sponsored by the United Nations Institute for Training and REsearch and the International Institute for Applied Systems Analysis and the first UNITAR conference on energy and future and the Second IIASA conference on energy resources, July 5-16, 1976, Schloss Laxenburg, Laxenburg, Austria: Pergamon Press, New York, N. Y., 1046 p., 1977.

01427 Meyer, R. F.
U. S. Department of the Interior energy data fiels: Geol. Soc. Am. Abs. Programs, Vol. 6, No. 7, p. 868, 1974.
Discusses energy-related data files maintained in the Bureau of Mines and the U. S. G. S. Oil shales are mentioned as part of the material covered in the files.

Meyer, R. F. See Breger, I. D. 00258

Meyer, R. F. See Koepf, E. H. 01217

01428 Meyer, Richard F.; Edgerton, Curt D., Jr.
Petroleum and natural gas, in Mineral Resources of the Appalachian Region: U. S. Geol. Surv. Prof. Paper 580, p. 145-163, illus., tables, 1968.
Describes histories of petroleum and gas industries in Appalachian region. Refining, current producing areas, stratigraphy, exploration and potential also cited.

01429 Meyer, R. F.; Meyer, F. F.
The resource potential of gas in tight formations, in The Future Supply of Nature-made Petroleum and Gas: technical reports: Pergamon Press, New York, N. Y., p. 645-656, 1977.

Meyer, W. C. See Shanks, W. C. 01881

01430 Meyer, W. C.; Yen, T. F.
Modification of the mineral matrix of the Green River oil shale by bioleaching: in Science and Technology of Oil Shale (Yen, T. F., ed.), p. 19-33, illus. (incl. tables), Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976.
Discusses how sulfuric acid generated by Thiobacillus can dissolve up to 40% of mineral matrix of oil shale. Rock mineralogy and pitting effects of acid are discussed. Benefits in oil shale processing due to bioleaching are cited.

01431 Meyer, W. C.; Yen, T. F.
Solution of silica in Green River oil shales in Shale Oil, Tar Sands, and Related Fuel Sources (Yen, T. F., ed.), No. 151, p. 92-97, illus. (incl. table), Am. Chem. Soc., Washington, D. C., United States, 1976.
Organic solvent systems using pyridine, gunoline or water, and potassium hydroxide were examined to determine their effectiveness in dissolving silica, thereby liberating trapped organics. (From Abstract) Discussion of results obtained and method method used.

Meyrowitz, R. See Breger, I. A. 00259

01432 Middleton, J. A.
Conversion of oil shale: Oreg., Dep. Geol. Miner. Ind., Misc. Paper, No. 18 (The citizens' forum on potential future energy sources), p. 51-56, 1975.
Discusses why we have an energy problem, and what options we have to combat it. A review of recent U. S. oil shale history is given. Reveals goals of Colony Development in oil shale future.

Miknis, F. P. See Cook, G. L. 00518

01433 Miknis, F. P.; Biscar, J. Y.
High temperature laser-induced reactions between sulfur and hydrocarbons: High Temp. Sci., Vol. 4, p. 48-49, Jan. 1972.
Reported are high-temperature, laser-induced reactions between solid sulfur and hydrocarbon gases. (From abstract)

01434 Miknis, F. P.; Biscar, J. P.
Q-Switched laser-induced reactions of thiacyclobutane and thiacyclopentane with oxygen: J. of Phys. Chem., Vol. 75, No. 5, p. 725-726, 1971.
Reported are the results of some investigations of the chemical reactions occurring during laser-induced gas breakdown of sulfur compounds in the presence of oxygen. (From p. 25)

01435 Miknis, F. P.; Biscar, J. P.
Q-Switched laser-induced reactions of thiophene with oxygen: High Temperature Science, Vol. 4, No. 6, p. 478-480, 1971.
Reported are the results of investigation of chemical reactions initiated by laser-induced gas breakdown of thiophene in oxygen. (From p. 478)

01436 Miknis, F. P.; Decora, A. W.
Pulsed NMR examination of oil shales, estimation of potential oil yields: A. C. S. Preprints, Div. of Fuel Chem., Vol. 19, No. 2, p. 86-93, 1974. Also: 167th ACS National Meeting, Los Angeles, CA Mar. 31-Apr. 5, 1974. (abs.)
This is a continuation of a study at the Laramie Energy Research Center, on wideline nuclear magnetic resonance (NMR) techniques for evaulation of oil-shale deposits. In this study, the techniques of pulsed NMR were applied.

01437 Miknis, F. P.; Decora, A. W.; Cook, G. L.
Pulsed NMR examination of oil shales; estimation of potential oil yields: in Science and Technology of oil shale (Yen, T. F., ed.), p. 35-45, illus. (incl. tables), Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976.
Results of pulsed NMR assays on oil shale samples from two cores of Green River shale. Experimental procedures and theoretical considerations are used in measuring the oil yields.

01438 Miknis, F. P.; Decora, A. W.; Cook, G. L.
Pulsed nuclear magnetic resonance studies of oil shales; estimation of potential oil yields: U. S. Bureau of

Mines Rept. of Invest. No. 7984, 45 p., illus. incl. tables, 1974.
This article examines the potential application of nuclear magnetic resonance (NMR) is rapid evaulation of oil shale deposits. Theoretical considerations are first presented. In experiments, samples from the Mahogany Zone of the Green River formation were studied for oil yield by both the Fischer assay and NMR methods, and the methods were compared. Effect of inorganic proton interferences is measured and advantages of the NMR method are cited.

01439 Milici, R. C.
(In preparation), Oil and gas data from Paleozoic rocks of the Appalachian basin: The relationship of regional structures to producing areas in the Appalachian basin: U. S. Geol. Surv. Misc. Inv. Map I-917-G, est. 1980.

01440 Miller, A. K.; Youngguist, W.
Conodonts from the type section of the Sweetland Creek Shale in Iowa: J. Paleo., Vol. 21, p. 501-517, pls. 72-75, 1947.
Systematic paper on the Sweetland Creek Shale with references to those species common to the Ohio Shale and especially the Ogentangey Shale of Ohio (Hoover, 1960).

01441 Miller, G. A.
Environmental hydrologic baseline program, federal prototype oil shale leases, Piceance Creek and Uinta basin, Colorado and Utah: Eos (Am. Geophys. Union, Trans:) Vol. 57, No. 12, p. 915, 1976.
Discusses monitoring of inorganic, organic and biochemical parameters. Ground water from deep and shallow wells, springs, runoff water tested for analysis of the dissolved solids and ions. Monitoring of these parameters will be conducted during development of the oil shale industry.

Miller, J. S. See Campbell, G. G. 00346

01442 Miller, J. S.; Johaua, R. T.
Fracturing oil shale with explosives for in situ recovery: in Shale oil, tar sands and related fuel sources (Yen, T. F., ed.), No. 151, p. 98-11, illus. (incl. tables, sketch maps), Am. Chem., Soc., Washington, D. C., United States, 1976.
This study is a research effort to evaluate results of detonation sheetlike layers of explosive to increase flow capacity in confined rock formations. (From p. 98) Describes procedure used and gives tables of results obtained.

01443 Miller, J. S.; Nicholis, H. R.
Methods and evaluation of explosive fracturing in oil shale: U. S. Bur. of Mines Rept. of Invest. 7729, 22 p., 1973.
This article discusses explosive fracturing of Green River oil shale in Wyoming to increase permeability. Three methods of fracturing using dynamite, TNT, and a liquid chemical explosive were used. Seven methods were used to evaluate the extent of fracturing in the fragmented zone.

01444 Miller, J. S.; Walker, C. J.; Eakin, J. L.
Fracutring oil shale with explosives for in situ oil recovery: U. S. Bur. of Mines Rept. of Invest. 7874, 100 p., 1974.
Surface and near surface explosive fracturing techniques were first tested, with a description of testing and results given. Field explosive fracturing tests were then conducted at seven oil shale sites near Rock Springs, Wyoming. Discussion of the field investigations and seven evaluation methods are described, including gamma ray and caliper logs, air flow tests, and seismic delineation.

01445 Miller, Micheal L.; Ettensohn, Frank R.
A preliminary microscopic examination of Devonian and Lower Mississippian black shales in east-central Kentucky: Geol. Soc. Am., Abs. Series, Southeastern Section 27th Annual Mtg., Vol. 10, No. 4, 1978.
Discusses the examination of black organic-rich Ohio, Sunbury, New Albany, and Chattanooga shales. Five major microfacies and names of major organic and inorganic constituents are recognized using reflected light, transmitted light, cathodoluminescence, and X-ray diffraction techniques.

01446 Miller, Molly Fritz
Ethology and ecology and some Devonian shallow water Zoophcos and possible implications for trace fossil evolution: Geol. Soc. of Am. Abs. with Programs. 1978 Ann. Mtg., Vol. 10, No. 7, p. 457, 1978.
Devonian Zoophycos-producing animals differ from post Paleozoic in habitat (shallow vs. deep water and fine vs. coarse sediment) and in morphology. some Tertiary abyssal trace fossils may have been derived by immigration and subsequent adaptation of shelf burrowers.

01447 Miller, Peter, Jr.
A test of the Ohio shale for yield of oil: B. S. thesis (unpub.), Ohio State Univ., 23 p., 1944.
Presents a series of quantitatives assays for oil

content. Main purpose of thesis was to develop the best extraction method to obtain optimum oil yield. (Hoover, 1960)

01448 Miller, R. C.
Analysis of sandstones in the Dowelltown Member of the Chattanooga Shale, Macon County, Tennesse and vicinity: Compass, Vol. 47, No. 2, p. 84-98, tables, 1970.
Includes isopach, isolith, sandstone percentage, and other maps for Macon County, Includes data tables.

Miller, R. C. See Wise, R. L. 02360

Mills, G. Alex See Watkins, J. Wade 02288

Mills, T. See Moore, R. 01467

01449 Milton, C.
Mineralogy of the Green River Formation of Colorado, Utah and Wyoming; Int. Geol. Congr. Abs. Congr. Geol. Int. Resumes, No. 25, Vol. 2, Sect. 14, Mineralogy, p. 581-582, 1976.
Minerals and mineral groups of the Piceance Basin, Uinta Basin, and green River Basin are discussed. Conditions of sedimentation, which are uncertain, were discussed.

01450 Milton, C.
Mineralogy of the Green River Formation: Mineral. Rec., Vol. 8, No. 5, p. 368-379, 1977.

Milton, Charles See Smith, J. W. 01939

01451 Milton, Charles E.; Connant, L. C.; Swanson, V. E.
Sub-Chattanooga residuum in Tennessee and Kentucky: Geol. Soc. Am. Bull., Vol. 66, p. 805-810, 1955.
Discusses leaching of the Ohio Black Shale and a gray to brown clayey limestone underneath it that is leached by sulfuric acid from pyrite in the layers above. Petrography and chemical composition of the leached zone are described and illustrated by photomicrographs. Components of the leached zone are given.

01452 Milton, Charles; Swornik, E. J.; Finkelman, R. B.
Nordstrandite, Al(OH) 3, from the Green River Formation in Rio Blanco County, Colorado: Am. Mineral, Vol. 60, No. 3-4, p. 285-291, 1975.
Occurrences of this mineral and its association with other minerals is discussed. X-ray diffraction data, chemical analyses and thermal behavior are illustrated. Methods of synthesis of this and related minerals are presented.

01453 Mines Magazine
Oil shale research concluded: Mines Mag., Vol. 58, No. 3, p. 9, 1968.
This article summarizes the work done on oil shale research conducted at the Anvil Points research facility near Rifle, Colorado by the Colorado School of Mines Research Foundation, Inc.

01454 Mining, Engineering
Uranium-sword or plowshares: Min. Eng. J., Vol. 3, p. 762-766, 1951.
Reports that the Chattanooga Shale of Tennesse-Kentucky contains about 0.008 percent U_3O_8 (Hoover, 1960).

01455 Minster, R. A.; Martel, R. A.; Harak, A. E.
Some observations of retorting phenomena in shale blocks: Laramie Energy Research Center/Rept. of Invest. - 76/8, 22 p., 1976.

01456 Misaqi, F. Leo
Solid hydrocarbons: Subsection 4.57E in S. M. E. Mining Engineering Handbook, ed. by A. B. Cummins and I. S. Given, Soc. of Mining Engineers of the American Institute of Mining, Metallurgical, and Petroleum Engineers, Inc., New York, Vol. 1, p. 4-38 - 4-39, 1973.
Described is the composition of oil shales and a classification on the basis of organic components is given.

01457 Mitchell, F. J.
Radioactivity survey in eastern West Virginia: W. Va. Geol. Surv. Rept. of Invest. No. 21, 12 p., illus., tables, 1961.
Instrumentation and field methods were outlined and a simplified explanation of radiation was given. Tables are presented denoting microroentgens measured in different lothologies, formations, and systems of rock. Chemical analyses for U_3O_8 are also shown. Uranium content in a few samples of igneous rocks are given.

01458 Mitchell, G. E.
Billions of barrels of oil locked up in rocks: National Geographic Mag., Vol. 33, p. 195-205, 1918.

Mitchell, L. E. See Sohns, H. W. 01975

01459 Mo, Tin; Suttle, Andrew D.; Sockett, William M.
Uranium concentrations in marine sediments: Geochim. Cosmochim. Acta, Vol. 37, No. 1, p. 35-51, illus. (incl. sketch map), 1973.
Global, relations with organic carbon, calcium in

manganese nodules, mode of enrichment in nearshore environments via anoxid pathway, redeposition in deep sea.

01460 Modzeleski, Vincent; MacLeod, W. D.; Nagy, B. Analysis of hydrocarbons from the Little Osage Shale in Kansas by combined capillary column gas chromatography and mass spectrometry (abs.): Geol. Soc. Am. Spec. Paper 115, p. 153, 1968.
Discusses chemical extraction of organic portion of one sample of Little Osage Shale. Method of separation of n-alkanes from branched and cycloalkanes by gas column chromatography and mass spectrometry is presented.

01461 Montgomery, Edwin H.
The white rock that burns-Oil shale on the national land reserve: Out Public Lands, Vol. 10, No. 4, p. 5-7, 14-15, illus., 1961.

01462 Moore, C. A.
U. S. Federal Power Comm., Washington, D. C., p. 179-236, 1973.

Moore, C. B. See Jackson, T. A. 01092

Moore, George W. See Vine, J. D. 02253

Moore, Geroge W. See Vine, James David 02254

01463 Moore, George W.; Stephens, J. G.
Reconnaisance for uranium-bearing carbonaceous rocks in California and adjacent parts of Oregon and Nevada: U. S. G. S. Trace Elem. Invest. Rept. 337, 19 p., map, diagrs., tables, 1953. For official use only.

01464 Moore, J. W.; Dunning, H. N.
Interfacial activities and porphyrin contents of oil-shale extracts: Ind. Eng. Chem., Vol. 47, p. 1440-1444, 1955.
A Colorado oil-shale sample was extracted with solvents of increasing polarity. The interfacial activities and the porphyrin, nitrogen, and metal contents on the extracts were determined. (From p. 1440) Includes description of experimental procedure, tables of results and discussion of the conclusions made.

01465 Moore, L. R.
Cannel coals, bogheads, and oil shales: in Coal and Coal bearing strata (D. Murchinson: T. S. Wastall, ed.), p. 19-29, illus., Am. Elsevier Publ. Co., New York, 1968.
Cannel coals and boghead coals are members of the products of peat swamps. Reference is made to the

petrographic characters of these coals. Several aspects of the Scottish oil shales are illustrated.

01466 Moore, R. C.
Early Mississippian formations of Missouri: Mo. Bur. Geol. and Mines, Ser. 2, Vol. 21. 283 p., 1929.
Discusses Grassy Creek and Saverton Shales in northeastern Missouri and adjacent Illinois - distribution, thickness, lithology, paleontology, correlation. Includes correlation chart, section descriptions.

01467 Moore, R.; Mills, T.
An environmental guide to Western surface mining; Part One, Federal leasable and locatable mineral regulations: Rept. NO. FWX/OBS-77/20, 70 p., illus., 1977.

01468 Moore, R. T.; McCutchan, P.; Young, D. A.
Basic nitrogen determination by titration with perchloric acid: Anal. Chem., Vol. 23, p. 1639-1641, 1951.
The paper describes the investigation of the interference of the oxygen and sulfur compounds that are presented in shale oil. It also establishes a definition of basic vs. nonbasic nitrogen as applied to shale oil and petroleum. (From Intro.)

Morandi, J. R. See Jensen, H. B. 01115

01469 Morandi, J. R.; Jensen, H. B.
Homogenous catalytic deuteration of olefinic double bonds: J. Org. Chem., Vol. 34, p. 1889-1891, June 1969.
The specific deuteration of olefins using tris rhodium (I) chloride (A) as a homogenous catalyst has been investigated. (From abstract) Mass spectrometry was used to determine deuterium location in the alkanes formed.

01470 Morandi, J. R.; Jensen, H. B.
Comparison by porphyrins from shale oil, oil shale, and petroleum by adsorption and mass psectroscopy: J. Chem. Eng. Data, Vol. 11, No. 1, p. 81-88, 1966.
This work was undertaken to isolate porphyrins from shale oil and to compare them with porphyrins from oil shale and petroleum. (From Abstract) Mass and adsorption spectroscopy were used to characterize these poryphrine extracted by a hydrogen bromide-acetic acid solution. Included tables of results.

01471 Morandi, J. R.; Poulson, R. E.
Nitrogen types in light distillates from aboveground and in situ combustion produced shale oil: A. C. S. Preprints, Div. of Fuel Chem., Vol. 20, No. 2, p. 162-174, 1975. Also, 169th A. C. S. National Meeting, Philadephia, PA Apr. 6-11, 1975. (Abs.)
Chemical types of nitrogen in light distillate fraction from combustion-retorting crude shale oil and in-situ oil. (From Abstract) Includes an explanation of results obtained.

01472 Morandi, J. R.; et al.
A method of identifying and determining positional, normal-olefin isomers: Tabloid newspaper form of abstract of papers presented at the Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, Ind., Cleveland, Ohio, Paper 169, p. 170, March 6-10, 1972.

01473 Morgan, G. B.
Wyoming oil shales: Am. Mining Congr., 23rd. Ann. Convention, Rept. of Proc. p. 529-531, 1921.

01474 Morrell, Roger G.; Unger, Harold F.
Drilling machines, surface: in Cummings, A. B. and Griven, I. A. (ed.), SME Mining Engineering Handbook: Soc. Min. Engr. AIME, Vol. 1, p. 11-24, 25-56 (drilling in open-pit, quarry and stripping operations), 1973.
This is a discussion of surface drilling machines-limited to primary blasthole drilling as practiced in open-pit, quarry and stripping operations. (From p. 11-24)

Morris, Boyd See Lankford, J. D. 01281

01475 Morris, Boyd, Cameron, R. J.
Thermal processing and chemical treating of Colorado shale oil: Presented before Ind. Bur. of Mines Oil-Shale Conf., Univ. Wyo. Summer Science Camp, Laramie, Wyo., Aug. 1954. Pub. in Minutes of Conf., U. S. Bur. of Mines Administrative Pub.

01476 Morris, C. E.
Elastic constants of oil shale: in Explosivly Produced Fracture of Oil Shale; October-December, 1977 (Carter, W. J. compiler), Los Almaos Sci. Lab., Rept. No. 7164, p. 21-28, illus., incl. table, 1978. Available from NTIS, Springfield Va.

Morris, C. See Rose, C. K. 01783

01477 Morris, H. B.; Gilbert, D. L.
Experimental shale-oil refinery: Petrol. Eng., Vol. 21, p. C26, 28, 30-32, Aug. 1949. See also World Petrol.,

Vol. 20, p. 46-49, June 1949.
Describes operation of the experimental oil shale refinery at Rifle, Colorado. Step-by-step processing of oil is outlined.

Morris, J. C. See Cook, G. L. 00518

01478 Morris, S. Conway
Middle Cambrian Polychaetes from the Burgess Shale of British Columbia: Philosophical Transactions of the Royal Society, Series B. Vol. 285, No. 1007, 1979.

01479 Morrision, M.
Examination of Barigan and Wollar deposits of oil shale; (and Kenny, E. J.), Marangaroo oil shale; (and Kenny, E. J.), Oil shale, Warlands Creek, Murrurundi district: New South Wales, Dept. of Mines, Ann. Rept. 1935, p. 78-79, 86-87, Je 10' 36.

01480 Morse, J. G.
Oil shale, in Colorado energy resources handbook: Colo. Sch. Mines, Vol. 2, 68 p., illus., tables, sketch maps, 1976.

Morse, J. W. See Rhoads, D. C. 01729

01481 Morse, W. C.; Forreste, A. F.
Preliminary report on the Waverlian formations of east-central Kentucky and their economic values: Kentucky Geol. Surv. Bull. 16, 76 p., 1912.
Black shale sequence in Kentucky compared to that of Ohio. Possible economic values considered. Includes section descriptions.

Motorina, Z. M. See Sokolova, W. T. 01976

Mougne, Marcel M. See Fons, Lloyd 00814

01482 Moulton, G. E.
Areas for further prospecting near the Martinsville pool. Clark County: Ill. Petrol. 4, p. 1-5, 1926.
Includes structure map on Sweetland Creek Shale.

01483 Moulton, G. R.; Bell, A. H.
Three typical oil fields of the Illinois region: in Structure of Typical Am. Oil Fields; 1. 2: Am. Assoc. Pet. Geol., p. 115-141, 1929.
Subusrface strucutre of Martinsville pool contoured on base of Sweetland Creek Shale.

01484 Mouret, P.; Pottier,; Soudan P.
Application of alkaline leaching to the extraction of uranium from shale of the Vosges: United Nations Internat. Conf. on the Peaceful Uses of Atomic Energy,

2nd, Proc., Vol. 3, p. 356-362, 1958.
The alkaline process has been studied in the lab. to determine the conditions for the 3 principal operation it involves: leaching, separation of the barren solids from the liquor, and extraction of the uranium. (From p. 357) Includes tables of results.

01485 Moussavi, M.; Yen, T. F.; Yen, T. F. (ed.)
Environmental improvements by oil shale leaching, in Science and Technology of Oil Shale: Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., p. 205-220, 1976.
Summary of nature of nitrogen, trace metal, and sulfur compounds-which are leading environmental obstacles to oil shale mining and processing. Problems of oil shale mining and processing due to waste disposal are discussed. Methods for leaching some of the mineral matrix is presented.

01486 Moussavi, M.; Young, D. K.; Yen, T. F.
Rate of dissolution of carbonate mineral matrix in oil shale by dilute acids: in Shale oil, tar sands, and related fuel sources (Yen, T. F., editor), No. 151, p. 48-54, illus. (incl. table), Am. Chem. Soc., Washington, D. C., United States, 1976.
This study reveals certain inner nature of the oil shale aggregate by analyzing the kinetic data obtained from disaggregation of carbonate part. (From p. 49) Experimental procedure used is described.

01487 Muhlen, Lwo von sur
Die olschiefer des europaischen Russlands: Leipzig u. Berlin, B. G. Teubner, 31 p., illus., map, tables, 1921.

Mulder, G. J. See Van der Berg, M. L. J. 02234

01488 Mulheirn, L. F.; Ryback, G.
Stereochemistry of some steranes from geological sources: Nature, Vol. 256, No. 5515, p. 301-302, illus., 1975.
Reported in this paper are the preliminary results of the application of optical retary dispersion (ORD) and high-resolution proton magnetic resonance (PRM) spectroscopy to steranes from 2 crude oils and from Green River Shale.

01489 Mull, J. B.
American oil-shale developments: J. Petrol. Tech., Vol. 2, No. 5, Sec. 1, p. 14-16, May 1950.
This 1950 article discusses the progress made in the development of the oil-shale industry. Describes the geology of the Piceance Creek Basin and discusses the refining techniques used at the oil-shale demonstration plant near Rifle, Colorado.

01490 Muller-Vonmoss, M.; Back, R.
Thermoanalytic-mass spectrochemical investigation of an oil shale containing dawsonite: in Thermal analysis; Vol. 2, Inorganic material and physical chemistry (R. F. Schwenter, Jr. and Paul D. Garn, editors); Internat. Conf. thermal Analysis, 2nd, Worcester, Mass., 1966. Proc., p. 1229-1238, Acad. Press, New York, 1969.

Munkova, V. See Angelova, G. 00040

01491 Munson, D. E.; Young, E. G.
Application of a rate dependent model to stress wave propagation in oil shale: Eos (Am. Geophys. Union, Trans.), Vol. 57, No. 12, p. 1009, 1976.
Analyses how kerogen and kerogen-free samples behave when subject to stress. Notes differences in the testing of kerogen and kerogen-free shale.

Murphy, M. T. J. (Sister) See Eglinton, G. 00735

Murphy, M. T. J. See Lawlor, John Mary 01292

01492 Murphy, Mary T. J.; McCormic, A.; Eglinton, G.
Perhydro-β-carotene in the Green River shale: Science, Vol. 157, No. 3792, p. 1040-1042, illus., 1967.
Several triterpenes and the tetraterpene perhydro-β-carotene have been identified in the branched-cyclic hydrocarbon fraction of this Eocene shale. The analytical procedure included thiourea adduction plus gas chromatography and mass spectrometry. (From abstract)

01493 Murphy, Robert C.; Djuricic, M. V.; Markey, S. P.
Acidic components of Green River shale identified by a gas chromatography-mass spectrometry-computer system: Science, Vol. 165, No. 3894, p. 695-697, illus., table, 1969.
The extractable acidic components of Green River Shale were characterized by the combined uses of gas chromatography and mass spectrometry.

01494 Murphy, W. I. R.
In-situ shale-oil production problems: Univ. Calif. Radiaction Lab. (Livermore, Calif.) and San Francisco Operations Office, U. S. Atomic Energy Comm., Plowshare. Ser. UCRL-5678, Part IV, p. 80-101, 1960.

01495 Murphy, W. I. R.
Retorting research: Presented before Ind. Bur. of Mines Oil-Shale Conf., Univ. of Wyo. Summer Science Camp, Laramie, Wyo., Aug. 1954. Publ in Minutes of Conf., U. S. Bur. of Mines Administrative Pub.

Murphy, W. I. R. See Jensen, H. B. 01114

Murphy, W. I. R. See Sohns, H. W. 01972

Murphy, W. I. R. See Throne, H. M. 02093

Murphy, W. I. R. See Throne, H. M. 02092

Murphy, W. I. R. See Thorne, H. M. 02094

Murphy, W. I. R. See Tisot, P. R. 02111

Murphy, W. I. R. See Tisot, P. R. 02110

Murphy, W. I. R. See Tisot, P. R. 02109

01496 Murray, A. L.
Sanitation in planning and developing oil-shale camps: U. S. Bur. of Mines Rept. of Invest. 2265, 7 p., 1921.
General information on selection and planning of town or camp site is presented, with considerations of water supply, soil, drainage, and environment. Sewage and waste disposal and housing planning are mentioned, and economic relations of sanitation to industry, such as preventable time loss due to illness, are discussed.

01497 Murray, D. K.
Comparisons of environmental effects of convertional and in situ mining of oil shale, a state viewpoint: or, energy and the environment, together we can work it out, in Identification of Research and Development Priorities and of Costing Problems Associated with Implementation of it situ Recvoery of Shale Oil; Rept. No. NSF-RA-N-75-001, p. 267-278, 1975.

01498 Murray, D. K.
Energy resource development map of Colorado: Colo. Geol. Surv., May Ser. No. 6, sheetp., 1976.

Murray, D. K. See Newman, K. R. 01563

01499 Murray, Keith D.
Estimated shale oil reserves, federal oil shale leases, Colorado tracts C-a, C-b: Rocky Mtn. Assoc. Geol., Field Conf., Guideb. No. 25, (Guideb. to the energy resour. of the Piceance Creek Basin, Colo.), p. 131-134, illus., 1974.
Estimates of reserves in these two tracts are shown by calculations and a conversion chart. Room and pillar method of mining of lands suitable after the final environmental impact statement are criterion for the estimates. Comparison of reserves with those in Wyo. and Utah is shown.

01500 Murray, Keith D.
Power requirements for an oil shale industry: Rocky Mt. Assoc. Geol., Field Conf., Guidebook, No. 25 (Guideb. to energy resour. of the Piceance Creek Basin, Colo.), p. 181-184, 1974.
Natural gas and electrical requirements for a shale oil plant are hypothesized. Energy need studies estimated from federal, state, and private investigations are presented. Water requirements of the Piceance Creek Basin are also considered.

01501 Murray, Keith D.; Haun, John D.
Introduction to the geology of the Piceance Creek Basin and vicinity, northwestern Colo.: Rocky Mt. Assoc. Geol., Field Conf., Guideb. No. 25, Guideb. to the energy resour. of the Piceance Creek Basin, Colo., p. 29-39, 1974.
Paleogeography outlined from Cambrian through Quaternary. Briefly summarizes resources, including oil shale, oil and gas, coal, and uranium. Tectonic, isopach, and formation distribution maps are shown.

01502 Murray, R. G.
Comparison of aboveground and in situ retorting costs in Identification of Research and Development Priorities and of Costing Problems Associated with Implementation of in situ Recovery of Shale Oil: Rept. No. ASF-RA-N-75-001, p. 279, 291, 1975.

01503 Murri, W. J.; Tokhein, R. E.; Shockey, D. A.; et al.
Computer simulation of fracture damage in small scale borehole experiments in oil shale: in Energy Resources and Excavation Technology, Vol. 1, p. 5B4-1 to 5B404. Proceedings of the 18th U. S. Symposium on Rock Mechanices, held at Keystone, Colo., June 22-24, 1977.
Described results of experiments where an explosive is placed in a hole drilled along the axis of a cylinder of oil shale and detonated twice. Damage and crack patterns were observed, computer simulations of this experiment have been initiated.

01504 Murty, P. S. M.; Aswathana rayana, U.; Mahadevan, C.
Geochemistry of the siliceous black shales at Nagarjunasagar damsite, India: Econ. Geology, Vol. 58, p. 614-616, 1962.
Comprehensive stuides have been made on the Precambrian black shales exposed at the Nagarjunasager damsite, to investigate the possibility of their being uraniferous and to examine the conditions under which uranium might have been concentrated in thie shale. (From abstract)

01505 Musgrave, A. W.; Hicks, W. G.
Outlining shale masses by geophysical methods, in Diapirism and diapirs - A symposium: Am. Assoc. Pet.

Geol. Mem. 8, p. 122-136, illus., 1968.
Discusses physical and geophysical properties of a shale mass. Discusses how they may be outlined in sub-surface and may trap oil pools. Gravity anomaly maps and study of an offshore area of Louisiana tie into shale and salt dome studies.

01506 Musser, W. N.; Humphrey, J. H.
In situ combutsion of Michigan oil shale; current field studies: Intersoc. Energy Convers. Eng. Cong., Proc., No. 11, Volume 1, p. 341-348, 1976.

Myasoyedov, B. F. See Nemodruk, A. A. 01554

01507 Myers, R. C.
Stratigraphy of the Fronties Formation (Upper Cretaceous), Kemmerer aea, Lincoln County, Wyoming: Master's Colorado School of Mines, Golden, Colo., unpaginated p., 1977.

01508 Mylius, L. A.
Oil and gas development and possibilities in east-central Illinois (Clark, Coles, Douglas, Edgar, and parts of adjoining counties): Ill. Geol. Surv. Bull. 54, 205 p., 1927.
Discussion of Sweetland Creek Shale - Thickness, lithologic character. Includes chemical analysis and determinations of oil content. Cross-sections, columnar sections, well data, structure maps.

01509 Myung, John I.
Fracture investigation of the Devonian Shale using geophysical well logging techniques: Morgantown, W. Va., Morgantown Energy Tech. Cent., Unconventional Gas Recovery Program, Doe. 039, 26 p., March, 1976. (WVGES)
Conventional well logs and interpretation methods do not provide sufficient information to evulate the production gas zones of the Devonian Shale in the Appalachian area. With this in mind, an approach to locating and evulating the fractures and showing evidence of the source beds has been formulated. (From p. 1)

01510 McAllister, A. L.
Price, technology and ore reserves: Elsevier Sci. Publ. Co., Amsterdam, Netherlands, 1976. In World mineral supplies; assesment and perspective, p. 37-63, illus. (incl. tables).

McAuley, W. S. See Stanfield, K. E. 02000

01511 McAuslan, E. R.
In the Niobara (Wyo. - Colo.) oil may yield to special methods: Oil and Gas J., Vol. 57, No. 38, p. 158-166, incl. ads., illus., Sept. 14, 1959.
Discusses the oil in fractured shale, which are liquid

hydrocarbons, and also organics, in the shales themselves, which upon retorting yield one-third as much shale oil as Green river shales. Some regional stratigraphy is outlined, noting unconventional methods may be needed to detect oil and gas. Author basically talks of oil and gas possibilities and production.

01512 McCamis, J. G.
The Carboniferous Basin; land and gulf: Can. Min. Metall. Bull., Vol. 66, No. 740, p. 51-57, 1973.
This paper discusses the likely sources of hydrocarbon in the maritime Carboniferous Basin. The regional setting, stratigraphy, and structure of the Basin are described.

01513 McCamis, John G.; Griffith, Lawrence S.
Middle Devonian facies relationships, Zama area, Alberta: Can. Soc. Pet. Geol., Rept. Ser., No. 1, p. 1-34, 1975.

01514 McCarthy, H. E.; Cha, C. Y.
Oxy modified in situ process development and update: Colo. Sch. Mines, Q., Vol. 71. No. 4, Proceedings, of the Ninth oil shale symposium, p. 85-100, 1976.
Describes and presents model of Occidental Petroleum's in situ process for fracturing of oil shale. Discusses their field development work, including results from three small in situ retorts at Laramie Research Center.

01515 McCaslin, J. C.
Pennsylvania's Devonian shale gets new look: Oil Gas J., Vol. 76, No. 28, p. 175, sketch maps, 1978.
Rising natural gas prices plus the need for more gas supplies have renewed interest in the Devonian organic-rich black shales of Pennsylvania. The Penn. Geological Survey, the Department of Energy and commerical companies are conducting studies of the natural gas potential of the area. Better technology for inducing and enhancing fracture systems will have a significant effect on this important resource.

McCormick, A. See Murphy, Mary T. J. 01492

01516 McCoy, A. W.
Soluble material in oil shale: Am. Assoc. Pet. Geol., Bull., Vol. 9, No. 6, p. 1025, September, 1925.
Effects of grinding and leaching of materials in samples of oil shale before and after compression is described.

McCutchan, P. See Moore, R. T. 01468

McCutchan, P. See Lake, G. R. 01261

01517 McCutcheon, Roberta L.; Susano, C. D.
A statistical analysis of factors affecting the fluorimetric determination of uranium on oil shale: U. S. Atomic Energy Comm. Y-414, 19 p., (dep., mc; $5.70, LC)(prepared by Carbide and Carbon Chemicals Corp.), 1949.

01518 McDermott, John
Liquid fuels from oil, shale and tar sand. Park Ridge, N. J., Norges-Data Corp., 276 p., 1972.

01519 McDonald, A.; Fritsch, A. J.
Shale oil; and environmental critique: Cent. Sci. Public Interest, CSPI Oil Ser., No. 3, 62 p., 1974.

01520 McDonald, F. D.
Identification of ν-Valerolactone in waste water from an oil-shale in situ retort: U. S. Bur. of Mines, Rept. of Invest. 7918, 8 p., 1974.
This article shows the results of infrared, nuclear magnetic resonance, and mass spectrometry techniques used by the Bureau of Mines in identification of this compound from waste water. The water was examined to determine what materials were present and if any had potential for economic recovery. Isolation of the compound and results of testing are discussed and illustrated.

McDonald, F. R. See Brown, Dennis 00282

McDonald, F. R. See Decora, A. W. 00609

01521 McDonald, F. R.; Cook, G. L.
Infrared vibrations of benzene rings in condensed thiophenes: U. S. Bur. of Mines Rept. of Invest. 6911, 25 p., 1967.
Infrared spectra of condensed thiophenes, which may occur in shale oil are disucssed and vibrational bands of the spectra are correlated with known benzene spectra.

01522 McDonald, F. R.; Cook, G. L.
A method of obtaining ultraviolet and visible spectra of insoluble materials. Use of a low-molecular-weight polyethylene as a matrix material: U. S. Bur. of Mines Rept. of Invest. 6439, 10 p., 10 figs., 1964.
This report discusses the use of low-molecular weight polyethylene as a dispersion medium in order to obtain ultraviolet and visible spectra. Experimental procedure and results and discussions of tests are given. Spectrum of the polymer from a shale-oil naptha and a shale oil asphaltene are shown.

01523 McDonald, F. R.; Cook, G. L.
The use of low-molecular-weight polythylene in ultraviolet spectroscopy: Applied Spectroscopy, Vol. 15, p. 110-112, 1961.
The ultraviolet spectra of high-molecular-weight materials were obtained by dispersing them in polyethlene. The spectra of reference compounds, asphaltenes and polymers are given.

01524 McDonald. F. R.; Decora, A. W.; Cook, G. L.
The proton nuclear magnetic resonance spectra of pyridines: U. S. Bur. of Mines Bull. 657, 62 p., 1971.
Identification of pyridine compounds found in shale oil naptha was demonstrated by the use of proton-NMR spectra. Proton NMR spectra of 32 pyridines in two solvents, CCl_4 and benzene-d_6 are illustrated. Chemical and differential shifts of parts of the pyridines was discussed.

01525 McDonald. F. R.; Decora, A. W.; Cook, G. L.
Qualitative applications of the NMR spectra of alkylpyridines: Part I. Chemical shifts of the ring protons: Applied Spectroscopy, Vol. 22, No. 4, p. 325-329, July-Aug. 1968.
Reported are the chemical shifts of the ring protons in CCl_4 and C_6H_6 solution and the differential shift of the protons in these two solvents. (From abstract) Includes tables of results.

01526 McDonald, F. R.; Decora, A. W.; Cook, G. L.
Qualitative applications of the NMR spectra of alkylpyridines; Part II. Chemical shifts of the protons of the alkyl substituents: Applied Spectroscopy, Vol. 22, No. 4, p. 329-336, July-Aug. 1968.
This is part of a study on the NMR spectra of pyridines, examined were the NMR spectra of 32 pyridines, in two differnet solvents. Included are the chemical shifts for alkyl-group protons.

01527 McFarlan, A. D.
Geology of Kentucky: Lexington, Ky., Kentucky Univ. 531 p., 1943.
Considers the stratigraphy and paleontology of the Devonian-Mississippian shale as represented in Kentucky (Hoover, 1960).

01528 McFarland, A. C.; White, W. H.
Boyle-Duffin-Ohio Shale relationships: Kentucky Geol. Surv. Bull. 10, p. 1-24.
Though the black shales are normally regarded as in an unconformable relation with the underlying formations, these authors appear to be able to demonstrate facies relations with the underlying carbonates (Hoover, 1960).

01529 McFayden, W. T.
Oil from oil-shales and tar sands: Commonwealth Mining Met. Congr., 8th, Publ. Vol. 5, Proc. (Petrol.), p. 222-223, illus. (incl. geol. sketch map), 1966.

01530 McGee, Dean A.
Diversification of energy: Explor. Econ. Pet. Ind., Vol. 7, p. 1-17, 1969.

01531 McGill, P.
The stratigraphy and structure of the Vendom Fiord area: Bull. Can. Pet. Geol., Vol. 22, No. 4, p. 361-386, 1974.
Discusses stratigraphy and paleogeography from Early Ordovician to Late Devonian of area. Mentions a black bituminous shale (Read Bay Formation) of Silurian age, and a thick sequence of black shales lying above it.

01532 McGrain, P.
Tar sands (rock asphalt) of Kentucky; a review: Ky. Geol. Surv., Rept. Invest., No. 19, p. 16, illus. (incl. sketch map), 1976.
Deals with location and reserves of tar sands (or asphaltic rock) by counties. Suggests they could be used as raw energy source though primarily used in paving in the past. Western Kentucky reserves have 500 million tons of strippable tar sands, with equivalent bitumen content of 10-15 gallons per ton.

01533 McGregor, D. J.
Stratigraphic analysis of Upper Devonian and Mississippian rocks in Michigan basin: Am. Assoc. Pet. Geol. Bull., Vol. 38, p. 2325-2356, 17 figs., 1954.
Quantitative consideration of the shale sequence as represented in eastern Michigan, using isopach and lithofacies maps to serve as basis for interpreting tectonic and environmental conditions and sedimentation processes. Conclude that tectonic of the depositional area are a very important factor in controlling sedimentary facies (Hoover, 1960).

01534 McGrew, P. O.
Taphonomy of Eocene fish from Fossil Basin, Fieldiana; Geol., Vol. 33, No. 14, p. 257-270, 1975.
Discribes the collecting of fossil fish from the Green River Formation shales in southwestern Wyoming. Many photographs and radiophotographs of fish skeletal and scale parts are pictured. Paleoenvironment and theory presented discussing the conditions for occurrence of the fish.

McGuire, W. H. See Weaver, O. D. 02292

01535 McIlreath, I. A.; Aitken, J. D.
The formation and subsequent preservation of the Burgess Shale and other nearby remarkable faunas due to the effects of the middle Cambrian Catherdral Escarpment (abs.): J. Paleontal., Vol. 51, No. 2, Suppl., Part III, p. 18-19, 1977.
Fauna and flora of the Middle Cambrian, Bathyuriscus, Elrathiana zone, accumulated in the Stephen-Field basinal embayment of a platform shelf edge reef, the Catherdral Escarpment. Fossil abundance decreases downward. The escarpment acted as a butress deflecting thrust-faulting and protected them from structural deformation.

01536 McIver, Richard D.
Composition of kerogen - Clue to its role in the origin of petroleum (with French abs.), in Origin of oil, geology and geophysics - World Petroleum Cong., 7th, Mexico, 1967, Proc., Vol. 2: London, Elsevier Publishin Co., p. 25-36, illus., tables, 1967.
Analysis of 60 shale samples from mostly North American localities proves the complexity of kerogen contained in them. Simulated maturation of the kerogen yielded products differing even in the same formation.

01537 McIver, R. D.; Martin, S. J.; Bayliss, G. S.
Organic geochemistry of gas-bearing shales, U. S. Eastern Interior Basin (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 62, No. 6, p. 1092, 1978. AAPG-SEP, annual meeting; late abstracts.
Studies show shale gas has its source and is retained in organic-rich zones deposited in restricted marine environments. There are two chemically-distinct facies associated with restructed marine environments and a third associated with nonmarine sediment.

McKay, E. J. See Sharp, William W. 01883

01538 McKee, Ralph H.; Ells, S. C.; Goodwin, R. T.
Shale oil: New York, Chemical Catalog Co. 326 p., illus., tables, 1925.
A general view of overall oil shale picture, with articles on origin, location, refining, components, industry, and economic considerations of oil shale or shale oil. Presented in twelve articles by different authors.

01539 McKee, Ralph H.; Goodwin, R. T.
A chemical examination of the organic matter of oil shales: Coloado School of Mines Q., Vol. 18, No. 1, Supplement A, 41 p., 13 figs., Jan. 1923.
Definintion and origin of oil shales is presented. Thermal decomposition of their organic content by

pyrolysis was tested. The effect of a variety of solvents on a variety of shales (North American) was preorted. Microphotographs of thin sections show constituents orientation and lamination.

01540 McKelvey, Vincent E.
Uranium in the Upper Cambrian black shale of Sweden: U. S. Geol. Surv. Trace Elem. Invest. Rept. 495, 19 p., maps, diagrs., 1955. For official use only.

01541 McKelvey, V. E.; Duncan, D. C.
United States and world resources of energy, in Symposium on Development of Petroleum Resrouces of Asic and the Far East, 3rd, Proc., Vol. 2, pts. 2D-2E: U. N. ECAFE Mineral Resources Devel. Ser. No. 26, Vol. 2, p. 9-16, tables, 1967.
Classification of energy reserves is given. Fossil fuel, nuclear fuel (thorium, uranium, lithium) reserves are estimated in the U. S. and worldwide. Brief summaries of estimates of U. S. reserves of rich and lean grade oil shales is given.

01542 McKelvey, V. E.; Nelson, J. M.
Characteristics of marine uranium-bearing sedimentation rocks: Econ. Geol., Vol. 45, p. 35-53, 1950.
Study of marine black shales which are uranium-bearing. These rocks are rich in organic matter and sulfides, and the best are pre-Mosozoic. The uranium is considered syngetetic in origin (after Hoover, 1960).

McKeown, F. A. See Beroni, E. P. 00187

McKeown, F. A. See Sharp, William N. 01883

01543 McKirdy, D. M.; Powell, T. G.
Metamorphic alteration of carbon isotopis compostion in ancient sedimentary organic matter; new evidence from Australia and South Africe: Geology (Boulder), Vol. 2, No. 12, p. 591-595, illus., 1974.
Discusses effect of thermal alteration of organic matter on isotopes of carbon. Theory presented for heavy reduced carbon occurring in very old rocks from South Africa.

McKyes, Edward See Quigley, Robert M. 01694

McKyes, Edward See Quigley, Robert M. 01693

McLaughlin, R. E. See Reaugh, A. B. 01707

McTernan, W. F. See Kerr, R. D. 01172

McVicker, L. D. See Bradbury, J. C. 00231

Nagy, B. See Modzeleski, Vincent 01460

Nagy, Bartholomew see Bitz, Mary Carol 00195

Nagy, Belane See Razavoelgyi, J. 01705

01544 Nagy, L.
A dunantuil olajpala-kutato furasok retegsoranak palinologia; vizsgalata (Palynological investigation of Dunatul oil shale exploratory bare-holes): Hung., Foeldt. Intez., Evi Jel., Vol. 1974, p. 247-261, (incl. English sum.), Charts, plates, 1976.
Pollen, spores, Botryo-Coccus, brannii, on oil-forming algae.

01545 Narayan, Kailash
Effect of palladium catalyst on hydrogenation of shale oil: Master of Science Thesis, Univ. of Wyo., 77 p., Sept. 1968.

01546 Narten, Perry F.; Crawford, J. E.; Butler, A. D.
Summary review of analytical data pertaining to uranium content of radioactivity of domestic shales: U. S. Geol. Surv. Trace Elem. Mem. Rept. 240, 13 p., tables, 1950.

Neal, D. W. See Patchen, D. G. 01610

01547 Nechaeva, N. B.
Investigation of the process of methane formation by microorganisms from the cores of the gas- and petroleum-bearing strata of the second Baku: Microbiologia, Vol. 24, No. 1, p. 3-13, 1955, Translation RS-285, Assoc. Tech. Services, P. O. Box 27, E. Orange, N. J.
Methane - producing bacteria were detected in core samples. These bacteria are identical with methanobacterium formicum Schnelleu in its ability to utilize formic acid salts of methane production and in its ability to -- CH^4 from CO_2+H_2.

01548 Neglia, S.
Migration of Fluids, in Sedimentary Basin, Am. Assoc. Pet. Geol., Bull., Vol. 63, No. 4, April, p. 573-597, 1979.
This paper discusses the basic mechanisms governing the migration of water and hydrocarbons in sedimentary basins which are related to basinal structural history, rock properties, compaction, and temperature regime, which are themselves interdependent. (From abstract). Includes figures and tables of results obtained.

01549 Nejib, U. R.; Anderson, J.
Magnetic characteristics of multi-colored shales from northeastern Pennsylvania: Pa. Acad. Sci., Proc., No. 46, p. 123-126, illus. (incl. sketch map), 1972.

01550 Nelson, B. W.
Pre-Berea mineralogy and stratigraphy: Ph. D. thesis (unpub.), Univ. of Illinois, 104 p., 1955.
Develops new facies concepts and sedimentation history of the Ohio and Bedford Shales, based on clay mineralogical laboratory and field investigation (Hoover, 1960).

01551 Nelson, John M.
Radioactivity of asphaltities, coals, and shales in Tennessee, Kentucky, West Virginia, and Pennsylvania: U. S. Geol. Surv. Trace Elem. Invest. Rept. 32, 22 p., maps, tables, 1948.

Nelson, J. M. See McKelvey, V. E. 01542

01552 Nelson, S. J.; Johnson, R. D.
Geology of Hudson Bay basin: Bull. Canadian Petroleum Geology, Vol. 14, No. 4, p. 520-578, illus., 1966.
Primarily deals with stratigraphy, lithology, and structure of the region. Includes brief description of the Long Rapids Formation, which contains a Devonian greenish to blackish sometimes bituminous shale. Spore and invertebrate rossils are mentioned.

01553 Nemcek, David Francis
A paleo-environmental study of two localities in the Wanakah shale (Middle Devonian)(Western New York), Master's, New York; Buffalo, 1971.

01554 Nemodruk, A. A.; Myasoyedov, B. F.; Karalova, Z. K.
Perspektivy methody apredeleniya malykh kolichestv urana i toriya v pordalch i mineralakh i perspektivy ikh razuitiya (Present methods of determining small amounts of uranium and thorium in rocks and minerals and their perspectives on developmint): Akad. Nauk SSSR, Sib. Otd. Inst. Geol. Geotiz., Tr., No. 286 (Radioaktivnyye elementy v gornykh perodakh), p. 245-256, table, 1975.

01555 Neubronner, Karl
Bietrage zur kenntnis des schieferols aus Wurttemberg: Stuuttgart, Druck von A. Remppis, 95 p., diagrs., 1921.

01556 Nevens, Thomas D.; Culbertson, William J.; Hollingshead, R. D.
Disposal and uses of oil shale ash: Open File Rept. No. 32-74, 90 p., 1970. Available for reference during

working hours at Bureau of Mines libraries in Denver, Colo., Salt Lake City, Utah, and at the Central Library, U. S. Dept. of the Interior, Washington, C. D.

The purpose of this study was to determine some of the properties of waste shale ash. Studies dealing with a variety of Piceance Creek Shales retorted and burned for various times and temperatures were made. (From abstract)

01557 Newberry, J. S.
The general geological relations and structures of Ohio: Ohio Geol. Surv., Vol. 1, ot. 1, p. 1-167, et al., 1873.

Discusses relationship of the black shales to the structural studies of Ohio. Considers the shale series in the various county reports (Hoover, 1960).

01558 Newberry, J. S.
On the origin of carbonaceous matter in bituminous shales: Annual of New York Acad. Sci., Vol. 2, p. 358-369, 1883.

01559 Newberry, J. S.
Report of the Geological Survey of Ohio; Geology: Ohi Geol. Surv., Vol. 2, pt. 1, 701 p., et al., 1874.

Concerns age and correlations of the Devonian-Mississippian shale sequence. Discusses sequence by counties in which they crop out (after Hoover, 1960).

01560 Newberry, J. S.
Report of the Geological Survey of Ohio; Geology: Ohio Geol. Surv., Vol. 3, pt. 1, 965 p., General geology by counties, et al., 1878.

Includes maps, columnar sections, data tables, etc.

01561 Newberry, J. S.
The rock oils of Ohio: Ohio State Board Agriculture, 14th Ann. Rept., p. 605-618, Advance sheet, 16 p., 1859. Utilization of the black shale, 1869.

01562 Newman, K. R.
Part 2; Energy resources of northwestern Colorado; a summary of some recent developments and geological research: in Studies in Colorado field geology (Epis, R. C. ed., et al.), Colorado Sch. of Mines, Prof. Contrib., No. 8, p. 453-455, 1976. GSA and associated societies, annual meeting.

Oil, gas, coal, oil shale, uranium resources are briefly mentioned. Oil shale development projects and experiments being conducted are cited, along with a project whose purpose is to mine soda ash,

nahcolite, and dawsonite as well as extract shale oil. Recent geologic interpretations of the depositional environments involved in the genesis of the formation are mentioned.

01563 Newman, K. R.; Murray, D. K.
Part 1; Energy resources of northwestern Colorado: in Studies in Colorado field geology (Epis, R. C. ed. et al.), Colorado School of Mines, Prof. Contrib., No. 8, p. 446-452, sketch map, 1978. GSA and associated societies, annual meeting.
Road logs for three days are given. Major topics included: the Cretaceous, Paleocene, and Eocene section of the Mesaverde Formation; the Wasatch Formation; oil shale of the Green River Formation in the Piceance Creek basin, oil and gas in the Piceance basin, coal in the Mesaverde Group and coal near Craig and Hayden, Colo.

01564 Newton, V. C., Jr.
Oil shale, in Mineral and water resources of Oregon: U. S. Cong., 90th, 2nd sess., Senate Comm. Interior and Insular Affairs, Comm. Print, p. 278-280, table, 1969.

Neymushev, M. V. See Danchev, V. I. 00583

Nicaise, G. See Durand, B. 00719

Nicholas, E. See Mayne, S. J. 01414

Nicholis, H. R. See Miller, J. S. 01443

01565 Nichols, R. A. H.
Petrology and economic geology of the Upper Devonian Birdbear Formation in southeastern Saskatchewan: Saskatchewan Dept. Mineral Resources Dept. 125, 94 p., illus., table, 1970.

Nickerson, L. G. See Cottingham, P. L. 00537

01566 Niklas, K. J.
Organic chemistry of Protoslaviana (Foerstia) from the Chattanooga and New Albany shales: Rev. Palaeobot. Palynol., Vol. 22, No. 4, p. 265-279, illus. (incl. tables), 1976.
Chemical analysis of Protoslaviana, a thalloid alga from the Chattanooga and New Albany Shale is studied. Other organics isolated from the shale are correlated. Methods, results, and discussion of testing is presented.

01567 Nixon, Hershell H.; Nixon, Joan Lowery; illus. by Jean Zallinger
Oil and gas; from fossils to fuels: 1st ed. New York, Harcourt, Brace, Jovanovick, 1977 (A Let Me Read Book).

Nixon, Joan Lowery See Nixon, Hershell H. 01567

01568 Nixon, R. P.
Oil source beds in Cretaceous Mowry Shale of Northwestern Interior United States: Am. Assoc. Pet. Geol., Bull., Vol. 57, No. 1. p. 136-157, illus. (incl. sketch maps); 1973.
Organic geochemical analyses, stratigraphy, source beds, depositional history, diagenesis, migration, mechanism applications.

01569 Noble, E. A.
Uranium in coal: in Mineral and water resources of North Dakota, N. D. Geol. Surv., Bull., No. 63, p. 80-85, sketch map, 1973.
Gives a short discussion of the recent history of uranium exploration in the United States and shows the location of uranium in lignite coals of North Dakota.

Nodine-Zeller, D. E. See Berendsen, P. 00181

Noel, R. See Leplat, P. 01303

01570 North, Frank K.
A sane look at U. S. Gas resource: in Special reports, p. 113-156, U. S. Federal Power Comm., Washington, D. C., United States, 1973.

01571 North, W. G.
The Middle Devonian strata of southern Illinois: Ill. Geol. Surv. Circ. 441, 45 p., 1969b.
Published version of North (1969a); see annotation 01572.

01572 North, W. G.
The stratigraphy of the formation at and beneath the Middle-Upper Devonian boundary in Southern Illinois: Ph. D. thesis, 88 p. (in Survey open-file reports), 1969a.
Discusses Blocher Shale and Sweetland Creek Shales in southern Illinois - distribution, thickness, lithology, geophysical characteristics, stratigraphic relations. Includes correlation chart, isopach maps black shale percentage map, E-log cross-sections, list of wells.

01573 Nosow, Edward; Statler, A. T.; Van Den Berg, Jacob; Carpenter, G. L.
Developments in east-central states in 1975: Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 8, p. 1222-1233, 1976.
Primarily deals with facts and figures of new oil

wells drilled in Ky., Ill., Ind., and Tenn. Gas production in Ky. in 1975 is summarized. Maps show new drilling locations in the four states.

Nosov, V. D. See Zefirov, A. P. 02391

19574 Nowak, Jadwiga Martyna
Zwiazki porfirynowe niklu i wanadu jako wskaznik warunkow srodowiskowych przy powstawaniu i zachowaniu bituminow i rop w skale. (Nickel-vanadium prophyrins as an indicator of environmental conditions during the formation and preservation of bitumens and crude oils in rocks): Przegl. Geol., Vol. 19, No. 6, p. 289-292 (incl. Eng. Russ. sum.), illus., 1971.
Research on the geochemical interpretations of the porphyrins found to occur in the disseminated bituminous substance of rocks. Interrelation of porphyrin and organic carbon is analyzed. Variations in occurrence of porphyrins are related to determining genetic relationships and bitumen migration and environmental conditions.

01575 Nuhfer, E. B.; Vinopal. R. J.
Nature of porosity in Upper Devonian shales of Lincoln County, West Virginia: Geol. Soc. of Am. Abs. Programs. 1978 Ann. Mtg. Vol. 19, No. 7, p. 464, 1978.
A mean porosity of 2.5% was determined for the entire unit. Pyritic material is the most important single parameter governing porosity. Gas productivity is greatest in the Lower Huron which is characterized by wispy streaks of pyrite, silt, and organic material in an illite-quartz matrix.

Nydegger, G. L. See Crouch, M. C. 00551

01576 Oberlin, A.; Boulmier, J. L.; Durand, B.
Electron microscope investigation of the structure of naturally and artifically metamorphosed kerogen: Geochim. Cosmochim. Acta, Vol. 38, No. 4, p. 647-650, illus. (incl. plate), 1974.
High resolution electron microscopy techniques are used on samples of organic materials altered during burial and altered artificially. Results show the kerogens formed from stacks of two aromatic layers. The 30 shale samples tested were Toarcian shales from the Paris Basin, Silurian Sahara, and Permo-Triassic Spitzberg shales.

01577 Obert, L.; Merrill, R. H.
Oil shale mine, Rifle, Colorado: a review of design factors: U. S. Bur. of Mines Rept. of Invest. 5429, 13 p., 1958.
Three roof falls that occurred in underground rooms at the Rifle, Colo., oil shale mine are described. Mine development through the years 1945-1956 is discussed,

and layouts of the mine are presented. Evaluation of the mining method used and factors that may lead to improved mine design in the future are given.

01578 O'Brien, Neal R.
Electron microscope study of black shale fabric: Naturwissenschaften, Vol. 55, No. 10, p. 490-491, illus., 1968.

O'Brien, N. R. See White, W. A. 02325

O'Brien, S. M. See Prats, M. 01675

01579 Odell, W. W.; Baldeschwieler, E. L.
European shale-treating practice: U. S. Bur. of Mines Inform. Circ. 7348, 70 p., 22 figs., 1946.
This circular describes studies made in Europe and other foreign countries in production of motor fuel and lubricating oil from oil shale. (From abstract)

01580 Oehler, J. H.
Irreversible contamination of Precambrian kerogen by ^{14}C-labeled organic compounds: Precambrian Res., Vol. 4, p. 221-227, 1977.
Kerogen isolated from microfossiliferous stromatolic chart; Australia.

01581 Ohio Development and Publicity Commission
Ohio, an empire within an empire: Columbus, Ohio, F. J. Heer Printing Co., 214 p., 1950.
Gives historical account of the use of the Ohio Shale for distillation of kerosene and discusses future potentials of Ohio Shale as an oil shale (Hoover, 1969).

01582 Oil and Gas Journal
Shale oil-Pt. 2, Geology: Oil and Gas J., Vol. 62, No. 10, p. 66-67, illus., 1964.
Discusses the conditions of lake deposition for the Green River shales. Appearance and texture of the shale is cited. An isopach map is illustrated and the richest zones of oil shale are mentioned.

Okuno, T. See Suginhora, M. 02038

Olander, P. See Donnelly, T. W. 00687

Olhoeft, G. R. See Campbell, D. L. 00343

01583 Olinger, B.
Oil shales under dynamic stress: in Explosivly Produced Fracture of Oil Shale; April-June 1977 (Carter, W. J. compiler), Los Alamos Sci. Lab. Rept. No. 6901, p. 8-31,

illus., incl. table, 1978. Available from NTIS, Springfield, Va.

Olivercrona, J. A. See Soong, R. 01977

Olsen, G. See Bugle, R. C. 00302

O'Melia, C. R. See Edzwald, J. K. 00734

01584 O'Neil, Robert L.
Analytical procedures applicable to finegrained sedimentary rocks: J. Sed. Petrology, Vol. 29, No. 2, p. 267-280, 1959.
Analysis of shale and lignite samples by various chemical procedures show certain methods best suited in evaluation of trace elements. Limits of precision and accuracy vary with complex nature of sediment and methods used.

O'Neil, Robert See Bates, Thomas F. 00134

O'Neil, R. L. See Strahl, Erwin O. 02031

01585 Oparysheva, L. G.; Shmariovich, Ye. M.; Larkin, E. D.; et al.
Osobennosti uranovoy mineralizatsii zalegayuschchey v porodakh osadochnogo chekhla i grantiakh fundmenta (Characteristic uranium mineralization that occurs in sedimentary cover and basement granites): Akad. Nauk SSSR, Izd., Ser. Geol., No. 7, p. 32-44, illus. (incl. geol. sketch maps), 1973. The Tsentral'ny uranium ore deposits of the USSR as the example.

01586 Orlov, N. A.; Kurbatov, L. M.
Radioactivity of combustible shales: Khim. Tverdogo Topliva, Vol. 5, p. 525-527 (in Russ.), 1934.

01587 Orlova, V. S.; Zhuze, T. P.; Liktionov, V. P.
Opredeleniye legkikh uglevodorodov v bitumoidakh osadochnykh porod (Determination of light hydrocarbons in the bitumens of sedimentary rocks): Geol. Nefti Gaza, No. 4, p. 44-48, illus., 1975.

Oros, M. O. See Whiting, L. L. 02331

01588 Orr, R. W.
Condonts from the Devonian Lingle and Alto Formations of southern Illinois: Ill. Geol. Surv. Circ. 361, 28 p., 1964.
Brief dicusssion of controversy in naming the black shale which overlies the Alto Formation.

Orr, R. W. See Maroney, D. G. 01396

01589 Orr, Wilson L.; Emery, K. O.
Composition of organic matter in marine sediments: Preliminary data on hydrocarbon distribution in basins off southern California: Geol. Soc. of Am., Vol. 67, No. 9, p. 1247-1257, Sept. 1956.
Extractable organic matter, hydrocarbon content and other properties of marine sediments from cores drilled in basins off southern California. Chromatographic separations determined certain fractions present. Average potential petroleum yield much higher that eventual recovery from L. A. Basin.

01590 Orton, Edward
First annual report of the Geological Survey of Ohio (3rd organization): Columbus, Ohio, The Westbote Co., State printers, 1890.
Considers the stratigraphy of the Devonian-Mississippian shale series and evaluated the Ohio Shale as a source of oil and gas (Hoover, 1960).

01591 Orton, Edward
Preliminary report upon petroleum and inflammable gas: Ohio Geol. Surv., 76 p., 2 maps (abs.): Am. J. Sci., ser. 3, Vol. 32, p. 241; 1887, reprinted for the author with supplement, 200 p.; 1888, (abs.): Am. Geol., Vol. 1, p. 62-63, 1886.
Consider - The stratigraphic aspects and petroleum and gas possibilities of the shale series (Hoover, 1960).

01592 Orton, Edward
A source of the bituminous matter in the Devonian and subcarboniferous black shales of Ohio: Am. J. Sci., ser. 3, Vol. 24, p. 171-175, 1882.
Organic matter, which ranges from 8 to 21 precent, suggests that the vegetable spores were the contributors of the bituminous matter of the Ohio black shales (Hoover, 1960).

01593 Orton, Edward
A source of the bituminous matter of the black shales of Ohio: Am. Assoc. Adv. Sci. Proc., Vol. 31, p. 373-384, 1883.

01594 Orton,Edward; Lord, N. W.
Report of the Geological Survey of Ohio; Economic geology: Ohio Geol. Surv., Vol. 6, 831 p., 1888.
Considers black shale in central Kentucky to be the upper or Cleveland division and gives the impression that this opinion is based upon physical criteria and faunal evidence. Considers the Ohio Shale to be a source of oil and gas (Hoover, 1960).

Osmond, J. K. See Dysart, J. E. 00724

Ostrom, M. E. See Bradbury, J. C. 00231

01595 Ostrom, M. E.; Hopkins, M. E.; White, W. A.
Uranium in Illinois black shales: Illinois State Geol. Surv. Circ. 203, 15 p. (free, Illinois State Geol. Survey, 121 Natural Resources Building, Urbana, Illinois 61801), 1955.
Lists uranium percentages for 175 dark gray and black shale samples from Illinois. New Albany Shale and equivalents included in study.

01596 Overbey, W. K., Jr.
Eastern Gas Shales Project: Mtn. State Geol., No. 1, p. 2-3, table, 1977.

Overbey, W. K., Jr. See Dean, Claude S. 00601

01597 Overton, Harold L.
Resistivity logging from shale slurries, in SPWLA Logging Symposium, 11th Ann., Los Angeles, Calif., 1970, Trans.
This is a report of a well situ investigation of shale cuttings to observe any variation of shale resistivity.

01598 Owen, D. D.
On the geology of the Western States of North America: London Geol. Soc. Quart. J., Vol. 2, p. 452-477, 1846.

01599 Ozerov, I. M.; Polozov, V. Ya.
Osnovy promyshlennoy klassifikatsii goryuchikh slantsev (Basin problems in classifying oil shale): in Razrabotka i ispol'zovaniye zapasov goryuchik slantsev (Baum, V., chairperson), p. 161-171, tables, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

01600 Ozeroy, I. M.; Yaukhuta, G. V.; Burkov, Yu. K.; et al.
Metody izucheniya slantsevosnykh formatsiy (Methods of studying the formation of combustible shales): in Formatsii goryuchikh slantsev; methody izucheniya i geneticheskaya kassitikatsiya, p. 89-140, illus. (incl. tables, strat. cols.), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1973.

01601 Pacminex Property Limited
Oil shale deposits of the North Eromanga Basin: Australia Inst. Min. Metall., Monogr. Ser., No. 7 (Economic geology of Australia and Papua New Guinea; 3, Petroleum), p. 517-518, 1976.

Page, J. See Hardy, M. P. 00972

Paler, L. M. See Azhgirevich, L. F. 00068

Paler, L. M. See Azhgirevich, L. F. 00070

Paler, L. M. See Azhgirevich, L. F. 00069

Panov, G. See Kamenov, B. 01143

01602 Papia, V. C.; Iosof, V.; Alexandresu, Gi; et al.
Sur la compesition chemique et mineralogique de la formation des "Schiestes noirs" de la vallee de la Bistrita et de la vallee de la Moldova (The chemical and mineralogical composition of the black shales from Bistrita and Moldova valleys.): Rom., Inst. Geol. Geofiz., Stnd. Teh. Econ., Ser. I, No. 13, p. 71-80 (incl. English sum.), illus. (incl. tables), 1975. Prima conterinta nationala pentru argile.

01603 Parham, W. E.
Lateral variations of clay mineral assemblages in modern and ancient sediments: in Proceedings, Internat. Clay Conf., Jerusalem, Israel, Vol. 1, p. 135-145, 1966.
An unusual and interesting paper that compiles much literature about a neglected subject. Author's illustrations effectively tell his story, that kaolinite is most abundant near shoreline. Many more studies like this needed for mudstones and shales.

Parizek, E. J. See Conveney, R. M. 00541

01604 Park, James
The present position of thw world's oil-shale industry: Dunedin, New Zealand, Otago Univ., 10 p., tables, 1923.

01605 Parker, H. D.
Remote sensing for western coal and oil shale development planning and environmental analysis: in Remote Sensing; Energy-related studies, p. 171-187, illus. (incl. sketch maps), Hemisphere Publ. Corp., Washington, D. C., United States, 1975.

01606 Parker, Harold H.
Some fundamental problems of an American shale industry: Thesis, Columbia Univ., New York, N. Y., 55 p., illus., diagr., 1927.

01607 Parr, S. W.; Austin, M. M.
Potash shales of Illinois: Univ. Ill. Agr. Sta. Bull. 232, pt. 1, p. 229-236, 1921.
Includes chemical analysis of Mountain Glan Shale.

Parry, V. F. See Karrick, L. C. 01150

Pasca, V. See Casimir, Emil E. 00388

Pasquare, G. See Desio, A. 00631

01608 Patchen, D. G.
Geology and natural gas potential of West Virginia's Devonian shale (abs.): Geol. Soc. Am., Abs. Programs, Vol. 8, No. 2, p. 242-243, 1976.
Discusses the six Upper and Middle Devonian shale formations and describes gas production from them in the north-central and south-western portions of the state. Suggests gas accumulation is controlled by natural fracture. Notes the shales have increased in importance as a gas supply, and author cites the high success ratio of wells and the good quality of the gas.

01609 Patchen, D. G.
Subusrface stratigraphy and gas production in the Devonian shales of West Virginia: MERC/-CR-77/5, ERDA, Morgantown, W. Va., 35 p., 1977.
Stratigraphy of the four zones of Devonian shales in the north-central and the five zones in the south-western part of the state are discussed. Natural gas production in the shales, especially the brown shales group, along with density, gamma ray, and drillers logs are characterized.

01610 Patchen, D. G.; Schwietering, J. F.; Neal, D. W.
Subsurface correlation of black Middle and Upper Devonian shales in West Virginia: Geol. Soc. of Am. Abs. Programs. 1978 Ann. Mtg., Vol. 10, No. 7, p. 468, 1978.
Detailed subdivision of West Virginia's Devonian shales obtained from gamma ray density logs, cores, and samples. West Virginia shales are correlated with equivalent units in N. Y., Ohio, and Kentucky.

01611 Patchen, Douglas G.; Woodfork, Larry D.
Oil and gas developments in West Virginia, 1970-1971: W. Va. Geol. Econ. Surv., Miner. Resour. Ser., No. 2, 42 p., sketch, maps, 1973.
Comprehensive summary of seismic exploration, test drilling, oil and gas fields, production reserves, well-logging data, exploration outlook.

01612 Patterson, Elmer D.
Radioactive coal and shale of Pennsylvanian and Permian age in northern West Virginia: U. S. Atomic Energy Comm. TEI-494, 17 p. (dep.; $5.10, LC)(prepared by U. S. Geol. Surv.).
Carbonaceous shales and coals of Pennsylvanian

and Permian age were sampled at 16 localities for equivalent uranium content. The results of the tests are shown, though none of the coals of shales exhibitied strong radioactivity. Stratigraphy of the area is shown.

01613 Patterson, Elmer D.
Radioactivity of some coals and shales in southern Illinois: U. S. Geol. Surv. Trace Elem. invest. Rept. 466, 23 p., map, tables, 1954.
Black, hard, sheety roof shales of several coal beds along with channel samples of coal beds were sampled for uranium. Pennsylvanian stratigraphy of the coal and shale beds is presented. Localities, lithology, thickness, and uranium content for the sampled strata are given.

Paulet, J. See Leplat, P. 01303

01614 Payne, J. N.
Subsurface geology of the Iowa (Lower Mississippian) Series in Illinois: Am. Assoc. Petrol. Geol. Bull., Vol. 24, No. 2, p. 225-235; Ill. Geol. Surv. Rept. of Invest. 61, p. 225-236: disc., L. K. Lee, p. 236, 1940.
This is a discussion of the Lower Mississippian series in Illinois: Describes the composition, stratigraphy and structure of individual members.

Peake, E. See Hodgson, G. W. 01020

01615 Pearson, D. B.; Dow, W. G.
Relation of oil shale generation to kerogen maturation (abs.): Geol. Soc. Am., Abs. Programs, Vol. 8, No. 1, p. 57-58, 1976.
Generation of petroleum from reactions of organic matter in sediments is discussed. Ratios of benzene soluble extracts to the organic carbon yields a continuous profile showing where petroleum begins to form. Generation is shown to be a function of thermal energy rather than catalysis.

01616 Peattie, Roderick
Geography of Ohio: Ohio Geol. Surv. Bull. 27, 137 p., 1923.
Refers to the economic utilization of the Devonian-Mississippian shale sequence in the ceramic and mineral-water industries (Hoover, 1960).

01617 Pederson, John A. (ed.)
Future energy outlook: Colo. sch. Mines, Q., Vol. 68, No. 2, 206 p., illus. (incl. sketch maps), 1973.
Compilation of papers presented at the AAPG Fuels

Symposium (1968, Oklahoma City) and the AAPG Mineral Economics Symposium (1972, Denver).
18 articles are presented concerning coal, gas oil, oil shale, and uranium as energy sources. Articles were divided into three sections: mining and mineral policy, exploration and development, and future energy outlook. Two articles have to do specifically with future and development of oil shales.

01618 Pelipetz, M. G.; Wolfson, M. L.; Ginsberg, H.
High-pressure hydrogenation of crude shale oil: Chem. Eng. Progress, Vol. 48, p. 353-356, 1952.
Crude shale oil, obtained by retorting of Colorado oil shale in a gas-flow retort, was hydrogenated over several solid catalysts in a continuous high-pressure unit on a once through basis. (From abstract) Includes figures and tables of results.

01619 Pelzer, E. E.
Mineralogy, geochemistry and stratigraphy of the Besa River Shale, British Columbia: Can. Petrol. Geol. Bull., Vol. 14, p. 135-145, 1966.
A thick 320 to 2400m, shelf-to-basin section of a Devonian-Mississippian black shale is examined with the X-ray and resulting mineralogical variations related to provenance. Maps and cross-sections also used to infer such an origin. See also Conant and Swanson (1961).

01620 Pendse, Arvind P.
Techniques for the determination of nitrogen compounds in shale gas oil: Master of Science Thesis, Univ. of Wyo. 71 p., Nov. 1971.

Pen'kev, V. F. See Uspenskiy, V. D. 02228

01621 Penner, S. S. (organizer)
Identification of research and development priorities and of costing problems associated with implementation of in situ recovery of shale oil: 372 p., illus. (incl. tables), 1975. (Rept. No. NSF-FA-N-75001), Available from: Natl. Sci. Found., RANN Doc. Cent., Wash. D. C. U. S.
This book was the summarization of a workshop whose purpose was the identification of critical problem areas hindering in situ shale oil recovery techniques. Discussions conducted by four panels at the workshop (fracture, retorting, environmental impact, and economics), including their recommendations for research, are given. Nine papers covering various current in situ concerns are also presented.

01622 Pennsylvania State College
An investigation of the mineralogy and petrography of uranium-bearing shales, second progress report, period October 1, 1951-January 1, 1952: U. S. Atomic Energy Comm. AECU-1942, 10 p., (dep., mc), n. d.
X-ray and microscopic examinations were made of samples of Chattanooga Shale, Jaury Shale, and Brassfield shale collected in Tenn. (From Abstract) The heavy minerals were separated from the samples and subdivided with a Frantz Isodynamic magnetic separator. (Auth.)

01623 Pennsylvania State University
An investigation of mineralogy, ... lignites (Scope A-Shales), fifth annual report, April 1, 1955, to March 31, 1956: U. s. Atomic Energy Comm. NYO-7411, 113 p. (dep.), 1956.
Qualitative and semi-quantitative mineralogical and chemical analyses were made of 205 Chattanooga shale samples and 130 samples of shale from Penn., New Mexico, France, and Sweden. The Chattanooga samples came from nine drill cores representing the area from Northern Tenn. to Central Ala. (From abstract)

01624 Pennsylvania State University
An investigation of the mineralogy and petrography of uranium-bearing shales, final report: U. S. Atomic Energy Comm. NYO-9605, 53 p. (dep., mc; $5.45, NTIS), 1961.
Shales studied include the Alum shales of Sweden, Chattanooga Shale, Ohio Shale, Woodford Shale, St. Hipployte of France, Kupferschiefer of Germany, and Carboniferous shales from Kansas. Four methods of study were employed: 1-microscopic study of thin sections and polished surfaces and associated alpha and fission fragment nuclear trace plates; 2-X-ray studies of two types-diffraction for mineral investigations, and fluorescene for iron content; 3-wet chemical analyses for silicates, iron, total C, CO_2, and U; 4-spectroscopy emission for metals and NMR.

01625 Penrose, R. A. F., Jr.
Manganese, its use, ores, and deposits: Arkansas Geol. Surv. Ann. Rept. 1890, 642 p., 1891.

Perdew, W. E. See Gavin, M. J. 00874

01626 Pererva, V. M.
O neftegazonosnosti mezozoyskikh otlovheniy severnogo skiona Severo-Zapadnogo Kavkaza (Oil and gas content of Mesozoic sedimentary rocks on the Northern slope of the northwestern Caucasus): Geol. Neft; Gaza, No. 5, p. 32-35, 1975.

Pering, Katherine See Ponnamperuma, Cyril 01659

01627 Pernikov, M. S.; Zagidullina, F. G.
Ostenka neftenosnosti devonskikh otlozheniy Bashkifkogo Priural'ya (Estimate of petroleum content in Devonian deposits in the Bashkirian Urals): Geol. Nefti Gaza, No. 5, p. 31-34, illus. (incl. sketch maps), 1970.

01628 Perrini, E. M.
Oil from shale and tar sands: in the Colloection Chemical Technology Review, No. 51, p, 307, illus. (incl. tables), Noyes Data Corp., Park Ridge, N. J., United States, 1975.
The first section of the book is concerned with oil shale, and refining processes. Many summaries of patented steps are presented.

01629 Perry, E.; Hower, J.
Burial diagenesis in Gulf Coast pelitic sediments: Clay and Clay Minerals, Vol. 18, p. 165-177, 1970.
Vertical profiles from deep-wells in the Gulf Coast show that the major diagenetic change in clay minerals is the conversion of mixed layer illite/smectite to illite accompanied by incorporation of K^+. A major landmark is the diagenetic, burial history of clay minerals comparable to studies of clay mineral distribution in the world ocean by Griffin, et al., (1968), and Rateez, et. al, (1969).

Perry, W. J., Jr. See DeWitt, Wallace 00635

Pesold, W. F. See Levine, N. M. 01314

01630 Peters, Walter G.
A paleoecological study of Pennsylvanian black shales using radiographic and photographic techniques: Master's, Northern Illinois Univ., 1970.

01631 Petersen, Lee Edward
Ostrocodes and stratigraphy of the Birdsong Formation (Devonian) of Western tennessee: Master's, Arizona State, 1972.

Petersen, M. R. See Fruchter, J. S. 00841

Petersen, U. See Rich, R. A. 01732

01632 Peterson, A.
Ranstad - a new uranium-processing plant, in Processing of low-grade uranium ores, proceedings of a panel held in Vienna, 27 June - 1 July 1966: Internat. Atomic

Energy Agency STI-PUB-146, p. 193-209, 1967.
"Decisions concerning erection and operations of the Ranstad Mill...are outlined. The geological conditions and the planning of the mining system, plant location, and the factory are described. Processes and equipment of the plant,...capacity to treat 850,000 tons of Alum shale per year, are discussed. The operational experience is also reviewed. The economy of uranium production at Ranstad is discussed and some development possibilities are indicated." (Author's abstract)

01633 Peterson, A.
Status report from Sweden, in Processing of Low-grade uranium ores, proceedings of a panel held in Vienna, 27 June - 1 July 1966: Internat. Atomic Energy Agency STI/PUB/146, p. 41-48, 1967.
"A brief but comprehensive summary of uranium production in Sweden is given, including details on the location and composition of uranium ores, mining methods, the separation processes used, the treatment of process wastes, and the costs of uranium processing." (Author's abstract)

01634 Peterson, Carl R.
Mechanized mining and in situ retorting of oil shale: in Energy Resources and Excavation Technology, Vol. 1, Session 5B, p. 5B1-1 to 5B1-5. Proceedings of the 18th U. S. Symposium on Rock Mechanics, held at Keystone, Colo., June 22-24, 1977.
Discusses new excavating methods that may be employed in oil shale mining. Suggests an opportunity for more mechanized mining exists with oil shale. Two in situ mining methods that could use new technology are discussed.

Peterson, G. R. See Grimes, W. R. 00932

01635 Petrascheck, W. E.; Schubert, H.; Vohryzka, K.
Uber uranhaltige kohlen and Kohlenschiefur in Oesterreich: Hue Henmaenische Monatshefle, Vol. 104, No. 1, p. 1-8 (Austrian uranium-bearing coal and oil shale).

01636 Petrick, A. J.
A contribution to the study of South African oil shales: Chem., Met. and Min. Soc. Soc. Africa, J., Vol. 37, No. 6, p. 209-288, 17 figs., 5 pls., D'36.

01637 Petrov, A. P.
Perspektivy razvitiya promyshlennosti goryuchikh slantsev v SSSR (Possibilities for the industrial development of

oil shale in the USSR): in Razrabotka i ispol'zovaniye sapasov goryuchikh slantsev (Baum V.; chairperson), p. 93-98, table, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

01638 Petrova, Yu. N.; Karpova, I. P.
Chemical composition of hydrocarbons in the dispersed organic matter of sedimentary rocks: Doklady Akad. Nauk SSSR, Vol. 96, No. 2, p. 331-334, 1954. Trans. RJ-289, Assoc. Tech. Services.
Hydrocarbons in the dispersed organic matter similar to those present in crude oils.

Pfendt, Petar See Vitotavic, Dragomir 02261

01639 Philbrick, Shailer S.
Classification and identification of shales -- Discussion (of paper 5560 by L. S. Underwood, 1967): Am. Soc. Civil Engineers Proc., Vol. 95, paper 6324, J. Soil Mechanics and Found. Div., No. SM1, p. 348-349, 1969.
Shale should be approached during classification as a rock which has properties and characteristics related to its site or place of occurrence. (From p. 348). This article discusses the "soil-like" versus "rock-like" difference found in shales.

01640 Philip, R. P.; Brown, S.; Calvin, M.
Pyrolysis experiments on kerogen-precursors isolated from recently deposited algal oozes (abs.): Geol. Soc. Am., Abs. Programs, Vol. 7, No. 7, p. 1228, 1975.
Studies of recently deposited algal oozes to determine the kerogen-like material constituents are summarized. Samples collected from marshy environments at Baja California were acid treated to remove carbonates and silicates. After being subjected to pyrolysis, components were identified. Authors suggest modern oozes can be used in determining the structure of kerogens in ancient shales. (See Philp, Int. Geol. Cong.)

01641 Philip, R. P.; Calvin, M.
Kerogen structures in recently deposited algal mats at Laguna Mormona, Baja, California; a model system for the determination of kerogen structures in ancient sediments; in Environmental Biogeochemistry; Vol. 1, Carbon, nitrogen, phosphorus, sulfur and selenium cycles (Neiagu, J. O., ed.), p. 131-148, illus. (incl. tables), Ann Arbor Sci. Publ., Inc., Ann Arbor, Mich., United States, 1976.

01642 Philip, R. P.; Calvin, M.; Brown, S.; et al.
Organic geochemical studies on kerogen precursors present in recently deposited algal mats and oozes

(abs.): Int. Geol. Congr. Geol. Int., Resumes, No. 25, Vol. 1, (Section 5, Fossil fuel, genetic relations of hydrocarbons), p. 253, 1976.
The abundance of kerogen in the earths crust, problems in determining the origin and structure are mentioned. Suggests a new approach by examining insoluble organic residues from modern algal oozes. Components, determined by mass spectrometry and gas chromatography are discussed and related to kerogens obtained from ancient rocks.

01643 Philippi, G. T.
The influence of marine and terrestrial source material on the composition of petroleum: Geochim. Cosmochim. Acta, Vol. 38, No. 6, p. 947-966, illus., (incl. tables), 1974.
The components of oil whose source bed was rich in terrestrial organic matter is compared to those not rich in terrestrial matter. Different oils from source beds including California Miocene shales and Green River Eocene shales are compared. Origin of normal paraffins in petroleum are discussed. (Article has to do with petroleum more than kerogen in the oil shales.)

Phillips, J. E. See Watkins, J. Wade 02288

01644 Phillips, T. E.
A survey of potential methods for resource recovery from black water of the Upper Green River Basin: Master of Science Thesis, Univ. of Wyo., 1976.

Picard, M. D. See Cole, R. D. 00460

01645 Picard, M. Dane; Thompson, William D.; Williamson, Charles Ross
Petrology, geochemistry and stratigraphy of the Green River Formation (Eocene), Uinta Basin, Utah: Utah Geol. Mineral Surv., Bull., No. 100, 52 p., illus. (incl. sketch maps), 1973.
The black shale facies is divided into four lacustrine and one fluvial unit on the basis of lithology and electric log characteristics. Petrology of the sandstones, siltstones, and carbonates are studied. The geochemistry of five micrites and one algal biomicrite are compared with four silty micrite and four silty oil shales. Trace elements and oil and gas production also mentioned.

01646 Pipiringos, G. N.
Geology and shale oil resources of White River-Gray Hills area, Piceance Creek basin, northwestern Colorado (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 61, No. 8,

p. 1387, 1977.
Lithology and stratigraphy of the White River-Gray Hills area in the northern part of the Piceance Creek Basin are discussed. Measured reserves of 20 gal./ton or greater oil shale are given. Structure and geography also cited.

01647 Pitkin, J. A.
Preliminary thorium daughter contour map and profiles at the Hicks Dome area, Hardin County, Illinois: U. S. Geol. Surv. Open-File Rept. 74-157, 9 p., 1974.
Purpose of investigation was to locate outcrops of thorium-rich breccias which might have associated mineralization. Black shales (presumable Chattanooga Shale) included in study.

Pitman, Janet K. See Culbertson, William C. 00561

Pitman, Janet K. See Desborough, George A. 00628

Pitman, Janet K. See Desborough, George A. 00629

Pitman, Janet K. See Desborough, G. A. 00630

01648 Pitman, Janet K.; Donnell, John R.
Potential shale oil resources of a stratigraphic sequence above the Mahogany zone, Green River Piceance Creek Basin, Colorado: J. Res. U. S. Geol. Surv., Vol. 1, No, 4, p. 467-473, illus. (incl. sketch maps), 1973.
Oil resources of the four units of rock in the Parachute Creek Member of the Green River Formation that lie above the Mahogany (the richest) zone were measured. Many isopach maps of the four units were drawn, using graphs from assayed cores, and from electric, gamma ray neutron, gamma ray density, and sonic logs of exploratory wells. Suggests areas where surface mining may be used to recover the oil shale.

01649 Pitman, Janet K.; Dinnell, John R.; VanTrump, George; et al.
A general description of two computer programs for oil-shale resource appraisal of the Green River Formation: Mt. Geol., Vol. 9, No. 4, p. 393-398, illus., 1972.
Describes the Oil-Shale Data analysis Program and the Oil-Shale Histogram Program that the U. S. Geol. Surv. employ. One computes for an entire core all possible thicknesses with a specified average oil yield. The other draws historgrams of Fischer assay valuse for any six variables versus core depth.

01650 Pivevar, M. A.; Konivets, V. I.
Slantsenosnost' neogena (Neogene oil shales): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov,

V. A., ed.; et al.), p. 60-65, table, Izd. Akad. Nauk SSSR, Tallin, Union of Soviet Socialist Republics, 1974.

01651 Pliler, R.; Adams, J. A. S.
The distribution of thorium uranium and potassium in the Mancos Shale Geochim. Cosmochim. Acta., Vol. 26, p. 1115-1135, 1962.
Radiometric and chemical means are used to measure the radioactive content of this dark gray carbonaceous Cretaceous shale. Comparative ratios of the three elements in the 131 samples taken from 16 localities are presented.

01652 Pluman, I. I.
Distribution of uranium, thorium and potassium in the sedimentary rocks of the West Siberian Plantorm: Geochim. Int., Vol. 12, No. 3, p. 97-107, illus. (incl. tables, sect., sketch map), 1975.
Distribution of the natural radioactive elements, uranium, throium, and potassium in the Mesozoic-Cenozoic rocks of the West Siberian platform is described. The uranium-bearing bituminous argillites of the Bazenovsk formation of the Volga state, ... are described in some detail. The content of NRE is comparable to their average contents in analyogous rocks of some other regions. (Author's abstract)

01653 Pluman, I. I.
Uranium content of the Upper Jurassic black bituminous argillites of the west Siberian plate; Geochemistry Internal., Vol. 8, p. 845-851 (English translation of Russian paper), 1972.
Describes the lithology of a bituminous black shale with a high uranium content, and discusses how the uranium was determined by luminescence. Regional variations in radioactivity are shown and paleogeographic interpretations are constructed for the occurrence of uranium.

Poag, C. Wylie See Sackett, William W. 01807

01654 Polio-L., A.; Gregory, A.; Gray, K. E.
Dynamic properties of dry and water-saturated Green River shale under stress: Soc. Petroleum Engineers J., Vol. 8, No. 4, p. 389-404, illus., 1968.

01655 Podio-L., A.; Gregory, A. R.; Gray, K. E.
Dynamic properties of dry and water-saturated Green River Shale under stress: Soc. Petroleum Engineers A. I. M. E. Trans., Vol. 243 (pt. 2), p. 389-404, illus., reprinted 1969, originally published 1968.
This paper presents some results of an experimental

determination of the elastic coefficients of anisotropic materials. (From Intro.) Includes figures and illustrations.

01656 Podkletnov, M. I.
Osnovnyye methody i novyye napravleniya pererabotki slantsev (Basin methods and new trends in processing oil shale): in Razrabotka i ispol'zovaniye zapasov goryychikh slantsev (Baum, V.; chairperson), p. 272-276, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

01657 Pohl, E. R.
The black shale series of central Tennessee: Am. J. Sci., Ser. 5, Vol. 20, p. 151-152, 1930.
Divides Chattanooga Shale of central basin into three units, all separated by unconformities. Lower unit considered Devonian, middle and upper units considered Mississippian. Regional Correlations proposed. Considers Mississippian units widespread, but Devonian only locally developed (after Hoover, 1960).

01658 Pollara, F. Z.; Levine, N.; Killelea, J. R.
Recovery of uranium from Chattanooga shales: United Nations Internat. Conf. of the Peaceful Uses of Atomic Energy, 2nd, Proc., Vol. 3, p. 229-233, 1958.
Three methods of uranium recovery were tested on shale from the three most uraniferous zones of Chattanooga Shale. These methods were: batch leaching with sulfuric acid, counter-current leaching with sulfuric acid, and leaching under oxygen pressure. Uranium extraction percentage was compared with variables of time, temperature, particle size, and acid concentration. Recovery of uranium from leach liquors by ion exchange and solvent extraction are discussed.

Poloxov, Ya. See Ozerov, I. M. 01599

01659 Ponnamperuma, Cyril; Pering, Katherine
Possible abiogenic origin of some naturally occurring hydrocarbons: Nature, Vol. 209, No. 5027, p. 979-982, illus., 1966.
Compared were hydrocarbons from the mountsorrel formation, with hydrocarbons synthesized by the action of a spark discharge through methane, and the hydrocarbons from the Posidonian shale. Analysis by gas chromatography and mass spectrometry would show similarities and differences. Includes figures.

Ponomarev, P. M. See Kalivin, S. K. 01141

01660 Ponsford, D. R. A.
Radioactivity studies of some British sedimentary rocks: Great Britina Geol. Surv. Bull. 10, p. 24-44.
Radioactive (primarily uranium) content is measured in sedimentary sequences of all ages, showing the highest values to be in black shales of Cambrian, Ordovician, and Carboniferous (Penn.) age, Trassic sandstone, and phosphate nodules of various ages. Selected radioactive strata are studied in depth. Some lithologic and gamma ray logs are shown.

Poole, Forrest G. See Sandberg, Charles A. 01811

Poole, F. G. See Sandberg, C. A. 01812

01661 Poor, R. S.
Geology and mineral resources of the Galesburg quadrangle. Revision (1935) also covers Monmouth quadrangle: Unpubl. report, original 130 p., revision 108 p., 15 pls. (in Survey open-file reports), 1927.
Brief consideration of Sweetland Creek Shale - lithology, thickness, correlation. Includes section descriptions, well records, columnar sections.

01662 Poothai, Charan
The investigation of the oil shale deposit at Amphoe Li, northern Thailand: U. N. Econ. Comm. Asia Far East, Miner. Resourc. Develop. Ser., No. 29, p. 92-94, geol. sketch map, 1967.

01663 Poplavko, E. M.; Ivanov, V. V.; Darasik, T. G.; et al.
On the concentration of rhenium in petroleum, petroleum bitumens and oil shales: Geochim. Int., Vol. 11, No. 5, p. 969-972, illus. (incl. table), 1975.
Shows that the trace element thenium contents are much higher in oil shales than in petroleum, coal, or solid bitumens. All sampling localities were in the USSR.

01664 Poplvaki, Ye. M.; Ivaniv, V. V.; Karasik, T. G.; et al.
A kontsentratsii reyina v neftyakh, neftyanykh bitumakh i goryuchikh slantsakh (On the concentration of rhenium in petroleum, petroleum bitumens, and oil shales): Geokhim. (Akad. Nauk SSSR), No. 9, p. 1399-1402, illus. (incl. table), 1974.

Potemkin, K. V. See Serdyuchenko, D. P. 01875

01665 Potonie, Robert
Allgemeine petrographie der "olschiefer" und ihrer

verwandten mit ausblicken auf die erdolenstenhung; Berlin, Gebrunder Borntraeger, 173 p., illus., 1928.

Potter, G. M. See Brooks, P. T. 00274

Potter, P. E. See Provo, Linda J. 01683

Pottier, P. See Mouret, P. 01484

01666 Poulson, R. E.
Nitrogen and sulfur in raw and refined shale oils: A. C. S. Preprints, Div. of Fuel Chem., Vol. 20, No. 2, p. 183-197, 1975. Also: 169th A. C. S. National Mtg., Philadelphia, PA, Apr. 6-11, 1975. (Abstract)
The nitrogen-compound types and sulfur compound types in shale oils produced from Green River Formation oil shale oil are discussed. Studies relating to the nature of the residual nitrogen compound types in hydrodenitrogenate shale oils are summarized. (From Abstract)

01667 Poulson, R. E.
Stationary phases for separation of basin and nonbasic nitrogen compounds or hydrocarbons by gas-liquid, chromatography: J. Chromat. Sci., Vol. 7, No. 3, p. 152-157, 1969.
This work was done to determine the utility of gas chromatographic preparative methods for some polar-type compounds expected in shale-oil distillates with boiling points above 200°C (From Intro.) Includes description of procedure and table of results.

Poulson, R. E. See Cummins, J. J. 00565

Poulson, R. E. See Frost, C. M. 00838

Poulson, R. E. See Frost, C. M. 00836

Poulson, R. E. See Frost, C. M. 00837

Poulson, R. E. See Frost, C. M. 00839

Poulson, R. E. See Jackson, L. P. 01091

Poulson, R. E. See Jensen, H. B. 01116

Poulson, R. E. See Morandi, J. R. 01471

01668 POulson, R. E.; Frost, C. M.; Jensen, H. B.
Characteristics of synthetic crude from crude shale oil produced by in situ combustion retorting: Shale Oil, Tar Sands, and Related Fuel Sources, R. F. Yen,

ed., Adv. in Chem. Series, p. 1-10, 1976.
This paper reports the compound-type characteristics of a syncrude produced by hydrogenating the naptha, the light oil, and the heavy oil fractions obtained from an in situ crude shale oil by distillation and a coking process. Experimental proccdure is described and tables of results are given.

01669 Poulson, R. E.; Frost, C. M.; Jensen, H. B.
Characteristics of synthetic crude oil produced by in situ combustion retorting: A. C. S. Preprints, Div. of Fue Chem., Vol. 19, No. 2, p. 175-182, 1974. Also: 167th A. C. S. National Mtg., Los Angeles, CA. Mar. 31-Apr. 5, 1974. (Abstract)
A synthetic crude prepared by hydrogenating the naptha, the light oil and the heavy oil fractions obtained from in situ crude shale oil by distillation and coking of the residuum was characterized by examining the fractions. Hydrocarbon types were determined by subtraction with gas chromatographic readout. (From asbtract)

01670 Poulson, R. E.; Jensen, H. B.
Environmental effects of in situ recovery of shale oil: In Situ Recovery of Shale Oil, S. S. Penner, ed., N. S. E./R. A. N. N. Rept. No. 75-001, p. 251-266, 1975.
Environmental concerns of air, land and water use, supply, and contamination are a basis for comparison of in situ and conventional mining methods. These comparisons reflect the findings of the Enrivonrmental Impact Statement for a planned shale deposit to pipeline oil for both conventional and in situ mining are discussed. Socioeconomic advantages of in situ recovery are briefly noted.

01671 Poulson, R. E.; Jensen, H. B.
Vapor pressure detector for liquid elution chromatography. Its potential use in shale-oil characterization: Analy. Chem., Vol. 40, No. 8, p. 1206-1212, July 1968.
This paper discusses the use of liquie-solid elution chromatography as an aid in characterizing fractions having boiling points above 200°C. Description of apparatus is given.

01672 Poulson, R. E.; Jensen, H. B.; Cook, G. L.
Nitrogen bases in a shale-oil light distillate: A. C. S. Preprints, Div. Petrol. Chem., Vol. 16, No. 1, p. A49-A61, 1971. Also: 161st A. C. S. National Meeting, Los Angeles, CA. Mar. 28-Apr. 2,

1975. (Abs.)
This paper reports the characterization of types of basic nitrogen compounds in a 190°-310°C shale-oil light distillate. (From Abstract)

01673 Poulson, R. E.; et al.
Determination of compound types in complex mixtures using subtraction and gas chromatographic readant: Instrument Soc. of America. Proc. "Analysis Instrumentation", Vol. 10, p. 193-201, 1972.

Poupon A. See Gaymard, R. 00880

01674 Poupon, A. L.; Calvier, C.; Dumanoir, J.
Log analysis of sand-shale sequences - A systematic approach: J. Petroleum Technology, Vol. 22, July, p. 867-881, illus., 1970.
This is a study of neutron and density logs made in sand and shale sequences. Includes interpretation results.

Powell, R. R. See Berg, R. R. 00183

Powell, T. G. See Roscolos, A. E. 00818

Powell, T. G. See McKirdy, D. M. 01543

01675 Prats, M.; O'Brien, S. M.
Thermal conductivity and diffusivity of Green River oil shales: Soc. Pet. Eng. AIME, Trans., Vol. 259, p. 97-106, illus. (incl. tables), 1975. (Reprint from J. Pet. Technol.).
This report presents thermal conductivity data of confined Green River oil shales over a wide range of temperature, fluid pressure, oxial stress and kerogen content. (From Intro.) Includes graphs, illustrations and tables of results.

01676 Predali, J. J.; Coppens, R.
Uranium and vanadium content of bituminous shales in the Autun basin (France): Acad. Soc. Lorraines Sciences Bull., Vol. 8, No. 2, p. 57-67 (in French), 1969.

Price, Jack R. See Quigley, M. Darwin 01691

01677 Price, V.; Fergeson, R. B.; E. I. Dupont de Nemours and Company, Savannah River Laboratory
Savannah River Laboratory hydrogeochemical and stream sediment reconnaissance; Raw data release II, Orientation studies in Alabama; National Uranium Resource Evaluation Program: variously paginated, illus. (incl. tables; maps), 1976. (Rept. No. GJBS-46)(Rept. N. DPST-76-141-2) available from U. S. Energy Res. and Dev. Adm., Washington, D. C., United States.

01678 Prien, Charles H.
Current oil shale technology; a summary: Rocky Mt. Assoc. Geol., Guideb., No. 25 (Guideb. to the Energy Resour. of the Piceance Creek Basin, Colo.), p. 1410150, illus., 1974.
A summary of mining techniques and retorting processes for use on Colorado oil shale are presented. Surface mining versus underground room and pillar mining is analyzed. Retorting processes are divided into four categories and nine above-ground techniques are summarized and compared along with in-situ processing. Water and power requirements and economics of production are cited.

01679 Prien, Charles, Henry
Oil shale: Colo. Min. Res. Bd., Denver, Colorado, 1960, Chapter 10, in Mineral Resources of Colorado, 1st sequel, p. 443-461, geol. map.
Many aspects of the Piceance Creek Basin oil shale are briefly discussed. Topics include location, stratigraphy, history, chemical constitution, advances in technology, economics of an industry, and imact on Colorado.

01680 Prine, Charles H.
Survey of oil shale research in the last three decades: in Oil shale (Yen, T. F.; editor; et al.), No. 5, p. 235-267, illus., Elsevier Sci. Publ. Co., Amsterdam, Netherlands, 1976.

Prien, C. H. See Schmidt-Collerus, J. J. 01842

01681 Projecto Xistoguimica
Bibliografia do Xisto/Oil-shale Bibliography: Rio do Janerio, Academia Brasileira de Ceincias, Instituto Brasilero de Bibliograffia e Documentacao, Publicaco Especial Xistoquimica, Vol. 16, various paging, 1971.
5232 references from throughout the world mostly, but not totally, about oil shales. Key word and other indices. To obtain this write to: Academi Brasileira do Ciencias, Bibliografia do Xisto, Rua Aniflofio do Carvalho 29 3º andar Caixa Postal 229 ZC-OD, 20000 Rio de Janerio, R. J., Brazil.

Prokopovich, V. V. See Viylup, V. A. 02262

Proskuryakov, V. A. See Belyanin, Yu. I. 00177

01682 Provo, Linda J.
Stratigraphy and sedimentology of radioactive Devonian-Mississippian shales of the Central Appalachian Basin: University of Cincinnati. In National Uranium Resource Evaluation GJBX-37, 1977.

01683 Provo, Linda J.; Kepferle, R. C.; Potter, P. E.
Division of Black Ohio Shale in eastern Kentucky, Geologic Note: Am. Assoc. Pet. Geol., Bull., Vol. 62, No. 9, p. 1703-1713, 1978.
Correlated the Three Lick Bed with members in the Chattanooga, New Albany, and Ohio shales. Useful discussion of correlations and basin analysis problems. Good map, cross-sections, tables.

01684 Pryor, Wayne A.
Biogenic sedimentation and alteration of argillaceous sediments in shallow marine environments: Geol. Soc. Am. Bull., Vol. 86, p. 1244-1254, 1975.
An interesting and unusual paper that calls attention to the possible general importance or organisms as producers of pelletal muds and their contribution to glauconite. How often do clay mineralogists consider penecontemporanceous clay minerals alteration by the lower intestine?

01685 Putman, M. W.
Destructive distillation of hydrocarbonaceous materials: U. S. Patent 2,813,823, Nov. 19, 1957.
A method using destructive distillation of oil shale to make useful liquid products is shown. Procedure is summarized and a diagram of the system is shown. It uses calcium sodium, and potassium chlorides as condensing nuclei.

01686 Putman, M. W.
Process for destructive distillation of hydrocarbonaceous materials: U. S. Patent 2,901,402, Aug. 25, 1959.
A method using destructive distillation of oil shale to make useful liquid compounds is outlined. Procedure is summarized and a diagram of the system is shown. It uses aluminium and titanium oxides as condensing nuclei.

01687 Putman, M. W.
Role of nucleation in oil-shale retorting: Chem. Eng. Progress, Vol. 53, p. 33-36, 1957.
This paper discusses the technique of promoting nucleation of oil vapor in a gas stream rising through a bed or irregularly shaped solids by seeding with sodium chloride or aluminum oxide. It has been found to simplify the recovery of the oil by condensation. (From abstract)

01688 Putman, M. W.
Studies of oil-shale processing fundamentals: Presented before Ind. Bur. of Mines Oil-Shale Conf., Wyo., Summer Science Camp, Laramie, Wyo., Aug. 1954.
Pub. in Minutes of Conf., U. S. Bur. of Mines Adm. Pub.

Putman, M. W. See Matzick, A. 01409

Putman, M. W. See Matzick, A. 01410

Putman, M. W. See Reeves, A. A. 01711

01689 Putman, M. W.; Cameron, R. J.
Pyrolysis of oil shale in gas-combustion retort: Ind. Eng. Chem., Vol. 46, p. 689-693, 1954.
Discussed are the important features of the gas combustion process to recover oil from Green River oil shale. (From Abstract) Data are cited from a pilot plant which illustrate some operational characteristics.

Pyalling, A. O. See Gavshin, V. M. 00878

Pyalling, A. O. See Gavshin, V. M. 00879

01690 Pye, W. D.
Arizona: A new exploration frontier: Oil and Gas J., Vol. 65, No. 19, p. 168-172, May 8, 1967.
Parts of Arizona are favorable both structurally and stratigraphically for oil and gas. Includes a discussion of drilling done thus far (1967) and the prospects for the future.

01691 Quigley, M. Darwin; Price, Jack R.
Green River oil shale potential in Utah, in oil and gas possibilities of Utah, re-evaluated: Utah Geol. and Mineral. Surv. Bull. 54, p. 207-213, illus., 1963.
Short discussion of environment, stratigraphy, mining, and reserves of oil shale in Utah. Contour map illustrates total oil in Green River and Uinta Formations of Duchesne and Uintah counties.

01692 Quigley, R. M.; Vogan, R. W.
Black shale heaving at Ottawa, Canada (with French abs.): Can. Geotech. J., Vol. 7, No. 2, p. 106-112, illus., 1970.
Describes the structural deformation of a building founded on black shale bedrock in Ottawa, Canada. The potential importance of heave and sulfate attack on future underground concrete structures in areas of Ottawa underlain by black shale are discussed. (From Abstract)

01693 Quigley, Robert M; Zajic, James E.; McKyes, Edward; et al.
Biochemical alteration and heave of black shale; detailed observationa dnd interpretations: Can. J. Earth Sci., Vol. 10, p. 1005-1015 (incl. Fr. sum.), illus., 1973.

01694 Quigley, Robert M.; Azjic, James E.; McKyes, Edward et al.
Oxidation and heave of black shale, Am. Soc. Civ. Eng., Proc., J. Soil Mech. Found. Div., Vol. 99, No. SM5, p. 417-421, illus., 1973.
The purpose of this technical note is to present more information supporting the idea that autotrophic bacteria of the thiobacillus-ferrobacillus ferrooxidans species are important in catalyzing the oxidation of sulphides in black shale (From p. 418, 419).

01695 Rader, L. F.; Grimaldi, F. S.
Chemical analyses for selected minor elements in Pierre Shale: U. S. Geol. Surv. Prof. Paper 391-A, 45 p. (out of print but available through libraries), 1961.
Detailed study of the trace elements of 70 samples from the Pierre Shale of the trace midwest U. S. Separate methods and procedures and shown for the determination of 14 trace metals, carbon, and organic matter. Some alternative methods are shown and comparison of results of methods are given.

01696 Rajagopal, Geetha
Nitrogen type analysis of hydrogenated shale gas oils: Master of Science Thesis, Univ. of Wyo., 103 p., Dec. 1970.

01697 Rajaram, V.; Long, J. S.; Bhattiacharyya, K. K.
Geotechnical considerations mine design federal oil shale trace C-a, Colorado: in Energy Resources and Excavation Technology, Vol. 1, p. 5B2-1 to 5B2-6. Proceedings of the 18th U. S. Symposium on Rock Mechanics, held at Keystone, Colo., June 22-24, 1977.
"This paper illustrates the multidisciplinary nature and complexity of geotechnical studies for large projects." Open pit slope mine design and underground mine design are studied. Geohydrology of the area and rock strength cited.

01698 Rajaram, V.; Utter, S.; Hooker, V.
Geotechnical and environmental design of a mining research facility in deep, thick oil shale deposits: Symp. Rock Mech., Proc., No. 19, Vol. 1, p. 484-491, illus., incl. table, map, 1978.

Raley, J. H. See Stout, N. D. 02022

Randle, Sam See Disher, David 00662

Rasumnaya, E. G. See Rozhkova, E. V. 01792

01699 Rathbun, Fred C.; Dickey, Parke
Abnormal pressures and conductivity anomaly, northern Green River basin, Wyoming: Log Analyst, Vol. 10, No. 4, p. 3-8, illus., 1969.

01700 Rattien, S.; Eaton, D.
Oil shale; the prospects and problems of an emerging industry: Ann. Rev. Energy, Vol. 1, No. 11008, p. 183-212, illus. (incl. tables), 1976.

Rausch, D. O. See Waltch, Mark J. 02275

01701 Ravasz, C.
A pulai es gercie olajpala kozettani vizsgalata (Petrography of oil shale from Pula and Gerce, Duantul, Hungary): Hugm., Foeldt. Intez., Evi Jel., Vol. 1974, p. 2210245, (incl. English sum.), strat. cols., plates, 1976.
The rocks from two boreholes (at Pula and Gerce) are divided into four groups: oil shale, siliceous rocks, clay and marl, and silt and sand. Microscopic examination shows the constituents of the oil shale, including the oil-forming algae Botryococcus braunii. Calcareous algininte and bituminite portions are also present.

01702 Ray, E. O.
Devonian shale development in eastern Kentucky: in Natural Gas from Unconventional Geologic Sources, p. 100-112, illus. (incl. tables, sketch map), available from: Natl. Acad. Sci., Washington, D. C., United States, 1976.

01703 Ray, E. O.
Devonian shale production, eastern Kentucky field: in the Future of Nature-made Petroleum and Gas; Technical Reports (Meyer, R. F.; editor), p. 679-696, illus. (incl. tables, sketch map), Pergamon Press, New York, N. Y., United States, Hydraulic fracturing, 1977.

01704 Ray, E. O.
Shale stimulation; a new approach: Kentucky Oil and Gas Assoc., 30-31st Ann. Mtg., 1966-67, Tech. Sessions, Proc., Ky. Geol. Surv., Ser. 10, Spec. Publ., No. 15, p. 35-42, illus., 1968.
Suggests a new approach for opening passageways should be used. After extensive logging, shale sections were subjected to a water-frac treatment. Results are inconclusive, but fractured and cleaned out shales may deliver more gas.

01705 Razavolegyi, J.; Nagy, Belane
Ueledekes kozetek diszperz bitumen tartalmanak nyomelemvizgalata (Trace-element analysis of the dispersed bitumen content of sedimentary rocks): Foeldt. Koezl., Vol. 102, No. 2, p. 176-187 (incl. Eng. sum.), illus., 1972.
Devonian, Carboniferous, Permian, Triassic limestones and shales, trends Hungary. Trace elements of bitumen in argillaceous and carbonate rocks were measured and trends of the seven elements found were presented.

01706 Read, Charles B.
Recent discoveries of radioactive carbonaceous shale, Sandoval County, N. M.; U. S. Geol. Surv. Trace Elem. Mem. 278, 8 p., diagrs., table, 1952. For official use only.

Read, Charles, B. See Bachman, George O. 00074

Read, C. B. See Bachman, George O. 00075

Read, C. G. See Vine, J. D. 02255

Readling, Charles L. See Crump, Lulie I. 00557

01707 Reaugh, A. B.; McLaughlin, R. E.
Environment-related palynomorph groups in the Chattanooga Black Shale (abs.): Geol. Soc. Am. Abs. Progams, Vol. 7, No. 7, p. 1239, 1975.
Four contrasting groups of palynomorphs recovered from three sampled sections in northern Tennessee give new evidence of depositional environment. Discusses acritarchs recovered. Suggests the presence of normal marine microplankton indicates contrasting conditions.

01708 Reed, R. P.; Boade, P. R.
Stress waves measured and calculated for in situ explosive rubllization experiments in oil shale; in Energy Resources and Excavation Technology, Vol. 1, p. 5B5-1 to 5B507. Proceedings of the 18th U. S. Symposium on Rock Mechanics, held at Keystone, Colo., June 22-24, 1977.
Stress measurements from the detonation of two charges in one well and one in an adjacent well were measured by a wave code, and piezoelectric and piezoresistive gages.

01709 Reed, P. Robert, Jr.; Warren, Phillip L.
Rapid determination of recoverable oil in oil shale by thermal analysis: in Oil Shale Symposium, 7th, Proceeding, Colo. Sch. Mines, Q., Vol. 69, No. 2,

p. 221-231, illus., 1974.
Describes experimental determination of oil in oil shale by the MP-3 method. Compares this method to the Fischer Assay method. Thermal segregation of kerogen and bitumen is done by chromatography.

01710 Reed, W. E.
Molecular compositions of weathered petroleum and comparison with its possible source: Geochim. Cosmochim. Acta., Vol. 41, No. 2, p. 237-247, 1977.
Discusses Uinta Basin sandstones whose oil may have been derived from the Green River oil shales. Examines the compositional effects of weathering in a natural petroleum seep and the similarity in composition to the possible source rocks. Mass spectra and chromatograms of hydrocarbons are shown.

01711 Reeves, A. A.; Putnam, M. W.; Jones, J. B ,
Destructive distillation of hydrocarbonaceous materials: U. S. Patent 2,757,129, July 31, 1956.
Steps of the method are given and diagram of the retort is shown.

01712 Reeves, J. R.
An economic study of the New Albany shale: U. S. Bur. of Mines Rept. of Invest. 2466, 19 p., 1923.
Discusses location of deposit, transportation facilities, quarrying methods, blasting practices, and retorting data. (From abstract)

01713 Reeves, John R.
New Albany oil shale of Indiana-Eng. and Min. J., Vol. 114, No. 13, p. 554, Sept. 23, 1922.
Includes description of the New Albany oil shale of Indiana and a discussion of possible future commercial uses.

01714 Reeves, J. R.
The New Albany shale of Indiana: U. S. Bur. of Mines Rept. of Invest. 2390, 8 p., 1922.
Physical and chemical characteristics and composition of the shale is shown. Products obtainable upon distillation of the shale are shown and compared to Colorado and Utah shales.

01715 Reeves, John R.
Oil shales of Indiana: Eng. and Mining J., Vol. 110, No. 20, p. 954-955, Nov. 13, 1920.
This 1920 article gives a description of the New Albany shale of Indiana and discusses experimental work done on methods of recovery.

01716 Reeves, J. R.
Oil shales of Indiana: Indiana Univ., Dept. Geol. 92 p., (mimeo.), 1923b.

01717 Reeves, J. R.
Preliminary report on the oil shales of Indiana, in Handbook of Indiana Geology: Ind. Dept. Conserv. Pub. 21, pt. 6, p. 1059-1105, 16 pls., 2 figs., 1922.
Reports on the New Albany Shale (Hoover, 1960).

01718 Reeves, J. R.
Results of assays of the New Albany oil shale: U. S. Bur. of Mines Rept. of Invest. 2492, 11 p., 1923.
Gives results of analyses of numerous samples of Indiana Shale. (From Abstract)

01719 Reeves, J. R.
A section through the New Albany Shale: Ind. Dept. Conserv., 4th Ann. Rept., p. 18-21, 1923. See also U. S. Bur. of Mines Rept. of Invest. 2425, 5 p., 1922.
Top and bottom portions of New Albany Shale have highest oil contents. Oil-forming matter probably of some composition throughout formation, as indicated by small variation in specific gravity. Average oil yield from analyzed core is 8.3 gallons per ton (after Hoover, 1960).

01720 Reid, Alexander M.
The oil resources of Tasmania: Tasmania Dept. of Mines, Geol. Surv., Mineral Resources, No. 8, Vol. 1, 119 p., incl. maps, tables, 1924.

01721 Reid, J. H.
Oil shale deposit Drummond range: Queensland Govt. Min. J., Vol. 42, No. 491, p. 185-188, 1 fig., 1940.

01722 Reid, J. H.
The tertiary oil shales of Plevna, Eungella district: Queensland Govt. Min. J., Vol. 43, No. 500, p. 2-4, 3 figs. (incl. geol. sketch map), 1941.

01723 Reimer Th.
Evaluation of the rubidium and strontium content of shales: Neues Jahrb. Mineral., Abh., Vol. 116, No. 2, p. 167-195, (incl. Ger. sum.), illus., 1972.
Chemical and mineralogic changes in shales are due to biologic developments as well as an increase in the degree of diagenesis. Increase of strontium and decrease of rubidium is partly due to both plant and animal action, although Rb decrease is slight. Samples are world-wide and Early Precambrian to Oligocene.

Reinicke, S.E. See Ward, J. C. 02283

01724 Reitlinger, E. A.
Spheres in the Devonian deposits of the Russian Platform: Proceedings, Academy of Sciences, USSR, Geological Sciences, Sec. 1, Vol. 114, p. 625-628, 1957.

Renton, J. J. See Donaldson, A. C. 00671

01725 Reso, Anthony
The geology of Colorado oil shale and its economic potentialities (abs.): Houston Geol. Soc. Bull., Vol. 8, No. 1, p. 3-4, 1965.

01726 Reso, Anthony
Oil shale as an important future source of energy (abs.): Houston Geol. Soc. Bull., vol. 9, No. 10, p. 19-20, 1967.

Repsher, R. C. See Brown, J. W. 00285

Ress, O. W. See Armon, W. J. 00053

01727 Revelle, R.; Bramlette, M.; Arrhenius, G.
Pelagic sediments of the Pacific: Geol. Soc. Am. Special Paper No. 62, p. 221-236, 1955.
Younger and older days chemically different. Fe/Ti and Mu/Ni indicators of hydrogeneous matter. High Ba and biogenous indicate rapid deposition.

Reynolds, Fred S. See Dougan, Paul M. 00693

Reynolds, F. S. See Dugan, P. M. 00704

Reyre, Y. See Cazes, P. 00400

Rexroad, C. B. See Collinson, C. W. 00475

01728 Rhoades, D. C.
Organism-sediment relations on the muddy sea floor: Oceanogr. Marine Biology Ann. Review, Vol. 12, p. 263-300, 1974.

01729 Rhoads, D. C.; Morse, J. W.
Evolution and ecologic signifigance of oxygen deficient marine basins: Lethaia, Vol. 4, p. 413-428, 1971.
Benthic invertebrates living in low oxygen regions of the Black Sea, Gulf of California, and basins off Southern Cal., form three major biofacies associated with concentrations of dissolved oxygen. These biofacies recapitulate the chronologic appear nces of Pre-cambrian trace fossils followed

by a diverse calcified fauna in the Cambrian. A model has been used to reconstruct Lower Cambrian oxygen level of 0.1 of present atmospheric level.

01730 Rick, J. L.
Probable deep-water origin of the Marcellus-Ohio-New Albany-Chattanooga black shale: (abs.): Geol. Soc. Am. Bull., Vol. 59, p. 1346-1347, 1948.
Cites lines of evidence for deep-water origin of black shales.

01731 Rick, J. L.
Probable fondo origin of Marcellus-Ohio-New Albany-Chattanooga bituminous shales: Am. Assoc. Petrol. Geol. Bull., Vol. 35, p. 2017-2040, 1 fig., 1951.
Lists and discusses views of various authorities on deep and shallow water origins of black shales (Hoover, 1960).

Rick, J. L. See Savage, T. E. 01826

01732 Rick, R. A.; Holland, H. D.; Peterson, U.
Hydrothermal uranium deposits: Amsterdam, Elsevier Sci. Publ. Co., 264 p., 1977.
The first part summarizes important properties of hydrothermal uranium ores, describes their position in the geochemical cycle of uranium, and through a genetic model, explains their occurrence and mineralogy. Descriptions of specific deposits comprise the second section.

Ridley, Richard D. See Garrett, Donald E. 00856

01733 Ridley, Richard D.
In situ processing of oil shale: in Oil Shale Symposium, 7th, Proceedings, Colo. Sch. Mines, Q., Vol. 69, No. 2, p. 21-24, 1974.
This non-tecnhical paper cites the advantages of in situ mining of oil shale and describes the Garrett process for in situ mining. Compares the Garrett process with NTU retorts, and gives results of experiments using the Garrett process.

01734 Ries, Heinrich
Clay and shale deposits of the western provinces (Part IV): Ottawa, GPB, 83, 74 p., wraps. Can. Geol. Surv. Memoir 65-66, 1915.
This is the 4th in a series of reports published on the clay and shale resources of the western provinces. The plastic materials occurring in the different geologic formations have been discussed in some detail, and many tests given.

01735 Ries, Heinrich; Keele, Joseph
The clay and shale deposits of Nova Scotia and portions of New Brunswick: Ottawa, 1911. 115 p. wraps. Canada, Dept. of Mines, Memoir NO. 16-E.

01736 Ries, Heinrich; Keele, Joseph
Preliminary report on the clay and shale deposits of the western provinces: Ottawa, 1912. 231 p. wraps. Canada, Dept. of Mines, Memoir No. 24-E.

Reinhart, M. See Rogers, M. P. 01778

Ringrose, C. D. See Dean, W. E. 00604

01737 Risser, Hubert E.
The U. S. energy dilemma; the gap between today's requirements and tommorrow's potential: Ill. Geol. Surv., Environ. Geol. Notes, No. 64, 64 p., illus. (incl. sketch maps), 1973.
Current consumption, achievement of future energy levels, petroleum, gas, coal, hydroelectric power, nuclear and geothermal power, oil shale, and solar energy.

01738 Ritzma, Howard R.
Exploration and development of oil shale and oil-impregnated rocks, 1970-75: in Future energy outlook, Colo. Sch. Mines, Q., Vol. 68, No. 2, p. 81-84, 1973.
Reserves of the three states (Colo., Wyo., Utah) oil shales are presented. Recent developments in mobilizing the oil shale industry are discussed, along with ownership of the lands and production estimates. Location, status of development, and exploitation technology of tar sands are mentioned.

01739 Ritzma, Howard
Proposed wilderness may hide oil: Utah Geol. and Mineral. Surv. Q., Rev., Vol. 1, No. 11, p. 1-2,

01740 Ritzma, H. R. (compiler)
Publications on hydrocarbons by the Utah Geol. and Mineral. Surv.: Utah Geol. Miner. Surv., Circ., No. 56, p. 5, tables, 1974.

01741 Ritzma, Howard R.; Seeley, deBenneville K.
Determination of oil shale potential, Green River Formation, Uinta Basin, northeast Utah: Utah Geol. and Mineralog. Surv. Spec. Studies 26, 16 p., illus., geol. map, 1969.
Rich oil shale intervals of the Green River Formation in the eastern part of the Uinta Basin are correlated with the less well known western part and also the Piceance Creek Basin. Depositional

environment of the Green River Formation is studied and compared to underlying and overlying formations.

01742 Riviere, Auguste
Note sur la distillation des schiestes bitumineux, accompagnee d'un projet de distillerie propre a tierer le parti le plus avantageux des matieres gazeuses, liquides et solides renfermees dans ces roches, par A. Riviere.: Paris, Impor. de cosson, 22 p., 1839.

01743 Rjabuchin, G. E.
Erodel und Erdgas in terrestrischen sedimenten (Oil and gas in terrestrial sediments): Z. Angew. Geol., Vol. 21, No. 12, p. 577-580, (incl. Russian Eng. sum.), 1975.
Suggests oil and gas deposits may form in colored terrestrial sediments. Cites west Siberia gas deposits as an example of this.

Robb, William A. See Johnson, Donald R. 01120

Robb, W. A. See Johnson, Donald R. 01123

Robb, W. A. See Johnson, Donald R. 01125

Robb, William A. See Smith, J. W. 01940

Robb, W. A. See Smith, J. W. 01938

Robb, W. A. See Smith, J. W. 01948

Robb, W. A. See Smith, J. W. 01941

Robb, W. A. See Young, Neil B. 02389

01744 Robb, William A.; Smith, J. W.
Mineral profile of the Green River Formation Oil shales at Colorado Corehole No. 1: Rocky Mtn. Assoc. of Geol. Guideb. to the Energy Resources of the Piceance Creek Basin, Colorad. 25th Field Conf., p. 91-100, 1974
"This Bureau of Mines paper presents an X-ray diffraction mineral profile for the 2060 foot-thick oil-yielding section of the Green River Formation...Relative amounts of major oil-shale minerals are plotted as histograms with depths, and occurrences of other minerals are described. Relations among the minerals and between organic content and the minerals in the oil shale are evaluated." (Author)

01745 Robb, William A.; Smith, J. W.
Mineral profile of Wyoming's Green River Formation - oil shales sampled by Blacks Fork core: Earth Sci. Bull., Vol. 9, No. 1, p. 1-8, March 1976.
Wilkins Peak and Tipton Shale Members of the Green River Formation are discussed in terms of mineralogy and organic matter. Oil yields and X-ray diffraction peaks for minerals are measured from an oil shale core. Depositional conditions are discussed relative to mineralogy.

01746 Robeck, Raymond, C.; Conant, Louis C.
Reconnaisance search in parts of Kentucky, Tennessee, Inciana, Virginia, and Ohio for areas where uraniferous black shale may be mined by stripping: U. S. Geol. Surv. Trace Elem. Invest. Rept. 64, 36 p., map, tables, 1951.

01747 Robertson, David S.; Douglas, Richard R.
Sedimentary uranium deposits: Can. Inst. Min. Met., Trans., Vol. 73, p. 109-118, illus. (incl. sketch maps), 1970.
World wide occurrences, arkoses, lignites, shales.

01748 Robertson, David S.; Douglas, Richard R.
Sedimentary uranium deposits: Can. Mining and Metall. Bull., Vol. 63, No. 697, p. 557-566, illus., tables, 1970.
Sedimentary uranium deposits, world-wide, are discussed in this paper.

Robins, J. W. See Marjaniemi, D. K. 01394

01749 Robinson, W. E.
Green River oil shale kerogen (abs.): Geol. Soc. Am. Spec. Paper 101, p. 179, 1968.
Chemical and physical techniques are used to determine the structure of Green River kerogen. Results show the kerogen is predominantly a saturated cyclic structure with short connecting alkyl chains or bridges.

01750 Robinson, W. E.
Isolation Procedures for kerogens and associated soluble organic materials: in Organic Geochemistry: Methods and results. (G. Eglinton and M. T. J. Murphy, eds.) p. 181-195, illus. (incl. sketch map), Springer-Verlag, New York-Yeidelberg-Berlin, 1969.
Outlines mechanism and methods for the isolation of kerogen, bitumen, fatty acids, porphyrins, amino acids, and carbonhydrates from kerogen rocks.

01751 Robinson, W. E.
Kerogen of the Green River Formation: in Organic geochemistry; methods and results (G. Eglington; M. T. J. Murphy; editors), p. 619-637, illus. (incl. sketch map), Springer-Verlag, New York-Heidelberg-Berlin, 1969.
Composition and structure of Green River kerogens is presented, along with methods for oxidation, thermal degradation, reduction, and hydrolysis that degrade kerogen into soluble, identifiable products. Physical properties of the kerogen are discussed with results from infrared, ultraviolet, and X-ray diffraction analyses and carbon isotope ratios.

01752 Robinson, W. E.
Origin and characteristics of Green River oil shale: in Oil shale (Yen, T. F.; editor; et al.), No. 5, p. 61-79, illus. (incl. table), Elsevier Sci. Publ. Co., Amsterdam, Netherlands, 1976.

Robinson, W. E. See Anders, D. E. 00033

Robinson, W. E. See Anders, D. E. 00030

Robinson, W. E. See Anders, D. E. 00032

Robinson, W. E. See Anders, D. E. 00031

Robinson, W. E. See Chong, Shuang-Ling 00437

Robinson, W. E. See Cummins, J. J. 00567

Robinson, W. E. See Cummins, J. J. 00566

Robinson, W. E. See Cummins, J. J. 00569

Robinson, W. E. See Cummins, J. J. 00564

Robinson, W. E. See Cummins, J. J. 00565

Robinson, W. E. See Cummins, J. J. 00568

Robinson, W. E. See Fester, J. O. 00785

Robinson, W. E. See Fester, J. O. 00786

Robinson, W. E. Hubbard, A. B. 01045

Robinson, W. E. See Lawlor, D. L. 01288

Robinson, W. E. See Lawlor, D. L. 01289

Robinson, W. E. See Lawlor, D. L. 01290

01753 Robinson, W. E.; Cook, G. L.
Compositional variations of the organic material of Green River oil shale - Colorado No. 1 core: U. S. Bur. of Mines Rept. of Invest. 7492, 32 p., 1971.
Differences in the structure of soluble and normally insoluble organic material are studied in samples from a 2300 foot core that penetrates the Green River Formation. Comparisons are made from fractionation, C and H analyses, volatile and carbon residue determination, oxidation rates, and infrared analysis. Depth dependent and non-depth dependent changes in structure were noted. Experimental procedure and discussion of results is presented. Parameters, measuring differences show deviation of each sample from the average for all samples. (See also Robinson-RI-8017).

01754 Robinson, W. E.; Cook, G. L.
Compositional variations of organic material from Green River oil shale: Wyo. NO. 1, core: U. S. Bur. of Mines Rept. of Invest. 7872, 32 p., 1973.
Differences in the structure of organic material in samples from a 1200 foot core drilled through Green River Formation are shown. Comparisons are made through fractionation, C and H analyses, volatile and carbon residue determination, oxidation rates, and infrared analyses.

01755 Robinson, W. E.; Cook, G. L.
Compositional variations of organic material from Green river oil shale - WOSCO EX-1 core (Utah): U. S. Bur. of Mines Rept. of Invest. 8017, 40 p., 1975.
Differences in the structure of organic material in samples from a 3000 foot core penetrating the Green River Formation in Utah are studied. Comparisons are made through fractionation, C and H analyses, volatile and carbon residue determination, oxidation rates, and infrared analysis. (See Robinson-RI-7492) Comparison is also made of Green River cores drilled in Wyoming and Colorado.

01756 Robinson, W. E.; Cummins, J. J.
Compositions of low-temperature thermal extracts from Colorado oil shale: J. Chem. Eng. Data, Vol. 5, p. 74-80, 1960.
This study showed that the composition of the crude extracts (of oil shale) depended upon the time and temperature of extraction. (From p. 74). Includes explanation of experimental procedure and tables of results.

01757 Robinson, W. E.; Cummins, J. J.
An oil shale conversion process using carbon monoxide and water: Laramie Energy Reserach Center/Technical Progress Report - 75/1, 14 p., Aug. 1975.

01758 Robinson, W. E.; Cummins, J. J.; Dinneen, G. U.
Alteration of paraffinic compounds in Green River oil shale after deposition (abs.): Geol. Soc. Am. Spec. Paper 76, p. 139, 1964.
The change in concentration of certain paraffins with depth of burial in a 900 foot core from the Green River Formation is noted. A mechanism is proposed for the transformation of the paraffins.

01759 Robinson, W. E.; Cummins, J. J.; Dinneen, G. U.
Changes in Green River oil-shale paraffins with depth: Geochim. Cosmochim. Acta, Vol. 29, No. 4, p. 249-258, illus., tables, 1965.
The concentration of normal and isopropenoid paraffins in bitumens extracted from Green River oil shale was observed to change with depth. The changes are suggested to have been caused by a number of factors. Environmental factors that lead to different source materials and differing rates of oxidative-cleavage and reduction of source materials are two theories.

01760 Robinson, W. E.; Cummins, J. J.; Stanfield, K. E.
Constitution of organic acids prepared from Colorado oil shale: Ind. Eng. Chem., Vol. 48, p. 1134-1138, 1956.
This paper describes a study of the constitution of organic acids degraded from Colorado oil shale by oxidation with alkaline potassium permanganate. (From p. 1134) Includes description of experimental procedure and tables of results obtained.

01761 Robinson, W. E.; Dinneen, G. U.
Constitutional aspects of oil-shale kerogen (with Fr. and Span. abs.): in Drilling and Production. World Petroleum Congr., 7th, Mexico, 1967, Proc., Vol. 3: London, Elsevier Publ. Co., p. 669-680, illus., tables, 1967.

01762 Robinson, W. E.; Heady, H. H.; Hubbard, A. B.
Alkaline permanganate oxidation of oil-shale kerogen: Ind. Eng. Chem., Vol. 45, p. 788-791, 1953.
Investigated was the nature of the products obtained by oxidation of Colorado oil shale. This study was done to get information about the chemical structure of Colorado oil shale kerogen. Includes tables and graphs.

01763 Robinson, W. E.; Hubbard, Arnold B.
Study of preheating Colorado oil shale: U. S. Bur. of Mines Rept. of Invest. 4787, 13 p., 1951.
This article describes a laboratory study which determined if waste retort gases that dried and preheated oil shale had any effect on the oil yield of that shale. Apparatus, procedure, and results of experimentation are given. This study showed the decrease in oil yield and the increase in water yield resulting from oxidation of kerogen.

01764 Robinson, W. E.; Lawlor, D. L.
Constitution of hydrocarbon-like materials derived from kerogen oxidation products: A. C. S. Preprints, Div. of Gas and Fuel Chem., Vol. 2, p. 37-47, Sept. 1960.
The organic acids in a Colorado oil-shale oxidation product were identified by reducing the acids to hydrocarbons and fractionating them. (From abstract)

01765 Robinson, W. E.; Lawlor, D. L.
Constitution of hydrocarbon-like materials derived from kerogen-oxidation products: Fuel, Vol. 40, p. 375-388, 1961.
The organic acids present in a Colorado oil shale oxidation product were characterized. This was done by reducing the acids to hydrocarbons and fractionating the resulting material. (From abstract) Includes tables of results.

01766 Robinson, W. E.; Lawlor, D. L.; Cummins, J. J. et al.
Oxidation of Colorado oil shale: U. S. Bur. of Mines Rept. of Invest. 6166, 33 p., illus., tables, 1963.
Oxidation of oil shale by alkaline potassium permanganate, air, nitric acid, oxygen, and ozone proved the difference in structure of the kerogen from coals and most other oil shale kerogens. Experimental procedures and results are shown for each of the methods. Structures of the kerogen products are shown.

01767 Robinson, W. E.; Stanfield, K. E.
Constitution of oil-shale kerogen bibliography, abstracts, and notes: U. S. Bur. of Mines Inform. Circ. 7968, 79 p., 1960.
Summaries of 189 articles written in various publications are presented. Unpublished Bureau of Mines notes are given, and 47 non-abstracted references are cited.

01768 Roddy, David J.
An unusual dolomitic basal facies of the Chattanooga Shale in the Flynn Creek structure, Tennessee (abs.): Am. Mineral., Vol. 51, No. 1-2, p. 270, 1966.
A thin deposit of cross-bedded carbonates and bedded-breccia form a unique and unusual basal facies of Chattanooga shale within the crater of the intensely deformed Flynn Creek "cryptoexplosion" structure in north-central Tennessee. (From Abstract)

Rodiko, J. S. See Laput, V. A. 01284

01769 Roe, L. M., II
Sedimentary environments of the Java Group (Upper Devonian); a three dimensional study: Doctoral, 1976, Rochester, Diss. Abs. Int., Vol. 37, No. 1, p. 1298, 1976.
Three major black shales, the Pipe Creek, the Pipe Creek-2, and the Dunkirk, are recognized in outcrops and in both gamma-ray and lithologic well logs from a study area covering 6400 sq. miles in western New York and northern Pennsylvania. The correlation of these black shales results in a revision of the existing stratigraphy and provides a natural 3-D framework for analyzing portions of the Java Group. (From Abstract)

01770 Roehler, Henry W.
Redefinition of Tipton Shale Member of Green River Formation of Wyoming: Am. Assoc. Pet. Geol. Bull., Vol. 52, No. 11, pt. 1, p. 2249-2256, illus., 1968.
Stratigraphy and lithology of the Tipton Shale and related members of the Green River and Wasatch Formations are correlated through well logs. Suggests a part of the Wilkins Peak Member in Green River Basin by assigned to the Tipton Shale Member.

01771 Roehler, Henry W.
Stratigraphy of oil-shale deposits of Eocene rocks in the Wasakie Basin, Wyoming, in Symposium on Tertiary rocks of Wyoming - Wyoming Geol. Assoc., 21st Field Conf., 1969, Guidebook: Casper, Wyo., Pet. Inf., p. 197-206, illus., 1969.
Describes stratigraphy of members and tongues of the Green River and Wasatch Formations. Oil shale deposits in the basin are mentioned in the Haney Shale Member. Samples from six oil shale benches have shown yields of 10-30 gal oil/ton shale.

Roehler, H. W. See Trudell, L. G. 02133

01772 Roen, John B.; Wallace, L. G.; deWitt, W., Jr.
Preliminary stratigraphic cross section showing radioactive zones of the Devonian Black Shales in eastern Ohio and West-central Pennsylvania: U. S. Geol. Surv. Oil and Gas Invest. Chart OC-82, U. S. Geol. Surv., 1978.
Part of a regional stratigraphic study by the United States Geological Survey of the Devonian black-shale sequence. This cross section (one of a series), provides a preliminary regional stratigraphy framework and provisional nomenclature as a base for future detailed mapping and geologic analyses of the Devonian black shales. Cross section prepared primarily from wells drilled for oil and gas. Provides information about the amount of radioactive material trapped in the organic material of the shale.

01773 Poeschlaub, H. M.
Possibilities of the oil-shale industry: Eng. and Mining J., Vol. 108, p. 572-576, 3 figs., October 4, 1919.
This 1919 article discusses the potentialities of oil-shale industry development and possible by-products.

01774 Rogers, Marion Alan
Organic geochemistry of some Devonian black shales from eastern North America - Carbonhydroates (abs.): Dissert. Abs. Sec. B, Sci., and Eng., Vol. 27, No. 4, p. 1192B-1193B, 1966.

01775 Rogers, Marianne P.
A bibliography-Bureau of Mines publications dealing with oil shale and shale oil, 1917-1970: U. S. Bur. of Mines, Laramie Energy Res. Cent., 38 p., Laramie, Wyoming, 1970.

01776 Rogers, Marianna P.
A bibliography of Bur. of Mines publications dealing with oil shale and shale oil, 1917-1974, OSRD 59, 44 p., Dec. 1974. (OUT OF PRINT)

01777 Rogers, M. P.
List of Bureau of Mines publications on oil shale and shale oil, 1917-1968: U. S. Bur. of Mines, Inf. Circ., No. 8429, 61 p., 1969.
430 references to articles in Bulletins, Technical Papers, Monographs, Annual Reports, Information Circulars & Mineral Yearbooks on oil shale and shale oil are listed, and 1-2 sentence annotation is given. A list of libraries receiving periodical reports and statistical releases of Bureau of Mines publications is presented.

01778 Rogers, M. P.; Rinehart, M. (compliers)
A bibliography of publications dealing with oil shale and shale oil from the U. S. Bureau of Mines, 1917-1974, and the ERDA Laramie Energy Research Center 1975-1976: 51 p., (Rept. No. LERC/R1-77/7). Laramie Energy Res., Cen., Laramie, Wyo. Available from NTIS, Springfield, Va.

01779 Rohrer, W. L.; Smith, J. W.
Tatman Formation: Wyoming Geol. Assoc. Guidebook, p. 49-54, 1969.
A study of the Eocene Tatman Formation in the Big Horn Basin shows the lithology, mineral constituents and location. Fischer assay retort tests show the oil and gas yields to be low. Compares Tatman shales to Green River shales and New Albany shales of Kentucky.

Roine, Sigmund See Chong, K. P. 00436

01780 Rold, John W.
Research on environmental problems of oil shale development; an example of federal, state and industry cooperation: Rocky Mt. Assoc. Geol., Field Conf. Guideb., No. 25, (Guideb. to the energy resour. of the Piceance Creek Basin, Colo.), p. 165-170, illus., 1974.
The state of Colorado was convinced that large-scale development of oil shale in the Piceance Creek Basin should be evaluated and controlled to avoid environmental damage. The author gives the history and implementation of the effort and discusses the cooperation between state, federal and the private sector.

01781 Rominger, C.
Black shales of Michigan: Michigan Geological Survey, Vol. 3, p. 63-67, 1873-1876.
Character of the black shale group that is equivalent chronologically but not paleontologically to the black shales of Ohio and the Genesee shales of New York. Outcrop location and composition are discussed.

Root, Pual J. See Dougan, Paul M. 00693

Rose, C. K. See East, J. H. 00729

Rose, C. K. See Guthrie, Boyd 00948

Rose, C. K. See Stanfield, K. E. 02000

01782 Rose, C. K.; Utter, S.
Cutting action of rotary bits in oil shale: U. S.

Bur. of Mines Rept. of Invest. 5174, 24 p., 1955.
"The experimental procedures and the rotary drill test equipment are described. Theories of rock drillability, rotary bit cutting action, and bit design are presented and discussed. The actions of various bit designs are analysed and compared with the observed results...A cost estimate is made for drilling Colorado oil shale." (Author's abstract)

01783 Rose, C. K.; Utter, S. Morris, C.
A hydraulic-powered platform for scaling high backs and walls: U. S. Bur. of Mines Rept. of Invest. 5074, 4 p., 1954.
This article describes the functioning of a hydraulic scaling rig to remove loose rock in an oil shale mine. Design and movement of the rig and its platform are discussed and illustrated. Advantages of the platform are cited.

Rosenzweig, Abraham, See Grener, John W. 00918

01784 Rosewarne, Pearce V.; Chantler, Howard M.; Swinnerton, Aylmer A.
Analyses of Canadian crude oils, naphthas, shale oil, and bitumin: Canadian Dept. of Mines-Mines Branch. T. P. No. 765, 21 p., incl. maps, illus., diagr., 1936.

01785 Rosholt, John N.
Uranium in sediments: U. S. Geol. Surv. Reports-Open File series, No. 677, 211 p., diagrs., tables, Washington, 1963.

01786 Ross, C. A.
Geology of the Paducah and Smithland Quadrangles in Illinois: Ill. Geol. Survey Circ. 360, 32 p., 1964.
Brief mention of New Albany Group in terms of age (Middle-Late Devonian), lithology, electrical resistivity. Generalized columnar section, well record.

01787 Ross, Virginia F.
Autoradiographic study of marine shales: Econ. Geology, Vol. 47, p. 783-793; discussion by D. McConnell: 1953, Vol. 48, p. 147-148 (radioactivity in U. S. and Swedish shales 1952).
The purpose of this investigation was to determine the location of the naturally occurring radioactive elements, the alpha-particle emitting members of the uranium and thorium series, with respect to the organic and inorganic constituents of the shales.

01788 Ross, W. D.
Gas-productive areas in Western Kentucky: in Natural Gases of North America; Part 3, Natural gases in rocks of Paleozoic Age, Amer. Assoc. Pet. Geol., Mem., No. 9, Vol. 2, p. 1759-1760, 1968.
Gas production up to 1962 and recent discoveries are mentioned. New Albany Shale and Mississippian limestones are the source rocks.

01789 Roth, Ernest E.
Natural gases of the Appalachian Basin: in natural gases of North America; Part 3, Natural gases in rocks of Paleozoic Age, Amer. Assoc. Pet. Geol., mem., No. 9, Vol. 2, p. 1702-1715, illus., 1968.
History of gas production in the Appalachian area, and suggestion of reserves are mentioned. Source of the gases, including Devonian black shale are mentioned, along with structure and stratigraphy of the basin. Composition of the natural gas and inert gases are discussed.

01790 Rountree, R.
Present and future price increases keep Piceance Basin area activity high: West. Oil Rep., Vol. 34, No. 8, p. 29-33, illus. (incl. sketch maps), 1977. (Colorado, Douglasard).

01791 Rousseau, H. H.
The naval oil shale reserves: Min. Congr. J., No. 3, p. 106-108, Washington, 1925.
This 1925 article discusses the Navy's interest, in the development of the oil shale industry. The future petroleum supply and its bearing upon future security are also discussed. (From p. 106).

01792 Rozhkova, E. F.; Rasumnaya, E. G.; Serebryakova, M. B.
The role of sorption in the process of uranium concentration in sedimentary rocks: United Nations Second Internat. Conf. on the Peaceful Uses of Atomic Energy, Proc., Vol. 2, p. 420-431, 1958.
Samples of natural and synthetic substances were examined for U, Mo, and V contents. Factors affecting the accumulation of uranium in natural substances and conditions are outlined. These factors include Ph, U concentration, and salt concentration. Character of bonding and association of U with phosphorite, ferric hydroxides, and calcium phosphate in natural substances is discussed.

Ruark, J. R. See Guthrie, Boyd 00949

Ruark, J. R. See Matzick, A. 01409

Ruark, J. R. See Matzick, A. 01410

Ruark, J. R. See Matzick, A. 01408

Ruark, J. R. See Wells, W. E. 02313

01793 Ruark, J. E.; Berry, K. L.; Guthrie, B.
Description and operation of the N-T-U retort on Colorado oil shale: U. S. Bur. of Mines Rept. of Invest. 5279, 26 p., 1956.
Described are operations of two 40-ton NTU (Nevada-Texas-Utah) retorts at a Bureau of Mines demonstration plant. The plant was used to investigate process variables such as air rate, recycle gas rate, and shale particle size and grade. Problems encountered in preliminary operations are cited.

01794 Ruark, J. R.; Sohns, H. W.; Carpenter, H. C.
Gas combustion retorting of oil shale under Anvil Points Lease agreement; Stage I: U. S. Bur. of Mines Rept. of Invest. 7303, 109 p., 1969.
Results of experimental programs funded by the Colorado School of Mines Research Foundation and six oil companies showed air-gas distributor development and results of gas and shale distribution in a gas-combustion retort. Modification and operations of retort numbers 1 and 2 and a description of the gas-combustion process is given. The appendix summarizes data for the runs of the two retorts for the period Stage 1 operated.

01795 Ruark, J. E.; Sohns, H. W.; Carpenter, H. C.
Gas combustion retorting of oil shale under Anvil Points lease agreement: Stage II: U. S. Bur. of Mines Rept. of Invest. 7540, 74 p., 1971.
Results of the Colorado School of Mines Research Foundation and six oil compaines, which examined gas combustion retort modification and effects of shale quality and particle size, are presented. Runs were made on the 6-, 25-, and 150-ton per day retorts. Demonstration runs to test modification are described. Data for each run the 17-month Stage 2 operated are summarized.

01796 Rubarts, W. E.
The Boyle-Duffin-New Albany Relationships (Devonian) in northern Casey and Western Lincoln Counties (Kentucky): M. S. Thesis (unpubl.), Kentucky Univ., 1959.

01797 Rubey, W. W.
Origin of the siliceous Mowry Shale of the Black Hills region: U. S. Geol. Surv. Prof. Paper 154-D, p. 153-170, 3 pls., 1929.
Discusses origin of silica in Mowry Shale. Good analytical study which could serve as basis for

similar study of Devonian-Mississippian shale sequence (after Hoover, 1960).

Ruby, S. See Levine, N. M. 01314

Rundrum, M. See Blumer, M. 00206

Rue, H. P. See Kraemer, A. J. 01248

01798 Ruedemann, R.
Conditions of black shale accumulation and general conclusions: Geol. Soc. Am. Mem. 2, p. 43-64, 1934.
Concerned specifically with graptolite-containing shales. Summarizes prevailing interpretations of black shale deposition. The non-calcareous black shale fauna is very unlike that of the limestones and calcareous shales which are found in the same area (after Hoover, 1960).

01799 Ruedemann, R.
Ecology of black mud shales of eastern New York: J. Paleo., Vol. 9, p. 79-91, 1935.
Reviews conditions for deposition of black shale. Considers oxygen supply, organic accumulation, and water depth (after Hoover, 1960).

01800 Runnels, Russell T.
Oil shale in Kansas: Kansas State Geol. Surv. Bull. 96, pt. 3, p. 157-184, illus., Mar. 15, 1952.
37 shale samples were tested for oil yield and reserves with five gal/ton shale were estimated. Stratigraphic occurrence of the oil shale and uses for it are suggested. Laboratory procedures included distillation assays, petographic examination, and calorimeter tests measuring gross heating value.

01801 Runnels, Russell T.; Schleicher, J. A.; VanNortwick, H. S.
Composition of some uranium-bearing phosphate nodules from Kansas shales: Kansas State Geol. Survey Bull. 102, pt. 3, p. 93-104, ($1, Kansas Geological Survey, 1930, Avenue A, Campus West, The University of Kansas, Lawrence, Kansas 66044), 1953.
"Detailed analyses of uranium-bearing phosphate nodules from 11 localities in eastern Kansas are reported." Seven Pennsylvanian shales were sampled, and graphs showing relationships between phosphate content and other constituents, including uranium, are presented.

01802 Russell, P. L.
Oil shale research; a breif history: Colo. Sch. Mines, Q., Vol. 71, No. 4 (Proceedings of the Ninth oil shale

symposium), p. 173-176, 1976.
This article presents a brief chronological listing of some dates and events that represent milestones in man's association with oil shale. It is concerned mainly with the Colorado deposits.

Russell, P. L. See Williams, Frank E. 02337

01803 Russell, William Low
Relation of radioactivity, organic content, and sedimentation: Am. Assoc. Pet. Geol. Bull., Vol. 29, No. 10, p. 1470-1493, Oct. 1945.
510 samples were analysed for the relation of radioactivity to organic content, based on different types of odors given off. Constituents such as sand and silt and limestone are measured. Marine oil shales are shown to be associated with exceptionally high radioacitivty, A comparison of radioactivities of igneous and sedimentary rocks is discussed.

01804 Russell, William L.
Some characteristics of organic content of rocks: Am. Assoc. Pet. Geol., Bull., Vol. 18, p. 1103-1125, 1934.
550 samples of limestone and shale distilled in a closed tube were studied for their organic material. More than 200 of the samples were from Miss., Penn., and Org. strata in Kentucky. A description of types of organic matter.

01805 Ryan, J. P.
Reconnaissance of phosphate-rock deposits in Arkansas, Kansas, Oklahoma, and Texas: U. S. Bur. of Mines Rept. of Invest. 5222, 8 p., 1956.
Phosphate rock deposits in these states are briefly summarized and precious production of phosphate in these states is discussed. Black shales in these states are noted to be phosphate-bearing, but the author doubts they will be commercially developed under present economic conditions. A table containing data on P_2O_5, U, and equivalent U contents in black shales from Oklahoma, Kansas, and Arkansas is presented.

Ryan, W. M. See Bagnall, W. D. 00077

Ryback, G. See Mulheirn, L. J. 01488

01806 Ryback, Ladislaus; Grauert, Borwin; Labhart, Toni
Nondestructive determination of uranium and thorium in accessory minerals by gamma ray spectrometry: Beitr. Geol. Schweiz, Kleinere Mitt., No. 48, 7 p., illus., 1970 (reprint).

01807 Sachett, William M.; Poag, C. Wylie; Eadie, Brian J.
Kerogen recycling in the Ross Sea, Antarctica: Science (AAAS), Vol. 185, No. 4156, p. 1045-1047, illus., 1974.
Reported is a study of the amounts and isotopic composition of the organic carbon in sediments of the Ross Sea, Antartica. Includes table of results.

Sachreiter, D. K. See Fernanadez, S. M. 00781

01808 Sakamoto, T.
Geology of the oil shale deposits of the Lo-Tzu-Kon district, Chien-Tao province: South Manchuria Ry. Co., Geol: Inst., B. No. 88, p. 62-63 (Japanese), MR 1'37.

01809 Sakamoto, Takao
Oil shale of Tung-ning: Translation prepared by U. S. Army, Tokoyo, Japan. Corps of Engineers, Far East Pacific Surveys, Rept. No. 293, 1958.

01810 Sakharova, A. A.
Slantseproyavleniye rannemelovogo vezrosta (Rotmistrovskoyo slantseproyavleniya)(Oil shale of the early Cretaceous age; the Rotmistrovka Beds): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukov, V. A., editor; et al.), p. 38-39, Izd. Akad. Nauk, ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

Salsan, M. See Kita-Badak, M. 01201

Saltsman, Robert D. See Whitehead, Kenneth L. 02328

Samarin, M. A. See Konivets, V. I. 01226

01811 Sandberg, Charles A.; Poole, Forrest G.
Conodont biostratigraphy and age of West Range Limestone and Pilot Shale at Bactrain Mountain, Pahranagat Range, Nevada (abs.): Geol. Soc. America Abs. Programs, Vol. 2, No. 2, p. 139, 1970.
A paleontological sutdy of conodont and brachiopod faunas in Late Devonian and Early Mississippian strata in this organic shale.

01812 Sandberg, C. A.; Poole, F. G.
Petroleum source beds in Pilot Shale of eastern Great Basin (abs.): in Rocky Mountain Sections, AAPG and SEPM Ann. Mtg., Rocky Mountain energy resources, discovery and development, Am. Assoc. Pet. Geol., Bull., Vol. 59, No. 5, p. 921-922, 1975.
Suggest Upper Devonian portion of Pilot Shale in eastern Nevada and western Utah are large and

rich enough to be considered a source for petroleum generation. Temperatures the source beds have undergone are estimated from conodont color alteration.

Sanders, Thomas See Leung, Samuel S. 01309

01813 SanFilippo, George P.; Watts, R. J.
Oil recovery by carbon dioxide injection: Fossil Energy Oct. - Dec. 1978.
This is the 38th report on the progress of the Rock Creek carbon dioxide project in Riane County, West Virginia. (From Intro.) This project will demonstrate the feasibility of micsible carbon dioxide oil recovery in the Rock Creek Big Injun Field. (From Intro.)

Sans, G. V. See Uotkins, Dzh. U. 02224

01814 Sato, S.
Organo-geochemical study of kerogen of sedimentary rocks in Japan: Tohoku Univ., Sci. Rept., Ser. 3, Vol. 13, No. 2, p. 85-113, illus., (incl. tables, sketch map), 1976.
The kerogens in 70 samples from Japanese rocks were isolated and analyzed for evaluating the koergen as a potential source for oil formation. Analyses determined composition, oxidation, electron spin resonance, and X-ray diffraction of the Late Paleozoic and Mesozoic rocks. Comparisons of oil shales, coaly oil shales, and coals were made.

01815 Satterfield, I. R.
Bedrock geology of the Cobden quadrangle: M. S. thesis (unpubl.), Southern Illinois Uinv., 159 p., 1 table, 11 figs., 1 pl. (in Survey open-file reports), 1965.
Considers Grassy Creek Shale - lithology, outcrop, correlation, thickness, stratigraphic relations. Includes section descriptions, generalized columnar section, E-logs, bedrock geology map.

01816 Satterthwait, D. F.
Paleo-environmental implications of the Burgess Shale flora (abs.): J. Paleontol, Vol. 51, No. 2, Suppl., Part III, p. 24, 1977.
Notes 21 species of algae have been preserved as carbonaceous films on dark shale of Cambrian age. A classification system for fossil aglae is presented. Suggests since modern correlations exist between algae morphotypes and littoral zonation, this assumption can be applied to the Burgess Shale flora.

01817 Sauer, Adolf; VonderBurchard, E.; Schmidt, O.
Die verwerfung des olschiefers: Stuttgart, Konrad Wittwer, 31 p., illus., 1920.

01818 Savage, John W.
Oil shale and Western Colorado: Rocky Mt. Assoc. Geol., Field Conf., Guideb., No. 25 (Guideb. to the energy resour. of the Piceance Creek Basin, Colo.), p. 17-19, illus., 1974.
This very brief article touches on the history of oil shale, both in research and leasing of land in the 20th Century.

01819 Savage, T. E.
Comparison of the Devonian rocks of Illinois and Missouri: J. Geol., Vol. 33, No. 5, p. 550-558, 1925.
Brief mentions of Mountain Glen, Sweetland Creek, and Grassy Creek Shales. First of these is considered Upper Devonian, last two considered Lower Mississippian. Includes Illinois-Iowa-Missouri correlation chart.

01820 Savage, T. E.
The Devonian formations of Illinois: Am. J. Sci., Ser. 4, Vol. 49, No. 241, art. 12, p. 169-182, 1920a.
Brief discussion of Sweetland Creek Shale - lithology, thickness, stratigraphic relations. Generalized columnar sections used to show regional correlations.

01821 Savage, Thomas E.
The Devonian rocks of Kentucky: Ky. Geol. Surv., Frankfort, 6 p., 1. 257 p., incl. front, (map), illus., tables. Ser. 6, Vol. 33, 1930.
The Devonian rocks are separated into descriptions by countries. Structure and character of the rocks are given, along with description and illustrations of selected outcrops. Some sections give paleontological data. New Albany Shale cited where exposed, but no economics of the black shale are discussed.

01822 Savage, T. E.
Geology and economic resources of the Jonesboro quadrangle: Unpub. report, 187 p., 3 pls. (in Survey open-file reports), 1920b.
Discussion of Mountain Glen Shale - lithology, distribution, thickness, stratigraphic relations, fossils, correlation, geologic map.

01823 Savage, T. E.
Geology and mineral resources of the Avon and Canton quadrangles; Unpub. report 40 p., (in Survey open-file

reports), 1921.
Brief consideration of Sweetland Creek-Kinderhook Shales - lithology, thickness.

01824 Savage, T. E.
Geology and mineral resources of the Vermont quadrangles; Unpub. report, 157 p., 3 pls. (in Survey open-file reports), 1922 (?), revised 1928.
Report consists of original and two revisions. Brief consideration of Sweetland Creek-Kinderhook Shales - lithology, thickness. Includes well records.

01825 Savage, T. E.
On the lower Paleozoic stratigraphy of south-western Illinois: Am. J. Sci. Ser. 4, Vol. 25, No. 149, art. 46, p. 431-443; expanded Ill. Geol. Survey Bull. 8, p. 100-116, Ill. Geol. Survey Extract Bull. 8, 14 p., 1908.
Considers black shales in southwestern Illinois equivalent to New Albany, Chattanooga, etc. Generalized stratigraphic section description.

01826 Savage, T. E.; Rich, J. L.; Blatchley, R. S.
Geology of the Hardinville, Sumner, Birds, and Vincennes quardangles: Unpub. report, 168 p. (in Survey open-file reports), 1916 (?).
Brief consideration of Sweetland Creek, Kinderhook Shales. Includes well records.

01827 Savage, T. E.; Udder, J. A.
The geology and mineral resources of the Edington and Milan quadrangles: Ill. Geol. Survey Extract Bull. 38, 96 p.; 1922, Idd. Geol. Survey Bull. 38, p. 115-208, 1921.
Only briefly mentions Sweetland Creek shale, which is a brown Devonian shale containing numerous spores. Deposits from Cambrian to Quaternary are described, character and location of dark Pennsylvanian shales are mentioned.

Savchenko, N. A. See Azhgirevich, L. F. 00068

Savchenko, N. A. See Azhgirevich, L. F. 00070

Savchenko, N. A. See Azhgirevich, L. F. 00069

01828 Sawai, T.
Geology of the Welf and Ulga oil shale deposits of the "San-ho" district, north Hsing-an province: South Manchuria Ry. Co., Geol. Inst. B, No. 88, p. 77-85, 8 figs., 4 pls. (incl. geol. map), Mr 1'37.

01829 Saxby, J. D.
Chemical separation and characterization of kerogen from oil shale: in Oil shale, No. 5, p. 103-128, illus. (incl. tables), Elsevier Sci. Publ. Co., Amsterdam, Netherland, 1976.

01830 Saxby, J. D.
Isolation of kerogen in sediments by chemical methods: Chem. Geol., Vol. 6, No. 3, p. 173-184, 1970.
Chemical methods of removing inorganic mineral matter with little or no kerogen alteration are reviewed with particular reference to HCl and HF acid. Four reagents are also presented that may be effective in removing pyrite. Possible reactions or organic functional groups that may result in kerogen alteration are shown.

01831 Sayers, R. R.
Synthetic liquid fuels: Statement at Hearings before Subcommittee of Committee on Public Lands and Surveys, U. S. senate, 78th Cong., 1st Sess., on S. 1243, p. 17-27, 180-195, 282-284, 414-420, 1943.
The hearings concern a bill authorizing construction and operation of demonstration plants to produce synthetic liquid fuels from foal and other substances. Dialogue between Sayers and congressmen on the need to develop a sizeable snhthetic fuels industry are presented. Shortage of petroleum in the U. S. and development by Germans of coal hydrogenation is discussed.

01832 Sayers, R. R.
Synthetic liquid fuels: Statement at Hearings before a Subcommittee of Committee on Public Lands, U. S. Senate, 80th Cong., 1st. Sess., p. 50-70, May 15, 16, and 20, 1947.

Schaaf, D. See Lamborn, R. E. 01266

01833 Schade, H.
Die Oelschiefergrube Messel bei Darmstadt (The Messel oil shale mine near Darmstadt): Gludskauf, Vol. III, No. 24, p. 1172-1176, illus. (incl. sect. geol. sketch map), 1974.
Reptiles, amphibians, fish, mammals, plants, birds found in Eocene oil shales; preservation of soft parts and hair; paleoecology and correlation with North America.

01834 Schieter, Rudolph
Oelschifer in America: Bohrtechniker-Zeitung, Jahrg. 53, Heft 7, p. 188-191, July 15, 1935.

01835 Schemehorn, N. R.
Sedimentaion study of (Upper Devonian) New Albany Shale, (Lower Mississippian) Rockford Limestone, New Providence Shale in Indiana: A. M. thesis (unpub.), Indiana Univ., 39 p., 10 figs., 1956.

Schenck, P. A. See Vander Berg, M. L. J. 02233

Schermann, O. See Agrargitis, G. 00006

Schierz, E. R. See Janssen, A. G. 01111

01836 Schiethauer, Waldemar
Burouglo'nye i slantsevye smoly, ikh plouchenie i pererabokta. Perevod s nemetskog N. V. Val'gis, pod redaktsiei V. K. Val'gis: Petrograd, Tipolithografiia Narodnogo komissariate putei soobschcheniia, 9, 1978 p., diagr., 1921.
Lignitic and oil shale, their obtainment and the working of them.

01837 Schiethauer, Waldemar
Shale oils and tars and their products: Trans. from the German by Chas. Salter. London, Scott Greenwood and Son, 183 p., incl. illus., diagrs., 1913.

Schlanger, S. O. See Arthur, M. A. 00058

01383 Schlatler, L. E.
Oil shale occurrences in Western Europe (with discussion): in The Exploration for Petroleum in Europe and North Africa, p. 251-258, illus., (incl. sketch map), Inst. Pet. Geol., London, 1969.
Oil shale deposits of this region are illustrated in terms of location, age, and depositional environment. A definition and genesis of oil shale are cited, and oil shale deposits in each country are discussed. No reserves are given, but discussion is presented of exploration and assessment.

01839 Schlater, L. Ye.
Opredeleniye, obrazovianiye i klassifikatsiya goryuchikh slantsev (The determination, genesis and classification of oil shale): in Razrabotko i ispol' zovaniye zapasoz goryuchikh slantsev (Baum, V.; chairperson), p. 161-166, Izd. Valgus, Tallin, Union of Soviet Socialist Republids, 1970.

01840 Schlatler, L. Ye.
Mestorozhdeniya goryuchikh slantsev Zapadnoy Yevropy (Oil shale deposits in western Europe): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 42-49, illus. (incl. tables,

sketch map), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Schleicher, J. O. See Runnels, Russell T. 01801

Schmidt, O. See Sauer, Adolf 01817

01841 Schmidt-Collerus, J. J.; Bonome, F.; Gala, K.; et al. Polycondensed aromatic compounds (PCA) and carcinogens in shale ash of carbonaceous spent shale from retorting oil shale (Yen, T. F., editor), p. 115-156, illus. (incl. tables), Ann Arbor Sic. Publ. Inc., Ann Arbor, Mich., United States, 1976.
Examines the major concern of injection of trace organic compounds and their derivatives into the environment after their exposure as carbonaceous materials in oil shale mining. Samples of soil, water, vegetation, and air from potential oil shale operations were examined for PCA (ploycondensed aromatic compounds), and carcinogens after extraction from a variety of solvents. Sampling procedures, experimental methods, and results are presented.

01842 Schmidt-Collerus, J. J.; Prien, C. H. Investigations of the hydrocarbon structure of kerogen from oil shale of the Green River Formation: in Science and Technology of oil shale (Yen, T. F., editor), p. 183-192, illus. (incl. tables), Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976.
This paper describes a method for determining the structure of kerogen. The rock was prepared for testing, extracted for soluble organics, and leached with acid to remove the pyrolysis, pryochromatography, and mass spectrometry to determine compouents and structure of kerogen. Procedures are diagrammed and conclusions are given.

01843 Schmidt-Kollerus, Dzh. Dzh.; Balog, B.; Boner, Dzh. Ye. Karaktaristika razbetvlennykh zhirnykh kislot s vysokim molekulyarnym vesom i smolyanykh kislot iz rastverimogo bituma goryuchikhslantsev formatisii Grih River (Characteristics of fatty acids with a high molecular weight and resin acid from bitumen solutions of oil shale from the Green River Formation): in Razrabotka i ispolizovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 210-216, illus. (incl. tables), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

01844 Schmidt-Kollerus, Dzh. Dzh.; Boner, Dzh. Ye.; Balog, B. Kharakteristika razvetvlennykh zhirnykh kislot s vysokim moledulyarnym vesom i smolyanykh kislot iz rastvorimogo bituma goryuchikh slantsev formatsii

Grin River (Characteristics of fatty aicds with a high molecular weight and resin acid from bitumen solutions of oil shale from the Green River Formation); in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 210-216, illus. (incl. tables), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Schmitt, J. M. See Brown, K. B. 00294

Schneider, A. See Dheie, Charles 00636

01845 Schneiderhohn, H.; Claus, G.; Spitz, W.
The occurrence of titanium, vanadium chromium, molybdenum, nickel, and some other trace elemtns in German sedimentary rocks: Newes Jahrb. Mineral., Geol., Montash, p. 50-72, 1949A.
A summary of chemical and spectrographic analyses of 885 samples of 54 groups of rocks, with graphical representation of a few of the analyses. Certain black shales were particularly high in trace elements.

Schnoes, K. See Burlingame, A. L. 00309

Schnoes, H. K. See Haug, Pat 00989

Schnoes, H. K. See Simoneit, B. R. 01897

Scholle, P. A. See Mattick, R. E. 01405

01846 Schopf, James M.
Cannel, boghead, torbanite, oil shale: Econ. Geol., Vol. 44, No. 1, p. 68-71, 1949.
The purpose of this 1948 paper was to suggest that the controversial questions about classification of the carbonaceous rocks may not be near a satisfactory solution although many assume the problems have all been solved.

01847 Schopf. James M.
Organic matter of the Chattanooga shale: U. S. Atomic Energy Comm. TEI-330, p. 146-152 (dep.)(prepared by U. S. Geol. Survey), 1953.
The general relationship reported between organic content and radioactivity suggests an additional possible means of determining whether a similar relationship exists within the laminae. This is studied with nuclear-type autoradiographic films (after Hoover, 1960).

Schopf, J. M. See Breger, I. A. 00260

01848 Schopf, J. M.; Schwietering, J. E.
Littoral control of the Foerstia zone in Upper Devonian Ohio Shale: (abs.), Geol. Soc. Am. Abs., 1969, pt. 6 (N-Cent. Sect.), p. 42-43, 1969.
Considers paleographic implications of Foerstia zone.

01849 Schopf, J. M.; Schwietering, J. F.
The Foerstia zone of the Ohio and Chattanooga shales: U. S. Geol. Surv. Bull. 1294-H, p. H1-H15, illus., 1970.
The author indicates a newly discovered occurrence of Foerstia in the Huron Member of Ohio shale in western Ohio. He also states that further studies and testing of the littoral control theory should outline the paleogeography of part of the black shale basin in a restricted time interval.

01850 Schramm, Eck Frank
Notes on the oil shales of southwestern Wyoming: Am. Assoc. Pet. Geol., Bull., Vol. 4, No. 2, p. 195-208, 7 figs., 1920.
Character of the oil shale ouctrops of tha area is cited and illustrated, along with lithologic descriptions of exposed sections. Results of distillation of samples collected from three southwestern counties show oil per ton yield.

01851 Schramm, L. W.
Shale oil: U. S. Bur. Mines, Bull., No. 667 (Mineral facts and problems; 1975 editiron), p. 963-988, tables, 1976.
A good summary of the requirements and future of the oil shale technological development and deterrents to commercial shale oil production in the U. S. are discussed. History of the industry and reserves nationwide and worldwide are presented. Recent mining, retorting, and mining developments are noted.

Schramm, L. W. See Cattell, R. A. 00397

01852 Schrayer, G. J.; Zarella, W. M.
Organic carbon in the Mowry Formation and its relation to the occurrence of petroleum in Lower Cretaceous reservoir rocks, in Black Hills area, South Dakota, Montana, Wyoming-Wyo. Geol. Assoc., 20th Field Conf., 1968, Guidebook: Casper, Wyo., Pet. Inf., p. 35-39, illus., tables, 1968.
Outcrop, subsurface core and cutting samples are used to measure the organic carbon content of the Mowry Shale (Lower Cretaceous) in northern and south-central Wyoming. The author concludes the Mowry may be a source rock for Cretaceous oil reservoirs.

01853 Schrayer, G. J.; Zarella, W. M.
Organic chemistry of shales - (Pt. 2) Distribution of extractable organic matter in the siliceous Mowry Shale, Wyoming: Geochim. Cosmochim. Acta, Vol. 30, No. 4, p. 415-435, illus., table, 1966.
Organic geochemistry of the Mowry Shale, a Cretaceous oil source rock in northwest and central Wyoming, is examined by conduction of experiments. Results compare the amount of extractable organic matter versus organic carbon content both regionally and vertically at a given outcrop. Conditions of depositional environments favorable to these associations are studied.

01854 Schroeder, Juan
Rocas bituminosas y su explotacion quimica: Uruguay, Inst. Geol. y Perf., B. No. 22, p. 1-256, figs., 3 pls., May 1935. Oil shales in Uraguay.

01855 Schroeder, W. C.
Comparison of major processes for synthetic liquid fuels: Chem. Ind., Vol. 65, p. 574-577+, 1948.

01856 Schroeder. W. C.
Prototype plants for synthetic liquid fuels: Am. Gas Assoc. Proc., p. 267-279, 1952.

01857 Schroeder, W. C.
Synthetic liquid fuels can assure enough oil: World Oil, Vol. 129, p. 30, July 1949.
This 1949 article discusses the possible future development of synthetic liquid fuels and also lists four courses of action available to prevent oil shortages.

01858 Schroeder, W. C.
Synthetic liquid fuels in the United States: Mech. Eng., Vol. 69, p. 989-995, 1947.
This paper attempts to show the basic raw materials needed for the synthetic fuel plants, and the major problems involved in site selections. (From p. 995) Includes figures.

Schroeder, W. C. See Fieldner, A. C. 00793

01859 Schroer, C. R.
Notes on potash possibilities in Illinois: Ill. Geol. Survey. Bull. 38, p. 435-330, 1922.
Brief mention of Mountain Glen Shale near Jonesboro as a possible potash resource.

Schubert, H. See Petrascheck, W. E. 01635

01860 Schuchert, Charles
Atlas of paleographic maps of North America: John Wiley & Sons, Inc., New Yor, 177 p., 1955.
Included paleogeographic interpretations of New Albany times.

01861 Schuchert, Charles
Biologic principles of paleogeography: Pop. Sci. Minthly, p. 551-560, 1910b.
Carbonaceous matter of black shales may be of algal origin, but it is far more probable that it is largely of animal origin as suggested by the optical properties which compare with those of animal oil, especially those of fish oil (Hoover, 1960).

01862 Schuchert, Charles
The conditions of black shale deposition as illustrated by Kupferschiefer and Lias of Germany: Amer. Philos. Soc. Print No. 54, p. 259-269, 1915.
States that widely distributed black shales probably originated in closed arms of the sea, cul-de-sacs, and that some bituminous shales may be the result of "sargasso seas" (Hoover, 1960).

01863 Schuchert, Charles
Paleogeography of North America: Geol. Soc. Am. Bull., Vol. 20, p. 427-606, 1910a.
Regional relations of transgressive and regressive sequences and movements of fauna and flora are described. Paleogeographic interpretation of time when Devonian black shale was deposited is cited.

01864 Schultz, Leonard G.
Quantitative interpretation of mineralogical compoistion from X-ray and chemical data for the Pierre Shale: U. S. Geol. Surv. Prof. Paper 391-C, 31 p. (out of print), 1964.
X-ray and chemical data are both used in determining mineralogic composition. No mention is made of organic constituents.

Schultz, Leonard G. See Gill, James R. 00894

01865 Schulze, Gunther
Kohlenpetrographische untersuchungen iiber brandschiefer: Wurzberg, Buchdruckerie K. Triltsch, 58 p., incl. illus., tables, 1932.

Schumaker, R. C. See Wheeler, R. L. 02318

01866 Schwartz, Donald; Curran, W. V.; Kinney, C. R.
An investigation of the chemical nature of the organic

matter of uraniferous shales, quarterly progress report October 1 to December 31, 1953: U. S. Energy Comm. NYO-6087, 11 p. (dep.; mc)(prepared by Pennsylvania State College), 1953.
Results of analysis of B-8 counts of the products of air oxidation of Chattanooga Shale at 200 adn 225°C are tabulated, as well as the raction rate of ozonization and % yields from ozonization. (From abstract)

Schwartz, Wilhelm See Ebner, Hans Gerog 00730

Schwietering, J. E. See Schopf, J. M. 01848

01867 Schwietering, Joseph Francis
Devonian shales of Ohio and their eastern equivalents: Doctoral, The Ohio State Univ., 1970.

01868 Schwietering, Joseph Francis
Devonian shales of Ohio and their eastern equivalents (abs.): Dissert. Abs. Internat., Sec. B, Sci., and Eng., Vol. 31, No. 4, p. 2067B, 1970.
The Devonian shale units recognized on outcrops in Ohio were identified in the subsurface of Ohio and Kentucky. These units were traced into the eastern states by means of gamma-ray-neutron and sample description logs. (From Abstract)

01869 Schwietering, J. F.
Olentangy shale (Middle & Upper Devonian) and its equivalents in western parts of Pennsylvania and New York (abs.): in North-Central Section, 6th Ann. Mtg., Geol. Soc. Amer. Abst., Vol. 4, No. 5, p. 350, 1972.
Suggests presence of unconformity in Olentangy Shale. Correlations, paleogeographic interpretation.

Schwietering, J. F. See Lewis, T. L. 01319

Schwietering, J. F. See Patchen, D. G. 01610

Schwietering, J. F. See Schopp, J. M. 01849

Scott, A. J. See Collinson, C. W. 00474

Scott, A. J. See Collinson. C. W. 00475

01870 Scott, A. J.; Collinson, C. W.
Intraspecific variability in condononts - Palmatolepis glabra Ulrich and Bassler: J. Paleo., Vol. 33, No. 4, p. 550-565; Ill. Geol. Survey reprint 1959-M, 6 p., 1959.
Specimens of P. Galbra collected from the Saverton

Shale of Illinois are used to illustrate intra-specific variability in conodonts.

01871 Scott, Donald W.; Adam, H.; Cookston, J. W.
Mineral composition and mineral association of uranium in shale: U. S. Atomie Energy Comm. BMI-JDS-203, 34 p. (dep.; $8.50, LC)(prepared by Batelle Memorial Institute), 1949.
This report describes the mineral composition and the mineral association of uranium in shale sample LC 201-113, obtained by the U. S. Geol. Surv. from the Chattanooga Shale Bed near Sparta, Tenn. Includes tables and graphs.

Scott, W. G. See Campbell, G. G. 00346

01872 Scrudato, R. J.
Oil shale; an environmental assesment: in South-Central Section, 9th Ann. Mtg., Geol. Soc. Am., Abs. Programs, Vol. 7, No. 2, p. 233, 1975.
Briefly discusses location reserves, and recovery of Green River oil shale. Suggests surface and sub-surface mining, followed by retorting, will cause significant surface alteration. Notes in-situ mining may also cause ground water and surface water contamination.

01873 Searight, W. V.
Geology and mineral resources of the Beardstown quardangle: Unpub. report 296 p. (in Survey open-file reports), 1929.
Brief mention of Sweetland Creek-Kinderhook Shale. Well records.

Seeley, de Benneville K. See Ritzma, Howard R.01741

Selvig, W. A. See Fieldner, A. C. 00792

01874 Selwyn-Brown, Arthur
Fuel oil from shale: Eng. Mag. Vol. 50, p. 913-920, 1916.

01875 Serdyuchenko, D. P.; Potemkin, K. V.
Metamorphic processes and genetics relations of rare metal concentrations in black shale, in Sidorenko, A. V. and others (ed.), Sostoyaniye i zadachi sovetskoy litologii: Vses. Litol. Soveshch., 8th, Proc., Vol. 2, p. 159-164 (in Russian), 1970.

Serebryakov, V. A. See Dobrynin, V. M. 00663

Serebryakova, M. B. See Rozhkova, E. V. 01792

01876 Serebryannikov, N. D.
Proizvodstvo by Tovogo gaza iz slantsev (Natural gas derivatives from shale): in Razrabotka i ispol'-zovaniye azpasov goryuchikh slantsev (Baum, V.; chairperson), p. 327-335, illus., Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Sergeant, Richard E. See Wigley, Perry B. 02333

01877 Serikov, Yu. I.
The question of the origin of uranium in Khadum shales (U. S. S. R.): Geochemistry Internat., No. 2, p. 229-232 (English translation of Russian paper), 1964.
In this technical paper, radioactivity in the Khadum shale from a drill hole was investigated by geophysical, radiometric, chemical, and granulomoetric analyses. Relationship of organic carbon to the uranium content was measured, and a theory was proposed to suggest the source of uranium could be traced to organic matter. No mention is made of the economics of this shale in East Ciscaucasia.

Severin, D. W. K. See Weber, J. H. 02293

Sexton, J. L. See Cole, R. D. 00461

01878 Shabica, Charles W.
Depositional environments in the Francis Creek Shale, in Depositional environments in parts of the Carbondale Formation, western and northern Illinois - Francis Creek Shale and associated strata and Mazon Creek biota - Geol. Soc. America, Coal Geology Div., Ann. Field Trip, Milwaukee, Wis., 1970: Illinois Geol. Surv. Guidebook Ser. 8, p. 43-52, illus., tables, 1970.
Discusses a shale in which carbonaceous impressions of flora were abundant. Other articles on clays, limestones, coal, and sulfur were included in the field trip log. No economic mention of any black oil shales in included. Lithologies of four major depositional environments (pro delta and delta front bar, distributary channel and inter-distributary bay, marginal bay, and delta plain) are discussed.

01879 Shale Review, The
The shale review, Vol. 1-4, No. 1-9, (Feb. 1919-Sept. 1922) Denver, Colo. illus., monthly. Merges with "Mountain States Mineral Age."

01880 Shaler, N. S.
Notes in investigations of the Ky. Geol. Surv. during the years 1873, 1874, and 1875: Ky. Geol. Surv. Rept. Prog., Vol. 3, p. 129-282, 1877.
Contains many references to the black shales pertaining to their economic value for building stone, oil content, etc. Regards the Ohio Shale as a deep-water deposit (Hoover, 1960).

01881 Shanks, W. C.; Seyfried, W. E.; Meyer, W. C.; et al.
Mineralogy of oil shale: in Oil shale (Yen, T. F.; et al.; editors), No. 5, p. 81-102, illus. (incl. sketch maps), Elsevier Sci. Publ. Co., Amsterdam, Netherlands, 1976.

Sharp. L. H. See Gavin, M. J. 00876

01882 Sharp, L. H.; Strunk, A. T.
Some items of investment expense, and profit in commercial shale-oil production: U. S. Bur. of Mines Rept. of Invest. 2214, 1921, 3 p. See also Oildom, Vol. 12, p. 47, Mar. 1921; Oil Trade J., Vol. 12, p. 62, Mar. 1921; Chem. Age, Vol. 29, p. 69-70, Feb. 1921; Oil, Paint, Drug Reporter Vol. 99, Petrol. Sec., p. 8, Feb. 21, 1921; Oil Age, Vol. 17, p. 29, Apr. 1921; Eng. Min. J., Vol. 111, p. 595, 1921.
A very brief, general paper on considerations in starting an oil shale processing facility. Sources of income are determined to be the known products such as gasoline. Land costs, building, machinery and equipment needed are cited. Operating costs are noted.

01883 Sharp, William N.; McKeown, F. A.; McKay, E. J.
Occurrence of uraninite in Tertiary clastic sediments of Wasatch formation, Powder River Basin, Campbell County, Wyoming: U. S. Geol. Surv. Trace Elem. Mem. Rept. 570, 10 p., maps, 1954. For official use only.

01884 Shaw, R. J.
Specific heat of Colorado oil shales: U. S. Bur. of Mines Rept. of Invest. 4151, 9 p., 1947.
Method procedure, and apparatus for specific heat determination are given. Five Colorado oil shales and two spent shales were tested for specific heat and the results are given. Correlations obtained lead to a presentation of graphs and derivation of equations for mean specific heat.

Shaw, V. E. See Donnell, J. R. 00684

01885 Shazly, E. M.; Hazek, N. M. T.; Zayed, Z. M.
Leaching experiments on uraniferous shales and sandstones from Quatrain, Western Desert, United Arab Republic, in The Recovery of Uranium Proceedings of a Symposium held in San Paulo, 17-21 Augsut 1970: Internat. Atomic Energy Agency STI/PUB/262, p. 57-66 ($13, UNIPUB, Inc.), 1971.
Complex mineralogic composition of the shales is noted, and physical and chemical methods of concentration and recovery, both successful and unsuccessful, are cited. Testing of uraniferous sandstones by leaching techniques is also discussed. (From Author's abstract)

Schramm, L. See Guthrie, B. 00950

01886 Sheldon, R. P.
Geochemistry of uranium in phosphorites and black shales of the Phosphoria Formation: U. S. Geol. Surv. Bull. 1084-D, p. 83-115 (out of print but available through libraries), 1959.
This paper analyses the uranium in the phosphorite and black shale facies of the Phosphoria Formation (Wyoming), in terms of state and source. The phosphatic rocks are classified according to the Eh and Ph of their depositional environments and their uranium contents are compared. Uranium in apatite and a mechanism for the deposition of uranium in apatite is presented.

01887 Shepherd, S. R. Leonard
Cambrian oil shale, Camooweal: Queensland Govt. Min. J., Vol. 46, No. 521, p. 75-77, 1945.

Sheridan, M. J. See Williams, Frank E. 02337

Shibaoka, M. See Demaison, J. M. 00615

Shimp, Neil F. See Bergstrom, Robert, E. 00184

Shih, S. See Young, D. K. 02386

01888 Shirenko, I. K.
Mekhanizatsiyz ochistnykh rabot no shakhte No 3 treata "Leningradslanets" (Mechanized cleaning of layer number 3 of the Leningrad shale): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 132-133, Izd. Valgu, Tallin, Union of Soviet Socialist Republics, 1970.

Shirley, W. B. See Horne, J. W. 01031

Shirokova, I. Ya. See Voytov, G. I. 02265

Shishkov, G. See Brunkin, K. 00298

01889 Shlatler, L. Ye.
Metody geologicheskoy razvedki i otsenki mestorozhdeniy goryuchikh slantsev (Geologic methods in the exploration and evaulation of oil shale deposits): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V.; chairperson), p. 79-84, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Shmarivich, Ye. M. See Oparysheva, L. G. 01585

Shockey, D. A. See Murri, W. J. 01503

01890 Shoemaker, Eugene M.; Luedke, R. G.
Map of the uranium region of the Colorado Plateau: U. S. Geol. Surv. Trace Elem. Invest. Rept. No. 279, Map, 1952.

01891 Shomali, Behman Saghatchian
Ostacods from the shales of the Lingle Formation (Middle Devonian) of Southern Illinois: Master's, 1972. (Southern Illinois ?)

Short, N. M. See Strahl, Erwin O. 02028

01892 Shumaker, R. C.
Devonian shale research undertaken at West Virginia Univ. Mtn. State Geol., No. 1, p. 24-25, 1977.

01893 Shumaker, Robert C.
Natural gas from ancient high-pressure shale zones from the Appalachian Foreland?: Geol. Soc. Am., Abs. Prog., Southeastern Sect. 27 Ann. Mtg., Vol. 10, No. 4, p. 197, 1978.
Two Paleozoic subsurface examples of possible ancient zones of fluid migration and fault movement are discussed. The Kentucky example is a well producing from Devonian shale west of the Pine Mountain Thurst Fault. Stresses, high pressure zones, and under compacted zones are mentioned in relation to stratigraphy and mineralized fractures.

Sibley, F. H. See Jakosky, J. J. 01106

Silver, H. F. See Lessley, G. E. 01307

01894 Silver, H. F.; Wang, N. H.; Jensen, H. B.
A comparison of shale gas oil dentrification reactions over Co-Mo and Ni-W catalysts: in Science and Technology of oil shale (Yen, T. F., editor), p. 163-173, illus. (incl. tables), Arr Arbor Sci., Publ. Inc., Ann Arbor,

Mich., United States, 1976. See also A. C. S. Preprints, Div.of Fuel Chem., Vol. 19, No. 2, p. 147-155, 1974.
Denitrification tests were conducted on gas-combusted shale oil gas using three differnet Co-Mo on Al_2O_3, and Ni-W on Al_2O_3. Percent of nitrogen removed, classification into nitrogen compound types is shown along with comparison of effectiveness of the catalysts.

01895 Silver, H. F.; Wang, N. H.; Jensen, H. B.
Denitrification reactions in shale gas oil: A. C. S. Preprints, Div. Petrol. Chem., Vol. 17, No. 4, p. G94-100, 1972. Also: 164th A. C. S. National Meeting, New York City, New York, Aug. 27-Sept. 1, 1972.
The results of this work indicate that nitrogen-type compound analysis, first based on pure compound studies by other, is also applicable with modifications, to analyses of shale gas oil mixtures.

Silverman, E. N. See Strahl, Erwin O. 02031

Silverman, E. N. See Strahl, Erwin O. 02030

Simon, J. A. See Lamar, J. E. 01264

Simoneit, B. R. See Burlingame, A. C. 00310

01896 Simoneit, B. R.; Burlingame, A. L.
Ketones derived from the oxidative degradation of Green River Formation oil shale kerogen; in Advances in Organic Geochemistry, 1973, Int. Mtg. Org. Geochem., Programme Abs., No. 6, p. 191-201, illus. (incl. table). 1974.

01897 Simoneit, B. R.; Schnoes, H. K.; Haug, P.
Nitrogenous compounds of the Colorado Green River Formation oil shale - A preliminary analysis by mass spectrometry: Nature, Vol. 226, No. 5240, p. 75-76, illus., table, 1970.
Presented here are the results of an analysis of nitrogen directly extractable from the Green River Formation.

01898 Simpson, Louis
Oil yielding shales in the province of New Brunswick: Canadian Min. Inst., Monthly Bull., No. 1, p. 42-47, Jan., 1919.

01899 Sipprelle, E. M.
Oil-shale mining investigations, Rifle, Colo.: Mines Mag., Vol. 38, No. 12, p. 61-64, 1948.

01900 Sipprelle, E. M.
Oil-shale mining 1949: Colorado Min. Assoc., Denver, Colo., 1950 Min. Yearbook, p. 114-116, 128, 1950.

Sipprelle, E. M. See Gardner, E. D. 00853

Sipprelle, E. M. See Gardner, E. D. 00854

Sipprelle, E. M. See Gardner, E. D. 00855

Sipprelle, E. M. See Gardner, E. D. 00852

Sipprelle, E. M. See Hull, Wm. Q. 01056

01901 Sipprelle, E. M.; Ballinger, H. J.
Applicability of oil shale mining developments to the mining industry; (abs.): Min. Cong. J., Vol. 36, p. 82, Oct. 1950.
This 1950 article describes the operation of the U. S. Bur. of Mines experimental mine in the oil shale beds of the Green River Formation near Rifle, Colorado.

01902 Sipprelle, E. M.; Teichman, H. L.
Roof studies and mine structure stresses analysis, Bureau of Mines oil-shale mine, Rifle, Colorado: Min. Eng., Vol. 187, Trans., p. 1031-1036, 1950. See also A. I. M. E. Tech. Pub. No. 2942.
The purpose of this paper is to discuss the roofstone behavior and determination of mine structure stresses, phase of the Bur. of Mines research program pertaining to oil shale development.

01903 Skjeseth, Steinar
Uranium in Cambrian alum shales of the Oslo region and adjacent districts: Norges Geol. Unders. No. 203, p. 100-111 (in Norwegian with English sum.), 1958.
Investigation of the Alum Shales, a Cambrian black shale, showed significant uranium in southern Norway. Field investigations using Geiger-Muller and scintillation counters showed the richest uranium area had an average of 50-100 g. U per ton.

Slack, Howard A. See Krumbein, William C. 01256

01904 Sladek, T. A.
Recent trends in oil shale; Part 1, History, nature, and reserves: Colo. Sch. Mines, Miner. Ind. Bull., Vol. 17, No. 6, 20 p., illus. (incl. table, sketch map), 1974.
In this non-technical paper, oil shale mining and

and surface (open pit) mining are discussed. Seven retorting processes, including three from the Union Oil Co. are briefly summarized. Current designs of these retorts were diagrammed and advantages and disadvantages outlined.

01905 Sladek, T. A.
Recent trends in oil shale; Part 2, Mining and shale oil extraction processes: Colo. Sch. Mines, Miner. Ind. Bull., Vol. 18, No. 1, 20 p., illus., 1975.
History of oil shale development nationwide is presented. Reserves, particularly those of the Piceance, Uinta, and Washakie basins are mentioned.

01906 Sladek, T. A.
Recent trends in oil shale: Part 3, Shale oil refining and some oil shale problems: Colo. Sch. Mines, Miner. Ind. Bull., Vol. 18, No. 2, 11 p., illus. (incl. tables, sketch map), 1975.
Topics discussed in the two previous issues of "Recent trends in oil shale," are reviewed (See other annotations by Sladek). The properties of crude shale oil from several retorts were listed, and refining problems associated with these properties were discussed. This article also mentions complex economic, social, and political issues that affect oil shale progress.

01907 Slaughter, Archibald L.; Clabaugh, S. E.
Eastern black shale reconnaisance preliminary report: U. S. Geol Surv. Trace Elem. Invest. Rept. 1, var. pag., map, tables, diagrs., 1944.

01908 Sloss, L. L.; Dapples, E. C.; Krumbein, W. C.
Lithofacies maps. An atlas of the United States southern Canada: John Wiley & Sons, Inc., New York, 1960.
Nationwide Chattanooga Shale isopach maps are shown. Sand-shale versus clastic ratios are also shown on the maps. Tertiary maps of the Eocene Green River Formation are not shown.

Smit, Dzh. V. See Dinnin, G. Yu. 00660

01909 Smith, C. DeWitt
A unique approach to get oil shale out of the ground: Min. Eng., Vol. 26, No. 10, p. 52-56, illus. (incl. sketch map), 1974.
This 1974 article describes the geology of the Piceance Creek Basin, Colo. and its possibilities as a mining proposition.

Smith, C. R., Jr. See Smith, J. R. 01916

Smith, D. H. See Gentry, R. V. 00883

Smith, D. K., Jr. See Graner, John W. 00918

01910 Smith, E. B.
Lowering the sulfur and ash contents of high-sulfur coals by peroxide-acid treatment: A. C. S. Preprints, Div. of Fuel Chem., Vol. 20, No. 2, p. 140-146, 1975. Also: 169th A. C. S. National Mtg., Philadelphia, PA, Apr. 6-11, 1975 (abs.)
High-sulfur coals at room temperature were treated with peroxide-acid solutions. It was concluded from these preliminary experiments that acid-peroxide treating shows promise as a method for upgrading high-sulfur coals. (From asbtract).

01911 Smith, E. B.; Decora, A. W.; Cook, G. L.
The effect of mild oxidation on the quality of a shale-oil naphtha: A. C. S. Preprints, Div. Fuel Chem., Vol. 16, No. 1, p. 88-93, 1972. Also: 163rd A. C. S. National Meeting, Boston, Mass. Apr. 9-14, 1972.
A shale-oil naptha fraction, chosen for its high nitrogen content and reactivity was exposed to air at room temperature and atmospheric pressure in a closed system. (From abstract). The results showed that mild oxidation holds promise for improving the quality of shale-oil napthas. (From abstract)

01912 Smith, E. B.; Jensen, H. B.
Autoxidation of three 1-alkylpyrroles: J. of Org. Chem., Vol. 32, p. 3330-3334, 1967.
Four carbonyl compounds, thought to arise from peroxide decomposition, were isolated from 1-methyl-pyrrole oxidation products and subjected to spectral examination. It suggested that 1-alkylpyrroles react with oxygen by a free-radical peroxy addition process. (From abstract)

Smith, C. G. See Kantsler, A. J. 01144

Smith, G. V. See Cole, R. D. 00462

Smith, H. N. See Hubbard, A. B. 01046

01913 Smith, H. N.; Heady, H. H.
Identification of frozen liquid samples with the X-ray diffractometer: Anal. Chem., Vol. 27, p. 883-888, 1955.
The main purpose for devising the low-temperature attachment for the X-ray diffractometer was to provide a means of analyzing shale-oil distillate

fractions of high boiling point. Procedure and apparatus are described and illustrated.

01914 Smith, H. N.; Smith, J. W.; Kommes, W. C.
Petrographic examination and chemical - analyses for several foreign oil shales: U. S. Bur. of Mines Rept. of Invest. 5504, 34 p., 1959.
Samples from major foreign deposits except Germany, Estonia, and Russia were analyzed by petrographic, chemical, oxide, and mass spectrometric methods and assayed by the Fischer method. Short descriptions of the location and history of these foreign deposits is given. Results of analyses are presented.

Smith, J. R. See Dinneen, G. U. 00646

Smith, J. R. See Dinneen, G. U. 00654

Smith, J. R. See Dinneen, G. U. 00653

Smith, J. R. See Dinneen, G. U. 00655

Smith, J. R. See Dinneen, G. U. 00659

Smith, J. R. See Kinney, I. W., Jr. 01197

Smith, J. R. See Van Meter, R. 02238

01915 Smith, J. R.; Dinneen, G. U.
Refining of shale oil: U. S. Patent 2,606,143, Aug. 5, 1952.
A method for separation of organic nitrogen compounds from shale oils using magnesium silicate to absorb nitrogen compounds is summarized. Diagram for the system is shown.

01916 Smith, J. R.; Smith, C. R., Jr.; Dinneen, G. U.
Separation of nitrogen compounds from shale oil: Anal. Chem., Vol. 22, p. 867-870, 1950.
Described is a procedure for separating shale-oil distillates into two fraction: 1) hydrocarbons, 2) nitrogen and heterocyclic compounds. Factors investigated in optimun condition selection are discussed.

01917 Smith, J. W.
Analytical method for study of thermal degradation of oil shale: U. S. Bur. of Mines Rept. of Invest. 5932, 17 p., 1962.
Procedure for the modified assay is outlined. Product balance (products from pyrolysis of the charge) and materials balance (distribution of the organic elements of the charges sample in the thermal degradation products) are determined.

Apparatus and results of testing on eight portions of sample of Colorado oil shale are given.

01918 Smith, J. Ward
Applicability of a specific gravity oil yield relationship to Green River oil shale: Chem. Eng. Data Series, Vol. 3, No. 2, p. 306-310, 1958.
This study demonstrates the applicability of one of the relationships between specific gravity and oil yield, developed for test hole-D5 of the Rifle, Colo. area to nine other cores and to the Mahogany-zone shales of the Green River Formation. Includes tables of results.

01919 Smith, John Ward
Conversion constants for Mahogany-zone oil shale: Am. Assoc. Pet. Geol., Bull., Vol. 50, No. 1, p. 167-170, 1966.
Constants for conversion of organic matter and organic carbon in the oil shale into oil were calculated. Values were calculated from samples of the Mahogany zone of the Green River Formation in Utah and Colorado and from previous data on average oil yields.

01920 Smith, J. W.
Geochemistry of oil shale genesis, Green River Formation, Wyoming, in Symposium on Tertiary rocks of Wyoming - Wyoming Geol. Assoc. 21st Field Conf., 1969, Guideb.: Casper, Wyo., Pet. Inf., p. 185-190, illus., 1969.
Summaries of the oil shale, its characteristics, organic and mineral composition, and mineral characteristics are given. Varves are discussed as features of seasonal deposition. Geochemical analysis of the sediments' depositional environment is postulated.

01921 Smith, John Ward
Geochemistry of oil shale genesis in the Piceance Creek Basin Colorado, Rocky Mt. Assoc. Geol., Field Conf., Guideb., No. 25 (Guideb. to the energy resources of the Piceance Creek Basin, Colo.), p. 71-79, illus (incl. geol. sketch map), 1974.
A "geochemical genesis pattern" for the oil shale minerals of the Green River Form. in the Piceance Creek basin is presented that is consistent with present day observations. Depositional requirements and the postulated chemical (or biochemical) history of Lake Uinta lead to the authigenesis of oil shale minerals. Chemical stratification and stability of lake is suggested.

01922 Smith, John Ward
Preparation of organic concentrate from Green River oil shale: Anal. Chemistry, Vol. 32, No. 12, p. 1718-1719, 1960.
The procedure presented in this paper reduces the interference problems associated with direct shale analysis, by concentrating the organic matter.

01923 Smith, J. W.
Relationship between rock and volume of organic matter in oil shales: Laramie Energy Research Center/ Rept. of Invest.. 76/6, 11 p., Sept. 1976.

01924 Smith, John Ward
Specific gravity - oil yield relationships of two Colorado oil-shale cores: Indus. and Eng. Chemistry, Vol. 48, No. 3, pt. 1, p. 441-444, Mar. 1956.
This paper presents the relationship of the specific gravity of Mahogany zone oil shale to its oil yield per unit weight based upon analytical data on cores from two locations in Colorado. (From p. 441)

01925 Smith, John Ward
Stratigraphic change in organic composition demonstrated by oil. Oil specific gravity depth correlation in Tertiary Green River oil shale, Colo.: Am. Assoc. Pet. Geol., Bull., Vol. 47, No. 5, p. 804-813, illus., tables, 1963.
Samples from 18 drilled sites showed specific gravity of oil retorted from Colorado oil shales decreases uniformly with an increase in depth. This is correlated with a decrease in the oxygen content of organic matter. A mechanism is suggested for this stratigraphic change.

01926 Smith, J. W.
Theoretical relationship between density and oil yield for oil shales: U. S. Bur. of Mines, Rept. Invest., No. 7248, 14 p., illus., 1969.
Correlations between density of an oil shale and the rock's organic content or oil yield were studied by analyzing samples from the Green River Formation. Effect of variation of mineral composition of theoretical shale density was noted. Equations showing theoretical relationships between oil shale density and organic content are presented, and application of theoretical relationships to the Green River shales is shown.

01927 Smith, J. W.
Thermal analysis in earth science: Experience and expectations: Thermal Analysis, Vol. 3, ed. by H. G. Wedemann. Birkhauser Verlag, Basel and Stuttgart, p. 605-635, 1972.

01928 Smith, John Ward
Ultimate composition of organic material in Green River oil shale: U. S. Bur. of Mines Rept. Inv. 5725, 16 p., illus., tables, 1961.
Different methods for determining composition of organic matter are compared. Carbon, sulfur, and hydrogen corrections that provide for mineral forms of these three elements are discussed. Source of the ten samples and preparation of their concentrates were described stepwise. but analytical methods were only cited and results shown. The overall technique was evaluated, and source of possible discrepancies cited (though they are of minor importance).

Smith, John Ward See Beard, Thomas 00148

Smith, John Ward See Chong, K. P. 00435

Wmith, John Ward See Chong, K. P. 00436

Smith, J. W. See Dana, G. F. 00578

Smith, J. W. See Dana, George F. 00579

Smith, J. W. See Dana, George F. 00580

Smith, J. W. See Dana, George F. 00581

Smith, J. W. See Johnson, D. R. 01122

Smith, J. W. See Johnson, Donald R. 01121

Smith, J. W. See Johnson, Donald R. 01123

Smith, J. W. See Johnson, D. R. 01124

Smith, J. W. See Lee, Kwang K. 01297

Smith, J. W. See Robb, William A. 01744

Smith, J. W. See Robb, William A. 01745

Smith, J. W. See Rohrer, W. L. 01779

Smith, J. W. See Smith, H. N. 01914

Smith, J. W. See Stanfield, K. E. 02002

Smith, John Ward See Stanfield, K. E. 01998

Smith, J. W. See Stanfield, K. E. 02201

Smith, John Ward See Thomas, Harold E. 02078

Smith, J. W. See Trudell, L. G. 02131

Smith, J. W. See Trudell. L. G. 02133

Smith, J. W. See Trudell, L. G. 02132

Smith, J. W. See Young, Neil B. 02388

Smith, J. W. See Young, Neil B. 02389

01929 Smith, J. W.; Atwood, (editor)
Oil shale and tar sands: Am. Inst. Chem. Eng. Symp. Ser., No. 155, Vol. 72, 78 p., illus., 1976. Individual papers within the scope of this bibliography are cited under separate authors.
The subject of this symposium volume is oil shale and tar sand resources and their development technology.

01930 Smith, J. W.; Beard, T. N.; Wade, P. M.
Estimating nahcolite and dawsonite content of Colorado oil shale from oil-yield assay data: U. S. Bur. of Mines Rept. of Invest. 7689, 24 p., 1972.
Methods for estimating amount of dawsonite and nahcolite from oil-yield assay data are shown and tested on Colorado oil shales. The minerals are statistically derived from amounts of water and gas measured during testing by a modified Fischer assay. Estimate of the accuracy of this method is discussed, and calculations are shown. Nahcolite plus dawsonite contents were measured for 179 samples.

01931 Smith, John Ward; Futa, Koyotot
Direct determination of organic hydrogen in oil shales by low-temperature ashing: Chem. Geol., Vol. 14, No. 1-2, p. 31-38, illus., 1974.
Analysis method of the low-temperature asher is discussed. Comparison is made with indirect methods. Ways to make sure there is a distinction between organic and mineral hydrogen are presented. Results of the LTA method on Green River and New Albany shale samples are shown. Comparison is made with indirect methods.

01932 Smith, J. W.; Harbaugh, J. W.
Stratigraphic and geographic variation of shale-oil specific gravity from Colorado's Green River Formation: U. S. Bur. of Mines Rept. Invest. 6883, 11 p., illus., tables, 1966.
A mechanism for loss of specific gravity of organic matter with depth is suggested. Well locations for which oil-gravity data were figured are shown. Basin side hypersurfaces were drawn from gravity calculations.

01933 Smith, J. W.; Johnson, D. R.
Dolomite for determining atmopshere control in thermal analysis: Thermochimica Acta, Vol. 8, No. 1, p. 45-46, Jan. 1974.
This paper describes the use of a National Bureau of Standards dolomite sample to define for most thermal analysis equipment whether product gases can be adequately removed and whether atmosphere control can be achieved. (From Intro.) Includes figures and tables of results.

01934 Smith, J. W.; Johnson, Donald R.
Mechanisms helping to heat oil-shale blocks: A. C. S. Preprints, Div. of Fuel Chem., Vol. 21, No. 6, p. 25-33, 1976. Also: 172nd A. C. S. National Mtg., San Francisco, CA, Aug. 29-Sept. 3, 1976. (abs.)
Three separate mechanisms assisting in the heating of oil shale blocks are identified and discussed in detail.

01935 Smith, J. W.; Johnson, D. R.
Multiple thermal analysis of natural materials: Am. Laboratory, p. 8-14, Jan. 1971.

01936 Smith, J. W.; Johnson, Donald R.
Simultaneous DTA-MSA apparatus for thermal study of natural fuels, in Thermal analysis - Vol. 2, Inorganic materials and physical chemistry (R. F. Schwenter, Jr. and Paul D. Garn, editors) - Internat. Conf. Thermal Analysis, 2nd, Worcester, Mass., 1966, Proc.: New York and London, Academic Press, p. 1251-1269, illus., 1969.

01937 Smith, J. W.; Johnson, D. R.
Thermal analysis of natural fuels: Proc. Second Toronto Symp. on Thermal Analysis, p. 95-116, 1967.
The U. S. Bur. of Mines developed thermoanalytical equipment and techniques to overcome the problems presented by natural fuels. This apparatus is described and its application to a study of natural fuels, particularly oil shale from the Green River Formation. (From Intro. p. 95)

01938 Smith, J. W.; Johnson, D. R.; Robb, W. A.
Thermal synthesis of sodium calcium carbonate - a potential thermal analysis standard: Thermochimica Acta, Vol. 2, No. 4, p. 305-312, 1971.
Described in this paper are the preparation, characteristics and thermal properties of the double carbonate sodium calcium carbonate.

01939 Smith, J. W.; Milton, Charles
Dawsonite in the Green River Formation of Colorado: Econ. Geol. Vol. 61, p. 1029-1042, 1966.
This paper reviews briefly what is known about dawsonite its literature and gives new data on the Colorado occurrence, its mineralogy, geochemistry, and its geographic and stratigraphic extent.

01940 Smith, J. W.; Robb, William A.
Ankerite in the Green River Formation's Mahogany Zone: J. Sed. Pet., Vol. 36, No. 2, p. 486-490, 1966.
X-ray diffraction techniques are used in determination of ankerite and dolomite in 10 Mahogany Zone samples. Strantium content and substitution of Mg and Ca ions by Fe and Sr ions led to detection of a shift in X-ray diffraction spacing.

01941 Smith, J. W.; Robb, W. A.
Aragonite and the genesis of carbonates in Mahogany Zone oil shales of Colorado's Green River Formation: U. S. Bur. of Mines Rept. of Invest. No. 7727, 21 p., illus. incl. tables, map, 1973.
This article shows recognition and verification of aragonite from the Mahogany zone of the Green River Formation. A geochemical patten, outlining genesis of the formation oil shale is given. Relationships of the development of three separate carbonates, aragonite, calcite, and dolomite, are shown to be consequences of the genetic pattern.

01942 Smith, John Ward; Stanfield, K. E.
Oil shales of the Green River Formation in Wyoming in sedimentation of late Cretaceous and Tertiary outcrops, Rock springs Uplift - Wyoming, Geol. Assoc. 19th Field Conf. 1965, Guidebook: Casper, Wyoming, Pet. Inf., p. 167-170, illus., 1965.
This paper summarizes the depositional environment, and geographical distribution of Green River Formation oil shales in Wyoming. Drilled core locations are shown, but no samples were analyzed. Locations where members are rich are cited.

01943 Smith, John Ward; Stanfield, Kenneth
Oil yields of Devonian. New Albany shales, Kentucky: Am. Assoc. Pet. Geol. Bull., Vol. 48, No. 5, p. 712-714, illus., 1964.
This short article notes Fischer assay oil yields

from samples of New Albany black shale cores drilled in Rockcastle, Pulaski, and Adair Counties, Kentucky. Logs for each core are diagrammed in terms of oil yield.

01944 Smith, John Ward; Stanfield, Kenneth
Oil yields and properties of Green River oil shales in Uinta Basin, Utah, in Guidebook to the geology and mineral resources of the Uinta Basin, Utah's hydrocarbon storehouse, 13th Ann. Field Conf., 1964: Salt Lake City, Utah, Intermountain Assoc. Pet. Geol., p. 213-221, illus., tables, 1964.
This article describes the method for sampling oil shale in the Uinta basin and gives the results of testing for ash and trace element content. Composite statistics on organic matter in the Mahogany Zone are presented, but Bureau of Mines RI-6420 has oil yield for each hole sampled. Samples were derived from drill cuttings, and in a few cases, cores.

01945 Smith, John Ward; Thomas, Harold E.; Trudell, Laurence G.
Geologic factors affecting density logs in oil shale: in SPWLA Logging Symp., 95th Ann., New Orleans, La., 1968, Trans: Houston, Tex., Soc. Prof. Well Log Analy., p. P1-P17, illus., tables, 1968.
In the nahcolite-bearing sections of the Green River Formation oil yeilds of long sections can be estimated from density logs with reduced but usable accuracy. (From conclusion). Includes discussion of experimental procedure and tables of results obtained.

01946 Smith, John Ward: Trudell, Laruence G.
Wyoming Corehole No. 1 - a potential site for production of oil shale in place; in Fifth symposium on oil shale: Colo. Sch. of Mines. Q., Vol. 63, No. 4, p. 55-69, illus., tables, 1968.
This article is concerned with a corehole drilled near Eden, Wyo., in the Green River basin. Characterization of these Green River Formation oil shales is given in summaries of stratigraphy, oil yields, oil shale distribution, lithology, and mineralogy. Their similarity of Mahogany Zone oil shales and it situ development possibilities are discussed.

01947 Smith, J. W.; Trudell, L. G.; Dana, G. F.
Oil yields of Green River oil shales from Colorado Corehole No. 1: U. S. Bur. Mines Rept. Invest. 7071, 28 p., illus., tables, 1968.
Stratigraphy of thw northern part of the Piceance Creek basin is reviewed. Complete oil yield log for the 2360 foot corehole is shown. Isopach

map of 25-gal.-per-ton oil shales is given. Comparison is made with richer oil shale intervals further south in the basin.

01948 Smith, J. W.; Trudell, L. G.; Robb, W. A.
Oil Yields and characteristics of Green River Formation oil shales at WOSCO EX-1, Uinta County, Utah: U. S. Bur. of Mines, Rept. Invest. NO. 7693, 145 p., illus., 1972.
Profiles for the corehole show oil yield and specific mineral contents. A very detailed lithologic log is shown for the 1200 foot core interval. Discussion of the shale in terms of possible in situ development is presented.

01949 Smith, J. W.; Trudell, L. G.; Stanfield, K. E.
Characteristics of Green River Formation oil shales at Bureau of Mines Wyoming Corehole No. 1: U. S. Bur. Mines, Rept. Inv. 7172, 92 p., illus., tables, 1968.
A very complete lithology, is presented for the corehole, which was in the Green River basin. Oil yield assay data are also presented for the corehole. Stratigraphy, mineralogy, and density, resistivity, and gamma ray logs are also shown. Author suggests the deposit may be one suitable to in situ recovery.

01950 Smith, J. W.; Trude l, L. G.; Satnfield, K. E.
Comparison of oil yields from core and drill-cutting sampling of Green River oil shales: U. S. Bur. of Mines Rept. of Invest. 6299, 35 p., 1963.
Oil yields from two types of drill cutting samples, mud cuttings, were compared, and linear equations drawn with core samples. Gas cutting oil yields were found to be similar to those of core samples. Sampling methods are discussed and oil yeild logs are shown. Core and gas cuttings samples were were obtained from the eastern part of the Uinta Basin, and cores and mud cuttings were obtained from west-central Piceance Creek basin oil shales.

01951 Smith, John Ward; Trudell, Laurence G.; Stanfield, Kenneth E.
Drill cutting sampling for oil yields of Green River oil shales. Colo. Sch. Mines, Q., Vol. 58, No. 4, p. 113-127, illus., tables, discussion 1963.
In this article, oil yields from mud cuttings of hydraulic rotary drilling in Colorado and gas cuttings from pneumatiac rotary drilling in Utah are compared with core samples from adjacent holes. Sampling methods showing how cuttings and cores are obtained are discussed.

01952 Smith, J. W.; Young, Neil B.
Dawsonite: Its Geochemistry, thermal behavior, and extraction from Green River oil shale: Colo. Sch. of Mines Q., Vol. 70, No. 3, p. 69-93, July, 1975.
Analytical methods for determining dawsonite and nordstrandite (sources of alumina) in oil shale are described and evaluated. The geochemical conditions which produced these minerals and thermal decomposition reactions of both minerals are described. Two alumina extraction methods are compared, one using spent oil shale.

01953 Smith, J. W.; Young, N. B.
Determination of dawsonite and nahcolite, and non-dawsonite alumina in Green River oil shales is presented. Shale-oil yields, nahcolite contents, and yields of alumina were determined on 83 samples from an 821-foot section of a corehole drilled in the Piceance Creek basin. Reproducibility, specificity, and interferences are cited in a discussion of the method.

01954 Smith, John Ward; Young, Neil B.; Lawler, Dale L.
Direct determination of sulfur forms in Green River oil shale: Anal. Chemistry, Vol. 36, No. 3, p. 618-622, illus., tables, 1964.
A method is presented in this paper for the direct determination of pyrite, organic, sulfate sulfur in Green River oil shale. Experimental procedure is described and tables of results are given.

01955 Smith, John Ward; Young, Neil B.
Organic composition of Kentucky's New Albany Shale; determination and uses: Chem. Geol., Vol. 2, No. 2, p. 157-170, illus. (incl. sketch map), 1967.
Samples of cores from Rockcastle, Adair, and Pulaski counties were studied to determine their organic composition. Procedure used in separation of organic material from non-organic is given. Chemical analysis in infrared spectra are used in determination of the organic composition, and spectra were compared to Green River shales. Gas and oil recovery from the Kentucky shales are estimated.

01956 Smith, John Ward; Young, Neil B.
Specific-gravity to oil yield relationships for black shales of Kentucky's New Albany Formation: U. S. Bur. of Mines, Rept. of Invest. 6531, 13 p., illus., tables, 1964.
Specific gravity-oil yield relationships were developed from core samples representing the complete black shale section in Adair, Pulaski, and Rockcastle counties. Two linear equations

and correlation coefficients were derived to express the relationships. Variation in the pyrite content is discussed as an error source, and application of the methods to field studies are suggested.

01957 Smith, Paul V.
Studies on the origin of petroleum: occurrence of hydrocarbons in recent marine sediments, Condensed in world Petrol. Conf., 4th Rome Proc., Sec. 1, p. 359-376, 1955.

01958 Smith, Paul V.
Studies on the origin of petroleum: occurrence of hydrocarbons in rencent marine sediments, Am. Assoc. Pet. Geol., Bull., Vol. 38, No. 3, p. 377-404, 1954.
Organic matter in recent sediments deposited in the Gulf of Mexico off Louisiana have been detected in cores, with free hydrocarbon ratios as high as 283 parts per million. An estimate of 4,500,000 barrels of crude oil per cubic mile of sediment has been made.
Also published by: Standard Oil Development Co., Lindon, N. J.

01959 Smith, R. E.
Oil shale; big strides toward development halted by new economic uncertainties: Eng. Min. J., Vol. 176, No. 3, (106th annual review and outlook), p. 181-183, 1975.
Expenditures by all oil shale projects to be scrutinized in 1975; author says unlikely there will be important newcomers to oil shale development during the year, since investment dollars will be difficult to obtain. (From p. 183).

01960 Smith, William H.
Lithology and distribution of the Francis Creek Shale in Illinois, in Depositional Environments in Parts of the Carbondale Formation, Western and Northern Illinois - Francis Creek Shale and Associated Strata and Mazon Creek Biota - Geol. Soc. America Coal Geology Div., Ann. Field Trip, Milwaukee, Wis., 1970: Illinois Geol. Survey Guidebook Ser. 8, p. 34-42, illus., 1970.
This article describes a widespread medium light gray fossiliferous shale associated with other clastic rocks. Carbonaceous remains may be found, but no mention of uranium of oily matter in it.

01961 Smits, L. J. M.
Sp log interpretation in shaly sands: Soc. Petroleum Engineers A. I. M. E. trans., Vol. 243 (pt. 2), p. 123-

136, illus., table, reprinted 1969; originally published 1968.
A theoretical equation is developed describing membrane potentials of shaly sands as a function of the cation-exchange capacity per unit volume of the rock and saturating water salinity. (From abstract)

Smits, L. J. M. See Waxman, M. H. 02289

01962 Sneddeon, J. B.; Caldwell, W.; Stein, J.
Seventy-five years of oil shale mining: Colliery Guardian, Vol. 156, No. 4041, p. 1050-1053, 4 figs., JE 10' 38.
This 1938 article describes the oil shale mines, crude oil works and refinery working at that time in Scotland.

01963 Snider, John L.
Reconnaissance for uranium in the Indiana coal field: U. S. Atomic Energy Comm. TEM-/84, 26 p. (Dep.; $6.50, LC)(prepared by U. S. Geol. Surv.), 1954.
A radioactivity of 0.001 or more percent equivalent uranium was found in five Indiana coal beds: the Upper Block, Minshall, Gentryville, Coal II, and Coal III. (From abstract)

01964 Snider, John L.
Radioactivity of some coal and shale of Pennsylvanian age in Ohio: U. S. Atomic Energy Comm. TEI-404, 22 p. (dep.; $6.50, LC)(prepared by U. S. Geol. Surv.), 1954.
Stratigraphy of the area and location of samples are presented. None of the coals or shales tested had recoverable uranium contents.

01965 Snider, John L.
Reconnaisance for uranium in coal and shale in southern West Virginia and Southwestern Virginia: U. S. G. S. Trace Elem. Invest. Rept. 409, 28 p., maps, tables, 1953.
In this investigation, coal sampled was low in uranium content, but Upper Devonian shales contained .003-.004% uranium. Stratigraphy of the area was presented, and location, thickness, lithology, and uranium content shown for all samples.

Sochett, William M. See Mo, Tin 01459

01966 Soderstrom. Gleen S.
Central Texas Llano area may prove to be prime prospect for nation's future oil shale production: Oil and Gas J., Vol. 65, No. 13, p. 148, 149, illus., 1967.
This article is concerned with the Barnett Shale, which outcrops in five central Texas counties. Regional stratigraphy and topography of the Llano

unlift area is noted. Author notes 42 gal/ton assay of the oil shale and says that no government ownership of the land may lead to development.

01967 Shohns, H. W.
Feasability of in situ retorting of Green River oil shale, utilizing nuclear explosives for fracturing: in Peaceful nuclear explosions III; applications characteristics and effects, p. 99-121 (incl. French, Russian, Spanish samples), illus. (incl. tables, sketch maps), IAEX, Vienna, Austria, 1974.
Advantages of in situ retorting are cited. Work conducted with above-ground batch-type retorts are summarized, and capacities and oil yields from them are given. Field tests of the in situ method at Rock Springs, Wyoming, are reported to be encouraging.

01968 Sohns, Harold W.
In situ oil shale retorting research: The Oil Daily, p. 10, Mar. 29-31, 1968.

01969 Sohns, Harold W.
Oil shale: its role in solving the energy problem: Proc. Symp., The Energy Problem: What Can be done? Texas Tech. Univ., Lubbock, Tex., p. 18-24, Feb. 20, 1974, 1974.

01970 Sohns, H. W.
A summary of current techniques for processing Green River oil shale: Intermountain Assoc. of Petrol. Geol.: Guidebook to the Geology and Mineral Resources of the Uinta Basin, p. 223-225, 1964.
This is a very brief presentation of mining and retorting. The room and pillar mining method developed by the Bureau of Mines and applied near Rifle, Colo., is summarized. Four retorting processes (gas combustion, Union oil process, TOSCO process, and the in situ method) of interest in Green River shale are also summarized.

Sohns, H. W. See Brantley, F. E. 00249

Sohns, H. W. See Burwell, E. L. 00321

Sohns, H. W. See Burwell, E. L. 00324

Sohns, H. W. See Carpenter, H. C. 00367

Sohns, H. W. See Carpenter, H. C. 00370

Sohns, H. W. See Carpenter, H. C. 00369

Sohns, H. W. See Carpenter, H. C. 00359

Sohns, Harold W. See Carpenter, Harry C. 00368

Sohns, H. W. See Lombard, D. B. 01348

Sohns, H. W. See Lombard, D. B. 01349

Sohns, H. W. See Ruark, J. R. 01794

Sohns, H. W. See Ruark, J. R. 01795

Sohns, H. W. See Tihen, S. S. 02102

Sohns, H. W. See Tisot, P. R. 02113

Sohns, Harold W. See Tisot, Peter R, 02114

Sohns, H. W. See Tisot, P. R. 02112

Sohns, H. W. See Wise, R. L. 02360

01971 Sohns, H. W.; Carpenter, H. C.
In-situ oil shale retorting: Chem. Eng. Prog., Vol. 62, No. 8, p. 75-78, 1966.
This is the report of a study of the properties of Green River oil shale and their effects on a possible in-situ shale oil recovery operation. (From conclusion)

01972 Sohns, H. W.; Jukkola, E. E.; Murphy, W. I. R.
Development and operation of an experimental entrained-solids, oil-shale retort: U. S. Bur. of Mines Rept. of Invest. 5522, 45 p., 1959.
"Summarized work performed with entrained solids experimental retort; studies included investigation of the effects of temperature upon quality and quantity of products obtained from Green River and Chattanooga oil shales." (Author)

01973 Sohns, H. W.; Jukkola, E. E.; Cox, R. J.
Entrained-solids retorting of Colorado oil shale; equipment and operation: Ind. Eng. Chem., Vol. 47, p. 461-464, 1955.
Results of a study on the variation in yield and quality of products obtained from oil shale retorting at several temperatures (1000° to 1650°F) are reported here. Includes figures and tables of results obtained.

01974 Sohns, H. W.; Long, A., Jr.
In situ oil shale processing research; In Situ Recovery of Shale Oil, S. S. Penner, ed., N. S. E./E. R. A. N. N. Report No. 75-001, p. 148-173, 1975.
"This paper discusses field-scale fracturing research

that has been carried on in the Green River basin of western Wyoming and work under similar in situ retorting near Laramie." Research on above ground retorting (150 ton) of large pieces (5 ton) of shale is being conducted to solve underground problems. Success of fracturing techniques investigated, including electrolinking, hydraulic fracturing, and liquid or slurry chemical high-explosive methods are discussed.

01975 Sohns, H. W.;Mitchell, L. E.; Cox, R. J.
Heat requirements for retorting oil shale: Ind. Eng. Chem., Vol. 43, p. 33-36, 1951.
This study was made to determine the total heat necessary to retort Colorado oil shale to produce shale oil and by-products under conditions that would exist in commercial practice. (From Abstract). Includes description of apparatus and tables of results.

01976 Sokolova, N. T.; Motorina, Z. M.; Uspenskiy, V. A.
Alterations of disseminated organic material as effects of processes of contact metamorphism and uranium-bearing hydrothermal solutions: Geokhimiya, No. 1, p. 110-123, (in Russian), 1972.

Solti, G. See Jambor, A. 01107

01977 Soong, R.; Olivercrona, J. A.
An occurrence of cymrite in black shale, North-west Nelson, South, Island, New Zealand: Mineral Mag., Vol. 40, No. 311, p. 311-312, 1975.
This short article describes the discovery of cymrite. This rare barium tectosilicate was identified by refractive index measurements and X-ray fluorescence examination. Mode of occurrence and associated minerals in the black shale are noted.

01978 Sorgenfrei, Harold, Jr.
Gas production from the New Albany Shale: M. S. thesis (unpub.), Indiana Univ., 26 p., 1952.

Soshnikov, V. K. See Zorkin, L. M. 02395

Soudan, P. See Mouret, P. 01484

Spann, M. M. See Kern, J. W. 01170

01979 Sparks, Felix L.
Water prospects for the emerging oil shale industry: in Oil Shale Sympsoium, 7th, Proceedings, Colo. Sch. Mines, Q., Vol. 69, No. 2, p. 91-101, 1974.
Estimated of industrial use of water by the oil shale industry are stated, assuming a one million barrel a day oil shale industry. Two locations of the oil

shale industry are compared in terms of water supply. Courses of action the industry could take to obtain water are shown, and environmental concerns are also cited.

01980 Spears, D. A.
The radioactivity of the Mansfield marine band, Yorkshire (United Kinggom): Geochim. Cosmochim. Acta, Vol. 28, p. 673-681, 1964.
"Chemical and radiometric techniques have been used to study the distribution of radioactivity in the Mansfield Marine Band." (Author) Uranium equivalent uranium and thorium were measured and their association with clays and phosphatic nodules were noted. Correlation between macrofauna distribution, salinity, and uranium soprtion are analysed.

Spedding, T. J. See Jackson. L. F. 01091

01981 Speight, J. G.
A structural investigation of the constituents of Athabasca birumen by proton magnetic resonance spectroscopy: Fuel, Vol. 59, No. 1, p. 76-90, illus., tables, 1970.
A structural investigation was made of the constituents of the athabasca bitumen by proton magnetic resonance spectroscopy. Included descriptions of experimental procedure and tables of results obtained.

01982 Spence, H. S.
The oil shales of Picton, Cape Breton: Can. Min. Inst., B 79, p. 928-931, 1918.

01983 Spencer, A. M., ed.
Mesozoic-Conozoic orgenic Belts: Edinburgh and London, Scottish Acad. Press and Geol. Soc. Sp. Pub. 4, 809 p., 1974.
Looking for a source book to guide you to thick Mesozoic and Cenozoic geosynclinal shales? This massive systematically edited volume is it with Figures 12, 13, 14, and 15 providing a summary of shale occurrence, as well as the many detailed tables of the 45 orogenic belts described in the text. Remarkable collection of data.

01984 Spencer, John D.; Linville, Bill
Bureau of Mines Energy Program, 1973: U. S. Bur. of Mines Inform. Circ. 8651, 73 p., 1974.
Research objectives and results of Bureau of Mines work of petroleum, natural gas, tar sands, oil shale, and coal are presented. Fracturing for in situ processing, experimental retorts, and control and management of oil shale wastes, and occurrence, properties, and characteristics of oil shales are

among topics summarized. NMR spectroscopy for rapid oil yield analysis, water bearing strata in Wyoming, and studies on depth changes in organic matter and mineral matter in oil shales are cited. (Heat and pressure changes)

01985 Spencer, John D.; Linville, Bill
Review of Bureau of Mines Energy Program, 1971: U. S. Bur. of Mines Inform. Circ. 8551, 102 p., 1972.
Studies on clean energy production from coal, oil, and gas, with special emphasis on production of fluid fuels from coal are discussed. In a 12-page section on oil shale extraction and processing, major emphasis was placed on in situ processing, waste control, shale oil classification, and conversion to fuels and products. Experiments of two above ground retorts (10 and 150 tons) are discussed, along with in situ processing in Wyoming.

Spencer, J. D. See Linville, B. 01335

Spencer, John D. See Linville, Bill 01334

Spiess, Erick, P. See Coffer, H. J. 00454

Spitz, W. See Schnediderhohn, H. 01845

Spykerelle, C. See Greiner, A. C. 00922

Spyckerelle, Ch. See Ensminger, A. 00751

01986 Spykerelle, C.; Grienver, A. Ch.; Albrecht, P.
Hydrocarbures aromatiques d'origine geologique; IV, Un octahydrochrysese, derive de treiterpenes, dans un schiste bitumineux (Aromatic hydrocarbons of Geologic origin; IV, An octo-hydrochryses derived from triterpenes in an oil shale): J. Chem. Res., Miniprint, No. 12, p. 3801-3828 (incl. Eng. sum.), illus., incl. tables, 1977.

01987 Staatz, M. H.
Thorium veins in the United States, (abs.) Min. Eng., Vol. 25, No. 12, p. 58, 1973.
The largest known, easily exploitable potential resources of thorium in the U. S. are in qtz-feldspar iron-oxide thorium-bearing veins. Fifty-one minerals have been identified from the veins. (From abstract)

01988 Stach, F.; Mockowsky, Dr. M-Th.; Teichmüller, Dr. M.; et al.
Stach's Textbook of Coal Petrology: Berlin-Stuttgart, Gebruder Borntraeger. 2nd ed. 428 p., 1975.
Fundamentals of coal formation, along with origin

of petrographic constituents, methods and tools of examination. Application in industrial and technical processes are presented.

Stadnichenko, T. See White, D. 02323

01989 Stadnickenko, Taisia; White, David
Microthermal observations of some oil shales and other carbonaceous rocks: Am. Assoc. Pet. Geol., Bull., Vol. 10, No. 9, p. 860-876, Sept., 1926.
This article studies the differences in thermal and chemical characteristics of different fossil components on oil shale and other carbonaceous rocks. It discusses the four principal kinds of organic matter present in oil shales and other source rocks of petroleum. Ohio, Colorado, and Australian oil shales were used in testing of components in a microfurance.

Staduik, Ye. See Zorkin, L. M. 02395

01990 Stahl, W. J.
Carbon istope fractionations in natural gases: Nature, Vol. 251, p. 134-135, 1974.
An attempt is made to establish a model to explain the isotopic fractionations of methane as a funaction of the thermocatalytic development of the corresponding source material. (From p. 134) Includes figures.

01991 Stahl, W. J.
Carbon and nitrogen isotpoes in hydrocarbon research an exploration: Chemical Geology, Vol. 20, p. 121-149, 1977.
The present knowledge of C- and N- isotope variations in hydrocarbons is reviewed, including some recent results. There is no examination of oil shales, but isotopic study of kerogen in source rocks is presented along with comparisons of kerogen and crude oil. Uses for stable isotope techniques are mentioned.

01992 Stanfield, K. E.
Estimating oil yield of lean oil shale: Anal. Chem., Vol. 25, p. 1552, 1953.
A simple rapid method is described from estimation the oil yield of lean oil shale. (From abstract) Includes a discussion of the procedure followed.

01993 Stanfield, K. E.
Oil-shale consitution research: Presented before Ind. Bur. of Mines Oil-Shale Conf., Univ. Wyo. Su-mer Science Camp, Laramie, Wyo., Qug. 1954. Pub. in Minutes of Conf., U. S. Bur. of Mines Administrative Pub.

01994 Stanfield, K. E.
Oil yields of sections of Green River oil shale in Colorado, Utah, and Wyoming, 1945-52: U. S. Bur. of Mines Rept. Invest. 5081, vii, 153 p., illus., incl. geol. sketch maps, Oct. 1954.
Thickness and richness of 202 sections of oil shale are presented in the form of logs. Oil resources in maximum continous sections averaging 15 and 30 gallons of oil per ton of rock were calculated. Volume-specific gravity-oil yield relationships were drawn for one of the cores.

01995 Stanfield, K. E.
Oil yeilds of sections of Green River oil shale in Colorado, 1954-1957: U. S. Bur. of Mines Rept. of Invest. 5614, 186 p., incl. sketch maps, sections, diagrams, tables, 1960.
Oil yields of samples from 24 coreholes drilled in the Green River Formation during the four year period are presented in log form. Maximum continuous section averaging 15, 25, and 30 gallons of oil per ton of shale were calculated. Volume-specific gravity-oil yield relationships were drawn for one of the cores.

01996 Stanfield, K. E.
Progress Report on BuMines-AEC Corehole, Rio Blanco County, Colorado: Colo. Sch. of Mines Q., Vol. 61, No. 3, p. 33-44, July 1966.
Describes the drilling of an exploratory corehole in Piceance Creek basin by the Bureau of Mines. Its purpose was to study buried oil shales and see if they could be fractured by nuclear explosives that could lead to underground retorting. Selection of site, drilling of the coreh de are discussed, and stratigraphic markers in the core are noted. Results of oil yields were not yet determined.

01997 Stanfield, K. E.
Properties of Colorado oil shale: U. S. Bur. of Mines Rept. of Invest. 4825, 27 p., illus., Nov. 1951.
Results of analytical studies on two series of oil shale samples from the Mahogany zone of the Green River Formation are presented. Elements detected in mineral and organic portions are shown. These were determined from petrographic and X-ray diffraction-techniques. Yields of oil, gas, and residual organic material were determined. Physical and chemical properties of raw shales, shale oil, and spent shale are discussed, including coking tendency and gross heating value.

Stanfield, K. E. See Dinneen, G. U, 00656

Stanfield, K. E. See Dinneen, G. U. 00657

Stanfield, K. E. See Frost, I. C. 00840

Stanfield, K. E. See Hubbard, Rethel L. 01047

Stanfield, K. E. See Hubbard, R. L. 01048

Stanfield, K. E. See Kommes, W. C. 01222

Stanfield, K. E. See Robinson, W. E. 01760

Stanfield, K. E. See Robinson, W. E. 01767

Stanfield, Kenneth E. See Smith, John Ward 01950

Stanfield, K. E. See Smith, J. W. 01951

Stanfield, Kenneth See Smith, John Ward 01944

Stanfield, Kenneth See Smith, John Ward 01943

Stanfield, K. E. See Smith, John Ward 01942

Stanfield, K. E. See Smith, J. W. 01949

Stanfield, K. E. See Thorne, H. M. 02094

Stanfield, K. E. See Throne, H. M. 02097

Stanfield, K. E. See Thorne, H. M. 02095

Stanfield, K. E. See Thorne, H. M. 02096

01998 Stanfield, K. E.; Dana, George F.; Smith, John Ward
Bureau of Mines - Atomic Energy Commission Colorado Corehole No. 1, Rio Blanco County, Colo., November 1965.
OPEN FILE at Laramie Petroleum Research Center Library.
NO PUBLIC DISTRIBUTION.

01999 Stanfield, K. E.; Frost, I. C.
Method of assaying oil shale by the modified Fischer retort: U. S. Dept. of the Interior, Bureau of Mines Report of Invest. 4477 (Revision of No. 3977), 13 p., illus., tables, 1949.

The report gives a description of preliminary oil-shale assays the Fischer retort discussing the effects of weight of charge, particle size, and retorting time and temperature on oil yields. There follows a detailed discussion of the method of assaying oil shale by the modified Fischer retort. The apparatus is diagramed and its function outlined. Preparation, procedure, claculations, precautions and adaptations are discussed.

02000 Stanfield, K. E.; Rose, C. K.; McAuley, W. S.
Oil yields of sections of Green River oil shale in Colorado, 1952-54: U. S. Bur. of Mines Rept. of Invest. 5321, 132 p., 1957.
Oil yields of 9651 samples from 48 holes drilled in the Green River Formation are shown in logs. A specific gravity-oil yield relationship for one core is given. Oil resources in 30, 25, and 15 gallon per ton shales are presented for the samples sections.

02001 Stanfield, K. E.; Smith, J. W.; Trudell, L. G.
Oil yields of sections of Green River oil shale in Colorado, 1957-63: U. S. Bur. of Mines Rept. Invest. 7051, 284 p., illus., tables, 1967.
65 sections samples in the 7-year period are presented in terms of oil yield. 135 sets of cores that penetrated at least the Mahogany zone and 68 sets of drill cutting samples of four lower zone oil shales are presented in terms of oil yield.

02002 Stanfield, K. E.; Smith, J. W.; Trudell, L. G.
Oil yields of sections of Green River oil shale in Utah, 1952-62: U. S. Bur. of Mines Rept. Invest. 6420, 217 p., illus., tables, 1964.
Logs of oil yields from 40 sites of cores and 83 rotary drill cuttings collected from the Uinta basin in the 11-year period are shown. Sampled sections show thicknesses, depths, elevations, richest samples, and Mahogany markers. Much accumulated information on these are given.

02003 Stanfield, K. E. Thorne, H. M.
Oil-shale research and process development: Ind. Eng. Chem., Vol. 43, p. 16-20, 1951.
This research was undertaken by the Bur. of Mines to procure the chemical, p-ysical, and engineering data necessary for extracting oil from oil shale and refining shale oil into products meeting commerical specifications. (From author's abstract)

Stanfield, Robert G. See Conant, Louis C. 00495

Stanfield, Robert G. See Conant, Louis C. 00496

Stangeland, B. F. See Sullivan, R. F. 02039

02004 Staplin, F. L.
Interpretation of thermal history from color of particulate organic matter - A review: In Palynology, Vol. 1, Proc. of the 8th Ann. Mtg. of the Am. Assoc. of Stratigraphy Palynologists, Houston, Texas, Oct. 1975, p. 9-18, 1977.
This article presents the three facies of organic

metamorphism, all of which are temperature and time dependent. These are the immature, mature, and metamorphic facies. Relationship of color and light transmission to these facies are shown, and a thermal study of organics in the Northwest Territories of Canada is presented. This article has to do with oil, gas, and coal formation, and has no specific mention of oil shales.

02005 Staplin, Frank L.
Sedimentary organic matter, organic metamorphism, and oil and gas occurrence: Can. Pet. Geol., Bull. Vol. 17, No. 1, p. 47-66, illus., table, 1969.
This paper states a study of the organic matter in sedimentary rocks is useful in determining the petroleum potential of that rock. Sources of the organic matter are outlined and the effect of thermal alterations on them is shown. Devonian sediments in western Canada are studied, but there is very little mention of oil shales.

02006 Stauffer, John C.
The nitrogen compounds of Colorado shale oil: Thesis, Columbia Univ., New York, N. Y., 61 p., diagrs., 1926.

02007 Stchepinsky, V.
Sakarya nehri lignite ve bitumle sisterli - lignites st schistes bitumin - eux du bassin de la sakarya nehri: Maden Tetkik ve Arama, Ankara, Turkey, Sene 6, sayi 1/22, p. 9-36, (Turkish and French). 3 pls. (incl. geol. map 1:800,000), Jan. 1941, Oil shales of Sakarya Nehri Basin, Turkey.

Stein, J. See Sneddon, J. B. 01962

Stenfild, K. Ye. See Dinnin, G. Yu. 00661

02009 Stepanov, P. I.
A comprendium of coal, oil and related deposits: Gen. Pub. Co. Geol. Invest. and Geol. Lit., Leningrad, Moscow, 1937.

02010 Stephens, J. G.
A preliminary study of the basal sandy zone of the Ohio-New Albany black shale: M. S. Thesis (unpub.), Univ. Cincinnati, 1953.

Stephens, J. G. See Moore, Geroge W. 01463

Sternberg, Y. M. See Meinschein, W. G. 01417

Sterner, T. E. See Burwell, E. L. 00320

Sterner, T. E. See Burwell, E. L. 00323

Sterner, T. E. See Thomas, H. E. 02079

Sterner, T. E. See Thomas, H. E. 02077

02011 Sterner, T. E.; Thomas, H. E.; Carpenter, H. C.
Evaluation of in situ oil shale experiments by hot-film flow logging: Laramie Energy Research Center/ Rept. of Invest. - 75/1, 26 p., June 1975.

Stevens, R. E. See Wells, R. C. 02312

02012 Stevens, R. F.; Dinneen, G. U.; Ball, J. S.
Analysis of crude shale oil: U. S. Bur. of Mines Rept. of Invest. 4898, 20 p., 1952.
Description of a laboratory method for examining crude shale oil is given. Analyses of shale oils produced in seven countries including seven U. S. shale oils are given. Apparatus and procedure are shown. Components and properties for 20 shale oils are presented.

02013 Stevenson, D. L.; Dickerson, D. R.
Organic geochemistry of the New Albany Shale in Illinois: Ill. Geol. Survey, Ill., Petrol. 90, 11 p., 1969.
Considers potential of New Albany Shale as petroleum source rock. Concludes from organic geochemical data that New Albany was probable source of most Devonian-Silurian oil in Illinois. Includes contour map of organic carbon content of lower 50 feet of New Albany.

Stevenson, D. L. See Whiting, L. L. 02332

02014 Stil, G. B.
Otsenka Ekonomickeskoy tselesoobraznosti proizvodstva iskusstvennogo topliva iz Koloradskikh slantsev (an evaluation of artificial fuel oil from the Colorado shale).: in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 579-587, tables, Izd. Valgus, Tallin, Union of Soveit Socialist Republics, 1970.

02015 Stinson, D. L.; et al.
Power recovery from in situ combutsion exhaust gases: Preprint S. O. E. 5332, p. 1-5, 1975.

02016 Stockdale, Paris B.
An investigation of the Chattanooga black shale of Tennessee as a source of uranium, progress report, January 1, 1953, to June 30, 1953: U. S. Atomic Energy

Comm. ORO-106, 27 p. (dep.)(prepared by University of Tennessee), 1953.

02017 Stockdale, Paris B.
An investigation of the Chattanooga uranium progress report July 1, 1954, to December 3, 1954: U. S. Atomic Energy Comm. ORO-138, 17 p., (dep., $5.10, LC) (prepared by University of Tennessee), 1955.
Progress is reported in an investigation of the geologic picture of the Chattanooga shale in Tenn. and uranium distribution in the shale. (From Abstract)

02018 Stockdale, Paris B.
An investigation of the Chattanooga . . . uranium, progress report January 1, 1955, to June 30, 1955: U. S. Atomic Energy Comm. ORO-143, 11 p. (dep.)(prepared by University of Tennessee), 1955.
The main purpose of this investigation was to obtain a complete geologic picture of the Chattanooga Shale in the outcrop area of the Eastern Northern Highland Rim of the Tenn. and adjoining Kentucky.

02019 Stockdale, Paris B.
An investigation of the Chattanooga uranium, progress report January 1, 1956 to June 30, 1956: U. S. Atomic Energy Comm. ORO-154, 9 p. (dep.; $2.70, LC)(prepared by Univ. of Tennessee), 1956.
A report is presented of progress on the studies of the Chattanooga shale to obtain a complete geologic picture of the Chattanooga shale in the outcrop area of the Eastern Highland Rim and Northern Highland Rim of the Tennessee and in a small area of adjoining Kentucky. Both field and laboratory studies have been involved. (From abstract)

02020 Stockdale, Paris B.; Kiepser, Harry J.
The Chattanooga Shale of Tennessee as a source of uranium, final report: U. S. Atomic Energy Comm. ORO-205, 223 p. (dep.; $6, NTIS)(prepared by University of Tennessee), 1959.
The over-all aim of the study was to obtain a thorough geologic picture of the Chattanooga shale, with emphasis upon stratigraphic relationships and associated special problems; from which implications may be obtained as to the origin and possibly the source of the uranium. (From Abstract)

02021 Aronw, E. V.
Technical and economic study of underground mining, rubblization and situ retorting for deep oil shale deposits: Colo. Sch. Mines, Q., Vol. 71, No. 4

(Proceedings of the Ninth oil shale symposium), p. 235-255, illus. (incl. tables, geol. sketch map), 1976.
Technical, environmental, and economic feasibility of the combined underground mining, in situ retorting, shale oil extraction process was examined in this study. Five variables which control the in situ retorting process and mine design were identified. Four mining systems were evaluated in this study and capital and operating costs were presented for each of them.

Sonte, Reid See Katell, Sidney 01153

02022 Stout, N. D.; Koskinas, G. J.; Raley, J. H.; et al.
Pyrolysis of oil shale; effects of thermal history on oil yield: Colo. Sch. Mines, Q., Vol. 71, No. 4 (Proceedings of the Ninth Oil Shale Symp.), p. 153-172, illus. (incl. tables), 1976. (U. S. Energy Res. Dev. Adm., No. W-7405-Eng-48).
The effect of thermal history on the oil yield of powdered 22 gal/ton Colorado oil shale was studied. The sample, apparatus, and procedure for experiments were described. Isothermal with autogenous atmosphere and isothermal with nitrogen flow experiments were conducted. Results include tables showing oil density, hydrogen: carbon ratio of oil, nitrogen and sulfur content of oil, gas composition, and other measured quantities.

02023 Stout, Wilber
Geology of southern Ohio: including Jackson and Lawrence Counties and parts of Pike, Scioto, and Gallia: Ohio Geol. Survey Bull. 20, 723 p., 1916.
Considers the Bedford Shale for each county, particulary its oil and gas potentials (Hoover, 1960).

02024 Stout, Wilber
Ohio's progress due largely to state's abundant mineral resources: Pit and Quarry, vol. 23, No. 11, p. 31-32, 1932.
Discusses stratigraphy and economic use of the Olentangy Shale, Ohio Formation, and Bedford Formation (Hoover, 1960).

02025 Stout, Wilber; Lamborn, R. E.
Geology of Columbiana County: Ohio Geol. Surv. Bull. 28, 408 p., 1924.
Considers the oil and gas possibilities of the Devonian-Mississippian series (Hoover, 1960).

02026 Stowe, C. H.
Energy and the environment; a potential crisis in resources supply: Utah Geol. Miner. Surv., Circ., No. 54, 18 p., illus. incl. tables, maps, 1972.

02027 Strahl, Erwin O.
An investigation of the mineralogy and petrography of uranium-bearing shales. An investigation of the relationships between selected minerals, trace elements and organic constituents of several black shales: U. S. Atomic Energy Comm. NYO-7908, 155 p. (dep.; $6, NTIS)(prepared by Pennsylvanian State University), 1958.
280 samples were analyzed for total carbon, organic carbon, aliphatic and aromatic hydrocarbon, carbonate total iron, iron oxides, pyrite, total silicates, quartz, kaolinite, illite and several other minerals. (From asbtract)

02028 Strahl, Erwin O.; Camilli, E.; Short, N. M.
An investigation of the mineralogy, litnites (Scope A - Shales), third annual report for period of April 1, 1953, to March 31, 1954: U. S. Atomic Energy Comm. NYO-6060, 75 p. (dep.)(prepared by Pennsylvanian State University), 1954.
Mineralogical and petrographic analysis of the Chattanooga formation has resulted in the development of several important techniques and the accumulation of a large amount of quantitative data. The relationsnip of uranium with composition and texture is illustrated by a detailed analysis of a core from the Highland Rim area. (From asbtract)

02029 Strahl, Erwin O.; Camilli, E.; Dolsen, C. P.
An investigation of the mineralogy, lignites (Scope A - Shales, quarterly progress report for progress report for period of April 1-June, 1954: U. S. Atomic Energy Comm. NYO-6062, 16 p. (dep., mc; $4.80, LC) (prepared by Pennsylvania State University), 1954.
The investigation of the pyrite nodules and lenses in the Chattanooga shale was resumed in order to study the clays that are directly associated with the pyrite. (From asbtract)

02030 Strahl, Erwin O.; Silverman, E. M.; O'Neil, R. L.
An investigation of the mineralogy, lignites (Scope A - Shales), fourth annual report for the period of April 1, 1954, to March 31, 1955: U. S. Atomic Energy Comm. NYO-6068, 78 p. (dep.; $19.75, LC)(prepared by Pennsylvania State University), 1955.
Samples from two drill cores of the Youngs Bend coring area east of Nashville, TN have been analyzed quantitatively and evaluated mineralogically.

Research was initiated on the use of fission fragement tracks to shorten exposure time and to locate U^{235} in shale thin sections. (From abstract)

02031 Strahl, Erwin O.; Camilli, E.; Silverman, E.
An investigation of the mineralogy, petrography and paleobotany of uranium-bearing shales and lignites (Scope A - Shales), quarterly progress report for period of July 1 - September 30, 1953: U. S. Atomic Energy Comm.: NYO-6056, 17 p. (dep., mc; $5.10, LC)(prepared by Pennsylvania State College), 1953.
Reported are the results of the visual estimates of color mineral composition by point count method, and equivalent U content by beta-gamma counting of one U shale core. (From abstract)

Strahl, E. O. See Bates, Thomas F. 00131

Strahl, Erwin O. See Bates, Thomas F. 00135

Strahl, Erwin See Bates, Thomas F. 00134

Straight, M. T. See Martin, H. M. 01398

Strelyanov, N. P. See Danchev, V. I. 00582

02032 Strom, K. M.
Land-locked waters and the deposition of black muds: in Recent Marine Sediments (Trask, P., editor), p. 356-372, 1939.
Water in enclosed basins such as Norwegian fjords tends to become stagnant as salt water sinks to the bottom with no ventilation. Hydrogen sulfude, which preserves organic matter can form after oxygen is consumed. Exaplies of historical and modern basics where these organic rich sediments can develop are discussed.

02033 Strom, K. M.
Land-locked waters: Det Norske videnskapp-Akademi i Oslo, Nat. Naturv. Klasse, Vol. 1, No. 7, p. 1-85, 1936.
Discussion of circulation, deposition, and life in barred or land-locked basins. Describes bays and fjords (after Hoover, 1960).

Strunk, A. T. See Sharp, L. H. 01882

02034 Stuart, Murray
The geology of oil, oil shale and coal: London, Min. Publ. Ltd., 104 p., incl. illus., 1926.

02035 Stugard, Frederick, Jr.; Wyant, D. G.; Gude, A. J., III
Secondary uranium deposits in the United States: (abs.) Geol. Soc. Am. Bull., vol. 42, p. 1542, 1951.
Considers reconstituted (secondary) uranium minerals. Most secondary uranium deposits show no apparent relationship to known primary minerals. Successful distinction between secondary deposits resulting from concentration and those resulting from dispersion of primary deposits not made to date (Hoover, 1960).

Stumm, E. C. See Ehlers, G. M. 00736

02036 Styrikovich, M. A.
Place and role of various energy resources in energetics of the future: in Alternative Energy Sources (Harnett, J. P., ed.), p. 1-17, Hemisphere Pub. Co., Washington, D. C., 1976.

02037 Styuart, D.
Istoriya, tekhnologiya i ekonomika ispol zovaniya goryuchikh slantsev v soyedinennam korolevst ve. (The history, technology and economic utilization of oil shale in the United Kingdom): in Razrabotka i ispol zovaniye zapasov goryuchikh slantsev (Baum V., chairperson, p. 128-129, Izd. Valgus, Tallin, Union of Soviet Socialist Republics.) 1970.

Sudduth, B. C. See Wise, R. L. 02361

02038 Suginnora, M.; Okuno, T.
On uraniferous shale bed of Nakatsugo ore deposit, Ningyotogo mine, Okayama prefercture: Min. and Metall. Inst. Japan J., vol. 79, No. 902, p. 537-542, 1963.

Sukhanova, S. M. See Davydova, T. N. 00594

Sullivan, G. R. See Burton, V. L. 00318

02039 Sullivian, F. R.; Stangeland, B. F.
Converting Green River shale oil to transportation fuels, in Oil Shale Symp., Proc., 11th: Colo. Sch. of Mines, p. 120-134, 1978.
Shale oils contain significant quantities of nitrogen, oxygen, and heavy metals. (From abs.) Pilot plant data for 3 processing schemes to remove these contaminants are described.

02040 Sundius, Nils G.
Okjeskiftrar och skifferoljeindustri: Sweden. Geologiska undersokningen Ser. C. Avhandlingar och uppsatser, No. 441. Arsbok 35 (1941), No. 4, 45 p., illus. incl. maps, 1941. In Swedish.

02041 Sundiu, Nils
Om oljeskiffer orch skiffersol jeindustrien i vart land: Ymer (Svenska Sallskapet Antro. och Geog.) arg. 63, H. 1, p. 1-16, 6 figs. (incl. geol. sketch maps), 1943. Oil shale industry of Sweden.

Surdam, R. C. See Buchheim, H. P. 00300

Surdam, R. C. See Lundell, L. L. 03163

02042 Surdam, R. C.; Lundell, L. L.
Depositional environments of oil shale (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 60, No. 8, (New concepts of exploration in the Rockies; AAPG-SEPM Mtg.), p. 1412, 1976.
Association of Green River oil shale to sedimentary structures, saline minerals, and some shallow or high energy sedimentary rocks is cited. Influx of detrital sediments is noted to be a hinderance to oil shale deposition. Deposition of kerogen-rich and carbonate-rich laminae are summarized.

Susano, C. D. See Brown, K. B. 00286

Susano, C. D. See Brown, K. B. 00287

Susano, C. D. See Brown, K. B. 00288

Susano, C. D. See Brown, K. B. 00289

Susano, C. D. See Brown, K. B. 00290

Susano, C. D. See Brown, K. B. 00291

Susano, C. D. See Brown, K. B. 00292

Susano, C. D. See Brown, K. B. 00293

Susano, C. D. See McCutcheon, Roberts L. 01517

Suttle, Andrew D. See Mo, Tin 01459

00243 Sutton, A. H.
Devonian System in Indiana: Ill. Geol. Survey Bull. 68, p. 162-173, 1944.
Discussion of New Albany Shale - lithology, thickness, stratigraphic relations, age. Includes outcrop distribution map.

02044 Svenke, Erik
The occurrence of uranium and thorium in Sweden: Unite Nations, Internat. Conf. on the Peaceful Uses of Atomic Energy, 1st, Proc., Vol. 6, p. 198-199, 1956.
Uranium content of the olum shales (Olenus, Dictyonema,

and Ceratopyge) are discussed, and location of the richest deposit, including concretions with concentrations of U at 3000g/ton are cited. Uranium and thorium in pegmatite rocks are also mentioned.

Sutton, A. H. See Weiler, J. M. 02310

Svonson, V. Ye. See Dunkan, D. K. 00716

02045 Swager, Dennis R.; Ettensohn, Frank R.
The stratigraphy of devonian - Mississippian black shales along the east-central Kentucky outcrop belt: Geol. Soc. Am. Abs. South-eastern section 27th Ann. Mtg., Vol. 10, No. 4, 1978.
The abstract states stratigraphy is related to the radioactive properties of the two dominant lithologies. Comparison of the radioacitve profiles of five sections shows the two lithologies indistinguishable. Two biostratigraphic zones can be defined by the presence of an alga (Foerstia) and the inarticulate brachiopod Lingula.

Swan, D. H. See Folks, S. H. 00811

Swann, D. H. See Collinson, C. W. 00477

Swann, D. H. See Collinson, C. W. 00476

Swann, D. H. See Meents, W. F. 01416

02046 Swann, D. H.; Bell, A. H.
Habitat of oil in the Illinois Basin, in L. G. Weeks, ed., Habitat of Oil: Am. Assoc. Petrol. Geol., p. 447-472; Ill. Geol. Survey Reprint 1958-W, 26 p., 1958.
Structure contour map of Illinois Basin on base of New Albany Shale. NE-SW cross-section through center of Basin.

02047 Swann, D. H.; Henderson, J. W.; Combs, E. J.
Future oil possibilities of the Eastern Interior Basin: Am. Assoc. Petrol. Geol. Bull., Vol. 35, No. 2, p. 486-498, Geol. Survey Circ. 169, 13 p., 1951.
Structure map of Eastern Interior Basin drawn on base of Chattanooga-New Albany Shale. Cross-section through basin.

02048 Swanson, Vernon E.
Geology and geochemistry of uranium in marine shale - - a review: U. S. Geol. Survey Prof. Paper 356-C, p. 67-112 (out of print but available through libraries), 1961.
A summary of investigations of more than 200 formations

in the U. S. containing marine black shale is presented, noting especially high U bearing strata such as the Chattanooga Shale and Midwest phosphatic shales. Sources of uranium and mechanisms for its enrichment in both modern and ancient environments are speculated. Relations of uranium to organic matter, pyrite, H_2S, and phosphates are given. Chemical variables such as Eh, Ph, and salinity significant to uranium precipitation of sorption are noted.

02049 Swanson, V. E.
Oil yield and uranium content of black shales: U. S. Geol. Survey Prof. Paper 356-A, 44 p., 1960.
Discusses uranium content of Chattanooga, New Albany, and equivalents. Includes data tables, columnar section of Chattanooga Shale.

02050 Swanson, Veron E.
Preliminary summary of investigations of Chattanooga shale in 1952: U. S. Geol. Surv. Trace Elem. Mem. Rept. 533, 1952. For official use only.

02051 Swanson, Vernon E.
Uranium in marine black shales of the United States: U. S. Geol. Survey Prof. Paper 300, p. 451-456 (out of print), 1956.
The most uraniferous black shale deposits around the U. S. are noted, along with their association with pyrite, organic matter, and phosphate matter. This article suggests marine black shales may be classified according to tectonic and paleogeographic setting of the area during depositional time. Mineralogy, character, and uranium content of Chattanooga, Midwest Penn. black shale, and Phosphoria Formation in the West are briefly discussed.

Swanson, Vernon E. See Conant, Louis C. 00498

Swanson, V. E. See Conant, L. C. 00497

Swanson, V. E. See Duncan, Donald C. 00714

Swanson, V. E. See Milton, Charles E. 01451

02052 Swanson, Vernon E.; Landis, Edwin R.
Geology of a uranium - bearing black shale of Late Devonian age in north-central Arkansas: Arkansas Geol. and Conser. Comm. Inf. Circ. 22, 16 p. ($1.15, Arkansas Geological Commission, 3815 West Roosevelt Road, Little Rock, Arkansas 72204), 1962.
Regional stratigraphy is discussed. Location and lithology of the Marion County outcrop is noted and differences with the Chattanooga Shale were

noted in hand specimen and thin section. Plant microfossils are noted and their relation in uranium-rich samples is cited.

02053 Swanson, Vernon E.; Kehn, Thomas M.
Results of 1952-53 sampling of Chattanooga shale in Tennessee and adjacent states: U. S. Geol. Surv. Trace elem. Invest. Rept. 366, 1955. For official use only.

02054 Swarbrick, C. F. J.
Oil shale in Queensland: Australia Inst. Min. Metall., Monogr. Ser., No. 7 (Economic Geology of Australia and Papua New Guinea; 3, Petroleum), p. 458-459, 1976.

02055 Swarbrick, C. F. J.
Oil shale resources of Queensland: Queensl., Geol. Surv., Rept., No. 83, 56 p., illus., 1974.

02056 Swarbrick, C. F. J.
Petroleum and oil shale in the Bowen Basin (with discussion): in Bowen Basin Symp., 2nd, Proc. Queensland, Geol. Survey Rept. No. 62, p. 195-202, illus. (incl. sketch maps), 1971.

02057 Swartz, J. H.
The age and stratigraphy of the (Devonian-Mississippian) Chattanooga black shale of Tennessee: Ph. D. Thesis (unpub.), Johns Hopkins Univ. 1923.

02058 Swartz, J. H.
The Devonian-Mississippian boundary in southeastern United States: Science, Vol. 70, p. 609, 1929.
Discusses the problem of the probable age of the black shales (Hoover, 1960).

Swetland, P. J. See Clayton, J. L. 00446

02059 Swinnerton, A. A.
Oil shales from Pictou County, Nova Scotia: Canada Dept. of Mines Invest. of Fuels testing 1928, Pub. 712, p. 13-24, 2 pls., 3 figs., 1930.

02060 Swinnerton, A. A.
Report on oil shales from New Glasgon area, Pictou County, Nova Scotia, and from Port Daniel, Bonaventrue County, Quebec: Canada Dept. Mines, Invest. Fuels and Fuel Testing, Pub. 725, p. 136-148, 2 figs., 1933.

02061 Swinnerton, Ayler Aberffraw
A survey of the worlds oil shales: Canadian Mining J., Vol. 68, No. 4, p. 229-235, 35 figs., April, 1947.

Swinnerton, Alymer A. See Rosewarne, Pearce V. 01784

Syrova, G. M. See Beletskaya, S. N. 00165

02062 Szmuc, E. J.
The Devonian System: in Guide to the Geology of Northeastern Ohio, p. 9-20, illus. (incl. sketch maps), North, Ohio Geol. Soc. (Kent), 1970.

02063 Tailleur, Irvin L.
Rich oil shale from northern Alaska, art. 148, in Short papers in geology hydrology: U. S. Geol. Surv. Prof. Paper 475-D, p. D131-133, illus., tables, 1964.
An occurrence of float and outcrop oil shales of Mesozoic age was noted from northern Alaska. Eight assayed samples showed up to 146 gal/ton. Location of the float and outcrop samples was given, but lack of stratigraphic information made the range of the deposits difficult to determine. Character and Fischer assay data was presented.

Tailleur, Irvin L. See Donnell, John R. 00685

Tailleur, I. L. See Donnell, John R. 00686

Tailleur, Irvin V. See Tourtelot, Harry A. 02125

Tait, Donald B. See Beard, Thomas N. 00148

Taliyeu, S. D. See Beskrovnyy, N. S. 00189

02064 Talve, L. G.
Kamerno-Stolbovaya sistema razabotki na slantsevykh shakhtakh Estonskogo mestorozhdeniys (The room-and-pillar method for the development of shale layers in Estonian deposits): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 128-129, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

02065 Tank, Ronald
Clay mineral composition of the Tipton Shale Member of the Green River Formation (Eocene) of Wyoming; J. Sed. Pet. Vol. 39, No. 4, p. 1593-1595, illus., 1969.
The author's intent was through an investigative stud of the Tipton Shale Member to evaluate the significance of source conditions, depositional environment, and diagenesis of the clay mineral assemblage.

Tarman, P. B. See Weil. S. A. 02297

02066 Tarman, P. B.; Feldkirchner, H. L.; Weil, S. A.; et al.
Hydrooretorting processes for Eastern shale: Institute of Gas Technology, American Institute of Mining, Metallurgical and Petroleum Engineers, Inc., 1977.

02067 Tasmanian Shale Oil Investigation Committee
Report of Tasmanian Shale Oil Investigation Committee: Tasminai, Geol. Surv., Min. Res., Vol. 2, No. 8, 210 p., 2 pls. (maps), 1933.

02068 Tatlock, D. B.; Grego, J. A.
Upper Devonian Stratigraphy and Production Potential: Pennsylvanian (abs.): In Appalachian Energy Eastern Section AAPG 3rd Ann. Mtg., Am. Assoc. Pet. Geol., Bull., Vol. 58, No. 9, p. 1895, 1974.
Describes production of oil and gas which have accumulated in the Chemung facies in western Pennsylvania. Recent new discoveries of pools and extension of old ones is noted in some countries.

Taylor, F. W. See Landford, J. D. 01282

Taylor, G. B. See Fieldner, A. C. 00792

Teichman, H. G. See Sipprelle, E. M. 01902

Teichmuller, Dr. M. See Stach, F. 01988

02069 Teller, E.
In situ recovery of fossil fuels, in Identification of research and development priorities and of costing problems associated with implementation of in situ recovery of shale oil: Rept. No. NSF-RA-N-75-001, p. 141-147, 1975.
Three in situ processes, shale oil, crude oil, and coal gasification are discussed in this address. In situ process is suggested for recovery of both oil and uranium from Chattanooga black shales. General discussion of nuclear fracturing for in situ production in Colorado is given.

Tenno, K. L. See Kaganovick, I. Z. 01136

02070 Tesmer, J. H.
A brief description of Upper Devonian units to be observed on Chautauga County field trip: Guidebook - Geology of Western New York State, p. 81-88, 1974.

02071 Testa, Leone
Sfrutlamento degli scisti e des calcari bituminosi: La Chimica an. 11, No. 2, p. 61-67, F'33. Oil shale and bituminous limestone in Italy.

Thames, J. L. See Kilburn, P. D. 01186

02072 Thiessen, Reinhardt
Microscopic examination of Kentucky oil shales: Kentucky Geol. Surv., Ser. 6, Vol. 21, p. 1-47, 37 pls., 1925.
The first half of the article describes observations

of thin sections at different magnifications spore and other organic matter, mineral matter, and pyrite are described. The second part of the article investigates mode of formation of the oil shales. 37 plates illustrate Kentucky oil shale, both before and after organic removal by burning, and cannel coals.

02073 Theissen, R.
Origin and composition of certain oil shales: Econ. Geol., Vol. 16, p. 289-300, 1921. See also Geol. Soc. Am., Bull., Vol. 30, p. 72, 1921; Petrol. Times, Vol. 6, p. 617-618, 1921.
Study of Devonian black shales in midcontinent area - origin of organic matter, microscopic properties, potential as oil shales.

02074 Thiessen, Reinhardt; White, David; Crouse, Charles Stevens
Oil shales of Kentucky. A series of four economic and morphological discussions of the Devonian shales of this Commonwealth: Ky. Geol. Surv., Ser. 6, Vol. 21, illus., maps, plates, tables, diagrs., 1925.
The first article discusses the components and characteristics observable in this section. The second article shown gold and silver content of Kentucky oil shales from widespread localities. The third article examines reserves and market for the oil and suggests some mining methods. The last paper studies plant fossils in the shales and effects of acid, base, and organic solvent treatment.

02075 Thomas, G. W.
Some effects of overburden pressure on oil shale during underground retorting: Soc. Pet. Eng., J., Vol. 6, No. 1, p. 1-8, illus., 1966.

02076 Thomas, Harold E.
The hot-film log - a formation evaluation tool designed for shallow in situ oil-shale experiments: 46th Ann. Fall Mtg. Soc. Pet. Eng., A. I. M. E., New Orleans, La., Oct. 3-6, 1971, Preprint S. P. E. 3501, 12 p., 1971.

Thomas Harold E. See Smith, John Ward 01945

Thomas, H. E. See Sterner, T. E. 02011

02077 Thomas, H. E.; Carpenter, H. C.; Sterner, T. E.
Hydraulic fracturing of Wyoming Green River oil shale: Field experiments, Phase I: U. S. Bur. of Mines Rept. of Invest. 7596, 18 p., 1972.
Field hydraulic fracturing to 400 foot depths of Green River oil shale was conducted to determine preferential orientation of fractures. Discussion

of fracturing method conducive to in situ retorting is mentioned. Procedure of the fracturing and measurements made during the treatment are shown. Evaluation of the experiment and conclusions reached are also presented.

02078 Thomas, Harold E.; Smith, John Ward
Caliper location of leached zones in Colorado oil shale: Log Analyst, Vol. 11, No. 4, p. 12-16, illus., table, 1970.

02079 Thomas, H. E.; Sterner, T. E.
Hot-file flow logging as applies to in situ oil-shale and mining experiments: Trans. Soc. Prof. Well Log. Assoc., 13th Ann. Logging Symp., Paper L., p. 1-14, 1972.
The hot-file, heated-sensor technique of fluid flow measurement has been developed and applied to well logging by the U. S. Bur. of Mines for evaluating in situ fracturing and retorting experiments in Green River oil shale. (From abstract) Includes illustrations.

02080 Thomas, John R.
Environmental challenges to fossil fuels in Pacific Southwest Energy and Minerals Conference: U. S. Bur. Land Manage., p. 79-90, 1974.

02081 Thomas, Ralph Nelson
Devonian shale gas production in central Appalachian area: Am. Assoc. Pet. Geol., Bull., Vol. 35, No. 10, p. 2249-2256, illus., Oct. 1951; reprinted as Ky. Geol. Survey, Ser. 9, Reprint 4, 1951.
Explanation of stratigraphy of Devonian gas-bearing shales with isopachs of Ky-Ohio-W. Va. area. Structural and historical geology explains gas reservoirs. Interactions of wells in primary and secondary gas fields.

02082 Thomas, Rex D.
Use of carbonic acid to concentrate kerogen in oil shale: Fuel, Vol. 48, p. 75-80, Jan. 1969.
This paper describes a method for separating kerogen from the mineral matter in oil shale. The method uses carbonic acid to concentrate the organic matter of oil shale.

02083 Thomas, Rex D.; Lorenz, Philip B.
Use of centrifugal separation to investigate how kerogen is bound to the minerals in oil shale: U. S. Bur. of Mines Rept. of Invest. 7378, 12 p., 1970.
This article discusses concentration of organic material after removal of clays and carbonates which was done by high and low speed centrifuging in a sodium bromide solution. Distribution and association

of organic sulfur, organic nitrogen, and organic oxygen compounds was observed. Apparatus, procedure, results, and discussion of results are given.

02084 Thomas, T. M.; Govett, G. J. S. (ed)
Future world energy demand and supply in World Mineral Supplied: Assessment and Prespective: Elsevier Sci. Publ. Co., Amsterdam, NLD, p. 185-219, 1976.
The future world energy demand is outlined. Distribution development, supply, and political and economic problems of coal, oil, and gas are presented. Summaries describing realistic potential of hydroelectric power, nuclear energy, tar sands and oil shales, geothermal resources, solar energy, wind and tidal power are also presented.

Thompson, C. J. See Dinneen, G. U. 00658

02085 Thompson, M. E.
Distribution of uranium in rich phosphate beds of the Phosphoria Formation: U. S. Geol. Survey Bull. 988-D, p. 45-64 (out of print, but availabel through libraries), 1953.
123 samples from five localities were analyzed radiometrically and chemically for P_2O_5, CaO, and organic matter. Results were plotted on graphs and scatter diagrams and correlation of uranium with the other substances named are shown and analyzed.

Thompson, William D. See Picard, M. Dane 01645

02086 Thorne, H. M.
Oil-shale research program: Presented before Ind. Bur. of Mines Oil-Shale Conf., Univ. Wyo. Summer Science Camp, Laramie, Wyo., Aug. 1954. Pub. in Minutes of Conf., U. S. Bur. of Mines Admin. Pub.

02087 Thorne, H. M.
Oil from shale: Sci. Am., Vol. 186, p. 15-19, Feb. 1952.
This article describes the possibilities of recovering oil from shale. Gives description of the U. S. Bur. of Mines demonstration plant near Rifle, Colo.

02088 Thorne, H. M.
Retort oil shale for chemicals: Pet. Refiner, Vol. 35, p. 155-160, July 1956.
The chemicals in oil shale, recovered as by products can make this material an economical source for liquid fuels. (From p. 155)

Thorne, H. M. See Dinneen, G. U. 00647

Thorne, H. M. See Guthrie, Boyd 00951

Thorne, H. M. See Kraemer, A. J. 01250

Thorne, H. M. See Kraemer, A. J. 02149

Thorne, H. M. See Stanfield, K. E. 02003

02089 Thorne, H. M.; Ball, J. S.
Composition of shale oil: Chap. in The Chemistry of Petroleum Hydrocarbons, Vol. I, edited by B. T. Brooks, et al. Reinhold Publishing Corp., New York, N. Y., p. 63-82, 1954.

02090 Thorne, H. M.; Kraemer, A. J.
Oil-shale operations in the Union of South Africa, Oct. 1947: U. S. Bur. of Mines Rept. of Invest. 5019, 31 p., 1954.
"One of a series on oil shale operations in foreign countries, report deals mainly with the torbanite (oil shale) deposits near Ermela, Transvaal, in Union of South Africe, and the operations of South Africa Torbanite Mining and Refining Co., Ltd., in mining the torbanite, retorting it, and refining the crude oil."

02091 Thorne, H. M.; Kraemer, A. J.
Oil shale in Spain: U. S. Bur. of Mines Rept. of Invest. 4736, 21 p., 1950.
Thickness, richness, and extent of oil shales of the Puertollano basin are presented. Data from logs of cores drilled in the basin are shown. Bureau of Mines analysis of properties of this shale are given. Development by two companies, Pennaroya and Calvo Sotelo, are discussed.

02092 Thorne, H. M.; Murphy, W. I. R.; Ball, J. S.
Characteristics and utilization of oil shale and shale oil: Ind. Eng. Chem., Vol. 43, p. 20-27, 1951.
This paper presents a general discussion of the properties and characteristics of oil shale, shale oils and their products, and presents briefly the results of major phases of the research and process development work at the Laramie, Wyoming, station of the Bur. of Mines. (From author's abstract)

02093 Thorne, H. M.; Murphy, W. I. R.; Ball, J. S.
Oil shale facts; abstract: Chem. Eng., Vol. 57, p. 241-242, Jan. 1950.
This is a discussion of the location of oil shale deposits world-wide and their potential as a source of fuel.

02094 Thorne, H. M.; Murphy, W. I. R.; Stanfield, K. E.
Green River oil shales and products - their character, processing requirements, and utilization: Chap. in

Conf. on Oil shale and Cannel Coal. Oil Shale and Cannel Coal, Proc., Vol. 2, Inst. of Petrol., London, p. 301-344, 1951.

02095 Thorne, H. M.; Stanfield, K. E.; Dinneen, G. U.; et al. Oil-shale technology, in Proceedings of the 2nd Symposium on the development of petroleum resources of Asia and the Far East: United Nations Econ. Comm. Asia and Fas East Mineral Resources Devel. Ser., No. 18, Vol. 1, p. 186-197, 1963.

02096 Thorne, H. M.; Stanfield, K. E.; Dinneen, G. U.; et al. Oil-shale technology - A reivew: U. S. Bur. of Mines Inf. Circ. 8216, 24 p., tables, 1964.
"Discusses the occurrence and estimated reserves of oil shale deposits throughout the world, the compositions of the shales, and the devices that have been developed to utilize them. (It) covers oil shale throughout the world, but emphasizes the oil shale and technology of the United States." (Bureau of Mines)

02097 Thorne, H. M.; Stanfield, K. E.; Dinneen, G. U.; et al. Oil-shale technology in United Nations, Econ. Comm. Asia and Far East (ECAFE), Sub. Comm. Mineral Resources and Devel., 2nd Symposium on the development of the petroleum resources of Asia and the Far East - U. S. Contr.: Washington, D. C., U. S. Dept. Interior, p. 211-237, tables, 1962.

02098 Thorstenson, Donald C.; Mackenzie, Fred T. Chemical transport in reducing marine sediments (abs.): EOS (Am. Geophys. Union, Trans.), Vol. 54, No. 4, p. 490, 1973.
In this study of pore waters of recent reducing marine sediments (both terrigenous and carbonate), cations, anions, Ph, sulfides, and CH_4 were examined during different seasons. Nutrietn diffusion from the sediments into the bay was measured and was suggested to affect plankton ecology.

02099 Thwaites, R. E.
The production of liquid fuels from oil shale and coal in Australia: Australian Institute of science and industry, Bull. 24, 62 p., map, 1923.

02100 Tidball, R. R.; Conner, J. J.
Distribution of elements in a black shale parent and its derivative soil, Western Kentucky (abs.): Geol. Soc. Am. Abs. Programs, Vol. 2, No. 3, p. 244-245, 1970.
Fifteen trace elements were used in weathering profiles to measure differences in trace element content in A, B, and C soil horizons and the parent rocks. Amount

of depletion of each of the elements in the soils were measured and compared. Factors and mechanisms involved in the depletions are suggested.

Tihen, Samuel S. See Burwell, E. L. 00324

Tihen, S. S. See Carpenter, H. C. 00370

Tihen, S. S. See Cottingham, P. L. 00538

Tihen, S. S. See Cottingham, P. L. 00539

02101 Tihen, S. S.; Brown, J. F.; Jensen, H. B.
Entrained-solids retorting of Colorado oil shale: product yields and properties: Ind. Eng. Chem., Vol. 47, p. 464-468, 1955.
The purpose of this investigation, conducted at Laramie, Wyoming was to establish the relationship between the quantity of volatile products produced in the retorting of shale and the retorting variables. Include figures and tables of results.

02102 Tihen, S. S.; Carpenter, H. C.; Sohns, H. W.
Thermal conductivity and thermal diffusivity of Green River oil shale: in Thermal Conductivity, 7th Conf., Gaithersburg, Md., 1967, Proc.: U. S. Natl. Bur. Standards Spec. Pub. 302, p. 529-535, illus., tables, 1968.
Data on thermal conductivites and thermal diffusivities of various grades of oil shale, retorted shales, and burned shales is presented and equations developed for calculating the two. The thermal properties are correlated with shale grade, temperature, and bedding plane orientation. Thermal diffusivities were determined from 12 grades of raw shale, and retorted and burned forms of these. Apparatus, experimental procedure, sample preparation, and calculations are shown.

02103 Tillman, John R.
The age, stratigraphic relationships, and correlation of the lower part of the Olentangy Shale of central Ohio: Ohio J. Sci., Vol. 70, No. 4, p. 202-217, illus., table, 1970.
Stratigraphy and fauna of the Upper and Lower Olentangy shales (Middle to Upper Devonian) are studied from samples taken near the type locality near Delaware, Ohio. There is little mention of organic matter in these shales, which lie below the Ohio Black Shale.

02104 Tillman, John R.
On the age of the Olentangy Shale of Central Ohio (abs): Geol. Soc. America Abs. Programs, 1969, pt. 6, North-Central Sec., p. 49, 1969.
The author contrasts the Upper and Lower Olentangy

Shale, and notes age distinction from ostracod fauna. Though brownish-black strata exist, there is no mention of floral components. These shales correlate with the Plum Brook Shale.

Timko, Donald J. See Ferth, Walter H. 00/83

Tippie, F. E. See Weller, J. M. 02308

02105 Tisot, P. R.
Alternations in structure and physical properties of Green River oil shales by thermal treatment: J. of Chem. Eng. Data, Vol. 12, No. 3, p. 405-411, 1967.
Experimental data are presented which show changes that occur in the physical structure and physical properties when oil shales of very different organic content from the Green River formation are heated under laboratory conditions. Includes figures.

02106 Tisot, P. R.
Properties of Green River oil shale: Chem. Eng. Data, Vol. 7, p. 405-410, 1962.
This study indicates that oil shale is a highly consolidated organic-inorganic system with no significant micropore structure, pore volume, or internal surface. (From p. 405) Includes figures and tables of results.

02107 Tisot, P. R.
Structural response of propped fractures in Green River oil shale as it relates to underground retorting: U. S. Bur. of Mines Rept. of Invest. 8021, 21 p., 1975.
"The structural response of propped oil shale fractures was determined for each of two different grades of Green River oil shales . . . as they were heated . . ." Experimental procedure and a discussion of results is presented. Biaxially and triaxially confined specimens of 29 and 38 gallon per ton oil shale partially to totally collapsed as evidenced by propant embedment. These studies are important in ensuring permeability during in situ processing.

Tisot, P. R. See Yarton, E. E. 00981

Tisot, P. R. See Horne, J. W. 01032

02108 Tisot, P. R.; Horne, J. W.
Waxes from shale-oil wax distillate: U. S. Bur of Mines Rept. of Invest. 4708, 21 p., 1950.
"Describes methods used in extracting refining, analyzing, and testing waxes from shale-oil distillates and lists physical properties of the waxes."

02109 Tisot, P. R.; Murphy, W. I. R.
Physical structure of Green River oil shale: Chem. Eng. Progress Symp. Ser., Vol. 61, No. 54, p. 25-32, 1965.
This paper presents information concerning particle size and article size distribution of the inorganic constituents oil shale. (From p. 25) Includes figures, photographs, and tables of results.

02110 Tisot, P. R.; Murphy, W. I. R.
Physical structure of Green River oil shale from Colorado: U. S. Bur. of Mines Rept. Invest. 6184, 24 p., illus., tables, 1963.
"Analyses oil shale in regard to distribution of organic carbon, grade limits, particle designation, surface area, and pore volume of mineral constituents, amount of organic matter in contact with mineral constituents, and other factors."

02111 Tisot, P. R.; Murphy, W. I. R.
Physiochemical properties of Green River oil shale - Particle size and particle size distribution of inorganic constituents: J. Chem. and Eng. Data, Vol. 5, No. 4, p. 558-562, incl. diagr., table, illus., Oct. 1960.
Particle size and particle-size distribution of the inorganic constituents in Green River oil shale are presented in this paper. (From p. 558) Includes schematic diagram for the preparation of organic-free shale residue for particle-size measurements.

02112 Tisot, P. R.; Sohns, H. W.
Structural deformation of Green River oil shale as it relates to in situ retorting: U. S. Bur. of Mines Rept. of Invest. 7576, 27 p., 1971.
"Structural response and/or deformation was determined for each of four different grade Green River oil shales (27.0, 34.5, 45.5, and 63.5 gal/ton) as they were heated in an inert atmosphere, under constant compressive stress, from ambient to subretorting temperatures: ... The obtained stress-strain-time-temperature relationships provide information regarding the oil shale's yield temperature, yield stress, rate of compressive strain, loss of mechanical strength, and nature of structural deformation." This study examines loss of induced permeability in in situ retorting.

02113 Tisot, P. R.; Sohns, H. W.
Structural response of rich Green River oil shales to heat and stress and its relationship to induced permeability: A. C. S. Preprints, Div. of Petrol.

Chem., Vol. 14, No. 3, p. B94-B104, Sept. 1969.
Also: 158th A. C. S. Natl. Mtg., Sept. 1969. (abs.)
An investigation was conducted to obtain data which serves as a guidelines to appraise probable engineering problems associated with designs for underground processing of oil shale. (From abstract).

02114 Tisot, Peter R.; Sohns, Harold W.
Structural response of rich Green River oil shales to heat and stress and its relationship to induce premeability: J. Chem. Eng. Data, Vol. 15, No. 3, p. 425-434, July 1970.
Structural response and/or deformation of three rich oil shales to heat and compressive stress was determined. The results provide guidelines to assess and evaluate some problems that may be associated with recovery of shale oil by underground retorting methods. (From abstract)

02115 Tissot, Bernard P.
The role of kerogen in the formation of hydrocarbons: Natl. Conf. Earth, Sci. (Papers), Vol. 19/3 (The geology of fluids and organic matter in sediments), p. 99-105, illus. (incl. table), 1973.

02116 Tixier, M. P.; Curtis, M. R.
Oil shale yield predicted from well logs (with Fr. and Span. abs.) in Drilling and production - World Petroleum Congr., 7th, Mexico, 1967, Proc., Vol. 3: London, Elsevier Publ. Co., p. 713-715, illus., 1967.

Tizot, P. R. See Dinnin, G. Yu. 00660

02117 Tohill, Bruce
Geologist describes potential of the Frontier West. Oil Rept., Vol. 32, No. 7, p. 17-18, 1975.

Tokarev, L. V. See Kozlov, V. P. 02140

Tokhein, R. E. See Murri, W. J. 01503

02118 Toman, J.; Denny, M. D.; Emerson, D. O.; et al.
Status of gas-stimulation technology employing nuclear explosions (abs.): Am. Assoc. Pet. Geol., Bull., Vol. 57, No. 4, p. 809, 1973.
Studies have concluded that the tight gas sands in the Rocky Mountain region contain a resource potential of nearly 600 tcf of natural gas. Significant results have been obtained from full-scale tests conducted.

02119 Toraska, Krystyna
Systemy kodowe wynikow baden geochemcznyck bituminow rozprodzonych, rop i gazow (Coding of geochemical data concerning disseminated bitumens, oil and gas) Przegl. Geol., Vol. 22, No. 6, p. 254-257 (incl. Eng., Russ. sum.), illus., 1974.

Totsev, D. See Angelova, G. 00040

02120 Tourtelot, Elizabeth B.
Selected annotated bibliography of minor-element content of marine black shales and realted sedimentary rocks, 1930-1965: U. S. Geol. Survey Bull. 1293, 118 p., (.60, GPO), 1970.
This bibliography presents minor-element data from analysis of black shales and related organic-rich sedimentary rocks plus selected discussions on the source of the minor-elements. (From author's introduction page V) A list of abbreviations of Serials of citations in included along with 375 abstracts of selected articles pertaining to worldwide occurrences of black shale. An index is included.

Tourtelot, Elizabeth B. See Vine, James D. 00256

Tourtelot, Elizabeth B. See Vine, James D. 00257

02121 Tourtelot, Harry A.
Preliminary investigation of the geologic setting and chemical composition of the Pierre Shale, Great Plains region: U. S. Geol. Survey Prof. Paper 390, 74 p. (out of print), 1962.
The range of variation in chemical and mineralogical composition of samples from widely scattered localities in Montana, Wyoming, and South Dakota is studied. "Standard rock analyses for a set of 22 samples are given, together with chemical and semiquantitative spectrographic analyses for minor elements, size analyses, X-ray mineralogical determinations, and measurement of slurry pH. (Author) Weathered and fresh shale samples are compared.

02122 Tourtelot, Harry A.
Radioactivity and uranium content of Cretaceous shale, central Great Plains: Am. Assoc. Pet. Geol. Bull., Vol. 40, p. 62-82, 1956.
The Sharon Springs Member of the Pierre Shale (Late Cretaceous) was investigated for uranium and other trace element content. The uranium content was determined from ouctrop and subsurface gamma-ray log data. The origin of uranium in this member is examined.

02123 Tourtelot, Harry A.
Radioactivity and uranium content of some Cretaceous shales central Great Plains: U. S. Geol. Surv. Trace Elem. Invest. Rept. 298, 41 p., map, diagrs., tables, 1955.

02124 Tourtelot, Harry A.
Reconnaisance for uraniferous rocks in the northeastern Wind River Basin, Wyoming: U. S. Geol. Surv. Trace Elem. Mem. Rept. No. 445, 14 p., maps, table, 1952.

Tourtelot, Harry A. See Donnell, John R. 00685

Tourtelot, H. A. See Donnell, John R. 00686

Tourtelot, H. A. See Breger, Irving, A. 00261

02125 Tourtelot, Harry A.; Donnell, John R.; Tailleur, Irvin L.
Oil yield and chemical composition of shale from northern Alaska (Fr. and Span. abs.): in Drilling and production - World Petroleum Cong., 7th, Mexico, 1967, Proc., Vol. 3: London, Elsevier Publ. Co., p. 707-711, tables, 1967.

02026 Tourtelot, Harry A.; Tailleur, I. L.; Donnell, J. R.
Tasmanite and associated organic-rich rocks, Brooks Range, Northern Alaska (abs.): Geol. Soc. Am. Spec. Pap. 101, p. 222-223, 1968.
This article notes Mesozoic rocks which are composed of a high % of Tasmanites, which yield as much as 150 gal. oil/ton rock. Also cited are deposits of a black papery coal that contains no observable plant structure, but assays 40 gal. oil/ton rock.

02127 Trager, Earl A.
A resume of the oil shale industry, with an outline of methods of distillation: Am. Assoc. Pet. Geol. Bull., Vol. 4, No. 1, p. 59-71, 6 figs., 1920.
A brief review of the shale oil industry, the petroleum shortage, and occurrences of oil shales in the U. S. is given. Apparatus, method of testing, and calculation of results is given for both field and laboratory investigations. A method is also given for the determination of nitrogen in oil shale.

02128 Trask, P. D.
Origin and environment of source of petroleum: Houston Texas, Guld Publishing Co., 373 p., 1932.
Observes that organic content of recent sediments increases in the small size fractions (Hoover, 1960).

Traverse, Alfred See Warg, Jamison B. 02284

02129 Triplehorn, Don M.
Excello Shale, northeastern Oklahoma, clue to locating buried reefs - Discussion (of paper by M. M. Cassidy, 1968): Am. Assoc. Pet. Geol. Bull., Vol. 52, No. 11, pt. 1, p. 2265, 1968.
The author questions the earlier hypothesis advanced by Cassidy of a reef north of the Kansas-Oklahoma border controlling deposition of the two major facies of the Excello Shale, a black Mississippian-Pennsylvanian shale. The author suggests the reef may not have been high enough or wide enough to separate the organic matter. He also questions the use of kaolinite as an indicator of acidic conditions.

02130 Tripp, J. G.; Guthrie, Boyd
Oil shale as a source of synthetic liquid fuels (abs.): Pet. Processing, Vol. 3, p. 404, 1948.

Trotter, F. J. See Lankford, J. D. 01282

Trudell, L. G. See Stanfield, K. E. 02002

Trudell, L. G. See Stanfield, K. E. 02001

Trudell, L. G. See Smith, J. W. 01950

Trudell, Laurence G. See Smith, John Ward 01951

Trudell, Laurence G. See Smith, John Ward 01945

Trudell, L. G. See Smith, J. W. 01946

Trudell, L. G. See Smith, J. W. 01947

Trudell, L. G. See Smith, John Ward 01949

Trudell, L. G. See Smith, J. W. 01948

02131 Trudell, L. G.; Beard, Thomas N.; Smith, J. W.
Green River Formation lithology and oil shale correlations in the Piceance Creek Basin: U. S. Bur. of Mines, Rept. Invest. No. 7357, 212 p., 1970.
"A geologic framework for interpreting stratigraphic and geographic variations of the Green River Formation in the Piceance Creek basin is developed from lithologic data accumulated . . . from oil shale coreholes . . . Three cross sections were constructed along lines transecting the basin. Plotted as lithologic columns with corresponding oil yields and resistivity logs, the samples sections are correlated on a time stratigraphic basis. Distribution and correlation of nahcolite and halite zones are shown, and the

approximate base of leaching . . . is indicated. General lithologic characteristics of members and zones are discussed and interpreted." (Bureau of Mines)

02132 Trudell, L. G.; Beard, Thomas N.; Smith, J. W. Stratigraphic framework of Green River Formation oil shales in the Piceance Creek Basin, Colorado: Rocky Mt. Assoc. Geol., Field Conf., Guideb., No. 25, Guideb. to the Energy Resour. of the Piceance Creek Basin, Colo., p. 65-70, 1974.
Correlations of the Green River Formation oil shales are used in developing a framework that providing a basis for evaluating the deposits of oil shale and some saline minerals. A description is made of the three lithologic zones and lithologic and oil yield logs are presented.

02133 Trudell, L. G.; Roehler, H. W.; Smith, J. W. Geology of Eocene rocks and oil yields of Green River oil shales on part of Kinney Rim, Washakie Basin, Wyoming: U. S. Bur. of Mines, Rept. Invest. No. 7755, 151 p., 1973.
Geology and oil yield data are presented for a 58 square mile area encompassing oil shale leased tracts in Washakie basin, Wyoming. Mineable sections of Laney Member averaging up to 25 gallons of oil per ton of shale are shown and reserves estimated. Oil shale in a section of the Tipton Shale Member is also discussed.

02134 Truex, John N.
Fractured shale and basement reservoir, Long Beach Unit, California: Am. Assoc. Pet. Geol., Bull., Vol. 56, No. 10, p. 1931-1938, illus., (incl. sketch maps), 1972.
A Miocene black shale that contains oil in fractures has been producing oil since 1945. Local stratigraphy is shown, and this shale is correlated with the Altamira Shale. The method of oil accumulation and migration is suggested.

Tsaros, Ch. L. See Linden, Kh. R. 01325

02135 Tschanz, C. M.; Laub, D. C.; Fuller, G. W. Copper and uranium deposits of the Coyote district, Mora County, New Mexico: U. S. Geol. Surv. Bull. 1030-L, p. 343-398 (out of print)(analyses of uraniferous black shales: p. 360-366), 1958.
This article discusses copper deposits occurring in carbonaceous shale and uranium deposits occurring in associated sandstone. A suggestion of the origin of the metals is Pre-Cambrian granitic rocks. Strati-

graphy of these rocks, the Magdalena Group, Sangre de Cristo Formation, and other minor formations are given. Analytical data measuring Cu, U, and V_2O_5 is given.

02136 Tucker, D. J.
Changing energy picture (ABC's of the energy crunch). Privately published, Dallas, Tex., 26 p., 1976.

02137 Tufft, H. E.
Subject lists of Reports of Investigations issued during 1923: U. S. Bur. of Mines Rept. of Invest. 2568, 6 p., 1923.

02138 Tulsa Public Library, Technical Department
Oil shale; Petroleum bibliography No. 1, 11 p., Tulsa, Okla., Nov. 1942.

02139 Tulsa Public Library, Technical Department
Supplement to petroleum bibliography No. 1 (Oil shale), 1942-1945, 1 p., 1945.

2140 Turner, A.
Computer aided environmental impact analysis: Part 2, Applications. Colo. Sch. Mines, Miner. Ind. Bull., Vol. 19, No. 3, 16 p., 1976.
Three applications of computer programs to environmental studies are presented. Coal, oil, oil shale, and natural gas reserves and the impact of their recovery and utilization are measured in "A Regional Environmental Study in North-western Colorado." Eight oil shale resource maps of the area are illustrated.

Turner, T. L. See Huggins, Charles W. 01055

02141 Tverdova, R. A.; Aref'yev, N. V.
A geneticheskoy prirode bitumoidova paleozoyskikh otlozheniy Volgogradskogo Povolzh'ya (Origin of bitumens from Paleozoic sedimentary rocks in the Volgograd area of the Volga region): Geol. Nefti Gaza, No. 7, p. 60-66, tables, 1975.

02142 Twelvetress, William H.
The Tasmanite shale fields of the Mersey District: Tasmania Geol. Surv. Bull. No. 11, 123 p., incl. plates, maps, diagr., tables, 1911.

02143 Twenhofel, W. H.
Environments of origin of black shales: Am. Assoc. Pet. Geol. Bull., Vol. 23, p. 1178-1198; (abs.), Oil Weekly, Vol. 93, No. 3, p. 69, 1939.
Explanations of origins reviewed; considers origin of black color, depositional environments.

02144 Tyzhnov, A. V.
Ugol' i goryuchiye slantsy (Coal and bituminous shale): in Uspekhi v izucnenii glavneyskikh osadochnykh poleznykh iskopayemykh v SSSR, p. 17-39, Akad. Nauk SSSR, Lab., Osad., Polez, Iskop., Moscow, 1967.

02145 Udas, G. R.; Mahadevan, T. M.
Controls and genesis of uranium mineralization in some geological environments in India: in Formation of Uranium Ore Deposits (see Nininger, R. D.): Sedimentary basins and sandstone-type deposits: Sedimentary deposits in other areas, Proc. Ser., No. STI/PUB/374, p. 425-436, 1974.
The favorability factors influencing localization of uranium are discussed in relation to some selected geological environments in India. The association of uranium with the copper-lead-zinc mineralization in the Bihar-Madya Prodesh-Rajasthan Metallogenic province and the tectonic controls in localization of uranium are briefly discussed. (From abstract)

02146 Udden, J. A.
Artesian wells in Peoria and vicinity: Ill. Geol. Surv. Bull. 8, p. 313-334: Ill. Geol. Survey Extract Bull. 8, 22 p., 1908.
Brief mention of Sweetland Creek Shale, Includes well records, columnar sections.

02147 Udden, J. A.
The eastward extension of the Sweetland Creek Shale in Illinois: Ill. Acad. Sci. Trans. (1911), Vol. 4, p. 103-107, 1921.
Discusses occurrences of Sweetland Creek Shale in Illinois. Includes well records, lithologic descriptions.

02148 Udden, J. A.
The Sweetland Creek Beds: J. Geol., Vol. 7, p. 65-78, 1899.
Discussion of Sweetland Creek Shale in Musctaine County, Iowa. Considers lithology, structural relations, fossils, etc. Includes section descriptions.

Udder, J. A. See Savage, J. E. 01827

02149 Ulrich, E. O.
Fossiliferous boulders in the Quachita "Caney" shale and the age of the shale containing them: Norman, 1927, 48 p. wraps. Oklahoma geological Survey Bull. #45.
Description of Quachita Caney boulders in terms of lithologic character and faunal content. Age and geographic origin of the boulders and related formations.

02150 Ulrich, E. O.
Kinderhookian age of the Chattanooga Series: Geol. Soc. Am. Bull., Vol. 26, p. 96-99, 1915.
Considers Chattanooga Shale to be Kinderhookian.

02151 Ulrich, E. O.
Quarrying industry in Missouri: in E. R. Buckley and H. A. Buehler; Missouri Bureau of Geology and Mines, Vol. 2, 371 p., 1974.

02152 Uluots, Yu. O.
Tekhnologiya dobyshi slantsa V kar'yere No. 1 tresta "Estonslanets" (The technology of shale mining i open pit mine number 1 of the Estonia shales): in Razrabitja u usoik'zavaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 140-141, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

02153 Underwood, Lloyd B.
Classification and identification of shales -- Closure (to discussion of paper 5560, 1967): Am. Soc. Civil Engineers Proc., Vol. 95, J. Soil Mechanics and Found. Div., No. SM5, p. 1259-1260, 1969.
This is a discission of some engineering aspects involved in the classification and identification of shales.

Unger, Harold F. See Morrell, Roger G. 01474

Union Carbide, Oak Ridge Gaseous Diffusion Plant See Arendt, J. W. 00050

Union Carbide, Oak Ridge Gaseous Diffusion Plant See Arendt, J. W. 00051

Union Carbide, Oak Ridge Gaseous Diffusion Plant See Arendt, J. W. 00049

02154 United Nations Resources Conference
Papers relating to petroleum, natural gas, shale-oil, and synthetic fuels summarized: Petrol. Eng., Vol. 21, p. A44-45, 48, 53, 55, 58, Oct. 1949.

02155 United States Atomic Energy Commission
Geologic investigations of radioactive deposits: United States Atomic Energy Comm., Technical Information Service, Oak Ridge, Tenn., TEI-440, 250 p., 1954.
Extensive discussion of investigations of uranium deposits in the United States. Comments of urnaium contents of black shales.

02156 U. S. Atomic Energy Commission
An investigation of the minerology, petrography, and palebotany of uranium-bearing shales and lignites: 5th Annual Report, April 1955 - March 1956. Oak Ridge Tech. Inform. Serv. Exten. Diagrs., tables, 1956.
"Qualitative and semi-quantitative mineralogical and quantitative chemical analyses have been made of 205 Chattanooga shale samples and 130 samples of shales from Pennsylvania, New Mexico, France, and Sweden. Heavy minerals, pyrite, feldspars, and bentonite were discussed in qualitative mineralogy. From the nine Chattanooga cores, regional variations and correlations were studied.

02157 United States Atomic Energy Commission
Recovery of uranium from Chattanooga Shale (Final Report): U. S. Atomic Energy Commission RMO-4015, 256 p., (sketches, charts, tables), Mineral Beneficiation Laboratory, Columbia University, New York, N. Y., 1960.
Summary of a project designed to find one or more methods of beneficiation Chattanooga shales for their uranium content, and the technico-economic evaluation of the process.

02158 United States Atomic Energy Commission
Recovery of uranium from Chattanooga shale - cost estimation of an Ion Exchange Plant: U. S. Atomic Energy Comm. Topical Report 401/. Mineral Beneficiation Laboratory, Columbia University, New Yor, N. Y. 54 p., 1959.
Fixed bed ion exchange and amine complexant solvent extraction were studied as methods to recover uranium from Chattanooga Shale leach solutions. The study provides a general picture of the cost of recovery by ion exchange.

02159 United States Aomtic Energy Commission
Recovery of uranium from Chattanooga shale - cost estimation of a solvent extraction plant: U. S. Atomic Energy Comm. Topical Rept. RMO-4016, Mineral Beneficiation Laboratory, Columbia University, New York, N. Y., 61 p., 1959.
Fixed bed ion exchange and amine complexant solvent extraction were studied as methods to recover uranium from Chattanooga shale leach solutions. The study provides a general picture of the cost of recovery by solvent extraction.

02160 U. S. Bureau of Land Management Washington, D. C.
Final environmental impact statement, proposed development of oil shale resources by the Colony Development Operation in Colorado; Volume II: U. S. Gov. Print.

Off., Washington, D. C., variously paginated p., 1977.
Consultation and coordination in the development of the draft environmental statement is discussed, and public comments and responses are given.

02161 U. S. Bureau of Mines - Pet. Research Laramie, Wyo.
Application of nuclear explosions to oil shale utilization Prepared for U. S. Bur. of Mines - AEC - Industry Meeting, Dallas, Texas, 27 p., Jan. 1959.

02162 U. S. Bureau of Mines
A bibliography of publication dealing with oil shale and shale oil: U. S. Bur. of Mines, 1917-1974, and the ERDA Laramie Energy Research Center, 1975-1976. Laramie Energy Research Center (1977). 51 p. Paper Copy, $5.25; microfiche, $3.00: from National Technical Information Service, Springfield, VA 22161.
This bibliography includes Bureau of Mines and private publications, and has roughly 650 listings, arranged by year.

02163 U. S. Bureau of Mines
Mineral facts and problems. Chapter on Oil Shale: U. S. Bur. of Mines Bull. 585, p. 573-580, 1960.
General view of oil shale grades and properties, locations, age, mining, retorting, refining, reserves, outlook, and problems. Experimental work in Colorado is discussed.

02164 U. S. Bureau of Mines
Oil shale, America's fuel ace in the hole: Oil and Gas J., Vol. 45, No. 17, p. 68-69, 97-98, 100, 8 figs. (incl. index map), Aug. 31. 1946.
This article discusses the American reserves of oil shale, the demonstration plant under construction at Rifle, Colo., and research laboratory at Laramie, Wyoming. The nature of American oil shale and problems of the indstruy are mentioned. Also discusses are a few early attempts at deriving shale oil.

02165 U. S. Bureau of Mines
Oil-shale demonstration plant: U. S. Bureau of Mines release. Pet. Eng., Vol. 18, p. 87, July 1947.

02166 U. S. Bureau of Mines
Oil from oil shale. 1948 Ann. Rept. of the Secretary of the Interior on synthetic liquid fuels, Part II: U. S. Bur. of Mines Rept. of Invest. 4457, 55 p., 1949.
Summarizes progress made by Bureau of Mines in 1948 toward development of industrial methods for producing

synthetic liquid fuels from oil shale. Mining, crushing, retorting, and refining of shale at the Rifle, Colo., facility is summarized. Oil shale and shale oil research and development at Laramie experiment station is discussed.

02167 U. S. Bureau of Mines
Oil from oil shale; 1949 Ann. Rept. of the Secretary of the Interior on synthetic liquid fuels, Part II: U. S. Bur. of Mines Rept. of Invest. 4652, 70 p., 1950.
"Deals primarily with progress made in producing synthetic liquid fuels from oil shale." Mining, crushing, retorting, and refining of shale at Rifle, Colo. facility is summarized. Oil shale and shale oil research and development at Laramie experiment station is discussed.

02168 U. S. Bureau of Mines
Oil from oil shale. 1950 Ann. Rept. of the Secretary of the Interior on synthetic liquid fuels, Part II: U. S. Bur. of Mines Rept. of Invest. 4771, 89 p., 1951.
"Deals primarily with progress made in producing synthetic liquid fuels from oil shale." Mining, crushing, retorting, and refining of shale at Rifle, Colo., facility is summarized. Oil shale and shale oil research and development at Laramie experiment station is discussed.

02169 U. S. Bureau of Mines
Oil from oil shale: 1951 Ann. Rept. of the Secretary of the Interior on synthetic liquid fuels, Part II, U. S. Bur. of Mines Rept. of Invest. 4866, 86 p., 1962.
"Deals primarily with progress made in producing synthetic liquid fuels from oil shale." Mining, crushing, retorting, and refining of shale at Rifle, Colo., facility is summarized. Oil shale and shale oil research and development at Laramie experiment station is discussed.

02170 U. S. Bureau of Mines
Oil from oil shale: 1952 Ann. Rept. of the Secretary of the Interior on synthetic liquif fuels, Part II, U. S. Bur. of Mines Rept. of Invest. 4943, 70 p., 1953.
"Deals primarily with progress made in producing synthetic liquid fuels from oil shale." Mining, crushing, retorting and refining of shale at Rifle, Colo., facility is summarized. Oil shale and shale oil research and development at Laramie experiment station is discussed.

02171 U. S. Bureau of Mines
Oil from oil shale: 1953 Ann. Rept. of the Secretary of the Interior on synthetic liquid fuels, Part II, U. S. Bureau of Mines Rept. of Invest. 5044, 55 p., 1954.
Mining, oil shale retorting development and engineering development, refining engineering development, and lab testing at the Rifle, Colo., facilities are discussed. Laboratory research at Laramie experiment station included work on entrained solids retort, hydrogenation, and retorting Brazilian and Chattanooga oil shales. Shale oil research and analyses of gas-oil fraction, shale-oil naptha, and oxygen-bearing products are also discussed.

02172 U. S. Bureau of Mines
Oil from oil shale: 1954 Ann. Rept. of the Secretary of the Interior on synthetic liquid fuels, Part II. U. S. Bur. of Mines Rept. of Invest. 5119, 115 p., 1955.
Mining, oil shale processing, and shale oil refining at Rifle, Colo., facilities are discussed. Pilot plant and engineering scale retort activities at Rifle are also discussed. Laboratory research at Laramie experiment station included studies on composition, properties, and yield of shale oil processed products. Analyses of Brazilian oil shales, and destructive hydrogenation are among other topics described.

02173 U. S. Bureau of Mines
Oil from oil shale: 1955 Ann. Rept. of the Secretary of the Interior on synthetic liquid fuels, Part II. U. S. Bur. of Mines Rept. of Invest. 5237, 80 p., 1956.
Mining, oil shale retorting and refining at Rifle, Colo., facilities are discussed. Runs on the 25 and 150 ton retorts, particle size, nucleation, and combustion-zone studies are among retorting topics discussed. Laboratory research conducted at the Laramie experiment station are also described.

02174 U. S. Bureau of Mines
Oil-shale plant: Pamphlet for distribution to observers of oil-shale display, 6 p., Sept. 1953, (GPO 830496).

02175 U. S. Bureau of Mines
Production of oil from oil shale: U. S. Federal Oil Conservation Board to the President of the U. S., Rept. II, Appendix II, p. 15-20, 1928.

02176 U. S. Bureau of Mines
Some concise information on oil shales. Chem. Age, (N. Y.) Aug. 1919, p. 123-124. See also Oil Gas J., Vol. 17, Feb. 28, 1919, p. 52; Salt Lake Min., Rev., Vol. 21, No. 3, 1919, p. 25-26; Railroad Red Book, Vol. 36, p. 317-318, 1919.
This article compares products obtainable from American and Scottish shale oils. The use of shale oils to alleviate future petroleum supply problems is metnioned and the cost of retorted oil versus crude oil is discussed. Production of ammonium sulfate is also mentioned.

02177 U. S. Bureau of Mines
A symposium on Western oil shale. Railroad Red Book, Vol. 36, p. 543, 545-549, 551-552, 1919.

02178 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines. Mineral Resources of the U. S., Part II, Nonmetals, p. 456-458, 1924.
Amount of oil and specific gravity of oil from three American plants which processed oil shale is presented, along with a table showing world oil shale production in the years 1920-1924.

02179 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines. Mineral Resources of the U. S. Part II, Nonmetals, p. 590-592, 1927.
Table of world oil shale production in the years 1923-1927 is shown. American operations of Pumpherston and NTU retorts at Bureau of Mines Rulison, Colo., plant is discussed.

02180 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines. Mineral Resources of the U. S., Part II, Nonmetals, p. 703, 1928.
Table of world production of oil shale, 1924-1928 is shown. Operations of Bureau of Mines plant at Rulison, Colo., is briefly discussed. NTU and Pumpherston retorts are briefly discussed.

02181 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines. Mineral Resources of the U. S., Part II, Nonmetals, p. 519-520, 1929.
Table of world production of oil shale production, 1925-1929 is presented. Operations of Pumpherston and NTU retorts at Bureau of Mines Rulison plant and discussed.

02182 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines. Mineral Resources of the U. S., Part II, Nonmetals, p. 875, 1930.
Table of world production of oil shale in each of the years 1926-1930 is given. It was noted that there was no U. S. production in the year 1930.

02183 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines: Mineral Resources of the U. S., Part II, Nonmetals, p. 669, 1931.
Table of world production of oil shale 1927-1931, is shown. Decline of oil shale industry is mentioned.

02184 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines: Minerals Yearbook, Statistical Appendix, p. 278, 1934.
Table of world production in the years 1929-1933, is given.

02185 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines. Minerals Yearbook, Statistical Appendix, p. 440, 1935.
Table of world production of oil shale in each of the years 1930-1934 is given.

02186 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines. Minerals Yearbook, p. 702, 1936.
Table of world production of oil shale in the years 1931-1935 is given.

02187 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines, Minerals Yearbook, p. 1048, 1937.
Table of world production of oil shale in the years 1932-1936 is given.

02188 U. S. Bureau of Mines
World production of oil shales and shale oils: U. S. Bur. of Mines. Minerals Yearbook, p. 895-896, 1938.
Tables of world production of oil shale in each of the years 1933-1937 is given.

U. S. Bureau of Mines See Linville, B. 01536

02189 U. S. Bur. of Mines, Petroleum Research Staff
Petroleum and oil shale research at the Bur. of Mines, Fiscal Year 1966: U. S. Bur. of Mines Inform. Circ. 8364, 52 p., 1968.
99 scientific and technical reports published between July, 1965 and July, 1966, having to do with petroleum, natural gas, or oil shales, are cited with abstracts. A list of research projects and their purposes are also given. Completion of a bulletin on the oil-shale gas combustion retort was noted as significant.

02190 U. S. Bureau of Mines Staff
An economic analysis of an oil shale, nahcolite, dawsonite, complex in Colorado, Option III, Circa, 1971. Open File Report No. 33-72, 176 p., 1972. Available for reference during working hours at Bureau of Mines libraries in Denver, Colo.; Laramie, Wyo.; San Fransisco, Calif.; Bartlesville, Okla.; Morgantown, W. Va.; and at the Central Library, U. S. Dept. of the Interior, Washington, D. C.
A two-level shaft mining operations, retorting, partial refining and a mineral processing plant requires a capital investment of $605,947,700 in 1971 dollars to process 8,000 tons per day of nahcolite ore and 60,000 tons of the mineral containing oil shale. (From abstract)

02191 U. S. Bureau of Mines Staff
Technologic and related trends in the mineral industries, 1973: U. S. Bur. of Mines Inform. Circ. 8643, 52 p., 1974.
Three paragraph section cites companies involved in oil shale projects. Projections for shale oil production are given in terms of price and amount.

02192 U. S. Bureau of Mines Washington, D. C.
Bureau of Mines Research 1971; a summary of significant results in mining metallurgy and energy: U. S. Bur. of Mines, Res., Vol. 1971, 61 p., 1971.

02193 U. S. Bureau of Mines Washington, D. C.
Bureau of Mines Research 1972, a summary of significant results in mining metallurgy and energy: U. S. Bur. Mines, Bur. Mines Res., Vol. 1972, 82 p., 1972.

02194 U. S. Bureau of Mines Washington, D. C.
Bureau of Mines Research 1973, a summary of significant results in mining metallurgy and energy: U. S. Bur. Mines, Bur. Mines Res., Vol. 1973, 107 p., 1973.

02195 U. S. Congress. House. Committee on Public Lands. Applications for patent on oil-shale lands: Consolidated hearings before the Committee on the public lands, House of Representatives, Seventy-first Congress, 2nd session on H. R. 3754, H. R. 12802, H. R. 13191, H. R. 15002, H. R. 15130, H. R. 15131, H. R. 15132, pts. 1-3 Washington, U. S. Govt. Printing office. 188 p., tables, 1931.

02196 U. S. Congress. Office of Technology Assessment. Status report on the gas potential from Devonian shales of Appalachian Basin: 81 p., illus. (incl. tables), 1977. Available from U. S. Govt. Print. Off., Washington.

This report "estimates recoverable gas reserves, describes reservoir characteristics and recovery techniques; analyses economic feasibility of and obstacles to gas production; and reviews energy options for price, tax, research and development, and information policies to encourage production."

02197 U. S. Congress. Senate Subcommittee on Energy Research Development

Petroleum industry involvement in alternative sources of energy: 385 p., illus., (incl. tables), U. S. Govt. Print. Off., 1977.

In this article, the location of U. S. reserves of coal, geothermal energy, oil shale, and uranium are shown along with area of these reserves currently held by the petroleum industry. Non-petroleum research and development by oil companies is cited along with federally and internally funded research projects.

02198 U. S. Department of Commerce

A bibliography of publications dealing with oil shale and shale oil from U. S. Bur. of Mines, 1917-1974, and the ERA Laramie Energy Research Center, 1975-1976: Laramie Energy Research Center LERC/RI-77/7, Laramie, Wyoming. Sept. 1977.

02199 U. S. Dept. of the Interior

Hearings December 1, 1926 before the Secretary of the Interior on the question of what constitues a sufficient discovery to support the claim of an oil shale locator under the general mining laws. Mimeographied, Washington, 1926.

02200 U. D. Department of the Interior

Oil-shale demonstration plant: U. S. Dept. of the Inter. Rept. of the Dept. of the Interior, p. 37-40, 1945.

02201 U. S. Department of the Interior

Oil-shale demonstration plant: U. S. Dept. of the Interior. Rept. of the Dept. of the Interior, p. 61-68, 1946.

02202 U. S. Department of the Interior
Oil-shale demonstration plant: Report of the Dept. of the Interior, p. 1-28, 1947.

02203 U. S. Department of the Interior
Oil-shale mining: U. S. Dept. of the Interior. Rept. of the Dept. of the Interior, p. 41-42, 1945.

02204 U. S. Department of the Interior
Oil-shale mining: U. S. Dept of the Interior. Rept. of the Dept. of the Interior, p. 68-78, 1946.

02205 U. S. Department of the Interior
Oil-shale mining: Report of the Dept. of the Interior, p. 6-12, 1947.

02206 U. S. Department of the Interior
Oil-shale research and development: U. S. Dept. of the Interior. Rept. of the Dept. of the Interior, p. 22-36, 1945.

02207 U. S. Department of the Interior
Oil-shale research and development: U. S. Dept. of the Interior, Rept. of the Dept. of the Interior, p. 43-60, 1946.

02208 U. S. Department of the Interior
Oil-shale research and development: Report of the Dept. of the Interior, p. 51-80, 1947.

02209 U. S. Department of the Interior, Bureau of Land Management
Proposed development of oil shale resources by the Colony Development operation in Colo. Variously pagniated, p., 1977. Vol. I.
"This statement is an analysis of environmental impacts that may result from proposed Federal actions in connection with development of an oil shale plant, mine, service corridor, land exchange, products pipeline, water use contracts, and power line corridor by Colony Development Operation." A description of the environment, environmental impacts of the proposed action, mitigating measures, short term environment and long term productivity relationships, and alternatives to the action are given.

02210 U. S. General Land Office
REgulations concerning oil shale leases authorized by act of February 25, 1920 (Public No. 146), Approved March 11, 1920: Washington, Govt. Print. Off., 15 p., 1920.

02211 U. S. Geological Survey
Energy Resources map of Colorado: U. S. Geol. Surv. Misc. Invest. Ser., No. I-1039, econ. geol. map 1:500,000, 1977.
Coal, oil shale, uranium, geothermal, petroleum, and natural gas districts of deposits are shown. Rich oil shale zones are separated from poorer or unevaluated zones. Electrical generating stations and major transmission lines are also shown. Structure line shows base of Parachute Creek Member of Green River Formation.

02212 U. S. Geological Survey
Geological investigations of radioactive deposits: U. S. Geol. Surv. Trace Elem. Inv. Rept. 330, 390. With Atomic Energy Comm. Maps, diagrs., tables, 1953.
Summaries of studies of uranium localities are divided into types of deposits, then into sections of the country. Black shale reports include a drilling program in the Chattanooga Shale in De Kalb Co., Tenn. Mentioned also is the Pierre Shale in Nebraska and South Dakota.

02213 U. S. Geological Survey
Geology of Naval Oil Shale Reserves 1 and 3, Garfield Co., Colo.: U. S. Geol. Surv., Oil Invest., Map No. 24, 2 sheets, Geol. map, 1949.

02214 U. S., Interagency Oil Shale Planning Panel
Accelerated oil shale in situ research: a national program: 47 p., illus. (incl. sketch maps), 1975. Available from: Energy Res., Dev. Adm., Laramie, Wyo., United States.
This article discusses a program developed to overcome the technical obstacles that have retarded in situ development. Financial responsibility for the nationwide program is suggested. Three areas of research would include: 1-in situ production of liquids (including fracturing techniques), 2-modified in situ production of liquids, and 3-in situ production of gases.

02215 U. S. Library of Congress. Division of Bibliography
List of references on oil-bearing shales and the oil shale industry: Washington, 1916.

02216 U. S. National Research Council
Drilling for energy resources: Energy Resources Washington, D. C., 67 p., 1976.

02217 University of California, Lawrence Livermore Lab
Hydrogeochemical and stream sediment survey (NURE): preliminary report on the Cave Valley Basin pilot study (Nevada): p. 44, tables, sketch map, 1976. (Rep.

No. GJBX-43-76)(Rep. No. UCID-16911OP-4) Available from: U. S. Energy Res. and Dev. Adm., Washington, D. C. United States.
Part of a survey whose purpose is to develop a geochemical data base for use by the private sector to locate regions of anamalous uranium content. Analytical data, treatment of samples, and sample locations are presented in this report. Geochemical interpretations are not presented. This study characterizes carbonate surface lithology with a known U content.

02218 University of California, Lawrence Livermore Lab Hydrogeochemical and stream sediment survey (NURE); Preliminary report on the Smoke Creek Desert Basin Pilot Study (Nevada): p. 44, illus. (incl. tables; maps, 1:250,000), 1976. (Rep. No. GJBX-42(76)) (Rep. No. UCID-16911OP03) Available from: Univ. Calif., Lawrence Livermore Lab., United States.
Part of a survey shows objective is to develop a geochemical data base for use by the private sector to locate regions of anomalous U content. Analytical data, treatment of the samples, and sample location are presented in this report. Geochemical interpretations are not presented. This study characterizes igneous surface geology with known U content.

02219 University of California, Lawrence Livermore Lab Hydrogeochemical and stream sediment survey (NURE); Preliminary report on the Winnemucca Dry Lake Basin Pilot Study (Nevada): p. 44, illus. (incl. tables; maps 1:250,000), 1976. (Rep. No. GJBX-411/6)(Rep. No. UCID-16911-P-2) Available from: Univ. Calif., Lawrence Livermore Lab., United States.
Part of a survey whose objective is to develop a geochemical data base for use by the private sector to locate regions of anomalous uranium content. Analytical data, treatment of samples, and sample locations are presented in this report. Geochemical interpretations are not presented. This study characterizes igneous surface geology with known U content.

02220 University of California, Lawrence Livermore Lab Hydrogeochemical and stream-sediment survey (NURE), western United States, quarterly progress report, January 1 through March 31, 1976: p. 15, illus. (incl. tables, sketch map), 1976 (Rep. No. GJBX-26)(Rep. No. UCID-16911-76-1, Rev. 1) Available from: U. S. Energy Res. and Dev., Adm., Washington, D. C., United States.
Highlights of the quarter are presented. They

included sampling of the Walker River basin, selection of four playa basins for study, and acceptance or rejection of sample handling and analytical methods.

02221 University of California, Lawrence Livermore Lab.
Preliminary report of the Walker River basin study (California/ Nevada): p. 104, tables, 1976. (Rep. No. GJBX-46)(Rep. No. UCID-16911-P-1) Available from: U. S. Energy Res. and Dev. Adm., Washington, D. C., United States.
Part of a survey whose objective is to develop a geochemical data base for use by the private sector to locate regions of anomalous uranium content. Analytical data, treatment of samples, and sample locations are presented in this report. Geochemical interpretations are not presented. This study characterizes igneous surface geology with known U content.

02222 University Council on Water Resources Lincoln, Nebr.
Energy, environment and water resources: Nebraska, Univ. Counc. Water Res., Lincoln, Nebr., 382 p., 1974.

02223 University of Oklahoma, Science and Public Policy Program Norman, Okla.
Energy alternatives; a comparative analysis, variously paginated p., 1975.

02224 Hoskins, Dzh. U.; Sons, G. V.
Podzemnaya peregonka slantsev (underground distillation of shale): in Razrabotka: ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 338-347, illus. (incl. tables), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

Upadhyay, R. P. See Hoskins, W. N. 01035

02225 Urbani, F. R.
Geology of the Oritapo-Cabo Codera-Capaya area, Federal District and Miranda Geologia del area of Oritapo-Cabo Codera-Capaya, D. F. y estado Miranda: Univ. Central Venez., Lab. Petrogr. y Geoquim., Caracas, 191 p., 1977.

02226 Urov, K. E.
Ob obshchnosti osnovnykh chert stroyeniya uglerodnogo skeleta kerogena vysoko i nizkosernistykh goryuchikh slantsev (Similarity of principle features in the structure of the hydrocarbon framework of kerogen from high and low sulfur oil shales): in Issledovanniya organicheskogo veshchestva sovremenykh i iskopayemykh osadkov (Vassoyevich, N. B., ed., et al.) p. 292-298, illus. incl. table, Izd. Nauka, Moscow, USSR, 1976.

02227 Uspensky, V. A.
Ob organicheskeom veshchestue diktinonmeovogo slantsa: Khim. Tuerdogo Topliva, Vol. 9, No. k, p. 7-17, (Distyonema shale in Leningrad regions, U. S. S. R.) (in Russian), 1958.

02228 Uspenskiy, V. A.; Pen'kev, V. F.
Osnovnyye tipy uransoderzhashchikh organicheskikh veshchestv v garnykh perodakh (uranium - bearing organic materials in rocks): Akad. Nauk USSR, Sib., Otd., Inst. Geol. Geo., fiz., Tr., No. 286 (Radioaktivnyye elemarty v gornykh porodakh). p. 63-67, illus. (incl. tables), 1975.

Uspenskiy, V. A. See Sokolova, W. T. 01976

02229 Ute Oil Company
Views of Utah oil shales and wells: St. Louis, 16 p., illus., 1918.

02230 Utter, S.
Advanced mining technology of oil shale: Colo. Sch. Mines, Q., Vol. 71, No. 4 (Proceedings of the Ninth oil shale symposium), p. 177-197, illus. (incl. geol. sketch map), 1976.
Plans and objectives of "Advancing Oil Shale Mining Technology, a Bureau of Mines - ERDA program, are outlined. In-house and contract research programs are shown. Preliminary core drilling to determine thickness and grade of deposits is described, as well as hydrologic studies measuring water discharge, temperature, specific conductance, and chemicals in ground water.

Utter. S. See Rajaram, V. 01698

Utter, S. See Rose, C. K. 01783

Utter, S. See Rose, C. K. 01782

02231 Uwatoko, Kunio
The oil shale deposits of Fushun, Manchuria: Journal of Faculty of Science, Hokkaido Imperial Univ., Ser. 4, Vol. 4, No. 1, tables, diagrs., 1931.

Vodkerti, Foth, M. See Balogh, M. 00102

VanDenBerg, Jacob See Nosow, Wedard Statler, A. T. 01573

02232 Vanderbroucke, M.; Albrecht, P.; Durand, B.
Geochemical studies on the organic matter from the Douala Basin (Lameroon); III, Comparison with the early Toarcian shales, Paris Basin, France: Geochim.

Cosmochim. Acta, Vol. 40, No. 10, p. 1241-1249, illus., (incl. tables, plated), 1976. For reference to part 2, see Durand, B., and Espitalie, J., Geochim. Cosmochim Acta, Vol. 40, p. 801, 1976.
Toarcian oil shales, in which organic matter was derived from authchthonous marine organisms, and organic rich sediments from the Dogbaba series in the Cameroons, which were derived from allocthonous terrestrial remains, are compared. Testing of soluble organic matter compared original organic materials and nature and amounts of petroleum products generated with burial. Insoluble organic matter compared the character of source material and components evolved from kerogen with increasing temperature.

02233 Van der Berg, M. L. J.; DeLeeuw, J. W.; Schenck, P. A. Constitutional analysis of kerogens and lignite by ozonization: in Advances in organic geochemistry, 1973, Int. Mtg. Org. Geochem. Program Abs., No. 6, p. 163-178, illus. (incl. tables, charts), 1974.

02234 Van der Berg, M. L. J.; Mulder, G. J.; Leeuw, J. W.; et al. Investiations into the structure of kerogen; I, Low temperature ozonolysis of Messel shale kerogen: Geochim. Cosmochim. Acta, Vol. 41, No. 7, p. 903-908, 1977.
Procedure, results, and discussion ozonolysis testing of Messel (European) oil shales is presented. Determination of products by thin layer chromatograph and gas chromatography and mass spectrometry are discussed, along with flow schemes, reaction mechanisms, and histograms showing classes of product compounds obtained.

Van Dorsselaer, A. See Ensminger, A. 00751

02235 Van Duym, D. P.
The mineralogy of the (upper Devonian) Grassy Creek and (Mississippian) Saverton Formations (Missouri): M. S. thesis (unpub.), Missouri School of Mines, 1954.

02236 Van Horn, R. F.; Van Horn, K. R.
X-ray study of pyrite or marcasite concretions in the rocks of the Cleveland, Ohio quadrangle: Am. Mineral. Vol. 8, p. 288-294, 2 figs., 1933.
Crystallorgraphic observations and x-ray analyses of iron sulfide concretions in the Devonian-Mississippian shales in the Cleveland district (after Hoover, 1960).

Van Horn, K. R. See Van Horn, R. F. 02236

Van Meter, R. A. See Allbright, C. S. 00018

Van Meter, Robin See Ball, J. S. 00093

Van Meter, R. A. See Dinneen, G. U. 00655

Van Meter, R. A. See Dinneen, G. U. 00659

Van Meter, R. See Janssen, A. G. 01111

Van Meter, R. See Lake, G. R. 02161

02237 Van Meter, Robin; Bailey, C. W.; Brodie, E. C.
Evaluation of Dumas Method of mass spectrometry:
Anal. Chem., Vol. 23, p. 1638-1639, 1951.
This is a discussion of the Dumas micrometnod for the determining of nitrogen in shale oil and petroleum. The Dumas procedures are evaluated by mass, psectromerty. Includes diagrams and tables of results.

02238 Van Meter, R.; Bailey, C. W.; Smith, J. R.
Oxygen and nitrogen compounds in shale-oil naphtha:
Anal. Chem., Vol. 24, p. 1758-1763, 1952.
This paper reports work done by the Bur. of Mines on naphtha from Colorado shale oil from Colorado shale oil. Identified were eleven phenols, twelve pyridines, two pyrroles, three benzonitriles, and benzofuran. Includes explanation of experimental procedure, and tables of results.

Van Nortwick, H. S. See Runnels, Russell T. 01801

Van Trump, George See Pitman, Janet K. 01649

02239 VanTuyl, F. M.; Blackburn, C. O.
The effect of rock flowage on the kerogen of oil shale:
Am. Assoc. Pet. Geol., Bull., Vol. 9, No. 1, p. 158-164, 1 fig., Jan.-Feb., 1925.
In two experiments on oil shales from Colorado and Nevada, these authors conclude kerogen in oil shales probably does not represent a stage in the transformation of organic material to petroleum. Rock flowage (high pressure) experiments were performed and procedure and apparatus of the testing is shown. The fact that no liquid flowed from the rock under very high pressure was the basis for the conclusion.

02240 VanTuyl, F. M.; Blackburn, C. O.
The relation of oil shale to petroleum: Am. Assoc. Pet. Geol., Bull., Vol. 9, No. 8, Nov., 1925.
In this article, a series of flowage experiments at normal and elevated temperatures were conducted to determine if oil flowed from oil shale. Description of the apparatus and experiments, which used Colorado,

Nevada, and Ohio samples, is given. Tests also show solubility of kerogen in chloroform. The authors conclude kerogen and petroleum have evolved from organic debris, but are not genetically related.

02241 Van Vuuren, C. J.
Other carbonaceous fuels: S. Afr., Geol. Surv., Handb. No. 7, p. 331-339, 1976.

Varisco, D. C. See Clark, C. E. 00440

02242 Varley, Thomas
Mines Bureau investigates gold in oil shale and explains methods used to obtain results. Salt Lake Min. Rev., Vol. 24, p. 9, 12, Nov. 30. 1922. See also Oil Field Eng., Vol. 25, p. 26-30, Feb. 1923.

02243 Varley, Thomas
Oil shales and their possibilities: Univ. of Utah, Bull., Vol. 11: No. 13, 7 p., Oct. 1920.

Varley, T. See Lewis, R. R. S. 01318

02244 Vasquez, E.
Results of exploration in La Vela Bay: World Pet. Congr., Proc., No. 9, Vol. 3, Exploration and transportation, p. 195-197, 1975.

Vawter, R. G. See Whitcombe, J. A. 02320

02245 ver Wiebe, W. A.
The Devono-Carboniferous boundary rocks of Ohio, Pennsylvania, and New York: Ph. D. thesis (unpub.), Cornell Univ. 1918.

02246 Vilbrandt, Frank C.
Oil-bearing shales of Deep River Valley: North Carolina Dept. Conservation, Econ. Paper No. 59, 23 p., 1927.

02247 Vilbrandt, Frank C.
An oil-bearing shale of North Carolina: Elisha Mitchell Sci. Soc., J., Vol. 41, Nos. 1-2, p. 108-114, Sept., 1925.

02248 Villwock, Jorge A.
Aspectos tectonicos da deposicao de folhelhos pretos; comparacao entre a formacao Irati e o "Chattanooga Shale" (tectonic aspects of the deposition of black shales; comparison between the Irati formation and "Chattanooga Shale"): Pesqhisas, No. 1, p. 25-33, (incl. Eng. sum., sketch maps), 1972.

02249 Vine, James D.
Element distribution in some shelf and eugeosynclinal black shales: U. S. Geol. Surv. Bull. 1214-E, p. E1-E31, illus., tables, 1966.
"Emission spectrographc analyses of 220 samples of black shale from Pennsylvanian rocks of the shelf area in the Eastern Interior coal province and from Ordovician and Silurian rocks of the western North America eugeosyncline have been compared." (Author) Major and minor element distribution and associations of the shelf and eugeosynclinal areas are compared.

02250 Vine, James D.
Geology of uranium in coaly carbonaceous rocks: U. S. Geol. Survey. Prof. Paper 356-D, p. 113-170 (out of print but available through libraries), 1962.
Deposits of uranium in unconsolidated peaty material, lignite and sub-bituminous coal, cituminous and anthracitic coal, impure lignite and lignitic shale, and carbonaceous shale in the U. S. are cited. Effect of regional geologic and tectonic setting on formation of uranium deposits is discussed. Chemical state and reactivity, solubility, and factors influencing transport and deposition of the uranium are noted.

02251 Vine, James David
Geology and uranium deposits in carbonaceous rocks of the Fall Creek area, Bonneville County, Idaho: U. S. Geol. Surv. Trace Elem, Invest. Rept. No. 451, 70 p., maps, tables, diagrs., 1954. For official use only.

02252 Vine, James D.
Geology and uranium deposits in carbonaceous rocks of the Fall Creek area, Bonneville County, Idaho: U. S. Geol. Surv. Bull. 1055, p. 255-294 (out of print), 1959.
This paper presents a description of uranium deposits in impure coal, carbonaceous shale, and carbonaceous limestone. Four hypotheses are advanced for the origin of the uranium. Tables show uranium content in samples and stratigraphic sections from cores drilled in the area are illustrated. Uranium reserves are estimated.

Vine, J. S. See Bachman, George O. 00075

02253 Vine, James D.; Moore, George W.
Occurrence of uranium-bearing coal, carbonaceous shale, and carbonaceous limestone in the Fall Creek area, Bonneville, county, Idaho: U. S. Geol. Surv. Trace Elem. Mem. Rept. 340, 32 p., maps, diagrs., tables, 1952. For official use only.

02254 Vine, James David; Moore, George W.
Reconnaisance for uranium-bearing carbonaceous rocks in northwestern Coloado, southwestern Wyoming, and adjacent parts of Utah and Idaho: U. S. Geol. Surv. Trace Elem, Invest. Rept. 281, 25 p., maps, tables, 1952.
Twenty-three areas in these four states were examined for uranium content, but no carbonaceous deposits were found that night have commercial possibilities.

02255 Vine, James David; Read, C. R.; Bachman, G. O.; et al.
Uranium-bearing coal and carbonaceous shale in La Ventana Mesa area, Sandova County, New Mexico: U. S. Geol. Sur. Trace Elem. Invest. Rept. 241, 34 p., diagrs., maps, tables, 1953. For official use only.

02256 Vine, James D.; Tourtelot, Elizabeth B.
Geochemical investigations of some black shales and associated rocks: U. S. Geol. Surv., Bull. No. 1314-A, 43 p., illus. (incl. sketch map).
Nine sets of samples of black shales, (including Green River oil shales), with a wide variety of ages and depositional envrionments were studied. Elements associated with the detrital fraction and with the carbonate fraction are noted from testing, mostly by the emission spectrographic method. A short description of each of the nine units sampled is given in terms of stratigraphy, lithology, and element distribution and abundance (from testing).

02257 Vine, James D.; Tourtelot, Elizabeth
Geochemistry of black shale deposits, a summary report: Econ. Geology, Vol. 65, No. 3, p. 253-272, 1970.
Summary descriptions of geochemical investigations of 779 samples of "black shale" from 21 localities, including Kentucky and Colorado are given. Composition of the average black shale and a definition for metal rich black shale were determined from statistical methods. Element differences and similarities in detrital and carbonate fractions are noted. Minor element enrichment associated with detrital, non-detrital, or both fractions are noted and mechanisms for syngenetic, epigenetic, and diagenetic enrichment cited.

Vinokurov, S. F. See Danchev, V. I. 00583

Vinopal, R. J. See Nuhfer, E. B. 01575

Viski, R. E. See Formina, A. S. 00813

02258 Visser, S. A.
The distribution of organic compounds in fresh water lakes and rivers: in the ecology of Lake Kainji,

the transition from river to lake (Imevbore, A. M. A., editor; et al.), p. 107-127, tables, Univ. Ife Press, Ile-Ife, Nigeria, 1975.

02259 Vitorovic, D.; Djuricic, M. V.; Ilic, B.
New Structural information obtained by stepwise oxidation of kerogen from the Aleksinac (Yugoslavia) shales, in Advances in organic geochemistry, 1973, Int. Mtg. Org. Geochem., Programme Abs., No. 6, p. 179-189, illus. (incl. tables, charts), 1974.

02260 Vitorovich, D. K.
Issledovaniye Kerogena goryuchikh slantsev (The study of kerogen from Yugoslavian oil shale): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 202-209, Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

02261 Vitotociv, Dragomir; Pfendt, Petar
Constitutional investigations of the kerogen of a Yugoslav, Aleksinac, oil shale: (abs.) Geol. Soc. Am., Spec. Paper, No. 101, p. 231, 1968.
From chemical tests on kerogens, the authors suggest the Yugoslav and Green river kerogens are of similar nature. Results of solubility investigations of kerogen in organic solvents (especially benzene soluble material) was given in the paper. An interpretation of the structure of this kerogen was also given in this paper.

02262 Viylup, V. A.; Prokopovich, V. V.
Sostoyaniye i osnovnyye Tekhnicheskiye napravleniy razvitiya podzemnwy dabychi Estonskikh slantsev (Conditions and fundamental technical trends in the development of shale mines in Estonia): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 121-127, illus. Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

02263 Vladimirskii, V. V.
Razrabotka mestorozhdenii goriuchikh slantsev: Moskva, Leningrad (etc.) ONKI NKTP SSSR, Gos. narchno-tekhnicheskoe gornogeologo-neftianoe izd-va. 123 p., illus., diagrs., 1933.
Exploitation of deposits of oil shales.

Vogan, R. W. See Quigley, R. M. 01692

Vohryzka, K. See Petrascheck, W. E. 01635

02264 Vol'fson, G. V.
Ekonomicheskaya tselesoobraznast'razvitiya dobychi goryuchikh slantsev v SSSR (the economic expediency

of developing the recovery of oil shale in the USSR): in Razrabotka i ispol'zovaniye zapasov goryuchikh slantsev (Baum, V., chairperson) p. 598-608, illus. (incl. table), Izd. Valgus, Tallin, Union of Soviet Socialist Republics, 1970.

von Bernewitz, N. W. See Cash, F. E. 00378

Van der Burchard, E. See Saver, Adolf 01817

02265 Voytov, G. I.; Shirokova, I. Ya.; Bartashevich, O. V. et al.
Gases and bitumens in sedimentary and igneous rocks of the Pechenga Series: Acad. Sci., USSR, Dokl. Earth Sci. Sect., Vol. 213 (1973), No. 1-6, p. 198-201, 1975.
Diffused gases and organic matter in sedimentary, igneous, and metamorphic rocks of the upper (fourth) volcanic sedimentary Pechenga series are defined. Their concentrations in each of the different rocks above and forming the pluton is noted.

Vucheva, D. See Vychev, V. 02269

02266 Vyal'yataga, Yr. P.
Povysheniye ekonomicheskoy effektivhosti termicheskoy pererabotki Estonskikh slantsev (The increasing economic effects of the thermal processing Estonian shale): in Razrabotka i ispol'zavaniye zapasov goryuchikh slantsev (Baum, V., chairperson), p. 598-608, illus. (incl table), Izd. Valgus Tallin, Union of Soviet Socialist Republics, with discussions by various authors, 1970.

02267 Vychev, V.
Bitumoloty; novyy termin dlya oboznacheniya "goryuchikh slantsev" (Bitumolites; a new term for "oil shales"): Neft. Vuglishchna Geol., Vol. 7, p. 70-74 (incl. Russian, Eng. sum.), 1977.
Definition for this term is given as: "sedimentary rocks, compact and laminated..., composed of a complex and diverse syngenetic mixture of organic autochthonous and of mineral components, from the organic matter on which a bituminous yield is produced by slow distillation."

02268 Vychev, V.; Kerakova, Ye.; Kovachew, G.; et al.
Geochemical characteristics of bitumolites in Bulgaria; I, Some preliminary results: Nett. Vuglishchna Geol., Vol. 1, p. 14-25, 1975 (Eng. sum.)
Location, composition, and organic content of two collections of oil shales from Bulgaria is shown. High iron content of some of the samples is noted.

02269 Vychev, V.; Vucheva, A.; Kabakchieva, M.
Geokhimicheskaya kharakteristika Bolgarskikh bitumolitov; II, Sravnitel'nyy analiz bitumolitov mestorozhdeniy Drasava, Mandra, Iskra, Gurkovo, Borov Dol (Geochemical characteristics of bitumolites in Bulgaria; II, Comparative analysis of bitumolites from the Drasava, Mandra, Irkra, Gurkovo and Borov Dol deposits): Neft. Vuglishchna Geol., Vol. 7, p. 37-45 (incl. Russian, English sum.), 1977.

02270 Wade, Authur
Oil shale at Eungella: Queensland Govt. Min. J., Vol. 40, No. 466, p. 91-92, March 15, 1939.

Wade, P. M. See Smith, J. W. 01930

Wagner, J. R., Jr. See ERtle, Tell 00761

00271 Waldron, Fred R.; Donnell, J. R.; Wright, J. C.
Geology of Debeque oil-shale area, Garfield and Mesa Counties, Colo.: U. S. Geol. Surv. Oil and Gas Invest. Map OM114, 2 sheets, scale 1:62,500, 1951.
Sheet 1-Ten lithologic logs from core drill holes show oil yield continuously along sections. Cross section and geologic map with structure contours drawn on Mahogany marker are shown. Sheet 2-17 lithologic and oil yield logs are illustrated, and the thicknesses of possible minable zones are shown. Geology and stratigraphy of the area is summarized.

Walker, C. J. See Miller, J. S. 01444

02272 Wallace, Laure G.; DeWitt, W., Jr.
Preliminary stratigraphic cross section showing radioactive zones in the Devonian Black Shales in the western part of the Appalachian Basin, Appalachian Basin balck shales, Reston, U. S. Geol. Surv., 1977.

Wallace, L. G. See DeWitt, Wallace, Jr. 00635

Wallace, L. G. See Roen, John B. 01772

02273 Walls, R. A.
Late Devonian and Early Mississippian subaqueous delatic faices in a portion of the southeastern Appalachian basin, in Deltas, models for exploration (Broussard, M. L. ed.), p. 359-367, illus. (incl. sketch maps), Houston Geol. Soc., Houston, Texas, 1975.
Paleoenvironmental reconstruction of Late Devonian-Early Mississippian delta in southeastern Appalachian

Basin from subsurface data. Black shales considered offshore marine facies.

02274 Walls, R. A.
Sedimentation paleoecology, and paleogeography of Upper Devonian. Lower Mississippian silt and shale facies in the southeastern Appalachian Basin (abs.), in Southeastern Section, 21st annual meeting, Geol. Soc. Am., Vol. 4, No. 2, p. 111, 1972.
Paleoenvironmental reconstruction of deltaic complex based on subsurface data.

02275 Waltch, Mark J.; Rausch, D. O.
Longwall mining of oil shale: Colo. Sch. Mines, Q., Vol. 51, No. 2, p. 71-81, illus., Apr. 1956.
Describes this method of mining as it is used in coal recovery in Great Britain. Suggests a method of how this can be put into effect in mining the Mahogany ledge of the Green River Formation at Rifle, Colo. Advantages of this method are cited.

02276 Waltz, James P.
Water and land management considerations in oil shale development, in Public land policy (Phillip O. Foss, editor) - Western Resources Conference, Ft. Collins, Colo. 1968, Proc.: Boulder, Colo., Colorado Assoc. Univ. Press, p. 1-9-204, 1970.

Wane, M. T. See Wang, Chi-Shing 02277

02277 Wang, Chi-Shing; Capp, J. P.; Wane, M. T.
In situ gasification and liquefaction mining systems: Chapter 21.9 in S. M. E. Mining Engineering Handbook, ed. A. B. Cummins, and I. A. Given. Soc. of Mining Engineers of the American Institute of Mining, Metallurgical, and Petroleum Engineers, Inc., New York, Vol. 2, Chapter 21.9, p. 21-78 and 21-79, 1973.
This is a discussion of underground gasification methods for coal and the factors affecting the design of underground gasification systems for coal. Includes illustrations and tables.

02278 Wang, Fun-Den; Clark, George B.
Energy Resources and Excavation TEchnology: Proceedings of the 18th U. S. Symposium on Rock Mechanics held at Keystone, Colo., June 22-24, 1977, 2 Vols. Pub. by Colo. Sch. of Mines Press, Golden, Colo.
Session 5B recorded in Vol. 1, has five articles having to do with oil shale technology.

Wang, N. H. See Silver, H. F. 01895

Wang, N. H. See Silver, H. F. 01894

02279 Wang, Pi-chen; Yu Chi-an; Chang, Kuei-Lan
A preliminary study of the composite vanadium minerals and its mode of occurrence in the lower Cambrian black shales in a region of China: Acta Geol. Sin., No. 2, p. 219-299 (Chinese, incl. Eng. sum.), illus., 1974.

02280 Wanless, H. R.
Geology and mineral resources of the Alexis quadrangle: Ill. Geol. Survey Bull. 57, 230 p., 1929.
Discussion of Sweetland Creek Shale - lithology, thickness, correlations. Includes cross-sections, section descriptions, well records.

02281 Wanless, H. R.
Geology and mineral resources of the Beardstown, Glasford, Havana, and Vermont quadrangles: Ill. Geol. Survey Bull. 82, 233 p., 1957.
Discusses Grassy Creek Shale - lithology, thickness, correlation with lower New Albany. Considered as petroleum source rock. Includes records of deep wells, cross-sections.

02282 Wanless, H. R.
Geology and mineral resources of the Havana Quadrangle: Unpub. report, 428 p., 139 pls. (in Survey open-file reports), 1930.
Considers Sweetland Creek Shale - lithology, thickness, correlation stratigraphic relations. Includes structure contour maps, well records, etc.

02283 Ward, J. C.; Reinecke, S. E.
Water pollution potential of snowfall on spent oil shale residues: Open File Report No. 20-72, 53 p., 1972. Available for reference during working hours at Bur. of Mines libraries at Denver, Colo.; Laramie, Wyo.; Bartlesville, Okla.; San Francisco, Calif.; and at the Central Library, U. S. Dept. of the Interior, Washington, D. C.
The concentration and composition of totally dissolved solids were determined both in surface runoff water and in water which had percolated through a bed of the residue. An equation was developed to predict the concentration of the runoff water as a function of independent parameter. (From abstract)

02284 Warg, Jamison B.; Traverse, Alfred
A palynological study of shales and "coals" of a Devonian-Mississippian transition zone, central Penn.: Geoscience Man., Vol. 7, p. 39-46, illus., 1973.

Warren, Phillip L. See Reed, P. Robert 01709

02285 Watkins, J. Wade
Oil shale utilization - when and how?: Western Oil Reporter, Vol. 24, No. 7, p. 18-22, July, 1967.

02286 Watkins, J. Wade
Summary of oil shale activity: Internat. Oil Scouts Assoc., Vol. 7, No. 9, 5 p., Sept. 1967.

02287 Watkins, J. Wade; Anderson, C. C.
Potential of nuclear explosives for producing hydrocarbons from deposits of oil, natural gas, oil shale and tar sands in the United States: U. S. Bur. of Mines Inf. Circ. 8219, 17 p., 1964.
Presents a theoretical study of the feasibility of using nuclear explosives to stimulate production of hydrocarbons from nonproducing formations.

02288 Watkins, J. Wade; Mills, G. Alex; Phillips, J. E.
The outlook for hydrocarbon production from domestic oil shale, coal, and tar sands: Proc. Symp. of Current Status of Oil Recovery, Research, and Development. 71st Nat'l. Meeting, A. I. Ch. E., 25 p., 1972.
This 1972 paper discusses the possible future production of fluid hydrocarbons from our domestic deposits of oil shale and tar sands and the production of low-sulfur gaseous and liquid fuels from coal.

02289 Waxman, M. H.; Smits, L. J. M.
Electrical conductivities in oil-bearing shaly sands: Soc. Petroleum Engineers A. I. M. E. Trans., Vol. 243 (pt. 2), p. 107-122, illus., tables, reprinted 1969: originally published 1968.
A simple physical model was used to develop an equation that relates the electrical conductivity and the cation-exchange capacity per unit pore volume of the rock. (From abstract) Includes tables of results and figures.

Weaver, C. E. See Adams, J. A. S. 00004

Weaver, C. E. See Bates, Thomas F. 00133

02290 Weaver, C. R.; Wright, H. D.; Bates, T. F.
An investigation of the mineralogy and petrolgraphy of uranium-bearing shales, annual report, July 1, 1951 to April 1, 1952: U. S. Atomic Energy Comm. NYO-3357, 40, (dep., mc)(prepared by Pennsylvanian State College), 1952.
This investigation was undertaken in an effort to explain the nature, occurrence, association, and origin of the uranium in black shales.

02291 Weaver, G. D.
Comparative analysis of oil shales and tar sands: Great Plains-Rocky Mt. Geogr. J., Vol. 6, No. 2, p. 359-365, 1977.

02292 Weaver, O. D.; Calvert, W. L.; McGuire, W. H.
A new look at the gas and oil potential of the Appalachian basin, Oil and Gas Journal, Jan. 17, part 1, p. 126-130, 1972; and Oil and Gas Journal, Jan. 24, p. 100-164, 1972.

02293 Weber, J. H.; Earnshaw, D. G.; Severin, D. W. K.
Processing high-resolution mass spectrographic plates with a comparator-microdensitometer-programmable calculator system: U. S. Bur. of Mines Rept. of Invest. 7938, 14 p., 1974.
Describes the hardware system and software package for the semiautomatic acquisition and automatic processing of high-resolution mass spectrographic plates. (From Abstract)

Weber, R. H. See Kottlowski, R. D. 01239

02294 Wedow, Helmuth, Jr.
Reconnaissance for radioactive deposits in the Gagle-Nation area, east-central Alaska, 1948: U. S. Geol. Surv. Circ. 316, 9 p., (out or pfint), 1954.
Radioactivity of rocks of each age period were tested with portable survey field meters. Black carbonaceous shale of Mississippian age were found to be the most radioactive of the sections measured, but each section is discussed in terms of radioacitvity and lithology.

02295 Wefing, H.
Verwertung von Oelschiefer (Utilization of oil shale): Erdoel-Erdgas-Z, Vol. 94, No. 5, p. 180-185, (incl. Eng. sum.), illus., incl. tables, 1978.

02296 Weichman, B. E.
Oil shale is not dead: Colo. Sch. Mines, Q., Vol. 71, No. 4, (Proceedings of the Ninth oil shale symposium) p. 71-84, illus. (incl. sketch map), 1976.
Reasons why use of synthetic fuels from shale and coal are outlined, and barriers to commercialization

02297 Weil, S. A.; Feldkirchnes, H. L.; Tarman, P. B.
Hydrogasification of oil shale: in Shale oil, tar sands, and related fuelsources (Yen, R. F., editor), No. 151, p. 550/6, illus. (incl. tab es) Am. Chem. Soc., Washington, D. C., United States, 1976.
This study was initiated to investigate the technical and economic feasibility of producing synthetic

pipeline gas from oil shale by hydrogasification. (From p. 56) Includes illustrations, graphs, and tables of results.

02298 Welch, Stewart W.
Radioactivity of coal and associated rocks in the anthracite fields of eastern Pennsylvania: U. S. Geol. Surv. Trace Elem. Invest. Rept. 348, 31 p., map, tables, 1953.
Geology and stratigraphy of the coal fields is presented and lithologies, thicknesses, and uranium content of the 47 localities is presented. 150 samples of coal and three shale samples showed no greater then .003% uranium as measured by a portable survey meter.

02299 Welch, Stewart W.
Radioactivity of coal and associated rock in the coal fields of eastern Kentucky and southern West Virginia: U. S. Atomic Energy Comm. Trace Elem. Invest. 347 A, 38 p., map, 1953.
Location, lithology, thickness, and uranium content was given for samples from sixty-one localities. Of the 98 sampels, only four were shales. No correlations existed between radioactivity and stratigraphic position or structural relationship.

02300 Weller, J. M.
Devonian correlations in Illinois and Surrounding states: A summary: Ill. Geol. Surv. Bull. 68, p. 205-213, 1944b.
Discusses problem of Upper Devonian vs. Lower Mississippian age of black shales. Comments on lateral and vartical stratigraphic relations. Includes correlation chart.

02301 Weller, J. M.
Devonian System in southern Illinois: Ill. Geol. Surv. Bull. 68, p. 89-102; Ill. Geol. Survey Extract Bull. 68, p. 89-102, 1944a.
Mountain Glen Shale considered equivalent to Chattanooga and New Albany. Includes generalized columnar sections.

02302 Weller, J. M.
Generalized stratigraphic and structure section of Illinois bluffs of Mississippi River from East St. Louis to Thebes and guide to field study in southern Illinois: Kans. Geol. Soc. Guidebook, 13th Ann. Field Conf., p. 14-15, 41-56, 1939b.
Brief mention of Mountain Glen Shale. Generalized cross-sections.

02303 Weller, J. M.
Geology and oil possibilities of extreme southern Illinois: Union, Johnson, Pope, Hardin, Alexander, Pulaski, and Massac Counties: Ill. Geol. Survey Rept. of Invest. 71. 71 p., 1940.
Considers Mountain Glen and New Albany shales - lithology, thickness, outcrops. Includes generalized columnar section, structure contour maps (horizons near black shales), well records.

02304 Weller, J. M.
Geology and oil possibilities of the Illinois Basin: Ill. Geol. Survey, Ill. Petrol. 27, 19 p., 1936a.
Brief mention of New Albany, Sweetland Creek Shales.

02305 Weller, J. M.
"Grassy Creek" Shales: Ill. Acad. Sci. Trans. (1935), Vol. 28, No. 2, p. 191-192, 1936b.
Appears to have been some confusion in original definition of Grassy Creek shale and its distinction from Saverton shale. Includes description of original Grassy Creek section.

02306 Weller, J. M.
The Mississippian System: Kans. Geol. Sec. 13th Ann. Conf. Guidebook, p. 131-137, 1939a.
Brief mention of Mountain Glen shale in Union County, Illinois.

02307 Weller, J. M.; Ekblaw, G. E.
Preliminary geologic map of part of the Alto pass, Jonesboro, and Thebes quadrangles, Union, Alexander, and Jackson Counties. Explanation and stratigraphic summary by J. M. Weller: Ill. Geol. Survey Rept. of Invest. 70, 26 p., 1940.
Brief consideration of Mountain Glen shale - lithology, thickness, outcrops. Correlated with part of New Albany shale. Includes geologic map.

02308 Weller, J. M.; Grogan, R. M.; Tippie, F. E.
Geology of flourspar deposits of Illinois: Ill. Geol. Survey Bull. 76, 147 p., Contribs. by L. E. Workman and A. H. Sutton, 1952.

02309 Weller, Stuart; Krey, Frank, contrib. by J. M. Weller
Preliminary geologic map of the Mississippian formations in the Dongola, Vienna, and Brownfield quadrangles: Ill. Geol. Survey Rept. of Invest. 60, 11 p., 1939.
Brief consideration of Mountain Glen shale - lithology, thickness, outcrops. Geologic map.

02310 Weller, J. M.; Sutton, A. H.
Mississippian border of Eastern Interior Basin: Am. Assoc. Petrol. Geol. Bull., Vol. 24, No. 5, p. 765-858; correction, No. 6, p. 1133, Ill. Geol. Survey Rept. of Invest. 62, 93 p., 1940.
Discussion of New Albany shale group (considered Lower Mississippian) - lithology, outcrop, thickness.

02311 Weller, Stuart; Butts, C.; Cumer, L. W.; et al.
The geology of Hardin County and the adjoining part of Pope County, Ill.: Geol. Survey Bull. 41, 402 p., pt. 1, 2, 4, 5,; Ill. Geol. Survey Extract Bull. 41, 146 p., 1920.
Structure contour map on top of Chattanooga shale.

Wellman, P. See Katell, S. 01155

Wellman, Paul See Katell, Sidney 01153

Wellman, Paul See Katell, Sidney 01154

02312 Wells, R. C.; Stevens, R. E.
Further studies of Kolm (Sweden): Washington Acad. Sciences J., Vol. 21, No. 17, p. 409-414, 1931.
This 1931 article discusses a study made on Swedish kolm, a material which resembles oil shale, and whose age can be determined both from fossils and from the lead-uranium ratio. (From Intro.) Includes tables of results.

02313 Wells, W. E.; Ruark, J. R.
Pilot-plant batch retorting of Colorado oil shale: U. S. Bur. of Mines Rept. of Invest. 4874, 19 p., 1952.

02314 Welte, D.
Recent advances in organic geochemistry of humic substances and kerogen; a review: Int. Mtg. Org. Geochem., Programme Abs., No. 6 (Advances in organic geochemistry, 1973), p. 3-13 (incl. German sum.), illus., 1974. With discussion.

02315 Wen, C. S.; Yen, T. F.; Knight, J. B.
Studies of soluble organics in simulated in situ oil-shale retort water by electron impact and chemical ionization from a combined gas chromatograph-mass spectometer system: A. C. S. Preprints, Div. of Fuel Chem., Vol. 21, No. 6, p. 290-293, 1976. See also: 172nd A. C. S. Nation l Meeting, San Francisco, CA Aug. 29-Sept. 3, 1976.
Retort water samples collected from the Laramie 10-ton simulated in situ retort were examined by electron impact and chemical ionization mass spectrometry. (From Abstract) These water samples were filtered, lyophilized, extracted with benzene, and esterified.

Werneck, Jorge Eiras Furguim See Byington, Alberto Jackson, Jr. 00334

02316 Westergard, A. H.
New deep borings through the lowest Ordovician and Cambrian of Ostergotland and Närke (Sweden): Sveriges Geol. Unders., Arsbok 34, ser. C, No. 7, 68 p. (in Swedish with English sum.), 1940.
Stratigraphy relations of cores of Cambrian and Lower Ordovician strata at Östergotland and Narke were studied. Chemical tests to study oil and gas yield from the alum shales and bituminous limestones are shown. Much paleontological data, especially regarding trilobites are also used in correlation.

02317 Westergard, Anton Hilmar
Skifferborrningarna i Yxhult straken i Narke 1940 - Borings through the alum shale in the neighborhood of Yxhult in Närke, made in 1940: Sveriges Geol. Unders., Arsbok 35, No. 5, ser. C, No. 442, 20 p. (in Swedish with English sum.), 3 pls. (incl. geol. map 1:50,000), 1941.
Lithologic character of cores, % of oil and sulfur and coloric value of the alum shale are studied. Stratigraphic and paleontologic correlation is made with other cores taken.

02318 Wheeler, R. L.; Schumaker, R. C.; Woodfork, L. D.; et al.
Gas from Devonian shale in Morgantown: Geotimes, Vol. 21, No. 10, p. 18-19, 1976.
In this brief article, economics of gas production in the Appalachian area are discussed, along with basin shale stratigraphy. Geochemical zoning of the black shale stratigraphy. Geochemical zoning of the black shale is suggested. Factors influencing the structure and fracture density, which in turn regulate gas movement are mentioned, as are ways of artificially fracturing the shale.

02319 Whelan, J. A.
Semi-quantitative estimates of bulk mineralogical composition of some Utah shales, siltstones, and related materials: Utah Geol. and Mineral. Survey Circ. 49, 13 p., illus., tables, 1966.

02320 Whitcombe, J. A.; Vawter, R. G.
The Tosco-II oil shale process; in Science and Technology of oil shale (Yen, T. F., editor), p. 47-64, illus. (incl. tables), Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976.
"This chapter describes the TOSCO-II retorting process and other processing facilities included in the design of a commercial oil shale plant. It

also presents economic projections for production of hydrotreated shale oil, and for crude shale oil." (Authors) Products of the TOSCO process, including spent shale, are cited.

02321 White, (Charles) David
Oil shales of the United States: Am. Mining Congr., 23rd Ann. Conventions, Rept. of Proc., p. 151-153, 1921.

02322 White, D.
Regional alterations of oil shales (abs): Geol. Soc. Am., B 26:101-102, 1915.
Differences in distribution of oil shales and cannel coals to oil pools are examined. Alteration of oil shales and coals is suggested to be more similar then alteration of oil. Abnormal occurrences of oil are speculated to have come about by migration, filtration, or igneous alteration.

White, David See Stadnickenko, Taisia 01989

White, David See Thiessen, Reinhardt 02074

02323 White, D.; Stadnickenko, T.
Some mother plants of petroleum in the Devonian black shales: Econ. Geol., Vol. 18, p. 238-253, pl. 5-9, 1923.
Considers the microscopic plant material of the Ohio shale (Hoover, 1960).

White, E. R. See Cottingham, P. L. 00540

02324 White, Max G.
Reconnaissance for radioactive deposits along the upper Porcupine and lower Coleen rivers, northeastern Alaska: U. S. Geol. Surv. Circ. 185, 13 p. (out of print), 1952.
Radioactivity of sedimentary and igneous rocks in this area was tested by field radiometric surveys. The lithology of the periods was presented with black shales of Ordovician and Silurian strata showing the greatest effective uranium content. Igneous rocks also tested were found to contain minerals with minor amounts of uranium in place of other ions.

White, W. A. See Grim, R. E. 00929

White, W. A. See Ostrom, M. E. 01595

02325 White, W. A.; O'Brien, N. R.
Illinois clay resources for lightweight ceramic block: Ill. Geol. Survey Circ. 371, 15 p., 1964.
Grassy Creek shale described as poor bonding clay because of its fissility and organic content.

White, W. H. See McFarland, A. C. 01528

02326 White, Walter S.
Copper shales of Germany and Michigan: Economic Geology, Vol. 48, No. 7, p. 631, Nov. 1953.
Copper deposits of Nonesuch shale in Michigan and Supferschiefer in Germany have copper sulfides in black shales. The copper is widespread. In both formations, the copper is related to sedimentary facies and only locally affected by structural features.

02327 White, Walter S.; Wright, J. C.
Radioactivity of the Nonesuch shale, White Pine Mine, Ontagon County, Mich.: U. S. Geol. Surv. Trace Elem. Invest. Rept. 158, 4 p., 1950.

Whitehead, E. V. See Anderson, P. C. 00037

Whitehead, E. V. See Hills, I. R. 01014

02328 Whitehead, Kenneth L.; Saltsman, Robert D.
The state-of-the art in continuous mining machine bit technology: U. S. Bur. Mines PB-225, 633/7as ($5.50, NTIS), 1973.
The purpose of this project was to determine the state-of-the-art in continuous-mining machine but technology, especially with regard to dust production. (From abstract)

02329 Whitehead, W. L.
Studies of the effect of radioactivity in the transformation of marine organic materials into petroleum hydrocarbons, in Report of progress - fundamental research on occurrence and recovery of petroleum, 1950-1951: Am. Petroleum Inst., p. 192-201, 1952.
Interrelations between potassium (a radioactive decay product), organic matter, phosphorus, and radioactivity were measured in sedimentary rocks. These rocks included a Pennsylvanian black shale from Oklahoma, Devonian shale from Michigan, a Cretaceous black shale from Texas, and a Miocene nodular shale from California. Observations of tracks of alpha particles were recorded on film.

Whitehead, W. L. See Bell, Kenneth G. 00173

02330 Whiting, L. L.
Geology and history of oil production in the Decatur-Mt. Auburn-Springfield area, Illinois: Ill. Geol. Survey Circ. 211, 17 p., 1956.
Mention of New Albany shale - thickness, lithology, stratigraphic relations, E-log characteristics. Includes map showing pre-New Albany paleogeography.

02331 Whiting, L. L.; Uros, M. O.
Electric-log cross-section of the Silurian-Devonian formations of a part of central Illinois: Ill. Acad. Sci. Trans. (1957), Vol. 50, p. 172-179; Ill. Geol. Survey Reprint 1958-Q, 8 p., 1958.
Brief mentions of New Albany, Grassy Creek shales. Considered source of Devonian-Silurian oil. Structure map on base of New Albany (not very detailed).

02332 Whiting, L. L.; Stevenson, D. L.
The Sangamon Arch: Ill. Geol. Survey Circ. 383, 20 p., 1965.
New Albany shale shown in generalized columnar section.

02333 Wigley, Perry B.; Sergeant, Richard E.
Penecontemporaneous sedimentary structures in the Ravenna facies of the New Albany shale (abs): Geol. Soc. Am. Abs. Programs, Vol. 2, No. 3, p. 248-249, 1970.
This facies of alternating dolomitic limestone and black shale is discussed in terms of location, thickness. Origin and types of penecontemporaneous sedimentary structures in limestone are described.

Willemyns, P. See Lecomte, P. 01295

02334 Willett, R. W.
The Nevis oil shale deposit, Nevis Survey district, Otago central: New Zealand J. Sci. and TEch., Vol. 24, No. 6, p. 239-254, 8 figs. (incl. geol. sketch maps), May, 1943.

02335 Willett, R. W.
Oil shales at Cambrian, Freshford, and Waitata: Otago, and Southland: New Zealand J. Sci. and Tech., Vol. 24, No. 6, p. 255-271, 5 figs. (incl. Geol. sketch maps), May 1943.

Williams, E. G. See Degens, E. T. 00612

02336 Willman, H. B.; Workmann, L. E.; Bell, A. H.
Guide to field study in southwestern Illinois between Cape Girardeau and St. Louis, Missouri, in Guidebook for 34th Ann. Field Conf., Am. Assoc. Petrol. Geol. p. 18-30, 1949.

02337 Williams, Frank E.; Russell, P. L.; Sheridan, M. J.
Potential applications for nuclear explosives in a shale-oil industry: U. S. Bur. of Mines Inform. Circ. 8425, 37 p., 1969.
Nuclear detonation data were accumulated, studied, and exaluated by the Bur. of Mines to visualize how nuclear explosives might be used in a shale-oil industry. Described are the history of the shale oil industry the geology and size of oil-shale resources, and conventional mining methods and processing technology. (From abstract).

Williams, G, K. See MacQueen, R. W. 01371

02338 Williams, H. H.
Some aspects of ion exchange in shales (abs.): Bull. Canadian Petroleum Geology, Vol. 16, No. 2, p. 207, 1968.
"Marine and non-marine shales from two sedimentary basins were analyzed chemically and mineralogically." (Author) Ion exchange characteristics of subsurface and surface shale samples were compared, and exchange capacity with age was also studied. Clay mineralogy and the effect of organic matter in clays controlling ion exchange was also studied.

02339 Williams, J. S.
Paleoecology of the Mississippian of the upper Mississippi Valley region, in H. S. Ladd, ed., Treatise on Marine ecology and paleoecology: Geol. Soc. Am. Memior 67, Vol. 2, p. 270-324, 1957.
Considers Grassy Creek and Saverton shales - lithology, thickness, paleontology, paleoecology.

Williamson, Charles Ross See Picard, M. Dane 01645

02340 Williamson, D. R.
The connection between kerogens and petroleum: Mtn. Geologist, Vol. 2, No. 3, p. 129-134, 1965.
Definitions and characteristics of kerogen and petroleum are given, noting the broad range of compositions that fall under each. Arguments for and against kerogens being parent materials for petroleum are given. Discussion of simultaneous formation of the two is given.

02341 Williamson, D. R.
Oil-shales - pt. 3, The natures and origins of kerogen: Colo. Sch. Mines, Mineral Industries Bull., Vol. 7, No. 5, 15 p., tables, 1964.

Willis, D. G. See Hubbert, M. K. 01049

02342 Willis, J. L.
Uranium mineral industry of New South Wales, No. 43, 1971.

Willman, H. B. See Collinson, C. W. 00477

02343 Willman, H.B.; Atherton, Elwood; Buschback, T. C.
Handbook of Illinois Stratigraphy: Ill. State Geol. Survey Bull. 95, 261 p., 1975.
New Albany discussed on pages 121, 131. Thickness maps of Blocher shale, Upper Devonian and Kinderhookian columnar sections.

02344 Willman, H. B.; Workman, L. E.; Bell, A. H.
Guide to field study in southwestern Illinois between Cape Girardeau and St. Louis, Missouri, in Guidebook for 34th Ann. Field Conf.; Am. Assoc. Petrol. Geol., p. 18-30, 1949.
Mountain Glen shale appear in generalized columnar sections.

02345 Wilson, Charles W., Jr.
Geologic map of the Smithville quadrangle, Tennessee: Tennessee Div. Geology Geol. Map GM 323-NE, scale 1:24,000, separate text, 1968.

02346 Wilson, Charles W., Jr.; Barnes, Robert H.
Geologic map and mineral resources summary of the Sligo Bride Quadrangle, Tennessee: Tenn. Geol. Surv., 1968.

Wilson, D. M. See Balogh, B. 00101

Wilson, K. See Bugle, R. C. 00302

Wilson, K. See Conley, J. E. 00503

02347 Wilson, M. V. H.
Paleoecology of the Eocene lacustrine varves at Horsefly, British Columbia: Can. J. Earth Sci., Vol. 14, No. 5, p. 953-962 (incl. French sum.), illus. (incl. table, sketch map), 1977.
This article discusses abundant flora and fauna trapped and preserved in lake sediments as carbonized layers. Climate is speculated from the plant fossils, and a mechanism for a lake stratification is given. Studies of the varves show seasonal fluctuations of climate led to different periods of deposition of the flora and fauna.

02348 Wilson, Robert E.
Oil from coal and shale, in Our Oil Resources, Fanning, ed., p. 210-229, 3 figs., 1945.
A discussion is given of development needed to bring

synthetic fuels into the economy. Intermediate processes for the production of liquid fuels, which could be used before the conversion of coal and oil shale to liquid fuels are shown. Brief non-technical summaries of processes to produce synthetic fuels from coal, oil shale, and oil sands are given. Advantages, disadvantages, and objectives of government research are outlined.

02349 Wilson, Robert Q.; Ewing, R. A.; Hanway, J. E.
The recovery of uranium from Chattanooga shales, final report for November 15, 1952, to January 15, 1954: U. S. Atomic Energy Comm. BMI-274, 138 p. (dep.; $34.50, LC)(prepared by Battelle Memorial Institute), 1954.
This final report summarizes the work done on developing a process for extracting uranium from Chattanooga shale. It consisted of retorting the shale, a leaching process, and the recovery of uranium by ion exchange.

02350 Winchester, D. E.
Contorted bituminous shale of Green River Formation in north-western Colorado (abs. with discussion by E. O. Ulrick, David White, W. C. Alden, and G. H. Askley): Washington Acad. Sci., J., Vol. 9, No. 10, p. 295-296, May 19, 1919.
This 1919 article desribed the composition, stratigraphy and structure of the upper part of the oil shale series of north-western Colorado.

02351 Winchester, D. E.
Distribution and importance of the oil-shale deposits of the United States: Am. Min. Congr., Ann. Rept. Proc., No. 25, p. 756-758, 1922.

02352 Winchester, D. E.
Distribution and importance of the oil-shale deposits of the United States: Colo. Sch. Mines, Q., Vol. 17, No. 4, Supplement B, p. 51-52, Oct., 1922: Am. Min. Congress 25th Ann. Convention, Rept. of Proc., p. 756-758, 1922.
Most of the discussion is summarized in two tables. One table shows geologic age and distribution of oil shale and cannel coal deposits in the U. S. Comparison of richness and thickness is given for the largest oil shale deposits in six states.

02353 Winchester, D. E.
Oil shales: Franklin Inst., J., Vol. 187, No. 6, p. 689-703, June, 1919.
This 1919 article discusses the potentialities of oil shale as a future source of fuel.

02354 Winchester, D. E.
Oil shale in northwestern Colorado and adjacent areas: U. S. G. S., B. 641:F, 139-198, maps, 1916. Abs. by R. W. S., Wash. Acad. Sci., Vol. 7, p. 265, 1917.
The report contains information showing the quantity and quality of oil that may be distilled from the richer beds of shale and the number of such beds at the different localities examined. The results given in this paper show that the shale of the Green River formation will yield a vast quantity of oil and gas sufficient to carry on the process of distillation. (From Abstract)

02355 Winchester, D. E.
Oil shale of the Rocky Mtn. region: U. S. Geol. Surv. Bull. 729, 204 p., 4 figs., 18 pls. (incl. maps), 1923.
A very comprehensive study on stratigraphy, structure, general geology, and geography of oil shale deposits is presented for the states of Colorado, Montana, Utah, Wyoming, and Idaho. Many stratigraphic sections are shown, with oil, ammonium sulfate, sulfur, and nitrogen yields given. Previous retorting operations are noted, and a list of fauna and flora of the Green River Formation is shown.

02356 Winchester, Dean Eddy
Oil shale of the Uinta Basin, northeastern Utah; U. S. Geol. Surv. Bull. 691, p. 27-50, map, 1918, Abs. by R. W. Stone, Wash. Acad. Sci., J. 8, p. 501, 1918.
Stratigraphic sections of the Green River Formation are shown, along with illustrations of fossil vegetative matter. Character of oil shale is described, and results of distillation tests on Uinta Basin samples is given. Value of the products, including the oil, ammonium sulfate, and nitrogen is discussed and compared to the Scotch shale oil.

02357 Winchester, D. E.
Oil shale in the United States: Econ. Geol. Vol. 12, p. 505-518, 1917. Reprinted in the Railroad Redbook (Denver and Rio Grande Railroad) 35:33-38, 1918. Abs. Wash. Acad. Sci., J.7: 432-433, 1917.
Locations of oil shales around the U. S. are noted, but most of text deals with the Green River oil shales. Horizontal and vertical distribution, flora, and composition of the Green River oil shales are discussed. Value of the compounds obtained from the oil shale upon distillation is examined briefly.

02358 Winchester, D. E.
Results of dry distillation of miscellaneous shales samples: U. S. Geol. Surv. Bull. 691-B, p. 52, 1918.
Reports the results of distillation of Ohio (Chattanooga) shale from a road metal quarry at Irvine, Estill County, Ky. This sample assayed 7 gallons per ton (Hoover, 1960).

Windom, J. See Griffin, J. J. 00926

02359 Winkler, Henry von
Der Estlandische brennschiefer; untersuchung, gewinning und verwertung; untermitarbeit von A. Opik, J. Reinwalt, K. v. Middenfordd, J. Ottoson, W. V. Rennenkampff: Reveal, F. Wasserman, 350 p., incl. illus., tables, diagrs., 1930.

Winter, J. M. See Wise, R. L. 02361

02360 Wise, R. L.; Miller, R. C.; Sohns, H. W.
Heat contents of some Green River oil shales: U. S. Bur. of Mines Rept. of Invest. 7482, 16 p., 1971.
Heat content studies were conducted on burned shale, spent shale, and three grades of raw oil shale from the Green River Formation. Corrections were made for product enthalpies. The results were compared with previous work. (From abstract)

02361 Wise. R. L.; Sudduth, B. C.; Winter, J. M.
A laboratory study of Green River oil-shale retorting under pressure in a nitrogen atmosphere: Laramie Energy Research Center/Rept. of Invest.-76/1, 18 p., 1976.

02362 Wise, R. L.; et al.
Preliminary evaluation of Rock Springs Site 9 in situ oil-shale retorting experiment: S. P. E. - A. I. M. E. Paper No. 6067, 12 p., 1976.

02363 Woldman, Norman E.
The refining of the lower fractions of shale oil by liquid sulfur dioxide: Thesis, Columbia Univ., 65 p., illus., diagrs. 1927.

Wolf, K. H. See Andaeusser, C. R. 00041

Wolfson, M. L. See Pelipetz, M. G. 01618

Wood, W. J. See Bauer, C. G. 00140

Woofork, L. D. See Wheeler, R. L. 02318

Woodruff, Elmer G. See Day, D. L. 00597

Woodruff, Elmer G. See Day, D. I. 00598

02364 Woodward, Herbert P.
Devonian System of West Virginia: West Virginia Geol. Survey, Reports Vol. XV, 655 p., incl. tables illus. Morgantown, 1943.
Character, lithology, and stratigraphy of the Marcellus Shale, a black fossil, carbonaceous shale which differs little anywhere in the state, is given. Fauna are also listed. The Harrell Shale, another black shale, is also discussed is these terms. A discussion of names applied to Middle and Upper Devonian black shales in eastern U. S. is given.

02365 Workman, L. E.
Geological columnar section at Monmouth, Illinois, as revealed by the new deep wells: Ill. Acad. Sci. Trans. Vol. 19, p. 300-305, 1926.
Brief consideration of Sweetland Creek shale lithology. Includes columnar section.

02366 Workman, L. E.
Geology of McLean County, Illinois: Unpub. report, 14 p. (in Survey open-file reports), 1928.
Brief consideration of Sweetland Creek shale - lithology, thickness, correlation.

Workman, L. E. See Collingwood, D. M. 00465

Workman, L. E. See William, H. B. 02336

Workman, L. E. See Willman, J. B. 02344

02367 Workman, L. E.; Gillette, Tracy
Subsurface stratigraphy of the Kinderhookian Series in Illinois: Ill. Geol. Survey Rept. of Invest. 189, 46, 1946.
Discusses Sylarmore, Grassy Creek, Saverton, New Albany - lithology, distribution, thickness, stratigraphic relations. Includes isopach maps, cross-sections, outcrop descriptions, lists of wells, correlation chart.

02368 Workman, L. E.; Huner, J.
Subsurface stratigraphy of the Devonian in western Illinois: Ill. Acad. Sci. Trans. (1934), Vol. 27, No. 2, p. 123, 1935.
Only passing mention of Sweetland Creek shale.

02369 Wright, R. D.
Millisecond-delay blasting of bench rounds: U. S. Bur. of Mines oil shale mine: Min. Cong. J., Vol. 39, p. 51-53+, June, 1953.
Described is the use of a high speed camera to help determine optimum delay period for detonators at USBM oil shale mine. (From p. 51)

02370 Wright, F. D.
Mining oil shale at Rifle, Colorado: Explosives Eng., Vol. 27, p. 78-81, 86, 92, May 1949.

Wright, F. D. See Brown, B. C. 00281

02371 Wright, F. D.; Ballinger, H. J.
Development of mobile compressor and utility station: U. S. Bur. of Mines Rept. of Invest. 4709, 4p., 1950.
Describes a mobile compressor and utility station, designed and built by Bur. engineers, and gives a record of its performance in Bureau's oil-shale mine near Rifle, Colo. (From abstract)

02372 Wright, F. D.; Ballinger, H. J.
Mobil utility station; Bureau of Mines engineers develop unit to serve fourdrill jumbo: Min. Cong. J., Vol. 36, p. 38-39, 60, Mar. 1950.
This 1950 article describes the operations of the Bur. of Mines oil shale mine in the Rifle-DeBeque area of Western Colorado. It was developed to demonstrate the most economical methods and practices for mining oil shale on a commercial scale. (From p. 38)

02373 Wright, Fred D.; Brakel, Lewis, H.
Controlled speed thrust and torque: Applied Hydraulics, Vol. 7, p. 44-47, Aug. 1954.
This 1954 article describes a machine designed using hydraulics to control speed for use in mining oil shale.

02374 Wright, F. D.; Brakel, L. H.
Development of a rotary test drill: U. S. Bur. of Mines Rept. of Invest. 4864, 8 p., 1952.
Experience gained during operation in the experimental oil shale mine at Rifle, Colo. of a hydraulically operated drill designed by Bur. engineers has shown that rotary drilling of vertical blast holes in oil shale is less expensive than percussion drilling. (From abstract)

02375 Wright, F. D.; Bucky, P. B.
Determination of room-and-pillar dimensions for the oil-shale mine at Rifle, Colorado: A. I. M. E. Tech. Pub. No. 2489, Min. Technol., Vol. 12, 8 p., 1948.

02376 Wright, F. D.; Burgh, E. E.; Brown, B. C.
Blasting research at the Bureau of Mines oil-shale mine: U. S. Bur. of Mines Rept. of Invest. 4956, 23 p., 1953.
Research at Bureau's experimental oil-shale mine at Rifle, Colo. to improve blasting techniques and

reduce breaking costs disclosed that millisecond-delay detonators resulted in improved fragmentation, economical use of explosives, and compact muck piles. (From abstract)

Wright, H. D. See Bates, Thomas F. 00133

Wright, H. D. See Bates, Thomas F. 00132

Wright, H. D. See Bates, Thomas F. 00131

Wright, H. D. See Weaver, C. E. 02290

Wright, J. C. See Waldron, Fred R. 02271

Wright, J. C. See White, Walter S. 02327

Wyant, Donald G. See Gott, Garland B. 00916

Wyant, D. G. See Stugard, Frederick, Jr. 02035

02377 Yankov, L.; Kyrdzhieva, L.
Issledovanie sostava paleoginovykh bitumolitov mestorozhdeniya Krasava, Pernikskogo rayona (Study of the composition of bitumolites from the Krasave Deposit, Pernik District): Neft. Vuglishchna Geol., Vol. 7, p. 46-52 (incl. Russian, English sum.), illus., 1977.
Discussed is extraction of Krasava bitumolite (oil shale) with a benzene-methanol mixture. Composition of the extract is presented, determined from thin layer chromatography.

02378 Yaukhuta, G. V.
Slantsenosnost' verkhney urshikh otlexheniy (Oil shale from upper Jurassic deposits): in Prognoz goryuchikh slantsev Yevropeyskoy chasti SSSR (Kotlukev, V. A., editor; et al.), p. 28-38, tables, Izd. Akad. Nauk ESSR, Tallin, Union of Soviet Socialist Republics, 1974.

Yaukhuta, G. V. See Ozeroy, I. M. 01600

02379 Yen, T. F. (editor)
Science and Technology of oil shale: p. 226, illus. (incl. tables), Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976. Individual papers are cited in this bibliography under separate authors.
A wide variety of topics are discussed in this collection of articles written about oil shale. Biochemical reactions, new methods extimating oil yields, environmental concents with ex situ and in situ spent shales, kerogen structure, and sulfur recovery are among the fifteen articles presented in this book. Most of the papers discuss new technology.

02380 Yen, T. F. (editor)
Shale oil, tar sands, and related fuel sources, in the collection Advances in chemistry series, No. 151, 184 p., illus., Am. Chem. Soc., Washington, D. C., United States, 1976. Individual papers within the scope of this bibliography are cited under the separate authors.
This volume was written because petroleum has achieved great importance as a concentrated fuel in American industrial life and because oil from oil shale promises to supplement the supplies of well petroleum. (From preface, p. vii)

02381 Yen, T. F.
Structural aspects of organic components in oil shale: in Oil Shale, No. 5, p. 129-148, illus., Elsevier Sci. Publ. Co., Amsterdam, Netherland, 1976.

02382 Yen, T. F.
Structural investigations of Green River oil shale kerogen: Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976. In Science and Technology of oil shale, p. 193-203, illus.
From a study of X-ray diffraction tests, the organic components of Green River oil shale are noted. A hypothetical model showing the structure of kerogen and its relation to bitumen is proposed.

02383 Yen, R. F.
Oil shales of the United States; a review: in Science and Technology of oil shale (Yen, T. F., ed.), p. 1-17, illus. (incl. tables, plates, sketch map), Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976.
Composition and oil yield of some oil shales, worldwide and nationwide, are shown and their potantial contribution as energy reserves discussed. Advantages and disadvantages of convential and in situ retorting processes are outlined, and paragraph summaries of some ex-situ processes are presented. Color plates of thin sections and descriptive comparisons of Appalachian, Chattanooga and Green River shales are given.

Yen, T. F. See Chew, R. T. 00430

Yen, T. F. See Findley, J. E. 00795

Yen, T. F. See Kim, K. E. 00187

Yen, T. F. See Meyer, W. C. 01430

Yen, T. F. See Meyer, W. C. 01431

Yen, T. F. (ed.) See Moussavi, M. 01485

Yen, T. F. See Moussavi, M. 01486

Yen, T. F. See Wen, C. S. 02315

Yen, T. F. See Young, D, L. 02386

Yen, T. F. See Young, K. D. 02387

02384 Yen, T. F.; Chilingarian, G. V.
Introduction to oil shales: in Oil Shale (Yen, T. F. ed.: et al.), No. 5, p. 1-12, sketch map, Elsevier Sci. Publ. Co., Amsterdam, Netherlands, 1976.

02385 Yen, T. F.; Chilingarian, G. V. (editors)
Oil shale: in the collection Developments in Petroleum Science, No. 5, 292 p., sketch maps, Elsevier, Sci. Pub Co., Amsterdam, Netherlands, individual papers are cited in this bibliography under the separate authors, 1976.

Yermakova, U. N. See Beskrovnyy, V. S. 00189

Young, D. A. See Moore, R. T. 01468

Young, D. K. See Moussavi, M. 01486

02386 Young, D. K.; Shih, S.; Yen, T. F.
Mild oxidation of bioleached oil shale; in Science and Technology of oil shale (Yen, T. F., editor), p. 65-71, illus., Ann Arbor Sci. Publ. Inc., Ann Arbor, Mich., United States, 1976.
An alternate way of releasing organic material from oil shale, oxidation, is studied. Permanganate stepwise oxidation experiments on Mahogany ledge Green River shale is presented. NMR analysis and gas chromatography methods were used to study the products and a discussion of the experiment is presented.

02387 Young, D. K.; Yen, T. F.
The nature of straight-chain aliphatic structures in Green River kerogen; Geochim. Cosmochim. Acta, Vol. 41, No. 10, p. 1411-1417, illus. (incl. tables), 1977.
This paper describes experimentation of mild degradative reactions caused by permanganate solution reaction on Mahogany ledge Green River kerogen. Gas-liquid chromatography and mass spectrometry were used to detect some of the products, as was proton-NMR spectroscopy. A discussion of the experiment is presented, and a model for structure of the Green River kerogen is illustrated.

Young, D. M. See Hunter, C. D. 01059

Young, E. G. See Munson, D. E. 01491

Young, N. B. See Johnson, Donald R. 01125

Young, N. B. See Johnson, D. R. 01124

Young, Neil B. See Smith, John Ward 01954

Young, Neil B. See Smith, John Ward 01956

Young, Neil B. See Smith, John Ward 01955

Young, N. B. See Smith, J. W. 01953

Young, Neil B. See Smith, J. W. 01952

02388 Young, Neil B.; Smith, J. W.
Dawsonite and nahcolite analyses of Green River formation oil-shale section, Piceance Creek Basin, Colorado: U. S. Bur. of Mines Rept. of Invest. 7445, 22 p., 1970.
Analytical results for nahcolite, dawsonite, total extractible alumina, and oil yield are presented for samples representing Green River Formation oil shales in the Sabine section of two cores from Colorado's Piceance Creek Basin. (From Abstract)

02389 Young, Neil B.; Smith, J. W.; Robb, W. A.
Determination of carbonate minerals of Green River Formation oil shales: U. S. Bur. of Mines Rept. of Invest. 8008, 41 p., 1975.
A method for assigning the acid soluble cations of carbonate minerals of oil shale to the individual minerals was developed from two assumptions: 1) calcite and ferroan do not occur together, and 2) the ratio of iron and magnesium is the same in dolomite and ferroan. (From abstract) These assumptions were tested by the Bur. of Mines.

Youngguist, W. See Miller, A. K. 01440

Yu, Chi-an See Wang, Pi-chen 02279

Zagidullina, F. G. See Pernikov, M. A. 01627

Zajic, James E. See Quigley, Robert M. 01693

Zajic, James E. See Quigley, Robert M. 01694

Zallinger, Jean (illustrator) See Nixon, Hershell H. 01567

Zalóna, Manual See Hevia, Torcuato 01009

02390 Zambus, P. G.; Haworth, G. R.; Brackebusch, R. E.; et al.
Large scale experimentation in oil shale: Sec. Min. Eng. AIME, Trans., Vol. 252, No. 3, p. 283-289, illus., 1972.
Results of experimentaion carried out at Anvil Points, Rifle, Colorado.

Zarella, W. M. See Schrayer, G. J. 01853

Zarella, W. M. See Schrayer, G. J. 01852

Zasorina, Ye. F. See Asiskulova, O. A. 00063

Zasorina, Ye. F. See Azizkulova, O. A. 00071

Zasorina, Ye. F. See Basitova, S. M. 00123

Zasorina, Ye. F. See Basitova, S. M. 00124

Zayed, Z. M. See Shazly, E. M. 01885

02391 Zefirov, A. P.; Ivanov, G. F.; Nosov, V. D.
Technological studies of the extraction of uranium and other valuable components from uranium - containing bituminous shales, in the recovery of uranium proceedings of a symposium held in São Paulo, 17-21 August 1970: Internal. Atomic Energy Agency STI/PUB/262, p. 425-435, ($13, UNIFUS, Inc.)(in Russian with English abstract), 1971.
Gives several lines of research on the technology of the extraction of uranium and other valuable components from oil shales. (From Abstract)

02392 Zhuravlev, I. A.
Radioactivity of Oligocene bituminous shales: Mineral Sb., No. 23, pt. 2, p. 206-211 (in Russian with English sum.), 1969.

Zhuze, T. P. See Gerber, M. O. 00889

Zhuze, T. P. See Orlova, V. S. 01587

02393 Ziegler, Victor
Oil shales and their utilization: the Railroad Redbook of the Denver and Rio Grande Railroad, Vol. 35, No. 3, p. 13-20, 1918.

02394 Ziemba, Eugene A.
Oil shale geology, federal tract C - a, Rio Blance County, Colorado: Rocky Mt. Assoc. Geol., Field Conf., Guides, No. 25 (Guides to the energy resources of the Piceance Creek Basin, Colo.), p. 123-130, illus. (incl. sketch maps), 1974.

Zilbersher, W. M. See Donnell, John R. 00682

Zimmerley, S. R. See Maier, C. G. 01378

02395 Zorkin, L. M.; Staduik, Ye. V.; Soshnikov, V. K. Geochemistry of gases in ground water in Devonian terrigenous rocks of the Russian Platform: Acad. Sci., SSSR, Dokl., Earth Sci. Sect., Vol. 203, p. 200-202, 1972.

This paper discusses the gas composition and the gas-content ratio of strata water in Devonian terrigenous rocks of the Russian platform. (From p. 201)

Acland, Australia
See 00094

Africa
See 01543

Africa
See 01636

Africa (north)
See 01838

Africa (south)
See 02090

Africa (south)
See 00041

Alabama
See 00902

Alabama
See 00903

Alabama
See 01677

Alabama, Jefferson County
See 00519

Alabama, Limestone County
See 01161

Alabama (north central)
See 00372

Alabama (northeastern)
See 00904

Alaska
See 00686

Alaska
See 02063

Alaska
See 02125

Alaska
See 02294

Alaska
See 02324

Alaska (northern)
See 02026

Alberta, Canada Leduc area
See 00038

Alberta, Canada Redwater area
See 00038

Alberta, Canada Slettler area
See 00038

Alexis quadrangle, Illinois
See 02280

Alps (east)
See 01008

Alton, Illinois
See 00738

Amazon shelf
See 00892

Antarctica, Ross Sea
See 01807

Appalachian area
See 00620

Appalachian area
See 01509

Appalachian area (central)
See 02081

Appalachian Basin
See 00601

Appalachian Basin
See 00635

Appalachian Basin
See 00842

Appalachian Basin
See 00975

Appalachian Basin
See 01260

Appalachian Basin
See 01439

Appalachian Basin
See 02196

Appalachian Basin
See 02272

Appalachian Basin
See 02274

Appalachian Basin
See 02273

Appalachian Basin
See 02292

Appalachian Basin
See 01423

Appalachian Basin (central)
See 01682

Appalachian region
See 01428

Appalachians
See 00495

Appalachians
See 00801

Appalachians
See 01018

Appalachians
See 01893

Appalachians (central)
See 00618

Appalachians (central)
See 00619

Argentina
See 00218

Arizona
See 00221

Arizona, Marble Canyon Quadrangle
See 00993

Arkansas
See 01805

Arkansas
See 02008

Arkansas
See 02052

Asia
See 02097

Asia
See 02095

Asia, Middle
See 00124

Athens
See 00926

Atlantic Ocean
See 01405

Australia
See 01249

Australia
See 01304

Australia
See 01326

Australia
See 01543

Australia
See 02099

Austria
See 00906

Austria, Carnic Alps
See 00104

Austria, Salzburg, Mitterburg Copper Deposit
See 00006

Avon quadrangle
See 01823

Baltic Basin
See 01199

Baltic region
See 01232

Bandanna Formation, Queensland
See 00036

Beardstown quadrangle
See 01873

Beardstown quadrangle
See 02281

Beaufort Basin
See 00224

Belgium
See 01295

Birds quadrangle, Illinois
See 01826

Black Hills region
See 01797

Black Sea
See 00389

Bowen Basin
See 02056

Brazil
See 00003

Brazil
See 00018

Brazil
See 00490

Brazil
See 00645

Brazil
See 00827

Brazil
See 00829

Brazil
See 01245

Brazil
See 01367

Brazil
See 01368

Brenznik region, U. S. S. R.
Krasova
See 01227

British Columbia
See 01619

British Columbia
See 02347

Bulgaria
See 00040

Bulgaria
See 02269

Bulgaria
See 02268

Burma
See 00283

Burma
See 00490

California
See 00490

California
See 01026

California
See 01463

California
See 01641

California, Walker River Basin
See 02220

California, Kern County-Elk Hills
See 01376

California, Livermore
See 01495

California, Long Beach Unit
See 02134

California, San Diego
See 00408

California, Santa Barbara County
See 00911

California, Santa Barbara County
See 00910

Commonwealth of Australia
See 01887

Canada
See 0125

Canada
See 00613

Canada
See 00623

Canada
See 00743

Canada
See 00742

Canada
See 00746

Canada
See 00747

Canada
See 01692

Canada
See 01784

Canada
See 01908

Canada, Alberta (Zama area)
See 01513

Canada, Arctic Ellesmere Island
See 01171

Canada, District of MacKenzie
See 01370

Canada, District of MacKenzie
See 01371

Canada, Quebec
See 01160

Canada, Selwyn Basin, Yukon and District of MacKenzie
See 00207

Canada (western)
See 00178

Canada (western)
See 00250

Canadian Appalachians
See 00562

Canton quadrangle
See 01823

Carlinville quadrangle
See 00089

Cave Valley Basin, Nevada
See 02217

Chattanooga Shale
See 00135

Chattanooga Shale
See 00166

Chattanooga Shale
See 00220

Chattanooga Shale
See 00256

Chattanooga Shale
See 00379

Chattanooga Shale
See 00482

Chattanooga Shale
See 00480

Chattanooga Shale
See 00481

Chattanooga Shale
See 00483

Chattanooga Shale
See 00485

Chattanooga Shale
See 00486

Chattanooga Shale
See 00484

Chattanooga Shale
See 00498

Chattanooga Shale
See 00494

Chattanooga Shale
See 00544

Chattanooga Shale
See 00698

Chattanooga Shale
See 00703

Chattanooga Shale
See 01176

Chattanooga Shale
See 01302

Chattanooga Shale
See 01314

Chattanooga Shale
See 01358

Chattanooga Shale
See 01658

Chattanooga Shale
See 01847

Chattanooga Shale
See 02050

Chattanooga Shale
See 02158

Chattanooga Shale
See 02159

Chattanooga Shale
See 02157

Chattanooga Shale
See 02248

Chattanooga Shale
See 02349

Chien-Tao province, southeast China
See 01808

Chile
See 00490

China
See 02279

China, Jehol province
See 00007

China, Manchuria (south)
See 00007

China's Petroleum Industry
See 00506

Cincinnati Arch
See 01064

Cincinnati Arch province
See 01344

Cobden quadrangle
See 01815

Colorado
See 00001

Colorado
See 00005

Colorado
See 00013

Colorado
See 00012

Colorado
See 00087

Colorado
See 00092

Colorado
See 00109

Colorado
See 00144

Colorado
See 00174

Colorado
See 00233

Colorado
See 00237

Colorado
See 00306

Colorado
See 00397

Colorado
See 00421

Colorado
See 00422

Colorado
See 00438

Colorado
See 00478

Colorado
See 00479

Colorado
See 00520

Colorado
See 00540

Colorado
See 00597

Colorado
See 00598

Colorado
See 00645

Colorado
See 00676

Colorado
See 00705

Colorado
See 00732

Colorado
See 00759

Colorado
See 00753

Colorado
See 00823

Colorado
See 00826

Colorado
See 00825

Colroado
See 00824

Colorado
See 00887

Colorado
See 00886

Colorado
See 00915

Colorado
See 00944

Colorado
See 00994

Colorado
See 01043

Colorado
See 01044

Colorado
See 01045

Colorado
See 01118

Colorado
See 01184

Colorado
See 01222

Colorado
See 01259

Colorado
See 01272

Colorado
See 01268

Colorado
See 01269

Colorado
See 01273

Colorado
See 01281

Colorado
See 01323

Colorado
See 01511

Colorado
See 01404

Colorado
See 01475

Colorado
See 01480

Colorado
See 01498

Colorado
See 01499

Colorado
See 01562

Colorado
See 01697

Colorado
See 01725

Colorado
See 01744

Colorado
See 01756

Colorado
See 01760

Colorado
See 01763

Colorado
See 01766

Colorado
See 01793

Colorado
See 01818

Colorado
See 01884

Colorado
See 01924

Colorado
See 01930

Colorado
See 01951

Colorado
See 01973

Colorado
See 01997

Colorado
See 02006

Colorado
See 02101

Colorado
See 02160

Coloraro
See 02190

Colorado
See 02209

Colorado
See 02211

Colorado
See 02313

Colorado
See 02350

Colorado
See 02355

Colorado, Debeque
See 00428

Colorado, Debeque
See 00605

Colorado, Debeque
See 00606

Colorado, Denver
See 00044

Colorado, Denver
See 00338

Colorado (east and northwest)
See 00781

Colorado, Eocene Green River Formation
See 00989

Colorado, Eocene Green River Formation
See 00559

Colorado, Eocene Green River Formation
See 00628

Colorado, Fort Collins
See 00507

Colorado, Fort Collins
See 01415

Colorado, Garfield
See 01343

Colorado, Garfield
See 02271

Colorado, Garfield and Rio Blanco Counties
See 00681

Colorado, Garfield and Rio Blanco Counties
See 00682

Colorado, Garfield County
See 00713

Colorado, Garfield County
See 02271

Colorado, Green River
See 00030

Colorado, Green River
See 00032

Colorado, Green River
See 01014

Colorado, Green River
See 01753

Colorado, Green River
See 01947

Colorado, Green River
See 01995

Colorado, Green River
See 02110

Colorado, Green River Formation
See 00233

Colorado, Green River Formation
See 00237

Colorado, Green River Formation
See 00365

Colorado, Green River Formation
See 00461

Colorado, Green River Formation
See 00462

Colorado, Green River Formation
See 00626

Colorado, Green River Formation
See 00656

Colorado, Green River Formation
See 00679

Colorado, Green River Formation
See 00680

Colorado, Green River Formation
See 00684

Colorado, Green River Formation
See 00723

Colorado, Green River Formation
See 01036

Colorado, Green River Formation
See 01297

Colorado, Green River Formation
See 01449

Colorado, Green River Formation
See 01897

Colorado, Green River Formation
See 01932

Colorado, Green River Formation
See 01939

Colorado, Green River Formation
See 01941

Colorado, Green River Formation
See 01994

Colorado, Green River Formation
See 02000

Colorado, Green River Formation
See 02001

Colorado, Green River Formation, 02132

Colorado, Green River Formation, southeast Uinta Basin
See 00381

Colorado, Green River Formation, Uinta Basin
See 00384

Colorado, Green River Formation, Uinta Basin
See 00385

Colorado, Mesa County
See 02271

Colorado (northwest)
See 00175

Colorado (northwest)
See 00187

Colorado (northwest)
See 00307

Colorado (northwest)
See 01033

Colorado (northwest)
See 01364

Colorado (northwest)
See 01563

Colorado (northwest)
See 02254

Colorado, Piceance Creek Basin
See 00059

Colorado, Piceance Creek Basin
See 00106

Colorado, Piceance Creek Basin
See 00107

Colorado, Piceance Creek Basin
See 00140

Colorado, Piceance Creek Basin
See 00148

Colorado, Piceance Creek Basin
See 00342

Colorado, Piceance Creek Basin
See 00343

Colorado, Piceance Creek Basin
See 00407

Colorado, Piceance Creek Basin
See 00458

Colorado, Piceance Creek Basin
See 00459

Colorado, Piceance Creek Basin
See 00461

Colorado, Piceance Creek Basin
See 00604

Colorado, Piceance Creek Basin
See 00630

Colorado, Piceance Creek Basin
See 00628

Colorado, Piceance Creek Basin
See 00677

Colorado, Piceance Creek Basin
See 00678

Colorado, Piceance Creek Basin
See 00679

Colorado, Piceance Creek Basin
See 00693

Colorado, Piceance Creek Basin
See 00757

Colorado, Piceance Creek Basin
See 00956

Colorado, Piceance Creek Basin
See 01016

Colorado, Piceance Creek Basin
See 01165

Colorado, Piceance Creek Basin
See 01362

Colorado, Piceance Creek Basin
See 01363

Colorado, Piceance Creek Basin
See 01441

Colorado, Piceance Creek Basin
See 01500

Colorado, Piceance Creek Basin
See 01501

Colorado, Piceance Creek Basin
See 01646

Colorado, Piceance Creek Basin
See 01648

Colorado, Piceance Creek Basin
See 01790

Colorado, Piceance Creek Basin
See 01921

Colorado, Piceance Creek Basin
See 01952

Colorado, Piceance Creek Basin
See 02388

Colorado. Plateau
See 00959

Colorado, plateau
See 01890

Colorado (southwest)
See 00201

Colorado, Rifle
See 00728

Colorado, Rifle
See 00737

Colorado, Rifle
See 00848

Colorado, Rifle
See 00847

Colorado, Rifle
See 00846

Colorado, Rifle
See 00853

Colorado, Rifle
See 00854

Colorado, Rifle
See 00852

Colorado, Rifle
See 01407

Colorado, Rifle
See 01422

Colorado, Rifle
See 01577

Colorado, Rifle
See 01902

Colorado, Rifle
See 01918

Colorado, Rifle
See 01970

Colorado, Rifle
See 02109

Colorado, Rio Blanco
See 01452

Colorado, Rio Blanco and Garfield Counties
See 00711

Colorado, Rio Blanco County
See 00341

Colorado, Rio Blanco County
See 00349

Colorado, Rio Blanco County
See 00387

Colorado, Rio Blanco County
See 00576

Colorad, Rio Blanco County
See 00577

Colorado, Rio Blanco County
See 00405

Colorado, Rio Blanco County
See 00406

Colorado, Rio Blanco County
See 02394

Colorado River Basin
See 01391

Colorado, Rulison
See 00851

Connecticut, East Berlin Formation
See 00047

Connecticut, East Berlin Formation
See 01292

Covasna Valley, central Romania
See 00927

Darmstadt, city, southern West Germany
See 01833

Deep River Valley, north central, North Carolina
See 02246

Devonian Chkalov region, Orenburg, Russia
See 01380

Devonian, Mississippian (east central)
See 01034

Devonian, Mississippian, Ohio
See 00808

Eastern Interior Coal Basin
See 00166

Eastern Interior Coal Basin, Mississippian border
See 02310

Edington quadrangle Wiltshire, England
See 01827

Ellesmere Island, Canada, Arctic
See 01171

England, Clee Hills area, Shropshire
See 00019

Eocene, Green River Formation southwest Wyoming
See 00101

Eocene, Green River Formation southwest Wyoming
See 00310

Eocene, Green River Formation southwest Wyoming
See 00952

Estonia
See 00490

Estonia
See 01406

Estonian, Russian
See 00439

Eungella, Queensland
See 02270

Eungella district Plevna, Queensland
See 01722

Europe
See 00844

Europe
See 00845

Europe
See 00947

Europe
See 01838

Europe
See 01840

Europe (western)
See 00194

Far East, east and southeast Asia
See 02095

Far East, east and southeast Asis, Burma, China
See 02097

Florida, Marion County Mud Lake
See 01082

Florida, Mud Lake
See 00241

France
See 00412

France
See 00413

France
See 00417

France
See 00419

France
See 00487

France
See 00488

France
See 00490

France
See 01351

France
See 01375

France
See 01676

France
See 02232

France, Gevandan region
See 00420

France, Herault
See 01006

France, Paris
See 00410

France, Paris
See 00411

France, Paris
See 00414

France, Paris
See 00415

France, Paris
See 00416

France, Paris
See 00418

France, Paris Basin
See 00400

Frankfort quadrangle
See 00336

Foresudetic Monocline Lower Permian rocks
See 00072

Galilee Basin, north Israel
See 00021

Gallia quadrangle, Ohio
See 00336

Georgia
See 00858

Georgia, Chattanooga Shale
See 00903

Georgia (northwest)
See 00269

Gerogia (northwest)
See 00904

Germany
See 00638

Germany
See 01862

Germany
See 02326

Glasford quadrangle, Illinois
See 02281

Glasgow, west central Scotland, Lanark County
See 00502

Great Basin, Nevada, Utah, California, Idaho, Wyoming, and Oregon
See 01812

Great Basin Devonian Western Assemblage, Nevada, Utah, Idaho, California, Wyoming
See 00188

Great Plains, central North America from Rockies to central plains of U. S.
See 01388

Great Plains, central North America from Rockies to central plains of U. S.
See 01387

Great Plains, central North America from Rockies to central plains of U. S.
See 02122

Great Plains, central North America, from Rockies to central plains of U. S.
See 02123

Great Plains region
See 02121

Greece, Athens
See 01006

Green River
See 00031

Green River
See 00037

Green River
See 00565

Green River
See 00566

Green River
See 01133

Green River
See 01400

Green River
See 01430

Green River
See 01431

Green River
See 01492

Green River
See 01493

Green River
See 01654

Green River
See 01655

Green River
See 01675

Green River
See 01749

Green River
See 01752

Green River
See 01754

Green River
See 01759

Green River
See 01922

Green River
See 01928

Green River
See 01952

Green River
See 01954

Green River
See 02102

Green River
See 02106

Green River
See 02105

Green River
See 02107

Green River
See 02111

Green River
See 02109

Green River
See 02113

Green River
See 02112

Green River
See 02114

Green River
See 02360

Green River
See 02383

Green River
See 02387

Green River Basin
See 00581

Green River Basin
See 01644

Green River Formation,
Colorado
See 00232

Green River Formation,
Colorado
See 00235

Green River Formation,
Colorado
See 00309

Green River Formation,
Colorado
See 00627

Green River Formation,
Colorado
See 00650

Green River Formation,
Colorado
See 00669

Green River Formation,
Colorado
See 00673

Green River Formation,
olorado
See 00674

Green River Formation,
Colorado
See 00683

Green River Fromation,
Colorado
See 00786

Green River Formation,
Colorado
See 01290

Green River Formation,
Colorado
See 01450

Green River Formation,
Colorado
See 01751

Green River Formation,
Colorado
See 01758

Green River Formation,
Colorado
See 01842

Green River Formation,
Colorado
See 01896

Green River Formation,
Colorado
See 01940

Green River Formation,
Colorado
See 01945

Green River Formation, Colorado
See 02131

Green River Formation, Colorado
See 02389

Green River Formation, Colorado
See 00233

Green River Formation, Colorado
See 00237

Green River Formation, Colorado
See 00462

Green River Formation, Colorado
See 00679

Green River Formation, Colorado
See 00680

Green River Formation Colorado
See 01036

Green River Formation, Colorado
See 01939

Green River Formation, Utah
See 00233

Green River Formation, Utah
See 00237

Green River Formation, Utah
See 01755

Green River Formation, Wyoming (southwestern)
See 00233

Green River, Wyoming
See 00029

Green County, Illinois
See 00465

Hardin County, Illinois
See 00330

Hardinville quadrangle, Illinois
See 01826

Haut-Rhin, St. Hippolyte northeast France
See 00353

Havana quadrangle, central Illinois
See 02282

Havana quadrangle, central Illinois
See 02281

Hsing-an Province north Manchuria
See 01828

Hudson Bay basin
See 01552

Hungary
See 01701

Hungary, Balton Highland
See 01107

Hungary, Dunantul (Pula and Gercè)
See 00048

Hungary, Dunantul
See 01107

Hungary, Kemineshat
See 01107

Huron County, Ohio
See 01849

Idaho
See 00915

Idaho
See 01413

Idaho
See 02254

Idaho
See 02355

Idaho, Bonneville
See 02252

Idaho, Bonneville
See 02251

Idaho, Bonneville
See 02253

Idaho, Cassia County
See 00920

Idaho, Cassia County
See 00954

Idaho, Cassia County
See 01390

Idaho, Cassia County
See 01389

Idaho (southeastern)
See 00500

Illinois
See 00053

Illinois
See 00122

Illinois
See 00167

Illinois
See 00184

Illinois
See 00463

Illinois
See 00929

Illinois
See 00934

Illinois
See 00965

Illinois
See 01057

Illinois
See 01066

Illinois
See 01067

Illinois
See 01065

Illinois
See 01108

Illinois
See 01177

Illinois
See 01256

Illinois
See 01262

Illinois
See 01263

Illinois
See 01264

Illinois
See 01360

Illinois
See 01416

Illinois
See 01483

Illinois
See 01509

Illinois
See 01572

Illinois
See 01571

Illinois
See 01588

Illinois
See 01595

Illinois
See 01607

Illinois
See 01613

Illinois
See 01786

Illinois
See 01820

Illinois
See 01819

Illinois
See 01859

Illinois
See 01878

Illiniois
See 01891

Illinois
See 02013

Illinois
See 02046

Illinois
See 02147

Illinois
See 02302

Illinois
See 02303

Illinois
See 02301

Illinois
See 02300

Illinois
See 02308

Illinois
See 02325

Illinois
See 02330

Illinois
See 02331

Illinois
See 02336

Illinois
See 02343

Illinois
See 02344

Illinois
See 02367

Illinois
See 02368

Illinois, Alexis quadrangle
See 02280

Illinois, Alto Pass quadrangle
See 00127

Illinois, Alto Pass quadrangle
See 00128

Illinois, Alton
See 00738

Illinois Basin
See 00212

Illinois Basin
See 00473

Illinois Basin
See 01064

Illinois Basin
See 01109

Illinois Basin
See 01110

Illinois Basin
See 02304

Illinois Basin, Illinois
See 00065

Illinois, Birds quadrangle
See 01826

Illinois, Chicago
See 01068

Illinois, Clark County
See 01482

Illinois, Clinton County
See 00356

Illinois, Devonian formations
See 00523

Illinois, Devonian system
See 00472

Illinois, Greene County
See 00465

Illinois, Hardin County
See 00231

Illinois, Hardin County
See 01647

Illinois, Hardin County
See 02311

Illinois, Hardinville quadrangle
See 01826

Illinois, Jersey County
See 00465

Illinois, Karbers Ridge quadrangle
See 00143

Illinois, Kinderhook-New Albany shale
See 00169

Illinois, Loncoln Fold
See 00477

Illinois, Madison County
See 00465

Illinois, Madison County
See 01359

Illinois, Marion County
See 01029

Illinois, Monmouth
See 02365

Illinois, McClasky
See 00168

Illinois, McLean County
See 02366

Illinois, Nouvoo
See 01254

Illinois, New Albany shale group
See 00449

Illinois, Rosiclare quadrangle
See 00143

Illinois (southwestern)
See 01825

Illinois (southern)
See 00179

Illinois (southern)
See 00474

Illinois, Sumner quadrangle
See 01826

Illinois, Union County
See 01253

Illinois, Vincennes quadrangle
See 01826

Illinois, Warsaw
See 00738

Illinois, Washington County, McKinley pool
See 00105

Illinois (western)
See 00470

Illinois (western)
See 00476

Illinois (western)
See 00471

Illinois (western and northern)
See 01960

India
See 02145

Indian Ocean
See 00926

Indian (subcontinent)
See 00283

Indiana (southeastern)
See 00763

Indiana (southwestern)
See 00159

Indiana
See 00344

Indiana
See 00490

Indiana
See 00596

Indiana
See 00762

Indiana
See 01714

Indiana
See 01712

Indiana
See 01978

Indiana
See 00977

Indiana
See 01052

Indiana
See 01177

Indiana
See 01189

Indiana
See 01330

Indiana
See 01328

Indiana
See 01329

Indiana
See 01331

Indiana
See 01345

Indiana
See 01717

Indiana
See 01716

Indiana
See 01715

Indiana
See 11713

Indiana
See 01746

Indiana
See 01835

Indiana
See 01963

Indiana
See 02043

Indiana, Benton
See 01418

Indiana, Clark
See 00217

Indiana, Delphi
See 01396

Indiana, Floyd
See 00217

Indiana, New Albany shale
See 01053

Indiana, New Albany shale
See 00702

Indiana, North Vernon
See 01024

Indiana (southern)
See 01190

Indiana (southwestern)
See 00166

Indiana, White
See 01418

Iowa
See 00056

Iowa
See 01180

Iowa
See 01202

Iowa, Cedar Valley, Shell Rock, Lime Creek
See 00692

Iowa, central section
See 00081

Iowa, Devonian Cedar Valley Formation
See 01175

Iowa, Sweetland Creek Shale
See 01440

Israel, Gevar'am shales
See 00026

Israll, Helez Oil Field
See 00457

Italy
See 01374

Japan
See 01062

Japan
See 01221

Japan
See 01814

Japan (central)
See 01221

Japan, Niigota Tertiary Basin
See 01221

Jehol, China
See 00007

Jersey County, Illinois
See 00465

Jonesboro quadrangle, Illinois
See 01822

Jurassic Basin
See 01156

Kansas
See 00767

Kansas
See 00894

Kansas
See 00909

Kansas
See 00987

Kansas
See 01061

Kansas
See 01272

Kansas
See 01268

Kansas
See 01269

Kansas
See 01270

Kansas
See 01273

Kansas
See 01460

Kansas
See 01800

Kansas
See 01801

Kansas
See 01805

Kansas (central)
See 00988

Kansas (eastern)
See 00273

Kansas (southeastern)
See 00181

Karbus Ridge quadrangle
Illinois
See 00143

Kazakhstan (eastern)
See 00928

Kentucky
See 00015

Kentucky
See 00196

Kentucky
See 00211

Kentucky
See 00490

Kentucky
See 00553

Kentucky
See 00555

Kentucky
See 01190

Kentucky
See 01167

Kentucky
See 01308

Kentucky
See 01309

Kentucky
See 01527

Kentucky
See 01532

Kentucky
See 01445

Kentucky
See 01451

Kentucky
See 01481

Kentucky
See 01551

Kentucky
See 01702

Kentucky
See 01703

Kentucky
See 01746

Kentucky
See 01821

Kentucky
See 01880

Kentucky
See 01943

Kentucky
See 02045

Kentucky
See 02072

Kentucky
See 02074

Kentucky
See 02299

Kentucky, Big Sandy
Gasfield
See 01059

Kentucky (eastern)
See 00067

Kentucky (eastern)
See 00898

Kentucky (eastern)
See 01058

Kentucky (eastern)
See 01683

Kentucky, Estill County
See 00554

Kentucky, New Albany Formation
See 01955

Kentucky, New Albany Formation
See 01956

Kentucky (southern)
See 00498

Kentucky (western)
See 00166

Kentucky (western)
See 00450

Kentucky (western)
See 01788

Kentucky (western)
See 02100

Kinderhook, Columbia County, southeast New York
See 00521

Kinderhookian series, New York
See 00469

Kinderhook, New York
See 02150

Kinderhook, New York
See 00800

Koburra Trough, Kobuk, Alaska
See 00020

Korea
See 01296

Krasava
See 01227

Krasava, USSR, Brenznik region
See 01227

Kuibyshev Volga region, Russia
See 01240

La Vela Bay
See 02244

Libreville, Gagon, Africa
See 01075

Lo-Tzu-Kon district, Chien Tao province, Manchuria
See 01808

Louisiana, Claiborne Parish
See 00192

Louisiana, Krotz Springs Field
See 00455

Mackenzie River delta, Reindeer Well
See 00146

Madison County, Illinois
See 00465

Manchuria
See 00490

Manchuria
See 02231

Manchuria (south), China
See 00097

Mandra
See 00298

Marcellus, Ohio
See 01730

Marcellus, Ohio
See 01731

Marine Basins
See 01729

Maryland
See 00986

Massachusetts, East Berlin Formation
See 00047

Maury Formation
See 00983

Michigan
See 01142

Michigan
See 01398

Michigan
See 01506

Michigan
See 01781

Michigan
See 02326

Michigan, Barry County
See 01324

Michigan Basin
See 01533

Michigan, Ontonagon County
See 02377

Michigan (southeastern)
See 00736

Middle Carpathians
See 01201

Milan quadrangle
See 01827

Mississippi
See 02235

Mississippi
See 02036

Mississippi, Clarke County
See 00076

Mississippi Embayment
See 01064

Mississippi River
See 00738

Mississippi Valley
See 02339

Mississippi Formation
See 02309

Mississippian stratigraphy (in Illinois Basin)
See 00065

Missouri
See 00246

Missouri
See 00938

Missouri
See 00937

Missouri
See 01061

Missouri
See 01466

Missouri
See 01819

Missouri
See 02151

Missouri
See 02235

Missouri
See 02344

Missouri
See 00244

Missouri, Old Monroe
See 01254

Montana
See 00180

Montana
See 01852

Montana
See 02355

Montana, Beaverhead County
See 00222

Montana, Bowdain area
See 00551

Montana, Disturbed Belt
see 00208

Montana (eastern)
See 00749

Montana (northeastern)
See 00247

Montana, Phosphoria Formation
See 00130

Montana, Townsend and Helena valleys
See 00160

Montana (western)
See 00500

Montana (western)
See 00957

Montana (western)
See 00955

Morgantown
See 02318

Natal, Impendhle County
See 00720

Nebraska
See 01169

Nebraska (northeastern)
See 01168

Netherlands
See 01287

Nevada
See 00274

Nevada
See 01463

Nevada, Cave Valley Basin
See 02217

Nevada, Elko County
See 01390

Nevada, Pahianagat Range, Lincoln County
See 01811

Nevada, Smoke Creek Desert Basin
See 02218

Nevada, Winuemucca Dry Lake Basin
See 02219

New Albany shale
See 00166

New Brunswick
See 00741

New Brunswick
See 00744

New Brunswick
See 00923

New Brunswick
See 01191

New Brunswick
See 01735

New Brunswick,
See 01898

New Brunswick, Albert mines
See 00009

New Brunswick, east Canada
See 00490

New Brunswick, Rosevale area
See 00748

New Brunswick, Taylor Village
See 00010

New England states
See 00562

New Guinea, Paupa
See 01304

New Jersey, Park Ridge
See 01518

New Mexico
See 00201

New Mexico
See 00705

New Mexico
See 00740

New Mexico
See 00802

New Mexico
See 00820

New Mexico
See 00821

New Mexico
See 00915

New Mexico, Carbonaceous rocks
See 00073

New Mexico, La Ventana Mesa area
See 00075

New Mexico, Mora County
See 02135

New Mexico, Rio Arriba County
See 00074

New Mexico, Sandoval
See 01706

New Mexico, Sandoval County
See 00074

New Mexico, Sandoval County
See 02255

New Mexico (southwestern)
See 01214

New York
See 00969

New York
See 01198

New York
See 01553

New York
See 01799

New York
See 01869

New York
See 02245

New York, Erie County
See 00266

New York, Erie County
See 00267

New York, Kinderhook
See 00800

New York, Kinderhook
See 02150

New York Paleozoic
See 00687

New York (southwestern)
See 00900

New York (west central)
See 00084

New Zealand
See 01977

Niigota Tertiary Basin, Japan
See 01221

Nile Delta
See 01401

Nord region, north France
See 00200

North America
See 01138

North America
See 01774

North America
See 01863

North America
See 01860

North America (western states)
See 01598

North Carolina
See 02247

North Dakota (lignite)
See 00364

North Eromanga Basin
See 01601

North Queensland, Broken River Province
See 00055

Norway
See 01903

Nova Scotia
See 00490

Nova Scotia
See 00741

Nova Scotia
See 00744

Nova Scotia
See 00809

Nova Scotia
See 01735

Nova Scotia, Pictou County
See 00694

Nova Scotia, Pictou County
See 02059

Nova Scotia, Pictou County
See 02060

Ohio
See 00066

Ohio
See 00223

Ohio
See 00245

Ohio
See 00345

Ohio
See 00448

Ohio
See 00467

Ohio
See 00490

Ohio
See 00750

Ohio
See 00808

Ohio
See 01027

Ohio
See 01112

Ohio
See 01173

Ohio
See 01257

Ohio
See 01266

Ohio
See 01265

Ohio
See 01319

Ohio
See 01320

Ohio
See 01528

Ohio
See 01447

Ohio
See 01561

Ohio
See 01557

Ohio
See 01559

Ohio
See 01560

Ohio
See 01592

Ohio
See 01593

Ohio
See 01594

Ohio
See 01590

Ohio
See 01616

Ohio
See 01730

Ohio
See 01731

Ohio
See 01746

Ohio
See 01772

Ohio
See 01848

Ohio
See 01849

Ohio
See 01867

Ohio
See 01868

Ohio
See 01964

Ohio
See 02010

Ohio
See 02023

Ohio
See 02062

Ohio
See 02104

Ohio
See 02245

Ohio (central)
See 02103

Ohio, Cleveland
See 01220

Ohio, Cleveland
See 02236

Ohio, Columbiana County
See 02025

Ohio, Erie and Louan
See 00355

Ohio, Huron County
See 01849

Ohio, Marcellus
See 01730

Ohio, Marcellus
See 01731

Ohio (northwestern)
See 00736

Ohio (northwestern)
See 00773

Ohio, Pike County
See 00778

Ohio, Ravenna
See 02333

Oklahoma
See 00027

Oklahoma
See 00215

Oklahoma
See 00272

Oklahoma
See 01061

Oklahoma
See 01805

Oklahoma, Ellis County (southern)
See 00203

Oklahoma (northeastern)
See 00390

Oklahoma (northeastern)
See 00391

Oklahoma (northeastern)
See 02129

Oklahoma, Osage County
See 01294

Oklahoma, Tulsa
See 00668

Oregon
See 01463

Oregon
See 01564

Orsha Basin, Russia
See 01284

Orshanskiy Basin
See 01283

Oslo region, southeast Norway
See 00197

Pacific Ocean
See 00926

Pacific Ocean
See 01727

Paris
See 01079

Paris Basin
See 01051

Parana Basin, central South America
See 00625

Pas-de-Calais coal basin
See 00200

Pennsylvania
See 00767

Pennsylvania
See 00787

Pennsylvania
See 00788

Pennsylvania
See 01549

Pennsylvania
See 01551

Pennsylvania
See 01772

Pennsylvania
See 01869

Pennsylvania
See 02068

Pennsylvania
See 02245

Pennsylvania
See 02284

Pennsylvania
See 02298

Pennsylvania Beaver
See 00780

Pennsylvania (central)
See 00264

Pennsylvania (central)
See 01139

Pennsylvania, Clearfield
See 00780

Pennsylvania, Jefferson
See 00780

Pennsylvania (northwestern)
See 00392

Pennsylvania State University
See 00612

Pennsylvanian Cyclothems
See 00997

Piceance Creek Basin
See 00704

Piceance Creek
(west central)
See 01950

Piceance Creek Basin,
Colorado
See 00458

Piceance Creek Basin,
Colorado
See 01953

Podhale (eastern) between
the Tatra Mtns. - Piening
belt, Czechoslovakia
See 01402

Pope County, Illinois
See 00330

Pripet Basin
See 00070

Pripet Basin
See 00079

Pretoria, Natal, Impendhle
County, South Africa
See 00720

Quebec, Bonaventure County
See 02060

Queensland
See 00097

Queensland
See 00156

Queensland
See 01327

Queensland
See 02055

Queensland
See 02054

Queensland (central)
See 00096

Queensland (central)
See 00504

Quincy and Liberty
Quadrangles, Florida
See 00543

Ravenna, Ohio
See 02333

Rifle, Colorado
See 00737

Rifle, Colorado
See 01407

Rifle, Colorado
See 01918

Rifle, Colorado
See 01970

Rifle, Colorado
See 02109

Rock Springs, Wyoming
See 01967

Rocky Mountain area
See 00145

Rocky Mountain District
See 00874

Rocky Mountain region
See 00715

Rocky Mountain section
See 00717

Rocky Mountain section
See 00856

Rocky Mountains
See 01387

Rocky Mountains
See 01388

Rosiclare quadrangle, Illinois
See 00143

Russia
See 00490

Russia
See 01212

St. Hippolyte, Haut-Rhin, northeast France
See 00353

Saline County, Illinois
See 00330

San-ho district
See 01828

Saskatchewan, Upper Devonian Birdbear Formation
See 01565

Scotland
See 00371

Scotland
See 00490

Scotland
See 00501

Scotland
See 00744

Scotland
See 00745

Scotland
See 01962

Scotland, the Lothians
See 00489

Scotland (northern)
See 00688

Scotland (northern)
See 00689

Sea of Asov
See 00389

Shawneetown, southeast Illinois
See 00392

Smoke Creek Desert Basin, Illinois
See 02218

South Africa
See 00490

South Carolina
See 01007

South Dakota
See 01169

South Dakota
See 01168

South Dakota
See 01852

South Wales
See 00490

Spain
See 01009

Spain
See 02091

Spain, Portilla de Luna
See 00111

Sumner Quadrangle, Illinois
See 01826

Sweden
See 00452

Sweden
See 01215

Sweden
See 01540

Sweden
See 01633

Sweden
See 02044

Sweden
See 02312

Sweden
See 02316

Switzerland
See 00158

Switzerland
See 00890

Sydney Basin
See 01414

Taiwan (northern)
See 00404

Tasmania
See 00490

Tasmania
See 00422

Tasmania
See 01720

Tatman Formation
See 01779

Tennessee
See 00198

Tennessee
See 00280

Tennessee
See 00294

Tennessee
See 00621

Tennessee
See 00902

Tennessee
See 00903

Tennessee
See 00904

Tennessee
See 01010

Tennessee
See 01203

Tennessee
See 01451

Tennessee
See 01551

Tennessee
See 01631

Tennessee
See 01657

Tennessee
See 01746

Tennessee
See 01768

Tennessee
See 02016

Tennessee
See 02017

Tennessee
See 02020

Tennessee
See 02053

Tennessee
See 02057

Tennessee
See 02345

Tennesse and adjacent areas
See 00983

Tennessee (central)
See 00497

Tennessee, central Tennessee Basin
See 00017

Tennessee, east central
See 00498

Tennessee, eastern Highland Rim
See 00491

Tennessee, Highland Rim and Walden area
See 00620

Tennessee, Macon County
See 01448

Tennessee, middle
See 00017

Tennessee, northeastern Highland Rim
See 02018

Tennessee, northeastern Highland Rim
See 02019

Tennessee (northern)
See 01707

Tennessee Rim (Eastern Highland)
See 01163

Tennessee, Waverlyan period
See 00129

Texas
See 00725

Texas
See 00807

Texas
See 01805

Texas
See 01966

Texas, Aransas County
See 00182

Texas Gulf Coast
See 00277

Texas Gulf Coast
See 00276

Texas Gulf Coast, Frio Formation
See 00157

Texas, Houston
See 02128

Texas (west)
See 00740

Thailand
See 00403

Thailand
See 01662

Tropical Atlantic Ocean
See 00892

Tung-ning
See 01809

Uinta and Piceance Creek Basins
See 00571

Uinta Basin
See 00570

Uinta Basin, Utah
See 00458

Uinta Basin, Utah
and Colorado
See 00108

Uinta Basin, Utah and
Wyoming
See 01037

Uinta Basin, Utah
and Wyoming
See 01174

U. S. S. R.
See 00895

U. S. S. R.
See 01145

U. S. S. R.
See 01637

U. S. S. R.
See 01724

U. S. S. R.
See 01229

U. S. S. R.
See 01877

U. S. S. R.
See 02264

U. S. S. R.
See 02395

U. S. S. R., Brenznick
region, Krasova
See 01227

United Arab Republic
See 01885

United Kingdom
(Yorkshire)
See 01980

United Nations
See 02097

United States
See 00018

United States
See 00088

United States
See 00557

United States
See 00561

United States
See 00600

United States
See 00710

United States
See 00707

United States
See 00714

United States
See 00716

United States
See 00803

United States
See 00828

United States
See 00891

United States
See 00914

United States
See 00916

United States
See 01106

United States
See 01119

United States
See 01162

United States
See 01241

United States
See 01258

United States
See 01411

United States
See 01568

United States
See 01570

United States
See 01858

United States
See 01908

United States
See 01987

United States
See 02036

United States
See 02051

United States
See 02058

United States
See 02220

United States
See 02287

United States
See 02321

United States
See 02357

United States
See 02351

United States
See 02383

United States, Atomic Energy Commission
See 00150

United States, Atomic Energy Commission
See 00153

United States, Atomic Energy Commission
See 00154

United States, Atomic Energy Commission
See 00149

United States (central)
See 00049

United States (central)
See 00050

United States (central)
See 00051

United States (east central)
See 00099

United States, east central interior
See 00550

United States (eastern)
See 00062

United States (eastern)
See 00496

United States (eastern)
See 01166

United States, north central region
See 00468

United States (southeastern)
See 00492

United States (western)
See 00525

United States, western interior
See 00444

Upper Mississippi Valley
See 00475

Upper Rhine, Germany
See 00930

Utah
See 00005

Utah
See 00043

Utah
See 00174

Utah
See 00233

Utah
See 00237

Utah
See 00347

Utah
See 00383

Utah
See 00490

Utah
See 00500

Utah
See 00597

Utah
See 00598

Utah
See 00656

Utah
See 00822

Utah
See 01118

Utah
See 00915

Utah
See 01318

Utah
See 01740

Utah
See 01951

Utah
See 01994

Utah
See 02229

Utah
See 02254

Utah
See 02319

Utah
See 02355

Utah
See 02356

Utah, Boxelder County
See 01390

Utah (eastern)
See 00705

Utah, Eocene, Green River Formation
See 00628

Utah, Green River
See 01691

Utah, Green River
See 02002

Utah, Green River Formation
See 00086

Utah, Green River Formation
See 00233

Utah, Green River Formation
See 00237

Utah, Green River Formation
See 00656

Utah, Green River Formation
See 00684

Utah, Green River Formation
See 01449

Utah, Green River Formation
See 01755

Utah, Green River Formation
See 01994

Utah, Green River Formation, eastern Utah Basin
See 00379

Utah, Green River Formation, southeastern Uinta Basin
See 00381

Utah, Green River Formation, Uinta Basin
See 00384

Utah, Green River Formation, Uinta Basin
See 00385

Utah, Kane Creek
See 00586

Utah (northeast)
See 00466

Utah (northeast)
See 00187

Utah, Red Wash Field, Green River Formation
See 01218

Utah, Uinta
See 01441

Utah, Uinta Basin
See 00458

Utah, Uinta Basin
See 00630

Utah, Uinta Basin
See 01645

Utah, Uinta Basin
See 01741

Utah, Uinta Basin
See 01944

Utah, Uinta Basin (eastern)
See 01950

Utah, Uinta Basin, Green River Formation
See 00774

Utah, Uinta County
See 00387

Utah, Uinta and Carbon Counties
See 00380

Utah, Uinta County, Green River
See 01948

Uzon hydrothermal system
See 00189

Vendom quadrangle
See 01531

Vermont quadrangle, Illinois
See 01824

Vermont quadrangle, Illinois
See 02281

Vienna
See 01071

Vincennes quadrangle, Illinois
See 01826

Virginia
See 00810

Virginia
See 00986

Virginia
See 01023

Virginia
See 01746

Virginia
See 01965

Virginia, Salem quadrangle
See 00022

Virginia, Springfield
See 00373

Virginia, Springfield
See 00374

Vosges Mountains, northeast France
See 00931

Wales, New South
See 01249

Wales, New South
See 02342

Wales, South
See 00204

Wales, South
See 00205

Walker River Basin, California
See 02220

Warsaw, Illinois
See 00738

Washakie Basin, Wyoming
See 00233

Washington, D. C.
See 00045

Washington, Red Oreille River Valley
See 01394

West Siberian Platform
See 01652

West Virginia
See 00986

West Virginia
See 00990

West Virginia
See 01457

West Virginia
See 01551

West Virginia
See 01609

West Virginia
See 01610

West Virginia
See 01612

West Virginia
See 01965

West Virginia
See 02299

West Virginia
See 02364

West Virginia, Lincoln County
See 01575

West Virginia, Mingo County
See 00671

West Virginia (southwest)
See 00077

West Virginia University
See 01892

Winuemucca Dry Lake Basin, Nevada
See 02219

Wisconsin
See 01142

Wisconsin
See 01878

Wyoming
See 00174

Wyoming
See 00233

Wyoming
See 00436

Wyoming
See 00490

Wyoming
See 00500

Wyoming
See 00539

Wyoming
See 00639

Wyoming
See 00656

Wyoming
See 00915

Wyoming
See 01118

Wyoming
See 01213

Wyoming
See 01355

Wyoming
See 01511

Wyoming
See 01534

Wyoming
See 01699

Wyoming
See 01850

Wyoming
See 01853

Wyoming
See 01852

Wyoming
See 01946

Wyoming
See 01994

Wyoming
See 02355

Wyoming, Campbell County
See 01883

Wyoming, Cretaceous Mowry shale
See 00590

Wyoming, Eocene Green Rvier Formation
See 00628

Wyoming, Fuson Formation
See 00236

Wyoming, Green River
See 00029

Wyoming, Green River
See 00578

Wyoming, Green River
See 01949

Wyoming, Green River
See 02077

Wyoming, Green River Basin
See 00560

Wyoming, Green River Basin
See 00575

Wyoming, Green River Basin
See 00579

Wyoming, Green River Basin
See 00580

Wyoming, Green River Basin
See 01644

Wyoming, Green River Formation
See 00300

Wyoming, Green River Formation
See 00626

Wyoming, Green River Formation
See 00656

Wyoming, Green River Formation
See 01356

Wyoming, Green River Formation
See 01449

Wyoming, Green River Formation
See 01745

Wyoming, Green River Formation
See 01770

Wyoming, Green River Formation
See 01920

Wyoming, Green River Formation
See 01942

Wyoming, Green River Formation
See 01994

Wyoming, Green River Formation
See 02065

Wyoming, Hamilton Dome, Bighorn
See 00182

Wyoming, Laramie
See 00538

Wyoming, Laramie
See 02092

Wyoming, Lincoln County
Wee 01507

Wyoming, Rock Springs
See 00321

Wyoming, Rock Springs
See 00346

Wyoming, Rock Springs
See 01967

Wyoming (southwest)
See 00187

Wyoming (southwest)
See 02254

Wyoming, Sweetwater County
See 00239

Wyoming, Sweetwater County
See 01172

Wyoming, Washakie Basin
See 01771

Wyoming, Washakie Basin
See 02133

Wyoming, Washakie Basin,
Green River Formation
See 01298

Wyoming, Wind River
Basin
See 02124

Yugoslavia
See 02259

Yugoslavia
See 01346

Yugoslavia
See 01361

ADDENDUM I

UGR Reports, Well Logs and Symposiums

A listing of reports, well logs, symposiums, and maps published in the Unconventional Gas Recovery (UGR) File of the Morgantown Energy Technology Center, Morgantown, West Virginia. Any questions and/or requests for personal copies of UGR File documents, logs, or maps should be addressed to:

Morgantown Energy Technology Center
U. S. Department of Energy
P. O. Box 880
Morgantown, WV 026505
Phone - (304) 599-7274

Certain numbers have a letter preceding the number, with the following meanings:

B. . . .Bibliographies

C. . . .Contractor Reports -- These are quarterly, semiannual, and annual reports of progress by EGSP Contractors. They are not cross referenced except by the name of the contractor, name of the PI, as Resource Characterization or Extraction Technolggy.

L. . . .Logs

M. . . .Maps -- Maps are listed following the report, well log, and symposium indices, with the map author-subject index following the map listing.

S. . . .Symposiums

001 "Increasing Eastern U. S. Natural Gas Reserves From Gas Bearing Shales." Overbey, William K., Paper Number SPE 6364, AIME, Columbus, OH, November 18-19, 1976, 8 p.

002 "Devonian Shale Gas." Science Applications, Inc., MERC/SP-77/3, June 1977, 24 p.

003 "ERDA Research in Fracturing Technology." Komar, C. A., Paper Number SPE 6363, AIME, Columbus, OH, November 18-19, 1976, 12 p.

004 "Natural Gas From Eastern U. S. Shales." Schrider, Leo A., C. A. Komar, and J. Pasini III, Paper Number SPE 6841, AIME, Denver, CO, October 9-12, 1977, 4 p.

005 "Some Practical Considerations in X-Radiography." Renton, John J., WVGES, MERC/SP/77-7, December, 1977, 30 p.

B006 "Bibliography of Upper Devonian Shale Sequence." Tripplett, J. C., and D. B. Trumbo, December 1975, 78 p.

007 "Drilling a Directionally Deviated Well to Stimulate Gas Production From a Marginal Reservoir in Southern West Virginia." Overbey, W. K., Jr. and W. M. Bryan, MERC/TPR-76/3, No Date, 33 p.

S008 "Devonian Shale Production and Potential, Proceeding of the Seventh Appalachian Petroleum Geology Symposium held at Morgantown, W. Va., March 1-4, 1976." Shumaker, R. C. and W. K. Overbey, Jr., Editors, WVGES, WVU, and MERC, MERC/SP-76/2, 271 p.

009 "Three Lick Bed: Useful Stratigraphic Marker in Upper Devonian Shale in Eastern Kentucky and Adjacent Areas of Ohio, West Virginia, and Tennessee." Provo, Linda J., Roy C. Kepferle, and Paul Edwin Potter, U. of Cin. and USGS, MERC/CR-77-2, No date, 56 p.

010 "Large Scale Foam Fracturing in the Devonian Shale -- A Field Demonstration in West Virginia." Frohne, K.H., MERC/TPR-77/2, April 1977, 14 p.

011 "Comparison of Conventional Hydraulic and Water/ Nitrogen Foam Fracutring in Two Ohio Devonian Shale Gas Wells." Frohne, K-H., MERC/TPR-76/1, February 1976, 12 p.

012 "lithologic Description of Core Material From Nicholas Combs No. 7239 Well, Perry County, Kentucky." Byrer, C. W., and D. B. Trumbo, MERC/TPR-76/2, May, 1976, 22 p.

013 "Lithologic Description of Cored Wells 11940 and 12041 in the Devonian Shale in the Cottageville, West Virginia Area." Byrer, C. W., D. B. Trumbo, MERC/TPR-76/7, October 1976, 22 p.

014 "Use of Uncorrected X-ray Diffraction Data in Quantitative Analytical Determination." Renton, John J., WVGES, MERC/CR-7710, October 1977, 20 p.

015 "Exchange Cations in the Devonian Shale Sequence." Maynard, J. Barry and R. Ulmschneider, U. of Cin., MERC/CR-77/9, October 1977, 10 p.

B016 "Geology of Argillaceous Sediments, an Annotated and Illustrated Bibliography." Potter, Paul Edwin, J. Barry Maynard, and Wayne A. Pryor, U. of Cin., MERC/CR-77/8, June 1977, 134 p.

017 "Devonian Shale-Fracturing Fluids Studies." Chenevert, Martin E., Chenevert & Associates, Inc., Final Report, September 8, 1977, 24 p.

018 "Organic Composition of Devonian Shale from Perry County, Kentucky." Lamey, Steven C. and Edward E. Childers, MERC/TPR-77/3, December 1977, 26 p.

019 "Fields and Laboratory Procedures for Oriented Core Analysis of Devonian Shales." Byrer, C. W. and C. A. Komar, MERC/SP-77/4, August 1977, 15 p.

020 "A Borehole Grarity Survey to Determine Density Variations in the Devonian Shale Sequence of Lincoln County, West Virginia." Schmoker, James W., USGS, MERC/CR-77/7, May 1977, 15 p.

021 "Petrography of Selected Devonian Shale Core Samples From the CGTC 020403 and CSGC 11940 Wells, Lincoln and Jackson Counties, West Virginia." Larese, Richard E., and Milton T. Heald, WVGES and WVU, Dept. of Geol. & Geography, MERC/CR-77/6, No date, 27 p.

022 "Subsurface Stratigraphy and Gas Production of the Devonian Shales in West Virginia." Patchen, Douglas G., WVGES, MERC/CR-77/5, March 1977, 35 p.

023 "Prediction of Fracture Extent by Stimulation of Gas Well Pressure and Production Behavior." Sawyer, W. K., J. C. Mercer, and K-H. Frohne, MERC/TPR-76/8, October 1976, 20.

024 "Lithologic Description of Core Material From Glen Gery #5/745 Well, Rose Township, Carroll County, Ohio." Byrer, C. W., and S. J. Rhoades, MERC/TPR-76/6, October 1976, 20 p.

025 "Lithologic Description of Cored Wells #20402 and #20403 in the Devonian Shale in Lincoln County, West Virginia." Byrer, C. W., M. K. Vickers, S. J. Rhoades, and B. G. Easterday, MERC/TPR-76/9, October 1976, 58 p.

026 "Fractographic Logging for Determination of Pre-Core and Core-Induced Fractures -- Nicholas Combs No. 7239 Well, Hazard, Kentucky." Kulander, Byron R., Stuart L. Dean, and Christopher C. Barton, MERC/CR-77/3, January 1977, 44 p.

027 "Eastern Gas Shales Project Newsletter." in Devonian Shale Gas, Science Applications, Inc., V. 1, Issue 1, October 1977, 8 p.

028 "Development of a Rationale for Stimulation Design in the Devonian Shale." Komar, C. A., SPE 7166, June 7-9, 1978, 14 p.

029 "Stratigraphy of the Upper Devonian-Lower Mississippian Shale Sequence in the Eastern Kentucky Outcrop Belts." Swager, Dennis Ray, Thesis submitted to Frank R. Ettensohn, U. of KY, 1978, 116 p.

030 "In Situ Stress Determination in the Devonian Shale (IRA McCOY 20402) Within the Rome Basin." Brechtel, C. E., A. S. Abou-Sayed, Terra Tek, Inc., and R. J. Clifton, Brown University, TR76/36, July 1976, 45 p.

031 "DOE-METC Gas Well Testing Service Contract No. EW-78-C-21-8096, Well Test Analysis for Pacific States Gas and Oil Company L. Bonnet No. 1 Well." Gruy Federal, Inc., Vols. 1 and 2, December 6, 1978, 111 p.

032 "Environmental Impact Assessement for the Proposed MERC-1 Gas Well to be Drilled at the Morgantown Energy Research Center, Morgantown, West Virginia." DOE/MERC, January 1978, 59 p.

033 "Test Prognosis for Pacific States Gas and Oil Company Well, Gilmer County, West Virginia." Gruy Federal, Inc., February 1979, 10 p.

034 "DOE-METC Gas Well Testing Service Contract No. EW-78-C-21-8096, Well Test Analysis for Kentucky-West Virginia Gas Company Well No. 1627." Gruy Federal, Inc., Submitted to USCOE/METC, January 25, 1979, Vols. 1 and 2, 39 p.

035 "Mountain State Geology." Erwin, Robert B., WVGES, December 1977, 59 p.

036 "Rock Mechanics Studies Related to Massive Hydraulic Fracturing of Eastern United States Devonian Shales Final Core Analysis Report." Rogers, L. A., A. S. Abou-Sayed, E. R. Simonson, R. Lingle, L. M. Buchholdt,

and A. H. Jones, Terra Tek, Inc., Submitted to Columbia Gas System Service Corportation, March 1977, 64 p.

037 "Appendix A, Comparison of Log and Laboratory Measured P-Wave and S-Wave Velocities; Appendix B, Comparison of Laboratory and Log Data; Appendix C, Method For Determining the Permeability of Rock Samples; Appendix D, Flow Capacity Measurements." Terra Tek, Inc., Submitted to Columbia Gas System Service Corporation, June 6, 1977, 34 p.

038 "Determination of the Strain Relaxation and Their Relation to Subsurface Stresses in the Devonian Shale." Swolfs, H. S., R. Lingle, and J. M. Thomas, Terra Tek, Inc., Submitted to Columbia Gas System Service Corporation, February 1977, 36 p.

039 "Fracture Investigation of the Devonian Shale Using Geophysical Well Logging Techniques." Myung, John L., WVGES, March 1976, 29 p.

040 "Appliaction of Remote Sensing Studies to the Interpretation of Fracture Systems and Structural Styles in the Plateau Regions of Eastern Kentucky, Southwestern Virginia, and Southwestern West Virginia for Appliaction to Fossil Fuel Extraction Processes." Werner, Eberhard, WVU, Dept. of Geol. & Geography, December 1977, 98 p. (9 Maps).

041 "Eastern Gas Shales Project, Field Operations." USDOE/MERC, 12 p.

042 "Stilumation Technology Development in the Eastern Gas Shales Project." Komar, C. A., K.H. Frohne, and A. B. Yost, MERC, February 28, 1978, 70 p.

043 "Amex-Vescorp Phase 1 Report, Eastern Gas Shales Project." Amex-Vescorp, June 1977, 60 p.

044 "Devonian-Mississippian Shale Sequence in Ohio." Hoover, Karl V., OHGS, Information Circular No. 27, 1960, 154 p. (3 Maps).

C045 "Evaluation of Methods for Stimulation and Characterization of Eastern Gas Shales." Los Alamos Scientific Laboratory Progress Reports (W-7405-ENG-36): 77Q3, 78Q1, Q3.

C046 "Characterization and Hydrocarbon Resource Appraisal of Middle and Upper Devonian Shales in New York." New York State Geological Survey (NYSGS) Quarterly Reports (EY-76-C-05-5206): 77Q1, Q3, Q4, 78Q2, Q3, Q4, 79Q1.

C047 "EGSP Study of the Upper Devonian Shale in Ohio." Ohio Division of Geological Survey (OHGS) Quarterly Reports (DE-AS05-76MC05200): 78Q2, Q3, Q4, 79Q1, Q2.

C048 "Analysis of Structural Geological Parameters that Influence Gas Production From the Devonian Shale of the Appalachian Basin." West Virginia University, Dept. of Geol. and Geography (WVU, Dept. of Geol. & Geography) Quarterly and Annual Rpports (DE-AC21-76MC05194): 77Q3, A77, 78Q1, Q2, Q3, Q4, A78-2 Vols., 79A1.

049 "Status and Results of ERDA's Devonian Shale Program." Hunt, A. E., and W. K. Overbey, Jr., MERC, June 1977, 11 p.

C050 "Geologic & Geochemical Studies of the New Albany Group (Devonian Black Shale) in Illinois to Evaluate its Characteristics as a Source of Hydrocarbons." Illinois State Geological Survey (ILSGS) Quarterly Reports (DE-AC21-76MC05203): 77Q4, 78Q1, Q2, Q3, Q4, 79Q1, Q2.

C051 "Physical and Chemical Characterization of Devonian Gas Shale." Mound Facility Quarterly Status Reports (DE-AC04-76DP00053): 77Q3, 78Q1, Q2, Q3, Q4, 79Q1, Q2.

052 "Fracture Density and Orientation Study of the Reel Energy #3 D/K Core From Mason County, West Virginia." Evans, Mark A., WVU, Dept. of Geol. & Geography, December 1978, 48 p.

053 "What are Possible Stratigraphic Controls for Gas Fields in Eastern Black shale?" Harris, Leonard D., and G. W. Colton, USGS, Oil and Gas Journal, V. 76, No. 14, April 3, 1978, p. 162-165.

C054 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons." Battelle Columbus Laboratories, Quarterly Reports (DE-AC21-76MC05205): 78Q2-2 Vols., 78Q3, Q4, 79Q1, Q2.

C055 "Study of Hydrocarbon-Shale Interaction." Juniata College Quarterly and Annual Reports (DE-AS05-76MC05197): 78Q1, Q3, Q4, A77, Q4-4 Vols., 79Q1-4 Vols., A78, 79Q2.

056 "Devonian Shale Development in Eastern Kentucky." In Natural Gas From Unconventional Geologic Sources, Ray, Edward O., Chapter 7, 1976, 100-112 p.

057 "Current Investigation of Devonian Shale by the U. S. Geological Survey." In Natural Gas From Unconventional Geological Sources, De Witt, Wallace USGS, Chapter 8, 1976, 113-155 p.

058 "Devonian Shales as a Source of Gas." in Natural Gas From Unconventional Geologic Sources, Avila, John, Chapter 5, 1976, 73-85 p.

059 "Remote Sensing Studies in the Appalachian Plateau for Application to Fossil Fuel Extraction." Werner, Eberhard, WVU, Dept. of Geol. & Geography, 1976, 10 p.

060 "Photolineament Mapping in the Appalachian Plateau and Continental Interior Geological Provinces -- A Case Study." In Remote Sensing of Earth Resources -- Editor, R. Shahrokhi, Werner, Eberhard, WVU, Dept. of Geol. & Geography, V. 5, March 29-30, 1976. 403-417 p.

061 "Stratigraphic and Geographic Distribution of Core in Black Shale Sequence (Mississippian and Devonian) in Appalachian Basin." Kepferle, Roy C. and Paul Edwin Potter, USGS and U. of Cin., March 1978, 9 p.

062 "Energy From Shale -- A Little Used Natural Resource." In Natural Gas From Unconventional Geologic Sources, Brown, Porter J., 1976, 86-99 p.

063 "Interrelationships of Photolineaments, Geological Structures, and Fracture Production of Natural Gas in the Appalachian Plateau of West Virginia." In preprints, First Eastern Gas Shales Symposium, Werner, Eberhard, WVU, Dept. of Geol. & Geography, October 17-19, 1977, 352-361 p.

064 "Remote Sensing Methods for Application of Natural Gas Production From Fractured Devonian Shale Reservoirs of Western West Virginia." In V. 2 -- Gas and Drilling, Proceedings of Third ERDA EGR Symposium, Werner, Eberhard, WVU, Dept. of Geol. & Geography, August 30-September 1, 1977, G-14/1 to G-14/7 p.

065 "Fracture of Devonian Shale by Tailored Pulse-Loading." McHugh, S. L., W. J. Murri, L. Seaman, D. R. Curran, and D. D. Keough, SRI International, Final Report under Contract EY-76-C-03-0115-127 for DOE/METC, December 1978, 88 p.

066 "Economic Analysis of Devonian Gas Shale Drilling Ventures Involving Fracture Stimulation." TRW, October 1977, 54 p.

067 "Technical Report, Chemical Explosive Fracturing, Devonian Shale Kentucky." LaRocca, S. J. and A. M. Spencer, Petroleum Technology Corporation (PTC), July 1977, 25 p.

068 "Preliminary Analytical Results for a New USGS Devonian Ohio Shale Standard SDO-1." Leventhal, J. S., J. G. Crock, W. Mountjoy, J. A. Thomas, V. E. Shaw, P. H. Brigg,, J. S. Wahlberg, and M. J. Malcolm, USGS, May 2, 1978, 11 p.

069 "Stratigraphy and Petrology of the Devonian Brown Shale in West Virginia." In Proceedings of the Seventh Annual Appalachian Petroleum Geology Symposium, Patchen, Douglas G. and Richard E. Larese, WVGES, March 1-4, 1976, 4-19 p.

C070 "Carbonaceous Shales of Indiana as Sources of Energy, Petrochemicals, and Ceramic Materials." Indiana Geological Survey (INGS) Quarterly Reports (EY-76-C-05-5204): 78Q2, Q3.

C071 "Energy Resources of the Devonian Shale in the Appalachian Basin." University of Cincinnati (U. of Cin.) Quarterly and Annual Reports (EY-76-C-05-5201): 78Q2, Q3, Q4, A78, 79Q1, Q2.

L072 "Jackson County West Virginia, W. B. Barnett #12501 Well (Logs)." Consolidated Gas Supply Corporation, 1978: COMP, D, D1, 3D, FIL, N, S.

C073 "Enhanced Gas Recovery Program." Sandia Laboratories Annual Reports (AT-(29-1)-789): A77-2 Vols.

L074 "Lincoln County, West Virginia, Columbia Gas Well #20402 (Logs)." Columbia Gas Transmission Corporation, 1976: AMP. BOND, C, COMP, D, DI, 3D, EP, GR, I, LL, MLL, N, S, T, TDT.

L075 "Lincoln County, West Virginia, Columbia Gas Well #20401 (Logs)." Columbia Gas Transmission Corporation, 1976: BOND, C, COMP, D, DI, DIP, 3D, GR, LL, MLL, N, NOISE, S, SIB, T, TDT.

L076 "Lincoln County, West Virginia, Columbia Gas Well #20403 (Logs)." Columbia Gas Transmission Corporation, 1976: BOND, C, COMP, D, DI, DIP, 3D, GR, LL, MLL, N, NOISE, S, SIB, T, TDT.

L077 "Mason County, West Virginia, D/K Farm #3 Well (Logs)." Reel Drilling Company, 1978: AMP, COMP, D, DC, DI, 3D, FIL, GR, I, MLL, N, S, SIB, T, VD, WTP.

L078 "Washington County, Ohio, Florence L. House #R-109 (Logs)." River Gas Company, 1976: C, D, E, GR, I, N.

L079 "Martin County, Kentucky Well #20336 (Logs)." Columbia Gas Transmission Corporation, 1976: D, DI, GR, I, N, T.

L080 "Jackson County, West Virginia, Well #12041 (Logs)." Consolidated Gas Supply Corporation, 1975: C, D, GR, I.

L081 "Perry County, Kentucky, Well #7239 Hazard Field (Logs)." Kentucky West Virginia Gas Company, 1975: AMP, D, GR, N, S, SEISV, T.

L082 "Effingham County, Illinois, Well Lancaster #1-D (Logs)." Tri-Star Producing Company, Inc., 1977: C, COMP, D, DI, GR, LL, ML, MLL, N, S.

L083 "Carroll County, Ohio, Well Glen Gery #50745 (Logs)." Canton Oil and Gas Company, 1974: D, GR.

L084 "Tazewell County, Illinois, Well MAK #1 (Logs)." Northern Illinois Gas Company, 1977: COMP, D, DI, LL, ML, MLL, N, S.

L085 "Martin County, Kentucky, Well No. 20337 (Logs)." Columbia Gas Transmission Corporation, 1976: COMP, D, GR, I, N, SIB.

L086 "Wise County, Virginia, Well No. 20338 (Logs)." Columbia Gas Transmission Corporation, 1977: D, I, N, SIB, T.

L087 "Sullivan County, Indiana, Well Phegley Farms, Inc. #1 (Logs)." Energy Resource of Indiana, Inc., 1976: E.

L088 "Henderson County, Illinois, Well KAR #1 (Logs)." Northern Illinois Gas Company, 1977: C, COMP, D, DI, GR, LL, ML, MLL, N, S.

L089 "Jackson County, West Virginia, Well L. A. Baler #11940 (Logs)." Consolidated Gas Supply Corporation, 1975: D, E, GR, I, N, T.

L090 "Monongalia County, West Virginia, MERC Well #1 (Logs)." U. S. Department of Energy, 1978: AMP, COMP, DC, DI, DIR,FIL, MLL, VD.

091 "Method of Analysis and Precision of X-Ray Diffraction Data from Ohio Shale." Carlton, Richard W., OHGS, METC/CR-78/16, October 1978, 24 p.

C092 "Characterizaiion and Evaluation of the Devonian Shales in West Virginia." West Virginia Geological & Economic Survey (WVGES) Quarterly Reports (EY-76-C-05-5199): 78Q1, Q2, 79Q1, Q2.

093 "Incident Light Microscopic Studies of Devonian Shale. Ting, Francis T. C., WVGES, 178 4 p.

094 "Preliminary Investigation of Market, Institutional and Regulatory Barriers to Natural Gas Production and Use Within Appalachia." TRW, November 1977, 32 p.

095 "Coring and Logging Plan, Eastern Gas Shales Project." TRW, March 1977, 57 p.

096 "Effectiveness of Hydraulic Fracturing Treatments in the Devonian Shale." Yost, Albert B., II, METC, June 1978, 25 p.

097 "Energy From Shale: What's Ahead for Indiana?" Patton, John B., Donald D. Carr, and Richard K. Leininger, INGS, Reprint from Indiana Business & Industry Magazine, February 1978, 4 p.

098 "Project Plan Document -- Fiscal Year 1977, Eastern Gas Shales Project." ERDA, October 1976, 34 p.

099 "Porous Fracture Facies in the Devonian Shales of Eastern Kentucky and West Virginia." Shumaker, Robert C., WVU, Dept. of Geol. & Geography, June 1978, 10 p.

100 "Evaluation of Stimulation Technologies in the Eastern Gas Shales Project." SAI, May 1978, 18 p.

101 "Pilot Study of Gas Production Analysis Methods Applies to Cottageville Field." deWys, J. Negus and R. C. Shumaker, WVU, Dept. of Geol. & Geography, February 1978, 45 p.

102 "Structural Parameters That Influence Devonian Shale Gas Production in West Virginia and Eastern Kentucky: A summary of Progress for 1977-1978." Shumaker, R. C., J. Negus deWys, J. M. Dixon, K. G. Kirk,

B. R. Long, E. B. Nuckols III, H. W. Rauch, R. L. Wheeler, and T. H. Wilson, WVU, Dept. of Geol. & Geography, June 1978, 10 p.

103 "Evaluation and Suggestions on MERC EGSP Earth Fracture Systems Program." Knutson, C. F., C. K. GeoEnergy Corporation, June 1978, 51 p.

10 "DOE-METC Gas Well Testing Service Contract No. EW-78-C-21-8096, Well Test Analysis for Columbia Gas Transmission Corp. Well No. 20336." Gruy Federal, Inc., December 19, 1978, Vols. 1 and 2, 62 p.

C105 "Black Shale Studies in Kentucky." University of Kentucky (U. of KY) Quarterly ad Annual Reports (DE-AC21-76MC05202): 78Q2, Q3, Q4, A78, 79Q2.

C106 "Evaluation of the Chattanooga Shale in the Tennessee Valley and Ridge for Natural Gas and Uranium." Tennessee Geological Survey (TNGS) Quarterly Reports (EY-76-C-05-5196): 77Q1, Q2, Q3, 78Q2, Q3, Q4, 79Q1.

107 "Hydrologic Study of Water Well Yield and Ground-Water Quality Related to Stratigraphic and Structural Settings in Western Jackson County, West Virginia." Jones, D. Scott, and Henry W. Rauch, January 1978, 24 p.

108 "Prediction of In-Situ Stresses for Directional Properties of Rock Cores for Field Development of Devonian Shales." Peng, Syd S., and Seisuke Okubo, WVU, College of Mineral and Energy Resources, Final Report submiteed to MERC under Contract #EY-77-C-21-8087, July 1978, 73 p.

109 "Ostracode Biostratigraphy in the Bottom 395 Feet of CGTC Well #20403, Lincoln County, West Virginia." Warshauer, Steven M., WVGES, July 25, 1978, 11 p.

110 "Stratigraphy of the Devonian Harrell and Millboro Shales in Parts of Pennsylvania, Maryland, West Virginia, and Virginia." Hasson, Kenneth O., and John M. Dennison, ERRA, Final Report for ERDA under Contract #EY-77-C-21-8153, May 1978, 124 p. (14 maps).

C111 "Directionally Drilled Well in the Devonian Shale." Consolidated Gas Supply Corporation (ConGSC) Quarterly Reports (EY-76-C-21-8047): 78Q2, Q3, 79Q1.

112 "Foam Fracturing Evaluation." Sinclair, A. Richard, Fracturing Technology, Inc., for C. A. Komar, EGSP, TR78-21, July 1978, 23 p.

113 "A Biostratigrahic Analysis of Core Samples from Wells Drilled in the Devonian Shale Interval of the Appalachian and Illinois Basin." Martin, Stephen J. and Ronald E. Zielinski, Mound Facility, July 14, 1978, 24 p.

114 "Minimization of Preferred Orientation in Powders by Spray Drying." Smith, Steven T., Robert L. Snyder, and W. E. Brownell, NYS College of Ceramics, 1978, 11 p.

B115 "A Preliminary Eastern Gas Shales Bibliography." Hall, Vivian, U. of KY, August 1978, 152 p.

116 "In Situ Stress Measurements at the MERC Well." Brechtel, C. E., Terra Tek, TR78-34, May 1978, 20 p.

117 "Geochemical Characterization of Devonian Gas Shale." Zielinski, R. E., Mound Facility, October 1977, 25 p.

118 "An Interactive Data Management and Analysis System for the Eastern Gas Shale Program." Seabaugh, Pyrtle W. and Ronald E. Zielinski, Mound Facility, October 1977, 8 p.

119 "Physiochemical Characterization of Devonian Gas Shale." Zielinski, R. E., A. Attalla, E. Stacy, B. D. Craft, and R. L. Wise, Mound Facility, October 1977, 22 p.

120 "Graphitized Carbon in Gas Liquid Solid Chromatography and Gas Chromatography/Mass Spectrometric Analysis of High Boiling Hydrocarbon Mixtures." Ciccioli, Pado, John M. Hayes, Gainfranco Rinaldi, Kenneth B. Denson, and warren G. Meinschein, Indiana University, September 1978, 33 p.

121 "Isolation of Kerogen from Eastern Gas Bearing Shale." Lamey, Steven and Edward Childers, METC, July 1978, 26 p.

122 "Preparation of Lineament Maps of Southwestern Indiana." Powell, Richard L., INGS, September 1978, 10 p.

123 "Lineaments and Ground-Water Quality as Exploration Tools for Ground Water and Gss in the Cottageville Area of Western West Virginia." Jones, D. Scott and Henry W. Rauch, 1978, 9 p.

124 "Report of Phase III of the Multivariate Statistical Characterization of Geochemical Data Generated by the EGSP for Cores 20403, 11940, 12041, GG5, and 7239." Warshauer, Steven M., WVGES, 1978, 38 p.

125 "Fracture Mechanics Investigations Associated with Coring and Hydraulic Induced Fractures." Advani, S. H. and H. V. S. Gangarao, WVU, College of Engineering, Final Report Under USDOE Contract #EY-72-C-21-8087, 1978, 110 p.

C126 "Eastern Gas Shales Project Reports." Science Applications, Inc. (SAI), for Morgantown Energy Technology Center: SA Jul-Dec, 1976-2 Vols., 77Q2-2 Vols., 77Q3, Q4, A77, 78Q1, Q2.

127 "Organic Composition of Devonian Shale Cores from Wells #11940 and #12041, Cottageville, Jackson County, West Virginia." Lamey, Steven C., Stephanie J. Bialobok, and Edward E. Childers, USDOE/MERC TPR-87/2, May 1978, 26 p.

128 "Reservoir Engineering Aspects and Resource Assessment Methodology of Eastern Devonian Gas Shales." Kucuk, Fikri, Javaid Alam, and D. L. Streib, SAI, prepared for USDOE/METC under contract #EY-78-C-21-8216, October 5, 1978, 47 p.

S129 "Proceedings, First Eastern Gas Shales Symposium, October 17-19, 1977." USDOE, MERC/SP-77/5, March 1978, 83 p.

S130 "Preprints for Second Eastern Gas Shales Symposium." 2 Volumes, USDOE, METC/SP-78/6, Vol. 1 and 2, October 1978, 617 p.

131 "Geochemical evaluation of the Eastern Gas Shales -- Part I." McIver, Richard D. and Ronald E. Zielinski, Mound Facility, for USDOE under Contract #EY-76-C-04-0053, September 29, 1978, 33 p.

132 "A Preliminary Archaeological Survey of Proposed Gas Well Locations in Green Township (Scioto County) and Elizabeth Township (Lawrence County), Ohio." Black, Deborah B., Christopher S. Peebles, and Ronald E. Zielinski, Mound Facility, for USDOE under Contract #EY-76-C-04-0053, October 24, 1978, 32 p.

133 "Final Report Under ERDA Contract No. E-(46-1)-8061 Submitted to Morgantown Energy Research Center." Gruy Federal, Inc. November 22, 1976, 45 p. (2 Maps.)

C134 "Coordination of Study of the Devonian Black Shales in the Illinois Basin." Illinois State Geological Survey (ILSGS) Quarterly and Annual Reports (EW-78-S-21-8214): 78Q3, Q4, A78, 79Q1.

135 "Technology Information." METC, Morgantown, WV, T1/79, 1, 2, 3, 4, 5, 6, 7, 8.

136 "Quantitative Phase Analysis of Devonian Shales by Computer Controlled X-Ray Diffraction of Spray Dried Samples." Smith, Steven T., Robert L. Snyder, and W. E. Brownell, NYS College of Ceramics, 1978, 11 p.

137 "Fracture Intensity Predictions for Eastern Gas Shales." Wheeler, Russell.

138 "Report of Petrologic Characterization of Lincoln 1637 (Columbia Gas Transmission Co. Well #20403)." Erwin, Robert B., WVGES, Preliminary Report Submitted to USDOE, January 1979, 203 p.

139 "Sulfur Isotopes of Iron Sulfides in Shales of the Appalachian Basin: Influences of Sedimentation Rate." Maynard, J. Barry, U. of Cin., Dept. of Geol., November 15, 1978, 27 p.

140 "Preliminary Report on the Clay Mineralogy of the Upper Devonian Shales in the Southern and Middle Appalachian Basin." Hosterman, John W. and Patricia Loferski, USGS, Open File Report 78-1084, January 1979, 20 p.

C141 "Shale Characterization and Resource Appraisal of Devonian Black Shale in the Appalachian Basin." U. S. Geological Survey (USGS) Annual Report (EX-76-C-01-2287): A78.

C142 "Stratigraphic Framework for the Middle and Upper Devonian Black Shales and Related Rocks of Western and Central Pennsylvania." Pennsylvania Division of Topographic and Geologic Survey (PAGS) Quarterly Reports of Technical Progress (DE-AS21-76MC05198): 79Q1, Q2.

143 "Location and Design of a Diviated Hole, Cottageville, West Virginia, Phase I"; and "The Design and Drilling of a Directionally Controlled Deviated Well Near

Cottageville, West Virginia, Phase II," Smith, Lynne E., G. R. McManus, and R. N. Metzler, Consolidated Gas Supply Corporation, May 5, 1978, 51 p.

144 "A Well Log Method for Evaluating the Devonian Shales in the Appalachian Basin." Curtis, John B. and W. George Fingleton, SAI, Prepared for USDOE/METC/EGSP under Contract #EY-78-C-21-8216 Task 09, January 8, 1979, 33 p.

L145 "Fayette County, Pennsylvania, Francis R. Griffin Well #1 (Logs)." Amoco Production Company, 1977: D, I, N.

L146 "Lincoln County, West Virginia, PTC #1 Well (Logs)." Petroleum Technology Corporation, 1977: C, CCL, D, I, N.

L147 "Lincoln County, West Virginia, PTC #2 Well (Logs)." Petroleum Technology Corporation, 1977: D, E, GR, I, N, SIB, T.

L148 "Lincoln County, West Virginia, PTC #3 Well (Logs)." Petroleum Technology Corporation, 1977: D, GR, I, N, S, T.

149 "EGSP Field Operations and Procurement Procedures." METC, Technology Information, January 1979, 74 p.

150 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well C-1, Lincoln County, West Virginia." Kalyoncu, R. S., J. P. Boyer, and M. J. Snyder, Battelle Columbus Laboratories, March 10, 1979, 59 p. plus appendices.

151 "Hardin County, Illinois, Missouri Portland #1 Well (Logs)." Reactor & Stone Drilling Company, 1978: D, DI, FIL, LL, MLL, ML, N. S.

L152 "Wetzel County, West Virginia, H. Emch & A. Pyles Unit #1 Well (Logs)." Mobay Chemical Corporation, 1978: CCL-PR, D, DLL, FIL, N, S.

L153 "Allegany County, New York #6213 (JO) E. G. S. P. N. Y. #1 Well (Logs)." National Fuel Gas Supply Corporation, 1978: COMP, D, DI, DIP, DIL FIL, N, S, VD.

L154 "Johnson County, Kentucky, Skaggs-Kelly Unit #3-RS Well (Logs)." Ashland Oil Inc., 1978: D, DI, FIL, GR, LL, N, NOISE, S, T.

L155 "Clarke County, Indiana, Clarke State Forest, SDH-290, EGSP #2 Well (Logs)." Indiana Geological Survey, 1978: D, DI, FIL, LL, ML, MLL, N, S.

156 "Kentucky West Virginia Gas Company Progress Report, Experimental Stimulation of the Devonian Shale Formation on Well No. 7239." Kentucky West Virginia Gas Company, Geological Staff, December 30, 1975, 54 p. (2 Logs).

157 "Report of Petrologic Characterization of Jackson 1369 (Columbia Gas Transmission Co. Well #11940)." Erwin, Robert B., WVGES, February 1979, 140 p.

158 "Devonian Conodont Biostratigraphy in a Lincoln County West Virginia, Core." Duffield, Susan Linda, WVGES, 1978, 66 p.

159 "Extension Structures in the Central Appalachians." Berger, Philip S., WVU, Dept. of Geol. & Geography, December 1978, 97 p.

160 "Mt. Vernon, Ohio Area Lineament Analysis." Shafer, William E., Thurlow Weed & Associates, Inc., December 1978, 13 p. (1 Map).

161 "Assessment of the Tri-potential Electrical Resistivity Survey in Defining Cavities, Fracture Zones and Aquifers." Kirk, Keith and Henry Rauch, WVU Dept. of Geol. & Geography, 1976, 59 p. (1 Map).

C162 "LLL Gas Stimulation Program Quarterly Progress Reports." Lawrence Livermore Laboratory (LLL) Quarterly Reports (W-7405-ENG-48): 78Q4, 79Q1.

163 "Devonian Shales of Ohio and Their Eastern and Southern Equivalents." Schwietering, Joseph F., WVGES, METC/CR-79/2, 68 p.

164 "Technical Assessment Massive Foam Stimulation Attempt Mercer Co., Pa.; The Peoples Gas Company Well No. 4978." Frohne, K-H., USDOE/METC, METC/SP-79/2, 11 p.

L165 "Knox County, Ohio, Everett Black #1 Well (Logs)." Thurlow-Weed & Associates, Inc., 1978: COMP, D, 3D, EP, I, N, SIB, T.

L166 "Knox County, Ohio Yauger #1 Well (Logs)." Thurlow-Weed & Associates, Inc., 1978: C, COMP, D, GR, I, N, SIB, T.

L167 "Knox County, Ohio, Fravel #1 Well (Logs)." Thurlow-Weed & Associates, Inc., 1978: C, COMP, D, 3D, EP, GR, I, N, T.

168 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well C-2, Lincoln County, West Virginia." Kalyoncu, R. S. and M. J. Snyder, Battelle Columbus Laboratories, March 30, 1979, 36 p. plus appendices.

169 "A Method to Identify Zones of Intense Jointing With Application to the Parsons Lineaments, West Virginia." Dixon, Jeanette M., WVU Dept. of Geol. & Geography, April 1979, 46 p.

170 "Semi-Annual Report for Unconventional Gas Recovery Program." METC, USDOE, March 1979, 222 p.

171 "Report of Petrologic Characterization of Jackson 1369 (Consolidated Gas Supply Co. Well 12041)." Erwin, Robert B., WVGES, April 1979, 109 p.

172 "Surface Features Associated with Lineaments, EGSP Area (Cottageville Field, West Virginia)." Knutson, Carroll F., CK GeoEnergy Corporation, April 19, 1979, 34 p.

L173 "McKean County, Pennsylvania, M. R. Exploration #1 Well (Logs)." Minard Run Oil Company, 1979: D, DI, FIL, N, S.

174 "Knox County, Ohio, Louise Beckholt #1 Well (Logs)." Thurlow-Weed & Associates, 1979: D, I, N, T.

175 "Integrated Study of the Devonian-Age Black Shales of Eastern Ohio." Struble, Richard A., OHGS, 1979, 8 p.

176 "Characterization and Resource Assessment of the Devonian Shales in the Appalachian and Illinois Basins." Zielinski, Ronald E. and Steven W. Nance, Mound Facility, 1979, 16 p.

177 "The Concept of Specific Degasibility and its Application to the Gas-Bearing Tight Formations as Represented by the Devonian Shales of Appalachia." Schettler, Paul D. Jr., Juniata College, 1979, 14 p.

178 "Structural Parameters that Influence Devonian Shale Gas Production in West Virginia and Eastern Kentucky: A Summary of Progress for 1977-1978." Shumaker, R. C. WVU, Dept. of Geol. & Geography, 1979, 9 p.

179 "Evaluation of Stimulation Technologies in the Eastern Gas Shales Project." Young, Chapman, SAI, 1979, 16 p.

180 "Results of a Pilot Study of Cottageville Field, Jackson and Mason Counties, West Virginia." deWys, J. Negus and R. C. Shumaker, WVU, Dept. of Geol. & Geography, 1979, 14 p.

181 "Chemical Explosive Fracturing of Devonian Shale Gas Wells." LaRocca, S. J. and A. M. Spencer, PTC, June 1978, 11 p.

182 "Investigation of Hydraulic Fracturing Technology in Tight Gas Reservoirs." Forrest, Robert M. and Steven F. McKetta, Col. GSSC, 1979, 14 p.

183 "Strategy for Stimulation Technology in the Devonian Shale." Komar, C. A., METC, 1979, 15 p.

184 "Methane Gas from Coalbeds -- Development, Production and Utilization." Region III, Philadelphia, PA and MERC, Morgantown, WV, April 1978, 157 p.

185 "Use of Weighted X-Ray Diffraction Data for Semi-Quantitative Estimation of Minerals in Low Temperature Ashes of Bituminous Coal and in Shale." Renton, John J., WVGES, METC/CR-79/5, February 1979, 22 p.

186 "DOE-METC Gas Well Testing Service contract No. EW-78-C-21-8096, Phase 1 Final Report." Gruy Federal Inc., March 1, 1979, 27 p.

187 "First Phase of a Coalbed Methane Extraction and Utilization Program." Westinghouse Electric Corporation, under Contract No. EW-78-C-21-8332, April 1979, 77 p.

188 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well R-109, Washington County, Ohio." Kalyoncu, R. S., J. P. Boyer, June 20, 1979, 30 p. plus appendices.

189 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well P-1, Sullivan County, Indiana." Kalyoncu, R. S., J. P. Boyer, and M. J. Snyder, Battelle Columbus Laboratories, May 18, 1979, 28 p. plus appendices.

190 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well N-1, Henderson County, Illinois, and Well N-2, Tazawell

County, Illinois." Kalyoncu, R. S., J. P. Boyer, and M. J. Snyder, Battelle Columbus Laboratories, June 15, 1979, 60 p. plus appendices.

191 "Characteriation and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well C-338, Wise County, Virginia." Kalyoncu, R. S., J. P. Boyer, and M. J. Snyder, Battelle Columbus Laboratories, May 15, 1979, 39 p.

192 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well C-336, Martin County, Kentucky." Kalyoncu, R. S., J. P. Boyer, and M. J. Snyder, Battelle Columbus Laboratories, May 16, 1979, 56 p.

193 "Characterization and Analysis of Devonian Shales as Related to Release of Gaseous Hydrocarbons, Well 0-1, Christian County, Kentucky." Kalyoncu, R. S. J. P. Boyer, and M. J. Snyder, Battelle Columbus Laboratories, May 25, 1979, 33 p.

194 "Fracture Density and Orientation Study of the MERC #1 Core from Monongalia County, West Virginia." Evans, Mark A., WVU, Dept. of Geol. & Geography, June 1979, 38 p.

195 "Regional Survey of Surface Joints in Eastern Kentucky." Long, Brian R., WVU, Dept. of Geol. & Geography, June 1979, 68 p.

196 "Geologic Remote Sensing Over the Cottageville, West Virginia Gas Field." Jackson, Philip L., Harvey,L. Wagner, and Robert A. Shuchman, ERIM, Final Report under Contract DE-AC05-77ET12137, February 1979, 96 p.

197 "Studies of New Albany Shale in Western Kentucky, Final Report." Schwalb, Howard R. and Ronald L. Norris, U. of KY and KYGS, Final Report under Contract EW-78-S-21-8215, December 1, 1977 - November 30, 1978, 20 p. plus appendices.

198 "A Preliminary Assessment of the Natural Gas Potential of the New Albany Shale Group in Illinois." Cluff, Robort M., ILSGS, 1979, 29 p.

199 "Massive Hydraulic Fracturing Experiments of the Devonian Shale in Lincoln County, West Virginia." Cremean, S. P., S. F. McKetta, G. L. Owens, E. C. Smith, R. M. Forrest, and W. F. Morse, Col. GSSC, Final Report under Contract E(46-1)-8014, January 1979, 2 vols., 94 p. plus appendices.

200 "Some Results of Eastern Gas Shales Project of Interest to Illinois Basin Operators." Howard, J. F., Howard and Associates, Inc., Technology Information, METC, June 1978, 14 p.

201 "Devonian Paleocurrents of the Appalachian Basin." Potter, Paul Edwin, Wayne A. Pryor, Paul Lundegard, Neil Samuels, and J. Barry Maynard, H. N. Fisk Laboratory of Sedimentology, METC/CR-79/22, May 1979, 60 p.

202 "Methane Produced From Coalbeds, Systems Studies of Energy Conservation." TRW Energy Systems, MERC/CR-77/4, 2 vols., Jnnuary 1977, 159 p. plus appendices, 5 maps.

203 "Stratigraphic Cross Sections Extending From Devonian Antrim Shale to Mississippian Sunbury Shale in the Michigan Basin." Ells, Garland D., Michigan Geological Survey, for Dcw Chemical Company, November 1978, 186 p. plus 22 p. cross sections.

204 "Test Program to Determine the Feasibility of Producing Methand From Unminable coalbeds, Final Report." Intercomp Resource Development and Engineering, Inc., Final Report under Contract EW-78-C-21-8352, April 1979, 3 vols., 192 p.

205 "Enhanced Recovery by Injection of Treated Exhaust Gases From Existing Engines, Phase I Report." Worthen, Richard A., William F. Pirtle, B. I., Dussan V, E. Treible, and William Gavigan, Ingersoll-Rand Research, Inc., for U. S. DOE under Contract DE-AC21-78MC08392, 1979, 163 p. plus appendices.

C206 "Methane Recovery From Coalbeds, Monthly Progress Reports." TRW Energy Systems (DE-AC21-78MC080 9), May 1979.

207 "Bedding Orientation Contours of Middle Mountain Syncline, Valley and Ridge Province, West Virginia." Wilson, thomas H., WVU, Dept. of Geol. & Geography, July 1979, 39 p.

208 "Fractures From Devonian Shale Outcrops Along the Pine Mountain Thrust." Lee, Kevin D., WVU, Dept. of Geol. & Geography, May 1979, 25 p.

AUTHOR - SUBJECT INDEX
FOR
UGR REPORTS, LOGS AND SYMPOSIUMS

Abel, Kathleen D.....C142
Abou-Sayed, A. S.....036
Advani, S. H.....125
AIME.....001, 003, 004
Alam, Javaid.....128
Alfred University.....114
Amek-Vescrop.....043
Amoco Production Company.....L145
Analysis Techniques (see Sample Analysis Techniques)
Anderson, Gordon.....C162
Annual Reports (see Contractor Reports, Resource Characterization Contractors, or Extraction Technology Contractors)
Appalachian Basin
    Biostratigraphy.....176
    Clay Mineralogy.....140
    Fractures.....040, 059, 064, 159
    Fracture Prediction.....137
    Gas Estimates.....058, 062, 128, 176
    Gas Production.....040, 058, 062, 128, 176
    Gas Production Barriers.....094
    Geochemistry.....117, 124, 131, 176
    Lineament Analysis.....040, 059, 060, 064, 137
    Paleontology.....113
    Physiochemistry.....119
    Specific Degasibility.....177
    Stratigraphy.....053, 110, 113, 163
    Structural Geology.....040
    Sulfur isotpoes.....139
    Three Lick Bed.....009
    Well Reports (Core Geology & Chemistry.....061, 113, 117, 119, 131, 176
    Well Stimulations & Testing.....062
Aquifers in West Virginia.....161
Archaeology in Ohio.....132
Ashland Oil, Inc.....L154
Attalla, A.....119
Avila, John.....058

Barton, Christopher C.....026
Battelle Columbus Laboratories.....C054, 150, 168
Berger, Philip S.....159
Bergstrom, Robert E.....C050
Bialobok, Stepnanie J.....127
Bibliographies.....B006, B016, B115

Big Sandy Field in Kentucky.....056, 172
Black, Deborah B.....132
Borehole Gravimeter.....020
Boyer, J. P.....150
Brechtel, C. E.....030, 116
Briggs, P. H.....068
Brown, Porter J.....062
Brownell, W. E.....114, 136
Buchholdt, L. M.....036
Byrer, C. W.....012, 013, 019, 024, 025

Canton Oil and Gas Company.....L083
Carlton, Richard W.....C047, 091
Carr, Donald D.....097
Cavities in West Virginia.....161
Chenevert & Associates, Inc.....017
Chenevert, Martin E.....017
Childers, Edward E.....018, 121, 127
Ciccioli, Paolo.....120
C. K. GeoEnergy Corporation.....103, 172
Clastic Formations.....035
Clay Mineralogy, Ap. Basin.....140
Clifton, R. J.....030
Colton, G. W.....053
Columbia Gas System Service Corporation (Col. GSSC).....036, 037, 038, 182
Columbia Gas Transmission Corporation (Col. GTC).....L074, L075, L076, L085, L086
Consolidated Gas Supply Corporation (Col. GSC).....L072, L080, L089, C111, 143
Contractor Reports, Extraction Technology (EGSP).....C045, C073, C111, C126, C162
Contractor Reports, Resource Characterization (EGSP).....C046, C047, C048, C050, C051, C054, C055, C070, C071, C092, C105, C106, C126, C134, C141, C142
Core Analysis or Core Description...see Sample Analysis Techniques or Well Reports (Core Geology and Chemistry)
Cottageville Area in West Virginia.... 013, 101, 123, 127, 172, 178, 180
Craft, B. D.....119
Crock, J. C.....068
Cross-Strike Structural Discontinuities.....137
Curran, D. R.....065
Curtis, John B.....144

Data Management, EGSP.....117
Dean, Stuart F.....026
Dennen, W. H.....C105
Dennison, John M.....110
Denson, Kenneth B.....120
Deviated Wells in West Virginia.....007, 143
Devonian Shale Production Characteristics.....179
DeWitt, Wallace.....057

Dixon, Jeanette M.....102, 169
Duffield, Susan Linda.....158

Easterday, B. G.....025
ECONGAS Program.....066
Eastern Gas Shales Project (EGSP)
Bibliographies.....B006, B016, B115
Contractor Reports (see Contractor Reports)
Core Well Logs.....041
Coring & Logging Plan.....095, 133
Data Management.....118
Description.....001, 002, 004, 041, 042, 049, 098, C126, 170
Extraction Technology.....042, 066, 100, 103, 128, 135, 149, 183
Field Operations.....041, 100, 103, 149
Newsletters.....027, 035, 135
Procurement Procedures.....149
Resource Assessment.....128
Shale Standard.....068
Summary of Activities.....003, 042, 049, 098, 103, C126, 135, 149, 170
Symposiums.....S008, S129, S130
Well Reports (Core Geology & Chemistry).....061
Energy Research and Development Administration (ERDA).....098
Energy Resource of Indiana, Inc.....L087
Enhanced Gas Recovery (EGR).....002
Environmental and Regional Research Associates, Inc. (ERRA)...110
Environmental Impact.....032
Erwin, Robert B.....035, 138, 157, 171
Ettensohn, Frank R.....029
Evans, Mark A.....052
Exchangeable Cations.....015
Exploration Techniques.....010, 019, 020, 023, 026, 028, 030, 035, 036, 038, 039, 040, 065, 108, 135, 137, 160, 161, 169, 177, 179, 181, 183, 186
Extraction Technology Contractors (EGSP).....C045, C073, C111, C126, C162

Field and Laboratory Procedures (see Exploration Techniques, Sample Analysis Techniques, or a specific procedure or technique)
Fingleton, W. George.....144
Forrest, Robert M.....182
Fracturing (General)
Chemical Explosive.....067, 181
Cryogenic.....096
Fluids 017, 179
Foam.....010, 011, 096, 112, 156, 164
Hydraulic.....011, 036, 066, 096, 116, 125, 179,
Technology.....003, 036, 066, 100, 179, 182, 183
Fracturing Technology Inc.....112

Fractures (General)
Determination.....103
Description.....019, 026, 099, 169
In Situ Stress.....030, 108, 125
Mechanics.....125
Prediction.....023, 137, 159
Fractures and Faults (State Specific)
Regional Appalachian Basin.....040, 059, 064, 137, 159
Indiana.....122
Kentucky.....099, 178
West Virginia.....052, 063, 099, 108, 161,
Frohne, K-H.....010, 011, 023, 042, 164

Gangarao, H. V. S.....125
Gas Estimates (State Specific)
Regional, Appalachian Basin.....058, 062, 128, 176
Regional, Illinois Basin.....062, 133, 176
Regional, Michigan Basin.....062, 133
Illinois.....133
Indiana.....097, 133
Kentucky.....058, 133
Gas Liquid Solid Chromatography.....120
Gas Production (General)
Analysis of.....101, 103,
Barriers to.....094
Economics.....066, 094
Potential.....057
Stratigraphic Controls.....053
Gas Production (State Specific)
Regional, Appalachian Basin.....040, 058, 062, 128, 176
Regional, Illinois Basin.....176
Indiana.....097
Kentucky.....056, 058, 101, 102, 178
Ohio.....128
West Virginia.....022, 101, 102, 123, 128, 178, 180
Geochemical Techniques.....120
Geochemistry (State Specific)
Regional, Appalachian Basin.....117, 124, 131, 176
Regional, Illinois Basin.....117, 131, 176
GEOLOG System.....118
Geophysical Well Logging.....039
Ground Water in West Virginia.....107, 123
Gruy Federal, Inc.....031, 033, 034, 104, 133, 186

Hall, Vivian.....B115
Hanson, Merle E.....C162
Harper, John A.....C142
Harris, Leonard D.....053
Hartsock, James H.....031, 033, 034, 104, 186
Hasson, Kenneth O.....110

Hayes, John M.....120
Heald, Milton T.....021
Hoover, Karl V.....044
Hosterman, John W.....140
Hunt, Arlen E.....049
Hydraulic Fracturing.....011, 036, 066, 096, 116, 125, 179, 182
Hydrology in West Virginia.....107

Illinois (State Specific)
Gas Estimates.....133
Well Logs.....L082, L084, L086, L151
Well Reports (Core Geology & Chemistry).....117, 119, 131, 176
Illinois Basin
Biostratigraphy.....176
Gas Estimates.....062, 133, 176
Gas Production.....176
Geochemistry.....117, 131, 176
Paleontology.....113
Physiochemistry.....119
Stratigraphy.....113
Well Reports (Core Geology & Chemistry).....113, 117, 119, 131, 176
Well (Stimulations & Testing).....062
Illinois State Geological Survey (ILSGS).....C050, C134
Indiana (State Specific)
Fractures & Faults.....122
Gas Estimates.....097, 133, 176
Gas Production.....097, 176
Lineament Analysis.....122
Well Logs.....L087, L155
Well Reports (Core Geology & Chemistry).....113, 117, 119, 131, 176
Indiana Geological Survey (INGS)...C070, 097, 122, L155
Indiana University.....120
In Situ Stress.....030, 036, 108, 116, 125

Jenkins, E. B.....156
Jointing of Joints (see Fractures)
Jones, A. H.....036, 037
Jones, D. Scott.....107, 123
Juniata College.....C055, 177

Kalyoncu, R. S.....150, 168
Kaolinite.....140
Kentucky (State Specific)
Big Sandy Field.....056, 172
Exchangeable Cations.....015
Fractures.....099, 178
Gas Estimates.....058, 133, 176

Gas Production.....056, 058, 101, 102, 176, 178
Lineaments.....172
Stratigraphy.....029
Structural Geology.....101, 102, 178
Three Lick Bed.....009, 029
Well Logs.....L079, L081, L085, L154
Well Reports (Core Geology & Chemistry).....012, 015, 018, 025, 067, 099, 113, 117, 119, 121, 124, 131, 176
Well Stimulations & Testing.....017, 034, 067, 104, 112, 116, 156, 182, 186
Kentucky West Virginia Gas Company..L081, 156
Keough, D. D.....065
Kepferle, Roy C.....009, 061
Kerogen.....121
Kirk, Keith.....102, 161
Knuston, Carroll F.....103, 172
Komar, C. A.....003, 004, 019, 028, 042, 183
Kucuk, Fikri.....128
Kujawa, Patrick S.....095
Kulander, Byron R.....026

Lamey, Steven C.....018, 121, 127
Larese, Richard E.....021, 069
LaRocca, S. J.....067, 181
Lawrence Livermore Laboratory (ILL).....C162
Leininger, Richard K.....097
Leventhal, J. S.....068
Lineament Analysis (State Specific)
Regional, Appalachian Basin.....040, 059, 060, 064, 137
Indiana.....122
Ohio.....043, 160
West Virginia.....063, 123, 172
Lineback, Jerry A.....C134
Lingle, R.....036, 037, 038
Loferski, Patricia J.....140
Logs (see Well Logs)
Logging Procedures (see Well Logging Procedures)
Long, B. R.....102
Los Alamos Scientific Laboratory....C045

Mahmud, Sarwar.....095
Malcolm, M. J.....068
Martin, Stephen J.....113
Maynard, J. Barry.....015, 016, C071, 139
McHugh, S. L.....065
McIver, Richard D.....131
McKetta, Steven F.....182
McManus, G. R.....143
Meinschein, Warren G.....120
Mercer, J. C.....023
Methane Recovery From Coalbeds Project (MRCP)
Extraction and Utilization Program.....187
Summary of Activities.....170
Symposiums.....S184

Metzler, R. N.....143
Michigan (State Specific)
Well Stimulations & Testing.....112
Michigan Basin
Gas Estimates.....062, 133
Well Stimulations & Testing.....062
Milici, Robert C.....C106
Minard Run Oil Company.....L173
Mobay Chemical Corporation.....L152
Modeling
Deformation.....159
Hydraulic Fracture.....125
Reservoir.....103, 128
Morgantown Energy Research Center (MERC).....001, 002, 003, 004, 006, 007, 008, 010, 011, 012, 018, 019, 023, 024, 026, 028, 032, 041, 042, 049, 127, S129
Morgantown Energy Technology Center (METC).....121, C126, S130, 135, 149, 164, 169, 183
Mound Facility.....C051, 113, 117, 118, 119 131, 176
Mountjoy, W.....068
Murri, W. J.....065
Myung, John L.....039

NAG-FRAG Fracture Model.....065
Nance, Steven W.....C051, 176
National Fuel Gas Supply Corporation.....L153
New York (State Specific)
Well Logs.....L153
New York State College of Ceramics..114, 136
New York State Geological Survey (NYSGS).....C046
Northern Illinois Gas Company.....L084, L088
Northrop, D. A.....C073
Nuckols, E. B. III.....102

Ohio((State Specific)
Archaeology.....132
Exchangeable Cations.....015
Gas Estimates.....176
Gas Production.....128, 175, 176
Geochemistry.....175
Lineament Analysis.....043, 160, 175
Paleontology.....044
Petrology.....044, 175
Stratigraphy.....044, 163, 175
Structural Geology.....044
Three Lick Bed.....009
Well Logs.....L078, L083, L165, L166, L167, L174
Well Reports (Core Geology & Chemistry).....024, 124, 131, 176
Well Site Selection.....043, 132
Well Stimulations & Testing.....011, 023, 182

Ohio Division of Geological Survey (OHGS).....044, C047, 091, 175
Okubo, Seisuke.....108
Overbey, William K.....001, 004, 006, 007, 049

Paleontology (State Specific)
Regional, Appalachian Basin.....113
Regional, Illinois Basin.....113
Ohio.....044
West Virginia.....035, 109, 158
Parsons Lineament, West Virginia...169
Pasini, J. III.....004
Patchen, Douglas G.....022, 069
Peebles, Christopher S.....132
Peng, Syd S.....108
Pennsylvania (State Specific)
Well Logs.....L145, L173
Well Stimulations & Testing.....164
Pennsylvania Division of Topographic and Geologic Survey (PAGS) C142
Petroleum Technology Corporation (PTC).....067, L146, L147,
Petrology (State Specific)
Ohio.....044
West Virginia.....069, 138, 157
Physiochemistry (State Specific)
Regional, Appalachian Basin.....119
Regional, Illinois Basin.....119
Piotrowski, Robert G.....C142
Potter Paul Edwin.....009, 016, 061, C071
Powell, Richard L.....122
Provo, Linda J.....009
Pryor, Wayne A.....016, C071

Quarterly Reports (see Contractor Reports, Resource Characterization Contractors, or Extraction Technology Contractors)

Rauch, Henry W.....102, 107, 123, 161
Ray, Edward O.....056
Rector & Stone Drilling Company.....L151
Reel Drilling Company.....L077
Remote Sensing.....040, 059, 060, 063, 064
Renton, John J.....005, 014, 185
Resistivity Survey.....161
Resource Characterization Contractors (EGSP).....C046, C047, C048, C050, C051, C054, C055, C070, C071, C092, C105, C106, C126, C134, C141, C142
Rhoades, S. J.....013, 024, 025
Rinaldi, Gianfranco.....120
River Gas Company.....L078
Rogers, L. A.....036
Rome Trough.....137
Ryan, W. M.....007

Sample Analysis Techniques.....005, 014, 019, 026, 035, 036, 037, 068, 091, 093, 114, 120, 136, 144, 177, 185
Sandia Laboratories.....C073
Sawyer, W. K.....023
Schettler, Paul.....C055, 177
Schott, Garry L.....C045
Schrider, Leo A.....004
Schuster, C. L.....C073
Schwietering, Joseph F.....163
Science Applications, Inc. (SAI)....002, 027, 100, C126, 128, 144, 179
Seabaugh, Pyrtle W.....118
Seaman, L.....065
Shafer, William E.....160
Shahrokhi, F.....060
Shale Standard.....068
Shaw, V. E.....068
Shumaker, Robert C.....C048, 099, 101, 102, 178, 180
Simonson, E. R.....036
Sinclair, A. Richard.....112
Smith, Lynne E.....143
Smith, S. E.....006
Smith, Steven T.....114, 136
Snyder, M. J.....C054, 150, 168
Snyder, Robert L.....114, 136
Specific Degasibility.....177
Spencer, A. M.....067, 181
Spray, Drying.....114, 136
SRI International.....065
Stacy, E.....119
Stimulation (see Fracturing or Well Stimulation)
Strain -- Relaxation Tests.....038
Stratigraphy (State Specific)
    Regional, Appalachian Basin.....053, 110, 113, 163
    Regional, Illinois Basin.....113
    Kentucky.....029
    Ohio.....044, 163
    West Virginia.....022, 035, 069, 107
Streib, Donald L.....128
Struble, Richard A.....C047, 175
Structural Geology (State Specific)
    Regional, Appalachian Basin.....040
    Kentucky.....101, 102, 178
    Ohio.....044
    West Virginia.....101, 102, 107, 178, 180
Sulfur Isotopes, Appalachian Basin..139
Swager, Dennis Ray.....029
Swolfs, H. S.....038
Symposiums.....S108, S129, S130, S184

Tailored Pulse-Loading.....065
Tennessee (State Specific)
Three Lick Bed.....009
Tennessee Geological Survey (TNGS)..C106
Terra Tek, Inc.....030, 036, 037, 038, 116
Thomas, J. A.....068
Thomas, J. M.....038
Three Lick Bed.....009, 029
Thurlow-Weed & Associates, Inc.....160, L165, L166, L167, L174
Ting, Francis T. C.....093
Triplett, J. C.....006
Tri-Star Producing Company, Inc.....L082
Trumbo, D. B.....006, 012, 013
TRW.....066, 094, 095

Ulmschneider, R.....015
Unconventional Gas Recovery Program (UGR).....170
United States Department of Energy (USDOE).....L090
United States Geological Survey (USGS).....009, 020, 053, 057, 061, 068, 140, C141
University of Cincinnati (U. of Cin.).....009, 015, 016, 061, C071, 139
University of Kentucky (U. of KY)...029, C105, B115

VanTyne, Arthur M.....C046
Vickers, M. K.....025
Virginia (State Specific)
Gas Estimates.....176
Gas Production.....176
Well Logs.....L086
Well Reports (Core Geology & Chemistry).....113, 119, 131
Well Stimulations & Testing.....182
Vitrinite Reflectance.....093

Wahlberg, J. S.....068
Warshauer, Steven M.....109, 124
Well Logs and Well Reports (Core Geology & Chemistry, Stimulations & Testing) by State, County, and Well Number (including EGSP and contractor numbers where different)
Illinois
Effingham County, Lancaster #1-D (EGSP #1L-1; Mound #1-1; Battelle #T-1).....L082, 117, 119, 131, 176
Hardin County, Missouri-Portland #1 (EGSP #1L-4)....L151
Henderson County, KAR #1 (EGSP #1L02; Mound #1-2; Batelle #N-1).....L088, 117, 119, 131, 176
Tazewell County, MAK #1 (EGSP #1L-3; mound #1-3; Batelle #N-2).....L084, 117, 119, 131, 176
Indiana
Clarke County, SDH-290 (EGSP #N-2).....L155
Batelle #P-1.....L087, 113, 117, 119, 131, 176

Kentucky
Christian County, RC #1 (EGSP #KY-2; Mound and Battelle #0-1).....112, 113, 117, 119, 131, 176
Johnson County, Skaggs Kelly #3-RS (EGSP #KY-4)...L154
Martin County, Col. GTC #20336 (EGSP #KY-3; Mound #KY-2; Battelle #C-336).....L079, 104, 113, 117, 119, 176, 182, 186
Martin County, Col. GTC #20337.....L085, 131, 182
Perry County, Nicholas Combs #7239 (EGSP #KY-1)...L081, 012, 018, 026, 112, 121, 124, 156
Perry County, KY-WV Gas Co. #1627.....034, 112, 186
Perry County, KY-WV Gas Co. #7246.....112
Perry County, PTC #685-1.....067
Michigan
Ostego County, Welch #1-15.....112
New York
Allegany County, JO #6213 (EGSP #NY-1)..L153
Ohio
Carroll County, Glen Gery #50745 (EGSP #OH-1; #GG5).....L083, 024, 124
Knox County, Everett Black #1.....L165
Knox County, Fravel #1.....L167
Knox County, Louise Beckholt #1.....L174
Knox County, Yauger #1.....L166
Trumbull County, #11236.....182
Washington County, FL House #R-109 (EGSP #OH-2; Mound and Bettelle #R-109).....L078, 131, 176
Youngstown, YST #16.....011
Youngstown, YST #17.....011
Youngstown, YST #18.....023
Pennsylvania
Fayette County, Francis R. Griffin #1...L145
McKean County, MR Exploration #1.....L173
Mercer County, PNG #4987 (JE Fleck #1)..164
Virginia
Wise County, Col. GTC #20338 (EGS #VA-1; Battelle #C-338).....L086, 017, 113, 117, 119, 131, 176 182
West Virginia
Gilmer County, L. Bonnet #1.....031, 033, 186
Jackson County, L. A. Baler #11940 (EGSP #WV-1; Mound #CW-A; WVGES #JACK 1369).....L098, 013, 021, 121, 124, 127, 131, 157, 176
Jackson County, W. B. Barnett #12501....L072, 143
Jackson County, W. L. Pinnel #12041 (EGSP #WV-2; Mound #CW-A; EVGES #JACK 1371).....L080, 010, 013, 121, 124, 127, 131, 171, 176
Lincoln County, Col. GTC #20401.....L075, 128, 182
Lincoln County, Col. GTC #20402 (EGSP #WV-4; Mound #CW-B; Battelle #C-2).....L074, 017, 020, 025, 030, 036, 128, 131, 168, 176

Lincoln County, Col. GTC #20403 (EGSP #WV-3; Mound #CW-B; Battelle #C-1; WVGES #Line 1367).....L076, 021, 025, 036, 108, 109, 124, 128, 131, 138, 150, 158, 176, 182
Lincoln County, PTC #1.....L146
Lincoln County, PTC #2.....L147
Lincoln County, PTC #3.....L148
Mason County, D/K Farms #3 (EGSP #WV-5).....L977, 052, 112
Mingo County, Col. GTC #9675....007
Monongalia County, MERC #1 (EGSP #WV-6)....L090, 032, 116
Wetzel County, H. Emch & A. Pyles #1 (EGSP #WV-7)..L152

Well Logging Procedures.....026, 036, 037, 039, 095, 133, 144
Well Reports (Core Geology & Chemistry)
(see also Well Logs and Well Reports)
Regional, Appalachian Basin.....061, 113, 117, 119, 131, 176
Regional, Illinois Basin.....113, 117, 119, 131, 176
Illinois.....117, 119, 131, 176
Indiana.....113, 117, 119, 131, 176
Kentucky.....012, 015, 018, 026, 027, 067, 099, 113, 117, 119, 121, 124, 131, 176
Ohio.....024, 124, 131, 176
Virginia.....113, 119, 131, 176
West Virginia.....007, 013, 020, 021, 025, 030, 032, 036, 052, 099, 108, 113, 121, 124, 127, 128, 131, 138, 150, 157, 158, 168, 171, 176
Well Reports (Stimulations & Testing)
(see also Well Logs and Well Reports)
Regional, Appalachian Basin.....062
Regional, Illinois Basin.....062
Michigan Basin.....062
Kentucky.....017, 034, 067, 104, 112, 116, 156, 182, 186
Michigan.....112
Ohio.....011, 023, 182
Pennsylvania.....164
Virginia.....182
West Virginia.....007, 010, 017, 031, 033, 036, 112, 116, 143, 182, 186
Well Site Selection
Ohio.....043, 132
Well Stimulation & Testing (General)
Design.....023, 028, 116, 179, 183, 186
Economic Analysis.....066
Effectiveness.....096, 100, 103, 116, 186
Techniques.....042, 062, 065, 096, 100, 103, 116, 133, 164, 179, 183, 186
Zones.....038
Werner, Eberhard.....040, 059, 060, 063, 064

West Virginia (State Specific)
Borehole Gravity Survey.....020
Cottageville Area.....013, 101, 123, 127, 172, 178, 180
Deviated Wells.....007, 143
Foam Fracturing.....010
Fractures.....052, 063, 099, 108, 161, 169, 178
Gas Content.....150, 168
Gas Estimates.....176
Gas Production.....022, 101, 102, 123, 128, 176, 178, 180
Ground Water.....107, 123
In Situ Stress.....116
Lineaments.....063, 123, 172
Paleontology.....035, 109, 158
Parsons Lineament.....169
Petrology.....069, 138, 157, 171
Stratigraphy.....022, 035, 069, 107
Structural Geology.....101, 102, 107, 178, 180
Three Lick Bed.....009
Well Logs.....L072, L074, L075, L076, L077 L080, L089, L090, L146, L147, L148, L152
Well Reports (Core Geology & Chemistry).....007, 013, 020, 021, 025, 030, 032, 036, 052, 099, 108, 113, 121, 124, 127, 128, 131, 138, 150, 157, 158, 168, 171, 176
Well Stimulations and Testing...007, 010, 017, 031, 033, 036, 112, 116, 143, 182, 186
West Virginia Geological & Economic Survey (WVGES).....005, S008, 014, 021, 022, 035, 039, 069, C092, 093, 109, 124, 157, 158, 163, 171, 185
West Virginia University (WVU)
College of Engineering.....125
College of Mineral and Energy Resources.....108
Department of Geology & Geography.....S008, 021, 040, C048, 052, 059, 060, 063, 064, 099, 101, 137, 159, 161, 178, 180
Western Gas Sands Project (WGSP)....170
Westinghouse Electric Corporation...187
Wheeler, Russell L.....102, 137
Wilson, T. H.....102
Wise, R. L.....119
Woodfork, Larry.....C092

X-Radiography.....005
X-Ray Diffraction.....014, 091, 114, 136, 140, 185

Yost, Albert B. III.....042, 096
Young, Chapman.....179

Zielinski, Ronald E.....C051, 113, 117, 118, 119, 131, 132, 176

M01 "Preliminary Stratigraphic Cross Section of the Devonian in the Eastern Part of the Appalachian Basin Showing Radioactive Shale Zones." West, Mareta, USGS, 1977, 2 maps (microfiche).

M02 "Middle Huron Shale Member of Ohio Shale, Iospach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).

M03 "Geological Lineament Map: $1^{o}x2^{o}$ Vincennes Quadrangle, Indiana and Illinois, and Part of the $1^{o}x2^{o}$, Louisville Quadrangle, Indiana." Wier, C. E., et al, INGS, 1978, 1 map (microfiche).

M04 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales in Southeastern Ohio and West Central West Virginia." Wallace, Laure G., John B. Roen, and Wallace deWitt, Jr., USGS, 1977, 1 map (microfiche and published).

M05 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales in the Western Part of the Appalachian Basin." Wallace, Laure G., John B. Roen, and Wallace deWitt, Jr., USGS, 1977, 2 maps (microfiche and published).

M06 "Showing Wells Producing from Ohio Shale in Eastern Ohio, Including Sandstones and Siltstones within the Ohio Shale." Janssens, A., OHGS, Spril 1975, 1 map (microfiche).

M07 "Upper Huron Shale Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).

M08 "Structural Coutour Map (Top of Ohio State)." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).

M09 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones: The Devonian Black Shales in the Central Part of the Appalachian Basin." Roen, John B., Laure G. Wallace, and Wallace deWitt, Jr., UGSG, 1977, 2 maps (microfiche).

M10 "Geological Lineament Map: $1^{o}x2^{o}$ Danville Quadrangle, Indiana and Illinois." Wier, C. E., et al, INGS, 1978, 1 map (microfiche).

M11 "Geological Lineament Map: $1^{o}x2^{o}$ Indianapolis Quadrangle, Indiana and Illinois, and Part of the $1^{o}x2^{o}$ Cincinnati Quadrangle, Indiana." Wier, C. E., et al, INGS, 1978, 1 map (microfiche).

M12 "Lower Huron Shale Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).

M13 "Cleveland Shale Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).

M14 "Gas and Oil Shows in the Ohio Shale in Eastern Ohio." Gearheart, Linda C. and Charles R. Grapes II, OHGS, March 1977, 2 maps (microfiche).

M15 "Preliminary Stratigraphy Cross Section Showing Radioactive Zones in the Devonian Black Shales in the Southern Part of the Appalachian Basin." Kepferle, Roy C., Edward N. Wilson, and Frank R. Ettensohn, USGS, 1977, 1 map (microfiche).

M16 "Three Lick Bed Member of Ohio Shale, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).

M17 "East-West Cross Sections, North and South of Rough Creek Fault System." Schwalb, Howard and Ronald Norris, KYGS, February 1978, 1 map (microfiche).

M18 "Preliminary Stratigraphic Cross Section (B_1-B_4) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian, Western Pennsylvania." Piotrowski, R. G. and S. A. Krajewski, PAG, EGSP Series No. 7, 1977, 2 maps (microfiche and published).

M19 "Cottageville Gas Field." Nuckols, E. B., WVU, No date, 1 map (microfiche).

M20 "Preliminary Stratigraphic Cross Section Showing Radioactive Zones in the Devonian Black Shales

in Eastern Ohio and West Central Pennsylvania." Koen, Jonn B., Laure G. Wallace, and Wallace deWitt, Jr., USGS, 1977, 1 map (microfiche and published).

M21 "Preliminary Regional Structure Map of the Base of the Huron Member of the Ohio Shale (Top of the Olentangy Shale)." Majchszak, Frank, L., OHGS, August 1977, 1 map (microfiche).

M22 "Ohio, Olentangy, and Marcellus (?) Shales, Isopach Map." Provo, Linda J., U. of Cin., 1976, 1 map (microfiche).

M23 "Drilling Depth Map to the Top of the Middle Devonian Onondago Group." Piotrowski, R. G., and S. A. Krajewski, PAGS, EGSP Series No. 10, 1977, 3 maps (microfiche and published).

M24 "Gas Show and Production Map from Middle and Upper Devonian Organic Rich Shales in Western and Northern Pennsylvania." Piotrowski, R. G., and S. A. Krajewski, PAGS, EGSP Series No. 11, 1977, 2 maps (microfiche and published).

M25 "Preliminary Structure Map on Base of Huron Shale, Contour Interval 500 feet." No author, WVGES, 1978, 1 map (Xerox).

M26 "Preliminary Isopach Map of Lower Huron Shale, Contour Interval 50 feet." No author, WVGES, 1978, 1 map (Xerox).

M27 "Preliminary Isopach Map of Upper Huron Shale, Contour Interval 25 feet." No author, WVGES, 1978, 1 map (Xerox).

M28 "Map of Indiana Showing Locations of Study Wells with Shows of Oil and Gas from the 100 feet of Strata Overlying New Albany Shale." Bassett, John and Nancy Hasenmueller, INGS, February 1978, 1 map (microfiche).

M29 "Map of Indiana Showing Structure on Base of New Albany Shale and Equivalent Strata." Bassett, John and Nancy Hasenmueller, INGS, February 1978, 1 map (microfiche).

M30 "Isopach Map of New Albany Shale and Equivalent Strata in Indiana." Bassett, John and Nancy Hasenmueller, INGS, February 1978, 1 map (microfiche).

M31 "Map of Indiana Showing Structure on Top of New Albany Shale and Equivalent Strata." Bassett, John and Nancy Hasenmueller, INGS, February 1978, 1 map (microfiche).

M32 "Map of Indiana Showing Locations and Numbers of Study Wells and Locations of Cross Sections." Bassett, John and Nancy Hasenmueller, INGS, February 1978, 1 map (microfiche).

M33 "Map of Indiana Showing Locations of Reported Oil and Gas Shows in Study Wells and Outlines of Gas Fields Producing from the New Albany Shale." Bassett, John and Nancy Hasenmueller, INGS, February 1978, 1 map (microfiche).

M34 "Preliminary Regional Structure Map of the Base of a Radioactive Shale Unit within the Olentangy Shale (Approximate Equivalent of the Rhinestreet Shale Member of the West Falls Group of New York State)." Majchszak, Frank L., OHGS, November 1977, 1 map (microfiche).

M35 "Structure and Isopach Map of the New Albany -- Chattanooga -- Ohio Shale (Devonian and Mississippian) in Kentucky: Central Sheet and Western Sheet." Potter, Paul Edwin and Howard R. Schwalb, KYGS, 1978, 2 maps (published).

M36 "Thickness of the Radioactive Shale Facies of the Lower Huron Member of the Ohio Shale." Majchszak, Frank L., OHGS, August 1977, 1 map (microfiche).

M37 "Thickness of the Radioactive Shale Facies of the Upper Huron Member of the Ohio Shale." Majchszak, Frank L., OHGS, November 1977, 1 map (microfiche).

M38 "Thickness of a Radioactive Shale Unit within the Upper Olentangy Shale (Approximate Equivalent of the Rhinestreet Shale Member of the West Falls Group of New York State)." Majchszak, Frank L., OHGS, August 1977, 1 map (microfiche).

M39 "Stratigraphic Cross Sections, Devonian Clastic Sequence in Southern West Virginia, Index Map." WVGES, January 1979, 1 map (microfiche).

M40 "Gamma-ray Log Cross Section of the Middle and Upper Devonian Clastic Sequence in Southern West Virginia, Plate 1/A through A'." WVGES, January 1979, 1 map (microfiche).

M41 "Gamma-ray Log Cross Section of the Middle and Upper Devonian Clastic Sequence in Southern West Virginia, Plate 2/B through B'." WVGES, January 1979, 1 map (microfiche).

M42 "Gamma-ray Log Cross Section of the Middle and Upper Devonian Clastic Sequence in Southern West Virginia, Plates 4/D through D' and 3/C through C'." WVGES, January 1979, 1 map (microfiche).

M43 "Isopach Map of Radioactive Shale in Cleveland Member of Ohio Shale, Contour Interval 25 feet." Maps with and without coordinates (M43 and M43a), Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M44 "Isopach Map of Radioactive Shale in Huron Member of Ohio Shale, Contour Interval 25 feet." Schwietering, Joseph F., WVGES, December 1978, 1 map (microfiche).

M45 "Isopach Map of Radioactive Shale in Huron Member of Ohio Shale, Contour Interval 50 feet." Schwietering, Joseph F., WVGES, December 1978, 1 map (microfiche).

M46 "Structure Contour Map on Base of Cleveland Member of Ohio Shale, Contour Interval 100 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M47 "Structure Contour Map on Base, Huron Member of Ohio Shale, Contour Interval 100 feet." Schwietering, Joseph F., WVGES, December 1978, 1 map (microfiche).

M48 "Structure Contour Map on Base of Cleveland Member of Ohio Shale, Contour Interval 500 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M49 "Structure Contour Map on Base of Huron Member of Ohio Shale, Contour Interval 500 feet." Schwietering, Joseph F., WVGES, December 1978, 1 map (microfiche).

M50 "Structure Contour Map on Base of Genesee Formation, Contour Interval 100 and 500 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M51 "Isopach Map of Radioactive Shale in Genesee Formation, Contour Interval 25 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M52 "Structure Contour Map on Base of West Falls Formation, Contour Interval 100 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M53 "Isopach Map of Radioactive Shale in West Falls Formation, Contour Interval 25 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M54 "Structure Contour Map on Base of Java Formation, Contour Interval 100 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M55 "Isopach Map of Radioactive Shale in Java Formation, Contour Interval 25 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M56 "Structure Contour Map on Base of Sonyea Formation, Contour Interval 100 feet." Schwietering, Joseph F., WVGES, January 1799, 1 map (microfiche).

M57 "Isopach Map of Radioactive Shale in Sonyea Formation, Contour Interval 25 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M58 "Isopach Map of Radioactive Shale in Hamilton Group, Contour Interval 25 feet." Schwietering, Joseph F., WVGES, January 1979, 1 map (microfiche).

M59 "North-South Cross Section, West Side of Area (Kentucky)." Schwalb, Howard, KYGS, April 21, 1978, 1 map (microfiche).

M60 "Isopach Map of Grassy Creek Member of New Albany Shale -- Western Kentucky." Schwalb, Howard and Ronald Norris, KYGS, November 1978, 1 map (microfiche).

M61 "North-South Cross Section, East Side of Area (Kentucky)." Haney, Donald C., U. of KY and KYGS, February 2, 1979, 1 map (microfiche).

M62 "Preliminary Stratigraphic Cross Section A-A', Ohio." Majchszak, Frank L., OHGS, 1978, 1 map (microfiche).

M63 "Preliminary Stratigraphic Cross Section B-B', Ohio." Majchszak, Frank L., OHGS, 1978, 1 map (microfiche).

M64 "Preliminary Stratigraphic Cross Section C-C', Ohio." Majchszak, Frank L., OHGS, 1978, 1 map (microfiche).

M65 "Preliminary Stratigraphic Cross Section D-D', Ohio." Majchszak, Frank L., OHGS, 1978, 1 map (microfiche).

M66 "Preliminary Stratigraphic Cross Section E-E', Ohio." Majchszak, Frank L., OHGS, 1978, 1 map (microfiche).

M67 "Preliminary Stratigraphic Cross Section F-F', Ohio." Majchszak, Frank L., OHGS, 1978, 1 map (microfiche).

M68 "Landsat Lineaments in Parts of West Virginia, Kentucky, Ohio, and Virginia." Colton, George W., UGSG, 1 Map (microfiche) and 3 p. notes.

M69 "Preliminary Stratigraphic Cross Section (C_1-C_3) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian, Western Pennsylvania." Piotrowski, R. G. and S. A. Krajewski, PAGS, EGSP Series No. 3, 1977 2 maps (published).

M70 "Preliminary Stratigraphic Cross Section (A_3-D_3) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian, Western Pennsylvania." Piotrowski, R. G. and S. A. Krajewski, PAGS, EGSP Series No. 2, 1977, 2 maps (published).

M71 "Preliminary Stratigraphic Cross Section (A_2-D_2) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian, Western Pennsylvania." Piotrowski, R. G. and S. A. Krajewski, PAGS, EGSP Series No. 3, 1977, 2 maps (published).

M72 "Preliminary Stratigraphic Cross Section (A_1-D_1) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian,

Western Pennsylvania." Piotrowski, R. G. and S. A. Krajewski, PAGS, EGSP Series No. 4, 1977, 2 maps (published).

M73 "Preliminary Stratigraphic Cross Section (C_4-D_4) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian, Western Pennsylvania." Piotrowski, R. G. And S. A. Krajewski, PAGS, EGSP Series No. 5, 1977, 2 maps (published).

M74 "Preliminary Stratigraphic Cross Section (D_3-D_4) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian, Western Pennsylvania." Piotrowski, R. G. and S. A. Krajewski, PAGS, EGSP Series No. 6, 1977, 2 maps (published).

M75 "Preliminary Stratigraphic Cross Section (D_1-D_3) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian, Western Pennsylvania." Piotrowski, R. G. and S. A. Krajewski, PAGS, EGSP Series No. 8, 1977, 2 maps (published).

M66 "Preliminary Stratigraphic Cross Section (A_1-A_4) Showing Radioactive Black Shale Zones and Sandstones in the Middle and Upper Devonian, Western Pennsylvania." Piotrowski, R. G. and S. A. Krajewski, PAGS, EGSP Series No. 9, 1977, 2 maps (published).

M77 "Oil and Gas Data From Paleozoic Rocks in the Appalachian Basin: Maps for Assessing Hydrocarbon Potential and Thermal Maturity (Conodont Color Alteration Isograds and Overburden Isopachs)." Harris, Anita G., Leonard D. Harris, and Jack B. Epstein, USGS, Map 1-917-E, 1978, 4 maps (published).

AUTHOR - SUBJECT INDEX
FOR
UGR MAPS

Appalachian Basin
- Cross Section.....M01, M05, M09, M15
- Isopach Maps.....M02, M07, M12, M13, M16, M22
- Lineament Maps.....M68
- Structural Contour Maps.....M08

Bassett, John.....M28, M29, M30, M31, M32, M33

Chattanooga Shale.....M35
Cleveland Shale.....M13, M43, M46, M48
Colton, George W.....M68
Cottageville Gas Field.....M19
Cross Sections
- Regional, Appalachian Basin.....M01, M05, M09, M15
- Indiana.....M32
- Kentucky.....M17, M59, M61
- Ohio.....M04, M20, M62, M63, M64, M65, M66, M67
- Pennsylvania.....M18, M20, M69, M70, M71, M72, M73, M74m M75, M76
- West Virginia.....M04, M38, M40, M41, M42

Devonian Black Shale.....M01, M04, M05, M09, M15, M18, M20, M23, M24, M69, M70, M71, M72, M73, M74, M75, M76
Devonian Clastic Sequence.....M39, M40, M41, M42
deWitt, Wallace, Jr.....M04, M05, M09, M20

EGSP Map Series.....M18, M23, M24, M69, M70, M71, M72, M73, M74, M75, M76
Ettensohn, Frank R.....M15

Gas and Oil Shows Maps
- Indiana.....M28, M33
- Ohio.....M14

Gas Fields
- Indiana.....M33

Gas Production Maps
- Ohio.....M06
- West Virginia.....M19

Gas Shows and Production Maps
- Pennsylvania.....M24

Gas Well Locations
- Indiana.....M32

Gearhart, Linda C.....M14
Genesse Formation.....M50, M51

Grapes, Charles R., II.....M14
Grassy Creek Shale.....M60

Hamilton Group.....M58
Haney, Donald C.....M61
Hasenmueller, Nancy.....M28, M29, M30, M31, M32, M33
Huron Shale.....M02, M07, M12, M21, M25, M26, M27, M36, M37, M44, M45, M47, M49

Illinois (State Specific)
Lineament Maps.....M03, M10, M11
Indiana (State Specific)
Cross Section Locations.....M32
Gas and Oil Shows Maps.....M28, M33
Gas Fields.....M33
Gas Well Locations.....M32
Isopach Maps.....M30
Lineament Maps.....M03, M10, M11
Structural Contour Maps.....M29, M31
Indiana Geological Survey (INGS)....M03, M10, M11, M28, M29, M30, M31, M32, M33
Isopach Maps
Regional, Appalachian Basin.....M04, M07, M12, M13, M16, M22
Indiana.....M30
Kentucky.....M35, M60
Ohio.....M36, M37, M38
West Virginia.....M26, M27, M43, M44, M45 M51, M53, M55, M57, M58

Janssens, A.....M06
Java Formation.....M54, M55

Kentucky (State Specific)
Cross Sections.....M17, M59, M61
Isopach Maps.....M35, M60
Structural Contour Maps.....M35
Kentucky Geological Survey (KYGS)...M17, M35, M59, M60, M61
Kepferle, Roy C.....M15
Krajewski, S. A.....M18, M23, M24, M69, M70, M71, M72, M73, M74, M75, M76

Lineament Maps
Regional, Appalachian Basin.....M68
Illinois.....M03, M10, M11
Indiana.....M03, M10, M11

Majchszak, Frank L.....M21, M34, M36, M37, M38, M62, M63, M64, M65, M66, M67
Marcellus Shale.....M21

New Albany Shale.....M28, M29, M30, M31, M32, M33, M35, M60
Norris, Ronald.....M17, M60
Nuckols, E. B.....M19

Ohio (State Specific)
Cross Sections.....M04, M20, M62, M63, M64, M65, M66, M67
Gas and Oil Shows Maps.....M14
Gas Production Maps.....M06
Isopach Maps.....M36, M37, M38
Structural Contour Maps.....M21, M34
Ohio Division of Geological Survey (OhGS).....M06, M14, M21, M34, M36, M37, M38, M62, M63, M64, M65, M66, M67
Ohio Shale.....M02, M06, M07, M08, M12, M13, M14, M16, M21, M22, M35, M36, M37, M43, M44, M45, M46, M47, M48, M49
Olentangy Shale.....M21, M22, M34, M38
Onondago Shale.....M23

Pennsylvania (State Specific)
Cross Sections.....M18, M20, M69, M70 M71, M72, M73, M74, M75, M76
Gas Show and Production Maps....M24
Structural Contour Maps.....M23
Pennsylvania Bureau of Topographic and Geologic Survey (PAGS)..
.....M18, M23, M24, M69, M70, M71, M72, M73, M74, M75, M76
Piotrowski, R. G.....M18, M23, M24, M69, M70, M71, M72, M73, M74, M75, M76
Potter, Paul Edwin.....M35
Provo, Linda J.....M02, M07, M08, M12, M13, M16, M22

Radioactive Shale Zones
Regional, Appalachian Basin.....M01, M05, M09, M15
Ohio.....M04, M34, M36, M37, M38
Pennsylvania.....M18, M20, M69, M70, M71, M72, M73, M74, M75, M76
West Virginia.....M04, M43, M44, M45, M51, M53, M55, M57, M58
Rhinestreet Shale.....M34, M38
Roen, John B.....M04, M05, M09, M20
Rough Creek Fault System.....M17

Schwalb, Howard.....M17, M35, M59, M60
Schwietering, Joseph F.....M43, M44, M45, M46, M47, M48, M49, M50, M51, M52, M53, M54, M55, M56, M57, M58
Sonyea Formation.....M56, M57
Structural Contour Maps
Regional, Appalachian Basin.....M08
Indiana.....M29, M31
Kentucky.....M35

Ohio.....M21, M34
Pennsylvania.....M23
West Virginia.....M25, M46, M47, M48, M49, M50, M52, M54, M56

Three Lick Bed.....M16

United States Geological Survey (UGSG).....M01, M04, M05, M09, M15
University of Cincinnati (U. of Cin.).....M02, M07, M08, M12, M13
Univeristy of Kentucky (U. of KY).....M61

Wallace, Laure G.....M04, M05, M09, M20
West, Mareta.....M01
West Falls Formation.....M34, M38, M52, M53
West Virginia (State Specific)
Cross Sections.....M04, M39, M40, M41, M42
Gas Production Maps.....M19
Isopach Maps.....M26, M27, M43, M44, M45, M51, M53, M55, M57, M58
Structural Contour Maps.....M25, M46, M47, M48, M49, M50, M52, M54, M56
West Virginia Geological and Economic Survey (WVGES)...M25, M26, M27, M39, M40, M41, M42, M43, M44, M45, M46, M47, M48, M49, M50, M51, M52, M53, M54, M55, M56, M57, M58
West Virginia University (WVU).....M19
Wier, C. E.....M03, M10, M11
Wilson, Edward N.....M15

ADDENDUM II

Several important new titles as well as a few older citations which were not found earlier appear in this addendum. A geographic index follows the listing.

Barron, Lance
Paleocology of the Devonian-Mississippian black shale sequence in Kentucky, MS, 1980, Univeristy of Kentucky.

Bostick, and H. H. Damberger
Discussion of the carbon ratio rule and petroleum potential in NPC region 9 in Proceedings of Symposium on Future Petroleum potential of NPC region 9, Ill. Petroleum 95, Ill. Geol. Survey, p. 142-151, 1971.

Culbertson, William C. and Janet K. Pitman
Oil shale in United States mineral resources, ed. by Donald A. Brobst and Wladen P. Pratt. Washington, U. S. Geological Survey, p. 820, 1973.

Dillman, Scott
Subsurface geology of the Upper Devonian black shale sequence in eastern Kentucky, MS, 1980, University of Kentucky.

Fenstermaker, Charles D.
Resume of current activity at the oil industry northeast of the Mississippi River, Geographic, geologic, and magnitude of recent year's discoveries, in Proceedings of the Technical Sessions, Kentucky Oil and Gas Association, Thirty-second annual mtg., June 6-7, 1968. Ky. Geol. Survey, Ser. X, Spec. Publ. 17, p. 50-77, 1968.

Fulton, Linda Jeane
Stratigraphy and sedimentology of radioactive Devonian-Mississippian shales of the central Appalachian Basin, PhD, 1977, University of Cincinnati.

Grow, G. C.
Gas Production near hard coal area of Pennsylvania, World Oil, p. 79-81, Sept. 1964.

Heroux, Yvon and Andre Chagnon, and Rudolf Bertrand
Compilation and correlation of major thermal maturation indicators, Am. Assoc, Pet. Geol. Bull., Vol. 63, No. 12, p. 2128-2144, Dec. 1979

Laramie Energy Research Center
A bibliography of publications dealing with oil shale and shale oil from U. S. Bureau of Mines, 1917-1974

and the ERDA Laramie Energy Research Center, 1975-1976. U. S. Energy Research and Development Administration (ERDA) Laramie Energy Research Center, Laramie, Wyoming, 51 p., Sept. 1977.

Miller, Michael L.
A photographic study of the Upper Devonian-Lower Mississippian black shales in eastern Kentucky, Lex., Ky: 1978, MS, University of Kentucky.

Miller, Ralph and William P. Brosge
Geology and oil resources of the Jonesville District, Lee County, Va., U. S. Geol. Surv. Bull. 990, 1954.

Nunez, Eugenio
Geochemical variance in the Devonian black shales of Ky., MS, 1980, University of Kentucky.

Pasini, Joseph III
Some aspects of recent production research and possible effects on petroleum recovery, in Proceedings of the Technical Sessions, Ky. Oil and Gas Association, 32nd annual mtg., June 6-7, 1968, Ky. Geol. Surv. Ser. X, Spec. Pub. 17, p. 42-49, 1969.

Pennsylvania Geological Survey
Preliminary stratigraphic cross sections showing radioactive black shale zones and sandstones in the Middle and Upper Devonian, western Pennsylvania. A set of eleven maps, No. 1-11, Penn. Geol. Survey, Eastern Gas Shales Project, Morgantown Energy Technology Center, Morgantown, W. Va., 1979.

Pietrowski, R. G. and Krajewsii, S. A.
Devonian Shale research in Pennsylvnnia in Lytle, W. S. Heyman, L. et al. Oil and gas developments in Pennsylvania in 1976, Pa. Geological Survey, 4th ser., Prog. report, 190, p. 33-42, 1977.

Rickert, D. A., W. J. Ulman, and E. R. Hampton
Synthetic fuels development earth science considerations, Washington, D. C., U. S. Department of the Interior, Geological Survey. U. S. Govt. Printing Ofiice, 45 p., 1979.

Schmoker, James W.
Determination of organic content of Appalachian Devonian shales from formation density logs, Am. Assoc. Pet. Geol. Bull., Vol. 63, No. 9, p. 1504-1509, 1979.

Swager, Dennis Ray
Stratigraphy of the Upper Devonian-Lower Mississippian shale sequence in the eastern Kentucky outcrop belts. Lex., Ky., MS, 1978.

Wilson, Edward N.
Discussion of the carbon ratio rule and petroleum potential in NPC region 9, in Proceedings of Symposium on Future Petroleum Potential of NPC Region 9, Illinois Petroleum 95, Ill. Geol. Surv., p. 152, 1971.

Wilson, Edward Norman
Substrates of the Devonian shales in and near eastern Kentucky, Eight annual Appalachian Petroleum Geology symposium, March 10, 1977, Morgantown, W. Va.

Winchester, Dean E.
Oil shale of the Rocky Mountain region. U. S. Geological Survey, Bull. 729, 204 p., 1923.

Woock, Robert
Mineralogical variation in the Devonian shales of eastern Ky., MS, 1980, University of Kentucky.

Zafar, Jaffrey and Edward N. Wilson
Nature and position of the Devonian-Mississippian boundary in eastern Kentucky and contiguous areas. Abstracts of papers, 9th International Congress of Carboniferous Stratigraphy and Geology, University of Illinois, Urbana, 1979, p. 241-242.

GEOGRAPHICAL INDEX
ADDENDUM II

Appalachia
See Schmoker, 1979
Addendum II

Appalachian Basin (central)
See Fulton, 1977
Addendum II

Illinois Basin
See Bostick, 1971
Addendum II

Illinois Basin
See Wilson, 1971
Addendum II

Kentucky
See Barron, 1980
Addendum II

Kentucky
See Fensternaker, 1968
Addendum II

Kentucky
See Nunez, 1980
Addendum II

Kentucky
See Pasini, 1969
Addendum II

Kentucky (eastern)
See Dillman, 1980
Addendum II

Kentucky (eastern)
See Miller, 1978
Addendum II

Kentucky (eastern)
See Swager, 1978
Addendum II

Kentucky (eastern)
See Wilson, 1979
Addendum II

Kentucky (eastern)
See Wilson, 1971
Addendum II

Kentucky (eastern)
See Woock, 1980
Addendum II

Kentucky (eastern)
See Zafar, 1979
Addendum II

Pennsylvania
See Grow, 1964
Addendum II

Pennsylvania
See Penn. Geol. Surv., 1979
Addendum II

Pennsylvania
See Piotrowski, 1977
Addendum II

Rocky Mountain Region
See Winchester, 1923
Addendum II

United States
See Culbertson, 1973
Addendum II

United States
See Rickert, 1979
Addendum II

Virginia, Jonesville District
See Miller, 1954
Addendum II

Virginia, Lee County
See Miller, 1954
Addendum II

☆U.S. GOVERNMENT PRINTING OFFICE: 1980-640-258/207