

JANUARY 1982 ENVIRONMENTAL DATA
FOR SITES IN THE
NATIONAL SOLAR DATA NETWORK

PREPARED FOR

U.S. DEPARTMENT OF ENERGY
DE-AC01-79CS30027
R. HASSETT, DOE PROGRAM MANAGER

AND

ARGONNE NATIONAL LABORATORY, G.A. MCGINNIS, ANL PROGRAM MANAGER

BY

AUTOMATION INDUSTRIES, INC.
VITRO LABORATORIES DIVISION
14000 GEORGIA AVENUE
SILVER SPRING, MARYLAND 20910
T.T. BRADSHAW, VITRO PROGRAM MANAGER

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
ORGANIZATION OF DATA	1
INSTRUMENTATION.	4
Insolation.	4
Temperature	6
Wind.	6
Relative Humidity	7
OTHER PUBLICATIONS	9
ENVIRONMENTAL DATA TABLES.	11
<u>ZONE 1 (Maine, Massachusetts, New Hampshire, Vermont)</u>	
Cathedral Square.	1-1
Contemporary Systems.	1-3
Karasek Home.	1-8
Williamson Home	1-10
<u>ZONE 2 (Connecticut, New Jersey, New York, Pennsylvania, Rhode Island)</u>	
Environmental Partnership	2-1
Gil Harrop.	2-4
Kalin Home.	2-8
South Bridge Tower.	2-10
Wood Road School.	2-12
<u>ZONE 3 (Michigan, Minnesota, North Dakota, South Dakota, Wisconsin)</u>	
Arno Kahn	3-1
EROS Data Center.	3-6
Isakson Home.	3-8
University of Minnesota	3-10

TABLE OF CONTENTS
(Continued)

	<u>Page</u>
<u>ZONE 4 (Idaho, Montana, Wyoming)</u>	
No Valid Data	
 <u>ZONE 5 (Oregon, Washington)</u>	
No Valid Data	
 <u>ZONE 6 (Delaware, Indiana, Kentucky, Maryland, Ohio, Virginia, Washington, D.C., West Virginia)</u>	
Carter County	6-1
Forest City Dillon.	6-3
Rymark I.	6-5
Rymark II	6-9
Rymark III.	6-11
Vitro Test Site	6-13
 <u>ZONE 7 (Illinois, Iowa, Kansas, Missouri, Nebraska)</u>	
Bond Construction	7-1
Lo-Cal.	7-3
Wesley Medical Center	7-8
 <u>ZONE 8 (Arizona, Colorado, New Mexico, Utah)</u>	
Crown Realty #I	8-1
Honeywell Salt River.	8-3
Permaloy Corporation.	8-5
Scottsdale Courthouse	8-10
Taos State Office Building.	8-12

TABLE OF CONTENTS
(Continued)

ZONE 9 (California, Nevada)

El Toro Library	9-1
La Quinta Motor Inn	9-3
Oakmead	9-5
San Anselmo School.	9-9

ZONE 10 (Alabama, Georgia, Mississippi, North Carolina,
South Carolina, Tennessee)

No Valid Data

ZONE 11 (Arkansas, Louisiana, Oklahoma, Texas)

Craftsman Enterprises	11-1
First Manufactured Homes.	11-3

ZONE 12 (Florida)

Florida Solar Energy Center	12-1
---------------------------------------	------

ENVIRONMENTAL DATA
FOR
SITES IN THE NATIONAL SOLAR DATA NETWORK

INTRODUCTION

The Department of Energy's National Solar Data Network monitors solar energy systems in residential and commercial buildings. Instrumented solar research and development installations employing on-site microcomputers are linked via telephone lines to a Central Data Processing System (CDPS) located at Vitro Laboratories, Silver Spring, Maryland. Vitro collects, archives, analyzes, and reports upon data from this Network to determine the thermal performance of the solar systems.

The Network consists of: (1) sensors which measure key performance parameters at each site; (2) the microprocessor-based Site Data Acquisition Subsystem (SDAS); (3) a modem and telephone transmission interface; (4) the Central Data Processing System (CDPS). The collected data is transferred via telephone communications. At the Central Data Processing Facility, the collected data is processed, analyzed, evaluated and documented. Sensor data are collected and stored on a cassette tape in the SDAS.

Most on-site sensors are interrogated every five minutes and twenty seconds. Solar radiation and other parameters, which are subject to rapid variance, are sampled every 32 seconds and averaged over 320 seconds by the microprocessor. The CDPS communicates with each SDAS on a daily basis and retrieves the stored data. At the conclusion of data retrieval, the SDAS cassette is reset by command from the CDPS to continue data collection.

This report presents environmental information collected at the sites for the reporting month. Certain data are flagged or indicated to be invalid by the use of an asterisk (*). Only those sites for which a significant amount of the data are found to be valid are reported.

ORGANIZATION OF THE DATA

The environmental data for the NSDN are presented in the form of tables for each solar site. The solar sites are grouped into 12 zones, each of which consists of several adjacent states (as shown in Figure 1). The solar energy sites are listed in alphabetical sequence within each zone.

The tables provide available microclimate data for each reporting location in the NSDN as follows:

- Insolation. The insolation table presents total solar radiation in the plane of the collector (Figure 3). The total insolation represents the measured value of direct plus diffuse radiation at that orientation. Extraterrestrial radiation is calculated for the same plane of orientation outside the atmosphere. A simple ratio of these two values represents an atmospheric transmission index similar to a cloudiness index. The maximum insolation value occurring in the time-frame of sensor interrogation (320 seconds) and its time of occurrence are also shown for each day.





Figure 1. National Solar Data Program Zones



KEY

- Aw** Tropical savanna. Hot; seasonally dry (usually winter)
- BS** Tropical steppe. Semiarid; hot
- BSk** Mid-latitude steppe. Semiarid; cool or cold
- BWh** Tropical desert. Arid; hot
- Caf** Humid subtropical. Mild winter; moist all seasons; long hot summer
- Cb** Marine. Mild winter; moist all seasons; warm summer
- Cs** Coastal Mediterranean. Mild winter; dry summer; short warm summer
- Daf** Humid continental. Severe winter; moist all seasons; long, hot summer
- Dbf** Humid continental. Severe winter; moist all seasons; short warm summer
- H** Undifferentiated highland climates

Trewartha, G.T. *The Earth's Problem Climates*. University Wisconsin Press, Madison, WI, 1961.

Figure 2. Climate Zones

At selected NSDN sites, a shadowband apparatus is deployed with an EPPLEY PSP sensor to measure the diffuse component of incoming solar radiation. The table also shows a daily value for direct beam insolation based on subtraction of the diffuse values from the direct values. These values must be corrected for the amount of sky occluded by the shadowband.

- Temperature. The temperature tables give the average daytime, nighttime, maximum, and inlet-water temperatures at sites with DHW solar systems. Outdoor ambient temperature sensors are mounted near the collectors in appropriate radiation shields. The inlet-water temperatures are mass flow weighted to read values only when flow occurred. Additional tables are presented for some of these NSDN sites at which wind and/or relative humidity data are monitored.
- Wind. All of the passive and some of the active solar sites are equipped with wind sensors. These provide information for two wind tables. The first furnishes wind speed and direction. The second table correlates wind speed with time for each day.
- Humidity. The humidity table provides relative humidity values for day and night. It also gives values for the maximum and minimum humidity for each day and times of occurrence.

A technical discussion of the instruments used for measurement to obtain NSDN data on site environmental conditions follows.

A map illustrating the climate zones is provided in Figure 2 for comparison to NSDN zones and site location.

INSTRUMENTATION

Insolation

EPPLEY PSP pyranometers are used to measure the total solar radiant energy in the plane of the collection subsystem (Figure 3). A pyranometer measures the total amount of solar energy available. Also included are both the direct beam component and the diffuse component if a shadowband instrument is employed at the site to measure the diffuse component. Measurements are given in BTU/ft²-day.

The addition of a shadowband to a pyranometer enables the instrument to detect only the diffuse portion of the sunlight by shielding the sensor from the direct rays of the sun (the beam component). The amount of beam radiation available is readily calculated by subtracting the diffuse radiation measurement from the total radiation measured by the unshaded standard pyranometer. This beam radiation measurement is useful when working with focusing solar collectors but must be corrected in user software for the amount of sky occluded by the band apparatus. When using the shadowband pyranometer, the accuracy of measurement depends on the correct adjustment of the shadowband to be certain that the sensor is shielded from the direct rays of the sun. The data reported in these

summaries have been carefully screened to eliminate publication of invalid data. Thus, this publication may be employed to screen environmental data taken directly from NSDN magnetic tapes.

The EPPLEY PSP pyranometer used includes a circular multijunction wirewound thermopile. The receiver is circular, and coated with Parsons' black lacquer. The instrument has a pair of precision ground and polished hemispheres of Schott optical glass. The sensor head contains a desiccant which can be readily serviced. The clear glass employed transmits wavelengths of 285 to 2,800 nanometers. The temperature dependence is $\pm 1\%$ over the range of -4°F to 140°F . The PSP has a response time of one second and a linearity of $\pm 5\%$ over the range of the instrument. Field checking of instruments against calibrated standards indicates very good accuracy and drift resistance under normal deployment conditions.




Figure 3. Measurement of Incoming Solar Radiation

Temperature

Ambient temperature sensors, (Minco Products S53) platinum Resistance Temperature Detector (RTD), housed in a WeatherMeasure Radiation Shield, (Figure 4) are used to monitor ambient dry bulb temperatures. Sensors are located away from extraneous heat sources. The sensors are sited to be close to the structure and collector array but beyond obvious radiative and convective influences.

The RTD's are connected to a bridge microboard in the SDAS and yield an output signal of 0-100 millivolts proportional to calibrated temperature ranges.

The RTD's are individually calibrated to National Bureau of Standards traceable standards at the factory. In addition, an electrical five-point check is done at the site in an attempt to take into account any deviation of the measurement system from nominal values due to sensor wire resistance.

The data processing software at the CDPS takes these checks and calibrations into account, using a third-order polynomial curve fit to convert digital data to temperature engineering units ($^{\circ}\text{F}$).




Figure 4. Temperature Sensor

Wind

Where monitored, wind speed and direction are detected by a Model W101-P-DC/360 (or W102-P-DC/360) sensor by the WeatherMeasure Corporation, Sacramento, California (Figure 5).

Wind speed is measured by a four-bladed propeller coupled to a DC generator. The balanced propeller is fabricated from a special low-density, fiberglass-reinforced plastic to yield maximum sensitivity and strength. Wind speeds below one mile per hour are not reported because these values are below the sensitivity of the instrument.

Dual-wiper, precious-metal slip rings are used to bring the wind speed analog output (15 volts DC at 100 miles per hour) to the base of the sensor from the 0-360° pivoting Skyvane, which doubles as a direction detector.

Wind direction is measured by means of a dual-wiper 1000-ohm potentiometer housed in the base of the sensor. It is attached to a stainless steel shaft which supports, and rotates with, the upper body assembly.




Figure 5. Typical Wind Speed-Direction Sensor

Relative Humidity

Relative humidity is measured by a WeatherMeasure Corporation Model HM111-P/HM14-P sensor (Figure 6). This measurement is of interest in monitoring atmospheric corrosion at active solar sites, and comfort levels at passive solar sites.

This solid-state sensor measures relative humidity over the full range of 0-100%. Response of the sensing element is linear within approximately 1%, from 0-80% relative humidity.

Sensor analog output is dependent on the capacitance change of a polymer thin-film capacitor under varying ambient water vapor conditions. The sensor element internally compensates for temperature. A one-micron-thick dielectric polymer layer absorbs water molecules through a thin

metal electrode and causes a capacitance change proportional to water vapor pressure deficit. The thin polymer layer reacts with a time constant of one second to 90% humidity change at 68°F. Probe electronics generate linear analog output to the SDAS.

For use outdoors, a sintered filter is used over the probe to reduce the sulphur dioxide absorbed and eliminate small particles. The small pore size of the filter gives good protection to the sensor from acid or particulate degradation. The time constant of the sensor, however, is increased to several seconds.




Figure 6. Relative Humidity Probe

OTHER PUBLICATIONS

These environmental data reports will be issued monthly and will include all sites which are transmitting valid data at the time of publication.

Previous reports are:

SOLAR/0010-78/09, September 1978
SOLAR/0010-78/10, October 1978
SOLAR/0010-78/11, November 1978
SOLAR/0010-78/12, December 1978
SOLAR/0010-79/01, January 1979
SOLAR/0010-79/02, February 1979
SOLAR/0010-79/03, March 1979
SOLAR/0010-79/04, April 1979
SOLAR/0010-79/05, May 1979
SOLAR/0010-79/06, June 1979
SOLAR/0010-79/07, July 1979
SOLAR/0010-79/08, August 1979
SOLAR/0010-79/09, September 1979
SOLAR/0010-79/12, December 1979
SOLAR/0010-80/01, January 1980
SOLAR/0010-80/02, February 1980
SOLAR/0010-80/03, March 1980
SOLAR/0010-80/04, April 1980
SOLAR/0010-80/05, May 1980
SOLAR/0010-80/06, June 1980
SOLAR/0010-80/07, July 1980
SOLAR/0010-80/08, August 1980
SOLAR/0010-80/09, September 1980
SOLAR/0010-80/10, October 1980
SOLAR/0010-80/11, November 1980
SOLAR/0010-80/12, December 1980
SOLAR/0010-81/01, January 1981
SOLAR/0010-81/02, February 1981
SOLAR/0010-81/03, March 1981
SOLAR/0010-81/04, April 1981
SOLAR/0010-81/05, May 1981
SOLAR/0010-81/06, June 1981
SOLAR/0010-81/07, July 1981
SOLAR/0010-81/08, August 1981
SOLAR/0010-81/09, September 1981
SOLAR/0010-81/10, October 1981
SOLAR/0010-81/11, November 1981
SOLAR/0010-81/12, December 1981

Blank Page

NATIONAL SOLAR DATA NETWORK

ENVIRONMENTAL DATA TABLES

11

* denotes data missing due to sensor failure or transmission problems.

N.A. denotes data for this parameter not measured at this site.

E denotes value estimated from available data.

ZONE 1



ENVIRONMENTAL SUMMARY REPORT

SITE: CATHEDRAL SQUARE
BURLINGTON, VERMONT

REPORT PERIOD: 82/ 1
SITE NUMBER: 168

LATITUDE: 44.00 DEG NORTH
LONGITUDE: 73.00 DEG WEST

AZIMUTH: 42 DEG
PYRANOMETER TILT: 44 DEG

TIME ZONE: EASTERN
ALTITUDE: 200 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	48.	N.A.	N.A.	25.	10: 2	2195.	2.
2	1401.	N.A.	N.A.	266.	13:18	2199.	64.
3	125.	N.A.	N.A.	48.	13:24	2203.	6.
4	50.	N.A.	N.A.	20.	11:12	2207.	2.
5	993.	N.A.	N.A.	277.	12:33	2215.	45.
6	138.	N.A.	N.A.	34.	9:23	2220.	6.
7	359.	N.A.	N.A.	226.	11:57	2225.	16.
8	942.	N.A.	N.A.	283.	13:44	2231.	42.
9	905.	N.A.	N.A.	215.	11:15	2236.	40.
10	*	N.A.	N.A.	*	*:*	2245.	*
11	343.	N.A.	N.A.	116.	11:25	2252.	15.
12	1336.	N.A.	N.A.	266.	13:21	2258.	59.
13	235.	N.A.	N.A.	68.	10:35	2268.	10.
14	341.	N.A.	N.A.	147.	11:53	2275.	15.
15	506.	N.A.	N.A.	164.	11:24	2283.	22.
16	439.	N.A.	N.A.	164.	12:44	2290.	19.
17	395.	N.A.	N.A.	110.	13:11	2301.	17.
18	1029.	N.A.	N.A.	257.	12:56	2309.	45.
19	1478.	N.A.	N.A.	277.	13:18	2317.	64.
20	718.	N.A.	N.A.	257.	13:41	2328.	31.
21	1112.	N.A.	N.A.	272.	13:55	2337.	48.
22	1451.	N.A.	N.A.	283.	13:25	2346.	62.
23	69.	N.A.	N.A.	37.	15: 6	2357.	3.
24	223.	N.A.	N.A.	57.	11: 5	2367.	9.
25	1329.	N.A.	N.A.	286.	13:23	2379.	56.
26	1451.	N.A.	N.A.	280.	12:17	2389.	61.
27	1614.	N.A.	N.A.	289.	13: 9	2398.	67.
28	150.	N.A.	N.A.	68.	14:19	2411.	6.
29	1012.	N.A.	N.A.	280.	13:48	2421.	42.
30	60.	N.A.	N.A.	25.	14: 4	2434.	2.
31	318.	N.A.	N.A.	96.	10: 9	2445.	13.
MEAN	686.	N.A.	N.A.			2301.	
STANDARD DEVIATION	531.	N.A.	N.A.			77.	

ENVIRONMENTAL SUMMARY REPORT

SITE: CATHEDRAL SQUARE
BURLINGTON, VERMONT

REPORT PERIOD: 82/ 1
SITE NUMBER: 168

LATITUDE: 44.00 DEG NORTH AZIMUTH: 42 DEG TIME ZONE: EASTERN
LONGITUDE: 73.00 DEG WEST PYRANOMETER TILT: 44 DEG ALTITUDE: 200 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	34.	34.	33.	37.	20:15	30.	4:37	43.
2	15.	16.	15.	31.	0:10	4.	23:42	42.
3	18.	19.	18.	31.	23:53	2.	2:54	42.
4	35.	36.	35.	42.	21:31	28.	5:13	41.
5	28.	24.	30.	40.	1: 4	20.	11:23	41.
6	26.	28.	26.	34.	22:22	16.	3: 2	41.
7	28.	29.	27.	34.	1:45	17.	23:57	41.
8	11.	12.	10.	19.	13:50	5.	6: 5	42.
9	7.	9.	6.	17.	3: 4	-3.	22:27	41.
10	-3.	-1.	-4.	-0.	7:31	-5.	3:26	44.
11	1.	2.	0.	7.	16:45	-5.	23:47	39.
12	0.	4.	-2.	14.	14:25	-9.	7:34	39.
13	4.	6.	3.	11.	19:23	-6.	1:47	39.
14	8.	9.	8.	12.	12: 9	4.	5:58	39.
15	15.	17.	14.	22.	15:29	9.	2: 6	40.
16	16.	18.	14.	26.	19:40	4.	3:45	40.
17	-4.	-6.	-3.	8.	0: 1	-7.	8:28	39.
18	0.	0.	0.	7.	15:46	-9.	6: 4	38.
19	7.	12.	5.	18.	10:49	-2.	6:32	38.
20	14.	20.	11.	25.	12: 5	-2.	23:49	38.
21	-2.	3.	-4.	6.	11:31	-7.	22: 6	38.
22	-3.	1.	-5.	6.	13:30	-10.	6:54	39.
23	11.	11.	11.	28.	21:41	-9.	0:15	39.
24	21.	22.	21.	31.	2: 7	10.	23:37	39.
25	2.	5.	1.	11.	14:11	-3.	21:23	37.
26	-0.	3.	-2.	6.	14:35	-5.	8: 8	37.
27	4.	8.	2.	17.	15:28	-7.	5:26	38.
28	21.	21.	21.	32.	23:50	10.	0: 0	38.
29	22.	24.	21.	32.	0:27	10.	22:46	38.
30	24.	25.	23.	35.	22: 9	11.	0:28	37.
31	20.	18.	22.	36.	1:42	12.	22:41	38.
MEAN	12.	14.	11.					39.
STANDARD DEVIATION	11.5	10.9	12.0					1.8

ENVIRONMENTAL SUMMARY REPORT

SITE: CONTEMPORARY SYSTEMS
WALPOLE, NEW HAMPSHIRE

REPORT PERIOD: 82/ 1
SITE NUMBER: 234

LATITUDE: 43.07 DEG NORTH AZIMUTH: -5 DEG TIME ZONE: EASTERN
LONGITUDE: 72.45 DEG WEST PYRANOMETER TILT: 65 DEG ALTITUDE: 315 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	71.	N.A.	N.A.	23.	11:35	3051.	2.
2	1772.	N.A.	N.A.	306.	13:45	3054.	58.
3	155.	N.A.	N.A.	48.	10:54	3066.	5.
4	29.	N.A.	N.A.	8.	13:37	3064.	1.
5	1193.	N.A.	N.A.	309.	12:51	3067.	39.
6	179.	N.A.	N.A.	48.	11:18	3080.	6.
7	147.	N.A.	N.A.	113.	15: 1	3079.	5.
8	1723.	N.A.	N.A.	357.	12:17	3077.	56.
9	441.	N.A.	N.A.	142.	10:20	3090.	14.
10	*	N.A.	N.A.	*	*:*	3089.	*
11	527.	N.A.	N.A.	119.	12:34	3103.	17.
12	1942.	N.A.	N.A.	334.	11:54	3097.	63.
13	515.	N.A.	N.A.	241.	10:15	3111.	17.
14	133.	N.A.	N.A.	28.	11: 0	3110.	4.
15	1611.	N.A.	N.A.	340.	11:39	3123.	52.
16	216.	N.A.	N.A.	108.	8:43	3118.	7.
17	1108.	N.A.	N.A.	388.	12:45	3132.	35.
18	1994.	N.A.	N.A.	337.	11:37	3131.	64.
19	2047.	N.A.	N.A.	348.	12:12	3140.	65.
20	1331.	N.A.	N.A.	345.	12:12	3140.	42.
21	1034.	N.A.	N.A.	311.	11:30	3148.	33.
22	2058.	N.A.	N.A.	348.	11:49	3162.	65.
23	46.	N.A.	N.A.	8.	9:30	3157.	1.
24	1403.	N.A.	N.A.	269.	14: 7	3166.	44.
25	2159.	N.A.	N.A.	362.	11:42	3179.	68.
26	2124.	N.A.	N.A.	345.	12: 0	3174.	67.
27	2155.	N.A.	N.A.	354.	11:37	3182.	68.
28	786.	N.A.	N.A.	241.	11:54	3191.	25.
29	1649.	N.A.	N.A.	360.	12: 4	3190.	52.
30	384.	N.A.	N.A.	210.	9: 3	3198.	12.
31	73.	N.A.	N.A.	20.	13:15	3206.	2.
MEAN	1033.	N.A.	N.A.			3125.	
STANDARD DEVIATION	798.	N.A.	N.A.			47.	

ENVIRONMENTAL SUMMARY REPORT

SITE: CONTEMPORARY SYSTEMS
WALPOLE, NEW HAMPSHIRE

REPORT PERIOD: 82/ 1
SITE NUMBER: 234

LATITUDE: 43.07 DEG NORTH AZIMUTH: -5 DEG TIME ZONE: EASTERN
LONGITUDE: 72.45 DEG WEST PYRANOMETER TILT: 65 DEG ALTITUDE: 315 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	28.	29.	27.	34.	22:10	19.	0:39	64.
2	19.	23.	16.	32.	0: 2	-2.	23:10	67.
3	12.	14.	10.	22.	23:15	-3.	1:29	65.
4	30.	32.	28.	35.	21:47	21.	0:51	63.
5	28.	29.	27.	38.	3:18	13.	23:53	63.
6	21.	25.	19.	33.	13:58	6.	3:15	63.
7	29.	32.	27.	34.	13:20	22.	21:36	61.
8	14.	17.	13.	22.	0: 0	3.	23:56	64.
9	12.	18.	9.	26.	13:37	0.	1:42	63.
10	4.	3.	5.	11.	0: 1	-1.	7:24	61.
11	4.	5.	2.	8.	18:16	-8.	23:57	56.
12	-5.	0.	-8.	9.	14:55	*-18.	7:41	59.
13	1.	5.	-2.	13.	12:55	-14.	3:16	60.
14	14.	15.	13.	18.	22: 1	7.	0: 2	57.
15	16.	18.	14.	22.	13:26	2.	22:19	60.
16	8.	11.	6.	22.	22: 3	-11.	6: 3	59.
17	-1.	-1.	-2.	13.	0: 0	-9.	22:26	60.
18	-7.	-1.	-11.	10.	14:55	*-19.	3:41	58.
19	-5.	1.	-8.	15.	15:13	*-19.	2:55	63.
20	15.	20.	12.	31.	14:25	3.	7:40	62.
21	3.	5.	2.	11.	0: 1	-5.	22:21	62.
22	-5.	0.	-8.	9.	14:56	*-18.	7:51	63.
23	1.	1.	2.	12.	23:54	-12.	0: 5	64.
24	15.	18.	13.	22.	12: 4	10.	23:59	64.
25	8.	11.	6.	15.	13:45	-8.	23:58	64.
26	-4.	3.	-9.	13.	14:19	*-19.	7:10	65.
27	-0.	5.	-4.	16.	15:37	-11.	6:24	66.
28	15.	20.	11.	31.	23:59	-7.	3:11	64.
29	27.	29.	25.	35.	0:47	11.	23:59	66.
30	22.	24.	20.	36.	23: 0	5.	2:23	64.
31	29.	30.	29.	37.	5:35	23.	19:29	62.
MEAN	11.	14.	9.					62.
STANDARD DEVIATION	11.8	11.2	12.3					2.7

ENVIRONMENTAL SUMMARY REPORT

SITE: CONTEMPORARY SYSTEMS
WALPOLE, NEW HAMPSHIRE

REPORT PERIOD: 82/ 1
SITE NUMBER: 234

LATITUDE: 43.07 DEG NORTH AZIMUTH: -5 DEG TIME_ZONE: EASTERN
LONGITUDE: 72.45 DEG WEST PYRANOMETER TILT: 65 DEG ALTITUDE: 315 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	*	1.	*	0.	17.	*	23:25
2	163.	5.	165.	9.	20.	144.	14:49
3	*	0.	*	0.	4.	*	19:47
4	*	0.	*	0.	15.	*	20:38
5	96.	7.	94.	11.	25.	94.	10: 1
6	*	1.	*	1.	11.	*	14:14
7	*	1.	*	2.	13.	*	15:22
8	122.	5.	117.	9.	26.	138.	12:12
9	*	1.	*	1.	14.	*	21:58
10	116.	4.	99.	7.	21.	81.	9:42
11	44.	6.	28.	7.	16.	78.	18:16
12	185.	2.	173.	5.	19.	198.	12:10
13	*	1.	*	0.	9.	*	23:30
14	193.	6.	182.	5.	12.	214.	3:24
15	153.	6.	137.	9.	20.	154.	9:30
16	*	2.	*	3.	12.	*	22:40
17	99.	6.	102.	8.	20.	113.	14:53
18	*	1.	*	2.	9.	*	13:40
19	*	0.	*	0.	5.	*	14:14
20	159.	4.	143.	3.	23.	166.	20:49
21	188.	6.	188.	9.	16.	163.	9:16
22	176.	2.	167.	5.	15.	163.	14:24
23	*	0.	*	1.	4.	*	16:32
24	74.	4.	86.	6.	23.	123.	13: 3
25	98.	5.	103.	6.	20.	125.	3: 0
26	*	2.	*	4.	14.	*	14:30
27	175.	3.	170.	6.	12.	187.	12:14
28	21.	4.	25.	6.	18.	20.	11:27
29	96.	5.	107.	7.	21.	142.	9:41
30	19.	2.	27.	3.	14.	3.	20:20
31	178.	4.	180.	7.	15.	170.	9:30
MEAN	124.	3.	121.	5.			
STANDARD DEVIATION	56.7	2.2	53.5	3.3			

ENVIRONMENTAL SUMMARY REPORT

SITE: CONTEMPORARY SYSTEMS
WALPOLE, NEW HAMPSHIRE

REPORT PERIOD: 82/ 1
SITE NUMBER: 234

LATITUDE: 43.07 DEG NORTH AZIMUTH: -5 DEG TIME ZONE: EASTERN
LONGITUDE: 72.45 DEG WEST PYRANOMETER TILT: 65 DEG ALTITUDE: 315 FEET

WIND: NUMBER OF HOURS IN EACH VELOCITY INTERVAL

DAY	0-3 MPH	4-7 MPH	8-12 MPH	13-18 MPH	19-24 MPH	25-31 MPH	32-38 MPH	ABOVE 38	MISSING HOURS
1	22	2	0	0	0	0	0	0	0
2	12	7	5	0	0	0	0	0	0
3	24	0	0	0	0	0	0	0	0
4	24	0	0	0	0	0	0	0	0
5	6	5	9	1	0	0	0	0	3
6	24	0	0	0	0	0	0	0	0
7	19	5	0	0	0	0	0	0	0
8	12	7	4	1	0	0	0	0	0
9	22	2	0	0	0	0	0	0	0
10	5	4	1	0	0	0	0	0	14
11	4	10	2	0	0	0	0	0	8
12	20	2	2	0	0	0	0	0	0
13	23	1	0	0	0	0	0	0	0
14	2	21	1	0	0	0	0	0	0
15	6	10	7	1	0	0	0	0	0
16	17	7	0	0	0	0	0	0	0
17	4	14	6	0	0	0	0	0	0
18	21	3	0	0	0	0	0	0	0
19	24	0	0	0	0	0	0	0	0
20	15	3	5	1	0	0	0	0	0
21	5	11	8	0	0	0	0	0	0
22	19	3	2	0	0	0	0	0	0
23	24	0	0	0	0	0	0	0	0
24	11	7	6	0	0	0	0	0	0
25	14	5	4	1	0	0	0	0	0
26	19	4	1	0	0	0	0	0	0
27	14	7	3	0	0	0	0	0	0
28	13	6	5	0	0	0	0	0	0
29	10	11	3	0	0	0	0	0	0
30	19	4	1	0	0	0	0	0	0
31	10	11	2	0	0	0	0	0	1
AVERAGE	15.0	5.5	2.5	0.2	0.0	0.0	0.0	0.0	0.8
TOTAL	464	172	77	5	0	0	0	0	26

ENVIRONMENTAL SUMMARY REPORT

SITE: CONTEMPORARY SYSTEMS
WALPOLE, NEW HAMPSHIRE

REPORT PERIOD: 82/ 1
SITE NUMBER: 234

LATITUDE: 43.07 DEG NORTH AZIMUTH: -5 DEG
LONGITUDE: 72.45 DEG WEST PYRANOMETER TILT: 65 DEG

TIME ZONE: EASTERN
ALTITUDE: 315 FEET

RELATIVE HUMIDITY IN PER CENT

DAY	RELATIVE HUMIDITY	DAYTIME REL HUM	NIGHTTIME REL HUM	MAXIMUM VALUE	HUMIDITY TIME HR:MN	MINIMUM VALUE	HUMIDITY TIME HR:MN
1	84.	83.	85.	94.	17:47	69.	23:52
2	60.	46.	69.	81.	21:34	36.	14: 1
3	66.	57.	72.	81.	0:41	47.	12:41
4	91.	93.	89.	96.	23: 2	72.	0: 3
5	48.	44.	51.	96.	0:17	31.	16:30
6	77.	66.	83.	91.	23:29	53.	12:12
7	75.	76.	74.	93.	2:20	46.	22:45
8	48.	33.	56.	74.	23:56	27.	12: 6
9	58.	51.	62.	80.	7:56	34.	14:20
10	39.	30.	43.	55.	4:33	26.	9:58
11	46.	42.	49.	71.	17:22	35.	20:40
12	52.	40.	59.	71.	23:16	25.	14:55
13	62.	47.	71.	75.	19:56	31.	14:31
14	71.	66.	74.	79.	19: 5	62.	13: 2
15	54.	46.	58.	73.	0:30	40.	14: 8
16	71.	69.	73.	87.	17:42	40.	23:55
17	40.	34.	43.	50.	3:23	25.	13: 6
18	54.	42.	61.	72.	23: 5	31.	15:32
19	59.	48.	65.	73.	0:41	36.	14:52
20	54.	53.	55.	75.	7:24	35.	22:52
21	39.	34.	42.	49.	22:26	25.	14:21
22	45.	34.	52.	66.	7: 9	21.	14: 2
23	66.	65.	66.	81.	23:12	46.	7:28
24	57.	49.	63.	84.	7: 1	38.	13: 3
25	43.	34.	49.	68.	23: 5	25.	10:54
26	56.	45.	62.	71.	1: 7	31.	14: 3
27	52.	40.	59.	69.	23:59	30.	14:49
28	61.	50.	68.	71.	22:34	39.	11:54
29	49.	39.	55.	77.	23: 6	33.	14: 7
30	71.	61.	77.	87.	18:28	47.	10:39
31	78.	67.	86.	91.	4:26	53.	10:55
MEAN	59.	51.	64.				
STANDARD DEVIATION	13.	16.	13.				

ENVIRONMENTAL SUMMARY REPORT

SITE: KARASEK HOME
BLACKSTONE, MASSACHUSETTS

REPORT PERIOD: 82/ 1
SITE NUMBER: 26

LATITUDE: 42.10 DEG NORTH AZIMUTH: 20 DEG
LONGITUDE: 71.60 DEG WEST PYRANOMETER TILT: 45 DEG
TIME ZONE: EASTERN
ALTITUDE: 200 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	34.	36.	33.	38.	16:33	27.	0: 1	60.
2	28.	30.	26.	36.	0: 1	16.	23:56	62.
3	23.	26.	21.	31.	15:14	12.	5:27	61.
4	40.	40.	41.	54.	20:37	28.	2:52	61.
5	34.	33.	34.	45.	0:10	26.	23:38	70.
6	32.	35.	30.	42.	13:41	20.	3:17	66.
7	36.	40.	34.	44.	12:22	28.	23:55	70.
8	19.	21.	18.	28.	0: 1	10.	21:49	64.
9	23.	27.	21.	30.	10:42	15.	0: 2	73.
10	9.	7.	10.	16.	0: 8	5.	6:42	73.
11	7.	6.	8.	11.	21:31	2.	9:14	66.
12	4.	7.	3.	12.	15:26	-2.	4:49	50.
13	12.	17.	9.	24.	13:50	-1.	4:25	54.
14	20.	21.	19.	23.	13:45	16.	0:35	62.
15	20.	21.	19.	24.	14:52	12.	23:56	55.
16	21.	23.	20.	33.	18:47	2.	7:19	54.
17	1.	1.	0.	25.	0: 2	-11.	21:46	59.
18	-1.	4.	-5.	10.	14:41	-11.	1:19	62.
19	6.	12.	3.	19.	14:53	-7.	7:29	65.
20	22.	27.	19.	33.	14: 7	10.	0: 7	69.
21	12.	14.	11.	20.	0:10	4.	23:47	71.
22	4.	10.	-0.	16.	14:50	-7.	23:54	56.
23	17.	18.	17.	33.	18:18	-7.	0:26	66.
24	24.	24.	23.	34.	3:43	10.	23:56	55.
25	12.	15.	10.	18.	14: 0	7.	23:41	62.
26	8.	13.	4.	19.	14: 7	-6.	7:25	66.
27	7.	12.	3.	21.	15:22	-8.	7: 6	71.
28	19.	27.	14.	34.	13:10	-2.	2:50	63.
29	26.	31.	23.	34.	14: 6	15.	23:47	50.
30	27.	30.	25.	42.	22: 6	4.	7:15	66.
31	37.	39.	36.	44.	9:34	32.	19: 0	59.
MEAN	19.	22.	17.					63.
STANDARD DEVIATION	11.5	11.3	11.9					6.3

ENVIRONMENTAL SUMMARY REPORT

SITE: WILLIAMSON HOME
IPSWICH, MASSACHUSETTS

REPORT PERIOD: 82/ 1
SITE NUMBER: 241

LATITUDE: 42.40 DEG NORTH
LONGITUDE: 70.90 DEG WEST

AZIMUTH: 30 DEG
PYRANOMETER TILT: 58 DEG

TIME ZONE: EASTERN
ALTITUDE: 100 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	1132.	N.A.	N.A.	151.	10: 0	2713.	42.
2	*	N.A.	N.A.	*	*:*	2716.	*
3	*	N.A.	N.A.	*	*:*	2718.	*
4	*	N.A.	N.A.	*	*:*	2721.	*
5	*	N.A.	N.A.	*	*:*	2727.	*
6	*	N.A.	N.A.	*	*:*	2731.	*
7	*	N.A.	N.A.	*	*:*	2737.	*
8	*	N.A.	N.A.	*	*:*	2741.	*
9	*	N.A.	N.A.	*	*:*	2744.	*
10	*	N.A.	N.A.	*	*:*	2751.	*
11	1103.	N.A.	N.A.	286.	12:10	2755.	40.
12	1331.	N.A.	N.A.	305.	12:12	2762.	48.
13	446.	N.A.	N.A.	219.	10:54	2766.	16.
14	14.	N.A.	N.A.	3.	7:10	2771.	1.
15	603.	N.A.	N.A.	346.	13: 3	2775.	22.
16	299.	N.A.	N.A.	130.	9:14	2783.	11.
17	699.	N.A.	N.A.	327.	12:24	2788.	25.
18	1216.	N.A.	N.A.	300.	12:27	2792.	44.
19	1450.	N.A.	N.A.	319.	12:22	2797.	52.
20	1146.	N.A.	N.A.	284.	12:16	2805.	41.
21	777.	N.A.	N.A.	297.	12:42	2810.	28.
22	1266.	N.A.	N.A.	313.	12:38	2815.	45.
23	41.	N.A.	N.A.	8.	9: 5	2820.	1.
24	1104.	N.A.	N.A.	297.	12:38	2828.	39.
25	*	N.A.	N.A.	*	*:*	2834.	*
26	1372.	N.A.	N.A.	313.	12:14	2839.	48.
27	1437.	N.A.	N.A.	321.	12:16	2844.	51.
28	369.	N.A.	N.A.	205.	11:51	2853.	13.
29	1631.	N.A.	N.A.	308.	12:20	2858.	57.
30	326.	N.A.	N.A.	159.	9:51	2864.	11.
31	63.	N.A.	N.A.	19.	10:12	2869.	2.
MEAN	849.	N.A.	N.A.			2785.	
STANDARD DEVIATION	522.	N.A.	N.A.			49.	

ENVIRONMENTAL SUMMARY REPORT

SITE: WILLIAMSON HOME
IPSWICH, MASSACHUSETTS

REPORT PERIOD: 82/ 1
SITE NUMBER: 241

LATITUDE: 42.40 DEG NORTH AZIMUTH: 30 DEG TIME ZONE: EASTERN
LONGITUDE: 70.90 DEG WEST PYRANOMETER TILT: 58 DEG ALTITUDE: 100 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	6.	6.	0.	7.	9:53	5.	10:0	49.
2	*	*	*	*	*:*	*	*:*	*
3	*	*	*	*	*:*	*	*:*	*
4	*	*	*	*	*:*	*	*:*	*
5	*	*	*	*	*:*	*	*:*	*
6	*	*	*	*	*:*	*	*:*	*
7	*	*	*	*	*:*	*	*:*	*
8	*	*	*	*	*:*	*	*:*	*
9	*	*	*	*	*:*	*	*:*	*
10	*	*	*	*	*:*	*	*:*	*
11	8.	9.	7.	13.	12:58	4.	23:59	45.
12	5.	8.	4.	14.	13:11	-2.	6:45	45.
13	12.	17.	9.	23.	14:12	0.	4:17	44.
14	19.	20.	18.	23.	14:29	15.	0:4	44.
15	20.	23.	19.	27.	13:35	13.	23:38	46.
16	17.	19.	15.	28.	23:43	-5.	7:11	*
17	4.	3.	4.	26.	0:5	-7.	23:41	*
18	1.	7.	-3.	17.	14:24	-10.	5:23	46.
19	6.	15.	1.	24.	14:19	-9.	7:19	46.
20	21.	29.	17.	38.	13:31	7.	0:0	48.
21	9.	11.	8.	17.	14:7	1.	23:49	47.
22	3.	9.	0.	19.	13:42	-7.	23:23	*
23	17.	17.	16.	37.	19:34	-9.	1:26	*
24	22.	25.	20.	28.	12:38	11.	23:50	46.
25	12.	18.	9.	26.	13:58	3.	23:56	47.
26	4.	11.	0.	20.	13:24	-9.	7:13	56.
27	6.	15.	0.	25.	13:36	-8.	6:1	55.
28	18.	27.	13.	35.	14:36	-5.	3:1	52.
29	28.	33.	25.	38.	12:31	14.	23:48	62.
30	26.	28.	25.	42.	21:56	5.	6:44	56.
31	35.	35.	35.	40.	0:10	30.	16:39	50.
MEAN	14.	18.	12.					49.
STANDARD DEVIATION	9.3	9.2	10.0					5.0

ZONE 2



ENVIRONMENTAL SUMMARY REPORT

SITE: ENVIRONMENTAL PARTNERSHIP
CREAM RIDGE, NEW JERSEY

REPORT PERIOD: 82/ 1
SITE NUMBER: 149

LATITUDE: 40.00 DEG NORTH AZIMUTH: 0 DEG
LONGITUDE: 74.00 DEG WEST PYRANOMETER TILT: 90 DEG TIME ZONE: EASTERN
ALTITUDE: 100 FEET

INSOLATION

DAY	TOTAL 90 DEG INSOLATION BTU/FT2	TOTAL HORIZONTAL INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	2.	48.	N.A.	6.	11:42	2950.	0.
2	1033.	687.	N.A.	257.	12:30	2946.	35.
3	0.	25.	N.A.	0.	6:54	2955.	0.
4	0.	4.	N.A.	0.	6:54	2954.	0.
5	988.	678.	N.A.	253.	12:31	2950.	33.
6	130.	223.	N.A.	115.	8:54	2945.	4.
7	18.	82.	N.A.	45.	10:35	2944.	1.
8	866.	658.	N.A.	253.	12:15	2953.	29.
9	1.	50.	N.A.	3.	10:39	2948.	0.
10	*	*	N.A.	*	*:*	2956.	*
11	1336.	844.	N.A.	266.	12:14	2951.	45.
12	945.	586.	N.A.	260.	12:22	2945.	32.
13	101.	126.	N.A.	35.	13: 5	2953.	3.
14	78.	0.	N.A.	19.	10:40	2947.	3.
15	*	*	N.A.	*	*:*	2954.	*
16	*	*	N.A.	*	*:*	2945.	*
17	*	*	N.A.	*	*:*	2951.	*
18	*	*	N.A.	*	*:*	2945.	*
19	*	*	N.A.	*	*:*	2951.	*
20	*	*	N.A.	*	*:*	2941.	*
21	*	*	N.A.	*	*:*	2946.	*
22	*	*	N.A.	*	*:*	2940.	*
23	*	*	N.A.	*	*:*	2941.	*
24	*	*	N.A.	*	*:*	2934.	*
25	*	*	N.A.	*	*:*	2935.	*
26	1426.	897.	N.A.	285.	12:32	2938.	49.
27	1466.	912.	N.A.	292.	11:17	2927.	50.
28	437.	459.	N.A.	196.	10:32	2930.	15.
29	1330.	870.	N.A.	276.	13: 1	2930.	45.
30	1073.	751.	N.A.	257.	11:25	2918.	37.
31	5.	42.	N.A.	6.	14:26	2920.	0.
MEAN	661.	441.	N.A.			2943.	
STANDARD DEVIATION	580.	357.	N.A.			10.	

ENVIRONMENTAL SUMMARY REPORT

SITE: ENVIRONMENTAL PARTNERSHIP
CREAM RIDGE, NEW JERSEY

REPORT PERIOD: 82/ 1
SITE NUMBER: 149

LATITUDE: 40.00 DEG NORTH AZIMUTH: 0 DEG
LONGITUDE: 74.00 DEG WEST PYRANOMETER TILT: 90 DEG
TIME ZONE: EASTERN
ALTITUDE: 100 FEET

RELATIVE HUMIDITY IN PER CENT

DAY	RELATIVE HUMIDITY	DAYTIME REL HUM	NIGHTTIME REL HUM	MAXIMUM VALUE	HUMIDITY TIME HR:MN	MINIMUM VALUE	HUMIDITY TIME HR:MN
1	72.	80.	66.	84.	8:24	45.	22:43
2	41.	38.	43.	53.	23:42	28.	14:54
3	58.	54.	61.	83.	23:31	40.	6: 6
4	80.	98.	72.	100.	11:32	33.	23:59
5	38.	37.	38.	45.	23:27	30.	3:48
6	46.	45.	47.	55.	7:38	39.	14:41
7	50.	57.	47.	66.	14:24	31.	20:37
8	34.	31.	36.	45.	2: 3	25.	13:30
9	47.	45.	49.	61.	20:53	32.	11:43
10	36.	36.	36.	57.	0: 5	30.	2:55
11	31.	30.	33.	35.	23:26	26.	9: 2
12	34.	28.	37.	46.	7:33	20.	12:27
13	51.	51.	51.	60.	17: 8	39.	4:15
14	55.	53.	57.	59.	18: 5	49.	14:52
15	46.	42.	48.	58.	0: 9	41.	8:11
16	*	*	*	*	*:*	*	*:*
17	*	*	*	*	*:*	*	*:*
18	*	*	*	*	*:*	*	*:*
19	*	*	*	*	*:*	*	*:*
20	*	*	*	*	*:*	*	*:*
21	*	*	*	*	*:*	*	*:*
22	*	*	*	*	*:*	*	*:*
23	*	*	*	*	*:*	*	*:*
24	*	*	*	*	*:*	*	*:*
25	40.	0.	40.	41.	21:27	37.	20:17
26	35.	38.	33.	42.	9:57	24.	22: 8
27	36.	37.	36.	43.	8:53	27.	0: 0
28	44.	45.	43.	52.	8:21	39.	16:51
29	35.	31.	38.	48.	1:40	23.	13:17
30	44.	47.	41.	62.	11: 4	36.	0: 8
31	70.	67.	72.	100.	19:30	46.	0:29
MEAN	47.	47.	46.				
STANDARD DEVIATION	13.	17.	12.				

ENVIRONMENTAL SUMMARY REPORT

SITE: GIL HARROP
BIG FLATS, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 92

LATITUDE: 44.05 DEG NORTH
LONGITUDE: 77.21 DEG WEST

AZIMUTH: -8 DEG
PYRANOMETER TILT: 89 DEG

TIME ZONE: EASTERN
ALTITUDE: 860 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	52.	N.A.	N.A.	32.	13: 1	2870.	2.
2	1582.	N.A.	N.A.	287.	11:26	2870.	55.
3	24.	N.A.	N.A.	10.	12: 4	2866.	1.
4	77.	N.A.	N.A.	77.	13: 9	2878.	3.
5	744.	N.A.	N.A.	290.	13:18	2874.	26.
6	83.	N.A.	N.A.	84.	14:31	2886.	3.
7	237.	N.A.	N.A.	155.	14:17	2881.	8.
8	482.	N.A.	N.A.	284.	11:40	2877.	17.
9	200.	N.A.	N.A.	90.	11:51	2888.	7.
10	*	N.A.	N.A.	*	*:*	2884.	*
11	1077.	N.A.	N.A.	229.	13: 9	2895.	37.
12	1792.	N.A.	N.A.	290.	12: 2	2890.	62.
13	116.	N.A.	N.A.	26.	10:10	2886.	4.
14	274.	N.A.	N.A.	90.	13:20	2892.	9.
15	*	N.A.	N.A.	*	*:*	2903.	*
16	*	N.A.	N.A.	*	*:*	2898.	*
17	1290.	N.A.	N.A.	258.	13:21	2904.	44.
18	620.	N.A.	N.A.	271.	13:49	2899.	21.
19	618.	N.A.	N.A.	222.	10:56	2904.	21.
20	367.	N.A.	N.A.	251.	10:59	2899.	13.
21	205.	N.A.	N.A.	52.	11:34	2904.	7.
22	1084.	N.A.	N.A.	264.	11:53	2909.	37.
23	38.	N.A.	N.A.	23.	15:59	2903.	1.
24	774.	N.A.	N.A.	316.	13:18	2907.	27.
25	720.	N.A.	N.A.	255.	10:41	2911.	25.
26	1895.	N.A.	N.A.	348.	11:58	2915.	65.
27	1757.	N.A.	N.A.	348.	12: 6	2909.	60.
28	148.	N.A.	N.A.	61.	12:29	2912.	5.
29	2033.	N.A.	N.A.	335.	12: 2	2915.	70.
30	82.	N.A.	N.A.	39.	11:51	2918.	3.
31	43.	N.A.	N.A.	16.	12:58	2906.	1.
MEAN	658.	N.A.	N.A.			2895.	
STANDARD DEVIATION	653.	N.A.	N.A.			15.	

ENVIRONMENTAL SUMMARY REPORT

SITE: GIL HARROP
BIG FLATS, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 92

LATITUDE: 44.05 DEG NORTH AZIMUTH: -8 DEG TIME ZONE: EASTERN
LONGITUDE: 77.21 DEG WEST PYRANOMETER TILT: 89 DEG ALTITUDE: 860 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	35.	38.	33.	42.	12:23	23.	23:19	N.A.
2	22.	27.	19.	33.	12:46	13.	21:29	N.A.
3	31.	32.	30.	34.	14: 6	19.	0: 4	N.A.
4	40.	46.	37.	52.	13:15	32.	0:25	N.A.
5	28.	30.	26.	35.	13:13	19.	22:49	N.A.
6	31.	36.	29.	44.	14:31	19.	0: 9	N.A.
7	28.	29.	27.	33.	0:12	17.	23:43	N.A.
8	17.	17.	17.	23.	23:35	11.	6:12	N.A.
9	14.	17.	12.	23.	1: 0	0.	23:40	N.A.
10	-1.	-1.	-1.	1.	0:12	-5.	3:46	N.A.
11	8.	8.	9.	12.	16:10	-2.	8:57	N.A.
12	4.	11.	1.	21.	15:35	-10.	7:38	N.A.
13	14.	16.	13.	20.	15:35	3.	1: 0	N.A.
14	17.	20.	15.	25.	11:49	11.	7: 3	N.A.
15	14.	16.	13.	19.	9:46	11.	1:25	N.A.
16	*	*	*	*	*:*	*	*:*	N.A.
17	-8.	-5.	-11.	-2.	14:25	-16.	20:28	N.A.
18	3.	7.	0.	15.	13:54	-9.	0:54	N.A.
19	11.	14.	10.	23.	21:40	-5.	6:42	N.A.
20	21.	27.	18.	35.	13:49	10.	5:45	N.A.
21	10.	12.	9.	19.	0: 3	-0.	22:46	N.A.
22	5.	9.	2.	19.	12:41	-12.	6:40	N.A.
23	27.	32.	25.	37.	16: 9	14.	0: 4	N.A.
24	14.	13.	15.	25.	0: 4	9.	22:54	N.A.
25	11.	14.	9.	19.	13:10	1.	23:34	N.A.
26	10.	17.	6.	23.	12:14	-0.	23:58	N.A.
27	13.	21.	9.	32.	14:19	-3.	7:42	N.A.
28	27.	31.	25.	39.	18: 5	10.	4:27	N.A.
29	24.	29.	21.	39.	15: 9	9.	7:41	N.A.
30	32.	35.	29.	41.	22:37	12.	1: 6	N.A.
31	31.	28.	33.	43.	23:22	26.	12:31	N.A.
MEAN	18.	21.	16.					N.A.
STANDARD DEVIATION	11.7	12.0	11.8					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: GIL HARROP
BIG FLATS, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 92

LATITUDE: 44.05 DEG NORTH AZIMUTH: -8 DEG TIME ZONE: EASTERN
LONGITUDE: 77.21 DEG WEST PYRANOMETER TILT: 89 DEG ALTITUDE: 860 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	108.	4.	102.	4.	11.	110.	15:25
2	185.	3.	229.	4.	9.	108.	0:34
3	9.	2.	39.	3.	9.	52.	10: 6
4	67.	5.	57.	4.	20.	64.	22:29
5	97.	7.	101.	8.	17.	78.	1:47
6	*	2.	*	3.	10.	*	15:14
7	132.	3.	117.	3.	9.	154.	5:27
8	80.	5.	85.	5.	11.	77.	23:24
9	120.	3.	136.	4.	14.	185.	16:18
10	112.	2.	117.	6.	12.	151.	7:56
11	85.	10.	77.	13.	19.	83.	10:55
12	163.	3.	127.	3.	9.	91.	14:10
13	*	1.	*	1.	5.	*	11:24
14	184.	2.	192.	3.	9.	171.	22: 2
15	82.	2.	85.	4.	6.	74.	7:54
16	*	*	*	*	*	*	*:*
17	93.	5.	94.	8.	11.	107.	10:46
18	91.	2.	55.	2.	7.	38.	14:37
19	*	2.	*	2.	7.	*	20:15
20	126.	2.	121.	3.	7.	197.	15:57
21	209.	3.	219.	4.	10.	202.	1: 1
22	*	1.	*	1.	5.	*	7:39
23	58.	3.	45.	4.	11.	149.	22:39
24	83.	8.	84.	9.	17.	55.	13:50
25	101.	3.	110.	5.	10.	89.	2:11
26	142.	2.	143.	5.	11.	134.	13:40
27	*	2.	*	1.	7.	*	5:29
28	82.	4.	60.	4.	13.	79.	23:14
29	132.	3.	121.	4.	10.	105.	9:59
30	72.	4.	63.	5.	10.	45.	10:42
31	214.	2.	218.	3.	13.	105.	23:22
MEAN	113.	3.	112.	4.			
STANDARD DEVIATION	49.0	2.0	54.0	2.6			

ENVIRONMENTAL SUMMARY REPORT

SITE: GIL HARROP
BIG FLATS, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 92

LATITUDE: 44.05 DEG NORTH AZIMUTH: -8 DEG TIME ZONE: EASTERN
LONGITUDE: 77.21 DEG WEST PYRANOMETER TILT: 89 DEG ALTITUDE: 860 FEET

WIND: NUMBER OF HOURS IN EACH VELOCITY INTERVAL

DAY	0-3 MPH	4-7 MPH	8-12 MPH	13-18 MPH	19-24 MPH	25-31 MPH	32-38 MPH	ABOVE 38	MISSING HOURS
1	12	11	1	0	0	0	0	0	0
2	16	8	0	0	0	0	0	0	0
3	21	3	0	0	0	0	0	0	0
4	11	5	7	1	0	0	0	0	0
5	8	3	12	1	0	0	0	0	0
6	20	4	0	0	0	0	0	0	0
7	13	11	0	0	0	0	0	0	0
8	7	14	3	0	0	0	0	0	0
9	14	10	0	0	0	0	0	0	0
10	6	3	0	0	0	0	0	0	15
11	0	9	3	5	0	0	0	0	7
12	16	8	0	0	0	0	0	0	0
13	24	0	0	0	0	0	0	0	0
14	20	4	0	0	0	0	0	0	0
15	8	1	0	0	0	0	0	0	15
16	0	0	0	0	0	0	0	0	24
17	7	6	2	0	0	0	0	0	9
18	19	5	0	0	0	0	0	0	0
19	22	2	0	0	0	0	0	0	0
20	20	4	0	0	0	0	0	0	0
21	19	5	0	0	0	0	0	0	0
22	24	0	0	0	0	0	0	0	0
23	16	8	0	0	0	0	0	0	0
24	0	12	12	0	0	0	0	0	0
25	14	10	0	0	0	0	0	0	0
26	19	5	0	0	0	0	0	0	0
27	21	3	0	0	0	0	0	0	0
28	12	5	7	0	0	0	0	0	0
29	16	8	0	0	0	0	0	0	0
30	11	13	0	0	0	0	0	0	0
31	17	6	0	0	0	0	0	0	1
AVERAGE	14.0	6.0	1.5	0.2	0.0	0.0	0.0	0.0	2.3
TOTAL	433	186	47	7	0	0	0	0	71

ENVIRONMENTAL SUMMARY REPORT

SITE: KALIN HOME
HEMPSTEAD, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 246

LATITUDE: 40.80 DEG NORTH
LONGITUDE: 73.40 DEG WEST

AZIMUTH: -6 DEG
PYRANOMETER TILT: 34 DEG

TIME ZONE: EASTERN
ALTITUDE: 200 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	18.	N.A.	N.A.	10.	13:22	2592.	1.
2	1369.	N.A.	N.A.	245.	11:36	2603.	53.
3	29.	N.A.	N.A.	23.	11:46	2607.	1.
4	0.	N.A.	N.A.	0.	6:58	2608.	0.
5	1057.	N.A.	N.A.	242.	11:36	2610.	40.
6	149.	N.A.	N.A.	72.	9:30	2621.	6.
7	292.	N.A.	N.A.	193.	10:37	2627.	11.
8	1314.	N.A.	N.A.	252.	11:25	2629.	50.
9	23.	N.A.	N.A.	10.	10:53	2642.	1.
10	*	N.A.	N.A.	*	*:*	2645.	*
11	1426.	N.A.	N.A.	232.	12: 7	2648.	54.
12	1366.	N.A.	N.A.	242.	11:19	2661.	51.
13	101.	N.A.	N.A.	33.	11:16	2665.	4.
14	0.	N.A.	N.A.	0.	6:50	2679.	0.
15	243.	N.A.	N.A.	95.	13:12	2679.	9.
16	89.	N.A.	N.A.	75.	10:22	2693.	3.
17	1276.	N.A.	N.A.	258.	11:52	2698.	47.
18	345.	N.A.	N.A.	114.	11:54	2713.	13.
19	1177.	N.A.	N.A.	268.	11:32	2714.	43.
20	1187.	N.A.	N.A.	235.	11:32	2729.	43.
21	105.	N.A.	N.A.	49.	11:33	2735.	4.
22	1053.	N.A.	N.A.	212.	11:43	2747.	38.
23	1.	N.A.	N.A.	3.	12:31	2753.	0.
24	1206.	N.A.	N.A.	258.	12: 5	2765.	44.
25	1273.	N.A.	N.A.	261.	11:29	2780.	46.
26	1546.	N.A.	N.A.	265.	11:30	2783.	56.
27	1607.	N.A.	N.A.	271.	11:44	2796.	57.
28	328.	N.A.	N.A.	170.	11: 4	2812.	12.
29	1454.	N.A.	N.A.	265.	11:45	2816.	52.
30	949.	N.A.	N.A.	291.	11:50	2828.	34.
31	56.	N.A.	N.A.	23.	8:59	2845.	2.
MEAN	751.	N.A.	N.A.			2701.	
STANDARD DEVIATION	603.	N.A.	N.A.			76.	

ENVIRONMENTAL SUMMARY REPORT

SITE: KALIN HOME
HEMPSTEAD, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 246

LATITUDE: 40.80 DEG NORTH AZIMUTH: -6 DEG TIME ZONE: EASTERN
LONGITUDE: 73.40 DEG WEST PYRANOMETER TILT: 34 DEG ALTITUDE: 200 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	41.	43.	39.	46.	11:35	33.	23:51	59.
2	33.	43.	27.	50.	12: 8	20.	23:57	59.
3	31.	34.	30.	37.	13: 1	20.	0:40	61.
4	47.	49.	46.	52.	17:47	36.	0: 2	58.
5	38.	43.	36.	47.	13:23	24.	23:57	61.
6	36.	43.	32.	46.	10:39	20.	4:19	55.
7	39.	43.	37.	57.	11:14	27.	23:57	60.
8	27.	31.	24.	38.	13: 7	20.	7: 3	56.
9	26.	30.	24.	31.	11: 9	13.	23:41	63.
10	11.	12.	10.	16.	10: 0	7.	4:13	61.
11	13.	13.	12.	19.	14: 0	3.	8:36	58.
12	13.	20.	9.	28.	13:11	3.	7:15	57.
13	20.	21.	20.	30.	23:32	9.	0: 7	62.
14	32.	32.	31.	34.	13:26	29.	1:19	62.
15	31.	32.	30.	34.	12:51	25.	21:24	59.
16	29.	32.	27.	35.	14:38	20.	23:58	58.
17	6.	9.	4.	19.	0: 4	-2.	19:36	51.
18	10.	15.	7.	21.	11:59	-1.	2:21	59.
19	23.	29.	19.	41.	13:56	12.	1:30	57.
20	31.	38.	27.	44.	13:24	24.	1:19	57.
21	21.	23.	20.	26.	0:36	13.	23:49	58.
22	16.	22.	12.	32.	12:42	2.	6:29	64.
23	31.	36.	28.	44.	16:53	16.	4:31	53.
24	27.	31.	24.	35.	10:56	13.	23:38	67.
25	19.	24.	15.	34.	13:26	11.	6: 8	59.
26	21.	31.	13.	39.	12:28	8.	6:41	49.
27	17.	28.	11.	38.	13:15	4.	7: 3	57.
28	28.	34.	25.	37.	14: 0	15.	0: 0	55.
29	33.	42.	27.	51.	13:47	20.	23:55	60.
30	34.	41.	29.	50.	12:22	15.	4:49	50.
31	40.	41.	40.	47.	23:55	32.	5:58	53.
MEAN	27.	31.	24.					58.
STANDARD DEVIATION	10.3	10.6	10.5					4.0

ENVIRONMENTAL SUMMARY REPORT

SITE: SOUTH BRIDGE TOWER
NEW YORK, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 206

LATITUDE: 40.00 DEG NORTH
LONGITUDE: 74.00 DEG WEST

AZIMUTH: -14 DEG
PYRANOMETER TILT: 41 DEG

TIME ZONE: EASTERN
ALTITUDE: 137 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	10.	N.A.	N.A.	10.	12: 5	2780.	0.
2	1076.	N.A.	N.A.	238.	12:57	2779.	39.
3	18.	N.A.	N.A.	14.	11:16	2791.	1.
4	2.	N.A.	N.A.	10.	11:31	2796.	0.
5	1052.	N.A.	N.A.	238.	13:10	2795.	38.
6	138.	N.A.	N.A.	54.	12:19	2795.	5.
7	216.	N.A.	N.A.	146.	11: 6	2800.	8.
8	1116.	N.A.	N.A.	238.	12:38	2813.	40.
9	31.	N.A.	N.A.	14.	12:43	2814.	1.
10	*	N.A.	N.A.	*	*:*	2828.	*
11	1261.	N.A.	N.A.	238.	14:29	2829.	45.
12	1133.	N.A.	N.A.	231.	12:57	2830.	40.
13	68.	N.A.	N.A.	31.	11:18	2845.	2.
14	42.	N.A.	N.A.	14.	11: 5	2846.	1.
15	747.	N.A.	N.A.	201.	12:38	2861.	26.
16	117.	N.A.	N.A.	51.	9:58	2859.	4.
17	1285.	N.A.	N.A.	255.	13:20	2873.	45.
18	366.	N.A.	N.A.	146.	15: 3	2876.	13.
19	923.	N.A.	N.A.	225.	12:29	2891.	32.
20	1129.	N.A.	N.A.	228.	13:18	2890.	39.
21	67.	N.A.	N.A.	44.	11:10	2905.	2.
22	721.	N.A.	N.A.	187.	12:15	2908.	25.
23	0.	N.A.	N.A.	0.	6:44	2919.	0.
24	1155.	N.A.	N.A.	259.	13:36	2923.	40.
25	877.	N.A.	N.A.	242.	12:42	2934.	30.
26	1331.	N.A.	N.A.	252.	13: 2	2950.	45.
27	1303.	N.A.	N.A.	245.	12:32	2949.	44.
28	239.	N.A.	N.A.	119.	10:56	2966.	8.
29	1151.	N.A.	N.A.	252.	13:48	2977.	39.
30	457.	N.A.	N.A.	201.	11:40	2977.	15.
31	24.	N.A.	N.A.	24.	11:26	2993.	1.
MEAN	623.	N.A.	N.A.			2871.	
STANDARD DEVIATION	514.	N.A.	N.A.			66.	

ENVIRONMENTAL SUMMARY REPORT

SITE: WOOD ROAD SCHOOL
BALSTON SPA, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 28

LATITUDE: 43.00 DEG NORTH
LONGITUDE: 73.90 DEG WEST

AZIMUTH: -5 DEG
PYRANOMETER TILT: 60 DEG

TIME ZONE: EASTERN
ALTITUDE: 225 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	*	N.A.	N.A.	*	*:*	2890.	*
2	*	N.A.	N.A.	*	*:*	2901.	*
3	*	N.A.	N.A.	*	*:*	2905.	*
4	*	N.A.	N.A.	*	*:*	2905.	*
5	*	N.A.	N.A.	*	*:*	2917.	*
6	*	N.A.	N.A.	*	*:*	2918.	*
7	*	N.A.	N.A.	*	*:*	2919.	*
8	*	N.A.	N.A.	*	*:*	2932.	*
9	*	N.A.	N.A.	*	*:*	2933.	*
10	*	N.A.	N.A.	*	*:*	2946.	*
11	*	N.A.	N.A.	*	*:*	2948.	*
12	*	N.A.	N.A.	*	*:*	2950.	*
13	585.	N.A.	N.A.	90.	9:26	2963.	20.
14	175.	N.A.	N.A.	45.	12:19	2966.	6.
15	1875.	N.A.	N.A.	324.	12: 0	2976.	63.
16	130.	N.A.	N.A.	33.	14: 8	2979.	4.
17	837.	N.A.	N.A.	183.	12:53	2993.	28.
18	1650.	N.A.	N.A.	300.	11:53	3003.	55.
19	1540.	N.A.	N.A.	294.	11:37	3007.	51.
20	1381.	N.A.	N.A.	303.	12:53	3017.	46.
21	753.	N.A.	N.A.	288.	11: 3	3021.	25.
22	1823.	N.A.	N.A.	315.	12: 2	3032.	60.
23	55.	N.A.	N.A.	12.	12:56	3035.	2.
24	1269.	N.A.	N.A.	303.	12:33	3046.	42.
25	1999.	N.A.	N.A.	324.	11:48	3057.	65.
26	2002.	N.A.	N.A.	321.	11:46	3061.	65.
27	2029.	N.A.	N.A.	318.	11:32	3072.	66.
28	199.	N.A.	N.A.	60.	8: 1	3083.	6.
29	1472.	N.A.	N.A.	330.	12:13	3094.	48.
30	87.	N.A.	N.A.	21.	10:54	3105.	3.
31	122.	N.A.	N.A.	27.	11:20	3110.	4.
MEAN	1052.	N.A.	N.A.			2990.	
STANDARD DEVIATION	762.	N.A.	N.A.			67.	

ENVIRONMENTAL SUMMARY REPORT

SITE: WOOD ROAD SCHOOL
BALSTON SPA, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 28

LATITUDE: 43.00 DEG NORTH AZIMUTH: -5 DEG TIME ZONE: EASTERN
LONGITUDE: 73.90 DEG WEST PYRANOMETER TILT: 60 DEG ALTITUDE: 225 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	*	*	*	*	*:*	*	*:*	*
2	*	*	*	*	*:*	*	*:*	*
3	*	*	*	*	*:*	*	*:*	*
4	36.	33.	38.	41.	19:25	32.	17:23	95.
5	35.	*	35.	41.	0: 3	29.	6:43	*
6	*	*	*	*	*:*	*	*:*	*
7	*	*	*	*	*:*	*	*:*	*
8	*	*	*	*	*:*	*	*:*	*
9	*	*	*	*	*:*	*	*:*	*
10	*	*	*	*	*:*	*	*:*	*
11	*	*	*	*	*:*	*	*:*	*
12	*	*	*	*	*:*	*	*:*	*
13	6.	5.	8.	12.	12: 4	2.	9:21	81.
14	13.	15.	12.	17.	12:51	10.	0: 4	*
15	13.	17.	11.	22.	12:59	3.	6:59	*
16	10.	15.	7.	23.	15:17	-6.	4:43	*
17	-3.	-3.	-4.	4.	0: 0	-9.	23:55	*
18	-5.	0.	-8.	8.	14:28	-17.	7:44	*
19	0.	5.	-2.	13.	14:29	-13.	7:27	*
20	18.	24.	13.	33.	12:58	6.	0: 0	*
21	1.	3.	-1.	12.	0: 5	-12.	23:35	*
22	-7.	0.	-11.	8.	14: 0	*-20.	5:21	*
23	6.	7.	6.	19.	23:52	-8.	0: 2	*
24	16.	17.	15.	24.	2: 0	10.	6:53	*
25	7.	9.	6.	13.	14:12	-2.	23:58	*
26	1.	8.	-3.	13.	13:27	-11.	23:57	*
27	-4.	4.	-9.	14.	13:20	*-20.	3:19	*
28	12.	14.	11.	33.	23:24	-8.	7:13	*
29	24.	26.	22.	32.	0: 6	9.	23:47	*
30	20.	23.	18.	31.	23:47	6.	2: 6	*
31	26.	24.	28.	34.	1:50	18.	17:23	*
MEAN	11.	12.	9.					88.
STANDARD DEVIATION	12.5	10.0	13.7					9.8

ENVIRONMENTAL SUMMARY REPORT

SITE: WOOD ROAD SCHOOL
BALSTON SPA, NEW YORK

REPORT PERIOD: 82/ 1
SITE NUMBER: 28

LATITUDE: 43.00 DEG NORTH AZIMUTH: -5 DEG TIME ZONE: EASTERN
LONGITUDE: 73.90 DEG WEST PYRANOMETER TILT: 60 DEG ALTITUDE: 225 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	*	*	*	*	*	*	*:*
2	*	*	*	*	*	*	*:*
3	*	*	*	*	*	*	*:*
4	*	1.	*	0.	13.	*	23:52
5	268.	4.	*	0.	17.	287.	6:43
6	*	*	*	*	*	*	*:*
7	*	*	*	*	*	*	*:*
8	*	*	*	*	*	*	*:*
9	*	*	*	*	*	*	*:*
10	*	*	*	*	*	*	*:*
11	*	*	*	*	*	*	*:*
12	*	*	*	*	*	*	*:*
13	*	0.	*	0.	5.	*	13: 8
14	*	0.	*	0.	4.	*	10:16
15	*	2.	*	3.	20.	*	14:45
16	*	2.	*	1.	19.	*	20:11
17	281.	4.	279.	5.	19.	312.	4:32
18	*	0.	*	1.	5.	*	12:20
19	*	0.	*	1.	4.	*	4:31
20	*	1.	*	2.	13.	*	13:41
21	*	1.	*	1.	8.	*	5:41
22	*	1.	*	1.	8.	*	13:12
23	*	0.	*	0.	5.	*	2:53
24	274.	3.	281.	4.	16.	293.	12:49
25	265.	2.	256.	3.	15.	298.	2:17
26	*	1.	*	3.	11.	*	16:13
27	*	0.	*	0.	4.	*	16:28
28	*	1.	*	1.	15.	*	23:24
29	271.	3.	273.	4.	18.	314.	4: 1
30	*	1.	*	1.	10.	*	13:28
31	*	2.	*	3.	11.	*	13:55
MEAN	272.	1.	272.	2.			
STANDARD DEVIATION	6.3	1.2	11.4	1.5			

ZONE 3



ENVIRONMENTAL SUMMARY REPORT

SITE: ARNO KAHN
DULUTH, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 143

LATITUDE: 47.00 DEG NORTH AZIMUTH: 12 DEG TIME_ZONE: CENTRAL
LONGITUDE: 92.00 DEG WEST PYRANOMETER TILT: 89 DEG ALTITUDE: 800 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	571.	N.A.	N.A.	227.	13:56	2770.	21.
2	57.	N.A.	N.A.	15.	9:20	2780.	2.
3	1259.	N.A.	N.A.	301.	11:49	2781.	45.
4	264.	N.A.	N.A.	74.	15:29	2780.	10.
5	229.	N.A.	N.A.	115.	10:25	2790.	8.
6	1488.	N.A.	N.A.	289.	11:37	2789.	53.
7	1424.	N.A.	N.A.	283.	11:39	2788.	51.
8	318.	N.A.	N.A.	68.	11:47	2795.	11.
9	306.	N.A.	N.A.	147.	11:15	2805.	11.
10	*	N.A.	N.A.	*	*:*	2804.	*
11	1434.	N.A.	N.A.	292.	11:43	2803.	51.
12	630.	N.A.	N.A.	236.	10:24	2810.	22.
13	334.	N.A.	N.A.	127.	13:20	2819.	12.
14	1312.	N.A.	N.A.	271.	11:49	2818.	47.
15	481.	N.A.	N.A.	271.	13:37	2825.	17.
16	921.	N.A.	N.A.	259.	10:41	2832.	33.
17	507.	N.A.	N.A.	139.	11:14	2831.	18.
18	1799.	N.A.	N.A.	289.	11:39	2837.	63.
19	1235.	N.A.	N.A.	277.	13: 3	2844.	43.
20	109.	N.A.	N.A.	21.	10: 0	2842.	4.
21	434.	N.A.	N.A.	171.	14: 5	2848.	15.
22	65.	N.A.	N.A.	15.	11:11	2854.	2.
23	276.	N.A.	N.A.	144.	11:11	2850.	10.
24	1460.	N.A.	N.A.	315.	11:38	2856.	51.
25	1741.	N.A.	N.A.	306.	12: 1	2861.	61.
26	770.	N.A.	N.A.	227.	10:17	2866.	27.
27	680.	N.A.	N.A.	268.	13:19	2870.	24.
28	1772.	N.A.	N.A.	306.	11:54	2866.	62.
29	350.	N.A.	N.A.	256.	10:24	2870.	12.
30	1779.	N.A.	N.A.	309.	11:44	2874.	62.
31	1769.	N.A.	N.A.	306.	11:47	2877.	61.
MEAN	859.	N.A.	N.A.			2827.	
STANDARD DEVIATION	609.	N.A.	N.A.			33.	

ENVIRONMENTAL SUMMARY REPORT

SITE: ARNO KAHN
DULUTH, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 143

LATITUDE: 47.00 DEG NORTH AZIMUTH: 12 DEG TIME ZONE: CENTRAL
LONGITUDE: 92.00 DEG WEST PYRANOMETER TILT: 89 DEG ALTITUDE: 800 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	-1.	4.	-3.	13.	14:12	-9.	19:27	49.
2	20.	24.	18.	29.	15:12	9.	0: 4	52.
3	4.	1.	5.	17.	0: 0	-7.	8:21	49.
4	4.	7.	3.	12.	15:34	-12.	23:34	49.
5	8.	19.	2.	22.	14:25	-10.	0: 1	49.
6	-9.	-7.	-9.	-2.	15:37	-15.	23:43	47.
7	-10.	-6.	-12.	4.	14: 3	-21.	8:17	47.
8	-9.	-8.	-10.	2.	5: 5	-22.	23:58	45.
9	-23.	-21.	-24.	-19.	13:34	-26.	6: 0	44.
10	-26.	-23.	-26.	-23.	7:58	-28.	2:48	44.
11	1.	3.	-1.	9.	13:51	-6.	23:43	48.
12	-0.	3.	-2.	12.	14:18	-13.	6:18	48.
13	3.	9.	-1.	14.	14: 2	-12.	4:16	47.
14	-3.	5.	-8.	16.	14: 2	-21.	7:33	47.
15	1.	7.	-3.	11.	8:33	-17.	23: 8	47.
16	-20.	-19.	-21.	-10.	15: 3	-25.	7:13	47.
17	-12.	-9.	-13.	7.	22:31	-32.	7:56	47.
18	4.	8.	1.	21.	12:33	-10.	8: 1	49.
19	11.	18.	4.	21.	11:37	-4.	23:59	51.
20	5.	8.	4.	15.	17:49	-8.	3:59	51.
21	17.	19.	16.	24.	3:31	13.	0: 3	51.
22	21.	21.	21.	30.	22: 2	14.	4:56	52.
23	12.	10.	13.	29.	3: 6	-2.	23:59	52.
24	-5.	-3.	-6.	7.	1:24	-16.	7:59	50.
25	1.	4.	-1.	22.	14: 4	-11.	7:35	51.
26	7.	6.	7.	27.	21:45	-3.	7:48	50.
27	29.	31.	27.	41.	18:39	16.	0:15	48.
28	8.	8.	8.	27.	0: 4	-1.	7:54	48.
29	14.	20.	10.	36.	13:52	1.	22:14	47.
30	4.	4.	4.	18.	0:38	-11.	21: 4	49.
31	-5.	5.	-11.	17.	15:20	-27.	7:55	48.
MEAN	2.	5.	-0.					49.
STANDARD DEVIATION	12.5	12.8	12.5					2.1

ENVIRONMENTAL SUMMARY REPORT

SITE: ARNO KAHN
DULUTH, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 143

LATITUDE: 47.00 DEG NORTH AZIMUTH: 12 DEG TIME ZONE: CENTRAL
LONGITUDE: 92.00 DEG WEST PYRANOMETER TILT: 89 DEG ALTITUDE: 800 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM SPEED	WIND DIRECTION	TIME HR:MN
1	153.	4.	134.	3.	14.	161.	0:36
2	282.	6.	285.	6.	17.	284.	9:30
3	127.	7.	124.	6.	22.	119.	4:16
4	158.	6.	150.	8.	16.	175.	10:46
5	89.	7.	336.	6.	26.	123.	19: 8
6	120.	10.	123.	11.	21.	113.	0:55
7	93.	4.	87.	4.	11.	139.	1:13
8	123.	8.	125.	10.	29.	122.	5:10
9	129.	11.	130.	12.	29.	137.	18: 0
10	113.	16.	95.	13.	27.	104.	1: 7
11	137.	8.	134.	11.	22.	160.	10:55
12	156.	3.	161.	4.	10.	167.	10:34
13	*	1.	*	2.	7.	*	12:53
14	49.	2.	24.	2.	9.	48.	20:16
15	121.	10.	127.	11.	29.	121.	14:20
16	108.	7.	104.	9.	25.	97.	12:33
17	*	2.	*	2.	8.	*	12:45
18	*	2.	*	2.	7.	*	11:23
19	132.	8.	126.	11.	20.	113.	14: 1
20	248.	6.	263.	5.	16.	276.	20: 3
21	282.	6.	279.	7.	15.	276.	12:56
22	263.	12.	261.	13.	32.	263.	20:15
23	161.	14.	154.	15.	32.	146.	20:15
24	142.	5.	143.	6.	17.	156.	0:10
25	145.	6.	149.	7.	17.	162.	9:37
26	313.	4.	337.	4.	13.	291.	19:59
27	72.	7.	51.	4.	22.	131.	20:36
28	102.	11.	99.	11.	34.	129.	2:39
29	17.	2.	1.	4.	10.	254.	9:42
30	140.	7.	141.	9.	18.	141.	9:58
31	146.	3.	21.	3.	9.	356.	10:53
MEAN	147.	7.	149.	7.			
STANDARD DEVIATION	70.6	3.7	88.3	3.8			

ENVIRONMENTAL SUMMARY REPORT

SITE: ARNO KAHN
DULUTH, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 143

LATITUDE: 47.00 DEG NORTH AZIMUTH: 12 DEG
LONGITUDE: 92.00 DEG WEST PYRANOMETER TILT: 89 DEG
TIME ZONE: CENTRAL
ALTITUDE: 800 FEET

RELATIVE HUMIDITY IN PER CENT

DAY	RELATIVE HUMIDITY	DAYTIME REL HUM	NIGHTTIME REL HUM	MAXIMUM VALUE	HUMIDITY TIME HR:MN	MINIMUM VALUE	HUMIDITY TIME HR:MN
1	56.	52.	58.	69.	21: 3	45.	15:54
2	74.	78.	71.	92.	15:17	44.	2:23
3	57.	49.	62.	82.	0:16	41.	12:21
4	60.	53.	64.	72.	21:58	48.	13:42
5	62.	59.	64.	88.	7:19	48.	12:55
6	51.	47.	54.	60.	22: 7	41.	14:49
7	51.	46.	54.	59.	23:50	35.	14:46
8	49.	44.	51.	64.	3:50	37.	16:46
9	45.	43.	46.	58.	6:38	33.	13:39
10	46.	46.	46.	52.	4: 8	42.	0:40
11	49.	45.	54.	63.	23:32	35.	13:40
12	53.	48.	57.	65.	6:34	37.	14:24
13	64.	62.	65.	77.	18:29	56.	12:21
14	53.	53.	53.	75.	10: 2	40.	20:58
15	49.	52.	48.	69.	7:56	32.	17: 0
16	39.	35.	41.	49.	6:31	26.	14:41
17	51.	45.	53.	66.	18:37	36.	13:43
18	56.	49.	62.	66.	1:49	36.	13:47
19	54.	55.	54.	81.	9:24	42.	15:37
20	67.	65.	68.	80.	18:37	55.	9: 7
21	68.	63.	71.	78.	0:56	50.	15:47
22	77.	77.	77.	92.	20:20	54.	4:24
23	74.	72.	74.	93.	3:22	57.	23:32
24	50.	46.	53.	61.	3: 6	35.	14: 8
25	42.	37.	45.	53.	7:16	28.	12:49
26	49.	46.	51.	65.	17:13	38.	11: 0
27	61.	58.	63.	73.	23:54	51.	14:50
28	45.	39.	49.	72.	0:10	31.	14: 8
29	59.	58.	60.	86.	23:23	44.	3:22
30	52.	42.	59.	83.	0: 0	34.	15:28
31	51.	46.	55.	67.	22:27	37.	15: 4
MEAN	55.	52.	57.				
STANDARD DEVIATION	9.	11.	9.				

ENVIRONMENTAL SUMMARY REPORT

SITE: EROS DATA CENTER
SIOUX FALLS, SOUTH DAKOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 247

LATITUDE: 43.75 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: CENTRAL
LONGITUDE: 96.85 DEG WEST PYRANOMETER TILT: 45 DEG ALTITUDE: 1670 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	688.	N.A.	N.A.	280.	12: 6	2757.	25.
2	487.	N.A.	N.A.	185.	14: 2	2761.	18.
3	689.	N.A.	N.A.	303.	13: 57	2762.	25.
4	1539.	N.A.	N.A.	277.	12: 9	2774.	55.
5	891.	N.A.	N.A.	290.	11: 9	2775.	32.
6	711.	N.A.	N.A.	244.	13: 0	2780.	26.
7	1553.	N.A.	N.A.	290.	12: 56	2782.	56.
8	576.	N.A.	N.A.	148.	11: 11	2795.	21.
9	537.	N.A.	N.A.	264.	12: 52	2797.	19.
10	*	N.A.	N.A.	*	*:*	2810.	*
11	897.	N.A.	N.A.	270.	12: 23	2809.	32.
12	1047.	N.A.	N.A.	211.	13: 8	2823.	37.
13	1267.	N.A.	N.A.	294.	12: 47	2826.	45.
14	410.	N.A.	N.A.	323.	14: 3	2841.	14.
15	590.	N.A.	N.A.	228.	14: 1	2841.	21.
16	1355.	N.A.	N.A.	294.	12: 19	2855.	47.
17	800.	N.A.	N.A.	294.	11: 58	2860.	28.
18	382.	N.A.	N.A.	76.	14: 56	2871.	13.
19	980.	N.A.	N.A.	290.	14: 29	2875.	34.
20	396.	N.A.	N.A.	132.	11: 13	2887.	14.
21	722.	N.A.	N.A.	247.	11: 50	2902.	25.
22	*	N.A.	N.A.	*	*:*	2904.	*
23	*	N.A.	N.A.	*	*:*	2916.	*
24	*	N.A.	N.A.	*	*:*	2931.	*
25	1860.	N.A.	N.A.	307.	12: 31	2933.	63.
26	*	N.A.	N.A.	*	*:*	2946.	*
27	1110.	N.A.	N.A.	251.	15: 0	2958.	38.
28	1543.	N.A.	N.A.	330.	12: 44	2970.	52.
29	*	N.A.	N.A.	*	*:*	2976.	*
30	*	N.A.	N.A.	*	*:*	2989.	*
31	*	N.A.	N.A.	*	*:*	3001.	*
MEAN	914.	N.A.	N.A.			2862.	
STANDARD DEVIATION	427.	N.A.	N.A.			76.	

ENVIRONMENTAL SUMMARY REPORT

SITE: EROS DATA CENTER
SIOUX FALLS, SOUTH DAKOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 247

LATITUDE: 43.75 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: CENTRAL
LONGITUDE: 96.85 DEG WEST PYRANOMETER TILT: 45 DEG ALTITUDE: 1670 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	2.	2.	2.	16.	18:51	-13.	3:45	68.
2	12.	19.	9.	25.	12:42	-6.	23:59	69.
3	-3.	-1.	-4.	7.	14: 7	-10.	4:15	68.
4	4.	7.	3.	17.	11:21	-6.	6:34	68.
5	5.	5.	5.	15.	1:45	-3.	23:41	69.
6	-6.	-5.	-7.	-2.	14:25	-14.	23:56	66.
7	-5.	-3.	-6.	7.	23:57	*	*:*	65.
8	1.	1.	1.	13.	6:21	-11.	22:28	68.
9	-11.	-6.	-14.	-3.	11:37	*	*:*	66.
10	-19.	-19.	-19.	-19.	0: 4	*	*:*	64.
11	-0.	-3.	2.	4.	15:13	-12.	8:44	68.
12	-3.	-2.	-4.	2.	0: 1	-10.	19:48	67.
13	-8.	-2.	-11.	4.	12:26	-18.	23:59	67.
14	-7.	-6.	-8.	9.	23:55	*	*:*	67.
15	-1.	3.	-4.	21.	7: 2	-17.	22:38	66.
16	-15.	-16.	-15.	-10.	23:21	*	*:*	65.
17	8.	11.	6.	26.	23: 0	-11.	0: 9	65.
18	17.	15.	19.	23.	0: 4	11.	9:30	66.
19	7.	8.	7.	20.	7:12	-7.	22:50	66.
20	3.	5.	2.	9.	15:23	-7.	0:15	65.
21	7.	8.	7.	11.	23:18	5.	0:17	64.
22	14.	14.	14.	16.	4:17	5.	23: 5	65.
23	-3.	*	-3.	-1.	1:45	-6.	19:31	*
24	-3.	-6.	-1.	3.	23: 7	-17.	6:17	61.
25	-7.	-5.	-7.	0.	0:17	-13.	4:17	59.
26	-7.	-1.	-7.	-1.	7:27	-12.	1:46	59.
27	31.	37.	24.	38.	12:52	10.	23:59	64.
28	10.	11.	9.	18.	13:32	-1.	7:48	64.
29	18.	18.	18.	28.	13:25	16.	7:56	63.
30	6.	6.	7.	13.	2:45	0.	17:51	*
31	0.	1.	-1.	7.	14:54	-4.	11:32	60.
MEAN	2.*	3.*	1.*					65.
STANDARD DEVIATION	10.3	10.9	10.1					2.7

ENVIRONMENTAL SUMMARY REPORT

SITE: ISAKSON HOME
ANOKA, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 242

LATITUDE: 45.15 DEG NORTH
LONGITUDE: 93.45 DEG WEST

AZIMUTH: 0 DEG
PYRANOMETER TILT: 62 DEG

TIME ZONE: CENTRAL
ALTITUDE: 870 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	1609.	N.A.	N.A.	353.	12:16	2962.	54.
2	119.	N.A.	N.A.	25.	12:24	2975.	4.
3	696.	N.A.	N.A.	328.	11:14	2978.	23.
4	706.	N.A.	N.A.	322.	13:26	2977.	24.
5	384.	N.A.	N.A.	175.	14: 3	2977.	13.
6	1477.	N.A.	N.A.	337.	12:30	2990.	49.
7	1458.	N.A.	N.A.	331.	12:33	2990.	49.
8	697.	N.A.	N.A.	265.	11:40	3004.	23.
9	972.	N.A.	N.A.	300.	11:21	3004.	32.
10	*	N.A.	N.A.	*	*:*	3005.	*
11	1410.	N.A.	N.A.	322.	12:22	3014.	47.
12	850.	N.A.	N.A.	303.	11:59	3028.	28.
13	517.	N.A.	N.A.	165.	10:44	3029.	17.
14	1706.	N.A.	N.A.	347.	12:17	3040.	56.
15	431.	N.A.	N.A.	265.	14: 8	3041.	14.
16	1742.	N.A.	N.A.	381.	12:48	3055.	57.
17	676.	N.A.	N.A.	318.	13: 2	3053.	22.
18	1524.	N.A.	N.A.	325.	11:46	3067.	50.
19	1036.	N.A.	N.A.	340.	12:25	3077.	34.
20	200.	N.A.	N.A.	37.	11:51	3075.	7.
21	382.	N.A.	N.A.	100.	12:24	3090.	12.
22	148.	N.A.	N.A.	31.	10:56	3100.	5.
23	627.	N.A.	N.A.	244.	13:22	3098.	20.
24	971.	N.A.	N.A.	343.	10:36	3109.	31.
25	2001.	N.A.	N.A.	378.	12:26	3123.	64.
26	626.	N.A.	N.A.	290.	13: 0	3121.	20.
27	787.	N.A.	N.A.	322.	13:30	3131.	25.
28	1808.	N.A.	N.A.	347.	12:32	3142.	58.
29	1307.	N.A.	N.A.	309.	12:16	3152.	41.
30	1717.	N.A.	N.A.	347.	12:16	3162.	54.
31	1789.	N.A.	N.A.	347.	12:14	3160.	57.
MEAN	1012.	N.A.	N.A.			3056.	
STANDARD DEVIATION	568.	N.A.	N.A.			62.	

ENVIRONMENTAL SUMMARY REPORT

SITE: ISAKSON HOME
ANOKA, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 242

LATITUDE: 45.15 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: CENTRAL
LONGITUDE: 93.45 DEG WEST PYRANOMETER TILT: 62 DEG ALTITUDE: 870 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	-7.	-7.	-6.	6.	23:48	*-18.	8:22	59.
2	17.	20.	15.	22.	16:13	6.	0: 4	61.
3	-2.	-4.	-1.	16.	0: 2	-12.	8:40	56.
4	5.	9.	3.	15.	12:22	-4.	21:37	56.
5	7.	15.	3.	21.	11:39	-5.	23:17	56.
6	-9.	-7.	-10.	-3.	0: 0	*-18.	23:21	54.
7	-11.	-10.	-11.	-0.	14:41	*-18.	0: 4	57.
8	-2.	-2.	-2.	10.	6:14	-16.	23:24	55.
9	*-18.	-16.	*-18.	-14.	13: 2	*-18.	0:54	58.
10	*-18.	*-18.	*-18.	*-18.	0: 4	*-18.	0: 4	55.
11	-1.	0.	-2.	4.	13:53	-5.	20: 6	53.
12	3.	5.	2.	10.	13:51	-4.	6:57	56.
13	-2.	1.	-4.	6.	12:31	-14.	23:59	54.
14	-11.	-12.	-11.	-0.	23:23	*-18.	1:56	54.
15	-1.	4.	-5.	8.	12:21	*-18.	23:12	57.
16	*-18.	*-18.	*-18.	*-18.	0: 0	*-18.	0: 0	58.
17	-6.	-4.	-7.	5.	22:59	*-18.	0: 0	55.
18	7.	6.	7.	14.	23:56	0.	9: 6	54.
19	11.	16.	9.	20.	10:17	-2.	23:53	56.
20	4.	5.	3.	11.	21:32	-4.	2: 6	58.
21	13.	15.	12.	19.	13:12	9.	2:26	55.
22	14.	15.	13.	16.	11:44	11.	23:22	59.
23	5.	6.	5.	14.	4: 0	-10.	23:41	58.
24	-13.	-13.	-13.	-7.	13:27	*-18.	4:24	55.
25	-7.	-3.	-9.	2.	13:14	-15.	23:54	55.
26	-3.	-1.	-4.	14.	23:50	*-18.	2:18	56.
27	26.	31.	23.	38.	14:45	14.	0: 1	54.
28	3.	1.	5.	18.	0:10	-6.	8:27	55.
29	17.	23.	13.	29.	13:31	7.	23:39	54.
30	5.	6.	4.	15.	4:22	-12.	23:55	56.
31	-10.	-6.	-12.	5.	14:54	*-18.	7: 7	55.
MEAN	-0.	2.	-1.					56.
STANDARD DEVIATION	11.1	12.3	10.5					1.8

ENVIRONMENTAL SUMMARY REPORT

SITE: UNIVERSITY OF MINNESOTA
MINNEAPOLIS, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 131

LATITUDE: 45.00 DEG NORTH
LONGITUDE: 93.00 DEG WEST

AZIMUTH: -5 DEG
PYRANOMETER TILT: 45 DEG

TIME ZONE: CENTRAL
ALTITUDE: 834 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	1355.	200.	1155.	295.	11:58	2688.	50.
2	93.	77.	15.	20.	11:51	2688.	3.
3	*	*	*	*	*:*	2692.	*
4	460.	217.	243.	268.	14: 6	2693.	17.
5	332.	204.	128.	134.	9:43	2706.	12.
6	1089.	294.	795.	292.	13:23	2707.	40.
7	1342.	215.	1127.	305.	12:10	2721.	49.
8	577.	301.	276.	215.	10:56	2723.	21.
9	737.	290.	447.	221.	10:45	2725.	27.
10	*	*	*	*	*:*	2740.	*
11	1289.	218.	1070.	279.	12:15	2743.	47.
12	591.	310.	281.	252.	12:19	2754.	21.
13	403.	295.	108.	174.	13:32	2757.	15.
14	1594.	214.	1381.	325.	13:11	2772.	58.
15	298.	188.	111.	238.	14:39	2784.	11.
16	1438.	264.	1174.	292.	12: 4	2788.	52.
17	643.	297.	346.	255.	13: 2	2800.	23.
18	1150.	281.	868.	272.	12:37	2804.	41.
19	587.	209.	378.	245.	13:54	2816.	21.
20	154.	137.	17.	37.	12: 6	2821.	5.
21	323.	282.	41.	84.	12:15	2834.	11.
22	114.	94.	20.	23.	10:53	2847.	4.
23	929.	431.	498.	336.	12:35	2860.	32.
24	1028.	406.	621.	305.	12: 4	2865.	36.
25	1936.	303.	1633.	342.	12:23	2878.	67.
26	698.	390.	308.	285.	13: 1	2891.	24.
27	*	*	*	*	*:*	2905.	*
28	1986.	255.	1731.	302.	12:25	2907.	68.
29	*	*	*	*	*:*	2920.	*
30	*	*	*	*	*:*	2934.	*
31	*	*	*	*	*:*	2947.	*
MEAN	846.	255.	591.			2797.	
STANDARD DEVIATION	553.	86.	532.			81.	

ENVIRONMENTAL SUMMARY REPORT

SITE: UNIVERSITY OF MINNESOTA
MINNEAPOLIS, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 131

LATITUDE: 45.00 DEG NORTH AZIMUTH: -5 DEG TIME_ZONE: CENTRAL
LONGITUDE: 93.00 DEG WEST PYRANOMETER TILT: 45 DEG ALTITUDE: 834 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	1.	4.	-1.	16.	13: 2	-11.	7:42	N.A.
2	20.	23.	18.	25.	16: 2	11.	0: 4	N.A.
3	*	*	*	*	*:*	*	*:*	N.A.
4	10.	14.	6.	24.	14:22	1.	21:39	N.A.
5	11.	19.	6.	23.	12:12	-2.	23: 3	N.A.
6	-5.	-1.	-10.	6.	13:28	-14.	23:36	N.A.
7	-5.	-2.	-6.	9.	13:56	-15.	4:51	N.A.
8	3.	4.	1.	13.	6:18	-12.	23:44	N.A.
9	-16.	-13.	-18.	-9.	12: 0	*-19.	18:56	N.A.
10	*-19.	*-19.	*-19.	*-19.	0: 0	*-19.	0: 0	N.A.
11	3.	6.	1.	13.	12:52	-3.	7:32	N.A.
12	7.	10.	5.	19.	12:19	1.	0: 4	N.A.
13	5.	9.	2.	15.	13:38	-10.	23:56	N.A.
14	-5.	-1.	-8.	11.	13:59	-17.	5:22	N.A.
15	1.	8.	-3.	13.	13:13	-17.	23:59	N.A.
16	-18.	-16.	*-19.	-11.	13:45	*-19.	1:19	N.A.
17	-3.	-0.	-5.	8.	13:39	*-19.	1:52	N.A.
18	11.	14.	10.	20.	12:16	6.	8:21	N.A.
19	16.	21.	13.	25.	13:54	2.	23:41	N.A.
20	7.	8.	6.	14.	14:46	-0.	3:25	N.A.
21	15.	17.	14.	21.	12:42	12.	4: 6	N.A.
22	15.	15.	14.	16.	11: 9	12.	2:46	N.A.
23	7.	10.	5.	14.	4:51	-8.	23:52	N.A.
24	-9.	-7.	-11.	4.	13:29	*-19.	6:43	N.A.
25	-1.	6.	-6.	16.	13:11	-12.	23:51	N.A.
26	1.	3.	-1.	16.	23:36	-13.	4:49	N.A.
27	19.	*	19.	24.	6:58	16.	0: 2	N.A.
28	10.	11.	9.	20.	14:33	-1.	8:30	N.A.
29	14.	*	14.	16.	7:10	11.	0: 3	N.A.
30	*	*	*	*	*:*	*	*:*	N.A.
31	3.	3.	0.	15.	12:11	-12.	8:42	N.A.
MEAN	3.	5.	1.					N.A.
STANDARD DEVIATION	10.5	10.7	10.8					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: UNIVERSITY OF MINNESOTA
MINNEAPOLIS, MINNESOTA

REPORT PERIOD: 82/ 1
SITE NUMBER: 131

LATITUDE: 45.00 DEG NORTH AZIMUTH: -5 DEG TIME ZONE: CENTRAL
LONGITUDE: 93.00 DEG WEST PYRANOMETER TILT: 45 DEG ALTITUDE: 834 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	*	1.	*	0.	8.	*	23:53
2	*	1.	*	1.	14.	*	5:34
3	*	*	*	*	*	*	*:*
4	*	2.	*	2.	9.	*	7:55
5	275.	3.	263.	3.	18.	268.	19: 8
6	280.	3.	283.	4.	12.	271.	8:46
7	*	1.	*	1.	8.	*	0:14
8	289.	3.	292.	4.	11.	280.	7: 6
9	296.	5.	288.	5.	24.	321.	19:33
10	278.	6.	264.	8.	16.	267.	4:59
11	282.	2.	283.	3.	14.	273.	11:32
12	*	0.	*	0.	5.	*	12:24
13	*	1.	*	1.	8.	*	20:44
14	*	1.	*	1.	6.	*	14: 4
15	285.	4.	289.	4.	26.	282.	23:16
16	271.	4.	272.	5.	19.	276.	0:57
17	*	1.	*	1.	7.	*	12: 3
18	*	1.	*	1.	6.	*	13:47
19	*	2.	*	3.	11.	*	13:17
20	82.	2.	84.	3.	13.	55.	12:17
21	87.	2.	89.	2.	9.	82.	21:10
22	85.	6.	84.	8.	22.	99.	7:41
23	285.	6.	288.	6.	18.	300.	10:16
24	284.	2.	277.	1.	18.	283.	1: 7
25	*	1.	*	2.	9.	*	10:15
26	*	1.	*	1.	12.	*	20:45
27	*	2.	*	0.	11.	*	1:54
28	257.	3.	261.	4.	15.	277.	9: 2
29	*	1.	*	0.	10.	*	6:59
30	*	*	*	*	*	*	*:*
31	*	0.	*	0.	3.	*	12: 1
MEAN	238.	2.	237.	3.			
STANDARD DEVIATION	83.6	1.7	82.7	2.2			

ENVIRONMENTAL SUMMARY REPORT

SITE: UNIVERSITY OF MINNESOTA
MINNEAPOLIS, MINNESOTA


REPORT PERIOD: 82/ 1
SITE NUMBER: 131

LATITUDE: 45.00 DEG NORTH AZIMUTH: -5 DEG TIME ZONE: CENTRAL
LONGITUDE: 93.00 DEG WEST PYRANOMETER TILT: 45 DEG ALTITUDE: 834 FEET

WIND: NUMBER OF HOURS IN EACH VELOCITY INTERVAL


DAY	0-3 MPH	4-7 MPH	8-12 MPH	13-18 MPH	19-24 MPH	25-31 MPH	32-38 MPH	ABOVE 38	MISSING HOURS
1	24	0	0	0	0	0	0	0	0
2	17	1	0	0	0	0	0	0	6
3	0	0	0	0	0	0	0	0	24
4	17	1	0	0	0	0	0	0	6
5	16	7	0	0	0	0	0	0	1
6	14	4	0	0	0	0	0	0	6
7	24	0	0	0	0	0	0	0	0
8	17	7	0	0	0	0	0	0	0
9	7	14	3	0	0	0	0	0	0
10	1	5	1	0	0	0	0	0	17
11	15	3	0	0	0	0	0	0	6
12	24	0	0	0	0	0	0	0	0
13	24	0	0	0	0	0	0	0	0
14	24	0	0	0	0	0	0	0	0
15	12	9	3	0	0	0	0	0	0
16	10	13	1	0	0	0	0	0	0
17	24	0	0	0	0	0	0	0	0
18	24	0	0	0	0	0	0	0	0
19	21	3	0	0	0	0	0	0	0
20	22	2	0	0	0	0	0	0	0
21	18	6	0	0	0	0	0	0	0
22	5	15	4	0	0	0	0	0	0
23	4	18	2	0	0	0	0	0	0
24	21	3	0	0	0	0	0	0	0
25	24	0	0	0	0	0	0	0	0
26	23	1	0	0	0	0	0	0	0
27	7	0	0	0	0	0	0	0	17
28	13	4	0	0	0	0	0	0	7
29	7	0	0	0	0	0	0	0	17
30	0	0	0	0	0	0	0	0	24
31	5	0	0	0	0	0	0	0	19
AVERAGE	15.0	3.7	0.5	0.0	0.0	0.0	0.0	0.0	4.8
TOTAL	464	116	14	0	0	0	0	0	150

ZONE 4



NO VALID DATA

ZONE 5



NO VALID DATA

ZONE 6



ENVIRONMENTAL SUMMARY REPORT

SITE: CARTER COUNTY
GRAYSON, KENTUCKY

REPORT PERIOD: 82/ 1
SITE NUMBER: 244

LATITUDE: 38.30 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: EASTERN
LONGITUDE: 82.95 DEG WEST PYRANOMETER TILT: 46 DEG ALTITUDE: 1200 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	38.	37.	39.	45.	2:22	32.	21:56	50.
2	35.	37.	33.	46.	16:0	26.	4:41	51.
3	47.	48.	47.	55.	23:39	41.	0:0	50.
4	46.	46.	46.	61.	6:51	33.	21:5	57.
5	34.	37.	33.	45.	16:26	27.	7:50	53.
6	45.	48.	43.	55.	21:52	31.	0:37	53.
7	37.	36.	38.	52.	0:0	28.	23:58	53.
8	24.	25.	24.	31.	15:26	17.	7:47	53.
9	21.	23.	19.	28.	6:48	7.	23:52	56.
10	-1.	-6.	0.	7.	0:3	-7.	8:14	59.
11	8.	7.	10.	11.	23:45	2.	9:24	51.
12	19.	20.	18.	26.	15:33	11.	0:6	53.
13	26.	28.	25.	31.	13:52	22.	2:40	54.
14	22.	22.	21.	26.	13:43	18.	8:29	55.
15	23.	25.	22.	30.	16:7	18.	2:26	53.
16	20.	24.	18.	37.	6:57	-5.	23:40	52.
17	-1.	-1.	-0.	9.	23:46	-9.	5:0	53.
18	21.	23.	20.	39.	19:0	8.	5:43	51.
19	34.	34.	34.	46.	17:10	27.	0:4	50.
20	37.	37.	37.	39.	14:1	35.	8:32	54.
21	37.	39.	36.	42.	14:7	34.	22:39	50.
22	38.	37.	39.	48.	23:48	34.	0:5	52.
23	47.	54.	42.	57.	12:30	29.	23:53	54.
24	24.	24.	24.	29.	0:4	17.	23:55	54.
25	25.	29.	22.	33.	16:33	16.	1:9	55.
26	17.	20.	16.	25.	15:47	10.	23:47	52.
27	21.	25.	19.	40.	15:53	5.	7:42	55.
28	42.	49.	37.	53.	13:30	27.	23:54	54.
29	32.	34.	30.	45.	15:5	19.	7:54	51.
30	52.	58.	47.	62.	12:25	36.	0:14	52.
31	47.	51.	43.	57.	16:50	30.	23:46	53.
MEAN	30.	31.	28.					53.
STANDARD DEVIATION	13.6	14.9	12.9					2.1

ENVIRONMENTAL SUMMARY REPORT

SITE: FOREST CITY DILLON
WASHINGTON, D.C.

REPORT PERIOD: 82/ 1
SITE NUMBER: 125

LATITUDE: 38.80 DEG NORTH
LONGITUDE: 77.00 DEG WEST

AZIMUTH: 0 DEG
PYRANOMETER TILT: 40 DEG

TIME ZONE: EASTERN
ALTITUDE: 250 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	*	N.A.	N.A.	*	*:*	2864.	*
2	*	N.A.	N.A.	*	*:*	2874.	*
3	*	N.A.	N.A.	*	*:*	2874.	*
4	*	N.A.	N.A.	*	*:*	2878.	*
5	2123.	N.A.	N.A.	289.	12:24	2879.	74.
6	217.	N.A.	N.A.	124.	13:18	2889.	8.
7	330.	N.A.	N.A.	198.	10: 8	2894.	11.
8	1758.	N.A.	N.A.	291.	12: 8	2896.	61.
9	207.	N.A.	N.A.	139.	15:36	2907.	7.
10	*	N.A.	N.A.	*	*:*	2909.	*
11	1806.	N.A.	N.A.	291.	12: 1	2911.	62.
12	1741.	N.A.	N.A.	286.	12:10	2923.	60.
13	157.	N.A.	N.A.	51.	9:26	2925.	5.
14	216.	N.A.	N.A.	51.	13:12	2938.	7.
15	1730.	N.A.	N.A.	277.	12:38	2941.	59.
16	461.	N.A.	N.A.	209.	14:14	2944.	16.
17	1893.	N.A.	N.A.	305.	11:53	2956.	64.
18	1129.	N.A.	N.A.	283.	13:22	2960.	38.
19	208.	N.A.	N.A.	51.	9:53	2970.	7.
20	1575.	N.A.	N.A.	283.	12: 5	2973.	53.
21	152.	N.A.	N.A.	34.	11:32	2987.	5.
22	617.	N.A.	N.A.	141.	12:39	2996.	21.
23	121.	N.A.	N.A.	28.	13:32	3001.	4.
24	1701.	N.A.	N.A.	303.	12: 1	3005.	57.
25	414.	N.A.	N.A.	184.	9:17	3015.	14.
26	2023.	N.A.	N.A.	311.	12:34	3029.	67.
27	1956.	N.A.	N.A.	297.	11:37	3030.	65.
28	1010.	N.A.	N.A.	269.	12:45	3044.	33.
29	1642.	N.A.	N.A.	317.	11:57	3054.	54.
30	1438.	N.A.	N.A.	283.	12: 4	3059.	47.
31	203.	N.A.	N.A.	65.	15:27	3070.	7.
MEAN	1032.	N.A.	N.A.			2955.	
STANDARD DEVIATION	756.	N.A.	N.A.			63.	

ENVIRONMENTAL SUMMARY REPORT

SITE: FOREST CITY DILLON
WASHINGTON, D.C.

REPORT PERIOD: 82/ 1
SITE NUMBER: 125

LATITUDE: 38.80 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: EASTERN
LONGITUDE: 77.00 DEG WEST PYRANOMETER TILT: 40 DEG ALTITUDE: 250 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	*	*	*	*	*:*	*	*:*	*
2	*	*	*	*	*:*	*	*:*	*
3	*	*	*	*	*:*	*	*:*	*
4	*	*	*	*	*:*	*	*:*	*
5	42.	44.	38.	51.	15:42	32.	22:38	46.
6	44.	45.	43.	51.	21:23	34.	0:30	49.
7	45.	49.	43.	56.	11:33	32.	23:54	47.
8	31.	33.	30.	39.	14:48	24.	7:17	48.
9	29.	33.	26.	37.	13:44	14.	23:58	47.
10	10.	5.	11.	14.	0:3	4.	7:42	48.
11	15.	14.	15.	21.	14:52	4.	7:56	45.
12	20.	23.	17.	31.	15:20	12.	7:8	44.
13	23.	23.	23.	26.	11:18	20.	4:46	43.
14	25.	27.	24.	30.	12:56	22.	3:12	43.
15	23.	26.	21.	30.	15:24	17.	23:56	43.
16	27.	33.	23.	43.	15:18	10.	23:56	43.
17	2.	3.	2.	10.	14:38	-6.	7:24	43.
18	16.	23.	12.	35.	13:17	4.	0:20	43.
19	19.	20.	19.	23.	11:45	16.	5:44	43.
20	33.	38.	29.	44.	13:36	22.	0:6	42.
21	27.	27.	27.	33.	0:48	24.	23:27	42.
22	23.	25.	22.	32.	12:39	17.	23:8	42.
23	25.	26.	25.	34.	22:15	16.	1:27	42.
24	26.	29.	25.	34.	0:12	16.	22:36	42.
25	21.	24.	19.	28.	11:9	16.	7:18	42.
26	20.	24.	17.	27.	14:48	13.	7:20	43.
27	22.	30.	18.	37.	13:34	12.	6:42	43.
28	33.	36.	31.	47.	14:27	20.	2:12	42.
29	37.	41.	34.	48.	14:37	26.	23:21	42.
30	40.	44.	37.	52.	14:38	26.	0:20	42.
31	51.	50.	52.	60.	22:45	44.	0:46	43.
MEAN	27.	29.	25.					44.
STANDARD DEVIATION	11.2	11.8	11.1					2.2

ENVIRONMENTAL SUMMARY REPORT

SITE: RYMARK I
FREDERICK, MARYLAND

REPORT PERIOD: 82/ 1
SITE NUMBER: 213

LATITUDE: 39.30 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: EASTERN
LONGITUDE: 77.25 DEG WEST PYRANOMETER TILT: 0 DEG ALTITUDE: 290 FEET

DAY	INSOLATION						
	TOTAL HORIZONTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	282.	N.A.	N.A.	100.	11:52	1252.	23.
2	819.	N.A.	N.A.	143.	12:10	1257.	65.
3	*	N.A.	N.A.	*	*:*	1263.	*
4	57.	N.A.	N.A.	20.	13:53	1268.	5.
5	846.	N.A.	N.A.	143.	12: 4	1274.	66.
6	178.	N.A.	N.A.	116.	13:57	1282.	14.
7	130.	N.A.	N.A.	120.	11:34	1288.	10.
8	782.	N.A.	N.A.	143.	11:44	1294.	60.
9	240.	N.A.	N.A.	67.	14:34	1303.	18.
10	*	N.A.	N.A.	*	*:*	1311.	*
11	738.	N.A.	N.A.	166.	12:18	1319.	56.
12	756.	N.A.	N.A.	143.	11:51	1329.	57.
13	21.	N.A.	N.A.	7.	9:13	1337.	2.
14	35.	N.A.	N.A.	23.	12:51	1346.	3.
15	872.	N.A.	N.A.	156.	11:50	1355.	64.
16	145.	N.A.	N.A.	47.	11:56	1367.	11.
17	899.	N.A.	N.A.	163.	11:47	1377.	65.
18	418.	N.A.	N.A.	96.	12:29	1387.	30.
19	179.	N.A.	N.A.	50.	10:58	1400.	13.
20	999.	N.A.	N.A.	183.	12: 3	1412.	71.
21	60.	N.A.	N.A.	17.	12:11	1423.	4.
22	171.	N.A.	N.A.	43.	12:58	1435.	12.
23	137.	N.A.	N.A.	37.	12:58	1448.	9.
24	776.	N.A.	N.A.	206.	12:17	1463.	53.
25	599.	N.A.	N.A.	163.	11: 6	1474.	41.
26	1171.	N.A.	N.A.	173.	12:15	1490.	79.
27	959.	N.A.	N.A.	166.	11:44	1504.	64.
28	*	N.A.	N.A.	*	*:*	1518.	*
29	1026.	N.A.	N.A.	196.	12:23	1533.	67.
30	688.	N.A.	N.A.	203.	12: 2	1548.	44.
31	104.	N.A.	N.A.	37.	11:41	1563.	7.
MEAN	503.	N.A.	N.A.			1381.	
STANDARD DEVIATION	378.	N.A.	N.A.			95.	

ENVIRONMENTAL SUMMARY REPORT

SITE: RYMARK I
FREDERICK, MARYLAND

REPORT PERIOD: 82/ 1
SITE NUMBER: 213

LATITUDE: 39.30 DEG NORTH AZIMUTH: 0 DEG
LONGITUDE: 77.25 DEG WEST PYRANOMETER TILT: 0 DEG
TIME ZONE: EASTERN
ALTITUDE: 290 FEET

WIND: NUMBER OF HOURS IN EACH VELOCITY INTERVAL

DAY	0-3 MPH	4-7 MPH	8-12 MPH	13-18 MPH	19-24 MPH	25-31 MPH	32-38 MPH	ABOVE 38	MISSING HOURS
1	13	4	7	0	0	0	0	0	0
2	15	4	1	0	0	0	0	0	4
3	0	0	0	0	0	0	0	0	24
4	8	1	3	1	2	0	0	0	9
5	9	2	2	9	2	0	0	0	0
6	24	0	0	0	0	0	0	0	0
7	18	3	2	0	0	0	0	0	1
8	19	2	3	0	0	0	0	0	0
9	23	1	0	0	0	0	0	0	0
10	4	0	3	2	0	0	0	0	15
11	1	15	1	0	0	0	0	0	7
12	21	3	0	0	0	0	0	0	0
13	24	0	0	0	0	0	0	0	0
14	19	4	1	0	0	0	0	0	0
15	11	7	6	0	0	0	0	0	0
16	15	1	2	6	0	0	0	0	0
17	17	7	0	0	0	0	0	0	0
18	24	0	0	0	0	0	0	0	0
19	17	0	0	0	0	0	0	0	7
20	16	0	0	0	0	0	0	0	8
21	24	0	0	0	0	0	0	0	0
22	24	0	0	0	0	0	0	0	0
23	24	0	0	0	0	0	0	0	0
24	13	4	7	0	0	0	0	0	0
25	23	0	0	0	0	0	0	0	1
26	11	6	0	0	0	0	0	0	7
27	24	0	0	0	0	0	0	0	0
28	8	0	0	0	0	0	0	0	16
29	14	0	0	0	0	0	0	0	10
30	19	5	0	0	0	0	0	0	0
31	22	1	0	0	0	0	0	0	1
AVERAGE	16.3	2.3	1.2	0.6	0.1	0.0	0.0	0.0	3.5
TOTAL	504	70	38	18	4	0	0	0	110

ENVIRONMENTAL SUMMARY REPORT

SITE: RYMARK II
FREDERICK, MARYLAND

REPORT PERIOD: 82/ 1
SITE NUMBER: 224

LATITUDE: 39.30 DEG NORTH
LONGITUDE: 77.25 DEG WEST

AZIMUTH: -9 DEG
PYRANOMETER TILT: 90 DEG

TIME ZONE: EASTERN
ALTITUDE: 290 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	220.	N.A.	N.A.	112.	11:55	2909.	8.
2	1704.	N.A.	N.A.	288.	10:56	2908.	59.
3	32.	N.A.	N.A.	12.	11:12	2918.	1.
4	34.	N.A.	N.A.	9.	10: 4	2913.	1.
5	1659.	N.A.	N.A.	285.	11:12	2912.	57.
6	153.	N.A.	N.A.	164.	13:59	2921.	5.
7	96.	N.A.	N.A.	187.	11:34	2916.	3.
8	1636.	N.A.	N.A.	285.	11: 6	2910.	56.
9	196.	N.A.	N.A.	107.	15:33	2919.	7.
10	*	N.A.	N.A.	*	*:*	2917.	*
11	1365.	N.A.	N.A.	288.	11:42	2911.	47.
12	1504.	N.A.	N.A.	279.	11:14	2920.	52.
13	140.	N.A.	N.A.	32.	11:41	2913.	5.
14	237.	N.A.	N.A.	132.	12:52	2917.	8.
15	1931.	N.A.	N.A.	340.	11:21	2910.	66.
16	279.	N.A.	N.A.	115.	14:22	2918.	10.
17	2019.	N.A.	N.A.	354.	12: 0	2910.	69.
18	364.	N.A.	N.A.	89.	12:26	2903.	13.
19	161.	N.A.	N.A.	40.	11:36	2910.	6.
20	1346.	N.A.	N.A.	302.	11:51	2912.	46.
21	230.	N.A.	N.A.	46.	11:26	2904.	8.
22	405.	N.A.	N.A.	98.	12:46	2896.	14.
23	142.	N.A.	N.A.	32.	12:41	2897.	5.
24	1221.	N.A.	N.A.	334.	11:36	2903.	42.
25	948.	N.A.	N.A.	360.	11:10	2890.	33.
26	2101.	N.A.	N.A.	363.	11:20	2895.	73.
27	2045.	N.A.	N.A.	343.	11:50	2895.	71.
28	632.	N.A.	N.A.	256.	13:52	2885.	22.
29	1220.	N.A.	N.A.	320.	12:17	2885.	42.
30	920.	N.A.	N.A.	308.	12: 1	2875.	32.
31	104.	N.A.	N.A.	32.	8:49	2874.	4.
MEAN	835.	N.A.	N.A.			2905.	
STANDARD DEVIATION	733.	N.A.	N.A.			13.	

ENVIRONMENTAL SUMMARY REPORT

SITE: RYMARK II
FREDERICK, MARYLAND

REPORT PERIOD: 82/ 1
SITE NUMBER: 224

LATITUDE: 39.30 DEG NORTH AZIMUTH: -9 DEG TIME ZONE: EASTERN
LONGITUDE: 77.25 DEG WEST PYRANOMETER TILT: 90 DEG ALTITUDE: 290 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	40.	43.	38.	46.	13:41	34.	23:49	N.A.
2	31.	33.	30.	37.	15:17	27.	7:49	N.A.
3	32.	33.	31.	35.	23:54	26.	0:37	N.A.
4	41.	42.	41.	51.	19:46	34.	1: 4	N.A.
5	36.	40.	34.	44.	14:18	25.	23:38	N.A.
6	37.	39.	35.	46.	23: 8	23.	1: 9	N.A.
7	40.	42.	39.	46.	11:34	29.	23:50	N.A.
8	27.	27.	27.	32.	15:22	21.	7:29	N.A.
9	23.	28.	20.	34.	11:54	10.	23:38	N.A.
10	7.	2.	8.	12.	2:18	1.	8:32	N.A.
11	11.	11.	12.	15.	14:48	3.	8:56	N.A.
12	16.	19.	15.	24.	15: 9	10.	4:56	N.A.
13	22.	24.	21.	27.	12:13	18.	23:51	N.A.
14	24.	27.	22.	31.	12:31	16.	5:17	N.A.
15	19.	21.	18.	25.	15:10	8.	23:53	N.A.
16	21.	29.	16.	39.	13:40	4.	23:58	N.A.
17	-1.	-3.	-1.	5.	21:31	-9.	7: 5	N.A.
18	13.	16.	10.	23.	13:41	3.	0:27	N.A.
19	18.	19.	17.	22.	14:11	15.	0:47	N.A.
20	27.	28.	26.	37.	15: 8	18.	7:25	N.A.
21	26.	26.	26.	31.	0:39	23.	18:27	N.A.
22	21.	22.	20.	25.	12:57	16.	23:53	N.A.
23	24.	25.	22.	31.	14:33	15.	2:28	N.A.
24	23.	23.	23.	36.	1:29	12.	23:57	N.A.
25	17.	21.	15.	28.	12: 8	10.	0:24	N.A.
26	17.	19.	16.	22.	13: 1	12.	6:43	N.A.
27	17.	20.	15.	25.	14:57	8.	6:48	N.A.
28	25.	27.	24.	42.	21:41	14.	4:11	N.A.
29	31.	35.	29.	41.	12: 7	19.	23:40	N.A.
30	33.	38.	29.	46.	14:41	16.	5:16	N.A.
31	39.	38.	40.	52.	23:10	36.	15:42	N.A.
MEAN	24.	26.	23.					N.A.
STANDARD DEVIATION	10.2	11.0	10.0					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: RYMARK III
FREDERICK, MARYLAND

REPORT PERIOD: 82/ 1
SITE NUMBER: 221

LATITUDE: 39.30 DEG NORTH
LONGITUDE: 77.25 DEG WEST

AZIMUTH: -9 DEG
PYRANOMETER TILT: 90 DEG

TIME ZONE: EASTERN
ALTITUDE: 290 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS EXT INS PERCENT
1	206.	N.A.	N.A.	112.	11:52	2909.	7.
2	1717.	N.A.	N.A.	283.	10:53	2908.	59.
3	4.	N.A.	N.A.	9.	11: 9	2918.	0.
4	5.	N.A.	N.A.	6.	13:44	2913.	0.
5	1685.	N.A.	N.A.	286.	11:18	2912.	58.
6	110.	N.A.	N.A.	136.	13:56	2921.	4.
7	73.	N.A.	N.A.	162.	11:32	2916.	3.
8	1742.	N.A.	N.A.	283.	11: 9	2910.	60.
9	158.	N.A.	N.A.	94.	14:37	2919.	5.
10	*	N.A.	N.A.	*	*:*	2917.	*
11	1335.	N.A.	N.A.	283.	11: 4	2911.	46.
12	1513.	N.A.	N.A.	275.	11:26	2920.	52.
13	106.	N.A.	N.A.	30.	11:51	2913.	4.
14	206.	N.A.	N.A.	115.	12:51	2917.	7.
15	1903.	N.A.	N.A.	331.	11: 9	2910.	65.
16	250.	N.A.	N.A.	118.	14:21	2918.	9.
17	1986.	N.A.	N.A.	337.	11:19	2910.	68.
18	323.	N.A.	N.A.	86.	12:27	2903.	11.
19	115.	N.A.	N.A.	35.	11:38	2910.	4.
20	1312.	N.A.	N.A.	292.	12: 4	2912.	45.
21	197.	N.A.	N.A.	44.	11:25	2904.	7.
22	372.	N.A.	N.A.	94.	12:48	2896.	13.
23	106.	N.A.	N.A.	30.	12:43	2897.	4.
24	1179.	N.A.	N.A.	331.	12:17	2903.	41.
25	962.	N.A.	N.A.	337.	10:24	2890.	33.
26	2122.	N.A.	N.A.	354.	11:13	2895.	73.
27	2029.	N.A.	N.A.	337.	11:33	2895.	70.
28	607.	N.A.	N.A.	245.	13:48	2885.	21.
29	1251.	N.A.	N.A.	316.	12:26	2885.	43.
30	890.	N.A.	N.A.	322.	12: 4	2875.	31.
31	68.	N.A.	N.A.	27.	8:47	2874.	2.
MEAN	818.	N.A.	N.A.			2905.	
STANDARD DEVIATION	749.	N.A.	N.A.			13.	

ENVIRONMENTAL SUMMARY REPORT

SITE: RYMARK III
FREDERICK, MARYLAND

REPORT PERIOD: 82/ 1
SITE NUMBER: 221

LATITUDE: 39.30 DEG NORTH AZIMUTH: -9 DEG TIME ZONE: EASTERN
LONGITUDE: 77.25 DEG WEST PYRANOMETER TILT: 90 DEG ALTITUDE: 290 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	39.	44.	37.	48.	11:58	33.	23:58	N.A.
2	36.	47.	29.	56.	13: 1	26.	7:47	N.A.
3	32.	33.	31.	35.	11:31	25.	1:39	N.A.
4	41.	42.	40.	49.	19:41	34.	0: 8	N.A.
5	38.	44.	34.	53.	14:20	24.	23:56	N.A.
6	36.	39.	35.	47.	14:23	22.	1:10	N.A.
7	40.	42.	38.	50.	11:38	28.	23:59	N.A.
8	30.	35.	27.	43.	13:27	20.	7:27	N.A.
9	23.	28.	20.	34.	14:42	10.	23:19	N.A.
10	7.	3.	8.	11.	2:47	2.	7:46	N.A.
11	13.	14.	11.	20.	11:57	8.	9:11	N.A.
12	20.	28.	15.	40.	14: 6	10.	4:50	N.A.
13	21.	23.	20.	26.	13: 1	17.	23:46	N.A.
14	23.	26.	21.	33.	13: 2	16.	4:39	N.A.
15	20.	26.	17.	35.	13:12	7.	23:57	N.A.
16	20.	28.	15.	37.	13:39	3.	23:57	N.A.
17	1.	5.	-1.	14.	14:31	-10.	7:41	N.A.
18	12.	16.	10.	22.	14:19	2.	0:29	N.A.
19	19.	21.	18.	24.	11:38	15.	1:20	N.A.
20	31.	39.	26.	51.	12:15	17.	7:34	N.A.
21	27.	28.	26.	31.	0:42	23.	19:41	N.A.
22	22.	24.	20.	28.	12:43	15.	23:44	N.A.
23	24.	26.	22.	31.	13:57	15.	2:56	N.A.
24	23.	24.	23.	34.	0:43	12.	23:50	N.A.
25	19.	25.	15.	36.	10:56	10.	7:23	N.A.
26	19.	26.	15.	36.	10:31	11.	6:46	N.A.
27	20.	29.	13.	40.	13:36	5.	6:52	N.A.
28	25.	28.	24.	40.	15:24	13.	4:10	N.A.
29	33.	40.	28.	50.	15: 0	16.	23:54	N.A.
30	33.	40.	29.	50.	14:39	16.	5: 3	N.A.
31	39.	38.	39.	53.	23:18	36.	17: 5	N.A.
MEAN	25.	29.	23.					N.A.
STANDARD DEVIATION	9.9	10.8	10.0					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: VITRO TEST SITE
 ASPEN HILL, MARYLAND

REPORT PERIOD: 82/ 1
 SITE NUMBER: 152

LATITUDE: 39.00 DEG NORTH
 LONGITUDE: 77.15 DEG WEST

AZIMUTH: 0 DEG
 PYRANOMETER TILT: 0 DEG

TIME ZONE: EASTERN
 ALTITUDE: 200 FEET

INSOLATION

DAY	TOTAL HORIZONTAL INSOLATION BTU/FT2	TOTAL 45 DEG INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	362.	613.	N.A.	168.	12:49	1270.	28.
2	783.	1949.	N.A.	143.	12: 4	1274.	61.
3	42.	31.	N.A.	28.	10:23	1280.	3.
4	38.	27.	N.A.	17.	13: 5	1286.	3.
5	757.	1823.	N.A.	143.	11:43	1291.	59.
6	123.	124.	N.A.	59.	15:18	1296.	9.
7	222.	287.	N.A.	119.	11:22	1304.	17.
8	794.	1937.	N.A.	147.	11:50	1312.	61.
9	143.	139.	N.A.	73.	15:18	1319.	11.
10	*	*	N.A.	*	*:*	1328.	*
11	910.	2040.	N.A.	147.	11:50	1335.	68.
12	793.	1848.	N.A.	147.	11:57	1343.	59.
13	68.	69.	N.A.	21.	9:13	1353.	5.
14	74.	67.	N.A.	28.	11:50	1362.	5.
15	*	*	N.A.	*	*:*	1373.	*
16	783.	1750.	N.A.	157.	10:43	1383.	57.
17	*	*	N.A.	*	*:*	1393.	*
18	*	*	N.A.	*	*:*	1404.	*
19	137.	124.	N.A.	56.	10:58	1416.	10.
20	716.	1420.	N.A.	178.	8:48	1427.	50.
21	105.	87.	N.A.	28.	12:43	1439.	7.
22	446.	479.	N.A.	115.	12:40	1451.	31.
23	28.	28.	N.A.	17.	11:20	1466.	2.
24	618.	1457.	N.A.	161.	12:49	1478.	42.
25	336.	471.	N.A.	119.	9:54	1492.	23.
26	990.	2285.	N.A.	175.	12: 4	1505.	66.
27	*	*	N.A.	*	*:*	1519.	*
28	*	*	N.A.	*	*:*	1533.	*
29	978.	1697.	N.A.	213.	12:54	1548.	63.
30	895.	1360.	N.A.	196.	11: 2	1563.	57.
31	204.	164.	N.A.	45.	14: 6	1578.	13.
MEAN	454.*	891.*	N.A.			1397.	
STANDARD DEVIATION	353.	836.	N.A.			95.	

ENVIRONMENTAL SUMMARY REPORT

SITE: VITRO TEST SITE
 ASPEN HILL, MARYLAND

REPORT PERIOD: 82/ 1
 SITE NUMBER: 152

LATITUDE: 39.00 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: EASTERN
 LONGITUDE: 77.15 DEG WEST PYRANOMETER TILT: 0 DEG ALTITUDE: 200 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE VALUE	TIME HR:MN	MIN TEMPERATURE VALUE	TIME HR:MN	INLET WATER TEMPERATURE
1	41.	43.	39.	50.	12:55	33.	23:56	75.
2	34.	38.	31.	47.	14:44	27.	7:48	72.
3	32.	33.	32.	38.	23:59	27.	1:35	74.
4	44.	45.	44.	52.	16: 1	38.	0: 4	51.
5	37.	42.	35.	47.	15:33	29.	23:22	51.
6	41.	42.	41.	50.	23:18	30.	0:42	53.
7	43.	46.	42.	53.	10:23	29.	23: 6	54.
8	28.	30.	27.	35.	14:41	21.	7:33	51.
9	26.	31.	24.	34.	13:32	13.	23:45	68.
10	8.	3.	9.	13.	0: 1	2.	7:40	71.
11	13.	12.	13.	18.	14:51	2.	8:25	46.
12	17.	21.	15.	27.	15:25	9.	6:56	48.
13	22.	22.	21.	24.	12:15	20.	4:39	51.
14	24.	25.	23.	29.	11:56	20.	5:29	49.
15	19.	16.	19.	22.	0:17	15.	7:24	55.
16	20.	24.	15.	27.	14:11	13.	21:12	46.
17	7.	1.	10.	24.	5:39	-5.	8:32	68.
18	12.	13.	11.	24.	16: 5	2.	0:18	50.
19	18.	19.	18.	22.	11: 3	16.	3:38	47.
20	32.	38.	27.	44.	10: 3	20.	0: 2	48.
21	26.	26.	25.	30.	0: 0	23.	22:13	51.
22	22.	25.	21.	30.	12:56	15.	23:25	41.
23	25.	26.	23.	32.	23:30	15.	0: 8	63.
24	23.	26.	22.	32.	0: 2	10.	22:41	70.
25	19.	22.	17.	26.	9:27	12.	7:34	47.
26	17.	21.	15.	26.	13:24	9.	7:19	46.
27	8.	-3.	10.	14.	0: 4	*-19.	8: 0	57.
28	36.	36.	36.	44.	15:49	22.	7: 2	45.
29	33.	38.	30.	46.	15:29	24.	22:46	46.
30	39.	41.	38.	51.	15:18	25.	0:49	62.
31	50.	48.	51.	59.	21:39	44.	0:59	71.
MEAN	26.	27.	25.					56.
STANDARD DEVIATION	11.6	13.5	11.2					10.3

ENVIRONMENTAL SUMMARY REPORT

SITE: VITRO TEST SITE
 ASPEN HILL, MARYLAND

REPORT PERIOD: 82/ 1
 SITE NUMBER: 152

LATITUDE: 39.00 DEG NORTH AZIMUTH: 0 DEG
 LONGITUDE: 77.15 DEG WEST PYRANOMETER TILT: 0 DEG TIME_ZONE: EASTERN
 ALTITUDE: 200 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	99.	9.	79.	9.	24.	89.	14:52
2	103.	4.	124.	4.	13.	82.	5:16
3	204.	3.	194.	3.	11.	282.	6: 2
4	327.	6.	303.	7.	26.	42.	22:41
5	52.	8.	57.	9.	30.	60.	6:20
6	315.	5.	313.	5.	13.	324.	23: 2
7	80.	5.	102.	6.	18.	60.	18:50
8	60.	5.	66.	7.	17.	82.	12:22
9	40.	8.	29.	6.	27.	84.	15:45
10	55.	10.	49.	11.	28.	58.	5:48
11	41.	9.	22.	10.	20.	353.	15: 2
12	65.	4.	74.	5.	16.	64.	1: 4
13	211.	4.	223.	4.	11.	109.	22:49
14	94.	4.	107.	4.	22.	100.	22:14
15	68.	7.	58.	2.	21.	62.	0:22
16	56.	4.	55.	7.	17.	29.	13:44
17	44.	4.	61.	8.	21.	67.	12:25
18	233.	2.	260.	3.	8.	320.	10:57
19	204.	3.	216.	4.	9.	243.	7:49
20	*	2.	*	2.	7.	*	11: 2
21	*	1.	*	0.	11.	*	3:34
22	224.	2.	224.	1.	12.	200.	22: 5
23	*	1.	*	0.	8.	*	1:28
24	*	*	*	*	*	*	*:*
25	*	1.	*	0.	7.	*	23:30
26	89.	6.	85.	9.	22.	74.	15:21
27	91.	2.	161.	3.	8.	68.	0: 4
28	327.	3.	312.	5.	12.	327.	8:34
29	64.	3.	63.	5.	13.	80.	8:21
30	305.	5.	303.	8.	18.	329.	21: 5
31	282.	6.	266.	5.	26.	257.	20:41
MEAN	144.	5.	146.	5.			
STANDARD DEVIATION	102.8	2.5	100.3	2.8			

ENVIRONMENTAL SUMMARY REPORT

SITE: VITRO TEST SITE
 ASPEN HILL, MARYLAND

REPORT PERIOD: 82/ 1
 SITE NUMBER: 152

LATITUDE: 39.00 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: EASTERN
 LONGITUDE: 77.15 DEG WEST PYRANOMETER TILT: 0 DEG ALTITUDE: 200 FEET

WIND: NUMBER OF HOURS IN EACH VELOCITY INTERVAL

DAY	0-3 MPH	4-7 MPH	8-12 MPH	13-18 MPH	19-24 MPH	25-31 MPH	32-38 MPH	ABOVE 38	MISSING HOURS
1	2	10	10	2	0	0	0	0	0
2	15	9	0	0	0	0	0	0	0
3	19	5	0	0	0	0	0	0	0
4	6	11	6	1	0	0	0	0	0
5	8	4	8	4	0	0	0	0	0
6	9	13	2	0	0	0	0	0	0
7	10	9	5	0	0	0	0	0	0
8	8	12	4	0	0	0	0	0	0
9	0	14	9	1	0	0	0	0	0
10	2	1	4	2	0	0	0	0	15
11	0	5	12	0	0	0	0	0	7
12	12	11	1	0	0	0	0	0	0
13	7	17	0	0	0	0	0	0	0
14	14	6	4	0	0	0	0	0	0
15	2	3	3	0	0	0	0	0	16
16	10	2	4	1	0	0	0	0	7
17	10	6	4	0	0	0	0	0	4
18	20	0	0	0	0	0	0	0	4
19	19	5	0	0	0	0	0	0	0
20	23	1	0	0	0	0	0	0	0
21	18	4	0	0	0	0	0	0	2
22	15	8	1	0	0	0	0	0	0
23	24	0	0	0	0	0	0	0	0
24	23	0	0	0	0	0	0	0	1
25	22	2	0	0	0	0	0	0	0
26	5	12	7	0	0	0	0	0	0
27	6	2	0	0	0	0	0	0	16
28	9	5	0	0	0	0	0	0	10
29	17	7	0	0	0	0	0	0	0
30	8	8	8	0	0	0	0	0	0
31	8	9	4	2	0	0	0	0	1
AVERAGE	11.3	6.5	3.1	0.4	0.0	0.0	0.0	0.0	2.7
TOTAL	351	201	96	13	0	0	0	0	83

ENVIRONMENTAL SUMMARY REPORT

SITE: VITRO TEST SITE
 ASPEN HILL, MARYLAND


REPORT PERIOD: 82/ 1
 SITE NUMBER: 152

LATITUDE: 39.00 DEG NORTH' AZIMUTH: 0 DEG
 LONGITUDE: 77.15 DEG WEST PYRANOMETER TILT: 0 DEG
 TIME ZONE: EASTERN
 ALTITUDE: 200 FEET

RELATIVE HUMIDITY IN PER CENT

DAY	RELATIVE HUMIDITY	DAYTIME REL HUM	NIGHTTIME REL HUM	MAXIMUM VALUE	HUMIDITY TIME HR:MN	MINIMUM VALUE	HUMIDITY TIME HR:MN
1	79.	85.	74.	100.	0: 1	44.	22:57
2	24.	10.	33.	50.	4:55	0.	13: 3
3	87.	100.	79.	100.	6:28	34.	0: 4
4	93.	100.	89.	100.	0: 4	25.	22:52
5	19.	7.	27.	49.	23:43	0.	12:47
6	22.	19.	24.	47.	1: 3	8.	15:24
7	34.	53.	23.	85.	9:25	13.	0:22
8	9.	3.	13.	26.	3:59	0.	10:57
9	12.	18.	8.	100.	14:41	0.	12:28
10	3.	0.	4.	10.	3:56	0.	5:16
11	1.	0.	2.	7.	23:50	0.	8:25
12	7.	3.	10.	20.	7:34	0.	10:58
13	87.	99.	80.	100.	5:33	14.	0: 2
14	85.	81.	88.	100.	14:46	57.	23:13
15	40.	28.	42.	59.	0: 1	18.	8:28
16	22.	8.	37.	51.	21: 1	0.	11: 5
17	27.	0.	39.	100.	1:49	0.	8:32
18	24.	22.	25.	56.	23:33	2.	11: 3
19	64.	47.	75.	100.	16:55	30.	11:40
20	68.	42.	85.	100.	0: 2	6.	11:39
21	*100.	*100.	*100.	*100.	0: 6	*96.	0: 0
22	68.	51.	78.	100.	0: 0	16.	14:58
23	*100.	*100.	*100.	*100.	0: 2	*100.	0: 2
24	44.	31.	51.	100.	0: 2	3.	15: 2
25	34.	13.	48.	100.	21:27	0.	8:55
26	46.	23.	62.	100.	0: 2	6.	15:37
27	51.	33.	55.	74.	6:51	0.	8: 0
28	36.	27.	42.	50.	21:57	22.	15:22
29	30.	20.	37.	44.	22:51	11.	15:29
30	32.	27.	35.	42.	0:49	21.	14:14
31	76.	86.	69.	90.	14: 6	42.	0: 1
MEAN	46.	44.	49.				
STANDARD DEVIATION	31.	35.	30.				

ZONE 7



ENVIRONMENTAL SUMMARY REPORT

SITE: BOND CONSTRUCTION
GLADSTONE, MISSOURI

REPORT PERIOD: 82/ 1
SITE NUMBER: 132

LATITUDE: 39.30 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: CENTRAL
LONGITUDE: 94.70 DEG WEST PYRANOMETER TILT: 37 DEG ALTITUDE: 800 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	17.	16.	17.	25.	23:24	11.	6:31	65.
2	34.	37.	31.	42.	17:16	25.	0: 1	61.
3	21.	22.	20.	26.	0: 2	16.	23:51	61.
4	18.	20.	16.	30.	15:32	10.	8:36	64.
5	33.	44.	26.	55.	16:37	12.	1: 2	57.
6	12.	13.	12.	18.	0: 5	5.	23:46	57.
7	10.	13.	8.	22.	12:34	-0.	8:50	53.
8	25.	30.	22.	40.	16:15	12.	0: 2	67.
9	9.	7.	11.	21.	0: 4	-0.	23:59	57.
10	-13.	*-18.	-12.	-0.	0: 4	*-18.	7:16	*
11	11.	11.	11.	22.	15:22	-3.	8: 8	55.
12	14.	17.	12.	26.	16:15	8.	23:54	64.
13	6.	9.	4.	21.	15:44	-4.	8:37	63.
14	16.	21.	13.	36.	15:58	-1.	0:16	67.
15	21.	29.	15.	44.	13:34	-7.	23:58	63.
16	-1.	1.	-2.	8.	15: 0	-9.	8:46	62.
17	14.	15.	13.	28.	16:59	-6.	0: 4	66.
18	29.	35.	25.	48.	13:28	20.	5:58	59.
19	30.	37.	25.	53.	13:17	14.	8:45	56.
20	29.	31.	28.	35.	13:45	25.	7:14	58.
21	27.	26.	27.	30.	23:50	24.	7:43	62.
22	33.	37.	30.	52.	17: 0	15.	23:40	60.
23	13.	13.	13.	21.	15:19	5.	8:39	54.
24	18.	18.	18.	27.	23:58	8.	8: 2	50.
25	23.	24.	23.	31.	15:35	9.	23:56	57.
26	25.	27.	23.	43.	17: 3	6.	3:24	57.
27	44.	49.	41.	59.	16:51	37.	23:58	53.
28	36.	39.	34.	44.	12:48	30.	8:32	50.
29	36.	36.	37.	40.	4:21	33.	0: 5	62.
30	30.	31.	29.	35.	0: 0	21.	23:12	61.
31	18.	19.	17.	27.	15:35	9.	8:43	64.
MEAN	21.	23.	19.					59.
STANDARD DEVIATION	12.0	13.7	11.3					4.8

ENVIRONMENTAL SUMMARY REPORT

SITE: LO-CAL
CHAMPAIGN, ILLINOIS

REPORT PERIOD: 82/ 1
SITE NUMBER: 223

LATITUDE: 40.05 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: CENTRAL
LONGITUDE: 88.25 DEG WEST PYRANOMETER TILT: 90 DEG ALTITUDE: 750 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	*	*	*	*	*:*	2950.	*
2	*	*	*	*	*:*	2946.	*
3	*	*	*	*	*:*	2945.	*
4	*	*	*	*	*:*	2954.	*
5	*	*	*	*	*:*	2950.	*
6	233.	318.	*	28.	9:16	2949.	8.
7	2299.	983.	1316.	333.	11:48	2944.	78.
8	1330.	713.	617.	343.	11: 2	2953.	45.
9	2111.	858.	1253.	390.	12:22	2948.	72.
10	1516.	616.	901.	302.	10:14	2956.	51.
11	1395.	739.	655.	277.	11:44	2951.	47.
12	331.	404.	*	94.	9:58	2946.	11.
13	2127.	563.	1564.	358.	11:51	2953.	72.
14	992.	536.	456.	355.	10:40	2947.	34.
15	421.	443.	*	113.	11:49	2954.	14.
16	1442.	812.	629.	314.	10:50	2949.	49.
17	375.	410.	*	110.	10:45	2952.	13.
18	744.	607.	137.	223.	10:32	2945.	25.
19	342.	404.	*	72.	10:58	2951.	12.
20	291.	347.	*	60.	10:58	2945.	10.
21	255.	304.	*	63.	13:40	2947.	9.
22	193.	218.	*	60.	10:29	2940.	7.
23	1016.	731.	285.	292.	11:38	2941.	35.
24	2096.	954.	1142.	362.	11:49	2934.	71.
25	1195.	778.	417.	349.	11: 6	2935.	41.
26	2101.	1050.	1051.	365.	12:13	2939.	71.
27	2198.	1029.	1169.	336.	11:54	2928.	75.
28	2246.	1056.	1190.	340.	11:45	2931.	77.
29	559.	497.	62.	264.	11: 3	2930.	19.
30	98.	144.	*	19.	12:17	2918.	3.
31	306.	341.	*	57.	14:11	2920.	10.
MEAN	1085.	610.	803.			2944.	
STANDARD DEVIATION	791.	273.	457.			10.	

ENVIRONMENTAL SUMMARY REPORT

SITE: LO-CAL
CHAMPAIGN, ILLINOIS

REPORT PERIOD: 82/ 1
SITE NUMBER: 223

LATITUDE: 40.05 DEG NORTH AZIMUTH: 0 DEG
LONGITUDE: 88.25 DEG WEST PYRANOMETER TILT: 90 DEG TIME ZONE: CENTRAL
ALTITUDE: 750 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	*	*	*	*	*:*	*	*:*	*
2	*	*	*	*	*:*	*	*:*	*
3	*	*	*	*	*:*	*	*:*	*
4	*	*	*	*	*:*	*	*:*	*
5	*	*	*	*	*:*	*	*:*	*
6	29.	29.	0.	31.	12:10	28.	9:34	63.
7	7.	10.	4.	13.	14:38	2.	23:10	63.
8	17.	21.	14.	29.	13:58	2.	0:52	63.
9	2.	-0.	3.	21.	0: 1	-12.	23:56	63.
10	-16.	-18.	-15.	-12.	0: 6	-18.	7:24	62.
11	4.	3.	6.	8.	15: 1	-2.	7:50	62.
12	16.	16.	16.	19.	13:37	8.	7:56	62.
13	10.	7.	11.	16.	0:33	-1.	7:41	62.
14	2.	5.	0.	9.	0: 2	-10.	23:54	62.
15	9.	13.	6.	26.	19:49	-14.	3:33	62.
16	-8.	-10.	-6.	14.	0:32	-18.	21:52	62.
17	-6.	-3.	-8.	2.	23:39	-18.	0: 0	62.
18	14.	18.	12.	26.	14:53	2.	0:11	62.
19	23.	26.	21.	30.	13:22	16.	5:39	62.
20	28.	29.	27.	33.	22: 9	19.	2:21	62.
21	27.	27.	27.	33.	0:44	22.	23:43	62.
22	30.	31.	29.	38.	23:54	19.	4:10	62.
23	17.	14.	18.	39.	0:10	7.	23:38	62.
24	7.	7.	8.	14.	23:54	1.	7:22	61.
25	10.	13.	9.	17.	7:38	0.	23:59	61.
26	5.	7.	4.	16.	14:42	-5.	6:55	61.
27	27.	30.	25.	37.	15:11	12.	0: 2	61.
28	28.	29.	26.	36.	2: 7	16.	21:16	61.
29	28.	31.	27.	36.	23:29	17.	2:36	61.
30	33.	33.	33.	37.	2:57	28.	21:28	61.
31	21.	21.	21.	29.	0: 3	9.	23:53	61.
MEAN	14.	15.	13.					62.
STANDARD DEVIATION	13.1	13.7	12.7					0.5

ENVIRONMENTAL SUMMARY REPORT

SITE: LO-CAL
CHAMPAIGN, ILLINOIS

REPORT PERIOD: 82/ 1
SITE NUMBER: 223

LATITUDE: 40.05 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: CENTRAL
LONGITUDE: 88.25 DEG WEST PYRANOMETER TILT: 90 DEG ALTITUDE: 750 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	*	*	*	*	*	*	*:*
2	*	*	*	*	*	*	*:*
3	*	*	*	*	*	*	*:*
4	*	*	*	*	*	*	*:*
5	*	*	*	*	*	*	*:*
6	197.	22.	197.	22.	39.	200.	12:13
7	125.	13.	129.	19.	30.	134.	12: 9
8	48.	11.	38.	16.	34.	22.	9:58
9	122.	29.	117.	28.	64.	122.	20:49
10	121.	39.	109.	39.	64.	132.	3: 2
11	85.	19.	86.	24.	38.	101.	11:38
12	299.	9.	323.	9.	17.	303.	9: 5
13	118.	6.	107.	5.	25.	117.	20:55
14	92.	7.	85.	10.	23.	85.	6:53
15	352.	16.	334.	23.	44.	134.	23: 6
16	110.	25.	110.	31.	52.	97.	11: 6
17	352.	21.	353.	31.	53.	321.	17:20
18	344.	12.	357.	8.	25.	7.	2:13
19	225.	5.	171.	4.	15.	229.	4:13
20	277.	11.	282.	14.	27.	300.	19: 4
21	*	*	*	*	*	*	*:*
22	313.	9.	291.	10.	33.	290.	13:52
23	74.	19.	68.	18.	36.	98.	21:57
24	87.	12.	87.	15.	28.	85.	1:36
25	142.	13.	136.	14.	30.	127.	15:22
26	11.	8.	35.	6.	19.	319.	20: 8
27	352.	21.	352.	25.	38.	348.	12:26
28	103.	9.	113.	12.	25.	99.	9:48
29	299.	11.	302.	13.	24.	317.	9:53
30	193.	9.	178.	8.	22.	195.	21:55
31	165.	17.	167.	20.	35.	212.	5:49
MEAN	184.	15.	181.	17.			
STANDARD DEVIATION	108.3	8.0	108.4	9.1			

ENVIRONMENTAL SUMMARY REPORT

SITE: LO-CAL
CHAMPAIGN, ILLINOIS

REPORT PERIOD: 82/ 1
SITE NUMBER: 223

LATITUDE: 40.05 DEG NORTH
LONGITUDE: 88.25 DEG WEST

AZIMUTH: 0 DEG
PYRANOMETER TILT: 90 DEG

TIME ZONE: CENTRAL
ALTITUDE: 750 FEET

WIND: NUMBER OF HOURS IN EACH VELOCITY INTERVAL

DAY	0-3 MPH	4-7 MPH	8-12 MPH	13-18 MPH	19-24 MPH	25-31 MPH	32-38 MPH	ABOVE 38	MISSING HOURS
1	0	0	0	0	0	0	0	0	24
2	0	0	0	0	0	0	0	0	24
3	0	0	0	0	0	0	0	0	24
4	0	0	0	0	0	0	0	0	24
5	0	0	0	0	0	0	0	0	24
6	0	0	0	0	0	0	0	0	21
7	3	3	2	3	5	0	0	0	8
8	3	3	9	7	2	0	0	0	0
9	0	0	0	0	6	10	5	3	0
10	0	0	0	0	0	0	4	6	14
11	1	1	1	2	3	5	0	0	11
12	2	3	10	3	0	0	0	0	6
13	9	9	4	2	0	0	0	0	0
14	6	6	2	0	0	0	0	0	0
15	4	3	2	4	3	5	3	0	0
16	4	2	1	0	1	6	10	0	0
17	3	2	1	5	5	5	4	2	0
18	1	3	14	5	1	0	0	0	0
19	11	7	6	0	0	0	0	0	0
20	6	2	7	9	0	0	0	0	0
21	24	0	0	0	0	0	0	0	0
22	12	0	4	0	0	0	0	0	0
23	0	0	0	14	8	2	0	0	0
24	5	3	2	12	2	0	0	0	0
25	1	5	4	10	4	0	0	0	0
26	3	1	4	5	0	0	0	0	0
27	0	1	2	6	8	7	0	0	0
28	8	2	8	6	0	0	0	0	0
29	0	8	6	8	2	0	0	0	0
30	3	9	7	5	0	0	0	0	0
31	0	0	3	10	10	0	0	0	1
AVERAGE	3.5	2.7	3.5	3.7	2.2	1.3	0.8	0.4	5.8
TOTAL	109	84	109	116	67	41	26	11	181

ENVIRONMENTAL SUMMARY REPORT

SITE: LO-CAL
CHAMPAIGN, ILLINOIS

REPORT PERIOD: 82/ 1
SITE NUMBER: 223

LATITUDE: 40.05 DEG NORTH AZIMUTH: 0 DEG
LONGITUDE: 88.25 DEG WEST PYRANOMETER TILT: 90 DEG

TIME ZONE: CENTRAL
ALTITUDE: 750 FEET

RELATIVE HUMIDITY IN PER CENT

DAY	RELATIVE HUMIDITY	DAYTIME REL HUM	NIGHTTIME REL HUM	MAXIMUM VALUE	HUMIDITY TIME HR:MN	MINIMUM VALUE	HUMIDITY TIME HR:MN
1	*	*	*	*	*:*	*	*:*
2	*	*	*	*	*:*	*	*:*
3	*	*	*	*	*:*	*	*:*
4	*	*	*	*	*:*	*	*:*
5	*	*	*	*	*:*	*	*:*
6	85.	85.	*	89.	13:25	83.	9:26
7	46.	42.	49.	57.	23:21	*	10: 0
8	55.	50.	58.	73.	19:34	41.	15:45
9	48.	37.	55.	79.	1:53	20.	14:36
10	32.	28.	34.	49.	0:44	25.	7: 8
11	43.	41.	48.	52.	19:28	34.	11:38
12	65.	53.	80.	83.	18:36	41.	12:28
13	68.	61.	73.	82.	6:20	44.	16:50
14	57.	53.	61.	73.	4:45	44.	12: 0
15	74.	70.	76.	100.	16:58	49.	3:38
16	51.	44.	56.	100.	0: 0	39.	17:46
17	51.	52.	50.	61.	9:39	39.	3:12
18	63.	63.	62.	79.	18:43	51.	13: 1
19	67.	65.	68.	87.	23:57	48.	1:44
20	81.	73.	87.	100.	17:49	57.	11:14
21	93.	96.	92.	100.	0: 1	79.	22:28
22	98.	100.	96.	100.	6: 7	85.	2:50
23	72.	64.	78.	100.	0: 0	51.	14:24
24	63.	56.	68.	87.	23:59	42.	15: 1
25	83.	82.	83.	100.	5:25	67.	14:29
26	67.	56.	74.	86.	22: 0	35.	14:21
27	76.	72.	79.	90.	23:59	54.	13:24
28	73.	57.	83.	98.	1:24	27.	12:28
29	83.	72.	90.	100.	17:53	52.	11:29
30	100.	100.	100.	100.	0: 1	100.	0: 1
31	100.	100.	100.	100.	0: 3	100.	0: 3
MEAN	69.	64.	72.				
STANDARD DEVIATION	18.	20.	18.				

ENVIRONMENTAL SUMMARY REPORT

SITE: WESLEY MEDICAL CENTER
WICHITA, KANSAS

REPORT PERIOD: 82/ 1
SITE NUMBER: 107

LATITUDE: 37.76 DEG NORTH
LONGITUDE: 97.40 DEG WEST

AZIMUTH: 0 DEG
PYRANOMETER TILT: 45 DEG

TIME ZONE: CENTRAL
ALTITUDE: 1305 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	365.	N.A.	N.A.	225.	14:33	3019.	12.
2	618.	N.A.	N.A.	242.	13:35	3029.	20.
3	76.	N.A.	N.A.	24.	13:19	3028.	3.
4	1695.	N.A.	N.A.	286.	12:46	3032.	56.
5	1061.	N.A.	N.A.	286.	12:24	3032.	35.
6	410.	N.A.	N.A.	107.	14:13	3035.	14.
7	1559.	N.A.	N.A.	292.	12: 9	3046.	51.
8	1663.	N.A.	N.A.	302.	12:25	3046.	55.
9	1521.	N.A.	N.A.	279.	13: 2	3057.	50.
10	*	N.A.	N.A.	*	*:*	3058.	*
11	1550.	N.A.	N.A.	296.	13:27	3059.	51.
12	947.	N.A.	N.A.	292.	13:16	3064.	31.
13	1719.	N.A.	N.A.	289.	12:25	3076.	56.
14	1737.	N.A.	N.A.	279.	12:30	3077.	56.
15	1672.	N.A.	N.A.	279.	12:42	3085.	54.
16	1557.	N.A.	N.A.	312.	11:59	3087.	50.
17	924.	N.A.	N.A.	262.	11:30	3099.	30.
18	1609.	N.A.	N.A.	316.	13:34	3101.	52.
19	612.	N.A.	N.A.	239.	12:19	3113.	20.
20	257.	N.A.	N.A.	91.	14:45	3115.	8.
21	144.	N.A.	N.A.	44.	12:21	3118.	5.
22	1031.	N.A.	N.A.	292.	12:38	3126.	33.
23	1830.	N.A.	N.A.	312.	12: 0	3139.	58.
24	1134.	N.A.	N.A.	242.	14: 4	3141.	36.
25	1917.	N.A.	N.A.	302.	13: 5	3150.	61.
26	1676.	N.A.	N.A.	282.	12:39	3153.	53.
27	1571.	N.A.	N.A.	282.	11:51	3162.	50.
28	1342.	N.A.	N.A.	279.	11:55	3165.	42.
29	54.	N.A.	N.A.	37.	6:30	3173.	2.
30	205.	N.A.	N.A.	155.	12:50	3186.	6.
31	1722.	N.A.	N.A.	312.	12:10	3185.	54.
MEAN	1139.	N.A.	N.A.			3095.	
STANDARD DEVIATION	619.	N.A.	N.A.			52.	

ENVIRONMENTAL SUMMARY REPORT

SITE: WESLEY MEDICAL CENTER
WICHITA, KANSAS

REPORT PERIOD: 82/ 1
SITE NUMBER: 107

LATITUDE: 37.76 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: CENTRAL
LONGITUDE: 97.40 DEG WEST PYRANOMETER TILT: 45 DEG ALTITUDE: 1305 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	30.	30.	30.	36.	23:48	23.	1:34	66.
2	40.	45.	37.	49.	12: 5	30.	23:49	71.
3	29.	30.	28.	33.	0:10	22.	23: 6	65.
4	33.	36.	31.	45.	14:11	21.	2: 55	70.
5	42.	46.	40.	53.	16:56	32.	23:42	72.
6	20.	20.	21.	33.	0:14	15.	23:38	64.
7	20.	20.	19.	28.	15:58	12.	6:50	67.
8	31.	34.	29.	44.	15: 5	19.	7:10	72.
9	25.	23.	26.	37.	0:35	16.	22:43	74.
10	4.	-3.	5.	18.	0: 3	-4.	7: 5	74.
11	19.	16.	21.	23.	16:44	4.	7:32	65.
12	21.	24.	19.	29.	13:59	15.	21:59	68.
13	17.	19.	16.	27.	15:21	8.	7:11	70.
14	36.	41.	32.	55.	16:19	18.	1:56	72.
15	37.	45.	32.	52.	13: 3	15.	23:54	76.
16	12.	13.	12.	19.	15:11	6.	7:27	72.
17	21.	21.	22.	32.	17:44	11.	6:28	69.
18	35.	36.	33.	45.	12:35	27.	7:52	71.
19	36.	37.	35.	47.	15:36	28.	8:29	70.
20	35.	38.	33.	40.	15:39	31.	19:28	71.
21	30.	30.	30.	33.	16: 5	26.	7:44	69.
22	33.	40.	29.	51.	13:26	17.	23:18	70.
23	22.	23.	21.	33.	16:11	13.	7:34	71.
24	30.	30.	30.	41.	16:18	19.	7:50	75.
25	38.	41.	37.	51.	15:51	30.	8: 1	76.
26	41.	43.	40.	54.	16:18	29.	5:48	76.
27	48.	53.	45.	62.	14:15	39.	23:24	83.
28	43.	46.	41.	53.	13:58	32.	7:45	83.
29	48.	49.	47.	55.	16:40	40.	23:46	74.
30	36.	37.	36.	43.	0:24	30.	23:36	72.
31	29.	29.	30.	38.	17:30	21.	7:30	88.
MEAN	30.	32.	29.					72.
STANDARD DEVIATION	10.3	12.4	9.4					5.3

ZONE 8



ENVIRONMENTAL SUMMARY REPORT

SITE: CROWN REALTY #I
LAKEWOOD, COLORADO

REPORT PERIOD: 82/ 1
SITE NUMBER: 88

LATITUDE: 39.41 DEG NORTH AZIMUTH: 0 DEG
LONGITUDE: 105.00 DEG WEST PYRANOMETER TILT: 55 DEG TIME ZONE: MOUNTAIN
ALTITUDE: 5280 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	1257.	N.A.	N.A.	293.	13:31	3115.	40.
2	1084.	N.A.	N.A.	331.	11:34	3114.	35.
3	1907.	N.A.	N.A.	331.	11:50	3116.	61.
4	1480.	N.A.	N.A.	355.	11:52	3127.	47.
5	1839.	N.A.	N.A.	331.	11:55	3126.	59.
6	253.	N.A.	N.A.	55.	11:53	3137.	8.
7	2166.	N.A.	N.A.	351.	11:50	3140.	69.
8	560.	N.A.	N.A.	189.	9: 0	3140.	18.
9	1607.	N.A.	N.A.	327.	12:18	3139.	51.
10	*	N.A.	N.A.	*	*:*	3151.	*
11	1022.	N.A.	N.A.	348.	12:33	3151.	32.
12	443.	N.A.	N.A.	176.	13:16	3162.	14.
13	1872.	N.A.	N.A.	338.	11:47	3162.	59.
14	2097.	N.A.	N.A.	345.	12:41	3162.	66.
15	995.	N.A.	N.A.	324.	11:24	3174.	31.
16	1923.	N.A.	N.A.	320.	12:18	3175.	61.
17	1898.	N.A.	N.A.	331.	11:46	3186.	60.
18	1562.	N.A.	N.A.	334.	13:19	3183.	49.
19	1834.	N.A.	N.A.	310.	11:32	3195.	57.
20	1629.	N.A.	N.A.	331.	12:18	3196.	51.
21	1034.	N.A.	N.A.	307.	11:33	3204.	32.
22	1031.	N.A.	N.A.	372.	12:25	3204.	32.
23	317.	N.A.	N.A.	107.	16:20	3216.	10.
24	771.	N.A.	N.A.	269.	10: 9	3224.	24.
25	1378.	N.A.	N.A.	338.	11:20	3225.	43.
26	2012.	N.A.	N.A.	320.	12:10	3233.	62.
27	1910.	N.A.	N.A.	324.	11:23	3234.	59.
28	1865.	N.A.	N.A.	314.	12:14	3241.	58.
29	300.	N.A.	N.A.	62.	11:20	3242.	9.
30	2099.	N.A.	N.A.	327.	12:13	3250.	65.
31	1076.	N.A.	N.A.	341.	12:39	3257.	33.
MEAN	1374.	N.A.	N.A.			3180.	
STANDARD DEVIATION	599.	N.A.	N.A.			44.	

ENVIRONMENTAL SUMMARY REPORT

SITE: CROWN REALTY #1
LAKWOOD, COLORADO

REPORT PERIOD: 82/ 1
SITE NUMBER: 88

LATITUDE: 39.41 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: MOUNTAIN
LONGITUDE: 105.00 DEG WEST PYRANOMETER TILT: 55 DEG ALTITUDE: 5280 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	36.	47.	29.	71.	13:26	19.	6:14	N.A.
2	28.	34.	24.	49.	13:58	20.	21:10	N.A.
3	27.	34.	23.	45.	11:56	18.	1:48	N.A.
4	40.	50.	33.	73.	13:23	24.	4:44	N.A.
5	45.	61.	33.	76.	12:16	20.	23:55	N.A.
6	16.	20.	13.	26.	8:57	5.	23:53	N.A.
7	20.	32.	13.	47.	15: 8	-0.	6: 3	N.A.
8	36.	44.	30.	51.	9:32	17.	1:48	N.A.
9	45.	57.	38.	79.	12:50	17.	23:14	N.A.
10	12.	*	12.	17.	0: 2	10.	3:30	N.A.
11	41.	48.	32.	71.	13:16	11.	6:41	N.A.
12	22.	27.	18.	34.	13:37	11.	22: 4	N.A.
13	30.	38.	26.	51.	12:40	13.	0: 1	N.A.
14	45.	54.	39.	67.	11:32	31.	1:49	N.A.
15	34.	45.	26.	56.	11:51	4.	23: 8	N.A.
16	23.	32.	16.	54.	15:30	4.	0:28	N.A.
17	53.	65.	45.	85.	12:23	27.	0: 2	N.A.
18	44.	56.	36.	72.	14:49	26.	6:28	N.A.
19	45.	58.	36.	73.	13:13	27.	6:49	N.A.
20	39.	53.	29.	67.	14:47	22.	4:52	N.A.
21	29.	36.	24.	54.	13:15	21.	4: 2	N.A.
22	22.	25.	20.	37.	12:41	16.	10: 1	N.A.
23	33.	36.	30.	49.	16:25	15.	2:12	N.A.
24	51.	56.	48.	66.	12:33	38.	23:56	N.A.
25	40.	50.	33.	69.	13: 6	25.	6:48	N.A.
26	56.	68.	48.	90.	13:14	35.	1: 1	N.A.
27	45.	52.	41.	65.	12:48	27.	23: 2	N.A.
28	40.	55.	30.	73.	14:16	21.	6:22	N.A.
29	33.	37.	31.	42.	13:49	21.	23:15	N.A.
30	36.	48.	27.	65.	16: 8	18.	6:27	N.A.
31	38.	48.	31.	72.	13:11	22.	4:19	N.A.
MEAN	36.	46.	30.					N.A.
STANDARD DEVIATION	10.9	12.2	9.5					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: HONEYWELL SALT RIVER
PHOENIX, ARIZONA

REPORT PERIOD: 82/ 1
SITE NUMBER: 129

LATITUDE: 33.50 DEG NORTH
LONGITUDE: 112.00 DEG WEST

AZIMUTH: 34 DEG
PYRANOMETER TILT: 20 DEG

TIME ZONE: MOUNTAIN
ALTITUDE: 1000 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	199.	N.A.	N.A.	116.	12:48	2300.	9.
2	1042.	N.A.	N.A.	253.	13:54	2304.	45.
3	1309.	N.A.	N.A.	239.	13: 1	2308.	57.
4	1320.	N.A.	N.A.	285.	13: 5	2312.	57.
5	297.	N.A.	N.A.	151.	14:36	2319.	13.
6	1281.	N.A.	N.A.	239.	12:54	2324.	55.
7	1213.	N.A.	N.A.	250.	13:27	2329.	52.
8	1498.	N.A.	N.A.	250.	12:33	2335.	64.
9	1484.	N.A.	N.A.	250.	12:41	2340.	63.
10	*	N.A.	N.A.	*	*:*	2346.	*
11	*	N.A.	N.A.	*	*:*	2354.	*
12	*	N.A.	N.A.	*	*:*	2361.	*
13	*	N.A.	N.A.	*	*:*	2368.	*
14	*	N.A.	N.A.	*	*:*	2374.	*
15	*	N.A.	N.A.	*	*:*	2384.	*
16	*	N.A.	N.A.	*	*:*	2391.	*
17	*	N.A.	N.A.	*	*:*	2398.	*
18	*	N.A.	N.A.	*	*:*	2406.	*
19	*	N.A.	N.A.	*	*:*	2416.	*
20	*	N.A.	N.A.	*	*:*	2425.	*
21	549.	N.A.	N.A.	282.	11:33	2433.	23.
22	1382.	N.A.	N.A.	264.	12:34	2444.	57.
23	1531.	N.A.	N.A.	260.	13:17	2453.	62.
24	1523.	N.A.	N.A.	253.	13:13	2462.	62.
25	1566.	N.A.	N.A.	250.	12:54	2472.	63.
26	1518.	N.A.	N.A.	250.	13:18	2483.	61.
27	1472.	N.A.	N.A.	267.	13:42	2492.	59.
28	629.	N.A.	N.A.	183.	15: 6	2505.	25.
29	1194.	N.A.	N.A.	317.	14:21	2515.	47.
30	1595.	N.A.	N.A.	257.	13:12	2526.	63.
31	1268.	N.A.	N.A.	250.	14: 3	2537.	50.
MEAN	1194.	N.A.	N.A.			2401.	
STANDARD DEVIATION	430.	N.A.	N.A.			73.	

ENVIRONMENTAL SUMMARY REPORT

SITE: HONEYWELL SALT RIVER
PHOENIX, ARIZONA

REPORT PERIOD: 82/ 1
SITE NUMBER: 129

LATITUDE: 33.50 DEG NORTH AZIMUTH: 34 DEG TIME_ZONE: MOUNTAIN
LONGITUDE: 112.00 DEG WEST PYRANOMETER TILT: 20 DEG ALTITUDE: 1000 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	56.	58.	55.	62.	12:53	52.	23:28	N.A.
2	50.	54.	47.	60.	14: 5	40.	21:54	N.A.
3	44.	49.	41.	57.	14:16	34.	7:25	N.A.
4	48.	53.	45.	63.	15:45	34.	3:46	N.A.
5	54.	56.	53.	63.	14:41	49.	8:17	N.A.
6	55.	60.	52.	67.	13:53	48.	3:19	N.A.
7	50.	52.	48.	62.	14:42	40.	7:14	N.A.
8	53.	57.	49.	66.	16: 1	39.	6:26	N.A.
9	59.	62.	56.	72.	15:42	49.	7:40	N.A.
10	64.	*	64.	65.	19: 8	64.	19:13	N.A.
11	*	*	*	*	*:*	*	*:*	N.A.
12	51.	56.	49.	57.	15:42	44.	23:48	N.A.
13	41.	*	41.	45.	1:18	39.	5:34	N.A.
14	*	*	*	*	*:*	*	*:*	N.A.
15	*	*	*	*	*:*	*	*:*	N.A.
16	*	*	*	*	*:*	*	*:*	N.A.
17	*	*	*	*	*:*	*	*:*	N.A.
18	*	*	*	*	*:*	*	*:*	N.A.
19	*	*	*	*	*:*	*	*:*	N.A.
20	*	*	*	*	*:*	*	*:*	N.A.
21	48.	52.	45.	60.	11:34	40.	23:58	N.A.
22	44.	49.	41.	57.	12: 2	34.	6:22	N.A.
23	46.	51.	42.	62.	16:29	32.	6:48	N.A.
24	52.	58.	48.	70.	15:53	37.	7:36	N.A.
25	59.	65.	54.	82.	16:11	41.	7: 1	N.A.
26	61.	67.	57.	77.	14:27	47.	6:41	N.A.
27	59.	64.	56.	75.	13:42	47.	6:54	N.A.
28	57.	60.	55.	66.	15: 6	51.	6:35	N.A.
29	53.	55.	51.	62.	13:22	45.	23:52	N.A.
30	51.	56.	48.	67.	14:42	38.	7: 4	N.A.
31	51.	56.	48.	65.	16: 1	39.	6:26	N.A.
MEAN	52.	57.	50.					N.A.
STANDARD DEVIATION	5.8	5.1	5.9					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: PERMALOY CORPORATION
MURRAY, UTAH

REPORT PERIOD: 82/ 1
SITE NUMBER: 179

LATITUDE: 40.70 DEG NORTH
LONGITUDE: 111.45 DEG WEST

AZIMUTH: -21 DEG
PYRANOMETER TILT: 52 DEG

TIME ZONE: MOUNTAIN
ALTITUDE: 4270 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	367.	N.A.	N.A.	140.	15: 8	2877.	13.
2	168.	N.A.	N.A.	49.	12:12	2880.	6.
3	742.	N.A.	N.A.	322.	10:57	2878.	26.
4	56.	N.A.	N.A.	19.	12:47	2875.	2.
5	46.	N.A.	N.A.	19.	13:10	2879.	2.
6	1952.	N.A.	N.A.	361.	13:18	2893.	67.
7	1802.	N.A.	N.A.	328.	13: 6	2891.	62.
8	1385.	N.A.	N.A.	315.	12:26	2906.	48.
9	1836.	N.A.	N.A.	292.	12:48	2904.	63.
10	*	N.A.	N.A.	*	*:*	2903.	*
11	566.	N.A.	N.A.	211.	15: 0	2918.	19.
12	1357.	N.A.	N.A.	276.	13: 3	2917.	47.
13	250.	N.A.	N.A.	68.	11:50	2932.	9.
14	1218.	N.A.	N.A.	322.	12:19	2932.	42.
15	1639.	N.A.	N.A.	328.	12:49	2931.	56.
16	*	N.A.	N.A.	*	*:*	2947.	*
17	641.	N.A.	N.A.	218.	12: 0	2956.	22.
18	249.	N.A.	N.A.	156.	14:13	2956.	8.
19	1263.	N.A.	N.A.	348.	12:41	2956.	43.
20	549.	N.A.	N.A.	273.	14:41	2966.	19.
21	370.	N.A.	N.A.	91.	13: 6	2982.	12.
22	1144.	N.A.	N.A.	354.	13: 9	2982.	38.
23	275.	N.A.	N.A.	68.	12: 5	2993.	9.
24	358.	N.A.	N.A.	81.	11: 7	2993.	12.
25	624.	N.A.	N.A.	179.	10: 6	3003.	21.
26	1001.	N.A.	N.A.	302.	12:37	3004.	33.
27	1625.	N.A.	N.A.	328.	12:35	3014.	54.
28	585.	N.A.	N.A.	224.	12:36	3024.	19.
29	2184.	N.A.	N.A.	328.	12:41	3025.	72.
30	723.	N.A.	N.A.	273.	14:17	3035.	24.
31	344.	N.A.	N.A.	234.	12:42	3045.	11.
MEAN	873.	N.A.	N.A.			2948.	
STANDARD DEVIATION	631.	N.A.	N.A.			53.	

ENVIRONMENTAL SUMMARY REPORT

SITE: PERMALOY CORPORATION
MURRAY, UTAH

REPORT PERIOD: 82/ 1
SITE NUMBER: 179

LATITUDE: 40.70 DEG NORTH
LONGITUDE: 111.45 DEG WEST

AZIMUTH: -21 DEG
PYRANOMETER TILT: 52 DEG

TIME ZONE: MOUNTAIN
ALTITUDE: 4270 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	318.	5.	322.	9.	27.	271.	8:49
2	*	2.	*	1.	22.	*	22:31
3	157.	5.	167.	6.	17.	199.	23:29
4	172.	10.	173.	11.	25.	172.	9:51
5	*	8.	*	4.	29.	*	16:49
6	301.	2.	296.	5.	19.	292.	13:28
7	*	1.	*	1.	7.	*	8:23
8	*	1.	*	1.	6.	*	15: 1
9	*	1.	*	1.	7.	*	14:56
10	*	0.	*	0.	4.	*	2:13
11	*	1.	*	1.	8.	*	12:14
12	*	1.	*	1.	7.	*	13:56
13	*	2.	*	4.	8.	*	12:33
14	*	1.	*	1.	7.	*	22:38
15	*	1.	*	1.	6.	*	2:43
16	*	*	*	*	*	*	*:*
17	92.	2.	92.	3.	7.	135.	11:34
18	90.	3.	121.	3.	14.	137.	13:35
19	*	2.	*	2.	11.	*	5:14
20	61.	3.	51.	2.	15.	69.	21:48
21	141.	4.	156.	3.	22.	214.	5:11
22	306.	4.	305.	4.	15.	317.	9:51
23	123.	4.	94.	5.	14.	110.	4:47
24	*	1.	*	2.	9.	*	7:33
25	*	1.	*	1.	9.	*	22:59
26	*	4.	*	2.	28.	*	20:42
27	139.	3.	131.	3.	16.	263.	2:39
28	*	2.	*	2.	9.	*	15:37
29	318.	4.	313.	7.	20.	312.	16: 9
30	*	1.	*	0.	6.	*	6:43
31	327.	4.	295.	4.	20.	327.	18:18
MEAN	196.	3.	267.	3.			
STANDARD DEVIATION	101.7	2.3	124.3	2.6			

ENVIRONMENTAL SUMMARY REPORT

SITE: PERMALOY CORPORATION
MURRAY, UTAH

REPORT PERIOD: 82/ 1
SITE NUMBER: 179

LATITUDE: 40.70 DEG NORTH AZIMUTH: -21 DEG
LONGITUDE: 111.45 DEG WEST PYRANOMETER TILT: 52 DEG
TIME ZONE: MOUNTAIN
ALTITUDE: 4270 FEET

RELATIVE HUMIDITY IN PER CENT

DAY	RELATIVE HUMIDITY	DAYTIME REL HUM	NIGHTTIME REL HUM	MAXIMUM VALUE	HUMIDITY TIME HR:MN	MINIMUM VALUE	HUMIDITY TIME HR:MN
1	82.	78.	85.	100.	0: 1	59.	14:31
2	93.	90.	95.	100.	2:52	73.	1:16
3	80.	77.	82.	100.	0: 1	61.	22:25
4	80.	83.	78.	91.	5:27	65.	6:52
5	92.	100.	86.	100.	4:20	61.	22: 9
6	81.	73.	86.	100.	22: 0	13.	8:14
7	87.	80.	92.	99.	21:43	19.	1:12
8	85.	77.	90.	99.	22:45	63.	12:58
9	85.	77.	90.	99.	20:42	69.	13:30
10	95.	93.	95.	100.	2:34	84.	3:33
11	90.	86.	96.	100.	8:30	75.	14:54
12	94.	87.	98.	100.	2:22	74.	13: 3
13	90.	88.	92.	100.	0:31	78.	14:30
14	79.	74.	82.	93.	7:20	65.	15:15
15	76.	70.	80.	91.	6:16	59.	15:13
16	*	*	*	*	*:*	*	*:*
17	69.	61.	76.	86.	21:47	55.	13:47
18	89.	91.	87.	100.	5:31	77.	23:27
19	85.	81.	87.	98.	6:45	68.	13: 2
20	90.	91.	90.	100.	11:35	72.	6: 1
21	92.	90.	94.	100.	0:44	76.	17: 6
22	84.	78.	88.	100.	0: 2	60.	14:29
23	84.	86.	82.	98.	11:17	72.	9: 9
24	81.	73.	87.	98.	1:51	66.	11:12
25	92.	85.	96.	100.	1:58	75.	14:27
26	67.	57.	75.	100.	22: 7	51.	9:46
27	83.	77.	88.	100.	0: 5	59.	15: 5
28	87.	81.	91.	100.	5:13	63.	12:14
29	85.	73.	92.	100.	0:14	61.	11:47
30	85.	75.	93.	100.	2: 1	61.	14:43
31	88.	83.	92.	100.	14:44	73.	12:47
MEAN	85.	81.	88.				
STANDARD DEVIATION	7.	9.	6.				

ENVIRONMENTAL SUMMARY REPORT

SITE: SCOTTSDALE COURTHOUSE
SCOTTSDALE, ARIZONA

REPORT PERIOD: 82/ 1
SITE NUMBER: 134

LATITUDE: 33.50 DEG NORTH
LONGITUDE: 111.70 DEG WEST

AZIMUTH: 0 DEG
PYRANOMETER TILT: 0 DEG

TIME ZONE: MOUNTAIN
ALTITUDE: 1120 FEET

INSOLATION

DAY	TOTAL	TOTAL DIFF	TOTAL DIR	MAXIMUM TOTAL	EXTRATERRESTRIAL	TTL INS	
	INSOLATION	INSOLATION	INSOLATION	INSOLATION			
	BTU/FT2	BTU/FT2	BTU/FT2	VALUE	INSOLATION	-----	
				BTU/HR/FT2	BTU/FT2	EXT INS	
				TIME		PERCENT	
				HR:MN			
1	199.	184.	15.	117.	6:37	1570.	13.
2	815.	258.	557.	173.	13:57	1576.	52.
3	895.	223.	672.	163.	12: 5	1581.	57.
4	889.	292.	597.	204.	12:34	1587.	56.
5	300.	283.	17.	81.	11:55	1592.	19.
6	823.	204.	619.	180.	13:17	1599.	51.
7	836.	254.	582.	183.	12: 4	1604.	52.
8	1069.	255.	814.	180.	12:40	1612.	66.
9	999.	166.	833.	176.	12:56	1620.	62.
10	*	*	*	*	*:*	1627.	*
11	464.	347.	117.	156.	14:49	1636.	28.
12	206.	193.	13.	92.	14:27	1645.	13.
13	1000.	146.	854.	173.	12: 1	1653.	61.
14	929.	249.	680.	187.	12: 3	1661.	56.
15	999.	142.	857.	173.	12:42	1672.	60.
16	966.	188.	779.	176.	12:42	1680.	58.
17	990.	242.	749.	180.	12:54	1692.	59.
18	793.	498.	295.	214.	12: 8	1701.	47.
19	460.	398.	62.	122.	11:17	1711.	27.
20	1039.	145.	894.	173.	12:38	1724.	60.
21	294.	232.	62.	190.	11:16	1735.	17.
22	977.	198.	779.	210.	12:13	1748.	56.
23	1077.	106.	971.	187.	12:24	1759.	61.
24	1080.	127.	953.	180.	12:32	1771.	61.
25	1089.	144.	945.	180.	12:19	1785.	61.
26	1145.	165.	980.	176.	12:12	1798.	64.
27	1064.	233.	831.	200.	13:45	1811.	59.
28	507.	406.	101.	122.	15: 9	1824.	28.
29	802.	349.	453.	214.	12:55	1840.	44.
30	1097.	138.	959.	187.	12:33	1853.	59.
31	899.	398.	501.	176.	14: 4	1868.	48.
MEAN	823.	239.	585.			1695.	
STANDARD DEVIATION	289.	97.	339.			91.	

ENVIRONMENTAL SUMMARY REPORT

SITE: SCOTTSDALE COURTHOUSE
SCOTTSDALE, ARIZONA

REPORT PERIOD: 82/ 1
SITE NUMBER: 134

LATITUDE: 33.50 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: MOUNTAIN
LONGITUDE: 111.70 DEG WEST PYRANOMETER TILT: 0 DEG ALTITUDE: 1120 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	54.	55.	53.	60.	14:16	50.	23:15	N.A.
2	49.	53.	46.	60.	13:57	39.	21:57	N.A.
3	43.	48.	39.	57.	13:57	32.	6:35	N.A.
4	47.	53.	43.	63.	15:19	32.	5:52	N.A.
5	53.	56.	51.	61.	14:40	45.	23:17	N.A.
6	53.	58.	50.	68.	13:54	46.	4:59	N.A.
7	50.	54.	47.	64.	13: 8	39.	7:27	N.A.
8	52.	58.	48.	66.	15:46	37.	4:15	N.A.
9	56.	63.	52.	73.	15:41	41.	7:25	N.A.
10	47.	*	47.	49.	1:49	44.	3:52	N.A.
11	58.	60.	55.	71.	14:49	48.	6:13	N.A.
12	53.	55.	51.	61.	14:27	45.	23:57	N.A.
13	48.	53.	44.	65.	13:53	34.	7:24	N.A.
14	47.	55.	42.	66.	14:33	34.	6:54	N.A.
15	49.	57.	43.	68.	15: 6	33.	6:28	N.A.
16	51.	59.	45.	72.	14:23	35.	7:22	N.A.
17	54.	64.	47.	77.	14:14	39.	5:14	N.A.
18	54.	61.	49.	76.	14:11	39.	6:48	N.A.
19	54.	59.	51.	64.	12:32	44.	23:28	N.A.
20	50.	57.	45.	67.	15:18	37.	6:57	N.A.
21	45.	50.	42.	61.	11:16	38.	5: 5	N.A.
22	43.	49.	39.	59.	13:55	32.	6:26	N.A.
23	46.	52.	41.	65.	15:25	31.	7: 9	N.A.
24	51.	59.	46.	70.	15:18	36.	7:36	N.A.
25	57.	66.	51.	83.	15:15	39.	5:42	N.A.
26	60.	69.	53.	81.	15: 3	44.	7:35	N.A.
27	57.	65.	52.	79.	14:11	42.	5:32	N.A.
28	56.	60.	52.	66.	15: 9	49.	1:55	N.A.
29	51.	54.	49.	61.	13:37	43.	23:45	N.A.
30	50.	57.	45.	69.	15:40	35.	6:52	N.A.
31	49.	56.	44.	68.	14:58	35.	6:41	N.A.
MEAN	51.	57.	47.					N.A.
STANDARD DEVIATION	4.3	5.0	4.3					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: TAOS STATE OFFICE BLDG.
TAOS, NEW MEXICO

REPORT PERIOD: 82/ 1
SITE NUMBER: 186

LATITUDE: 36.50 DEG NORTH AZIMUTH: 0 DEG
LONGITUDE: 105.50 DEG WEST PYRANOMETER TILT: 0 DEG
TIME ZONE: MOUNTAIN
ALTITUDE: 6980 FEET

INSOLATION

DAY	TOTAL HORIZONTAL INSOLATION BTU/FT2	TOTAL 90 DEG INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	145.	44.	N.A.	44.	10:50	1408.	10.
2	145.	354.	N.A.	44.	9:38	1411.	10.
3	380.	1875.	N.A.	72.	13:28	1417.	27.
4	918.	1417.	N.A.	231.	12:37	1421.	65.
5	240.	109.	N.A.	75.	12:24	1428.	17.
6	240.	238.	N.A.	147.	14:27	1435.	17.
7	613.	829.	N.A.	200.	13:43	1441.	43.
8	1010.	1733.	N.A.	200.	12:40	1449.	70.
9	1004.	1697.	N.A.	190.	10:48	1457.	69.
10	*	*	N.A.	*	*:*	1464.	*
11	865.	1001.	N.A.	209.	10:12	1471.	59.
12	540.	365.	N.A.	159.	11:40	1481.	36.
13	1033.	1736.	N.A.	181.	11:58	1489.	69.
14	1070.	1873.	N.A.	197.	11: 1	1500.	71.
15	1095.	1967.	N.A.	181.	12:20	1509.	73.
16	1001.	1796.	N.A.	203.	11: 5	1518.	66.
17	1104.	2084.	N.A.	181.	12: 2	1530.	72.
18	943.	1642.	N.A.	178.	12:25	1540.	61.
19	275.	107.	N.A.	69.	12:15	1552.	18.
20	850.	1194.	N.A.	197.	11: 8	1563.	54.
21	1112.	2024.	N.A.	194.	12: 7	1575.	71.
22	1147.	2079.	N.A.	237.	11:40	1586.	72.
23	1088.	1844.	N.A.	190.	11:45	1600.	68.
24	1075.	1850.	N.A.	190.	12:12	1613.	67.
25	1109.	1845.	N.A.	190.	11:58	1626.	68.
26	1148.	1997.	N.A.	190.	12:23	1639.	70.
27	886.	1307.	N.A.	206.	11:56	1654.	54.
28	491.	265.	N.A.	103.	11:12	1666.	29.
29	609.	824.	N.A.	190.	10: 7	1682.	36.
30	1190.	2008.	N.A.	197.	12:20	1697.	70.
31	983.	1158.	N.A.	172.	10:21	1711.	57.
MEAN	810.	1309.	N.A.			1533.	
STANDARD DEVIATION	344.	709.	N.A.			94.	

ENVIRONMENTAL SUMMARY REPORT

SITE: TAOS STATE OFFICE BLDG.
TAOS, NEW MEXICO

REPORT PERIOD: 82/ 1
SITE NUMBER: 186

LATITUDE: 36.50 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: MOUNTAIN
LONGITUDE: 105.50 DEG WEST PYRANOMETER TILT: 0 DEG ALTITUDE: 6980 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	332.	5.	117.	2.	19.	318.	4:47
2	335.	5.	335.	3.	29.	342.	21: 1
3	4.	6.	13.	11.	31.	16.	14:26
4	*	2.	*	2.	11.	*	15:23
5	352.	4.	76.	2.	25.	344.	23: 4
6	348.	8.	353.	11.	21.	21.	12:40
7	330.	3.	39.	3.	10.	344.	3:58
8	*	2.	*	0.	9.	*	17:44
9	236.	2.	348.	2.	11.	228.	20:24
10	*	1.	*	0.	5.	*	6:21
11	96.	3.	105.	2.	11.	99.	23:16
12	335.	3.	320.	2.	14.	342.	17:48
13	337.	6.	6.	7.	20.	50.	12:30
14	201.	2.	137.	1.	10.	191.	19:44
15	306.	5.	343.	6.	25.	349.	14:17
16	*	4.	*	5.	20.	*	15: 0
17	186.	4.	47.	3.	13.	29.	14:53
18	353.	5.	360.	6.	25.	345.	15: 5
19	330.	3.	129.	2.	19.	316.	18:39
20	283.	6.	340.	7.	15.	333.	10: 9
21	307.	12.	318.	13.	36.	316.	22:10
22	355.	17.	359.	22.	37.	11.	13:59
23	345.	7.	359.	7.	20.	360.	15:19
24	13.	6.	10.	7.	24.	14.	15: 3
25	215.	3.	196.	1.	15.	231.	20:46
26	201.	4.	58.	2.	13.	210.	0:14
27	317.	6.	346.	8.	24.	316.	7: 3
28	228.	3.	47.	1.	25.	304.	18:18
29	228.	7.	275.	8.	24.	186.	21:24
30	250.	5.	326.	4.	16.	354.	15:53
31	302.	4.	349.	5.	22.	336.	15:19
MEAN	264.	5.	212.	5.			
STANDARD DEVIATION	98.7	3.2	140.2	4.6			

ENVIRONMENTAL SUMMARY REPORT

SITE: TAOS STATE OFFICE BLDG.
TAOS, NEW MEXICO

REPORT PERIOD: 82/ 1
SITE NUMBER: 186

LATITUDE: 36.50 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: MOUNTAIN
LONGITUDE: 105.50 DEG WEST PYRANOMETER TILT: 0 DEG ALTITUDE: 6980 FEET

WIND: NUMBER OF HOURS IN EACH VELOCITY INTERVAL

DAY	0-3 MPH	4-7 MPH	8-12 MPH	13-18 MPH	19-24 MPH	25-31 MPH	32-38 MPH	ABOVE 38	MISSING HOURS
1	6	2	2	2	0	0	0	0	12
2	12	3	7	2	0	0	0	0	0
3	16	1	2	2	3	0	0	0	0
4	21	2	1	0	0	0	0	0	0
5	17	2	1	4	0	0	0	0	0
6	5	7	9	3	0	0	0	0	0
7	19	5	0	0	0	0	0	0	0
8	21	3	0	0	0	0	0	0	0
9	18	5	1	0	0	0	0	0	0
10	6	0	0	0	0	0	0	0	18
11	15	2	1	0	0	0	0	0	6
12	14	10	0	0	0	0	0	0	0
13	12	4	7	1	0	0	0	0	0
14	19	5	0	0	0	0	0	0	0
15	15	4	2	3	0	0	0	0	0
16	17	4	2	1	0	0	0	0	0
17	14	8	2	0	0	0	0	0	0
18	13	7	1	2	1	0	0	0	0
19	14	8	1	1	0	0	0	0	0
20	8	6	8	0	0	0	0	0	2
21	7	3	3	5	6	0	0	0	0
22	0	0	4	11	5	4	0	0	0
23	8	9	4	3	0	0	0	0	0
24	11	7	2	4	0	0	0	0	0
25	16	3	5	0	0	0	0	0	0
26	14	9	1	0	0	0	0	0	0
27	5	10	8	1	0	0	0	0	0
28	18	2	4	0	0	0	0	0	0
29	11	3	8	1	0	0	0	0	1
30	7	12	5	0	0	0	0	0	0
31	15	5	2	1	0	0	0	0	1
AVERAGE	12.7	4.9	3.0	1.5	0.5	0.1	0.0	0.0	1.3
TOTAL	394	151	93	47	15	4	0	0	40

ZONE 9



ENVIRONMENTAL SUMMARY REPORT

SITE: EL TORO LIBRARY
EL TORO, CALIFORNIA

REPORT PERIOD: 82/ 1
SITE NUMBER: 173

LATITUDE: 33.68 DEG NORTH
LONGITUDE: 117.70 DEG WEST

AZIMUTH: -30 DEG
PYRANOMETER TILT: 19 DEG

TIME ZONE: PACIFIC
ALTITUDE: 135 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	*	N.A.	N.A.	*	*	2301.	*
2	*	N.A.	N.A.	*	*:*	2305.	*
3	*	N.A.	N.A.	*	*:*	2308.	*
4	*	N.A.	N.A.	*	*:*	2313.	*
5	*	N.A.	N.A.	*	*:*	2317.	*
6	*	N.A.	N.A.	*	*:*	2323.	*
7	*	N.A.	N.A.	*	*:*	2330.	*
8	*	N.A.	N.A.	*	*:*	2334.	*
9	*	N.A.	N.A.	*	*:*	2341.	*
10	*	N.A.	N.A.	*	*:*	2346.	*
11	*	N.A.	N.A.	*	*:*	2355.	*
12	1850.	N.A.	N.A.	251.	12:34	2361.	78.
13	1434.	N.A.	N.A.	237.	11:54	2367.	61.
14	1373.	N.A.	N.A.	237.	12:16	2375.	58.
15	1355.	N.A.	N.A.	226.	11:57	2382.	57.
16	1314.	N.A.	N.A.	226.	11:52	2392.	55.
17	1226.	N.A.	N.A.	233.	11:59	2399.	51.
18	302.	N.A.	N.A.	100.	9:45	2407.	13.
19	1187.	N.A.	N.A.	262.	11:31	2418.	49.
20	485.	N.A.	N.A.	258.	12:32	2426.	20.
21	845.	N.A.	N.A.	319.	12: 9	2434.	35.
22	1205.	N.A.	N.A.	273.	13:38	2443.	49.
23	1492.	N.A.	N.A.	240.	12:12	2455.	61.
24	1509.	N.A.	N.A.	244.	12: 8	2463.	61.
25	1374.	N.A.	N.A.	230.	12:24	2475.	56.
26	1231.	N.A.	N.A.	244.	11:31	2484.	50.
27	911.	N.A.	N.A.	280.	13: 2	2494.	37.
28	449.	N.A.	N.A.	165.	11: 7	2504.	18.
29	1534.	N.A.	N.A.	248.	12:24	2516.	61.
30	1512.	N.A.	N.A.	251.	12:51	2526.	60.
31	1517.	N.A.	N.A.	240.	12:32	2540.	60.
MEAN	1205.E	N.A.	N.A.			2401.	
STANDARD DEVIATION	*	N.A.	N.A.			73.	

ENVIRONMENTAL SUMMARY REPORT

SITE: EL TORO LIBRARY
EL TORO, CALIFORNIA

REPORT PERIOD: 82/ 1
SITE NUMBER: 173

LATITUDE: 33.68 DEG NORTH
LONGITUDE: 117.70 DEG WEST

AZIMUTH: -30 DEG
PYRANOMETER TILT: 19 DEG

TIME ZONE: PACIFIC
ALTITUDE: 135 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	55.	52.	57.	63.	21:58	51.	13:16	N.A.
2	55.	*	55.	60.	0:12	52.	2:41	N.A.
3	*	*	*	*	*:*	*	*:*	N.A.
4	*	*	*	*	*:*	*	*:*	N.A.
5	*	*	*	*	*:*	*	*:*	N.A.
6	*	*	*	*	*:*	*	*:*	N.A.
7	*	*	*	*	*:*	*	*:*	N.A.
8	*	*	*	*	*:*	*	*:*	N.A.
9	*	*	*	*	*:*	*	*:*	N.A.
10	*	*	*	*	*:*	*	*:*	N.A.
11	*	*	*	*	*:*	*	*:*	N.A.
12	57.	64.	49.	71.	12:50	45.	23:58	N.A.
13	56.	67.	48.	76.	14:50	41.	3:37	N.A.
14	55.	66.	48.	76.	11: 2	43.	5: 4	N.A.
15	55.	67.	47.	75.	11:30	41.	6:48	N.A.
16	56.	67.	47.	77.	12:34	41.	6:58	N.A.
17	51.	58.	46.	70.	12:10	38.	6:16	N.A.
18	53.	55.	51.	59.	14:12	48.	4:42	N.A.
19	53.	58.	49.	65.	11:10	46.	6:22	N.A.
20	51.	54.	49.	61.	12:32	46.	13:58	N.A.
21	47.	50.	46.	57.	13:34	41.	23:42	N.A.
22	47.	55.	41.	65.	13:48	35.	6:15	N.A.
23	53.	64.	45.	71.	11:46	37.	4:50	N.A.
24	57.	70.	49.	80.	12:24	43.	5:43	N.A.
25	57.	67.	50.	78.	12:51	44.	6:54	N.A.
26	56.	61.	52.	67.	14:27	48.	7: 5	N.A.
27	56.	60.	53.	68.	11:37	49.	6:54	N.A.
28	52.	54.	50.	61.	11: 7	45.	23:55	N.A.
29	51.	59.	45.	68.	12:19	38.	6:21	N.A.
30	53.	64.	45.	72.	12: 8	38.	5:44	N.A.
31	53.	65.	45.	74.	11: 1	38.	6:43	N.A.
MEAN	54.	61.	48.					N.A.
STANDARD DEVIATION	2.9	5.9	3.7					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: LA QUINTA MOTOR INN
LAS VEGAS, NEVADA

REPORT PERIOD: 82/ 1
SITE NUMBER: 245

LATITUDE: 36.15 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: PACIFIC
LONGITUDE: 115.10 DEG WEST PYRANOMETER TILT: 46 DEG ALTITUDE: 2020 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	1481.	N.A.	N.A.	293.	12:43	3098.	48.
2	1118.	N.A.	N.A.	286.	11:56	3100.	36.
3	1723.	N.A.	N.A.	300.	13:37	3110.	55.
4	710.	N.A.	N.A.	300.	11:28	3109.	23.
5	*	N.A.	N.A.	*	*:*	3112.	*
6	*	N.A.	N.A.	*	*:*	3122.	*
7	*	N.A.	N.A.	*	*:*	3122.	*
8	*	N.A.	N.A.	*	*:*	3125.	*
9	*	N.A.	N.A.	*	*:*	3126.	*
10	*	N.A.	N.A.	*	*:*	3136.	*
11	*	N.A.	N.A.	*	*:*	3136.	*
12	*	N.A.	N.A.	*	*:*	3147.	*
13	*	N.A.	N.A.	*	*:*	3151.	*
14	*	N.A.	N.A.	*	*:*	3152.	*
15	2292.	N.A.	N.A.	303.	13:10	3153.	73.
16	1479.	N.A.	N.A.	293.	13:41	3164.	47.
17	1812.	N.A.	N.A.	296.	12:39	3165.	57.
18	933.	N.A.	N.A.	289.	14: 1	3176.	29.
19	2307.	N.A.	N.A.	310.	12:40	3174.	73.
20	231.	N.A.	N.A.	167.	14:58	3185.	7.
21	1623.	N.A.	N.A.	334.	12:59	3187.	51.
22	1936.	N.A.	N.A.	310.	12:38	3198.	61.
23	1559.	N.A.	N.A.	310.	12: 6	3200.	49.
24	1765.	N.A.	N.A.	286.	12:30	3207.	55.
25	1814.	N.A.	N.A.	293.	12:59	3209.	57.
26	1796.	N.A.	N.A.	307.	12:46	3220.	56.
27	1505.	N.A.	N.A.	282.	11:49	3219.	47.
28	1735.	N.A.	N.A.	317.	12:55	3230.	54.
29	1621.	N.A.	N.A.	303.	12:31	3232.	50.
30	1839.	N.A.	N.A.	307.	13: 3	3239.	57.
31	1864.	N.A.	N.A.	307.	12:48	3241.	58.
MEAN	1578.	N.A.	N.A.			3166.	
STANDARD DEVIATION	489.	N.A.	N.A.			45.	

ENVIRONMENTAL SUMMARY REPORT

SITE: LA QUINTA MOTOR INN
LAS VEGAS, NEVADA

REPORT PERIOD: 82/ 1
SITE NUMBER: 245

LATITUDE: 36.15 DEG NORTH AZIMUTH: 0 DEG TIME_ZONE: PACIFIC
LONGITUDE: 115.10 DEG WEST PYRANOMETER TILT: 46 DEG ALTITUDE: 2020 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	54.	57.	51.	61.	13:37	43.	23:39	60.
2	43.	46.	41.	49.	11:56	34.	23: 8	60.
3	40.	43.	37.	53.	14:25	29.	5:16	60.
4	44.	46.	43.	56.	13:36	35.	3:18	60.
5	46.	*	46.	48.	2: 8	42.	5:47	60.
6	*	*	*	*	*:*	*	*:*	*
7	*	*	*	*	*:*	*	*:*	*
8	*	*	*	*	*:*	*	*:*	*
9	*	*	*	*	*:*	*	*:*	*
10	*	*	*	*	*:*	*	*:*	*
11	*	*	*	*	*:*	*	*:*	*
12	*	*	*	*	*:*	*	*:*	*
13	*	*	*	*	*:*	*	*:*	*
14	*	*	*	*	*:*	*	*:*	*
15	54.	61.	48.	67.	15:28	40.	23:39	58.
16	47.	53.	43.	66.	13:47	35.	7:49	59.
17	47.	53.	43.	66.	15:35	33.	7:40	58.
18	52.	58.	49.	67.	14:22	39.	4:33	59.
19	50.	53.	48.	56.	14:37	43.	4:25	60.
20	44.	44.	45.	49.	20:56	40.	6: 0	59.
21	44.	46.	42.	50.	14:56	37.	23:55	59.
22	41.	44.	39.	49.	14:40	33.	23:44	59.
23	39.	43.	36.	52.	15:44	28.	7:44	57.
24	44.	50.	40.	62.	16:19	31.	7: 2	58.
25	49.	56.	44.	69.	14:51	35.	6:43	58.
26	54.	59.	51.	72.	14:28	36.	6:51	60.
27	53.	57.	46.	66.	15:49	44.	8:16	60.
28	49.	54.	46.	64.	13: 5	36.	8: 1	60.
29	50.	51.	49.	56.	16:21	45.	5:37	61.
30	49.	52.	47.	63.	16:21	37.	8:47	59.
31	50.	54.	47.	67.	15:39	37.	7:49	59.
MEAN	47.	52.	45.					59.
STANDARD DEVIATION	4.7	5.6	4.5					0.9

ENVIRONMENTAL SUMMARY REPORT

SITE: OAKMEAD
SANTA CLARA, CALIFORNIA

REPORT PERIOD: 82/ 1
SITE NUMBER: 197

LATITUDE: 37.20 DEG NORTH AZIMUTH: 0 DEG TIME_ZONE: PACIFIC
LONGITUDE: 121.55 DEG WEST PYRANOMETER TILT: 45 DEG ALTITUDE: 0 FEET

WIND: SPEED IN MPH-DIRECTION IN DEGREES

DAY	AVG WIND DIRECTION	AVG WIND SPEED	DAYTIME DIRECTION	DAYTIME SPEED	MAXIMUM WIND SPEED	MAXIMUM WIND DIRECTION	TIME HR:MN
1	237.	3.	228.	2.	11.	307.	1:59
2	278.	3.	280.	4.	22.	21.	6:0
3	144.	7.	144.	6.	26.	118.	20:8
4	147.	11.	148.	10.	23.	141.	4:24
5	264.	3.	271.	3.	14.	309.	2:39
6	*	1.	*	1.	6.	*	12:57
7	*	1.	*	1.	7.	*	10:51
8	*	1.	*	1.	5.	*	15:31
9	*	0.	*	0.	4.	*	16:14
10	*	0.	*	0.	3.	*	2:54
11	*	0.	*	1.	5.	*	10:50
12	*	1.	*	1.	6.	*	9:5
13	*	0.	*	0.	4.	*	1:5
14	*	0.	*	1.	4.	*	9:52
15	*	1.	*	1.	7.	*	15:16
16	*	0.	*	0.	4.	*	5:35
17	*	0.	*	0.	4.	*	2:44
18	*	2.	*	3.	26.	*	18:24
19	155.	5.	153.	5.	27.	140.	19:50
20	166.	4.	185.	4.	27.	150.	10:16
21	285.	3.	288.	5.	13.	275.	16:31
22	*	1.	*	1.	5.	*	12:43
23	*	2.	*	1.	6.	*	21:26
24	*	1.	*	1.	9.	*	16:50
25	169.	3.	249.	1.	16.	182.	22:31
26	182.	3.	271.	3.	16.	159.	5:0
27	*	2.	*	1.	13.	*	22:0
28	145.	3.	141.	3.	27.	150.	2:11
29	287.	2.	290.	3.	7.	304.	15:21
30	*	1.	*	1.	6.	*	13:45
31	*	1.	*	1.	6.	*	16:21
MEAN	182.	2.	209.	2.			
STANDARD DEVIATION	64.6	2.3	63.2	2.3			

ENVIRONMENTAL SUMMARY REPORT

SITE: OAKMEAD
SANTA CLARA, CALIFORNIA

REPORT PERIOD: 82/ 1
SITE NUMBER: 197

LATITUDE: 37.20 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: PACIFIC
LONGITUDE: 121.55 DEG WEST PYRANOMETER TILT: 45 DEG ALTITUDE: 0 FEET

WIND: NUMBER OF HOURS IN EACH VELOCITY INTERVAL

DAY	0-3 MPH	4-7 MPH	8-12 MPH	13-18 MPH	19-24 MPH	25-31 MPH	32-38 MPH	ABOVE 38	MISSING HOURS
1	17	7	0	0	0	0	0	0	0
2	16	8	0	0	0	0	0	0	0
3	3	14	4	3	0	0	0	0	0
4	0	4	15	5	0	0	0	0	0
5	19	4	1	0	0	0	0	0	0
6	24	0	0	0	0	0	0	0	0
7	24	0	0	0	0	0	0	0	0
8	24	0	0	0	0	0	0	0	0
9	24	0	0	0	0	0	0	0	0
10	5	0	0	0	0	0	0	0	19
11	20	0	0	0	0	0	0	0	4
12	24	0	0	0	0	0	0	0	0
13	24	0	0	0	0	0	0	0	0
14	24	0	0	0	0	0	0	0	0
15	23	1	0	0	0	0	0	0	0
16	24	0	0	0	0	0	0	0	0
17	24	0	0	0	0	0	0	0	0
18	21	3	0	0	0	0	0	0	0
19	7	13	4	0	0	0	0	0	0
20	13	10	1	0	0	0	0	0	0
21	15	8	1	0	0	0	0	0	0
22	24	0	0	0	0	0	0	0	0
23	24	0	0	0	0	0	0	0	0
24	24	0	0	0	0	0	0	0	0
25	16	5	3	0	0	0	0	0	0
26	16	6	2	0	0	0	0	0	0
27	20	4	0	0	0	0	0	0	0
28	20	4	0	0	0	0	0	0	0
29	23	1	0	0	0	0	0	0	0
30	24	0	0	0	0	0	0	0	0
31	23	0	0	0	0	0	0	0	1
AVERAGE	19.0	3.0	1.0	0.3	0.0	0.0	0.0	0.0	0.8
TOTAL	589	92	31	8	0	0	0	0	24

ENVIRONMENTAL SUMMARY REPORT

SITE: SAN ANSELMO SCHOOL
SAN JOSE, CALIFORNIA

REPORT PERIOD: 82/ 1
SITE NUMBER: 145

LATITUDE: 37.21 DEG NORTH
LONGITUDE: 121.54 DEG WEST

AZIMUTH: 0 DEG
PYRANOMETER TILT: 40 DEG

TIME ZONE: PACIFIC
ALTITUDE: 0 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	1026.	N.A.	N.A.	293.	12:41	2931.	35.
2	968.	N.A.	N.A.	282.	11:53	2940.	33.
3	423.	N.A.	N.A.	179.	9:23	2944.	14.
4	66.	N.A.	N.A.	21.	13:49	2944.	2.
5	199.	N.A.	N.A.	164.	14:14	2948.	7.
6	1804.	N.A.	N.A.	293.	12: 1	2958.	61.
7	1715.	N.A.	N.A.	289.	12:15	2959.	58.
8	1659.	N.A.	N.A.	275.	11:51	2960.	56.
9	1691.	N.A.	N.A.	282.	12:33	2965.	57.
10	*	N.A.	N.A.	*	*:*	2976.	*
11	1497.	N.A.	N.A.	261.	11:58	2978.	50.
12	1430.	N.A.	N.A.	272.	12:55	2989.	48.
13	1626.	N.A.	N.A.	279.	11:58	2991.	54.
14	1250.	N.A.	N.A.	268.	12: 7	2993.	42.
15	1053.	N.A.	N.A.	264.	11:58	3005.	35.
16	1528.	N.A.	N.A.	272.	12:14	3008.	51.
17	473.	N.A.	N.A.	154.	14:34	3020.	16.
18	1111.	N.A.	N.A.	314.	12:47	3023.	37.
19	713.	N.A.	N.A.	272.	11:26	3026.	24.
20	199.	N.A.	N.A.	272.	13:54	3038.	7.
21	1050.	N.A.	N.A.	318.	11:55	3047.	34.
22	747.	N.A.	N.A.	250.	14:26	3051.	24.
23	1082.	N.A.	N.A.	300.	12:45	3054.	35.
24	1493.	N.A.	N.A.	282.	11:57	3064.	49.
25	1821.	N.A.	N.A.	300.	12:35	3076.	59.
26	934.	N.A.	N.A.	336.	12: 4	3080.	30.
27	1573.	N.A.	N.A.	289.	12:12	3090.	51.
28	532.	N.A.	N.A.	264.	11: 5	3094.	17.
29	1903.	N.A.	N.A.	311.	12:19	3103.	61.
30	1811.	N.A.	N.A.	300.	12:14	3107.	58.
31	1881.	N.A.	N.A.	300.	11:55	3117.	60.
MEAN	1175.	N.A.	N.A.			3015.	
STANDARD DEVIATION	556.	N.A.	N.A.			57.	

ENVIRONMENTAL SUMMARY REPORT

SITE: SAN ANSELMO SCHOOL
SAN JOSE, CALIFORNIA

REPORT PERIOD: 82/ 1
SITE NUMBER: 145

LATITUDE: 37.21 DEG NORTH
LONGITUDE: 121.54 DEG WEST

AZIMUTH: 0 DEG
PYRANOMETER TILT: 40 DEG

TIME ZONE: PACIFIC
ALTITUDE: 0 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	46.	49.	44.	58.	12:46	40.	7:53	N.A.
2	41.	45.	39.	49.	15:31	34.	22:59	N.A.
3	41.	45.	39.	50.	14:11	33.	0:35	N.A.
4	47.	48.	46.	50.	23:30	40.	0:51	N.A.
5	47.	51.	45.	56.	14: 9	37.	23:56	N.A.
6	39.	46.	34.	53.	13:21	29.	5:42	N.A.
7	38.	46.	33.	53.	14:29	25.	6:34	N.A.
8	40.	49.	34.	58.	14:31	26.	5:13	N.A.
9	41.	50.	36.	62.	14:36	27.	7:19	N.A.
10	33.	*	33.	36.	0: 2	29.	5:22	N.A.
11	48.	54.	41.	63.	14:49	33.	6:33	N.A.
12	46.	54.	41.	62.	14:42	34.	6:26	N.A.
13	46.	55.	41.	64.	15:26	35.	6:27	N.A.
14	43.	50.	38.	59.	12:33	32.	6:15	N.A.
15	42.	48.	38.	63.	15: 5	32.	4:12	N.A.
16	44.	52.	39.	60.	15: 0	34.	0:41	N.A.
17	44.	45.	43.	51.	15:22	38.	7:11	N.A.
18	49.	54.	45.	60.	14: 2	43.	23:49	N.A.
19	44.	48.	41.	57.	14:12	38.	3: 1	N.A.
20	42.	43.	41.	47.	14: 5	39.	23:36	N.A.
21	42.	46.	39.	52.	13:58	34.	22:15	N.A.
22	39.	45.	35.	53.	14:37	28.	6:37	N.A.
23	45.	51.	41.	62.	11:46	34.	0: 2	N.A.
24	48.	53.	44.	61.	15:41	39.	22:37	N.A.
25	51.	60.	45.	71.	12:51	35.	6:16	N.A.
26	50.	55.	47.	61.	12:36	38.	23:53	N.A.
27	45.	51.	40.	60.	13:16	34.	3:53	N.A.
28	45.	48.	43.	55.	15:16	40.	6: 1	N.A.
29	47.	55.	41.	63.	14:22	35.	7:21	N.A.
30	45.	53.	39.	63.	14:33	31.	6:43	N.A.
31	47.	56.	41.	66.	14:56	33.	5:34	N.A.
MEAN	44.	50.	40.					N.A.
STANDARD DEVIATION	3.9	4.1	3.8					N.A.

ENVIRONMENTAL SUMMARY REPORT

SITE: SAN ANSELMO SCHOOL
SAN JOSE, CALIFORNIA

REPORT PERIOD: 82/ 1
SITE NUMBER: 145

LATITUDE: 37.21 DEG NORTH
LONGITUDE: 121.54 DEG WEST


AZIMUTH: 0 DEG
PYRANOMETER TILT: 40 DEG

TIME ZONE: PACIFIC
ALTITUDE: 0 FEET

RELATIVE HUMIDITY IN PER CENT


DAY	RELATIVE HUMIDITY	DAYTIME REL HUM	NIGHTTIME REL HUM	MAXIMUM VALUE	HUMIDITY TIME HR:MN	MINIMUM VALUE	HUMIDITY TIME HR:MN
1	38.	35.	39.	48.	0: 3	32.	14: 6
2	35.	35.	35.	37.	1: 2	32.	23:42
3	30.	29.	30.	32.	0: 3	27.	9: 2
4	43.	49.	39.	52.	13:38	32.	0:14
5	42.	45.	40.	61.	11:13	31.	23:50
6	21.	18.	22.	32.	0:22	11.	17:32
7	15.	13.	17.	18.	3:24	11.	12:15
8	17.	17.	17.	20.	13: 0	14.	7:45
9	19.	18.	20.	22.	18:52	16.	7:19
10	20.	0.	20.	21.	0: 2	19.	4:50
11	24.	25.	23.	28.	10:17	21.	8:19
12	19.	19.	20.	26.	10: 5	13.	16:23
13	17.	16.	17.	19.	10:11	13.	7:52
14	20.	21.	19.	26.	12:33	15.	8: 1
15	21.	23.	20.	25.	15:10	18.	5:29
16	22.	22.	23.	25.	20:36	20.	4:20
17	27.	27.	27.	30.	23:38	25.	0:41
18	29.	30.	28.	34.	12: 5	23.	15:54
19	25.	25.	25.	28.	6:33	19.	16:25
20	28.	32.	25.	36.	14: 5	22.	0: 4
21	24.	26.	23.	32.	10:24	18.	16:18
22	17.	17.	17.	43.	14: 5	12.	16:39
23	20.	19.	20.	24.	16:50	15.	2:10
24	26.	26.	26.	28.	17:12	24.	0: 7
25	28.	28.	28.	33.	17: 1	21.	7:25
26	35.	38.	32.	45.	10: 1	29.	16:36
27	24.	23.	25.	29.	0: 4	20.	7:30
28	29.	33.	27.	36.	12:41	22.	0: 7
29	21.	20.	22.	28.	0:31	13.	15:31
30	20.	20.	21.	24.	19: 5	17.	7:58
31	23.	22.	24.	26.	22:35	20.	7:23
MEAN	25.	26.	25.				
STANDARD DEVIATION	7.	9.	7.				

ZONE 10



NO VALID DATA

ZONE 11



ENVIRONMENTAL SUMMARY REPORT

SITE: CRAFTSMAN ENTERPRISES
DALLAS, TEXAS

REPORT PERIOD: 82/ 1
SITE NUMBER: 249

LATITUDE: 32.75 DEG NORTH
LONGITUDE: 96.70 DEG WEST

AZIMUTH: 0 DEG
PYRANOMETER TILT: 27 DEG

TIME ZONE: CENTRAL
ALTITUDE: 551 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TOTAL TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	1098.	N.A.	N.A.	274.	12:33	2758.	40.
2	1062.	N.A.	N.A.	258.	12:24	2762.	38.
3	942.	N.A.	N.A.	262.	12:35	2770.	34.
4	1724.	N.A.	N.A.	287.	12: 2	2774.	62.
5	1351.	N.A.	N.A.	297.	12:35	2775.	49.
6	1113.	N.A.	N.A.	287.	11:45	2780.	40.
7	1251.	N.A.	N.A.	268.	11:38	2789.	45.
8	1594.	N.A.	N.A.	274.	11:48	2791.	57.
9	1667.	N.A.	N.A.	271.	11:59	2796.	60.
10	*	N.A.	N.A.	*	*:*	2799.	*
11	1785.	N.A.	N.A.	281.	12:24	2809.	64.
12	66.	N.A.	N.A.	32.	11:46	2815.	2.
13	111.	N.A.	N.A.	29.	13:32	2818.	4.
14	1686.	N.A.	N.A.	281.	12:12	2828.	60.
15	1725.	N.A.	N.A.	278.	12:44	2832.	61.
16	1364.	N.A.	N.A.	287.	12:23	2836.	48.
17	1647.	N.A.	N.A.	281.	12:33	2847.	58.
18	1672.	N.A.	N.A.	278.	12:29	2851.	59.
19	838.	N.A.	N.A.	274.	11:42	2863.	29.
20	133.	N.A.	N.A.	80.	12:54	2867.	5.
21	141.	N.A.	N.A.	61.	10:44	2872.	5.
22	1139.	N.A.	N.A.	274.	11:58	2884.	39.
23	1839.	N.A.	N.A.	290.	12: 9	2889.	64.
24	1490.	N.A.	N.A.	293.	12:16	2902.	51.
25	1552.	N.A.	N.A.	319.	11:54	2907.	53.
26	1886.	N.A.	N.A.	281.	12: 2	2913.	65.
27	958.	N.A.	N.A.	271.	13:35	2925.	33.
28	1547.	N.A.	N.A.	281.	13:16	2931.	53.
29	242.	N.A.	N.A.	166.	10:30	2941.	8.
30	33.	N.A.	N.A.	19.	14:36	2947.	1.
31	1751.	N.A.	N.A.	309.	11:46	2960.	59.
MEAN	1180.	N.A.	N.A.			2846.	
STANDARD DEVIATION	610.	N.A.	N.A.			61.	

ENVIRONMENTAL SUMMARY REPORT

SITE: CRAFTSMAN ENTERPRISES
DALLAS, TEXAS

REPORT PERIOD: 82/ 1
SITE NUMBER: 249

LATITUDE: 32.75 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: CENTRAL
LONGITUDE: 96.70 DEG WEST PYRANOMETER TILT: 27 DEG ALTITUDE: 551 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	44.	46.	42.	58.	15: 2	30.	6:58	61.
2	60.	65.	56.	77.	16:19	50.	0:22	54.
3	56.	58.	54.	69.	14:22	42.	23:58	61.
4	48.	53.	45.	64.	14:52	34.	7:15	54.
5	57.	60.	56.	72.	14:53	44.	7:41	57.
6	60.	70.	52.	81.	15:40	32.	23:56	58.
7	31.	33.	30.	40.	14:45	25.	8:34	53.
8	36.	39.	33.	52.	15: 0	26.	7:27	52.
9	44.	51.	39.	65.	15:48	28.	6:23	54.
10	25.	19.	26.	35.	0: 4	18.	7:32	*
11	23.	21.	25.	31.	14:59	7.	7:41	50.
12	27.	31.	25.	32.	10:31	23.	22:31	48.
13	23.	23.	23.	25.	0:50	21.	23:56	49.
14	33.	39.	29.	51.	16:12	16.	4:44	49.
15	48.	55.	42.	67.	15:46	32.	4:54	50.
16	24.	23.	25.	38.	0: 7	14.	23:46	49.
17	25.	28.	23.	38.	15:56	12.	5: 6	59.
18	52.	59.	47.	78.	15:51	31.	0: 1	48.
19	58.	63.	55.	76.	12:41	42.	7:14	52.
20	66.	69.	63.	74.	15:13	60.	2:12	47.
21	61.	65.	58.	69.	11:21	50.	20:25	54.
22	66.	72.	62.	78.	13:23	45.	23:58	52.
23	37.	39.	36.	49.	15:37	27.	7:37	50.
24	46.	50.	44.	62.	14:14	32.	7:31	50.
25	50.	54.	47.	62.	14:24	39.	23:54	50.
26	47.	55.	42.	64.	15: 9	29.	5:52	45.
27	55.	57.	53.	71.	15:37	43.	7:20	47.
28	57.	61.	54.	71.	15:24	44.	5:46	46.
29	65.	67.	63.	71.	11:13	56.	5:38	49.
30	52.	52.	53.	67.	0:12	35.	23:34	50.
31	35.	38.	33.	42.	13:59	32.	2:41	*
MEAN	46.	49.	43.					52.
STANDARD DEVIATION	14.0	15.9	13.1					4.2

ZONE 12



ENVIRONMENTAL SUMMARY REPORT

SITE: FLORIDA SOLAR ENERGY CENTER
CAPE CANAVERAL, FLORIDA

REPORT PERIOD: 82/ 1
SITE NUMBER: 235

LATITUDE: 28.40 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: EASTERN
LONGITUDE: 80.70 DEG WEST PYRANOMETER TILT: 15 DEG ALTITUDE: 50 FEET

INSOLATION

DAY	TOTAL INSOLATION BTU/FT2	TOTAL DIFF INSOLATION BTU/FT2	TOTAL DIR INSOLATION BTU/FT2	MAXIMUM TOTAL INSOLATION VALUE BTU/HR/FT2	TIME HR:MN	EXTRATERRESTRIAL INSOLATION BTU/FT2	TTL INS ----- EXT INS PERCENT
1	1042.	N.A.	N.A.	250.	12: 2	2525.	41.
2	1424.	N.A.	N.A.	241.	12:15	2529.	56.
3	1430.	N.A.	N.A.	250.	12:32	2536.	56.
4	669.	N.A.	N.A.	265.	12:21	2540.	26.
5	1624.	N.A.	N.A.	265.	12: 8	2542.	64.
6	1526.	N.A.	N.A.	253.	12: 7	2548.	60.
7	1407.	N.A.	N.A.	235.	12: 3	2550.	55.
8	568.	N.A.	N.A.	172.	9:29	2556.	22.
9	1310.	N.A.	N.A.	262.	12:35	2564.	51.
10	*	N.A.	N.A.	*	*:*	2571.	*
11	1282.	N.A.	N.A.	280.	12:37	2574.	50.
12	1522.	N.A.	N.A.	256.	12:22	2581.	59.
13	137.	N.A.	N.A.	42.	13:30	2591.	5.
14	518.	N.A.	N.A.	217.	12:46	2595.	20.
15	1522.	N.A.	N.A.	271.	12:48	2603.	58.
16	1554.	N.A.	N.A.	268.	11:56	2608.	60.
17	1488.	N.A.	N.A.	262.	11:35	2619.	57.
18	1216.	N.A.	N.A.	256.	13:49	2624.	46.
19	1517.	N.A.	N.A.	253.	12:16	2635.	58.
20	1547.	N.A.	N.A.	247.	12:18	2644.	59.
21	1327.	N.A.	N.A.	256.	12:23	2650.	50.
22	1453.	N.A.	N.A.	253.	11: 8	2657.	55.
23	1357.	N.A.	N.A.	265.	12:28	2669.	51.
24	863.	N.A.	N.A.	205.	12:16	2675.	32.
25	1718.	N.A.	N.A.	274.	12: 6	2688.	64.
26	1711.	N.A.	N.A.	283.	12: 8	2695.	63.
27	978.	N.A.	N.A.	292.	11:27	2702.	36.
28	1120.	N.A.	N.A.	304.	12:53	2715.	41.
29	1441.	N.A.	N.A.	286.	11:52	2723.	53.
30	931.	N.A.	N.A.	283.	12:18	2736.	34.
31	1455.	N.A.	N.A.	268.	12:37	2744.	53.
MEAN	1255.	N.A.	N.A.			2619.	
STANDARD DEVIATION	385.	N.A.	N.A.			67.	

ENVIRONMENTAL SUMMARY REPORT

SITE: FLORIDA SOLAR ENERGY CENTER
CAPE CANAVERAL, FLORIDA

REPORT PERIOD: 82/ 1
SITE NUMBER: 235

LATITUDE: 28.40 DEG NORTH AZIMUTH: 0 DEG TIME ZONE: EASTERN
LONGITUDE: 80.70 DEG WEST PYRANOMETER TILT: 15 DEG ALTITUDE: 50 FEET

TEMPERATURES IN DEGREES F

DAY	AVERAGE TEMP	DAYTIME TEMP	NIGHTTIME TEMP	MAX TEMPERATURE		MIN TEMPERATURE		INLET WATER TEMPERATURE
				VALUE	TIME HR:MN	VALUE	TIME HR:MN	
1	71.	75.	69.	80.	12:39	67.	0:29	N.A.
2	74.	78.	71.	83.	13:42	68.	3:14	N.A.
3	74.	77.	72.	80.	14:30	71.	3: 7	N.A.
4	72.	75.	70.	81.	14: 3	63.	23:55	N.A.
5	64.	67.	62.	76.	17: 6	57.	6:45	N.A.
6	70.	74.	68.	81.	16:55	62.	6:53	N.A.
7	72.	74.	70.	80.	14:48	64.	7:40	N.A.
8	68.	70.	67.	75.	11:58	64.	23:58	N.A.
9	62.	66.	60.	71.	15:11	52.	23:59	N.A.
10	50.	49.	50.	53.	0: 4	48.	6:18	N.A.
11	43.	44.	42.	53.	17: 3	37.	9:19	N.A.
12	47.	50.	45.	60.	15:13	34.	4:47	N.A.
13	61.	63.	60.	66.	19:44	52.	1:58	N.A.
14	62.	65.	59.	72.	8: 4	45.	23:53	N.A.
15	46.	48.	45.	62.	17:10	37.	7:42	N.A.
16	57.	60.	54.	71.	17: 0	46.	7:18	N.A.
17	60.	63.	57.	70.	17:11	53.	7: 2	N.A.
18	63.	67.	60.	76.	17:12	52.	6:58	N.A.
19	67.	70.	64.	78.	14:24	58.	6:48	N.A.
20	69.	72.	66.	80.	17:17	59.	7: 2	N.A.
21	70.	72.	68.	82.	13:48	63.	7:20	N.A.
22	71.	74.	68.	81.	16: 7	62.	5:48	N.A.
23	73.	76.	71.	82.	14:10	67.	5:54	N.A.
24	66.	66.	65.	73.	17:20	57.	23:55	N.A.
25	63.	67.	59.	75.	17:20	55.	7: 7	N.A.
26	58.	61.	56.	66.	13:45	53.	23:54	N.A.
27	57.	59.	55.	68.	14:44	47.	8:10	N.A.
28	62.	65.	59.	73.	17:25	54.	7:59	N.A.
29	66.	70.	63.	78.	13:49	57.	6:56	N.A.
30	68.	71.	67.	76.	12:29	65.	7: 4	N.A.
31	71.	73.	69.	77.	13:20	66.	0:18	N.A.
MEAN	64.	66.	62.					N.A.
STANDARD DEVIATION	8.4	8.9	8.1					N.A.