

DOE/WSPO--98004012

Enclosure

QUARTERLY ENVIRONMENTAL DATA SUMMARY FOR FOURTH QUARTER 1997

In support of the Weldon Spring Site Remedial Action Project Federal Facilities Agreement, a copy of the Quarterly Environmental Data Summary (QEDS) for the fourth quarter of 1997 is enclosed.

The data presented constitute the QEDS. The data were received from the contract laboratories, verified by the Weldon Spring Site verification group and, except for air monitoring data and site KPA generated data (uranium analyses), merged into the data base during the fourth quarter of 1997. Air monitoring data presented are the most recent complete sets of quarterly data. Air data are not stored in the data base and KPA data are not merged into the regular data base.

Significant data, defined as data values that have exceeded defined "above normal" level 2 values, are discussed in this letter for Environmental Monitoring Plan (EMP) generated data only. Above normal level 2 values are based, in ES&H procedures, on historical high values, DOE Derived Concentration Guides (DCGs), NPDES limits and other guidelines. The procedures also establish actions to be taken in response to such data.

All data received and verified during the fourth quarter were within a permissible range of variability except for those detailed below. Select data from groundwater and air media are described in this QEDS for Fourth Quarter 1997.

The attached tables present the most recent data for air and the data merged into the data base during the fourth quarter 1997 for groundwater, NPDES, surface water, and springs.

Graphs showing concentrations of selected contaminants of concern at some of the critical locations have also been included in this QEDS. The graphs are discussed in the separate sections.

NPDES

The uranium concentrations at the three major NPDES outfalls are graphed for January 1997 to December 1997. The graphs are located at the beginning of the NPDES tables. For comparison purposes, the annual average for 1996 is also graphed. Also, the derived concentration guide (DCG) of 600 pCi/l for uranium is noted. The DCG is the concentration of a radionuclide in air or water that, under conditions of continuous exposure for one year by one exposure mode (i.e., ingestion), would result in an effective dose equivalent of 100 mrem. A graph of historical annual averages for the three outfalls is also attached.

Outfall NP-0010, the CMSA sedimentation basin outfall, has remained below the 1996 annual average (50.1 pCi/l) in the fourth quarter for uranium and, because the area has been remediated, it is expected to remain so. Because NP-0010 is a minor outfall, it is not graphed.

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

df

DISCLAIMER

**Portions of this document may be illegible
electronic image products. Images are
produced from the best available original
document.**

Outfall NP-0002 remained well below the 1996 annual average for uranium (54 pCi/l) for each of the three months of the quarter. The final 1997 annual average is 14 pCi/l, well below the 1996 annual average of 54 pCi/l. The reduction is due to the remediation of a majority of the NP-0002 watershed.

Outfall NP-0005 also remained well below the 1996 annual average for uranium (101 pCi/l) for each of the three months of the quarter. The final 1997 annual average is 19 pCi/l, greatly reduced from the 1996 average. The reduction is due to remediation of a large portion of the NP-0005 watershed.

The uranium levels at NP-0003 were lower than the 1996 annual average (88 pCi/l) for October and November and slightly higher for December. The final 1997 annual average is 143 pCi/l, an increase over the 1996 annual average. While most of the outfall NP-0003 watershed has been remediated, it contains Ash Pond, where contaminated soils, concrete, etc., are being stored. This has probably contributed to the higher levels at NP-0003. Water is allowed to continuously discharge from the Ash Pond area only if its uranium activity is measured to be less than 600 pCi/l. The volume of runoff from Ash Pond is low in comparison to the remainder of the watershed. Stabilization of soil piles stored in the Ash Pond area will likely help reduce uranium levels in the storm water run off. However, when material is removed for placement in the cell, fluctuating uranium levels are expected.

All NPDES data merged within the fourth quarter were within normal ranges. Data values that were not resolved in previous QEDS are discussed below.

NPDES STORM WATER OUTFALLS

- Sample NP-0002-081597

This sample for settleable solids was reported in the third quarter 1997 QEDS. Settleable solids were 55 ml/l/hr. Offsite contributions to the outfall were suspected of causing solids to precipitate from site water faster than they otherwise would. Samples collected subsequently were all within permitted limits at <0.1 ml/l/hr. Upstream monitoring for settleable solids will continue to help discriminate site-related settleable solids levels from those caused by upstream influences.

The analytical results for the NPDES outfalls are reported in the quarterly discharge monitoring report as well as in this report.

GROUNDWATER

Chemical Plant

Site Water Treatment Plant and Temporary Storage Area

- Samples GW-2035-Q297 and GW-2035-Q397

The second quarter uranium concentration, at 3.59 pCi/l, was above baseline (1.93 pCi/l) for this location. On-site KPA

analysis of a sample of this location during third quarter 1997 indicated that the value was within normal range at 0.51 pCi/l. In addition, the third quarter uranium result for this location from the off-site laboratory was reported as 0.391 pCi/l, which is also within the normal range.

- Samples GW-2036-Q297 and GW-2036-Q397

The uranium concentration, at 6.59 pCi/l, for this location west of the TSA was reported above baseline (1.64 pCi/l) for the second quarter of 1997. On-site KPA results from a resampling of this location indicated that the uranium level was slightly elevated at 1.8 pCi/l; however, the third quarter off-site analytical result was within normal range at 0.694 pCi/l.

- Samples GW-2038-Q397 and GW-2039-Q397

Metals reported above baseline at these two locations are suspected to be in error. The third quarter value for lead at location MW-2038 was reported as 17.7 ug/l, above the baseline value of 1.65 ug/l. The arsenic value at location MW-2039 (baseline 2.43 ug/l) was reported as 107 ug/l. Both locations were resampled and the values for these metals were reported as non-detections (below 2.0 ug/l for lead and below 2.1 ug/l for arsenic).

VOC Monitoring

- Sample GW-2037-0997, GW-2037-1097, GW-2038-0997, GW-2038-1097, GW-3025-0997, GW-3025-1097, MW-S021-0997 and MW-S021-1097

Monthly monitoring for the Volatile Organic Compounds (VOCs) south and west of Raffinate Pits 3 and 4 at WSSRAP locations MW-2037, MW-2038, MW-3025 and Department of Army location MW-S021 continued during third quarter 1997. Trichloroethene (TCE) concentrations at location MW-2037 ranged from 1,100 ug/l to 1,280 ug/l. Slight decreases in TCE were reported for location MW-S021 where late third quarter 1997 values ranged from 540 ug/l to 592 ug/l as compared to early third quarter 1997 concentrations of up to 620 ug/l. In addition, TCE slightly decreased at location MW-2038 where fourth quarter 1997 values ranged from 370 ug/l to 530 ug/l as compared to third quarter, 1997 values which ranged from 560 ug/l to 620 ug/l. The TCE concentrations at these locations are plotted versus time on the attached figure.

Monthly sampling continued through fourth quarter 1997, and the results will be reported in the first quarter 1998 QEDS. The sampling schedule for 1998 includes bimonthly sampling of these locations.

Enhanced Raffinate Pit Area Monitoring

Enhanced raffinate pit area groundwater monitoring includes

increased sampling frequency and additional analytical parameters over those listed in the 1997 *Environmental Monitoring Program* (EMP) for selected locations in the southern and western portions of the site. The purpose of the changes is to provide increased capability of detecting impacts on groundwater from disturbance of raffinate pit sludge and soil during ongoing remediation efforts. The monitoring includes monthly sampling for 11 groundwater monitoring locations (MW-2037, MW-2038, MW-2039, MW-3003, MW-3023, MW-3024, MW-3025, MW-3027, MW-4001, MW-4002, and MW-4006). The analytical parameters for the 11 locations include nitrate, sulfate, metals (Toxicity List), and total uranium (on-site KPA).

No impacts on groundwater attributable to recent raffinate pit activities were detected during the fourth quarter 1997 monitoring period.

Disposal Cell Detection Monitoring

- Sample GW-2048-Q397-A

Groundwater sampling for the fourth quarter 1997 Disposal Cell Detection Monitoring system (MW-2032, MW-2045, MW-2046, MW-2047, and MW-2048) was completed in October 1997. The analytical results from this event were within the expected ranges (based upon three previous sampling events) for all parameters.

The sampling results from this first year of detection monitoring were statistically evaluated quarterly, and these evaluations will be used to determine baseline groundwater quality conditions against which subsequent monitoring results (during and after waste placement) will be compared.

Weldon Spring Quarry

Quarry Water Treatment Plant

- Samples GW-1035-Q397, GW-1036-Q397, GW-1037-Q397, GW-1040-Q397

Chloride levels for groundwater monitoring locations in the vicinity of the Quarry Water Treatment Plant remained above baseline through the third quarter of 1997. In addition to chloride, fluoride levels suddenly increased at these locations during the second quarter of 1997. St. Charles County began fluoridating their public water supply during June 1997. It was suspected that the recent fluoride and chloride increases, and previous chloride (and related elevated metals) increases were related to a subsurface release of county water from water mains along Missouri State Highway 94. Locations MW-1035 (upgradient of the quarry water treatment plant adjacent to Highway 94) and MW-1036 show the most elevated levels of these ions. The PMC coordinated a field inspection and water line pressure test with St. Charles County Public Water Supply District Number 2 to investigate this possibility. No leaks along the water lines were detected. Surface water samples were collected from along the Little Femme Osage Creek to determine if creek water is contributing to the abnormal groundwater quality, but no

anomalous levels were detected. The monitoring wells will continue to be sampled, and analytical results and any findings from the investigation will be reported in subsequent QEDS. These locations are being evaluated to statistically determine whether baseline adjustments are required.

Quarry Vicinity

No above-normal contaminant values were reported during the fourth quarter reporting period. Groundwater quality in the quarry vicinity continues to show improvement at locations along the quarry rim for total uranium and nitroaromatic compounds.

St. Charles County Well Field

No elevated levels of contaminants originating from the Weldon Spring Quarry were reported during the fourth quarter 1997 data review. Uranium activity results from the last four sampling events at the St. Charles County Well Field are shown on the attached figure.

SPRINGS

No elevated contaminants were reported in samples from springs during the fourth quarter of 1997. Total uranium values at Burgermeister Spring are plotted versus time on the attached figure.

SURFACE WATER

No elevated surface water contaminants were detected in samples collected during the fourth quarter of 1997.

AIR

Data for air monitoring locations are attached. Graphs of the monitoring results are located in front of the tables and discussed below.

The gross alpha concentrations for air particulate monitoring for fourth quarter 1997 are graphed along with the background level (which is based on the first quarter 1996 to the fourth quarter 1997 average concentration), and the background plus 3 standard deviations shown for comparison. The background location is AP-4012, at the Daniel Boone Elementary School in New Melle.

The gamma exposure from environmental TLD monitoring results for the third quarter 1997 are graphed with the background and the background plus 25 mrem quarterly committed effected dose equivalent (TEDE) shown for comparison. The background level is based on monitoring conducted from fourth quarter 1996 to third quarter 1997. The 25 mrem Total Effective Dose Equivalent (TEDE) is based on one-fourth of the annual public dose limit of 100 mrem (TEDE) established in DOE order, 5400.5. The background locations are TD-4005 (west of the army site) and TD-4009 (Daniel Boone Elementary School, New Melle).

The alpha track radon and thoron monitoring results are graphed for the third quarter of 1997. The background level (based on fourth quarter 1996 to third quarter 1997 monitoring) and the Derived Concentration Guide (DCG) for radon and thoron are shown for comparison. The DCG is a reference value for protection of the public and the environment contained in DOE order 5400.5. Although the concentrations for some locations are above the DCG, the locations are all within the site boundary. The background locations are RD-4005 (west of the army site) and RD-4009 (Daniel Boone Elementary School, New Melle).

Two above normal results for air monitoring occurred during the third quarter and they are discussed below.

RAFFINATE PITS

RD-3001-0397, RD-3003-0397


During the third quarter of 1997, the thoron concentrations obtained at the alpha-track monitoring stations RD-3001 (northwest of raffinate pit 4) and RD-3003 (south of raffinate pit 4 and west of the TSA) indicated 1.1 pCi/l and 1.2 pCi/l, respectively. These levels were 1 pCi/l or more above background and were thus considered "above normal" levels for a site perimeter monitoring location. These elevated concentrations were caused by increased exposed surface area of thoron generating waste (i.e., sludge) and resulted in a higher thoron release to the surrounding atmosphere. Dose assessment was performed based on these measurements, and the assessment indicated an Effective Dose Equivalent (EDE) of less than 0.1 mrem to members of the public in the area. A follow-up sample was collected during the fourth quarter of 1997. The results have not yet been received, but they will be reported in the first quarter 1998 QEDS. Sludge consolidation is complete and, therefore, thoron concentrations are expected to decrease.

SUMMARY


The data described in this report are highlighted as being above prescribed baseline values, varying from historical ranges, or being above regulatory guidelines or limits. As a result, they are subject to more focused attention by the WSSRAP Environmental Protection Group. Continuous trends are monitored to determine the possible need for additional action. Except for the highlighted data, all other indicators subject to reporting in the QEDS were within historic range or below reporting criteria.

If you have any questions, please contact the WSSRAP Community Relations Department at (314) 441-8086.


OUTFALL NP-0002 MONTHLY URANIUM




OUTFALL NP-0003 MONTHLY URANIUM



OUTFALL NP-0005 MONTHLY URANIUM



URANIUM ANNUAL AVERAGE MAJOR NPDES STORM WATER OUTFALLS



NPDES
DATA MERGED DURING FOURTH QUARTER 1997


WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
NP-0002-091797	09/17/97	CHLORIDE	230	6.40	MG/L	EPA 300.0
NP-0002-091797	09/17/97	FLUORIDE	0.390	0.0200	MG/L	EPA 300.0
NP-0002-091797	09/17/97	GROSS ALPHA	24.4	1.91	PCI/L	EPA 900.0
NP-0002-101397	10/13/97	GROSS ALPHA	(9.91	13.9	PCI/L	EPA 900.0
NP-0002-110397	11/03/97	GROSS ALPHA	15.6	4.41	PCI/L	EPA 900.0
NP-0002-091797	09/17/97	NITRATE-N	0.810	0.00700	MG/L	EPA 353.1
NP-0002-101397	10/13/97	NITRATE-N	0.278	0.0100	MG/L	EPA 353.2
NP-0002-091797	09/17/97	SULFATE	43.8	0.900	MG/L	EPA 300.0
NP-0002-091797	09/17/97	TOTAL SUSPENDED SOLIDS	1220	33.4	MG/L	EPA 160.2
NP-0002-101397	10/13/97	TOTAL SUSPENDED SOLIDS	38.0	2.00	MG/L	EPA 160.2
NP-0002-091797	09/17/97	URANIUM, TOTAL	6.28	0.0643	PCI/L	ASTM 5174-91
NP-0002-101397	10/13/97	URANIUM, TOTAL	6.09	0.0752	PCI/L	EPA 6020
NP-0002-110397	11/03/97	URANIUM, TOTAL	8.83	0.0203	PCI/L	ASTM 5174-91
NP-0003-091797	09/17/97	ARSENIC	283	2.5	UG/L	EPA 6010A
NP-0003-091797	09/17/97	ARSENIC	4.5	4	UG/L	EPA 200.7
NP-0003-100797	10/07/97	ARSENIC	ND	100	UG/L	EPA 200.7
NP-0003-091797	09/17/97	CHROMIUM	10.4	0.5	UG/L	EPA 6010A
NP-0003-091797	09/17/97	CHROMIUM	21.2	2	UG/L	EPA 200.7
NP-0003-100797	10/07/97	CHROMIUM	ND	10.0	UG/L	EPA 200.7
NP-0003-091797	09/17/97	GROSS ALPHA	29.9	2.47	PCI/L	EPA 900.0
NP-0003-100797	10/07/97	GROSS ALPHA	26.9	4.15	PCI/L	EPA 900.0
NP-0003-110397	11/03/97	GROSS ALPHA	45.7	1.74	PCI/L	EPA 900.0
NP-0003-091797	09/17/97	LEAD	9.7	1.2	UG/L	EPA 6010A
NP-0003-091797	09/17/97	LEAD	ND	9.5	UG/L	EPA 200.7
NP-0003-100797	10/07/97	LEAD	ND	50.0	UG/L	EPA 200.7
NP-0003-091797	09/17/97	NITRATE-N	1.02	0.00700	MG/L	EPA 353.1
NP-0003-100797	10/07/97	NITRATE-N	0.025	0.0100	MG/L	EPA 353.2
NP-0003-091797	09/17/97	RADIUM-226	1.13	0.388	PCI/L	EPA 903.1
NP-0003-110397	11/03/97	RADIUM-226	0.306	0.200	PCI/L	EPA 903.0
NP-0003-091797	09/17/97	RADIUM-228	2.43	0.746	PCI/L	EPA 904.0
NP-0003-110397	11/03/97	RADIUM-228	1.48	1.32	PCI/L	EPA 904.0
NP-0003-091797	09/17/97	THALLIUM	ND	2.4	UG/L	EPA 6010A
NP-0003-091797	09/17/97	THALLIUM	ND	7	UG/L	EPA 200.7
NP-0003-100797	10/07/97	THALLIUM	ND	100	UG/L	EPA 200.7
NP-0003-091797	09/17/97	THORIUM-228	ND	0.172	PCI/L	HASL 300
NP-0003-110397	11/03/97	THORIUM-228	(0.09	0.360	PCI/L	EML TH-01
NP-0003-091797	09/17/97	THORIUM-230	(0.05	0.0899	PCI/L	HASL 300
NP-0003-110397	11/03/97	THORIUM-230	0.555	0.279	PCI/L	EML TH-01
NP-0003-091797	09/17/97	THORIUM-232	ND	0.0649	PCI/L	HASL 300
NP-0003-110397	11/03/97	THORIUM-232	(0.13	0.302	PCI/L	EML TH-01
NP-0003-091797	09/17/97	TOTAL SUSPENDED SOLIDS	280	16.7	MG/L	EPA 160.2
NP-0003-100797	10/07/97	TOTAL SUSPENDED SOLIDS	51.0	2.00	MG/L	EPA 160.2
NP-0003-091797	09/17/97	URANIUM, TOTAL	19.2	0.0643	PCI/L	ASTM 5174-91
NP-0003-100797	10/07/97	URANIUM, TOTAL	13.7	0.0752	PCI/L	EPA 6020
NP-0003-110397	11/03/97	URANIUM, TOTAL	45.8	0.0203	PCI/L	ASTM 5174-91
NP-0005-072197	07/21/97	ARSENIC	ND	100	UG/L	EPA 200.7
NP-0005-072197	07/21/97	CHROMIUM	ND	10.0	UG/L	EPA 200.7
NP-0005-072197	07/21/97	GROSS ALPHA	25.5	4.49	PCI/L	EPA 900.0
NP-0005-091797	09/17/97	GROSS ALPHA	13.0	4.35	PCI/L	EPA 900.0
NP-0005-100997	10/09/97	GROSS ALPHA	32.6	4.19	PCI/L	EPA 900.0
NP-0005-110397	11/03/97	GROSS ALPHA	17.9	2.37	PCI/L	EPA 900.0
NP-0005-072197	07/21/97	LEAD	ND	50.0	UG/L	EPA 200.7
NP-0005-072197	07/21/97	NITRATE-N	ND	0.0100	MG/L	EPA 353.2
NP-0005-091797	09/17/97	NITRATE-N	0.740	0.00700	MG/L	EPA 353.1
NP-0005-100997	10/09/97	NITRATE-N	ND	0.0100	MG/L	EPA 353.2
NP-0005-072197	07/21/97	RADIUM-226	0.190	0.116	PCI/L	EPA 903.1
NP-0005-072197	07/21/97	RADIUM-228	1.37	1.32	PCI/L	EPA 904.0
NP-0005-072197	07/21/97	THALLIUM	ND	100	UG/L	EPA 200.7

WSSAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
NP-0005-072197	07/21/97	THORIUM-228	0.14	0.115	PCI/L	DOERP725
NP-0005-072197	07/21/97	THORIUM-230	0.18	0.0465	PCI/L	DOERP725
NP-0005-072197	07/21/97	THORIUM-232	0.019	0.0171	PCI/L	DOERP725
NP-0005-072197	07/21/97	TOTAL SUSPENDED SOLIDS	9.00	4.00	MG/L	EPA 160.2
NP-0005-091797	09/17/97	TOTAL SUSPENDED SOLIDS	33.2	3.34	MG/L	EPA 160.2
NP-0005-100997	10/09/97	TOTAL SUSPENDED SOLIDS	6.00	2.00	MG/L	EPA 160.2
NP-0005-072197	07/21/97	URANIUM, TOTAL	35.4	0.0752	PCI/L	EPA 6020
NP-0005-091797	09/17/97	URANIUM, TOTAL	13.0	0.0643	PCI/L	ASTM 5174-91
NP-0005-100997	10/09/97	URANIUM, TOTAL	36.6	0.0752	PCI/L	EPA 6020
NP-0005-110397	11/03/97	URANIUM, TOTAL	19.8	0.0203	PCI/L	ASTM 5174-91
NP-0006-100297	10/02/97	BIOCHEMICAL OXYGEN DEMAND	12.1	2	MG/L	EPA 405.1
NP-0006-100297	10/02/97	FECAL COLIFORM	ND	1	C/100ML	ASTM
NP-0006-100297	10/02/97	TOTAL SUSPENDED SOLIDS	9	2	MG/L	EPA 160.2
NP-0010-091797	09/17/97	GROSS ALPHA	3.45	2.80	PCI/L	EPA 900.0
NP-0010-091797	09/17/97	NITRATE-N	0.120	0.00700	MG/L	EPA 353.1
NP-0010-091797	09/17/97	TOTAL SUSPENDED SOLIDS	14.4	3.34	MG/L	EPA 160.2
NP-0010-091797	09/17/97	URANIUM, TOTAL	2.25	0.0643	PCI/L	ASTM 5174-91
NP-0040-091797	09/17/97	OIL & GREASE	2.04	1.67	MG/L	EPA 9070
NP-EPS2-091597	09/15/97	2,4-DINITROTOLUENE	ND	0.015	UG/L	USATHAMA
NP-EPS2-091597	09/15/97	ARSENIC	2.2	2.0	UG/L	EPA 200.7
NP-EPS2-091597	09/15/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
NP-EPS2-091597	09/15/97	CHLORIDE	174	12.5	MG/L	EPA 300.0
NP-EPS2-091597	09/15/97	CHROMIUM	ND	3.0	UG/L	EPA 200.7
NP-EPS2-091597	09/15/97	CYANIDE, AMENABLE	4.4	4.0	UG/L	EPA 335.1
NP-EPS2-091597	09/15/97	FLUORIDE	3.0	0.25	MG/L	EPA 300.0
NP-EPS2-091597	09/15/97	GROSS ALPHA	12.4	7.05	PCI/L	EPA 900.0
NP-EPS2-091597	09/15/97	GROSS BETA	38	9	PCI/L	EPA 900.0
NP-EPS2-091597	09/15/97	LEAD	ND	1.0	UG/L	EPA 200.7
NP-EPS2-091597	09/15/97	MANGANESE	2.0	2.0	UG/L	EPA 200.7
NP-EPS2-091597	09/15/97	MERCURY	ND	0.10	UG/L	EPA 245.1
NP-EPS2-091597	09/15/97	NITRATE-N	7.13	0.225	MG/L	EPA 300.0
NP-EPS2-091597	09/15/97	RADIUM-226	2.24	0.71	PCI/L	EPA 903
NP-EPS2-091597	09/15/97	RADIUM-228	(1.33)	8.70	PCI/L	EPA 904.0
NP-EPS2-091597	09/15/97	SELENIUM	5.5	1.0	UG/L	EPA 200.9
NP-EPS2-091597	09/15/97	SULFATE	350	25	MG/L	EPA 300.0
NP-EPS2-091597	09/15/97	THORIUM-228	(0.42)	0.57	PCI/L	USAECROM3008
NP-EPS2-091597	09/15/97	THORIUM-230	ND	4.94	PCI/L	USAECROM3008
NP-EPS2-091597	09/15/97	THORIUM-232	(0.2)	0.28	PCI/L	USAECROM3008
NP-EPS2-091597	09/15/97	TOTAL SUSPENDED SOLIDS	3	2	MG/L	EPA 160.2
NP-EPS2-091597	09/15/97	URANIUM, TOTAL	5.5	0.677	PCI/L	ASTM D2907
NP-EQ12-091197	09/11/97	2,4-DINITROTOLUENE	ND	0.0166	UG/L	EPA 8330
NP-EQ12-091197	09/11/97	ARSENIC	ND	2.5	UG/L	EPA 6010A
NP-EQ12-091197	09/11/97	CHEMICAL OXYGEN DEMAND	7.77	5.0	MG/L	EPA 410.4
NP-EQ12-091197	09/11/97	CHLORIDE	118	1.28	MG/L	EPA 300.0
NP-EQ12-091197	09/11/97	CHROMIUM	ND	0.5	UG/L	EPA 6010A
NP-EQ12-091197	09/11/97	COPPER	ND	0.60	UG/L	EPA 6010A
NP-EQ12-091197	09/11/97	CYANIDE, AMENABLE	ND	0.00200	MG/L	EPA 335.1
NP-EQ12-091197	09/11/97	FLUORIDE	0.359	0.02	MG/L	EPA 300.0
NP-EQ12-091197	09/11/97	GROSS ALPHA	(3.5)	4	PCI/L	EPA 900.0
NP-EQ12-091197	09/11/97	GROSS BETA	8.5	6	PCI/L	EPA 900.0
NP-EQ12-091197	09/11/97	LEAD	1.8	1.2	UG/L	EPA 6010A
NP-EQ12-091197	09/11/97	MANGANESE	8.4	1.1	UG/L	EPA 6010A
NP-EQ12-091197	09/11/97	MERCURY	ND	0.1	UG/L	EPA7470A
NP-EQ12-091197	09/11/97	NITRATE-N	0.150	0.00700	MG/L	EPA 353.1
NP-EQ12-091197	09/11/97	RADIUM-226	0.3	0.3	PCI/L	SM-705
NP-EQ12-091197	09/11/97	RADIUM-228	ND	6	PCI/L	PERC/BROOKS
NP-EQ12-091197	09/11/97	SELENIUM	3.3	2.5	UG/L	EPA7740
NP-EQ12-091197	09/11/97	SULFATE	143	1.80	MG/L	EPA 300.0
NP-EQ12-091197	09/11/97	THORIUM-228	(0.1)	3	PCI/L	USAEC
NP-EQ12-091197	09/11/97	THORIUM-230	ND	6	PCI/L	USAEC
NP-EQ12-091197	09/11/97	THORIUM-232	(0.02)	2	PCI/L	USAEC


WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
NP-EQ12-091197	09/11/97	TOTAL SUSPENDED SOLIDS	0.33	2.79	MG/L	EPA 160.2
NP-EQ12-091197	09/11/97	URANIUM, TOTAL	0.8	0.677	PCI/L	ASTM D2907

GROUNDWATER


GROUNDWATER TCE




QUARRY GROUNDWATER TNT



WELL FIELD TOTAL URANIUM



BURGERMEISTER SPRING, LOW FLOW



GROUNDWATER
DATA MERGED DURING FOURTH QUARTER 1997

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-1002-Q197	03/10/97	1,3,5-TRINITROBENZENE	36	0.030	UG/L	USATHAMA
GW-1002-Q197	03/10/97	1,3-DINITROBENZENE	0.24	0.090	UG/L	USATHAMA
GW-1002-Q197	03/10/97	2,4,6-TRINITROTOLUENE	9.6	0.030	UG/L	USATHAMA
GW-1002-Q197	03/10/97	2,4-DINITROTOLUENE	0.077	0.030	UG/L	USATHAMA
GW-1002-Q197	03/10/97	2,6-DINITROTOLUENE	6.1	0.010	UG/L	USATHAMA
GW-1002-Q397	07/14/97	ARSENIC	ND	100	UG/L	EPA CLP
GW-1002-Q197	03/10/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1002-Q397	07/14/97	RADIUM-226	0.234	0.061	PCI/L	EPA 903.1
GW-1002-Q397	07/14/97	RADIUM-228	ND	1.27	PCI/L	EPA 904.0
GW-1002-Q397	07/14/97	SULFATE	78.4	2.00	MG/L	EPA 300.0
GW-1002-Q397	07/14/97	THORIUM-228	ND	0.165	PCI/L	DOERP725
GW-1002-Q397	07/14/97	THORIUM-230	0.327	0.0506	PCI/L	DOERP725
GW-1002-Q397	07/14/97	THORIUM-232	ND	0.0401	PCI/L	DOERP725
GW-1002-Q397	07/14/97	URANIUM, TOTAL	4.40	0.0752	PCI/L	EPA 6020
GW-1004-Q197	03/10/97	1,3,5-TRINITROBENZENE	0.72	0.030	UG/L	USATHAMA
GW-1004-Q197	03/10/97	1,3-DINITROBENZENE	0.04	0.090	UG/L	USATHAMA
GW-1004-Q197	03/10/97	2,4,6-TRINITROTOLUENE	2.2	0.030	UG/L	USATHAMA
GW-1004-Q197	03/10/97	2,4-DINITROTOLUENE	0.12	0.030	UG/L	USATHAMA
GW-1004-Q197	03/10/97	2,6-DINITROTOLUENE	0.39	0.010	UG/L	USATHAMA
GW-1004-Q197	03/10/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1004-Q397	07/14/97	RADIUM-226	0.328	0.060	PCI/L	EPA 903.1
GW-1004-Q397	07/14/97	RADIUM-228	3.50	1.28	PCI/L	EPA 904.0
GW-1004-Q397	07/14/97	SULFATE	132	2.00	MG/L	EPA 300.0
GW-1004-Q397	07/14/97	THORIUM-228	ND	0.144	PCI/L	DOERP725
GW-1004-Q397	07/14/97	THORIUM-230	0.150	0.0657	PCI/L	DOERP725
GW-1004-Q397	07/14/97	THORIUM-232	0.03	0.0588	PCI/L	DOERP725
GW-1004-Q397	07/14/97	URANIUM, TOTAL	2460	7.52	PCI/L	EPA 6020
GW-1005-Q197	03/10/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1005-Q197	03/10/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1005-Q197	03/10/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1005-Q197	03/10/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1005-Q197	03/10/97	2,6-DINITROTOLUENE	0.017	0.010	UG/L	USATHAMA
GW-1005-Q397	07/14/97	ARSENIC	28.5	2.0	UG/L	EPA CLP
GW-1005-Q397	07/14/97	BARIUM	1100	5.00	UG/L	EPA CLP
GW-1005-Q397-F	07/14/97	BARIUM	51.7	5.00	UG/L	EPA CLP
GW-1005-Q397	07/14/97	CADMIUM	ND	5.00	UG/L	EPA CLP
GW-1005-Q397	07/14/97	CHROMIUM	136	10.0	UG/L	EPA CLP
GW-1005-Q397	07/14/97	LEAD	170	7.5	UG/L	EPA CLP
GW-1005-Q397	07/14/97	MERCURY	0.300	0.100	UG/L	EPA CLP
GW-1005-Q197	03/10/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1005-Q397	07/14/97	RADIUM-226	1.26	0.064	PCI/L	EPA 903.1
GW-1005-Q397	07/14/97	RADIUM-228	ND	1.29	PCI/L	EPA 904.0
GW-1005-Q397	07/14/97	SELENIUM	ND	12.5	UG/L	EPA CLP
GW-1005-Q397	07/14/97	SILVER	ND	5.00	UG/L	EPA CLP
GW-1005-Q397	07/14/97	SULFATE	538	10.0	MG/L	EPA 300.0
GW-1005-Q397-F	07/14/97	SULFATE	534	10.0	MG/L	EPA 300.0
GW-1005-Q397	07/14/97	THORIUM-228	0.05	0.0981	PCI/L	DOERP725
GW-1005-Q397	07/14/97	THORIUM-230	0.287	0.0586	PCI/L	DOERP725
GW-1005-Q397	07/14/97	THORIUM-232	0.073	0.0586	PCI/L	DOERP725
GW-1005-Q397	07/14/97	URANIUM, TOTAL	2430	7.52	PCI/L	EPA 6020
GW-1005-Q397-F	07/14/97	URANIUM, TOTAL	2250	7.52	PCI/L	EPA 6020
GW-1006-Q197	02/26/97	1,3,5-TRINITROBENZENE	110	0.030	UG/L	USATHAMA
GW-1006-Q397	09/02/97	1,3,5-TRINITROBENZENE	17	0.030	UG/L	USATHAMA
GW-1006-Q197	02/26/97	1,3-DINITROBENZENE	0.08	0.090	UG/L	USATHAMA
GW-1006-Q397	09/02/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1006-Q197	02/26/97	2,4,6-TRINITROTOLUENE	7.3	0.030	UG/L	USATHAMA
GW-1006-Q397	09/02/97	2,4,6-TRINITROTOLUENE	1.6	0.030	UG/L	USATHAMA
GW-1006-Q197	02/26/97	2,4-DINITROTOLUENE	0.45	0.030	UG/L	USATHAMA

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-1006-Q397	09/02/97	2,4-DINITROTOLUENE	0.18	0.030	UG/L	USATHAMA
GW-1006-Q197	02/26/97	2,6-DINITROTOLUENE	1.9	0.010	UG/L	USATHAMA
GW-1006-Q397	09/02/97	2,6-DINITROTOLUENE	1.1	0.010	UG/L	USATHAMA
GW-1006-Q397	09/02/97	ARSENIC	3.5	3.0	UG/L	EPA CLP
GW-1006-Q197	02/26/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1006-Q397	09/02/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1006-Q397	09/02/97	RADIUM-226	0.30	0.28	PCI/L	EPA 903.1
GW-1006-Q397	09/02/97	RADIUM-228	(0.74	0.86	PCI/L	EPA 904.0
GW-1006-Q397	09/02/97	SULFATE	198	0.10	MG/L	EPA 300.0
GW-1006-Q397	09/02/97	THORIUM-228	(0.08	0.27	PCI/L	EPA 907.0
GW-1006-Q397	09/02/97	THORIUM-230	(0.01	0.094	PCI/L	EPA 907.0
GW-1006-Q397	09/02/97	THORIUM-232	(0.04	0.10	PCI/L	EPA 907.0
GW-1006-Q397	09/02/97	URANIUM, TOTAL	1270	4.2	PCI/L	ASTM 5174-91
GW-1007-Q197	02/26/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1007-Q397	09/02/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1007-Q197	02/26/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1007-Q397	09/02/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1007-Q197	02/26/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1007-Q397	09/02/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1007-Q197	02/26/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1007-Q397	09/02/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1007-Q197	02/26/97	2,6-DINITROTOLUENE	(0.00	0.010	UG/L	USATHAMA
GW-1007-Q397	09/02/97	2,6-DINITROTOLUENE	ND	0.01	UG/L	USATHAMA
GW-1007-Q397	09/02/97	ARSENIC	31.9	3.0	UG/L	EPA CLP
GW-1007-Q197	02/26/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1007-Q397	09/02/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1007-Q397	09/02/97	RADIUM-226	0.87	0.20	PCI/L	EPA 903.1
GW-1007-Q397	09/02/97	RADIUM-228	1.18	0.86	PCI/L	EPA 904.0
GW-1007-Q397	09/02/97	SULFATE	304	0.10	MG/L	EPA 300.0
GW-1007-Q397	09/02/97	THORIUM-228	ND	0.26	PCI/L	EPA 907.0
GW-1007-Q397	09/02/97	THORIUM-230	(0.09	0.10	PCI/L	EPA 907.0
GW-1007-Q397	09/02/97	THORIUM-232	0.121	0.085	PCI/L	EPA 907.0
GW-1007-Q397	09/02/97	URANIUM, TOTAL	33.3	4.2	PCI/L	ASTM 5174-91
GW-1008-Q197	02/26/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1008-Q397	09/02/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1008-Q197	02/26/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1008-Q397	09/02/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1008-Q197	02/26/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1008-Q397	09/02/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1008-Q197	02/26/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1008-Q397	09/02/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1008-Q197	02/26/97	2,6-DINITROTOLUENE	(0.00	0.010	UG/L	USATHAMA
GW-1008-Q397	09/02/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1008-Q397	09/02/97	ARSENIC	ND	3.0	UG/L	EPA CLP
GW-1008-Q197	02/26/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1008-Q397	09/02/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1008-Q397	09/02/97	RADIUM-226	0.57	0.31	PCI/L	EPA 903.1
GW-1008-Q397	09/02/97	RADIUM-228	(0.53	0.73	PCI/L	EPA 904.0
GW-1008-Q397	09/02/97	SULFATE	147	0.10	MG/L	EPA 300.0
GW-1008-Q397	09/02/97	THORIUM-228	1.54	0.25	PCI/L	EPA 907.0
GW-1008-Q397	09/02/97	THORIUM-230	1.06	0.13	PCI/L	EPA 907.0
GW-1008-Q397	09/02/97	THORIUM-232	1.17	0.10	PCI/L	EPA 907.0
GW-1008-Q397	09/02/97	URANIUM, TOTAL	2440	8.4	PCI/L	ASTM 5174-91
GW-1009-Q197	02/26/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1009-Q397	09/02/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1009-Q197	02/26/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1009-Q397	09/02/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1009-Q197	02/26/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1009-Q397	09/02/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1009-Q197	02/26/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1009-Q397	09/02/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-1009-Q197	02/26/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1009-Q397	09/02/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1009-Q397	09/02/97	ARSENIC	5.8	3.0	UG/L	EPA CLP
GW-1009-Q197	02/26/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1009-Q397	09/02/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1009-Q397	09/02/97	RADIUM-226	0.47	0.36	PCI/L	EPA 903.1
GW-1009-Q397	09/02/97	RADIUM-228	0.63	0.84	PCI/L	EPA 904.0
GW-1009-Q397	09/02/97	SULFATE	152	0.10	MG/L	EPA 300.0
GW-1009-Q397	09/02/97	THORIUM-228	ND	0.28	PCI/L	EPA 907.0
GW-1009-Q397	09/02/97	THORIUM-230	ND	0.11	PCI/L	EPA 907.0
GW-1009-Q397	09/02/97	THORIUM-232	0.01	0.10	PCI/L	EPA 907.0
GW-1009-Q397	09/02/97	URANIUM, TOTAL	1.10	0.844	PCI/L	ASTM 5174-91
GW-1010-S297	08/27/97	ARSENIC	66.4	2.5	UG/L	EPA 6010A
GW-1010-S297	08/27/97	RADIUM-226	0.34	0.367	PCI/L	EPA 903.1
GW-1010-S297	08/27/97	RADIUM-228	2.49	0.633	PCI/L	EPA 904.0
GW-1010-S297	08/27/97	SULFATE	1.23	1.80	MG/L	EPA 300.0
GW-1010-S297	08/27/97	THORIUM-228	0.171	0.140	PCI/L	HASL 300
GW-1010-S297	08/27/97	THORIUM-230	0.163	0.0365	PCI/L	HASL 300
GW-1010-S297	08/27/97	THORIUM-232	0.096	0.0161	PCI/L	HASL 300
GW-1010-S297	08/27/97	URANIUM, TOTAL	0.270	0.0643	PCI/L	ASTM 5174-91
GW-1011-S297	08/27/97	ARSENIC	ND	2.5	UG/L	EPA 6010A
GW-1011-S297	08/27/97	RADIUM-226	0.03	0.420	PCI/L	EPA 903.1
GW-1011-S297	08/27/97	RADIUM-228	1.75	0.662	PCI/L	EPA 904.0
GW-1011-S297	08/27/97	SULFATE	1.68	1.80	MG/L	EPA 300.0
GW-1011-S297	08/27/97	THORIUM-228	ND	0.134	PCI/L	HASL 300
GW-1011-S297	08/27/97	THORIUM-230	0.124	0.0415	PCI/L	HASL 300
GW-1011-S297	08/27/97	THORIUM-232	0.030	0.0184	PCI/L	HASL 300
GW-1011-S297	08/27/97	URANIUM, TOTAL	4.35	0.0643	PCI/L	ASTM 5174-91
GW-1013-Q197	02/27/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1013-Q397	09/03/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1013-Q197	02/27/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1013-Q397	09/03/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1013-Q197	02/27/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1013-Q397	09/03/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1013-Q197	02/27/97	2,4-DINITROTOLUENE	0.034	0.030	UG/L	USATHAMA
GW-1013-Q397	09/03/97	2,4-DINITROTOLUENE	0.01	0.030	UG/L	USATHAMA
GW-1013-Q197	02/27/97	2,6-DINITROTOLUENE	0.012	0.010	UG/L	USATHAMA
GW-1013-Q397	09/03/97	2,6-DINITROTOLUENE	0.00	0.010	UG/L	USATHAMA
GW-1013-Q397	09/03/97	ARSENIC	ND	3.0	UG/L	EPA CLP
GW-1013-Q197	02/27/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1013-Q397	09/03/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1013-Q397	09/03/97	RADIUM-226	0.40	0.34	PCI/L	EPA 903.1
GW-1013-Q397	09/03/97	RADIUM-228	0.94	0.80	PCI/L	EPA 904.0
GW-1013-Q397	09/03/97	SULFATE	93.6	0.10	MG/L	EPA 300.0
GW-1013-Q397	09/03/97	THORIUM-228	0.06	0.27	PCI/L	EPA 907.0
GW-1013-Q397	09/03/97	THORIUM-230	ND	0.13	PCI/L	EPA 907.0
GW-1013-Q397	09/03/97	THORIUM-232	0.01	0.074	PCI/L	EPA 907.0
GW-1013-Q397	09/03/97	URANIUM, TOTAL	576	1.7	PCI/L	ASTM 5174-91
GW-1014-Q197	02/27/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1014-Q397	09/03/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1014-Q197	02/27/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1014-Q397	09/03/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1014-Q197	02/27/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1014-Q397	09/03/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1014-Q197	02/27/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1014-Q397	09/03/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1014-Q197	02/27/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1014-Q397	09/03/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1014-Q197	02/27/97	ARSENIC	ND	3.0	UG/L	EPA CLP
GW-1014-Q197	02/27/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1014-Q397	09/03/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-1014-Q397	09/03/97	RADIUM-226	(0.16	0.28	PCI/L	EPA 903.1
GW-1014-Q397	09/03/97	RADIUM-228	(0.61	0.78	PCI/L	EPA 904.0
GW-1014-Q397	09/03/97	SULFATE	95.1	0.10	MG/L	EPA 300.0
GW-1014-Q397	09/03/97	THORIUM-228	(0.07	0.23	PCI/L	EPA 907.0
GW-1014-Q397	09/03/97	THORIUM-230	(0.02	0.11	PCI/L	EPA 907.0
GW-1014-Q397	09/03/97	THORIUM-232	(0.01	0.064	PCI/L	EPA 907.0
GW-1014-Q397	09/03/97	URANIUM, TOTAL	708	1.7	PCI/L	ASTM 5174-91
GW-1015-Q397	09/04/97	1,3,5-TRINITROBENZENE	3.2	0.030	UG/L	USATHAMA
GW-1015-Q397	09/04/97	1,3-DINITROBENZENE	ND	0.18	UG/L	USATHAMA
GW-1015-Q397	09/04/97	2,4,6-TRINITROTOLUENE	1.4	0.030	UG/L	USATHAMA
GW-1015-Q397	09/04/97	2,4-DINITROTOLUENE	(0.02	0.030	UG/L	USATHAMA
GW-1015-Q397	09/04/97	2,6-DINITROTOLUENE	0.16	0.010	UG/L	USATHAMA
GW-1015-Q397	09/04/97	ARSENIC	2.6	2.5	UG/L	EPA 6010A
GW-1015-Q397	09/04/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1015-Q397	09/04/97	RADIUM-226	0.807	0.396	PCI/L	EPA 903.1
GW-1015-Q397	09/04/97	RADIUM-228	1.10	0.572	PCI/L	EPA 904.0
GW-1015-Q397	09/04/97	SULFATE	126	1.8	MG/L	EPA 300.0
GW-1015-Q397	09/04/97	THORIUM-228	0.282	0.175	PCI/L	HASL 300
GW-1015-Q397	09/04/97	THORIUM-230	0.136	0.0687	PCI/L	HASL 300
GW-1015-Q397	09/04/97	THORIUM-232	(0.04	0.0836	PCI/L	HASL 300
GW-1015-Q397	09/04/97	URANIUM, TOTAL	273	0.0643	PCI/L	ASTM 5174-91
GW-1016-Q397	09/04/97	1,3,5-TRINITROBENZENE	0.070	0.030	UG/L	USATHAMA
GW-1016-Q397	09/04/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1016-Q397	09/04/97	2,4,6-TRINITROTOLUENE	0.047	0.030	UG/L	USATHAMA
GW-1016-Q397	09/04/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1016-Q397	09/04/97	2,6-DINITROTOLUENE	0.023	0.010	UG/L	USATHAMA
GW-1016-Q397	09/04/97	ARSENIC	ND	2.5	UG/L	EPA 6010A
GW-1016-Q397	09/04/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1016-Q397	09/04/97	RADIUM-226	0.529	0.325	PCI/L	EPA 903.1
GW-1016-Q397	09/04/97	RADIUM-228	2.25	0.610	PCI/L	EPA 904.0
GW-1016-Q397	09/04/97	SULFATE	144	1.8	MG/L	EPA 300.0
GW-1016-Q397	09/04/97	THORIUM-228	0.189	0.172	PCI/L	HASL 300
GW-1016-Q397	09/04/97	THORIUM-230	0.168	0.0737	PCI/L	HASL 300
GW-1016-Q397	09/04/97	THORIUM-232	0.082	0.0501	PCI/L	HASL 300
GW-1016-Q397	09/04/97	URANIUM, TOTAL	168	0.0643	PCI/L	ASTM 5174-91
GW-1023-092297	09/22/97	THORIUM-228	0.140	0.0946	PCI/L	DOERP725
GW-1023-092297	09/22/97	THORIUM-230	0.260	0.0774	PCI/L	DOERP725
GW-1023-092297	09/22/97	THORIUM-232	0.120	0.0581	PCI/L	DOERP725
GW-1024-Q197	02/27/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1024-Q397	09/09/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1024-Q197	02/27/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1024-Q397	09/09/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1024-Q197	02/27/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1024-Q397	09/09/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1024-Q197	02/27/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1024-Q397	09/09/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1024-Q197	02/27/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1024-Q397	09/09/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1024-Q197	02/27/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1024-Q397	09/09/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1024-Q397-RE	09/09/97	URANIUM, TOTAL	2.0	0.2	PCI/L	ASTM D2907
GW-1026-Q197	03/04/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1026-Q197	03/04/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1026-Q197	03/04/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1026-Q197	03/04/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1026-Q197	03/04/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1026-Q397	08/07/97	CHLORIDE	2.92	0.0640	MG/L	EPA 300.0
GW-1026-Q197	03/04/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1026-Q397	08/07/97	RADIUM-226	0.694	0.468	PCI/L	EPA 903.1
GW-1026-Q397	08/07/97	RADIUM-228	1.21	0.753	PCI/L	EPA 904.0
GW-1026-Q397	08/07/97	SULFATE	2.68	0.0900	MG/L	EPA 300.0

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-1026-Q397	08/07/97	THORIUM-228	(0.06	0.123	PCI/L	HASL 300
GW-1026-Q397	08/07/97	THORIUM-230	0.241	0.0513	PCI/L	HASL 300
GW-1026-Q397	08/07/97	THORIUM-232	(0.00	0.0355	PCI/L	HASL 300
GW-1026-Q397	08/07/97	URANIUM, TOTAL	(0.08	0.0643	PCI/L	ASTM 5174-91
GW-1027-Q197	03/04/97	1,3,5-TRINITROBENZENE	(0.01	0.030	UG/L	USATHAMA
GW-1027-Q197	03/04/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1027-Q197	03/04/97	2,4,6-TRINITROTOLUENE	0.30	0.030	UG/L	USATHAMA
GW-1027-Q197	03/04/97	2,4-DINITROTOLUENE	1.6	0.030	UG/L	USATHAMA
GW-1027-Q197	03/04/97	2,6-DINITROTOLUENE	0.46	0.010	UG/L	USATHAMA
GW-1027-Q397	08/07/97	ARSENIC	ND	2.5	UG/L	ILM04.0
GW-1027-Q397	08/07/97	CHLORIDE	26.2	0.640	MG/L	EPA 300.0
GW-1027-Q197	03/04/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1027-Q397	08/07/97	RADIUM-226	0.170	0.115	PCI/L	EPA 903.1
GW-1027-Q397	08/07/97	RADIUM-228	1.50	0.716	PCI/L	EPA 904.0
GW-1027-Q397	08/07/97	SULFATE	89.0	0.900	MG/L	EPA 300.0
GW-1027-Q397	08/07/97	THORIUM-228	ND	0.115	PCI/L	HASL 300
GW-1027-Q397	08/07/97	THORIUM-230	0.294	0.0605	PCI/L	HASL 300
GW-1027-Q397	08/07/97	THORIUM-232	ND	0.0517	PCI/L	HASL 300
GW-1027-Q397	08/07/97	URANIUM, TOTAL	201	0.0643	PCI/L	ASTM 5174-91
GW-1028-Q197	02/26/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1028-Q397	09/04/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1028-Q197	02/26/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1028-Q397	09/04/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1028-Q197	02/26/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1028-Q397	09/04/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1028-Q197	02/26/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1028-Q397	09/04/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1028-Q197	02/26/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1028-Q397	09/04/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1028-Q397	09/04/97	ARSENIC	6.9	2.5	UG/L	EPA 6010A
GW-1028-Q197	02/26/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1028-Q397	09/04/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1028-Q397	09/04/97	RADIUM-226	0.508	0.476	PCI/L	EPA 903.1
GW-1028-Q397	09/04/97	RADIUM-228	1.73	0.738	PCI/L	EPA 904.0
GW-1028-Q397	09/04/97	SULFATE	71.7	1.8	MG/L	EPA 300.0
GW-1028-Q397	09/04/97	THORIUM-228	0.226	0.209	PCI/L	HASL 300
GW-1028-Q397	09/04/97	THORIUM-230	(0.03	0.0745	PCI/L	HASL 300
GW-1028-Q397	09/04/97	THORIUM-232	ND	0.108	PCI/L	HASL 300
GW-1028-Q397	09/04/97	URANIUM, TOTAL	3.10	0.0643	PCI/L	ASTM 5174-91
GW-1029-Q197	03/10/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1029-Q197	03/10/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1029-Q197	03/10/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1029-Q197	03/10/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1029-Q197	03/10/97	2,6-DINITROTOLUENE	(0.00	0.010	UG/L	USATHAMA
GW-1029-Q397	07/14/97	ARSENIC	ND	100	UG/L	EPA CLP
GW-1029-Q197	03/10/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1029-Q397	07/14/97	RADIUM-226	1.69	0.034	PCI/L	EPA 903.1
GW-1029-Q397	07/14/97	RADIUM-228	ND	1.24	PCI/L	EPA 904.0
GW-1029-Q397	07/14/97	SULFATE	112	2.00	MG/L	EPA 300.0
GW-1029-Q397	07/14/97	THORIUM-228	ND	0.123	PCI/L	DOERP725
GW-1029-Q397	07/14/97	THORIUM-230	0.150	0.0361	PCI/L	DOERP725
GW-1029-Q397	07/14/97	THORIUM-232	(0.01	0.0133	PCI/L	DOERP725
GW-1029-Q397	07/14/97	URANIUM, TOTAL	2.23	0.0752	PCI/L	EPA 6020
GW-1030-Q197	03/10/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1030-Q197	03/10/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1030-Q197	03/10/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1030-Q197	03/10/97	2,4-DINITROTOLUENE	(0.01	0.030	UG/L	USATHAMA
GW-1030-Q197	03/10/97	2,6-DINITROTOLUENE	(0.00	0.010	UG/L	USATHAMA
GW-1030-Q197	03/10/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1030-Q397	07/14/97	RADIUM-226	1.93	0.050	PCI/L	EPA 903.1
GW-1030-Q397	07/14/97	RADIUM-228	ND	1.20	PCI/L	EPA 904.0

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-1030-Q397	07/14/97	SULFATE	81.2	2.00	MG/L	EPA 300.0
GW-1030-Q397	07/14/97	THORIUM-228	0.04	0.0596	PCI/L	DOERP725
GW-1030-Q397	07/14/97	THORIUM-230	0.363	0.0123	PCI/L	DOERP725
GW-1030-Q397	07/14/97	THORIUM-232	0.104	0.0123	PCI/L	DOERP725
GW-1030-Q397	07/14/97	URANIUM, TOTAL	27.8	0.0677	PCI/L	EPA 6020
GW-1031-Q197	02/27/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1031-Q397	09/03/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1031-Q197	02/27/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1031-Q397	09/03/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1031-Q197	02/27/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1031-Q397	09/03/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1031-Q197	02/27/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1031-Q397	09/03/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1031-Q197	02/27/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1031-Q397	09/03/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1031-Q397	09/03/97	ARSENIC	ND	3.0	UG/L	EPA CLP
GW-1031-Q197	02/27/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1031-Q397	09/03/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1031-Q397	09/03/97	RADIUM-226	0.34	0.31	PCI/L	EPA 903.1
GW-1031-Q397	09/03/97	RADIUM-228	0.73	0.62	PCI/L	EPA 904.0
GW-1031-Q397	09/03/97	SULFATE	70.6	0.10	MG/L	EPA 300.0
GW-1031-Q397	09/03/97	THORIUM-228	ND	0.27	PCI/L	EPA 907.0
GW-1031-Q397	09/03/97	THORIUM-230	0.02	0.11	PCI/L	EPA 907.0
GW-1031-Q397	09/03/97	THORIUM-232	ND	0.13	PCI/L	EPA 907.0
GW-1031-Q397	09/03/97	URANIUM, TOTAL	118	0.42	PCI/L	ASTM 5174-91
GW-1032-Q197	02/26/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1032-Q397	09/03/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1032-Q197	02/26/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1032-Q397	09/03/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1032-Q197	02/26/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1032-Q397	09/03/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1032-Q197	02/26/97	2,4-DINITROTOLUENE	0.02	0.030	UG/L	USATHAMA
GW-1032-Q397	09/03/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1032-Q197	02/26/97	2,6-DINITROTOLUENE	0.016	0.010	UG/L	USATHAMA
GW-1032-Q397	09/03/97	2,6-DINITROTOLUENE	0.00	0.010	UG/L	USATHAMA
GW-1032-Q397	09/03/97	ARSENIC	ND	3.0	UG/L	EPA CLP
GW-1032-Q197	02/26/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1032-Q397	09/03/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1032-Q397	09/03/97	RADIUM-226	0.24	0.19	PCI/L	EPA 903.1
GW-1032-Q397	09/03/97	RADIUM-228	1.19	0.80	PCI/L	EPA 904.0
GW-1032-Q397	09/03/97	SULFATE	222	0.10	MG/L	EPA 300.0
GW-1032-Q397	09/03/97	THORIUM-228	ND	0.29	PCI/L	EPA 907.0
GW-1032-Q397	09/03/97	THORIUM-230	0.00	0.14	PCI/L	EPA 907.0
GW-1032-Q397	09/03/97	THORIUM-232	0.01	0.11	PCI/L	EPA 907.0
GW-1032-Q397	09/03/97	URANIUM, TOTAL	1080	4.2	PCI/L	ASTM 5174-91
GW-1033-Q197	03/06/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1033-Q397	09/16/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1033-Q197	03/06/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1033-Q397	09/16/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1033-Q197	03/06/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1033-Q397	09/16/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1033-Q197	03/06/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1033-Q397	09/16/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1033-Q197	03/06/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1033-Q397	09/16/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1033-Q397	09/16/97	ARSENIC	ND	2.5	UG/L	EPA 6010A
GW-1033-Q197	03/06/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1033-Q397	09/16/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1033-093097	09/30/97	RADIUM-226	0.69	0.22	PCI/L	EPA 903.1
GW-1033-093097	09/30/97	RADIUM-228	1.09	0.72	PCI/L	EPA 904.0
GW-1033-Q397	09/16/97	SULFATE	3.33	0.0900	MG/L	EPA 300.0

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-1033-093097	09/30/97	THORIUM-228	0.09	0.24	PCI/L	EPA 907.0
GW-1033-093097	09/30/97	THORIUM-230	ND	0.13	PCI/L	EPA 907.0
GW-1033-093097	09/30/97	THORIUM-232	0.05	0.10	PCI/L	EPA 907.0
GW-1033-093097	09/30/97	URANIUM, TOTAL	2.22	0.42	PCI/L	ASTM 5174-91
GW-1034-Q397	08/07/97	RADIUM-226	0.40	0.495	PCI/L	EPA 903.1
GW-1034-Q397	08/07/97	RADIUM-228	2.81	0.685	PCI/L	EPA 904.0
GW-1034-Q397	08/07/97	SULFATE	52.5	1.80	MG/L	EPA 300.0
GW-1034-Q397	08/07/97	THORIUM-228	ND	0.0826	PCI/L	HASL 300
GW-1034-Q397	08/07/97	THORIUM-230	0.177	0.0376	PCI/L	HASL 300
GW-1034-Q397	08/07/97	THORIUM-232	0.02	0.0293	PCI/L	HASL 300
GW-1034-Q397	08/07/97	URANIUM, TOTAL	2.25	0.0643	PCI/L	ASTM 5174-91
GW-1035-Q397	08/11/97	ARSENIC	ND	2.5	UG/L	EPA CLP
GW-1035-Q397	08/11/97	BARIUM	285	0.2	UG/L	EPA CLP
GW-1035-Q397	08/11/97	CADMIUM	ND	0.3	UG/L	EPA CLP
GW-1035-Q397	08/11/97	CHLORIDE	25.8	0.640	MG/L	EPA 300.0
GW-1035-Q397	08/11/97	CHROMIUM	1.8	0.5	UG/L	EPA CLP
GW-1035-Q397	08/11/97	FLUORIDE	0.677	0.0200	MG/L	EPA 300.0
GW-1035-Q397	08/11/97	LEAD	ND	1.2	UG/L	EPA CLP
GW-1035-Q397	08/11/97	MERCURY	ND	0.1	UG/L	EPA CLP
GW-1035-Q397	08/11/97	NITRATE-N	0.650	0.00700	MG/L	EPA 353.1
GW-1035-Q397	08/11/97	SELENIUM	ND	2.3	UG/L	EPA CLP
GW-1035-Q397	08/11/97	SILVER	2.6	0.6	UG/L	EPA CLP
GW-1035-Q397	08/11/97	SULFATE	46.0	0.900	MG/L	EPA 300.0
GW-1035-Q397	08/11/97	URANIUM, TOTAL	0.410	0.0643	PCI/L	ASTM 5174-91
GW-1036-Q197	03/05/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1036-Q197	03/05/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1036-Q197	03/05/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1036-Q197	03/05/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1036-Q197	03/05/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1036-Q397	08/11/97	ARSENIC	3.8	2.5	UG/L	EPA CLP
GW-1036-Q397	08/11/97	BARIUM	144	0.2	UG/L	EPA CLP
GW-1036-Q397	08/11/97	CADMIUM	ND	0.3	UG/L	EPA CLP
GW-1036-Q397	08/11/97	CHLORIDE	117	1.28	MG/L	EPA 300.0
GW-1036-Q397	08/11/97	CHROMIUM	3.4	0.5	UG/L	EPA CLP
GW-1036-Q397	08/11/97	FLUORIDE	1.12	0.0200	MG/L	EPA 300.0
GW-1036-Q397	08/11/97	LEAD	ND	1.2	UG/L	EPA CLP
GW-1036-Q397	08/11/97	MERCURY	ND	0.1	UG/L	EPA CLP
GW-1036-Q397	08/11/97	NITRATE-N	8.70	0.0350	MG/L	EPA 353.1
GW-1036-Q197	03/05/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1036-Q397	08/11/97	SELENIUM	ND	2.3	UG/L	EPA CLP
GW-1036-Q397	08/11/97	SILVER	2.0	0.6	UG/L	EPA CLP
GW-1036-Q397	08/11/97	SULFATE	64.7	1.80	MG/L	EPA 300.0
GW-1036-Q397	08/11/97	URANIUM, TOTAL	6.46	0.0643	PCI/L	ASTM 5174-91
GW-1037-Q197	03/05/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1037-Q197	03/05/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1037-Q197	03/05/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1037-Q197	03/05/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1037-Q197	03/05/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1037-Q397	08/11/97	ARSENIC	5.9	2.5	UG/L	EPA CLP
GW-1037-Q397	08/11/97	BARIUM	433	0.2	UG/L	EPA CLP
GW-1037-Q397	08/11/97	CADMIUM	0.57	0.3	UG/L	EPA CLP
GW-1037-Q397	08/11/97	CHLORIDE	4.32	0.0640	MG/L	EPA 300.0
GW-1037-Q397	08/11/97	CHROMIUM	5.7	0.5	UG/L	EPA CLP
GW-1037-Q397	08/11/97	FLUORIDE	0.803	0.0200	MG/L	EPA 300.0
GW-1037-Q397	08/11/97	LEAD	15.6	1.2	UG/L	EPA CLP
GW-1037-Q397	08/11/97	MERCURY	ND	0.1	UG/L	EPA CLP
GW-1037-Q397	08/11/97	NITRATE-N	0.890	0.00700	MG/L	EPA 353.1
GW-1037-Q197	03/05/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1037-Q397	08/11/97	SELENIUM	ND	2.3	UG/L	EPA CLP
GW-1037-Q397	08/11/97	SILVER	1.7	0.6	UG/L	EPA CLP
GW-1037-Q397	08/11/97	SULFATE	63.7	0.900	MG/L	EPA 300.0

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-1037-Q397	08/11/97	URANIUM, TOTAL	1.48	0.0643	PCI/L	ASTM 5174-91
GW-1038-Q397	08/11/97	RADIUM-226	(0.17	0.264	PCI/L	EPA 903.1
GW-1038-Q397	08/11/97	RADIUM-228	1.60	0.551	PCI/L	EPA 904.0
GW-1038-Q397	08/11/97	SULFATE	112	0.900	MG/L	EPA 300.0
GW-1038-Q397	08/11/97	THORIUM-228	0.102	0.0578	PCI/L	HASL 300
GW-1038-Q397	08/11/97	THORIUM-230	0.169	0.0342	PCI/L	HASL 300
GW-1038-Q397	08/11/97	THORIUM-232	0.035	0.0182	PCI/L	HASL 300
GW-1038-Q397	08/11/97	URANIUM, TOTAL	7.01	0.0643	PCI/L	ASTM 5174-91
GW-1039-Q397	08/11/97	RADIUM-226	0.567	0.299	PCI/L	EPA 903.1
GW-1039-Q397	08/11/97	RADIUM-228	0.697	0.668	PCI/L	EPA 904.0
GW-1039-Q397	08/11/97	SULFATE	74.2	0.900	MG/L	EPA 300.0
GW-1039-Q397	08/11/97	THORIUM-228	(0.04	0.0733	PCI/L	HASL 300
GW-1039-Q397	08/11/97	THORIUM-230	0.232	0.0254	PCI/L	HASL 300
GW-1039-Q397	08/11/97	THORIUM-232	(0.00	0.0318	PCI/L	HASL 300
GW-1039-Q397	08/11/97	URANIUM, TOTAL	0.548	0.0643	PCI/L	ASTM 5174-91
GW-1040-Q197	03/06/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1040-Q197	03/06/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1040-Q197	03/06/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1040-Q197	03/06/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1040-Q197	03/06/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1040-Q397	08/12/97	ARSENIC	ND	2.5	UG/L	EPA CLP
GW-1040-Q397	08/12/97	BARIUM	201	0.2	UG/L	EPA CLP
GW-1040-Q397	08/12/97	CADMIUM	ND	0.3	UG/L	EPA CLP
GW-1040-Q397	08/12/97	CHLORIDE	26.4	1.28	MG/L	EPA 300.0
GW-1040-Q397	08/12/97	CHROMIUM	0.96	0.5	UG/L	EPA CLP
GW-1040-Q397	08/12/97	FLUORIDE	0.799	0.0200	MG/L	EPA 300.0
GW-1040-Q397	08/12/97	LEAD	1.3	1.2	UG/L	EPA CLP
GW-1040-Q397	08/12/97	MERCURY	ND	0.1	UG/L	EPA CLP
GW-1040-Q397	08/12/97	NITRATE-N	1.41	0.00700	MG/L	EPA 353.1
GW-1040-Q197	03/06/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1040-Q397	08/12/97	SELENIUM	ND	2.3	UG/L	EPA CLP
GW-1040-Q397	08/12/97	SILVER	2.2	0.6	UG/L	EPA CLP
GW-1040-Q397	08/12/97	SULFATE	173	1.80	MG/L	EPA 300.0
GW-1040-Q397	08/12/97	URANIUM, TOTAL	8.46	0.0643	PCI/L	ASTM 5174-91
GW-1041-Q197	03/06/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1041-Q197	03/06/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1041-Q197	03/06/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1041-Q197	03/06/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1041-Q197	03/06/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1041-Q397	08/12/97	ARSENIC	ND	2.5	UG/L	EPA CLP
GW-1041-Q397	08/12/97	BARIUM	326	0.2	UG/L	EPA CLP
GW-1041-Q397	08/12/97	CADMIUM	ND	0.3	UG/L	EPA CLP
GW-1041-Q397	08/12/97	CHLORIDE	6.19	0.064	MG/L	EPA 300.0
GW-1041-Q397	08/12/97	CHROMIUM	0.77	0.5	UG/L	EPA CLP
GW-1041-Q397	08/12/97	FLUORIDE	0.760	0.020	MG/L	EPA 300.0
GW-1041-Q397	08/12/97	LEAD	ND	1.2	UG/L	EPA CLP
GW-1041-Q397	08/12/97	MERCURY	ND	0.1	UG/L	EPA CLP
GW-1041-Q397	08/12/97	NITRATE-N	0.370	0.007	MG/L	EPA 353.1
GW-1041-Q197	03/06/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1041-Q397	08/12/97	SELENIUM	ND	2.3	UG/L	EPA CLP
GW-1041-Q397	08/12/97	SILVER	6.1	0.6	UG/L	EPA CLP
GW-1041-Q397	08/12/97	SULFATE	48.3	0.900	MG/L	EPA 300.0
GW-1041-Q397	08/12/97	URANIUM, TOTAL	9.25	0.0643	PCI/L	ASTM 5174-91
GW-1042-Q197	03/04/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-1042-Q197	03/04/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-1042-Q197	03/04/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1042-Q197	03/04/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-1042-Q197	03/04/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-1042-Q197	03/04/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2001-A197	07/24/97	NITRATE-N	68.4	0.28	MG/L	EPA 353.1
GW-2001-A197	07/24/97	URANIUM, TOTAL	0.519	0.0643	PCI/L	ASTM 5174-91

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2013-0997	09/11/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	1,2-DICHLOROETHENE (TOTAL)	(9)	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	1,2-DICHLOROETHENE (TOTAL)	(6)	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	BENZENE, 1,4-DIMETHYL-(TIC)	1	0.00	UG/L	EPA CLP
GW-2013-0997	09/11/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2013-0997	09/11/97	TRICHLOROETHENE	(2)	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	TRICHLOROETHENE (GC)	1.06	1.0	UG/L	EPA 601
GW-2013-1197	11/06/97	TRICHLOROETHENE (GC)	1.16	1.0	UG/L	EPA 601
GW-2013-0797	07/24/97	URANIUM, TOTAL	0.839	0.0643	PCI/L	ASTM 5174-91
GW-2013-0997	09/11/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2013-0997	09/11/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2013-1197	11/06/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2014-A197	07/24/97	URANIUM, TOTAL	0.567	0.0643	PCI/L	ASTM 5174-91
GW-2017-A197	07/24/97	SULFATE	735	9.0	MG/L	EPA 300.0
GW-2017-A197	07/24/97	URANIUM, TOTAL	9.41	0.0643	PCI/L	ASTM 5174-91
GW-2018-A197	08/20/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2018-A197	08/20/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2018-A197	08/20/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2018-A197	08/20/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2018-A197	08/20/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2018-A197	08/20/97	NITROBENZENE	ND	0.03	UG/L	USATHAMA
GW-2032-0997	09/11/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	1,3,5-TRINITROBENZENE	0.092	0.030	UG/L	USATHAMA
GW-2032-1097-B	10/02/97	1,3,5-TRINITROBENZENE	0.12	0.030	UG/L	USATHAMA
GW-2032-1097-C	10/07/97	1,3,5-TRINITROBENZENE	0.057	0.030	UG/L	USATHAMA

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-1097-D	10/08/97	1,3,5-TRINITROBENZENE	0.16	0.030	UG/L	USATHAMA
GW-2032-1097-A	10/01/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2032-1097-B	10/02/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2032-1097-C	10/07/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2032-1097-D	10/08/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2032-1097-A	10/01/97	2,4,6-TRINITROTOLUENE	0.22	0.030	UG/L	USATHAMA
GW-2032-1097-B	10/02/97	2,4,6-TRINITROTOLUENE	0.34	0.030	UG/L	USATHAMA
GW-2032-1097-C	10/07/97	2,4,6-TRINITROTOLUENE	0.17	0.030	UG/L	USATHAMA
GW-2032-1097-D	10/08/97	2,4,6-TRINITROTOLUENE	0.41	0.030	UG/L	USATHAMA
GW-2032-1097-A	10/01/97	2,4-DINITROTOLUENE	0.033	0.030	UG/L	USATHAMA
GW-2032-1097-B	10/02/97	2,4-DINITROTOLUENE	0.054	0.030	UG/L	USATHAMA
GW-2032-1097-C	10/07/97	2,4-DINITROTOLUENE	0.02	0.030	UG/L	USATHAMA
GW-2032-1097-D	10/08/97	2,4-DINITROTOLUENE	0.066	0.030	UG/L	USATHAMA
GW-2032-1097-A	10/01/97	2,6-DINITROTOLUENE	0.12	0.010	UG/L	USATHAMA
GW-2032-1097-B	10/02/97	2,6-DINITROTOLUENE	0.19	0.010	UG/L	USATHAMA
GW-2032-1097-C	10/07/97	2,6-DINITROTOLUENE	0.10	0.010	UG/L	USATHAMA
GW-2032-1097-D	10/08/97	2,6-DINITROTOLUENE	0.24	0.010	UG/L	USATHAMA
GW-2032-0997	09/11/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	ACENAPHTHENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	ACENAPHTHYLENE	ND	0.5	UG/L	SW846 8310
GW-2032-0997	09/11/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	ALUMINUM	35.8	14.5	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	ALUMINUM	110	14.5	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	ALUMINUM	82.0	14.5	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	ALUMINUM	107	14.5	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	ALUMINUM	249	27	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	ALUMINUM	392	27.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	ALUMINUM	171	27.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	ALUMINUM	161	27.0	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-0797-A	07/01/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	ANTIMONY	1.9	1.3	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	ANTIMONY	ND	11	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	AROCLOR-1016	ND	0.10	UG/L	EPA CLP
GW-2032-0797-B	07/01/97	AROCLOR-1016	ND	0.12	UG/L	EPA CLP
GW-2032-0797-C	07/02/97	AROCLOR-1016	ND	0.10	UG/L	EPA CLP
GW-2032-0797-D	07/02/97	AROCLOR-1016	ND	0.10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2032-1097-B	10/02/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2032-1097-C	10/07/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2032-1097-D	10/08/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2032-0797-A	07/01/97	AROCLOR-1221	ND	0.20	UG/L	EPA CLP
GW-2032-0797-B	07/01/97	AROCLOR-1221	ND	0.24	UG/L	EPA CLP
GW-2032-0797-C	07/02/97	AROCLOR-1221	ND	0.20	UG/L	EPA CLP
GW-2032-0797-D	07/02/97	AROCLOR-1221	ND	0.20	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2032-1097-B	10/02/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2032-1097-C	10/07/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2032-1097-D	10/08/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2032-0797-A	07/01/97	AROCLOR-1232	ND	0.10	UG/L	EPA CLP
GW-2032-0797-B	07/01/97	AROCLOR-1232	ND	0.12	UG/L	EPA CLP
GW-2032-0797-C	07/02/97	AROCLOR-1232	ND	0.10	UG/L	EPA CLP
GW-2032-0797-D	07/02/97	AROCLOR-1232	ND	0.10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2032-1097-B	10/02/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2032-1097-C	10/07/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2032-1097-D	10/08/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2032-0797-A	07/01/97	AROCLOR-1242	ND	0.10	UG/L	EPA CLP
GW-2032-0797-B	07/01/97	AROCLOR-1242	ND	0.12	UG/L	EPA CLP
GW-2032-0797-C	07/02/97	AROCLOR-1242	ND	0.10	UG/L	EPA CLP
GW-2032-0797-D	07/02/97	AROCLOR-1242	ND	0.10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2032-1097-B	10/02/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2032-1097-C	10/07/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2032-1097-D	10/08/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2032-0797-A	07/01/97	AROCLOR-1248	ND	0.10	UG/L	EPA CLP
GW-2032-0797-B	07/01/97	AROCLOR-1248	ND	0.12	UG/L	EPA CLP
GW-2032-0797-C	07/02/97	AROCLOR-1248	ND	0.10	UG/L	EPA CLP
GW-2032-0797-D	07/02/97	AROCLOR-1248	ND	0.10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	AROCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2032-1097-B	10/02/97	AROCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2032-1097-C	10/07/97	AROCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2032-1097-D	10/08/97	AROCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2032-0797-A	07/01/97	AROCLOR-1254	ND	0.10	UG/L	EPA CLP
GW-2032-0797-B	07/01/97	AROCLOR-1254	ND	0.12	UG/L	EPA CLP
GW-2032-0797-C	07/02/97	AROCLOR-1254	ND	0.10	UG/L	EPA CLP
GW-2032-0797-D	07/02/97	AROCLOR-1254	ND	0.10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	AROCLOR-1254	ND	1.0	UG/L	EPA 8081

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-1097-B	10/02/97	AROCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2032-1097-C	10/07/97	AROCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2032-1097-D	10/08/97	AROCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2032-0797-A	07/01/97	AROCLOR-1260	ND	0.10	UG/L	EPA CLP
GW-2032-0797-B	07/01/97	AROCLOR-1260	ND	0.12	UG/L	EPA CLP
GW-2032-0797-C	07/02/97	AROCLOR-1260	ND	0.10	UG/L	EPA CLP
GW-2032-0797-D	07/02/97	AROCLOR-1260	ND	0.10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	AROCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2032-1097-B	10/02/97	AROCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2032-1097-C	10/07/97	AROCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2032-1097-D	10/08/97	AROCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2032-0797-A	07/01/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	BARIUM	272	0.3	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	BARIUM	304	0.3	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	BARIUM	302	0.3	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	BARIUM	288	0.3	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	BARIUM	191	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	BARIUM	215	2.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	BARIUM	189	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	BARIUM	212	2.0	UG/L	EPA 6010A
GW-2032-0997	09/11/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	BENZENE, 1,2,3-TRICHLORO-(TIC)	6	0.00	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	BENZENE, 1,2,4-TRICHLORO-(TIC)	7	0.00	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	BENZO(A)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-0797-D	07/02/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	BERYLLIUM	ND	0.2	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	BERYLLIUM	ND	0.2	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	BERYLLIUM	ND	0.2	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	BERYLLIUM	ND	0.2	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	BERYLLIUM	ND	1.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2032-0997	09/11/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	CADMIUM	ND	0.3	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	CADMIUM	ND	0.3	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	CADMIUM	ND	0.3	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	CADMIUM	ND	0.3	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	CADMIUM	ND	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	CALCIUM	14200	3.0	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	CALCIUM	14100	3.0	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	CALCIUM	13900	3.0	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	CALCIUM	12600	3.0	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	CALCIUM	79800	13.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CALCIUM	93500	13.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	CALCIUM	84400	13.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	CALCIUM	97900	13.0	UG/L	EPA 6010A
GW-2032-0997	09/11/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-1097-D	10/08/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	CHEMICAL OXYGEN DEMAND	(1.01	5.00	MG/L	EPA 410.4
GW-2032-0797-B	07/01/97	CHEMICAL OXYGEN DEMAND	(1.01	5.00	MG/L	EPA 410.4
GW-2032-0797-C	07/02/97	CHEMICAL OXYGEN DEMAND	(3.02	5.00	MG/L	EPA 410.4
GW-2032-0797-D	07/02/97	CHEMICAL OXYGEN DEMAND	ND	5.00	MG/L	EPA 410.4
GW-2032-1097-A	10/01/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2032-1097-B	10/02/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2032-1097-C	10/07/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2032-1097-D	10/08/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410
GW-2032-0797-A	07/01/97	CHLORIDE	9.69	0.640	MG/L	EPA 300.0
GW-2032-0797-B	07/01/97	CHLORIDE	10.4	0.640	MG/L	EPA 300.0
GW-2032-0797-C	07/02/97	CHLORIDE	10.6	0.640	MG/L	EPA 300.0
GW-2032-0797-D	07/02/97	CHLORIDE	9.60	0.640	MG/L	EPA 300.0
GW-2032-1097-A	10/01/97	CHLORIDE	4.47	0.25	MG/L	EPA 300.0
GW-2032-1097-B	10/02/97	CHLORIDE	6.32	0.25	MG/L	EPA 300.0
GW-2032-1097-C	10/07/97	CHLORIDE	4.87	0.25	MG/L	EPA 300.0
GW-2032-1097-D	10/08/97	CHLORIDE	6.74	0.25	MG/L	EPA 300
GW-2032-0997	09/11/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	CHROMIUM	1.5	0.6	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	CHROMIUM	1.9	0.6	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	CHROMIUM	1.2	0.6	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	CHROMIUM	1.5	0.6	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	CHROMIUM	2.5	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CHROMIUM	ND	3.2	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	CHROMIUM	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	CHROMIUM	ND	2.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	CHRYSENE	ND	0.5	UG/L	SW846 8310
GW-2032-0997	09/11/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	COBALT	ND	0.6	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	COBALT	ND	0.6	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	COBALT	ND	0.6	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-0797-D	07/02/97	COBALT	ND	0.6	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	COBALT	ND	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	COPPER	3.6	0.6	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	COPPER	ND	0.6	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	COPPER	ND	0.6	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	COPPER	ND	0.6	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	COPPER	ND	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	COPPER	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	COPPER	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	COPPER	ND	2.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	CYANIDE, TOTAL	ND	2.10	UG/L	EPA CLP
GW-2032-0797-B	07/01/97	CYANIDE, TOTAL	ND	2.10	UG/L	EPA CLP
GW-2032-0797-C	07/02/97	CYANIDE, TOTAL	0.22	2.10	UG/L	EPA CLP
GW-2032-0797-D	07/02/97	CYANIDE, TOTAL	0.05	2.10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	DIBENZ(A,H)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2032-0997	09/11/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	FLUORENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	FLUORENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	FLUORENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	FLUORENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	FLUORENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	FLUORIDE	0.101	0.0200	MG/L	EPA 300.0
GW-2032-0797-B	07/01/97	FLUORIDE	0.101	0.0200	MG/L	EPA 300.0
GW-2032-0797-C	07/02/97	FLUORIDE	0.098	0.0200	MG/L	EPA 300.0
GW-2032-0797-D	07/02/97	FLUORIDE	0.100	0.0200	MG/L	EPA 300.0
GW-2032-1097-A	10/01/97	FLUORIDE	0.15	0.05	MG/L	EPA 340.1
GW-2032-1097-B	10/02/97	FLUORIDE	0.14	0.05	MG/L	EPA 340

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-1097-C	10/07/97	FLUORIDE	0.12	0.05	MG/L	EPA 340.0
GW-2032-1097-D	10/08/97	FLUORIDE	0.14	0.05	MG/L	EPA 340
GW-2032-0797-A	07/01/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	IRON	87.3	2.0	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	IRON	156	2.0	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	IRON	88.5	2.0	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	IRON	111	2.0	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	IRON	424	61.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	IRON	692	61.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	IRON	282	61.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	IRON	300	61.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	LEAD	ND	0.7	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	LEAD	ND	0.7	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	LEAD	ND	0.7	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	LEAD	ND	0.7	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	LEAD	2.4	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	LEAD	2.8	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	LITHIUM	14.8	11.0	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	LITHIUM	22.7	11.0	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	LITHIUM	ND	11.0	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	LITHIUM	22.5	11.0	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	LITHIUM	6.4	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	LITHIUM	8.2	2.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	LITHIUM	6.1	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	LITHIUM	7.8	2.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	MAGNESIUM	45100	3.3	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	MAGNESIUM	41600	3.3	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	MAGNESIUM	40600	3.3	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	MAGNESIUM	39600	3.3	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	MAGNESIUM	31300	28.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	MAGNESIUM	32400	28.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	MAGNESIUM	29900	28.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	MAGNESIUM	32100	28.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	MANGANESE	11.8	0.3	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	MANGANESE	15.8	0.3	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	MANGANESE	6.8	0.3	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	MANGANESE	10.1	0.3	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	MANGANESE	15.8	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	MANGANESE	21.2	2.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	MANGANESE	9.2	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	MANGANESE	10.7	2.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	MERCURY	ND	0.1	UG/L	EPA 7470A
GW-2032-0797-B	07/01/97	MERCURY	0.54	0.1	UG/L	EPA 7470A
GW-2032-0797-C	07/02/97	MERCURY	0.25	0.1	UG/L	EPA 7470A
GW-2032-0797-D	07/02/97	MERCURY	0.18	0.1	UG/L	EPA 7470A
GW-2032-1097-A	10/01/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2032-1097-C	10/07/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2032-1097-D	10/08/97	MERCURY	ND	0.10	UG/L	EPA 7470
GW-2032-0997	09/11/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	METHYLENE CHLORIDE	(7)	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	METHYLENE CHLORIDE	19	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-1097-C	10/07/97	METHYLENE CHLORIDE	(5)	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	MOLYBDENUM	1.4	0.7	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	MOLYBDENUM	0.88	0.7	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	MOLYBDENUM	0.91	0.7	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	MOLYBDENUM	1.9	0.7	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	MOLYBDENUM	7.1	7.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	NAPHTHALENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	NICKEL	2.3	1.0	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	NICKEL	2.3	1.0	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	NICKEL	2.1	1.0	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	NICKEL	5.5	1.0	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	NICKEL	5.2	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	NICKEL	ND	4.7	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	NICKEL	4.4	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	NICKEL	3.6	2.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	NITRATE-N	58.8	0.280	MG/L	EPA 353.1
GW-2032-0797-B	07/01/97	NITRATE-N	76.8	0.280	MG/L	EPA 353.1
GW-2032-0797-C	07/02/97	NITRATE-N	74.8	0.280	MG/L	EPA 353.1
GW-2032-0797-D	07/02/97	NITRATE-N	58.2	0.280	MG/L	EPA 353.1
GW-2032-1097-A	10/01/97	NITRATE-N	10.9	0.200	MG/L	EPA 353.1
GW-2032-1097-B	10/02/97	NITRATE-N	21.1	0.400	MG/L	EPA 353.1
GW-2032-1097-C	10/07/97	NITRATE-N	19.4	0.400	MG/L	EPA 353.1
GW-2032-1097-D	10/08/97	NITRATE-N	24.9	0.400	MG/L	EPA 353.1
GW-2032-1097-A	10/01/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2032-1097-B	10/02/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2032-1097-C	10/07/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2032-1097-D	10/08/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2032-0797-A	07/01/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-D	10/08/97	PHENANTHRENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	POTASSIUM	2660	11.0	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	POTASSIUM	2840	11.0	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	POTASSIUM	2800	11.0	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	POTASSIUM	2400	11.0	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	POTASSIUM	1510	94.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	POTASSIUM	1880	94.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	POTASSIUM	1910	69.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	POTASSIUM	2250	94.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-B	07/01/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-C	07/02/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-0797-D	07/02/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2032-1097-A	10/01/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-B	10/02/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2032-1097-C	10/07/97	PYRENE	ND	0.5	UG/L	EPA 8310

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-1097-D	10/08/97	PYRENE	ND	0.5	UG/L	SW846 8310
GW-2032-0797-A	07/01/97	RADIUM-226	ND	0.477	PCI/L	EPA 903.1
GW-2032-0797-B	07/01/97	RADIUM-226	0.337	0.0913	PCI/L	EPA 903.1
GW-2032-0797-C	07/02/97	RADIUM-226	0.310	0.285	PCI/L	EPA 903.1
GW-2032-0797-D	07/02/97	RADIUM-226	0.28	0.384	PCI/L	EPA 903.1
GW-2032-1097-A	10/01/97	RADIUM-226	0.150	0.121	PCI/L	EPA 903.0
GW-2032-1097-B	10/02/97	RADIUM-226	0.03	0.133	PCI/L	EPA 903.0
GW-2032-1097-C	10/07/97	RADIUM-226	0.400	0.201	PCI/L	EPA 903.0
GW-2032-1097-D	10/08/97	RADIUM-226	0.28	0.29	PCI/L	EPA 903.1
GW-2032-0797-A	07/01/97	RADIUM-228	0.48	0.657	PCI/L	EPA 904.0
GW-2032-0797-B	07/01/97	RADIUM-228	1.06	0.602	PCI/L	EPA 904.0
GW-2032-0797-C	07/02/97	RADIUM-228	0.29	0.588	PCI/L	EPA 904.0
GW-2032-0797-D	07/02/97	RADIUM-228	4.37	0.698	PCI/L	EPA 904.0
GW-2032-1097-A	10/01/97	RADIUM-228	0.56	1.37	PCI/L	EPA 904.0
GW-2032-1097-B	10/02/97	RADIUM-228	1.02	0.930	PCI/L	EPA 904.0
GW-2032-1097-C	10/07/97	RADIUM-228	1.03	1.61	PCI/L	EPA 904.0
GW-2032-1097-D	10/08/97	RADIUM-228	0.56	0.84	PCI/L	EPA 904.0
GW-2032-0797-A	07/01/97	SELENIUM	4.0	2.1	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	SELENIUM	3.7	2.1	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	SELENIUM	4.4	2.1	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	SELENIUM	3.0	2.1	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	SELENIUM	ND	5.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	SILVER	ND	0.5	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	SILVER	4.2	0.5	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	SILVER	1.3	0.5	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	SILVER	1.8	0.5	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	SILVER	ND	1.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	SODIUM	50300	7.6	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	SODIUM	52300	7.6	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	SODIUM	52700	7.6	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	SODIUM	43400	7.6	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	SODIUM	16900	92.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	SODIUM	25200	151	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	SODIUM	19400	130	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	SODIUM	25500	130	UG/L	EPA 6010A
GW-2032-0997	09/11/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	SULFATE	37.7	0.900	MG/L	EPA 300.0
GW-2032-0797-B	07/01/97	SULFATE	42.7	0.900	MG/L	EPA 300.0
GW-2032-0797-C	07/02/97	SULFATE	43.4	0.900	MG/L	EPA 300.0
GW-2032-0797-D	07/02/97	SULFATE	39.8	0.900	MG/L	EPA 300.0
GW-2032-1097-A	10/01/97	SULFATE	21.2	1.0	MG/L	EPA 300.0
GW-2032-1097-B	10/02/97	SULFATE	27.3	1.0	MG/L	EPA 300.0
GW-2032-1097-C	10/07/97	SULFATE	22.7	1.0	MG/L	EPA 300.0
GW-2032-1097-D	10/08/97	SULFATE	28.4	1.0	MG/L	EPA 300
GW-2032-0997	09/11/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	THALLIUM	2.5	2.1	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	THALLIUM	2.9	2.1	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-0797-C	07/02/97	THALLIUM	2.6	2.1	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	THALLIUM	ND	2.1	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	THALLIUM	ND	7.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2032-0797-A	07/01/97	THORIUM-228	ND	0.189	PCI/L	HASL 300
GW-2032-0797-B	07/01/97	THORIUM-228	ND	0.198	PCI/L	HASL 300
GW-2032-0797-C	07/02/97	THORIUM-228	ND	0.184	PCI/L	HASL 300
GW-2032-0797-D	07/02/97	THORIUM-228	ND	0.196	PCI/L	HASL 300
GW-2032-1097-A	10/01/97	THORIUM-228	ND	0.393	PCI/L	EML TH-01
GW-2032-1097-B	10/02/97	THORIUM-228	(0.23	0.407	PCI/L	EML TH-01
GW-2032-1097-C	10/07/97	THORIUM-228	(0.17	0.472	PCI/L	EML TH-01
GW-2032-1097-D	10/08/97	THORIUM-228	(0.04	0.24	PCI/L	EPA 907.0
GW-2032-0797-A	07/01/97	THORIUM-230	(0.06	0.0998	PCI/L	HASL 300
GW-2032-0797-B	07/01/97	THORIUM-230	(0.09	0.100	PCI/L	HASL 300
GW-2032-0797-C	07/02/97	THORIUM-230	(0.09	0.0936	PCI/L	HASL 300
GW-2032-0797-D	07/02/97	THORIUM-230	(0.04	0.102	PCI/L	HASL 300
GW-2032-1097-A	10/01/97	THORIUM-230	0.318	0.288	PCI/L	EML TH-01
GW-2032-1097-B	10/02/97	THORIUM-230	(0.18	0.252	PCI/L	EML TH-01
GW-2032-1097-C	10/07/97	THORIUM-230	(0.08	0.292	PCI/L	EML TH-01
GW-2032-1097-D	10/08/97	THORIUM-230	0.076	0.069	PCI/L	EPA 907.0
GW-2032-0797-A	07/01/97	THORIUM-232	(0.02	0.0816	PCI/L	HASL 300
GW-2032-0797-B	07/01/97	THORIUM-232	ND	0.135	PCI/L	HASL 300
GW-2032-0797-C	07/02/97	THORIUM-232	(0.01	0.0823	PCI/L	HASL 300
GW-2032-0797-D	07/02/97	THORIUM-232	(0.00	0.0882	PCI/L	HASL 300
GW-2032-1097-A	10/01/97	THORIUM-232	ND	0.319	PCI/L	EML TH-01
GW-2032-1097-B	10/02/97	THORIUM-232	(0.04	0.343	PCI/L	EML TH-01
GW-2032-1097-C	10/07/97	THORIUM-232	(0.05	0.398	PCI/L	EML TH-01
GW-2032-1097-D	10/08/97	THORIUM-232	(0.03	0.069	PCI/L	EPA 907.0
GW-2032-0997	09/11/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	TOTAL DISSOLVED SOLIDS	680	6.30	MG/L	EPA 160.1
GW-2032-0797-B	07/01/97	TOTAL DISSOLVED SOLIDS	812	6.30	MG/L	EPA 160.1
GW-2032-0797-C	07/02/97	TOTAL DISSOLVED SOLIDS	785	6.30	MG/L	EPA 160.1
GW-2032-0797-D	07/02/97	TOTAL DISSOLVED SOLIDS	680	6.30	MG/L	EPA 160.1
GW-2032-1097-A	10/01/97	TOTAL DISSOLVED SOLIDS	442	10	MG/L	EPA 160.1
GW-2032-1097-B	10/02/97	TOTAL DISSOLVED SOLIDS	562	10	MG/L	EPA 160.1
GW-2032-1097-C	10/07/97	TOTAL DISSOLVED SOLIDS	476	10	MG/L	EPA 160.1
GW-2032-1097-D	10/08/97	TOTAL DISSOLVED SOLIDS	528	10	MG/L	EPA 160.1
GW-2032-0797-A	07/01/97	TOTAL ORGANIC CARBON	2.40	0.143	MG/L	EPA 415.1
GW-2032-0797-B	07/01/97	TOTAL ORGANIC CARBON	2.10	0.143	MG/L	EPA 415.1
GW-2032-0797-C	07/02/97	TOTAL ORGANIC CARBON	2.23	0.143	MG/L	EPA 415.1
GW-2032-0797-D	07/02/97	TOTAL ORGANIC CARBON	2.26	0.143	MG/L	EPA 415.1
GW-2032-1097-A	10/01/97	TOTAL ORGANIC CARBON	14.4	1.0	MG/L	EPA 415.1
GW-2032-1097-B	10/02/97	TOTAL ORGANIC CARBON	6.03	1.0	MG/L	EPA 415.1
GW-2032-1097-C	10/07/97	TOTAL ORGANIC CARBON	30.2	1.0	MG/L	EPA 415.1
GW-2032-1097-D	10/08/97	TOTAL ORGANIC CARBON	25.8	1.0	MG/L	EPA 415.1
GW-2032-0797-A	07/01/97	TOX	0.009	0.00228	MG/L	EPA 9020B
GW-2032-0797-B	07/01/97	TOX	0.010	0.00228	MG/L	EPA 9020B
GW-2032-0797-C	07/02/97	TOX	0.016	0.00228	MG/L	EPA 9020B
GW-2032-0797-D	07/02/97	TOX	0.009	0.00228	MG/L	EPA 9020B
GW-2032-1097-A	10/01/97	TOX	0.024	0.005	MG/L	EPA 9020A
GW-2032-1097-B	10/02/97	TOX	0.031	0.005	MG/L	EPA 9020A
GW-2032-1097-C	10/07/97	TOX	0.008	0.005	MG/L	EPA 9020A
GW-2032-1097-D	10/08/97	TOX	0.024	0.005	MG/L	EPA 9020A
GW-2032-0997	09/11/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2032-1097-B	10/02/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-2032-1097-D	10/01/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-2032-1097-B	10/02/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-2032-1097-C	10/07/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-2032-1097-D	10/08/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-2032-0797-A	07/01/97	URANIUM, TOTAL	4.22	0.0643	PCI/L	ASTM 5174-91
GW-2032-0797-B	07/01/97	URANIUM, TOTAL	4.27	0.0643	PCI/L	ASTM 5174-91
GW-2032-0797-C	07/02/97	URANIUM, TOTAL	4.35	0.0643	PCI/L	ASTM 5174-91
GW-2032-0797-D	07/02/97	URANIUM, TOTAL	4.28	0.0643	PCI/L	ASTM 5174-91
GW-2032-1097-A	10/01/97	URANIUM, TOTAL	3.00	0.0203	PCI/L	ASTM 5174-91
GW-2032-1097-B	10/02/97	URANIUM, TOTAL	3.38	0.0203	PCI/L	ASTM 5174-91
GW-2032-1097-C	10/07/97	URANIUM, TOTAL	2.93	0.0203	PCI/L	ASTM 5174-91
GW-2032-1097-D	10/08/97	URANIUM, TOTAL	3.17	0.42	PCI/L	ASTM 5174-91
GW-2032-0797-A	07/01/97	VANADIUM	0.50	0.4	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	VANADIUM	ND	0.4	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	VANADIUM	ND	0.4	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	VANADIUM	ND	0.4	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	VANADIUM	ND	2.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2032-0997	09/11/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2032-0997	09/11/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2032-1097-A	10/01/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2032-1097-C	10/07/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2032-1097-D	10/08/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2032-0797-A	07/01/97	ZINC	1.4	1.1	UG/L	EPA 6010A
GW-2032-0797-B	07/01/97	ZINC	4.2	1.1	UG/L	EPA 6010A
GW-2032-0797-C	07/02/97	ZINC	6.4	1.1	UG/L	EPA 6010A
GW-2032-0797-D	07/02/97	ZINC	4.5	1.1	UG/L	EPA 6010A
GW-2032-1097-A	10/01/97	ZINC	23.8	6.0	UG/L	EPA CLP
GW-2032-1097-B	10/02/97	ZINC	20.3	6.0	UG/L	EPA 6010A
GW-2032-1097-C	10/07/97	ZINC	14.2	6.0	UG/L	EPA 6010A
GW-2032-1097-D	10/08/97	ZINC	12.0	6.0	UG/L	EPA 6010A
GW-2033-A197	08/25/97	1,3,5-TRINITROBENZENE	5.3	0.030	UG/L	USATHAMA
GW-2033-A197	08/25/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2033-A197	08/25/97	2,4,6-TRINITROTOLUENE	1.4	0.030	UG/L	USATHAMA
GW-2033-A197	08/25/97	2,4-DINITROTOLUENE	0.12	0.030	UG/L	USATHAMA
GW-2033-A197	08/25/97	2,6-DINITROTOLUENE	1.5	0.010	UG/L	USATHAMA
GW-2033-A197	08/25/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2033-A197	08/25/97	URANIUM, TOTAL	1.11	0.0643	PCI/L	ASTM 5174-91
GW-2034-A197	08/25/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2034-A197	08/25/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2034-A197	08/25/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2034-A197	08/25/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2034-A197	08/25/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2034-A197	08/25/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2034-A197	08/25/97	URANIUM, TOTAL	2.90	0.0643	PCI/L	ASTM 5174-91

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2035-Q397	09/17/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2035-Q397	09/17/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2035-Q397	09/17/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2035-Q397	09/17/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2035-Q397	09/17/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2035-Q397	09/17/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2036-Q397	09/17/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2036-Q397	09/17/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2036-Q397	09/17/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2036-Q397	09/17/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2036-Q397	09/17/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2036-Q397	09/17/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2037-0997	09/15/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	1,2-DICHLOROETHENE (TOTAL)	25	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	1,2-DICHLOROETHENE (TOTAL)	21	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	ARSENIC	ND	2.5	UG/L	EPA 6010A
GW-2037-0997	09/15/97	BARIUM	89.1	0.2	UG/L	EPA 6010A
GW-2037-0997	09/15/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	CADMIUM	0.42	0.3	UG/L	EPA 6010A
GW-2037-0997	09/15/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	CHLOROFORM	(2)	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	CHROMIUM	ND	0.5	UG/L	EPA 6010A
GW-2037-0997	09/15/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2037-1097	10/23/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	LEAD	ND	1.2	UG/L	EPA 6010A
GW-2037-0997	09/15/97	MERCURY	3.9	0.1	UG/L	EPA7470A
GW-2037-0997	09/15/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	NITRATE-N	248	2.80	MG/L	EPA 353.1
GW-2037-0997	09/15/97	SELENIUM	5.7	2.3	UG/L	EPA 6010A
GW-2037-0997	09/15/97	SILVER	1.8	0.6	UG/L	EPA 6010A
GW-2037-0997	09/15/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	SULFATE	140	1.80	MG/L	EPA 300.0
GW-2037-0997	09/15/97	TETRACHLOROETHENE	(1)	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	TRICHLOROETHENE	1100	100	UG/L	EPA CLP
GW-2037-1097	10/23/97	TRICHLOROETHENE	370	200	UG/L	EPA CLP
GW-2037-0997	09/15/97	TRICHLOROETHENE (GC)	1200	100.0	UG/L	EPA 601
GW-2037-1097	10/23/97	TRICHLOROETHENE (GC)	1280	100	UG/L	EPA 601
GW-2037-0997	09/15/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2037-0997	09/15/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2037-1097	10/23/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	1,2-DICHLOROETHENE (TOTAL)	19	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	1,2-DICHLOROETHENE (TOTAL)	13	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	ACETONE	150	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2038-0897	08/14/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-2038-0997	09/15/97	ARSENIC	ND	2.5	UG/L	EPA 6010A
GW-2038-0897	08/14/97	BARIUM	231	3.0	UG/L	EPA CLP
GW-2038-0997	09/15/97	BARIUM	227	0.2	UG/L	EPA 6010A
GW-2038-0997	09/15/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2038-0997	09/15/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2038-0897	08/14/97	CADMIUM	ND	3.0	UG/L	EPA CLP
GW-2038-0997	09/15/97	CADMIUM	2.5	0.3	UG/L	EPA 6010A
GW-2038-0997	09/15/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	CHLOROFORM	(1)	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2038-0897	08/14/97	CHROMIUM	ND	4.0	UG/L	EPA CLP
GW-2038-0997	09/15/97	CHROMIUM	ND	0.5	UG/L	EPA 6010A
GW-2038-0997	09/15/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2038-0897	08/14/97	LEAD	ND	2.0	UG/L	EPA CLP
GW-2038-0997	09/15/97	LEAD	17.7	1.2	UG/L	EPA 6010A
GW-2038-0897	08/14/97	MERCURY	1.0	0.10	UG/L	EPA CLP
GW-2038-0997	09/15/97	MERCURY	1.0	0.1	UG/L	EPA7470A
GW-2038-0997	09/15/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2038-0897	08/14/97	NITRATE-N	864	20	MG/L	EPA 353.1
GW-2038-0997	09/15/97	NITRATE-N	736	5.60	MG/L	EPA 353.1
GW-2038-1097	10/23/97	PROPANOIC ACID, 2,2,3-TRCHLORO	12	0.00	UG/L	EPA CLP
GW-2038-0897	08/14/97	SELENIUM	14.4	5.0	UG/L	EPA CLP
GW-2038-0997	09/15/97	SELENIUM	12.2	2.3	UG/L	EPA 6010A
GW-2038-0897	08/14/97	SILVER	1.4	1.0	UG/L	EPA CLP
GW-2038-0997	09/15/97	SILVER	2.5	0.6	UG/L	EPA 6010A
GW-2038-0997	09/15/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2038-0897	08/14/97	SULFATE	80.6	12.5	MG/L	EPA 300.0
GW-2038-0997	09/15/97	SULFATE	83.1	1.80	MG/L	EPA 300.0
GW-2038-0997	09/15/97	TETRACHLOROETHENE	(1)	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	TRICHLOROETHENE	530	100	UG/L	EPA CLP
GW-2038-1097	10/23/97	TRICHLOROETHENE	370	50	UG/L	EPA CLP
GW-2038-0997	09/15/97	TRICHLOROETHENE (GC)	470	100.0	UG/L	EPA 601
GW-2038-1097	10/23/97	TRICHLOROETHENE (GC)	523	100	UG/L	EPA 601
GW-2038-0997	09/15/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2038-0997	09/15/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2038-1097	10/23/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2039-0997	09/15/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2039-0997	09/15/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2039-0997	09/15/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2039-0997	09/15/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2039-0997	09/15/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2039-0897	08/14/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-2039-0997	09/15/97	ARSENIC	107	2.5	UG/L	EPA 6010A
GW-2039-0897	08/14/97	BARIUM	269	3.0	UG/L	EPA CLP
GW-2039-0997	09/15/97	BARIUM	319	0.2	UG/L	EPA 6010A
GW-2039-0897	08/14/97	CADMIUM	ND	3.0	UG/L	EPA CLP
GW-2039-0997	09/15/97	CADMIUM	0.34	0.3	UG/L	EPA 6010A
GW-2039-0997	09/15/97	CHLORIDE	52.1	0.640	MG/L	EPA 300.0
GW-2039-0897	08/14/97	CHROMIUM	4.6	4.0	UG/L	EPA CLP
GW-2039-0997	09/15/97	CHROMIUM	3.3	0.5	UG/L	EPA 6010A
GW-2039-0997	09/15/97	FLUORIDE	ND	0.0200	MG/L	EPA 300.0
GW-2039-0897	08/14/97	LEAD	ND	2.0	UG/L	EPA CLP
GW-2039-0997	09/15/97	LEAD	2.2	1.2	UG/L	EPA 6010A
GW-2039-0897	08/14/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2039-0997	09/15/97	MERCURY	ND	0.1	UG/L	EPA7470A
GW-2039-0897	08/14/97	NITRATE-N	47.4	2.0	MG/L	EPA 353.1
GW-2039-0997	09/15/97	NITRATE-N	58.4	0.560	MG/L	EPA 353.1
GW-2039-0997	09/15/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2039-0897	08/14/97	SELENIUM	ND	5.0	UG/L	EPA CLP
GW-2039-0997	09/15/97	SELENIUM	6.1	2.3	UG/L	EPA 6010A
GW-2039-0897	08/14/97	SILVER	2.8	1.0	UG/L	EPA CLP
GW-2039-0997	09/15/97	SILVER	1.5	0.6	UG/L	EPA 6010A
GW-2039-0897	08/14/97	SULFATE	31.7	1.0	MG/L	EPA 300.0
GW-2039-0997	09/15/97	SULFATE	28.5	0.900	MG/L	EPA 300.0
GW-2039-0997	09/15/97	URANIUM, TOTAL	2.83	0.0643	PCI/L	ASTM 5174-91
GW-2040-Q397	09/17/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2040-Q397	09/17/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2040-Q397	09/17/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2040-Q397	09/17/97	2,4-DINITROTOLUENE	0.01	0.030	UG/L	USATHAMA
GW-2040-Q397	09/17/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2040-Q397	09/17/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2041-Q397	09/17/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2041-Q397	09/17/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2041-Q397	09/17/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2041-Q397	09/17/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2041-Q397	09/17/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2041-Q397	09/17/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2042-Q397	09/22/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2042-Q397	09/22/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2042-Q397	09/22/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2042-Q397	09/22/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2042-Q397	09/22/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2042-Q397	09/22/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2043-Q397	09/22/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2043-Q397	09/22/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2043-Q397	09/22/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2043-Q397	09/22/97	2,4-DINITROTOLUENE	0.079	0.030	UG/L	USATHAMA
GW-2043-Q397	09/22/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2043-Q397	09/22/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2044-A197	08/27/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2044-A197	08/27/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2044-A197	08/27/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2044-A197	08/27/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2044-A197	08/27/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2044-A197	08/27/97	GROSS ALPHA	23.2	4.74	PCI/L	EPA 900.0
GW-2044-A197	08/27/97	GROSS BETA	11.8	6.06	PCI/L	EPA 900.0
GW-2044-A197	08/27/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2044-A197	08/27/97	RADIUM-226	0.18	0.472	PCI/L	EPA 903.1
GW-2044-A197	08/27/97	RADIUM-228	2.76	0.658	PCI/L	EPA 904.0
GW-2044-A197	08/27/97	THORIUM-228	0.02	0.118	PCI/L	HASL 300
GW-2044-A197	08/27/97	THORIUM-230	0.00	0.0175	PCI/L	HASL 300

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2044-A197	08/27/97	THORIUM-232	ND	0.0175	PCI/L	HASL 300
GW-2044-A197	08/27/97	URANIUM, TOTAL	1.83	0.0643	PCI/L	ASTM 5174-91
GW-2045-Q397-C	07/14/97	1,1,1-TRICHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	1,1,1-TRICHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	1,1,2,2-TETRACHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	1,1,2,2-TETRACHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	1,1,2-TRICHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	1,1,2-TRICHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	1,1-DICHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	1,1-DICHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	1,1-DICHLOROETHENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	1,1-DICHLOROETHENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	1,2-DICHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	1,2-DICHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	1,2-DICHLOROETHENE (TOTAL)	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	1,2-DICHLOROETHENE (TOTAL)	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	1,2-DICHLOROPROPANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	1,2-DICHLOROPROPANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q497-B	10/07/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q497-C	10/08/97	1,3,5-TRINITROBENZENE	0.02	0.030	UG/L	USATHAMA
GW-2045-Q497-D	10/13/97	1,3,5-TRINITROBENZENE	0.02	0.030	UG/L	USATHAMA
GW-2045-Q497-A	10/02/97	1,3-DINITROBENZENE	0.12	0.090	UG/L	USATHAMA
GW-2045-Q497-B	10/07/97	1,3-DINITROBENZENE	0.13	0.090	UG/L	USATHAMA
GW-2045-Q497-C	10/09/97	1,3-DINITROBENZENE	0.14	0.090	UG/L	USATHAMA
GW-2045-Q497-D	10/13/97	1,3-DINITROBENZENE	0.14	0.090	UG/L	USATHAMA
GW-2045-Q497-A	10/02/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q497-B	10/07/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q497-C	10/09/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q497-D	10/13/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q497-A	10/02/97	2,4-DINITROTOLUENE	0.12	0.030	UG/L	USATHAMA
GW-2045-Q497-B	10/07/97	2,4-DINITROTOLUENE	0.12	0.030	UG/L	USATHAMA
GW-2045-Q497-C	10/09/97	2,4-DINITROTOLUENE	0.14	0.030	UG/L	USATHAMA
GW-2045-Q497-D	10/13/97	2,4-DINITROTOLUENE	0.14	0.030	UG/L	USATHAMA
GW-2045-Q497-A	10/02/97	2,6-DINITROTOLUENE	0.61	0.010	UG/L	USATHAMA
GW-2045-Q497-B	10/07/97	2,6-DINITROTOLUENE	0.67	0.010	UG/L	USATHAMA
GW-2045-Q497-C	10/09/97	2,6-DINITROTOLUENE	0.71	0.010	UG/L	USATHAMA
GW-2045-Q497-D	10/13/97	2,6-DINITROTOLUENE	0.66	0.010	UG/L	USATHAMA
GW-2045-Q397-C	07/14/97	2-BUTANONE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	2-BUTANONE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	2-HEXANONE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	2-HEXANONE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	4-METHYL-2-PENTANONE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	4-METHYL-2-PENTANONE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	ACENAPHTHENE	ND	2.00	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	ACENAPHTHENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	ACENAPHTHYLENE	ND	1.50	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	ACENAPHTHYLENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	ACETONE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	ACETONE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	ALUMINUM	ND	24.7	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	ALUMINUM	ND	41.5	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	ALUMINUM	ND	43.1	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	ALUMINUM	67.4	27.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	ALUMINUM	53.7	27.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	ALUMINUM	ND	64.9	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	ALUMINUM	ND	41.8	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	ANTHRACENE	ND	0.0990	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-B1	07/11/97	ANTIMONY	ND	42.5	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q497-A1	10/03/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	AROCLOR-1016	ND	1.00	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	AROCLOR-1016	ND	0.12	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-B	10/07/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-C	10/09/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-D	10/13/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2045-Q397-C	07/14/97	AROCLOR-1221	ND	2.00	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	AROCLOR-1221	ND	0.12	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-B	10/07/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-C	10/09/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-D	10/13/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2045-Q397-C	07/14/97	AROCLOR-1232	ND	1.00	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	AROCLOR-1232	ND	0.12	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-B	10/07/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-C	10/09/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-D	10/13/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2045-Q397-C	07/14/97	AROCLOR-1242	ND	1.00	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	AROCLOR-1242	ND	0.12	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-B	10/07/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-C	10/09/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-D	10/13/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2045-Q397-C	07/14/97	AROCLOR-1248	ND	1.00	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	AROCLOR-1248	ND	0.12	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	AROCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-B	10/07/97	AROCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-C	10/09/97	AROCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-D	10/13/97	AROCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2045-Q397-C	07/14/97	AROCLOR-1254	ND	1.00	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	AROCLOR-1254	ND	0.12	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	AROCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-B	10/07/97	AROCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-C	10/09/97	AROCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-D	10/13/97	AROCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2045-Q397-C	07/14/97	AROCLOR-1260	ND	1.00	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	AROCLOR-1260	ND	0.12	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	AROCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-B	10/07/97	AROCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-C	10/09/97	AROCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2045-Q497-D	10/13/97	AROCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2045-Q397-B1	07/11/97	ARSENIC	ND	1.7	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	BARIUM	185	0.60	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	BARIUM	185	0.30	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	BARIUM	187	0.30	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	BARIUM	214	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	BARIUM	209	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	BARIUM	208	2.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	BARIUM	202	2.0	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	BENZENE	ND	10.0	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q397-D	07/16/97	BENZENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	BENZO(A)ANTHRACENE	ND	0.00140	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	BENZO(A)PYRENE	ND	0.00185	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	BENZO(A)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	BENZO(B)FLUORANTHENE	ND	0.00150	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	BENZO(G,H,I)PERYLENE	ND	0.00398	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	BENZO(K)FLUORANTHENE	ND	0.00120	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-B1	07/11/97	BERYLLIUM	0.85	0.40	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	BERYLLIUM	ND	0.20	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	BERYLLIUM	ND	0.20	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	BROMODICHLOROMETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	BROMODICHLOROMETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	BROMOFORM	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	BROMOFORM	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	BROMOMETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	BROMOMETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	CADMIUM	ND	2.9	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q397-C1	07/15/97	CADMIUM	ND	0.30	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	CADMIUM	ND	0.30	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	CALCIUM	10100	53.5	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	CALCIUM	95200	3.0	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	CALCIUM	94300	3.0	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	CALCIUM	10500	13.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	CALCIUM	10700	13.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	CALCIUM	10100	13.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	CALCIUM	99100	13.0	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	CARBON DISULFIDE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	CARBON DISULFIDE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	CARBON TETRACHLORIDE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	CARBON TETRACHLORIDE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	CHEMICAL OXYGEN DEMAND	6.00	5.00	MG/L	EPA 410.4
GW-2045-Q397-C1	07/15/97	CHEMICAL OXYGEN DEMAND	(1.06	5.00	MG/L	EPA 410.4
GW-2045-Q397-D1	07/17/97	CHEMICAL OXYGEN DEMAND	ND	5.00	MG/L	EPA 410.4
GW-2045-Q497-A1	10/03/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2045-Q497-B1	10/08/97	CHEMICAL OXYGEN DEMAND	1.98	5.0	MG/L	EPA 410
GW-2045-Q497-C1	10/10/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2045-Q497-D1	10/14/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2045-Q397-B1	07/11/97	CHLORIDE	70.7	4.00	MG/L	EPA 300.0
GW-2045-Q397-C1	07/15/97	CHLORIDE	64.5	0.18	MG/L	EPA 300.0
GW-2045-Q397-D1	07/17/97	CHLORIDE	65.2	0.180	MG/L	EPA 300.0
GW-2045-Q497-A1	10/03/97	CHLORIDE	66.0	5.00	MG/L	EPA 300.0
GW-2045-Q497-B1	10/08/97	CHLORIDE	60.8	2.50	MG/L	EPA 300
GW-2045-Q497-C1	10/10/97	CHLORIDE	65.0	2.50	MG/L	EPA 300.0
GW-2045-Q497-D1	10/14/97	CHLORIDE	60.2	2.50	MG/L	EPA 300.0
GW-2045-Q397-C	07/14/97	CHLOROBENZENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	CHLOROBENZENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	CHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	CHLOROETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	CHLOROFORM	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	CHLOROFORM	(1.29	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	CHLOROFORM	(1)	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	CHLOROFORM	(1)	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	CHLOROMETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	CHLOROMETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q497-C	10/09/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	CHROMIUM	8.7	2.7	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	CHROMIUM	22.3	0.60	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	CHROMIUM	15.7	0.60	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	CHROMIUM	10.4	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	CHROMIUM	38.5	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	CHROMIUM	ND	6.5	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	CHROMIUM	13.9	2.0	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	CHRYSENE	ND	0.0299	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	CHRYSENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	CIS-1,3-DICHLOROPROPENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	CIS-1,3-DICHLOROPROPENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	COBALT	7.8	4.0	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	COBALT	6.1	0.60	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	COBALT	3.2	0.60	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	COBALT	8.5	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	COBALT	7.8	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	COBALT	ND	4.4	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	COBALT	ND	6.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	COPPER	5.6	4.4	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	COPPER	4.4	0.60	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	COPPER	2.0	0.60	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	COPPER	3.7	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	COPPER	3.9	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	COPPER	ND	3.6	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	COPPER	ND	3.6	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	CYANIDE, TOTAL	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	CYANIDE, TOTAL	(1.36	3.34	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q397-C	07/14/97	DIBENZO(A,H)ANTHRACENE	ND	0.00250	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-D	10/13/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	DIBROMOCHLOROMETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	DIBROMOCHLOROMETHANE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	ETHYL BENZENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	ETHYL BENZENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	FLUORANTHENE	ND	0.00198	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q497-A	10/02/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-C	07/14/97	FLUORENE	ND	0.249	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	FLUORENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	FLUORENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-B1	07/11/97	FLUORIDE	ND	0.10	MG/L	EPA 300.0
GW-2045-Q397-C1	07/15/97	FLUORIDE	ND	0.0210	MG/L	EPA 300.0
GW-2045-Q397-D1	07/17/97	FLUORIDE	ND	0.0220	MG/L	EPA 300.0
GW-2045-Q497-A1	10/03/97	FLUORIDE	0.085	0.05	MG/L	EPA 340.0
GW-2045-Q497-B1	10/08/97	FLUORIDE	0.09	0.05	MG/L	EPA 340
GW-2045-Q497-C1	10/10/97	FLUORIDE	0.13	0.05	MG/L	EPA 340
GW-2045-Q497-D1	10/14/97	FLUORIDE	0.11	0.05	MG/L	EPA 340
GW-2045-Q397-C	07/14/97	INDENO(1,2,3-CD)PYRENE	ND	0.00248	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-B1	07/11/97	IRON	236	6.7	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	IRON	227	2.0	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	IRON	ND	103	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	IRON	603	61.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	IRON	475	61.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	IRON	429	61.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	IRON	362	61.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	LEAD	ND	1.8	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	LEAD	2.7	0.70	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	LEAD	ND	0.70	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	LEAD	2.1	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	LITHIUM	ND	5.2	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	LITHIUM	ND	11.0	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	LITHIUM	ND	11.0	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	LITHIUM	3.4	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	LITHIUM	3.6	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	LITHIUM	3.6	2.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	LITHIUM	3.5	2.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	MAGNESIUM	42600	68.0	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	MAGNESIUM	41100	3.3	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	MAGNESIUM	40500	3.3	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	MAGNESIUM	44500	28.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	MAGNESIUM	45800	28.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	MAGNESIUM	43600	28.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	MAGNESIUM	44100	28.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	MANGANESE	141	0.90	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	MANGANESE	122	0.30	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	MANGANESE	65.4	0.30	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	MANGANESE	132	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	MANGANESE	148	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	MANGANESE	86.6	3.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	MANGANESE	130	3.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	MERCURY	ND	0.19	UG/L	EPA 7470A
GW-2045-Q397-D1	07/17/97	MERCURY	ND	0.17	UG/L	EPA 7470A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q497-A1	10/03/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2045-Q497-B1	10/08/97	MERCURY	ND	0.10	UG/L	EPA 7470
GW-2045-Q497-C1	10/10/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2045-Q497-D1	10/14/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2045-Q397-C	07/14/97	METHYLENE CHLORIDE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	METHYLENE CHLORIDE	(2.67	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	METHYLENE CHLORIDE	(2)	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	METHYLENE CHLORIDE	42	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	MOLYBDENUM	ND	7.3	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	MOLYBDENUM	5.2	0.70	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	MOLYBDENUM	5.1	0.70	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	NAPHTHALENE	ND	0.600	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	NAPHTHALENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-B1	07/11/97	NICKEL	443	14.8	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	NICKEL	424	1.0	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	NICKEL	215	1.0	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	NICKEL	548	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	NICKEL	607	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	NICKEL	298	2.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	NICKEL	484	2.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	NITRATE-N	1.34	0.25	MG/L	EPA 353.1
GW-2045-Q397-C1	07/15/97	NITRATE-N	1.48	0.00700	MG/L	EPA 353.1
GW-2045-Q397-D1	07/17/97	NITRATE-N	1.57	0.00700	MG/L	EPA 353.1
GW-2045-Q497-A1	10/03/97	NITRATE-N	1.78	0.100	MG/L	EPA 353.1
GW-2045-Q497-B1	10/08/97	NITRATE-N	1.70	0.100	MG/L	EPA 353.1
GW-2045-Q497-C1	10/10/97	NITRATE-N	1.80	0.100	MG/L	EPA 353.1
GW-2045-Q497-D1	10/14/97	NITRATE-N	1.71	0.100	MG/L	EPA 353.1
GW-2045-Q497-A	10/02/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q497-B	10/07/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q497-C	10/09/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q497-D	10/13/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2045-Q397-C	07/14/97	PHENANTHRENE	ND	0.0744	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	PHENANTHRENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-B1	07/11/97	POTASSIUM	3510	1770	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	POTASSIUM	2480	11.0	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	POTASSIUM	2480	11.0	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	POTASSIUM	3310	69.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	POTASSIUM	3220	94.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	POTASSIUM	2490	69.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	POTASSIUM	2310	69.0	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	PYRENE	ND	0.0278	UG/L	EPA 8310
GW-2045-Q397-D	07/16/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2045-Q497-A	10/02/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-B	10/07/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q497-C	10/09/97	PYRENE	ND	0.5	UG/L	SW846 8310
GW-2045-Q497-D	10/13/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2045-Q397-B1	07/11/97	RADIUM-226	0.199	0.152	PCI/L	EPA 904.0

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q397-C1	07/15/97	RADIUM-226	1.27	0.287	PCI/L	EPA 903.1
GW-2045-Q397-D1	07/17/97	RADIUM-226	(0.35	0.477	PCI/L	EPA 903.1
GW-2045-Q497-A1	10/03/97	RADIUM-226	(0.18	0.252	PCI/L	EPA 903.0
GW-2045-Q497-B1	10/08/97	RADIUM-226	(0.22	0.34	PCI/L	EPA 903.1
GW-2045-Q497-C1	10/10/97	RADIUM-226	0.434	0.182	PCI/L	EPA 903.0
GW-2045-Q497-D1	10/14/97	RADIUM-226	0.448	0.214	PCI/L	EPA 903.0
GW-2045-Q397-B1	07/11/97	RADIUM-228	(0.21	1.17	PCI/L	EPA 904.0
GW-2045-Q397-C1	07/15/97	RADIUM-228	1.18	0.676	PCI/L	EPA 904.0
GW-2045-Q397-D1	07/17/97	RADIUM-228	1.30	0.754	PCI/L	EPA 904.0
GW-2045-Q497-A1	10/03/97	RADIUM-228	(0.14	1.42	PCI/L	EPA 904.0
GW-2045-Q497-B1	10/08/97	RADIUM-228	0.84	0.74	PCI/L	EPA 904.0
GW-2045-Q497-C1	10/10/97	RADIUM-228	1.27	1.05	PCI/L	EPA 904.0
GW-2045-Q497-D1	10/14/97	RADIUM-228	(1.15	1.24	PCI/L	EPA 904.0
GW-2045-Q397-B1	07/11/97	SELENIUM	ND	3.7	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	SELENIUM	ND	2.1	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	SELENIUM	ND	2.1	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	SILVER	ND	6.7	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	SILVER	1.2	0.50	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	SILVER	1.0	0.50	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	SODIUM	17200	48.0	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	SODIUM	16100	7.6	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	SODIUM	16700	7.6	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	SODIUM	18500	130	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	SODIUM	17800	130	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	SODIUM	16200	130	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	SODIUM	14900	130	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	STYRENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	STYRENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	SULFATE	31.9	1.00	MG/L	EPA 300.0
GW-2045-Q397-C1	07/15/97	SULFATE	27.5	0.27	MG/L	EPA 300.0
GW-2045-Q397-D1	07/17/97	SULFATE	28.2	0.27	MG/L	EPA 300.0
GW-2045-Q497-A1	10/03/97	SULFATE	28.2	1.0	MG/L	EPA 300.0
GW-2045-Q497-B1	10/08/97	SULFATE	26.5	5.0	MG/L	EPA 300
GW-2045-Q497-C1	10/10/97	SULFATE	26.1	5.0	MG/L	EPA 300.0
GW-2045-Q497-D1	10/14/97	SULFATE	24.2	5.0	MG/L	EPA 300.0
GW-2045-Q397-C	07/14/97	TETRACHLOROETHENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	TETRACHLOROETHENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	THALLIUM	ND	2.9	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	THALLIUM	ND	2.1	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	THALLIUM	ND	2.1	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2045-Q397-B1	07/11/97	THORIUM-228	(0.02	0.096	PCI/L	NAS-NS-3004

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q397-C1	07/15/97	THORIUM-228	ND	0.180	PCI/L	HASL 300
GW-2045-Q397-D1	07/17/97	THORIUM-228	0.02	0.190	PCI/L	HASL 300
GW-2045-Q497-A1	10/03/97	THORIUM-228	0.42	0.500	PCI/L	EML TH-01
GW-2045-Q497-B1	10/08/97	THORIUM-228	ND	0.22	PCI/L	EPA 907.0
GW-2045-Q497-C1	10/10/97	THORIUM-228	0.46	0.675	PCI/L	EML TH-01
GW-2045-Q497-D1	10/14/97	THORIUM-228	0.30	0.388	PCI/L	EML TH-01
GW-2045-Q397-B1	07/11/97	THORIUM-230	0.06	0.075	PCI/L	NAS-NS-3004
GW-2045-Q397-C1	07/15/97	THORIUM-230	0.01	0.0757	PCI/L	HASL 300
GW-2045-Q397-D1	07/17/97	THORIUM-230	0.03	0.110	PCI/L	HASL 300
GW-2045-Q497-A1	10/03/97	THORIUM-230	0.747	0.501	PCI/L	EML TH-01
GW-2045-Q497-B1	10/08/97	THORIUM-230	0.00	0.077	PCI/L	EPA 907.0
GW-2045-Q497-C1	10/10/97	THORIUM-230	0.45	0.550	PCI/L	EML TH-01
GW-2045-Q497-D1	10/14/97	THORIUM-230	0.23	0.322	PCI/L	EML TH-01
GW-2045-Q397-B1	07/11/97	THORIUM-232	0.00	0.045	PCI/L	NAS-NS-3004
GW-2045-Q397-C1	07/15/97	THORIUM-232	ND	0.0430	PCI/L	HASL 300
GW-2045-Q397-D1	07/17/97	THORIUM-232	ND	0.0941	PCI/L	HASL 300
GW-2045-Q497-A1	10/03/97	THORIUM-232	0.08	0.449	PCI/L	EML TH-01
GW-2045-Q497-B1	10/08/97	THORIUM-232	0.03	0.077	PCI/L	EPA 907.0
GW-2045-Q497-C1	10/10/97	THORIUM-232	ND	0.637	PCI/L	EML TH-01
GW-2045-Q497-D1	10/14/97	THORIUM-232	ND	0.321	PCI/L	EML TH-01
GW-2045-Q397-C	07/14/97	TOLUENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	TOLUENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	TOTAL DISSOLVED SOLIDS	534	5.00	MG/L	EPA 160.1
GW-2045-Q397-C1	07/15/97	TOTAL DISSOLVED SOLIDS	515	6.30	MG/L	EPA 160.1
GW-2045-Q397-D1	07/17/97	TOTAL DISSOLVED SOLIDS	510	6.30	MG/L	EPA 160.1
GW-2045-Q497-A1	10/03/97	TOTAL DISSOLVED SOLIDS	542	10	MG/L	EPA 160.1
GW-2045-Q497-B1	10/08/97	TOTAL DISSOLVED SOLIDS	406	10	MG/L	EPA 160.1
GW-2045-Q497-C1	10/10/97	TOTAL DISSOLVED SOLIDS	504	10	MG/L	EPA 160.1
GW-2045-Q497-D1	10/14/97	TOTAL DISSOLVED SOLIDS	506	10	MG/L	EPA 160.1
GW-2045-Q397-C	07/14/97	TOTAL ORGANIC CARBON	3.70	1.00	MG/L	EPA 415.1
GW-2045-Q397-D	07/16/97	TOTAL ORGANIC CARBON	1.24	0.143	MG/L	EPA 415.1
GW-2045-Q497-A	10/02/97	TOTAL ORGANIC CARBON	12.2	1.0	MG/L	EPA 415.1
GW-2045-Q497-B	10/07/97	TOTAL ORGANIC CARBON	39.8	1.0	MG/L	EPA 415.1
GW-2045-Q497-C	10/09/97	TOTAL ORGANIC CARBON	31.6	1.0	MG/L	EPA 415.1
GW-2045-Q497-D	10/13/97	TOTAL ORGANIC CARBON	ND	1.0	MG/L	EPA 415.1
GW-2045-Q397-C	07/14/97	TOX	0.028	10.0	MG/L	EPA 9020A
GW-2045-Q397-D	07/16/97	TOX	0.005	0.00228	MG/L	EPA 9020B
GW-2045-Q497-A	10/02/97	TOX	0.024	0.005	MG/L	EPA 9020A
GW-2045-Q497-B	10/07/97	TOX	0.011	0.005	MG/L	EPA 9020A
GW-2045-Q497-C	10/09/97	TOX	0.027	0.005	MG/L	EPA 9020A
GW-2045-Q497-D	10/13/97	TOX	0.009	0.005	MG/L	EPA 9020A
GW-2045-Q397-C	07/14/97	TRANS-1,3-DICHLOROPROPENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	TRANS-1,3-DICHLOROPROPENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	TRICHLOROETHENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	TRICHLOROETHENE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	URANIUM, TOTAL	0.917	0.677	PCI/L	ASTM 5174-91
GW-2045-Q397-C1	07/15/97	URANIUM, TOTAL	0.826	0.0643	PCI/L	ASTM 5174-91
GW-2045-Q397-D1	07/17/97	URANIUM, TOTAL	0.833	0.0643	PCI/L	ASTM 5174-91
GW-2045-Q497-A1	10/03/97	URANIUM, TOTAL	0.870	0.0203	PCI/L	ASTM 5174-91

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2045-Q497-B1	10/08/97	URANIUM, TOTAL	0.769	0.42	PCI/L	ASTM 5174-91
GW-2045-Q497-C1	10/10/97	URANIUM, TOTAL	0.916	0.0203	PCI/L	ASTM 5174-91
GW-2045-Q497-D1	10/14/97	URANIUM, TOTAL	0.890	0.0203	PCI/L	ASTM 5174-91
GW-2045-Q397-B1	07/11/97	VANADIUM	11.8	4.9	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	VANADIUM	ND	0.40	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	VANADIUM	ND	0.40	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2045-Q397-C	07/14/97	VINYL CHLORIDE	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	VINYL CHLORIDE	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2045-Q397-C	07/14/97	XYLENES, TOTAL	ND	10.0	UG/L	EPA CLP
GW-2045-Q397-D	07/16/97	XYLENES, TOTAL	ND	10.0	UG/L	EPA CLP
GW-2045-Q497-A	10/02/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2045-Q497-B	10/07/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2045-Q497-C	10/09/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2045-Q497-D	10/13/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2045-Q397-B1	07/11/97	ZINC	16.5	4.8	UG/L	EPA CLP
GW-2045-Q397-C1	07/15/97	ZINC	ND	4.8	UG/L	EPA 6010A
GW-2045-Q397-D1	07/17/97	ZINC	ND	3.8	UG/L	EPA 6010A
GW-2045-Q497-A1	10/03/97	ZINC	15.7	6.0	UG/L	EPA 6010A
GW-2045-Q497-B1	10/08/97	ZINC	15.9	6.0	UG/L	EPA 6010A
GW-2045-Q497-C1	10/10/97	ZINC	ND	24.0	UG/L	EPA 6010A
GW-2045-Q497-D1	10/14/97	ZINC	ND	24.8	UG/L	EPA 6010A
GW-2046-Q497-A	10/02/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	1,2-DICHLOROETHENE (TOTAL)	(3)	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	1,2-DICHLOROETHENE (TOTAL)	3.0	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2046-Q497-A	10/02/97	1,3,5-TRINITROBENZENE	2.4	0.030	UG/L	USATHAMA
GW-2046-Q497-B	10/07/97	1,3,5-TRINITROBENZENE	2.5	0.030	UG/L	USATHAMA
GW-2046-Q497-C	10/08/97	1,3,5-TRINITROBENZENE	2.2	0.030	UG/L	USATHAMA
GW-2046-Q497-D	10/09/97	1,3,5-TRINITROBENZENE	2.2	0.030	UG/L	USATHAMA
GW-2046-Q497-A	10/02/97	1,3-DINITROBENZENE	ND	0.09	UG/L	USATHAMA
GW-2046-Q497-B	10/07/97	1,3-DINITROBENZENE	(0.06	0.090	UG/L	USATHAMA
GW-2046-Q497-C	10/08/97	1,3-DINITROBENZENE	(0.08	0.090	UG/L	USATHAMA
GW-2046-Q497-D	10/09/97	1,3-DINITROBENZENE	(0.07	0.090	UG/L	USATHAMA
GW-2046-Q497-A	10/02/97	2,4,6-TRINITROTOLUENE	2.3	0.03	UG/L	USATHAMA
GW-2046-Q497-B	10/07/97	2,4,6-TRINITROTOLUENE	2.4	0.030	UG/L	USATHAMA
GW-2046-Q497-C	10/08/97	2,4,6-TRINITROTOLUENE	2.2	0.030	UG/L	USATHAMA
GW-2046-Q497-D	10/09/97	2,4,6-TRINITROTOLUENE	2.1	0.030	UG/L	USATHAMA
GW-2046-Q497-A	10/02/97	2,4-DINITROTOLUENE	0.18	0.03	UG/L	USATHAMA
GW-2046-Q497-B	10/07/97	2,4-DINITROTOLUENE	0.17	0.030	UG/L	USATHAMA
GW-2046-Q497-C	10/08/97	2,4-DINITROTOLUENE	0.21	0.030	UG/L	USATHAMA
GW-2046-Q497-D	10/09/97	2,4-DINITROTOLUENE	0.32	0.030	UG/L	USATHAMA
GW-2046-Q497-A	10/02/97	2,6-DINITROTOLUENE	14.0	0.010	UG/L	USATHAMA
GW-2046-Q497-B	10/07/97	2,6-DINITROTOLUENE	13	0.010	UG/L	USATHAMA
GW-2046-Q497-C	10/08/97	2,6-DINITROTOLUENE	16	0.010	UG/L	USATHAMA
GW-2046-Q497-D	10/09/97	2,6-DINITROTOLUENE	15	0.010	UG/L	USATHAMA
GW-2046-Q497-A	10/02/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	ACENAPHTHENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	ACENAPHTHENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	ACENAPHTHENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	ACENAPHTHYLENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	ACENAPHTHYLENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	ACENAPHTHYLENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-A	10/02/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	ALUMINUM	ND	24.7	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	ALUMINUM	247	27.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	ALUMINUM	154	27.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	ALUMINUM	91.4	27.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	ALUMINUM	262	27.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	ANTHRACENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	ANTIMONY	ND	42.5	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2046-Q397-D	07/11/97	AROCOR-1016	ND	1.0	UG/L	EPA 8080A
GW-2046-Q497-A	10/02/97	AROCOR-1016	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-B	10/07/97	AROCOR-1016	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-C	10/08/97	AROCOR-1016	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-D	10/09/97	AROCOR-1016	ND	1.0	UG/L	EPA 8081
GW-2046-Q397-D	07/11/97	AROCOR-1221	ND	1.0	UG/L	EPA 8080A
GW-2046-Q497-A	10/02/97	AROCOR-1221	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-B	10/07/97	AROCOR-1221	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-C	10/08/97	AROCOR-1221	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-D	10/09/97	AROCOR-1221	ND	1.0	UG/L	EPA 8081
GW-2046-Q397-D	07/11/97	AROCOR-1232	ND	1.0	UG/L	EPA 8080A
GW-2046-Q497-A	10/02/97	AROCOR-1232	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-B	10/07/97	AROCOR-1232	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-C	10/08/97	AROCOR-1232	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-D	10/09/97	AROCOR-1232	ND	1.0	UG/L	EPA 8081
GW-2046-Q397-D	07/11/97	AROCOR-1242	ND	1.0	UG/L	EPA 8080A
GW-2046-Q497-A	10/02/97	AROCOR-1242	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-B	10/07/97	AROCOR-1242	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-C	10/08/97	AROCOR-1242	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-D	10/09/97	AROCOR-1242	ND	1.0	UG/L	EPA 8081
GW-2046-Q397-D	07/11/97	AROCOR-1248	ND	1.0	UG/L	EPA 8080A
GW-2046-Q497-A	10/02/97	AROCOR-1248	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-B	10/07/97	AROCOR-1248	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-C	10/08/97	AROCOR-1248	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-D	10/09/97	AROCOR-1248	ND	1.0	UG/L	EPA 8081
GW-2046-Q397-D	07/11/97	AROCOR-1254	ND	1.0	UG/L	EPA 8080A
GW-2046-Q497-A	10/02/97	AROCOR-1254	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-B	10/07/97	AROCOR-1254	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-C	10/08/97	AROCOR-1254	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-D	10/09/97	AROCOR-1254	ND	1.0	UG/L	EPA 8081
GW-2046-Q397-D	07/11/97	AROCOR-1260	ND	1.0	UG/L	EPA 8080A
GW-2046-Q497-A	10/02/97	AROCOR-1260	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-B	10/07/97	AROCOR-1260	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-C	10/08/97	AROCOR-1260	ND	1.0	UG/L	EPA 8081
GW-2046-Q497-D	10/09/97	AROCOR-1260	ND	1.0	UG/L	EPA 8081
GW-2046-Q397-D	07/11/97	ARSENIC	ND	1.7	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	BARIUM	157	0.60	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	BARIUM	228	2.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	BARIUM	194	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	BARIUM	167	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	BARIUM	214	2.0	UG/L	EPA 6010A
GW-2046-Q497-A	10/02/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	BENZO(A)ANTHRACENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	BENZO(A)PYRENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	BENZO(A)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	BENZO(A)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	BENZO(B)FLUORANTHENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2046-Q497-B	10/07/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	BENZO(G,H,I)PERYLENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	BENZO(K)FLUORANTHENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	BERYLLIUM	ND	0.40	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2046-Q497-A	10/02/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	CADMIUM	ND	2.9	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	CALCIUM	12900	53.5	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	CALCIUM	15600	13.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	CALCIUM	14600	13.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	CALCIUM	13400	13.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	CALCIUM	15300	13.0	UG/L	EPA 6010A
GW-2046-Q497-A	10/02/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	CHEMICAL OXYGEN DEMAND	ND	5.00	MG/L	EPA 410.4
GW-2046-Q497-A	10/02/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2046-Q497-B	10/07/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2046-Q497-C	10/08/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410
GW-2046-Q497-D	10/09/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410
GW-2046-Q397-D	07/11/97	CHLORIDE	17.3	1.00	MG/L	EPA 300.0
GW-2046-Q497-A	10/02/97	CHLORIDE	16.4	1.25	MG/L	EPA 300.0
GW-2046-Q497-B	10/07/97	CHLORIDE	16.3	1.25	MG/L	EPA 300.0
GW-2046-Q497-C	10/08/97	CHLORIDE	17.9	1.25	MG/L	EPA 300
GW-2046-Q497-D	10/09/97	CHLORIDE	17.4	1.25	MG/L	EPA 300
GW-2046-Q497-A	10/02/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2046-Q497-D	10/09/97	CHLORO BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	CHROMIUM	ND	2.7	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	CHROMIUM	ND	3.7	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	CHROMIUM	2.3	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	CHROMIUM	2.3	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	CHROMIUM	3.6	2.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	CHRYSENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	CHRYSENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	CHRYSENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-A	10/02/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	COBALT	ND	4.0	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	COPPER	ND	4.4	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	COPPER	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	COPPER	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	COPPER	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	COPPER	2.4	2.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	CYANIDE, TOTAL	ND	1.50	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	DIBENZ(A,H)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	DIBENZ(A,H)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	DIBENZO(A,H)ANTHRACENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	FLUORANTHENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	FLUORENE	ND	5.0	UG/L	EPA 8310

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2046-Q497-A	10/02/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	FLUORENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	FLUORENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	FLUORIDE	ND	0.10	MG/L	EPA 300.0
GW-2046-Q497-A	10/02/97	FLUORIDE	0.09	0.05	MG/L	EPA 340
GW-2046-Q497-B	10/07/97	FLUORIDE	0.08	0.05	MG/L	EPA 340.0
GW-2046-Q497-C	10/08/97	FLUORIDE	0.085	0.05	MG/L	EPA 340
GW-2046-Q497-D	10/09/97	FLUORIDE	0.08	0.05	MG/L	EPA 340
GW-2046-Q397-D	07/11/97	INDENO(1,2,3-CD)PYRENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	IRON	244	6.7	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	IRON	895	61.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	IRON	513	61.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	IRON	352	61.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	IRON	771	61.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	LEAD	ND	1.8	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	LEAD	2.1	2.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	LITHIUM	ND	5.2	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	LITHIUM	5.7	2.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	LITHIUM	4.8	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	LITHIUM	5.0	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	LITHIUM	5.2	2.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	MAGNESIUM	39300	68.0	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	MAGNESIUM	46500	28.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	MAGNESIUM	42400	28.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	MAGNESIUM	39300	28.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	MAGNESIUM	45300	28.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	MANGANESE	35.1	0.90	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	MANGANESE	79.2	2.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	MANGANESE	50.0	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	MANGANESE	34.8	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	MANGANESE	66.9	2.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2046-Q497-B	10/07/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2046-Q497-C	10/08/97	MERCURY	ND	0.10	UG/L	EPA 7470
GW-2046-Q497-D	10/09/97	MERCURY	ND	0.10	UG/L	EPA 7470
GW-2046-Q497-A	10/02/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	METHYLENE CHLORIDE	93	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	MOLYBDENUM	ND	7.3	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	NAPHTHALENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	NAPHTHALENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	NAPHTHALENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	NICKEL	ND	14.8	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	NICKEL	ND	5.4	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	NICKEL	4.4	2.0	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2046-Q497-C	10/08/97	NICKEL	4.4	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	NICKEL	5.7	2.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	NITRATE-N	1.74	0.25	MG/L	EPA 353.1
GW-2046-Q497-A	10/02/97	NITRATE-N	2.02	0.100	MG/L	EPA 353.1
GW-2046-Q497-B	10/07/97	NITRATE-N	2.12	0.100	MG/L	EPA 353.1
GW-2046-Q497-C	10/08/97	NITRATE-N	2.02	0.100	MG/L	EPA 353.1
GW-2046-Q497-D	10/09/97	NITRATE-N	2.04	0.100	MG/L	EPA 353.1
GW-2046-Q497-A	10/02/97	NITROBENZENE	ND	0.03	UG/L	USATHAMA
GW-2046-Q497-B	10/07/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2046-Q497-C	10/08/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2046-Q497-D	10/09/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2046-Q397-D	07/11/97	PHENANTHRENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	PHENANTHRENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	PHENANTHRENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	POTASSIUM	2980	1770	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	POTASSIUM	3220	94.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	POTASSIUM	3590	69.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	POTASSIUM	3600	94.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	POTASSIUM	3590	94.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	PYRENE	ND	5.0	UG/L	EPA 8310
GW-2046-Q497-A	10/02/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-B	10/07/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2046-Q497-C	10/08/97	PYRENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q497-D	10/09/97	PYRENE	ND	0.5	UG/L	SW846 8310
GW-2046-Q397-D	07/11/97	RADIUM-226	0.280	0.238	PCI/L	EPA 904.0
GW-2046-Q497-A	10/02/97	RADIUM-226	0.242	0.122	PCI/L	EPA 903.0
GW-2046-Q497-B	10/07/97	RADIUM-226	0.207	0.138	PCI/L	EPA 903.0
GW-2046-Q497-C	10/08/97	RADIUM-226	0.57	0.28	PCI/L	EPA 903.1
GW-2046-Q497-D	10/09/97	RADIUM-226	0.26	0.27	PCI/L	EPA 903.1
GW-2046-Q397-D	07/11/97	RADIUM-228	0.25	0.689	PCI/L	EPA 904.0
GW-2046-Q497-A	10/02/97	RADIUM-228	2.35	1.16	PCI/L	EPA 904.0
GW-2046-Q497-B	10/07/97	RADIUM-228	2.01	1.35	PCI/L	EPA 904.0
GW-2046-Q497-C	10/08/97	RADIUM-228	0.25	0.76	PCI/L	EPA 904.0
GW-2046-Q497-D	10/09/97	RADIUM-228	ND	0.68	PCI/L	EPA 904.0
GW-2046-Q397-D	07/11/97	SELENIUM	ND	3.7	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	SILVER	ND	6.7	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	SODIUM	25900	48.0	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	SODIUM	29700	151	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	SODIUM	28000	130	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	SODIUM	26300	130	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	SODIUM	27100	130	UG/L	EPA 6010A
GW-2046-Q497-A	10/02/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	SULFATE	52.7	2.50	MG/L	EPA 300.0
GW-2046-Q497-A	10/02/97	SULFATE	49.4	2.5	MG/L	EPA 300.0
GW-2046-Q497-B	10/07/97	SULFATE	50.2	2.5	MG/L	EPA 300.0
GW-2046-Q497-C	10/08/97	SULFATE	53.1	2.5	MG/L	EPA 300
GW-2046-Q497-D	10/09/97	SULFATE	51.3	2.5	MG/L	EPA 300
GW-2046-Q497-A	10/02/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2046-Q497-B	10/07/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	THALLIUM	ND	2.9	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2046-Q397-D	07/11/97	THORIUM-228	0.00	0.135	PCI/L	NAS-NS-3004
GW-2046-Q497-A	10/02/97	THORIUM-228	0.09	0.275	PCI/L	EML TH-01
GW-2046-Q497-B	10/07/97	THORIUM-228	0.10	0.416	PCI/L	EML TH-01
GW-2046-Q497-C	10/08/97	THORIUM-228	0.14	0.18	PCI/L	EPA 907.0
GW-2046-Q497-D	10/09/97	THORIUM-228	ND	0.23	PCI/L	EPA 907.0
GW-2046-Q397-D	07/11/97	THORIUM-230	0.126	0.104	PCI/L	NAS-NS-3004
GW-2046-Q497-A	10/02/97	THORIUM-230	0.09	0.275	PCI/L	EML TH-01
GW-2046-Q497-B	10/07/97	THORIUM-230	0.21	0.248	PCI/L	EML TH-01
GW-2046-Q497-C	10/08/97	THORIUM-230	0.00	0.095	PCI/L	EPA 907.0
GW-2046-Q497-D	10/09/97	THORIUM-230	ND	0.092	PCI/L	EPA 907.0
GW-2046-Q397-D	07/11/97	THORIUM-232	0.00	0.138	PCI/L	NAS-NS-3004
GW-2046-Q497-A	10/02/97	THORIUM-232	0.09	0.247	PCI/L	EML TH-01
GW-2046-Q497-B	10/07/97	THORIUM-232	ND	0.289	PCI/L	EML TH-01
GW-2046-Q497-C	10/08/97	THORIUM-232	ND	0.092	PCI/L	EPA 907.0
GW-2046-Q497-D	10/09/97	THORIUM-232	ND	0.076	PCI/L	EPA 907.0
GW-2046-Q497-A	10/02/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	TOTAL DISSOLVED SOLIDS	529	5.00	MG/L	EPA 160.1
GW-2046-Q497-A	10/02/97	TOTAL DISSOLVED SOLIDS	684	10	MG/L	EPA 160.1
GW-2046-Q497-B	10/07/97	TOTAL DISSOLVED SOLIDS	538	10	MG/L	EPA 160.1
GW-2046-Q497-C	10/08/97	TOTAL DISSOLVED SOLIDS	526	10	MG/L	EPA 160.1
GW-2046-Q497-D	10/09/97	TOTAL DISSOLVED SOLIDS	500	10	MG/L	EPA 160.1
GW-2046-Q397-D	07/11/97	TOTAL ORGANIC CARBON	1.51	1.00	MG/L	EPA 415.1
GW-2046-Q497-A	10/02/97	TOTAL ORGANIC CARBON	31.5	1.0	MG/L	EPA 415.1
GW-2046-Q497-B	10/07/97	TOTAL ORGANIC CARBON	42.4	1.0	MG/L	EPA 415.1
GW-2046-Q497-C	10/08/97	TOTAL ORGANIC CARBON	45.5	1.0	MG/L	EPA 415.1
GW-2046-Q497-D	10/09/97	TOTAL ORGANIC CARBON	42.0	1.0	MG/L	EPA 415.1
GW-2046-Q397-D	07/11/97	TOX	0.017	0.005	MG/L	EPA 9020
GW-2046-Q497-A	10/02/97	TOX	0.026	0.005	MG/L	EPA 9020A
GW-2046-Q497-B	10/07/97	TOX	0.014	0.005	MG/L	EPA 9020A
GW-2046-Q497-C	10/08/97	TOX	0.025	0.005	MG/L	EPA 9020A
GW-2046-Q497-D	10/09/97	TOX	0.014	0.005	MG/L	EPA 9020A
GW-2046-Q497-A	10/02/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	URANIUM, TOTAL	0.981	0.677	PCI/L	ASTM 5174-91
GW-2046-Q497-A	10/02/97	URANIUM, TOTAL	1.04	0.0203	PCI/L	ASTM 5174-91
GW-2046-Q497-B	10/07/97	URANIUM, TOTAL	0.942	0.0203	PCI/L	ASTM 5174-91
GW-2046-Q497-C	10/08/97	URANIUM, TOTAL	0.863	0.42	PCI/L	ASTM 5174-91
GW-2046-Q497-D	10/09/97	URANIUM, TOTAL	0.873	0.42	PCI/L	ASTM 5174-91
GW-2046-Q397-D	07/11/97	VANADIUM	10.0	4.9	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	VANADIUM	2.7	2.0	UG/L	EPA 6010A
GW-2046-Q497-A	10/02/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2046-Q497-B	10/07/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2046-Q497-B	10/07/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2046-Q497-C	10/08/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2046-Q497-D	10/09/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2046-Q397-D	07/11/97	ZINC	24.6	4.8	UG/L	EPA CLP
GW-2046-Q497-A	10/02/97	ZINC	23.9	6.0	UG/L	EPA 6010A
GW-2046-Q497-B	10/07/97	ZINC	14.6	6.0	UG/L	EPA 6010A
GW-2046-Q497-C	10/08/97	ZINC	12.3	6.0	UG/L	EPA 6010A
GW-2046-Q497-D	10/09/97	ZINC	19.4	6.0	UG/L	EPA 6010A
GW-2047-Q497-A	10/02/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	1,3,5-TRINITROBENZENE	ND	0.03	UG/L	USATHAMA
GW-2047-Q497-B	10/07/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2047-Q497-C	10/08/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2047-Q497-D	10/09/97	1,3,5-TRINITROBENZENE	0.02	0.030	UG/L	USATHAMA
GW-2047-Q497-A	10/02/97	1,3-DINITROBENZENE	ND	0.09	UG/L	USATHAMA
GW-2047-Q497-B	10/07/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2047-Q497-C	10/08/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2047-Q497-D	10/09/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2047-Q497-A	10/02/97	2,4,6-TRINITROTOLUENE	ND	0.03	UG/L	USATHAMA
GW-2047-Q497-B	10/07/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2047-Q497-C	10/08/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2047-Q497-D	10/09/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2047-Q497-A	10/02/97	2,4-DINITROTOLUENE	0.25	0.03	UG/L	USATHAMA
GW-2047-Q497-B	10/07/97	2,4-DINITROTOLUENE	0.29	0.030	UG/L	USATHAMA
GW-2047-Q497-C	10/08/97	2,4-DINITROTOLUENE	0.36	0.030	UG/L	USATHAMA
GW-2047-Q497-D	10/09/97	2,4-DINITROTOLUENE	0.39	0.030	UG/L	USATHAMA
GW-2047-Q497-A	10/02/97	2,6-DINITROTOLUENE	0.55	0.010	UG/L	USATHAMA

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2047-Q497-B	10/07/97	2,6-DINITROTOLUENE	0.61	0.010	UG/L	USATHAMA
GW-2047-Q497-C	10/08/97	2,6-DINITROTOLUENE	0.75	0.010	UG/L	USATHAMA
GW-2047-Q497-D	10/09/97	2,6-DINITROTOLUENE	0.85	0.010	UG/L	USATHAMA
GW-2047-Q497-A	10/02/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	ACENAPHTHENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	ACENAPHTHENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	ACENAPHTHENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	ACENAPHTHYLENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	ACENAPHTHYLENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	ACENAPHTHYLENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-A	10/02/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	ALUMINUM	ND	24.7	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	ALUMINUM	119	27.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	ALUMINUM	45.3	27.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	ALUMINUM	75.0	27.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	ALUMINUM	74.4	27.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	ANTHRACENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	ANTIMONY	ND	42.5	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8080A
GW-2047-Q497-A	10/02/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-B	10/07/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-C	10/08/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-D	10/09/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2047-Q397-D	07/11/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8080A
GW-2047-Q497-A	10/02/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-B	10/07/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-C	10/08/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-D	10/09/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2047-Q397-D	07/11/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8080A
GW-2047-Q497-A	10/02/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-B	10/07/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-C	10/08/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-D	10/09/97	AROCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2047-Q397-D	07/11/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8080A
GW-2047-Q497-A	10/02/97	AROCLOR-1242	ND	1.0	UG/L	EPA 8081

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2047-Q497-B	10/07/97	AROCLOL-1242	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-C	10/08/97	AROCLOL-1242	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-D	10/09/97	AROCLOL-1242	ND	1.0	UG/L	EPA 8081
GW-2047-Q397-D	07/11/97	AROCLOL-1248	ND	1.0	UG/L	EPA 8080A
GW-2047-Q497-A	10/02/97	AROCLOL-1248	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-B	10/07/97	AROCLOL-1248	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-C	10/08/97	AROCLOL-1248	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-D	10/09/97	AROCLOL-1248	ND	1.0	UG/L	EPA 8081
GW-2047-Q397-D	07/11/97	AROCLOL-1254	ND	1.0	UG/L	EPA 8080A
GW-2047-Q497-A	10/02/97	AROCLOL-1254	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-B	10/07/97	AROCLOL-1254	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-C	10/08/97	AROCLOL-1254	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-D	10/09/97	AROCLOL-1254	ND	1.0	UG/L	EPA 8081
GW-2047-Q397-D	07/11/97	AROCLOL-1260	ND	1.0	UG/L	EPA 8080A
GW-2047-Q497-A	10/02/97	AROCLOL-1260	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-B	10/07/97	AROCLOL-1260	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-C	10/08/97	AROCLOL-1260	ND	1.0	UG/L	EPA 8081
GW-2047-Q497-D	10/09/97	AROCLOL-1260	ND	1.0	UG/L	EPA 8081
GW-2047-Q397-D	07/11/97	ARSENIC	ND	1.7	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	BARIUM	216	0.60	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	BARIUM	288	2.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	BARIUM	306	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	BARIUM	315	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	BARIUM	322	2.0	UG/L	EPA 6010A
GW-2047-Q497-A	10/02/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	BENZO(A)ANTHRACENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	BENZO(A)PYRENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	BENZO(A)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	BENZO(A)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	BENZO(B)FLUORANTHENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	BENZO(G,H,I)PERYLENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	BENZO(K)FLUORANTHENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	BERYLLIUM	ND	0.40	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2047-Q497-D	10/09/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
GW-2047-Q497-A	10/02/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	CADMIUM	ND	2.9	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	CALCIUM	10800	53.5	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	CALCIUM	11500	13.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	CALCIUM	12100	13.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	CALCIUM	14600	13.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	CALCIUM	13900	13.0	UG/L	EPA 6010A
GW-2047-Q497-A	10/02/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	CHEMICAL OXYGEN DEMAND	ND	5.00	MG/L	EPA 410.4
GW-2047-Q497-A	10/02/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2047-Q497-B	10/07/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2047-Q497-C	10/08/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410
GW-2047-Q497-D	10/09/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410
GW-2047-Q397-D	07/11/97	CHLORIDE	8.49	0.40	MG/L	EPA 300.0
GW-2047-Q497-A	10/02/97	CHLORIDE	7.14	0.25	MG/L	EPA 300.0
GW-2047-Q497-B	10/07/97	CHLORIDE	6.18	0.25	MG/L	EPA 300.0
GW-2047-Q497-C	10/08/97	CHLORIDE	7.36	0.25	MG/L	EPA 300
GW-2047-Q497-D	10/09/97	CHLORIDE	7.70	0.25	MG/L	EPA 300
GW-2047-Q497-A	10/02/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	CHROMIUM	ND	2.7	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	CHROMIUM	ND	2.6	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	CHROMIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	CHROMIUM	ND	2.0	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2047-Q497-D	10/09/97	CHROMIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	CHRYSENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	CHRYSENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	CHRYSENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-A	10/02/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	COBALT	ND	4.0	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	COBALT	ND	2.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	COPPER	ND	4.4	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	COPPER	ND	2.3	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	COPPER	2.9	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	COPPER	2.9	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	COPPER	4.0	2.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	CYANIDE, TOTAL	ND	1.50	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	DIBENZ(A,H)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	DIBENZ(A,H)ANTHRACENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	DIBENZO(A,H)ANTHRACENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	FLUORANTHENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	FLUORANTHENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	FLUORENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	FLUORENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	FLUORENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	FLUORIDE	ND	0.10	MG/L	EPA 300.0
GW-2047-Q497-A	10/02/97	FLUORIDE	0.10	0.05	MG/L	EPA 340
GW-2047-Q497-B	10/07/97	FLUORIDE	0.11	0.05	MG/L	EPA 340.0
GW-2047-Q497-C	10/08/97	FLUORIDE	0.09	0.05	MG/L	EPA 340
GW-2047-Q497-D	10/09/97	FLUORIDE	0.09	0.05	MG/L	EPA 340
GW-2047-Q397-D	07/11/97	INDENO(1,2,3-CD)PYRENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	IRON	289	6.7	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	IRON	509	61.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	IRON	311	61.0	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2047-Q497-C	10/08/97	IRON	351	61.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	IRON	385	61.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	LEAD	ND	1.8	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	LEAD	2.0	2.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	LITHIUM	31.6	5.2	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	LITHIUM	31.5	2.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	LITHIUM	40.3	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	LITHIUM	62.1	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	LITHIUM	45.1	2.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	MAGNESIUM	63800	68.0	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	MAGNESIUM	77800	28.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	MAGNESIUM	79700	28.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	MAGNESIUM	86700	28.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	MAGNESIUM	83600	28.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	MANGANESE	40.5	0.90	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	MANGANESE	36.4	2.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	MANGANESE	30.9	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	MANGANESE	34.2	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	MANGANESE	51.5	2.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2047-Q497-B	10/07/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-2047-Q497-C	10/08/97	MERCURY	ND	0.10	UG/L	EPA 7470
GW-2047-Q497-D	10/09/97	MERCURY	ND	0.10	UG/L	EPA 7470
GW-2047-Q497-A	10/02/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	METHYLENE CHLORIDE	54	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	METHYLENE CHLORIDE	16	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	METHYLENE CHLORIDE	10.0	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	MOLYBDENUM	ND	7.3	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	MOLYBDENUM	ND	7.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	NAPHTHALENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	NAPHTHALENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	NAPHTHALENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	NICKEL	ND	14.8	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	NICKEL	ND	10.2	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	NICKEL	11.5	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	NICKEL	10.6	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	NICKEL	12.7	2.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	NITRATE-N	96.6	25.0	MG/L	EPA 353.1
GW-2047-Q497-A	10/02/97	NITRATE-N	65.8	1.00	MG/L	EPA 353.1
GW-2047-Q497-B	10/07/97	NITRATE-N	76.1	2.00	MG/L	EPA 353.1
GW-2047-Q497-C	10/08/97	NITRATE-N	84.2	2.000	MG/L	EPA 353.1
GW-2047-Q497-D	10/09/97	NITRATE-N	120	4.000	MG/L	EPA 353.1
GW-2047-Q497-A	10/02/97	NITROBENZENE	ND	0.03	UG/L	USATHAMA
GW-2047-Q497-B	10/07/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2047-Q497-C	10/08/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2047-Q497-D	10/09/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2047-Q397-D	07/11/97	PHENANTHRENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	PHENANTHRENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	PHENANTHRENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	POTASSIUM	2620	1770	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2047-Q497-A	10/02/97	POTASSIUM	2400	94.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	POTASSIUM	2700	69.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	POTASSIUM	3380	94.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	POTASSIUM	2840	94.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	PYRENE	ND	5.0	UG/L	EPA 8310
GW-2047-Q497-A	10/02/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-B	10/07/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2047-Q497-C	10/08/97	PYRENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q497-D	10/09/97	PYRENE	ND	0.5	UG/L	SW846 8310
GW-2047-Q397-D	07/11/97	RADIUM-226	0.311	0.182	PCI/L	EPA 904.0
GW-2047-Q497-A	10/02/97	RADIUM-226	0.290	0.0921	PCI/L	EPA 903.0
GW-2047-Q497-B	10/07/97	RADIUM-226	0.622	0.159	PCI/L	EPA 903.0
GW-2047-Q497-C	10/08/97	RADIUM-226	(0.21	0.32	PCI/L	EPA 903.1
GW-2047-Q497-D	10/09/97	RADIUM-226	(0.23	0.30	PCI/L	EPA 903.1
GW-2047-Q397-D	07/11/97	RADIUM-228	0.647	0.632	PCI/L	EPA 904.0
GW-2047-Q497-A	10/02/97	RADIUM-228	(0.61	1.14	PCI/L	EPA 904.0
GW-2047-Q497-B	10/07/97	RADIUM-228	(0.70	1.14	PCI/L	EPA 904.0
GW-2047-Q497-C	10/08/97	RADIUM-228	(0.12	0.76	PCI/L	EPA 904.0
GW-2047-Q497-D	10/09/97	RADIUM-228	(0.19	0.77	PCI/L	EPA 904.0
GW-2047-Q397-D	07/11/97	SELENIUM	4.0	3.7	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	SILVER	ND	6.7	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	SODIUM	26600	48.0	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	SODIUM	28400	151	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	SODIUM	30700	130	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	SODIUM	36500	130	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	SODIUM	32500	130	UG/L	EPA 6010A
GW-2047-Q497-A	10/02/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	SULFATE	33.8	1.00	MG/L	EPA 300.0
GW-2047-Q497-A	10/02/97	SULFATE	26.1	1.0	MG/L	EPA 300.0
GW-2047-Q497-B	10/07/97	SULFATE	24.7	1.0	MG/L	EPA 300.0
GW-2047-Q497-C	10/08/97	SULFATE	28.8	1.0	MG/L	EPA 300
GW-2047-Q497-D	10/09/97	SULFATE	29.4	1.0	MG/L	EPA 300
GW-2047-Q497-A	10/02/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	THALLIUM	ND	2.9	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
GW-2047-Q397-D	07/11/97	THORIUM-228	ND	0.158	PCI/L	NAS-NS-3004
GW-2047-Q497-A	10/02/97	THORIUM-228	(0.22	0.339	PCI/L	EML TH-01
GW-2047-Q497-B	10/07/97	THORIUM-228	(0.09	0.350	PCI/L	EML TH-01
GW-2047-Q497-C	10/08/97	THORIUM-228	(0.02	0.20	PCI/L	EPA 907.0
GW-2047-Q497-D	10/09/97	THORIUM-228	ND	0.23	PCI/L	EPA 907.0
GW-2047-Q397-D	07/11/97	THORIUM-230	(0.12	0.178	PCI/L	NAS-NS-3004
GW-2047-Q497-A	10/02/97	THORIUM-230	0.480	0.202	PCI/L	EML TH-01
GW-2047-Q497-B	10/07/97	THORIUM-230	0.426	0.385	PCI/L	EML TH-01
GW-2047-Q497-C	10/08/97	THORIUM-230	(0.03	0.072	PCI/L	EPA 907.0

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2047-Q497-D	10/09/97	THORIUM-230	ND	0.11	PCI/L	EPA 907.0
GW-2047-Q397-D	07/11/97	THORIUM-232	0.06	0.134	PCI/L	NAS-NS-3004
GW-2047-Q497-A	10/02/97	THORIUM-232	0.08	0.236	PCI/L	EML TH-01
GW-2047-Q497-B	10/07/97	THORIUM-232	0.04	0.331	PCI/L	EML TH-01
GW-2047-Q497-C	10/08/97	THORIUM-232	0.02	0.053	PCI/L	EPA 907.0
GW-2047-Q497-D	10/09/97	THORIUM-232	ND	0.094	PCI/L	EPA 907.0
GW-2047-Q497-A	10/02/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	TOTAL DISSOLVED SOLIDS	899	5.00	MG/L	EPA 160.1
GW-2047-Q497-A	10/02/97	TOTAL DISSOLVED SOLIDS	982	10	MG/L	EPA 160.1
GW-2047-Q497-B	10/07/97	TOTAL DISSOLVED SOLIDS	806	10	MG/L	EPA 160.1
GW-2047-Q497-C	10/08/97	TOTAL DISSOLVED SOLIDS	754	10	MG/L	EPA 160.1
GW-2047-Q497-D	10/09/97	TOTAL DISSOLVED SOLIDS	940	10	MG/L	EPA 160.1
GW-2047-Q397-D	07/11/97	TOTAL ORGANIC CARBON	ND	1.00	MG/L	EPA 415.1
GW-2047-Q497-A	10/02/97	TOTAL ORGANIC CARBON	27.8	1.0	MG/L	EPA 415.1
GW-2047-Q497-B	10/07/97	TOTAL ORGANIC CARBON	40.4	1.0	MG/L	EPA 415.1
GW-2047-Q497-C	10/08/97	TOTAL ORGANIC CARBON	41.7	1.0	MG/L	EPA 415.1
GW-2047-Q497-D	10/09/97	TOTAL ORGANIC CARBON	39.6	1.0	MG/L	EPA 415.1
GW-2047-Q397-D	07/11/97	TOX	ND	0.005	MG/L	EPA 9020
GW-2047-Q497-A	10/02/97	TOX	ND	0.005	MG/L	EPA 9020A
GW-2047-Q497-B	10/07/97	TOX	0.007	0.005	MG/L	EPA 9020A
GW-2047-Q497-C	10/08/97	TOX	0.006	0.005	MG/L	EPA 9020A
GW-2047-Q497-D	10/09/97	TOX	ND	0.005	MG/L	EPA 9020A
GW-2047-Q497-A	10/02/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	URANIUM, TOTAL	1.22	0.677	PCI/L	ASTM 5174-91
GW-2047-Q497-A	10/02/97	URANIUM, TOTAL	1.41	0.0203	PCI/L	ASTM 5174-91
GW-2047-Q497-B	10/07/97	URANIUM, TOTAL	1.11	0.0203	PCI/L	ASTM 5174-91
GW-2047-Q497-C	10/08/97	URANIUM, TOTAL	1.01	0.42	PCI/L	ASTM 5174-91
GW-2047-Q497-D	10/09/97	URANIUM, TOTAL	0.876	0.42	PCI/L	ASTM 5174-91
GW-2047-Q397-D	07/11/97	VANADIUM	8.1	4.9	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
GW-2047-Q497-A	10/02/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2047-Q497-B	10/07/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2047-Q497-C	10/08/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2047-Q497-D	10/09/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2047-Q397-D	07/11/97	ZINC	12.2	4.8	UG/L	EPA CLP
GW-2047-Q497-A	10/02/97	ZINC	20.4	6.0	UG/L	EPA 6010A
GW-2047-Q497-B	10/07/97	ZINC	11.4	6.0	UG/L	EPA 6010A
GW-2047-Q497-C	10/08/97	ZINC	22.2	6.0	UG/L	EPA 6010A
GW-2047-Q497-D	10/09/97	ZINC	10.9	6.0	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q497-B	10/01/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-B	10/01/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-C	10/01/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-D	10/01/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-A	10/01/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2048-Q497-B	10/01/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2048-Q497-C	10/01/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2048-Q497-D	10/01/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-2048-Q497-A	10/01/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-B	10/01/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-C	10/01/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-D	10/01/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-A	10/01/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-B	10/01/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-C	10/01/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-D	10/01/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-A	10/01/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2048-Q497-B	10/01/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2048-Q497-C	10/01/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2048-Q497-D	10/01/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-2048-Q497-A	10/01/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q397-C	07/01/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	ACENAPHTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	ACENAPHTHYLENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-A	10/01/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	ACETONE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	ALUMINUM	44.0	14.5	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	ALUMINUM	49.9	14.5	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	ALUMINUM	50.4	14.5	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	ALUMINUM	59.2	14.5	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	ALUMINUM	ND	27	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	ALUMINUM	36.0	27	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	ALUMINUM	41.8	27	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	ALUMINUM	28.4	27	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	ANTIMONY	ND	1.3	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	ANTIMONY	ND	11	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	ANTIMONY	ND	11	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	ANTIMONY	ND	11	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	ANTIMONY	ND	11	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	AROCLOR-1016	ND	0.030	UG/L	EPA CLP
GW-2048-Q397-B	07/01/97	AROCLOR-1016	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-C	07/01/97	AROCLOR-1016	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-D	07/01/97	AROCLOR-1016	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-B	10/01/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-C	10/01/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-D	10/01/97	AROCLOR-1016	ND	1.0	UG/L	EPA 8081
GW-2048-Q397-A	07/01/97	AROCLOR-1221	ND	0.060	UG/L	EPA CLP
GW-2048-Q397-B	07/01/97	AROCLOR-1221	ND	0.20	UG/L	EPA CLP
GW-2048-Q397-C	07/01/97	AROCLOR-1221	ND	0.20	UG/L	EPA CLP
GW-2048-Q397-D	07/01/97	AROCLOR-1221	ND	0.20	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-B	10/01/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-C	10/01/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-D	10/01/97	AROCLOR-1221	ND	1.0	UG/L	EPA 8081
GW-2048-Q397-A	07/01/97	AROCLOR-1232	ND	0.030	UG/L	EPA CLP
GW-2048-Q397-B	07/01/97	AROCLOR-1232	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-C	07/01/97	AROCLOR-1232	ND	0.10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q397-D	07/01/97	AROCCLOR-1232	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	AROCCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-B	10/01/97	AROCCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-C	10/01/97	AROCCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-D	10/01/97	AROCCLOR-1232	ND	1.0	UG/L	EPA 8081
GW-2048-Q397-A	07/01/97	AROCCLOR-1242	ND	0.030	UG/L	EPA CLP
GW-2048-Q397-B	07/01/97	AROCCLOR-1242	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-C	07/01/97	AROCCLOR-1242	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-D	07/01/97	AROCCLOR-1242	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	AROCCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-B	10/01/97	AROCCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-C	10/01/97	AROCCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-D	10/01/97	AROCCLOR-1242	ND	1.0	UG/L	EPA 8081
GW-2048-Q397-A	07/01/97	AROCCLOR-1248	ND	0.030	UG/L	EPA CLP
GW-2048-Q397-B	07/01/97	AROCCLOR-1248	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-C	07/01/97	AROCCLOR-1248	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-D	07/01/97	AROCCLOR-1248	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	AROCCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-B	10/01/97	AROCCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-C	10/01/97	AROCCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-D	10/01/97	AROCCLOR-1248	ND	1.0	UG/L	EPA 8081
GW-2048-Q397-A	07/01/97	AROCCLOR-1254	ND	0.030	UG/L	EPA CLP
GW-2048-Q397-B	07/01/97	AROCCLOR-1254	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-C	07/01/97	AROCCLOR-1254	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-D	07/01/97	AROCCLOR-1254	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	AROCCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-B	10/01/97	AROCCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-C	10/01/97	AROCCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-D	10/01/97	AROCCLOR-1254	ND	1.0	UG/L	EPA 8081
GW-2048-Q397-A	07/01/97	AROCCLOR-1260	ND	0.030	UG/L	EPA CLP
GW-2048-Q397-B	07/01/97	AROCCLOR-1260	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-C	07/01/97	AROCCLOR-1260	ND	0.10	UG/L	EPA CLP
GW-2048-Q397-D	07/01/97	AROCCLOR-1260	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	AROCCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-B	10/01/97	AROCCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-C	10/01/97	AROCCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2048-Q497-D	10/01/97	AROCCLOR-1260	ND	1.0	UG/L	EPA 8081
GW-2048-Q397-A	07/01/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	ARSENIC	ND	1.7	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	BARIUM	52.0	0.3	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	BARIUM	46.9	0.3	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	BARIUM	41.9	0.3	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	BARIUM	50.6	0.3	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	BARIUM	52.4	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	BARIUM	50.2	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	BARIUM	50.1	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	BARIUM	48.3	2.0	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	BENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	BENZENE, 1,2,3-TRICHLORO-(TIC)	2	0.00	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q397-D	07/01/97	BENZO(A)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	BENZO(A)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	BENZO(B)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	BENZO(G,H,I)PERYLENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	BENZO(K)FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	BERYLLIUM	ND	0.2	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	BERYLLIUM	ND	0.2	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	BERYLLIUM	ND	0.2	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	BERYLLIUM	ND	0.2	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	BERYLLIUM	ND	1.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	BERYLLIUM	ND	1.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	BERYLLIUM	ND	1.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	BERYLLIUM	ND	1.0	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	CADMIUM	ND	0.3	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	CADMIUM	ND	0.3	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	CADMIUM	ND	0.3	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	CADMIUM	ND	0.3	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q497-A	10/01/97	CADMIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CADMIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CADMIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CADMIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	CALCIUM	10600	3.0	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	CALCIUM	97500	3.0	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	CALCIUM	88800	3.0	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	CALCIUM	10700	3.0	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	CALCIUM	11200	13.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CALCIUM	11100	13.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CALCIUM	11700	13.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CALCIUM	11200	13.0	UG/L	EPA CLP
GW-2048-Q497-A	07/01/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	CHEMICAL OXYGEN DEMAND	ND	5.00	MG/L	EPA 410.4
GW-2048-Q397-B	07/01/97	CHEMICAL OXYGEN DEMAND	ND	5.00	MG/L	EPA 410.4
GW-2048-Q397-C	07/01/97	CHEMICAL OXYGEN DEMAND	ND	5.00	MG/L	EPA 410.4
GW-2048-Q397-D	07/01/97	CHEMICAL OXYGEN DEMAND	8.39	5.00	MG/L	EPA 410.4
GW-2048-Q497-A	10/01/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2048-Q497-B	10/01/97	CHEMICAL OXYGEN DEMAND	(3.4)	5.0	MG/L	EPA 410.0
GW-2048-Q497-C	10/01/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2048-Q497-D	10/01/97	CHEMICAL OXYGEN DEMAND	ND	5.0	MG/L	EPA 410.0
GW-2048-Q397-A	07/01/97	CHLORIDE	9.99	0.0640	MG/L	EPA 300.0
GW-2048-Q397-B	07/01/97	CHLORIDE	9.97	0.064	MG/L	EPA 300.0
GW-2048-Q397-C	07/01/97	CHLORIDE	9.87	0.0640	MG/L	EPA 300.0
GW-2048-Q397-D	07/01/97	CHLORIDE	9.87	0.0640	MG/L	EPA 300.0
GW-2048-Q497-A	10/01/97	CHLORIDE	8.70	0.25	MG/L	EPA 300.0
GW-2048-Q497-B	10/01/97	CHLORIDE	8.68	0.25	MG/L	EPA 300.0
GW-2048-Q497-C	10/01/97	CHLORIDE	8.64	0.25	MG/L	EPA 300.0
GW-2048-Q497-D	10/01/97	CHLORIDE	9.76	1.25	MG/L	EPA 300.0
GW-2048-Q497-A	10/01/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	CHROMIUM	1.2	0.6	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	CHROMIUM	1.4	0.6	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	CHROMIUM	1.3	0.6	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	CHROMIUM	1.6	0.6	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	CHROMIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CHROMIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CHROMIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CHROMIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q397-B	07/01/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	CHRYSENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-A	10/01/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	COBALT	ND	0.6	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	COBALT	ND	0.6	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	COBALT	ND	0.6	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	COBALT	ND	0.6	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	COBALT	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	COBALT	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	COBALT	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	COBALT	ND	2.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	COPPER	ND	0.6	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	COPPER	ND	0.6	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	COPPER	ND	0.6	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	COPPER	ND	0.6	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	COPPER	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	COPPER	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	COPPER	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	COPPER	ND	2.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	CYANIDE, TOTAL	ND	2.10	UG/L	EPA CLP
GW-2048-Q397-B	07/01/97	CYANIDE, TOTAL	ND	2.10	UG/L	EPA CLP
GW-2048-Q397-C	07/01/97	CYANIDE, TOTAL	ND	2.10	UG/L	EPA CLP
GW-2048-Q397-D	07/01/97	CYANIDE, TOTAL	ND	2.10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	CYANIDE, TOTAL	ND	4.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	DIBENZO(A,H)ANTHRACENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-A	10/01/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	FLUORANTHENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	FLUORENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	FLUORENE	ND	1.00	UG/L	EPA 8270A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q397-C	07/01/97	FLUORENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	FLUORENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	FLUORENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	FLUORIDE	0.157	0.0200	MG/L	EPA 300.0
GW-2048-Q397-B	07/01/97	FLUORIDE	0.152	0.0200	MG/L	EPA 300.0
GW-2048-Q397-C	07/01/97	FLUORIDE	0.155	0.0200	MG/L	EPA 300.0
GW-2048-Q397-D	07/01/97	FLUORIDE	0.161	0.0200	MG/L	EPA 300.0
GW-2048-Q497-A	10/01/97	FLUORIDE	0.14	0.05	MG/L	EPA 340.1
GW-2048-Q497-B	10/01/97	FLUORIDE	0.14	0.05	MG/L	EPA 340.1
GW-2048-Q497-C	10/01/97	FLUORIDE	0.14	0.05	MG/L	EPA 340.1
GW-2048-Q497-D	10/01/97	FLUORIDE	0.14	0.05	MG/L	EPA 340.1
GW-2048-Q397-A	07/01/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	INDENO(1,2,3-CD)PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	IRON	13.3	2.0	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	IRON	40.6	2.0	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	IRON	7.9	2.0	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	IRON	9.7	2.0	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	IRON	177	61.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	IRON	191	61.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	IRON	195	61.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	IRON	187	61.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	LEAD	ND	0.7	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	LEAD	ND	0.7	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	LEAD	ND	0.7	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	LEAD	ND	0.7	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	LEAD	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	LEAD	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	LEAD	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	LEAD	ND	2.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	LITHIUM	ND	11.0	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	LITHIUM	16.7	11.0	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	LITHIUM	12.6	11.0	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	LITHIUM	ND	11.0	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	LITHIUM	7.3	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	LITHIUM	7.2	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	LITHIUM	7.5	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	LITHIUM	7.0	2.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	MAGNESIUM	35800	3.3	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	MAGNESIUM	32700	3.3	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	MAGNESIUM	29700	3.3	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	MAGNESIUM	35900	3.3	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	MAGNESIUM	38600	28.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	MAGNESIUM	38100	28.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	MAGNESIUM	39700	28.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	MAGNESIUM	38200	28.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	MANGANESE	4.6	0.3	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	MANGANESE	3.2	0.3	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	MANGANESE	2.4	0.3	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	MANGANESE	2.5	0.3	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	MANGANESE	5.6	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	MANGANESE	4.2	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	MANGANESE	3.5	2.0	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q497-D	10/01/97	MANGANESE	3.0	2.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	MERCURY	0.42	0.1	UG/L	EPA 7470A
GW-2048-Q397-B	07/01/97	MERCURY	0.19	0.1	UG/L	EPA 7470A
GW-2048-Q397-C	07/01/97	MERCURY	0.18	0.1	UG/L	EPA 7470A
GW-2048-Q397-D	07/01/97	MERCURY	0.18	0.1	UG/L	EPA 7470A
GW-2048-Q497-A	10/01/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	METHYLENE CHLORIDE	39	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	MOLYBDENUM	1.4	0.7	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	MOLYBDENUM	0.87	0.7	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	MOLYBDENUM	1.1	0.7	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	MOLYBDENUM	0.94	0.7	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	MOLYBDENUM	ND	7.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	MOLYBDENUM	ND	7.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	MOLYBDENUM	ND	7.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	MOLYBDENUM	ND	7.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	NAPHTHALENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	NICKEL	1.7	1.0	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	NICKEL	1.5	1.0	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	NICKEL	1.3	1.0	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	NICKEL	1.5	1.0	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	NICKEL	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	NICKEL	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	NICKEL	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	NICKEL	ND	2.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	NITRATE-N	0.830	0.00700	MG/L	EPA 353.1
GW-2048-Q397-B	07/01/97	NITRATE-N	0.850	0.00700	MG/L	EPA 353.1
GW-2048-Q397-C	07/01/97	NITRATE-N	0.840	0.00700	MG/L	EPA 353.1
GW-2048-Q397-D	07/01/97	NITRATE-N	0.850	0.00700	MG/L	EPA 353.1
GW-2048-Q497-A	10/01/97	NITRATE-N	1.11	0.040	MG/L	EPA 353.1
GW-2048-Q497-B	10/01/97	NITRATE-N	1.06	0.020	MG/L	EPA 353.1
GW-2048-Q497-C	10/01/97	NITRATE-N	1.14	0.040	MG/L	EPA 353.1
GW-2048-Q497-D	10/01/97	NITRATE-N	1.17	0.040	MG/L	EPA 353.1
GW-2048-Q497-A	10/01/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-B	10/01/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-C	10/01/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q497-D	10/01/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-2048-Q397-A	07/01/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	PHENANTHRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	POTASSIUM	3020	11.0	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	POTASSIUM	2800	11.0	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	POTASSIUM	2540	11.0	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	POTASSIUM	2910	11.0	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q497-A	10/01/97	POTASSIUM	3370	94.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	POTASSIUM	3250	94.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	POTASSIUM	3330	94.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	POTASSIUM	3280	94.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-B	07/01/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-C	07/01/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q397-D	07/01/97	PYRENE	ND	1.00	UG/L	EPA 8270A
GW-2048-Q497-A	10/01/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-B	10/01/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-C	10/01/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q497-D	10/01/97	PYRENE	ND	0.5	UG/L	EPA 8310
GW-2048-Q397-A	07/01/97	RADIUM-226	(0.24	0.375	PCI/L	EPA 903.1
GW-2048-Q397-B	07/01/97	RADIUM-226	(0.03	0.431	PCI/L	EPA 903.1
GW-2048-Q397-C	07/01/97	RADIUM-226	(0.16	0.304	PCI/L	EPA 903.1
GW-2048-Q397-D	07/01/97	RADIUM-226	(0.03	0.483	PCI/L	EPA 903.1
GW-2048-Q497-A	10/01/97	RADIUM-226	0.155	0.139	PCI/L	EPA 903.0
GW-2048-Q497-B	10/01/97	RADIUM-226	(0.05	0.0902	PCI/L	EPA 903.0
GW-2048-Q497-C	10/01/97	RADIUM-226	(0.05	0.103	PCI/L	EPA 903.0
GW-2048-Q497-D	10/01/97	RADIUM-226	(0.06	0.0921	PCI/L	EPA 903.0
GW-2048-Q397-A	07/01/97	RADIUM-228	1.79	1.18	PCI/L	EPA 904.0
GW-2048-Q397-B	07/01/97	RADIUM-228	2.12	0.692	PCI/L	EPA 904.0
GW-2048-Q397-C	07/01/97	RADIUM-228	3.23	0.701	PCI/L	EPA 904.0
GW-2048-Q397-D	07/01/97	RADIUM-228	1.35	0.750	PCI/L	EPA 904.0
GW-2048-Q497-A	10/01/97	RADIUM-228	1.36	0.916	PCI/L	EPA 904.0
GW-2048-Q497-B	10/01/97	RADIUM-228	(0.25	1.13	PCI/L	EPA 904.0
GW-2048-Q497-C	10/01/97	RADIUM-228	(0.48	1.07	PCI/L	EPA 904.0
GW-2048-Q497-D	10/01/97	RADIUM-228	ND	1.15	PCI/L	EPA 904.0
GW-2048-Q397-A	07/01/97	SELENIUM	10.4	2.1	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	SELENIUM	10.2	2.1	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	SELENIUM	9.7	2.1	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	SELENIUM	10.1	2.1	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	SELENIUM	12.5	5.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	SELENIUM	11.7	5.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	SELENIUM	12.8	5.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	SELENIUM	9.4	5.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	SILVER	1.7	0.5	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	SILVER	2.0	0.5	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	SILVER	2.4	0.5	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	SILVER	1.8	0.5	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	SILVER	ND	1.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	SILVER	ND	1.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	SILVER	ND	1.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	SILVER	ND	1.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	SODIUM	76200	7.6	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	SODIUM	70600	7.6	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	SODIUM	63500	7.6	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	SODIUM	75300	7.6	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	SODIUM	75000	92.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	SODIUM	74600	92.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	SODIUM	79400	92.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	SODIUM	74800	92.0	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	STYRENE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	SULFATE	183	1.80	MG/L	EPA 300.0
GW-2048-Q397-B	07/01/97	SULFATE	181	1.80	MG/L	EPA 300.0
GW-2048-Q397-C	07/01/97	SULFATE	178	1.80	MG/L	EPA 300.0
GW-2048-Q397-D	07/01/97	SULFATE	177	1.80	MG/L	EPA 300.0
GW-2048-Q497-A	10/01/97	SULFATE	200	12.5	MG/L	EPA 300.0

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q497-B	10/01/97	SULFATE	193	12.5	MG/L	EPA 300.0
GW-2048-Q497-C	10/01/97	SULFATE	193	12.5	MG/L	EPA 300.0
GW-2048-Q497-D	10/01/97	SULFATE	192	12.5	MG/L	EPA 300.0
GW-2048-Q497-A	10/01/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	THALLIUM	ND	2.1	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	THALLIUM	4.2	2.1	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	THALLIUM	3.5	2.1	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	THALLIUM	ND	2.1	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	THALLIUM	ND	7.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	THALLIUM	ND	7.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	THALLIUM	ND	7.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	THALLIUM	ND	7.0	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	THORIUM-228	ND	0.170	PCI/L	HASL 300
GW-2048-Q397-B	07/01/97	THORIUM-228	ND	0.147	PCI/L	HASL 300
GW-2048-Q397-C	07/01/97	THORIUM-228	ND	0.150	PCI/L	HASL 300
GW-2048-Q397-D	07/01/97	THORIUM-228	(0.00	0.142	PCI/L	HASL 300
GW-2048-Q497-A	10/01/97	THORIUM-228	(0.09	0.342	PCI/L	EML TH-01
GW-2048-Q497-B	10/01/97	THORIUM-228	(0.10	0.146	PCI/L	EML TH-01
GW-2048-Q497-C	10/01/97	THORIUM-228	(0.10	0.319	PCI/L	EML TH-01
GW-2048-Q497-D	10/01/97	THORIUM-228	0.140	0.126	PCI/L	EML TH-01
GW-2048-Q397-A	07/01/97	THORIUM-230	0.265	0.0581	PCI/L	HASL 300
GW-2048-Q397-B	07/01/97	THORIUM-230	0.079	0.0556	PCI/L	HASL 300
GW-2048-Q397-C	07/01/97	THORIUM-230	0.120	0.0840	PCI/L	HASL 300
GW-2048-Q397-D	07/01/97	THORIUM-230	0.158	0.0487	PCI/L	HASL 300
GW-2048-Q497-A	10/01/97	THORIUM-230	(0.24	0.295	PCI/L	EML TH-01
GW-2048-Q497-B	10/01/97	THORIUM-230	0.324	0.250	PCI/L	EML TH-01
GW-2048-Q497-C	10/01/97	THORIUM-230	(0.21	0.319	PCI/L	EML TH-01
GW-2048-Q497-D	10/01/97	THORIUM-230	(0.13	0.215	PCI/L	EML TH-01
GW-2048-Q397-A	07/01/97	THORIUM-232	(0.00	0.0786	PCI/L	HASL 300
GW-2048-Q397-B	07/01/97	THORIUM-232	(0.01	0.0489	PCI/L	HASL 300
GW-2048-Q397-C	07/01/97	THORIUM-232	ND	0.0926	PCI/L	HASL 300
GW-2048-Q397-D	07/01/97	THORIUM-232	(0.01	0.0232	PCI/L	HASL 300
GW-2048-Q497-A	10/01/97	THORIUM-232	(0.09	0.295	PCI/L	EML TH-01
GW-2048-Q497-B	10/01/97	THORIUM-232	(0.10	0.146	PCI/L	EML TH-01
GW-2048-Q497-C	10/01/97	THORIUM-232	ND	0.244	PCI/L	EML TH-01
GW-2048-Q497-D	10/01/97	THORIUM-232	(0.04	0.251	PCI/L	EML TH-01
GW-2048-Q497-A	10/01/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	TOTAL DISSOLVED SOLIDS	658	6.30	MG/L	EPA 160.1
GW-2048-Q397-B	07/01/97	TOTAL DISSOLVED SOLIDS	640	6.30	MG/L	EPA 160.1
GW-2048-Q397-C	07/01/97	TOTAL DISSOLVED SOLIDS	651	6.30	MG/L	EPA 160.1
GW-2048-Q397-D	07/01/97	TOTAL DISSOLVED SOLIDS	637	6.30	MG/L	EPA 160.1
GW-2048-Q497-A	10/01/97	TOTAL DISSOLVED SOLIDS	826	10	MG/L	EPA 160.1
GW-2048-Q497-B	10/01/97	TOTAL DISSOLVED SOLIDS	848	10	MG/L	EPA 160.1
GW-2048-Q497-C	10/01/97	TOTAL DISSOLVED SOLIDS	840	10	MG/L	EPA 160.1
GW-2048-Q497-D	10/01/97	TOTAL DISSOLVED SOLIDS	904	10	MG/L	EPA 160.1
GW-2048-Q397-A	07/01/97	TOTAL ORGANIC CARBON	3.20	0.143	MG/L	EPA 415.1
GW-2048-Q397-B	07/01/97	TOTAL ORGANIC CARBON	3.20	0.143	MG/L	EPA 415.1
GW-2048-Q397-C	07/01/97	TOTAL ORGANIC CARBON	3.42	0.143	MG/L	EPA 415.1
GW-2048-Q397-D	07/01/97	TOTAL ORGANIC CARBON	3.22	0.143	MG/L	EPA 415.1
GW-2048-Q497-A	10/01/97	TOTAL ORGANIC CARBON	10.6	1.0	MG/L	EPA 415.1
GW-2048-Q497-B	10/01/97	TOTAL ORGANIC CARBON	24.4	1.0	MG/L	EPA 415.1
GW-2048-Q497-C	10/01/97	TOTAL ORGANIC CARBON	26.4	1.0	MG/L	EPA 415.1
GW-2048-Q497-D	10/01/97	TOTAL ORGANIC CARBON	29.5	1.0	MG/L	EPA 415.1
GW-2048-Q397-A	07/01/97	TOX	1.17	0.0228	MG/L	EPA 9020B
GW-2048-Q397-B	07/01/97	TOX	0.030	0.00228	MG/L	EPA 9020B

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-2048-Q397-C	07/01/97	TOX	0.014	0.00228	MG/L	EPA 9020B
GW-2048-Q397-D	07/01/97	TOX	0.005	0.00228	MG/L	EPA 9020B
GW-2048-Q397-A-	09/24/97	TOX	0.031	0.005	MG/L	SW846 9020A
GW-2048-Q497-A	10/01/97	TOX	0.023	0.005	MG/L	EPA 9020A
GW-2048-Q497-B	10/01/97	TOX	0.025	0.005	MG/L	EPA 9020A
GW-2048-Q497-C	10/01/97	TOX	0.022	0.005	MG/L	EPA 9020A
GW-2048-Q497-D	10/01/97	TOX	0.013	0.005	MG/L	EPA 9020A
GW-2048-Q497-A	10/01/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	URANIUM, TOTAL	1.62	0.0643	PCI/L	ASTM 5174-91
GW-2048-Q397-B	07/01/97	URANIUM, TOTAL	1.62	0.0643	PCI/L	ASTM 5174-91
GW-2048-Q397-C	07/01/97	URANIUM, TOTAL	1.54	0.0643	PCI/L	ASTM 5174-91
GW-2048-Q397-D	07/01/97	URANIUM, TOTAL	1.47	0.0643	PCI/L	ASTM 5174-91
GW-2048-Q497-A	10/01/97	URANIUM, TOTAL	1.74	0.0203	PCI/L	ASTM 5174-91
GW-2048-Q497-B	10/01/97	URANIUM, TOTAL	1.82	0.0203	PCI/L	ASTM 5174-91
GW-2048-Q497-C	10/01/97	URANIUM, TOTAL	1.82	0.0203	PCI/L	ASTM 5174-91
GW-2048-Q497-D	10/01/97	URANIUM, TOTAL	1.61	0.0203	PCI/L	ASTM 5174-91
GW-2048-Q397-A	07/01/97	VANADIUM	ND	0.4	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	VANADIUM	ND	0.4	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	VANADIUM	ND	0.4	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	VANADIUM	ND	0.4	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	VANADIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	VANADIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	VANADIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	VANADIUM	ND	2.0	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-2048-Q497-A	10/01/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-2048-Q397-A	07/01/97	ZINC	4.0	1.1	UG/L	EPA 6010A
GW-2048-Q397-B	07/01/97	ZINC	10.9	1.1	UG/L	EPA 6010A
GW-2048-Q397-C	07/01/97	ZINC	3.9	1.1	UG/L	EPA 6010A
GW-2048-Q397-D	07/01/97	ZINC	5.7	1.1	UG/L	EPA 6010A
GW-2048-Q497-A	10/01/97	ZINC	29.9	6.0	UG/L	EPA CLP
GW-2048-Q497-B	10/01/97	ZINC	24.5	6.0	UG/L	EPA CLP
GW-2048-Q497-C	10/01/97	ZINC	17.5	6.0	UG/L	EPA CLP
GW-2048-Q497-D	10/01/97	ZINC	17.0	6.0	UG/L	EPA CLP
GW-3003-1097	10/06/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-3003-1097	10/06/97	BARIUM	191	2.0	UG/L	EPA 6010A
GW-3003-1097	10/06/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-3003-1097	10/06/97	CHROMIUM	ND	2.0	UG/L	EPA 6010A
GW-3003-1097	10/06/97	LEAD	2.7	2.0	UG/L	EPA 6010A
GW-3003-1097	10/06/97	MERCURY	ND	0.10	UG/L	EPA 7470A
GW-3003-1097	10/06/97	NITRATE-N	415	20.0	MG/L	EPA 353.1
GW-3003-1097	10/06/97	SELENIUM	11.3	5.0	UG/L	EPA 6010A
GW-3003-1097	10/06/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-3003-1097	10/06/97	SULFATE	160	10.0	MG/L	EPA 300.0
GW-3023-1097	10/06/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
GW-3023-1097	10/06/97	BARIUM	38.6	2.0	UG/L	EPA 6010A
GW-3023-1097	10/06/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
GW-3023-1097	10/06/97	CHROMIUM	ND	2.0	UG/L	EPA 6010A

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-3023-1097	10/06/97	LEAD	ND	2.0	UG/L	EPA 6010A
GW-3023-1097	10/06/97	MERCURY	1.2	0.10	UG/L	EPA 7470A
GW-3023-1097	10/06/97	NITRATE-N	160	4.00	MG/L	EPA 353.1
GW-3023-1097	10/06/97	SELENIUM	5.8	5.0	UG/L	EPA 6010A
GW-3023-1097	10/06/97	SILVER	ND	1.0	UG/L	EPA 6010A
GW-3023-1097	10/06/97	SULFATE	169	10.0	MG/L	EPA 300.0
GW-3024-0997	09/11/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	ACETONE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	ACETONE	ND	10	UG/L	EPA CLP
GW-3024-0797	07/11/97	ARSENIC	ND	1.7	UG/L	EPA CLP
GW-3024-0997	09/11/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-3024-0797	07/11/97	BARIUM	274	0.60	UG/L	EPA CLP
GW-3024-0997	09/11/97	BARIUM	293	3.0	UG/L	EPA CLP
GW-3024-0997	09/11/97	BENZENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	BENZENE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-3024-0797	07/11/97	CADMIUM	ND	2.9	UG/L	EPA CLP
GW-3024-0997	09/11/97	CADMIUM	ND	3.0	UG/L	EPA CLP
GW-3024-0997	09/11/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3024-0797	07/11/97	CHROMIUM	4.6	2.7	UG/L	EPA CLP
GW-3024-0997	09/11/97	CHROMIUM	ND	4.0	UG/L	EPA CLP
GW-3024-0997	09/11/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-3024-1097	10/13/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-3024-0797	07/11/97	LEAD	1.8	1.8	UG/L	EPA CLP
GW-3024-0997	09/11/97	LEAD	2.5	2.0	UG/L	EPA CLP
GW-3024-0797	07/11/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-3024-0997	09/11/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-3024-0997	09/11/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-3024-0797	07/11/97	NITRATE-N	397	50.0	MG/L	EPA 353.1
GW-3024-0997	09/11/97	NITRATE-N	393	10	MG/L	EPA 353.1
GW-3024-0797	07/11/97	SELENIUM	ND	3.7	UG/L	EPA CLP
GW-3024-0997	09/11/97	SELENIUM	ND	5.0	UG/L	EPA CLP
GW-3024-0797	07/11/97	SILVER	ND	6.7	UG/L	EPA CLP
GW-3024-0997	09/11/97	SILVER	1.3	1.0	UG/L	EPA CLP
GW-3024-0997	09/11/97	STYRENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	STYRENE	ND	10	UG/L	EPA CLP
GW-3024-0797	07/11/97	SULFATE	68.9	2.50	MG/L	EPA 300.0
GW-3024-0997	09/11/97	SULFATE	68.2	5.0	MG/L	EPA 300.0
GW-3024-0997	09/11/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-3024-1097	10/13/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-3024-0997	09/11/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-3024-0997	09/11/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-3024-1097	10/13/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	1,2-DICHLOROETHENE (TOTAL)	(2)	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	ACETONE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	ACETONE	ND	10	UG/L	EPA CLP
GW-3025-0797	07/11/97	ARSENIC	ND	1.7	UG/L	EPA CLP
GW-3025-0997	09/11/97	ARSENIC	ND	4.0	UG/L	EPA CLP
GW-3025-0797	07/11/97	BARIUM	459	0.60	UG/L	EPA CLP
GW-3025-0997	09/11/97	BARIUM	517	3.0	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-3025-0997	09/11/97	BENZENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	BENZENE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-3025-0797	07/11/97	CADMIUM	ND	2.9	UG/L	EPA CLP
GW-3025-0997	09/11/97	CADMIUM	ND	3.0	UG/L	EPA CLP
GW-3025-0997	09/11/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3025-0797	07/11/97	CHROMIUM	ND	2.7	UG/L	EPA CLP
GW-3025-0997	09/11/97	CHROMIUM	ND	4.0	UG/L	EPA CLP
GW-3025-0997	09/11/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-3025-0797	07/11/97	LEAD	ND	1.8	UG/L	EPA CLP
GW-3025-0997	09/11/97	LEAD	ND	2.0	UG/L	EPA CLP
GW-3025-0797	07/11/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-3025-0997	09/11/97	MERCURY	ND	0.10	UG/L	EPA CLP
GW-3025-0997	09/11/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-3025-0797	07/11/97	NITRATE-N	478	50.0	MG/L	EPA 353.1
GW-3025-0997	09/11/97	NITRATE-N	485	20	MG/L	EPA 353.1
GW-3025-0797	07/11/97	SELENIUM	12.2	3.7	UG/L	EPA CLP
GW-3025-0997	09/11/97	SELENIUM	14.0	5.0	UG/L	EPA CLP
GW-3025-0797	07/11/97	SILVER	ND	6.7	UG/L	EPA CLP
GW-3025-0997	09/11/97	SILVER	ND	1.0	UG/L	EPA CLP
GW-3025-0997	09/11/97	STYRENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	STYRENE	ND	10	UG/L	EPA CLP
GW-3025-0797	07/11/97	SULFATE	45.9	2.50	MG/L	EPA 300.0
GW-3025-0997	09/11/97	SULFATE	45.9	2.5	MG/L	EPA 300.0
GW-3025-0997	09/11/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	TRICHLOROETHENE	32	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	TRICHLOROETHENE	29	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	TRICHLOROETHENE (GC)	51.8	1.0	UG/L	EPA 601
GW-3025-1097	10/13/97	TRICHLOROETHENE (GC)	41.0	1.0	UG/L	EPA 601
GW-3025-0997	09/11/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-3025-0997	09/11/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-3025-1097	10/13/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-3026-A197	08/27/97	1,3,5-TRINITROBENZENE	0.074	0.030	UG/L	USATHAMA

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-3026-A197	08/27/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-3026-A197	08/27/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-3026-A197	08/27/97	2,4-DINITROTOLUENE	0.041	0.030	UG/L	USATHAMA
GW-3026-A197	08/27/97	2,6-DINITROTOLUENE	0.019	0.010	UG/L	USATHAMA
GW-3026-A197	08/27/97	GROSS ALPHA	30.5	4.48	PCI/L	EPA 900.0
GW-3026-A197	08/27/97	GROSS BETA	24.9	6.11	PCI/L	EPA 900.0
GW-3026-A197	08/27/97	NITRATE-N	167	4.00	MG/L	EPA 353.1
GW-3026-A197	08/27/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-3026-A197	08/27/97	RADIUM-226	0.600	0.431	PCI/L	EPA 903.1
GW-3026-A197	08/27/97	RADIUM-228	2.68	0.620	PCI/L	EPA 904.0
GW-3026-A197	08/27/97	THORIUM-228	0.664	0.221	PCI/L	HASL 300
GW-3026-A197	08/27/97	THORIUM-230	0.505	0.0708	PCI/L	HASL 300
GW-3026-A197	08/27/97	THORIUM-232	0.721	0.0313	PCI/L	HASL 300
GW-3026-A197	08/27/97	URANIUM, TOTAL	2.48	0.0643	PCI/L	ASTM 5174-91
GW-4001-0897	08/18/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	BENZENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	BENZENE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	BUTANE, 1-CHLORO- (TIC)	5	0.00	UG/L	EPA CLP
GW-4001-0897	08/18/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-4001-0897	08/18/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	TRICHLOROETHENE	(4)	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	TRICHLOROETHENE	(3)	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	TRICHLOROETHENE (GC)	4.32	1.0	UG/L	EPA 601
GW-4001-0997	09/22/97	TRICHLOROETHENE (GC)	4.78	1.0	UG/L	EPA 601
GW-4001-0897	08/18/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-4001-0897	08/18/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4001-0997	09/22/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	BENZENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	BENZENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	BENZENE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-4003-0897	08/19/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	BUTANE, 1-CHLORO- (TIC)	5	0.00	UG/L	EPA CLP
GW-4003-0897	08/19/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4003-0897	08/19/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4003-0997	09/23/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4003-1097	10/14/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4003-0897	08/19/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-4003-0897	08/19/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4003-0997	09/23/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4003-1097	10/14/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	BENZENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	BENZENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	TOLUENE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-4004-0897	08/19/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4004-0997	09/24/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4004-0897	08/19/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-4004-0897	08/19/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4004-0997	09/24/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	BENZENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4005-0997	09/24/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-4005-0997	09/24/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	2-BUTANONE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	2-HEXANONE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	ACETONE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	BENZENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	BROMOFORM	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	BUTANE, 1-CHLORO- (TIC)	3	0.00	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-4007-0997	09/23/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	CHLOROFORM	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	STYRENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	TOLUENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4007-0997	09/23/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
GW-4007-0997	09/23/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
GW-4015-A197	09/08/97	1,3,5-TRINITROBENZENE	5.6	0.030	UG/L	USATHAMA
GW-4015-A197	09/08/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-4015-A197	09/08/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4015-A197	09/08/97	2,4-DINITROTOLUENE	0.07	0.030	UG/L	USATHAMA
GW-4015-A197	09/08/97	2,6-DINITROTOLUENE	0.82	0.010	UG/L	USATHAMA
GW-4015-A197	09/08/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-4026-0897	08/20/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-4026-0997	09/30/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-4026-0897	08/20/97	1,3-DINITROBENZENE	ND	0.09	UG/L	USATHAMA
GW-4026-0997	09/30/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-4026-0897	08/20/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0997	09/30/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0897	08/20/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0997	09/30/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0897	08/20/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-4026-0997	09/30/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-4026-0897	08/20/97	2-AMINO-4,6-DNT	ND	0.020	UG/L	USATHAMA
GW-4026-0997	09/30/97	2-AMINO-4,6-DNT	ND	0.02	UG/L	USATHAMA
GW-4026-0897	08/20/97	2-NITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0997	09/30/97	2-NITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0897	08/20/97	3-NITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0997	09/30/97	3-NITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0897	08/20/97	4-AMINO-2,6-DNT	ND	0.020	UG/L	USATHAMA
GW-4026-0997	09/30/97	4-AMINO-2,6-DNT	ND	0.02	UG/L	USATHAMA
GW-4026-0897	08/20/97	4-NITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0997	09/30/97	4-NITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-4026-0797	07/28/97	LITHIUM	ND	12	UG/L	EPA CLP
GW-4026-0997	09/30/97	LITHIUM	4.0	2.0	UG/L	EPA CLP
GW-4026-0797	07/28/97	MOLYBDENUM	16	13	UG/L	EPA CLP
GW-4026-0997	09/30/97	MOLYBDENUM	7.7	7.0	UG/L	EPA CLP
GW-4026-0797	07/28/97	NITRATE-N	ND	0.04	MG/L	EPA 353.1
GW-4026-0997	09/30/97	NITRATE-N	0.874	0.020	MG/L	EPA 300.0
GW-4026-0897	08/20/97	NITROBENZENE	ND	0.040	UG/L	USATHAMA
GW-4026-0997	09/30/97	NITROBENZENE	ND	0.04	UG/L	USATHAMA
GW-4026-0797	07/28/97	SULFATE	35.3	1.0	MG/L	EPA 300.0
GW-4026-0997	09/30/97	SULFATE	37.1	0.10	MG/L	EPA 300.0
GW-4026-0797	07/28/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4026-0997	09/30/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
GW-4026-0997	09/30/97	URANIUM, TOTAL	0.27	0.47	PCI/L	ASTM 5174-91
GW-FINW-Q397	09/18/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-FINW-Q397	09/18/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-FINW-Q397	09/18/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-FINW-Q397	09/18/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA

[illegible]

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
GW-RMW1-Q397	09/15/97	ARSENIC	11.8	2.5	UG/L	EPA 6010A
GW-RMW1-Q397	09/15/97	BARIUM	408	0.2	UG/L	EPA 6010A
GW-RMW1-Q397	09/15/97	GROSS ALPHA	2.91	1.52	PCI/L	EPA 900.0
GW-RMW1-Q397	09/15/97	GROSS BETA	6.08	2.14	PCI/L	EPA 900.0
GW-RMW1-Q397	09/16/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-RMW1-Q397	09/15/97	RADIUM-226	0.797	0.436	PCI/L	EPA 903.1
GW-RMW1-Q397	09/15/97	RADIUM-228	4.09	0.782	PCI/L	EPA 904.0
GW-RMW1-Q397	09/15/97	SULFATE	30.5	0.180	MG/L	EPA 300.0
GW-RMW1-Q397	09/15/97	THORIUM-228	(0.00	0.167	PCI/L	HASL 300
GW-RMW1-Q397	09/15/97	THORIUM-230	0.083	0.0545	PCI/L	HASL 300
GW-RMW1-Q397	09/15/97	THORIUM-232	(0.00	0.0545	PCI/L	HASL 300
GW-RMW1-Q397	09/15/97	URANIUM, TOTAL	0.626	0.0643	PCI/L	ASTM 5174-91
GW-RMW2-Q397	09/18/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-RMW2-Q397	09/18/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-RMW2-Q397	09/18/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-RMW2-Q397	09/18/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-RMW2-Q397	09/18/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-RMW2-Q397	09/18/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-RMW3-Q397	09/16/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-RMW3-Q397	09/16/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-RMW3-Q397	09/16/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-RMW3-Q397	09/16/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-RMW3-Q397	09/16/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-RMW3-Q397	09/16/97	ARSENIC	43.9	2.5	UG/L	EPA 6010A
GW-RMW3-Q397	09/16/97	BARIUM	432	0.2	UG/L	EPA 6010A
GW-RMW3-Q397	09/16/97	GROSS ALPHA	1.72	0.944	PCI/L	EPA 900.0
GW-RMW3-Q397	09/16/97	GROSS BETA	5.84	1.04	PCI/L	EPA 900.0
GW-RMW3-Q397	09/16/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-RMW3-Q397	09/16/97	RADIUM-226	(0.18	0.485	PCI/L	EPA 903.1
GW-RMW3-Q397	09/16/97	RADIUM-228	3.96	0.638	PCI/L	EPA 904.0
GW-RMW3-Q397	09/16/97	SULFATE	24.3	0.180	MG/L	EPA 300.0
GW-RMW3-Q397	09/16/97	THORIUM-228	(0.02	0.176	PCI/L	HASL 300
GW-RMW3-Q397	09/16/97	THORIUM-230	(0.01	0.104	PCI/L	HASL 300
GW-RMW3-Q397	09/16/97	THORIUM-232	(0.01	0.0301	PCI/L	HASL 300
GW-RMW3-Q397	09/16/97	URANIUM, TOTAL	0.418	0.0643	PCI/L	ASTM 5174-91
GW-RMW4-Q397	09/16/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-RMW4-Q397	09/16/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
GW-RMW4-Q397	09/16/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-RMW4-Q397	09/16/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
GW-RMW4-Q397	09/16/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
GW-RMW4-Q397	09/16/97	ARSENIC	10.1	2.5	UG/L	EPA 6010A
GW-RMW4-Q397	09/16/97	BARIUM	227	0.2	UG/L	EPA 6010A
GW-RMW4-Q397	09/16/97	GROSS ALPHA	4.27	2.20	PCI/L	EPA 900.0
GW-RMW4-Q397	09/16/97	GROSS BETA	5.25	2.45	PCI/L	EPA 900.0
GW-RMW4-Q397	09/16/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
GW-RMW4-Q397	09/16/97	RADIUM-226	0.421	0.391	PCI/L	EPA 903.1
GW-RMW4-Q397	09/16/97	RADIUM-228	3.05	0.637	PCI/L	EPA 904.0
GW-RMW4-Q397	09/16/97	SULFATE	39.7	0.450	MG/L	EPA 300.0
GW-RMW4-Q397	09/16/97	THORIUM-228	(0.02	0.203	PCI/L	HASL 300
GW-RMW4-Q397	09/16/97	THORIUM-230	0.209	0.0348	PCI/L	HASL 300
GW-RMW4-Q397	09/16/97	THORIUM-232	ND	0.0891	PCI/L	HASL 300
GW-RMW4-Q397	09/16/97	URANIUM, TOTAL	2.55	0.0643	PCI/L	ASTM 5174-91
MW-S004-0997	09/24/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	2-BUTANONE	ND	10	UG/L	EPA CLP

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
MW-S004-0997	09/24/97	2-HEXANONE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	ACETONE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	BENZENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	BROMOFORM	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	CHLOROFORM	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	STYRENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	TOLUENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
MW-S004-0997	09/24/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
MW-S004-0997	09/24/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	1,2-DICHLOROETHENE (TOTAL)	(9)	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	2-BUTANONE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	2-HEXANONE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	ACETONE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	BENZENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	BROMOFORM	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	CHLOROFORM	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	STYRENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	TOLUENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	TRICHLOROETHENE	540	100	UG/L	EPA CLP
MW-S021-0997	09/24/97	TRICHLOROETHENE (GC)	592	100	UG/L	EPA 601
MW-S021-0997	09/24/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
MW-S021-0997	09/24/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP

SPRINGS

SPRINGS
DATA MERGED DURING FOURTH QUARTER 1997

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
SP-6301-0997-L	09/29/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	2-BUTANONE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	2-HEXANONE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	ACETONE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	BENZENE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	BROMOFORM	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	CHLORO BENZENE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	CHLOROFORM	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
SP-6301-Q497-H	11/06/97	NITRATE-N	2.83	0.225	MG/L	EPA 300.0
SP-6301-1097-L-	10/15/97	RADIUM-226	(0.12	0.5	PCI/L	SM-705
SP-6301-1097-L-	10/15/97	RADIUM-226	ND	0.5	PCI/L	SM-705
SP-6301-1097-L-	10/15/97	RADIUM-226	ND	0.5	PCI/L	SM-705
SP-6301-1097-L-	10/15/97	RADIUM-226	(0.34	0.5	PCI/L	SM-705
SP-6301-1097-L-	10/15/97	RADIUM-228	(0.77	1.89	PCI/L	PERC/BROOKS
SP-6301-1097-L-	10/15/97	RADIUM-228	(0.52	1.89	PCI/L	PERC/BROOKS
SP-6301-1097-L-	10/15/97	RADIUM-228	(0.59	1.89	PCI/L	PERC/BROOKS
SP-6301-1097-L-	10/15/97	RADIUM-228	(0.24	1.89	PCI/L	PERC/BROOKS
SP-6301-0997-L	09/29/97	STYRENE	ND	10	UG/L	EPA CLP
SP-6301-Q497-H	11/06/97	SULFATE	44.5	2.5	MG/L	EPA 300.0
SP-6301-0997-L	09/29/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
SP-6301-1097-L-	10/15/97	THORIUM-228	(0.03	0.93	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-228	ND	0.98	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-228	(0.12	0.81	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-228	1.08	0.98	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-230	ND	0.91	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-230	1.3	0.96	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-230	ND	0.81	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-230	ND	0.89	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-232	ND	0.21	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-232	0.5	0.25	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-232	(0.07	0.21	PCI/L	USAEC
SP-6301-1097-L-	10/15/97	THORIUM-232	0.53	0.24	PCI/L	USAEC
SP-6301-0997-L	09/29/97	TOLUENE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
SP-6301-0997-L	09/29/97	UNKNOWN ALKANE (TIC)	2	0.00	UG/L	EPA CLP
SP-6301-1097-L-	10/15/97	URANIUM, TOTAL	110	0.677	PCI/L	ASTM D2907
SP-6301-1097-L-	10/15/97	URANIUM, TOTAL	110	0.677	PCI/L	ASTM D2907
SP-6301-1097-L-	10/15/97	URANIUM, TOTAL	110	0.677	PCI/L	ASTM D2907

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
SP-6301-1097-L	10/15/97	URANIUM, TOTAL	110	0.677	PCI/L	ASTM D2907
SP-6301-0997-L	09/29/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
SP-6301-0997-L	09/29/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	1,1,1-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	1,1,2,2-TETRACHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	1,1,2-TRICHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	1,1-DICHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	1,1-DICHLOROETHENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	1,2-DICHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	1,2-DICHLOROETHENE (TOTAL)	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	1,2-DICHLOROPROPANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	2-BUTANONE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	2-HEXANONE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	4-METHYL-2-PENTANONE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	ACETIC ACID, METHYL ESTER(TIC)	3	0.00	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	ACETONE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	BENZENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	BROMODICHLOROMETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	BROMOFORM	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	BROMOMETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	CARBON DISULFIDE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	CARBON TETRACHLORIDE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	CHLOROBENZENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	CHLOROETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	CHLOROFORM	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	CHLOROMETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	CIS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	DIBROMOCHLOROMETHANE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	ETHYL BENZENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	METHYLENE CHLORIDE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	STYRENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	TETRACHLOROETHENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	TOLUENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	TRANS-1,3-DICHLOROPROPENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	TRICHLOROETHENE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	TRICHLOROETHENE (GC)	ND	1.0	UG/L	EPA 601
SP-6303-0997-L	09/29/97	VINYL CHLORIDE	ND	10	UG/L	EPA CLP
SP-6303-0997-L	09/29/97	XYLENES, TOTAL	ND	10	UG/L	EPA CLP

SURFACE WATER

SURFACE WATER
DATA MERGED DURING FOURTH QUARTER 1997

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
SW-1001A-102797	10/27/97	ARSENIC	ND	4.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	ARSENIC	ND	4.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	BARIUM	110	2.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	BARIUM	104	2.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	CADMIUM	ND	2.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	CADMIUM	2.7	2.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	CHLORIDE	8.29	0.25	MG/L	EPA 300.0
SW-1001A-102797	10/27/97	CHROMIUM	ND	2.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	CHROMIUM	ND	2.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	FLUORIDE	0.11	0.05	MG/L	EPA 340
SW-1001A-102797	10/27/97	LEAD	ND	2.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	LEAD	ND	2.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	MERCURY	ND	0.10	UG/L	EPA CLP
SW-1001A-102797	10/27/97	MERCURY	ND	0.10	UG/L	EPA CLP
SW-1001A-102797	10/27/97	SELENIUM	ND	5.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	SELENIUM	ND	5.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	SILVER	ND	1.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	SILVER	ND	1.0	UG/L	EPA CLP
SW-1001A-102797	10/27/97	SULFATE	27.4	1.0	MG/L	EPA 300.0
SW-1003-B597	10/13/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
SW-1003-B597	10/13/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
SW-1003-B597	10/13/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
SW-1003-B597	10/13/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
SW-1003-B597	10/13/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
SW-1003-B597	10/13/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
SW-1004-B597	10/13/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
SW-1004-B597	10/13/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
SW-1004-B597	10/13/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
SW-1004-B597	10/13/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
SW-1004-B597	10/13/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
SW-1004-B597	10/13/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
SW-1005-B597	10/13/97	1,3,5-TRINITROBENZENE	ND	0.030	UG/L	USATHAMA
SW-1005-B597	10/13/97	1,3-DINITROBENZENE	ND	0.090	UG/L	USATHAMA
SW-1005-B597	10/13/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	USATHAMA
SW-1005-B597	10/13/97	2,4-DINITROTOLUENE	ND	0.030	UG/L	USATHAMA
SW-1005-B597	10/13/97	2,6-DINITROTOLUENE	ND	0.010	UG/L	USATHAMA
SW-1005-B597	10/13/97	NITROBENZENE	ND	0.030	UG/L	USATHAMA
SW-2010-110597	11/05/97	GROSS ALPHA	231	4.63	PCI/L	EPA 900.0
SW-2010-110597	11/05/97	RADIUM-226	1.48	0.643	PCI/L	EPA 903.0
SW-2010-110597	11/05/97	RADIUM-228	3.02	1.98	PCI/L	EPA 904.0
SW-2010-110597	11/05/97	THORIUM-228	0.23	0.475	PCI/L	EML TH-01
SW-2010-110597	11/05/97	THORIUM-230	2.73	0.332	PCI/L	EML TH-01
SW-2010-110597	11/05/97	THORIUM-232	0.457	0.368	PCI/L	EML TH-01
SW-2010-110597	11/05/97	URANIUM, TOTAL	183	0.0203	PCI/L	ASTM 5174-91
SW-2015-102897	10/28/97	2,4,6-TRINITROTOLUENE	ND	0.030	UG/L	EPA 609
SW-2015-102897	10/28/97	2,4-DINITROTOLUENE	ND	0.015	UG/L	EPA 609
SW-2015-102897	10/28/97	ACENAPHTHENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	ACENAPHTHYLENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	ALUMINUM	338	27.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	ANTHRACENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	ANTIMONY	ND	11.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	AROCOR-1016	ND	1.0	UG/L	EPA 8081
SW-2015-102897	10/28/97	AROCOR-1221	ND	1.0	UG/L	EPA 8081
SW-2015-102897	10/28/97	AROCOR-1232	ND	1.0	UG/L	EPA 8081
SW-2015-102897	10/28/97	AROCOR-1242	ND	1.0	UG/L	EPA 8081
SW-2015-102897	10/28/97	AROCOR-1248	ND	1.0	UG/L	EPA 8081
SW-2015-102897	10/28/97	AROCOR-1254	ND	1.0	UG/L	EPA 8081
SW-2015-102897	10/28/97	AROCOR-1260	ND	1.0	UG/L	EPA 8081

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
SW-2015-102897	10/28/97	ARSENIC	ND	4.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	BARIUM	36.5	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	BENZO(A)ANTHRACENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	BENZO(A)PYRENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	BENZO(B)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	BENZO(G,H,I)PERYLENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	BENZO(K)FLUORANTHENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	BERYLLIUM	ND	1.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	CADMIUM	ND	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	CALCIUM	38700	13.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	CHROMIUM	ND	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	CHRYSENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	COBALT	ND	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	COPPER	2.3	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	DIBENZO(A,H)ANTHRACENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	FLUORANTHENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	FLUORENE	1.32	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	GROSS ALPHA	128	1.22	PCI/L	EPA 900.0
SW-2015-102897	10/28/97	INDENO(1,2,3-CD)PYRENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	IRON	366	61.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	LEAD	ND	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	MAGNESIUM	10300	28.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	MANGANESE	9.6	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	MERCURY	ND	0.10	UG/L	EPA 7470A
SW-2015-102897	10/28/97	NAPHTHALENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	NICKEL	ND	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	NITRATE-N	0.798	0.020	MG/L	EPA 353.1
SW-2015-102897	10/28/97	PHENANTHRENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	POTASSIUM	2040	69.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	PYRENE	ND	0.5	UG/L	EPA 8310
SW-2015-102897	10/28/97	RADIUM-226	0.40	0.637	PCI/L	EPA 903.0
SW-2015-102897	10/28/97	RADIUM-228	1.37	2.35	PCI/L	EPA 904.0
SW-2015-102897	10/28/97	SELENIUM	ND	5.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	SILVER	ND	1.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	SODIUM	12600	130	UG/L	EPA 6010A
SW-2015-102897	10/28/97	THALLIUM	ND	7.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	THORIUM-228	0.14	0.319	PCI/L	EML TH-01
SW-2015-102897	10/28/97	THORIUM-230	0.487	0.294	PCI/L	EML TH-01
SW-2015-102897	10/28/97	THORIUM-232	ND	0.293	PCI/L	EML TH-01
SW-2015-102897	10/28/97	URANIUM, TOTAL	161	7.45	PCI/L	ASTM 5174-91
SW-2015-102897	10/28/97	VANADIUM	ND	2.0	UG/L	EPA 6010A
SW-2015-102897	10/28/97	ZINC	47.3	6.0	UG/L	EPA 6010A
SW-2017-091797	09/17/97	ARSENIC	ND	2.5	UG/L	EPA 6010A
SW-2017-091797	09/17/97	CHROMIUM	2.3	0.5	UG/L	EPA 6010A
SW-2017-091797	09/17/97	LEAD	3.9	1.2	UG/L	EPA 6010A
SW-2017-091797	09/17/97	NITRATE-N	9.30	0.0350	MG/L	EPA 353.1
SW-2017-091797	09/17/97	THALLIUM	ND	2.4	UG/L	EPA 6010A
SW-2018-111097	11/10/97	ACENAPHTHENE	ND	2.00	UG/L	EPA 8310
SW-2018-111097	11/10/97	ACENAPHTHYLENE	ND	1.50	UG/L	EPA 8310
SW-2018-111097	11/10/97	ANTHRACENE	ND	0.0990	UG/L	EPA 8310
SW-2018-111097	11/10/97	BENZO(A)ANTHRACENE	ND	0.00140	UG/L	EPA 8310
SW-2018-111097	11/10/97	BENZO(A)PYRENE	0.002	0.00122	UG/L	EPA 8310
SW-2018-111097	11/10/97	BENZO(B)FLUORANTHENE	0.003	0.00150	UG/L	EPA 8310
SW-2018-111097	11/10/97	BENZO(G,H,I)PERYLENE	ND	0.00398	UG/L	EPA 8310
SW-2018-111097	11/10/97	BENZO(K)FLUORANTHENE	0.003	0.00120	UG/L	EPA 8310
SW-2018-111097	11/10/97	CHEMICAL OXYGEN DEMAND	163	5.00	MG/L	EPA 410.1
SW-2018-111097	11/10/97	CHRYSENE	ND	0.0299	UG/L	EPA 8310
SW-2018-111097	11/10/97	COPPER	7.50	2.00	UG/L	EPA CLP
SW-2018-111097	11/10/97	DIBENZO(A,H)ANTHRACENE	ND	0.00250	UG/L	EPA 8310
SW-2018-111097	11/10/97	FLUORANTHENE	0.012	0.00198	UG/L	EPA 8310
SW-2018-111097	11/10/97	FLUORENE	ND	0.249	UG/L	EPA 8310

WSSRAP_ID	DATE_SAM	PARAMETER	CONC	DL	UNITS	METHOD
SW-2018-111097	11/10/97	INDENO(1,2,3-CD)PYRENE	ND	0.00248	UG/L	EPA 8310
SW-2018-111097	11/10/97	NAPHTHALENE	ND	0.600	UG/L	EPA 8310
SW-2018-111097	11/10/97	NITRATE-N	7.57	0.500	MG/L	EPA 353.2
SW-2018-111097	11/10/97	PHENANTHRENE	ND	0.0744	UG/L	EPA 8310
SW-2018-111097	11/10/97	PYRENE	ND	0.0278	UG/L	EPA 8310
SW-2018-111097	11/10/97	ZINC	50.9	10.0	UG/L	EPA CLP
SW-2020-091797	09/17/97	CALCIUM	57900	2.8	UG/L	EPA 6010A
SW-2020-091797	09/17/97	CHLORIDE	535	6.40	MG/L	EPA 300.0
SW-2020-091797	09/17/97	FLUORIDE	ND	0.0200	MG/L	EPA 300.0
SW-2020-091797	09/17/97	SODIUM	26900	7.1	UG/L	EPA 6010A
SW-2020-091797	09/17/97	SULFATE	45.1	0.900	MG/L	EPA 300.0

SURFACE WATER DATA
FOURTH QUARTER 1997
KPA RESULTS

SAMPLE ID	LOC.	DATE	PARAMETER	CONCENTRATION	ERROR	D.L.	UNITS
SW-2001-110697	2001	11/6/97	URANIUM,TOTAL	3.228	0.106	0.7	PCI/L
SW-2002-110697	2002	11/6/97	URANIUM,TOTAL	9.020	0.315	0.7	PCI/L
SW-2003-110697	2003	11/6/97	URANIUM,TOTAL	10.442	0.368	0.7	PCI/L
SW-2004-110697	2004	11/6/97	URANIUM,TOTAL	10.970	0.140	0.7	PCI/L
SW-2005-110697	2005	11/6/97	URANIUM,TOTAL	8.783	0.310	0.7	PCI/L
SW-2012-110697	2012	11/6/97	URANIUM,TOTAL	9.464	0.129	0.7	PCI/L
SW-2016-110697	2016	11/6/97	URANIUM,TOTAL	2.632	0.080	0.7	PCI/L


AIR MONITORING

Third Quarter 1997 Alpha Track Radon Monitoring Results

LOCATION ID	AVERAGE(pCi/l)@	PERCENT OF DCG#
Weldon Spring Quarry		
RD-1002	0.1	0
RD-1005	0.1	0
Weldon Spring Chemical Plant		
RD-2002	0.1	0
RD-2025	0.2	3
RD-2004	0.2	3
RD-2006	0.1	0
RD-2007	0.1	0
Weldon Spring Raffinate Pits		
RD-3001	0.7	20
RD-3002	0.6	17
RD-3003	0.8	23
RD-3004	0.1	0
RD-3005	0.1	0
RD-3007	14.7	487
RD-3008	1.5	47
RD-3009	0.2	3
RD-3010	1.0	30
RD-3011	0.2	3
RD-3012	0.4	10
RD-3013	3.3	107
RD-3014	2.2	70
RD-3015	1.8	57
Off-Site		
RD-4001	0.1	0
RD-4002	0.1	0
RD-4003	0.2	3
RD-4005*	0.1	N/A
RD-4007	0.1	0
RD-4009*	0.1	N/A
RD-4013	0.5	13

- * Denotes background location
- N/A No percentage calculation performed on background locations
- ** Denotes the missing alpha track radon monitor
- # Derived Concentration Guide
- @ Includes both radon and thoron

Alpha Track Radon Monitoring Results 3rd Qtr., 1997




Third Quarter 1997 Alpha Track Thoron Monitoring Results

LOCATION ID	AVERAGE(pCi/l)	PERCENT OF DCG [#]
Weldon Spring Quarry		
RD-1002	0.1	0
Weldon Spring Chemical Plant		
RD-2002	0.0	0
RD-2025	0.2	3
RD-2004	0.3	7
RD-2006	0.1	0
RD-2007	0.0	0
Weldon Spring Raffinate Pits		
RD-3001	1.1	33
RD-3002	0.8	23
RD-3003	1.2	37
RD-3004	0.0	0
RD-3005	0.1	0
RD-3007	20.0	663
RD-3010	1.0	30
RD-3014	2.7	87
Off-Site		
RD-4001	0.0	0
RD-4002	0.0	0
RD-4003	0.4	0
RD-4005*	0.1	N/A
RD-4007	0.0	0
RD-4009*	0.0	N/A
RD-4013	0.3	7

* Denotes background location
 N/A No percentage calculation performed on background locations
 ** Denotes the missing alpha track radon monitor
 # Derived Concentration Guide

Alpha Track Thoron Monitoring Results 3rd Qtr., 1997




Third Quarter 1997 Environmental TLD Monitoring Results

LOCATION ID	GAMMA EXPOSURE (mR/Qtr)
Weldon Spring Quarry	
TD-1002	14.6
Weldon Spring Chemical Plant	
TD-2025	15.6
TD-2004	16.3
TD-2006	14.1
Weldon Spring Raffinate Pits	
TD-3001	16.9
TD-3002	20.0
TD-3003	21.2
TD-3004	15.7
Off-Site	
TD-4001	14.8
TD-4002	12.2
TD-4003	11.3
TD-4005*	13.3
TD-4007	14.3
TD-4009*	13.4

* Denotes background location
** Denotes the missing TLDs.

Environmental TLD Monitoring Results 3rd Qtr., 1997



Fourth Quarter 1997 Air Particulate Results

LOCATION ID	QUARTERLY AVERAGE GROSS ALPHA CONCENTRATION (uCi/ml)	STANDARD DEVIATION	NO. WEEKS COLLECTED
AP-2001	1.12E-15	3.50E-16	13
AP-2002	1.29E-15	4.08E-16	13
AP-3003	1.41E-15	5.12E-16	13
AP-3004	1.78E-15	9.39E-16	13
AP-2005	1.37E-15	6.44E-16	13
AP-4006	1.48E-15	4.63E-16	13
AP-4007	1.13E-15	4.55E-16	13
AP-4008	1.29E-15	4.21E-16	11
AP-1009	1.20E-15	4.80E-16	13
AP-4011	1.19E-15	5.66E-16	13
AP-4012*	9.75E-16	7.16E-16	13
AP-4013	9.71E-16	4.71E-16	13
AP-3014	1.10E-15	5.06E-16	13
AP-1017	1.21E-15	4.41E-16	13
AP-2025	1.12E-15	3.46E-16	13

* Background monitoring location

Air Particulate Monitoring Results 4th Qtr., 1997

